

Person with disabilities experiencing problems accessing
NCHS birth and death tables should contact
nhsed@cdc.gov, or call 301-458-4688

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
---	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

XVII. Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)

Arkansas

All races, both sexes.....	117	77	3	-	1	2	-	4	5	3	1	1
Male.....	65	47	1	-	1	2	-	3	2	1	-	-
Female.....	52	30	2	-	-	-	-	1	3	2	1	1
White, both sexes.....	84	53	1	-	1	-	-	3	3	3	1	1
Male.....	43	31	-	-	1	-	-	2	1	1	-	-
Female.....	41	22	1	-	-	-	-	1	2	2	1	1
Black, both sexes.....	31	22	2	-	-	2	-	1	2	-	-	-
Male.....	22	16	1	-	-	2	-	1	1	-	-	-
Female.....	9	6	1	-	-	-	-	-	1	-	-	-
American Indian 1/, both sexes.....	2	2	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	2	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	1,300	724	76	29	26	32	24	40	20	21	17	45
Male.....	694	363	38	16	11	18	17	26	14	13	12	22
Female.....	606	361	38	13	15	14	7	14	6	8	5	23
White, both sexes.....	1,073	595	61	22	20	24	20	31	19	19	13	40
Male.....	584	306	32	15	8	14	13	21	13	13	9	19
Female.....	489	289	29	7	12	10	7	10	6	6	4	21
Black, both sexes.....	112	66	7	4	2	3	1	6	1	2	2	1
Male.....	52	27	3	1	1	1	1	4	1	-	2	-
Female.....	60	39	4	3	1	2	-	2	-	2	-	1
American Indian 1/, both sexes.....	10	3	-	-	1	2	1	-	-	-	1	-
Male.....	6	1	-	-	1	1	1	-	-	-	-	-
Female.....	4	2	-	-	-	1	-	-	-	-	1	-
Asian or Pacific Islander 2/, both sexes.....	105	60	8	3	3	3	2	3	-	-	1	4
Male.....	52	29	3	-	1	2	2	1	-	-	1	3
Female.....	53	31	5	3	2	1	-	2	-	-	-	1

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
---	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

XVII. Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)

Illinois

All races, both sexes.....	453	257	20	10	7	13	7	7	6	7	16	9
Male.....	225	135	9	2	2	7	3	3	4	3	7	4
Female.....	228	122	11	8	5	6	4	4	2	4	9	5
White, both sexes.....	355	194	15	7	6	10	4	4	5	5	13	9
Male.....	190	110	8	2	2	6	3	1	3	2	7	4
Female.....	165	84	7	5	4	4	1	3	2	3	6	5
Black, both sexes.....	86	55	4	2	1	3	3	3	1	2	2	-
Male.....	31	21	1	-	-	1	-	2	1	1	-	-
Female.....	55	34	3	2	1	2	3	1	-	1	2	-
American Indian 1/, both sexes.....	1	1	-	-	-	-	-	-	-	-	-	-
Male.....	1	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	11	7	1	1	-	-	-	-	-	-	1	-
Male.....	3	3	-	-	-	-	-	-	-	-	-	-
Female.....	8	4	1	1	-	-	-	-	-	-	1	-

Indiana

All races, both sexes.....	247	155	9	4	6	6	1	3	7	4	4	9
Male.....	124	84	5	1	3	1	-	2	5	2	2	3
Female.....	123	71	4	3	3	5	1	1	2	2	2	6
White, both sexes.....	210	128	8	3	2	6	-	2	6	3	4	9
Male.....	100	67	4	-	1	1	-	1	4	1	2	3
Female.....	110	61	4	3	1	5	-	1	2	2	2	6
Black, both sexes.....	35	27	1	1	4	-	-	1	-	1	-	-
Male.....	23	17	1	1	2	-	-	1	-	1	-	-
Female.....	12	10	-	-	2	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	-	-	1	-	1	-	-	-
Male.....	1	-	-	-	-	-	-	-	1	-	-	-
Female.....	1	-	-	-	-	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
---	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

XVII. Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)

Kentucky

All races, both sexes.....	145	84	6	4	-	1	3	1	5	4	3	5
Male.....	84	53	1	3	-	1	1	1	2	1	-	4
Female.....	61	31	5	1	-	-	2	-	3	3	3	1
White, both sexes.....	128	73	6	4	-	1	2	1	5	4	3	4
Male.....	74	46	1	3	-	1	1	1	2	1	-	3
Female.....	54	27	5	1	-	-	1	-	3	3	3	1
Black, both sexes.....	15	9	-	-	-	-	1	-	-	-	-	1
Male.....	9	6	-	-	-	-	-	-	-	-	-	1
Female.....	6	3	-	-	-	-	1	-	-	-	-	-
American Indian 1/, both sexes.....	1	1	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	1	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	1	-	-	-	-	-	-	-	-	-	-
Male.....	1	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Louisiana

All races, both sexes.....	179	117	4	6	1	2	4	3	6	1	7	3
Male.....	94	66	3	2	1	-	1	2	2	1	4	3
Female.....	85	51	1	4	-	2	3	1	4	-	3	-
White, both sexes.....	109	67	3	4	-	1	2	2	5	1	5	1
Male.....	62	38	3	2	-	-	1	2	2	1	4	1
Female.....	47	29	-	2	-	1	1	-	3	-	1	-
Black, both sexes.....	66	48	-	2	1	1	1	1	1	-	2	2
Male.....	30	26	-	-	1	-	-	-	-	-	-	2
Female.....	36	22	-	2	-	1	1	1	1	-	2	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	4	2	1	-	-	-	1	-	-	-	-	-
Male.....	2	2	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	1	-	-	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
---	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

XVII. Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)

New Mexico

All races, both sexes.....	80	42	6	2	2	4	2	1	3	2	1	3
Male.....	38	21	3	1	1	2	-	1	1	1	-	2
Female.....	42	21	3	1	1	2	2	-	2	1	1	1
White, both sexes.....	72	34	6	2	2	4	2	1	3	2	1	3
Male.....	31	14	3	1	1	2	-	1	1	1	-	2
Female.....	41	20	3	1	1	2	2	-	2	1	1	1
Black, both sexes.....	1	1	-	-	-	-	-	-	-	-	-	-
Male.....	1	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	7	7	-	-	-	-	-	-	-	-	-	-
Male.....	6	6	-	-	-	-	-	-	-	-	-	-
Female.....	1	1	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New York

All races, both sexes.....	508	272	34	7	6	19	12	11	9	13	14	12
Male.....	280	143	23	5	3	13	8	6	5	9	8	8
Female.....	228	129	11	2	3	6	4	5	4	4	6	4
White, both sexes.....	369	187	24	5	2	14	9	10	5	9	11	8
Male.....	199	94	14	4	1	11	7	5	4	6	5	5
Female.....	170	93	10	1	1	3	2	5	1	3	6	3
Black, both sexes.....	116	72	8	2	3	4	3	1	3	4	1	3
Male.....	65	39	8	1	1	2	1	1	1	3	1	2
Female.....	51	33	-	1	2	2	2	-	2	1	-	1
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	23	13	2	-	1	1	-	-	1	-	2	1
Male.....	16	10	1	-	1	-	-	-	-	-	2	1
Female.....	7	3	1	-	-	1	-	-	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
---	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

XVII. Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)

Texas

All races, both sexes.....	854	537	36	17	12	22	13	24	9	21	20	18
Male.....	461	292	17	8	8	16	10	14	6	12	9	8
Female.....	393	245	19	9	4	6	3	10	3	9	11	10
White, both sexes.....	704	438	27	14	9	18	11	19	7	17	17	16
Male.....	374	239	13	5	5	12	8	11	4	11	6	7
Female.....	330	199	14	9	4	6	3	8	3	6	11	9
Black, both sexes.....	133	86	6	3	3	4	2	5	2	4	3	2
Male.....	77	46	2	3	3	4	2	3	2	1	3	1
Female.....	56	40	4	-	-	-	-	2	-	3	-	1
American Indian 1/, both sexes.....	3	2	1	-	-	-	-	-	-	-	-	-
Male.....	2	1	1	-	-	-	-	-	-	-	-	-
Female.....	1	1	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	14	11	2	-	-	-	-	-	-	-	-	-
Male.....	8	6	1	-	-	-	-	-	-	-	-	-
Female.....	6	5	1	-	-	-	-	-	-	-	-	-

Utah

All races, both sexes.....	118	79	4	1	2	2	4	3	2	4	4	1
Male.....	63	42	-	1	-	2	3	3	1	2	3	-
Female.....	55	37	4	-	2	-	1	-	1	2	1	1
White, both sexes.....	111	73	4	1	2	2	4	3	2	3	4	1
Male.....	60	39	-	1	-	2	3	3	1	2	3	-
Female.....	51	34	4	-	2	-	1	-	1	1	1	1
Black, both sexes.....	2	2	-	-	-	-	-	-	-	-	-	-
Male.....	1	1	-	-	-	-	-	-	-	-	-	-
Female.....	1	1	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	1	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	1	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	4	3	-	-	-	-	-	-	-	1	-	-
Male.....	2	2	-	-	-	-	-	-	-	-	-	-
Female.....	2	1	-	-	-	-	-	-	-	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
---	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

XVII. Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)

Vermont

All races, both sexes.....	20	8	-	1	-	-	-	1	-	3	1	1
Male.....	10	5	-	-	-	-	-	-	-	2	-	1
Female.....	10	3	-	1	-	-	-	1	-	1	1	-
White, both sexes.....	20	8	-	1	-	-	-	1	-	3	1	1
Male.....	10	5	-	-	-	-	-	-	-	2	-	1
Female.....	10	3	-	1	-	-	-	1	-	1	1	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Virginia

All races, both sexes.....	214	124	9	5	2	3	6	6	2	5	8	6
Male.....	111	63	5	1	1	3	5	3	1	2	3	3
Female.....	103	61	4	4	1	-	1	3	1	3	5	3
White, both sexes.....	159	85	8	4	2	2	4	2	2	4	7	6
Male.....	86	44	5	1	1	2	4	2	1	2	2	3
Female.....	73	41	3	3	1	-	-	-	1	2	5	3
Black, both sexes.....	48	34	1	1	-	1	2	2	-	1	1	-
Male.....	24	19	-	-	-	1	1	-	-	-	1	-
Female.....	24	15	1	1	-	-	1	2	-	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	7	5	-	-	-	-	-	2	-	-	-	-
Male.....	1	-	-	-	-	-	-	1	-	-	-	-
Female.....	6	5	-	-	-	-	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

XVII. Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)

Arkansas

All races, both sexes.....	4	2	2	1	2	-	7	1	-	1	-	-
Male.....	2	1	2	-	1	-	2	-	-	-	-	-
Female.....	2	1	-	1	1	-	5	1	-	1	-	-
White, both sexes.....	4	2	2	1	2	-	5	1	-	1	-	-
Male.....	2	1	2	-	1	-	1	-	-	-	-	-
Female.....	2	1	-	1	1	-	4	1	-	1	-	-
Black, both sexes.....	-	-	-	-	-	-	2	-	-	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	39	51	39	20	22	24	20	18	7	4	2	-
Male.....	24	32	20	15	11	11	13	9	6	2	1	-
Female.....	15	19	19	5	11	13	7	9	1	2	1	-
White, both sexes.....	34	41	35	16	19	20	18	16	6	3	1	-
Male.....	20	24	17	13	10	9	12	8	5	2	1	-
Female.....	14	17	18	3	9	11	6	8	1	1	-	-
Black, both sexes.....	4	3	3	1	-	1	2	1	-	1	1	-
Male.....	4	1	2	1	-	1	1	1	-	-	-	-
Female.....	-	2	1	-	-	-	1	-	-	1	1	-
American Indian 1/, both sexes.....	-	2	-	-	-	-	-	-	-	-	-	-
Male.....	-	2	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	5	1	3	3	3	-	1	1	-	-	-
Male.....	-	5	1	1	1	1	-	-	1	-	-	-
Female.....	1	-	-	2	2	2	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
---	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Spina bifida (Q05)

Arkansas

All races, both sexes.....	2	1	1	-	-	-	-	-	-	-	-	-
Male.....	1	-	1	-	-	-	-	-	-	-	-	-
Female.....	1	1	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	1	1	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	1	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	1	-	1	-	-	-	-	-	-	-	-	-
Male.....	1	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	18	2	1	2	2	2	1	2	2	-	2	1
Male.....	10	1	1	1	-	1	1	1	2	-	1	-
Female.....	8	1	-	1	2	1	-	1	-	-	1	1
White, both sexes.....	15	2	1	1	1	2	1	2	1	-	2	1
Male.....	9	1	1	1	-	1	1	1	1	-	1	-
Female.....	6	1	-	-	1	1	-	1	-	-	1	1
Black, both sexes.....	2	-	-	1	-	-	-	-	1	-	-	-
Male.....	1	-	-	-	-	-	-	-	1	-	-	-
Female.....	1	-	-	1	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	1	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
---	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

All other congenital malformations of nervous system (Q01-Q04,Q06-Q07)

Kentucky

All races, both sexes.....	13	4	2	3	-	-	-	-	1	-	1	-
Male.....	7	3	1	2	-	-	-	-	-	-	-	-
Female.....	6	1	1	1	-	-	-	-	1	-	1	-
White, both sexes.....	13	4	2	3	-	-	-	-	1	-	1	-
Male.....	7	3	1	2	-	-	-	-	-	-	-	-
Female.....	6	1	1	1	-	-	-	-	1	-	1	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Louisiana

All races, both sexes.....	12	5	2	2	1	-	1	-	-	-	-	1
Male.....	7	3	1	1	1	-	-	-	-	-	-	1
Female.....	5	2	1	1	-	-	1	-	-	-	-	-
White, both sexes.....	4	1	1	1	-	-	-	-	-	-	-	1
Male.....	4	1	1	1	-	-	-	-	-	-	-	1
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	6	4	-	1	1	-	-	-	-	-	-	-
Male.....	3	2	-	-	1	-	-	-	-	-	-	-
Female.....	3	2	-	1	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	1	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	1	-	-	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Congenital malformations of heart (Q20-Q24)

Arkansas

All races, both sexes.....	16	9	-	-	-	-	-	-	-	1	1	-
Male.....	8	6	-	-	-	-	-	-	-	-	-	-
Female.....	8	3	-	-	-	-	-	-	-	1	1	-
White, both sexes.....	12	5	-	-	-	-	-	-	-	1	1	-
Male.....	5	3	-	-	-	-	-	-	-	-	-	-
Female.....	7	2	-	-	-	-	-	-	-	1	1	-
Black, both sexes.....	4	4	-	-	-	-	-	-	-	-	-	-
Male.....	3	3	-	-	-	-	-	-	-	-	-	-
Female.....	1	1	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	352	183	31	5	5	12	10	13	6	7	7	15
Male.....	189	95	20	2	2	9	8	8	5	3	6	3
Female.....	163	88	11	3	3	3	2	5	1	4	1	12
White, both sexes.....	292	152	25	4	4	8	8	8	6	5	7	13
Male.....	160	80	17	2	2	6	6	6	5	3	6	2
Female.....	132	72	8	2	2	2	2	2	1	2	1	11
Black, both sexes.....	32	16	5	1	1	1	1	3	-	2	-	-
Male.....	14	6	3	-	-	1	1	2	-	-	-	-
Female.....	18	10	2	1	1	-	-	1	-	2	-	-
American Indian 1/, both sexes.....	3	1	-	-	-	1	-	-	-	-	-	-
Male.....	3	1	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	25	14	1	-	-	2	1	2	-	-	-	2
Male.....	12	8	-	-	-	1	1	-	-	-	-	1
Female.....	13	6	1	-	-	1	-	2	-	-	-	1

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Congenital malformations of heart (Q20-Q24)

New Mexico

All races, both sexes.....	23	10	2	1	1	2	1	1	2	1	-	1
Male.....	10	4	1	1	-	1	-	1	1	-	-	1
Female.....	13	6	1	-	1	1	1	-	1	1	-	-
White, both sexes.....	20	7	2	1	1	2	1	1	2	1	-	1
Male.....	7	1	1	1	-	1	-	1	1	-	-	1
Female.....	13	6	1	-	1	1	1	-	1	1	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	3	3	-	-	-	-	-	-	-	-	-	-
Male.....	3	3	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New York

All races, both sexes.....	157	64	13	3	2	10	5	4	4	8	6	6
Male.....	91	33	8	3	-	6	4	3	2	7	5	4
Female.....	66	31	5	-	2	4	1	1	2	1	1	2
White, both sexes.....	113	43	9	2	1	8	3	3	1	6	5	5
Male.....	64	20	5	2	-	5	3	2	1	5	4	3
Female.....	49	23	4	-	1	3	-	1	-	1	1	2
Black, both sexes.....	35	16	3	1	1	2	1	1	3	2	-	1
Male.....	22	10	3	1	-	1	1	1	1	2	-	1
Female.....	13	6	-	-	1	-	1	-	2	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	9	5	1	-	-	1	-	-	-	-	1	-
Male.....	5	3	-	-	-	-	-	-	-	-	1	-
Female.....	4	2	1	-	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Congenital malformations of heart (Q20-Q24)

Vermont

All races, both sexes.....	6	1	-	-	-	-	-	1	-	2	1	-
Male.....	3	1	-	-	-	-	-	-	-	2	-	-
Female.....	3	-	-	-	-	-	-	1	-	-	1	-
White, both sexes.....	6	1	-	-	-	-	-	1	-	2	1	-
Male.....	3	1	-	-	-	-	-	-	-	2	-	-
Female.....	3	-	-	-	-	-	-	1	-	-	1	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Virginia

All races, both sexes.....	74	41	2	3	1	2	2	4	-	1	3	3
Male.....	41	27	1	-	-	2	1	2	-	1	1	1
Female.....	33	14	1	3	1	-	1	2	-	-	2	2
White, both sexes.....	51	26	2	2	1	1	-	2	-	1	3	3
Male.....	29	17	1	-	-	1	-	2	-	1	1	1
Female.....	22	9	1	2	1	-	-	-	-	-	2	2
Black, both sexes.....	21	14	-	1	-	1	2	1	-	-	-	-
Male.....	12	10	-	-	-	1	1	-	-	-	-	-
Female.....	9	4	-	1	-	-	1	1	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	1	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	1	-	-	-	-	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Congenital malformations of heart (Q20-Q24)

Arkansas

All races, both sexes.....	1	-	-	-	1	-	2	1	-	-	-	-
Male.....	1	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	2	1	-	-	-	-
White, both sexes.....	1	-	-	-	1	-	2	1	-	-	-	-
Male.....	1	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	2	1	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	12	14	5	7	4	8	7	-	-	1	-	-
Male.....	7	6	1	5	2	1	5	-	-	1	-	-
Female.....	5	8	4	2	2	7	2	-	-	-	-	-
White, both sexes.....	12	11	5	6	4	7	6	-	-	1	-	-
Male.....	7	4	1	5	2	1	4	-	-	1	-	-
Female.....	5	7	4	1	2	6	2	-	-	-	-	-
Black, both sexes.....	-	1	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	1	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	1	-	1	-	-	-	-	-	-
Male.....	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	1	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
---	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Other congenital malformations of circulatory system (Q25-Q28)

Illinois

All races, both sexes.....	29	10	1	1	2	2	-	-	-	1	2	1
Male.....	15	6	1	-	1	1	-	-	-	-	-	1
Female.....	14	4	-	1	1	1	-	-	-	1	2	-
White, both sexes.....	27	10	1	-	2	1	-	-	-	1	2	1
Male.....	15	6	1	-	1	1	-	-	-	-	-	1
Female.....	12	4	-	-	1	-	-	-	-	1	2	-
Black, both sexes.....	1	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	1	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	1	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	1	-	-	-	-	-	-	-	-

Indiana

All races, both sexes.....	8	4	-	-	-	-	1	-	1	-	-	-
Male.....	3	2	-	-	-	-	-	-	1	-	-	-
Female.....	5	2	-	-	-	-	1	-	-	-	-	-
White, both sexes.....	6	3	-	-	-	-	-	-	1	-	-	-
Male.....	2	1	-	-	-	-	-	-	1	-	-	-
Female.....	4	2	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	1	1	-	-	-	-	-	-	-	-	-	-
Male.....	1	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Other congenital malformations of circulatory system (Q25-Q28)

New Mexico

All races, both sexes.....	5	3	-	-	-	-	-	-	-	-	1	-
Male.....	2	2	-	-	-	-	-	-	-	-	-	-
Female.....	3	1	-	-	-	-	-	-	-	-	1	-
White, both sexes.....	4	2	-	-	-	-	-	-	-	-	1	-
Male.....	1	1	-	-	-	-	-	-	-	-	-	-
Female.....	3	1	-	-	-	-	-	-	-	-	1	-
Black, both sexes.....	1	1	-	-	-	-	-	-	-	-	-	-
Male.....	1	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New York

All races, both sexes.....	38	9	1	-	1	1	1	2	2	-	1	-
Male.....	23	7	1	-	1	1	-	-	-	-	1	-
Female.....	15	2	-	-	-	-	1	2	2	-	-	-
White, both sexes.....	29	6	-	-	1	1	1	2	1	-	1	-
Male.....	17	4	-	-	1	1	-	-	-	-	1	-
Female.....	12	2	-	-	-	-	1	2	1	-	-	-
Black, both sexes.....	6	3	-	-	-	-	-	-	-	-	-	-
Male.....	5	3	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	-	1	-	-	-	-	-	1	-	-	-
Male.....	1	-	1	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	-	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Other congenital malformations of circulatory system (Q25-Q28)

Arkansas

All races, both sexes.....	2	-	1	-	-	-	1	-	-	-	-	-
Male.....	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	1	-	-	-	-	-
White, both sexes.....	2	-	1	-	-	-	1	-	-	-	-	-
Male.....	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	1	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	3	5	4	5	5	7	5	6	3	1	2	-
Male.....	2	4	1	4	3	4	4	4	2	-	1	-
Female.....	1	1	3	1	2	3	1	2	1	1	1	-
White, both sexes.....	1	2	3	5	5	5	5	6	3	-	1	-
Male.....	-	2	1	4	3	3	4	4	2	-	1	-
Female.....	1	-	2	1	2	2	1	2	1	-	-	-
Black, both sexes.....	2	1	1	-	-	1	-	-	-	1	1	-
Male.....	2	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	1	1	-	-	-	-	-	-	1	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	2	-	-	-	1	-	-	-	-	-	-
Male.....	-	2	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Congenital malformations of respiratory system (Q30-Q34)

Arkansas

All races, both sexes.....	-	-	-	-	-	-	-	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	1	-	-
White, both sexes.....	-	-	-	-	-	-	-	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	1	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	-	-	-	-	1	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	1	-	-	-	-
White, both sexes.....	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
---	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Other congenital malformations and deformations (Q10-Q18,Q35-Q89)

Arkansas

All races, both sexes.....	39	26	-	-	-	2	-	1	2	1	-	1
Male.....	20	14	-	-	-	2	-	1	-	1	-	-
Female.....	19	12	-	-	-	-	-	-	2	-	-	1
White, both sexes.....	26	16	-	-	-	-	-	1	1	1	-	1
Male.....	13	9	-	-	-	-	-	1	-	1	-	-
Female.....	13	7	-	-	-	-	-	-	1	-	-	1
Black, both sexes.....	12	9	-	-	-	2	-	-	1	-	-	-
Male.....	7	5	-	-	-	2	-	-	-	-	-	-
Female.....	5	4	-	-	-	-	-	-	1	-	-	-
American Indian 1/, both sexes.....	1	1	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	1	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	366	211	19	6	5	8	5	10	4	5	4	11
Male.....	197	110	8	1	2	5	3	7	-	3	2	5
Female.....	169	101	11	5	3	3	2	3	4	2	2	6
White, both sexes.....	292	165	17	5	4	6	4	8	4	5	3	9
Male.....	160	91	7	1	2	4	2	6	-	3	1	4
Female.....	132	74	10	4	2	2	2	2	4	2	2	5
Black, both sexes.....	32	23	-	-	-	1	-	1	-	-	-	1
Male.....	16	11	-	-	-	-	-	-	-	-	-	-
Female.....	16	12	-	-	-	1	-	1	-	-	-	1
American Indian 1/, both sexes.....	2	1	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	1	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	40	22	2	1	1	1	1	1	-	-	1	1
Male.....	20	8	1	-	-	1	1	1	-	-	1	1
Female.....	20	14	1	1	1	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
---	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Other congenital malformations and deformations (Q10-Q18,Q35-Q89)

Texas

All races, both sexes.....	249	174	3	5	1	2	4	6	2	4	6	3
Male.....	134	98	2	1	1	1	3	4	1	1	3	1
Female.....	115	76	1	4	-	1	1	2	1	3	3	2
White, both sexes.....	209	143	3	4	1	2	4	5	1	3	5	2
Male.....	109	79	2	-	1	1	3	3	-	1	2	1
Female.....	100	64	1	4	-	1	1	2	1	2	3	1
Black, both sexes.....	36	27	-	1	-	-	-	1	1	1	1	1
Male.....	22	16	-	1	-	-	-	1	1	-	1	-
Female.....	14	11	-	-	-	-	-	-	-	1	-	1
American Indian 1/, both sexes.....	1	1	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	1	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	3	-	-	-	-	-	-	-	-	-	-
Male.....	3	3	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Utah

All races, both sexes.....	33	18	1	-	1	1	2	1	-	3	1	-
Male.....	17	10	-	-	-	1	2	1	-	1	-	-
Female.....	16	8	1	-	1	-	-	-	-	2	1	-
White, both sexes.....	31	17	1	-	1	1	2	1	-	2	1	-
Male.....	16	9	-	-	-	1	2	1	-	1	-	-
Female.....	15	8	1	-	1	-	-	-	-	1	1	-
Black, both sexes.....	1	1	-	-	-	-	-	-	-	-	-	-
Male.....	1	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Other congenital malformations and deformations (Q10-Q18,Q35-Q89)

Arkansas

All races, both sexes.....	-	2	-	1	1	-	2	-	-	-	-	-
Male.....	-	1	-	-	-	-	1	-	-	-	-	-
Female.....	-	1	-	1	1	-	1	-	-	-	-	-
White, both sexes.....	-	2	-	1	1	-	2	-	-	-	-	-
Male.....	-	1	-	-	-	-	1	-	-	-	-	-
Female.....	-	1	-	1	1	-	1	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	8	13	12	6	10	8	8	7	4	2	-	-
Male.....	7	10	8	4	5	6	4	2	4	1	-	-
Female.....	1	3	4	2	5	2	4	5	-	1	-	-
White, both sexes.....	7	10	10	3	8	7	7	5	3	2	-	-
Male.....	6	7	6	2	4	5	4	1	3	1	-	-
Female.....	1	3	4	1	4	2	3	4	-	1	-	-
Black, both sexes.....	1	1	1	1	-	-	1	1	-	-	-	-
Male.....	1	1	1	1	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-
American Indian 1/, both sexes.....	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	1	2	2	1	-	1	1	-	-	-
Male.....	-	1	1	1	1	1	-	-	1	-	-	-
Female.....	-	-	-	1	1	-	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
---	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

XVIII. Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (R00-R99)

Arkansas

All races, both sexes.....	405	72	3	1	-	2	4	7	6	10	16	16
Male.....	198	34	3	-	-	1	2	3	5	6	9	11
Female.....	207	38	-	1	-	1	2	4	1	4	7	5
White, both sexes.....	311	51	2	1	-	1	3	7	4	5	11	13
Male.....	146	26	2	-	-	-	2	3	4	1	6	9
Female.....	165	25	-	1	-	1	1	4	-	4	5	4
Black, both sexes.....	93	21	1	-	-	1	1	-	2	5	4	3
Male.....	51	8	1	-	-	1	-	-	1	5	2	2
Female.....	42	13	-	-	-	-	1	-	1	-	2	1
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	-	1	-
Male.....	1	-	-	-	-	-	-	-	-	-	1	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	1,091	259	23	3	5	19	34	39	45	59	91	90
Male.....	644	167	15	3	3	11	24	27	31	36	60	58
Female.....	447	92	8	-	2	8	10	12	14	23	31	32
White, both sexes.....	906	198	17	3	5	15	28	32	38	51	74	75
Male.....	535	131	11	3	3	9	21	21	28	31	48	47
Female.....	371	67	6	-	2	6	7	11	10	20	26	28
Black, both sexes.....	111	44	5	-	2	5	2	2	1	3	10	12
Male.....	62	24	3	-	-	1	2	2	-	2	6	8
Female.....	49	20	2	-	-	1	3	-	1	1	4	4
American Indian 1/, both sexes.....	15	5	-	-	-	2	-	1	1	1	2	-
Male.....	10	3	-	-	-	1	-	1	-	1	2	-
Female.....	5	2	-	-	-	1	-	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	59	12	1	-	-	-	1	4	5	4	5	3
Male.....	37	9	1	-	-	-	1	3	3	2	4	3
Female.....	22	3	-	-	-	-	-	1	2	2	1	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
---	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

XVIII. Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (R00-R99)

Florida

All races, both sexes.....	3,664	173	11	3	2	11	15	30	23	30	53	69
Male.....	1,460	109	6	2	1	10	8	19	14	12	36	43
Female.....	2,204	64	5	1	1	1	7	11	9	18	17	26
White, both sexes.....	3,300	120	4	2	1	8	10	15	18	25	37	47
Male.....	1,292	81	2	2	1	7	6	13	11	10	26	29
Female.....	2,008	39	2	-	-	1	4	2	7	15	11	18
Black, both sexes.....	340	51	6	1	1	3	5	15	5	5	16	22
Male.....	153	27	4	-	-	3	2	6	3	2	10	14
Female.....	187	24	2	1	1	-	3	9	2	3	6	8
American Indian 1/, both sexes.....	5	1	1	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	4	1	1	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	19	1	-	-	-	-	-	-	-	-	-	-
Male.....	14	1	-	-	-	-	-	-	-	-	-	-
Female.....	5	-	-	-	-	-	-	-	-	-	-	-

Georgia

All races, both sexes.....	1,806	173	8	2	2	4	13	14	19	13	33	27
Male.....	734	93	2	1	1	3	8	8	14	10	21	14
Female.....	1,072	80	6	1	1	1	5	6	5	3	12	13
White, both sexes.....	1,348	82	3	1	2	2	6	12	11	8	17	22
Male.....	540	45	2	-	1	2	3	8	9	7	12	12
Female.....	808	37	1	1	1	-	3	4	2	1	5	10
Black, both sexes.....	439	88	5	1	-	2	7	2	8	4	16	5
Male.....	185	45	-	1	-	1	5	-	5	3	9	2
Female.....	254	43	5	-	-	1	2	2	3	1	7	3
American Indian 1/, both sexes.....	2	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	17	3	-	-	-	-	-	-	-	1	-	-
Male.....	9	3	-	-	-	-	-	-	-	-	-	-
Female.....	8	-	-	-	-	-	-	-	-	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

XVIII. Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (R00-R99)

Kentucky

All races, both sexes.....	450	88	5	-	1	1	2	4	6	6	12	11
Male.....	189	59	3	-	-	-	-	3	4	3	5	5
Female.....	261	29	2	-	1	1	2	1	2	3	7	6
White, both sexes.....	390	68	5	-	1	1	2	1	6	5	11	7
Male.....	153	43	3	-	-	-	-	1	4	3	4	2
Female.....	237	25	2	-	1	1	2	-	2	2	7	5
Black, both sexes.....	58	20	-	-	-	-	-	3	-	-	-	4
Male.....	35	16	-	-	-	-	-	2	-	-	-	3
Female.....	23	4	-	-	-	-	-	1	-	-	-	1
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	1	-
Male.....	1	-	-	-	-	-	-	-	-	-	1	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	1	-	-

Louisiana

All races, both sexes.....	717	67	7	1	-	1	8	9	9	8	15	16
Male.....	310	44	5	1	-	1	5	6	7	5	10	7
Female.....	407	23	2	-	-	-	3	3	2	3	5	9
White, both sexes.....	489	27	1	-	-	1	7	5	4	5	8	11
Male.....	182	18	1	-	-	1	4	2	3	3	5	6
Female.....	307	9	-	-	-	-	3	3	1	2	3	5
Black, both sexes.....	222	39	5	1	-	-	1	4	5	2	7	5
Male.....	127	26	4	1	-	-	1	4	4	2	5	1
Female.....	95	13	1	-	-	-	-	-	1	-	2	4
American Indian 1/, both sexes.....	3	1	1	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	3	1	1	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	-	-	-	-	-	-	-	-	1	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	-	-	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
---	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

XVIII. Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (R00-R99)

Maine

All races, both sexes.....	94	12	1	-	-	1	1	-	2	2	-	2
Male.....	40	9	1	-	-	-	1	-	1	-	-	1
Female.....	54	3	-	-	-	1	-	-	1	2	-	1
White, both sexes.....	93	11	1	-	-	1	1	-	2	2	-	2
Male.....	39	8	1	-	-	-	1	-	1	-	-	1
Female.....	54	3	-	-	-	1	-	-	1	2	-	1
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	1	-	-	-	-	-	-	-	-	-	-
Male.....	1	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Maryland

All races, both sexes.....	175	72	6	2	1	5	4	1	5	6	7	7
Male.....	83	40	2	-	1	4	3	-	3	4	3	4
Female.....	92	32	4	2	-	1	1	1	2	2	4	3
White, both sexes.....	102	30	4	-	1	3	2	-	4	2	5	5
Male.....	49	20	2	-	1	3	1	-	3	1	2	3
Female.....	53	10	2	-	-	-	1	-	1	1	3	2
Black, both sexes.....	68	38	2	2	-	2	2	1	-	4	2	2
Male.....	31	17	-	-	-	1	2	-	-	3	1	1
Female.....	37	21	2	2	-	1	-	1	-	1	1	1
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	5	4	-	-	-	-	-	-	1	-	-	-
Male.....	3	3	-	-	-	-	-	-	-	-	-	-
Female.....	2	1	-	-	-	-	-	-	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

XVIII. Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (R00-R99)

New Hampshire

All races, both sexes.....	71	17	-	-	-	-	2	1	1	1	1	2
Male.....	29	9	-	-	-	-	1	-	1	1	1	2
Female.....	42	8	-	-	-	-	1	1	-	-	-	-
White, both sexes.....	70	16	-	-	-	-	2	1	1	1	1	2
Male.....	29	9	-	-	-	-	1	-	1	1	1	2
Female.....	41	7	-	-	-	-	1	1	-	-	-	-
Black, both sexes.....	1	1	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	1	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New Jersey

All races, both sexes.....	1,028	65	6	-	5	21	37	33	44	61	86	88
Male.....	576	36	5	-	4	13	30	26	36	45	61	68
Female.....	452	29	1	-	1	8	7	7	8	16	25	20
White, both sexes.....	821	30	4	-	5	16	31	27	30	45	66	64
Male.....	453	18	3	-	4	9	25	22	25	37	47	48
Female.....	368	12	1	-	1	7	6	5	5	8	19	16
Black, both sexes.....	186	33	2	-	5	4	4	4	11	15	20	24
Male.....	112	18	2	-	4	3	2	2	10	7	14	20
Female.....	74	15	-	-	1	1	2	1	8	8	6	4
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	21	2	-	-	-	-	2	2	3	1	-	-
Male.....	11	-	-	-	-	-	2	2	1	1	-	-
Female.....	10	2	-	-	-	-	-	-	2	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
---	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

XVIII. Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (R00-R99)

New Mexico

All races, both sexes.....	86	19	-	-	1	2	2	2	7	2	7	2
Male.....	46	10	-	-	1	2	2	2	6	2	5	1
Female.....	40	9	-	-	-	-	-	-	1	-	2	1
White, both sexes.....	73	16	-	-	1	1	2	2	6	1	5	2
Male.....	36	8	-	-	1	1	2	2	5	1	3	1
Female.....	37	8	-	-	-	-	-	-	1	-	2	1
Black, both sexes.....	3	1	-	-	-	-	-	-	-	-	-	-
Male.....	2	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	1	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	10	2	-	-	-	1	-	-	1	1	2	-
Male.....	8	2	-	-	-	1	-	-	1	1	2	-
Female.....	2	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New York

All races, both sexes.....	1,042	121	12	6	3	9	21	20	21	36	42	49
Male.....	488	64	8	3	2	5	12	12	16	24	30	35
Female.....	554	57	4	3	1	4	9	8	5	12	12	14
White, both sexes.....	836	68	6	4	3	7	16	17	12	31	30	30
Male.....	374	33	5	2	2	4	10	11	11	20	21	21
Female.....	462	35	1	2	1	3	6	6	1	11	9	9
Black, both sexes.....	176	50	5	2	-	2	3	2	9	4	11	16
Male.....	95	29	2	1	-	1	1	1	5	3	8	12
Female.....	81	21	3	1	-	1	2	1	4	1	3	4
American Indian 1/, both sexes.....	2	2	-	-	-	-	-	-	-	-	-	-
Male.....	1	1	-	-	-	-	-	-	-	-	-	-
Female.....	1	1	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	28	1	1	-	-	-	2	1	-	1	1	3
Male.....	18	1	1	-	-	-	1	-	-	1	1	2
Female.....	10	-	-	-	-	-	1	1	-	-	-	1

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
---	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

XVIII. Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (R00-R99)

Vermont

All races, both sexes.....	31	2	1	-	-	-	-	-	-	1	-	3
Male.....	14	2	-	-	-	-	-	-	-	1	-	1
Female.....	17	-	1	-	-	-	-	-	-	-	-	2
White, both sexes.....	30	2	-	-	-	-	-	-	-	1	-	3
Male.....	14	2	-	-	-	-	-	-	-	1	-	1
Female.....	16	-	-	-	-	-	-	-	-	-	-	2
Black, both sexes.....	1	-	1	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	1	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Virginia

All races, both sexes.....	729	90	3	1	1	2	5	6	9	10	6	17
Male.....	277	51	1	1	-	1	5	3	5	6	4	10
Female.....	452	39	2	-	1	1	-	3	4	4	2	7
White, both sexes.....	564	45	1	-	1	1	5	3	8	7	5	10
Male.....	201	28	-	-	-	1	5	2	5	4	3	4
Female.....	363	17	1	-	1	-	-	1	3	3	2	6
Black, both sexes.....	147	41	2	1	-	1	-	1	-	3	1	7
Male.....	68	21	1	1	-	-	-	-	-	2	1	6
Female.....	79	20	1	-	-	1	-	1	-	1	-	1
American Indian 1/, both sexes.....	2	-	-	-	-	-	-	1	-	-	-	-
Male.....	1	-	-	-	-	-	-	1	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	16	4	-	-	-	-	-	1	1	-	-	-
Male.....	7	2	-	-	-	-	-	-	-	-	-	-
Female.....	9	2	-	-	-	-	-	1	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

XVIII. Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (R00-R99)

United States

All races, both sexes.....	1,157	1,075	964	982	1,325	2,117	3,318	4,309	4,540	2,605	1,054	44
Male.....	726	684	572	578	709	1,008	1,335	1,441	1,131	507	148	29
Female.....	431	391	392	404	616	1,109	1,983	2,868	3,409	2,098	906	15
White, both sexes.....	888	854	795	813	1,104	1,839	2,949	3,952	4,202	2,380	942	35
Male.....	558	549	483	480	574	876	1,184	1,333	1,034	453	127	25
Female.....	330	305	312	333	530	963	1,765	2,619	3,168	1,927	815	10
Black, both sexes.....	242	199	143	150	195	245	320	295	286	186	96	8
Male.....	154	122	73	88	118	118	135	89	71	42	15	3
Female.....	88	77	70	62	77	127	185	206	215	144	81	5
American Indian 1/, both sexes.....	8	8	8	3	6	7	9	10	7	4	3	1
Male.....	6	5	5	-	3	3	3	2	2	1	1	1
Female.....	2	3	3	3	3	4	6	8	5	3	2	-
Asian or Pacific Islander 2/, both sexes.....	19	14	18	16	20	26	40	52	45	35	13	-
Male.....	8	8	11	10	14	11	13	17	24	11	5	-
Female.....	11	6	7	6	6	15	27	35	21	24	8	-

Alabama

All races, both sexes.....	70	90	70	88	101	134	165	201	154	94	29	1
Male.....	50	59	42	55	51	53	62	66	35	10	2	1
Female.....	20	31	28	33	50	81	103	135	119	84	27	-
White, both sexes.....	44	60	54	59	77	101	130	159	125	75	19	1
Male.....	33	38	35	40	35	39	44	53	26	6	1	1
Female.....	11	22	19	19	42	62	86	106	99	69	18	-
Black, both sexes.....	26	30	16	29	24	32	35	41	29	19	10	-
Male.....	17	21	7	15	16	14	18	13	9	4	1	-
Female.....	9	9	9	14	8	18	17	28	20	15	9	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

XVIII. Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (R00-R99)

Alaska

All races, both sexes.....	4	3	1	1	1	1	1	3	6	4	1	-
Male.....	1	2	-	-	1	-	1	-	3	1	1	-
Female.....	3	1	1	1	-	1	-	3	3	3	-	-
White, both sexes.....	4	2	1	1	1	1	1	2	4	4	1	-
Male.....	1	1	-	-	1	-	1	-	2	1	1	-
Female.....	3	1	1	1	-	1	-	2	2	3	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	1	-	-	-	-	-	1	1	-	-	-
Male.....	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	1	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Arizona

All races, both sexes.....	19	10	19	14	21	50	107	144	149	82	25	10
Male.....	10	6	10	5	12	30	46	55	37	20	2	8
Female.....	9	4	9	9	9	20	61	89	112	62	23	2
White, both sexes.....	19	9	18	14	20	46	106	138	144	76	24	9
Male.....	10	5	9	5	11	26	46	54	37	18	1	7
Female.....	9	4	9	9	9	20	60	84	107	58	23	2
Black, both sexes.....	-	-	-	-	1	3	1	3	3	3	-	-
Male.....	-	-	-	-	1	3	-	-	-	1	-	-
Female.....	-	-	-	-	-	-	1	3	3	2	-	-
American Indian 1/, both sexes.....	-	1	1	-	-	1	-	1	-	3	-	1
Male.....	-	1	1	-	-	1	-	1	-	1	-	1
Female.....	-	-	-	-	-	-	-	-	-	2	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	2	2	-	1	-
Male.....	-	-	-	-	-	-	-	-	-	-	1	-
Female.....	-	-	-	-	-	-	-	2	2	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

XVIII. Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (R00-R99)

Arkansas

All races, both sexes.....	28	18	11	24	17	29	37	27	44	18	14	1
Male.....	18	12	8	18	11	18	16	9	8	3	2	1
Female.....	10	6	3	6	6	11	21	18	36	15	12	-
White, both sexes.....	17	15	8	20	14	20	32	24	37	13	13	-
Male.....	9	9	5	15	9	13	14	8	8	1	2	-
Female.....	8	6	3	5	5	7	18	16	29	12	11	-
Black, both sexes.....	11	3	3	4	3	9	5	3	7	5	1	1
Male.....	9	3	3	3	2	5	2	1	-	2	-	1
Female.....	2	-	-	1	1	4	3	2	7	3	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	90	54	46	24	15	23	42	36	40	28	13	13
Male.....	53	37	29	15	11	11	15	10	12	7	-	9
Female.....	37	17	17	9	4	12	27	26	28	21	13	4
White, both sexes.....	74	44	40	20	14	19	36	33	39	27	13	11
Male.....	44	32	25	14	10	10	11	9	12	7	-	8
Female.....	30	12	15	6	4	9	25	24	27	20	13	3
Black, both sexes.....	10	6	3	3	1	1	-	-	1	-	-	2
Male.....	5	4	1	1	1	1	-	-	-	-	-	1
Female.....	5	2	2	2	-	-	-	-	1	-	-	1
American Indian 1/, both sexes.....	-	1	-	1	-	-	1	-	-	-	-	-
Male.....	-	1	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	1	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	6	3	3	-	-	3	5	3	-	1	-	-
Male.....	4	-	3	-	-	-	3	1	-	-	-	-
Female.....	2	3	-	-	-	3	2	2	-	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

XVIII. Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (R00-R99)

Florida

All races, both sexes.....	58	68	72	80	132	256	485	697	825	433	135	3
Male.....	34	50	37	40	82	128	208	258	238	95	27	3
Female.....	24	18	35	40	50	128	277	439	587	338	108	-
White, both sexes.....	48	57	62	65	118	230	447	659	789	415	120	3
Male.....	26	42	30	33	74	112	190	249	227	93	25	3
Female.....	22	15	32	32	44	118	257	410	562	322	95	-
Black, both sexes.....	10	11	9	12	13	24	33	34	33	17	14	-
Male.....	8	8	6	4	8	14	16	7	9	1	1	-
Female.....	2	3	3	8	5	10	17	27	24	16	13	-
American Indian 1/, both sexes.....	-	-	-	-	-	1	-	2	-	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	2	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	3	1	1	5	2	3	1	1	-
Male.....	-	-	1	3	-	1	2	2	2	1	1	-
Female.....	-	-	-	-	1	-	3	-	1	-	-	-

Georgia

All races, both sexes.....	61	43	48	48	91	158	260	317	280	144	48	-
Male.....	38	26	26	29	47	75	97	109	76	27	9	-
Female.....	23	17	22	19	44	83	163	208	204	117	39	-
White, both sexes.....	36	27	35	37	64	125	201	267	235	114	41	-
Male.....	20	19	21	22	32	59	81	94	64	19	8	-
Female.....	16	8	14	15	32	66	120	173	171	95	33	-
Black, both sexes.....	25	16	12	10	25	32	57	47	43	27	7	-
Male.....	18	7	4	7	14	15	15	14	11	8	1	-
Female.....	7	9	8	3	11	17	42	33	32	19	6	-
American Indian 1/, both sexes.....	-	-	-	-	1	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	1	1	1	1	3	2	3	-	-
Male.....	-	-	1	-	1	1	1	1	1	-	-	-
Female.....	-	-	-	1	-	-	-	2	1	3	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

XVIII. Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (R00-R99)

Hawaii												
All races, both sexes.....	3	5	3	4	4	16	20	26	30	25	8	-
Male.....	3	2	-	3	4	8	4	9	13	9	3	-
Female.....	-	3	3	1	-	8	16	17	17	16	5	-
White, both sexes.....	2	2	-	1	1	5	5	6	10	8	1	-
Male.....	2	1	-	1	1	2	2	1	3	2	-	-
Female.....	-	1	-	-	-	3	3	5	7	6	1	-
Black, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	3	3	3	3	10	15	20	20	17	7	-
Male.....	-	1	-	2	3	5	2	8	10	7	3	-
Female.....	-	2	3	1	-	5	13	12	10	10	4	-
Idaho												
All races, both sexes.....	1	1	3	3	4	12	15	29	40	21	15	-
Male.....	-	-	2	2	3	6	10	8	9	6	1	-
Female.....	1	1	1	1	1	6	5	21	31	15	14	-
White, both sexes.....	1	1	3	3	4	12	14	27	40	21	15	-
Male.....	-	-	2	2	3	6	9	8	9	6	1	-
Female.....	1	1	1	1	1	6	5	19	31	15	14	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	2	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	2	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

XVIII. Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (R00-R99)

Kentucky

All races, both sexes.....	10	11	13	16	17	38	46	58	63	31	11	-
Male.....	8	6	7	5	14	18	14	19	10	5	1	-
Female.....	2	5	6	11	3	20	32	39	53	26	10	-
White, both sexes.....	7	11	11	15	13	35	42	55	57	27	10	-
Male.....	6	6	7	5	11	16	12	18	7	4	1	-
Female.....	1	5	4	10	2	19	30	37	50	23	9	-
Black, both sexes.....	3	-	2	1	4	3	4	3	6	4	1	-
Male.....	2	-	-	-	3	2	2	1	3	1	-	-
Female.....	1	-	2	1	1	1	2	2	3	3	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Louisiana

All races, both sexes.....	17	16	31	19	43	62	90	121	102	56	19	-
Male.....	12	12	17	11	25	32	38	31	24	9	8	-
Female.....	5	4	14	8	18	30	52	90	78	47	11	-
White, both sexes.....	9	6	15	14	28	46	67	101	79	46	9	-
Male.....	6	2	8	8	17	25	25	22	18	5	3	-
Female.....	3	4	7	6	11	21	42	79	61	41	6	-
Black, both sexes.....	8	10	16	5	15	16	21	19	23	10	10	-
Male.....	6	10	9	3	8	7	12	9	6	4	5	-
Female.....	2	-	7	2	7	9	9	10	17	6	5	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	2	-	-	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

XVIII. Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (R00-R99)

Massachusetts

All races, both sexes.....	21	29	21	22	24	42	64	114	103	61	27	-
Male.....	8	17	16	8	10	18	22	32	26	14	2	-
Female.....	13	12	5	14	14	24	42	82	77	47	25	-
White, both sexes.....	20	27	19	19	21	41	62	111	101	60	26	-
Male.....	7	15	15	8	8	18	22	31	25	14	2	-
Female.....	13	12	4	11	13	23	40	80	76	46	24	-
Black, both sexes.....	1	2	2	3	2	1	1	2	2	1	1	-
Male.....	1	2	1	-	2	-	-	1	1	-	-	-
Female.....	-	-	1	3	-	1	1	1	1	1	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	-	1	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	1	1	-	-	-	-

Michigan

All races, both sexes.....	9	5	7	5	13	18	35	51	68	31	22	1
Male.....	6	3	4	2	4	10	16	18	21	9	2	-
Female.....	3	2	3	3	9	8	19	33	47	22	20	1
White, both sexes.....	7	4	4	4	9	17	25	47	61	28	16	1
Male.....	5	2	3	2	3	9	9	16	19	9	1	-
Female.....	2	2	1	2	6	8	16	31	42	19	15	1
Black, both sexes.....	2	1	3	1	4	1	8	3	5	3	5	-
Male.....	1	1	1	-	1	1	6	2	-	-	1	-
Female.....	1	-	2	1	3	-	2	1	5	3	4	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	1	1	2	-	1	-
Male.....	-	-	-	-	-	-	-	-	2	-	-	-
Female.....	-	-	-	-	-	-	1	1	-	-	1	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

XVIII. Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (R00-R99)

Nebraska

All races, both sexes.....	16	19	30	34	37	38	54	43	51	38	15	-
Male.....	11	14	20	25	24	23	25	16	17	11	3	-
Female.....	5	5	10	9	13	15	29	27	34	27	12	-
White, both sexes.....	15	16	22	31	34	36	51	43	50	38	15	-
Male.....	10	12	15	23	21	23	24	16	17	11	3	-
Female.....	5	4	7	8	13	13	27	27	33	27	12	-
Black, both sexes.....	-	2	7	3	2	-	2	-	-	-	-	-
Male.....	-	1	4	2	2	-	1	-	-	-	-	-
Female.....	-	1	3	1	-	-	1	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	1	1	1	-	1	-	-	-
Male.....	1	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	1	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	1	-	-	1	-	-	-	-	-	-
Male.....	-	1	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-

Nevada

All races, both sexes.....	9	3	12	11	28	58	63	97	76	33	13	-
Male.....	3	1	8	7	14	27	29	39	22	6	2	-
Female.....	6	2	4	4	14	31	34	58	54	27	11	-
White, both sexes.....	8	2	10	9	23	53	62	93	72	30	11	-
Male.....	2	-	7	7	11	25	28	38	19	5	1	-
Female.....	6	2	3	2	12	28	34	55	53	25	10	-
Black, both sexes.....	1	1	2	-	4	4	-	4	3	-	-	-
Male.....	1	1	1	-	2	2	-	1	2	-	-	-
Female.....	-	-	1	-	2	2	-	3	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	1	1	-
Male.....	-	-	-	-	-	-	-	-	-	-	1	-
Female.....	-	-	-	-	-	-	-	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	2	1	1	1	-	1	2	1	-
Male.....	-	-	-	-	1	-	1	-	1	1	-	-
Female.....	-	-	-	2	-	1	-	-	-	1	1	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

XVIII. Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (R00-R99)

New Hampshire

All races, both sexes.....	3	2	1	1	-	3	6	8	11	5	6	-
Male.....	1	2	1	-	-	1	2	3	2	1	1	-
Female.....	2	-	-	1	-	2	4	5	9	4	5	-
White, both sexes.....	3	2	1	1	-	3	6	8	11	5	6	-
Male.....	1	2	1	-	-	1	2	3	2	1	1	-
Female.....	2	-	-	1	-	2	4	5	9	4	5	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New Jersey

All races, both sexes.....	70	68	41	26	15	51	60	96	81	44	29	1
Male.....	50	42	26	13	6	27	23	33	21	9	2	-
Female.....	20	26	15	13	9	24	37	63	60	35	27	1
White, both sexes.....	50	50	32	19	13	41	57	93	79	42	27	-
Male.....	40	32	23	8	4	23	22	33	20	8	2	-
Female.....	10	18	9	11	9	18	35	60	59	34	25	-
Black, both sexes.....	20	18	7	7	-	8	3	2	1	1	-	1
Male.....	10	10	2	5	-	3	1	-	-	1	-	-
Female.....	10	8	5	2	-	5	2	2	1	-	-	1
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	2	-	2	2	-	1	1	1	2	-
Male.....	-	-	1	-	2	1	-	-	1	-	-	-
Female.....	-	-	1	-	-	1	-	1	-	1	2	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

XVIII. Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (R00-R99)

New Mexico

All races, both sexes.....	4	4	4	3	2	5	4	7	7	-	2	-
Male.....	3	4	2	1	1	1	-	3	-	-	-	-
Female.....	1	-	2	2	1	4	4	4	7	-	2	-
White, both sexes.....	3	2	4	3	2	5	4	6	6	-	2	-
Male.....	2	2	2	1	1	1	-	3	-	-	-	-
Female.....	1	-	2	2	1	4	4	3	6	-	2	-
Black, both sexes.....	-	2	-	-	-	-	-	-	-	-	-	-
Male.....	-	2	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	1	1	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New York

All races, both sexes.....	71	54	38	26	36	43	75	98	134	82	45	-
Male.....	46	36	23	16	18	20	28	37	32	15	6	-
Female.....	25	18	15	10	18	23	47	61	102	67	39	-
White, both sexes.....	55	42	33	20	28	39	73	94	119	70	39	-
Male.....	35	31	19	12	13	18	27	34	27	13	5	-
Female.....	20	11	14	8	15	21	46	60	92	57	34	-
Black, both sexes.....	12	9	3	4	8	4	2	2	14	8	6	-
Male.....	9	3	2	3	5	2	1	1	4	1	1	-
Female.....	3	6	1	1	3	2	1	1	10	7	5	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	4	3	2	2	-	-	-	2	1	4	-	-
Male.....	2	2	2	1	-	-	-	2	1	1	-	-
Female.....	2	1	-	1	-	-	-	-	-	3	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

XVIII. Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (R00-R99)

Oregon

All races, both sexes.....	19	32	19	31	31	37	79	82	110	72	22	-
Male.....	9	23	11	19	18	18	28	31	34	15	3	-
Female.....	10	9	8	12	13	19	51	51	76	57	19	-
White, both sexes.....	17	32	17	30	30	35	76	78	109	70	22	-
Male.....	9	23	10	18	17	17	27	30	34	15	3	-
Female.....	8	9	7	12	13	18	49	48	75	55	19	-
Black, both sexes.....	-	-	-	1	1	-	1	1	1	1	-	-
Male.....	-	-	-	1	1	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	1	1	-	-
American Indian 1/, both sexes.....	-	-	2	-	-	1	1	-	-	-	-	-
Male.....	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	1	-	-	1	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	-	1	1	3	-	1	-	-
Male.....	-	-	-	-	-	1	-	1	-	-	-	-
Female.....	2	-	-	-	-	-	1	2	-	1	-	-

Pennsylvania

All races, both sexes.....	155	126	103	77	110	186	263	336	304	139	59	8
Male.....	107	77	56	50	51	94	100	94	69	18	7	2
Female.....	48	49	47	27	59	92	163	242	235	121	52	6
White, both sexes.....	126	106	92	72	92	173	241	312	290	133	56	4
Male.....	88	63	51	46	41	87	92	92	66	16	7	1
Female.....	38	43	41	26	51	86	149	220	224	117	49	3
Black, both sexes.....	27	19	9	5	17	13	21	24	13	6	3	4
Male.....	19	14	5	4	9	7	8	2	3	2	-	1
Female.....	8	5	4	1	8	6	13	22	10	4	3	3
American Indian 1/, both sexes.....	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	1	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	2	-	1	-	1	-	1	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	2	-	2	-	-	-	1	-	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

XVIII. Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (R00-R99)

Texas

All races, both sexes.....	89	85	61	58	86	101	154	177	234	123	52	1
Male.....	54	49	38	33	51	47	69	62	45	28	8	1
Female.....	35	36	23	25	35	54	85	115	189	95	44	-
White, both sexes.....	71	73	51	55	79	93	137	167	217	114	49	1
Male.....	42	45	32	31	44	45	62	60	39	25	8	1
Female.....	29	28	19	24	35	48	75	107	178	89	41	-
Black, both sexes.....	17	10	8	3	6	7	16	10	16	9	3	-
Male.....	12	2	4	2	6	2	7	2	5	3	-	-
Female.....	5	8	4	1	-	5	9	8	11	6	3	-
American Indian 1/, both sexes.....	-	-	1	-	-	-	1	-	-	-	-	-
Male.....	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	2	1	-	1	1	-	-	1	-	-	-
Male.....	-	2	1	-	1	-	-	-	1	-	-	-
Female.....	1	-	-	-	-	1	-	-	-	-	-	-

Utah

All races, both sexes.....	14	11	12	13	31	44	94	154	167	84	22	-
Male.....	11	6	9	8	16	21	40	62	53	17	5	-
Female.....	3	5	3	5	15	23	54	92	114	67	17	-
White, both sexes.....	12	10	12	11	26	43	92	151	163	84	22	-
Male.....	9	6	9	7	13	20	38	60	50	17	5	-
Female.....	3	4	3	4	13	23	54	91	113	67	17	-
Black, both sexes.....	-	1	-	-	-	-	2	-	-	-	-	-
Male.....	-	-	-	-	-	-	2	-	-	-	-	-
Female.....	-	1	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	2	-	-	-	1	1	-	-	-	-	-	-
Male.....	2	-	-	-	1	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	2	4	-	-	3	4	-	-	-
Male.....	-	-	-	1	2	-	-	2	3	-	-	-
Female.....	-	-	-	1	2	-	-	1	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

XVIII. Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (R00-R99)

Vermont

All races, both sexes.....	3	2	2	1	-	1	2	-	4	5	4	-
Male.....	3	2	1	1	-	1	1	-	-	1	-	-
Female.....	-	-	1	-	-	-	1	-	4	4	4	-
White, both sexes.....	3	2	2	1	-	1	2	-	4	5	4	-
Male.....	3	2	1	1	-	1	1	-	-	1	-	-
Female.....	-	-	1	-	-	-	1	-	4	4	4	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Virginia

All races, both sexes.....	20	20	20	27	38	57	92	113	100	59	33	-
Male.....	14	12	6	15	16	25	33	32	27	8	2	-
Female.....	6	8	14	12	22	32	59	81	73	51	31	-
White, both sexes.....	15	13	13	18	27	46	82	100	92	42	30	-
Male.....	10	8	3	9	11	19	27	28	26	6	2	-
Female.....	5	5	10	9	16	27	55	72	66	36	28	-
Black, both sexes.....	5	7	7	8	9	10	8	13	8	13	2	-
Male.....	4	4	3	5	4	5	4	4	1	2	-	-
Female.....	1	3	4	3	5	5	4	9	7	11	2	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	1	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	1	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	1	2	1	2	-	-	4	-	-
Male.....	-	-	-	1	1	1	2	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	4	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Senility (R54)												
United States												
All races, both sexes.....	4,974	-	1	-	1
Male.....	1,428	-	-	-	-
Female.....	3,546	-	1	-	1
White, both sexes.....	4,583	-	1	-	1
Male.....	1,324	-	-	-	-
Female.....	3,259	-	1	-	1
Black, both sexes.....	324	-	-	-	-
Male.....	81	-	-	-	-
Female.....	243	-	-	-	-
American Indian 1/, both sexes.....	11	-	-	-	-
Male.....	3	-	-	-	-
Female.....	8	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	56	-	-	-	-
Male.....	20	-	-	-	-
Female.....	36	-	-	-	-
Alabama												
All races, both sexes.....	89	-	-	-	-
Male.....	18	-	-	-	-
Female.....	71	-	-	-	-
White, both sexes.....	77	-	-	-	-
Male.....	16	-	-	-	-
Female.....	61	-	-	-	-
Black, both sexes.....	12	-	-	-	-
Male.....	2	-	-	-	-
Female.....	10	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-
Male.....	-	-	-	-	-
Female.....	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-
Male.....	-	-	-	-	-
Female.....	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
---	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Senility (R54)

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Alaska												
All races, both sexes.....	6	-	-	-	-
Male.....	3	-	-	-	-
Female.....	3	-	-	-	-
White, both sexes.....	5	-	-	-	-
Male.....	2	-	-	-	-
Female.....	3	-	-	-	-
Black, both sexes.....	-	-	-	-	-
Male.....	-	-	-	-	-
Female.....	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-
Male.....	-	-	-	-	-
Female.....	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-
Male.....	1	-	-	-	-
Female.....	-	-	-	-	-
Arizona												
All races, both sexes.....	65	-	-	-	-
Male.....	15	-	-	-	-
Female.....	50	-	-	-	-
White, both sexes.....	62	-	-	-	-
Male.....	14	-	-	-	-
Female.....	48	-	-	-	-
Black, both sexes.....	-	-	-	-	-
Male.....	-	-	-	-	-
Female.....	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	-
Male.....	-	-	-	-	-
Female.....	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	-
Male.....	1	-	-	-	-
Female.....	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
---	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Senility (R54)

Arkansas

All races, both sexes.....	15	-	-	-	-
Male.....	1	-	-	-	-
Female.....	14	-	-	-	-
White, both sexes.....	12	-	-	-	-
Male.....	1	-	-	-	-
Female.....	11	-	-	-	-
Black, both sexes.....	3	-	-	-	-
Male.....	-	-	-	-	-
Female.....	3	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-
Male.....	-	-	-	-	-
Female.....	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-
Male.....	-	-	-	-	-
Female.....	-	-	-	-	-

California

All races, both sexes.....	22	-	-	-	-
Male.....	2	-	-	-	-
Female.....	20	-	-	-	-
White, both sexes.....	22	-	-	-	-
Male.....	2	-	-	-	-
Female.....	20	-	-	-	-
Black, both sexes.....	-	-	-	-	-
Male.....	-	-	-	-	-
Female.....	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-
Male.....	-	-	-	-	-
Female.....	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-
Male.....	-	-	-	-	-
Female.....	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
---	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Senility (R54)

Colorado

All races, both sexes.....	131	-	-	-	-
Male.....	31	-	-	-	-
Female.....	100	-	-	-	-
White, both sexes.....	126	-	-	-	-
Male.....	30	-	-	-	-
Female.....	96	-	-	-	-
Black, both sexes.....	5	-	-	-	-
Male.....	1	-	-	-	-
Female.....	4	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-
Male.....	-	-	-	-	-
Female.....	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-
Male.....	-	-	-	-	-
Female.....	-	-	-	-	-

Connecticut

All races, both sexes.....	24	-	-	-	-
Male.....	5	-	-	-	-
Female.....	19	-	-	-	-
White, both sexes.....	24	-	-	-	-
Male.....	5	-	-	-	-
Female.....	19	-	-	-	-
Black, both sexes.....	-	-	-	-	-
Male.....	-	-	-	-	-
Female.....	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-
Male.....	-	-	-	-	-
Female.....	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-
Male.....	-	-	-	-	-
Female.....	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
---	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Senility (R54)

Delaware

All races, both sexes.....	15	-	-	-	-
Male.....	2	-	-	-	-
Female.....	13	-	-	-	-
White, both sexes.....	13	-	-	-	-
Male.....	2	-	-	-	-
Female.....	11	-	-	-	-
Black, both sexes.....	2	-	-	-	-
Male.....	-	-	-	-	-
Female.....	2	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-
Male.....	-	-	-	-	-
Female.....	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-
Male.....	-	-	-	-	-
Female.....	-	-	-	-	-

Dist. of Columbia

All races, both sexes.....	1	-	-	-	-
Male.....	-	-	-	-	-
Female.....	1	-	-	-	-
White, both sexes.....	1	-	-	-	-
Male.....	-	-	-	-	-
Female.....	1	-	-	-	-
Black, both sexes.....	-	-	-	-	-
Male.....	-	-	-	-	-
Female.....	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-
Male.....	-	-	-	-	-
Female.....	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-
Male.....	-	-	-	-	-
Female.....	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
---	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Senility (R54)

Florida

All races, both sexes.....	1,922	-	1	-	-
Male.....	672	-	-	-	-
Female.....	1,250	-	1	-	-
White, both sexes.....	1,818	-	1	-	-
Male.....	646	-	-	-	-
Female.....	1,172	-	1	-	-
Black, both sexes.....	94	-	-	-	-
Male.....	20	-	-	-	-
Female.....	74	-	-	-	-
American Indian 1/, both sexes.....	2	-	-	-	-
Male.....	1	-	-	-	-
Female.....	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	8	-	-	-	-
Male.....	5	-	-	-	-
Female.....	3	-	-	-	-

Georgia

All races, both sexes.....	431	-	-	-	-
Male.....	122	-	-	-	-
Female.....	309	-	-	-	-
White, both sexes.....	357	-	-	-	-
Male.....	99	-	-	-	-
Female.....	258	-	-	-	-
Black, both sexes.....	68	-	-	-	-
Male.....	22	-	-	-	-
Female.....	46	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	-
Male.....	-	-	-	-	-
Female.....	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	5	-	-	-	-
Male.....	1	-	-	-	-
Female.....	4	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
---	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Senility (R54)

Hawaii												
All races, both sexes.....	22	-	-	-	-
Male.....	6	-	-	-	-
Female.....	16	-	-	-	-
White, both sexes.....	2	-	-	-	-
Male.....	-	-	-	-	-
Female.....	2	-	-	-	-
Black, both sexes.....	-	-	-	-	-
Male.....	-	-	-	-	-
Female.....	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-
Male.....	-	-	-	-	-
Female.....	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	20	-	-	-	-
Male.....	6	-	-	-	-
Female.....	14	-	-	-	-

Idaho												
All races, both sexes.....	81	-	-	-	-
Male.....	22	-	-	-	-
Female.....	59	-	-	-	-
White, both sexes.....	79	-	-	-	-
Male.....	21	-	-	-	-
Female.....	58	-	-	-	-
Black, both sexes.....	-	-	-	-	-
Male.....	-	-	-	-	-
Female.....	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	-
Male.....	1	-	-	-	-
Female.....	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-
Male.....	-	-	-	-	-
Female.....	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Senility (R54)

Illinois

All races, both sexes.....	83	-	-	-	-
Male.....	19	-	-	-	-
Female.....	64	-	-	-	-
White, both sexes.....	77	-	-	-	-
Male.....	17	-	-	-	-
Female.....	60	-	-	-	-
Black, both sexes.....	4	-	-	-	-
Male.....	1	-	-	-	-
Female.....	3	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-
Male.....	-	-	-	-	-
Female.....	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	-
Male.....	1	-	-	-	-
Female.....	1	-	-	-	-

Indiana

All races, both sexes.....	48	-	-	-	-
Male.....	10	-	-	-	-
Female.....	38	-	-	-	-
White, both sexes.....	47	-	-	-	-
Male.....	10	-	-	-	-
Female.....	37	-	-	-	-
Black, both sexes.....	1	-	-	-	-
Male.....	-	-	-	-	-
Female.....	1	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-
Male.....	-	-	-	-	-
Female.....	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-
Male.....	-	-	-	-	-
Female.....	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
---	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Senility (R54)

Iowa

All races, both sexes.....	100	-	-	-	-
Male.....	18	-	-	-	-
Female.....	82	-	-	-	-
White, both sexes.....	99	-	-	-	-
Male.....	18	-	-	-	-
Female.....	81	-	-	-	-
Black, both sexes.....	1	-	-	-	-
Male.....	-	-	-	-	-
Female.....	1	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-
Male.....	-	-	-	-	-
Female.....	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-
Male.....	-	-	-	-	-
Female.....	-	-	-	-	-

Kansas

All races, both sexes.....	64	-	-	-	-
Male.....	18	-	-	-	-
Female.....	46	-	-	-	-
White, both sexes.....	63	-	-	-	-
Male.....	18	-	-	-	-
Female.....	45	-	-	-	-
Black, both sexes.....	1	-	-	-	-
Male.....	-	-	-	-	-
Female.....	1	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-
Male.....	-	-	-	-	-
Female.....	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-
Male.....	-	-	-	-	-
Female.....	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
---	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Senility (R54)

Kentucky

All races, both sexes.....	50	-	-	-	-
Male.....	7	-	-	-	-
Female.....	43	-	-	-	-
White, both sexes.....	42	-	-	-	-
Male.....	4	-	-	-	-
Female.....	38	-	-	-	-
Black, both sexes.....	8	-	-	-	-
Male.....	3	-	-	-	-
Female.....	5	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-
Male.....	-	-	-	-	-
Female.....	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-
Male.....	-	-	-	-	-
Female.....	-	-	-	-	-

Louisiana

All races, both sexes.....	78	-	-	-	-
Male.....	27	-	-	-	-
Female.....	51	-	-	-	-
White, both sexes.....	50	-	-	-	-
Male.....	15	-	-	-	-
Female.....	35	-	-	-	-
Black, both sexes.....	28	-	-	-	-
Male.....	12	-	-	-	-
Female.....	16	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-
Male.....	-	-	-	-	-
Female.....	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-
Male.....	-	-	-	-	-
Female.....	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
---	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Senility (R54)

Maine

All races, both sexes.....	13	-	-	-	-
Male.....	4	-	-	-	-
Female.....	9	-	-	-	-
White, both sexes.....	13	-	-	-	-
Male.....	4	-	-	-	-
Female.....	9	-	-	-	-
Black, both sexes.....	-	-	-	-	-
Male.....	-	-	-	-	-
Female.....	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-
Male.....	-	-	-	-	-
Female.....	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-
Male.....	-	-	-	-	-
Female.....	-	-	-	-	-

Maryland

All races, both sexes.....	6	-	-	-	-
Male.....	-	-	-	-	-
Female.....	6	-	-	-	-
White, both sexes.....	6	-	-	-	-
Male.....	-	-	-	-	-
Female.....	6	-	-	-	-
Black, both sexes.....	-	-	-	-	-
Male.....	-	-	-	-	-
Female.....	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-
Male.....	-	-	-	-	-
Female.....	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-
Male.....	-	-	-	-	-
Female.....	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
---	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Senility (R54)

Massachusetts

All races, both sexes.....	21	-	-	-	-
Male.....	2	-	-	-	-
Female.....	19	-	-	-	-
White, both sexes.....	21	-	-	-	-
Male.....	2	-	-	-	-
Female.....	19	-	-	-	-
Black, both sexes.....	-	-	-	-	-
Male.....	-	-	-	-	-
Female.....	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-
Male.....	-	-	-	-	-
Female.....	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-
Male.....	-	-	-	-	-
Female.....	-	-	-	-	-

Michigan

All races, both sexes.....	23	-	-	-	-
Male.....	7	-	-	-	-
Female.....	16	-	-	-	-
White, both sexes.....	19	-	-	-	-
Male.....	6	-	-	-	-
Female.....	13	-	-	-	-
Black, both sexes.....	3	-	-	-	-
Male.....	-	-	-	-	-
Female.....	3	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-
Male.....	-	-	-	-	-
Female.....	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-
Male.....	1	-	-	-	-
Female.....	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
---	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Senility (R54)

Minnesota

All races, both sexes.....	165	-	-	-	-
Male.....	44	-	-	-	-
Female.....	121	-	-	-	-
White, both sexes.....	163	-	-	-	-
Male.....	44	-	-	-	-
Female.....	119	-	-	-	-
Black, both sexes.....	-	-	-	-	-
Male.....	-	-	-	-	-
Female.....	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-
Male.....	-	-	-	-	-
Female.....	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	-
Male.....	-	-	-	-	-
Female.....	2	-	-	-	-

Mississippi

All races, both sexes.....	16	-	-	-	-
Male.....	3	-	-	-	-
Female.....	13	-	-	-	-
White, both sexes.....	13	-	-	-	-
Male.....	2	-	-	-	-
Female.....	11	-	-	-	-
Black, both sexes.....	3	-	-	-	-
Male.....	1	-	-	-	-
Female.....	2	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-
Male.....	-	-	-	-	-
Female.....	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-
Male.....	-	-	-	-	-
Female.....	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
---	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Senility (R54)

Missouri

All races, both sexes.....	28	-	-	-	-
Male.....	8	-	-	-	-
Female.....	20	-	-	-	-
White, both sexes.....	26	-	-	-	-
Male.....	8	-	-	-	-
Female.....	18	-	-	-	-
Black, both sexes.....	2	-	-	-	-
Male.....	-	-	-	-	-
Female.....	2	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-
Male.....	-	-	-	-	-
Female.....	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-
Male.....	-	-	-	-	-
Female.....	-	-	-	-	-

Montana

All races, both sexes.....	51	-	-	-	-
Male.....	10	-	-	-	-
Female.....	41	-	-	-	-
White, both sexes.....	51	-	-	-	-
Male.....	10	-	-	-	-
Female.....	41	-	-	-	-
Black, both sexes.....	-	-	-	-	-
Male.....	-	-	-	-	-
Female.....	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-
Male.....	-	-	-	-	-
Female.....	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-
Male.....	-	-	-	-	-
Female.....	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
---	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Senility (R54)

Nebraska

All races, both sexes.....	49	-	-	-	-
Male.....	16	-	-	-	-
Female.....	33	-	-	-	-
White, both sexes.....	49	-	-	-	-
Male.....	16	-	-	-	-
Female.....	33	-	-	-	-
Black, both sexes.....	-	-	-	-	-
Male.....	-	-	-	-	-
Female.....	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-
Male.....	-	-	-	-	-
Female.....	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-
Male.....	-	-	-	-	-
Female.....	-	-	-	-	-

Nevada

All races, both sexes.....	51	-	-	-	1
Male.....	13	-	-	-	-
Female.....	38	-	-	-	1
White, both sexes.....	49	-	-	-	1
Male.....	13	-	-	-	-
Female.....	36	-	-	-	1
Black, both sexes.....	1	-	-	-	-
Male.....	-	-	-	-	-
Female.....	1	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	-
Male.....	-	-	-	-	-
Female.....	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-
Male.....	-	-	-	-	-
Female.....	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
---	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Senility (R54)

New Hampshire

All races, both sexes.....	8	-	-	-	-
Male.....	1	-	-	-	-
Female.....	7	-	-	-	-
White, both sexes.....	8	-	-	-	-
Male.....	1	-	-	-	-
Female.....	7	-	-	-	-
Black, both sexes.....	-	-	-	-	-
Male.....	-	-	-	-	-
Female.....	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-
Male.....	-	-	-	-	-
Female.....	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-
Male.....	-	-	-	-	-
Female.....	-	-	-	-	-

New Jersey

All races, both sexes.....	48	-	-	-	-
Male.....	11	-	-	-	-
Female.....	37	-	-	-	-
White, both sexes.....	44	-	-	-	-
Male.....	11	-	-	-	-
Female.....	33	-	-	-	-
Black, both sexes.....	2	-	-	-	-
Male.....	-	-	-	-	-
Female.....	2	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-
Male.....	-	-	-	-	-
Female.....	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	-
Male.....	-	-	-	-	-
Female.....	2	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
---	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Senility (R54)

New Mexico

All races, both sexes.....	4	-	-	-	-
Male.....	1	-	-	-	-
Female.....	3	-	-	-	-
White, both sexes.....	3	-	-	-	-
Male.....	1	-	-	-	-
Female.....	2	-	-	-	-
Black, both sexes.....	-	-	-	-	-
Male.....	-	-	-	-	-
Female.....	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	-
Male.....	-	-	-	-	-
Female.....	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-
Male.....	-	-	-	-	-
Female.....	-	-	-	-	-

New York

All races, both sexes.....	169	-	-	-	-
Male.....	38	-	-	-	-
Female.....	131	-	-	-	-
White, both sexes.....	138	-	-	-	-
Male.....	30	-	-	-	-
Female.....	108	-	-	-	-
Black, both sexes.....	27	-	-	-	-
Male.....	6	-	-	-	-
Female.....	21	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-
Male.....	-	-	-	-	-
Female.....	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	4	-	-	-	-
Male.....	2	-	-	-	-
Female.....	2	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
---	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Senility (R54)

North Carolina

All races, both sexes.....	139	-	-	-	-
Male.....	32	-	-	-	-
Female.....	107	-	-	-	-
White, both sexes.....	122	-	-	-	-
Male.....	28	-	-	-	-
Female.....	94	-	-	-	-
Black, both sexes.....	16	-	-	-	-
Male.....	4	-	-	-	-
Female.....	12	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-
Male.....	-	-	-	-	-
Female.....	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-
Male.....	-	-	-	-	-
Female.....	1	-	-	-	-

North Dakota

All races, both sexes.....	7	-	-	-	-
Male.....	4	-	-	-	-
Female.....	3	-	-	-	-
White, both sexes.....	7	-	-	-	-
Male.....	4	-	-	-	-
Female.....	3	-	-	-	-
Black, both sexes.....	-	-	-	-	-
Male.....	-	-	-	-	-
Female.....	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-
Male.....	-	-	-	-	-
Female.....	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-
Male.....	-	-	-	-	-
Female.....	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
---	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Senility (R54)

Ohio

All races, both sexes.....	65	-	-	-	-
Male.....	14	-	-	-	-
Female.....	51	-	-	-	-
White, both sexes.....	60	-	-	-	-
Male.....	13	-	-	-	-
Female.....	47	-	-	-	-
Black, both sexes.....	5	-	-	-	-
Male.....	1	-	-	-	-
Female.....	4	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-
Male.....	-	-	-	-	-
Female.....	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-
Male.....	-	-	-	-	-
Female.....	-	-	-	-	-

Oklahoma

All races, both sexes.....	17	-	-	-	-
Male.....	1	-	-	-	-
Female.....	16	-	-	-	-
White, both sexes.....	16	-	-	-	-
Male.....	1	-	-	-	-
Female.....	15	-	-	-	-
Black, both sexes.....	-	-	-	-	-
Male.....	-	-	-	-	-
Female.....	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	-
Male.....	-	-	-	-	-
Female.....	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-
Male.....	-	-	-	-	-
Female.....	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
---	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Senility (R54)

Oregon

All races, both sexes.....	124	-	-	-	-
Male.....	35	-	-	-	-
Female.....	89	-	-	-	-
White, both sexes.....	120	-	-	-	-
Male.....	35	-	-	-	-
Female.....	85	-	-	-	-
Black, both sexes.....	1	-	-	-	-
Male.....	-	-	-	-	-
Female.....	1	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-
Male.....	-	-	-	-	-
Female.....	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	-	-	-	-
Male.....	-	-	-	-	-
Female.....	3	-	-	-	-

Pennsylvania

All races, both sexes.....	83	-	-	-	-
Male.....	19	-	-	-	-
Female.....	64	-	-	-	-
White, both sexes.....	82	-	-	-	-
Male.....	18	-	-	-	-
Female.....	64	-	-	-	-
Black, both sexes.....	1	-	-	-	-
Male.....	1	-	-	-	-
Female.....	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-
Male.....	-	-	-	-	-
Female.....	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-
Male.....	-	-	-	-	-
Female.....	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
---	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Senility (R54)

Rhode Island

All races, both sexes.....	2	-	-	-	-
Male.....	-	-	-	-	-
Female.....	2	-	-	-	-
White, both sexes.....	2	-	-	-	-
Male.....	-	-	-	-	-
Female.....	2	-	-	-	-
Black, both sexes.....	-	-	-	-	-
Male.....	-	-	-	-	-
Female.....	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-
Male.....	-	-	-	-	-
Female.....	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-
Male.....	-	-	-	-	-
Female.....	-	-	-	-	-

South Carolina

All races, both sexes.....	33	-	-	-	-
Male.....	4	-	-	-	-
Female.....	29	-	-	-	-
White, both sexes.....	26	-	-	-	-
Male.....	4	-	-	-	-
Female.....	22	-	-	-	-
Black, both sexes.....	7	-	-	-	-
Male.....	-	-	-	-	-
Female.....	7	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-
Male.....	-	-	-	-	-
Female.....	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-
Male.....	-	-	-	-	-
Female.....	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
---	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Senility (R54)

South Dakota

All races, both sexes.....	9	-	-	-	-
Male.....	2	-	-	-	-
Female.....	7	-	-	-	-
White, both sexes.....	8	-	-	-	-
Male.....	2	-	-	-	-
Female.....	6	-	-	-	-
Black, both sexes.....	-	-	-	-	-
Male.....	-	-	-	-	-
Female.....	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	-
Male.....	-	-	-	-	-
Female.....	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-
Male.....	-	-	-	-	-
Female.....	-	-	-	-	-

Tennessee

All races, both sexes.....	48	-	-	-	-
Male.....	16	-	-	-	-
Female.....	32	-	-	-	-
White, both sexes.....	41	-	-	-	-
Male.....	14	-	-	-	-
Female.....	27	-	-	-	-
Black, both sexes.....	7	-	-	-	-
Male.....	2	-	-	-	-
Female.....	5	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-
Male.....	-	-	-	-	-
Female.....	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-
Male.....	-	-	-	-	-
Female.....	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
---	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Senility (R54)

Texas

All races, both sexes.....	129	-	-	-	-
Male.....	21	-	-	-	-
Female.....	108	-	-	-	-
White, both sexes.....	118	-	-	-	-
Male.....	19	-	-	-	-
Female.....	99	-	-	-	-
Black, both sexes.....	11	-	-	-	-
Male.....	2	-	-	-	-
Female.....	9	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-
Male.....	-	-	-	-	-
Female.....	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-
Male.....	-	-	-	-	-
Female.....	-	-	-	-	-

Utah

All races, both sexes.....	244	-	-	-	-
Male.....	82	-	-	-	-
Female.....	162	-	-	-	-
White, both sexes.....	240	-	-	-	-
Male.....	79	-	-	-	-
Female.....	161	-	-	-	-
Black, both sexes.....	1	-	-	-	-
Male.....	1	-	-	-	-
Female.....	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	-
Male.....	1	-	-	-	-
Female.....	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	-
Male.....	1	-	-	-	-
Female.....	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
---	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Senility (R54)

Vermont

All races, both sexes.....	9	-	-	-	-
Male.....	1	-	-	-	-
Female.....	8	-	-	-	-
White, both sexes.....	9	-	-	-	-
Male.....	1	-	-	-	-
Female.....	8	-	-	-	-
Black, both sexes.....	-	-	-	-	-
Male.....	-	-	-	-	-
Female.....	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-
Male.....	-	-	-	-	-
Female.....	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-
Male.....	-	-	-	-	-
Female.....	-	-	-	-	-

Virginia

All races, both sexes.....	92	-	-	-	-
Male.....	18	-	-	-	-
Female.....	74	-	-	-	-
White, both sexes.....	81	-	-	-	-
Male.....	16	-	-	-	-
Female.....	65	-	-	-	-
Black, both sexes.....	8	-	-	-	-
Male.....	1	-	-	-	-
Female.....	7	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	-
Male.....	-	-	-	-	-
Female.....	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	-
Male.....	1	-	-	-	-
Female.....	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
---	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Senility (R54)

Washington

All races, both sexes.....	31	-	-	-	-
Male.....	12	-	-	-	-
Female.....	19	-	-	-	-
White, both sexes.....	30	-	-	-	-
Male.....	11	-	-	-	-
Female.....	19	-	-	-	-
Black, both sexes.....	1	-	-	-	-
Male.....	1	-	-	-	-
Female.....	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-
Male.....	-	-	-	-	-
Female.....	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-
Male.....	-	-	-	-	-
Female.....	-	-	-	-	-

West Virginia

All races, both sexes.....	18	-	-	-	-
Male.....	6	-	-	-	-
Female.....	12	-	-	-	-
White, both sexes.....	18	-	-	-	-
Male.....	6	-	-	-	-
Female.....	12	-	-	-	-
Black, both sexes.....	-	-	-	-	-
Male.....	-	-	-	-	-
Female.....	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-
Male.....	-	-	-	-	-
Female.....	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-
Male.....	-	-	-	-	-
Female.....	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
---	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Senility (R54)

Wisconsin

All races, both sexes.....	12	-	-	-	-
Male.....	-	-	-	-	-
Female.....	12	-	-	-	-
White, both sexes.....	11	-	-	-	-
Male.....	-	-	-	-	-
Female.....	11	-	-	-	-
Black, both sexes.....	1	-	-	-	-
Male.....	-	-	-	-	-
Female.....	1	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-
Male.....	-	-	-	-	-
Female.....	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-
Male.....	-	-	-	-	-
Female.....	-	-	-	-	-

Wyoming

All races, both sexes.....	13	-	-	-	-
Male.....	5	-	-	-	-
Female.....	8	-	-	-	-
White, both sexes.....	13	-	-	-	-
Male.....	5	-	-	-	-
Female.....	8	-	-	-	-
Black, both sexes.....	-	-	-	-	-
Male.....	-	-	-	-	-
Female.....	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-
Male.....	-	-	-	-	-
Female.....	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-
Male.....	-	-	-	-	-
Female.....	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Senility (R54)

Alaska

All races, both sexes.....	-	-	-	-	-	-	-	-	3	3	-	-
Male.....	-	-	-	-	-	-	-	-	2	1	-	-
Female.....	-	-	-	-	-	-	-	-	1	2	-	-
White, both sexes.....	-	-	-	-	-	-	-	-	2	3	-	-
Male.....	-	-	-	-	-	-	-	-	1	1	-	-
Female.....	-	-	-	-	-	-	-	-	1	2	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	1	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Arizona

All races, both sexes.....	-	-	-	-	1	4	3	10	23	15	9	-
Male.....	-	-	-	-	1	2	-	2	6	2	2	-
Female.....	-	-	-	-	-	2	3	8	17	13	7	-
White, both sexes.....	-	-	-	-	1	4	3	10	22	14	8	-
Male.....	-	-	-	-	1	2	-	2	6	2	1	-
Female.....	-	-	-	-	-	2	3	8	16	12	7	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	1	-	1	-
Male.....	-	-	-	-	-	-	-	-	-	-	1	-
Female.....	-	-	-	-	-	-	-	-	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Senility (R54)

Florida

All races, both sexes.....	5	4	19	24	65	140	288	461	539	280	96	-
Male.....	3	2	6	12	37	73	128	174	156	64	17	-
Female.....	2	2	13	12	28	67	160	287	383	216	79	-
White, both sexes.....	4	4	16	22	63	132	275	436	515	266	84	-
Male.....	2	2	3	11	36	69	125	171	148	62	17	-
Female.....	2	2	13	11	27	63	150	265	367	204	67	-
Black, both sexes.....	1	-	3	1	2	7	11	23	21	13	12	-
Male.....	1	-	3	-	1	3	3	2	6	1	-	-
Female.....	-	-	-	1	1	4	8	21	15	12	12	-
American Indian 1/, both sexes.....	-	-	-	-	-	1	-	1	-	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	1	-	-	2	1	3	1	-	-
Male.....	-	-	-	1	-	-	-	1	2	1	-	-
Female.....	-	-	-	-	-	-	2	-	1	-	-	-

Georgia

All races, both sexes.....	-	-	-	1	17	27	82	110	101	67	26	-
Male.....	-	-	-	-	7	5	28	37	29	12	4	-
Female.....	-	-	-	1	10	22	54	73	72	55	22	-
White, both sexes.....	-	-	-	1	13	26	61	91	85	55	25	-
Male.....	-	-	-	-	5	5	23	29	25	8	4	-
Female.....	-	-	-	1	8	21	38	62	60	47	21	-
Black, both sexes.....	-	-	-	-	4	1	20	17	15	10	1	-
Male.....	-	-	-	-	2	-	5	7	4	4	-	-
Female.....	-	-	-	-	2	1	15	10	11	6	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	2	1	2	-	-
Male.....	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	1	2	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Senility (R54)

Hawaii

All races, both sexes.....	-	-	-	-	-	1	3	5	7	5	1	-
Male.....	-	-	-	-	-	1	-	-	3	2	-	-
Female.....	-	-	-	-	-	-	3	5	4	3	1	-
White, both sexes.....	-	-	-	-	-	-	1	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	1	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	2	5	6	5	1	-
Male.....	-	-	-	-	-	1	-	-	3	2	-	-
Female.....	-	-	-	-	-	-	2	5	3	3	1	-

Idaho

All races, both sexes.....	-	-	-	-	-	5	6	12	31	14	13	-
Male.....	-	-	-	-	-	3	5	3	6	4	1	-
Female.....	-	-	-	-	-	2	1	9	25	10	12	-
White, both sexes.....	-	-	-	-	-	5	5	11	31	14	13	-
Male.....	-	-	-	-	-	3	4	3	6	4	1	-
Female.....	-	-	-	-	-	2	1	8	25	10	12	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Senility (R54)

New Hampshire

All races, both sexes.....	-	-	-	1	-	-	-	1	1	2	3	-
Male.....	-	-	-	1	-	-	-	-	-	-	1	-
Female.....	-	-	-	1	-	-	-	1	1	2	2	-
White, both sexes.....	-	-	-	1	-	-	-	1	1	2	3	-
Male.....	-	-	-	-	-	-	-	-	-	-	1	-
Female.....	-	-	-	1	-	-	-	1	1	2	2	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New Jersey

All races, both sexes.....	-	-	-	-	-	1	1	4	15	13	14	-
Male.....	-	-	-	-	-	-	-	2	3	4	2	-
Female.....	-	-	-	-	-	1	1	2	12	9	12	-
White, both sexes.....	-	-	-	-	-	-	1	4	14	12	13	-
Male.....	-	-	-	-	-	-	-	2	3	4	2	-
Female.....	-	-	-	-	-	-	1	2	11	8	11	-
Black, both sexes.....	-	-	-	-	-	1	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	1	1	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	1	1	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Senility (R54)

New Mexico

All races, both sexes.....	-	-	-	-	-	-	-	1	2	-	1	-
Male.....	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	2	-	1	-
White, both sexes.....	-	-	-	-	-	-	-	1	1	-	1	-
Male.....	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	1	-	1	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New York

All races, both sexes.....	-	-	-	-	-	2	4	18	60	51	34	-
Male.....	-	-	-	-	-	1	2	10	10	9	6	-
Female.....	-	-	-	-	-	1	2	8	50	42	28	-
White, both sexes.....	-	-	-	-	-	2	4	17	46	40	29	-
Male.....	-	-	-	-	-	1	2	9	6	7	5	-
Female.....	-	-	-	-	-	1	2	8	40	33	24	-
Black, both sexes.....	-	-	-	-	-	-	-	-	14	8	5	-
Male.....	-	-	-	-	-	-	-	-	4	1	1	-
Female.....	-	-	-	-	-	-	-	-	10	7	4	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	1	-	3	-	-
Male.....	-	-	-	-	-	-	-	1	-	1	-	-
Female.....	-	-	-	-	-	-	-	-	-	2	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Senility (R54)

Texas

All races, both sexes.....	-	-	-	1	1	3	16	18	36	33	21	-
Male.....	-	-	-	1	-	-	6	2	4	5	3	-
Female.....	-	-	-	-	1	3	10	16	32	28	18	-
White, both sexes.....	-	-	-	1	1	3	15	14	33	31	20	-
Male.....	-	-	-	1	-	-	6	2	3	4	3	-
Female.....	-	-	-	-	1	3	9	12	30	27	17	-
Black, both sexes.....	-	-	-	-	-	-	1	4	3	2	1	-
Male.....	-	-	-	-	-	-	-	-	1	1	-	-
Female.....	-	-	-	-	-	-	1	4	2	1	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Utah

All races, both sexes.....	-	-	-	-	4	2	23	67	88	46	14	-
Male.....	-	-	-	-	1	1	8	25	31	12	4	-
Female.....	-	-	-	-	3	1	15	42	57	34	10	-
White, both sexes.....	-	-	-	-	4	1	22	66	87	46	14	-
Male.....	-	-	-	-	1	-	7	25	30	12	4	-
Female.....	-	-	-	-	3	1	15	41	57	34	10	-
Black, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	1	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	1	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Senility (R54)

Vermont

All races, both sexes.....	-	-	-	-	-	-	-	-	3	4	2	-
Male.....	-	-	-	-	-	-	-	-	-	1	-	-
Female.....	-	-	-	-	-	-	-	-	3	3	2	-
White, both sexes.....	-	-	-	-	-	-	-	-	3	4	2	-
Male.....	-	-	-	-	-	-	-	-	-	1	-	-
Female.....	-	-	-	-	-	-	-	-	3	3	2	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Virginia

All races, both sexes.....	-	-	-	-	1	2	9	25	24	17	14	-
Male.....	-	-	-	-	1	1	1	6	6	3	-	-
Female.....	-	-	-	-	-	1	8	19	18	14	14	-
White, both sexes.....	-	-	-	-	1	1	8	23	23	14	11	-
Male.....	-	-	-	-	1	-	1	6	6	2	-	-
Female.....	-	-	-	-	-	1	7	17	17	12	11	-
Black, both sexes.....	-	-	-	-	-	-	1	2	1	2	2	-
Male.....	-	-	-	-	-	-	-	-	-	1	-	-
Female.....	-	-	-	-	-	-	1	2	1	1	2	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	1	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	1	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	-	-	-	1	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
---	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Ill-defined and unknown causes of mortality (R95-R99)

Arkansas

All races, both sexes.....	314	71	3	1	-	2	3	4	4	8	10	14
Male.....	163	33	3	-	-	1	2	3	4	4	5	9
Female.....	151	38	-	1	-	1	1	1	-	4	5	5
White, both sexes.....	238	50	2	1	-	1	3	4	3	5	7	11
Male.....	118	25	2	-	-	-	2	3	3	1	3	7
Female.....	120	25	-	1	-	1	1	1	-	4	4	4
Black, both sexes.....	75	21	1	-	-	1	-	-	1	3	2	3
Male.....	44	8	1	-	-	1	-	-	1	3	1	2
Female.....	31	13	-	-	-	-	-	-	-	-	1	1
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	-	1	-
Male.....	1	-	-	-	-	-	-	-	-	-	1	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	895	257	23	2	4	16	27	35	37	50	82	83
Male.....	566	167	15	2	2	10	19	24	24	29	55	54
Female.....	329	90	8	-	2	6	8	11	13	21	27	29
White, both sexes.....	727	196	17	2	4	13	22	28	31	43	67	71
Male.....	463	131	11	2	2	9	16	18	22	24	44	44
Female.....	264	65	6	-	2	4	6	10	9	19	23	27
Black, both sexes.....	102	44	5	-	2	4	2	2	1	2	9	9
Male.....	61	24	3	-	-	1	2	2	-	2	6	7
Female.....	41	20	2	-	-	1	2	-	1	-	3	2
American Indian 1/, both sexes.....	12	5	-	-	-	1	-	1	1	1	1	-
Male.....	7	3	-	-	-	-	-	1	-	1	1	-
Female.....	5	2	-	-	-	1	-	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	54	12	1	-	-	-	1	4	4	4	5	3
Male.....	35	9	1	-	-	-	1	3	2	2	4	3
Female.....	19	3	-	-	-	-	-	1	2	2	1	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
---	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Ill-defined and unknown causes of mortality (R95-R99)

Florida

All races, both sexes.....	848	170	9	1	1	9	13	26	18	19	41	57
Male.....	469	106	5	1	1	8	7	18	11	8	27	36
Female.....	379	64	4	-	-	1	6	8	7	11	14	21
White, both sexes.....	666	117	2	1	1	6	9	14	13	16	28	36
Male.....	364	78	1	1	1	5	6	12	8	8	19	22
Female.....	302	39	1	-	-	1	3	2	5	8	9	14
Black, both sexes.....	173	51	6	-	-	3	4	12	5	3	13	21
Male.....	99	27	4	-	-	3	1	6	3	-	8	14
Female.....	74	24	2	-	-	-	3	6	2	3	5	7
American Indian 1/, both sexes.....	2	1	1	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	1	1	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	7	1	-	-	-	-	-	-	-	-	-	-
Male.....	6	1	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-

Georgia

All races, both sexes.....	459	169	8	1	1	-	6	8	11	6	14	12
Male.....	235	91	2	-	-	-	4	5	8	4	9	7
Female.....	224	78	6	1	1	-	2	3	3	2	5	5
White, both sexes.....	294	81	3	1	1	-	4	7	7	5	10	11
Male.....	153	44	2	-	-	-	3	5	6	4	7	6
Female.....	141	37	1	1	1	-	1	2	1	1	3	5
Black, both sexes.....	160	85	5	-	-	-	2	1	4	-	4	1
Male.....	79	44	-	-	-	-	1	-	2	-	2	1
Female.....	81	41	5	-	-	-	1	1	2	-	2	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	5	3	-	-	-	-	-	-	-	1	-	-
Male.....	3	3	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	-	-	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Ill-defined and unknown causes of mortality (R95-R99)

New Hampshire

All races, both sexes.....	25	17	-	-	-	-	1	1	-	-	1	1
Male.....	15	9	-	-	-	-	1	-	-	-	1	1
Female.....	10	8	-	-	-	-	-	1	-	-	-	-
White, both sexes.....	24	16	-	-	-	-	1	1	-	-	1	1
Male.....	15	9	-	-	-	-	1	-	-	-	1	1
Female.....	9	7	-	-	-	-	-	1	-	-	-	-
Black, both sexes.....	1	1	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	1	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New Jersey

All races, both sexes.....	617	64	6	-	5	19	36	32	40	58	78	83
Male.....	429	35	5	-	4	11	29	26	33	42	57	64
Female.....	188	29	1	-	1	8	7	6	7	16	21	19
White, both sexes.....	456	30	4	-	5	16	31	27	28	43	60	59
Male.....	329	18	3	-	4	9	25	22	24	35	45	44
Female.....	127	12	1	-	1	7	6	5	4	8	15	15
Black, both sexes.....	149	32	2	-	-	3	3	3	9	14	18	24
Male.....	92	17	2	-	-	2	2	2	8	6	12	20
Female.....	57	15	-	-	-	1	1	1	1	8	6	4
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	12	2	-	-	-	-	2	2	3	1	-	-
Male.....	8	-	-	-	-	-	2	2	1	1	-	-
Female.....	4	2	-	-	-	-	-	-	2	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
---	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Ill-defined and unknown causes of mortality (R95-R99)

New Mexico

All races, both sexes.....	43	19	-	-	-	1	-	-	6	1	5	-
Male.....	26	10	-	-	-	1	-	-	5	1	3	-
Female.....	17	9	-	-	-	-	-	-	1	-	2	-
White, both sexes.....	34	16	-	-	-	-	-	-	6	-	4	-
Male.....	19	8	-	-	-	-	-	-	5	-	2	-
Female.....	15	8	-	-	-	-	-	-	1	-	2	-
Black, both sexes.....	2	1	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	1	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	7	2	-	-	-	1	-	-	-	1	1	-
Male.....	6	2	-	-	-	1	-	-	-	1	1	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New York

All races, both sexes.....	499	120	10	4	-	5	15	14	19	27	38	41
Male.....	305	63	6	3	-	3	9	11	14	19	28	30
Female.....	194	57	4	1	-	2	6	3	5	8	10	11
White, both sexes.....	363	67	5	3	-	3	12	13	11	23	29	27
Male.....	219	32	4	2	-	2	7	10	10	16	21	19
Female.....	144	35	1	1	-	1	5	3	1	7	8	8
Black, both sexes.....	116	50	5	1	-	2	1	1	8	3	8	11
Male.....	73	29	2	1	-	1	1	1	4	2	6	9
Female.....	43	21	3	-	-	1	-	-	4	1	2	2
American Indian 1/, both sexes.....	2	2	-	-	-	-	-	-	-	-	-	-
Male.....	1	1	-	-	-	-	-	-	-	-	-	-
Female.....	1	1	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	18	1	-	-	-	-	2	-	-	1	1	3
Male.....	12	1	-	-	-	-	1	-	-	1	1	2
Female.....	6	-	-	-	-	-	1	-	-	-	-	1

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
---	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Ill-defined and unknown causes of mortality (R95-R99)

Vermont

All races, both sexes.....	13	2	-	-	-	-	-	-	-	1	-	2
Male.....	12	2	-	-	-	-	-	-	-	1	-	1
Female.....	1	-	-	-	-	-	-	-	-	-	-	1
White, both sexes.....	13	2	-	-	-	-	-	-	-	1	-	2
Male.....	12	2	-	-	-	-	-	-	-	1	-	1
Female.....	1	-	-	-	-	-	-	-	-	-	-	1
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Virginia

All races, both sexes.....	207	89	2	-	-	1	3	1	2	5	4	6
Male.....	105	51	1	-	-	1	3	-	1	3	2	4
Female.....	102	38	1	-	-	-	-	1	1	2	2	2
White, both sexes.....	138	44	-	-	-	1	3	-	2	4	3	3
Male.....	70	28	-	-	-	1	3	-	1	3	1	1
Female.....	68	16	-	-	-	-	-	-	1	1	2	2
Black, both sexes.....	64	41	2	-	-	-	-	-	-	1	1	3
Male.....	33	21	1	-	-	-	-	-	-	-	1	3
Female.....	31	20	1	-	-	-	-	-	-	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	5	4	-	-	-	-	-	1	-	-	-	-
Male.....	2	2	-	-	-	-	-	-	-	-	-	-
Female.....	3	2	-	-	-	-	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Ill-defined and unknown causes of mortality (R95-R99)

Alaska

All races, both sexes.....	3	2	1	-	-	-	1	1	2	-	1	-
Male.....	1	1	-	-	-	-	1	-	1	-	1	-
Female.....	2	1	1	-	-	-	-	1	1	-	-	-
White, both sexes.....	3	1	1	-	-	-	1	1	1	-	1	-
Male.....	1	-	-	-	-	-	1	-	1	-	1	-
Female.....	2	1	1	-	-	-	-	1	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	1	-	-	-	-	-	-	1	-	-	-
Male.....	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Arizona

All races, both sexes.....	14	7	12	9	12	36	69	93	84	39	9	10
Male.....	7	5	7	4	9	20	30	34	22	12	-	8
Female.....	7	2	5	5	3	16	39	59	62	27	9	2
White, both sexes.....	14	6	12	9	11	34	68	88	80	36	9	9
Male.....	7	4	7	4	8	18	30	34	22	11	-	7
Female.....	7	2	5	5	3	16	38	54	58	25	9	2
Black, both sexes.....	-	-	-	-	1	1	1	3	3	3	-	-
Male.....	-	-	-	-	1	1	-	-	-	1	-	-
Female.....	-	-	-	-	-	-	1	3	3	2	-	-
American Indian 1/, both sexes.....	-	1	-	-	-	1	-	-	-	-	-	1
Male.....	-	1	-	-	-	1	-	-	-	-	-	1
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	2	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	2	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Ill-defined and unknown causes of mortality (R95-R99)

Arkansas

All races, both sexes.....	21	16	10	19	11	21	31	15	31	10	8	1
Male.....	14	11	7	14	8	13	16	5	7	2	1	1
Female.....	7	5	3	5	3	8	15	10	24	8	7	-
White, both sexes.....	13	13	7	16	10	13	26	13	26	6	8	-
Male.....	7	8	4	12	7	8	14	4	7	-	1	-
Female.....	6	5	3	4	3	5	12	9	19	6	7	-
Black, both sexes.....	8	3	3	3	1	8	5	2	5	4	-	1
Male.....	7	3	3	2	1	5	2	1	-	2	-	1
Female.....	1	-	-	1	-	3	3	1	5	2	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	81	49	42	21	12	15	19	10	11	6	-	13
Male.....	49	34	26	13	9	7	7	3	5	3	-	9
Female.....	32	15	16	8	3	8	12	7	6	3	-	4
White, both sexes.....	67	41	36	17	11	11	14	8	11	6	-	11
Male.....	40	30	22	12	8	6	4	2	5	3	-	8
Female.....	27	11	14	5	3	5	10	6	6	3	-	3
Black, both sexes.....	9	5	3	3	1	1	-	-	-	-	-	2
Male.....	5	4	1	1	1	1	-	-	-	-	-	1
Female.....	4	1	2	2	-	-	-	-	-	-	-	1
American Indian 1/, both sexes.....	-	-	-	1	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	1	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	5	3	3	-	-	3	4	2	-	-	-	-
Male.....	4	-	3	-	-	-	2	1	-	-	-	-
Female.....	1	3	-	-	-	3	2	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Ill-defined and unknown causes of mortality (R95-R99)

Hawaii												
All races, both sexes.....	1	2	-	-	-	1	2	2	3	3	1	-
Male.....	1	2	-	-	-	-	1	1	-	1	-	-
Female.....	-	-	-	-	-	1	1	1	3	2	1	-
White, both sexes.....	1	1	-	-	-	1	-	-	1	1	-	-
Male.....	1	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	1	1	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	-	-	-	2	2	2	2	1	-
Male.....	-	1	-	-	-	-	1	1	-	1	-	-
Female.....	-	-	-	-	-	-	1	1	2	1	1	-
Idaho												
All races, both sexes.....	1	1	2	2	1	3	3	4	1	1	1	-
Male.....	-	-	1	1	1	2	2	1	-	-	-	-
Female.....	1	1	1	1	-	1	1	3	1	1	1	-
White, both sexes.....	1	1	2	2	1	3	3	3	1	1	1	-
Male.....	-	-	1	1	1	2	2	1	-	-	-	-
Female.....	1	1	1	1	-	1	1	2	1	1	1	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Ill-defined and unknown causes of mortality (R95-R99)

Massachusetts

All races, both sexes.....	17	20	11	5	5	4	1	4	3	3	-	-
Male.....	6	13	9	2	4	2	-	2	1	1	-	-
Female.....	11	7	2	3	1	2	1	2	2	2	-	-
White, both sexes.....	16	18	10	5	4	4	1	3	3	3	-	-
Male.....	5	11	8	2	3	2	-	2	1	1	-	-
Female.....	11	7	2	3	1	2	1	1	2	2	-	-
Black, both sexes.....	1	2	1	-	1	-	-	-	-	-	-	-
Male.....	1	2	1	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-

Michigan

All races, both sexes.....	6	1	1	-	2	1	5	2	2	1	-	1
Male.....	4	1	1	-	1	1	3	1	1	1	-	-
Female.....	2	-	-	-	1	-	2	1	1	-	-	1
White, both sexes.....	6	-	1	-	2	1	4	2	1	1	-	1
Male.....	4	-	1	-	1	1	3	1	-	1	-	-
Female.....	2	-	-	-	1	-	1	1	1	-	-	1
Black, both sexes.....	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	1	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	1	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Ill-defined and unknown causes of mortality (R95-R99)

New Mexico

All races, both sexes.....	3	3	1	2	-	-	1	1	-	-	-	-
Male.....	2	3	1	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	2	-	-	1	1	-	-	-	-
White, both sexes.....	2	2	1	2	-	-	1	-	-	-	-	-
Male.....	1	2	1	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	2	-	-	1	-	-	-	-	-
Black, both sexes.....	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	1	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New York

All races, both sexes.....	59	46	27	9	16	7	15	12	12	2	1	-
Male.....	36	30	20	6	8	4	5	6	3	1	-	-
Female.....	23	16	7	3	8	3	10	6	9	1	1	-
White, both sexes.....	46	34	24	6	14	7	15	10	12	1	1	-
Male.....	28	25	17	3	6	4	5	4	3	1	-	-
Female.....	18	9	7	3	8	3	10	6	9	-	1	-
Black, both sexes.....	10	9	2	2	2	-	-	1	-	-	-	-
Male.....	7	3	2	2	2	-	-	1	-	-	-	-
Female.....	3	6	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	3	1	1	-	-	-	1	-	1	-	-
Male.....	1	2	1	1	-	-	-	1	-	-	-	-
Female.....	2	1	-	-	-	-	-	-	-	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Ill-defined and unknown causes of mortality (R95-R99)

Texas

All races, both sexes.....	72	59	41	36	50	50	60	46	57	26	8	1
Male.....	44	31	30	22	30	26	35	23	14	6	1	1
Female.....	28	28	11	14	20	24	25	23	43	20	7	-
White, both sexes.....	62	54	35	35	45	46	54	45	52	25	6	1
Male.....	37	30	26	21	25	26	33	23	12	6	1	1
Female.....	25	24	9	14	20	20	21	22	40	19	5	-
Black, both sexes.....	10	5	4	1	4	3	6	1	4	1	2	-
Male.....	7	1	2	1	4	-	2	-	1	-	-	-
Female.....	3	4	2	-	-	3	4	1	3	1	2	-
American Indian 1/, both sexes.....	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	-	1	1	-	-	1	-	-	-
Male.....	-	-	1	-	1	-	-	-	1	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-

Utah

All races, both sexes.....	11	6	11	12	20	21	28	40	20	6	5	-
Male.....	9	5	8	8	13	13	16	22	8	3	1	-
Female.....	2	1	3	4	7	8	12	18	12	3	4	-
White, both sexes.....	10	6	11	11	15	21	28	39	19	6	5	-
Male.....	8	5	8	7	10	13	16	21	7	3	1	-
Female.....	2	1	3	4	5	8	12	18	12	3	4	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	1	-	-	-	-	-	-	-
Male.....	1	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	1	4	-	-	1	1	-	-	-
Male.....	-	-	-	1	2	-	-	1	1	-	-	-
Female.....	-	-	-	-	2	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
---	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Other ill-defined and unknown causes of mortality (R96-R99)

Arkansas

All races, both sexes.....	269	26	3	1	-	2	3	4	4	8	10	14
Male.....	147	17	3	-	-	1	2	3	4	4	5	9
Female.....	122	9	-	1	-	1	1	1	-	4	5	5
White, both sexes.....	206	18	2	1	-	1	3	4	3	5	7	11
Male.....	106	13	2	-	-	-	2	3	3	1	3	7
Female.....	100	5	-	1	-	1	1	1	-	4	4	4
Black, both sexes.....	62	8	1	-	-	1	-	-	1	3	2	3
Male.....	40	4	1	-	-	1	-	-	1	3	1	2
Female.....	22	4	-	-	-	-	-	-	-	-	1	1
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	-	1	-
Male.....	1	-	-	-	-	-	-	-	-	-	1	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	758	120	23	2	4	16	27	35	37	50	82	83
Male.....	477	78	15	2	2	10	19	24	24	29	55	54
Female.....	281	42	8	-	2	6	8	11	13	21	27	29
White, both sexes.....	626	95	17	2	4	13	22	28	31	43	67	71
Male.....	395	63	11	2	2	9	16	18	22	24	44	44
Female.....	231	32	6	-	2	4	6	10	9	19	23	27
Black, both sexes.....	75	17	5	-	2	4	2	2	1	2	9	9
Male.....	46	9	3	-	-	1	2	2	-	2	6	7
Female.....	29	8	2	-	-	1	2	-	1	-	3	2
American Indian 1/, both sexes.....	8	1	-	-	-	1	-	1	1	1	1	-
Male.....	5	1	-	-	-	-	-	1	-	1	1	-
Female.....	3	-	-	-	-	1	-	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	49	7	1	-	-	-	1	4	4	4	5	3
Male.....	31	5	1	-	-	-	1	3	2	2	4	3
Female.....	18	2	-	-	-	-	-	1	2	2	1	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
---	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Other ill-defined and unknown causes of mortality (R96-R99)

Florida

All races, both sexes.....	751	73	9	1	1	9	13	26	18	19	41	57
Male.....	412	49	5	1	1	8	7	18	11	8	27	36
Female.....	339	24	4	-	-	1	6	8	7	11	14	21
White, both sexes.....	599	50	2	1	1	6	9	14	13	16	28	36
Male.....	324	38	1	1	1	5	6	12	8	8	19	22
Female.....	275	12	1	-	-	1	3	2	5	8	9	14
Black, both sexes.....	144	22	6	-	-	3	4	12	5	3	13	21
Male.....	83	11	4	-	-	3	1	6	3	-	8	14
Female.....	61	11	2	-	-	-	3	6	2	3	5	7
American Indian 1/, both sexes.....	2	1	1	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	1	1	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	6	-	-	-	-	-	-	-	-	-	-	-
Male.....	5	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-

Georgia

All races, both sexes.....	302	12	8	1	1	-	6	8	11	6	14	12
Male.....	154	10	2	-	-	-	4	5	8	4	9	7
Female.....	148	2	6	1	1	-	2	3	3	2	5	5
White, both sexes.....	217	4	3	1	1	-	4	7	7	5	10	11
Male.....	112	3	2	-	-	-	3	5	6	4	7	6
Female.....	105	1	1	1	1	-	1	2	1	1	3	5
Black, both sexes.....	82	7	5	-	-	-	2	1	4	-	4	1
Male.....	41	6	-	-	-	-	1	-	2	-	2	1
Female.....	41	1	5	-	-	-	1	1	2	-	2	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	1	-	-	-	-	-	-	-	1	-	-
Male.....	1	1	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	-	-	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Other ill-defined and unknown causes of mortality (R96-R99)

New Hampshire

All races, both sexes.....	10	2	-	-	-	-	1	1	-	-	1	1
Male.....	7	1	-	-	-	-	1	-	-	-	1	1
Female.....	3	1	-	-	-	-	-	1	-	-	-	-
White, both sexes.....	9	1	-	-	-	-	1	1	-	-	1	1
Male.....	7	1	-	-	-	-	1	-	-	-	1	1
Female.....	2	-	-	-	-	-	-	1	-	-	-	-
Black, both sexes.....	1	1	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	1	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New Jersey

All races, both sexes.....	583	30	6	-	5	19	36	32	40	58	78	83
Male.....	414	20	5	-	4	11	29	26	33	42	57	64
Female.....	169	10	1	-	1	8	7	6	7	16	21	19
White, both sexes.....	442	16	4	-	5	16	31	27	28	43	60	59
Male.....	322	11	3	-	4	9	25	22	24	35	45	44
Female.....	120	5	1	-	1	7	6	5	4	8	15	15
Black, both sexes.....	130	13	2	-	-	3	3	3	9	14	18	24
Male.....	84	9	2	-	-	2	2	2	8	6	12	20
Female.....	46	4	-	-	-	1	1	1	1	8	6	4
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	11	1	-	-	-	-	2	2	3	1	-	-
Male.....	8	-	-	-	-	-	2	2	1	1	-	-
Female.....	3	1	-	-	-	-	-	-	2	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
---	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Other ill-defined and unknown causes of mortality (R96-R99)

New Mexico

All races, both sexes.....	27	3	-	-	-	1	-	-	6	1	5	-
Male.....	17	1	-	-	-	1	-	-	5	1	3	-
Female.....	10	2	-	-	-	-	-	-	1	-	2	-
White, both sexes.....	20	2	-	-	-	-	-	-	6	-	4	-
Male.....	11	-	-	-	-	-	-	-	5	-	2	-
Female.....	9	2	-	-	-	-	-	-	1	-	2	-
Black, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	6	1	-	-	-	1	-	-	-	1	1	-
Male.....	5	1	-	-	-	1	-	-	-	1	1	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New York

All races, both sexes.....	433	54	10	4	-	5	15	14	19	27	38	41
Male.....	271	29	6	3	-	3	9	11	14	19	28	30
Female.....	162	25	4	1	-	2	6	3	5	8	10	11
White, both sexes.....	320	24	5	3	-	3	12	13	11	23	29	27
Male.....	198	11	4	2	-	2	7	10	10	16	21	19
Female.....	122	13	1	1	-	1	5	3	1	7	8	8
Black, both sexes.....	95	29	5	1	-	2	1	1	8	3	8	11
Male.....	61	17	2	1	-	1	1	1	4	2	6	9
Female.....	34	12	3	-	-	1	-	-	4	1	2	2
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	18	1	-	-	-	-	2	-	-	1	1	3
Male.....	12	1	-	-	-	-	1	-	-	1	1	2
Female.....	6	-	-	-	-	-	1	-	-	-	-	1

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
---	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Other ill-defined and unknown causes of mortality (R96-R99)

Vermont

All races, both sexes.....	13	2	-	-	-	-	-	-	-	1	-	2
Male.....	12	2	-	-	-	-	-	-	-	1	-	1
Female.....	1	-	-	-	-	-	-	-	-	-	-	1
White, both sexes.....	13	2	-	-	-	-	-	-	-	1	-	2
Male.....	12	2	-	-	-	-	-	-	-	1	-	1
Female.....	1	-	-	-	-	-	-	-	-	-	-	1
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Virginia

All races, both sexes.....	131	13	2	-	-	1	3	1	2	5	4	6
Male.....	62	8	1	-	-	1	3	-	1	3	2	4
Female.....	69	5	1	-	-	-	-	1	1	2	2	2
White, both sexes.....	100	6	-	-	-	1	3	-	2	4	3	3
Male.....	45	3	-	-	-	1	3	-	1	3	1	1
Female.....	55	3	-	-	-	-	-	-	1	1	2	2
Black, both sexes.....	28	5	2	-	-	-	-	-	-	1	1	3
Male.....	15	3	1	-	-	-	-	-	-	-	1	3
Female.....	13	2	1	-	-	-	-	-	-	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	2	-	-	-	-	-	1	-	-	-	-
Male.....	2	2	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Other ill-defined and unknown causes of mortality (R96-R99)

Alaska												
All races, both sexes.....	3	2	1	-	-	-	1	1	2	-	1	-
Male.....	1	1	-	-	-	-	1	-	1	-	1	-
Female.....	2	1	1	-	-	-	-	1	1	-	-	-
White, both sexes.....	3	1	1	-	-	-	1	1	1	-	1	-
Male.....	1	-	-	-	-	-	1	-	1	-	1	-
Female.....	2	1	1	-	-	-	-	1	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	1	-	-	-	-	-	-	1	-	-	-
Male.....	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Arizona												
All races, both sexes.....	14	7	12	9	12	36	69	93	84	39	9	10
Male.....	7	5	7	4	9	20	30	34	22	12	-	8
Female.....	7	2	5	5	3	16	39	59	62	27	9	2
White, both sexes.....	14	6	12	9	11	34	68	88	80	36	9	9
Male.....	7	4	7	4	8	18	30	34	22	11	-	7
Female.....	7	2	5	5	3	16	38	54	58	25	9	2
Black, both sexes.....	-	-	-	-	1	1	1	3	3	3	-	-
Male.....	-	-	-	-	1	1	-	-	-	1	-	-
Female.....	-	-	-	-	-	-	1	3	3	2	-	-
American Indian 1/, both sexes.....	-	1	-	-	-	1	-	-	-	-	-	1
Male.....	-	1	-	-	-	1	-	-	-	-	-	1
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	2	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	2	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Other ill-defined and unknown causes of mortality (R96-R99)

Arkansas

All races, both sexes.....	21	16	10	19	11	21	31	15	31	10	8	1
Male.....	14	11	7	14	8	13	16	5	7	2	1	1
Female.....	7	5	3	5	3	8	15	10	24	8	7	-
White, both sexes.....	13	13	7	16	10	13	26	13	26	6	8	-
Male.....	7	8	4	12	7	8	14	4	7	-	1	-
Female.....	6	5	3	4	3	5	12	9	19	6	7	-
Black, both sexes.....	8	3	3	3	1	8	5	2	5	4	-	1
Male.....	7	3	3	2	1	5	2	1	-	2	-	1
Female.....	1	-	-	1	-	3	3	1	5	2	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	81	49	42	21	12	15	19	10	11	6	-	13
Male.....	49	34	26	13	9	7	7	3	5	3	-	9
Female.....	32	15	16	8	3	8	12	7	6	3	-	4
White, both sexes.....	67	41	36	17	11	11	14	8	11	6	-	11
Male.....	40	30	22	12	8	6	4	2	5	3	-	8
Female.....	27	11	14	5	3	5	10	6	6	3	-	3
Black, both sexes.....	9	5	3	3	1	1	-	-	-	-	-	2
Male.....	5	4	1	1	1	1	-	-	-	-	-	1
Female.....	4	1	2	2	-	-	-	-	-	-	-	1
American Indian 1/, both sexes.....	-	-	-	1	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	1	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	5	3	3	-	-	3	4	2	-	-	-	-
Male.....	4	-	3	-	-	-	2	1	-	-	-	-
Female.....	1	3	-	-	-	3	2	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Other ill-defined and unknown causes of mortality (R96-R99)

Hawaii												
All races, both sexes.....	1	2	-	-	-	1	2	2	3	3	1	-
Male.....	1	2	-	-	-	-	1	1	-	1	-	-
Female.....	-	-	-	-	-	1	1	1	3	2	1	-
White, both sexes.....	1	1	-	-	-	1	-	-	1	1	-	-
Male.....	1	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	1	1	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	-	-	-	2	2	2	2	1	-
Male.....	-	1	-	-	-	-	1	1	-	1	-	-
Female.....	-	-	-	-	-	-	1	1	2	1	1	-
Idaho												
All races, both sexes.....	1	1	2	2	1	3	3	4	1	1	1	-
Male.....	-	-	1	1	1	2	2	1	-	-	-	-
Female.....	1	1	1	1	-	1	1	3	1	1	1	-
White, both sexes.....	1	1	2	2	1	3	3	3	1	1	1	-
Male.....	-	-	1	1	1	2	2	1	-	-	-	-
Female.....	1	1	1	1	-	1	1	2	1	1	1	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Other ill-defined and unknown causes of mortality (R96-R99)

Massachusetts

All races, both sexes.....	17	20	11	5	5	4	1	4	3	3	-	-
Male.....	6	13	9	2	4	2	-	2	1	1	-	-
Female.....	11	7	2	3	1	2	1	2	2	2	-	-
White, both sexes.....	16	18	10	5	4	4	1	3	3	3	-	-
Male.....	5	11	8	2	3	2	-	2	1	1	-	-
Female.....	11	7	2	3	1	2	1	1	2	2	-	-
Black, both sexes.....	1	2	1	-	1	-	-	-	-	-	-	-
Male.....	1	2	1	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-

Michigan

All races, both sexes.....	6	1	1	-	2	1	5	2	2	1	-	1
Male.....	4	1	1	-	1	1	3	1	1	1	-	-
Female.....	2	-	-	-	1	-	2	1	1	-	-	1
White, both sexes.....	6	-	1	-	2	1	4	2	1	1	-	1
Male.....	4	-	1	-	1	1	3	1	-	1	-	-
Female.....	2	-	-	-	1	-	1	1	1	-	-	1
Black, both sexes.....	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	1	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	1	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Other ill-defined and unknown causes of mortality (R96-R99)

New Mexico

All races, both sexes.....	3	3	1	2	-	-	1	1	-	-	-	-
Male.....	2	3	1	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	2	-	-	1	1	-	-	-	-
White, both sexes.....	2	2	1	2	-	-	1	-	-	-	-	-
Male.....	1	2	1	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	2	-	-	1	-	-	-	-	-
Black, both sexes.....	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	1	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New York

All races, both sexes.....	59	46	27	9	16	7	15	12	12	2	1	-
Male.....	36	30	20	6	8	4	5	6	3	1	-	-
Female.....	23	16	7	3	8	3	10	6	9	1	1	-
White, both sexes.....	46	34	24	6	14	7	15	10	12	1	1	-
Male.....	28	25	17	3	6	4	5	4	3	1	-	-
Female.....	18	9	7	3	8	3	10	6	9	-	1	-
Black, both sexes.....	10	9	2	2	2	-	-	1	-	-	-	-
Male.....	7	3	2	2	2	-	-	1	-	-	-	-
Female.....	3	6	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	3	1	1	-	-	-	1	-	1	-	-
Male.....	1	2	1	1	-	-	-	1	-	-	-	-
Female.....	2	1	-	-	-	-	-	-	-	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Other ill-defined and unknown causes of mortality (R96-R99)

Texas

All races, both sexes.....	72	59	41	36	50	50	60	46	57	26	8	1
Male.....	44	31	30	22	30	26	35	23	14	6	1	1
Female.....	28	28	11	14	20	24	25	23	43	20	7	-
White, both sexes.....	62	54	35	35	45	46	54	45	52	25	6	1
Male.....	37	30	26	21	25	26	33	23	12	6	1	1
Female.....	25	24	9	14	20	20	21	22	40	19	5	-
Black, both sexes.....	10	5	4	1	4	3	6	1	4	1	2	-
Male.....	7	1	2	1	4	-	2	-	1	-	-	-
Female.....	3	4	2	-	-	3	4	1	3	1	2	-
American Indian 1/, both sexes.....	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	-	1	1	-	-	1	-	-	-
Male.....	-	-	1	-	1	-	-	-	1	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-

Utah

All races, both sexes.....	11	6	11	12	20	21	28	40	20	6	5	-
Male.....	9	5	8	8	13	13	16	22	8	3	1	-
Female.....	2	1	3	4	7	8	12	18	12	3	4	-
White, both sexes.....	10	6	11	11	15	21	28	39	19	6	5	-
Male.....	8	5	8	7	10	13	16	21	7	3	1	-
Female.....	2	1	3	4	5	8	12	18	12	3	4	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	1	-	-	-	-	-	-	-
Male.....	1	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	1	4	-	-	1	1	-	-	-
Male.....	-	-	-	1	2	-	-	1	1	-	-	-
Female.....	-	-	-	-	2	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
---	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

All other symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (R00-R53,R55-R94)

Kentucky

All races, both sexes.....	226	-	-	-	1	1	1	2	1	1	7	7
Male.....	73	-	-	-	-	-	-	1	1	-	2	3
Female.....	153	-	-	-	1	1	1	1	-	1	5	4
White, both sexes.....	206	-	-	-	1	1	1	-	1	1	7	5
Male.....	65	-	-	-	-	-	-	-	1	-	2	2
Female.....	141	-	-	-	1	1	1	-	-	1	5	3
Black, both sexes.....	20	-	-	-	-	-	-	2	-	-	-	2
Male.....	8	-	-	-	-	-	-	1	-	-	-	1
Female.....	12	-	-	-	-	-	-	1	-	-	-	1
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Louisiana

All races, both sexes.....	458	2	2	1	-	-	2	3	3	4	7	7
Male.....	178	1	2	1	-	-	2	2	2	2	5	3
Female.....	280	1	-	-	-	-	-	1	1	2	2	4
White, both sexes.....	342	2	1	-	-	-	2	2	1	2	3	5
Male.....	117	1	1	-	-	-	2	1	1	1	2	3
Female.....	225	1	-	-	-	-	-	1	-	1	1	2
Black, both sexes.....	112	-	1	1	-	-	-	1	2	1	4	2
Male.....	60	-	1	1	-	-	-	1	1	1	3	-
Female.....	52	-	-	-	-	-	-	-	1	-	1	2
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	-	-	-	-	-	-	-	-	1	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	-	-	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
---	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

All other symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (R00-R53,R55-R94)

Maine

All races, both sexes.....	57	-	-	-	-	-	1	-	-	-	-	-
Male.....	21	-	-	-	-	-	1	-	-	-	-	-
Female.....	36	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	57	-	-	-	-	-	1	-	-	-	-	-
Male.....	21	-	-	-	-	-	1	-	-	-	-	-
Female.....	36	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Maryland

All races, both sexes.....	74	-	1	2	-	2	4	1	5	5	4	5
Male.....	33	-	-	-	-	1	3	-	3	3	2	3
Female.....	41	-	1	2	-	1	1	1	2	2	2	2
White, both sexes.....	51	-	-	-	-	1	2	-	4	2	3	3
Male.....	22	-	-	-	-	1	1	-	3	1	1	2
Female.....	29	-	-	-	-	-	1	-	1	1	2	1
Black, both sexes.....	22	-	1	2	-	1	2	1	-	3	1	2
Male.....	11	-	-	-	-	-	2	-	-	2	1	1
Female.....	11	-	1	2	-	1	-	1	-	1	-	1
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
---	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

All other symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (R00-R53,R55-R94)

New Mexico

All races, both sexes.....	39	-	-	-	1	1	2	2	1	1	2	2
Male.....	19	-	-	-	1	1	2	2	1	1	2	1
Female.....	20	-	-	-	-	-	-	-	-	-	-	1
White, both sexes.....	36	-	-	-	1	1	2	2	-	1	1	2
Male.....	16	-	-	-	1	1	2	2	-	1	1	1
Female.....	20	-	-	-	-	-	-	-	-	-	-	1
Black, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	2	-	-	-	-	-	-	-	1	-	1	-
Male.....	2	-	-	-	-	-	-	-	1	-	1	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New York

All races, both sexes.....	374	1	2	2	3	4	6	6	2	9	4	8
Male.....	145	1	2	-	2	2	3	1	2	5	2	5
Female.....	229	-	-	2	1	2	3	5	-	4	2	3
White, both sexes.....	335	1	1	1	3	4	4	4	1	8	1	3
Male.....	125	1	1	-	2	2	3	1	1	4	-	2
Female.....	210	-	-	1	1	2	1	3	-	4	1	1
Black, both sexes.....	33	-	-	1	-	-	2	1	1	1	3	5
Male.....	16	-	-	-	-	-	-	-	1	1	2	3
Female.....	17	-	-	1	-	-	2	1	-	-	1	2
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	6	-	1	-	-	-	-	1	-	-	-	-
Male.....	4	-	1	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
---	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

All other symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (R00-R53,R55-R94)

Vermont

All races, both sexes.....	9	-	1	-	-	-	-	-	-	-	-	1
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	8	-	1	-	-	-	-	-	-	-	-	1
White, both sexes.....	8	-	-	-	-	-	-	-	-	-	-	1
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	7	-	-	-	-	-	-	-	-	-	-	1
Black, both sexes.....	1	-	1	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	1	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Virginia

All races, both sexes.....	430	1	1	1	1	1	2	5	7	5	2	11
Male.....	154	-	-	1	-	-	2	3	4	3	2	6
Female.....	276	1	1	-	1	1	-	2	3	2	-	5
White, both sexes.....	345	1	1	-	1	-	2	3	6	3	2	7
Male.....	115	-	-	-	-	-	2	2	4	1	2	3
Female.....	230	1	1	-	1	-	-	1	2	2	-	4
Black, both sexes.....	75	-	-	1	-	1	-	1	-	2	-	4
Male.....	34	-	-	1	-	-	-	-	-	2	-	3
Female.....	41	-	-	-	-	1	-	1	-	-	-	1
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	1	-	-	-	-
Male.....	1	-	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	9	-	-	-	-	-	-	-	1	-	-	-
Male.....	4	-	-	-	-	-	-	-	-	-	-	-
Female.....	5	-	-	-	-	-	-	-	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

All other symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (R00-R53,R55-R94)

United States

All races, both sexes.....	306	345	397	460	689	1,199	1,798	2,342	2,197	1,179	381	-
Male.....	180	202	213	252	343	523	684	747	521	206	51	-
Female.....	126	143	184	208	346	676	1,114	1,595	1,676	973	330	-
White, both sexes.....	211	253	301	357	543	1,018	1,559	2,128	2,021	1,061	329	-
Male.....	121	153	170	197	264	441	585	673	467	180	35	-
Female.....	90	100	131	160	279	577	974	1,455	1,554	881	294	-
Black, both sexes.....	85	87	84	91	132	165	212	184	151	99	43	-
Male.....	54	46	37	49	71	77	90	62	40	20	12	-
Female.....	31	41	47	42	61	88	122	122	111	79	31	-
American Indian 1/, both sexes.....	4	1	3	1	3	2	4	7	3	2	1	-
Male.....	2	1	2	-	-	-	1	2	2	1	1	-
Female.....	2	-	1	1	3	2	3	5	1	1	-	-
Asian or Pacific Islander 2/, both sexes.....	6	4	9	11	11	14	23	23	22	17	8	-
Male.....	3	2	4	6	8	5	8	10	12	5	3	-
Female.....	3	2	5	5	3	9	15	13	10	12	5	-

Alabama

All races, both sexes.....	23	36	39	49	68	88	104	124	99	55	16	-
Male.....	18	23	23	32	36	31	37	41	21	7	2	-
Female.....	5	13	16	17	32	57	67	83	78	48	14	-
White, both sexes.....	15	23	29	35	54	70	85	96	80	43	9	-
Male.....	12	15	19	25	28	24	28	31	15	4	1	-
Female.....	3	8	10	10	26	46	57	65	65	39	8	-
Black, both sexes.....	8	13	10	14	14	17	19	27	19	12	7	-
Male.....	6	8	4	7	8	7	9	10	6	3	1	-
Female.....	2	5	6	7	6	10	10	17	13	9	6	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

All other symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (R00-R53,R55-R94)

Arkansas

All races, both sexes.....	7	2	1	5	6	6	5	12	7	6	2	-
Male.....	4	1	1	4	3	5	-	4	1	1	-	-
Female.....	3	1	-	1	3	1	5	8	6	5	2	-
White, both sexes.....	4	2	1	4	4	6	5	11	6	5	2	-
Male.....	2	1	1	3	2	5	-	4	1	1	-	-
Female.....	2	1	-	1	2	1	5	7	5	4	2	-
Black, both sexes.....	3	-	-	1	2	-	-	1	1	1	-	-
Male.....	2	-	-	1	1	-	-	-	-	-	-	-
Female.....	1	-	-	-	1	-	-	1	1	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	9	5	4	3	3	7	22	25	21	16	8	-
Male.....	4	3	3	2	2	3	8	7	7	3	-	-
Female.....	5	2	1	1	1	4	14	18	14	13	8	-
White, both sexes.....	7	3	4	3	3	7	21	24	20	15	8	-
Male.....	4	2	3	2	2	3	7	7	7	3	-	-
Female.....	3	1	1	1	1	4	14	17	13	12	8	-
Black, both sexes.....	1	1	-	-	-	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	1	-	-	-	-	-	-	1	-	-	-
American Indian 1/, both sexes.....	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	1	1	-	1	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	1	-	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

All other symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (R00-R53,R55-R94)

Florida

All races, both sexes.....	14	12	21	27	35	66	129	178	216	118	23	-
Male.....	8	8	10	13	23	28	45	59	63	24	6	-
Female.....	6	4	11	14	12	38	84	119	153	94	17	-
White, both sexes.....	13	10	17	21	29	60	111	169	207	115	21	-
Male.....	8	7	8	11	20	23	35	54	60	24	5	-
Female.....	5	3	9	10	9	37	76	115	147	91	16	-
Black, both sexes.....	1	2	4	5	6	6	16	7	9	3	2	-
Male.....	-	1	2	1	3	5	9	4	3	-	1	-
Female.....	1	1	2	4	3	1	7	3	6	3	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	1	-	-	2	1	-	-	-	-
Male.....	-	-	-	1	-	-	1	1	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-

Georgia

All races, both sexes.....	30	28	34	33	53	105	157	176	148	64	16	-
Male.....	16	18	18	20	26	54	58	62	40	15	5	-
Female.....	14	10	16	13	27	51	99	114	108	49	11	-
White, both sexes.....	13	16	23	26	38	81	121	151	129	50	13	-
Male.....	4	12	14	16	19	43	47	58	36	11	4	-
Female.....	9	4	9	10	19	38	74	93	93	39	9	-
Black, both sexes.....	17	12	10	7	13	23	35	24	18	13	3	-
Male.....	12	6	3	4	6	10	10	4	3	4	1	-
Female.....	5	6	7	3	7	13	25	20	15	9	2	-
American Indian 1/, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	-	1	1	1	1	1	1	-	-
Male.....	-	-	1	-	1	1	1	-	1	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

All other symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (R00-R53,R55-R94)

Kentucky

All races, both sexes.....	7	8	12	13	11	27	32	42	33	17	3	-
Male.....	5	4	6	4	9	9	5	15	4	4	1	-
Female.....	2	4	6	9	2	18	27	27	29	13	2	-
White, both sexes.....	5	8	10	12	8	25	30	41	31	16	3	-
Male.....	4	4	6	4	7	8	5	15	3	3	1	-
Female.....	1	4	4	8	1	17	25	26	28	13	2	-
Black, both sexes.....	2	-	2	1	3	2	2	1	2	1	-	-
Male.....	1	-	-	-	2	1	-	-	1	1	-	-
Female.....	1	-	2	1	1	1	2	1	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Louisiana

All races, both sexes.....	7	10	23	16	35	52	76	97	66	33	12	-
Male.....	7	6	11	8	20	27	33	26	13	2	5	-
Female.....	-	4	12	8	15	25	43	71	53	31	7	-
White, both sexes.....	4	5	11	12	23	37	59	84	55	29	5	-
Male.....	4	1	5	6	13	21	24	19	9	2	1	-
Female.....	-	4	6	6	10	16	35	65	46	27	4	-
Black, both sexes.....	3	5	12	4	12	15	15	12	11	4	7	-
Male.....	3	5	6	2	7	6	8	7	4	-	4	-
Female.....	-	-	6	2	5	9	7	5	7	4	3	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	2	-	-	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

All other symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (R00-R53,R55-R94)

Massachusetts

All races, both sexes.....	4	9	10	16	19	38	61	106	96	53	22	-
Male.....	2	4	7	6	6	16	21	30	25	12	2	-
Female.....	2	5	3	10	13	22	40	76	71	41	20	-
White, both sexes.....	4	9	9	13	17	37	59	104	94	52	21	-
Male.....	2	4	7	6	5	16	21	29	24	12	2	-
Female.....	2	5	2	7	12	21	38	75	70	40	19	-
Black, both sexes.....	-	-	1	3	1	1	1	2	2	1	1	-
Male.....	-	-	-	-	1	-	-	1	1	-	-	-
Female.....	-	-	1	3	-	1	1	1	1	1	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	1	-	-	-	-	-

Michigan

All races, both sexes.....	3	4	5	5	9	17	29	46	56	28	18	-
Male.....	2	2	3	2	3	9	13	16	15	7	2	-
Female.....	1	2	2	3	6	8	16	30	41	21	16	-
White, both sexes.....	1	4	2	4	6	16	20	42	52	25	13	-
Male.....	1	2	2	2	2	8	6	14	15	7	1	-
Female.....	-	2	-	2	4	8	14	28	37	18	12	-
Black, both sexes.....	2	-	3	1	3	1	8	3	4	3	4	-
Male.....	1	-	1	-	1	1	6	2	-	-	1	-
Female.....	1	-	2	1	2	-	2	1	4	3	3	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	1	-	-	1	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	1	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

All other symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (R00-R53,R55-R94)

Nebraska

All races, both sexes.....	1	4	1	2	2	10	12	16	12	7	2	-
Male.....	-	3	1	1	-	5	5	3	4	2	-	-
Female.....	1	1	-	1	2	5	7	13	8	5	2	-
White, both sexes.....	1	4	1	2	2	10	12	16	11	7	2	-
Male.....	-	3	1	1	-	5	5	3	4	2	-	-
Female.....	1	1	-	1	2	5	7	13	7	5	2	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Nevada

All races, both sexes.....	6	3	11	10	23	57	54	85	59	25	10	-
Male.....	2	1	8	6	12	27	24	35	19	5	2	-
Female.....	4	2	3	4	11	30	30	50	40	20	8	-
White, both sexes.....	6	2	9	8	18	52	53	82	55	23	8	-
Male.....	2	-	7	6	9	25	23	34	16	4	1	-
Female.....	4	2	2	2	9	27	30	48	39	19	7	-
Black, both sexes.....	-	1	2	-	4	4	-	3	3	-	-	-
Male.....	-	1	1	-	2	2	-	1	2	-	-	-
Female.....	-	-	1	-	2	2	-	2	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	1	-
Male.....	-	-	-	-	-	-	-	-	-	-	1	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	2	1	1	1	-	1	2	1	-
Male.....	-	-	-	-	1	-	1	-	1	1	-	-
Female.....	-	-	-	2	-	1	-	-	-	1	1	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

All other symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (R00-R53,R55-R94)

New Hampshire

All races, both sexes.....	1	-	1	-	-	3	6	7	10	3	3	-
Male.....	-	-	1	-	-	1	2	3	2	1	-	-
Female.....	1	-	-	-	-	2	4	4	8	2	3	-
White, both sexes.....	1	-	1	-	-	3	6	7	10	3	3	-
Male.....	-	-	1	-	-	1	2	3	2	1	-	-
Female.....	1	-	-	-	-	2	4	4	8	2	3	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New Jersey

All races, both sexes.....	9	12	15	14	10	41	51	80	60	31	15	-
Male.....	7	5	8	8	5	20	21	25	14	5	-	-
Female.....	2	7	7	6	5	21	30	55	46	26	15	-
White, both sexes.....	8	7	9	8	9	36	49	77	59	30	14	-
Male.....	6	2	6	4	4	19	21	25	13	4	-	-
Female.....	2	5	3	4	5	17	28	52	46	26	14	-
Black, both sexes.....	1	5	4	6	-	4	2	2	-	1	-	-
Male.....	1	3	1	4	-	1	-	-	-	1	-	-
Female.....	-	2	3	2	-	3	2	2	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	2	-	1	1	-	1	1	-	1	-
Male.....	-	-	1	-	1	-	-	-	1	-	-	-
Female.....	-	-	1	-	-	1	-	1	-	-	1	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

All other symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (R00-R53,R55-R94)

Oregon

All races, both sexes.....	5	3	1	3	6	6	11	13	11	14	4	-
Male.....	1	1	-	1	2	3	5	5	3	1	1	-
Female.....	4	2	1	2	4	3	6	8	8	13	3	-
White, both sexes.....	4	3	1	3	6	6	10	12	11	14	4	-
Male.....	1	1	-	1	2	3	4	4	3	1	1	-
Female.....	3	2	1	2	4	3	6	8	8	13	3	-
Black, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-

Pennsylvania

All races, both sexes.....	17	20	31	29	62	101	178	236	230	96	34	-
Male.....	10	12	15	20	23	45	65	62	50	15	5	-
Female.....	7	8	16	9	39	56	113	174	180	81	29	-
White, both sexes.....	13	14	27	27	48	92	160	214	217	91	32	-
Male.....	8	10	13	19	17	41	59	60	48	14	5	-
Female.....	5	4	14	8	31	51	101	154	169	77	27	-
Black, both sexes.....	4	6	3	2	14	9	17	22	12	5	2	-
Male.....	2	2	2	1	6	4	6	2	2	1	-	-
Female.....	2	4	1	1	8	5	11	20	10	4	2	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	-	-	-	1	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	1	-	-	-	1	-	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

All other symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (R00-R53,R55-R94)

Texas

All races, both sexes.....	17	26	20	21	35	48	78	113	141	64	23	-
Male.....	10	18	8	10	21	21	28	37	27	17	4	-
Female.....	7	8	12	11	14	27	50	76	114	47	19	-
White, both sexes.....	9	19	16	19	33	44	68	108	132	58	23	-
Male.....	5	15	6	9	19	19	23	35	24	15	4	-
Female.....	4	4	10	10	14	25	45	73	108	43	19	-
Black, both sexes.....	7	5	4	2	2	4	9	5	9	6	-	-
Male.....	5	1	2	1	2	2	5	2	3	2	-	-
Female.....	2	4	2	1	-	2	4	3	6	4	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	2	-	-	-	-	-	-	-	-	-	-
Male.....	-	2	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-

Utah

All races, both sexes.....	3	5	1	1	7	21	43	47	59	32	3	-
Male.....	2	1	1	-	2	7	16	15	14	2	-	-
Female.....	1	4	-	1	5	14	27	32	45	30	3	-
White, both sexes.....	2	4	1	-	7	21	42	46	57	32	3	-
Male.....	1	1	1	-	2	7	15	14	13	2	-	-
Female.....	1	3	-	-	5	14	27	32	44	30	3	-
Black, both sexes.....	-	1	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	1	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	1	-	-	-	1	2	-	-	-
Male.....	-	-	-	-	-	-	-	1	1	-	-	-
Female.....	-	-	-	1	-	-	-	-	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

All other symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (R00-R53,R55-R94)

Vermont

All races, both sexes.....	-	-	1	-	-	-	2	-	1	1	2	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	1	-	-	-	1	-	1	1	2	-
White, both sexes.....	-	-	1	-	-	-	2	-	1	1	2	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	1	-	-	-	1	-	1	1	2	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Virginia

All races, both sexes.....	13	15	14	19	29	50	72	77	59	31	14	-
Male.....	9	9	4	9	11	21	27	23	16	3	1	-
Female.....	4	6	10	10	18	29	45	54	43	28	13	-
White, both sexes.....	10	10	7	14	18	40	64	68	52	22	14	-
Male.....	6	7	1	6	6	16	21	19	15	3	1	-
Female.....	4	3	6	8	12	24	43	49	37	19	13	-
Black, both sexes.....	3	5	7	4	9	10	6	9	7	6	-	-
Male.....	3	2	3	2	4	5	4	4	1	-	-	-
Female.....	-	3	4	2	5	5	2	5	6	6	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	1	2	-	2	-	-	3	-	-
Male.....	-	-	-	1	1	-	2	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	3	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

XX. External causes of mortality (*U01-*U03,V01-Y89)

United States

All races, both sexes.....	181,586	1,598	2,050	1,225	1,721	10,744	16,136	13,913	11,775	13,162	15,496	16,847
Male.....	124,781	936	1,175	717	1,122	8,131	13,192	11,101	9,138	9,655	11,042	11,978
Female.....	56,805	662	875	508	599	2,613	2,944	2,812	2,637	3,507	4,454	4,869
White, both sexes.....	149,444	1,029	1,405	838	1,279	7,998	12,137	10,466	9,003	10,582	12,803	14,010
Male.....	100,979	592	804	479	822	5,859	9,799	8,231	6,881	7,700	9,112	9,923
Female.....	48,465	437	601	359	457	2,139	2,338	2,235	2,122	2,882	3,691	4,087
Black, both sexes.....	26,165	497	551	317	361	2,236	3,316	2,932	2,293	2,138	2,218	2,318
Male.....	19,752	301	316	198	247	1,901	2,844	2,475	1,915	1,648	1,605	1,699
Female.....	6,413	196	235	119	114	335	472	457	378	490	613	619
American Indian 1/, both sexes.....	2,469	42	45	25	34	244	314	251	218	219	243	228
Male.....	1,774	26	26	13	21	173	254	200	159	160	165	162
Female.....	695	16	19	12	13	71	60	51	59	59	78	66
Asian or Pacific Islander 2/, both sexes.....	3,508	30	49	45	47	266	369	264	261	223	232	291
Male.....	2,276	17	29	27	32	198	295	195	183	147	160	194
Female.....	1,232	13	20	18	15	68	74	69	78	76	72	97

Alabama

All races, both sexes.....	3,686	32	51	37	35	256	399	310	286	279	305	296
Male.....	2,565	15	29	24	21	188	320	250	213	197	217	219
Female.....	1,121	17	22	13	14	68	79	60	73	82	88	77
White, both sexes.....	2,732	19	29	20	24	170	262	200	199	214	227	214
Male.....	1,858	9	15	15	13	120	213	155	142	148	156	158
Female.....	874	10	14	5	11	50	49	45	57	66	71	56
Black, both sexes.....	925	13	22	17	11	83	133	107	84	61	75	81
Male.....	686	6	14	9	8	65	104	93	70	47	58	60
Female.....	239	7	8	8	3	18	29	14	14	14	17	21
American Indian 1/, both sexes.....	11	-	-	-	-	-	1	2	1	1	2	1
Male.....	8	-	-	-	-	-	-	1	1	-	2	1
Female.....	3	-	-	-	-	-	1	1	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	18	-	-	-	-	3	3	1	2	3	1	-
Male.....	13	-	-	-	-	3	3	1	-	2	1	-
Female.....	5	-	-	-	-	-	-	-	2	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
---	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

XX. External causes of mortality (*U01-*U03,V01-Y89)

Alaska												
All races, both sexes.....	510	10	3	12	14	37	60	48	43	29	51	55
Male.....	384	4	1	8	9	29	52	40	32	23	38	41
Female.....	126	6	2	4	5	8	8	8	11	6	13	14
White, both sexes.....	316	2	3	7	7	15	31	24	32	13	34	40
Male.....	235	-	1	5	4	11	26	19	24	11	24	30
Female.....	81	2	2	2	3	4	5	5	8	2	10	10
Black, both sexes.....	8	-	-	-	-	1	1	2	2	1	-	1
Male.....	8	-	-	-	-	1	1	2	2	1	-	1
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	169	8	-	5	7	17	25	20	9	12	16	14
Male.....	130	4	-	3	5	14	23	17	6	9	13	10
Female.....	39	4	-	2	2	3	2	3	3	3	3	4
Asian or Pacific Islander 2/, both sexes.....	17	-	-	-	-	4	3	2	-	3	1	-
Male.....	11	-	-	-	-	3	2	2	-	2	1	-
Female.....	6	-	-	-	-	1	1	-	-	1	-	-
Arizona												
All races, both sexes.....	5,082	34	66	29	41	348	442	394	318	390	397	427
Male.....	3,494	22	30	17	24	254	352	326	244	292	289	308
Female.....	1,588	12	36	12	17	94	90	68	74	98	108	119
White, both sexes.....	4,420	27	53	24	36	272	372	321	250	326	343	365
Male.....	3,009	18	23	14	21	202	293	263	195	242	252	258
Female.....	1,411	9	30	10	15	70	79	58	55	84	91	107
Black, both sexes.....	199	5	2	2	1	16	20	22	25	14	16	16
Male.....	152	2	1	2	1	14	18	19	18	11	12	11
Female.....	47	3	1	-	-	2	2	3	7	3	4	5
American Indian 1/, both sexes.....	422	2	9	3	4	58	46	49	40	44	34	42
Male.....	310	2	5	1	2	38	37	42	29	36	22	36
Female.....	112	-	4	2	2	20	9	7	11	8	12	6
Asian or Pacific Islander 2/, both sexes.....	41	-	2	-	-	2	4	2	3	6	4	4
Male.....	23	-	1	-	-	-	4	2	2	3	3	3
Female.....	18	-	1	-	-	2	-	-	1	3	1	1

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
---	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

XX. External causes of mortality (*U01-*U03,V01-Y89)

Arkansas

All races, both sexes.....	2,200	19	38	21	23	159	206	170	159	177	191	168
Male.....	1,526	9	24	11	15	115	170	130	132	120	135	127
Female.....	674	10	14	10	8	44	36	40	27	57	56	41
White, both sexes.....	1,824	13	25	17	20	126	158	122	128	148	157	144
Male.....	1,247	7	14	9	13	87	127	91	105	100	113	107
Female.....	577	6	11	8	7	39	31	31	23	48	44	37
Black, both sexes.....	354	6	12	4	3	30	48	44	29	27	34	23
Male.....	262	2	9	2	2	25	43	37	25	18	22	20
Female.....	92	4	3	2	1	5	5	7	4	9	12	3
American Indian 1/, both sexes.....	7	-	-	-	-	-	-	1	1	-	-	1
Male.....	5	-	-	-	-	-	-	-	1	-	-	-
Female.....	2	-	-	-	-	-	-	1	-	-	-	1
Asian or Pacific Islander 2/, both sexes.....	15	-	1	-	-	3	-	3	1	2	-	-
Male.....	12	-	1	-	-	3	-	2	1	2	-	-
Female.....	3	-	-	-	-	-	-	1	-	-	-	-

California

All races, both sexes.....	17,921	110	211	129	189	1,258	1,731	1,372	1,171	1,294	1,493	1,849
Male.....	12,872	68	112	76	124	1,007	1,466	1,113	923	983	1,107	1,313
Female.....	5,049	42	99	53	65	251	265	259	248	311	386	536
White, both sexes.....	14,705	85	156	92	147	972	1,353	1,058	928	1,058	1,245	1,533
Male.....	10,527	54	83	53	100	765	1,146	852	729	809	931	1,093
Female.....	4,178	31	73	39	47	207	207	206	199	249	314	440
Black, both sexes.....	1,881	17	38	21	26	186	237	207	147	161	161	188
Male.....	1,431	7	20	14	15	164	201	176	125	124	109	130
Female.....	450	10	18	7	11	22	36	31	22	37	52	58
American Indian 1/, both sexes.....	160	2	3	1	2	10	16	17	14	9	18	20
Male.....	118	2	1	-	1	8	14	14	12	8	14	16
Female.....	42	-	2	1	1	2	2	3	2	1	4	4
Asian or Pacific Islander 2/, both sexes.....	1,175	6	14	15	14	90	125	90	82	66	69	108
Male.....	796	5	8	9	8	70	105	71	57	42	53	74
Female.....	379	1	6	6	6	20	20	19	25	24	16	34

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
---	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

XX. External causes of mortality (*U01-*U03,V01-Y89)

Colorado

All races, both sexes.....	3,003	22	37	10	19	164	248	231	211	212	286	277
Male.....	1,987	10	20	7	14	117	197	171	162	140	200	182
Female.....	1,016	12	17	3	5	47	51	60	49	72	86	95
White, both sexes.....	2,778	19	30	8	17	149	227	204	196	179	270	254
Male.....	1,830	9	16	5	12	108	180	149	150	117	191	165
Female.....	948	10	14	3	5	41	47	55	46	62	79	89
Black, both sexes.....	137	2	6	1	-	11	12	17	7	18	9	16
Male.....	102	1	3	1	-	6	9	15	6	15	7	13
Female.....	35	1	3	-	-	5	3	2	1	3	2	3
American Indian 1/, both sexes.....	38	-	-	-	1	2	2	4	3	8	4	5
Male.....	22	-	-	-	1	2	1	3	3	3	1	2
Female.....	16	-	-	-	-	-	1	1	-	5	3	3
Asian or Pacific Islander 2/, both sexes.....	50	1	1	1	1	2	7	6	5	7	3	2
Male.....	33	-	1	1	1	1	7	4	3	5	1	2
Female.....	17	1	-	-	-	1	-	2	2	2	2	-

Connecticut

All races, both sexes.....	1,781	6	4	4	13	97	156	133	83	113	155	157
Male.....	1,221	3	2	2	8	79	129	106	62	95	113	118
Female.....	560	3	2	2	5	18	27	27	21	18	42	39
White, both sexes.....	1,557	4	1	2	8	68	117	112	72	96	136	146
Male.....	1,053	2	1	-	5	53	97	91	52	81	101	110
Female.....	504	2	-	2	3	15	20	21	20	15	35	36
Black, both sexes.....	195	1	2	2	5	25	34	19	10	13	17	8
Male.....	148	1	1	2	3	23	28	14	9	10	11	6
Female.....	47	-	1	-	2	2	6	5	1	3	6	2
American Indian 1/, both sexes.....	4	-	-	-	-	-	2	-	-	1	1	-
Male.....	4	-	-	-	-	-	2	-	-	1	1	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	25	1	1	-	-	4	3	2	1	3	1	3
Male.....	16	-	-	-	-	3	2	1	1	3	-	2
Female.....	9	1	1	-	-	1	1	1	-	-	1	1

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

XX. External causes of mortality (*U01-*U03,V01-Y89)

Florida

All races, both sexes.....	12,870	117	167	73	87	675	1,156	970	787	884	1,076	1,184
Male.....	8,975	70	104	42	53	518	955	766	622	669	758	812
Female.....	3,895	47	63	31	34	157	201	204	165	215	318	372
White, both sexes.....	11,017	87	116	40	62	504	898	770	627	749	934	1,017
Male.....	7,604	50	73	21	36	376	730	603	488	567	665	701
Female.....	3,413	37	43	19	26	128	168	167	139	182	269	316
Black, both sexes.....	1,705	29	48	32	24	157	247	196	145	125	131	153
Male.....	1,283	20	29	20	16	132	217	163	123	94	88	103
Female.....	422	9	19	12	8	25	30	33	22	31	43	50
American Indian 1/, both sexes.....	34	-	-	-	-	3	2	-	4	4	2	5
Male.....	28	-	-	-	-	3	2	-	2	4	1	4
Female.....	6	-	-	-	-	-	-	-	2	-	1	1
Asian or Pacific Islander 2/, both sexes.....	114	1	3	1	1	11	9	4	11	6	9	9
Male.....	60	-	2	1	1	7	6	-	9	4	4	4
Female.....	54	1	1	-	-	4	3	4	2	2	5	5

Georgia

All races, both sexes.....	5,725	40	91	48	41	349	528	458	431	396	494	535
Male.....	3,911	26	62	25	27	272	422	366	305	287	334	390
Female.....	1,814	14	29	23	14	77	106	92	126	109	160	145
White, both sexes.....	4,112	14	53	28	23	220	329	286	255	283	367	400
Male.....	2,752	11	37	15	17	161	263	227	173	202	247	278
Female.....	1,360	3	16	13	6	59	66	59	82	81	120	122
Black, both sexes.....	1,515	25	38	20	16	119	187	166	166	106	122	123
Male.....	1,090	14	25	10	8	103	149	134	127	79	83	102
Female.....	425	11	13	10	8	16	38	32	39	27	39	21
American Indian 1/, both sexes.....	10	-	-	-	-	1	1	2	1	1	-	2
Male.....	8	-	-	-	-	1	1	1	1	1	-	2
Female.....	2	-	-	-	-	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	88	1	-	-	2	9	11	4	9	6	5	10
Male.....	61	1	-	-	2	7	9	4	4	5	4	8
Female.....	27	-	-	-	-	2	2	-	5	1	1	2

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

XX. External causes of mortality (*U01-*U03,V01-Y89)

Illinois

All races, both sexes.....	6,496	85	71	42	56	415	587	530	428	508	564	582
Male.....	4,606	49	41	20	35	323	473	438	351	389	418	444
Female.....	1,890	36	30	22	21	92	114	92	77	119	146	138
White, both sexes.....	4,854	39	45	25	34	290	378	344	290	349	402	424
Male.....	3,334	29	22	11	20	216	294	269	232	269	292	323
Female.....	1,520	10	23	14	14	74	84	75	58	80	110	101
Black, both sexes.....	1,569	46	26	17	21	120	201	183	131	153	155	155
Male.....	1,233	20	19	9	15	106	176	167	114	117	122	120
Female.....	336	26	7	8	6	14	25	16	17	36	33	35
American Indian 1/, both sexes.....	6	-	-	-	-	1	-	2	1	-	-	-
Male.....	3	-	-	-	-	-	-	1	1	-	-	-
Female.....	3	-	-	-	-	1	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	67	-	-	-	1	4	8	1	6	6	7	3
Male.....	36	-	-	-	-	1	3	1	4	3	4	1
Female.....	31	-	-	-	1	3	5	-	2	3	3	2

Indiana

All races, both sexes.....	4,001	49	59	39	42	246	345	343	255	303	345	367
Male.....	2,770	28	30	22	32	174	278	273	205	222	245	263
Female.....	1,231	21	29	17	10	72	67	70	50	81	100	104
White, both sexes.....	3,574	35	51	33	31	197	284	286	210	275	312	345
Male.....	2,446	24	27	20	24	136	223	222	170	198	223	248
Female.....	1,128	11	24	13	7	61	61	64	40	77	89	97
Black, both sexes.....	411	14	7	6	11	48	58	54	43	27	33	21
Male.....	315	4	2	2	8	38	52	48	35	23	22	15
Female.....	96	10	5	4	3	10	6	6	8	4	11	6
American Indian 1/, both sexes.....	4	-	-	-	-	-	1	-	-	1	-	-
Male.....	3	-	-	-	-	-	1	-	-	1	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	12	-	1	-	-	1	2	3	2	-	-	1
Male.....	6	-	1	-	-	-	2	3	-	-	-	-
Female.....	6	-	-	-	-	1	-	-	2	-	-	1

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

XX. External causes of mortality (*U01-*U03,V01-Y89)

Kentucky

All races, both sexes.....	3,390	30	37	22	28	177	273	297	273	294	319	294
Male.....	2,328	16	19	16	20	121	221	228	210	215	233	206
Female.....	1,062	14	18	6	8	56	52	69	63	79	86	88
White, both sexes.....	3,174	21	30	17	22	166	246	271	246	276	304	284
Male.....	2,176	10	16	14	16	113	198	208	189	200	221	199
Female.....	998	11	14	3	6	53	48	63	57	76	83	85
Black, both sexes.....	205	9	7	5	6	10	27	24	23	18	15	10
Male.....	147	6	3	2	4	8	23	19	19	15	12	7
Female.....	58	3	4	3	2	2	4	5	4	3	3	3
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	10	-	-	-	-	1	-	2	4	-	-	-
Male.....	4	-	-	-	-	-	-	1	2	-	-	-
Female.....	6	-	-	-	-	1	-	1	2	-	-	-

Louisiana

All races, both sexes.....	3,635	46	43	34	35	235	439	385	296	275	313	354
Male.....	2,631	30	28	20	21	189	358	302	235	211	231	252
Female.....	1,004	16	15	14	14	46	81	83	61	64	82	102
White, both sexes.....	2,454	20	22	19	21	117	278	228	175	198	233	255
Male.....	1,725	11	17	10	14	89	219	177	133	148	164	178
Female.....	729	9	5	9	7	28	59	51	42	50	69	77
Black, both sexes.....	1,147	26	20	15	13	115	157	149	117	75	77	96
Male.....	877	19	11	10	7	98	135	118	98	61	64	71
Female.....	270	7	9	5	6	17	22	31	19	14	13	25
American Indian 1/, both sexes.....	16	-	-	-	-	2	-	6	2	1	1	2
Male.....	14	-	-	-	-	1	-	5	2	1	1	2
Female.....	2	-	-	-	-	1	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	18	-	1	-	1	1	4	2	2	1	2	1
Male.....	15	-	-	-	-	1	4	2	2	1	2	1
Female.....	3	-	1	-	1	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
---	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

XX. External causes of mortality (*U01-*U03,V01-Y89)

Maine

All races, both sexes.....	775	3	3	2	10	44	64	50	33	59	65	60
Male.....	522	2	1	1	9	27	54	44	20	41	41	49
Female.....	253	1	2	1	1	17	10	6	13	18	24	11
White, both sexes.....	755	3	3	2	9	43	62	49	29	59	63	57
Male.....	507	2	1	1	8	26	52	43	18	41	40	47
Female.....	248	1	2	1	1	17	10	6	11	18	23	10
Black, both sexes.....	6	-	-	-	-	1	1	1	-	-	-	2
Male.....	6	-	-	-	-	1	1	1	-	-	-	2
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	10	-	-	-	-	-	1	-	2	-	2	1
Male.....	7	-	-	-	-	-	1	-	1	-	1	-
Female.....	3	-	-	-	-	-	-	-	1	-	1	1
Asian or Pacific Islander 2/, both sexes.....	4	-	-	-	1	-	-	-	2	-	-	-
Male.....	2	-	-	-	1	-	-	-	1	-	-	-
Female.....	2	-	-	-	-	-	-	-	1	-	-	-

Maryland

All races, both sexes.....	3,308	18	31	15	37	206	367	279	244	261	335	323
Male.....	2,387	12	15	10	26	165	311	229	193	205	236	244
Female.....	921	6	16	5	11	41	56	50	51	56	99	79
White, both sexes.....	2,039	12	11	6	17	111	196	141	127	147	190	213
Male.....	1,391	8	5	4	14	81	159	107	101	109	127	158
Female.....	648	4	6	2	3	30	37	34	26	38	63	55
Black, both sexes.....	1,199	6	19	8	20	94	164	134	112	113	138	103
Male.....	954	4	9	6	12	83	148	120	91	95	105	80
Female.....	245	2	10	2	8	11	16	14	21	18	33	23
American Indian 1/, both sexes.....	5	-	-	-	-	-	1	1	-	1	1	1
Male.....	3	-	-	-	-	-	1	-	-	1	-	1
Female.....	2	-	-	-	-	-	-	1	-	-	1	-
Asian or Pacific Islander 2/, both sexes.....	65	-	1	1	-	1	6	3	5	-	6	6
Male.....	39	-	1	-	-	1	3	2	1	-	4	5
Female.....	26	-	-	1	-	-	3	1	4	-	2	1

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
---	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

XX. External causes of mortality (*U01-*U03,V01-Y89)

Massachusetts

All races, both sexes.....	2,970	11	13	6	21	113	226	204	176	214	280	323
Male.....	1,920	7	9	5	15	81	190	154	136	164	213	216
Female.....	1,050	4	4	1	6	32	36	50	40	50	67	107
White, both sexes.....	2,680	9	10	4	14	87	183	166	155	194	256	290
Male.....	1,708	6	7	4	10	58	149	124	117	151	192	200
Female.....	972	3	3	-	4	29	34	42	38	43	64	90
Black, both sexes.....	242	2	2	-	6	24	39	27	20	19	20	28
Male.....	186	1	1	-	4	22	37	23	19	12	19	14
Female.....	56	1	1	-	2	2	2	4	1	7	1	14
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	1	-	-	-	-
Male.....	1	-	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	47	-	1	2	1	2	4	10	1	1	4	5
Male.....	25	-	1	1	1	1	4	6	-	1	2	2
Female.....	22	-	-	1	-	1	-	4	1	-	2	3

Michigan

All races, both sexes.....	5,805	83	57	28	54	315	427	447	365	436	532	579
Male.....	4,013	48	29	17	38	251	330	364	290	339	359	412
Female.....	1,792	35	28	11	16	64	97	83	75	97	173	167
White, both sexes.....	4,549	49	41	17	42	186	304	315	237	322	420	448
Male.....	3,043	28	19	11	29	139	227	256	180	249	279	317
Female.....	1,506	21	22	6	13	47	77	59	57	73	141	131
Black, both sexes.....	1,169	34	16	9	12	123	115	128	117	105	98	118
Male.....	917	20	10	5	9	107	99	105	104	85	72	85
Female.....	252	14	6	4	3	16	16	23	13	20	26	33
American Indian 1/, both sexes.....	38	-	-	-	-	1	4	3	4	3	9	6
Male.....	24	-	-	-	-	-	2	3	2	1	7	4
Female.....	14	-	-	-	-	1	-	-	2	2	2	2
Asian or Pacific Islander 2/, both sexes.....	49	-	-	2	-	5	4	1	7	6	5	7
Male.....	29	-	-	1	-	5	2	-	4	4	1	6
Female.....	20	-	-	1	-	-	2	1	3	2	4	1

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
---	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

XX. External causes of mortality (*U01-*U03,V01-Y89)

Missouri

All races, both sexes.....	4,351	52	48	32	40	298	398	302	307	298	350	364
Male.....	2,902	34	27	21	22	214	312	244	226	213	245	251
Female.....	1,449	18	21	11	18	84	86	58	81	85	105	113
White, both sexes.....	3,676	35	29	20	23	224	302	234	237	241	309	317
Male.....	2,392	25	17	11	10	156	235	181	170	166	212	215
Female.....	1,284	10	12	9	13	68	67	53	67	75	97	102
Black, both sexes.....	639	17	18	11	17	71	93	66	64	52	37	47
Male.....	483	9	9	9	12	55	74	61	50	44	30	36
Female.....	156	8	9	2	5	16	19	5	14	8	7	11
American Indian 1/, both sexes.....	9	-	-	1	-	1	-	-	1	2	1	-
Male.....	8	-	-	1	-	1	-	-	1	1	1	-
Female.....	1	-	-	-	-	-	-	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	27	-	1	-	-	2	3	2	5	3	3	-
Male.....	19	-	1	-	-	2	3	2	5	2	2	-
Female.....	8	-	-	-	-	-	-	-	-	1	1	-

Montana

All races, both sexes.....	816	10	12	3	8	49	77	55	42	53	58	72
Male.....	568	5	6	3	6	33	62	46	33	41	35	52
Female.....	248	5	6	-	2	16	15	9	9	12	23	20
White, both sexes.....	719	6	11	2	6	39	59	46	36	45	49	60
Male.....	500	2	5	2	5	29	48	40	28	35	29	42
Female.....	219	4	6	-	1	10	11	6	8	10	20	18
Black, both sexes.....	3	-	-	-	-	2	1	-	-	-	-	-
Male.....	3	-	-	-	-	2	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	91	4	1	1	2	8	17	8	6	7	9	11
Male.....	63	3	1	1	1	2	13	5	5	6	6	9
Female.....	28	1	-	-	1	6	4	3	1	1	3	2
Asian or Pacific Islander 2/, both sexes.....	3	-	-	-	-	-	-	1	-	1	-	1
Male.....	2	-	-	-	-	-	-	1	-	-	-	1
Female.....	1	-	-	-	-	-	-	-	-	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

XX. External causes of mortality (*U01-*U03,V01-Y89)

Nebraska

All races, both sexes.....	994	9	13	10	18	91	72	51	40	52	59	71
Male.....	636	3	8	6	14	70	56	38	29	33	39	52
Female.....	358	6	5	4	4	21	16	13	11	19	20	19
White, both sexes.....	917	8	9	9	14	78	63	44	35	49	53	68
Male.....	587	3	6	5	12	60	47	33	25	30	37	49
Female.....	330	5	3	4	2	18	16	11	10	19	16	19
Black, both sexes.....	50	1	3	1	2	7	5	6	4	2	2	2
Male.....	32	-	1	1	-	7	5	5	4	2	1	2
Female.....	18	1	2	-	2	-	-	1	-	-	1	-
American Indian 1/, both sexes.....	23	-	1	-	2	4	4	-	1	1	4	1
Male.....	16	-	1	-	2	3	4	-	-	1	1	1
Female.....	7	-	-	-	-	1	-	-	1	-	3	-
Asian or Pacific Islander 2/, both sexes.....	4	-	-	-	-	2	-	1	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	3	-	-	-	-	2	-	1	-	-	-	-

Nevada

All races, both sexes.....	1,868	22	20	6	20	122	166	140	126	168	167	186
Male.....	1,321	15	11	3	12	96	131	109	101	125	114	122
Female.....	547	7	9	3	8	26	35	31	25	43	53	64
White, both sexes.....	1,605	13	18	1	19	102	129	121	107	139	140	160
Male.....	1,131	7	9	-	11	77	101	96	85	104	95	102
Female.....	474	6	9	1	8	25	28	25	22	35	45	58
Black, both sexes.....	177	8	1	3	1	13	25	12	14	23	21	18
Male.....	130	7	1	2	1	13	19	7	12	17	16	14
Female.....	47	1	-	1	-	-	6	5	2	6	5	4
American Indian 1/, both sexes.....	31	-	-	1	-	4	3	3	2	2	2	4
Male.....	26	-	-	1	-	4	3	3	2	1	1	3
Female.....	5	-	-	-	-	-	-	-	-	1	1	1
Asian or Pacific Islander 2/, both sexes.....	55	1	1	1	-	3	9	4	3	4	4	4
Male.....	34	1	1	-	-	2	8	3	2	3	2	3
Female.....	21	-	-	1	-	1	1	1	1	1	2	1

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
---	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

XX. External causes of mortality (*U01-*U03,V01-Y89)

New Hampshire

All races, both sexes.....	653	5	1	2	2	25	47	42	29	43	69	61
Male.....	403	3	-	2	1	18	37	30	19	31	48	40
Female.....	250	2	1	-	1	7	10	12	10	12	21	21
White, both sexes.....	647	5	1	2	2	25	44	42	29	43	68	60
Male.....	398	3	-	2	1	18	35	30	19	31	47	39
Female.....	249	2	1	-	1	7	9	12	10	12	21	21
Black, both sexes.....	5	-	-	-	-	-	2	-	-	-	1	1
Male.....	5	-	-	-	-	-	2	-	-	-	1	1
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	1	-	-	-	-	-

New Jersey

All races, both sexes.....	3,770	19	21	18	28	212	329	323	279	293	342	315
Male.....	2,609	12	11	9	16	157	281	259	232	229	253	229
Female.....	1,161	7	10	9	12	55	48	64	47	64	89	86
White, both sexes.....	2,934	11	13	13	20	137	212	220	195	207	273	254
Male.....	1,986	7	7	6	11	96	180	171	162	162	205	193
Female.....	948	4	6	7	9	41	32	49	33	45	68	61
Black, both sexes.....	749	8	8	4	7	69	109	98	79	83	63	54
Male.....	572	5	4	2	4	58	95	85	68	65	43	33
Female.....	177	3	4	2	3	11	14	13	11	18	20	21
American Indian 1/, both sexes.....	5	-	-	-	-	-	1	1	-	-	-	2
Male.....	3	-	-	-	-	-	1	-	-	-	-	1
Female.....	2	-	-	-	-	-	-	1	-	-	-	1
Asian or Pacific Islander 2/, both sexes.....	82	-	-	1	1	6	7	4	5	3	6	5
Male.....	48	-	-	1	1	3	5	3	2	2	5	2
Female.....	34	-	-	-	-	3	2	1	3	1	1	3

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
---	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

XX. External causes of mortality (*U01-*U03,V01-Y89)

New Mexico

All races, both sexes.....	1,855	13	18	12	16	107	151	145	125	141	171	184
Male.....	1,254	8	12	6	9	73	117	114	98	109	136	127
Female.....	601	5	6	6	7	34	34	31	27	32	35	57
White, both sexes.....	1,584	11	13	11	15	82	115	117	95	117	142	164
Male.....	1,054	6	9	6	9	55	89	91	71	91	113	117
Female.....	530	5	4	5	6	27	26	26	24	26	29	47
Black, both sexes.....	38	-	1	-	-	3	3	5	4	3	4	4
Male.....	28	-	-	-	-	1	3	5	4	2	3	2
Female.....	10	-	1	-	-	2	-	-	-	1	1	2
American Indian 1/, both sexes.....	220	2	4	1	1	20	30	23	25	20	24	15
Male.....	167	2	3	-	-	15	23	18	22	16	20	8
Female.....	53	-	1	1	1	5	7	5	3	4	4	7
Asian or Pacific Islander 2/, both sexes.....	13	-	-	-	-	2	3	-	1	1	1	1
Male.....	5	-	-	-	-	2	2	-	1	-	-	-
Female.....	8	-	-	-	-	-	1	-	-	1	1	1

New York

All races, both sexes.....	7,932	61	67	42	58	402	673	556	486	545	706	727
Male.....	5,564	34	35	18	40	309	584	465	396	407	533	542
Female.....	2,368	27	32	24	18	93	89	91	90	138	173	185
White, both sexes.....	6,169	39	42	24	34	284	472	395	349	413	547	553
Male.....	4,254	25	20	7	22	209	397	326	280	311	430	420
Female.....	1,915	14	22	17	12	75	75	69	69	102	117	133
Black, both sexes.....	1,490	22	23	15	20	103	176	144	119	119	142	150
Male.....	1,115	9	14	10	16	87	166	127	102	88	90	106
Female.....	375	13	9	5	4	16	10	17	17	31	52	44
American Indian 1/, both sexes.....	36	-	-	1	-	2	6	2	5	3	3	4
Male.....	29	-	-	-	-	2	6	2	4	-	3	4
Female.....	7	-	-	1	-	-	-	-	1	3	-	-
Asian or Pacific Islander 2/, both sexes.....	237	-	2	2	4	13	19	15	13	10	14	20
Male.....	166	-	1	1	2	11	15	10	10	8	10	12
Female.....	71	-	1	1	2	2	4	5	3	2	4	8

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
---	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

XX. External causes of mortality (*U01-*U03,V01-Y89)

Oregon												
All races, both sexes.....	2,431	20	28	17	21	105	179	143	113	153	176	236
Male.....	1,599	14	15	10	13	73	143	114	89	108	109	147
Female.....	832	6	13	7	8	32	36	29	24	45	67	89
White, both sexes.....	2,300	16	28	11	20	96	168	134	108	136	167	219
Male.....	1,511	12	15	7	12	66	136	107	85	95	101	136
Female.....	789	4	13	4	8	30	32	27	23	41	66	83
Black, both sexes.....	35	1	-	-	-	3	-	2	-	6	2	7
Male.....	19	-	-	-	-	1	-	1	-	4	2	6
Female.....	16	1	-	-	-	2	-	1	-	2	-	1
American Indian 1/, both sexes.....	51	2	-	3	-	1	6	5	2	8	6	3
Male.....	37	1	-	1	-	1	4	4	1	7	5	3
Female.....	14	1	-	2	-	-	2	1	1	1	1	-
Asian or Pacific Islander 2/, both sexes.....	45	1	-	3	1	5	5	2	3	3	1	7
Male.....	32	1	-	2	1	5	3	2	3	2	1	2
Female.....	13	-	-	1	-	-	2	-	-	1	-	5

Pennsylvania												
All races, both sexes.....	7,751	35	58	48	54	422	727	605	465	581	665	690
Male.....	5,380	23	31	36	38	339	600	502	377	425	480	516
Female.....	2,371	12	27	12	16	83	127	103	88	156	185	174
White, both sexes.....	6,536	20	43	37	43	300	549	471	361	466	567	578
Male.....	4,409	13	21	29	30	223	441	385	282	337	404	431
Female.....	2,127	7	22	8	13	77	108	86	79	129	163	147
Black, both sexes.....	1,134	14	13	11	10	119	165	123	99	108	91	107
Male.....	915	10	9	7	7	113	146	108	91	84	71	83
Female.....	219	4	4	4	3	6	19	15	8	24	20	24
American Indian 1/, both sexes.....	6	-	-	-	-	-	1	-	-	1	-	1
Male.....	3	-	-	-	-	-	1	-	-	-	-	-
Female.....	3	-	-	-	-	-	-	-	-	1	-	1
Asian or Pacific Islander 2/, both sexes.....	75	1	2	-	1	3	12	11	5	6	7	4
Male.....	53	-	1	-	1	3	12	9	4	4	5	2
Female.....	22	1	1	-	-	-	-	2	1	2	2	2

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

XX. External causes of mortality (*U01-*U03,V01-Y89)

Rhode Island

All races, both sexes.....	609	1	2	2	2	23	48	40	33	40	56	65
Male.....	410	-	-	1	1	19	36	36	26	30	41	48
Female.....	199	1	2	1	1	4	12	4	7	10	15	17
White, both sexes.....	574	1	2	2	2	20	42	37	32	34	52	63
Male.....	384	-	-	1	1	16	30	34	25	24	39	47
Female.....	190	1	2	1	1	4	12	3	7	10	13	16
Black, both sexes.....	29	-	-	-	-	3	5	3	-	6	2	2
Male.....	22	-	-	-	-	3	5	2	-	6	1	1
Female.....	7	-	-	-	-	-	-	1	-	-	1	1
American Indian 1/, both sexes.....	2	-	-	-	-	-	1	-	-	-	-	-
Male.....	1	-	-	-	-	-	1	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	4	-	-	-	-	-	-	-	1	-	2	-
Male.....	3	-	-	-	-	-	-	-	1	-	1	-
Female.....	1	-	-	-	-	-	-	-	-	-	1	-

South Carolina

All races, both sexes.....	3,312	41	34	22	47	194	295	273	239	229	310	320
Male.....	2,258	25	21	14	31	142	245	218	177	157	214	220
Female.....	1,054	16	13	8	16	52	50	55	62	72	96	100
White, both sexes.....	2,335	21	15	12	26	123	178	179	140	169	245	238
Male.....	1,548	10	9	6	18	86	146	146	98	113	167	161
Female.....	787	11	6	6	8	37	32	33	42	56	78	77
Black, both sexes.....	952	20	19	10	20	68	114	92	97	54	63	80
Male.....	690	15	12	8	12	53	97	70	77	40	46	58
Female.....	262	5	7	2	8	15	17	22	20	14	17	22
American Indian 1/, both sexes.....	8	-	-	-	-	-	-	1	-	2	1	1
Male.....	6	-	-	-	-	-	-	1	-	1	-	1
Female.....	2	-	-	-	-	-	-	-	-	1	1	-
Asian or Pacific Islander 2/, both sexes.....	17	-	-	-	1	3	3	1	2	4	1	1
Male.....	14	-	-	-	1	3	2	1	2	3	1	-
Female.....	3	-	-	-	-	-	1	-	-	1	-	1

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

XX. External causes of mortality (*U01-*U03,V01-Y89)

South Dakota

All races, both sexes.....	610	9	7	4	7	43	49	36	34	34	43	43
Male.....	411	7	6	2	5	33	42	28	21	26	27	31
Female.....	199	2	1	2	2	10	7	8	13	8	16	12
White, both sexes.....	482	5	3	4	4	30	26	22	19	25	26	39
Male.....	317	3	3	2	3	22	24	18	13	18	17	28
Female.....	165	2	-	2	1	8	2	4	6	7	9	11
Black, both sexes.....	2	-	-	-	-	-	1	-	-	-	1	-
Male.....	2	-	-	-	-	-	1	-	-	-	1	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	125	4	4	-	3	13	22	14	15	9	16	4
Male.....	92	4	3	-	2	11	17	10	8	8	9	3
Female.....	33	-	1	-	1	2	5	4	7	1	7	1
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-

Tennessee

All races, both sexes.....	4,909	51	51	27	42	292	421	379	311	395	469	479
Male.....	3,250	27	30	20	23	217	342	285	231	272	307	330
Female.....	1,659	24	21	7	19	75	79	94	80	123	162	149
White, both sexes.....	4,130	40	28	16	33	225	320	300	242	332	396	410
Male.....	2,662	22	16	11	17	161	252	220	176	224	255	272
Female.....	1,468	18	12	5	16	64	68	80	66	108	141	138
Black, both sexes.....	742	11	22	10	8	66	94	76	69	61	69	66
Male.....	569	5	13	9	5	56	83	63	55	46	52	55
Female.....	173	6	9	1	3	10	11	13	14	15	17	11
American Indian 1/, both sexes.....	2	-	-	-	-	-	-	1	-	1	-	-
Male.....	2	-	-	-	-	-	-	1	-	1	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	35	-	1	1	1	1	7	2	-	1	4	3
Male.....	17	-	1	-	1	-	7	1	-	1	-	3
Female.....	18	-	-	1	-	1	-	1	-	-	4	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
---	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

XX. External causes of mortality (*U01-*U03,V01-Y89)

Vermont

All races, both sexes.....	405	2	1	-	4	15	29	20	21	24	33	33
Male.....	263	-	-	-	3	10	24	16	17	22	23	19
Female.....	142	2	1	-	1	5	5	4	4	2	10	14
White, both sexes.....	399	2	1	-	4	15	28	19	21	22	33	33
Male.....	257	-	-	-	3	10	23	15	17	20	23	19
Female.....	142	2	1	-	1	5	5	4	4	2	10	14
Black, both sexes.....	2	-	-	-	-	-	-	-	-	2	-	-
Male.....	2	-	-	-	-	-	-	-	-	2	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	3	-	-	-	-	-	1	1	-	-	-	-
Male.....	3	-	-	-	-	-	1	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Virginia

All races, both sexes.....	4,156	37	37	19	37	243	388	285	231	274	347	371
Male.....	2,826	19	20	14	24	189	308	230	182	196	247	264
Female.....	1,330	18	17	5	13	54	80	55	49	78	100	107
White, both sexes.....	3,236	21	27	13	25	168	277	201	178	209	276	278
Male.....	2,150	8	13	10	13	127	216	160	133	147	195	197
Female.....	1,086	13	14	3	12	41	61	41	45	62	81	81
Black, both sexes.....	843	15	9	3	11	71	104	81	45	60	68	85
Male.....	623	10	6	2	10	58	85	69	42	46	49	61
Female.....	220	5	3	1	1	13	19	12	3	14	19	24
American Indian 1/, both sexes.....	4	-	-	-	-	-	2	-	-	-	-	1
Male.....	3	-	-	-	-	-	2	-	-	-	-	1
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	73	1	1	3	1	4	5	3	8	5	3	7
Male.....	50	1	1	2	1	4	5	1	7	3	3	5
Female.....	23	-	-	1	-	-	-	2	1	2	-	2

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

XX. External causes of mortality (*U01-*U03,V01-Y89)

Alaska

All races, both sexes.....	36	37	13	9	12	12	11	10	8	-	-	-
Male.....	23	30	12	8	9	8	6	6	5	-	-	-
Female.....	13	7	1	1	3	4	5	4	3	-	-	-
White, both sexes.....	29	27	11	6	9	8	6	6	6	-	-	-
Male.....	19	21	10	5	6	5	4	5	5	-	-	-
Female.....	10	6	1	1	3	3	2	1	1	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	7	10	2	3	3	3	3	3	2	-	-	-
Male.....	4	9	2	3	3	3	2	-	-	-	-	-
Female.....	3	1	-	-	-	-	1	3	2	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	2	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	1	2	-	-	-	-	-

Arizona

All races, both sexes.....	390	292	200	163	159	233	268	255	144	47	11	34
Male.....	273	203	135	116	103	133	139	127	59	17	1	30
Female.....	117	89	65	47	56	100	129	128	85	30	10	4
White, both sexes.....	343	255	174	157	149	219	257	248	142	45	9	33
Male.....	236	172	118	113	97	124	137	125	59	16	1	30
Female.....	107	83	56	44	52	95	120	123	83	29	8	3
Black, both sexes.....	18	17	9	2	2	1	5	2	2	2	-	-
Male.....	16	15	6	1	2	1	1	-	-	1	-	-
Female.....	2	2	3	1	-	-	4	2	2	1	-	-
American Indian 1/, both sexes.....	28	17	16	4	6	10	3	4	-	-	2	1
Male.....	21	14	11	2	3	6	1	2	-	-	-	-
Female.....	7	3	5	2	3	4	2	2	-	-	2	1
Asian or Pacific Islander 2/, both sexes.....	1	3	1	-	2	3	3	1	-	-	-	-
Male.....	-	2	-	-	1	2	-	-	-	-	-	-
Female.....	1	1	1	-	1	1	3	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

XX. External causes of mortality (*U01-*U03,V01-Y89)

Arkansas

All races, both sexes.....	159	119	100	77	69	99	96	84	48	15	3	-
Male.....	112	81	74	47	46	53	60	38	21	4	2	-
Female.....	47	38	26	30	23	46	36	46	27	11	1	-
White, both sexes.....	132	96	92	65	62	87	87	81	48	13	3	-
Male.....	92	63	68	40	43	49	55	37	21	4	2	-
Female.....	40	33	24	25	19	38	32	44	27	9	1	-
Black, both sexes.....	24	22	6	11	6	11	9	3	-	2	-	-
Male.....	17	18	4	6	2	4	5	1	-	-	-	-
Female.....	7	4	2	5	4	7	4	2	-	2	-	-
American Indian 1/, both sexes.....	1	-	2	1	-	-	-	-	-	-	-	-
Male.....	1	-	2	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	1	-	-	1	1	-	-	-	-	-	-
Male.....	2	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	1	-	-	-	1	-	-	-	-	-	-

California

All races, both sexes.....	1,577	1,222	725	544	480	610	791	617	387	117	25	19
Male.....	1,139	850	510	372	295	377	443	352	172	45	8	17
Female.....	438	372	215	172	185	233	348	265	215	72	17	2
White, both sexes.....	1,333	1,019	610	458	396	514	697	543	359	108	24	17
Male.....	964	707	427	311	247	320	401	314	156	42	8	15
Female.....	369	312	183	147	149	194	296	229	203	66	16	2
Black, both sexes.....	171	130	54	37	25	22	23	21	5	4	-	-
Male.....	128	92	46	27	16	14	11	10	2	-	-	-
Female.....	43	38	8	10	9	8	12	11	3	4	-	-
American Indian 1/, both sexes.....	15	9	7	5	4	2	2	4	-	-	-	-
Male.....	7	6	6	3	2	2	-	2	-	-	-	-
Female.....	8	3	1	2	2	-	2	2	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	58	64	54	44	55	72	69	49	23	5	1	2
Male.....	40	45	31	31	30	41	31	26	14	3	-	2
Female.....	18	19	23	13	25	31	38	23	9	2	1	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

XX. External causes of mortality (*U01-*U03,V01-Y89)

Delaware

All races, both sexes.....	20	23	23	17	22	24	29	15	11	5	2	-
Male.....	15	15	14	10	14	16	18	6	2	2	-	-
Female.....	5	8	9	7	8	8	11	9	9	3	2	-
White, both sexes.....	12	18	20	13	21	21	29	14	9	4	2	-
Male.....	8	11	14	8	13	14	18	6	2	1	-	-
Female.....	4	7	6	5	8	7	11	8	7	3	2	-
Black, both sexes.....	7	3	3	3	1	2	-	1	2	1	-	-
Male.....	6	2	-	2	1	2	-	-	-	1	-	-
Female.....	1	1	3	1	-	-	-	1	2	-	-	-
American Indian 1/, both sexes.....	1	1	-	-	-	-	-	-	-	-	-	-
Male.....	1	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	1	-	1	-	-	-	-	-	-
Male.....	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	1	-	1	-	-	-	-	-	-

Dist. of Columbia

All races, both sexes.....	46	25	23	10	11	14	21	11	6	6	-	-
Male.....	30	23	13	5	5	6	15	5	3	1	-	-
Female.....	16	2	10	5	6	8	6	6	3	5	-	-
White, both sexes.....	6	1	6	2	3	4	7	4	3	4	-	-
Male.....	4	1	4	-	2	3	6	2	1	1	-	-
Female.....	2	-	2	2	1	1	1	2	2	3	-	-
Black, both sexes.....	40	23	17	8	6	10	14	7	3	2	-	-
Male.....	26	21	9	5	3	3	9	3	2	-	-	-
Female.....	14	2	8	3	3	7	5	4	1	2	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	-	2	-	-	-	-	-	-	-
Male.....	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	2	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

XX. External causes of mortality (*U01-*U03,V01-Y89)

Florida

All races, both sexes.....	987	794	569	481	454	615	676	607	375	115	17	4
Male.....	730	561	394	324	284	392	374	332	173	35	4	3
Female.....	257	233	175	157	170	223	302	275	202	80	13	1
White, both sexes.....	865	697	504	431	410	581	649	584	363	110	16	3
Male.....	643	492	345	292	257	374	363	324	165	33	3	3
Female.....	222	205	159	139	153	207	286	260	198	77	13	-
Black, both sexes.....	108	90	54	42	34	33	22	18	10	5	1	1
Male.....	76	65	42	29	23	18	10	5	7	2	1	-
Female.....	32	25	12	13	11	15	12	13	3	3	-	1
American Indian 1/, both sexes.....	7	1	2	-	1	-	1	2	-	-	-	-
Male.....	7	1	1	-	1	-	-	2	-	-	-	-
Female.....	-	-	1	-	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	7	6	9	8	9	1	4	3	2	-	-	-
Male.....	4	3	6	3	3	-	1	1	1	-	-	-
Female.....	3	3	3	5	6	1	3	2	1	-	-	-

Georgia

All races, both sexes.....	465	340	221	212	182	221	245	229	140	48	11	-
Male.....	314	247	148	136	109	137	124	109	52	17	2	-
Female.....	151	93	73	76	73	84	121	120	88	31	9	-
White, both sexes.....	349	248	174	166	143	189	216	197	121	42	9	-
Male.....	237	184	119	106	84	118	113	100	43	15	2	-
Female.....	112	64	55	60	59	71	103	97	78	27	7	-
Black, both sexes.....	109	87	43	38	37	31	26	31	17	6	2	-
Male.....	70	60	28	26	25	18	10	9	8	2	-	-
Female.....	39	27	15	12	12	13	16	22	9	4	2	-
American Indian 1/, both sexes.....	1	1	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	1	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	6	4	4	8	2	1	3	1	2	-	-	-
Male.....	6	3	1	4	-	1	1	-	1	-	-	-
Female.....	-	1	3	4	2	-	2	1	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

XX. External causes of mortality (*U01-*U03,V01-Y89)

Illinois

All races, both sexes.....	519	368	202	180	213	259	319	313	186	55	14	-
Male.....	380	288	152	126	129	160	169	130	71	19	1	-
Female.....	139	80	50	54	84	99	150	183	115	36	13	-
White, both sexes.....	390	284	168	148	185	237	294	290	175	50	13	-
Male.....	283	219	125	106	112	149	159	119	65	19	1	-
Female.....	107	65	43	42	73	88	135	171	110	31	12	-
Black, both sexes.....	122	80	32	27	27	18	23	18	8	5	1	-
Male.....	90	66	25	18	17	10	9	10	3	-	-	-
Female.....	32	14	7	9	10	8	14	8	5	5	1	-
American Indian 1/, both sexes.....	-	1	-	-	-	-	-	1	-	-	-	-
Male.....	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	7	3	2	5	1	4	2	4	3	-	-	-
Male.....	7	2	2	2	-	1	1	1	3	-	-	-
Female.....	-	1	-	3	1	3	1	3	-	-	-	-

Indiana

All races, both sexes.....	299	226	159	119	112	166	175	191	112	36	12	1
Male.....	217	167	111	85	67	99	96	94	50	8	3	1
Female.....	82	59	48	34	45	67	79	97	62	28	9	-
White, both sexes.....	271	207	154	110	106	158	165	187	109	36	12	-
Male.....	192	156	108	78	64	93	88	92	49	8	3	-
Female.....	79	51	46	32	42	65	77	95	60	28	9	-
Black, both sexes.....	28	19	5	9	6	7	9	2	3	-	-	1
Male.....	25	11	3	7	3	6	7	2	1	-	-	1
Female.....	3	8	2	2	3	1	2	-	2	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	1	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	2	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	2	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

XX. External causes of mortality (*U01-*U03,V01-Y89)

Iowa

All races, both sexes.....	116	94	71	58	63	100	123	133	94	34	11	-
Male.....	82	61	55	48	39	67	59	64	37	9	-	-
Female.....	34	33	16	10	24	33	64	69	57	25	11	-
White, both sexes.....	113	92	71	57	61	97	123	133	93	34	11	-
Male.....	81	59	55	48	39	65	59	64	37	9	-	-
Female.....	32	33	16	9	22	32	64	69	56	25	11	-
Black, both sexes.....	3	2	-	1	2	3	-	-	1	-	-	-
Male.....	1	2	-	-	-	2	-	-	-	-	-	-
Female.....	2	-	-	1	2	1	-	-	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Kansas

All races, both sexes.....	117	113	56	67	66	99	113	87	52	27	8	2
Male.....	86	76	30	42	45	59	72	39	15	7	-	1
Female.....	31	37	26	25	21	40	41	48	37	20	8	1
White, both sexes.....	104	105	50	60	63	96	108	87	50	27	8	2
Male.....	78	71	26	38	43	58	68	39	15	7	-	1
Female.....	26	34	24	22	20	38	40	48	35	20	8	1
Black, both sexes.....	9	4	4	3	3	-	4	-	1	-	-	-
Male.....	5	2	2	2	2	-	3	-	-	-	-	-
Female.....	4	2	2	1	1	-	1	-	1	-	-	-
American Indian 1/, both sexes.....	3	2	2	2	-	2	-	-	-	-	-	-
Male.....	2	2	2	2	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	2	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	2	-	2	-	1	1	-	1	-	-	-
Male.....	1	1	-	-	-	1	1	-	-	-	-	-
Female.....	-	1	-	2	-	-	-	-	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

XX. External causes of mortality (*U01-*U03,V01-Y89)

Maine

All races, both sexes.....	67	61	36	29	24	31	49	43	24	9	9	-
Male.....	50	44	29	20	15	20	26	21	6	2	-	-
Female.....	17	17	7	9	9	11	23	22	18	7	9	-
White, both sexes.....	66	60	35	28	23	31	48	43	24	9	9	-
Male.....	49	43	28	19	14	20	26	21	6	2	-	-
Female.....	17	17	7	9	9	11	22	22	18	7	9	-
Black, both sexes.....	-	-	-	1	-	-	-	-	-	-	-	-
Male.....	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	1	1	-	1	-	-	-	-	-	-	-
Male.....	1	1	1	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-

Maryland

All races, both sexes.....	235	205	112	94	88	117	132	113	67	27	2	-
Male.....	166	143	81	65	62	65	65	54	32	8	-	-
Female.....	69	62	31	29	26	52	67	59	35	19	2	-
White, both sexes.....	152	136	76	60	63	87	112	96	61	23	2	-
Male.....	103	96	53	41	46	44	55	44	29	7	-	-
Female.....	49	40	23	19	17	43	57	52	32	16	2	-
Black, both sexes.....	76	66	31	28	21	27	15	15	6	3	-	-
Male.....	59	45	24	20	14	21	6	9	3	-	-	-
Female.....	17	21	7	8	7	6	9	6	3	3	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	7	3	5	6	4	3	5	2	-	1	-	-
Male.....	4	2	4	4	2	-	4	1	-	1	-	-
Female.....	3	1	1	2	2	3	1	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

XX. External causes of mortality (*U01-*U03,V01-Y89)

Massachusetts

All races, both sexes.....	250	187	98	88	93	129	168	181	129	54	6	-
Male.....	167	122	63	57	53	61	76	76	44	10	1	-
Female.....	83	65	35	31	40	68	92	105	85	44	5	-
White, both sexes.....	226	180	89	83	85	124	164	178	124	53	6	-
Male.....	152	119	58	53	48	59	74	74	42	10	1	-
Female.....	74	61	31	30	37	65	90	104	82	43	5	-
Black, both sexes.....	23	6	7	3	7	4	1	-	3	1	-	-
Male.....	15	3	4	3	5	2	1	-	1	-	-	-
Female.....	8	3	3	-	2	2	-	-	2	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	1	2	2	1	1	3	3	2	-	-	-
Male.....	-	-	1	1	-	-	1	2	1	-	-	-
Female.....	1	1	1	1	1	1	2	1	1	-	-	-

Michigan

All races, both sexes.....	471	359	230	189	172	251	299	248	186	65	12	-
Male.....	352	260	163	129	104	141	164	125	78	18	2	-
Female.....	119	99	67	60	68	110	135	123	108	47	10	-
White, both sexes.....	366	296	196	168	147	232	278	234	178	62	11	-
Male.....	274	212	136	114	87	128	150	115	74	17	2	-
Female.....	92	84	60	54	60	104	128	119	104	45	9	-
Black, both sexes.....	98	60	33	18	22	18	21	12	8	3	1	-
Male.....	74	46	26	15	15	12	14	9	4	1	-	-
Female.....	24	14	7	3	7	6	7	3	4	2	1	-
American Indian 1/, both sexes.....	2	1	1	1	3	-	-	-	-	-	-	-
Male.....	1	1	1	-	2	-	-	-	-	-	-	-
Female.....	1	-	-	1	1	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	5	2	-	2	-	1	-	2	-	-	-	-
Male.....	3	1	-	-	-	1	-	1	-	-	-	-
Female.....	2	1	-	2	-	-	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

XX. External causes of mortality (*U01-*U03,V01-Y89)

Minnesota

All races, both sexes.....	189	167	96	76	91	125	181	213	188	77	10	-
Male.....	132	120	68	57	49	89	85	93	67	15	1	-
Female.....	57	47	28	19	42	36	96	120	121	62	9	-
White, both sexes.....	174	153	86	73	88	117	176	212	186	77	10	-
Male.....	122	110	61	55	48	84	82	92	66	15	1	-
Female.....	52	43	25	18	40	33	94	120	120	62	9	-
Black, both sexes.....	6	6	4	-	1	3	3	1	1	-	-	-
Male.....	5	5	4	-	-	3	2	1	-	-	-	-
Female.....	1	1	-	-	1	-	1	-	1	-	-	-
American Indian 1/, both sexes.....	6	6	4	1	1	1	-	-	-	-	-	-
Male.....	2	3	3	1	1	1	-	-	-	-	-	-
Female.....	4	3	1	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	2	2	2	1	4	2	-	1	-	-	-
Male.....	3	2	-	1	-	1	1	-	1	-	-	-
Female.....	-	-	2	1	1	3	1	-	-	-	-	-

Mississippi

All races, both sexes.....	178	155	103	103	85	116	101	98	49	18	3	1
Male.....	138	102	73	69	55	73	55	45	18	6	1	1
Female.....	40	53	30	34	30	43	46	53	31	12	2	-
White, both sexes.....	112	103	76	77	71	94	83	85	37	10	-	1
Male.....	86	66	53	54	51	58	47	39	15	2	-	1
Female.....	26	37	23	23	20	36	36	46	22	8	-	-
Black, both sexes.....	63	51	25	26	13	22	17	13	12	8	3	-
Male.....	50	35	19	15	4	15	8	6	3	4	1	-
Female.....	13	16	6	11	9	7	9	7	9	4	2	-
American Indian 1/, both sexes.....	1	1	1	-	-	-	1	-	-	-	-	-
Male.....	1	1	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	1	-	1	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	1	-	1	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

XX. External causes of mortality (*U01-*U03,V01-Y89)

Nebraska

All races, both sexes.....	72	53	52	31	40	42	65	61	52	31	9	-
Male.....	45	43	41	24	28	23	35	22	16	11	-	-
Female.....	27	10	11	7	12	19	30	39	36	20	9	-
White, both sexes.....	63	51	50	30	38	41	63	61	51	30	9	-
Male.....	42	43	39	23	27	23	34	22	16	11	-	-
Female.....	21	8	11	7	11	18	29	39	35	19	9	-
Black, both sexes.....	6	2	2	-	1	1	1	-	1	1	-	-
Male.....	2	-	2	-	-	-	-	-	-	-	-	-
Female.....	4	2	-	-	1	1	1	-	1	1	-	-
American Indian 1/, both sexes.....	3	-	-	1	1	-	-	-	-	-	-	-
Male.....	1	-	-	1	1	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Nevada

All races, both sexes.....	170	135	105	69	51	61	78	35	15	6	-	-
Male.....	112	92	76	45	34	43	50	18	10	2	-	-
Female.....	58	43	29	24	17	18	28	17	5	4	-	-
White, both sexes.....	153	118	94	61	48	51	77	34	14	6	-	-
Male.....	102	81	68	43	32	40	50	17	9	2	-	-
Female.....	51	37	26	18	16	11	27	17	5	4	-	-
Black, both sexes.....	7	10	6	3	3	7	1	1	-	-	-	-
Male.....	5	7	4	-	2	2	-	1	-	-	-	-
Female.....	2	3	2	3	1	5	1	-	-	-	-	-
American Indian 1/, both sexes.....	5	3	1	-	-	1	-	-	-	-	-	-
Male.....	3	3	1	-	-	1	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	5	4	4	5	-	2	-	-	1	-	-	-
Male.....	2	1	3	2	-	-	-	-	1	-	-	-
Female.....	3	3	1	3	-	2	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

XX. External causes of mortality (*U01-*U03,V01-Y89)

New Hampshire

All races, both sexes.....	54	31	27	14	28	39	43	41	36	13	1	-
Male.....	34	19	18	10	16	17	22	17	14	7	-	-
Female.....	20	12	9	4	12	22	21	24	22	6	1	-
White, both sexes.....	54	31	27	14	28	39	43	40	36	13	1	-
Male.....	34	19	18	10	16	17	22	16	14	7	-	-
Female.....	20	12	9	4	12	22	21	24	22	6	1	-
Black, both sexes.....	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New Jersey

All races, both sexes.....	268	178	139	113	108	173	216	205	126	52	8	5
Male.....	186	130	100	74	69	96	118	88	46	9	1	4
Female.....	82	48	39	39	39	77	98	117	80	43	7	1
White, both sexes.....	212	133	115	96	92	149	206	197	119	49	6	5
Male.....	147	95	82	67	60	79	113	85	44	9	1	4
Female.....	65	38	33	29	32	70	93	112	75	40	5	1
Black, both sexes.....	49	33	19	15	11	18	7	6	6	1	2	-
Male.....	33	29	15	7	8	13	3	1	1	-	-	-
Female.....	16	4	4	8	3	5	4	5	5	1	2	-
American Indian 1/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	7	12	5	2	5	5	3	2	1	2	-	-
Male.....	6	6	3	-	1	3	2	2	1	-	-	-
Female.....	1	6	2	2	4	2	1	-	-	2	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

XX. External causes of mortality (*U01-*U03,V01-Y89)

New Mexico

All races, both sexes.....	146	103	72	58	69	65	95	76	68	16	3	1
Male.....	92	74	51	38	43	35	48	41	18	4	-	1
Female.....	54	29	21	20	26	30	47	35	50	12	3	-
White, both sexes.....	127	93	67	53	59	62	84	70	67	16	3	1
Male.....	76	65	47	34	37	33	44	38	18	4	-	1
Female.....	51	28	20	19	22	29	40	32	49	12	3	-
Black, both sexes.....	4	1	1	-	-	1	3	1	-	-	-	-
Male.....	3	1	1	-	-	-	2	1	-	-	-	-
Female.....	1	-	-	-	-	1	1	-	-	-	-	-
American Indian 1/, both sexes.....	15	8	4	5	10	2	6	4	1	-	-	-
Male.....	13	8	3	4	6	2	2	2	-	-	-	-
Female.....	2	-	1	1	4	-	4	2	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	-	-	-	2	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	1	-	-	-	-	2	1	-	-	-	-

New York

All races, both sexes.....	633	488	374	281	293	376	398	383	278	84	19	2
Male.....	463	353	265	187	186	226	211	172	108	25	3	2
Female.....	170	135	109	94	107	150	187	211	170	59	16	-
White, both sexes.....	475	390	287	215	244	338	356	360	259	76	16	1
Male.....	346	279	204	140	149	204	194	164	101	23	2	1
Female.....	129	111	83	75	95	134	162	196	158	53	14	-
Black, both sexes.....	129	76	72	49	40	23	28	20	12	7	1	-
Male.....	94	56	51	35	30	10	11	7	5	1	-	-
Female.....	35	20	21	14	10	13	17	13	7	6	1	-
American Indian 1/, both sexes.....	4	3	2	1	-	-	-	-	-	-	-	-
Male.....	4	2	1	1	-	-	-	-	-	-	-	-
Female.....	-	1	1	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	25	19	13	16	9	15	14	3	7	1	2	1
Male.....	19	16	9	11	7	12	6	1	2	1	1	1
Female.....	6	3	4	5	2	3	8	2	5	-	1	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

XX. External causes of mortality (*U01-*U03,V01-Y89)

Oregon

All races, both sexes.....	213	168	116	75	86	122	129	140	128	54	9	-
Male.....	156	114	84	54	52	80	78	70	59	15	2	-
Female.....	57	54	32	21	34	42	51	70	69	39	7	-
White, both sexes.....	204	158	110	71	84	116	126	138	127	54	9	-
Male.....	152	106	80	52	51	76	77	69	59	15	2	-
Female.....	52	52	30	19	33	40	49	69	68	39	7	-
Black, both sexes.....	5	5	-	1	-	1	2	-	-	-	-	-
Male.....	1	4	-	-	-	-	-	-	-	-	-	-
Female.....	4	1	-	1	-	1	2	-	-	-	-	-
American Indian 1/, both sexes.....	3	4	3	2	-	1	1	-	1	-	-	-
Male.....	2	3	1	2	-	1	1	-	-	-	-	-
Female.....	1	1	2	-	-	-	-	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	1	3	1	2	4	-	2	-	-	-	-
Male.....	1	1	3	-	1	3	-	1	-	-	-	-
Female.....	-	-	-	1	1	1	-	1	-	-	-	-

Pennsylvania

All races, both sexes.....	529	377	272	220	276	400	496	449	265	97	18	2
Male.....	422	268	185	146	165	227	255	213	105	21	4	2
Female.....	107	109	87	74	111	173	241	236	160	76	14	-
White, both sexes.....	454	320	235	202	253	376	471	424	257	91	18	-
Male.....	358	227	163	133	151	216	236	202	102	21	4	-
Female.....	96	93	72	69	102	160	235	222	155	70	14	-
Black, both sexes.....	73	53	35	14	22	19	21	22	8	5	-	2
Male.....	62	39	20	12	14	9	16	9	3	-	-	2
Female.....	11	14	15	2	8	10	5	13	5	5	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	1	1	-	-	-	-	-
Male.....	1	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	4	2	4	1	4	3	3	-	1	-	-
Male.....	1	2	2	1	-	2	2	2	-	-	-	-
Female.....	-	2	-	3	1	2	1	1	-	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

XX. External causes of mortality (*U01-*U03,V01-Y89)

South Dakota

All races, both sexes.....	51	30	29	25	24	28	26	41	30	14	3	-
Male.....	37	22	20	15	16	16	18	24	9	6	-	-
Female.....	14	8	9	10	8	12	8	17	21	8	3	-
White, both sexes.....	42	25	24	24	24	28	25	40	30	14	3	-
Male.....	29	18	17	14	16	16	18	23	9	6	-	-
Female.....	13	7	7	10	8	12	7	17	21	8	3	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	9	5	5	1	-	-	-	1	-	-	-	-
Male.....	8	4	3	1	-	-	-	1	-	-	-	-
Female.....	1	1	2	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-

Tennessee

All races, both sexes.....	399	285	217	173	182	179	221	172	110	47	4	3
Male.....	266	197	132	104	115	106	115	77	39	12	1	2
Female.....	133	88	85	69	67	73	106	95	71	35	3	1
White, both sexes.....	339	249	188	161	161	166	212	160	104	42	4	2
Male.....	224	169	109	98	107	97	114	71	36	9	1	1
Female.....	115	80	79	63	54	69	98	89	68	33	3	1
Black, both sexes.....	57	34	26	11	21	10	9	11	5	5	-	1
Male.....	41	27	22	6	8	9	1	6	3	3	-	1
Female.....	16	7	4	5	13	1	8	5	2	2	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	2	3	1	-	3	-	1	1	-	-	-
Male.....	1	1	1	-	-	-	-	-	-	-	-	-
Female.....	2	1	2	1	-	3	-	1	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

XX. External causes of mortality (*U01-*U03,V01-Y89)

Texas

All races, both sexes.....	994	766	521	394	371	525	607	490	310	121	23	3
Male.....	687	521	349	263	240	332	306	225	114	29	4	2
Female.....	307	245	172	131	131	193	301	265	196	92	19	1
White, both sexes.....	852	667	470	352	333	477	567	466	295	111	21	3
Male.....	587	450	317	233	218	303	285	212	105	26	4	2
Female.....	265	217	153	119	115	174	282	254	190	85	17	1
Black, both sexes.....	127	87	41	35	30	44	34	19	14	7	2	-
Male.....	92	63	26	25	18	28	17	11	9	3	-	-
Female.....	35	24	15	10	12	16	17	8	5	4	2	-
American Indian 1/, both sexes.....	3	1	2	1	1	-	-	-	-	1	-	-
Male.....	1	1	2	1	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	1	-	-	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	12	11	8	6	7	4	6	5	1	2	-	-
Male.....	7	7	4	4	4	1	4	2	-	-	-	-
Female.....	5	4	4	2	3	3	2	3	1	2	-	-

Utah

All races, both sexes.....	117	85	49	43	24	38	56	54	26	6	2	1
Male.....	78	50	30	35	16	29	29	29	9	-	-	1
Female.....	39	35	19	8	8	9	27	25	17	6	2	-
White, both sexes.....	113	81	47	41	22	37	54	52	26	6	2	1
Male.....	77	46	29	34	15	28	29	28	9	-	-	1
Female.....	36	35	18	7	7	9	25	24	17	6	2	-
Black, both sexes.....	-	1	-	-	1	-	-	-	-	-	-	-
Male.....	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	2	2	-	-	1	1	1	-	-	-	-
Male.....	-	2	1	-	-	1	-	1	-	-	-	-
Female.....	1	-	1	-	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	1	-	2	1	-	1	1	-	-	-	-
Male.....	1	1	-	1	1	-	-	-	-	-	-	-
Female.....	2	-	-	1	-	-	1	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

XX. External causes of mortality (*U01-*U03,V01-Y89)

Vermont

All races, both sexes.....	31	22	22	7	23	15	31	26	31	15	-	-
Male.....	20	18	16	5	15	9	15	13	15	3	-	-
Female.....	11	4	6	2	8	6	16	13	16	12	-	-
White, both sexes.....	30	22	22	7	23	15	31	25	31	15	-	-
Male.....	19	18	16	5	15	9	15	12	15	3	-	-
Female.....	11	4	6	2	8	6	16	13	16	12	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Virginia

All races, both sexes.....	340	215	174	165	160	217	230	213	125	43	4	1
Male.....	255	149	117	110	97	127	118	102	47	9	1	1
Female.....	85	66	57	55	63	90	112	111	78	34	3	-
White, both sexes.....	265	167	143	122	134	176	206	191	116	38	4	1
Male.....	196	118	93	85	85	99	107	95	43	8	1	1
Female.....	69	49	50	37	49	77	99	96	73	30	3	-
Black, both sexes.....	72	47	25	37	21	37	21	19	7	5	-	-
Male.....	56	31	22	20	10	26	9	6	4	1	-	-
Female.....	16	16	3	17	11	11	12	13	3	4	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	1	6	6	5	3	3	3	2	-	-	-
Male.....	3	-	2	5	2	2	2	1	-	-	-	-
Female.....	-	1	4	1	3	1	1	2	2	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Accidents (unintentional injuries) (V01-X59,Y85-Y86)

United States

All races, both sexes.....	121,599	1,147	1,610	1,044	1,214	6,659	9,570	8,042	6,912	7,808	9,726	10,721
Male.....	78,941	667	927	618	767	4,697	7,537	6,263	5,203	5,617	6,814	7,519
Female.....	42,658	480	683	426	447	1,962	2,033	1,779	1,709	2,191	2,912	3,202
White, both sexes.....	103,853	730	1,170	726	942	5,611	8,213	6,759	5,714	6,497	8,150	8,884
Male.....	66,843	421	675	427	590	3,918	6,505	5,272	4,292	4,667	5,726	6,228
Female.....	37,010	309	495	299	352	1,693	1,708	1,487	1,422	1,830	2,424	2,656
Black, both sexes.....	13,917	358	371	256	215	758	992	994	939	1,056	1,291	1,511
Male.....	9,605	213	214	157	138	584	747	774	729	773	896	1,065
Female.....	4,312	145	157	99	77	174	245	220	210	283	395	446
American Indian 1/, both sexes.....	1,704	36	32	24	19	148	180	162	143	141	159	172
Male.....	1,184	21	15	12	14	97	140	124	101	103	107	124
Female.....	520	15	17	12	5	51	40	38	42	38	52	48
Asian or Pacific Islander 2/, both sexes.....	2,125	23	37	38	38	142	185	127	116	114	126	154
Male.....	1,309	12	23	22	25	98	145	93	81	74	85	102
Female.....	816	11	14	16	13	44	40	34	35	40	41	52

Alabama

All races, both sexes.....	2,506	22	43	34	29	181	254	182	174	178	196	197
Male.....	1,635	10	23	21	18	117	199	149	117	123	135	145
Female.....	871	12	20	13	11	64	55	33	57	55	61	52
White, both sexes.....	1,965	14	26	20	20	136	199	138	132	144	151	140
Male.....	1,263	6	13	15	12	87	159	108	85	98	101	104
Female.....	702	8	13	5	8	49	40	30	47	46	50	36
Black, both sexes.....	518	8	17	14	9	43	51	42	40	30	43	57
Male.....	357	4	10	6	6	28	37	40	32	23	32	41
Female.....	161	4	7	8	3	15	14	2	8	7	11	16
American Indian 1/, both sexes.....	8	-	-	-	-	-	1	2	-	1	2	-
Male.....	5	-	-	-	-	-	-	1	-	-	2	-
Female.....	3	-	-	-	-	-	1	1	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	15	-	-	-	-	2	3	-	2	3	-	-
Male.....	10	-	-	-	-	2	3	-	-	2	-	-
Female.....	5	-	-	-	-	-	-	-	2	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Accidents (unintentional injuries) (V01-X59,Y85-Y86)

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Alaska												
All races, both sexes.....	316	10	3	11	10	16	25	32	28	15	30	37
Male.....	232	4	1	7	7	10	21	27	21	13	25	28
Female.....	84	6	2	4	3	6	4	5	7	2	5	9
White, both sexes.....	210	2	3	6	5	9	18	22	21	7	22	26
Male.....	154	-	1	4	3	5	14	18	17	6	18	20
Female.....	56	2	2	2	2	4	4	4	4	1	4	6
Black, both sexes.....	4	-	-	-	-	-	-	1	1	1	-	1
Male.....	4	-	-	-	-	-	-	1	1	1	-	1
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	97	8	-	5	5	7	6	9	6	6	8	10
Male.....	71	4	-	3	4	5	6	8	3	5	7	7
Female.....	26	4	-	2	1	2	-	1	3	1	1	3
Asian or Pacific Islander 2/, both sexes.....	5	-	-	-	-	-	1	-	-	1	-	-
Male.....	3	-	-	-	-	-	1	-	-	1	-	-
Female.....	2	-	-	-	-	-	-	-	-	-	-	-
Arizona												
All races, both sexes.....	3,352	19	58	27	21	198	231	232	179	224	256	286
Male.....	2,160	13	25	16	14	136	174	185	132	157	189	200
Female.....	1,192	6	33	11	7	62	57	47	47	67	67	86
White, both sexes.....	2,919	14	48	22	20	159	203	191	140	184	219	240
Male.....	1,862	10	20	13	13	110	151	151	108	127	164	165
Female.....	1,057	4	28	9	7	49	52	40	32	57	55	75
Black, both sexes.....	120	4	1	2	1	8	6	7	11	7	11	12
Male.....	87	2	1	2	1	8	6	5	7	5	8	7
Female.....	33	2	-	-	-	-	-	2	4	2	3	5
American Indian 1/, both sexes.....	291	1	7	3	-	30	21	33	27	31	25	31
Male.....	200	1	3	1	-	18	16	28	16	24	16	26
Female.....	91	-	4	2	-	12	5	5	11	7	9	5
Asian or Pacific Islander 2/, both sexes.....	22	-	2	-	-	1	1	1	1	2	1	3
Male.....	11	-	1	-	-	-	1	1	1	1	1	2
Female.....	11	-	1	-	-	1	-	-	-	1	-	1

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Accidents (unintentional injuries) (V01-X59,Y85-Y86)

Arkansas

All races, both sexes.....	1,415	13	27	18	16	113	132	91	82	92	106	101
Male.....	928	6	17	9	12	75	107	63	66	62	76	79
Female.....	487	7	10	9	4	38	25	28	16	30	30	22
White, both sexes.....	1,213	9	21	14	14	97	112	76	66	78	89	88
Male.....	791	5	12	7	10	62	90	54	54	52	64	69
Female.....	422	4	9	7	4	35	22	22	12	26	25	19
Black, both sexes.....	184	4	5	4	2	14	20	13	14	13	17	12
Male.....	124	1	4	2	2	11	17	9	10	9	12	10
Female.....	60	3	1	2	-	3	3	4	4	4	5	2
American Indian 1/, both sexes.....	7	-	-	-	-	-	-	1	1	-	-	1
Male.....	5	-	-	-	-	-	-	-	1	-	-	-
Female.....	2	-	-	-	-	-	-	1	-	-	-	1
Asian or Pacific Islander 2/, both sexes.....	11	-	1	-	-	2	-	1	1	1	-	-
Male.....	8	-	1	-	-	2	-	-	1	1	-	-
Female.....	3	-	-	-	-	-	-	1	-	-	-	-

California

All races, both sexes.....	11,375	64	171	109	117	642	898	713	642	767	974	1,219
Male.....	7,713	42	91	65	71	468	722	548	478	577	714	857
Female.....	3,662	22	80	44	46	174	176	165	164	190	260	362
White, both sexes.....	9,624	49	129	80	94	561	774	596	552	656	832	1,020
Male.....	6,563	33	70	48	58	411	628	460	417	499	620	724
Female.....	3,061	16	59	32	36	150	146	136	135	157	212	296
Black, both sexes.....	913	9	27	16	10	34	60	63	41	72	87	123
Male.....	620	4	13	10	6	27	43	48	30	52	53	81
Female.....	293	5	14	6	4	7	17	15	11	20	34	42
American Indian 1/, both sexes.....	116	2	2	1	2	5	5	10	10	6	15	18
Male.....	79	2	1	-	1	4	4	7	8	6	11	14
Female.....	37	-	1	1	1	1	1	3	2	-	4	4
Asian or Pacific Islander 2/, both sexes.....	722	4	13	12	11	42	59	44	39	33	40	58
Male.....	451	3	7	7	6	26	47	33	23	20	30	38
Female.....	271	1	6	5	5	16	12	11	16	13	10	20

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Accidents (unintentional injuries) (V01-X59,Y85-Y86)

Colorado

All races, both sexes.....	1,917	16	28	8	11	96	129	134	127	111	152	166
Male.....	1,200	8	14	6	7	68	99	99	96	80	103	108
Female.....	717	8	14	2	4	28	30	35	31	31	49	58
White, both sexes.....	1,790	13	24	6	10	88	122	123	118	94	145	150
Male.....	1,117	7	11	4	6	63	95	90	88	67	102	96
Female.....	673	6	13	2	4	25	27	33	30	27	43	54
Black, both sexes.....	76	2	3	1	-	5	3	7	6	9	2	11
Male.....	54	1	2	1	-	3	1	6	5	9	-	9
Female.....	22	1	1	-	-	2	2	1	1	-	2	2
American Indian 1/, both sexes.....	24	-	-	-	-	2	1	3	2	4	4	4
Male.....	13	-	-	-	-	2	-	2	2	2	1	2
Female.....	11	-	-	-	-	-	1	1	-	2	3	2
Asian or Pacific Islander 2/, both sexes.....	27	1	1	1	1	1	3	1	1	4	1	1
Male.....	16	-	1	1	1	-	3	1	1	2	-	1
Female.....	11	1	-	-	-	1	-	-	-	2	1	-

Connecticut

All races, both sexes.....	1,302	4	4	2	8	60	110	84	46	72	119	107
Male.....	856	3	2	2	4	46	90	71	29	60	88	85
Female.....	446	1	2	-	4	14	20	13	17	12	31	22
White, both sexes.....	1,179	3	1	-	6	48	96	77	45	64	106	99
Male.....	768	2	1	-	3	37	79	66	29	54	78	79
Female.....	411	1	-	-	3	11	17	11	16	10	28	20
Black, both sexes.....	109	1	2	2	2	11	11	5	1	6	13	7
Male.....	78	1	1	2	1	9	8	4	-	4	10	5
Female.....	31	-	1	-	1	2	3	1	1	2	3	2
American Indian 1/, both sexes.....	3	-	-	-	-	-	2	-	-	1	-	-
Male.....	3	-	-	-	-	-	2	-	-	1	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	11	-	1	-	-	1	1	2	-	1	-	1
Male.....	7	-	-	-	-	-	1	1	-	1	-	1
Female.....	4	-	1	-	-	1	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Accidents (unintentional injuries) (V01-X59,Y85-Y86)

Florida

All races, both sexes.....	8,917	100	141	59	66	467	790	637	521	576	720	762
Male.....	5,997	61	90	35	36	355	637	494	413	441	497	519
Female.....	2,920	39	51	24	30	112	153	143	108	135	223	243
White, both sexes.....	7,811	73	103	34	49	376	693	558	440	505	632	647
Male.....	5,234	43	68	19	26	281	559	438	346	386	441	445
Female.....	2,577	30	35	15	23	95	134	120	94	119	191	202
Black, both sexes.....	1,013	26	37	25	17	80	90	76	70	64	82	107
Male.....	705	18	21	16	10	66	72	56	59	50	52	68
Female.....	308	8	16	9	7	14	18	20	11	14	30	39
American Indian 1/, both sexes.....	28	-	-	-	-	2	2	-	4	3	2	5
Male.....	22	-	-	-	-	2	2	-	2	3	1	4
Female.....	6	-	-	-	-	-	-	-	2	-	1	1
Asian or Pacific Islander 2/, both sexes.....	65	1	1	-	-	9	5	3	7	4	4	3
Male.....	36	-	1	-	-	6	4	-	6	2	3	2
Female.....	29	1	-	-	-	3	1	3	1	2	1	1

Georgia

All races, both sexes.....	3,879	30	70	43	32	240	328	281	256	232	334	338
Male.....	2,508	20	49	23	19	183	245	221	170	153	215	243
Female.....	1,371	10	21	20	13	57	83	60	86	79	119	95
White, both sexes.....	2,946	12	47	27	18	177	251	206	169	171	252	256
Male.....	1,901	10	33	15	13	128	198	165	105	115	162	176
Female.....	1,045	2	14	12	5	49	53	41	64	56	90	80
Black, both sexes.....	881	17	23	16	12	55	69	73	83	59	81	77
Male.....	572	9	16	8	4	48	41	55	62	37	52	62
Female.....	309	8	7	8	8	7	28	18	21	22	29	15
American Indian 1/, both sexes.....	7	-	-	-	-	1	1	1	1	-	-	2
Male.....	5	-	-	-	-	1	1	-	1	-	-	2
Female.....	2	-	-	-	-	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	45	1	-	-	2	7	7	1	3	2	1	3
Male.....	30	1	-	-	2	6	5	1	2	1	1	3
Female.....	15	-	-	-	-	1	2	-	1	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Accidents (unintentional injuries) (V01-X59,Y85-Y86)

Illinois

All races, both sexes.....	4,451	65	57	32	37	227	323	288	235	340	396	404
Male.....	2,976	36	31	15	20	157	244	225	187	249	290	308
Female.....	1,475	29	26	17	17	70	79	63	48	91	106	96
White, both sexes.....	3,542	28	39	18	27	200	261	243	185	238	276	283
Male.....	2,330	22	19	7	13	139	197	188	147	177	200	215
Female.....	1,212	6	20	11	14	61	64	55	38	61	76	68
Black, both sexes.....	861	37	18	14	9	23	56	44	47	97	117	121
Male.....	621	14	12	8	7	17	44	37	38	70	88	93
Female.....	240	23	6	6	2	6	12	7	9	27	29	28
American Indian 1/, both sexes.....	3	-	-	-	-	1	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	3	-	-	-	-	1	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	45	-	-	-	1	3	6	-	3	5	3	-
Male.....	25	-	-	-	-	1	3	-	2	2	2	-
Female.....	20	-	-	-	1	2	3	-	1	3	1	-

Indiana

All races, both sexes.....	2,480	39	50	33	27	153	205	175	140	167	181	183
Male.....	1,620	23	27	19	20	95	156	135	113	125	128	129
Female.....	860	16	23	14	7	58	49	40	27	42	53	54
White, both sexes.....	2,318	27	43	27	22	141	189	164	121	157	167	175
Male.....	1,508	19	25	17	17	88	141	124	98	116	117	124
Female.....	810	8	18	10	5	53	48	40	23	41	50	51
Black, both sexes.....	151	12	6	6	5	12	13	11	17	9	14	8
Male.....	106	4	1	2	3	7	12	11	15	8	11	5
Female.....	45	8	5	4	2	5	1	-	2	1	3	3
American Indian 1/, both sexes.....	4	-	-	-	-	-	1	-	-	1	-	-
Male.....	3	-	-	-	-	-	1	-	-	1	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	7	-	1	-	-	-	2	-	2	-	-	-
Male.....	3	-	1	-	-	-	2	-	-	-	-	-
Female.....	4	-	-	-	-	-	-	-	2	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Accidents (unintentional injuries) (V01-X59,Y85-Y86)

Kentucky

All races, both sexes.....	2,446	21	31	17	22	134	195	207	189	187	211	214
Male.....	1,584	13	15	13	15	86	155	159	137	122	145	146
Female.....	862	8	16	4	7	48	40	48	52	65	66	68
White, both sexes.....	2,313	14	27	14	16	132	181	198	175	175	201	206
Male.....	1,497	8	13	12	11	85	144	152	128	113	137	140
Female.....	816	6	14	2	5	47	37	46	47	62	64	66
Black, both sexes.....	127	7	4	3	6	2	14	9	11	12	10	8
Male.....	85	5	2	1	4	1	11	7	8	9	8	6
Female.....	42	2	2	2	2	1	3	2	3	3	2	2
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	6	-	-	-	-	-	-	-	3	-	-	-
Male.....	2	-	-	-	-	-	-	-	1	-	-	-
Female.....	4	-	-	-	-	-	-	-	2	-	-	-

Louisiana

All races, both sexes.....	2,422	33	33	31	24	130	256	234	185	172	211	235
Male.....	1,673	23	23	18	14	94	195	176	137	134	154	166
Female.....	749	10	10	13	10	36	61	58	48	38	57	69
White, both sexes.....	1,760	13	20	17	14	90	205	158	120	132	165	169
Male.....	1,212	7	15	9	9	67	159	121	87	103	116	119
Female.....	548	6	5	8	5	23	46	37	33	29	49	50
Black, both sexes.....	635	20	13	14	9	39	49	68	62	39	43	63
Male.....	437	16	8	9	5	26	34	48	47	30	35	44
Female.....	198	4	5	5	4	13	15	20	15	9	8	19
American Indian 1/, both sexes.....	15	-	-	-	-	1	-	6	2	1	1	2
Male.....	14	-	-	-	-	1	-	5	2	1	1	2
Female.....	1	-	-	-	-	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	12	-	-	-	1	-	2	2	1	-	2	1
Male.....	10	-	-	-	-	-	2	2	1	-	2	1
Female.....	2	-	-	-	1	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
---	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Accidents (unintentional injuries) (V01-X59,Y85-Y86)

Maine

All races, both sexes.....	572	1	3	2	9	35	52	37	23	45	40	44
Male.....	371	-	1	1	8	22	44	34	14	29	27	34
Female.....	201	1	2	1	1	13	8	3	9	16	13	10
White, both sexes.....	557	1	3	2	8	34	50	37	21	45	39	41
Male.....	359	-	1	1	7	21	42	34	13	29	26	32
Female.....	198	1	2	1	1	13	8	3	8	16	13	9
Black, both sexes.....	5	-	-	-	-	1	1	-	-	-	-	2
Male.....	5	-	-	-	-	1	1	-	-	-	-	2
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	8	-	-	-	-	-	1	-	2	-	1	1
Male.....	6	-	-	-	-	-	1	-	1	-	1	-
Female.....	2	-	-	-	-	-	-	-	1	-	-	1
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	1	-	-	-	-	-	-	-
Male.....	1	-	-	-	1	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-

Maryland

All races, both sexes.....	1,456	6	20	13	20	96	119	87	61	70	120	97
Male.....	935	5	9	8	12	68	90	68	47	55	89	75
Female.....	521	1	11	5	8	28	29	19	14	15	31	22
White, both sexes.....	1,035	5	9	6	13	69	84	53	39	40	78	73
Male.....	645	4	3	4	10	48	65	41	30	30	58	56
Female.....	390	1	6	2	3	21	19	12	9	10	20	17
Black, both sexes.....	387	1	10	6	7	27	33	34	22	30	38	21
Male.....	271	1	5	4	2	20	24	27	17	25	29	17
Female.....	116	-	5	2	5	7	9	7	5	5	9	4
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	34	-	1	1	-	-	2	-	-	-	4	3
Male.....	19	-	1	-	-	-	1	-	-	-	2	2
Female.....	15	-	-	1	-	-	1	-	-	-	2	1

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Accidents (unintentional injuries) (V01-X59,Y85-Y86)

Massachusetts

All races, both sexes.....	2,214	9	10	5	16	70	148	145	119	145	196	231
Male.....	1,387	6	8	4	11	45	123	109	97	112	147	158
Female.....	827	3	2	1	5	25	25	36	22	33	49	73
White, both sexes.....	2,057	7	7	4	9	61	136	128	113	135	182	207
Male.....	1,280	5	6	4	6	37	111	96	92	105	136	145
Female.....	777	2	1	-	3	24	25	32	21	30	46	62
Black, both sexes.....	128	2	2	-	6	9	11	11	6	9	11	21
Male.....	92	1	1	-	4	8	11	9	5	6	10	12
Female.....	36	1	1	-	2	1	-	2	1	3	1	9
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	1	-	-	-	-
Male.....	1	-	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	28	-	1	1	1	-	1	5	-	1	3	3
Male.....	14	-	1	-	1	-	1	3	-	1	1	1
Female.....	14	-	-	1	-	-	-	2	-	-	2	2

Michigan

All races, both sexes.....	3,590	71	47	23	37	150	250	222	180	213	288	332
Male.....	2,321	40	24	15	28	112	187	176	129	163	194	225
Female.....	1,269	31	23	8	9	38	63	46	51	50	94	107
White, both sexes.....	3,064	43	34	15	31	117	220	194	148	168	250	259
Male.....	1,946	24	15	10	23	83	168	155	103	129	167	178
Female.....	1,118	19	19	5	8	34	52	39	45	39	83	81
Black, both sexes.....	484	28	13	6	6	29	25	25	28	40	33	68
Male.....	347	16	9	4	5	25	16	18	23	32	24	43
Female.....	137	12	4	2	1	4	9	7	5	8	9	25
American Indian 1/, both sexes.....	22	-	-	-	-	-	3	3	3	3	2	4
Male.....	16	-	-	-	-	-	2	3	2	1	2	3
Female.....	6	-	-	-	-	-	1	-	1	2	-	1
Asian or Pacific Islander 2/, both sexes.....	20	-	-	2	-	4	2	-	1	2	3	1
Male.....	12	-	-	1	-	4	1	-	1	1	1	1
Female.....	8	-	-	1	-	-	1	-	-	1	2	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Accidents (unintentional injuries) (V01-X59,Y85-Y86)

Nebraska

All races, both sexes.....	683	4	9	9	11	59	42	35	23	31	35	39
Male.....	402	-	6	5	8	41	32	26	14	17	26	27
Female.....	281	4	3	4	3	18	10	9	9	14	9	12
White, both sexes.....	641	4	7	8	8	56	38	32	20	28	32	37
Male.....	375	-	5	4	6	39	28	24	12	14	24	25
Female.....	266	4	2	4	2	17	10	8	8	14	8	12
Black, both sexes.....	27	-	2	1	1	1	2	3	2	2	1	1
Male.....	16	-	1	1	-	1	2	2	2	2	1	1
Female.....	11	-	1	-	1	-	-	1	-	-	-	-
American Indian 1/, both sexes.....	13	-	-	-	2	1	2	-	1	1	2	1
Male.....	10	-	-	-	2	1	2	-	-	1	1	1
Female.....	3	-	-	-	-	-	-	-	1	-	1	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	-	1	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	1	-	-	-	-	-	-

Nevada

All races, both sexes.....	1,091	13	17	6	12	70	84	78	71	89	99	116
Male.....	732	9	9	3	5	52	66	60	56	71	67	68
Female.....	359	4	8	3	7	18	18	18	15	18	32	48
White, both sexes.....	952	6	17	1	12	61	70	70	63	76	82	102
Male.....	639	3	9	-	5	43	55	54	49	62	56	58
Female.....	313	3	8	1	7	18	15	16	14	14	26	44
Black, both sexes.....	85	6	-	3	-	5	7	5	4	9	13	11
Male.....	56	5	-	2	-	5	5	3	3	6	9	8
Female.....	29	1	-	1	-	-	2	2	1	3	4	3
American Indian 1/, both sexes.....	21	-	-	1	-	3	1	1	2	2	2	1
Male.....	18	-	-	1	-	3	1	1	2	1	1	1
Female.....	3	-	-	-	-	-	-	-	-	1	1	-
Asian or Pacific Islander 2/, both sexes.....	33	1	-	1	-	1	6	2	2	2	2	2
Male.....	19	1	-	-	-	1	5	2	2	2	1	1
Female.....	14	-	-	1	-	-	1	-	-	-	1	1

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Accidents (unintentional injuries) (V01-X59,Y85-Y86)

New Hampshire

All races, both sexes.....	460	5	-	2	1	23	35	21	17	27	39	42
Male.....	270	3	-	2	1	17	27	15	10	20	25	30
Female.....	190	2	-	-	-	6	8	6	7	7	14	12
White, both sexes.....	454	5	-	2	1	23	32	21	17	27	38	41
Male.....	265	3	-	2	1	17	25	15	10	20	24	29
Female.....	189	2	-	-	-	6	7	6	7	7	14	12
Black, both sexes.....	5	-	-	-	-	-	2	-	-	-	1	1
Male.....	5	-	-	-	-	-	2	-	-	-	1	1
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	1	-	-	-	-	-

New Jersey

All races, both sexes.....	2,590	10	15	15	16	120	203	189	181	181	216	227
Male.....	1,685	6	9	7	10	79	168	147	147	138	156	161
Female.....	905	4	6	8	6	41	35	42	34	43	60	66
White, both sexes.....	2,151	6	13	11	11	101	166	156	151	132	173	180
Male.....	1,392	4	7	5	6	67	142	122	126	101	127	134
Female.....	759	2	6	6	5	34	24	34	25	31	46	46
Black, both sexes.....	382	4	2	3	4	15	32	28	29	48	41	41
Male.....	260	2	2	1	3	11	22	22	20	36	28	24
Female.....	122	2	-	2	1	4	10	6	9	12	13	17
American Indian 1/, both sexes.....	4	-	-	-	-	-	-	1	-	-	-	2
Male.....	2	-	-	-	-	-	-	-	-	-	-	1
Female.....	2	-	-	-	-	-	-	1	-	-	-	1
Asian or Pacific Islander 2/, both sexes.....	53	-	-	1	1	4	5	4	1	1	2	4
Male.....	31	-	-	1	1	1	4	3	1	1	1	2
Female.....	22	-	-	-	-	3	1	1	-	-	1	2

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Accidents (unintentional injuries) (V01-X59,Y85-Y86)

New Mexico

All races, both sexes.....	1,297	9	15	12	11	57	93	85	80	97	120	123
Male.....	818	6	10	6	6	32	68	65	62	71	93	87
Female.....	479	3	5	6	5	25	25	20	18	26	27	36
White, both sexes.....	1,110	7	11	11	10	48	68	69	60	79	96	110
Male.....	683	4	8	6	6	25	50	52	43	58	74	80
Female.....	427	3	3	5	4	23	18	17	17	21	22	30
Black, both sexes.....	21	-	1	-	-	1	1	1	3	3	2	2
Male.....	13	-	-	-	-	-	1	1	3	2	2	-
Female.....	8	-	1	-	-	1	-	-	-	1	-	2
American Indian 1/, both sexes.....	158	2	3	1	1	7	22	15	16	14	21	11
Male.....	119	2	2	-	-	6	16	12	15	11	17	7
Female.....	39	-	1	1	1	1	6	3	1	3	4	4
Asian or Pacific Islander 2/, both sexes.....	8	-	-	-	-	1	2	-	1	1	1	-
Male.....	3	-	-	-	-	1	1	-	1	-	-	-
Female.....	5	-	-	-	-	-	1	-	-	1	1	-

New York

All races, both sexes.....	5,235	39	45	32	41	222	355	286	258	322	468	461
Male.....	3,463	23	25	12	27	158	295	231	206	233	351	340
Female.....	1,772	16	20	20	14	64	60	55	52	89	117	121
White, both sexes.....	4,283	26	30	19	27	189	309	243	205	260	355	345
Male.....	2,823	16	15	6	17	132	255	197	164	190	282	263
Female.....	1,460	10	15	13	10	57	54	46	41	70	73	82
Black, both sexes.....	784	13	13	10	10	25	32	34	43	52	103	104
Male.....	523	7	9	5	8	19	28	27	34	36	61	69
Female.....	261	6	4	5	2	6	4	7	9	16	42	35
American Indian 1/, both sexes.....	23	-	-	1	-	1	4	1	4	3	2	2
Male.....	17	-	-	-	-	1	4	1	3	-	2	2
Female.....	6	-	-	1	-	-	-	-	1	3	-	-
Asian or Pacific Islander 2/, both sexes.....	145	-	2	2	4	7	10	8	6	7	8	10
Male.....	100	-	1	1	2	6	8	6	5	7	6	6
Female.....	45	-	1	1	2	1	2	2	1	-	2	4

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Accidents (unintentional injuries) (V01-X59,Y85-Y86)

Oregon

All races, both sexes.....	1,586	10	19	15	16	71	107	82	67	79	93	135
Male.....	989	5	10	9	9	47	86	61	49	55	57	87
Female.....	597	5	9	6	7	24	21	21	18	24	36	48
White, both sexes.....	1,506	7	19	11	16	67	103	76	66	71	89	123
Male.....	935	4	10	7	9	43	82	56	49	48	54	78
Female.....	571	3	9	4	7	24	21	20	17	23	35	45
Black, both sexes.....	19	1	-	-	-	-	-	1	-	3	-	5
Male.....	10	-	-	-	-	-	-	1	-	2	-	5
Female.....	9	1	-	-	-	-	-	-	-	1	-	-
American Indian 1/, both sexes.....	36	2	-	3	-	1	3	4	1	3	3	2
Male.....	25	1	-	1	-	1	3	3	-	3	2	2
Female.....	11	1	-	2	-	-	-	1	1	-	1	-
Asian or Pacific Islander 2/, both sexes.....	25	-	-	1	-	3	1	1	-	2	1	5
Male.....	19	-	-	1	-	3	1	1	-	2	1	2
Female.....	6	-	-	-	-	-	-	-	-	-	-	3

Pennsylvania

All races, both sexes.....	5,299	20	45	41	37	243	419	372	279	362	430	441
Male.....	3,410	11	23	33	27	182	335	300	222	249	309	323
Female.....	1,889	9	22	8	10	61	84	72	57	113	121	118
White, both sexes.....	4,745	14	32	32	28	227	390	346	238	303	375	374
Male.....	3,016	9	13	27	21	167	311	282	187	209	266	274
Female.....	1,729	5	19	5	7	60	79	64	51	94	109	100
Black, both sexes.....	503	5	11	9	8	15	24	21	38	55	51	64
Male.....	362	2	9	6	5	14	19	15	32	38	40	48
Female.....	141	3	2	3	3	1	5	6	6	17	11	16
American Indian 1/, both sexes.....	5	-	-	-	-	-	1	-	-	-	-	1
Male.....	3	-	-	-	-	-	1	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	-	-	-	-	1
Asian or Pacific Islander 2/, both sexes.....	46	1	2	-	1	1	4	5	3	4	4	2
Male.....	29	-	1	-	1	1	4	3	3	2	3	1
Female.....	17	1	1	-	-	-	-	2	-	2	1	1

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Accidents (unintentional injuries) (V01-X59,Y85-Y86)

Rhode Island

All races, both sexes.....	434	-	1	1	2	18	28	22	17	26	36	41
Male.....	277	-	-	1	1	15	20	20	14	21	25	31
Female.....	157	-	1	-	1	3	8	2	3	5	11	10
White, both sexes.....	412	-	1	1	2	17	26	21	17	22	33	40
Male.....	264	-	-	1	1	14	18	20	14	17	24	31
Female.....	148	-	1	-	1	3	8	1	3	5	9	9
Black, both sexes.....	19	-	-	-	-	1	2	1	-	4	2	1
Male.....	12	-	-	-	-	1	2	-	-	4	1	-
Female.....	7	-	-	-	-	-	-	1	-	-	1	1
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	-	-	-	-	-	-	1	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	1	-

South Carolina

All races, both sexes.....	2,315	31	27	19	35	137	188	173	145	158	210	219
Male.....	1,520	18	15	12	23	97	153	137	105	110	139	150
Female.....	795	13	12	7	12	40	35	36	40	48	71	69
White, both sexes.....	1,683	15	13	11	21	98	132	130	96	122	167	159
Male.....	1,079	6	7	5	15	66	106	105	66	84	108	109
Female.....	604	9	6	6	6	32	26	25	30	38	59	50
Black, both sexes.....	618	16	14	8	14	37	54	42	49	31	43	58
Male.....	430	12	8	7	8	29	45	31	39	23	31	40
Female.....	188	4	6	1	6	8	9	11	10	8	12	18
American Indian 1/, both sexes.....	4	-	-	-	-	-	-	-	-	1	-	1
Male.....	3	-	-	-	-	-	-	-	-	-	-	1
Female.....	1	-	-	-	-	-	-	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	10	-	-	-	-	2	2	1	-	4	-	1
Male.....	8	-	-	-	-	2	2	1	-	3	-	-
Female.....	2	-	-	-	-	-	-	-	-	1	-	1

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Accidents (unintentional injuries) (V01-X59,Y85-Y86)

South Dakota

All races, both sexes.....	452	7	5	4	4	30	32	27	22	20	25	26
Male.....	287	5	4	2	3	21	28	20	15	16	14	18
Female.....	165	2	1	2	1	9	4	7	7	4	11	8
White, both sexes.....	358	4	3	4	3	22	15	16	14	12	11	23
Male.....	218	2	3	2	2	14	14	13	11	9	6	16
Female.....	140	2	-	2	1	8	1	3	3	3	5	7
Black, both sexes.....	2	-	-	-	-	-	1	-	-	-	1	-
Male.....	2	-	-	-	-	-	1	-	-	-	1	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	91	3	2	-	1	8	16	11	8	8	13	3
Male.....	67	3	1	-	1	7	13	7	4	7	7	2
Female.....	24	-	1	-	-	1	3	4	4	1	6	1
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-

Tennessee

All races, both sexes.....	3,307	41	41	24	37	209	255	219	203	235	288	297
Male.....	2,049	20	27	17	19	143	196	161	141	156	182	198
Female.....	1,258	21	14	7	18	66	59	58	62	79	106	99
White, both sexes.....	2,870	30	24	15	31	180	220	191	169	199	245	253
Male.....	1,747	15	15	10	15	122	169	141	117	130	152	162
Female.....	1,123	15	9	5	16	58	51	50	52	69	93	91
Black, both sexes.....	414	11	16	8	5	28	32	26	34	35	41	42
Male.....	292	5	11	7	3	21	24	18	24	25	30	34
Female.....	122	6	5	1	2	7	8	8	10	10	11	8
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	1	-	-	-	-
Male.....	1	-	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	22	-	1	1	1	1	3	1	-	1	2	2
Male.....	9	-	1	-	1	-	3	1	-	1	-	2
Female.....	13	-	-	1	-	1	-	-	-	-	2	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
---	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Accidents (unintentional injuries) (V01-X59,Y85-Y86)

Vermont

All races, both sexes.....	301	2	1	-	3	11	25	17	13	12	22	20
Male.....	188	-	-	-	2	6	21	15	11	11	14	11
Female.....	113	2	1	-	1	5	4	2	2	1	8	9
White, both sexes.....	298	2	1	-	3	11	24	17	13	11	22	20
Male.....	185	-	-	-	2	6	20	15	11	10	14	11
Female.....	113	2	1	-	1	5	4	2	2	1	8	9
Black, both sexes.....	1	-	-	-	-	-	-	-	-	1	-	-
Male.....	1	-	-	-	-	-	-	-	-	1	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	1	-	-	-	-	-
Male.....	1	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Virginia

All races, both sexes.....	2,703	24	25	16	28	166	234	160	134	155	200	216
Male.....	1,738	11	15	12	15	121	178	125	107	104	139	151
Female.....	965	13	10	4	13	45	56	35	27	51	61	65
White, both sexes.....	2,193	13	19	10	22	132	203	127	111	125	170	156
Male.....	1,400	5	10	8	10	96	155	101	87	85	119	109
Female.....	793	8	9	2	12	36	48	26	24	40	51	47
Black, both sexes.....	456	10	5	3	5	31	28	31	19	29	30	53
Male.....	305	5	4	2	4	22	20	23	17	19	20	37
Female.....	151	5	1	1	1	9	8	8	2	10	10	16
American Indian 1/, both sexes.....	3	-	-	-	-	-	1	-	-	-	-	1
Male.....	2	-	-	-	-	-	1	-	-	-	-	1
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	51	1	1	3	1	3	2	2	4	1	-	6
Male.....	31	1	1	2	1	3	2	1	3	-	-	4
Female.....	20	-	-	1	-	-	-	1	1	1	-	2

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Accidents (unintentional injuries) (V01-X59,Y85-Y86)

Alaska

All races, both sexes.....	20	22	9	7	11	7	9	6	8	-	-	-
Male.....	13	17	8	6	8	3	5	3	5	-	-	-
Female.....	7	5	1	1	3	4	4	3	3	-	-	-
White, both sexes.....	15	14	8	4	8	6	6	2	6	-	-	-
Male.....	9	10	7	3	5	3	4	2	5	-	-	-
Female.....	6	4	1	1	3	3	2	-	1	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	5	8	1	3	3	-	2	3	2	-	-	-
Male.....	4	7	1	3	3	-	1	-	-	-	-	-
Female.....	1	1	-	-	-	-	1	3	2	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	1	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	1	1	-	-	-	-	-

Arizona

All races, both sexes.....	254	194	133	109	105	170	226	223	130	43	10	24
Male.....	180	132	84	72	64	92	110	100	49	14	1	21
Female.....	74	62	49	37	41	78	116	123	81	29	9	3
White, both sexes.....	215	161	114	104	95	158	215	216	129	41	8	23
Male.....	149	105	73	70	58	85	108	98	49	13	1	21
Female.....	66	56	41	34	37	73	107	118	80	28	7	2
Black, both sexes.....	14	16	6	1	2	1	5	2	1	2	-	-
Male.....	13	14	3	-	2	1	1	-	-	1	-	-
Female.....	1	2	3	1	-	-	4	2	1	1	-	-
American Indian 1/, both sexes.....	25	15	13	4	6	9	3	4	-	-	2	1
Male.....	18	12	8	2	3	5	1	2	-	-	-	-
Female.....	7	3	5	2	3	4	2	2	-	-	2	1
Asian or Pacific Islander 2/, both sexes.....	-	2	-	-	2	2	3	1	-	-	-	-
Male.....	-	1	-	-	1	1	-	-	-	-	-	-
Female.....	-	1	-	-	1	1	3	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Accidents (unintentional injuries) (V01-X59,Y85-Y86)

Arkansas

All races, both sexes.....	97	78	61	50	53	71	81	71	44	15	3	-
Male.....	66	52	45	25	35	33	47	28	19	4	2	-
Female.....	31	26	16	25	18	38	34	43	25	11	1	-
White, both sexes.....	80	64	54	42	47	61	72	69	44	13	3	-
Male.....	53	43	39	21	32	30	42	27	19	4	2	-
Female.....	27	21	15	21	15	31	30	42	25	9	1	-
Black, both sexes.....	14	13	5	7	5	9	9	2	-	2	-	-
Male.....	10	9	4	3	2	3	5	1	-	-	-	-
Female.....	4	4	1	4	3	6	4	1	-	2	-	-
American Indian 1/, both sexes.....	1	-	2	1	-	-	-	-	-	-	-	-
Male.....	1	-	2	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	1	-	-	1	1	-	-	-	-	-	-
Male.....	2	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	1	-	-	-	1	-	-	-	-	-	-

California

All races, both sexes.....	1,040	824	458	367	341	445	615	505	328	103	22	11
Male.....	750	555	313	243	193	251	326	270	127	37	6	9
Female.....	290	269	145	124	148	194	289	235	201	66	16	2
White, both sexes.....	872	684	375	299	275	365	538	442	304	95	21	11
Male.....	631	463	252	197	155	203	292	238	115	34	6	9
Female.....	241	221	123	102	120	162	246	204	189	61	15	2
Black, both sexes.....	121	98	39	31	20	19	17	18	5	3	-	-
Male.....	90	65	34	22	12	12	8	8	2	-	-	-
Female.....	31	33	5	9	8	7	9	10	3	3	-	-
American Indian 1/, both sexes.....	13	7	4	5	3	2	2	4	-	-	-	-
Male.....	5	4	4	3	1	2	-	2	-	-	-	-
Female.....	8	3	-	2	2	-	2	2	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	34	35	40	32	43	59	58	41	19	5	1	-
Male.....	24	23	23	21	25	34	26	22	10	3	-	-
Female.....	10	12	17	11	18	25	32	19	9	2	1	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Accidents (unintentional injuries) (V01-X59,Y85-Y86)

Florida

All races, both sexes.....	618	502	343	323	302	442	549	524	345	111	17	2
Male.....	462	342	230	204	179	263	282	264	155	33	4	1
Female.....	156	160	113	119	123	179	267	260	190	78	13	1
White, both sexes.....	535	425	295	281	271	410	525	502	334	106	16	1
Male.....	402	289	197	178	160	246	271	257	147	31	3	1
Female.....	133	136	98	103	111	164	254	245	187	75	13	-
Black, both sexes.....	76	72	42	37	25	32	21	18	9	5	1	1
Male.....	53	50	30	25	17	17	10	5	7	2	1	-
Female.....	23	22	12	12	8	15	11	13	2	3	-	1
American Indian 1/, both sexes.....	5	1	1	-	1	-	1	1	-	-	-	-
Male.....	5	1	-	-	1	-	-	1	-	-	-	-
Female.....	-	-	1	-	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	4	5	5	5	-	2	3	2	-	-	-
Male.....	2	2	3	1	1	-	1	1	1	-	-	-
Female.....	-	2	2	4	4	-	1	2	1	-	-	-

Georgia

All races, both sexes.....	299	223	138	148	135	171	205	192	127	46	11	-
Male.....	198	157	94	91	79	100	98	85	47	16	2	-
Female.....	101	66	44	57	56	71	107	107	80	30	9	-
White, both sexes.....	224	159	107	118	103	146	178	164	112	40	9	-
Male.....	153	115	75	72	60	86	87	78	39	14	2	-
Female.....	71	44	32	46	43	60	91	86	73	26	7	-
Black, both sexes.....	73	61	29	25	30	25	25	27	13	6	2	-
Male.....	43	41	19	16	19	14	10	7	7	2	-	-
Female.....	30	20	10	9	11	11	15	20	6	4	2	-
American Indian 1/, both sexes.....	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	1	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	2	2	5	2	-	2	1	2	-	-	-
Male.....	2	1	-	3	-	-	1	-	1	-	-	-
Female.....	-	1	2	2	2	-	1	1	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Accidents (unintentional injuries) (V01-X59,Y85-Y86)

Illinois

All races, both sexes.....	366	232	159	118	156	206	282	286	175	53	14	-
Male.....	271	182	118	83	93	121	152	112	63	18	1	-
Female.....	95	50	41	35	63	85	130	174	112	35	13	-
White, both sexes.....	265	171	133	94	135	189	265	267	164	48	13	-
Male.....	193	132	99	68	80	111	144	103	57	18	1	-
Female.....	72	39	34	26	55	78	121	164	107	30	12	-
Black, both sexes.....	96	59	25	21	20	14	15	14	8	5	1	-
Male.....	73	49	18	13	13	9	7	8	3	-	-	-
Female.....	23	10	7	8	7	5	8	6	5	5	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	5	2	1	3	1	3	2	4	3	-	-	-
Male.....	5	1	1	2	-	1	1	1	3	-	-	-
Female.....	-	1	-	1	1	2	1	3	-	-	-	-

Indiana

All races, both sexes.....	159	123	111	83	80	120	138	163	105	33	12	-
Male.....	111	93	76	54	42	68	74	75	47	7	3	-
Female.....	48	30	35	29	38	52	64	88	58	26	9	-
White, both sexes.....	154	115	108	79	75	116	132	159	102	33	12	-
Male.....	106	87	74	51	40	66	69	73	46	7	3	-
Female.....	48	28	34	28	35	50	63	86	56	26	9	-
Black, both sexes.....	5	8	3	4	5	3	5	2	3	-	-	-
Male.....	5	6	2	3	2	2	4	2	1	-	-	-
Female.....	-	2	1	1	3	1	1	-	2	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	1	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	2	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	2	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Accidents (unintentional injuries) (V01-X59,Y85-Y86)

Iowa

All races, both sexes.....	71	62	44	49	52	90	105	124	91	34	11	-
Male.....	52	41	35	39	32	59	46	59	35	9	-	-
Female.....	19	21	9	10	20	31	59	65	56	25	11	-
White, both sexes.....	70	60	44	48	51	88	105	124	90	34	11	-
Male.....	52	39	35	39	32	57	46	59	35	9	-	-
Female.....	18	21	9	9	19	31	59	65	55	25	11	-
Black, both sexes.....	1	2	-	1	1	2	-	-	1	-	-	-
Male.....	-	2	-	-	-	2	-	-	-	-	-	-
Female.....	1	-	-	1	1	-	-	-	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Kansas

All races, both sexes.....	77	73	35	49	46	84	92	78	46	25	6	2
Male.....	52	49	16	30	30	48	59	35	11	7	-	1
Female.....	25	24	19	19	16	36	33	43	35	18	6	1
White, both sexes.....	68	69	31	44	45	81	88	78	45	25	6	2
Male.....	47	45	13	26	29	47	56	35	11	7	-	1
Female.....	21	24	18	18	16	34	32	43	34	18	6	1
Black, both sexes.....	6	2	3	2	1	-	3	-	-	-	-	-
Male.....	3	2	2	2	1	-	2	-	-	-	-	-
Female.....	3	-	1	-	-	-	1	-	-	-	-	-
American Indian 1/, both sexes.....	2	2	1	2	-	2	-	-	-	-	-	-
Male.....	1	2	1	2	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	2	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	1	-	1	1	-	1	-	-	-
Male.....	1	-	-	-	-	1	1	-	-	-	-	-
Female.....	-	-	-	1	-	-	-	-	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Accidents (unintentional injuries) (V01-X59,Y85-Y86)

Maine

All races, both sexes.....	40	36	22	22	19	21	42	37	24	9	9	-
Male.....	28	26	20	16	10	11	22	16	6	2	-	-
Female.....	12	10	2	6	9	10	20	21	18	7	9	-
White, both sexes.....	39	36	21	21	18	21	41	37	24	9	9	-
Male.....	27	26	19	15	9	11	22	16	6	2	-	-
Female.....	12	10	2	6	9	10	19	21	18	7	9	-
Black, both sexes.....	-	-	-	1	-	-	-	-	-	-	-	-
Male.....	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	1	-	1	-	-	-	-	-	-	-
Male.....	1	-	1	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-

Maryland

All races, both sexes.....	78	90	61	66	56	94	112	100	63	25	2	-
Male.....	52	59	43	42	34	47	51	44	29	8	-	-
Female.....	26	31	18	24	22	47	61	56	34	17	2	-
White, both sexes.....	47	65	40	42	38	70	97	85	57	23	2	-
Male.....	30	43	28	27	24	31	44	36	26	7	-	-
Female.....	17	22	12	15	14	39	53	49	31	16	2	-
Black, both sexes.....	26	25	18	20	16	22	11	13	6	1	-	-
Male.....	19	16	13	13	9	16	4	7	3	-	-	-
Female.....	7	9	5	7	7	6	7	6	3	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	5	-	3	4	2	2	4	2	-	1	-	-
Male.....	3	-	2	2	1	-	3	1	-	1	-	-
Female.....	2	-	1	2	1	2	1	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Accidents (unintentional injuries) (V01-X59,Y85-Y86)

Massachusetts

All races, both sexes.....	171	126	63	66	77	111	151	170	127	52	6	-
Male.....	113	81	42	46	42	52	67	70	43	10	1	-
Female.....	58	45	21	20	35	59	84	100	84	42	5	-
White, both sexes.....	153	123	58	62	73	106	147	167	122	51	6	-
Male.....	101	80	39	43	39	50	65	68	41	10	1	-
Female.....	52	43	19	19	34	56	82	99	81	41	5	-
Black, both sexes.....	18	3	3	3	4	4	1	-	3	1	-	-
Male.....	12	1	2	3	3	2	1	-	1	-	-	-
Female.....	6	2	1	-	1	2	-	-	2	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	2	1	-	1	3	3	2	-	-	-
Male.....	-	-	1	-	-	-	1	2	1	-	-	-
Female.....	-	-	1	1	-	1	2	1	1	-	-	-

Michigan

All races, both sexes.....	275	199	138	131	124	205	241	214	174	64	12	-
Male.....	195	144	101	93	67	108	123	102	75	18	2	-
Female.....	80	55	37	38	57	97	118	112	99	46	10	-
White, both sexes.....	215	164	118	115	107	194	228	203	169	61	11	-
Male.....	153	116	85	81	55	101	115	94	72	17	2	-
Female.....	62	48	33	34	52	93	113	109	97	44	9	-
Black, both sexes.....	57	35	19	15	15	11	13	9	5	3	1	-
Male.....	40	28	15	12	11	7	8	7	3	1	-	-
Female.....	17	7	4	3	4	4	5	2	2	2	1	-
American Indian 1/, both sexes.....	1	-	1	-	2	-	-	-	-	-	-	-
Male.....	1	-	1	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	1	-	-	-	2	-	-	-	-
Male.....	1	-	-	-	-	-	-	1	-	-	-	-
Female.....	1	-	-	1	-	-	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Accidents (unintentional injuries) (V01-X59,Y85-Y86)

Nebraska

All races, both sexes.....	42	29	31	22	31	33	57	55	49	28	9	-
Male.....	25	26	23	15	22	17	30	19	15	8	-	-
Female.....	17	3	8	7	9	16	27	36	34	20	9	-
White, both sexes.....	36	29	29	21	30	32	55	55	48	27	9	-
Male.....	23	26	21	14	22	17	29	19	15	8	-	-
Female.....	13	3	8	7	8	15	26	36	33	19	9	-
Black, both sexes.....	4	-	2	-	1	1	1	-	1	1	-	-
Male.....	1	-	2	-	-	-	-	-	-	-	-	-
Female.....	3	-	-	-	1	1	1	-	1	1	-	-
American Indian 1/, both sexes.....	2	-	-	1	-	-	-	-	-	-	-	-
Male.....	1	-	-	1	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Nevada

All races, both sexes.....	98	75	63	42	24	36	53	28	11	6	-	-
Male.....	64	50	43	25	11	23	30	11	7	2	-	-
Female.....	34	25	20	17	13	13	23	17	4	4	-	-
White, both sexes.....	90	63	55	35	24	29	52	28	10	6	-	-
Male.....	59	44	38	23	11	21	30	11	6	2	-	-
Female.....	31	19	17	12	13	8	22	17	4	4	-	-
Black, both sexes.....	2	7	5	3	-	4	1	-	-	-	-	-
Male.....	2	4	3	-	-	1	-	-	-	-	-	-
Female.....	-	3	2	3	-	3	1	-	-	-	-	-
American Indian 1/, both sexes.....	4	2	1	-	-	1	-	-	-	-	-	-
Male.....	3	2	1	-	-	1	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	3	2	4	-	2	-	-	1	-	-	-
Male.....	-	-	1	2	-	-	-	-	1	-	-	-
Female.....	2	3	1	2	-	2	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Accidents (unintentional injuries) (V01-X59,Y85-Y86)

New Hampshire

All races, both sexes.....	36	16	16	9	17	34	35	37	34	13	1	-
Male.....	24	8	10	6	9	15	14	14	13	7	-	-
Female.....	12	8	6	3	8	19	21	23	21	6	1	-
White, both sexes.....	36	16	16	9	17	34	35	36	34	13	1	-
Male.....	24	8	10	6	9	15	14	13	13	7	-	-
Female.....	12	8	6	3	8	19	21	23	21	6	1	-
Black, both sexes.....	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New Jersey

All races, both sexes.....	182	113	80	83	77	141	183	184	118	46	7	3
Male.....	126	82	55	53	45	74	92	76	43	7	1	3
Female.....	56	31	25	30	32	67	91	108	75	39	6	-
White, both sexes.....	137	82	64	68	64	121	175	177	111	44	5	3
Male.....	94	57	42	47	38	60	87	74	41	7	1	3
Female.....	43	25	22	21	26	61	88	103	70	37	4	-
Black, both sexes.....	41	26	12	13	8	16	5	6	6	-	2	-
Male.....	28	23	10	6	6	11	3	1	1	-	-	-
Female.....	13	3	2	7	2	5	2	5	5	-	2	-
American Indian 1/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	4	5	4	2	5	3	3	1	1	2	-	-
Male.....	4	2	3	-	1	2	2	1	1	-	-	-
Female.....	-	3	1	2	4	1	1	-	-	2	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Accidents (unintentional injuries) (V01-X59,Y85-Y86)

New Mexico

All races, both sexes.....	98	76	44	44	49	56	80	65	64	15	3	1
Male.....	61	53	29	26	26	28	38	31	15	4	-	1
Female.....	37	23	15	18	23	28	42	34	49	11	3	-
White, both sexes.....	84	67	40	41	42	53	71	61	63	15	3	1
Male.....	50	45	26	24	22	26	35	29	15	4	-	1
Female.....	34	22	14	17	20	27	36	32	48	11	3	-
Black, both sexes.....	3	1	-	-	-	1	2	-	-	-	-	-
Male.....	2	1	-	-	-	-	1	-	-	-	-	-
Female.....	1	-	-	-	-	1	1	-	-	-	-	-
American Indian 1/, both sexes.....	11	7	4	3	7	2	6	4	1	-	-	-
Male.....	9	7	3	2	4	2	2	2	-	-	-	-
Female.....	2	-	1	1	3	-	4	2	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	1	-	-	-	-	1	-	-	-	-	-

New York

All races, both sexes.....	402	307	257	195	212	299	335	340	261	78	18	2
Male.....	297	216	178	127	130	170	169	146	101	23	3	2
Female.....	105	91	79	68	82	129	166	194	160	55	15	-
White, both sexes.....	299	240	192	150	176	269	298	321	242	71	16	1
Male.....	218	168	135	97	104	153	154	139	94	21	2	1
Female.....	81	72	57	53	72	116	144	182	148	50	14	-
Black, both sexes.....	90	56	55	35	29	19	26	17	12	6	-	-
Male.....	69	39	37	25	21	8	9	6	5	1	-	-
Female.....	21	17	18	10	8	11	17	11	7	5	-	-
American Indian 1/, both sexes.....	3	-	2	-	-	-	-	-	-	-	-	-
Male.....	3	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	1	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	10	11	8	10	7	11	11	2	7	1	2	1
Male.....	7	9	5	5	5	9	6	1	2	1	1	1
Female.....	3	2	3	5	2	2	5	1	5	-	1	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Accidents (unintentional injuries) (V01-X59,Y85-Y86)

Oregon

All races, both sexes.....	125	104	66	54	58	88	97	122	117	52	9	-
Male.....	91	72	46	36	30	56	54	57	55	15	2	-
Female.....	34	32	20	18	28	32	43	65	62	37	7	-
White, both sexes.....	119	98	60	50	57	82	95	120	116	52	9	-
Male.....	89	68	42	34	29	52	53	56	55	15	2	-
Female.....	30	30	18	16	28	30	42	64	61	37	7	-
Black, both sexes.....	3	3	-	1	-	1	1	-	-	-	-	-
Male.....	-	2	-	-	-	-	-	-	-	-	-	-
Female.....	3	1	-	1	-	1	1	-	-	-	-	-
American Indian 1/, both sexes.....	3	3	3	2	-	1	1	-	1	-	-	-
Male.....	2	2	1	2	-	1	1	-	-	-	-	-
Female.....	1	1	2	-	-	-	-	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	3	1	1	4	-	2	-	-	-	-
Male.....	-	-	3	-	1	3	-	1	-	-	-	-
Female.....	-	-	-	1	-	1	-	1	-	-	-	-

Pennsylvania

All races, both sexes.....	318	229	170	166	203	310	430	424	247	96	17	-
Male.....	249	152	107	107	111	159	203	193	92	20	3	-
Female.....	69	77	63	59	92	151	227	231	155	76	14	-
White, both sexes.....	266	190	147	153	185	291	408	400	239	90	17	-
Male.....	204	126	92	97	100	151	186	182	89	20	3	-
Female.....	62	64	55	56	85	140	222	218	150	70	14	-
Black, both sexes.....	51	36	22	10	17	14	18	21	8	5	-	-
Male.....	44	24	14	9	11	6	14	9	3	-	-	-
Female.....	7	12	8	1	6	8	4	12	5	5	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	1	1	-	-	-	-	-
Male.....	1	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	3	1	3	1	4	3	3	-	1	-	-
Male.....	-	2	1	1	-	2	2	2	-	-	-	-
Female.....	-	1	-	2	1	2	1	1	-	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Accidents (unintentional injuries) (V01-X59,Y85-Y86)

South Dakota

All races, both sexes.....	32	23	21	21	16	27	23	41	29	14	3	-
Male.....	21	16	14	12	9	16	15	24	8	6	-	-
Female.....	11	7	7	9	7	11	8	17	21	8	3	-
White, both sexes.....	25	18	17	20	16	27	22	40	29	14	3	-
Male.....	15	12	11	11	9	16	15	23	8	6	-	-
Female.....	10	6	6	9	7	11	7	17	21	8	3	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	7	5	4	1	-	-	-	1	-	-	-	-
Male.....	6	4	3	1	-	-	-	1	-	-	-	-
Female.....	1	1	1	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-

Tennessee

All races, both sexes.....	242	180	139	119	137	153	177	156	104	47	3	1
Male.....	152	122	85	65	81	83	88	65	34	12	1	1
Female.....	90	58	54	54	56	70	89	91	70	35	2	-
White, both sexes.....	207	154	117	111	119	144	172	146	98	42	3	-
Male.....	129	101	67	62	75	77	87	60	31	9	1	-
Female.....	78	53	50	49	44	67	85	86	67	33	2	-
Black, both sexes.....	33	26	20	7	18	7	5	9	5	5	-	1
Male.....	23	21	18	3	6	6	1	5	3	3	-	1
Female.....	10	5	2	4	12	1	4	4	2	2	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	2	1	-	2	-	1	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	2	1	-	2	-	1	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Accidents (unintentional injuries) (V01-X59,Y85-Y86)

Texas

All races, both sexes.....	654	497	355	275	291	396	527	444	290	115	23	2
Male.....	447	340	231	176	178	230	250	192	100	26	4	1
Female.....	207	157	124	99	113	166	277	252	190	89	19	1
White, both sexes.....	553	414	319	244	260	363	490	422	275	107	21	2
Male.....	375	279	209	154	161	213	230	180	91	25	4	1
Female.....	178	135	110	90	99	150	260	242	184	82	17	1
Black, both sexes.....	92	74	28	26	26	29	31	18	14	5	2	-
Male.....	66	55	17	18	15	16	16	11	9	1	-	-
Female.....	26	19	11	8	11	13	15	7	5	4	2	-
American Indian 1/, both sexes.....	2	1	2	1	1	-	-	-	-	1	-	-
Male.....	1	1	2	1	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	1	-	-	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	7	8	6	4	4	4	6	4	1	2	-	-
Male.....	5	5	3	3	2	1	4	1	-	-	-	-
Female.....	2	3	3	1	2	3	2	3	1	2	-	-

Utah

All races, both sexes.....	50	36	22	27	20	26	43	47	24	6	2	1
Male.....	33	23	13	20	13	19	22	25	8	-	-	1
Female.....	17	13	9	7	7	7	21	22	16	6	2	-
White, both sexes.....	46	32	22	25	19	25	41	45	24	6	2	1
Male.....	32	19	13	19	13	18	22	24	8	-	-	1
Female.....	14	13	9	6	6	7	19	21	16	6	2	-
Black, both sexes.....	-	1	-	-	1	-	-	-	-	-	-	-
Male.....	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	2	-	-	-	1	1	1	-	-	-	-
Male.....	-	2	-	-	-	1	-	1	-	-	-	-
Female.....	1	-	-	-	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	1	-	2	-	-	1	1	-	-	-	-
Male.....	1	1	-	1	-	-	-	-	-	-	-	-
Female.....	2	-	-	1	-	-	1	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Accidents (unintentional injuries) (V01-X59,Y85-Y86)

Vermont

All races, both sexes.....	17	11	16	5	18	11	30	23	30	14	-	-
Male.....	12	11	12	4	11	6	15	10	14	2	-	-
Female.....	5	-	4	1	7	5	15	13	16	12	-	-
White, both sexes.....	17	11	16	5	18	11	30	22	30	14	-	-
Male.....	12	11	12	4	11	6	15	9	14	2	-	-
Female.....	5	-	4	1	7	5	15	13	16	12	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Virginia

All races, both sexes.....	208	114	99	105	108	169	191	191	114	42	4	-
Male.....	163	79	65	66	63	96	91	87	40	9	1	-
Female.....	45	35	34	39	45	73	100	104	74	33	3	-
White, both sexes.....	151	82	79	74	90	138	171	173	106	37	4	-
Male.....	118	59	51	48	56	76	81	80	37	8	1	-
Female.....	33	23	28	26	34	62	90	93	69	29	3	-
Black, both sexes.....	55	31	16	26	13	28	17	15	6	5	-	-
Male.....	43	20	13	14	5	19	8	6	3	1	-	-
Female.....	12	11	3	12	8	9	9	9	3	4	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	1	4	5	5	2	3	3	2	-	-	-
Male.....	2	-	1	4	2	1	2	1	-	-	-	-
Female.....	-	1	3	1	3	1	1	2	2	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Transport accidents (V01-V99,Y85)

United States

All races, both sexes.....	48,412	142	615	617	836	5,092	6,300	4,333	3,420	3,476	3,773	3,914
Male.....	34,065	70	329	350	499	3,414	4,867	3,370	2,581	2,522	2,711	2,891
Female.....	14,347	72	286	267	337	1,678	1,433	963	839	954	1,062	1,023
White, both sexes.....	40,422	100	445	454	667	4,310	5,288	3,477	2,716	2,840	3,135	3,220
Male.....	28,429	52	233	252	393	2,870	4,109	2,721	2,037	2,052	2,267	2,390
Female.....	11,993	48	212	202	274	1,440	1,179	756	679	788	868	830
Black, both sexes.....	5,983	31	137	127	130	548	734	646	563	494	498	528
Male.....	4,333	15	77	78	80	398	548	498	448	380	355	387
Female.....	1,650	16	60	49	50	150	186	148	115	114	143	141
American Indian 1/, both sexes.....	930	8	16	14	14	123	138	116	75	75	77	81
Male.....	638	2	8	9	9	76	102	84	50	54	48	59
Female.....	292	6	8	5	5	47	36	32	25	21	29	22
Asian or Pacific Islander 2/, both sexes.....	1,077	3	17	22	25	111	140	94	66	67	63	85
Male.....	665	1	11	11	17	70	108	67	46	36	41	55
Female.....	412	2	6	11	8	41	32	27	20	31	22	30

Alabama

All races, both sexes.....	1,277	4	17	23	22	148	176	106	111	108	108	100
Male.....	889	-	7	11	12	87	133	84	79	78	74	76
Female.....	388	4	10	12	10	61	43	22	32	30	34	24
White, both sexes.....	964	2	8	13	17	114	132	75	78	87	83	67
Male.....	671	-	2	8	10	67	103	55	54	63	56	54
Female.....	293	2	6	5	7	47	29	20	24	24	27	13
Black, both sexes.....	297	2	9	10	5	32	40	31	32	18	23	33
Male.....	207	-	5	3	2	18	27	29	25	14	16	22
Female.....	90	2	4	7	3	14	13	2	7	4	7	11
American Indian 1/, both sexes.....	5	-	-	-	-	-	1	-	-	1	2	-
Male.....	3	-	-	-	-	-	-	-	-	-	2	-
Female.....	2	-	-	-	-	-	1	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	11	-	-	-	-	2	3	-	1	2	-	-
Male.....	8	-	-	-	-	2	3	-	-	1	-	-
Female.....	3	-	-	-	-	-	-	-	1	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Transport accidents (V01-V99,Y85)

Alaska

All races, both sexes.....	115	-	2	5	5	11	9	12	10	7	10	7
Male.....	85	-	-	3	4	7	7	10	9	7	7	4
Female.....	30	-	2	2	1	4	2	2	1	-	3	3
White, both sexes.....	79	-	2	4	2	7	6	9	9	3	7	4
Male.....	56	-	-	2	2	5	4	7	8	3	5	2
Female.....	23	-	2	2	-	2	2	2	1	-	2	2
Black, both sexes.....	3	-	-	-	-	-	-	1	1	1	-	-
Male.....	3	-	-	-	-	-	-	1	1	1	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	31	-	-	1	3	4	2	2	-	2	3	3
Male.....	24	-	-	1	2	2	2	2	-	2	2	2
Female.....	7	-	-	-	1	2	-	-	-	-	1	1
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	-	-	1	-	-	1	-	-
Male.....	2	-	-	-	-	-	1	-	-	1	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Arizona

All races, both sexes.....	1,435	2	31	20	13	160	151	159	92	109	109	121
Male.....	984	1	14	13	9	100	108	124	64	80	82	90
Female.....	451	1	17	7	4	60	43	35	28	29	27	31
White, both sexes.....	1,191	1	24	17	12	126	128	126	68	86	93	98
Male.....	819	1	11	11	8	79	90	97	50	62	73	71
Female.....	372	-	13	6	4	47	38	29	18	24	20	27
Black, both sexes.....	41	1	-	1	1	6	4	4	4	2	3	3
Male.....	32	-	-	1	1	6	4	3	3	1	3	2
Female.....	9	1	-	-	-	-	-	1	1	1	-	1
American Indian 1/, both sexes.....	195	-	7	2	-	27	18	28	20	20	12	20
Male.....	129	-	3	1	-	15	13	23	11	17	5	17
Female.....	66	-	4	1	-	12	5	5	9	3	7	3
Asian or Pacific Islander 2/, both sexes.....	8	-	-	-	-	1	1	1	-	1	1	-
Male.....	4	-	-	-	-	-	1	1	-	-	1	-
Female.....	4	-	-	-	-	1	-	-	-	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Transport accidents (V01-V99,Y85)

Arkansas

All races, both sexes.....	765	6	14	14	12	93	103	62	62	58	61	49
Male.....	532	4	9	7	8	57	81	39	48	39	45	41
Female.....	233	2	5	7	4	36	22	23	14	19	16	8
White, both sexes.....	648	4	9	12	11	82	85	51	51	48	50	43
Male.....	449	3	4	6	7	49	66	34	41	31	36	37
Female.....	199	1	5	6	4	33	19	17	10	17	14	6
Black, both sexes.....	104	2	4	2	1	10	18	9	9	10	11	5
Male.....	74	1	4	1	1	7	15	5	5	8	9	4
Female.....	30	1	-	1	-	3	3	4	4	2	2	1
American Indian 1/, both sexes.....	6	-	-	-	-	-	-	1	1	-	-	1
Male.....	4	-	-	-	-	-	-	-	1	-	-	-
Female.....	2	-	-	-	-	-	-	1	-	-	-	1
Asian or Pacific Islander 2/, both sexes.....	7	-	1	-	-	1	-	1	1	-	-	-
Male.....	5	-	1	-	-	1	-	-	1	-	-	-
Female.....	2	-	-	-	-	-	-	1	-	-	-	-

California

All races, both sexes.....	4,916	13	69	70	97	510	670	424	334	343	403	435
Male.....	3,554	8	36	41	56	364	524	340	251	251	310	323
Female.....	1,362	5	33	29	41	146	146	84	83	92	93	112
White, both sexes.....	4,119	12	52	56	79	452	567	348	292	294	348	357
Male.....	3,023	8	28	33	46	326	449	283	219	218	270	270
Female.....	1,096	4	24	23	33	126	118	65	73	76	78	87
Black, both sexes.....	360	1	11	9	9	22	50	36	18	27	28	36
Male.....	264	-	5	6	5	17	34	30	16	22	22	24
Female.....	96	1	6	3	4	5	16	6	2	5	6	12
American Indian 1/, both sexes.....	54	-	2	1	2	5	3	6	3	2	8	6
Male.....	39	-	1	-	1	4	2	3	3	2	6	6
Female.....	15	-	1	1	1	1	1	3	-	-	2	-
Asian or Pacific Islander 2/, both sexes.....	383	-	4	4	7	31	50	34	21	20	19	36
Male.....	228	-	2	2	4	17	39	24	13	9	12	23
Female.....	155	-	2	2	3	14	11	10	8	11	7	13

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Transport accidents (V01-V99,Y85)

Colorado

All races, both sexes.....	653	5	13	6	8	70	77	57	60	40	55	55
Male.....	452	1	7	4	5	46	56	40	50	29	38	41
Female.....	201	4	6	2	3	24	21	17	10	11	17	14
White, both sexes.....	603	4	12	5	7	64	72	52	56	33	53	49
Male.....	420	1	6	3	4	42	53	36	46	25	38	38
Female.....	183	3	6	2	3	22	19	16	10	8	15	11
Black, both sexes.....	24	-	-	1	-	5	2	2	3	3	-	3
Male.....	19	-	-	1	-	3	1	2	3	3	-	2
Female.....	5	-	-	-	-	2	1	-	-	-	-	1
American Indian 1/, both sexes.....	14	-	-	-	-	1	1	3	1	1	2	2
Male.....	5	-	-	-	-	1	-	2	1	-	-	-
Female.....	9	-	-	-	-	-	1	1	-	1	2	2
Asian or Pacific Islander 2/, both sexes.....	12	1	1	-	1	-	2	-	-	3	-	1
Male.....	8	-	1	-	1	-	2	-	-	1	-	1
Female.....	4	1	-	-	-	-	-	-	-	2	-	-

Connecticut

All races, both sexes.....	385	1	1	1	3	42	66	35	18	34	28	29
Male.....	282	1	-	1	1	33	54	30	10	30	19	21
Female.....	103	-	1	-	2	9	12	5	8	4	9	8
White, both sexes.....	341	1	-	-	3	34	55	31	18	29	26	26
Male.....	251	1	-	-	1	28	45	27	10	26	18	19
Female.....	90	-	-	-	2	6	10	4	8	3	8	7
Black, both sexes.....	33	-	-	1	-	7	8	3	-	3	2	3
Male.....	24	-	-	1	-	5	6	3	-	2	1	2
Female.....	9	-	-	-	-	2	2	-	-	1	1	1
American Indian 1/, both sexes.....	3	-	-	-	-	-	2	-	-	1	-	-
Male.....	3	-	-	-	-	-	2	-	-	1	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	8	-	1	-	-	1	1	1	-	1	-	-
Male.....	4	-	-	-	-	-	1	-	-	1	-	-
Female.....	4	-	1	-	-	1	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Transport accidents (V01-V99,Y85)

Florida

All races, both sexes.....	3,705	4	39	33	54	330	520	328	259	255	313	293
Male.....	2,688	2	24	20	25	245	416	257	208	191	230	220
Female.....	1,017	2	15	13	29	85	104	71	51	64	83	73
White, both sexes.....	3,081	3	26	19	42	263	446	271	203	213	258	235
Male.....	2,245	1	17	9	19	194	360	215	164	160	198	180
Female.....	836	2	9	10	23	69	86	56	39	53	60	55
Black, both sexes.....	577	1	12	14	12	60	70	55	50	38	49	55
Male.....	413	1	6	11	6	47	53	42	40	28	28	37
Female.....	164	-	6	3	6	13	17	13	10	10	21	18
American Indian 1/, both sexes.....	14	-	-	-	-	1	1	-	3	1	2	3
Male.....	11	-	-	-	-	1	1	-	1	1	1	3
Female.....	3	-	-	-	-	-	-	-	2	-	1	-
Asian or Pacific Islander 2/, both sexes.....	33	-	1	-	-	6	3	2	3	3	4	-
Male.....	19	-	1	-	-	3	2	-	3	2	3	-
Female.....	14	-	-	-	-	3	1	2	-	1	1	-

Georgia

All races, both sexes.....	1,843	7	29	25	21	191	246	186	149	117	155	142
Male.....	1,303	4	22	14	12	139	182	143	102	77	101	112
Female.....	540	3	7	11	9	52	64	43	47	40	54	30
White, both sexes.....	1,344	2	21	18	14	145	185	130	87	75	113	108
Male.....	969	-	15	10	9	101	145	104	52	52	77	85
Female.....	375	2	6	8	5	44	40	26	35	23	36	23
Black, both sexes.....	471	5	8	7	6	39	57	55	59	40	41	33
Male.....	316	4	7	4	2	32	34	38	48	24	23	26
Female.....	155	1	1	3	4	7	23	17	11	16	18	7
American Indian 1/, both sexes.....	5	-	-	-	-	1	1	-	1	-	-	1
Male.....	4	-	-	-	-	1	1	-	1	-	-	1
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	23	-	-	-	1	6	3	1	2	2	1	-
Male.....	14	-	-	-	1	5	2	1	1	1	1	-
Female.....	9	-	-	-	-	1	1	-	1	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Transport accidents (V01-V99,Y85)

Illinois

All races, both sexes.....	1,517	9	15	15	21	178	176	149	85	122	111	127
Male.....	1,064	7	6	10	10	120	129	111	64	85	82	96
Female.....	453	2	9	5	11	58	47	38	21	37	29	31
White, both sexes.....	1,287	7	12	9	17	156	135	117	69	99	96	108
Male.....	902	7	4	4	7	107	100	87	51	70	68	84
Female.....	385	-	8	5	10	49	35	30	18	29	28	24
Black, both sexes.....	211	2	3	6	3	18	37	31	15	20	15	19
Male.....	157	-	2	6	3	12	28	24	13	14	14	12
Female.....	54	2	1	-	-	6	9	7	2	6	1	7
American Indian 1/, both sexes.....	2	-	-	-	-	1	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	1	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	17	-	-	-	1	3	4	-	1	3	-	-
Male.....	5	-	-	-	-	1	1	-	-	1	-	-
Female.....	12	-	-	-	1	2	3	-	1	2	-	-

Indiana

All races, both sexes.....	1,001	2	16	17	17	117	123	83	64	84	77	69
Male.....	690	1	9	7	13	66	89	65	50	64	52	53
Female.....	311	1	7	10	4	51	34	18	14	20	25	16
White, both sexes.....	937	2	14	15	13	110	113	79	57	78	71	66
Male.....	646	1	9	7	10	62	80	61	44	59	49	52
Female.....	291	1	5	8	3	48	33	18	13	19	22	14
Black, both sexes.....	58	-	2	2	4	7	7	4	6	5	6	3
Male.....	40	-	-	-	3	4	6	4	6	4	3	1
Female.....	18	-	2	2	1	3	1	-	-	1	3	2
American Indian 1/, both sexes.....	2	-	-	-	-	-	1	-	-	1	-	-
Male.....	2	-	-	-	-	-	1	-	-	1	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	4	-	-	-	-	-	2	-	1	-	-	-
Male.....	2	-	-	-	-	-	2	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	-	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
---	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Transport accidents (V01-V99,Y85)

Kentucky

All races, both sexes.....	1,007	-	14	10	17	96	124	99	80	83	69	84
Male.....	695	-	5	7	11	61	98	75	57	51	49	55
Female.....	312	-	9	3	6	35	26	24	23	32	20	29
White, both sexes.....	948	-	11	9	11	94	113	93	70	78	64	81
Male.....	653	-	4	7	7	60	88	70	51	48	45	53
Female.....	295	-	7	2	4	34	25	23	19	30	19	28
Black, both sexes.....	57	-	3	1	6	2	11	6	8	5	5	3
Male.....	41	-	1	-	4	1	10	5	5	3	4	2
Female.....	16	-	2	1	2	1	1	1	3	2	1	1
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	-	-	-	-	2	-	-	-
Male.....	1	-	-	-	-	-	-	-	1	-	-	-
Female.....	1	-	-	-	-	-	-	-	1	-	-	-

Louisiana

All races, both sexes.....	1,083	4	8	20	19	90	149	128	98	79	90	99
Male.....	772	4	5	11	10	60	106	98	72	59	69	73
Female.....	311	-	3	9	9	30	43	30	26	20	21	26
White, both sexes.....	734	1	4	13	10	63	110	78	55	60	67	62
Male.....	532	1	2	7	6	43	80	65	38	44	52	44
Female.....	202	-	2	6	4	20	30	13	17	16	15	18
Black, both sexes.....	331	3	4	7	8	26	38	45	40	18	21	35
Male.....	224	3	3	4	4	16	25	28	31	14	15	27
Female.....	107	-	1	3	4	10	13	17	9	4	6	8
American Indian 1/, both sexes.....	10	-	-	-	-	1	-	4	2	1	1	1
Male.....	10	-	-	-	-	1	-	4	2	1	1	1
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	8	-	-	-	1	-	1	1	1	-	1	1
Male.....	6	-	-	-	-	-	1	1	1	-	1	1
Female.....	2	-	-	-	1	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Transport accidents (V01-V99,Y85)

Massachusetts

All races, both sexes.....	516	-	2	1	9	48	80	44	28	31	35	30
Male.....	369	-	1	1	7	30	62	37	23	28	27	22
Female.....	147	-	1	-	2	18	18	7	5	3	8	8
White, both sexes.....	464	-	1	1	6	41	70	37	26	30	33	24
Male.....	329	-	1	1	5	24	52	31	21	27	25	19
Female.....	135	-	-	-	1	17	18	6	5	3	8	5
Black, both sexes.....	39	-	1	-	2	7	9	3	2	1	2	3
Male.....	32	-	-	-	1	6	9	3	2	1	2	2
Female.....	7	-	1	-	1	1	-	-	-	-	-	1
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	1	-	-	-	-
Male.....	1	-	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	12	-	-	-	1	-	1	3	-	-	-	3
Male.....	7	-	-	-	1	-	1	2	-	-	-	1
Female.....	5	-	-	-	-	-	-	1	-	-	-	2

Michigan

All races, both sexes.....	1,262	2	14	16	23	109	155	101	82	97	106	96
Male.....	898	-	5	10	16	80	111	79	60	72	77	75
Female.....	364	2	9	6	7	29	44	22	22	25	29	21
White, both sexes.....	1,073	2	13	10	20	84	132	87	64	73	93	77
Male.....	756	-	5	7	13	59	96	68	45	54	68	62
Female.....	317	2	8	3	7	25	36	19	19	19	25	15
Black, both sexes.....	166	-	1	4	3	22	18	13	18	21	8	18
Male.....	128	-	-	2	3	18	12	10	15	17	6	12
Female.....	38	-	1	2	-	4	6	3	3	4	2	6
American Indian 1/, both sexes.....	8	-	-	-	-	-	3	1	-	1	2	1
Male.....	6	-	-	-	-	-	2	1	-	-	2	1
Female.....	2	-	-	-	-	-	1	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	15	-	-	2	-	3	2	-	-	2	3	-
Male.....	8	-	-	1	-	3	1	-	-	1	1	-
Female.....	7	-	-	1	-	-	1	-	-	1	2	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Transport accidents (V01-V99,Y85)

Nebraska

All races, both sexes.....	290	2	4	6	5	50	35	21	15	18	6	21
Male.....	197	-	2	3	4	35	27	16	8	11	5	13
Female.....	93	2	2	3	1	15	8	5	7	7	1	8
White, both sexes.....	270	2	3	5	4	48	31	18	13	15	6	21
Male.....	181	-	1	2	3	34	23	14	6	8	5	13
Female.....	89	2	2	3	1	14	8	4	7	7	1	8
Black, both sexes.....	13	-	1	1	-	-	2	3	2	2	-	-
Male.....	10	-	1	1	-	-	2	2	2	2	-	-
Female.....	3	-	-	-	-	-	-	1	-	-	-	-
American Indian 1/, both sexes.....	6	-	-	-	1	1	2	-	-	1	-	-
Male.....	6	-	-	-	1	1	2	-	-	1	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	1	-	-	-	-	-	-

Nevada

All races, both sexes.....	466	4	6	4	9	46	53	40	38	35	37	32
Male.....	322	1	3	2	3	33	40	31	34	29	25	23
Female.....	144	3	3	2	6	13	13	9	4	6	12	9
White, both sexes.....	400	3	6	-	9	41	45	35	35	26	32	28
Male.....	284	1	3	-	3	28	34	27	31	23	23	20
Female.....	116	2	3	-	6	13	11	8	4	3	9	8
Black, both sexes.....	33	1	-	2	-	3	3	3	1	6	4	2
Male.....	18	-	-	1	-	3	2	2	1	4	2	2
Female.....	15	1	-	1	-	-	1	1	-	2	2	-
American Indian 1/, both sexes.....	9	-	-	1	-	2	-	-	1	2	-	-
Male.....	8	-	-	1	-	2	-	-	1	1	-	-
Female.....	1	-	-	-	-	-	-	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	24	-	-	1	-	-	5	2	1	1	1	2
Male.....	12	-	-	-	-	-	4	2	1	1	-	1
Female.....	12	-	-	1	-	-	1	-	-	-	1	1

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Transport accidents (V01-V99,Y85)

New Hampshire

All races, both sexes.....	135	-	-	2	-	16	16	7	7	7	12	11
Male.....	92	-	-	2	-	12	13	6	4	3	9	9
Female.....	43	-	-	-	-	4	3	1	3	4	3	2
White, both sexes.....	132	-	-	2	-	16	15	7	7	7	12	10
Male.....	89	-	-	2	-	12	12	6	4	3	9	8
Female.....	43	-	-	-	-	4	3	1	3	4	3	2
Black, both sexes.....	3	-	-	-	-	-	1	-	-	-	-	1
Male.....	3	-	-	-	-	-	1	-	-	-	-	1
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New Jersey

All races, both sexes.....	856	1	7	7	10	90	107	87	67	56	58	60
Male.....	592	-	4	2	6	59	87	63	53	45	43	42
Female.....	264	1	3	5	4	31	20	24	14	11	15	18
White, both sexes.....	699	1	6	6	8	74	87	67	50	42	52	45
Male.....	482	-	3	1	4	49	71	48	41	33	39	33
Female.....	217	1	3	5	4	25	16	19	9	9	13	12
Black, both sexes.....	124	-	1	-	1	12	18	18	16	13	5	12
Male.....	89	-	1	-	1	9	14	14	11	11	3	7
Female.....	35	-	-	-	-	3	4	4	5	2	2	5
American Indian 1/, both sexes.....	3	-	-	-	-	-	-	1	-	-	-	1
Male.....	2	-	-	-	-	-	-	-	-	-	-	1
Female.....	1	-	-	-	-	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	30	-	-	1	1	4	2	1	1	1	1	2
Male.....	19	-	-	1	1	1	2	1	1	1	1	1
Female.....	11	-	-	-	-	3	-	-	-	-	-	1

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Transport accidents (V01-V99,Y85)

New Mexico

All races, both sexes.....	491	3	8	11	9	46	66	43	41	38	42	45
Male.....	329	2	5	5	5	26	45	32	31	28	33	30
Female.....	162	1	3	6	4	20	21	11	10	10	9	15
White, both sexes.....	395	2	6	10	8	41	44	31	31	31	33	38
Male.....	263	1	4	5	5	22	30	23	22	25	26	27
Female.....	132	1	2	5	3	19	14	8	9	6	7	11
Black, both sexes.....	8	-	1	-	-	1	1	1	1	-	1	-
Male.....	5	-	-	-	-	-	1	1	1	-	1	-
Female.....	3	-	1	-	-	1	-	-	-	-	-	-
American Indian 1/, both sexes.....	83	1	1	1	1	4	19	11	8	6	7	7
Male.....	59	1	1	-	-	4	13	8	7	3	6	3
Female.....	24	-	-	1	1	-	6	3	1	3	1	4
Asian or Pacific Islander 2/, both sexes.....	5	-	-	-	-	-	2	-	1	1	1	-
Male.....	2	-	-	-	-	-	1	-	1	-	-	-
Female.....	3	-	-	-	-	-	1	-	-	1	1	-

New York

All races, both sexes.....	1,731	2	12	18	27	161	230	153	110	100	146	104
Male.....	1,219	1	6	8	20	109	186	125	89	74	111	81
Female.....	512	1	6	10	7	52	44	28	21	26	35	23
White, both sexes.....	1,421	1	10	10	17	141	192	121	85	78	121	81
Male.....	984	1	5	4	12	94	153	100	69	55	91	63
Female.....	437	-	5	6	5	47	39	21	16	23	30	18
Black, both sexes.....	224	1	1	5	7	14	25	25	19	20	20	16
Male.....	172	-	1	3	6	10	22	20	16	18	15	13
Female.....	52	1	-	2	1	4	3	5	3	2	5	3
American Indian 1/, both sexes.....	17	-	-	1	-	-	4	1	3	1	1	2
Male.....	13	-	-	-	-	-	4	1	2	-	1	2
Female.....	4	-	-	1	-	-	-	-	1	1	-	-
Asian or Pacific Islander 2/, both sexes.....	69	-	1	2	3	6	9	6	3	1	4	5
Male.....	50	-	-	1	2	5	7	4	2	1	4	3
Female.....	19	-	1	1	1	1	2	2	1	-	-	2

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Transport accidents (V01-V99,Y85)

Oregon

All races, both sexes.....	559	1	11	9	6	55	69	41	32	28	42	46
Male.....	395	1	4	6	1	33	53	33	21	21	30	30
Female.....	164	-	7	3	5	22	16	8	11	7	12	16
White, both sexes.....	525	1	11	6	6	52	66	38	31	24	39	38
Male.....	368	1	4	4	1	30	50	30	21	18	27	23
Female.....	157	-	7	2	5	22	16	8	10	6	12	15
Black, both sexes.....	6	-	-	-	-	-	-	-	-	2	-	3
Male.....	4	-	-	-	-	-	-	-	-	1	-	3
Female.....	2	-	-	-	-	-	-	-	-	1	-	-
American Indian 1/, both sexes.....	15	-	-	2	-	1	2	2	1	-	2	2
Male.....	12	-	-	1	-	1	2	2	-	-	2	2
Female.....	3	-	-	1	-	-	-	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	13	-	-	1	-	2	1	1	-	2	1	3
Male.....	11	-	-	1	-	2	1	1	-	2	1	2
Female.....	2	-	-	-	-	-	-	-	-	-	-	1

Pennsylvania

All races, both sexes.....	1,711	3	18	23	25	169	218	146	101	142	126	135
Male.....	1,179	1	8	18	18	119	168	114	79	100	93	101
Female.....	532	2	10	5	7	50	50	32	22	42	33	34
White, both sexes.....	1,558	2	12	18	21	158	203	131	88	125	115	120
Male.....	1,070	1	3	14	16	109	155	105	68	88	84	90
Female.....	488	1	9	4	5	49	48	26	20	37	31	30
Black, both sexes.....	123	1	5	5	4	10	12	10	10	14	9	14
Male.....	88	-	4	4	2	9	10	6	8	11	7	11
Female.....	35	1	1	1	2	1	2	4	2	3	2	3
American Indian 1/, both sexes.....	3	-	-	-	-	-	1	-	-	-	-	-
Male.....	2	-	-	-	-	-	1	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	27	-	1	-	-	1	2	5	3	3	2	1
Male.....	19	-	1	-	-	1	2	3	3	1	2	-
Female.....	8	-	-	-	-	-	-	2	-	2	-	1

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Transport accidents (V01-V99,Y85)

Rhode Island

All races, both sexes.....	94	-	-	-	2	11	18	9	2	5	4	11
Male.....	69	-	-	-	1	9	12	8	2	4	3	11
Female.....	25	-	-	-	1	2	6	1	-	1	1	-
White, both sexes.....	88	-	-	-	2	10	16	9	2	5	4	11
Male.....	64	-	-	-	1	8	10	8	2	4	3	11
Female.....	24	-	-	-	1	2	6	1	-	1	1	-
Black, both sexes.....	6	-	-	-	-	1	2	-	-	-	-	-
Male.....	5	-	-	-	-	1	2	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

South Carolina

All races, both sexes.....	1,079	1	11	10	23	104	141	107	84	89	89	98
Male.....	800	1	7	5	13	69	115	89	71	65	68	77
Female.....	279	-	4	5	10	35	26	18	13	24	21	21
White, both sexes.....	738	-	5	8	14	77	92	79	46	68	61	61
Male.....	537	-	2	3	9	49	73	69	38	49	46	50
Female.....	201	-	3	5	5	28	19	10	8	19	15	11
Black, both sexes.....	330	1	6	2	9	25	47	27	38	18	28	36
Male.....	254	1	5	2	4	18	40	19	33	14	22	27
Female.....	76	-	1	-	5	7	7	8	5	4	6	9
American Indian 1/, both sexes.....	2	-	-	-	-	-	-	-	-	-	-	-
Male.....	2	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	9	-	-	-	-	2	2	1	-	3	-	1
Male.....	7	-	-	-	-	2	2	1	-	2	-	-
Female.....	2	-	-	-	-	-	-	-	-	1	-	1

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Transport accidents (V01-V99,Y85)

South Dakota

All races, both sexes.....	202	1	-	1	2	25	24	19	14	10	19	18
Male.....	139	1	-	1	1	16	21	13	10	8	11	12
Female.....	63	-	-	-	1	9	3	6	4	2	8	6
White, both sexes.....	145	-	-	1	1	20	13	10	8	6	8	18
Male.....	99	-	-	1	-	12	12	8	7	5	5	12
Female.....	46	-	-	-	1	8	1	2	1	1	3	6
Black, both sexes.....	2	-	-	-	-	-	1	-	-	-	1	-
Male.....	2	-	-	-	-	-	1	-	-	-	1	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	54	1	-	-	1	5	10	9	6	4	10	-
Male.....	38	1	-	-	1	4	8	5	3	3	5	-
Female.....	16	-	-	-	-	1	2	4	3	1	5	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-

Tennessee

All races, both sexes.....	1,432	5	20	14	30	166	175	116	102	113	118	128
Male.....	962	2	12	9	15	109	137	81	73	74	81	97
Female.....	470	3	8	5	15	57	38	35	29	39	37	31
White, both sexes.....	1,222	2	13	8	26	144	151	95	81	94	102	110
Male.....	814	1	8	5	12	94	119	65	58	60	69	82
Female.....	408	1	5	3	14	50	32	30	23	34	33	28
Black, both sexes.....	194	3	6	5	3	21	21	19	21	19	15	17
Male.....	140	1	3	4	2	15	15	14	15	14	12	14
Female.....	54	2	3	1	1	6	6	5	6	5	3	3
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	1	-	-	-	-
Male.....	1	-	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	15	-	1	1	1	1	3	1	-	-	1	1
Male.....	7	-	1	-	1	-	3	1	-	-	-	1
Female.....	8	-	-	1	-	1	-	-	-	-	1	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Transport accidents (V01-V99,Y85)

Vermont

All races, both sexes.....	98	-	1	-	2	9	12	9	5	4	8	7
Male.....	73	-	-	-	2	4	10	7	5	3	6	5
Female.....	25	-	1	-	-	5	2	2	-	1	2	2
White, both sexes.....	97	-	1	-	2	9	11	9	5	4	8	7
Male.....	72	-	-	-	2	4	9	7	5	3	6	5
Female.....	25	-	1	-	-	5	2	2	-	1	2	2
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	1	-	-	-	-	-
Male.....	1	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Virginia

All races, both sexes.....	1,045	2	10	9	19	126	162	83	67	58	71	87
Male.....	744	1	6	7	10	83	128	65	53	41	49	67
Female.....	301	1	4	2	9	43	34	18	14	17	22	20
White, both sexes.....	817	2	7	4	14	98	138	60	54	44	57	61
Male.....	577	1	3	3	6	64	110	50	41	31	38	46
Female.....	240	1	4	1	8	34	28	10	13	13	19	15
Black, both sexes.....	205	-	3	2	4	26	23	22	12	14	14	20
Male.....	152	-	3	2	3	17	17	15	11	10	11	17
Female.....	53	-	-	-	1	9	6	7	1	4	3	3
American Indian 1/, both sexes.....	1	-	-	-	-	-	1	-	-	-	-	-
Male.....	1	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	22	-	-	3	1	2	-	1	1	-	-	6
Male.....	14	-	-	2	1	2	-	-	1	-	-	4
Female.....	8	-	-	1	-	-	-	1	-	-	-	2

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Transport accidents (V01-V99,Y85)

Alaska

All races, both sexes.....	8	12	6	4	5	1	-	-	1	-	-	-
Male.....	4	9	5	4	3	1	-	-	1	-	-	-
Female.....	4	3	1	-	2	-	-	-	-	-	-	-
White, both sexes.....	6	8	5	2	3	1	-	-	1	-	-	-
Male.....	3	6	4	2	1	1	-	-	1	-	-	-
Female.....	3	2	1	-	2	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	2	4	1	2	2	-	-	-	-	-	-	-
Male.....	1	3	1	2	2	-	-	-	-	-	-	-
Female.....	1	1	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Arizona

All races, both sexes.....	112	85	67	47	38	43	41	22	5	2	-	6
Male.....	80	58	39	33	24	26	15	15	3	1	-	5
Female.....	32	27	28	14	14	17	26	7	2	1	-	1
White, both sexes.....	99	67	57	46	33	39	37	22	5	2	-	5
Male.....	71	46	33	33	21	24	14	15	3	1	-	5
Female.....	28	21	24	13	12	15	23	7	2	1	-	-
Black, both sexes.....	2	7	1	1	-	1	-	-	-	-	-	-
Male.....	2	5	-	-	-	1	-	-	-	-	-	-
Female.....	-	2	1	1	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	11	10	9	-	4	3	3	-	-	-	-	1
Male.....	7	7	6	-	2	1	1	-	-	-	-	-
Female.....	4	3	3	-	2	2	2	-	-	-	-	1
Asian or Pacific Islander 2/, both sexes.....	-	1	-	-	1	-	1	-	-	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	1	-	-	-	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Transport accidents (V01-V99,Y85)

Arkansas

All races, both sexes.....	47	47	38	26	21	19	21	9	3	-	-	-
Male.....	29	31	31	14	15	12	15	5	2	-	-	-
Female.....	18	16	7	12	6	7	6	4	1	-	-	-
White, both sexes.....	43	38	33	23	18	16	20	8	3	-	-	-
Male.....	27	26	26	13	13	10	14	4	2	-	-	-
Female.....	16	12	7	10	5	6	6	4	1	-	-	-
Black, both sexes.....	3	8	3	2	2	3	1	1	-	-	-	-
Male.....	1	5	3	-	1	2	1	1	-	-	-	-
Female.....	2	3	-	2	1	1	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	2	1	-	-	-	-	-	-	-	-
Male.....	-	-	2	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	1	-	-	1	-	-	-	-	-	-	-
Male.....	1	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	1	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	341	320	199	166	121	138	149	68	38	6	-	2
Male.....	270	231	140	111	68	79	81	46	18	4	-	2
Female.....	71	89	59	55	53	59	68	22	20	2	-	-
White, both sexes.....	282	265	163	132	92	110	120	53	37	6	-	2
Male.....	225	194	117	90	53	65	70	36	17	4	-	2
Female.....	57	71	46	42	39	45	50	17	20	2	-	-
Black, both sexes.....	35	29	14	11	7	5	7	5	-	-	-	-
Male.....	29	21	13	7	4	3	3	3	-	-	-	-
Female.....	6	8	1	4	3	2	4	2	-	-	-	-
American Indian 1/, both sexes.....	5	2	3	2	2	1	1	-	-	-	-	-
Male.....	4	1	3	1	1	1	-	-	-	-	-	-
Female.....	1	1	-	1	1	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	19	24	19	21	20	22	21	10	1	-	-	-
Male.....	12	15	7	13	10	10	8	7	1	-	-	-
Female.....	7	9	12	8	10	12	13	3	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Transport accidents (V01-V99,Y85)

Florida

All races, both sexes.....	237	230	176	133	126	140	120	76	31	7	-	1
Male.....	187	171	120	87	76	87	55	44	20	2	-	1
Female.....	50	59	56	46	50	53	65	32	11	5	-	-
White, both sexes.....	199	183	149	115	107	125	115	72	29	7	-	1
Male.....	158	136	101	75	65	78	52	42	18	2	-	1
Female.....	41	47	48	40	42	47	63	30	11	5	-	-
Black, both sexes.....	36	44	23	17	15	15	5	4	2	-	-	-
Male.....	27	33	17	12	9	9	3	2	2	-	-	-
Female.....	9	11	6	5	6	6	2	2	-	-	-	-
American Indian 1/, both sexes.....	2	-	-	-	1	-	-	-	-	-	-	-
Male.....	2	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	3	4	1	3	-	-	-	-	-	-	-
Male.....	-	2	2	-	1	-	-	-	-	-	-	-
Female.....	-	1	2	1	2	-	-	-	-	-	-	-

Georgia

All races, both sexes.....	135	110	68	73	52	52	46	30	7	2	-	-
Male.....	96	82	48	49	31	33	27	25	3	1	-	-
Female.....	39	28	20	24	21	19	19	5	4	1	-	-
White, both sexes.....	99	72	56	58	43	45	40	26	6	1	-	-
Male.....	76	59	41	40	25	29	24	22	2	1	-	-
Female.....	23	13	15	18	18	16	16	4	4	-	-	-
Black, both sexes.....	34	36	11	14	7	7	6	4	1	1	-	-
Male.....	18	23	7	9	6	4	3	3	1	-	-	-
Female.....	16	13	4	5	1	3	3	1	-	1	-	-
American Indian 1/, both sexes.....	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	1	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	1	1	1	2	-	-	-	-	-	-	-
Male.....	2	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	1	1	1	2	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Transport accidents (V01-V99,Y85)

Illinois

All races, both sexes.....	109	92	71	47	45	47	53	35	9	-	1	-
Male.....	76	68	54	33	31	25	33	21	3	-	-	-
Female.....	33	24	17	14	14	22	20	14	6	-	1	-
White, both sexes.....	98	82	64	42	41	43	50	33	8	-	1	-
Male.....	68	61	49	31	27	23	31	20	3	-	-	-
Female.....	30	21	15	11	14	20	19	13	5	-	1	-
Black, both sexes.....	9	9	7	5	4	3	3	1	1	-	-	-
Male.....	6	7	5	2	4	2	2	1	-	-	-	-
Female.....	3	2	2	3	-	1	1	-	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	1	-	-	-	1	-	1	-	-	-	-
Male.....	2	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	1	-	-	-	1	-	1	-	-	-	-

Indiana

All races, both sexes.....	73	53	58	39	19	31	20	24	12	3	-	-
Male.....	50	39	39	29	9	17	14	16	7	1	-	-
Female.....	23	14	19	10	10	14	6	8	5	2	-	-
White, both sexes.....	72	51	55	38	17	30	18	23	12	3	-	-
Male.....	49	38	37	28	8	16	12	16	7	1	-	-
Female.....	23	13	18	10	9	14	6	7	5	2	-	-
Black, both sexes.....	1	2	3	1	2	1	2	-	-	-	-	-
Male.....	1	1	2	1	1	1	2	-	-	-	-	-
Female.....	-	1	1	-	1	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Transport accidents (V01-V99,Y85)

Maine

All races, both sexes.....	11	16	6	12	4	9	11	6	-	-	-	-
Male.....	10	12	5	8	1	3	8	2	-	-	-	-
Female.....	1	4	1	4	3	6	3	4	-	-	-	-
White, both sexes.....	11	16	5	11	4	9	11	6	-	-	-	-
Male.....	10	12	4	7	1	3	8	2	-	-	-	-
Female.....	1	4	1	4	3	6	3	4	-	-	-	-
Black, both sexes.....	-	-	-	1	-	-	-	-	-	-	-	-
Male.....	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Maryland

All races, both sexes.....	47	47	36	32	25	30	30	16	6	2	-	-
Male.....	32	29	23	18	15	18	16	9	2	1	-	-
Female.....	15	18	13	14	10	12	14	7	4	1	-	-
White, both sexes.....	29	36	25	21	18	23	25	14	5	2	-	-
Male.....	19	21	15	11	10	14	13	8	1	1	-	-
Female.....	10	15	10	10	8	9	12	6	4	1	-	-
Black, both sexes.....	15	11	10	10	6	6	3	1	1	-	-	-
Male.....	12	8	7	7	4	4	1	1	1	-	-	-
Female.....	3	3	3	3	2	2	2	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	-	1	1	1	1	2	1	-	-	-	-
Male.....	1	-	1	-	1	-	2	-	-	-	-	-
Female.....	2	-	-	1	-	1	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Transport accidents (V01-V99,Y85)

New Hampshire

All races, both sexes.....	15	7	8	2	4	10	4	4	3	-	-	-
Male.....	12	1	6	1	2	4	2	3	3	-	-	-
Female.....	3	6	2	1	2	6	2	1	-	-	-	-
White, both sexes.....	15	7	8	2	4	10	4	3	3	-	-	-
Male.....	12	1	6	1	2	4	2	2	3	-	-	-
Female.....	3	6	2	1	2	6	2	1	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New Jersey

All races, both sexes.....	62	44	32	28	23	41	41	21	11	2	-	1
Male.....	45	30	19	17	15	22	24	9	5	1	-	1
Female.....	17	14	13	11	8	19	17	12	6	1	-	-
White, both sexes.....	47	34	29	24	19	35	39	21	10	2	-	1
Male.....	34	23	18	16	13	17	23	9	5	1	-	1
Female.....	13	11	11	8	6	18	16	12	5	1	-	-
Black, both sexes.....	12	6	1	3	2	3	-	-	1	-	-	-
Male.....	8	5	-	1	2	2	-	-	-	-	-	-
Female.....	4	1	1	2	-	1	-	-	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	4	2	1	2	2	2	-	-	-	-	-
Male.....	3	2	1	-	-	2	1	-	-	-	-	-
Female.....	-	2	1	1	2	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Transport accidents (V01-V99,Y85)

New Mexico

All races, both sexes.....	32	24	23	17	16	12	9	3	3	-	-	-
Male.....	22	17	12	11	11	6	6	2	-	-	-	-
Female.....	10	7	11	6	5	6	3	1	3	-	-	-
White, both sexes.....	28	20	20	15	14	10	8	3	2	-	-	-
Male.....	19	13	10	9	10	5	5	2	-	-	-	-
Female.....	9	7	10	6	4	5	3	1	2	-	-	-
Black, both sexes.....	-	-	-	-	-	1	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-
American Indian 1/, both sexes.....	4	4	3	2	2	1	-	-	1	-	-	-
Male.....	3	4	2	2	1	1	-	-	-	-	-	-
Female.....	1	-	1	-	1	-	-	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New York

All races, both sexes.....	104	93	87	69	75	82	75	55	26	2	-	-
Male.....	74	67	54	39	53	51	31	25	13	2	-	-
Female.....	30	26	33	30	22	31	44	30	13	-	-	-
White, both sexes.....	83	79	66	59	63	71	65	54	22	2	-	-
Male.....	59	58	40	31	45	43	24	24	11	2	-	-
Female.....	24	21	26	28	18	28	41	30	11	-	-	-
Black, both sexes.....	16	11	15	5	8	6	8	1	1	-	-	-
Male.....	11	6	11	5	5	3	5	1	1	-	-	-
Female.....	5	5	4	-	3	3	3	-	-	-	-	-
American Indian 1/, both sexes.....	2	-	2	-	-	-	-	-	-	-	-	-
Male.....	2	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	1	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	3	4	5	4	5	2	-	3	-	-	-
Male.....	2	3	2	3	3	5	2	-	1	-	-	-
Female.....	1	-	2	2	1	-	-	-	2	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Transport accidents (V01-V99,Y85)

Oregon

All races, both sexes.....	60	44	25	24	22	17	9	14	4	-	-	-
Male.....	47	38	20	17	13	12	5	7	3	-	-	-
Female.....	13	6	5	7	9	5	4	7	1	-	-	-
White, both sexes.....	59	43	25	23	22	14	9	14	4	-	-	-
Male.....	47	37	20	17	13	10	5	7	3	-	-	-
Female.....	12	6	5	6	9	4	4	7	1	-	-	-
Black, both sexes.....	-	-	-	1	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	1	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	1	-	-	-	1	-	-	-	-	-	-
Male.....	-	1	-	-	-	1	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	2	-	-	-	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-

Pennsylvania

All races, both sexes.....	97	87	81	61	68	74	64	52	19	1	1	-
Male.....	72	56	54	40	36	31	32	29	10	-	-	-
Female.....	25	31	27	21	32	43	32	23	9	1	1	-
White, both sexes.....	92	78	73	57	63	67	63	51	19	1	1	-
Male.....	68	51	49	37	33	30	31	28	10	-	-	-
Female.....	24	27	24	20	30	37	32	23	9	1	1	-
Black, both sexes.....	4	7	7	2	5	4	-	-	-	-	-	-
Male.....	3	4	4	2	3	-	-	-	-	-	-	-
Female.....	1	3	3	-	2	4	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	1	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	2	1	2	-	2	1	1	-	-	-	-
Male.....	-	1	1	1	-	1	1	1	-	-	-	-
Female.....	-	1	-	1	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Transport accidents (V01-V99,Y85)

Vermont

All races, both sexes.....	10	3	8	3	6	1	4	3	2	1	-	-
Male.....	7	3	7	3	4	-	4	1	2	-	-	-
Female.....	3	-	1	-	2	1	-	2	-	1	-	-
White, both sexes.....	10	3	8	3	6	1	4	3	2	1	-	-
Male.....	7	3	7	3	4	-	4	1	2	-	-	-
Female.....	3	-	1	-	2	1	-	2	-	1	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Virginia

All races, both sexes.....	78	54	49	40	33	41	34	20	2	-	-	-
Male.....	64	41	36	27	19	21	14	12	-	-	-	-
Female.....	14	13	13	13	14	20	20	8	2	-	-	-
White, both sexes.....	61	42	37	27	28	35	29	17	2	-	-	-
Male.....	50	34	27	18	16	17	12	10	-	-	-	-
Female.....	11	8	10	9	12	18	17	7	2	-	-	-
Black, both sexes.....	16	11	10	12	3	6	5	2	-	-	-	-
Male.....	13	7	8	8	2	4	2	2	-	-	-	-
Female.....	3	4	2	4	1	2	3	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	1	2	1	2	-	-	1	-	-	-	-
Male.....	1	-	1	1	1	-	-	-	-	-	-	-
Female.....	-	1	1	-	1	-	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Railway accidents (V05,V15,V80.6,V81.2-V81.9)

Arkansas

All races, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	10	3	3	2	-	2	1	1	-	-	-	1
Male.....	10	1	3	1	-	1	-	1	-	-	-	1
Female.....	-	2	-	1	-	1	1	-	-	-	-	-
White, both sexes.....	8	1	2	2	-	2	-	1	-	-	-	1
Male.....	8	-	2	1	-	1	-	1	-	-	-	1
Female.....	-	1	-	1	-	1	-	-	-	-	-	-
Black, both sexes.....	2	2	1	-	-	-	-	-	-	-	-	-
Male.....	2	1	1	-	-	-	-	-	-	-	-	-
Female.....	-	1	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Motor vehicle accidents (V02-V04,V09.0,V09.2,V12-V14,V19.0-V19.2,V19.4-V19.6,V20-V79,V80.3-V80.5,V81.0-V81.1,V82.0-V82.1,V83-V86,V87.0-V87.8,V88.0-V88.8,V89.0,V89.2)

United States

All races, both sexes.....	45,316	140	588	577	762	4,939	6,076	4,122	3,226	3,222	3,455	3,578
Male.....	31,633	70	316	324	441	3,304	4,682	3,189	2,439	2,310	2,455	2,614
Female.....	13,683	70	272	253	321	1,635	1,394	933	787	912	1,000	964
White, both sexes.....	37,769	99	426	421	602	4,181	5,091	3,311	2,553	2,631	2,864	2,933
Male.....	26,348	52	224	232	342	2,778	3,946	2,577	1,918	1,879	2,047	2,155
Female.....	11,421	47	202	189	260	1,403	1,145	734	635	752	817	778
Black, both sexes.....	5,660	30	133	122	124	532	718	614	539	461	462	485
Male.....	4,068	15	76	74	75	385	535	470	428	350	329	349
Female.....	1,592	15	57	48	49	147	183	144	111	111	133	136
American Indian 1/, both sexes.....	867	8	13	12	13	120	133	106	71	67	70	76
Male.....	593	2	6	7	8	75	97	78	48	48	42	56
Female.....	274	6	7	5	5	45	36	28	23	19	28	20
Asian or Pacific Islander 2/, both sexes.....	1,020	3	16	22	23	106	134	91	63	63	59	84
Male.....	624	1	10	11	16	66	104	64	45	33	37	54
Female.....	396	2	6	11	7	40	30	27	18	30	22	30

Alabama

All races, both sexes.....	1,224	4	16	21	19	146	175	102	104	103	107	95
Male.....	846	-	7	11	9	85	133	80	73	74	73	72
Female.....	378	4	9	10	10	61	42	22	31	29	34	23
White, both sexes.....	920	2	7	11	14	113	131	71	74	83	82	66
Male.....	636	-	2	8	7	66	103	51	51	60	55	53
Female.....	284	2	5	3	7	47	28	20	23	23	27	13
Black, both sexes.....	288	2	9	10	5	31	40	31	29	17	23	29
Male.....	199	-	5	3	2	17	27	29	22	13	16	19
Female.....	89	2	4	7	3	14	13	2	7	4	7	10
American Indian 1/, both sexes.....	5	-	-	-	-	-	1	-	-	1	2	-
Male.....	3	-	-	-	-	-	-	-	-	-	2	-
Female.....	2	-	-	-	-	-	1	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	11	-	-	-	-	2	3	-	1	2	-	-
Male.....	8	-	-	-	-	2	3	-	-	1	-	-
Female.....	3	-	-	-	-	-	-	-	1	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Motor vehicle accidents (V02-V04,V09.0,V09.2,V12-V14,V19.0-V19.2,V19.4-V19.6,V20-V79,V80.3-V80.5,V81.0-V81.1,V82.0-V82.1,V83-V86,V87.0-V87.8,V88.0-V88.8,V89.0,V89.2)

Alaska

All races, both sexes.....	85	-	1	3	4	9	7	8	6	6	8	3
Male.....	60	-	-	2	3	5	5	6	6	6	5	1
Female.....	25	-	1	1	1	4	2	2	-	-	3	2
White, both sexes.....	58	-	1	2	1	6	5	6	5	3	6	2
Male.....	38	-	-	1	1	4	3	4	5	3	4	-
Female.....	20	-	1	1	-	2	2	2	-	-	2	2
Black, both sexes.....	3	-	-	-	-	-	-	1	1	1	-	-
Male.....	3	-	-	-	-	-	-	1	1	1	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	23	-	-	1	3	3	1	1	-	2	2	1
Male.....	18	-	-	1	2	1	1	1	-	2	1	1
Female.....	5	-	-	-	1	2	-	-	-	-	1	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	1	-	-	-	-	-
Male.....	1	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Arizona

All races, both sexes.....	1,323	2	28	17	12	155	146	150	87	99	95	110
Male.....	898	1	12	10	8	98	104	117	62	70	71	81
Female.....	425	1	16	7	4	57	42	33	25	29	24	29
White, both sexes.....	1,095	1	23	15	11	123	124	119	64	78	79	88
Male.....	745	1	10	9	7	77	87	92	48	54	62	63
Female.....	350	-	13	6	4	46	37	27	16	24	17	25
Black, both sexes.....	38	1	-	1	1	6	4	3	4	2	3	2
Male.....	29	-	-	1	1	6	4	2	3	1	3	1
Female.....	9	1	-	-	-	-	-	1	1	1	-	1
American Indian 1/, both sexes.....	182	-	5	1	-	25	17	27	19	18	12	20
Male.....	120	-	2	-	-	15	12	22	11	15	5	17
Female.....	62	-	3	1	-	10	5	5	8	3	7	3
Asian or Pacific Islander 2/, both sexes.....	8	-	-	-	-	1	1	1	-	1	1	-
Male.....	4	-	-	-	-	-	1	1	-	-	1	-
Female.....	4	-	-	-	-	1	-	-	-	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Motor vehicle accidents (V02-V04,V09.0,V09.2,V12-V14,V19.0-V19.2,V19.4-V19.6,V20-V79,V80.3-V80.5,V81.0-V81.1,V82.0-V82.1,V83-V86,V87.0-V87.8,V88.0-V88.8,V89.0,V89.2)

Arkansas

All races, both sexes.....	729	5	14	14	10	92	101	55	59	57	58	46
Male.....	506	4	9	7	7	57	80	35	46	38	42	38
Female.....	223	1	5	7	3	35	21	20	13	19	16	8
White, both sexes.....	620	4	9	12	9	82	83	47	49	47	47	40
Male.....	425	3	4	6	6	49	65	31	39	30	33	34
Female.....	195	1	5	6	3	33	18	16	10	17	14	6
Black, both sexes.....	99	1	4	2	1	9	18	7	8	10	11	5
Male.....	73	1	4	1	1	7	15	4	5	8	9	4
Female.....	26	-	-	1	-	2	3	3	3	2	2	1
American Indian 1/, both sexes.....	4	-	-	-	-	-	-	-	1	-	-	1
Male.....	3	-	-	-	-	-	-	-	1	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	1
Asian or Pacific Islander 2/, both sexes.....	6	-	1	-	-	1	-	1	1	-	-	-
Male.....	5	-	1	-	-	1	-	-	1	-	-	-
Female.....	1	-	-	-	-	-	-	1	-	-	-	-

California

All races, both sexes.....	4,464	13	67	65	81	489	641	402	315	296	355	384
Male.....	3,207	8	36	39	43	351	501	322	238	214	272	277
Female.....	1,257	5	31	26	38	138	140	80	77	82	83	107
White, both sexes.....	3,733	12	50	51	64	432	543	333	275	255	304	311
Male.....	2,725	8	28	31	34	314	430	271	207	187	235	229
Female.....	1,008	4	22	20	30	118	113	62	68	68	69	82
Black, both sexes.....	325	1	11	9	8	22	48	32	17	22	27	31
Male.....	236	-	5	6	4	17	32	26	15	18	22	19
Female.....	89	1	6	3	4	5	16	6	2	4	5	12
American Indian 1/, both sexes.....	48	-	2	1	2	5	3	4	3	1	8	6
Male.....	35	-	1	-	1	4	2	2	3	1	6	6
Female.....	13	-	1	1	1	1	1	2	-	-	2	-
Asian or Pacific Islander 2/, both sexes.....	358	-	4	4	7	30	47	33	20	18	16	36
Male.....	211	-	2	2	4	16	37	23	13	8	9	23
Female.....	147	-	2	2	3	14	10	10	7	10	7	13

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Motor vehicle accidents (V02-V04,V09.0,V09.2,V12-V14,V19.0-V19.2,V19.4-V19.6,V20-V79,V80.3-V80.5,V81.0-V81.1,V82.0-V82.1,V83-V86,V87.0-V87.8,V88.0-V88.8,V89.0,V89.2)

Colorado

All races, both sexes.....	591	5	12	6	8	67	74	53	53	36	46	46
Male.....	398	1	7	4	5	44	53	37	43	25	31	33
Female.....	193	4	5	2	3	23	21	16	10	11	15	13
White, both sexes.....	544	4	11	5	7	61	69	48	49	30	44	41
Male.....	368	1	6	3	4	40	50	33	39	22	31	31
Female.....	176	3	5	2	3	21	19	15	10	8	13	10
Black, both sexes.....	22	-	-	1	-	5	2	2	3	2	-	2
Male.....	17	-	-	1	-	3	1	2	3	2	-	1
Female.....	5	-	-	-	-	2	1	-	-	-	-	1
American Indian 1/, both sexes.....	13	-	-	-	-	1	1	3	1	1	2	2
Male.....	5	-	-	-	-	1	-	2	1	-	-	-
Female.....	8	-	-	-	-	-	1	1	-	1	2	2
Asian or Pacific Islander 2/, both sexes.....	12	1	1	-	1	-	2	-	-	3	-	1
Male.....	8	-	1	-	1	-	2	-	-	1	-	1
Female.....	4	1	-	-	-	-	-	-	-	2	-	-

Connecticut

All races, both sexes.....	363	1	1	1	2	40	62	34	17	32	27	29
Male.....	264	1	-	1	1	31	50	29	10	28	19	21
Female.....	99	-	1	-	1	9	12	5	7	4	8	8
White, both sexes.....	319	1	-	-	2	32	51	30	17	27	25	26
Male.....	233	1	-	-	1	26	41	26	10	24	18	19
Female.....	86	-	-	-	1	6	10	4	7	3	7	7
Black, both sexes.....	33	-	-	1	-	7	8	3	-	3	2	3
Male.....	24	-	-	1	-	5	6	3	-	2	1	2
Female.....	9	-	-	-	-	2	2	-	-	1	1	1
American Indian 1/, both sexes.....	3	-	-	-	-	-	2	-	-	1	-	-
Male.....	3	-	-	-	-	-	2	-	-	1	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	8	-	1	-	-	1	1	1	-	1	-	-
Male.....	4	-	-	-	-	-	1	-	-	1	-	-
Female.....	4	-	1	-	-	1	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Motor vehicle accidents (V02-V04,V09.0,V09.2,V12-V14,V19.0-V19.2,V19.4-V19.6,V20-V79,V80.3-V80.5,V81.0-V81.1,V82.0-V82.1,V83-V86,V87.0-V87.8,V88.0-V88.8,V89.0,V89.2)

Florida

All races, both sexes.....	3,466	4	35	31	50	323	510	313	253	240	274	269
Male.....	2,507	2	22	18	23	241	408	243	204	179	199	199
Female.....	959	2	13	13	27	82	102	70	49	61	75	70
White, both sexes.....	2,876	3	24	17	38	256	439	259	199	202	223	213
Male.....	2,093	1	17	7	17	190	355	204	161	152	169	161
Female.....	783	2	7	10	21	66	84	55	38	50	54	52
Black, both sexes.....	546	1	11	14	12	60	67	52	49	35	45	53
Male.....	386	1	5	11	6	47	50	39	39	25	26	35
Female.....	160	-	6	3	6	13	17	13	10	10	19	18
American Indian 1/, both sexes.....	12	-	-	-	-	1	1	-	2	-	2	3
Male.....	10	-	-	-	-	1	1	-	1	-	1	3
Female.....	2	-	-	-	-	-	-	-	1	-	1	-
Asian or Pacific Islander 2/, both sexes.....	32	-	-	-	-	6	3	2	3	3	4	-
Male.....	18	-	-	-	-	3	2	-	3	2	3	-
Female.....	14	-	-	-	-	3	1	2	-	1	1	-

Georgia

All races, both sexes.....	1,751	7	27	22	19	181	240	177	142	113	145	137
Male.....	1,228	4	20	12	11	133	177	134	98	75	93	107
Female.....	523	3	7	10	8	48	63	43	44	38	52	30
White, both sexes.....	1,270	2	19	15	12	137	180	124	83	72	104	103
Male.....	909	-	13	8	8	96	140	98	50	51	70	80
Female.....	361	2	6	7	4	41	40	26	33	21	34	23
Black, both sexes.....	454	5	8	7	6	38	56	52	56	39	40	33
Male.....	301	4	7	4	2	31	34	35	46	23	22	26
Female.....	153	1	1	3	4	7	22	17	10	16	18	7
American Indian 1/, both sexes.....	5	-	-	-	-	1	1	-	1	-	-	1
Male.....	4	-	-	-	-	1	1	-	1	-	-	1
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	22	-	-	-	1	5	3	1	2	2	1	-
Male.....	14	-	-	-	1	5	2	1	1	1	1	-
Female.....	8	-	-	-	-	-	1	-	1	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Motor vehicle accidents (V02-V04,V09.0,V09.2,V12-V14,V19.0-V19.2,V19.4-V19.6,V20-V79,V80.3-V80.5,V81.0-V81.1,V82.0-V82.1,V83-V86,V87.0-V87.8,V88.0-V88.8,V89.0,V89.2)

Illinois

All races, both sexes.....	1,416	9	15	15	19	167	170	138	77	113	100	117
Male.....	980	7	6	10	9	110	124	101	58	77	72	88
Female.....	436	2	9	5	10	57	46	37	19	36	28	29
White, both sexes.....	1,200	7	12	9	15	147	129	109	62	91	87	99
Male.....	830	7	4	4	6	99	95	80	46	63	60	77
Female.....	370	-	8	5	9	48	34	29	16	28	27	22
Black, both sexes.....	198	2	3	6	3	16	37	28	14	19	13	18
Male.....	145	-	2	6	3	10	28	21	12	13	12	11
Female.....	53	2	1	-	-	6	9	7	2	6	1	7
American Indian 1/, both sexes.....	2	-	-	-	-	1	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	1	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	16	-	-	-	1	3	4	-	1	3	-	-
Male.....	5	-	-	-	-	1	1	-	-	1	-	-
Female.....	11	-	-	-	1	2	3	-	1	2	-	-

Indiana

All races, both sexes.....	954	2	13	16	17	114	119	78	62	82	72	64
Male.....	656	1	8	6	13	64	87	60	48	62	49	51
Female.....	298	1	5	10	4	50	32	18	14	20	23	13
White, both sexes.....	893	2	11	14	13	108	109	74	55	76	68	61
Male.....	614	1	8	6	10	61	78	56	42	57	47	50
Female.....	279	1	3	8	3	47	31	18	13	19	21	11
Black, both sexes.....	55	-	2	2	4	6	7	4	6	5	4	3
Male.....	38	-	-	-	3	3	6	4	6	4	2	1
Female.....	17	-	2	2	1	3	1	-	-	1	2	2
American Indian 1/, both sexes.....	2	-	-	-	-	-	1	-	-	1	-	-
Male.....	2	-	-	-	-	-	1	-	-	1	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	4	-	-	-	-	-	2	-	1	-	-	-
Male.....	2	-	-	-	-	-	2	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	-	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Motor vehicle accidents (V02-V04,V09.0,V09.2,V12-V14,V19.0-V19.2,V19.4-V19.6,V20-V79,V80.3-V80.5,V81.0-V81.1,V82.0-V82.1,V83-V86,V87.0-V87.8,V88.0-V88.8,V89.0,V89.2)

Kentucky

All races, both sexes.....	932	-	14	9	17	95	121	93	70	74	64	73
Male.....	642	-	5	6	11	60	96	70	51	44	45	46
Female.....	290	-	9	3	6	35	25	23	19	30	19	27
White, both sexes.....	880	-	11	8	11	93	110	87	63	69	62	70
Male.....	605	-	4	6	7	59	86	65	47	41	43	44
Female.....	275	-	7	2	4	34	24	22	16	28	19	26
Black, both sexes.....	52	-	3	1	6	2	11	6	7	5	2	3
Male.....	37	-	1	-	4	1	10	5	4	3	2	2
Female.....	15	-	2	1	2	1	1	1	3	2	-	1
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Louisiana

All races, both sexes.....	1,017	4	8	19	17	88	143	122	95	69	86	90
Male.....	715	4	5	10	8	58	103	93	69	50	67	65
Female.....	302	-	3	9	9	30	40	29	26	19	19	25
White, both sexes.....	686	1	4	13	8	61	106	74	54	53	64	56
Male.....	489	1	2	7	4	41	77	61	37	38	50	39
Female.....	197	-	2	6	4	20	29	13	17	15	14	17
Black, both sexes.....	316	3	4	6	8	26	36	43	39	15	20	33
Male.....	213	3	3	3	4	16	25	27	30	11	15	25
Female.....	103	-	1	3	4	10	11	16	9	4	5	8
American Indian 1/, both sexes.....	8	-	-	-	-	1	-	4	1	1	1	-
Male.....	8	-	-	-	-	1	-	4	1	1	1	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	7	-	-	-	1	-	1	1	1	-	1	1
Male.....	5	-	-	-	-	-	1	1	1	-	1	1
Female.....	2	-	-	-	1	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Motor vehicle accidents (V02-V04,V09.0,V09.2,V12-V14,V19.0-V19.2,V19.4-V19.6,V20-V79,V80.3-V80.5,V81.0-V81.1,V82.0-V82.1,V83-V86,V87.0-V87.8,V88.0-V88.8,V89.0,V89.2)												

Massachusetts

All races, both sexes.....	487	-	2	1	9	47	78	41	26	26	32	27
Male.....	343	-	1	1	7	29	60	34	22	23	24	19
Female.....	144	-	1	-	2	18	18	7	4	3	8	8
White, both sexes.....	438	-	1	1	6	41	68	34	24	25	31	22
Male.....	306	-	1	1	5	24	50	28	20	22	23	17
Female.....	132	-	-	-	1	17	18	6	4	3	8	5
Black, both sexes.....	36	-	1	-	2	6	9	3	2	1	1	2
Male.....	29	-	-	-	1	5	9	3	2	1	1	1
Female.....	7	-	1	-	1	1	-	-	-	-	-	1
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	1	-	-	-	-
Male.....	1	-	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	12	-	-	-	1	-	1	3	-	-	-	3
Male.....	7	-	-	-	1	-	1	2	-	-	-	1
Female.....	5	-	-	-	-	-	-	1	-	-	-	2

Michigan

All races, both sexes.....	1,176	2	14	14	20	105	149	97	79	88	96	87
Male.....	828	-	5	9	13	76	106	75	57	64	67	67
Female.....	348	2	9	5	7	29	43	22	22	24	29	20
White, both sexes.....	998	2	13	10	18	80	127	83	62	67	84	68
Male.....	695	-	5	7	11	55	92	64	43	49	59	54
Female.....	303	2	8	3	7	25	35	19	19	18	25	14
Black, both sexes.....	157	-	1	2	2	22	18	13	17	18	8	18
Male.....	121	-	-	1	2	18	12	10	14	14	6	12
Female.....	36	-	1	-	-	4	6	3	3	4	2	6
American Indian 1/, both sexes.....	7	-	-	-	-	-	2	1	-	1	2	1
Male.....	5	-	-	-	-	-	1	1	-	-	2	1
Female.....	2	-	-	-	-	-	1	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	14	-	-	2	-	3	2	-	-	2	2	-
Male.....	7	-	-	1	-	3	1	-	-	1	-	-
Female.....	7	-	-	1	-	-	1	-	-	1	2	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Motor vehicle accidents (V02-V04,V09.0,V09.2,V12-V14,V19.0-V19.2,V19.4-V19.6,V20-V79,V80.3-V80.5,V81.0-V81.1,V82.0-V82.1,V83-V86,V87.0-V87.8,V88.0-V88.8,V89.0,V89.2)

Nebraska

All races, both sexes.....	270	2	3	6	4	48	33	21	14	17	6	19
Male.....	181	-	1	3	3	35	25	16	8	10	5	11
Female.....	89	2	2	3	1	13	8	5	6	7	1	8
White, both sexes.....	250	2	2	5	3	46	29	18	12	14	6	19
Male.....	165	-	-	2	2	34	21	14	6	7	5	11
Female.....	85	2	2	3	1	12	8	4	6	7	1	8
Black, both sexes.....	13	-	1	1	-	-	2	3	2	2	-	-
Male.....	10	-	1	1	-	-	2	2	2	2	-	-
Female.....	3	-	-	-	-	-	-	1	-	-	-	-
American Indian 1/, both sexes.....	6	-	-	-	1	1	2	-	-	1	-	-
Male.....	6	-	-	-	1	1	2	-	-	1	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	1	-	-	-	-	-	-

Nevada

All races, both sexes.....	442	4	6	4	9	45	49	40	37	34	35	27
Male.....	304	1	3	2	3	32	36	31	33	28	23	19
Female.....	138	3	3	2	6	13	13	9	4	6	12	8
White, both sexes.....	377	3	6	-	9	40	41	35	34	25	30	24
Male.....	267	1	3	-	3	27	30	27	30	22	21	17
Female.....	110	2	3	-	6	13	11	8	4	3	9	7
Black, both sexes.....	32	1	-	2	-	3	3	3	1	6	4	1
Male.....	17	-	-	1	-	3	2	2	1	4	2	1
Female.....	15	1	-	1	-	-	1	1	-	2	2	-
American Indian 1/, both sexes.....	9	-	-	1	-	2	-	-	1	2	-	-
Male.....	8	-	-	1	-	2	-	-	1	1	-	-
Female.....	1	-	-	-	-	-	-	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	24	-	-	1	-	-	5	2	1	1	1	2
Male.....	12	-	-	-	-	-	4	2	1	1	-	1
Female.....	12	-	-	1	-	-	1	-	-	-	1	1

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Motor vehicle accidents (V02-V04,V09.0,V09.2,V12-V14,V19.0-V19.2,V19.4-V19.6,V20-V79,V80.3-V80.5,V81.0-V81.1,V82.0-V82.1,V83-V86,V87.0-V87.8,V88.0-V88.8,V89.0,V89.2)

New Hampshire

All races, both sexes.....	129	-	-	2	-	16	16	7	7	7	11	11
Male.....	87	-	-	2	-	12	13	6	4	3	8	9
Female.....	42	-	-	-	-	4	3	1	3	4	3	2
White, both sexes.....	126	-	-	2	-	16	15	7	7	7	11	10
Male.....	84	-	-	2	-	12	12	6	4	3	8	8
Female.....	42	-	-	-	-	4	3	1	3	4	3	2
Black, both sexes.....	3	-	-	-	-	-	1	-	-	-	-	1
Male.....	3	-	-	-	-	-	1	-	-	-	-	1
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New Jersey

All races, both sexes.....	774	1	6	4	10	86	99	81	63	53	47	51
Male.....	539	-	4	1	6	57	81	58	49	43	37	35
Female.....	235	1	2	3	4	29	18	23	14	10	10	16
White, both sexes.....	623	1	5	3	8	70	81	62	46	40	41	37
Male.....	433	-	3	-	4	47	67	44	37	31	33	26
Female.....	190	1	2	3	4	23	14	18	9	9	8	11
Black, both sexes.....	120	-	1	-	1	12	17	18	16	12	5	11
Male.....	87	-	1	-	1	9	13	14	11	11	3	7
Female.....	33	-	-	-	-	3	4	4	5	1	2	4
American Indian 1/, both sexes.....	3	-	-	-	-	-	-	1	-	-	-	1
Male.....	2	-	-	-	-	-	-	-	-	-	-	1
Female.....	1	-	-	-	-	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	28	-	-	1	1	4	1	-	1	1	1	2
Male.....	17	-	-	1	1	1	1	-	1	1	1	1
Female.....	11	-	-	-	-	3	-	-	-	-	-	1

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Motor vehicle accidents (V02-V04,V09.0,V09.2,V12-V14,V19.0-V19.2,V19.4-V19.6,V20-V79,V80.3-V80.5,V81.0-V81.1,V82.0-V82.1,V83-V86,V87.0-V87.8,V88.0-V88.8,V89.0,V89.2)

New Mexico

All races, both sexes.....	469	3	7	10	9	46	66	43	41	37	39	38
Male.....	312	2	4	5	5	26	45	32	31	27	30	24
Female.....	157	1	3	5	4	20	21	11	10	10	9	14
White, both sexes.....	376	2	6	9	8	41	44	31	31	30	32	31
Male.....	249	1	4	5	5	22	30	23	22	24	25	21
Female.....	127	1	2	4	3	19	14	8	9	6	7	10
Black, both sexes.....	8	-	1	-	-	1	1	1	1	-	1	-
Male.....	5	-	-	-	-	-	1	1	1	-	1	-
Female.....	3	-	1	-	-	1	-	-	-	-	-	-
American Indian 1/, both sexes.....	80	1	-	1	1	4	19	11	8	6	5	7
Male.....	56	1	-	-	-	4	13	8	7	3	4	3
Female.....	24	-	-	1	1	-	6	3	1	3	1	4
Asian or Pacific Islander 2/, both sexes.....	5	-	-	-	-	-	2	-	1	1	1	-
Male.....	2	-	-	-	-	-	1	-	1	-	-	-
Female.....	3	-	-	-	-	-	1	-	-	1	1	-

New York

All races, both sexes.....	1,599	2	12	18	24	155	212	148	106	94	127	90
Male.....	1,112	1	6	8	17	103	169	121	85	69	97	71
Female.....	487	1	6	10	7	52	43	27	21	25	30	19
White, both sexes.....	1,320	1	10	10	14	136	176	119	82	73	108	71
Male.....	902	1	5	4	9	89	138	98	66	51	80	56
Female.....	418	-	5	6	5	47	38	21	16	22	28	15
Black, both sexes.....	204	1	1	5	7	14	24	23	18	19	14	13
Male.....	157	-	1	3	6	10	21	19	15	17	12	11
Female.....	47	1	-	2	1	4	3	4	3	2	2	2
American Indian 1/, both sexes.....	14	-	-	1	-	-	3	1	3	1	1	1
Male.....	10	-	-	-	-	-	3	1	2	-	1	1
Female.....	4	-	-	1	-	-	-	-	1	1	-	-
Asian or Pacific Islander 2/, both sexes.....	61	-	1	2	3	5	9	5	3	1	4	5
Male.....	43	-	-	1	2	4	7	3	2	1	4	3
Female.....	18	-	1	1	1	1	2	2	1	-	-	2

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Motor vehicle accidents (V02-V04,V09.0,V09.2,V12-V14,V19.0-V19.2,V19.4-V19.6,V20-V79,V80.3-V80.5,V81.0-V81.1,V82.0-V82.1,V83-V86,V87.0-V87.8,V88.0-V88.8,V89.0,V89.2)

Oregon

All races, both sexes.....	510	1	11	8	6	53	67	41	27	24	37	41
Male.....	356	1	4	5	1	32	51	33	17	17	26	26
Female.....	154	-	7	3	5	21	16	8	10	7	11	15
White, both sexes.....	478	1	11	6	6	50	65	38	26	20	34	33
Male.....	331	1	4	4	1	29	49	30	17	14	23	19
Female.....	147	-	7	2	5	21	16	8	9	6	11	14
Black, both sexes.....	6	-	-	-	-	-	-	-	-	2	-	3
Male.....	4	-	-	-	-	-	-	-	-	1	-	3
Female.....	2	-	-	-	-	-	-	-	-	1	-	-
American Indian 1/, both sexes.....	13	-	-	1	-	1	1	2	1	-	2	2
Male.....	10	-	-	-	-	1	1	2	-	-	2	2
Female.....	3	-	-	1	-	-	-	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	13	-	-	1	-	2	1	1	-	2	1	3
Male.....	11	-	-	1	-	2	1	1	-	2	1	2
Female.....	2	-	-	-	-	-	-	-	-	-	-	1

Pennsylvania

All races, both sexes.....	1,625	3	18	22	23	162	210	142	98	135	118	122
Male.....	1,116	1	8	17	16	112	162	110	78	94	88	91
Female.....	509	2	10	5	7	50	48	32	20	41	30	31
White, both sexes.....	1,481	2	12	17	19	151	195	127	86	119	107	112
Male.....	1,015	1	3	13	14	102	149	101	67	83	79	85
Female.....	466	1	9	4	5	49	46	26	19	36	28	27
Black, both sexes.....	114	1	5	5	4	10	12	10	9	13	9	9
Male.....	80	-	4	4	2	9	10	6	8	10	7	6
Female.....	34	1	1	1	2	1	2	4	1	3	2	3
American Indian 1/, both sexes.....	3	-	-	-	-	-	1	-	-	-	-	-
Male.....	2	-	-	-	-	-	1	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	27	-	1	-	-	1	2	5	3	3	2	1
Male.....	19	-	1	-	-	1	2	3	3	1	2	-
Female.....	8	-	-	-	-	-	-	2	-	2	-	1

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Motor vehicle accidents (V02-V04,V09.0,V09.2,V12-V14,V19.0-V19.2,V19.4-V19.6,V20-V79,V80.3-V80.5,V81.0-V81.1,V82.0-V82.1,V83-V86,V87.0-V87.8,V88.0-V88.8,V89.0,V89.2)

Rhode Island

All races, both sexes.....	89	-	-	-	2	11	18	8	2	5	3	10
Male.....	65	-	-	-	1	9	12	7	2	4	2	10
Female.....	24	-	-	-	1	2	6	1	-	1	1	-
White, both sexes.....	83	-	-	-	2	10	16	8	2	5	3	10
Male.....	60	-	-	-	1	8	10	7	2	4	2	10
Female.....	23	-	-	-	1	2	6	1	-	1	1	-
Black, both sexes.....	6	-	-	-	-	1	2	-	-	-	-	-
Male.....	5	-	-	-	-	1	2	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

South Carolina

All races, both sexes.....	1,044	1	11	9	21	103	140	104	81	84	88	94
Male.....	774	1	7	5	12	68	115	87	68	61	67	74
Female.....	270	-	4	4	9	35	25	17	13	23	21	20
White, both sexes.....	715	-	5	7	13	77	91	77	43	64	60	60
Male.....	521	-	2	3	8	49	73	68	35	46	45	50
Female.....	194	-	3	4	5	28	18	9	8	18	15	10
Black, both sexes.....	319	1	6	2	8	25	47	26	38	17	28	33
Male.....	245	1	5	2	4	18	40	18	33	13	22	24
Female.....	74	-	1	-	4	7	7	8	5	4	6	9
American Indian 1/, both sexes.....	2	-	-	-	-	-	-	-	-	-	-	-
Male.....	2	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	8	-	-	-	-	1	2	1	-	3	-	1
Male.....	6	-	-	-	-	1	2	1	-	2	-	-
Female.....	2	-	-	-	-	-	-	-	-	1	-	1

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Motor vehicle accidents (V02-V04,V09.0,V09.2,V12-V14,V19.0-V19.2,V19.4-V19.6,V20-V79,V80.3-V80.5,V81.0-V81.1,V82.0-V82.1,V83-V86,V87.0-V87.8,V88.0-V88.8,V89.0,V89.2)												
South Dakota												
All races, both sexes.....	193	1	-	1	1	25	24	18	13	8	18	17
Male.....	132	1	-	1	-	16	21	12	9	6	11	12
Female.....	61	-	-	-	1	9	3	6	4	2	7	5
White, both sexes.....	138	-	-	1	1	20	13	9	7	4	8	17
Male.....	93	-	-	1	-	12	12	7	6	3	5	12
Female.....	45	-	-	-	1	8	1	2	1	1	3	5
Black, both sexes.....	2	-	-	-	-	-	1	-	-	-	1	-
Male.....	2	-	-	-	-	-	1	-	-	-	1	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	52	1	-	-	-	5	10	9	6	4	9	-
Male.....	37	1	-	-	-	4	8	5	3	3	5	-
Female.....	15	-	-	-	-	1	2	4	3	1	4	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Tennessee												
All races, both sexes.....	1,379	5	18	14	28	163	167	112	99	111	115	119
Male.....	918	2	10	9	13	106	129	77	72	73	78	90
Female.....	461	3	8	5	15	57	38	35	27	38	37	29
White, both sexes.....	1,175	2	11	8	24	141	146	91	78	92	99	102
Male.....	775	1	6	5	10	91	114	61	57	59	66	76
Female.....	400	1	5	3	14	50	32	30	21	33	33	26
Black, both sexes.....	189	3	6	5	3	21	18	19	21	19	15	16
Male.....	135	1	3	4	2	15	12	14	15	14	12	13
Female.....	54	2	3	1	1	6	6	5	6	5	3	3
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	1	-	-	-	-
Male.....	1	-	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	14	-	1	1	1	1	3	1	-	-	1	1
Male.....	7	-	1	-	1	-	3	1	-	-	-	1
Female.....	7	-	-	1	-	1	-	-	-	-	1	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Motor vehicle accidents (V02-V04,V09.0,V09.2,V12-V14,V19.0-V19.2,V19.4-V19.6,V20-V79,V80.3-V80.5,V81.0-V81.1,V82.0-V82.1,V83-V86,V87.0-V87.8,V88.0-V88.8,V89.0,V89.2)

Vermont

All races, both sexes.....	91	-	1	-	2	9	12	9	5	3	7	7
Male.....	67	-	-	-	2	4	10	7	5	3	5	5
Female.....	24	-	1	-	-	5	2	2	-	-	2	2
White, both sexes.....	90	-	1	-	2	9	11	9	5	3	7	7
Male.....	66	-	-	-	2	4	9	7	5	3	5	5
Female.....	24	-	1	-	-	5	2	2	-	-	2	2
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	1	-	-	-	-	-
Male.....	1	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Virginia

All races, both sexes.....	962	2	10	8	16	125	156	78	60	54	64	76
Male.....	675	1	6	6	7	82	122	61	48	38	43	58
Female.....	287	1	4	2	9	43	34	17	12	16	21	18
White, both sexes.....	752	2	7	4	12	98	132	55	47	40	50	55
Male.....	523	1	3	3	4	64	104	46	36	28	32	41
Female.....	229	1	4	1	8	34	28	9	11	12	18	14
Black, both sexes.....	188	-	3	1	3	25	23	22	12	14	14	16
Male.....	138	-	3	1	2	16	17	15	11	10	11	14
Female.....	50	-	-	-	1	9	6	7	1	4	3	2
American Indian 1/, both sexes.....	1	-	-	-	-	-	1	-	-	-	-	-
Male.....	1	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	21	-	-	3	1	2	-	1	1	-	-	5
Male.....	13	-	-	2	1	2	-	-	1	-	-	3
Female.....	8	-	-	1	-	-	-	1	-	-	-	2

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Motor vehicle accidents (V02-V04,V09.0,V09.2,V12-V14,V19.0-V19.2,V19.4-V19.6,V20-V79,V80.3-V80.5,V81.0-V81.1,V82.0-V82.1,V83-V86,V87.0-V87.8,V88.0-V88.8,V89.0,V89.2)

Alaska

All races, both sexes.....	6	8	6	3	5	1	-	-	1	-	-	-
Male.....	3	5	5	3	3	1	-	-	1	-	-	-
Female.....	3	3	1	-	2	-	-	-	-	-	-	-
White, both sexes.....	5	5	5	1	3	1	-	-	1	-	-	-
Male.....	2	3	4	1	1	1	-	-	1	-	-	-
Female.....	3	2	1	-	2	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	3	1	2	2	-	-	-	-	-	-	-
Male.....	1	2	1	2	2	-	-	-	-	-	-	-
Female.....	-	1	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Arizona

All races, both sexes.....	103	76	57	41	32	39	40	21	5	2	-	6
Male.....	72	50	31	30	19	24	15	14	3	1	-	5
Female.....	31	26	26	11	13	15	25	7	2	1	-	1
White, both sexes.....	90	59	49	40	28	35	36	21	5	2	-	5
Male.....	63	39	27	30	17	22	14	14	3	1	-	5
Female.....	27	20	22	10	11	13	22	7	2	1	-	-
Black, both sexes.....	2	6	1	1	-	1	-	-	-	-	-	-
Male.....	2	4	-	-	-	1	-	-	-	-	-	-
Female.....	-	2	1	1	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	11	10	7	-	3	3	3	-	-	-	-	1
Male.....	7	7	4	-	1	1	1	-	-	-	-	-
Female.....	4	3	3	-	2	2	2	-	-	-	-	1
Asian or Pacific Islander 2/, both sexes.	-	1	-	-	1	-	1	-	-	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	1	-	-	-	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Motor vehicle accidents (V02-V04,V09.0,V09.2,V12-V14,V19.0-V19.2,V19.4-V19.6,V20-V79,V80.3-V80.5,V81.0-V81.1,V82.0-V82.1,V83-V86,V87.0-V87.8,V88.0-V88.8,V89.0,V89.2)

Arkansas

All races, both sexes.....	45	46	36	21	20	18	20	9	3	-	-	-
Male.....	27	31	29	9	14	11	15	5	2	-	-	-
Female.....	18	15	7	12	6	7	5	4	1	-	-	-
White, both sexes.....	41	38	31	19	17	15	19	8	3	-	-	-
Male.....	25	26	24	9	12	9	14	4	2	-	-	-
Female.....	16	12	7	10	5	6	5	4	1	-	-	-
Black, both sexes.....	3	8	3	2	2	3	1	1	-	-	-	-
Male.....	1	5	3	-	1	2	1	1	-	-	-	-
Female.....	2	3	-	2	1	1	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	2	-	-	-	-	-	-	-	-	-
Male.....	-	-	2	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	1	-	-	-	-	-	-	-
Male.....	1	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	285	279	174	145	111	116	139	63	38	5	-	1
Male.....	224	205	120	95	59	65	74	42	18	3	-	1
Female.....	61	74	54	50	52	51	65	21	20	2	-	-
White, both sexes.....	236	231	143	112	83	92	113	50	37	5	-	1
Male.....	188	172	101	75	45	52	63	34	17	3	-	1
Female.....	48	59	42	37	38	40	50	16	20	2	-	-
Black, both sexes.....	30	23	13	10	7	5	5	4	-	-	-	-
Male.....	24	18	12	6	4	3	3	2	-	-	-	-
Female.....	6	5	1	4	3	2	2	2	-	-	-	-
American Indian 1/, both sexes.....	3	2	3	2	2	-	1	-	-	-	-	-
Male.....	3	1	3	1	1	-	-	-	-	-	-	-
Female.....	-	1	-	1	1	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	16	23	15	21	19	19	20	9	1	-	-	-
Male.....	9	14	4	13	9	10	8	6	1	-	-	-
Female.....	7	9	11	8	10	9	12	3	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Motor vehicle accidents (V02-V04,V09.0,V09.2,V12-V14,V19.0-V19.2,V19.4-V19.6,V20-V79,V80.3-V80.5,V81.0-V81.1,V82.0-V82.1,V83-V86,V87.0-V87.8,V88.0-V88.8,V89.0,V89.2)

Florida

All races, both sexes.....	212	211	159	121	111	130	112	71	29	7	-	1
Male.....	169	156	106	80	66	79	51	41	18	2	-	1
Female.....	43	55	53	41	45	51	61	30	11	5	-	-
White, both sexes.....	178	167	133	103	93	117	107	69	28	7	-	1
Male.....	143	124	88	68	56	72	48	40	17	2	-	1
Female.....	35	43	45	35	37	45	59	29	11	5	-	-
Black, both sexes.....	32	41	22	17	14	13	5	2	1	-	-	-
Male.....	24	30	16	12	8	7	3	1	1	-	-	-
Female.....	8	11	6	5	6	6	2	1	-	-	-	-
American Indian 1/, both sexes.....	2	-	-	-	1	-	-	-	-	-	-	-
Male.....	2	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	3	4	1	3	-	-	-	-	-	-	-
Male.....	-	2	2	-	1	-	-	-	-	-	-	-
Female.....	-	1	2	1	2	-	-	-	-	-	-	-

Georgia

All races, both sexes.....	125	101	61	68	51	51	46	29	7	2	-	-
Male.....	86	73	44	44	30	32	27	24	3	1	-	-
Female.....	39	28	17	24	21	19	19	5	4	1	-	-
White, both sexes.....	92	65	49	54	42	45	40	25	6	1	-	-
Male.....	69	52	37	36	24	29	24	21	2	1	-	-
Female.....	23	13	12	18	18	16	16	4	4	-	-	-
Black, both sexes.....	31	34	11	13	7	6	6	4	1	1	-	-
Male.....	15	21	7	8	6	3	3	3	1	-	-	-
Female.....	16	13	4	5	1	3	3	1	-	1	-	-
American Indian 1/, both sexes.....	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	1	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	1	1	1	2	-	-	-	-	-	-	-
Male.....	2	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	1	1	1	2	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Motor vehicle accidents (V02-V04,V09.0,V09.2,V12-V14,V19.0-V19.2,V19.4-V19.6,V20-V79,V80.3-V80.5,V81.0-V81.1,V82.0-V82.1,V83-V86,V87.0-V87.8,V88.0-V88.8,V89.0,V89.2)

Illinois

All races, both sexes.....	101	87	63	45	43	43	52	32	9	-	1	-
Male.....	69	65	47	31	30	22	32	19	3	-	-	-
Female.....	32	22	16	14	13	21	20	13	6	-	1	-
White, both sexes.....	92	77	57	40	39	39	49	31	8	-	1	-
Male.....	62	58	43	29	26	20	30	18	3	-	-	-
Female.....	30	19	14	11	13	19	19	13	5	-	1	-
Black, both sexes.....	7	9	6	5	4	3	3	1	1	-	-	-
Male.....	5	7	4	2	4	2	2	1	-	-	-	-
Female.....	2	2	2	3	-	1	1	-	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.	2	1	-	-	-	1	-	-	-	-	-	-
Male.....	2	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	1	-	-	-	1	-	-	-	-	-	-

Indiana

All races, both sexes.....	73	49	53	35	18	31	19	23	11	3	-	-
Male.....	50	36	35	25	8	17	13	16	6	1	-	-
Female.....	23	13	18	10	10	14	6	7	5	2	-	-
White, both sexes.....	72	47	50	34	16	30	17	22	11	3	-	-
Male.....	49	35	33	24	7	16	11	16	6	1	-	-
Female.....	23	12	17	10	9	14	6	6	5	2	-	-
Black, both sexes.....	1	2	3	1	2	1	2	-	-	-	-	-
Male.....	1	1	2	1	1	1	2	-	-	-	-	-
Female.....	-	1	1	-	1	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Motor vehicle accidents (V02-V04,V09.0,V09.2,V12-V14,V19.0-V19.2,V19.4-V19.6,V20-V79,V80.3-V80.5,V81.0-V81.1,V82.0-V82.1,V83-V86,V87.0-V87.8,V88.0-V88.8,V89.0,V89.2)

Maine

All races, both sexes.....	9	15	5	11	4	9	10	6	-	-	-	-
Male.....	9	11	4	7	1	3	7	2	-	-	-	-
Female.....	-	4	1	4	3	6	3	4	-	-	-	-
White, both sexes.....	9	15	4	10	4	9	10	6	-	-	-	-
Male.....	9	11	3	6	1	3	7	2	-	-	-	-
Female.....	-	4	1	4	3	6	3	4	-	-	-	-
Black, both sexes.....	-	-	-	1	-	-	-	-	-	-	-	-
Male.....	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Maryland

All races, both sexes.....	43	43	31	27	22	30	28	16	6	2	-	-
Male.....	29	26	21	14	13	18	15	9	2	1	-	-
Female.....	14	17	10	13	9	12	13	7	4	1	-	-
White, both sexes.....	26	32	20	19	15	23	23	14	5	2	-	-
Male.....	17	18	13	9	8	14	12	8	1	1	-	-
Female.....	9	14	7	10	7	9	11	6	4	1	-	-
Black, both sexes.....	14	11	10	7	6	6	3	1	1	-	-	-
Male.....	11	8	7	5	4	4	1	1	1	-	-	-
Female.....	3	3	3	2	2	2	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	-	1	1	1	1	2	1	-	-	-	-
Male.....	1	-	1	-	1	-	2	-	-	-	-	-
Female.....	2	-	-	1	-	1	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Motor vehicle accidents (V02-V04,V09.0,V09.2,V12-V14,V19.0-V19.2,V19.4-V19.6,V20-V79,V80.3-V80.5,V81.0-V81.1,V82.0-V82.1,V83-V86,V87.0-V87.8,V88.0-V88.8,V89.0,V89.2)

New Hampshire

All races, both sexes.....	13	6	7	2	4	9	4	4	3	-	-	-
Male.....	10	1	5	1	2	3	2	3	3	-	-	-
Female.....	3	5	2	1	2	6	2	1	-	-	-	-
White, both sexes.....	13	6	7	2	4	9	4	3	3	-	-	-
Male.....	10	1	5	1	2	3	2	2	3	-	-	-
Female.....	3	5	2	1	2	6	2	1	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New Jersey

All races, both sexes.....	55	34	30	24	21	37	39	20	10	2	-	1
Male.....	41	23	19	14	13	20	23	8	5	1	-	1
Female.....	14	11	11	10	8	17	16	12	5	1	-	-
White, both sexes.....	40	25	27	20	17	31	37	20	9	2	-	1
Male.....	30	17	18	13	11	15	22	8	5	1	-	1
Female.....	10	8	9	7	6	16	15	12	4	1	-	-
Black, both sexes.....	12	5	1	3	2	3	-	-	1	-	-	-
Male.....	8	4	-	1	2	2	-	-	-	-	-	-
Female.....	4	1	1	2	-	1	-	-	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	4	2	1	2	2	2	-	-	-	-	-
Male.....	3	2	1	-	-	2	1	-	-	-	-	-
Female.....	-	2	1	1	2	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Motor vehicle accidents (V02-V04,V09.0,V09.2,V12-V14,V19.0-V19.2,V19.4-V19.6,V20-V79,V80.3-V80.5,V81.0-V81.1,V82.0-V82.1,V83-V86,V87.0-V87.8,V88.0-V88.8,V89.0,V89.2)

New Mexico

All races, both sexes.....	31	21	21	17	13	12	9	3	3	-	-	-
Male.....	22	15	10	11	9	6	6	2	-	-	-	-
Female.....	9	6	11	6	4	6	3	1	3	-	-	-
White, both sexes.....	27	17	18	15	11	10	8	3	2	-	-	-
Male.....	19	11	8	9	8	5	5	2	-	-	-	-
Female.....	8	6	10	6	3	5	3	1	2	-	-	-
Black, both sexes.....	-	-	-	-	-	1	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-
American Indian 1/, both sexes.....	4	4	3	2	2	1	-	-	1	-	-	-
Male.....	3	4	2	2	1	1	-	-	-	-	-	-
Female.....	1	-	1	-	1	-	-	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New York

All races, both sexes.....	90	80	79	66	70	78	70	51	25	2	-	-
Male.....	65	55	47	38	48	47	28	23	12	2	-	-
Female.....	25	25	32	28	22	31	42	28	13	-	-	-
White, both sexes.....	72	69	59	57	61	69	60	50	21	2	-	-
Male.....	53	49	34	30	43	41	21	22	10	2	-	-
Female.....	19	20	25	27	18	28	39	28	11	-	-	-
Black, both sexes.....	15	9	14	5	7	5	8	1	1	-	-	-
Male.....	10	4	10	5	4	2	5	1	1	-	-	-
Female.....	5	5	4	-	3	3	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	2	-	-	-	-	-	-	-	-	-
Male.....	1	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	1	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.	2	2	4	4	2	4	2	-	3	-	-	-
Male.....	1	2	2	3	1	4	2	-	1	-	-	-
Female.....	1	-	2	1	1	-	-	-	2	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Motor vehicle accidents (V02-V04,V09.0,V09.2,V12-V14,V19.0-V19.2,V19.4-V19.6,V20-V79,V80.3-V80.5,V81.0-V81.1,V82.0-V82.1,V83-V86,V87.0-V87.8,V88.0-V88.8,V89.0,V89.2)

Oregon

All races, both sexes.....	54	39	18	22	18	17	8	14	4	-	-	-
Male.....	41	34	14	16	11	12	5	7	3	-	-	-
Female.....	13	5	4	6	7	5	3	7	1	-	-	-
White, both sexes.....	53	38	18	21	18	14	8	14	4	-	-	-
Male.....	41	33	14	16	11	10	5	7	3	-	-	-
Female.....	12	5	4	5	7	4	3	7	1	-	-	-
Black, both sexes.....	-	-	-	1	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	1	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	1	-	-	-	1	-	-	-	-	-	-
Male.....	-	1	-	-	-	1	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	2	-	-	-	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-

Pennsylvania

All races, both sexes.....	90	84	71	58	62	72	62	52	19	1	1	-
Male.....	66	55	47	39	31	31	31	29	10	-	-	-
Female.....	24	29	24	19	31	41	31	23	9	1	1	-
White, both sexes.....	85	75	64	54	58	65	61	51	19	1	1	-
Male.....	62	50	43	36	29	30	30	28	10	-	-	-
Female.....	23	25	21	18	29	35	31	23	9	1	1	-
Black, both sexes.....	4	7	6	2	4	4	-	-	-	-	-	-
Male.....	3	4	3	2	2	-	-	-	-	-	-	-
Female.....	1	3	3	-	2	4	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	1	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	2	1	2	-	2	1	1	-	-	-	-
Male.....	-	1	1	1	-	1	1	1	-	-	-	-
Female.....	-	1	-	1	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Motor vehicle accidents (V02-V04,V09.0,V09.2,V12-V14,V19.0-V19.2,V19.4-V19.6,V20-V79,V80.3-V80.5,V81.0-V81.1,V82.0-V82.1,V83-V86,V87.0-V87.8,V88.0-V88.8,V89.0,V89.2)

Vermont

All races, both sexes.....	7	3	6	3	6	1	4	3	2	1	-	-
Male.....	4	3	5	3	4	-	4	1	2	-	-	-
Female.....	3	-	1	-	2	1	-	2	-	1	-	-
White, both sexes.....	7	3	6	3	6	1	4	3	2	1	-	-
Male.....	4	3	5	3	4	-	4	1	2	-	-	-
Female.....	3	-	1	-	2	1	-	2	-	1	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Virginia

All races, both sexes.....	68	42	46	34	31	39	31	20	2	-	-	-
Male.....	54	31	34	23	17	20	12	12	-	-	-	-
Female.....	14	11	12	11	14	19	19	8	2	-	-	-
White, both sexes.....	53	33	36	23	26	33	27	17	2	-	-	-
Male.....	42	26	27	15	14	16	11	10	-	-	-	-
Female.....	11	7	9	8	12	17	16	7	2	-	-	-
Black, both sexes.....	14	8	8	10	3	6	4	2	-	-	-	-
Male.....	11	5	6	7	2	4	1	2	-	-	-	-
Female.....	3	3	2	3	1	2	3	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	1	2	1	2	-	-	1	-	-	-	-
Male.....	1	-	1	1	1	-	-	-	-	-	-	-
Female.....	-	1	1	-	1	-	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
---	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Pedestrian involved in collision with motor vehicle (V02-V04)

Arkansas

All races, both sexes.....	25	-	3	1	-	2	2	3	2	-	2	2
Male.....	20	-	2	1	-	1	1	3	2	-	2	2
Female.....	5	-	1	-	-	1	1	-	-	-	-	-
White, both sexes.....	21	-	1	1	-	2	2	3	2	-	2	1
Male.....	16	-	-	1	-	1	1	3	2	-	2	1
Female.....	5	-	1	-	-	1	1	-	-	-	-	-
Black, both sexes.....	4	-	2	-	-	-	-	-	-	-	-	1
Male.....	4	-	2	-	-	-	-	-	-	-	-	1
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	499	1	15	10	7	31	28	36	29	24	50	49
Male.....	353	1	8	10	5	25	20	33	23	18	36	34
Female.....	146	-	7	-	2	6	8	3	6	6	14	15
White, both sexes.....	399	1	14	7	6	29	25	28	28	23	42	34
Male.....	291	1	7	7	4	24	19	27	22	18	30	24
Female.....	108	-	7	-	2	5	6	1	6	5	12	10
Black, both sexes.....	46	-	-	3	1	-	2	4	1	-	5	9
Male.....	31	-	-	3	1	-	-	3	1	-	4	5
Female.....	15	-	-	-	-	-	2	1	-	-	1	4
American Indian 1/, both sexes.....	4	-	-	-	-	1	-	-	-	-	1	-
Male.....	4	-	-	-	-	1	-	-	-	-	1	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	50	-	1	-	-	1	1	4	-	1	2	6
Male.....	27	-	1	-	-	-	1	3	-	-	1	5
Female.....	23	-	-	-	-	1	-	1	-	1	1	1

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Pedestrian involved in collision with motor vehicle (V02-V04)

Arkansas

All races, both sexes.....	1	-	3	2	1	-	1	-	-	-	-	-
Male.....	1	-	2	1	1	-	1	-	-	-	-	-
Female.....	-	-	1	1	-	-	-	-	-	-	-	-
White, both sexes.....	1	-	3	2	1	-	-	-	-	-	-	-
Male.....	1	-	2	1	1	-	-	-	-	-	-	-
Female.....	-	-	1	1	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	39	40	27	16	29	25	25	12	5	1	-	-
Male.....	31	31	22	6	11	13	14	8	3	1	-	-
Female.....	8	9	5	10	18	12	11	4	2	-	-	-
White, both sexes.....	31	32	18	12	21	19	16	8	4	1	-	-
Male.....	25	25	17	6	9	11	7	5	2	1	-	-
Female.....	6	7	1	6	12	8	9	3	2	-	-	-
Black, both sexes.....	6	6	2	1	-	2	3	1	-	-	-	-
Male.....	4	4	2	-	-	-	3	1	-	-	-	-
Female.....	2	2	-	1	-	2	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	1	-	-	-	-	-	-	-	-	-
Male.....	1	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	2	6	3	8	4	6	3	1	-	-	-
Male.....	1	2	2	-	2	2	4	2	1	-	-	-
Female.....	-	-	4	3	6	2	2	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Pedestrian involved in collision with motor vehicle (V02-V04)

New Mexico

All races, both sexes.....	4	4	3	3	3	1	2	-	-	-	-	-
Male.....	3	3	3	3	1	1	2	-	-	-	-	-
Female.....	1	1	-	-	2	-	-	-	-	-	-	-
White, both sexes.....	3	3	2	3	3	1	1	-	-	-	-	-
Male.....	2	2	2	3	1	1	1	-	-	-	-	-
Female.....	1	1	-	-	2	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	1	1	-	-	-	-	-	-	-	-	-
Male.....	1	1	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New York

All races, both sexes.....	14	6	12	18	10	20	14	7	3	-	-	-
Male.....	7	2	6	10	7	12	3	2	1	-	-	-
Female.....	7	4	6	8	3	8	11	5	2	-	-	-
White, both sexes.....	12	5	11	15	8	17	13	7	1	-	-	-
Male.....	6	2	6	7	7	9	3	2	-	-	-	-
Female.....	6	3	5	8	1	8	10	5	1	-	-	-
Black, both sexes.....	1	1	-	2	2	1	1	-	-	-	-	-
Male.....	1	-	-	2	-	1	-	-	-	-	-	-
Female.....	-	1	-	-	2	-	1	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	1	1	-	2	-	-	2	-	-	-
Male.....	-	-	-	1	-	2	-	-	1	-	-	-
Female.....	1	-	1	-	-	-	-	-	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Pedestrian involved in collision with motor vehicle (V02-V04)

Oregon

All races, both sexes.....	3	2	5	4	2	1	1	3	1	-	-	-
Male.....	3	2	5	1	-	1	-	2	-	-	-	-
Female.....	-	-	-	3	2	-	1	1	1	-	-	-
White, both sexes.....	3	2	5	3	2	1	1	3	1	-	-	-
Male.....	3	2	5	1	-	1	-	2	-	-	-	-
Female.....	-	-	-	2	2	-	1	1	1	-	-	-
Black, both sexes.....	-	-	-	1	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	1	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Pennsylvania

All races, both sexes.....	1	11	3	5	8	8	2	2	-	-	-	-
Male.....	1	4	2	4	4	4	1	2	-	-	-	-
Female.....	-	7	1	1	4	4	1	-	-	-	-	-
White, both sexes.....	1	9	1	3	8	5	2	1	-	-	-	-
Male.....	1	4	-	3	4	3	1	1	-	-	-	-
Female.....	-	5	1	-	4	2	1	-	-	-	-	-
Black, both sexes.....	-	2	1	-	-	-	-	-	-	-	-	-
Male.....	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	2	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	2	-	2	-	1	-	-	-	-
Male.....	-	-	1	1	-	1	-	1	-	-	-	-
Female.....	-	-	-	1	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Pedestrian involved in collision with motor vehicle (V02-V04)

Vermont

All races, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Virginia

All races, both sexes.....	1	3	3	4	3	1	3	3	-	-	-	-
Male.....	1	2	2	2	2	-	1	1	-	-	-	-
Female.....	-	1	1	2	1	1	2	2	-	-	-	-
White, both sexes.....	-	2	1	-	3	1	3	1	-	-	-	-
Male.....	-	2	-	-	2	-	1	-	-	-	-	-
Female.....	-	-	1	-	1	1	2	1	-	-	-	-
Black, both sexes.....	-	1	2	3	-	-	-	1	-	-	-	-
Male.....	-	-	2	1	-	-	-	1	-	-	-	-
Female.....	-	1	-	2	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	1	-	-	-	1	-	-	-	-
Male.....	1	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
---	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Motorcyclist involved in any accident except collision with railway train (V20-V24,V26-V34,V36-V39)

Arkansas

All races, both sexes.....	76	-	1	-	1	4	14	5	8	8	7	7
Male.....	62	-	-	-	1	3	11	4	7	6	5	7
Female.....	14	-	1	-	-	1	3	1	1	2	2	-
White, both sexes.....	69	-	1	-	1	4	13	5	6	5	6	7
Male.....	57	-	-	-	1	3	11	4	5	3	5	7
Female.....	12	-	1	-	-	1	2	1	1	2	1	-
Black, both sexes.....	6	-	-	-	-	-	1	-	1	3	1	-
Male.....	4	-	-	-	-	-	-	-	1	3	-	-
Female.....	2	-	-	-	-	-	1	-	-	-	1	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	1	-	-	-
Male.....	1	-	-	-	-	-	-	-	1	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	526	-	-	2	4	32	75	65	43	52	74	59
Male.....	480	-	-	1	3	27	72	63	39	43	66	52
Female.....	46	-	-	1	1	5	3	2	4	9	8	7
White, both sexes.....	442	-	-	2	3	27	53	49	32	45	68	53
Male.....	401	-	-	1	2	23	52	47	28	37	61	46
Female.....	41	-	-	1	1	4	1	2	4	8	7	7
Black, both sexes.....	48	-	-	-	2	12	8	6	5	4	4	4
Male.....	47	-	-	-	-	2	12	8	6	4	4	4
Female.....	1	-	-	-	-	-	-	-	-	1	-	-
American Indian 1/, both sexes.....	10	-	-	-	1	-	-	1	2	1	2	1
Male.....	9	-	-	-	1	-	-	1	2	1	1	1
Female.....	1	-	-	-	-	-	-	-	-	-	1	-
Asian or Pacific Islander 2/, both sexes.....	26	-	-	-	-	3	10	7	3	1	-	1
Male.....	23	-	-	-	-	2	8	7	3	1	-	1
Female.....	3	-	-	-	-	1	2	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex All Under 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49 ages 1 year years years years years years years years years years years

Motorcyclist involved in collision with railway train (V25,V35)

Delaware

Table with 12 columns (All ages, Under 1 year, 1-4 years, 5-9 years, 10-14 years, 15-19 years, 20-24 years, 25-29 years, 30-34 years, 35-39 years, 40-44 years, 45-49 years) and rows for Delaware: All races, both sexes; Male; Female; White, both sexes; Male; Female; Black, both sexes; Male; Female; American Indian 1/, both sexes; Male; Female; Asian or Pacific Islander 2/, both sexes; Male; Female.

Dist. of Columbia

Table with 12 columns (All ages, Under 1 year, 1-4 years, 5-9 years, 10-14 years, 15-19 years, 20-24 years, 25-29 years, 30-34 years, 35-39 years, 40-44 years, 45-49 years) and rows for Dist. of Columbia: All races, both sexes; Male; Female; White, both sexes; Male; Female; Black, both sexes; Male; Female; American Indian 1/, both sexes; Male; Female; Asian or Pacific Islander 2/, both sexes; Male; Female.

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
---	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Occupant of motor vehicle involved in collision with other (non-motorized) road vehicle, streetcar, animal or pedestrian (V40-V41,V46-V47,V50-V51,V56-V57, V60-V61,V66-V67,V70-V71,V76-V77)

Arkansas

All races, both sexes.....	85	-	-	-	1	12	12	8	7	8	10	6
Male.....	63	-	-	-	-	6	11	7	7	7	8	5
Female.....	22	-	-	-	1	6	1	1	-	1	2	1
White, both sexes.....	75	-	-	-	1	11	11	7	6	8	8	6
Male.....	56	-	-	-	-	5	10	6	6	7	6	5
Female.....	19	-	-	-	1	6	1	1	-	1	2	1
Black, both sexes.....	10	-	-	-	-	1	1	1	1	-	2	-
Male.....	7	-	-	-	-	1	1	1	1	-	2	-
Female.....	3	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	323	1	2	2	6	57	83	31	24	15	23	22
Male.....	260	1	1	2	5	52	70	24	21	11	15	17
Female.....	63	-	1	-	1	5	13	7	3	4	8	5
White, both sexes.....	261	1	-	1	5	50	68	25	20	11	19	17
Male.....	216	1	-	1	5	45	57	21	18	8	14	14
Female.....	45	-	-	-	-	5	11	4	2	3	5	3
Black, both sexes.....	33	-	1	1	1	3	7	2	2	3	3	4
Male.....	25	-	1	1	-	3	5	2	2	2	1	2
Female.....	8	-	-	-	1	-	2	-	-	1	2	2
American Indian 1/, both sexes.....	2	-	-	-	-	1	1	-	-	-	-	-
Male.....	2	-	-	-	-	1	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	27	-	1	-	-	3	7	4	2	1	1	1
Male.....	17	-	-	-	-	3	7	1	1	1	-	1
Female.....	10	-	1	-	-	-	-	3	1	-	1	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
---	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Occupant of motor vehicle involved in collision with other (non-motorized) road vehicle, streetcar, animal or pedestrian (V40-V41,V46-V47,V50-V51,V56-V57, V60-V61,V66-V67,V70-V71,V76-V77)

Kentucky

All races, both sexes.....	54	-	1	-	1	10	12	7	3	4	3	6
Male.....	41	-	1	-	-	8	8	7	3	3	3	3
Female.....	13	-	-	-	1	2	4	-	-	1	-	3
White, both sexes.....	48	-	1	-	1	9	11	6	3	4	3	4
Male.....	38	-	1	-	-	8	8	6	3	3	3	2
Female.....	10	-	-	-	1	1	3	-	-	1	-	2
Black, both sexes.....	6	-	-	-	-	1	1	1	-	-	-	2
Male.....	3	-	-	-	-	-	-	1	-	-	-	1
Female.....	3	-	-	-	-	1	1	-	-	-	-	1
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Louisiana

All races, both sexes.....	30	-	-	-	2	2	2	6	3	4	2	2
Male.....	20	-	-	-	1	2	1	3	3	2	1	2
Female.....	10	-	-	-	1	-	1	3	-	2	1	-
White, both sexes.....	19	-	-	-	-	2	1	3	2	4	-	1
Male.....	13	-	-	-	-	2	-	2	2	2	-	1
Female.....	6	-	-	-	-	-	1	1	-	2	-	-
Black, both sexes.....	10	-	-	-	1	-	1	3	1	-	2	1
Male.....	7	-	-	-	1	-	1	1	1	-	1	1
Female.....	3	-	-	-	-	-	-	2	-	-	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	1	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Occupant of motor vehicle involved in collision with other (non-motorized) road vehicle, streetcar, animal or pedestrian (V40-V41,V46-V47,V50-V51,V56-V57, V60-V61,V66-V67,V70-V71,V76-V77)

New Hampshire

All races, both sexes.....	12	-	-	-	-	1	1	-	-	1	1	-
Male.....	6	-	-	-	-	1	-	-	-	-	1	-
Female.....	6	-	-	-	-	-	1	-	-	1	-	-
White, both sexes.....	12	-	-	-	-	1	1	-	-	1	1	-
Male.....	6	-	-	-	-	1	-	-	-	-	1	-
Female.....	6	-	-	-	-	-	1	-	-	1	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New Jersey

All races, both sexes.....	44	-	-	-	-	10	9	10	2	1	1	2
Male.....	31	-	-	-	-	5	7	9	2	1	1	2
Female.....	13	-	-	-	-	5	2	1	-	-	-	-
White, both sexes.....	32	-	-	-	-	8	6	8	1	-	1	2
Male.....	24	-	-	-	-	5	5	8	1	-	1	2
Female.....	8	-	-	-	-	3	1	-	-	-	-	-
Black, both sexes.....	10	-	-	-	-	-	3	2	1	1	-	-
Male.....	7	-	-	-	-	-	2	1	1	1	-	-
Female.....	3	-	-	-	-	-	1	1	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	-	2	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	2	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
---	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Occupant of motor vehicle involved in collision with other (non-motorized) road vehicle, streetcar, animal or pedestrian (V40-V41,V46-V47,V50-V51,V56-V57, V60-V61,V66-V67,V70-V71,V76-V77)

New Mexico

All races, both sexes.....	30	-	-	-	2	4	7	7	3	2	1	1
Male.....	19	-	-	-	2	3	4	4	2	1	1	-
Female.....	11	-	-	-	-	1	3	3	1	1	-	1
White, both sexes.....	24	-	-	-	2	3	6	4	3	2	1	-
Male.....	16	-	-	-	2	2	4	2	2	1	1	-
Female.....	8	-	-	-	-	1	2	2	1	1	-	-
Black, both sexes.....	1	-	-	-	-	-	-	1	-	-	-	-
Male.....	1	-	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	4	-	-	-	-	1	-	2	-	-	-	1
Male.....	2	-	-	-	-	1	-	1	-	-	-	-
Female.....	2	-	-	-	-	-	-	1	-	-	-	1
Asian or Pacific Islander 2/, both sexes.	1	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	1	-	-	-	-	-

New York

All races, both sexes.....	165	-	1	-	2	40	29	12	12	7	15	10
Male.....	124	-	-	-	1	33	23	9	10	4	12	9
Female.....	41	-	1	-	1	7	6	3	2	3	3	1
White, both sexes.....	136	-	1	-	1	32	25	10	10	4	13	9
Male.....	106	-	-	-	-	28	21	7	8	3	10	8
Female.....	30	-	1	-	1	4	4	3	2	1	3	1
Black, both sexes.....	21	-	-	-	1	5	3	2	1	2	1	1
Male.....	13	-	-	-	1	2	2	2	1	1	1	1
Female.....	8	-	-	-	-	3	1	-	-	1	-	-
American Indian 1/, both sexes.....	2	-	-	-	-	-	-	-	1	1	-	-
Male.....	1	-	-	-	-	-	-	-	1	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes.	6	-	-	-	-	3	1	-	-	-	1	-
Male.....	4	-	-	-	-	3	-	-	-	-	1	-
Female.....	2	-	-	-	-	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
---	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Occupant of motor vehicle involved in collision with other (non-motorized) road vehicle, streetcar, animal or pedestrian (V40-V41,V46-V47,V50-V51,V56-V57, V60-V61,V66-V67,V70-V71,V76-V77)

Oregon

All races, both sexes.....	78	-	-	-	1	20	16	6	2	2	5	3
Male.....	58	-	-	-	-	14	15	4	2	1	4	1
Female.....	20	-	-	-	1	6	1	2	-	1	1	2
White, both sexes.....	74	-	-	-	1	17	16	6	2	1	5	3
Male.....	54	-	-	-	-	11	15	4	2	-	4	1
Female.....	20	-	-	-	1	6	1	2	-	1	1	2
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	1	-	-	-	-	-	-
Male.....	1	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	-	-	-	-	2	-	-	-	1	-	-
Male.....	3	-	-	-	-	2	-	-	-	1	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Pennsylvania

All races, both sexes.....	86	-	-	1	3	13	13	12	4	5	7	7
Male.....	61	-	-	1	2	9	11	9	4	2	5	5
Female.....	25	-	-	-	1	4	2	3	-	3	2	2
White, both sexes.....	78	-	-	1	3	11	13	9	4	5	6	6
Male.....	57	-	-	1	2	7	11	9	4	2	4	5
Female.....	21	-	-	-	1	4	2	-	-	3	2	1
Black, both sexes.....	6	-	-	-	-	2	-	2	-	-	1	1
Male.....	3	-	-	-	-	2	-	-	-	-	1	-
Female.....	3	-	-	-	-	-	-	2	-	-	-	1
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
---	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Occupant of motor vehicle involved in collision with other (non-motorized) road vehicle, streetcar, animal or pedestrian (V40-V41,V46-V47,V50-V51,V56-V57, V60-V61,V66-V67,V70-V71,V76-V77)

South Dakota

All races, both sexes.....	33	-	-	-	-	4	7	1	2	-	5	4
Male.....	27	-	-	-	-	4	6	1	2	-	2	3
Female.....	6	-	-	-	-	-	1	-	-	-	3	1
White, both sexes.....	19	-	-	-	-	3	2	1	1	-	2	4
Male.....	17	-	-	-	-	3	2	1	1	-	1	3
Female.....	2	-	-	-	-	-	-	-	-	-	1	1
Black, both sexes.....	1	-	-	-	-	-	1	-	-	-	-	-
Male.....	1	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	12	-	-	-	-	1	4	-	1	-	3	-
Male.....	9	-	-	-	-	1	3	-	1	-	1	-
Female.....	3	-	-	-	-	-	1	-	-	-	2	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-

Tennessee

All races, both sexes.....	369	2	5	-	6	67	60	30	32	34	28	23
Male.....	248	2	3	-	-	43	48	24	21	22	19	17
Female.....	121	-	2	-	6	24	12	6	11	12	9	6
White, both sexes.....	320	1	3	-	6	58	50	25	29	29	24	21
Male.....	215	1	2	-	-	38	42	20	18	18	15	17
Female.....	105	-	1	-	6	20	8	5	11	11	9	4
Black, both sexes.....	44	1	2	-	-	8	9	4	3	5	4	2
Male.....	31	1	1	-	-	5	5	3	3	4	4	-
Female.....	13	-	1	-	-	3	4	1	-	1	-	2
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	1	-	-	-	-
Male.....	1	-	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	4	-	-	-	-	1	1	-	-	-	-	-
Male.....	1	-	-	-	-	-	1	-	-	-	-	-
Female.....	3	-	-	-	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Occupant of motor vehicle involved in collision with other (non-motorized) road vehicle, streetcar, animal or pedestrian (V40-V41,V46-V47,V50-V51,V56-V57, V60-V61,V66-V67,V70-V71,V76-V77)

Arkansas

All races, both sexes.....	3	6	2	3	3	3	1	-	-	-	-	-
Male.....	1	3	2	1	2	2	1	-	-	-	-	-
Female.....	2	3	-	2	1	1	-	-	-	-	-	-
White, both sexes.....	3	5	2	2	2	2	1	-	-	-	-	-
Male.....	1	3	2	1	2	1	1	-	-	-	-	-
Female.....	2	2	-	1	-	1	-	-	-	-	-	-
Black, both sexes.....	-	1	-	1	1	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	1	-	1	1	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	15	7	8	7	4	5	7	3	1	-	-	-
Male.....	12	7	5	6	2	1	5	2	1	-	-	-
Female.....	3	-	3	1	2	4	2	1	-	-	-	-
White, both sexes.....	12	4	7	6	1	4	6	3	1	-	-	-
Male.....	9	4	4	5	1	1	5	2	1	-	-	-
Female.....	3	-	3	1	-	3	1	1	-	-	-	-
Black, both sexes.....	3	2	1	-	-	-	-	-	-	-	-	-
Male.....	3	2	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	1	3	1	1	-	-	-	-	-
Male.....	-	1	-	1	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	2	1	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Occupant of motor vehicle involved in collision with other (non-motorized) road vehicle, streetcar, animal or pedestrian (V40-V41,V46-V47,V50-V51,V56-V57, V60-V61,V66-V67,V70-V71,V76-V77)

Vermont

All races, both sexes.....	2	1	-	1	1	-	-	-	-	-	-	-
Male.....	2	1	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-
White, both sexes.....	2	1	-	1	1	-	-	-	-	-	-	-
Male.....	2	1	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Virginia

All races, both sexes.....	5	2	5	2	2	1	3	3	-	-	-	-
Male.....	4	1	3	2	-	-	1	3	-	-	-	-
Female.....	1	1	2	-	2	1	2	-	-	-	-	-
White, both sexes.....	3	1	4	1	1	1	1	2	-	-	-	-
Male.....	2	1	3	1	-	-	-	2	-	-	-	-
Female.....	1	-	1	-	1	1	1	-	-	-	-	-
Black, both sexes.....	2	-	1	1	-	-	2	1	-	-	-	-
Male.....	2	-	-	1	-	-	1	1	-	-	-	-
Female.....	-	-	1	-	-	-	1	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	1	-	-	1	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Occupant of car, pickup truck or van involved in collision with other motor vehicle (V42-V44,V49,V52-V54,V59)

United States

All races, both sexes.....	9,357	48	108	119	138	1,047	1,146	780	602	550	600	648
Male.....	5,609	23	44	57	63	635	810	517	383	329	365	400
Female.....	3,748	25	64	62	75	412	336	263	219	221	235	248
White, both sexes.....	7,903	36	77	89	111	898	958	644	488	460	477	527
Male.....	4,724	17	32	44	51	540	686	426	312	279	285	327
Female.....	3,179	19	45	45	60	358	272	218	176	181	192	200
Black, both sexes.....	1,112	9	24	22	21	109	138	106	91	70	101	89
Male.....	693	5	9	10	9	73	90	70	55	42	69	55
Female.....	419	4	15	12	12	36	48	36	36	28	32	34
American Indian 1/, both sexes.....	100	2	2	2	-	13	19	10	7	4	7	6
Male.....	56	1	-	1	-	6	9	9	5	3	3	2
Female.....	44	1	2	1	-	7	10	1	2	1	4	4
Asian or Pacific Islander 2/, both sexes.....	242	1	5	6	6	27	31	20	16	16	15	26
Male.....	136	-	3	2	3	16	25	12	11	5	8	16
Female.....	106	1	2	4	3	11	6	8	5	11	7	10

Alabama

All races, both sexes.....	156	1	2	1	2	16	23	14	11	12	18	11
Male.....	93	-	-	-	1	9	16	11	4	7	12	3
Female.....	63	1	2	1	1	7	7	3	7	5	6	8
White, both sexes.....	106	1	-	-	1	14	21	9	7	11	9	5
Male.....	67	-	-	-	1	8	14	6	2	7	7	3
Female.....	39	1	-	-	-	6	7	3	5	4	2	2
Black, both sexes.....	45	-	2	1	1	2	2	5	3	1	7	6
Male.....	22	-	-	-	-	1	2	5	2	-	3	-
Female.....	23	-	2	1	1	1	-	-	1	1	4	6
American Indian 1/, both sexes.....	3	-	-	-	-	-	-	-	-	-	2	-
Male.....	3	-	-	-	-	-	-	-	-	-	2	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	-	-	-	-	1	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Occupant of car, pickup truck or van involved in collision with other motor vehicle (V42-V44,V49,V52-V54,V59)

Arkansas

All races, both sexes.....	176	2	3	3	2	21	26	13	15	10	18	9
Male.....	111	2	2	2	2	9	21	6	10	6	12	8
Female.....	65	-	1	1	-	12	5	7	5	4	6	1
White, both sexes.....	147	1	2	3	1	18	21	9	11	9	15	8
Male.....	91	1	1	2	1	7	16	5	8	5	9	7
Female.....	56	-	1	1	-	11	5	4	3	4	6	1
Black, both sexes.....	25	1	-	-	1	2	5	3	3	1	3	1
Male.....	17	1	-	-	1	1	5	1	1	1	3	1
Female.....	8	-	-	-	-	1	-	2	2	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	4	-	1	-	-	1	-	1	1	-	-	-
Male.....	3	-	1	-	-	1	-	-	1	-	-	-
Female.....	1	-	-	-	-	-	-	1	-	-	-	-

California

All races, both sexes.....	807	1	10	9	17	82	111	72	58	65	45	69
Male.....	513	-	5	4	6	55	77	51	43	42	26	44
Female.....	294	1	5	5	11	27	34	21	15	23	19	25
White, both sexes.....	692	-	9	8	15	74	98	63	55	52	40	58
Male.....	451	-	5	4	5	52	70	47	40	35	23	37
Female.....	241	-	4	4	10	22	28	16	15	17	17	21
Black, both sexes.....	43	1	1	1	-	5	7	3	-	4	2	2
Male.....	21	-	-	-	-	2	2	1	-	4	2	1
Female.....	22	1	1	1	-	3	5	2	-	-	-	1
American Indian 1/, both sexes.....	4	-	-	-	-	-	-	-	-	-	1	-
Male.....	3	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	1	-
Asian or Pacific Islander 2/, both sexes.....	68	-	-	-	2	3	6	6	3	9	2	9
Male.....	38	-	-	-	1	1	5	3	3	3	1	6
Female.....	30	-	-	-	1	2	1	3	-	6	1	3

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
---	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Occupant of car, pickup truck or van involved in collision with other motor vehicle (V42-V44,V49,V52-V54,V59)

New Mexico

All races, both sexes.....	116	2	3	2	4	7	13	9	9	9	6	11
Male.....	67	1	1	2	1	3	10	5	6	6	5	7
Female.....	49	1	2	-	3	4	3	4	3	3	1	4
White, both sexes.....	103	2	2	2	4	7	9	8	7	9	6	9
Male.....	59	1	1	2	1	3	8	4	4	6	5	6
Female.....	44	1	1	-	3	4	1	4	3	3	1	3
Black, both sexes.....	2	-	1	-	-	-	1	-	-	-	-	-
Male.....	1	-	-	-	-	-	1	-	-	-	-	-
Female.....	1	-	1	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	11	-	-	-	-	-	3	1	2	-	-	2
Male.....	7	-	-	-	-	-	1	1	2	-	-	1
Female.....	4	-	-	-	-	-	2	-	-	-	-	1
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New York

All races, both sexes.....	234	-	3	3	2	22	23	20	17	11	11	11
Male.....	144	-	1	-	1	13	14	14	14	7	8	6
Female.....	90	-	2	3	1	9	9	6	3	4	3	5
White, both sexes.....	203	-	2	3	-	18	20	18	15	11	10	8
Male.....	124	-	1	-	-	9	11	14	12	7	7	5
Female.....	79	-	1	3	-	9	9	4	3	4	3	3
Black, both sexes.....	22	-	-	-	-	3	1	1	2	-	1	2
Male.....	15	-	-	-	-	3	1	-	2	-	1	1
Female.....	7	-	-	-	-	-	-	1	-	-	-	1
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	9	-	1	-	2	1	2	1	-	-	-	1
Male.....	5	-	-	-	1	1	2	-	-	-	-	-
Female.....	4	-	1	-	1	-	-	1	-	-	-	1

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Occupant of car, pickup truck or van involved in collision with other motor vehicle (V42-V44,V49,V52-V54,V59)

Arkansas

All races, both sexes.....	16	7	10	5	6	3	5	1	1	-	-	-
Male.....	9	5	8	1	4	1	2	-	1	-	-	-
Female.....	7	2	2	4	2	2	3	1	-	-	-	-
White, both sexes.....	14	6	9	4	6	3	5	1	1	-	-	-
Male.....	9	4	7	1	4	1	2	-	1	-	-	-
Female.....	5	2	2	3	2	2	3	1	-	-	-	-
Black, both sexes.....	2	1	1	1	-	-	-	-	-	-	-	-
Male.....	-	1	1	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	1	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	37	59	40	31	22	25	31	9	10	3	-	1
Male.....	22	38	23	17	14	17	14	6	6	2	-	1
Female.....	15	21	17	14	8	8	17	3	4	1	-	-
White, both sexes.....	31	47	32	23	15	21	30	7	10	3	-	1
Male.....	20	31	19	12	10	13	14	5	6	2	-	1
Female.....	11	16	13	11	5	8	16	2	4	1	-	-
Black, both sexes.....	3	3	2	4	4	1	-	-	-	-	-	-
Male.....	1	1	2	2	2	1	-	-	-	-	-	-
Female.....	2	2	-	2	2	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	1	-	1	-	-	-	-	-	-	-
Male.....	1	-	1	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	9	5	4	2	3	1	2	-	-	-	-
Male.....	-	6	1	3	1	3	-	1	-	-	-	-
Female.....	2	3	4	1	1	-	1	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Occupant of car, pickup truck or van involved in collision with other motor vehicle (V42-V44,V49,V52-V54,V59)

Florida

All races, both sexes.....	66	52	59	52	61	64	61	38	20	6	-	-
Male.....	47	29	30	30	34	36	27	18	13	2	-	-
Female.....	19	23	29	22	27	28	34	20	7	4	-	-
White, both sexes.....	55	38	48	44	53	58	59	38	20	6	-	-
Male.....	37	20	23	26	30	33	26	18	13	2	-	-
Female.....	18	18	25	18	23	25	33	20	7	4	-	-
Black, both sexes.....	10	14	7	7	7	6	2	-	-	-	-	-
Male.....	9	9	5	4	4	3	1	-	-	-	-	-
Female.....	1	5	2	3	3	3	1	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	4	1	1	-	-	-	-	-	-	-
Male.....	-	-	2	-	-	-	-	-	-	-	-	-
Female.....	-	-	2	1	1	-	-	-	-	-	-	-

Georgia

All races, both sexes.....	20	16	8	13	13	17	9	5	-	-	-	-
Male.....	14	9	3	6	3	12	5	4	-	-	-	-
Female.....	6	7	5	7	10	5	4	1	-	-	-	-
White, both sexes.....	14	8	6	10	10	16	6	4	-	-	-	-
Male.....	11	5	2	4	1	11	4	3	-	-	-	-
Female.....	3	3	4	6	9	5	2	1	-	-	-	-
Black, both sexes.....	5	7	2	3	2	1	3	1	-	-	-	-
Male.....	2	4	1	2	2	1	1	1	-	-	-	-
Female.....	3	3	1	1	-	-	2	-	-	-	-	-
American Indian 1/, both sexes.....	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	1	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	1	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Occupant of car, pickup truck or van involved in collision with other motor vehicle (V42-V44,V49,V52-V54,V59)

Illinois

All races, both sexes.....	29	17	13	10	13	9	13	10	2	-	1	-
Male.....	15	10	9	8	10	6	8	5	1	-	-	-
Female.....	14	7	4	2	3	3	5	5	1	-	1	-
White, both sexes.....	26	14	12	10	13	8	13	9	2	-	1	-
Male.....	13	8	8	8	10	6	8	4	1	-	-	-
Female.....	13	6	4	2	3	2	5	5	1	-	1	-
Black, both sexes.....	2	3	1	-	-	-	-	1	-	-	-	-
Male.....	1	2	1	-	-	-	-	1	-	-	-	-
Female.....	1	1	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	1	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-

Indiana

All races, both sexes.....	10	10	8	9	4	10	9	7	-	2	-	-
Male.....	5	8	4	7	1	5	8	6	-	-	-	-
Female.....	5	2	4	2	3	5	1	1	-	2	-	-
White, both sexes.....	10	10	6	9	3	10	8	6	-	2	-	-
Male.....	5	8	3	7	1	5	7	6	-	-	-	-
Female.....	5	2	3	2	2	5	1	-	-	2	-	-
Black, both sexes.....	-	-	2	-	1	-	1	-	-	-	-	-
Male.....	-	-	1	-	-	-	1	-	-	-	-	-
Female.....	-	-	1	-	1	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Occupant of car, pickup truck or van involved in collision with other motor vehicle (V42-V44,V49,V52-V54,V59)

Maine

All races, both sexes.....	-	1	3	4	2	3	4	3	-	-	-	-
Male.....	-	-	2	2	-	2	3	1	-	-	-	-
Female.....	-	1	1	2	2	1	1	2	-	-	-	-
White, both sexes.....	-	1	2	4	2	3	4	3	-	-	-	-
Male.....	-	-	1	2	-	2	3	1	-	-	-	-
Female.....	-	1	1	2	2	1	1	2	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Maryland

All races, both sexes.....	12	12	13	12	12	13	12	5	3	1	-	-
Male.....	5	6	8	5	7	9	5	4	-	-	-	-
Female.....	7	6	5	7	5	4	7	1	3	1	-	-
White, both sexes.....	6	6	11	8	7	9	11	4	3	1	-	-
Male.....	2	2	7	3	4	7	5	4	-	-	-	-
Female.....	4	4	4	5	3	2	6	-	3	1	-	-
Black, both sexes.....	5	6	1	4	5	3	1	-	-	-	-	-
Male.....	3	4	-	2	3	2	-	-	-	-	-	-
Female.....	2	2	1	2	2	1	1	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	1	-	-	1	-	1	-	-	-	-
Male.....	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	1	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Occupant of car, pickup truck or van involved in collision with other motor vehicle (V42-V44,V49,V52-V54,V59)

New Hampshire

All races, both sexes.....	5	1	2	1	1	3	-	-	1	-	-	-
Male.....	3	-	1	-	-	2	-	-	1	-	-	-
Female.....	2	1	1	1	1	1	-	-	-	-	-	-
White, both sexes.....	5	1	2	1	1	3	-	-	1	-	-	-
Male.....	3	-	1	-	-	2	-	-	1	-	-	-
Female.....	2	1	1	1	1	1	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New Jersey

All races, both sexes.....	2	2	3	4	7	7	8	2	-	-	-	-
Male.....	1	1	2	1	3	5	7	-	-	-	-	-
Female.....	1	1	1	3	4	2	1	2	-	-	-	-
White, both sexes.....	2	2	3	4	6	6	7	2	-	-	-	-
Male.....	1	1	2	1	2	4	7	-	-	-	-	-
Female.....	1	1	1	3	4	2	-	2	-	-	-	-
Black, both sexes.....	-	-	-	-	1	1	-	-	-	-	-	-
Male.....	-	-	-	-	1	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Occupant of motor vehicle involved in noncollision accident (V48,V58,V68,V78)

United States

All races, both sexes.....	3,945	23	41	39	81	557	661	401	338	311	305	277
Male.....	2,768	8	22	19	46	362	500	309	259	226	209	213
Female.....	1,177	15	19	20	35	195	161	92	79	85	96	64
White, both sexes.....	3,275	15	25	27	62	467	567	318	280	247	250	233
Male.....	2,311	5	13	14	31	305	430	255	216	182	173	176
Female.....	964	10	12	13	31	162	137	63	64	65	77	57
Black, both sexes.....	431	3	13	7	13	58	54	49	42	44	38	31
Male.....	299	2	8	2	10	35	40	34	32	30	26	27
Female.....	132	1	5	5	3	23	14	15	10	14	12	4
American Indian 1/, both sexes.....	171	4	2	3	3	23	33	24	14	15	12	10
Male.....	115	1	1	1	3	15	24	14	9	12	7	7
Female.....	56	3	1	2	-	8	9	10	5	3	5	3
Asian or Pacific Islander 2/, both sexes.....	68	1	1	2	3	9	7	10	2	5	5	3
Male.....	43	-	-	2	2	7	6	6	2	2	3	3
Female.....	25	1	1	-	1	2	1	4	-	3	2	-

Alabama

All races, both sexes.....	47	-	-	2	1	6	7	2	5	9	2	5
Male.....	33	-	-	2	1	-	6	1	4	8	2	5
Female.....	14	-	-	-	-	6	1	1	1	1	-	-
White, both sexes.....	31	-	-	2	-	2	4	2	4	6	2	5
Male.....	24	-	-	2	-	-	3	1	4	6	2	5
Female.....	7	-	-	-	-	2	1	1	-	-	-	-
Black, both sexes.....	13	-	-	-	1	4	2	-	1	2	-	-
Male.....	7	-	-	-	1	-	2	-	-	2	-	-
Female.....	6	-	-	-	-	4	-	-	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	-	-	-	-	-	1	-	-	1	-	-
Male.....	2	-	-	-	-	-	1	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
---	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Occupant of motor vehicle involved in noncollision accident (V48,V58,V68,V78)

Arkansas

All races, both sexes.....	39	-	1	1	2	8	6	-	3	2	5	5
Male.....	24	-	1	-	1	4	4	-	3	1	5	3
Female.....	15	-	-	1	1	4	2	-	-	1	-	2
White, both sexes.....	34	-	-	1	2	8	6	-	3	1	4	5
Male.....	21	-	-	-	1	4	4	-	3	1	4	3
Female.....	13	-	-	1	1	4	2	-	-	-	-	2
Black, both sexes.....	5	-	1	-	-	-	-	-	-	1	1	-
Male.....	3	-	1	-	-	-	-	-	-	-	1	-
Female.....	2	-	-	-	-	-	-	-	-	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	328	2	6	7	5	41	46	36	30	31	23	25
Male.....	226	-	2	5	1	26	33	27	20	27	20	21
Female.....	102	2	4	2	4	15	13	9	10	4	3	4
White, both sexes.....	284	2	3	5	3	35	43	29	28	29	19	23
Male.....	199	-	1	4	1	21	32	23	18	26	17	19
Female.....	85	2	2	1	2	14	11	6	10	3	2	4
Black, both sexes.....	21	-	2	2	1	2	2	2	1	2	3	1
Male.....	15	-	1	1	-	2	1	1	1	1	3	1
Female.....	6	-	1	1	1	-	1	1	-	1	-	-
American Indian 1/, both sexes.....	4	-	-	-	-	1	-	2	-	-	-	-
Male.....	2	-	-	-	-	1	-	1	-	-	-	-
Female.....	2	-	-	-	-	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	19	-	1	-	1	3	1	3	1	-	1	1
Male.....	10	-	-	-	-	2	-	2	1	-	-	1
Female.....	9	-	1	-	1	1	1	1	-	-	1	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
---	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Occupant of motor vehicle involved in noncollision accident (V48,V58,V68,V78)

Vermont

All races, both sexes.....	17	-	-	-	-	1	4	2	2	1	1	1
Male.....	11	-	-	-	-	1	2	1	2	1	1	1
Female.....	6	-	-	-	-	-	2	1	-	-	-	-
White, both sexes.....	17	-	-	-	-	1	4	2	2	1	1	1
Male.....	11	-	-	-	-	1	2	1	2	1	1	1
Female.....	6	-	-	-	-	-	2	1	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Virginia

All races, both sexes.....	49	1	1	-	3	8	6	4	3	3	3	1
Male.....	36	-	1	-	3	5	5	2	2	1	2	1
Female.....	13	1	-	-	-	3	1	2	1	2	1	-
White, both sexes.....	35	1	-	-	1	8	5	3	-	2	-	1
Male.....	26	-	-	-	1	5	4	2	-	1	-	1
Female.....	9	1	-	-	-	3	1	1	-	1	-	-
Black, both sexes.....	12	-	1	-	1	-	1	-	3	1	3	-
Male.....	9	-	1	-	1	-	1	-	2	-	2	-
Female.....	3	-	-	-	-	-	-	-	1	1	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	1	-	-	1	-	-	-	-
Male.....	1	-	-	-	1	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Occupant of special-use motor vehicle involved in any accident (V83-V86)

Arkansas

All races, both sexes.....	1	1	2	1	1	-	4	-	-	-	-	-
Male.....	1	1	1	1	1	-	4	-	-	-	-	-
Female.....	-	-	1	-	-	-	-	-	-	-	-	-
White, both sexes.....	1	1	2	1	1	-	4	-	-	-	-	-
Male.....	1	1	1	1	1	-	4	-	-	-	-	-
Female.....	-	-	1	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	11	3	9	5	1	2	-	-	-	-	-	-
Male.....	11	3	7	5	1	1	-	-	-	-	-	-
Female.....	-	-	2	-	-	1	-	-	-	-	-	-
White, both sexes.....	11	3	9	5	1	1	-	-	-	-	-	-
Male.....	11	3	7	5	1	1	-	-	-	-	-	-
Female.....	-	-	2	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Other and unspecified motor vehicle accidents (V09.0,V09.2,V80.3-V80.5,V82.0-V82.1,V87.0-V87.5,V87.7-V87.8,V88.0-V88.5,V88.7-V88.8,V89.0,V89.2)

Alaska

All races, both sexes.....	51	-	1	3	1	6	5	7	2	3	3	1
Male.....	30	-	-	2	1	2	3	5	2	3	-	-
Female.....	21	-	1	1	-	4	2	2	-	-	3	1
White, both sexes.....	38	-	1	2	1	4	4	6	1	1	2	1
Male.....	21	-	-	1	1	2	2	4	1	1	-	-
Female.....	17	-	1	1	-	2	2	2	-	-	2	1
Black, both sexes.....	3	-	-	-	-	-	-	1	1	1	-	-
Male.....	3	-	-	-	-	-	-	1	1	1	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	10	-	-	1	-	2	1	-	-	1	1	-
Male.....	6	-	-	1	-	-	1	-	-	1	-	-
Female.....	4	-	-	-	-	2	-	-	-	-	1	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Arizona

All races, both sexes.....	967	1	25	15	7	124	109	113	62	68	61	75
Male.....	624	1	12	9	3	77	78	88	43	41	45	53
Female.....	343	-	13	6	4	47	31	25	19	27	16	22
White, both sexes.....	786	1	21	13	6	98	93	86	42	54	48	57
Male.....	505	1	10	8	2	59	65	66	32	32	37	39
Female.....	281	-	11	5	4	39	28	20	10	22	11	18
Black, both sexes.....	30	-	-	1	1	4	3	3	3	1	3	2
Male.....	22	-	-	1	1	4	3	2	2	-	3	1
Female.....	8	-	-	-	-	-	-	1	1	1	-	1
American Indian 1/, both sexes.....	145	-	4	1	-	21	12	24	17	12	9	16
Male.....	95	-	2	-	-	14	9	20	9	9	4	13
Female.....	50	-	2	1	-	7	3	4	8	3	5	3
Asian or Pacific Islander 2/, both sexes.....	6	-	-	-	-	1	1	-	-	1	1	-
Male.....	2	-	-	-	-	-	1	-	-	-	1	-
Female.....	4	-	-	-	-	1	-	-	-	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Other and unspecified motor vehicle accidents (V09.0,V09.2,V80.3-V80.5,V82.0-V82.1,V87.0-V87.5,V87.7-V87.8,V88.0-V88.5,V88.7-V88.8,V89.0,V89.2)

Arkansas

All races, both sexes.....	285	3	6	8	-	41	35	26	20	26	15	16
Male.....	188	2	4	4	-	30	27	15	13	16	9	12
Female.....	97	1	2	4	-	11	8	11	7	10	6	4
White, both sexes.....	237	3	5	6	-	36	25	23	18	21	11	12
Male.....	152	2	3	3	-	26	19	13	12	12	6	10
Female.....	85	1	2	3	-	10	6	10	6	9	5	2
Black, both sexes.....	44	-	1	2	-	5	10	3	2	5	4	3
Male.....	33	-	1	1	-	4	8	2	1	4	3	2
Female.....	11	-	-	1	-	1	2	1	1	1	1	1
American Indian 1/, both sexes.....	2	-	-	-	-	-	-	-	-	-	-	1
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	1
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	-	-	-	-	-	-	-	-
Male.....	2	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	1,718	8	32	26	23	220	273	148	113	98	115	132
Male.....	1,154	6	19	12	10	146	208	112	77	62	88	84
Female.....	564	2	13	14	13	74	65	36	36	36	27	48
White, both sexes.....	1,425	8	23	19	17	194	232	126	96	85	95	104
Male.....	977	6	14	9	8	132	180	95	68	53	73	70
Female.....	448	2	9	10	9	62	52	31	28	32	22	34
Black, both sexes.....	121	-	6	2	4	7	17	13	6	8	7	10
Male.....	85	-	3	1	2	5	11	11	4	7	5	5
Female.....	36	-	3	1	2	2	6	2	2	1	2	5
American Indian 1/, both sexes.....	22	-	2	1	1	2	2	1	1	-	4	3
Male.....	13	-	1	-	-	1	1	-	1	-	4	3
Female.....	9	-	1	1	1	1	1	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	150	-	1	4	1	17	22	8	10	5	9	15
Male.....	79	-	1	2	-	8	16	6	4	2	6	6
Female.....	71	-	-	2	1	9	6	2	6	3	3	9

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
---	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Other and unspecified motor vehicle accidents (V09.0,V09.2,V80.3-V80.5,V82.0-V82.1,V87.0-V87.5,V87.7-V87.8,V88.0-V88.5,V88.7-V88.8,V89.0,V89.2)

Colorado

All races, both sexes.....	275	1	6	4	4	39	35	33	22	14	16	17
Male.....	174	-	2	3	1	27	23	21	19	9	10	11
Female.....	101	1	4	1	3	12	12	12	3	5	6	6
White, both sexes.....	256	1	6	3	4	37	33	30	20	12	15	15
Male.....	161	-	2	2	1	25	22	19	17	8	10	10
Female.....	95	1	4	1	3	12	11	11	3	4	5	5
Black, both sexes.....	10	-	-	1	-	2	1	1	1	1	-	1
Male.....	8	-	-	1	-	2	-	1	1	1	-	1
Female.....	2	-	-	-	-	-	1	-	-	-	-	-
American Indian 1/, both sexes.....	6	-	-	-	-	-	-	2	1	-	1	1
Male.....	3	-	-	-	-	-	-	1	1	-	-	-
Female.....	3	-	-	-	-	-	-	1	-	-	1	1
Asian or Pacific Islander 2/, both sexes.....	3	-	-	-	-	-	1	-	-	1	-	-
Male.....	2	-	-	-	-	-	1	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	1	-	-

Connecticut

All races, both sexes.....	252	1	-	1	2	30	42	27	14	20	15	16
Male.....	174	1	-	1	1	24	32	22	9	16	7	10
Female.....	78	-	-	-	1	6	10	5	5	4	8	6
White, both sexes.....	221	1	-	-	2	23	34	24	14	18	14	13
Male.....	155	1	-	-	1	20	26	20	9	15	7	8
Female.....	66	-	-	-	1	3	8	4	5	3	7	5
Black, both sexes.....	24	-	-	1	-	6	6	2	-	2	1	3
Male.....	15	-	-	1	-	4	4	2	-	1	-	2
Female.....	9	-	-	-	-	2	2	-	-	1	1	1
American Indian 1/, both sexes.....	1	-	-	-	-	-	1	-	-	-	-	-
Male.....	1	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	6	-	-	-	-	1	1	1	-	-	-	-
Male.....	3	-	-	-	-	-	1	-	-	-	-	-
Female.....	3	-	-	-	-	1	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
---	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Other and unspecified motor vehicle accidents (V09.0,V09.2,V80.3-V80.5,V82.0-V82.1,V87.0-V87.5,V87.7-V87.8,V88.0-V88.5,V88.7-V88.8,V89.0,V89.2)

Florida

All races, both sexes.....	316	-	1	4	1	19	35	25	22	22	35	24
Male.....	211	-	1	3	-	12	22	18	16	17	24	17
Female.....	105	-	-	1	1	7	13	7	6	5	11	7
White, both sexes.....	267	-	1	1	1	16	30	22	15	19	32	20
Male.....	184	-	1	-	-	10	20	17	12	16	23	15
Female.....	83	-	-	1	1	6	10	5	3	3	9	5
Black, both sexes.....	45	-	-	3	-	3	5	3	5	3	2	4
Male.....	24	-	-	3	-	2	2	1	3	1	-	2
Female.....	21	-	-	-	-	1	3	2	2	2	2	2
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	-	-	-	-	-	-	-	1	-	1	-
Male.....	3	-	-	-	-	-	-	-	1	-	1	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Georgia

All races, both sexes.....	1,046	4	11	7	11	103	162	103	81	62	89	80
Male.....	717	3	9	2	7	77	113	77	54	38	58	57
Female.....	329	1	2	5	4	26	49	26	27	24	31	23
White, both sexes.....	774	-	8	5	8	79	125	77	48	39	69	55
Male.....	544	-	7	-	5	56	93	60	28	25	48	37
Female.....	230	-	1	5	3	23	32	17	20	14	21	18
Black, both sexes.....	258	4	3	2	2	23	35	26	30	21	19	24
Male.....	165	3	2	2	1	20	19	17	24	12	9	19
Female.....	93	1	1	-	1	3	16	9	6	9	10	5
American Indian 1/, both sexes.....	3	-	-	-	-	-	1	-	1	-	-	1
Male.....	3	-	-	-	-	-	1	-	1	-	-	1
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	11	-	-	-	1	1	1	-	2	2	1	-
Male.....	5	-	-	-	1	1	-	-	1	1	1	-
Female.....	6	-	-	-	-	-	1	-	1	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
---	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Other and unspecified motor vehicle accidents (V09.0,V09.2,V80.3-V80.5,V82.0-V82.1,V87.0-V87.5,V87.7-V87.8,V88.0-V88.5,V88.7-V88.8,V89.0,V89.2)

Illinois

All races, both sexes.....	528	1	8	7	7	70	63	56	20	49	40	32
Male.....	341	1	4	3	4	45	48	40	11	27	27	22
Female.....	187	-	4	4	3	25	15	16	9	22	13	10
White, both sexes.....	468	1	7	5	5	63	51	48	16	47	37	29
Male.....	299	1	3	1	3	42	38	34	9	26	24	20
Female.....	169	-	4	4	2	21	13	14	7	21	13	9
Black, both sexes.....	54	-	1	2	1	5	11	8	4	1	3	3
Male.....	41	-	1	2	1	3	10	6	2	1	3	2
Female.....	13	-	-	-	-	2	1	2	2	-	-	1
American Indian 1/, both sexes.....	1	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	5	-	-	-	1	1	1	-	-	1	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	4	-	-	-	1	1	1	-	-	1	-	-

Indiana

All races, both sexes.....	448	2	5	6	4	59	63	35	34	45	31	24
Male.....	293	1	4	2	2	34	44	29	24	38	18	19
Female.....	155	1	1	4	2	25	19	6	10	7	13	5
White, both sexes.....	421	2	5	5	3	58	57	33	29	43	28	23
Male.....	274	1	4	2	2	34	39	27	20	36	16	19
Female.....	147	1	1	3	1	24	18	6	9	7	12	4
Black, both sexes.....	24	-	-	1	1	1	4	2	4	2	3	1
Male.....	17	-	-	-	-	-	3	2	4	2	2	-
Female.....	7	-	-	1	1	1	1	-	-	-	1	1
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	-	-	-	-	-	2	-	1	-	-	-
Male.....	2	-	-	-	-	-	2	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Other and unspecified motor vehicle accidents (V09.0,V09.2,V80.3-V80.5,V82.0-V82.1,V87.0-V87.5,V87.7-V87.8,V88.0-V88.5,V88.7-V88.8,V89.0,V89.2)

Massachusetts

All races, both sexes.....	305	-	1	-	7	39	52	28	15	10	17	18
Male.....	211	-	1	-	5	24	39	21	12	9	13	12
Female.....	94	-	-	-	2	15	13	7	3	1	4	6
White, both sexes.....	270	-	1	-	5	33	45	24	14	10	16	13
Male.....	184	-	1	-	4	19	32	18	11	9	12	10
Female.....	86	-	-	-	1	14	13	6	3	1	4	3
Black, both sexes.....	26	-	-	-	2	6	6	2	1	-	1	2
Male.....	22	-	-	-	1	5	6	2	1	-	1	1
Female.....	4	-	-	-	1	1	-	-	-	-	-	1
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	1	-	-	-	-
Male.....	1	-	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	8	-	-	-	-	-	1	1	-	-	-	3
Male.....	4	-	-	-	-	-	1	-	-	-	-	1
Female.....	4	-	-	-	-	-	-	1	-	-	-	2

Michigan

All races, both sexes.....	565	1	5	5	8	52	79	48	34	44	45	35
Male.....	374	-	2	3	6	39	55	35	24	29	29	24
Female.....	191	1	3	2	2	13	24	13	10	15	16	11
White, both sexes.....	448	1	5	3	6	34	64	35	25	30	36	28
Male.....	283	-	2	2	4	22	44	25	17	19	23	19
Female.....	165	1	3	1	2	12	20	10	8	11	13	9
Black, both sexes.....	105	-	-	1	2	15	13	13	9	11	7	7
Male.....	85	-	-	-	2	14	11	10	7	9	5	5
Female.....	20	-	-	1	-	1	2	3	2	2	2	2
American Indian 1/, both sexes.....	3	-	-	-	-	-	1	-	-	1	1	-
Male.....	1	-	-	-	-	-	-	-	-	-	1	-
Female.....	2	-	-	-	-	-	1	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	9	-	-	1	-	3	1	-	-	2	1	-
Male.....	5	-	-	1	-	3	-	-	-	1	-	-
Female.....	4	-	-	-	-	-	1	-	-	1	1	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Other and unspecified motor vehicle accidents (V09.0,V09.2,V80.3-V80.5,V82.0-V82.1,V87.0-V87.5,V87.7-V87.8,V88.0-V88.5,V88.7-V88.8,V89.0,V89.2)

Nebraska

All races, both sexes.....	14	-	-	-	-	-	2	3	1	-	-	3
Male.....	8	-	-	-	-	-	-	3	-	-	-	2
Female.....	6	-	-	-	-	-	2	-	1	-	-	1
White, both sexes.....	14	-	-	-	-	-	2	3	1	-	-	3
Male.....	8	-	-	-	-	-	-	3	-	-	-	2
Female.....	6	-	-	-	-	-	2	-	1	-	-	1
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Nevada

All races, both sexes.....	188	1	2	3	2	18	22	15	13	16	17	12
Male.....	115	-	1	1	-	12	16	11	13	11	11	7
Female.....	73	1	1	2	2	6	6	4	-	5	6	5
White, both sexes.....	154	1	2	-	2	18	16	14	11	11	15	10
Male.....	99	-	1	-	-	12	12	10	11	9	10	5
Female.....	55	1	1	-	2	6	4	4	-	2	5	5
Black, both sexes.....	17	-	-	2	-	-	2	-	1	3	2	1
Male.....	7	-	-	1	-	-	1	-	1	1	1	1
Female.....	10	-	-	1	-	-	1	-	-	2	1	-
American Indian 1/, both sexes.....	4	-	-	-	-	-	-	-	1	2	-	-
Male.....	3	-	-	-	-	-	-	-	1	1	-	-
Female.....	1	-	-	-	-	-	-	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	13	-	-	1	-	-	4	1	-	-	-	1
Male.....	6	-	-	-	-	-	3	1	-	-	-	1
Female.....	7	-	-	1	-	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
---	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Other and unspecified motor vehicle accidents (V09.0,V09.2,V80.3-V80.5,V82.0-V82.1,V87.0-V87.5,V87.7-V87.8,V88.0-V88.5,V88.7-V88.8,V89.0,V89.2)

New Hampshire

All races, both sexes.....	49	-	-	-	-	7	6	3	1	2	5	8
Male.....	33	-	-	-	-	5	5	3	1	1	3	7
Female.....	16	-	-	-	-	2	1	-	-	1	2	1
White, both sexes.....	47	-	-	-	-	7	5	3	1	2	5	7
Male.....	31	-	-	-	-	5	4	3	1	1	3	6
Female.....	16	-	-	-	-	2	1	-	-	1	2	1
Black, both sexes.....	2	-	-	-	-	-	1	-	-	-	-	1
Male.....	2	-	-	-	-	-	1	-	-	-	-	1
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New Jersey

All races, both sexes.....	424	1	3	4	5	53	47	44	27	28	21	27
Male.....	270	-	2	1	3	35	34	30	19	20	14	14
Female.....	154	1	1	3	2	18	13	14	8	8	7	13
White, both sexes.....	347	1	3	3	4	42	39	35	21	22	19	20
Male.....	223	-	2	-	2	27	29	24	16	15	13	11
Female.....	124	1	1	3	2	15	10	11	5	7	6	9
Black, both sexes.....	61	-	-	-	-	9	7	8	6	6	2	7
Male.....	37	-	-	-	-	7	4	6	3	5	1	3
Female.....	24	-	-	-	-	2	3	2	3	1	1	4
American Indian 1/, both sexes.....	2	-	-	-	-	-	-	1	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	14	-	-	1	1	2	1	-	-	-	-	-
Male.....	9	-	-	1	1	1	1	-	-	-	-	-
Female.....	5	-	-	-	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Other and unspecified motor vehicle accidents (V09.0,V09.2,V80.3-V80.5,V82.0-V82.1,V87.0-V87.5,V87.7-V87.8,V88.0-V88.5,V88.7-V88.8,V89.0,V89.2)

New Mexico

All races, both sexes.....	70	-	1	4	2	5	8	8	6	6	5	6
Male.....	47	-	1	2	1	3	6	7	6	3	3	5
Female.....	23	-	-	2	1	2	2	1	-	3	2	1
White, both sexes.....	50	-	1	4	1	4	6	5	3	3	2	5
Male.....	33	-	1	2	1	2	4	4	3	3	1	4
Female.....	17	-	-	2	-	2	2	1	-	-	1	1
Black, both sexes.....	2	-	-	-	-	-	-	-	1	-	1	-
Male.....	2	-	-	-	-	-	-	-	1	-	1	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	16	-	-	-	1	1	2	3	1	2	2	1
Male.....	11	-	-	-	-	1	2	3	1	-	1	1
Female.....	5	-	-	-	1	-	-	-	-	2	1	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	-	-	-	-	1	1	-	-
Male.....	1	-	-	-	-	-	-	-	1	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	1	-	-

New York

All races, both sexes.....	662	1	7	8	6	68	78	62	40	36	46	35
Male.....	429	-	4	3	4	40	57	49	31	26	33	26
Female.....	233	1	3	5	2	28	21	13	9	10	13	9
White, both sexes.....	534	-	6	5	5	61	63	44	29	31	38	25
Male.....	330	-	3	3	3	35	45	34	24	22	25	16
Female.....	204	-	3	2	2	26	18	10	5	9	13	9
Black, both sexes.....	94	1	1	2	1	6	11	13	9	5	6	6
Male.....	74	-	1	-	1	5	9	11	6	4	6	6
Female.....	20	1	-	2	-	1	2	2	3	1	-	-
American Indian 1/, both sexes.....	7	-	-	-	-	-	2	1	-	-	-	1
Male.....	6	-	-	-	-	-	2	1	-	-	-	1
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	27	-	-	1	-	1	2	4	2	-	2	3
Male.....	19	-	-	-	-	-	1	3	1	-	2	3
Female.....	8	-	-	1	-	1	1	1	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Other and unspecified motor vehicle accidents (V09.0,V09.2,V80.3-V80.5,V82.0-V82.1,V87.0-V87.5,V87.7-V87.8,V88.0-V88.5,V88.7-V88.8,V89.0,V89.2)

Oregon

All races, both sexes.....	100	-	-	2	3	9	7	10	4	6	10	10
Male.....	65	-	-	2	-	5	6	8	3	6	5	5
Female.....	35	-	-	-	3	4	1	2	1	-	5	5
White, both sexes.....	93	-	-	1	3	9	6	9	3	6	10	7
Male.....	59	-	-	1	-	5	5	7	3	6	5	2
Female.....	34	-	-	-	3	4	1	2	-	-	5	5
Black, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	1
Male.....	1	-	-	-	-	-	-	-	-	-	-	1
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	5	-	-	-	-	-	1	1	1	-	-	2
Male.....	4	-	-	-	-	-	1	1	-	-	-	2
Female.....	1	-	-	-	-	-	-	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	1	-	-	-	-	-	-	-	-
Male.....	1	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Pennsylvania

All races, both sexes.....	998	3	10	17	11	105	143	88	52	69	66	64
Male.....	645	1	4	14	8	69	106	64	38	44	43	47
Female.....	353	2	6	3	3	36	37	24	14	25	23	17
White, both sexes.....	912	2	7	13	8	100	132	81	45	57	61	59
Male.....	581	1	1	10	6	64	96	60	32	35	40	43
Female.....	331	1	6	3	2	36	36	21	13	22	21	16
Black, both sexes.....	76	1	2	4	3	4	10	5	6	11	5	5
Male.....	56	-	2	4	2	4	9	3	5	8	3	4
Female.....	20	1	-	-	1	-	1	2	1	3	2	1
American Indian 1/, both sexes.....	1	-	-	-	-	-	1	-	-	-	-	-
Male.....	1	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	9	-	1	-	-	1	-	2	1	1	-	-
Male.....	7	-	1	-	-	1	-	1	1	1	-	-
Female.....	2	-	-	-	-	-	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Other and unspecified motor vehicle accidents (V09.0,V09.2,V80.3-V80.5,V82.0-V82.1,V87.0-V87.5,V87.7-V87.8,V88.0-V88.5,V88.7-V88.8,V89.0,V89.2)

Rhode Island

All races, both sexes.....	19	-	-	-	-	4	4	2	-	-	-	-
Male.....	13	-	-	-	-	3	2	1	-	-	-	-
Female.....	6	-	-	-	-	1	2	1	-	-	-	-
White, both sexes.....	16	-	-	-	-	3	4	2	-	-	-	-
Male.....	10	-	-	-	-	2	2	1	-	-	-	-
Female.....	6	-	-	-	-	1	2	1	-	-	-	-
Black, both sexes.....	3	-	-	-	-	1	-	-	-	-	-	-
Male.....	3	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

South Carolina

All races, both sexes.....	652	-	7	4	8	63	92	71	48	51	55	47
Male.....	471	-	4	2	4	39	77	58	40	35	39	34
Female.....	181	-	3	2	4	24	15	13	8	16	16	13
White, both sexes.....	448	-	4	3	6	50	60	55	22	38	36	27
Male.....	316	-	2	1	2	29	50	47	17	26	24	21
Female.....	132	-	2	2	4	21	10	8	5	12	12	6
Black, both sexes.....	196	-	3	1	2	12	31	15	26	10	19	19
Male.....	149	-	2	1	2	9	26	10	23	7	15	13
Female.....	47	-	1	-	-	3	5	5	3	3	4	6
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	7	-	-	-	-	1	1	1	-	3	-	1
Male.....	5	-	-	-	-	1	1	1	-	2	-	-
Female.....	2	-	-	-	-	-	-	-	-	1	-	1

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Other and unspecified motor vehicle accidents (V09.0,V09.2,V80.3-V80.5,V82.0-V82.1,V87.0-V87.5,V87.7-V87.8,V88.0-V88.5,V88.7-V88.8,V89.0,V89.2)

Alaska

All races, both sexes.....	3	6	5	2	1	1	-	-	1	-	-	-
Male.....	1	3	4	2	-	1	-	-	1	-	-	-
Female.....	2	3	1	-	1	-	-	-	-	-	-	-
White, both sexes.....	3	4	4	1	1	1	-	-	1	-	-	-
Male.....	1	2	3	1	-	1	-	-	1	-	-	-
Female.....	2	2	1	-	1	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	2	1	1	-	-	-	-	-	-	-	-
Male.....	-	1	1	1	-	-	-	-	-	-	-	-
Female.....	-	1	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Arizona

All races, both sexes.....	72	54	45	28	24	27	32	15	5	2	-	3
Male.....	45	33	22	18	13	18	9	9	3	1	-	3
Female.....	27	21	23	10	11	9	23	6	2	1	-	-
White, both sexes.....	62	43	37	27	22	23	28	15	5	2	-	3
Male.....	39	27	18	18	12	16	8	9	3	1	-	3
Female.....	23	16	19	9	10	7	20	6	2	1	-	-
Black, both sexes.....	2	4	1	1	-	1	-	-	-	-	-	-
Male.....	2	2	-	-	-	1	-	-	-	-	-	-
Female.....	-	2	1	1	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	8	6	7	-	2	3	3	-	-	-	-	-
Male.....	4	4	4	-	1	1	1	-	-	-	-	-
Female.....	4	2	3	-	1	2	2	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	1	-	-	-	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Other and unspecified motor vehicle accidents (V09.0,V09.2,V80.3-V80.5,V82.0-V82.1,V87.0-V87.5,V87.7-V87.8,V88.0-V88.5,V88.7-V88.8,V89.0,V89.2)

Arkansas

All races, both sexes.....	13	21	10	9	8	10	9	7	2	-	-	-
Male.....	7	14	8	4	5	6	7	4	1	-	-	-
Female.....	6	7	2	5	3	4	2	3	1	-	-	-
White, both sexes.....	11	17	8	9	6	8	9	7	2	-	-	-
Male.....	5	11	6	4	3	5	7	4	1	-	-	-
Female.....	6	6	2	5	3	3	2	3	1	-	-	-
Black, both sexes.....	1	4	1	-	1	2	-	-	-	-	-	-
Male.....	1	3	1	-	1	1	-	-	-	-	-	-
Female.....	-	1	-	-	-	1	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	1	-	-	-	-	-	-	-
Male.....	1	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	99	100	60	58	44	50	62	35	21	1	-	-
Male.....	73	63	39	40	25	28	30	24	8	-	-	-
Female.....	26	37	21	18	19	22	32	11	13	1	-	-
White, both sexes.....	81	79	47	43	37	39	49	29	21	1	-	-
Male.....	60	50	30	29	21	22	28	21	8	-	-	-
Female.....	21	29	17	14	16	17	21	8	13	1	-	-
Black, both sexes.....	11	9	8	5	1	2	2	3	-	-	-	-
Male.....	9	8	7	4	-	2	-	1	-	-	-	-
Female.....	2	1	1	1	1	-	2	2	-	-	-	-
American Indian 1/, both sexes.....	-	1	1	1	1	-	1	-	-	-	-	-
Male.....	-	-	1	1	-	-	-	-	-	-	-	-
Female.....	-	1	-	-	1	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	7	11	4	9	5	9	10	3	-	-	-	-
Male.....	4	5	1	6	4	4	2	2	-	-	-	-
Female.....	3	6	3	3	1	5	8	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Other and unspecified motor vehicle accidents (V09.0,V09.2,V80.3-V80.5,V82.0-V82.1,V87.0-V87.5,V87.7-V87.8,V88.0-V88.5,V88.7-V88.8,V89.0,V89.2)

Florida

All races, both sexes.....	22	34	17	14	7	13	10	11	-	-	-	-
Male.....	17	25	7	11	3	8	2	8	-	-	-	-
Female.....	5	9	10	3	4	5	8	3	-	-	-	-
White, both sexes.....	18	30	15	12	4	11	10	10	-	-	-	-
Male.....	16	21	6	9	1	7	2	8	-	-	-	-
Female.....	2	9	9	3	3	4	8	2	-	-	-	-
Black, both sexes.....	4	4	2	2	2	2	-	1	-	-	-	-
Male.....	1	4	1	2	1	1	-	-	-	-	-	-
Female.....	3	-	1	-	1	1	-	1	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Georgia

All races, both sexes.....	79	57	37	40	29	31	34	18	6	2	-	-
Male.....	52	41	26	24	20	19	22	14	3	1	-	-
Female.....	27	16	11	16	9	12	12	4	3	1	-	-
White, both sexes.....	58	37	30	32	24	27	31	16	5	1	-	-
Male.....	42	29	23	21	17	17	20	13	2	1	-	-
Female.....	16	8	7	11	7	10	11	3	3	-	-	-
Black, both sexes.....	21	20	6	7	4	4	3	2	1	1	-	-
Male.....	10	12	3	3	3	2	2	1	1	-	-	-
Female.....	11	8	3	4	1	2	1	1	-	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	1	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	1	1	1	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Other and unspecified motor vehicle accidents (V09.0,V09.2,V80.3-V80.5,V82.0-V82.1,V87.0-V87.5,V87.7-V87.8,V88.0-V88.5,V88.7-V88.8,V89.0,V89.2)

New Hampshire

All races, both sexes.....	3	3	2	-	-	3	2	3	1	-	-	-
Male.....	2	-	2	-	-	-	1	2	1	-	-	-
Female.....	1	3	-	-	-	3	1	1	-	-	-	-
White, both sexes.....	3	3	2	-	-	3	2	3	1	-	-	-
Male.....	2	-	2	-	-	-	1	2	1	-	-	-
Female.....	1	3	-	-	-	3	1	1	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New Jersey

All races, both sexes.....	25	22	17	13	11	24	25	15	10	2	-	-
Male.....	18	15	11	7	8	12	14	7	5	1	-	-
Female.....	7	7	6	6	3	12	11	8	5	1	-	-
White, both sexes.....	19	14	16	11	8	20	24	15	9	2	-	-
Male.....	14	10	11	7	7	9	13	7	5	1	-	-
Female.....	5	4	5	4	1	11	11	8	4	1	-	-
Black, both sexes.....	5	4	1	2	1	2	-	-	1	-	-	-
Male.....	3	3	-	-	1	1	-	-	-	-	-	-
Female.....	2	1	1	2	-	1	-	-	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	4	-	-	2	1	1	-	-	-	-	-
Male.....	1	2	-	-	-	1	1	-	-	-	-	-
Female.....	-	2	-	-	2	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Other and unspecified motor vehicle accidents (V09.0,V09.2,V80.3-V80.5,V82.0-V82.1,V87.0-V87.5,V87.7-V87.8,V88.0-V88.5,V88.7-V88.8,V89.0,V89.2)

New Mexico

All races, both sexes.....	4	-	4	3	4	2	1	-	1	-	-	-
Male.....	2	-	1	2	4	1	-	-	-	-	-	-
Female.....	2	-	3	1	-	1	1	-	1	-	-	-
White, both sexes.....	3	-	4	2	3	2	1	-	1	-	-	-
Male.....	2	-	1	1	3	1	-	-	-	-	-	-
Female.....	1	-	3	1	-	1	1	-	1	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	1	1	-	-	-	-	-	-	-
Male.....	-	-	-	1	1	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New York

All races, both sexes.....	35	39	34	27	35	32	29	27	15	2	-	-
Male.....	21	27	19	14	23	18	11	12	9	2	-	-
Female.....	14	12	15	13	12	14	18	15	6	-	-	-
White, both sexes.....	25	34	22	22	31	28	24	26	13	2	-	-
Male.....	14	24	10	10	20	15	6	11	8	2	-	-
Female.....	11	10	12	12	11	13	18	15	5	-	-	-
Black, both sexes.....	8	4	9	2	2	2	4	1	1	-	-	-
Male.....	5	2	7	2	2	1	4	1	1	-	-	-
Female.....	3	2	2	-	-	1	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	2	-	-	-	-	-	-	-	-	-
Male.....	1	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	1	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	1	1	3	2	2	1	-	1	-	-	-
Male.....	1	1	1	2	1	2	1	-	-	-	-	-
Female.....	-	-	-	1	1	-	-	-	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
---	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Other and unspecified land transport accidents (V01,V06,V09.1,V09.3,V09.9,V10-V11,V16-V18,V19.3,V19.8-V19.9,V80.0-V80.2,V80.7-V80.9,V87.9,V88.9,V89.1,V89.3,V89.9)

Arkansas

All races, both sexes.....	13	1	-	-	1	-	-	2	-	-	1	1
Male.....	8	-	-	-	-	-	-	-	-	-	1	1
Female.....	5	1	-	-	1	-	-	2	-	-	-	-
White, both sexes.....	9	-	-	-	1	-	-	-	-	-	1	1
Male.....	7	-	-	-	-	-	-	-	-	-	1	1
Female.....	2	-	-	-	1	-	-	-	-	-	-	-
Black, both sexes.....	2	1	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	1	-	-	-	-	-	1	-	-	-	-
American Indian 1/, both sexes.....	2	-	-	-	-	-	-	1	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	128	-	1	1	4	6	6	5	2	14	13	8
Male.....	94	-	-	1	3	3	5	3	1	8	11	7
Female.....	34	-	1	-	1	3	1	2	1	6	2	1
White, both sexes.....	105	-	1	1	4	6	6	2	2	13	9	8
Male.....	78	-	-	1	3	3	5	1	1	8	8	7
Female.....	27	-	1	-	1	3	1	1	1	5	1	1
Black, both sexes.....	7	-	-	-	-	-	-	1	-	-	1	-
Male.....	6	-	-	-	-	-	-	1	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	1	-
American Indian 1/, both sexes.....	2	-	-	-	-	-	-	2	-	-	-	-
Male.....	1	-	-	-	-	-	-	1	-	-	-	-
Female.....	1	-	-	-	-	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	14	-	-	-	-	-	-	-	-	1	3	-
Male.....	9	-	-	-	-	-	-	-	-	-	3	-
Female.....	5	-	-	-	-	-	-	-	-	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
---	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Other and unspecified land transport accidents (V01,V06,V09.1,V09.3,V09.9,V10-V11,V16-V18,V19.3,V19.8-V19.9,V80.0-V80.2,V80.7-V80.9,V87.9,V88.9,V89.1,V89.3,V89.9)

Florida

All races, both sexes.....	34	-	-	-	1	1	1	2	-	2	2	4
Male.....	26	-	-	-	-	1	1	1	-	1	2	2
Female.....	8	-	-	-	1	-	-	1	-	1	-	2
White, both sexes.....	30	-	-	-	1	1	1	2	-	1	2	3
Male.....	22	-	-	-	-	1	1	1	-	-	2	1
Female.....	8	-	-	-	1	-	-	1	-	1	-	2
Black, both sexes.....	4	-	-	-	-	-	-	-	-	1	-	1
Male.....	4	-	-	-	-	-	-	-	-	1	-	1
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Georgia

All races, both sexes.....	19	-	-	-	1	4	2	1	1	1	4	-
Male.....	14	-	-	-	1	2	1	1	-	-	4	-
Female.....	5	-	-	-	-	2	1	-	1	1	-	-
White, both sexes.....	16	-	-	-	1	3	1	1	1	1	4	-
Male.....	13	-	-	-	1	2	1	1	-	-	4	-
Female.....	3	-	-	-	-	1	-	-	1	1	-	-
Black, both sexes.....	2	-	-	-	-	-	1	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	1	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Other and unspecified land transport accidents (V01,V06,V09.1,V09.3,V09.9,V10-V11,V16-V18,V19.3,V19.8-V19.9,V80.0-V80.2,V80.7-V80.9,V87.9,V88.9,V89.1,V89.3,V89.9)

Arkansas

All races, both sexes.....	1	-	1	3	1	-	1	-	-	-	-	-
Male.....	1	-	1	3	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-
White, both sexes.....	1	-	1	2	1	-	1	-	-	-	-	-
Male.....	1	-	1	2	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	1	-	-	-	-	-	-	-	-
Male.....	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	21	12	10	7	4	9	2	2	-	1	-	-
Male.....	19	9	7	5	3	4	2	2	-	1	-	-
Female.....	2	3	3	2	1	5	-	-	-	-	-	-
White, both sexes.....	18	10	6	6	4	6	2	-	-	1	-	-
Male.....	16	7	4	4	3	4	2	-	-	1	-	-
Female.....	2	3	2	2	1	2	-	-	-	-	-	-
Black, both sexes.....	2	1	-	1	-	-	-	1	-	-	-	-
Male.....	2	1	-	1	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	1	4	-	-	3	-	1	-	-	-	-
Male.....	1	1	3	-	-	-	-	1	-	-	-	-
Female.....	-	-	1	-	-	3	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
---	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Water transport accidents (V90-V94)

Arkansas

All races, both sexes.....	2	-	-	-	1	-	1	-	-	-	-	-
Male.....	2	-	-	-	1	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	2	-	-	-	1	-	1	-	-	-	-	-
Male.....	2	-	-	-	1	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	41	-	-	1	4	2	9	1	1	5	2	4
Male.....	29	-	-	-	2	1	6	1	1	5	2	4
Female.....	12	-	-	1	2	1	3	-	-	-	-	-
White, both sexes.....	30	-	-	1	4	2	5	-	1	3	2	3
Male.....	21	-	-	-	2	1	3	-	1	3	2	3
Female.....	9	-	-	1	2	1	2	-	-	-	-	-
Black, both sexes.....	6	-	-	-	-	-	2	1	-	1	-	1
Male.....	5	-	-	-	-	-	2	1	-	1	-	1
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	3	-	-	-	-	-	-	-	-	1	-	-
Male.....	2	-	-	-	-	-	-	-	-	1	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	-	-	2	-	-	-	-	-
Male.....	1	-	-	-	-	-	1	-	-	-	-	-
Female.....	1	-	-	-	-	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
---	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Other and unspecified transport accidents and their sequelae (V98-V99,Y85)

Arkansas

All races, both sexes.....	7	-	-	-	-	-	-	2	-	-	1	-
Male.....	5	-	-	-	-	-	-	1	-	-	1	-
Female.....	2	-	-	-	-	-	-	1	-	-	-	-
White, both sexes.....	6	-	-	-	-	-	-	2	-	-	1	-
Male.....	5	-	-	-	-	-	-	1	-	-	1	-
Female.....	1	-	-	-	-	-	-	1	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	114	-	-	1	3	2	5	5	7	16	15	19
Male.....	84	-	-	-	3	2	3	3	5	12	11	18
Female.....	30	-	-	1	2	-	2	2	2	4	4	1
White, both sexes.....	99	-	-	1	2	1	5	4	5	13	15	17
Male.....	74	-	-	-	2	1	3	2	4	10	11	16
Female.....	25	-	-	1	-	-	2	2	1	3	4	1
Black, both sexes.....	11	-	-	-	1	-	-	1	1	2	-	2
Male.....	7	-	-	-	1	-	-	1	1	1	-	2
Female.....	4	-	-	-	-	-	-	-	-	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	4	-	-	-	-	1	-	-	1	1	-	-
Male.....	3	-	-	-	-	1	-	-	-	1	-	-
Female.....	1	-	-	-	-	-	-	-	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Falls (W00-W19)

Arkansas

All races, both sexes.....	174	-	-	-	-	-	4	3	2	3	6	9
Male.....	97	-	-	-	-	-	3	3	2	3	6	8
Female.....	77	-	-	-	-	-	1	-	-	-	-	1
White, both sexes.....	164	-	-	-	-	-	2	2	2	3	6	8
Male.....	90	-	-	-	-	-	1	2	2	3	6	7
Female.....	74	-	-	-	-	-	1	-	-	-	-	1
Black, both sexes.....	9	-	-	-	-	-	2	1	-	-	-	1
Male.....	6	-	-	-	-	-	2	1	-	-	-	1
Female.....	3	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	1,743	1	4	6	-	9	25	20	25	24	44	73
Male.....	1,032	-	2	5	-	8	22	16	22	21	39	55
Female.....	711	1	2	1	-	1	3	4	3	3	5	18
White, both sexes.....	1,522	1	-	4	-	9	24	16	19	23	41	64
Male.....	895	-	-	3	-	8	22	13	18	20	36	49
Female.....	627	1	-	1	-	1	2	3	1	3	5	15
Black, both sexes.....	64	-	3	-	-	-	-	2	3	1	1	7
Male.....	43	-	2	-	-	-	-	1	2	1	1	5
Female.....	21	-	1	-	-	-	-	1	1	-	-	2
American Indian 1/, both sexes.....	7	-	-	-	-	-	-	1	-	-	-	1
Male.....	5	-	-	-	-	-	-	1	-	-	-	1
Female.....	2	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	150	-	1	2	-	-	1	1	3	-	2	1
Male.....	89	-	-	2	-	-	-	1	2	-	2	-
Female.....	61	-	1	-	-	-	1	-	1	-	-	1

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
---	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Falls (W00-W19)

New Mexico

All races, both sexes.....	282	-	1	-	-	-	2	2	-	2	5	5
Male.....	131	-	1	-	-	-	2	1	-	2	5	5
Female.....	151	-	-	-	-	-	-	1	-	-	-	-
White, both sexes.....	265	-	1	-	-	-	1	2	-	1	2	4
Male.....	118	-	1	-	-	-	1	1	-	1	2	4
Female.....	147	-	-	-	-	-	-	1	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	17	-	-	-	-	-	1	-	-	1	3	1
Male.....	13	-	-	-	-	-	1	-	-	1	3	1
Female.....	4	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New York

All races, both sexes.....	1,069	1	1	-	1	5	7	7	6	17	22	37
Male.....	587	1	1	-	-	4	7	7	5	12	21	31
Female.....	482	-	-	-	1	1	-	-	1	5	1	6
White, both sexes.....	948	1	1	-	-	4	6	6	5	14	18	29
Male.....	519	1	1	-	-	3	6	6	4	12	17	24
Female.....	429	-	-	-	-	1	-	-	1	2	1	5
Black, both sexes.....	80	-	-	-	-	1	1	1	-	3	3	6
Male.....	42	-	-	-	-	1	1	1	-	-	3	5
Female.....	38	-	-	-	-	-	-	-	-	3	-	1
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	41	-	-	-	1	-	-	-	1	-	1	2
Male.....	26	-	-	-	-	-	-	-	1	-	1	2
Female.....	15	-	-	-	1	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Falls (W00-W19)

Alaska

All races, both sexes.....	1	1	-	1	-	1	4	2	2	-	-	-
Male.....	1	-	-	1	-	-	2	2	1	-	-	-
Female.....	-	1	-	-	-	1	2	-	1	-	-	-
White, both sexes.....	1	1	-	1	-	1	4	1	2	-	-	-
Male.....	1	-	-	1	-	-	2	1	1	-	-	-
Female.....	-	1	-	-	-	1	2	-	1	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Arizona

All races, both sexes.....	13	15	24	31	41	89	146	173	104	29	7	1
Male.....	10	10	15	23	21	48	72	70	33	7	1	1
Female.....	3	5	9	8	20	41	74	103	71	22	6	-
White, both sexes.....	9	14	23	28	38	85	141	168	104	28	6	1
Male.....	7	9	15	22	20	45	71	69	33	6	1	1
Female.....	2	5	8	6	18	40	70	99	71	22	5	-
Black, both sexes.....	1	-	-	-	1	-	3	1	-	1	-	-
Male.....	1	-	-	-	1	-	1	-	-	1	-	-
Female.....	-	-	-	-	-	-	2	1	-	-	-	-
American Indian 1/, both sexes.....	3	1	1	3	1	3	-	3	-	-	1	-
Male.....	2	1	-	1	-	2	-	1	-	-	-	-
Female.....	1	-	1	2	1	1	-	2	-	-	1	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	1	2	1	-	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	2	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Falls (W00-W19)

Arkansas

All races, both sexes.....	13	1	6	5	9	16	33	34	22	7	1	-
Male.....	10	1	6	3	6	5	18	14	7	2	-	-
Female.....	3	-	-	2	3	11	15	20	15	5	1	-
White, both sexes.....	12	1	5	5	9	15	31	33	22	7	1	-
Male.....	9	1	5	3	6	5	17	14	7	2	-	-
Female.....	3	-	-	2	3	10	14	19	15	5	1	-
Black, both sexes.....	-	-	1	-	-	1	2	1	-	-	-	-
Male.....	-	-	1	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	1	1	1	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	70	73	81	84	94	200	307	319	197	71	16	-
Male.....	57	54	59	60	53	119	164	175	72	25	4	-
Female.....	13	19	22	24	41	81	143	144	125	46	12	-
White, both sexes.....	59	64	64	70	76	169	276	287	176	65	15	-
Male.....	47	48	46	50	43	98	148	157	63	22	4	-
Female.....	12	16	18	20	33	71	128	130	113	43	11	-
Black, both sexes.....	7	4	3	6	5	5	6	5	4	2	-	-
Male.....	6	3	3	4	3	3	3	5	1	-	-	-
Female.....	1	1	-	2	2	2	3	-	3	2	-	-
American Indian 1/, both sexes.....	-	1	-	-	-	1	-	3	-	-	-	-
Male.....	-	-	-	-	-	1	-	2	-	-	-	-
Female.....	-	1	-	-	-	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	4	4	14	8	13	25	25	24	17	4	1	-
Male.....	4	3	10	6	7	17	13	11	8	3	-	-
Female.....	-	1	4	2	6	8	12	13	9	1	1	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Falls (W00-W19)

Florida

All races, both sexes.....	52	69	56	85	109	209	322	355	234	83	11	1
Male.....	40	45	37	49	66	115	170	172	97	25	2	-
Female.....	12	24	19	36	43	94	152	183	137	58	9	1
White, both sexes.....	46	62	52	80	104	203	310	347	229	82	11	-
Male.....	35	42	35	47	61	112	164	170	93	25	2	-
Female.....	11	20	17	33	43	91	146	177	136	57	9	-
Black, both sexes.....	5	5	3	4	5	6	9	5	3	1	-	1
Male.....	4	2	2	1	5	3	5	-	3	-	-	-
Female.....	1	3	1	3	-	3	4	5	-	1	-	1
American Indian 1/, both sexes.....	1	1	1	-	-	-	1	1	-	-	-	-
Male.....	1	1	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	1	-	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	1	-	-	2	2	2	-	-	-
Male.....	-	-	-	1	-	-	1	1	1	-	-	-
Female.....	-	1	-	-	-	-	1	1	1	-	-	-

Georgia

All races, both sexes.....	18	27	20	35	46	59	98	108	80	30	6	-
Male.....	15	19	10	20	28	31	36	40	29	9	1	-
Female.....	3	8	10	15	18	28	62	68	51	21	5	-
White, both sexes.....	15	21	16	30	36	57	88	94	73	28	5	-
Male.....	12	14	10	17	22	30	32	37	27	7	1	-
Female.....	3	7	6	13	14	27	56	57	46	21	4	-
Black, both sexes.....	3	6	3	4	10	2	8	14	5	2	1	-
Male.....	3	5	-	2	6	1	3	3	1	2	-	-
Female.....	-	1	3	2	4	1	5	11	4	-	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	1	-	-	2	-	2	-	-	-
Male.....	-	-	-	1	-	-	1	-	1	-	-	-
Female.....	-	-	1	-	-	-	1	-	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Falls (W00-W19)

Iowa

All races, both sexes.....	5	12	8	15	17	32	51	74	58	23	7	-
Male.....	4	10	6	13	9	23	20	32	20	8	-	-
Female.....	1	2	2	2	8	9	31	42	38	15	7	-
White, both sexes.....	5	11	8	14	17	31	51	74	58	23	7	-
Male.....	4	9	6	13	9	22	20	32	20	8	-	-
Female.....	1	2	2	1	8	9	31	42	38	15	7	-
Black, both sexes.....	-	1	-	1	-	1	-	-	-	-	-	-
Male.....	-	1	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	1	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Kansas

All races, both sexes.....	6	10	4	9	16	37	33	37	29	13	3	1
Male.....	5	5	1	3	11	19	21	15	7	4	-	1
Female.....	1	5	3	6	5	18	12	22	22	9	3	-
White, both sexes.....	5	9	3	8	16	36	31	37	28	13	3	1
Male.....	5	4	-	2	11	19	19	15	7	4	-	1
Female.....	-	5	3	6	5	17	12	22	21	9	3	-
Black, both sexes.....	1	1	-	1	-	-	1	-	-	-	-	-
Male.....	-	1	-	1	-	-	1	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	1	-	-	1	-	-	-	-	-	-
Male.....	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	1	-	1	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Falls (W00-W19)

Maine

All races, both sexes.....	7	4	6	6	7	5	11	17	8	3	1	-
Male.....	6	3	5	5	5	2	7	7	4	2	-	-
Female.....	1	1	1	1	2	3	4	10	4	1	1	-
White, both sexes.....	6	4	6	6	6	5	10	17	8	3	1	-
Male.....	5	3	5	5	4	2	7	7	4	2	-	-
Female.....	1	1	1	1	2	3	3	10	4	1	1	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	1	-	-	-	-	-	-	-
Male.....	1	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-

Maryland

All races, both sexes.....	12	22	12	20	23	44	67	60	49	21	1	-
Male.....	7	14	10	13	13	18	27	25	24	7	-	-
Female.....	5	8	2	7	10	26	40	35	25	14	1	-
White, both sexes.....	6	15	9	13	15	32	59	50	45	19	1	-
Male.....	4	11	7	10	9	10	23	19	22	6	-	-
Female.....	2	4	2	3	6	22	36	31	23	13	1	-
Black, both sexes.....	5	7	2	5	7	11	6	9	4	1	-	-
Male.....	2	3	2	2	4	8	3	5	2	-	-	-
Female.....	3	4	-	3	3	3	3	4	2	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	1	2	1	1	2	1	-	1	-	-
Male.....	1	-	1	1	-	-	1	1	-	1	-	-
Female.....	-	-	-	1	1	1	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Falls (W00-W19)

Massachusetts

All races, both sexes.....	6	22	7	19	38	52	68	85	58	22	4	-
Male.....	5	15	5	13	20	24	28	38	20	4	1	-
Female.....	1	7	2	6	18	28	40	47	38	18	3	-
White, both sexes.....	6	22	7	18	38	49	68	82	54	22	4	-
Male.....	5	15	5	13	20	23	28	36	18	4	1	-
Female.....	1	7	2	5	18	26	40	46	36	18	3	-
Black, both sexes.....	-	-	-	-	-	2	-	-	3	-	-	-
Male.....	-	-	-	-	-	1	-	-	1	-	-	-
Female.....	-	-	-	-	-	1	-	-	2	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	1	-	1	-	3	1	-	-	-
Male.....	-	-	-	-	-	-	-	2	1	-	-	-
Female.....	-	-	-	1	-	1	-	1	-	-	-	-

Michigan

All races, both sexes.....	23	26	35	37	38	91	129	120	89	32	5	-
Male.....	18	23	25	25	25	48	62	59	35	8	-	-
Female.....	5	3	10	12	13	43	67	61	54	24	5	-
White, both sexes.....	19	20	32	34	33	90	123	114	86	31	4	-
Male.....	14	18	22	22	20	47	59	55	34	7	-	-
Female.....	5	2	10	12	13	43	64	59	52	24	4	-
Black, both sexes.....	3	6	3	3	4	1	6	5	3	1	1	-
Male.....	3	5	3	3	4	1	3	4	1	1	-	-
Female.....	-	1	-	-	-	-	3	1	2	-	1	-
American Indian 1/, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	1	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Falls (W00-W19)

Nebraska

All races, both sexes.....	5	1	5	3	8	15	27	30	36	18	6	-
Male.....	2	1	4	2	6	5	15	9	11	7	-	-
Female.....	3	-	1	1	2	10	12	21	25	11	6	-
White, both sexes.....	4	1	4	3	8	14	25	30	35	17	6	-
Male.....	2	1	3	2	6	5	14	9	11	7	-	-
Female.....	2	-	1	1	2	9	11	21	24	10	6	-
Black, both sexes.....	-	-	1	-	-	1	1	-	1	1	-	-
Male.....	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	1	-	1	1	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Nevada

All races, both sexes.....	8	5	11	7	7	11	24	15	6	6	-	-
Male.....	7	4	6	4	3	5	16	6	4	2	-	-
Female.....	1	1	5	3	4	6	8	9	2	4	-	-
White, both sexes.....	7	3	10	6	7	8	24	15	5	6	-	-
Male.....	6	2	5	4	3	4	16	6	3	2	-	-
Female.....	1	1	5	2	4	4	8	9	2	4	-	-
Black, both sexes.....	1	1	1	1	-	2	-	-	-	-	-	-
Male.....	1	1	1	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	1	-	1	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	1	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Falls (W00-W19)

New Hampshire

All races, both sexes.....	3	3	3	5	9	16	19	20	23	9	1	-
Male.....	2	3	1	4	6	7	8	7	5	4	-	-
Female.....	1	-	2	1	3	9	11	13	18	5	1	-
White, both sexes.....	3	3	3	5	9	16	19	20	23	9	1	-
Male.....	2	3	1	4	6	7	8	7	5	4	-	-
Female.....	1	-	2	1	3	9	11	13	18	5	1	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New Jersey

All races, both sexes.....	16	22	17	21	29	50	64	61	39	14	1	-
Male.....	13	14	13	17	14	28	33	30	12	1	-	-
Female.....	3	8	4	4	15	22	31	31	27	13	1	-
White, both sexes.....	14	18	15	21	25	42	61	58	38	12	-	-
Male.....	12	11	11	17	13	23	31	30	11	1	-	-
Female.....	2	7	4	4	12	19	30	28	27	11	-	-
Black, both sexes.....	2	3	1	-	2	7	3	3	-	-	1	-
Male.....	1	3	1	-	1	5	2	-	-	-	-	-
Female.....	1	-	-	-	1	2	1	3	-	-	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	1	-	2	1	-	-	1	2	-	-
Male.....	-	-	1	-	-	-	-	-	1	-	-	-
Female.....	-	1	-	-	2	1	-	-	-	2	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Falls (W00-W19)

New Mexico

All races, both sexes.....	9	3	7	11	25	32	57	52	52	14	3	-
Male.....	6	3	7	5	12	16	26	24	12	4	-	-
Female.....	3	-	-	6	13	16	31	28	40	10	3	-
White, both sexes.....	8	1	7	11	24	32	53	49	52	14	3	-
Male.....	5	1	7	5	11	16	25	22	12	4	-	-
Female.....	3	-	-	6	13	16	28	27	40	10	3	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	2	-	-	1	-	4	3	-	-	-	-
Male.....	1	2	-	-	1	-	1	2	-	-	-	-
Female.....	-	-	-	-	-	-	3	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New York

All races, both sexes.....	37	50	56	61	75	135	164	183	146	50	8	-
Male.....	28	35	40	40	40	75	87	78	61	12	2	-
Female.....	9	15	16	21	35	60	77	105	85	38	6	-
White, both sexes.....	32	37	48	47	68	123	147	173	137	46	6	-
Male.....	23	24	36	33	35	69	82	73	58	11	1	-
Female.....	9	13	12	14	33	54	65	100	79	35	5	-
Black, both sexes.....	3	8	7	10	5	6	9	8	6	3	-	-
Male.....	3	7	3	5	3	2	2	4	2	-	-	-
Female.....	-	1	4	5	2	4	7	4	4	3	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	5	1	4	2	6	8	2	3	1	2	-
Male.....	2	4	1	2	2	4	3	1	1	1	1	-
Female.....	-	1	-	2	-	2	5	1	2	-	1	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Falls (W00-W19)

Oregon

All races, both sexes.....	8	11	15	11	20	42	53	70	64	28	6	-
Male.....	3	6	10	7	10	26	29	27	29	6	2	-
Female.....	5	5	5	4	10	16	24	43	35	22	4	-
White, both sexes.....	7	10	10	11	19	40	52	68	64	28	6	-
Male.....	3	5	7	7	9	24	28	26	29	6	2	-
Female.....	4	5	3	4	10	16	24	42	35	22	4	-
Black, both sexes.....	1	1	-	-	-	-	-	-	-	-	-	-
Male.....	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	2	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	2	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	3	-	1	2	-	2	-	-	-	-
Male.....	-	-	3	-	1	2	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-

Pennsylvania

All races, both sexes.....	30	29	28	40	62	110	215	202	110	47	8	-
Male.....	26	20	15	27	34	53	105	95	39	10	2	-
Female.....	4	9	13	13	28	57	110	107	71	37	6	-
White, both sexes.....	25	23	27	36	58	105	205	196	109	46	8	-
Male.....	21	16	14	23	33	50	97	92	39	10	2	-
Female.....	4	7	13	13	25	55	108	104	70	36	6	-
Black, both sexes.....	5	5	1	4	3	4	7	5	1	1	-	-
Male.....	5	3	1	4	1	2	6	2	-	-	-	-
Female.....	-	2	-	-	2	2	1	3	1	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	-	1	1	2	1	-	-	-	-
Male.....	-	1	-	-	-	1	1	1	-	-	-	-
Female.....	-	-	-	-	1	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Falls (W00-W19)

South Dakota

All races, both sexes.....	3	3	4	8	7	16	12	35	27	14	3	-
Male.....	2	3	2	6	3	7	7	20	8	6	-	-
Female.....	1	-	2	2	4	9	5	15	19	8	3	-
White, both sexes.....	2	1	3	8	7	16	12	35	27	14	3	-
Male.....	1	1	2	6	3	7	7	20	8	6	-	-
Female.....	1	-	1	2	4	9	5	15	19	8	3	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	2	1	-	-	-	-	-	-	-	-	-
Male.....	1	2	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	1	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Tennessee

All races, both sexes.....	20	13	15	21	33	50	75	65	48	23	1	-
Male.....	17	11	8	9	15	19	34	24	16	4	-	-
Female.....	3	2	7	12	18	31	41	41	32	19	1	-
White, both sexes.....	16	10	13	19	27	49	74	63	45	22	1	-
Male.....	14	8	6	8	14	19	34	23	15	3	-	-
Female.....	2	2	7	11	13	30	40	40	30	19	1	-
Black, both sexes.....	4	3	2	2	6	-	1	1	2	1	-	-
Male.....	3	3	2	1	1	-	-	1	1	1	-	-
Female.....	1	-	-	1	5	-	1	-	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	-	1	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	1	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Falls (W00-W19)

Texas

All races, both sexes.....	43	64	58	63	88	167	248	239	154	52	13	-
Male.....	33	43	40	38	51	91	109	92	54	11	2	-
Female.....	10	21	18	25	37	76	139	147	100	41	11	-
White, both sexes.....	37	55	52	57	81	159	232	231	149	50	13	-
Male.....	28	37	38	35	46	89	102	88	51	11	2	-
Female.....	9	18	14	22	35	70	130	143	98	39	11	-
Black, both sexes.....	4	4	4	4	5	7	12	7	5	-	-	-
Male.....	3	4	2	2	4	1	5	4	3	-	-	-
Female.....	1	-	2	2	1	6	7	3	2	-	-	-
American Indian 1/, both sexes.....	-	-	-	1	-	-	-	-	-	1	-	-
Male.....	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	2	5	2	1	2	1	4	1	-	1	-	-
Male.....	2	2	-	-	1	1	2	-	-	-	-	-
Female.....	-	3	2	1	1	-	2	1	-	1	-	-

Utah

All races, both sexes.....	5	4	3	1	4	10	16	28	8	-	-	-
Male.....	2	1	1	1	1	10	9	17	3	-	-	-
Female.....	3	3	2	-	3	-	7	11	5	-	-	-
White, both sexes.....	5	4	3	1	4	10	16	26	8	-	-	-
Male.....	2	1	1	1	1	10	9	16	3	-	-	-
Female.....	3	3	2	-	3	-	7	10	5	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Falls (W00-W19)

Vermont

All races, both sexes.....	1	1	3	1	7	8	19	14	24	10	-	-
Male.....	-	1	1	-	4	4	9	6	10	1	-	-
Female.....	1	-	2	1	3	4	10	8	14	9	-	-
White, both sexes.....	1	1	3	1	7	8	19	13	24	10	-	-
Male.....	-	1	1	-	4	4	9	5	10	1	-	-
Female.....	1	-	2	1	3	4	10	8	14	9	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Virginia

All races, both sexes.....	17	10	19	23	27	53	71	69	42	15	-	-
Male.....	14	8	7	18	17	29	36	31	19	2	-	-
Female.....	3	2	12	5	10	24	35	38	23	13	-	-
White, both sexes.....	12	8	16	17	23	45	68	65	41	14	-	-
Male.....	10	6	6	14	16	24	36	29	19	2	-	-
Female.....	2	2	10	3	7	21	32	36	22	12	-	-
Black, both sexes.....	5	2	1	4	3	6	2	3	1	1	-	-
Male.....	4	2	1	2	1	4	-	1	-	-	-	-
Female.....	1	-	-	2	2	2	2	2	1	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	2	2	1	2	1	1	-	-	-	-
Male.....	-	-	-	2	-	1	-	1	-	-	-	-
Female.....	-	-	2	-	1	1	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Fall on same level (W00-W09,W18)

Arkansas

All races, both sexes.....	3	1	1	-	3	7	8	16	8	3	-	-
Male.....	2	1	1	-	2	1	3	5	3	1	-	-
Female.....	1	-	-	-	1	6	5	11	5	2	-	-
White, both sexes.....	3	1	1	-	3	6	7	15	8	3	-	-
Male.....	2	1	1	-	2	1	3	5	3	1	-	-
Female.....	1	-	-	-	1	5	4	10	5	2	-	-
Black, both sexes.....	-	-	-	-	-	1	1	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	1	1	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	28	28	33	37	44	112	175	158	116	41	11	-
Male.....	20	18	22	27	23	66	95	77	34	14	3	-
Female.....	8	10	11	10	21	46	80	81	82	27	8	-
White, both sexes.....	26	23	20	35	34	94	152	143	100	38	11	-
Male.....	19	15	13	27	17	54	84	67	28	12	3	-
Female.....	7	8	7	8	17	40	68	76	72	26	8	-
Black, both sexes.....	1	2	2	-	3	3	5	4	2	1	-	-
Male.....	-	1	2	-	2	2	3	4	1	-	-	-
Female.....	1	1	-	-	1	1	2	-	1	1	-	-
American Indian 1/, both sexes.....	-	1	-	-	-	1	-	1	-	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	1	-	-	-	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	2	11	2	7	14	18	10	14	2	-	-
Male.....	1	2	7	-	4	9	8	6	5	2	-	-
Female.....	-	-	4	2	3	5	10	4	9	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Fall on same level (W00-W09,W18)

Florida

All races, both sexes.....	20	29	23	39	52	106	175	195	142	52	9	1
Male.....	15	18	14	19	28	60	90	92	61	16	1	-
Female.....	5	11	9	20	24	46	85	103	81	36	8	1
White, both sexes.....	18	26	21	37	51	103	170	193	138	51	9	-
Male.....	13	18	13	18	27	59	86	91	57	16	1	-
Female.....	5	8	8	19	24	44	84	102	81	35	8	-
Black, both sexes.....	1	2	2	2	1	3	4	-	3	1	-	1
Male.....	1	-	1	1	1	1	3	-	3	-	-	-
Female.....	-	2	1	1	-	2	1	-	-	1	-	1
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	-	-	-	1	2	1	-	-	-
Male.....	-	-	-	-	-	-	1	1	1	-	-	-
Female.....	-	1	-	-	-	-	-	1	-	-	-	-

Georgia

All races, both sexes.....	7	11	9	4	22	25	41	43	40	17	3	-
Male.....	4	6	3	3	12	15	17	18	12	4	1	-
Female.....	3	5	6	1	10	10	24	25	28	13	2	-
White, both sexes.....	5	9	8	3	17	24	38	37	37	16	2	-
Male.....	2	5	3	2	10	14	16	15	11	3	1	-
Female.....	3	4	5	1	7	10	22	22	26	13	1	-
Black, both sexes.....	2	2	1	-	5	1	2	6	2	1	1	-
Male.....	2	1	-	-	2	1	-	3	1	1	-	-
Female.....	-	1	1	-	3	-	2	3	1	-	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	1	-	-	1	-	1	-	-	-
Male.....	-	-	-	1	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Fall on same level (W00-W09,W18)

Iowa

All races, both sexes.....	2	3	4	3	6	16	23	27	21	11	3	-
Male.....	1	3	2	3	3	11	6	13	8	6	-	-
Female.....	1	-	2	-	3	5	17	14	13	5	3	-
White, both sexes.....	2	2	4	3	6	15	23	27	21	11	3	-
Male.....	1	2	2	3	3	10	6	13	8	6	-	-
Female.....	1	-	2	-	3	5	17	14	13	5	3	-
Black, both sexes.....	-	1	-	-	-	1	-	-	-	-	-	-
Male.....	-	1	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Kansas

All races, both sexes.....	3	5	1	3	5	22	15	20	13	7	2	-
Male.....	3	2	-	-	4	10	10	8	4	1	-	-
Female.....	-	3	1	3	1	12	5	12	9	6	2	-
White, both sexes.....	3	5	1	3	5	21	14	20	12	7	2	-
Male.....	3	2	-	-	4	10	9	8	4	1	-	-
Female.....	-	3	1	3	1	11	5	12	8	6	2	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	1	-	1	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Fall on same level (W00-W09,W18)

Massachusetts

All races, both sexes.....	2	3	1	5	10	12	19	21	19	4	-	-
Male.....	2	1	-	5	3	4	7	8	5	1	-	-
Female.....	-	2	1	-	7	8	12	13	14	3	-	-
White, both sexes.....	2	3	1	5	10	11	19	20	18	4	-	-
Male.....	2	1	-	5	3	3	7	7	4	1	-	-
Female.....	-	2	1	-	7	8	12	13	14	3	-	-
Black, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	1	1	-	-	-
Male.....	-	-	-	-	-	-	-	1	1	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Michigan

All races, both sexes.....	2	9	15	16	13	39	41	52	37	17	3	-
Male.....	2	8	10	11	6	23	18	27	14	5	-	-
Female.....	-	1	5	5	7	16	23	25	23	12	3	-
White, both sexes.....	2	9	14	16	12	39	41	51	37	17	2	-
Male.....	2	8	9	11	5	23	18	27	14	5	-	-
Female.....	-	1	5	5	7	16	23	24	23	12	2	-
Black, both sexes.....	-	-	1	-	1	-	-	-	-	-	1	-
Male.....	-	-	1	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Fall on same level (W00-W09,W18)

Nebraska

All races, both sexes.....	-	1	3	2	1	5	14	9	16	1	2	-
Male.....	-	1	2	1	-	2	9	3	5	1	-	-
Female.....	-	-	1	1	1	3	5	6	11	-	2	-
White, both sexes.....	-	1	3	2	1	4	14	9	15	1	2	-
Male.....	-	1	2	1	-	2	9	3	5	1	-	-
Female.....	-	-	1	1	1	2	5	6	10	-	2	-
Black, both sexes.....	-	-	-	-	-	1	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Nevada

All races, both sexes.....	1	3	7	2	5	6	10	5	5	2	-	-
Male.....	1	2	4	-	2	2	7	2	3	1	-	-
Female.....	-	1	3	2	3	4	3	3	2	1	-	-
White, both sexes.....	1	3	6	2	5	4	10	5	4	2	-	-
Male.....	1	2	3	-	2	2	7	2	2	1	-	-
Female.....	-	1	3	2	3	2	3	3	2	1	-	-
Black, both sexes.....	-	-	1	-	-	1	-	-	-	-	-	-
Male.....	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	1	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Fall on same level (W00-W09,W18)

New Mexico

All races, both sexes.....	6	2	4	7	20	31	51	48	50	14	3	-
Male.....	4	2	4	3	7	15	21	21	12	4	-	-
Female.....	2	-	-	4	13	16	30	27	38	10	3	-
White, both sexes.....	5	1	4	7	19	31	47	46	50	14	3	-
Male.....	3	1	4	3	6	15	20	19	12	4	-	-
Female.....	2	-	-	4	13	16	27	27	38	10	3	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	1	-	-	1	-	4	2	-	-	-	-
Male.....	1	1	-	-	1	-	1	2	-	-	-	-
Female.....	-	-	-	-	-	-	3	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New York

All races, both sexes.....	9	8	13	11	22	41	47	54	56	11	4	-
Male.....	5	4	9	6	8	28	25	15	25	3	1	-
Female.....	4	4	4	5	14	13	22	39	31	8	3	-
White, both sexes.....	9	5	11	11	20	38	43	51	52	11	4	-
Male.....	5	2	9	6	7	26	23	14	24	3	1	-
Female.....	4	3	2	5	13	12	20	37	28	8	3	-
Black, both sexes.....	-	2	2	-	2	-	3	2	4	-	-	-
Male.....	-	2	-	-	1	-	1	-	1	-	-	-
Female.....	-	-	2	-	1	-	2	2	3	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	-	-	3	1	1	-	-	-	-
Male.....	-	-	-	-	-	2	1	1	-	-	-	-
Female.....	-	1	-	-	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Fall on same level (W00-W09,W18)

South Dakota

All races, both sexes.....	2	-	3	4	5	10	6	19	14	10	2	-
Male.....	2	-	1	3	3	5	3	10	2	5	-	-
Female.....	-	-	2	1	2	5	3	9	12	5	2	-
White, both sexes.....	1	-	2	4	5	10	6	19	14	10	2	-
Male.....	1	-	1	3	3	5	3	10	2	5	-	-
Female.....	-	-	1	1	2	5	3	9	12	5	2	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	1	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	1	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Tennessee

All races, both sexes.....	4	-	2	4	6	14	14	10	12	4	-	-
Male.....	3	-	2	1	3	7	5	3	3	1	-	-
Female.....	1	-	-	3	3	7	9	7	9	3	-	-
White, both sexes.....	2	-	2	4	5	13	14	10	11	3	-	-
Male.....	2	-	2	1	3	7	5	3	3	-	-	-
Female.....	-	-	-	3	2	6	9	7	8	3	-	-
Black, both sexes.....	2	-	-	-	1	-	-	-	-	1	-	-
Male.....	1	-	-	-	-	-	-	-	-	1	-	-
Female.....	1	-	-	-	1	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Fall on same level (W00-W09,W18)

Texas

All races, both sexes.....	13	20	11	13	23	47	78	68	41	16	2	-
Male.....	10	12	10	5	14	25	38	30	17	5	-	-
Female.....	3	8	1	8	9	22	40	38	24	11	2	-
White, both sexes.....	12	17	9	12	23	47	71	65	39	15	2	-
Male.....	9	10	9	5	14	25	33	29	16	5	-	-
Female.....	3	7	-	7	9	22	38	36	23	10	2	-
Black, both sexes.....	-	1	1	1	-	-	6	3	2	-	-	-
Male.....	-	1	1	-	-	-	4	1	1	-	-	-
Female.....	-	-	-	1	-	-	2	2	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	1	2	1	-	-	-	1	-	-	-	-	-
Male.....	1	1	-	-	-	-	1	-	-	-	-	-
Female.....	-	1	1	-	-	-	-	-	-	-	-	-

Utah

All races, both sexes.....	2	4	-	-	4	8	8	15	5	-	-	-
Male.....	1	1	-	-	1	8	4	8	1	-	-	-
Female.....	1	3	-	-	3	-	4	7	4	-	-	-
White, both sexes.....	2	4	-	-	4	8	8	13	5	-	-	-
Male.....	1	1	-	-	1	8	4	7	1	-	-	-
Female.....	1	3	-	-	3	-	4	6	4	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Fall on same level (W00-W09,W18)

Vermont

All races, both sexes.....	-	1	-	-	6	4	14	9	19	8	-	-
Male.....	-	1	-	-	3	3	7	3	6	1	-	-
Female.....	-	-	-	-	3	1	7	6	13	7	-	-
White, both sexes.....	-	1	-	-	6	4	14	8	19	8	-	-
Male.....	-	1	-	-	3	3	7	2	6	1	-	-
Female.....	-	-	-	-	3	1	7	6	13	7	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Virginia

All races, both sexes.....	6	1	8	8	8	19	32	25	18	6	-	-
Male.....	4	-	3	5	5	11	17	10	6	-	-	-
Female.....	2	1	5	3	3	8	15	15	12	6	-	-
White, both sexes.....	5	1	6	4	7	15	31	23	17	5	-	-
Male.....	3	-	2	3	5	7	17	9	6	-	-	-
Female.....	2	1	4	1	2	8	14	14	11	5	-	-
Black, both sexes.....	1	-	1	3	-	3	-	2	1	1	-	-
Male.....	1	-	1	1	-	3	-	1	-	-	-	-
Female.....	-	-	-	2	-	-	-	1	1	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	1	1	1	1	-	-	-	-	-
Male.....	-	-	-	1	-	1	-	-	-	-	-	-
Female.....	-	-	1	-	1	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
---	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Fall from one level to another (W10-W17)

Arkansas												
All races, both sexes.....	36	-	-	-	-	-	2	2	1	3	4	5
Male.....	32	-	-	-	-	-	2	2	1	3	4	4
Female.....	4	-	-	-	-	-	-	-	-	-	-	1
White, both sexes.....	32	-	-	-	-	-	1	1	1	3	4	4
Male.....	28	-	-	-	-	-	1	1	1	3	4	3
Female.....	4	-	-	-	-	-	-	-	-	-	-	1
Black, both sexes.....	3	-	-	-	-	-	1	1	-	-	-	1
Male.....	3	-	-	-	-	-	1	1	-	-	-	1
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California												
All races, both sexes.....	292	-	2	2	-	4	15	13	18	11	12	19
Male.....	237	-	1	2	-	4	13	10	16	10	12	18
Female.....	55	-	1	-	-	-	2	3	2	1	-	1
White, both sexes.....	263	-	-	1	-	4	15	11	14	11	11	18
Male.....	214	-	-	1	-	4	13	9	13	10	11	17
Female.....	49	-	-	-	-	-	2	2	1	1	-	1
Black, both sexes.....	12	-	2	-	-	-	-	1	2	-	-	1
Male.....	10	-	1	-	-	-	-	-	2	-	-	1
Female.....	2	-	1	-	-	-	-	1	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	17	-	-	1	-	-	-	1	2	-	1	-
Male.....	13	-	-	1	-	-	-	1	1	-	1	-
Female.....	4	-	-	-	-	-	-	-	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Fall from one level to another (W10-W17)

Arkansas												
All races, both sexes.....	4	-	2	2	2	3	3	2	-	1	-	-
Male.....	4	-	2	2	2	2	2	2	-	-	-	-
Female.....	-	-	-	-	-	1	1	-	-	1	-	-
White, both sexes.....	3	-	2	2	2	3	3	2	-	1	-	-
Male.....	3	-	2	2	2	2	2	2	-	-	-	-
Female.....	-	-	-	-	-	1	1	-	-	1	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California												
All races, both sexes.....	20	23	25	17	15	27	28	27	12	2	-	-
Male.....	18	21	22	14	10	19	20	21	6	-	-	-
Female.....	2	2	3	3	5	8	8	6	6	2	-	-
White, both sexes.....	17	22	25	13	12	23	27	26	11	2	-	-
Male.....	15	20	22	10	8	17	19	20	5	-	-	-
Female.....	2	2	3	3	4	6	8	6	6	2	-	-
Black, both sexes.....	2	1	-	2	1	-	-	-	-	-	-	-
Male.....	2	1	-	2	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	2	2	4	1	1	1	-	-	-
Male.....	1	-	-	2	1	2	1	1	1	-	-	-
Female.....	-	-	-	-	1	2	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Fall from one level to another (W10-W17)

New Hampshire

All races, both sexes.....	1	1	1	-	2	4	5	4	3	-	-	-
Male.....	1	1	1	-	2	2	2	3	1	-	-	-
Female.....	-	-	-	-	-	2	3	1	2	-	-	-
White, both sexes.....	1	1	1	-	2	4	5	4	3	-	-	-
Male.....	1	1	1	-	2	2	2	3	1	-	-	-
Female.....	-	-	-	-	-	2	3	1	2	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New Jersey

All races, both sexes.....	7	6	7	10	8	11	16	16	9	2	1	-
Male.....	5	5	5	9	5	6	11	9	2	1	-	-
Female.....	2	1	2	1	3	5	5	7	7	1	1	-
White, both sexes.....	5	6	6	10	7	9	15	14	9	1	-	-
Male.....	4	5	4	9	4	5	10	9	2	1	-	-
Female.....	1	1	2	1	3	4	5	5	7	-	-	-
Black, both sexes.....	2	-	-	-	1	1	1	2	-	-	1	-
Male.....	1	-	-	-	1	1	1	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	2	-	-	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	-	-	1	-	-	-	1	-	-
Male.....	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Fall from one level to another (W10-W17)

New Mexico

All races, both sexes.....	2	-	2	2	3	1	3	2	2	-	-	-
Male.....	2	-	2	1	3	1	3	2	-	-	-	-
Female.....	-	-	-	1	-	-	-	-	2	-	-	-
White, both sexes.....	2	-	2	2	3	1	3	2	2	-	-	-
Male.....	2	-	2	1	3	1	3	2	-	-	-	-
Female.....	-	-	-	1	-	-	-	-	2	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New York

All races, both sexes.....	13	20	21	17	16	34	30	24	10	3	3	-
Male.....	11	17	15	15	10	23	21	14	5	1	1	-
Female.....	2	3	6	2	6	11	9	10	5	2	2	-
White, both sexes.....	10	15	19	15	15	31	28	23	10	2	2	-
Male.....	8	12	13	13	9	21	19	14	5	1	-	-
Female.....	2	3	6	2	6	10	9	9	5	1	2	-
Black, both sexes.....	1	2	2	1	1	1	1	1	-	1	-	-
Male.....	1	2	2	1	1	1	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	3	-	1	-	2	1	-	-	-	1	-
Male.....	2	3	-	1	-	1	1	-	-	-	1	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Fall from one level to another (W10-W17)

Oregon

All races, both sexes.....	4	3	7	2	5	5	3	4	2	-	-	-
Male.....	3	3	4	2	3	1	3	4	1	-	-	-
Female.....	1	-	3	-	2	4	-	-	1	-	-	-
White, both sexes.....	4	2	5	2	5	5	3	4	2	-	-	-
Male.....	3	2	3	2	3	1	3	4	1	-	-	-
Female.....	1	-	2	-	2	4	-	-	1	-	-	-
Black, both sexes.....	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	1	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Pennsylvania

All races, both sexes.....	18	17	11	16	21	22	36	35	10	1	1	-
Male.....	17	12	5	15	11	12	17	19	2	-	-	-
Female.....	1	5	6	1	10	10	19	16	8	1	1	-
White, both sexes.....	14	14	11	14	17	22	35	33	9	1	1	-
Male.....	13	10	5	13	10	12	17	19	2	-	-	-
Female.....	1	4	6	1	7	10	18	14	7	1	1	-
Black, both sexes.....	4	2	-	2	3	-	1	2	1	-	-	-
Male.....	4	1	-	2	1	-	-	-	-	-	-	-
Female.....	-	1	-	-	2	-	1	2	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	-	1	-	-	-	-	-	-	-
Male.....	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
---	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Unspecified fall (W19)

Arkansas

All races, both sexes.....	85	-	-	-	-	-	2	-	1	-	2	2
Male.....	43	-	-	-	-	-	1	-	1	-	2	2
Female.....	42	-	-	-	-	-	1	-	-	-	-	-
White, both sexes.....	82	-	-	-	-	-	1	-	1	-	2	2
Male.....	40	-	-	-	-	-	-	-	1	-	2	2
Female.....	42	-	-	-	-	-	1	-	-	-	-	-
Black, both sexes.....	3	-	-	-	-	-	1	-	-	-	-	-
Male.....	3	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	598	1	2	1	-	3	1	2	1	6	21	27
Male.....	337	-	1	-	-	2	-	1	1	5	18	17
Female.....	261	1	1	1	-	1	1	1	-	1	3	10
White, both sexes.....	522	1	-	1	-	3	-	1	-	6	19	24
Male.....	289	-	-	-	-	2	-	-	-	5	16	15
Female.....	233	1	-	1	-	1	-	1	-	1	3	9
Black, both sexes.....	23	-	1	-	-	-	-	-	-	-	1	3
Male.....	14	-	1	-	-	-	-	-	-	-	1	2
Female.....	9	-	-	-	-	-	-	-	-	-	-	1
American Indian 1/, both sexes.....	3	-	-	-	-	-	-	1	-	-	-	-
Male.....	3	-	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	50	-	1	-	-	-	1	-	1	-	1	-
Male.....	31	-	-	-	-	-	-	-	1	-	1	-
Female.....	19	-	1	-	-	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
---	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Unspecified fall (W19)

New Mexico

All races, both sexes.....	13	-	-	-	-	-	-	-	-	-	-	1
Male.....	9	-	-	-	-	-	-	-	-	-	-	1
Female.....	4	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	11	-	-	-	-	-	-	-	-	-	-	1
Male.....	8	-	-	-	-	-	-	-	-	-	-	1
Female.....	3	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	2	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New York

All races, both sexes.....	530	-	-	-	1	1	3	1	-	5	6	15
Male.....	263	-	-	-	-	1	3	1	-	3	6	13
Female.....	267	-	-	-	1	-	-	-	-	2	-	2
White, both sexes.....	465	-	-	-	-	1	2	1	-	3	5	14
Male.....	234	-	-	-	-	1	2	1	-	3	5	12
Female.....	231	-	-	-	-	-	-	-	-	-	-	2
Black, both sexes.....	44	-	-	-	-	-	1	-	-	2	1	1
Male.....	20	-	-	-	-	-	1	-	-	-	1	1
Female.....	24	-	-	-	-	-	-	-	-	2	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	21	-	-	-	1	-	-	-	-	-	-	-
Male.....	9	-	-	-	-	-	-	-	-	-	-	-
Female.....	12	-	-	-	1	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Unspecified fall (W19)

Alaska

All races, both sexes.....	1	-	-	-	-	-	2	1	2	-	-	-
Male.....	1	-	-	-	-	-	1	1	1	-	-	-
Female.....	-	-	-	-	-	-	1	-	1	-	-	-
White, both sexes.....	1	-	-	-	-	-	2	1	2	-	-	-
Male.....	1	-	-	-	-	-	1	1	1	-	-	-
Female.....	-	-	-	-	-	-	1	-	1	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Arizona

All races, both sexes.....	9	8	15	16	28	65	106	128	70	21	5	1
Male.....	6	5	10	14	14	33	54	51	22	6	1	1
Female.....	3	3	5	2	14	32	52	77	48	15	4	-
White, both sexes.....	7	8	15	15	26	63	102	125	70	21	5	1
Male.....	5	5	10	13	13	32	54	50	22	6	1	1
Female.....	2	3	5	2	13	31	48	75	48	15	4	-
Black, both sexes.....	1	-	-	-	1	-	2	1	-	-	-	-
Male.....	1	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	2	1	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	1	-	1	-	1	-	-	-	-
Male.....	-	-	-	1	-	-	-	1	-	-	-	-
Female.....	1	-	-	-	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	1	2	1	-	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	2	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Unspecified fall (W19)

Arkansas

All races, both sexes.....	6	-	3	3	4	6	22	16	14	3	1	-
Male.....	4	-	3	1	2	2	13	7	4	1	-	-
Female.....	2	-	-	2	2	4	9	9	10	2	1	-
White, both sexes.....	6	-	2	3	4	6	21	16	14	3	1	-
Male.....	4	-	2	1	2	2	12	7	4	1	-	-
Female.....	2	-	-	2	2	4	9	9	10	2	1	-
Black, both sexes.....	-	-	1	-	-	-	1	-	-	-	-	-
Male.....	-	-	1	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	22	22	23	30	35	61	104	134	69	28	5	-
Male.....	19	15	15	19	20	34	49	77	32	11	1	-
Female.....	3	7	8	11	15	27	55	57	37	17	4	-
White, both sexes.....	16	19	19	22	30	52	97	118	65	25	4	-
Male.....	13	13	11	13	18	27	45	70	30	10	1	-
Female.....	3	6	8	9	12	25	52	48	35	15	3	-
Black, both sexes.....	4	1	1	4	1	2	1	1	2	1	-	-
Male.....	4	1	1	2	-	1	-	1	-	-	-	-
Female.....	-	-	-	2	1	1	1	-	2	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	2	-	-	-	-
Male.....	-	-	-	-	-	-	-	2	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	2	3	4	4	7	6	13	2	2	1	-
Male.....	2	1	3	4	2	6	4	4	2	1	-	-
Female.....	-	1	-	-	2	1	2	9	-	1	1	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Unspecified fall (W19)

Florida

All races, both sexes.....	20	31	22	32	39	88	127	152	87	30	2	-
Male.....	14	19	15	19	24	44	66	73	34	8	1	-
Female.....	6	12	7	13	15	44	61	79	53	22	1	-
White, both sexes.....	19	27	21	29	37	85	121	146	86	30	2	-
Male.....	14	16	15	18	22	42	64	72	34	8	1	-
Female.....	5	11	6	11	15	43	57	74	52	22	1	-
Black, both sexes.....	1	3	-	2	2	3	5	5	-	-	-	-
Male.....	-	2	-	-	2	2	2	-	-	-	-	-
Female.....	1	1	-	2	-	1	3	5	-	-	-	-
American Indian 1/, both sexes.....	-	1	1	-	-	-	1	1	-	-	-	-
Male.....	-	1	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	1	-	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	1	-	-	-	-	1	-	-	-
Male.....	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	1	-	-	-

Georgia

All races, both sexes.....	4	11	7	25	17	27	48	58	36	13	3	-
Male.....	4	8	4	12	12	11	15	18	16	5	-	-
Female.....	-	3	3	13	5	16	33	40	20	8	3	-
White, both sexes.....	3	9	5	23	13	27	41	51	33	12	3	-
Male.....	3	6	4	12	9	11	12	18	15	4	-	-
Female.....	-	3	1	11	4	16	29	33	18	8	3	-
Black, both sexes.....	1	2	2	2	4	-	6	7	2	1	-	-
Male.....	1	2	-	-	3	-	3	-	-	1	-	-
Female.....	-	-	2	2	1	-	3	7	2	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	1	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	1	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Unspecified fall (W19)

Maine

All races, both sexes.....	1	-	2	2	3	1	1	8	5	3	1	-
Male.....	1	-	1	2	2	-	-	6	3	2	-	-
Female.....	-	-	1	-	1	1	1	2	2	1	1	-
White, both sexes.....	-	-	2	2	3	1	1	8	5	3	1	-
Male.....	-	-	1	2	2	-	-	6	3	2	-	-
Female.....	-	-	1	-	1	1	1	2	2	1	1	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Maryland

All races, both sexes.....	6	11	5	12	16	26	38	34	28	14	1	-
Male.....	3	8	5	8	8	8	13	14	12	4	-	-
Female.....	3	3	-	4	8	18	25	20	16	10	1	-
White, both sexes.....	4	9	5	9	10	20	31	27	26	13	1	-
Male.....	2	8	5	6	6	6	10	10	11	4	-	-
Female.....	2	1	-	3	4	14	21	17	15	9	1	-
Black, both sexes.....	2	2	-	3	5	5	5	7	2	1	-	-
Male.....	1	-	-	2	2	2	2	4	1	-	-	-
Female.....	1	2	-	1	3	3	3	3	1	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	1	2	-	-	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	1	1	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Unspecified fall (W19)

New Hampshire

All races, both sexes.....	-	2	1	3	3	4	3	5	3	1	-	-
Male.....	-	2	-	2	1	1	1	-	-	1	-	-
Female.....	-	-	1	1	2	3	2	5	3	-	-	-
White, both sexes.....	-	2	1	3	3	4	3	5	3	1	-	-
Male.....	-	2	-	2	1	1	1	-	-	1	-	-
Female.....	-	-	1	1	2	3	2	5	3	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New Jersey

All races, both sexes.....	3	11	6	7	13	29	35	24	16	8	-	-
Male.....	3	8	4	6	4	17	12	12	8	-	-	-
Female.....	-	3	2	1	9	12	23	12	8	8	-	-
White, both sexes.....	3	9	5	7	10	23	33	23	15	7	-	-
Male.....	3	6	3	6	4	13	11	12	7	-	-	-
Female.....	-	3	2	1	6	10	22	11	8	7	-	-
Black, both sexes.....	-	2	1	-	1	6	2	1	-	-	-	-
Male.....	-	2	1	-	-	4	1	-	-	-	-	-
Female.....	-	-	-	-	1	2	1	1	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	2	-	-	-	1	1	-	-
Male.....	-	-	-	-	-	-	-	-	1	-	-	-
Female.....	-	-	-	-	2	-	-	-	-	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Unspecified fall (W19)

New Mexico

All races, both sexes.....	1	1	1	2	2	-	3	2	-	-	-	-
Male.....	-	1	1	1	2	-	2	1	-	-	-	-
Female.....	1	-	-	1	-	-	1	1	-	-	-	-
White, both sexes.....	1	-	1	2	2	-	3	1	-	-	-	-
Male.....	-	-	1	1	2	-	2	1	-	-	-	-
Female.....	1	-	-	1	-	-	1	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	1	-	-	-	-	-	1	-	-	-	-
Male.....	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New York

All races, both sexes.....	15	22	22	33	37	60	87	105	80	36	1	-
Male.....	12	14	16	19	22	24	41	49	31	8	-	-
Female.....	3	8	6	14	15	36	46	56	49	28	1	-
White, both sexes.....	13	17	18	21	33	54	76	99	75	33	-	-
Male.....	10	10	14	14	19	22	40	45	29	7	-	-
Female.....	3	7	4	7	14	32	36	54	46	26	-	-
Black, both sexes.....	2	4	3	9	2	5	5	5	2	2	-	-
Male.....	2	3	1	4	1	1	-	4	1	-	-	-
Female.....	-	1	2	5	1	4	5	1	1	2	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	1	3	2	1	6	1	3	1	1	-
Male.....	-	1	1	1	2	1	1	-	1	1	-	-
Female.....	-	-	-	2	-	-	5	1	2	-	1	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Unspecified fall (W19)

Oregon

All races, both sexes.....	3	-	3	4	3	13	9	21	28	10	2	-
Male.....	-	-	2	2	-	10	8	7	14	2	1	-
Female.....	3	-	1	2	3	3	1	14	14	8	1	-
White, both sexes.....	2	-	2	4	3	13	9	20	28	10	2	-
Male.....	-	-	2	2	-	10	8	7	14	2	1	-
Female.....	2	-	-	2	3	3	1	13	14	8	1	-
Black, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	1	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-

Pennsylvania

All races, both sexes.....	8	7	9	13	18	52	110	97	58	27	5	-
Male.....	6	5	7	6	9	26	53	42	23	6	1	-
Female.....	2	2	2	7	9	26	57	55	35	21	4	-
White, both sexes.....	7	5	9	13	18	50	102	94	58	26	5	-
Male.....	5	3	7	6	9	25	46	39	23	6	1	-
Female.....	2	2	2	7	9	25	56	55	35	20	4	-
Black, both sexes.....	1	2	-	-	-	1	5	2	-	1	-	-
Male.....	1	2	-	-	-	-	5	2	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	2	1	-	-	-	-
Male.....	-	-	-	-	-	1	1	1	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Unspecified fall (W19)

South Dakota

All races, both sexes.....	-	-	-	1	-	3	5	13	12	4	1	-
Male.....	-	-	-	1	-	-	3	8	5	1	-	-
Female.....	-	-	-	-	-	3	2	5	7	3	1	-
White, both sexes.....	-	-	-	1	-	3	5	13	12	4	1	-
Male.....	-	-	-	1	-	-	3	8	5	1	-	-
Female.....	-	-	-	-	-	3	2	5	7	3	1	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Tennessee

All races, both sexes.....	5	8	10	15	20	33	56	46	34	18	1	-
Male.....	4	7	4	6	9	10	26	14	12	3	-	-
Female.....	1	1	6	9	11	23	30	32	22	15	1	-
White, both sexes.....	4	5	9	13	16	33	55	44	32	18	1	-
Male.....	3	4	3	5	8	10	26	13	11	3	-	-
Female.....	1	1	6	8	8	23	29	31	21	15	1	-
Black, both sexes.....	1	3	1	2	4	-	1	1	2	-	-	-
Male.....	1	3	1	1	1	-	-	1	1	-	-	-
Female.....	-	-	-	1	3	-	1	-	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Unspecified fall (W19)

Vermont

All races, both sexes.....	-	-	2	-	-	2	4	4	2	2	-	-
Male.....	-	-	1	-	-	1	2	2	1	-	-	-
Female.....	-	-	1	-	-	1	2	2	1	2	-	-
White, both sexes.....	-	-	2	-	-	2	4	4	2	2	-	-
Male.....	-	-	1	-	-	1	2	2	1	-	-	-
Female.....	-	-	1	-	-	1	2	2	1	2	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Virginia

All races, both sexes.....	3	8	2	8	11	21	29	35	19	8	-	-
Male.....	2	7	-	7	5	11	13	15	9	1	-	-
Female.....	1	1	2	1	6	10	16	20	10	7	-	-
White, both sexes.....	1	6	2	7	9	19	27	34	19	8	-	-
Male.....	1	5	-	6	4	11	13	15	9	1	-	-
Female.....	-	1	2	1	5	8	14	19	10	7	-	-
Black, both sexes.....	2	2	-	-	2	1	2	1	-	-	-	-
Male.....	1	2	-	-	1	-	-	-	-	-	-	-
Female.....	1	-	-	-	1	1	2	1	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	1	-	1	-	-	-	-	-	-
Male.....	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-

