

Person with disabilities experiencing problems accessing
NCHS birth and death tables should contact
nchsed@cdc.gov, or call 301-458-4688

Person with disabilities experiencing problems accessing
NCHS birth and death tables should contact
nchsed@cdc.gov, or call 301-458-4688

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004) and age	All races		White		Black		American Indian 1/ Both sexes		Asian or Pacific Islander 2/ Both sexes			
	Both sexes	Male Female	Both sexes	Male Female	Both sexes	Male Female	Both sexes	Male Female	Both sexes	Male Female	Female	
Cutaneous abscess, furuncle, and carbuncle of trunk (L02.2)												
All ages.....	57	22 35	40	17 23	16	5 11	-	- -	-	1	- 1	
Under 1 year.....	-	- -	-	- -	-	- -	-	- -	-	- -	- -	
1-4 years.....	-	- -	-	- -	-	- -	-	- -	-	- -	- -	
5-9 years.....	-	- -	-	- -	-	- -	-	- -	-	- -	- -	
10-14 years.....	-	- -	-	- -	-	- -	-	- -	-	- -	- -	
15-19 years.....	-	- -	-	- -	-	- -	-	- -	-	- -	- -	
20-24 years.....	1	- 1	-	- -	-	- -	-	- -	-	1	- 1	
25-29 years.....	-	- -	-	- -	-	- -	-	- -	-	- -	- -	
30-34 years.....	1	- 1	-	- -	1	- 1	-	- -	-	- -	- -	
35-39 years.....	2	1 1	2	1 1	-	- -	-	- -	-	- -	- -	
40-44 years.....	-	- -	-	- -	-	- -	-	- -	-	- -	- -	
45-49 years.....	-	- -	-	- -	-	- -	-	- -	-	- -	- -	
50-54 years.....	5	4 1	3	3 -	2	1 1	-	- -	-	- -	- -	
55-59 years.....	5	3 2	4	2 2	1	- -	-	- -	-	- -	- -	
60-64 years.....	2	2 -	2	2 -	-	- -	-	- -	-	- -	- -	
65-69 years.....	4	3 1	2	2 -	2	1 1	-	- -	-	- -	- -	
70-74 years.....	1	1 -	1	1 -	-	- -	-	- -	-	- -	- -	
75-79 years.....	6	4 2	5	3 2	1	1 -	-	- -	-	- -	- -	
80-84 years.....	11	3 8	10	3 7	1	- 1	-	- -	-	- -	- -	
85-89 years.....	10	1 9	8	- 8	2	1 1	-	- -	-	- -	- -	
90-94 years.....	8	- 8	2	- 2	6	6 -	-	- -	-	- -	- -	
95-99 years.....	1	- 1	1	- 1	-	- -	-	- -	-	- -	- -	
100 years & over.	-	- -	-	- -	-	- -	-	- -	-	- -	- -	
Age not stated...	-	- -	-	- -	-	- -	-	- -	-	- -	- -	

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004) and age	All races		White		Black		American Indian 1/ Both		Asian or Pacific Islander 2/ Both	
	Both sexes	Male Female	Both sexes	Male Female	Both sexes	Male Female	Both sexes	Male Female	Both sexes	Male Female
Ulcer of lower limb, not elsewhere classified (L97)										
All ages.....	150	62 88	132	55 77	18	7 11	-	- -	-	- -
Under 1 year.....	-	- -	-	- -	-	- -	-	- -	-	- -
1-4 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
5-9 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
10-14 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
15-19 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
20-24 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
25-29 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
30-34 years.....	2	- 2	2	- 2	-	- -	-	- -	-	- -
35-39 years.....	2	2 -	2	2 -	-	- -	-	- -	-	- -
40-44 years.....	2	1 1	1	1 -	1	1 -	-	- -	-	- -
45-49 years.....	1	1 -	-	- -	1	1 -	-	- -	-	- -
50-54 years.....	1	1 -	-	- -	1	1 -	-	- -	-	- -
55-59 years.....	6	4 2	4	3 1	2	1 1	-	- -	-	- -
60-64 years.....	8	4 4	6	4 2	2	2 -	-	- -	-	- -
65-69 years.....	6	2 4	6	2 4	-	- -	-	- -	-	- -
70-74 years.....	7	4 3	6	4 2	1	1 -	-	- -	-	- -
75-79 years.....	16	8 8	14	6 8	2	2 -	-	- -	-	- -
80-84 years.....	20	10 10	19	9 10	1	1 -	-	- -	-	- -
85-89 years.....	30	11 19	29	11 18	1	1 -	-	- -	-	- -
90-94 years.....	36	13 23	32	12 20	4	1 3	-	- -	-	- -
95-99 years.....	9	1 8	7	1 6	2	- 2	-	- -	-	- -
100 years & over.	4	- 4	4	- 4	-	- -	-	- -	-	- -
Age not stated...	-	- -	-	- -	-	- -	-	- -	-	- -

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004) and age	All races		White		Black		American Indian 1/ Both		Asian or Pacific Islander 2/ Both	
	Both sexes	Male Female	Both sexes	Male Female	Both sexes	Male Female	Both sexes	Male Female	Both sexes	Male Female
Staphylococcal arthritis and polyarthritis (M00.0)										
All ages.....	7	4 3	6	3 3	1	1 -	-	- -	-	- -
Under 1 year.....	1	1 -	-	- -	1	1 -	-	- -	-	- -
1-4 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
5-9 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
10-14 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
15-19 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
20-24 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
25-29 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
30-34 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
35-39 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
40-44 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
45-49 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
50-54 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
55-59 years.....	2	2 -	2	2 -	-	- -	-	- -	-	- -
60-64 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
65-69 years.....	1	1 -	1	1 -	-	- -	-	- -	-	- -
70-74 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
75-79 years.....	1	- 1	1	- 1	-	- -	-	- -	-	- -
80-84 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
85-89 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
90-94 years.....	2	- 2	2	- 2	-	- -	-	- -	-	- -
95-99 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
100 years & over.	-	- -	-	- -	-	- -	-	- -	-	- -
Age not stated...	-	- -	-	- -	-	- -	-	- -	-	- -

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004) and age	All races		White		Black		American Indian 1/ Both		Asian or Pacific Islander 2/ Both	
	Both sexes	Male Female	Both sexes	Male Female	Both sexes	Male Female	Both sexes	Male Female	Both sexes	Male Female
Other specified necrotizing vasculopathies (M31.8)										
All ages.....	11	4 7	9	4 5	2	- 2	-	- -	-	- -
Under 1 year.....	-	- -	-	- -	-	- -	-	- -	-	- -
1-4 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
5-9 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
10-14 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
15-19 years.....	1	- 1	-	- 1	1	- 1	-	- -	-	- -
20-24 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
25-29 years.....	1	- 1	-	- 1	1	- 1	-	- -	-	- -
30-34 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
35-39 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
40-44 years.....	1	- 1	1	- 1	-	- -	-	- -	-	- -
45-49 years.....	1	- 1	1	- 1	-	- -	-	- -	-	- -
50-54 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
55-59 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
60-64 years.....	1	1 -	1	1 -	-	- -	-	- -	-	- -
65-69 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
70-74 years.....	1	1 -	1	1 -	-	- -	-	- -	-	- -
75-79 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
80-84 years.....	3	1 2	3	1 2	-	- -	-	- -	-	- -
85-89 years.....	2	1 1	2	1 1	-	- -	-	- -	-	- -
90-94 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
95-99 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
100 years & over.	-	- -	-	- -	-	- -	-	- -	-	- -
Age not stated...	-	- -	-	- -	-	- -	-	- -	-	- -

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004) and age	All races		White		Black		American Indian 1/ Both		Asian or Pacific Islander 2/ Both	
	Both sexes	Male Female	Both sexes	Male Female	Both sexes	Male Female	Both sexes	Male Female	Both sexes	Male Female
Other specified spondylopathies (M48.8)										
All ages.....	5	2 3	3	1 2	2	1 1	-	- -	-	- -
Under 1 year.....	-	- -	-	- -	-	- -	-	- -	-	- -
1-4 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
5-9 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
10-14 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
15-19 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
20-24 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
25-29 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
30-34 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
35-39 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
40-44 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
45-49 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
50-54 years.....	1	1 -	-	- 1	1	1 -	-	- -	-	- -
55-59 years.....	3	- 3	2	- 2	1	- 1	-	- -	-	- -
60-64 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
65-69 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
70-74 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
75-79 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
80-84 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
85-89 years.....	1	1 -	1	1 -	-	- -	-	- -	-	- -
90-94 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
95-99 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
100 years & over.	-	- -	-	- -	-	- -	-	- -	-	- -
Age not stated...	-	- -	-	- -	-	- -	-	- -	-	- -

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004) and age	All races		White		Black		American Indian 1/ Both		Asian or Pacific Islander 2/ Both	
	Both sexes	Male Female	Both sexes	Male Female	Both sexes	Male Female	Both sexes	Male Female	Both sexes	Male Female
Cervical disc disorder, unspecified (M50.9)										
All ages.....	8	4 4	6	3 3	2	1 1	-	- -	-	- -
Under 1 year.....	-	- -	-	- -	-	- -	-	- -	-	- -
1-4 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
5-9 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
10-14 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
15-19 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
20-24 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
25-29 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
30-34 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
35-39 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
40-44 years.....	1	- 1	1	- 1	-	- 1	-	- -	-	- -
45-49 years.....	1	1 -	1	1 -	-	- -	-	- -	-	- -
50-54 years.....	1	1 -	1	1 -	-	- -	-	- -	-	- -
55-59 years.....	1	1 -	-	- -	1	1 -	-	- -	-	- -
60-64 years.....	1	- 1	1	- 1	-	- -	-	- -	-	- -
65-69 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
70-74 years.....	1	1 -	1	1 -	-	- -	-	- -	-	- -
75-79 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
80-84 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
85-89 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
90-94 years.....	1	- 1	-	- -	1	- 1	-	- -	-	- -
95-99 years.....	1	- 1	1	- 1	-	- -	-	- -	-	- -
100 years & over.	-	- -	-	- -	-	- -	-	- -	-	- -
Age not stated...	-	- -	-	- -	-	- -	-	- -	-	- -

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004) and age	All races		White		Black		American Indian 1/ Both		Asian or Pacific Islander 2/ Both	
	Both sexes	Male Female	Both sexes	Male Female	Both sexes	Male Female	Both sexes	Male Female	Both sexes	Male Female
Other soft tissue disorders, not elsewhere classified (M79)										
All ages.....	58	16 42	53	15 38	5	1 4	-	- -	-	- -
Under 1 year.....	-	- -	-	- -	-	- -	-	- -	-	- -
1-4 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
5-9 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
10-14 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
15-19 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
20-24 years.....	1	- 1	1	- 1	-	- -	-	- -	-	- -
25-29 years.....	1	- 1	1	- 1	-	- -	-	- -	-	- -
30-34 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
35-39 years.....	2	- 2	2	- 2	-	- -	-	- -	-	- -
40-44 years.....	1	1 -	-	- -	1	1 -	-	- -	-	- -
45-49 years.....	5	- 5	3	- 3	2	2 -	-	- -	-	- -
50-54 years.....	4	1 3	4	1 3	-	- -	-	- -	-	- -
55-59 years.....	8	4 4	8	4 4	-	- -	-	- -	-	- -
60-64 years.....	8	2 6	7	2 5	1	- 1	-	- -	-	- -
65-69 years.....	4	1 3	4	1 3	-	- -	-	- -	-	- -
70-74 years.....	4	1 3	4	1 3	-	- -	-	- -	-	- -
75-79 years.....	2	1 1	2	1 1	-	- -	-	- -	-	- -
80-84 years.....	7	4 3	7	4 3	-	- -	-	- -	-	- -
85-89 years.....	5	1 4	4	1 3	1	- 1	-	- -	-	- -
90-94 years.....	4	- 4	4	- 4	-	- -	-	- -	-	- -
95-99 years.....	2	- 2	2	- 2	-	- -	-	- -	-	- -
100 years & over.	-	- -	-	- -	-	- -	-	- -	-	- -
Age not stated...	-	- -	-	- -	-	- -	-	- -	-	- -

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004) and age	All races		White		Black		American Indian 1/ Both		Asian or Pacific Islander 2/ Both	
	Both sexes	Male Female	Both sexes	Male Female	Both sexes	Male Female	Both sexes	Male Female	Both sexes	Male Female
Soft tissue disorder, unspecified (M79.9)										
All ages.....	4	2 2	3	2 1	1	- 1	-	- -	-	- -
Under 1 year.....	-	- -	-	- -	-	- -	-	- -	-	- -
1-4 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
5-9 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
10-14 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
15-19 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
20-24 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
25-29 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
30-34 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
35-39 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
40-44 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
45-49 years.....	1	- 1	-	- 1	-	- 1	-	- -	-	- -
50-54 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
55-59 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
60-64 years.....	1	1 -	1	1 -	-	- -	-	- -	-	- -
65-69 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
70-74 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
75-79 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
80-84 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
85-89 years.....	1	1 -	1	1 -	-	- -	-	- -	-	- -
90-94 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
95-99 years.....	1	- 1	1	- 1	-	- -	-	- -	-	- -
100 years & over.	-	- -	-	- -	-	- -	-	- -	-	- -
Age not stated...	-	- -	-	- -	-	- -	-	- -	-	- -

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004) and age	All races		White		Black		American Indian 1/ Both		Asian or Pacific Islander 2/ Both						
	Both sexes	Male Female	Both sexes	Male Female	Both sexes	Male Female	Both sexes	Male Female	Both sexes	Male Female					
Postmenopausal osteoporosis with pathological fracture (M80.0)															
All ages.....	3	...	3	...	3	...	3	-	...	-	-	...	-	-	-
Under 1 year.....	-	...	-	...	-	...	-	-	...	-	-	...	-	-	-
1-4 years.....	-	...	-	...	-	...	-	-	...	-	-	...	-	-	-
5-9 years.....	-	...	-	...	-	...	-	-	...	-	-	...	-	-	-
10-14 years.....	-	...	-	...	-	...	-	-	...	-	-	...	-	-	-
15-19 years.....	-	...	-	...	-	...	-	-	...	-	-	...	-	-	-
20-24 years.....	-	...	-	...	-	...	-	-	...	-	-	...	-	-	-
25-29 years.....	-	...	-	...	-	...	-	-	...	-	-	...	-	-	-
30-34 years.....	-	...	-	...	-	...	-	-	...	-	-	...	-	-	-
35-39 years.....	-	...	-	...	-	...	-	-	...	-	-	...	-	-	-
40-44 years.....	-	...	-	...	-	...	-	-	...	-	-	...	-	-	-
45-49 years.....	-	...	-	...	-	...	-	-	...	-	-	...	-	-	-
50-54 years.....	-	...	-	...	-	...	-	-	...	-	-	...	-	-	-
55-59 years.....	-	...	-	...	-	...	-	-	...	-	-	...	-	-	-
60-64 years.....	-	...	-	...	-	...	-	-	...	-	-	...	-	-	-
65-69 years.....	-	...	-	...	-	...	-	-	...	-	-	...	-	-	-
70-74 years.....	1	...	1	...	1	...	1	-	...	-	-	...	-	-	-
75-79 years.....	-	...	-	...	-	...	-	-	...	-	-	...	-	-	-
80-84 years.....	1	...	1	...	1	...	1	-	...	-	-	...	-	-	-
85-89 years.....	1	...	1	...	1	...	1	-	...	-	-	...	-	-	-
90-94 years.....	-	...	-	...	-	...	-	-	...	-	-	...	-	-	-
95-99 years.....	-	...	-	...	-	...	-	-	...	-	-	...	-	-	-
100 years & over.	-	...	-	...	-	...	-	-	...	-	-	...	-	-	-
Age not stated...	-	...	-	...	-	...	-	-	...	-	-	...	-	-	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004) and age	All races		White		Black		American Indian 1/		Asian or Pacific Islander 2/						
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
Postmenopausal osteoporosis (M81.0)															
All ages.....	2	...	2	2	...	2	-	...	-	-	...	-	-	...	-
Under 1 year.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004) and age	All races		White		Black		American Indian 1/ Both		Asian or Pacific Islander 2/ Both	
	Both sexes	Male Female	Both sexes	Male Female	Both sexes	Male Female	Both sexes	Male Female	Both sexes	Male Female
Paget's disease of bone, unspecified (M88.9)										
All ages.....	49	26 23	44	24 20	4	2 2	-	- -	1	- 1
Under 1 year.....	-	- -	-	- -	-	- -	-	- -	-	- -
1-4 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
5-9 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
10-14 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
15-19 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
20-24 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
25-29 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
30-34 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
35-39 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
40-44 years.....	1	1 -	-	- 1	1	1 -	-	- -	-	- -
45-49 years.....	1	1 -	1	1 -	-	- -	-	- -	-	- -
50-54 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
55-59 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
60-64 years.....	2	1 1	2	1 1	-	- -	-	- -	-	- -
65-69 years.....	5	3 2	5	3 2	-	- -	-	- -	-	- -
70-74 years.....	2	1 1	2	1 1	-	- -	-	- -	-	- -
75-79 years.....	5	4 1	3	3 4	2	1 1	-	- -	-	- -
80-84 years.....	10	4 6	9	4 5	1	- 1	-	- -	-	- -
85-89 years.....	11	5 6	10	5 5	-	- -	-	- -	1	- 1
90-94 years.....	9	4 5	9	4 5	-	- -	-	- -	-	- -
95-99 years.....	3	2 1	3	2 1	-	- -	-	- -	-	- -
100 years & over.	-	- -	-	- -	-	- -	-	- -	-	- -
Age not stated...	-	- -	-	- -	-	- -	-	- -	-	- -

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004) and age	All races		White		Black		American Indian 1/ Both		Asian or Pacific Islander 2/ Both	
	Both sexes	Male Female	Both sexes	Male Female	Both sexes	Male Female	Both sexes	Male Female	Both sexes	Male Female
Other specified disorders of cartilage (M94.8)										
All ages.....	8	3 5	6	3 3	2	- 2	-	- -	-	- -
Under 1 year.....	-	- -	-	- -	-	- -	-	- -	-	- -
1-4 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
5-9 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
10-14 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
15-19 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
20-24 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
25-29 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
30-34 years.....	1	- 1	-	- -	1	- 1	-	- -	-	- -
35-39 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
40-44 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
45-49 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
50-54 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
55-59 years.....	1	- 1	1	- 1	-	- -	-	- -	-	- -
60-64 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
65-69 years.....	1	- 1	-	- -	1	- 1	-	- -	-	- -
70-74 years.....	1	- 1	1	- 1	-	- -	-	- -	-	- -
75-79 years.....	2	1 1	2	1 1	-	- -	-	- -	-	- -
80-84 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
85-89 years.....	2	2 -	2	2 -	-	- -	-	- -	-	- -
90-94 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
95-99 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
100 years & over.	-	- -	-	- -	-	- -	-	- -	-	- -
Age not stated...	-	- -	-	- -	-	- -	-	- -	-	- -

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004) and age	All races		White		Black		American Indian 1/ Both		Asian or Pacific Islander 2/ Both	
	Both sexes	Male Female	Both sexes	Male Female	Both sexes	Male Female	Both sexes	Male Female	Both sexes	Male Female
Rapidly progressive nephritic syndrome (N01)										
All ages.....	13	8 5	12	7 5	-	-	-	-	-	-
Under 1 year.....	-	- -	-	- -	-	-	-	-	-	-
1-4 years.....	-	- -	-	- -	-	-	-	-	-	-
5-9 years.....	-	- -	-	- -	-	-	-	-	-	-
10-14 years.....	-	- -	-	- -	-	-	-	-	-	-
15-19 years.....	-	- -	-	- -	-	-	-	-	-	-
20-24 years.....	-	- -	-	- -	-	-	-	-	-	-
25-29 years.....	-	- -	-	- -	-	-	-	-	-	-
30-34 years.....	1	1 -	1	1 -	-	-	-	-	-	-
35-39 years.....	-	- -	-	- -	-	-	-	-	-	-
40-44 years.....	-	- -	-	- -	-	-	-	-	-	-
45-49 years.....	-	- -	-	- -	-	-	-	-	-	-
50-54 years.....	-	- -	-	- -	-	-	-	-	-	-
55-59 years.....	2	2 -	1	1 -	-	-	-	-	1	1 -
60-64 years.....	-	- -	-	- -	-	-	-	-	-	-
65-69 years.....	-	- -	-	- -	-	-	-	-	-	-
70-74 years.....	1	1 -	1	1 -	-	-	-	-	-	-
75-79 years.....	4	2 2	4	2 2	-	-	-	-	-	-
80-84 years.....	2	- 2	2	- 2	-	-	-	-	-	-
85-89 years.....	1	1 -	1	1 -	-	-	-	-	-	-
90-94 years.....	1	- 1	1	- 1	-	-	-	-	-	-
95-99 years.....	1	1 -	1	1 -	-	-	-	-	-	-
100 years & over.	-	- -	-	- -	-	-	-	-	-	-
Age not stated...	-	- -	-	- -	-	-	-	-	-	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004) and age	All races		White		Black		American Indian 1/ Both sexes		Asian or Pacific Islander 2/ Both sexes	
	Both sexes	Male Female	Both sexes	Male Female	Both sexes	Male Female	Both sexes	Male Female	Both sexes	Male Female
Chronic obstructive pyelonephritis (N11.1)										
All ages.....	5	3 2	5	3 2	-	- -	-	- -	-	- -
Under 1 year.....	-	- -	-	- -	-	- -	-	- -	-	- -
1-4 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
5-9 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
10-14 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
15-19 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
20-24 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
25-29 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
30-34 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
35-39 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
40-44 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
45-49 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
50-54 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
55-59 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
60-64 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
65-69 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
70-74 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
75-79 years.....	1	- 1	1	- 1	-	- -	-	- -	-	- -
80-84 years.....	2	2 -	2	2 -	-	- -	-	- -	-	- -
85-89 years.....	1	- 1	1	- 1	-	- -	-	- -	-	- -
90-94 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
95-99 years.....	1	1 -	1	1 -	-	- -	-	- -	-	- -
100 years & over.	-	- -	-	- -	-	- -	-	- -	-	- -
Age not stated...	-	- -	-	- -	-	- -	-	- -	-	- -

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004) and age	All races		White		Black		American Indian 1/ Both		Asian or Pacific Islander 2/ Both			
	Both sexes	Male Female	Both sexes	Male Female	Both sexes	Male Female	Both sexes	Male Female	sexes	Male	Female	
Chronic tubulo-interstitial nephritis, unspecified (N11.9)												
All ages.....	43	16 27	39	15 24	2	- 2	-	- -	2	1	1	
Under 1 year.....	-	- -	-	- -	-	- -	-	- -	-	-	-	
1-4 years.....	-	- -	-	- -	-	- -	-	- -	-	-	-	
5-9 years.....	-	- -	-	- -	-	- -	-	- -	-	-	-	
10-14 years.....	-	- -	-	- -	-	- -	-	- -	-	-	-	
15-19 years.....	-	- -	-	- -	-	- -	-	- -	-	-	-	
20-24 years.....	-	- -	-	- -	-	- -	-	- -	-	-	-	
25-29 years.....	-	- -	-	- -	-	- -	-	- -	-	-	-	
30-34 years.....	-	- -	-	- -	-	- -	-	- -	-	-	-	
35-39 years.....	1	1 -	-	- -	-	- -	-	- -	1	1	-	
40-44 years.....	3	2 1	3	2 1	-	- -	-	- -	-	-	-	
45-49 years.....	1	1 -	1	1 -	-	- -	-	- -	-	-	-	
50-54 years.....	1	- 1	1	- 1	-	- -	-	- -	-	-	-	
55-59 years.....	3	3 -	3	3 -	-	- -	-	- -	-	-	-	
60-64 years.....	1	1 -	1	1 -	-	- -	-	- -	-	-	-	
65-69 years.....	-	- -	-	- -	-	- -	-	- -	-	-	-	
70-74 years.....	4	1 3	3	1 2	-	- -	-	- -	1	-	1	
75-79 years.....	6	- 6	5	- 5	1	- 1	-	- -	-	-	-	
80-84 years.....	9	5 4	9	5 4	-	- -	-	- -	-	-	-	
85-89 years.....	7	1 6	7	1 6	-	- -	-	- -	-	-	-	
90-94 years.....	5	1 4	4	1 3	1	- 1	-	- -	-	-	-	
95-99 years.....	2	- 2	2	- 2	-	- -	-	- -	-	-	-	
100 years & over.	-	- -	-	- -	-	- -	-	- -	-	-	-	
Age not stated...	-	- -	-	- -	-	- -	-	- -	-	-	-	

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004) and age	All races		White		Black		American Indian 1/ Both		Asian or Pacific Islander 2/ Both	
	Both sexes	Male Female	Both sexes	Male Female	Both sexes	Male Female	Both sexes	Male Female	Both sexes	Male Female
Other and unspecified hydronephrosis (N13.3)										
All ages.....	101	37 64	96	35 61	4	2 2	-	- -	1	- 1
Under 1 year.....	-	- -	-	- -	-	- -	-	- -	-	- -
1-4 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
5-9 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
10-14 years.....	1	1 -	1	1 -	-	- -	-	- -	-	- -
15-19 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
20-24 years.....	1	1 -	1	1 -	-	- -	-	- -	-	- -
25-29 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
30-34 years.....	2	1 1	2	1 1	-	- -	-	- -	-	- -
35-39 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
40-44 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
45-49 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
50-54 years.....	2	1 1	2	1 1	-	- -	-	- -	-	- -
55-59 years.....	6	1 5	6	1 5	-	- -	-	- -	-	- -
60-64 years.....	5	3 2	5	3 2	-	- -	-	- -	-	- -
65-69 years.....	9	4 5	7	3 4	2	1 1	-	- -	-	- -
70-74 years.....	9	4 5	8	4 4	-	- -	-	- -	1	- 1
75-79 years.....	5	2 3	5	2 3	-	- -	-	- -	-	- -
80-84 years.....	22	9 13	20	8 12	2	1 1	-	- -	-	- -
85-89 years.....	17	4 13	17	4 13	-	- -	-	- -	-	- -
90-94 years.....	15	5 10	15	5 10	-	- -	-	- -	-	- -
95-99 years.....	7	1 6	7	1 6	-	- -	-	- -	-	- -
100 years & over.	-	- -	-	- -	-	- -	-	- -	-	- -
Age not stated...	-	- -	-	- -	-	- -	-	- -	-	- -

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004) and age	All races		White		Black		American Indian 1/ Both		Asian or Pacific Islander 2/ Both							
	Both sexes	Male Female	Both sexes	Male Female	Both sexes	Male Female	Both sexes	Male Female	Both sexes	Male Female						
Renal and perinephric abscess (N15.1)																
All ages.....	32	14 18	29	14 15	3	- 3	-	- -	-	- -						
Under 1 year.....	-	- -	-	- -	-	- -	-	- -	-	- -						
1-4 years.....	-	- -	-	- -	-	- -	-	- -	-	- -						
5-9 years.....	-	- -	-	- -	-	- -	-	- -	-	- -						
10-14 years.....	-	- -	-	- -	-	- -	-	- -	-	- -						
15-19 years.....	-	- -	-	- -	-	- -	-	- -	-	- -						
20-24 years.....	-	- -	-	- -	-	- -	-	- -	-	- -						
25-29 years.....	-	- -	-	- -	-	- -	-	- -	-	- -						
30-34 years.....	-	- -	-	- -	-	- -	-	- -	-	- -						
35-39 years.....	1	- 1	-	- 1	1	- 1	-	- -	-	- -						
40-44 years.....	2	1 1	1	1 -	1	- 1	-	- -	-	- -						
45-49 years.....	1	1 -	1	1 -	-	- -	-	- -	-	- -						
50-54 years.....	1	- 1	1	- 1	-	- -	-	- -	-	- -						
55-59 years.....	3	2 1	3	2 1	-	- -	-	- -	-	- -						
60-64 years.....	3	2 1	2	2 -	1	- 1	-	- -	-	- -						
65-69 years.....	2	1 1	2	1 -	-	- -	-	- -	-	- -						
70-74 years.....	3	3 -	3	3 -	-	- -	-	- -	-	- -						
75-79 years.....	5	1 4	5	1 4	-	- -	-	- -	-	- -						
80-84 years.....	2	- 2	2	- 2	-	- -	-	- -	-	- -						
85-89 years.....	7	3 4	7	3 4	-	- -	-	- -	-	- -						
90-94 years.....	1	- 1	1	- 1	-	- -	-	- -	-	- -						
95-99 years.....	1	- 1	1	- 1	-	- -	-	- -	-	- -						
100 years & over.	-	- -	-	- -	-	- -	-	- -	-	- -						
Age not stated...	-	- -	-	- -	-	- -	-	- -	-	- -						

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004) and age	All races		White		Black		American Indian 1/ Both sexes		Asian or Pacific Islander 2/ Both sexes	
	Both sexes	Male Female	Both sexes	Male Female	Both sexes	Male Female	Both sexes	Male Female	Both sexes	Male Female
Flaccid neuropathic bladder, not elsewhere classified (N31.2)										
All ages.....	13	6 7	12	6 6	1	- 1	-	-	-	-
Under 1 year.....	-	- -	-	- -	-	- -	-	-	-	-
1-4 years.....	-	- -	-	- -	-	- -	-	-	-	-
5-9 years.....	-	- -	-	- -	-	- -	-	-	-	-
10-14 years.....	-	- -	-	- -	-	- -	-	-	-	-
15-19 years.....	-	- -	-	- -	-	- -	-	-	-	-
20-24 years.....	-	- -	-	- -	-	- -	-	-	-	-
25-29 years.....	-	- -	-	- -	-	- -	-	-	-	-
30-34 years.....	-	- -	-	- -	-	- -	-	-	-	-
35-39 years.....	-	- -	-	- -	-	- -	-	-	-	-
40-44 years.....	-	- -	-	- -	-	- -	-	-	-	-
45-49 years.....	-	- -	-	- -	-	- -	-	-	-	-
50-54 years.....	-	- -	-	- -	-	- -	-	-	-	-
55-59 years.....	1	1 -	1	1 1	-	- -	-	-	-	-
60-64 years.....	-	- -	-	- -	-	- -	-	-	-	-
65-69 years.....	1	- 1	1	- 1	-	- -	-	-	-	-
70-74 years.....	1	- 1	1	- 1	-	- -	-	-	-	-
75-79 years.....	1	- 1	1	- 1	-	- -	-	-	-	-
80-84 years.....	2	1 1	2	1 1	-	- -	-	-	-	-
85-89 years.....	3	3 -	3	3 -	-	- -	-	-	-	-
90-94 years.....	2	1 1	1	1 -	1	- 1	-	-	-	-
95-99 years.....	2	- 2	2	- 2	-	- -	-	-	-	-
100 years & over.	-	- -	-	- -	-	- -	-	-	-	-
Age not stated...	-	- -	-	- -	-	- -	-	-	-	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004) and age	All races		White		Black		American Indian 1/ Both		Asian or Pacific Islander 2/ Both	
	Both sexes	Male Female	Both sexes	Male Female	Both sexes	Male Female	Both sexes	Male Female	Both sexes	Male Female
Vesical fistula, not elsewhere classified (N32.2)										
All ages.....	7	1 6	6	1 5	1	- 1	-	- -	-	- -
Under 1 year.....	-	- -	-	- -	-	- -	-	- -	-	- -
1-4 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
5-9 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
10-14 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
15-19 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
20-24 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
25-29 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
30-34 years.....	1	- 1	-	- 1	-	- 1	-	- -	-	- -
35-39 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
40-44 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
45-49 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
50-54 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
55-59 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
60-64 years.....	1	1 -	1	1 -	-	- -	-	- -	-	- -
65-69 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
70-74 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
75-79 years.....	1	- 1	1	- 1	-	- -	-	- -	-	- -
80-84 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
85-89 years.....	3	- 3	3	- 3	-	- -	-	- -	-	- -
90-94 years.....	1	- 1	1	- 1	-	- -	-	- -	-	- -
95-99 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
100 years & over.	-	- -	-	- -	-	- -	-	- -	-	- -
Age not stated...	-	- -	-	- -	-	- -	-	- -	-	- -

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004) and age	All races		White		Black		American Indian 1/ Both		Asian or Pacific Islander 2/ Both	
	Both sexes	Male Female	Both sexes	Male Female	Both sexes	Male Female	Both sexes	Male Female	Both sexes	Male Female
Other specified urinary incontinence (N39.4)										
All ages.....	1	- 1	1	- 1	-	-	-	-	-	-
Under 1 year.....	-	- -	-	- -	-	-	-	-	-	-
1-4 years.....	-	- -	-	- -	-	-	-	-	-	-
5-9 years.....	-	- -	-	- -	-	-	-	-	-	-
10-14 years.....	-	- -	-	- -	-	-	-	-	-	-
15-19 years.....	-	- -	-	- -	-	-	-	-	-	-
20-24 years.....	-	- -	-	- -	-	-	-	-	-	-
25-29 years.....	-	- -	-	- -	-	-	-	-	-	-
30-34 years.....	-	- -	-	- -	-	-	-	-	-	-
35-39 years.....	-	- -	-	- -	-	-	-	-	-	-
40-44 years.....	-	- -	-	- -	-	-	-	-	-	-
45-49 years.....	-	- -	-	- -	-	-	-	-	-	-
50-54 years.....	-	- -	-	- -	-	-	-	-	-	-
55-59 years.....	-	- -	-	- -	-	-	-	-	-	-
60-64 years.....	-	- -	-	- -	-	-	-	-	-	-
65-69 years.....	-	- -	-	- -	-	-	-	-	-	-
70-74 years.....	-	- -	-	- -	-	-	-	-	-	-
75-79 years.....	-	- -	-	- -	-	-	-	-	-	-
80-84 years.....	-	- -	-	- -	-	-	-	-	-	-
85-89 years.....	-	- -	-	- -	-	-	-	-	-	-
90-94 years.....	1	- 1	1	- 1	-	-	-	-	-	-
95-99 years.....	-	- -	-	- -	-	-	-	-	-	-
100 years & over.	-	- -	-	- -	-	-	-	-	-	-
Age not stated...	-	- -	-	- -	-	-	-	-	-	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004) and age	All races		White		Black		American Indian 1/		Asian or Pacific Islander 2/						
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
Inflammatory diseases of prostate (N41)															
All ages.....	43	43	...	39	39	...	2	2	...	-	-	...	2	2	...
Under 1 year.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
1-4 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
5-9 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
10-14 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
15-19 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
20-24 years.....	1	1	...	1	1	...	-	-	...	-	-	...	-	-	...
25-29 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
30-34 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
35-39 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
40-44 years.....	1	1	...	-	-	...	1	1	...	-	-	...	-	-	...
45-49 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
50-54 years.....	2	2	...	1	1	...	-	-	...	-	-	...	1	1	...
55-59 years.....	4	4	...	4	4	...	-	-	...	-	-	...	-	-	...
60-64 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
65-69 years.....	2	2	...	2	2	...	-	-	...	-	-	...	-	-	...
70-74 years.....	5	5	...	5	5	...	-	-	...	-	-	...	-	-	...
75-79 years.....	3	3	...	3	3	...	-	-	...	-	-	...	-	-	...
80-84 years.....	5	5	...	5	5	...	-	-	...	-	-	...	-	-	...
85-89 years.....	11	11	...	9	9	...	1	1	...	-	-	...	1	1	...
90-94 years.....	7	7	...	7	7	...	-	-	...	-	-	...	-	-	...
95-99 years.....	2	2	...	2	2	...	-	-	...	-	-	...	-	-	...
100 years & over.	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
Age not stated...	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004) and age	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/		Asian or Pacific Islander 2/			
		Male	Female		Male	Female		Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
Acute prostatitis (N41.0)															
All ages.....	6	6	...	5	5	...	-	-	...	-	-	...	1	1	...
Under 1 year.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
1-4 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
5-9 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
10-14 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
15-19 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
20-24 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
25-29 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
30-34 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
35-39 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
40-44 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
45-49 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
50-54 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
55-59 years.....	2	2	...	2	2	...	-	-	...	-	-	...	-	-	...
60-64 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
65-69 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
70-74 years.....	1	1	...	1	1	...	-	-	...	-	-	...	-	-	...
75-79 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
80-84 years.....	1	1	...	1	1	...	-	-	...	-	-	...	-	-	...
85-89 years.....	2	2	...	1	1	...	-	-	...	-	-	...	1	1	...
90-94 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
95-99 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
100 years & over.	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
Age not stated...	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004) and age	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/ Both sexes		Asian or Pacific Islander 2/ Both sexes			
		Male	Female		Male	Female		Male	Female	Male	Female	Male	Female		
Chronic prostatitis (N41.1)															
All ages.....	4	4	...	3	3	...	1	1	...	-	-	...	-	-	...
Under 1 year.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
1-4 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
5-9 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
10-14 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
15-19 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
20-24 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
25-29 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
30-34 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
35-39 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
40-44 years.....	1	1	...	-	-	...	1	1	...	-	-	...	-	-	...
45-49 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
50-54 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
55-59 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
60-64 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
65-69 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
70-74 years.....	1	1	...	1	1	...	-	-	...	-	-	...	-	-	...
75-79 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
80-84 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
85-89 years.....	2	2	...	2	2	...	-	-	...	-	-	...	-	-	...
90-94 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
95-99 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
100 years & over.	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
Age not stated...	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004) and age	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/		Asian or Pacific Islander 2/			
		Male	Female		Male	Female		Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
Abscess of prostate (N41.2)															
All ages.....	6	6	...	6	6	...	-	-	...	-	-	...	-	-	...
Under 1 year.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
1-4 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
5-9 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
10-14 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
15-19 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
20-24 years.....	1	1	...	1	1	...	-	-	...	-	-	...	-	-	...
25-29 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
30-34 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
35-39 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
40-44 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
45-49 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
50-54 years.....	1	1	...	1	1	...	-	-	...	-	-	...	-	-	...
55-59 years.....	1	1	...	1	1	...	-	-	...	-	-	...	-	-	...
60-64 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
65-69 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
70-74 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
75-79 years.....	1	1	...	1	1	...	-	-	...	-	-	...	-	-	...
80-84 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
85-89 years.....	1	1	...	1	1	...	-	-	...	-	-	...	-	-	...
90-94 years.....	1	1	...	1	1	...	-	-	...	-	-	...	-	-	...
95-99 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
100 years & over.	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
Age not stated...	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004) and age	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/		Asian or Pacific Islander 2/			
		Male	Female		Male	Female		Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
Prostatocystitis (N41.3)															
All ages.....	1	1	...	1	1	...	-	-	...	-	-	...	-	-	...
Under 1 year.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
1-4 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
5-9 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
10-14 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
15-19 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
20-24 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
25-29 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
30-34 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
35-39 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
40-44 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
45-49 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
50-54 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
55-59 years.....	1	1	...	1	1	...	-	-	...	-	-	...	-	-	...
60-64 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
65-69 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
70-74 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
75-79 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
80-84 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
85-89 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
90-94 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
95-99 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
100 years & over.	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
Age not stated...	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004) and age	All races		White		Black		American Indian 1/		Asian or Pacific Islander 2/						
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
Inflammatory disease of prostate, unspecified (N41.9)															
All ages.....	26	26	...	24	24	...	1	1	...	-	-	...	1	1	...
Under 1 year.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
1-4 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
5-9 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
10-14 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
15-19 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
20-24 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
25-29 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
30-34 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
35-39 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
40-44 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
45-49 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
50-54 years.....	1	1	...	-	-	...	-	-	...	-	-	...	1	1	...
55-59 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
60-64 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
65-69 years.....	2	2	...	2	2	...	-	-	...	-	-	...	-	-	...
70-74 years.....	3	3	...	3	3	...	-	-	...	-	-	...	-	-	...
75-79 years.....	2	2	...	2	2	...	-	-	...	-	-	...	-	-	...
80-84 years.....	4	4	...	4	4	...	-	-	...	-	-	...	-	-	...
85-89 years.....	6	6	...	5	5	...	1	1	...	-	-	...	-	-	...
90-94 years.....	6	6	...	6	6	...	-	-	...	-	-	...	-	-	...
95-99 years.....	2	2	...	2	2	...	-	-	...	-	-	...	-	-	...
100 years & over.	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
Age not stated...	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004) and age	All races		White		Black		American Indian 1/		Asian or Pacific Islander 2/						
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
Other disorders of prostate (N42)															
All ages.....	57	57	...	51	51	...	5	5	...	-	-	...	1	1	...
Under 1 year.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
1-4 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
5-9 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
10-14 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
15-19 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
20-24 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
25-29 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
30-34 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
35-39 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
40-44 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
45-49 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
50-54 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
55-59 years.....	2	2	...	2	2	...	-	-	...	-	-	...	-	-	...
60-64 years.....	6	6	...	6	6	...	-	-	...	-	-	...	-	-	...
65-69 years.....	6	6	...	5	5	...	1	1	...	-	-	...	-	-	...
70-74 years.....	6	6	...	5	5	...	1	1	...	-	-	...	-	-	...
75-79 years.....	10	10	...	9	9	...	-	-	...	-	-	...	1	1	...
80-84 years.....	12	12	...	11	11	...	1	1	...	-	-	...	-	-	...
85-89 years.....	10	10	...	9	9	...	1	1	...	-	-	...	-	-	...
90-94 years.....	5	5	...	4	4	...	1	1	...	-	-	...	-	-	...
95-99 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
100 years & over.	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
Age not stated...	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004) and age	All races		White		Black		American Indian 1/		Asian or Pacific Islander 2/						
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
Congestion and hemorrhage of prostate (N42.1)															
All ages.....	3	3	...	2	2	...	1	1	...	-	-	...	-	-	...
Under 1 year.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
1-4 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
5-9 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
10-14 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
15-19 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
20-24 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
25-29 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
30-34 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
35-39 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
40-44 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
45-49 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
50-54 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
55-59 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
60-64 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
65-69 years.....	1	1	...	1	1	...	-	-	...	-	-	...	-	-	...
70-74 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
75-79 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
80-84 years.....	2	2	...	1	1	...	1	1	...	-	-	...	-	-	...
85-89 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
90-94 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
95-99 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
100 years & over.	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
Age not stated...	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004) and age	All races		White		Black		American Indian 1/		Asian or Pacific Islander 2/			
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
Other specified disorders of prostate (N42.8)												
All ages.....	2	2	...	2	2	...	-	-	...	-	-	...
Under 1 year.....	-	-	...	-	-	...	-	-	...	-	-	...
1-4 years.....	-	-	...	-	-	...	-	-	...	-	-	...
5-9 years.....	-	-	...	-	-	...	-	-	...	-	-	...
10-14 years.....	-	-	...	-	-	...	-	-	...	-	-	...
15-19 years.....	-	-	...	-	-	...	-	-	...	-	-	...
20-24 years.....	-	-	...	-	-	...	-	-	...	-	-	...
25-29 years.....	-	-	...	-	-	...	-	-	...	-	-	...
30-34 years.....	-	-	...	-	-	...	-	-	...	-	-	...
35-39 years.....	-	-	...	-	-	...	-	-	...	-	-	...
40-44 years.....	-	-	...	-	-	...	-	-	...	-	-	...
45-49 years.....	-	-	...	-	-	...	-	-	...	-	-	...
50-54 years.....	-	-	...	-	-	...	-	-	...	-	-	...
55-59 years.....	-	-	...	-	-	...	-	-	...	-	-	...
60-64 years.....	1	1	...	1	1	...	-	-	...	-	-	...
65-69 years.....	-	-	...	-	-	...	-	-	...	-	-	...
70-74 years.....	-	-	...	-	-	...	-	-	...	-	-	...
75-79 years.....	-	-	...	-	-	...	-	-	...	-	-	...
80-84 years.....	1	1	...	1	1	...	-	-	...	-	-	...
85-89 years.....	-	-	...	-	-	...	-	-	...	-	-	...
90-94 years.....	-	-	...	-	-	...	-	-	...	-	-	...
95-99 years.....	-	-	...	-	-	...	-	-	...	-	-	...
100 years & over.	-	-	...	-	-	...	-	-	...	-	-	...
Age not stated...	-	-	...	-	-	...	-	-	...	-	-	...

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004) and age	All races		White		Black		American Indian 1/ Both		Asian or Pacific Islander 2/ Both						
	Both sexes	Male Female	Both sexes	Male Female	Both sexes	Male Female	Both sexes	Male Female	Both sexes	Male Female	Female				
Disorder of prostate, unspecified (N42.9)															
All ages.....	52	52	...	47	47	...	4	4	...	-	-	...	1	1	...
Under 1 year.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
1-4 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
5-9 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
10-14 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
15-19 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
20-24 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
25-29 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
30-34 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
35-39 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
40-44 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
45-49 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
50-54 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
55-59 years.....	2	2	...	2	2	...	-	-	...	-	-	...	-	-	...
60-64 years.....	5	5	...	5	5	...	-	-	...	-	-	...	-	-	...
65-69 years.....	5	5	...	4	4	...	1	1	...	-	-	...	-	-	...
70-74 years.....	6	6	...	5	5	...	1	1	...	-	-	...	-	-	...
75-79 years.....	10	10	...	9	9	...	-	-	...	-	-	...	1	1	...
80-84 years.....	9	9	...	9	9	...	-	-	...	-	-	...	-	-	...
85-89 years.....	10	10	...	9	9	...	1	1	...	-	-	...	-	-	...
90-94 years.....	5	5	...	4	4	...	1	1	...	-	-	...	-	-	...
95-99 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
100 years & over.	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
Age not stated...	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004) and age	All races		White		Black		American Indian 1/		Asian or Pacific Islander 2/						
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
Hydrocele and spermatocele (N43)															
All ages.....	2	2	...	2	2	...	-	-	...	-	-	...	-	-	...
Under 1 year.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
1-4 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
5-9 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
10-14 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
15-19 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
20-24 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
25-29 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
30-34 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
35-39 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
40-44 years.....	1	1	...	1	1	...	-	-	...	-	-	...	-	-	...
45-49 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
50-54 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
55-59 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
60-64 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
65-69 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
70-74 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
75-79 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
80-84 years.....	1	1	...	1	1	...	-	-	...	-	-	...	-	-	...
85-89 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
90-94 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
95-99 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
100 years & over.	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
Age not stated...	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004) and age	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/		Asian or Pacific Islander 2/			
		Male	Female		Male	Female		Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
Hydrocele, unspecified (N43.3)															
All ages.....	2	2	...	2	2	...	-	-	...	-	-	...	-	-	...
Under 1 year.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
1-4 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
5-9 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
10-14 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
15-19 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
20-24 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
25-29 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
30-34 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
35-39 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
40-44 years.....	1	1	...	1	1	...	-	-	...	-	-	...	-	-	...
45-49 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
50-54 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
55-59 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
60-64 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
65-69 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
70-74 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
75-79 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
80-84 years.....	1	1	...	1	1	...	-	-	...	-	-	...	-	-	...
85-89 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
90-94 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
95-99 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
100 years & over.	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
Age not stated...	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004) and age	All races		White		Black		American Indian 1/		Asian or Pacific Islander 2/						
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
Torsion of testis (N44)															
All ages.....	1	1	...	1	1	...	-	-	...	-	-	...	-	-	...
Under 1 year.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
1-4 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
5-9 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
10-14 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
15-19 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
20-24 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
25-29 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
30-34 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
35-39 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
40-44 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
45-49 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
50-54 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
55-59 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
60-64 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
65-69 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
70-74 years.....	1	1	...	1	1	...	-	-	...	-	-	...	-	-	...
75-79 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
80-84 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
85-89 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
90-94 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
95-99 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
100 years & over.	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
Age not stated...	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004) and age	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/ Both sexes		Asian or Pacific Islander 2/ Both sexes			
		Male	Female		Male	Female		Male	Female	Male	Female	Male	Female		
Orchitis and epididymitis (N45)															
All ages.....	6	6	...	5	5	...	1	1	...	-	-	...	-	-	...
Under 1 year.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
1-4 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
5-9 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
10-14 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
15-19 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
20-24 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
25-29 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
30-34 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
35-39 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
40-44 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
45-49 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
50-54 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
55-59 years.....	1	1	...	1	1	...	-	-	...	-	-	...	-	-	...
60-64 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
65-69 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
70-74 years.....	2	2	...	1	1	...	1	1	...	-	-	...	-	-	...
75-79 years.....	2	2	...	2	2	...	-	-	...	-	-	...	-	-	...
80-84 years.....	1	1	...	1	1	...	-	-	...	-	-	...	-	-	...
85-89 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
90-94 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
95-99 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
100 years & over.	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
Age not stated...	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004) and age	All races		White		Black		American Indian 1/		Asian or Pacific Islander 2/						
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
Orchitis, epididymitis, and epididymo-orchitis without abscess (N45.9)															
All ages.....	6	6	...	5	5	...	1	1	...	-	-	...	-	-	...
Under 1 year.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
1-4 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
5-9 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
10-14 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
15-19 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
20-24 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
25-29 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
30-34 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
35-39 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
40-44 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
45-49 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
50-54 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
55-59 years.....	1	1	...	1	1	...	-	-	...	-	-	...	-	-	...
60-64 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
65-69 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
70-74 years.....	2	2	...	1	1	...	1	1	...	-	-	...	-	-	...
75-79 years.....	2	2	...	2	2	...	-	-	...	-	-	...	-	-	...
80-84 years.....	1	1	...	1	1	...	-	-	...	-	-	...	-	-	...
85-89 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
90-94 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
95-99 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
100 years & over.	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
Age not stated...	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004) and age	All races		White		Black		American Indian 1/		Asian or Pacific Islander 2/			
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
Redundant prepuce, phimosis, and paraphimosis (N47)												
All ages.....	1	1	...	1	1	...	-	-	...	-	-	...
Under 1 year.....	-	-	...	-	-	...	-	-	...	-	-	...
1-4 years.....	-	-	...	-	-	...	-	-	...	-	-	...
5-9 years.....	-	-	...	-	-	...	-	-	...	-	-	...
10-14 years.....	-	-	...	-	-	...	-	-	...	-	-	...
15-19 years.....	-	-	...	-	-	...	-	-	...	-	-	...
20-24 years.....	-	-	...	-	-	...	-	-	...	-	-	...
25-29 years.....	-	-	...	-	-	...	-	-	...	-	-	...
30-34 years.....	-	-	...	-	-	...	-	-	...	-	-	...
35-39 years.....	-	-	...	-	-	...	-	-	...	-	-	...
40-44 years.....	-	-	...	-	-	...	-	-	...	-	-	...
45-49 years.....	-	-	...	-	-	...	-	-	...	-	-	...
50-54 years.....	-	-	...	-	-	...	-	-	...	-	-	...
55-59 years.....	-	-	...	-	-	...	-	-	...	-	-	...
60-64 years.....	-	-	...	-	-	...	-	-	...	-	-	...
65-69 years.....	-	-	...	-	-	...	-	-	...	-	-	...
70-74 years.....	-	-	...	-	-	...	-	-	...	-	-	...
75-79 years.....	-	-	...	-	-	...	-	-	...	-	-	...
80-84 years.....	1	1	...	1	1	...	-	-	...	-	-	...
85-89 years.....	-	-	...	-	-	...	-	-	...	-	-	...
90-94 years.....	-	-	...	-	-	...	-	-	...	-	-	...
95-99 years.....	-	-	...	-	-	...	-	-	...	-	-	...
100 years & over.	-	-	...	-	-	...	-	-	...	-	-	...
Age not stated...	-	-	...	-	-	...	-	-	...	-	-	...

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004) and age	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/		Asian or Pacific Islander 2/			
		Male	Female		Male	Female		Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
Other disorders of penis (N48)															
All ages.....	16	16	...	9	9	...	7	7	...	-	-	...	-	-	...
Under 1 year.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
1-4 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
5-9 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
10-14 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
15-19 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
20-24 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
25-29 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
30-34 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
35-39 years.....	2	2	...	1	1	...	1	1	...	-	-	...	-	-	...
40-44 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
45-49 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
50-54 years.....	3	3	...	2	2	...	1	1	...	-	-	...	-	-	...
55-59 years.....	3	3	...	1	1	...	2	2	...	-	-	...	-	-	...
60-64 years.....	3	3	...	2	2	...	1	1	...	-	-	...	-	-	...
65-69 years.....	2	2	...	1	1	...	1	1	...	-	-	...	-	-	...
70-74 years.....	1	1	...	-	-	...	1	1	...	-	-	...	-	-	...
75-79 years.....	1	1	...	1	1	...	-	-	...	-	-	...	-	-	...
80-84 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
85-89 years.....	1	1	...	1	1	...	-	-	...	-	-	...	-	-	...
90-94 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
95-99 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
100 years & over.	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
Age not stated...	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004) and age	All races		White		Black		American Indian 1/		Asian or Pacific Islander 2/						
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
Other inflammatory disorders of penis (N48.2)															
All ages.....	9	9	...	4	4	...	5	5	...	-	-	...	-	-	...
Under 1 year.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
1-4 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
5-9 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
10-14 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
15-19 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
20-24 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
25-29 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
30-34 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
35-39 years.....	2	2	...	1	1	...	1	1	...	-	-	...	-	-	...
40-44 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
45-49 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
50-54 years.....	2	2	...	1	1	...	1	1	...	-	-	...	-	-	...
55-59 years.....	1	1	...	-	-	...	1	1	...	-	-	...	-	-	...
60-64 years.....	2	2	...	1	1	...	1	1	...	-	-	...	-	-	...
65-69 years.....	1	1	...	-	-	...	1	1	...	-	-	...	-	-	...
70-74 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
75-79 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
80-84 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
85-89 years.....	1	1	...	1	1	...	-	-	...	-	-	...	-	-	...
90-94 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
95-99 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
100 years & over.	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
Age not stated...	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004) and age	All races		White		Black		American Indian 1/		Asian or Pacific Islander 2/						
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
Ulcer of penis (N48.5)															
All ages.....	1	1	...	1	1	...	-	-	...	-	-	...	-	-	...
Under 1 year.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
1-4 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
5-9 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
10-14 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
15-19 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
20-24 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
25-29 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
30-34 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
35-39 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
40-44 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
45-49 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
50-54 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
55-59 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
60-64 years.....	1	1	...	1	1	...	-	-	...	-	-	...	-	-	...
65-69 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
70-74 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
75-79 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
80-84 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
85-89 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
90-94 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
95-99 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
100 years & over.	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
Age not stated...	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004) and age	All races		White		Black		American Indian 1/		Asian or Pacific Islander 2/						
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
Disorder of penis, unspecified (N48.9)															
All ages.....	6	6	...	4	4	...	2	2	...	-	-	...	-	-	...
Under 1 year.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
1-4 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
5-9 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
10-14 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
15-19 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
20-24 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
25-29 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
30-34 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
35-39 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
40-44 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
45-49 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
50-54 years.....	1	1	...	1	1	...	-	-	...	-	-	...	-	-	...
55-59 years.....	2	2	...	1	1	...	1	1	...	-	-	...	-	-	...
60-64 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
65-69 years.....	1	1	...	1	1	...	-	-	...	-	-	...	-	-	...
70-74 years.....	1	1	...	-	-	...	1	1	...	-	-	...	-	-	...
75-79 years.....	1	1	...	1	1	...	-	-	...	-	-	...	-	-	...
80-84 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
85-89 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
90-94 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
95-99 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
100 years & over.	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
Age not stated...	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004) and age	All races		White		Black		American Indian 1/		Asian or Pacific Islander 2/						
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
Inflammatory disorders of male genital organs, not elsewhere classified (N49)															
All ages.....	84	84	...	70	70	...	13	13	...	1	1	...	-	-	...
Under 1 year.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
1-4 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
5-9 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
10-14 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
15-19 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
20-24 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
25-29 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
30-34 years.....	1	1	...	1	1	...	-	-	...	-	-	...	-	-	...
35-39 years.....	1	1	...	1	1	...	-	-	...	-	-	...	-	-	...
40-44 years.....	6	6	...	4	4	...	2	2	...	-	-	...	-	-	...
45-49 years.....	3	3	...	3	3	...	-	-	...	-	-	...	-	-	...
50-54 years.....	5	5	...	5	5	...	-	-	...	-	-	...	-	-	...
55-59 years.....	7	7	...	4	4	...	3	3	...	-	-	...	-	-	...
60-64 years.....	10	10	...	8	8	...	2	2	...	-	-	...	-	-	...
65-69 years.....	5	5	...	5	5	...	-	-	...	-	-	...	-	-	...
70-74 years.....	8	8	...	7	7	...	1	1	...	-	-	...	-	-	...
75-79 years.....	16	16	...	15	15	...	1	1	...	-	-	...	-	-	...
80-84 years.....	9	9	...	7	7	...	2	2	...	-	-	...	-	-	...
85-89 years.....	8	8	...	6	6	...	1	1	...	1	1	...	-	-	...
90-94 years.....	5	5	...	4	4	...	1	1	...	-	-	...	-	-	...
95-99 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
100 years & over.	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
Age not stated...	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004) and age	All races		White		Black		American Indian 1/		Asian or Pacific Islander 2/						
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
Inflammatory disorders of scrotum (N49.2)															
All ages.....	25	25	...	21	21	...	4	4	...	-	-	...	-	-	...
Under 1 year.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
1-4 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
5-9 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
10-14 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
15-19 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
20-24 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
25-29 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
30-34 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
35-39 years.....	1	1	...	1	1	...	-	-	...	-	-	...	-	-	...
40-44 years.....	2	2	...	2	2	...	-	-	...	-	-	...	-	-	...
45-49 years.....	1	1	...	1	1	...	-	-	...	-	-	...	-	-	...
50-54 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
55-59 years.....	1	1	...	1	1	...	-	-	...	-	-	...	-	-	...
60-64 years.....	4	4	...	3	3	...	1	1	...	-	-	...	-	-	...
65-69 years.....	1	1	...	1	1	...	-	-	...	-	-	...	-	-	...
70-74 years.....	2	2	...	1	1	...	1	1	...	-	-	...	-	-	...
75-79 years.....	3	3	...	3	3	...	-	-	...	-	-	...	-	-	...
80-84 years.....	5	5	...	4	4	...	1	1	...	-	-	...	-	-	...
85-89 years.....	2	2	...	2	2	...	-	-	...	-	-	...	-	-	...
90-94 years.....	3	3	...	2	2	...	1	1	...	-	-	...	-	-	...
95-99 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
100 years & over.	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
Age not stated...	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004) and age	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/		Asian or Pacific Islander 2/			
		Male	Female		Male	Female		Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
Inflammatory disorders of other specified male genital organs (N49.8)															
All ages.....	58	58	...	49	49	...	8	8	...	1	1	...	-	-	...
Under 1 year.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
1-4 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
5-9 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
10-14 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
15-19 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
20-24 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
25-29 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
30-34 years.....	1	1	...	1	1	...	-	-	...	-	-	...	-	-	...
35-39 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
40-44 years.....	4	4	...	2	2	...	2	2	...	-	-	...	-	-	...
45-49 years.....	2	2	...	2	2	...	-	-	...	-	-	...	-	-	...
50-54 years.....	5	5	...	5	5	...	-	-	...	-	-	...	-	-	...
55-59 years.....	5	5	...	3	3	...	2	2	...	-	-	...	-	-	...
60-64 years.....	6	6	...	5	5	...	1	1	...	-	-	...	-	-	...
65-69 years.....	4	4	...	4	4	...	-	-	...	-	-	...	-	-	...
70-74 years.....	6	6	...	6	6	...	-	-	...	-	-	...	-	-	...
75-79 years.....	13	13	...	12	12	...	1	1	...	-	-	...	-	-	...
80-84 years.....	4	4	...	3	3	...	1	1	...	-	-	...	-	-	...
85-89 years.....	6	6	...	4	4	...	1	1	...	1	1	...	-	-	...
90-94 years.....	2	2	...	2	2	...	-	-	...	-	-	...	-	-	...
95-99 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
100 years & over.	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
Age not stated...	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004) and age	All races		White		Black		American Indian 1/		Asian or Pacific Islander 2/						
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
Other disorders of male genital organs (N50)															
All ages.....	14	14	...	13	13	...	1	1	...	-	-	...	-	-	...
Under 1 year.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
1-4 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
5-9 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
10-14 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
15-19 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
20-24 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
25-29 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
30-34 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
35-39 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
40-44 years.....	1	1	...	1	1	...	-	-	...	-	-	...	-	-	...
45-49 years.....	1	1	...	1	1	...	-	-	...	-	-	...	-	-	...
50-54 years.....	1	1	...	1	1	...	-	-	...	-	-	...	-	-	...
55-59 years.....	2	2	...	2	2	...	-	-	...	-	-	...	-	-	...
60-64 years.....	1	1	...	1	1	...	-	-	...	-	-	...	-	-	...
65-69 years.....	3	3	...	3	3	...	-	-	...	-	-	...	-	-	...
70-74 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
75-79 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
80-84 years.....	4	4	...	4	4	...	-	-	...	-	-	...	-	-	...
85-89 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
90-94 years.....	1	1	...	-	-	...	1	1	...	-	-	...	-	-	...
95-99 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
100 years & over.	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
Age not stated...	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004) and age	All races		White		Black		American Indian 1/		Asian or Pacific Islander 2/			
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
Vascular disorders of male genital organs (N50.1)												
All ages.....	10	10	...	10	10	...	-	-	...	-	-	...
Under 1 year.....	-	-	...	-	-	...	-	-	...	-	-	...
1-4 years.....	-	-	...	-	-	...	-	-	...	-	-	...
5-9 years.....	-	-	...	-	-	...	-	-	...	-	-	...
10-14 years.....	-	-	...	-	-	...	-	-	...	-	-	...
15-19 years.....	-	-	...	-	-	...	-	-	...	-	-	...
20-24 years.....	-	-	...	-	-	...	-	-	...	-	-	...
25-29 years.....	-	-	...	-	-	...	-	-	...	-	-	...
30-34 years.....	-	-	...	-	-	...	-	-	...	-	-	...
35-39 years.....	-	-	...	-	-	...	-	-	...	-	-	...
40-44 years.....	-	-	...	-	-	...	-	-	...	-	-	...
45-49 years.....	1	1	...	1	1	...	-	-	...	-	-	...
50-54 years.....	1	1	...	1	1	...	-	-	...	-	-	...
55-59 years.....	1	1	...	1	1	...	-	-	...	-	-	...
60-64 years.....	-	-	...	-	-	...	-	-	...	-	-	...
65-69 years.....	3	3	...	3	3	...	-	-	...	-	-	...
70-74 years.....	-	-	...	-	-	...	-	-	...	-	-	...
75-79 years.....	-	-	...	-	-	...	-	-	...	-	-	...
80-84 years.....	4	4	...	4	4	...	-	-	...	-	-	...
85-89 years.....	-	-	...	-	-	...	-	-	...	-	-	...
90-94 years.....	-	-	...	-	-	...	-	-	...	-	-	...
95-99 years.....	-	-	...	-	-	...	-	-	...	-	-	...
100 years & over.	-	-	...	-	-	...	-	-	...	-	-	...
Age not stated...	-	-	...	-	-	...	-	-	...	-	-	...

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004) and age	All races		White		Black		American Indian 1/		Asian or Pacific Islander 2/			
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
Other specified disorders of male genital organs (N50.8)												
All ages.....	2	2	...	2	2	...	-	-	...	-	-	...
Under 1 year.....	-	-	...	-	-	...	-	-	...	-	-	...
1-4 years.....	-	-	...	-	-	...	-	-	...	-	-	...
5-9 years.....	-	-	...	-	-	...	-	-	...	-	-	...
10-14 years.....	-	-	...	-	-	...	-	-	...	-	-	...
15-19 years.....	-	-	...	-	-	...	-	-	...	-	-	...
20-24 years.....	-	-	...	-	-	...	-	-	...	-	-	...
25-29 years.....	-	-	...	-	-	...	-	-	...	-	-	...
30-34 years.....	-	-	...	-	-	...	-	-	...	-	-	...
35-39 years.....	-	-	...	-	-	...	-	-	...	-	-	...
40-44 years.....	1	1	...	1	1	...	-	-	...	-	-	...
45-49 years.....	-	-	...	-	-	...	-	-	...	-	-	...
50-54 years.....	-	-	...	-	-	...	-	-	...	-	-	...
55-59 years.....	1	1	...	1	1	...	-	-	...	-	-	...
60-64 years.....	-	-	...	-	-	...	-	-	...	-	-	...
65-69 years.....	-	-	...	-	-	...	-	-	...	-	-	...
70-74 years.....	-	-	...	-	-	...	-	-	...	-	-	...
75-79 years.....	-	-	...	-	-	...	-	-	...	-	-	...
80-84 years.....	-	-	...	-	-	...	-	-	...	-	-	...
85-89 years.....	-	-	...	-	-	...	-	-	...	-	-	...
90-94 years.....	-	-	...	-	-	...	-	-	...	-	-	...
95-99 years.....	-	-	...	-	-	...	-	-	...	-	-	...
100 years & over.	-	-	...	-	-	...	-	-	...	-	-	...
Age not stated...	-	-	...	-	-	...	-	-	...	-	-	...

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004) and age	All races		White		Black		American Indian 1/		Asian or Pacific Islander 2/						
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
Disorder of male genital organs, unspecified (N50.9)															
All ages.....	2	2	...	1	1	...	1	1	...	-	-	...	-	-	...
Under 1 year.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
1-4 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
5-9 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
10-14 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
15-19 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
20-24 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
25-29 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
30-34 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
35-39 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
40-44 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
45-49 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
50-54 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
55-59 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
60-64 years.....	1	1	...	1	1	...	-	-	...	-	-	...	-	-	...
65-69 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
70-74 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
75-79 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
80-84 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
85-89 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
90-94 years.....	1	1	...	-	-	...	1	1	...	-	-	...	-	-	...
95-99 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
100 years & over.	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
Age not stated...	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004) and age	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/ Both		Asian or Pacific Islander 2/ Both			
		Male	Female		Male	Female		Male	Female	Male	Female	sexes	Male	Female	
Salpingitis and oophoritis (N70)															
All ages.....	14	...	14	9	...	9	5	...	5	-	...	-	-	...	-
Under 1 year.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
35-39 years.....	2	...	2	1	...	1	1	...	1	-	...	-	-	...	-
40-44 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
45-49 years.....	3	...	3	1	...	1	2	...	2	-	...	-	-	...	-
50-54 years.....	3	...	3	2	...	2	1	...	1	-	...	-	-	...	-
55-59 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	1	...	1	-	...	-	1	...	1	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004) and age	All races		White		Black		American Indian 1/		Asian or Pacific Islander 2/						
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
Acute salpingitis and oophoritis (N70.0)															
All ages.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
Under 1 year.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
35-39 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004) and age	All races		White		Black		American Indian 1/		Asian or Pacific Islander 2/	
	Both sexes	Male Female	Both sexes	Male Female	Both sexes	Male Female	Both sexes	Male Female	Both sexes	Male Female
Salpingitis and oophoritis, unspecified (N70.9)										
All ages.....	13	... 13	8	... 8	5	... 5	-	... -	-	... -
Under 1 year.....	-	... -	-	... -	-	... -	-	... -	-	... -
1-4 years.....	-	... -	-	... -	-	... -	-	... -	-	... -
5-9 years.....	-	... -	-	... -	-	... -	-	... -	-	... -
10-14 years.....	-	... -	-	... -	-	... -	-	... -	-	... -
15-19 years.....	1	... 1	1	... 1	-	... -	-	... -	-	... -
20-24 years.....	-	... -	-	... -	-	... -	-	... -	-	... -
25-29 years.....	-	... -	-	... -	-	... -	-	... -	-	... -
30-34 years.....	-	... -	-	... -	-	... -	-	... -	-	... -
35-39 years.....	2	... 2	1	... 1	1	... 1	-	... -	-	... -
40-44 years.....	1	... 1	1	... 1	-	... -	-	... -	-	... -
45-49 years.....	3	... 3	1	... 1	2	... 2	-	... -	-	... -
50-54 years.....	3	... 3	2	... 2	1	... 1	-	... -	-	... -
55-59 years.....	1	... 1	1	... 1	-	... -	-	... -	-	... -
60-64 years.....	-	... -	-	... -	-	... -	-	... -	-	... -
65-69 years.....	-	... -	-	... -	-	... -	-	... -	-	... -
70-74 years.....	-	... -	-	... -	-	... -	-	... -	-	... -
75-79 years.....	-	... -	-	... -	-	... -	-	... -	-	... -
80-84 years.....	1	... 1	-	... -	1	... 1	-	... -	-	... -
85-89 years.....	-	... -	-	... -	-	... -	-	... -	-	... -
90-94 years.....	1	... 1	1	... 1	-	... -	-	... -	-	... -
95-99 years.....	-	... -	-	... -	-	... -	-	... -	-	... -
100 years & over.	-	... -	-	... -	-	... -	-	... -	-	... -
Age not stated...	-	... -	-	... -	-	... -	-	... -	-	... -

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004) and age	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/ Both		Asian or Pacific Islander 2/ Both		
		Male	Female		Male	Female		Male	Female	Male	Female	sexes	Male	Female
Inflammatory disease of uterus, except cervix (N71)														
All ages.....	15	...	15	10	...	10	5	...	5	-	...	-	...	-
Under 1 year.....	1	...	1	-	...	-	1	...	1	-	...	-	...	-
1-4 years.....	-	...	-	-	...	-	-	...	-	-	...	-	...	-
5-9 years.....	-	...	-	-	...	-	-	...	-	-	...	-	...	-
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	...	-
20-24 years.....	1	...	1	1	...	1	-	...	-	-	...	-	...	-
25-29 years.....	2	...	2	-	...	-	2	...	2	-	...	-	...	-
30-34 years.....	-	...	-	-	...	-	-	...	-	-	...	-	...	-
35-39 years.....	-	...	-	-	...	-	-	...	-	-	...	-	...	-
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	...	-
55-59 years.....	1	...	1	-	...	-	1	...	1	-	...	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	...	-
70-74 years.....	1	...	1	1	...	1	-	...	-	-	...	-	...	-
75-79 years.....	2	...	2	2	...	2	-	...	-	-	...	-	...	-
80-84 years.....	3	...	3	2	...	2	1	...	1	-	...	-	...	-
85-89 years.....	2	...	2	2	...	2	-	...	-	-	...	-	...	-
90-94 years.....	2	...	2	2	...	2	-	...	-	-	...	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004) and age	All races		White		Black		American Indian 1/		Asian or Pacific Islander 2/					
	Both sexes		Both sexes		Both sexes		Both sexes		Both sexes					
	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female				
Inflammatory disease of uterus, unspecified (N71.9)														
All ages.....	15	...	15	10	...	10	5	...	5	-	...	-	...	-
Under 1 year.....	1	...	1	-	...	-	1	...	1	-	...	-	-	...
1-4 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...
5-9 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...
20-24 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...
25-29 years.....	2	...	2	-	...	-	2	...	2	-	...	-	-	...
30-34 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...
35-39 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...
55-59 years.....	1	...	1	-	...	-	1	...	1	-	...	-	-	...
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...
70-74 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...
75-79 years.....	2	...	2	2	...	2	-	...	-	-	...	-	-	...
80-84 years.....	3	...	3	2	...	2	1	...	1	-	...	-	-	...
85-89 years.....	2	...	2	2	...	2	-	...	-	-	...	-	-	...
90-94 years.....	2	...	2	2	...	2	-	...	-	-	...	-	-	...
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004) and age	All races		White		Black		American Indian 1/		Asian or Pacific Islander 2/			
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
Inflammatory disease of cervix uteri (N72)												
All ages.....	1	...	1	-	...	-	1	...	1	-	...	-
Under 1 year.....	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years.....	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years.....	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years.....	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years.....	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years.....	1	...	1	-	...	-	1	...	1	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004) and age	All races		White		Black		American Indian 1/ Both		Asian or Pacific Islander 2/ Both						
	Both sexes	Male Female	Both sexes	Male Female	Both sexes	Male Female	Both sexes	Male Female	Both sexes	Male Female					
Other female pelvic inflammatory diseases (N73)															
All ages.....	68	...	68	60	...	60	7	...	7	1	...	1	-	...	-
Under 1 year.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years.....	2	...	2	2	...	2	-	...	-	-	...	-	-	...	-
40-44 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
45-49 years.....	3	...	3	3	...	3	-	...	-	-	...	-	-	...	-
50-54 years.....	3	...	3	1	...	1	1	...	1	1	...	1	-	...	-
55-59 years.....	3	...	3	2	...	2	1	...	1	-	...	-	-	...	-
60-64 years.....	4	...	4	4	...	4	-	...	-	-	...	-	-	...	-
65-69 years.....	5	...	5	3	...	3	2	...	2	-	...	-	-	...	-
70-74 years.....	5	...	5	4	...	4	1	...	1	-	...	-	-	...	-
75-79 years.....	11	...	11	11	...	11	-	...	-	-	...	-	-	...	-
80-84 years.....	14	...	14	13	...	13	1	...	1	-	...	-	-	...	-
85-89 years.....	11	...	11	10	...	10	1	...	1	-	...	-	-	...	-
90-94 years.....	5	...	5	5	...	5	-	...	-	-	...	-	-	...	-
95-99 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004) and age	All races		White		Black		American Indian 1/		Asian or Pacific Islander 2/						
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
Chronic parametritis and pelvic cellulitis (N73.1)															
All ages.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
Under 1 year.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004) and age	All races		White		Black		American Indian 1/		Asian or Pacific Islander 2/						
	Both sexes		Both sexes		Both sexes		Both sexes		Both sexes						
	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female					
Female pelvic peritoneal adhesions (N73.6)															
All ages.....	2	...	2	1	...	1	1	...	1	-	...	-	-	...	-
Under 1 year.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	1	...	1	-	...	-	1	...	1	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004) and age	All races		White		Black		American Indian 1/		Asian or Pacific Islander 2/	
	Both sexes	Male Female	Both sexes	Male Female	Both sexes	Male Female	Both sexes	Male Female	Both sexes	Male Female
Female pelvic inflammatory disease, unspecified (N73.9)										
All ages.....	64	... 64	57	... 57	6	... 6	1	... 1	-	... -
Under 1 year.....	-	... -	-	... -	-	... -	-	... -	-	... -
1-4 years.....	-	... -	-	... -	-	... -	-	... -	-	... -
5-9 years.....	-	... -	-	... -	-	... -	-	... -	-	... -
10-14 years.....	-	... -	-	... -	-	... -	-	... -	-	... -
15-19 years.....	-	... -	-	... -	-	... -	-	... -	-	... -
20-24 years.....	-	... -	-	... -	-	... -	-	... -	-	... -
25-29 years.....	-	... -	-	... -	-	... -	-	... -	-	... -
30-34 years.....	-	... -	-	... -	-	... -	-	... -	-	... -
35-39 years.....	2	... 2	2	... 2	-	... -	-	... -	-	... -
40-44 years.....	1	... 1	1	... 1	-	... -	-	... -	-	... -
45-49 years.....	3	... 3	3	... 3	-	... -	-	... -	-	... -
50-54 years.....	3	... 3	1	... 1	1	... 1	1	... 1	-	... -
55-59 years.....	2	... 2	1	... 1	1	... 1	-	... -	-	... -
60-64 years.....	4	... 4	4	... 4	-	... -	-	... -	-	... -
65-69 years.....	4	... 4	3	... 3	1	... 1	-	... -	-	... -
70-74 years.....	5	... 5	4	... 4	1	... 1	-	... -	-	... -
75-79 years.....	11	... 11	11	... 11	-	... -	-	... -	-	... -
80-84 years.....	12	... 12	11	... 11	1	... 1	-	... -	-	... -
85-89 years.....	11	... 11	10	... 10	1	... 1	-	... -	-	... -
90-94 years.....	5	... 5	5	... 5	-	... -	-	... -	-	... -
95-99 years.....	1	... 1	1	... 1	-	... -	-	... -	-	... -
100 years & over.	-	... -	-	... -	-	... -	-	... -	-	... -
Age not stated...	-	... -	-	... -	-	... -	-	... -	-	... -

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004) and age	All races		White		Black		American Indian 1/		Asian or Pacific Islander 2/						
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
Other inflammation of vagina and vulva (N76)															
All ages.....	14	...	14	11	...	11	2	...	2	1	...	1	-	...	-
Under 1 year.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	2	...	2	1	...	1	1	...	1	-	...	-	-	...	-
60-64 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
65-69 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
80-84 years.....	3	...	3	2	...	2	-	...	-	1	...	1	-	...	-
85-89 years.....	3	...	3	2	...	2	1	...	1	-	...	-	-	...	-
90-94 years.....	2	...	2	2	...	2	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004) and age	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/ Both sexes		Asian or Pacific Islander 2/ Both sexes			
		Male	Female		Male	Female		Male	Female	Male	Female				
Acute vaginitis (N76.0)															
All ages.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
Under 1 year.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004) and age	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/ Both		Asian or Pacific Islander 2/ Both			
		Male	Female		Male	Female		Male	Female	Male	Female	sexes	Male	Female	
Abscess of vulva (N76.4)															
All ages.....	6	...	6	5	...	5	-	...	-	1	...	1	-	...	-
Under 1 year.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
80-84 years.....	2	...	2	1	...	1	-	...	-	1	...	1	-	...	-
85-89 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
90-94 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004) and age	All races		White		Black		American Indian 1/		Asian or Pacific Islander 2/	
	Both sexes	Male Female	Both sexes	Male Female	Both sexes	Male Female	Both sexes	Male Female	Both sexes	Male Female
Other specified inflammation of vagina and vulva (N76.8)										
All ages.....	7	... 7	5	... 5	2	... 2	-	... -	-	... -
Under 1 year.....	-	... -	-	... -	-	... -	-	... -	-	... -
1-4 years.....	-	... -	-	... -	-	... -	-	... -	-	... -
5-9 years.....	-	... -	-	... -	-	... -	-	... -	-	... -
10-14 years.....	-	... -	-	... -	-	... -	-	... -	-	... -
15-19 years.....	-	... -	-	... -	-	... -	-	... -	-	... -
20-24 years.....	-	... -	-	... -	-	... -	-	... -	-	... -
25-29 years.....	-	... -	-	... -	-	... -	-	... -	-	... -
30-34 years.....	-	... -	-	... -	-	... -	-	... -	-	... -
35-39 years.....	-	... -	-	... -	-	... -	-	... -	-	... -
40-44 years.....	1	... 1	1	... 1	-	... -	-	... -	-	... -
45-49 years.....	-	... -	-	... -	-	... -	-	... -	-	... -
50-54 years.....	-	... -	-	... -	-	... -	-	... -	-	... -
55-59 years.....	2	... 2	1	... 1	1	... 1	-	... -	-	... -
60-64 years.....	-	... -	-	... -	-	... -	-	... -	-	... -
65-69 years.....	1	... 1	1	... 1	-	... -	-	... -	-	... -
70-74 years.....	-	... -	-	... -	-	... -	-	... -	-	... -
75-79 years.....	-	... -	-	... -	-	... -	-	... -	-	... -
80-84 years.....	1	... 1	1	... 1	-	... -	-	... -	-	... -
85-89 years.....	1	... 1	-	... -	1	... 1	-	... -	-	... -
90-94 years.....	1	... 1	1	... 1	-	... -	-	... -	-	... -
95-99 years.....	-	... -	-	... -	-	... -	-	... -	-	... -
100 years & over.	-	... -	-	... -	-	... -	-	... -	-	... -
Age not stated...	-	... -	-	... -	-	... -	-	... -	-	... -

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004) and age	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/		Asian or Pacific Islander 2/			
		Male	Female		Male	Female		Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
Endometriosis (N80)															
All ages.....	5	...	5	2	...	2	2	...	2	-	...	-	1	...	1
Under 1 year.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
35-39 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years.....	1	...	1	-	...	-	1	...	1	-	...	-	-	...	-
45-49 years.....	3	...	3	1	...	1	1	...	1	-	...	-	1	...	1
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004) and age	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/ Both		Asian or Pacific Islander 2/ Both			
		Male	Female		Male	Female		Male	Female	Male	Female	sexes	Male	Female	
Endometriosis of uterus (N80.0)															
All ages.....	3	...	3	1	...	1	2	...	2	-	...	-	-	...	-
Under 1 year.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
35-39 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years.....	1	...	1	-	...	-	1	...	1	-	...	-	-	...	-
45-49 years.....	1	...	1	-	...	-	1	...	1	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004) and age	All races		White		Black		American Indian 1/ Pacific Islander 2/		Asian or Pacific Islander 2/						
	Both sexes	Male Female	Both sexes	Male Female	Both sexes	Male Female	Both sexes	Male Female	Both sexes	Male Female					
Endometriosis, unspecified (N80.9)															
All ages.....	2	...	2	1	...	1	-	...	-	-	...	-	1	...	1
Under 1 year.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years.....	2	...	2	1	...	1	-	...	-	-	...	-	1	...	1
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004) and age	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/		Asian or Pacific Islander 2/			
		Male	Female		Male	Female		Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
Female genital prolapse (N81)															
All ages.....	20	...	20	19	...	19	-	...	-	1	...	1	-	...	-
Under 1 year.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	3	...	3	3	...	3	-	...	-	-	...	-	-	...	-
80-84 years.....	5	...	5	5	...	5	-	...	-	-	...	-	-	...	-
85-89 years.....	4	...	4	4	...	4	-	...	-	-	...	-	-	...	-
90-94 years.....	4	...	4	3	...	3	-	...	-	1	...	1	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	2	...	2	2	...	2	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004) and age	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/ Both		Asian or Pacific Islander 2/ Both			
		Male	Female		Male	Female		Male	Female	Male	Female	sexes	Male	Female	
Cystocele (N81.1)															
All ages.....	12	...	12	12	...	12	-	...	-	-	...	-	-	...	-
Under 1 year.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	2	...	2	2	...	2	-	...	-	-	...	-	-	...	-
80-84 years.....	3	...	3	3	...	3	-	...	-	-	...	-	-	...	-
85-89 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
90-94 years.....	3	...	3	3	...	3	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004) and age	All races		White		Black		American Indian 1/		Asian or Pacific Islander 2/						
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
Complete uterovaginal prolapse (N81.3)															
All ages.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
Under 1 year.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004) and age	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/		Asian or Pacific Islander 2/			
		Male	Female		Male	Female		Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
Uterovaginal prolapse, unspecified (N81.4)															
All ages.....	5	...	5	4	...	4	-	...	-	1	...	1	-	...	-
Under 1 year.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
85-89 years.....	2	...	2	2	...	2	-	...	-	-	...	-	-	...	-
90-94 years.....	1	...	1	-	...	-	-	...	-	1	...	1	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004) and age	All races		White		Black		American Indian 1/		Asian or Pacific Islander 2/						
	Both sexes		Both sexes		Both sexes		Both sexes		Both sexes						
	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female					
Rectocele (N81.6)															
All ages.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
Under 1 year.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004) and age	All races		White		Black		American Indian 1/		Asian or Pacific Islander 2/						
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
Other female genital prolapse (N81.8)															
All ages.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
Under 1 year.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004) and age	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/ Both		Asian or Pacific Islander 2/ Both			
		Male	Female		Male	Female		Male	Female	Male	Female	sexes	Male	Female	
Fistulae involving female genital tract (N82)															
All ages.....	74	...	74	67	...	67	7	...	7	-	...	-	-	...	-
Under 1 year.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	2	...	2	1	...	1	1	...	1	-	...	-	-	...	-
60-64 years.....	2	...	2	2	...	2	-	...	-	-	...	-	-	...	-
65-69 years.....	2	...	2	2	...	2	-	...	-	-	...	-	-	...	-
70-74 years.....	10	...	10	9	...	9	1	...	1	-	...	-	-	...	-
75-79 years.....	11	...	11	9	...	9	2	...	2	-	...	-	-	...	-
80-84 years.....	15	...	15	14	...	14	1	...	1	-	...	-	-	...	-
85-89 years.....	15	...	15	15	...	15	-	...	-	-	...	-	-	...	-
90-94 years.....	13	...	13	11	...	11	2	...	2	-	...	-	-	...	-
95-99 years.....	2	...	2	2	...	2	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004) and age	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/ Both sexes		Asian or Pacific Islander 2/ Both sexes		
		Male	Female		Male	Female		Male	Female	Male	Female			
Vesicovaginal fistula (N82.0)														
All ages.....	4	...	4	4	...	4	-	...	-	-	...	-	-	...
Under 1 year.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...
1-4 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...
5-9 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...
30-34 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...
35-39 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...
70-74 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...
85-89 years.....	3	...	3	3	...	3	-	...	-	-	...	-	-	...
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004) and age	All races		White		Black		American Indian 1/		Asian or Pacific Islander 2/						
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
Other female urinary-genital tract fistulae (N82.1)															
All ages.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
Under 1 year.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004) and age	All races		White		Black		American Indian 1/ Both		Asian or Pacific Islander 2/ Both							
	Both sexes	Male Female	Both sexes	Male Female	Both sexes	Male Female	Both sexes	Male Female	Both sexes	Male Female						
Fistula of vagina to small intestine (N82.2)																
All ages.....	1	...	1	...	1	...	1	-	...	-	-	...	-	-	...	-
Under 1 year.....	-	...	-	...	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years.....	-	...	-	...	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years.....	-	...	-	...	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years.....	-	...	-	...	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	...	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	-	...	-	...	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years.....	-	...	-	...	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years.....	-	...	-	...	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years.....	-	...	-	...	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years.....	-	...	-	...	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years.....	-	...	-	...	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	...	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	...	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	...	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	...	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	...	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	...	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	1	...	1	...	1	...	1	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	...	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	...	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	...	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	...	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	...	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004) and age	All races		White		Black		American Indian 1/		Asian or Pacific Islander 2/						
	Both sexes	Male Female	Both sexes	Male Female	Both sexes	Male Female	Both sexes	Male Female	Both sexes	Male Female					
Fistula of vagina to large intestine (N82.3)															
All ages.....	57	...	57	50	...	50	7	...	7	-	...	-	-	...	-
Under 1 year.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	1	...	1	-	...	-	1	...	1	-	...	-	-	...	-
60-64 years.....	2	...	2	2	...	2	-	...	-	-	...	-	-	...	-
65-69 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
70-74 years.....	9	...	9	8	...	8	1	...	1	-	...	-	-	...	-
75-79 years.....	9	...	9	7	...	7	2	...	2	-	...	-	-	...	-
80-84 years.....	13	...	13	12	...	12	1	...	1	-	...	-	-	...	-
85-89 years.....	8	...	8	8	...	8	-	...	-	-	...	-	-	...	-
90-94 years.....	12	...	12	10	...	10	2	...	2	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004) and age	All races		White		Black		American Indian 1/		Asian or Pacific Islander 2/						
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
Other female intestinal-genital tract fistulae (N82.4)															
All ages.....	6	...	6	6	...	6	-	...	-	-	...	-	-	...	-
Under 1 year.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	2	...	2	2	...	2	-	...	-	-	...	-	-	...	-
80-84 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
85-89 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004) and age	All races		White		Black		American Indian 1/ Pacific Islander 2/		Asian or Pacific Islander 2/	
	Both sexes	Male Female	Both sexes	Male Female	Both sexes	Male Female	Both sexes	Male Female	Both sexes	Male Female
Female genital tract fistula, unspecified (N82.9)										
All ages.....	5	...	5	...	5	-	...	-	-	...
Under 1 year.....	-	...	-	...	-	-	...	-	-	...
1-4 years.....	-	...	-	...	-	-	...	-	-	...
5-9 years.....	-	...	-	...	-	-	...	-	-	...
10-14 years.....	-	...	-	...	-	-	...	-	-	...
15-19 years.....	-	...	-	...	-	-	...	-	-	...
20-24 years.....	-	...	-	...	-	-	...	-	-	...
25-29 years.....	-	...	-	...	-	-	...	-	-	...
30-34 years.....	-	...	-	...	-	-	...	-	-	...
35-39 years.....	-	...	-	...	-	-	...	-	-	...
40-44 years.....	-	...	-	...	-	-	...	-	-	...
45-49 years.....	-	...	-	...	-	-	...	-	-	...
50-54 years.....	-	...	-	...	-	-	...	-	-	...
55-59 years.....	-	...	-	...	-	-	...	-	-	...
60-64 years.....	-	...	-	...	-	-	...	-	-	...
65-69 years.....	-	...	-	...	-	-	...	-	-	...
70-74 years.....	-	...	-	...	-	-	...	-	-	...
75-79 years.....	-	...	-	...	-	-	...	-	-	...
80-84 years.....	-	...	-	...	-	-	...	-	-	...
85-89 years.....	3	...	3	...	3	-	...	-	-	...
90-94 years.....	-	...	-	...	-	-	...	-	-	...
95-99 years.....	2	...	2	...	2	-	...	-	-	...
100 years & over.	-	...	-	...	-	-	...	-	-	...
Age not stated...	-	...	-	...	-	-	...	-	-	...

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004) and age	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/		Asian or Pacific Islander 2/			
		Male	Female		Male	Female		Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
Noninflammatory disorders of ovary, fallopian tube, and broad ligament (N83)															
All ages.....	59	...	59	49	...	49	9	...	9	-	...	-	1	...	1
Under 1 year.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
1-4 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	1	...	1	-	...	-	-	...	-	-	...	-	1	...	1
25-29 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
30-34 years.....	1	...	1	-	...	-	1	...	1	-	...	-	-	...	-
35-39 years.....	2	...	2	1	...	1	1	...	1	-	...	-	-	...	-
40-44 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
45-49 years.....	5	...	5	3	...	3	2	...	2	-	...	-	-	...	-
50-54 years.....	2	...	2	2	...	2	-	...	-	-	...	-	-	...	-
55-59 years.....	6	...	6	4	...	4	2	...	2	-	...	-	-	...	-
60-64 years.....	3	...	3	3	...	3	-	...	-	-	...	-	-	...	-
65-69 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
70-74 years.....	2	...	2	2	...	2	-	...	-	-	...	-	-	...	-
75-79 years.....	3	...	3	3	...	3	-	...	-	-	...	-	-	...	-
80-84 years.....	9	...	9	8	...	8	1	...	1	-	...	-	-	...	-
85-89 years.....	11	...	11	10	...	10	1	...	1	-	...	-	-	...	-
90-94 years.....	7	...	7	6	...	6	1	...	1	-	...	-	-	...	-
95-99 years.....	2	...	2	2	...	2	-	...	-	-	...	-	-	...	-
100 years & over.	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004) and age	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/ Both sexes		Asian or Pacific Islander 2/ Both sexes		
		Male	Female		Male	Female		Male	Female	Male	Female	Male	Female	
Corpus luteum cyst (N83.1)														
All ages.....	1	...	1	1	...	1	-	...	-	-	...	-	...	-
Under 1 year.....	-	...	-	-	...	-	-	...	-	-	...	-	...	-
1-4 years.....	-	...	-	-	...	-	-	...	-	-	...	-	...	-
5-9 years.....	-	...	-	-	...	-	-	...	-	-	...	-	...	-
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	...	-
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	...	-
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	...	-
30-34 years.....	-	...	-	-	...	-	-	...	-	-	...	-	...	-
35-39 years.....	-	...	-	-	...	-	-	...	-	-	...	-	...	-
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	...	-
45-49 years.....	1	...	1	1	...	1	-	...	-	-	...	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004) and age	All races		White		Black		American Indian 1/		Asian or Pacific Islander 2/						
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
Other and unspecified ovarian cysts (N83.2)															
All ages.....	13	...	13	9	...	9	3	...	3	-	...	-	1	...	1
Under 1 year.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	1	...	1	-	...	-	-	...	-	-	...	-	1	...	1
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years.....	1	...	1	-	...	-	1	...	1	-	...	-	-	...	-
35-39 years.....	2	...	2	1	...	1	1	...	1	-	...	-	-	...	-
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years.....	2	...	2	2	...	2	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	2	...	2	1	...	1	1	...	1	-	...	-	-	...	-
60-64 years.....	2	...	2	2	...	2	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004) and age	All races		White		Black		American Indian 1/		Asian or Pacific Islander 2/						
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
Torsion of ovary, ovarian pedicle, and fallopian tube (N83.5)															
All ages.....	2	...	2	1	...	1	1	...	1	-	...	-	-	...	-
Under 1 year.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
1-4 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years.....	1	...	1	-	...	-	1	...	1	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004) and age	All races		White		Black		American Indian 1/ Both		Asian or Pacific Islander 2/ Both						
	Both sexes	Male Female	Both sexes	Male Female	Both sexes	Male Female	Both sexes	Male Female	sexes	Male Female	Female				
Other noninflammatory disorders of ovary, fallopian tube, and broad ligament (N83.8)															
All ages.....	3	...	3	2	...	2	1	...	1	-	...	-	-	...	-
Under 1 year.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years.....	1	...	1	-	...	-	1	...	1	-	...	-	-	...	-
50-54 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
55-59 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004) and age	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/		Asian or Pacific Islander 2/		
		Male	Female		Male	Female		Male	Female	Both sexes	Male	Female	Both sexes	Male
Noninflammatory disorder of ovary, fallopian tube, and broad ligament, unspecified (N83.9)														
All ages.....	40	...	40	36	...	36	4	...	4	-	...	-	...	-
Under 1 year.....	-	...	-	-	...	-	-	...	-	-	...	-	...	-
1-4 years.....	-	...	-	-	...	-	-	...	-	-	...	-	...	-
5-9 years.....	-	...	-	-	...	-	-	...	-	-	...	-	...	-
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	...	-
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	...	-
25-29 years.....	1	...	1	1	...	1	-	...	-	-	...	-	...	-
30-34 years.....	-	...	-	-	...	-	-	...	-	-	...	-	...	-
35-39 years.....	-	...	-	-	...	-	-	...	-	-	...	-	...	-
40-44 years.....	1	...	1	1	...	1	-	...	-	-	...	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	...	-
50-54 years.....	1	...	1	1	...	1	-	...	-	-	...	-	...	-
55-59 years.....	3	...	3	2	...	2	1	...	1	-	...	-	...	-
60-64 years.....	1	...	1	1	...	1	-	...	-	-	...	-	...	-
65-69 years.....	1	...	1	1	...	1	-	...	-	-	...	-	...	-
70-74 years.....	1	...	1	1	...	1	-	...	-	-	...	-	...	-
75-79 years.....	3	...	3	3	...	3	-	...	-	-	...	-	...	-
80-84 years.....	8	...	8	7	...	7	1	...	1	-	...	-	...	-
85-89 years.....	11	...	11	10	...	10	1	...	1	-	...	-	...	-
90-94 years.....	7	...	7	6	...	6	1	...	1	-	...	-	...	-
95-99 years.....	2	...	2	2	...	2	-	...	-	-	...	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004) and age	All races		White		Black		American Indian 1/		Asian or Pacific Islander 2/						
	Both sexes		Both sexes		Both sexes		Both sexes		Both sexes						
	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female					
Other noninflammatory disorders of uterus, except cervix (N85)															
All ages.....	27	...	27	18	...	18	9	...	9	-	...	-	-	...	-
Under 1 year.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years.....	1	...	1	-	...	-	1	...	1	-	...	-	-	...	-
35-39 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years.....	3	...	3	2	...	2	1	...	1	-	...	-	-	...	-
45-49 years.....	4	...	4	2	...	2	2	...	2	-	...	-	-	...	-
50-54 years.....	4	...	4	1	...	1	3	...	3	-	...	-	-	...	-
55-59 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
60-64 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
65-69 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
70-74 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
75-79 years.....	2	...	2	-	...	-	2	...	2	-	...	-	-	...	-
80-84 years.....	3	...	3	3	...	3	-	...	-	-	...	-	-	...	-
85-89 years.....	5	...	5	5	...	5	-	...	-	-	...	-	-	...	-
90-94 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004) and age	All races		White		Black		American Indian 1/ Both		Asian or Pacific Islander 2/ Both	
	Both sexes	Male Female	Both sexes	Male Female	Both sexes	Male Female	Both sexes	Male Female	Both sexes	Male Female
Endometrial glandular hyperplasia (N85.0)										
All ages.....	1	...	1	...	1	...	-	...	-	...
Under 1 year.....	-	...	-	...	-	...	-	...	-	...
1-4 years.....	-	...	-	...	-	...	-	...	-	...
5-9 years.....	-	...	-	...	-	...	-	...	-	...
10-14 years.....	-	...	-	...	-	...	-	...	-	...
15-19 years.....	-	...	-	...	-	...	-	...	-	...
20-24 years.....	-	...	-	...	-	...	-	...	-	...
25-29 years.....	-	...	-	...	-	...	-	...	-	...
30-34 years.....	-	...	-	...	-	...	-	...	-	...
35-39 years.....	-	...	-	...	-	...	-	...	-	...
40-44 years.....	-	...	-	...	-	...	-	...	-	...
45-49 years.....	-	...	-	...	-	...	-	...	-	...
50-54 years.....	-	...	-	...	-	...	-	...	-	...
55-59 years.....	-	...	-	...	-	...	-	...	-	...
60-64 years.....	-	...	-	...	-	...	-	...	-	...
65-69 years.....	-	...	-	...	-	...	-	...	-	...
70-74 years.....	-	...	-	...	-	...	-	...	-	...
75-79 years.....	-	...	-	...	-	...	-	...	-	...
80-84 years.....	-	...	-	...	-	...	-	...	-	...
85-89 years.....	1	...	1	...	1	...	-	...	-	...
90-94 years.....	-	...	-	...	-	...	-	...	-	...
95-99 years.....	-	...	-	...	-	...	-	...	-	...
100 years & over.	-	...	-	...	-	...	-	...	-	...
Age not stated...	-	...	-	...	-	...	-	...	-	...

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004) and age	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/ Both		Asian or Pacific Islander 2/ Both			
		Male	Female		Male	Female		Male	Female	Male	Female	sexes	Male	Female	
Hypertrophy of uterus (N85.2)															
All ages.....	4	...	4	2	...	2	2	...	2	-	...	-	-	...	-
Under 1 year.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
45-49 years.....	2	...	2	1	...	1	1	...	1	-	...	-	-	...	-
50-54 years.....	1	...	1	-	...	-	1	...	1	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004) and age	All races		White		Black		American Indian 1/		Asian or Pacific Islander 2/						
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
Other specified noninflammatory disorders of uterus (N85.8)															
All ages.....	3	...	3	2	...	2	1	...	1	-	...	-	-	...	-
Under 1 year.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	1	...	1	-	...	-	1	...	1	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004) and age	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/ Both sexes		Asian or Pacific Islander 2/ Both sexes			
		Male	Female		Male	Female		Male	Female	Male	Female	Male	Female		
Noninflammatory disorder of uterus, unspecified (N85.9)															
All ages.....	19	...	19	13	...	13	6	...	6	-	...	-	-	...	-
Under 1 year.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years.....	1	...	1	-	...	-	1	...	1	-	...	-	-	...	-
35-39 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years.....	2	...	2	1	...	1	1	...	1	-	...	-	-	...	-
45-49 years.....	2	...	2	1	...	1	1	...	1	-	...	-	-	...	-
50-54 years.....	2	...	2	-	...	-	2	...	2	-	...	-	-	...	-
55-59 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
60-64 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
65-69 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
70-74 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
75-79 years.....	1	...	1	-	...	-	1	...	1	-	...	-	-	...	-
80-84 years.....	3	...	3	3	...	3	-	...	-	-	...	-	-	...	-
85-89 years.....	3	...	3	3	...	3	-	...	-	-	...	-	-	...	-
90-94 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004) and age	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/ Both		Asian or Pacific Islander 2/ Both			
		Male	Female		Male	Female		Male	Female	Male	Female	sexes	Male	Female	
Dysplasia of cervix uteri (N87)															
All ages.....	2	...	2	2	...	2	-	...	-	-	...	-	-	...	-
Under 1 year.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
80-84 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004) and age	All races		White		Black		American Indian 1/		Asian or Pacific Islander 2/						
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
Dysplasia of cervix uteri, unspecified (N87.9)															
All ages.....	2	...	2	2	...	2	-	...	-	-	...	-	-	...	-
Under 1 year.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
80-84 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004) and age	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/ Both sexes		Asian or Pacific Islander 2/ Both sexes			
		Male	Female		Male	Female		Male	Female	Male	Female	Male	Female		
Other noninflammatory disorders of cervix uteri (N88)															
All ages.....	9	...	9	6	...	6	3	...	3	-	...	-	-	...	-
Under 1 year.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	1	...	1	-	...	-	1	...	1	-	...	-	-	...	-
65-69 years.....	2	...	2	1	...	1	1	...	1	-	...	-	-	...	-
70-74 years.....	2	...	2	2	...	2	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	3	...	3	2	...	2	1	...	1	-	...	-	-	...	-
85-89 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004) and age	All races		White		Black		American Indian 1/		Asian or Pacific Islander 2/						
	Both sexes	Male Female	Both sexes	Male Female	Both sexes	Male Female	Both sexes	Male Female	Both sexes	Male Female					
Stricture and stenosis of cervix uteri (N88.2)															
All ages.....	8	...	8	5	...	5	3	...	3	-	...	-	-	...	-
Under 1 year.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	1	...	1	-	...	-	1	...	1	-	...	-	-	...	-
65-69 years.....	2	...	2	1	...	1	1	...	1	-	...	-	-	...	-
70-74 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	3	...	3	2	...	2	1	...	1	-	...	-	-	...	-
85-89 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004) and age	All races		White		Black		American Indian 1/		Asian or Pacific Islander 2/						
	Both sexes		Both sexes		Both sexes		Both sexes		Both sexes						
	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female					
Noninflammatory disorder of cervix uteri, unspecified (N88.9)															
All ages.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
Under 1 year.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004) and age	All races		White		Black		American Indian 1/		Asian or Pacific Islander 2/						
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
Other noninflammatory disorders of vagina (N89)															
All ages.....	3	...	3	3	...	3	-	...	-	-	...	-	-	...	-
Under 1 year.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
95-99 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004) and age	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/ Both		Asian or Pacific Islander 2/ Both			
		Male	Female		Male	Female		Male	Female	Male	Female	sexes	Male	Female	
Dysplasia of vagina, unspecified (N89.3)															
All ages.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
Under 1 year.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004) and age	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/ Both sexes		Asian or Pacific Islander 2/ Both sexes			
		Male	Female		Male	Female		Male	Female	Male	Female				
Hematocolpos (N89.7)															
All ages.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
Under 1 year.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004) and age	All races		White		Black		American Indian 1/		Asian or Pacific Islander 2/						
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
Noninflammatory disorder of vagina, unspecified (N89.9)															
All ages.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
Under 1 year.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004) and age	All races		White		Black		American Indian 1/		Asian or Pacific Islander 2/						
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
Other noninflammatory disorders of vulva and perineum (N90)															
All ages.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
Under 1 year.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004) and age	All races		White		Black		American Indian 1/		Asian or Pacific Islander 2/						
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
Noninflammatory disorder of vulva and perineum, unspecified (N90.9)															
All ages.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
Under 1 year.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004) and age	All races		White		Black		American Indian 1/		Asian or Pacific Islander 2/						
	Both sexes		Both sexes		Both sexes		Both sexes		Both sexes						
	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female					
Excessive, frequent, and irregular menstruation (N92)															
All ages.....	1	...	1	-	...	-	1	...	1	-	...	-	-	...	-
Under 1 year.....
1-4 years.....
5-9 years.....
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years.....	1	...	1	-	...	-	1	...	1	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004) and age	All races		White		Black		American Indian 1/		Asian or Pacific Islander 2/						
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
Excessive and frequent menstruation with regular cycle (N92.0)															
All ages.....	1	...	1	-	...	-	1	...	1	-	...	-	-	...	-
Under 1 year.....
1-4 years.....
5-9 years.....
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years.....	1	...	1	-	...	-	1	...	1	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004) and age	All races		White		Black		American Indian 1/ Both		Asian or Pacific Islander 2/ Both						
	Both sexes	Male Female	Both sexes	Male Female	Both sexes	Male Female	Both sexes	Male Female	sexes	Male Female	Female				
Other abnormal uterine and vaginal bleeding (N93)															
All ages.....	31	...	31	29	...	29	2	...	2	-	...	-	-	...	-
Under 1 year.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
30-34 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years.....	2	...	2	2	...	2	-	...	-	-	...	-	-	...	-
45-49 years.....	3	...	3	2	...	2	1	...	1	-	...	-	-	...	-
50-54 years.....	3	...	3	3	...	3	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
75-79 years.....	2	...	2	2	...	2	-	...	-	-	...	-	-	...	-
80-84 years.....	4	...	4	4	...	4	-	...	-	-	...	-	-	...	-
85-89 years.....	5	...	5	5	...	5	-	...	-	-	...	-	-	...	-
90-94 years.....	4	...	4	4	...	4	-	...	-	-	...	-	-	...	-
95-99 years.....	3	...	3	2	...	2	1	...	1	-	...	-	-	...	-
100 years & over.	2	...	2	2	...	2	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004) and age	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/ Both		Asian or Pacific Islander 2/ Both			
		Male	Female		Male	Female		Male	Female	Male	Female	sexes	Male	Female	
Abnormal uterine and vaginal bleeding, unspecified (N93.9)															
All ages.....	31	...	31	29	...	29	2	...	2	-	...	-	-	...	-
Under 1 year.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
30-34 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years.....	2	...	2	2	...	2	-	...	-	-	...	-	-	...	-
45-49 years.....	3	...	3	2	...	2	1	...	1	-	...	-	-	...	-
50-54 years.....	3	...	3	3	...	3	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
75-79 years.....	2	...	2	2	...	2	-	...	-	-	...	-	-	...	-
80-84 years.....	4	...	4	4	...	4	-	...	-	-	...	-	-	...	-
85-89 years.....	5	...	5	5	...	5	-	...	-	-	...	-	-	...	-
90-94 years.....	4	...	4	4	...	4	-	...	-	-	...	-	-	...	-
95-99 years.....	3	...	3	2	...	2	1	...	1	-	...	-	-	...	-
100 years & over.	2	...	2	2	...	2	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004) and age	All races		White		Black		American Indian 1/		Asian or Pacific Islander 2/						
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
Pain and other conditions associated with female genital organs and menstrual cycle (N94)															
All ages.....	11	...	11	7	...	7	3	...	3	-	...	-	1	...	1
Under 1 year.....
1-4 years.....
5-9 years.....
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
70-74 years.....	2	...	2	-	...	-	2	...	2	-	...	-	-	...	-
75-79 years.....	2	...	2	-	...	-	1	...	1	-	...	-	1	...	1
80-84 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
85-89 years.....	3	...	3	3	...	3	-	...	-	-	...	-	-	...	-
90-94 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004) and age	All races		White		Black		American Indian 1/		Asian or Pacific Islander 2/						
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
Other specified conditions associated with female genital organs and menstrual cycle (N94.8)															
All ages.....	10	...	10	6	...	6	3	...	3	-	...	-	1	...	1
Under 1 year.....
1-4 years.....
5-9 years.....
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
70-74 years.....	2	...	2	-	...	-	2	...	2	-	...	-	-	...	-
75-79 years.....	2	...	2	-	...	-	1	...	1	-	...	-	1	...	1
80-84 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
85-89 years.....	2	...	2	2	...	2	-	...	-	-	...	-	-	...	-
90-94 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004) and age	All races		White		Black		American Indian 1/		Asian or Pacific Islander 2/					
	Both sexes		Both sexes		Both sexes		Both sexes		Both sexes					
	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female				
Unspecified condition associated with female genital organs and menstrual cycle (N94.9)														
All ages.....	1	...	1	...	1	-	...	-	-	...	-	-	...	-
Under 1 year.....
1-4 years.....
5-9 years.....
10-14 years.....	-	...	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	-	...	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years.....	-	...	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years.....	-	...	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years.....	-	...	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years.....	-	...	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years.....	-	...	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	1	...	1	...	1	...	1	...	-	...	-	-	...	-
90-94 years.....	-	...	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004) and age	All races		White		Black		American Indian 1/		Asian or Pacific Islander 2/						
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
Menopausal and other perimenopausal disorders (N95)															
All ages.....	6	...	6	5	...	5	1	...	1	-	...	-	-	...	-
Under 1 year.....
1-4 years.....
5-9 years.....
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	4	...	4	4	...	4	-	...	-	-	...	-	-	...	-
85-89 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	1	...	1	-	...	-	1	...	1	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004) and age	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/ Both sexes		Asian or Pacific Islander 2/ Both sexes			
		Male	Female		Male	Female		Male	Female	Male	Female	Male	Female		
Postmenopausal bleeding (N95.0)															
All ages.....	4	...	4	4	...	4	-	...	-	-	...	-	-	...	-
Under 1 year.....
1-4 years.....
5-9 years.....
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	3	...	3	3	...	3	-	...	-	-	...	-	-	...	-
85-89 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004) and age	All races		White		Black		American Indian 1/		Asian or Pacific Islander 2/						
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
Postmenopausal atrophic vaginitis (N95.2)															
All ages.....	2	...	2	1	...	1	1	...	1	-	...	-	-	...	-
Under 1 year.....
1-4 years.....
5-9 years.....
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	1	...	1	-	...	-	1	...	1	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004) and age	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/		Asian or Pacific Islander 2/			
		Male	Female		Male	Female		Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
Ectopic pregnancy (000)															
All ages.....	15	...	15	5	...	5	10	...	10	-	...	-	-	...	-
Under 1 year.....
1-4 years.....
5-9 years.....
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	2	...	2	1	...	1	1	...	1	-	...	-	-	...	-
25-29 years.....	5	...	5	2	...	2	3	...	3	-	...	-	-	...	-
30-34 years.....	5	...	5	2	...	2	3	...	3	-	...	-	-	...	-
35-39 years.....	2	...	2	-	...	-	2	...	2	-	...	-	-	...	-
40-44 years.....	1	...	1	-	...	-	1	...	1	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004) and age	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/ Both sexes		Asian or Pacific Islander 2/ Both sexes			
		Male	Female		Male	Female		Male	Female	Male	Female	Male	Female		
Tubal pregnancy (000.1)															
All ages.....	4	...	4	1	...	1	3	...	3	-	...	-	-	...	-
Under 1 year.....
1-4 years.....
5-9 years.....
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	1	...	1	-	...	-	1	...	1	-	...	-	-	...	-
25-29 years.....	2	...	2	1	...	1	1	...	1	-	...	-	-	...	-
30-34 years.....	1	...	1	-	...	-	1	...	1	-	...	-	-	...	-
35-39 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004) and age	All races		White		Black		American Indian 1/ Both		Asian or Pacific Islander 2/ Both	
	Both sexes	Male Female	Both sexes	Male Female	Both sexes	Male Female	Both sexes	Male Female	Both sexes	Male Female
Ectopic pregnancy, unspecified (000.9)										
All ages.....	11	... 11	4	... 4	7	... 7	-	... -	-	... -
Under 1 year.....
1-4 years.....
5-9 years.....
10-14 years.....	-	... -	-	... -	-	... -	-	... -	-	... -
15-19 years.....	-	... -	-	... -	-	... -	-	... -	-	... -
20-24 years.....	1	... 1	1	... 1	-	... -	-	... -	-	... -
25-29 years.....	3	... 3	1	... 1	2	... 2	-	... -	-	... -
30-34 years.....	4	... 4	2	... 2	2	... 2	-	... -	-	... -
35-39 years.....	2	... 2	-	... -	2	... 2	-	... -	-	... -
40-44 years.....	1	... 1	-	... -	1	... 1	-	... -	-	... -
45-49 years.....	-	... -	-	... -	-	... -	-	... -	-	... -
50-54 years.....	-	... -	-	... -	-	... -	-	... -	-	... -
55-59 years.....	-	... -	-	... -	-	... -	-	... -	-	... -
60-64 years.....	-	... -	-	... -	-	... -	-	... -	-	... -
65-69 years.....	-	... -	-	... -	-	... -	-	... -	-	... -
70-74 years.....	-	... -	-	... -	-	... -	-	... -	-	... -
75-79 years.....	-	... -	-	... -	-	... -	-	... -	-	... -
80-84 years.....	-	... -	-	... -	-	... -	-	... -	-	... -
85-89 years.....	-	... -	-	... -	-	... -	-	... -	-	... -
90-94 years.....	-	... -	-	... -	-	... -	-	... -	-	... -
95-99 years.....	-	... -	-	... -	-	... -	-	... -	-	... -
100 years & over.	-	... -	-	... -	-	... -	-	... -	-	... -
Age not stated...	-	... -	-	... -	-	... -	-	... -	-	... -

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004) and age	All races		White		Black		American Indian 1/		Asian or Pacific Islander 2/						
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
Other abnormal products of conception (002)															
All ages.....	1	...	1	-	...	-	1	...	1	-	...	-	-	...	-
Under 1 year.....
1-4 years.....
5-9 years.....
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	1	...	1	-	...	-	1	...	1	-	...	-	-	...	-
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004) and age	All races		White		Black		American Indian 1/		Asian or Pacific Islander 2/						
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
Missed abortion (002.1)															
All ages.....	1	...	1	-	...	-	1	...	1	-	...	-	-	...	-
Under 1 year.....
1-4 years.....
5-9 years.....
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	1	...	1	-	...	-	1	...	1	-	...	-	-	...	-
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004) and age	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/		Asian or Pacific Islander 2/				
		Male	Female		Male	Female		Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	
Spontaneous abortion (003)																
All ages.....	5	...	5	3	...	3	1	...	1	1	...	1	-	...	-	-
Under 1 year.....
1-4 years.....
5-9 years.....
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
20-24 years.....	2	...	2	2	...	2	-	...	-	-	...	-	-	...	-	-
25-29 years.....	1	...	1	-	...	-	-	...	-	1	...	1	-	...	-	-
30-34 years.....	1	...	1	-	...	-	1	...	1	-	...	-	-	...	-	-
35-39 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
45-49 years.....	1	...	1	1	...	1	-	...	1	-	...	-	-	...	-	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004) and age	All races		White		Black		American Indian 1/		Asian or Pacific Islander 2/						
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
Incomplete, with other and unspecified complications (003.3)															
All ages.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
Under 1 year.....
1-4 years.....
5-9 years.....
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004) and age	All races		White		Black		American Indian 1/		Asian or Pacific Islander 2/						
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
Complete or unspecified, with other and unspecified complications (003.8)															
All ages.....	4	...	4	2	...	2	1	...	1	1	...	1	-	...	-
Under 1 year.....
1-4 years.....
5-9 years.....
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
25-29 years.....	1	...	1	-	...	-	-	...	-	1	...	1	-	...	-
30-34 years.....	1	...	1	-	...	-	1	...	1	-	...	-	-	...	-
35-39 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004) and age	All races		White		Black		American Indian 1/		Asian or Pacific Islander 2/						
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
Unspecified abortion (006)															
All ages.....	2	...	2	1	...	1	-	...	-	-	...	-	1	...	1
Under 1 year.....
1-4 years.....
5-9 years.....
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years.....	1	...	1	-	...	-	-	...	-	-	...	-	1	...	1
30-34 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
35-39 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004) and age	All races		White		Black		American Indian 1/		Asian or Pacific Islander 2/						
	Both sexes		Both sexes		Both sexes		Both sexes		Both sexes						
	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female					
Complete or unspecified, complicated by genital tract and pelvic infection (006.5)															
All ages.....	1	...	1	-	...	-	-	...	-	-	...	-	1	...	1
Under 1 year.....
1-4 years.....
5-9 years.....
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years.....	1	...	1	-	...	-	-	...	-	-	...	-	1	...	1
30-34 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004) and age	All races		White		Black		American Indian 1/		Asian or Pacific Islander 2/						
	Both sexes	Male Female	Both sexes	Male Female	Both sexes	Male Female	Both sexes	Male Female	Both sexes	Male Female					
Complete or unspecified, without complication (006.9)															
All ages.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
Under 1 year.....
1-4 years.....
5-9 years.....
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
35-39 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004) and age	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/		Asian or Pacific Islander 2/			
		Male	Female		Male	Female		Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
Failed attempted abortion (007)															
All ages.....	3	...	3	1	...	1	-	...	-	-	...	-	2	...	2
Under 1 year.....
1-4 years.....
5-9 years.....
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years.....	1	...	1	-	...	-	1	...	-	-	...	-	1	...	1
35-39 years.....	1	...	1	-	...	-	-	...	-	-	...	-	1	...	1
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004) and age	All races		White		Black		American Indian 1/		Asian or Pacific Islander 2/						
	Both sexes		Both sexes		Both sexes		Both sexes		Both sexes						
	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female					
Other and unspecified failed attempted abortion, complicated by genital tract and pelvic infection (007.5)															
All ages.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
Under 1 year.....
1-4 years.....
5-9 years.....
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004) and age	All races		White		Black		American Indian 1/		Asian or Pacific Islander 2/			
	Both sexes	Male Female	Both sexes	Male Female	Both sexes	Male Female	Both sexes	Male Female	Both sexes	Male Female		
Other and unspecified failed attempted abortion, complicated by delayed or excessive hemorrhage (007.6)												
All ages.....	2	...	2	-	...	-	-	...	-	2	...	2
Under 1 year.....
1-4 years.....
5-9 years.....
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years.....	1	...	1	-	...	-	-	...	-	1	...	1
35-39 years.....	1	...	1	-	...	-	-	...	-	1	...	1
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004) and age	All races		White		Black		American Indian 1/		Asian or Pacific Islander 2/						
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
Preexisting hypertension complicating pregnancy, childbirth, and the puerperium (O10)															
All ages.....	9	...	9	3	...	3	5	...	5	-	...	-	1	...	1
Under 1 year.....
1-4 years.....
5-9 years.....
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
25-29 years.....	4	...	4	1	...	1	2	...	2	-	...	-	1	...	1
30-34 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years.....	2	...	2	-	...	-	2	...	2	-	...	-	-	...	-
40-44 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	1	...	1	-	...	-	1	...	1	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004) and age	All races		White		Black		American Indian 1/		Asian or Pacific Islander 2/						
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
Preexisting essential hypertension complicating pregnancy, childbirth, and the puerperium (O10.0)															
All ages.....	3	...	3	2	...	2	1	...	1	-	...	-	-	...	-
Under 1 year.....
1-4 years.....
5-9 years.....
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
25-29 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
30-34 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years.....	1	...	1	-	...	-	1	...	1	-	...	-	-	...	-
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004) and age	All races		White		Black		American Indian 1/		Asian or Pacific Islander 2/						
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
Preexisting hypertensive heart disease complicating pregnancy, childbirth, and the puerperium (O10.1)															
All ages.....	6	...	6	1	...	1	4	...	4	-	...	-	1	...	1
Under 1 year.....
1-4 years.....
5-9 years.....
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years.....	3	...	3	-	...	-	2	...	2	-	...	-	1	...	1
30-34 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years.....	1	...	1	-	...	-	1	...	1	-	...	-	-	...	-
40-44 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	1	...	1	-	...	-	1	...	1	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004) and age	All races		White		Black		American Indian 1/		Asian or Pacific Islander 2/						
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
Gestational [pregnancy-induced] edema and proteinuria without hypertension (O12)															
All ages.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
Under 1 year.....
1-4 years.....
5-9 years.....
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004) and age	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/ Both sexes		Asian or Pacific Islander 2/ Both sexes			
		Male	Female		Male	Female		Male	Female	Male	Female	Male	Female		
Gestational edema (O12.0)															
All ages.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
Under 1 year.....
1-4 years.....
5-9 years.....
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004) and age	All races		White		Black		American Indian 1/		Asian or Pacific Islander 2/						
	Both sexes		Both sexes		Both sexes		Both sexes		Both sexes						
	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female					
Gestational [pregnancy-induced] hypertension without significant proteinuria (O13)															
All ages.....	2	...	2	2	...	2	-	...	-	-	...	-	-	...	-
Under 1 year.....
1-4 years.....
5-9 years.....
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
30-34 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
35-39 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004) and age	All races		White		Black		American Indian 1/		Asian or Pacific Islander 2/						
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
Gestational [pregnancy-induced] hypertension with significant proteinuria (O14)															
All ages.....	27	...	27	20	...	20	5	...	5	1	...	1	1	...	1
Under 1 year.....
1-4 years.....
5-9 years.....
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
20-24 years.....	9	...	9	6	...	6	2	...	2	1	...	1	-	...	-
25-29 years.....	7	...	7	7	...	7	-	...	-	-	...	-	-	...	-
30-34 years.....	6	...	6	4	...	4	2	...	2	-	...	-	-	...	-
35-39 years.....	4	...	4	2	...	2	1	...	1	-	...	-	1	...	1
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004) and age	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/ Both sexes		Asian or Pacific Islander 2/ Both sexes			
		Male	Female		Male	Female		Male	Female	Male	Female	Male	Female		
Moderate preeclampsia (O14.0)															
All ages.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
Under 1 year.....
1-4 years.....
5-9 years.....
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
35-39 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004) and age	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/ Both sexes		Asian or Pacific Islander 2/ Both sexes			
		Male	Female		Male	Female		Male	Female	Male	Female	Male	Female		
Severe preeclampsia (O14.1)															
All ages.....	11	...	11	9	...	9	2	...	2	-	...	-	-	...	-
Under 1 year.....
1-4 years.....
5-9 years.....
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	2	...	2	2	...	2	-	...	-	-	...	-	-	...	-
25-29 years.....	6	...	6	6	...	6	-	...	-	-	...	-	-	...	-
30-34 years.....	2	...	2	1	...	1	1	...	1	-	...	-	-	...	-
35-39 years.....	1	...	1	-	...	-	1	...	1	-	...	-	-	...	-
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004) and age	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/ Both sexes		Asian or Pacific Islander 2/ Both sexes			
		Male	Female		Male	Female		Male	Female	Male	Female	Male	Female		
Preeclampsia, unspecified (O14.9)															
All ages.....	15	...	15	10	...	10	3	...	3	1	...	1	1	...	1
Under 1 year.....
1-4 years.....
5-9 years.....
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
20-24 years.....	7	...	7	4	...	4	2	...	2	1	...	1	-	...	-
25-29 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
30-34 years.....	3	...	3	2	...	2	1	...	1	-	...	-	-	...	-
35-39 years.....	3	...	3	2	...	2	-	...	-	-	...	-	1	...	1
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004) and age	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/		Asian or Pacific Islander 2/			
		Male	Female		Male	Female		Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
Eclampsia (O15)															
All ages.....	17	...	17	8	...	8	9	...	9	-	...	-	-	...	-
Under 1 year.....
1-4 years.....
5-9 years.....
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	1	...	1	-	...	-	1	...	1	-	...	-	-	...	-
20-24 years.....	3	...	3	2	...	2	1	...	1	-	...	-	-	...	-
25-29 years.....	6	...	6	3	...	3	3	...	3	-	...	-	-	...	-
30-34 years.....	1	...	1	-	...	-	1	...	1	-	...	-	-	...	-
35-39 years.....	5	...	5	2	...	2	3	...	3	-	...	-	-	...	-
40-44 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004) and age	All races		White		Black		American Indian 1/		Asian or Pacific Islander 2/						
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
Eclampsia, unspecified as to time period (O15.9)															
All ages.....	13	...	13	5	...	5	8	...	8	-	...	-	-	...	-
Under 1 year.....
1-4 years.....
5-9 years.....
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	2	...	2	1	...	1	1	...	1	-	...	-	-	...	-
25-29 years.....	5	...	5	2	...	2	3	...	3	-	...	-	-	...	-
30-34 years.....	1	...	1	-	...	-	1	...	1	-	...	-	-	...	-
35-39 years.....	5	...	5	2	...	2	3	...	3	-	...	-	-	...	-
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004) and age	All races		White		Black		American Indian 1/		Asian or Pacific Islander 2/						
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
Unspecified maternal hypertension (O16)															
All ages.....	7	...	7	-	...	-	7	...	7	-	...	-	-	...	-
Under 1 year.....
1-4 years.....
5-9 years.....
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	1	...	1	-	...	-	1	...	1	-	...	-	-	...	-
25-29 years.....	3	...	3	-	...	-	3	...	3	-	...	-	-	...	-
30-34 years.....	3	...	3	-	...	-	3	...	3	-	...	-	-	...	-
35-39 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004) and age	All races		White		Black		American Indian 1/		Asian or Pacific Islander 2/						
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
Excessive vomiting in pregnancy (O21)															
All ages.....	1	...	1	-	...	-	1	...	1	-	...	-	-	...	-
Under 1 year.....
1-4 years.....
5-9 years.....
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	1	...	1	-	...	-	1	...	1	-	...	-	-	...	-
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004) and age	All races		White		Black		American Indian 1/		Asian or Pacific Islander 2/						
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
Mild hyperemesis gravidarum (O21.0)															
All ages.....	1	...	1	-	...	-	1	...	1	-	...	-	-	...	-
Under 1 year.....
1-4 years.....
5-9 years.....
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	1	...	1	-	...	-	1	...	1	-	...	-	-	...	-
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004) and age	All races		White		Black		American Indian 1/		Asian or Pacific Islander 2/						
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
Venous complications in pregnancy (022)															
All ages.....	11	...	11	6	...	6	5	...	5	-	...	-	-	...	-
Under 1 year.....
1-4 years.....
5-9 years.....
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years.....	2	...	2	1	...	1	1	...	1	-	...	-	-	...	-
30-34 years.....	3	...	3	2	...	2	1	...	1	-	...	-	-	...	-
35-39 years.....	3	...	3	2	...	2	1	...	1	-	...	-	-	...	-
40-44 years.....	2	...	2	1	...	1	1	...	1	-	...	-	-	...	-
45-49 years.....	1	...	1	-	...	-	1	...	1	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004) and age	All races		White		Black		American Indian 1/		Asian or Pacific Islander 2/						
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
Deep phlebothrombosis in pregnancy (O22.3)															
All ages.....	9	...	9	4	...	4	5	...	5	-	...	-	-	...	-
Under 1 year.....
1-4 years.....
5-9 years.....
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years.....	2	...	2	1	...	1	1	...	1	-	...	-	-	...	-
30-34 years.....	2	...	2	1	...	1	1	...	1	-	...	-	-	...	-
35-39 years.....	2	...	2	1	...	1	1	...	1	-	...	-	-	...	-
40-44 years.....	2	...	2	1	...	1	1	...	1	-	...	-	-	...	-
45-49 years.....	1	...	1	-	...	-	1	...	1	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004) and age	All races		White		Black		American Indian 1/		Asian or Pacific Islander 2/						
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
Venous complication in pregnancy, unspecified (O22.9)															
All ages.....	2	...	2	2	...	2	-	...	-	-	...	-	-	...	-
Under 1 year.....
1-4 years.....
5-9 years.....
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
35-39 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004) and age	All races		White		Black		American Indian 1/		Asian or Pacific Islander 2/						
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
Infections of genitourinary tract in pregnancy (023)															
All ages.....	3	...	3	1	...	1	-	...	-	-	...	-	2	...	2
Under 1 year.....
1-4 years.....
5-9 years.....
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	2	...	2	1	...	1	-	...	-	-	...	-	1	...	1
25-29 years.....	1	...	1	-	...	-	-	...	-	-	...	-	1	...	1
30-34 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004) and age	All races		White		Black		American Indian 1/		Asian or Pacific Islander 2/						
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
Infections of the genital tract in pregnancy (O23.5)															
All ages.....	3	...	3	1	...	1	-	...	-	-	...	-	2	...	2
Under 1 year.....
1-4 years.....
5-9 years.....
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	2	...	2	1	...	1	-	...	-	-	...	-	1	...	1
25-29 years.....	1	...	1	-	...	-	-	...	-	-	...	-	1	...	1
30-34 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004) and age	All races		White		Black		American Indian 1/		Asian or Pacific Islander 2/						
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
Diabetes mellitus in pregnancy (O24)															
All ages.....	8	...	8	7	...	7	1	...	1	-	...	-	-	...	-
Under 1 year.....
1-4 years.....
5-9 years.....
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
25-29 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
30-34 years.....	2	...	2	2	...	2	-	...	-	-	...	-	-	...	-
35-39 years.....	3	...	3	2	...	2	1	...	1	-	...	-	-	...	-
40-44 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004) and age	All races		White		Black		American Indian 1/		Asian or Pacific Islander 2/						
	Both sexes	Male Female	Both sexes	Male Female	Both sexes	Male Female	Both sexes	Male Female	Both sexes	Male Female					
Preexisting diabetes mellitus, unspecified (O24.3)															
All ages.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
Under 1 year.....
1-4 years.....
5-9 years.....
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
35-39 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004) and age	All races		White		Black		American Indian 1/		Asian or Pacific Islander 2/						
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
Diabetes mellitus arising in pregnancy (O24.4)															
All ages.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
Under 1 year.....
1-4 years.....
5-9 years.....
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004) and age	All races		White		Black		American Indian 1/		Asian or Pacific Islander 2/						
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
Diabetes mellitus in pregnancy, unspecified (O24.9)															
All ages.....	6	...	6	5	...	5	1	...	1	-	...	-	-	...	-
Under 1 year.....
1-4 years.....
5-9 years.....
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
25-29 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
30-34 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
35-39 years.....	3	...	3	2	...	2	1	...	1	-	...	-	-	...	-
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004) and age	All races		White		Black		American Indian 1/		Asian or Pacific Islander 2/						
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
Malnutrition in pregnancy (O25)															
All ages.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
Under 1 year.....
1-4 years.....
5-9 years.....
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004) and age	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/ Both sexes		Asian or Pacific Islander 2/ Both sexes			
		Male	Female		Male	Female		Male	Female	Male	Female	Male	Female		
Maternal care for other conditions predominantly related to pregnancy (O26)															
All ages.....	108	...	108	59	...	59	43	...	43	1	...	1	5	...	5
Under 1 year.....
1-4 years.....
5-9 years.....
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	6	...	6	2	...	2	4	...	4	-	...	-	-	...	-
20-24 years.....	18	...	18	10	...	10	8	...	8	-	...	-	-	...	-
25-29 years.....	28	...	28	16	...	16	10	...	10	-	...	-	2	...	2
30-34 years.....	24	...	24	13	...	13	9	...	9	-	...	-	2	...	2
35-39 years.....	14	...	14	6	...	6	7	...	7	-	...	-	1	...	1
40-44 years.....	8	...	8	7	...	7	-	...	-	1	...	1	-	...	-
45-49 years.....	6	...	6	2	...	2	4	...	4	-	...	-	-	...	-
50-54 years.....	3	...	3	2	...	2	1	...	1	-	...	-	-	...	-
55-59 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004) and age	All races		White		Black		American Indian 1/		Asian or Pacific Islander 2/						
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
Liver disorders in pregnancy, childbirth, and the puerperium (O26.6)															
All ages.....	14	...	14	9	...	9	5	...	5	-	...	-	-	...	-
Under 1 year.....
1-4 years.....
5-9 years.....
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	3	...	3	1	...	1	2	...	2	-	...	-	-	...	-
25-29 years.....	3	...	3	2	...	2	1	...	1	-	...	-	-	...	-
30-34 years.....	1	...	1	-	...	-	1	...	1	-	...	-	-	...	-
35-39 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years.....	3	...	3	3	...	3	-	...	-	-	...	-	-	...	-
45-49 years.....	2	...	2	1	...	1	1	...	1	-	...	-	-	...	-
50-54 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
55-59 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004) and age	All races		White		Black		American Indian 1/		Asian or Pacific Islander 2/						
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
Other specified pregnancy-related conditions (O26.8)															
All ages.....	94	...	94	50	...	50	38	...	38	1	...	1	5	...	5
Under 1 year.....
1-4 years.....
5-9 years.....
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	6	...	6	2	...	2	4	...	4	-	...	-	-	...	-
20-24 years.....	15	...	15	9	...	9	6	...	6	-	...	-	-	...	-
25-29 years.....	25	...	25	14	...	14	9	...	9	-	...	-	2	...	2
30-34 years.....	23	...	23	13	...	13	8	...	8	-	...	-	2	...	2
35-39 years.....	14	...	14	6	...	6	7	...	7	-	...	-	1	...	1
40-44 years.....	5	...	5	4	...	4	-	...	-	1	...	1	-	...	-
45-49 years.....	4	...	4	1	...	1	3	...	3	-	...	-	-	...	-
50-54 years.....	2	...	2	1	...	1	1	...	1	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004) and age	All races		White		Black		American Indian 1/		Asian or Pacific Islander 2/						
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
Complications of anesthesia during pregnancy (O29)															
All ages.....	1	...	1	-	...	-	1	...	1	-	...	-	-	...	-
Under 1 year.....
1-4 years.....
5-9 years.....
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years.....	1	...	1	-	...	-	1	...	1	-	...	-	-	...	-
30-34 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004) and age	All races		White		Black		American Indian 1/		Asian or Pacific Islander 2/						
	Both sexes		Both sexes		Both sexes		Both sexes		Both sexes						
	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female					
Multiple gestation (O30)															
All ages.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
Under 1 year.....
1-4 years.....
5-9 years.....
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
30-34 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004) and age	All races		White		Black		American Indian 1/		Asian or Pacific Islander 2/						
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
Twin pregnancy (O30.0)															
All ages.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
Under 1 year.....
1-4 years.....
5-9 years.....
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
30-34 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004) and age	All races		White		Black		American Indian 1/		Asian or Pacific Islander 2/						
	Both sexes		Both sexes		Both sexes		Both sexes		Both sexes						
	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female					
Maternal care for other known or suspected fetal problems (036)															
All ages.....	6	...	6	2	...	2	3	...	3	1	...	1	-	...	-
Under 1 year.....
1-4 years.....
5-9 years.....
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	2	...	2	-	...	-	2	...	2	-	...	-	-	...	-
25-29 years.....	3	...	3	1	...	1	1	...	1	1	...	1	-	...	-
30-34 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
35-39 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004) and age	All races		White		Black		American Indian 1/		Asian or Pacific Islander 2/						
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
Maternal care for signs of fetal hypoxia (O36.3)															
All ages.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
Under 1 year.....
1-4 years.....
5-9 years.....
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
30-34 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004) and age	All races		White		Black		American Indian 1/ Both sexes		Asian or Pacific Islander 2/ Both sexes		Male		Female		
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
Maternal care for intrauterine death (O36.4)															
All ages.....	5	...	5	1	...	1	3	...	3	1	...	1	-	...	-
Under 1 year.....
1-4 years.....
5-9 years.....
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	2	...	2	-	...	-	2	...	2	-	...	-	-	...	-
25-29 years.....	2	...	2	-	...	-	1	...	1	1	...	1	-	...	-
30-34 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
35-39 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004) and age	All races		White		Black		American Indian 1/		Asian or Pacific Islander 2/						
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
Other disorders of amniotic fluid and membranes (041)															
All ages.....	2	...	2	1	...	1	1	...	1	-	...	-	-	...	-
Under 1 year.....
1-4 years.....
5-9 years.....
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years.....	1	...	1	-	...	-	1	...	1	-	...	-	-	...	-
35-39 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004) and age	All races		White		Black		American Indian 1/		Asian or Pacific Islander 2/						
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
Infection of amniotic sac and membranes (041.1)															
All ages.....	2	...	2	1	...	1	1	...	1	-	...	-	-	...	-
Under 1 year.....
1-4 years.....
5-9 years.....
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years.....	1	...	1	-	...	-	1	...	1	-	...	-	-	...	-
35-39 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004) and age	All races		White		Black		American Indian 1/		Asian or Pacific Islander 2/						
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
Premature rupture of membranes (042)															
All ages.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
Under 1 year.....
1-4 years.....
5-9 years.....
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004) and age	All races		White		Black		American Indian 1/		Asian or Pacific Islander 2/						
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
Premature rupture of membranes, unspecified (O42.9)															
All ages.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
Under 1 year.....
1-4 years.....
5-9 years.....
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004) and age	All races		White		Black		American Indian 1/		Asian or Pacific Islander 2/						
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
Placenta previa (O44)															
All ages.....	4	...	4	3	...	3	-	...	-	-	...	-	1	...	1
Under 1 year.....
1-4 years.....
5-9 years.....
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
30-34 years.....	1	...	1	-	...	-	-	...	-	-	...	-	1	...	1
35-39 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
40-44 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004) and age	All races		White		Black		American Indian 1/		Asian or Pacific Islander 2/						
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
Placenta previa with hemorrhage (O44.1)															
All ages.....	4	...	4	3	...	3	-	...	-	-	...	-	1	...	1
Under 1 year.....
1-4 years.....
5-9 years.....
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
30-34 years.....	1	...	1	-	...	-	1	...	-	-	...	-	1	...	1
35-39 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
40-44 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004) and age	All races		White		Black		American Indian 1/		Asian or Pacific Islander 2/						
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
Premature separation of placenta [abruptio placentae] (O45)															
All ages.....	2	...	2	-	...	-	2	...	2	-	...	-	-	...	-
Under 1 year.....
1-4 years.....
5-9 years.....
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	1	...	1	-	...	-	1	...	1	-	...	-	-	...	-
20-24 years.....	1	...	1	-	...	-	1	...	1	-	...	-	-	...	-
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004) and age	All races		White		Black		American Indian 1/		Asian or Pacific Islander 2/						
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
Premature separation of placenta, unspecified (O45.9)															
All ages.....	2	...	2	-	...	-	2	...	2	-	...	-	-	...	-
Under 1 year.....
1-4 years.....
5-9 years.....
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	1	...	1	-	...	-	1	...	1	-	...	-	-	...	-
20-24 years.....	1	...	1	-	...	-	1	...	1	-	...	-	-	...	-
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004) and age	All races		White		Black		American Indian 1/		Asian or Pacific Islander 2/						
	Both sexes	Male Female	Both sexes	Male Female	Both sexes	Male Female	Both sexes	Male Female	Both sexes	Male Female					
Antepartum hemorrhage, not elsewhere classified (046)															
All ages.....	6	...	6	3	...	3	2	...	2	-	...	-	1	...	1
Under 1 year.....
1-4 years.....
5-9 years.....
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	2	...	2	1	...	1	1	...	1	-	...	-	-	...	-
25-29 years.....	1	...	1	-	...	-	1	...	1	-	...	-	-	...	-
30-34 years.....	2	...	2	2	...	2	-	...	-	-	...	-	-	...	-
35-39 years.....	1	...	1	-	...	-	-	...	-	-	...	-	1	...	1
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004) and age	All races		White		Black		American Indian 1/		Asian or Pacific Islander 2/						
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
Other antepartum hemorrhage (O46.8)															
All ages.....	1	...	1	-	...	-	1	...	1	-	...	-	-	...	-
Under 1 year.....
1-4 years.....
5-9 years.....
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years.....	1	...	1	-	...	-	1	...	1	-	...	-	-	...	-
30-34 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004) and age	All races		White		Black		American Indian 1/		Asian or Pacific Islander 2/						
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
Antepartum hemorrhage, unspecified (O46.9)															
All ages.....	5	...	5	3	...	3	1	...	1	-	...	-	1	...	1
Under 1 year.....
1-4 years.....
5-9 years.....
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	2	...	2	1	...	1	1	...	1	-	...	-	-	...	-
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years.....	2	...	2	2	...	2	-	...	-	-	...	-	-	...	-
35-39 years.....	1	...	1	-	...	-	-	...	-	-	...	-	1	...	1
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004) and age	All races		White		Black		American Indian 1/		Asian or Pacific Islander 2/						
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
Abnormality of forces of labor (062)															
All ages.....	5	...	5	4	...	4	-	...	-	-	...	-	1	...	1
Under 1 year.....
1-4 years.....
5-9 years.....
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years.....	2	...	2	1	...	1	-	...	-	-	...	-	1	...	1
35-39 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years.....	2	...	2	2	...	2	-	...	-	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004) and age	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/		Asian or Pacific Islander 2/			
		Male	Female		Male	Female		Male	Female	Both sexes	Male	Female	sexes	Male	Female
Other uterine inertia (O62.2)															
All ages.....	5	...	5	4	...	4	-	...	-	-	...	-	1	...	1
Under 1 year.....
1-4 years.....
5-9 years.....
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years.....	2	...	2	1	...	1	-	...	-	-	...	-	1	...	1
35-39 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years.....	2	...	2	2	...	2	-	...	-	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004) and age	All races		White		Black		American Indian 1/		Asian or Pacific Islander 2/			
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
Obstructed labor due to shoulder presentation (O64.4)												
All ages.....	1	...	1	-	...	-	1	...	1	-	...	-
Under 1 year.....
1-4 years.....
5-9 years.....
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years.....	1	...	1	-	...	-	1	...	1	-	...	-
35-39 years.....	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004) and age	All races		White		Black		American Indian 1/ Both sexes		Asian or Pacific Islander 2/ Both sexes						
	Both sexes	Male Female	Both sexes	Male Female	Both sexes	Male Female	Both sexes	Male Female	Both sexes	Male Female	Female				
Labor and delivery complicated by intrapartum hemorrhage, not elsewhere classified (067)															
All ages.....	9	...	9	4	...	4	3	...	3	1	...	1	1	...	1
Under 1 year.....
1-4 years.....
5-9 years.....
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	1	...	1	-	...	-	-	...	1	...	1	-	...	-	-
20-24 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
25-29 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
30-34 years.....	3	...	3	2	...	2	1	...	1	-	...	-	-	...	-
35-39 years.....	3	...	3	-	...	-	2	...	2	-	...	-	1	...	1
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004) and age	All races		White		Black		American Indian 1/		Asian or Pacific Islander 2/						
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
Intrapartum hemorrhage with coagulation defect (O67.0)															
All ages.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
Under 1 year.....
1-4 years.....
5-9 years.....
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004) and age	All races		White		Black		American Indian 1/		Asian or Pacific Islander 2/						
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
Intrapartum hemorrhage, unspecified (O67.9)															
All ages.....	8	...	8	3	...	3	3	...	3	1	...	1	1	...	1
Under 1 year.....
1-4 years.....
5-9 years.....
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	1	...	1	-	...	-	-	...	-	1	...	1	-	...	-
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
30-34 years.....	3	...	3	2	...	2	1	...	1	-	...	-	-	...	-
35-39 years.....	3	...	3	-	...	-	2	...	2	-	...	-	1	...	1
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004) and age	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/		Asian or Pacific Islander 2/			
		Male	Female		Male	Female		Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
Other obstetric trauma (071)															
All ages.....	8	...	8	5	...	5	3	...	3	-	...	-	-	...	-
Under 1 year.....
1-4 years.....
5-9 years.....
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	2	...	2	2	...	2	-	...	-	-	...	-	-	...	-
25-29 years.....	2	...	2	1	...	1	1	...	1	-	...	-	-	...	-
30-34 years.....	3	...	3	2	...	2	1	...	1	-	...	-	-	...	-
35-39 years.....	1	...	1	-	...	-	1	...	1	-	...	-	-	...	-
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004) and age	All races		White		Black		American Indian 1/		Asian or Pacific Islander 2/						
	Both sexes		Both sexes		Both sexes		Both sexes		Both sexes						
	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female					
Rupture of uterus before onset of labor (071.0)															
All ages.....	1	...	1	-	...	-	1	...	1	-	...	-	-	...	-
Under 1 year.....
1-4 years.....
5-9 years.....
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years.....	1	...	1	-	...	-	1	...	1	-	...	-	-	...	-
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004) and age	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/ Both		Asian or Pacific Islander 2/ Both			
		Male	Female		Male	Female		Male	Female	Male	Female	Male	Female		
Rupture of uterus during labor (071.1)															
All ages.....	6	...	6	4	...	4	2	...	2	-	...	-	-	...	-
Under 1 year.....
1-4 years.....
5-9 years.....
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	2	...	2	2	...	2	-	...	-	-	...	-	-	...	-
25-29 years.....	2	...	2	1	...	1	1	...	1	-	...	-	-	...	-
30-34 years.....	2	...	2	1	...	1	1	...	1	-	...	-	-	...	-
35-39 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004) and age	All races		White		Black		American Indian 1/		Asian or Pacific Islander 2/						
	Both sexes	Male Female	Both sexes	Male Female	Both sexes	Male Female	Both sexes	Male Female	Both sexes	Male Female					
Other obstetric injury to pelvic organs (071.5)															
All ages.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
Under 1 year.....
1-4 years.....
5-9 years.....
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
35-39 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004) and age	All races		White		Black		American Indian 1/		Asian or Pacific Islander 2/						
	Both sexes		Both sexes		Both sexes		Both sexes		Both sexes						
	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female					
Postpartum hemorrhage (072)															
All ages.....	18	...	18	11	...	11	5	...	5	-	...	-	2	...	2
Under 1 year.....
1-4 years.....
5-9 years.....
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	2	...	2	2	...	2	-	...	-	-	...	-	-	...	-
25-29 years.....	2	...	2	2	...	2	-	...	-	-	...	-	-	...	-
30-34 years.....	8	...	8	4	...	4	2	...	2	-	...	-	2	...	2
35-39 years.....	4	...	4	1	...	1	3	...	3	-	...	-	-	...	-
40-44 years.....	2	...	2	2	...	2	-	...	-	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004) and age	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/ Both sexes		Asian or Pacific Islander 2/ Both sexes			
		Male	Female		Male	Female		Male	Female	Male	Female	Male	Female		
Third-stage hemorrhage (072.0)															
All ages.....	8	...	8	7	...	7	1	...	1	-	...	-	-	...	-
Under 1 year.....
1-4 years.....
5-9 years.....
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	2	...	2	2	...	2	-	...	-	-	...	-	-	...	-
25-29 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
30-34 years.....	2	...	2	2	...	2	-	...	-	-	...	-	-	...	-
35-39 years.....	1	...	1	-	...	-	1	...	1	-	...	-	-	...	-
40-44 years.....	2	...	2	2	...	2	-	...	-	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004) and age	All races		White		Black		American Indian 1/		Asian or Pacific Islander 2/						
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
Other immediate postpartum hemorrhage (O72.1)															
All ages.....	6	...	6	3	...	3	2	...	2	-	...	-	1	...	1
Under 1 year.....
1-4 years.....
5-9 years.....
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
30-34 years.....	3	...	3	2	...	2	-	...	-	-	...	-	1	...	1
35-39 years.....	2	...	2	-	...	-	2	...	2	-	...	-	-	...	-
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004) and age	All races		White		Black		American Indian 1/		Asian or Pacific Islander 2/			
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
Delayed and secondary postpartum hemorrhage (072.2)												
All ages.....	1	...	1	1	...	1	-	...	-	-	...	-
Under 1 year.....
1-4 years.....
5-9 years.....
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years.....	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years.....	1	...	1	1	...	1	-	...	-	-	...	-
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004) and age	All races		White		Black		American Indian 1/		Asian or Pacific Islander 2/						
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
Postpartum coagulation defects (072.3)															
All ages.....	3	...	3	-	...	-	2	...	2	-	...	-	1	...	1
Under 1 year.....
1-4 years.....
5-9 years.....
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years.....	3	...	3	-	...	-	2	...	2	-	...	-	1	...	1
35-39 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004) and age	All races		White		Black		American Indian 1/ Both		Asian or Pacific Islander 2/ Both						
	Both sexes	Male Female	Both sexes	Male Female	Both sexes	Male Female	Both sexes	Male Female	Both sexes	Male Female					
Other complications of labor and delivery, not elsewhere classified (075)															
All ages.....	25	...	25	10	...	10	15	...	15	-	...	-	-	...	-
Under 1 year.....
1-4 years.....
5-9 years.....
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
20-24 years.....	3	...	3	2	...	2	1	...	1	-	...	-	-	...	-
25-29 years.....	8	...	8	3	...	3	5	...	5	-	...	-	-	...	-
30-34 years.....	4	...	4	1	...	1	3	...	3	-	...	-	-	...	-
35-39 years.....	7	...	7	2	...	2	5	...	5	-	...	-	-	...	-
40-44 years.....	2	...	2	1	...	1	1	...	1	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004) and age	All races		White		Black		American Indian 1/		Asian or Pacific Islander 2/						
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
Shock during or following labor and delivery (O75.1)															
All ages.....	2	...	2	1	...	1	1	...	1	-	...	-	-	...	-
Under 1 year.....
1-4 years.....
5-9 years.....
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years.....	1	...	1	-	...	-	1	...	1	-	...	-	-	...	-
30-34 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004) and age	All races		White		Black		American Indian 1/		Asian or Pacific Islander 2/						
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
Other infection during labor (O75.3)															
All ages.....	2	...	2	2	...	2	-	...	-	-	...	-	-	...	-
Under 1 year.....
1-4 years.....
5-9 years.....
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
25-29 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
30-34 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004) and age	All races		White		Black		American Indian 1/ Both sexes		Asian or Pacific Islander 2/ Both sexes		Male		Female		
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
Other complications of obstetric surgery and procedures (075.4)															
All ages.....	17	...	17	6	...	6	11	...	11	-	...	-	-	...	-
Under 1 year.....
1-4 years.....
5-9 years.....
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	2	...	2	1	...	1	1	...	1	-	...	-	-	...	-
25-29 years.....	6	...	6	2	...	2	4	...	4	-	...	-	-	...	-
30-34 years.....	3	...	3	1	...	1	2	...	2	-	...	-	-	...	-
35-39 years.....	5	...	5	1	...	1	4	...	4	-	...	-	-	...	-
40-44 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004) and age	All races		White		Black		American Indian 1/		Asian or Pacific Islander 2/	
	Both sexes	Male Female	Both sexes	Male Female	Both sexes	Male Female	Both sexes	Male Female	Both sexes	Male Female
Complication of labor and delivery, unspecified (075.9)										
All ages.....	4	... 4	1	... 1	3	... 3	-	... -	-	... -
Under 1 year.....
1-4 years.....
5-9 years.....
10-14 years.....	-	... -	-	... -	-	... -	-	... -	-	... -
15-19 years.....	1	... 1	1	... 1	-	... -	-	... -	-	... -
20-24 years.....	-	... -	-	... -	-	... -	-	... -	-	... -
25-29 years.....	-	... -	-	... -	-	... -	-	... -	-	... -
30-34 years.....	1	... 1	-	... -	1	... 1	-	... -	-	... -
35-39 years.....	1	... 1	-	... -	1	... 1	-	... -	-	... -
40-44 years.....	1	... 1	-	... -	1	... 1	-	... -	-	... -
45-49 years.....	-	... -	-	... -	-	... -	-	... -	-	... -
50-54 years.....	-	... -	-	... -	-	... -	-	... -	-	... -
55-59 years.....	-	... -	-	... -	-	... -	-	... -	-	... -
60-64 years.....	-	... -	-	... -	-	... -	-	... -	-	... -
65-69 years.....	-	... -	-	... -	-	... -	-	... -	-	... -
70-74 years.....	-	... -	-	... -	-	... -	-	... -	-	... -
75-79 years.....	-	... -	-	... -	-	... -	-	... -	-	... -
80-84 years.....	-	... -	-	... -	-	... -	-	... -	-	... -
85-89 years.....	-	... -	-	... -	-	... -	-	... -	-	... -
90-94 years.....	-	... -	-	... -	-	... -	-	... -	-	... -
95-99 years.....	-	... -	-	... -	-	... -	-	... -	-	... -
100 years & over.	-	... -	-	... -	-	... -	-	... -	-	... -
Age not stated...	-	... -	-	... -	-	... -	-	... -	-	... -

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004) and age	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/ Both sexes		Asian or Pacific Islander 2/ Both sexes			
		Male	Female		Male	Female		Male	Female	Male	Female	Male	Female		
Puerperal sepsis (085)															
All ages.....	7	...	7	3	...	3	4	...	4	-	...	-	-	...	-
Under 1 year.....
1-4 years.....
5-9 years.....
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	2	...	2	-	...	-	2	...	2	-	...	-	-	...	-
25-29 years.....	3	...	3	1	...	1	2	...	2	-	...	-	-	...	-
30-34 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
35-39 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004) and age	All races		White		Black		American Indian 1/		Asian or Pacific Islander 2/						
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
Venous complications in the puerperium (O87)															
All ages.....	5	...	5	3	...	3	2	...	2	-	...	-	-	...	-
Under 1 year.....
1-4 years.....
5-9 years.....
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	2	...	2	1	...	1	1	...	1	-	...	-	-	...	-
25-29 years.....	2	...	2	1	...	1	1	...	1	-	...	-	-	...	-
30-34 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004) and age	All races		White		Black		American Indian 1/		Asian or Pacific Islander 2/	
	Both sexes		Both sexes		Both sexes		Both sexes		Both sexes	
	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female
Cerebral venous thrombosis in the puerperium (O87.3)										
All ages.....	1	...	1	...	1	...	-	...	-	...
Under 1 year.....
1-4 years.....
5-9 years.....
10-14 years.....	-	...	-	...	-	...	-	...	-	...
15-19 years.....	-	...	-	...	-	...	-	...	-	...
20-24 years.....	-	...	-	...	-	...	-	...	-	...
25-29 years.....	1	...	1	...	1	...	-	...	-	...
30-34 years.....	-	...	-	...	-	...	-	...	-	...
35-39 years.....	-	...	-	...	-	...	-	...	-	...
40-44 years.....	-	...	-	...	-	...	-	...	-	...
45-49 years.....	-	...	-	...	-	...	-	...	-	...
50-54 years.....	-	...	-	...	-	...	-	...	-	...
55-59 years.....	-	...	-	...	-	...	-	...	-	...
60-64 years.....	-	...	-	...	-	...	-	...	-	...
65-69 years.....	-	...	-	...	-	...	-	...	-	...
70-74 years.....	-	...	-	...	-	...	-	...	-	...
75-79 years.....	-	...	-	...	-	...	-	...	-	...
80-84 years.....	-	...	-	...	-	...	-	...	-	...
85-89 years.....	-	...	-	...	-	...	-	...	-	...
90-94 years.....	-	...	-	...	-	...	-	...	-	...
95-99 years.....	-	...	-	...	-	...	-	...	-	...
100 years & over.	-	...	-	...	-	...	-	...	-	...
Age not stated...	-	...	-	...	-	...	-	...	-	...

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004) and age	All races		White		Black		American Indian 1/		Asian or Pacific Islander 2/						
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
Other venous complications in the puerperium (O87.8)															
All ages.....	1	...	1	-	...	-	1	...	1	-	...	-	-	...	-
Under 1 year.....
1-4 years.....
5-9 years.....
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	1	...	1	-	...	-	1	...	1	-	...	-	-	...	-
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004) and age	All races		White		Black		American Indian 1/		Asian or Pacific Islander 2/						
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
Venous complication in the puerperium, unspecified (087.9)															
All ages.....	3	...	3	2	...	2	1	...	1	-	...	-	-	...	-
Under 1 year.....
1-4 years.....
5-9 years.....
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
25-29 years.....	1	...	1	-	...	-	1	...	1	-	...	-	-	...	-
30-34 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004) and age	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/ Both sexes		Asian or Pacific Islander 2/ Both sexes			
		Male	Female		Male	Female		Male	Female	Male	Female	Male	Female		
Obstetric embolism (O88)															
All ages.....	41	...	41	21	...	21	15	...	15	-	...	-	5	...	5
Under 1 year.....
1-4 years.....
5-9 years.....
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	3	...	3	2	...	2	1	...	1	-	...	-	-	...	-
20-24 years.....	10	...	10	5	...	5	4	...	4	-	...	-	1	...	1
25-29 years.....	10	...	10	3	...	3	7	...	7	-	...	-	-	...	-
30-34 years.....	8	...	8	3	...	3	3	...	3	-	...	-	2	...	2
35-39 years.....	7	...	7	5	...	5	-	...	-	-	...	-	2	...	2
40-44 years.....	3	...	3	3	...	3	-	...	-	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004) and age	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/		Asian or Pacific Islander 2/			
		Male	Female		Male	Female		Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
Amniotic fluid embolism (O88.1)															
All ages.....	26	...	26	11	...	11	10	...	10	-	...	-	5	...	5
Under 1 year.....
1-4 years.....
5-9 years.....
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	4	...	4	1	...	1	2	...	2	-	...	-	1	...	1
25-29 years.....	6	...	6	1	...	1	5	...	5	-	...	-	-	...	-
30-34 years.....	7	...	7	2	...	2	3	...	3	-	...	-	2	...	2
35-39 years.....	6	...	6	4	...	4	-	...	-	-	...	-	2	...	2
40-44 years.....	3	...	3	3	...	3	-	...	-	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004) and age	All races		White		Black		American Indian 1/		Asian or Pacific Islander 2/	
	Both sexes	Male Female	Both sexes	Male Female	Both sexes	Male Female	Both sexes	Male Female	Both sexes	Male Female
Obstetric blood-clot embolism (O88.2)										
All ages.....	14	... 14	10	... 10	4	... 4	-	... -	-	... -
Under 1 year.....
1-4 years.....
5-9 years.....
10-14 years.....	-	... -	-	... -	-	... -	-	... -	-	... -
15-19 years.....	3	... 3	2	... 2	1	... 1	-	... -	-	... -
20-24 years.....	5	... 5	4	... 4	1	... 1	-	... -	-	... -
25-29 years.....	4	... 4	2	... 2	2	... 2	-	... -	-	... -
30-34 years.....	1	... 1	1	... 1	-	... -	-	... -	-	... -
35-39 years.....	1	... 1	1	... 1	-	... -	-	... -	-	... -
40-44 years.....	-	... -	-	... -	-	... -	-	... -	-	... -
45-49 years.....	-	... -	-	... -	-	... -	-	... -	-	... -
50-54 years.....	-	... -	-	... -	-	... -	-	... -	-	... -
55-59 years.....	-	... -	-	... -	-	... -	-	... -	-	... -
60-64 years.....	-	... -	-	... -	-	... -	-	... -	-	... -
65-69 years.....	-	... -	-	... -	-	... -	-	... -	-	... -
70-74 years.....	-	... -	-	... -	-	... -	-	... -	-	... -
75-79 years.....	-	... -	-	... -	-	... -	-	... -	-	... -
80-84 years.....	-	... -	-	... -	-	... -	-	... -	-	... -
85-89 years.....	-	... -	-	... -	-	... -	-	... -	-	... -
90-94 years.....	-	... -	-	... -	-	... -	-	... -	-	... -
95-99 years.....	-	... -	-	... -	-	... -	-	... -	-	... -
100 years & over.	-	... -	-	... -	-	... -	-	... -	-	... -
Age not stated...	-	... -	-	... -	-	... -	-	... -	-	... -

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004) and age	All races		White		Black		American Indian 1/		Asian or Pacific Islander 2/						
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
Obstetric pyemic and septic embolism (O88.3)															
All ages.....	1	...	1	-	...	-	1	...	1	-	...	-	-	...	-
Under 1 year.....
1-4 years.....
5-9 years.....
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	1	...	1	-	...	-	1	...	1	-	...	-	-	...	-
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004) and age	All races		White		Black		American Indian 1/		Asian or Pacific Islander 2/						
	Both sexes	Male Female	Both sexes	Male Female	Both sexes	Male Female	Both sexes	Male Female	Both sexes	Male Female					
Complications of the puerperium, not elsewhere classified (090)															
All ages.....	56	...	56	27	...	27	26	...	26	3	...	3	-	...	-
Under 1 year.....
1-4 years.....
5-9 years.....
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	13	...	13	7	...	7	6	...	6	-	...	-	-	...	-
25-29 years.....	14	...	14	5	...	5	7	...	7	2	...	2	-	...	-
30-34 years.....	8	...	8	4	...	4	4	...	4	-	...	-	-	...	-
35-39 years.....	13	...	13	7	...	7	5	...	5	1	...	1	-	...	-
40-44 years.....	4	...	4	3	...	3	1	...	1	-	...	-	-	...	-
45-49 years.....	3	...	3	1	...	1	2	...	2	-	...	-	-	...	-
50-54 years.....	1	...	1	-	...	-	1	...	1	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004) and age	All races		White		Black		American Indian 1/		Asian or Pacific Islander 2/						
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
Disruption of cesarean section wound (O90.0)															
All ages.....	1	...	1	-	...	-	1	...	1	-	...	-	-	...	-
Under 1 year.....
1-4 years.....
5-9 years.....
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years.....	1	...	1	-	...	-	1	...	1	-	...	-	-	...	-
30-34 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004) and age	All races		White		Black		American Indian 1/		Asian or Pacific Islander 2/						
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
Cardiomyopathy in the puerperium (O90.3)															
All ages.....	51	...	51	24	...	24	24	...	24	3	...	3	-	...	-
Under 1 year.....
1-4 years.....
5-9 years.....
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	13	...	13	7	...	7	6	...	6	-	...	-	-	...	-
25-29 years.....	12	...	12	4	...	4	6	...	6	2	...	2	-	...	-
30-34 years.....	6	...	6	2	...	2	4	...	4	-	...	-	-	...	-
35-39 years.....	12	...	12	7	...	7	4	...	4	1	...	1	-	...	-
40-44 years.....	4	...	4	3	...	3	1	...	1	-	...	-	-	...	-
45-49 years.....	3	...	3	1	...	1	2	...	2	-	...	-	-	...	-
50-54 years.....	1	...	1	-	...	-	1	...	1	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004) and age	All races		White		Black		American Indian 1/ Both sexes		Asian or Pacific Islander 2/ Both sexes						
	Both sexes	Male Female	Both sexes	Male Female	Both sexes	Male Female	Both sexes	Male Female	Both sexes	Male Female	Both sexes	Male Female	Both sexes	Male Female	
Obstetric death of unspecified cause (095)															
All ages.....	23	...	23	17	...	17	5	...	5	-	...	-	1	...	1
Under 1 year.....
1-4 years.....
5-9 years.....
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	3	...	3	3	...	3	-	...	-	-	...	-	-	...	-
25-29 years.....	6	...	6	3	...	3	3	...	3	-	...	-	-	...	-
30-34 years.....	7	...	7	5	...	5	1	...	1	-	...	-	1	...	1
35-39 years.....	5	...	5	5	...	5	-	...	-	-	...	-	-	...	-
40-44 years.....	1	...	1	-	...	-	1	...	1	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004) and age	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/		Asian or Pacific Islander 2/			
		Male	Female		Male	Female		Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
Death from any obstetric cause occurring more than 42 days but less than 1 year after delivery (096)															
All ages.....	180	...	180	129	...	129	35	...	35	2	...	2	14	...	14
Under 1 year.....
1-4 years.....
5-9 years.....
10-14 years.....	1	...	1	-	...	-	1	...	1	-	...	-	-	...	-
15-19 years.....	11	...	11	9	...	9	2	...	2	-	...	-	-	...	-
20-24 years.....	35	...	35	25	...	25	10	...	10	-	...	-	-	...	-
25-29 years.....	33	...	33	22	...	22	7	...	7	-	...	-	4	...	4
30-34 years.....	30	...	30	25	...	25	3	...	3	-	...	-	2	...	2
35-39 years.....	36	...	36	25	...	25	7	...	7	-	...	-	4	...	4
40-44 years.....	8	...	8	5	...	5	1	...	1	-	...	-	2	...	2
45-49 years.....	11	...	11	8	...	8	1	...	1	1	...	1	1	...	1
50-54 years.....	14	...	14	9	...	9	3	...	3	1	...	1	1	...	1
55-59 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004) and age	All races		White		Black		American Indian 1/		Asian or Pacific Islander 2/						
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
Death from sequelae of direct obstetric causes (O97)															
All ages.....	11	...	11	4	...	4	6	...	6	1	...	1	-	...	-
Under 1 year.....
1-4 years.....
5-9 years.....
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
20-24 years.....	1	...	1	-	...	-	1	...	1	-	...	-	-	...	-
25-29 years.....	2	...	2	1	...	1	1	...	1	-	...	-	-	...	-
30-34 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
35-39 years.....	2	...	2	-	...	-	2	...	2	-	...	-	-	...	-
40-44 years.....	3	...	3	1	...	1	1	...	1	1	...	1	-	...	-
45-49 years.....	1	...	1	-	...	-	1	...	1	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004) and age	All races		White		Black		American Indian 1/		Asian or Pacific Islander 2/	
	Both sexes		Both sexes		Both sexes		Both sexes		Both sexes	
	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female

Maternal infectious and parasitic diseases classifiable elsewhere but complicating pregnancy, childbirth, and the puerperium (O98)

All ages.....	5	...	5	4	...	4	1	...	1	-	...	-	-	...	-
Under 1 year.....
1-4 years.....
5-9 years.....
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
30-34 years.....	2	...	2	1	...	1	1	...	1	-	...	-	-	...	-
35-39 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004) and age	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/			Asian or Pacific Islander 2/		
		Male	Female		Male	Female		Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
Other maternal diseases classifiable elsewhere but complicating pregnancy, childbirth, and the puerperium (099)															
All ages.....	121	...	121	75	...	75	40	...	40	1	...	1	5	...	5
Under 1 year.....
1-4 years.....
5-9 years.....
10-14 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
15-19 years.....	7	...	7	7	...	7	-	...	-	-	...	-	-	...	-
20-24 years.....	22	...	22	16	...	16	5	...	5	-	...	-	1	...	1
25-29 years.....	22	...	22	13	...	13	9	...	9	-	...	-	-	...	-
30-34 years.....	19	...	19	10	...	10	8	...	8	-	...	-	1	...	1
35-39 years.....	23	...	23	13	...	13	9	...	9	-	...	-	1	...	1
40-44 years.....	11	...	11	7	...	7	3	...	3	-	...	-	1	...	1
45-49 years.....	9	...	9	4	...	4	4	...	4	-	...	-	1	...	1
50-54 years.....	7	...	7	4	...	4	2	...	2	1	...	1	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004) and age	All races		White		Black		American Indian 1/		Asian or Pacific Islander 2/						
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
Anemia complicating pregnancy, childbirth, and the puerperium (099.0)															
All ages.....	4	...	4	-	...	-	4	...	4	-	...	-	-	...	-
Under 1 year.....
1-4 years.....
5-9 years.....
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	1	...	1	-	...	-	1	...	1	-	...	-	-	...	-
25-29 years.....	2	...	2	-	...	-	2	...	2	-	...	-	-	...	-
30-34 years.....	1	...	1	-	...	-	1	...	1	-	...	-	-	...	-
35-39 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004) and age	All races		White		Black		American Indian 1/		Asian or Pacific Islander 2/						
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
Endocrine, nutritional, and metabolic diseases complicating pregnancy, childbirth, and the puerperium (099.2)															
All ages.....	2	...	2	1	...	1	1	...	1	-	...	-	-	...	-
Under 1 year.....
1-4 years.....
5-9 years.....
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years.....	1	...	1	-	...	-	1	...	1	-	...	-	-	...	-
35-39 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004) and age	All races		White		Black		American Indian 1/		Asian or Pacific Islander 2/	
	Both sexes	Male Female	Both sexes	Male Female	Both sexes	Male Female	Both sexes	Male Female	Both sexes	Male Female
Diseases of the circulatory system complicating pregnancy, childbirth, and the puerperium (O99.4)										
All ages.....	42	... 42	28	... 28	13	... 13	-	... -	1	... 1
Under 1 year.....
1-4 years.....
5-9 years.....
10-14 years.....	1	... 1	1	... 1	-	... -	-	... -	-	... -
15-19 years.....	3	... 3	3	... 3	-	... -	-	... -	-	... -
20-24 years.....	9	... 9	7	... 7	2	... 2	-	... -	-	... -
25-29 years.....	5	... 5	4	... 4	1	... 1	-	... -	-	... -
30-34 years.....	8	... 8	4	... 4	3	... 3	-	... -	1	... 1
35-39 years.....	9	... 9	6	... 6	3	... 3	-	... -	-	... -
40-44 years.....	5	... 5	3	... 3	2	... 2	-	... -	-	... -
45-49 years.....	1	... 1	-	... -	1	... 1	-	... -	-	... -
50-54 years.....	1	... 1	-	... -	1	... 1	-	... -	-	... -
55-59 years.....	-	... -	-	... -	-	... -	-	... -	-	... -
60-64 years.....	-	... -	-	... -	-	... -	-	... -	-	... -
65-69 years.....	-	... -	-	... -	-	... -	-	... -	-	... -
70-74 years.....	-	... -	-	... -	-	... -	-	... -	-	... -
75-79 years.....	-	... -	-	... -	-	... -	-	... -	-	... -
80-84 years.....	-	... -	-	... -	-	... -	-	... -	-	... -
85-89 years.....	-	... -	-	... -	-	... -	-	... -	-	... -
90-94 years.....	-	... -	-	... -	-	... -	-	... -	-	... -
95-99 years.....	-	... -	-	... -	-	... -	-	... -	-	... -
100 years & over.	-	... -	-	... -	-	... -	-	... -	-	... -
Age not stated...	-	... -	-	... -	-	... -	-	... -	-	... -

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004) and age	All races		White		Black		American Indian 1/		Asian or Pacific Islander 2/						
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
Diseases of the respiratory system complicating pregnancy, childbirth, and the puerperium (099.5)															
All ages.....	3	...	3	1	...	1	2	...	2	-	...	-	-	...	-
Under 1 year.....
1-4 years.....
5-9 years.....
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	1	...	1	-	...	-	1	...	1	-	...	-	-	...	-
25-29 years.....	1	...	1	-	...	-	1	...	1	-	...	-	-	...	-
30-34 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004) and age	All races		White		Black		American Indian 1/		Asian or Pacific Islander 2/						
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
Diseases of the digestive system complicating pregnancy, childbirth, and the puerperium (099.6)															
All ages.....	3	...	3	2	...	2	-	...	-	1	...	1	-	...	-
Under 1 year.....
1-4 years.....
5-9 years.....
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
50-54 years.....	1	...	1	-	...	-	-	...	-	1	...	1	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004) and age	All races		White		Black		American Indian 1/		Asian or Pacific Islander 2/						
	Both sexes	Male Female	Both sexes	Male Female	Both sexes	Male Female	Both sexes	Male Female	Both sexes	Male Female					
Other specified diseases and conditions complicating pregnancy, childbirth, and the puerperium (099.8)															
All ages.....	57	...	57	36	...	36	17	...	17	-	...	-	4	...	4
Under 1 year.....
1-4 years.....
5-9 years.....
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	2	...	2	2	...	2	-	...	-	-	...	-	-	...	-
20-24 years.....	8	...	8	7	...	7	-	...	-	-	...	-	1	...	1
25-29 years.....	14	...	14	9	...	9	5	...	5	-	...	-	-	...	-
30-34 years.....	8	...	8	5	...	5	3	...	3	-	...	-	-	...	-
35-39 years.....	11	...	11	6	...	6	4	...	4	-	...	-	1	...	1
40-44 years.....	4	...	4	2	...	2	1	...	1	-	...	-	1	...	1
45-49 years.....	5	...	5	1	...	1	3	...	3	-	...	-	1	...	1
50-54 years.....	5	...	5	4	...	4	1	...	1	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004) and age	All races		White		Black		American Indian 1/ Both		Asian or Pacific Islander 2/ Both	
	Both sexes	Male Female	Both sexes	Male Female	Both sexes	Male Female	Both sexes	Male Female	Both sexes	Male Female
Newborn affected by maternal hypertensive disorders (P00.0)										
All ages.....	84	42 42	50	25 25	33	16 17	-	- -	1	1 -
Under 1 year.....	84	42 42	50	25 25	33	16 17	-	- -	1	1 -
1-4 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
5-9 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
10-14 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
15-19 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
20-24 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
25-29 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
30-34 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
35-39 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
40-44 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
45-49 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
50-54 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
55-59 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
60-64 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
65-69 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
70-74 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
75-79 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
80-84 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
85-89 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
90-94 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
95-99 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
100 years & over.	-	- -	-	- -	-	- -	-	- -	-	- -
Age not stated...	-	- -	-	- -	-	- -	-	- -	-	- -

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004) and age	All races		White		Black		American Indian 1/ Both		Asian or Pacific Islander 2/ Both	
	Both sexes	Male Female	Both sexes	Male Female	Both sexes	Male Female	Both sexes	Male Female	Both sexes	Male Female
Newborn affected by maternal injury (P00.5)										
All ages.....	31	16 15	23	13 10	8	3 5	-	- -	-	- -
Under 1 year.....	29	16 13	22	13 9	7	3 4	-	- -	-	- -
1-4 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
5-9 years.....	1	- 1	-	- -	1	- 1	-	- -	-	- -
10-14 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
15-19 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
20-24 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
25-29 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
30-34 years.....	1	- 1	1	- 1	-	- -	-	- -	-	- -
35-39 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
40-44 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
45-49 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
50-54 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
55-59 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
60-64 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
65-69 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
70-74 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
75-79 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
80-84 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
85-89 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
90-94 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
95-99 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
100 years & over.	-	- -	-	- -	-	- -	-	- -	-	- -
Age not stated...	-	- -	-	- -	-	- -	-	- -	-	- -

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004) and age	All races		White		Black		American Indian 1/ Both sexes		Asian or Pacific Islander 2/ Both sexes			
	Both sexes	Male Female	Both sexes	Male Female	Both sexes	Male Female	Both sexes	Male Female	Both sexes	Male Female	Both sexes	
Newborn affected by maternal complications of pregnancy (P01)												
All ages.....	1,684	940 744	1,027	570 457	597	330 267	14	10 4	46	30 16		
Under 1 year.....	1,683	940 743	1,026	570 456	597	330 267	14	10 4	46	30 16		
1-4 years.....	-	- -	-	- -	-	- -	-	- -	-	- -	-	
5-9 years.....	-	- -	-	- -	-	- -	-	- -	-	- -	-	
10-14 years.....	-	- -	-	- -	-	- -	-	- -	-	- -	-	
15-19 years.....	-	- -	-	- -	-	- -	-	- -	-	- -	-	
20-24 years.....	-	- -	-	- -	-	- -	-	- -	-	- -	-	
25-29 years.....	-	- -	-	- -	-	- -	-	- -	-	- -	-	
30-34 years.....	-	- -	-	- -	-	- -	-	- -	-	- -	-	
35-39 years.....	-	- -	-	- -	-	- -	-	- -	-	- -	-	
40-44 years.....	-	- -	-	- -	-	- -	-	- -	-	- -	-	
45-49 years.....	-	- -	-	- -	-	- -	-	- -	-	- -	-	
50-54 years.....	-	- -	-	- -	-	- -	-	- -	-	- -	-	
55-59 years.....	-	- -	-	- -	-	- -	-	- -	-	- -	-	
60-64 years.....	-	- -	-	- -	-	- -	-	- -	-	- -	-	
65-69 years.....	-	- -	-	- -	-	- -	-	- -	-	- -	-	
70-74 years.....	-	- -	-	- -	-	- -	-	- -	-	- -	-	
75-79 years.....	-	- -	-	- -	-	- -	-	- -	-	- -	-	
80-84 years.....	-	- -	-	- -	-	- -	-	- -	-	- -	-	
85-89 years.....	-	- -	-	- -	-	- -	-	- -	-	- -	-	
90-94 years.....	-	- -	-	- -	-	- -	-	- -	-	- -	-	
95-99 years.....	-	- -	-	- -	-	- -	-	- -	-	- -	-	
100 years & over.	-	- -	-	- -	-	- -	-	- -	-	- -	-	
Age not stated...	1	- 1	1	- 1	-	1 -	-	- -	-	- -	-	

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004) and age	All races		White		Black		American Indian 1/ Both		Asian or Pacific Islander 2/ Both	
	Both sexes	Male Female	Both sexes	Male Female	Both sexes	Male Female	Both sexes	Male Female	Both sexes	Male Female
Newborn affected by placental transfusion syndromes (P02.3)										
All ages.....	100	51 49	81	42 39	13	9 4	1	- 1	5	- 5
Under 1 year.....	100	51 49	81	42 39	13	9 4	1	- 1	5	- 5
1-4 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
5-9 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
10-14 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
15-19 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
20-24 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
25-29 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
30-34 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
35-39 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
40-44 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
45-49 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
50-54 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
55-59 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
60-64 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
65-69 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
70-74 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
75-79 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
80-84 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
85-89 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
90-94 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
95-99 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
100 years & over.	-	- -	-	- -	-	- -	-	- -	-	- -
Age not stated...	-	- -	-	- -	-	- -	-	- -	-	- -

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004) and age	All races		White		Black		American Indian 1/ Both		Asian or Pacific Islander 2/ Both	
	Both sexes	Male Female	Both sexes	Male Female	Both sexes	Male Female	Both sexes	Male Female	Both sexes	Male Female
Newborn affected by other compression of umbilical cord (P02.5)										
All ages.....	20	12 8	17	10 7	3	2 1	-	- -	-	- -
Under 1 year.....	19	11 8	16	9 7	3	2 1	-	- -	-	- -
1-4 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
5-9 years.....	1	1 -	1	1 -	-	- -	-	- -	-	- -
10-14 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
15-19 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
20-24 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
25-29 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
30-34 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
35-39 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
40-44 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
45-49 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
50-54 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
55-59 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
60-64 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
65-69 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
70-74 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
75-79 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
80-84 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
85-89 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
90-94 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
95-99 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
100 years & over.	-	- -	-	- -	-	- -	-	- -	-	- -
Age not stated...	-	- -	-	- -	-	- -	-	- -	-	- -

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004) and age	All races		White		Black		American Indian 1/ Both		Asian or Pacific Islander 2/ Both	
	Both sexes	Male Female	Both sexes	Male Female	Both sexes	Male Female	Both sexes	Male Female	Both sexes	Male Female
Newborn affected by maternal use of drugs of addiction (P04.4)										
All ages.....	51	30 21	32	19 13	19	11 8	-	- -	-	- -
Under 1 year.....	49	29 20	31	18 13	18	11 7	-	- -	-	- -
1-4 years.....	1	- 1	-	- -	-	- 1	-	- -	-	- -
5-9 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
10-14 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
15-19 years.....	1	1 -	1	1 -	-	- -	-	- -	-	- -
20-24 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
25-29 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
30-34 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
35-39 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
40-44 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
45-49 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
50-54 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
55-59 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
60-64 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
65-69 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
70-74 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
75-79 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
80-84 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
85-89 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
90-94 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
95-99 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
100 years & over.	-	- -	-	- -	-	- -	-	- -	-	- -
Age not stated...	-	- -	-	- -	-	- -	-	- -	-	- -

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004) and age	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/		Asian or Pacific Islander 2/			
		Male	Female		Male	Female		Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
Disorders related to short gestation and low birthweight, not elsewhere classified (P07)															
All ages.....	4,857	2,689	2,168	2,674	1,507	1,167	1,995	1,076	919	44	27	17	144	79	65
Under 1 year.....	4,841	2,678	2,163	2,668	1,501	1,167	1,985	1,071	914	44	27	17	144	79	65
1-4 years.....	11	8	3	5	5	-	6	3	3	-	-	-	-	-	-
5-9 years.....	1	1	-	-	-	-	1	1	-	-	-	-	-	-	-
10-14 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years.....	1	1	-	1	1	-	-	-	-	-	-	-	-	-	-
35-39 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years.....	2	1	1	-	-	-	2	1	1	-	-	-	-	-	-
85-89 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100 years & over.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Age not stated...	1	-	1	-	-	-	1	-	1	-	-	-	-	-	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004) and age	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/		Asian or Pacific Islander 2/			
		Male	Female		Male	Female		Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
Other preterm infants (P07.3)															
All ages.....	1,164	672	492	633	380	253	482	264	218	11	4	7	38	24	14
Under 1 year.....	1,153	665	488	630	377	253	474	260	214	11	4	7	38	24	14
1-4 years.....	6	4	2	2	2	-	4	2	2	-	-	-	-	-	-
5-9 years.....	1	1	-	-	-	-	1	1	-	-	-	-	-	-	-
10-14 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years.....	1	1	-	1	1	-	-	-	-	-	-	-	-	-	-
35-39 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years.....	2	1	1	-	-	-	2	1	1	-	-	-	-	-	-
85-89 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100 years & over.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Age not stated...	1	-	1	-	-	-	1	-	1	-	-	-	-	-	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004) and age	All races		White		Black		American Indian 1/ Both		Asian or Pacific Islander 2/ Both			
	Both sexes	Male Female	Both sexes	Male Female	Both sexes	Male Female	Both sexes	Male Female	Both sexes	Male Female	Female	
Interstitial emphysema originating in the perinatal period (P25.0)												
All ages.....	63	40 23	47	31 16	13	7 6	-	- -	-	3 2	1	
Under 1 year.....	63	40 23	47	31 16	13	7 6	-	- -	-	3 2	1	
1-4 years.....	-	- -	-	- -	-	- -	-	- -	-	- -	-	
5-9 years.....	-	- -	-	- -	-	- -	-	- -	-	- -	-	
10-14 years.....	-	- -	-	- -	-	- -	-	- -	-	- -	-	
15-19 years.....	-	- -	-	- -	-	- -	-	- -	-	- -	-	
20-24 years.....	-	- -	-	- -	-	- -	-	- -	-	- -	-	
25-29 years.....	-	- -	-	- -	-	- -	-	- -	-	- -	-	
30-34 years.....	-	- -	-	- -	-	- -	-	- -	-	- -	-	
35-39 years.....	-	- -	-	- -	-	- -	-	- -	-	- -	-	
40-44 years.....	-	- -	-	- -	-	- -	-	- -	-	- -	-	
45-49 years.....	-	- -	-	- -	-	- -	-	- -	-	- -	-	
50-54 years.....	-	- -	-	- -	-	- -	-	- -	-	- -	-	
55-59 years.....	-	- -	-	- -	-	- -	-	- -	-	- -	-	
60-64 years.....	-	- -	-	- -	-	- -	-	- -	-	- -	-	
65-69 years.....	-	- -	-	- -	-	- -	-	- -	-	- -	-	
70-74 years.....	-	- -	-	- -	-	- -	-	- -	-	- -	-	
75-79 years.....	-	- -	-	- -	-	- -	-	- -	-	- -	-	
80-84 years.....	-	- -	-	- -	-	- -	-	- -	-	- -	-	
85-89 years.....	-	- -	-	- -	-	- -	-	- -	-	- -	-	
90-94 years.....	-	- -	-	- -	-	- -	-	- -	-	- -	-	
95-99 years.....	-	- -	-	- -	-	- -	-	- -	-	- -	-	
100 years & over.	-	- -	-	- -	-	- -	-	- -	-	- -	-	
Age not stated...	-	- -	-	- -	-	- -	-	- -	-	- -	-	

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004) and age	All races		White		Black		American Indian 1/ Both		Asian or Pacific Islander 2/ Both	
	Both sexes	Male Female	Both sexes	Male Female	Both sexes	Male Female	Both sexes	Male Female	Both sexes	Male Female
Other congenital infectious and parasitic diseases (P37)										
All ages.....	71	44 27	46	30 16	22	13 9	-	- -	3	1 2
Under 1 year.....	69	44 25	45	30 15	21	13 8	-	- -	3	1 2
1-4 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
5-9 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
10-14 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
15-19 years.....	1	- 1	-	- -	1	- 1	-	- -	-	- -
20-24 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
25-29 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
30-34 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
35-39 years.....	1	- 1	1	- 1	-	- -	-	- -	-	- -
40-44 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
45-49 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
50-54 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
55-59 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
60-64 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
65-69 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
70-74 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
75-79 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
80-84 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
85-89 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
90-94 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
95-99 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
100 years & over.	-	- -	-	- -	-	- -	-	- -	-	- -
Age not stated...	-	- -	-	- -	-	- -	-	- -	-	- -

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004) and age	All races		White		Black		American Indian 1/ Both		Asian or Pacific Islander 2/ Both	
	Both sexes	Male Female	Both sexes	Male Female	Both sexes	Male Female	Both sexes	Male Female	Both sexes	Male Female
Other specified congenital infectious and parasitic diseases (P37.8)										
All ages.....	35	26 9	20	16 4	14	9 5	-	- -	1	1 -
Under 1 year.....	35	26 9	20	16 4	14	9 5	-	- -	1	1 -
1-4 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
5-9 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
10-14 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
15-19 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
20-24 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
25-29 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
30-34 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
35-39 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
40-44 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
45-49 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
50-54 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
55-59 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
60-64 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
65-69 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
70-74 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
75-79 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
80-84 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
85-89 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
90-94 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
95-99 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
100 years & over.	-	- -	-	- -	-	- -	-	- -	-	- -
Age not stated...	-	- -	-	- -	-	- -	-	- -	-	- -

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004) and age	All races		White		Black		American Indian 1/		Asian or Pacific Islander 2/						
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
Neonatal vaginal hemorrhage (P54.6)															
All ages.....	3	...	3	1	...	1	2	...	2	-	...	-	-	...	-
Under 1 year.....	3	...	3	1	...	1	2	...	2	-	...	-	-	...	-
1-4 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004) and age	All races		White		Black		American Indian 1/ Both		Asian or Pacific Islander 2/ Both						
	Both sexes	Male Female	Both sexes	Male Female	Both sexes	Male Female	Both sexes	Male Female	Both sexes	Male Female					
Disseminated intravascular coagulation of newborn (P60)															
All ages.....	48	27 21	32	18 14	12	7 5	-	- -	4	2 2					
Under 1 year.....	48	27 21	32	18 14	12	7 5	-	- -	4	2 2					
1-4 years.....	-	- -	-	- -	-	- -	-	- -	-	- -					
5-9 years.....	-	- -	-	- -	-	- -	-	- -	-	- -					
10-14 years.....	-	- -	-	- -	-	- -	-	- -	-	- -					
15-19 years.....	-	- -	-	- -	-	- -	-	- -	-	- -					
20-24 years.....	-	- -	-	- -	-	- -	-	- -	-	- -					
25-29 years.....	-	- -	-	- -	-	- -	-	- -	-	- -					
30-34 years.....	-	- -	-	- -	-	- -	-	- -	-	- -					
35-39 years.....	-	- -	-	- -	-	- -	-	- -	-	- -					
40-44 years.....	-	- -	-	- -	-	- -	-	- -	-	- -					
45-49 years.....	-	- -	-	- -	-	- -	-	- -	-	- -					
50-54 years.....	-	- -	-	- -	-	- -	-	- -	-	- -					
55-59 years.....	-	- -	-	- -	-	- -	-	- -	-	- -					
60-64 years.....	-	- -	-	- -	-	- -	-	- -	-	- -					
65-69 years.....	-	- -	-	- -	-	- -	-	- -	-	- -					
70-74 years.....	-	- -	-	- -	-	- -	-	- -	-	- -					
75-79 years.....	-	- -	-	- -	-	- -	-	- -	-	- -					
80-84 years.....	-	- -	-	- -	-	- -	-	- -	-	- -					
85-89 years.....	-	- -	-	- -	-	- -	-	- -	-	- -					
90-94 years.....	-	- -	-	- -	-	- -	-	- -	-	- -					
95-99 years.....	-	- -	-	- -	-	- -	-	- -	-	- -					
100 years & over.	-	- -	-	- -	-	- -	-	- -	-	- -					
Age not stated...	-	- -	-	- -	-	- -	-	- -	-	- -					

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004) and age	All races		White		Black		American Indian 1/ Both		Asian or Pacific Islander 2/ Both			
	Both sexes	Male Female	Both sexes	Male Female	Both sexes	Male Female	Both sexes	Male Female	Both sexes	Male Female	Female	
Hypoxic ischemic encephalopathy of newborn (P91.6)												
All ages.....	133	68 65	97	50 47	27	15 12	-	- -	9	3 6		
Under 1 year.....	132	68 64	97	50 47	26	15 11	-	- -	9	3 6		
1-4 years.....	1	- 1	-	- -	1	- 1	-	- -	-	- -		
5-9 years.....	-	- -	-	- -	-	- -	-	- -	-	- -		
10-14 years.....	-	- -	-	- -	-	- -	-	- -	-	- -		
15-19 years.....	-	- -	-	- -	-	- -	-	- -	-	- -		
20-24 years.....	-	- -	-	- -	-	- -	-	- -	-	- -		
25-29 years.....	-	- -	-	- -	-	- -	-	- -	-	- -		
30-34 years.....	-	- -	-	- -	-	- -	-	- -	-	- -		
35-39 years.....	-	- -	-	- -	-	- -	-	- -	-	- -		
40-44 years.....	-	- -	-	- -	-	- -	-	- -	-	- -		
45-49 years.....	-	- -	-	- -	-	- -	-	- -	-	- -		
50-54 years.....	-	- -	-	- -	-	- -	-	- -	-	- -		
55-59 years.....	-	- -	-	- -	-	- -	-	- -	-	- -		
60-64 years.....	-	- -	-	- -	-	- -	-	- -	-	- -		
65-69 years.....	-	- -	-	- -	-	- -	-	- -	-	- -		
70-74 years.....	-	- -	-	- -	-	- -	-	- -	-	- -		
75-79 years.....	-	- -	-	- -	-	- -	-	- -	-	- -		
80-84 years.....	-	- -	-	- -	-	- -	-	- -	-	- -		
85-89 years.....	-	- -	-	- -	-	- -	-	- -	-	- -		
90-94 years.....	-	- -	-	- -	-	- -	-	- -	-	- -		
95-99 years.....	-	- -	-	- -	-	- -	-	- -	-	- -		
100 years & over.	-	- -	-	- -	-	- -	-	- -	-	- -		
Age not stated...	-	- -	-	- -	-	- -	-	- -	-	- -		

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004) and age	All races		White		Black		American Indian 1/ Both		Asian or Pacific Islander 2/ Both	
	Both sexes	Male Female	Both sexes	Male Female	Both sexes	Male Female	Both sexes	Male Female	Both sexes	Male Female
Congenital malformations of corpus callosum (Q04.0)										
All ages.....	21	10 11	17	10 7	4	- 4	-	- -	-	- -
Under 1 year.....	7	4 3	7	4 3	-	- -	-	- -	-	- -
1-4 years.....	5	1 4	2	1 1	3	- 3	-	- -	-	- -
5-9 years.....	1	1 -	1	1 -	-	- -	-	- -	-	- -
10-14 years.....	2	1 1	2	1 1	-	- -	-	- -	-	- -
15-19 years.....	3	1 2	2	1 1	1	- 1	-	- -	-	- -
20-24 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
25-29 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
30-34 years.....	2	1 1	2	1 1	-	- -	-	- -	-	- -
35-39 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
40-44 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
45-49 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
50-54 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
55-59 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
60-64 years.....	1	1 -	1	1 -	-	- -	-	- -	-	- -
65-69 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
70-74 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
75-79 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
80-84 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
85-89 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
90-94 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
95-99 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
100 years & over.	-	- -	-	- -	-	- -	-	- -	-	- -
Age not stated...	-	- -	-	- -	-	- -	-	- -	-	- -

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004) and age	All races		White		Black		American Indian 1/ Both		Asian or Pacific Islander 2/ Both	
	Both sexes	Male Female	Both sexes	Male Female	Both sexes	Male Female	Both sexes	Male Female	Both sexes	Male Female
Lumbar spina bifida without hydrocephalus (Q05.7)										
All ages.....	2	1 1	2	1 1	-	-	-	-	-	-
Under 1 year.....	1	1 -	1	1 -	-	-	-	-	-	-
1-4 years.....	-	- -	-	- -	-	-	-	-	-	-
5-9 years.....	-	- -	-	- -	-	-	-	-	-	-
10-14 years.....	-	- -	-	- -	-	-	-	-	-	-
15-19 years.....	-	- -	-	- -	-	-	-	-	-	-
20-24 years.....	-	- -	-	- -	-	-	-	-	-	-
25-29 years.....	-	- -	-	- -	-	-	-	-	-	-
30-34 years.....	-	- -	-	- -	-	-	-	-	-	-
35-39 years.....	-	- -	-	- -	-	-	-	-	-	-
40-44 years.....	-	- -	-	- -	-	-	-	-	-	-
45-49 years.....	1	- 1	1	- 1	-	-	-	-	-	-
50-54 years.....	-	- -	-	- -	-	-	-	-	-	-
55-59 years.....	-	- -	-	- -	-	-	-	-	-	-
60-64 years.....	-	- -	-	- -	-	-	-	-	-	-
65-69 years.....	-	- -	-	- -	-	-	-	-	-	-
70-74 years.....	-	- -	-	- -	-	-	-	-	-	-
75-79 years.....	-	- -	-	- -	-	-	-	-	-	-
80-84 years.....	-	- -	-	- -	-	-	-	-	-	-
85-89 years.....	-	- -	-	- -	-	-	-	-	-	-
90-94 years.....	-	- -	-	- -	-	-	-	-	-	-
95-99 years.....	-	- -	-	- -	-	-	-	-	-	-
100 years & over.	-	- -	-	- -	-	-	-	-	-	-
Age not stated...	-	- -	-	- -	-	-	-	-	-	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004) and age	All races		White		Black		American Indian 1/ Both		Asian or Pacific Islander 2/ Both	
	Both sexes	Male Female	Both sexes	Male Female	Both sexes	Male Female	Both sexes	Male Female	Both sexes	Male Female
Other congenital malformations of pulmonary valve (Q22.3)										
All ages.....	1	1 -	1	1 -	-	-	-	-	-	-
Under 1 year.....	1	1 -	1	1 -	-	-	-	-	-	-
1-4 years.....	-	- -	-	- -	-	-	-	-	-	-
5-9 years.....	-	- -	-	- -	-	-	-	-	-	-
10-14 years.....	-	- -	-	- -	-	-	-	-	-	-
15-19 years.....	-	- -	-	- -	-	-	-	-	-	-
20-24 years.....	-	- -	-	- -	-	-	-	-	-	-
25-29 years.....	-	- -	-	- -	-	-	-	-	-	-
30-34 years.....	-	- -	-	- -	-	-	-	-	-	-
35-39 years.....	-	- -	-	- -	-	-	-	-	-	-
40-44 years.....	-	- -	-	- -	-	-	-	-	-	-
45-49 years.....	-	- -	-	- -	-	-	-	-	-	-
50-54 years.....	-	- -	-	- -	-	-	-	-	-	-
55-59 years.....	-	- -	-	- -	-	-	-	-	-	-
60-64 years.....	-	- -	-	- -	-	-	-	-	-	-
65-69 years.....	-	- -	-	- -	-	-	-	-	-	-
70-74 years.....	-	- -	-	- -	-	-	-	-	-	-
75-79 years.....	-	- -	-	- -	-	-	-	-	-	-
80-84 years.....	-	- -	-	- -	-	-	-	-	-	-
85-89 years.....	-	- -	-	- -	-	-	-	-	-	-
90-94 years.....	-	- -	-	- -	-	-	-	-	-	-
95-99 years.....	-	- -	-	- -	-	-	-	-	-	-
100 years & over.	-	- -	-	- -	-	-	-	-	-	-
Age not stated...	-	- -	-	- -	-	-	-	-	-	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004) and age	All races		White		Black		American Indian 1/ Both		Asian or Pacific Islander 2/ Both	
	Both sexes	Male Female	Both sexes	Male Female	Both sexes	Male Female	Both sexes	Male Female	Both sexes	Male Female
Congenital subaortic stenosis (Q24.4)										
All ages.....	24	13 11	18	11 7	5	2 3	1	- 1	-	- -
Under 1 year.....	1	- 1	-	- -	1	- 1	-	- -	-	- -
1-4 years.....	2	- 2	1	- 1	-	- -	1	- 1	-	- -
5-9 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
10-14 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
15-19 years.....	2	1 1	2	1 1	-	- -	-	- -	-	- -
20-24 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
25-29 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
30-34 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
35-39 years.....	2	2 -	1	1 -	1	1 -	-	- -	-	- -
40-44 years.....	2	2 -	2	2 -	-	- -	-	- -	-	- -
45-49 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
50-54 years.....	1	1 -	1	1 -	-	- -	-	- -	-	- -
55-59 years.....	3	1 2	2	1 1	1	- 1	-	- -	-	- -
60-64 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
65-69 years.....	4	3 1	2	2 -	2	1 1	-	- -	-	- -
70-74 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
75-79 years.....	1	- 1	1	- 1	-	- -	-	- -	-	- -
80-84 years.....	3	1 2	3	1 2	-	- -	-	- -	-	- -
85-89 years.....	1	1 -	1	1 -	-	- -	-	- -	-	- -
90-94 years.....	1	- 1	1	- 1	-	- -	-	- -	-	- -
95-99 years.....	1	1 -	1	1 -	-	- -	-	- -	-	- -
100 years & over.	-	- -	-	- -	-	- -	-	- -	-	- -
Age not stated...	-	- -	-	- -	-	- -	-	- -	-	- -

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004) and age	All races		White		Black		American Indian 1/ Both		Asian or Pacific Islander 2/ Both	
	Both sexes	Male Female	Both sexes	Male Female	Both sexes	Male Female	Both sexes	Male Female	Both sexes	Male Female
Anomalous pulmonary venous connection, unspecified (Q26.4)										
All ages.....	9	6 3	6	5 1	3	1 2	-	- -	-	- -
Under 1 year.....	7	4 3	4	3 1	3	1 2	-	- -	-	- -
1-4 years.....	1	1 -	1	1 -	-	- -	-	- -	-	- -
5-9 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
10-14 years.....	1	1 -	1	1 -	-	- -	-	- -	-	- -
15-19 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
20-24 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
25-29 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
30-34 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
35-39 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
40-44 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
45-49 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
50-54 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
55-59 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
60-64 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
65-69 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
70-74 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
75-79 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
80-84 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
85-89 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
90-94 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
95-99 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
100 years & over.	-	- -	-	- -	-	- -	-	- -	-	- -
Age not stated...	-	- -	-	- -	-	- -	-	- -	-	- -

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004) and age	All races		White		Black		American Indian 1/ Both		Asian or Pacific Islander 2/ Both	
	Both sexes	Male Female	Both sexes	Male Female	Both sexes	Male Female	Both sexes	Male Female	Both sexes	Male Female
Congenital malformations of esophagus (Q39)										
All ages.....	32	19 13	30	17 13	1	1 -	-	- -	1	1 -
Under 1 year.....	8	6 2	6	4 2	1	1 -	-	- -	1	1 -
1-4 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
5-9 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
10-14 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
15-19 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
20-24 years.....	2	1 1	2	1 1	-	- -	-	- -	-	- -
25-29 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
30-34 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
35-39 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
40-44 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
45-49 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
50-54 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
55-59 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
60-64 years.....	2	2 -	2	2 -	-	- -	-	- -	-	- -
65-69 years.....	2	1 1	2	1 1	-	- -	-	- -	-	- -
70-74 years.....	2	2 -	2	2 -	-	- -	-	- -	-	- -
75-79 years.....	2	1 1	2	1 1	-	- -	-	- -	-	- -
80-84 years.....	3	3 -	3	3 -	-	- -	-	- -	-	- -
85-89 years.....	6	1 5	6	1 5	-	- -	-	- -	-	- -
90-94 years.....	4	1 3	4	1 3	-	- -	-	- -	-	- -
95-99 years.....	1	1 -	1	1 -	-	- -	-	- -	-	- -
100 years & over.	-	- -	-	- -	-	- -	-	- -	-	- -
Age not stated...	-	- -	-	- -	-	- -	-	- -	-	- -

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004) and age	All races		White		Black		American Indian 1/ Both		Asian or Pacific Islander 2/ Both	
	Both sexes	Male Female	Both sexes	Male Female	Both sexes	Male Female	Both sexes	Male Female	Both sexes	Male Female
Congenital tracheoesophageal fistula without atresia (Q39.2)										
All ages.....	3	3 -	3	3 -	-	-	-	-	-	-
Under 1 year.....	2	2 -	2	2 -	-	-	-	-	-	-
1-4 years.....	-	- -	-	- -	-	-	-	-	-	-
5-9 years.....	-	- -	-	- -	-	-	-	-	-	-
10-14 years.....	-	- -	-	- -	-	-	-	-	-	-
15-19 years.....	-	- -	-	- -	-	-	-	-	-	-
20-24 years.....	1	1 -	1	1 -	-	-	-	-	-	-
25-29 years.....	-	- -	-	- -	-	-	-	-	-	-
30-34 years.....	-	- -	-	- -	-	-	-	-	-	-
35-39 years.....	-	- -	-	- -	-	-	-	-	-	-
40-44 years.....	-	- -	-	- -	-	-	-	-	-	-
45-49 years.....	-	- -	-	- -	-	-	-	-	-	-
50-54 years.....	-	- -	-	- -	-	-	-	-	-	-
55-59 years.....	-	- -	-	- -	-	-	-	-	-	-
60-64 years.....	-	- -	-	- -	-	-	-	-	-	-
65-69 years.....	-	- -	-	- -	-	-	-	-	-	-
70-74 years.....	-	- -	-	- -	-	-	-	-	-	-
75-79 years.....	-	- -	-	- -	-	-	-	-	-	-
80-84 years.....	-	- -	-	- -	-	-	-	-	-	-
85-89 years.....	-	- -	-	- -	-	-	-	-	-	-
90-94 years.....	-	- -	-	- -	-	-	-	-	-	-
95-99 years.....	-	- -	-	- -	-	-	-	-	-	-
100 years & over.	-	- -	-	- -	-	-	-	-	-	-
Age not stated...	-	- -	-	- -	-	-	-	-	-	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004) and age	All races		White		Black		American Indian 1/ Both		Asian or Pacific Islander 2/ Both		
	Both sexes	Male Female	Both sexes	Male Female	Both sexes	Male Female	Both sexes	Male Female	Both sexes	Male Female	
Congenital absence, atresia, and stenosis of large intestine (Q42)											
All ages.....	4	2 2	3	1 2	-	-	-	-	-	1 1	-
Under 1 year.....	3	1 2	2	- 2	-	-	-	-	-	1 1	-
1-4 years.....	1	1 -	1	1 -	-	-	-	-	-	-	-
5-9 years.....	-	- -	-	- -	-	-	-	-	-	-	-
10-14 years.....	-	- -	-	- -	-	-	-	-	-	-	-
15-19 years.....	-	- -	-	- -	-	-	-	-	-	-	-
20-24 years.....	-	- -	-	- -	-	-	-	-	-	-	-
25-29 years.....	-	- -	-	- -	-	-	-	-	-	-	-
30-34 years.....	-	- -	-	- -	-	-	-	-	-	-	-
35-39 years.....	-	- -	-	- -	-	-	-	-	-	-	-
40-44 years.....	-	- -	-	- -	-	-	-	-	-	-	-
45-49 years.....	-	- -	-	- -	-	-	-	-	-	-	-
50-54 years.....	-	- -	-	- -	-	-	-	-	-	-	-
55-59 years.....	-	- -	-	- -	-	-	-	-	-	-	-
60-64 years.....	-	- -	-	- -	-	-	-	-	-	-	-
65-69 years.....	-	- -	-	- -	-	-	-	-	-	-	-
70-74 years.....	-	- -	-	- -	-	-	-	-	-	-	-
75-79 years.....	-	- -	-	- -	-	-	-	-	-	-	-
80-84 years.....	-	- -	-	- -	-	-	-	-	-	-	-
85-89 years.....	-	- -	-	- -	-	-	-	-	-	-	-
90-94 years.....	-	- -	-	- -	-	-	-	-	-	-	-
95-99 years.....	-	- -	-	- -	-	-	-	-	-	-	-
100 years & over.	-	- -	-	- -	-	-	-	-	-	-	-
Age not stated...	-	- -	-	- -	-	-	-	-	-	-	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004) and age	All races		White		Black		American Indian 1/ Both		Asian or Pacific Islander 2/ Both	
	Both sexes	Male Female	Both sexes	Male Female	Both sexes	Male Female	Both sexes	Male Female	Both sexes	Male Female
Congenital malformation of digestive system, unspecified (Q45.9)										
All ages.....	5	3 2	5	3 2	-	-	-	-	-	-
Under 1 year.....	1	1 -	1	1 -	-	-	-	-	-	-
1-4 years.....	1	1 -	1	1 -	-	-	-	-	-	-
5-9 years.....	-	- -	-	- -	-	-	-	-	-	-
10-14 years.....	-	- -	-	- -	-	-	-	-	-	-
15-19 years.....	-	- -	-	- -	-	-	-	-	-	-
20-24 years.....	-	- -	-	- -	-	-	-	-	-	-
25-29 years.....	-	- -	-	- -	-	-	-	-	-	-
30-34 years.....	-	- -	-	- -	-	-	-	-	-	-
35-39 years.....	-	- -	-	- -	-	-	-	-	-	-
40-44 years.....	-	- -	-	- -	-	-	-	-	-	-
45-49 years.....	-	- -	-	- -	-	-	-	-	-	-
50-54 years.....	-	- -	-	- -	-	-	-	-	-	-
55-59 years.....	-	- -	-	- -	-	-	-	-	-	-
60-64 years.....	-	- -	-	- -	-	-	-	-	-	-
65-69 years.....	-	- -	-	- -	-	-	-	-	-	-
70-74 years.....	-	- -	-	- -	-	-	-	-	-	-
75-79 years.....	-	- -	-	- -	-	-	-	-	-	-
80-84 years.....	-	- -	-	- -	-	-	-	-	-	-
85-89 years.....	2	1 1	2	1 1	-	-	-	-	-	-
90-94 years.....	1	- 1	1	- 1	-	-	-	-	-	-
95-99 years.....	-	- -	-	- -	-	-	-	-	-	-
100 years & over.	-	- -	-	- -	-	-	-	-	-	-
Age not stated...	-	- -	-	- -	-	-	-	-	-	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004) and age	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/		Asian or Pacific Islander 2/			
		Male	Female		Male	Female		Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
Undescended testicle (Q53)															
All ages.....	1	1	...	1	1	...	-	-	...	-	-	...	-	-	...
Under 1 year.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
1-4 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
5-9 years.....	1	1	...	1	1	...	-	-	...	-	-	...	-	-	...
10-14 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
15-19 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
20-24 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
25-29 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
30-34 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
35-39 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
40-44 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
45-49 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
50-54 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
55-59 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
60-64 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
65-69 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
70-74 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
75-79 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
80-84 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
85-89 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
90-94 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
95-99 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
100 years & over.	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
Age not stated...	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004) and age	All races		White		Black		American Indian 1/		Asian or Pacific Islander 2/	
	Both sexes		Both sexes		Both sexes		Both sexes		Both sexes	
	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female
Undescended testicle, unspecified (Q53.9)										
All ages.....	1	...	1	...	-	-	-	-	-	-
Under 1 year.....	-	...	-	...	-	-	-	-	-	-
1-4 years.....	-	...	-	...	-	-	-	-	-	-
5-9 years.....	1	...	1	...	-	-	-	-	-	-
10-14 years.....	-	...	-	...	-	-	-	-	-	-
15-19 years.....	-	...	-	...	-	-	-	-	-	-
20-24 years.....	-	...	-	...	-	-	-	-	-	-
25-29 years.....	-	...	-	...	-	-	-	-	-	-
30-34 years.....	-	...	-	...	-	-	-	-	-	-
35-39 years.....	-	...	-	...	-	-	-	-	-	-
40-44 years.....	-	...	-	...	-	-	-	-	-	-
45-49 years.....	-	...	-	...	-	-	-	-	-	-
50-54 years.....	-	...	-	...	-	-	-	-	-	-
55-59 years.....	-	...	-	...	-	-	-	-	-	-
60-64 years.....	-	...	-	...	-	-	-	-	-	-
65-69 years.....	-	...	-	...	-	-	-	-	-	-
70-74 years.....	-	...	-	...	-	-	-	-	-	-
75-79 years.....	-	...	-	...	-	-	-	-	-	-
80-84 years.....	-	...	-	...	-	-	-	-	-	-
85-89 years.....	-	...	-	...	-	-	-	-	-	-
90-94 years.....	-	...	-	...	-	-	-	-	-	-
95-99 years.....	-	...	-	...	-	-	-	-	-	-
100 years & over.	-	...	-	...	-	-	-	-	-	-
Age not stated...	-	...	-	...	-	-	-	-	-	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004) and age	All races		White		Black		American Indian 1/		Asian or Pacific Islander 2/			
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
Hypospadias (Q54)												
All ages.....	1	1	...	1	1	...	-	-	...	-	-	...
Under 1 year.....	1	1	...	1	1	...	-	-	...	-	-	...
1-4 years.....	-	-	...	-	-	...	-	-	...	-	-	...
5-9 years.....	-	-	...	-	-	...	-	-	...	-	-	...
10-14 years.....	-	-	...	-	-	...	-	-	...	-	-	...
15-19 years.....	-	-	...	-	-	...	-	-	...	-	-	...
20-24 years.....	-	-	...	-	-	...	-	-	...	-	-	...
25-29 years.....	-	-	...	-	-	...	-	-	...	-	-	...
30-34 years.....	-	-	...	-	-	...	-	-	...	-	-	...
35-39 years.....	-	-	...	-	-	...	-	-	...	-	-	...
40-44 years.....	-	-	...	-	-	...	-	-	...	-	-	...
45-49 years.....	-	-	...	-	-	...	-	-	...	-	-	...
50-54 years.....	-	-	...	-	-	...	-	-	...	-	-	...
55-59 years.....	-	-	...	-	-	...	-	-	...	-	-	...
60-64 years.....	-	-	...	-	-	...	-	-	...	-	-	...
65-69 years.....	-	-	...	-	-	...	-	-	...	-	-	...
70-74 years.....	-	-	...	-	-	...	-	-	...	-	-	...
75-79 years.....	-	-	...	-	-	...	-	-	...	-	-	...
80-84 years.....	-	-	...	-	-	...	-	-	...	-	-	...
85-89 years.....	-	-	...	-	-	...	-	-	...	-	-	...
90-94 years.....	-	-	...	-	-	...	-	-	...	-	-	...
95-99 years.....	-	-	...	-	-	...	-	-	...	-	-	...
100 years & over.	-	-	...	-	-	...	-	-	...	-	-	...
Age not stated...	-	-	...	-	-	...	-	-	...	-	-	...

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004) and age	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/		Asian or Pacific Islander 2/			
		Male	Female		Male	Female		Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
Hypospadias, unspecified (Q54.9)															
All ages.....	1	1	...	1	1	...	-	-	...	-	-	...	-	-	...
Under 1 year.....	1	1	...	1	1	...	-	-	...	-	-	...	-	-	...
1-4 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
5-9 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
10-14 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
15-19 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
20-24 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
25-29 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
30-34 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
35-39 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
40-44 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
45-49 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
50-54 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
55-59 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
60-64 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
65-69 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
70-74 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
75-79 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
80-84 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
85-89 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
90-94 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
95-99 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
100 years & over.	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
Age not stated...	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004) and age	All races		White		Black		American Indian 1/		Asian or Pacific Islander 2/			
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
Other congenital malformations of male genital organs (Q55)												
All ages.....	1	1	...	1	1	...	-	-	...	-	-	...
Under 1 year.....	1	1	...	1	1	...	-	-	...	-	-	...
1-4 years.....	-	-	...	-	-	...	-	-	...	-	-	...
5-9 years.....	-	-	...	-	-	...	-	-	...	-	-	...
10-14 years.....	-	-	...	-	-	...	-	-	...	-	-	...
15-19 years.....	-	-	...	-	-	...	-	-	...	-	-	...
20-24 years.....	-	-	...	-	-	...	-	-	...	-	-	...
25-29 years.....	-	-	...	-	-	...	-	-	...	-	-	...
30-34 years.....	-	-	...	-	-	...	-	-	...	-	-	...
35-39 years.....	-	-	...	-	-	...	-	-	...	-	-	...
40-44 years.....	-	-	...	-	-	...	-	-	...	-	-	...
45-49 years.....	-	-	...	-	-	...	-	-	...	-	-	...
50-54 years.....	-	-	...	-	-	...	-	-	...	-	-	...
55-59 years.....	-	-	...	-	-	...	-	-	...	-	-	...
60-64 years.....	-	-	...	-	-	...	-	-	...	-	-	...
65-69 years.....	-	-	...	-	-	...	-	-	...	-	-	...
70-74 years.....	-	-	...	-	-	...	-	-	...	-	-	...
75-79 years.....	-	-	...	-	-	...	-	-	...	-	-	...
80-84 years.....	-	-	...	-	-	...	-	-	...	-	-	...
85-89 years.....	-	-	...	-	-	...	-	-	...	-	-	...
90-94 years.....	-	-	...	-	-	...	-	-	...	-	-	...
95-99 years.....	-	-	...	-	-	...	-	-	...	-	-	...
100 years & over.	-	-	...	-	-	...	-	-	...	-	-	...
Age not stated...	-	-	...	-	-	...	-	-	...	-	-	...

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004) and age	All races		White		Black		American Indian 1/		Asian or Pacific Islander 2/			
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
Congenital absence and aplasia of penis (Q55.5)												
All ages.....	1	1	...	1	1	...	-	-	...	-	-	...
Under 1 year.....	1	1	...	1	1	...	-	-	...	-	-	...
1-4 years.....	-	-	...	-	-	...	-	-	...	-	-	...
5-9 years.....	-	-	...	-	-	...	-	-	...	-	-	...
10-14 years.....	-	-	...	-	-	...	-	-	...	-	-	...
15-19 years.....	-	-	...	-	-	...	-	-	...	-	-	...
20-24 years.....	-	-	...	-	-	...	-	-	...	-	-	...
25-29 years.....	-	-	...	-	-	...	-	-	...	-	-	...
30-34 years.....	-	-	...	-	-	...	-	-	...	-	-	...
35-39 years.....	-	-	...	-	-	...	-	-	...	-	-	...
40-44 years.....	-	-	...	-	-	...	-	-	...	-	-	...
45-49 years.....	-	-	...	-	-	...	-	-	...	-	-	...
50-54 years.....	-	-	...	-	-	...	-	-	...	-	-	...
55-59 years.....	-	-	...	-	-	...	-	-	...	-	-	...
60-64 years.....	-	-	...	-	-	...	-	-	...	-	-	...
65-69 years.....	-	-	...	-	-	...	-	-	...	-	-	...
70-74 years.....	-	-	...	-	-	...	-	-	...	-	-	...
75-79 years.....	-	-	...	-	-	...	-	-	...	-	-	...
80-84 years.....	-	-	...	-	-	...	-	-	...	-	-	...
85-89 years.....	-	-	...	-	-	...	-	-	...	-	-	...
90-94 years.....	-	-	...	-	-	...	-	-	...	-	-	...
95-99 years.....	-	-	...	-	-	...	-	-	...	-	-	...
100 years & over.	-	-	...	-	-	...	-	-	...	-	-	...
Age not stated...	-	-	...	-	-	...	-	-	...	-	-	...

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004) and age	All races		White		Black		American Indian 1/ Both		Asian or Pacific Islander 2/ Both	
	Both sexes	Male Female	Both sexes	Male Female	Both sexes	Male Female	Both sexes	Male Female	Both sexes	Male Female
Congenital malformation of kidney, unspecified (Q63.9)										
All ages.....	18	9 9	11	5 6	7	4 3	-	- -	-	- -
Under 1 year.....	16	8 8	9	4 5	7	4 3	-	- -	-	- -
1-4 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
5-9 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
10-14 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
15-19 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
20-24 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
25-29 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
30-34 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
35-39 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
40-44 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
45-49 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
50-54 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
55-59 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
60-64 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
65-69 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
70-74 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
75-79 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
80-84 years.....	2	1 1	2	1 1	-	- -	-	- -	-	- -
85-89 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
90-94 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
95-99 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
100 years & over.	-	- -	-	- -	-	- -	-	- -	-	- -
Age not stated...	-	- -	-	- -	-	- -	-	- -	-	- -

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004) and age	All races		White		Black		American Indian 1/ Both		Asian or Pacific Islander 2/ Both	
	Both sexes	Male Female	Both sexes	Male Female	Both sexes	Male Female	Both sexes	Male Female	Both sexes	Male Female
Osteochondrodysplasia, unspecified (Q78.9)										
All ages.....	51	29 22	35	19 16	15	9 6	-	- -	1	1 -
Under 1 year.....	45	27 18	31	18 13	13	8 5	-	- -	1	1 -
1-4 years.....	3	1 2	2	- 2	1	1 -	-	- -	-	- -
5-9 years.....	1	- 1	1	- 1	-	- -	-	- -	-	- -
10-14 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
15-19 years.....	1	1 -	1	1 -	-	- -	-	- -	-	- -
20-24 years.....	1	- 1	-	- -	1	- 1	-	- -	-	- -
25-29 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
30-34 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
35-39 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
40-44 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
45-49 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
50-54 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
55-59 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
60-64 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
65-69 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
70-74 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
75-79 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
80-84 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
85-89 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
90-94 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
95-99 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
100 years & over.	-	- -	-	- -	-	- -	-	- -	-	- -
Age not stated...	-	- -	-	- -	-	- -	-	- -	-	- -

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004) and age	All races		White		Black		American Indian 1/ Both		Asian or Pacific Islander 2/ Both	
	Both sexes	Male Female	Both sexes	Male Female	Both sexes	Male Female	Both sexes	Male Female	Both sexes	Male Female
Congenital malformation of musculoskeletal system, unspecified (Q79.9)										
All ages.....	7	4 3	6	3 3	-	- -	1	1 -	-	- -
Under 1 year.....	4	2 2	4	2 2	-	- -	-	- -	-	- -
1-4 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
5-9 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
10-14 years.....	1	- 1	1	- 1	-	- -	-	- -	-	- -
15-19 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
20-24 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
25-29 years.....	1	1 -	1	1 -	-	- -	-	- -	-	- -
30-34 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
35-39 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
40-44 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
45-49 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
50-54 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
55-59 years.....	1	1 -	-	- -	-	- -	1	1 -	-	- -
60-64 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
65-69 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
70-74 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
75-79 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
80-84 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
85-89 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
90-94 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
95-99 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
100 years & over.	-	- -	-	- -	-	- -	-	- -	-	- -
Age not stated...	-	- -	-	- -	-	- -	-	- -	-	- -

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004) and age	All races		White		Black		American Indian 1/ Both		Asian or Pacific Islander 2/ Both	
	Both sexes	Male Female	Both sexes	Male Female	Both sexes	Male Female	Both sexes	Male Female	Both sexes	Male Female
Monosomies and deletions from the autosomes, not elsewhere classified (Q93)										
All ages.....	51	31 20	41	25 16	9	6 3	-	- -	-	1 - 1
Under 1 year.....	21	17 4	17	13 4	4	4 -	-	- -	-	- - -
1-4 years.....	8	3 5	7	3 4	1	1 -	-	- -	-	- - -
5-9 years.....	6	4 2	2	2 -	3	2 1	-	- -	-	1 - 1
10-14 years.....	4	2 2	4	2 2	-	- -	-	- -	-	- - -
15-19 years.....	1	- 1	-	- -	1	- 1	-	- -	-	- - -
20-24 years.....	1	1 -	1	1 -	-	- -	-	- -	-	- - -
25-29 years.....	3	- 3	3	- 3	-	- -	-	- -	-	- - -
30-34 years.....	2	1 1	2	1 1	-	- -	-	- -	-	- - -
35-39 years.....	3	2 1	3	2 1	-	- -	-	- -	-	- - -
40-44 years.....	-	- -	-	- -	-	- -	-	- -	-	- - -
45-49 years.....	-	- -	-	- -	-	- -	-	- -	-	- - -
50-54 years.....	-	- -	-	- -	-	- -	-	- -	-	- - -
55-59 years.....	1	1 -	1	1 -	-	- -	-	- -	-	- - -
60-64 years.....	-	- -	-	- -	-	- -	-	- -	-	- - -
65-69 years.....	-	- -	-	- -	-	- -	-	- -	-	- - -
70-74 years.....	-	- -	-	- -	-	- -	-	- -	-	- - -
75-79 years.....	1	- 1	1	- 1	-	- -	-	- -	-	- - -
80-84 years.....	-	- -	-	- -	-	- -	-	- -	-	- - -
85-89 years.....	-	- -	-	- -	-	- -	-	- -	-	- - -
90-94 years.....	-	- -	-	- -	-	- -	-	- -	-	- - -
95-99 years.....	-	- -	-	- -	-	- -	-	- -	-	- - -
100 years & over.	-	- -	-	- -	-	- -	-	- -	-	- - -
Age not stated...	-	- -	-	- -	-	- -	-	- -	-	- - -

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004) and age	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/ Both sexes		Asian or Pacific Islander 2/ Both sexes			
		Male	Female		Male	Female		Male	Female	Male	Female	Male	Female		
Turner's syndrome (Q96)															
All ages.....	17	...	17	13	...	13	4	...	4	-	...	-	...	-	
Under 1 year.....	8	...	8	5	...	5	3	...	3	-	...	-	...	-	
1-4 years.....	1	...	1	1	...	1	-	...	-	-	...	-	...	-	
5-9 years.....	1	...	1	1	...	1	-	...	-	-	...	-	...	-	
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	...	-	
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	...	-	
20-24 years.....	1	...	1	1	...	1	-	...	-	-	...	-	...	-	
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	...	-	
30-34 years.....	2	...	2	2	...	2	-	...	-	-	...	-	...	-	
35-39 years.....	1	...	1	1	...	1	-	...	-	-	...	-	...	-	
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	...	-	
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	...	-	
50-54 years.....	2	...	2	1	...	1	1	...	1	-	...	-	...	-	
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	...	-	
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	...	-	
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	...	-	
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	...	-	
75-79 years.....	1	...	1	1	...	1	-	...	-	-	...	-	...	-	
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	...	-	
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	...	-	
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	...	-	
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	...	-	
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	...	-	
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	...	-	

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004) and age	All races		White		Black		American Indian 1/		Asian or Pacific Islander 2/	
	Both sexes		Both sexes		Both sexes		Both sexes		Both sexes	
	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female

Karyotype 46, X with abnormal sex chromosome, except iso (Xq) (Q96.2)

All ages.....	1	...	1	-	...	-	1	...	1	-	...	-	-	...	-
Under 1 year.....	1	...	1	-	...	-	1	...	1	-	...	-	-	...	-
1-4 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004) and age	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/ Both sexes		Asian or Pacific Islander 2/ Both sexes		
		Male	Female		Male	Female		Male	Female	Male	Female	Male	Female	
Turner's syndrome, unspecified (Q96.9)														
All ages.....	16	...	16	13	...	13	3	...	3	-	...	-	...	-
Under 1 year.....	7	...	7	5	...	5	2	...	2	-	...	-	...	-
1-4 years.....	1	...	1	1	...	1	-	...	-	-	...	-	...	-
5-9 years.....	1	...	1	1	...	1	-	...	-	-	...	-	...	-
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	...	-
20-24 years.....	1	...	1	1	...	1	-	...	-	-	...	-	...	-
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	...	-
30-34 years.....	2	...	2	2	...	2	-	...	-	-	...	-	...	-
35-39 years.....	1	...	1	1	...	1	-	...	-	-	...	-	...	-
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	...	-
50-54 years.....	2	...	2	1	...	1	1	...	1	-	...	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	...	-
75-79 years.....	1	...	1	1	...	1	-	...	-	-	...	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004) and age	All races		White		Black		American Indian 1/ Both		Asian or Pacific Islander 2/ Both						
	Both sexes	Male Female	Both sexes	Male Female	Both sexes	Male Female	Both sexes	Male Female	Both sexes	Male Female					
Female with more than three X chromosomes (Q97.1)															
All ages.....	1	...	1	-	...	-	1	...	1	-	...	-	-	...	-
Under 1 year.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years.....	1	...	1	-	...	-	1	...	1	-	...	-	-	...	-
5-9 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004) and age	All races		White		Black		American Indian 1/		Asian or Pacific Islander 2/	
	Both sexes		Both sexes		Both sexes		Both sexes		Both sexes	
	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female

Other specified sex chromosome abnormalities, female phenotype (Q97.8)

All ages.....	2	...	2	1	...	1	-	...	-	-	...	-	1	...	1
Under 1 year.....	2	...	2	1	...	1	-	...	-	-	...	-	1	...	1
1-4 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004) and age	All races		White		Black		American Indian 1/		Asian or Pacific Islander 2/						
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
Other sex chromosome abnormalities, male phenotype, not elsewhere classified (Q98)															
All ages.....	5	5	...	4	4	...	-	-	...	-	-	...	1	1	...
Under 1 year.....	2	2	...	1	1	...	-	-	...	-	-	...	1	1	...
1-4 years.....	1	1	...	1	1	...	-	-	...	-	-	...	-	-	...
5-9 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
10-14 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
15-19 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
20-24 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
25-29 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
30-34 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
35-39 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
40-44 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
45-49 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
50-54 years.....	1	1	...	1	1	...	-	-	...	-	-	...	-	-	...
55-59 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
60-64 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
65-69 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
70-74 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
75-79 years.....	1	1	...	1	1	...	-	-	...	-	-	...	-	-	...
80-84 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
85-89 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
90-94 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
95-99 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
100 years & over.	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
Age not stated...	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004) and age	All races		White		Black		American Indian 1/		Asian or Pacific Islander 2/			
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
Klinefelter's syndrome, unspecified (Q98.4)												
All ages.....	3	3	...	3	3	...	-	-	...	-	-	...
Under 1 year.....	1	1	...	1	1	...	-	-	...	-	-	...
1-4 years.....	-	-	...	-	-	...	-	-	...	-	-	...
5-9 years.....	-	-	...	-	-	...	-	-	...	-	-	...
10-14 years.....	-	-	...	-	-	...	-	-	...	-	-	...
15-19 years.....	-	-	...	-	-	...	-	-	...	-	-	...
20-24 years.....	-	-	...	-	-	...	-	-	...	-	-	...
25-29 years.....	-	-	...	-	-	...	-	-	...	-	-	...
30-34 years.....	-	-	...	-	-	...	-	-	...	-	-	...
35-39 years.....	-	-	...	-	-	...	-	-	...	-	-	...
40-44 years.....	-	-	...	-	-	...	-	-	...	-	-	...
45-49 years.....	-	-	...	-	-	...	-	-	...	-	-	...
50-54 years.....	1	1	...	1	1	...	-	-	...	-	-	...
55-59 years.....	-	-	...	-	-	...	-	-	...	-	-	...
60-64 years.....	-	-	...	-	-	...	-	-	...	-	-	...
65-69 years.....	-	-	...	-	-	...	-	-	...	-	-	...
70-74 years.....	-	-	...	-	-	...	-	-	...	-	-	...
75-79 years.....	1	1	...	1	1	...	-	-	...	-	-	...
80-84 years.....	-	-	...	-	-	...	-	-	...	-	-	...
85-89 years.....	-	-	...	-	-	...	-	-	...	-	-	...
90-94 years.....	-	-	...	-	-	...	-	-	...	-	-	...
95-99 years.....	-	-	...	-	-	...	-	-	...	-	-	...
100 years & over.	-	-	...	-	-	...	-	-	...	-	-	...
Age not stated...	-	-	...	-	-	...	-	-	...	-	-	...

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004) and age	All races		White		Black		American Indian 1/		Asian or Pacific Islander 2/		
	Both sexes		Both sexes		Both sexes		Both sexes		Both sexes		
	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Female

Other specified sex chromosome abnormalities, male phenotype (Q98.8)

All ages.....	2	2	...	1	1	...	-	-	...	-	-	...	1	1	...
Under 1 year.....	1	1	...	-	-	...	-	-	...	-	-	...	1	1	...
1-4 years.....	1	1	...	1	1	...	-	-	...	-	-	...	-	-	...
5-9 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
10-14 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
15-19 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
20-24 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
25-29 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
30-34 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
35-39 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
40-44 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
45-49 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
50-54 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
55-59 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
60-64 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
65-69 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
70-74 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
75-79 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
80-84 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
85-89 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
90-94 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
95-99 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
100 years & over.	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
Age not stated...	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...

