

Person with disabilities experiencing problems accessing
NCHS birth and death tables should contact
nchsed@cdc.gov, or call 301-458-4688

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

III. Diseases of the blood and blood-forming organs and certain disorders involving the immune mechanism (D50-D89)

Arkansas

All races, both sexes.....	94	1	-	1	-	-	-	5	3	2	2	5
Male.....	36	-	-	1	-	-	-	3	2	1	1	2
Female.....	58	1	-	-	-	-	-	2	1	1	1	3
White, both sexes.....	77	1	-	1	-	-	-	2	1	1	2	3
Male.....	27	-	-	1	-	-	-	2	1	-	1	-
Female.....	50	1	-	-	-	-	-	-	-	1	1	3
Black, both sexes.....	17	-	-	-	-	-	-	3	2	1	-	2
Male.....	9	-	-	-	-	-	-	1	1	1	-	2
Female.....	8	-	-	-	-	-	-	2	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	682	19	11	8	6	5	11	13	5	19	18	23
Male.....	319	9	6	3	4	4	7	9	3	12	12	11
Female.....	363	10	5	5	2	1	4	4	2	7	6	12
White, both sexes.....	512	14	5	7	5	4	6	9	1	11	14	13
Male.....	241	5	3	2	4	3	4	8	1	7	9	8
Female.....	271	9	2	5	1	1	2	1	-	4	5	5
Black, both sexes.....	101	2	1	1	-	1	4	4	3	8	4	10
Male.....	49	2	-	1	-	1	3	1	1	5	3	3
Female.....	52	-	1	-	-	-	1	3	2	3	1	7
American Indian 1/, both sexes.....	2	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	67	3	5	-	1	-	1	-	1	-	-	-
Male.....	28	2	3	-	-	-	-	-	1	-	-	-
Female.....	39	1	2	-	1	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

III. Diseases of the blood and blood-forming organs and certain disorders involving the immune mechanism (D50-D89)

Arkansas

All races, both sexes.....	5	3	8	5	5	10	11	9	13	6	-	-
Male.....	-	2	4	2	3	4	5	3	2	1	-	-
Female.....	5	1	4	3	2	6	6	6	11	5	-	-
White, both sexes.....	4	2	7	4	5	8	10	9	12	5	-	-
Male.....	-	1	3	2	3	3	4	3	2	1	-	-
Female.....	4	1	4	2	2	5	6	6	10	4	-	-
Black, both sexes.....	1	1	1	1	-	2	1	-	1	1	-	-
Male.....	-	1	1	-	-	1	1	-	-	-	-	-
Female.....	1	-	-	1	-	1	-	-	1	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	36	34	33	36	53	61	89	104	57	34	7	-
Male.....	16	21	12	17	23	28	42	50	18	9	3	-
Female.....	20	13	21	19	30	33	47	54	39	25	4	-
White, both sexes.....	22	26	22	25	37	50	76	81	50	27	7	-
Male.....	9	18	9	10	17	23	37	37	17	7	3	-
Female.....	13	8	13	15	20	27	39	44	33	20	4	-
Black, both sexes.....	13	6	9	9	8	5	3	7	2	1	-	-
Male.....	7	3	3	7	1	3	-	5	-	-	-	-
Female.....	6	3	6	2	7	2	3	2	2	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	1	1	-	-	-	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	2	2	2	7	5	10	16	5	6	-	-
Male.....	-	-	-	-	4	2	5	8	1	2	-	-
Female.....	1	2	2	2	3	3	5	8	4	4	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

III. Diseases of the blood and blood-forming organs and certain disorders involving the immune mechanism (D50-D89)

Colorado

All races, both sexes.....	7	6	7	5	5	21	12	12	10	7	1	-
Male.....	1	3	-	3	2	12	8	4	4	1	1	-
Female.....	6	3	7	2	3	9	4	8	6	6	-	-
White, both sexes.....	3	5	5	4	5	19	12	12	10	7	1	-
Male.....	1	3	-	2	2	11	8	4	4	1	1	-
Female.....	2	2	5	2	3	8	4	8	6	6	-	-
Black, both sexes.....	4	1	1	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	4	1	1	-	-	1	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	1	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	1	-	1	-	-	-	-	-	-
Male.....	-	-	-	1	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Connecticut

All races, both sexes.....	4	5	3	9	5	9	23	14	20	12	2	-
Male.....	1	3	2	5	2	3	6	6	5	4	1	-
Female.....	3	2	1	4	3	6	17	8	15	8	1	-
White, both sexes.....	3	3	3	6	3	9	20	12	20	11	2	-
Male.....	1	1	2	3	1	3	4	5	5	4	1	-
Female.....	2	2	1	3	2	6	16	7	15	7	1	-
Black, both sexes.....	1	2	-	3	2	-	2	2	-	-	-	-
Male.....	-	2	-	2	1	-	1	1	-	-	-	-
Female.....	1	-	-	1	1	-	1	1	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	1	-	-	1	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

III. Diseases of the blood and blood-forming organs and certain disorders involving the immune mechanism (D50-D89)

Florida

All races, both sexes.....	41	36	49	47	62	58	93	95	51	18	2	-
Male.....	23	19	24	22	29	29	40	42	22	5	1	-
Female.....	18	17	25	25	33	29	53	53	29	13	1	-
White, both sexes.....	18	20	34	41	49	49	77	87	49	16	2	-
Male.....	11	12	18	19	26	25	36	40	22	5	1	-
Female.....	7	8	16	22	23	24	41	47	27	11	1	-
Black, both sexes.....	23	15	15	6	12	8	16	8	2	2	-	-
Male.....	12	7	6	3	2	3	4	2	-	-	-	-
Female.....	11	8	9	3	10	5	12	6	2	2	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	-	1	1	-	-	-	-	-	-
Male.....	-	-	-	-	1	1	-	-	-	-	-	-
Female.....	-	1	-	-	-	-	-	-	-	-	-	-

Georgia

All races, both sexes.....	24	18	19	17	25	22	38	34	15	15	2	-
Male.....	14	6	7	8	7	12	17	17	9	3	-	-
Female.....	10	12	12	9	18	10	21	17	6	12	2	-
White, both sexes.....	9	6	9	12	16	9	29	26	11	14	1	-
Male.....	7	1	4	6	4	7	14	13	6	2	-	-
Female.....	2	5	5	6	12	2	15	13	5	12	1	-
Black, both sexes.....	15	12	10	5	9	12	9	8	4	-	1	-
Male.....	7	5	3	2	3	5	3	4	3	-	-	-
Female.....	8	7	7	3	6	7	6	4	1	-	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	-	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	1	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

50-54 years 55-59 years 60-64 years 65-69 years 70-74 years 75-79 years 80-84 years 85-89 years 90-94 years 95-99 years 100 years and over Age not stated

III. Diseases of the blood and blood-forming organs and certain disorders involving the immune mechanism (D50-D89)

Kentucky

All races, both sexes.....	7	10	10	8	15	11	19	18	15	6	3	-
Male.....	2	5	5	3	8	4	8	6	-	-	-	-
Female.....	5	5	5	5	7	7	11	12	15	6	3	-
White, both sexes.....	6	8	8	8	13	10	15	16	13	6	3	-
Male.....	2	3	4	3	7	3	6	5	-	-	-	-
Female.....	4	5	4	5	6	7	9	11	13	6	3	-
Black, both sexes.....	1	2	2	-	1	1	4	2	2	-	-	-
Male.....	-	2	1	-	1	1	2	1	-	-	-	-
Female.....	1	-	1	-	-	-	2	1	2	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-

Louisiana

All races, both sexes.....	11	9	8	8	18	11	21	11	14	5	1	-
Male.....	3	5	4	1	5	4	6	6	2	1	1	-
Female.....	8	4	4	7	13	7	15	5	12	4	-	-
White, both sexes.....	8	4	3	1	7	8	15	9	8	4	1	-
Male.....	2	3	2	-	4	3	3	5	1	-	1	-
Female.....	6	1	1	1	3	5	12	4	7	4	-	-
Black, both sexes.....	3	5	5	7	10	3	6	2	6	1	-	-
Male.....	1	2	2	1	1	1	3	1	1	1	-	-
Female.....	2	3	3	6	9	2	3	1	5	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

III. Diseases of the blood and blood-forming organs and certain disorders involving the immune mechanism (D50-D89)

Massachusetts

All races, both sexes.....	6	8	9	7	8	26	40	40	26	10	5	-
Male.....	3	4	6	3	4	11	13	20	2	-	-	-
Female.....	3	4	3	4	4	15	27	20	24	10	5	-
White, both sexes.....	5	8	7	7	8	24	36	37	25	10	5	-
Male.....	2	4	6	3	4	11	12	19	2	-	-	-
Female.....	3	4	1	4	4	13	24	18	23	10	5	-
Black, both sexes.....	1	-	2	-	-	2	3	3	1	-	-	-
Male.....	1	-	-	-	-	-	1	1	-	-	-	-
Female.....	-	-	2	-	-	2	2	2	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-

Michigan

All races, both sexes.....	26	20	23	39	26	36	56	46	46	11	1	-
Male.....	13	9	11	16	13	15	16	19	10	4	-	-
Female.....	13	11	12	23	13	21	40	27	36	7	1	-
White, both sexes.....	14	11	17	27	19	28	47	44	41	11	1	-
Male.....	8	6	10	10	12	11	14	19	8	4	-	-
Female.....	6	5	7	17	7	17	33	25	33	7	1	-
Black, both sexes.....	11	8	6	11	7	6	8	2	5	-	-	-
Male.....	4	3	1	5	1	2	2	-	2	-	-	-
Female.....	7	5	5	6	6	4	6	2	3	-	-	-
American Indian 1/, both sexes.....	-	1	-	1	-	-	-	-	-	-	-	-
Male.....	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	1	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	2	1	-	-	-	-	-
Male.....	1	-	-	-	-	2	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

50-54 years 55-59 years 60-64 years 65-69 years 70-74 years 75-79 years 80-84 years 85-89 years 90-94 years 95-99 years 100 years and over Age not stated

III. Diseases of the blood and blood-forming organs and certain disorders involving the immune mechanism (D50-D89)

Nebraska

All races, both sexes.....	3	3	3	2	4	12	13	13	7	5	2	-
Male.....	2	3	2	2	1	6	7	1	2	1	-	-
Female.....	1	-	1	-	3	6	6	12	5	4	2	-
White, both sexes.....	2	3	3	2	3	11	13	12	7	4	2	-
Male.....	2	3	2	2	-	6	7	1	2	1	-	-
Female.....	-	-	1	-	3	5	6	11	5	3	2	-
Black, both sexes.....	-	-	-	-	1	-	-	1	-	1	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	1	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Nevada

All races, both sexes.....	3	5	4	4	9	9	8	11	1	-	-	-
Male.....	2	2	-	3	6	7	6	4	-	-	-	-
Female.....	1	3	4	1	3	2	2	7	1	-	-	-
White, both sexes.....	1	5	4	4	7	8	8	10	1	-	-	-
Male.....	-	2	-	3	5	6	6	3	-	-	-	-
Female.....	1	3	4	1	2	2	2	7	1	-	-	-
Black, both sexes.....	1	-	-	-	1	1	-	-	-	-	-	-
Male.....	1	-	-	-	1	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	1	-	-	1	-	-	-	-
Male.....	1	-	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

50-54 years 55-59 years 60-64 years 65-69 years 70-74 years 75-79 years 80-84 years 85-89 years 90-94 years 95-99 years 100 years and over Age not stated

III. Diseases of the blood and blood-forming organs and certain disorders involving the immune mechanism (D50-D89)

New Hampshire

All races, both sexes.....	2	1	1	1	4	4	5	5	7	1	-	-
Male.....	-	-	1	-	2	1	3	2	2	1	-	-
Female.....	2	1	-	1	2	3	2	3	5	-	-	-
White, both sexes.....	2	1	1	1	4	4	5	5	7	1	-	-
Male.....	-	-	1	-	2	1	3	2	2	1	-	-
Female.....	2	1	-	1	2	3	2	3	5	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New Jersey

All races, both sexes.....	14	23	18	20	27	33	58	54	33	16	4	-
Male.....	10	6	8	9	9	13	25	16	10	2	1	-
Female.....	4	17	10	11	18	20	33	38	23	14	3	-
White, both sexes.....	7	12	11	13	20	30	49	48	32	16	4	-
Male.....	6	4	5	5	6	12	21	13	10	2	1	-
Female.....	1	8	6	8	14	18	28	35	22	14	3	-
Black, both sexes.....	6	11	6	7	7	3	9	4	1	-	-	-
Male.....	3	2	2	4	3	1	4	3	-	-	-	-
Female.....	3	9	4	3	4	2	5	1	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	1	-	-	-	-	2	-	-	-	-
Male.....	1	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	2	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

50-54 years 55-59 years 60-64 years 65-69 years 70-74 years 75-79 years 80-84 years 85-89 years 90-94 years 95-99 years 100 years and over Age not stated

III. Diseases of the blood and blood-forming organs and certain disorders involving the immune mechanism (D50-D89)

New Mexico

All races, both sexes.....	2	2	2	7	2	6	7	14	5	1	1	-
Male.....	1	2	1	3	1	3	6	4	3	-	-	-
Female.....	1	-	1	4	1	3	1	10	2	1	1	-
White, both sexes.....	1	2	2	7	2	6	7	13	5	1	1	-
Male.....	1	2	1	3	1	3	6	4	3	-	-	-
Female.....	-	-	1	4	1	3	1	9	2	1	1	-
Black, both sexes.....	1	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	1	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New York

All races, both sexes.....	27	22	41	37	34	54	57	73	50	21	1	-
Male.....	16	12	20	19	17	22	23	27	10	6	-	-
Female.....	11	10	21	18	17	32	34	46	40	15	1	-
White, both sexes.....	15	14	28	24	32	48	52	65	45	21	1	-
Male.....	11	9	16	14	17	21	22	22	8	6	-	-
Female.....	4	5	12	10	15	27	30	43	37	15	1	-
Black, both sexes.....	10	6	12	12	2	6	4	6	5	-	-	-
Male.....	5	1	4	5	-	1	1	3	2	-	-	-
Female.....	5	5	8	7	2	5	3	3	3	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	2	1	1	-	-	1	2	-	-	-	-
Male.....	-	2	-	-	-	-	-	2	-	-	-	-
Female.....	2	-	1	1	-	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

III. Diseases of the blood and blood-forming organs and certain disorders involving the immune mechanism (D50-D89)

South Dakota

All races, both sexes.....	-	1	-	-	1	1	1	5	3	1	2	-
Male.....	-	-	-	-	-	1	-	2	-	-	1	-
Female.....	-	1	-	-	1	-	1	3	3	1	1	-
White, both sexes.....	-	-	-	-	1	1	1	5	3	1	2	-
Male.....	-	-	-	-	-	1	-	2	-	-	1	-
Female.....	-	-	-	-	1	-	1	3	3	1	1	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	1	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Tennessee

All races, both sexes.....	9	10	14	22	25	17	25	19	17	8	1	-
Male.....	6	2	5	10	10	9	11	8	2	3	-	-
Female.....	3	8	9	12	15	8	14	11	15	5	1	-
White, both sexes.....	5	7	10	18	19	17	22	18	16	7	1	-
Male.....	3	2	4	7	8	9	10	8	2	3	-	-
Female.....	2	5	6	11	11	8	12	10	14	4	1	-
Black, both sexes.....	4	3	4	3	6	-	3	1	1	-	-	-
Male.....	3	-	1	2	2	-	1	-	-	-	-	-
Female.....	1	3	3	1	4	-	2	1	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	1	-	-	-	-	-	1	-	-
Male.....	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

III. Diseases of the blood and blood-forming organs and certain disorders involving the immune mechanism (D50-D89)

Vermont

All races, both sexes.....	-	-	3	-	2	-	4	-	1	-	-	-
Male.....	-	-	-	-	2	-	3	-	1	-	-	-
Female.....	-	-	3	-	-	-	1	-	-	-	-	-
White, both sexes.....	-	-	3	-	2	-	4	-	1	-	-	-
Male.....	-	-	-	-	2	-	3	-	1	-	-	-
Female.....	-	-	3	-	-	-	1	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Virginia

All races, both sexes.....	14	13	19	19	17	27	34	33	17	10	-	-
Male.....	9	3	12	8	11	10	17	15	4	5	-	-
Female.....	5	10	7	11	6	17	17	18	13	5	-	-
White, both sexes.....	7	7	9	13	14	20	28	26	16	8	-	-
Male.....	5	3	6	5	8	9	16	12	3	3	-	-
Female.....	2	4	3	8	6	11	12	14	13	5	-	-
Black, both sexes.....	7	6	10	6	3	5	5	7	-	2	-	-
Male.....	4	-	6	3	3	1	-	3	-	2	-	-
Female.....	3	6	4	3	-	4	5	4	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	2	1	-	1	-	-	-
Male.....	-	-	-	-	-	-	1	-	1	-	-	-
Female.....	-	-	-	-	-	2	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Anemias (D50-D64)												
Arkansas												
All races, both sexes.....	58	-	-	1	-	-	-	4	1	1	-	3
Male.....	21	-	-	1	-	-	-	2	1	1	-	1
Female.....	37	-	-	-	-	-	-	2	-	-	-	2
White, both sexes.....	44	-	-	1	-	-	-	1	-	-	-	2
Male.....	13	-	-	1	-	-	-	1	-	-	-	-
Female.....	31	-	-	-	-	-	-	-	-	-	-	2
Black, both sexes.....	14	-	-	-	-	-	-	3	1	1	-	1
Male.....	8	-	-	-	-	-	-	1	1	1	-	1
Female.....	6	-	-	-	-	-	-	2	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
California												
All races, both sexes.....	346	3	2	2	4	3	7	7	4	6	5	9
Male.....	160	1	1	-	3	2	6	3	3	2	4	4
Female.....	186	2	1	2	1	1	1	4	1	4	1	5
White, both sexes.....	274	2	1	2	3	2	3	3	1	2	2	5
Male.....	128	-	1	-	3	1	3	2	1	-	2	3
Female.....	146	2	-	2	-	1	-	1	-	2	-	2
Black, both sexes.....	38	-	1	-	-	1	4	4	2	4	3	4
Male.....	17	-	-	-	-	1	3	1	1	2	2	1
Female.....	21	-	1	-	-	-	1	3	1	2	1	3
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	33	1	-	-	1	-	-	-	1	-	-	-
Male.....	14	1	-	-	-	-	-	-	1	-	-	-
Female.....	19	-	-	-	1	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Anemias (D50-D64)												
Arkansas												
All races, both sexes.....	2	3	4	3	3	4	6	7	10	6	-	-
Male.....	-	2	1	-	2	2	4	2	1	1	-	-
Female.....	2	1	3	3	1	2	2	5	9	5	-	-
White, both sexes.....	2	2	3	2	3	2	5	7	9	5	-	-
Male.....	-	1	-	-	2	1	3	2	1	1	-	-
Female.....	2	1	3	2	1	1	2	5	8	4	-	-
Black, both sexes.....	-	1	1	1	-	2	1	-	1	1	-	-
Male.....	-	1	1	-	-	1	1	-	-	-	-	-
Female.....	-	-	-	1	-	1	-	-	1	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
California												
All races, both sexes.....	12	11	10	12	25	26	57	58	46	30	7	-
Male.....	6	7	5	7	14	10	26	29	15	9	3	-
Female.....	6	4	5	5	11	16	31	29	31	21	4	-
White, both sexes.....	8	8	9	12	19	20	53	48	41	23	7	-
Male.....	4	5	5	7	11	7	26	23	14	7	3	-
Female.....	4	3	4	5	8	13	27	25	27	16	4	-
Black, both sexes.....	4	2	1	-	2	2	1	1	1	1	-	-
Male.....	2	2	-	-	-	1	-	1	-	-	-	-
Female.....	2	-	1	-	2	1	1	-	1	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	-	3	4	3	9	4	6	-	-
Male.....	-	-	-	-	2	2	-	5	1	2	-	-
Female.....	-	1	-	-	1	2	3	4	3	4	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Anemias (D50-D64)

Florida

All races, both sexes.....	14	9	16	15	20	25	44	53	36	17	1	-
Male.....	6	4	6	7	8	12	23	23	16	4	1	-
Female.....	8	5	10	8	12	13	21	30	20	13	-	-
White, both sexes.....	8	4	12	13	13	19	35	48	35	15	1	-
Male.....	5	3	5	6	7	9	20	22	16	4	1	-
Female.....	3	1	7	7	6	10	15	26	19	11	-	-
Black, both sexes.....	6	4	4	2	7	6	9	5	1	2	-	-
Male.....	1	1	1	1	1	3	3	1	-	-	-	-
Female.....	5	3	3	1	6	3	6	4	1	2	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	1	-	-	-	-	-	-	-	-	-	-

Georgia

All races, both sexes.....	7	5	9	5	7	13	13	17	11	11	2	-
Male.....	5	1	4	2	1	7	5	8	5	2	-	-
Female.....	2	4	5	3	6	6	8	9	6	9	2	-
White, both sexes.....	1	1	5	4	5	5	12	12	9	10	1	-
Male.....	1	-	2	2	-	4	5	5	4	1	-	-
Female.....	-	1	3	2	5	1	7	7	5	9	1	-
Black, both sexes.....	6	4	4	1	2	7	1	5	2	-	1	-
Male.....	4	1	2	-	1	3	-	3	1	-	-	-
Female.....	2	3	2	1	1	4	1	2	1	-	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	-	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	1	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Anemias (D50-D64)

Massachusetts

All races, both sexes.....	1	2	1	1	3	10	26	28	23	8	3	-
Male.....	1	-	-	1	1	4	10	15	2	-	-	-
Female.....	-	2	1	-	2	6	16	13	21	8	3	-
White, both sexes.....	1	2	-	1	3	10	24	27	22	8	3	-
Male.....	1	-	-	1	1	4	9	15	2	-	-	-
Female.....	-	2	-	-	2	6	15	12	20	8	3	-
Black, both sexes.....	-	-	1	-	-	-	1	1	1	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	1	-	-	-	-	1	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-

Michigan

All races, both sexes.....	5	7	9	18	9	13	35	29	37	9	1	-
Male.....	2	4	3	7	4	6	7	12	9	4	-	-
Female.....	3	3	6	11	5	7	28	17	28	5	1	-
White, both sexes.....	2	4	6	11	7	9	26	27	35	9	1	-
Male.....	1	2	3	3	3	3	5	12	8	4	-	-
Female.....	1	2	3	8	4	6	21	15	27	5	1	-
Black, both sexes.....	2	2	3	6	2	2	8	2	2	-	-	-
Male.....	-	2	-	3	1	1	2	-	1	-	-	-
Female.....	2	-	3	3	1	1	6	2	1	-	-	-
American Indian 1/, both sexes.....	-	1	-	1	-	-	-	-	-	-	-	-
Male.....	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	1	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	2	1	-	-	-	-	-
Male.....	1	-	-	-	-	2	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Anemias (D50-D64)

New Hampshire

All races, both sexes.....	2	-	1	-	2	3	3	4	5	1	-	-
Male.....	-	-	1	-	1	1	2	2	1	1	-	-
Female.....	2	-	-	-	1	2	1	2	4	-	-	-
White, both sexes.....	2	-	1	-	2	3	3	4	5	1	-	-
Male.....	-	-	1	-	1	1	2	2	1	1	-	-
Female.....	2	-	-	-	1	2	1	2	4	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New Jersey

All races, both sexes.....	2	6	8	9	16	10	29	34	26	13	3	-
Male.....	2	1	4	4	4	5	13	10	9	2	-	-
Female.....	-	5	4	5	12	5	16	24	17	11	3	-
White, both sexes.....	2	4	6	5	10	10	25	30	25	13	3	-
Male.....	2	1	3	1	2	5	12	8	9	2	-	-
Female.....	-	3	3	4	8	5	13	22	16	11	3	-
Black, both sexes.....	-	2	1	4	6	-	4	2	1	-	-	-
Male.....	-	-	-	3	2	-	1	2	-	-	-	-
Female.....	-	2	1	1	4	-	3	-	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	-	-	-	-	2	-	-	-	-
Male.....	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	2	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Anemias (D50-D64)

New Mexico

All races, both sexes.....	-	1	-	2	-	4	5	8	3	1	1	-
Male.....	-	1	-	2	-	2	5	2	1	-	-	-
Female.....	-	-	-	-	-	2	-	6	2	1	1	-
White, both sexes.....	-	1	-	2	-	4	5	8	3	1	1	-
Male.....	-	1	-	2	-	2	5	2	1	-	-	-
Female.....	-	-	-	-	-	2	-	6	2	1	1	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New York

All races, both sexes.....	6	4	11	10	10	21	29	46	40	19	1	-
Male.....	5	-	3	6	6	9	9	15	10	6	-	-
Female.....	1	4	8	4	4	12	20	31	30	13	1	-
White, both sexes.....	3	2	9	7	10	19	26	43	37	19	1	-
Male.....	2	-	3	6	6	9	9	13	8	6	-	-
Female.....	1	2	6	1	4	10	17	30	29	13	1	-
Black, both sexes.....	3	2	1	2	-	2	2	2	3	-	-	-
Male.....	3	-	-	-	-	-	-	1	2	-	-	-
Female.....	-	2	1	2	-	2	2	1	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	1	-	-	1	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	1	1	-	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Anemias (D50-D64)

South Dakota

All races, both sexes.....	-	1	-	-	1	-	1	3	3	1	1	-
Male.....	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	-	1	-	-	1	-	1	2	3	1	1	-
White, both sexes.....	-	-	-	-	1	-	1	3	3	1	1	-
Male.....	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	1	-	1	2	3	1	1	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	1	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Tennessee

All races, both sexes.....	1	2	5	8	11	8	16	11	13	5	1	-
Male.....	1	1	1	4	5	4	5	4	2	2	-	-
Female.....	-	1	4	4	6	4	11	7	11	3	1	-
White, both sexes.....	-	1	5	7	9	8	13	10	12	4	1	-
Male.....	-	1	1	3	4	4	4	4	2	2	-	-
Female.....	-	-	4	4	5	4	9	6	10	2	1	-
Black, both sexes.....	1	1	-	1	2	-	3	1	1	-	-	-
Male.....	1	-	-	1	1	-	1	-	-	-	-	-
Female.....	-	1	-	-	1	-	2	1	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

All Under 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
ages 1 year years years years years years years years years years

Nutritional anemias (D50-D53)

Alaska

Table with 13 columns (Cause of death, All ages, Under 1 year, 1-4 years, 5-9 years, 10-14 years, 15-19 years, 20-24 years, 25-29 years, 30-34 years, 35-39 years, 40-44 years, 45-49 years) and rows for Alaska: All races, both sexes; Male; Female; White, both sexes; Male; Female; Black, both sexes; Male; Female; American Indian 1/, both sexes; Male; Female; Asian or Pacific Islander 2/, both sexes; Male; Female.

Arizona

Table with 13 columns (Cause of death, All ages, Under 1 year, 1-4 years, 5-9 years, 10-14 years, 15-19 years, 20-24 years, 25-29 years, 30-34 years, 35-39 years, 40-44 years, 45-49 years) and rows for Arizona: All races, both sexes; Male; Female; White, both sexes; Male; Female; Black, both sexes; Male; Female; American Indian 1/, both sexes; Male; Female; Asian or Pacific Islander 2/, both sexes; Male; Female.

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

All ages Under 1 year 1-4 years 5-9 years 10-14 years 15-19 years 20-24 years 25-29 years 30-34 years 35-39 years 40-44 years 45-49 years

Nutritional anemias (D50-D53)

Colorado

Table with 13 columns (Cause of death, All ages, Under 1 year, 1-4 years, 5-9 years, 10-14 years, 15-19 years, 20-24 years, 25-29 years, 30-34 years, 35-39 years, 40-44 years, 45-49 years) and rows for Colorado: All races, both sexes; Male; Female; White, both sexes; Male; Female; Black, both sexes; Male; Female; American Indian 1/, both sexes; Male; Female; Asian or Pacific Islander 2/, both sexes; Male; Female.

Connecticut

Table with 13 columns (Cause of death, All ages, Under 1 year, 1-4 years, 5-9 years, 10-14 years, 15-19 years, 20-24 years, 25-29 years, 30-34 years, 35-39 years, 40-44 years, 45-49 years) and rows for Connecticut: All races, both sexes; Male; Female; White, both sexes; Male; Female; Black, both sexes; Male; Female; American Indian 1/, both sexes; Male; Female; Asian or Pacific Islander 2/, both sexes; Male; Female.

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

All Under 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
ages 1 year years years years years years years years years years

Nutritional anemias (D50-D53)

Iowa

Table with 13 columns (Cause of death, All ages, Under 1 year, 1-4 years, 5-9 years, 10-14 years, 15-19 years, 20-24 years, 25-29 years, 30-34 years, 35-39 years, 40-44 years, 45-49 years) and rows for Iowa: All races, both sexes; Male; Female; White, both sexes; Male; Female; Black, both sexes; Male; Female; American Indian 1/, both sexes; Male; Female; Asian or Pacific Islander 2/, both sexes; Male; Female.

Kansas

Table with 13 columns (Cause of death, All ages, Under 1 year, 1-4 years, 5-9 years, 10-14 years, 15-19 years, 20-24 years, 25-29 years, 30-34 years, 35-39 years, 40-44 years, 45-49 years) and rows for Kansas: All races, both sexes; Male; Female; White, both sexes; Male; Female; Black, both sexes; Male; Female; American Indian 1/, both sexes; Male; Female; Asian or Pacific Islander 2/, both sexes; Male; Female.

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

All Under 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
ages 1 year years years years years years years years years years years

Nutritional anemias (D50-D53)

Massachusetts

Table with 13 columns (All ages, Under 1 year, 1-4 years, 5-9 years, 10-14 years, 15-19 years, 20-24 years, 25-29 years, 30-34 years, 35-39 years, 40-44 years, 45-49 years) and rows for All races, White, Black, American Indian, and Asian or Pacific Islander, each split by sex.

Michigan

Table with 13 columns (All ages, Under 1 year, 1-4 years, 5-9 years, 10-14 years, 15-19 years, 20-24 years, 25-29 years, 30-34 years, 35-39 years, 40-44 years, 45-49 years) and rows for All races, White, Black, American Indian, and Asian or Pacific Islander, each split by sex.

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

All Under 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
ages 1 year years years years years years years years years years

Nutritional anemias (D50-D53)

Missouri

Table with 13 columns (Cause of death, All ages, Under 1 year, 1-4 years, 5-9 years, 10-14 years, 15-19 years, 20-24 years, 25-29 years, 30-34 years, 35-39 years, 40-44 years, 45-49 years) and rows for Missouri: All races, both sexes; Male; Female; White, both sexes; Male; Female; Black, both sexes; Male; Female; American Indian 1/, both sexes; Male; Female; Asian or Pacific Islander 2/, both sexes; Male; Female.

Montana

Table with 13 columns (Cause of death, All ages, Under 1 year, 1-4 years, 5-9 years, 10-14 years, 15-19 years, 20-24 years, 25-29 years, 30-34 years, 35-39 years, 40-44 years, 45-49 years) and rows for Montana: All races, both sexes; Male; Female; White, both sexes; Male; Female; Black, both sexes; Male; Female; American Indian 1/, both sexes; Male; Female; Asian or Pacific Islander 2/, both sexes; Male; Female.

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

All Under 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
ages 1 year years years years years years years years years years

Nutritional anemias (D50-D53)

Nebraska

Table with 13 columns (Cause of death, All ages, Under 1 year, 1-4 years, 5-9 years, 10-14 years, 15-19 years, 20-24 years, 25-29 years, 30-34 years, 35-39 years, 40-44 years, 45-49 years) and rows for Nebraska: All races, both sexes; Male; Female; White, both sexes; Male; Female; Black, both sexes; Male; Female; American Indian 1/, both sexes; Male; Female; Asian or Pacific Islander 2/, both sexes; Male; Female.

Nevada

Table with 13 columns (Cause of death, All ages, Under 1 year, 1-4 years, 5-9 years, 10-14 years, 15-19 years, 20-24 years, 25-29 years, 30-34 years, 35-39 years, 40-44 years, 45-49 years) and rows for Nevada: All races, both sexes; Male; Female; White, both sexes; Male; Female; Black, both sexes; Male; Female; American Indian 1/, both sexes; Male; Female; Asian or Pacific Islander 2/, both sexes; Male; Female.

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

All Under 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
ages 1 year years years years years years years years years years

Nutritional anemias (D50-D53)

New Hampshire

Table with 13 columns (Cause of death, All ages, Under 1 year, 1-4 years, 5-9 years, 10-14 years, 15-19 years, 20-24 years, 25-29 years, 30-34 years, 35-39 years, 40-44 years, 45-49 years) and rows for New Hampshire: All races, both sexes; Male; Female; White, both sexes; Male; Female; Black, both sexes; Male; Female; American Indian 1/, both sexes; Male; Female; Asian or Pacific Islander 2/, both sexes; Male; Female.

New Jersey

Table with 13 columns (Cause of death, All ages, Under 1 year, 1-4 years, 5-9 years, 10-14 years, 15-19 years, 20-24 years, 25-29 years, 30-34 years, 35-39 years, 40-44 years, 45-49 years) and rows for New Jersey: All races, both sexes; Male; Female; White, both sexes; Male; Female; Black, both sexes; Male; Female; American Indian 1/, both sexes; Male; Female; Asian or Pacific Islander 2/, both sexes; Male; Female.

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

All Under 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
ages 1 year years years years years years years years years years

Nutritional anemias (D50-D53)

Rhode Island

Table with 13 columns (Cause of death, All ages, Under 1 year, 1-4 years, 5-9 years, 10-14 years, 15-19 years, 20-24 years, 25-29 years, 30-34 years, 35-39 years, 40-44 years, 45-49 years) and rows for Rhode Island: All races, both sexes; Male; Female; White, both sexes; Male; Female; Black, both sexes; Male; Female; American Indian 1/, both sexes; Male; Female; Asian or Pacific Islander 2/, both sexes; Male; Female.

South Carolina

Table with 13 columns (Cause of death, All ages, Under 1 year, 1-4 years, 5-9 years, 10-14 years, 15-19 years, 20-24 years, 25-29 years, 30-34 years, 35-39 years, 40-44 years, 45-49 years) and rows for South Carolina: All races, both sexes; Male; Female; White, both sexes; Male; Female; Black, both sexes; Male; Female; American Indian 1/, both sexes; Male; Female; Asian or Pacific Islander 2/, both sexes; Male; Female.

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Nutritional anemias (D50-D53)

Arkansas

All races, both sexes.....	-	-	-	-	-	1	1	2	-	-	-	-
Male.....	-	-	-	-	-	-	1	1	-	-	-	-
Female.....	-	-	-	-	-	1	-	1	-	-	-	-
White, both sexes.....	-	-	-	-	-	1	1	2	-	-	-	-
Male.....	-	-	-	-	-	-	1	1	-	-	-	-
Female.....	-	-	-	-	-	1	-	1	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	-	-	-	-	-	1	4	5	7	2	-	-
Male.....	-	-	-	-	-	1	-	4	2	1	-	-
Female.....	-	-	-	-	-	-	4	1	5	1	-	-
White, both sexes.....	-	-	-	-	-	1	3	4	7	2	-	-
Male.....	-	-	-	-	-	1	-	3	2	1	-	-
Female.....	-	-	-	-	-	-	3	1	5	1	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	1	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex 50-54 years 55-59 years 60-64 years 65-69 years 70-74 years 75-79 years 80-84 years 85-89 years 90-94 years 95-99 years 100 years and over Age not stated

Nutritional anemias (D50-D53)

Delaware

Table with 13 columns (Age groups) and rows for Delaware: All races, both sexes; Male; Female; White, both sexes; Male; Female; Black, both sexes; Male; Female; American Indian 1/, both sexes; Male; Female; Asian or Pacific Islander 2/, both sexes; Male; Female.

Dist. of Columbia

Table with 13 columns (Age groups) and rows for Dist. of Columbia: All races, both sexes; Male; Female; White, both sexes; Male; Female; Black, both sexes; Male; Female; American Indian 1/, both sexes; Male; Female; Asian or Pacific Islander 2/, both sexes; Male; Female.

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Aplastic anemias (D60-D61)

Arkansas

All races, both sexes.....	13	-	-	1	-	-	-	1	-	-	-	1
Male.....	3	-	-	1	-	-	-	1	-	-	-	-
Female.....	10	-	-	-	-	-	-	-	-	-	-	1
White, both sexes.....	11	-	-	1	-	-	-	1	-	-	-	1
Male.....	3	-	-	1	-	-	-	1	-	-	-	-
Female.....	8	-	-	-	-	-	-	-	-	-	-	1
Black, both sexes.....	2	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	87	-	-	2	3	1	2	2	1	3	1	2
Male.....	47	-	-	-	2	1	2	1	1	1	1	1
Female.....	40	-	-	2	1	-	-	1	-	2	-	1
White, both sexes.....	75	-	-	2	2	-	2	2	1	1	1	2
Male.....	41	-	-	-	2	-	2	1	1	-	1	1
Female.....	34	-	-	2	-	-	-	1	-	1	-	1
Black, both sexes.....	3	-	-	-	-	1	-	-	-	2	-	-
Male.....	2	-	-	-	-	1	-	-	-	1	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	1	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	8	-	-	-	1	-	-	-	-	-	-	-
Male.....	3	-	-	-	-	-	-	-	-	-	-	-
Female.....	5	-	-	-	1	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Aplastic anemias (D60-D61)

Arkansas

All races, both sexes.....	2	-	1	-	1	1	1	1	1	2	-	-
Male.....	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	2	-	1	-	1	1	1	-	1	2	-	-
White, both sexes.....	2	-	1	-	1	-	1	1	1	1	-	-
Male.....	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	2	-	1	-	1	-	1	-	1	1	-	-
Black, both sexes.....	-	-	-	-	-	1	-	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	5	5	5	4	10	7	9	14	9	1	1	-
Male.....	2	3	4	2	5	4	3	9	3	1	1	-
Female.....	3	2	1	2	5	3	6	5	6	-	-	-
White, both sexes.....	5	4	5	4	7	5	9	13	8	1	1	-
Male.....	2	3	4	2	3	3	3	8	3	1	1	-
Female.....	3	1	1	2	4	2	6	5	5	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	-	2	2	-	1	1	-	-	-
Male.....	-	-	-	-	1	1	-	1	-	-	-	-
Female.....	-	1	-	-	1	1	-	-	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Aplastic anemias (D60-D61)

New Hampshire

All races, both sexes.....	1	-	1	-	-	2	-	-	-	-	-	-
Male.....	-	-	1	-	-	1	-	-	-	-	-	-
Female.....	1	-	-	-	-	1	-	-	-	-	-	-
White, both sexes.....	1	-	1	-	-	2	-	-	-	-	-	-
Male.....	-	-	1	-	-	1	-	-	-	-	-	-
Female.....	1	-	-	-	-	1	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New Jersey

All races, both sexes.....	1	2	3	2	2	4	3	5	-	3	-	-
Male.....	1	1	2	1	-	2	2	1	-	2	-	-
Female.....	-	1	1	1	2	2	1	4	-	1	-	-
White, both sexes.....	1	2	2	1	2	4	3	3	-	3	-	-
Male.....	1	1	1	-	-	2	2	1	-	2	-	-
Female.....	-	1	1	1	2	2	1	2	-	1	-	-
Black, both sexes.....	-	-	-	1	-	-	-	-	-	-	-	-
Male.....	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	-	-	-	-	2	-	-	-	-
Male.....	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	2	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Aplastic anemias (D60-D61)												
New Mexico												
All races, both sexes.....	-	1	-	2	-	2	-	-	-	1	-	-
Male.....	-	1	-	2	-	2	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	1	-	-
White, both sexes.....	-	1	-	2	-	2	-	-	-	1	-	-
Male.....	-	1	-	2	-	2	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	1	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
New York												
All races, both sexes.....	2	2	5	5	3	8	6	11	2	2	-	-
Male.....	1	-	2	3	2	5	1	5	-	1	-	-
Female.....	1	2	3	2	1	3	5	6	2	1	-	-
White, both sexes.....	2	2	4	3	3	6	5	11	2	2	-	-
Male.....	1	-	2	3	2	5	1	5	-	1	-	-
Female.....	1	2	2	-	1	1	4	6	2	1	-	-
Black, both sexes.....	-	-	-	1	-	2	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	1	-	2	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	1	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	1	1	-	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Acute posthemorrhagic and other anemias (D62,D64)

Arkansas

All races, both sexes.....	-	1	3	2	1	1	3	4	9	4	-	-
Male.....	-	-	1	-	1	1	2	-	1	1	-	-
Female.....	-	1	2	2	-	-	1	4	8	3	-	-
White, both sexes.....	-	1	2	1	1	-	3	4	8	4	-	-
Male.....	-	-	-	-	1	-	2	-	1	1	-	-
Female.....	-	1	2	1	-	-	1	4	7	3	-	-
Black, both sexes.....	-	-	1	1	-	1	-	-	1	-	-	-
Male.....	-	-	1	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	1	-	-	-	-	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	1	2	2	4	13	16	38	34	28	25	6	-
Male.....	1	1	-	3	8	5	19	15	9	6	2	-
Female.....	-	1	2	1	5	11	19	19	19	19	4	-
White, both sexes.....	1	2	1	4	12	13	35	27	24	18	6	-
Male.....	1	1	-	3	8	3	19	12	8	4	2	-
Female.....	-	1	1	1	4	10	16	15	16	14	4	-
Black, both sexes.....	-	-	1	-	1	1	1	1	1	1	-	-
Male.....	-	-	-	-	-	1	-	1	-	-	-	-
Female.....	-	-	1	-	1	-	1	-	1	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	2	2	6	3	6	-	-
Male.....	-	-	-	-	-	1	-	2	1	2	-	-
Female.....	-	-	-	-	-	1	2	4	2	4	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Acute posthemorrhagic and other anemias (D62,D64)

Florida

All races, both sexes.....	3	3	10	8	9	17	26	41	29	17	1	-
Male.....	2	1	4	5	3	8	12	18	13	4	1	-
Female.....	1	2	6	3	6	9	14	23	16	13	-	-
White, both sexes.....	2	1	6	7	5	14	20	38	29	15	1	-
Male.....	2	-	3	4	2	6	10	18	13	4	1	-
Female.....	-	1	3	3	3	8	10	20	16	11	-	-
Black, both sexes.....	1	1	4	1	4	3	6	3	-	2	-	-
Male.....	-	1	1	1	1	2	2	-	-	-	-	-
Female.....	1	-	3	-	3	1	4	3	-	2	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	1	-	-	-	-	-	-	-	-	-	-

Georgia

All races, both sexes.....	1	4	3	2	5	8	6	14	5	10	1	-
Male.....	-	1	1	1	-	4	2	6	3	2	-	-
Female.....	1	3	2	1	5	4	4	8	2	8	1	-
White, both sexes.....	-	1	3	1	4	1	6	12	4	9	-	-
Male.....	-	-	1	1	-	1	2	5	2	1	-	-
Female.....	-	1	2	-	4	-	4	7	2	8	-	-
Black, both sexes.....	1	3	-	1	1	6	-	2	1	-	1	-
Male.....	-	1	-	-	-	3	-	1	1	-	-	-
Female.....	1	2	-	1	1	3	-	1	-	-	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	-	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	1	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Acute posthemorrhagic and other anemias (D62,D64)

Massachusetts

All races, both sexes.....	1	1	-	-	2	5	18	21	18	7	3	-
Male.....	1	-	-	-	1	1	7	12	2	-	-	-
Female.....	-	1	-	-	1	4	11	9	16	7	3	-
White, both sexes.....	1	1	-	-	2	5	18	20	17	7	3	-
Male.....	1	-	-	-	1	1	7	12	2	-	-	-
Female.....	-	1	-	-	1	4	11	8	15	7	3	-
Black, both sexes.....	-	-	-	-	-	-	-	1	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Michigan

All races, both sexes.....	1	4	5	9	2	6	22	22	27	5	1	-
Male.....	-	2	2	1	-	2	4	9	7	2	-	-
Female.....	1	2	3	8	2	4	18	13	20	3	1	-
White, both sexes.....	-	1	3	5	1	5	17	21	26	5	1	-
Male.....	-	-	2	-	-	1	3	9	7	2	-	-
Female.....	-	1	1	5	1	4	14	12	19	3	1	-
Black, both sexes.....	1	2	2	4	1	-	4	1	1	-	-	-
Male.....	-	2	-	1	-	-	1	-	-	-	-	-
Female.....	1	-	2	3	1	-	3	1	1	-	-	-
American Indian 1/, both sexes.....	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	1	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	1	-	-	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Acute posthemorrhagic and other anemias (D62,D64)

South Dakota

All races, both sexes.....	-	1	-	-	-	-	1	2	2	1	1	-
Male.....	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	-	1	-	-	-	-	1	1	2	1	1	-
White, both sexes.....	-	-	-	-	-	-	1	2	2	1	1	-
Male.....	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	1	1	2	1	1	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	1	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Tennessee

All races, both sexes.....	-	-	2	3	4	2	7	8	7	5	-	-
Male.....	-	-	-	1	1	-	3	3	1	2	-	-
Female.....	-	-	2	2	3	2	4	5	6	3	-	-
White, both sexes.....	-	-	2	3	3	2	5	7	6	4	-	-
Male.....	-	-	-	1	1	-	2	3	1	2	-	-
Female.....	-	-	2	2	2	2	3	4	5	2	-	-
Black, both sexes.....	-	-	-	-	1	-	2	1	1	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	1	-	1	1	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Coagulation defects, purpura and other hemorrhagic conditions (D65-D69)

Arkansas

All races, both sexes.....	26	1	-	-	-	-	-	-	-	1	2	-
Male.....	11	-	-	-	-	-	-	-	-	-	1	-
Female.....	15	1	-	-	-	-	-	-	-	1	1	-
White, both sexes.....	26	1	-	-	-	-	-	-	-	1	2	-
Male.....	11	-	-	-	-	-	-	-	-	-	1	-
Female.....	15	1	-	-	-	-	-	-	-	1	1	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	165	10	-	2	1	-	4	5	1	5	3	6
Male.....	75	4	-	-	1	-	1	5	-	4	2	3
Female.....	90	6	-	2	-	-	3	-	1	1	1	3
White, both sexes.....	132	7	-	2	1	-	3	5	-	4	3	6
Male.....	61	1	-	-	1	-	1	5	-	3	2	3
Female.....	71	6	-	2	-	-	2	-	-	1	1	3
Black, both sexes.....	16	2	-	-	-	-	-	-	1	1	-	-
Male.....	8	2	-	-	-	-	-	-	-	1	-	-
Female.....	8	-	-	-	-	-	-	-	1	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	16	1	-	-	-	-	1	-	-	-	-	-
Male.....	6	1	-	-	-	-	-	-	-	-	-	-
Female.....	10	-	-	-	-	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Coagulation defects, purpura and other hemorrhagic conditions (D65-D69)

Arkansas

All races, both sexes.....	1	-	4	2	2	5	5	-	3	-	-	-
Male.....	-	-	3	2	1	2	1	-	1	-	-	-
Female.....	1	-	1	-	1	3	4	-	2	-	-	-
White, both sexes.....	1	-	4	2	2	5	5	-	3	-	-	-
Male.....	-	-	3	2	1	2	1	-	1	-	-	-
Female.....	1	-	1	-	1	3	4	-	2	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	8	8	8	5	17	21	20	31	8	2	-	-
Male.....	3	6	4	1	5	11	9	13	3	-	-	-
Female.....	5	2	4	4	12	10	11	18	5	2	-	-
White, both sexes.....	7	8	7	3	12	18	14	23	7	2	-	-
Male.....	2	6	3	1	5	10	6	9	3	-	-	-
Female.....	5	2	4	2	7	8	8	14	4	2	-	-
Black, both sexes.....	1	-	1	-	4	2	1	3	-	-	-	-
Male.....	1	-	1	-	-	1	-	2	-	-	-	-
Female.....	-	-	-	-	4	1	1	1	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	2	1	-	5	5	1	-	-	-
Male.....	-	-	-	-	-	-	3	2	-	-	-	-
Female.....	-	-	-	2	1	-	2	3	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Coagulation defects, purpura and other hemorrhagic conditions (D65-D69)

Colorado

All races, both sexes.....	2	2	5	3	-	5	3	5	-	1	-	-
Male.....	-	2	-	3	-	3	2	2	-	-	-	-
Female.....	2	-	5	-	-	2	1	3	-	1	-	-
White, both sexes.....	1	2	3	2	-	4	3	5	-	1	-	-
Male.....	-	2	-	2	-	2	2	2	-	-	-	-
Female.....	1	-	3	-	-	2	1	3	-	1	-	-
Black, both sexes.....	1	-	1	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	1	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	1	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	1	-	1	-	-	-	-	-	-
Male.....	-	-	-	1	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Connecticut

All races, both sexes.....	1	1	-	3	2	2	5	5	4	2	-	-
Male.....	-	1	-	2	2	1	2	3	-	1	-	-
Female.....	1	-	-	1	-	1	3	2	4	1	-	-
White, both sexes.....	1	-	-	2	1	2	5	4	4	1	-	-
Male.....	-	-	-	1	1	1	2	2	-	1	-	-
Female.....	1	-	-	1	-	1	3	2	4	-	-	-
Black, both sexes.....	-	1	-	1	1	-	-	1	-	-	-	-
Male.....	-	1	-	1	1	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Coagulation defects, purpura and other hemorrhagic conditions (D65-D69)

Kentucky

All races, both sexes.....	3	4	4	2	4	2	4	8	-	2	-	-
Male.....	1	1	2	1	3	1	2	5	-	-	-	-
Female.....	2	3	2	1	1	1	2	3	-	2	-	-
White, both sexes.....	3	4	4	2	4	2	3	6	-	2	-	-
Male.....	1	1	2	1	3	1	1	4	-	-	-	-
Female.....	2	3	2	1	1	1	2	2	-	2	-	-
Black, both sexes.....	-	-	-	-	-	-	1	2	-	-	-	-
Male.....	-	-	-	-	-	-	1	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Louisiana

All races, both sexes.....	2	1	2	1	6	3	4	-	-	1	1	-
Male.....	-	1	1	-	2	-	1	-	-	1	1	-
Female.....	2	-	1	1	4	3	3	-	-	-	-	-
White, both sexes.....	2	1	1	-	2	3	2	-	-	-	1	-
Male.....	-	1	1	-	2	-	1	-	-	-	1	-
Female.....	2	-	-	-	-	3	1	-	-	-	-	-
Black, both sexes.....	-	-	1	1	3	-	2	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	1	-	-
Female.....	-	-	1	1	3	-	2	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Coagulation defects, purpura and other hemorrhagic conditions (D65-D69)

Nebraska

All races, both sexes.....	1	1	1	-	2	2	1	1	1	1	-	-
Male.....	-	1	-	-	1	-	1	1	-	-	-	-
Female.....	1	-	1	-	1	2	-	-	1	1	-	-
White, both sexes.....	-	1	1	-	1	1	1	1	1	1	-	-
Male.....	-	1	-	-	-	-	1	1	-	-	-	-
Female.....	-	-	1	-	1	1	-	-	1	1	-	-
Black, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Nevada

All races, both sexes.....	3	2	1	1	6	3	2	2	-	-	-	-
Male.....	2	1	-	-	4	3	2	1	-	-	-	-
Female.....	1	1	1	1	2	-	-	1	-	-	-	-
White, both sexes.....	1	2	1	1	4	2	2	2	-	-	-	-
Male.....	-	1	-	-	3	2	2	1	-	-	-	-
Female.....	1	1	1	1	1	-	-	1	-	-	-	-
Black, both sexes.....	1	-	-	-	1	1	-	-	-	-	-	-
Male.....	1	-	-	-	1	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	1	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Coagulation defects, purpura and other hemorrhagic conditions (D65-D69)

Vermont

All races, both sexes.....	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	1	-	-	-	-	-	-	-	-	-
White, both sexes.....	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	1	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Virginia

All races, both sexes.....	5	4	9	7	6	13	10	9	4	4	-	-
Male.....	4	1	6	2	3	5	5	3	1	3	-	-
Female.....	1	3	3	5	3	8	5	6	3	1	-	-
White, both sexes.....	2	2	7	4	6	9	8	7	4	3	-	-
Male.....	2	1	5	-	3	4	4	2	1	2	-	-
Female.....	-	1	2	4	3	5	4	5	3	1	-	-
Black, both sexes.....	3	2	2	3	-	2	1	2	-	1	-	-
Male.....	2	-	1	2	-	1	-	1	-	1	-	-
Female.....	1	2	1	1	-	1	1	1	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	2	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	2	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

All Under 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
ages 1 year years years years years years years years years years

Other diseases of blood and blood-forming organs (D70-D76)

Maine

Table with 13 columns (Cause of death, All ages, Under 1 year, 1-4 years, 5-9 years, 10-14 years, 15-19 years, 20-24 years, 25-29 years, 30-34 years, 35-39 years, 40-44 years, 45-49 years) and rows for Maine: All races, both sexes; Male; Female; White, both sexes; Male; Female; Black, both sexes; Male; Female; American Indian 1/, both sexes; Male; Female; Asian or Pacific Islander 2/, both sexes; Male; Female.

Maryland

Table with 13 columns (Cause of death, All ages, Under 1 year, 1-4 years, 5-9 years, 10-14 years, 15-19 years, 20-24 years, 25-29 years, 30-34 years, 35-39 years, 40-44 years, 45-49 years) and rows for Maryland: All races, both sexes; Male; Female; White, both sexes; Male; Female; Black, both sexes; Male; Female; American Indian 1/, both sexes; Male; Female; Asian or Pacific Islander 2/, both sexes; Male; Female.

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Other diseases of blood and blood-forming organs (D70-D76)

Arkansas

All races, both sexes.....	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-
White, both sexes.....	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	5	4	6	7	2	8	7	5	2	2	-	-
Male.....	1	2	-	2	2	4	5	2	-	-	-	-
Female.....	4	2	6	5	-	4	2	3	2	2	-	-
White, both sexes.....	3	2	4	6	-	7	5	5	2	2	-	-
Male.....	1	2	-	1	-	4	4	2	-	-	-	-
Female.....	2	-	4	5	-	3	1	3	2	2	-	-
Black, both sexes.....	1	1	1	1	1	-	1	-	-	-	-	-
Male.....	-	-	-	1	1	-	-	-	-	-	-	-
Female.....	1	1	1	-	-	-	1	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	1	1	-	1	1	1	-	-	-	-	-
Male.....	-	-	-	-	1	-	1	-	-	-	-	-
Female.....	1	1	1	-	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Certain disorders involving the immune mechanism (D80-D89)

Arkansas

All races, both sexes.....	2	-	-	-	-	1	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	2	-	-	-	-	1	-	-	-	-	-	-
White, both sexes.....	1	-	-	-	-	1	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	1	-	-	-	-	1	-	-	-	-	-	-
Black, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	11	11	9	12	9	6	5	10	1	-	-	-
Male.....	6	6	3	7	2	3	2	6	-	-	-	-
Female.....	5	5	6	5	7	3	3	4	1	-	-	-
White, both sexes.....	4	8	2	4	6	5	4	5	-	-	-	-
Male.....	2	5	1	1	1	2	1	3	-	-	-	-
Female.....	2	3	1	3	5	3	3	2	-	-	-	-
Black, both sexes.....	7	3	6	8	1	1	-	3	1	-	-	-
Male.....	4	1	2	6	-	1	-	2	-	-	-	-
Female.....	3	2	4	2	1	-	-	1	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	-	2	-	1	2	-	-	-	-
Male.....	-	-	-	-	1	-	1	1	-	-	-	-
Female.....	-	-	1	-	1	-	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Certain disorders involving the immune mechanism (D80-D89)

Hawaii

Table with 13 columns (Cause of death, 50-54 years, 55-59 years, 60-64 years, 65-69 years, 70-74 years, 75-79 years, 80-84 years, 85-89 years, 90-94 years, 95-99 years, 100 years and over, Age not stated) and rows for Hawaii: All races, both sexes; Male; Female; White, both sexes; Male; Female; Black, both sexes; Male; Female; American Indian 1/, both sexes; Male; Female; Asian or Pacific Islander 2/, both sexes; Male; Female.

Idaho

Table with 13 columns (Cause of death, 50-54 years, 55-59 years, 60-64 years, 65-69 years, 70-74 years, 75-79 years, 80-84 years, 85-89 years, 90-94 years, 95-99 years, 100 years and over, Age not stated) and rows for Idaho: All races, both sexes; Male; Female; White, both sexes; Male; Female; Black, both sexes; Male; Female; American Indian 1/, both sexes; Male; Female; Asian or Pacific Islander 2/, both sexes; Male; Female.

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
IV. Endocrine, nutritional and metabolic diseases (E00-E88)												
Arkansas												
All races, both sexes.....	1,123	3	1	1	-	-	2	12	11	25	33	34
Male.....	518	2	-	1	-	-	1	4	4	13	20	20
Female.....	605	1	1	-	-	-	1	8	7	12	13	14
White, both sexes.....	872	2	-	1	-	-	2	8	8	18	19	25
Male.....	424	2	-	1	-	-	1	2	4	10	11	16
Female.....	448	-	-	-	-	-	1	6	4	8	8	9
Black, both sexes.....	242	1	1	-	-	-	-	4	3	6	14	9
Male.....	90	-	-	-	-	-	-	2	-	2	9	4
Female.....	152	1	1	-	-	-	-	2	3	4	5	5
American Indian 1/, both sexes.....	5	-	-	-	-	-	-	-	-	1	-	-
Male.....	3	-	-	-	-	-	-	-	-	1	-	-
Female.....	2	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	4	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	3	-	-	-	-	-	-	-	-	-	-	-
California												
All races, both sexes.....	9,625	23	14	10	9	16	38	56	79	130	196	303
Male.....	4,863	11	5	6	2	8	28	30	47	81	114	188
Female.....	4,762	12	9	4	7	8	10	26	32	49	82	115
White, both sexes.....	7,510	17	12	7	7	14	29	41	52	87	142	223
Male.....	3,874	9	4	5	1	6	20	23	34	56	83	140
Female.....	3,636	8	8	2	6	8	9	18	18	31	59	83
Black, both sexes.....	1,091	1	2	1	1	-	7	10	15	27	38	61
Male.....	477	-	1	1	1	-	6	3	7	12	18	36
Female.....	614	1	1	-	-	-	1	7	8	15	20	25
American Indian 1/, both sexes.....	87	-	-	-	-	-	-	3	3	2	5	3
Male.....	49	-	-	-	-	-	-	3	1	2	4	2
Female.....	38	-	-	-	-	-	-	-	2	-	1	1
Asian or Pacific Islander 2/, both sexes.....	937	5	-	2	1	2	2	2	9	14	11	16
Male.....	463	2	-	-	-	2	2	1	5	11	9	10
Female.....	474	3	-	2	1	-	-	1	4	3	2	6

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
IV. Endocrine, nutritional and metabolic diseases (E00-E88)												
Florida												
All races, both sexes.....	7,054	22	6	9	3	12	22	43	56	66	128	230
Male.....	3,751	8	4	4	1	7	12	24	29	39	76	158
Female.....	3,303	14	2	5	2	5	10	19	27	27	52	72
White, both sexes.....	5,791	14	4	9	3	7	13	26	33	45	85	166
Male.....	3,136	5	3	4	1	4	7	15	15	27	54	119
Female.....	2,655	9	1	5	2	3	6	11	18	18	31	47
Black, both sexes.....	1,198	8	2	-	-	5	8	15	23	21	42	64
Male.....	578	3	1	-	-	3	5	9	14	12	22	39
Female.....	620	5	1	-	-	2	3	6	9	9	20	25
American Indian 1/, both sexes.....	11	-	-	-	-	-	-	-	-	-	1	-
Male.....	4	-	-	-	-	-	-	-	-	-	-	-
Female.....	7	-	-	-	-	-	-	-	-	-	1	-
Asian or Pacific Islander 2/, both sexes.....	54	-	-	-	-	-	1	2	-	-	-	-
Male.....	33	-	-	-	-	-	-	-	-	-	-	-
Female.....	21	-	-	-	-	-	1	2	-	-	-	-
Georgia												
All races, both sexes.....	2,287	17	10	7	2	4	13	15	29	50	60	110
Male.....	1,119	14	6	3	2	2	9	8	12	31	35	60
Female.....	1,168	3	4	4	-	2	4	7	17	19	25	50
White, both sexes.....	1,415	8	9	3	1	2	9	7	9	23	34	65
Male.....	733	7	5	-	1	1	7	6	3	15	21	42
Female.....	682	1	4	3	-	1	2	1	6	8	13	23
Black, both sexes.....	844	9	1	4	1	2	4	8	20	26	25	44
Male.....	371	7	1	3	1	1	2	2	9	16	14	17
Female.....	473	2	-	1	-	1	2	6	11	10	11	27
American Indian 1/, both sexes.....	3	-	-	-	-	-	-	-	-	-	-	-
Male.....	2	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	25	-	-	-	-	-	-	-	-	1	1	1
Male.....	13	-	-	-	-	-	-	-	-	-	-	1
Female.....	12	-	-	-	-	-	-	-	-	1	1	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
IV. Endocrine, nutritional and metabolic diseases (E00-E88)												
New Hampshire												
All races, both sexes.....	413	2	-	-	-	-	2	1	3	5	9	14
Male.....	223	2	-	-	-	-	2	-	1	2	9	10
Female.....	190	-	-	-	-	-	-	1	2	3	-	4
White, both sexes.....	408	2	-	-	-	-	2	1	2	5	9	14
Male.....	220	2	-	-	-	-	2	-	-	2	9	10
Female.....	188	-	-	-	-	-	-	1	2	3	-	4
Black, both sexes.....	4	-	-	-	-	-	-	-	1	-	-	-
Male.....	2	-	-	-	-	-	-	-	1	-	-	-
Female.....	2	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
New Jersey												
All races, both sexes.....	3,257	5	4	3	1	1	10	6	11	26	56	78
Male.....	1,543	4	2	3	-	-	7	4	5	19	34	49
Female.....	1,714	1	2	-	1	1	3	2	6	7	22	29
White, both sexes.....	2,619	2	3	1	1	1	6	3	7	14	35	47
Male.....	1,255	1	1	1	-	-	4	2	3	10	23	36
Female.....	1,364	1	2	-	1	1	2	1	4	4	12	11
Black, both sexes.....	555	3	1	1	-	-	3	3	4	12	20	27
Male.....	250	3	1	1	-	-	3	2	2	9	11	12
Female.....	305	-	-	-	-	-	-	1	2	3	9	15
American Indian 1/, both sexes.....	2	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	81	-	-	1	-	-	1	-	-	-	1	4
Male.....	37	-	-	1	-	-	-	-	-	-	-	1
Female.....	44	-	-	-	-	-	1	-	-	-	1	3

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
IV. Endocrine, nutritional and metabolic diseases (E00-E88)												
United States												
All races, both sexes.....	5,019	6,811	8,091	8,768	10,391	12,851	14,890	13,014	7,469	2,491	524	4
Male.....	2,978	4,034	4,616	5,004	5,488	6,151	6,638	4,972	2,268	554	85	2
Female.....	2,041	2,777	3,475	3,764	4,903	6,700	8,252	8,042	5,201	1,937	439	2
White, both sexes.....	3,736	5,062	6,262	6,837	8,190	10,585	12,567	11,309	6,534	2,138	429	3
Male.....	2,289	3,090	3,686	4,047	4,462	5,240	5,781	4,411	2,017	482	66	2
Female.....	1,447	1,972	2,576	2,790	3,728	5,345	6,786	6,898	4,517	1,656	363	1
Black, both sexes.....	1,129	1,507	1,561	1,597	1,826	1,874	1,872	1,338	717	290	77	1
Male.....	587	803	773	782	834	746	694	405	171	43	10	-
Female.....	542	704	788	815	992	1,128	1,178	933	546	247	67	1
American Indian 1/, both sexes.....	65	95	95	114	122	101	99	72	40	17	4	-
Male.....	43	52	53	52	63	31	36	25	15	4	3	-
Female.....	22	43	42	62	59	70	63	47	25	13	1	-
Asian or Pacific Islander 2/, both sexes.....	89	147	173	220	253	291	352	295	178	46	14	-
Male.....	59	89	104	123	129	134	127	131	65	25	6	-
Female.....	30	58	69	97	124	157	225	164	113	21	8	-
Alabama												
All races, both sexes.....	100	125	157	168	206	219	247	208	124	37	9	-
Male.....	58	76	87	90	112	103	107	63	38	9	1	-
Female.....	42	49	70	78	94	116	140	145	86	28	8	-
White, both sexes.....	57	70	85	112	126	154	169	151	87	25	5	-
Male.....	39	45	53	71	66	79	80	51	27	6	-	-
Female.....	18	25	32	41	60	75	89	100	60	19	5	-
Black, both sexes.....	43	53	72	55	79	63	77	57	37	12	4	-
Male.....	19	29	34	19	46	24	26	12	11	3	1	-
Female.....	24	24	38	36	33	39	51	45	26	9	3	-
American Indian 1/, both sexes.....	-	2	-	1	1	-	-	-	-	-	-	-
Male.....	-	2	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	1	1	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	2	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	2	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

IV. Endocrine, nutritional and metabolic diseases (E00-E88)

Alaska

All races, both sexes.....	8	20	13	14	15	20	13	12	8	2	-	-
Male.....	6	7	6	9	10	11	12	9	-	2	-	-
Female.....	2	13	7	5	5	9	1	3	8	-	-	-
White, both sexes.....	7	14	9	10	10	17	10	11	6	1	-	-
Male.....	6	5	4	6	7	10	9	8	-	1	-	-
Female.....	1	9	5	4	3	7	1	3	6	-	-	-
Black, both sexes.....	-	2	2	-	-	-	-	-	-	-	-	-
Male.....	-	1	1	-	-	-	-	-	-	-	-	-
Female.....	-	1	1	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	3	1	1	2	2	3	-	2	1	-	-
Male.....	-	1	-	1	2	1	3	-	-	1	-	-
Female.....	-	2	1	-	-	1	-	-	2	-	-	-
Asian or Pacific Islander 2/, both sexes.	1	1	1	3	3	1	1	1	-	-	-	-
Male.....	-	-	1	2	1	-	-	1	-	-	-	-
Female.....	1	1	-	1	2	1	-	-	-	-	-	-

Arizona

All races, both sexes.....	81	109	164	148	157	193	229	187	96	27	11	-
Male.....	48	67	112	87	91	90	104	81	35	7	3	-
Female.....	33	42	52	61	66	103	125	106	61	20	8	-
White, both sexes.....	64	90	138	131	133	178	208	175	86	25	10	-
Male.....	39	54	97	74	74	87	96	77	30	7	2	-
Female.....	25	36	41	57	59	91	112	98	56	18	8	-
Black, both sexes.....	7	6	11	6	4	5	4	4	5	-	-	-
Male.....	2	5	7	4	4	1	-	2	2	-	-	-
Female.....	5	1	4	2	-	4	4	2	3	-	-	-
American Indian 1/, both sexes.....	10	12	14	11	20	9	14	7	5	2	1	-
Male.....	7	8	8	9	13	2	6	2	3	-	1	-
Female.....	3	4	6	2	7	7	8	5	2	2	-	-
Asian or Pacific Islander 2/, both sexes.	-	1	1	-	-	1	3	1	-	-	-	-
Male.....	-	-	-	-	-	-	2	-	-	-	-	-
Female.....	-	1	1	-	-	1	1	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

IV. Endocrine, nutritional and metabolic diseases (E00-E88)

Arkansas

All races, both sexes.....	77	78	102	97	104	132	158	121	86	37	9	-
Male.....	48	41	58	47	54	66	60	40	26	11	2	-
Female.....	29	37	44	50	50	66	98	81	60	26	7	-
White, both sexes.....	55	52	76	80	82	110	127	102	70	29	6	-
Male.....	36	29	46	41	43	59	50	37	23	11	2	-
Female.....	19	23	30	39	39	51	77	65	47	18	4	-
Black, both sexes.....	22	24	25	16	21	22	29	18	16	8	3	-
Male.....	12	11	12	6	10	7	10	2	3	-	-	-
Female.....	10	13	13	10	11	15	19	16	13	8	3	-
American Indian 1/, both sexes.....	-	-	1	-	1	-	1	1	-	-	-	-
Male.....	-	-	-	-	1	-	-	1	-	-	-	-
Female.....	-	-	1	-	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	2	-	1	-	-	1	-	-	-	-	-
Male.....	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	1	-	1	-	-	1	-	-	-	-	-

California

All races, both sexes.....	541	680	766	865	1,019	1,328	1,429	1,243	665	181	34	-
Male.....	337	404	429	511	539	653	666	523	219	53	9	-
Female.....	204	276	337	354	480	675	763	720	446	128	25	-
White, both sexes.....	418	510	587	663	766	1,066	1,142	1,014	538	152	23	-
Male.....	263	315	334	404	413	541	553	436	186	42	6	-
Female.....	155	195	253	259	353	525	589	578	352	110	17	-
Black, both sexes.....	77	110	103	111	134	118	124	84	51	13	3	-
Male.....	39	48	45	56	68	44	57	26	9	-	-	-
Female.....	38	62	58	55	66	74	67	58	42	13	3	-
American Indian 1/, both sexes.....	6	12	7	12	8	11	7	6	2	-	-	-
Male.....	4	8	6	4	5	4	2	3	1	-	-	-
Female.....	2	4	1	8	3	7	5	3	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	40	48	69	79	111	133	156	139	74	16	8	-
Male.....	31	33	44	47	53	64	54	58	23	11	3	-
Female.....	9	15	25	32	58	69	102	81	51	5	5	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

IV. Endocrine, nutritional and metabolic diseases (E00-E88)

Colorado

All races, both sexes.....	51	67	89	78	112	130	163	132	96	34	11	-
Male.....	33	32	53	47	60	66	68	46	34	11	1	-
Female.....	18	35	36	31	52	64	95	86	62	23	10	-
White, both sexes.....	47	63	80	73	104	118	153	124	94	34	9	-
Male.....	31	31	50	46	59	60	64	40	34	11	-	-
Female.....	16	32	30	27	45	58	89	84	60	23	9	-
Black, both sexes.....	4	2	7	3	5	7	8	5	-	-	1	-
Male.....	2	-	3	1	1	4	4	3	-	-	-	-
Female.....	2	2	4	2	4	3	4	2	-	-	1	-
American Indian 1/, both sexes.....	-	1	2	2	3	3	-	1	-	-	1	-
Male.....	-	-	-	-	-	1	-	1	-	-	1	-
Female.....	-	1	2	2	3	2	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	-	-	2	2	2	2	-	-	-
Male.....	-	1	-	-	-	1	-	2	-	-	-	-
Female.....	-	-	-	-	-	1	2	-	2	-	-	-

Connecticut

All races, both sexes.....	41	58	71	73	95	121	154	170	105	44	5	1
Male.....	24	38	37	41	44	56	79	57	37	13	-	-
Female.....	17	20	34	32	51	65	75	113	68	31	5	1
White, both sexes.....	35	52	64	65	77	107	138	156	102	42	4	1
Male.....	21	35	33	40	38	53	71	52	36	12	-	-
Female.....	14	17	31	25	39	54	67	104	66	30	4	1
Black, both sexes.....	5	5	7	8	17	14	14	10	3	2	1	-
Male.....	2	3	4	1	5	3	8	5	1	1	-	-
Female.....	3	2	3	7	12	11	6	5	2	1	1	-
American Indian 1/, both sexes.....	-	1	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	1	-	-	-	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	1	-	2	3	-	-	-	-
Male.....	1	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	2	3	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

IV. Endocrine, nutritional and metabolic diseases (E00-E88)

Delaware

All races, both sexes.....	10	12	35	27	39	51	51	51	31	9	4	-
Male.....	7	8	23	19	22	27	27	17	9	3	-	-
Female.....	3	4	12	8	17	24	24	34	22	6	4	-
White, both sexes.....	6	7	27	15	24	41	40	42	29	9	4	-
Male.....	4	4	18	11	15	22	23	15	9	3	-	-
Female.....	2	3	9	4	9	19	17	27	20	6	4	-
Black, both sexes.....	4	4	8	10	14	10	11	9	2	-	-	-
Male.....	3	3	5	6	7	5	4	2	-	-	-	-
Female.....	1	1	3	4	7	5	7	7	2	-	-	-
American Indian 1/, both sexes.....	-	1	-	1	1	-	-	-	-	-	-	-
Male.....	-	1	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	1	-	-	-	-	-	-	-	-
Male.....	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Dist. of Columbia

All races, both sexes.....	6	16	16	15	20	20	31	27	17	6	2	-
Male.....	3	7	8	11	7	8	13	13	6	1	-	-
Female.....	3	9	8	4	13	12	18	14	11	5	2	-
White, both sexes.....	1	1	1	2	1	2	4	7	3	1	-	-
Male.....	1	-	1	2	1	2	2	5	2	-	-	-
Female.....	-	1	-	-	-	-	2	2	1	1	-	-
Black, both sexes.....	5	15	15	13	19	18	26	19	14	5	2	-
Male.....	2	7	7	9	6	6	11	8	4	1	-	-
Female.....	3	8	8	4	13	12	15	11	10	4	2	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

IV. Endocrine, nutritional and metabolic diseases (E00-E88)

Florida

All races, both sexes.....	371	481	566	655	794	968	1,052	878	509	151	31	1
Male.....	219	319	350	398	455	524	503	397	182	35	6	1
Female.....	152	162	216	257	339	444	549	481	327	116	25	-
White, both sexes.....	282	350	454	521	650	807	911	795	449	139	27	1
Male.....	170	240	283	330	391	444	447	374	164	33	5	1
Female.....	112	110	171	191	259	363	464	421	285	106	22	-
Black, both sexes.....	85	126	105	128	136	144	135	80	58	11	2	-
Male.....	48	76	61	64	59	70	52	21	17	2	-	-
Female.....	37	50	44	64	77	74	83	59	41	9	2	-
American Indian 1/, both sexes.....	1	1	1	1	2	3	-	-	1	-	-	-
Male.....	-	-	1	-	1	2	-	-	-	-	-	-
Female.....	1	1	-	1	1	1	-	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	4	6	5	6	14	6	3	1	1	2	-
Male.....	1	3	5	4	4	8	4	2	1	-	1	-
Female.....	2	1	1	1	2	6	2	1	-	1	1	-

Georgia

All races, both sexes.....	137	205	215	230	250	236	265	235	143	47	7	-
Male.....	75	122	126	136	115	117	104	81	48	12	1	-
Female.....	62	83	89	94	135	119	161	154	95	35	6	-
White, both sexes.....	72	125	124	134	143	161	187	160	106	31	2	-
Male.....	43	77	77	88	74	81	82	56	41	5	1	-
Female.....	29	48	47	46	69	80	105	104	65	26	1	-
Black, both sexes.....	63	79	89	93	106	71	76	67	36	15	5	-
Male.....	31	44	48	46	40	35	21	20	7	6	-	-
Female.....	32	35	41	47	66	36	55	47	29	9	5	-
American Indian 1/, both sexes.....	-	1	-	-	-	1	-	1	-	-	-	-
Male.....	-	1	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	2	3	1	3	2	7	1	1	-	-
Male.....	1	-	1	2	1	1	1	4	-	1	-	-
Female.....	1	-	1	1	-	2	1	3	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

IV. Endocrine, nutritional and metabolic diseases (E00-E88)

Hawaii

All races, both sexes.....	19	40	32	40	31	48	52	63	53	18	3	-
Male.....	8	28	19	17	22	23	24	31	20	9	2	-
Female.....	11	12	13	23	9	25	28	32	33	9	1	-
White, both sexes.....	2	6	5	6	11	12	9	13	13	3	-	-
Male.....	-	6	2	2	8	5	4	5	7	1	-	-
Female.....	2	-	3	4	3	7	5	8	6	2	-	-
Black, both sexes.....	1	1	-	2	-	1	-	-	-	-	-	-
Male.....	1	1	-	2	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	16	33	27	32	20	35	43	50	40	15	3	-
Male.....	7	21	17	13	14	17	20	26	13	8	2	-
Female.....	9	12	10	19	6	18	23	24	27	7	1	-

Idaho

All races, both sexes.....	27	32	39	40	42	60	78	66	31	12	3	-
Male.....	17	19	20	25	18	26	31	23	9	3	2	-
Female.....	10	13	19	15	24	34	47	43	22	9	1	-
White, both sexes.....	25	31	39	38	40	58	77	65	31	11	3	-
Male.....	15	19	20	25	17	26	30	23	9	2	2	-
Female.....	10	12	19	13	23	32	47	42	22	9	1	-
Black, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-
American Indian 1/, both sexes.....	2	1	-	1	2	-	1	1	-	-	-	-
Male.....	2	-	-	-	1	-	1	-	-	-	-	-
Female.....	-	1	-	1	1	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	1	-	1	-	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	1	-	-
Female.....	-	-	-	1	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

IV. Endocrine, nutritional and metabolic diseases (E00-E88)

Illinois

All races, both sexes.....	183	248	329	320	413	519	613	504	339	111	31	-
Male.....	106	155	166	181	221	236	255	193	104	29	6	-
Female.....	77	93	163	139	192	283	358	311	235	82	25	-
White, both sexes.....	122	176	244	227	316	418	507	442	298	94	28	-
Male.....	69	111	130	139	171	198	221	175	92	27	5	-
Female.....	53	65	114	88	145	220	286	267	206	67	23	-
Black, both sexes.....	59	70	81	78	83	91	96	57	32	14	3	-
Male.....	36	42	33	33	40	33	32	16	8	1	1	-
Female.....	23	28	48	45	43	58	64	41	24	13	2	-
American Indian 1/, both sexes.....	-	-	-	-	1	1	1	1	-	-	-	-
Male.....	-	-	-	-	1	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	2	4	15	13	9	9	4	9	3	-	-
Male.....	1	2	3	9	9	4	2	2	4	1	-	-
Female.....	1	-	1	6	4	5	7	2	5	2	-	-

Indiana

All races, both sexes.....	112	166	193	195	226	256	314	285	193	54	12	-
Male.....	57	102	108	100	108	106	130	99	41	13	2	-
Female.....	55	64	85	95	118	150	184	186	152	41	10	-
White, both sexes.....	94	140	159	166	199	222	287	259	183	50	9	-
Male.....	51	85	97	88	97	94	116	88	39	12	2	-
Female.....	43	55	62	78	102	128	171	171	144	38	7	-
Black, both sexes.....	18	26	33	29	26	34	27	26	10	4	3	-
Male.....	6	17	11	12	11	12	14	11	2	1	-	-
Female.....	12	9	22	17	15	22	13	15	8	3	3	-
American Indian 1/, both sexes.....	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	1	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

IV. Endocrine, nutritional and metabolic diseases (E00-E88)

Kentucky

All races, both sexes.....	101	128	119	141	173	183	200	175	109	34	4	-
Male.....	63	66	65	90	88	88	88	66	37	4	1	-
Female.....	38	62	54	51	85	95	112	109	72	30	3	-
White, both sexes.....	88	111	102	118	152	161	188	160	107	32	3	-
Male.....	56	57	58	74	80	81	83	61	37	4	-	-
Female.....	32	54	44	44	72	80	105	99	70	28	3	-
Black, both sexes.....	12	16	17	23	20	21	12	14	2	2	1	-
Male.....	7	8	7	16	7	7	5	5	-	-	1	-
Female.....	5	8	10	7	13	14	7	9	2	2	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	-	1	1	-	1	-	-	-	-
Male.....	-	1	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	1	-	-	-	-

Louisiana

All races, both sexes.....	97	127	161	175	255	232	263	211	105	44	9	-
Male.....	52	69	94	99	120	109	113	71	21	11	3	-
Female.....	45	58	67	76	135	123	150	140	84	33	6	-
White, both sexes.....	51	69	89	96	157	140	179	143	79	28	5	-
Male.....	32	41	58	56	81	69	86	50	15	5	2	-
Female.....	19	28	31	40	76	71	93	93	64	23	3	-
Black, both sexes.....	46	58	72	78	97	91	80	65	25	16	4	-
Male.....	20	28	36	42	39	39	26	20	5	6	1	-
Female.....	26	30	36	36	58	52	54	45	20	10	3	-
American Indian 1/, both sexes.....	-	-	-	1	1	1	1	-	-	-	-	-
Male.....	-	-	-	1	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	3	3	1	-	-	-
Male.....	-	-	-	-	-	-	1	1	1	-	-	-
Female.....	-	-	-	-	-	-	2	2	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

IV. Endocrine, nutritional and metabolic diseases (E00-E88)

Maine

All races, both sexes.....	25	33	43	48	57	71	78	80	37	18	5	-
Male.....	18	20	30	34	30	34	34	24	13	5	1	-
Female.....	7	13	13	14	27	37	44	56	24	13	4	-
White, both sexes.....	25	33	42	48	55	71	77	80	37	17	5	-
Male.....	18	20	29	34	29	34	33	24	13	5	1	-
Female.....	7	13	13	14	26	37	44	56	24	12	4	-
Black, both sexes.....	-	-	-	-	1	-	1	-	-	1	-	-
Male.....	-	-	-	-	1	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	1	-	-
American Indian 1/, both sexes.....	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-

Maryland

All races, both sexes.....	89	111	149	180	191	285	266	272	121	49	8	1
Male.....	57	58	81	92	93	140	107	105	44	3	1	-
Female.....	32	53	68	88	98	145	159	167	77	46	7	1
White, both sexes.....	54	55	82	104	111	186	195	214	90	39	7	-
Male.....	33	30	44	56	60	98	81	86	37	3	1	-
Female.....	21	25	38	48	51	88	114	128	53	36	6	-
Black, both sexes.....	35	52	65	71	76	96	64	51	27	10	1	1
Male.....	24	26	35	35	32	39	23	16	6	-	-	-
Female.....	11	26	30	36	44	57	41	35	21	10	1	1
American Indian 1/, both sexes.....	-	-	-	-	1	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	4	2	5	3	3	7	6	4	-	-	-
Male.....	-	2	2	1	1	3	3	3	1	-	-	-
Female.....	-	2	-	4	2	-	4	3	3	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

IV. Endocrine, nutritional and metabolic diseases (E00-E88)

Massachusetts

All races, both sexes.....	62	100	129	139	166	232	278	276	158	53	13	-
Male.....	40	64	76	77	91	110	134	114	57	4	2	-
Female.....	22	36	53	62	75	122	144	162	101	49	11	-
White, both sexes.....	58	89	114	123	147	206	262	262	154	52	11	-
Male.....	37	57	67	71	83	101	127	110	54	4	2	-
Female.....	21	32	47	52	64	105	135	152	100	48	9	-
Black, both sexes.....	4	11	15	15	13	20	15	11	3	1	2	-
Male.....	3	7	9	6	5	8	6	4	2	-	-	-
Female.....	1	4	6	9	8	12	9	7	1	1	2	-
American Indian 1/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	1	6	5	1	3	1	-	-	-
Male.....	-	-	-	-	3	1	1	-	1	-	-	-
Female.....	-	-	-	1	3	4	-	3	-	-	-	-

Michigan

All races, both sexes.....	171	263	295	347	396	458	645	593	306	101	24	-
Male.....	99	151	173	203	195	219	285	219	89	19	4	-
Female.....	72	112	122	144	201	239	360	374	217	82	20	-
White, both sexes.....	131	207	234	295	334	389	563	526	274	84	21	-
Male.....	79	130	145	175	172	191	258	197	81	17	3	-
Female.....	52	77	89	120	162	198	305	329	193	67	18	-
Black, both sexes.....	38	53	59	48	56	64	69	58	31	17	3	-
Male.....	19	20	28	26	20	26	25	17	8	2	1	-
Female.....	19	33	31	22	36	38	44	41	23	15	2	-
American Indian 1/, both sexes.....	1	1	2	3	2	4	5	4	1	-	-	-
Male.....	-	-	-	1	2	1	1	2	-	-	-	-
Female.....	1	1	2	2	-	3	4	2	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	2	-	1	4	1	8	5	-	-	-	-
Male.....	1	1	-	1	1	1	1	3	-	-	-	-
Female.....	-	1	-	-	3	-	7	2	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

IV. Endocrine, nutritional and metabolic diseases (E00-E88)

Missouri

All races, both sexes.....	109	128	157	183	203	283	303	244	169	57	6	-
Male.....	71	69	94	108	125	139	137	77	50	9	1	-
Female.....	38	59	63	75	78	144	166	167	119	48	5	-
White, both sexes.....	87	101	130	147	168	248	263	219	156	51	6	-
Male.....	55	57	78	91	105	123	120	72	48	8	1	-
Female.....	32	44	52	56	63	125	143	147	108	43	5	-
Black, both sexes.....	19	26	26	34	32	34	40	25	12	6	-	-
Male.....	13	11	15	15	18	15	17	5	2	1	-	-
Female.....	6	15	11	19	14	19	23	20	10	5	-	-
American Indian 1/, both sexes.....	1	-	1	-	1	-	-	-	-	-	-	-
Male.....	1	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	1	-	2	2	1	-	-	1	-	-	-
Male.....	2	1	-	2	2	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	1	-	-	-

Montana

All races, both sexes.....	15	22	30	36	31	41	49	50	27	8	1	-
Male.....	9	10	20	23	16	21	22	17	13	2	1	-
Female.....	6	12	10	13	15	20	27	33	14	6	-	-
White, both sexes.....	11	17	27	31	30	37	44	49	27	8	1	-
Male.....	7	8	18	20	16	20	20	17	13	2	1	-
Female.....	4	9	9	11	14	17	24	32	14	6	-	-
Black, both sexes.....	1	-	-	-	-	-	-	1	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-
American Indian 1/, both sexes.....	3	5	3	5	1	4	4	-	-	-	-	-
Male.....	1	2	2	3	-	1	2	-	-	-	-	-
Female.....	2	3	1	2	1	3	2	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

IV. Endocrine, nutritional and metabolic diseases (E00-E88)

Nebraska

All races, both sexes.....	21	36	32	53	57	93	105	108	73	26	9	-
Male.....	12	17	19	25	25	47	48	48	20	3	2	-
Female.....	9	19	13	28	32	46	57	60	53	23	7	-
White, both sexes.....	20	33	28	47	51	86	97	103	72	26	9	-
Male.....	11	15	18	23	23	45	46	44	20	3	2	-
Female.....	9	18	10	24	28	41	51	59	52	23	7	-
Black, both sexes.....	1	2	3	6	5	5	6	2	1	-	-	-
Male.....	1	1	1	2	1	1	2	1	-	-	-	-
Female.....	-	1	2	4	4	4	4	1	1	-	-	-
American Indian 1/, both sexes.....	-	1	1	-	1	1	1	-	-	-	-	-
Male.....	-	1	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	1	-	-	1	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	1	3	-	-	-	-
Male.....	-	-	-	-	-	1	-	3	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-

Nevada

All races, both sexes.....	26	34	58	43	56	48	55	40	23	9	2	-
Male.....	16	25	34	24	30	26	28	8	6	3	-	-
Female.....	10	9	24	19	26	22	27	32	17	6	2	-
White, both sexes.....	25	27	51	41	51	42	51	38	20	9	2	-
Male.....	16	20	28	22	27	23	25	8	4	3	-	-
Female.....	9	7	23	19	24	19	26	30	16	6	2	-
Black, both sexes.....	1	4	3	1	4	4	2	2	2	-	-	-
Male.....	-	4	2	1	3	2	1	-	1	-	-	-
Female.....	1	-	1	-	1	2	1	2	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	3	4	1	1	1	2	-	1	-	-	-
Male.....	-	1	4	1	-	-	2	-	1	-	-	-
Female.....	-	2	-	-	1	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

IV. Endocrine, nutritional and metabolic diseases (E00-E88)

New Hampshire

All races, both sexes.....	21	30	20	37	44	58	64	64	33	6	-	-
Male.....	13	21	15	24	28	29	33	23	11	-	-	-
Female.....	8	9	5	13	16	29	31	41	22	6	-	-
White, both sexes.....	21	30	20	37	42	57	63	64	33	6	-	-
Male.....	13	21	15	24	27	29	32	23	11	-	-	-
Female.....	8	9	5	13	15	28	31	41	22	6	-	-
Black, both sexes.....	-	-	-	-	1	1	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	1	1	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New Jersey

All races, both sexes.....	155	181	222	287	320	459	527	493	295	100	17	-
Male.....	103	114	123	171	160	229	222	185	83	24	2	-
Female.....	52	67	99	116	160	230	305	308	212	76	15	-
White, both sexes.....	115	135	157	217	248	375	455	428	266	88	15	-
Male.....	79	84	93	132	130	195	199	164	73	23	2	-
Female.....	36	51	64	85	118	180	256	264	193	65	13	-
Black, both sexes.....	36	41	58	60	64	74	57	55	22	12	2	-
Male.....	21	27	27	31	26	32	19	16	6	1	-	-
Female.....	15	14	31	29	38	42	38	39	16	11	2	-
American Indian 1/, both sexes.....	-	1	-	-	-	-	-	1	-	-	-	-
Male.....	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.	4	4	7	10	8	10	15	9	7	-	-	-
Male.....	3	2	3	8	4	2	4	5	4	-	-	-
Female.....	1	2	4	2	4	8	11	4	3	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

IV. Endocrine, nutritional and metabolic diseases (E00-E88)

New Mexico

All races, both sexes.....	44	62	79	92	110	127	112	91	60	22	4	-
Male.....	28	38	46	55	65	57	50	30	21	5	1	-
Female.....	16	24	33	37	45	70	62	61	39	17	3	-
White, both sexes.....	33	47	67	76	91	111	94	82	51	17	3	-
Male.....	20	27	38	51	57	49	46	28	17	4	-	-
Female.....	13	20	29	25	34	62	48	54	34	13	3	-
Black, both sexes.....	4	5	4	1	2	4	2	3	1	-	-	-
Male.....	4	5	2	-	2	4	-	1	1	-	-	-
Female.....	-	-	2	1	-	-	2	2	-	-	-	-
American Indian 1/, both sexes.....	7	9	8	14	16	11	15	6	8	4	1	-
Male.....	4	6	6	3	6	4	4	1	3	1	1	-
Female.....	3	3	2	11	10	7	11	5	5	3	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	1	1	1	1	-	-	1	-	-
Male.....	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	1	-	-	1	1	1	-	-	1	-	-

New York

All races, both sexes.....	242	338	389	424	532	643	826	686	449	136	41	-
Male.....	154	203	222	250	274	270	366	259	124	27	2	-
Female.....	88	135	167	174	258	373	460	427	325	109	39	-
White, both sexes.....	157	233	288	296	400	502	664	579	380	121	31	-
Male.....	109	154	174	178	212	222	301	227	106	25	1	-
Female.....	48	79	114	118	188	280	363	352	274	96	30	-
Black, both sexes.....	78	97	90	107	117	119	140	95	60	15	10	-
Male.....	39	46	40	59	51	39	59	27	14	2	1	-
Female.....	39	51	50	48	66	80	81	68	46	13	9	-
American Indian 1/, both sexes.....	-	-	-	3	1	3	1	-	1	-	-	-
Male.....	-	-	-	1	1	1	-	-	-	-	-	-
Female.....	-	-	-	2	-	2	1	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	7	8	11	18	14	19	21	12	8	-	-	-
Male.....	6	3	8	12	10	8	6	5	4	-	-	-
Female.....	1	5	3	6	4	11	15	7	4	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

IV. Endocrine, nutritional and metabolic diseases (E00-E88)

Ohio

All races, both sexes.....	243	346	414	478	587	697	876	766	396	112	17	-
Male.....	138	214	239	257	344	338	411	291	116	14	1	-
Female.....	105	132	175	221	243	359	465	475	280	98	16	-
White, both sexes.....	192	278	340	412	506	601	762	697	358	99	13	-
Male.....	107	173	197	224	293	292	361	266	107	14	1	-
Female.....	85	105	143	188	213	309	401	431	251	85	12	-
Black, both sexes.....	51	67	70	60	79	94	112	65	34	13	4	-
Male.....	31	41	41	29	49	45	50	24	6	-	-	-
Female.....	20	26	29	31	30	49	62	41	28	13	4	-
American Indian 1/, both sexes.....	-	-	1	1	-	-	-	-	-	-	-	-
Male.....	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	1	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	3	5	2	2	2	4	4	-	-	-
Male.....	-	-	-	4	2	1	-	1	3	-	-	-
Female.....	-	1	3	1	-	1	2	3	1	-	-	-

Oklahoma

All races, both sexes.....	75	106	136	129	166	202	220	182	115	47	8	-
Male.....	44	60	78	68	88	93	88	78	42	10	2	-
Female.....	31	46	58	61	78	109	132	104	73	37	6	-
White, both sexes.....	57	78	108	87	136	166	187	160	100	38	7	-
Male.....	33	46	59	47	73	79	74	67	33	8	2	-
Female.....	24	32	49	40	63	87	113	93	67	30	5	-
Black, both sexes.....	6	13	13	26	12	18	16	9	5	5	-	-
Male.....	2	5	7	11	6	9	9	6	4	-	-	-
Female.....	4	8	6	15	6	9	7	3	1	5	-	-
American Indian 1/, both sexes.....	12	15	14	16	16	16	17	12	10	4	1	-
Male.....	9	9	11	10	8	4	5	5	5	2	-	-
Female.....	3	6	3	6	8	12	12	7	5	2	1	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	-	2	2	-	1	-	-	-	-
Male.....	-	-	1	-	1	1	-	-	-	-	-	-
Female.....	-	-	-	-	1	1	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

IV. Endocrine, nutritional and metabolic diseases (E00-E88)

Oregon

All races, both sexes.....	70	109	128	134	161	183	261	231	104	34	7	-
Male.....	40	70	70	84	94	93	129	84	30	9	2	-
Female.....	30	39	58	50	67	90	132	147	74	25	5	-
White, both sexes.....	62	98	118	125	150	173	250	221	100	31	7	-
Male.....	35	63	64	76	89	92	124	78	29	9	2	-
Female.....	27	35	54	49	61	81	126	143	71	22	5	-
Black, both sexes.....	4	5	5	5	3	3	3	2	1	1	-	-
Male.....	2	3	4	4	2	-	1	1	-	-	-	-
Female.....	2	2	1	1	1	3	2	1	1	1	-	-
American Indian 1/, both sexes.....	4	1	3	1	2	3	5	5	1	1	-	-
Male.....	3	1	2	1	1	-	2	2	1	-	-	-
Female.....	1	-	1	-	1	3	3	3	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	-	5	2	3	6	4	3	3	2	1	-	-
Male.....	-	3	-	3	2	1	2	3	-	-	-	-
Female.....	-	2	2	-	4	3	1	-	2	1	-	-

Pennsylvania

All races, both sexes.....	198	278	339	382	456	674	818	780	386	124	24	-
Male.....	125	169	203	243	225	334	387	288	113	27	1	-
Female.....	73	109	136	139	231	340	431	492	273	97	23	-
White, both sexes.....	162	230	291	328	396	597	763	728	367	115	23	-
Male.....	106	143	179	213	194	303	365	269	107	25	1	-
Female.....	56	87	112	115	202	294	398	459	260	90	22	-
Black, both sexes.....	34	46	44	51	56	74	52	50	19	7	1	-
Male.....	18	26	23	30	29	30	21	19	6	1	-	-
Female.....	16	20	21	21	27	44	31	31	13	6	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	2	4	3	4	3	3	2	-	2	-	-
Male.....	1	-	1	-	2	1	1	-	-	1	-	-
Female.....	1	2	3	3	2	2	2	2	-	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

IV. Endocrine, nutritional and metabolic diseases (E00-E88)

Rhode Island

All races, both sexes.....	20	31	31	31	26	39	55	64	48	6	4	-
Male.....	9	26	19	19	14	19	27	25	13	1	-	-
Female.....	11	5	12	12	12	20	28	39	35	5	4	-
White, both sexes.....	19	26	26	30	24	37	54	61	46	6	3	-
Male.....	9	21	16	19	13	18	27	24	13	1	-	-
Female.....	10	5	10	11	11	19	27	37	33	5	3	-
Black, both sexes.....	1	5	5	-	1	2	1	2	2	-	-	-
Male.....	-	5	3	-	1	1	-	1	-	-	-	-
Female.....	1	-	2	-	-	1	1	1	2	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	1	-	-	-	1	-	-	1	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	1	-	-	-	1	-	-	1	-

South Carolina

All races, both sexes.....	97	155	171	166	200	232	230	178	109	27	9	-
Male.....	49	76	92	97	99	103	101	62	26	3	1	-
Female.....	48	79	79	69	101	129	129	116	83	24	8	-
White, both sexes.....	45	80	92	98	106	134	153	118	79	19	4	-
Male.....	30	41	56	57	63	70	74	50	22	2	1	-
Female.....	15	39	36	41	43	64	79	68	57	17	3	-
Black, both sexes.....	51	74	79	68	91	98	75	60	30	8	5	-
Male.....	18	35	36	40	34	33	26	12	4	1	-	-
Female.....	33	39	43	28	57	65	49	48	26	7	5	-
American Indian 1/, both sexes.....	1	1	-	-	1	-	-	-	-	-	-	-
Male.....	1	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	1	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	2	-	2	-	-	-	-	-
Male.....	-	-	-	-	1	-	1	-	-	-	-	-
Female.....	-	-	-	-	1	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

IV. Endocrine, nutritional and metabolic diseases (E00-E88)

South Dakota

All races, both sexes.....	14	12	26	32	28	38	53	52	34	8	5	-
Male.....	14	7	11	14	21	22	26	21	14	1	1	-
Female.....	-	5	15	18	7	16	27	31	20	7	4	-
White, both sexes.....	10	8	16	18	25	33	51	46	34	8	5	-
Male.....	10	4	7	10	19	20	26	18	14	1	1	-
Female.....	-	4	9	8	6	13	25	28	20	7	4	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	4	4	10	14	3	5	2	6	-	-	-	-
Male.....	4	3	4	4	2	2	-	3	-	-	-	-
Female.....	-	1	6	10	1	3	2	3	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Tennessee

All races, both sexes.....	143	180	210	197	254	313	320	276	160	68	17	-
Male.....	81	109	116	97	145	144	139	95	40	11	5	-
Female.....	62	71	94	100	109	169	181	181	120	57	12	-
White, both sexes.....	106	138	164	146	205	255	252	232	138	51	14	-
Male.....	64	89	88	77	119	126	110	79	39	10	4	-
Female.....	42	49	76	69	86	129	142	153	99	41	10	-
Black, both sexes.....	36	40	44	51	45	58	67	44	22	17	3	-
Male.....	17	18	27	20	23	18	28	16	1	1	1	-
Female.....	19	22	17	31	22	40	39	28	21	16	2	-
American Indian 1/, both sexes.....	-	1	-	-	-	-	1	-	-	-	-	-
Male.....	-	1	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	1	2	-	4	-	-	-	-	-	-	-
Male.....	-	1	1	-	3	-	-	-	-	-	-	-
Female.....	1	-	1	-	1	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

IV. Endocrine, nutritional and metabolic diseases (E00-E88)

Texas

All races, both sexes.....	412	543	692	651	744	886	1,000	764	439	142	30	-
Male.....	236	313	385	344	369	403	453	304	125	28	1	-
Female.....	176	230	307	307	375	483	547	460	314	114	29	-
White, both sexes.....	318	402	579	536	611	755	845	673	384	123	26	-
Male.....	187	234	334	305	310	348	395	277	109	25	-	-
Female.....	131	168	245	231	301	407	450	396	275	98	26	-
Black, both sexes.....	91	131	105	105	120	115	136	82	45	17	4	-
Male.....	48	73	47	38	56	47	46	23	13	3	1	-
Female.....	43	58	58	67	64	68	90	59	32	14	3	-
American Indian 1/, both sexes.....	-	1	-	1	1	1	1	1	3	1	-	-
Male.....	-	-	-	-	1	-	1	-	-	-	-	-
Female.....	-	1	-	1	-	1	-	1	3	1	-	-
Asian or Pacific Islander 2/, both sexes.....	3	9	8	9	12	15	18	8	7	1	-	-
Male.....	1	6	4	1	2	8	11	4	3	-	-	-
Female.....	2	3	4	8	10	7	7	4	4	1	-	-

Utah

All races, both sexes.....	40	48	57	68	71	100	94	111	53	14	1	1
Male.....	23	27	39	37	34	45	36	41	16	5	-	1
Female.....	17	21	18	31	37	55	58	70	37	9	1	-
White, both sexes.....	39	43	55	64	66	96	89	106	53	14	1	1
Male.....	22	23	38	35	32	43	36	40	16	5	-	1
Female.....	17	20	17	29	34	53	53	66	37	9	1	-
Black, both sexes.....	-	1	2	-	1	2	-	-	-	-	-	-
Male.....	-	1	1	-	1	2	-	-	-	-	-	-
Female.....	-	-	1	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	1	-	3	2	1	1	4	-	-	-	-
Male.....	-	-	-	2	1	-	-	-	-	-	-	-
Female.....	-	1	-	1	1	1	1	4	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	3	-	1	2	1	4	1	-	-	-	-
Male.....	1	3	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	1	2	1	4	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

IV. Endocrine, nutritional and metabolic diseases (E00-E88)

Vermont

All races, both sexes.....	9	6	15	24	37	45	34	31	24	6	1	-
Male.....	5	3	9	17	21	21	16	8	5	2	-	-
Female.....	4	3	6	7	16	24	18	23	19	4	1	-
White, both sexes.....	9	6	15	24	36	44	34	31	24	6	1	-
Male.....	5	3	9	17	20	20	16	8	5	2	-	-
Female.....	4	3	6	7	16	24	18	23	19	4	1	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	1	-	-	-	-	-	-
Male.....	-	-	-	-	1	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Virginia

All races, both sexes.....	115	174	192	193	227	297	309	267	149	43	12	-
Male.....	66	104	97	115	110	128	112	98	41	8	2	-
Female.....	49	70	95	78	117	169	197	169	108	35	10	-
White, both sexes.....	72	114	141	127	146	223	218	203	114	33	8	-
Male.....	45	69	72	80	76	100	83	75	35	7	1	-
Female.....	27	45	69	47	70	123	135	128	79	26	7	-
Black, both sexes.....	42	56	48	63	76	70	84	62	34	8	4	-
Male.....	20	33	23	34	31	26	26	22	6	-	1	-
Female.....	22	23	25	29	45	44	58	40	28	8	3	-
American Indian 1/, both sexes.....	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	1	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	4	2	3	5	4	7	2	1	2	-	-
Male.....	1	2	2	1	3	2	3	1	-	1	-	-
Female.....	-	2	-	2	2	2	4	1	1	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

IV. Endocrine, nutritional and metabolic diseases (E00-E88)

Wisconsin

All races, both sexes.....	71	97	119	127	179	224	246	244	159	71	7	-
Male.....	42	51	65	68	97	109	102	90	43	17	1	-
Female.....	29	46	54	59	82	115	144	154	116	54	6	-
White, both sexes.....	63	84	101	118	164	205	234	236	155	67	7	-
Male.....	41	46	56	64	89	103	99	88	42	17	1	-
Female.....	22	38	45	54	75	102	135	148	113	50	6	-
Black, both sexes.....	7	10	15	4	12	15	7	5	1	3	-	-
Male.....	-	4	8	1	5	5	1	1	-	-	-	-
Female.....	7	6	7	3	7	10	6	4	1	3	-	-
American Indian 1/, both sexes.....	1	2	3	3	3	4	2	1	-	1	-	-
Male.....	1	1	1	2	3	1	1	-	-	-	-	-
Female.....	-	1	2	1	-	3	1	1	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	2	-	-	3	2	3	-	-	-
Male.....	-	-	-	1	-	-	1	1	1	-	-	-
Female.....	-	1	-	1	-	-	2	1	2	-	-	-

Wyoming

All races, both sexes.....	10	9	12	23	13	30	26	29	19	7	2	-
Male.....	5	4	4	15	7	16	17	15	4	3	-	-
Female.....	5	5	8	8	6	14	9	14	15	4	2	-
White, both sexes.....	9	9	11	23	13	28	25	29	19	7	2	-
Male.....	4	4	4	15	7	16	17	15	4	3	-	-
Female.....	5	5	7	8	6	12	8	14	15	4	2	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	1	-	-	1	1	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	1	-	-	1	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Endocrine diseases (E00-E34)												
Arkansas												
All races, both sexes.....	869	1	1	-	-	-	1	9	8	19	25	24
Male.....	413	1	-	-	-	-	1	3	4	8	15	14
Female.....	456	-	1	-	-	-	-	6	4	11	10	10
White, both sexes.....	666	1	-	-	-	-	1	7	6	13	14	19
Male.....	339	1	-	-	-	-	1	2	4	6	9	13
Female.....	327	-	-	-	-	-	-	5	2	7	5	6
Black, both sexes.....	196	-	1	-	-	-	-	2	2	6	11	5
Male.....	71	-	-	-	-	-	-	1	-	2	6	1
Female.....	125	-	1	-	-	-	-	1	2	4	5	4
American Indian 1/, both sexes.....	3	-	-	-	-	-	-	-	-	-	-	-
Male.....	2	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	4	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	3	-	-	-	-	-	-	-	-	-	-	-
California												
All races, both sexes.....	7,617	3	1	1	2	4	15	21	43	87	126	220
Male.....	3,827	2	1	1	1	2	11	11	24	58	72	141
Female.....	3,790	1	-	-	1	2	4	10	19	29	54	79
White, both sexes.....	5,852	3	1	1	1	4	10	14	26	56	93	162
Male.....	3,020	2	1	1	-	2	6	8	18	39	56	107
Female.....	2,832	1	-	-	1	2	4	6	8	17	37	55
Black, both sexes.....	909	-	-	-	1	-	3	5	10	18	22	45
Male.....	394	-	-	-	1	-	3	2	3	9	7	27
Female.....	515	-	-	-	-	-	-	3	7	9	15	18
American Indian 1/, both sexes.....	69	-	-	-	-	-	-	1	1	1	3	2
Male.....	36	-	-	-	-	-	-	1	-	1	2	1
Female.....	33	-	-	-	-	-	-	-	1	-	1	1
Asian or Pacific Islander 2/, both sexes.....	787	-	-	-	-	-	2	1	6	12	8	11
Male.....	377	-	-	-	-	-	2	-	3	9	7	6
Female.....	410	-	-	-	-	-	-	1	3	3	1	5

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Endocrine diseases (E00-E34)

United States

All races, both sexes.....	3,703	5,192	6,368	7,011	8,407	10,278	11,553	9,591	5,029	1,509	293	2
Male.....	2,188	3,091	3,657	3,972	4,441	4,924	5,137	3,749	1,563	335	48	2
Female.....	1,515	2,101	2,711	3,039	3,966	5,354	6,416	5,842	3,466	1,174	245	-
White, both sexes.....	2,658	3,758	4,821	5,372	6,516	8,361	9,596	8,199	4,348	1,268	237	2
Male.....	1,616	2,310	2,863	3,177	3,575	4,165	4,426	3,295	1,378	284	39	2
Female.....	1,042	1,448	1,958	2,195	2,941	4,196	5,170	4,904	2,970	984	198	-
Black, both sexes.....	917	1,223	1,313	1,348	1,567	1,574	1,573	1,090	524	198	46	-
Male.....	487	658	656	644	701	617	569	325	128	30	4	-
Female.....	430	565	657	704	866	957	1,004	765	396	168	42	-
American Indian 1/, both sexes.....	54	82	85	102	110	91	86	62	30	13	1	-
Male.....	36	44	48	47	57	29	31	22	11	2	1	-
Female.....	18	38	37	55	53	62	55	40	19	11	-	-
Asian or Pacific Islander 2/, both sexes.....	74	129	149	189	214	252	298	240	127	30	9	-
Male.....	49	79	90	104	108	113	111	107	46	19	4	-
Female.....	25	50	59	85	106	139	187	133	81	11	5	-

Alabama

All races, both sexes.....	80	96	133	136	163	178	186	152	91	21	7	-
Male.....	50	58	75	72	90	91	81	50	28	6	1	-
Female.....	30	38	58	64	73	87	105	102	63	15	6	-
White, both sexes.....	45	51	71	90	98	122	126	110	67	16	5	-
Male.....	32	32	44	56	52	68	62	41	21	4	-	-
Female.....	13	19	27	34	46	54	64	69	46	12	5	-
Black, both sexes.....	35	44	62	46	64	54	60	42	24	5	2	-
Male.....	18	25	31	16	38	23	19	9	7	2	1	-
Female.....	17	19	31	30	26	31	41	33	17	3	1	-
American Indian 1/, both sexes.....	-	1	-	-	1	-	-	-	-	-	-	-
Male.....	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	2	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	2	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Endocrine diseases (E00-E34)

Alaska

All races, both sexes.....	7	17	12	10	11	16	9	11	6	1	-	-
Male.....	5	5	6	6	8	10	8	8	-	1	-	-
Female.....	2	12	6	4	3	6	1	3	6	-	-	-
White, both sexes.....	6	13	9	8	8	16	7	10	4	1	-	-
Male.....	5	4	4	5	6	10	6	7	-	1	-	-
Female.....	1	9	5	3	2	6	1	3	4	-	-	-
Black, both sexes.....	-	2	2	-	-	-	-	-	-	-	-	-
Male.....	-	1	1	-	-	-	-	-	-	-	-	-
Female.....	-	1	1	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	1	-	-	1	-	2	-	2	-	-	-
Male.....	-	-	-	-	1	-	2	-	-	-	-	-
Female.....	-	1	-	-	-	-	-	-	2	-	-	-
Asian or Pacific Islander 2/, both sexes.	1	1	1	2	2	-	-	1	-	-	-	-
Male.....	-	-	1	1	1	-	-	1	-	-	-	-
Female.....	1	1	-	1	1	-	-	-	-	-	-	-

Arizona

All races, both sexes.....	62	86	132	130	121	155	196	135	66	16	3	-
Male.....	39	59	90	76	70	74	95	60	22	4	-	-
Female.....	23	27	42	54	51	81	101	75	44	12	3	-
White, both sexes.....	47	69	110	113	99	140	178	125	58	14	3	-
Male.....	31	46	78	63	55	71	87	56	19	4	-	-
Female.....	16	23	32	50	44	69	91	69	39	10	3	-
Black, both sexes.....	6	6	8	6	3	5	2	4	5	-	-	-
Male.....	2	5	4	4	3	1	-	2	2	-	-	-
Female.....	4	1	4	2	-	4	2	2	3	-	-	-
American Indian 1/, both sexes.....	9	11	13	11	19	9	14	6	3	2	-	-
Male.....	6	8	8	9	12	2	6	2	1	-	-	-
Female.....	3	3	5	2	7	7	8	4	2	2	-	-
Asian or Pacific Islander 2/, both sexes.	-	-	1	-	-	1	2	-	-	-	-	-
Male.....	-	-	-	-	-	-	2	-	-	-	-	-
Female.....	-	-	1	-	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Endocrine diseases (E00-E34)

Arkansas

All races, both sexes.....	68	62	85	87	87	102	129	91	48	18	4	-
Male.....	43	30	50	42	46	54	49	27	18	6	2	-
Female.....	25	32	35	45	41	48	80	64	30	12	2	-
White, both sexes.....	46	42	62	72	67	83	103	76	38	13	3	-
Male.....	31	21	39	38	36	47	41	26	16	6	2	-
Female.....	15	21	23	34	31	36	62	50	22	7	1	-
Black, both sexes.....	22	18	23	14	19	19	24	14	10	5	1	-
Male.....	12	8	11	4	9	7	8	-	2	-	-	-
Female.....	10	10	12	10	10	12	16	14	8	5	1	-
American Indian 1/, both sexes.....	-	-	-	-	1	-	1	1	-	-	-	-
Male.....	-	-	-	-	1	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	2	-	1	-	-	1	-	-	-	-	-
Male.....	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	1	-	1	-	-	1	-	-	-	-	-

California

All races, both sexes.....	418	533	635	728	846	1,139	1,160	996	484	129	26	-
Male.....	259	320	351	418	448	546	547	419	152	37	6	-
Female.....	159	213	284	310	398	593	613	577	332	92	20	-
White, both sexes.....	312	393	478	547	631	909	910	796	386	103	16	-
Male.....	195	242	270	325	344	452	447	343	131	28	3	-
Female.....	117	151	208	222	287	457	463	453	255	75	13	-
Black, both sexes.....	66	88	91	103	117	102	109	73	41	12	3	-
Male.....	35	42	38	51	58	37	51	22	8	-	-	-
Female.....	31	46	53	52	59	65	58	51	33	12	3	-
American Indian 1/, both sexes.....	5	12	5	10	7	10	5	6	1	-	-	-
Male.....	3	8	4	3	4	4	2	3	-	-	-	-
Female.....	2	4	1	7	3	6	3	3	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	35	40	61	68	91	118	136	121	56	14	7	-
Male.....	26	28	39	39	42	53	47	51	13	9	3	-
Female.....	9	12	22	29	49	65	89	70	43	5	4	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Endocrine diseases (E00-E34)

Colorado

All races, both sexes.....	35	48	67	61	90	93	128	91	55	18	4	-
Male.....	22	24	40	36	49	44	52	32	22	7	-	-
Female.....	13	24	27	25	41	49	76	59	33	11	4	-
White, both sexes.....	31	45	58	58	84	87	121	85	54	18	4	-
Male.....	20	23	37	35	48	42	50	27	22	7	-	-
Female.....	11	22	21	23	36	45	71	58	32	11	4	-
Black, both sexes.....	4	1	7	2	3	2	5	3	-	-	-	-
Male.....	2	-	3	1	1	1	2	2	-	-	-	-
Female.....	2	1	4	1	2	1	3	1	-	-	-	-
American Indian 1/, both sexes.....	-	1	2	1	3	3	-	1	-	-	-	-
Male.....	-	-	-	-	-	1	-	1	-	-	-	-
Female.....	-	1	2	1	3	2	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	-	-	1	2	2	1	-	-	-
Male.....	-	1	-	-	-	-	-	2	-	-	-	-
Female.....	-	-	-	-	-	1	2	-	1	-	-	-

Connecticut

All races, both sexes.....	28	38	53	54	76	84	104	116	70	20	1	-
Male.....	15	23	28	30	36	39	54	36	23	9	-	-
Female.....	13	15	25	24	40	45	50	80	47	11	1	-
White, both sexes.....	23	34	48	47	58	70	94	103	69	19	1	-
Male.....	12	22	26	29	30	36	48	32	23	8	-	-
Female.....	11	12	22	18	28	34	46	71	46	11	1	-
Black, both sexes.....	4	3	5	7	17	14	10	9	1	1	-	-
Male.....	2	1	2	1	5	3	6	4	-	1	-	-
Female.....	2	2	3	6	12	11	4	5	1	-	-	-
American Indian 1/, both sexes.....	-	1	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	1	-	-	-	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	1	-	-	3	-	-	-	-
Male.....	1	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	3	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Endocrine diseases (E00-E34)

Delaware

All races, both sexes.....	7	6	24	24	30	40	37	36	19	5	1	-
Male.....	4	4	14	17	16	19	20	13	6	2	-	-
Female.....	3	2	10	7	14	21	17	23	13	3	1	-
White, both sexes.....	4	2	17	12	16	33	29	28	17	5	1	-
Male.....	2	1	9	9	10	16	18	11	6	2	-	-
Female.....	2	1	8	3	6	17	11	17	11	3	1	-
Black, both sexes.....	3	3	7	10	13	7	8	8	2	-	-	-
Male.....	2	2	5	6	6	3	2	2	-	-	-	-
Female.....	1	1	2	4	7	4	6	6	2	-	-	-
American Indian 1/, both sexes.....	-	1	-	1	1	-	-	-	-	-	-	-
Male.....	-	1	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	1	-	-	-	-	-	-	-	-
Male.....	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Dist. of Columbia

All races, both sexes.....	2	13	14	10	17	17	26	23	17	4	1	-
Male.....	1	6	8	6	7	7	9	10	6	1	-	-
Female.....	1	7	6	4	10	10	17	13	11	3	1	-
White, both sexes.....	-	-	1	1	1	2	3	5	3	1	-	-
Male.....	-	-	1	1	1	2	1	4	2	-	-	-
Female.....	-	-	-	-	-	-	2	1	1	1	-	-
Black, both sexes.....	2	13	13	9	16	15	22	17	14	3	1	-
Male.....	1	6	7	5	6	5	8	6	4	1	-	-
Female.....	1	7	6	4	10	10	14	11	10	2	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Endocrine diseases (E00-E34)												
Florida												
All races, both sexes.....	262	371	442	522	647	751	818	669	364	98	18	1
Male.....	154	242	276	317	372	415	396	308	132	19	4	1
Female.....	108	129	166	205	275	336	422	361	232	79	14	-
White, both sexes.....	191	257	352	409	518	610	694	599	321	88	16	1
Male.....	114	176	222	265	316	344	345	288	119	18	4	1
Female.....	77	81	130	144	202	266	349	311	202	70	12	-
Black, both sexes.....	67	110	84	107	122	128	119	67	41	9	1	-
Male.....	39	64	48	48	52	64	47	18	12	1	-	-
Female.....	28	46	36	59	70	64	72	49	29	8	1	-
American Indian 1/, both sexes.....	1	1	1	1	2	2	-	-	1	-	-	-
Male.....	-	-	1	-	1	1	-	-	-	-	-	-
Female.....	1	1	-	1	1	1	-	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	3	5	5	5	11	5	3	1	1	1	-
Male.....	1	2	5	4	3	6	4	2	1	-	-	-
Female.....	2	1	-	1	2	5	1	1	-	1	1	-
Georgia												
All races, both sexes.....	103	156	166	183	211	181	198	183	93	26	4	-
Male.....	57	90	99	107	101	86	79	67	31	6	1	-
Female.....	46	66	67	76	110	95	119	116	62	20	3	-
White, both sexes.....	52	94	90	101	118	124	135	123	65	18	2	-
Male.....	33	56	57	65	64	60	62	46	26	3	1	-
Female.....	19	38	33	36	54	64	73	77	39	15	1	-
Black, both sexes.....	49	61	75	79	92	54	62	53	27	8	2	-
Male.....	23	33	42	40	36	25	17	17	5	3	-	-
Female.....	26	28	33	39	56	29	45	36	22	5	2	-
American Indian 1/, both sexes.....	-	1	-	-	-	-	-	1	-	-	-	-
Male.....	-	1	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	1	3	1	3	1	6	1	-	-	-
Male.....	1	-	-	2	1	1	-	3	-	-	-	-
Female.....	1	-	1	1	-	2	1	3	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Endocrine diseases (E00-E34)

Hawaii

All races, both sexes.....	12	36	28	30	26	36	40	43	30	8	1	-
Male.....	5	25	16	13	20	17	21	18	11	6	1	-
Female.....	7	11	12	17	6	19	19	25	19	2	-	-
White, both sexes.....	2	5	5	4	8	10	6	8	6	1	-	-
Male.....	-	5	2	1	7	4	4	2	2	-	-	-
Female.....	2	-	3	3	1	6	2	6	4	1	-	-
Black, both sexes.....	1	-	-	1	-	1	-	-	-	-	-	-
Male.....	1	-	-	1	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	9	31	23	25	18	25	34	35	24	7	1	-
Male.....	4	20	14	11	13	12	17	16	9	6	1	-
Female.....	5	11	9	14	5	13	17	19	15	1	-	-

Idaho

All races, both sexes.....	24	23	29	31	33	41	67	51	24	5	2	-
Male.....	15	14	15	22	14	16	30	20	7	-	1	-
Female.....	9	9	14	9	19	25	37	31	17	5	1	-
White, both sexes.....	22	22	29	29	31	39	67	50	24	5	2	-
Male.....	13	14	15	22	13	16	30	20	7	-	1	-
Female.....	9	8	14	7	18	23	37	30	17	5	1	-
Black, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-
American Indian 1/, both sexes.....	2	1	-	1	2	-	-	1	-	-	-	-
Male.....	2	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	1	-	1	1	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	1	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	1	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Endocrine diseases (E00-E34)

Illinois

All races, both sexes.....	143	196	258	262	346	413	487	372	234	58	17	-
Male.....	83	126	130	151	187	196	204	150	75	12	4	-
Female.....	60	70	128	111	159	217	283	222	159	46	13	-
White, both sexes.....	93	131	187	177	259	327	397	325	203	49	15	-
Male.....	52	86	99	112	144	162	172	136	65	11	3	-
Female.....	41	45	88	65	115	165	225	189	138	38	12	-
Black, both sexes.....	48	63	68	71	74	76	81	43	23	7	2	-
Male.....	30	38	29	31	34	29	30	12	6	-	1	-
Female.....	18	25	39	40	40	47	51	31	17	7	1	-
American Indian 1/, both sexes.....	-	-	-	-	1	1	1	-	-	-	-	-
Male.....	-	-	-	-	1	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	2	3	14	12	9	8	4	8	2	-	-
Male.....	1	2	2	8	8	4	2	2	4	1	-	-
Female.....	1	-	1	6	4	5	6	2	4	1	-	-

Indiana

All races, both sexes.....	77	123	149	158	184	208	236	202	136	31	7	-
Male.....	37	74	86	85	89	81	95	75	33	9	-	-
Female.....	40	49	63	73	95	127	141	127	103	22	7	-
White, both sexes.....	63	106	122	132	159	182	216	180	127	29	4	-
Male.....	31	63	76	74	78	71	85	65	31	8	-	-
Female.....	32	43	46	58	81	111	131	115	96	21	4	-
Black, both sexes.....	14	17	26	26	24	26	20	22	9	2	3	-
Male.....	6	11	10	11	11	10	10	10	2	1	-	-
Female.....	8	6	16	15	13	16	10	12	7	1	3	-
American Indian 1/, both sexes.....	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	1	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Endocrine diseases (E00-E34)

Kentucky

All races, both sexes.....	76	104	96	108	144	149	136	131	74	17	1	-
Male.....	47	54	52	69	70	74	65	47	28	3	-	-
Female.....	29	50	44	39	74	75	71	84	46	14	1	-
White, both sexes.....	64	89	82	87	125	132	125	117	74	16	1	-
Male.....	41	46	46	54	62	70	60	42	28	3	-	-
Female.....	23	43	36	33	63	62	65	75	46	13	1	-
Black, both sexes.....	11	15	14	21	18	16	11	13	-	1	-	-
Male.....	6	8	6	15	7	4	5	5	-	-	-	-
Female.....	5	7	8	6	11	12	6	8	-	1	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	1	-	1	-	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	1	-	-	-	-

Louisiana

All races, both sexes.....	75	102	134	142	226	204	213	167	74	30	5	-
Male.....	39	59	83	83	98	101	89	60	18	7	2	-
Female.....	36	43	51	59	128	103	124	107	56	23	3	-
White, both sexes.....	37	53	72	78	138	120	141	109	53	19	2	-
Male.....	24	33	50	51	66	63	66	43	13	3	1	-
Female.....	13	20	22	27	72	57	75	66	40	16	1	-
Black, both sexes.....	38	49	62	63	87	83	68	55	21	11	3	-
Male.....	15	26	33	31	32	37	22	16	5	4	1	-
Female.....	23	23	29	32	55	46	46	39	16	7	2	-
American Indian 1/, both sexes.....	-	-	-	1	1	1	1	-	-	-	-	-
Male.....	-	-	-	1	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	3	3	-	-	-	-
Male.....	-	-	-	-	-	-	1	1	-	-	-	-
Female.....	-	-	-	-	-	-	2	2	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Endocrine diseases (E00-E34)												
Maine												
All races, both sexes.....	17	23	31	32	43	49	55	60	22	10	3	-
Male.....	11	15	24	24	21	26	26	18	8	3	1	-
Female.....	6	8	7	8	22	23	29	42	14	7	2	-
White, both sexes.....	17	23	30	32	42	49	54	60	22	9	3	-
Male.....	11	15	23	24	21	26	25	18	8	3	1	-
Female.....	6	8	7	8	21	23	29	42	14	6	2	-
Black, both sexes.....	-	-	-	-	-	-	1	-	-	1	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	1	-	-
American Indian 1/, both sexes.....	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-
Maryland												
All races, both sexes.....	60	83	112	144	157	217	191	202	73	27	6	-
Male.....	37	44	60	73	79	103	80	81	23	1	-	-
Female.....	23	39	52	71	78	114	111	121	50	26	6	-
White, both sexes.....	34	38	57	79	92	135	134	155	55	19	5	-
Male.....	20	21	31	43	51	70	58	64	18	1	-	-
Female.....	14	17	26	36	41	65	76	91	37	18	5	-
Black, both sexes.....	26	41	53	61	63	79	51	40	16	8	1	-
Male.....	17	21	27	29	28	30	20	14	4	-	-	-
Female.....	9	20	26	32	35	49	31	26	12	8	1	-
American Indian 1/, both sexes.....	-	-	-	-	1	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	4	2	4	1	3	6	6	2	-	-	-
Male.....	-	2	2	1	-	3	2	3	1	-	-	-
Female.....	-	2	-	3	1	-	4	3	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Endocrine diseases (E00-E34)

Massachusetts

All races, both sexes.....	44	79	103	100	140	180	210	189	114	29	5	-
Male.....	26	54	58	58	75	86	105	81	45	-	1	-
Female.....	18	25	45	42	65	94	105	108	69	29	4	-
White, both sexes.....	41	71	90	85	123	160	198	177	111	28	5	-
Male.....	24	48	51	52	69	79	99	78	42	-	1	-
Female.....	17	23	39	33	54	81	99	99	69	28	4	-
Black, both sexes.....	3	8	13	14	11	15	11	9	2	1	-	-
Male.....	2	6	7	6	3	6	5	3	2	-	-	-
Female.....	1	2	6	8	8	9	6	6	-	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	1	6	4	1	3	1	-	-	-
Male.....	-	-	-	-	3	1	1	-	1	-	-	-
Female.....	-	-	-	1	3	3	-	3	-	-	-	-

Michigan

All races, both sexes.....	118	206	227	271	327	384	507	443	201	66	13	-
Male.....	68	117	139	157	161	185	213	173	64	12	1	-
Female.....	50	89	88	114	166	199	294	270	137	54	12	-
White, both sexes.....	85	155	180	224	272	322	432	393	184	53	11	-
Male.....	50	99	118	131	141	160	190	156	60	10	1	-
Female.....	35	56	62	93	131	162	242	237	124	43	10	-
Black, both sexes.....	33	48	45	43	49	57	64	43	17	13	2	-
Male.....	18	17	21	24	17	23	22	14	4	2	-	-
Female.....	15	31	24	19	32	34	42	29	13	11	2	-
American Indian 1/, both sexes.....	-	1	2	3	2	4	4	3	-	-	-	-
Male.....	-	-	-	1	2	1	1	1	-	-	-	-
Female.....	-	1	2	2	-	3	3	2	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	2	-	1	4	1	7	4	-	-	-	-
Male.....	-	1	-	1	1	1	-	2	-	-	-	-
Female.....	-	1	-	-	3	-	7	2	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Endocrine diseases (E00-E34)												
Nebraska												
All races, both sexes.....	13	28	26	46	47	75	79	86	49	19	5	-
Male.....	7	11	15	21	20	36	35	38	11	3	2	-
Female.....	6	17	11	25	27	39	44	48	38	16	3	-
White, both sexes.....	13	26	23	42	41	69	72	81	48	19	5	-
Male.....	7	10	15	20	18	35	33	34	11	3	2	-
Female.....	6	16	8	22	23	34	39	47	37	16	3	-
Black, both sexes.....	-	1	2	4	5	4	6	2	1	-	-	-
Male.....	-	-	-	1	1	-	2	1	-	-	-	-
Female.....	-	1	2	3	4	4	1	1	1	-	-	-
American Indian 1/, both sexes.....	-	1	1	-	1	1	1	-	-	-	-	-
Male.....	-	1	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	1	-	-	1	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	-	3	-	-	-	-
Male.....	-	-	-	-	-	1	-	3	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Nevada												
All races, both sexes.....	22	28	44	35	40	37	37	25	14	5	1	-
Male.....	15	19	30	20	22	23	20	3	3	2	-	-
Female.....	7	9	14	15	18	14	17	22	11	3	1	-
White, both sexes.....	22	21	37	34	35	32	34	23	11	5	1	-
Male.....	15	14	24	19	19	21	18	3	1	2	-	-
Female.....	7	7	13	15	16	11	16	20	10	3	1	-
Black, both sexes.....	-	4	3	1	4	3	2	2	2	-	-	-
Male.....	-	4	2	1	3	1	1	-	1	-	-	-
Female.....	-	-	1	-	1	2	1	2	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	3	4	-	1	1	1	-	1	-	-	-
Male.....	-	1	4	-	-	-	1	-	1	-	-	-
Female.....	-	2	-	-	1	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Endocrine diseases (E00-E34)

New Hampshire

All races, both sexes.....	11	17	13	29	35	44	48	44	21	5	-	-
Male.....	5	10	12	18	22	22	23	18	9	-	-	-
Female.....	6	7	1	11	13	22	25	26	12	5	-	-
White, both sexes.....	11	17	13	29	34	43	48	44	21	5	-	-
Male.....	5	10	12	18	21	22	23	18	9	-	-	-
Female.....	6	7	1	11	13	21	25	26	12	5	-	-
Black, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New Jersey

All races, both sexes.....	108	143	173	225	254	373	416	373	185	65	11	-
Male.....	63	89	99	132	124	180	173	139	54	15	-	-
Female.....	45	54	74	93	130	193	243	234	131	50	11	-
White, both sexes.....	73	105	117	168	191	297	353	314	163	59	10	-
Male.....	44	64	69	101	100	150	154	119	46	15	-	-
Female.....	29	41	48	67	91	147	199	195	117	44	10	-
Black, both sexes.....	31	33	49	48	56	66	50	49	15	6	1	-
Male.....	16	22	27	24	20	28	15	15	4	-	-	-
Female.....	15	11	22	24	36	38	35	34	11	6	1	-
American Indian 1/, both sexes.....	-	1	-	-	-	-	-	1	-	-	-	-
Male.....	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.	4	4	7	9	7	10	13	9	7	-	-	-
Male.....	3	2	3	7	4	2	4	5	4	-	-	-
Female.....	1	2	4	2	3	8	9	4	3	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Endocrine diseases (E00-E34)

New Mexico

All races, both sexes.....	37	49	63	77	92	105	92	79	45	18	2	-
Male.....	25	28	34	43	54	49	37	26	18	3	1	-
Female.....	12	21	29	34	38	56	55	53	27	15	1	-
White, both sexes.....	26	36	51	61	75	90	75	72	38	15	1	-
Male.....	17	18	26	39	46	42	33	24	14	3	-	-
Female.....	9	18	25	22	29	48	42	48	24	12	1	-
Black, both sexes.....	4	5	4	1	2	3	2	2	1	-	-	-
Male.....	4	5	2	-	2	3	-	1	1	-	-	-
Female.....	-	-	2	1	-	-	2	1	-	-	-	-
American Indian 1/, both sexes.....	7	7	8	14	14	11	14	5	6	2	1	-
Male.....	4	5	6	3	6	4	4	1	3	-	1	-
Female.....	3	2	2	11	8	7	10	4	3	2	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	1	1	1	1	-	-	1	-	-
Male.....	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	1	-	-	1	1	1	-	-	1	-	-

New York

All races, both sexes.....	174	251	301	357	420	514	651	487	310	78	19	-
Male.....	117	153	172	210	215	214	287	194	88	16	-	-
Female.....	57	98	129	147	205	300	364	293	222	62	19	-
White, both sexes.....	104	164	219	245	303	384	505	396	247	64	11	-
Male.....	78	112	131	149	161	172	232	167	73	14	-	-
Female.....	26	52	88	96	142	212	273	229	174	50	11	-
Black, both sexes.....	63	80	74	93	103	108	125	84	57	14	8	-
Male.....	33	38	34	50	44	33	49	23	12	2	-	-
Female.....	30	42	40	43	59	75	76	61	45	12	8	-
American Indian 1/, both sexes.....	-	-	-	3	1	3	1	-	1	-	-	-
Male.....	-	-	-	1	1	1	-	-	-	-	-	-
Female.....	-	-	-	2	-	2	1	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	7	7	8	16	13	19	20	7	5	-	-	-
Male.....	6	3	7	10	9	8	6	4	3	-	-	-
Female.....	1	4	1	6	4	11	14	3	2	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Endocrine diseases (E00-E34)

Ohio

All races, both sexes.....	182	244	307	361	456	530	677	503	262	70	13	-
Male.....	106	143	183	184	270	259	310	208	73	9	1	-
Female.....	76	101	124	177	186	271	367	295	189	61	12	-
White, both sexes.....	138	193	246	309	386	453	578	450	237	60	10	-
Male.....	80	112	146	160	226	221	269	189	66	9	1	-
Female.....	58	81	100	149	160	232	309	261	171	51	9	-
Black, both sexes.....	44	50	60	49	68	75	97	53	22	10	3	-
Male.....	26	31	37	22	42	37	41	19	4	-	-	-
Female.....	18	19	23	27	26	38	56	34	18	10	3	-
American Indian 1/, both sexes.....	-	-	-	1	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	1	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	1	2	2	2	2	-	3	-	-	-
Male.....	-	-	-	2	2	1	-	-	3	-	-	-
Female.....	-	1	1	-	-	1	2	-	-	-	-	-

Oklahoma

All races, both sexes.....	55	91	116	103	135	163	184	140	79	31	5	-
Male.....	32	52	66	59	70	75	73	61	29	6	1	-
Female.....	23	39	50	44	65	88	111	79	50	25	4	-
White, both sexes.....	38	65	93	69	110	130	155	118	66	24	5	-
Male.....	22	39	49	40	59	62	62	50	22	4	1	-
Female.....	16	26	44	29	51	68	93	68	44	20	4	-
Black, both sexes.....	6	11	10	20	10	16	13	9	3	4	-	-
Male.....	2	4	6	9	4	8	6	6	2	-	-	-
Female.....	4	7	4	11	6	8	7	3	1	4	-	-
American Indian 1/, both sexes.....	11	15	12	14	13	15	16	12	10	3	-	-
Male.....	8	9	10	10	6	4	5	5	5	2	-	-
Female.....	3	6	2	4	7	11	11	7	5	1	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	-	2	2	-	1	-	-	-	-
Male.....	-	-	1	-	1	1	-	-	-	-	-	-
Female.....	-	-	-	-	1	1	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Endocrine diseases (E00-E34)

Oregon

All races, both sexes.....	49	76	93	112	127	141	196	161	71	22	4	-
Male.....	28	51	47	71	76	72	93	58	21	6	2	-
Female.....	21	25	46	41	51	69	103	103	50	16	2	-
White, both sexes.....	44	67	83	104	118	132	187	152	68	20	4	-
Male.....	25	44	41	64	72	71	89	53	21	6	2	-
Female.....	19	23	42	40	46	61	98	99	47	14	2	-
Black, both sexes.....	3	4	5	4	3	3	3	2	1	1	-	-
Male.....	2	3	4	3	2	-	1	1	-	-	-	-
Female.....	1	1	1	1	1	3	2	1	1	1	-	-
American Indian 1/, both sexes.....	2	1	3	1	2	2	4	4	-	1	-	-
Male.....	1	1	2	1	1	-	1	1	-	-	-	-
Female.....	1	-	1	-	1	2	3	3	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	-	4	2	3	4	4	2	3	2	-	-	-
Male.....	-	3	-	3	1	1	2	3	-	-	-	-
Female.....	-	1	2	-	3	3	-	-	2	-	-	-

Pennsylvania

All races, both sexes.....	145	207	273	305	361	545	632	578	255	73	14	-
Male.....	88	132	159	190	183	270	297	218	73	19	-	-
Female.....	57	75	114	115	178	275	335	360	182	54	14	-
White, both sexes.....	118	167	232	262	314	484	587	533	242	66	14	-
Male.....	74	109	139	168	161	245	280	201	68	17	-	-
Female.....	44	58	93	94	153	239	307	332	174	49	14	-
Black, both sexes.....	25	38	37	40	43	60	43	43	13	5	-	-
Male.....	13	23	19	22	20	25	16	17	5	1	-	-
Female.....	12	15	18	18	23	35	27	26	8	4	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	2	4	3	4	1	2	2	-	2	-	-
Male.....	1	-	1	-	2	-	1	-	-	1	-	-
Female.....	1	2	3	3	2	1	1	2	-	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Endocrine diseases (E00-E34)

Rhode Island

All races, both sexes.....	10	26	22	22	19	27	36	52	28	5	1	-
Male.....	6	22	13	13	10	12	16	21	8	1	-	-
Female.....	4	4	9	9	9	15	20	31	20	4	1	-
White, both sexes.....	10	21	19	22	18	25	35	50	27	5	1	-
Male.....	6	17	11	13	9	11	16	21	8	1	-	-
Female.....	4	4	8	9	9	14	19	29	19	4	1	-
Black, both sexes.....	-	5	3	-	1	2	1	1	1	-	-	-
Male.....	-	5	2	-	1	1	-	-	-	-	-	-
Female.....	-	-	1	-	-	1	1	1	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-

South Carolina

All races, both sexes.....	75	113	133	124	158	188	178	127	65	15	6	-
Male.....	38	59	72	74	76	81	76	40	18	3	1	-
Female.....	37	54	61	50	82	107	102	87	47	12	5	-
White, both sexes.....	30	56	69	72	82	107	115	82	43	8	1	-
Male.....	20	33	43	42	48	56	55	32	14	2	1	-
Female.....	10	23	26	30	34	51	60	50	29	6	-	-
Black, both sexes.....	44	56	64	52	74	81	61	45	22	7	5	-
Male.....	17	26	29	32	27	25	20	8	4	1	-	-
Female.....	27	30	35	20	47	56	41	37	18	6	5	-
American Indian 1/, both sexes.....	1	1	-	-	1	-	-	-	-	-	-	-
Male.....	1	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	1	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	-	2	-	-	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	1	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Endocrine diseases (E00-E34)

Texas

All races, both sexes.....	317	421	569	538	610	723	760	543	280	83	16	-
Male.....	182	251	319	285	299	332	338	216	77	14	-	-
Female.....	135	170	250	253	311	391	422	327	203	69	16	-
White, both sexes.....	246	319	472	436	496	610	632	471	240	71	14	-
Male.....	144	190	279	248	251	287	289	194	67	13	-	-
Female.....	102	129	193	188	245	323	343	277	173	58	14	-
Black, both sexes.....	70	94	91	92	101	100	112	65	33	10	2	-
Male.....	38	56	37	36	45	38	38	19	8	1	-	-
Female.....	32	38	54	56	56	62	74	46	25	9	2	-
American Indian 1/, both sexes.....	-	-	-	1	1	1	1	1	2	1	-	-
Male.....	-	-	-	-	1	-	1	-	-	-	-	-
Female.....	-	-	-	1	-	1	-	1	2	1	-	-
Asian or Pacific Islander 2/, both sexes.....	1	8	6	9	12	12	15	6	5	1	-	-
Male.....	-	5	3	1	2	7	10	3	2	-	-	-
Female.....	1	3	3	8	10	5	5	3	3	1	-	-

Utah

All races, both sexes.....	29	40	43	61	59	90	76	93	33	9	1	1
Male.....	16	23	31	32	27	40	31	36	13	4	-	1
Female.....	13	17	12	29	32	50	45	57	20	5	1	-
White, both sexes.....	28	36	41	58	55	87	73	88	33	9	1	1
Male.....	15	20	30	31	25	38	31	35	13	4	-	1
Female.....	13	16	11	27	30	49	42	53	20	5	1	-
Black, both sexes.....	-	-	2	-	1	2	-	-	-	-	-	-
Male.....	-	-	1	-	1	2	-	-	-	-	-	-
Female.....	-	-	1	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	1	-	2	2	1	-	4	-	-	-	-
Male.....	-	-	-	1	1	-	-	-	-	-	-	-
Female.....	-	1	-	1	1	1	-	4	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	3	-	1	1	-	3	1	-	-	-	-
Male.....	1	3	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	1	1	-	3	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Endocrine diseases (E00-E34)

Vermont

All races, both sexes.....	4	4	11	19	28	31	28	19	17	3	1	-
Male.....	2	2	7	13	15	16	14	5	5	-	-	-
Female.....	2	2	4	6	13	15	14	14	12	3	1	-
White, both sexes.....	4	4	11	19	27	30	28	19	17	3	1	-
Male.....	2	2	7	13	14	15	14	5	5	-	-	-
Female.....	2	2	4	6	13	15	14	14	12	3	1	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	1	-	-	-	-	-	-
Male.....	-	-	-	-	1	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Virginia

All races, both sexes.....	85	126	151	148	185	232	227	182	92	21	6	-
Male.....	47	72	77	85	89	103	82	66	29	3	1	-
Female.....	38	54	74	63	96	129	145	116	63	18	5	-
White, both sexes.....	48	75	105	92	117	170	147	134	70	15	5	-
Male.....	29	44	55	56	63	78	56	50	26	2	1	-
Female.....	19	31	50	36	54	92	91	84	44	13	4	-
Black, both sexes.....	36	48	44	53	66	58	73	46	21	5	1	-
Male.....	17	27	21	28	25	23	23	15	3	-	-	-
Female.....	19	21	23	25	41	35	50	31	18	5	1	-
American Indian 1/, both sexes.....	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	1	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	3	1	3	2	4	7	2	1	1	-	-
Male.....	1	1	1	1	1	2	3	1	-	1	-	-
Female.....	-	2	-	2	1	2	4	1	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

All ages Under 1 year 1-4 years 5-9 years 10-14 years 15-19 years 20-24 years 25-29 years 30-34 years 35-39 years 40-44 years 45-49 years

Disorders of thyroid gland (E00-E07)

Illinois

Table with 13 columns: Cause of death, All ages, Under 1 year, 1-4 years, 5-9 years, 10-14 years, 15-19 years, 20-24 years, 25-29 years, 30-34 years, 35-39 years, 40-44 years, 45-49 years. Rows include All races, both sexes; Male; Female; White, both sexes; Male; Female; Black, both sexes; Male; Female; American Indian 1/, both sexes; Male; Female; Asian or Pacific Islander 2/, both sexes; Male; Female.

Indiana

Table with 13 columns: Cause of death, All ages, Under 1 year, 1-4 years, 5-9 years, 10-14 years, 15-19 years, 20-24 years, 25-29 years, 30-34 years, 35-39 years, 40-44 years, 45-49 years. Rows include All races, both sexes; Male; Female; White, both sexes; Male; Female; Black, both sexes; Male; Female; American Indian 1/, both sexes; Male; Female; Asian or Pacific Islander 2/, both sexes; Male; Female.

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

All Under 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
ages 1 year years years years years years years years years years

Disorders of thyroid gland (E00-E07)

Rhode Island

Table with 13 columns (Cause of death, All ages, Under 1 year, 1-4 years, 5-9 years, 10-14 years, 15-19 years, 20-24 years, 25-29 years, 30-34 years, 35-39 years, 40-44 years, 45-49 years) and rows for Rhode Island categories: All races, both sexes; Male; Female; White, both sexes; Male; Female; Black, both sexes; Male; Female; American Indian 1/, both sexes; Male; Female; Asian or Pacific Islander 2/, both sexes; Male; Female.

South Carolina

Table with 13 columns (Cause of death, All ages, Under 1 year, 1-4 years, 5-9 years, 10-14 years, 15-19 years, 20-24 years, 25-29 years, 30-34 years, 35-39 years, 40-44 years, 45-49 years) and rows for South Carolina categories: All races, both sexes; Male; Female; White, both sexes; Male; Female; Black, both sexes; Male; Female; American Indian 1/, both sexes; Male; Female; Asian or Pacific Islander 2/, both sexes; Male; Female.

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Disorders of thyroid gland (E00-E07)

Arkansas

All races, both sexes.....	1	-	-	1	2	2	3	5	3	1	-	-
Male.....	-	-	-	-	1	-	1	-	-	-	-	-
Female.....	1	-	-	1	1	2	2	5	3	1	-	-
White, both sexes.....	1	-	-	1	2	2	3	5	3	1	-	-
Male.....	-	-	-	-	1	-	1	-	-	-	-	-
Female.....	1	-	-	1	1	2	2	5	3	1	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	5	5	8	4	2	10	10	31	33	10	3	-
Male.....	2	3	2	2	1	3	3	8	4	1	-	-
Female.....	3	2	6	2	1	7	7	23	29	9	3	-
White, both sexes.....	5	5	6	3	1	8	9	25	30	10	3	-
Male.....	2	3	2	2	-	3	3	5	2	1	-	-
Female.....	3	2	4	1	1	5	6	20	28	9	3	-
Black, both sexes.....	-	-	1	-	-	-	1	5	1	-	-	-
Male.....	-	-	-	-	-	-	-	2	1	-	-	-
Female.....	-	-	1	-	-	-	1	3	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	1	1	2	-	1	2	-	-	-
Male.....	-	-	-	-	1	-	-	1	1	-	-	-
Female.....	-	-	1	1	-	2	-	-	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100 years and over Age not stated

Disorders of thyroid gland (E00-E07)

Iowa

Table with 13 columns (Age groups) and rows for Iowa: All races, both sexes; Male; Female; White, both sexes; Male; Female; Black, both sexes; Male; Female; American Indian 1/, both sexes; Male; Female; Asian or Pacific Islander 2/, both sexes; Male; Female.

Kansas

Table with 13 columns (Age groups) and rows for Kansas: All races, both sexes; Male; Female; White, both sexes; Male; Female; Black, both sexes; Male; Female; American Indian 1/, both sexes; Male; Female; Asian or Pacific Islander 2/, both sexes; Male; Female.

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Disorders of thyroid gland (E00-E07)

Ohio

All races, both sexes.....	1	2	4	-	4	7	17	15	16	7	3	-
Male.....	-	1	-	-	2	-	4	3	3	1	1	-
Female.....	1	1	4	-	2	7	13	12	13	6	2	-
White, both sexes.....	1	2	4	-	4	6	16	13	16	7	3	-
Male.....	-	1	-	-	2	-	4	3	3	1	1	-
Female.....	1	1	4	-	2	6	12	10	13	6	2	-
Black, both sexes.....	-	-	-	-	-	1	1	2	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	1	2	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Oklahoma

All races, both sexes.....	1	1	-	-	1	5	3	8	4	2	2	-
Male.....	-	1	-	-	-	-	-	2	-	-	1	-
Female.....	1	-	-	-	1	5	3	6	4	2	1	-
White, both sexes.....	1	1	-	-	1	2	3	6	3	2	2	-
Male.....	-	1	-	-	-	-	-	1	-	-	1	-
Female.....	1	-	-	-	1	2	3	5	3	2	1	-
Black, both sexes.....	-	-	-	-	-	1	-	1	1	-	-	-
Male.....	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Diabetes mellitus (E10-E14)												
Arkansas												
All races, both sexes.....	838	1	-	-	-	-	1	8	8	19	24	24
Male.....	408	1	-	-	-	-	1	3	4	8	14	14
Female.....	430	-	-	-	-	-	-	5	4	11	10	10
White, both sexes.....	638	1	-	-	-	-	1	6	6	13	13	19
Male.....	334	1	-	-	-	-	1	2	4	6	8	13
Female.....	304	-	-	-	-	-	-	4	2	7	5	6
Black, both sexes.....	193	-	-	-	-	-	-	2	2	6	11	5
Male.....	71	-	-	-	-	-	-	1	-	2	6	1
Female.....	122	-	-	-	-	-	-	1	2	4	5	4
American Indian 1/, both sexes.....	3	-	-	-	-	-	-	-	-	-	-	-
Male.....	2	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	4	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	3	-	-	-	-	-	-	-	-	-	-	-
California												
All races, both sexes.....	7,413	1	-	1	1	3	14	17	41	86	121	212
Male.....	3,758	-	-	1	-	2	10	9	24	57	70	138
Female.....	3,655	1	-	-	1	1	4	8	17	29	51	74
White, both sexes.....	5,682	1	-	1	1	3	9	12	26	55	89	155
Male.....	2,965	-	-	1	-	2	5	7	18	38	55	104
Female.....	2,717	1	-	-	1	1	4	5	8	17	34	51
Black, both sexes.....	893	-	-	-	-	-	3	4	8	18	22	44
Male.....	388	-	-	-	-	-	3	2	3	9	7	27
Female.....	505	-	-	-	-	-	-	2	5	9	15	17
American Indian 1/, both sexes.....	68	-	-	-	-	-	-	-	1	1	3	2
Male.....	35	-	-	-	-	-	-	-	-	1	2	1
Female.....	33	-	-	-	-	-	-	-	1	-	1	1
Asian or Pacific Islander 2/, both sexes.....	770	-	-	-	-	-	2	1	6	12	7	11
Male.....	370	-	-	-	-	-	2	-	3	9	6	6
Female.....	400	-	-	-	-	-	-	1	3	3	1	5

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Diabetes mellitus (E10-E14)

United States

All races, both sexes.....	3,592	5,085	6,219	6,879	8,233	10,012	11,177	9,085	4,613	1,294	235	2
Male.....	2,137	3,042	3,602	3,914	4,365	4,841	5,033	3,620	1,487	312	43	2
Female.....	1,455	2,043	2,617	2,965	3,868	5,171	6,144	5,465	3,126	982	192	-
White, both sexes.....	2,579	3,673	4,705	5,264	6,388	8,144	9,267	7,748	3,968	1,072	180	2
Male.....	1,583	2,270	2,821	3,131	3,522	4,093	4,332	3,182	1,317	266	34	2
Female.....	996	1,403	1,884	2,133	2,866	4,051	4,935	4,566	2,651	806	146	-
Black, both sexes.....	889	1,203	1,283	1,331	1,530	1,539	1,529	1,044	499	183	45	-
Male.....	471	649	644	635	682	609	560	312	121	26	4	-
Female.....	418	554	639	696	848	930	969	732	378	157	41	-
American Indian 1/, both sexes.....	53	82	85	102	106	89	84	59	28	11	1	-
Male.....	35	44	48	47	57	29	30	21	10	2	1	-
Female.....	18	38	37	55	49	60	54	38	18	9	-	-
Asian or Pacific Islander 2/, both sexes.....	71	127	146	182	209	240	297	234	118	28	9	-
Male.....	48	79	89	101	104	110	111	105	39	18	4	-
Female.....	23	48	57	81	105	130	186	129	79	10	5	-

Alabama

All races, both sexes.....	78	92	130	128	160	173	180	142	81	15	4	-
Male.....	49	55	73	68	90	87	81	49	26	5	1	-
Female.....	29	37	57	60	70	86	99	93	55	10	3	-
White, both sexes.....	43	51	71	84	95	118	122	101	57	12	2	-
Male.....	31	32	44	53	52	65	62	40	19	4	-	-
Female.....	12	19	27	31	43	53	60	61	38	8	2	-
Black, both sexes.....	35	40	59	44	64	53	58	41	24	3	2	-
Male.....	18	22	29	15	38	22	19	9	7	1	1	-
Female.....	17	18	30	29	26	31	39	32	17	2	1	-
American Indian 1/, both sexes.....	-	1	-	-	1	-	-	-	-	-	-	-
Male.....	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	2	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	2	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Diabetes mellitus (E10-E14)

Alaska

All races, both sexes.....	7	16	12	10	10	16	9	11	4	1	-	-
Male.....	5	5	6	6	7	10	8	8	-	1	-	-
Female.....	2	11	6	4	3	6	1	3	4	-	-	-
White, both sexes.....	6	12	9	8	8	16	7	10	3	1	-	-
Male.....	5	4	4	5	6	10	6	7	-	1	-	-
Female.....	1	8	5	3	2	6	1	3	3	-	-	-
Black, both sexes.....	-	2	2	-	-	-	-	-	-	-	-	-
Male.....	-	1	1	-	-	-	-	-	-	-	-	-
Female.....	-	1	1	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	1	-	-	1	-	2	-	1	-	-	-
Male.....	-	-	-	-	1	-	2	-	-	-	-	-
Female.....	-	1	-	-	-	-	-	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.	1	1	1	2	1	-	-	1	-	-	-	-
Male.....	-	-	1	1	-	-	-	1	-	-	-	-
Female.....	1	1	-	1	1	-	-	-	-	-	-	-

Arizona

All races, both sexes.....	62	84	128	128	118	153	188	124	63	14	2	-
Male.....	39	58	88	75	69	73	93	55	22	4	-	-
Female.....	23	26	40	53	49	80	95	69	41	10	2	-
White, both sexes.....	47	67	106	112	98	138	171	116	55	12	2	-
Male.....	31	45	76	63	54	70	86	52	19	4	-	-
Female.....	16	22	30	49	44	68	85	64	36	8	2	-
Black, both sexes.....	6	6	8	5	3	5	2	4	5	-	-	-
Male.....	2	5	4	3	3	1	-	2	2	-	-	-
Female.....	4	1	4	2	-	4	2	2	3	-	-	-
American Indian 1/, both sexes.....	9	11	13	11	17	9	13	4	3	2	-	-
Male.....	6	8	8	9	12	2	5	1	1	-	-	-
Female.....	3	3	5	2	5	7	8	3	2	2	-	-
Asian or Pacific Islander 2/, both sexes.	-	-	1	-	-	1	2	-	-	-	-	-
Male.....	-	-	-	-	-	-	2	-	-	-	-	-
Female.....	-	-	1	-	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Diabetes mellitus (E10-E14)

Arkansas

All races, both sexes.....	67	60	85	85	85	100	124	82	45	16	4	-
Male.....	43	30	50	42	45	54	47	26	18	6	2	-
Female.....	24	30	35	43	40	46	77	56	27	10	2	-
White, both sexes.....	45	40	62	70	65	81	98	68	35	12	3	-
Male.....	31	21	39	38	35	47	39	25	16	6	2	-
Female.....	14	19	23	32	30	34	59	43	19	6	1	-
Black, both sexes.....	22	18	23	14	19	19	24	13	10	4	1	-
Male.....	12	8	11	4	9	7	8	-	2	-	-	-
Female.....	10	10	12	10	10	12	16	13	8	4	1	-
American Indian 1/, both sexes.....	-	-	-	-	1	-	1	1	-	-	-	-
Male.....	-	-	-	-	1	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	2	-	1	-	-	1	-	-	-	-	-
Male.....	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	1	-	1	-	-	1	-	-	-	-	-

California

All races, both sexes.....	405	523	623	718	837	1,119	1,143	958	449	118	23	-
Male.....	252	316	347	413	442	538	541	409	147	36	6	-
Female.....	153	207	276	305	395	581	602	549	302	82	17	-
White, both sexes.....	300	384	469	539	624	895	894	766	354	92	13	-
Male.....	189	238	267	321	340	445	441	336	128	27	3	-
Female.....	111	146	202	218	284	450	453	430	226	65	10	-
Black, both sexes.....	66	88	89	102	117	101	108	68	40	12	3	-
Male.....	35	42	37	50	58	37	51	20	7	-	-	-
Female.....	31	46	52	52	59	64	57	48	33	12	3	-
American Indian 1/, both sexes.....	5	12	5	10	7	10	5	6	1	-	-	-
Male.....	3	8	4	3	4	4	2	3	-	-	-	-
Female.....	2	4	1	7	3	6	3	3	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	34	39	60	67	89	113	136	118	54	14	7	-
Male.....	25	28	39	39	40	52	47	50	12	9	3	-
Female.....	9	11	21	28	49	61	89	68	42	5	4	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Diabetes mellitus (E10-E14)

Colorado

All races, both sexes.....	34	46	65	60	87	91	121	86	51	16	3	-
Male.....	21	24	40	36	48	43	50	30	21	6	-	-
Female.....	13	22	25	24	39	48	71	56	30	10	3	-
White, both sexes.....	30	44	56	57	82	85	114	80	50	16	3	-
Male.....	19	23	37	35	47	41	48	25	21	6	-	-
Female.....	11	21	19	22	35	44	66	55	29	10	3	-
Black, both sexes.....	4	-	7	2	3	2	5	3	-	-	-	-
Male.....	2	-	3	1	1	1	2	2	-	-	-	-
Female.....	2	-	4	1	2	1	3	1	-	-	-	-
American Indian 1/, both sexes.....	-	1	2	1	2	3	-	1	-	-	-	-
Male.....	-	-	-	-	-	1	-	1	-	-	-	-
Female.....	-	1	2	1	2	2	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	-	-	1	2	2	1	-	-	-
Male.....	-	1	-	-	-	-	-	2	-	-	-	-
Female.....	-	-	-	-	-	1	2	-	1	-	-	-

Connecticut

All races, both sexes.....	28	38	51	51	73	81	99	112	58	19	-	-
Male.....	15	23	27	28	36	36	51	34	20	9	-	-
Female.....	13	15	24	23	37	45	48	78	38	10	-	-
White, both sexes.....	23	34	46	44	55	67	89	100	57	18	-	-
Male.....	12	22	25	27	30	33	45	31	20	8	-	-
Female.....	11	12	21	17	25	34	44	69	37	10	-	-
Black, both sexes.....	4	3	5	7	17	14	10	8	1	1	-	-
Male.....	2	1	2	1	5	3	6	3	-	1	-	-
Female.....	2	2	3	6	12	11	4	5	1	-	-	-
American Indian 1/, both sexes.....	-	1	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	1	-	-	-	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	1	-	-	3	-	-	-	-
Male.....	1	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	3	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Diabetes mellitus (E10-E14)

Delaware

All races, both sexes.....	7	6	23	23	29	39	33	33	14	3	1	-
Male.....	4	4	14	16	16	19	19	13	5	1	-	-
Female.....	3	2	9	7	13	20	14	20	9	2	1	-
White, both sexes.....	4	2	16	12	15	33	26	25	12	3	1	-
Male.....	2	1	9	9	10	16	17	11	5	1	-	-
Female.....	2	1	7	3	5	17	9	14	7	2	1	-
Black, both sexes.....	3	3	7	10	13	6	7	8	2	-	-	-
Male.....	2	2	5	6	6	3	2	2	-	-	-	-
Female.....	1	1	2	4	7	3	5	6	2	-	-	-
American Indian 1/, both sexes.....	-	1	-	1	1	-	-	-	-	-	-	-
Male.....	-	1	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Dist. of Columbia

All races, both sexes.....	2	13	14	10	17	16	24	23	17	4	1	-
Male.....	1	6	8	6	7	6	9	10	6	1	-	-
Female.....	1	7	6	4	10	10	15	13	11	3	1	-
White, both sexes.....	-	-	1	1	1	2	3	5	3	1	-	-
Male.....	-	-	1	1	1	2	1	4	2	-	-	-
Female.....	-	-	-	-	-	-	2	1	1	1	-	-
Black, both sexes.....	2	13	13	9	16	14	20	17	14	3	1	-
Male.....	1	6	7	5	6	4	8	6	4	1	-	-
Female.....	1	7	6	4	10	10	12	11	10	2	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Diabetes mellitus (E10-E14)

Florida

All races, both sexes.....	256	365	430	512	638	730	793	627	320	85	15	1
Male.....	152	240	273	314	369	409	387	297	121	18	3	1
Female.....	104	125	157	198	269	321	406	330	199	67	12	-
White, both sexes.....	186	252	342	400	511	593	670	561	279	75	13	1
Male.....	113	174	219	262	313	338	336	278	109	17	3	1
Female.....	73	78	123	138	198	255	334	283	170	58	10	-
Black, both sexes.....	66	109	82	106	120	125	118	63	40	9	1	-
Male.....	38	64	48	48	52	64	47	17	12	1	-	-
Female.....	28	45	34	58	68	61	71	46	28	8	1	-
American Indian 1/, both sexes.....	1	1	1	1	2	2	-	-	1	-	-	-
Male.....	-	-	1	-	1	1	-	-	-	-	-	-
Female.....	1	1	-	1	1	1	-	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	3	5	5	5	10	5	3	-	1	1	-
Male.....	1	2	5	4	3	6	4	2	-	-	-	-
Female.....	2	1	-	1	2	4	1	1	-	1	1	-

Georgia

All races, both sexes.....	100	153	160	178	204	175	190	174	82	22	3	-
Male.....	54	88	98	103	96	84	77	65	27	6	1	-
Female.....	46	65	62	75	108	91	113	109	55	16	2	-
White, both sexes.....	51	94	85	99	117	119	128	116	55	14	1	-
Male.....	32	56	56	63	63	58	60	45	22	3	1	-
Female.....	19	38	29	36	54	61	68	71	33	11	-	-
Black, both sexes.....	47	58	74	76	86	53	61	51	26	8	2	-
Male.....	21	31	42	38	32	25	17	16	5	3	-	-
Female.....	26	27	32	38	54	28	44	35	21	5	2	-
American Indian 1/, both sexes.....	-	1	-	-	-	-	-	1	-	-	-	-
Male.....	-	1	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	1	3	1	3	1	6	1	-	-	-
Male.....	1	-	-	2	1	1	-	3	-	-	-	-
Female.....	1	-	1	1	-	2	1	3	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Diabetes mellitus (E10-E14)

Hawaii

All races, both sexes.....	9	36	26	30	25	34	40	42	28	7	1	-
Male.....	5	25	15	13	20	17	21	18	10	6	1	-
Female.....	4	11	11	17	5	17	19	24	18	1	-	-
White, both sexes.....	1	5	5	4	8	10	6	7	5	1	-	-
Male.....	-	5	2	1	7	4	4	2	2	-	-	-
Female.....	1	-	3	3	1	6	2	5	3	1	-	-
Black, both sexes.....	1	-	-	1	-	1	-	-	-	-	-	-
Male.....	1	-	-	1	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	7	31	21	25	17	23	34	35	23	6	1	-
Male.....	4	20	13	11	13	12	17	16	8	6	1	-
Female.....	3	11	8	14	4	11	17	19	15	-	-	-

Idaho

All races, both sexes.....	24	21	28	31	33	39	66	45	21	2	2	-
Male.....	15	12	15	22	14	16	30	18	7	-	1	-
Female.....	9	9	13	9	19	23	36	27	14	2	1	-
White, both sexes.....	22	20	28	29	31	37	66	44	21	2	2	-
Male.....	13	12	15	22	13	16	30	18	7	-	1	-
Female.....	9	8	13	7	18	21	36	26	14	2	1	-
Black, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-
American Indian 1/, both sexes.....	2	1	-	1	2	-	-	1	-	-	-	-
Male.....	2	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	1	-	1	1	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	1	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	1	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Diabetes mellitus (E10-E14)

Illinois

All races, both sexes.....	137	194	249	256	338	402	472	353	215	48	13	-
Male.....	80	126	126	147	184	193	198	147	71	9	3	-
Female.....	57	68	123	109	154	209	274	206	144	39	10	-
White, both sexes.....	89	129	180	172	251	320	385	308	184	39	11	-
Male.....	51	86	96	108	141	160	167	133	61	8	2	-
Female.....	38	43	84	64	110	160	218	175	123	31	9	-
Black, both sexes.....	46	63	66	71	74	72	78	41	23	7	2	-
Male.....	28	38	28	31	34	28	29	12	6	-	1	-
Female.....	18	25	38	40	40	44	49	29	17	7	1	-
American Indian 1/, both sexes.....	-	-	-	-	1	1	1	-	-	-	-	-
Male.....	-	-	-	-	1	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	2	3	13	12	9	8	4	8	2	-	-
Male.....	1	2	2	8	8	4	2	2	4	1	-	-
Female.....	1	-	1	5	4	5	6	2	4	1	-	-

Indiana

All races, both sexes.....	76	119	148	153	178	202	227	191	122	28	7	-
Male.....	37	70	85	85	88	80	91	72	31	9	-	-
Female.....	39	49	63	68	90	122	136	119	91	19	7	-
White, both sexes.....	62	103	121	128	155	176	208	169	114	26	4	-
Male.....	31	60	75	74	78	70	81	62	29	8	-	-
Female.....	31	43	46	54	77	106	127	107	85	18	4	-
Black, both sexes.....	14	16	26	25	22	26	19	22	8	2	3	-
Male.....	6	10	10	11	10	10	10	10	2	1	-	-
Female.....	8	6	16	14	12	16	9	12	6	1	3	-
American Indian 1/, both sexes.....	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	1	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Diabetes mellitus (E10-E14)												
Kentucky												
All races, both sexes.....	74	102	95	107	139	143	134	122	66	10	1	-
Male.....	46	53	52	68	68	72	65	43	27	3	-	-
Female.....	28	49	43	39	71	71	69	79	39	7	1	-
White, both sexes.....	62	87	81	86	120	126	124	109	66	9	1	-
Male.....	40	45	46	53	60	68	60	39	27	3	-	-
Female.....	22	42	35	33	60	58	64	70	39	6	1	-
Black, both sexes.....	11	15	14	21	18	16	10	12	-	1	-	-
Male.....	6	8	6	15	7	4	5	4	-	-	-	-
Female.....	5	7	8	6	11	12	5	8	-	1	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	1	-	1	-	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	1	-	-	-	-
Louisiana												
All races, both sexes.....	71	99	132	140	222	202	200	162	71	27	5	-
Male.....	37	58	83	83	97	101	87	59	18	7	2	-
Female.....	34	41	49	57	125	101	113	103	53	20	3	-
White, both sexes.....	35	51	71	76	136	118	131	104	50	16	2	-
Male.....	24	32	50	51	65	63	64	42	13	3	1	-
Female.....	11	19	21	25	71	55	67	62	37	13	1	-
Black, both sexes.....	36	48	61	63	85	83	65	55	21	11	3	-
Male.....	13	26	33	31	32	37	22	16	5	4	1	-
Female.....	23	22	28	32	53	46	43	39	16	7	2	-
American Indian 1/, both sexes.....	-	-	-	1	1	1	1	-	-	-	-	-
Male.....	-	-	-	1	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	3	3	-	-	-	-
Male.....	-	-	-	-	-	-	1	1	-	-	-	-
Female.....	-	-	-	-	-	-	2	2	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Diabetes mellitus (E10-E14)

Maine

All races, both sexes.....	17	22	30	31	43	47	53	55	21	9	2	-
Male.....	11	14	23	23	21	26	25	18	8	3	1	-
Female.....	6	8	7	8	22	21	28	37	13	6	1	-
White, both sexes.....	17	22	29	31	42	47	52	55	21	8	2	-
Male.....	11	14	22	23	21	26	24	18	8	3	1	-
Female.....	6	8	7	8	21	21	28	37	13	5	1	-
Black, both sexes.....	-	-	-	-	-	-	1	-	-	1	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	1	-	-
American Indian 1/, both sexes.....	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-

Maryland

All races, both sexes.....	59	82	111	142	155	208	184	186	62	23	4	-
Male.....	37	44	59	73	79	100	79	77	18	1	-	-
Female.....	22	38	52	69	76	108	105	109	44	22	4	-
White, both sexes.....	33	38	57	78	91	130	128	143	46	16	3	-
Male.....	20	21	31	43	51	68	57	60	15	1	-	-
Female.....	13	17	26	35	40	62	71	83	31	15	3	-
Black, both sexes.....	26	40	52	60	62	75	50	38	15	7	1	-
Male.....	17	21	26	29	28	29	20	14	3	-	-	-
Female.....	9	19	26	31	34	46	30	24	12	7	1	-
American Indian 1/, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	4	2	4	1	3	6	5	1	-	-	-
Male.....	-	2	2	1	-	3	2	3	-	-	-	-
Female.....	-	2	-	3	1	-	4	2	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Diabetes mellitus (E10-E14)

Massachusetts

All races, both sexes.....	43	77	102	98	140	173	204	182	109	23	3	-
Male.....	25	52	58	56	75	85	103	78	44	-	1	-
Female.....	18	25	44	42	65	88	101	104	65	23	2	-
White, both sexes.....	40	69	89	83	123	153	193	170	106	22	3	-
Male.....	23	46	51	50	69	78	97	75	41	-	1	-
Female.....	17	23	38	33	54	75	96	95	65	22	2	-
Black, both sexes.....	3	8	13	14	11	15	10	9	2	1	-	-
Male.....	2	6	7	6	3	6	5	3	2	-	-	-
Female.....	1	2	6	8	8	9	5	6	-	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	1	6	4	1	3	1	-	-	-
Male.....	-	-	-	-	3	1	1	-	1	-	-	-
Female.....	-	-	-	1	3	3	-	3	-	-	-	-

Michigan

All races, both sexes.....	114	203	225	264	321	370	495	416	188	53	10	-
Male.....	67	116	139	155	159	179	209	169	62	12	1	-
Female.....	47	87	86	109	162	191	286	247	126	41	9	-
White, both sexes.....	83	154	180	217	268	311	422	370	172	41	9	-
Male.....	50	98	118	129	139	155	186	153	58	10	1	-
Female.....	33	56	62	88	129	156	236	217	114	31	8	-
Black, both sexes.....	31	47	43	43	47	54	62	39	16	12	1	-
Male.....	17	17	21	24	17	22	22	13	4	2	-	-
Female.....	14	30	22	19	30	32	40	26	12	10	1	-
American Indian 1/, both sexes.....	-	1	2	3	2	4	4	3	-	-	-	-
Male.....	-	-	-	1	2	1	1	1	-	-	-	-
Female.....	-	1	2	2	-	3	3	2	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	1	4	1	7	4	-	-	-	-
Male.....	-	1	-	1	1	1	-	2	-	-	-	-
Female.....	-	-	-	-	3	-	7	2	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Diabetes mellitus (E10-E14)

Nebraska

All races, both sexes.....	13	27	26	46	46	71	77	83	42	16	3	-
Male.....	7	11	15	21	20	32	35	37	11	3	1	-
Female.....	6	16	11	25	26	39	42	46	31	13	2	-
White, both sexes.....	13	25	23	42	40	66	70	78	41	16	3	-
Male.....	7	10	15	20	18	32	33	33	11	3	1	-
Female.....	6	15	8	22	22	34	37	45	30	13	2	-
Black, both sexes.....	-	1	2	4	5	4	6	2	1	-	-	-
Male.....	-	-	-	1	1	-	2	1	-	-	-	-
Female.....	-	1	2	3	4	4	1	1	-	-	-	-
American Indian 1/, both sexes.....	-	1	1	-	1	1	1	-	-	-	-	-
Male.....	-	1	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	1	-	-	1	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	3	-	-	-	-
Male.....	-	-	-	-	-	-	-	3	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Nevada

All races, both sexes.....	20	27	43	34	38	35	34	23	13	4	1	-
Male.....	14	18	30	19	21	23	18	2	3	2	-	-
Female.....	6	9	13	15	17	12	16	21	10	2	1	-
White, both sexes.....	20	20	36	33	33	30	31	21	10	4	1	-
Male.....	14	13	24	18	18	21	16	2	1	2	-	-
Female.....	6	7	12	15	15	9	15	19	9	2	1	-
Black, both sexes.....	-	4	3	1	4	3	2	2	2	-	-	-
Male.....	-	4	2	1	3	1	1	-	1	-	-	-
Female.....	-	-	1	-	1	2	1	2	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	3	4	-	1	1	1	-	1	-	-	-
Male.....	-	1	4	-	-	-	1	-	1	-	-	-
Female.....	-	2	-	-	1	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Diabetes mellitus (E10-E14)

New Hampshire

All races, both sexes.....	9	17	13	28	34	44	47	43	20	3	-	-
Male.....	3	10	12	17	22	22	23	18	9	-	-	-
Female.....	6	7	1	11	12	22	24	25	11	3	-	-
White, both sexes.....	9	17	13	28	33	43	47	43	20	3	-	-
Male.....	3	10	12	17	21	22	23	18	9	-	-	-
Female.....	6	7	1	11	12	21	24	25	11	3	-	-
Black, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New Jersey

All races, both sexes.....	107	141	168	218	249	361	398	346	166	55	6	-
Male.....	62	89	97	129	121	175	171	132	53	15	-	-
Female.....	45	52	71	89	128	186	227	214	113	40	6	-
White, both sexes.....	72	105	112	165	188	286	336	289	147	50	5	-
Male.....	43	64	67	101	98	146	152	113	46	15	-	-
Female.....	29	41	45	64	90	140	184	176	101	35	5	-
Black, both sexes.....	31	31	49	46	54	65	49	48	13	5	1	-
Male.....	16	22	27	23	19	27	15	15	4	-	-	-
Female.....	15	9	22	23	35	38	34	33	9	5	1	-
American Indian 1/, both sexes.....	-	1	-	-	-	-	-	1	-	-	-	-
Male.....	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	4	4	7	7	7	10	13	8	6	-	-	-
Male.....	3	2	3	5	4	2	4	4	3	-	-	-
Female.....	1	2	4	2	3	8	9	4	3	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Diabetes mellitus (E10-E14)

New Mexico

All races, both sexes.....	35	49	62	76	90	101	87	72	42	16	2	-
Male.....	24	28	33	43	53	48	36	25	17	3	1	-
Female.....	11	21	29	33	37	53	51	47	25	13	1	-
White, both sexes.....	25	36	50	60	73	86	71	65	36	14	1	-
Male.....	17	18	25	39	45	41	32	23	14	3	-	-
Female.....	8	18	25	21	28	45	39	42	22	11	1	-
Black, both sexes.....	4	5	4	1	2	3	2	2	1	-	-	-
Male.....	4	5	2	-	2	3	-	1	1	-	-	-
Female.....	-	-	2	1	-	-	2	1	-	-	-	-
American Indian 1/, both sexes.....	6	7	8	14	14	11	13	5	5	1	1	-
Male.....	3	5	6	3	6	4	4	1	2	-	1	-
Female.....	3	2	2	11	8	7	9	4	3	1	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	1	1	1	1	-	-	1	-	-
Male.....	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	1	-	-	1	1	1	-	-	1	-	-

New York

All races, both sexes.....	172	248	294	352	415	502	635	464	292	70	15	-
Male.....	115	152	170	208	212	211	280	190	84	16	-	-
Female.....	57	96	124	144	203	291	355	274	208	54	15	-
White, both sexes.....	103	161	216	241	298	375	492	373	233	57	7	-
Male.....	77	111	131	147	158	169	227	163	72	14	-	-
Female.....	26	50	85	94	140	206	265	210	161	43	7	-
Black, both sexes.....	62	80	70	93	103	105	122	84	54	13	8	-
Male.....	32	38	32	50	44	33	47	23	10	2	-	-
Female.....	30	42	38	43	59	72	75	61	44	11	8	-
American Indian 1/, both sexes.....	-	-	-	3	1	3	1	-	1	-	-	-
Male.....	-	-	-	1	1	1	-	-	-	-	-	-
Female.....	-	-	-	2	-	2	1	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	7	7	8	15	13	19	20	7	4	-	-	-
Male.....	6	3	7	10	9	8	6	4	2	-	-	-
Female.....	1	4	1	5	4	11	14	3	2	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Diabetes mellitus (E10-E14)												
Ohio												
All races, both sexes.....	180	240	298	359	447	519	654	483	244	62	9	-
Male.....	105	141	181	183	265	256	302	202	69	8	-	-
Female.....	75	99	117	176	182	263	352	281	175	54	9	-
White, both sexes.....	136	189	238	307	377	444	556	432	220	52	6	-
Male.....	79	110	144	159	221	219	261	183	63	8	-	-
Female.....	57	79	94	148	156	225	295	249	157	44	6	-
Black, both sexes.....	44	50	59	49	68	73	96	51	21	10	3	-
Male.....	26	31	37	22	42	36	41	19	3	-	-	-
Female.....	18	19	22	27	26	37	55	32	18	10	3	-
American Indian 1/, both sexes.....	-	-	-	1	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	1	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	1	2	2	2	2	-	3	-	-	-
Male.....	-	-	-	2	2	1	-	-	3	-	-	-
Female.....	-	1	1	-	-	1	2	-	-	-	-	-
Oklahoma												
All races, both sexes.....	52	88	116	102	133	158	179	130	73	29	3	-
Male.....	32	51	66	58	70	75	72	58	28	6	-	-
Female.....	20	37	50	44	63	83	107	72	45	23	3	-
White, both sexes.....	35	62	93	68	108	128	150	111	61	22	3	-
Male.....	22	38	49	39	59	62	61	49	21	4	-	-
Female.....	13	24	44	29	49	66	89	62	40	18	3	-
Black, both sexes.....	6	11	10	20	10	15	13	7	2	4	-	-
Male.....	2	4	6	9	4	8	6	4	2	-	-	-
Female.....	4	7	4	11	6	7	7	3	-	4	-	-
American Indian 1/, both sexes.....	11	15	12	14	13	14	16	12	10	3	-	-
Male.....	8	9	10	10	6	4	5	5	5	2	-	-
Female.....	3	6	2	4	7	10	11	7	5	1	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	-	2	1	-	-	-	-	-	-
Male.....	-	-	1	-	1	1	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Diabetes mellitus (E10-E14)

Oregon

All races, both sexes.....	49	73	92	112	126	140	192	156	68	20	4	-
Male.....	28	49	46	71	76	72	91	58	20	6	2	-
Female.....	21	24	46	41	50	68	101	98	48	14	2	-
White, both sexes.....	44	64	83	104	117	132	183	147	65	18	4	-
Male.....	25	42	41	64	72	71	87	53	20	6	2	-
Female.....	19	22	42	40	45	61	96	94	45	12	2	-
Black, both sexes.....	3	4	4	4	3	3	3	2	1	1	-	-
Male.....	2	3	3	3	2	-	1	1	-	-	-	-
Female.....	1	1	1	1	1	3	2	1	1	1	-	-
American Indian 1/, both sexes.....	2	1	3	1	2	2	4	4	-	1	-	-
Male.....	1	1	2	1	1	-	1	1	-	-	-	-
Female.....	1	-	1	-	1	2	3	3	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	-	4	2	3	4	3	2	3	2	-	-	-
Male.....	-	3	-	3	1	1	2	3	-	-	-	-
Female.....	-	1	2	-	3	2	-	-	2	-	-	-

Pennsylvania

All races, both sexes.....	141	203	266	296	349	533	604	543	227	65	11	-
Male.....	85	129	156	187	178	267	292	204	71	18	-	-
Female.....	56	74	110	109	171	266	312	339	156	47	11	-
White, both sexes.....	115	163	225	253	305	472	561	499	216	59	11	-
Male.....	71	106	136	165	158	242	275	187	66	16	-	-
Female.....	44	57	89	88	147	230	286	312	150	43	11	-
Black, both sexes.....	24	38	37	40	40	60	41	42	11	4	-	-
Male.....	13	23	19	22	18	25	16	17	5	1	-	-
Female.....	11	15	18	18	22	35	25	25	6	3	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	2	4	3	4	1	2	2	-	2	-	-
Male.....	1	-	1	-	2	-	1	-	-	1	-	-
Female.....	1	2	3	3	2	1	1	2	-	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Diabetes mellitus (E10-E14)												
Rhode Island												
All races, both sexes.....	10	25	21	22	18	27	34	52	25	3	1	-
Male.....	6	21	13	13	10	12	16	21	8	1	-	-
Female.....	4	4	8	9	8	15	18	31	17	2	1	-
White, both sexes.....	10	20	18	22	17	25	34	50	24	3	1	-
Male.....	6	16	11	13	9	11	16	21	8	1	-	-
Female.....	4	4	7	9	8	14	18	29	16	2	1	-
Black, both sexes.....	-	5	3	-	1	2	-	1	1	-	-	-
Male.....	-	5	2	-	1	1	-	-	-	-	-	-
Female.....	-	-	1	-	-	1	-	1	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-
South Carolina												
All races, both sexes.....	69	106	129	123	154	178	174	120	61	12	6	-
Male.....	37	54	69	74	73	80	75	40	17	3	1	-
Female.....	32	52	60	49	81	98	99	80	44	9	5	-
White, both sexes.....	28	51	66	71	79	102	112	77	40	6	1	-
Male.....	19	30	41	42	46	55	55	32	13	2	1	-
Female.....	9	21	25	29	33	47	57	45	27	4	-	-
Black, both sexes.....	40	54	63	52	73	76	60	43	21	6	5	-
Male.....	17	24	28	32	26	25	19	8	4	1	-	-
Female.....	23	30	35	20	47	51	41	35	17	5	5	-
American Indian 1/, both sexes.....	1	1	-	-	1	-	-	-	-	-	-	-
Male.....	1	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	1	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	-	2	-	-	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	1	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Diabetes mellitus (E10-E14)												
Texas												
All races, both sexes.....	307	416	554	530	599	709	734	523	259	65	13	-
Male.....	178	249	312	281	292	326	334	210	74	12	-	-
Female.....	129	167	242	249	307	383	400	313	185	53	13	-
White, both sexes.....	240	315	458	428	488	598	609	452	220	53	11	-
Male.....	142	188	272	244	247	282	285	189	65	11	-	-
Female.....	98	127	186	184	241	316	324	263	155	42	11	-
Black, both sexes.....	66	93	90	92	99	100	110	64	33	10	2	-
Male.....	36	56	37	36	43	38	38	18	8	1	-	-
Female.....	30	37	53	56	56	62	72	46	25	9	2	-
American Indian 1/, both sexes.....	-	-	-	1	1	-	1	1	2	1	-	-
Male.....	-	-	-	-	1	-	1	-	-	-	-	-
Female.....	-	-	-	1	-	-	-	1	2	1	-	-
Asian or Pacific Islander 2/, both sexes.	1	8	6	9	11	11	14	6	4	1	-	-
Male.....	-	5	3	1	1	6	10	3	1	-	-	-
Female.....	1	3	3	8	10	5	4	3	3	1	-	-
Utah												
All races, both sexes.....	29	38	42	60	56	88	73	89	30	5	1	1
Male.....	16	23	31	31	25	39	30	35	11	2	-	1
Female.....	13	15	11	29	31	49	43	54	19	3	1	-
White, both sexes.....	28	34	40	57	53	85	70	84	30	5	1	1
Male.....	15	20	30	30	24	37	30	34	11	2	-	1
Female.....	13	14	10	27	29	48	40	50	19	3	1	-
Black, both sexes.....	-	-	2	-	-	2	-	-	-	-	-	-
Male.....	-	-	1	-	-	2	-	-	-	-	-	-
Female.....	-	-	1	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	1	-	2	2	1	-	4	-	-	-	-
Male.....	-	-	-	1	1	-	-	-	-	-	-	-
Female.....	-	1	-	1	1	1	-	4	-	-	-	-
Asian or Pacific Islander 2/, both sexes.	1	3	-	1	1	-	3	1	-	-	-	-
Male.....	1	3	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	1	1	-	3	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Diabetes mellitus (E10-E14)

Vermont

All races, both sexes.....	4	4	11	19	27	31	28	19	17	3	1	-
Male.....	2	2	7	13	15	16	14	5	5	-	-	-
Female.....	2	2	4	6	12	15	14	14	12	3	1	-
White, both sexes.....	4	4	11	19	26	30	28	19	17	3	1	-
Male.....	2	2	7	13	14	15	14	5	5	-	-	-
Female.....	2	2	4	6	12	15	14	14	12	3	1	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	1	-	-	-	-	-	-
Male.....	-	-	-	-	1	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Virginia

All races, both sexes.....	82	125	145	145	179	222	217	171	81	19	6	-
Male.....	46	72	75	85	86	98	78	62	24	2	1	-
Female.....	36	53	70	60	93	124	139	109	57	17	5	-
White, both sexes.....	45	74	102	91	115	162	140	126	62	14	5	-
Male.....	28	44	54	56	63	74	53	46	22	2	1	-
Female.....	17	30	48	35	52	88	87	80	40	12	4	-
Black, both sexes.....	36	48	41	51	62	56	70	43	18	5	1	-
Male.....	17	27	20	28	22	22	22	15	2	-	-	-
Female.....	19	21	21	23	40	34	48	28	16	5	1	-
American Indian 1/, both sexes.....	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	1	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	3	1	3	2	4	7	2	1	-	-	-
Male.....	1	1	1	1	1	2	3	1	-	-	-	-
Female.....	-	2	-	2	1	2	4	1	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

All Under 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
ages 1 year years years years years years years years years years

Disorders of pituitary gland (E22-E23)

Missouri

Table with 12 columns (All ages, Under 1 year, 1-4 years, 5-9 years, 10-14 years, 15-19 years, 20-24 years, 25-29 years, 30-34 years, 35-39 years, 40-44 years, 45-49 years) and rows for Missouri: All races, both sexes; Male; Female; White, both sexes; Male; Female; Black, both sexes; Male; Female; American Indian 1/, both sexes; Male; Female; Asian or Pacific Islander 2/, both sexes; Male; Female.

Montana

Table with 12 columns (All ages, Under 1 year, 1-4 years, 5-9 years, 10-14 years, 15-19 years, 20-24 years, 25-29 years, 30-34 years, 35-39 years, 40-44 years, 45-49 years) and rows for Montana: All races, both sexes; Male; Female; White, both sexes; Male; Female; Black, both sexes; Male; Female; American Indian 1/, both sexes; Male; Female; Asian or Pacific Islander 2/, both sexes; Male; Female.

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Disorders of pituitary gland (E22-E23)

Arkansas

All races, both sexes.....	-	-	-	1	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	1	-	-	-	-	-	-	-	-
White, both sexes.....	-	-	-	1	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	1	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	3	1	3	2	1	2	-	1	-	-	-	-
Male.....	2	-	2	1	-	2	-	-	-	-	-	-
Female.....	1	1	1	1	1	-	-	1	-	-	-	-
White, both sexes.....	2	1	2	2	1	2	-	-	-	-	-	-
Male.....	1	-	1	1	-	2	-	-	-	-	-	-
Female.....	1	1	1	1	1	-	-	-	-	-	-	-
Black, both sexes.....	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	1	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex 50-54 years 55-59 years 60-64 years 65-69 years 70-74 years 75-79 years 80-84 years 85-89 years 90-94 years 95-99 years 100 years and over Age not stated

Disorders of pituitary gland (E22-E23)

Delaware

Table with 13 columns (Age groups) and rows for Delaware: All races, both sexes; Male; Female; White, both sexes; Male; Female; Black, both sexes; Male; Female; American Indian 1/, both sexes; Male; Female; Asian or Pacific Islander 2/, both sexes; Male; Female.

Dist. of Columbia

Table with 13 columns (Age groups) and rows for Dist. of Columbia: All races, both sexes; Male; Female; White, both sexes; Male; Female; Black, both sexes; Male; Female; American Indian 1/, both sexes; Male; Female; Asian or Pacific Islander 2/, both sexes; Male; Female.

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Disorders of pituitary gland (E22-E23)

Maine

All races, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Maryland

All races, both sexes.....	-	-	-	-	-	-	-	3	-	-	-	-
Male.....	-	-	-	-	-	-	-	2	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-
White, both sexes.....	-	-	-	-	-	-	-	2	-	-	-	-
Male.....	-	-	-	-	-	-	-	2	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex 50-54 years 55-59 years 60-64 years 65-69 years 70-74 years 75-79 years 80-84 years 85-89 years 90-94 years 95-99 years 100 years and over Age not stated

Disorders of pituitary gland (E22-E23)

Minnesota

Table with 13 columns (Age groups) and rows for Minnesota: All races, both sexes; Male; Female; White, both sexes; Male; Female; Black, both sexes; Male; Female; American Indian 1/, both sexes; Male; Female; Asian or Pacific Islander 2/, both sexes; Male; Female.

Mississippi

Table with 13 columns (Age groups) and rows for Mississippi: All races, both sexes; Male; Female; White, both sexes; Male; Female; Black, both sexes; Male; Female; American Indian 1/, both sexes; Male; Female; Asian or Pacific Islander 2/, both sexes; Male; Female.

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Disorders of pituitary gland (E22-E23)

North Carolina

Table with 13 columns (Age groups) and rows for North Carolina: All races, both sexes; Male; Female; White, both sexes; Male; Female; Black, both sexes; Male; Female; American Indian 1/, both sexes; Male; Female; Asian or Pacific Islander 2/, both sexes; Male; Female.

North Dakota

Table with 13 columns (Age groups) and rows for North Dakota: All races, both sexes; Male; Female; White, both sexes; Male; Female; Black, both sexes; Male; Female; American Indian 1/, both sexes; Male; Female; Asian or Pacific Islander 2/, both sexes; Male; Female.

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Disorders of pituitary gland (E22-E23)

Ohio

Table with 13 columns (Cause of death, 50-54 years, 55-59 years, 60-64 years, 65-69 years, 70-74 years, 75-79 years, 80-84 years, 85-89 years, 90-94 years, 95-99 years, 100 years and over, Age not stated) and rows for All races, both sexes; Male; Female; White, both sexes; Male; Female; Black, both sexes; Male; Female; American Indian 1/, both sexes; Male; Female; Asian or Pacific Islander 2/, both sexes; Male; Female.

Oklahoma

Table with 13 columns (Cause of death, 50-54 years, 55-59 years, 60-64 years, 65-69 years, 70-74 years, 75-79 years, 80-84 years, 85-89 years, 90-94 years, 95-99 years, 100 years and over, Age not stated) and rows for All races, both sexes; Male; Female; White, both sexes; Male; Female; Black, both sexes; Male; Female; American Indian 1/, both sexes; Male; Female; Asian or Pacific Islander 2/, both sexes; Male; Female.

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Disorders of pituitary gland (E22-E23)

Wisconsin

Table with 13 columns (Age groups) and rows for All races, White, Black, American Indian, and Asian or Pacific Islander, each split by sex.

Wyoming

Table with 13 columns (Age groups) and rows for All races, White, Black, American Indian, and Asian or Pacific Islander, each split by sex.

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

All Under 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
ages 1 year years years years years years years years years years

Disorders of adrenal glands (E24-E27)

Delaware

Table with 13 columns (Cause of death, All ages, Under 1 year, 1-4 years, 5-9 years, 10-14 years, 15-19 years, 20-24 years, 25-29 years, 30-34 years, 35-39 years, 40-44 years, 45-49 years) and rows for Delaware categories: All races, both sexes; Male; Female; White, both sexes; Male; Female; Black, both sexes; Male; Female; American Indian 1/, both sexes; Male; Female; Asian or Pacific Islander 2/, both sexes; Male; Female.

Dist. of Columbia

Table with 13 columns (Cause of death, All ages, Under 1 year, 1-4 years, 5-9 years, 10-14 years, 15-19 years, 20-24 years, 25-29 years, 30-34 years, 35-39 years, 40-44 years, 45-49 years) and rows for Dist. of Columbia categories: All races, both sexes; Male; Female; White, both sexes; Male; Female; Black, both sexes; Male; Female; American Indian 1/, both sexes; Male; Female; Asian or Pacific Islander 2/, both sexes; Male; Female.

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

All Under 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
ages 1 year years years years years years years years years years

Disorders of adrenal glands (E24-E27)

Hawaii

Table with 13 columns (Cause of death, All ages, Under 1 year, 1-4 years, 5-9 years, 10-14 years, 15-19 years, 20-24 years, 25-29 years, 30-34 years, 35-39 years, 40-44 years, 45-49 years) and rows for Hawaii: All races, both sexes; Male; Female; White, both sexes; Male; Female; Black, both sexes; Male; Female; American Indian 1/, both sexes; Male; Female; Asian or Pacific Islander 2/, both sexes; Male; Female.

Idaho

Table with 13 columns (Cause of death, All ages, Under 1 year, 1-4 years, 5-9 years, 10-14 years, 15-19 years, 20-24 years, 25-29 years, 30-34 years, 35-39 years, 40-44 years, 45-49 years) and rows for Idaho: All races, both sexes; Male; Female; White, both sexes; Male; Female; Black, both sexes; Male; Female; American Indian 1/, both sexes; Male; Female; Asian or Pacific Islander 2/, both sexes; Male; Female.

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

All ages Under 1 year 1-4 years 5-9 years 10-14 years 15-19 years 20-24 years 25-29 years 30-34 years 35-39 years 40-44 years 45-49 years

Disorders of adrenal glands (E24-E27)

Minnesota

Table with 13 columns (Cause of death, All ages, Under 1 year, 1-4 years, 5-9 years, 10-14 years, 15-19 years, 20-24 years, 25-29 years, 30-34 years, 35-39 years, 40-44 years, 45-49 years) and rows for Minnesota: All races, both sexes; Male; Female; White, both sexes; Male; Female; Black, both sexes; Male; Female; American Indian 1/, both sexes; Male; Female; Asian or Pacific Islander 2/, both sexes; Male; Female.

Mississippi

Table with 13 columns (Cause of death, All ages, Under 1 year, 1-4 years, 5-9 years, 10-14 years, 15-19 years, 20-24 years, 25-29 years, 30-34 years, 35-39 years, 40-44 years, 45-49 years) and rows for Mississippi: All races, both sexes; Male; Female; White, both sexes; Male; Female; Black, both sexes; Male; Female; American Indian 1/, both sexes; Male; Female; Asian or Pacific Islander 2/, both sexes; Male; Female.

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

All Under 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
ages 1 year years years years years years years years years years

Disorders of adrenal glands (E24-E27)

Nebraska

Table with 13 columns (Cause of death, All ages, Under 1 year, 1-4 years, 5-9 years, 10-14 years, 15-19 years, 20-24 years, 25-29 years, 30-34 years, 35-39 years, 40-44 years, 45-49 years) and rows for Nebraska: All races, both sexes; Male; Female; White, both sexes; Male; Female; Black, both sexes; Male; Female; American Indian 1/, both sexes; Male; Female; Asian or Pacific Islander 2/, both sexes; Male; Female.

Nevada

Table with 13 columns (Cause of death, All ages, Under 1 year, 1-4 years, 5-9 years, 10-14 years, 15-19 years, 20-24 years, 25-29 years, 30-34 years, 35-39 years, 40-44 years, 45-49 years) and rows for Nevada: All races, both sexes; Male; Female; White, both sexes; Male; Female; Black, both sexes; Male; Female; American Indian 1/, both sexes; Male; Female; Asian or Pacific Islander 2/, both sexes; Male; Female.

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

All Under 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
ages 1 year years years years years years years years years years

Disorders of adrenal glands (E24-E27)

New Hampshire

Table with 13 columns (Cause of death, All ages, Under 1 year, 1-4 years, 5-9 years, 10-14 years, 15-19 years, 20-24 years, 25-29 years, 30-34 years, 35-39 years, 40-44 years, 45-49 years) and rows for New Hampshire categories: All races, both sexes; Male; Female; White, both sexes; Male; Female; Black, both sexes; Male; Female; American Indian 1/, both sexes; Male; Female; Asian or Pacific Islander 2/, both sexes; Male; Female.

New Jersey

Table with 13 columns (Cause of death, All ages, Under 1 year, 1-4 years, 5-9 years, 10-14 years, 15-19 years, 20-24 years, 25-29 years, 30-34 years, 35-39 years, 40-44 years, 45-49 years) and rows for New Jersey categories: All races, both sexes; Male; Female; White, both sexes; Male; Female; Black, both sexes; Male; Female; American Indian 1/, both sexes; Male; Female; Asian or Pacific Islander 2/, both sexes; Male; Female.

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

All Under 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
ages 1 year years years years years years years years years years

Disorders of adrenal glands (E24-E27)

Washington

Table with 13 columns (Cause of death, All ages, Under 1 year, 1-4 years, 5-9 years, 10-14 years, 15-19 years, 20-24 years, 25-29 years, 30-34 years, 35-39 years, 40-44 years, 45-49 years) and rows for Washington: All races, both sexes; Male; Female; White, both sexes; Male; Female; Black, both sexes; Male; Female; American Indian 1/, both sexes; Male; Female; Asian or Pacific Islander 2/, both sexes; Male; Female.

West Virginia

Table with 13 columns (Cause of death, All ages, Under 1 year, 1-4 years, 5-9 years, 10-14 years, 15-19 years, 20-24 years, 25-29 years, 30-34 years, 35-39 years, 40-44 years, 45-49 years) and rows for West Virginia: All races, both sexes; Male; Female; White, both sexes; Male; Female; Black, both sexes; Male; Female; American Indian 1/, both sexes; Male; Female; Asian or Pacific Islander 2/, both sexes; Male; Female.

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex 50-54 years 55-59 years 60-64 years 65-69 years 70-74 years 75-79 years 80-84 years 85-89 years 90-94 years 95-99 years 100 years and over Age not stated

Disorders of adrenal glands (E24-E27)

Iowa

Table with 13 columns (Age groups) and rows for Iowa: All races, both sexes; Male; Female; White, both sexes; Male; Female; Black, both sexes; Male; Female; American Indian 1/, both sexes; Male; Female; Asian or Pacific Islander 2/, both sexes; Male; Female.

Kansas

Table with 13 columns (Age groups) and rows for Kansas: All races, both sexes; Male; Female; White, both sexes; Male; Female; Black, both sexes; Male; Female; American Indian 1/, both sexes; Male; Female; Asian or Pacific Islander 2/, both sexes; Male; Female.

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

All ages Under 1 year 1-4 years 5-9 years 10-14 years 15-19 years 20-24 years 25-29 years 30-34 years 35-39 years 40-44 years 45-49 years

Diseases of thymus (E32)

United States

Table with 13 columns (All ages, Under 1 year, 1-4 years, 5-9 years, 10-14 years, 15-19 years, 20-24 years, 25-29 years, 30-34 years, 35-39 years, 40-44 years, 45-49 years) and rows for United States: All races, both sexes; Male; Female; White, both sexes; Male; Female; Black, both sexes; Male; Female; American Indian 1/, both sexes; Male; Female; Asian or Pacific Islander 2/, both sexes; Male; Female.

Alabama

Table with 13 columns (All ages, Under 1 year, 1-4 years, 5-9 years, 10-14 years, 15-19 years, 20-24 years, 25-29 years, 30-34 years, 35-39 years, 40-44 years, 45-49 years) and rows for Alabama: All races, both sexes; Male; Female; White, both sexes; Male; Female; Black, both sexes; Male; Female; American Indian 1/, both sexes; Male; Female; Asian or Pacific Islander 2/, both sexes; Male; Female.

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

All Under 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
ages 1 year years years years years years years years years years

Diseases of thymus (E32)

Alaska

Table with 13 columns (Cause of death, All ages, Under 1 year, 1-4 years, 5-9 years, 10-14 years, 15-19 years, 20-24 years, 25-29 years, 30-34 years, 35-39 years, 40-44 years, 45-49 years) and rows for Alaska: All races, both sexes; Male; Female; White, both sexes; Male; Female; Black, both sexes; Male; Female; American Indian 1/, both sexes; Male; Female; Asian or Pacific Islander 2/, both sexes; Male; Female.

Arizona

Table with 13 columns (Cause of death, All ages, Under 1 year, 1-4 years, 5-9 years, 10-14 years, 15-19 years, 20-24 years, 25-29 years, 30-34 years, 35-39 years, 40-44 years, 45-49 years) and rows for Arizona: All races, both sexes; Male; Female; White, both sexes; Male; Female; Black, both sexes; Male; Female; American Indian 1/, both sexes; Male; Female; Asian or Pacific Islander 2/, both sexes; Male; Female.

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex All ages Under 1 year 1-4 years 5-9 years 10-14 years 15-19 years 20-24 years 25-29 years 30-34 years 35-39 years 40-44 years 45-49 years

Diseases of thymus (E32)

Arkansas

Table with 13 columns (All ages, Under 1 year, 1-4 years, 5-9 years, 10-14 years, 15-19 years, 20-24 years, 25-29 years, 30-34 years, 35-39 years, 40-44 years, 45-49 years) and rows for Arkansas: All races, both sexes; Male; Female; White, both sexes; Male; Female; Black, both sexes; Male; Female; American Indian 1/, both sexes; Male; Female; Asian or Pacific Islander 2/, both sexes; Male; Female.

California

Table with 13 columns (All ages, Under 1 year, 1-4 years, 5-9 years, 10-14 years, 15-19 years, 20-24 years, 25-29 years, 30-34 years, 35-39 years, 40-44 years, 45-49 years) and rows for California: All races, both sexes; Male; Female; White, both sexes; Male; Female; Black, both sexes; Male; Female; American Indian 1/, both sexes; Male; Female; Asian or Pacific Islander 2/, both sexes; Male; Female.

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

All Under 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
ages 1 year years years years years years years years years years

Diseases of thymus (E32)

Iowa

Table with 12 columns (Cause of death, All ages, Under 1 year, 1-4 years, 5-9 years, 10-14 years, 15-19 years, 20-24 years, 25-29 years, 30-34 years, 35-39 years, 40-44 years, 45-49 years) and rows for Iowa: All races, both sexes; Male; Female; White, both sexes; Male; Female; Black, both sexes; Male; Female; American Indian 1/, both sexes; Male; Female; Asian or Pacific Islander 2/, both sexes; Male; Female.

Kansas

Table with 12 columns (Cause of death, All ages, Under 1 year, 1-4 years, 5-9 years, 10-14 years, 15-19 years, 20-24 years, 25-29 years, 30-34 years, 35-39 years, 40-44 years, 45-49 years) and rows for Kansas: All races, both sexes; Male; Female; White, both sexes; Male; Female; Black, both sexes; Male; Female; American Indian 1/, both sexes; Male; Female; Asian or Pacific Islander 2/, both sexes; Male; Female.

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

All Under 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
ages 1 year years years years years years years years years years

Diseases of thymus (E32)

Nebraska

Table with 12 columns for age groups and rows for Nebraska: All races, both sexes; Male; Female; White, both sexes; Male; Female; Black, both sexes; Male; Female; American Indian 1/, both sexes; Male; Female; Asian or Pacific Islander 2/, both sexes; Male; Female.

Nevada

Table with 12 columns for age groups and rows for Nevada: All races, both sexes; Male; Female; White, both sexes; Male; Female; Black, both sexes; Male; Female; American Indian 1/, both sexes; Male; Female; Asian or Pacific Islander 2/, both sexes; Male; Female.

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

All Under 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
ages 1 year years years years years years years years years years

Diseases of thymus (E32)

New Mexico

Table with 13 columns (Cause of death, All ages, Under 1 year, 1-4 years, 5-9 years, 10-14 years, 15-19 years, 20-24 years, 25-29 years, 30-34 years, 35-39 years, 40-44 years, 45-49 years) and rows for New Mexico: All races, both sexes; Male; Female; White, both sexes; Male; Female; Black, both sexes; Male; Female; American Indian 1/, both sexes; Male; Female; Asian or Pacific Islander 2/, both sexes; Male; Female.

New York

Table with 13 columns (Cause of death, All ages, Under 1 year, 1-4 years, 5-9 years, 10-14 years, 15-19 years, 20-24 years, 25-29 years, 30-34 years, 35-39 years, 40-44 years, 45-49 years) and rows for New York: All races, both sexes; Male; Female; White, both sexes; Male; Female; Black, both sexes; Male; Female; American Indian 1/, both sexes; Male; Female; Asian or Pacific Islander 2/, both sexes; Male; Female.

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

All Under 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
ages 1 year years years years years years years years years years

Diseases of thymus (E32)

North Carolina

Table with 13 columns (Cause of death, All ages, Under 1 year, 1-4 years, 5-9 years, 10-14 years, 15-19 years, 20-24 years, 25-29 years, 30-34 years, 35-39 years, 40-44 years, 45-49 years) and rows for North Carolina categories: All races, both sexes; Male; Female; White, both sexes; Male; Female; Black, both sexes; Male; Female; American Indian 1/, both sexes; Male; Female; Asian or Pacific Islander 2/, both sexes; Male; Female.

North Dakota

Table with 13 columns (Cause of death, All ages, Under 1 year, 1-4 years, 5-9 years, 10-14 years, 15-19 years, 20-24 years, 25-29 years, 30-34 years, 35-39 years, 40-44 years, 45-49 years) and rows for North Dakota categories: All races, both sexes; Male; Female; White, both sexes; Male; Female; Black, both sexes; Male; Female; American Indian 1/, both sexes; Male; Female; Asian or Pacific Islander 2/, both sexes; Male; Female.

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

All Under 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
ages 1 year years years years years years years years years years

Diseases of thymus (E32)

Oregon

Table with 13 columns (Cause of death, All ages, Under 1 year, 1-4 years, 5-9 years, 10-14 years, 15-19 years, 20-24 years, 25-29 years, 30-34 years, 35-39 years, 40-44 years, 45-49 years) and rows for Oregon: All races, both sexes; Male; Female; White, both sexes; Male; Female; Black, both sexes; Male; Female; American Indian 1/, both sexes; Male; Female; Asian or Pacific Islander 2/, both sexes; Male; Female.

Pennsylvania

Table with 13 columns (Cause of death, All ages, Under 1 year, 1-4 years, 5-9 years, 10-14 years, 15-19 years, 20-24 years, 25-29 years, 30-34 years, 35-39 years, 40-44 years, 45-49 years) and rows for Pennsylvania: All races, both sexes; Male; Female; White, both sexes; Male; Female; Black, both sexes; Male; Female; American Indian 1/, both sexes; Male; Female; Asian or Pacific Islander 2/, both sexes; Male; Female.

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

All Under 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
ages 1 year years years years years years years years years years

Diseases of thymus (E32)

Rhode Island

Table with 12 columns (All ages, Under 1 year, 1-4 years, 5-9 years, 10-14 years, 15-19 years, 20-24 years, 25-29 years, 30-34 years, 35-39 years, 40-44 years, 45-49 years) and rows for Rhode Island: All races, both sexes; Male; Female; White, both sexes; Male; Female; Black, both sexes; Male; Female; American Indian 1/, both sexes; Male; Female; Asian or Pacific Islander 2/, both sexes; Male; Female.

South Carolina

Table with 12 columns (All ages, Under 1 year, 1-4 years, 5-9 years, 10-14 years, 15-19 years, 20-24 years, 25-29 years, 30-34 years, 35-39 years, 40-44 years, 45-49 years) and rows for South Carolina: All races, both sexes; Male; Female; White, both sexes; Male; Female; Black, both sexes; Male; Female; American Indian 1/, both sexes; Male; Female; Asian or Pacific Islander 2/, both sexes; Male; Female.

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

All Under 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
ages 1 year years years years years years years years years years

Diseases of thymus (E32)

South Dakota

Table with 12 columns (All ages, Under 1 year, 1-4 years, 5-9 years, 10-14 years, 15-19 years, 20-24 years, 25-29 years, 30-34 years, 35-39 years, 40-44 years, 45-49 years) and rows for South Dakota: All races, both sexes; Male; Female; White, both sexes; Male; Female; Black, both sexes; Male; Female; American Indian 1/, both sexes; Male; Female; Asian or Pacific Islander 2/, both sexes; Male; Female.

Tennessee

Table with 12 columns (All ages, Under 1 year, 1-4 years, 5-9 years, 10-14 years, 15-19 years, 20-24 years, 25-29 years, 30-34 years, 35-39 years, 40-44 years, 45-49 years) and rows for Tennessee: All races, both sexes; Male; Female; White, both sexes; Male; Female; Black, both sexes; Male; Female; American Indian 1/, both sexes; Male; Female; Asian or Pacific Islander 2/, both sexes; Male; Female.

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

All Under 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
ages 1 year years years years years years years years years years

Diseases of thymus (E32)

Washington

Table with 12 columns (All ages, Under 1 year, 1-4 years, 5-9 years, 10-14 years, 15-19 years, 20-24 years, 25-29 years, 30-34 years, 35-39 years, 40-44 years, 45-49 years) and rows for Washington: All races, both sexes; Male; Female; White, both sexes; Male; Female; Black, both sexes; Male; Female; American Indian 1/, both sexes; Male; Female; Asian or Pacific Islander 2/, both sexes; Male; Female.

West Virginia

Table with 12 columns (All ages, Under 1 year, 1-4 years, 5-9 years, 10-14 years, 15-19 years, 20-24 years, 25-29 years, 30-34 years, 35-39 years, 40-44 years, 45-49 years) and rows for West Virginia: All races, both sexes; Male; Female; White, both sexes; Male; Female; Black, both sexes; Male; Female; American Indian 1/, both sexes; Male; Female; Asian or Pacific Islander 2/, both sexes; Male; Female.

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex 50-54 years 55-59 years 60-64 years 65-69 years 70-74 years 75-79 years 80-84 years 85-89 years 90-94 years 95-99 years 100 years and over Age not stated

Diseases of thymus (E32)

Arkansas

Table with 13 columns (Age groups) and rows for Arkansas: All races, both sexes; Male; Female; White, both sexes; Male; Female; Black, both sexes; Male; Female; American Indian 1/, both sexes; Male; Female; Asian or Pacific Islander 2/, both sexes; Male; Female.

California

Table with 13 columns (Age groups) and rows for California: All races, both sexes; Male; Female; White, both sexes; Male; Female; Black, both sexes; Male; Female; American Indian 1/, both sexes; Male; Female; Asian or Pacific Islander 2/, both sexes; Male; Female.

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex 50-54 years 55-59 years 60-64 years 65-69 years 70-74 years 75-79 years 80-84 years 85-89 years 90-94 years 95-99 years 100 years and over Age not stated

Diseases of thymus (E32)

Hawaii

Table with 13 columns (Age groups) and rows for Hawaii: All races, both sexes; Male; Female; White, both sexes; Male; Female; Black, both sexes; Male; Female; American Indian 1/, both sexes; Male; Female; Asian or Pacific Islander 2/, both sexes; Male; Female.

Idaho

Table with 13 columns (Age groups) and rows for Idaho: All races, both sexes; Male; Female; White, both sexes; Male; Female; Black, both sexes; Male; Female; American Indian 1/, both sexes; Male; Female; Asian or Pacific Islander 2/, both sexes; Male; Female.

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100 years and over Age not stated

Diseases of thymus (E32)

Maine

Table with 13 columns (Age groups) and rows for Maine: All races, both sexes; Male; Female; White, both sexes; Male; Female; Black, both sexes; Male; Female; American Indian 1/, both sexes; Male; Female; Asian or Pacific Islander 2/, both sexes; Male; Female.

Maryland

Table with 13 columns (Age groups) and rows for Maryland: All races, both sexes; Male; Female; White, both sexes; Male; Female; Black, both sexes; Male; Female; American Indian 1/, both sexes; Male; Female; Asian or Pacific Islander 2/, both sexes; Male; Female.

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex 50-54 years 55-59 years 60-64 years 65-69 years 70-74 years 75-79 years 80-84 years 85-89 years 90-94 years 95-99 years 100 years and over Age not stated

Diseases of thymus (E32)

Massachusetts

Table with 13 columns (Age groups) and rows for Massachusetts: All races, both sexes; Male; Female; White, both sexes; Male; Female; Black, both sexes; Male; Female; American Indian 1/, both sexes; Male; Female; Asian or Pacific Islander 2/, both sexes; Male; Female.

Michigan

Table with 13 columns (Age groups) and rows for Michigan: All races, both sexes; Male; Female; White, both sexes; Male; Female; Black, both sexes; Male; Female; American Indian 1/, both sexes; Male; Female; Asian or Pacific Islander 2/, both sexes; Male; Female.

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex 50-54 years 55-59 years 60-64 years 65-69 years 70-74 years 75-79 years 80-84 years 85-89 years 90-94 years 95-99 years 100 years and over Age not stated

Diseases of thymus (E32)

Minnesota

Table with 13 columns (Age groups) and rows for Minnesota: All races, both sexes; Male; Female; White, both sexes; Male; Female; Black, both sexes; Male; Female; American Indian 1/, both sexes; Male; Female; Asian or Pacific Islander 2/, both sexes; Male; Female.

Mississippi

Table with 13 columns (Age groups) and rows for Mississippi: All races, both sexes; Male; Female; White, both sexes; Male; Female; Black, both sexes; Male; Female; American Indian 1/, both sexes; Male; Female; Asian or Pacific Islander 2/, both sexes; Male; Female.

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex 50-54 years 55-59 years 60-64 years 65-69 years 70-74 years 75-79 years 80-84 years 85-89 years 90-94 years 95-99 years 100 years and over Age not stated

Diseases of thymus (E32)

North Carolina

Table with 13 columns (Age groups) and rows for North Carolina: All races, both sexes; Male; Female; White, both sexes; Male; Female; Black, both sexes; Male; Female; American Indian 1/, both sexes; Male; Female; Asian or Pacific Islander 2/, both sexes; Male; Female.

North Dakota

Table with 13 columns (Age groups) and rows for North Dakota: All races, both sexes; Male; Female; White, both sexes; Male; Female; Black, both sexes; Male; Female; American Indian 1/, both sexes; Male; Female; Asian or Pacific Islander 2/, both sexes; Male; Female.

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex 50-54 years 55-59 years 60-64 years 65-69 years 70-74 years 75-79 years 80-84 years 85-89 years 90-94 years 95-99 years 100 years and over Age not stated

Diseases of thymus (E32)

Vermont

Table with 13 columns (Age groups) and rows for Vermont: All races, both sexes; Male; Female; White, both sexes; Male; Female; Black, both sexes; Male; Female; American Indian 1/, both sexes; Male; Female; Asian or Pacific Islander 2/, both sexes; Male; Female.

Virginia

Table with 13 columns (Age groups) and rows for Virginia: All races, both sexes; Male; Female; White, both sexes; Male; Female; Black, both sexes; Male; Female; American Indian 1/, both sexes; Male; Female; Asian or Pacific Islander 2/, both sexes; Male; Female.

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Diseases of thymus (E32)

Washington

Table with 13 columns: Cause of death, 50-54 years, 55-59 years, 60-64 years, 65-69 years, 70-74 years, 75-79 years, 80-84 years, 85-89 years, 90-94 years, 95-99 years, 100 years and over, Age not stated. Rows include: All races, both sexes; Male; Female; White, both sexes; Male; Female; Black, both sexes; Male; Female; American Indian 1/, both sexes; Male; Female; Asian or Pacific Islander 2/, both sexes; Male; Female.

West Virginia

Table with 13 columns: Cause of death, 50-54 years, 55-59 years, 60-64 years, 65-69 years, 70-74 years, 75-79 years, 80-84 years, 85-89 years, 90-94 years, 95-99 years, 100 years and over, Age not stated. Rows include: All races, both sexes; Male; Female; White, both sexes; Male; Female; Black, both sexes; Male; Female; American Indian 1/, both sexes; Male; Female; Asian or Pacific Islander 2/, both sexes; Male; Female.

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex 50-54 years 55-59 years 60-64 years 65-69 years 70-74 years 75-79 years 80-84 years 85-89 years 90-94 years 95-99 years 100 years and over Age not stated

Diseases of thymus (E32)

Wisconsin

Table with 13 columns (Age groups) and rows for Wisconsin: All races, both sexes; Male; Female; White, both sexes; Male; Female; Black, both sexes; Male; Female; American Indian 1/, both sexes; Male; Female; Asian or Pacific Islander 2/, both sexes; Male; Female.

Wyoming

Table with 13 columns (Age groups) and rows for Wyoming: All races, both sexes; Male; Female; White, both sexes; Male; Female; Black, both sexes; Male; Female; American Indian 1/, both sexes; Male; Female; Asian or Pacific Islander 2/, both sexes; Male; Female.

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

All ages Under 1 year 1-4 years 5-9 years 10-14 years 15-19 years 20-24 years 25-29 years 30-34 years 35-39 years 40-44 years 45-49 years

Other endocrine diseases (E15-E21,E28-E31,E34)

Wisconsin

Table with 13 columns (Cause of death, All ages, Under 1 year, 1-4 years, 5-9 years, 10-14 years, 15-19 years, 20-24 years, 25-29 years, 30-34 years, 35-39 years, 40-44 years, 45-49 years) and rows for Wisconsin categories: All races, both sexes; Male; Female; White, both sexes; Male; Female; Black, both sexes; Male; Female; American Indian 1/, both sexes; Male; Female; Asian or Pacific Islander 2/, both sexes; Male; Female.

Wyoming

Table with 13 columns (Cause of death, All ages, Under 1 year, 1-4 years, 5-9 years, 10-14 years, 15-19 years, 20-24 years, 25-29 years, 30-34 years, 35-39 years, 40-44 years, 45-49 years) and rows for Wyoming categories: All races, both sexes; Male; Female; White, both sexes; Male; Female; Black, both sexes; Male; Female; American Indian 1/, both sexes; Male; Female; Asian or Pacific Islander 2/, both sexes; Male; Female.

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Other endocrine diseases (E15-E21,E28-E31,E34)

Arkansas

All races, both sexes.....	-	1	-	-	-	-	1	2	-	1	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	1	-	-	-	-	-	2	-	1	-	-
White, both sexes.....	-	1	-	-	-	-	1	1	-	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	1	-	-	-	-	-	1	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	1	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	1	2	-	3	3	5	4	4	1	-	-	-
Male.....	-	1	-	2	3	1	2	1	1	-	-	-
Female.....	1	1	-	1	-	4	2	3	-	-	-	-
White, both sexes.....	1	2	-	2	2	2	4	3	1	-	-	-
Male.....	-	1	-	1	2	1	2	1	1	-	-	-
Female.....	1	1	-	1	-	1	2	2	-	-	-	-
Black, both sexes.....	-	-	-	1	-	1	-	-	-	-	-	-
Male.....	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	2	-	1	-	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	2	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Nutritional diseases (E40-E68)												
Arkansas												
All races, both sexes.....	105	-	-	-	-	-	-	2	1	3	6	4
Male.....	43	-	-	-	-	-	-	1	-	2	4	2
Female.....	62	-	-	-	-	-	-	1	1	1	2	2
White, both sexes.....	79	-	-	-	-	-	-	-	-	3	4	3
Male.....	32	-	-	-	-	-	-	-	-	2	2	1
Female.....	47	-	-	-	-	-	-	-	-	1	2	2
Black, both sexes.....	26	-	-	-	-	-	-	2	1	-	2	1
Male.....	11	-	-	-	-	-	-	1	-	-	2	1
Female.....	15	-	-	-	-	-	-	1	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
California												
All races, both sexes.....	676	1	1	-	1	1	8	18	23	26	53	58
Male.....	347	-	1	-	-	1	7	10	16	16	37	30
Female.....	329	1	-	-	1	-	1	8	7	10	16	28
White, both sexes.....	539	1	1	-	-	1	7	11	14	19	36	45
Male.....	280	-	1	-	-	1	6	7	10	12	24	24
Female.....	259	1	-	-	-	-	1	4	4	7	12	21
Black, both sexes.....	97	-	-	-	-	-	1	5	4	6	12	12
Male.....	43	-	-	-	-	-	1	1	3	3	9	6
Female.....	54	-	-	-	-	-	-	4	1	3	3	6
American Indian 1/, both sexes.....	11	-	-	-	-	-	-	1	2	1	2	-
Male.....	9	-	-	-	-	-	-	1	1	1	2	-
Female.....	2	-	-	-	-	-	-	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	29	-	-	-	1	-	-	1	3	-	3	1
Male.....	15	-	-	-	-	-	-	1	2	-	2	-
Female.....	14	-	-	-	1	-	-	-	1	-	1	1

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Nutritional diseases (E40-E68)												
Florida												
All races, both sexes.....	462	-	-	-	1	2	5	7	17	18	29	37
Male.....	248	-	-	-	1	1	4	5	9	10	16	31
Female.....	214	-	-	-	-	1	1	2	8	8	13	6
White, both sexes.....	373	-	-	-	1	-	2	4	10	10	21	29
Male.....	197	-	-	-	1	-	2	3	6	5	13	24
Female.....	176	-	-	-	-	-	-	1	4	5	8	5
Black, both sexes.....	88	-	-	-	-	2	3	3	7	8	8	8
Male.....	50	-	-	-	-	1	2	2	3	5	3	7
Female.....	38	-	-	-	-	1	1	1	4	3	5	1
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Georgia												
All races, both sexes.....	247	-	-	-	-	-	1	7	8	20	10	24
Male.....	102	-	-	-	-	-	1	2	2	13	6	11
Female.....	145	-	-	-	-	-	-	5	6	7	4	13
White, both sexes.....	149	-	-	-	-	-	-	3	2	9	7	15
Male.....	68	-	-	-	-	-	-	2	-	7	5	9
Female.....	81	-	-	-	-	-	-	1	2	2	2	6
Black, both sexes.....	96	-	-	-	-	-	1	4	6	10	3	8
Male.....	33	-	-	-	-	-	1	-	2	6	1	1
Female.....	63	-	-	-	-	-	-	4	4	4	2	7
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	-	-	-	-	-	1	-	1
Male.....	1	-	-	-	-	-	-	-	-	-	-	1
Female.....	1	-	-	-	-	-	-	-	-	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Nutritional diseases (E40-E68)

Alaska

All races, both sexes.....	1	1	1	3	1	1	2	-	1	-	-	-
Male.....	1	-	-	2	-	-	2	-	-	-	-	-
Female.....	-	1	1	1	1	1	-	-	1	-	-	-
White, both sexes.....	1	-	-	2	1	-	2	-	1	-	-	-
Male.....	1	-	-	1	-	-	2	-	-	-	-	-
Female.....	-	-	-	1	1	-	-	-	1	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	1	1	1	-	-	-	-	-	-	-	-
Male.....	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	1	1	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-

Arizona

All races, both sexes.....	12	11	12	6	11	11	8	11	6	3	1	-
Male.....	5	6	6	3	7	2	4	5	3	1	1	-
Female.....	7	5	6	3	4	9	4	6	3	2	-	-
White, both sexes.....	10	11	10	6	10	11	8	10	5	3	-	-
Male.....	4	6	5	3	6	2	4	5	2	1	-	-
Female.....	6	5	5	3	4	9	4	5	3	2	-	-
Black, both sexes.....	1	-	1	-	-	-	-	-	-	-	-	-
Male.....	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	1	-	1	-	-	-	1	-	1	-
Male.....	1	-	-	-	1	-	-	-	1	-	1	-
Female.....	-	-	1	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Nutritional diseases (E40-E68)												
Arkansas												
All races, both sexes.....	6	6	8	4	9	9	10	12	19	5	1	-
Male.....	3	3	4	2	2	3	5	7	4	1	-	-
Female.....	3	3	4	2	7	6	5	5	15	4	1	-
White, both sexes.....	6	2	7	4	7	9	6	10	15	3	-	-
Male.....	3	2	3	2	1	3	3	6	3	1	-	-
Female.....	3	-	4	2	6	6	3	4	12	2	-	-
Black, both sexes.....	-	4	1	-	2	-	4	2	4	2	1	-
Male.....	-	1	1	-	1	-	2	1	1	-	-	-
Female.....	-	3	-	-	1	-	2	1	3	2	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
California												
All races, both sexes.....	75	75	62	47	60	31	52	47	30	5	2	-
Male.....	43	38	29	26	28	14	20	14	14	3	-	-
Female.....	32	37	33	21	32	17	32	33	16	2	2	-
White, both sexes.....	66	59	52	42	50	25	40	37	28	4	1	-
Male.....	40	35	24	22	22	12	16	10	12	2	-	-
Female.....	26	24	28	20	28	13	24	27	16	2	1	-
Black, both sexes.....	9	15	7	2	7	5	5	7	-	-	-	-
Male.....	3	3	3	1	3	2	2	3	-	-	-	-
Female.....	6	12	4	1	4	3	3	4	-	-	-	-
American Indian 1/, both sexes.....	-	-	2	1	1	-	1	-	-	-	-	-
Male.....	-	-	2	1	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	1	2	2	1	6	3	2	1	1	-
Male.....	-	-	-	2	2	-	2	1	2	1	-	-
Female.....	-	1	1	-	-	1	4	2	-	-	1	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Nutritional diseases (E40-E68)												
Maine												
All races, both sexes.....	3	4	7	4	4	5	1	8	4	2	1	-
Male.....	2	2	3	1	3	2	-	3	2	-	-	-
Female.....	1	2	4	3	1	3	1	5	2	2	1	-
White, both sexes.....	3	4	7	4	4	5	1	8	4	2	1	-
Male.....	2	2	3	1	3	2	-	3	2	-	-	-
Female.....	1	2	4	3	1	3	1	5	2	2	1	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Maryland												
All races, both sexes.....	15	7	16	7	3	6	13	18	5	7	-	-
Male.....	8	4	4	2	-	5	3	4	3	-	-	-
Female.....	7	3	12	5	3	1	10	14	2	7	-	-
White, both sexes.....	11	5	11	5	1	5	12	15	4	7	-	-
Male.....	5	3	3	1	-	4	3	4	3	-	-	-
Female.....	6	2	8	4	1	1	9	11	1	7	-	-
Black, both sexes.....	4	2	5	2	2	1	1	3	-	-	-	-
Male.....	3	1	1	1	-	1	-	-	-	-	-	-
Female.....	1	1	4	1	2	-	1	3	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Nutritional diseases (E40-E68)

New Hampshire

All races, both sexes.....	8	6	5	1	2	5	2	1	4	1	-	-
Male.....	6	5	2	1	1	3	2	-	1	-	-	-
Female.....	2	1	3	-	1	2	-	1	3	1	-	-
White, both sexes.....	8	6	5	1	2	5	2	1	4	1	-	-
Male.....	6	5	2	1	1	3	2	-	1	-	-	-
Female.....	2	1	3	-	1	2	-	1	3	1	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New Jersey

All races, both sexes.....	20	13	18	16	18	20	8	28	17	5	1	-
Male.....	16	8	8	7	7	9	3	6	7	-	-	-
Female.....	4	5	10	9	11	11	5	22	10	5	1	-
White, both sexes.....	18	9	14	12	15	17	7	26	15	5	-	-
Male.....	14	5	8	5	5	8	3	5	6	-	-	-
Female.....	4	4	6	7	10	9	4	21	9	5	-	-
Black, both sexes.....	2	4	4	4	2	3	-	2	2	-	1	-
Male.....	2	3	-	2	2	1	-	1	1	-	-	-
Female.....	-	1	4	2	-	2	-	1	1	-	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Nutritional diseases (E40-E68)

New Mexico

All races, both sexes.....	3	7	6	5	6	5	5	2	4	1	-	-
Male.....	1	4	2	3	3	2	3	1	-	1	-	-
Female.....	2	3	4	2	3	3	2	1	4	-	-	-
White, both sexes.....	3	6	6	5	6	5	4	1	3	1	-	-
Male.....	1	4	2	3	3	2	3	1	-	1	-	-
Female.....	2	2	4	2	3	3	1	-	3	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	1	-	-	-	-	1	1	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	1	-	-	-	-	1	1	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New York

All races, both sexes.....	34	36	42	17	37	16	24	28	21	7	5	-
Male.....	18	16	22	8	17	4	11	7	3	1	-	-
Female.....	16	20	20	9	20	12	13	21	18	6	5	-
White, both sexes.....	26	28	33	12	31	15	21	24	21	7	5	-
Male.....	15	13	19	6	15	4	9	6	3	1	-	-
Female.....	11	15	14	6	16	11	12	18	18	6	5	-
Black, both sexes.....	8	7	8	5	6	1	3	3	-	-	-	-
Male.....	3	3	3	2	2	-	2	1	-	-	-	-
Female.....	5	4	5	3	4	1	1	2	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	1	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	1	1	-	-	-	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Nutritional diseases (E40-E68)												
Texas												
All races, both sexes.....	65	60	53	41	35	43	59	58	46	21	4	-
Male.....	34	25	24	16	14	14	26	21	14	6	-	-
Female.....	31	35	29	25	21	29	33	37	32	15	4	-
White, both sexes.....	51	43	45	32	31	41	51	51	39	18	4	-
Male.....	29	20	19	15	12	14	23	19	12	4	-	-
Female.....	22	23	26	17	19	27	28	32	27	14	4	-
Black, both sexes.....	14	16	8	9	4	2	8	6	6	3	-	-
Male.....	5	5	5	1	2	-	3	2	2	2	-	-
Female.....	9	11	3	8	2	2	5	4	4	1	-	-
American Indian 1/, both sexes.....	-	1	-	-	-	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	1	-	-	-	-	-	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-
Utah												
All races, both sexes.....	9	5	9	1	3	3	2	5	7	2	-	-
Male.....	5	2	4	1	1	2	-	1	-	-	-	-
Female.....	4	3	5	-	2	1	2	4	7	2	-	-
White, both sexes.....	9	5	9	-	3	2	1	5	7	2	-	-
Male.....	5	2	4	-	1	2	-	1	-	-	-	-
Female.....	4	3	5	-	2	-	1	4	7	2	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	1	-	-	1	-	-	-	-	-
Male.....	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Nutritional diseases (E40-E68)

Vermont

All races, both sexes.....	5	1	-	2	2	3	1	1	3	1	-	-
Male.....	3	-	-	1	-	-	1	1	-	1	-	-
Female.....	2	1	-	1	2	3	-	-	3	-	-	-
White, both sexes.....	5	1	-	2	2	3	1	1	3	1	-	-
Male.....	3	-	-	1	-	-	1	1	-	1	-	-
Female.....	2	1	-	1	2	3	-	-	3	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Virginia

All races, both sexes.....	13	16	10	16	10	9	18	12	9	3	2	-
Male.....	8	8	1	11	5	3	6	4	1	1	-	-
Female.....	5	8	9	5	5	6	12	8	8	2	2	-
White, both sexes.....	10	13	9	11	7	8	17	9	7	2	1	-
Male.....	5	7	1	6	4	3	6	3	-	1	-	-
Female.....	5	6	8	5	3	5	11	6	7	1	1	-
Black, both sexes.....	3	3	1	5	2	1	1	3	2	1	1	-
Male.....	3	1	-	5	1	-	-	1	1	-	-	-
Female.....	-	2	1	-	1	1	1	2	1	1	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Malnutrition (E40-E46)												
Arkansas												
All races, both sexes.....	57	-	-	-	-	-	-	-	-	-	-	-
Male.....	23	-	-	-	-	-	-	-	-	-	-	-
Female.....	34	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	43	-	-	-	-	-	-	-	-	-	-	-
Male.....	18	-	-	-	-	-	-	-	-	-	-	-
Female.....	25	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	14	-	-	-	-	-	-	-	-	-	-	-
Male.....	5	-	-	-	-	-	-	-	-	-	-	-
Female.....	9	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
California												
All races, both sexes.....	163	1	-	-	-	-	-	-	2	1	2	-
Male.....	76	-	-	-	-	-	-	-	1	1	1	-
Female.....	87	1	-	-	-	-	-	-	1	-	1	-
White, both sexes.....	126	1	-	-	-	-	-	-	-	1	-	-
Male.....	55	-	-	-	-	-	-	-	-	1	-	-
Female.....	71	1	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	16	-	-	-	-	-	-	-	1	-	1	-
Male.....	11	-	-	-	-	-	-	-	1	-	1	-
Female.....	5	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	20	-	-	-	-	-	-	-	1	-	1	-
Male.....	10	-	-	-	-	-	-	-	-	-	-	-
Female.....	10	-	-	-	-	-	-	-	1	-	1	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

All ages Under 1 year 1-4 years 5-9 years 10-14 years 15-19 years 20-24 years 25-29 years 30-34 years 35-39 years 40-44 years 45-49 years

Malnutrition (E40-E46)

North Carolina

Table with 13 columns (Cause of death, All ages, Under 1 year, 1-4 years, 5-9 years, 10-14 years, 15-19 years, 20-24 years, 25-29 years, 30-34 years, 35-39 years, 40-44 years, 45-49 years) and rows for North Carolina categories: All races, both sexes; Male; Female; White, both sexes; Male; Female; Black, both sexes; Male; Female; American Indian 1/, both sexes; Male; Female; Asian or Pacific Islander 2/, both sexes; Male; Female.

North Dakota

Table with 13 columns (Cause of death, All ages, Under 1 year, 1-4 years, 5-9 years, 10-14 years, 15-19 years, 20-24 years, 25-29 years, 30-34 years, 35-39 years, 40-44 years, 45-49 years) and rows for North Dakota categories: All races, both sexes; Male; Female; White, both sexes; Male; Female; Black, both sexes; Male; Female; American Indian 1/, both sexes; Male; Female; Asian or Pacific Islander 2/, both sexes; Male; Female.

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Malnutrition (E40-E46)

Alaska

All races, both sexes.....	-	1	1	1	-	1	2	-	1	-	-	-
Male.....	-	-	-	1	-	-	2	-	-	-	-	-
Female.....	-	1	1	-	-	1	-	-	1	-	-	-
White, both sexes.....	-	-	-	-	-	-	2	-	1	-	-	-
Male.....	-	-	-	-	-	-	2	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	1	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	1	1	1	-	-	-	-	-	-	-	-
Male.....	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	1	1	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-

Arizona

All races, both sexes.....	-	-	1	1	3	4	3	9	6	3	1	-
Male.....	-	-	1	-	2	-	2	3	3	1	1	-
Female.....	-	-	-	1	1	4	1	6	3	2	-	-
White, both sexes.....	-	-	1	1	2	4	3	8	5	3	-	-
Male.....	-	-	1	-	1	-	2	3	2	1	-	-
Female.....	-	-	-	1	1	4	1	5	3	2	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	1	-	-	-	1	-	1	-
Male.....	-	-	-	-	1	-	-	-	1	-	1	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Malnutrition (E40-E46)

Arkansas

All races, both sexes.....	-	-	3	2	4	5	8	12	17	5	1	-
Male.....	-	-	2	2	1	2	4	7	4	1	-	-
Female.....	-	-	1	-	3	3	4	5	13	4	1	-
White, both sexes.....	-	-	3	2	2	5	5	10	13	3	-	-
Male.....	-	-	2	2	-	2	2	6	3	1	-	-
Female.....	-	-	1	-	2	3	3	4	10	2	-	-
Black, both sexes.....	-	-	-	-	2	-	3	2	4	2	1	-
Male.....	-	-	-	-	1	-	2	1	1	-	-	-
Female.....	-	-	-	-	1	-	1	1	3	2	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	3	8	1	10	18	13	38	37	22	5	2	-
Male.....	2	3	-	5	10	6	18	12	14	3	-	-
Female.....	1	5	1	5	8	7	20	25	8	2	2	-
White, both sexes.....	2	8	1	8	12	11	28	29	20	4	1	-
Male.....	1	3	-	3	6	5	14	8	12	2	-	-
Female.....	1	5	1	5	6	6	14	21	8	2	1	-
Black, both sexes.....	1	-	-	-	4	1	3	5	-	-	-	-
Male.....	1	-	-	-	2	1	2	3	-	-	-	-
Female.....	-	-	-	-	2	-	1	2	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	2	2	1	6	3	2	1	1	-
Male.....	-	-	-	2	2	-	2	1	2	1	-	-
Female.....	-	-	-	-	-	1	4	2	-	-	1	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Malnutrition (E40-E46)												
Maine												
All races, both sexes.....	-	-	-	1	1	1	-	7	4	1	1	-
Male.....	-	-	-	-	-	-	-	2	2	-	-	-
Female.....	-	-	-	1	1	1	-	5	2	1	1	-
White, both sexes.....	-	-	-	1	1	1	-	7	4	1	1	-
Male.....	-	-	-	-	-	-	-	2	2	-	-	-
Female.....	-	-	-	1	1	1	-	5	2	1	1	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Maryland												
All races, both sexes.....	1	1	3	-	-	3	9	12	5	5	-	-
Male.....	-	1	1	-	-	2	2	2	3	-	-	-
Female.....	1	-	2	-	-	1	7	10	2	5	-	-
White, both sexes.....	1	1	2	-	-	2	8	10	4	5	-	-
Male.....	-	1	1	-	-	1	2	2	3	-	-	-
Female.....	1	-	1	-	-	1	6	8	1	5	-	-
Black, both sexes.....	-	-	1	-	-	1	1	2	-	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	1	-	-	-	1	2	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Malnutrition (E40-E46)

New Hampshire

All races, both sexes.....	-	-	-	-	-	2	1	-	2	1	-	-
Male.....	-	-	-	-	-	1	1	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	2	1	-	-
White, both sexes.....	-	-	-	-	-	2	1	-	2	1	-	-
Male.....	-	-	-	-	-	1	1	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	2	1	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New Jersey

All races, both sexes.....	1	1	2	7	4	12	4	21	16	4	-	-
Male.....	1	1	1	4	1	7	1	4	6	-	-	-
Female.....	-	-	1	3	3	5	3	17	10	4	-	-
White, both sexes.....	-	1	2	5	3	10	3	19	14	4	-	-
Male.....	-	1	1	3	1	6	1	3	5	-	-	-
Female.....	-	-	1	2	2	4	2	16	9	4	-	-
Black, both sexes.....	1	-	-	2	-	2	-	2	2	-	-	-
Male.....	1	-	-	1	-	1	-	1	1	-	-	-
Female.....	-	-	-	1	-	1	-	1	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Malnutrition (E40-E46)												
New Mexico												
All races, both sexes.....	-	1	-	-	2	1	5	2	4	1	-	-
Male.....	-	1	-	-	2	-	3	1	-	1	-	-
Female.....	-	-	-	-	-	1	2	1	4	-	-	-
White, both sexes.....	-	1	-	-	2	1	4	1	3	1	-	-
Male.....	-	1	-	-	2	-	3	1	-	1	-	-
Female.....	-	-	-	-	-	1	1	-	3	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	1	1	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	1	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
New York												
All races, both sexes.....	1	2	1	2	7	3	16	17	18	6	5	-
Male.....	1	1	-	2	2	1	6	4	3	1	-	-
Female.....	-	1	1	-	5	2	10	13	15	5	5	-
White, both sexes.....	1	2	1	2	4	3	14	14	18	6	5	-
Male.....	1	1	-	2	1	1	5	3	3	1	-	-
Female.....	-	1	1	-	3	2	9	11	15	5	5	-
Black, both sexes.....	-	-	-	-	3	-	2	2	-	-	-	-
Male.....	-	-	-	-	1	-	1	1	-	-	-	-
Female.....	-	-	-	-	2	-	1	1	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

All Under 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
ages 1 year years years years years years years years years years

Nutritional marasmus (E41)

Alaska

Table with 13 columns (Cause of death, All ages, Under 1 year, 1-4 years, 5-9 years, 10-14 years, 15-19 years, 20-24 years, 25-29 years, 30-34 years, 35-39 years, 40-44 years, 45-49 years) and rows for Alaska: All races, both sexes; Male; Female; White, both sexes; Male; Female; Black, both sexes; Male; Female; American Indian 1/, both sexes; Male; Female; Asian or Pacific Islander 2/, both sexes; Male; Female.

Arizona

Table with 13 columns (Cause of death, All ages, Under 1 year, 1-4 years, 5-9 years, 10-14 years, 15-19 years, 20-24 years, 25-29 years, 30-34 years, 35-39 years, 40-44 years, 45-49 years) and rows for Arizona: All races, both sexes; Male; Female; White, both sexes; Male; Female; Black, both sexes; Male; Female; American Indian 1/, both sexes; Male; Female; Asian or Pacific Islander 2/, both sexes; Male; Female.

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

All Under 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
ages 1 year years years years years years years years years years

Nutritional marasmus (E41)

Arkansas

Table with 13 columns (Cause of death, All ages, Under 1 year, 1-4 years, 5-9 years, 10-14 years, 15-19 years, 20-24 years, 25-29 years, 30-34 years, 35-39 years, 40-44 years, 45-49 years) and rows for Arkansas: All races, both sexes; Male; Female; White, both sexes; Male; Female; Black, both sexes; Male; Female; American Indian 1/, both sexes; Male; Female; Asian or Pacific Islander 2/, both sexes; Male; Female.

California

Table with 13 columns (Cause of death, All ages, Under 1 year, 1-4 years, 5-9 years, 10-14 years, 15-19 years, 20-24 years, 25-29 years, 30-34 years, 35-39 years, 40-44 years, 45-49 years) and rows for California: All races, both sexes; Male; Female; White, both sexes; Male; Female; Black, both sexes; Male; Female; American Indian 1/, both sexes; Male; Female; Asian or Pacific Islander 2/, both sexes; Male; Female.

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

All Under 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
ages 1 year years years years years years years years years years

Nutritional marasmus (E41)

Delaware

Table with 12 columns (All ages, Under 1 year, 1-4 years, 5-9 years, 10-14 years, 15-19 years, 20-24 years, 25-29 years, 30-34 years, 35-39 years, 40-44 years, 45-49 years) and rows for Delaware: All races, both sexes; Male; Female; White, both sexes; Male; Female; Black, both sexes; Male; Female; American Indian 1/, both sexes; Male; Female; Asian or Pacific Islander 2/, both sexes; Male; Female.

Dist. of Columbia

Table with 12 columns (All ages, Under 1 year, 1-4 years, 5-9 years, 10-14 years, 15-19 years, 20-24 years, 25-29 years, 30-34 years, 35-39 years, 40-44 years, 45-49 years) and rows for Dist. of Columbia: All races, both sexes; Male; Female; White, both sexes; Male; Female; Black, both sexes; Male; Female; American Indian 1/, both sexes; Male; Female; Asian or Pacific Islander 2/, both sexes; Male; Female.

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

All Under 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
ages 1 year years years years years years years years years years

Nutritional marasmus (E41)

Florida

Table with 13 columns (Cause of death, All ages, Under 1 year, 1-4 years, 5-9 years, 10-14 years, 15-19 years, 20-24 years, 25-29 years, 30-34 years, 35-39 years, 40-44 years, 45-49 years) and rows for Florida: All races, both sexes; Male; Female; White, both sexes; Male; Female; Black, both sexes; Male; Female; American Indian 1/, both sexes; Male; Female; Asian or Pacific Islander 2/, both sexes; Male; Female.

Georgia

Table with 13 columns (Cause of death, All ages, Under 1 year, 1-4 years, 5-9 years, 10-14 years, 15-19 years, 20-24 years, 25-29 years, 30-34 years, 35-39 years, 40-44 years, 45-49 years) and rows for Georgia: All races, both sexes; Male; Female; White, both sexes; Male; Female; Black, both sexes; Male; Female; American Indian 1/, both sexes; Male; Female; Asian or Pacific Islander 2/, both sexes; Male; Female.

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

All Under 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
ages 1 year years years years years years years years years years

Nutritional marasmus (E41)

Hawaii

Table with 12 columns (All ages, Under 1 year, 1-4 years, 5-9 years, 10-14 years, 15-19 years, 20-24 years, 25-29 years, 30-34 years, 35-39 years, 40-44 years, 45-49 years) and rows for Hawaii: All races, both sexes; Male; Female; White, both sexes; Male; Female; Black, both sexes; Male; Female; American Indian 1/, both sexes; Male; Female; Asian or Pacific Islander 2/, both sexes; Male; Female.

Idaho

Table with 12 columns (All ages, Under 1 year, 1-4 years, 5-9 years, 10-14 years, 15-19 years, 20-24 years, 25-29 years, 30-34 years, 35-39 years, 40-44 years, 45-49 years) and rows for Idaho: All races, both sexes; Male; Female; White, both sexes; Male; Female; Black, both sexes; Male; Female; American Indian 1/, both sexes; Male; Female; Asian or Pacific Islander 2/, both sexes; Male; Female.

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

All ages Under 1 year 1-4 years 5-9 years 10-14 years 15-19 years 20-24 years 25-29 years 30-34 years 35-39 years 40-44 years 45-49 years

Nutritional marasmus (E41)

Illinois

Table with 13 columns (Cause of death, All ages, Under 1 year, 1-4 years, 5-9 years, 10-14 years, 15-19 years, 20-24 years, 25-29 years, 30-34 years, 35-39 years, 40-44 years, 45-49 years) and rows for Illinois: All races, both sexes; Male; Female; White, both sexes; Male; Female; Black, both sexes; Male; Female; American Indian 1/, both sexes; Male; Female; Asian or Pacific Islander 2/, both sexes; Male; Female.

Indiana

Table with 13 columns (Cause of death, All ages, Under 1 year, 1-4 years, 5-9 years, 10-14 years, 15-19 years, 20-24 years, 25-29 years, 30-34 years, 35-39 years, 40-44 years, 45-49 years) and rows for Indiana: All races, both sexes; Male; Female; White, both sexes; Male; Female; Black, both sexes; Male; Female; American Indian 1/, both sexes; Male; Female; Asian or Pacific Islander 2/, both sexes; Male; Female.

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

All Under 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
ages 1 year years years years years years years years years years

Nutritional marasmus (E41)

Kentucky

Table with 13 columns (Cause of death, All ages, Under 1 year, 1-4 years, 5-9 years, 10-14 years, 15-19 years, 20-24 years, 25-29 years, 30-34 years, 35-39 years, 40-44 years, 45-49 years) and rows for Kentucky: All races, both sexes; Male; Female; White, both sexes; Male; Female; Black, both sexes; Male; Female; American Indian 1/, both sexes; Male; Female; Asian or Pacific Islander 2/, both sexes; Male; Female.

Louisiana

Table with 13 columns (Cause of death, All ages, Under 1 year, 1-4 years, 5-9 years, 10-14 years, 15-19 years, 20-24 years, 25-29 years, 30-34 years, 35-39 years, 40-44 years, 45-49 years) and rows for Louisiana: All races, both sexes; Male; Female; White, both sexes; Male; Female; Black, both sexes; Male; Female; American Indian 1/, both sexes; Male; Female; Asian or Pacific Islander 2/, both sexes; Male; Female.

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

All Under 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
ages 1 year years years years years years years years years years

Nutritional marasmus (E41)

Maine

Table with 13 columns (Cause of death, All ages, Under 1 year, 1-4 years, 5-9 years, 10-14 years, 15-19 years, 20-24 years, 25-29 years, 30-34 years, 35-39 years, 40-44 years, 45-49 years) and rows for Maine: All races, both sexes; Male; Female; White, both sexes; Male; Female; Black, both sexes; Male; Female; American Indian 1/, both sexes; Male; Female; Asian or Pacific Islander 2/, both sexes; Male; Female.

Maryland

Table with 13 columns (Cause of death, All ages, Under 1 year, 1-4 years, 5-9 years, 10-14 years, 15-19 years, 20-24 years, 25-29 years, 30-34 years, 35-39 years, 40-44 years, 45-49 years) and rows for Maryland: All races, both sexes; Male; Female; White, both sexes; Male; Female; Black, both sexes; Male; Female; American Indian 1/, both sexes; Male; Female; Asian or Pacific Islander 2/, both sexes; Male; Female.

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

All Under 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
ages 1 year years years years years years years years years years

Nutritional marasmus (E41)

Missouri

Table with 13 columns (Cause of death, All ages, Under 1 year, 1-4 years, 5-9 years, 10-14 years, 15-19 years, 20-24 years, 25-29 years, 30-34 years, 35-39 years, 40-44 years, 45-49 years) and rows for Missouri: All races, both sexes; Male; Female; White, both sexes; Male; Female; Black, both sexes; Male; Female; American Indian 1/, both sexes; Male; Female; Asian or Pacific Islander 2/, both sexes; Male; Female.

Montana

Table with 13 columns (Cause of death, All ages, Under 1 year, 1-4 years, 5-9 years, 10-14 years, 15-19 years, 20-24 years, 25-29 years, 30-34 years, 35-39 years, 40-44 years, 45-49 years) and rows for Montana: All races, both sexes; Male; Female; White, both sexes; Male; Female; Black, both sexes; Male; Female; American Indian 1/, both sexes; Male; Female; Asian or Pacific Islander 2/, both sexes; Male; Female.

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

All Under 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
ages 1 year years years years years years years years years years

Nutritional marasmus (E41)

Nebraska

Table with 13 columns (Cause of death, All ages, Under 1 year, 1-4 years, 5-9 years, 10-14 years, 15-19 years, 20-24 years, 25-29 years, 30-34 years, 35-39 years, 40-44 years, 45-49 years) and rows for Nebraska: All races, both sexes; Male; Female; White, both sexes; Male; Female; Black, both sexes; Male; Female; American Indian 1/, both sexes; Male; Female; Asian or Pacific Islander 2/, both sexes; Male; Female.

Nevada

Table with 13 columns (Cause of death, All ages, Under 1 year, 1-4 years, 5-9 years, 10-14 years, 15-19 years, 20-24 years, 25-29 years, 30-34 years, 35-39 years, 40-44 years, 45-49 years) and rows for Nevada: All races, both sexes; Male; Female; White, both sexes; Male; Female; Black, both sexes; Male; Female; American Indian 1/, both sexes; Male; Female; Asian or Pacific Islander 2/, both sexes; Male; Female.

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

All Under 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
ages 1 year years years years years years years years years years

Nutritional marasmus (E41)

New Mexico

Table with 13 columns (Cause of death, All ages, Under 1 year, 1-4 years, 5-9 years, 10-14 years, 15-19 years, 20-24 years, 25-29 years, 30-34 years, 35-39 years, 40-44 years, 45-49 years) and rows for New Mexico: All races, both sexes; Male; Female; White, both sexes; Male; Female; Black, both sexes; Male; Female; American Indian 1/, both sexes; Male; Female; Asian or Pacific Islander 2/, both sexes; Male; Female.

New York

Table with 13 columns (Cause of death, All ages, Under 1 year, 1-4 years, 5-9 years, 10-14 years, 15-19 years, 20-24 years, 25-29 years, 30-34 years, 35-39 years, 40-44 years, 45-49 years) and rows for New York: All races, both sexes; Male; Female; White, both sexes; Male; Female; Black, both sexes; Male; Female; American Indian 1/, both sexes; Male; Female; Asian or Pacific Islander 2/, both sexes; Male; Female.

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

All Under 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
ages 1 year years years years years years years years years years

Nutritional marasmus (E41)

North Carolina

Table with 12 columns (All ages, Under 1 year, 1-4 years, 5-9 years, 10-14 years, 15-19 years, 20-24 years, 25-29 years, 30-34 years, 35-39 years, 40-44 years, 45-49 years) and rows for North Carolina: All races, both sexes; Male; Female; White, both sexes; Male; Female; Black, both sexes; Male; Female; American Indian 1/, both sexes; Male; Female; Asian or Pacific Islander 2/, both sexes; Male; Female.

North Dakota

Table with 12 columns (All ages, Under 1 year, 1-4 years, 5-9 years, 10-14 years, 15-19 years, 20-24 years, 25-29 years, 30-34 years, 35-39 years, 40-44 years, 45-49 years) and rows for North Dakota: All races, both sexes; Male; Female; White, both sexes; Male; Female; Black, both sexes; Male; Female; American Indian 1/, both sexes; Male; Female; Asian or Pacific Islander 2/, both sexes; Male; Female.

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

All Under 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
ages 1 year years years years years years years years years years

Nutritional marasmus (E41)

South Dakota

Table with 13 columns (Cause of death, All ages, Under 1 year, 1-4 years, 5-9 years, 10-14 years, 15-19 years, 20-24 years, 25-29 years, 30-34 years, 35-39 years, 40-44 years, 45-49 years) and rows for South Dakota: All races, both sexes; Male; Female; White, both sexes; Male; Female; Black, both sexes; Male; Female; American Indian 1/, both sexes; Male; Female; Asian or Pacific Islander 2/, both sexes; Male; Female.

Tennessee

Table with 13 columns (Cause of death, All ages, Under 1 year, 1-4 years, 5-9 years, 10-14 years, 15-19 years, 20-24 years, 25-29 years, 30-34 years, 35-39 years, 40-44 years, 45-49 years) and rows for Tennessee: All races, both sexes; Male; Female; White, both sexes; Male; Female; Black, both sexes; Male; Female; American Indian 1/, both sexes; Male; Female; Asian or Pacific Islander 2/, both sexes; Male; Female.

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

All ages Under 1 year 1-4 years 5-9 years 10-14 years 15-19 years 20-24 years 25-29 years 30-34 years 35-39 years 40-44 years 45-49 years

Nutritional marasmus (E41)

Texas

Table with 13 columns (Cause of death, All ages, Under 1 year, 1-4 years, 5-9 years, 10-14 years, 15-19 years, 20-24 years, 25-29 years, 30-34 years, 35-39 years, 40-44 years, 45-49 years) and rows for Texas: All races, both sexes; Male; Female; White, both sexes; Male; Female; Black, both sexes; Male; Female; American Indian 1/, both sexes; Male; Female; Asian or Pacific Islander 2/, both sexes; Male; Female.

Utah

Table with 13 columns (Cause of death, All ages, Under 1 year, 1-4 years, 5-9 years, 10-14 years, 15-19 years, 20-24 years, 25-29 years, 30-34 years, 35-39 years, 40-44 years, 45-49 years) and rows for Utah: All races, both sexes; Male; Female; White, both sexes; Male; Female; Black, both sexes; Male; Female; American Indian 1/, both sexes; Male; Female; Asian or Pacific Islander 2/, both sexes; Male; Female.

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

All Under 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
ages 1 year years years years years years years years years years

Nutritional marasmus (E41)

Vermont

Table with 13 columns (Cause of death, All ages, Under 1 year, 1-4 years, 5-9 years, 10-14 years, 15-19 years, 20-24 years, 25-29 years, 30-34 years, 35-39 years, 40-44 years, 45-49 years) and rows for Vermont: All races, both sexes; Male; Female; White, both sexes; Male; Female; Black, both sexes; Male; Female; American Indian 1/, both sexes; Male; Female; Asian or Pacific Islander 2/, both sexes; Male; Female.

Virginia

Table with 13 columns (Cause of death, All ages, Under 1 year, 1-4 years, 5-9 years, 10-14 years, 15-19 years, 20-24 years, 25-29 years, 30-34 years, 35-39 years, 40-44 years, 45-49 years) and rows for Virginia: All races, both sexes; Male; Female; White, both sexes; Male; Female; Black, both sexes; Male; Female; American Indian 1/, both sexes; Male; Female; Asian or Pacific Islander 2/, both sexes; Male; Female.

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

All Under 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
ages 1 year years years years years years years years years years

Nutritional marasmus (E41)

Wisconsin

Table with 13 columns (Cause of death, All ages, Under 1 year, 1-4 years, 5-9 years, 10-14 years, 15-19 years, 20-24 years, 25-29 years, 30-34 years, 35-39 years, 40-44 years, 45-49 years) and rows for Wisconsin: All races, both sexes; Male; Female; White, both sexes; Male; Female; Black, both sexes; Male; Female; American Indian 1/, both sexes; Male; Female; Asian or Pacific Islander 2/, both sexes; Male; Female.

Wyoming

Table with 13 columns (Cause of death, All ages, Under 1 year, 1-4 years, 5-9 years, 10-14 years, 15-19 years, 20-24 years, 25-29 years, 30-34 years, 35-39 years, 40-44 years, 45-49 years) and rows for Wyoming: All races, both sexes; Male; Female; White, both sexes; Male; Female; Black, both sexes; Male; Female; American Indian 1/, both sexes; Male; Female; Asian or Pacific Islander 2/, both sexes; Male; Female.

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex 50-54 years 55-59 years 60-64 years 65-69 years 70-74 years 75-79 years 80-84 years 85-89 years 90-94 years 95-99 years 100 years and over Age not stated

Nutritional marasmus (E41)

Arkansas

Table with 13 columns (Age groups) and rows for Arkansas: All races, both sexes; Male; Female; White, both sexes; Male; Female; Black, both sexes; Male; Female; American Indian 1/, both sexes; Male; Female; Asian or Pacific Islander 2/, both sexes; Male; Female.

California

Table with 13 columns (Age groups) and rows for California: All races, both sexes; Male; Female; White, both sexes; Male; Female; Black, both sexes; Male; Female; American Indian 1/, both sexes; Male; Female; Asian or Pacific Islander 2/, both sexes; Male; Female.

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex 50-54 years 55-59 years 60-64 years 65-69 years 70-74 years 75-79 years 80-84 years 85-89 years 90-94 years 95-99 years 100 years and over Age not stated

Nutritional marasmus (E41)

Kentucky

Table with 13 columns (Age groups) and rows for Kentucky: All races, both sexes; Male; Female; White, both sexes; Male; Female; Black, both sexes; Male; Female; American Indian 1/, both sexes; Male; Female; Asian or Pacific Islander 2/, both sexes; Male; Female.

Louisiana

Table with 13 columns (Age groups) and rows for Louisiana: All races, both sexes; Male; Female; White, both sexes; Male; Female; Black, both sexes; Male; Female; American Indian 1/, both sexes; Male; Female; Asian or Pacific Islander 2/, both sexes; Male; Female.

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100 years and over Age not stated

Nutritional marasmus (E41)

North Carolina

Table with 13 columns (Age groups) and rows for North Carolina: All races, both sexes; Male; Female; White, both sexes; Male; Female; Black, both sexes; Male; Female; American Indian 1/, both sexes; Male; Female; Asian or Pacific Islander 2/, both sexes; Male; Female.

North Dakota

Table with 13 columns (Age groups) and rows for North Dakota: All races, both sexes; Male; Female; White, both sexes; Male; Female; Black, both sexes; Male; Female; American Indian 1/, both sexes; Male; Female; Asian or Pacific Islander 2/, both sexes; Male; Female.

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100 years and over Age not stated

Nutritional marasmus (E41)

Washington

Table with 13 columns: Cause of death, 50-54 years, 55-59 years, 60-64 years, 65-69 years, 70-74 years, 75-79 years, 80-84 years, 85-89 years, 90-94 years, 95-99 years, 100 years and over, Age not stated. Rows include All races, both sexes; Male; Female; White, both sexes; Male; Female; Black, both sexes; Male; Female; American Indian 1/, both sexes; Male; Female; Asian or Pacific Islander 2/, both sexes; Male; Female.

West Virginia

Table with 13 columns: Cause of death, 50-54 years, 55-59 years, 60-64 years, 65-69 years, 70-74 years, 75-79 years, 80-84 years, 85-89 years, 90-94 years, 95-99 years, 100 years and over, Age not stated. Rows include All races, both sexes; Male; Female; White, both sexes; Male; Female; Black, both sexes; Male; Female; American Indian 1/, both sexes; Male; Female; Asian or Pacific Islander 2/, both sexes; Male; Female.

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Other and unspecified malnutrition (E40,E42-E46)

Arkansas

All races, both sexes.....	57	-	-	-	-	-	-	-	-	-	-	-
Male.....	23	-	-	-	-	-	-	-	-	-	-	-
Female.....	34	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	43	-	-	-	-	-	-	-	-	-	-	-
Male.....	18	-	-	-	-	-	-	-	-	-	-	-
Female.....	25	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	14	-	-	-	-	-	-	-	-	-	-	-
Male.....	5	-	-	-	-	-	-	-	-	-	-	-
Female.....	9	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	162	1	-	-	-	-	-	-	2	1	2	-
Male.....	75	-	-	-	-	-	-	-	1	1	1	-
Female.....	87	1	-	-	-	-	-	-	1	-	1	-
White, both sexes.....	125	1	-	-	-	-	-	-	-	1	-	-
Male.....	54	-	-	-	-	-	-	-	-	1	-	-
Female.....	71	1	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	16	-	-	-	-	-	-	-	1	-	1	-
Male.....	11	-	-	-	-	-	-	-	1	-	1	-
Female.....	5	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	20	-	-	-	-	-	-	-	1	-	1	-
Male.....	10	-	-	-	-	-	-	-	-	-	-	-
Female.....	10	-	-	-	-	-	-	-	1	-	1	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Other and unspecified malnutrition (E40,E42-E46)

Alaska

All races, both sexes.....	-	1	1	1	-	1	2	-	1	-	-	-
Male.....	-	-	-	1	-	-	2	-	-	-	-	-
Female.....	-	1	1	-	-	1	-	-	1	-	-	-
White, both sexes.....	-	-	-	-	-	-	2	-	1	-	-	-
Male.....	-	-	-	-	-	-	2	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	1	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	1	1	1	-	-	-	-	-	-	-	-
Male.....	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	1	1	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-

Arizona

All races, both sexes.....	-	-	1	-	3	4	3	9	6	3	1	-
Male.....	-	-	1	-	2	-	2	3	3	1	1	-
Female.....	-	-	-	-	1	4	1	6	3	2	-	-
White, both sexes.....	-	-	1	-	2	4	3	8	5	3	-	-
Male.....	-	-	1	-	1	-	2	3	2	1	-	-
Female.....	-	-	-	-	1	4	1	5	3	2	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	1	-	-	-	1	-	1	-
Male.....	-	-	-	-	1	-	-	-	1	-	1	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Other and unspecified malnutrition (E40,E42-E46)

Arkansas

All races, both sexes.....	-	-	3	2	4	5	8	12	17	5	1	-
Male.....	-	-	2	2	1	2	4	7	4	1	-	-
Female.....	-	-	1	-	3	3	4	5	13	4	1	-
White, both sexes.....	-	-	3	2	2	5	5	10	13	3	-	-
Male.....	-	-	2	2	-	2	2	6	3	1	-	-
Female.....	-	-	1	-	2	3	3	4	10	2	-	-
Black, both sexes.....	-	-	-	-	2	-	3	2	4	2	1	-
Male.....	-	-	-	-	1	-	2	1	1	-	-	-
Female.....	-	-	-	-	1	-	1	1	3	2	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	3	8	1	10	17	13	38	37	22	5	2	-
Male.....	2	3	-	5	9	6	18	12	14	3	-	-
Female.....	1	5	1	5	8	7	20	25	8	2	2	-
White, both sexes.....	2	8	1	8	11	11	28	29	20	4	1	-
Male.....	1	3	-	3	5	5	14	8	12	2	-	-
Female.....	1	5	1	5	6	6	14	21	8	2	1	-
Black, both sexes.....	1	-	-	-	4	1	3	5	-	-	-	-
Male.....	1	-	-	-	2	1	2	3	-	-	-	-
Female.....	-	-	-	-	2	-	1	2	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	2	2	1	6	3	2	1	1	-
Male.....	-	-	-	2	2	-	2	1	2	1	-	-
Female.....	-	-	-	-	-	1	4	2	-	-	1	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Other and unspecified malnutrition (E40,E42-E46)

Maine

All races, both sexes.....	-	-	-	1	1	1	-	7	4	-	1	-
Male.....	-	-	-	-	-	-	-	2	2	-	-	-
Female.....	-	-	-	1	1	1	-	5	2	-	1	-
White, both sexes.....	-	-	-	1	1	1	-	7	4	-	1	-
Male.....	-	-	-	-	-	-	-	2	2	-	-	-
Female.....	-	-	-	1	1	1	-	5	2	-	1	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Maryland

All races, both sexes.....	1	1	3	-	-	3	9	12	5	5	-	-
Male.....	-	1	1	-	-	2	2	2	3	-	-	-
Female.....	1	-	2	-	-	1	7	10	2	5	-	-
White, both sexes.....	1	1	2	-	-	2	8	10	4	5	-	-
Male.....	-	1	1	-	-	1	2	2	3	-	-	-
Female.....	1	-	1	-	-	1	6	8	1	5	-	-
Black, both sexes.....	-	-	1	-	-	1	1	2	-	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	1	-	-	-	1	2	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Other and unspecified malnutrition (E40,E42-E46)

New Hampshire

All races, both sexes.....	-	-	-	-	-	2	1	-	2	1	-	-
Male.....	-	-	-	-	-	1	1	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	2	1	-	-
White, both sexes.....	-	-	-	-	-	2	1	-	2	1	-	-
Male.....	-	-	-	-	-	1	1	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	2	1	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New Jersey

All races, both sexes.....	1	1	2	7	4	11	4	20	16	4	-	-
Male.....	1	1	1	4	1	7	1	4	6	-	-	-
Female.....	-	-	1	3	3	4	3	16	10	4	-	-
White, both sexes.....	-	1	2	5	3	9	3	18	14	4	-	-
Male.....	-	1	1	3	1	6	1	3	5	-	-	-
Female.....	-	-	1	2	2	3	2	15	9	4	-	-
Black, both sexes.....	1	-	-	2	-	2	-	2	2	-	-	-
Male.....	1	-	-	1	-	1	-	1	1	-	-	-
Female.....	-	-	-	1	-	1	-	1	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Other and unspecified malnutrition (E40,E42-E46)

New Mexico

All races, both sexes.....	-	1	-	-	2	1	4	2	4	1	-	-
Male.....	-	1	-	-	2	-	3	1	-	1	-	-
Female.....	-	-	-	-	-	1	1	1	4	-	-	-
White, both sexes.....	-	1	-	-	2	1	4	1	3	1	-	-
Male.....	-	1	-	-	2	-	3	1	-	1	-	-
Female.....	-	-	-	-	-	1	1	-	3	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	1	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New York

All races, both sexes.....	1	2	1	2	6	3	14	15	15	6	2	-
Male.....	1	1	-	2	2	1	6	4	3	1	-	-
Female.....	-	1	1	-	4	2	8	11	12	5	2	-
White, both sexes.....	1	2	1	2	4	3	12	12	15	6	2	-
Male.....	1	1	-	2	1	1	5	3	3	1	-	-
Female.....	-	1	1	-	3	2	7	9	12	5	2	-
Black, both sexes.....	-	-	-	-	2	-	2	2	-	-	-	-
Male.....	-	-	-	-	1	-	1	1	-	-	-	-
Female.....	-	-	-	-	1	-	1	1	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Other nutritional deficiencies (E50-E64)

North Carolina

Table with 13 columns (Cause of death, All ages, Under 1 year, 1-4 years, 5-9 years, 10-14 years, 15-19 years, 20-24 years, 25-29 years, 30-34 years, 35-39 years, 40-44 years, 45-49 years) and rows for North Carolina categories: All races, both sexes; Male; Female; White, both sexes; Male; Female; Black, both sexes; Male; Female; American Indian 1/, both sexes; Male; Female; Asian or Pacific Islander 2/, both sexes; Male; Female.

North Dakota

Table with 13 columns (Cause of death, All ages, Under 1 year, 1-4 years, 5-9 years, 10-14 years, 15-19 years, 20-24 years, 25-29 years, 30-34 years, 35-39 years, 40-44 years, 45-49 years) and rows for North Dakota categories: All races, both sexes; Male; Female; White, both sexes; Male; Female; Black, both sexes; Male; Female; American Indian 1/, both sexes; Male; Female; Asian or Pacific Islander 2/, both sexes; Male; Female.

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

All Under 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
ages 1 year years years years years years years years years years

Other nutritional deficiencies (E50-E64)

Vermont

Table with 12 columns (All ages, Under 1 year, 1-4 years, 5-9 years, 10-14 years, 15-19 years, 20-24 years, 25-29 years, 30-34 years, 35-39 years, 40-44 years, 45-49 years) and rows for Vermont: All races, both sexes; Male; Female; White, both sexes; Male; Female; Black, both sexes; Male; Female; American Indian 1/, both sexes; Male; Female; Asian or Pacific Islander 2/, both sexes; Male; Female.

Virginia

Table with 12 columns (All ages, Under 1 year, 1-4 years, 5-9 years, 10-14 years, 15-19 years, 20-24 years, 25-29 years, 30-34 years, 35-39 years, 40-44 years, 45-49 years) and rows for Virginia: All races, both sexes; Male; Female; White, both sexes; Male; Female; Black, both sexes; Male; Female; American Indian 1/, both sexes; Male; Female; Asian or Pacific Islander 2/, both sexes; Male; Female.

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

All Under 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
ages 1 year years years years years years years years years years

Other nutritional deficiencies (E50-E64)

Washington

Table with 13 columns (Cause of death, All ages, Under 1 year, 1-4 years, 5-9 years, 10-14 years, 15-19 years, 20-24 years, 25-29 years, 30-34 years, 35-39 years, 40-44 years, 45-49 years) and rows for Washington: All races, both sexes; Male; Female; White, both sexes; Male; Female; Black, both sexes; Male; Female; American Indian 1/, both sexes; Male; Female; Asian or Pacific Islander 2/, both sexes; Male; Female.

West Virginia

Table with 13 columns (Cause of death, All ages, Under 1 year, 1-4 years, 5-9 years, 10-14 years, 15-19 years, 20-24 years, 25-29 years, 30-34 years, 35-39 years, 40-44 years, 45-49 years) and rows for West Virginia: All races, both sexes; Male; Female; White, both sexes; Male; Female; Black, both sexes; Male; Female; American Indian 1/, both sexes; Male; Female; Asian or Pacific Islander 2/, both sexes; Male; Female.

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

All Under 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
ages 1 year years years years years years years years years years

Other nutritional deficiencies (E50-E64)

Wisconsin

Table with 13 columns (Cause of death, All ages, Under 1 year, 1-4 years, 5-9 years, 10-14 years, 15-19 years, 20-24 years, 25-29 years, 30-34 years, 35-39 years, 40-44 years, 45-49 years) and rows for Wisconsin categories: All races, both sexes; Male; Female; White, both sexes; Male; Female; Black, both sexes; Male; Female; American Indian 1/, both sexes; Male; Female; Asian or Pacific Islander 2/, both sexes; Male; Female.

Wyoming

Table with 13 columns (Cause of death, All ages, Under 1 year, 1-4 years, 5-9 years, 10-14 years, 15-19 years, 20-24 years, 25-29 years, 30-34 years, 35-39 years, 40-44 years, 45-49 years) and rows for Wyoming categories: All races, both sexes; Male; Female; White, both sexes; Male; Female; Black, both sexes; Male; Female; American Indian 1/, both sexes; Male; Female; Asian or Pacific Islander 2/, both sexes; Male; Female.

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Other nutritional deficiencies (E50-E64)

Arkansas

Table with 13 columns (Age groups) and rows for Arkansas: All races, both sexes; Male; Female; White, both sexes; Male; Female; Black, both sexes; Male; Female; American Indian 1/, both sexes; Male; Female; Asian or Pacific Islander 2/, both sexes; Male; Female.

California

Table with 13 columns (Age groups) and rows for California: All races, both sexes; Male; Female; White, both sexes; Male; Female; Black, both sexes; Male; Female; American Indian 1/, both sexes; Male; Female; Asian or Pacific Islander 2/, both sexes; Male; Female.

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Other nutritional deficiencies (E50-E64)

Delaware

Table with 13 columns (Age groups) and rows for Delaware: All races, both sexes; Male; Female; White, both sexes; Male; Female; Black, both sexes; Male; Female; American Indian 1/, both sexes; Male; Female; Asian or Pacific Islander 2/, both sexes; Male; Female.

Dist. of Columbia

Table with 13 columns (Age groups) and rows for Dist. of Columbia: All races, both sexes; Male; Female; White, both sexes; Male; Female; Black, both sexes; Male; Female; American Indian 1/, both sexes; Male; Female; Asian or Pacific Islander 2/, both sexes; Male; Female.

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Obesity and other hyperalimentation (E65-E68)												
Arkansas												
All races, both sexes.....	46	-	-	-	-	-	-	2	1	3	6	4
Male.....	19	-	-	-	-	-	-	1	-	2	4	2
Female.....	27	-	-	-	-	-	1	1	1	1	2	2
White, both sexes.....	34	-	-	-	-	-	-	-	-	3	4	3
Male.....	13	-	-	-	-	-	-	-	-	2	2	1
Female.....	21	-	-	-	-	-	-	-	-	1	2	2
Black, both sexes.....	12	-	-	-	-	-	-	2	1	-	2	1
Male.....	6	-	-	-	-	-	-	1	-	-	2	1
Female.....	6	-	-	-	-	-	-	1	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
California												
All races, both sexes.....	498	-	-	-	1	1	8	18	21	25	51	57
Male.....	265	-	-	-	-	1	7	10	15	15	36	30
Female.....	233	-	-	-	1	-	1	8	6	10	15	27
White, both sexes.....	400	-	-	-	-	1	7	11	14	18	36	45
Male.....	219	-	-	-	-	1	6	7	10	11	24	24
Female.....	181	-	-	-	-	-	1	4	4	7	12	21
Black, both sexes.....	79	-	-	-	-	-	1	5	3	6	11	11
Male.....	32	-	-	-	-	-	1	1	2	3	8	6
Female.....	47	-	-	-	-	-	-	4	1	3	3	5
American Indian 1/, both sexes.....	10	-	-	-	-	-	-	1	2	1	2	-
Male.....	9	-	-	-	-	-	-	1	1	1	2	-
Female.....	1	-	-	-	-	-	-	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	9	-	-	-	1	-	-	1	2	-	2	1
Male.....	5	-	-	-	-	-	-	1	2	-	2	-
Female.....	4	-	-	-	1	-	-	-	-	-	-	1

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Obesity and other hyperalimentation (E65-E68)												
Florida												
All races, both sexes.....	348	-	-	-	-	2	5	7	17	17	29	36
Male.....	189	-	-	-	-	1	4	5	9	9	16	30
Female.....	159	-	-	-	-	1	1	2	8	8	13	6
White, both sexes.....	271	-	-	-	-	-	2	4	10	9	21	28
Male.....	145	-	-	-	-	-	2	3	6	4	13	23
Female.....	126	-	-	-	-	-	-	1	4	5	8	5
Black, both sexes.....	77	-	-	-	-	2	3	3	7	8	8	8
Male.....	44	-	-	-	-	1	2	2	3	5	3	7
Female.....	33	-	-	-	-	1	1	1	4	3	5	1
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Georgia												
All races, both sexes.....	149	-	-	-	-	-	1	7	7	20	10	22
Male.....	64	-	-	-	-	-	1	2	2	13	6	10
Female.....	85	-	-	-	-	-	-	5	5	7	4	12
White, both sexes.....	86	-	-	-	-	-	-	3	2	9	7	13
Male.....	45	-	-	-	-	-	-	2	-	7	5	8
Female.....	41	-	-	-	-	-	-	1	2	2	2	5
Black, both sexes.....	61	-	-	-	-	-	1	4	5	10	3	8
Male.....	18	-	-	-	-	-	1	-	2	6	1	1
Female.....	43	-	-	-	-	-	-	4	3	4	2	7
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	-	-	-	-	-	1	-	1
Male.....	1	-	-	-	-	-	-	-	-	-	-	1
Female.....	1	-	-	-	-	-	-	-	-	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

All Under 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
ages 1 year years years years years years years years years years

Obesity and other hyperalimentionation (E65-E68)

North Carolina

Table with 13 columns: Cause of death, All ages, Under 1 year, 1-4 years, 5-9 years, 10-14 years, 15-19 years, 20-24 years, 25-29 years, 30-34 years, 35-39 years, 40-44 years, 45-49 years. Rows include All races, both sexes; Male; Female; White, both sexes; Male; Female; Black, both sexes; Male; Female; American Indian 1/, both sexes; Male; Female; Asian or Pacific Islander 2/, both sexes; Male; Female.

North Dakota

Table with 13 columns: Cause of death, All ages, Under 1 year, 1-4 years, 5-9 years, 10-14 years, 15-19 years, 20-24 years, 25-29 years, 30-34 years, 35-39 years, 40-44 years, 45-49 years. Rows include All races, both sexes; Male; Female; White, both sexes; Male; Female; Black, both sexes; Male; Female; American Indian 1/, both sexes; Male; Female; Asian or Pacific Islander 2/, both sexes; Male; Female.

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Obesity and other hyperalimentation (E65-E68)

Texas

All races, both sexes.....	57	53	39	27	18	17	12	6	1	1	-	-
Male.....	30	23	16	12	7	3	4	2	-	1	-	-
Female.....	27	30	23	15	11	14	8	4	1	-	-	-
White, both sexes.....	44	38	32	23	17	16	11	6	1	1	-	-
Male.....	25	19	12	12	7	3	4	2	-	1	-	-
Female.....	19	19	20	11	10	13	7	4	1	-	-	-
Black, both sexes.....	13	15	7	4	1	1	1	-	-	-	-	-
Male.....	5	4	4	-	-	-	-	-	-	-	-	-
Female.....	8	11	3	4	1	1	1	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Utah

All races, both sexes.....	8	5	9	-	3	1	-	1	-	-	-	-
Male.....	5	2	4	-	1	-	-	-	-	-	-	-
Female.....	3	3	5	-	2	1	-	1	-	-	-	-
White, both sexes.....	8	5	9	-	3	-	-	1	-	-	-	-
Male.....	5	2	4	-	1	-	-	-	-	-	-	-
Female.....	3	3	5	-	2	-	-	1	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Obesity and other hyperalimentation (E65-E68)

Vermont

All races, both sexes.....	5	1	-	2	2	2	1	-	1	-	-	-
Male.....	3	-	-	1	-	-	1	-	-	-	-	-
Female.....	2	1	-	1	2	2	-	-	1	-	-	-
White, both sexes.....	5	1	-	2	2	2	1	-	1	-	-	-
Male.....	3	-	-	1	-	-	1	-	-	-	-	-
Female.....	2	1	-	1	2	2	-	-	1	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Virginia

All races, both sexes.....	12	13	9	11	5	1	3	1	-	-	-	-
Male.....	8	7	1	7	2	-	1	-	-	-	-	-
Female.....	4	6	8	4	3	1	2	1	-	-	-	-
White, both sexes.....	9	11	8	9	3	1	3	1	-	-	-	-
Male.....	5	6	1	5	2	-	1	-	-	-	-	-
Female.....	4	5	7	4	1	1	2	1	-	-	-	-
Black, both sexes.....	3	2	1	2	1	-	-	-	-	-	-	-
Male.....	3	1	-	2	-	-	-	-	-	-	-	-
Female.....	-	1	1	-	1	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Metabolic disorders (E70-E88)												
New Hampshire												
All races, both sexes.....	82	1	-	-	-	-	1	-	1	2	2	-
Male.....	41	1	-	-	-	-	1	-	-	-	2	-
Female.....	41	-	-	-	-	-	-	-	1	2	-	-
White, both sexes.....	80	1	-	-	-	-	1	-	1	2	2	-
Male.....	40	1	-	-	-	-	1	-	-	-	2	-
Female.....	40	-	-	-	-	-	-	-	1	2	-	-
Black, both sexes.....	2	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
New Jersey												
All races, both sexes.....	603	4	4	3	1	-	4	1	5	1	6	8
Male.....	296	3	2	3	-	-	1	1	2	-	2	5
Female.....	307	1	2	-	1	-	3	-	3	1	4	3
White, both sexes.....	536	2	3	1	1	-	3	-	3	1	6	5
Male.....	264	1	1	1	-	-	1	-	1	-	2	4
Female.....	272	1	2	-	1	-	2	-	2	1	4	1
Black, both sexes.....	61	2	1	1	-	-	-	1	2	-	-	1
Male.....	30	2	1	1	-	-	-	1	1	-	-	1
Female.....	31	-	-	-	-	-	-	-	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	6	-	-	1	-	-	1	-	-	-	-	2
Male.....	2	-	-	1	-	-	-	-	-	-	-	-
Female.....	4	-	-	-	-	-	1	-	-	-	-	2

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Metabolic disorders (E70-E88)												
Alaska												
All races, both sexes.....	-	2	-	1	3	3	2	1	1	1	-	-
Male.....	-	2	-	1	2	1	2	1	-	1	-	-
Female.....	-	-	-	-	1	2	-	-	1	-	-	-
White, both sexes.....	-	1	-	-	1	1	1	1	1	-	-	-
Male.....	-	1	-	-	1	-	1	1	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	1	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	1	-	-	1	2	1	-	-	1	-	-
Male.....	-	1	-	-	1	1	1	-	-	1	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.	-	-	-	1	1	-	-	-	-	-	-	-
Male.....	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-
Arizona												
All races, both sexes.....	7	12	20	12	25	27	25	41	24	8	7	-
Male.....	4	2	16	8	14	14	5	16	10	2	2	-
Female.....	3	10	4	4	11	13	20	25	14	6	5	-
White, both sexes.....	7	10	18	12	24	27	22	40	23	8	7	-
Male.....	4	2	14	8	13	14	5	16	9	2	2	-
Female.....	3	8	4	4	11	13	17	24	14	6	5	-
Black, both sexes.....	-	-	2	-	1	-	2	-	-	-	-	-
Male.....	-	-	2	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	2	-	-	-	-	-
American Indian 1/, both sexes.....	-	1	-	-	-	-	-	1	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	1	-	-	-
Female.....	-	1	-	-	-	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.	-	1	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	1	-	-	-	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Metabolic disorders (E70-E88)

Arkansas

All races, both sexes.....	3	10	9	6	8	21	19	18	19	14	4	-
Male.....	2	8	4	3	6	9	6	6	4	4	-	-
Female.....	1	2	5	3	2	12	13	12	15	10	4	-
White, both sexes.....	3	8	7	4	8	18	18	16	17	13	3	-
Male.....	2	6	4	1	6	9	6	5	4	4	-	-
Female.....	1	2	3	3	2	9	12	11	13	9	3	-
Black, both sexes.....	-	2	1	2	-	3	1	2	2	1	1	-
Male.....	-	2	-	2	-	-	-	1	-	-	-	-
Female.....	-	-	1	-	-	3	1	1	2	1	1	-
American Indian 1/, both sexes.....	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	1	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	48	72	69	90	113	158	217	200	151	47	6	-
Male.....	35	46	49	67	63	93	99	90	53	13	3	-
Female.....	13	26	20	23	50	65	118	110	98	34	3	-
White, both sexes.....	40	58	57	74	85	132	192	181	124	45	6	-
Male.....	28	38	40	57	47	77	90	83	43	12	3	-
Female.....	12	20	17	17	38	55	102	98	81	33	3	-
Black, both sexes.....	2	7	5	6	10	11	10	4	10	1	-	-
Male.....	1	3	4	4	7	5	4	1	1	-	-	-
Female.....	1	4	1	2	3	6	6	3	9	1	-	-
American Indian 1/, both sexes.....	1	-	-	1	-	1	1	-	1	-	-	-
Male.....	1	-	-	-	-	-	-	-	1	-	-	-
Female.....	-	-	1	-	-	1	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	5	7	7	9	18	14	14	15	16	1	-	-
Male.....	5	5	5	6	9	11	5	6	8	1	-	-
Female.....	-	2	2	3	9	3	9	9	8	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Metabolic disorders (E70-E88)

Colorado

All races, both sexes.....	6	9	10	12	15	29	28	31	34	13	5	-
Male.....	4	4	7	8	8	18	13	10	9	4	1	-
Female.....	2	5	3	4	7	11	15	21	25	9	4	-
White, both sexes.....	6	8	10	10	14	23	26	29	34	13	3	-
Male.....	4	4	7	8	8	14	11	9	9	4	-	-
Female.....	2	4	3	2	6	9	15	20	25	9	3	-
Black, both sexes.....	-	1	-	1	1	5	2	2	-	-	1	-
Male.....	-	-	-	-	-	3	2	1	-	-	-	-
Female.....	-	1	-	1	1	2	-	1	-	-	1	-
American Indian 1/, both sexes.....	-	-	-	1	-	-	-	-	-	-	1	-
Male.....	-	-	-	-	-	-	-	-	-	-	1	-
Female.....	-	-	-	1	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Connecticut

All races, both sexes.....	7	11	8	11	16	28	43	44	30	21	4	1
Male.....	7	9	4	9	7	13	23	16	12	3	-	-
Female.....	-	2	4	2	9	15	20	28	18	18	4	1
White, both sexes.....	7	9	7	11	16	28	38	44	28	20	3	1
Male.....	7	7	3	9	7	13	21	16	11	3	-	-
Female.....	-	2	4	2	9	15	17	28	17	17	3	1
Black, both sexes.....	-	2	1	-	-	-	3	-	2	1	1	-
Male.....	-	2	1	-	-	-	2	-	1	-	-	-
Female.....	-	-	-	-	-	-	1	-	1	1	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	2	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	2	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Metabolic disorders (E70-E88)

Maine

All races, both sexes.....	5	6	5	12	10	17	22	12	11	6	1	-
Male.....	5	3	3	9	6	6	8	3	3	2	-	-
Female.....	-	3	2	3	4	11	14	9	8	4	1	-
White, both sexes.....	5	6	5	12	9	17	22	12	11	6	1	-
Male.....	5	3	3	9	5	6	8	3	3	2	-	-
Female.....	-	3	2	3	4	11	14	9	8	4	1	-
Black, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Maryland

All races, both sexes.....	14	21	21	29	31	62	62	52	43	15	2	1
Male.....	12	10	17	17	14	32	24	20	18	2	1	-
Female.....	2	11	4	12	17	30	38	32	25	13	1	1
White, both sexes.....	9	12	14	20	18	46	49	44	31	13	2	-
Male.....	8	6	10	12	9	24	20	18	16	2	1	-
Female.....	1	6	4	8	9	22	29	26	15	11	1	-
Black, both sexes.....	5	9	7	8	11	16	12	8	11	2	-	1
Male.....	4	4	7	5	4	8	3	2	2	-	-	-
Female.....	1	5	-	3	7	8	9	6	9	2	-	1
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	1	2	-	1	-	1	-	-	-
Male.....	-	-	-	-	1	-	1	-	-	-	-	-
Female.....	-	-	-	1	1	-	-	-	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Metabolic disorders (E70-E88)

Missouri

All races, both sexes.....	12	15	13	26	28	39	43	56	47	19	2	-
Male.....	7	10	10	15	20	22	21	11	19	3	-	-
Female.....	5	5	3	11	8	17	22	45	28	16	2	-
White, both sexes.....	11	13	12	21	25	37	39	53	41	16	2	-
Male.....	6	9	10	13	19	21	19	11	18	3	-	-
Female.....	5	4	2	8	6	16	20	42	23	13	2	-
Black, both sexes.....	1	2	1	5	3	2	4	3	6	3	-	-
Male.....	1	1	-	2	1	1	2	-	1	-	-	-
Female.....	-	1	1	3	2	1	2	3	5	3	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Montana

All races, both sexes.....	-	4	2	1	1	2	5	11	5	-	-	-
Male.....	-	3	2	1	1	1	2	3	2	-	-	-
Female.....	-	1	-	-	-	1	3	8	3	-	-	-
White, both sexes.....	-	3	2	1	1	2	3	11	5	-	-	-
Male.....	-	2	2	1	1	1	2	3	2	-	-	-
Female.....	-	1	-	-	-	1	1	8	3	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	1	-	-	-	-	1	-	-	-	-	-
Male.....	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Metabolic disorders (E70-E88)												
New Hampshire												
All races, both sexes.....	2	7	2	7	7	9	14	19	8	-	-	-
Male.....	2	6	1	5	5	4	8	5	1	-	-	-
Female.....	-	1	1	2	2	5	6	14	7	-	-	-
White, both sexes.....	2	7	2	7	6	9	13	19	8	-	-	-
Male.....	2	6	1	5	5	4	7	5	1	-	-	-
Female.....	-	1	1	2	1	5	6	14	7	-	-	-
Black, both sexes.....	-	-	-	-	1	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
New Jersey												
All races, both sexes.....	27	25	31	46	48	66	103	92	93	30	5	-
Male.....	24	17	16	32	29	40	46	40	22	9	2	-
Female.....	3	8	15	14	19	26	57	52	71	21	3	-
White, both sexes.....	24	21	26	37	42	61	95	88	88	24	5	-
Male.....	21	15	16	26	25	37	42	40	21	8	2	-
Female.....	3	6	10	11	17	24	53	48	67	16	3	-
Black, both sexes.....	3	4	5	8	6	5	7	4	5	6	-	-
Male.....	3	2	-	5	4	3	4	-	1	1	-	-
Female.....	-	2	5	3	2	2	3	4	4	5	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	1	-	-	1	-	-	-	-	-
Male.....	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Metabolic disorders (E70-E88)

New Mexico

All races, both sexes.....	4	6	10	10	12	17	15	10	11	3	2	-
Male.....	2	6	10	9	8	6	10	3	3	1	-	-
Female.....	2	-	-	1	4	11	5	7	8	2	2	-
White, both sexes.....	4	5	10	10	10	16	15	9	10	1	2	-
Male.....	2	5	10	9	8	5	10	3	3	-	-	-
Female.....	2	-	-	1	2	11	5	6	7	1	2	-
Black, both sexes.....	-	-	-	-	-	1	-	1	-	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-
American Indian 1/, both sexes.....	-	1	-	-	2	-	-	-	1	2	-	-
Male.....	-	1	-	-	-	-	-	-	-	1	-	-
Female.....	-	-	-	-	2	-	-	-	1	1	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New York

All races, both sexes.....	34	51	46	50	75	113	151	171	118	51	17	-
Male.....	19	34	28	32	42	52	68	58	33	10	2	-
Female.....	15	17	18	18	33	61	83	113	85	41	15	-
White, both sexes.....	27	41	36	39	66	103	138	159	112	50	15	-
Male.....	16	29	24	23	36	46	60	54	30	10	1	-
Female.....	11	12	12	16	30	57	78	105	82	40	14	-
Black, both sexes.....	7	10	8	9	8	10	12	8	3	1	2	-
Male.....	3	5	3	7	5	6	8	3	2	-	1	-
Female.....	4	5	5	2	3	4	4	5	1	1	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	2	2	1	-	1	4	3	-	-	-
Male.....	-	-	1	2	1	-	-	1	1	-	-	-
Female.....	-	-	1	-	-	-	1	3	2	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Metabolic disorders (E70-E88)												
Oregon												
All races, both sexes.....	11	16	16	14	25	29	53	57	24	11	1	-
Male.....	7	9	11	9	15	16	31	21	4	2	-	-
Female.....	4	7	5	5	10	13	22	36	20	9	1	-
White, both sexes.....	10	14	16	13	23	29	51	56	24	10	1	-
Male.....	7	9	11	8	14	16	30	20	4	2	-	-
Female.....	3	5	5	5	9	13	21	36	20	8	1	-
Black, both sexes.....	1	1	-	1	-	-	-	-	-	-	-	-
Male.....	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	1	1	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	1	1	-	-	-	-
Male.....	-	-	-	-	-	-	1	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	-	2	-	1	-	-	1	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	1	-	-	1	-	1	-	-	1	-	-
Pennsylvania												
All races, both sexes.....	23	29	36	54	70	98	150	161	101	41	9	-
Male.....	16	19	29	42	32	52	76	60	31	4	1	-
Female.....	7	10	7	12	38	46	74	101	70	37	8	-
White, both sexes.....	19	24	33	47	60	84	141	155	97	40	8	-
Male.....	14	16	27	36	26	46	72	58	30	4	1	-
Female.....	5	8	6	11	34	38	69	97	67	36	7	-
Black, both sexes.....	4	5	3	7	10	12	8	6	4	1	1	-
Male.....	2	3	2	6	6	5	4	2	1	-	-	-
Female.....	2	2	1	1	4	7	4	4	3	1	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	2	1	-	-	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Metabolic disorders (E70-E88)

South Dakota

All races, both sexes.....	4	1	2	3	2	4	9	12	3	2	2	-
Male.....	4	1	-	2	2	3	5	8	1	-	1	-
Female.....	-	-	2	1	-	1	4	4	2	2	1	-
White, both sexes.....	3	-	1	3	2	4	9	11	3	2	2	-
Male.....	3	-	-	2	2	3	5	8	1	-	1	-
Female.....	-	-	1	1	-	1	4	3	2	2	1	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	1	1	-	-	-	-	1	-	-	-	-
Male.....	1	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	1	-	-	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Tennessee

All races, both sexes.....	14	28	29	28	38	46	56	48	49	23	11	-
Male.....	9	17	16	17	18	19	25	21	12	2	3	-
Female.....	5	11	13	11	20	27	31	27	37	21	8	-
White, both sexes.....	12	22	23	21	35	40	48	40	43	18	8	-
Male.....	8	14	11	13	17	16	19	17	12	2	2	-
Female.....	4	8	12	8	18	24	29	23	31	16	6	-
Black, both sexes.....	2	6	6	7	2	6	8	8	6	5	3	-
Male.....	1	3	5	4	1	3	6	4	-	-	1	-
Female.....	1	3	1	3	1	3	2	4	6	5	2	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Metabolic disorders (E70-E88)

Texas

All races, both sexes.....	30	62	70	72	99	120	181	163	113	38	10	-
Male.....	20	37	42	43	56	57	89	67	34	8	1	-
Female.....	10	25	28	29	43	63	92	96	79	30	9	-
White, both sexes.....	21	40	62	68	84	104	162	151	105	34	8	-
Male.....	14	24	36	42	47	47	83	64	30	8	-	-
Female.....	7	16	26	26	37	57	79	87	75	26	8	-
Black, both sexes.....	7	21	6	4	15	13	16	11	6	4	2	-
Male.....	5	12	5	1	9	9	5	2	3	-	1	-
Female.....	2	9	1	3	6	4	11	9	3	4	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	1	2	-	-	3	3	1	2	-	-	-
Male.....	1	1	1	-	-	1	1	1	1	-	-	-
Female.....	1	-	1	-	-	2	2	-	1	-	-	-

Utah

All races, both sexes.....	2	3	5	6	9	7	16	13	13	3	-	-
Male.....	2	2	4	4	6	3	5	4	3	1	-	-
Female.....	-	1	1	2	3	4	11	9	10	2	-	-
White, both sexes.....	2	2	5	6	8	7	15	13	13	3	-	-
Male.....	2	1	4	4	6	3	5	4	3	1	-	-
Female.....	-	1	1	2	2	4	10	9	10	2	-	-
Black, both sexes.....	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Metabolic disorders (E70-E88)

Vermont

All races, both sexes.....	-	1	4	3	7	11	5	11	4	2	-	-
Male.....	-	1	2	3	6	5	1	2	-	1	-	-
Female.....	-	-	2	-	1	6	4	9	4	1	-	-
White, both sexes.....	-	1	4	3	7	11	5	11	4	2	-	-
Male.....	-	1	2	3	6	5	1	2	-	1	-	-
Female.....	-	-	2	-	1	6	4	9	4	1	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Virginia

All races, both sexes.....	17	32	31	29	32	56	64	73	48	19	4	-
Male.....	11	24	19	19	16	22	24	28	11	4	1	-
Female.....	6	8	12	10	16	34	40	45	37	15	3	-
White, both sexes.....	14	26	27	24	22	45	54	60	37	16	2	-
Male.....	11	18	16	18	9	19	21	22	9	4	-	-
Female.....	3	8	11	6	13	26	33	38	28	12	2	-
Black, both sexes.....	3	5	3	5	8	11	10	13	11	2	2	-
Male.....	-	5	2	1	5	3	3	6	2	-	1	-
Female.....	3	-	1	4	3	8	7	7	9	2	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	1	-	2	-	-	-	-	1	-	-
Male.....	-	1	1	-	2	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Metabolic disorders (E70-E88)

Wisconsin

All races, both sexes.....	9	12	22	21	31	37	49	70	54	20	1	-
Male.....	6	6	15	16	16	20	19	21	15	5	-	-
Female.....	3	6	7	5	15	17	30	49	39	15	1	-
White, both sexes.....	8	12	20	21	31	35	49	68	53	19	1	-
Male.....	6	6	14	16	16	20	19	21	14	5	-	-
Female.....	2	6	6	5	15	15	30	47	39	14	1	-
Black, both sexes.....	1	-	2	-	-	-	-	-	-	1	-	-
Male.....	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	1	-	1	-	-	-	-	-	-	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	2	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	2	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	1	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	1	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-

Wyoming

All races, both sexes.....	1	1	2	3	2	6	4	3	5	4	-	-
Male.....	-	1	1	2	1	3	3	2	-	2	-	-
Female.....	1	-	1	1	1	3	1	1	5	2	-	-
White, both sexes.....	1	1	2	3	2	5	4	3	5	4	-	-
Male.....	-	1	1	2	1	3	3	2	-	2	-	-
Female.....	1	-	1	1	1	2	1	1	5	2	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

All ages Under 1 year 1-4 years 5-9 years 10-14 years 15-19 years 20-24 years 25-29 years 30-34 years 35-39 years 40-44 years 45-49 years

Cystic fibrosis (E84)

Delaware

Table with 13 columns (Cause of death, All ages, Under 1 year, 1-4 years, 5-9 years, 10-14 years, 15-19 years, 20-24 years, 25-29 years, 30-34 years, 35-39 years, 40-44 years, 45-49 years) and rows for Delaware categories: All races, both sexes; Male; Female; White, both sexes; Male; Female; Black, both sexes; Male; Female; American Indian 1/, both sexes; Male; Female; Asian or Pacific Islander 2/, both sexes; Male; Female.

Dist. of Columbia

Table with 13 columns (Cause of death, All ages, Under 1 year, 1-4 years, 5-9 years, 10-14 years, 15-19 years, 20-24 years, 25-29 years, 30-34 years, 35-39 years, 40-44 years, 45-49 years) and rows for Dist. of Columbia categories: All races, both sexes; Male; Female; White, both sexes; Male; Female; Black, both sexes; Male; Female; American Indian 1/, both sexes; Male; Female; Asian or Pacific Islander 2/, both sexes; Male; Female.

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Volume depletion, disorders of fluid, electrolyte and acid-base balance (E86-E87)

New Hampshire

All races, both sexes.....	21	-	-	-	-	-	-	-	-	-	1	-
Male.....	6	-	-	-	-	-	-	-	-	-	1	-
Female.....	15	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	20	-	-	-	-	-	-	-	-	-	1	-
Male.....	5	-	-	-	-	-	-	-	-	-	1	-
Female.....	15	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New Jersey

All races, both sexes.....	225	2	1	1	-	-	1	-	-	-	2	3
Male.....	97	2	1	1	-	-	-	-	-	-	-	2
Female.....	128	-	-	-	-	-	1	-	-	-	2	1
White, both sexes.....	198	-	-	-	-	-	-	-	-	-	2	2
Male.....	84	-	-	-	-	-	-	-	-	-	-	1
Female.....	114	-	-	-	-	-	-	-	-	-	2	1
Black, both sexes.....	25	2	1	-	-	-	-	-	-	-	-	1
Male.....	12	2	1	-	-	-	-	-	-	-	-	1
Female.....	13	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	1	-	-	1	-	-	-	-	-
Male.....	1	-	-	1	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Volume depletion, disorders of fluid, electrolyte and acid-base balance (E86-E87)

Alaska

All races, both sexes.....	-	-	-	-	1	-	1	-	1	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	1	-	-	-
White, both sexes.....	-	-	-	-	-	-	1	-	1	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	1	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-

Arizona

All races, both sexes.....	2	4	4	2	10	5	11	20	12	4	6	-
Male.....	-	1	3	1	3	1	2	5	5	2	2	-
Female.....	2	3	1	1	7	4	9	15	7	2	4	-
White, both sexes.....	2	4	4	2	10	5	9	19	11	4	6	-
Male.....	-	1	3	1	3	1	2	5	4	2	2	-
Female.....	2	3	1	1	7	4	7	14	7	2	4	-
Black, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	1	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	1	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Volume depletion, disorders of fluid, electrolyte and acid-base balance (E86-E87)

Arkansas

All races, both sexes.....	3	4	4	2	1	12	12	12	16	13	4	-
Male.....	2	2	1	1	1	4	3	3	3	4	-	-
Female.....	1	2	3	1	-	8	9	9	13	9	4	-
White, both sexes.....	3	2	2	1	1	9	11	10	14	12	3	-
Male.....	2	-	1	-	1	4	3	2	3	4	-	-
Female.....	1	2	1	1	-	5	8	8	11	8	3	-
Black, both sexes.....	-	2	1	1	-	3	1	2	2	1	1	-
Male.....	-	2	-	1	-	-	-	1	-	-	-	-
Female.....	-	-	1	-	-	3	1	1	2	1	1	-
American Indian 1/, both sexes.....	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	1	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	4	7	2	9	7	20	32	34	39	16	2	-
Male.....	2	2	2	5	2	10	15	14	12	3	2	-
Female.....	2	5	-	4	5	10	17	20	27	13	-	-
White, both sexes.....	4	7	2	6	5	16	27	31	31	16	2	-
Male.....	2	2	2	4	2	8	12	13	9	3	2	-
Female.....	2	5	-	2	3	8	15	18	22	13	-	-
Black, both sexes.....	-	-	-	2	1	2	2	1	5	-	-	-
Male.....	-	-	-	1	-	-	2	-	-	-	-	-
Female.....	-	-	-	1	1	2	-	1	5	-	-	-
American Indian 1/, both sexes.....	-	-	-	1	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	1	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	2	3	2	3	-	-	-
Male.....	-	-	-	-	-	2	1	1	3	-	-	-
Female.....	-	-	-	-	1	-	2	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Volume depletion, disorders of fluid, electrolyte and acid-base balance (E86-E87)

Maine

All races, both sexes.....	-	2	-	-	2	6	7	7	7	5	1	-
Male.....	-	-	-	-	-	3	1	-	1	2	-	-
Female.....	-	2	-	-	2	3	6	7	6	3	1	-
White, both sexes.....	-	2	-	-	2	6	7	7	7	5	1	-
Male.....	-	-	-	-	-	3	1	-	1	2	-	-
Female.....	-	2	-	-	2	3	6	7	6	3	1	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Maryland

All races, both sexes.....	3	8	1	8	9	17	18	16	27	10	1	1
Male.....	3	4	1	4	3	6	5	8	10	1	-	-
Female.....	-	4	-	4	6	11	13	8	17	9	1	1
White, both sexes.....	2	2	-	3	5	9	13	15	18	9	1	-
Male.....	2	1	-	1	2	4	4	7	9	1	-	-
Female.....	-	1	-	2	3	5	9	8	9	8	1	-
Black, both sexes.....	1	6	1	4	4	8	5	1	8	1	-	1
Male.....	1	3	1	3	1	2	1	1	1	-	-	-
Female.....	-	3	-	1	3	6	4	-	7	1	-	1
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	1	-	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	1	-	-	-	-	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Volume depletion, disorders of fluid, electrolyte and acid-base balance (E86-E87)

Missouri

All races, both sexes.....	1	1	2	5	11	12	20	29	31	14	1	-
Male.....	-	-	1	1	6	6	8	3	13	3	-	-
Female.....	1	1	1	4	5	6	12	26	18	11	1	-
White, both sexes.....	1	1	2	4	9	11	20	26	27	11	1	-
Male.....	-	-	1	1	6	6	8	3	12	3	-	-
Female.....	1	1	1	3	3	5	12	23	15	8	1	-
Black, both sexes.....	-	-	-	1	2	1	-	3	4	3	-	-
Male.....	-	-	-	-	-	-	-	-	1	-	-	-
Female.....	-	-	-	1	2	1	-	3	3	3	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Montana

All races, both sexes.....	-	-	-	-	1	-	2	3	1	-	-	-
Male.....	-	-	-	-	1	-	1	2	1	-	-	-
Female.....	-	-	-	-	-	-	1	1	-	-	-	-
White, both sexes.....	-	-	-	-	1	-	1	3	1	-	-	-
Male.....	-	-	-	-	1	-	1	2	1	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

50-54 years 55-59 years 60-64 years 65-69 years 70-74 years 75-79 years 80-84 years 85-89 years 90-94 years 95-99 years 100 years and over Age not stated

Volume depletion, disorders of fluid, electrolyte and acid-base balance (E86-E87)

New Mexico

All races, both sexes.....	1	1	3	3	4	2	3	3	7	2	2	-
Male.....	-	1	3	3	2	1	1	2	2	1	-	-
Female.....	1	-	-	-	2	1	2	1	5	1	2	-
White, both sexes.....	1	1	3	3	3	2	3	3	6	1	2	-
Male.....	-	1	3	3	2	1	1	2	2	-	-	-
Female.....	1	-	-	-	1	1	2	1	4	1	2	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	1	-	-	-	1	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	1	-	-
Female.....	-	-	-	-	1	-	-	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New York

All races, both sexes.....	6	7	5	5	17	34	67	85	84	37	13	-
Male.....	1	4	3	4	8	16	24	27	20	7	1	-
Female.....	5	3	2	1	9	18	43	58	64	30	12	-
White, both sexes.....	6	3	4	4	13	31	63	84	80	36	11	-
Male.....	1	3	2	3	5	14	21	26	17	7	-	-
Female.....	5	-	2	1	8	17	42	58	63	29	11	-
Black, both sexes.....	-	4	1	-	3	3	4	-	2	1	2	-
Male.....	-	1	1	-	2	2	3	-	2	-	1	-
Female.....	-	3	-	-	1	1	1	-	-	1	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	1	1	-	-	1	2	-	-	-
Male.....	-	-	-	1	1	-	-	1	1	-	-	-
Female.....	-	-	-	-	-	-	-	-	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 years	Age not
	years	years	years	years	years	years	years	years	years	years	and over	stated

Volume depletion, disorders of fluid, electrolyte and acid-base balance (E86-E87)

Texas

All races, both sexes.....	9	15	13	14	25	38	48	66	65	24	8	-
Male.....	5	8	6	8	9	14	22	24	22	5	1	-
Female.....	4	7	7	6	16	24	26	42	43	19	7	-
White, both sexes.....	5	4	10	13	19	31	43	61	60	22	6	-
Male.....	4	1	3	7	5	10	20	22	20	5	-	-
Female.....	1	3	7	6	14	21	23	39	40	17	6	-
Black, both sexes.....	3	10	2	1	6	6	5	5	4	2	2	-
Male.....	1	6	2	1	4	4	2	2	2	-	1	-
Female.....	2	4	-	-	2	2	3	3	2	2	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.	1	1	1	-	-	1	-	-	1	-	-	-
Male.....	-	1	1	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	1	-	-	1	-	-	-

Utah

All races, both sexes.....	1	1	-	-	-	2	6	7	9	3	-	-
Male.....	1	-	-	-	-	1	-	3	3	1	-	-
Female.....	-	1	-	-	-	1	6	4	6	2	-	-
White, both sexes.....	1	1	-	-	-	2	5	7	9	3	-	-
Male.....	1	-	-	-	-	1	-	3	3	1	-	-
Female.....	-	1	-	-	-	1	5	4	6	2	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Volume depletion, disorders of fluid, electrolyte and acid-base balance (E86-E87)

Vermont

All races, both sexes.....	-	-	-	-	-	3	1	4	3	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	3	1	4	3	-	-	-
White, both sexes.....	-	-	-	-	-	3	1	4	3	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	3	1	4	3	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Virginia

All races, both sexes.....	2	10	7	7	14	20	36	41	39	17	3	-
Male.....	-	7	5	3	6	6	13	16	10	4	1	-
Female.....	2	3	2	4	8	14	23	25	29	13	2	-
White, both sexes.....	1	7	6	5	9	17	31	32	28	15	1	-
Male.....	-	4	4	3	4	6	12	13	8	4	-	-
Female.....	1	3	2	2	5	11	19	19	20	11	1	-
Black, both sexes.....	1	3	1	2	5	3	5	9	11	1	2	-
Male.....	-	3	1	-	2	-	1	3	2	-	1	-
Female.....	1	-	-	2	3	3	4	6	9	1	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Volume depletion, disorders of fluid, electrolyte and acid-base balance (E86-E87)

Wisconsin

All races, both sexes.....	2	3	5	3	9	10	13	28	33	15	1	-
Male.....	1	-	4	3	5	5	5	4	10	3	-	-
Female.....	1	3	1	-	4	5	8	24	23	12	1	-
White, both sexes.....	2	3	4	3	9	9	13	28	32	14	1	-
Male.....	1	-	4	3	5	5	5	4	9	3	-	-
Female.....	1	3	-	-	4	4	8	24	23	11	1	-
Black, both sexes.....	-	-	1	-	-	-	-	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	1	-	-	-	-	-	-	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	1	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Wyoming

All races, both sexes.....	1	-	-	1	-	2	2	2	5	4	-	-
Male.....	-	-	-	-	-	-	1	1	-	2	-	-
Female.....	1	-	-	1	-	2	1	1	5	2	-	-
White, both sexes.....	1	-	-	1	-	1	2	2	5	4	-	-
Male.....	-	-	-	-	-	-	1	1	-	2	-	-
Female.....	1	-	-	1	-	1	1	1	5	2	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Other metabolic disorders (E70-E83,E85,E88)

Arkansas

All races, both sexes.....	-	5	5	4	7	9	7	6	3	1	-	-
Male.....	-	5	3	2	5	5	3	3	1	-	-	-
Female.....	-	-	2	2	2	4	4	3	2	1	-	-
White, both sexes.....	-	5	5	3	7	9	7	6	3	1	-	-
Male.....	-	5	3	1	5	5	3	3	1	-	-	-
Female.....	-	-	2	2	2	4	4	3	2	1	-	-
Black, both sexes.....	-	-	-	1	-	-	-	-	-	-	-	-
Male.....	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	43	63	65	81	106	138	184	166	112	31	4	-
Male.....	32	43	45	62	61	83	84	76	41	10	1	-
Female.....	11	20	20	19	45	55	100	90	71	21	3	-
White, both sexes.....	35	49	53	68	80	116	164	150	93	29	4	-
Male.....	25	35	36	53	45	69	78	70	34	9	1	-
Female.....	10	14	17	15	35	47	86	80	59	20	3	-
Black, both sexes.....	2	7	5	4	9	9	8	3	5	1	-	-
Male.....	1	3	4	3	7	5	2	1	1	-	-	-
Female.....	1	4	1	1	2	4	6	2	4	1	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	1	1	-	1	-	-	-
Male.....	1	-	-	-	-	-	-	-	1	-	-	-
Female.....	-	-	-	-	-	1	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	5	7	7	9	17	12	11	13	13	1	-	-
Male.....	5	5	5	6	9	9	4	5	5	1	-	-
Female.....	-	2	2	3	8	3	7	8	8	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Other metabolic disorders (E70-E83,E85,E88)

Colorado

All races, both sexes.....	5	9	8	12	11	17	11	11	9	1	-	-
Male.....	3	4	6	8	6	12	7	4	2	-	-	-
Female.....	2	5	2	4	5	5	4	7	7	1	-	-
White, both sexes.....	5	8	8	10	10	14	10	11	9	1	-	-
Male.....	3	4	6	8	6	11	6	4	2	-	-	-
Female.....	2	4	2	2	4	3	4	7	7	1	-	-
Black, both sexes.....	-	1	-	1	1	3	1	-	-	-	-	-
Male.....	-	-	-	-	-	1	1	-	-	-	-	-
Female.....	-	1	-	1	1	2	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	1	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	1	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Connecticut

All races, both sexes.....	4	7	6	6	12	19	28	27	8	5	1	-
Male.....	4	7	3	6	6	12	17	8	6	2	-	-
Female.....	-	-	3	-	6	7	11	19	2	3	1	-
White, both sexes.....	4	5	6	6	12	19	24	27	7	4	1	-
Male.....	4	5	3	6	6	12	16	8	6	2	-	-
Female.....	-	-	3	-	6	7	8	19	1	2	1	-
Black, both sexes.....	-	2	-	-	-	-	2	-	1	1	-	-
Male.....	-	2	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	1	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	2	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	2	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Other metabolic disorders (E70-E83,E85,E88)

Maine

All races, both sexes.....	5	4	5	12	8	11	15	5	4	1	-	-
Male.....	5	3	3	9	6	3	7	3	2	-	-	-
Female.....	-	1	2	3	2	8	8	2	2	1	-	-
White, both sexes.....	5	4	5	12	7	11	15	5	4	1	-	-
Male.....	5	3	3	9	5	3	7	3	2	-	-	-
Female.....	-	1	2	3	2	8	8	2	2	1	-	-
Black, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Maryland

All races, both sexes.....	11	13	20	20	22	45	43	36	16	5	1	-
Male.....	9	6	16	13	11	26	18	12	8	1	1	-
Female.....	2	7	4	7	11	19	25	24	8	4	-	-
White, both sexes.....	7	10	14	16	13	37	36	29	13	4	1	-
Male.....	6	5	10	11	7	20	16	11	7	1	1	-
Female.....	1	5	4	5	6	17	20	18	6	3	-	-
Black, both sexes.....	4	3	6	4	7	8	7	7	3	1	-	-
Male.....	3	1	6	2	3	6	2	1	1	-	-	-
Female.....	1	2	-	2	4	2	5	6	2	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	2	-	-	-	-	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Other metabolic disorders (E70-E83,E85,E88)

New Hampshire

All races, both sexes.....	2	6	1	6	7	8	11	13	1	-	-	-
Male.....	2	6	1	5	5	3	6	4	-	-	-	-
Female.....	-	-	-	1	2	5	5	9	1	-	-	-
White, both sexes.....	2	6	1	6	6	8	11	13	1	-	-	-
Male.....	2	6	1	5	5	3	6	4	-	-	-	-
Female.....	-	-	-	1	1	5	5	9	1	-	-	-
Black, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New Jersey

All races, both sexes.....	22	23	24	37	40	52	64	45	36	5	1	-
Male.....	20	16	13	26	24	30	28	14	12	1	-	-
Female.....	2	7	11	11	16	22	36	31	24	4	1	-
White, both sexes.....	19	20	21	30	35	48	60	42	34	5	1	-
Male.....	17	15	13	22	21	28	26	14	11	1	-	-
Female.....	2	5	8	8	14	20	34	28	23	4	1	-
Black, both sexes.....	3	3	3	6	5	4	3	3	2	-	-	-
Male.....	3	1	-	3	3	2	2	-	1	-	-	-
Female.....	-	2	3	3	2	2	1	3	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	1	-	-	1	-	-	-	-	-
Male.....	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Other metabolic disorders (E70-E83,E85,E88)												
New Mexico												
All races, both sexes.....	3	5	7	7	8	15	12	7	4	1	-	-
Male.....	2	5	7	6	6	5	9	1	1	-	-	-
Female.....	1	-	-	1	2	10	3	6	3	1	-	-
White, both sexes.....	3	4	7	7	7	14	12	6	4	-	-	-
Male.....	2	4	7	6	6	4	9	1	1	-	-	-
Female.....	1	-	-	1	1	10	3	5	3	-	-	-
Black, both sexes.....	-	-	-	-	-	1	-	1	-	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-
American Indian 1/, both sexes.....	-	1	-	-	1	-	-	-	-	1	-	-
Male.....	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
New York												
All races, both sexes.....	27	43	41	45	58	79	84	86	34	14	4	-
Male.....	17	30	25	28	34	36	44	31	13	3	1	-
Female.....	10	13	16	17	24	43	40	55	21	11	3	-
White, both sexes.....	20	37	32	35	53	72	75	75	32	14	4	-
Male.....	14	26	22	20	31	32	39	28	13	3	1	-
Female.....	6	11	10	15	22	40	36	47	19	11	3	-
Black, both sexes.....	7	6	7	9	5	7	8	8	1	-	-	-
Male.....	3	4	2	7	3	4	5	3	-	-	-	-
Female.....	4	2	5	2	2	3	3	5	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	2	1	-	-	1	3	1	-	-	-
Male.....	-	-	1	1	-	-	-	-	-	-	-	-
Female.....	-	-	1	-	-	-	1	3	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Other metabolic disorders (E70-E83,E85,E88)												
Oregon												
All races, both sexes.....	10	14	13	12	22	25	44	37	15	6	1	-
Male.....	6	7	11	8	13	15	26	14	2	-	-	-
Female.....	4	7	2	4	9	10	18	23	13	6	1	-
White, both sexes.....	9	12	13	11	20	25	42	36	15	5	1	-
Male.....	6	7	11	7	12	15	25	13	2	-	-	-
Female.....	3	5	2	4	8	10	17	23	13	5	1	-
Black, both sexes.....	1	1	-	1	-	-	-	-	-	-	-	-
Male.....	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	1	1	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	1	1	-	-	-	-
Male.....	-	-	-	-	-	-	1	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	-	2	-	1	-	-	1	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	1	-	-	1	-	1	-	-	1	-	-
Pennsylvania												
All races, both sexes.....	17	22	28	37	52	65	97	90	33	7	1	-
Male.....	13	14	24	32	24	35	51	33	8	1	-	-
Female.....	4	8	4	5	28	30	46	57	25	6	1	-
White, both sexes.....	15	21	26	33	44	59	92	85	30	7	-	-
Male.....	11	14	23	29	18	31	49	32	7	1	-	-
Female.....	4	7	3	4	26	28	43	53	23	6	-	-
Black, both sexes.....	2	1	2	4	8	4	4	5	3	-	1	-
Male.....	2	-	1	3	6	3	2	1	1	-	-	-
Female.....	-	1	1	1	2	1	2	4	2	-	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	2	1	-	-	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Other metabolic disorders (E70-E83,E85,E88)

South Dakota

All races, both sexes.....	4	1	1	3	2	3	9	1	3	-	1	-
Male.....	4	1	-	2	2	2	5	-	1	-	1	-
Female.....	-	-	1	1	-	1	4	1	2	-	-	-
White, both sexes.....	3	-	-	3	2	3	9	1	3	-	1	-
Male.....	3	-	-	2	2	2	5	-	1	-	1	-
Female.....	-	-	-	1	-	1	4	1	2	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	1	1	-	-	-	-	-	-	-	-	-
Male.....	1	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	1	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Tennessee

All races, both sexes.....	10	22	24	20	27	32	35	16	20	8	2	-
Male.....	9	13	14	13	15	16	13	8	7	1	1	-
Female.....	1	9	10	7	12	16	22	8	13	7	1	-
White, both sexes.....	8	17	18	16	25	26	32	14	17	5	1	-
Male.....	8	11	9	11	14	13	12	7	7	1	-	-
Female.....	-	6	9	5	11	13	20	7	10	4	1	-
Black, both sexes.....	2	5	6	4	1	6	3	2	3	3	1	-
Male.....	1	2	5	2	1	3	1	1	-	-	1	-
Female.....	1	3	1	2	-	3	2	1	3	3	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Other metabolic disorders (E70-E83,E85,E88)

Texas

All races, both sexes.....	21	47	57	57	74	82	133	97	48	14	2	-
Male.....	15	29	36	34	47	43	67	43	12	3	-	-
Female.....	6	18	21	23	27	39	66	54	36	11	2	-
White, both sexes.....	16	36	52	54	65	73	119	90	45	12	2	-
Male.....	10	23	33	34	42	37	63	42	10	3	-	-
Female.....	6	13	19	20	23	36	56	48	35	9	2	-
Black, both sexes.....	4	11	4	3	9	7	11	6	2	2	-	-
Male.....	4	6	3	-	5	5	3	-	1	-	-	-
Female.....	-	5	1	3	4	2	8	6	1	2	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	1	-	-	2	3	1	1	-	-	-
Male.....	1	-	-	-	-	1	1	1	1	-	-	-
Female.....	-	-	1	-	-	1	2	-	-	-	-	-

Utah

All races, both sexes.....	1	2	5	6	9	5	10	6	4	-	-	-
Male.....	1	2	4	4	6	2	5	1	-	-	-	-
Female.....	-	-	1	2	3	3	5	5	4	-	-	-
White, both sexes.....	1	1	5	6	8	5	10	6	4	-	-	-
Male.....	1	1	4	4	6	2	5	1	-	-	-	-
Female.....	-	-	1	2	2	3	5	5	4	-	-	-
Black, both sexes.....	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
V. Mental and behavioral disorders (F01-F99)												
Arkansas												
All races, both sexes.....	812	-	-	-	1	1	1	5	2	4	4	16
Male.....	286	-	-	-	1	-	-	3	1	4	3	9
Female.....	526	-	-	-	-	1	1	2	1	-	1	7
White, both sexes.....	739	-	-	-	-	1	1	5	2	2	3	13
Male.....	266	-	-	-	-	-	-	3	1	2	2	9
Female.....	473	-	-	-	-	1	1	2	1	-	1	4
Black, both sexes.....	68	-	-	-	1	-	-	-	-	2	1	3
Male.....	17	-	-	-	1	-	-	-	-	2	1	-
Female.....	51	-	-	-	-	-	-	-	-	-	-	3
American Indian 1/, both sexes.....	3	-	-	-	-	-	-	-	-	-	-	-
Male.....	2	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
California												
All races, both sexes.....	6,187	-	1	-	4	6	13	37	42	58	136	196
Male.....	2,524	-	1	-	3	4	6	27	27	43	89	144
Female.....	3,663	-	-	-	1	2	7	10	15	15	47	52
White, both sexes.....	5,452	-	-	-	4	6	10	32	35	45	117	174
Male.....	2,197	-	-	-	3	4	5	23	22	33	78	133
Female.....	3,255	-	-	-	1	2	5	9	13	12	39	41
Black, both sexes.....	370	-	-	-	-	-	2	4	5	11	13	15
Male.....	156	-	-	-	-	-	-	4	3	8	6	6
Female.....	214	-	-	-	-	-	2	-	2	3	7	9
American Indian 1/, both sexes.....	31	-	-	-	-	-	1	-	1	-	2	1
Male.....	22	-	-	-	-	-	1	-	1	-	1	1
Female.....	9	-	-	-	-	-	-	-	-	-	1	-
Asian or Pacific Islander 2/, both sexes.....	334	-	1	-	-	-	-	1	1	2	4	6
Male.....	149	-	1	-	-	-	-	-	1	2	4	4
Female.....	185	-	-	-	-	-	-	1	-	-	-	2

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

V. Mental and behavioral disorders (F01-F99)

United States

All races, both sexes.....	1,661	1,699	1,608	1,848	3,248	7,504	15,526	22,303	19,815	9,166	2,084	4
Male.....	1,245	1,244	1,086	1,132	1,634	3,318	5,857	7,130	4,799	1,564	224	3
Female.....	416	455	522	716	1,614	4,186	9,669	15,173	15,016	7,602	1,860	1
White, both sexes.....	1,312	1,376	1,340	1,548	2,749	6,535	13,962	20,502	18,223	8,398	1,823	3
Male.....	986	996	899	939	1,382	2,869	5,264	6,570	4,423	1,409	196	2
Female.....	326	380	441	609	1,367	3,666	8,698	13,932	13,800	6,989	1,627	1
Black, both sexes.....	303	280	235	268	438	836	1,347	1,533	1,255	645	222	1
Male.....	228	218	166	175	216	390	504	456	272	113	22	1
Female.....	75	62	69	93	222	446	843	1,077	983	532	200	-
American Indian 1/, both sexes.....	32	26	19	13	27	32	39	36	50	12	6	-
Male.....	20	17	11	6	15	19	17	13	20	2	1	-
Female.....	12	9	8	7	12	13	22	23	30	10	5	-
Asian or Pacific Islander 2/, both sexes.....	14	17	14	19	34	101	178	232	287	111	33	-
Male.....	11	13	10	12	21	40	72	91	84	40	5	-
Female.....	3	4	4	7	13	61	106	141	203	71	28	-

Alabama

All races, both sexes.....	27	27	33	38	85	166	294	432	312	138	35	-
Male.....	24	16	25	21	45	73	112	127	70	19	5	-
Female.....	3	11	8	17	40	93	182	305	242	119	30	-
White, both sexes.....	19	19	21	28	62	136	241	368	259	108	25	-
Male.....	16	10	15	14	34	62	94	104	57	16	3	-
Female.....	3	9	6	14	28	74	147	264	202	92	22	-
Black, both sexes.....	8	8	12	10	22	30	53	64	49	30	10	-
Male.....	8	6	10	7	11	11	18	23	13	3	2	-
Female.....	-	2	2	3	11	19	35	41	36	27	8	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	-	-	-	4	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	4	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
V. Mental and behavioral disorders (F01-F99)												
Alaska												
All races, both sexes.....	15	15	10	3	8	17	15	30	16	6	1	-
Male.....	8	10	6	1	7	8	9	13	4	2	-	-
Female.....	7	5	4	2	1	9	6	17	12	4	1	-
White, both sexes.....	6	11	4	3	5	9	13	25	11	5	1	-
Male.....	5	7	2	1	4	4	8	13	3	2	-	-
Female.....	1	4	2	2	1	5	5	12	8	3	1	-
Black, both sexes.....	-	-	2	-	-	-	-	1	1	-	-	-
Male.....	-	-	2	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	1	-	-	-
American Indian 1/, both sexes.....	8	4	4	-	2	7	2	4	3	1	-	-
Male.....	2	3	2	-	2	3	1	-	1	-	-	-
Female.....	6	1	2	-	-	4	1	4	2	1	-	-
Asian or Pacific Islander 2/, both sexes.	1	-	-	-	1	1	-	-	1	-	-	-
Male.....	1	-	-	-	1	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	1	-	-	-
Arizona												
All races, both sexes.....	47	48	34	31	55	168	303	434	385	139	43	-
Male.....	39	36	23	25	31	88	125	149	90	29	7	-
Female.....	8	12	11	6	24	80	178	285	295	110	36	-
White, both sexes.....	34	43	30	30	51	160	285	418	366	135	42	-
Male.....	29	33	20	24	29	83	123	142	86	28	7	-
Female.....	5	10	10	6	22	77	162	276	280	107	35	-
Black, both sexes.....	3	1	1	1	-	2	7	5	6	2	-	-
Male.....	2	1	1	1	-	-	-	2	1	-	-	-
Female.....	1	-	-	-	-	2	7	3	5	2	-	-
American Indian 1/, both sexes.....	9	4	3	-	4	6	7	6	10	2	1	-
Male.....	7	2	2	-	2	5	2	4	1	1	-	-
Female.....	2	2	1	-	2	1	5	2	9	1	1	-
Asian or Pacific Islander 2/, both sexes.	1	-	-	-	-	-	4	5	3	-	-	-
Male.....	1	-	-	-	-	-	-	1	2	-	-	-
Female.....	-	-	-	-	-	-	4	4	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

V. Mental and behavioral disorders (F01-F99)

Arkansas

All races, both sexes.....	23	11	13	18	35	63	137	197	171	90	20	-
Male.....	20	9	9	9	17	31	50	62	45	7	6	-
Female.....	3	2	4	9	18	32	87	135	126	83	14	-
White, both sexes.....	18	9	10	15	34	60	128	183	155	83	17	-
Male.....	15	7	6	9	17	31	49	62	41	7	5	-
Female.....	3	2	4	6	17	29	79	121	114	76	12	-
Black, both sexes.....	4	1	2	3	1	3	8	13	16	7	3	-
Male.....	4	1	2	-	-	-	1	-	4	-	1	-
Female.....	-	-	-	3	1	3	7	13	12	7	2	-
American Indian 1/, both sexes.....	1	-	1	-	-	-	-	1	-	-	-	-
Male.....	1	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	-	-	-	1	-	-	-	-	-
Male.....	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-

California

All races, both sexes.....	183	166	140	118	225	426	1,016	1,389	1,268	602	161	-
Male.....	135	138	101	80	126	199	406	485	361	125	24	-
Female.....	48	28	39	38	99	227	610	904	907	477	137	-
White, both sexes.....	150	142	122	103	193	365	906	1,255	1,120	537	136	-
Male.....	114	121	90	68	106	167	354	436	311	110	19	-
Female.....	36	21	32	35	87	198	552	819	809	427	117	-
Black, both sexes.....	27	17	8	8	18	28	48	63	59	28	16	-
Male.....	16	11	4	6	9	16	22	18	18	6	3	-
Female.....	11	6	4	2	9	12	26	45	41	22	13	-
American Indian 1/, both sexes.....	2	4	3	2	1	-	2	4	5	3	-	-
Male.....	2	4	2	2	1	-	2	2	2	1	-	-
Female.....	-	-	1	-	-	-	-	2	3	2	-	-
Asian or Pacific Islander 2/, both sexes.....	4	3	7	5	13	33	60	67	84	34	9	-
Male.....	3	2	5	4	10	16	28	29	30	8	2	-
Female.....	1	1	2	1	3	17	32	38	54	26	7	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

V. Mental and behavioral disorders (F01-F99)

Florida

All races, both sexes.....	126	135	104	144	249	554	1,190	1,668	1,455	681	147	-
Male.....	90	97	78	93	122	244	476	623	420	148	26	-
Female.....	36	38	26	51	127	310	714	1,045	1,035	533	121	-
White, both sexes.....	114	123	91	129	214	483	1,093	1,561	1,380	650	136	-
Male.....	82	89	67	84	103	212	439	577	405	140	24	-
Female.....	32	34	24	45	111	271	654	984	975	510	112	-
Black, both sexes.....	12	10	13	14	35	69	92	103	71	31	11	-
Male.....	8	7	11	9	19	32	36	45	13	8	2	-
Female.....	4	3	2	5	16	37	56	58	58	23	9	-
American Indian 1/, both sexes.....	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	1	-	2	5	4	4	-	-	-
Male.....	-	-	-	-	-	-	1	1	2	-	-	-
Female.....	-	1	-	1	-	2	4	3	2	-	-	-

Georgia

All races, both sexes.....	59	48	70	70	119	256	454	648	532	262	46	-
Male.....	49	32	45	38	59	113	145	191	105	47	2	-
Female.....	10	16	25	32	60	143	309	457	427	215	44	-
White, both sexes.....	35	33	54	45	84	197	354	521	416	199	30	-
Male.....	30	20	35	20	41	87	119	158	86	33	1	-
Female.....	5	13	19	25	43	110	235	363	330	166	29	-
Black, both sexes.....	24	15	16	25	33	57	100	124	113	62	16	-
Male.....	19	12	10	18	16	26	26	33	19	13	1	-
Female.....	5	3	6	7	17	31	74	91	94	49	15	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	2	2	-	3	3	1	-	-
Male.....	-	-	-	-	2	-	-	-	-	1	-	-
Female.....	-	-	-	-	-	2	-	3	3	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

V. Mental and behavioral disorders (F01-F99)

Hawaii

All races, both sexes.....	3	1	5	5	5	33	62	124	140	67	16	-
Male.....	2	1	2	4	2	11	22	55	39	28	2	-
Female.....	1	-	3	1	3	22	40	69	101	39	14	-
White, both sexes.....	1	-	3	3	2	5	18	40	23	15	-	-
Male.....	1	-	1	2	-	3	6	18	6	2	-	-
Female.....	-	-	2	1	2	2	12	22	17	13	-	-
Black, both sexes.....	-	-	-	1	-	1	-	1	-	1	-	-
Male.....	-	-	-	1	-	1	-	-	-	1	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.	2	1	2	1	3	27	44	82	117	51	16	-
Male.....	1	1	1	1	2	7	16	36	33	25	2	-
Female.....	1	-	1	-	1	20	28	46	84	26	14	-

Idaho

All races, both sexes.....	4	5	8	7	17	60	102	133	114	45	10	-
Male.....	4	3	7	3	10	29	34	43	27	4	3	-
Female.....	-	2	1	4	7	31	68	90	87	41	7	-
White, both sexes.....	4	5	8	7	16	59	102	130	113	45	10	-
Male.....	4	3	7	3	9	29	34	41	27	4	3	-
Female.....	-	2	1	4	7	30	68	89	86	41	7	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	1	-	-	1	1	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	1	-	-	-
Asian or Pacific Islander 2/, both sexes.	-	-	-	-	-	1	-	2	-	-	-	-
Male.....	-	-	-	-	-	-	-	2	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

V. Mental and behavioral disorders (F01-F99)

Iowa

All races, both sexes.....	10	17	14	16	27	76	141	246	258	125	25	-
Male.....	7	13	12	10	20	35	54	94	56	22	1	-
Female.....	3	4	2	6	7	41	87	152	202	103	24	-
White, both sexes.....	9	15	13	16	27	74	139	244	253	125	25	-
Male.....	6	11	11	10	20	34	54	94	54	22	1	-
Female.....	3	4	2	6	7	40	85	150	199	103	24	-
Black, both sexes.....	1	2	-	-	-	2	1	2	3	-	-	-
Male.....	1	2	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	1	2	3	-	-	-
American Indian 1/, both sexes.....	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	1	-	2	-	-	-
Male.....	-	-	-	-	-	-	-	-	2	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-

Kansas

All races, both sexes.....	15	14	21	16	34	91	156	253	226	106	24	-
Male.....	11	12	15	11	18	42	54	84	45	21	2	-
Female.....	4	2	6	5	16	49	102	169	181	85	22	-
White, both sexes.....	14	14	20	16	32	84	148	243	219	104	22	-
Male.....	10	12	14	11	17	38	51	83	43	21	2	-
Female.....	4	2	6	5	15	46	97	160	176	83	20	-
Black, both sexes.....	1	-	1	-	2	6	6	10	6	2	2	-
Male.....	1	-	1	-	1	4	3	1	1	-	-	-
Female.....	-	-	-	-	1	2	3	9	5	2	2	-
American Indian 1/, both sexes.....	-	-	-	-	-	1	1	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	1	-	-	-
Female.....	-	-	-	-	-	1	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

V. Mental and behavioral disorders (F01-F99)

Kentucky

All races, both sexes.....	17	25	21	28	54	96	189	287	240	109	27	-
Male.....	15	20	13	16	25	43	67	85	60	18	1	-
Female.....	2	5	8	12	29	53	122	202	180	91	26	-
White, both sexes.....	15	24	19	25	48	87	183	269	226	103	24	-
Male.....	13	19	12	14	22	39	67	80	59	17	1	-
Female.....	2	5	7	11	26	48	116	189	167	86	23	-
Black, both sexes.....	2	1	2	3	6	8	6	18	14	6	2	-
Male.....	2	1	1	2	3	4	-	5	1	1	-	-
Female.....	-	-	1	1	3	4	6	13	13	5	2	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	-	-	-	-	1	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	1	-

Louisiana

All races, both sexes.....	29	25	18	27	63	95	213	292	230	109	23	-
Male.....	16	17	10	17	24	31	72	93	46	18	1	-
Female.....	13	8	8	10	39	64	141	199	184	91	22	-
White, both sexes.....	19	16	14	17	47	78	168	239	195	89	16	-
Male.....	8	9	7	8	17	23	55	75	41	12	1	-
Female.....	11	7	7	9	30	55	113	164	154	77	15	-
Black, both sexes.....	10	8	4	10	16	15	44	52	33	20	7	-
Male.....	8	7	3	9	7	8	16	17	3	6	-	-
Female.....	2	1	1	1	9	7	28	35	30	14	7	-
American Indian 1/, both sexes.....	-	-	-	-	-	1	-	1	2	-	-	-
Male.....	-	-	-	-	-	-	-	1	2	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	-	-	1	1	-	-	-	-	-
Male.....	-	1	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

V. Mental and behavioral disorders (F01-F99)

Maine

All races, both sexes.....	17	12	7	15	14	50	96	152	152	57	15	-
Male.....	14	9	4	9	3	29	45	56	43	15	1	-
Female.....	3	3	3	6	11	21	51	96	109	42	14	-
White, both sexes.....	17	12	7	14	14	50	96	152	151	57	15	-
Male.....	14	9	4	8	3	29	45	56	43	15	1	-
Female.....	3	3	3	6	11	21	51	96	108	42	14	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	1	-	-	-	-	-	-	-	-
Male.....	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Maryland

All races, both sexes.....	29	32	27	42	61	167	356	488	468	204	46	-
Male.....	25	24	19	24	31	79	131	156	98	36	4	-
Female.....	4	8	8	18	30	88	225	332	370	168	42	-
White, both sexes.....	19	14	17	28	36	121	275	413	391	177	36	-
Male.....	17	11	10	17	17	51	98	126	84	33	2	-
Female.....	2	3	7	11	19	70	177	287	307	144	34	-
Black, both sexes.....	10	18	10	12	23	46	77	72	74	27	9	-
Male.....	8	13	9	6	12	28	32	30	13	3	1	-
Female.....	2	5	1	6	11	18	45	42	61	24	8	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	2	2	-	4	3	3	-	1	-
Male.....	-	-	-	1	2	-	1	-	1	-	1	-
Female.....	-	-	-	1	-	-	3	3	2	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

V. Mental and behavioral disorders (F01-F99)

Massachusetts

All races, both sexes.....	45	49	50	39	77	188	478	724	671	346	97	-
Male.....	38	38	31	26	33	80	179	210	151	50	10	-
Female.....	7	11	19	13	44	108	299	514	520	296	87	-
White, both sexes.....	43	45	49	38	76	181	462	704	660	336	94	-
Male.....	37	35	30	25	32	78	171	206	148	48	10	-
Female.....	6	10	19	13	44	103	291	498	512	288	84	-
Black, both sexes.....	2	4	1	1	1	5	11	16	8	7	3	-
Male.....	1	3	1	1	1	1	6	3	3	2	-	-
Female.....	1	1	-	-	-	4	5	13	5	5	3	-
American Indian 1/, both sexes.....	-	-	-	-	-	1	-	1	-	-	-	-
Male.....	-	-	-	-	-	1	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	5	3	3	3	-	-
Male.....	-	-	-	-	-	-	2	-	-	-	-	-
Female.....	-	-	-	-	-	1	3	3	3	3	-	-

Michigan

All races, both sexes.....	94	69	51	56	112	263	533	780	671	286	58	-
Male.....	68	54	33	28	51	106	208	239	139	48	11	-
Female.....	26	15	18	28	61	157	325	541	532	238	47	-
White, both sexes.....	59	42	41	48	94	233	464	723	627	265	49	-
Male.....	45	31	27	23	41	92	183	228	129	46	10	-
Female.....	14	11	14	25	53	141	281	495	498	219	39	-
Black, both sexes.....	34	27	9	7	15	29	69	55	43	21	9	-
Male.....	23	23	6	4	8	13	25	10	9	2	1	-
Female.....	11	4	3	3	7	16	44	45	34	19	8	-
American Indian 1/, both sexes.....	1	-	-	-	2	1	-	1	-	-	-	-
Male.....	-	-	-	-	2	1	-	1	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	1	1	-	-	1	1	-	-	-
Male.....	-	-	-	1	-	-	-	-	1	-	-	-
Female.....	-	-	1	-	1	-	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

V. Mental and behavioral disorders (F01-F99)

Nebraska

All races, both sexes.....	4	8	7	13	22	44	105	155	159	70	21	-
Male.....	2	5	4	6	11	21	40	43	34	11	2	-
Female.....	2	3	3	7	11	23	65	112	125	59	19	-
White, both sexes.....	4	8	7	13	22	43	103	153	157	68	20	-
Male.....	2	5	4	6	11	21	40	43	34	11	2	-
Female.....	2	3	3	7	11	22	63	110	123	57	18	-
Black, both sexes.....	-	-	-	-	-	1	1	1	2	2	1	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	1	1	2	2	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	1	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Nevada

All races, both sexes.....	15	14	19	24	38	70	123	181	137	38	8	-
Male.....	13	12	15	17	19	35	49	58	37	9	1	-
Female.....	2	2	4	7	19	35	74	123	100	29	7	-
White, both sexes.....	13	14	17	22	31	65	115	171	130	36	7	-
Male.....	11	12	14	15	16	31	47	56	35	8	1	-
Female.....	2	2	3	7	15	34	68	115	95	28	6	-
Black, both sexes.....	1	-	2	2	5	5	6	9	5	-	1	-
Male.....	1	-	1	2	2	4	2	1	1	-	-	-
Female.....	-	-	1	-	3	1	4	8	4	-	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	1	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	2	-	2	1	1	2	-	-
Male.....	1	-	-	-	1	-	-	1	-	1	-	-
Female.....	-	-	-	-	1	-	2	-	1	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

V. Mental and behavioral disorders (F01-F99)

New Hampshire

All races, both sexes.....	12	9	11	7	10	48	75	111	100	71	9	-
Male.....	10	6	4	3	3	23	31	25	28	15	1	-
Female.....	2	3	7	4	7	25	44	86	72	56	8	-
White, both sexes.....	12	9	11	7	10	48	75	109	100	70	9	-
Male.....	10	6	4	3	3	23	31	24	28	14	1	-
Female.....	2	3	7	4	7	25	44	85	72	56	8	-
Black, both sexes.....	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	1	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New Jersey

All races, both sexes.....	36	38	28	39	61	181	371	597	541	252	51	-
Male.....	24	23	19	20	34	78	122	188	139	46	5	-
Female.....	12	15	9	19	27	103	249	409	402	206	46	-
White, both sexes.....	28	33	22	26	55	152	335	566	514	231	48	-
Male.....	18	19	15	10	31	65	109	178	132	41	5	-
Female.....	10	14	7	16	24	87	226	388	382	190	43	-
Black, both sexes.....	7	1	6	12	5	28	32	26	22	20	3	-
Male.....	5	1	4	9	3	13	11	8	6	4	-	-
Female.....	2	-	2	3	2	15	21	18	16	16	3	-
American Indian 1/, both sexes.....	-	1	-	-	-	-	1	1	-	-	-	-
Male.....	-	-	-	-	-	-	1	1	-	-	-	-
Female.....	-	1	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	3	-	1	1	1	3	4	5	1	-	-
Male.....	1	3	-	1	-	-	1	1	1	1	-	-
Female.....	-	-	-	-	1	1	2	3	4	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

V. Mental and behavioral disorders (F01-F99)

New Mexico

All races, both sexes.....	26	34	16	21	29	39	95	140	128	59	11	-
Male.....	19	30	10	16	15	12	36	40	25	15	4	-
Female.....	7	4	6	5	14	27	59	100	103	44	7	-
White, both sexes.....	22	31	14	20	24	37	89	134	116	56	7	-
Male.....	16	28	9	15	13	12	33	39	21	15	3	-
Female.....	6	3	5	5	11	25	56	95	95	41	4	-
Black, both sexes.....	-	-	1	-	-	-	2	1	4	-	-	-
Male.....	-	-	-	-	-	-	1	-	1	-	-	-
Female.....	-	-	1	-	-	-	1	1	3	-	-	-
American Indian 1/, both sexes.....	4	3	1	1	5	1	4	4	7	2	4	-
Male.....	3	2	1	1	2	-	2	1	3	-	1	-
Female.....	1	1	-	-	3	1	2	3	4	2	3	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	-	1	1	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	1	1	1	-	-

New York

All races, both sexes.....	104	112	83	76	136	297	661	1,025	1,025	544	119	-
Male.....	84	77	61	47	73	143	258	315	256	71	10	-
Female.....	20	35	22	29	63	154	403	710	769	473	109	-
White, both sexes.....	67	84	65	62	111	253	605	969	965	511	114	-
Male.....	55	55	48	39	60	117	234	304	240	68	10	-
Female.....	12	29	17	23	51	136	371	665	725	443	104	-
Black, both sexes.....	36	27	17	13	24	39	54	48	46	28	4	-
Male.....	28	21	12	8	12	22	23	9	12	2	-	-
Female.....	8	6	5	5	12	17	31	39	34	26	4	-
American Indian 1/, both sexes.....	-	-	-	1	1	-	1	1	2	-	-	-
Male.....	-	-	-	-	1	-	-	-	1	-	-	-
Female.....	-	-	-	1	-	-	1	1	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	1	1	-	-	5	1	7	12	5	1	-
Male.....	1	1	1	-	-	4	1	2	3	1	-	-
Female.....	-	-	-	-	-	1	-	5	9	4	1	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

V. Mental and behavioral disorders (F01-F99)

Ohio

All races, both sexes.....	51	68	76	91	142	381	840	1,089	879	379	121	-
Male.....	32	49	50	59	65	152	291	341	222	63	12	-
Female.....	19	19	26	32	77	229	549	748	657	316	109	-
White, both sexes.....	43	60	65	79	114	340	744	996	818	341	109	-
Male.....	28	42	46	50	49	132	259	312	206	57	10	-
Female.....	15	18	19	29	65	208	485	684	612	284	99	-
Black, both sexes.....	8	8	11	12	28	40	91	91	59	38	10	-
Male.....	4	7	4	9	16	20	30	28	15	6	2	-
Female.....	4	1	7	3	12	20	61	63	44	32	8	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	2	-	-	-
Male.....	-	-	-	-	-	-	-	-	1	-	-	-
Female.....	-	-	-	-	-	-	-	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	5	2	-	-	2	-
Male.....	-	-	-	-	-	-	2	1	-	-	-	-
Female.....	-	-	-	-	-	1	3	1	-	-	2	-

Oklahoma

All races, both sexes.....	12	25	16	26	58	141	295	333	304	140	19	-
Male.....	10	18	13	11	29	57	117	117	80	27	1	-
Female.....	2	7	3	15	29	84	178	216	224	113	18	-
White, both sexes.....	11	20	13	24	52	132	275	320	285	135	16	-
Male.....	9	14	11	11	25	56	110	113	75	27	1	-
Female.....	2	6	2	13	27	76	165	207	210	108	15	-
Black, both sexes.....	-	2	2	1	4	7	11	9	13	4	3	-
Male.....	-	2	2	-	3	1	4	3	3	-	-	-
Female.....	-	-	-	1	1	6	7	6	10	4	3	-
American Indian 1/, both sexes.....	1	3	1	1	2	7	7	3	5	1	-	-
Male.....	1	2	-	-	1	-	2	-	2	-	-	-
Female.....	-	1	1	1	1	2	5	3	3	1	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	2	1	1	-	-	-
Male.....	-	-	-	-	-	-	1	1	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

V. Mental and behavioral disorders (F01-F99)

Oregon

All races, both sexes.....	37	38	54	56	64	122	286	423	414	161	31	1
Male.....	25	30	38	34	27	42	128	135	123	38	3	1
Female.....	12	8	16	22	37	80	158	288	291	123	28	-
White, both sexes.....	37	35	52	54	62	120	280	410	404	161	30	1
Male.....	25	27	36	33	26	42	124	130	117	38	3	1
Female.....	12	8	16	21	36	78	156	280	287	123	27	-
Black, both sexes.....	-	2	1	-	1	2	3	10	3	-	-	-
Male.....	-	2	1	-	1	-	1	3	1	-	-	-
Female.....	-	-	-	-	-	2	2	7	2	-	-	-
American Indian 1/, both sexes.....	-	1	-	1	-	-	1	-	1	-	1	-
Male.....	-	1	-	-	-	-	1	-	1	-	-	-
Female.....	-	-	-	1	-	-	-	-	-	-	1	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	1	1	-	2	3	6	-	-	-
Male.....	-	-	1	1	-	-	2	2	4	-	-	-
Female.....	-	-	-	-	1	-	-	1	2	-	-	-

Pennsylvania

All races, both sexes.....	40	48	56	67	137	400	894	1,428	1,200	548	117	2
Male.....	32	31	36	36	65	174	333	433	281	81	5	1
Female.....	8	17	20	31	72	226	561	995	919	467	112	1
White, both sexes.....	35	40	52	57	120	372	828	1,338	1,147	516	107	1
Male.....	30	26	35	31	57	164	307	409	269	77	5	-
Female.....	5	14	17	26	63	208	521	929	878	439	102	1
Black, both sexes.....	4	7	4	10	17	26	62	86	48	32	10	1
Male.....	2	4	1	5	8	10	25	22	11	4	-	1
Female.....	2	3	3	5	9	16	37	64	37	28	10	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	2	-	-	-
Male.....	-	-	-	-	-	-	-	-	1	-	-	-
Female.....	1	-	-	-	-	-	-	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	-	-	2	4	4	3	-	-	-
Male.....	-	1	-	-	-	-	1	2	-	-	-	-
Female.....	-	-	-	-	-	2	3	2	3	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

V. Mental and behavioral disorders (F01-F99)

Rhode Island

All races, both sexes.....	8	4	6	11	13	43	73	114	107	57	11	-
Male.....	7	3	5	9	6	22	23	34	25	8	-	-
Female.....	1	1	1	2	7	21	50	80	82	49	11	-
White, both sexes.....	8	4	6	10	12	40	71	112	106	57	11	-
Male.....	7	3	5	8	5	20	21	33	24	8	-	-
Female.....	1	1	1	2	7	20	50	79	82	49	11	-
Black, both sexes.....	-	-	-	1	1	2	2	2	1	-	-	-
Male.....	-	-	-	1	1	2	2	1	1	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

South Carolina

All races, both sexes.....	20	23	32	44	76	169	299	380	335	138	29	-
Male.....	12	18	21	24	33	65	111	114	74	21	4	-
Female.....	8	5	11	20	43	104	188	266	261	117	25	-
White, both sexes.....	13	11	21	26	61	120	224	295	269	108	25	-
Male.....	7	8	11	13	29	47	77	92	59	18	3	-
Female.....	6	3	10	13	32	73	147	203	210	90	22	-
Black, both sexes.....	7	12	11	18	15	49	74	83	65	30	4	-
Male.....	5	10	10	11	4	18	33	22	15	3	1	-
Female.....	2	2	1	7	11	31	41	61	50	27	3	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	1	1	1	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
V. Mental and behavioral disorders (F01-F99)												
Texas												
All races, both sexes.....	95	115	95	133	237	556	1,072	1,478	1,225	572	124	-
Male.....	67	79	64	83	114	229	387	459	287	95	11	-
Female.....	28	36	31	50	123	327	685	1,019	938	477	113	-
White, both sexes.....	82	91	76	113	194	481	964	1,364	1,129	519	106	-
Male.....	56	60	53	73	97	202	351	424	268	83	10	-
Female.....	26	31	23	40	97	279	613	940	861	436	96	-
Black, both sexes.....	13	21	17	20	41	70	98	106	89	48	18	-
Male.....	11	17	10	10	16	25	33	32	19	12	1	-
Female.....	2	4	7	10	25	45	65	74	70	36	17	-
American Indian 1/, both sexes.....	-	1	1	-	2	-	-	-	-	1	-	-
Male.....	-	1	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	1	-	1	-	-	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	-	2	1	-	-	5	10	8	7	4	-	-
Male.....	-	1	1	-	-	2	3	3	-	-	-	-
Female.....	-	1	-	-	-	3	7	5	7	4	-	-
Utah												
All races, both sexes.....	23	15	20	23	29	58	145	189	130	44	5	-
Male.....	16	9	13	10	13	18	44	48	38	10	-	-
Female.....	7	6	7	13	16	40	101	141	92	34	5	-
White, both sexes.....	21	14	18	21	29	57	143	188	130	44	5	-
Male.....	14	9	12	9	13	17	44	48	38	10	-	-
Female.....	7	5	6	12	16	40	99	140	92	34	5	-
Black, both sexes.....	1	-	-	-	-	-	1	1	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	1	-	-	-	-
American Indian 1/, both sexes.....	1	1	2	2	-	-	-	-	-	-	-	-
Male.....	1	-	1	1	-	-	-	-	-	-	-	-
Female.....	-	1	1	1	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	1	-	-	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

V. Mental and behavioral disorders (F01-F99)

Vermont

All races, both sexes.....	5	3	5	5	9	17	45	50	49	22	3	-
Male.....	4	1	4	3	6	9	17	17	13	1	-	-
Female.....	1	2	1	2	3	8	28	33	36	21	3	-
White, both sexes.....	5	3	5	5	9	17	45	50	49	22	3	-
Male.....	4	1	4	3	6	9	17	17	13	1	-	-
Female.....	1	2	1	2	3	8	28	33	36	21	3	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Virginia

All races, both sexes.....	46	50	58	34	83	214	404	554	489	214	45	-
Male.....	38	33	39	24	47	94	127	190	114	30	4	-
Female.....	8	17	19	10	36	120	277	364	375	184	41	-
White, both sexes.....	35	36	50	24	71	159	338	464	412	183	35	-
Male.....	29	24	33	18	41	71	102	159	96	23	3	-
Female.....	6	12	17	6	30	88	236	305	316	160	32	-
Black, both sexes.....	11	14	8	10	12	50	63	87	72	31	10	-
Male.....	9	9	6	6	6	19	24	31	15	7	1	-
Female.....	2	5	2	4	6	31	39	56	57	24	9	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	5	3	3	5	-	-	-
Male.....	-	-	-	-	-	4	1	-	3	-	-	-
Female.....	-	-	-	-	-	1	2	3	2	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Organic dementia (F01,F03)

United States

All races, both sexes.....	97	263	548	1,117	2,692	6,864	14,794	21,488	19,209	8,950	2,020	1
Male.....	53	141	291	596	1,270	2,967	5,531	6,839	4,633	1,518	216	1
Female.....	44	122	257	521	1,422	3,897	9,263	14,649	14,576	7,432	1,804	-
White, both sexes.....	78	211	457	934	2,255	5,973	13,277	19,750	17,656	8,198	1,765	-
Male.....	41	115	237	497	1,064	2,571	4,965	6,299	4,267	1,366	188	-
Female.....	37	96	220	437	1,191	3,402	8,312	13,451	13,389	6,832	1,577	-
Black, both sexes.....	16	43	83	165	391	775	1,309	1,476	1,224	630	218	1
Male.....	9	23	51	88	179	347	485	437	265	111	22	1
Female.....	7	20	32	77	212	428	824	1,039	959	519	196	-
American Indian 1/, both sexes.....	1	2	3	6	17	24	36	35	50	12	6	-
Male.....	1	-	1	2	7	12	14	13	20	2	1	-
Female.....	-	2	2	4	10	12	22	22	30	10	5	-
Asian or Pacific Islander 2/, both sexes.....	2	7	5	12	29	92	172	227	279	110	31	-
Male.....	2	3	2	9	20	37	67	90	81	39	5	-
Female.....	-	4	3	3	9	55	105	137	198	71	26	-

Alabama

All races, both sexes.....	3	9	15	27	79	153	284	408	301	132	35	-
Male.....	2	3	10	13	41	69	108	122	67	19	5	-
Female.....	1	6	5	14	38	84	176	286	234	113	30	-
White, both sexes.....	3	6	9	21	56	126	232	348	250	104	25	-
Male.....	2	2	5	10	30	59	91	101	54	16	3	-
Female.....	1	4	4	11	26	67	141	247	196	88	22	-
Black, both sexes.....	-	3	6	6	22	27	52	60	47	28	10	-
Male.....	-	1	5	3	11	10	17	21	13	3	2	-
Female.....	-	2	1	3	11	17	35	39	34	25	8	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	-	-	-	4	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	4	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Organic dementia (F01,F03)

Alaska

All races, both sexes.....	-	-	1	2	7	13	14	30	16	6	1	-
Male.....	-	-	1	1	6	5	9	13	4	2	-	-
Female.....	-	-	-	1	1	8	5	17	12	4	1	-
White, both sexes.....	-	-	-	2	5	9	12	25	11	5	1	-
Male.....	-	-	-	1	4	4	8	13	3	2	-	-
Female.....	-	-	-	1	1	5	4	12	8	3	1	-
Black, both sexes.....	-	-	1	-	-	-	-	1	1	-	-	-
Male.....	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	2	3	2	4	3	1	-	-
Male.....	-	-	-	-	2	-	1	-	1	-	-	-
Female.....	-	-	-	-	-	3	1	4	2	1	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	-	-	1	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	1	-	-	-

Arizona

All races, both sexes.....	1	3	10	14	46	145	290	425	381	135	43	-
Male.....	-	2	7	9	25	71	117	145	89	29	7	-
Female.....	1	1	3	5	21	74	173	280	292	106	36	-
White, both sexes.....	1	3	8	14	44	138	272	409	362	131	42	-
Male.....	-	2	5	9	25	67	115	138	85	28	7	-
Female.....	1	1	3	5	19	71	157	271	277	103	35	-
Black, both sexes.....	-	-	1	-	-	2	7	5	6	2	-	-
Male.....	-	-	1	-	-	-	-	2	1	-	-	-
Female.....	-	-	-	-	-	2	7	3	5	2	-	-
American Indian 1/, both sexes.....	-	-	1	-	2	5	7	6	10	2	1	-
Male.....	-	-	1	-	-	4	2	4	1	1	-	-
Female.....	-	-	-	-	2	1	5	2	9	1	1	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	4	5	3	-	-	-
Male.....	-	-	-	-	-	-	-	1	2	-	-	-
Female.....	-	-	-	-	-	-	4	4	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Organic dementia (F01,F03)

Arkansas

All races, both sexes.....	1	2	4	10	28	56	126	192	163	86	19	-
Male.....	1	-	1	3	12	28	44	61	41	7	6	-
Female.....	-	2	3	7	16	28	82	131	122	79	13	-
White, both sexes.....	1	2	4	8	27	55	117	178	150	79	16	-
Male.....	1	-	1	3	12	28	43	61	39	7	5	-
Female.....	-	2	3	5	15	27	74	117	111	72	11	-
Black, both sexes.....	-	-	-	2	1	1	8	13	13	7	3	-
Male.....	-	-	-	-	-	-	1	-	2	-	1	-
Female.....	-	-	-	2	1	1	7	13	11	7	2	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-

California

All races, both sexes.....	3	13	37	49	169	389	964	1,351	1,244	599	159	-
Male.....	2	7	22	24	87	178	379	473	354	124	24	-
Female.....	1	6	15	25	82	211	585	878	890	475	135	-
White, both sexes.....	-	11	30	42	142	334	856	1,222	1,098	534	135	-
Male.....	-	6	18	18	70	149	329	425	305	109	19	-
Female.....	-	5	12	24	72	185	527	797	793	425	116	-
Black, both sexes.....	1	1	3	3	14	26	48	60	59	28	15	-
Male.....	-	1	2	2	6	14	22	17	18	6	3	-
Female.....	1	-	1	1	8	12	26	43	41	22	12	-
American Indian 1/, both sexes.....	-	-	-	1	1	-	2	4	5	3	-	-
Male.....	-	-	-	1	1	-	2	2	2	1	-	-
Female.....	-	-	-	-	-	-	-	2	3	2	-	-
Asian or Pacific Islander 2/, both sexes.....	2	1	4	3	12	29	58	65	82	34	9	-
Male.....	2	-	2	3	10	15	26	29	29	8	2	-
Female.....	-	1	2	-	2	14	32	36	53	26	7	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Organic dementia (F01,F03)

Florida

All races, both sexes.....	5	20	17	87	205	511	1,128	1,594	1,391	660	141	-
Male.....	-	10	8	54	98	221	448	593	402	140	23	-
Female.....	5	10	9	33	107	290	680	1,001	989	520	118	-
White, both sexes.....	4	15	14	76	178	445	1,036	1,491	1,320	631	130	-
Male.....	-	8	6	46	84	194	414	549	387	134	21	-
Female.....	4	7	8	30	94	251	622	942	933	497	109	-
Black, both sexes.....	1	4	3	11	27	64	87	99	68	29	11	-
Male.....	-	2	2	8	14	27	33	43	13	6	2	-
Female.....	1	2	1	3	13	37	54	56	55	23	9	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	-	-	2	5	4	3	-	-	-
Male.....	-	-	-	-	-	-	1	1	2	-	-	-
Female.....	-	1	-	-	-	2	4	3	1	-	-	-

Georgia

All races, both sexes.....	4	9	24	45	108	239	446	628	522	255	45	-
Male.....	2	3	10	19	51	102	142	184	102	45	2	-
Female.....	2	6	14	26	57	137	304	444	420	210	43	-
White, both sexes.....	2	9	16	33	76	185	350	504	406	194	30	-
Male.....	1	3	5	14	36	81	117	152	83	31	1	-
Female.....	1	6	11	19	40	104	233	352	323	163	29	-
Black, both sexes.....	2	-	8	12	30	52	96	121	113	60	15	-
Male.....	1	-	5	5	13	21	25	32	19	13	1	-
Female.....	1	-	3	7	17	31	71	89	94	47	14	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	2	2	-	3	3	1	-	-
Male.....	-	-	-	-	2	-	-	-	-	1	-	-
Female.....	-	-	-	-	-	2	-	3	3	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Organic dementia (F01,F03)

Hawaii

All races, both sexes.....	-	1	2	4	5	30	59	121	136	67	15	-
Male.....	-	1	1	3	2	9	20	53	37	28	2	-
Female.....	-	-	1	1	3	21	39	68	99	39	13	-
White, both sexes.....	-	-	2	2	2	4	18	39	23	15	-	-
Male.....	-	-	1	1	-	2	6	17	6	2	-	-
Female.....	-	-	1	1	2	2	12	22	17	13	-	-
Black, both sexes.....	-	-	-	1	-	1	-	1	-	1	-	-
Male.....	-	-	-	1	-	1	-	-	-	1	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	1	3	25	41	80	113	51	15	-
Male.....	-	1	-	1	2	6	14	35	31	25	2	-
Female.....	-	-	-	-	1	19	27	45	82	26	13	-

Idaho

All races, both sexes.....	-	1	5	5	13	57	100	128	112	45	10	-
Male.....	-	1	4	3	7	27	34	43	26	4	3	-
Female.....	-	-	1	2	6	30	66	85	86	41	7	-
White, both sexes.....	-	1	5	5	13	56	100	125	111	45	10	-
Male.....	-	1	4	3	7	27	34	41	26	4	3	-
Female.....	-	-	1	2	6	29	66	84	85	41	7	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	1	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	-	2	-	-	-	-
Male.....	-	-	-	-	-	-	-	2	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Organic dementia (F01,F03)

Iowa

All races, both sexes.....	-	2	4	8	24	71	132	235	244	121	24	-
Male.....	-	2	4	4	17	32	51	87	52	20	1	-
Female.....	-	-	-	4	7	39	81	148	192	101	23	-
White, both sexes.....	-	2	4	8	24	69	130	233	239	121	24	-
Male.....	-	2	4	4	17	31	51	87	50	20	1	-
Female.....	-	-	-	4	7	38	79	146	189	101	23	-
Black, both sexes.....	-	-	-	-	-	2	1	2	3	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	1	2	3	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	1	-	2	-	-	-
Male.....	-	-	-	-	-	-	-	-	2	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-

Kansas

All races, both sexes.....	2	1	8	9	30	81	150	246	222	104	21	-
Male.....	-	1	5	4	15	38	50	78	44	20	2	-
Female.....	2	-	3	5	15	43	100	168	178	84	19	-
White, both sexes.....	2	1	8	9	28	75	142	237	215	102	19	-
Male.....	-	1	5	4	14	35	47	78	42	20	2	-
Female.....	2	-	3	5	14	40	95	159	173	82	17	-
Black, both sexes.....	-	-	-	-	2	5	6	9	6	2	2	-
Male.....	-	-	-	-	1	3	3	-	1	-	-	-
Female.....	-	-	-	-	1	2	3	9	5	2	2	-
American Indian 1/, both sexes.....	-	-	-	-	-	1	1	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	1	-	-	-
Female.....	-	-	-	-	-	1	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Organic dementia (F01,F03)												
Maine												
All races, both sexes.....	-	2	2	13	10	45	93	143	148	57	14	-
Male.....	-	2	-	7	1	25	42	52	41	15	1	-
Female.....	-	-	2	6	9	20	51	91	107	42	13	-
White, both sexes.....	-	2	2	12	10	45	93	143	147	57	14	-
Male.....	-	2	-	6	1	25	42	52	41	15	1	-
Female.....	-	-	2	6	9	20	51	91	106	42	13	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	1	-	-	-	-	-	-	-	-
Male.....	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Maryland												
All races, both sexes.....	1	6	12	27	55	158	350	478	460	203	46	-
Male.....	1	3	6	13	28	75	128	154	96	35	4	-
Female.....	-	3	6	14	27	83	222	324	364	168	42	-
White, both sexes.....	-	3	8	19	33	114	270	405	385	176	36	-
Male.....	-	2	3	10	15	49	96	124	82	32	2	-
Female.....	-	1	5	9	18	65	174	281	303	144	34	-
Black, both sexes.....	1	3	4	7	20	44	76	71	72	27	9	-
Male.....	1	1	3	3	11	26	31	30	13	3	1	-
Female.....	-	2	1	4	9	18	45	41	59	24	8	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	1	2	-	4	2	3	-	1	-
Male.....	-	-	-	-	2	-	1	-	1	-	1	-
Female.....	-	-	-	1	-	-	3	2	2	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Organic dementia (F01,F03)												
Massachusetts												
All races, both sexes.....	3	5	25	25	62	172	441	667	626	324	91	-
Male.....	3	3	12	14	24	74	166	194	141	47	10	-
Female.....	-	2	13	11	38	98	275	473	485	277	81	-
White, both sexes.....	3	5	25	25	61	165	426	648	616	314	88	-
Male.....	3	3	12	14	23	72	159	191	138	45	10	-
Female.....	-	2	13	11	38	93	267	457	478	269	78	-
Black, both sexes.....	-	-	-	-	1	5	11	15	8	7	3	-
Male.....	-	-	-	-	1	1	6	2	3	2	-	-
Female.....	-	-	-	-	-	4	5	13	5	5	3	-
American Indian 1/, both sexes.....	-	-	-	-	-	1	-	1	-	-	-	-
Male.....	-	-	-	-	-	1	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	4	3	2	3	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	1	3	3	2	3	-	-
Michigan												
All races, both sexes.....	3	8	15	39	99	248	509	758	657	283	56	-
Male.....	1	4	5	18	44	97	192	228	135	48	10	-
Female.....	2	4	10	21	55	151	317	530	522	235	46	-
White, both sexes.....	3	6	12	35	81	222	442	701	614	262	47	-
Male.....	1	2	5	16	34	86	169	217	125	46	9	-
Female.....	2	4	7	19	47	136	273	484	489	216	38	-
Black, both sexes.....	-	2	2	3	15	25	67	55	42	21	9	-
Male.....	-	2	-	1	8	10	23	10	9	2	1	-
Female.....	-	-	2	2	7	15	44	45	33	19	8	-
American Indian 1/, both sexes.....	-	-	-	-	2	1	-	1	-	-	-	-
Male.....	-	-	-	-	2	1	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	1	1	-	-	1	1	-	-	-
Male.....	-	-	-	1	-	-	-	-	1	-	-	-
Female.....	-	-	1	-	1	-	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Organic dementia (F01,F03)

Nebraska

All races, both sexes.....	-	2	2	9	15	37	96	147	153	69	20	-
Male.....	-	1	1	4	5	18	38	42	33	11	2	-
Female.....	-	1	1	5	10	19	58	105	120	58	18	-
White, both sexes.....	-	2	2	9	15	36	94	145	151	67	19	-
Male.....	-	1	1	4	5	18	38	42	33	11	2	-
Female.....	-	1	1	5	10	18	56	103	118	56	17	-
Black, both sexes.....	-	-	-	-	-	1	1	1	2	2	1	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	1	1	2	2	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	1	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Nevada

All races, both sexes.....	1	1	6	10	34	62	121	180	137	38	8	-
Male.....	1	1	4	5	16	28	48	57	37	9	1	-
Female.....	-	-	2	5	18	34	73	123	100	29	7	-
White, both sexes.....	1	1	5	9	27	58	113	170	130	36	7	-
Male.....	1	1	3	4	13	25	46	55	35	8	1	-
Female.....	-	-	2	5	14	33	67	115	95	28	6	-
Black, both sexes.....	-	-	1	1	5	4	6	9	5	-	1	-
Male.....	-	-	1	1	2	3	2	1	1	-	-	-
Female.....	-	-	-	-	3	1	4	8	4	-	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	1	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	2	-	2	1	1	2	-	-
Male.....	-	-	-	-	1	-	-	1	-	1	-	-
Female.....	-	-	-	-	1	-	2	-	1	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Organic dementia (F01,F03)												
New Hampshire												
All races, both sexes.....	-	2	4	3	6	41	72	109	95	70	9	-
Male.....	-	-	2	1	1	17	30	25	26	14	1	-
Female.....	-	2	2	2	5	24	42	84	69	56	8	-
White, both sexes.....	-	2	4	3	6	41	72	107	95	70	9	-
Male.....	-	-	2	1	1	17	30	24	26	14	1	-
Female.....	-	2	2	2	5	24	42	83	69	56	8	-
Black, both sexes.....	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
New Jersey												
All races, both sexes.....	1	9	11	22	50	167	353	575	526	248	50	-
Male.....	1	3	5	7	29	70	115	177	134	46	5	-
Female.....	-	6	6	15	21	97	238	398	392	202	45	-
White, both sexes.....	1	6	9	17	46	141	317	545	500	227	47	-
Male.....	1	1	3	5	27	58	102	167	127	41	5	-
Female.....	-	5	6	12	19	83	215	378	373	186	42	-
Black, both sexes.....	-	1	2	5	4	25	32	25	21	20	3	-
Male.....	-	1	2	2	2	12	11	8	6	4	-	-
Female.....	-	-	-	3	2	13	21	17	15	16	3	-
American Indian 1/, both sexes.....	-	1	-	-	-	-	1	1	-	-	-	-
Male.....	-	-	-	-	-	-	1	1	-	-	-	-
Female.....	-	1	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	-	-	1	3	4	5	1	-	-
Male.....	-	1	-	-	-	-	1	1	1	1	-	-
Female.....	-	-	-	-	-	1	2	3	4	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Organic dementia (F01,F03)

New Mexico

All races, both sexes.....	-	1	3	9	20	37	90	134	123	58	10	-
Male.....	-	1	2	7	9	10	33	40	25	14	3	-
Female.....	-	-	1	2	11	27	57	94	98	44	7	-
White, both sexes.....	-	1	3	9	17	35	85	129	111	55	6	-
Male.....	-	1	2	7	8	10	31	39	21	14	2	-
Female.....	-	-	1	2	9	25	54	90	90	41	4	-
Black, both sexes.....	-	-	-	-	-	-	2	1	4	-	-	-
Male.....	-	-	-	-	-	-	1	-	1	-	-	-
Female.....	-	-	-	-	-	-	1	1	3	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	3	1	3	3	7	2	4	-
Male.....	-	-	-	-	1	-	1	1	3	-	1	-
Female.....	-	-	-	-	2	1	2	2	4	2	3	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	-	1	1	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	1	1	1	-	-

New York

All races, both sexes.....	3	7	12	38	102	266	639	985	1,004	532	115	-
Male.....	2	4	6	23	49	124	249	299	249	69	10	-
Female.....	1	3	6	15	53	142	390	686	755	463	105	-
White, both sexes.....	2	5	11	31	83	227	585	933	945	499	110	-
Male.....	1	3	6	20	41	102	226	288	233	66	10	-
Female.....	1	2	5	11	42	125	359	645	712	433	100	-
Black, both sexes.....	1	2	1	6	19	35	52	44	45	28	4	-
Male.....	1	1	-	3	8	19	22	9	12	2	-	-
Female.....	-	1	1	3	11	16	30	35	33	26	4	-
American Indian 1/, both sexes.....	-	-	-	1	-	-	1	1	2	-	-	-
Male.....	-	-	-	-	-	-	-	-	1	-	-	-
Female.....	-	-	-	1	-	-	1	1	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	4	1	7	12	5	1	-
Male.....	-	-	-	-	-	3	1	2	3	1	-	-
Female.....	-	-	-	-	-	1	-	5	9	4	1	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Organic dementia (F01,F03)

Ohio

All races, both sexes.....	4	19	34	70	117	349	802	1,054	839	367	120	-
Male.....	2	12	16	41	51	138	281	331	212	59	12	-
Female.....	2	7	18	29	66	211	521	723	627	308	108	-
White, both sexes.....	4	17	30	61	91	310	707	965	779	329	108	-
Male.....	2	11	16	34	37	120	249	303	196	53	10	-
Female.....	2	6	14	27	54	190	458	662	583	276	98	-
Black, both sexes.....	-	2	4	9	26	38	90	87	58	38	10	-
Male.....	-	1	-	7	14	18	30	27	15	6	2	-
Female.....	-	1	4	2	12	20	60	60	43	32	8	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	2	-	-	-
Male.....	-	-	-	-	-	-	-	-	1	-	-	-
Female.....	-	-	-	-	-	-	-	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	5	2	-	-	2	-
Male.....	-	-	-	-	-	-	2	1	-	-	-	-
Female.....	-	-	-	-	-	1	3	1	-	-	2	-

Oklahoma

All races, both sexes.....	3	2	5	20	47	133	288	323	301	138	18	-
Male.....	2	1	4	9	21	53	113	112	80	27	1	-
Female.....	1	1	1	11	26	80	175	211	221	111	17	-
White, both sexes.....	3	2	3	18	43	124	268	310	282	133	15	-
Male.....	2	1	3	9	19	52	106	108	75	27	1	-
Female.....	1	1	-	9	24	72	162	202	207	106	14	-
Black, both sexes.....	-	-	1	1	3	7	11	9	13	4	3	-
Male.....	-	-	1	-	2	1	4	3	3	-	-	-
Female.....	-	-	-	1	1	6	7	6	10	4	3	-
American Indian 1/, both sexes.....	-	-	1	1	1	2	7	3	5	1	-	-
Male.....	-	-	-	-	-	-	2	-	2	-	-	-
Female.....	-	-	1	1	1	2	5	3	3	1	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	2	1	1	-	-	-
Male.....	-	-	-	-	-	-	1	1	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Organic dementia (F01,F03)

Oregon

All races, both sexes.....	4	5	11	19	49	97	262	403	398	155	29	-
Male.....	3	3	7	9	18	33	119	125	117	37	2	-
Female.....	1	2	4	10	31	64	143	278	281	118	27	-
White, both sexes.....	4	4	10	18	48	96	257	391	388	155	28	-
Male.....	3	2	6	8	17	33	116	120	111	37	2	-
Female.....	1	2	4	10	31	63	141	271	277	118	26	-
Black, both sexes.....	-	1	1	-	1	1	2	9	3	-	-	-
Male.....	-	1	1	-	1	-	-	3	1	-	-	-
Female.....	-	-	-	-	-	1	2	6	2	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	1	-	1	-	1	-
Male.....	-	-	-	-	-	-	1	-	1	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	1	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	1	-	-	2	3	6	-	-	-
Male.....	-	-	-	1	-	-	2	2	4	-	-	-
Female.....	-	-	-	-	-	-	-	1	2	-	-	-

Pennsylvania

All races, both sexes.....	1	5	28	46	122	364	843	1,364	1,153	534	113	1
Male.....	1	2	16	22	57	158	314	418	269	77	5	1
Female.....	-	3	12	24	65	206	529	946	884	457	108	-
White, both sexes.....	1	4	25	36	106	339	779	1,276	1,100	503	103	-
Male.....	1	2	16	17	50	149	289	394	257	73	5	-
Female.....	-	2	9	19	56	190	490	882	843	430	98	-
Black, both sexes.....	-	1	3	10	16	23	60	84	48	31	10	1
Male.....	-	-	-	5	7	9	24	22	11	4	-	1
Female.....	-	1	3	5	9	14	36	62	37	27	10	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	2	-	-	-
Male.....	-	-	-	-	-	-	-	-	1	-	-	-
Female.....	-	-	-	-	-	-	-	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	2	4	4	3	-	-	-
Male.....	-	-	-	-	-	-	1	2	-	-	-	-
Female.....	-	-	-	-	-	2	3	2	3	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Organic dementia (F01,F03)

Rhode Island

All races, both sexes.....	1	1	2	7	13	41	68	106	105	56	11	-
Male.....	-	-	1	6	6	20	20	30	23	8	-	-
Female.....	1	1	1	1	7	21	48	76	82	48	11	-
White, both sexes.....	1	1	2	7	12	38	67	104	105	56	11	-
Male.....	-	-	1	6	5	18	19	29	23	8	-	-
Female.....	1	1	1	1	7	20	48	75	82	48	11	-
Black, both sexes.....	-	-	-	-	1	2	1	2	-	-	-	-
Male.....	-	-	-	-	1	2	1	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

South Carolina

All races, both sexes.....	1	3	14	32	66	163	286	375	333	136	28	-
Male.....	-	3	8	14	27	62	104	110	73	20	4	-
Female.....	1	-	6	18	39	101	182	265	260	116	24	-
White, both sexes.....	1	3	10	20	51	115	215	292	268	107	24	-
Male.....	-	3	4	8	23	44	73	90	59	17	3	-
Female.....	1	-	6	12	28	71	142	202	209	90	21	-
Black, both sexes.....	-	-	4	12	15	48	70	81	64	29	4	-
Male.....	-	-	4	6	4	18	30	20	14	3	1	-
Female.....	-	-	-	6	11	30	40	61	50	26	3	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	1	1	1	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Organic dementia (F01,F03)

Texas

All races, both sexes.....	12	27	39	85	211	515	1,027	1,435	1,199	563	123	-
Male.....	4	11	24	50	98	207	365	443	279	92	11	-
Female.....	8	16	15	35	113	308	662	992	920	471	112	-
White, both sexes.....	9	22	28	72	169	445	919	1,324	1,105	511	106	-
Male.....	2	9	19	46	82	183	329	408	260	80	10	-
Female.....	7	13	9	26	87	262	590	916	845	431	96	-
Black, both sexes.....	3	3	10	13	40	65	98	103	87	47	17	-
Male.....	2	1	5	4	15	22	33	32	19	12	1	-
Female.....	1	2	5	9	25	43	65	71	68	35	16	-
American Indian 1/, both sexes.....	-	-	1	-	2	-	-	-	-	1	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	1	-	1	-	-	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	-	2	-	-	-	5	10	8	7	4	-	-
Male.....	-	1	-	-	-	2	3	3	-	-	-	-
Female.....	-	1	-	-	-	3	7	5	7	4	-	-

Utah

All races, both sexes.....	-	1	2	11	18	47	132	173	123	41	4	-
Male.....	-	-	1	3	7	15	40	44	36	10	-	-
Female.....	-	1	1	8	11	32	92	129	87	31	4	-
White, both sexes.....	-	1	2	10	18	46	130	172	123	41	4	-
Male.....	-	-	1	3	7	14	40	44	36	10	-	-
Female.....	-	1	1	7	11	32	90	128	87	31	4	-
Black, both sexes.....	-	-	-	-	-	-	1	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	1	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	1	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	1	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	1	-	-	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Organic dementia (F01,F03)

Vermont

All races, both sexes.....	-	2	1	2	6	17	42	48	48	22	3	-
Male.....	-	1	-	1	3	9	15	17	13	1	-	-
Female.....	-	1	1	1	3	8	27	31	35	21	3	-
White, both sexes.....	-	2	1	2	6	17	42	48	48	22	3	-
Male.....	-	1	-	1	3	9	15	17	13	1	-	-
Female.....	-	1	1	1	3	8	27	31	35	21	3	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Virginia

All races, both sexes.....	2	9	23	20	70	208	385	535	475	211	43	-
Male.....	2	5	14	12	39	89	119	184	109	30	4	-
Female.....	-	4	9	8	31	119	266	351	366	181	39	-
White, both sexes.....	2	7	20	13	59	155	321	451	402	181	33	-
Male.....	2	5	12	9	34	68	95	155	93	23	3	-
Female.....	-	2	8	4	25	87	226	296	309	158	30	-
Black, both sexes.....	-	2	3	7	11	48	61	81	68	30	10	-
Male.....	-	-	2	3	5	17	23	29	13	7	1	-
Female.....	-	2	1	4	6	31	38	52	55	23	9	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	5	3	3	5	-	-	-
Male.....	-	-	-	-	-	4	1	-	3	-	-	-
Female.....	-	-	-	-	-	1	2	3	2	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

All ages Under 1 year 1-4 years 5-9 years 10-14 years 15-19 years 20-24 years 25-29 years 30-34 years 35-39 years 40-44 years 45-49 years

Other and unspecified organic mental disorders (F04-F09)

Iowa

Table with 13 columns (Cause of death, All ages, Under 1 year, 1-4 years, 5-9 years, 10-14 years, 15-19 years, 20-24 years, 25-29 years, 30-34 years, 35-39 years, 40-44 years, 45-49 years) and rows for Iowa: All races, both sexes; Male; Female; White, both sexes; Male; Female; Black, both sexes; Male; Female; American Indian 1/, both sexes; Male; Female; Asian or Pacific Islander 2/, both sexes; Male; Female.

Kansas

Table with 13 columns (Cause of death, All ages, Under 1 year, 1-4 years, 5-9 years, 10-14 years, 15-19 years, 20-24 years, 25-29 years, 30-34 years, 35-39 years, 40-44 years, 45-49 years) and rows for Kansas: All races, both sexes; Male; Female; White, both sexes; Male; Female; Black, both sexes; Male; Female; American Indian 1/, both sexes; Male; Female; Asian or Pacific Islander 2/, both sexes; Male; Female.

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

All Under 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
ages 1 year years years years years years years years years years

Other and unspecified organic mental disorders (F04-F09)

Kentucky

Table with 13 columns (All ages, Under 1 year, 1-4 years, 5-9 years, 10-14 years, 15-19 years, 20-24 years, 25-29 years, 30-34 years, 35-39 years, 40-44 years, 45-49 years) and rows for Kentucky: All races, both sexes; Male; Female; White, both sexes; Male; Female; Black, both sexes; Male; Female; American Indian 1/, both sexes; Male; Female; Asian or Pacific Islander 2/, both sexes; Male; Female.

Louisiana

Table with 13 columns (All ages, Under 1 year, 1-4 years, 5-9 years, 10-14 years, 15-19 years, 20-24 years, 25-29 years, 30-34 years, 35-39 years, 40-44 years, 45-49 years) and rows for Louisiana: All races, both sexes; Male; Female; White, both sexes; Male; Female; Black, both sexes; Male; Female; American Indian 1/, both sexes; Male; Female; Asian or Pacific Islander 2/, both sexes; Male; Female.

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

All ages Under 1 year 1-4 years 5-9 years 10-14 years 15-19 years 20-24 years 25-29 years 30-34 years 35-39 years 40-44 years 45-49 years

Other and unspecified organic mental disorders (F04-F09)

New Mexico

Table with 13 columns (Cause of death, All ages, Under 1 year, 1-4 years, 5-9 years, 10-14 years, 15-19 years, 20-24 years, 25-29 years, 30-34 years, 35-39 years, 40-44 years, 45-49 years) and rows for New Mexico: All races, both sexes; Male; Female; White, both sexes; Male; Female; Black, both sexes; Male; Female; American Indian 1/, both sexes; Male; Female; Asian or Pacific Islander 2/, both sexes; Male; Female.

New York

Table with 13 columns (Cause of death, All ages, Under 1 year, 1-4 years, 5-9 years, 10-14 years, 15-19 years, 20-24 years, 25-29 years, 30-34 years, 35-39 years, 40-44 years, 45-49 years) and rows for New York: All races, both sexes; Male; Female; White, both sexes; Male; Female; Black, both sexes; Male; Female; American Indian 1/, both sexes; Male; Female; Asian or Pacific Islander 2/, both sexes; Male; Female.

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Other and unspecified organic mental disorders (F04-F09)

Arkansas

All races, both sexes.....	-	-	-	-	1	1	4	3	6	3	1	-
Male.....	-	-	-	-	1	-	2	-	2	-	-	-
Female.....	-	-	-	-	-	1	2	3	4	3	1	-
White, both sexes.....	-	-	-	-	1	-	4	3	5	3	1	-
Male.....	-	-	-	-	1	-	2	-	2	-	-	-
Female.....	-	-	-	-	-	-	2	3	3	3	1	-
Black, both sexes.....	-	-	-	-	-	1	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	1	3	-	1	-	4	11	16	12	2	2	-
Male.....	1	3	-	-	-	2	6	3	5	-	-	-
Female.....	-	-	-	1	-	2	5	13	7	2	2	-
White, both sexes.....	1	3	-	1	-	4	11	13	10	2	1	-
Male.....	1	3	-	-	-	2	6	3	4	-	-	-
Female.....	-	-	-	1	-	2	5	10	6	2	1	-
Black, both sexes.....	-	-	-	-	-	-	-	1	-	-	1	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	2	2	-	-	-
Male.....	-	-	-	-	-	-	-	-	1	-	-	-
Female.....	-	-	-	-	-	-	-	2	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex 50-54 years 55-59 years 60-64 years 65-69 years 70-74 years 75-79 years 80-84 years 85-89 years 90-94 years 95-99 years 100 years and over Age not stated

Other and unspecified organic mental disorders (F04-F09)

Delaware

Table with 13 columns (Age groups) and rows for Delaware: All races, both sexes; Male; Female; White, both sexes; Male; Female; Black, both sexes; Male; Female; American Indian 1/, both sexes; Male; Female; Asian or Pacific Islander 2/, both sexes; Male; Female.

Dist. of Columbia

Table with 13 columns (Age groups) and rows for Dist. of Columbia: All races, both sexes; Male; Female; White, both sexes; Male; Female; Black, both sexes; Male; Female; American Indian 1/, both sexes; Male; Female; Asian or Pacific Islander 2/, both sexes; Male; Female.

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Other and unspecified organic mental disorders (F04-F09)

Kentucky

All races, both sexes.....	-	-	-	-	3	2	6	4	6	-	1	-
Male.....	-	-	-	-	1	2	3	2	1	-	-	-
Female.....	-	-	-	-	2	-	3	2	5	-	1	-
White, both sexes.....	-	-	-	-	3	1	6	4	6	-	1	-
Male.....	-	-	-	-	1	1	3	2	1	-	-	-
Female.....	-	-	-	-	2	-	3	2	5	-	1	-
Black, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Louisiana

All races, both sexes.....	1	-	-	2	1	3	4	6	4	1	2	-
Male.....	-	-	-	1	1	1	2	2	-	-	-	-
Female.....	1	-	-	1	-	2	2	4	4	1	2	-
White, both sexes.....	1	-	-	1	1	2	3	5	4	1	1	-
Male.....	-	-	-	-	1	1	2	2	-	-	-	-
Female.....	1	-	-	1	-	1	1	3	4	1	1	-
Black, both sexes.....	-	-	-	1	-	-	1	1	-	-	1	-
Male.....	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	1	-	-	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Mental and behavioral disorders due to psychoactive substance use (F10-F19)

Arkansas

All races, both sexes.....	21	7	6	6	3	5	2	-	-	-	-	-
Male.....	18	7	6	5	3	3	1	-	-	-	-	-
Female.....	3	-	-	1	-	2	1	-	-	-	-	-
White, both sexes.....	16	5	4	5	3	5	2	-	-	-	-	-
Male.....	13	5	4	5	3	3	1	-	-	-	-	-
Female.....	3	-	-	-	-	2	1	-	-	-	-	-
Black, both sexes.....	4	1	1	1	-	-	-	-	-	-	-	-
Male.....	4	1	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	1	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	1	-	-	-	-	-	-	-	-	-
Male.....	1	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	171	142	95	64	48	20	24	11	1	-	-	-
Male.....	129	122	77	54	35	15	13	8	-	-	-	-
Female.....	42	20	18	10	13	5	11	3	1	-	-	-
White, both sexes.....	143	121	85	58	43	16	24	10	1	-	-	-
Male.....	111	107	70	48	32	12	13	7	-	-	-	-
Female.....	32	14	15	10	11	4	11	3	1	-	-	-
Black, both sexes.....	25	16	5	4	4	2	-	1	-	-	-	-
Male.....	15	10	2	4	3	2	-	1	-	-	-	-
Female.....	10	6	3	-	1	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	2	4	2	1	-	-	-	-	-	-	-	-
Male.....	2	4	2	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	1	3	1	1	2	-	-	-	-	-	-
Male.....	1	1	3	1	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	1	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Mental and behavioral disorders due to use of alcohol (F10)

Arkansas

All races, both sexes.....	14	5	5	5	3	3	2	-	-	-	-	-
Male.....	12	5	5	5	3	3	1	-	-	-	-	-
Female.....	2	-	-	-	-	-	1	-	-	-	-	-
White, both sexes.....	12	5	3	5	3	3	2	-	-	-	-	-
Male.....	10	5	3	5	3	3	1	-	-	-	-	-
Female.....	2	-	-	-	-	-	1	-	-	-	-	-
Black, both sexes.....	2	-	1	-	-	-	-	-	-	-	-	-
Male.....	2	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	112	104	71	58	43	20	23	9	1	-	-	-
Male.....	93	90	56	48	33	15	13	7	-	-	-	-
Female.....	19	14	15	10	10	5	10	2	1	-	-	-
White, both sexes.....	100	93	66	54	38	16	23	8	1	-	-	-
Male.....	84	81	53	44	30	12	13	6	-	-	-	-
Female.....	16	12	13	10	8	4	10	2	1	-	-	-
Black, both sexes.....	9	7	2	2	4	2	-	1	-	-	-	-
Male.....	6	5	-	2	3	2	-	1	-	-	-	-
Female.....	3	2	2	-	1	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	2	3	-	1	-	-	-	-	-	-	-	-
Male.....	2	3	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	1	3	1	1	2	-	-	-	-	-	-
Male.....	1	1	3	1	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	1	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

All ages Under 1 year 1-4 years 5-9 years 10-14 years 15-19 years 20-24 years 25-29 years 30-34 years 35-39 years 40-44 years 45-49 years

Schizophrenia, schizotypal and delusional disorders (F20-F29)

Alaska

Table with 13 columns (Cause of death, All ages, Under 1 year, 1-4 years, 5-9 years, 10-14 years, 15-19 years, 20-24 years, 25-29 years, 30-34 years, 35-39 years, 40-44 years, 45-49 years) and rows for Alaska: All races, both sexes; Male; Female; White, both sexes; Male; Female; Black, both sexes; Male; Female; American Indian 1/, both sexes; Male; Female; Asian or Pacific Islander 2/, both sexes; Male; Female.

Arizona

Table with 13 columns (Cause of death, All ages, Under 1 year, 1-4 years, 5-9 years, 10-14 years, 15-19 years, 20-24 years, 25-29 years, 30-34 years, 35-39 years, 40-44 years, 45-49 years) and rows for Arizona: All races, both sexes; Male; Female; White, both sexes; Male; Female; Black, both sexes; Male; Female; American Indian 1/, both sexes; Male; Female; Asian or Pacific Islander 2/, both sexes; Male; Female.

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

All ages Under 1 year 1-4 years 5-9 years 10-14 years 15-19 years 20-24 years 25-29 years 30-34 years 35-39 years 40-44 years 45-49 years

Schizophrenia, schizotypal and delusional disorders (F20-F29)

Colorado

Table with 13 columns (Cause of death, All ages, Under 1 year, 1-4 years, 5-9 years, 10-14 years, 15-19 years, 20-24 years, 25-29 years, 30-34 years, 35-39 years, 40-44 years, 45-49 years) and rows for Colorado: All races, both sexes; Male; Female; White, both sexes; Male; Female; Black, both sexes; Male; Female; American Indian 1/, both sexes; Male; Female; Asian or Pacific Islander 2/, both sexes; Male; Female.

Connecticut

Table with 13 columns (Cause of death, All ages, Under 1 year, 1-4 years, 5-9 years, 10-14 years, 15-19 years, 20-24 years, 25-29 years, 30-34 years, 35-39 years, 40-44 years, 45-49 years) and rows for Connecticut: All races, both sexes; Male; Female; White, both sexes; Male; Female; Black, both sexes; Male; Female; American Indian 1/, both sexes; Male; Female; Asian or Pacific Islander 2/, both sexes; Male; Female.

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex 50-54 years 55-59 years 60-64 years 65-69 years 70-74 years 75-79 years 80-84 years 85-89 years 90-94 years 95-99 years 100 years and over Age not stated

Schizophrenia, schizotypal and delusional disorders (F20-F29)

Delaware

Table with 13 columns (Age groups) and rows for Delaware: All races, both sexes; Male; Female; White, both sexes; Male; Female; Black, both sexes; Male; Female; American Indian 1/, both sexes; Male; Female; Asian or Pacific Islander 2/, both sexes; Male; Female.

Dist. of Columbia

Table with 13 columns (Age groups) and rows for Dist. of Columbia: All races, both sexes; Male; Female; White, both sexes; Male; Female; Black, both sexes; Male; Female; American Indian 1/, both sexes; Male; Female; Asian or Pacific Islander 2/, both sexes; Male; Female.

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex 50-54 years 55-59 years 60-64 years 65-69 years 70-74 years 75-79 years 80-84 years 85-89 years 90-94 years 95-99 years 100 years and over Age not stated

Schizophrenia, schizotypal and delusional disorders (F20-F29)

Hawaii

Table with 13 columns (Age groups) and rows for Hawaii: All races, both sexes; Male; Female; White, both sexes; Male; Female; Black, both sexes; Male; Female; American Indian 1/, both sexes; Male; Female; Asian or Pacific Islander 2/, both sexes; Male; Female.

Idaho

Table with 13 columns (Age groups) and rows for Idaho: All races, both sexes; Male; Female; White, both sexes; Male; Female; Black, both sexes; Male; Female; American Indian 1/, both sexes; Male; Female; Asian or Pacific Islander 2/, both sexes; Male; Female.

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Schizophrenia, schizotypal and delusional disorders (F20-F29)

Maine

All races, both sexes.....	1	-	-	-	-	1	1	1	-	-	-	-
Male.....	1	-	-	-	-	1	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-
White, both sexes.....	1	-	-	-	-	1	1	1	-	-	-	-
Male.....	1	-	-	-	-	1	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Maryland

All races, both sexes.....	-	-	-	2	1	2	-	5	-	-	-	-
Male.....	-	-	-	2	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	2	-	5	-	-	-	-
White, both sexes.....	-	-	-	2	-	2	-	3	-	-	-	-
Male.....	-	-	-	2	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	2	-	3	-	-	-	-
Black, both sexes.....	-	-	-	-	1	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	1	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

All Under 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
ages 1 year years years years years years years years years years

Mood (affective) disorders (F30-F39)

Delaware

Table with 13 columns (All ages, Under 1 year, 1-4 years, 5-9 years, 10-14 years, 15-19 years, 20-24 years, 25-29 years, 30-34 years, 35-39 years, 40-44 years, 45-49 years) and rows for Delaware: All races, both sexes; Male; Female; White, both sexes; Male; Female; Black, both sexes; Male; Female; American Indian 1/, both sexes; Male; Female; Asian or Pacific Islander 2/, both sexes; Male; Female.

Dist. of Columbia

Table with 13 columns (All ages, Under 1 year, 1-4 years, 5-9 years, 10-14 years, 15-19 years, 20-24 years, 25-29 years, 30-34 years, 35-39 years, 40-44 years, 45-49 years) and rows for Dist. of Columbia: All races, both sexes; Male; Female; White, both sexes; Male; Female; Black, both sexes; Male; Female; American Indian 1/, both sexes; Male; Female; Asian or Pacific Islander 2/, both sexes; Male; Female.

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

All Under 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
ages 1 year years years years years years years years years years

Mood (affective) disorders (F30-F39)

Iowa

Table with 13 columns (Cause of death, All ages, Under 1 year, 1-4 years, 5-9 years, 10-14 years, 15-19 years, 20-24 years, 25-29 years, 30-34 years, 35-39 years, 40-44 years, 45-49 years) and rows for Iowa: All races, both sexes; Male; Female; White, both sexes; Male; Female; Black, both sexes; Male; Female; American Indian 1/, both sexes; Male; Female; Asian or Pacific Islander 2/, both sexes; Male; Female.

Kansas

Table with 13 columns (Cause of death, All ages, Under 1 year, 1-4 years, 5-9 years, 10-14 years, 15-19 years, 20-24 years, 25-29 years, 30-34 years, 35-39 years, 40-44 years, 45-49 years) and rows for Kansas: All races, both sexes; Male; Female; White, both sexes; Male; Female; Black, both sexes; Male; Female; American Indian 1/, both sexes; Male; Female; Asian or Pacific Islander 2/, both sexes; Male; Female.

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

All Under 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
ages 1 year years years years years years years years years years

Mood (affective) disorders (F30-F39)

Maine

Table with 13 columns (Cause of death, All ages, Under 1 year, 1-4 years, 5-9 years, 10-14 years, 15-19 years, 20-24 years, 25-29 years, 30-34 years, 35-39 years, 40-44 years, 45-49 years) and rows for Maine: All races, both sexes; Male; Female; White, both sexes; Male; Female; Black, both sexes; Male; Female; American Indian 1/, both sexes; Male; Female; Asian or Pacific Islander 2/, both sexes; Male; Female.

Maryland

Table with 13 columns (Cause of death, All ages, Under 1 year, 1-4 years, 5-9 years, 10-14 years, 15-19 years, 20-24 years, 25-29 years, 30-34 years, 35-39 years, 40-44 years, 45-49 years) and rows for Maryland: All races, both sexes; Male; Female; White, both sexes; Male; Female; Black, both sexes; Male; Female; American Indian 1/, both sexes; Male; Female; Asian or Pacific Islander 2/, both sexes; Male; Female.

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

All Under 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
ages 1 year years years years years years years years years years

Mood (affective) disorders (F30-F39)

Missouri

Table with 13 columns (All ages, Under 1 year, 1-4 years, 5-9 years, 10-14 years, 15-19 years, 20-24 years, 25-29 years, 30-34 years, 35-39 years, 40-44 years, 45-49 years) and rows for Missouri: All races, both sexes; Male; Female; White, both sexes; Male; Female; Black, both sexes; Male; Female; American Indian 1/, both sexes; Male; Female; Asian or Pacific Islander 2/, both sexes; Male; Female.

Montana

Table with 13 columns (All ages, Under 1 year, 1-4 years, 5-9 years, 10-14 years, 15-19 years, 20-24 years, 25-29 years, 30-34 years, 35-39 years, 40-44 years, 45-49 years) and rows for Montana: All races, both sexes; Male; Female; White, both sexes; Male; Female; Black, both sexes; Male; Female; American Indian 1/, both sexes; Male; Female; Asian or Pacific Islander 2/, both sexes; Male; Female.

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

All Under 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
ages 1 year years years years years years years years years years

Mood (affective) disorders (F30-F39)

Nebraska

Table with 13 columns (All ages, Under 1 year, 1-4 years, 5-9 years, 10-14 years, 15-19 years, 20-24 years, 25-29 years, 30-34 years, 35-39 years, 40-44 years, 45-49 years) and rows for Nebraska: All races, both sexes; Male; Female; White, both sexes; Male; Female; Black, both sexes; Male; Female; American Indian 1/, both sexes; Male; Female; Asian or Pacific Islander 2/, both sexes; Male; Female.

Nevada

Table with 13 columns (All ages, Under 1 year, 1-4 years, 5-9 years, 10-14 years, 15-19 years, 20-24 years, 25-29 years, 30-34 years, 35-39 years, 40-44 years, 45-49 years) and rows for Nevada: All races, both sexes; Male; Female; White, both sexes; Male; Female; Black, both sexes; Male; Female; American Indian 1/, both sexes; Male; Female; Asian or Pacific Islander 2/, both sexes; Male; Female.

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

All Under 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
ages 1 year years years years years years years years years years

Mood (affective) disorders (F30-F39)

Wisconsin

Table with 13 columns (All ages, Under 1 year, 1-4 years, 5-9 years, 10-14 years, 15-19 years, 20-24 years, 25-29 years, 30-34 years, 35-39 years, 40-44 years, 45-49 years) and rows for All races, White, Black, American Indian, and Asian or Pacific Islander, each split by sex.

Wyoming

Table with 13 columns (All ages, Under 1 year, 1-4 years, 5-9 years, 10-14 years, 15-19 years, 20-24 years, 25-29 years, 30-34 years, 35-39 years, 40-44 years, 45-49 years) and rows for All races, White, Black, American Indian, and Asian or Pacific Islander, each split by sex.

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Mood (affective) disorders (F30-F39)

Arkansas

All races, both sexes.....	-	-	-	-	1	-	1	-	-	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-
White, both sexes.....	-	-	-	-	1	-	1	-	-	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	1	1	2	1	2	9	7	6	6	1	-	-
Male.....	-	-	-	-	2	3	4	1	1	1	-	-
Female.....	1	1	2	1	-	6	3	5	5	-	-	-
White, both sexes.....	1	1	2	-	2	7	7	6	6	1	-	-
Male.....	-	-	-	-	2	3	4	1	1	1	-	-
Female.....	1	1	2	-	-	4	3	5	5	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	1	-	2	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	1	-	2	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100 years and over Age not stated

Mood (affective) disorders (F30-F39)

Florida

Table with 13 columns (Age groups) and rows for Florida: All races, both sexes; Male; Female; White, both sexes; Male; Female; Black, both sexes; Male; Female; American Indian 1/, both sexes; Male; Female; Asian or Pacific Islander 2/, both sexes; Male; Female.

Georgia

Table with 13 columns (Age groups) and rows for Georgia: All races, both sexes; Male; Female; White, both sexes; Male; Female; Black, both sexes; Male; Female; American Indian 1/, both sexes; Male; Female; Asian or Pacific Islander 2/, both sexes; Male; Female.

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100 years and over Age not stated

Mood (affective) disorders (F30-F39)

Missouri

Table with 13 columns (Age groups) and rows for Missouri: All races, both sexes; Male; Female; White, both sexes; Male; Female; Black, both sexes; Male; Female; American Indian 1/, both sexes; Male; Female; Asian or Pacific Islander 2/, both sexes; Male; Female.

Montana

Table with 13 columns (Age groups) and rows for Montana: All races, both sexes; Male; Female; White, both sexes; Male; Female; Black, both sexes; Male; Female; American Indian 1/, both sexes; Male; Female; Asian or Pacific Islander 2/, both sexes; Male; Female.

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex All ages Under 1 year 1-4 years 5-9 years 10-14 years 15-19 years 20-24 years 25-29 years 30-34 years 35-39 years 40-44 years 45-49 years

Neurotic, stress-related and somatoform disorders (F40-F48)

Hawaii

Table with 13 columns (Cause of death, All ages, Under 1 year, 1-4 years, 5-9 years, 10-14 years, 15-19 years, 20-24 years, 25-29 years, 30-34 years, 35-39 years, 40-44 years, 45-49 years) and rows for Hawaii: All races, both sexes; Male; Female; White, both sexes; Male; Female; Black, both sexes; Male; Female; American Indian 1/, both sexes; Male; Female; Asian or Pacific Islander 2/, both sexes; Male; Female.

Idaho

Table with 13 columns (Cause of death, All ages, Under 1 year, 1-4 years, 5-9 years, 10-14 years, 15-19 years, 20-24 years, 25-29 years, 30-34 years, 35-39 years, 40-44 years, 45-49 years) and rows for Idaho: All races, both sexes; Male; Female; White, both sexes; Male; Female; Black, both sexes; Male; Female; American Indian 1/, both sexes; Male; Female; Asian or Pacific Islander 2/, both sexes; Male; Female.

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

All ages Under 1 year 1-4 years 5-9 years 10-14 years 15-19 years 20-24 years 25-29 years 30-34 years 35-39 years 40-44 years 45-49 years

Neurotic, stress-related and somatoform disorders (F40-F48)

Minnesota

Table with 13 columns (Cause of death, All ages, Under 1 year, 1-4 years, 5-9 years, 10-14 years, 15-19 years, 20-24 years, 25-29 years, 30-34 years, 35-39 years, 40-44 years, 45-49 years) and rows for Minnesota categories: All races, both sexes; Male; Female; White, both sexes; Male; Female; Black, both sexes; Male; Female; American Indian 1/, both sexes; Male; Female; Asian or Pacific Islander 2/, both sexes; Male; Female.

Mississippi

Table with 13 columns (Cause of death, All ages, Under 1 year, 1-4 years, 5-9 years, 10-14 years, 15-19 years, 20-24 years, 25-29 years, 30-34 years, 35-39 years, 40-44 years, 45-49 years) and rows for Mississippi categories: All races, both sexes; Male; Female; White, both sexes; Male; Female; Black, both sexes; Male; Female; American Indian 1/, both sexes; Male; Female; Asian or Pacific Islander 2/, both sexes; Male; Female.

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

All ages Under 1 year 1-4 years 5-9 years 10-14 years 15-19 years 20-24 years 25-29 years 30-34 years 35-39 years 40-44 years 45-49 years

Neurotic, stress-related and somatoform disorders (F40-F48)

Oregon

Table with 13 columns (Cause of death, All ages, Under 1 year, 1-4 years, 5-9 years, 10-14 years, 15-19 years, 20-24 years, 25-29 years, 30-34 years, 35-39 years, 40-44 years, 45-49 years) and rows for Oregon: All races, both sexes; Male; Female; White, both sexes; Male; Female; Black, both sexes; Male; Female; American Indian 1/, both sexes; Male; Female; Asian or Pacific Islander 2/, both sexes; Male; Female.

Pennsylvania

Table with 13 columns (Cause of death, All ages, Under 1 year, 1-4 years, 5-9 years, 10-14 years, 15-19 years, 20-24 years, 25-29 years, 30-34 years, 35-39 years, 40-44 years, 45-49 years) and rows for Pennsylvania: All races, both sexes; Male; Female; White, both sexes; Male; Female; Black, both sexes; Male; Female; American Indian 1/, both sexes; Male; Female; Asian or Pacific Islander 2/, both sexes; Male; Female.

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

All ages Under 1 year 1-4 years 5-9 years 10-14 years 15-19 years 20-24 years 25-29 years 30-34 years 35-39 years 40-44 years 45-49 years

Neurotic, stress-related and somatoform disorders (F40-F48)

Rhode Island

Table with 13 columns (Cause of death, All ages, Under 1 year, 1-4 years, 5-9 years, 10-14 years, 15-19 years, 20-24 years, 25-29 years, 30-34 years, 35-39 years, 40-44 years, 45-49 years) and rows for Rhode Island: All races, both sexes; Male; Female; White, both sexes; Male; Female; Black, both sexes; Male; Female; American Indian 1/, both sexes; Male; Female; Asian or Pacific Islander 2/, both sexes; Male; Female.

South Carolina

Table with 13 columns (Cause of death, All ages, Under 1 year, 1-4 years, 5-9 years, 10-14 years, 15-19 years, 20-24 years, 25-29 years, 30-34 years, 35-39 years, 40-44 years, 45-49 years) and rows for South Carolina: All races, both sexes; Male; Female; White, both sexes; Male; Female; Black, both sexes; Male; Female; American Indian 1/, both sexes; Male; Female; Asian or Pacific Islander 2/, both sexes; Male; Female.

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

All ages Under 1 year 1-4 years 5-9 years 10-14 years 15-19 years 20-24 years 25-29 years 30-34 years 35-39 years 40-44 years 45-49 years

Neurotic, stress-related and somatoform disorders (F40-F48)

South Dakota

Table with 13 columns (Cause of death, All ages, Under 1 year, 1-4 years, 5-9 years, 10-14 years, 15-19 years, 20-24 years, 25-29 years, 30-34 years, 35-39 years, 40-44 years, 45-49 years) and rows for South Dakota: All races, both sexes; Male; Female; White, both sexes; Male; Female; Black, both sexes; Male; Female; American Indian 1/, both sexes; Male; Female; Asian or Pacific Islander 2/, both sexes; Male; Female.

Tennessee

Table with 13 columns (Cause of death, All ages, Under 1 year, 1-4 years, 5-9 years, 10-14 years, 15-19 years, 20-24 years, 25-29 years, 30-34 years, 35-39 years, 40-44 years, 45-49 years) and rows for Tennessee: All races, both sexes; Male; Female; White, both sexes; Male; Female; Black, both sexes; Male; Female; American Indian 1/, both sexes; Male; Female; Asian or Pacific Islander 2/, both sexes; Male; Female.

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

All ages Under 1 year 1-4 years 5-9 years 10-14 years 15-19 years 20-24 years 25-29 years 30-34 years 35-39 years 40-44 years 45-49 years

Neurotic, stress-related and somatoform disorders (F40-F48)

Texas

Table with 13 columns (Cause of death, All ages, Under 1 year, 1-4 years, 5-9 years, 10-14 years, 15-19 years, 20-24 years, 25-29 years, 30-34 years, 35-39 years, 40-44 years, 45-49 years) and rows for Texas: All races, both sexes; Male; Female; White, both sexes; Male; Female; Black, both sexes; Male; Female; American Indian 1/, both sexes; Male; Female; Asian or Pacific Islander 2/, both sexes; Male; Female.

Utah

Table with 13 columns (Cause of death, All ages, Under 1 year, 1-4 years, 5-9 years, 10-14 years, 15-19 years, 20-24 years, 25-29 years, 30-34 years, 35-39 years, 40-44 years, 45-49 years) and rows for Utah: All races, both sexes; Male; Female; White, both sexes; Male; Female; Black, both sexes; Male; Female; American Indian 1/, both sexes; Male; Female; Asian or Pacific Islander 2/, both sexes; Male; Female.

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

All ages Under 1 year 1-4 years 5-9 years 10-14 years 15-19 years 20-24 years 25-29 years 30-34 years 35-39 years 40-44 years 45-49 years

Neurotic, stress-related and somatoform disorders (F40-F48)

Washington

Table with 13 columns (Cause of death, All ages, Under 1 year, 1-4 years, 5-9 years, 10-14 years, 15-19 years, 20-24 years, 25-29 years, 30-34 years, 35-39 years, 40-44 years, 45-49 years) and rows for Washington: All races, both sexes; Male; Female; White, both sexes; Male; Female; Black, both sexes; Male; Female; American Indian 1/, both sexes; Male; Female; Asian or Pacific Islander 2/, both sexes; Male; Female.

West Virginia

Table with 13 columns (Cause of death, All ages, Under 1 year, 1-4 years, 5-9 years, 10-14 years, 15-19 years, 20-24 years, 25-29 years, 30-34 years, 35-39 years, 40-44 years, 45-49 years) and rows for West Virginia: All races, both sexes; Male; Female; White, both sexes; Male; Female; Black, both sexes; Male; Female; American Indian 1/, both sexes; Male; Female; Asian or Pacific Islander 2/, both sexes; Male; Female.

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

All ages Under 1 year 1-4 years 5-9 years 10-14 years 15-19 years 20-24 years 25-29 years 30-34 years 35-39 years 40-44 years 45-49 years

Neurotic, stress-related and somatoform disorders (F40-F48)

Wisconsin

Table with 13 columns (Cause of death, All ages, Under 1 year, 1-4 years, 5-9 years, 10-14 years, 15-19 years, 20-24 years, 25-29 years, 30-34 years, 35-39 years, 40-44 years, 45-49 years) and rows for Wisconsin categories: All races, both sexes; Male; Female; White, both sexes; Male; Female; Black, both sexes; Male; Female; American Indian 1/, both sexes; Male; Female; Asian or Pacific Islander 2/, both sexes; Male; Female.

Wyoming

Table with 13 columns (Cause of death, All ages, Under 1 year, 1-4 years, 5-9 years, 10-14 years, 15-19 years, 20-24 years, 25-29 years, 30-34 years, 35-39 years, 40-44 years, 45-49 years) and rows for Wyoming categories: All races, both sexes; Male; Female; White, both sexes; Male; Female; Black, both sexes; Male; Female; American Indian 1/, both sexes; Male; Female; Asian or Pacific Islander 2/, both sexes; Male; Female.

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex 50-54 years 55-59 years 60-64 years 65-69 years 70-74 years 75-79 years 80-84 years 85-89 years 90-94 years 95-99 years 100 years and over Age not stated

Neurotic, stress-related and somatoform disorders (F40-F48)

Alaska

Table with 13 columns (Age groups) and rows for Alaska: All races, both sexes; Male; Female; White, both sexes; Male; Female; Black, both sexes; Male; Female; American Indian 1/, both sexes; Male; Female; Asian or Pacific Islander 2/, both sexes; Male; Female.

Arizona

Table with 13 columns (Age groups) and rows for Arizona: All races, both sexes; Male; Female; White, both sexes; Male; Female; Black, both sexes; Male; Female; American Indian 1/, both sexes; Male; Female; Asian or Pacific Islander 2/, both sexes; Male; Female.

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex 50-54 years 55-59 years 60-64 years 65-69 years 70-74 years 75-79 years 80-84 years 85-89 years 90-94 years 95-99 years 100 years and over Age not stated

Neurotic, stress-related and somatoform disorders (F40-F48)

Delaware

Table with 13 columns (Age groups) and rows for Delaware: All races, both sexes; Male; Female; White, both sexes; Male; Female; Black, both sexes; Male; Female; American Indian 1/, both sexes; Male; Female; Asian or Pacific Islander 2/, both sexes; Male; Female.

Dist. of Columbia

Table with 13 columns (Age groups) and rows for Dist. of Columbia: All races, both sexes; Male; Female; White, both sexes; Male; Female; Black, both sexes; Male; Female; American Indian 1/, both sexes; Male; Female; Asian or Pacific Islander 2/, both sexes; Male; Female.

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex 50-54 years 55-59 years 60-64 years 65-69 years 70-74 years 75-79 years 80-84 years 85-89 years 90-94 years 95-99 years 100 years and over Age not stated

Neurotic, stress-related and somatoform disorders (F40-F48)

Hawaii

Table with 13 columns (Age groups) and rows for Hawaii: All races, both sexes; Male; Female; White, both sexes; Male; Female; Black, both sexes; Male; Female; American Indian 1/, both sexes; Male; Female; Asian or Pacific Islander 2/, both sexes; Male; Female.

Idaho

Table with 13 columns (Age groups) and rows for Idaho: All races, both sexes; Male; Female; White, both sexes; Male; Female; Black, both sexes; Male; Female; American Indian 1/, both sexes; Male; Female; Asian or Pacific Islander 2/, both sexes; Male; Female.

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex 50-54 years 55-59 years 60-64 years 65-69 years 70-74 years 75-79 years 80-84 years 85-89 years 90-94 years 95-99 years 100 years and over Age not stated

Neurotic, stress-related and somatoform disorders (F40-F48)

Maine

Table with 13 columns (Age groups) and rows for Maine: All races, both sexes; Male; Female; White, both sexes; Male; Female; Black, both sexes; Male; Female; American Indian 1/, both sexes; Male; Female; Asian or Pacific Islander 2/, both sexes; Male; Female.

Maryland

Table with 13 columns (Age groups) and rows for Maryland: All races, both sexes; Male; Female; White, both sexes; Male; Female; Black, both sexes; Male; Female; American Indian 1/, both sexes; Male; Female; Asian or Pacific Islander 2/, both sexes; Male; Female.

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex 50-54 years 55-59 years 60-64 years 65-69 years 70-74 years 75-79 years 80-84 years 85-89 years 90-94 years 95-99 years 100 years and over Age not stated

Neurotic, stress-related and somatoform disorders (F40-F48)

Massachusetts

Table with 13 columns (Age groups) and rows for Massachusetts: All races, both sexes; Male; Female; White, both sexes; Male; Female; Black, both sexes; Male; Female; American Indian 1/, both sexes; Male; Female; Asian or Pacific Islander 2/, both sexes; Male; Female.

Michigan

Table with 13 columns (Age groups) and rows for Michigan: All races, both sexes; Male; Female; White, both sexes; Male; Female; Black, both sexes; Male; Female; American Indian 1/, both sexes; Male; Female; Asian or Pacific Islander 2/, both sexes; Male; Female.

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex 50-54 years 55-59 years 60-64 years 65-69 years 70-74 years 75-79 years 80-84 years 85-89 years 90-94 years 95-99 years 100 years and over Age not stated

Neurotic, stress-related and somatoform disorders (F40-F48)

Missouri

Table with 13 columns: Cause of death, 50-54 years, 55-59 years, 60-64 years, 65-69 years, 70-74 years, 75-79 years, 80-84 years, 85-89 years, 90-94 years, 95-99 years, 100 years and over, Age not stated. Rows include All races, both sexes; Male; Female; White, both sexes; Male; Female; Black, both sexes; Male; Female; American Indian 1/, both sexes; Male; Female; Asian or Pacific Islander 2/, both sexes; Male; Female.

Montana

Table with 13 columns: Cause of death, 50-54 years, 55-59 years, 60-64 years, 65-69 years, 70-74 years, 75-79 years, 80-84 years, 85-89 years, 90-94 years, 95-99 years, 100 years and over, Age not stated. Rows include All races, both sexes; Male; Female; White, both sexes; Male; Female; Black, both sexes; Male; Female; American Indian 1/, both sexes; Male; Female; Asian or Pacific Islander 2/, both sexes; Male; Female.

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100 years and over Age not stated

Neurotic, stress-related and somatoform disorders (F40-F48)

North Carolina

Table with 13 columns (Age groups) and rows for North Carolina: All races, both sexes; Male; Female; White, both sexes; Male; Female; Black, both sexes; Male; Female; American Indian 1/, both sexes; Male; Female; Asian or Pacific Islander 2/, both sexes; Male; Female.

North Dakota

Table with 13 columns (Age groups) and rows for North Dakota: All races, both sexes; Male; Female; White, both sexes; Male; Female; Black, both sexes; Male; Female; American Indian 1/, both sexes; Male; Female; Asian or Pacific Islander 2/, both sexes; Male; Female.

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex 50-54 years 55-59 years 60-64 years 65-69 years 70-74 years 75-79 years 80-84 years 85-89 years 90-94 years 95-99 years 100 years and over Age not stated

Neurotic, stress-related and somatoform disorders (F40-F48)

Ohio

Table with 13 columns: Cause of death, 50-54 years, 55-59 years, 60-64 years, 65-69 years, 70-74 years, 75-79 years, 80-84 years, 85-89 years, 90-94 years, 95-99 years, 100 years and over, Age not stated. Rows include All races, both sexes; Male; Female; White, both sexes; Male; Female; Black, both sexes; Male; Female; American Indian 1/, both sexes; Male; Female; Asian or Pacific Islander 2/, both sexes; Male; Female.

Oklahoma

Table with 13 columns: Cause of death, 50-54 years, 55-59 years, 60-64 years, 65-69 years, 70-74 years, 75-79 years, 80-84 years, 85-89 years, 90-94 years, 95-99 years, 100 years and over, Age not stated. Rows include All races, both sexes; Male; Female; White, both sexes; Male; Female; Black, both sexes; Male; Female; American Indian 1/, both sexes; Male; Female; Asian or Pacific Islander 2/, both sexes; Male; Female.

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex 50-54 years 55-59 years 60-64 years 65-69 years 70-74 years 75-79 years 80-84 years 85-89 years 90-94 years 95-99 years 100 years and over Age not stated

Neurotic, stress-related and somatoform disorders (F40-F48)

Oregon

Table with 13 columns (Age groups) and rows for Oregon: All races, both sexes; Male; Female; White, both sexes; Male; Female; Black, both sexes; Male; Female; American Indian 1/, both sexes; Male; Female; Asian or Pacific Islander 2/, both sexes; Male; Female.

Pennsylvania

Table with 13 columns (Age groups) and rows for Pennsylvania: All races, both sexes; Male; Female; White, both sexes; Male; Female; Black, both sexes; Male; Female; American Indian 1/, both sexes; Male; Female; Asian or Pacific Islander 2/, both sexes; Male; Female.

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex 50-54 years 55-59 years 60-64 years 65-69 years 70-74 years 75-79 years 80-84 years 85-89 years 90-94 years 95-99 years 100 years and over Age not stated

Neurotic, stress-related and somatoform disorders (F40-F48)

South Dakota

Table with 13 columns (Age groups) and rows for South Dakota: All races, both sexes; Male; Female; White, both sexes; Male; Female; Black, both sexes; Male; Female; American Indian 1/, both sexes; Male; Female; Asian or Pacific Islander 2/, both sexes; Male; Female.

Tennessee

Table with 13 columns (Age groups) and rows for Tennessee: All races, both sexes; Male; Female; White, both sexes; Male; Female; Black, both sexes; Male; Female; American Indian 1/, both sexes; Male; Female; Asian or Pacific Islander 2/, both sexes; Male; Female.

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex 50-54 years 55-59 years 60-64 years 65-69 years 70-74 years 75-79 years 80-84 years 85-89 years 90-94 years 95-99 years 100 years and over Age not stated

Neurotic, stress-related and somatoform disorders (F40-F48)

Wisconsin

Table with 13 columns (Age groups) and rows for Wisconsin: All races, both sexes; Male; Female; White, both sexes; Male; Female; Black, both sexes; Male; Female; American Indian 1/, both sexes; Male; Female; Asian or Pacific Islander 2/, both sexes; Male; Female.

Wyoming

Table with 13 columns (Age groups) and rows for Wyoming: All races, both sexes; Male; Female; White, both sexes; Male; Female; Black, both sexes; Male; Female; American Indian 1/, both sexes; Male; Female; Asian or Pacific Islander 2/, both sexes; Male; Female.

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Mental retardation (F70-F79)

Arkansas

All races, both sexes.....	5	-	-	-	-	-	-	1	-	-	-	-
Male.....	3	-	-	-	-	-	-	1	-	-	-	-
Female.....	2	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	5	-	-	-	-	-	-	1	-	-	-	-
Male.....	3	-	-	-	-	-	-	1	-	-	-	-
Female.....	2	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	55	-	1	-	3	2	3	6	2	2	6	13
Male.....	28	-	1	-	2	1	1	3	1	-	2	10
Female.....	27	-	-	-	1	1	2	3	1	2	4	3
White, both sexes.....	45	-	-	-	3	2	1	5	1	2	5	10
Male.....	23	-	-	-	2	1	1	3	-	-	2	8
Female.....	22	-	-	-	1	1	-	2	1	2	3	2
Black, both sexes.....	8	-	-	-	-	-	2	-	1	-	1	3
Male.....	4	-	-	-	-	-	-	-	1	-	-	2
Female.....	4	-	-	-	-	-	2	-	-	-	1	1
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	1	-	-	-	-	1	-	-	-	-
Male.....	1	-	1	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

All Under 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
ages 1 year years years years years years years years years years

Mental retardation (F70-F79)

Iowa

Table with 13 columns (Cause of death, All ages, Under 1 year, 1-4 years, 5-9 years, 10-14 years, 15-19 years, 20-24 years, 25-29 years, 30-34 years, 35-39 years, 40-44 years, 45-49 years) and rows for Iowa: All races, both sexes; Male; Female; White, both sexes; Male; Female; Black, both sexes; Male; Female; American Indian 1/, both sexes; Male; Female; Asian or Pacific Islander 2/, both sexes; Male; Female.

Kansas

Table with 13 columns (Cause of death, All ages, Under 1 year, 1-4 years, 5-9 years, 10-14 years, 15-19 years, 20-24 years, 25-29 years, 30-34 years, 35-39 years, 40-44 years, 45-49 years) and rows for Kansas: All races, both sexes; Male; Female; White, both sexes; Male; Female; Black, both sexes; Male; Female; American Indian 1/, both sexes; Male; Female; Asian or Pacific Islander 2/, both sexes; Male; Female.

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex 50-54 years 55-59 years 60-64 years 65-69 years 70-74 years 75-79 years 80-84 years 85-89 years 90-94 years 95-99 years 100 years and over Age not stated

Mental retardation (F70-F79)

Delaware

Table with 13 columns (Age groups) and rows for Delaware: All races, both sexes; Male; Female; White, both sexes; Male; Female; Black, both sexes; Male; Female; American Indian 1/, both sexes; Male; Female; Asian or Pacific Islander 2/, both sexes; Male; Female.

Dist. of Columbia

Table with 13 columns (Age groups) and rows for Dist. of Columbia: All races, both sexes; Male; Female; White, both sexes; Male; Female; Black, both sexes; Male; Female; American Indian 1/, both sexes; Male; Female; Asian or Pacific Islander 2/, both sexes; Male; Female.

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Mental retardation (F70-F79)

New Hampshire

All races, both sexes.....	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	1	-	-	-	-	-	-	-	-	-
White, both sexes.....	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	1	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New Jersey

All races, both sexes.....	2	1	2	1	2	-	-	-	1	-	-	-
Male.....	1	-	1	1	-	-	-	-	-	-	-	-
Female.....	1	1	1	-	2	-	-	-	1	-	-	-
White, both sexes.....	2	1	2	1	1	-	-	-	1	-	-	-
Male.....	1	-	1	1	-	-	-	-	-	-	-	-
Female.....	1	1	1	-	1	-	-	-	1	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex 50-54 years 55-59 years 60-64 years 65-69 years 70-74 years 75-79 years 80-84 years 85-89 years 90-94 years 95-99 years 100 years and over Age not stated

Other and unspecified mental and behavioral disorders (F50-F69,F80-F99)

Missouri

Table with 13 columns (Age groups) and rows for Missouri: All races, both sexes; Male; Female; White, both sexes; Male; Female; Black, both sexes; Male; Female; American Indian 1/, both sexes; Male; Female; Asian or Pacific Islander 2/, both sexes; Male; Female.

Montana

Table with 13 columns (Age groups) and rows for Montana: All races, both sexes; Male; Female; White, both sexes; Male; Female; Black, both sexes; Male; Female; American Indian 1/, both sexes; Male; Female; Asian or Pacific Islander 2/, both sexes; Male; Female.

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

VI. Diseases of the nervous system (G00-G98)

Arkansas

All races, both sexes.....	1,334	5	3	1	3	3	6	7	7	8	14	30
Male.....	534	3	2	-	2	3	2	5	4	6	10	21
Female.....	800	2	1	1	1	-	4	2	3	2	4	9
White, both sexes.....	1,199	3	1	1	2	2	3	6	7	6	12	24
Male.....	485	2	1	-	2	2	2	4	4	4	8	17
Female.....	714	1	-	1	-	-	1	2	3	2	4	7
Black, both sexes.....	128	2	2	-	-	1	2	1	-	2	2	6
Male.....	47	1	1	-	-	1	-	1	-	2	2	4
Female.....	81	1	1	-	-	-	2	-	-	-	-	2
American Indian 1/, both sexes.....	3	-	-	-	-	-	1	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	4	-	-	-	1	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	3	-	-	-	1	-	-	-	-	-	-	-

California

All races, both sexes.....	13,002	50	22	21	30	52	68	42	50	83	93	120
Male.....	5,164	23	11	16	18	30	49	28	27	43	56	63
Female.....	7,838	27	11	5	12	22	19	14	23	40	37	57
White, both sexes.....	11,674	39	17	14	25	40	52	36	38	68	82	103
Male.....	4,571	17	9	9	15	24	38	25	20	33	52	53
Female.....	7,103	22	8	5	10	16	14	11	18	35	30	50
Black, both sexes.....	656	7	4	6	2	4	8	3	11	7	6	10
Male.....	280	3	1	6	1	1	7	1	6	5	3	6
Female.....	376	4	3	-	1	3	1	2	5	2	3	4
American Indian 1/, both sexes.....	40	-	-	-	-	1	1	2	-	-	2	3
Male.....	20	-	-	-	-	1	-	2	-	-	1	2
Female.....	20	-	-	-	-	-	1	-	-	-	1	1
Asian or Pacific Islander 2/, both sexes.....	632	4	1	1	3	7	7	1	1	8	3	4
Male.....	293	3	1	1	2	4	4	-	1	5	-	2
Female.....	339	1	-	-	1	3	3	1	-	3	3	2

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
VI. Diseases of the nervous system (G00-G98)												
Hawaii												
All races, both sexes.....	481	3	-	2	-	1	-	2	1	1	2	10
Male.....	222	1	-	2	-	1	-	2	1	1	1	8
Female.....	259	2	-	-	-	-	-	-	-	-	1	2
White, both sexes.....	136	-	-	-	-	-	-	1	-	-	-	4
Male.....	66	-	-	-	-	-	-	1	-	-	-	3
Female.....	70	-	-	-	-	-	-	-	-	-	-	1
Black, both sexes.....	3	-	-	-	-	-	-	-	-	-	-	1
Male.....	2	-	-	-	-	-	-	-	-	-	-	1
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	342	3	-	2	-	1	-	1	1	1	2	5
Male.....	154	1	-	2	-	1	-	1	1	1	1	4
Female.....	188	2	-	-	-	-	-	-	-	-	1	1
Idaho												
All races, both sexes.....	713	1	2	1	2	5	3	2	4	4	5	7
Male.....	311	1	1	-	2	3	2	1	-	1	3	3
Female.....	402	-	1	1	-	2	1	1	4	3	2	4
White, both sexes.....	699	1	1	1	2	4	2	2	3	3	5	6
Male.....	304	1	1	-	2	3	1	1	-	1	3	3
Female.....	395	-	-	1	-	1	1	1	3	2	2	3
Black, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	1
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	1
American Indian 1/, both sexes.....	4	-	1	-	-	-	1	-	-	-	-	-
Male.....	3	-	-	-	-	-	1	-	-	-	-	-
Female.....	1	-	1	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	9	-	-	-	-	1	-	-	1	1	-	-
Male.....	4	-	-	-	-	-	-	-	-	-	-	-
Female.....	5	-	-	-	-	1	-	-	1	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

VI. Diseases of the nervous system (G00-G98)

Massachusetts

All races, both sexes.....	2,918	10	6	4	2	2	10	6	8	18	17	48
Male.....	1,132	5	5	-	1	1	7	4	4	12	8	26
Female.....	1,786	5	1	4	1	1	3	2	4	6	9	22
White, both sexes.....	2,807	7	5	4	1	2	10	4	8	14	15	44
Male.....	1,087	3	4	-	1	1	7	3	4	10	8	24
Female.....	1,720	4	1	4	-	1	3	1	4	4	7	20
Black, both sexes.....	78	2	-	-	1	-	-	-	-	4	2	4
Male.....	33	2	-	-	-	-	-	-	-	2	-	2
Female.....	45	-	-	-	1	-	-	-	-	2	2	2
American Indian 1/, both sexes.....	3	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	30	1	1	-	-	-	-	2	-	-	-	-
Male.....	11	-	1	-	-	-	-	1	-	-	-	-
Female.....	19	1	-	-	-	-	-	1	-	-	-	-

Michigan

All races, both sexes.....	4,581	14	6	8	11	22	32	14	27	33	63	104
Male.....	1,867	7	5	7	9	14	24	8	14	24	38	64
Female.....	2,714	7	1	1	2	8	8	6	13	9	25	40
White, both sexes.....	4,172	8	5	4	6	15	27	10	19	21	49	82
Male.....	1,682	4	4	3	5	10	22	5	10	14	30	48
Female.....	2,490	4	1	1	1	5	5	5	9	7	19	34
Black, both sexes.....	383	6	1	4	5	7	4	4	6	10	14	22
Male.....	171	3	1	4	4	4	1	3	3	8	8	16
Female.....	212	3	-	-	1	3	3	1	3	2	6	6
American Indian 1/, both sexes.....	9	-	-	-	-	-	-	-	-	2	-	-
Male.....	6	-	-	-	-	-	-	-	-	2	-	-
Female.....	3	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	17	-	-	-	-	-	1	-	2	-	-	-
Male.....	8	-	-	-	-	-	1	-	1	-	-	-
Female.....	9	-	-	-	-	-	-	-	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
VI. Diseases of the nervous system (G00-G98)												
New Hampshire												
All races, both sexes.....	647	2	2	-	1	2	2	1	2	4	3	4
Male.....	236	2	2	-	1	1	1	1	1	2	3	4
Female.....	411	-	-	-	-	1	1	-	1	2	-	-
White, both sexes.....	645	2	2	-	1	2	2	1	2	4	3	4
Male.....	235	2	2	-	1	1	1	1	1	2	3	4
Female.....	410	-	-	-	-	1	1	-	1	2	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
New Jersey												
All races, both sexes.....	3,300	8	7	4	12	7	13	11	14	23	27	56
Male.....	1,288	6	3	1	7	6	8	6	6	7	14	27
Female.....	2,012	2	4	3	5	1	5	5	8	16	13	29
White, both sexes.....	2,968	6	3	4	8	4	11	8	11	13	18	37
Male.....	1,168	4	2	1	5	4	8	5	4	5	12	20
Female.....	1,800	2	1	3	3	-	3	3	7	8	6	17
Black, both sexes.....	284	1	3	-	1	2	2	1	2	10	9	17
Male.....	100	1	-	-	-	1	-	-	1	2	2	7
Female.....	184	-	3	-	1	1	2	1	1	8	7	10
American Indian 1/, both sexes.....	2	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	46	1	1	-	3	1	-	2	1	-	-	2
Male.....	20	1	1	-	2	1	-	1	1	-	-	-
Female.....	26	-	-	-	1	-	-	1	-	-	-	2

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
VI. Diseases of the nervous system (G00-G98)												
South Dakota												
All races, both sexes.....	515	1	-	-	4	2	-	3	-	1	4	5
Male.....	186	1	-	-	3	2	-	1	-	1	2	1
Female.....	329	-	-	-	1	-	-	2	-	-	2	4
White, both sexes.....	501	1	-	-	3	2	-	3	-	-	3	5
Male.....	178	1	-	-	2	2	-	1	-	-	1	1
Female.....	323	-	-	-	1	-	-	2	-	-	2	4
Black, both sexes.....	2	-	-	-	1	-	-	-	-	-	-	-
Male.....	2	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	12	-	-	-	-	-	-	-	-	1	1	-
Male.....	6	-	-	-	-	-	-	-	-	1	1	-
Female.....	6	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Tennessee												
All races, both sexes.....	3,356	10	8	3	6	8	6	11	15	27	42	35
Male.....	1,203	7	6	2	4	3	1	7	7	15	23	21
Female.....	2,153	3	2	1	2	5	5	4	8	12	19	14
White, both sexes.....	2,994	6	7	3	3	6	3	8	11	22	32	26
Male.....	1,077	3	5	2	2	1	-	6	6	12	18	17
Female.....	1,917	3	2	1	1	5	3	2	5	10	14	9
Black, both sexes.....	353	3	1	-	3	2	2	3	4	5	10	8
Male.....	123	3	1	-	2	2	1	1	1	3	5	3
Female.....	230	-	-	-	1	-	1	2	3	2	5	5
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	8	1	-	-	-	-	1	-	-	-	-	1
Male.....	2	1	-	-	-	-	-	-	-	-	-	1
Female.....	6	-	-	-	-	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
VI. Diseases of the nervous system (G00-G98)												
Vermont												
All races, both sexes.....	356	1	-	-	-	-	-	-	-	-	3	5
Male.....	134	1	-	-	-	-	-	-	-	-	1	1
Female.....	222	-	-	-	-	-	-	-	-	-	2	4
White, both sexes.....	354	1	-	-	-	-	-	-	-	-	3	5
Male.....	134	1	-	-	-	-	-	-	-	-	1	1
Female.....	220	-	-	-	-	-	-	-	-	-	2	4
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	-	-	-	-	-
Virginia												
All races, both sexes.....	3,005	5	8	6	7	10	11	6	9	22	30	51
Male.....	1,172	4	3	3	3	7	9	4	2	9	15	24
Female.....	1,833	1	5	3	4	3	2	2	7	13	15	27
White, both sexes.....	2,525	4	5	3	4	4	7	1	5	15	19	31
Male.....	986	3	3	1	2	3	6	1	-	7	11	13
Female.....	1,539	1	2	2	2	1	1	-	5	8	8	18
Black, both sexes.....	445	1	3	3	1	4	4	5	4	6	11	20
Male.....	172	1	-	2	1	2	3	3	2	2	4	11
Female.....	273	-	3	1	-	2	1	2	2	4	7	9
American Indian 1/, both sexes.....	4	-	-	-	-	-	-	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	4	-	-	-	-	-	-	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	31	-	-	-	2	2	-	-	-	-	-	-
Male.....	14	-	-	-	-	2	-	-	-	-	-	-
Female.....	17	-	-	-	2	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

VI. Diseases of the nervous system (G00-G98)

Alaska

All races, both sexes.....	13	10	5	6	8	19	21	22	15	3	1	-
Male.....	7	5	3	3	2	5	5	7	2	1	-	-
Female.....	6	5	2	3	6	14	16	15	13	2	1	-
White, both sexes.....	10	5	4	5	7	15	19	20	12	3	1	-
Male.....	6	3	3	3	1	4	5	6	1	1	-	-
Female.....	4	2	1	2	6	11	14	14	11	2	1	-
Black, both sexes.....	1	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	1	-	-	-	-
American Indian 1/, both sexes.....	2	3	1	1	1	3	2	1	3	-	-	-
Male.....	1	2	-	-	1	-	-	1	1	-	-	-
Female.....	1	1	1	1	-	3	2	-	2	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	2	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	2	-	-	-	-	-	-	-	-	-	-

Arizona

All races, both sexes.....	45	65	62	119	185	383	599	728	550	199	39	1
Male.....	26	40	35	58	99	192	243	265	161	36	6	-
Female.....	19	25	27	61	86	191	356	463	389	163	33	1
White, both sexes.....	42	64	58	106	174	372	580	711	536	193	36	1
Male.....	24	40	33	53	97	186	238	261	159	36	4	-
Female.....	18	24	25	53	77	186	342	450	377	157	32	1
Black, both sexes.....	1	1	4	2	4	4	9	10	8	5	2	-
Male.....	-	-	2	1	2	3	2	1	-	-	1	-
Female.....	1	1	2	1	2	1	7	9	8	5	1	-
American Indian 1/, both sexes.....	2	-	-	10	5	6	6	5	3	-	-	-
Male.....	2	-	-	3	-	3	1	2	1	-	-	-
Female.....	-	-	-	7	5	3	5	3	2	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	1	2	1	4	2	3	1	1	-
Male.....	-	-	-	1	-	-	2	1	1	-	1	-
Female.....	-	-	-	-	2	1	2	1	2	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

VI. Diseases of the nervous system (G00-G98)

Arkansas

All races, both sexes.....	25	39	41	57	104	150	266	298	185	71	11	-
Male.....	14	19	24	26	52	65	108	107	50	10	1	-
Female.....	11	20	17	31	52	85	158	191	135	61	10	-
White, both sexes.....	20	34	37	53	91	136	246	281	165	60	9	-
Male.....	12	18	21	25	43	59	104	102	46	8	1	-
Female.....	8	16	16	28	48	77	142	179	119	52	8	-
Black, both sexes.....	5	5	4	4	12	14	18	16	19	11	2	-
Male.....	2	1	3	1	8	6	3	5	4	2	-	-
Female.....	3	4	1	3	4	8	15	11	15	9	2	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	1	-	1	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	-	1	1	-	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	1	-	-	-	-

California

All races, both sexes.....	174	245	308	392	655	1,414	2,613	3,072	2,346	979	173	-
Male.....	109	127	158	209	341	708	1,135	1,199	620	177	17	-
Female.....	65	118	150	183	314	706	1,478	1,873	1,726	802	156	-
White, both sexes.....	144	218	262	338	561	1,256	2,359	2,846	2,154	867	155	-
Male.....	92	116	130	184	282	630	1,016	1,102	563	146	15	-
Female.....	52	102	132	154	279	626	1,343	1,744	1,591	721	140	-
Black, both sexes.....	17	13	23	33	52	94	120	84	85	56	11	-
Male.....	8	3	13	15	31	43	53	35	24	13	2	-
Female.....	9	10	10	18	21	51	67	49	61	43	9	-
American Indian 1/, both sexes.....	-	2	-	1	1	1	4	12	6	4	-	-
Male.....	-	2	-	-	1	1	2	6	2	-	-	-
Female.....	-	-	-	1	-	-	2	6	4	4	-	-
Asian or Pacific Islander 2/, both sexes.....	13	12	23	20	41	63	130	130	101	52	7	-
Male.....	9	6	15	10	27	34	64	56	31	18	-	-
Female.....	4	6	8	10	14	29	66	74	70	34	7	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

VI. Diseases of the nervous system (G00-G98)

Colorado

All races, both sexes.....	41	46	63	89	125	235	346	424	318	118	20	-
Male.....	18	30	41	44	69	120	148	166	78	15	2	-
Female.....	23	16	22	45	56	115	198	258	240	103	18	-
White, both sexes.....	38	43	62	88	119	227	333	413	310	109	19	-
Male.....	16	27	40	44	66	117	145	161	75	14	2	-
Female.....	22	16	22	44	53	110	188	252	235	95	17	-
Black, both sexes.....	3	3	-	1	4	7	9	6	6	5	1	-
Male.....	2	3	-	-	1	3	1	3	1	1	-	-
Female.....	1	-	-	1	3	4	8	3	5	4	1	-
American Indian 1/, both sexes.....	-	-	-	-	1	-	2	1	1	2	-	-
Male.....	-	-	-	-	1	-	1	1	1	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	2	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	-	1	1	2	4	1	2	-	-
Male.....	-	-	1	-	1	-	1	1	1	-	-	-
Female.....	-	-	-	-	-	1	1	3	-	2	-	-

Connecticut

All races, both sexes.....	17	31	41	49	78	135	279	316	251	113	12	-
Male.....	13	18	24	27	44	61	130	125	64	21	1	-
Female.....	4	13	17	22	34	74	149	191	187	92	11	-
White, both sexes.....	15	28	35	43	71	129	271	304	239	109	12	-
Male.....	12	16	22	24	41	57	128	120	63	20	1	-
Female.....	3	12	13	19	30	72	143	184	176	89	11	-
Black, both sexes.....	2	3	6	6	7	6	8	10	12	4	-	-
Male.....	1	2	2	3	3	4	2	4	1	1	-	-
Female.....	1	1	4	3	4	2	6	6	11	3	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	2	-	-	-	-
Male.....	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
VI. Diseases of the nervous system (G00-G98)												
Delaware												
All races, both sexes.....	4	8	11	13	28	48	61	77	57	18	5	-
Male.....	-	6	6	10	16	26	28	30	15	5	-	-
Female.....	4	2	5	3	12	22	33	47	42	13	5	-
White, both sexes.....	3	7	10	12	23	43	56	75	51	18	5	-
Male.....	-	6	5	10	12	23	26	30	13	5	-	-
Female.....	3	1	5	2	11	20	30	45	38	13	5	-
Black, both sexes.....	1	1	1	-	5	4	5	2	5	-	-	-
Male.....	-	-	1	-	4	3	2	-	2	-	-	-
Female.....	1	1	-	-	1	1	3	2	3	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	1	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	1	-	1	-	-	-	-	-	-
Dist. of Columbia												
All races, both sexes.....	5	3	3	9	13	11	28	50	42	24	9	-
Male.....	2	-	3	4	8	3	8	15	16	4	-	-
Female.....	3	3	-	5	5	8	20	35	26	20	9	-
White, both sexes.....	2	-	1	3	5	5	11	20	20	8	3	-
Male.....	-	-	1	1	3	1	5	10	10	3	-	-
Female.....	2	-	-	2	2	4	6	10	10	5	3	-
Black, both sexes.....	3	3	2	6	8	6	16	29	22	16	6	-
Male.....	2	-	2	3	5	2	2	5	6	1	-	-
Female.....	1	3	-	3	3	4	14	24	16	15	6	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	1	1	-	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

VI. Diseases of the nervous system (G00-G98)

Florida

All races, both sexes.....	126	162	241	272	511	1,108	1,755	2,084	1,454	591	124	-
Male.....	69	88	138	149	260	552	821	829	441	130	14	-
Female.....	57	74	103	123	251	556	934	1,255	1,013	461	110	-
White, both sexes.....	109	139	212	245	473	1,023	1,664	1,993	1,384	563	110	-
Male.....	60	77	125	133	241	528	785	803	427	127	13	-
Female.....	49	62	87	112	232	495	879	1,190	957	436	97	-
Black, both sexes.....	15	22	27	25	37	80	89	88	67	26	14	-
Male.....	9	11	11	15	18	22	35	25	14	2	1	-
Female.....	6	11	16	10	19	58	54	63	53	24	13	-
American Indian 1/, both sexes.....	1	-	1	-	-	-	-	-	-	-	-	-
Male.....	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	1	1	2	1	5	2	3	3	2	-	-
Male.....	-	-	1	1	1	2	1	1	-	1	-	-
Female.....	1	1	-	1	-	3	1	2	3	1	-	-

Georgia

All races, both sexes.....	69	94	114	133	214	367	615	667	430	185	32	-
Male.....	36	50	59	76	105	179	235	197	111	22	1	-
Female.....	33	44	55	57	109	188	380	470	319	163	31	-
White, both sexes.....	44	64	87	96	171	300	538	584	378	158	23	-
Male.....	23	35	47	59	85	155	214	171	100	19	-	-
Female.....	21	29	40	37	86	145	324	413	278	139	23	-
Black, both sexes.....	23	30	26	36	42	66	75	79	52	27	9	-
Male.....	12	15	12	16	20	23	20	24	11	3	1	-
Female.....	11	15	14	20	22	43	55	55	41	24	8	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	1	-	-	-	-
Male.....	1	-	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	1	1	1	1	2	3	-	-	-	-
Male.....	-	-	-	1	-	1	1	1	-	-	-	-
Female.....	1	-	1	-	1	-	1	2	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
VI. Diseases of the nervous system (G00-G98)												
Hawaii												
All races, both sexes.....	8	11	8	18	33	48	88	128	77	32	8	-
Male.....	6	7	4	8	17	24	37	59	32	9	2	-
Female.....	2	4	4	10	16	24	51	69	45	23	6	-
White, both sexes.....	4	4	1	5	13	14	27	34	18	7	4	-
Male.....	4	1	1	3	7	6	14	16	8	1	1	-
Female.....	-	3	-	2	6	8	13	18	10	6	3	-
Black, both sexes.....	-	-	-	1	-	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	1	-	-	-
Female.....	-	-	-	1	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	4	7	7	12	20	34	61	94	58	25	4	-
Male.....	2	6	3	5	10	18	23	43	23	8	1	-
Female.....	2	1	4	7	10	16	38	51	35	17	3	-
Idaho												
All races, both sexes.....	13	19	26	19	55	91	139	157	111	44	3	-
Male.....	6	12	14	13	26	44	59	59	48	13	-	-
Female.....	7	7	12	6	29	47	80	98	63	31	3	-
White, both sexes.....	13	19	26	19	53	91	138	156	107	44	3	-
Male.....	6	12	14	13	24	44	58	59	45	13	-	-
Female.....	7	7	12	6	29	47	80	97	62	31	3	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	1	-	-	-	1	-	-	-
Male.....	-	-	-	-	1	-	-	-	1	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	-	1	1	3	-	-	-
Male.....	-	-	-	-	1	-	1	-	2	-	-	-
Female.....	-	-	-	-	-	-	-	1	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
VI. Diseases of the nervous system (G00-G98)												
Illinois												
All races, both sexes.....	109	147	160	179	301	568	913	1,059	782	317	64	1
Male.....	48	60	69	97	156	273	379	363	198	61	8	1
Female.....	61	87	91	82	145	295	534	696	584	256	56	-
White, both sexes.....	84	110	121	159	256	507	832	980	721	286	53	-
Male.....	37	44	52	86	134	246	348	340	183	53	5	-
Female.....	47	66	69	73	122	261	484	640	538	233	48	-
Black, both sexes.....	24	35	35	20	41	56	73	74	60	28	11	1
Male.....	10	16	15	11	20	25	29	23	14	8	3	1
Female.....	14	19	20	9	21	31	44	51	46	20	8	-
American Indian 1/, both sexes.....	-	-	-	-	1	1	1	-	-	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	2	4	-	3	4	7	5	1	3	-	-
Male.....	1	-	2	-	1	2	2	-	1	-	-	-
Female.....	-	2	2	-	2	2	5	5	-	3	-	-
Indiana												
All races, both sexes.....	58	70	101	124	205	336	520	673	440	161	29	-
Male.....	30	31	54	61	100	150	217	235	120	25	3	-
Female.....	28	39	47	63	105	186	303	438	320	136	26	-
White, both sexes.....	52	66	95	115	191	323	503	641	424	154	26	-
Male.....	26	29	50	56	93	145	212	225	112	25	3	-
Female.....	26	37	45	59	98	178	291	416	312	129	23	-
Black, both sexes.....	6	4	6	9	14	11	17	32	15	7	3	-
Male.....	4	2	4	5	7	3	5	10	8	-	-	-
Female.....	2	2	2	4	7	8	12	22	7	7	3	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	2	-	-	1	-	-	-
Male.....	-	-	-	-	-	2	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

VI. Diseases of the nervous system (G00-G98)

Iowa

All races, both sexes.....	27	40	44	52	99	214	336	428	356	157	30	-
Male.....	16	24	26	31	49	98	124	154	90	31	2	-
Female.....	11	16	18	21	50	116	212	274	266	126	28	-
White, both sexes.....	26	39	44	52	95	211	333	423	354	157	30	-
Male.....	15	23	26	31	47	98	122	152	88	31	2	-
Female.....	11	16	18	21	48	113	211	271	266	126	28	-
Black, both sexes.....	-	1	-	-	3	3	3	4	2	-	-	-
Male.....	-	1	-	-	2	-	2	2	2	-	-	-
Female.....	-	-	-	-	1	3	1	2	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	1	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-

Kansas

All races, both sexes.....	32	54	32	56	77	177	284	320	257	96	18	-
Male.....	14	26	17	28	32	82	130	109	69	19	2	-
Female.....	18	28	15	28	45	95	154	211	188	77	16	-
White, both sexes.....	29	50	32	51	70	168	273	309	251	94	18	-
Male.....	12	24	17	26	30	80	125	105	66	19	2	-
Female.....	17	26	15	25	40	88	148	204	185	75	16	-
Black, both sexes.....	3	4	-	3	6	8	7	9	6	2	-	-
Male.....	2	2	-	1	2	2	4	3	3	-	-	-
Female.....	1	2	-	2	4	6	3	6	3	2	-	-
American Indian 1/, both sexes.....	-	-	-	-	1	1	1	1	-	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	1	1	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	2	-	-	3	1	-	-	-	-
Male.....	-	-	-	1	-	-	-	1	-	-	-	-
Female.....	-	-	-	1	-	-	3	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

VI. Diseases of the nervous system (G00-G98)

Kentucky

All races, both sexes.....	49	56	55	78	120	241	392	407	306	123	14	-
Male.....	33	34	31	47	64	99	151	135	75	17	2	-
Female.....	16	22	24	31	56	142	241	272	231	106	12	-
White, both sexes.....	44	49	52	75	111	231	377	397	297	116	13	-
Male.....	30	30	30	44	58	96	143	133	74	16	1	-
Female.....	14	19	22	31	53	135	234	264	223	100	12	-
Black, both sexes.....	5	7	3	3	9	7	14	10	9	7	1	-
Male.....	3	4	1	3	6	2	7	2	1	1	1	-
Female.....	2	3	2	-	3	5	7	8	8	6	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	3	1	-	-	-	-	-
Male.....	-	-	-	-	-	1	1	-	-	-	-	-
Female.....	-	-	-	-	-	2	-	-	-	-	-	-

Louisiana

All races, both sexes.....	57	43	63	93	120	282	439	443	301	100	23	-
Male.....	25	26	27	47	59	123	180	138	68	9	3	-
Female.....	32	17	36	46	61	159	259	305	233	91	20	-
White, both sexes.....	32	31	45	67	89	231	386	380	255	80	16	-
Male.....	16	17	19	35	42	102	160	120	61	9	1	-
Female.....	16	14	26	32	47	129	226	260	194	71	15	-
Black, both sexes.....	22	12	17	26	31	48	52	62	46	20	7	-
Male.....	7	9	7	12	17	21	20	17	7	-	2	-
Female.....	15	3	10	14	14	27	32	45	39	20	5	-
American Indian 1/, both sexes.....	1	-	1	-	-	-	1	1	-	-	-	-
Male.....	-	-	1	-	-	-	-	1	-	-	-	-
Female.....	1	-	-	-	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	-	3	-	-	-	-	-	-
Male.....	2	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	3	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

VI. Diseases of the nervous system (G00-G98)

Maine

All races, both sexes.....	9	16	21	16	58	106	146	175	131	48	10	-
Male.....	5	11	9	10	28	45	67	63	31	9	1	-
Female.....	4	5	12	6	30	61	79	112	100	39	9	-
White, both sexes.....	9	16	21	16	57	106	145	175	131	48	10	-
Male.....	5	11	9	10	28	45	67	63	31	9	1	-
Female.....	4	5	12	6	29	61	78	112	100	39	9	-
Black, both sexes.....	-	-	-	-	1	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	1	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Maryland

All races, both sexes.....	45	56	64	75	126	202	330	401	276	90	17	-
Male.....	27	35	32	39	67	103	152	143	64	24	1	-
Female.....	18	21	32	36	59	99	178	258	212	66	16	-
White, both sexes.....	33	41	43	49	94	172	274	348	227	71	9	-
Male.....	18	27	24	28	58	88	128	126	52	21	1	-
Female.....	15	14	19	21	36	84	146	222	175	50	8	-
Black, both sexes.....	12	15	21	25	31	28	51	50	46	18	8	-
Male.....	9	8	8	11	9	13	20	16	11	3	-	-
Female.....	3	7	13	14	22	15	31	34	35	15	8	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	1	1	2	4	3	3	1	-	-
Male.....	-	-	-	-	-	2	3	1	1	-	-	-
Female.....	-	-	-	1	1	-	1	2	2	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

VI. Diseases of the nervous system (G00-G98)

Massachusetts

All races, both sexes.....	49	76	95	99	157	320	569	719	462	194	46	1
Male.....	28	47	44	50	74	171	221	265	122	33	3	1
Female.....	21	29	51	49	83	149	348	454	340	161	43	-
White, both sexes.....	44	76	86	94	151	308	550	701	447	192	44	-
Male.....	27	47	40	49	72	163	212	259	117	33	3	-
Female.....	17	29	46	45	79	145	338	442	330	159	41	-
Black, both sexes.....	5	-	7	2	4	7	11	11	14	1	2	1
Male.....	1	-	2	1	1	5	6	5	5	-	-	1
Female.....	4	-	5	1	3	2	5	6	9	1	2	-
American Indian 1/, both sexes.....	-	-	1	1	-	1	-	-	-	-	-	-
Male.....	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	1	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	2	2	4	8	7	1	1	-	-
Male.....	-	-	1	-	1	3	3	1	-	-	-	-
Female.....	-	-	-	2	1	1	5	6	1	1	-	-

Michigan

All races, both sexes.....	118	146	151	190	300	555	847	934	666	290	50	-
Male.....	56	73	75	89	152	262	379	310	190	61	6	-
Female.....	62	73	76	101	148	293	468	624	476	229	44	-
White, both sexes.....	90	121	120	166	277	507	799	887	632	282	45	-
Male.....	43	61	59	83	141	243	359	297	175	61	5	-
Female.....	47	60	61	83	136	264	440	590	457	221	40	-
Black, both sexes.....	28	24	29	21	21	44	47	43	31	7	5	-
Male.....	13	11	14	5	10	17	20	12	13	-	1	-
Female.....	15	13	15	16	11	27	27	31	18	7	4	-
American Indian 1/, both sexes.....	-	-	-	1	1	1	-	2	2	-	-	-
Male.....	-	-	-	-	-	1	-	1	2	-	-	-
Female.....	-	-	-	1	1	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	2	2	1	3	1	2	1	1	-	-
Male.....	-	1	2	1	1	1	-	-	-	-	-	-
Female.....	-	-	-	1	-	2	1	2	1	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

VI. Diseases of the nervous system (G00-G98)

Nebraska

All races, both sexes.....	22	23	25	35	49	113	177	173	161	57	16	-
Male.....	9	14	13	16	25	55	77	56	47	7	-	-
Female.....	13	9	12	19	24	58	100	117	114	50	16	-
White, both sexes.....	20	23	23	34	46	110	174	169	159	55	16	-
Male.....	8	14	12	16	24	55	77	54	46	7	-	-
Female.....	12	9	11	18	22	55	97	115	113	48	16	-
Black, both sexes.....	2	-	2	1	1	1	2	4	2	2	-	-
Male.....	1	-	1	-	-	-	-	2	1	-	-	-
Female.....	1	-	1	1	1	1	2	2	1	2	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	2	1	1	-	-	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	1	1	-	-	-	-	-

Nevada

All races, both sexes.....	18	29	31	28	57	64	93	96	70	22	-	1
Male.....	10	17	19	17	37	32	46	41	22	5	-	1
Female.....	8	12	12	11	20	32	47	55	48	17	-	-
White, both sexes.....	14	26	26	27	49	60	87	85	67	20	-	1
Male.....	8	14	17	17	32	30	42	38	21	5	-	1
Female.....	6	12	9	10	17	30	45	47	46	15	-	-
Black, both sexes.....	3	2	3	1	6	2	3	6	1	2	-	-
Male.....	1	2	2	-	4	1	2	1	-	-	-	-
Female.....	2	-	1	1	2	1	1	5	1	2	-	-
American Indian 1/, both sexes.....	-	-	-	-	1	-	-	-	1	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	1	2	-	1	2	3	5	1	-	-	-
Male.....	1	1	-	-	-	1	2	2	1	-	-	-
Female.....	-	-	2	-	1	1	1	3	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

VI. Diseases of the nervous system (G00-G98)

New Hampshire

All races, both sexes.....	6	14	15	23	41	74	109	151	137	44	10	-
Male.....	1	9	11	9	18	34	49	55	24	6	2	-
Female.....	5	5	4	14	23	40	60	96	113	38	8	-
White, both sexes.....	6	14	15	23	41	73	109	151	136	44	10	-
Male.....	1	9	11	9	18	33	49	55	24	6	2	-
Female.....	5	5	4	14	23	40	60	96	112	38	8	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	-	-	1	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	1	-	-	-

New Jersey

All races, both sexes.....	60	90	83	116	200	368	619	763	553	228	38	-
Male.....	31	40	56	59	109	174	256	272	150	46	4	-
Female.....	29	50	27	57	91	194	363	491	403	182	34	-
White, both sexes.....	52	76	67	99	170	333	567	712	523	213	33	-
Male.....	27	34	48	51	97	156	238	256	144	43	4	-
Female.....	25	42	19	48	73	177	329	456	379	170	29	-
Black, both sexes.....	8	14	14	17	22	29	44	41	27	15	5	-
Male.....	4	6	7	8	9	15	15	14	5	3	-	-
Female.....	4	8	7	9	13	14	29	27	22	12	5	-
American Indian 1/, both sexes.....	-	-	-	-	1	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	2	-	7	5	8	10	3	-	-	-
Male.....	-	-	1	-	3	3	3	2	1	-	-	-
Female.....	-	-	1	-	4	2	5	8	2	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
VI. Diseases of the nervous system (G00-G98)												
New Mexico												
All races, both sexes.....	17	18	29	27	48	86	136	146	92	43	5	-
Male.....	9	9	14	13	27	41	63	57	32	9	1	-
Female.....	8	9	15	14	21	45	73	89	60	34	4	-
White, both sexes.....	13	18	28	25	43	84	131	141	88	41	4	-
Male.....	6	9	14	11	24	40	61	56	31	8	1	-
Female.....	7	9	14	14	19	44	70	85	57	33	3	-
Black, both sexes.....	-	-	-	-	-	-	1	-	1	1	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	1	1	-	-
American Indian 1/, both sexes.....	4	-	1	2	5	2	3	4	3	1	1	-
Male.....	3	-	-	2	3	1	1	1	1	1	-	-
Female.....	1	-	1	-	2	1	2	3	2	-	1	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	1	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	1	-	-	-	-
New York												
All races, both sexes.....	97	131	165	198	284	543	762	869	629	243	57	-
Male.....	55	57	90	104	136	272	345	322	162	44	5	-
Female.....	42	74	75	94	148	271	417	547	467	199	52	-
White, both sexes.....	84	111	149	167	258	489	722	822	598	225	48	-
Male.....	49	50	84	86	121	250	331	309	154	40	4	-
Female.....	35	61	65	81	137	239	391	513	444	185	44	-
Black, both sexes.....	13	18	14	25	22	43	34	40	28	13	9	-
Male.....	6	7	5	15	11	16	13	12	7	2	1	-
Female.....	7	11	9	10	11	27	21	28	21	11	8	-
American Indian 1/, both sexes.....	-	-	-	-	-	3	1	1	-	-	-	-
Male.....	-	-	-	-	-	2	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	1	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	2	2	6	4	8	5	6	3	5	-	-
Male.....	-	-	1	3	4	4	1	1	1	2	-	-
Female.....	-	2	1	3	-	4	4	5	2	3	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
VI. Diseases of the nervous system (G00-G98)												
Ohio												
All races, both sexes.....	117	158	162	255	383	703	1,190	1,340	976	358	68	-
Male.....	65	76	82	134	198	325	482	448	241	55	6	-
Female.....	52	82	80	121	185	378	708	892	735	303	62	-
White, both sexes.....	99	137	146	233	352	634	1,090	1,264	897	333	59	-
Male.....	54	68	74	123	180	292	433	426	222	53	6	-
Female.....	45	69	72	110	172	342	657	838	675	280	53	-
Black, both sexes.....	18	21	16	21	31	66	97	75	77	24	9	-
Male.....	11	8	8	11	18	31	48	22	18	2	-	-
Female.....	7	13	8	10	13	35	49	53	59	22	9	-
American Indian 1/, both sexes.....	-	-	-	1	-	1	1	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	1	-	1	1	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	2	2	1	1	1	-	-
Male.....	-	-	-	-	-	2	1	-	1	-	-	-
Female.....	-	-	-	-	-	-	1	1	-	1	-	-
Oklahoma												
All races, both sexes.....	40	45	48	70	132	203	331	329	223	76	15	-
Male.....	18	23	25	35	68	102	129	107	65	10	-	-
Female.....	22	22	23	35	64	101	202	222	158	66	15	-
White, both sexes.....	29	39	44	63	114	189	308	306	209	71	12	-
Male.....	13	21	23	31	56	95	120	97	59	10	-	-
Female.....	16	18	21	32	58	94	188	209	150	61	12	-
Black, both sexes.....	6	4	4	4	9	6	14	14	6	2	2	-
Male.....	2	2	2	1	6	2	4	6	3	-	-	-
Female.....	4	2	2	3	3	4	10	8	3	2	2	-
American Indian 1/, both sexes.....	5	2	-	3	9	8	9	9	8	2	1	-
Male.....	3	-	-	3	6	5	5	4	3	-	-	-
Female.....	2	2	-	-	3	3	4	5	5	2	1	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
VI. Diseases of the nervous system (G00-G98)												
Oregon												
All races, both sexes.....	55	48	63	66	99	230	382	496	347	129	18	-
Male.....	29	29	33	36	40	92	175	196	84	18	2	-
Female.....	26	19	30	30	59	138	207	300	263	111	16	-
White, both sexes.....	54	48	61	64	96	226	378	485	342	126	18	-
Male.....	29	29	33	35	38	91	174	192	84	18	2	-
Female.....	25	19	28	29	58	135	204	293	258	108	16	-
Black, both sexes.....	-	-	-	1	-	1	-	2	2	1	-	-
Male.....	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	1	-	1	-	1	2	1	-	-
American Indian 1/, both sexes.....	1	-	1	-	1	1	1	4	-	2	-	-
Male.....	-	-	-	-	-	1	1	3	-	-	-	-
Female.....	1	-	1	-	1	-	-	1	-	2	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	1	2	2	3	5	3	-	-	-
Male.....	-	-	-	1	2	-	-	-	-	-	-	-
Female.....	-	-	1	-	-	2	3	5	3	-	-	-
Pennsylvania												
All races, both sexes.....	123	159	196	234	406	720	1,271	1,430	1,027	393	72	-
Male.....	65	66	104	102	195	331	515	470	262	56	9	-
Female.....	58	93	92	132	211	389	756	960	765	337	63	-
White, both sexes.....	101	138	175	211	386	677	1,215	1,369	978	378	68	-
Male.....	54	58	92	91	187	313	491	450	254	53	9	-
Female.....	47	80	83	120	199	364	724	919	724	325	59	-
Black, both sexes.....	21	21	21	19	20	41	52	56	46	15	3	-
Male.....	10	8	12	9	8	17	22	16	6	3	-	-
Female.....	11	13	9	10	12	24	30	40	40	12	3	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	4	-	2	3	5	3	-	1	-
Male.....	1	-	-	2	-	1	1	4	2	-	-	-
Female.....	-	-	-	2	-	1	2	1	1	-	1	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
VI. Diseases of the nervous system (G00-G98)												
Rhode Island												
All races, both sexes.....	9	10	15	15	28	62	103	124	118	41	3	-
Male.....	6	5	6	7	12	36	50	49	27	2	1	-
Female.....	3	5	9	8	16	26	53	75	91	39	2	-
White, both sexes.....	9	10	15	14	27	61	103	122	116	40	3	-
Male.....	6	5	6	7	12	36	50	49	26	2	1	-
Female.....	3	5	9	7	15	25	53	73	90	38	2	-
Black, both sexes.....	-	-	-	1	-	1	-	1	2	1	-	-
Male.....	-	-	-	-	-	-	-	-	1	-	-	-
Female.....	-	-	-	1	-	1	-	1	1	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	1	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
South Carolina												
All races, both sexes.....	42	63	74	92	149	258	450	465	343	141	28	-
Male.....	29	30	41	49	78	116	178	130	76	14	1	-
Female.....	13	33	33	43	71	142	272	335	267	127	27	-
White, both sexes.....	21	39	56	76	121	199	369	401	289	123	21	-
Male.....	16	17	28	43	65	91	153	118	70	12	1	-
Female.....	5	22	28	33	56	108	216	283	219	111	20	-
Black, both sexes.....	21	24	18	16	28	58	80	64	52	18	7	-
Male.....	13	13	13	6	13	25	25	12	6	2	-	-
Female.....	8	11	5	10	15	33	55	52	46	16	7	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	1	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

VI. Diseases of the nervous system (G00-G98)

South Dakota

All races, both sexes.....	4	11	14	13	30	55	79	104	116	54	15	-
Male.....	2	7	6	5	17	31	37	30	29	11	-	-
Female.....	2	4	8	8	13	24	42	74	87	43	15	-
White, both sexes.....	3	8	13	13	29	53	78	103	115	54	15	-
Male.....	2	5	6	5	16	30	37	29	29	11	-	-
Female.....	1	3	7	8	13	23	41	74	86	43	15	-
Black, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	3	1	-	-	2	1	1	1	-	-	-
Male.....	-	2	-	-	-	1	-	1	-	-	-	-
Female.....	1	1	1	-	-	1	1	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Tennessee

All races, both sexes.....	61	59	91	137	201	412	623	825	555	187	34	-
Male.....	28	27	44	79	104	188	243	224	127	39	4	-
Female.....	33	32	47	58	97	224	380	601	428	148	30	-
White, both sexes.....	47	52	80	124	175	371	577	749	497	169	26	-
Male.....	21	24	40	73	91	170	225	206	119	32	4	-
Female.....	26	28	40	51	84	201	352	543	378	137	22	-
Black, both sexes.....	14	6	11	12	26	41	44	75	58	18	7	-
Male.....	7	3	4	6	13	18	17	18	8	7	-	-
Female.....	7	3	7	6	13	23	27	57	50	11	7	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	1	-	-	1	1	-	-	1	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	1	-	1	-	-	1	1	-	-	1	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

VI. Diseases of the nervous system (G00-G98)

Texas

All races, both sexes.....	185	226	254	332	579	1,064	1,614	1,813	1,229	498	91	-
Male.....	97	123	146	177	308	482	687	669	297	80	10	-
Female.....	88	103	108	155	271	582	927	1,144	932	418	81	-
White, both sexes.....	146	192	218	292	527	960	1,495	1,698	1,142	450	77	-
Male.....	79	104	123	153	281	439	645	638	283	74	8	-
Female.....	67	88	95	139	246	521	850	1,060	859	376	69	-
Black, both sexes.....	36	30	32	35	44	91	107	108	78	46	13	-
Male.....	16	16	20	21	25	39	37	29	12	5	2	-
Female.....	20	14	12	14	19	52	70	79	66	41	11	-
American Indian 1/, both sexes.....	-	-	2	-	-	-	3	1	2	1	-	-
Male.....	-	-	2	-	-	-	1	-	1	-	-	-
Female.....	-	-	-	-	-	-	2	1	1	1	-	-
Asian or Pacific Islander 2/, both sexes.....	3	4	2	5	8	13	9	6	7	1	1	-
Male.....	2	3	1	3	2	4	4	2	1	1	-	-
Female.....	1	1	1	2	6	9	5	4	6	-	1	-

Utah

All races, both sexes.....	26	28	32	40	51	106	152	160	91	34	6	-
Male.....	12	14	21	27	22	58	61	64	31	9	1	-
Female.....	14	14	11	13	29	48	91	96	60	25	5	-
White, both sexes.....	25	27	31	39	50	104	149	155	90	34	6	-
Male.....	11	13	20	26	21	57	60	62	31	9	1	-
Female.....	14	14	11	13	29	47	89	93	59	25	5	-
Black, both sexes.....	-	1	-	1	-	-	1	1	-	-	-	-
Male.....	-	1	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	1	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	1	2	-	1	-	-	-	-
Male.....	1	-	-	-	1	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	-	-	-	2	3	1	-	-	-
Male.....	-	-	1	-	-	-	1	2	-	-	-	-
Female.....	-	-	-	-	-	-	1	1	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

VI. Diseases of the nervous system (G00-G98)

Vermont

All races, both sexes.....	12	6	11	10	19	44	74	80	49	36	6	-
Male.....	4	3	5	4	8	20	36	32	14	5	-	-
Female.....	8	3	6	6	11	24	38	48	35	31	6	-
White, both sexes.....	12	6	10	10	18	44	74	80	49	36	6	-
Male.....	4	3	5	4	8	20	36	32	14	5	-	-
Female.....	8	3	5	6	10	24	38	48	35	31	6	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	1	-	1	-	-	-	-	-	-	-

Virginia

All races, both sexes.....	65	98	95	158	167	390	586	667	449	141	24	-
Male.....	32	54	50	76	84	186	252	234	96	24	1	-
Female.....	33	44	45	82	83	204	334	433	353	117	23	-
White, both sexes.....	38	79	75	130	136	332	505	591	394	127	20	-
Male.....	20	41	43	64	71	159	223	207	84	23	1	-
Female.....	18	38	32	66	65	173	282	384	310	104	19	-
Black, both sexes.....	27	19	17	25	27	51	76	72	51	14	4	-
Male.....	12	13	6	10	11	23	28	26	11	1	-	-
Female.....	15	6	11	15	16	28	48	46	40	13	4	-
American Indian 1/, both sexes.....	-	-	-	-	1	-	1	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	1	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	3	3	3	7	4	4	3	-	-	-
Male.....	-	-	1	2	2	4	1	1	1	-	-	-
Female.....	-	-	2	1	1	3	3	3	2	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Meningitis (G00,G03)												
Arkansas												
All races, both sexes.....	8	2	-	-	-	-	-	1	-	-	-	1
Male.....	5	-	-	-	-	-	-	1	-	-	-	1
Female.....	3	2	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	7	1	-	-	-	-	-	1	-	-	-	1
Male.....	5	-	-	-	-	-	-	1	-	-	-	1
Female.....	2	1	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	1	1	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	1	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
California												
All races, both sexes.....	79	7	1	2	1	1	5	1	1	10	4	6
Male.....	43	2	1	2	-	-	4	-	-	5	3	4
Female.....	36	5	-	-	1	1	1	1	1	5	1	2
White, both sexes.....	59	5	-	-	1	-	3	1	1	9	4	4
Male.....	33	1	-	-	-	-	3	-	-	4	3	3
Female.....	26	4	-	-	1	-	-	1	1	5	1	1
Black, both sexes.....	11	1	1	1	-	-	1	-	-	1	-	-
Male.....	6	-	1	1	-	-	1	-	-	1	-	-
Female.....	5	1	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	9	1	-	1	-	1	1	-	-	-	-	2
Male.....	4	1	-	1	-	-	-	-	-	-	-	1
Female.....	5	-	-	-	-	1	1	-	-	-	-	1

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

All Under 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
ages 1 year years years years years years years years years years

Meningitis (G00,G03)

Delaware

Table with 12 columns (All ages, Under 1 year, 1-4 years, 5-9 years, 10-14 years, 15-19 years, 20-24 years, 25-29 years, 30-34 years, 35-39 years, 40-44 years, 45-49 years) and rows for Delaware: All races, both sexes; Male; Female; White, both sexes; Male; Female; Black, both sexes; Male; Female; American Indian 1/, both sexes; Male; Female; Asian or Pacific Islander 2/, both sexes; Male; Female.

Dist. of Columbia

Table with 12 columns (All ages, Under 1 year, 1-4 years, 5-9 years, 10-14 years, 15-19 years, 20-24 years, 25-29 years, 30-34 years, 35-39 years, 40-44 years, 45-49 years) and rows for Dist. of Columbia: All races, both sexes; Male; Female; White, both sexes; Male; Female; Black, both sexes; Male; Female; American Indian 1/, both sexes; Male; Female; Asian or Pacific Islander 2/, both sexes; Male; Female.

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex 50-54 years 55-59 years 60-64 years 65-69 years 70-74 years 75-79 years 80-84 years 85-89 years 90-94 years 95-99 years 100 years and over Age not stated

Other inflammatory diseases of central nervous system (G04-G09)

Delaware

Table with 13 columns (Age groups) and rows for Delaware: All races, both sexes; Male; Female; White, both sexes; Male; Female; Black, both sexes; Male; Female; American Indian 1/, both sexes; Male; Female; Asian or Pacific Islander 2/, both sexes; Male; Female.

Dist. of Columbia

Table with 13 columns (Age groups) and rows for Dist. of Columbia: All races, both sexes; Male; Female; White, both sexes; Male; Female; Black, both sexes; Male; Female; American Indian 1/, both sexes; Male; Female; Asian or Pacific Islander 2/, both sexes; Male; Female.

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Parkinson's disease (G20-G21)												
Arkansas												
All races, both sexes.....	171	-	-	-	-	-	-	-	-	1	-	-
Male.....	101	-	-	-	-	-	-	-	-	1	-	-
Female.....	70	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	159	-	-	-	-	-	-	-	-	1	-	-
Male.....	95	-	-	-	-	-	-	-	-	1	-	-
Female.....	64	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	12	-	-	-	-	-	-	-	-	-	-	-
Male.....	6	-	-	-	-	-	-	-	-	-	-	-
Female.....	6	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
California												
All races, both sexes.....	1,992	-	-	-	-	-	-	-	-	2	-	1
Male.....	1,162	-	-	-	-	-	-	-	-	1	-	1
Female.....	830	-	-	-	-	-	-	-	-	1	-	-
White, both sexes.....	1,798	-	-	-	-	-	-	-	-	1	-	1
Male.....	1,037	-	-	-	-	-	-	-	-	1	-	1
Female.....	761	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	54	-	-	-	-	-	-	-	-	-	-	-
Male.....	37	-	-	-	-	-	-	-	-	-	-	-
Female.....	17	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	3	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	3	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	137	-	-	-	-	-	-	-	-	1	-	-
Male.....	88	-	-	-	-	-	-	-	-	-	-	-
Female.....	49	-	-	-	-	-	-	-	-	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Parkinson's disease (G20-G21)

Alaska

All races, both sexes.....	-	1	2	1	1	2	3	4	1	1	-	-
Male.....	-	-	1	-	-	-	1	2	-	-	-	-
Female.....	-	1	1	1	1	2	2	2	1	1	-	-
White, both sexes.....	-	1	1	1	1	1	3	3	1	1	-	-
Male.....	-	-	1	-	-	-	1	1	-	-	-	-
Female.....	-	1	-	1	1	1	2	2	1	1	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	1	-	-	1	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	1	-	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Arizona

All races, both sexes.....	1	2	9	22	44	88	120	105	53	11	2	-
Male.....	-	-	7	15	26	61	69	61	24	6	-	-
Female.....	1	2	2	7	18	27	51	44	29	5	2	-
White, both sexes.....	1	2	9	22	43	87	116	104	51	11	2	-
Male.....	-	-	7	15	26	60	67	60	24	6	-	-
Female.....	1	2	2	7	17	27	49	44	27	5	2	-
Black, both sexes.....	-	-	-	-	-	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	1	3	-	1	-	-	-
Male.....	-	-	-	-	-	1	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	2	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	-	1	1	-	-	-	-
Male.....	-	-	-	-	-	-	1	1	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Parkinson's disease (G20-G21)

Arkansas

All races, both sexes.....	-	1	6	5	20	24	53	41	14	6	-	-
Male.....	-	1	5	1	11	14	31	28	6	3	-	-
Female.....	-	-	1	4	9	10	22	13	8	3	-	-
White, both sexes.....	-	1	5	5	19	20	51	39	13	5	-	-
Male.....	-	1	4	1	10	12	31	27	5	3	-	-
Female.....	-	-	1	4	9	8	20	12	8	2	-	-
Black, both sexes.....	-	-	1	-	1	4	2	2	1	1	-	-
Male.....	-	-	1	-	1	2	-	1	1	-	-	-
Female.....	-	-	-	-	-	2	2	1	-	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	2	15	26	58	143	351	588	479	270	51	6	-
Male.....	2	8	15	38	96	226	351	269	134	19	2	-
Female.....	-	7	11	20	47	125	237	210	136	32	4	-
White, both sexes.....	2	14	20	53	125	312	533	443	246	44	4	-
Male.....	2	8	11	33	81	201	318	249	117	13	2	-
Female.....	-	6	9	20	44	111	215	194	129	31	2	-
Black, both sexes.....	-	-	4	1	4	14	15	5	8	2	1	-
Male.....	-	-	2	1	4	8	10	4	7	1	-	-
Female.....	-	-	2	-	-	6	5	1	1	1	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	3	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	3	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	2	4	14	25	40	28	16	5	1	-
Male.....	-	-	2	4	11	17	23	16	10	5	-	-
Female.....	-	1	-	-	3	8	17	12	6	-	1	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Parkinson's disease (G20-G21)

Florida

All races, both sexes.....	-	7	17	56	112	317	447	395	186	29	4	-
Male.....	-	3	10	39	66	212	286	227	99	15	-	-
Female.....	-	4	7	17	46	105	161	168	87	14	4	-
White, both sexes.....	-	6	17	51	108	301	432	381	182	29	4	-
Male.....	-	3	10	35	64	204	277	223	96	15	-	-
Female.....	-	3	7	16	44	97	155	158	86	14	4	-
Black, both sexes.....	-	1	-	3	4	16	15	13	4	-	-	-
Male.....	-	-	-	3	2	8	9	3	3	-	-	-
Female.....	-	1	-	-	2	8	6	10	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	2	-	-	-	1	-	-	-	-
Male.....	-	-	-	1	-	-	-	1	-	-	-	-
Female.....	-	-	-	1	-	-	-	-	-	-	-	-

Georgia

All races, both sexes.....	1	1	11	14	40	79	119	89	42	12	2	-
Male.....	1	1	7	10	26	48	69	49	21	2	-	-
Female.....	-	-	4	4	14	31	50	40	21	10	2	-
White, both sexes.....	1	1	9	13	29	70	107	82	40	9	1	-
Male.....	1	1	6	9	18	44	65	46	20	1	-	-
Female.....	-	-	3	4	11	26	42	36	20	8	1	-
Black, both sexes.....	-	-	2	1	11	8	11	7	2	3	1	-
Male.....	-	-	1	1	8	3	4	3	1	1	-	-
Female.....	-	-	1	-	3	5	7	4	1	2	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	1	-	-	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Parkinson's disease (G20-G21)

Hawaii

All races, both sexes.....	-	1	-	2	7	9	29	35	13	1	2	-
Male.....	-	-	-	2	4	4	14	22	8	1	-	-
Female.....	-	1	-	-	3	5	15	13	5	-	2	-
White, both sexes.....	-	-	-	1	3	1	4	5	1	1	1	-
Male.....	-	-	-	1	2	1	3	2	1	1	-	-
Female.....	-	-	-	-	1	-	1	3	-	-	1	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	1	4	8	25	30	12	-	1	-
Male.....	-	-	-	1	2	3	11	20	7	-	-	-
Female.....	-	1	-	-	2	5	14	10	5	-	1	-

Idaho

All races, both sexes.....	-	-	4	2	12	17	26	34	13	2	-	-
Male.....	-	-	1	2	7	9	14	21	9	2	-	-
Female.....	-	-	3	-	5	8	12	13	4	-	-	-
White, both sexes.....	-	-	4	2	12	17	26	33	13	2	-	-
Male.....	-	-	1	2	7	9	14	21	9	2	-	-
Female.....	-	-	3	-	5	8	12	12	4	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Parkinson's disease (G20-G21)

Massachusetts

All races, both sexes.....	-	4	8	17	30	75	121	130	62	17	-	-
Male.....	-	4	6	11	19	52	72	86	28	11	-	-
Female.....	-	-	2	6	11	23	49	44	34	6	-	-
White, both sexes.....	-	4	6	13	28	73	113	128	57	17	-	-
Male.....	-	4	5	10	18	50	67	84	27	11	-	-
Female.....	-	-	1	3	10	23	46	44	30	6	-	-
Black, both sexes.....	-	-	2	2	-	1	3	1	5	-	-	-
Male.....	-	-	1	1	-	1	2	1	1	-	-	-
Female.....	-	-	1	1	-	-	1	-	4	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	2	2	1	5	1	-	-	-	-
Male.....	-	-	-	-	1	1	3	1	-	-	-	-
Female.....	-	-	-	2	1	-	2	-	-	-	-	-

Michigan

All races, both sexes.....	2	1	9	29	58	141	211	192	90	17	4	-
Male.....	2	1	6	15	42	94	126	103	47	8	1	-
Female.....	-	-	3	14	16	47	85	89	43	9	3	-
White, both sexes.....	2	-	5	27	56	135	204	185	87	16	3	-
Male.....	2	-	2	15	41	89	123	98	44	8	1	-
Female.....	-	-	3	12	15	46	81	87	43	8	2	-
Black, both sexes.....	-	1	4	2	1	5	7	5	2	1	1	-
Male.....	-	1	4	-	-	4	3	4	2	-	-	-
Female.....	-	-	-	2	1	1	4	1	1	1	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	1	-	1	1	-	-	-
Male.....	-	-	-	-	-	1	-	1	1	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	-	-	1	-	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Parkinson's disease (G20-G21)

Nebraska

All races, both sexes.....	1	1	2	8	10	33	39	36	26	5	2	-
Male.....	-	1	-	6	8	19	22	13	12	2	-	-
Female.....	1	-	2	2	2	14	17	23	14	3	2	-
White, both sexes.....	1	1	1	8	9	33	38	36	26	5	2	-
Male.....	-	1	-	6	7	19	22	13	12	2	-	-
Female.....	1	-	1	2	2	14	16	23	14	3	2	-
Black, both sexes.....	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	1	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	-	1	-	-	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-

Nevada

All races, both sexes.....	-	-	5	4	13	22	23	17	10	3	-	1
Male.....	-	-	4	4	9	15	15	9	6	1	-	1
Female.....	-	-	1	-	4	7	8	8	4	2	-	-
White, both sexes.....	-	-	4	4	10	19	20	15	10	2	-	1
Male.....	-	-	3	4	8	13	14	8	6	1	-	1
Female.....	-	-	1	-	2	6	6	7	4	1	-	-
Black, both sexes.....	-	-	1	-	3	2	2	1	-	1	-	-
Male.....	-	-	1	-	1	1	1	-	-	-	-	-
Female.....	-	-	-	-	2	1	1	1	1	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	1	1	-	-	-	-
Male.....	-	-	-	-	-	1	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Parkinson's disease (G20-G21)

New Hampshire

All races, both sexes.....	-	-	1	2	8	18	21	19	15	1	-	-
Male.....	-	-	1	-	7	9	14	9	8	1	-	-
Female.....	-	-	-	2	1	9	7	10	7	-	-	-
White, both sexes.....	-	-	1	2	8	18	21	19	15	1	-	-
Male.....	-	-	1	-	7	9	14	9	8	1	-	-
Female.....	-	-	-	2	1	9	7	10	7	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New Jersey

All races, both sexes.....	1	3	3	12	45	101	170	173	71	20	2	-
Male.....	1	1	3	11	27	65	101	100	30	5	-	-
Female.....	-	2	-	1	18	36	69	73	41	15	2	-
White, both sexes.....	1	3	3	12	38	95	158	168	68	18	2	-
Male.....	1	1	3	11	23	62	93	97	29	5	-	-
Female.....	-	2	-	1	15	33	65	71	39	13	2	-
Black, both sexes.....	-	-	-	-	3	6	7	5	3	2	-	-
Male.....	-	-	-	-	2	3	5	3	1	-	-	-
Female.....	-	-	-	-	1	3	2	2	2	2	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	4	-	5	-	-	-	-	-
Male.....	-	-	-	-	2	-	3	-	-	-	-	-
Female.....	-	-	-	-	2	-	2	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Parkinson's disease (G20-G21)

New Mexico

All races, both sexes.....	-	3	1	3	11	29	51	40	20	2	2	-
Male.....	-	2	-	2	5	16	28	21	9	1	1	-
Female.....	-	1	1	1	6	13	23	19	11	1	1	-
White, both sexes.....	-	3	1	2	11	29	49	38	20	2	2	-
Male.....	-	2	-	1	5	16	27	20	9	1	1	-
Female.....	-	1	1	1	6	13	22	18	11	1	1	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	1	-	-	2	2	-	-	-	-
Male.....	-	-	-	1	-	-	1	1	-	-	-	-
Female.....	-	-	-	-	-	-	1	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New York

All races, both sexes.....	3	7	16	28	52	172	243	222	109	21	3	-
Male.....	2	3	11	17	32	110	140	111	48	5	3	-
Female.....	1	4	5	11	20	62	103	111	61	16	-	-
White, both sexes.....	3	5	14	23	45	157	234	215	106	17	2	-
Male.....	2	3	11	12	28	103	135	110	47	4	2	-
Female.....	1	2	3	11	17	54	99	105	59	13	-	-
Black, both sexes.....	-	1	1	5	7	12	7	6	3	1	1	-
Male.....	-	-	-	5	4	5	4	1	1	1	1	-
Female.....	-	1	1	-	3	7	3	5	2	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	1	-	-	3	2	1	-	3	-	-
Male.....	-	-	-	-	-	2	1	-	-	-	-	-
Female.....	-	1	1	-	-	1	1	1	-	3	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Parkinson's disease (G20-G21)												
Texas												
All races, both sexes.....	6	10	17	44	121	260	373	305	119	31	3	-
Male.....	4	7	12	37	75	145	208	174	52	12	-	-
Female.....	2	3	5	7	46	115	165	131	67	19	3	-
White, both sexes.....	5	9	15	36	113	244	355	291	117	30	3	-
Male.....	4	6	11	29	70	139	197	170	52	12	-	-
Female.....	1	3	4	7	43	105	158	121	65	18	3	-
Black, both sexes.....	-	-	2	7	5	10	16	11	2	1	-	-
Male.....	-	-	1	7	4	5	10	3	-	-	-	-
Female.....	-	-	1	-	1	5	6	8	2	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	1	-	1	3	6	2	2	-	-	-	-
Male.....	-	1	-	1	1	1	1	1	-	-	-	-
Female.....	1	-	-	-	2	5	1	1	-	-	-	-
Utah												
All races, both sexes.....	2	4	3	9	10	36	43	35	14	2	-	-
Male.....	-	2	3	7	4	23	26	22	8	1	-	-
Female.....	2	2	-	2	6	13	17	13	6	1	-	-
White, both sexes.....	2	4	3	9	9	36	41	32	14	2	-	-
Male.....	-	2	3	7	3	23	25	20	8	1	-	-
Female.....	2	2	-	2	6	13	16	12	6	1	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	1	-	-	1	-	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	2	2	-	-	-	-
Male.....	-	-	-	-	-	-	1	2	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Parkinson's disease (G20-G21)

Vermont

All races, both sexes.....	-	-	-	-	5	9	18	14	5	3	1	-
Male.....	-	-	-	-	4	4	10	7	5	1	-	-
Female.....	-	-	-	-	1	5	8	7	-	2	1	-
White, both sexes.....	-	-	-	-	5	9	18	14	5	3	1	-
Male.....	-	-	-	-	4	4	10	7	5	1	-	-
Female.....	-	-	-	-	1	5	8	7	-	2	1	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Virginia

All races, both sexes.....	1	1	7	23	38	88	144	119	42	10	-	-
Male.....	-	1	4	15	22	56	85	70	21	5	-	-
Female.....	1	-	3	8	16	32	59	49	21	5	-	-
White, both sexes.....	-	1	7	20	35	81	128	113	39	8	-	-
Male.....	-	1	4	12	21	49	78	67	19	5	-	-
Female.....	-	-	3	8	14	32	50	46	20	3	-	-
Black, both sexes.....	1	-	-	2	2	5	15	6	3	2	-	-
Male.....	-	-	-	2	-	5	7	3	2	-	-	-
Female.....	1	-	-	-	2	-	8	3	1	2	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	1	1	2	1	-	-	-	-	-
Male.....	-	-	-	1	1	2	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Alzheimer's disease (G30)

Alaska

All races, both sexes.....	-	-	1	1	3	10	18	16	14	1	1	-
Male.....	-	-	-	1	1	2	4	5	2	1	-	-
Female.....	-	-	1	-	2	8	14	11	12	-	1	-
White, both sexes.....	-	-	1	1	2	8	16	15	11	1	1	-
Male.....	-	-	-	1	-	2	4	5	1	1	-	-
Female.....	-	-	1	-	2	6	12	10	10	-	1	-
Black, both sexes.....	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	1	2	2	-	3	-	-	-
Male.....	-	-	-	-	1	-	-	-	1	-	-	-
Female.....	-	-	-	-	-	2	2	-	2	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Arizona

All races, both sexes.....	-	7	12	28	78	218	419	581	484	187	34	1
Male.....	-	4	3	12	41	88	138	185	131	30	5	-
Female.....	-	3	9	16	37	130	281	396	353	157	29	1
White, both sexes.....	-	7	12	25	74	210	407	565	473	181	31	1
Male.....	-	4	3	11	40	83	136	182	130	30	3	-
Female.....	-	3	9	14	34	127	271	383	343	151	28	1
Black, both sexes.....	-	-	-	-	2	4	7	10	7	5	2	-
Male.....	-	-	-	-	1	3	2	1	-	-	1	-
Female.....	-	-	-	-	1	1	5	9	7	5	1	-
American Indian 1/, both sexes.....	-	-	-	3	1	4	3	5	1	-	-	-
Male.....	-	-	-	1	-	2	-	2	-	-	-	-
Female.....	-	-	-	2	1	2	3	3	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	-	2	1	3	1	1	-
Male.....	-	-	-	-	-	-	-	-	1	-	1	-
Female.....	-	-	-	-	1	-	2	1	2	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Alzheimer's disease (G30)

Arkansas

All races, both sexes.....	1	2	7	16	54	93	177	240	160	64	10	-
Male.....	1	-	4	6	22	35	68	71	38	7	1	-
Female.....	-	2	3	10	32	58	109	169	122	57	9	-
White, both sexes.....	1	2	7	15	48	87	164	225	143	54	8	-
Male.....	1	-	4	6	18	34	65	67	36	5	1	-
Female.....	-	2	3	9	30	53	99	158	107	49	7	-
Black, both sexes.....	-	-	-	1	5	6	12	14	17	10	2	-
Male.....	-	-	-	-	3	1	2	4	2	2	-	-
Female.....	-	-	-	1	2	5	10	10	15	8	2	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	-	-	1	-	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-

California

All races, both sexes.....	6	27	51	102	259	778	1,778	2,428	1,992	911	164	-
Male.....	4	9	22	54	114	336	663	855	455	154	14	-
Female.....	2	18	29	48	145	442	1,115	1,573	1,537	757	150	-
White, both sexes.....	6	25	46	89	222	691	1,607	2,253	1,830	807	148	-
Male.....	4	7	18	48	97	297	589	783	418	129	12	-
Female.....	2	18	28	41	125	394	1,018	1,470	1,412	678	136	-
Black, both sexes.....	-	1	1	9	25	59	93	72	75	53	10	-
Male.....	-	1	1	3	12	26	36	29	17	12	2	-
Female.....	-	-	-	6	13	33	57	43	58	41	8	-
American Indian 1/, both sexes.....	-	-	-	-	-	1	4	9	6	4	-	-
Male.....	-	-	-	-	-	1	2	6	2	-	-	-
Female.....	-	-	-	-	-	-	2	3	4	4	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	4	4	12	27	74	94	81	47	6	-
Male.....	-	1	3	3	5	12	36	37	18	13	-	-
Female.....	-	-	1	1	7	15	38	57	63	34	6	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Alzheimer's disease (G30)

Colorado

All races, both sexes.....	-	1	8	11	40	117	223	319	267	103	20	-
Male.....	-	-	5	5	18	47	78	107	56	8	2	-
Female.....	-	1	3	6	22	70	145	212	211	95	18	-
White, both sexes.....	-	1	8	11	39	112	217	312	261	95	19	-
Male.....	-	-	5	5	18	45	76	103	55	8	2	-
Female.....	-	1	3	6	21	67	141	209	206	87	17	-
Black, both sexes.....	-	-	-	-	1	5	5	4	5	4	1	-
Male.....	-	-	-	-	-	2	1	2	-	-	-	-
Female.....	-	-	-	-	1	3	4	2	5	4	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	1	1	-	2	-	-
Male.....	-	-	-	-	-	-	1	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	2	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	2	1	2	-	-
Male.....	-	-	-	-	-	-	-	1	1	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	2	-	-

Connecticut

All races, both sexes.....	-	4	3	10	25	51	144	207	204	105	11	-
Male.....	-	3	3	4	15	21	53	63	46	19	1	-
Female.....	-	1	-	6	10	30	91	144	158	86	10	-
White, both sexes.....	-	4	3	10	22	49	139	200	196	102	11	-
Male.....	-	3	3	4	14	19	51	60	46	18	1	-
Female.....	-	1	-	6	8	30	88	140	150	84	10	-
Black, both sexes.....	-	-	-	-	3	2	5	6	8	3	-	-
Male.....	-	-	-	-	1	2	2	3	-	1	-	-
Female.....	-	-	-	-	2	-	3	3	8	2	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Alzheimer's disease (G30)

Delaware

All races, both sexes.....	-	-	2	4	10	20	38	58	49	15	5	-
Male.....	-	-	1	2	5	7	14	21	14	4	-	-
Female.....	-	-	1	2	5	13	24	37	35	11	5	-
White, both sexes.....	-	-	2	3	8	17	33	56	43	15	5	-
Male.....	-	-	1	2	3	6	12	21	12	4	-	-
Female.....	-	-	1	1	5	11	21	35	31	11	5	-
Black, both sexes.....	-	-	-	-	2	2	5	2	5	-	-	-
Male.....	-	-	-	-	2	1	2	-	2	-	-	-
Female.....	-	-	-	-	-	1	3	2	3	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	1	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	1	-	1	-	-	-	-	-	-

Dist. of Columbia

All races, both sexes.....	-	-	-	1	6	6	19	40	38	21	9	-
Male.....	-	-	-	-	4	1	5	10	13	3	-	-
Female.....	-	-	-	1	2	5	14	30	25	18	9	-
White, both sexes.....	-	-	-	-	1	4	8	14	18	6	3	-
Male.....	-	-	-	-	1	-	3	7	8	2	-	-
Female.....	-	-	-	-	-	4	5	7	10	4	3	-
Black, both sexes.....	-	-	-	1	5	2	10	25	20	15	6	-
Male.....	-	-	-	-	3	1	1	3	5	1	-	-
Female.....	-	-	-	1	2	1	9	22	15	14	6	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	1	1	-	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Alzheimer's disease (G30)

Florida

All races, both sexes.....	1	18	32	49	169	501	974	1,352	1,024	440	84	-
Male.....	1	8	16	21	85	194	367	456	267	86	11	-
Female.....	-	10	16	28	84	307	607	896	757	354	73	-
White, both sexes.....	1	17	29	46	153	455	917	1,290	974	419	76	-
Male.....	1	8	14	20	79	183	349	439	257	84	10	-
Female.....	-	9	15	26	74	272	568	851	717	335	66	-
Black, both sexes.....	-	1	2	3	16	43	56	60	49	19	8	-
Male.....	-	-	1	1	6	10	17	17	10	1	1	-
Female.....	-	1	1	2	10	33	39	43	39	18	7	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	-	-	3	1	2	1	2	-	-
Male.....	-	-	1	-	-	1	1	-	-	1	-	-
Female.....	-	-	-	-	-	2	-	2	1	1	-	-

Georgia

All races, both sexes.....	1	3	10	36	90	201	424	519	364	170	29	-
Male.....	-	2	3	18	38	79	131	130	82	20	1	-
Female.....	1	1	7	18	52	122	293	389	282	150	28	-
White, both sexes.....	1	3	9	26	75	161	372	455	319	148	22	-
Male.....	-	2	3	17	33	69	118	109	72	18	-	-
Female.....	1	1	6	9	42	92	254	346	247	130	22	-
Black, both sexes.....	-	-	1	10	14	40	51	60	45	22	7	-
Male.....	-	-	-	1	5	10	12	19	10	2	1	-
Female.....	-	-	1	9	9	30	39	41	35	20	6	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	-	1	3	-	-	-	-
Male.....	-	-	-	-	-	-	1	1	-	-	-	-
Female.....	-	-	-	-	1	-	-	2	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Alzheimer's disease (G30)

Hawaii

All races, both sexes.....	-	-	-	7	6	22	38	81	60	28	5	-
Male.....	-	-	-	2	3	10	12	33	22	8	2	-
Female.....	-	-	-	5	3	12	26	48	38	20	3	-
White, both sexes.....	-	-	-	3	3	9	18	26	17	5	3	-
Male.....	-	-	-	1	2	4	6	14	7	-	1	-
Female.....	-	-	-	2	1	5	12	12	10	5	2	-
Black, both sexes.....	-	-	-	-	-	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	1	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	4	3	13	20	55	42	23	2	-
Male.....	-	-	-	1	1	6	6	19	14	8	1	-
Female.....	-	-	-	3	2	7	14	36	28	15	1	-

Idaho

All races, both sexes.....	1	2	4	6	14	42	95	113	94	42	3	-
Male.....	-	2	3	4	7	17	36	33	36	11	-	-
Female.....	1	-	1	2	7	25	59	80	58	31	3	-
White, both sexes.....	1	2	4	6	13	42	94	113	90	42	3	-
Male.....	-	2	3	4	6	17	35	33	33	11	-	-
Female.....	1	-	1	2	7	25	59	80	57	31	3	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	1	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	-	1	-	3	-	-	-
Male.....	-	-	-	-	1	-	1	-	2	-	-	-
Female.....	-	-	-	-	-	-	-	-	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Alzheimer's disease (G30)

Illinois

All races, both sexes.....	3	10	26	35	97	276	544	759	647	274	60	-
Male.....	1	2	12	21	43	107	187	225	140	41	7	-
Female.....	2	8	14	14	54	169	357	534	507	233	53	-
White, both sexes.....	3	9	24	32	77	245	492	696	593	247	49	-
Male.....	1	2	12	21	31	96	167	209	128	35	4	-
Female.....	2	7	12	11	46	149	325	487	465	212	45	-
Black, both sexes.....	-	1	2	3	19	29	48	60	53	24	11	-
Male.....	-	-	-	-	11	10	19	16	11	6	3	-
Female.....	-	1	2	3	8	19	29	44	42	18	8	-
American Indian 1/, both sexes.....	-	-	-	-	1	1	1	-	-	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	3	3	1	3	-	-
Male.....	-	-	-	-	-	1	1	-	1	-	-	-
Female.....	-	-	-	-	-	-	2	3	-	3	-	-

Indiana

All races, both sexes.....	-	4	14	35	81	172	328	490	363	150	26	-
Male.....	-	1	8	9	29	60	107	147	86	22	3	-
Female.....	-	3	6	26	52	112	221	343	277	128	23	-
White, both sexes.....	-	4	14	34	70	166	313	466	348	143	23	-
Male.....	-	1	8	9	25	60	102	140	79	22	3	-
Female.....	-	3	6	25	45	106	211	326	269	121	20	-
Black, both sexes.....	-	-	-	1	11	6	15	24	14	7	3	-
Male.....	-	-	-	-	4	-	5	7	7	-	-	-
Female.....	-	-	-	1	7	6	10	17	7	7	3	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Alzheimer's disease (G30)												
Iowa												
All races, both sexes.....	1	2	6	16	41	111	221	322	306	147	29	-
Male.....	-	1	3	7	14	43	70	103	67	27	2	-
Female.....	1	1	3	9	27	68	151	219	239	120	27	-
White, both sexes.....	1	2	6	16	38	109	220	319	305	147	29	-
Male.....	-	1	3	7	13	43	70	102	66	27	2	-
Female.....	1	1	3	9	25	66	150	217	239	120	27	-
Black, both sexes.....	-	-	-	-	2	2	1	3	1	-	-	-
Male.....	-	-	-	-	1	-	-	1	1	-	-	-
Female.....	-	-	-	-	1	2	1	2	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Kansas												
All races, both sexes.....	-	4	1	11	33	86	175	233	213	86	17	-
Male.....	-	3	1	5	13	26	70	56	50	17	1	-
Female.....	-	1	-	6	20	60	105	177	163	69	16	-
White, both sexes.....	-	4	1	10	28	82	167	226	208	85	17	-
Male.....	-	3	1	5	11	26	66	54	47	17	1	-
Female.....	-	1	-	5	17	56	101	172	161	68	16	-
Black, both sexes.....	-	-	-	1	4	4	6	6	5	1	-	-
Male.....	-	-	-	-	2	-	3	2	3	-	-	-
Female.....	-	-	-	1	2	4	3	4	2	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	1	-	1	1	-	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Alzheimer's disease (G30)

Kentucky

All races, both sexes.....	1	5	4	20	52	135	272	323	264	109	12	-
Male.....	1	3	3	7	24	44	86	92	62	13	1	-
Female.....	-	2	1	13	28	91	186	231	202	96	11	-
White, both sexes.....	1	5	4	20	49	130	262	314	256	103	11	-
Male.....	1	3	3	7	22	43	82	90	61	12	-	-
Female.....	-	2	1	13	27	87	180	224	195	91	11	-
Black, both sexes.....	-	-	-	-	3	4	9	9	8	6	1	-
Male.....	-	-	-	-	2	1	3	2	1	1	1	-
Female.....	-	-	-	-	1	3	6	7	7	5	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-

Louisiana

All races, both sexes.....	1	2	11	29	55	182	309	355	265	94	20	-
Male.....	-	1	3	17	20	73	110	101	56	7	2	-
Female.....	1	1	8	12	35	109	199	254	209	87	18	-
White, both sexes.....	-	2	7	23	41	149	269	304	221	75	14	-
Male.....	-	1	1	13	13	60	96	87	49	7	-	-
Female.....	-	1	6	10	28	89	173	217	172	68	14	-
Black, both sexes.....	1	-	3	6	14	32	39	50	44	19	6	-
Male.....	-	-	1	4	7	13	14	13	7	-	2	-
Female.....	1	-	2	2	7	19	25	37	37	19	4	-
American Indian 1/, both sexes.....	-	-	1	-	-	-	1	1	-	-	-	-
Male.....	-	-	1	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Alzheimer's disease (G30)

Maine

All races, both sexes.....	-	2	8	1	23	54	92	129	109	45	7	-
Male.....	-	1	1	1	10	15	35	34	20	7	1	-
Female.....	-	1	7	-	13	39	57	95	89	38	6	-
White, both sexes.....	-	2	8	1	22	54	91	129	109	45	7	-
Male.....	-	1	1	1	10	15	35	34	20	7	1	-
Female.....	-	1	7	-	12	39	56	95	89	38	6	-
Black, both sexes.....	-	-	-	-	1	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	1	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Maryland

All races, both sexes.....	1	3	2	17	36	63	177	265	220	79	17	-
Male.....	1	3	-	6	17	32	60	80	45	20	1	-
Female.....	-	-	2	11	19	31	117	185	175	59	16	-
White, both sexes.....	1	2	2	14	27	49	147	228	180	61	9	-
Male.....	1	2	-	5	14	22	49	69	35	18	1	-
Female.....	-	-	2	9	13	27	98	159	145	43	8	-
Black, both sexes.....	-	1	-	3	9	14	30	35	37	17	8	-
Male.....	-	1	-	1	3	10	11	11	9	2	-	-
Female.....	-	-	-	2	6	4	19	24	28	15	8	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	2	3	1	-	-
Male.....	-	-	-	-	-	-	-	-	1	-	-	-
Female.....	-	-	-	-	-	-	-	2	2	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Alzheimer's disease (G30)

Massachusetts

All races, both sexes.....	4	14	12	21	51	139	341	519	374	170	46	1
Male.....	1	8	5	10	20	55	101	151	87	20	3	1
Female.....	3	6	7	11	31	84	240	368	287	150	43	-
White, both sexes.....	4	14	11	20	50	135	334	504	364	168	44	-
Male.....	1	8	4	10	20	54	98	147	83	20	3	-
Female.....	3	6	7	10	30	81	236	357	281	148	41	-
Black, both sexes.....	-	-	-	-	1	2	6	10	9	1	2	1
Male.....	-	-	-	-	-	1	3	4	4	-	-	1
Female.....	-	-	-	-	1	1	3	6	5	1	2	-
American Indian 1/, both sexes.....	-	-	1	1	-	1	-	-	-	-	-	-
Male.....	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	1	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	1	5	1	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	1	5	1	1	-	-

Michigan

All races, both sexes.....	3	7	19	31	105	252	511	658	540	259	45	-
Male.....	2	3	8	19	40	89	188	175	131	50	4	-
Female.....	1	4	11	12	65	163	323	483	409	209	41	-
White, both sexes.....	3	6	16	29	99	231	480	628	516	252	41	-
Male.....	2	2	8	19	37	85	177	172	121	50	3	-
Female.....	1	4	8	10	62	146	303	456	395	202	38	-
Black, both sexes.....	-	1	3	1	6	19	31	28	22	6	4	-
Male.....	-	1	-	-	3	4	11	3	9	-	1	-
Female.....	-	-	3	1	3	15	20	25	13	6	3	-
American Indian 1/, both sexes.....	-	-	-	1	-	-	-	1	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	1	-	-	-
Female.....	-	-	-	1	-	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	2	-	1	1	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	2	-	1	1	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Alzheimer's disease (G30)

Nebraska

All races, both sexes.....	1	1	3	12	14	54	108	123	130	52	14	-
Male.....	-	-	-	3	4	21	40	39	31	5	-	-
Female.....	1	1	3	9	10	33	68	84	99	47	14	-
White, both sexes.....	1	1	3	12	13	52	107	120	128	50	14	-
Male.....	-	-	-	3	4	21	40	38	30	5	-	-
Female.....	1	1	3	9	9	31	67	82	98	45	14	-
Black, both sexes.....	-	-	-	-	-	1	1	3	2	2	-	-
Male.....	-	-	-	-	-	-	-	1	1	-	-	-
Female.....	-	-	-	-	-	1	1	2	1	2	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	1	-	-	-	-	-	-

Nevada

All races, both sexes.....	-	-	1	6	18	22	56	69	57	19	-	-
Male.....	-	-	-	1	8	6	22	29	15	4	-	-
Female.....	-	-	1	5	10	16	34	40	42	15	-	-
White, both sexes.....	-	-	1	6	14	21	55	62	55	18	-	-
Male.....	-	-	-	1	5	6	21	27	14	4	-	-
Female.....	-	-	1	5	9	15	34	35	41	14	-	-
Black, both sexes.....	-	-	-	-	3	-	-	4	1	1	-	-
Male.....	-	-	-	-	3	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	3	1	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	1	1	3	1	-	-	-
Male.....	-	-	-	-	-	-	1	1	1	-	-	-
Female.....	-	-	-	-	1	1	-	2	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Alzheimer's disease (G30)												
New Hampshire												
All races, both sexes.....	2	1	2	4	18	36	75	113	115	42	10	-
Male.....	1	1	1	2	5	11	30	32	16	5	2	-
Female.....	1	-	1	2	13	25	45	81	99	37	8	-
White, both sexes.....	2	1	2	4	18	36	75	113	115	42	10	-
Male.....	1	1	1	2	5	11	30	32	16	5	2	-
Female.....	1	-	1	2	13	25	45	81	99	37	8	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
New Jersey												
All races, both sexes.....	1	6	11	22	62	158	342	530	455	201	34	-
Male.....	1	5	7	9	23	59	112	147	105	37	4	-
Female.....	-	1	4	13	39	99	230	383	350	164	30	-
White, both sexes.....	-	6	10	19	54	145	312	491	432	189	30	-
Male.....	-	5	7	8	22	51	104	138	102	34	4	-
Female.....	-	1	3	11	32	94	208	353	330	155	26	-
Black, both sexes.....	1	-	1	3	7	11	28	31	21	12	4	-
Male.....	1	-	-	1	1	7	8	8	3	3	-	-
Female.....	-	-	1	2	6	4	20	23	18	9	4	-
American Indian 1/, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	2	2	8	2	-	-	-
Male.....	-	-	-	-	-	1	-	1	-	-	-	-
Female.....	-	-	-	-	-	1	2	7	2	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Alzheimer's disease (G30)

New Mexico

All races, both sexes.....	1	2	3	4	13	35	65	88	67	41	3	-
Male.....	-	1	-	1	7	13	26	30	21	8	-	-
Female.....	1	1	3	3	6	22	39	58	46	33	3	-
White, both sexes.....	1	2	3	4	11	34	62	87	63	39	2	-
Male.....	-	1	-	1	6	12	25	30	20	7	-	-
Female.....	1	1	3	3	5	22	37	57	43	32	2	-
Black, both sexes.....	-	-	-	-	-	-	1	-	1	1	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	1	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	2	1	1	-	3	1	1	-
Male.....	-	-	-	-	1	1	-	-	1	1	-	-
Female.....	-	-	-	-	1	-	1	-	2	-	1	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	1	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	1	-	-	-	-

New York

All races, both sexes.....	2	5	15	33	73	204	366	536	495	214	53	-
Male.....	-	2	10	16	29	82	130	168	99	34	2	-
Female.....	2	3	5	17	44	122	236	368	396	180	51	-
White, both sexes.....	2	5	14	30	67	182	343	505	467	202	45	-
Male.....	-	2	10	15	27	74	122	158	92	32	2	-
Female.....	2	3	4	15	40	108	221	347	375	170	43	-
Black, both sexes.....	-	-	1	1	5	20	21	27	25	11	8	-
Male.....	-	-	-	1	1	6	8	9	6	1	-	-
Female.....	-	-	1	-	4	14	13	18	19	10	8	-
American Indian 1/, both sexes.....	-	-	-	-	-	1	1	-	-	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	2	1	1	1	4	3	1	-	-
Male.....	-	-	-	-	1	1	-	1	1	1	-	-
Female.....	-	-	-	2	-	-	1	3	2	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Alzheimer's disease (G30)

Ohio

All races, both sexes.....	3	8	21	59	149	372	766	1,055	842	330	64	-
Male.....	1	1	13	30	60	155	239	297	185	46	6	-
Female.....	2	7	8	29	89	217	527	758	657	284	58	-
White, both sexes.....	1	8	19	55	139	337	697	994	769	306	55	-
Male.....	1	1	12	27	54	138	214	282	169	44	6	-
Female.....	-	7	7	28	85	199	483	712	600	262	49	-
Black, both sexes.....	2	-	2	3	10	35	67	60	71	23	9	-
Male.....	-	-	1	3	6	17	25	15	15	2	-	-
Female.....	2	-	1	-	4	18	42	45	56	21	9	-
American Indian 1/, both sexes.....	-	-	-	1	-	-	1	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	1	-	-	1	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	1	1	1	1	-	-
Male.....	-	-	-	-	-	-	-	-	1	-	-	-
Female.....	-	-	-	-	-	-	1	1	-	1	-	-

Oklahoma

All races, both sexes.....	-	3	8	20	60	106	215	262	172	67	14	-
Male.....	-	1	4	4	21	39	60	77	45	5	-	-
Female.....	-	2	4	16	39	67	155	185	127	62	14	-
White, both sexes.....	-	3	8	18	54	101	197	245	164	62	12	-
Male.....	-	1	4	4	18	36	55	70	41	5	-	-
Female.....	-	2	4	14	36	65	142	175	123	57	12	-
Black, both sexes.....	-	-	-	2	5	2	11	12	4	2	1	-
Male.....	-	-	-	-	3	1	2	5	2	-	-	-
Female.....	-	-	-	2	2	1	9	7	2	2	1	-
American Indian 1/, both sexes.....	-	-	-	-	1	3	7	5	4	2	1	-
Male.....	-	-	-	-	-	2	3	2	2	-	-	-
Female.....	-	-	-	-	1	1	4	3	2	2	1	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Alzheimer's disease (G30)												
Oregon												
All races, both sexes.....	1	6	6	19	30	117	226	362	303	113	17	-
Male.....	-	4	2	11	6	38	78	128	67	11	2	-
Female.....	1	2	4	8	24	79	148	234	236	102	15	-
White, both sexes.....	1	6	6	18	30	114	224	353	298	110	17	-
Male.....	-	4	2	11	6	37	78	125	67	11	2	-
Female.....	1	2	4	7	24	77	146	228	231	99	15	-
Black, both sexes.....	-	-	-	1	-	-	-	2	2	1	-	-
Male.....	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	1	-	-	-	1	2	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	1	-	3	-	2	-	-
Male.....	-	-	-	-	-	1	-	2	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	2	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	2	2	4	3	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	2	2	4	3	-	-	-
Pennsylvania												
All races, both sexes.....	2	10	13	38	117	309	751	1,011	839	345	69	-
Male.....	1	6	5	8	45	114	225	263	183	45	8	-
Female.....	1	4	8	30	72	195	526	748	656	300	61	-
White, both sexes.....	2	10	13	37	115	292	720	968	804	333	65	-
Male.....	1	6	5	8	44	108	215	253	179	43	8	-
Female.....	1	4	8	29	71	184	505	715	625	290	57	-
Black, both sexes.....	-	-	-	1	2	16	28	41	34	12	3	-
Male.....	-	-	-	-	1	6	9	9	4	2	-	-
Female.....	-	-	-	1	1	10	19	32	30	10	3	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	2	2	1	-	1	-
Male.....	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	1	2	1	1	-	1	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Alzheimer's disease (G30)

Rhode Island

All races, both sexes.....	1	2	2	-	6	24	58	91	104	37	3	-
Male.....	1	1	1	-	-	8	22	29	21	1	1	-
Female.....	-	1	1	-	6	16	36	62	83	36	2	-
White, both sexes.....	1	2	2	-	6	23	58	89	102	36	3	-
Male.....	1	1	1	-	-	8	22	29	20	1	1	-
Female.....	-	1	1	-	6	15	36	60	82	35	2	-
Black, both sexes.....	-	-	-	-	-	1	-	1	2	1	-	-
Male.....	-	-	-	-	-	-	-	-	1	-	-	-
Female.....	-	-	-	-	-	1	-	1	1	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

South Carolina

All races, both sexes.....	-	-	13	25	51	154	324	380	291	132	26	-
Male.....	-	-	4	7	19	53	107	89	55	14	1	-
Female.....	-	-	9	18	32	101	217	291	236	118	25	-
White, both sexes.....	-	-	12	23	43	115	263	319	241	114	20	-
Male.....	-	-	4	7	17	40	93	79	52	12	1	-
Female.....	-	-	8	16	26	75	170	240	189	102	19	-
Black, both sexes.....	-	-	1	2	8	38	61	61	48	18	6	-
Male.....	-	-	-	-	2	13	14	10	3	2	-	-
Female.....	-	-	1	2	6	25	47	51	45	16	6	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Alzheimer's disease (G30)

South Dakota

All races, both sexes.....	1	1	2	1	15	27	48	88	96	52	15	-
Male.....	1	1	1	-	8	15	18	21	20	11	-	-
Female.....	-	-	1	1	7	12	30	67	76	41	15	-
White, both sexes.....	1	1	2	1	14	25	47	87	95	52	15	-
Male.....	1	1	1	-	7	14	18	20	20	11	-	-
Female.....	-	-	1	1	7	11	29	67	75	41	15	-
Black, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	2	1	1	1	-	-	-
Male.....	-	-	-	-	-	1	-	1	-	-	-	-
Female.....	-	-	-	-	-	1	1	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Tennessee

All races, both sexes.....	1	4	22	35	97	263	459	700	486	177	32	-
Male.....	1	1	7	16	42	103	160	174	100	37	2	-
Female.....	-	3	15	19	55	160	299	526	386	140	30	-
White, both sexes.....	1	4	21	33	84	239	426	632	436	161	24	-
Male.....	1	1	7	16	39	93	147	157	95	30	2	-
Female.....	-	3	14	17	45	146	279	475	341	131	22	-
Black, both sexes.....	-	-	1	2	13	24	32	67	50	16	7	-
Male.....	-	-	-	-	3	10	13	17	5	7	-	-
Female.....	-	-	1	2	10	14	19	50	45	9	7	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	1	1	-	-	1	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	1	-	-	1	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Alzheimer's disease (G30)

Texas

All races, both sexes.....	3	16	31	63	227	544	1,017	1,342	1,038	445	82	-
Male.....	1	7	12	25	98	206	367	426	223	61	9	-
Female.....	2	9	19	38	129	338	650	916	815	384	73	-
White, both sexes.....	3	15	29	57	204	498	936	1,257	963	400	69	-
Male.....	1	6	11	22	88	189	344	405	212	56	8	-
Female.....	2	9	18	35	116	309	592	852	751	344	61	-
Black, both sexes.....	-	1	1	6	23	43	77	82	67	44	12	-
Male.....	-	1	-	3	10	16	22	20	9	5	1	-
Female.....	-	-	1	3	13	27	55	62	58	39	11	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	2	-	2	1	-	-
Male.....	-	-	-	-	-	-	-	-	1	-	-	-
Female.....	-	-	-	-	-	-	2	-	1	1	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	-	-	3	2	3	6	-	1	-
Male.....	-	-	1	-	-	1	1	1	1	-	-	-
Female.....	-	-	-	-	-	2	1	2	5	-	1	-

Utah

All races, both sexes.....	-	2	6	8	15	47	93	110	74	32	5	-
Male.....	-	1	2	4	6	20	29	33	21	8	1	-
Female.....	-	1	4	4	9	27	64	77	53	24	4	-
White, both sexes.....	-	2	6	8	15	47	92	108	73	32	5	-
Male.....	-	1	2	4	6	20	29	33	21	8	1	-
Female.....	-	1	4	4	9	27	63	75	52	24	4	-
Black, both sexes.....	-	-	-	-	-	-	1	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	1	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	1	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Alzheimer's disease (G30)

Vermont

All races, both sexes.....	1	-	1	1	7	21	46	51	41	30	5	-
Male.....	-	-	-	-	2	9	20	14	7	3	-	-
Female.....	1	-	1	1	5	12	26	37	34	27	5	-
White, both sexes.....	1	-	1	1	6	21	46	51	41	30	5	-
Male.....	-	-	-	-	2	9	20	14	7	3	-	-
Female.....	1	-	1	1	4	12	26	37	34	27	5	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-

Virginia

All races, both sexes.....	3	5	10	27	56	215	351	495	389	128	24	-
Male.....	2	1	4	12	26	80	125	142	70	19	1	-
Female.....	1	4	6	15	30	135	226	353	319	109	23	-
White, both sexes.....	3	5	8	25	48	177	295	434	341	116	20	-
Male.....	2	1	4	12	22	67	109	123	62	18	1	-
Female.....	1	4	4	13	26	110	186	311	279	98	19	-
Black, both sexes.....	-	-	1	2	8	34	52	58	45	12	4	-
Male.....	-	-	-	-	4	11	15	19	8	1	-	-
Female.....	-	-	1	2	4	23	37	39	37	11	4	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	1	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	-	-	4	3	3	2	-	-	-
Male.....	-	-	-	-	-	2	1	-	-	-	-	-
Female.....	-	-	1	-	-	2	2	3	2	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Multiple sclerosis (G35)

Hawaii

All races, both sexes.....	1	-	-	-	-	1	-	-	-	-	-	-
Male.....	1	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	1	-	-	-	-	-	-
Male.....	1	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Idaho

All races, both sexes.....	29	-	-	-	-	-	-	1	3	1	1	1
Male.....	9	-	-	-	-	-	-	1	-	-	-	-
Female.....	20	-	-	-	-	-	-	-	3	1	1	1
White, both sexes.....	28	-	-	-	-	-	-	1	2	1	1	1
Male.....	9	-	-	-	-	-	-	1	-	-	-	-
Female.....	19	-	-	-	-	-	-	-	2	1	1	1
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	1	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Multiple sclerosis (G35)

Arkansas

All races, both sexes.....	1	5	1	5	2	3	5	-	-	-	-	-
Male.....	-	3	1	1	1	1	1	-	-	-	-	-
Female.....	1	2	-	4	1	2	4	-	-	-	-	-
White, both sexes.....	1	5	1	5	1	3	5	-	-	-	-	-
Male.....	-	3	1	1	-	1	1	-	-	-	-	-
Female.....	1	2	-	4	1	2	4	-	-	-	-	-
Black, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	35	36	44	34	32	25	19	9	2	-	-	-
Male.....	16	12	19	16	10	6	2	1	-	-	-	-
Female.....	19	24	25	18	22	19	17	8	2	-	-	-
White, both sexes.....	28	32	41	30	28	23	18	9	2	-	-	-
Male.....	14	11	17	14	8	6	2	1	-	-	-	-
Female.....	14	21	24	16	20	17	16	8	2	-	-	-
Black, both sexes.....	6	3	3	4	4	-	-	-	-	-	-	-
Male.....	2	-	2	2	2	-	-	-	-	-	-	-
Female.....	4	3	1	2	2	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	2	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	2	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Epilepsy (G40-G41)												
Arkansas												
All races, both sexes.....	24	1	-	-	-	-	2	3	2	1	3	3
Male.....	10	1	-	-	-	-	-	1	1	1	3	1
Female.....	14	-	-	-	-	-	2	2	1	-	-	2
White, both sexes.....	15	-	-	-	-	-	-	2	2	-	1	2
Male.....	5	-	-	-	-	-	-	-	1	-	1	1
Female.....	10	-	-	-	-	-	-	2	1	-	-	1
Black, both sexes.....	8	1	-	-	-	-	1	1	-	1	2	1
Male.....	5	1	-	-	-	-	-	1	-	1	2	-
Female.....	3	-	-	-	-	-	1	-	-	-	-	1
American Indian 1/, both sexes.....	1	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
California												
All races, both sexes.....	198	2	3	1	1	9	17	14	11	21	22	10
Male.....	113	-	2	1	-	5	10	8	8	13	14	2
Female.....	85	2	1	-	1	4	7	6	3	8	8	8
White, both sexes.....	145	2	2	1	1	7	11	10	8	14	19	7
Male.....	84	-	1	1	-	5	6	7	5	8	12	1
Female.....	61	2	1	-	1	2	5	3	3	6	7	6
Black, both sexes.....	31	-	-	-	-	2	3	2	3	5	1	1
Male.....	18	-	-	-	-	-	3	-	3	4	1	-
Female.....	13	-	-	-	-	2	-	2	-	1	-	1
American Indian 1/, both sexes.....	4	-	-	-	-	-	1	1	-	-	1	-
Male.....	3	-	-	-	-	-	-	1	-	-	1	-
Female.....	1	-	-	-	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	18	-	1	-	-	-	2	1	-	2	1	2
Male.....	8	-	1	-	-	-	1	-	-	1	-	1
Female.....	10	-	-	-	-	-	1	1	-	1	1	1

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Epilepsy (G40-G41)

Arkansas

All races, both sexes.....	1	3	1	1	-	2	-	-	1	-	-	-
Male.....	-	1	-	-	-	1	-	-	-	-	-	-
Female.....	1	2	1	1	-	1	-	-	1	-	-	-
White, both sexes.....	1	2	1	1	-	2	-	-	1	-	-	-
Male.....	-	1	-	-	-	1	-	-	-	-	-	-
Female.....	1	1	1	1	-	1	-	-	1	-	-	-
Black, both sexes.....	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	1	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	22	14	13	7	5	8	7	7	2	2	-	-
Male.....	18	9	7	4	2	3	4	2	-	1	-	-
Female.....	4	5	6	3	3	5	3	5	2	1	-	-
White, both sexes.....	19	9	10	3	2	7	5	5	1	2	-	-
Male.....	15	7	6	2	-	2	3	2	-	1	-	-
Female.....	4	2	4	1	2	5	2	3	1	1	-	-
Black, both sexes.....	2	2	1	3	2	1	2	-	1	-	-	-
Male.....	2	-	-	2	1	1	1	-	-	-	-	-
Female.....	-	2	1	1	1	-	1	-	1	-	-	-
American Indian 1/, both sexes.....	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	2	2	1	1	-	-	2	-	-	-	-
Male.....	1	1	1	-	1	-	-	-	-	-	-	-
Female.....	-	1	1	1	-	-	-	2	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

All ages Under 1 year 1-4 years 5-9 years 10-14 years 15-19 years 20-24 years 25-29 years 30-34 years 35-39 years 40-44 years 45-49 years

Transient cerebral ischemic attacks and related syndromes (G45)

Delaware

Table with 13 columns (Cause of death, All ages, Under 1 year, 1-4 years, 5-9 years, 10-14 years, 15-19 years, 20-24 years, 25-29 years, 30-34 years, 35-39 years, 40-44 years, 45-49 years) and rows for Delaware categories: All races, both sexes; Male; Female; White, both sexes; Male; Female; Black, both sexes; Male; Female; American Indian 1/, both sexes; Male; Female; Asian or Pacific Islander 2/, both sexes; Male; Female.

Dist. of Columbia

Table with 13 columns (Cause of death, All ages, Under 1 year, 1-4 years, 5-9 years, 10-14 years, 15-19 years, 20-24 years, 25-29 years, 30-34 years, 35-39 years, 40-44 years, 45-49 years) and rows for Dist. of Columbia categories: All races, both sexes; Male; Female; White, both sexes; Male; Female; Black, both sexes; Male; Female; American Indian 1/, both sexes; Male; Female; Asian or Pacific Islander 2/, both sexes; Male; Female.

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

All ages Under 1 year 1-4 years 5-9 years 10-14 years 15-19 years 20-24 years 25-29 years 30-34 years 35-39 years 40-44 years 45-49 years

Transient cerebral ischemic attacks and related syndromes (G45)

Illinois

Table with 13 columns (Cause of death, All ages, Under 1 year, 1-4 years, 5-9 years, 10-14 years, 15-19 years, 20-24 years, 25-29 years, 30-34 years, 35-39 years, 40-44 years, 45-49 years) and rows for Illinois: All races, both sexes; Male; Female; White, both sexes; Male; Female; Black, both sexes; Male; Female; American Indian 1/, both sexes; Male; Female; Asian or Pacific Islander 2/, both sexes; Male; Female.

Indiana

Table with 13 columns (Cause of death, All ages, Under 1 year, 1-4 years, 5-9 years, 10-14 years, 15-19 years, 20-24 years, 25-29 years, 30-34 years, 35-39 years, 40-44 years, 45-49 years) and rows for Indiana: All races, both sexes; Male; Female; White, both sexes; Male; Female; Black, both sexes; Male; Female; American Indian 1/, both sexes; Male; Female; Asian or Pacific Islander 2/, both sexes; Male; Female.

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

All Under 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
ages 1 year years years years years years years years years years

Transient cerebral ischemic attacks and related syndromes (G45)

Missouri

Table with 13 columns (Cause of death, All ages, Under 1 year, 1-4 years, 5-9 years, 10-14 years, 15-19 years, 20-24 years, 25-29 years, 30-34 years, 35-39 years, 40-44 years, 45-49 years) and rows for Missouri: All races, both sexes; Male; Female; White, both sexes; Male; Female; Black, both sexes; Male; Female; American Indian 1/, both sexes; Male; Female; Asian or Pacific Islander 2/, both sexes; Male; Female.

Montana

Table with 13 columns (Cause of death, All ages, Under 1 year, 1-4 years, 5-9 years, 10-14 years, 15-19 years, 20-24 years, 25-29 years, 30-34 years, 35-39 years, 40-44 years, 45-49 years) and rows for Montana: All races, both sexes; Male; Female; White, both sexes; Male; Female; Black, both sexes; Male; Female; American Indian 1/, both sexes; Male; Female; Asian or Pacific Islander 2/, both sexes; Male; Female.

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

All ages Under 1 year 1-4 years 5-9 years 10-14 years 15-19 years 20-24 years 25-29 years 30-34 years 35-39 years 40-44 years 45-49 years

Transient cerebral ischemic attacks and related syndromes (G45)

South Dakota

Table with 13 columns (Cause of death, All ages, Under 1 year, 1-4 years, 5-9 years, 10-14 years, 15-19 years, 20-24 years, 25-29 years, 30-34 years, 35-39 years, 40-44 years, 45-49 years) and rows for South Dakota: All races, both sexes; Male; Female; White, both sexes; Male; Female; Black, both sexes; Male; Female; American Indian 1/, both sexes; Male; Female; Asian or Pacific Islander 2/, both sexes; Male; Female.

Tennessee

Table with 13 columns (Cause of death, All ages, Under 1 year, 1-4 years, 5-9 years, 10-14 years, 15-19 years, 20-24 years, 25-29 years, 30-34 years, 35-39 years, 40-44 years, 45-49 years) and rows for Tennessee: All races, both sexes; Male; Female; White, both sexes; Male; Female; Black, both sexes; Male; Female; American Indian 1/, both sexes; Male; Female; Asian or Pacific Islander 2/, both sexes; Male; Female.

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Transient cerebral ischemic attacks and related syndromes (G45)

Arkansas

All races, both sexes.....	-	-	-	-	-	2	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	2	-	-	1	-	-	-
White, both sexes.....	-	-	-	-	-	2	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	2	-	-	1	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	-	1	-	-	-	-	1	2	2	1	-	-
Male.....	-	-	-	-	-	-	-	1	1	1	-	-
Female.....	-	1	-	-	-	-	1	1	1	-	-	-
White, both sexes.....	-	1	-	-	-	-	1	1	2	1	-	-
Male.....	-	-	-	-	-	-	-	1	1	1	-	-
Female.....	-	1	-	-	-	-	1	-	1	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex 50-54 years 55-59 years 60-64 years 65-69 years 70-74 years 75-79 years 80-84 years 85-89 years 90-94 years 95-99 years 100 years and over Age not stated

Transient cerebral ischemic attacks and related syndromes (G45)

Delaware

Table with 13 columns: Cause of death, 50-54 years, 55-59 years, 60-64 years, 65-69 years, 70-74 years, 75-79 years, 80-84 years, 85-89 years, 90-94 years, 95-99 years, 100 years and over, Age not stated. Rows include All races, both sexes; Male; Female; White, both sexes; Male; Female; Black, both sexes; Male; Female; American Indian 1/, both sexes; Male; Female; Asian or Pacific Islander 2/, both sexes; Male; Female.

Dist. of Columbia

Table with 13 columns: Cause of death, 50-54 years, 55-59 years, 60-64 years, 65-69 years, 70-74 years, 75-79 years, 80-84 years, 85-89 years, 90-94 years, 95-99 years, 100 years and over, Age not stated. Rows include All races, both sexes; Male; Female; White, both sexes; Male; Female; Black, both sexes; Male; Female; American Indian 1/, both sexes; Male; Female; Asian or Pacific Islander 2/, both sexes; Male; Female.

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex 50-54 years 55-59 years 60-64 years 65-69 years 70-74 years 75-79 years 80-84 years 85-89 years 90-94 years 95-99 years 100 years and over Age not stated

Transient cerebral ischemic attacks and related syndromes (G45)

Hawaii

Table with 13 columns (Age groups) and rows for Hawaii: All races, both sexes; Male; Female; White, both sexes; Male; Female; Black, both sexes; Male; Female; American Indian 1/, both sexes; Male; Female; Asian or Pacific Islander 2/, both sexes; Male; Female.

Idaho

Table with 13 columns (Age groups) and rows for Idaho: All races, both sexes; Male; Female; White, both sexes; Male; Female; Black, both sexes; Male; Female; American Indian 1/, both sexes; Male; Female; Asian or Pacific Islander 2/, both sexes; Male; Female.

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex 50-54 years 55-59 years 60-64 years 65-69 years 70-74 years 75-79 years 80-84 years 85-89 years 90-94 years 95-99 years 100 years and over Age not stated

Transient cerebral ischemic attacks and related syndromes (G45)

Nebraska

Table with 13 columns (Age groups) and rows for Nebraska: All races, both sexes; Male; Female; White, both sexes; Male; Female; Black, both sexes; Male; Female; American Indian 1/, both sexes; Male; Female; Asian or Pacific Islander 2/, both sexes; Male; Female.

Nevada

Table with 13 columns (Age groups) and rows for Nevada: All races, both sexes; Male; Female; White, both sexes; Male; Female; Black, both sexes; Male; Female; American Indian 1/, both sexes; Male; Female; Asian or Pacific Islander 2/, both sexes; Male; Female.

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Infantile cerebral palsy (G80)												
Arkansas												
All races, both sexes.....	12	-	-	1	-	2	-	-	2	-	-	1
Male.....	7	-	-	-	-	2	-	-	1	-	-	1
Female.....	5	-	-	1	-	-	-	-	1	-	-	-
White, both sexes.....	12	-	-	1	-	2	-	-	2	-	-	1
Male.....	7	-	-	-	-	2	-	-	1	-	-	1
Female.....	5	-	-	1	-	-	-	-	1	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
California												
All races, both sexes.....	169	3	4	5	15	16	25	13	13	13	12	7
Male.....	99	-	2	5	9	8	19	9	6	7	5	5
Female.....	70	3	2	-	6	8	6	4	7	6	7	2
White, both sexes.....	142	3	3	4	11	11	20	11	11	12	12	6
Male.....	81	-	2	4	7	5	15	7	5	7	5	4
Female.....	61	3	1	-	4	6	5	4	6	5	7	2
Black, both sexes.....	15	-	1	1	2	-	3	1	2	-	-	1
Male.....	11	-	-	1	1	-	3	1	1	-	-	1
Female.....	4	-	1	-	1	-	-	-	1	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	1	-	-	-	-
Male.....	1	-	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	11	-	-	-	2	5	2	-	-	1	-	-
Male.....	6	-	-	-	1	3	1	-	-	-	-	-
Female.....	5	-	-	-	1	2	1	-	-	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Infantile cerebral palsy (G80)												
Massachusetts												
All races, both sexes.....	15	-	-	1	1	-	3	1	-	-	2	1
Male.....	9	-	-	-	1	-	3	-	-	-	1	1
Female.....	6	-	-	1	-	-	-	1	-	-	1	-
White, both sexes.....	15	-	-	1	1	-	3	1	-	-	2	1
Male.....	9	-	-	-	1	-	3	-	-	-	1	1
Female.....	6	-	-	1	-	-	-	1	-	-	1	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Michigan												
All races, both sexes.....	71	-	1	5	6	8	12	5	5	5	2	3
Male.....	45	-	-	5	5	5	8	3	3	2	2	2
Female.....	26	-	1	-	1	3	4	2	2	3	-	1
White, both sexes.....	52	-	1	3	3	4	9	5	3	3	1	3
Male.....	32	-	-	3	2	2	7	3	2	1	1	2
Female.....	20	-	1	-	1	2	2	2	1	2	-	1
Black, both sexes.....	17	-	-	2	3	4	3	-	-	2	1	-
Male.....	12	-	-	2	3	3	1	-	-	1	1	-
Female.....	5	-	-	-	-	1	2	-	-	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	-	-	-	-	2	-	-	-
Male.....	1	-	-	-	-	-	-	-	1	-	-	-
Female.....	1	-	-	-	-	-	-	-	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Infantile cerebral palsy (G80)												
New Hampshire												
All races, both sexes.....	6	-	1	-	-	1	1	1	-	1	-	-
Male.....	2	-	1	-	-	-	-	1	-	-	-	-
Female.....	4	-	-	-	-	1	1	-	-	1	-	-
White, both sexes.....	6	-	1	-	-	1	1	1	-	1	-	-
Male.....	2	-	1	-	-	-	-	1	-	-	-	-
Female.....	4	-	-	-	-	1	1	-	-	1	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
New Jersey												
All races, both sexes.....	34	-	1	3	10	3	4	4	4	-	-	-
Male.....	19	-	-	1	5	3	1	2	3	-	-	-
Female.....	15	-	1	2	5	-	3	2	1	-	-	-
White, both sexes.....	24	-	-	3	7	1	2	4	3	-	-	-
Male.....	14	-	-	1	4	1	1	2	2	-	-	-
Female.....	10	-	-	2	3	-	1	2	1	-	-	-
Black, both sexes.....	7	-	1	-	1	1	2	-	1	-	-	-
Male.....	3	-	-	-	-	1	-	-	1	-	-	-
Female.....	4	-	1	-	1	-	2	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	-	-	-	2	1	-	-	-	-	-	-
Male.....	2	-	-	-	1	1	-	-	-	-	-	-
Female.....	1	-	-	-	1	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

All Under 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
ages 1 year years years years years years years years years years

Infantile cerebral palsy (G80)

South Dakota

Table with 13 columns (Cause of death, All ages, Under 1 year, 1-4 years, 5-9 years, 10-14 years, 15-19 years, 20-24 years, 25-29 years, 30-34 years, 35-39 years, 40-44 years, 45-49 years) and rows for South Dakota categories: All races, both sexes; Male; Female; White, both sexes; Male; Female; Black, both sexes; Male; Female; American Indian 1/, both sexes; Male; Female; Asian or Pacific Islander 2/, both sexes; Male; Female.

Tennessee

Table with 13 columns (Cause of death, All ages, Under 1 year, 1-4 years, 5-9 years, 10-14 years, 15-19 years, 20-24 years, 25-29 years, 30-34 years, 35-39 years, 40-44 years, 45-49 years) and rows for Tennessee categories: All races, both sexes; Male; Female; White, both sexes; Male; Female; Black, both sexes; Male; Female; American Indian 1/, both sexes; Male; Female; Asian or Pacific Islander 2/, both sexes; Male; Female.

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Infantile cerebral palsy (G80)												
Vermont												
All races, both sexes.....	1	-	-	-	-	-	-	-	-	-	1	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	1	-
White, both sexes.....	1	-	-	-	-	-	-	-	-	-	1	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	1	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Virginia												
All races, both sexes.....	37	-	2	3	5	3	1	2	2	2	3	4
Male.....	24	-	-	2	2	2	1	2	1	-	3	4
Female.....	13	-	2	1	3	1	-	-	1	2	-	-
White, both sexes.....	24	-	-	2	3	2	-	1	1	2	2	3
Male.....	15	-	-	1	1	1	-	1	-	-	2	3
Female.....	9	-	-	1	2	1	-	-	1	2	-	-
Black, both sexes.....	12	-	2	1	1	1	1	1	1	-	1	1
Male.....	9	-	-	1	1	1	1	1	1	-	1	1
Female.....	3	-	2	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	1	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

All other diseases of nervous system (G10-G12,G23-G25,G31,G36-G37,G43-G44,G47-G72,G81-G98)

Hawaii

All races, both sexes.....	117	3	-	1	-	-	-	-	-	1	2	7
Male.....	63	1	-	1	-	-	-	-	-	1	1	6
Female.....	54	2	-	-	-	-	-	-	-	-	1	1
White, both sexes.....	29	-	-	-	-	-	-	-	-	-	-	2
Male.....	17	-	-	-	-	-	-	-	-	-	-	2
Female.....	12	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	2	-	-	-	-	-	-	-	-	-	-	1
Male.....	1	-	-	-	-	-	-	-	-	-	-	1
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	86	3	-	1	-	-	-	-	-	1	2	4
Male.....	45	1	-	1	-	-	-	-	-	1	1	3
Female.....	41	2	-	-	-	-	-	-	-	-	1	1

Idaho

All races, both sexes.....	135	-	2	1	2	3	1	-	-	3	1	5
Male.....	71	-	1	-	2	1	1	-	-	1	-	2
Female.....	64	-	1	1	-	2	-	-	-	2	1	3
White, both sexes.....	129	-	1	1	2	2	-	-	-	2	1	4
Male.....	69	-	1	-	2	1	-	-	-	1	-	2
Female.....	60	-	-	1	-	1	-	-	-	1	1	2
Black, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	1
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	1
American Indian 1/, both sexes.....	3	-	1	-	-	-	1	-	-	-	-	-
Male.....	2	-	-	-	-	-	1	-	-	-	-	-
Female.....	1	-	1	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	-	1	-	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	1	-	-	-	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

All other diseases of nervous system (G10-G12,G23-G25,G31,G36-G37,G43-G44,G47-G72,G81-G98)

New Hampshire

All races, both sexes.....	109	2	1	-	-	1	1	-	2	2	1	3
Male.....	63	2	1	-	-	1	1	-	1	1	1	3
Female.....	46	-	-	-	-	-	-	-	1	1	-	-
White, both sexes.....	107	2	1	-	-	1	1	-	2	2	1	3
Male.....	62	2	1	-	-	1	1	-	1	1	1	3
Female.....	45	-	-	-	-	-	-	-	1	1	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-

New Jersey

All races, both sexes.....	673	7	6	1	2	3	6	5	7	15	16	35
Male.....	350	6	3	-	2	2	5	2	1	4	11	20
Female.....	323	1	3	1	-	1	1	3	6	11	5	15
White, both sexes.....	549	5	3	1	1	2	6	2	6	8	11	23
Male.....	296	4	2	-	1	2	5	1	1	3	10	14
Female.....	253	1	1	1	-	-	1	1	5	5	1	9
Black, both sexes.....	105	1	2	-	-	1	-	1	1	7	5	10
Male.....	44	1	-	-	-	-	-	-	-	1	1	6
Female.....	61	-	2	-	-	1	-	1	1	6	4	4
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	19	1	1	-	1	-	-	2	-	-	-	2
Male.....	10	1	1	-	1	-	-	1	-	-	-	-
Female.....	9	-	-	-	-	-	-	1	-	-	-	2

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

All other diseases of nervous system (G10-G12,G23-G25,G31,G36-G37,G43-G44,G47-G72,G81-G98)

South Dakota

All races, both sexes.....	79	1	-	-	1	2	-	3	-	1	2	3
Male.....	48	1	-	-	1	2	-	1	-	1	2	1
Female.....	31	-	-	-	-	-	-	2	-	-	-	2
White, both sexes.....	73	1	-	-	1	2	-	3	-	-	1	3
Male.....	44	1	-	-	1	2	-	1	-	-	1	1
Female.....	29	-	-	-	-	-	-	2	-	-	-	2
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	6	-	-	-	-	-	-	-	-	1	1	-
Male.....	4	-	-	-	-	-	-	-	-	1	1	-
Female.....	2	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Tennessee

All races, both sexes.....	531	9	7	1	2	2	4	6	9	18	25	19
Male.....	280	7	5	1	1	1	1	4	5	10	17	10
Female.....	251	2	2	-	1	1	3	2	4	8	8	9
White, both sexes.....	446	5	7	1	1	2	1	5	7	14	20	13
Male.....	239	3	5	1	1	1	-	4	4	7	14	7
Female.....	207	2	2	-	-	1	1	1	3	7	6	6
Black, both sexes.....	81	3	-	-	1	-	2	1	2	4	5	5
Male.....	39	3	-	-	-	-	1	-	1	3	3	2
Female.....	42	-	-	-	1	-	1	1	1	1	2	3
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	4	1	-	-	-	-	1	-	-	-	-	1
Male.....	2	1	-	-	-	-	-	-	-	-	-	1
Female.....	2	-	-	-	-	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

All other diseases of nervous system (G10-G12,G23-G25,G31,G36-G37,G43-G44,G47-G72,G81-G98)

Vermont

All races, both sexes.....	71	-	-	-	-	-	-	-	-	-	1	3
Male.....	40	-	-	-	-	-	-	-	-	-	1	1
Female.....	31	-	-	-	-	-	-	-	-	-	-	2
White, both sexes.....	71	-	-	-	-	-	-	-	-	-	1	3
Male.....	40	-	-	-	-	-	-	-	-	-	1	1
Female.....	31	-	-	-	-	-	-	-	-	-	-	2
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Virginia

All races, both sexes.....	619	2	5	3	1	4	7	2	3	11	19	31
Male.....	320	1	2	1	-	3	5	1	1	5	10	15
Female.....	299	1	3	2	1	1	2	1	2	6	9	16
White, both sexes.....	473	1	4	1	-	1	4	-	2	8	13	18
Male.....	249	-	2	-	-	1	3	-	-	4	8	8
Female.....	224	1	2	1	-	-	1	-	2	4	5	10
Black, both sexes.....	134	1	1	2	-	2	3	2	1	2	6	13
Male.....	66	1	-	1	-	1	2	1	1	1	2	7
Female.....	68	-	1	1	-	1	1	1	-	1	4	6
American Indian 1/, both sexes.....	2	-	-	-	-	-	-	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	10	-	-	-	1	1	-	-	-	-	-	-
Male.....	5	-	-	-	-	1	-	-	-	-	-	-
Female.....	5	-	-	-	1	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

All other diseases of nervous system (G10-G12,G23-G25,G31,G36-G37,G43-G44,G47-G72,G81-G98)

Alaska

All races, both sexes.....	8	7	1	3	4	7	-	2	-	1	-	-
Male.....	6	4	1	2	1	3	-	-	-	-	-	-
Female.....	2	3	-	1	3	4	-	2	-	1	-	-
White, both sexes.....	6	3	1	3	4	6	-	2	-	1	-	-
Male.....	5	2	1	2	1	2	-	-	-	-	-	-
Female.....	1	1	-	1	3	4	-	2	-	1	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	2	3	-	-	-	-	-	-	-	-	-	-
Male.....	1	2	-	-	-	-	-	-	-	-	-	-
Female.....	1	1	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.	-	1	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	1	-	-	-	-	-	-	-	-	-	-

Arizona

All races, both sexes.....	31	36	26	51	52	61	47	32	12	1	3	-
Male.....	16	26	17	25	26	36	29	15	6	-	1	-
Female.....	15	10	9	26	26	25	18	17	6	1	2	-
White, both sexes.....	28	36	23	42	46	59	45	32	11	1	3	-
Male.....	14	26	15	21	25	36	29	15	5	-	1	-
Female.....	14	10	8	21	21	23	16	17	6	1	2	-
Black, both sexes.....	1	-	3	2	2	-	2	-	-	-	-	-
Male.....	-	-	2	1	1	-	-	-	-	-	-	-
Female.....	1	-	1	1	1	-	2	-	-	-	-	-
American Indian 1/, both sexes.....	2	-	-	6	4	1	-	-	1	-	-	-
Male.....	2	-	-	2	-	-	-	-	1	-	-	-
Female.....	-	-	-	4	4	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.	-	-	-	1	-	1	-	-	-	-	-	-
Male.....	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

All other diseases of nervous system (G10-G12,G23-G25,G31,G36-G37,G43-G44,G47-G72,G81-G98)

Arkansas

All races, both sexes.....	21	27	23	27	27	25	28	17	9	1	1	-
Male.....	12	14	12	16	17	13	8	8	6	-	-	-
Female.....	9	13	11	11	10	12	20	9	3	1	1	-
White, both sexes.....	16	23	20	24	22	21	24	17	7	1	1	-
Male.....	10	13	10	15	14	10	7	8	5	-	-	-
Female.....	6	10	10	9	8	11	17	9	2	1	1	-
Black, both sexes.....	5	4	3	3	5	4	3	-	1	-	-	-
Male.....	2	1	2	1	3	3	1	-	1	-	-	-
Female.....	3	3	1	2	2	1	2	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-

California

All races, both sexes.....	92	128	161	171	206	243	208	140	73	14	3	-
Male.....	59	73	86	87	115	133	110	68	27	2	1	-
Female.....	33	55	75	84	91	110	98	72	46	12	2	-
White, both sexes.....	76	114	136	146	176	217	183	128	68	13	3	-
Male.....	48	67	72	77	93	123	99	63	24	2	1	-
Female.....	28	47	64	69	83	94	84	65	44	11	2	-
Black, both sexes.....	7	6	11	14	15	18	10	7	1	1	-	-
Male.....	3	2	6	7	11	6	6	2	-	-	-	-
Female.....	4	4	5	7	4	12	4	5	1	1	-	-
American Indian 1/, both sexes.....	-	-	-	1	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	1	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	9	8	14	10	14	8	15	5	4	-	-	-
Male.....	8	4	8	3	10	4	5	3	3	-	-	-
Female.....	1	4	6	7	4	4	10	2	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

All other diseases of nervous system (G10-G12,G23-G25,G31,G36-G37,G43-G44,G47-G72,G81-G98)

Iowa

All races, both sexes.....	15	24	28	23	30	35	37	34	9	-	1	-
Male.....	7	14	16	17	17	21	13	13	2	-	-	-
Female.....	8	10	12	6	13	14	24	21	7	-	1	-
White, both sexes.....	14	23	28	23	30	34	36	33	9	-	1	-
Male.....	6	13	16	17	17	21	12	13	2	-	-	-
Female.....	8	10	12	6	13	13	24	20	7	-	1	-
Black, both sexes.....	-	1	-	-	-	1	1	-	-	-	-	-
Male.....	-	1	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	1	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-

Kansas

All races, both sexes.....	20	30	19	32	27	41	31	23	8	1	-	-
Male.....	11	15	11	15	11	24	12	12	3	-	-	-
Female.....	9	15	8	17	16	17	19	11	5	1	-	-
White, both sexes.....	18	29	19	29	25	39	29	21	8	1	-	-
Male.....	9	14	11	14	11	23	12	12	3	-	-	-
Female.....	9	15	8	15	14	16	17	9	5	1	-	-
Black, both sexes.....	2	1	-	1	2	1	-	2	-	-	-	-
Male.....	2	1	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	1	2	-	-	2	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	2	-	-	2	-	-	-	-	-
Male.....	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	1	-	-	2	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

All other diseases of nervous system (G10-G12,G23-G25,G31,G36-G37,G43-G44,G47-G72,G81-G98)

Kentucky

All races, both sexes.....	33	39	33	40	39	54	39	26	11	2	1	-
Male.....	25	24	17	30	19	30	22	11	3	-	1	-
Female.....	8	15	16	10	20	24	17	15	8	2	-	-
White, both sexes.....	29	35	31	38	36	51	38	25	10	2	1	-
Male.....	22	22	17	28	18	29	22	11	3	-	1	-
Female.....	7	13	14	10	18	22	16	14	7	2	-	-
Black, both sexes.....	4	4	2	2	3	3	1	1	1	-	-	-
Male.....	3	2	-	2	1	1	-	-	-	-	-	-
Female.....	1	2	2	-	2	2	1	1	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Louisiana

All races, both sexes.....	41	34	40	41	33	45	24	23	10	-	-	-
Male.....	18	23	19	20	21	20	10	7	3	-	-	-
Female.....	23	11	21	21	12	25	14	16	7	-	-	-
White, both sexes.....	23	23	29	27	22	35	20	18	9	-	-	-
Male.....	12	14	14	13	15	17	8	7	3	-	-	-
Female.....	11	9	15	14	7	18	12	11	6	-	-	-
Black, both sexes.....	16	11	11	14	11	8	4	5	1	-	-	-
Male.....	5	9	5	7	6	3	2	-	-	-	-	-
Female.....	11	2	6	7	5	5	2	5	1	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	2	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	2	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

All other diseases of nervous system (G10-G12,G23-G25,G31,G36-G37,G43-G44,G47-G72,G81-G98)

Maine

All races, both sexes.....	8	13	10	6	20	15	24	17	7	-	3	-
Male.....	4	10	6	3	9	7	13	9	2	-	-	-
Female.....	4	3	4	3	11	8	11	8	5	-	3	-
White, both sexes.....	8	13	10	6	20	15	24	17	7	-	3	-
Male.....	4	10	6	3	9	7	13	9	2	-	-	-
Female.....	4	3	4	3	11	8	11	8	5	-	3	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Maryland

All races, both sexes.....	29	35	48	36	57	60	64	34	15	3	-	-
Male.....	20	21	27	21	27	24	40	15	5	1	-	-
Female.....	9	14	21	15	30	36	24	19	10	2	-	-
White, both sexes.....	21	23	35	23	40	50	50	30	9	2	-	-
Male.....	13	14	21	16	24	20	33	14	3	-	-	-
Female.....	8	9	14	7	16	30	17	16	6	2	-	-
Black, both sexes.....	8	12	13	12	16	8	13	3	6	1	-	-
Male.....	7	7	6	5	3	2	7	-	2	1	-	-
Female.....	1	5	7	7	13	6	6	3	4	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	1	1	2	1	1	-	-	-	-
Male.....	-	-	-	-	-	2	-	1	-	-	-	-
Female.....	-	-	-	1	1	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

All other diseases of nervous system (G10-G12,G23-G25,G31,G36-G37,G43-G44,G47-G72,G81-G98)

Massachusetts

All races, both sexes.....	31	42	49	46	59	95	84	59	20	5	-	-
Male.....	19	24	26	22	30	57	42	24	5	1	-	-
Female.....	12	18	23	24	29	38	42	35	15	4	-	-
White, both sexes.....	27	42	46	46	56	89	80	58	20	5	-	-
Male.....	18	24	25	22	29	52	41	24	5	1	-	-
Female.....	9	18	21	24	27	37	39	34	15	4	-	-
Black, both sexes.....	4	-	2	-	3	4	2	-	-	-	-	-
Male.....	1	-	-	-	1	3	1	-	-	-	-	-
Female.....	3	-	2	-	2	1	1	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	-	-	2	2	1	-	-	-	-
Male.....	-	-	1	-	-	2	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	2	1	-	-	-	-

Michigan

All races, both sexes.....	69	84	67	92	113	138	106	74	30	12	1	-
Male.....	33	45	40	37	58	71	59	29	8	3	1	-
Female.....	36	39	27	55	55	67	47	45	22	9	-	-
White, both sexes.....	53	76	53	78	101	119	99	64	24	12	1	-
Male.....	25	41	33	33	52	62	54	24	6	3	1	-
Female.....	28	35	20	45	49	57	45	40	18	9	-	-
Black, both sexes.....	16	7	12	12	11	18	6	10	6	-	-	-
Male.....	8	3	5	3	6	8	5	5	2	-	-	-
Female.....	8	4	7	9	5	10	1	5	4	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	2	2	-	1	1	-	-	-	-	-
Male.....	-	1	2	1	-	1	-	-	-	-	-	-
Female.....	-	-	-	1	-	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

All other diseases of nervous system (G10-G12,G23-G25,G31,G36-G37,G43-G44,G47-G72,G81-G98)

Nebraska

All races, both sexes.....	14	13	12	8	19	23	25	11	5	-	-	-
Male.....	7	8	8	4	10	14	13	3	4	-	-	-
Female.....	7	5	4	4	9	9	12	8	1	-	-	-
White, both sexes.....	13	13	12	7	18	23	24	11	5	-	-	-
Male.....	6	8	8	4	10	14	13	3	4	-	-	-
Female.....	7	5	4	3	8	9	11	8	1	-	-	-
Black, both sexes.....	1	-	-	1	1	-	1	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	1	1	-	1	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Nevada

All races, both sexes.....	11	16	15	13	22	17	12	7	1	-	-	-
Male.....	5	10	10	9	17	10	8	1	-	-	-	-
Female.....	6	6	5	4	5	7	4	6	1	-	-	-
White, both sexes.....	8	15	11	13	21	17	11	5	1	-	-	-
Male.....	4	9	9	9	16	10	7	1	-	-	-	-
Female.....	4	6	2	4	5	7	4	4	1	-	-	-
Black, both sexes.....	3	-	2	-	-	-	1	1	-	-	-	-
Male.....	1	-	1	-	-	-	1	-	-	-	-	-
Female.....	2	-	1	-	-	-	-	1	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	2	-	-	-	-	1	-	-	-	-
Male.....	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	2	-	-	-	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

All other diseases of nervous system (G10-G12,G23-G25,G31,G36-G37,G43-G44,G47-G72,G81-G98)

New Hampshire

All races, both sexes.....	1	9	10	14	10	18	12	15	6	1	-	-
Male.....	-	6	8	6	3	13	5	11	-	-	-	-
Female.....	1	3	2	8	7	5	7	4	6	1	-	-
White, both sexes.....	1	9	10	14	10	17	12	15	5	1	-	-
Male.....	-	6	8	6	3	12	5	11	-	-	-	-
Female.....	1	3	2	8	7	5	7	4	5	1	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	-	-	1	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	1	-	-	-

New Jersey

All races, both sexes.....	40	54	54	64	83	90	96	56	26	5	2	-
Male.....	20	26	38	33	55	41	38	24	15	4	-	-
Female.....	20	28	16	31	28	49	58	32	11	1	2	-
White, both sexes.....	35	45	40	50	69	77	87	49	23	5	1	-
Male.....	19	22	30	26	48	35	36	20	13	4	-	-
Female.....	16	23	10	24	21	42	51	29	10	1	1	-
Black, both sexes.....	5	9	12	14	11	10	8	5	2	-	1	-
Male.....	1	4	7	7	6	4	2	3	1	-	-	-
Female.....	4	5	5	7	5	6	6	2	1	-	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	2	-	3	3	1	2	1	-	-	-
Male.....	-	-	1	-	1	2	-	1	1	-	-	-
Female.....	-	-	1	-	2	1	1	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

All other diseases of nervous system (G10-G12,G23-G25,G31,G36-G37,G43-G44,G47-G72,G81-G98)

New Mexico

All races, both sexes.....	11	7	17	19	18	18	17	17	5	-	-	-
Male.....	8	4	10	10	13	10	8	6	2	-	-	-
Female.....	3	3	7	9	5	8	9	11	3	-	-	-
White, both sexes.....	8	7	17	18	15	17	17	15	5	-	-	-
Male.....	6	4	10	9	11	10	8	6	2	-	-	-
Female.....	2	3	7	9	4	7	9	9	3	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	3	-	-	1	3	1	-	2	-	-	-	-
Male.....	2	-	-	1	2	-	-	-	-	-	-	-
Female.....	1	-	-	-	1	1	-	2	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New York

All races, both sexes.....	54	76	95	101	124	144	126	93	17	8	-	-
Male.....	36	39	56	58	64	71	62	35	11	5	-	-
Female.....	18	37	39	43	60	73	64	58	6	3	-	-
White, both sexes.....	47	67	87	81	112	129	119	88	17	6	-	-
Male.....	32	35	51	48	55	64	62	34	11	4	-	-
Female.....	15	32	36	33	57	65	57	54	6	2	-	-
Black, both sexes.....	7	8	7	16	9	9	5	4	-	1	-	-
Male.....	4	4	4	7	6	5	-	1	-	-	-	-
Female.....	3	4	3	9	3	4	5	3	-	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	2	-	-	-	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	1	4	3	4	2	1	-	1	-	-
Male.....	-	-	1	3	3	1	-	-	-	1	-	-
Female.....	-	1	-	1	-	3	2	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

All other diseases of nervous system (G10-G12,G23-G25,G31,G36-G37,G43-G44,G47-G72,G81-G98)

Vermont

All races, both sexes.....	7	4	6	4	6	11	10	13	3	3	-	-
Male.....	3	3	3	2	2	6	6	10	2	1	-	-
Female.....	4	1	3	2	4	5	4	3	1	2	-	-
White, both sexes.....	7	4	6	4	6	11	10	13	3	3	-	-
Male.....	3	3	3	2	2	6	6	10	2	1	-	-
Female.....	4	1	3	2	4	5	4	3	1	2	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Virginia

All races, both sexes.....	45	70	60	86	59	79	70	43	16	3	-	-
Male.....	23	43	35	40	32	46	33	19	5	-	-	-
Female.....	22	27	25	46	27	33	37	24	11	3	-	-
White, both sexes.....	25	55	49	67	41	69	63	35	14	3	-	-
Male.....	14	34	32	31	24	41	29	15	3	-	-	-
Female.....	11	21	17	36	17	28	34	20	11	3	-	-
Black, both sexes.....	20	15	9	17	15	9	7	8	1	-	-	-
Male.....	9	9	2	8	7	5	4	4	1	-	-	-
Female.....	11	6	7	9	8	4	3	4	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	2	2	2	1	-	-	1	-	-	-
Male.....	-	-	1	1	1	-	-	-	1	-	-	-
Female.....	-	-	1	1	1	1	-	-	-	-	-	-

