

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 1  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
ALL CAUSES												
UNITED STATES --	2314,690	28,487	5,948	3,780	4,550	14,663	17,780	20,730	30,417	42,499	53,534	67,032
WHITE-----MALE----	991,984	10,561	2,335	1,566	2,055	7,555	9,434	10,402	15,269	21,018	26,044	32,574
FEMALE--	1000,982	8,200	1,706	1,127	1,297	3,064	2,890	4,022	6,153	9,259	12,577	17,665
ALL OTHER--MALE----	171,585	5,404	1,014	634	748	3,127	4,197	4,423	5,976	7,788	9,454	10,482
FEMALE--	150,139	4,322	893	453	450	917	1,259	1,883	3,019	4,434	5,459	6,311
BLACK---MALE----	149,472	4,837	869	542	618	2,728	3,694	3,887	5,372	7,044	8,591	9,434
FEMALE--	132,617	3,893	754	392	372	762	1,068	1,665	2,714	4,012	4,943	5,575
ALABAMA -----	42,827	635	127	75	94	329	446	477	593	848	1,055	1,357
WHITE-----MALE----	16,150	203	39	24	45	131	196	194	239	351	413	540
FEMALE--	15,782	127	30	18	16	66	70	96	119	174	199	313
ALL OTHER--MALE----	5,658	166	29	20	24	103	133	132	159	223	271	319
FEMALE--	5,237	139	29	13	9	29	47	55	76	100	172	185
BLACK---MALE----	5,615	164	29	20	24	103	132	131	156	222	269	315
FEMALE--	5,205	139	28	13	9	29	46	54	76	99	171	183
ALASKA -----	2,582	72	18	12	14	53	60	57	80	117	121	160
WHITE-----MALE----	1,094	25	3	2	5	24	25	27	43	60	58	64
FEMALE--	749	14	5	3	2	5	6	9	8	29	26	48
ALL OTHER--MALE----	428	23	5	5	4	23	22	16	16	17	27	34
FEMALE--	311	10	5	2	3	1	7	5	13	11	10	14
BLACK---MALE----	51	6	-	1	-	3	4	2	2	3	5	5
FEMALE--	25	1	-	-	-	-	-	2	-	-	1	3
ARIZONA -----	36,592	575	127	67	95	322	372	424	598	757	943	1,075
WHITE-----MALE----	18,195	272	58	26	43	191	231	226	370	445	567	654
FEMALE--	15,858	200	36	20	29	63	59	96	111	186	233	279
ALL OTHER--MALE----	1,433	53	14	14	14	51	64	73	81	82	92	82
FEMALE--	1,106	50	19	7	9	17	18	29	36	44	51	60
BLACK---MALE----	490	26	4	1	2	10	18	17	18	26	34	23
FEMALE--	407	22	4	1	3	4	6	8	10	13	13	28
ARKANSAS -----	26,534	337	69	54	45	219	224	212	303	423	484	695
WHITE-----MALE----	11,582	128	30	25	19	121	117	112	159	214	233	342
FEMALE--	10,997	97	16	19	15	46	41	43	65	84	123	186
ALL OTHER--MALE----	2,066	61	14	5	9	44	53	40	54	75	78	96
FEMALE--	1,889	51	9	5	2	8	13	17	25	50	50	71
BLACK---MALE----	2,031	61	13	5	8	44	51	39	51	73	76	95
FEMALE--	1,865	50	9	4	1	8	12	16	25	48	49	70
CALIFORNIA -----	223,447	3,203	738	402	490	1,604	1,982	2,458	3,639	5,030	6,189	7,408
WHITE-----MALE----	97,209	1,345	316	176	238	947	1,177	1,394	2,150	2,916	3,338	3,867
FEMALE--	94,699	1,070	248	144	145	276	324	507	735	1,037	1,515	1,927
ALL OTHER--MALE----	17,343	430	82	50	65	292	370	410	535	689	827	1,005
FEMALE--	14,196	358	92	32	42	89	111	147	219	388	509	609
BLACK---MALE----	9,725	284	49	27	29	189	230	296	390	511	584	672
FEMALE--	8,409	251	59	18	26	50	68	90	149	284	367	420

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996													PLT B	PG	1
(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)															
CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.			
ALL CAUSES															
0 UNITED STATES --	77,297	96,726	136,999	200,045	273,849	321,223	342,067	298,602	188,463	72,120	17,356	523			
WHITE-----MALE----	37,785	47,550	68,138	100,389	133,921	149,924	143,738	103,671	50,848	14,452	2,478	277			
FEMALE--	22,855	29,944	44,509	70,000	104,564	136,391	166,365	170,550	123,045	51,828	12,864	107			
ALL OTHER--MALE----	10,030	11,424	14,058	16,271	18,592	17,453	14,144	9,611	4,734	1,517	408	96			
FEMALE--	6,627	7,808	10,294	13,385	16,772	17,455	17,820	14,770	9,836	4,323	1,606	43			
BLACK---MALE----	8,963	10,056	12,382	14,226	16,015	14,927	11,866	7,904	3,809	1,264	363	81			
FEMALE--	5,799	6,906	9,115	11,734	14,774	15,309	15,596	13,171	8,739	3,850	1,434	40			
ALABAMA -----	1,605	1,982	2,909	4,143	5,031	5,724	6,106	5,027	2,941	1,071	252	-			
WHITE-----MALE----	692	872	1,345	1,934	2,149	2,373	2,133	1,443	605	213	16	-			
FEMALE--	400	523	800	1,252	1,704	2,157	2,683	2,573	1,718	614	130	-			
ALL OTHER--MALE----	318	346	419	537	627	583	561	405	203	62	18	-			
FEMALE--	195	241	345	420	551	611	729	606	415	182	88	-			
BLACK---MALE----	313	342	417	532	625	580	559	402	200	62	18	-			
FEMALE--	193	240	343	415	549	606	723	605	414	182	88	-			
ALASKA -----	146	160	199	252	266	265	244	161	95	27	3	-			
WHITE-----MALE----	81	78	83	130	117	108	90	43	22	6	-	-			
FEMALE--	22	38	62	66	87	88	84	83	47	15	2	-			
ALL OTHER--MALE----	22	26	27	31	38	35	33	10	13	-	1	-			
FEMALE--	21	18	27	25	24	34	37	25	13	6	-	-			
BLACK---MALE----	3	3	1	3	2	4	4	-	-	-	-	-			
FEMALE--	1	-	3	3	3	2	3	3	-	-	-	-			
ARIZONA -----	1,196	1,534	2,098	3,141	4,498	5,222	5,272	4,433	2,693	885	229	36			
WHITE-----MALE----	659	866	1,198	1,720	2,414	2,727	2,516	1,875	856	204	49	28			
FEMALE--	392	529	716	1,216	1,863	2,284	2,588	2,428	1,727	652	148	3			
ALL OTHER--MALE----	81	80	102	119	112	108	75	56	56	11	9	4			
FEMALE--	64	59	82	86	109	103	93	74	54	18	23	1			
BLACK---MALE----	29	32	35	43	57	41	25	21	20	5	2	1			
FEMALE--	14	26	28	28	42	46	43	37	19	6	5	1			
ARKANSAS -----	921	1,162	1,636	2,299	3,078	3,709	4,055	3,586	2,103	738	181	1			
WHITE-----MALE----	461	619	869	1,197	1,559	1,755	1,657	1,245	576	124	20	-			
FEMALE--	280	358	489	777	1,160	1,488	1,916	1,930	1,256	491	117	-			
ALL OTHER--MALE----	114	115	147	162	189	226	237	186	101	48	11	1			
FEMALE--	66	70	131	163	170	240	245	225	170	75	33	-			
BLACK---MALE----	112	112	145	159	184	220	236	186	101	48	11	1			
FEMALE--	66	68	130	159	168	237	243	225	169	75	33	-			
CALIFORNIA -----	7,841	9,367	12,645	18,045	25,855	30,214	32,264	27,507	17,756	7,058	1,659	93			
WHITE-----MALE----	3,923	4,490	6,095	8,718	12,026	13,877	13,639	9,817	4,969	1,467	266	58			
FEMALE--	2,360	3,021	4,240	6,475	10,153	12,598	15,174	15,166	11,280	5,017	1,261	26			
ALL OTHER--MALE----	906	1,091	1,335	1,637	1,998	2,002	1,675	1,168	586	159	24	7			
FEMALE--	652	765	975	1,215	1,678	1,737	1,776	1,356	921	415	108	2			
BLACK---MALE----	598	668	790	907	1,001	990	747	470	202	74	13	4			
FEMALE--	419	491	587	708	943	965	918	754	541	244	56	1			

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 2  
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
ALL CAUSES												
COLORADO -----	25,723	369	67	43	74	195	266	253	411	565	736	909
WHITE-----MALE----	12,238	172	32	19	46	125	187	169	256	355	459	521
FEMALE--	12,293	154	24	17	23	56	55	65	109	154	197	329
ALL OTHER--MALE----	660	28	7	3	2	9	18	9	35	33	50	34
FEMALE--	532	15	4	4	3	5	6	10	11	23	30	25
BLACK---MALE----	486	24	3	3	2	7	15	5	26	22	36	29
FEMALE--	396	14	3	2	-	5	3	7	9	15	17	14
CONNECTICUT -----	29,560	286	61	43	46	114	162	199	317	494	576	766
WHITE-----MALE----	13,017	113	24	24	21	48	96	102	190	250	315	386
FEMALE--	14,376	88	17	11	13	32	21	41	69	129	130	234
ALL OTHER--MALE----	1,188	48	11	4	10	29	34	40	34	72	88	95
FEMALE--	979	37	9	4	2	5	11	16	24	43	43	51
BLACK---MALE----	1,112	45	9	4	8	26	33	39	34	68	82	91
FEMALE--	902	33	9	3	2	5	8	14	22	38	37	47
DELAWARE -----	6,503	77	10	8	9	26	39	65	108	157	170	205
WHITE-----MALE----	2,641	27	3	2	4	11	29	32	50	61	68	82
FEMALE--	2,656	18	2	-	3	6	5	11	14	32	37	59
ALL OTHER--MALE----	645	22	-	3	1	7	1	10	23	44	44	47
FEMALE--	561	10	5	3	1	2	4	12	21	20	21	17
BLACK---MALE----	624	21	-	2	1	7	1	10	22	43	44	46
FEMALE--	542	9	4	3	-	1	4	12	20	20	21	17
DISTRICT OF COLUMBIA ----	6,624	125	22	16	13	89	126	127	198	281	329	348
WHITE-----MALE----	694	8	-	1	-	3	5	19	22	29	31	32
FEMALE--	682	7	-	1	-	3	2	5	2	5	9	8
ALL OTHER--MALE----	2,895	60	12	6	9	68	93	84	118	169	207	205
FEMALE--	2,353	50	10	8	4	15	26	19	56	78	82	103
BLACK---MALE----	2,874	59	12	6	8	67	93	84	115	167	206	203
FEMALE--	2,334	50	9	8	4	15	26	19	56	78	82	103
FLORIDA -----	153,443	1,411	349	191	237	621	953	1,199	1,898	2,766	3,302	3,807
WHITE-----MALE----	71,415	495	111	62	92	313	487	575	909	1,372	1,667	1,961
FEMALE--	65,157	337	98	60	66	134	169	219	358	559	724	967
ALL OTHER--MALE----	9,055	307	68	39	45	133	211	260	384	502	568	551
FEMALE--	7,816	272	72	30	34	41	86	145	247	333	343	328
BLACK---MALE----	8,787	298	66	39	42	131	204	252	372	493	556	539
FEMALE--	7,573	266	72	30	32	39	80	139	241	326	338	314
GEORGIA -----	58,754	1,050	199	128	150	562	632	741	1,060	1,448	1,740	2,178
WHITE-----MALE----	21,176	246	45	38	54	236	242	276	385	551	609	831
FEMALE--	21,037	214	35	25	36	105	71	118	137	225	299	456
ALL OTHER--MALE----	8,626	332	61	41	41	163	245	231	374	426	519	535
FEMALE--	7,915	258	58	24	19	58	74	116	164	246	313	356
BLACK---MALE----	8,483	321	61	40	39	158	235	226	368	421	518	528
FEMALE--	7,785	251	53	24	19	55	73	113	162	240	305	347

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
ALL CAUSES												
COLORADO -----	842	957	1,442	2,091	2,903	3,476	3,620	3,266	2,155	875	207	1
WHITE-----MALE----	493	524	787	1,146	1,542	1,712	1,605	1,242	650	171	24	1
FEMALE--	299	359	555	842	1,242	1,627	1,920	1,946	1,461	683	176	-
ALL OTHER--MALE----	28	49	65	55	63	77	41	34	15	3	2	-
FEMALE--	22	25	35	48	56	60	54	44	29	18	5	-
BLACK---MALE----	24	40	48	44	43	55	28	20	9	1	2	-
FEMALE--	17	20	31	38	36	44	37	36	28	15	5	-
CONNECTICUT -----	925	1,069	1,532	2,279	3,364	4,277	4,737	4,153	2,791	1,073	296	-
WHITE-----MALE----	458	543	786	1,207	1,701	2,072	2,139	1,511	777	207	47	-
FEMALE--	325	372	546	893	1,448	2,013	2,445	2,520	1,947	839	243	-
ALL OTHER--MALE----	88	94	108	100	108	88	67	40	21	8	1	-
FEMALE--	54	60	92	79	107	104	86	82	46	19	5	-
BLACK---MALE----	83	88	102	95	98	80	63	36	19	8	1	-
FEMALE--	50	59	88	67	100	99	81	76	40	19	5	-
DELAWARE -----	216	309	430	636	843	858	884	763	460	192	38	-
WHITE-----MALE----	99	137	177	325	394	375	354	266	111	31	3	-
FEMALE--	62	95	157	206	295	348	420	426	292	139	29	-
ALL OTHER--MALE----	35	40	49	54	84	71	53	34	17	5	1	-
FEMALE--	20	37	47	51	70	64	57	37	40	17	5	-
BLACK---MALE----	33	39	48	52	82	70	49	31	17	5	1	-
FEMALE--	19	36	47	50	69	62	54	35	38	17	4	-
DISTRICT OF COLUMBIA ----	307	353	417	531	692	699	710	655	395	142	46	3
WHITE-----MALE----	24	33	45	54	73	88	80	82	48	14	2	1
FEMALE--	15	14	18	33	54	80	104	146	109	49	17	1
ALL OTHER--MALE----	159	192	210	255	302	258	238	157	75	15	2	1
FEMALE--	109	114	144	189	263	273	288	270	163	64	25	-
BLACK---MALE----	159	191	210	253	302	256	237	154	74	15	2	1
FEMALE--	108	112	142	188	261	270	286	270	160	62	25	-
FLORIDA -----	4,537	5,612	8,501	13,119	18,662	22,572	24,002	21,073	12,847	4,702	1,014	68
WHITE-----MALE----	2,324	2,869	4,403	7,037	9,943	11,459	11,302	8,453	4,171	1,181	192	37
FEMALE--	1,345	1,677	2,700	4,571	7,033	9,465	11,198	11,461	8,005	3,266	735	10
ALL OTHER--MALE----	541	656	809	846	880	834	673	426	237	62	13	10
FEMALE--	327	410	589	665	806	814	829	733	434	193	74	11
BLACK---MALE----	516	628	783	819	853	808	656	418	232	60	13	9
FEMALE--	317	395	571	629	774	782	807	723	422	191	74	11
GEORGIA -----	2,550	3,041	4,090	5,324	6,737	7,540	7,800	6,519	3,637	1,312	309	7
WHITE-----MALE----	1,031	1,295	1,787	2,326	2,874	3,031	2,612	1,772	725	180	28	2
FEMALE--	596	737	1,092	1,547	2,215	2,817	3,489	3,537	2,247	861	178	-
ALL OTHER--MALE----	551	617	705	777	848	818	703	405	163	52	14	5
FEMALE--	372	392	506	674	800	874	996	805	502	219	89	-
BLACK---MALE----	540	606	695	765	830	811	696	396	159	51	14	5
FEMALE--	364	386	497	658	786	863	984	801	498	218	88	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 3  
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
ALL CAUSES												
HAWAII -----	7,948	107	20	17	14	44	64	72	107	169	200	270
WHITE-----MALE----	1,322	14	1	2	1	8	15	13	28	49	58	68
FEMALE--	937	7	-	-	-	4	4	4	9	13	15	24
ALL OTHER--MALE----	3,229	44	9	7	4	24	33	39	47	73	77	107
FEMALE--	2,460	42	10	8	9	8	12	16	23	34	50	71
BLACK---MALE----	34	2	2	-	-	-	4	1	1	4	2	2
FEMALE--	17	5	-	-	-	-	-	1	1	-	-	-
IDAHO -----	8,714	137	29	24	23	104	69	70	81	134	177	228
WHITE-----MALE----	4,570	76	18	17	13	67	46	48	60	84	114	143
FEMALE--	4,011	57	11	6	9	33	19	17	17	48	59	77
ALL OTHER--MALE----	81	2	-	-	-	3	3	5	2	1	3	5
FEMALE--	52	2	-	1	1	1	1	-	2	1	1	3
BLACK---MALE----	16	-	-	-	-	-	-	2	1	-	1	1
FEMALE--	7	-	-	-	1	-	-	-	1	1	-	-
ILLINOIS -----	106,092	1,582	279	172	198	726	845	936	1,318	1,862	2,343	2,997
WHITE-----MALE----	42,810	473	103	63	70	288	389	404	574	799	1,004	1,308
FEMALE--	45,670	426	69	47	62	124	92	147	252	378	501	712
ALL OTHER--MALE----	9,551	355	56	38	40	247	302	264	333	442	561	614
FEMALE--	8,061	328	51	24	26	67	62	121	159	243	277	363
BLACK---MALE----	9,049	344	53	35	38	242	295	255	318	436	541	582
FEMALE--	7,678	315	49	24	25	64	60	115	157	235	268	346
INDIANA -----	52,969	726	143	85	104	358	389	381	573	729	1,031	1,378
WHITE-----MALE----	23,705	323	59	27	50	196	216	216	332	387	562	710
FEMALE--	24,833	232	51	29	32	92	63	82	141	209	287	465
ALL OTHER--MALE----	2,260	80	17	18	11	59	91	54	63	90	113	128
FEMALE--	2,171	91	16	11	11	11	19	29	37	43	69	75
BLACK---MALE----	2,202	78	15	18	10	57	90	54	59	88	111	126
FEMALE--	2,107	84	16	11	10	11	19	28	35	41	67	67
IOWA -----	27,840	260	67	32	59	146	140	152	207	308	419	489
WHITE-----MALE----	13,080	132	37	14	35	96	94	107	125	200	240	306
FEMALE--	14,288	98	25	15	22	36	36	37	69	96	159	158
ALL OTHER--MALE----	259	13	3	2	2	11	8	5	10	8	12	20
FEMALE--	213	17	2	1	-	3	2	3	3	4	8	5
BLACK---MALE----	207	10	2	2	-	8	8	3	7	5	8	16
FEMALE--	163	14	1	-	-	1	-	3	3	3	8	4
KANSAS -----	23,902	306	67	42	57	185	186	177	220	305	429	496
WHITE-----MALE----	10,907	135	26	24	35	114	111	110	129	184	254	267
FEMALE--	11,531	101	26	11	13	41	40	40	58	85	112	164
ALL OTHER--MALE----	763	40	8	3	4	23	23	22	28	19	37	36
FEMALE--	701	30	7	4	5	7	12	5	5	17	26	29
BLACK---MALE----	662	38	7	2	4	18	21	19	24	16	33	30
FEMALE--	605	26	5	3	4	4	11	4	4	15	24	25

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 3  
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
ALL CAUSES												
HAWAII -----	303	362	465	678	953	1,109	1,160	933	588	249	63	1
WHITE-----MALE----	63	71	93	113	165	200	181	106	51	20	1	1
FEMALE--	32	38	49	69	99	139	147	136	100	38	10	-
ALL OTHER--MALE----	118	163	192	283	410	440	467	403	209	70	10	-
FEMALE--	90	90	131	213	279	330	365	288	228	121	42	-
BLACK---MALE----	2	1	3	2	7	1	-	-	-	-	-	-
FEMALE--	2	1	-	1	1	2	1	2	-	-	-	-
IDAHO -----	228	359	504	696	973	1,209	1,381	1,200	754	275	59	-
WHITE-----MALE----	142	205	296	422	539	683	715	532	260	80	10	-
FEMALE--	80	145	197	264	422	510	654	659	488	192	47	-
ALL OTHER--MALE----	3	4	7	6	8	13	8	3	3	1	1	-
FEMALE--	3	5	4	4	4	3	4	6	3	2	1	-
BLACK---MALE----	1	1	2	2	2	-	1	1	-	1	-	-
FEMALE--	-	-	1	1	-	1	1	-	-	-	-	-
ILLINOIS -----	3,513	4,435	6,326	9,033	12,319	14,507	16,046	13,624	8,763	3,468	793	7
WHITE-----MALE----	1,523	2,024	2,918	4,322	5,852	6,468	6,597	4,543	2,324	655	108	1
FEMALE--	997	1,286	1,967	3,013	4,591	6,248	7,945	7,910	5,770	2,537	593	3
ALL OTHER--MALE----	623	685	861	931	962	912	607	433	198	70	16	1
FEMALE--	370	440	580	767	914	879	738	471	206	471	76	2
BLACK---MALE----	594	649	802	882	906	860	555	404	178	64	15	1
FEMALE--	353	418	555	728	869	832	839	708	448	197	71	2
INDIANA -----	1,672	2,211	3,185	4,746	6,617	7,418	7,975	6,897	4,273	1,692	381	5
WHITE-----MALE----	917	1,184	1,699	2,546	3,438	3,557	3,386	2,408	1,103	326	61	2
FEMALE--	568	778	1,158	1,776	2,640	3,374	4,154	4,176	2,946	1,282	297	1
ALL OTHER--MALE----	115	141	175	210	280	216	192	114	73	14	5	1
FEMALE--	72	108	153	214	259	271	243	199	151	70	18	1
BLACK---MALE----	112	138	170	202	271	211	186	113	73	14	5	1
FEMALE--	70	104	147	209	252	267	237	195	148	70	18	1
IOWA -----	663	915	1,386	2,145	2,987	3,829	4,478	4,344	3,103	1,345	366	-
WHITE-----MALE----	400	542	786	1,256	1,694	2,061	2,099	1,640	897	268	51	-
FEMALE--	240	345	556	855	1,241	1,725	2,339	2,672	2,187	1,064	313	-
ALL OTHER--MALE----	15	14	31	19	22	19	18	15	7	4	1	-
FEMALE--	8	14	13	15	30	24	22	17	12	9	1	-
BLACK---MALE----	10	12	25	18	21	12	17	12	6	4	1	-
FEMALE--	5	9	13	14	20	18	15	14	10	7	1	-
KANSAS -----	585	820	1,264	1,895	2,605	3,113	3,629	3,644	2,554	1,046	276	1
WHITE-----MALE----	327	418	696	984	1,399	1,623	1,662	1,395	758	210	46	-
FEMALE--	201	305	457	773	1,048	1,361	1,819	2,128	1,724	804	219	1
ALL OTHER--MALE----	31	60	53	88	95	66	57	40	22	5	3	-
FEMALE--	26	37	58	50	63	63	91	81	50	27	8	-
BLACK---MALE----	27	47	43	83	81	58	49	35	20	5	2	-
FEMALE--	23	32	46	41	60	50	77	77	39	27	8	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 4  
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
ALL CAUSES												
KENTUCKY -----	37,272	395	76	65	58	269	240	311	414	579	770	1,068
WHITE-----MALE----	17,585	186	50	39	29	169	159	196	242	343	460	632
FEMALE--	17,011	140	19	16	24	73	49	75	98	170	222	321
ALL OTHER--MALE----	1,347	42	3	7	2	22	25	26	51	48	50	74
FEMALE--	1,329	27	4	3	3	5	7	14	23	18	38	41
BLACK---MALE----	1,309	40	3	7	2	22	24	25	50	45	49	72
FEMALE--	1,300	26	4	2	2	5	6	14	20	17	38	40
LOUISIANA -----	39,586	589	147	82	117	362	464	504	651	928	1,113	1,356
WHITE-----MALE----	13,659	142	31	24	40	126	145	184	217	356	402	470
FEMALE--	13,436	100	34	15	26	47	39	54	82	132	194	285
ALL OTHER--MALE----	6,698	206	41	24	33	158	229	199	232	296	333	352
FEMALE--	5,793	141	41	19	18	31	51	67	120	144	184	249
BLACK---MALE----	6,603	203	39	23	31	153	221	196	228	287	332	346
FEMALE--	5,718	136	41	18	18	31	48	65	118	142	181	246
MAINE -----	11,741	61	17	16	19	53	48	66	97	139	176	248
WHITE-----MALE----	5,675	39	8	6	9	36	37	49	67	90	116	170
FEMALE--	6,044	20	8	10	10	17	11	17	30	48	59	74
ALL OTHER--MALE----	13	1	-	-	-	-	-	-	-	1	1	4
FEMALE--	9	1	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	10	1	-	-	-	-	-	-	-	1	-	4
FEMALE--	8	1	1	-	-	-	-	-	-	-	-	-
MARYLAND -----	41,955	606	106	70	76	257	376	494	798	1,036	1,207	1,469
WHITE-----MALE----	14,897	146	19	17	25	62	124	144	217	278	349	504
FEMALE--	15,565	114	18	13	16	45	42	58	94	128	202	268
ALL OTHER--MALE----	6,371	198	41	21	22	130	159	205	329	402	422	447
FEMALE--	5,122	148	28	19	13	20	51	87	158	228	234	250
BLACK---MALE----	6,139	188	39	19	22	128	155	198	326	400	410	441
FEMALE--	4,936	144	25	19	12	18	46	86	156	222	226	239
MASSACHUSETTS -----	55,331	402	81	58	58	188	251	346	593	772	1,024	1,312
WHITE-----MALE----	24,761	173	38	31	30	114	169	211	359	478	598	774
FEMALE--	28,055	156	29	16	16	40	37	86	152	182	296	411
ALL OTHER--MALE----	1,347	48	7	8	8	29	34	33	49	68	82	83
FEMALE--	1,168	25	7	3	4	5	11	16	33	44	48	44
BLACK---MALE----	1,114	44	5	3	6	24	29	28	43	59	71	70
FEMALE--	961	21	6	2	4	4	8	14	28	41	45	34
MICHIGAN -----	83,622	1,078	234	122	155	541	615	670	968	1,394	1,951	2,443
WHITE-----MALE----	34,798	353	89	43	67	258	270	269	441	619	857	1,064
FEMALE--	35,986	275	70	40	41	118	89	143	225	347	464	625
ALL OTHER--MALE----	6,932	243	33	25	30	127	202	190	210	251	405	475
FEMALE--	5,906	207	42	14	17	38	54	68	92	177	225	279
BLACK---MALE----	6,543	228	28	24	26	121	194	182	193	240	389	456
FEMALE--	5,549	198	40	12	14	34	50	61	90	166	212	259

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 4  
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
ALL CAUSES												
KENTUCKY -----	1,333	1,813	2,636	3,472	4,654	5,077	5,320	4,652	2,814	1,006	250	-
WHITE-----MALE----	768	1,004	1,511	1,901	2,503	2,488	2,309	1,592	748	214	42	-
FEMALE--	448	666	918	1,309	1,851	2,262	2,725	2,800	1,920	718	187	-
ALL OTHER--MALE----	71	74	132	144	148	141	129	89	42	19	8	-
FEMALE--	46	69	75	118	152	186	157	171	104	55	13	-
BLACK---MALE----	70	67	129	141	146	137	125	87	42	19	7	-
FEMALE--	44	69	71	116	149	183	154	171	101	55	13	-
LOUISIANA -----	1,576	1,971	2,660	3,725	4,640	5,138	5,191	4,524	2,663	950	235	-
WHITE-----MALE----	598	776	1,094	1,586	1,794	1,985	1,728	1,237	560	146	18	-
FEMALE--	347	478	666	1,012	1,447	1,841	2,222	2,239	1,493	553	130	-
ALL OTHER--MALE----	384	428	507	596	723	651	553	417	230	78	28	-
FEMALE--	247	289	393	531	676	661	688	631	380	173	59	-
BLACK---MALE----	379	421	502	590	720	642	547	411	227	78	27	-
FEMALE--	245	284	387	524	671	655	680	625	373	171	59	-
MAINE -----	318	417	675	1,051	1,477	1,706	1,803	1,641	1,125	450	138	-
WHITE-----MALE----	192	266	401	608	806	864	845	640	327	78	21	-
FEMALE--	125	150	273	443	669	841	956	997	798	371	117	-
ALL OTHER--MALE----	1	1	1	-	1	-	1	1	-	-	-	-
FEMALE--	-	-	-	-	1	1	1	3	-	1	-	-
BLACK---MALE----	1	1	-	-	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	1	2	-	1	-	-
MARYLAND -----	1,533	1,954	2,564	3,704	5,031	5,752	5,712	4,867	2,939	1,109	272	23
WHITE-----MALE----	586	761	1,006	1,581	2,169	2,355	2,145	1,508	690	171	33	7
FEMALE--	345	444	715	1,093	1,744	2,231	2,558	2,648	1,837	758	189	5
ALL OTHER--MALE----	373	456	530	563	592	592	431	260	129	53	9	7
FEMALE--	229	293	313	467	526	574	578	451	283	127	41	4
BLACK---MALE----	361	434	510	544	565	557	408	246	122	51	9	6
FEMALE--	223	278	302	450	504	550	557	436	275	123	41	4
MASSACHUSETTS -----	1,560	1,905	2,724	4,324	6,413	8,006	8,875	8,092	5,429	2,298	614	6
WHITE-----MALE----	875	1,070	1,541	2,348	3,378	3,925	3,913	2,776	1,431	438	87	4
FEMALE--	537	695	1,014	1,741	2,766	3,779	4,760	5,115	3,911	1,807	509	-
ALL OTHER--MALE----	94	81	95	127	146	159	84	70	19	16	5	2
FEMALE--	54	59	74	108	123	143	118	131	68	37	13	-
BLACK---MALE----	82	70	84	105	108	130	62	57	16	12	4	2
FEMALE--	42	51	58	86	99	114	97	111	54	30	12	-
MICHIGAN -----	2,832	3,480	5,014	7,597	10,179	12,024	12,336	10,297	6,613	2,504	563	12
WHITE-----MALE----	1,328	1,686	2,408	3,651	4,845	5,475	5,184	3,540	1,752	514	80	5
FEMALE--	813	1,073	1,637	2,664	3,874	5,101	5,922	5,886	4,365	1,790	422	2
ALL OTHER--MALE----	406	433	573	708	770	724	538	354	178	44	10	3
FEMALE--	285	288	396	574	690	724	692	517	318	156	51	2
BLACK---MALE----	381	404	533	671	727	689	502	334	168	40	10	3
FEMALE--	268	267	369	541	644	672	654	493	301	152	50	2



1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 5  
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
ALL CAUSES												
MINNESOTA -----	37,184	376	74	47	74	230	209	243	341	493	663	844
WHITE-----MALE----	17,717	177	41	29	43	143	129	149	190	283	381	498
FEMALE--	18,294	114	18	14	19	60	50	58	99	144	217	290
ALL OTHER--MALE----	689	47	9	3	11	20	28	28	31	45	45	38
FEMALE--	484	38	6	1	1	7	2	8	21	21	20	18
BLACK---MALE----	365	24	4	3	7	11	17	15	15	27	26	25
FEMALE--	259	21	4	1	-	5	2	7	11	14	13	7
MISSISSIPPI -----	26,682	452	86	67	82	272	328	298	426	540	662	836
WHITE-----MALE----	8,972	93	21	18	25	83	109	99	131	176	239	287
FEMALE--	8,603	78	11	10	15	52	31	46	66	84	94	155
ALL OTHER--MALE----	4,751	154	35	23	25	99	147	106	157	174	197	231
FEMALE--	4,356	127	19	16	17	38	41	47	72	106	132	163
BLACK---MALE----	4,697	153	34	23	25	99	141	101	152	172	196	229
FEMALE--	4,305	124	18	16	17	38	40	46	71	102	131	156
MISSOURI -----	53,910	560	122	79	122	357	407	401	578	906	1,075	1,344
WHITE-----MALE----	23,350	216	59	39	60	182	222	203	302	494	563	657
FEMALE--	24,945	167	36	28	38	83	75	89	146	213	296	410
ALL OTHER--MALE----	2,872	108	16	6	13	72	92	83	98	130	131	164
FEMALE--	2,743	69	11	6	11	20	18	26	32	69	85	113
BLACK---MALE----	2,776	107	15	6	13	68	90	81	94	126	127	162
FEMALE--	2,663	68	10	6	11	19	16	25	31	65	83	111
MONTANA -----	7,707	76	21	13	24	50	68	67	54	112	129	191
WHITE-----MALE----	3,864	38	12	4	15	39	48	42	37	73	68	123
FEMALE--	3,498	27	8	4	6	6	10	17	11	26	47	49
ALL OTHER--MALE----	199	8	1	5	2	5	7	6	4	9	6	14
FEMALE--	146	3	-	-	1	-	3	2	2	4	8	5
BLACK---MALE----	7	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	1	-	-	-	-	-	-	-
NEBRASKA -----	15,484	203	29	19	46	98	87	102	122	134	270	329
WHITE-----MALE----	7,141	86	12	12	25	55	64	64	62	78	146	212
FEMALE--	7,723	94	12	3	15	30	14	25	39	34	90	96
ALL OTHER--MALE----	335	10	2	1	4	9	6	11	12	15	20	11
FEMALE--	285	13	3	3	2	4	3	2	9	7	14	10
BLACK---MALE----	261	7	2	1	2	5	5	6	7	11	18	7
FEMALE--	230	10	2	3	1	4	3	2	7	5	10	9
NEVADA -----	13,185	161	39	28	32	96	133	154	232	293	353	449
WHITE-----MALE----	6,846	71	18	16	17	40	77	99	147	177	216	264
FEMALE--	5,220	49	10	9	12	25	27	24	54	74	100	129
ALL OTHER--MALE----	645	21	6	3	3	26	22	23	24	31	27	32
FEMALE--	474	20	5	-	-	5	7	8	7	11	10	24
BLACK---MALE----	467	13	6	1	2	22	15	17	17	20	22	23
FEMALE--	319	14	3	-	-	2	5	6	6	5	5	15

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 5  
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
ALL CAUSES												
MINNESOTA -----	1,010	1,300	1,835	2,710	3,933	4,928	5,971	5,589	4,129	1,758	424	3
WHITE-----MALE----	586	718	1,023	1,571	2,243	2,660	2,876	2,206	1,297	405	68	1
FEMALE--	350	509	725	1,052	1,577	2,159	3,006	3,333	2,811	1,339	348	2
ALL OTHER--MALE----	46	37	50	47	69	57	45	15	8	7	3	-
FEMALE--	28	36	37	40	44	52	44	35	13	7	5	-
BLACK---MALE----	26	22	26	22	35	23	21	7	4	3	2	-
FEMALE--	13	15	18	20	25	22	21	25	6	5	4	-
MISSISSIPPI -----	1,058	1,259	1,828	2,384	3,116	3,450	3,597	3,133	1,904	706	191	7
WHITE-----MALE----	379	504	747	960	1,340	1,311	1,154	804	386	92	12	2
FEMALE--	223	277	416	667	849	1,152	1,428	1,490	989	384	85	1
ALL OTHER--MALE----	283	295	370	400	465	496	460	349	188	69	25	3
FEMALE--	173	183	295	357	462	491	555	490	341	161	69	1
BLACK---MALE----	279	291	365	393	461	493	459	346	188	69	25	3
FEMALE--	170	182	292	348	458	488	551	488	338	161	69	1
MISSOURI -----	1,604	2,159	3,015	4,605	6,130	7,348	8,115	7,702	5,015	1,801	457	8
WHITE-----MALE----	846	1,104	1,577	2,403	3,089	3,509	3,396	2,643	1,374	340	67	5
FEMALE--	509	726	1,062	1,683	2,415	3,243	4,126	4,567	3,336	1,345	352	-
ALL OTHER--MALE----	137	192	209	267	319	279	262	169	89	30	4	2
FEMALE--	112	137	167	252	307	317	331	323	216	86	34	1
BLACK---MALE----	129	183	203	255	310	271	252	164	86	28	4	2
FEMALE--	106	132	163	249	290	307	322	317	212	85	34	1
MONTANA -----	264	280	483	656	833	1,141	1,205	1,055	634	275	75	1
WHITE-----MALE----	147	158	286	386	493	590	606	433	199	59	8	-
FEMALE--	84	104	162	236	307	515	569	609	425	209	66	1
ALL OTHER--MALE----	22	12	19	16	20	22	10	6	4	1	-	-
FEMALE--	11	6	16	18	13	14	20	7	6	6	1	-
BLACK---MALE----	-	2	-	2	2	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	1	1	-	-	-	-
NEBRASKA -----	395	503	742	1,167	1,613	2,017	2,406	2,490	1,790	732	189	1
WHITE-----MALE----	223	286	427	658	909	1,016	1,129	964	519	165	28	1
FEMALE--	148	177	265	441	632	939	1,222	1,484	1,245	560	158	-
ALL OTHER--MALE----	11	29	25	35	40	39	22	22	9	1	1	-
FEMALE--	13	11	25	33	32	23	33	20	17	6	2	-
BLACK---MALE----	8	23	20	29	28	34	20	17	9	1	1	-
FEMALE--	13	10	18	23	23	18	27	18	16	6	2	-
NEVADA -----	605	715	1,082	1,479	1,815	1,869	1,629	1,150	596	209	40	26
WHITE-----MALE----	348	405	617	864	1,020	984	776	453	169	45	5	18
FEMALE--	187	226	349	489	671	779	785	639	395	154	30	3
ALL OTHER--MALE----	41	51	71	74	64	56	31	25	11	1	1	1
FEMALE--	29	33	45	52	60	50	37	33	21	9	4	4
BLACK---MALE----	34	39	57	52	45	38	19	16	7	-	1	1
FEMALE--	20	20	32	38	38	34	27	23	13	7	2	4

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 6  
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
ALL CAUSES												
NEW HAMPSHIRE -----	9,395	72	13	13	16	32	53	61	85	120	166	255
WHITE-----MALE----	4,551	45	5	9	8	20	38	43	52	73	90	159
FEMALE--	4,775	26	7	4	7	12	13	15	31	42	71	92
ALL OTHER--MALE----	43	-	-	-	1	-	2	2	2	3	4	4
FEMALE--	26	1	1	-	-	-	-	1	-	2	1	-
BLACK---MALE----	27	-	-	-	1	-	2	-	2	3	3	4
FEMALE--	14	-	1	-	-	-	-	-	-	1	-	-
NEW JERSEY -----	73,205	785	140	101	98	271	392	565	989	1,435	1,787	2,084
WHITE-----MALE----	30,214	248	45	41	38	111	190	243	421	611	755	946
FEMALE--	32,441	208	38	25	31	47	73	104	196	272	373	473
ALL OTHER--MALE----	5,607	187	33	16	14	90	100	132	241	337	416	408
FEMALE--	4,943	142	24	19	15	23	29	86	131	215	243	257
BLACK---MALE----	5,194	172	31	14	13	81	96	118	233	321	404	384
FEMALE--	4,606	134	22	17	13	21	28	77	125	207	236	238
NEW MEXICO -----	12,481	170	54	27	49	158	175	169	228	293	344	402
WHITE-----MALE----	6,147	91	23	16	28	89	109	98	138	169	217	214
FEMALE--	5,305	50	13	7	16	41	33	42	43	74	78	121
ALL OTHER--MALE----	572	17	10	1	4	20	27	22	35	34	32	38
FEMALE--	457	12	8	3	1	8	6	7	12	16	17	29
BLACK---MALE----	91	1	-	-	-	1	4	3	8	4	5	6
FEMALE--	66	5	2	1	-	1	1	2	-	2	2	3
NEW YORK -----	164,395	1,837	348	243	241	671	978	1,367	2,452	3,443	4,388	5,305
WHITE-----MALE----	66,259	587	117	91	98	303	475	620	1,119	1,534	1,881	2,374
FEMALE--	71,743	506	89	62	63	133	165	253	445	647	891	1,266
ALL OTHER--MALE----	13,753	426	72	57	45	169	251	336	547	771	1,038	1,052
FEMALE--	12,640	318	70	33	35	66	87	158	341	491	578	613
BLACK---MALE----	12,261	388	66	53	42	158	229	301	513	719	975	967
FEMALE--	11,543	299	60	31	31	56	71	151	319	464	550	577
NORTH CAROLINA -----	66,293	957	169	132	125	438	580	621	895	1,191	1,550	2,113
WHITE-----MALE----	25,397	311	52	42	53	202	284	257	362	479	568	861
FEMALE--	24,950	210	45	34	27	82	69	104	138	206	308	460
ALL OTHER--MALE----	8,372	235	41	29	35	114	162	174	268	323	423	512
FEMALE--	7,574	201	31	27	10	40	65	86	127	183	251	280
BLACK---MALE----	8,031	226	40	27	30	108	149	164	259	306	406	497
FEMALE--	7,255	190	27	25	10	36	63	81	120	173	246	258
NORTH DAKOTA -----	6,011	44	15	6	10	38	30	29	45	55	83	115
WHITE-----MALE----	2,961	22	5	4	6	24	21	14	23	33	46	65
FEMALE--	2,853	15	6	2	1	5	4	5	14	12	23	36
ALL OTHER--MALE----	110	6	4	-	3	3	4	6	3	8	7	8
FEMALE--	87	1	-	-	-	6	1	4	5	2	7	6
BLACK---MALE----	7	-	-	-	-	-	-	2	-	-	2	-
FEMALE--	2	-	-	-	-	1	-	-	1	-	-	-



1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 7  
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
ALL CAUSES												
OHIO -----	105,202	1,168	255	139	165	491	582	752	1,020	1,482	2,083	2,763
WHITE-----MALE----	45,257	449	117	50	65	263	325	399	589	775	1,081	1,399
FEMALE--	48,213	352	80	52	64	127	109	164	205	393	575	833
ALL OTHER--MALE----	6,094	211	27	19	25	72	118	131	154	198	264	300
FEMALE--	5,638	156	31	18	11	29	30	58	72	116	163	231
BLACK---MALE----	5,971	205	26	18	25	71	111	130	152	196	257	298
FEMALE--	5,514	153	31	18	11	29	28	54	69	114	161	225
OKLAHOMA -----	33,119	394	76	55	73	224	251	267	389	537	694	870
WHITE-----MALE----	14,677	164	31	32	26	118	154	137	216	278	359	464
FEMALE--	14,906	118	21	14	24	57	41	71	89	153	207	259
ALL OTHER--MALE----	1,807	67	13	4	14	32	40	45	58	75	80	83
FEMALE--	1,729	45	11	5	9	17	16	14	26	31	48	64
BLACK---MALE----	1,078	49	10	3	10	26	25	24	39	45	46	50
FEMALE--	1,034	30	5	4	7	7	6	6	12	10	30	35
OREGON -----	28,913	243	69	46	63	165	215	228	337	470	589	747
WHITE-----MALE----	14,208	118	38	18	32	116	143	159	224	309	380	448
FEMALE--	13,829	97	26	26	24	38	47	51	81	126	170	246
ALL OTHER--MALE----	493	17	4	1	4	10	21	14	20	23	24	29
FEMALE--	383	11	1	1	3	1	4	4	12	12	15	24
BLACK---MALE----	223	9	2	-	3	3	12	6	7	16	10	17
FEMALE--	142	5	-	-	-	1	-	2	5	5	7	6
PENNSYLVANIA -----	129,280	1,161	189	131	165	551	729	866	1,226	1,734	2,299	3,048
WHITE-----MALE----	56,528	450	74	61	90	289	413	458	630	882	1,172	1,549
FEMALE--	60,288	349	53	48	46	111	124	161	274	401	568	875
ALL OTHER--MALE----	6,662	194	40	15	19	123	155	182	230	297	357	407
FEMALE--	5,802	168	22	7	10	28	37	65	92	154	202	217
BLACK---MALE----	6,405	186	38	15	17	118	146	167	219	288	345	394
FEMALE--	5,619	162	19	6	10	24	35	60	91	148	196	211
RHODE ISLAND -----	9,546	66	13	8	8	20	39	45	83	108	164	222
WHITE-----MALE----	4,342	28	7	5	2	12	29	23	49	62	100	125
FEMALE--	4,866	29	3	1	2	4	6	13	26	29	52	74
ALL OTHER--MALE----	170	6	3	2	1	3	4	3	6	10	7	12
FEMALE--	168	3	-	-	3	1	-	6	2	7	5	11
BLACK---MALE----	131	4	2	2	1	3	2	5	9	4	4	10
FEMALE--	132	2	-	-	2	1	-	4	1	6	3	8
SOUTH CAROLINA -----	34,053	430	116	69	96	256	323	390	563	742	927	1,230
WHITE-----MALE----	11,938	99	32	27	30	99	120	140	193	258	334	394
FEMALE--	11,661	83	24	14	18	44	36	60	90	142	151	236
ALL OTHER--MALE----	5,503	134	36	15	32	85	128	138	172	200	273	405
FEMALE--	4,951	114	24	13	16	28	39	52	108	142	169	195
BLACK---MALE----	5,465	134	36	15	32	84	126	137	170	198	271	404
FEMALE--	4,922	113	24	13	16	28	39	52	107	141	167	194

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 7  
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
ALL CAUSES												
OHIO -----	3,266	4,266	6,218	9,725	13,369	15,599	16,085	13,332	8,440	3,214	786	2
WHITE-----MALE----	1,672	2,201	3,135	4,932	6,474	7,258	6,712	4,453	2,143	659	105	1
FEMALE--	1,061	1,414	2,139	3,547	5,373	6,948	8,156	7,950	5,731	2,335	604	1
ALL OTHER--MALE----	309	375	531	683	864	702	525	379	150	44	13	-
FEMALE--	224	276	413	563	658	691	692	550	416	176	64	-
BLACK---MALE----	303	369	519	669	849	691	513	368	145	44	12	-
FEMALE--	216	273	401	547	646	681	675	538	409	171	64	-
OKLAHOMA -----	1,110	1,419	2,061	2,877	3,867	4,496	4,723	4,435	2,898	1,110	268	25
WHITE-----MALE----	567	753	1,116	1,510	1,991	2,133	2,016	1,527	785	248	41	11
FEMALE--	360	447	676	1,056	1,471	1,973	2,342	2,636	1,902	786	193	10
ALL OTHER--MALE----	111	134	148	154	220	180	147	98	75	17	9	3
FEMALE--	72	85	121	157	185	210	218	174	136	59	25	1
BLACK---MALE----	59	79	90	80	118	110	94	59	38	12	9	3
FEMALE--	45	38	67	83	112	137	143	116	90	34	16	1
OREGON -----	804	1,165	1,446	2,281	3,324	4,097	4,682	4,111	2,588	1,005	236	2
WHITE-----MALE----	456	682	800	1,287	1,879	2,129	2,280	1,643	798	231	36	2
FEMALE--	296	436	588	913	1,349	1,876	2,325	2,407	1,751	763	193	-
ALL OTHER--MALE----	36	31	35	49	44	40	34	34	16	7	-	-
FEMALE--	16	16	23	32	52	52	43	27	23	4	7	-
BLACK---MALE----	12	18	17	20	20	13	16	14	7	1	-	-
FEMALE--	4	5	6	9	31	20	11	8	13	2	2	-
PENNSYLVANIA -----	3,515	4,825	6,926	11,310	16,462	19,751	20,887	17,803	10,788	3,980	924	10
WHITE-----MALE----	1,826	2,426	3,681	5,923	8,347	9,453	8,939	6,110	2,816	809	125	5
FEMALE--	1,078	1,611	2,256	4,135	6,669	8,882	10,769	10,776	7,434	2,946	720	2
ALL OTHER--MALE----	359	465	564	692	738	726	515	346	157	62	16	3
FEMALE--	252	323	425	560	708	690	664	571	381	163	63	-
BLACK---MALE----	347	442	546	668	713	700	496	331	153	57	16	3
FEMALE--	238	308	417	543	685	672	643	554	374	161	62	-
RHODE ISLAND -----	253	307	458	785	1,201	1,385	1,534	1,410	925	393	118	1
WHITE-----MALE----	140	180	249	443	640	709	699	483	243	94	20	-
FEMALE--	95	99	187	302	530	646	805	905	666	296	96	-
ALL OTHER--MALE----	10	14	12	20	16	15	9	11	4	-	1	1
FEMALE--	8	14	10	20	15	15	21	11	12	3	1	-
BLACK---MALE----	9	9	7	17	14	13	8	7	3	-	1	-
FEMALE--	7	12	7	17	13	12	16	8	10	2	1	-
SOUTH CAROLINA -----	1,462	1,779	2,472	3,287	4,286	4,775	4,468	3,505	2,032	668	175	2
WHITE-----MALE----	577	733	1,014	1,352	1,761	1,886	1,486	890	407	93	12	1
FEMALE--	309	431	658	939	1,326	1,625	1,843	1,913	1,221	401	96	1
ALL OTHER--MALE----	378	358	455	554	597	641	464	275	110	37	16	-
FEMALE--	198	257	345	442	602	623	675	427	294	137	51	-
BLACK---MALE----	378	353	449	551	593	637	462	273	110	36	16	-
FEMALE--	198	253	343	438	597	620	674	424	293	137	51	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 8  
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
ALL CAUSES												
SOUTH DAKOTA -----	6,797	60	24	13	20	52	37	55	52	93	116	151
WHITE-----MALE----	3,295	27	8	6	9	27	21	33	26	45	56	98
FEMALE--	3,046	12	5	5	7	11	8	10	12	24	30	32
ALL OTHER--MALE----	259	7	7	2	2	11	7	11	10	16	23	16
FEMALE--	197	14	4	-	2	3	1	1	4	8	7	5
BLACK---MALE----	9	1	-	-	-	-	-	-	1	-	1	-
FEMALE--	5	-	1	-	-	-	-	-	-	-	-	-
TENNESSEE -----	51,419	627	113	86	103	366	446	508	710	984	1,223	1,582
WHITE-----MALE----	21,640	210	39	40	46	203	231	245	333	479	608	756
FEMALE--	21,371	169	35	12	23	70	88	105	154	228	263	409
ALL OTHER--MALE----	4,382	154	18	17	20	72	93	120	154	176	224	257
FEMALE--	4,026	94	21	17	14	21	34	38	69	101	128	160
BLACK---MALE----	4,330	153	16	17	20	70	93	119	151	173	221	252
FEMALE--	3,972	94	21	17	13	21	31	38	68	100	125	154
TEXAS -----	139,962	2,089	511	356	366	1,259	1,424	1,640	2,284	3,108	3,726	4,596
WHITE-----MALE----	62,154	869	249	169	182	762	852	940	1,305	1,733	1,999	2,408
FEMALE--	59,051	730	159	118	100	277	277	316	482	692	883	1,241
ALL OTHER--MALE----	9,874	272	58	40	50	163	211	263	314	452	525	603
FEMALE--	8,883	218	45	29	34	57	84	121	183	231	319	344
BLACK---MALE----	9,365	248	52	36	45	146	193	243	295	420	502	569
FEMALE--	8,440	205	42	27	30	48	75	114	173	217	300	319
UTAH -----	11,112	254	47	31	49	155	154	145	182	253	266	302
WHITE-----MALE----	5,597	143	32	18	29	113	110	91	128	164	162	179
FEMALE--	5,191	92	12	12	18	34	32	40	40	70	89	106
ALL OTHER--MALE----	186	15	1	-	1	5	9	13	8	14	8	6
FEMALE--	138	4	2	1	1	3	3	1	6	5	7	11
BLACK---MALE----	48	4	-	-	-	1	1	3	4	5	2	3
FEMALE--	25	1	-	-	-	-	-	-	-	-	-	1
VERMONT -----	4,870	48	9	7	10	25	25	32	46	64	80	128
WHITE-----MALE----	2,345	23	3	4	6	17	17	21	33	43	51	86
FEMALE--	2,499	23	5	3	4	8	6	10	11	21	29	40
ALL OTHER--MALE----	19	-	1	-	-	-	2	-	1	-	-	2
FEMALE--	7	2	-	-	-	-	-	1	1	-	-	-
BLACK---MALE----	8	-	1	-	-	-	-	-	1	-	-	1
FEMALE--	3	-	-	-	-	-	-	-	1	-	-	-
VIRGINIA -----	53,505	712	132	73	83	345	425	491	667	1,022	1,235	1,632
WHITE-----MALE----	20,416	225	43	27	37	150	206	229	288	403	513	676
FEMALE--	20,973	184	37	24	15	68	59	72	128	224	271	416
ALL OTHER--MALE----	6,387	177	34	16	23	99	119	132	160	259	286	355
FEMALE--	5,729	126	18	6	8	28	41	58	91	136	165	185
BLACK---MALE----	6,139	168	31	16	21	94	114	123	158	250	273	337
FEMALE--	5,503	121	17	5	7	26	40	54	84	132	157	170

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 8  
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
ALL CAUSES												
SOUTH DAKOTA -----	186	223	348	493	779	928	1,068	1,000	687	335	77	-
WHITE-----MALE----	98	136	184	291	471	489	511	429	235	84	11	-
FEMALE--	54	60	130	164	262	391	527	549	439	249	65	-
ALL OTHER--MALE----	22	20	14	23	26	21	12	7	2	-	-	-
FEMALE--	12	7	20	15	20	27	18	15	11	2	1	-
BLACK---MALE----	-	1	-	-	1	2	-	2	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	-	-	1	-	-
TENNESSEE -----	1,936	2,541	3,394	4,664	6,128	7,025	7,284	6,230	3,866	1,293	300	10
WHITE-----MALE----	944	1,337	1,686	2,353	2,926	3,205	2,858	1,958	926	217	35	5
FEMALE--	570	766	1,079	1,545	2,316	2,949	3,497	3,520	2,486	886	199	2
ALL OTHER--MALE----	254	248	373	413	432	405	425	308	158	44	15	2
FEMALE--	168	190	256	353	454	466	504	444	296	146	51	1
BLACK---MALE----	251	246	369	404	429	402	420	306	157	44	15	2
FEMALE--	167	185	253	350	446	460	500	440	292	145	51	1
TEXAS -----	5,229	6,482	9,025	12,415	16,243	17,953	18,890	17,007	10,569	3,778	945	67
WHITE-----MALE----	2,696	3,342	4,701	6,353	7,993	8,479	7,740	5,807	2,702	723	110	40
FEMALE--	1,583	1,987	2,907	4,274	6,242	7,544	9,322	9,655	6,886	2,677	687	12
ALL OTHER--MALE----	573	676	832	979	1,064	946	786	587	310	118	39	13
FEMALE--	377	477	585	809	944	984	1,042	958	671	260	109	2
BLACK---MALE----	541	633	806	939	1,019	907	746	560	302	117	38	8
FEMALE--	353	450	550	747	893	942	1,004	929	658	255	107	2
UTAH -----	297	393	584	810	1,158	1,462	1,699	1,498	974	333	66	-
WHITE-----MALE----	178	210	322	454	603	776	832	627	321	92	13	-
FEMALE--	106	172	239	331	523	651	844	853	642	235	50	-
ALL OTHER--MALE----	5	5	13	17	15	22	12	10	3	4	-	-
FEMALE--	8	6	10	8	17	13	11	8	2	3	-	-
BLACK---MALE----	-	3	1	3	4	4	3	5	1	1	-	-
FEMALE--	-	2	3	3	4	4	2	1	4	-	-	-
VERMONT -----	143	168	291	419	541	681	743	730	445	192	43	-
WHITE-----MALE----	85	103	161	246	307	365	346	271	116	36	5	-
FEMALE--	57	64	125	172	233	315	394	458	328	156	37	-
ALL OTHER--MALE----	1	1	5	-	1	-	3	-	1	-	1	-
FEMALE--	-	-	-	1	-	1	-	1	-	-	-	-
BLACK---MALE----	1	-	1	-	-	-	1	-	1	-	1	-
FEMALE--	-	-	-	1	-	1	-	-	-	-	-	-
VIRGINIA -----	2,003	2,497	3,447	4,889	6,746	7,526	7,456	6,522	3,827	1,401	349	25
WHITE-----MALE----	891	1,121	1,522	2,238	2,865	3,156	2,683	1,964	877	254	39	9
FEMALE--	558	683	977	1,470	2,323	2,930	3,416	3,531	2,419	939	223	6
ALL OTHER--MALE----	342	385	552	647	833	728	618	417	140	43	16	6
FEMALE--	212	308	396	534	725	712	739	610	391	165	71	4
BLACK---MALE----	332	372	532	622	795	710	588	404	135	42	16	6
FEMALE--	202	291	381	513	700	692	710	588	381	158	71	3



1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 9  
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
ALL CAUSES												
WASHINGTON -----	42,256	466	91	71	93	248	311	368	570	770	1,007	1,214
WHITE-----MALE----	20,109	222	47	34	41	146	194	235	345	459	594	717
FEMALE--	19,709	159	31	25	36	69	58	73	149	200	285	368
ALL OTHER--MALE----	1,409	41	8	9	10	25	50	48	54	79	89	71
FEMALE--	1,029	44	5	3	6	8	9	12	22	32	39	58
BLACK---MALE----	645	24	5	5	3	10	32	18	27	36	50	37
FEMALE--	421	25	2	1	1	3	2	4	9	19	17	21
WEST VIRGINIA -----	20,420	154	37	27	36	125	108	147	180	244	344	544
WHITE-----MALE----	9,741	87	20	13	23	86	81	99	119	142	225	319
FEMALE--	9,916	50	12	13	12	34	22	38	50	84	103	198
ALL OTHER--MALE----	378	12	4	1	-	4	5	8	5	9	13	18
FEMALE--	385	5	1	-	1	1	-	2	6	9	3	9
BLACK---MALE----	363	11	4	1	-	3	5	7	5	9	13	18
FEMALE--	374	5	1	-	1	1	-	2	6	9	3	9
WISCONSIN -----	45,141	493	94	61	77	251	282	306	379	581	754	961
WHITE-----MALE----	21,357	208	41	30	40	141	175	169	218	302	430	536
FEMALE--	21,719	148	34	19	27	62	60	81	106	180	221	318
ALL OTHER--MALE----	1,123	74	10	6	6	39	33	39	38	68	66	56
FEMALE--	942	63	9	6	4	9	14	17	17	31	37	51
BLACK---MALE----	928	65	9	5	4	30	28	36	33	60	55	48
FEMALE--	743	56	4	4	4	7	9	12	14	28	31	42
WYOMING -----	3,602	40	9	8	19	52	40	22	50	51	72	113
WHITE-----MALE----	1,781	28	4	5	10	38	30	16	25	33	38	64
FEMALE--	1,741	9	5	3	8	12	9	5	20	14	30	47
ALL OTHER--MALE----	43	2	-	-	1	2	1	-	3	1	2	2
FEMALE--	37	1	-	-	-	-	-	1	2	3	2	-
BLACK---MALE----	14	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	9	-	-	-	-	-	-	1	-	1	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 9  
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
ALL CAUSES												
WASHINGTON -----	1,400	1,626	2,244	3,332	4,719	6,008	6,598	5,767	3,575	1,416	358	4
WHITE-----MALE----	784	900	1,236	1,816	2,481	3,026	3,141	2,226	1,072	329	60	4
FEMALE--	495	581	843	1,303	1,969	2,700	3,242	3,398	2,396	1,042	287	-
ALL OTHER--MALE----	85	85	101	113	149	148	104	76	47	14	3	-
FEMALE--	36	60	64	100	120	134	111	67	60	31	8	-
BLACK---MALE----	48	38	44	52	67	59	51	20	14	5	-	-
FEMALE--	11	31	23	32	61	53	39	35	23	7	2	-
WEST VIRGINIA -----	665	846	1,280	2,082	2,708	2,971	3,101	2,592	1,512	562	154	1
WHITE-----MALE----	392	505	732	1,166	1,450	1,445	1,352	914	421	117	33	-
FEMALE--	244	310	506	852	1,163	1,431	1,657	1,578	1,026	425	108	-
ALL OTHER--MALE----	16	20	18	39	48	51	45	34	18	7	2	1
FEMALE--	13	11	24	25	47	44	47	66	47	13	11	-
BLACK---MALE----	16	20	15	37	47	51	42	33	16	7	2	1
FEMALE--	12	6	24	25	47	42	45	66	46	13	11	-
WISCONSIN -----	1,208	1,635	2,429	3,574	4,984	6,363	7,267	6,578	4,589	1,847	428	-
WHITE-----MALE----	685	916	1,433	2,045	2,810	3,346	3,408	2,537	1,422	402	63	-
FEMALE--	405	581	813	1,317	1,971	2,840	3,730	3,928	3,100	1,421	357	-
ALL OTHER--MALE----	54	79	100	132	104	89	61	37	26	6	-	-
FEMALE--	64	59	83	80	99	88	68	76	41	18	8	-
BLACK---MALE----	47	66	77	111	82	74	48	23	24	3	-	-
FEMALE--	51	50	67	64	75	64	53	50	36	15	7	-
WYOMING -----	127	139	202	336	426	474	525	470	291	110	24	2
WHITE-----MALE----	79	86	113	201	222	244	246	177	89	30	1	2
FEMALE--	41	47	81	132	191	226	274	289	197	78	23	-
ALL OTHER--MALE----	2	5	5	1	9	2	1	1	2	1	-	-
FEMALE--	5	1	3	2	4	2	4	3	3	1	-	-
BLACK---MALE----	2	2	2	-	3	1	-	1	1	1	-	-
FEMALE--	1	-	1	-	-	1	2	1	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 10													
(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)													
CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	
I. INFECTIOUS AND PARASITIC DISEASES (001-139)													
0 UNITED STATES --	65,791	708	393	200	167	205	508	2,440	6,527	8,229	7,715	5,659	
WHITE-----MALE----	27,406	227	112	57	56	73	158	942	3,188	3,960	3,581	2,690	
FEMALE--	16,608	173	106	47	45	67	90	293	573	692	610	558	
ALL OTHER--MALE----	14,361	178	100	47	35	33	136	802	1,971	2,563	2,618	1,800	
FEMALE--	7,416	130	75	49	31	32	124	403	795	1,014	906	611	
BLACK---MALE----	13,602	163	90	46	32	29	131	777	1,909	2,471	2,531	1,728	
FEMALE--	6,984	117	69	49	27	26	116	395	781	991	887	591	
ALABAMA -----	1,144	19	8	6	-	6	5	42	84	120	95	55	
WHITE-----MALE----	377	1	1	2	-	5	3	10	30	40	31	13	
FEMALE--	279	4	4	-	-	1	1	3	9	7	5	6	
ALL OTHER--MALE----	300	8	2	-	-	-	1	21	31	58	40	31	
FEMALE--	188	6	1	4	-	-	-	8	14	15	19	5	
BLACK---MALE----	300	8	2	-	-	-	1	21	31	58	40	31	
FEMALE--	187	6	1	4	-	-	-	8	14	14	19	5	
ALASKA -----	54	1	1	-	-	2	1	-	4	6	4	7	
WHITE-----MALE----	26	-	-	-	-	1	1	-	2	2	3	5	
FEMALE--	8	-	-	-	-	1	-	-	-	-	-	-	
ALL OTHER--MALE----	10	-	1	-	-	-	-	-	-	2	1	2	
FEMALE--	10	1	-	-	-	-	-	-	2	2	-	-	
BLACK---MALE----	1	-	-	-	-	-	-	-	-	1	-	-	
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-	
ARIZONA -----	902	11	5	3	3	9	7	29	80	99	92	80	
WHITE-----MALE----	527	4	3	1	2	1	3	21	56	70	75	54	
FEMALE--	262	5	1	2	-	5	2	6	12	13	5	13	
ALL OTHER--MALE----	72	1	1	-	-	1	1	2	8	12	10	8	
FEMALE--	41	1	-	-	1	2	1	-	4	4	2	5	
BLACK---MALE----	37	-	-	-	-	-	1	1	6	9	7	4	
FEMALE--	18	1	-	-	1	-	1	-	2	1	1	4	
ARKANSAS -----	645	9	10	1	2	3	8	11	37	42	31	25	
WHITE-----MALE----	236	4	4	-	1	-	2	6	24	24	13	13	
FEMALE--	240	1	3	-	-	1	1	-	4	3	2	3	
ALL OTHER--MALE----	96	1	3	1	1	1	4	5	7	9	12	5	
FEMALE--	73	3	-	-	-	1	1	-	2	6	4	4	
BLACK---MALE----	94	1	2	1	1	1	3	5	7	9	12	5	
FEMALE--	73	3	-	-	-	1	1	-	2	6	4	4	
CALIFORNIA -----	6,586	72	35	13	13	21	52	282	831	1,132	1,004	808	
WHITE-----MALE----	3,991	30	6	3	3	6	27	170	597	786	704	540	
FEMALE--	1,078	21	17	5	6	7	9	53	63	73	54	67	
ALL OTHER--MALE----	1,142	15	8	2	2	5	5	47	140	240	201	159	
FEMALE--	375	6	4	3	2	3	11	12	31	33	45	42	
BLACK---MALE----	875	11	6	1	2	4	3	39	124	202	168	125	
FEMALE--	244	5	1	3	2	2	7	10	28	30	38	36	

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996													PLT B	PG	10
(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)															
CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.			
I. INFECTIOUS AND PARASITIC DISEASES (001-139)															
0 UNITED STATES --	3,436	2,640	2,646	3,176	3,993	4,625	4,717	4,231	2,414	936	217	9			
WHITE-----MALE----	1,597	1,126	1,111	1,338	1,623	1,872	1,690	1,274	537	166	26	2			
FEMALE--	476	514	702	1,096	1,542	1,971	2,352	2,379	1,544	630	148	-			
ALL OTHER--MALE----	994	696	533	426	426	338	317	193	104	33	11	7			
FEMALE--	369	304	300	316	402	444	358	385	229	107	32	-			
BLACK---MALE----	950	642	480	370	377	304	270	166	91	28	10	7			
FEMALE--	341	279	258	273	359	388	333	351	221	101	31	-			
ALABAMA -----	53	40	52	67	88	107	116	98	57	24	2	-			
WHITE-----MALE----	22	20	17	30	30	44	33	31	12	2	-	-			
FEMALE--	7	3	19	18	36	33	48	38	26	10	1	-			
ALL OTHER--MALE----	20	12	9	10	13	14	16	8	5	1	-	-			
FEMALE--	4	5	7	9	9	16	19	21	14	11	1	-			
BLACK---MALE----	20	12	9	10	13	14	16	8	5	1	-	-			
FEMALE--	4	5	7	9	9	16	19	21	14	11	1	-			
ALASKA -----	2	3	7	3	3	4	4	-	-	2	-	-			
WHITE-----MALE----	1	2	1	-	2	3	2	-	-	1	-	-			
FEMALE--	-	1	1	2	1	-	2	-	-	-	-	-			
ALL OTHER--MALE----	-	-	2	1	-	1	-	-	-	-	-	-			
FEMALE--	1	-	3	-	-	-	-	-	-	1	-	-			
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-			
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-			
ARIZONA -----	50	39	38	63	73	72	61	57	24	3	4	-			
WHITE-----MALE----	36	22	18	31	39	35	19	28	8	1	-	-			
FEMALE--	8	13	11	25	31	30	36	26	13	2	3	-			
ALL OTHER--MALE----	4	2	5	4	3	2	4	1	2	-	1	-			
FEMALE--	2	2	4	3	-	5	2	2	1	-	-	-			
BLACK---MALE----	3	1	2	-	1	-	-	-	1	-	-	-			
FEMALE--	-	1	1	-	-	2	1	1	1	-	-	-			
ARKANSAS -----	22	24	20	43	58	78	83	81	37	16	4	-			
WHITE-----MALE----	9	10	8	16	26	26	30	13	6	1	-	-			
FEMALE--	7	7	7	22	18	38	37	48	23	12	3	-			
ALL OTHER--MALE----	2	3	3	1	9	8	10	8	2	1	-	-			
FEMALE--	4	4	2	4	5	6	6	12	6	2	1	-			
BLACK---MALE----	2	3	3	1	9	8	10	8	2	1	-	-			
FEMALE--	4	4	2	4	5	6	6	12	6	2	1	-			
CALIFORNIA -----	464	343	282	260	263	229	211	164	81	23	3	-			
WHITE-----MALE----	307	194	135	117	108	102	72	54	24	4	2	-			
FEMALE--	44	62	65	87	103	85	106	87	48	16	-	-			
ALL OTHER--MALE----	95	61	46	34	26	19	20	11	5	1	-	-			
FEMALE--	18	26	36	22	26	23	13	12	4	2	1	-			
BLACK---MALE----	78	41	30	19	8	8	4	1	1	-	-	-			
FEMALE--	10	18	17	11	6	6	6	6	2	-	-	-			

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 11  
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)  
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49  
0 I. INFECTIOUS AND PARASITIC DISEASES (001-139)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
COLORADO -----	615	7	3	2	-	2	1	17	75	74	66	38
WHITE-----MALE----	353	4	1	-	-	-	1	13	55	53	51	29
FEMALE--	197	1	1	2	-	2	-	3	7	9	7	5
ALL OTHER--MALE----	43	1	1	-	-	-	-	1	12	7	7	3
FEMALE--	22	1	-	-	-	-	-	-	1	5	1	1
BLACK---MALE----	33	1	-	-	-	-	-	1	9	6	5	2
FEMALE--	14	1	-	-	-	-	-	-	1	4	1	-
CONNECTICUT -----	894	9	4	5	4	-	2	24	73	116	95	87
WHITE-----MALE----	393	2	1	2	2	-	2	11	34	52	38	40
FEMALE--	277	3	-	1	1	-	-	8	13	16	6	15
ALL OTHER--MALE----	154	1	2	2	1	-	-	3	17	35	37	25
FEMALE--	70	3	1	-	-	-	-	2	9	13	14	7
BLACK---MALE----	149	1	2	2	1	-	-	3	17	35	36	25
FEMALE--	70	3	1	-	-	-	-	2	9	13	14	7
DELAWARE -----	268	1	1	-	-	2	2	10	23	44	30	22
WHITE-----MALE----	79	-	-	-	-	-	-	3	7	12	9	6
FEMALE--	69	-	1	-	-	2	-	2	1	1	3	2
ALL OTHER--MALE----	82	1	-	-	-	-	-	3	9	21	14	12
FEMALE--	38	-	-	-	-	-	2	2	6	10	4	2
BLACK---MALE----	81	1	-	-	-	-	-	3	9	21	14	12
FEMALE--	38	-	-	-	-	-	2	2	6	10	4	2
DISTRICT OF COLUMBIA ----	736	2	8	1	1	-	10	33	99	139	130	89
WHITE-----MALE----	99	-	-	-	-	-	1	8	10	21	22	14
FEMALE--	23	-	-	-	-	-	-	1	-	-	1	1
ALL OTHER--MALE----	428	1	3	1	1	-	4	17	59	86	87	62
FEMALE--	186	1	5	-	-	-	5	7	30	32	20	12
BLACK---MALE----	428	1	3	1	1	-	4	17	59	86	87	62
FEMALE--	186	1	5	-	-	-	5	7	30	32	20	12
FLORIDA -----	4,748	48	42	12	10	10	66	242	587	778	628	464
WHITE-----MALE----	2,042	11	7	1	-	3	15	81	266	367	274	223
FEMALE--	849	15	8	3	5	2	9	21	41	61	43	32
ALL OTHER--MALE----	1,178	9	15	4	2	4	15	82	166	217	209	149
FEMALE--	679	13	12	4	3	1	27	58	114	133	102	60
BLACK---MALE----	1,168	9	15	4	2	3	15	82	163	216	207	149
FEMALE--	673	13	12	4	3	1	27	58	114	133	102	59
GEORGIA -----	2,476	35	19	10	6	7	26	135	304	302	294	187
WHITE-----MALE----	723	11	3	2	-	3	2	37	102	100	90	60
FEMALE--	435	5	3	3	2	-	3	5	8	6	13	11
ALL OTHER--MALE----	865	8	6	3	1	2	12	64	142	150	148	84
FEMALE--	453	11	7	2	3	2	9	29	52	46	43	32
BLACK---MALE----	857	6	6	3	1	2	12	63	142	150	148	84
FEMALE--	451	10	6	2	3	2	9	29	52	46	43	32

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 11  
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)  
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.  
0 I. INFECTIOUS AND PARASITIC DISEASES (001-139)

COLORADO -----	26	24	17	41	44	58	42	43	19	15	1	-
WHITE-----MALE----	20	11	8	20	22	26	18	16	4	1	-	-
FEMALE--	3	8	6	18	19	28	24	24	15	14	1	-
ALL OTHER--MALE----	3	3	2	-	1	1	-	1	-	-	-	-
FEMALE--	-	2	1	3	2	3	-	2	-	-	-	-
BLACK---MALE----	2	3	2	-	1	1	-	-	-	-	-	-
FEMALE--	-	2	-	2	-	1	-	2	-	-	-	-
CONNECTICUT -----	40	33	32	44	40	64	84	72	44	22	-	-
WHITE-----MALE----	23	11	16	20	25	28	42	26	12	6	-	-
FEMALE--	6	8	6	19	12	33	40	44	30	16	-	-
ALL OTHER--MALE----	7	9	6	4	-	2	1	2	-	-	-	-
FEMALE--	4	5	4	1	3	1	1	-	2	-	-	-
BLACK---MALE----	7	7	5	4	-	2	1	1	-	-	-	-
FEMALE--	4	5	4	1	3	1	1	-	2	-	-	-
DELAWARE -----	11	7	19	13	10	18	20	18	9	8	-	-
WHITE-----MALE----	3	1	7	6	2	7	8	5	2	1	-	-
FEMALE--	2	1	4	5	6	6	10	13	6	4	-	-
ALL OTHER--MALE----	5	3	7	1	-	3	2	-	-	1	-	-
FEMALE--	1	2	1	1	2	2	-	-	1	2	-	-
BLACK---MALE----	5	3	7	1	-	3	1	-	-	1	-	-
FEMALE--	1	2	1	1	2	2	-	-	1	2	-	-
DISTRICT OF COLUMBIA ----	48	29	28	19	20	25	16	21	13	4	1	-
WHITE-----MALE----	7	6	4	-	1	2	2	1	-	-	-	-
FEMALE--	-	1	1	-	3	2	2	7	3	1	-	-
ALL OTHER--MALE----	32	19	12	12	8	9	6	5	4	-	-	-
FEMALE--	9	3	11	7	8	12	6	8	6	3	1	-
BLACK---MALE----	32	19	12	12	8	9	6	5	4	-	-	-
FEMALE--	9	3	11	7	8	12	6	8	6	3	1	-
FLORIDA -----	250	200	224	179	227	231	212	176	119	34	9	-
WHITE-----MALE----	119	91	98	74	91	107	89	73	42	9	1	-
FEMALE--	27	20	39	54	88	94	99	92	65	23	8	-
ALL OTHER--MALE----	77	59	56	37	38	21	10	5	3	-	-	-
FEMALE--	27	30	31	14	10	9	14	6	9	2	-	-
BLACK---MALE----	77	59	56	36	36	21	10	5	3	-	-	-
FEMALE--	27	28	30	13	10	8	14	6	9	2	-	-
GEORGIA -----	129	109	105	106	124	153	180	136	77	23	8	1
WHITE-----MALE----	38	29	31	29	34	49	53	35	12	3	-	-
FEMALE--	15	15	22	40	43	53	70	66	39	11	2	-
ALL OTHER--MALE----	56	41	41	21	20	17	26	13	6	1	2	1
FEMALE--	20	24	11	16	27	34	31	22	20	8	4	-
BLACK---MALE----	54	40	40	21	20	17	25	13	6	1	2	1
FEMALE--	20	24	11	16	27	34	31	22	20	8	4	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 12  
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)  
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49  
0 I. INFECTIOUS AND PARASITIC DISEASES (001-139)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
HAWAII -----	221	1	-	-	1	-	-	4	15	21	16	19
WHITE-----MALE----	64	-	-	-	-	-	-	1	5	10	5	8
FEMALE--	9	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	99	-	-	-	-	-	-	2	10	9	8	10
FEMALE--	49	1	-	-	1	-	-	1	-	1	3	1
BLACK---MALE----	3	-	-	-	-	-	-	-	-	1	-	2
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	104	3	-	-	1	2	-	2	2	10	8	5
WHITE-----MALE----	66	3	-	-	1	1	-	1	2	10	7	4
FEMALE--	37	-	-	-	-	1	-	1	-	-	1	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	2,970	34	18	5	4	5	21	103	249	314	288	219
WHITE-----MALE----	1,067	9	8	2	1	1	5	25	103	125	110	93
FEMALE--	811	9	5	2	1	1	2	12	21	25	24	17
ALL OTHER--MALE----	732	8	3	1	1	-	12	46	103	127	123	85
FEMALE--	360	8	2	-	1	3	2	20	22	37	31	24
BLACK---MALE----	711	8	3	1	1	-	11	45	101	125	121	82
FEMALE--	353	8	2	-	1	2	2	19	22	37	31	24
INDIANA -----	1,029	21	2	5	2	3	6	21	88	68	64	42
WHITE-----MALE----	446	6	1	2	1	1	2	11	50	43	36	21
FEMALE--	400	9	-	2	1	2	3	3	9	7	3	8
ALL OTHER--MALE----	112	4	-	-	-	-	-	7	24	14	17	11
FEMALE--	71	2	1	1	-	-	1	-	5	4	8	2
BLACK---MALE----	109	4	-	-	-	-	-	7	24	14	16	11
FEMALE--	71	2	1	1	-	-	1	-	5	4	8	2
IOWA -----	360	5	3	-	2	2	1	7	20	32	20	14
WHITE-----MALE----	182	3	2	-	-	1	-	4	12	24	14	7
FEMALE--	160	1	1	-	2	1	1	3	6	7	4	3
ALL OTHER--MALE----	12	1	-	-	-	-	-	-	2	1	1	3
FEMALE--	6	-	-	-	-	-	-	-	-	-	1	1
BLACK---MALE----	8	-	-	-	-	-	-	-	1	1	1	2
FEMALE--	4	-	-	-	-	-	-	-	-	-	1	-
KANSAS -----	401	8	3	-	-	1	2	11	34	25	23	24
WHITE-----MALE----	206	7	2	-	-	-	1	8	25	17	18	16
FEMALE--	151	1	1	-	-	1	1	-	2	4	2	1
ALL OTHER--MALE----	27	-	-	-	-	-	-	3	7	3	3	2
FEMALE--	17	-	-	-	-	-	-	-	-	1	-	5
BLACK---MALE----	25	-	-	-	-	-	-	3	6	3	2	2
FEMALE--	17	-	-	-	-	-	-	-	-	1	-	5

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 12  
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)  
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.  
0 I. INFECTIOUS AND PARASITIC DISEASES (001-139)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
HAWAII -----	14	18	11	15	12	30	14	17	11	2	-	-
WHITE-----MALE----	5	7	6	2	-	10	1	3	1	-	-	-
FEMALE--	2	-	-	1	-	2	-	2	1	-	-	-
ALL OTHER--MALE----	4	8	3	9	6	9	9	4	6	2	-	-
FEMALE--	3	3	2	3	6	9	4	8	3	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	3	9	5	7	10	4	15	12	3	1	2	-
WHITE-----MALE----	2	5	3	4	2	3	10	6	-	1	1	-
FEMALE--	1	4	1	3	8	1	5	6	3	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	147	122	125	150	209	246	262	243	120	72	14	-
WHITE-----MALE----	50	51	49	49	91	105	88	52	34	16	-	-
FEMALE--	23	14	24	56	79	95	125	153	72	42	9	-
ALL OTHER--MALE----	48	38	38	28	18	17	15	8	8	3	2	-
FEMALE--	26	19	14	17	21	29	34	30	6	11	3	-
BLACK---MALE----	48	36	35	26	17	17	13	8	8	3	2	-
FEMALE--	25	18	13	17	20	29	33	30	6	11	3	-
INDIANA -----	39	35	52	59	104	100	118	117	59	19	5	-
WHITE-----MALE----	22	19	19	25	56	29	42	41	14	4	1	-
FEMALE--	9	12	20	25	39	61	64	63	41	15	4	-
ALL OTHER--MALE----	7	2	6	4	3	3	4	4	2	-	-	-
FEMALE--	1	2	7	5	6	7	8	9	2	-	-	-
BLACK---MALE----	7	2	5	4	3	2	4	4	2	-	-	-
FEMALE--	1	2	7	5	6	7	8	9	2	-	-	-
IOWA -----	14	15	17	19	27	45	46	40	21	8	2	-
WHITE-----MALE----	9	9	10	13	11	24	22	13	4	-	-	-
FEMALE--	5	4	6	5	16	19	23	26	17	8	2	-
ALL OTHER--MALE----	-	1	1	1	-	1	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	1	1	1	-	-	-	-
BLACK---MALE----	-	1	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	1	1	-	-	-	-	-
KANSAS -----	11	12	21	18	31	39	55	51	21	8	3	-
WHITE-----MALE----	5	6	12	7	14	20	26	13	6	2	1	-
FEMALE--	4	4	8	10	12	17	23	37	15	6	2	-
ALL OTHER--MALE----	2	-	1	1	2	-	3	-	-	-	-	-
FEMALE--	-	2	-	-	3	2	3	1	-	-	-	-
BLACK---MALE----	2	-	1	1	2	-	3	-	-	-	-	-
FEMALE--	-	2	-	-	3	2	3	1	-	-	-	-



1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 13  
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)  
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49  
0 I. INFECTIOUS AND PARASITIC DISEASES (001-139)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
KENTUCKY -----	703	5	5	1	-	2	2	24	36	38	41	35
WHITE-----MALE----	320	3	1	-	-	-	1	11	23	26	22	27
FEMALE--	278	2	3	-	-	1	-	8	5	5	3	4
ALL OTHER--MALE----	69	-	-	1	-	-	-	4	7	6	12	4
FEMALE--	36	-	1	-	-	1	1	1	1	1	4	-
BLACK---MALE----	67	-	-	1	-	-	-	4	7	6	12	4
FEMALE--	35	-	1	-	-	1	1	1	1	-	4	-
LOUISIANA -----	1,437	25	10	4	7	3	14	60	134	181	130	101
WHITE-----MALE----	456	6	2	-	1	2	2	15	46	70	46	38
FEMALE--	298	3	1	-	-	1	2	3	3	9	9	8
ALL OTHER--MALE----	444	11	4	1	3	-	4	25	61	84	57	41
FEMALE--	239	5	3	3	3	-	6	17	24	18	18	14
BLACK---MALE----	443	11	4	1	3	-	4	25	61	83	57	41
FEMALE--	238	5	3	3	3	-	6	17	24	18	18	14
MAINE -----	186	2	1	-	-	-	1	3	12	11	9	10
WHITE-----MALE----	96	1	1	-	-	-	1	2	10	11	7	10
FEMALE--	90	1	-	-	-	-	-	1	2	-	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	1,986	16	10	8	3	6	11	80	234	302	274	184
WHITE-----MALE----	411	3	-	1	1	-	2	11	33	40	42	32
FEMALE--	353	3	2	1	1	2	3	3	12	8	13	12
ALL OTHER--MALE----	803	7	7	2	-	3	2	33	137	167	160	107
FEMALE--	419	3	1	4	1	4	4	33	52	87	59	33
BLACK---MALE----	799	7	7	2	-	3	2	32	136	167	159	107
FEMALE--	413	3	1	4	1	1	3	33	51	87	58	33
MASSACHUSETTS -----	1,668	8	7	4	2	7	8	35	140	189	164	97
WHITE-----MALE----	805	4	3	2	-	2	6	16	85	115	105	60
FEMALE--	617	1	3	1	1	5	1	9	19	27	20	6
ALL OTHER--MALE----	157	3	1	-	1	-	-	5	22	30	29	25
FEMALE--	89	-	-	1	-	-	1	5	14	17	10	6
BLACK---MALE----	144	3	-	-	1	-	-	5	20	28	29	23
FEMALE--	85	-	-	1	-	-	1	5	13	17	10	6
MICHIGAN -----	1,460	26	10	4	3	5	17	41	120	160	149	108
WHITE-----MALE----	526	10	2	-	3	2	5	14	51	73	64	46
FEMALE--	424	6	4	-	-	3	2	2	11	10	10	5
ALL OTHER--MALE----	344	9	2	3	-	-	7	16	48	57	61	41
FEMALE--	166	1	2	1	-	-	3	9	10	20	14	16
BLACK---MALE----	336	7	2	3	-	-	7	16	48	57	60	41
FEMALE--	158	1	2	1	-	-	3	8	10	18	14	16

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 13  
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)  
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.  
0 I. INFECTIOUS AND PARASITIC DISEASES (001-139)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
KENTUCKY -----	32	33	36	43	76	77	87	65	48	15	2	-
WHITE-----MALE----	20	10	16	22	40	36	33	21	7	1	-	-
FEMALE--	5	14	17	18	24	31	50	38	35	13	2	-
ALL OTHER--MALE----	6	7	2	2	7	3	3	3	2	-	-	-
FEMALE--	1	2	1	1	5	7	1	3	4	1	-	-
BLACK---MALE----	6	5	2	2	7	3	3	3	2	-	-	-
FEMALE--	1	2	1	1	5	7	1	3	4	1	-	-
LOUISIANA -----	63	45	61	67	104	107	114	118	54	32	3	-
WHITE-----MALE----	15	12	23	29	31	39	42	26	7	4	-	-
FEMALE--	10	10	10	13	29	35	47	57	31	17	-	-
ALL OTHER--MALE----	30	15	17	12	22	16	14	13	8	4	2	-
FEMALE--	8	8	11	13	22	17	11	22	8	7	1	-
BLACK---MALE----	30	15	17	12	22	16	14	13	8	4	2	-
FEMALE--	8	8	11	12	22	17	11	22	8	7	1	-
MAINE -----	7	4	7	17	16	21	27	19	12	4	3	-
WHITE-----MALE----	5	3	4	12	4	10	6	7	1	1	-	-
FEMALE--	2	1	3	5	12	11	21	12	11	3	3	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	103	71	58	82	111	124	113	115	58	20	3	-
WHITE-----MALE----	24	16	17	29	43	37	36	31	10	2	1	-
FEMALE--	9	4	14	20	33	50	52	63	36	11	1	-
ALL OTHER--MALE----	54	40	20	14	19	10	11	4	3	3	-	-
FEMALE--	16	11	7	19	16	27	14	17	9	4	1	-
BLACK---MALE----	54	40	20	14	19	10	11	4	3	2	-	-
FEMALE--	15	11	7	19	16	25	14	17	9	4	1	-
MASSACHUSETTS -----	66	46	58	86	103	148	184	164	101	41	10	-
WHITE-----MALE----	37	26	32	44	55	54	61	57	33	7	1	-
FEMALE--	11	13	19	30	41	89	118	99	65	30	9	-
ALL OTHER--MALE----	15	5	3	7	2	2	2	3	-	2	-	-
FEMALE--	3	2	4	5	5	3	3	5	3	2	-	-
BLACK---MALE----	14	5	3	5	2	2	1	1	-	2	-	-
FEMALE--	3	2	4	4	4	2	3	5	3	2	-	-
MICHIGAN -----	70	39	68	80	95	112	144	119	56	30	4	-
WHITE-----MALE----	24	11	26	29	30	37	49	30	16	3	1	-
FEMALE--	14	13	21	29	39	55	74	68	34	22	2	-
ALL OTHER--MALE----	19	10	14	13	13	10	9	8	3	1	-	-
FEMALE--	13	5	7	9	13	10	12	13	3	4	1	-
BLACK---MALE----	19	10	14	12	12	9	9	6	3	1	-	-
FEMALE--	13	5	7	8	12	10	11	11	3	4	1	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 14  
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)  
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49  
0 I. INFECTIOUS AND PARASITIC DISEASES (001-139)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
MINNESOTA -----	519	4	4	1	3	5	2	8	44	57	57	28
WHITE-----MALE----	279	3	1	-	1	4	1	5	30	39	39	19
FEMALE--	174	-	1	1	-	1	-	1	3	6	5	6
ALL OTHER--MALE----	48	1	2	-	2	-	1	2	7	10	10	3
FEMALE--	18	-	-	-	-	-	-	-	4	2	3	-
BLACK---MALE----	32	-	-	-	1	-	1	1	5	7	10	3
FEMALE--	9	-	-	-	-	-	-	-	3	1	3	-
MISSISSIPPI -----	623	12	4	4	1	2	11	30	76	58	55	31
WHITE-----MALE----	166	2	2	2	-	-	1	5	26	14	16	11
FEMALE--	127	2	-	-	-	-	-	1	-	1	6	4
ALL OTHER--MALE----	209	7	1	2	1	1	5	17	35	33	23	9
FEMALE--	121	1	1	-	-	1	5	7	15	10	10	7
BLACK---MALE----	205	7	1	2	1	1	5	17	33	33	22	9
FEMALE--	119	1	1	-	-	1	5	7	15	10	10	7
MISSOURI -----	1,099	6	6	3	2	3	9	36	70	105	88	82
WHITE-----MALE----	498	3	3	-	2	2	1	16	40	63	55	40
FEMALE--	346	-	1	2	-	1	3	5	3	9	6	8
ALL OTHER--MALE----	177	1	2	1	-	-	4	13	25	26	22	27
FEMALE--	78	2	-	-	-	-	1	2	2	7	5	7
BLACK---MALE----	173	1	2	1	-	-	4	12	25	26	21	26
FEMALE--	76	2	-	-	-	-	-	2	2	7	5	7
MONTANA -----	116	1	1	-	-	-	1	1	2	-	6	3
WHITE-----MALE----	54	1	1	-	-	-	1	-	2	-	6	3
FEMALE--	57	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	221	2	2	-	3	1	2	7	21	21	8	13
WHITE-----MALE----	119	1	1	-	-	-	2	4	16	16	4	11
FEMALE--	75	1	-	-	1	-	-	-	3	-	-	2
ALL OTHER--MALE----	16	-	1	-	1	-	-	2	1	3	3	-
FEMALE--	11	-	-	-	1	1	-	1	1	2	1	-
BLACK---MALE----	12	-	1	-	-	-	-	-	1	3	3	-
FEMALE--	7	-	-	-	-	1	-	1	1	-	1	-
NEVADA -----	369	2	2	1	-	3	1	9	34	32	36	28
WHITE-----MALE----	208	-	2	1	-	1	-	9	28	21	25	14
FEMALE--	103	-	-	-	-	-	1	-	2	4	4	9
ALL OTHER--MALE----	34	-	-	-	-	2	-	-	3	7	6	5
FEMALE--	24	2	-	-	-	-	-	-	1	-	1	-
BLACK---MALE----	28	-	-	-	-	2	-	-	2	5	5	5
FEMALE--	19	2	-	-	-	-	-	-	1	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 14  
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)  
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.  
0 I. INFECTIOUS AND PARASITIC DISEASES (001-139)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
MINNESOTA -----	18	29	21	23	34	46	52	36	28	14	5	-
WHITE-----MALE----	13	15	10	9	17	21	20	16	9	5	2	-
FEMALE--	3	12	9	10	14	22	30	20	19	8	3	-
ALL OTHER--MALE----	1	2	2	3	-	1	1	-	-	-	-	-
FEMALE--	1	-	-	1	3	2	1	-	-	1	-	-
BLACK---MALE----	1	2	-	-	-	-	1	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-
MISSISSIPPI -----	35	20	28	37	41	49	58	42	20	3	5	1
WHITE-----MALE----	9	3	9	10	13	12	18	8	4	1	-	-
FEMALE--	7	2	6	14	13	17	21	22	10	1	-	-
ALL OTHER--MALE----	12	9	8	6	12	7	11	6	2	-	1	1
FEMALE--	7	6	5	7	3	13	8	6	4	1	4	-
BLACK---MALE----	12	8	8	6	12	7	11	6	2	-	1	1
FEMALE--	7	6	5	6	3	12	8	6	4	1	4	-
MISSOURI -----	50	37	55	65	85	106	93	107	60	22	9	-
WHITE-----MALE----	28	16	25	29	41	46	38	34	9	4	3	-
FEMALE--	8	10	25	20	31	51	39	61	46	14	3	-
ALL OTHER--MALE----	8	7	4	10	8	6	6	5	2	-	-	-
FEMALE--	6	4	1	6	5	3	10	7	3	4	3	-
BLACK---MALE----	7	7	4	10	8	6	6	5	2	-	-	-
FEMALE--	6	4	1	5	5	3	10	7	3	4	3	-
MONTANA -----	7	6	4	14	11	14	11	14	14	5	1	-
WHITE-----MALE----	4	3	2	5	7	5	4	6	3	1	-	-
FEMALE--	1	2	2	8	3	9	7	8	11	4	1	-
ALL OTHER--MALE----	1	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	13	5	8	12	16	26	24	18	10	8	1	-
WHITE-----MALE----	10	2	5	8	11	11	9	5	3	-	-	-
FEMALE--	1	2	1	4	4	14	14	13	7	7	1	-
ALL OTHER--MALE----	1	1	1	-	1	-	1	-	-	-	-	-
FEMALE--	1	-	1	-	-	1	-	-	1	-	-	-
BLACK---MALE----	1	1	1	-	-	-	1	-	-	-	-	-
FEMALE--	1	-	1	-	-	-	-	-	1	-	-	-
NEVADA -----	27	17	20	27	42	25	30	20	9	2	1	1
WHITE-----MALE----	17	11	10	11	17	10	19	6	4	1	-	1
FEMALE--	5	2	7	10	19	12	9	13	4	1	1	-
ALL OTHER--MALE----	3	2	1	3	-	-	1	1	-	-	-	-
FEMALE--	2	2	2	3	6	3	1	-	1	-	-	-
BLACK---MALE----	3	1	1	2	-	-	1	1	-	-	-	-
FEMALE--	2	1	2	1	6	3	1	-	-	-	-	-





1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 16  
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)  
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49  
0 I. INFECTIOUS AND PARASITIC DISEASES (001-139)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
OHIO -----	2,096	22	10	3	3	2	15	75	168	164	168	124
WHITE-----MALE----	923	6	4	-	1	1	8	35	102	97	92	68
FEMALE--	695	8	3	2	1	1	2	7	8	12	14	15
ALL OTHER--MALE----	316	5	-	-	-	-	5	28	44	46	50	30
FEMALE--	162	3	3	1	1	-	-	5	14	9	12	11
BLACK---MALE----	313	5	-	-	-	-	5	28	44	45	49	29
FEMALE--	161	3	3	1	1	-	-	5	14	9	12	11
OKLAHOMA -----	693	8	2	2	2	2	3	17	53	50	45	34
WHITE-----MALE----	303	2	1	2	-	1	-	9	37	28	29	22
FEMALE--	267	1	1	-	1	1	1	3	3	7	4	7
ALL OTHER--MALE----	75	4	-	-	-	-	2	4	11	13	10	3
FEMALE--	48	1	-	-	1	-	-	1	2	2	2	2
BLACK---MALE----	52	4	-	-	-	-	2	4	8	9	7	1
FEMALE--	29	-	-	-	1	-	-	1	2	1	1	1
OREGON -----	476	5	3	1	5	3	3	17	52	60	64	31
WHITE-----MALE----	310	-	2	1	2	3	2	13	47	46	56	26
FEMALE--	134	5	1	-	2	-	1	3	3	8	5	3
ALL OTHER--MALE----	19	-	-	-	-	-	-	-	2	5	1	2
FEMALE--	13	-	-	-	1	-	-	1	-	1	2	-
BLACK---MALE----	16	-	-	-	-	-	-	-	2	5	1	2
FEMALE--	6	-	-	-	-	-	-	-	-	1	1	-
PENNSYLVANIA -----	3,522	21	14	11	3	12	16	101	240	303	267	195
WHITE-----MALE----	1,297	8	5	3	3	8	9	27	100	118	110	76
FEMALE--	1,258	6	4	6	-	1	3	16	29	41	22	27
ALL OTHER--MALE----	654	6	4	1	-	1	3	45	82	113	108	73
FEMALE--	313	1	1	1	-	2	1	13	29	31	27	19
BLACK---MALE----	641	6	3	1	-	1	3	43	81	113	107	73
FEMALE--	306	1	1	1	-	1	1	13	29	29	27	19
RHODE ISLAND -----	184	-	-	1	1	2	-	5	16	16	14	21
WHITE-----MALE----	93	-	-	-	1	-	-	3	11	7	10	11
FEMALE--	64	-	-	1	-	1	-	1	2	3	2	4
ALL OTHER--MALE----	17	-	-	-	-	1	-	-	2	3	1	5
FEMALE--	10	-	-	-	-	-	-	1	1	3	1	1
BLACK---MALE----	13	-	-	-	-	-	-	-	1	3	1	5
FEMALE--	10	-	-	-	-	-	-	1	1	3	1	1
SOUTH CAROLINA -----	1,091	13	9	2	5	2	15	53	130	141	125	88
WHITE-----MALE----	271	1	2	1	3	-	3	6	26	32	26	18
FEMALE--	178	1	1	-	-	-	-	4	7	3	4	3
ALL OTHER--MALE----	411	6	3	-	2	1	9	30	66	71	71	50
FEMALE--	231	5	3	1	-	1	3	13	31	35	24	17
BLACK---MALE----	408	6	3	-	2	1	9	30	65	71	71	50
FEMALE--	228	4	3	1	-	1	3	13	31	35	24	17

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 16  
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)  
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.  
0 I. INFECTIOUS AND PARASITIC DISEASES (001-139)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
OHIO -----	85	69	80	132	185	219	211	190	116	42	13	-
WHITE-----MALE----	43	30	36	61	88	81	83	58	20	6	3	-
FEMALE--	18	18	30	49	67	108	105	112	75	33	7	-
ALL OTHER--MALE----	18	14	11	12	12	17	10	10	4	-	-	-
FEMALE--	6	7	3	10	18	13	13	10	17	3	3	-
BLACK---MALE----	18	14	11	12	12	17	10	10	4	-	-	-
FEMALE--	6	7	3	9	18	13	13	10	17	3	3	-
OKLAHOMA -----	35	24	31	48	59	67	91	64	38	16	1	1
WHITE-----MALE----	17	13	15	24	24	26	29	14	9	1	-	-
FEMALE--	7	5	12	18	28	35	52	44	24	12	1	-
ALL OTHER--MALE----	5	5	3	1	4	3	4	1	-	1	-	1
FEMALE--	6	1	1	5	3	3	6	5	5	2	-	-
BLACK---MALE----	4	3	1	1	1	2	2	1	-	1	-	1
FEMALE--	4	1	-	2	3	3	3	1	3	2	-	-
OREGON -----	19	23	19	26	30	33	27	30	18	6	1	-
WHITE-----MALE----	15	12	12	15	13	18	13	9	5	-	-	-
FEMALE--	3	8	5	9	14	13	13	19	12	6	1	-
ALL OTHER--MALE----	1	2	-	1	3	1	-	1	-	-	-	-
FEMALE--	-	1	2	1	-	1	1	1	1	-	-	-
BLACK---MALE----	-	2	-	-	3	-	-	1	-	-	-	-
FEMALE--	-	-	2	-	-	1	-	-	1	-	-	-
PENNSYLVANIA -----	152	106	131	195	297	418	373	366	207	70	24	-
WHITE-----MALE----	59	44	47	90	119	175	142	102	37	14	1	-
FEMALE--	23	17	39	71	126	185	198	227	150	47	20	-
ALL OTHER--MALE----	45	33	18	24	28	27	20	15	6	2	-	-
FEMALE--	25	12	27	10	24	31	13	22	14	7	3	-
BLACK---MALE----	44	31	18	22	27	26	20	14	6	2	-	-
FEMALE--	24	11	27	10	23	31	13	21	14	7	3	-
RHODE ISLAND -----	7	8	3	12	14	20	14	14	12	2	2	-
WHITE-----MALE----	5	6	2	9	7	10	4	3	2	1	1	-
FEMALE--	-	-	1	2	7	9	10	10	9	1	1	-
ALL OTHER--MALE----	2	2	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	1	-	1	-	-	1	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	1	-	1	-	-	1	-	-	-
SOUTH CAROLINA -----	48	38	57	58	74	78	64	57	25	8	1	-
WHITE-----MALE----	9	11	18	22	20	36	19	12	6	-	-	-
FEMALE--	7	9	10	10	26	25	23	24	15	5	1	-
ALL OTHER--MALE----	21	12	17	15	15	5	8	7	2	-	-	-
FEMALE--	11	6	12	11	13	12	14	14	2	3	-	-
BLACK---MALE----	21	12	16	15	14	5	8	7	2	-	-	-
FEMALE--	11	5	11	11	13	12	14	14	2	3	-	-



1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 17  
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)  
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49  
0 I. INFECTIOUS AND PARASITIC DISEASES (001-139)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
SOUTH DAKOTA -----	78	3	2	-	-	-	-	2	3	3	4	2
WHITE-----MALE----	31	2	-	-	-	-	-	2	2	2	-	2
FEMALE--	39	-	1	-	-	-	-	-	-	1	2	-
ALL OTHER--MALE----	5	1	-	-	-	-	-	-	1	-	2	-
FEMALE--	3	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	1	-	-	-	-	-	-	1	-	1	-
FEMALE--	1	-	1	-	-	-	-	-	-	-	-	-
TENNESSEE -----	1,026	12	2	1	1	4	8	37	118	114	91	72
WHITE-----MALE----	392	1	-	1	-	2	2	12	58	52	40	34
FEMALE--	274	3	1	-	1	1	1	3	7	6	7	7
ALL OTHER--MALE----	241	5	-	-	-	-	3	18	44	49	37	25
FEMALE--	119	3	1	-	-	1	2	4	9	7	7	6
BLACK---MALE----	240	5	-	-	-	-	3	18	44	49	37	25
FEMALE--	116	3	1	-	-	1	2	4	9	7	7	6
TEXAS -----	4,470	62	25	18	19	22	51	224	512	568	513	391
WHITE-----MALE----	2,252	18	7	6	9	7	17	112	320	383	310	229
FEMALE--	1,107	26	10	6	7	9	13	22	32	35	46	47
ALL OTHER--MALE----	752	8	5	5	2	3	13	62	125	114	129	89
FEMALE--	359	10	3	1	1	3	8	28	35	36	28	26
BLACK---MALE----	734	7	5	5	2	3	12	61	124	110	128	88
FEMALE--	349	9	3	1	1	2	8	28	35	36	28	23
UTAH -----	208	9	2	-	1	1	1	5	17	24	21	12
WHITE-----MALE----	132	5	2	-	-	1	1	5	13	23	16	8
FEMALE--	66	1	-	-	-	-	-	-	3	-	3	4
ALL OTHER--MALE----	5	2	-	-	-	-	-	-	1	1	1	-
FEMALE--	5	1	-	-	1	-	-	-	-	-	1	-
BLACK---MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	77	3	1	-	-	-	1	1	6	3	2	6
WHITE-----MALE----	34	1	-	-	-	-	1	-	4	2	2	4
FEMALE--	40	2	1	-	-	-	-	1	-	1	-	2
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
VIRGINIA -----	1,629	20	7	4	6	6	13	42	125	184	160	102
WHITE-----MALE----	540	6	2	2	3	3	2	17	52	60	55	39
FEMALE--	426	5	-	1	-	2	1	-	6	13	8	11
ALL OTHER--MALE----	431	9	2	-	2	-	5	16	51	81	76	44
FEMALE--	232	-	3	1	1	1	5	9	16	30	21	8
BLACK---MALE----	422	9	2	-	2	-	5	15	51	80	74	43
FEMALE--	228	-	3	1	1	1	5	9	15	30	21	8

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 17  
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)  
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.  
0 I. INFECTIOUS AND PARASITIC DISEASES (001-139)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
SOUTH DAKOTA -----	-	6	5	5	9	4	13	9	3	3	2	-
WHITE-----MALE----	-	3	2	2	5	1	1	3	2	1	1	-
FEMALE--	-	2	2	2	4	3	12	6	1	2	1	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	51	54	36	61	79	76	72	79	36	19	3	-
WHITE-----MALE----	18	26	15	22	26	29	26	21	4	3	-	-
FEMALE--	10	13	7	22	31	33	37	44	26	13	1	-
ALL OTHER--MALE----	15	9	9	5	9	5	1	4	1	1	1	-
FEMALE--	8	6	5	12	13	9	8	10	5	2	1	-
BLACK---MALE----	15	9	9	4	9	5	1	4	1	1	1	-
FEMALE--	8	6	5	10	13	9	7	10	5	2	1	-
TEXAS -----	221	175	180	221	244	262	305	241	160	45	10	1
WHITE-----MALE----	117	80	80	103	98	112	118	86	30	8	1	1
FEMALE--	51	47	60	85	99	110	145	123	97	30	7	-
ALL OTHER--MALE----	39	32	27	20	26	20	14	6	11	2	-	-
FEMALE--	14	16	13	13	21	20	28	26	22	5	2	-
BLACK---MALE----	39	30	27	20	23	19	12	6	11	2	-	-
FEMALE--	14	16	12	12	21	20	25	26	22	5	2	-
UTAH -----	11	9	10	11	16	9	19	16	9	5	-	-
WHITE-----MALE----	9	3	7	7	10	7	7	3	3	2	-	-
FEMALE--	2	5	3	4	5	2	12	13	6	3	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
VERMONT -----	2	-	4	9	7	13	3	10	4	1	1	-
WHITE-----MALE----	1	-	3	4	4	6	1	1	-	-	-	-
FEMALE--	1	-	-	5	3	7	2	9	4	1	1	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	67	52	74	92	128	162	140	128	70	33	11	3
WHITE-----MALE----	25	17	37	33	44	61	35	29	14	3	1	-
FEMALE--	10	8	14	32	42	62	73	68	42	21	7	-
ALL OTHER--MALE----	26	18	17	14	20	15	17	11	1	1	2	3
FEMALE--	6	9	6	13	22	24	15	20	13	8	1	-
BLACK---MALE----	26	18	15	13	19	15	17	11	1	1	2	3
FEMALE--	6	9	5	13	21	23	15	20	13	8	1	-



1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 18  
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)  
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.  
0 I. INFECTIOUS AND PARASITIC DISEASES (001-139)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
WASHINGTON -----	43	34	25	39	51	66	60	58	31	9	1	-
WHITE-----MALE----	33	20	9	20	24	23	20	21	6	1	1	-
FEMALE--	2	8	12	12	21	34	37	35	24	7	-	-
ALL OTHER--MALE----	7	5	3	4	1	-	2	-	-	-	-	-
FEMALE--	1	1	1	3	5	9	1	2	1	1	-	-
BLACK---MALE----	3	3	1	2	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	2	-	1	1	-	-	-
WEST VIRGINIA -----	6	9	17	33	31	52	48	39	22	10	3	-
WHITE-----MALE----	2	4	9	15	15	23	21	16	5	2	1	-
FEMALE--	2	5	7	17	16	26	26	20	17	8	2	-
ALL OTHER--MALE----	1	-	-	-	-	1	1	1	-	-	-	-
FEMALE--	1	-	1	1	-	2	-	2	-	-	-	-
BLACK---MALE----	1	-	-	-	-	1	1	1	-	-	-	-
FEMALE--	1	-	1	1	-	2	-	2	-	-	-	-
WISCONSIN -----	21	24	32	36	50	73	84	73	59	23	3	-
WHITE-----MALE----	13	12	13	25	23	29	31	22	12	4	-	-
FEMALE--	4	9	16	9	25	39	48	49	46	19	3	-
ALL OTHER--MALE----	1	2	3	2	-	1	3	-	1	-	-	-
FEMALE--	3	1	-	-	2	4	2	2	-	-	-	-
BLACK---MALE----	1	2	2	2	-	1	2	-	1	-	-	-
FEMALE--	1	1	-	-	2	2	2	1	-	-	-	-
WYOMING -----	3	3	2	3	9	4	9	3	4	2	-	-
WHITE-----MALE----	3	2	-	1	5	2	1	1	1	1	-	-
FEMALE--	-	1	1	2	4	2	7	2	3	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	1	-	-	-	-	-





























CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
INTESTINAL INFECTIOUS DISEASES (001-009)												
OHIO -----	50	10	-	-	-	-	-	2	-	-	-	-
WHITE-----MALE----	13	1	-	-	-	-	-	1	-	-	-	-
FEMALE--	28	4	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	6	5	-	-	-	-	-	1	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	6	5	-	-	-	-	-	1	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA -----	11	1	1	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	1	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	11	1	-	-	1	-	-	-	-	-	-	-
WHITE-----MALE----	3	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	8	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	44	6	-	-	-	-	-	-	2	-	-	1
WHITE-----MALE----	11	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	29	2	-	-	-	-	-	-	1	-	-	1
ALL OTHER--MALE----	2	1	-	-	-	-	-	-	1	-	-	-
FEMALE--	2	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	1	-	-	-	-	-	-	1	-	-	-
FEMALE--	2	1	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND -----	8	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	16	4	1	1	-	-	-	-	-	1	1	-
WHITE-----MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	5	3	-	-	-	-	-	-	-	-	1	-
FEMALE--	4	1	1	1	-	-	-	-	-	1	-	-
BLACK---MALE----	5	3	-	-	-	-	-	-	-	-	1	-
FEMALE--	4	1	1	1	-	-	-	-	-	1	-	-





1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 26  
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)  
 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.  
 INTESTINAL INFECTIOUS DISEASES (001-009)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
SOUTH DAKOTA -----	-	1	-	-	1	-	-	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	1	-	2	1	1	1	2	4	3	-	-	-
WHITE-----MALE----	1	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	1	1	2	4	3	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
TEXAS -----	1	-	5	3	1	4	5	7	1	-	-	-
WHITE-----MALE----	-	-	1	1	1	3	1	1	-	-	-	-
FEMALE--	1	-	4	2	-	-	3	4	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	-	-	-	-
UTAH -----	-	-	-	-	-	-	2	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	2	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	-	-	-	1	-	1	-	1	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	-	-	1	1	1	-	1	1	1	-	-	-
WHITE-----MALE----	-	-	1	-	1	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-



































































































































































































1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 70  
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 INTESTINAL INFECTIONS DUE TO OTHER SPECIFIED ORGANISMS (007-008)												
OHIO -----	33	-	-	-	-	-	-	1	-	-	-	-
WHITE-----MALE----	11	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	20	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA -----	5	-	1	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	9	1	-	-	1	-	-	-	-	-	-	-
WHITE-----MALE----	3	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	6	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	32	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	9	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	23	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND -----	7	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	6	-	-	-	-	-	-	-	-	1	1	-
WHITE-----MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-













































1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 80  
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ILL-DEFINED INTESTINAL INFECTIONS (009)												
SOUTH DAKOTA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	-	-	1	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS -----	1	-	2	-	-	-	2	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	1	-	2	-	-	-	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
UTAH -----	-	-	-	-	-	-	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	-	-	-	-	-	-	-	1	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	-	-	-	-	-	-	-	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-







1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 82  
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
TUBERCULOSIS (010-018)												
0 UNITED STATES --	1,202	2	2	-	2	4	10	16	27	57	40	68
WHITE-----MALE----	440	-	-	-	2	-	3	5	10	17	14	21
FEMALE--	284	-	-	-	-	1	-	3	2	6	2	10
ALL OTHER--MALE----	299	-	2	-	-	1	4	3	6	21	14	27
FEMALE--	179	2	-	-	-	2	3	5	9	13	10	10
BLACK---MALE----	236	-	2	-	-	1	3	3	6	19	14	25
FEMALE--	133	2	-	-	-	1	1	5	6	12	9	7
ALABAMA -----	32	-	-	-	-	-	-	-	-	1	-	1
WHITE-----MALE----	11	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	12	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	12	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALASKA -----	3	-	-	-	-	-	-	-	1	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	18	-	-	-	-	1	-	-	-	1	-	1
WHITE-----MALE----	13	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	4	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	8	-	-	-	-	-	1	-	-	-	-	-
WHITE-----MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	185	-	1	-	1	1	-	5	8	8	6	11
WHITE-----MALE----	64	-	-	-	1	-	-	2	4	2	3	4
FEMALE--	38	-	-	-	-	-	-	2	-	-	-	2
ALL OTHER--MALE----	53	-	1	-	-	-	-	-	2	5	2	4
FEMALE--	30	-	-	-	-	1	-	1	2	1	1	1
BLACK---MALE----	23	-	1	-	-	-	-	-	2	4	2	3
FEMALE--	7	-	-	-	-	-	-	1	1	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 82  
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)  
 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.  
 TUBERCULOSIS (010-018)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 UNITED STATES --	61	71	96	99	146	149	160	121	55	15	1	-
WHITE-----MALE----	21	36	28	43	62	59	56	41	19	3	-	-
FEMALE--	5	7	14	19	38	39	56	48	24	9	1	-
ALL OTHER--MALE----	23	19	36	24	28	28	39	17	5	2	-	-
FEMALE--	12	9	18	13	18	23	9	15	7	1	-	-
BLACK---MALE----	20	15	26	19	21	23	24	11	3	1	-	-
FEMALE--	10	7	15	7	12	13	7	12	7	-	-	-
ALABAMA -----	2	-	2	2	2	9	5	5	3	-	-	-
WHITE-----MALE----	1	-	1	1	1	5	-	1	1	-	-	-
FEMALE--	-	-	1	-	1	-	2	1	1	-	-	-
ALL OTHER--MALE----	1	-	-	1	-	4	2	2	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	1	-	-	-
BLACK---MALE----	1	-	-	1	-	4	2	2	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	1	-	-	-
ALASKA -----	-	-	-	1	-	-	-	-	-	1	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	2	3	-	2	2	2	2	2	-	-	-	-
WHITE-----MALE----	2	3	-	1	2	2	-	1	-	-	-	-
FEMALE--	-	-	-	1	-	-	2	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	-	-	-	1	2	1	3	-	-	-	-	-
WHITE-----MALE----	-	-	-	1	2	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	2	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	2	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	11	13	16	14	22	19	26	13	7	3	-	-
WHITE-----MALE----	5	7	3	3	11	4	10	2	2	1	-	-
FEMALE--	-	2	3	3	4	6	5	6	4	1	-	-
ALL OTHER--MALE----	3	3	8	6	3	2	9	4	1	-	-	-
FEMALE--	3	1	2	2	4	7	2	1	-	1	-	-
BLACK---MALE----	1	2	2	4	-	2	-	-	-	-	-	-
FEMALE--	1	1	-	-	1	1	-	1	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 83  
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
TUBERCULOSIS (010-018)												
COLORADO -----	12	-	-	-	-	-	1	-	-	-	-	1
WHITE-----MALE----	5	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	9	-	-	-	-	-	-	-	-	-	-	1
WHITE-----MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	2	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	11	-	-	-	-	-	-	-	1	1	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	8	-	-	-	-	-	-	-	1	1	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	8	-	-	-	-	-	-	-	1	1	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	90	2	1	-	-	-	-	2	-	3	5	2
WHITE-----MALE----	34	-	-	-	-	-	-	-	-	-	2	-
FEMALE--	16	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	23	-	1	-	-	-	-	1	-	1	1	2
FEMALE--	17	2	-	-	-	-	-	1	-	1	2	-
BLACK---MALE----	21	-	1	-	-	-	-	1	-	1	1	2
FEMALE--	16	2	-	-	-	-	-	1	-	1	2	-
GEORGIA -----	40	-	-	-	-	1	-	-	2	1	3	3
WHITE-----MALE----	13	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	16	-	-	-	-	1	-	-	1	1	1	1
FEMALE--	8	-	-	-	-	-	-	-	1	-	1	-
BLACK---MALE----	16	-	-	-	-	1	-	-	1	1	1	1
FEMALE--	8	-	-	-	-	-	-	-	1	-	1	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 83  
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
TUBERCULOSIS (010-018)												
COLORADO -----	1	-	1	-	3	-	3	1	1	-	-	-
WHITE-----MALE----	-	-	-	-	2	-	1	1	-	-	-	-
FEMALE--	1	-	-	-	1	-	2	-	1	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	-	1	-	1	1	1	2	2	-	-	-	-
WHITE-----MALE----	-	1	-	-	-	-	2	1	-	-	-	-
FEMALE--	-	-	-	1	1	1	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	-	-	-	-	1	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	1	2	1	-	1	2	1	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	2	1	-	-	-	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	2	-	-	-	-	-	-
BLACK---MALE----	1	2	1	-	-	-	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	2	-	-	-	-	-	-
FLORIDA -----	3	7	9	8	10	8	17	10	3	-	-	-
WHITE-----MALE----	1	5	3	3	6	3	7	4	-	-	-	-
FEMALE--	-	-	1	-	1	2	6	4	1	-	-	-
ALL OTHER--MALE----	2	-	2	4	2	3	3	1	-	-	-	-
FEMALE--	-	2	3	1	1	-	1	1	2	-	-	-
BLACK---MALE----	2	-	2	3	1	3	3	1	-	-	-	-
FEMALE--	-	2	2	1	1	-	1	1	2	-	-	-
GEORGIA -----	4	6	6	1	8	1	2	1	1	-	-	-
WHITE-----MALE----	-	4	1	1	1	1	1	1	-	-	-	-
FEMALE--	-	-	-	-	2	-	-	-	1	-	-	-
ALL OTHER--MALE----	3	1	4	-	3	-	-	-	-	-	-	-
FEMALE--	1	1	1	-	2	-	1	-	-	-	-	-
BLACK---MALE----	3	1	4	-	3	-	-	-	-	-	-	-
FEMALE--	1	1	1	-	2	-	1	-	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 84  
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
TUBERCULOSIS (010-018)												
HAWAII -----	5	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	1	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	62	-	-	-	-	-	-	2	1	7	2	6
WHITE-----MALE----	21	-	-	-	-	-	-	-	-	3	-	1
FEMALE--	11	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	17	-	-	-	-	-	-	-	-	3	-	5
FEMALE--	13	-	-	-	-	-	-	1	1	1	2	-
BLACK---MALE----	16	-	-	-	-	-	-	-	-	3	-	5
FEMALE--	13	-	-	-	-	-	-	1	1	1	2	-
INDIANA -----	20	-	-	-	-	-	-	-	-	-	-	2
WHITE-----MALE----	5	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	11	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IOWA -----	5	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS -----	7	-	-	-	-	-	-	-	-	1	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-





1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 85  
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
TUBERCULOSIS (010-018)												
KENTUCKY -----	16	-	-	-	-	-	-	-	-	-	-	1
WHITE-----MALE----	8	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	30	-	-	-	-	-	-	1	-	1	5	2
WHITE-----MALE----	7	-	-	-	-	-	-	1	-	-	1	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	12	-	-	-	-	-	-	-	-	1	4	1
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	12	-	-	-	-	-	-	-	-	1	4	1
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
MAINE -----	8	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	15	-	-	-	-	-	-	1	-	1	-	1
WHITE-----MALE----	8	-	-	-	-	-	-	1	-	-	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS -----	22	-	-	-	-	-	-	-	1	-	-	-
WHITE-----MALE----	7	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	28	-	-	-	-	-	2	-	3	-	-	1
WHITE-----MALE----	8	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	14	-	-	-	-	-	1	-	1	-	-	1
FEMALE--	5	-	-	-	-	-	1	-	2	-	-	-
BLACK---MALE----	13	-	-	-	-	-	1	-	1	-	-	1
FEMALE--	5	-	-	-	-	-	1	-	2	-	-	-













1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 88  
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
TUBERCULOSIS (010-018)												
OHIO -----	-	1	-	3	9	6	8	3	3	1	-	-
WHITE-----MALE----	-	-	-	2	4	3	4	1	1	-	-	-
FEMALE--	-	1	-	-	3	1	4	1	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	1	2	2	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	2	2	-	-	1	-	-	-
OKLAHOMA -----	1	1	-	2	3	2	2	1	-	2	-	-
WHITE-----MALE----	-	1	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	1	1	1	1	1	-	2	-	-
ALL OTHER--MALE----	1	-	-	-	2	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	1	1	1	1	1	-	-	2	1	-	-	-
WHITE-----MALE----	1	-	-	-	1	-	-	2	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	-	2	3	3	6	4	4	6	4	-	-	-
WHITE-----MALE----	-	-	1	1	2	4	2	3	3	-	-	-
FEMALE--	-	-	1	-	-	-	1	1	1	-	-	-
ALL OTHER--MALE----	-	1	1	1	4	-	1	-	-	-	-	-
FEMALE--	-	1	-	1	-	-	2	-	-	-	-	-
BLACK---MALE----	-	1	1	1	4	-	1	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	1	-	-	-	-
RHODE ISLAND -----	-	1	-	-	2	-	-	-	1	-	-	-
WHITE-----MALE----	-	1	-	-	2	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	3	1	1	1	3	4	3	4	-	-	-	-
WHITE-----MALE----	-	-	1	-	1	2	1	2	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	2	1	-	1	2	1	1	2	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	2	1	-	1	1	1	1	2	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-



1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 89  
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
TUBERCULOSIS (010-018)												
SOUTH DAKOTA -----	3	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	23	-	-	-	-	-	-	-	-	3	1	-
WHITE-----MALE----	7	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	1	1	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	1	1	-
TEXAS -----	104	-	-	-	1	-	-	1	4	11	5	9
WHITE-----MALE----	57	-	-	-	1	-	-	1	3	8	1	3
FEMALE--	26	-	-	-	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	10	-	-	-	-	-	-	-	-	1	2	2
FEMALE--	11	-	-	-	-	-	-	-	1	2	1	3
BLACK---MALE----	9	-	-	-	-	-	-	-	-	1	2	2
FEMALE--	11	-	-	-	-	-	-	-	1	2	1	3
UTAH -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	1	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	32	-	-	-	-	-	-	1	1	2	-	-
WHITE-----MALE----	8	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	11	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	9	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	1	1	-	-
BLACK---MALE----	8	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	1	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 89  
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
TUBERCULOSIS (010-018)												
SOUTH DAKOTA -----	-	1	-	1	-	1	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	2	1	1	3	3	2	1	5	1	-	-	-
WHITE-----MALE----	-	1	-	2	-	1	1	1	-	-	-	-
FEMALE--	1	-	-	1	-	-	-	3	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	2	-	-	-	-	-	-	-
FEMALE--	1	-	1	-	1	1	-	1	1	-	-	-
BLACK---MALE----	-	-	-	-	2	-	-	-	-	-	-	-
FEMALE--	1	-	1	-	1	1	-	1	1	-	-	-
TEXAS -----	4	4	8	8	12	11	11	9	5	1	-	-
WHITE-----MALE----	2	3	4	6	10	7	2	4	2	-	-	-
FEMALE--	2	-	3	1	2	2	6	5	2	1	-	-
ALL OTHER--MALE----	-	1	1	1	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	2	-	1	-	-	-
BLACK---MALE----	-	1	1	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	2	-	1	-	-	-
UTAH -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	-	1	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	1	-	4	1	3	8	5	4	2	-	-	-
WHITE-----MALE----	-	-	1	-	1	4	-	-	2	-	-	-
FEMALE--	1	-	1	-	1	2	3	2	-	-	-	-
ALL OTHER--MALE----	-	-	1	1	1	1	2	2	-	-	-	-
FEMALE--	-	-	1	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	1	1	2	2	-	-	-	-
FEMALE--	-	-	1	-	-	1	-	-	-	-	-	-





1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 91  
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 TUBERCULOSIS OF RESPIRATORY SYSTEM (010-012)												
0 UNITED STATES --	912	2	-	-	2	3	8	8	17	39	29	46
WHITE-----MALE----	361	-	-	-	2	-	2	3	8	11	13	14
FEMALE--	190	-	-	-	-	1	-	-	-	3	1	7
ALL OTHER--MALE----	239	-	-	-	1	4	3	4	16	9	9	17
FEMALE--	122	2	-	-	-	1	2	2	5	9	6	8
BLACK---MALE----	186	-	-	-	-	1	3	3	4	14	9	17
FEMALE--	98	2	-	-	-	1	1	2	5	9	5	6
ALABAMA -----	25	-	-	-	-	-	-	-	-	1	-	1
WHITE-----MALE----	10	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	9	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	9	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALASKA -----	2	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	16	-	-	-	-	1	-	-	-	1	-	-
WHITE-----MALE----	11	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	4	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	7	-	-	-	-	-	1	-	-	-	-	-
WHITE-----MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	143	-	-	-	1	-	-	1	6	5	4	9
WHITE-----MALE----	53	-	-	-	1	-	-	1	4	1	2	3
FEMALE--	28	-	-	-	-	-	-	-	-	-	-	2
ALL OTHER--MALE----	42	-	-	-	-	-	-	-	1	4	1	3
FEMALE--	20	-	-	-	-	-	-	-	1	-	1	1
BLACK---MALE----	17	-	-	-	-	-	-	-	1	3	1	3
FEMALE--	5	-	-	-	-	-	-	-	1	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 91  
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)  
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.  
0 TUBERCULOSIS OF RESPIRATORY SYSTEM (010-012)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 UNITED STATES --	47	58	66	75	105	121	125	104	45	11	1	-
WHITE-----MALE----	16	31	21	35	50	52	45	38	17	3	-	-
FEMALE--	2	4	6	12	22	30	40	38	17	6	1	-
ALL OTHER--MALE----	21	17	30	19	19	24	34	15	4	2	-	-
FEMALE--	8	6	9	9	14	15	6	13	7	-	-	-
BLACK---MALE----	19	14	22	14	14	19	20	10	2	1	-	-
FEMALE--	6	5	8	6	9	11	4	11	7	-	-	-
ALABAMA -----	2	-	-	2	2	7	3	5	2	-	-	-
WHITE-----MALE----	1	-	-	1	1	5	-	1	1	-	-	-
FEMALE--	-	-	-	-	1	-	1	1	-	-	-	-
ALL OTHER--MALE----	1	-	-	1	-	2	1	2	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	1	-	-	-
BLACK---MALE----	1	-	-	1	-	2	1	2	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	1	-	-	-
ALASKA -----	-	-	-	1	-	-	-	-	-	1	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	2	3	-	2	2	2	2	1	-	-	-	-
WHITE-----MALE----	2	3	-	1	2	2	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	2	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	-	-	-	1	1	1	3	-	-	-	-	-
WHITE-----MALE----	-	-	-	1	1	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	2	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	2	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	9	10	10	12	19	15	23	11	7	1	-	-
WHITE-----MALE----	4	5	2	2	10	4	9	2	2	1	-	-
FEMALE--	-	1	-	3	4	5	4	5	4	-	-	-
ALL OTHER--MALE----	3	3	7	5	1	2	8	3	1	-	-	-
FEMALE--	2	1	1	2	4	4	2	1	-	-	-	-
BLACK---MALE----	1	2	1	3	-	2	-	-	-	-	-	-
FEMALE--	-	1	-	-	1	1	-	1	-	-	-	-



1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 92  
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)  
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.  
0 TUBERCULOSIS OF RESPIRATORY SYSTEM (010-012)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
COLORADO -----	-	-	-	-	3	-	-	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	2	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	-	1	-	-	1	1	2	2	-	-	-	-
WHITE-----MALE----	-	1	-	-	-	-	2	1	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	-	-	-	-	1	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	1	2	1	-	-	2	-	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	2	1	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	2	-	-	-	-	-	-
BLACK---MALE----	1	2	1	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	2	-	-	-	-	-	-
FLORIDA -----	3	7	6	6	8	6	14	10	3	-	-	-
WHITE-----MALE----	1	5	3	3	4	2	6	4	-	-	-	-
FEMALE--	-	-	1	-	1	1	5	4	1	-	-	-
ALL OTHER--MALE----	2	-	2	2	2	3	2	1	-	-	-	-
FEMALE--	-	2	-	1	1	-	1	1	2	-	-	-
BLACK---MALE----	2	-	2	1	1	3	2	1	-	-	-	-
FEMALE--	-	2	-	1	1	-	1	1	2	-	-	-
GEORGIA -----	4	4	5	-	5	1	1	1	1	-	-	-
WHITE-----MALE----	-	3	1	-	1	1	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	3	1	4	-	3	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	3	1	4	-	3	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-







1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 94  
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 TUBERCULOSIS OF RESPIRATORY SYSTEM (010-012)												
KENTUCKY -----	13	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	7	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	24	-	-	-	-	-	-	1	-	1	4	2
WHITE-----MALE----	7	-	-	-	-	-	-	1	-	-	1	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	10	-	-	-	-	-	-	-	-	1	3	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	10	-	-	-	-	-	-	-	-	1	3	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
MAINE -----	7	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	11	-	-	-	-	-	-	1	-	1	-	-
WHITE-----MALE----	6	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS -----	14	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	25	-	-	-	-	-	2	-	3	-	-	1
WHITE-----MALE----	7	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	12	-	-	-	-	-	1	-	1	-	-	1
FEMALE--	5	-	-	-	-	-	1	-	2	-	-	-
BLACK---MALE----	11	-	-	-	-	-	1	-	1	-	-	1
FEMALE--	5	-	-	-	-	-	1	-	2	-	-	-















1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 97  
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 TUBERCULOSIS OF RESPIRATORY SYSTEM (010-012)												
OHIO -----	-	-	-	2	7	4	4	2	3	1	-	-
WHITE-----MALE----	-	-	-	2	4	2	2	1	1	-	-	-
FEMALE--	-	-	-	-	1	1	2	-	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	2	1	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	2	1	-	-	1	-	-	-
OKLAHOMA -----	1	1	-	1	3	2	-	1	-	1	-	-
WHITE-----MALE----	-	1	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	1	-	1	-	-
ALL OTHER--MALE----	1	-	-	-	2	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	1	1	-	-	1	-	-	2	-	-	-	-
WHITE-----MALE----	1	-	-	-	1	-	-	2	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	-	1	2	3	4	3	4	2	4	-	-	-
WHITE-----MALE----	-	-	-	1	2	3	2	2	3	-	-	-
FEMALE--	-	-	1	-	-	-	1	-	1	-	-	-
ALL OTHER--MALE----	-	1	1	1	2	-	1	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	1	1	2	-	1	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
RHODE ISLAND -----	-	1	-	-	1	-	-	-	-	-	-	-
WHITE-----MALE----	-	1	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	2	1	1	1	3	4	2	3	-	-	-	-
WHITE-----MALE----	-	-	1	-	1	2	-	2	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	2	1	-	1	2	1	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	2	1	-	1	1	1	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 98  
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 TUBERCULOSIS OF RESPIRATORY SYSTEM (010-012)												
SOUTH DAKOTA -----	1	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	16	-	-	-	-	-	-	-	-	2	-	-
WHITE-----MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	1	-	-
TEXAS -----	77	-	-	-	1	-	-	-	4	8	3	5
WHITE-----MALE----	45	-	-	-	1	-	-	-	3	5	1	1
FEMALE--	17	-	-	-	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	7	-	-	-	-	-	-	-	-	1	1	1
FEMALE--	8	-	-	-	-	-	-	-	1	2	-	2
BLACK---MALE----	6	-	-	-	-	-	-	-	-	1	1	1
FEMALE--	8	-	-	-	-	-	-	-	1	2	-	2
UTAH -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	1	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	25	-	-	-	-	-	-	1	-	1	-	-
WHITE-----MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	9	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	8	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	1	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 98  
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 TUBERCULOSIS OF RESPIRATORY SYSTEM (010-012)												
SOUTH DAKOTA -----	-	-	-	-	-	1	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	1	1	-	2	2	2	1	4	1	-	-	-
WHITE-----MALE----	-	1	-	1	-	1	1	1	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	1	-	1	1	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	1	-	1	1	-	-	-
TEXAS -----	2	4	5	5	7	11	8	8	5	1	-	-
WHITE-----MALE----	1	3	3	5	7	7	2	4	2	-	-	-
FEMALE--	1	-	1	-	-	2	4	4	2	1	-	-
ALL OTHER--MALE----	-	1	1	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	1	-	-	-
BLACK---MALE----	-	1	1	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	1	-	-	-
UTAH -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	-	1	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	1	-	4	1	1	6	4	4	2	-	-	-
WHITE-----MALE----	-	-	1	-	-	3	-	-	2	-	-	-
FEMALE--	1	-	1	-	-	1	2	2	-	-	-	-
ALL OTHER--MALE----	-	-	1	1	1	1	2	2	-	-	-	-
FEMALE--	-	-	1	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	1	1	2	2	-	-	-	-
FEMALE--	-	-	1	-	-	1	-	-	-	-	-	-





1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 100  
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 OTHER TUBERCULOSIS (013-018)												
0 UNITED STATES --	290	-	2	-	-	1	2	8	10	18	11	22
WHITE-----MALE----	79	-	-	-	-	-	1	2	2	6	1	7
FEMALE--	94	-	-	-	-	-	-	3	2	3	1	3
ALL OTHER--MALE----	60	-	2	-	-	-	-	-	2	5	5	10
FEMALE--	57	-	-	-	-	1	1	3	4	4	4	2
BLACK---MALE----	50	-	2	-	-	-	-	-	2	5	5	8
FEMALE--	35	-	-	-	-	-	-	3	1	3	4	1
ALABAMA -----	7	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA -----	1	-	-	-	-	-	-	-	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	2	-	-	-	-	-	-	-	-	-	-	1
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	1	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	42	-	1	-	-	1	-	4	2	3	2	2
WHITE-----MALE----	11	-	-	-	-	-	-	1	-	1	1	1
FEMALE--	10	-	-	-	-	-	-	2	-	-	-	-
ALL OTHER--MALE----	11	-	1	-	-	-	-	-	1	1	1	1
FEMALE--	10	-	-	-	-	1	-	1	1	1	-	-
BLACK---MALE----	6	-	1	-	-	-	-	-	1	1	1	-
FEMALE--	2	-	-	-	-	-	-	1	-	-	-	-





1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 101  
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 OTHER TUBERCULOSIS (013-018)												
COLORADO -----	7	-	-	-	-	-	-	-	-	-	-	1
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	1	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	1	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	3	-	-	-	-	-	-	-	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	14	-	1	-	-	-	-	-	-	-	-	1
WHITE-----MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	5	-	1	-	-	-	-	-	-	-	-	1
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	5	-	1	-	-	-	-	-	-	-	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
GEORGIA -----	12	-	-	-	-	-	-	-	1	1	1	1
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	6	-	-	-	-	-	-	-	1	-	1	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	6	-	-	-	-	-	-	-	1	-	1	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 101  
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OTHER TUBERCULOSIS (013-018)												
COLORADO -----	1	-	1	-	-	-	3	-	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	2	-	1	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	-	-	-	1	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	-	-	-	-	-	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	-	-	-	-	1	-	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	-	-	3	2	2	2	3	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	2	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	2	-	-	1	-	-	-	-	-
FEMALE--	-	-	3	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	2	-	-	1	-	-	-	-	-
FEMALE--	-	-	2	-	-	-	-	-	-	-	-	-
GEORGIA -----	-	2	1	1	3	-	1	-	-	-	-	-
WHITE-----MALE----	-	1	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	2	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	1	-	1	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	1	-	1	-	1	-	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 102  
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 OTHER TUBERCULOSIS (013-018)												
HAWAII -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	1	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	15	-	-	-	-	-	-	1	-	1	1	-
WHITE-----MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	1	-
INDIANA -----	4	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IOWA -----	1	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS -----	1	-	-	-	-	-	-	-	-	1	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-































1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 109  
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)  
 CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49  
 ZONOTIC AND OTHER BACTERIAL DISEASES (020-041)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 UNITED STATES --	22,832	260	130	47	38	81	67	118	233	300	443	543
WHITE-----MALE----	7,814	88	45	17	6	30	30	37	91	105	153	198
FEMALE--	10,440	72	43	15	15	27	19	39	56	72	102	140
ALL OTHER--MALE----	2,167	59	23	7	9	14	10	16	55	78	116	131
FEMALE--	2,411	41	19	8	8	10	8	26	31	45	72	74
BLACK---MALE----	1,992	53	19	6	9	11	10	13	51	76	111	123
FEMALE--	2,253	34	16	8	7	7	8	24	30	42	67	69
ALABAMA -----	559	7	3	1	-	-	1	4	5	11	16	12
WHITE-----MALE----	167	1	-	-	-	-	1	2	1	5	5	1
FEMALE--	205	2	3	-	-	-	-	1	1	3	2	3
ALL OTHER--MALE----	76	2	-	-	-	-	-	-	-	1	5	5
FEMALE--	111	2	-	1	-	-	-	1	3	2	4	3
BLACK---MALE----	76	2	-	-	-	-	-	-	-	1	5	5
FEMALE--	111	2	-	1	-	-	-	1	3	2	4	3
ALASKA -----	21	1	1	-	-	1	1	-	-	-	-	1
WHITE-----MALE----	8	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	5	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	4	-	1	-	-	-	-	-	-	-	-	1
FEMALE--	4	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	304	3	3	2	1	6	2	2	5	3	8	10
WHITE-----MALE----	133	2	2	1	-	-	1	1	1	-	6	5
FEMALE--	135	1	-	1	-	3	1	1	3	2	2	3
ALL OTHER--MALE----	18	-	1	-	-	1	-	-	-	1	-	1
FEMALE--	18	-	-	-	1	2	-	-	1	-	-	1
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	1	-	-	-	-	-	-	1
ARKANSAS -----	403	4	2	1	1	1	1	1	3	3	5	8
WHITE-----MALE----	118	2	1	-	1	-	1	-	2	2	-	3
FEMALE--	195	1	1	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	42	-	-	1	-	1	-	1	-	-	3	3
FEMALE--	48	1	-	-	-	-	-	-	1	1	2	1
BLACK---MALE----	42	-	-	1	-	1	-	1	-	-	3	3
FEMALE--	48	1	-	-	-	-	-	-	1	1	2	1
CALIFORNIA -----	645	20	13	4	-	6	1	13	15	11	21	31
WHITE-----MALE----	260	8	3	1	-	1	-	5	10	6	8	14
FEMALE--	291	5	8	2	-	2	1	6	5	3	5	11
ALL OTHER--MALE----	53	5	1	1	-	2	-	-	-	2	4	3
FEMALE--	41	2	1	-	-	1	-	2	-	-	4	3
BLACK---MALE----	28	3	1	-	-	1	-	-	-	2	2	3
FEMALE--	20	1	1	-	-	1	-	1	-	-	2	1

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 109  
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)  
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.  
ZONOTIC AND OTHER BACTERIAL DISEASES (020-041)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 UNITED STATES --	625	751	1,150	1,752	2,549	3,339	3,729	3,545	2,125	819	187	1
WHITE-----MALE----	230	274	460	720	1,013	1,327	1,317	1,040	464	149	20	-
FEMALE--	189	221	378	653	1,013	1,449	1,877	2,022	1,368	544	126	-
ALL OTHER--MALE----	121	150	179	201	246	234	243	146	89	28	11	1
FEMALE--	85	106	133	178	277	329	292	337	204	98	30	-
BLACK---MALE----	116	137	163	183	226	218	220	132	79	25	10	1
FEMALE--	75	97	122	166	263	306	278	313	197	94	30	-
ALABAMA -----	20	21	29	46	61	79	97	75	46	23	2	-
WHITE-----MALE----	8	9	8	15	19	26	28	26	10	2	-	-
FEMALE--	5	2	13	14	26	31	41	28	19	10	1	-
ALL OTHER--MALE----	6	7	4	8	9	7	11	5	5	1	-	-
FEMALE--	1	3	4	9	7	15	17	16	12	10	1	-
BLACK---MALE----	6	7	4	8	9	7	11	5	5	1	-	-
FEMALE--	1	3	4	9	7	15	17	16	12	10	1	-
ALASKA -----	1	-	3	2	3	4	2	-	-	1	-	-
WHITE-----MALE----	-	-	1	-	2	3	1	-	-	-	-	-
FEMALE--	-	-	-	2	1	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	1	-	-	-	-	-	-
FEMALE--	1	-	1	-	-	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	6	12	18	32	41	43	39	43	18	3	4	-
WHITE-----MALE----	3	6	8	16	22	22	10	22	4	1	-	-
FEMALE--	-	6	5	13	16	18	24	20	11	2	3	-
ALL OTHER--MALE----	1	-	2	2	3	-	3	-	2	-	1	-
FEMALE--	2	-	3	1	-	3	2	1	1	-	-	-
BLACK---MALE----	-	-	1	-	1	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	1	1	1	1	-	-	-
ARKANSAS -----	10	14	14	30	39	64	73	75	34	16	4	-
WHITE-----MALE----	3	8	5	10	17	20	24	13	5	1	-	-
FEMALE--	6	4	6	17	12	31	35	44	22	12	3	-
ALL OTHER--MALE----	-	1	2	-	6	7	8	6	2	1	-	-
FEMALE--	1	1	1	3	4	6	6	12	5	2	1	-
BLACK---MALE----	-	1	2	-	6	7	8	6	2	1	-	-
FEMALE--	1	1	1	3	4	6	6	12	5	2	1	-
CALIFORNIA -----	27	37	37	48	66	73	87	74	48	12	1	-
WHITE-----MALE----	11	11	13	25	26	36	32	31	15	3	1	-
FEMALE--	10	16	19	17	33	29	48	35	28	8	-	-
ALL OTHER--MALE----	3	8	2	4	3	4	6	3	2	-	-	-
FEMALE--	3	2	3	2	4	4	1	5	3	1	-	-
BLACK---MALE----	2	5	-	3	1	2	2	1	-	-	-	-
FEMALE--	1	1	1	2	-	2	1	3	2	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 110  
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
ZONOTIC AND OTHER BACTERIAL DISEASES (020-041)												
COLORADO -----	252	5	1	1	-	2	-	1	5	3	10	4
WHITE-----MALE----	99	3	-	-	-	-	-	-	3	1	4	2
FEMALE--	134	1	-	1	-	2	-	1	-	2	5	1
ALL OTHER--MALE----	11	1	1	-	-	-	-	-	2	-	1	1
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	7	1	-	-	-	-	-	-	1	-	-	1
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	377	1	-	3	1	-	1	4	3	2	5	5
WHITE-----MALE----	156	-	-	1	-	-	1	1	-	-	2	1
FEMALE--	184	-	-	1	-	-	-	2	1	-	2	2
ALL OTHER--MALE----	22	-	-	1	1	-	-	1	1	1	1	2
FEMALE--	15	1	-	-	-	-	-	-	1	1	-	-
BLACK---MALE----	20	-	-	1	1	-	-	1	1	1	1	2
FEMALE--	15	1	-	-	-	-	-	-	1	1	-	-
DELAWARE -----	99	-	1	-	-	-	-	-	-	2	2	2
WHITE-----MALE----	31	-	-	-	-	-	-	-	-	1	-	2
FEMALE--	52	-	1	-	-	-	-	-	-	-	2	-
ALL OTHER--MALE----	8	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	7	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	140	-	1	-	1	-	-	-	1	3	5	8
WHITE-----MALE----	8	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	18	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	56	-	-	-	1	-	-	-	1	3	2	6
FEMALE--	58	-	1	-	-	-	-	-	-	-	2	1
BLACK---MALE----	56	-	-	-	1	-	-	-	1	3	2	6
FEMALE--	58	-	1	-	-	-	-	-	-	-	2	1
FLORIDA -----	877	14	8	3	-	2	6	4	10	8	22	14
WHITE-----MALE----	366	3	3	1	-	-	2	3	4	3	9	7
FEMALE--	379	7	2	-	-	-	3	-	4	1	5	2
ALL OTHER--MALE----	66	3	2	1	-	2	1	-	1	3	6	2
FEMALE--	66	1	1	1	-	-	-	1	1	1	2	3
BLACK---MALE----	64	3	2	1	-	1	1	-	1	3	5	2
FEMALE--	63	1	1	1	-	-	-	1	1	1	2	3
GEORGIA -----	894	10	7	5	2	3	-	3	16	10	25	18
WHITE-----MALE----	244	4	2	1	-	3	-	2	5	2	8	6
FEMALE--	323	2	3	2	2	-	-	-	3	1	5	3
ALL OTHER--MALE----	152	3	-	1	-	-	-	1	6	4	10	4
FEMALE--	175	1	2	1	-	-	-	-	2	3	2	5
BLACK---MALE----	149	2	-	1	-	-	-	1	6	4	10	4
FEMALE--	174	1	1	1	-	-	-	-	2	3	2	5

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 110  
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)  
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.  
ZONOTIC AND OTHER BACTERIAL DISEASES (020-041)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
COLORADO -----	4	13	9	27	34	39	31	36	16	10	1	-
WHITE-----MALE----	3	6	3	12	15	17	13	12	4	1	-	-
FEMALE--	-	5	5	13	17	20	18	21	12	9	1	-
ALL OTHER--MALE----	1	1	1	-	1	-	-	1	-	-	-	-
FEMALE--	-	1	-	2	1	2	-	2	-	-	-	-
BLACK---MALE----	1	1	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	1	-	1	-	-	-	2	-	-	-	-
CONNECTICUT -----	10	11	15	28	33	52	75	65	42	21	-	-
WHITE-----MALE----	5	3	8	13	22	22	36	23	12	6	-	-
FEMALE--	2	3	3	11	8	28	37	41	28	15	-	-
ALL OTHER--MALE----	1	3	4	3	-	1	1	1	-	-	-	-
FEMALE--	2	2	-	1	3	1	1	-	2	-	-	-
BLACK---MALE----	1	1	4	3	-	1	1	1	-	-	-	-
FEMALE--	2	2	-	1	3	1	1	-	2	-	-	-
DELAWARE -----	3	2	10	8	7	15	14	17	9	7	-	-
WHITE-----MALE----	1	-	4	4	1	5	6	4	2	1	-	-
FEMALE--	1	-	4	3	5	6	7	13	6	4	-	-
ALL OTHER--MALE----	-	-	2	1	-	2	1	-	-	1	-	-
FEMALE--	1	2	-	-	1	2	-	-	1	1	-	-
BLACK---MALE----	-	-	2	1	-	2	-	-	-	1	-	-
FEMALE--	1	2	-	-	1	2	-	-	1	1	-	-
DISTRICT OF COLUMBIA ----	8	5	15	9	15	21	13	19	13	2	1	-
WHITE-----MALE----	-	1	2	-	-	2	1	1	-	-	-	-
FEMALE--	-	-	1	-	1	2	2	7	3	1	-	-
ALL OTHER--MALE----	5	2	4	6	7	8	4	3	4	-	-	-
FEMALE--	3	2	8	3	7	9	6	8	6	1	1	-
BLACK---MALE----	5	2	4	6	7	8	4	3	4	-	-	-
FEMALE--	3	2	8	3	7	9	6	8	6	1	1	-
FLORIDA -----	17	24	50	65	90	133	140	130	104	28	5	-
WHITE-----MALE----	8	7	23	26	39	72	55	54	38	8	1	-
FEMALE--	5	4	13	25	39	49	68	71	59	18	4	-
ALL OTHER--MALE----	2	5	7	7	7	7	6	2	2	-	-	-
FEMALE--	2	8	7	7	5	5	11	3	5	2	-	-
BLACK---MALE----	2	5	7	7	7	7	6	2	2	-	-	-
FEMALE--	2	7	7	6	5	4	11	3	5	2	-	-
GEORGIA -----	30	37	53	77	92	120	155	128	74	21	8	-
WHITE-----MALE----	6	8	19	23	27	37	45	31	12	3	-	-
FEMALE--	12	7	11	28	33	40	61	63	36	9	2	-
ALL OTHER--MALE----	9	10	18	14	13	15	23	12	6	1	2	-
FEMALE--	3	12	5	12	19	28	26	22	20	8	4	-
BLACK---MALE----	9	10	17	14	13	15	22	12	6	1	2	-
FEMALE--	3	12	5	12	19	28	26	22	20	8	4	-



1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 111  
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)  
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.  
ZONOTIC AND OTHER BACTERIAL DISEASES (020-041)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
HAWAII -----	4	5	6	6	9	21	10	15	9	2	-	-
WHITE-----MALE----	1	1	4	2	-	8	-	3	-	-	-	-
FEMALE--	1	-	-	-	-	2	-	2	-	-	-	-
ALL OTHER--MALE----	2	2	-	3	4	6	6	3	6	2	-	-
FEMALE--	-	2	2	1	5	5	4	7	3	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	-	2	1	4	5	3	14	7	2	-	2	-
WHITE-----MALE----	-	2	1	3	1	2	9	4	-	-	1	-
FEMALE--	-	-	-	1	4	1	5	3	2	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	50	36	62	102	161	188	223	210	112	63	14	-
WHITE-----MALE----	18	9	24	35	70	78	73	41	31	14	-	-
FEMALE--	12	9	17	37	63	69	109	133	68	37	9	-
ALL OTHER--MALE----	12	10	14	19	11	16	12	8	7	1	2	-
FEMALE--	8	8	7	11	17	25	29	28	6	11	3	-
BLACK---MALE----	12	9	13	19	10	16	11	8	7	1	2	-
FEMALE--	7	8	7	11	16	25	28	28	6	11	3	-
INDIANA -----	17	16	36	40	75	72	96	100	51	19	5	-
WHITE-----MALE----	8	9	13	15	40	22	35	36	10	4	1	-
FEMALE--	7	4	14	18	28	43	53	53	37	15	4	-
ALL OTHER--MALE----	2	1	4	3	1	1	3	2	2	-	-	-
FEMALE--	-	2	5	4	6	6	5	9	2	-	-	-
BLACK---MALE----	2	1	3	3	1	1	3	2	2	-	-	-
FEMALE--	-	2	5	4	6	6	5	9	2	-	-	-
IOWA -----	9	6	12	10	16	29	36	35	19	5	-	-
WHITE-----MALE----	6	3	5	6	7	18	16	12	4	-	-	-
FEMALE--	3	2	6	3	9	10	19	22	15	5	-	-
ALL OTHER--MALE----	-	1	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	1	-	-	-	-
BLACK---MALE----	-	1	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	-	-	-	-
KANSAS -----	4	7	11	14	20	28	43	38	19	7	3	-
WHITE-----MALE----	-	5	7	5	7	16	19	10	6	2	1	-
FEMALE--	3	2	4	8	9	12	18	27	13	5	2	-
ALL OTHER--MALE----	1	-	-	1	2	-	3	-	-	-	-	-
FEMALE--	-	-	-	-	2	-	3	1	-	-	-	-
BLACK---MALE----	1	-	-	1	2	-	3	-	-	-	-	-
FEMALE--	-	-	-	-	2	-	3	1	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 112  
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)  
 CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49  
 ZONOTIC AND OTHER BACTERIAL DISEASES (020-041)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
KENTUCKY -----	414	1	3	-	-	2	1	1	3	2	7	10
WHITE-----MALE----	159	-	-	-	-	-	-	-	1	2	4	7
FEMALE--	203	1	2	-	-	1	-	1	-	-	2	3
ALL OTHER--MALE----	25	-	-	-	-	-	-	-	1	-	1	-
FEMALE--	27	-	1	-	-	1	1	-	1	-	-	-
BLACK---MALE----	25	-	-	-	-	-	-	-	1	-	1	-
FEMALE--	27	-	1	-	-	1	1	-	1	-	-	-
LOUISIANA -----	585	10	5	1	4	-	-	5	2	12	6	11
WHITE-----MALE----	147	2	1	-	-	-	-	1	1	1	2	4
FEMALE--	212	2	1	-	-	-	-	1	-	3	-	2
ALL OTHER--MALE----	114	4	2	-	2	-	-	-	1	7	2	4
FEMALE--	112	2	1	1	2	-	-	3	-	1	2	1
BLACK---MALE----	114	4	2	-	2	-	-	-	1	7	2	4
FEMALE--	111	2	1	1	2	-	-	3	-	1	2	1
MAINE -----	88	1	1	-	-	-	-	-	-	-	2	1
WHITE-----MALE----	33	1	1	-	-	-	-	-	-	-	2	1
FEMALE--	55	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	657	4	2	2	-	2	-	4	7	15	20	18
WHITE-----MALE----	180	1	-	1	-	-	-	1	2	1	2	6
FEMALE--	254	-	-	-	-	1	-	1	3	-	3	3
ALL OTHER--MALE----	110	2	2	-	-	1	-	-	-	10	12	5
FEMALE--	113	1	-	1	-	-	-	2	2	4	3	4
BLACK---MALE----	109	2	2	-	-	1	-	-	-	10	12	5
FEMALE--	112	1	-	1	-	-	-	2	2	4	3	4
MASSACHUSETTS -----	782	3	3	2	-	4	2	1	4	9	10	14
WHITE-----MALE----	295	1	-	1	-	-	1	-	2	7	5	8
FEMALE--	442	-	2	1	-	4	1	1	1	2	4	3
ALL OTHER--MALE----	23	2	1	-	-	-	-	-	1	-	-	3
FEMALE--	22	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	18	2	-	-	-	-	-	-	1	-	-	2
FEMALE--	22	-	-	-	-	-	-	-	-	-	1	-
MICHIGAN -----	614	11	3	-	1	2	5	4	3	7	13	16
WHITE-----MALE----	184	6	-	-	1	-	2	-	1	-	6	7
FEMALE--	292	2	1	-	-	2	-	1	1	2	2	-
ALL OTHER--MALE----	65	3	1	-	-	-	3	-	-	3	5	5
FEMALE--	73	-	1	-	-	-	-	3	1	2	-	4
BLACK---MALE----	61	2	1	-	-	-	3	-	-	3	5	5
FEMALE--	69	-	1	-	-	-	-	3	1	1	-	4

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 112  
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)  
 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.  
 ZONOTIC AND OTHER BACTERIAL DISEASES (020-041)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
KENTUCKY -----	12	16	21	26	55	66	74	56	44	13	1	-
WHITE-----MALE----	9	6	8	12	29	29	26	18	7	1	-	-
FEMALE--	2	7	11	11	15	27	45	32	31	11	1	-
ALL OTHER--MALE----	1	3	1	2	6	3	2	3	2	-	-	-
FEMALE--	-	-	1	1	5	7	1	3	4	1	-	-
BLACK---MALE----	1	3	1	2	6	3	2	3	2	-	-	-
FEMALE--	-	-	1	1	5	7	1	3	4	1	-	-
LOUISIANA -----	14	12	33	42	67	78	95	112	44	29	3	-
WHITE-----MALE----	2	2	11	14	16	24	33	23	7	3	-	-
FEMALE--	4	4	4	9	20	27	39	55	26	15	-	-
ALL OTHER--MALE----	4	2	13	9	15	14	13	12	4	4	2	-
FEMALE--	4	4	5	10	16	13	10	22	7	7	1	-
BLACK---MALE----	4	2	13	9	15	14	13	12	4	4	2	-
FEMALE--	4	4	5	9	16	13	10	22	7	7	1	-
MAINE -----	2	1	3	8	9	13	18	15	10	2	2	-
WHITE-----MALE----	1	1	1	6	3	6	3	6	1	-	-	-
FEMALE--	1	-	2	2	6	7	15	9	9	2	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	20	20	36	56	85	98	94	101	52	19	2	-
WHITE-----MALE----	2	5	12	20	30	31	29	25	9	2	1	-
FEMALE--	5	2	8	17	28	42	43	55	32	11	-	-
ALL OTHER--MALE----	8	12	10	7	15	7	10	4	2	3	-	-
FEMALE--	5	1	6	12	12	18	12	17	9	3	1	-
BLACK---MALE----	8	12	10	7	15	7	10	4	2	2	-	-
FEMALE--	5	1	6	12	12	17	12	17	9	3	1	-
MASSACHUSETTS -----	11	21	39	56	71	110	146	140	89	37	10	-
WHITE-----MALE----	3	11	20	26	40	36	50	48	29	6	1	-
FEMALE--	7	7	14	24	28	71	92	86	57	28	9	-
ALL OTHER--MALE----	1	2	2	4	1	2	1	2	-	1	-	-
FEMALE--	-	1	3	2	2	1	3	4	3	2	-	-
BLACK---MALE----	1	2	2	2	1	2	1	1	-	1	-	-
FEMALE--	-	1	3	2	2	1	3	4	3	2	-	-
MICHIGAN -----	12	14	25	46	61	80	122	108	49	28	4	-
WHITE-----MALE----	6	4	9	17	21	24	41	23	13	2	1	-
FEMALE--	4	7	9	18	21	40	62	66	31	21	2	-
ALL OTHER--MALE----	-	2	4	7	7	7	9	6	2	1	-	-
FEMALE--	2	1	3	4	12	9	10	13	3	4	1	-
BLACK---MALE----	-	2	4	7	6	7	9	4	2	1	-	-
FEMALE--	2	1	3	4	11	9	10	11	3	4	1	-





1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 113  
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)  
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.  
ZONOTIC AND OTHER BACTERIAL DISEASES (020-041)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
MINNESOTA -----	4	11	8	11	23	28	38	30	21	10	4	-
WHITE-----MALE----	3	3	3	7	14	11	15	15	6	4	2	-
FEMALE--	1	7	5	2	9	16	22	15	15	5	2	-
ALL OTHER--MALE----	-	1	-	1	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	1	-	-
BLACK---MALE----	-	1	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI -----	14	8	12	18	27	35	46	35	18	3	4	-
WHITE-----MALE----	2	1	3	5	8	7	16	6	4	1	-	-
FEMALE--	3	-	3	8	8	13	17	19	8	1	-	-
ALL OTHER--MALE----	6	4	4	2	9	4	6	5	2	-	1	-
FEMALE--	3	3	2	3	2	11	7	5	4	1	3	-
BLACK---MALE----	6	4	4	2	9	4	6	5	2	-	1	-
FEMALE--	3	3	2	2	2	10	7	5	4	1	3	-
MISSOURI -----	13	17	35	42	62	76	72	85	51	21	9	-
WHITE-----MALE----	4	7	14	18	31	36	28	23	8	4	3	-
FEMALE--	4	5	17	11	21	32	33	53	39	13	3	-
ALL OTHER--MALE----	1	2	3	8	6	5	6	3	2	-	-	-
FEMALE--	4	3	1	5	4	3	5	6	2	4	3	-
BLACK---MALE----	1	2	3	8	6	5	6	3	2	-	-	-
FEMALE--	4	3	1	5	4	3	5	6	2	4	3	-
MONTANA -----	3	3	3	8	8	9	8	8	9	4	1	-
WHITE-----MALE----	2	-	2	3	6	4	3	2	2	1	-	-
FEMALE--	1	2	1	4	1	5	5	6	7	3	1	-
ALL OTHER--MALE----	-	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	6	2	3	9	14	20	19	13	8	5	-	-
WHITE-----MALE----	4	-	2	6	9	6	6	3	2	-	-	-
FEMALE--	-	1	-	3	4	13	12	10	6	5	-	-
ALL OTHER--MALE----	1	1	1	-	1	-	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	1	1	1	-	-	-	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
NEVADA -----	6	9	10	18	29	23	24	19	9	2	1	-
WHITE-----MALE----	4	5	4	7	10	9	13	6	4	1	-	-
FEMALE--	2	1	5	8	13	11	9	12	4	1	1	-
ALL OTHER--MALE----	-	2	1	2	-	-	1	1	-	-	-	-
FEMALE--	-	1	-	1	6	3	1	-	1	-	-	-
BLACK---MALE----	-	1	1	1	-	-	1	1	-	-	-	-
FEMALE--	-	-	-	1	6	3	1	-	-	-	-	-





1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 115  
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
ZOONOTIC AND OTHER BACTERIAL DISEASES (020-041)												
OHIO -----	1,037	4	3	-	2	1	3	1	3	8	12	19
WHITE-----MALE----	368	2	1	-	1	-	2	-	2	5	4	6
FEMALE--	508	2	2	-	-	1	1	1	-	1	4	8
ALL OTHER--MALE----	78	-	-	-	-	-	-	-	1	-	3	4
FEMALE--	83	-	-	-	1	-	-	-	-	2	1	1
BLACK---MALE----	78	-	-	-	-	-	-	-	1	-	3	4
FEMALE--	83	-	-	-	1	-	-	-	-	2	1	1
OKLAHOMA -----	380	5	-	2	1	-	-	-	3	5	3	10
WHITE-----MALE----	124	2	-	2	-	-	-	-	2	2	1	1
FEMALE--	202	-	-	-	-	-	-	-	-	3	-	6
ALL OTHER--MALE----	20	2	-	-	-	-	-	-	1	-	1	1
FEMALE--	34	1	-	-	1	-	-	-	-	-	1	2
BLACK---MALE----	12	2	-	-	-	-	-	-	1	-	1	-
FEMALE--	19	-	-	-	1	-	-	-	-	-	-	1
OREGON -----	148	2	1	1	2	3	-	4	-	6	4	1
WHITE-----MALE----	67	-	1	1	-	3	-	3	-	2	3	-
FEMALE--	71	2	-	-	1	-	-	1	-	4	1	1
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	1,961	11	7	3	2	9	6	7	12	22	35	34
WHITE-----MALE----	680	5	3	1	2	6	4	1	3	8	13	11
FEMALE--	991	4	2	2	-	1	1	3	3	6	9	12
ALL OTHER--MALE----	143	2	1	-	-	1	-	2	4	5	8	11
FEMALE--	147	-	1	-	-	1	1	1	2	3	5	-
BLACK---MALE----	136	2	1	-	-	1	-	2	4	5	8	11
FEMALE--	146	-	1	-	-	-	1	1	2	3	5	-
RHODE ISLAND -----	73	-	-	1	-	-	-	1	1	-	-	3
WHITE-----MALE----	28	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	40	-	-	1	-	-	-	1	1	-	-	2
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	350	4	2	1	-	1	2	-	1	5	7	14
WHITE-----MALE----	98	-	-	1	-	-	1	-	1	2	3	3
FEMALE--	113	-	1	-	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	66	2	-	-	-	-	1	-	-	3	2	7
FEMALE--	73	2	1	-	-	1	-	-	-	-	1	3
BLACK---MALE----	66	2	-	-	-	-	1	-	-	3	2	7
FEMALE--	73	2	1	-	-	1	-	-	-	-	1	3

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 115  
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)  
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.  
ZONOTIC AND OTHER BACTERIAL DISEASES (020-041)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
OHIO -----	21	38	48	83	128	170	178	167	102	36	10	-
WHITE-----MALE----	11	15	18	32	59	66	69	51	17	6	1	-
FEMALE--	5	11	22	36	49	81	87	98	66	27	6	-
ALL OTHER--MALE----	5	7	5	8	8	15	9	9	4	-	-	-
FEMALE--	-	5	3	7	12	8	13	9	15	3	3	-
BLACK---MALE----	5	7	5	8	8	15	9	9	4	-	-	-
FEMALE--	-	5	3	7	12	8	13	9	15	3	3	-
OKLAHOMA -----	10	8	18	34	42	56	77	57	35	13	1	-
WHITE-----MALE----	3	5	6	18	16	21	24	13	7	1	-	-
FEMALE--	3	1	9	13	21	29	45	39	23	9	1	-
ALL OTHER--MALE----	1	1	2	1	2	3	4	-	-	1	-	-
FEMALE--	3	1	1	2	3	3	4	5	5	2	-	-
BLACK---MALE----	1	-	1	1	-	2	2	-	-	1	-	-
FEMALE--	2	1	-	-	3	3	2	1	3	2	-	-
OREGON -----	3	5	8	13	17	21	19	19	14	4	1	-
WHITE-----MALE----	2	2	4	9	7	12	9	5	4	-	-	-
FEMALE--	1	3	3	4	8	7	9	12	9	4	1	-
ALL OTHER--MALE----	-	-	-	-	2	1	-	1	-	-	-	-
FEMALE--	-	-	1	-	-	1	1	1	1	-	-	-
BLACK---MALE----	-	-	-	-	2	-	-	1	-	-	-	-
FEMALE--	-	-	1	-	-	1	-	-	1	-	-	-
PENNSYLVANIA -----	46	52	74	134	217	352	337	329	186	65	21	-
WHITE-----MALE----	17	21	26	63	85	147	132	86	31	14	1	-
FEMALE--	16	12	27	55	98	158	175	211	137	42	17	-
ALL OTHER--MALE----	7	12	5	9	17	22	17	13	5	2	-	-
FEMALE--	6	7	16	7	17	25	13	19	13	7	3	-
BLACK---MALE----	6	11	5	7	16	21	17	12	5	2	-	-
FEMALE--	6	7	16	7	17	25	13	19	13	7	3	-
RHODE ISLAND -----	1	1	2	10	6	14	10	9	11	2	1	-
WHITE-----MALE----	-	1	1	8	2	6	3	2	2	1	1	-
FEMALE--	-	-	1	1	4	7	7	6	8	1	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	1	-	1	-	-	1	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	1	-	1	-	-	1	-	-	-
SOUTH CAROLINA -----	13	13	28	33	52	44	52	47	24	7	-	-
WHITE-----MALE----	1	4	8	15	13	18	13	9	6	-	-	-
FEMALE--	2	6	6	4	17	15	21	21	14	4	-	-
ALL OTHER--MALE----	7	3	6	8	12	3	6	4	2	-	-	-
FEMALE--	3	-	8	6	10	8	12	13	2	3	-	-
BLACK---MALE----	7	3	6	8	12	3	6	4	2	-	-	-
FEMALE--	3	-	8	6	10	8	12	13	2	3	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 116  
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)  
 CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49  
 ZONOTIC AND OTHER BACTERIAL DISEASES (020-041)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
SOUTH DAKOTA -----	41	2	1	-	-	-	-	-	-	1	-	-
WHITE-----MALE----	14	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	25	-	1	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	370	6	1	-	-	1	1	2	6	6	10	14
WHITE-----MALE----	118	-	-	-	-	1	1	2	3	3	4	2
FEMALE--	154	3	-	-	-	-	-	-	-	1	1	3
ALL OTHER--MALE----	40	2	-	-	-	-	-	-	3	2	4	7
FEMALE--	58	1	1	-	-	-	-	-	-	-	1	2
BLACK---MALE----	40	2	-	-	-	-	-	-	3	2	4	7
FEMALE--	57	1	1	-	-	-	-	-	-	-	1	2
TEXAS -----	1,441	21	6	1	8	9	11	11	18	23	39	56
WHITE-----MALE----	520	4	4	-	1	3	4	5	12	11	15	26
FEMALE--	644	13	2	-	5	4	5	3	-	5	12	15
ALL OTHER--MALE----	124	1	-	-	2	1	1	1	2	5	8	9
FEMALE--	153	3	-	1	-	1	1	2	4	2	4	6
BLACK---MALE----	119	1	-	-	2	1	1	1	2	4	8	8
FEMALE--	148	2	-	1	-	1	1	2	4	2	4	5
UTAH -----	86	5	1	-	-	-	-	-	1	1	1	3
WHITE-----MALE----	37	4	1	-	-	-	-	-	-	1	-	-
FEMALE--	46	-	-	-	-	-	-	-	1	-	1	3
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	37	1	-	-	-	-	-	-	-	-	1	1
WHITE-----MALE----	12	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	25	1	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	805	9	3	1	2	3	1	2	8	9	14	17
WHITE-----MALE----	241	4	2	-	-	2	-	-	1	3	3	7
FEMALE--	330	3	-	1	-	1	-	-	3	1	3	3
ALL OTHER--MALE----	102	2	1	-	1	-	1	1	2	2	4	4
FEMALE--	132	-	-	-	1	-	-	1	2	3	4	3
BLACK---MALE----	99	2	1	-	1	-	1	-	2	2	4	4
FEMALE--	132	-	-	-	1	-	-	1	2	3	4	3

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 116  
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)  
 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.  
 ZONOTIC AND OTHER BACTERIAL DISEASES (020-041)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
SOUTH DAKOTA -----	-	1	3	3	3	1	12	7	3	3	1	-
WHITE-----MALE----	-	-	1	2	2	-	1	3	2	1	-	-
FEMALE--	-	1	1	-	1	1	11	4	1	2	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	12	18	14	25	49	44	51	61	30	16	3	-
WHITE-----MALE----	5	9	9	7	15	16	18	16	4	3	-	-
FEMALE--	4	3	3	7	20	18	25	33	22	10	1	-
ALL OTHER--MALE----	1	3	1	3	3	4	1	3	1	1	1	-
FEMALE--	2	3	1	8	11	6	7	9	3	2	1	-
BLACK---MALE----	1	3	1	3	3	4	1	3	1	1	1	-
FEMALE--	2	3	1	8	11	6	6	9	3	2	1	-
TEXAS -----	37	57	79	119	139	181	231	197	147	42	9	-
WHITE-----MALE----	14	20	31	54	50	72	88	71	27	7	1	-
FEMALE--	16	20	27	44	57	77	112	103	90	28	6	-
ALL OTHER--MALE----	3	9	12	12	16	16	9	5	10	2	-	-
FEMALE--	4	8	9	9	16	16	22	18	20	5	2	-
BLACK---MALE----	3	9	12	12	15	15	8	5	10	2	-	-
FEMALE--	4	8	9	8	16	16	20	18	20	5	2	-
UTAH -----	4	4	5	5	11	3	15	14	9	4	-	-
WHITE-----MALE----	3	1	2	4	6	2	6	3	3	1	-	-
FEMALE--	1	2	3	1	4	1	9	11	6	3	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
VERMONT -----	-	-	1	6	4	8	2	8	4	-	1	-
WHITE-----MALE----	-	-	1	3	2	5	-	-	-	-	-	-
FEMALE--	-	-	-	3	2	3	2	8	4	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	24	23	43	66	98	141	122	113	64	32	9	1
WHITE-----MALE----	9	7	24	24	31	51	31	27	11	3	1	-
FEMALE--	7	6	7	23	31	54	62	60	40	20	5	-
ALL OTHER--MALE----	7	6	8	7	16	14	14	7	1	1	2	1
FEMALE--	1	4	4	12	20	22	15	19	12	8	1	-
BLACK---MALE----	7	6	6	7	16	14	14	7	1	1	2	1
FEMALE--	1	4	4	12	20	22	15	19	12	8	1	-





CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
ZOONOTIC AND OTHER BACTERIAL DISEASES (020-041)												
WASHINGTON -----	4	8	11	17	23	39	37	43	28	8	-	-
WHITE-----MALE----	2	2	4	10	11	15	13	14	6	1	-	-
FEMALE--	1	4	5	5	10	22	22	27	21	7	-	-
ALL OTHER--MALE----	1	1	2	2	1	-	1	-	-	-	-	-
FEMALE--	-	1	-	-	1	2	1	2	1	-	-	-
BLACK---MALE----	1	1	1	1	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	1	-	-	-
WEST VIRGINIA -----	4	6	12	18	26	43	41	35	19	10	3	-
WHITE-----MALE----	1	4	7	8	12	19	19	13	3	2	1	-
FEMALE--	1	2	4	9	14	22	21	20	16	8	2	-
ALL OTHER--MALE----	1	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	1	-	1	1	-	1	-	2	-	-	-	-
BLACK---MALE----	1	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	1	-	1	1	-	1	-	2	-	-	-	-
WISCONSIN -----	6	10	14	21	25	57	62	58	51	17	3	-
WHITE-----MALE----	3	4	6	14	7	23	21	19	11	2	-	-
FEMALE--	1	5	7	6	16	31	37	39	39	15	3	-
ALL OTHER--MALE----	1	1	1	1	-	1	2	-	1	-	-	-
FEMALE--	1	-	-	-	2	2	2	-	-	-	-	-
BLACK---MALE----	1	1	-	1	-	1	2	-	1	-	-	-
FEMALE--	1	-	-	-	2	1	2	-	-	-	-	-
WYOMING -----	2	-	-	3	5	4	7	2	4	2	-	-
WHITE-----MALE----	2	-	-	1	3	2	-	1	1	1	-	-
FEMALE--	-	-	-	2	2	2	6	1	3	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-



















































































































































































































































TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 172													
(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)													
CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	
0 SEPTICEMIA (038)													
0 UNITED STATES --	21,423	199	83	28	13	28	41	83	183	242	384	471	
WHITE-----MALE----	7,247	62	32	11	3	8	15	27	68	77	135	170	
FEMALE--	9,883	54	20	11	6	6	14	26	44	64	82	115	
ALL OTHER--MALE----	1,999	52	15	3	2	6	7	13	43	63	101	119	
FEMALE--	2,294	31	16	3	2	8	5	17	28	38	66	67	
BLACK---MALE----	1,844	48	13	2	2	4	7	12	39	61	97	111	
FEMALE--	2,152	26	14	3	2	5	5	15	27	36	62	63	
ALABAMA -----	531	4	1	-	-	-	-	4	5	8	15	12	
WHITE-----MALE----	155	-	-	-	-	-	-	2	1	2	5	1	
FEMALE--	196	1	1	-	-	-	-	1	1	3	2	3	
ALL OTHER--MALE----	72	2	-	-	-	-	-	-	-	1	4	5	
FEMALE--	108	1	-	-	-	-	-	1	3	2	4	3	
BLACK---MALE----	72	2	-	-	-	-	-	-	-	1	4	5	
FEMALE--	108	1	-	-	-	-	-	1	3	2	4	3	
ALASKA -----	15	1	-	-	-	-	-	-	-	-	-	1	
WHITE-----MALE----	6	-	-	-	-	-	-	-	-	-	-	-	
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-	
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	1	
FEMALE--	2	1	-	-	-	-	-	-	-	-	-	-	
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-	
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-	
ARIZONA -----	272	3	1	1	-	2	1	1	4	2	7	9	
WHITE-----MALE----	122	2	1	-	-	-	1	-	1	-	6	5	
FEMALE--	118	1	-	1	-	-	-	1	2	1	1	3	
ALL OTHER--MALE----	16	-	-	-	-	-	-	-	-	1	-	1	
FEMALE--	16	-	-	-	-	2	-	-	1	-	-	-	
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-	
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-	
ARKANSAS -----	379	1	1	-	-	1	1	1	3	2	5	8	
WHITE-----MALE----	109	-	1	-	-	-	1	-	2	1	-	3	
FEMALE--	183	-	-	-	-	-	-	-	-	-	-	1	
ALL OTHER--MALE----	40	-	-	-	-	1	-	1	-	-	3	3	
FEMALE--	47	1	-	-	-	-	-	-	1	1	2	1	
BLACK---MALE----	40	-	-	-	-	1	-	1	-	-	3	3	
FEMALE--	47	1	-	-	-	-	-	-	1	1	2	1	
CALIFORNIA -----	490	14	5	2	-	2	-	7	7	7	15	18	
WHITE-----MALE----	196	5	1	1	-	-	-	3	5	4	8	8	
FEMALE--	223	4	3	-	-	-	-	2	2	3	1	6	
ALL OTHER--MALE----	37	4	-	1	-	1	-	-	-	-	2	3	
FEMALE--	34	1	1	-	-	1	-	2	-	-	4	1	
BLACK---MALE----	19	3	-	-	-	-	-	-	-	-	1	3	
FEMALE--	16	-	1	-	-	1	-	1	-	-	2	-	

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 172  
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 SEPTICEMIA (038)												
0 UNITED STATES --	571	687	1,072	1,640	2,418	3,190	3,591	3,439	2,078	796	185	1
WHITE-----MALE----	208	249	420	674	957	1,268	1,259	998	445	143	18	-
FEMALE--	167	197	357	608	955	1,377	1,809	1,969	1,344	532	126	-
ALL OTHER--MALE----	113	140	169	190	241	224	233	139	87	27	11	1
FEMALE--	83	101	126	168	265	321	290	333	202	94	30	-
BLACK---MALE----	110	127	154	174	221	208	213	127	79	24	10	1
FEMALE--	74	93	118	159	251	299	276	309	195	90	30	-
ALABAMA -----	18	18	27	45	58	78	95	72	46	23	2	-
WHITE-----MALE----	6	8	7	15	19	25	27	25	10	2	-	-
FEMALE--	5	2	12	13	24	31	40	27	19	10	1	-
ALL OTHER--MALE----	6	6	4	8	8	7	11	4	5	1	-	-
FEMALE--	1	2	4	9	7	15	17	16	12	10	1	-
BLACK---MALE----	6	6	4	8	8	7	11	4	5	1	-	-
FEMALE--	1	2	4	9	7	15	17	16	12	10	1	-
ALASKA -----	-	-	2	2	3	3	2	-	-	1	-	-
WHITE-----MALE----	-	-	1	-	2	2	1	-	-	-	-	-
FEMALE--	-	-	-	2	1	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	6	12	17	28	38	38	36	41	18	3	4	-
WHITE-----MALE----	3	6	7	13	20	20	10	22	4	1	-	-
FEMALE--	-	6	5	12	15	15	21	18	11	2	3	-
ALL OTHER--MALE----	1	-	2	2	3	-	3	-	2	-	1	-
FEMALE--	2	-	3	1	-	3	2	1	1	-	-	-
BLACK---MALE----	-	-	1	-	1	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	1	1	1	1	-	-	-
ARKANSAS -----	9	13	11	30	37	62	68	73	33	16	4	-
WHITE-----MALE----	3	7	4	10	17	19	22	13	5	1	-	-
FEMALE--	5	4	5	17	11	30	32	42	21	12	3	-
ALL OTHER--MALE----	-	1	1	-	6	7	8	6	2	1	-	-
FEMALE--	1	1	1	3	3	6	6	12	5	2	1	-
BLACK---MALE----	-	1	1	-	6	7	8	6	2	1	-	-
FEMALE--	1	1	1	3	3	6	6	12	5	2	1	-
CALIFORNIA -----	19	25	28	41	56	62	72	56	42	11	1	-
WHITE-----MALE----	7	8	10	22	22	31	25	21	11	3	1	-
FEMALE--	7	9	15	15	27	24	41	30	27	7	-	-
ALL OTHER--MALE----	2	7	1	2	3	3	5	2	1	-	-	-
FEMALE--	3	1	2	2	4	4	1	3	3	1	-	-
BLACK---MALE----	2	4	-	1	1	1	2	1	-	-	-	-
FEMALE--	1	1	1	2	-	2	1	1	2	-	-	-



1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 173  
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 SEPTICEMIA (038)												
COLORADO -----	234	3	1	1	-	-	-	1	4	2	7	4
WHITE-----MALE----	94	2	-	-	-	-	-	-	3	1	3	2
FEMALE--	122	-	-	1	-	-	-	1	-	1	3	1
ALL OTHER--MALE----	10	1	1	-	-	-	-	-	1	-	1	1
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	6	1	-	-	-	-	-	-	-	-	-	1
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	359	1	-	3	-	-	-	2	2	1	4	5
WHITE-----MALE----	152	-	-	1	-	-	-	1	-	-	2	1
FEMALE--	176	-	-	1	-	-	-	-	1	-	2	2
ALL OTHER--MALE----	19	-	-	1	-	-	-	1	-	1	-	2
FEMALE--	12	1	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	17	-	-	1	-	-	-	1	-	1	-	2
FEMALE--	12	1	-	-	-	-	-	-	1	-	-	-
DELAWARE -----	94	-	-	-	-	-	-	-	-	2	2	2
WHITE-----MALE----	29	-	-	-	-	-	-	-	-	1	-	2
FEMALE--	50	-	-	-	-	-	-	-	-	-	2	-
ALL OTHER--MALE----	7	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	6	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	134	-	1	-	-	-	-	-	1	2	5	8
WHITE-----MALE----	8	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	17	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	52	-	-	-	-	-	-	-	1	2	2	6
FEMALE--	57	-	1	-	-	-	-	-	-	-	2	1
BLACK---MALE----	52	-	-	-	-	-	-	-	1	2	2	6
FEMALE--	57	-	1	-	-	-	-	-	-	-	2	1
FLORIDA -----	801	12	5	-	-	1	4	1	7	5	13	14
WHITE-----MALE----	331	3	2	-	-	-	1	1	2	1	6	7
FEMALE--	350	6	1	-	-	-	2	-	3	-	2	2
ALL OTHER--MALE----	60	3	1	-	-	1	1	-	1	3	4	2
FEMALE--	60	-	1	-	-	-	-	-	1	1	1	3
BLACK---MALE----	58	3	1	-	-	-	1	-	1	3	3	2
FEMALE--	58	-	1	-	-	-	-	-	1	1	1	3
GEORGIA -----	854	9	3	2	-	1	-	3	14	9	21	16
WHITE-----MALE----	231	4	1	1	-	1	-	2	5	2	6	5
FEMALE--	309	2	1	1	-	-	-	-	3	-	4	3
ALL OTHER--MALE----	143	2	-	-	-	-	-	1	4	4	9	3
FEMALE--	171	1	1	-	-	-	-	-	2	3	2	5
BLACK---MALE----	140	1	-	-	-	-	-	-	4	4	9	3
FEMALE--	171	1	1	-	-	-	-	-	2	3	2	5

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 173  
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 SEPTICEMIA (038)												
COLORADO -----	4	13	8	25	31	39	29	36	15	10	1	-
WHITE-----MALE----	3	6	3	12	15	17	11	12	3	1	-	-
FEMALE--	-	5	4	11	14	20	18	21	12	9	1	-
ALL OTHER--MALE----	1	1	1	-	1	-	-	1	-	-	-	-
FEMALE--	-	1	-	2	1	2	-	2	-	-	-	-
BLACK---MALE----	1	1	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	1	-	1	-	-	-	2	-	-	-	-
CONNECTICUT -----	9	9	15	28	32	50	74	61	42	21	-	-
WHITE-----MALE----	5	2	8	13	22	22	36	21	12	6	-	-
FEMALE--	1	3	3	11	8	26	36	39	28	15	-	-
ALL OTHER--MALE----	1	3	4	3	-	1	1	1	-	-	-	-
FEMALE--	2	1	-	1	2	1	1	-	2	-	-	-
BLACK---MALE----	1	1	4	3	-	1	1	1	-	-	-	-
FEMALE--	2	1	-	1	2	1	1	-	2	-	-	-
DELAWARE -----	3	2	9	7	5	15	14	17	9	7	-	-
WHITE-----MALE----	1	-	4	3	-	5	6	4	2	1	-	-
FEMALE--	1	-	4	3	4	6	7	13	6	4	-	-
ALL OTHER--MALE----	-	-	1	1	-	2	1	-	-	1	-	-
FEMALE--	1	2	-	-	1	2	-	-	1	1	-	-
BLACK---MALE----	-	-	1	1	-	2	-	-	-	1	-	-
FEMALE--	1	2	-	-	1	2	-	-	1	1	-	-
DISTRICT OF COLUMBIA ----	7	5	15	9	14	20	13	19	12	2	1	-
WHITE-----MALE----	-	1	2	-	-	2	1	1	-	-	-	-
FEMALE--	-	-	1	-	-	2	2	7	3	1	-	-
ALL OTHER--MALE----	4	2	4	6	7	7	4	3	4	-	-	-
FEMALE--	3	2	8	3	7	9	6	8	5	1	1	-
BLACK---MALE----	4	2	4	6	7	7	4	3	4	-	-	-
FEMALE--	3	2	8	3	7	9	6	8	5	1	1	-
FLORIDA -----	14	24	47	59	83	124	131	122	102	28	5	-
WHITE-----MALE----	6	7	21	25	35	66	51	51	37	8	1	-
FEMALE--	4	4	12	22	37	46	63	66	58	18	4	-
ALL OTHER--MALE----	2	5	7	7	6	7	6	2	2	-	-	-
FEMALE--	2	8	7	5	5	5	11	3	5	2	-	-
BLACK---MALE----	2	5	7	7	6	7	6	2	2	-	-	-
FEMALE--	2	7	7	5	5	4	11	3	5	2	-	-
GEORGIA -----	30	35	50	74	89	116	154	126	73	21	8	-
WHITE-----MALE----	6	7	17	20	26	37	45	31	12	3	-	-
FEMALE--	12	6	10	28	33	39	60	61	35	9	2	-
ALL OTHER--MALE----	9	10	18	14	13	12	23	12	6	1	2	-
FEMALE--	3	12	5	12	17	28	26	22	20	8	4	-
BLACK---MALE----	9	10	17	14	13	12	22	12	6	1	2	-
FEMALE--	3	12	5	12	17	28	26	22	20	8	4	-



1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 174  
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 SEPTICEMIA (038)												
HAWAII -----	3	5	5	5	9	20	8	14	8	2	-	-
WHITE-----MALE----	1	1	4	1	-	8	-	2	-	-	-	-
FEMALE--	1	-	-	-	-	1	-	2	-	-	-	-
ALL OTHER--MALE----	1	2	-	3	4	6	4	3	5	2	-	-
FEMALE--	-	2	1	1	5	5	4	7	3	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	-	2	1	3	5	3	13	7	2	-	2	-
WHITE-----MALE----	-	2	1	2	1	2	9	4	-	-	1	-
FEMALE--	-	-	-	1	4	1	4	3	2	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	50	35	61	100	156	179	219	206	111	62	14	-
WHITE-----MALE----	18	8	23	35	70	73	71	40	30	14	-	-
FEMALE--	12	9	17	37	59	65	107	130	68	37	9	-
ALL OTHER--MALE----	12	10	14	17	11	16	12	8	7	1	2	-
FEMALE--	8	8	7	11	16	25	29	28	6	10	3	-
BLACK---MALE----	12	9	13	17	10	16	11	8	7	1	2	-
FEMALE--	7	8	7	11	15	25	28	28	6	10	3	-
INDIANA -----	15	16	34	38	72	66	92	97	49	19	5	-
WHITE-----MALE----	7	9	12	15	37	20	33	33	9	4	1	-
FEMALE--	6	4	13	18	28	39	52	53	36	15	4	-
ALL OTHER--MALE----	2	1	4	3	1	1	3	2	2	-	-	-
FEMALE--	-	2	5	2	6	6	4	9	2	-	-	-
BLACK---MALE----	2	1	3	3	1	1	3	2	2	-	-	-
FEMALE--	-	2	5	2	6	6	4	9	2	-	-	-
IOWA -----	7	6	12	9	16	28	36	33	19	4	-	-
WHITE-----MALE----	4	3	5	6	7	17	16	12	4	-	-	-
FEMALE--	3	2	6	2	9	10	19	20	15	4	-	-
ALL OTHER--MALE----	-	1	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	1	-	-	-	-
BLACK---MALE----	-	1	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	-	-	-	-
KANSAS -----	4	7	11	12	19	27	42	37	18	7	3	-
WHITE-----MALE----	-	5	7	4	6	16	19	10	6	2	1	-
FEMALE--	3	2	4	7	9	11	17	26	12	5	2	-
ALL OTHER--MALE----	1	-	-	1	2	-	3	-	-	-	-	-
FEMALE--	-	-	-	-	2	-	3	1	-	-	-	-
BLACK---MALE----	1	-	-	1	2	-	3	-	-	-	-	-
FEMALE--	-	-	-	-	2	-	3	1	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 175  
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 SEPTICEMIA (038)												
KENTUCKY -----	392	1	2	-	-	1	-	1	3	2	6	6
WHITE-----MALE----	152	-	-	-	-	-	-	-	1	2	4	5
FEMALE--	192	1	1	-	-	-	-	1	-	-	1	1
ALL OTHER--MALE----	24	-	-	-	-	-	-	-	1	-	1	-
FEMALE--	24	-	1	-	-	1	-	-	1	-	-	-
BLACK---MALE----	24	-	-	-	-	-	-	-	1	-	1	-
FEMALE--	24	-	1	-	-	1	-	-	1	-	-	-
LOUISIANA -----	545	9	3	1	-	-	-	2	2	8	6	11
WHITE-----MALE----	139	2	-	-	-	-	-	-	1	1	2	4
FEMALE--	199	1	1	-	-	-	-	1	-	3	-	2
ALL OTHER--MALE----	101	4	1	-	-	-	-	-	1	3	2	4
FEMALE--	106	2	1	1	-	-	-	1	-	1	2	1
BLACK---MALE----	101	4	1	-	-	-	-	-	1	3	2	4
FEMALE--	105	2	1	1	-	-	-	1	-	1	2	1
MAINE -----	81	1	-	-	-	-	-	-	-	-	1	1
WHITE-----MALE----	28	1	-	-	-	-	-	-	-	-	1	1
FEMALE--	53	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	616	3	2	2	-	1	-	1	6	12	17	16
WHITE-----MALE----	167	-	-	1	-	-	-	-	2	-	2	6
FEMALE--	241	-	-	-	-	1	-	-	2	-	2	3
ALL OTHER--MALE----	102	2	2	-	-	-	-	-	-	10	10	3
FEMALE--	106	1	-	1	-	-	-	1	2	2	3	4
BLACK---MALE----	101	2	2	-	-	-	-	-	-	10	10	3
FEMALE--	105	1	-	1	-	-	-	1	2	2	3	4
MASSACHUSETTS -----	757	3	1	1	-	2	2	-	2	8	8	13
WHITE-----MALE----	284	1	-	-	-	-	1	-	-	6	4	7
FEMALE--	429	-	-	1	-	2	1	-	1	2	4	3
ALL OTHER--MALE----	23	2	1	-	-	-	-	-	1	-	-	3
FEMALE--	21	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	18	2	-	-	-	-	-	-	1	-	-	2
FEMALE--	21	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	579	8	3	-	1	-	3	2	2	6	10	16
WHITE-----MALE----	168	4	-	-	1	-	1	-	-	-	4	7
FEMALE--	282	2	1	-	-	-	-	1	1	2	2	-
ALL OTHER--MALE----	59	2	1	-	-	-	2	-	-	2	4	5
FEMALE--	70	-	1	-	-	-	-	1	1	2	-	4
BLACK---MALE----	55	1	1	-	-	-	2	-	-	2	4	5
FEMALE--	66	-	1	-	-	-	-	1	1	1	-	4

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 175  
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 SEPTICEMIA (038)												
KENTUCKY -----	11	16	20	24	54	61	71	55	44	13	1	-
WHITE-----MALE----	8	6	7	12	29	28	25	17	7	1	-	-
FEMALE--	2	7	11	9	15	25	43	32	31	11	1	-
ALL OTHER--MALE----	1	3	1	2	6	2	2	3	2	-	-	-
FEMALE--	-	-	1	1	4	6	1	3	4	1	-	-
BLACK---MALE----	1	3	1	2	6	2	2	3	2	-	-	-
FEMALE--	-	-	1	1	4	6	1	3	4	1	-	-
LOUISIANA -----	11	11	28	39	65	74	91	109	44	28	3	-
WHITE-----MALE----	1	2	10	13	16	24	31	22	7	3	-	-
FEMALE--	3	3	3	7	20	25	37	53	26	14	-	-
ALL OTHER--MALE----	3	2	10	9	15	12	13	12	4	4	2	-
FEMALE--	4	4	5	10	14	13	10	22	7	7	1	-
BLACK---MALE----	3	2	10	9	15	12	13	12	4	4	2	-
FEMALE--	4	4	5	9	14	13	10	22	7	7	1	-
MAINE -----	2	-	3	8	6	12	18	15	10	2	2	-
WHITE-----MALE----	1	-	1	6	2	5	3	6	1	-	-	-
FEMALE--	1	-	2	2	4	7	15	9	9	2	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	19	18	34	53	81	95	89	98	51	16	2	-
WHITE-----MALE----	2	3	12	19	28	30	26	25	8	2	1	-
FEMALE--	5	2	7	16	27	41	41	53	32	9	-	-
ALL OTHER--MALE----	7	12	9	7	14	7	10	4	2	3	-	-
FEMALE--	5	1	6	11	12	17	12	16	9	2	1	-
BLACK---MALE----	7	12	9	7	14	7	10	4	2	2	-	-
FEMALE--	5	1	6	11	12	16	12	16	9	2	1	-
MASSACHUSETTS -----	10	21	38	53	71	105	145	140	87	37	10	-
WHITE-----MALE----	3	11	19	26	40	33	50	48	28	6	1	-
FEMALE--	6	7	14	21	28	69	91	86	56	28	9	-
ALL OTHER--MALE----	1	2	2	4	1	2	1	2	-	1	-	-
FEMALE--	-	1	3	2	2	1	3	4	3	2	-	-
BLACK---MALE----	1	2	2	2	1	2	1	1	-	1	-	-
FEMALE--	-	1	3	2	2	1	3	4	3	2	-	-
MICHIGAN -----	10	13	25	44	59	75	118	105	48	28	3	-
WHITE-----MALE----	4	4	9	16	20	22	40	22	12	2	-	-
FEMALE--	4	6	9	18	20	38	60	64	31	21	2	-
ALL OTHER--MALE----	-	2	4	6	7	7	8	6	2	1	-	-
FEMALE--	2	1	3	4	12	8	10	13	3	4	1	-
BLACK---MALE----	-	2	4	6	6	7	8	4	2	1	-	-
FEMALE--	2	1	3	4	11	8	10	11	3	4	1	-



1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 176  
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 SEPTICEMIA (038)												
MINNESOTA -----	4	10	7	9	19	26	34	28	20	10	3	-
WHITE-----MALE----	3	3	2	7	11	10	14	14	6	4	1	-
FEMALE--	1	6	5	2	8	15	19	14	14	5	2	-
ALL OTHER--MALE----	-	1	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	-	1	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI -----	13	7	10	15	25	35	41	35	17	3	4	-
WHITE-----MALE----	2	1	1	5	8	7	14	6	3	1	-	-
FEMALE--	3	-	3	6	6	13	17	19	8	1	-	-
ALL OTHER--MALE----	5	3	4	2	9	4	3	5	2	-	1	-
FEMALE--	3	3	2	2	2	11	7	5	4	1	3	-
BLACK---MALE----	5	3	4	2	9	4	3	5	2	-	1	-
FEMALE--	3	3	2	2	2	10	7	5	4	1	3	-
MISSOURI -----	13	16	35	40	57	73	70	80	50	21	9	-
WHITE-----MALE----	4	6	14	17	28	35	27	22	8	4	3	-
FEMALE--	4	5	17	10	20	30	32	50	38	13	3	-
ALL OTHER--MALE----	1	2	3	8	6	5	6	3	2	-	-	-
FEMALE--	4	3	1	5	3	3	5	5	2	4	3	-
BLACK---MALE----	1	2	3	8	6	5	6	3	2	-	-	-
FEMALE--	4	3	1	5	3	3	5	5	2	4	3	-
MONTANA -----	3	3	3	6	7	9	8	7	9	4	1	-
WHITE-----MALE----	2	-	2	3	6	4	3	2	2	1	-	-
FEMALE--	1	2	1	3	-	5	5	5	7	3	1	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	6	1	2	8	13	20	17	13	7	5	-	-
WHITE-----MALE----	4	-	1	5	9	6	6	3	2	-	-	-
FEMALE--	-	-	-	3	3	13	11	10	5	5	-	-
ALL OTHER--MALE----	1	1	1	-	1	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	1	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
NEVADA -----	6	9	9	17	27	22	24	18	9	2	1	-
WHITE-----MALE----	4	5	3	6	9	9	13	6	4	1	-	-
FEMALE--	2	1	5	8	13	10	9	11	4	1	1	-
ALL OTHER--MALE----	-	2	1	2	-	-	1	1	-	-	-	-
FEMALE--	-	1	-	1	5	3	1	-	1	-	-	-
BLACK---MALE----	-	1	1	1	-	-	1	1	-	-	-	-
FEMALE--	-	-	-	1	5	3	1	-	-	-	-	-







1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 178  
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 SEPTICEMIA (038)												
OHIO -----	984	2	2	-	-	-	2	1	2	7	10	14
WHITE-----MALE----	350	1	1	-	-	-	1	-	1	4	4	5
FEMALE--	480	1	1	-	-	-	1	1	1	1	2	5
ALL OTHER--MALE----	76	-	-	-	-	-	-	-	1	-	3	4
FEMALE--	78	-	-	-	-	-	-	-	-	2	1	-
BLACK---MALE----	76	-	-	-	-	-	-	-	1	-	3	4
FEMALE--	78	-	-	-	-	-	-	-	-	2	1	-
OKLAHOMA -----	357	3	-	1	1	-	-	-	3	5	3	10
WHITE-----MALE----	112	1	-	1	-	-	-	-	2	2	1	1
FEMALE--	192	-	-	-	-	-	-	-	-	3	-	6
ALL OTHER--MALE----	19	1	-	-	-	-	-	-	1	-	1	1
FEMALE--	34	1	-	-	1	-	-	-	-	-	1	2
BLACK---MALE----	11	1	-	-	-	-	-	-	1	-	1	-
FEMALE--	19	-	-	-	1	-	-	-	-	-	-	1
OREGON -----	130	-	1	-	1	1	-	3	-	5	4	1
WHITE-----MALE----	55	-	1	-	-	1	-	2	-	1	3	-
FEMALE--	66	-	-	-	1	-	-	1	-	4	1	1
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	1,886	9	5	2	2	6	5	4	11	21	30	31
WHITE-----MALE----	649	4	2	1	2	3	3	-	3	8	12	10
FEMALE--	959	3	2	1	-	1	1	1	3	5	8	10
ALL OTHER--MALE----	133	2	-	-	-	1	-	2	4	5	6	11
FEMALE--	145	-	1	-	-	1	1	1	1	3	4	-
BLACK---MALE----	127	2	-	-	-	1	-	2	4	5	6	11
FEMALE--	144	-	1	-	-	-	1	1	1	3	4	-
RHODE ISLAND -----	71	-	-	1	-	-	-	1	-	-	-	3
WHITE-----MALE----	27	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	39	-	-	1	-	-	-	1	-	-	-	2
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	321	2	2	1	-	1	1	-	1	4	5	12
WHITE-----MALE----	86	-	-	1	-	-	-	-	1	1	2	2
FEMALE--	104	-	1	-	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	61	2	-	-	-	-	1	-	-	3	1	6
FEMALE--	70	-	1	-	-	1	-	-	-	-	1	3
BLACK---MALE----	61	2	-	-	-	-	1	-	-	3	1	6
FEMALE--	70	-	1	-	-	1	-	-	-	-	1	3

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 178  
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 SEPTICEMIA (038)												
OHIO -----	20	33	43	78	123	163	174	165	101	34	10	-
WHITE-----MALE----	11	14	16	31	57	63	68	51	17	4	1	-
FEMALE--	4	9	21	33	46	77	84	96	65	27	6	-
ALL OTHER--MALE----	5	6	5	7	8	15	9	9	4	-	-	-
FEMALE--	-	4	1	7	12	8	13	9	15	3	3	-
BLACK---MALE----	5	6	5	7	8	15	9	9	4	-	-	-
FEMALE--	-	4	1	7	12	8	13	9	15	3	3	-
OKLAHOMA -----	10	7	16	30	39	52	74	56	35	11	1	-
WHITE-----MALE----	3	4	5	16	14	19	24	12	7	-	-	-
FEMALE--	3	1	8	11	20	27	42	39	23	8	1	-
ALL OTHER--MALE----	1	1	2	1	2	3	4	-	-	1	-	-
FEMALE--	3	1	1	2	3	3	4	5	5	2	-	-
BLACK---MALE----	1	-	1	1	-	2	2	-	-	1	-	-
FEMALE--	2	1	-	-	3	3	2	1	3	2	-	-
OREGON -----	3	5	8	10	14	21	16	18	14	4	1	-
WHITE-----MALE----	2	2	4	7	5	12	7	4	4	-	-	-
FEMALE--	1	3	3	3	7	7	8	12	9	4	1	-
ALL OTHER--MALE----	-	-	-	-	2	1	-	1	-	-	-	-
FEMALE--	-	-	1	-	-	1	1	1	1	-	-	-
BLACK---MALE----	-	-	-	-	2	-	-	1	-	-	-	-
FEMALE--	-	-	1	-	-	1	-	-	1	-	-	-
PENNSYLVANIA -----	42	46	73	131	207	345	331	322	180	62	21	-
WHITE-----MALE----	16	19	26	61	82	144	128	83	28	13	1	-
FEMALE--	13	10	27	54	92	154	174	209	134	40	17	-
ALL OTHER--MALE----	7	10	4	9	16	22	16	11	5	2	-	-
FEMALE--	6	7	16	7	17	25	13	19	13	7	3	-
BLACK---MALE----	6	9	4	7	15	21	16	11	5	2	-	-
FEMALE--	6	7	16	7	17	25	13	19	13	7	3	-
RHODE ISLAND -----	1	1	2	10	5	14	10	9	11	2	1	-
WHITE-----MALE----	-	1	1	8	1	6	3	2	2	1	1	-
FEMALE--	-	-	1	1	4	7	7	6	8	1	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	1	-	1	-	-	1	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	1	-	1	-	-	1	-	-	-
SOUTH CAROLINA -----	12	8	27	30	49	40	48	47	24	7	-	-
WHITE-----MALE----	1	2	7	14	12	17	11	9	6	-	-	-
FEMALE--	1	4	6	3	16	13	19	21	14	4	-	-
ALL OTHER--MALE----	7	2	6	7	11	3	6	4	2	-	-	-
FEMALE--	3	-	8	6	10	7	12	13	2	3	-	-
BLACK---MALE----	7	2	6	7	11	3	6	4	2	-	-	-
FEMALE--	3	-	8	6	10	7	12	13	2	3	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 179  
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 SEPTICEMIA (038)												
SOUTH DAKOTA -----	38	2	-	-	-	-	-	-	-	1	-	-
WHITE-----MALE----	13	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	23	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	343	5	-	-	-	-	-	2	6	4	9	12
WHITE-----MALE----	109	-	-	-	-	-	-	2	3	2	4	2
FEMALE--	145	3	-	-	-	-	-	-	-	1	1	3
ALL OTHER--MALE----	35	2	-	-	-	-	-	-	3	1	3	6
FEMALE--	54	-	-	-	-	-	-	-	-	-	1	1
BLACK---MALE----	35	2	-	-	-	-	-	-	3	1	3	6
FEMALE--	53	-	-	-	-	-	-	-	-	-	1	1
TEXAS -----	1,345	17	4	-	3	3	8	10	14	20	39	46
WHITE-----MALE----	484	4	4	-	-	2	3	5	8	10	15	22
FEMALE--	596	10	-	-	1	-	4	3	-	4	12	11
ALL OTHER--MALE----	118	1	-	-	2	1	-	-	2	5	8	7
FEMALE--	147	2	-	-	-	-	1	2	4	1	4	6
BLACK---MALE----	113	1	-	-	2	1	-	-	2	4	8	6
FEMALE--	143	2	-	-	-	-	1	2	4	1	4	5
UTAH -----	83	5	1	-	-	-	-	-	1	1	1	3
WHITE-----MALE----	35	4	1	-	-	-	-	-	-	1	-	-
FEMALE--	45	-	-	-	-	-	-	-	1	-	1	3
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	35	1	-	-	-	-	-	-	-	-	1	1
WHITE-----MALE----	11	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	24	1	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	754	8	2	1	1	-	1	1	6	5	14	13
WHITE-----MALE----	221	3	1	-	-	-	-	-	1	-	3	6
FEMALE--	312	3	-	1	-	-	-	-	2	1	3	2
ALL OTHER--MALE----	94	2	1	-	-	-	1	-	2	2	4	3
FEMALE--	127	-	-	-	1	-	-	1	1	2	4	2
BLACK---MALE----	92	2	1	-	-	-	1	-	2	2	4	3
FEMALE--	127	-	-	-	1	-	-	1	1	2	4	2

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 179  
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 SEPTICEMIA (038)												
SOUTH DAKOTA -----	-	1	3	2	3	1	11	7	3	3	1	-
WHITE-----MALE----	-	-	1	1	2	-	1	3	2	1	-	-
FEMALE--	-	1	1	-	1	1	10	4	1	2	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	12	17	13	24	44	42	49	59	28	14	3	-
WHITE-----MALE----	5	9	8	6	12	15	18	16	4	3	-	-
FEMALE--	4	3	3	7	18	17	23	32	20	9	1	-
ALL OTHER--MALE----	1	3	1	3	3	4	1	2	1	-	1	-
FEMALE--	2	2	1	8	11	6	7	9	3	2	1	-
BLACK---MALE----	1	3	1	3	3	4	1	2	1	-	1	-
FEMALE--	2	2	1	8	11	6	6	9	3	2	1	-
TEXAS -----	33	53	73	112	131	174	220	193	143	40	9	-
WHITE-----MALE----	13	19	27	52	46	68	83	69	26	7	1	-
FEMALE--	13	18	26	40	53	74	106	101	87	27	6	-
ALL OTHER--MALE----	3	8	12	11	16	16	9	5	10	2	-	-
FEMALE--	4	8	8	9	16	16	22	18	20	4	2	-
BLACK---MALE----	3	8	12	11	15	15	8	5	10	2	-	-
FEMALE--	4	8	8	8	16	16	20	18	20	4	2	-
UTAH -----	3	4	3	5	11	3	15	14	9	4	-	-
WHITE-----MALE----	2	1	1	4	6	2	6	3	3	1	-	-
FEMALE--	1	2	2	1	4	1	9	11	6	3	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
VERMONT -----	-	-	1	6	4	7	2	7	4	-	1	-
WHITE-----MALE----	-	-	1	3	2	4	-	-	-	-	-	-
FEMALE--	-	-	-	3	2	3	2	7	4	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	20	23	41	62	95	131	117	109	63	31	9	1
WHITE-----MALE----	8	7	22	23	29	49	29	26	11	2	1	-
FEMALE--	5	6	7	22	30	47	60	59	39	20	5	-
ALL OTHER--MALE----	6	6	8	7	16	13	13	5	1	1	2	1
FEMALE--	1	4	4	10	20	22	15	19	12	8	1	-
BLACK---MALE----	6	6	6	7	16	13	13	5	1	1	2	1
FEMALE--	1	4	4	10	20	22	15	19	12	8	1	-



1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 180  
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 SEPTICEMIA (038)												
WASHINGTON -----	4	7	9	14	21	39	35	38	28	8	-	-
WHITE-----MALE----	2	2	3	8	10	15	12	12	6	1	-	-
FEMALE--	1	3	5	4	9	22	21	24	21	7	-	-
ALL OTHER--MALE----	1	1	1	2	1	-	1	-	-	-	-	-
FEMALE--	-	1	-	-	1	2	1	2	1	-	-	-
BLACK---MALE----	1	1	-	1	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	1	-	-	-
WEST VIRGINIA -----	4	5	11	16	25	42	41	35	19	10	3	-
WHITE-----MALE----	1	3	7	7	11	19	19	13	3	2	1	-
FEMALE--	1	2	3	8	14	21	21	20	16	8	2	-
ALL OTHER--MALE----	1	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	1	-	1	1	-	1	-	2	-	-	-	-
BLACK---MALE----	1	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	1	-	1	1	-	1	-	2	-	-	-	-
WISCONSIN -----	6	8	13	20	23	55	60	56	51	16	3	-
WHITE-----MALE----	3	4	5	13	7	22	20	17	11	2	-	-
FEMALE--	1	3	7	6	15	30	36	39	39	14	3	-
ALL OTHER--MALE----	1	1	1	1	-	1	2	-	1	-	-	-
FEMALE--	1	-	-	-	1	2	2	-	-	-	-	-
BLACK---MALE----	1	1	-	1	-	1	2	-	1	-	-	-
FEMALE--	1	-	-	-	1	1	2	-	-	-	-	-
WYOMING -----	2	-	-	3	4	4	7	1	3	2	-	-
WHITE-----MALE----	2	-	-	1	2	2	-	1	-	1	-	-
FEMALE--	-	-	-	2	2	2	6	-	3	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-





1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 181  
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)  
 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.  
 0 ALL OTHER BACTERIAL DISEASES (020-022,024-031,039-041)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 UNITED STATES --	42	53	69	105	122	138	134	102	44	21	2	-
WHITE-----MALE----	18	24	37	43	54	56	57	41	19	5	2	-
FEMALE--	15	17	18	41	51	64	65	50	21	11	-	-
ALL OTHER--MALE----	7	8	9	11	5	10	10	7	2	1	-	-
FEMALE--	2	4	5	10	12	8	2	4	2	4	-	-
BLACK---MALE----	5	8	8	9	5	10	7	5	-	1	-	-
FEMALE--	1	3	4	7	12	7	2	4	2	4	-	-
ALABAMA -----	1	3	2	1	3	1	2	3	-	-	-	-
WHITE-----MALE----	1	1	1	-	-	1	1	1	-	-	-	-
FEMALE--	-	-	1	1	2	-	1	1	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	1	-	-	1	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	1	-	-	1	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
ALASKA -----	1	-	-	-	-	1	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	-	-	1	3	3	5	3	2	-	-	-	-
WHITE-----MALE----	-	-	1	2	2	2	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	3	3	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	1	1	3	-	2	2	5	2	1	-	-	-
WHITE-----MALE----	-	1	1	-	-	1	2	-	-	-	-	-
FEMALE--	1	-	1	-	1	1	3	2	1	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
CALIFORNIA -----	7	9	8	7	8	9	15	17	6	1	-	-
WHITE-----MALE----	4	3	3	3	4	4	7	9	4	-	-	-
FEMALE--	2	4	4	2	4	4	7	5	1	1	-	-
ALL OTHER--MALE----	1	1	1	2	-	1	1	1	1	-	-	-
FEMALE--	-	1	-	-	-	-	-	2	-	-	-	-
BLACK---MALE----	-	1	-	2	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	2	-	-	-	-



1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 182  
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)  
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.  
0 ALL OTHER BACTERIAL DISEASES (020-022,024-031,039-041)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
COLORADO -----	-	-	1	2	2	-	2	-	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	2	-	1	-	-	-
FEMALE--	-	-	1	2	2	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	1	1	-	-	1	2	1	4	-	-	-	-
WHITE-----MALE----	-	1	-	-	-	-	-	2	-	-	-	-
FEMALE--	1	-	-	-	-	2	1	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	-	1	1	2	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	1	-	-	-	1	1	-	-	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
FLORIDA -----	3	-	3	5	6	9	9	7	2	-	-	-
WHITE-----MALE----	2	-	2	1	4	6	4	3	1	-	-	-
FEMALE--	1	-	1	2	1	3	5	4	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	2	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
GEORGIA -----	-	2	1	2	3	4	1	2	-	-	-	-
WHITE-----MALE----	-	1	1	2	1	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	1	1	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	3	-	-	-	-	-	-
FEMALE--	-	-	-	-	2	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	3	-	-	-	-	-	-
FEMALE--	-	-	-	-	2	-	-	-	-	-	-	-





1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 184  
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)  
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49  
0 ALL OTHER BACTERIAL DISEASES (020-022,024-031,039-041)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
KENTUCKY -----	15	-	-	-	-	-	-	-	-	-	-	4
WHITE-----MALE----	6	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	2
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	28	-	1	-	-	-	-	2	-	1	-	-
WHITE-----MALE----	8	-	1	-	-	-	-	1	-	-	-	-
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	7	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	3	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	7	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	3	-	-	-	-	-	-	1	-	-	-	-
MAINE -----	5	-	-	-	-	-	-	-	-	-	1	-
WHITE-----MALE----	3	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	37	-	-	-	-	-	-	3	1	3	3	2
WHITE-----MALE----	12	-	-	-	-	-	-	1	-	1	-	-
FEMALE--	11	-	-	-	-	-	-	1	1	-	1	-
ALL OTHER--MALE----	7	-	-	-	-	-	-	-	-	-	2	2
FEMALE--	7	-	-	-	-	-	-	1	-	2	-	-
BLACK---MALE----	7	-	-	-	-	-	-	-	-	-	2	2
FEMALE--	7	-	-	-	-	-	-	1	-	2	-	-
MASSACHUSETTS -----	20	-	1	-	-	-	-	1	2	1	2	-
WHITE-----MALE----	9	-	-	-	-	-	-	-	2	1	1	-
FEMALE--	10	-	1	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
MICHIGAN -----	31	2	-	-	-	1	-	2	1	1	3	-
WHITE-----MALE----	14	1	-	-	-	-	-	-	1	-	2	-
FEMALE--	9	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	5	1	-	-	-	-	-	-	-	1	1	-
FEMALE--	3	-	-	-	-	-	-	2	-	-	-	-
BLACK---MALE----	5	1	-	-	-	-	-	-	-	1	1	-
FEMALE--	3	-	-	-	-	-	-	2	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 184  
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)  
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.  
0 ALL OTHER BACTERIAL DISEASES (020-022,024-031,039-041)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
KENTUCKY -----	1	-	1	2	1	3	2	1	-	-	-	-
WHITE-----MALE----	1	-	1	-	-	-	1	1	-	-	-	-
FEMALE--	-	-	-	2	-	1	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	-	-	-	-	-
LOUISIANA -----	2	1	5	3	2	3	4	3	-	1	-	-
WHITE-----MALE----	1	-	1	1	-	-	2	1	-	-	-	-
FEMALE--	-	1	1	2	-	1	2	2	-	1	-	-
ALL OTHER--MALE----	1	-	3	-	-	2	-	-	-	-	-	-
FEMALE--	-	-	-	-	2	-	-	-	-	-	-	-
BLACK---MALE----	1	-	3	-	-	2	-	-	-	-	-	-
FEMALE--	-	-	-	-	2	-	-	-	-	-	-	-
MAINE -----	-	1	-	-	3	-	-	-	-	-	-	-
WHITE-----MALE----	-	1	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	2	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	1	2	2	3	2	5	3	3	1	3	-	-
WHITE-----MALE----	-	2	-	1	2	1	3	-	1	-	-	-
FEMALE--	-	-	1	1	-	-	2	2	-	2	-	-
ALL OTHER--MALE----	1	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	-	1	-	1	-	-
BLACK---MALE----	1	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	-	1	-	1	-	-
MASSACHUSETTS -----	1	-	1	3	-	5	1	-	2	-	-	-
WHITE-----MALE----	-	-	1	-	-	3	-	-	1	-	-	-
FEMALE--	1	-	-	3	-	2	1	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	2	1	-	2	2	5	4	3	1	-	1	-
WHITE-----MALE----	2	-	-	1	1	2	1	1	1	-	1	-
FEMALE--	-	1	-	-	1	2	2	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-





1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 185  
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.  
 0 ALL OTHER BACTERIAL DISEASES (020-022,024-031,039-041)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
MINNESOTA -----	-	1	1	2	4	2	4	2	1	-	1	-
WHITE-----MALE----	-	-	1	-	3	1	1	1	-	-	1	-
FEMALE--	-	1	-	-	1	1	3	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI -----	1	1	2	3	2	-	5	-	1	-	-	-
WHITE-----MALE----	-	-	2	-	-	-	2	-	1	-	-	-
FEMALE--	-	-	-	2	2	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	3	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	1	1	-	-	-	-	3	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSOURI -----	-	1	-	2	5	3	2	4	-	-	-	-
WHITE-----MALE----	-	1	-	1	3	1	1	1	-	-	-	-
FEMALE--	-	-	-	1	1	2	1	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	1	-	-	-	-
MONTANA -----	-	-	-	2	1	-	-	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	-	-	1	1	-	-	2	-	1	-	-	-
WHITE-----MALE----	-	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA -----	-	-	-	1	1	1	-	1	-	-	-	-
WHITE-----MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-







1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 187  
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.  
 0 ALL OTHER BACTERIAL DISEASES (020-022,024-031,039-041)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
OHIO -----	1	4	5	4	5	7	4	2	1	2	-	-
WHITE-----MALE----	-	1	2	1	2	3	1	-	-	2	-	-
FEMALE--	1	1	1	2	3	4	3	2	1	-	-	-
ALL OTHER--MALE----	-	1	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	1	2	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	1	2	-	-	-	-	-	-	-	-	-
OKLAHOMA -----	-	1	2	4	3	4	3	1	-	2	-	-
WHITE-----MALE----	-	1	1	2	2	2	-	1	-	1	-	-
FEMALE--	-	-	1	2	1	2	3	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	-	-	-	2	3	-	2	1	-	-	-	-
WHITE-----MALE----	-	-	-	2	2	-	1	1	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	3	5	1	3	9	6	6	7	6	3	-	-
WHITE-----MALE----	1	2	-	2	2	3	4	3	3	1	-	-
FEMALE--	2	1	-	1	6	3	1	2	3	2	-	-
ALL OTHER--MALE----	-	2	1	-	1	-	1	2	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	2	1	-	1	-	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND -----	-	-	-	-	1	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	1	4	1	3	3	4	4	-	-	-	-	-
WHITE-----MALE----	-	2	1	1	1	1	2	-	-	-	-	-
FEMALE--	1	2	-	1	1	2	2	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 188  
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ALL OTHER BACTERIAL DISEASES (020-022,024-031,039-041)												
SOUTH DAKOTA -----	2	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	24	1	1	-	-	-	-	-	-	2	1	1
WHITE-----MALE----	7	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	4	1	1	-	-	-	-	-	-	-	-	1
BLACK---MALE----	4	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	4	1	1	-	-	-	-	-	-	-	-	1
TEXAS -----	74	2	-	-	-	4	1	1	2	3	-	8
WHITE-----MALE----	27	-	-	-	-	-	-	-	2	1	-	2
FEMALE--	37	1	-	-	-	3	1	-	-	1	-	4
ALL OTHER--MALE----	5	-	-	-	-	-	-	1	-	-	-	2
FEMALE--	5	1	-	-	-	1	-	-	-	1	-	-
BLACK---MALE----	5	-	-	-	-	-	-	1	-	-	-	2
FEMALE--	4	-	-	-	-	1	-	-	-	1	-	-
UTAH -----	3	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	2	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	43	-	-	-	-	-	-	1	2	4	-	4
WHITE-----MALE----	15	-	-	-	-	-	-	-	-	3	-	1
FEMALE--	16	-	-	-	-	-	-	-	1	-	-	1
ALL OTHER--MALE----	7	-	-	-	-	-	-	1	-	-	-	1
FEMALE--	5	-	-	-	-	-	-	-	1	1	-	1
BLACK---MALE----	6	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	5	-	-	-	-	-	-	-	1	1	-	1









1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 190  
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
VIRAL DISEASES (*042-*044,045-079)												
0 UNITED STATES --	36,365	131	207	128	100	84	398	2,214	6,066	7,563	6,934	4,712
WHITE-----MALE----	17,142	40	46	33	38	27	117	862	3,004	3,723	3,306	2,349
FEMALE--	3,939	33	48	27	22	24	61	233	480	565	460	340
ALL OTHER--MALE----	11,165	29	62	35	21	16	115	756	1,858	2,378	2,404	1,573
FEMALE--	4,119	29	51	33	19	17	105	363	724	897	764	450
BLACK---MALE----	10,719	26	59	35	19	15	111	736	1,803	2,294	2,330	1,515
FEMALE--	3,959	26	48	33	17	17	102	358	714	882	754	441
ALABAMA -----	438	1	4	3	-	4	4	37	74	99	74	40
WHITE-----MALE----	167	-	1	1	-	4	2	7	27	35	25	12
FEMALE--	34	-	-	-	-	-	1	2	7	3	3	3
ALL OTHER--MALE----	186	1	2	-	-	-	1	21	31	50	34	24
FEMALE--	51	-	1	2	-	-	-	7	9	11	12	1
BLACK---MALE----	186	1	2	-	-	-	1	21	31	50	34	24
FEMALE--	50	-	1	2	-	-	-	7	9	10	12	1
ALASKA -----	24	-	-	-	-	-	-	-	3	5	4	6
WHITE-----MALE----	15	-	-	-	-	-	-	-	2	1	3	5
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	2	1	1
FEMALE--	4	-	-	-	-	-	-	-	1	2	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	470	5	1	1	1	1	3	25	75	89	77	62
WHITE-----MALE----	340	2	-	-	1	1	2	18	55	68	66	46
FEMALE--	77	2	1	1	-	-	1	5	9	8	3	8
ALL OTHER--MALE----	41	-	-	-	-	-	-	2	8	11	7	6
FEMALE--	12	1	-	-	-	-	-	-	3	2	1	2
BLACK---MALE----	30	-	-	-	-	-	-	1	6	9	5	4
FEMALE--	7	1	-	-	-	-	-	-	2	-	1	2
ARKANSAS -----	163	2	4	-	1	1	6	9	30	36	24	13
WHITE-----MALE----	89	2	2	-	-	-	1	5	21	21	13	8
FEMALE--	24	-	1	-	-	-	1	-	3	3	2	2
ALL OTHER--MALE----	38	-	1	-	1	-	3	4	6	8	8	1
FEMALE--	12	-	-	-	-	1	1	-	-	4	1	2
BLACK---MALE----	38	-	1	-	1	-	3	4	6	8	8	1
FEMALE--	12	-	-	-	-	1	1	-	-	4	1	2
CALIFORNIA -----	5,059	16	13	4	7	9	46	252	778	1,060	931	708
WHITE-----MALE----	3,377	7	1	1	1	3	26	157	566	750	668	495
FEMALE--	500	4	6	1	3	3	7	41	53	55	44	44
ALL OTHER--MALE----	947	3	3	-	1	2	5	45	130	226	185	142
FEMALE--	235	2	3	2	2	1	8	9	29	29	34	27
BLACK---MALE----	765	3	2	-	1	2	3	38	114	189	158	112
FEMALE--	172	2	-	2	2	1	6	8	27	27	31	24

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 190  
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)  
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.  
VIRAL DISEASES (\*042-\*044,045-079)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 UNITED STATES --	2,474	1,497	1,031	843	722	561	349	201	83	40	19	8
WHITE-----MALE----	1,259	706	473	367	303	244	134	75	20	10	4	2
FEMALE--	200	179	182	235	242	236	168	105	57	27	15	-
ALL OTHER--MALE----	805	486	274	159	115	39	20	10	3	1	-	6
FEMALE--	210	126	102	82	62	42	27	11	3	2	-	-
BLACK---MALE----	773	454	253	136	98	30	16	7	2	1	-	6
FEMALE--	200	116	80	60	47	26	24	9	3	2	-	-
ALABAMA -----	27	16	13	10	11	7	8	5	1	-	-	-
WHITE-----MALE----	12	11	6	9	4	6	4	1	-	-	-	-
FEMALE--	2	1	1	1	3	1	2	3	1	-	-	-
ALL OTHER--MALE----	10	4	4	-	3	-	1	-	-	-	-	-
FEMALE--	3	-	2	-	1	-	1	1	-	-	-	-
BLACK---MALE----	10	4	4	-	3	-	1	-	-	-	-	-
FEMALE--	3	-	2	-	1	-	1	1	-	-	-	-
ALASKA -----	1	2	2	-	-	-	1	-	-	-	-	-
WHITE-----MALE----	1	2	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	35	18	12	18	19	14	8	3	3	-	-	-
WHITE-----MALE----	29	12	6	10	11	7	3	1	2	-	-	-
FEMALE--	3	3	5	6	8	7	5	1	1	-	-	-
ALL OTHER--MALE----	3	2	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	1	-	-	-	1	-	-	-	-
BLACK---MALE----	3	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	8	3	1	6	6	7	3	1	2	-	-	-
WHITE-----MALE----	5	1	-	3	1	3	2	-	1	-	-	-
FEMALE--	-	-	-	3	3	4	1	-	1	-	-	-
ALL OTHER--MALE----	2	1	-	-	2	-	-	1	-	-	-	-
FEMALE--	1	1	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	1	-	-	2	-	-	1	-	-	-	-
FEMALE--	1	1	1	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	396	245	181	132	101	80	50	34	12	3	1	-
WHITE-----MALE----	279	156	101	61	37	39	16	10	2	-	1	-
FEMALE--	24	28	30	41	34	27	25	19	8	3	-	-
ALL OTHER--MALE----	83	45	28	17	16	8	3	3	2	-	-	-
FEMALE--	10	16	22	13	14	6	6	2	-	-	-	-
BLACK---MALE----	70	32	21	9	7	2	1	-	1	-	-	-
FEMALE--	7	11	10	5	4	-	4	1	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 191  
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
VIRAL DISEASES (*042-*044,045-079)												
COLORADO -----	297	1	-	1	-	-	-	15	64	71	54	32
WHITE-----MALE----	222	-	-	-	-	-	-	12	49	52	46	26
FEMALE--	37	-	-	1	-	-	-	2	5	7	2	4
ALL OTHER--MALE----	29	-	-	-	-	-	-	1	10	7	5	2
FEMALE--	9	1	-	-	-	-	-	-	-	5	1	-
BLACK---MALE----	23	-	-	-	-	-	-	1	8	6	4	1
FEMALE--	7	1	-	-	-	-	-	-	-	4	1	-
CONNECTICUT -----	441	1	4	2	3	-	1	20	69	110	88	73
WHITE-----MALE----	203	-	1	1	2	-	1	10	33	49	36	36
FEMALE--	62	-	-	-	1	-	-	6	12	16	4	8
ALL OTHER--MALE----	127	1	2	1	-	-	-	2	16	33	35	22
FEMALE--	49	-	1	-	-	-	-	2	8	12	13	7
BLACK---MALE----	126	1	2	1	-	-	-	2	16	33	34	22
FEMALE--	49	-	1	-	-	-	-	2	8	12	13	7
DELAWARE -----	148	-	-	-	-	2	2	9	23	41	26	19
WHITE-----MALE----	43	-	-	-	-	-	-	3	7	11	9	4
FEMALE--	11	-	-	-	-	2	-	2	1	1	1	1
ALL OTHER--MALE----	68	-	-	-	-	-	-	2	9	20	13	12
FEMALE--	26	-	-	-	-	-	2	2	6	9	3	2
BLACK---MALE----	68	-	-	-	-	-	-	2	9	20	13	12
FEMALE--	26	-	-	-	-	-	2	2	6	9	3	2
DISTRICT OF COLUMBIA ----	556	-	7	1	-	-	10	31	95	131	120	80
WHITE-----MALE----	87	-	-	-	-	-	1	7	10	20	20	14
FEMALE--	4	-	-	-	-	-	-	1	-	-	1	-
ALL OTHER--MALE----	347	-	3	1	-	-	4	16	56	80	81	56
FEMALE--	118	-	4	-	-	-	5	7	29	31	18	10
BLACK---MALE----	347	-	3	1	-	-	4	16	56	80	81	56
FEMALE--	118	-	4	-	-	-	5	7	29	31	18	10
FLORIDA -----	3,474	11	27	8	9	7	57	229	566	754	591	424
WHITE-----MALE----	1,523	3	2	-	-	3	13	76	258	359	261	204
FEMALE--	341	1	6	3	4	2	5	19	34	58	36	28
ALL OTHER--MALE----	1,052	2	9	3	2	1	13	79	162	210	200	141
FEMALE--	558	5	10	2	3	1	26	55	112	127	94	51
BLACK---MALE----	1,047	2	9	3	2	1	13	79	159	209	199	141
FEMALE--	556	5	10	2	3	1	26	55	112	127	94	50
GEORGIA -----	1,382	4	10	4	1	3	24	128	277	279	260	153
WHITE-----MALE----	418	-	-	-	-	-	1	34	94	93	80	50
FEMALE--	68	1	-	1	-	-	2	4	5	5	8	7
ALL OTHER--MALE----	660	-	6	2	-	1	12	61	131	139	134	75
FEMALE--	236	3	4	1	1	2	9	29	47	42	38	21
BLACK---MALE----	656	-	6	2	-	1	12	60	131	139	134	75
FEMALE--	236	3	4	1	1	2	9	29	47	42	38	21

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 191  
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)  
 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.  
 VIRAL DISEASES (\*042-\*044,045-079)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
COLORADO -----	18	10	4	7	2	8	5	2	-	3	-	-
WHITE-----MALE----	15	5	3	4	2	5	3	-	-	-	-	-
FEMALE--	1	2	-	3	-	3	2	2	-	3	-	-
ALL OTHER--MALE----	2	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	27	18	8	8	2	4	1	2	-	-	-	-
WHITE-----MALE----	15	5	5	4	1	1	1	2	-	-	-	-
FEMALE--	4	5	-	3	1	2	-	-	-	-	-	-
ALL OTHER--MALE----	6	6	1	1	-	1	-	-	-	-	-	-
FEMALE--	2	2	2	-	-	-	-	-	-	-	-	-
BLACK---MALE----	6	6	1	1	-	1	-	-	-	-	-	-
FEMALE--	2	2	2	-	-	-	-	-	-	-	-	-
DELAWARE -----	8	4	8	3	1	1	1	-	-	-	-	-
WHITE-----MALE----	2	1	2	2	-	1	1	-	-	-	-	-
FEMALE--	1	1	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	5	2	5	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	1	-	-	-	-	-	-	-
BLACK---MALE----	5	2	5	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	1	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	36	19	9	10	3	2	-	-	-	2	-	-
WHITE-----MALE----	7	5	2	-	1	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	24	12	6	6	1	1	-	-	-	-	-	-
FEMALE--	5	1	1	4	-	1	-	-	-	2	-	-
BLACK---MALE----	24	12	6	6	1	1	-	-	-	-	-	-
FEMALE--	5	1	1	4	-	1	-	-	-	2	-	-
FLORIDA -----	217	155	145	81	88	48	25	18	8	3	3	-
WHITE-----MALE----	106	69	61	33	34	17	14	6	3	1	-	-
FEMALE--	19	15	19	20	26	20	8	9	4	2	3	-
ALL OTHER--MALE----	70	53	45	25	25	8	1	2	1	-	-	-
FEMALE--	22	18	20	3	3	3	2	1	-	-	-	-
BLACK---MALE----	70	53	45	25	25	8	1	2	1	-	-	-
FEMALE--	22	17	20	3	3	3	2	1	-	-	-	-
GEORGIA -----	87	55	38	19	15	14	7	1	-	2	-	1
WHITE-----MALE----	29	16	8	4	4	4	1	-	-	-	-	-
FEMALE--	1	4	10	7	3	5	2	1	-	2	-	-
ALL OTHER--MALE----	43	26	17	5	4	1	2	-	-	-	-	1
FEMALE--	14	9	3	3	4	4	2	-	-	-	-	-
BLACK---MALE----	41	25	17	5	4	1	2	-	-	-	-	1
FEMALE--	14	9	3	3	4	4	2	-	-	-	-	-



1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 192  
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
VIRAL DISEASES (*042-*044,045-079)												
HAWAII -----	6	12	3	7	2	5	2	-	1	-	-	-
WHITE-----MALE----	4	5	1	-	-	1	1	-	1	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	6	2	4	1	2	1	-	-	-	-	-
FEMALE--	1	1	-	2	1	2	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	3	3	3	2	1	-	-	3	1	-	-	-
WHITE-----MALE----	2	2	1	1	-	-	-	1	-	-	-	-
FEMALE--	1	1	1	1	1	-	-	2	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	77	65	39	20	30	21	9	11	2	3	-	-
WHITE-----MALE----	29	32	16	2	14	7	2	5	1	1	-	-
FEMALE--	6	-	2	8	10	11	6	6	1	2	-	-
ALL OTHER--MALE----	31	26	18	8	5	1	-	-	-	-	-	-
FEMALE--	11	7	3	2	1	2	1	-	-	-	-	-
BLACK---MALE----	31	25	16	6	5	1	-	-	-	-	-	-
FEMALE--	11	6	2	2	1	2	1	-	-	-	-	-
INDIANA -----	18	13	10	11	12	10	11	7	2	-	-	-
WHITE-----MALE----	13	6	5	5	8	3	1	2	1	-	-	-
FEMALE--	1	6	4	5	3	6	7	5	1	-	-	-
ALL OTHER--MALE----	4	1	1	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	3	-	-	-	-	-
BLACK---MALE----	4	1	1	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	3	-	-	-	-	-
IOWA -----	3	6	3	3	9	6	3	-	-	2	1	-
WHITE-----MALE----	3	5	3	3	3	3	2	-	-	-	-	-
FEMALE--	-	1	-	-	6	2	1	-	-	2	1	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS -----	4	-	4	2	2	4	5	3	1	1	-	-
WHITE-----MALE----	3	-	-	1	1	2	2	1	-	-	-	-
FEMALE--	-	-	3	1	-	2	3	2	1	1	-	-
ALL OTHER--MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-



1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 193  
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
VIRAL DISEASES (*042-*044,045-079)												
KENTUCKY -----	204	-	2	1	-	-	1	22	30	34	31	18
WHITE-----MALE----	118	-	1	-	-	-	1	11	21	23	18	14
FEMALE--	39	-	1	-	-	-	-	6	3	4	-	-
ALL OTHER--MALE----	40	-	-	1	-	-	-	4	6	6	10	4
FEMALE--	7	-	-	-	-	-	-	1	-	1	3	-
BLACK---MALE----	39	-	-	1	-	-	-	4	6	6	10	4
FEMALE--	6	-	-	-	-	-	-	1	-	-	3	-
LOUISIANA -----	722	1	5	2	3	2	13	54	128	162	113	82
WHITE-----MALE----	269	-	1	-	1	1	2	13	43	65	43	34
FEMALE--	59	-	-	-	-	1	1	2	3	6	9	3
ALL OTHER--MALE----	293	1	2	-	1	-	4	25	59	75	49	34
FEMALE--	101	-	2	2	1	-	6	14	23	16	12	11
BLACK---MALE----	292	1	2	-	1	-	4	25	59	74	49	34
FEMALE--	101	-	2	2	1	-	6	14	23	16	12	11
MAINE -----	66	-	-	-	-	-	1	3	11	11	7	8
WHITE-----MALE----	50	-	-	-	-	-	1	2	10	11	5	8
FEMALE--	16	-	-	-	-	-	-	1	1	-	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	1,187	5	8	4	2	4	8	74	223	272	245	157
WHITE-----MALE----	195	2	-	-	-	-	-	8	31	38	38	23
FEMALE--	64	1	2	-	1	1	3	2	9	8	10	8
ALL OTHER--MALE----	662	1	5	2	-	2	2	33	135	149	145	99
FEMALE--	266	1	1	2	1	1	3	31	48	77	52	27
BLACK---MALE----	659	1	5	2	-	2	2	32	134	149	144	99
FEMALE--	263	1	1	2	1	1	3	31	47	77	52	27
MASSACHUSETTS -----	723	2	3	1	2	2	6	32	130	174	146	81
WHITE-----MALE----	432	1	2	1	-	2	5	14	80	107	95	51
FEMALE--	106	-	1	-	1	-	-	8	16	24	14	3
ALL OTHER--MALE----	124	1	-	-	1	-	-	5	20	27	28	21
FEMALE--	61	-	-	-	-	-	1	5	14	16	9	6
BLACK---MALE----	118	1	-	-	1	-	-	5	19	25	28	20
FEMALE--	59	-	-	-	-	-	1	5	13	16	9	6
MICHIGAN -----	653	3	7	3	2	1	8	35	104	146	127	79
WHITE-----MALE----	285	1	2	-	2	1	3	13	46	72	57	39
FEMALE--	76	-	3	-	-	-	1	1	10	7	7	5
ALL OTHER--MALE----	231	2	1	2	-	-	2	15	43	53	51	28
FEMALE--	61	-	1	1	-	-	2	6	5	14	12	7
BLACK---MALE----	228	1	1	2	-	-	2	15	43	53	50	28
FEMALE--	59	-	1	1	-	-	2	5	5	14	12	7

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
VIRAL DISEASES (*042-*044,045-079)												
KENTUCKY -----	14	12	7	9	10	7	3	1	2	-	-	-
WHITE-----MALE----	8	3	4	4	4	4	2	-	-	-	-	-
FEMALE--	2	5	2	5	5	3	-	1	2	-	-	-
ALL OTHER--MALE----	3	3	1	-	1	-	1	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	2	1	-	1	-	1	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	44	30	15	16	21	15	11	1	2	2	-	-
WHITE-----MALE----	12	9	8	10	9	10	6	1	-	1	-	-
FEMALE--	6	6	4	1	6	4	4	-	2	1	-	-
ALL OTHER--MALE----	24	12	2	2	2	-	1	-	-	-	-	-
FEMALE--	2	3	1	3	4	1	-	-	-	-	-	-
BLACK---MALE----	24	12	2	2	2	-	1	-	-	-	-	-
FEMALE--	2	3	1	3	4	1	-	-	-	-	-	-
MAINE -----	4	1	2	4	3	3	4	2	1	-	1	-
WHITE-----MALE----	3	1	2	3	1	1	1	1	-	-	-	-
FEMALE--	1	-	-	1	2	2	3	1	1	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	79	39	17	14	13	9	9	5	-	-	-	-
WHITE-----MALE----	21	9	4	4	9	1	4	3	-	-	-	-
FEMALE--	4	-	3	1	1	4	4	2	-	-	-	-
ALL OTHER--MALE----	45	26	10	6	1	1	-	-	-	-	-	-
FEMALE--	9	4	-	3	2	3	1	-	-	-	-	-
BLACK---MALE----	45	26	10	6	1	1	-	-	-	-	-	-
FEMALE--	8	4	-	3	2	2	1	-	-	-	-	-
MASSACHUSETTS -----	46	22	13	17	8	10	14	6	5	3	-	-
WHITE-----MALE----	27	13	9	10	4	4	3	2	1	1	-	-
FEMALE--	4	5	2	2	2	5	10	4	4	1	-	-
ALL OTHER--MALE----	13	3	1	2	-	-	1	-	-	1	-	-
FEMALE--	2	1	1	3	2	1	-	-	-	-	-	-
BLACK---MALE----	12	3	1	2	-	-	-	-	-	1	-	-
FEMALE--	2	1	1	2	2	1	-	-	-	-	-	-
MICHIGAN -----	44	13	26	16	13	15	6	2	2	1	-	-
WHITE-----MALE----	13	5	14	4	4	4	2	2	-	1	-	-
FEMALE--	8	2	5	5	6	11	3	-	2	-	-	-
ALL OTHER--MALE----	17	5	6	3	3	-	-	-	-	-	-	-
FEMALE--	6	1	1	4	-	-	1	-	-	-	-	-
BLACK---MALE----	17	5	6	2	3	-	-	-	-	-	-	-
FEMALE--	6	1	1	3	-	-	1	-	-	-	-	-









1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 196  
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
VIRAL DISEASES (*042-*044,045-079)												
OHIO -----	813	5	6	3	-	1	12	67	156	148	151	91
WHITE-----MALE----	455	-	2	-	-	1	6	32	96	88	84	56
FEMALE--	92	2	1	2	-	-	1	3	7	11	10	2
ALL OTHER--MALE----	216	-	-	-	-	-	5	27	41	45	47	26
FEMALE--	50	3	3	1	-	-	-	5	12	4	10	7
BLACK---MALE----	213	-	-	-	-	-	5	27	41	44	46	25
FEMALE--	50	3	3	1	-	-	-	5	12	4	10	7
OKLAHOMA -----	238	-	-	-	1	2	3	17	48	44	38	23
WHITE-----MALE----	153	-	-	-	-	1	-	9	34	26	25	20
FEMALE--	35	-	-	-	1	1	1	3	3	4	4	1
ALL OTHER--MALE----	45	-	-	-	-	-	2	4	10	12	8	2
FEMALE--	5	-	-	-	-	-	-	1	1	2	1	-
BLACK---MALE----	33	-	-	-	-	-	2	4	7	8	6	1
FEMALE--	4	-	-	-	-	-	-	1	1	1	1	-
OREGON -----	270	1	1	-	1	-	2	12	51	51	56	29
WHITE-----MALE----	215	-	1	-	-	-	1	10	46	41	50	25
FEMALE--	38	1	-	-	1	-	1	1	3	4	3	2
ALL OTHER--MALE----	13	-	-	-	-	-	-	-	2	5	1	2
FEMALE--	4	-	-	-	-	-	-	1	-	1	2	-
BLACK---MALE----	11	-	-	-	-	-	-	-	2	5	1	2
FEMALE--	2	-	-	-	-	-	-	-	-	1	1	-
PENNSYLVANIA -----	1,269	2	7	6	1	2	9	90	221	267	218	144
WHITE-----MALE----	515	1	2	2	1	1	4	25	94	105	96	61
FEMALE--	159	-	2	3	-	-	2	11	24	33	10	10
ALL OTHER--MALE----	464	1	3	-	-	-	3	42	76	103	95	58
FEMALE--	131	-	-	1	-	1	-	12	27	26	17	15
BLACK---MALE----	458	1	2	-	-	-	3	40	75	103	94	58
FEMALE--	128	-	-	1	-	1	-	12	27	24	17	15
RHODE ISLAND -----	86	-	-	-	1	1	-	4	14	14	14	17
WHITE-----MALE----	56	-	-	-	1	-	-	3	10	7	10	10
FEMALE--	12	-	-	-	-	-	-	-	1	3	2	2
ALL OTHER--MALE----	13	-	-	-	-	1	-	-	2	3	1	4
FEMALE--	5	-	-	-	-	-	-	1	1	1	1	1
BLACK---MALE----	10	-	-	-	-	-	-	-	1	3	1	4
FEMALE--	5	-	-	-	-	-	-	1	1	1	1	1
SOUTH CAROLINA -----	615	2	3	-	5	1	11	50	126	125	114	66
WHITE-----MALE----	139	-	1	-	3	-	2	6	24	29	23	14
FEMALE--	40	1	-	-	-	-	-	4	5	2	3	1
ALL OTHER--MALE----	312	1	1	-	2	1	6	28	66	66	67	42
FEMALE--	124	-	1	-	-	-	3	12	31	28	21	9
BLACK---MALE----	310	1	1	-	2	1	6	28	65	66	67	42
FEMALE--	122	-	1	-	-	-	3	12	31	28	21	9

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
VIRAL DISEASES (*042-*044,045-079)												
OHIO -----	51	23	14	26	22	16	10	5	4	-	2	-
WHITE-----MALE----	29	14	9	18	11	4	4	-	-	-	1	-
FEMALE--	8	2	2	5	8	12	6	5	4	-	1	-
ALL OTHER--MALE----	11	6	3	3	2	-	-	-	-	-	-	-
FEMALE--	3	1	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	11	6	3	3	2	-	-	-	-	-	-	-
FEMALE--	3	1	-	-	1	-	-	-	-	-	-	-
OKLAHOMA -----	17	12	9	4	7	3	5	2	2	-	-	1
WHITE-----MALE----	14	5	7	2	4	1	3	-	2	-	-	-
FEMALE--	2	4	1	2	3	2	2	1	-	-	-	-
ALL OTHER--MALE----	1	3	1	-	-	-	-	1	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	2	-	-	-	-	-	1	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	12	14	9	9	7	6	2	5	2	-	-	-
WHITE-----MALE----	10	9	8	4	3	2	2	2	1	-	-	-
FEMALE--	1	4	1	4	4	4	-	3	1	-	-	-
ALL OTHER--MALE----	1	1	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	94	41	40	27	42	27	13	13	3	1	1	-
WHITE-----MALE----	39	17	13	9	21	14	3	7	-	-	-	-
FEMALE--	4	3	8	7	13	10	9	6	2	1	1	-
ALL OTHER--MALE----	37	18	11	9	5	2	1	-	-	-	-	-
FEMALE--	14	3	8	2	3	1	-	-	1	-	-	-
BLACK---MALE----	37	17	11	9	5	2	1	-	-	-	-	-
FEMALE--	13	3	8	2	3	1	-	-	1	-	-	-
RHODE ISLAND -----	5	5	-	-	3	4	-	3	-	-	1	-
WHITE-----MALE----	4	4	-	-	2	4	-	1	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	2	-	-	1	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	23	18	21	19	11	14	3	1	1	-	1	-
WHITE-----MALE----	8	6	7	6	5	5	-	-	-	-	-	-
FEMALE--	1	-	2	4	6	7	1	1	1	-	1	-
ALL OTHER--MALE----	9	8	9	5	-	-	1	-	-	-	-	-
FEMALE--	5	4	3	4	-	2	1	-	-	-	-	-
BLACK---MALE----	9	8	8	5	-	-	1	-	-	-	-	-
FEMALE--	5	3	2	4	-	2	1	-	-	-	-	-



1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 197  
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
VIRAL DISEASES (*042-*044,045-079)												
SOUTH DAKOTA -----	20	1	1	-	-	-	-	2	3	2	4	1
WHITE-----MALE----	11	-	-	-	-	-	-	2	2	2	-	1
FEMALE--	4	-	-	-	-	-	-	-	-	-	2	-
ALL OTHER--MALE----	4	1	-	-	-	-	-	-	1	-	2	-
FEMALE--	1	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	1	-	-	-	-	-	-	1	-	1	-
FEMALE--	1	-	1	-	-	-	-	-	-	-	-	-
TENNESSEE -----	512	-	1	1	-	1	7	34	108	104	72	51
WHITE-----MALE----	227	-	-	1	-	-	1	10	53	48	34	27
FEMALE--	62	-	1	-	-	-	1	2	7	4	4	4
ALL OTHER--MALE----	183	-	-	-	-	-	3	18	40	47	30	17
FEMALE--	40	-	-	-	-	1	2	4	8	5	4	3
BLACK---MALE----	183	-	-	-	-	-	3	18	40	47	30	17
FEMALE--	38	-	-	-	-	1	2	4	8	5	4	3
TEXAS -----	2,568	14	12	16	8	9	39	205	476	512	449	302
WHITE-----MALE----	1,520	3	2	5	5	1	12	101	296	352	283	190
FEMALE--	307	8	4	6	2	5	8	18	30	28	28	24
ALL OTHER--MALE----	582	-	4	5	-	2	12	60	121	103	117	74
FEMALE--	159	3	2	-	1	1	7	26	29	29	21	14
BLACK---MALE----	573	-	4	5	-	2	11	59	120	101	117	74
FEMALE--	155	3	2	-	1	1	7	26	29	29	21	12
UTAH -----	100	2	1	-	1	1	1	5	15	22	19	7
WHITE-----MALE----	82	-	1	-	-	1	1	5	13	21	15	6
FEMALE--	11	-	-	-	-	-	-	-	1	-	2	1
ALL OTHER--MALE----	4	1	-	-	-	-	-	-	1	1	1	-
FEMALE--	3	1	-	-	1	-	-	-	-	-	1	-
BLACK---MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	25	1	1	-	-	-	1	1	6	2	-	5
WHITE-----MALE----	17	1	-	-	-	-	1	-	4	2	-	4
FEMALE--	6	-	1	-	-	-	-	1	-	-	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
VIRGINIA -----	671	3	4	3	3	2	12	35	111	158	136	75
WHITE-----MALE----	249	1	-	2	2	1	2	15	51	55	48	29
FEMALE--	52	1	-	-	-	-	1	-	2	9	2	5
ALL OTHER--MALE----	290	1	1	-	1	-	4	13	45	70	72	36
FEMALE--	80	-	3	1	-	1	5	7	13	24	14	5
BLACK---MALE----	285	1	1	-	1	-	4	13	45	69	70	35
FEMALE--	78	-	3	1	-	1	5	7	13	24	14	5

















































































































































































































1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 244  
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 VIRAL HEPATITIS (070)												
0 UNITED STATES --	3,780	1	3	3	4	7	16	36	95	240	459	460
WHITE-----MALE----	1,868	1	1	2	-	5	4	15	53	126	290	282
FEMALE--	1,197	-	-	1	1	-	4	12	24	58	76	82
ALL OTHER--MALE----	405	-	-	-	1	-	3	5	9	39	73	72
FEMALE--	310	-	2	-	2	2	5	4	9	17	20	24
BLACK---MALE----	273	-	-	-	-	-	2	3	6	32	54	62
FEMALE--	207	-	2	-	1	2	5	4	9	14	18	19
ALABAMA -----	64	-	-	-	-	2	-	-	1	7	6	7
WHITE-----MALE----	42	-	-	-	-	2	-	-	-	4	4	4
FEMALE--	12	-	-	-	-	-	-	-	1	1	-	2
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	1	2	1
FEMALE--	4	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	6	-	-	-	-	-	-	-	-	1	2	1
FEMALE--	4	-	-	-	-	-	-	-	-	1	-	-
ALASKA -----	7	-	-	-	-	-	-	-	1	-	1	2
WHITE-----MALE----	4	-	-	-	-	-	-	-	1	-	-	2
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	102	-	-	-	-	-	-	-	3	6	9	15
WHITE-----MALE----	60	-	-	-	-	-	-	-	-	5	9	10
FEMALE--	38	-	-	-	-	-	-	-	3	1	-	5
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	22	-	-	-	-	-	-	1	1	2	2	2
WHITE-----MALE----	9	-	-	-	-	-	-	1	1	-	1	1
FEMALE--	12	-	-	-	-	-	-	-	-	1	1	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	687	-	-	-	-	1	2	10	15	39	77	90
WHITE-----MALE----	304	-	-	-	-	1	-	5	11	22	49	55
FEMALE--	215	-	-	-	-	-	1	5	3	10	14	18
ALL OTHER--MALE----	97	-	-	-	-	-	1	-	1	4	13	14
FEMALE--	71	-	-	-	-	-	-	-	-	3	1	3
BLACK---MALE----	35	-	-	-	-	-	-	-	-	4	4	7
FEMALE--	22	-	-	-	-	-	-	-	-	2	-	1

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 244  
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 VIRAL HEPATITIS (070)												
0 UNITED STATES --	322	294	298	401	406	379	216	110	24	5	-	1
WHITE-----MALE----	166	145	135	162	170	175	83	45	8	-	-	-
FEMALE--	77	81	105	155	173	168	105	56	14	5	-	-
ALL OTHER--MALE----	54	43	24	35	26	9	7	3	1	-	-	1
FEMALE--	25	25	34	49	37	27	21	6	1	-	-	-
BLACK---MALE----	42	21	12	14	16	3	3	1	1	-	-	1
FEMALE--	17	16	14	27	23	12	18	5	1	-	-	-
ALABAMA -----	3	5	5	9	5	5	5	4	-	-	-	-
WHITE-----MALE----	2	4	3	8	2	4	4	1	-	-	-	-
FEMALE--	1	-	1	1	2	1	-	2	-	-	-	-
ALL OTHER--MALE----	-	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	1	-	-	-	-
BLACK---MALE----	-	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	1	-	-	-	-
ALASKA -----	-	-	2	-	-	-	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	8	8	8	13	14	12	5	1	-	-	-	-
WHITE-----MALE----	6	4	4	6	8	6	2	-	-	-	-	-
FEMALE--	1	3	4	5	6	6	3	1	-	-	-	-
ALL OTHER--MALE----	1	1	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	1	-	-	3	4	3	3	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	1	1	2	-	-	-	-	-
FEMALE--	-	-	-	3	3	2	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	65	57	61	72	67	67	35	24	5	-	-	-
WHITE-----MALE----	30	18	22	27	20	30	8	4	2	-	-	-
FEMALE--	15	19	17	23	27	25	20	16	2	-	-	-
ALL OTHER--MALE----	16	13	7	10	7	6	2	2	1	-	-	-
FEMALE--	4	7	15	12	13	6	5	2	-	-	-	-
BLACK---MALE----	8	3	3	3	2	-	-	-	1	-	-	-
FEMALE--	1	3	4	4	3	-	3	1	-	-	-	-



1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 245  
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 VIRAL HEPATITIS (070)												
COLORADO -----	41	-	-	-	-	-	-	-	1	3	5	6
WHITE-----MALE----	27	-	-	-	-	-	-	-	1	1	3	6
FEMALE--	13	-	-	-	-	-	-	-	-	2	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	34	-	-	-	-	-	-	-	1	5	8	5
WHITE-----MALE----	24	-	-	-	-	-	-	-	1	5	5	4
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	3	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	2	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
DELAWARE -----	9	-	-	-	-	-	-	-	-	-	1	4
WHITE-----MALE----	3	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	13	-	-	-	-	-	-	-	1	-	3	2
WHITE-----MALE----	5	-	-	-	-	-	-	-	1	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	2	2
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	5	-	-	-	-	-	-	-	-	-	2	2
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	301	-	-	-	1	-	2	2	6	22	37	32
WHITE-----MALE----	153	-	-	-	-	-	1	1	4	11	22	21
FEMALE--	117	-	-	-	1	-	-	1	-	9	9	5
ALL OTHER--MALE----	19	-	-	-	-	-	-	-	1	2	5	5
FEMALE--	12	-	-	-	-	-	1	-	1	-	1	1
BLACK---MALE----	18	-	-	-	-	-	-	-	1	1	5	5
FEMALE--	10	-	-	-	-	-	1	-	1	-	1	-
GEORGIA -----	79	-	1	-	-	-	-	1	6	7	6	13
WHITE-----MALE----	32	-	-	-	-	-	-	-	4	1	2	8
FEMALE--	23	-	-	-	-	-	-	-	-	2	2	1
ALL OTHER--MALE----	13	-	-	-	-	-	-	1	2	2	2	2
FEMALE--	11	-	1	-	-	-	-	-	-	2	-	2
BLACK---MALE----	11	-	-	-	-	-	-	-	2	2	2	2
FEMALE--	11	-	1	-	-	-	-	-	-	2	-	2

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 245  
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 VIRAL HEPATITIS (070)												
COLORADO -----	4	4	2	5	1	6	3	1	-	-	-	-
WHITE-----MALE----	3	3	1	2	1	4	2	-	-	-	-	-
FEMALE--	1	1	-	3	-	2	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	2	3	1	4	1	2	1	1	-	-	-	-
WHITE-----MALE----	1	3	1	1	1	-	1	1	-	-	-	-
FEMALE--	-	-	-	3	-	2	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	1	-	2	-	1	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	1	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	1	1	1	1	2	1	-	-	-	-	-	-
WHITE-----MALE----	1	1	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	-	-	-	-	-	-
FLORIDA -----	20	18	28	31	40	32	21	9	-	-	-	-
WHITE-----MALE----	10	8	14	15	15	14	13	4	-	-	-	-
FEMALE--	9	5	12	14	22	17	8	5	-	-	-	-
ALL OTHER--MALE----	-	1	-	2	3	-	-	-	-	-	-	-
FEMALE--	1	4	2	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	1	-	2	3	-	-	-	-	-	-	-
FEMALE--	1	3	2	-	-	1	-	-	-	-	-	-
GEORGIA -----	4	10	6	8	5	8	4	-	-	-	-	-
WHITE-----MALE----	3	4	2	1	3	3	1	-	-	-	-	-
FEMALE--	-	4	4	5	1	3	1	-	-	-	-	-
ALL OTHER--MALE----	-	1	-	1	1	-	1	-	-	-	-	-
FEMALE--	1	1	-	1	-	2	1	-	-	-	-	-
BLACK---MALE----	-	-	-	1	1	-	1	-	-	-	-	-
FEMALE--	1	1	-	1	-	2	1	-	-	-	-	-



1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 246  
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 VIRAL HEPATITIS (070)												
HAWAII -----	-	5	-	6	2	2	1	-	1	-	-	-
WHITE-----MALE----	-	1	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	3	-	4	1	-	1	-	-	-	-	-
FEMALE--	-	1	-	2	1	2	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	1	1	1	2	1	-	-	1	-	-	-	-
WHITE-----MALE----	-	1	-	1	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	1	1	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	8	13	6	12	13	12	5	9	-	1	-	-
WHITE-----MALE----	5	10	2	1	4	3	1	4	-	-	-	-
FEMALE--	2	-	1	7	6	8	4	5	-	1	-	-
ALL OTHER--MALE----	-	1	1	2	2	-	-	-	-	-	-	-
FEMALE--	1	2	2	2	1	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	2	-	-	-	-	-	-	-
FEMALE--	1	1	1	2	1	1	-	-	-	-	-	-
INDIANA -----	6	5	6	6	8	7	9	3	-	-	-	-
WHITE-----MALE----	5	1	3	3	5	1	-	2	-	-	-	-
FEMALE--	-	4	3	3	3	5	6	1	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	3	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	3	-	-	-	-	-
IOWA -----	-	-	1	1	2	2	1	-	-	-	-	-
WHITE-----MALE----	-	-	1	1	1	2	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS -----	1	-	3	2	1	4	1	-	1	1	-	-
WHITE-----MALE----	1	-	-	1	-	2	1	-	-	-	-	-
FEMALE--	-	-	3	1	-	2	-	-	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-



1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 247  
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 VIRAL HEPATITIS (070)												
KENTUCKY -----	4	6	4	3	5	2	2	1	-	-	-	-
WHITE-----MALE----	2	2	2	1	2	2	1	-	-	-	-	-
FEMALE--	-	3	2	2	3	-	-	1	-	-	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	9	9	7	8	16	13	7	1	2	1	-	-
WHITE-----MALE----	2	3	3	6	6	9	4	1	-	-	-	-
FEMALE--	5	3	2	1	6	4	3	-	2	1	-	-
ALL OTHER--MALE----	1	3	1	1	1	-	-	-	-	-	-	-
FEMALE--	1	-	1	-	3	-	-	-	-	-	-	-
BLACK---MALE----	1	3	1	1	1	-	-	-	-	-	-	-
FEMALE--	1	-	1	-	3	-	-	-	-	-	-	-
MAINE -----	1	-	-	3	1	-	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	2	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	1	1	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	7	2	4	3	7	3	6	4	-	-	-	-
WHITE-----MALE----	3	2	2	-	5	1	2	3	-	-	-	-
FEMALE--	1	-	1	1	1	2	3	1	-	-	-	-
ALL OTHER--MALE----	2	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	1	1	-	1	-	-	-	-	-
BLACK---MALE----	2	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	1	-	-	-	-	-
MASSACHUSETTS -----	7	6	5	8	6	5	7	3	2	-	-	-
WHITE-----MALE----	3	4	3	6	3	2	2	1	1	-	-	-
FEMALE--	2	2	1	1	1	2	4	2	1	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	1	1	2	1	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	2	1	-	-	-	-	-	-
MICHIGAN -----	14	2	12	10	5	10	3	2	2	-	-	-
WHITE-----MALE----	5	1	8	3	2	4	1	2	-	-	-	-
FEMALE--	6	1	4	1	3	6	1	-	2	-	-	-
ALL OTHER--MALE----	3	-	-	2	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	4	-	-	1	-	-	-	-	-
BLACK---MALE----	3	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	3	-	-	1	-	-	-	-	-











1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 250  
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 VIRAL HEPATITIS (070)												
OHIO -----	89	-	-	-	-	-	1	1	1	3	11	12
WHITE-----MALE----	48	-	-	-	-	-	-	1	1	2	6	8
FEMALE--	27	-	-	-	-	-	1	-	-	-	1	1
ALL OTHER--MALE----	11	-	-	-	-	-	-	-	-	1	4	3
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	10	-	-	-	-	-	-	-	-	1	3	3
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA -----	44	-	-	-	-	-	-	1	-	6	4	7
WHITE-----MALE----	26	-	-	-	-	-	-	-	-	5	2	6
FEMALE--	12	-	-	-	-	-	-	1	-	-	1	1
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	45	-	-	-	-	-	-	-	2	5	8	5
WHITE-----MALE----	24	-	-	-	-	-	-	-	1	4	4	4
FEMALE--	19	-	-	-	-	-	-	-	1	1	3	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	133	-	-	-	-	-	-	1	2	5	14	15
WHITE-----MALE----	73	-	-	-	-	-	-	-	2	1	8	9
FEMALE--	37	-	-	-	-	-	-	1	-	-	2	4
ALL OTHER--MALE----	14	-	-	-	-	-	-	-	-	3	4	2
FEMALE--	9	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	12	-	-	-	-	-	-	-	-	3	3	2
FEMALE--	8	-	-	-	-	-	-	-	-	1	-	-
RHODE ISLAND -----	12	-	-	-	-	-	-	-	1	1	-	3
WHITE-----MALE----	8	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	3	-	-	-	-	-	-	-	-	1	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	62	-	-	-	-	-	2	-	1	-	5	2
WHITE-----MALE----	32	-	-	-	-	-	-	-	-	-	4	2
FEMALE--	18	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	4	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	8	-	-	-	-	-	1	-	1	-	-	-
BLACK---MALE----	4	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	1	-	1	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 250  
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 VIRAL HEPATITIS (070)												
OHIO -----	9	2	9	10	14	9	4	2	1	-	-	-
WHITE-----MALE----	5	-	6	8	7	3	1	-	-	-	-	-
FEMALE--	2	-	2	2	6	6	3	2	1	-	-	-
ALL OTHER--MALE----	1	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	1	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	1	-	-	-	-	-	-	-
OKLAHOMA -----	1	7	4	2	5	2	2	-	2	-	-	1
WHITE-----MALE----	1	1	3	1	3	1	1	-	2	-	-	-
FEMALE--	-	4	-	1	2	1	1	-	-	-	-	-
ALL OTHER--MALE----	-	2	1	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	1	4	2	5	6	4	1	1	1	-	-	-
WHITE-----MALE----	-	2	2	2	2	1	1	-	1	-	-	-
FEMALE--	1	2	-	2	4	3	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	15	9	10	10	27	14	5	6	-	-	-	-
WHITE-----MALE----	9	6	6	3	16	7	2	4	-	-	-	-
FEMALE--	3	1	2	5	8	7	2	2	-	-	-	-
ALL OTHER--MALE----	1	2	-	-	1	-	1	-	-	-	-	-
FEMALE--	2	-	2	2	2	-	-	-	-	-	-	-
BLACK---MALE----	1	1	-	-	1	-	1	-	-	-	-	-
FEMALE--	1	-	2	2	2	-	-	-	-	-	-	-
RHODE ISLAND -----	1	1	-	-	-	3	-	2	-	-	-	-
WHITE-----MALE----	1	1	-	-	-	3	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	5	7	7	12	7	12	2	-	-	-	-	-
WHITE-----MALE----	4	5	5	5	2	5	-	-	-	-	-	-
FEMALE--	-	-	1	4	5	6	1	-	-	-	-	-
ALL OTHER--MALE----	-	1	-	2	-	-	-	-	-	-	-	-
FEMALE--	1	1	1	1	-	1	1	-	-	-	-	-
BLACK---MALE----	-	1	-	2	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	1	-	1	1	-	-	-	-	-











1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 253  
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)  
 CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49  
 0 OTHER VIRAL DISEASES (046-049,051-054,057-061,065-066,071-079)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 UNITED STATES --	32,581	130	204	124	96	77	382	2,178	5,971	7,322	6,475	4,252
WHITE-----MALE----	15,273	39	45	31	38	22	113	847	2,951	3,597	3,016	2,067
FEMALE--	2,741	33	48	25	21	24	57	221	456	507	384	258
ALL OTHER--MALE----	10,759	29	62	35	20	16	112	751	1,849	2,339	2,331	1,501
FEMALE--	3,808	29	49	33	17	15	100	359	715	879	744	426
BLACK---MALE----	10,445	26	59	35	19	15	109	733	1,797	2,262	2,276	1,453
FEMALE--	3,751	26	46	33	16	15	97	354	705	867	736	422
ALABAMA -----	373	1	4	3	-	2	4	37	73	92	68	33
WHITE-----MALE----	124	-	1	1	-	2	2	7	27	31	21	8
FEMALE--	22	-	-	-	-	-	1	2	6	2	3	1
ALL OTHER--MALE----	180	1	2	-	-	-	1	21	31	49	32	23
FEMALE--	47	-	1	2	-	-	-	7	9	10	12	1
BLACK---MALE----	180	1	2	-	-	-	1	21	31	49	32	23
FEMALE--	46	-	1	2	-	-	-	7	9	9	12	1
ALASKA -----	17	-	-	-	-	-	-	-	2	5	3	4
WHITE-----MALE----	11	-	-	-	-	-	-	-	1	1	3	3
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	2	-	1
FEMALE--	3	-	-	-	-	-	-	-	1	2	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	368	5	1	1	1	1	3	25	72	83	68	47
WHITE-----MALE----	280	2	-	-	1	1	2	18	55	63	57	36
FEMALE--	39	2	1	1	-	-	1	5	6	7	3	3
ALL OTHER--MALE----	38	-	-	-	-	-	-	2	8	11	7	6
FEMALE--	11	1	-	-	-	-	-	-	3	2	1	2
BLACK---MALE----	29	-	-	-	-	-	-	1	6	9	5	4
FEMALE--	7	1	-	-	-	-	-	-	2	-	1	2
ARKANSAS -----	141	2	4	-	1	1	6	8	29	34	22	11
WHITE-----MALE----	80	2	2	-	-	-	1	4	20	21	12	7
FEMALE--	12	-	1	-	-	-	1	-	3	2	1	1
ALL OTHER--MALE----	37	-	1	-	1	-	3	4	6	7	8	1
FEMALE--	12	-	-	-	-	1	1	-	-	4	1	2
BLACK---MALE----	37	-	1	-	1	-	3	4	6	7	8	1
FEMALE--	12	-	-	-	-	1	1	-	-	4	1	2
CALIFORNIA -----	4,372	16	13	4	7	8	44	242	763	1,021	854	618
WHITE-----MALE----	3,073	7	1	1	1	2	26	152	555	728	619	440
FEMALE--	285	4	6	1	3	3	6	36	50	45	30	26
ALL OTHER--MALE----	850	3	3	-	1	2	4	45	129	222	172	128
FEMALE--	164	2	3	2	2	1	8	9	29	26	33	24
BLACK---MALE----	730	3	2	-	1	2	3	38	114	185	154	105
FEMALE--	150	2	-	2	2	1	6	8	27	25	31	23

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 253  
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)  
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.  
0 OTHER VIRAL DISEASES (046-049,051-054,057-061,065-066,071-079)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 UNITED STATES --	2,152	1,201	733	442	316	182	133	91	59	35	19	7
WHITE-----MALE----	1,093	560	338	205	133	69	51	30	12	10	4	2
FEMALE--	123	98	77	80	69	68	63	49	43	22	15	-
ALL OTHER--MALE----	751	442	250	124	89	30	13	7	2	1	-	5
FEMALE--	185	101	68	33	25	15	6	5	2	2	-	-
BLACK---MALE----	731	432	241	122	82	27	13	6	1	1	-	5
FEMALE--	183	100	66	33	24	14	6	4	2	2	-	-
ALABAMA -----	24	10	8	1	6	2	3	1	1	-	-	-
WHITE-----MALE----	10	6	3	1	2	2	-	-	-	-	-	-
FEMALE--	1	1	-	-	1	-	2	1	1	-	-	-
ALL OTHER--MALE----	10	3	3	-	3	-	1	-	-	-	-	-
FEMALE--	3	-	2	-	-	-	-	-	-	-	-	-
BLACK---MALE----	10	3	3	-	3	-	1	-	-	-	-	-
FEMALE--	3	-	2	-	-	-	-	-	-	-	-	-
ALASKA -----	1	2	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	1	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	27	10	4	5	5	2	3	2	3	-	-	-
WHITE-----MALE----	23	8	2	4	3	1	1	1	2	-	-	-
FEMALE--	2	-	1	1	2	1	2	-	1	-	-	-
ALL OTHER--MALE----	2	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	2	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	7	3	1	3	2	4	-	1	2	-	-	-
WHITE-----MALE----	4	1	-	3	-	2	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	2	-	-	1	-	-	-
ALL OTHER--MALE----	2	1	-	-	2	-	-	1	-	-	-	-
FEMALE--	1	1	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	1	-	-	2	-	-	1	-	-	-	-
FEMALE--	1	1	1	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	331	188	120	60	34	13	15	10	7	3	1	-
WHITE-----MALE----	249	138	79	34	17	9	8	6	-	-	1	-
FEMALE--	9	9	13	18	7	2	5	3	6	3	-	-
ALL OTHER--MALE----	67	32	21	7	9	2	1	1	1	-	-	-
FEMALE--	6	9	7	1	1	-	1	-	-	-	-	-
BLACK---MALE----	62	29	18	6	5	2	1	-	-	-	-	-
FEMALE--	6	8	6	1	1	-	1	-	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 254  
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)  
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49  
0 OTHER VIRAL DISEASES (046-049,051-054,057-061,065-066,071-079)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
COLORADO -----	256	1	-	1	-	-	-	15	63	68	49	26
WHITE-----MALE----	195	-	-	-	-	-	-	12	48	51	43	20
FEMALE--	24	-	-	1	-	-	-	2	5	5	-	4
ALL OTHER--MALE----	29	-	-	-	-	-	-	1	10	7	5	2
FEMALE--	8	1	-	-	-	-	-	-	-	5	1	-
BLACK---MALE----	23	-	-	-	-	-	-	1	8	6	4	1
FEMALE--	7	1	-	-	-	-	-	-	-	4	1	-
CONNECTICUT -----	407	1	4	2	3	-	1	20	68	105	80	68
WHITE-----MALE----	179	-	1	1	2	-	1	10	32	44	31	32
FEMALE--	57	-	-	-	1	-	-	6	12	16	4	8
ALL OTHER--MALE----	123	1	2	1	-	-	-	2	16	33	32	22
FEMALE--	48	-	1	-	-	-	-	2	8	12	13	6
BLACK---MALE----	123	1	2	1	-	-	-	2	16	33	32	22
FEMALE--	48	-	1	-	-	-	-	2	8	12	13	6
DELAWARE -----	139	-	-	-	-	2	2	9	23	41	25	15
WHITE-----MALE----	40	-	-	-	-	-	-	3	7	11	9	3
FEMALE--	8	-	-	-	-	2	-	2	1	1	1	-
ALL OTHER--MALE----	65	-	-	-	-	-	-	2	9	20	12	10
FEMALE--	26	-	-	-	-	-	2	2	6	9	3	2
BLACK---MALE----	65	-	-	-	-	-	-	2	9	20	12	10
FEMALE--	26	-	-	-	-	-	2	2	6	9	3	2
DISTRICT OF COLUMBIA ----	543	-	7	1	-	-	10	31	94	131	117	78
WHITE-----MALE----	82	-	-	-	-	-	1	7	9	20	19	14
FEMALE--	3	-	-	-	-	-	-	1	-	-	1	-
ALL OTHER--MALE----	342	-	3	1	-	-	4	16	56	80	79	54
FEMALE--	116	-	4	-	-	-	5	7	29	31	18	10
BLACK---MALE----	342	-	3	1	-	-	4	16	56	80	79	54
FEMALE--	116	-	4	-	-	-	5	7	29	31	18	10
FLORIDA -----	3,173	11	27	8	8	7	55	227	560	732	554	392
WHITE-----MALE----	1,370	3	2	-	-	3	12	75	254	348	239	183
FEMALE--	224	1	6	3	3	2	5	18	34	49	27	23
ALL OTHER--MALE----	1,033	2	9	3	2	1	13	79	161	208	195	136
FEMALE--	546	5	10	2	3	1	25	55	111	127	93	50
BLACK---MALE----	1,029	2	9	3	2	1	13	79	158	208	194	136
FEMALE--	546	5	10	2	3	1	25	55	111	127	93	50
GEORGIA -----	1,303	4	9	4	1	3	24	127	271	272	254	140
WHITE-----MALE----	386	-	-	-	-	-	1	34	90	92	78	42
FEMALE--	45	1	-	1	-	-	2	4	5	3	6	6
ALL OTHER--MALE----	647	-	6	2	-	1	12	60	129	137	132	73
FEMALE--	225	3	3	1	1	2	9	29	47	40	38	19
BLACK---MALE----	645	-	6	2	-	1	12	60	129	137	132	73
FEMALE--	225	3	3	1	1	2	9	29	47	40	38	19

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 254  
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)  
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.  
0 OTHER VIRAL DISEASES (046-049,051-054,057-061,065-066,071-079)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
COLORADO -----	14	6	2	2	1	2	2	1	-	3	-	-
WHITE-----MALE----	12	2	2	2	1	1	1	-	-	-	-	-
FEMALE--	-	1	-	-	-	1	1	1	-	3	-	-
ALL OTHER--MALE----	2	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	25	15	7	4	1	2	-	1	-	-	-	-
WHITE-----MALE----	14	2	4	3	-	1	-	1	-	-	-	-
FEMALE--	4	5	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	5	6	1	1	-	1	-	-	-	-	-	-
FEMALE--	2	2	2	-	-	-	-	-	-	-	-	-
BLACK---MALE----	5	6	1	1	-	1	-	-	-	-	-	-
FEMALE--	2	2	2	-	-	-	-	-	-	-	-	-
DELAWARE -----	8	3	8	1	1	-	1	-	-	-	-	-
WHITE-----MALE----	2	1	2	1	-	-	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	5	2	5	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	1	-	-	-	-	-	-	-
BLACK---MALE----	5	2	5	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	1	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	35	18	8	9	1	1	-	-	-	2	-	-
WHITE-----MALE----	6	4	2	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	24	12	5	6	1	1	-	-	-	-	-	-
FEMALE--	5	1	1	3	-	-	-	-	-	2	-	-
BLACK---MALE----	24	12	5	6	1	1	-	-	-	-	-	-
FEMALE--	5	1	1	3	-	-	-	-	-	2	-	-
FLORIDA -----	197	137	117	50	48	16	4	9	8	3	3	-
WHITE-----MALE----	96	61	47	18	19	3	1	2	3	1	-	-
FEMALE--	10	10	7	6	4	3	-	4	4	2	3	-
ALL OTHER--MALE----	70	52	45	23	22	8	1	2	1	-	-	-
FEMALE--	21	14	18	3	3	2	2	1	-	-	-	-
BLACK---MALE----	70	52	45	23	22	8	1	2	1	-	-	-
FEMALE--	21	14	18	3	3	2	2	1	-	-	-	-
GEORGIA -----	83	45	32	11	10	6	3	1	-	2	-	1
WHITE-----MALE----	26	12	6	3	1	1	-	-	-	-	-	-
FEMALE--	1	-	6	2	2	2	1	1	-	2	-	-
ALL OTHER--MALE----	43	25	17	4	3	1	1	-	-	-	-	1
FEMALE--	13	8	3	2	4	2	1	-	-	-	-	-
BLACK---MALE----	41	25	17	4	3	1	1	-	-	-	-	1
FEMALE--	13	8	3	2	4	2	1	-	-	-	-	-





1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 256  
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 OTHER VIRAL DISEASES (046-049,051-054,057-061,065-066,071-079)												
KENTUCKY -----	163	-	2	1	-	-	1	21	30	31	25	14
WHITE-----MALE----	96	-	1	-	-	-	1	11	21	22	13	10
FEMALE--	27	-	1	-	-	-	-	6	3	3	-	-
ALL OTHER--MALE----	35	-	-	1	-	-	-	3	6	6	9	4
FEMALE--	5	-	-	-	-	-	-	1	-	-	3	-
BLACK---MALE----	35	-	-	1	-	-	-	3	6	6	9	4
FEMALE--	5	-	-	-	-	-	-	1	-	-	3	-
LOUISIANA -----	621	1	5	2	2	2	12	53	127	156	105	72
WHITE-----MALE----	225	-	1	-	1	1	2	13	43	63	40	29
FEMALE--	30	-	-	-	-	1	1	2	3	5	8	3
ALL OTHER--MALE----	277	1	2	-	1	-	4	25	59	72	46	31
FEMALE--	89	-	2	2	-	-	5	13	22	16	11	9
BLACK---MALE----	277	1	2	-	1	-	4	25	59	72	46	31
FEMALE--	89	-	2	2	-	-	5	13	22	16	11	9
MAINE -----	58	-	-	-	-	-	1	3	10	11	7	7
WHITE-----MALE----	47	-	-	-	-	-	1	2	10	11	5	7
FEMALE--	11	-	-	-	-	-	-	1	-	-	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	1,131	5	8	4	2	4	8	73	220	271	237	150
WHITE-----MALE----	171	2	-	-	-	-	-	8	30	37	35	22
FEMALE--	50	1	2	-	1	1	3	1	8	8	9	7
ALL OTHER--MALE----	653	1	5	2	-	2	2	33	135	149	143	96
FEMALE--	257	1	1	2	1	1	3	31	47	77	50	25
BLACK---MALE----	650	1	5	2	-	2	2	32	134	149	142	96
FEMALE--	255	1	1	2	1	1	3	31	46	77	50	25
MASSACHUSETTS -----	649	2	3	1	2	2	6	31	124	165	141	77
WHITE-----MALE----	394	1	2	1	-	2	5	14	78	103	91	48
FEMALE--	81	-	1	-	1	-	-	7	12	20	14	3
ALL OTHER--MALE----	119	1	-	-	1	-	-	5	20	27	27	20
FEMALE--	55	-	-	-	-	-	1	5	14	15	9	6
BLACK---MALE----	115	1	-	-	1	-	-	5	19	25	27	19
FEMALE--	54	-	-	-	-	-	1	5	13	15	9	6
MICHIGAN -----	552	3	6	3	2	1	7	35	103	140	110	64
WHITE-----MALE----	237	1	1	-	2	1	3	13	45	69	47	32
FEMALE--	45	-	3	-	-	-	-	1	10	7	4	2
ALL OTHER--MALE----	218	2	1	2	-	-	2	15	43	50	49	25
FEMALE--	52	-	1	1	-	-	2	6	5	14	10	5
BLACK---MALE----	217	1	1	2	-	-	2	15	43	50	49	25
FEMALE--	51	-	1	1	-	-	2	5	5	14	10	5













1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 259  
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 OTHER VIRAL DISEASES (046-049,051-054,057-061,065-066,071-079)												
OHIO -----	724	5	6	3	-	1	11	66	155	145	140	79
WHITE-----MALE----	407	-	2	-	-	1	6	31	95	86	78	48
FEMALE--	65	2	1	2	-	-	-	3	7	11	9	1
ALL OTHER--MALE----	205	-	-	-	-	-	5	27	41	44	43	23
FEMALE--	47	3	3	1	-	-	-	5	12	4	10	7
BLACK---MALE----	203	-	-	-	-	-	5	27	41	43	43	22
FEMALE--	47	3	3	1	-	-	-	5	12	4	10	7
OKLAHOMA -----	194	-	-	-	1	2	3	16	48	38	34	16
WHITE-----MALE----	127	-	-	-	-	1	-	9	34	21	23	14
FEMALE--	23	-	-	-	1	1	1	2	3	4	3	-
ALL OTHER--MALE----	39	-	-	-	-	-	2	4	10	11	7	2
FEMALE--	5	-	-	-	-	-	-	1	1	2	1	-
BLACK---MALE----	30	-	-	-	-	-	2	4	7	8	5	1
FEMALE--	4	-	-	-	-	-	-	1	1	1	1	-
OREGON -----	225	1	1	-	1	-	2	12	49	46	48	24
WHITE-----MALE----	191	-	1	-	-	-	1	10	45	37	46	21
FEMALE--	19	1	-	-	1	-	1	1	2	3	-	1
ALL OTHER--MALE----	12	-	-	-	-	-	-	-	2	5	1	2
FEMALE--	3	-	-	-	-	-	-	1	-	1	1	-
BLACK---MALE----	11	-	-	-	-	-	-	-	2	5	1	2
FEMALE--	2	-	-	-	-	-	-	-	-	1	1	-
PENNSYLVANIA -----	1,136	2	7	6	1	2	9	89	219	262	204	129
WHITE-----MALE----	442	1	2	2	1	1	4	25	92	104	88	52
FEMALE--	122	-	2	3	-	-	2	10	24	33	8	6
ALL OTHER--MALE----	450	1	3	-	-	-	3	42	76	100	91	56
FEMALE--	122	-	-	1	-	1	-	12	27	25	17	15
BLACK---MALE----	446	1	2	-	-	-	3	40	75	100	91	56
FEMALE--	120	-	-	1	-	1	-	12	27	23	17	15
RHODE ISLAND -----	74	-	-	-	1	1	-	4	13	13	14	14
WHITE-----MALE----	48	-	-	-	1	-	-	3	10	7	10	8
FEMALE--	9	-	-	-	-	-	-	-	1	2	2	1
ALL OTHER--MALE----	12	-	-	-	-	1	-	-	1	3	1	4
FEMALE--	5	-	-	-	-	-	-	1	1	1	1	1
BLACK---MALE----	10	-	-	-	-	-	-	-	1	3	1	4
FEMALE--	5	-	-	-	-	-	-	1	1	1	1	1
SOUTH CAROLINA -----	553	2	3	-	5	1	9	50	125	125	109	64
WHITE-----MALE----	107	-	1	-	3	-	2	6	24	29	19	12
FEMALE--	22	1	-	-	-	-	-	4	5	2	2	1
ALL OTHER--MALE----	308	1	1	-	2	1	5	28	66	66	67	42
FEMALE--	116	-	1	-	-	-	2	12	30	28	21	9
BLACK---MALE----	306	1	1	-	2	1	5	28	65	66	67	42
FEMALE--	116	-	1	-	-	-	2	12	30	28	21	9

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 259  
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)  
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.  
0 OTHER VIRAL DISEASES (046-049,051-054,057-061,065-066,071-079)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
OHIO -----	42	21	5	16	8	7	6	3	3	-	2	-
WHITE-----MALE----	24	14	3	10	4	1	3	-	-	-	1	-
FEMALE--	6	2	-	3	2	6	3	3	3	-	1	-
ALL OTHER--MALE----	10	5	2	3	2	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	10	5	2	3	2	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA -----	16	5	5	2	2	1	3	2	-	-	-	-
WHITE-----MALE----	13	4	4	1	1	-	2	-	-	-	-	-
FEMALE--	2	-	1	1	1	1	1	1	-	-	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	1	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	11	10	7	4	1	2	1	4	1	-	-	-
WHITE-----MALE----	10	7	6	2	1	1	1	2	-	-	-	-
FEMALE--	-	2	1	2	-	1	-	2	1	-	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	79	32	30	17	15	13	8	7	3	1	1	-
WHITE-----MALE----	30	11	7	6	5	7	1	3	-	-	-	-
FEMALE--	1	2	6	2	5	3	7	4	2	1	1	-
ALL OTHER--MALE----	36	16	11	9	4	2	-	-	-	-	-	-
FEMALE--	12	3	6	-	1	1	-	-	1	-	-	-
BLACK---MALE----	36	16	11	9	4	2	-	-	-	-	-	-
FEMALE--	12	3	6	-	1	1	-	-	1	-	-	-
RHODE ISLAND -----	4	4	-	-	3	1	-	1	-	-	1	-
WHITE-----MALE----	3	3	-	-	2	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	1	-	-	1	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	18	11	14	7	4	2	1	1	1	-	1	-
WHITE-----MALE----	4	1	2	1	3	-	-	-	-	-	-	-
FEMALE--	1	-	1	-	1	1	-	1	1	-	1	-
ALL OTHER--MALE----	9	7	9	3	-	-	1	-	-	-	-	-
FEMALE--	4	3	2	3	-	1	-	-	-	-	-	-
BLACK---MALE----	9	7	8	3	-	-	1	-	-	-	-	-
FEMALE--	4	3	2	3	-	1	-	-	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 260  
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)  
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49  
0 OTHER VIRAL DISEASES (046-049,051-054,057-061,065-066,071-079)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
SOUTH DAKOTA -----	15	1	1	-	-	-	-	2	3	2	1	-
WHITE-----MALE----	10	-	-	-	-	-	-	2	2	2	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	2	1	-	-	-	-	-	-	1	-	-	-
FEMALE--	1	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	1	-	-	-	-	-	-	1	-	-	-
FEMALE--	1	-	1	-	-	-	-	-	-	-	-	-
TENNESSEE -----	413	-	1	1	-	-	7	34	108	97	58	40
WHITE-----MALE----	171	-	-	1	-	-	1	10	53	43	23	18
FEMALE--	37	-	1	-	-	-	1	2	7	2	2	4
ALL OTHER--MALE----	174	-	-	-	-	-	3	18	40	47	29	15
FEMALE--	31	-	-	-	-	-	2	4	8	5	4	3
BLACK---MALE----	174	-	-	-	-	-	3	18	40	47	29	15
FEMALE--	31	-	-	-	-	-	2	4	8	5	4	3
TEXAS -----	2,214	14	12	16	8	7	38	203	470	494	394	257
WHITE-----MALE----	1,337	3	2	5	5	-	11	100	293	343	246	162
FEMALE--	183	8	4	6	2	5	8	18	30	22	18	17
ALL OTHER--MALE----	557	-	4	5	-	2	12	60	119	100	111	68
FEMALE--	137	3	2	-	1	-	7	25	28	29	19	10
BLACK---MALE----	550	-	4	5	-	2	11	59	118	98	111	68
FEMALE--	137	3	2	-	1	-	7	25	28	29	19	10
UTAH -----	80	2	1	-	-	1	1	5	14	20	16	7
WHITE-----MALE----	70	-	1	-	-	1	1	5	13	19	12	6
FEMALE--	4	-	-	-	-	-	-	-	-	-	2	1
ALL OTHER--MALE----	4	1	-	-	-	-	-	-	1	1	1	-
FEMALE--	2	1	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	18	-	1	-	-	-	1	1	6	2	-	2
WHITE-----MALE----	11	-	-	-	-	-	1	-	4	2	-	1
FEMALE--	5	-	1	-	-	-	-	1	-	-	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
VIRGINIA -----	621	3	3	2	3	2	12	34	110	155	132	69
WHITE-----MALE----	225	1	-	1	2	1	2	14	50	54	46	25
FEMALE--	39	1	-	-	-	-	1	-	2	9	2	4
ALL OTHER--MALE----	283	1	1	-	1	-	4	13	45	68	72	35
FEMALE--	74	-	2	1	-	1	5	7	13	24	12	5
BLACK---MALE----	279	1	1	-	1	-	4	13	45	67	70	34
FEMALE--	74	-	2	1	-	1	5	7	13	24	12	5

















































































































































































CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.  
 SYPHILIS AND OTHER VENEREAL DISEASES (090-099)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
COLORADO -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	-	-	1	-	-	-	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	2	-	-	1	1	1	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
GEORGIA -----	-	-	-	-	1	1	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	-	-	-	-	-



























CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.  
 SYPHILIS AND OTHER VENEREAL DISEASES (090-099)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
SOUTH DAKOTA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	-	-	-	-	-	-	1	-	-	1	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS -----	-	-	1	1	-	-	1	1	-	-	-	-
WHITE-----MALE----	-	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
UTAH -----	-	1	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	-	-	1	-	-	-	-	-	1	-	-	-
WHITE-----MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-











1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 308  
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 SYPHILIS (090-097)												
COLORADO -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	-	-	-	-	-	-	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	2	-	-	1	1	1	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
GEORGIA -----	-	-	-	-	1	1	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	-	-	-	-	-

























