

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 314
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 0 SYPHILIS (090-097)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
SOUTH DAKOTA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	-	-	-	-	-	-	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS -----	-	-	1	1	-	-	1	1	-	-	-	-
WHITE-----MALE----	-	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
UTAH -----	-	1	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	-	-	1	-	-	-	-	-	1	-	-	-
WHITE-----MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 335
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 ALL OTHER SYPHILIS (090-091,095-097)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
COLORADO -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	-	-	-	-	-	1	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
GEORGIA -----	-	-	-	-	1	1	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	-	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 341
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 ALL OTHER SYPHILIS (090-091,095-097)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
SOUTH DAKOTA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	-	-	-	-	-	-	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS -----	-	-	1	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
UTAH -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	-	-	-	-	-	-	-	-	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 361
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
OTHER INFECTIOUS AND PARASITIC DISEASES AND LATE EFFECTS OF INFECTIOUS AND PARASITIC DISEASES (100-139)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 UNITED STATES --	4,374	100	41	18	23	34	30	85	189	292	284	321
WHITE-----MALE----	1,664	34	16	6	8	16	8	36	78	106	101	114
FEMALE--	1,487	27	10	4	7	13	9	16	31	46	44	62
ALL OTHER--MALE----	603	20	11	4	4	2	6	24	51	84	80	68
FEMALE--	620	19	4	4	4	3	7	9	29	56	59	77
BLACK---MALE----	537	18	8	4	3	2	6	23	48	80	73	64
FEMALE--	560	17	4	4	3	1	5	8	29	52	56	74
ALABAMA -----	99	5	1	1	-	2	-	1	5	9	5	2
WHITE-----MALE----	28	-	-	1	-	1	-	1	2	-	1	-
FEMALE--	29	1	1	-	-	1	-	-	1	1	-	-
ALL OTHER--MALE----	22	1	-	-	-	-	-	-	-	6	1	1
FEMALE--	20	3	-	-	-	-	-	-	2	2	3	1
BLACK---MALE----	22	1	-	-	-	-	-	-	-	6	1	1
FEMALE--	20	3	-	-	-	-	-	-	2	2	3	1
ALASKA -----	4	-	-	-	-	1	-	-	-	1	-	-
WHITE-----MALE----	2	-	-	-	-	1	-	-	-	1	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	99	-	1	-	1	1	2	2	-	5	7	6
WHITE-----MALE----	36	-	1	-	1	-	-	2	-	-	3	2
FEMALE--	41	-	-	-	-	1	-	-	-	3	-	1
ALL OTHER--MALE----	11	-	-	-	-	-	1	-	-	-	3	1
FEMALE--	11	-	-	-	-	-	1	-	-	2	1	2
BLACK---MALE----	4	-	-	-	-	-	1	-	-	-	2	-
FEMALE--	5	-	-	-	-	-	1	-	-	1	-	1
ARKANSAS -----	59	1	3	-	-	1	-	1	4	2	2	4
WHITE-----MALE----	22	-	1	-	-	-	-	1	1	-	-	2
FEMALE--	14	-	-	-	-	1	-	-	1	-	-	-
ALL OTHER--MALE----	11	-	2	-	-	-	-	-	1	1	1	1
FEMALE--	12	1	-	-	-	-	-	-	1	1	1	1
BLACK---MALE----	10	-	1	-	-	-	-	-	1	1	1	1
FEMALE--	12	1	-	-	-	-	-	-	1	1	1	1
CALIFORNIA -----	581	16	7	3	4	4	4	10	28	50	44	55
WHITE-----MALE----	247	7	1	1	1	2	1	5	16	26	25	25
FEMALE--	198	7	3	1	2	1	1	4	4	14	5	10
ALL OTHER--MALE----	78	2	3	-	1	1	-	1	8	7	9	9
FEMALE--	58	-	-	1	-	-	2	-	-	3	5	11
BLACK---MALE----	53	2	2	-	1	1	-	1	8	7	6	6
FEMALE--	40	-	-	1	-	-	1	-	-	3	4	11

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 361
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
OTHER INFECTIOUS AND PARASITIC DISEASES AND LATE EFFECTS OF INFECTIOUS AND PARASITIC DISEASES (100-139)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 UNITED STATES --	258	299	314	424	502	474	358	217	77	30	4	-
WHITE-----MALE----	78	97	128	182	216	195	149	80	15	1	-	-
FEMALE--	78	101	102	164	215	206	170	108	45	25	4	-
ALL OTHER--MALE----	42	39	39	37	29	30	11	14	6	2	-	-
FEMALE--	60	62	45	41	42	43	28	15	11	2	-	-
BLACK---MALE----	38	34	33	28	25	26	7	10	6	1	-	-
FEMALE--	54	58	39	38	34	38	23	10	11	2	-	-
ALABAMA -----	3	3	8	8	13	12	6	9	5	1	-	-
WHITE-----MALE----	-	-	2	4	5	7	1	2	1	-	-	-
FEMALE--	-	-	4	3	6	1	3	4	3	-	-	-
ALL OTHER--MALE----	3	1	1	1	1	3	2	1	-	-	-	-
FEMALE--	-	2	1	-	1	1	-	2	1	1	-	-
BLACK---MALE----	3	1	1	1	1	3	2	1	-	-	-	-
FEMALE--	-	2	1	-	1	1	-	2	1	1	-	-
ALASKA -----	-	1	1	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	7	6	7	11	11	12	10	8	2	-	-	-
WHITE-----MALE----	2	1	3	4	4	4	5	3	1	-	-	-
FEMALE--	5	4	1	5	7	4	4	5	1	-	-	-
ALL OTHER--MALE----	-	-	2	1	-	2	1	-	-	-	-	-
FEMALE--	-	1	1	1	-	2	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	1	-	-	-	-	-	-
ARKANSAS -----	4	5	4	5	10	5	3	4	1	-	-	-
WHITE-----MALE----	1	1	2	2	6	2	3	-	-	-	-	-
FEMALE--	1	2	1	1	2	2	-	3	-	-	-	-
ALL OTHER--MALE----	-	-	1	1	1	1	-	1	-	-	-	-
FEMALE--	2	2	-	1	1	-	-	-	1	-	-	-
BLACK---MALE----	-	-	1	1	1	1	-	1	-	-	-	-
FEMALE--	2	2	-	1	1	-	-	-	1	-	-	-
CALIFORNIA -----	27	45	42	58	68	43	35	29	6	3	-	-
WHITE-----MALE----	11	17	15	25	32	16	9	9	3	-	-	-
FEMALE--	9	16	12	21	29	18	21	15	3	2	-	-
ALL OTHER--MALE----	6	5	7	7	3	5	2	1	-	1	-	-
FEMALE--	1	7	8	5	4	4	3	4	-	-	-	-
BLACK---MALE----	5	2	6	3	-	2	1	-	-	-	-	-
FEMALE--	-	5	5	4	1	3	1	1	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 362
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
 CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
 OTHER INFECTIOUS AND PARASITIC DISEASES AND LATE EFFECTS OF INFECTIOUS AND PARASITIC DISEASES (100-139)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
COLORADO -----	42	-	-	-	-	-	-	1	6	-	1	1
WHITE-----MALE----	21	-	-	-	-	-	-	1	3	-	-	1
FEMALE--	15	-	-	-	-	-	-	-	2	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	4	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	3	-	-	-	-	-	-	-	1	-	-	-
CONNECTICUT -----	54	2	-	-	-	-	-	-	1	4	2	8
WHITE-----MALE----	27	1	-	-	-	-	-	-	1	3	-	3
FEMALE--	17	-	-	-	-	-	-	-	-	-	-	4
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	1	1	1
FEMALE--	5	1	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	1	1	1
FEMALE--	5	1	-	-	-	-	-	-	-	-	1	-
DELAWARE -----	12	-	-	-	-	-	-	1	-	1	2	1
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	4	-	-	-	-	-	-	1	-	-	1	-
FEMALE--	2	-	-	-	-	-	-	-	-	1	1	-
BLACK---MALE----	4	-	-	-	-	-	-	1	-	-	1	-
FEMALE--	2	-	-	-	-	-	-	-	-	1	1	-
DISTRICT OF COLUMBIA ----	26	-	-	-	-	-	-	2	2	4	4	1
WHITE-----MALE----	4	-	-	-	-	-	-	1	-	1	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	15	-	-	-	-	-	-	1	1	2	3	-
FEMALE--	7	-	-	-	-	-	-	-	1	1	-	1
BLACK---MALE----	15	-	-	-	-	-	-	1	1	2	3	-
FEMALE--	7	-	-	-	-	-	-	-	1	1	-	1
FLORIDA -----	252	9	5	1	1	1	3	6	11	13	8	24
WHITE-----MALE----	103	4	2	-	-	-	-	2	4	5	1	12
FEMALE--	89	4	-	-	1	-	1	2	3	1	1	2
ALL OTHER--MALE----	27	-	2	-	-	1	1	1	3	3	2	4
FEMALE--	33	1	1	1	-	-	1	1	1	4	4	6
BLACK---MALE----	26	-	2	-	-	1	1	1	3	3	2	4
FEMALE--	33	1	1	1	-	-	1	1	1	4	4	6
GEORGIA -----	132	8	2	1	3	-	2	4	9	11	5	13
WHITE-----MALE----	35	2	1	1	-	-	1	1	3	5	-	2
FEMALE--	38	1	-	-	-	-	1	1	-	-	-	1
ALL OTHER--MALE----	31	2	-	-	1	-	-	2	4	5	3	4
FEMALE--	28	3	1	-	2	-	-	-	2	1	2	6
BLACK---MALE----	30	1	-	-	1	-	-	2	4	5	3	4
FEMALE--	28	3	1	-	2	-	-	-	2	1	2	6

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 362
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 OTHER INFECTIOUS AND PARASITIC DISEASES AND LATE EFFECTS OF INFECTIOUS AND PARASITIC DISEASES (100-139)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
COLORADO -----	3	1	3	7	5	8	2	2	1	1	-	-
WHITE-----MALE----	2	-	2	4	3	2	1	2	-	-	-	-
FEMALE--	1	1	1	2	1	4	1	-	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	-	-	-	-	-	-
CONNECTICUT -----	3	3	7	6	4	5	6	1	1	1	-	-
WHITE-----MALE----	3	2	2	3	2	4	3	-	-	-	-	-
FEMALE--	-	-	2	3	2	1	3	-	1	1	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	1	-	-	-	-
FEMALE--	-	1	2	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	2	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	1	-	1	1	1	3	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	2	-	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	3	3	3	-	1	-	2	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	3	1	-	-	-	1	1	-	-	-	-
FEMALE--	1	-	2	-	1	-	-	-	-	-	-	-
BLACK---MALE----	2	3	1	-	-	-	1	1	-	-	-	-
FEMALE--	1	-	2	-	1	-	-	-	-	-	-	-
FLORIDA -----	10	13	17	20	32	37	23	12	3	2	1	-
WHITE-----MALE----	2	9	9	9	11	13	13	7	-	-	-	-
FEMALE--	3	1	5	8	17	21	10	5	1	2	1	-
ALL OTHER--MALE----	2	1	2	-	3	2	-	-	-	-	-	-
FEMALE--	3	2	1	3	1	1	-	-	2	-	-	-
BLACK---MALE----	2	1	2	-	2	2	-	-	-	-	-	-
FEMALE--	3	2	1	3	1	1	-	-	2	-	-	-
GEORGIA -----	7	11	8	8	7	14	14	3	2	-	-	-
WHITE-----MALE----	2	1	3	1	1	6	5	-	-	-	-	-
FEMALE--	2	4	1	5	5	6	7	2	2	-	-	-
ALL OTHER--MALE----	1	4	2	1	-	1	-	1	-	-	-	-
FEMALE--	2	2	2	1	1	1	2	-	-	-	-	-
BLACK---MALE----	1	4	2	1	-	1	-	1	-	-	-	-
FEMALE--	2	2	2	1	1	1	2	-	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 363
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 OTHER INFECTIOUS AND PARASITIC DISEASES AND LATE EFFECTS OF INFECTIOUS AND PARASITIC DISEASES (100-139)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
HAWAII -----	4	1	-	1	-	3	-	2	1	-	-	-
WHITE-----MALE----	-	1	-	-	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	1	-	-	1	-	-	-	1	-	-	-	-
FEMALE--	2	-	-	-	-	2	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	-	4	-	1	4	1	-	2	-	1	-	-
WHITE-----MALE----	-	1	-	-	1	1	-	1	-	1	-	-
FEMALE--	-	3	-	1	3	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	10	17	18	21	13	22	21	8	4	3	-	-
WHITE-----MALE----	-	8	8	8	7	11	9	2	2	-	-	-
FEMALE--	5	4	3	8	5	9	8	5	1	2	-	-
ALL OTHER--MALE----	2	1	4	1	-	-	-	-	1	1	-	-
FEMALE--	3	4	3	4	1	2	4	1	-	-	-	-
BLACK---MALE----	2	1	4	1	-	-	-	-	1	1	-	-
FEMALE--	3	4	3	4	1	2	4	1	-	-	-	-
INDIANA -----	2	5	6	7	12	12	7	5	2	-	-	-
WHITE-----MALE----	-	3	1	5	6	4	4	3	-	-	-	-
FEMALE--	1	2	2	1	6	8	3	2	2	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	2	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	2	1	-	-	-	-	-	-	-	-
IOWA -----	2	2	1	5	2	9	3	2	1	1	1	-
WHITE-----MALE----	-	1	1	3	1	2	2	1	-	-	-	-
FEMALE--	2	-	-	2	1	7	1	1	1	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
KANSAS -----	3	5	3	2	8	5	5	6	-	-	-	-
WHITE-----MALE----	2	1	3	1	5	2	5	2	-	-	-	-
FEMALE--	1	2	-	1	3	1	-	4	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	2	-	-	-	2	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	2	-	-	-	2	-	-	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 364
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
OTHER INFECTIOUS AND PARASITIC DISEASES AND LATE EFFECTS OF INFECTIOUS AND PARASITIC DISEASES (100-139)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
KENTUCKY -----	55	-	-	-	-	-	-	-	3	2	3	5
WHITE-----MALE----	27	-	-	-	-	-	-	-	1	1	-	4
FEMALE--	24	-	-	-	-	-	-	-	2	1	1	1
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	1	-
LOUISIANA -----	76	3	-	1	-	1	1	-	4	5	5	6
WHITE-----MALE----	26	1	-	-	-	1	-	-	2	3	-	-
FEMALE--	15	1	-	-	-	-	1	-	-	-	-	2
ALL OTHER--MALE----	15	1	-	1	-	-	-	-	1	1	1	2
FEMALE--	20	-	-	-	-	-	-	-	1	1	4	2
BLACK---MALE----	15	1	-	1	-	-	-	-	1	1	1	2
FEMALE--	20	-	-	-	-	-	-	-	1	1	4	2
MAINE -----	19	-	-	-	-	-	-	-	1	-	-	1
WHITE-----MALE----	12	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	7	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	105	3	-	1	1	-	3	1	4	14	9	8
WHITE-----MALE----	24	-	-	-	1	-	2	1	-	1	2	2
FEMALE--	22	-	-	1	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	26	3	-	-	-	-	-	-	2	7	3	3
FEMALE--	33	-	-	-	-	-	1	-	2	6	4	2
BLACK---MALE----	26	3	-	-	-	-	-	-	2	7	3	3
FEMALE--	31	-	-	-	-	-	-	-	2	6	3	2
MASSACHUSETTS -----	99	1	-	1	-	1	-	2	5	6	7	2
WHITE-----MALE----	54	-	-	-	-	-	-	2	2	1	4	1
FEMALE--	34	1	-	-	-	1	-	-	2	1	2	-
ALL OTHER--MALE----	8	-	-	-	-	-	-	-	1	3	1	1
FEMALE--	3	-	-	1	-	-	-	-	-	1	-	-
BLACK---MALE----	7	-	-	-	-	-	-	-	-	3	1	1
FEMALE--	2	-	-	1	-	-	-	-	-	1	-	-
MICHIGAN -----	137	3	-	1	-	2	2	2	9	7	9	12
WHITE-----MALE----	42	2	-	-	-	1	-	1	3	1	1	-
FEMALE--	40	-	-	-	-	1	1	-	-	1	1	-
ALL OTHER--MALE----	29	1	-	1	-	-	1	1	4	1	5	7
FEMALE--	26	-	-	-	-	-	-	-	2	4	2	5
BLACK---MALE----	29	1	-	1	-	-	1	1	4	1	5	7
FEMALE--	24	-	-	-	-	-	-	-	2	3	2	5

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 364
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 OTHER INFECTIOUS AND PARASITIC DISEASES AND LATE EFFECTS OF INFECTIOUS AND PARASITIC DISEASES (100-139)

KENTUCKY -----	5	4	7	6	5	3	7	4	-	1	-	-
WHITE-----MALE----	3	1	3	5	3	2	3	1	-	-	-	-
FEMALE--	1	2	4	1	2	1	4	3	-	1	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	4	1	8	7	12	9	3	2	3	1	-	-
WHITE-----MALE----	1	1	3	4	5	3	1	1	-	-	-	-
FEMALE--	-	-	2	3	2	2	1	-	-	1	-	-
ALL OTHER--MALE----	1	-	-	-	3	1	-	1	2	-	-	-
FEMALE--	2	-	3	-	2	3	1	-	1	-	-	-
BLACK---MALE----	1	-	-	-	3	1	-	1	2	-	-	-
FEMALE--	2	-	3	-	2	3	1	-	1	-	-	-
MAINE -----	1	2	2	3	2	3	3	-	-	1	-	-
WHITE-----MALE----	1	1	1	3	-	3	2	-	-	-	-	-
FEMALE--	-	1	1	-	2	-	1	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	4	11	4	7	11	12	6	5	1	-	-	-
WHITE-----MALE----	1	1	1	2	4	3	1	2	-	-	-	-
FEMALE--	-	2	3	1	4	3	4	3	-	-	-	-
ALL OTHER--MALE----	1	2	-	1	1	2	-	-	1	-	-	-
FEMALE--	2	6	-	3	2	4	1	-	-	-	-	-
BLACK---MALE----	1	2	-	1	1	2	-	-	1	-	-	-
FEMALE--	2	6	-	3	2	4	1	-	-	-	-	-
MASSACHUSETTS -----	5	3	5	10	14	18	10	6	3	-	-	-
WHITE-----MALE----	4	2	3	6	7	11	5	4	2	-	-	-
FEMALE--	-	1	2	3	6	7	5	2	1	-	-	-
ALL OTHER--MALE----	1	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	13	11	12	15	14	10	11	4	-	-	-	-
WHITE-----MALE----	4	2	3	7	3	7	5	2	-	-	-	-
FEMALE--	2	4	6	6	10	2	5	1	-	-	-	-
ALL OTHER--MALE----	2	3	1	1	-	-	-	1	-	-	-	-
FEMALE--	5	2	2	1	1	1	1	-	-	-	-	-
BLACK---MALE----	2	3	1	1	-	-	-	1	-	-	-	-
FEMALE--	5	2	2	1	1	1	-	-	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 365
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
 CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
 OTHER INFECTIOUS AND PARASITIC DISEASES AND LATE EFFECTS OF INFECTIOUS AND PARASITIC DISEASES (100-139)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
MINNESOTA -----	64	1	1	-	-	1	-	-	-	4	5	5
WHITE-----MALE----	29	1	-	-	-	1	-	-	-	3	5	2
FEMALE--	30	-	-	-	-	-	-	-	-	-	-	3
ALL OTHER--MALE----	2	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI -----	55	1	-	1	-	-	1	3	4	3	6	2
WHITE-----MALE----	10	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	18	1	-	-	-	-	-	1	-	-	3	-
ALL OTHER--MALE----	11	-	-	1	-	-	-	2	2	2	-	1
FEMALE--	16	-	-	-	-	-	1	-	1	1	3	1
BLACK---MALE----	11	-	-	1	-	-	-	2	2	2	-	1
FEMALE--	16	-	-	-	-	-	1	-	1	1	3	1
MISSOURI -----	99	1	2	-	1	2	-	1	3	9	6	3
WHITE-----MALE----	39	1	2	-	1	1	-	-	3	5	3	1
FEMALE--	42	-	-	-	-	1	-	-	-	1	2	-
ALL OTHER--MALE----	11	-	-	-	-	-	-	1	-	2	1	2
FEMALE--	7	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	11	-	-	-	-	-	-	1	-	2	1	2
FEMALE--	6	-	-	-	-	-	-	-	-	1	-	-
MONTANA -----	15	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	19	-	-	-	-	-	-	-	1	-	-	-
WHITE-----MALE----	13	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
NEVADA -----	12	-	1	-	-	-	-	-	1	-	-	2
WHITE-----MALE----	6	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	2	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	2	-	-	-	-	-	-	-	1	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 367
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
 CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
 OTHER INFECTIOUS AND PARASITIC DISEASES AND LATE EFFECTS OF INFECTIOUS AND PARASITIC DISEASES (100-139)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
OHIO -----	154	3	1	-	1	-	-	5	8	8	4	12
WHITE-----MALE----	66	3	1	-	-	-	-	2	4	4	3	5
FEMALE--	54	-	-	-	1	-	-	3	1	-	-	4
ALL OTHER--MALE----	14	-	-	-	-	-	-	-	1	1	-	-
FEMALE--	20	-	-	-	-	-	-	-	2	3	1	3
BLACK---MALE----	14	-	-	-	-	-	-	-	1	1	-	-
FEMALE--	20	-	-	-	-	-	-	-	2	3	1	3
OKLAHOMA -----	46	1	1	-	-	-	-	-	2	1	4	-
WHITE-----MALE----	16	-	1	-	-	-	-	-	1	-	3	-
FEMALE--	17	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	6	1	-	-	-	-	-	-	-	1	1	-
FEMALE--	7	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	4	1	-	-	-	-	-	-	-	1	-	-
FEMALE--	5	-	-	-	-	-	-	-	1	-	-	-
OREGON -----	35	1	-	-	1	-	-	1	1	2	4	1
WHITE-----MALE----	18	-	-	-	1	-	-	-	1	2	3	1
FEMALE--	14	1	-	-	-	-	-	1	-	-	1	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	209	2	-	2	-	1	1	3	5	11	14	16
WHITE-----MALE----	74	-	-	-	-	1	1	1	3	4	1	4
FEMALE--	74	-	-	1	-	-	-	2	1	2	3	4
ALL OTHER--MALE----	33	2	-	1	-	-	-	-	1	4	5	4
FEMALE--	28	-	-	-	-	-	-	-	-	1	5	4
BLACK---MALE----	33	2	-	1	-	-	-	-	1	4	5	4
FEMALE--	27	-	-	-	-	-	-	-	-	1	5	4
RHODE ISLAND -----	12	-	-	-	-	1	-	-	1	1	-	1
WHITE-----MALE----	4	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	5	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
SOUTH CAROLINA -----	84	3	2	-	-	-	-	3	2	10	3	7
WHITE-----MALE----	23	1	1	-	-	-	-	-	1	1	-	1
FEMALE--	20	-	-	-	-	-	-	-	1	1	-	1
ALL OTHER--MALE----	13	-	1	-	-	-	-	2	-	2	1	-
FEMALE--	28	2	-	-	-	-	-	1	-	6	2	5
BLACK---MALE----	13	-	1	-	-	-	-	2	-	2	1	-
FEMALE--	27	1	-	-	-	-	-	1	-	6	2	5

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 367
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 OTHER INFECTIOUS AND PARASITIC DISEASES AND LATE EFFECTS OF INFECTIOUS AND PARASITIC DISEASES (100-139)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
OHIO -----	13	6	15	18	22	19	10	6	2	1	-	-
WHITE-----MALE----	3	1	8	9	11	3	6	3	-	-	-	-
FEMALE--	5	3	4	6	6	13	3	2	2	1	-	-
ALL OTHER--MALE----	2	1	3	1	2	2	1	-	-	-	-	-
FEMALE--	3	1	-	2	3	1	-	1	-	-	-	-
BLACK---MALE----	2	1	3	1	2	2	1	-	-	-	-	-
FEMALE--	3	1	-	2	3	1	-	1	-	-	-	-
OKLAHOMA -----	6	2	3	6	4	6	7	2	-	1	-	-
WHITE-----MALE----	-	1	2	3	1	3	1	-	-	-	-	-
FEMALE--	2	-	1	1	3	3	4	2	-	1	-	-
ALL OTHER--MALE----	2	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	2	-	-	2	-	-	-	-	-
BLACK---MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	2	-	-	1	-	-	-	-	-
OREGON -----	3	3	1	3	2	5	4	3	-	-	-	-
WHITE-----MALE----	2	1	-	2	1	3	1	-	-	-	-	-
FEMALE--	1	1	-	1	-	2	3	3	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	1	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	12	11	13	26	31	26	14	12	6	2	1	-
WHITE-----MALE----	3	6	7	15	11	8	4	4	1	-	-	-
FEMALE--	3	2	2	6	14	13	9	5	4	2	1	-
ALL OTHER--MALE----	1	2	1	5	2	1	1	2	1	-	-	-
FEMALE--	5	1	3	-	4	4	-	1	-	-	-	-
BLACK---MALE----	1	2	1	5	2	1	1	2	1	-	-	-
FEMALE--	5	1	3	-	3	4	-	1	-	-	-	-
RHODE ISLAND -----	1	1	1	1	2	2	-	-	-	-	-	-
WHITE-----MALE----	1	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	2	-	-	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	8	6	6	5	8	14	3	3	-	1	-	-
WHITE-----MALE----	-	1	2	1	1	9	3	1	-	-	-	-
FEMALE--	3	3	2	2	3	2	-	1	-	1	-	-
ALL OTHER--MALE----	3	-	1	1	1	1	-	-	-	-	-	-
FEMALE--	2	2	1	1	3	2	-	1	-	-	-	-
BLACK---MALE----	3	-	1	1	1	1	-	-	-	-	-	-
FEMALE--	2	2	1	1	3	2	-	1	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 368
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
OTHER INFECTIOUS AND PARASITIC DISEASES AND LATE EFFECTS OF INFECTIOUS AND PARASITIC DISEASES (100-139)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
SOUTH DAKOTA -----	11	-	-	-	-	-	-	-	-	-	-	1
WHITE-----MALE----	4	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	96	1	-	-	1	2	-	1	4	1	8	7
WHITE-----MALE----	33	-	-	-	-	1	-	-	2	-	2	5
FEMALE--	39	-	-	-	1	1	-	1	-	-	2	-
ALL OTHER--MALE----	13	-	-	-	-	-	-	-	1	-	3	1
FEMALE--	11	1	-	-	-	-	-	-	1	1	1	1
BLACK---MALE----	12	-	-	-	-	-	-	-	1	-	3	1
FEMALE--	11	1	-	-	-	-	-	-	1	1	1	1
TEXAS -----	300	8	6	-	2	4	1	6	13	20	19	24
WHITE-----MALE----	132	1	1	-	2	3	1	5	8	12	10	10
FEMALE--	111	3	3	-	-	-	-	-	2	2	5	7
ALL OTHER--MALE----	26	1	1	-	-	-	-	1	2	4	2	4
FEMALE--	31	3	1	-	-	1	-	-	1	2	2	3
BLACK---MALE----	24	1	1	-	-	-	-	1	2	3	1	4
FEMALE--	30	3	1	-	-	-	-	-	1	2	2	3
UTAH -----	14	1	-	-	-	-	-	-	-	-	-	2
WHITE-----MALE----	10	1	-	-	-	-	-	-	-	-	-	2
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	11	1	-	-	-	-	-	-	-	1	1	-
WHITE-----MALE----	3	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	7	1	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	106	3	-	-	1	1	-	4	5	15	10	8
WHITE-----MALE----	38	1	-	-	1	-	-	2	-	2	4	3
FEMALE--	30	1	-	-	-	1	-	-	1	2	3	1
ALL OTHER--MALE----	24	1	-	-	-	-	-	1	4	9	-	4
FEMALE--	14	-	-	-	-	-	-	1	-	2	3	-
BLACK---MALE----	24	1	-	-	-	-	-	1	4	9	-	4
FEMALE--	13	-	-	-	-	-	-	1	-	2	3	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 368
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 OTHER INFECTIOUS AND PARASITIC DISEASES AND LATE EFFECTS OF INFECTIOUS AND PARASITIC DISEASES (100-139)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
SOUTH DAKOTA -----	-	1	2	1	4	1	1	-	-	-	-	-
WHITE-----MALE----	-	1	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	1	1	3	1	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	8	7	1	13	11	15	7	6	1	2	-	-
WHITE-----MALE----	1	5	-	3	4	6	2	2	-	-	-	-
FEMALE--	3	1	1	7	5	7	4	3	1	2	-	-
ALL OTHER--MALE----	2	-	-	2	2	1	-	1	-	-	-	-
FEMALE--	2	1	-	1	-	1	1	-	-	-	-	-
BLACK---MALE----	2	-	-	1	2	1	-	1	-	-	-	-
FEMALE--	2	1	-	1	-	1	1	-	-	-	-	-
TEXAS -----	25	23	21	28	31	23	27	13	5	-	1	-
WHITE-----MALE----	9	8	9	15	12	8	12	5	1	-	-	-
FEMALE--	12	10	8	11	12	13	13	7	2	-	1	-
ALL OTHER--MALE----	-	2	2	1	4	1	-	-	1	-	-	-
FEMALE--	4	3	2	1	3	1	2	1	1	-	-	-
BLACK---MALE----	-	2	2	1	4	1	-	-	1	-	-	-
FEMALE--	4	3	2	1	3	1	2	1	1	-	-	-
UTAH -----	1	1	2	2	2	1	1	1	-	-	-	-
WHITE-----MALE----	1	-	2	1	1	1	1	-	-	-	-	-
FEMALE--	-	1	-	1	1	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	1	-	1	2	1	1	1	1	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	2	1	1	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	6	8	6	5	14	8	6	5	1	-	-	-
WHITE-----MALE----	2	3	1	2	8	5	3	1	-	-	-	-
FEMALE--	1	1	3	3	3	3	3	3	1	-	-	-
ALL OTHER--MALE----	-	1	2	-	1	-	-	1	-	-	-	-
FEMALE--	3	3	-	-	2	-	-	-	-	-	-	-
BLACK---MALE----	-	1	2	-	1	-	-	1	-	-	-	-
FEMALE--	3	3	-	-	1	-	-	-	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 370
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 MYCOSES (110-118)												
0 UNITED STATES --	2,516	92	35	15	20	27	20	52	102	164	143	173
WHITE-----MALE----	1,059	30	13	5	7	11	6	25	56	69	68	77
FEMALE--	868	26	10	4	5	13	4	12	15	35	28	41
ALL OTHER--MALE----	323	18	8	3	4	1	4	10	22	38	33	37
FEMALE--	266	18	4	3	4	2	6	5	9	22	14	18
BLACK---MALE----	285	16	6	3	3	1	4	10	22	35	30	34
FEMALE--	218	16	4	3	3	-	5	5	9	18	12	15
ALABAMA -----	54	4	1	-	-	1	-	1	2	2	1	-
WHITE-----MALE----	22	-	-	-	-	-	-	1	1	-	1	-
FEMALE--	16	1	1	-	-	1	-	-	-	1	-	-
ALL OTHER--MALE----	10	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	6	3	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	10	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	6	3	-	-	-	-	-	-	1	-	-	-
ALASKA -----	4	-	-	-	-	1	-	-	-	1	-	-
WHITE-----MALE----	2	-	-	-	-	1	-	-	-	1	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	71	-	1	-	1	1	2	2	-	5	5	4
WHITE-----MALE----	25	-	1	-	1	-	-	2	-	-	2	2
FEMALE--	28	-	-	-	-	1	-	-	-	3	-	-
ALL OTHER--MALE----	8	-	-	-	-	-	1	-	-	-	2	1
FEMALE--	10	-	-	-	-	-	1	-	-	2	1	1
BLACK---MALE----	3	-	-	-	-	-	1	-	-	-	2	-
FEMALE--	4	-	-	-	-	-	1	-	-	1	-	-
ARKANSAS -----	42	1	2	-	-	1	-	1	2	1	1	3
WHITE-----MALE----	19	-	1	-	-	-	-	1	1	-	-	2
FEMALE--	10	-	-	-	-	1	-	-	1	-	-	-
ALL OTHER--MALE----	8	-	1	-	-	-	-	-	-	1	1	1
FEMALE--	5	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	8	-	1	-	-	-	-	-	-	1	1	1
FEMALE--	5	1	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	404	14	7	3	4	3	3	8	23	36	29	34
WHITE-----MALE----	183	7	1	1	1	1	1	4	14	18	17	19
FEMALE--	137	6	3	1	2	1	-	3	2	11	2	8
ALL OTHER--MALE----	56	1	3	-	1	1	-	1	7	6	6	6
FEMALE--	28	-	-	1	-	-	2	-	-	1	4	1
BLACK---MALE----	41	1	2	-	1	1	-	1	7	6	4	4
FEMALE--	14	-	-	1	-	-	1	-	-	1	3	1

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 370
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 MYCOSES (110-118)												
0 UNITED STATES --	142	156	186	258	290	272	193	129	34	11	2	-
WHITE-----MALE----	51	58	81	116	130	115	86	46	8	1	-	-
FEMALE--	51	53	65	105	121	109	82	66	15	6	2	-
ALL OTHER--MALE----	23	25	20	20	17	19	6	10	3	2	-	-
FEMALE--	17	20	20	17	22	29	19	7	8	2	-	-
BLACK---MALE----	20	20	16	17	14	18	4	8	3	1	-	-
FEMALE--	12	18	14	14	16	24	15	5	8	2	-	-
ALABAMA -----	2	1	6	6	8	8	2	7	1	1	-	-
WHITE-----MALE----	-	-	2	4	5	5	-	2	1	-	-	-
FEMALE--	-	-	2	2	2	1	1	4	-	-	-	-
ALL OTHER--MALE----	2	1	1	-	1	2	1	1	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	1	-	-
BLACK---MALE----	2	1	1	-	1	2	1	1	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	1	-	-
ALASKA -----	-	1	1	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	6	4	5	7	8	9	6	4	1	-	-	-
WHITE-----MALE----	1	1	2	3	2	3	3	1	1	-	-	-
FEMALE--	5	2	-	3	6	3	2	3	-	-	-	-
ALL OTHER--MALE----	-	-	2	-	-	1	1	-	-	-	-	-
FEMALE--	-	1	1	1	-	2	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	1	-	-	-	-	-	-
ARKANSAS -----	3	3	3	2	8	4	3	3	1	-	-	-
WHITE-----MALE----	1	1	1	1	5	2	3	-	-	-	-	-
FEMALE--	1	1	1	1	1	1	-	2	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	1	1	-	1	-	-	-	-
FEMALE--	1	1	-	-	1	-	-	-	1	-	-	-
BLACK---MALE----	-	-	1	-	1	1	-	1	-	-	-	-
FEMALE--	1	1	-	-	1	-	-	-	1	-	-	-
CALIFORNIA -----	23	30	27	38	47	29	21	19	4	2	-	-
WHITE-----MALE----	8	11	11	18	22	12	7	7	3	-	-	-
FEMALE--	8	12	9	14	20	12	11	10	1	1	-	-
ALL OTHER--MALE----	6	5	3	4	2	2	1	-	-	1	-	-
FEMALE--	1	2	4	2	3	3	2	2	-	-	-	-
BLACK---MALE----	5	2	2	3	-	2	-	-	-	-	-	-
FEMALE--	-	1	1	1	1	2	-	1	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 371
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 MYCOSES (110-118)												
COLORADO -----	18	-	-	-	-	-	-	1	3	-	-	-
WHITE-----MALE----	11	-	-	-	-	-	-	1	2	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	1	-	-	-
CONNECTICUT -----	33	2	-	-	-	-	-	-	1	3	1	7
WHITE-----MALE----	16	1	-	-	-	-	-	-	1	2	-	2
FEMALE--	11	-	-	-	-	-	-	-	-	-	-	4
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	1	1	1
FEMALE--	2	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	1	1	1
FEMALE--	2	1	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	5	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	14	-	-	-	-	-	2	-	-	1	3	-
WHITE-----MALE----	4	-	-	-	-	-	1	-	-	1	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	9	-	-	-	-	-	1	-	-	-	2	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	9	-	-	-	-	-	1	-	-	-	2	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	146	8	3	-	-	-	3	3	6	4	4	12
WHITE-----MALE----	61	3	1	-	-	-	-	-	2	1	1	7
FEMALE--	57	4	-	-	-	-	1	1	2	1	1	2
ALL OTHER--MALE----	14	-	1	-	-	-	1	1	2	-	1	2
FEMALE--	14	1	1	-	-	-	1	1	-	2	1	1
BLACK---MALE----	13	-	1	-	-	-	1	1	2	-	1	2
FEMALE--	14	1	1	-	-	-	1	1	-	2	1	1
GEORGIA -----	72	8	2	1	3	-	-	2	2	8	3	7
WHITE-----MALE----	26	2	1	1	-	-	-	1	2	5	-	2
FEMALE--	19	1	-	-	-	-	-	1	-	-	-	1
ALL OTHER--MALE----	15	2	-	-	1	-	-	-	-	3	2	3
FEMALE--	12	3	1	-	2	-	-	-	-	-	1	1
BLACK---MALE----	14	1	-	-	1	-	-	-	-	3	2	3
FEMALE--	12	3	1	-	2	-	-	-	-	-	1	1

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 371
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 MYCOSES (110-118)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
COLORADO -----	1	-	1	5	3	3	1	-	-	-	-	-
WHITE-----MALE----	1	-	1	2	1	2	1	-	-	-	-	-
FEMALE--	-	-	-	2	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	-	-	-	-	-	-
CONNECTICUT -----	2	2	2	2	2	5	2	1	1	-	-	-
WHITE-----MALE----	2	2	-	1	1	4	-	-	-	-	-	-
FEMALE--	-	-	1	1	1	1	2	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	1	-	1	1	1	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	2	2	1	-	1	-	1	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	2	1	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	2	2	1	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
FLORIDA -----	7	8	8	14	17	19	16	12	1	-	1	-
WHITE-----MALE----	2	6	5	5	6	8	7	7	-	-	-	-
FEMALE--	2	-	3	8	9	8	9	5	-	-	1	-
ALL OTHER--MALE----	1	1	-	-	2	2	-	-	-	-	-	-
FEMALE--	2	1	-	1	-	1	-	-	1	-	-	-
BLACK---MALE----	1	1	-	-	1	2	-	-	-	-	-	-
FEMALE--	2	1	-	1	-	1	-	-	1	-	-	-
GEORGIA -----	2	3	6	6	4	6	6	2	1	-	-	-
WHITE-----MALE----	2	1	2	1	-	3	3	-	-	-	-	-
FEMALE--	-	-	1	4	4	3	2	1	1	-	-	-
ALL OTHER--MALE----	-	1	2	-	-	-	-	1	-	-	-	-
FEMALE--	-	1	1	1	-	-	1	-	-	-	-	-
BLACK---MALE----	-	1	2	-	-	-	-	1	-	-	-	-
FEMALE--	-	1	1	1	-	-	1	-	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 372
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 MYCOSES (110-118)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
HAWAII -----	3	1	-	1	-	3	-	1	-	-	-	-
WHITE-----MALE----	-	1	-	-	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	1	-	-	-	1	-	-	-	-
FEMALE--	1	-	-	-	-	2	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	-	1	-	-	3	-	-	-	-	1	-	-
WHITE-----MALE----	-	-	-	-	1	-	-	-	-	1	-	-
FEMALE--	-	1	-	-	2	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	6	8	15	13	8	14	10	5	2	2	-	-
WHITE-----MALE----	-	5	8	2	6	8	4	1	-	-	-	-
FEMALE--	5	1	2	8	2	4	3	4	1	1	-	-
ALL OTHER--MALE----	-	-	3	1	-	-	-	-	1	1	-	-
FEMALE--	1	2	2	2	-	2	3	-	-	-	-	-
BLACK---MALE----	-	-	3	1	-	-	-	-	1	1	-	-
FEMALE--	1	2	2	2	-	2	3	-	-	-	-	-
INDIANA -----	-	5	4	6	6	5	6	3	1	-	-	-
WHITE-----MALE----	-	3	1	5	4	2	3	2	-	-	-	-
FEMALE--	-	2	1	-	2	3	3	1	1	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	1	-	-	-	-	-	-	-	-
IOWA -----	1	1	1	5	1	6	1	1	-	-	-	-
WHITE-----MALE----	-	1	1	3	-	2	1	-	-	-	-	-
FEMALE--	1	-	-	2	1	4	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS -----	3	3	1	2	7	2	4	3	-	-	-	-
WHITE-----MALE----	2	-	1	1	5	-	4	-	-	-	-	-
FEMALE--	1	2	-	1	2	1	-	3	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	1	-	-	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 373
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 MYCOSES (110-118)												
KENTUCKY -----	26	-	-	-	-	-	-	-	1	1	1	4
WHITE-----MALE----	18	-	-	-	-	-	-	-	1	1	-	3
FEMALE--	8	-	-	-	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	45	3	-	-	-	1	-	-	3	2	1	2
WHITE-----MALE----	18	1	-	-	-	1	-	-	2	1	-	-
FEMALE--	8	1	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	9	1	-	-	-	-	-	-	-	1	-	1
FEMALE--	10	-	-	-	-	-	-	-	1	-	1	-
BLACK---MALE----	9	1	-	-	-	-	-	-	-	1	-	1
FEMALE--	10	-	-	-	-	-	-	-	1	-	1	-
MAINE -----	9	-	-	-	-	-	-	-	-	-	-	1
WHITE-----MALE----	6	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	57	3	-	1	1	-	2	1	2	7	2	4
WHITE-----MALE----	16	-	-	-	1	-	2	1	-	1	2	1
FEMALE--	13	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	15	3	-	-	-	-	-	-	1	3	-	1
FEMALE--	13	-	-	-	-	-	-	-	1	3	-	2
BLACK---MALE----	15	3	-	-	-	-	-	-	1	3	-	1
FEMALE--	13	-	-	-	-	-	-	-	1	3	-	2
MASSACHUSETTS -----	60	1	-	1	-	1	-	2	3	2	4	-
WHITE-----MALE----	38	-	-	-	-	-	-	2	1	1	3	-
FEMALE--	21	1	-	-	-	1	-	-	2	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	1	-	-	-	-	-	-	-	-
MICHIGAN -----	68	3	-	1	-	1	2	1	4	3	3	5
WHITE-----MALE----	25	2	-	-	-	-	-	1	3	-	1	-
FEMALE--	26	-	-	-	-	1	1	-	-	1	1	-
ALL OTHER--MALE----	11	1	-	1	-	-	1	-	1	-	1	3
FEMALE--	6	-	-	-	-	-	-	-	-	2	-	2
BLACK---MALE----	11	1	-	1	-	-	1	-	1	-	1	3
FEMALE--	4	-	-	-	-	-	-	-	-	1	-	2

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 374
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 MYCOSES (110-118)												
MINNESOTA -----	36	1	1	-	-	1	-	-	-	3	4	4
WHITE-----MALE----	18	1	-	-	-	1	-	-	-	2	4	1
FEMALE--	14	-	-	-	-	-	-	-	-	-	-	3
ALL OTHER--MALE----	2	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI -----	31	1	-	1	-	-	1	2	-	-	4	1
WHITE-----MALE----	7	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	15	1	-	-	-	-	-	1	-	-	3	-
ALL OTHER--MALE----	3	-	-	1	-	-	-	1	-	-	-	1
FEMALE--	6	-	-	-	-	-	1	-	-	-	1	-
BLACK---MALE----	3	-	-	1	-	-	-	1	-	-	-	1
FEMALE--	6	-	-	-	-	-	1	-	-	-	1	-
MISSOURI -----	69	1	1	-	-	1	-	1	3	8	2	3
WHITE-----MALE----	24	1	1	-	-	-	-	-	3	4	-	1
FEMALE--	30	-	-	-	-	1	-	-	-	1	2	-
ALL OTHER--MALE----	8	-	-	-	-	-	-	1	-	2	-	2
FEMALE--	7	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	8	-	-	-	-	-	-	1	-	2	-	2
FEMALE--	6	-	-	-	-	-	-	-	-	1	-	-
MONTANA -----	8	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	8	-	-	-	-	-	-	-	1	-	-	-
WHITE-----MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
NEVADA -----	7	-	1	-	-	-	-	-	1	-	-	1
WHITE-----MALE----	4	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 376
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 MYCOSES (110-118)												
OHIO -----	85	2	-	-	1	-	-	3	4	4	1	8
WHITE-----MALE----	37	2	-	-	-	-	-	-	2	3	1	4
FEMALE--	31	-	-	-	1	-	-	3	1	-	-	3
ALL OTHER--MALE----	9	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	1	1	-	1
BLACK---MALE----	9	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	1	1	-	1
OKLAHOMA -----	29	1	1	-	-	-	-	-	2	-	2	-
WHITE-----MALE----	9	-	1	-	-	-	-	-	1	-	1	-
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	5	1	-	-	-	-	-	-	-	-	1	-
FEMALE--	5	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	3	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	1	-	-	-
OREGON -----	15	1	-	-	1	-	-	-	-	1	3	-
WHITE-----MALE----	10	-	-	-	1	-	-	-	-	1	3	-
FEMALE--	4	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	104	2	-	2	-	1	1	2	3	6	7	9
WHITE-----MALE----	39	-	-	-	-	1	1	1	3	2	1	4
FEMALE--	39	-	-	1	-	-	-	1	-	2	2	3
ALL OTHER--MALE----	18	2	-	1	-	-	-	-	-	2	3	2
FEMALE--	8	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	18	2	-	1	-	-	-	-	-	2	3	2
FEMALE--	7	-	-	-	-	-	-	-	-	-	1	-
RHODE ISLAND -----	7	-	-	-	-	1	-	-	-	1	-	-
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
SOUTH CAROLINA -----	48	2	2	-	-	-	-	-	1	6	-	4
WHITE-----MALE----	15	-	1	-	-	-	-	-	-	1	-	1
FEMALE--	15	-	-	-	-	-	-	-	1	1	-	1
ALL OTHER--MALE----	6	-	1	-	-	-	-	-	-	1	-	-
FEMALE--	12	2	-	-	-	-	-	-	-	3	-	2
BLACK---MALE----	6	-	1	-	-	-	-	-	-	1	-	-
FEMALE--	11	1	-	-	-	-	-	-	-	3	-	2

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 376
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 MYCOSES (110-118)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
OHIO -----	5	1	10	10	15	9	7	4	1	-	-	-
WHITE-----MALE----	1	-	4	4	7	3	4	2	-	-	-	-
FEMALE--	1	-	4	4	4	6	2	1	1	-	-	-
ALL OTHER--MALE----	2	1	2	1	2	-	1	-	-	-	-	-
FEMALE--	1	-	-	1	2	-	-	1	-	-	-	-
BLACK---MALE----	2	1	2	1	2	-	1	-	-	-	-	-
FEMALE--	1	-	-	1	2	-	-	1	-	-	-	-
OKLAHOMA -----	4	1	1	4	2	4	5	2	-	-	-	-
WHITE-----MALE----	-	-	1	3	-	1	1	-	-	-	-	-
FEMALE--	1	-	-	-	2	3	2	2	-	-	-	-
ALL OTHER--MALE----	2	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	1	-	-	2	-	-	-	-	-
BLACK---MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	-	-	-	-	-
OREGON -----	3	-	1	1	-	4	-	-	-	-	-	-
WHITE-----MALE----	2	-	-	1	-	2	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	2	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	4	4	2	17	14	11	5	8	4	1	1	-
WHITE-----MALE----	1	2	1	8	6	2	2	3	1	-	-	-
FEMALE--	1	1	1	6	6	5	2	3	3	1	1	-
ALL OTHER--MALE----	1	-	-	3	-	1	1	2	-	-	-	-
FEMALE--	1	1	-	-	2	3	-	-	-	-	-	-
BLACK---MALE----	1	-	-	3	-	1	1	2	-	-	-	-
FEMALE--	1	1	-	-	1	3	-	-	-	-	-	-
RHODE ISLAND -----	-	1	1	1	1	1	-	-	-	-	-	-
WHITE-----MALE----	-	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	6	5	3	1	5	9	3	1	-	-	-	-
WHITE-----MALE----	-	1	1	-	1	6	3	-	-	-	-	-
FEMALE--	3	3	1	1	2	2	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	1	1	-	1	-	-	-	-
BLACK---MALE----	2	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	1	1	-	1	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 377
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
0 MYCOSES (110-118)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
SOUTH DAKOTA -----	5	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	51	1	-	-	-	2	-	1	2	1	5	6
WHITE-----MALE----	21	-	-	-	-	1	-	-	1	-	1	4
FEMALE--	19	-	-	-	-	1	-	1	-	-	2	-
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	1	-	2	1
FEMALE--	5	1	-	-	-	-	-	-	-	1	-	1
BLACK---MALE----	6	-	-	-	-	-	-	-	1	-	2	1
FEMALE--	5	1	-	-	-	-	-	-	-	1	-	1
TEXAS -----	177	8	5	-	2	4	-	3	11	14	10	11
WHITE-----MALE----	88	1	1	-	2	3	-	3	8	8	5	7
FEMALE--	62	3	3	-	-	-	-	-	1	2	3	3
ALL OTHER--MALE----	13	1	-	-	-	-	-	-	2	4	1	1
FEMALE--	14	3	1	-	-	1	-	-	-	-	1	-
BLACK---MALE----	12	1	-	-	-	-	-	-	2	3	1	1
FEMALE--	13	3	1	-	-	-	-	-	-	-	1	-
UTAH -----	4	1	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	3	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	5	1	-	-	-	-	-	-	-	-	1	-
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	3	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	58	3	-	-	1	1	-	2	3	5	5	3
WHITE-----MALE----	25	1	-	-	1	-	-	-	-	1	4	2
FEMALE--	18	1	-	-	-	1	-	-	-	2	1	-
ALL OTHER--MALE----	12	1	-	-	-	-	-	1	3	2	-	1
FEMALE--	3	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	12	1	-	-	-	-	-	1	3	2	-	1
FEMALE--	2	-	-	-	-	-	-	1	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 391
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 LATE EFFECTS OF TUBERCULOSIS (137)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
KENTUCKY -----	-	-	-	1	-	-	-	1	-	-	-	-
WHITE-----MALE----	-	-	-	1	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	-	-	-	-	1	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MAINE -----	-	-	-	-	-	-	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS -----	-	-	-	-	2	3	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	2	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	-	-	-	-	1	1	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 406
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
 CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
 0 ALL OTHER INFECTIOUS AND PARASITIC DISEASES AND LATE EFFECTS OF OTHER INFECTIOUS AND PARASITIC DISEASES (100-104,130-136,139)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 UNITED STATES --	1,442	8	6	3	3	7	7	32	79	125	137	133
WHITE-----MALE----	426	4	3	1	1	5	1	11	19	37	31	28
FEMALE--	424	1	-	-	2	-	3	3	12	8	15	16
ALL OTHER--MALE----	255	2	3	1	-	1	2	14	28	46	46	30
FEMALE--	337	1	-	1	-	1	1	4	20	34	45	59
BLACK---MALE----	240	2	2	1	-	1	2	13	26	45	42	30
FEMALE--	331	1	-	1	-	1	-	3	20	34	44	59
ALABAMA -----	36	1	-	1	-	1	-	-	3	7	4	2
WHITE-----MALE----	4	-	-	1	-	1	-	-	1	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	12	1	-	-	-	-	-	-	-	5	1	1
FEMALE--	12	-	-	-	-	-	-	-	1	2	3	1
BLACK---MALE----	12	1	-	-	-	-	-	-	-	5	1	1
FEMALE--	12	-	-	-	-	-	-	-	1	2	3	1
ALASKA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	16	-	-	-	-	-	-	-	-	-	2	1
WHITE-----MALE----	5	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
ARKANSAS -----	13	-	1	-	-	-	-	-	2	1	1	1
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	1	-	-	-	-	-	1	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	1	1	1	1
BLACK---MALE----	2	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	1	1	1	1
CALIFORNIA -----	115	2	-	-	-	1	-	2	3	12	13	16
WHITE-----MALE----	42	-	-	-	-	1	-	1	1	8	6	3
FEMALE--	34	1	-	-	-	-	-	1	1	1	3	1
ALL OTHER--MALE----	13	1	-	-	-	-	-	-	1	1	3	2
FEMALE--	26	-	-	-	-	-	-	-	-	2	1	10
BLACK---MALE----	12	1	-	-	-	-	-	-	1	1	2	2
FEMALE--	26	-	-	-	-	-	-	-	-	2	1	10

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 406
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 ALL OTHER INFECTIOUS AND PARASITIC DISEASES AND LATE EFFECTS OF OTHER INFECTIOUS AND PARASITIC DISEASES (100-104,130-136,139)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 UNITED STATES --	102	113	108	115	142	124	97	53	31	15	2	-
WHITE-----MALE----	20	26	34	47	53	45	38	18	4	-	-	-
FEMALE--	21	33	30	36	64	63	47	29	24	15	2	-
ALL OTHER--MALE----	18	13	19	11	9	6	3	2	1	-	-	-
FEMALE--	43	41	25	21	16	10	9	4	2	-	-	-
BLACK---MALE----	17	13	17	9	9	6	2	2	1	-	-	-
FEMALE--	42	40	25	21	16	10	8	4	2	-	-	-
ALABAMA -----	1	2	1	2	5	2	1	1	2	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	1	1	4	-	-	-	1	-	-	-
ALL OTHER--MALE----	1	-	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	2	-	-	1	-	-	1	1	-	-	-
BLACK---MALE----	1	-	-	1	-	1	1	-	-	-	-	-
FEMALE--	-	2	-	-	1	-	-	1	1	-	-	-
ALASKA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	-	1	2	4	1	2	2	1	-	-	-	-
WHITE-----MALE----	-	-	1	1	1	-	1	-	-	-	-	-
FEMALE--	-	1	1	2	-	1	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	1	1	-	2	2	-	-	1	-	-	-	-
WHITE-----MALE----	-	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	2	10	13	10	14	5	6	3	2	1	-	-
WHITE-----MALE----	1	4	3	3	7	2	1	1	-	-	-	-
FEMALE--	1	2	2	4	7	2	3	2	2	1	-	-
ALL OTHER--MALE----	-	-	4	-	-	-	1	-	-	-	-	-
FEMALE--	-	4	4	3	-	1	1	-	-	-	-	-
BLACK---MALE----	-	-	4	-	-	-	1	-	-	-	-	-
FEMALE--	-	4	4	3	-	1	1	-	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 407
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
 CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
 0 ALL OTHER INFECTIOUS AND PARASITIC DISEASES AND LATE EFFECTS OF OTHER INFECTIOUS AND PARASITIC DISEASES (100-104,130-136,139)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
COLORADO -----	17	-	-	-	-	-	-	-	2	-	1	-
WHITE-----MALE----	5	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	10	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	18	-	-	-	-	-	-	-	-	1	1	1
WHITE-----MALE----	9	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	1	-
DELAWARE -----	6	-	-	-	-	-	-	1	-	1	2	1
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	2	-	-	-	-	-	-	1	-	-	1	-
FEMALE--	2	-	-	-	-	-	-	-	-	1	1	-
BLACK---MALE----	2	-	-	-	-	-	-	1	-	-	1	-
FEMALE--	2	-	-	-	-	-	-	-	-	1	1	-
DISTRICT OF COLUMBIA ----	11	-	-	-	-	-	-	-	2	3	1	1
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	1	2	1	-
FEMALE--	6	-	-	-	-	-	-	-	1	1	-	1
BLACK---MALE----	5	-	-	-	-	-	-	-	1	2	1	-
FEMALE--	6	-	-	-	-	-	-	-	1	1	-	1
FLORIDA -----	83	1	2	1	1	1	-	3	4	9	3	11
WHITE-----MALE----	28	1	1	-	-	-	-	2	1	4	-	4
FEMALE--	24	-	-	-	1	-	-	1	1	-	-	-
ALL OTHER--MALE----	12	-	1	-	-	1	-	-	1	3	-	2
FEMALE--	19	-	-	1	-	-	-	-	1	2	3	5
BLACK---MALE----	12	-	1	-	-	1	-	-	1	3	-	2
FEMALE--	19	-	-	1	-	-	-	-	1	2	3	5
GEORGIA -----	47	-	-	-	-	-	1	2	7	3	2	6
WHITE-----MALE----	4	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	12	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	15	-	-	-	-	-	-	2	4	2	1	1
FEMALE--	16	-	-	-	-	-	-	-	2	1	1	5
BLACK---MALE----	15	-	-	-	-	-	-	2	4	2	1	1
FEMALE--	16	-	-	-	-	-	-	-	2	1	1	5

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 407
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 ALL OTHER INFECTIOUS AND PARASITIC DISEASES AND LATE EFFECTS OF OTHER INFECTIOUS AND PARASITIC DISEASES (100-104,130-136,139)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
COLORADO -----	2	1	2	1	-	4	1	1	1	1	-	-
WHITE-----MALE----	1	-	1	1	-	-	-	1	-	-	-	-
FEMALE--	1	1	1	-	-	3	1	-	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	1	1	4	3	2	-	3	-	-	1	-	-
WHITE-----MALE----	1	-	1	1	1	-	3	-	-	-	-	-
FEMALE--	-	-	1	2	1	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	1	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	-	-	-	-	-	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	1	1	2	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	2	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	2	-	-	-	-	-	-	-	-	-
FLORIDA -----	3	2	8	5	11	11	3	-	2	2	-	-
WHITE-----MALE----	-	-	3	3	3	3	3	-	-	-	-	-
FEMALE--	1	1	2	-	6	8	-	-	1	2	-	-
ALL OTHER--MALE----	1	-	2	-	1	-	-	-	-	-	-	-
FEMALE--	1	1	1	2	1	-	-	-	1	-	-	-
BLACK---MALE----	1	-	2	-	1	-	-	-	-	-	-	-
FEMALE--	1	1	1	2	1	-	-	-	1	-	-	-
GEORGIA -----	3	7	1	2	2	4	6	-	1	-	-	-
WHITE-----MALE----	-	-	-	-	1	1	1	-	-	-	-	-
FEMALE--	-	4	-	1	-	1	4	-	1	-	-	-
ALL OTHER--MALE----	1	2	-	1	-	1	-	-	-	-	-	-
FEMALE--	2	1	1	-	1	1	1	-	-	-	-	-
BLACK---MALE----	1	2	-	1	-	1	-	-	-	-	-	-
FEMALE--	2	1	1	-	1	1	1	-	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 408
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 ALL OTHER INFECTIOUS AND PARASITIC DISEASES AND LATE EFFECTS OF OTHER INFECTIOUS AND PARASITIC DISEASES (100-104,130-136,139)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
HAWAII -----	1	-	-	-	-	-	-	-	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	-	1	-	1	1	1	-	2	-	-	-	-
WHITE-----MALE----	-	1	-	-	-	1	-	1	-	-	-	-
FEMALE--	-	-	-	1	1	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	4	8	2	3	5	8	8	3	1	1	-	-
WHITE-----MALE----	-	3	-	2	1	3	3	1	1	-	-	-
FEMALE--	-	2	-	-	3	5	4	1	-	1	-	-
ALL OTHER--MALE----	2	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	2	2	1	1	1	-	1	1	-	-	-	-
BLACK---MALE----	2	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	2	2	1	1	1	-	1	1	-	-	-	-
INDIANA -----	2	-	2	-	5	4	-	2	1	-	-	-
WHITE-----MALE----	-	-	-	-	2	2	-	1	-	-	-	-
FEMALE--	1	-	1	-	3	2	-	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	1	-	-	-	-	-	-	-	-	-
IOWA -----	1	1	-	-	1	3	1	-	1	1	1	-
WHITE-----MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	3	1	-	1	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
KANSAS -----	-	1	1	-	-	2	-	1	-	-	-	-
WHITE-----MALE----	-	-	1	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	1	-	-	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 409
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
 CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
 0 ALL OTHER INFECTIOUS AND PARASITIC DISEASES AND LATE EFFECTS OF OTHER INFECTIOUS AND PARASITIC DISEASES (100-104,130-136,139)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
KENTUCKY -----	23	-	-	-	-	-	-	-	2	-	2	1
WHITE-----MALE----	6	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	13	-	-	-	-	-	-	-	2	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	1	-
LOUISIANA -----	27	-	-	1	-	-	1	-	1	3	4	4
WHITE-----MALE----	5	-	-	-	-	-	-	-	-	2	-	-
FEMALE--	7	-	-	-	-	-	1	-	-	-	-	1
ALL OTHER--MALE----	6	-	-	1	-	-	-	-	1	-	1	1
FEMALE--	9	-	-	-	-	-	-	-	-	1	3	2
BLACK---MALE----	6	-	-	1	-	-	-	-	1	-	1	1
FEMALE--	9	-	-	-	-	-	-	-	-	1	3	2
MAINE -----	5	-	-	-	-	-	-	-	1	-	-	-
WHITE-----MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	42	-	-	-	-	-	1	-	2	7	7	4
WHITE-----MALE----	4	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	11	-	-	-	-	-	-	-	1	4	3	2
FEMALE--	20	-	-	-	-	-	1	-	1	3	4	-
BLACK---MALE----	11	-	-	-	-	-	-	-	1	4	3	2
FEMALE--	18	-	-	-	-	-	-	-	1	3	3	-
MASSACHUSETTS -----	28	-	-	-	-	-	-	-	2	4	3	2
WHITE-----MALE----	10	-	-	-	-	-	-	-	1	-	1	1
FEMALE--	9	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	8	-	-	-	-	-	-	-	1	3	1	1
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	7	-	-	-	-	-	-	-	-	3	1	1
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
MICHIGAN -----	60	-	-	-	-	1	-	1	5	4	6	7
WHITE-----MALE----	13	-	-	-	-	1	-	-	-	1	-	-
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	18	-	-	-	-	-	-	1	3	1	4	4
FEMALE--	19	-	-	-	-	-	-	-	2	2	2	3
BLACK---MALE----	18	-	-	-	-	-	-	1	3	1	4	4
FEMALE--	19	-	-	-	-	-	-	-	2	2	2	3

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 409
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 0 ALL OTHER INFECTIOUS AND PARASITIC DISEASES AND LATE EFFECTS OF OTHER INFECTIOUS AND PARASITIC DISEASES (100-104,130-136,139)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
KENTUCKY -----	3	2	2	2	2	2	3	2	-	-	-	-
WHITE-----MALE----	1	-	-	2	-	1	1	-	-	-	-	-
FEMALE--	1	1	2	-	2	1	2	2	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	1	-	1	2	4	2	1	-	1	1	-	-
WHITE-----MALE----	-	-	-	1	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	2	-	1	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	1	-	-	-
FEMALE--	1	-	1	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	1	-	-	-
FEMALE--	1	-	1	-	-	1	-	-	-	-	-	-
MAINE -----	1	-	-	1	-	1	1	-	-	-	-	-
WHITE-----MALE----	1	-	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	2	7	-	4	3	3	2	-	-	-	-	-
WHITE-----MALE----	-	1	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	1	-	1	-	2	2	-	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	4	-	3	2	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	4	-	3	2	-	-	-	-	-	-	-
MASSACHUSETTS -----	1	-	1	3	1	4	5	1	1	-	-	-
WHITE-----MALE----	-	-	-	2	1	2	2	-	-	-	-	-
FEMALE--	-	-	1	-	-	2	3	1	1	-	-	-
ALL OTHER--MALE----	1	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	7	8	4	4	4	5	1	3	-	-	-	-
WHITE-----MALE----	1	1	-	1	1	4	1	2	-	-	-	-
FEMALE--	-	3	2	2	2	1	-	-	-	-	-	-
ALL OTHER--MALE----	2	2	-	-	-	-	-	1	-	-	-	-
FEMALE--	4	2	2	1	1	-	-	-	-	-	-	-
BLACK---MALE----	2	2	-	-	-	-	-	1	-	-	-	-
FEMALE--	4	2	2	1	1	-	-	-	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 412
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
0 ALL OTHER INFECTIOUS AND PARASITIC DISEASES AND LATE EFFECTS OF OTHER INFECTIOUS AND PARASITIC DISEASES (100-104,130-136,139)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
OHIO -----	56	1	1	-	-	-	-	2	4	4	3	4
WHITE-----MALE----	26	1	1	-	-	-	-	2	2	1	2	1
FEMALE--	16	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	1	1	-	-
FEMALE--	11	-	-	-	-	-	-	-	1	2	1	2
BLACK---MALE----	3	-	-	-	-	-	-	-	1	1	-	-
FEMALE--	11	-	-	-	-	-	-	-	1	2	1	2
OKLAHOMA -----	15	-	-	-	-	-	-	-	-	1	2	-
WHITE-----MALE----	5	-	-	-	-	-	-	-	-	-	2	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	6	-	-	-	-	-	-	-	-	1	1	1
WHITE-----MALE----	3	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	83	-	-	-	-	-	-	1	2	5	7	7
WHITE-----MALE----	26	-	-	-	-	-	-	-	-	2	-	-
FEMALE--	25	-	-	-	-	-	-	1	1	-	1	1
ALL OTHER--MALE----	14	-	-	-	-	-	-	-	1	2	2	2
FEMALE--	18	-	-	-	-	-	-	-	-	1	4	4
BLACK---MALE----	14	-	-	-	-	-	-	-	1	2	2	2
FEMALE--	18	-	-	-	-	-	-	-	-	1	4	4
RHODE ISLAND -----	5	-	-	-	-	-	-	-	1	-	-	1
WHITE-----MALE----	2	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	34	1	-	-	-	-	-	3	1	4	3	3
WHITE-----MALE----	7	1	-	-	-	-	-	-	1	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	7	-	-	-	-	-	-	2	-	1	1	-
FEMALE--	16	-	-	-	-	-	-	1	-	3	2	3
BLACK---MALE----	7	-	-	-	-	-	-	2	-	1	1	-
FEMALE--	16	-	-	-	-	-	-	1	-	3	2	3

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 412
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 ALL OTHER INFECTIOUS AND PARASITIC DISEASES AND LATE EFFECTS OF OTHER INFECTIOUS AND PARASITIC DISEASES (100-104,130-136,139)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
OHIO -----	5	5	5	7	5	5	2	1	1	1	-	-
WHITE-----MALE----	1	1	4	5	3	-	2	-	-	-	-	-
FEMALE--	2	3	-	1	1	5	-	1	1	1	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	2	1	-	1	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	2	1	-	1	1	-	-	-	-	-	-	-
OKLAHOMA -----	2	-	2	2	2	1	2	-	-	1	-	-
WHITE-----MALE----	-	-	1	-	1	1	-	-	-	-	-	-
FEMALE--	1	-	1	1	1	-	2	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	1	-	-	-	-	-	-	-	-
OREGON -----	-	3	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	8	6	9	9	13	7	4	3	1	1	-	-
WHITE-----MALE----	2	3	4	7	4	2	2	-	-	-	-	-
FEMALE--	2	1	1	-	6	5	2	2	1	1	-	-
ALL OTHER--MALE----	-	2	1	2	2	-	-	-	-	-	-	-
FEMALE--	4	-	3	-	1	-	-	1	-	-	-	-
BLACK---MALE----	-	2	1	2	2	-	-	1	-	-	-	-
FEMALE--	4	-	3	-	1	-	-	1	-	-	-	-
RHODE ISLAND -----	1	-	-	-	1	1	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	2	1	3	4	2	5	-	1	-	1	-	-
WHITE-----MALE----	-	-	1	1	-	3	-	-	-	-	-	-
FEMALE--	-	-	1	1	-	-	-	1	-	1	-	-
ALL OTHER--MALE----	1	-	-	1	-	1	-	-	-	-	-	-
FEMALE--	1	1	1	1	2	1	-	-	-	-	-	-
BLACK---MALE----	1	-	-	1	-	1	-	-	-	-	-	-
FEMALE--	1	1	1	1	2	1	-	-	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 413
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
 CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
 0 ALL OTHER INFECTIOUS AND PARASITIC DISEASES AND LATE EFFECTS OF OTHER INFECTIOUS AND PARASITIC DISEASES (100-104,130-136,139)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
SOUTH DAKOTA -----	5	-	-	-	-	-	-	-	-	-	-	1
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	32	-	-	-	1	-	-	-	2	-	3	1
WHITE-----MALE----	6	-	-	-	-	-	-	-	1	-	1	1
FEMALE--	14	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	6	-	-	-	-	-	-	-	1	-	1	-
BLACK---MALE----	6	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	6	-	-	-	-	-	-	-	1	-	1	-
TEXAS -----	88	-	1	-	-	-	1	3	1	6	8	9
WHITE-----MALE----	35	-	-	-	-	-	1	2	-	4	5	1
FEMALE--	25	-	-	-	-	-	-	-	-	-	1	2
ALL OTHER--MALE----	12	-	1	-	-	-	-	1	-	-	1	3
FEMALE--	16	-	-	-	-	-	-	-	1	2	1	3
BLACK---MALE----	11	-	1	-	-	-	-	1	-	-	-	3
FEMALE--	16	-	-	-	-	-	-	-	1	2	1	3
UTAH -----	6	-	-	-	-	-	-	-	-	-	-	2
WHITE-----MALE----	5	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	6	-	-	-	-	-	-	-	-	1	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	45	-	-	-	-	-	-	2	2	10	5	5
WHITE-----MALE----	11	-	-	-	-	-	-	2	-	1	-	1
FEMALE--	11	-	-	-	-	-	-	-	1	-	2	1
ALL OTHER--MALE----	12	-	-	-	-	-	-	-	1	7	-	3
FEMALE--	11	-	-	-	-	-	-	-	-	2	3	-
BLACK---MALE----	12	-	-	-	-	-	-	-	1	7	-	3
FEMALE--	11	-	-	-	-	-	-	-	-	2	3	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 413
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 ALL OTHER INFECTIOUS AND PARASITIC DISEASES AND LATE EFFECTS OF OTHER INFECTIOUS AND PARASITIC DISEASES (100-104,130-136,139)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
SOUTH DAKOTA -----	-	-	2	-	1	1	-	-	-	-	-	-
WHITE-----MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	1	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	5	2	-	5	3	3	3	2	1	1	-	-
WHITE-----MALE----	-	1	-	-	1	1	-	-	-	-	-	-
FEMALE--	1	-	-	4	1	1	3	1	1	1	-	-
ALL OTHER--MALE----	2	-	-	1	1	-	-	1	-	-	-	-
FEMALE--	2	1	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	2	-	-	1	1	-	-	1	-	-	-	-
FEMALE--	2	1	-	-	-	1	-	-	-	-	-	-
TEXAS -----	10	5	8	9	11	2	7	3	3	-	1	-
WHITE-----MALE----	2	1	3	5	3	2	3	2	1	-	-	-
FEMALE--	5	2	1	3	4	-	3	1	2	-	1	-
ALL OTHER--MALE----	-	1	2	-	3	-	-	-	-	-	-	-
FEMALE--	3	1	2	1	1	-	1	-	-	-	-	-
BLACK---MALE----	-	1	2	-	3	-	-	-	-	-	-	-
FEMALE--	3	1	2	1	1	-	1	-	-	-	-	-
UTAH -----	1	-	1	1	-	-	-	1	-	-	-	-
WHITE-----MALE----	1	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	1	-	1	1	1	1	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	4	3	1	2	5	3	1	1	1	-	-	-
WHITE-----MALE----	1	1	-	1	2	2	-	-	-	-	-	-
FEMALE--	-	-	-	1	2	1	1	1	1	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	3	2	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	3	2	-	-	1	-	-	-	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 415
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 II. NEOPLASMS (140-239)												
0 UNITED STATES --	547,180	147	494	570	543	740	990	1,669	3,340	6,295	11,111	18,656
WHITE-----MALE----	246,925	59	235	263	241	343	457	696	1,254	2,244	3,989	7,150
FEMALE--	229,138	68	158	190	192	236	303	638	1,367	2,649	4,728	7,714
ALL OTHER--MALE----	38,385	10	50	64	53	88	127	151	308	582	1,067	1,878
FEMALE--	32,732	10	51	53	57	73	103	184	411	820	1,327	1,914
BLACK---MALE----	33,345	8	38	53	44	74	101	123	258	483	915	1,618
FEMALE--	28,276	6	41	45	46	61	81	151	340	691	1,125	1,590
ALABAMA -----	9,640	1	4	11	7	11	21	29	60	109	204	320
WHITE-----MALE----	3,979	-	1	4	4	5	8	9	10	36	48	106
FEMALE--	3,412	1	-	3	-	2	7	11	26	39	75	121
ALL OTHER--MALE----	1,252	-	2	3	1	2	3	2	11	10	32	43
FEMALE--	997	-	1	1	2	2	3	7	13	24	49	50
BLACK---MALE----	1,246	-	2	3	1	2	3	2	11	10	32	42
FEMALE--	991	-	1	1	2	2	3	7	13	24	48	49
ALASKA -----	656	-	2	1	-	-	-	2	7	23	18	47
WHITE-----MALE----	279	-	-	-	-	-	-	-	4	12	7	16
FEMALE--	229	-	1	-	-	-	-	2	3	8	4	23
ALL OTHER--MALE----	78	-	1	1	-	-	-	-	-	1	3	4
FEMALE--	70	-	-	-	-	-	-	-	-	2	4	4
BLACK---MALE----	11	-	-	1	-	-	-	-	-	1	1	1
FEMALE--	9	-	-	-	-	-	-	-	-	-	1	-
ARIZONA -----	8,453	2	8	8	5	9	15	27	54	96	164	245
WHITE-----MALE----	4,383	2	5	4	3	5	8	8	31	41	76	111
FEMALE--	3,683	-	3	2	2	4	3	15	17	46	74	108
ALL OTHER--MALE----	201	-	-	2	-	-	1	3	2	2	7	11
FEMALE--	186	-	-	-	-	-	3	1	4	7	7	15
BLACK---MALE----	104	-	-	-	-	-	-	1	2	-	1	4
FEMALE--	82	-	-	-	-	-	1	1	1	1	3	8
ARKANSAS -----	6,026	1	2	2	5	13	14	11	23	66	110	208
WHITE-----MALE----	2,895	-	-	1	1	5	7	4	10	25	41	82
FEMALE--	2,320	1	2	1	3	4	4	6	7	28	49	84
ALL OTHER--MALE----	452	-	-	-	1	2	2	-	1	3	9	23
FEMALE--	359	-	-	-	-	2	1	1	5	10	11	19
BLACK---MALE----	445	-	-	-	1	2	2	-	1	3	9	23
FEMALE--	350	-	-	-	-	2	1	1	5	8	10	18
CALIFORNIA -----	51,730	19	62	60	73	97	124	189	361	701	1,233	1,906
WHITE-----MALE----	22,352	8	22	27	38	54	53	74	127	249	388	675
FEMALE--	22,027	8	28	25	23	24	40	80	156	284	564	803
ALL OTHER--MALE----	3,964	2	6	1	6	11	19	13	37	68	128	201
FEMALE--	3,387	1	6	7	6	8	12	22	41	100	153	227
BLACK---MALE----	2,057	1	2	-	2	7	7	6	18	31	69	104
FEMALE--	1,824	-	3	4	2	4	5	10	15	59	83	125

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 415
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 II. NEOPLASMS (140-239)												
0 UNITED STATES --	26,470	36,192	51,426	72,954	89,424	85,942	70,875	44,333	19,352	4,895	736	26
WHITE-----MALE----	11,052	16,067	24,099	35,483	43,610	40,886	32,181	18,251	6,788	1,399	169	9
FEMALE--	10,749	14,009	19,460	27,725	35,204	35,899	31,775	22,000	10,668	2,935	464	7
ALL OTHER--MALE----	2,463	3,466	4,500	5,578	6,039	5,130	3,681	2,024	849	233	37	7
FEMALE--	2,206	2,650	3,367	4,168	4,571	4,027	3,238	2,058	1,047	328	66	3
BLACK---MALE----	2,180	3,048	3,958	4,900	5,214	4,463	3,155	1,755	716	200	34	7
FEMALE--	1,858	2,280	2,921	3,633	3,984	3,491	2,792	1,849	935	291	62	3
ALABAMA -----	532	684	1,019	1,385	1,547	1,435	1,136	743	298	72	12	-
WHITE-----MALE----	193	279	471	652	704	661	446	252	75	14	1	-
FEMALE--	197	221	331	453	529	467	444	307	140	32	6	-
ALL OTHER--MALE----	77	106	123	179	189	178	140	99	43	7	2	-
FEMALE--	65	78	94	101	125	129	106	85	40	19	3	-
BLACK---MALE----	77	105	123	176	188	178	140	99	43	7	2	-
FEMALE--	63	78	93	101	125	129	105	85	40	19	3	-
ALASKA -----	48	52	84	109	98	59	67	30	8	1	-	-
WHITE-----MALE----	26	22	35	49	48	26	21	11	2	-	-	-
FEMALE--	13	17	32	38	29	16	21	16	5	1	-	-
ALL OTHER--MALE----	3	5	9	13	13	10	13	1	1	-	-	-
FEMALE--	6	8	8	9	8	7	12	2	-	-	-	-
BLACK---MALE----	-	-	1	1	1	1	3	-	-	-	-	-
FEMALE--	1	-	1	2	2	-	2	-	-	-	-	-
ARIZONA -----	363	555	739	1,130	1,483	1,397	1,148	643	279	75	7	1
WHITE-----MALE----	184	286	398	601	774	763	603	320	129	28	3	-
FEMALE--	155	240	293	481	651	588	515	299	139	44	3	1
ALL OTHER--MALE----	14	14	25	24	36	25	16	12	4	2	1	-
FEMALE--	10	15	23	24	22	21	14	12	7	1	-	-
BLACK---MALE----	9	14	13	10	22	13	7	6	1	-	1	-
FEMALE--	6	8	11	12	9	8	5	4	4	-	-	-
ARKANSAS -----	325	435	586	803	947	913	791	463	230	63	15	-
WHITE-----MALE----	154	217	299	426	473	464	383	210	80	12	1	-
FEMALE--	120	155	203	282	379	345	312	174	113	37	11	-
ALL OTHER--MALE----	37	39	43	50	52	57	57	46	20	9	1	-
FEMALE--	14	24	41	45	43	47	39	33	17	5	2	-
BLACK---MALE----	37	37	43	49	50	55	57	46	20	9	1	-
FEMALE--	14	24	41	43	42	46	39	33	16	5	2	-
CALIFORNIA -----	2,580	3,409	4,730	6,572	8,507	8,002	6,805	4,048	1,769	418	65	-
WHITE-----MALE----	1,001	1,373	2,085	3,031	3,860	3,684	3,070	1,729	662	124	18	-
FEMALE--	1,091	1,388	1,858	2,585	3,565	3,341	3,022	1,930	935	235	42	-
ALL OTHER--MALE----	224	354	435	555	622	554	402	210	88	27	1	-
FEMALE--	264	294	352	401	460	423	311	179	84	32	4	-
BLACK---MALE----	136	209	249	293	306	287	187	94	36	12	1	-
FEMALE--	148	168	193	228	246	216	144	101	51	18	1	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 416
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 II. NEOPLASMS (140-239)												
COLORADO -----	5,750	3	6	9	8	10	8	18	28	67	147	249
WHITE-----MALE----	2,824	3	5	3	6	5	3	7	16	31	56	98
FEMALE--	2,659	-	1	4	1	4	5	10	11	31	73	135
ALL OTHER--MALE----	137	-	-	-	-	1	-	1	1	3	3	4
FEMALE--	130	-	-	2	1	-	-	-	-	2	15	12
BLACK---MALE----	99	-	-	-	-	1	-	1	1	2	1	3
FEMALE--	89	-	-	1	-	-	-	-	-	2	8	7
CONNECTICUT -----	7,267	1	6	11	6	5	10	21	37	78	123	216
WHITE-----MALE----	3,376	1	2	8	2	3	7	11	20	27	44	88
FEMALE--	3,406	-	2	1	3	1	3	6	14	37	58	103
ALL OTHER--MALE----	268	-	-	1	1	1	-	-	-	6	12	10
FEMALE--	217	-	2	1	-	-	-	4	3	8	9	15
BLACK---MALE----	244	-	-	1	1	-	-	-	-	4	9	10
FEMALE--	196	-	2	-	-	-	-	3	3	6	6	13
DELAWARE -----	1,715	1	1	2	3	2	2	5	12	19	37	64
WHITE-----MALE----	746	1	-	1	1	1	1	2	6	5	7	31
FEMALE--	651	-	-	-	1	-	-	3	3	9	19	21
ALL OTHER--MALE----	166	-	-	-	1	1	-	-	1	3	5	6
FEMALE--	152	-	1	1	-	-	1	-	2	2	6	6
BLACK---MALE----	160	-	-	-	1	1	-	-	1	3	5	6
FEMALE--	149	-	1	1	-	-	1	-	2	2	6	6
DISTRICT OF COLUMBIA ----	1,408	-	-	-	2	2	2	5	19	13	40	58
WHITE-----MALE----	147	-	-	-	-	-	-	-	5	-	2	6
FEMALE--	155	-	-	-	-	1	-	1	1	1	5	2
ALL OTHER--MALE----	589	-	-	-	1	1	1	2	6	6	21	22
FEMALE--	517	-	-	-	1	-	1	2	7	6	12	28
BLACK---MALE----	586	-	-	-	1	1	1	2	6	6	21	20
FEMALE--	511	-	-	-	1	-	1	2	7	6	12	28
FLORIDA -----	38,117	6	20	30	18	33	50	87	183	356	641	1,056
WHITE-----MALE----	18,665	2	6	10	7	14	14	31	78	125	239	456
FEMALE--	15,943	4	7	10	4	13	20	36	61	152	258	418
ALL OTHER--MALE----	1,948	-	2	3	3	3	8	9	16	35	74	89
FEMALE--	1,561	-	5	7	4	3	8	11	28	44	70	93
BLACK---MALE----	1,879	-	2	3	3	3	8	9	16	33	73	85
FEMALE--	1,482	-	5	7	3	2	7	8	27	40	65	84
GEORGIA -----	12,628	2	9	21	16	22	27	37	123	217	327	558
WHITE-----MALE----	5,049	2	3	5	6	11	9	11	31	66	96	184
FEMALE--	4,419	-	3	5	4	4	7	18	43	74	98	196
ALL OTHER--MALE----	1,742	-	2	8	4	4	8	3	25	35	60	94
FEMALE--	1,418	-	1	3	2	3	3	5	24	42	73	84
BLACK---MALE----	1,714	-	2	8	4	4	8	3	25	34	60	93
FEMALE--	1,389	-	1	3	2	3	3	5	23	39	72	82

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 416
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 II. NEOPLASMS (140-239)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
COLORADO -----	287	341	582	762	941	894	685	451	194	58	2	-
WHITE-----MALE----	140	167	291	390	522	457	318	198	89	19	-	-
FEMALE--	137	155	254	332	380	397	348	241	100	38	2	-
ALL OTHER--MALE----	3	12	25	24	19	25	8	7	1	-	-	-
FEMALE--	7	7	12	16	20	15	11	5	4	1	-	-
BLACK---MALE----	3	9	17	20	14	16	6	5	-	-	-	-
FEMALE--	5	6	11	10	14	11	7	3	4	-	-	-
CONNECTICUT -----	375	423	608	857	1,156	1,247	1,047	647	318	67	8	-
WHITE-----MALE----	156	202	278	418	580	598	508	289	110	21	3	-
FEMALE--	176	176	264	375	515	590	500	335	197	45	5	-
ALL OTHER--MALE----	26	32	40	39	38	26	16	12	7	1	-	-
FEMALE--	17	13	26	25	23	33	23	11	4	-	-	-
BLACK---MALE----	24	30	37	38	32	25	14	11	7	1	-	-
FEMALE--	15	13	25	24	22	31	21	9	3	-	-	-
DELAWARE -----	76	98	189	258	292	247	193	128	63	20	3	-
WHITE-----MALE----	35	41	86	122	125	113	87	56	17	7	1	-
FEMALE--	23	38	63	84	109	94	78	58	37	9	2	-
ALL OTHER--MALE----	7	10	16	27	35	22	18	9	3	2	-	-
FEMALE--	11	9	24	25	23	18	10	5	6	2	-	-
BLACK---MALE----	7	9	16	26	34	21	17	8	3	2	-	-
FEMALE--	11	9	24	24	23	18	9	5	5	2	-	-
DISTRICT OF COLUMBIA ----	81	99	134	175	216	204	168	122	56	10	2	-
WHITE-----MALE----	4	9	16	13	22	26	14	20	8	2	-	-
FEMALE--	10	8	8	16	17	24	28	17	13	2	1	-
ALL OTHER--MALE----	34	38	69	91	100	79	61	40	14	3	-	-
FEMALE--	33	44	41	55	77	75	65	45	21	3	1	-
BLACK---MALE----	34	38	69	91	100	79	61	39	14	3	-	-
FEMALE--	32	43	41	54	77	74	64	45	21	2	1	-
FLORIDA -----	1,553	2,163	3,330	5,116	6,436	6,422	5,408	3,379	1,430	351	46	3
WHITE-----MALE----	666	1,003	1,644	2,622	3,412	3,291	2,722	1,610	564	132	16	1
FEMALE--	642	850	1,259	2,034	2,533	2,730	2,351	1,551	780	201	29	-
ALL OTHER--MALE----	147	190	238	273	281	221	193	107	45	11	-	-
FEMALE--	98	120	189	187	210	180	142	111	41	7	1	2
BLACK---MALE----	139	178	230	263	270	217	188	104	45	10	-	-
FEMALE--	93	115	182	174	202	171	138	111	38	7	1	2
GEORGIA -----	767	1,022	1,339	1,772	1,931	1,781	1,352	829	365	90	21	-
WHITE-----MALE----	281	418	589	791	869	747	512	295	96	20	7	-
FEMALE--	257	323	428	559	651	651	521	353	171	44	9	-
ALL OTHER--MALE----	126	168	195	235	256	223	163	88	36	8	1	-
FEMALE--	103	113	127	187	155	160	156	93	62	18	4	-
BLACK---MALE----	125	162	191	231	251	221	162	86	35	8	1	-
FEMALE--	101	108	124	183	152	160	151	93	62	18	4	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 417
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 II. NEOPLASMS (140-239)												
HAWAII -----	1,896	-	2	3	1	1	6	5	14	25	44	77
WHITE-----MALE----	300	-	1	1	-	1	1	-	-	3	5	10
FEMALE--	235	-	-	-	-	-	-	-	3	2	4	12
ALL OTHER--MALE----	768	-	1	2	-	-	4	1	4	10	10	25
FEMALE--	593	-	-	-	1	-	1	4	7	10	25	30
BLACK---MALE----	4	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	2,006	-	4	3	3	2	1	6	10	19	38	66
WHITE-----MALE----	1,098	-	2	3	2	-	1	3	6	6	17	34
FEMALE--	883	-	2	-	1	2	-	3	3	12	21	30
ALL OTHER--MALE----	15	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	10	-	-	-	-	-	-	-	1	1	-	1
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	3	-	-	-	-	-	-	-	1	1	-	-
ILLINOIS -----	25,191	8	22	25	20	39	30	73	160	293	477	880
WHITE-----MALE----	10,757	3	10	16	4	12	15	31	56	84	166	319
FEMALE--	10,409	3	6	7	8	14	7	20	60	129	185	324
ALL OTHER--MALE----	2,163	2	3	2	2	8	5	8	19	26	58	126
FEMALE--	1,862	-	3	-	6	5	3	14	25	54	68	111
BLACK---MALE----	2,049	2	3	2	1	5	5	7	16	26	55	115
FEMALE--	1,756	-	2	-	5	5	3	12	24	51	64	106
INDIANA -----	12,673	6	10	13	10	17	26	30	67	120	244	426
WHITE-----MALE----	6,059	2	4	4	5	7	14	14	25	44	105	171
FEMALE--	5,616	3	4	5	4	8	8	12	39	60	109	221
ALL OTHER--MALE----	494	-	-	2	1	1	3	-	-	6	13	16
FEMALE--	504	1	2	2	-	1	1	4	3	10	17	18
BLACK---MALE----	482	-	-	2	1	1	3	-	-	6	13	15
FEMALE--	490	1	2	2	-	1	1	4	2	10	17	16
IOWA -----	6,569	1	5	3	10	8	6	16	29	64	111	168
WHITE-----MALE----	3,326	-	3	1	7	5	2	11	14	35	41	94
FEMALE--	3,150	1	2	2	3	3	4	4	15	28	65	71
ALL OTHER--MALE----	51	-	-	-	-	-	-	-	-	-	3	3
FEMALE--	42	-	-	-	-	-	-	1	-	1	2	-
BLACK---MALE----	41	-	-	-	-	-	-	-	-	-	2	3
FEMALE--	34	-	-	-	-	-	-	1	-	1	2	-
KANSAS -----	5,420	5	9	9	9	8	12	14	29	54	97	132
WHITE-----MALE----	2,656	2	2	5	4	3	3	8	14	23	42	56
FEMALE--	2,444	3	5	1	3	4	8	5	12	28	40	64
ALL OTHER--MALE----	180	-	1	1	1	-	-	-	2	1	8	7
FEMALE--	140	-	1	2	1	1	1	1	1	2	7	5
BLACK---MALE----	159	-	1	-	1	-	-	-	1	1	7	6
FEMALE--	113	-	-	1	1	1	1	1	1	-	6	5

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 417
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 II. NEOPLASMS (140-239)

HAWAII -----	113	120	166	236	338	294	261	105	70	14	1	-
WHITE-----MALE----	20	24	27	37	59	50	40	14	6	1	-	-
FEMALE--	14	17	25	28	35	42	28	15	9	1	-	-
ALL OTHER--MALE----	34	42	69	91	153	127	114	45	28	7	1	-
FEMALE--	45	37	45	80	91	75	79	31	27	5	-	-
BLACK---MALE----	-	-	-	-	3	-	-	-	-	-	-	-
FEMALE--	-	1	-	1	-	1	-	1	-	-	-	-
IDAHO -----	67	133	178	256	321	320	298	189	77	13	2	-
WHITE-----MALE----	39	59	106	145	180	190	173	94	31	6	1	-
FEMALE--	25	72	71	108	140	128	121	92	45	6	1	-
ALL OTHER--MALE----	2	1	1	2	1	2	3	2	-	-	-	-
FEMALE--	1	1	-	1	-	-	1	1	1	1	-	-
BLACK---MALE----	1	-	-	1	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
ILLINOIS -----	1,227	1,710	2,389	3,301	4,028	3,920	3,329	2,061	916	249	33	1
WHITE-----MALE----	469	705	997	1,556	1,902	1,769	1,431	847	300	56	9	-
FEMALE--	492	636	914	1,145	1,533	1,672	1,559	995	514	169	16	1
ALL OTHER--MALE----	144	215	283	331	318	277	179	101	43	10	3	-
FEMALE--	122	154	195	269	275	202	160	118	59	14	5	-
BLACK---MALE----	135	207	267	317	300	264	170	99	40	10	3	-
FEMALE--	115	150	187	249	259	188	150	113	55	13	5	-
INDIANA -----	606	839	1,221	1,763	2,168	1,916	1,662	977	427	109	16	-
WHITE-----MALE----	292	412	622	949	1,152	937	723	411	140	22	4	-
FEMALE--	266	345	493	672	846	842	829	511	249	79	11	-
ALL OTHER--MALE----	25	45	57	65	88	69	55	30	18	-	-	-
FEMALE--	23	37	49	77	82	68	55	25	20	8	1	-
BLACK---MALE----	25	43	56	63	86	68	52	30	18	-	-	-
FEMALE--	22	36	47	74	81	67	54	25	19	8	1	-
IOWA -----	248	371	542	818	1,018	1,097	978	645	331	86	14	-
WHITE-----MALE----	117	187	284	441	564	593	480	294	127	23	3	-
FEMALE--	125	172	245	365	439	495	491	345	202	62	11	-
ALL OTHER--MALE----	2	5	10	6	7	4	5	4	1	1	-	-
FEMALE--	4	7	3	6	8	5	2	2	1	-	-	-
BLACK---MALE----	2	3	8	5	6	2	5	3	1	1	-	-
FEMALE--	2	5	3	6	6	3	2	2	1	-	-	-
KANSAS -----	208	334	454	717	861	850	740	516	265	86	11	-
WHITE-----MALE----	105	150	228	339	456	463	381	229	113	29	1	-
FEMALE--	95	141	192	332	349	356	333	268	143	52	10	-
ALL OTHER--MALE----	5	26	17	34	32	19	13	7	4	2	-	-
FEMALE--	3	17	17	12	24	12	13	12	5	3	-	-
BLACK---MALE----	5	23	13	30	28	19	12	7	3	2	-	-
FEMALE--	2	15	11	7	22	11	10	12	3	3	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 418
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 II. NEOPLASMS (140-239)												
KENTUCKY -----	9,144	1	7	11	8	18	12	24	46	117	182	335
WHITE-----MALE----	4,598	-	7	8	4	13	6	12	17	54	84	162
FEMALE--	3,909	1	-	2	4	3	4	10	24	53	82	147
ALL OTHER--MALE----	333	-	-	1	-	-	2	1	-	8	5	13
FEMALE--	304	-	-	-	-	2	-	1	5	2	11	13
BLACK---MALE----	323	-	-	1	-	-	2	1	-	7	5	13
FEMALE--	295	-	-	-	-	2	-	1	4	2	11	12
LOUISIANA -----	9,457	1	9	10	10	9	20	34	72	129	235	375
WHITE-----MALE----	3,575	-	4	5	3	2	6	12	17	44	71	110
FEMALE--	3,023	1	2	3	1	1	2	7	18	36	71	119
ALL OTHER--MALE----	1,573	-	3	1	3	3	5	8	14	20	39	75
FEMALE--	1,286	-	-	1	3	3	7	7	23	29	54	71
BLACK---MALE----	1,552	-	3	1	3	2	4	8	14	19	39	72
FEMALE--	1,270	-	-	1	3	3	6	7	23	29	53	70
MAINE -----	3,005	3	2	4	5	-	6	3	15	30	49	86
WHITE-----MALE----	1,556	1	2	1	2	-	4	-	3	11	23	44
FEMALE--	1,443	2	-	3	3	-	2	3	12	19	26	40
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	10,315	4	10	12	8	11	25	34	61	121	222	393
WHITE-----MALE----	3,997	1	1	7	4	1	10	17	24	29	58	113
FEMALE--	3,806	1	2	2	2	5	4	7	15	40	81	129
ALL OTHER--MALE----	1,385	-	4	2	1	3	3	6	5	22	37	73
FEMALE--	1,127	2	3	1	1	2	8	4	17	30	46	78
BLACK---MALE----	1,324	-	3	2	1	3	3	6	5	22	33	73
FEMALE--	1,066	2	3	1	1	2	7	4	16	27	44	69
MASSACHUSETTS -----	14,159	1	6	12	11	11	22	45	77	123	240	439
WHITE-----MALE----	6,761	-	2	6	3	8	13	21	33	61	95	188
FEMALE--	6,751	1	4	4	6	2	7	17	38	50	128	214
ALL OTHER--MALE----	329	-	-	1	1	1	1	6	1	5	8	23
FEMALE--	318	-	-	1	1	-	1	1	5	7	9	14
BLACK---MALE----	256	-	-	-	1	1	1	5	-	4	4	15
FEMALE--	246	-	-	1	1	-	-	1	2	7	8	9
MICHIGAN -----	19,830	7	19	13	17	28	44	34	126	230	406	716
WHITE-----MALE----	8,780	1	8	4	6	14	24	11	48	79	156	262
FEMALE--	8,208	4	7	5	7	8	4	16	55	101	174	280
ALL OTHER--MALE----	1,509	2	1	1	3	3	6	3	10	14	43	77
FEMALE--	1,333	-	3	3	1	3	10	4	13	36	33	97
BLACK---MALE----	1,424	2	1	1	2	3	6	3	9	12	40	75
FEMALE--	1,250	-	3	3	1	2	10	4	12	36	33	85

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 418
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 II. NEOPLASMS (140-239)

KENTUCKY -----	490	733	1,008	1,288	1,488	1,338	1,037	685	247	56	13	-
WHITE-----MALE----	238	380	552	681	837	672	484	272	89	23	3	-
FEMALE--	216	312	375	506	559	577	475	380	142	29	8	-
ALL OTHER--MALE----	22	22	53	54	45	45	34	17	8	2	1	-
FEMALE--	14	19	28	47	47	44	44	16	8	2	1	-
BLACK---MALE----	21	21	52	53	43	43	33	17	8	2	1	-
FEMALE--	13	19	26	46	46	42	44	16	8	2	1	-
LOUISIANA -----	527	724	942	1,344	1,489	1,374	1,083	707	291	58	14	-
WHITE-----MALE----	191	281	391	540	601	561	416	220	89	10	1	-
FEMALE--	155	227	266	395	459	446	382	291	109	26	6	-
ALL OTHER--MALE----	97	132	171	238	242	211	151	91	52	13	4	-
FEMALE--	84	84	114	171	187	156	134	105	41	9	3	-
BLACK---MALE----	95	129	169	237	241	209	150	90	51	13	3	-
FEMALE--	84	82	111	169	185	155	131	105	41	9	3	-
MAINE -----	118	167	280	397	522	505	374	286	120	26	7	-
WHITE-----MALE----	53	97	156	221	286	271	191	136	47	5	2	-
FEMALE--	65	69	124	176	236	234	181	149	73	21	5	-
ALL OTHER--MALE----	-	1	-	-	-	-	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
MARYLAND -----	521	750	997	1,404	1,673	1,593	1,284	746	348	81	16	1
WHITE-----MALE----	177	270	407	581	717	648	516	276	121	16	3	-
FEMALE--	171	229	332	454	607	620	517	353	179	45	10	1
ALL OTHER--MALE----	97	142	171	220	192	190	133	54	19	10	1	-
FEMALE--	76	109	87	149	157	135	118	63	29	10	2	-
BLACK---MALE----	93	132	164	214	180	182	126	52	19	10	1	-
FEMALE--	74	98	80	144	148	130	115	61	29	9	2	-
MASSACHUSETTS -----	622	848	1,166	1,729	2,283	2,390	1,972	1,385	587	164	25	1
WHITE-----MALE----	282	423	601	884	1,200	1,170	921	560	233	51	6	-
FEMALE--	290	363	494	759	993	1,128	999	789	343	104	18	-
ALL OTHER--MALE----	28	34	40	44	52	45	22	12	1	3	-	1
FEMALE--	22	28	31	42	38	47	30	24	10	6	1	-
BLACK---MALE----	26	27	33	36	35	38	16	10	1	2	-	1
FEMALE--	16	22	23	33	29	37	22	19	9	6	1	-
MICHIGAN -----	979	1,315	1,918	2,756	3,255	3,143	2,524	1,480	636	162	22	-
WHITE-----MALE----	407	573	884	1,297	1,552	1,435	1,131	619	220	45	4	-
FEMALE--	374	511	722	1,045	1,266	1,312	1,123	718	355	105	16	-
ALL OTHER--MALE----	108	143	177	226	242	210	139	70	27	4	-	-
FEMALE--	90	88	135	188	195	186	131	73	34	8	2	-
BLACK---MALE----	100	131	165	213	228	205	131	67	26	4	-	-
FEMALE--	83	84	124	178	181	174	127	68	32	8	2	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 419
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 II. NEOPLASMS (140-239)												
MINNESOTA -----	9,006	7	8	12	6	10	14	29	57	104	189	291
WHITE-----MALE----	4,467	2	7	8	5	3	6	14	25	44	80	130
FEMALE--	4,288	2	-	4	1	6	6	10	30	51	97	149
ALL OTHER--MALE----	146	1	1	-	-	-	2	4	1	4	8	9
FEMALE--	105	2	-	-	-	1	-	1	1	5	4	3
BLACK---MALE----	82	-	1	-	-	-	2	3	1	2	3	5
FEMALE--	59	-	-	-	-	1	-	1	-	3	2	-
MISSISSIPPI -----	5,838	1	6	5	8	12	12	18	42	84	139	201
WHITE-----MALE----	2,175	-	1	1	1	5	1	5	11	15	38	55
FEMALE--	1,759	1	1	1	3	2	4	6	11	27	41	54
ALL OTHER--MALE----	1,077	-	1	1	2	-	6	4	9	19	28	45
FEMALE--	827	-	3	2	2	5	1	3	11	23	32	47
BLACK---MALE----	1,066	-	1	1	2	-	5	3	9	19	28	45
FEMALE--	824	-	3	2	2	5	1	3	11	23	32	47
MISSOURI -----	12,155	6	7	9	9	17	17	40	73	154	252	367
WHITE-----MALE----	5,748	4	5	5	5	8	8	19	30	71	103	140
FEMALE--	5,154	2	-	2	3	8	5	11	36	66	115	177
ALL OTHER--MALE----	623	-	-	1	1	1	3	6	4	9	15	23
FEMALE--	630	-	2	1	-	-	1	4	3	8	19	27
BLACK---MALE----	602	-	-	1	1	1	3	6	4	8	15	22
FEMALE--	604	-	2	1	-	-	1	3	3	8	17	26
MONTANA -----	1,797	1	1	-	6	1	4	6	8	13	20	54
WHITE-----MALE----	934	-	1	-	4	1	1	1	5	7	8	29
FEMALE--	798	1	-	-	1	-	2	5	2	6	12	23
ALL OTHER--MALE----	26	-	-	-	-	-	1	-	1	-	-	1
FEMALE--	39	-	-	-	1	-	-	-	-	-	-	1
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	1	-	-	-	-	-	-	-
NEBRASKA -----	3,355	-	2	3	6	7	9	12	18	19	59	93
WHITE-----MALE----	1,663	-	-	-	3	2	6	6	8	7	28	53
FEMALE--	1,567	-	-	2	2	2	3	6	6	9	27	34
ALL OTHER--MALE----	62	-	-	1	-	1	-	-	2	2	2	1
FEMALE--	63	-	2	-	1	2	-	-	2	1	2	5
BLACK---MALE----	53	-	-	1	-	-	-	-	2	2	2	1
FEMALE--	50	-	1	-	1	2	-	-	1	1	2	4
NEVADA -----	3,243	1	1	6	2	3	7	8	16	33	56	105
WHITE-----MALE----	1,689	-	-	4	-	2	5	2	5	17	21	47
FEMALE--	1,309	1	-	1	2	1	2	3	10	13	31	43
ALL OTHER--MALE----	128	-	-	1	-	-	-	1	1	-	-	5
FEMALE--	117	-	1	-	-	-	-	2	-	3	4	10
BLACK---MALE----	89	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	71	-	1	-	-	-	-	1	-	1	2	5

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 419
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 II. NEOPLASMS (140-239)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
MINNESOTA -----	384	563	734	1,085	1,374	1,395	1,328	853	431	116	16	-
WHITE-----MALE----	185	259	348	596	735	767	677	360	169	45	2	-
FEMALE--	180	283	358	453	606	598	629	483	258	70	14	-
ALL OTHER--MALE----	8	11	14	23	19	17	15	5	3	1	-	-
FEMALE--	11	10	14	13	14	13	7	5	1	-	-	-
BLACK---MALE----	6	7	8	12	10	9	7	2	3	1	-	-
FEMALE--	7	5	8	7	9	8	3	4	1	-	-	-
MISSISSIPPI -----	334	394	630	806	945	812	657	479	196	54	3	-
WHITE-----MALE----	112	161	247	331	418	326	240	152	46	9	-	-
FEMALE--	97	100	169	241	256	254	206	184	81	20	-	-
ALL OTHER--MALE----	75	79	130	131	159	143	124	77	33	11	-	-
FEMALE--	50	54	84	103	112	89	87	66	36	14	3	-
BLACK---MALE----	74	79	129	130	156	142	123	76	33	11	-	-
FEMALE--	50	54	83	102	112	89	86	66	36	14	3	-
MISSOURI -----	598	807	1,120	1,669	1,908	1,865	1,580	1,048	494	96	19	-
WHITE-----MALE----	270	385	559	863	955	950	731	431	177	26	3	-
FEMALE--	253	312	421	616	773	748	726	540	263	61	16	-
ALL OTHER--MALE----	35	59	77	98	87	86	59	29	24	6	-	-
FEMALE--	40	51	63	92	93	81	64	48	30	3	-	-
BLACK---MALE----	32	54	75	94	85	85	59	28	24	5	-	-
FEMALE--	36	48	60	91	88	78	62	48	30	2	-	-
MONTANA -----	83	92	187	249	255	316	252	174	60	10	5	-
WHITE-----MALE----	41	42	96	133	143	171	149	81	16	5	-	-
FEMALE--	35	45	80	108	101	134	99	92	42	5	5	-
ALL OTHER--MALE----	3	2	3	3	4	5	1	1	1	-	-	-
FEMALE--	4	3	8	5	7	6	3	-	1	-	-	-
BLACK---MALE----	-	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
NEBRASKA -----	145	180	283	401	544	545	493	330	154	45	7	-
WHITE-----MALE----	74	94	153	211	300	266	242	138	53	18	1	-
FEMALE--	68	75	115	180	220	264	240	185	97	26	6	-
ALL OTHER--MALE----	1	7	7	5	13	9	6	4	1	-	-	-
FEMALE--	2	4	8	5	11	6	5	3	3	1	-	-
BLACK---MALE----	1	6	5	5	11	7	5	4	1	-	-	-
FEMALE--	2	3	6	4	7	6	3	3	3	1	-	-
NEVADA -----	187	263	391	522	580	488	317	168	69	17	3	-
WHITE-----MALE----	85	133	216	291	311	260	181	78	29	2	-	-
FEMALE--	79	101	138	198	232	195	128	83	34	13	1	-
ALL OTHER--MALE----	12	15	25	19	20	20	2	4	2	-	1	-
FEMALE--	11	14	12	14	17	13	6	3	4	2	1	-
BLACK---MALE----	9	12	21	14	15	10	1	3	1	-	1	-
FEMALE--	8	8	10	10	10	7	3	2	2	1	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 421
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 II. NEOPLASMS (140-239)												
OHIO -----	25,738	6	26	19	29	29	34	72	134	283	503	875
WHITE-----MALE----	11,522	2	16	6	13	13	17	36	51	90	206	356
FEMALE--	11,234	4	8	8	12	14	12	25	54	149	222	384
ALL OTHER--MALE----	1,588	-	-	2	3	-	3	3	15	20	31	67
FEMALE--	1,394	-	2	3	1	2	2	8	14	24	44	68
BLACK---MALE----	1,559	-	-	2	3	-	3	3	15	20	31	66
FEMALE--	1,359	-	2	3	1	2	1	8	14	22	43	65
OKLAHOMA -----	7,220	1	3	7	9	5	10	25	47	69	166	227
WHITE-----MALE----	3,469	-	1	6	2	4	4	9	18	27	72	95
FEMALE--	3,029	1	2	1	5	-	3	11	20	31	66	103
ALL OTHER--MALE----	368	-	-	-	-	1	2	5	4	4	11	13
FEMALE--	354	-	-	-	2	-	1	-	5	7	17	16
BLACK---MALE----	227	-	-	-	-	1	-	4	3	3	8	10
FEMALE--	195	-	-	-	1	-	-	-	1	1	10	9
OREGON -----	6,825	-	4	4	1	15	16	23	40	71	128	215
WHITE-----MALE----	3,516	-	2	1	-	7	7	13	23	35	59	104
FEMALE--	3,116	-	1	2	1	7	7	10	16	33	68	97
ALL OTHER--MALE----	98	-	1	1	-	1	1	-	1	1	-	7
FEMALE--	95	-	-	-	-	-	1	-	-	2	1	7
BLACK---MALE----	44	-	-	-	-	-	1	-	-	-	-	3
FEMALE--	31	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	30,946	7	11	17	24	22	46	81	151	268	510	888
WHITE-----MALE----	14,356	5	5	9	11	10	20	43	62	97	194	369
FEMALE--	13,692	1	5	5	8	11	19	26	70	117	240	395
ALL OTHER--MALE----	1,592	-	-	3	2	-	4	6	11	24	31	60
FEMALE--	1,306	1	1	-	3	1	3	6	8	30	45	64
BLACK---MALE----	1,526	-	-	3	1	-	3	4	11	21	29	53
FEMALE--	1,262	1	1	-	3	-	3	5	7	27	44	63
RHODE ISLAND -----	2,550	-	-	2	3	-	6	10	16	23	34	84
WHITE-----MALE----	1,239	-	-	2	-	-	3	3	5	13	11	35
FEMALE--	1,229	-	-	-	2	-	3	4	9	8	19	44
ALL OTHER--MALE----	40	-	-	-	-	-	-	1	1	1	2	2
FEMALE--	42	-	-	-	1	-	-	2	1	1	2	3
BLACK---MALE----	25	-	-	-	-	-	-	-	1	1	1	1
FEMALE--	36	-	-	-	1	-	-	2	-	1	1	3
SOUTH CAROLINA -----	7,707	1	10	11	7	11	10	37	54	98	181	313
WHITE-----MALE----	2,908	-	4	8	2	3	4	12	14	26	51	77
FEMALE--	2,587	1	3	2	2	3	3	12	19	34	44	96
ALL OTHER--MALE----	1,241	-	2	-	2	3	1	6	6	12	40	88
FEMALE--	971	-	1	1	1	2	2	7	15	26	46	52
BLACK---MALE----	1,233	-	2	-	2	3	1	6	6	12	39	88
FEMALE--	959	-	1	1	1	2	2	7	15	25	44	52

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 421
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 II. NEOPLASMS (140-239)												
OHIO -----	1,178	1,616	2,373	3,581	4,388	4,094	3,294	2,021	913	231	39	-
WHITE-----MALE----	533	754	1,107	1,789	2,058	1,892	1,426	774	304	72	7	-
FEMALE--	490	648	934	1,351	1,795	1,806	1,584	1,051	531	124	28	-
ALL OTHER--MALE----	76	122	179	243	337	220	140	92	26	9	-	-
FEMALE--	79	92	153	198	198	176	144	104	52	26	4	-
BLACK---MALE----	74	118	174	240	333	216	137	90	25	9	-	-
FEMALE--	74	91	150	194	196	173	141	100	51	24	4	-
OKLAHOMA -----	342	502	708	1,000	1,145	1,102	903	588	268	78	8	7
WHITE-----MALE----	155	244	375	512	590	541	442	252	92	20	4	4
FEMALE--	151	198	260	387	442	467	380	298	147	52	2	2
ALL OTHER--MALE----	19	33	38	50	64	46	37	22	15	2	2	-
FEMALE--	17	27	35	51	49	48	44	16	14	4	-	1
BLACK---MALE----	8	23	22	27	37	34	22	15	6	2	2	-
FEMALE--	8	10	19	36	29	27	25	10	7	1	-	1
OREGON -----	305	461	578	844	1,116	1,101	1,003	589	252	47	12	-
WHITE-----MALE----	139	242	305	479	613	584	531	261	98	11	2	-
FEMALE--	147	204	254	337	471	493	459	318	146	36	9	-
ALL OTHER--MALE----	11	7	8	16	13	10	10	7	3	-	-	-
FEMALE--	8	8	11	12	19	14	3	3	5	-	1	-
BLACK---MALE----	2	4	3	5	7	4	7	5	3	-	-	-
FEMALE--	-	2	2	5	10	7	1	-	3	-	1	-
PENNSYLVANIA -----	1,210	1,888	2,578	4,212	5,330	5,288	4,374	2,587	1,113	301	40	-
WHITE-----MALE----	531	847	1,287	2,136	2,689	2,562	1,969	1,043	376	84	7	-
FEMALE--	517	776	969	1,635	2,197	2,307	2,119	1,378	673	196	28	-
ALL OTHER--MALE----	75	149	195	259	262	230	155	82	33	9	2	-
FEMALE--	87	116	127	182	182	189	131	84	31	12	3	-
BLACK---MALE----	70	141	188	255	256	224	148	76	33	8	2	-
FEMALE--	80	109	126	174	179	185	128	82	31	11	3	-
RHODE ISLAND -----	104	120	209	309	465	411	363	249	101	36	5	-
WHITE-----MALE----	45	60	105	179	241	202	176	110	35	13	1	-
FEMALE--	54	50	95	117	213	204	181	135	64	23	4	-
ALL OTHER--MALE----	4	4	7	9	4	3	1	1	-	-	-	-
FEMALE--	1	6	2	4	7	2	5	3	2	-	-	-
BLACK---MALE----	3	3	2	7	3	3	-	-	-	-	-	-
FEMALE--	1	6	1	3	6	2	4	3	2	-	-	-
SOUTH CAROLINA -----	405	616	838	1,057	1,302	1,173	815	493	222	44	9	-
WHITE-----MALE----	141	229	345	441	562	475	297	159	51	7	-	-
FEMALE--	132	188	255	324	419	391	295	224	109	28	3	-
ALL OTHER--MALE----	82	112	139	178	175	181	120	64	27	1	2	-
FEMALE--	50	87	99	114	146	126	103	46	35	8	4	-
BLACK---MALE----	82	110	138	178	174	179	119	64	27	1	2	-
FEMALE--	50	85	98	113	143	125	103	45	35	8	4	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 422
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 II. NEOPLASMS (140-239)												
SOUTH DAKOTA -----	1,557	-	4	1	3	1	2	6	5	13	20	43
WHITE-----MALE----	810	-	2	-	2	-	2	3	2	4	10	19
FEMALE--	677	-	1	1	1	-	-	3	3	7	10	21
ALL OTHER--MALE----	40	-	1	-	-	1	-	-	-	-	-	2
FEMALE--	30	-	-	-	-	-	-	-	-	2	-	1
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	11,728	2	8	10	9	9	16	41	67	163	250	426
WHITE-----MALE----	5,362	-	5	8	2	7	10	20	18	61	95	166
FEMALE--	4,587	2	3	1	4	1	2	13	37	60	92	177
ALL OTHER--MALE----	980	-	-	-	1	-	2	4	3	14	27	47
FEMALE--	799	-	-	1	2	1	2	4	9	28	36	36
BLACK---MALE----	972	-	-	-	1	-	2	4	3	13	27	46
FEMALE--	781	-	-	1	2	1	2	4	8	28	33	32
TEXAS -----	32,394	12	56	52	38	66	78	112	241	449	781	1,258
WHITE-----MALE----	14,879	5	39	20	18	28	32	59	71	162	283	505
FEMALE--	13,210	6	14	23	16	28	28	35	117	187	327	526
ALL OTHER--MALE----	2,334	1	1	6	1	6	12	5	19	46	66	118
FEMALE--	1,971	-	2	3	3	4	6	13	34	54	105	109
BLACK---MALE----	2,231	1	1	6	1	6	11	5	17	39	60	108
FEMALE--	1,831	-	2	3	2	4	5	12	32	48	95	99
UTAH -----	2,155	1	3	4	8	11	15	20	22	28	54	83
WHITE-----MALE----	1,108	-	3	1	3	6	13	10	10	9	26	37
FEMALE--	988	1	-	3	5	5	2	9	12	17	27	40
ALL OTHER--MALE----	31	-	-	-	-	-	-	1	-	2	1	-
FEMALE--	28	-	-	-	-	-	-	-	-	-	-	6
BLACK---MALE----	10	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	1
VERMONT -----	1,227	-	-	1	1	1	-	4	13	17	26	39
WHITE-----MALE----	638	-	-	1	-	1	-	3	7	7	9	21
FEMALE--	585	-	-	-	1	-	-	1	6	10	17	18
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	12,902	4	18	13	10	23	29	46	64	150	275	472
WHITE-----MALE----	5,123	1	7	4	5	6	12	19	23	34	87	143
FEMALE--	4,857	2	6	6	2	7	7	11	20	73	103	184
ALL OTHER--MALE----	1,601	-	4	3	3	9	4	8	7	17	37	75
FEMALE--	1,321	1	1	-	-	1	6	8	14	26	48	70
BLACK---MALE----	1,520	-	4	3	3	9	4	6	6	15	32	69
FEMALE--	1,242	1	1	-	-	1	6	6	13	24	42	57

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 422
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 II. NEOPLASMS (140-239)

SOUTH DAKOTA	63	88	136	186	261	262	211	158	65	26	3	-
WHITE	29	49	63	100	157	139	103	89	31	5	1	-
FEMALE	26	34	60	78	91	112	107	65	34	21	2	-
ALL OTHER	3	4	7	7	7	5	-	3	-	-	-	-
FEMALE	5	1	6	1	6	6	1	1	-	-	-	-
BLACK	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE	640	926	1,223	1,647	1,889	1,797	1,343	788	382	75	16	1
WHITE	288	459	597	832	949	833	576	296	114	23	3	-
FEMALE	247	318	420	593	669	737	581	380	209	34	7	-
ALL OTHER	58	88	121	140	138	128	106	65	27	6	4	1
FEMALE	47	61	85	82	133	99	80	47	32	12	2	-
BLACK	57	87	120	138	138	127	106	65	27	6	4	1
FEMALE	47	59	82	82	131	96	80	47	32	12	2	-
TEXAS	1,705	2,235	3,281	4,461	5,209	4,734	3,771	2,500	1,036	285	30	4
WHITE	746	1,050	1,589	2,213	2,620	2,267	1,730	1,011	347	75	7	2
FEMALE	683	817	1,210	1,623	1,984	1,953	1,650	1,232	576	158	17	-
ALL OTHER	157	209	273	374	344	287	202	130	47	26	2	2
FEMALE	119	159	209	251	261	227	189	127	66	26	4	-
BLACK	146	198	266	361	333	277	195	126	44	26	2	2
FEMALE	108	145	191	229	242	218	180	123	65	24	4	-
UTAH	92	137	209	251	318	320	299	177	84	19	-	-
WHITE	40	59	103	132	164	168	175	97	44	8	-	-
FEMALE	46	74	98	115	146	142	119	77	39	11	-	-
ALL OTHER	2	2	4	3	4	6	3	2	1	-	-	-
FEMALE	4	2	4	1	4	4	2	1	-	-	-	-
BLACK	-	2	-	-	3	-	1	1	1	-	-	-
FEMALE	-	-	1	-	1	1	-	-	-	-	-	-
VERMONT	53	72	111	146	204	178	172	120	54	13	2	-
WHITE	25	39	59	87	110	107	84	55	18	4	1	-
FEMALE	27	32	51	59	94	71	87	65	36	9	1	-
ALL OTHER	1	1	1	-	-	-	1	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA	737	946	1,304	1,787	2,241	1,888	1,483	917	385	90	18	2
WHITE	279	371	525	776	963	819	587	329	104	24	4	1
FEMALE	290	338	464	596	774	707	595	402	217	45	8	-
ALL OTHER	94	127	184	231	290	209	165	95	26	10	2	1
FEMALE	74	110	131	184	214	153	136	91	38	11	4	-
BLACK	88	120	177	222	275	199	158	92	25	10	2	1
FEMALE	67	101	124	174	208	148	131	85	38	11	4	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 423
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 II. NEOPLASMS (140-239)												
WASHINGTON -----	10,183	2	11	10	4	12	15	25	77	110	205	376
WHITE-----MALE----	4,947	2	7	4	2	5	8	11	31	39	84	176
FEMALE--	4,667	-	4	4	2	5	5	12	37	51	97	164
ALL OTHER--MALE----	314	-	-	2	-	2	1	1	4	11	12	17
FEMALE--	255	-	-	-	-	-	1	1	5	9	12	19
BLACK---MALE----	147	-	-	1	-	1	1	1	-	5	5	8
FEMALE--	96	-	-	-	-	-	1	-	2	7	4	6
WEST VIRGINIA -----	4,745	-	8	1	4	8	9	8	25	46	76	154
WHITE-----MALE----	2,319	-	3	-	2	7	5	5	13	17	43	59
FEMALE--	2,247	-	5	1	2	-	4	3	12	24	32	84
ALL OTHER--MALE----	101	-	-	-	-	1	-	-	-	-	1	6
FEMALE--	78	-	-	-	-	-	-	-	-	5	-	5
BLACK---MALE----	100	-	-	-	-	1	-	-	-	-	1	6
FEMALE--	72	-	-	-	-	-	-	-	-	5	-	5
WISCONSIN -----	10,644	-	8	7	10	17	14	37	62	103	191	334
WHITE-----MALE----	5,312	-	3	5	6	5	5	15	33	41	73	151
FEMALE--	4,857	-	4	2	3	8	7	20	24	53	99	152
ALL OTHER--MALE----	264	-	-	-	-	1	2	1	4	4	7	17
FEMALE--	211	-	1	-	1	3	-	1	1	5	12	14
BLACK---MALE----	219	-	-	-	-	1	2	1	3	4	6	14
FEMALE--	167	-	-	-	1	3	-	-	-	5	8	9
WYOMING -----	884	-	1	2	2	1	4	1	7	6	12	31
WHITE-----MALE----	449	-	-	-	2	1	4	-	3	3	3	13
FEMALE--	423	-	1	2	-	-	-	1	4	2	9	18
ALL OTHER--MALE----	9	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	1	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 423
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 II. NEOPLASMS (140-239)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
WASHINGTON -----	510	649	905	1,239	1,590	1,654	1,440	880	368	86	15	-
WHITE-----MALE----	228	308	464	650	797	830	731	385	150	31	4	-
FEMALE--	244	290	380	524	709	744	656	469	207	53	10	-
ALL OTHER--MALE----	23	23	32	37	46	45	31	18	6	2	1	-
FEMALE--	15	28	29	28	38	35	22	8	5	-	-	-
BLACK---MALE----	15	7	15	19	23	22	18	4	1	1	-	-
FEMALE--	5	13	9	10	15	14	4	5	1	-	-	-
WEST VIRGINIA -----	222	288	419	728	842	737	619	366	140	37	8	-
WHITE-----MALE----	108	136	213	388	437	361	312	145	48	13	4	-
FEMALE--	103	139	195	320	367	351	292	203	84	22	4	-
ALL OTHER--MALE----	7	10	2	11	23	16	9	9	5	1	-	-
FEMALE--	4	3	9	9	15	9	6	9	3	1	-	-
BLACK---MALE----	7	10	2	10	23	16	9	9	5	1	-	-
FEMALE--	3	-	9	9	15	8	5	9	3	1	-	-
WISCONSIN -----	463	649	978	1,333	1,672	1,677	1,494	970	460	149	16	-
WHITE-----MALE----	221	324	537	707	907	882	725	440	179	47	6	-
FEMALE--	201	279	379	538	703	746	743	513	276	97	10	-
ALL OTHER--MALE----	16	28	38	55	35	29	15	10	1	1	-	-
FEMALE--	25	18	24	33	27	20	11	7	4	4	-	-
BLACK---MALE----	14	26	29	46	30	24	12	6	1	-	-	-
FEMALE--	24	15	20	28	17	18	8	5	3	3	-	-
WYOMING -----	39	42	78	124	164	142	116	73	35	4	-	-
WHITE-----MALE----	26	23	39	69	84	74	63	32	9	1	-	-
FEMALE--	12	18	37	55	78	67	51	41	24	3	-	-
ALL OTHER--MALE----	1	1	2	-	2	1	-	-	2	-	-	-
FEMALE--	-	-	-	-	-	-	2	-	-	-	-	-
BLACK---MALE----	1	1	1	-	1	1	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 424
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES (140-208)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 UNITED STATES --	539,533	87	424	523	505	685	947	1,610	3,235	6,148	10,901	18,405
WHITE-----MALE----	243,952	35	205	247	230	320	434	667	1,210	2,178	3,893	7,039
FEMALE--	225,454	41	139	173	175	220	293	624	1,340	2,601	4,662	7,632
ALL OTHER--MALE----	37,946	8	41	56	49	78	123	144	291	564	1,049	1,850
FEMALE--	32,181	3	39	47	51	67	97	175	394	805	1,297	1,884
BLACK---MALE----	32,973	7	29	47	40	65	98	116	244	468	898	1,593
FEMALE--	27,793	1	30	40	40	56	76	143	325	678	1,098	1,564
ALABAMA -----	9,502	1	4	9	7	10	20	28	58	107	199	313
WHITE-----MALE----	3,939	-	1	4	4	5	8	8	10	36	47	105
FEMALE--	3,346	1	-	2	-	1	7	11	26	38	73	119
ALL OTHER--MALE----	1,239	-	2	2	1	2	3	2	10	10	31	42
FEMALE--	978	-	1	1	2	2	2	7	12	23	48	47
BLACK---MALE----	1,233	-	2	2	1	2	3	2	10	10	31	41
FEMALE--	972	-	1	1	2	2	2	7	12	23	47	46
ALASKA -----	646	-	2	1	-	-	-	2	7	23	17	47
WHITE-----MALE----	275	-	-	-	-	-	-	-	4	12	6	16
FEMALE--	226	-	1	-	-	-	-	2	3	8	4	23
ALL OTHER--MALE----	76	-	1	1	-	-	-	-	-	1	3	4
FEMALE--	69	-	-	-	-	-	-	-	-	2	4	4
BLACK---MALE----	11	-	-	1	-	-	-	-	-	1	1	1
FEMALE--	9	-	-	-	-	-	-	-	-	-	1	-
ARIZONA -----	8,319	2	6	5	5	9	14	27	53	93	161	237
WHITE-----MALE----	4,321	2	5	4	3	5	7	8	30	40	74	106
FEMALE--	3,616	-	1	1	2	4	3	15	17	45	73	105
ALL OTHER--MALE----	199	-	-	-	-	-	1	3	2	2	7	11
FEMALE--	183	-	-	-	-	-	3	1	4	6	7	15
BLACK---MALE----	104	-	-	-	-	-	-	1	2	-	1	4
FEMALE--	80	-	-	-	-	-	1	1	1	-	3	8
ARKANSAS -----	5,962	-	2	-	5	12	14	11	23	63	109	205
WHITE-----MALE----	2,872	-	-	-	1	4	7	4	10	25	40	82
FEMALE--	2,287	-	2	-	3	4	4	6	7	25	49	83
ALL OTHER--MALE----	445	-	-	-	1	2	2	-	1	3	9	21
FEMALE--	358	-	-	-	-	2	1	1	5	10	11	19
BLACK---MALE----	438	-	-	-	1	2	2	-	1	3	9	21
FEMALE--	349	-	-	-	-	2	1	1	5	8	10	18
CALIFORNIA -----	51,055	9	58	55	69	93	121	185	351	685	1,202	1,866
WHITE-----MALE----	22,070	3	19	26	36	52	52	73	121	243	376	658
FEMALE--	21,724	4	27	22	21	23	39	79	154	277	549	791
ALL OTHER--MALE----	3,913	1	6	1	6	10	18	12	35	66	126	195
FEMALE--	3,348	1	6	6	6	8	12	21	41	99	151	222
BLACK---MALE----	2,035	1	2	-	2	6	7	5	16	30	68	100
FEMALE--	1,802	-	3	3	2	4	5	10	15	59	81	122

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 424
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES (140-208)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 UNITED STATES --	26,222	35,858	50,970	72,347	88,517	84,798	69,682	43,349	18,845	4,746	704	25
WHITE-----MALE----	10,948	15,905	23,885	35,204	43,233	40,409	31,768	17,946	6,660	1,366	161	9
FEMALE--	10,641	13,884	19,291	27,468	34,786	35,361	31,123	21,385	10,333	2,833	442	7
ALL OTHER--MALE----	2,441	3,437	4,460	5,545	5,997	5,080	3,622	2,003	836	229	37	6
FEMALE--	2,192	2,632	3,334	4,130	4,501	3,948	3,169	2,015	1,016	318	64	3
BLACK---MALE----	2,158	3,024	3,920	4,872	5,181	4,423	3,109	1,739	705	197	34	6
FEMALE--	1,845	2,266	2,891	3,599	3,921	3,426	2,732	1,808	909	282	60	3
ALABAMA -----	526	672	1,010	1,376	1,532	1,416	1,113	730	287	72	12	-
WHITE-----MALE----	192	273	468	648	696	654	441	251	73	14	1	-
FEMALE--	193	216	329	448	525	458	433	296	132	32	6	-
ALL OTHER--MALE----	76	106	121	179	188	177	138	98	42	7	2	-
FEMALE--	65	77	92	101	123	127	101	85	40	19	3	-
BLACK---MALE----	76	105	121	176	187	177	138	98	42	7	2	-
FEMALE--	63	77	91	101	123	127	100	85	40	19	3	-
ALASKA -----	48	51	83	109	97	59	64	29	7	-	-	-
WHITE-----MALE----	26	22	34	49	47	26	20	11	2	-	-	-
FEMALE--	13	17	32	38	29	16	21	15	4	-	-	-
ALL OTHER--MALE----	3	4	9	13	13	10	12	1	1	-	-	-
FEMALE--	6	8	8	9	8	7	11	2	-	-	-	-
BLACK---MALE----	-	-	1	1	1	1	3	-	-	-	-	-
FEMALE--	1	-	1	2	2	-	2	-	-	-	-	-
ARIZONA -----	359	551	729	1,119	1,468	1,376	1,130	627	268	72	7	1
WHITE-----MALE----	183	284	393	595	766	754	594	314	124	27	3	-
FEMALE--	152	238	288	477	644	577	506	289	133	42	3	1
ALL OTHER--MALE----	14	14	25	24	36	25	16	12	4	2	1	-
FEMALE--	10	15	23	23	22	20	14	12	7	1	-	-
BLACK---MALE----	9	14	13	10	22	13	7	6	1	-	1	-
FEMALE--	6	8	11	11	9	8	5	4	4	-	-	-
ARKANSAS -----	324	431	581	796	942	905	782	455	224	63	15	-
WHITE-----MALE----	154	216	297	422	471	460	379	208	79	12	1	-
FEMALE--	120	152	200	280	377	341	308	170	108	37	11	-
ALL OTHER--MALE----	36	39	43	49	51	57	56	45	20	9	1	-
FEMALE--	14	24	41	45	43	47	39	32	17	5	2	-
BLACK---MALE----	36	37	43	48	49	55	56	45	20	9	1	-
FEMALE--	14	24	41	43	42	46	39	32	16	5	2	-
CALIFORNIA -----	2,556	3,380	4,690	6,526	8,425	7,903	6,713	3,972	1,726	410	60	-
WHITE-----MALE----	988	1,359	2,067	3,010	3,829	3,634	3,035	1,703	649	122	15	-
FEMALE--	1,083	1,379	1,839	2,563	3,525	3,307	2,975	1,887	908	232	40	-
ALL OTHER--MALE----	223	351	433	553	614	548	398	205	86	25	1	-
FEMALE--	262	291	351	400	457	414	305	177	83	31	4	-
BLACK---MALE----	135	209	247	292	304	284	187	93	35	11	1	-
FEMALE--	147	165	192	227	245	211	143	99	51	17	1	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 425
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES (140-208)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
COLORADO -----	5,655	2	5	8	8	9	6	18	28	66	143	246
WHITE-----MALE----	2,785	2	4	3	6	4	1	7	16	30	53	96
FEMALE--	2,611	-	1	4	1	4	5	10	11	31	72	135
ALL OTHER--MALE----	133	-	-	-	-	1	-	1	1	3	3	4
FEMALE--	126	-	-	1	1	-	-	-	-	2	15	11
BLACK---MALE----	96	-	-	-	-	1	-	1	1	2	1	3
FEMALE--	86	-	-	-	-	-	-	-	-	2	8	6
CONNECTICUT -----	7,146	1	6	11	6	5	9	19	36	75	122	213
WHITE-----MALE----	3,332	1	2	8	2	3	6	10	20	26	44	86
FEMALE--	3,338	-	2	1	3	1	3	5	13	35	57	103
ALL OTHER--MALE----	264	-	-	1	1	1	-	-	-	6	12	10
FEMALE--	212	-	2	1	-	-	-	4	3	8	9	14
BLACK---MALE----	241	-	-	1	1	-	-	-	-	4	9	10
FEMALE--	191	-	2	-	-	-	-	3	3	6	6	12
DELAWARE -----	1,688	1	1	2	3	1	2	5	9	19	37	61
WHITE-----MALE----	732	1	-	1	1	1	1	2	4	5	7	29
FEMALE--	644	-	-	-	1	-	-	3	3	9	19	21
ALL OTHER--MALE----	162	-	-	-	1	-	-	-	-	3	5	5
FEMALE--	150	-	1	1	-	-	1	-	2	2	6	6
BLACK---MALE----	156	-	-	-	1	-	-	-	-	3	5	5
FEMALE--	147	-	1	1	-	-	1	-	2	2	6	6
DISTRICT OF COLUMBIA ----	1,380	-	-	-	1	2	1	5	19	13	40	55
WHITE-----MALE----	145	-	-	-	-	-	-	-	5	-	2	6
FEMALE--	150	-	-	-	-	1	-	1	1	1	5	2
ALL OTHER--MALE----	580	-	-	-	1	1	-	2	6	6	21	21
FEMALE--	505	-	-	-	-	-	1	2	7	6	12	26
BLACK---MALE----	577	-	-	-	1	1	-	2	6	6	21	19
FEMALE--	499	-	-	-	-	-	1	2	7	6	12	26
FLORIDA -----	37,694	4	17	29	16	32	49	84	176	350	633	1,048
WHITE-----MALE----	18,491	2	5	10	7	13	14	30	77	123	235	453
FEMALE--	15,737	2	5	9	4	13	19	35	61	150	256	416
ALL OTHER--MALE----	1,928	-	2	3	3	3	8	9	14	34	73	86
FEMALE--	1,538	-	5	7	2	3	8	10	24	43	69	93
BLACK---MALE----	1,859	-	2	3	3	3	8	9	14	32	72	82
FEMALE--	1,459	-	5	7	1	2	7	7	23	39	64	84
GEORGIA -----	12,432	-	8	21	15	21	26	35	116	212	322	550
WHITE-----MALE----	4,978	-	3	5	6	11	8	11	28	63	95	181
FEMALE--	4,339	-	2	5	4	3	7	18	40	73	97	195
ALL OTHER--MALE----	1,724	-	2	8	3	4	8	3	24	35	59	92
FEMALE--	1,391	-	1	3	2	3	3	3	24	41	71	82
BLACK---MALE----	1,696	-	2	8	3	4	8	3	24	34	59	91
FEMALE--	1,363	-	1	3	2	3	3	3	23	38	70	80

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 425
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES (140-208)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
COLORADO -----	283	335	576	752	932	882	674	439	187	54	2	-
WHITE-----MALE----	137	164	290	386	519	449	317	194	88	19	-	-
FEMALE--	136	152	249	329	375	393	338	233	95	35	2	-
ALL OTHER--MALE----	3	12	25	21	18	25	8	7	1	-	-	-
FEMALE--	7	7	12	16	20	15	11	5	3	-	-	-
BLACK---MALE----	3	9	17	18	13	16	6	5	-	-	-	-
FEMALE--	5	6	11	10	14	11	7	3	3	-	-	-
CONNECTICUT -----	371	417	599	846	1,142	1,230	1,027	627	311	65	8	-
WHITE-----MALE----	153	199	272	413	575	592	503	283	110	21	3	-
FEMALE--	175	173	263	369	509	581	486	321	190	43	5	-
ALL OTHER--MALE----	26	32	39	39	36	25	16	12	7	1	-	-
FEMALE--	17	13	25	25	22	32	22	11	4	-	-	-
BLACK---MALE----	24	30	36	38	31	24	14	11	7	1	-	-
FEMALE--	15	13	24	24	21	30	20	9	3	-	-	-
DELAWARE -----	76	97	184	256	288	245	190	126	62	20	3	-
WHITE-----MALE----	35	41	82	121	123	112	86	55	17	7	1	-
FEMALE--	23	38	62	83	108	93	77	57	36	9	2	-
ALL OTHER--MALE----	7	9	16	27	35	22	18	9	3	2	-	-
FEMALE--	11	9	24	25	22	18	9	5	6	2	-	-
BLACK---MALE----	7	8	16	26	34	21	17	8	3	2	-	-
FEMALE--	11	9	24	24	22	18	8	5	5	2	-	-
DISTRICT OF COLUMBIA ----	81	97	133	174	213	198	163	119	54	10	2	-
WHITE-----MALE----	4	9	16	13	22	26	13	19	8	2	-	-
FEMALE--	10	8	8	16	16	21	28	17	12	2	1	-
ALL OTHER--MALE----	34	36	68	90	100	78	61	38	14	3	-	-
FEMALE--	33	44	41	55	75	73	61	45	20	3	1	-
BLACK---MALE----	34	36	68	90	100	78	61	37	14	3	-	-
FEMALE--	32	43	41	54	75	72	60	45	20	2	1	-
FLORIDA -----	1,541	2,153	3,312	5,079	6,387	6,352	5,330	3,311	1,400	344	44	3
WHITE-----MALE----	659	998	1,638	2,602	3,391	3,258	2,685	1,586	560	128	16	1
FEMALE--	638	848	1,252	2,021	2,509	2,696	2,314	1,507	757	198	27	-
ALL OTHER--MALE----	147	188	236	271	281	218	190	107	44	11	-	-
FEMALE--	97	119	186	185	206	180	141	111	39	7	1	2
BLACK---MALE----	139	176	228	261	270	214	185	104	44	10	-	-
FEMALE--	92	114	179	172	198	171	137	111	36	7	1	2
GEORGIA -----	755	1,010	1,327	1,760	1,898	1,754	1,330	809	357	86	20	-
WHITE-----MALE----	276	415	580	788	857	735	507	288	95	19	7	-
FEMALE--	255	319	427	551	637	638	510	343	166	41	8	-
ALL OTHER--MALE----	122	165	194	235	253	223	162	87	36	8	1	-
FEMALE--	102	111	126	186	151	158	151	91	60	18	4	-
BLACK---MALE----	121	159	190	231	248	221	161	85	35	8	1	-
FEMALE--	100	106	123	182	148	158	147	91	60	18	4	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 426
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES (140-208)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
HAWAII -----	1,861	-	2	3	1	1	5	5	12	25	42	75
WHITE-----MALE----	292	-	1	1	-	1	-	-	-	3	4	9
FEMALE--	233	-	-	-	-	-	-	-	3	2	4	11
ALL OTHER--MALE----	756	-	1	2	-	-	4	1	3	10	10	25
FEMALE--	580	-	-	-	1	-	1	4	6	10	24	30
BLACK---MALE----	4	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	1,987	-	3	3	3	2	1	6	10	19	37	65
WHITE-----MALE----	1,093	-	2	3	2	-	1	3	6	6	17	34
FEMALE--	869	-	1	-	1	2	-	3	3	12	20	29
ALL OTHER--MALE----	15	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	10	-	-	-	-	-	-	-	1	1	-	1
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	3	-	-	-	-	-	-	-	1	1	-	-
ILLINOIS -----	24,783	3	16	25	18	35	28	71	148	286	467	866
WHITE-----MALE----	10,596	2	8	16	4	11	14	30	51	80	163	310
FEMALE--	10,219	-	5	7	7	12	6	20	58	126	182	320
ALL OTHER--MALE----	2,137	1	1	2	2	7	5	8	17	26	56	126
FEMALE--	1,831	-	2	-	5	5	3	13	22	54	66	110
BLACK---MALE----	2,024	1	1	2	1	4	5	7	15	26	53	115
FEMALE--	1,728	-	2	-	4	5	3	11	21	51	62	105
INDIANA -----	12,487	3	9	12	9	14	26	29	64	117	241	422
WHITE-----MALE----	5,985	1	3	4	4	6	14	14	24	44	104	170
FEMALE--	5,514	2	4	5	4	6	8	11	37	57	108	218
ALL OTHER--MALE----	490	-	-	1	1	1	3	-	-	6	13	16
FEMALE--	498	-	2	2	-	1	1	4	3	10	16	18
BLACK---MALE----	478	-	-	1	1	1	3	-	-	6	13	15
FEMALE--	484	-	2	2	-	1	1	4	2	10	16	16
IOWA -----	6,493	1	5	3	8	8	6	15	29	63	109	167
WHITE-----MALE----	3,296	-	3	1	5	5	2	11	14	34	40	93
FEMALE--	3,104	1	2	2	3	3	4	3	15	28	64	71
ALL OTHER--MALE----	51	-	-	-	-	-	-	-	-	-	3	3
FEMALE--	42	-	-	-	-	-	-	1	-	1	2	-
BLACK---MALE----	41	-	-	-	-	-	-	-	-	-	2	3
FEMALE--	34	-	-	-	-	-	-	1	-	1	2	-
KANSAS -----	5,344	5	9	8	8	8	11	13	28	50	95	130
WHITE-----MALE----	2,620	2	2	4	4	3	2	7	13	21	40	55
FEMALE--	2,410	3	5	1	3	4	8	5	12	27	40	63
ALL OTHER--MALE----	179	-	1	1	-	-	-	-	2	1	8	7
FEMALE--	135	-	1	2	1	1	1	1	1	1	7	5
BLACK---MALE----	158	-	1	-	-	-	-	-	1	1	7	6
FEMALE--	109	-	-	1	1	1	1	1	1	-	6	5

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 426
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES (140-208)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
HAWAII -----	113	120	165	234	335	286	254	103	65	14	1	-
WHITE-----MALE----	20	24	27	37	59	48	39	13	5	1	-	-
FEMALE--	14	17	24	28	35	42	28	15	9	1	-	-
ALL OTHER--MALE----	34	42	69	90	152	123	110	45	27	7	1	-
FEMALE--	45	37	45	79	89	73	77	30	24	5	-	-
BLACK---MALE----	-	-	-	-	3	-	-	-	-	-	-	-
FEMALE--	-	1	-	1	-	1	-	-	-	-	-	-
IDAHO -----	67	132	176	256	317	317	296	186	76	13	2	-
WHITE-----MALE----	39	59	104	145	179	190	172	93	31	6	1	-
FEMALE--	25	71	71	108	137	125	120	90	44	6	1	-
ALL OTHER--MALE----	2	1	1	2	1	2	3	2	-	-	-	-
FEMALE--	1	1	-	1	-	-	1	1	1	1	-	-
BLACK---MALE----	1	-	-	1	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
ILLINOIS -----	1,213	1,690	2,366	3,263	3,985	3,871	3,272	2,006	884	236	33	1
WHITE-----MALE----	463	693	990	1,537	1,882	1,744	1,413	830	291	55	9	-
FEMALE--	486	630	904	1,130	1,516	1,651	1,528	962	493	159	16	1
ALL OTHER--MALE----	143	214	279	328	315	277	175	101	42	9	3	-
FEMALE--	121	153	193	268	272	199	156	113	58	13	5	-
BLACK---MALE----	134	206	263	314	297	264	166	99	39	9	3	-
FEMALE--	114	149	185	248	256	186	146	108	55	12	5	-
INDIANA -----	597	834	1,212	1,748	2,140	1,890	1,643	942	413	107	15	-
WHITE-----MALE----	287	409	617	943	1,139	924	715	401	137	21	4	-
FEMALE--	262	343	490	666	831	830	819	487	238	78	10	-
ALL OTHER--MALE----	25	45	57	63	88	69	55	29	18	-	-	-
FEMALE--	23	37	48	76	82	67	54	25	20	8	1	-
BLACK---MALE----	25	43	56	61	86	68	52	29	18	-	-	-
FEMALE--	22	36	46	73	81	66	53	25	19	8	1	-
IOWA -----	247	368	540	811	1,013	1,090	961	630	321	84	14	-
WHITE-----MALE----	116	184	284	437	562	591	474	290	124	23	3	-
FEMALE--	125	172	243	362	436	490	480	334	195	60	11	-
ALL OTHER--MALE----	2	5	10	6	7	4	5	4	1	1	-	-
FEMALE--	4	7	3	6	8	5	2	2	1	-	-	-
BLACK---MALE----	2	3	8	5	6	2	5	3	1	1	-	-
FEMALE--	2	5	3	6	6	3	2	2	1	-	-	-
KANSAS -----	207	333	452	711	854	841	726	504	256	84	11	-
WHITE-----MALE----	105	149	227	336	452	460	372	227	110	28	1	-
FEMALE--	94	141	191	329	348	350	328	260	137	51	10	-
ALL OTHER--MALE----	5	26	17	34	32	19	13	7	4	2	-	-
FEMALE--	3	17	17	12	22	12	13	10	5	3	-	-
BLACK---MALE----	5	23	13	30	28	19	12	7	3	2	-	-
FEMALE--	2	15	11	7	20	11	10	10	3	3	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 427
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
 CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
 MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES (140-208)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
KENTUCKY -----	9,025	1	5	10	6	17	12	24	46	116	177	331
WHITE-----MALE----	4,556	-	5	7	4	13	6	12	17	54	80	159
FEMALE--	3,848	1	-	2	2	3	4	10	24	52	82	146
ALL OTHER--MALE----	327	-	-	1	-	-	2	1	-	8	5	13
FEMALE--	294	-	-	-	-	1	-	1	5	2	10	13
BLACK---MALE----	317	-	-	1	-	-	2	1	-	7	5	13
FEMALE--	285	-	-	-	-	1	-	1	4	2	10	12
LOUISIANA -----	9,314	1	8	8	8	9	20	31	69	124	226	371
WHITE-----MALE----	3,532	-	4	5	3	2	6	11	17	42	68	108
FEMALE--	2,971	1	2	2	1	1	2	6	17	35	70	118
ALL OTHER--MALE----	1,557	-	2	1	2	3	5	7	14	18	38	74
FEMALE--	1,254	-	-	-	2	3	7	7	21	29	50	71
BLACK---MALE----	1,536	-	2	1	2	2	4	7	14	17	38	71
FEMALE--	1,238	-	-	-	2	3	6	7	21	29	49	70
MAINE -----	2,952	1	2	4	5	-	6	3	15	30	49	85
WHITE-----MALE----	1,528	1	2	1	2	-	4	-	3	11	23	43
FEMALE--	1,418	-	-	3	3	-	2	3	12	19	26	40
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	10,161	2	8	11	6	10	24	32	59	115	216	391
WHITE-----MALE----	3,951	-	1	7	4	1	9	16	23	27	58	113
FEMALE--	3,738	1	2	2	-	5	4	7	15	40	79	128
ALL OTHER--MALE----	1,370	-	4	1	1	3	3	6	4	18	34	73
FEMALE--	1,102	1	1	1	1	1	8	3	17	30	45	77
BLACK---MALE----	1,310	-	3	1	1	3	3	6	4	18	30	73
FEMALE--	1,042	1	1	1	1	1	7	3	16	27	43	68
MASSACHUSETTS -----	13,952	1	4	11	11	11	22	44	75	119	236	433
WHITE-----MALE----	6,682	-	1	6	3	8	13	21	33	58	94	185
FEMALE--	6,635	1	3	3	6	2	7	16	36	49	126	212
ALL OTHER--MALE----	323	-	-	1	1	1	1	6	1	5	8	22
FEMALE--	312	-	-	1	1	-	1	1	5	7	8	14
BLACK---MALE----	250	-	-	-	1	1	1	5	-	4	4	14
FEMALE--	241	-	-	1	1	-	-	1	2	7	7	9
MICHIGAN -----	19,585	7	17	12	17	27	43	33	124	227	403	710
WHITE-----MALE----	8,691	1	8	4	6	14	24	10	48	79	154	260
FEMALE--	8,086	4	6	5	7	7	4	16	53	100	174	277
ALL OTHER--MALE----	1,495	2	-	1	3	3	6	3	10	13	43	77
FEMALE--	1,313	-	3	2	1	3	9	4	13	35	32	96
BLACK---MALE----	1,410	2	-	1	2	3	6	3	9	11	40	75
FEMALE--	1,233	-	3	2	1	2	9	4	12	35	32	84

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 427
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES (140-208)

KENTUCKY -----	489	727	1,004	1,276	1,472	1,321	1,021	667	237	54	12	-
WHITE-----MALE----	238	378	552	674	831	667	481	265	87	23	3	-
FEMALE--	216	308	372	501	552	568	463	370	138	27	7	-
ALL OTHER--MALE----	22	22	53	54	43	44	33	17	6	2	1	-
FEMALE--	13	19	27	47	46	42	44	15	6	2	1	-
BLACK---MALE----	21	21	52	53	41	42	32	17	6	2	1	-
FEMALE--	12	19	25	46	45	40	44	15	6	2	1	-
LOUISIANA -----	522	715	934	1,328	1,473	1,354	1,062	696	285	56	14	-
WHITE-----MALE----	189	279	388	535	596	555	408	219	88	8	1	-
FEMALE--	155	221	263	388	453	436	376	287	105	26	6	-
ALL OTHER--MALE----	95	131	171	236	241	210	149	91	52	13	4	-
FEMALE--	83	84	112	169	183	153	129	99	40	9	3	-
BLACK---MALE----	93	128	169	235	240	208	148	90	51	13	3	-
FEMALE--	83	82	109	167	181	152	126	99	40	9	3	-
MAINE -----	118	165	275	394	517	499	363	275	113	26	7	-
WHITE-----MALE----	53	97	152	219	286	268	181	130	45	5	2	-
FEMALE--	65	67	123	175	231	231	180	144	68	21	5	-
ALL OTHER--MALE----	-	1	-	-	-	-	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
MARYLAND -----	517	745	988	1,387	1,654	1,564	1,270	728	339	78	16	1
WHITE-----MALE----	177	267	403	576	710	639	512	272	117	16	3	-
FEMALE--	167	227	329	444	599	605	511	343	176	43	10	1
ALL OTHER--MALE----	97	142	170	220	192	188	133	52	19	9	1	-
FEMALE--	76	109	86	147	153	132	114	61	27	10	2	-
BLACK---MALE----	93	132	163	214	180	180	126	51	19	9	1	-
FEMALE--	74	98	80	142	144	127	111	59	27	9	2	-
MASSACHUSETTS -----	618	836	1,153	1,717	2,257	2,361	1,939	1,351	566	162	24	1
WHITE-----MALE----	282	416	597	881	1,186	1,162	904	545	230	51	6	-
FEMALE--	287	359	486	750	983	1,111	984	770	325	102	17	-
ALL OTHER--MALE----	27	33	39	44	52	44	21	12	1	3	-	1
FEMALE--	22	28	31	42	36	44	30	24	10	6	1	-
BLACK---MALE----	25	26	32	36	35	37	15	10	1	2	-	1
FEMALE--	16	22	23	33	27	35	22	19	9	6	1	-
MICHIGAN -----	972	1,304	1,908	2,743	3,224	3,099	2,474	1,443	620	159	19	-
WHITE-----MALE----	404	569	880	1,291	1,541	1,416	1,114	605	215	45	3	-
FEMALE--	372	506	717	1,042	1,252	1,290	1,095	696	346	103	14	-
ALL OTHER--MALE----	106	143	176	226	239	208	136	70	26	4	-	-
FEMALE--	90	86	135	184	192	185	129	72	33	7	2	-
BLACK---MALE----	98	131	164	213	225	203	128	67	25	4	-	-
FEMALE--	83	83	124	174	179	174	125	67	31	7	2	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 428
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
 CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
 MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES (140-208)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
MINNESOTA -----	8,846	4	4	12	6	9	13	29	56	102	183	289
WHITE-----MALE----	4,396	1	4	8	5	3	6	14	25	43	76	130
FEMALE--	4,205	1	-	4	1	5	5	10	29	50	95	147
ALL OTHER--MALE----	144	1	-	-	-	-	2	4	1	4	8	9
FEMALE--	101	1	-	-	-	1	-	1	1	5	4	3
BLACK---MALE----	80	-	-	-	-	-	2	3	1	2	3	5
FEMALE--	56	-	-	-	-	1	-	1	-	3	2	-
MISSISSIPPI -----	5,757	1	2	5	8	12	12	17	41	82	137	198
WHITE-----MALE----	2,147	-	-	1	1	5	1	4	11	14	36	54
FEMALE--	1,737	1	1	1	3	2	4	6	11	26	41	53
ALL OTHER--MALE----	1,065	-	-	1	2	-	6	4	8	19	28	45
FEMALE--	808	-	1	2	2	5	1	3	11	23	32	46
BLACK---MALE----	1,054	-	-	1	2	-	5	3	8	19	28	45
FEMALE--	805	-	1	2	2	5	1	3	11	23	32	46
MISSOURI -----	11,960	4	5	9	8	16	17	39	72	150	248	363
WHITE-----MALE----	5,681	2	4	5	5	8	8	19	29	69	102	140
FEMALE--	5,049	2	-	2	2	7	5	10	36	65	112	175
ALL OTHER--MALE----	615	-	-	1	1	1	3	6	4	9	15	22
FEMALE--	615	-	1	1	-	-	1	4	3	7	19	26
BLACK---MALE----	595	-	-	1	1	1	3	6	4	8	15	21
FEMALE--	589	-	1	1	-	-	1	3	3	7	17	25
MONTANA -----	1,768	1	-	-	6	1	4	5	8	13	20	52
WHITE-----MALE----	923	-	-	-	4	1	1	1	5	7	8	28
FEMALE--	780	1	-	-	1	-	2	4	2	6	12	22
ALL OTHER--MALE----	26	-	-	-	-	-	1	-	1	-	-	1
FEMALE--	39	-	-	-	1	-	-	-	-	-	-	1
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	1	-	-	-	-	-	-	-
NEBRASKA -----	3,326	-	2	3	6	7	9	12	18	19	56	92
WHITE-----MALE----	1,646	-	-	-	3	2	6	6	8	7	26	52
FEMALE--	1,555	-	-	2	2	2	3	6	6	9	26	34
ALL OTHER--MALE----	62	-	-	1	-	1	-	-	2	2	2	1
FEMALE--	63	-	2	-	1	2	-	-	2	1	2	5
BLACK---MALE----	53	-	-	1	-	-	-	-	2	2	2	1
FEMALE--	50	-	1	-	1	2	-	-	1	1	2	4
NEVADA -----	3,192	-	-	5	1	3	7	7	16	31	55	105
WHITE-----MALE----	1,667	-	-	3	-	2	5	2	5	16	21	47
FEMALE--	1,283	-	-	1	1	1	2	2	10	12	30	43
ALL OTHER--MALE----	128	-	-	1	-	-	-	1	1	-	-	5
FEMALE--	114	-	-	-	-	-	-	2	-	3	4	10
BLACK---MALE----	89	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	70	-	-	-	-	-	-	1	-	1	2	5

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 428
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES (140-208)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
MINNESOTA -----	381	555	729	1,077	1,356	1,370	1,297	830	417	111	16	-
WHITE-----MALE----	183	255	347	590	722	755	666	353	165	43	2	-
FEMALE--	179	279	356	451	601	585	610	467	249	67	14	-
ALL OTHER--MALE----	8	11	14	23	19	17	15	5	2	1	-	-
FEMALE--	11	10	12	13	14	13	6	5	1	-	-	-
BLACK---MALE----	6	7	8	12	10	9	7	2	2	1	-	-
FEMALE--	7	5	6	7	9	8	2	4	1	-	-	-
MISSISSIPPI -----	330	387	627	801	935	801	641	471	193	53	3	-
WHITE-----MALE----	109	157	246	330	412	324	236	151	46	9	-	-
FEMALE--	96	98	169	240	253	251	200	181	80	20	-	-
ALL OTHER--MALE----	75	78	129	129	158	142	122	75	33	11	-	-
FEMALE--	50	54	83	102	112	84	83	64	34	13	3	-
BLACK---MALE----	74	78	128	128	155	141	121	74	33	11	-	-
FEMALE--	50	54	82	101	112	84	82	64	34	13	3	-
MISSOURI -----	591	797	1,110	1,654	1,885	1,839	1,542	1,020	478	94	19	-
WHITE-----MALE----	266	380	556	858	949	944	716	421	172	25	3	-
FEMALE--	250	308	416	607	759	733	706	525	253	60	16	-
ALL OTHER--MALE----	35	58	75	98	87	84	57	29	24	6	-	-
FEMALE--	40	51	63	91	90	78	63	45	29	3	-	-
BLACK---MALE----	32	53	74	94	85	83	57	28	24	5	-	-
FEMALE--	36	48	60	90	85	75	61	45	29	2	-	-
MONTANA -----	82	90	184	248	253	313	248	169	58	10	3	-
WHITE-----MALE----	41	41	95	132	142	169	147	80	16	5	-	-
FEMALE--	34	44	78	108	100	133	97	88	40	5	3	-
ALL OTHER--MALE----	3	2	3	3	4	5	1	1	1	-	-	-
FEMALE--	4	3	8	5	7	6	3	-	1	-	-	-
BLACK---MALE----	-	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
NEBRASKA -----	144	180	282	400	540	542	485	326	153	43	7	-
WHITE-----MALE----	74	94	152	211	297	265	235	136	53	18	1	-
FEMALE--	67	75	115	179	219	262	239	183	96	24	6	-
ALL OTHER--MALE----	1	7	7	5	13	9	6	4	1	-	-	-
FEMALE--	2	4	8	5	11	6	5	3	3	1	-	-
BLACK---MALE----	1	6	5	5	11	7	5	4	1	-	-	-
FEMALE--	2	3	6	4	7	6	3	3	3	1	-	-
NEVADA -----	185	260	387	514	575	480	309	167	67	15	3	-
WHITE-----MALE----	84	132	213	285	308	258	178	78	28	2	-	-
FEMALE--	78	101	137	196	230	189	123	82	33	11	1	-
ALL OTHER--MALE----	12	15	25	19	20	20	2	4	2	-	1	-
FEMALE--	11	12	12	14	17	13	6	3	4	2	1	-
BLACK---MALE----	9	12	21	14	15	10	1	3	1	-	1	-
FEMALE--	8	8	10	10	10	7	3	2	2	1	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 430
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES (140-208)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
OHIO -----	25,326	4	22	17	25	26	33	68	129	279	491	865
WHITE-----MALE----	11,356	1	14	5	12	11	17	33	47	86	199	353
FEMALE--	11,024	3	7	7	9	14	11	25	53	149	219	379
ALL OTHER--MALE----	1,572	-	-	2	3	-	3	3	15	20	29	65
FEMALE--	1,374	-	1	3	1	1	2	7	14	24	44	68
BLACK---MALE----	1,543	-	-	2	3	-	3	3	15	20	29	64
FEMALE--	1,339	-	1	3	1	1	1	7	14	22	43	65
OKLAHOMA -----	7,128	-	2	6	8	5	10	24	47	68	163	225
WHITE-----MALE----	3,432	-	1	5	2	4	4	8	18	27	70	93
FEMALE--	2,988	-	1	1	4	-	3	11	20	31	65	103
ALL OTHER--MALE----	362	-	-	-	-	1	2	5	4	3	11	13
FEMALE--	346	-	-	-	2	-	1	-	5	7	17	16
BLACK---MALE----	222	-	-	-	-	1	-	4	3	2	8	10
FEMALE--	188	-	-	-	1	-	-	-	1	1	10	9
OREGON -----	6,711	-	4	3	1	14	13	22	39	68	122	213
WHITE-----MALE----	3,467	-	2	1	-	6	5	13	22	33	53	103
FEMALE--	3,053	-	1	1	1	7	6	9	16	32	68	97
ALL OTHER--MALE----	98	-	1	1	-	1	1	-	1	1	-	7
FEMALE--	93	-	-	-	-	-	1	-	-	2	1	6
BLACK---MALE----	44	-	-	-	-	-	1	-	-	-	-	3
FEMALE--	31	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	30,511	3	10	15	22	18	43	77	149	258	502	874
WHITE-----MALE----	14,185	3	4	7	10	8	19	41	61	93	189	361
FEMALE--	13,472	-	5	5	8	9	19	26	70	115	238	392
ALL OTHER--MALE----	1,569	-	-	3	2	-	4	5	10	22	30	59
FEMALE--	1,285	-	1	-	2	1	1	5	8	28	45	62
BLACK---MALE----	1,505	-	-	3	1	-	3	3	10	19	28	52
FEMALE--	1,243	-	1	-	2	-	1	4	7	25	44	62
RHODE ISLAND -----	2,516	-	-	2	3	-	6	10	16	23	31	82
WHITE-----MALE----	1,229	-	-	2	-	-	3	3	5	13	10	35
FEMALE--	1,205	-	-	-	2	-	3	4	9	8	17	42
ALL OTHER--MALE----	40	-	-	-	-	-	-	1	1	1	2	2
FEMALE--	42	-	-	-	1	-	-	2	1	1	2	3
BLACK---MALE----	25	-	-	-	-	-	-	-	1	1	1	1
FEMALE--	36	-	-	-	1	-	-	2	-	1	1	3
SOUTH CAROLINA -----	7,619	1	7	11	7	11	10	36	52	97	178	311
WHITE-----MALE----	2,885	-	4	8	2	3	4	12	13	25	48	77
FEMALE--	2,555	1	2	2	2	3	3	12	18	34	44	95
ALL OTHER--MALE----	1,231	-	1	-	2	3	1	6	6	12	40	88
FEMALE--	948	-	-	1	1	2	2	6	15	26	46	51
BLACK---MALE----	1,223	-	1	-	2	3	1	6	6	12	39	88
FEMALE--	936	-	-	1	1	2	2	6	15	25	44	51

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 430
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES (140-208)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
OHIO -----	1,167	1,603	2,340	3,549	4,348	4,017	3,228	1,971	887	222	35	-
WHITE-----MALE----	529	749	1,087	1,773	2,045	1,857	1,404	760	299	69	6	-
FEMALE--	484	642	925	1,337	1,772	1,772	1,544	1,017	512	118	25	-
ALL OTHER--MALE----	76	120	177	243	335	217	138	91	26	9	-	-
FEMALE--	78	92	151	196	196	171	142	103	50	26	4	-
BLACK---MALE----	74	116	172	240	331	213	135	89	25	9	-	-
FEMALE--	73	91	148	192	194	168	139	99	49	24	4	-
OKLAHOMA -----	341	496	703	990	1,127	1,087	895	579	260	77	8	7
WHITE-----MALE----	154	240	373	509	581	537	440	248	90	20	4	4
FEMALE--	151	197	257	384	435	459	376	293	142	51	2	2
ALL OTHER--MALE----	19	32	38	49	63	46	35	22	15	2	2	-
FEMALE--	17	27	35	48	48	45	44	16	13	4	-	1
BLACK---MALE----	8	22	22	27	36	34	20	15	6	2	2	-
FEMALE--	8	10	19	33	28	25	25	10	6	1	-	1
OREGON -----	302	453	572	838	1,105	1,084	980	577	243	46	12	-
WHITE-----MALE----	137	237	301	475	609	579	525	258	95	11	2	-
FEMALE--	146	201	252	335	464	482	442	309	140	35	9	-
ALL OTHER--MALE----	11	7	8	16	13	10	10	7	3	-	-	-
FEMALE--	8	8	11	12	19	13	3	3	5	-	1	-
BLACK---MALE----	2	4	3	5	7	4	7	5	3	-	-	-
FEMALE--	-	2	2	5	10	7	1	-	3	-	1	-
PENNSYLVANIA -----	1,198	1,874	2,559	4,170	5,280	5,216	4,296	2,523	1,094	293	37	-
WHITE-----MALE----	525	843	1,275	2,114	2,666	2,532	1,947	1,025	373	83	6	-
FEMALE--	511	767	963	1,620	2,171	2,272	2,070	1,338	658	189	26	-
ALL OTHER--MALE----	75	148	194	256	261	226	150	80	33	9	2	-
FEMALE--	87	116	127	180	182	186	129	80	30	12	3	-
BLACK---MALE----	70	140	187	252	255	221	144	74	33	8	2	-
FEMALE--	80	109	126	173	179	182	126	78	30	11	3	-
RHODE ISLAND -----	104	119	206	308	459	406	360	242	101	34	4	-
WHITE-----MALE----	45	59	104	179	240	201	174	108	35	12	1	-
FEMALE--	54	50	93	116	208	200	180	130	64	22	3	-
ALL OTHER--MALE----	4	4	7	9	4	3	1	1	-	-	-	-
FEMALE--	1	6	2	4	7	2	5	3	2	-	-	-
BLACK---MALE----	3	3	2	7	3	3	-	-	-	-	-	-
FEMALE--	1	6	1	3	6	2	4	3	2	-	-	-
SOUTH CAROLINA -----	398	611	830	1,052	1,291	1,159	803	486	218	42	8	-
WHITE-----MALE----	141	227	341	440	560	470	295	158	50	7	-	-
FEMALE--	129	186	252	321	417	390	291	218	107	26	2	-
ALL OTHER--MALE----	80	112	138	177	173	179	119	64	27	1	2	-
FEMALE--	48	86	99	114	141	120	98	46	34	8	4	-
BLACK---MALE----	80	110	137	177	172	177	118	64	27	1	2	-
FEMALE--	48	84	98	113	138	119	98	45	34	8	4	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 431
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES (140-208)												
SOUTH DAKOTA -----	1,541	-	4	1	3	1	2	6	5	13	20	43
WHITE-----MALE----	804	-	2	-	2	-	2	3	2	4	10	19
FEMALE--	668	-	1	1	1	-	-	3	3	7	10	21
ALL OTHER--MALE----	40	-	1	-	-	1	-	-	-	-	-	2
FEMALE--	29	-	-	-	-	-	-	-	-	2	-	1
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	11,617	1	8	10	9	9	16	41	67	160	246	422
WHITE-----MALE----	5,326	-	5	8	2	7	10	20	18	58	95	165
FEMALE--	4,534	1	3	1	4	1	2	13	37	60	91	176
ALL OTHER--MALE----	968	-	-	-	1	-	2	4	3	14	27	45
FEMALE--	789	-	-	1	2	1	2	4	9	28	33	36
BLACK---MALE----	960	-	-	-	1	-	2	4	3	13	27	44
FEMALE--	771	-	-	1	2	1	2	4	8	28	30	32
TEXAS -----	32,007	7	52	47	38	63	76	110	239	443	765	1,244
WHITE-----MALE----	14,723	3	37	19	18	27	32	57	70	160	277	497
FEMALE--	13,031	3	12	20	16	27	27	35	116	185	322	522
ALL OTHER--MALE----	2,312	1	1	6	1	5	11	5	19	44	65	117
FEMALE--	1,941	-	2	2	3	4	6	13	34	54	101	108
BLACK---MALE----	2,211	1	1	6	1	5	10	5	17	38	59	108
FEMALE--	1,805	-	2	2	2	4	5	12	32	48	91	98
UTAH -----	2,105	-	3	4	6	10	13	18	22	28	53	82
WHITE-----MALE----	1,086	-	3	1	2	5	12	8	10	9	26	37
FEMALE--	961	-	-	3	4	5	1	9	12	17	26	39
ALL OTHER--MALE----	31	-	-	-	-	-	-	1	-	2	1	-
FEMALE--	27	-	-	-	-	-	-	-	-	-	-	6
BLACK---MALE----	10	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	1
VERMONT -----	1,207	-	-	1	1	1	-	4	13	16	26	38
WHITE-----MALE----	631	-	-	1	-	1	-	3	7	7	9	21
FEMALE--	572	-	-	-	1	-	-	1	6	9	17	17
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	12,710	1	14	13	10	20	28	46	62	147	272	461
WHITE-----MALE----	5,054	-	6	4	5	5	11	19	22	33	87	138
FEMALE--	4,770	1	5	6	2	7	7	11	20	72	100	178
ALL OTHER--MALE----	1,584	-	3	3	3	7	4	8	6	16	37	75
FEMALE--	1,302	-	-	-	-	1	6	8	14	26	48	70
BLACK---MALE----	1,504	-	3	3	3	7	4	6	5	14	32	69
FEMALE--	1,223	-	-	-	-	1	6	6	13	24	42	57

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES (140-208)												
SOUTH DAKOTA -----	63	88	135	185	257	261	207	156	64	24	3	-
WHITE-----MALE----	29	49	63	100	155	138	102	88	30	5	1	-
FEMALE--	26	34	60	77	89	112	104	64	34	19	2	-
ALL OTHER--MALE----	3	4	7	7	7	5	-	3	-	-	-	-
FEMALE--	5	1	5	1	6	6	1	1	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	636	918	1,216	1,637	1,878	1,777	1,322	774	378	75	16	1
WHITE-----MALE----	287	455	594	829	945	829	569	290	114	23	3	-
FEMALE--	245	315	418	589	665	724	569	372	207	34	7	-
ALL OTHER--MALE----	57	87	120	140	137	125	104	65	26	6	4	1
FEMALE--	47	61	84	79	131	99	80	47	31	12	2	-
BLACK---MALE----	56	86	119	138	137	124	104	65	26	6	4	1
FEMALE--	47	59	81	79	129	96	80	47	31	12	2	-
TEXAS -----	1,700	2,215	3,253	4,428	5,163	4,679	3,724	2,449	1,011	270	28	3
WHITE-----MALE----	743	1,038	1,575	2,202	2,598	2,246	1,711	996	338	71	6	2
FEMALE--	681	814	1,202	1,609	1,961	1,928	1,623	1,199	564	149	16	-
ALL OTHER--MALE----	157	206	269	371	344	285	201	129	46	26	2	1
FEMALE--	119	157	207	246	260	220	189	125	63	24	4	-
BLACK---MALE----	146	195	262	358	333	275	194	125	43	26	2	1
FEMALE--	108	143	189	226	241	213	180	121	62	22	4	-
UTAH -----	90	133	206	248	315	315	289	171	81	18	-	-
WHITE-----MALE----	40	56	101	131	162	165	172	95	43	8	-	-
FEMALE--	44	73	98	113	145	140	112	73	37	10	-	-
ALL OTHER--MALE----	2	2	4	3	4	6	3	2	1	-	-	-
FEMALE--	4	2	3	1	4	4	2	1	-	-	-	-
BLACK---MALE----	-	2	-	-	3	-	1	1	1	-	-	-
FEMALE--	-	-	1	-	1	1	-	-	-	-	-	-
VERMONT -----	52	72	109	144	201	178	166	118	53	13	1	-
WHITE-----MALE----	25	39	59	85	109	107	82	54	18	4	-	-
FEMALE--	26	32	49	59	92	71	83	64	35	9	1	-
ALL OTHER--MALE----	1	1	1	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	724	935	1,291	1,771	2,206	1,862	1,465	896	377	89	18	2
WHITE-----MALE----	273	364	521	769	953	806	583	324	102	24	4	1
FEMALE--	284	335	459	588	760	695	586	390	212	44	8	-
ALL OTHER--MALE----	93	126	183	230	286	209	162	94	26	10	2	1
FEMALE--	74	110	128	184	207	152	134	88	37	11	4	-
BLACK---MALE----	87	119	176	221	272	199	155	91	25	10	2	1
FEMALE--	67	101	121	174	201	147	129	82	37	11	4	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 432
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES (140-208)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
WASHINGTON -----	508	647	900	1,233	1,577	1,629	1,423	863	356	81	15	-
WHITE-----MALE----	227	306	463	648	788	820	727	378	144	30	4	-
FEMALE--	243	290	377	521	705	731	646	459	201	49	10	-
ALL OTHER--MALE----	23	23	31	36	46	43	28	18	6	2	1	-
FEMALE--	15	28	29	28	38	35	22	8	5	-	-	-
BLACK---MALE----	15	7	15	19	23	21	16	4	1	1	-	-
FEMALE--	5	13	9	10	15	14	4	5	1	-	-	-
WEST VIRGINIA -----	219	285	410	718	833	726	609	359	137	35	8	-
WHITE-----MALE----	107	135	209	384	435	358	309	143	46	12	4	-
FEMALE--	101	138	190	314	360	343	285	198	83	21	4	-
ALL OTHER--MALE----	7	10	2	11	23	16	9	9	5	1	-	-
FEMALE--	4	2	9	9	15	9	6	9	3	1	-	-
BLACK---MALE----	7	10	2	10	23	16	9	9	5	1	-	-
FEMALE--	3	-	9	9	15	8	5	9	3	1	-	-
WISCONSIN -----	460	644	963	1,322	1,653	1,659	1,468	943	446	145	15	-
WHITE-----MALE----	219	323	528	704	900	870	714	432	172	46	6	-
FEMALE--	200	275	374	531	691	740	728	494	269	94	9	-
ALL OTHER--MALE----	16	28	37	55	35	29	15	10	1	1	-	-
FEMALE--	25	18	24	32	27	20	11	7	4	4	-	-
BLACK---MALE----	14	26	28	46	30	24	12	6	1	-	-	-
FEMALE--	24	15	20	27	17	18	8	5	3	3	-	-
WYOMING -----	39	40	78	124	162	141	111	72	34	4	-	-
WHITE-----MALE----	26	23	39	69	84	74	60	32	9	1	-	-
FEMALE--	12	16	37	55	76	66	49	40	23	3	-	-
ALL OTHER--MALE----	1	1	2	-	2	1	-	-	2	-	-	-
FEMALE--	-	-	-	-	-	-	2	-	-	-	-	-
BLACK---MALE----	1	1	1	-	1	1	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 433
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 0 MALIGNANT NEOPLASMS OF LIP, ORAL CAVITY, AND PHARYNX (140-149)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 UNITED STATES --	546	795	965	1,141	1,126	950	728	439	238	66	14	1
WHITE-----MALE----	298	431	567	678	643	503	347	171	94	24	2	1
FEMALE--	87	147	212	281	321	343	326	240	129	36	11	-
ALL OTHER--MALE----	130	165	140	147	118	67	31	17	6	3	-	-
FEMALE--	31	52	46	35	44	37	24	11	9	3	1	-
BLACK---MALE----	122	148	119	135	96	61	24	15	4	1	-	-
FEMALE--	25	44	38	30	40	24	16	9	8	3	1	-
ALABAMA -----	11	20	18	20	23	14	13	6	8	4	-	-
WHITE-----MALE----	3	4	8	10	11	9	7	2	2	-	-	-
FEMALE--	2	3	2	4	5	3	4	3	5	4	-	-
ALL OTHER--MALE----	4	11	7	6	6	1	2	1	-	-	-	-
FEMALE--	2	2	1	-	1	1	-	-	1	-	-	-
BLACK---MALE----	4	10	7	6	6	1	2	1	-	-	-	-
FEMALE--	2	2	1	-	1	1	-	-	1	-	-	-
ALASKA -----	-	1	1	3	1	-	2	-	-	-	-	-
WHITE-----MALE----	-	1	1	2	1	-	2	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	11	9	14	16	16	21	12	10	2	-	-	-
WHITE-----MALE----	9	7	12	9	11	13	4	6	2	-	-	-
FEMALE--	2	2	1	7	5	8	8	4	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	7	12	10	6	9	5	10	3	2	-	1	-
WHITE-----MALE----	2	8	8	3	6	4	3	-	1	-	-	-
FEMALE--	3	2	-	3	2	-	7	3	1	-	1	-
ALL OTHER--MALE----	1	1	2	-	1	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	1	1	2	-	1	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	1	-	-	-	-	-	-
CALIFORNIA -----	42	91	93	107	153	94	78	53	23	6	2	-
WHITE-----MALE----	19	57	45	68	89	46	44	22	10	3	-	-
FEMALE--	9	16	28	25	47	32	25	26	11	1	2	-
ALL OTHER--MALE----	10	11	16	11	13	8	7	4	1	2	-	-
FEMALE--	4	7	4	3	4	8	2	1	1	-	-	-
BLACK---MALE----	6	6	6	9	7	5	5	2	-	1	-	-
FEMALE--	1	3	1	1	2	2	-	-	1	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 434
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
 CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
 0 MALIGNANT NEOPLASMS OF LIP, ORAL CAVITY, AND PHARYNX (140-149)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
COLORADO -----	79	-	-	-	-	-	-	-	-	2	2	8
WHITE-----MALE----	52	-	-	-	-	-	-	-	-	1	1	7
FEMALE--	25	-	-	-	-	-	-	-	-	1	1	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	95	-	-	-	-	-	-	-	-	-	2	2
WHITE-----MALE----	53	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	33	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	9	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	9	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	25	-	-	-	-	-	-	-	-	-	1	2
WHITE-----MALE----	14	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	5	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	26	-	-	-	-	-	-	-	-	-	3	3
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	16	-	-	-	-	-	-	-	-	-	3	3
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	16	-	-	-	-	-	-	-	-	-	3	3
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	658	-	-	-	-	-	1	3	2	8	14	45
WHITE-----MALE----	387	-	-	-	-	-	1	1	2	5	6	24
FEMALE--	192	-	-	-	-	-	-	1	-	1	3	10
ALL OTHER--MALE----	58	-	-	-	-	-	-	1	-	1	4	5
FEMALE--	21	-	-	-	-	-	-	-	-	1	1	6
BLACK---MALE----	56	-	-	-	-	-	-	1	-	1	4	5
FEMALE--	21	-	-	-	-	-	-	-	-	1	1	6
GEORGIA -----	204	-	-	-	-	-	-	1	2	3	7	12
WHITE-----MALE----	101	-	-	-	-	-	-	-	-	1	4	5
FEMALE--	46	-	-	-	-	-	-	1	1	1	-	1
ALL OTHER--MALE----	40	-	-	-	-	-	-	-	1	-	1	6
FEMALE--	17	-	-	-	-	-	-	-	-	1	2	-
BLACK---MALE----	40	-	-	-	-	-	-	-	1	-	1	6
FEMALE--	17	-	-	-	-	-	-	-	-	1	2	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 434
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 0 MALIGNANT NEOPLASMS OF LIP, ORAL CAVITY, AND PHARYNX (140-149)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
COLORADO -----	6	10	6	7	16	9	6	5	-	2	-	-
WHITE-----MALE----	4	7	4	5	11	6	4	2	-	-	-	-
FEMALE--	1	2	2	2	5	3	2	3	-	2	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	6	11	17	13	23	8	7	-	5	1	-	-
WHITE-----MALE----	6	5	9	9	12	5	2	-	2	1	-	-
FEMALE--	-	1	7	3	10	3	5	-	3	-	-	-
ALL OTHER--MALE----	-	5	1	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	5	1	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	2	1	2	8	5	1	1	2	-	-	-	-
WHITE-----MALE----	2	1	-	6	2	1	-	-	-	-	-	-
FEMALE--	-	-	-	2	1	-	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	2	-	-	1	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	2	-	-	1	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	1	2	6	2	1	5	3	-	-	-	-	-
WHITE-----MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	2	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	1	-	3	2	-	2	2	-	-	-	-	-
FEMALE--	-	1	1	-	1	3	-	-	-	-	-	-
BLACK---MALE----	1	-	3	2	-	2	2	-	-	-	-	-
FEMALE--	-	-	1	-	1	3	-	-	-	-	-	-
FLORIDA -----	34	64	94	109	79	89	58	34	18	6	-	-
WHITE-----MALE----	21	41	66	67	50	50	30	14	6	3	-	-
FEMALE--	1	9	19	33	24	36	25	16	11	3	-	-
ALL OTHER--MALE----	9	10	7	9	3	3	3	2	1	-	-	-
FEMALE--	3	4	2	-	2	-	-	2	-	-	-	-
BLACK---MALE----	9	9	7	8	3	3	3	2	1	-	-	-
FEMALE--	3	4	2	-	2	-	-	2	-	-	-	-
GEORGIA -----	20	27	32	27	29	17	18	5	2	-	2	-
WHITE-----MALE----	10	12	15	16	18	12	6	2	-	-	-	-
FEMALE--	5	3	3	5	5	5	9	3	2	-	2	-
ALL OTHER--MALE----	5	7	10	6	3	-	1	-	-	-	-	-
FEMALE--	-	5	4	-	3	-	2	-	-	-	-	-
BLACK---MALE----	5	7	10	6	3	-	1	-	-	-	-	-
FEMALE--	-	5	4	-	3	-	2	-	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 435
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 MALIGNANT NEOPLASMS OF LIP, ORAL CAVITY, AND PHARYNX (140-149)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
HAWAII -----	1	1	6	6	9	5	10	1	1	1	-	-
WHITE-----MALE----	-	1	1	-	3	-	2	1	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	4	5	6	2	4	-	-	1	-	-
FEMALE--	-	-	1	-	-	3	4	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	4	-	9	5	6	3	5	3	2	1	-	-
WHITE-----MALE----	2	-	6	4	5	2	3	1	1	-	-	-
FEMALE--	2	-	3	1	1	1	2	2	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	33	42	47	55	44	46	32	22	12	3	1	-
WHITE-----MALE----	19	19	28	39	26	28	19	7	7	-	1	-
FEMALE--	6	7	13	6	13	15	10	14	4	2	-	-
ALL OTHER--MALE----	7	12	5	9	4	2	2	-	-	-	-	-
FEMALE--	1	4	1	1	1	1	1	1	1	1	-	-
BLACK---MALE----	7	11	5	8	4	2	1	-	-	-	-	-
FEMALE--	1	4	1	1	1	1	1	1	1	1	-	-
INDIANA -----	8	16	21	19	22	22	13	9	6	-	2	-
WHITE-----MALE----	6	10	16	13	18	11	3	3	2	-	1	-
FEMALE--	1	1	4	6	4	7	10	5	4	-	1	-
ALL OTHER--MALE----	1	4	-	-	-	4	-	1	-	-	-	-
FEMALE--	-	1	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	4	-	-	-	4	-	1	-	-	-	-
FEMALE--	-	1	1	-	-	-	-	-	-	-	-	-
IOWA -----	3	2	12	19	7	15	10	6	5	2	-	-
WHITE-----MALE----	2	2	8	14	5	9	5	2	2	1	-	-
FEMALE--	1	-	4	5	2	5	5	4	3	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS -----	7	9	7	11	9	9	4	8	5	3	-	-
WHITE-----MALE----	5	4	6	7	2	4	4	4	1	1	-	-
FEMALE--	1	3	-	4	4	4	-	4	4	2	-	-
ALL OTHER--MALE----	1	2	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	1	-	2	-	-	-	-	-	-	-
BLACK---MALE----	1	2	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	1	-	2	-	-	-	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 436
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 MALIGNANT NEOPLASMS OF LIP, ORAL CAVITY, AND PHARYNX (140-149)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
KENTUCKY -----	8	19	16	18	19	9	8	3	2	2	-	-
WHITE-----MALE----	3	13	7	12	10	7	2	-	-	-	-	-
FEMALE--	3	4	4	4	8	1	6	3	2	2	-	-
ALL OTHER--MALE----	2	2	5	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	1	-	-	-	-	-	-
BLACK---MALE----	2	1	5	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	1	-	-	-	-	-	-
LOUISIANA -----	11	25	16	22	21	20	8	11	6	-	1	-
WHITE-----MALE----	4	12	8	10	9	9	4	5	4	-	-	-
FEMALE--	2	7	1	3	3	7	3	4	1	-	1	-
ALL OTHER--MALE----	4	4	6	8	7	1	-	1	1	-	-	-
FEMALE--	1	2	1	1	2	3	1	1	-	-	-	-
BLACK---MALE----	4	4	6	8	7	1	-	1	1	-	-	-
FEMALE--	1	1	1	1	2	3	1	1	-	-	-	-
MAINE -----	2	6	4	4	7	3	2	3	2	-	-	-
WHITE-----MALE----	1	3	2	4	5	2	1	2	-	-	-	-
FEMALE--	1	2	2	-	2	1	1	1	2	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	6	27	21	31	15	15	14	11	8	2	-	-
WHITE-----MALE----	3	9	10	17	7	6	5	4	3	2	-	-
FEMALE--	-	5	6	4	3	4	7	6	4	-	-	-
ALL OTHER--MALE----	3	10	2	8	3	5	1	-	-	-	-	-
FEMALE--	-	3	3	2	2	-	1	1	1	-	-	-
BLACK---MALE----	3	10	2	8	3	5	1	-	-	-	-	-
FEMALE--	-	3	2	2	2	-	1	1	1	-	-	-
MASSACHUSETTS -----	12	19	19	19	25	23	17	14	7	-	-	-
WHITE-----MALE----	8	12	12	13	12	14	6	7	3	-	-	-
FEMALE--	2	4	6	3	10	9	11	7	3	-	-	-
ALL OTHER--MALE----	1	3	1	1	2	-	-	-	-	-	-	-
FEMALE--	1	-	-	2	1	-	-	-	1	-	-	-
BLACK---MALE----	1	3	1	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	-	-	1	-	-	-
MICHIGAN -----	16	26	40	47	39	39	28	9	10	1	-	-
WHITE-----MALE----	7	11	21	30	19	17	13	3	4	-	-	-
FEMALE--	2	6	12	7	14	15	15	6	5	1	-	-
ALL OTHER--MALE----	4	7	6	8	6	7	-	-	-	-	-	-
FEMALE--	3	2	1	2	-	-	-	-	1	-	-	-
BLACK---MALE----	4	6	4	8	5	7	-	-	-	-	-	-
FEMALE--	3	2	-	2	-	-	-	-	1	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 437
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 0 MALIGNANT NEOPLASMS OF LIP, ORAL CAVITY, AND PHARYNX (140-149)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
MINNESOTA -----	6	7	8	17	17	13	13	8	2	-	-	-
WHITE-----MALE----	4	4	7	12	11	7	6	4	2	-	-	-
FEMALE--	2	3	1	5	5	6	7	4	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI -----	12	9	15	10	14	10	8	4	1	-	-	-
WHITE-----MALE----	8	4	8	8	7	6	3	2	-	-	-	-
FEMALE--	-	2	1	2	1	3	3	1	-	-	-	-
ALL OTHER--MALE----	3	3	5	-	5	1	1	1	-	-	-	-
FEMALE--	1	-	1	-	1	-	1	-	1	-	-	-
BLACK---MALE----	3	3	5	-	4	1	1	1	-	-	-	-
FEMALE--	1	-	1	-	1	-	1	-	1	-	-	-
MISSOURI -----	7	16	23	16	26	17	12	13	8	1	-	-
WHITE-----MALE----	3	8	11	8	14	11	7	7	5	1	-	-
FEMALE--	-	4	8	6	6	6	5	6	2	-	-	-
ALL OTHER--MALE----	3	3	2	1	4	-	-	-	1	-	-	-
FEMALE--	1	1	2	1	2	-	-	-	2	-	-	-
BLACK---MALE----	3	3	2	1	4	-	-	-	1	-	-	-
FEMALE--	1	1	2	1	2	-	-	-	-	-	-	-
MONTANA -----	2	3	8	6	3	2	7	-	-	-	-	-
WHITE-----MALE----	2	-	5	2	3	2	3	-	-	-	-	-
FEMALE--	-	3	3	4	-	-	4	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	-	7	4	7	5	4	6	1	1	-	-	-
WHITE-----MALE----	-	7	4	1	3	3	6	-	1	-	-	-
FEMALE--	-	-	-	6	2	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA -----	7	3	4	10	5	4	3	2	1	-	-	-
WHITE-----MALE----	5	3	4	7	3	1	3	-	1	-	-	-
FEMALE--	1	-	-	3	2	2	-	2	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 439
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
 CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
 0 MALIGNANT NEOPLASMS OF LIP, ORAL CAVITY, AND PHARYNX (140-149)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
OHIO -----	304	-	-	-	-	1	1	-	4	5	7	16
WHITE-----MALE----	163	-	-	-	-	1	-	-	-	2	4	12
FEMALE--	87	-	-	-	-	-	1	-	-	2	-	1
ALL OTHER--MALE----	40	-	-	-	-	-	-	-	3	1	3	3
FEMALE--	14	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	39	-	-	-	-	-	-	-	3	1	3	3
FEMALE--	12	-	-	-	-	-	-	-	1	-	-	-
OKLAHOMA -----	81	-	-	-	1	-	-	-	1	-	1	2
WHITE-----MALE----	48	-	-	-	-	-	-	-	1	-	1	-
FEMALE--	26	-	-	-	1	-	-	-	-	-	-	1
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	79	-	-	-	-	-	1	-	-	2	1	2
WHITE-----MALE----	46	-	-	-	-	-	1	-	-	2	-	1
FEMALE--	31	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	326	-	-	-	-	-	1	-	4	4	7	15
WHITE-----MALE----	189	-	-	-	-	-	-	-	1	2	5	9
FEMALE--	92	-	-	-	-	-	1	-	2	-	1	3
ALL OTHER--MALE----	33	-	-	-	-	-	-	-	1	1	1	1
FEMALE--	12	-	-	-	-	-	-	-	-	1	-	2
BLACK---MALE----	32	-	-	-	-	-	-	-	1	-	1	1
FEMALE--	12	-	-	-	-	-	-	-	-	1	-	2
RHODE ISLAND -----	28	-	-	-	-	-	-	-	-	-	-	1
WHITE-----MALE----	16	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	12	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	154	-	-	-	-	-	-	-	4	2	9	6
WHITE-----MALE----	59	-	-	-	-	-	-	-	1	1	1	1
FEMALE--	35	-	-	-	-	-	-	-	2	-	1	-
ALL OTHER--MALE----	46	-	-	-	-	-	-	-	-	1	5	5
FEMALE--	14	-	-	-	-	-	-	-	1	-	2	-
BLACK---MALE----	46	-	-	-	-	-	-	-	-	1	5	5
FEMALE--	14	-	-	-	-	-	-	-	1	-	2	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 439
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 MALIGNANT NEOPLASMS OF LIP, ORAL CAVITY, AND PHARYNX (140-149)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
OHIO -----	20	27	36	43	48	38	23	14	18	2	1	-
WHITE-----MALE----	12	18	24	24	23	18	12	6	7	-	-	-
FEMALE--	3	4	8	9	16	17	8	7	9	1	1	-
ALL OTHER--MALE----	3	3	4	6	7	2	3	-	2	-	-	-
FEMALE--	2	2	-	4	2	1	-	1	-	1	-	-
BLACK---MALE----	3	3	4	6	7	2	3	-	1	-	-	-
FEMALE--	2	2	-	4	2	-	-	-	-	1	-	-
OKLAHOMA -----	12	4	8	14	18	7	9	1	2	-	-	1
WHITE-----MALE----	9	3	5	11	9	3	4	1	-	-	-	1
FEMALE--	-	1	2	3	8	3	5	-	2	-	-	-
ALL OTHER--MALE----	2	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	1	-	-	-	-	-	-
BLACK---MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
OREGON -----	6	7	5	13	8	11	16	5	1	1	-	-
WHITE-----MALE----	5	5	2	6	6	9	7	2	-	-	-	-
FEMALE--	1	2	3	6	2	2	9	3	1	1	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	18	29	28	48	42	50	44	24	10	2	-	-
WHITE-----MALE----	9	17	17	27	28	30	27	10	6	1	-	-
FEMALE--	2	6	6	12	8	17	15	14	4	1	-	-
ALL OTHER--MALE----	7	4	4	7	4	2	1	-	-	-	-	-
FEMALE--	-	2	1	2	2	1	1	-	-	-	-	-
BLACK---MALE----	7	4	4	7	4	2	1	-	-	-	-	-
FEMALE--	-	2	1	2	2	1	1	-	-	-	-	-
RHODE ISLAND -----	2	1	4	1	4	4	4	5	-	2	-	-
WHITE-----MALE----	2	1	3	-	3	2	-	3	-	1	-	-
FEMALE--	-	-	1	1	1	2	4	2	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	5	16	19	26	23	16	10	10	5	2	1	-
WHITE-----MALE----	3	3	11	11	11	7	2	4	2	1	-	-
FEMALE--	1	2	2	5	3	6	5	4	3	1	-	-
ALL OTHER--MALE----	1	9	5	9	7	3	-	1	-	-	-	-
FEMALE--	-	2	1	1	2	-	3	1	-	-	1	-
BLACK---MALE----	1	9	5	9	7	3	-	1	-	-	-	-
FEMALE--	-	2	1	1	2	-	3	1	-	-	1	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 440
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 0 MALIGNANT NEOPLASMS OF LIP, ORAL CAVITY, AND PHARYNX (140-149)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
SOUTH DAKOTA -----	1	1	5	3	4	4	2	-	2	-	-	-
WHITE-----MALE----	1	1	2	1	2	3	1	-	-	-	-	-
FEMALE--	-	-	3	2	1	1	1	-	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	22	21	23	28	22	19	16	19	9	1	-	-
WHITE-----MALE----	11	11	14	18	11	12	8	3	3	-	-	-
FEMALE--	1	5	1	3	7	7	7	15	6	-	-	-
ALL OTHER--MALE----	8	3	5	7	4	-	1	-	-	-	-	-
FEMALE--	2	2	3	-	-	-	-	1	-	1	-	-
BLACK---MALE----	8	3	5	7	4	-	1	-	-	-	-	-
FEMALE--	2	2	3	-	-	-	-	1	-	1	-	-
TEXAS -----	42	46	68	82	74	70	43	34	8	3	-	-
WHITE-----MALE----	22	28	44	48	45	34	19	14	2	1	-	-
FEMALE--	10	9	12	22	19	30	23	18	6	2	-	-
ALL OTHER--MALE----	8	8	7	11	9	5	-	1	-	-	-	-
FEMALE--	2	1	5	1	1	1	1	1	-	-	-	-
BLACK---MALE----	8	8	7	11	7	5	-	1	-	-	-	-
FEMALE--	2	1	3	1	1	1	1	1	-	-	-	-
UTAH -----	2	2	1	2	2	3	2	-	1	-	-	-
WHITE-----MALE----	2	1	-	1	1	3	1	-	-	-	-	-
FEMALE--	-	-	1	1	1	-	1	-	1	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	3	1	5	1	1	1	-	-	-	-
WHITE-----MALE----	-	-	2	1	4	-	1	-	-	-	-	-
FEMALE--	-	-	1	-	1	1	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	17	14	20	24	27	22	13	6	7	1	-	-
WHITE-----MALE----	8	8	14	15	15	6	10	1	1	1	-	-
FEMALE--	2	-	4	4	4	10	2	2	5	-	-	-
ALL OTHER--MALE----	5	3	1	4	5	5	-	2	-	-	-	-
FEMALE--	2	3	1	1	3	1	1	1	1	-	-	-
BLACK---MALE----	5	3	1	4	5	5	-	2	-	-	-	-
FEMALE--	2	2	1	1	3	1	1	1	1	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 451
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OF TONGUE (141)												
0 UNITED STATES --	125	170	233	267	234	213	144	94	35	7	1	-
WHITE-----MALE----	75	97	136	156	135	112	63	32	11	2	-	-
FEMALE--	20	35	54	72	69	79	73	55	20	5	1	-
ALL OTHER--MALE----	22	27	30	27	22	12	5	5	1	-	-	-
FEMALE--	8	11	13	12	8	10	3	2	3	-	-	-
BLACK---MALE----	22	27	26	25	19	10	4	5	1	-	-	-
FEMALE--	5	10	11	9	7	6	3	2	3	-	-	-
ALABAMA -----	2	3	2	1	4	1	1	-	1	1	-	-
WHITE-----MALE----	1	-	1	1	2	1	1	-	1	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	1	2	1	-	2	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	2	1	-	2	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA -----	-	-	1	2	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	1	5	2	7	2	10	1	4	-	-	-	-
WHITE-----MALE----	1	4	2	4	1	7	-	1	-	-	-	-
FEMALE--	-	1	-	3	1	3	1	3	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	1	3	2	-	1	1	3	-	-	-	-	-
WHITE-----MALE----	-	3	1	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	2	-	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	12	22	21	33	36	18	19	12	5	-	-	-
WHITE-----MALE----	7	19	10	20	24	8	11	4	1	-	-	-
FEMALE--	1	2	6	9	9	5	6	8	4	-	-	-
ALL OTHER--MALE----	2	-	4	3	2	2	2	-	-	-	-	-
FEMALE--	2	1	1	1	1	3	-	-	-	-	-	-
BLACK---MALE----	2	-	3	2	1	1	1	-	-	-	-	-
FEMALE--	-	1	-	-	-	1	-	-	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 452
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 OF TONGUE (141)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
COLORADO -----	1	3	-	1	7	1	-	1	-	-	-	-
WHITE-----MALE----	1	3	-	-	4	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	3	1	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	2	1	4	1	6	3	2	-	-	-	-	-
WHITE-----MALE----	2	1	2	-	2	1	2	-	-	-	-	-
FEMALE--	-	-	2	1	4	2	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	1	-	-	3	2	-	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	3	2	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	-	-	1	-	1	2	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	2	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	2	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
FLORIDA -----	10	13	27	24	15	18	14	3	1	-	-	-
WHITE-----MALE----	8	10	18	16	5	7	5	2	-	-	-	-
FEMALE--	1	2	6	7	7	11	8	1	1	-	-	-
ALL OTHER--MALE----	1	1	2	1	2	-	1	-	-	-	-	-
FEMALE--	-	-	1	-	1	-	-	-	-	-	-	-
BLACK---MALE----	1	1	2	-	2	-	1	-	-	-	-	-
FEMALE--	-	-	1	-	1	-	-	-	-	-	-	-
GEORGIA -----	1	3	7	6	9	9	7	-	1	-	-	-
WHITE-----MALE----	1	2	5	4	5	7	2	-	-	-	-	-
FEMALE--	-	1	1	1	2	2	3	-	1	-	-	-
ALL OTHER--MALE----	-	-	1	1	2	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	1	1	2	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 457
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 OF TONGUE (141)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
OHIO -----	6	6	8	8	7	11	6	4	2	-	-	-
WHITE-----MALE----	4	6	6	5	3	4	4	2	-	-	-	-
FEMALE--	1	-	2	1	3	6	1	2	2	-	-	-
ALL OTHER--MALE----	1	-	-	1	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	-	-	-	-	-	-
BLACK---MALE----	1	-	-	1	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
OKLAHOMA -----	3	1	5	1	3	-	-	-	-	-	-	-
WHITE-----MALE----	2	-	3	-	1	-	-	-	-	-	-	-
FEMALE--	-	1	1	1	2	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	2	1	3	2	4	2	4	2	1	-	-	-
WHITE-----MALE----	2	1	1	1	3	1	1	1	-	-	-	-
FEMALE--	-	-	2	1	1	1	3	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	9	6	7	10	9	13	6	6	-	-	-	-
WHITE-----MALE----	5	3	3	5	7	6	4	1	-	-	-	-
FEMALE--	1	2	2	2	1	6	2	5	-	-	-	-
ALL OTHER--MALE----	3	-	1	3	1	1	-	-	-	-	-	-
FEMALE--	-	1	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	1	3	1	1	-	-	-	-	-	-
FEMALE--	-	1	1	-	-	-	-	-	-	-	-	-
RHODE ISLAND -----	1	-	1	-	-	1	-	2	-	1	-	-
WHITE-----MALE----	1	-	1	-	-	1	-	1	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	-	4	5	4	3	2	3	1	1	-	-	-
WHITE-----MALE----	-	1	2	1	2	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	1	-	1	-	-	-
ALL OTHER--MALE----	-	3	2	2	1	-	-	1	-	-	-	-
FEMALE--	-	-	1	-	-	-	2	-	-	-	-	-
BLACK---MALE----	-	3	2	2	1	-	-	1	-	-	-	-
FEMALE--	-	-	1	-	-	-	2	-	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 458
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 0 OF TONGUE (141)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
SOUTH DAKOTA -----	-	-	-	1	-	-	-	-	2	-	-	-
WHITE-----MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	6	5	7	4	6	4	5	1	2	-	-	-
WHITE-----MALE----	5	2	4	2	3	3	3	-	2	-	-	-
FEMALE--	-	2	-	2	2	1	2	1	-	-	-	-
ALL OTHER--MALE----	1	1	3	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	1	3	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS -----	9	9	21	14	19	14	8	6	3	-	-	-
WHITE-----MALE----	3	6	15	6	10	6	2	-	-	-	-	-
FEMALE--	3	2	5	5	6	8	6	5	3	-	-	-
ALL OTHER--MALE----	2	1	1	2	3	-	-	1	-	-	-	-
FEMALE--	1	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	2	1	1	2	3	-	-	1	-	-	-	-
FEMALE--	1	-	-	1	-	-	-	-	-	-	-	-
UTAH -----	-	-	-	1	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	1	1	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	3	2	5	9	4	3	3	1	1	-	-	-
WHITE-----MALE----	1	1	4	5	2	1	2	-	-	-	-	-
FEMALE--	-	-	1	3	-	1	1	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	1	2	1	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	1	1	-	-	-
BLACK---MALE----	1	-	-	1	2	1	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	1	1	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 460
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 0 OF PHARYNX (146-149.0)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 UNITED STATES --	300	433	497	612	552	441	276	145	73	22	3	1
WHITE-----MALE----	161	224	283	370	309	236	153	64	32	10	-	1
FEMALE--	38	73	103	138	151	153	101	70	35	10	2	-
ALL OTHER--MALE----	83	108	86	90	72	38	16	5	3	1	-	-
FEMALE--	18	28	25	14	20	14	6	6	3	1	1	-
BLACK---MALE----	76	95	71	84	59	36	12	3	1	-	-	-
FEMALE--	15	23	21	14	19	10	4	4	3	1	1	-
ALABAMA -----	5	11	13	15	16	8	9	3	3	2	-	-
WHITE-----MALE----	1	2	5	8	8	4	5	1	1	-	-	-
FEMALE--	2	-	2	3	4	2	2	1	2	2	-	-
ALL OTHER--MALE----	2	7	6	4	3	1	2	1	-	-	-	-
FEMALE--	-	2	-	-	1	1	-	-	-	-	-	-
BLACK---MALE----	2	6	6	4	3	1	2	1	-	-	-	-
FEMALE--	-	2	-	-	1	1	-	-	-	-	-	-
ALASKA -----	-	-	-	-	1	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	6	3	7	8	7	6	5	4	-	-	-	-
WHITE-----MALE----	6	2	6	4	4	4	1	4	-	-	-	-
FEMALE--	-	1	-	4	3	2	4	-	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	4	9	5	4	3	2	2	1	1	-	-	-
WHITE-----MALE----	2	5	5	2	2	2	1	-	-	-	-	-
FEMALE--	1	2	-	2	-	-	1	1	1	-	-	-
ALL OTHER--MALE----	1	1	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	1	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	20	50	50	56	74	51	30	18	8	2	2	-
WHITE-----MALE----	7	26	25	38	40	25	18	6	5	-	-	-
FEMALE--	5	10	12	11	26	17	9	9	1	1	2	-
ALL OTHER--MALE----	7	9	11	7	6	6	3	2	1	1	-	-
FEMALE--	1	5	2	-	2	3	-	1	1	-	-	-
BLACK---MALE----	4	4	2	6	3	4	3	-	-	-	-	-
FEMALE--	-	2	1	-	2	1	-	-	1	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 461
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 0 OF PHARYNX (146-149.0)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
COLORADO -----	4	4	4	3	7	5	6	3	-	-	-	-
WHITE-----MALE----	2	2	2	2	5	4	4	2	-	-	-	-
FEMALE--	1	1	2	1	2	1	2	1	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	2	7	9	8	12	4	1	-	1	-	-	-
WHITE-----MALE----	2	3	5	7	7	3	-	-	-	-	-	-
FEMALE--	-	-	4	-	4	1	1	-	1	-	-	-
ALL OTHER--MALE----	-	4	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	4	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	1	1	2	3	3	-	1	-	-	-	-	-
WHITE-----MALE----	1	1	-	2	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	2	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	2	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	1	2	4	1	-	2	1	-	-	-	-	-
WHITE-----MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	2	1	-	-	1	-	-	-	-	-
FEMALE--	-	1	1	-	-	2	-	-	-	-	-	-
BLACK---MALE----	1	-	2	1	-	-	1	-	-	-	-	-
FEMALE--	-	-	1	-	-	2	-	-	-	-	-	-
FLORIDA -----	19	35	51	65	37	38	20	15	9	1	-	-
WHITE-----MALE----	9	20	34	37	25	22	12	7	2	1	-	-
FEMALE--	-	5	11	21	10	13	7	6	6	-	-	-
ALL OTHER--MALE----	7	7	5	7	1	3	1	1	1	-	-	-
FEMALE--	3	3	1	-	1	-	-	1	-	-	-	-
BLACK---MALE----	7	6	5	7	1	3	1	1	1	-	-	-
FEMALE--	3	3	1	-	1	-	-	1	-	-	-	-
GEORGIA -----	12	18	18	14	14	7	7	-	-	-	-	-
WHITE-----MALE----	5	7	7	7	9	4	2	-	-	-	-	-
FEMALE--	3	2	2	4	2	3	4	-	-	-	-	-
ALL OTHER--MALE----	4	6	6	3	1	-	-	-	-	-	-	-
FEMALE--	-	3	3	-	2	-	1	-	-	-	-	-
BLACK---MALE----	4	6	6	3	1	-	-	-	-	-	-	-
FEMALE--	-	3	3	-	2	-	1	-	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 462
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 OF PHARYNX (146-149.0)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
HAWAII -----	1	-	2	2	5	1	6	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	2	-	2	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	2	2	3	-	3	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	2	-	4	3	1	-	3	-	-	1	-	-
WHITE-----MALE----	1	-	2	3	-	-	3	-	-	-	-	-
FEMALE--	1	-	2	-	1	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	18	26	25	29	22	23	11	7	4	2	-	-
WHITE-----MALE----	12	12	15	18	11	14	7	3	3	-	-	-
FEMALE--	1	5	7	4	7	9	2	4	-	1	-	-
ALL OTHER--MALE----	5	8	3	7	4	-	2	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	1	1	-	-
BLACK---MALE----	5	8	3	6	4	-	1	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	1	1	-	-
INDIANA -----	7	7	11	11	13	11	6	5	1	-	-	-
WHITE-----MALE----	6	5	8	9	11	3	3	2	1	-	-	-
FEMALE--	-	-	2	2	2	5	3	2	-	-	-	-
ALL OTHER--MALE----	1	2	-	-	-	3	-	1	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	2	-	-	-	3	-	1	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
IOWA -----	1	-	6	8	3	7	1	1	2	-	-	-
WHITE-----MALE----	1	-	4	7	2	5	1	-	1	-	-	-
FEMALE--	-	-	2	1	1	2	-	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS -----	5	6	3	6	6	5	1	2	-	-	-	-
WHITE-----MALE----	3	1	2	4	1	3	1	1	-	-	-	-
FEMALE--	1	3	-	2	4	1	-	1	-	-	-	-
ALL OTHER--MALE----	1	2	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	1	-	1	-	-	-	-	-	-	-
BLACK---MALE----	1	2	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	1	-	1	-	-	-	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 464
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 OF PHARYNX (146-149.0)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
MINNESOTA -----	4	2	4	6	8	4	6	3	-	-	-	-
WHITE-----MALE----	3	2	3	5	5	2	3	2	-	-	-	-
FEMALE--	1	-	1	1	2	2	3	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI -----	9	3	13	6	9	5	4	-	1	-	-	-
WHITE-----MALE----	5	1	7	4	4	3	2	-	-	-	-	-
FEMALE--	-	-	1	2	1	2	-	-	-	-	-	-
ALL OTHER--MALE----	3	2	4	-	5	1	-	-	-	-	-	-
FEMALE--	1	-	1	-	-	-	-	-	1	-	-	-
BLACK---MALE----	3	2	4	-	4	1	-	-	-	-	-	-
FEMALE--	1	-	1	-	-	-	-	-	1	-	-	-
MISSOURI -----	5	7	10	9	11	3	8	5	1	1	-	-
WHITE-----MALE----	1	5	5	5	6	2	5	4	1	1	-	-
FEMALE--	-	-	3	3	2	1	3	1	-	-	-	-
ALL OTHER--MALE----	3	2	2	1	2	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	3	2	2	1	2	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-
MONTANA -----	2	1	4	3	1	1	4	-	-	-	-	-
WHITE-----MALE----	2	-	3	-	1	1	2	-	-	-	-	-
FEMALE--	-	1	1	3	-	-	2	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	-	4	4	1	1	1	2	1	1	-	-	-
WHITE-----MALE----	-	4	4	-	1	1	2	-	1	-	-	-
FEMALE--	-	-	-	1	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA -----	4	1	2	6	2	3	2	2	1	-	-	-
WHITE-----MALE----	3	1	2	5	1	1	2	-	1	-	-	-
FEMALE--	1	-	-	1	1	1	-	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 466
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
0 OF PHARYNX (146-149.0)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
OHIO -----	154	-	-	-	-	1	1	-	3	3	5	10
WHITE-----MALE----	91	-	-	-	-	1	-	-	-	2	3	7
FEMALE--	34	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	21	-	-	-	-	-	-	-	2	1	2	3
FEMALE--	8	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	20	-	-	-	-	-	-	-	2	1	2	3
FEMALE--	7	-	-	-	-	-	-	-	1	-	-	-
OKLAHOMA -----	38	-	-	-	1	-	-	-	1	-	1	1
WHITE-----MALE----	25	-	-	-	-	-	-	-	1	-	1	-
FEMALE--	9	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	35	-	-	-	-	-	1	-	-	-	1	2
WHITE-----MALE----	25	-	-	-	-	-	1	-	-	-	-	1
FEMALE--	8	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	132	-	-	-	-	-	-	-	1	1	5	7
WHITE-----MALE----	76	-	-	-	-	-	-	-	-	1	3	4
FEMALE--	35	-	-	-	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	16	-	-	-	-	-	-	-	1	-	1	1
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	16	-	-	-	-	-	-	-	1	-	1	1
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	1
RHODE ISLAND -----	13	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	7	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	77	-	-	-	-	-	-	-	2	1	5	4
WHITE-----MALE----	32	-	-	-	-	-	-	-	1	-	-	1
FEMALE--	11	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	26	-	-	-	-	-	-	-	-	1	4	3
FEMALE--	8	-	-	-	-	-	-	-	1	-	1	-
BLACK---MALE----	26	-	-	-	-	-	-	-	-	1	4	3
FEMALE--	8	-	-	-	-	-	-	-	1	-	1	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 466
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 0 OF PHARYNX (146-149.0)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
OHIO -----	7	16	21	23	24	17	10	6	7	-	-	-
WHITE-----MALE----	4	10	14	16	10	11	7	3	3	-	-	-
FEMALE--	1	3	4	4	9	5	2	2	3	-	-	-
ALL OTHER--MALE----	-	1	3	2	4	1	1	-	1	-	-	-
FEMALE--	2	2	-	1	1	-	-	1	-	-	-	-
BLACK---MALE----	-	1	3	2	4	1	1	-	-	-	-	-
FEMALE--	2	2	-	1	1	-	-	-	-	-	-	-
OKLAHOMAKLAHOMA -----		9	2	-	7	7	4	4	-	-	-	-
WHITE-----MALE----	7	2	-	6	3	2	2	-	-	-	-	1
FEMALE--	-	-	-	1	4	1	2	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	3	4	1	8	4	4	5	1	-	1	-	-
WHITE-----MALE----	3	3	1	4	3	4	4	1	-	-	-	-
FEMALE--	-	1	-	3	1	-	1	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	3	15	15	21	20	22	16	2	3	1	-	-
WHITE-----MALE----	2	10	9	12	11	16	8	-	-	-	-	-
FEMALE--	-	2	3	5	5	5	7	2	3	1	-	-
ALL OTHER--MALE----	1	2	3	3	2	1	1	-	-	-	-	-
FEMALE--	-	1	-	1	2	-	-	-	-	-	-	-
BLACK---MALE----	1	2	3	3	2	1	1	-	2	-	-	-
FEMALE--	-	1	-	1	2	-	-	-	-	-	-	-
RHODE ISLAND -----	1	1	3	1	3	1	2	1	-	-	-	-
WHITE-----MALE----	1	1	-	-	2	-	-	1	-	-	-	-
FEMALE--	-	-	1	1	1	1	2	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	3	7	7	19	14	4	4	3	2	1	1	-
WHITE-----MALE----	2	-	6	8	7	1	1	2	2	1	-	-
FEMALE--	1	1	-	3	-	2	3	1	-	-	-	-
ALL OTHER--MALE----	-	4	1	7	5	1	-	-	-	-	-	-
FEMALE--	-	2	-	1	2	-	-	-	-	-	1	-
BLACK---MALE----	-	4	1	7	5	1	-	-	-	-	-	-
FEMALE--	-	2	-	1	2	-	-	-	-	-	1	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 467
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 OF PHARYNX (146-149.0)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
SOUTH DAKOTA -----	1	1	4	1	2	2	-	-	-	-	-	-
WHITE-----MALE----	1	1	1	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	3	1	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	11	9	11	12	10	6	4	6	2	-	-	-
WHITE-----MALE----	4	6	6	9	6	4	2	1	1	-	-	-
FEMALE--	1	-	1	-	2	2	1	4	1	-	-	-
ALL OTHER--MALE----	4	2	2	3	2	-	1	-	-	-	-	-
FEMALE--	2	1	2	-	-	-	-	1	-	-	-	-
BLACK---MALE----	4	2	2	3	2	-	1	-	-	-	-	-
FEMALE--	2	1	2	-	-	-	-	1	-	-	-	-
TEXAS -----	23	24	29	49	35	40	14	15	2	1	-	-
WHITE-----MALE----	15	11	16	33	21	19	9	8	1	1	-	-
FEMALE--	4	6	4	11	8	17	5	6	1	-	-	-
ALL OTHER--MALE----	4	6	5	5	5	4	-	-	-	-	-	-
FEMALE--	-	1	4	-	1	-	-	1	-	-	-	-
BLACK---MALE----	4	6	5	5	4	4	-	-	-	-	-	-
FEMALE--	-	1	2	-	1	-	-	1	-	-	-	-
UTAH -----	2	2	1	-	2	3	-	-	1	-	-	-
WHITE-----MALE----	2	1	-	-	1	3	-	-	-	-	-	-
FEMALE--	-	-	1	-	1	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	-	-	3	1	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	3	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	11	8	12	12	16	16	5	1	2	1	-	-
WHITE-----MALE----	5	6	9	8	10	3	4	1	1	1	-	-
FEMALE--	2	-	2	1	3	8	1	-	1	-	-	-
ALL OTHER--MALE----	3	1	1	2	2	4	-	-	-	-	-	-
FEMALE--	1	1	-	1	1	1	-	-	-	-	-	-
BLACK---MALE----	3	1	1	2	2	4	-	-	-	-	-	-
FEMALE--	1	1	-	1	1	1	-	-	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 470
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
 CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
 0 OF OTHER AND ILL-DEFINED SITES WITHIN THE LIP, ORAL CAVITY, AND PHARYNX (142-145,149.1-149.9)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
COLORADO -----	19	-	-	-	-	-	-	-	-	2	-	1
WHITE-----MALE----	13	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	6	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	29	-	-	-	-	-	-	-	-	-	1	1
WHITE-----MALE----	15	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	11	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	5	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	4	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	189	-	-	-	-	-	1	1	2	3	4	11
WHITE-----MALE----	119	-	-	-	-	-	1	-	2	2	1	7
FEMALE--	58	-	-	-	-	-	-	-	-	1	1	3
ALL OTHER--MALE----	9	-	-	-	-	-	-	1	-	-	1	1
FEMALE--	3	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	9	-	-	-	-	-	-	1	-	-	1	1
FEMALE--	3	-	-	-	-	-	-	-	-	-	1	-
GEORGIA -----	50	-	-	-	-	-	-	-	-	1	3	2
WHITE-----MALE----	24	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	11	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	9	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	6	-	-	-	-	-	-	-	-	1	1	-
BLACK---MALE----	9	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	6	-	-	-	-	-	-	-	-	1	1	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 470
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 OF OTHER AND ILL-DEFINED SITES WITHIN THE LIP, ORAL CAVITY, AND PHARYNX (142-145,149.1-149.9)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
COLORADO -----	1	3	1	3	2	3	-	1	-	2	-	-
WHITE-----MALE----	1	2	1	3	2	2	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	1	-	1	-	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	2	3	4	4	5	1	3	-	4	1	-	-
WHITE-----MALE----	2	1	2	2	3	1	-	-	2	1	-	-
FEMALE--	-	1	1	2	2	-	3	-	2	-	-	-
ALL OTHER--MALE----	-	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	-	-	2	-	1	-	2	-	-	-	-
WHITE-----MALE----	-	-	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	-	-	1	1	-	1	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	1	1	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	1	1	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
FLORIDA -----	5	16	16	20	26	32	23	16	8	5	-	-
WHITE-----MALE----	4	11	14	14	19	20	13	5	4	2	-	-
FEMALE--	-	2	2	5	7	12	9	9	4	3	-	-
ALL OTHER--MALE----	1	2	-	1	-	-	1	1	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	1	2	-	1	-	-	1	1	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	1	-	-	-	-
GEORGIA -----	7	6	7	6	6	1	4	4	1	-	2	-
WHITE-----MALE----	4	3	3	4	4	1	2	1	-	-	-	-
FEMALE--	2	-	-	-	-	1	2	3	1	-	2	-
ALL OTHER--MALE----	1	1	3	2	-	-	-	-	-	-	-	-
FEMALE--	-	2	1	-	1	-	-	-	-	-	-	-
BLACK---MALE----	1	1	3	2	-	-	-	-	-	-	-	-
FEMALE--	-	2	1	-	1	-	-	-	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 471
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 OF OTHER AND ILL-DEFINED SITES WITHIN THE LIP, ORAL CAVITY, AND PHARYNX (142-145,149.1-149.9)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
HAWAII -----	-	1	1	4	2	2	4	-	1	1	-	-
WHITE-----MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	1	3	2	1	1	-	-	1	-	-
FEMALE--	-	-	-	-	-	1	3	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	2	-	2	1	3	2	2	2	2	-	-	-
WHITE-----MALE----	1	-	1	1	3	1	-	1	1	-	-	-
FEMALE--	1	-	1	-	-	1	2	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	10	8	10	9	13	18	14	9	7	-	1	-
WHITE-----MALE----	5	2	5	7	9	9	9	2	3	-	1	-
FEMALE--	4	2	4	1	4	6	4	7	4	-	-	-
ALL OTHER--MALE----	1	1	1	-	-	2	-	-	-	-	-	-
FEMALE--	-	3	-	1	-	1	1	-	-	-	-	-
BLACK---MALE----	1	-	1	-	-	2	-	-	-	-	-	-
FEMALE--	-	3	-	1	-	1	1	-	-	-	-	-
INDIANA -----	-	6	5	4	4	5	4	2	3	-	2	-
WHITE-----MALE----	-	3	3	2	3	2	-	-	-	-	1	-
FEMALE--	-	1	2	2	1	2	4	2	3	-	1	-
ALL OTHER--MALE----	-	2	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	2	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IOWA -----	1	2	5	7	2	2	6	4	3	2	-	-
WHITE-----MALE----	1	2	4	5	2	1	2	1	1	1	-	-
FEMALE--	-	-	1	2	-	-	4	3	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS -----	2	1	2	3	1	2	2	3	3	2	-	-
WHITE-----MALE----	2	1	2	2	-	1	2	1	1	1	-	-
FEMALE--	-	-	-	1	-	1	-	2	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 472
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 OF OTHER AND ILL-DEFINED SITES WITHIN THE LIP, ORAL CAVITY, AND PHARYNX (142-145,149.1-149.9)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
KENTUCKY -----	-	3	5	3	6	3	3	1	-	2	-	-
WHITE-----MALE----	-	3	2	1	2	3	-	-	-	-	-	-
FEMALE--	-	-	2	1	3	-	3	1	-	2	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	-	-	-	-	-	-
LOUISIANA -----	3	4	2	4	6	3	5	3	1	-	1	-
WHITE-----MALE----	-	3	-	2	3	-	3	1	1	-	-	-
FEMALE--	2	1	-	-	1	-	2	1	-	-	1	-
ALL OTHER--MALE----	1	-	1	2	1	1	-	-	-	-	-	-
FEMALE--	-	-	1	-	1	2	-	1	-	-	-	-
BLACK---MALE----	1	-	1	2	1	1	-	-	-	-	-	-
FEMALE--	-	-	1	-	1	2	-	1	-	-	-	-
MAINE -----	-	3	-	1	1	1	-	1	2	-	-	-
WHITE-----MALE----	-	2	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	1	1	-	1	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	-	7	6	5	4	5	5	3	5	-	-	-
WHITE-----MALE----	-	5	3	4	2	2	-	-	3	-	-	-
FEMALE--	-	1	1	1	1	1	3	3	2	-	-	-
ALL OTHER--MALE----	-	-	2	-	-	2	1	-	-	-	-	-
FEMALE--	-	1	-	-	1	-	1	-	-	-	-	-
BLACK---MALE----	-	-	2	-	-	2	1	-	-	-	-	-
FEMALE--	-	1	-	-	1	-	1	-	-	-	-	-
MASSACHUSETTS -----	1	4	9	5	7	7	10	2	1	-	-	-
WHITE-----MALE----	-	2	7	3	4	4	4	1	1	-	-	-
FEMALE--	-	2	2	1	2	3	6	1	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
MICHIGAN -----	4	9	12	9	15	13	13	2	8	1	-	-
WHITE-----MALE----	1	5	6	7	5	5	5	1	3	-	-	-
FEMALE--	2	1	4	2	5	6	8	1	4	1	-	-
ALL OTHER--MALE----	-	2	1	-	5	2	-	-	-	-	-	-
FEMALE--	1	1	1	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	1	-	-	4	2	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	1	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 475
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 OF OTHER AND ILL-DEFINED SITES WITHIN THE LIP, ORAL CAVITY, AND PHARYNX (142-145,149.1-149.9)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
OHIO -----	7	5	7	12	17	10	7	4	8	2	1	-
WHITE-----MALE----	4	2	4	3	10	3	1	1	4	-	-	-
FEMALE--	1	1	2	4	4	6	5	3	3	1	1	-
ALL OTHER--MALE----	2	2	1	3	2	1	1	-	1	-	-	-
FEMALE--	-	-	-	2	1	-	-	-	-	1	-	-
BLACK---MALE----	2	2	1	3	2	1	1	-	1	-	-	-
FEMALE--	-	-	-	2	1	-	-	-	-	1	-	-
OKLAHOMA -----	-	1	3	5	8	3	5	1	2	-	-	-
WHITE-----MALE----	-	1	2	4	5	1	2	1	-	-	-	-
FEMALE--	-	-	1	1	2	2	3	-	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
OREGON -----	1	1	1	3	-	5	6	2	-	-	-	-
WHITE-----MALE----	-	-	-	1	-	4	2	-	-	-	-	-
FEMALE--	1	1	1	2	-	1	4	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	6	8	6	17	13	13	22	16	7	1	-	-
WHITE-----MALE----	2	4	5	10	10	6	15	9	6	1	-	-
FEMALE--	1	2	1	5	2	6	6	7	1	-	-	-
ALL OTHER--MALE----	3	2	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	1	-	-	-	-	-
BLACK---MALE----	3	2	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	1	-	-	-	-	-
RHODE ISLAND -----	-	-	-	-	1	2	2	2	-	1	-	-
WHITE-----MALE----	-	-	-	-	1	1	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	2	1	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	2	5	7	3	6	10	3	6	2	1	-	-
WHITE-----MALE----	1	2	3	2	2	5	1	2	-	-	-	-
FEMALE--	-	1	2	1	3	3	1	3	2	1	-	-
ALL OTHER--MALE----	1	2	2	-	1	2	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	-	-	-	-
BLACK---MALE----	1	2	2	-	1	2	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 476
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 0 OF OTHER AND ILL-DEFINED SITES WITHIN THE LIP, ORAL CAVITY, AND PHARYNX (142-145,149.1-149.9)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
SOUTH DAKOTA -----	-	-	1	1	2	2	2	-	-	-	-	-
WHITE-----MALE----	-	-	1	-	1	2	1	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	5	7	5	11	6	8	7	12	5	1	-	-
WHITE-----MALE----	2	3	4	6	2	4	3	2	-	-	-	-
FEMALE--	-	3	-	1	3	4	4	10	5	-	-	-
ALL OTHER--MALE----	3	-	-	4	1	-	-	-	-	-	-	-
FEMALE--	-	1	1	-	-	-	-	-	-	1	-	-
BLACK---MALE----	3	-	-	4	1	-	-	-	-	-	-	-
FEMALE--	-	1	1	-	-	-	-	-	-	1	-	-
TEXAS -----	10	13	16	19	19	15	19	10	2	1	-	-
WHITE-----MALE----	4	11	11	9	13	8	6	3	1	-	-	-
FEMALE--	3	1	3	6	5	5	12	7	1	1	-	-
ALL OTHER--MALE----	2	1	1	4	1	1	-	-	-	-	-	-
FEMALE--	1	-	1	-	1	1	1	-	-	-	-	-
BLACK---MALE----	2	1	1	4	-	1	-	-	-	-	-	-
FEMALE--	1	-	1	-	-	1	1	-	-	-	-	-
UTAH -----	-	-	-	1	-	-	2	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	2	-	2	-	-	1	-	-	-	-
WHITE-----MALE----	-	-	2	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	3	4	3	3	7	3	5	4	4	-	-	-
WHITE-----MALE----	2	1	1	2	3	2	4	-	-	-	-	-
FEMALE--	-	-	1	-	1	1	-	2	4	-	-	-
ALL OTHER--MALE----	1	2	-	1	1	-	-	2	-	-	-	-
FEMALE--	-	1	1	-	2	-	1	-	-	-	-	-
BLACK---MALE----	1	2	-	1	1	-	-	2	-	-	-	-
FEMALE--	-	-	1	-	2	-	1	-	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 478
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 MALIGNANT NEOPLASMS OF DIGESTIVE ORGANS AND PERITONEUM (150-159)												
0 UNITED STATES --	126,495	4	17	11	8	27	90	191	439	1,008	2,066	3,830
WHITE-----MALE----	56,863	1	10	4	6	11	35	82	174	416	967	1,860
FEMALE--	50,738	1	5	5	2	9	22	58	131	289	597	1,021
ALL OTHER--MALE----	10,069	1	2	2	-	2	21	27	75	170	319	595
FEMALE--	8,825	1	-	-	-	5	12	24	59	133	183	354
BLACK---MALE----	8,242	1	2	1	-	2	14	23	54	139	249	491
FEMALE--	7,437	-	-	-	-	4	7	20	45	107	137	269
ALABAMA -----	2,030	-	-	1	1	1	2	5	7	20	36	59
WHITE-----MALE----	812	-	-	-	1	1	1	2	-	9	10	30
FEMALE--	662	-	-	-	-	-	1	1	3	7	11	12
ALL OTHER--MALE----	299	-	-	1	-	-	-	1	3	1	8	12
FEMALE--	257	-	-	-	-	-	-	1	1	3	7	5
BLACK---MALE----	299	-	-	1	-	-	-	1	3	1	8	12
FEMALE--	255	-	-	-	-	-	-	1	1	3	7	5
ALASKA -----	150	-	-	-	-	-	-	-	1	2	5	13
WHITE-----MALE----	63	-	-	-	-	-	-	-	-	-	1	7
FEMALE--	46	-	-	-	-	-	-	-	1	-	1	3
ALL OTHER--MALE----	27	-	-	-	-	-	-	-	-	1	2	1
FEMALE--	14	-	-	-	-	-	-	-	-	1	1	2
BLACK---MALE----	3	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	1,944	-	-	-	-	-	2	2	3	12	33	53
WHITE-----MALE----	1,011	-	-	-	-	-	-	1	2	5	25	26
FEMALE--	802	-	-	-	-	-	-	1	-	4	3	17
ALL OTHER--MALE----	68	-	-	-	-	-	1	-	-	-	2	5
FEMALE--	63	-	-	-	-	-	1	-	1	3	3	5
BLACK---MALE----	23	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	27	-	-	-	-	-	-	-	1	-	2	-
ARKANSAS -----	1,373	-	-	-	-	1	1	4	7	15	19	45
WHITE-----MALE----	609	-	-	-	-	-	-	2	2	5	4	23
FEMALE--	536	-	-	-	-	1	-	2	2	5	10	12
ALL OTHER--MALE----	114	-	-	-	-	-	1	-	1	2	3	6
FEMALE--	114	-	-	-	-	-	-	-	2	3	2	4
BLACK---MALE----	111	-	-	-	-	-	1	-	1	2	3	6
FEMALE--	113	-	-	-	-	-	-	-	2	2	2	4
CALIFORNIA -----	12,356	1	2	2	1	2	11	24	58	113	261	424
WHITE-----MALE----	5,374	-	1	1	-	1	1	9	18	46	115	192
FEMALE--	4,715	-	1	1	1	1	3	9	21	22	76	118
ALL OTHER--MALE----	1,257	-	-	-	-	-	5	2	11	24	44	68
FEMALE--	1,010	1	-	-	-	-	2	4	8	21	26	46
BLACK---MALE----	513	-	-	-	-	-	1	1	2	10	15	27
FEMALE--	480	-	-	-	-	-	-	2	3	13	9	17

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 478
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 MALIGNANT NEOPLASMS OF DIGESTIVE ORGANS AND PERITONEUM (150-159)												
0 UNITED STATES --	5,301	7,714	11,306	16,118	20,332	20,395	17,868	12,243	5,772	1,541	208	6
WHITE-----MALE----	2,632	3,812	5,837	8,241	9,985	9,257	7,384	4,230	1,550	326	40	3
FEMALE--	1,490	2,255	3,369	5,301	7,556	8,615	8,454	6,772	3,604	1,040	141	1
ALL OTHER--MALE----	712	1,027	1,224	1,468	1,534	1,265	881	500	195	41	7	1
FEMALE--	467	620	876	1,108	1,257	1,258	1,149	741	423	134	20	1
BLACK---MALE----	590	849	1,003	1,215	1,276	1,029	696	415	151	35	6	1
FEMALE--	378	513	728	931	1,084	1,074	966	665	372	118	18	1
ALABAMA -----	109	141	201	258	328	294	248	212	84	20	3	-
WHITE-----MALE----	46	62	103	130	136	132	72	61	13	2	1	-
FEMALE--	28	32	48	69	99	85	114	97	46	8	1	-
ALL OTHER--MALE----	22	28	28	35	51	44	29	27	9	-	-	-
FEMALE--	13	19	22	24	42	33	33	27	16	10	1	-
BLACK---MALE----	22	28	28	35	51	44	29	27	9	-	-	-
FEMALE--	13	19	21	24	42	33	32	27	16	10	1	-
ALASKA -----	7	11	20	25	22	17	12	12	3	-	-	-
WHITE-----MALE----	3	4	12	12	10	5	4	4	1	-	-	-
FEMALE--	2	5	2	10	4	5	4	7	2	-	-	-
ALL OTHER--MALE----	2	2	3	1	6	5	3	1	-	-	-	-
FEMALE--	-	-	3	2	2	2	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	-	-	-	-	-	-
ARIZONA -----	70	124	167	268	326	317	285	171	86	23	2	-
WHITE-----MALE----	37	74	95	144	175	173	140	75	30	9	-	-
FEMALE--	26	42	59	106	135	127	130	85	51	14	2	-
ALL OTHER--MALE----	5	3	7	9	9	13	5	6	3	-	-	-
FEMALE--	2	5	6	9	7	4	10	5	2	-	-	-
BLACK---MALE----	1	3	2	-	4	7	1	2	1	-	-	-
FEMALE--	2	3	3	5	2	2	4	2	1	-	-	-
ARKANSAS -----	64	81	130	191	203	190	202	123	77	14	6	-
WHITE-----MALE----	37	45	65	92	95	81	87	50	19	2	-	-
FEMALE--	17	23	42	65	88	80	83	48	46	6	6	-
ALL OTHER--MALE----	7	6	10	20	12	15	12	11	5	3	-	-
FEMALE--	3	7	13	14	8	14	20	14	7	3	-	-
BLACK---MALE----	7	5	10	20	11	14	12	11	5	3	-	-
FEMALE--	3	7	13	14	8	14	20	14	7	3	-	-
CALIFORNIA -----	541	824	1,114	1,541	1,995	1,930	1,719	1,122	535	122	14	-
WHITE-----MALE----	258	389	546	732	925	835	729	391	153	30	2	-
FEMALE--	149	227	327	508	736	769	749	603	307	76	11	-
ALL OTHER--MALE----	68	133	135	183	186	180	122	56	36	4	-	-
FEMALE--	66	75	106	118	148	146	119	72	39	12	1	-
BLACK---MALE----	33	69	58	75	82	71	33	23	12	1	-	-
FEMALE--	30	38	47	50	73	71	53	43	24	7	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 479
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
 CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
 0 MALIGNANT NEOPLASMS OF DIGESTIVE ORGANS AND PERITONEUM (150-159)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
COLORADO -----	1,358	-	-	-	-	-	-	1	5	10	28	51
WHITE-----MALE----	692	-	-	-	-	-	-	-	4	6	13	25
FEMALE--	597	-	-	-	-	-	1	1	2	11	22	
ALL OTHER--MALE----	38	-	-	-	-	-	-	-	-	2	1	2
FEMALE--	31	-	-	-	-	-	-	-	-	-	3	2
BLACK---MALE----	21	-	-	-	-	-	-	-	-	1	-	2
FEMALE--	20	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	1,715	-	-	1	-	-	1	2	7	10	22	51
WHITE-----MALE----	821	-	-	1	-	-	1	-	4	8	12	32
FEMALE--	773	-	-	-	-	-	-	1	2	2	3	12
ALL OTHER--MALE----	68	-	-	-	-	-	-	-	-	-	5	2
FEMALE--	53	-	-	-	-	-	-	1	1	-	2	5
BLACK---MALE----	61	-	-	-	-	-	-	-	-	-	2	2
FEMALE--	47	-	-	-	-	-	-	-	1	-	2	4
DELAWARE -----	333	-	-	-	-	-	-	1	2	1	7	14
WHITE-----MALE----	155	-	-	-	-	-	-	1	-	1	1	8
FEMALE--	113	-	-	-	-	-	-	-	1	-	4	4
ALL OTHER--MALE----	33	-	-	-	-	-	-	-	-	-	2	1
FEMALE--	32	-	-	-	-	-	-	-	1	-	-	1
BLACK---MALE----	30	-	-	-	-	-	-	-	-	-	2	1
FEMALE--	31	-	-	-	-	-	-	-	1	-	-	1
DISTRICT OF COLUMBIA ----	366	-	-	-	-	-	-	1	4	1	10	7
WHITE-----MALE----	33	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	42	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	161	-	-	-	-	-	-	1	3	-	8	4
FEMALE--	130	-	-	-	-	-	-	-	1	-	1	2
BLACK---MALE----	160	-	-	-	-	-	-	1	3	-	8	3
FEMALE--	127	-	-	-	-	-	-	-	1	-	1	2
FLORIDA -----	8,816	-	1	-	-	1	3	12	28	56	118	203
WHITE-----MALE----	4,357	-	-	-	-	1	1	7	17	20	52	105
FEMALE--	3,566	-	-	-	-	-	1	2	3	18	34	51
ALL OTHER--MALE----	489	-	1	-	-	-	1	2	2	11	22	33
FEMALE--	404	-	-	-	-	-	-	1	6	7	10	14
BLACK---MALE----	463	-	1	-	-	-	1	2	2	10	21	31
FEMALE--	381	-	-	-	-	-	-	1	6	7	8	10
GEORGIA -----	2,645	-	-	-	-	-	2	6	20	40	59	96
WHITE-----MALE----	951	-	-	-	-	-	-	1	3	10	21	40
FEMALE--	917	-	-	-	-	-	-	3	7	13	15	22
ALL OTHER--MALE----	393	-	-	-	-	-	2	2	8	10	14	19
FEMALE--	384	-	-	-	-	-	-	-	2	7	9	15
BLACK---MALE----	383	-	-	-	-	-	2	2	8	9	14	19
FEMALE--	370	-	-	-	-	-	-	-	2	7	8	14

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 479
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 0 MALIGNANT NEOPLASMS OF DIGESTIVE ORGANS AND PERITONEUM (150-159)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
COLORADO -----	59	73	147	173	216	216	171	132	58	18	-	-
WHITE-----MALE----	39	44	80	95	133	101	72	54	23	3	-	-
FEMALE--	18	24	54	67	74	105	96	73	34	15	-	-
ALL OTHER--MALE----	-	4	9	7	5	5	-	3	-	-	-	-
FEMALE--	2	1	4	4	4	5	3	2	1	-	-	-
BLACK---MALE----	-	3	3	5	2	3	-	2	-	-	-	-
FEMALE--	2	1	4	1	3	4	2	2	1	-	-	-
CONNECTICUT -----	72	84	130	201	297	285	239	177	111	24	1	-
WHITE-----MALE----	38	45	65	113	151	140	105	73	27	6	-	-
FEMALE--	22	27	44	71	135	130	128	95	82	18	1	-
ALL OTHER--MALE----	9	9	12	13	5	7	2	2	2	-	-	-
FEMALE--	3	3	9	4	6	8	4	7	-	-	-	-
BLACK---MALE----	9	9	11	12	5	7	1	1	2	-	-	-
FEMALE--	2	3	9	4	6	7	3	6	-	-	-	-
DELAWARE -----	15	18	36	43	52	59	33	28	17	5	2	-
WHITE-----MALE----	8	9	16	25	23	32	15	9	5	2	-	-
FEMALE--	3	3	9	12	18	16	15	14	10	2	2	-
ALL OTHER--MALE----	-	5	6	3	7	5	1	3	-	-	-	-
FEMALE--	4	1	5	3	4	6	2	2	2	1	-	-
BLACK---MALE----	-	4	6	2	7	4	1	3	-	-	-	-
FEMALE--	4	1	5	3	4	6	2	2	1	1	-	-
DISTRICT OF COLUMBIA ----	18	21	28	52	71	47	45	37	17	7	-	-
WHITE-----MALE----	-	-	5	2	5	5	4	6	3	1	-	-
FEMALE--	-	1	2	6	8	5	9	7	2	1	-	-
ALL OTHER--MALE----	12	12	13	30	32	20	13	9	1	3	-	-
FEMALE--	6	8	8	14	26	17	19	15	11	2	-	-
BLACK---MALE----	12	12	13	30	32	20	13	9	1	3	-	-
FEMALE--	6	8	8	14	26	16	18	15	11	1	-	-
FLORIDA -----	301	425	728	1,114	1,472	1,550	1,365	940	387	95	15	2
WHITE-----MALE----	152	210	385	608	803	801	652	394	118	24	6	1
FEMALE--	100	129	221	389	537	645	631	482	246	68	9	-
ALL OTHER--MALE----	32	58	67	58	82	50	39	21	8	2	-	-
FEMALE--	17	28	55	59	50	54	43	43	15	1	-	1
BLACK---MALE----	28	51	66	54	78	50	37	21	8	2	-	-
FEMALE--	16	28	51	56	48	50	41	43	14	1	-	1
GEORGIA -----	138	217	251	341	382	389	347	220	103	33	1	-
WHITE-----MALE----	49	89	105	140	161	123	126	64	14	5	-	-
FEMALE--	32	60	64	100	125	161	129	115	54	16	1	-
ALL OTHER--MALE----	33	45	48	53	57	46	35	15	5	1	-	-
FEMALE--	24	23	34	48	39	59	57	26	30	11	-	-
BLACK---MALE----	32	42	46	52	56	45	35	15	5	1	-	-
FEMALE--	23	20	32	47	37	59	54	26	30	11	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 480
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 0 MALIGNANT NEOPLASMS OF DIGESTIVE ORGANS AND PERITONEUM (150-159)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
HAWAII -----	29	38	56	73	86	77	82	44	22	6	-	-
WHITE-----MALE----	5	5	9	11	10	13	10	3	1	1	-	-
FEMALE--	2	2	8	6	5	7	5	6	4	1	-	-
ALL OTHER--MALE----	12	19	25	37	51	37	34	20	5	-	-	-
FEMALE--	10	12	14	19	20	20	33	15	12	4	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	1	-	-	-	-
IDAHO -----	17	30	26	53	71	78	82	40	26	2	-	-
WHITE-----MALE----	11	16	20	34	43	44	44	16	11	2	-	-
FEMALE--	4	14	6	17	27	33	35	23	14	-	-	-
ALL OTHER--MALE----	2	-	-	1	1	1	2	1	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	-	1	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
ILLINOIS -----	263	392	558	740	923	965	855	569	289	83	10	-
WHITE-----MALE----	120	176	258	354	459	423	350	210	78	20	2	-
FEMALE--	76	112	178	219	316	413	408	295	170	59	3	-
ALL OTHER--MALE----	36	66	80	91	71	59	40	21	13	1	3	-
FEMALE--	31	38	42	76	77	70	57	43	28	3	2	-
BLACK---MALE----	32	62	73	86	64	54	38	20	11	1	3	-
FEMALE--	30	38	38	69	70	66	52	41	25	3	2	-
INDIANA -----	113	169	267	367	466	440	398	231	140	36	2	-
WHITE-----MALE----	66	91	149	213	261	200	155	81	36	6	-	-
FEMALE--	34	55	81	111	165	200	212	136	90	28	2	-
ALL OTHER--MALE----	8	15	23	20	17	19	11	6	3	-	-	-
FEMALE--	5	8	14	23	23	21	20	8	11	2	-	-
BLACK---MALE----	8	13	22	19	16	19	11	6	3	-	-	-
FEMALE--	5	8	13	22	22	21	19	8	11	2	-	-
IOWA -----	64	74	116	191	242	253	239	181	98	28	5	-
WHITE-----MALE----	40	36	73	98	141	133	100	59	26	3	1	-
FEMALE--	24	34	40	88	98	117	138	120	70	25	4	-
ALL OTHER--MALE----	-	3	3	3	-	2	-	1	1	-	-	-
FEMALE--	-	1	-	2	3	1	1	1	1	-	-	-
BLACK---MALE----	-	1	2	3	-	1	-	1	1	-	-	-
FEMALE--	-	-	-	2	2	1	1	1	1	-	-	-
KANSAS -----	37	64	96	145	181	193	177	151	67	30	5	-
WHITE-----MALE----	28	32	54	68	96	103	76	47	28	6	1	-
FEMALE--	7	24	33	69	67	76	95	97	37	23	4	-
ALL OTHER--MALE----	2	5	5	7	8	9	1	3	-	-	-	-
FEMALE--	-	3	4	1	10	5	5	4	2	1	-	-
BLACK---MALE----	2	3	3	6	7	9	1	3	-	-	-	-
FEMALE--	-	2	2	1	9	4	5	4	2	1	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 481
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
0 MALIGNANT NEOPLASMS OF DIGESTIVE ORGANS AND PERITONEUM (150-159)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
KENTUCKY -----	1,999	-	-	-	-	1	2	3	7	20	27	77
WHITE-----MALE----	970	-	-	-	-	-	1	2	2	12	14	40
FEMALE--	872	-	-	-	-	-	-	1	3	6	9	28
ALL OTHER--MALE----	73	-	-	-	-	-	1	-	-	1	2	7
FEMALE--	84	-	-	-	-	1	-	-	2	1	2	2
BLACK---MALE----	72	-	-	-	-	-	1	-	-	1	2	7
FEMALE--	80	-	-	-	-	1	-	-	1	1	2	2
LOUISIANA -----	2,127	-	-	-	-	1	1	1	11	22	42	72
WHITE-----MALE----	789	-	-	-	-	1	1	-	2	7	22	25
FEMALE--	642	-	-	-	-	-	-	1	4	2	10	14
ALL OTHER--MALE----	373	-	-	-	-	-	-	-	4	7	9	15
FEMALE--	323	-	-	-	-	-	-	-	1	6	1	18
BLACK---MALE----	369	-	-	-	-	-	-	-	4	7	9	14
FEMALE--	321	-	-	-	-	-	-	-	1	6	1	18
MAINE -----	629	1	1	-	-	-	-	1	-	1	9	13
WHITE-----MALE----	326	1	1	-	-	-	-	-	-	-	4	8
FEMALE--	302	-	-	-	-	-	-	1	-	1	5	4
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	2,420	-	-	-	-	1	3	1	9	17	42	79
WHITE-----MALE----	967	-	-	-	-	1	2	1	1	5	17	26
FEMALE--	806	-	-	-	-	-	1	-	3	4	9	14
ALL OTHER--MALE----	365	-	-	-	-	-	-	-	1	3	9	28
FEMALE--	282	-	-	-	-	-	-	-	4	5	7	11
BLACK---MALE----	340	-	-	-	-	-	-	-	1	3	7	28
FEMALE--	269	-	-	-	-	-	-	-	4	5	7	11
MASSACHUSETTS -----	3,440	-	-	-	1	1	3	7	11	19	42	81
WHITE-----MALE----	1,683	-	-	-	-	1	1	2	5	11	22	50
FEMALE--	1,569	-	-	-	1	-	1	1	4	6	16	27
ALL OTHER--MALE----	96	-	-	-	-	-	-	3	1	2	3	3
FEMALE--	92	-	-	-	-	-	1	1	1	-	1	1
BLACK---MALE----	77	-	-	-	-	-	-	2	-	2	2	1
FEMALE--	69	-	-	-	-	-	-	1	-	-	-	-
MICHIGAN -----	4,527	-	3	-	2	1	7	3	15	41	64	150
WHITE-----MALE----	1,995	-	2	-	2	-	4	-	6	18	33	72
FEMALE--	1,794	-	1	-	-	-	-	2	5	10	16	33
ALL OTHER--MALE----	391	-	-	-	-	1	1	1	3	7	13	25
FEMALE--	347	-	-	-	-	-	2	-	1	6	2	20
BLACK---MALE----	363	-	-	-	-	1	1	1	2	6	12	23
FEMALE--	330	-	-	-	-	-	2	-	1	6	2	16

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 481
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 0 MALIGNANT NEOPLASMS OF DIGESTIVE ORGANS AND PERITONEUM (150-159)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
KENTUCKY -----	90	128	195	262	312	324	240	211	78	16	6	-
WHITE-----MALE----	54	68	115	142	179	155	92	64	22	7	1	-
FEMALE--	28	48	63	98	111	149	129	134	54	7	4	-
ALL OTHER--MALE----	6	5	7	12	13	9	2	6	1	1	-	-
FEMALE--	2	7	10	10	9	11	17	7	1	1	1	-
BLACK---MALE----	6	5	7	12	13	8	2	6	1	1	-	-
FEMALE--	2	7	9	9	9	10	17	7	1	1	1	-
LOUISIANA -----	108	166	214	275	330	311	263	197	89	20	4	-
WHITE-----MALE----	36	68	100	117	127	131	85	45	18	3	1	-
FEMALE--	20	36	51	75	93	92	94	93	46	10	1	-
ALL OTHER--MALE----	32	42	43	48	55	38	43	24	10	3	-	-
FEMALE--	20	20	20	35	55	50	41	35	15	4	2	-
BLACK---MALE----	32	42	43	48	54	38	42	23	10	3	-	-
FEMALE--	20	19	20	35	55	50	40	35	15	4	2	-
MAINE -----	19	26	48	75	120	102	103	72	27	8	3	-
WHITE-----MALE----	12	13	32	47	64	54	52	29	8	-	1	-
FEMALE--	7	13	16	28	56	48	51	43	19	8	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	125	170	228	318	393	362	330	211	109	19	3	-
WHITE-----MALE----	50	64	107	150	173	146	122	67	33	2	-	-
FEMALE--	33	43	51	82	134	120	129	106	60	15	2	-
ALL OTHER--MALE----	25	40	55	54	47	47	35	17	4	-	-	-
FEMALE--	17	23	15	32	39	49	44	21	12	2	1	-
BLACK---MALE----	23	35	53	51	45	43	30	17	4	-	-	-
FEMALE--	17	20	15	31	38	46	42	19	12	1	1	-
MASSACHUSETTS -----	125	167	279	416	521	597	522	394	189	62	2	1
WHITE-----MALE----	78	103	157	236	291	276	231	143	61	15	-	-
FEMALE--	34	49	98	150	208	283	282	240	125	42	2	-
ALL OTHER--MALE----	9	11	16	16	8	17	3	2	-	1	-	1
FEMALE--	4	4	8	14	14	21	6	9	3	4	-	-
BLACK---MALE----	8	8	13	13	7	15	2	2	-	1	-	1
FEMALE--	4	3	4	10	13	14	5	8	3	4	-	-
MICHIGAN -----	186	248	402	614	759	777	621	407	176	45	6	-
WHITE-----MALE----	83	120	200	303	352	332	259	153	49	7	-	-
FEMALE--	49	72	122	196	301	342	276	216	114	33	6	-
ALL OTHER--MALE----	36	36	49	72	52	42	33	15	4	1	-	-
FEMALE--	18	20	31	43	54	61	53	23	9	4	-	-
BLACK---MALE----	32	34	42	67	49	42	31	15	4	1	-	-
FEMALE--	18	18	31	39	52	58	52	23	8	4	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 482
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 MALIGNANT NEOPLASMS OF DIGESTIVE ORGANS AND PERITONEUM (150-159)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
MINNESOTA -----	65	110	165	254	290	306	333	207	127	38	8	-
WHITE-----MALE----	39	61	89	153	143	179	160	77	38	11	1	-
FEMALE--	23	39	69	89	139	119	168	129	89	27	7	-
ALL OTHER--MALE----	3	6	5	6	5	4	2	-	-	-	-	-
FEMALE--	-	4	2	6	3	4	3	1	-	-	-	-
BLACK---MALE----	2	5	1	2	3	1	-	-	-	-	-	-
FEMALE--	-	2	1	4	1	1	1	1	-	-	-	-
MISSISSIPPI -----	69	91	130	164	191	189	167	124	57	17	1	-
WHITE-----MALE----	25	40	51	81	77	59	44	33	11	-	-	-
FEMALE--	10	15	28	35	50	69	60	60	32	12	-	-
ALL OTHER--MALE----	22	21	26	28	36	29	29	13	3	-	-	-
FEMALE--	12	15	25	20	28	32	34	18	11	5	1	-
BLACK---MALE----	21	21	26	28	35	29	29	13	3	-	-	-
FEMALE--	12	15	25	19	28	32	33	18	11	5	1	-
MISSOURI -----	104	150	226	372	411	406	362	277	127	33	6	-
WHITE-----MALE----	65	69	117	196	199	189	152	98	26	5	1	-
FEMALE--	23	55	71	117	169	174	180	158	88	24	5	-
ALL OTHER--MALE----	10	13	18	33	21	20	9	5	2	1	-	-
FEMALE--	6	13	20	26	22	23	21	16	11	3	-	-
BLACK---MALE----	9	12	17	30	21	20	9	5	2	1	-	-
FEMALE--	5	13	19	26	21	22	20	16	11	2	-	-
MONTANA -----	17	17	43	52	53	63	54	44	20	1	2	-
WHITE-----MALE----	8	13	27	36	32	36	28	11	4	1	-	-
FEMALE--	5	4	14	15	19	26	23	33	15	-	2	-
ALL OTHER--MALE----	2	-	-	-	2	1	1	-	-	-	-	-
FEMALE--	2	-	2	1	-	-	2	-	1	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	27	45	65	92	126	129	136	89	45	13	2	-
WHITE-----MALE----	15	26	39	62	68	66	70	38	15	3	-	-
FEMALE--	11	16	21	28	49	57	62	50	28	9	2	-
ALL OTHER--MALE----	-	1	2	1	7	3	1	-	-	-	-	-
FEMALE--	1	2	3	1	2	3	3	1	2	1	-	-
BLACK---MALE----	-	-	2	1	5	2	1	-	-	-	-	-
FEMALE--	1	2	2	-	-	3	2	1	2	1	-	-
NEVADA -----	35	46	88	87	116	115	83	41	19	4	2	-
WHITE-----MALE----	22	30	48	59	74	66	42	16	11	1	-	-
FEMALE--	8	8	24	21	32	40	38	23	7	3	1	-
ALL OTHER--MALE----	4	4	13	3	5	8	-	1	-	-	-	-
FEMALE--	1	4	3	4	5	1	3	1	1	-	1	-
BLACK---MALE----	2	2	12	3	4	3	-	1	-	-	-	-
FEMALE--	-	3	3	3	1	1	1	1	1	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 484
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
0 MALIGNANT NEOPLASMS OF DIGESTIVE ORGANS AND PERITONEUM (150-159)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
OHIO -----	5,837	-	-	-	-	1	1	12	13	46	94	175
WHITE-----MALE----	2,609	-	-	-	-	-	-	8	5	15	44	91
FEMALE--	2,489	-	-	-	-	1	1	2	8	22	34	52
ALL OTHER--MALE----	382	-	-	-	-	-	-	1	-	7	12	18
FEMALE--	357	-	-	-	-	-	-	1	-	2	4	14
BLACK---MALE----	372	-	-	-	-	-	-	1	-	7	12	17
FEMALE--	347	-	-	-	-	-	-	1	-	2	4	14
OKLAHOMA -----	1,520	-	-	-	-	-	2	2	4	11	28	35
WHITE-----MALE----	684	-	-	-	-	-	1	-	1	6	12	14
FEMALE--	656	-	-	-	-	-	-	1	1	3	8	15
ALL OTHER--MALE----	92	-	-	-	-	-	1	1	1	-	5	5
FEMALE--	88	-	-	-	-	-	-	-	1	2	3	1
BLACK---MALE----	55	-	-	-	-	-	-	1	1	-	3	4
FEMALE--	46	-	-	-	-	-	-	-	-	1	3	-
OREGON -----	1,463	-	-	1	-	2	-	5	5	12	23	45
WHITE-----MALE----	763	-	-	-	-	1	-	4	1	6	15	26
FEMALE--	650	-	-	-	-	1	-	1	3	4	8	16
ALL OTHER--MALE----	25	-	-	1	-	-	-	-	1	1	-	2
FEMALE--	25	-	-	-	-	-	-	-	-	1	-	1
BLACK---MALE----	5	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	7,394	-	-	1	-	1	2	9	21	40	74	185
WHITE-----MALE----	3,392	-	-	-	-	1	2	4	12	15	42	114
FEMALE--	3,287	-	-	1	-	-	-	3	6	13	21	43
ALL OTHER--MALE----	383	-	-	-	-	-	-	1	1	8	9	19
FEMALE--	332	-	-	-	-	-	-	1	2	4	2	9
BLACK---MALE----	359	-	-	-	-	-	-	1	1	7	8	14
FEMALE--	316	-	-	-	-	-	-	1	1	3	2	9
RHODE ISLAND -----	668	-	-	-	-	-	-	-	-	3	8	16
WHITE-----MALE----	337	-	-	-	-	-	-	-	-	2	5	10
FEMALE--	311	-	-	-	-	-	-	-	-	1	2	5
ALL OTHER--MALE----	13	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	8	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	1,780	-	1	-	-	-	-	8	4	20	38	86
WHITE-----MALE----	587	-	1	-	-	-	-	3	-	1	15	21
FEMALE--	584	-	-	-	-	-	-	3	1	7	7	23
ALL OTHER--MALE----	335	-	-	-	-	-	-	-	1	5	8	34
FEMALE--	274	-	-	-	-	-	-	2	2	7	8	8
BLACK---MALE----	333	-	-	-	-	-	-	-	1	5	8	34
FEMALE--	269	-	-	-	-	-	-	2	2	6	8	8

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 484
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 MALIGNANT NEOPLASMS OF DIGESTIVE ORGANS AND PERITONEUM (150-159)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
OHIO -----	229	335	487	733	975	984	825	552	288	81	6	-
WHITE-----MALE----	128	186	242	409	452	452	320	166	73	18	-	-
FEMALE--	72	90	155	221	396	436	430	331	183	50	5	-
ALL OTHER--MALE----	17	35	46	57	84	47	32	18	8	-	-	-
FEMALE--	12	24	44	46	43	49	43	37	24	13	1	-
BLACK---MALE----	17	33	43	56	83	47	31	17	8	-	-	-
FEMALE--	10	23	43	44	43	49	42	36	23	12	1	-
OKLAHOMA -----	77	111	130	192	241	222	209	154	70	30	2	-
WHITE-----MALE----	37	65	73	95	112	99	95	51	17	5	1	-
FEMALE--	30	31	40	75	98	95	94	94	45	25	1	-
ALL OTHER--MALE----	4	8	12	10	19	13	5	4	4	-	-	-
FEMALE--	6	7	5	12	12	15	15	5	4	-	-	-
BLACK---MALE----	1	7	6	5	9	11	4	3	-	-	-	-
FEMALE--	4	1	1	8	6	9	9	3	1	-	-	-
OREGON -----	69	77	131	173	249	238	204	147	65	14	3	-
WHITE-----MALE----	33	56	79	101	146	112	107	57	15	4	-	-
FEMALE--	28	20	46	64	96	117	95	90	48	10	3	-
ALL OTHER--MALE----	4	1	3	4	3	3	2	-	-	-	-	-
FEMALE--	4	-	3	4	4	6	-	-	2	-	-	-
BLACK---MALE----	1	-	-	-	2	-	1	-	-	-	-	-
FEMALE--	-	-	-	2	2	3	-	-	1	-	-	-
PENNSYLVANIA -----	250	431	596	967	1,225	1,269	1,140	715	344	110	14	-
WHITE-----MALE----	125	227	329	556	605	576	442	225	92	22	3	-
FEMALE--	82	133	194	311	514	587	620	434	236	80	9	-
ALL OTHER--MALE----	24	43	41	58	68	49	32	21	6	3	-	-
FEMALE--	19	28	32	42	38	57	46	35	10	5	2	-
BLACK---MALE----	22	37	40	58	66	47	30	20	6	2	-	-
FEMALE--	15	24	32	41	37	56	44	34	10	5	2	-
RHODE ISLAND -----	17	34	45	83	113	119	97	70	43	17	3	-
WHITE-----MALE----	11	17	32	52	60	54	47	29	10	7	1	-
FEMALE--	4	15	11	26	52	63	48	41	31	10	2	-
ALL OTHER--MALE----	1	1	2	5	-	1	1	-	-	-	-	-
FEMALE--	1	1	-	-	1	1	1	-	2	-	-	-
BLACK---MALE----	1	-	-	4	-	1	-	-	-	-	-	-
FEMALE--	1	1	-	-	1	1	-	-	2	-	-	-
SOUTH CAROLINA -----	89	136	188	250	283	253	213	128	64	14	5	-
WHITE-----MALE----	39	45	72	104	109	79	62	27	9	-	-	-
FEMALE--	14	35	49	63	89	89	65	37	11	2	-	-
ALL OTHER--MALE----	25	36	37	50	42	42	27	19	8	-	1	-
FEMALE--	11	20	30	33	43	43	35	17	10	3	2	-
BLACK---MALE----	25	36	36	50	42	42	26	19	8	-	1	-
FEMALE--	11	20	29	32	42	43	35	16	10	3	2	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 485
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
0 MALIGNANT NEOPLASMS OF DIGESTIVE ORGANS AND PERITONEUM (150-159)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
SOUTH DAKOTA -----	365	-	-	-	-	-	-	1	1	3	3	3
WHITE-----MALE----	187	-	-	-	-	-	-	1	-	2	2	2
FEMALE--	162	-	-	-	-	-	-	-	1	1	1	1
ALL OTHER--MALE----	8	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	2,530	-	-	-	-	-	2	4	10	30	51	91
WHITE-----MALE----	1,094	-	-	-	-	-	2	2	3	13	23	44
FEMALE--	979	-	-	-	-	-	-	2	5	9	12	22
ALL OTHER--MALE----	228	-	-	-	-	-	-	-	1	3	13	14
FEMALE--	229	-	-	-	-	-	-	-	1	5	3	11
BLACK---MALE----	225	-	-	-	-	-	-	-	1	3	13	13
FEMALE--	219	-	-	-	-	-	-	-	-	5	1	9
TEXAS -----	7,499	1	1	-	-	2	12	12	44	99	149	287
WHITE-----MALE----	3,435	-	1	-	-	-	2	7	13	48	71	142
FEMALE--	2,872	-	-	-	-	2	4	1	14	30	44	76
ALL OTHER--MALE----	639	1	-	-	-	-	2	2	8	12	19	44
FEMALE--	553	-	-	-	-	-	4	2	9	9	15	25
BLACK---MALE----	596	1	-	-	-	-	2	2	6	11	17	40
FEMALE--	504	-	-	-	-	-	4	2	8	9	11	22
UTAH -----	468	-	-	-	-	1	1	2	1	4	10	19
WHITE-----MALE----	237	-	-	-	-	1	1	1	-	2	9	10
FEMALE--	216	-	-	-	-	-	-	-	1	1	1	8
ALL OTHER--MALE----	8	-	-	-	-	-	-	1	-	1	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	295	-	-	-	-	-	-	-	1	4	4	8
WHITE-----MALE----	151	-	-	-	-	-	-	-	1	3	3	7
FEMALE--	143	-	-	-	-	-	-	-	-	1	1	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	2,775	-	3	-	-	-	4	5	9	24	45	96
WHITE-----MALE----	1,050	-	-	-	-	-	1	3	4	10	17	29
FEMALE--	992	-	2	-	-	-	2	-	1	7	13	23
ALL OTHER--MALE----	379	-	1	-	-	-	1	-	3	4	11	28
FEMALE--	354	-	-	-	-	-	-	2	1	3	4	16
BLACK---MALE----	352	-	1	-	-	-	1	-	3	3	10	24
FEMALE--	322	-	-	-	-	-	-	2	1	1	4	13

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 485
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 MALIGNANT NEOPLASMS OF DIGESTIVE ORGANS AND PERITONEUM (150-159)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
SOUTH DAKOTA -----	8	16	32	46	65	65	49	46	21	6	-	-
WHITE-----MALE----	4	10	16	26	42	32	20	22	7	1	-	-
FEMALE--	3	5	13	18	20	29	29	22	14	5	-	-
ALL OTHER--MALE----	-	1	1	2	1	2	-	1	-	-	-	-
FEMALE--	1	-	2	-	2	2	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	122	170	238	344	392	413	339	198	102	21	3	-
WHITE-----MALE----	59	83	119	172	183	177	129	56	22	6	1	-
FEMALE--	35	56	63	128	146	171	152	111	58	8	1	-
ALL OTHER--MALE----	13	21	31	25	29	33	22	14	7	1	1	-
FEMALE--	15	10	25	19	34	32	36	17	15	6	-	-
BLACK---MALE----	12	21	31	24	29	33	22	14	7	1	1	-
FEMALE--	15	9	24	19	34	29	36	17	15	6	-	-
TEXAS -----	365	489	726	996	1,214	1,080	914	684	320	94	9	1
WHITE-----MALE----	190	262	393	505	602	502	380	235	63	16	2	1
FEMALE--	100	127	200	319	434	455	425	368	210	57	6	-
ALL OTHER--MALE----	54	64	76	100	88	63	46	38	15	7	-	-
FEMALE--	21	36	57	72	90	60	63	43	32	14	1	-
BLACK---MALE----	47	58	71	95	85	60	43	36	15	7	-	-
FEMALE--	18	30	51	61	84	59	59	42	31	12	1	-
UTAH -----	17	30	51	49	75	81	66	42	13	6	-	-
WHITE-----MALE----	9	12	25	24	39	44	36	19	5	-	-	-
FEMALE--	6	18	22	23	34	36	29	23	8	6	-	-
ALL OTHER--MALE----	1	-	3	1	-	-	1	-	-	-	-	-
FEMALE--	1	-	1	1	2	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
VERMONT -----	7	23	25	24	45	52	44	33	20	5	-	-
WHITE-----MALE----	3	13	17	18	20	28	17	11	7	3	-	-
FEMALE--	3	10	8	6	25	24	27	22	13	2	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	155	196	260	342	481	425	357	230	110	27	5	1
WHITE-----MALE----	72	83	109	145	198	165	111	68	28	5	1	1
FEMALE--	42	45	70	107	156	170	157	110	65	19	3	-
ALL OTHER--MALE----	22	39	46	49	67	45	44	16	2	1	-	-
FEMALE--	19	29	35	41	60	45	45	36	15	2	1	-
BLACK---MALE----	20	34	44	48	65	41	40	15	2	1	-	-
FEMALE--	15	25	32	37	56	43	42	33	15	2	1	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 486
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 MALIGNANT NEOPLASMS OF DIGESTIVE ORGANS AND PERITONEUM (150-159)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
WASHINGTON -----	92	139	199	279	342	368	392	234	111	27	6	-
WHITE-----MALE----	44	69	125	163	183	174	179	90	38	4	2	-
FEMALE--	31	60	51	101	141	172	196	134	70	22	3	-
ALL OTHER--MALE----	13	6	15	11	10	10	6	7	-	1	1	-
FEMALE--	4	4	8	4	8	12	11	3	3	-	-	-
BLACK---MALE----	7	-	5	5	2	8	3	1	-	1	-	-
FEMALE--	-	2	1	2	3	2	1	2	-	-	-	-
WEST VIRGINIA -----	45	53	68	147	188	153	158	102	42	10	2	-
WHITE-----MALE----	28	30	44	80	101	67	68	32	11	5	1	-
FEMALE--	14	21	21	64	74	79	85	66	28	4	1	-
ALL OTHER--MALE----	2	2	1	1	7	3	3	1	2	1	-	-
FEMALE--	1	-	2	2	6	4	2	3	1	-	-	-
BLACK---MALE----	2	2	1	1	7	3	3	1	2	1	-	-
FEMALE--	-	-	2	2	6	3	2	3	1	-	-	-
WISCONSIN -----	98	146	236	300	365	402	368	299	135	40	5	-
WHITE-----MALE----	52	81	156	171	216	208	170	110	44	9	3	-
FEMALE--	32	49	63	107	136	182	194	179	89	30	2	-
ALL OTHER--MALE----	9	11	11	13	8	4	3	6	1	-	-	-
FEMALE--	5	5	6	9	5	8	1	4	1	1	-	-
BLACK---MALE----	8	10	8	12	7	3	2	3	1	-	-	-
FEMALE--	5	5	5	7	2	8	1	4	-	-	-	-
WYOMING -----	8	11	21	24	34	36	26	22	17	1	-	-
WHITE-----MALE----	5	8	16	13	17	18	8	9	1	1	-	-
FEMALE--	3	2	5	11	16	18	17	13	15	-	-	-
ALL OTHER--MALE----	-	1	-	-	1	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 487
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 OF ESOPHAGUS (150)												
0 UNITED STATES --	11,231	-	-	-	-	1	1	14	19	63	201	454
WHITE-----MALE----	6,964	-	-	-	-	1	1	10	16	45	141	312
FEMALE--	2,289	-	-	-	-	-	-	3	2	8	16	37
ALL OTHER--MALE----	1,436	-	-	-	-	-	-	1	1	6	34	81
FEMALE--	542	-	-	-	-	-	-	-	-	4	10	24
BLACK---MALE----	1,317	-	-	-	-	-	-	-	1	5	33	79
FEMALE--	510	-	-	-	-	-	-	-	-	4	8	22
ALABAMA -----	188	-	-	-	-	-	-	1	-	1	2	16
WHITE-----MALE----	97	-	-	-	-	-	-	1	-	1	1	8
FEMALE--	21	-	-	-	-	-	-	-	-	-	-	4
ALL OTHER--MALE----	52	-	-	-	-	-	-	-	-	-	-	4
FEMALE--	18	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	52	-	-	-	-	-	-	-	-	-	-	4
FEMALE--	18	-	-	-	-	-	-	-	-	-	1	-
ALASKA -----	11	-	-	-	-	-	-	-	-	-	-	2
WHITE-----MALE----	7	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	183	-	-	-	-	-	-	-	-	-	4	8
WHITE-----MALE----	141	-	-	-	-	-	-	-	-	-	3	7
FEMALE--	32	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	1	1
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	1	-
ARKANSAS -----	84	-	-	-	-	-	-	-	1	-	-	3
WHITE-----MALE----	59	-	-	-	-	-	-	-	1	-	-	3
FEMALE--	14	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	9	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	9	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	1,054	-	-	-	-	-	-	3	1	7	14	40
WHITE-----MALE----	672	-	-	-	-	-	-	2	1	4	11	34
FEMALE--	233	-	-	-	-	-	-	-	-	1	1	2
ALL OTHER--MALE----	106	-	-	-	-	-	-	1	-	1	1	4
FEMALE--	43	-	-	-	-	-	-	-	-	1	1	-
BLACK---MALE----	61	-	-	-	-	-	-	-	-	-	-	4
FEMALE--	34	-	-	-	-	-	-	-	-	1	1	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 487
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OF ESOPHAGUS (150)												
0 UNITED STATES --	697	989	1,420	1,777	1,920	1,621	1,143	634	208	65	4	-
WHITE-----MALE----	419	617	936	1,142	1,225	1,017	645	329	82	23	3	-
FEMALE--	66	104	181	276	407	417	371	257	108	35	1	-
ALL OTHER--MALE----	163	206	233	261	192	130	90	24	10	4	-	-
FEMALE--	49	62	70	98	96	57	37	24	8	3	-	-
BLACK---MALE----	156	195	218	236	171	114	78	19	9	3	-	-
FEMALE--	48	60	65	92	94	52	32	22	8	3	-	-
ALABAMA -----	14	21	23	35	34	21	9	8	1	2	-	-
WHITE-----MALE----	6	7	13	22	16	15	2	5	-	-	-	-
FEMALE--	1	-	1	3	4	2	3	1	1	1	-	-
ALL OTHER--MALE----	6	12	7	7	8	3	4	1	-	-	-	-
FEMALE--	1	2	2	3	6	1	-	1	-	1	-	-
BLACK---MALE----	6	12	7	7	8	3	4	1	-	-	-	-
FEMALE--	1	2	2	3	6	1	-	1	-	1	-	-
ALASKA -----	-	2	-	2	1	1	1	-	2	-	-	-
WHITE-----MALE----	-	1	-	2	-	1	-	-	1	-	-	-
FEMALE--	-	1	-	-	-	-	1	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	7	16	24	27	42	28	14	8	5	-	-	-
WHITE-----MALE----	4	15	23	18	34	19	12	3	3	-	-	-
FEMALE--	2	-	-	6	8	8	1	5	2	-	-	-
ALL OTHER--MALE----	-	1	1	1	-	1	1	-	-	-	-	-
FEMALE--	1	-	-	2	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	1	-	-	-	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	1	9	15	13	16	9	7	8	2	-	-	-
WHITE-----MALE----	1	5	11	9	12	7	3	5	2	-	-	-
FEMALE--	-	1	3	-	3	-	4	3	-	-	-	-
ALL OTHER--MALE----	-	2	1	4	1	1	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	2	1	4	1	1	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	1	-	-	-	-	-	-
CALIFORNIA -----	64	87	112	168	185	155	116	69	28	4	1	-
WHITE-----MALE----	41	58	81	104	128	89	69	30	16	3	1	-
FEMALE--	8	9	12	38	42	44	34	32	9	1	-	-
ALL OTHER--MALE----	10	16	11	22	10	15	9	5	1	-	-	-
FEMALE--	5	4	8	4	5	7	4	2	2	-	-	-
BLACK---MALE----	9	13	8	10	4	8	3	2	-	-	-	-
FEMALE--	4	3	7	3	4	5	3	1	2	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 488
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 OF ESOPHAGUS (150)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
COLORADO -----	4	8	15	22	26	18	10	7	1	-	-	-
WHITE-----MALE----	4	6	13	16	20	14	8	5	-	-	-	-
FEMALE--	-	2	2	5	5	3	2	2	1	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
CONNECTICUT -----	10	15	19	23	16	16	12	15	7	-	-	-
WHITE-----MALE----	5	10	12	18	10	9	8	8	1	-	-	-
FEMALE--	3	2	5	2	4	6	4	7	5	-	-	-
ALL OTHER--MALE----	2	2	1	2	2	-	-	-	1	-	-	-
FEMALE--	-	1	1	1	-	1	-	-	-	-	-	-
BLACK---MALE----	2	2	1	2	2	-	-	-	1	-	-	-
FEMALE--	-	1	1	1	-	1	-	-	-	-	-	-
DELAWARE -----	2	2	3	6	7	11	1	2	-	2	-	-
WHITE-----MALE----	2	1	2	5	5	5	1	1	-	2	-	-
FEMALE--	-	-	-	-	2	3	-	1	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	2	-	-	-	-	-	-
FEMALE--	-	-	1	1	-	1	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	1	1	-	1	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	6	3	5	8	11	10	-	2	-	1	-	-
WHITE-----MALE----	-	-	2	1	1	2	-	1	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	2	3	7	5	6	-	1	-	1	-	-
FEMALE--	2	-	-	-	5	2	-	-	-	-	-	-
BLACK---MALE----	4	2	3	7	5	6	-	1	-	1	-	-
FEMALE--	2	-	-	-	5	2	-	-	-	-	-	-
FLORIDA -----	39	55	96	136	132	134	97	53	11	3	2	-
WHITE-----MALE----	22	33	61	89	84	92	56	33	3	1	1	-
FEMALE--	6	9	15	24	30	34	35	19	7	1	1	-
ALL OTHER--MALE----	7	9	16	18	15	8	5	1	1	1	-	-
FEMALE--	4	4	4	5	3	-	1	-	-	-	-	-
BLACK---MALE----	7	9	16	18	15	8	5	1	1	1	-	-
FEMALE--	4	4	4	5	3	-	1	-	-	-	-	-
GEORGIA -----	26	33	44	45	45	37	22	13	5	1	-	-
WHITE-----MALE----	7	14	22	17	23	19	14	3	2	-	-	-
FEMALE--	-	2	2	9	9	10	4	8	3	-	-	-
ALL OTHER--MALE----	13	13	16	12	10	5	2	-	-	-	-	-
FEMALE--	6	4	4	7	3	3	2	2	-	1	-	-
BLACK---MALE----	13	13	16	12	10	5	2	-	-	-	-	-
FEMALE--	6	4	3	7	3	3	2	2	-	1	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 489
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 0 OF ESOPHAGUS (150)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
HAWAII -----	2	3	3	5	7	5	5	2	1	-	-	-
WHITE-----MALE----	-	1	1	1	-	2	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	1	-	-	-
ALL OTHER--MALE----	2	2	2	4	6	3	2	1	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	1	5	2	4	11	6	9	3	1	-	-	-
WHITE-----MALE----	1	3	2	4	8	6	6	2	-	-	-	-
FEMALE--	-	2	-	-	3	-	3	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	33	57	70	83	92	74	55	27	9	4	-	-
WHITE-----MALE----	22	33	41	50	60	53	35	10	2	2	-	-
FEMALE--	3	4	11	8	17	13	14	14	7	2	-	-
ALL OTHER--MALE----	5	15	16	16	5	3	3	2	-	-	-	-
FEMALE--	3	5	2	9	10	5	3	1	-	-	-	-
BLACK---MALE----	5	15	15	16	5	2	3	2	-	-	-	-
FEMALE--	3	5	2	7	10	5	2	1	-	-	-	-
INDIANA -----	21	26	32	40	35	36	27	8	6	1	-	-
WHITE-----MALE----	19	19	24	29	28	24	16	6	4	1	-	-
FEMALE--	2	3	4	5	3	10	10	1	2	-	-	-
ALL OTHER--MALE----	-	2	3	5	2	1	1	1	-	-	-	-
FEMALE--	-	2	1	1	2	1	-	-	-	-	-	-
BLACK---MALE----	-	2	3	5	2	1	1	1	-	-	-	-
FEMALE--	-	2	1	1	2	1	-	-	-	-	-	-
IOWA -----	7	8	18	21	27	21	23	5	3	3	-	-
WHITE-----MALE----	6	8	15	16	23	13	15	1	1	-	-	-
FEMALE--	1	-	3	5	4	7	8	4	2	3	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS -----	6	5	15	13	19	11	11	9	1	-	-	-
WHITE-----MALE----	6	3	8	11	14	8	5	6	1	-	-	-
FEMALE--	-	2	6	1	5	3	6	2	-	-	-	-
ALL OTHER--MALE----	-	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 490
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 OF ESOPHAGUS (150)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
KENTUCKY -----	15	10	19	32	27	16	14	5	3	1	-	-
WHITE-----MALE----	11	9	15	23	19	8	11	2	-	-	-	-
FEMALE--	3	-	2	5	6	6	2	3	3	-	-	-
ALL OTHER--MALE----	1	-	1	3	2	1	-	-	-	-	-	-
FEMALE--	-	1	1	1	-	1	1	-	-	1	-	-
BLACK---MALE----	1	-	1	3	2	1	-	-	-	-	-	-
FEMALE--	-	1	1	1	-	-	1	-	-	-	1	-
LOUISIANA -----	16	16	37	39	25	21	16	5	4	-	-	-
WHITE-----MALE----	3	10	16	21	6	11	5	3	2	-	-	-
FEMALE--	1	1	3	8	2	6	6	1	1	-	-	-
ALL OTHER--MALE----	8	4	14	8	11	3	4	-	1	-	-	-
FEMALE--	4	1	4	2	6	1	1	1	-	-	-	-
BLACK---MALE----	8	4	14	8	10	3	4	-	1	-	-	-
FEMALE--	4	1	4	2	6	1	1	1	-	-	-	-
MAINE -----	5	1	6	8	7	10	6	4	-	1	-	-
WHITE-----MALE----	4	1	6	8	5	7	2	1	-	-	-	-
FEMALE--	1	-	-	-	2	3	4	3	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	14	18	43	34	41	35	22	11	1	-	-	-
WHITE-----MALE----	7	10	16	23	25	17	7	10	-	-	-	-
FEMALE--	1	1	8	3	7	5	5	1	1	-	-	-
ALL OTHER--MALE----	4	6	14	6	5	6	7	-	-	-	-	-
FEMALE--	2	1	5	2	4	7	3	-	-	-	-	-
BLACK---MALE----	4	6	14	6	5	6	7	-	-	-	-	-
FEMALE--	2	1	5	2	4	7	3	-	-	-	-	-
MASSACHUSETTS -----	16	24	40	50	53	43	44	22	8	3	-	-
WHITE-----MALE----	13	20	29	39	38	29	21	13	6	-	-	-
FEMALE--	1	2	8	7	12	14	23	8	2	3	-	-
ALL OTHER--MALE----	1	1	3	3	2	-	-	-	-	-	-	-
FEMALE--	1	1	-	1	1	-	-	1	-	-	-	-
BLACK---MALE----	1	1	2	3	2	-	-	-	-	-	-	-
FEMALE--	1	1	-	1	1	-	-	1	-	-	-	-
MICHIGAN -----	27	30	45	76	95	69	40	24	9	3	-	-
WHITE-----MALE----	14	19	32	46	58	43	24	14	3	1	-	-
FEMALE--	1	1	3	10	25	18	9	10	5	2	-	-
ALL OTHER--MALE----	10	6	7	15	9	6	5	-	-	-	-	-
FEMALE--	2	4	3	5	3	2	2	-	1	-	-	-
BLACK---MALE----	10	6	7	14	9	6	4	-	-	-	-	-
FEMALE--	2	4	3	5	3	2	2	-	1	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 493
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 OF ESOPHAGUS (150)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
OHIO -----	28	44	67	98	95	82	61	31	10	3	-	-
WHITE-----MALE----	20	30	45	75	62	47	33	19	4	3	-	-
FEMALE--	2	4	6	8	18	29	20	11	5	-	-	-
ALL OTHER--MALE----	4	7	13	10	12	3	6	-	1	-	-	-
FEMALE--	2	3	3	5	3	3	2	1	-	-	-	-
BLACK---MALE----	4	7	12	10	12	3	6	-	1	-	-	-
FEMALE--	2	3	3	5	3	3	2	1	-	-	-	-
OKLAHOMA -----	8	16	11	19	11	19	7	8	3	1	-	-
WHITE-----MALE----	7	14	8	12	7	12	6	6	2	-	-	-
FEMALE--	-	2	1	3	3	4	-	2	1	1	-	-
ALL OTHER--MALE----	-	-	2	3	1	2	-	-	-	-	-	-
FEMALE--	1	-	-	1	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	1	2	1	2	-	-	-	-	-	-
FEMALE--	1	-	-	1	-	1	-	-	-	-	-	-
OREGON -----	8	14	15	17	33	24	12	8	1	2	-	-
WHITE-----MALE----	7	11	12	10	23	16	5	5	1	1	-	-
FEMALE--	1	3	3	5	10	8	7	3	-	1	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	41	56	88	109	102	87	73	37	10	4	1	-
WHITE-----MALE----	27	34	62	78	65	60	40	20	4	1	1	-
FEMALE--	6	6	14	18	22	20	28	10	6	2	-	-
ALL OTHER--MALE----	5	13	6	10	12	6	3	5	-	1	-	-
FEMALE--	3	3	6	3	3	1	2	2	-	-	-	-
BLACK---MALE----	4	12	6	10	11	6	3	5	-	-	-	-
FEMALE--	3	3	6	2	3	1	2	1	-	-	-	-
RHODE ISLAND -----	2	1	7	11	12	12	14	1	2	1	-	-
WHITE-----MALE----	2	1	5	7	9	5	9	-	1	-	-	-
FEMALE--	-	-	1	3	3	7	5	1	1	1	-	-
ALL OTHER--MALE----	-	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	14	26	29	32	21	21	16	2	3	1	-	-
WHITE-----MALE----	5	7	18	8	9	8	6	-	-	-	-	-
FEMALE--	-	3	1	6	4	6	5	2	1	1	-	-
ALL OTHER--MALE----	9	13	10	16	6	5	4	-	1	-	-	-
FEMALE--	-	3	-	2	2	2	1	-	1	-	-	-
BLACK---MALE----	9	13	10	16	6	5	3	-	1	-	-	-
FEMALE--	-	3	-	2	2	2	1	-	1	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 494
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 OF ESOPHAGUS (150)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
SOUTH DAKOTA -----	-	1	3	5	6	5	1	4	-	-	-	-
WHITE-----MALE----	-	1	1	4	4	4	-	2	-	-	-	-
FEMALE--	-	-	2	1	1	1	2	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	17	21	31	32	34	37	8	5	5	-	-	-
WHITE-----MALE----	11	11	16	19	20	21	4	4	2	-	-	-
FEMALE--	2	2	5	6	7	13	4	1	1	-	-	-
ALL OTHER--MALE----	3	8	9	4	3	3	-	-	2	-	-	-
FEMALE--	1	-	1	3	4	-	-	-	-	-	-	-
BLACK---MALE----	3	8	9	3	3	3	-	-	2	-	-	-
FEMALE--	1	-	1	3	4	-	-	-	-	-	-	-
TEXAS -----	37	58	90	103	104	72	63	33	8	4	-	-
WHITE-----MALE----	24	32	60	65	75	53	38	15	1	1	-	-
FEMALE--	2	3	10	16	18	13	18	13	7	2	-	-
ALL OTHER--MALE----	10	18	14	14	9	5	5	2	-	1	-	-
FEMALE--	1	5	6	8	2	1	2	3	-	-	-	-
BLACK---MALE----	10	18	14	14	9	5	5	2	-	1	-	-
FEMALE--	1	5	6	8	2	-	1	3	-	-	-	-
UTAH -----	1	6	4	4	6	7	2	3	-	1	-	-
WHITE-----MALE----	1	4	3	4	5	7	1	3	-	-	-	-
FEMALE--	-	2	1	-	1	-	1	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	2	4	-	3	6	3	1	1	1	1	-	-
WHITE-----MALE----	1	2	-	2	3	3	-	1	1	-	-	-
FEMALE--	1	2	-	1	3	-	1	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	19	23	37	41	59	37	25	11	4	1	-	-
WHITE-----MALE----	10	13	22	28	32	21	11	6	2	1	-	-
FEMALE--	1	1	4	3	10	9	7	3	2	-	-	-
ALL OTHER--MALE----	7	7	10	8	10	7	6	1	-	-	-	-
FEMALE--	1	2	1	2	7	-	1	1	-	-	-	-
BLACK---MALE----	7	7	10	8	9	7	6	1	-	-	-	-
FEMALE--	1	2	-	2	7	-	1	1	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 496
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 OF STOMACH (151)												
0 UNITED STATES --	13,336	-	-	-	-	2	17	35	98	178	282	436
WHITE-----MALE----	6,188	-	-	-	-	-	7	10	30	67	127	175
FEMALE--	4,268	-	-	-	-	-	5	10	29	37	72	108
ALL OTHER--MALE----	1,671	-	-	-	-	1	3	6	16	43	48	90
FEMALE--	1,209	-	-	-	-	1	2	9	23	31	35	63
BLACK---MALE----	1,301	-	-	-	-	1	1	6	13	35	36	76
FEMALE--	926	-	-	-	-	1	-	8	15	21	16	44
ALABAMA -----	221	-	-	-	-	-	-	2	2	2	8	8
WHITE-----MALE----	81	-	-	-	-	-	-	1	-	1	3	3
FEMALE--	54	-	-	-	-	-	-	-	-	-	2	2
ALL OTHER--MALE----	51	-	-	-	-	-	-	-	2	-	2	1
FEMALE--	35	-	-	-	-	-	-	1	-	1	1	2
BLACK---MALE----	51	-	-	-	-	-	-	-	2	-	2	1
FEMALE--	35	-	-	-	-	-	-	1	-	1	1	2
ALASKA -----	29	-	-	-	-	-	-	-	1	1	1	2
WHITE-----MALE----	8	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	15	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	3	-	-	-	-	-	-	-	-	-	1	1
BLACK---MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	177	-	-	-	-	-	1	1	1	2	7	8
WHITE-----MALE----	93	-	-	-	-	-	-	1	-	-	4	3
FEMALE--	66	-	-	-	-	-	-	-	-	1	1	2
ALL OTHER--MALE----	12	-	-	-	-	-	1	-	-	-	1	3
FEMALE--	6	-	-	-	-	-	-	-	1	1	1	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
ARKANSAS -----	154	-	-	-	-	-	-	-	2	3	6	2
WHITE-----MALE----	69	-	-	-	-	-	-	-	-	1	2	1
FEMALE--	53	-	-	-	-	-	-	-	1	-	3	-
ALL OTHER--MALE----	18	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	14	-	-	-	-	-	-	-	1	1	1	-
BLACK---MALE----	18	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	13	-	-	-	-	-	-	-	1	-	1	-
CALIFORNIA -----	1,504	-	-	-	-	-	4	7	15	29	43	57
WHITE-----MALE----	659	-	-	-	-	-	-	2	5	12	16	16
FEMALE--	445	-	-	-	-	-	1	3	5	5	10	22
ALL OTHER--MALE----	229	-	-	-	-	-	1	-	1	6	7	8
FEMALE--	171	-	-	-	-	-	2	2	4	6	10	11
BLACK---MALE----	71	-	-	-	-	-	-	-	-	2	3	5
FEMALE--	64	-	-	-	-	-	-	1	1	3	3	1

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 496
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OF STOMACH (151)												
0 UNITED STATES --	571	803	1,088	1,551	2,069	2,141	1,894	1,369	618	159	24	1
WHITE-----MALE----	292	424	573	816	1,045	1,039	827	519	200	31	5	1
FEMALE--	146	175	238	416	603	689	722	615	303	90	10	-
ALL OTHER--MALE----	79	143	188	195	271	252	178	111	36	8	3	-
FEMALE--	54	61	89	124	150	161	167	124	79	30	6	-
BLACK---MALE----	62	108	152	154	207	190	128	96	28	5	3	-
FEMALE--	41	44	63	91	123	130	127	109	65	23	5	-
ALABAMA -----	16	15	24	16	36	33	24	22	12	1	-	-
WHITE-----MALE----	8	7	10	6	16	10	9	5	2	-	-	-
FEMALE--	3	1	4	4	9	8	6	9	5	1	-	-
ALL OTHER--MALE----	4	5	8	4	3	9	7	6	-	-	-	-
FEMALE--	1	2	2	2	8	6	2	2	5	-	-	-
BLACK---MALE----	4	5	8	4	3	9	7	6	-	-	-	-
FEMALE--	1	2	2	2	8	6	2	2	5	-	-	-
ALASKA -----	3	1	7	3	3	4	1	2	-	-	-	-
WHITE-----MALE----	1	-	4	1	-	-	1	1	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	2	1	3	1	3	3	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	8	15	17	19	20	27	26	14	7	3	1	-
WHITE-----MALE----	4	10	13	8	10	19	12	5	2	2	-	-
FEMALE--	4	5	3	9	8	6	12	9	4	1	1	-
ALL OTHER--MALE----	-	-	1	1	2	2	1	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	10	6	13	17	25	23	25	12	6	4	-	-
WHITE-----MALE----	5	3	9	9	13	7	12	5	1	1	-	-
FEMALE--	3	-	3	6	11	8	8	4	5	1	-	-
ALL OTHER--MALE----	2	2	-	1	-	5	3	1	-	2	-	-
FEMALE--	-	1	1	1	1	3	2	2	-	-	-	-
BLACK---MALE----	2	2	-	1	-	5	3	1	-	2	-	-
FEMALE--	-	1	1	1	1	3	2	2	-	-	-	-
CALIFORNIA -----	72	102	118	168	239	235	203	128	66	16	2	-
WHITE-----MALE----	34	44	61	73	115	115	89	49	25	3	-	-
FEMALE--	19	24	31	42	56	68	65	52	32	8	2	-
ALL OTHER--MALE----	8	23	14	32	46	31	29	15	6	2	-	-
FEMALE--	11	11	12	21	22	21	20	12	3	3	-	-
BLACK---MALE----	1	10	4	9	18	5	6	7	1	-	-	-
FEMALE--	4	6	3	7	11	9	6	8	1	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 497
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
 CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
 0 OF STOMACH (151)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
COLORADO -----	144	-	-	-	-	-	-	-	-	3	6	2
WHITE-----MALE----	79	-	-	-	-	-	-	-	-	2	3	2
FEMALE--	52	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	9	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	2	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	185	-	-	-	-	-	-	1	1	1	2	5
WHITE-----MALE----	89	-	-	-	-	-	-	-	-	-	1	3
FEMALE--	78	-	-	-	-	-	-	1	1	1	-	2
ALL OTHER--MALE----	12	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	11	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	40	-	-	-	-	-	-	1	1	1	-	1
WHITE-----MALE----	18	-	-	-	-	-	-	1	-	1	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	9	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	1	-	-	1
BLACK---MALE----	9	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	1	-	-	1
DISTRICT OF COLUMBIA ----	60	-	-	-	-	-	-	1	2	-	2	1
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	26	-	-	-	-	-	-	1	1	-	1	-
FEMALE--	27	-	-	-	-	-	-	-	1	-	1	1
BLACK---MALE----	26	-	-	-	-	-	-	1	1	-	1	-
FEMALE--	25	-	-	-	-	-	-	-	1	-	1	1
FLORIDA -----	940	-	-	-	-	-	1	2	10	10	13	29
WHITE-----MALE----	482	-	-	-	-	-	-	1	5	1	2	13
FEMALE--	306	-	-	-	-	-	1	-	1	4	4	6
ALL OTHER--MALE----	96	-	-	-	-	-	-	1	1	3	6	7
FEMALE--	56	-	-	-	-	-	-	-	3	2	1	3
BLACK---MALE----	90	-	-	-	-	-	-	1	1	3	5	6
FEMALE--	50	-	-	-	-	-	-	-	3	2	1	2
GEORGIA -----	276	-	-	-	-	-	1	1	2	7	10	16
WHITE-----MALE----	97	-	-	-	-	-	-	-	-	2	5	10
FEMALE--	60	-	-	-	-	-	-	-	1	1	2	1
ALL OTHER--MALE----	67	-	-	-	-	-	1	1	-	2	3	2
FEMALE--	52	-	-	-	-	-	-	-	1	2	-	3
BLACK---MALE----	66	-	-	-	-	-	1	1	-	1	3	2
FEMALE--	49	-	-	-	-	-	-	-	1	2	-	3

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 497
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 OF STOMACH (151)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
COLORADO -----	13	13	14	15	25	24	9	13	5	2	-	-
WHITE-----MALE----	8	9	9	9	16	11	3	3	4	-	-	-
FEMALE--	3	3	2	6	8	11	6	9	1	2	-	-
ALL OTHER--MALE----	-	1	3	-	1	2	-	1	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	1	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	9	5	11	15	40	40	25	18	11	1	-	-
WHITE-----MALE----	5	2	6	7	20	23	12	7	3	-	-	-
FEMALE--	3	3	-	6	19	11	13	10	7	1	-	-
ALL OTHER--MALE----	1	-	4	1	-	4	-	-	1	-	-	-
FEMALE--	-	-	1	1	1	2	-	1	-	-	-	-
BLACK---MALE----	1	-	4	1	-	4	-	-	1	-	-	-
FEMALE--	-	-	1	1	1	2	-	1	-	-	-	-
DELAWARE -----	2	3	3	7	10	4	4	1	1	1	-	-
WHITE-----MALE----	1	2	1	5	5	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	2	-	3	1	1	-	-	-
ALL OTHER--MALE----	-	1	2	1	3	2	-	-	-	-	-	-
FEMALE--	1	-	-	1	-	1	-	-	-	1	-	-
BLACK---MALE----	-	1	2	1	3	2	-	-	-	-	-	-
FEMALE--	1	-	-	1	-	1	-	-	-	1	-	-
DISTRICT OF COLUMBIA ----	1	5	3	7	11	8	9	7	1	2	-	-
WHITE-----MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	1	1	1	-	3	-	-	-	-	-
ALL OTHER--MALE----	-	4	2	4	6	4	1	1	-	1	-	-
FEMALE--	1	1	-	2	4	3	5	6	1	1	-	-
BLACK---MALE----	-	4	2	4	6	4	1	1	-	1	-	-
FEMALE--	1	1	-	2	4	3	4	6	1	-	-	-
FLORIDA -----	29	52	67	110	158	162	139	105	42	7	3	1
WHITE-----MALE----	16	23	33	69	88	89	64	54	19	2	2	1
FEMALE--	5	12	16	28	46	52	62	42	21	5	1	-
ALL OTHER--MALE----	6	14	14	4	16	11	7	5	1	-	-	-
FEMALE--	2	3	4	9	8	10	6	4	1	-	-	-
BLACK---MALE----	5	13	14	4	14	11	7	5	1	-	-	-
FEMALE--	2	3	4	7	7	8	6	4	1	-	-	-
GEORGIA -----	12	21	23	32	35	34	38	23	16	5	-	-
WHITE-----MALE----	4	7	10	9	11	14	14	9	2	-	-	-
FEMALE--	2	5	6	9	8	6	9	7	3	-	-	-
ALL OTHER--MALE----	3	8	6	9	9	8	10	3	2	-	-	-
FEMALE--	3	1	1	5	7	6	5	4	9	5	-	-
BLACK---MALE----	3	8	6	9	9	8	10	3	2	-	-	-
FEMALE--	2	-	1	5	6	6	5	4	9	5	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 498
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 OF STOMACH (151)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
HAWAII -----	1	9	9	9	19	23	23	11	7	2	-	-
WHITE-----MALE----	-	1	1	1	2	3	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	1	-	-	-	-
ALL OTHER--MALE----	-	6	6	4	13	13	10	4	2	-	-	-
FEMALE--	1	2	2	4	4	6	11	5	5	2	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	-	5	4	5	5	11	3	8	2	-	-	-
WHITE-----MALE----	-	2	3	4	4	5	2	4	2	-	-	-
FEMALE--	-	3	1	1	1	5	1	4	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	27	43	44	68	89	96	91	64	32	11	3	-
WHITE-----MALE----	11	18	22	25	40	55	48	31	10	3	-	-
FEMALE--	8	14	9	16	22	26	31	28	14	5	-	-
ALL OTHER--MALE----	6	10	9	13	20	8	4	2	3	1	2	-
FEMALE--	2	1	4	14	7	7	8	3	5	2	1	-
BLACK---MALE----	5	9	7	13	19	7	4	2	3	1	2	-
FEMALE--	2	1	2	13	6	6	7	3	5	2	1	-
INDIANA -----	10	11	15	27	38	34	27	18	11	2	-	-
WHITE-----MALE----	7	6	9	22	22	11	12	2	1	-	-	-
FEMALE--	2	4	5	2	13	20	14	14	8	2	-	-
ALL OTHER--MALE----	-	1	-	3	3	-	-	-	-	-	-	-
FEMALE--	1	-	1	-	-	3	1	2	2	-	-	-
BLACK---MALE----	-	1	-	3	3	-	-	-	-	-	-	-
FEMALE--	1	-	1	-	-	3	-	2	2	-	-	-
IOWA -----	8	2	8	18	12	20	12	12	4	3	-	-
WHITE-----MALE----	6	1	4	14	9	14	7	5	4	-	-	-
FEMALE--	2	-	3	2	3	6	4	7	-	3	-	-
ALL OTHER--MALE----	-	-	1	2	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	1	2	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
KANSAS -----	3	6	12	12	17	17	23	6	12	5	-	-
WHITE-----MALE----	1	5	5	5	14	10	12	1	8	2	-	-
FEMALE--	-	1	5	6	-	5	9	3	3	3	-	-
ALL OTHER--MALE----	2	-	-	1	1	2	1	1	-	-	-	-
FEMALE--	-	-	2	-	2	-	1	1	1	-	-	-
BLACK---MALE----	2	-	-	-	1	2	1	1	-	-	-	-
FEMALE--	-	-	-	-	2	-	1	1	1	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 499
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 OF STOMACH (151)												
KENTUCKY -----	168	-	-	-	-	-	-	1	2	3	6	6
WHITE-----MALE----	82	-	-	-	-	-	-	1	-	3	4	2
FEMALE--	66	-	-	-	-	-	-	-	1	-	2	2
ALL OTHER--MALE----	7	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	13	-	-	-	-	-	-	-	1	-	-	1
BLACK---MALE----	6	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	12	-	-	-	-	-	-	-	-	-	-	1
LOUISIANA -----	258	-	-	-	-	-	-	-	3	4	6	9
WHITE-----MALE----	95	-	-	-	-	-	-	-	1	-	4	4
FEMALE--	49	-	-	-	-	-	-	-	-	-	-	2
ALL OTHER--MALE----	67	-	-	-	-	-	-	-	1	2	2	2
FEMALE--	47	-	-	-	-	-	-	-	1	2	-	1
BLACK---MALE----	67	-	-	-	-	-	-	-	1	2	2	2
FEMALE--	47	-	-	-	-	-	-	-	1	2	-	1
MAINE -----	47	-	-	-	-	-	-	-	-	-	-	1
WHITE-----MALE----	23	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	24	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	257	-	-	-	-	-	-	-	1	-	5	10
WHITE-----MALE----	93	-	-	-	-	-	-	-	-	-	-	3
FEMALE--	71	-	-	-	-	-	-	-	1	-	2	1
ALL OTHER--MALE----	61	-	-	-	-	-	-	-	-	-	2	6
FEMALE--	32	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	53	-	-	-	-	-	-	-	-	-	1	6
FEMALE--	30	-	-	-	-	-	-	-	-	-	1	-
MASSACHUSETTS -----	388	-	-	-	-	-	2	-	1	6	5	10
WHITE-----MALE----	205	-	-	-	-	-	1	-	-	4	-	6
FEMALE--	141	-	-	-	-	-	1	-	-	-	4	3
ALL OTHER--MALE----	21	-	-	-	-	-	-	-	-	2	-	-
FEMALE--	21	-	-	-	-	-	-	-	1	-	1	1
BLACK---MALE----	19	-	-	-	-	-	-	-	-	2	-	-
FEMALE--	13	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	429	-	-	-	-	1	1	1	2	4	9	15
WHITE-----MALE----	222	-	-	-	-	-	1	-	1	1	4	4
FEMALE--	125	-	-	-	-	-	-	1	1	1	4	4
ALL OTHER--MALE----	49	-	-	-	-	1	-	-	-	1	1	4
FEMALE--	33	-	-	-	-	-	-	-	-	1	-	3
BLACK---MALE----	46	-	-	-	-	1	-	-	-	-	1	4
FEMALE--	32	-	-	-	-	-	-	-	-	1	-	3

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 499
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 OF STOMACH (151)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
KENTUCKY -----	8	13	13	19	28	25	16	21	5	2	-	-
WHITE-----MALE----	6	7	7	7	19	13	6	4	2	1	-	-
FEMALE--	1	5	6	9	8	7	8	14	2	1	-	-
ALL OTHER--MALE----	-	-	-	1	1	2	-	2	-	-	-	-
FEMALE--	1	1	-	2	-	3	2	1	1	-	-	-
BLACK---MALE----	-	-	-	1	1	1	-	2	-	-	-	-
FEMALE--	1	1	-	2	-	3	2	1	1	-	-	-
LOUISIANA -----	15	19	22	33	33	32	29	31	18	3	1	-
WHITE-----MALE----	8	10	11	13	12	14	9	8	1	-	-	-
FEMALE--	3	2	1	7	5	4	6	8	10	1	-	-
ALL OTHER--MALE----	2	4	9	7	12	7	9	6	3	1	-	-
FEMALE--	2	3	1	6	4	7	5	9	4	1	1	-
BLACK---MALE----	2	4	9	7	12	7	9	6	3	1	-	-
FEMALE--	2	3	1	6	4	7	5	9	4	1	1	-
MAINE -----	1	1	1	8	6	12	12	4	-	1	-	-
WHITE-----MALE----	-	1	-	4	3	6	7	1	-	-	-	-
FEMALE--	1	-	1	4	3	6	5	3	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	7	24	21	26	37	43	36	29	16	1	1	-
WHITE-----MALE----	3	12	10	13	15	15	9	7	6	-	-	-
FEMALE--	1	2	2	6	11	13	16	11	4	1	-	-
ALL OTHER--MALE----	3	9	8	6	3	10	7	5	2	-	-	-
FEMALE--	-	1	1	1	8	5	4	6	4	-	1	-
BLACK---MALE----	3	6	8	6	3	8	5	5	2	-	-	-
FEMALE--	-	-	1	1	8	5	3	6	4	-	1	-
MASSACHUSETTS -----	11	16	26	39	53	71	67	50	26	5	-	-
WHITE-----MALE----	8	12	17	24	29	42	29	23	9	1	-	-
FEMALE--	1	1	6	10	21	18	34	23	16	3	-	-
ALL OTHER--MALE----	1	2	2	4	1	6	2	1	-	-	-	-
FEMALE--	1	1	1	1	2	5	2	3	1	1	-	-
BLACK---MALE----	1	2	2	3	1	6	1	1	-	-	-	-
FEMALE--	1	-	-	1	2	3	2	2	1	1	-	-
MICHIGAN -----	14	16	40	51	64	74	75	42	14	6	-	-
WHITE-----MALE----	9	12	20	30	32	48	34	20	5	1	-	-
FEMALE--	1	1	11	12	19	15	28	17	7	3	-	-
ALL OTHER--MALE----	3	2	6	7	8	7	5	3	1	-	-	-
FEMALE--	1	1	3	2	5	4	8	2	1	2	-	-
BLACK---MALE----	3	2	6	6	8	7	4	3	1	-	-	-
FEMALE--	1	1	3	1	5	4	8	2	1	2	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 500
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 OF STOMACH (151)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
MINNESOTA -----	8	10	14	23	22	25	34	24	12	5	2	-
WHITE-----MALE----	6	5	7	14	13	16	22	10	6	2	-	-
FEMALE--	2	5	4	7	9	7	12	14	6	3	2	-
ALL OTHER--MALE----	-	-	2	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	1	1	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
MISSISSIPPI -----	2	3	11	11	19	18	10	13	5	2	-	-
WHITE-----MALE----	2	1	3	7	8	3	1	5	-	-	-	-
FEMALE--	-	2	-	2	4	7	1	2	3	1	-	-
ALL OTHER--MALE----	-	-	4	2	5	4	6	3	-	-	-	-
FEMALE--	-	-	4	-	2	4	2	3	2	1	-	-
BLACK---MALE----	-	-	4	2	5	4	6	3	-	-	-	-
FEMALE--	-	-	4	-	2	4	2	3	2	1	-	-
MISSOURI -----	9	10	17	24	31	38	34	33	12	1	1	-
WHITE-----MALE----	4	6	11	14	17	16	10	18	2	-	1	-
FEMALE--	4	-	3	6	9	13	19	11	8	1	-	-
ALL OTHER--MALE----	-	2	2	4	4	5	1	1	1	-	-	-
FEMALE--	1	2	1	-	1	4	4	3	1	-	-	-
BLACK---MALE----	-	2	2	3	4	5	1	1	1	-	-	-
FEMALE--	1	2	1	-	1	4	4	3	1	-	-	-
MONTANA -----	3	1	4	3	3	6	6	1	1	-	-	-
WHITE-----MALE----	2	1	4	2	2	5	5	1	-	-	-	-
FEMALE--	-	-	-	1	1	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	4	5	4	8	7	11	13	7	3	1	-	-
WHITE-----MALE----	1	4	3	6	1	7	7	4	1	-	-	-
FEMALE--	2	1	-	1	6	4	5	3	2	-	-	-
ALL OTHER--MALE----	-	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	1	-	-
BLACK---MALE----	-	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	1	-	-
NEVADA -----	2	5	6	11	10	17	7	2	-	1	1	-
WHITE-----MALE----	-	3	2	9	6	9	5	-	-	-	-	-
FEMALE--	2	1	2	2	4	5	1	1	-	1	-	-
ALL OTHER--MALE----	-	1	1	-	-	2	-	1	-	-	-	-
FEMALE--	-	-	1	-	-	1	1	-	-	-	1	-
BLACK---MALE----	-	-	1	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	1	-	-	1	1	-	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 502
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 OF STOMACH (151)												
OHIO -----	597	-	-	-	-	-	-	-	2	9	9	18
WHITE-----MALE----	271	-	-	-	-	-	-	-	2	1	5	9
FEMALE--	208	-	-	-	-	-	-	-	-	3	2	6
ALL OTHER--MALE----	68	-	-	-	-	-	-	-	-	5	-	3
FEMALE--	50	-	-	-	-	-	-	-	-	-	2	-
BLACK---MALE----	67	-	-	-	-	-	-	-	-	5	-	3
FEMALE--	48	-	-	-	-	-	-	-	-	-	2	-
OKLAHOMA -----	151	-	-	-	-	-	-	-	1	3	4	-
WHITE-----MALE----	77	-	-	-	-	-	-	-	-	2	1	-
FEMALE--	56	-	-	-	-	-	-	-	-	1	2	-
ALL OTHER--MALE----	10	-	-	-	-	-	-	-	1	-	1	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	7	-	-	-	-	-	-	-	1	-	1	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	142	-	-	-	-	-	-	1	2	3	1	9
WHITE-----MALE----	89	-	-	-	-	-	-	1	-	1	1	5
FEMALE--	42	-	-	-	-	-	-	-	1	1	-	2
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	1	-	-	1
FEMALE--	7	-	-	-	-	-	-	-	-	1	-	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	734	-	-	-	-	-	-	1	5	2	8	18
WHITE-----MALE----	379	-	-	-	-	-	-	-	2	1	5	10
FEMALE--	270	-	-	-	-	-	-	1	1	1	2	4
ALL OTHER--MALE----	48	-	-	-	-	-	-	-	1	-	1	3
FEMALE--	37	-	-	-	-	-	-	-	1	-	-	1
BLACK---MALE----	46	-	-	-	-	-	-	-	1	-	1	2
FEMALE--	36	-	-	-	-	-	-	-	-	-	-	1
RHODE ISLAND -----	89	-	-	-	-	-	-	-	-	1	-	4
WHITE-----MALE----	53	-	-	-	-	-	-	-	-	1	-	3
FEMALE--	32	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	214	-	-	-	-	-	-	1	1	5	4	17
WHITE-----MALE----	69	-	-	-	-	-	-	-	-	-	-	4
FEMALE--	45	-	-	-	-	-	-	-	-	-	1	2
ALL OTHER--MALE----	73	-	-	-	-	-	-	-	-	3	3	11
FEMALE--	27	-	-	-	-	-	-	1	1	2	-	-
BLACK---MALE----	73	-	-	-	-	-	-	-	-	3	3	11
FEMALE--	26	-	-	-	-	-	-	1	1	1	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 502
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 OF STOMACH (151)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
OHIO -----	21	38	46	72	102	94	92	60	29	5	-	-
WHITE-----MALE----	10	24	21	39	48	49	32	22	9	-	-	-
FEMALE--	6	5	10	19	34	31	47	27	14	4	-	-
ALL OTHER--MALE----	4	5	7	7	14	10	6	6	1	-	-	-
FEMALE--	1	4	8	7	6	4	7	5	5	1	-	-
BLACK---MALE----	4	5	6	7	14	10	6	6	1	-	-	-
FEMALE--	1	3	8	7	6	4	7	4	5	1	-	-
OKLAHOMA -----	10	7	13	15	34	15	15	22	10	1	1	-
WHITE-----MALE----	4	5	9	8	19	9	5	11	3	1	-	-
FEMALE--	3	2	3	6	11	5	6	10	6	-	1	-
ALL OTHER--MALE----	2	-	1	-	2	-	1	1	1	-	-	-
FEMALE--	1	-	-	1	2	1	3	-	-	-	-	-
BLACK---MALE----	1	-	-	-	2	-	1	1	-	-	-	-
FEMALE--	1	-	-	1	2	1	3	-	-	-	-	-
OREGON -----	2	8	12	21	11	23	22	17	8	2	-	-
WHITE-----MALE----	2	6	8	14	8	13	16	12	1	1	-	-
FEMALE--	-	2	2	5	3	9	5	5	6	1	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	1	-	-	-	-	-
FEMALE--	-	-	2	1	-	1	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	21	39	49	90	117	158	104	82	33	6	1	-
WHITE-----MALE----	12	23	35	52	67	81	47	32	10	2	-	-
FEMALE--	8	9	10	22	38	61	45	47	17	4	-	-
ALL OTHER--MALE----	-	6	2	8	11	9	3	1	3	-	-	-
FEMALE--	1	1	2	8	1	7	9	2	3	-	1	-
BLACK---MALE----	-	5	2	8	11	9	3	1	3	-	-	-
FEMALE--	1	1	2	8	1	7	9	2	3	-	1	-
RHODE ISLAND -----	2	4	6	5	15	15	13	14	6	4	-	-
WHITE-----MALE----	1	4	5	3	9	10	8	6	1	2	-	-
FEMALE--	1	-	1	1	6	5	4	8	4	2	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
SOUTH CAROLINA -----	15	22	21	27	34	22	19	18	4	4	-	-
WHITE-----MALE----	6	10	7	16	12	4	7	2	1	-	-	-
FEMALE--	1	1	5	5	7	5	4	9	2	3	-	-
ALL OTHER--MALE----	6	7	6	6	10	11	4	5	1	-	-	-
FEMALE--	2	4	3	-	5	2	4	2	-	1	-	-
BLACK---MALE----	6	7	6	6	10	11	4	5	1	-	-	-
FEMALE--	2	4	3	-	5	2	4	2	-	1	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 503
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 OF STOMACH (151)												
SOUTH DAKOTA -----	30	-	-	-	-	-	-	-	1	-	1	-
WHITE-----MALE----	16	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	14	-	-	-	-	-	-	-	1	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	249	-	-	-	-	-	-	1	6	3	7	13
WHITE-----MALE----	109	-	-	-	-	-	-	-	1	1	3	4
FEMALE--	79	-	-	-	-	-	-	1	3	-	-	6
ALL OTHER--MALE----	33	-	-	-	-	-	-	-	1	1	2	1
FEMALE--	28	-	-	-	-	-	-	-	1	1	2	2
BLACK---MALE----	33	-	-	-	-	-	-	-	1	1	2	1
FEMALE--	25	-	-	-	-	-	-	-	-	1	1	1
TEXAS -----	827	-	-	-	-	-	1	2	8	22	24	41
WHITE-----MALE----	376	-	-	-	-	-	1	1	2	14	10	18
FEMALE--	281	-	-	-	-	-	-	1	3	6	8	11
ALL OTHER--MALE----	94	-	-	-	-	-	-	-	1	1	4	7
FEMALE--	76	-	-	-	-	-	-	-	2	1	2	5
BLACK---MALE----	87	-	-	-	-	-	-	-	1	1	4	6
FEMALE--	63	-	-	-	-	-	-	-	2	1	1	4
UTAH -----	52	-	-	-	-	-	-	-	-	-	1	1
WHITE-----MALE----	28	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	23	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	16	-	-	-	-	-	-	-	-	1	-	-
WHITE-----MALE----	8	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	289	-	-	-	-	-	-	2	2	4	4	12
WHITE-----MALE----	111	-	-	-	-	-	-	1	1	2	3	4
FEMALE--	78	-	-	-	-	-	-	-	-	1	-	2
ALL OTHER--MALE----	52	-	-	-	-	-	-	-	-	-	1	3
FEMALE--	48	-	-	-	-	-	-	1	1	1	-	3
BLACK---MALE----	47	-	-	-	-	-	-	-	-	-	-	3
FEMALE--	41	-	-	-	-	-	-	1	1	-	-	3

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 503
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 OF STOMACH (151)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
SOUTH DAKOTA -----	2	-	1	4	5	6	5	4	-	1	-	-
WHITE-----MALE----	1	-	-	4	4	3	2	2	-	-	-	-
FEMALE--	1	-	1	-	1	3	3	2	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	10	12	29	32	32	31	35	25	9	3	1	-
WHITE-----MALE----	5	6	17	15	17	15	13	9	3	-	-	-
FEMALE--	3	5	5	11	10	12	12	8	2	1	-	-
ALL OTHER--MALE----	1	1	6	3	3	4	5	2	2	-	1	-
FEMALE--	1	-	1	3	2	-	5	6	2	2	-	-
BLACK---MALE----	1	1	6	3	3	4	5	2	2	-	1	-
FEMALE--	1	-	1	3	2	-	5	6	2	2	-	-
TEXAS -----	45	49	79	113	134	93	101	74	38	2	1	-
WHITE-----MALE----	21	27	36	64	62	41	45	24	8	1	1	-
FEMALE--	15	15	21	30	46	33	36	36	20	-	-	-
ALL OTHER--MALE----	6	4	15	14	15	8	8	7	4	-	-	-
FEMALE--	3	3	7	5	11	11	12	7	6	1	-	-
BLACK---MALE----	5	3	14	14	13	8	7	7	4	-	-	-
FEMALE--	2	2	6	2	8	11	10	7	6	1	-	-
UTAH -----	1	4	10	6	10	6	7	4	1	1	-	-
WHITE-----MALE----	1	1	8	1	3	5	6	1	1	-	-	-
FEMALE--	-	3	2	4	7	1	1	3	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	2	3	1	3	2	2	1	1	-	-	-
WHITE-----MALE----	-	-	2	1	2	1	1	-	-	-	-	-
FEMALE--	-	2	1	-	1	1	1	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	18	21	27	31	49	41	39	30	6	3	-	-
WHITE-----MALE----	9	7	8	10	23	14	13	12	3	1	-	-
FEMALE--	4	5	7	12	12	11	12	10	1	1	-	-
ALL OTHER--MALE----	3	4	6	6	7	10	8	4	-	-	-	-
FEMALE--	2	5	6	3	7	6	6	4	2	1	-	-
BLACK---MALE----	3	3	6	6	7	9	6	4	-	-	-	-
FEMALE--	1	3	6	2	6	6	6	3	2	1	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 505
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 OF SMALL INTESTINE, INCLUDING DUODENUM (152)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 UNITED STATES --	52	63	83	131	177	166	125	74	28	5	3	-
WHITE-----MALE----	28	31	35	66	74	74	56	22	9	-	-	-
FEMALE--	14	19	32	48	78	70	51	46	17	5	3	-
ALL OTHER--MALE----	3	11	9	10	13	9	8	2	-	-	-	-
FEMALE--	7	2	7	7	12	13	10	4	2	-	-	-
BLACK---MALE----	3	11	9	8	13	9	8	1	-	-	-	-
FEMALE--	6	2	6	7	10	13	10	4	1	-	-	-
ALABAMA -----	2	-	-	1	2	-	2	2	-	-	-	-
WHITE-----MALE----	2	-	-	-	1	-	1	1	-	-	-	-
FEMALE--	-	-	-	1	1	-	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA -----	-	-	-	-	1	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	1	-	-	3	5	4	-	-	1	-	-	-
WHITE-----MALE----	1	-	-	1	4	2	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	2	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	1	-	-	-	3	2	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	2	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	3	6	8	12	16	15	15	10	3	-	-	-
WHITE-----MALE----	1	2	3	5	8	7	6	2	2	-	-	-
FEMALE--	1	3	4	5	4	4	9	7	1	-	-	-
ALL OTHER--MALE----	1	1	1	1	1	2	-	-	-	-	-	-
FEMALE--	-	-	-	1	3	2	-	1	-	-	-	-
BLACK---MALE----	1	1	1	-	1	2	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	2	-	1	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 506
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 OF SMALL INTESTINE, INCLUDING DUODENUM (152)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
COLORADO -----	-	1	3	1	5	3	4	1	-	-	-	-
WHITE-----MALE----	-	1	3	1	3	1	1	1	-	-	-	-
FEMALE--	-	-	-	-	2	1	3	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
CONNECTICUT -----	-	1	1	2	3	2	-	1	1	-	-	-
WHITE-----MALE----	-	1	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	2	2	1	-	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
DELAWARE -----	1	-	-	-	-	1	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA -----	-	-	-	-	-	-	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	5	3	5	8	17	13	8	6	2	-	1	-
WHITE-----MALE----	1	2	3	2	5	7	6	4	1	-	-	-
FEMALE--	4	1	2	3	9	4	2	2	1	-	1	-
ALL OTHER--MALE----	-	-	-	2	2	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	2	2	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	1	-	-	-	-	-	-
GEORGIA -----	-	3	3	3	9	4	2	1	-	-	-	-
WHITE-----MALE----	-	3	-	-	2	1	-	1	-	-	-	-
FEMALE--	-	-	3	2	5	2	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	2	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	-	-	-	-
BLACK---MALE----	-	-	-	1	2	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 508
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 OF SMALL INTESTINE, INCLUDING DUODENUM (152)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
KENTUCKY -----	1	2	1	1	2	-	1	-	-	-	-	-
WHITE-----MALE----	1	1	1	-	-	-	1	-	-	-	-	-
FEMALE--	-	1	-	1	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	-	1	1	2	2	3	2	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	1	2	-	-	-	-	-	-
FEMALE--	-	-	1	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	1	1	2	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	1	-	-	-	-
BLACK---MALE----	-	1	-	-	1	1	2	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	1	-	-	-	-
MAINE -----	-	-	-	-	1	1	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	2	1	1	3	1	3	3	1	-	-	-	-
WHITE-----MALE----	2	1	1	2	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	2	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	2	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
MASSACHUSETTS -----	1	4	2	1	4	3	2	2	-	-	-	-
WHITE-----MALE----	1	3	1	1	2	-	2	2	-	-	-	-
FEMALE--	-	1	-	-	2	3	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
MICHIGAN -----	3	-	3	5	8	7	9	-	-	-	-	-
WHITE-----MALE----	2	-	-	4	3	2	2	-	-	-	-	-
FEMALE--	1	-	3	1	5	5	5	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 512
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 OF SMALL INTESTINE, INCLUDING DUODENUM (152)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
SOUTH DAKOTA -----	-	1	1	-	2	-	-	-	-	-	-	-
WHITE-----MALE----	-	1	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	4	3	3	4	5	4	3	-	1	-	-	-
WHITE-----MALE----	2	1	1	3	2	3	1	-	1	-	-	-
FEMALE--	1	2	-	1	2	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	2	-	1	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	2	-	-	-	-	-
BLACK---MALE----	-	-	2	-	1	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	2	-	-	-	-	-
TEXAS -----	2	4	8	10	4	9	7	2	3	-	-	-
WHITE-----MALE----	1	-	5	4	-	5	2	-	2	-	-	-
FEMALE--	-	1	2	3	3	3	1	2	1	-	-	-
ALL OTHER--MALE----	1	2	-	1	-	-	2	-	-	-	-	-
FEMALE--	-	1	1	2	1	1	2	-	-	-	-	-
BLACK---MALE----	1	2	-	1	-	-	2	-	-	-	-	-
FEMALE--	-	1	1	2	1	1	2	-	-	-	-	-
UTAH -----	-	-	1	1	1	1	2	-	-	-	-	-
WHITE-----MALE----	-	-	-	1	-	-	1	-	-	-	-	-
FEMALE--	-	-	1	-	1	1	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	-	1	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	3	1	1	1	3	1	4	-	1	-	-	-
WHITE-----MALE----	2	1	-	-	1	-	2	-	-	-	-	-
FEMALE--	1	-	1	-	1	-	1	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	1	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	1	-	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 514
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 OF COLON (153)												
0 UNITED STATES --	47,905	-	-	-	2	7	30	65	157	314	618	1,185
WHITE-----MALE----	20,360	-	-	-	1	2	10	29	58	119	238	516
FEMALE--	21,294	-	-	-	1	3	6	20	52	113	245	401
ALL OTHER--MALE----	2,925	-	-	-	-	-	10	6	27	37	72	130
FEMALE--	3,326	-	-	-	-	2	4	10	20	45	63	138
BLACK---MALE----	2,533	-	-	-	-	-	6	6	26	33	65	112
FEMALE--	2,941	-	-	-	-	2	3	8	16	42	54	118
ALABAMA -----	733	-	-	-	-	1	2	2	3	7	11	11
WHITE-----MALE----	273	-	-	-	-	1	1	-	-	2	1	4
FEMALE--	279	-	-	-	-	-	1	1	3	4	3	3
ALL OTHER--MALE----	88	-	-	-	-	-	-	1	-	-	4	3
FEMALE--	93	-	-	-	-	-	-	-	-	1	3	1
BLACK---MALE----	88	-	-	-	-	-	-	1	-	-	4	3
FEMALE--	91	-	-	-	-	-	-	-	-	1	3	1
ALASKA -----	52	-	-	-	-	-	-	-	-	-	1	4
WHITE-----MALE----	23	-	-	-	-	-	-	-	-	-	1	3
FEMALE--	18	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	696	-	-	-	-	-	-	1	1	6	9	12
WHITE-----MALE----	354	-	-	-	-	-	-	-	1	3	8	4
FEMALE--	309	-	-	-	-	-	-	1	-	3	1	7
ALL OTHER--MALE----	16	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	17	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	9	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	13	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	505	-	-	-	-	-	-	2	3	6	10	12
WHITE-----MALE----	209	-	-	-	-	-	-	1	-	2	2	6
FEMALE--	215	-	-	-	-	-	-	1	1	2	6	3
ALL OTHER--MALE----	36	-	-	-	-	-	-	-	1	1	1	1
FEMALE--	45	-	-	-	-	-	-	-	1	1	1	2
BLACK---MALE----	36	-	-	-	-	-	-	-	1	1	1	1
FEMALE--	45	-	-	-	-	-	-	-	1	1	1	2
CALIFORNIA -----	4,220	-	-	-	1	2	5	4	21	29	68	118
WHITE-----MALE----	1,768	-	-	-	-	1	-	2	7	12	23	57
FEMALE--	1,797	-	-	-	1	1	2	2	10	9	28	33
ALL OTHER--MALE----	317	-	-	-	-	-	3	-	1	3	7	9
FEMALE--	338	-	-	-	-	-	-	-	3	5	10	19
BLACK---MALE----	152	-	-	-	-	-	-	-	1	1	3	4
FEMALE--	183	-	-	-	-	-	-	-	1	4	4	10

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 514
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OF COLON (153)												
0 UNITED STATES --	1,661	2,519	3,851	5,705	7,402	7,804	7,432	5,469	2,778	812	93	1
WHITE-----MALE----	750	1,150	1,902	2,837	3,545	3,423	3,005	1,856	736	162	21	-
FEMALE--	568	875	1,306	2,053	2,901	3,518	3,668	3,142	1,772	584	65	1
ALL OTHER--MALE----	166	260	333	406	500	399	305	178	82	12	2	-
FEMALE--	177	234	310	409	456	464	454	293	188	54	5	-
BLACK---MALE----	148	231	279	349	437	344	261	153	70	12	1	-
FEMALE--	147	207	264	362	414	405	402	273	169	50	5	-
ALABAMA -----	40	47	66	80	118	97	104	97	36	9	2	-
WHITE-----MALE----	15	23	32	38	45	47	31	26	4	2	1	-
FEMALE--	14	11	17	25	40	32	49	50	22	4	-	-
ALL OTHER--MALE----	7	5	9	8	20	6	11	9	5	-	-	-
FEMALE--	4	8	8	9	13	12	13	12	5	3	1	-
BLACK---MALE----	7	5	9	8	20	6	11	9	5	-	-	-
FEMALE--	4	8	7	9	13	12	12	12	5	3	1	-
ALASKA -----	2	3	5	11	7	7	4	8	-	-	-	-
WHITE-----MALE----	1	2	3	6	2	2	1	2	-	-	-	-
FEMALE--	1	1	1	4	2	3	-	5	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	1	2	1	-	-	-	-
FEMALE--	-	-	1	1	2	1	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	-	-	-	-	-	-
ARIZONA -----	19	43	60	85	111	114	114	72	35	14	-	-
WHITE-----MALE----	9	26	27	45	62	60	57	34	13	5	-	-
FEMALE--	8	15	26	37	46	50	54	32	20	9	-	-
ALL OTHER--MALE----	1	-	3	-	3	4	1	3	1	-	-	-
FEMALE--	1	2	4	3	-	-	2	3	1	-	-	-
BLACK---MALE----	-	-	1	-	3	3	-	2	-	-	-	-
FEMALE--	1	2	3	2	-	-	2	2	1	-	-	-
ARKANSAS -----	22	31	36	58	76	65	84	51	39	6	4	-
WHITE-----MALE----	15	17	14	26	34	28	39	15	9	1	-	-
FEMALE--	5	10	15	22	35	27	35	24	22	3	4	-
ALL OTHER--MALE----	-	1	3	5	4	5	4	6	4	-	-	-
FEMALE--	2	3	4	5	3	5	6	6	4	2	-	-
BLACK---MALE----	-	1	3	5	4	5	4	6	4	-	-	-
FEMALE--	2	3	4	5	3	5	6	6	4	2	-	-
CALIFORNIA -----	144	231	377	475	653	675	660	459	233	58	7	-
WHITE-----MALE----	64	106	167	227	293	284	285	163	65	11	1	-
FEMALE--	45	78	133	166	260	292	292	256	142	41	6	-
ALL OTHER--MALE----	14	27	43	44	55	53	36	12	9	1	-	-
FEMALE--	21	20	34	38	45	46	47	28	17	5	-	-
BLACK---MALE----	9	16	19	21	32	25	12	3	5	1	-	-
FEMALE--	11	14	15	21	25	20	23	20	11	4	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 515
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
0 OF COLON (153)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
COLORADO -----	458	-	-	-	-	-	-	-	1	1	6	18
WHITE-----MALE----	207	-	-	-	-	-	-	-	1	-	2	8
FEMALE--	235	-	-	-	-	-	-	-	-	1	3	9
ALL OTHER--MALE----	9	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	7	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	608	-	-	-	-	-	1	1	2	3	9	9
WHITE-----MALE----	281	-	-	-	-	-	1	-	1	2	5	3
FEMALE--	290	-	-	-	-	-	-	-	-	1	2	3
ALL OTHER--MALE----	15	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	22	-	-	-	-	-	-	1	1	-	1	3
BLACK---MALE----	15	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	19	-	-	-	-	-	-	-	1	-	1	3
DELAWARE -----	122	-	-	-	-	-	-	-	-	-	-	4
WHITE-----MALE----	58	-	-	-	-	-	-	-	-	-	-	3
FEMALE--	44	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	8	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	12	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	7	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	11	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	124	-	-	-	-	-	-	-	1	-	2	-
WHITE-----MALE----	8	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	22	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	52	-	-	-	-	-	-	-	1	-	2	-
FEMALE--	42	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	52	-	-	-	-	-	-	-	1	-	2	-
FEMALE--	42	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	3,315	-	-	-	-	-	2	5	3	13	34	61
WHITE-----MALE----	1,548	-	-	-	-	-	1	3	2	5	10	30
FEMALE--	1,482	-	-	-	-	-	-	1	-	5	16	21
ALL OTHER--MALE----	123	-	-	-	-	-	1	-	-	2	5	2
FEMALE--	162	-	-	-	-	-	-	1	1	1	3	8
BLACK---MALE----	116	-	-	-	-	-	1	-	-	2	5	1
FEMALE--	157	-	-	-	-	-	-	1	1	1	2	7
GEORGIA -----	971	-	-	-	-	-	1	2	14	17	18	33
WHITE-----MALE----	332	-	-	-	-	-	-	1	3	3	5	14
FEMALE--	372	-	-	-	-	-	-	-	3	5	7	9
ALL OTHER--MALE----	118	-	-	-	-	-	1	1	7	5	4	7
FEMALE--	149	-	-	-	-	-	-	-	1	4	2	3
BLACK---MALE----	115	-	-	-	-	-	1	1	7	5	4	7
FEMALE--	146	-	-	-	-	-	-	-	1	4	2	3

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 515
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 0 OF COLON (153)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
COLORADO -----	15	24	41	54	63	76	63	56	29	11	-	-
WHITE-----MALE----	9	10	17	23	38	35	27	26	9	2	-	-
FEMALE--	6	12	20	30	23	40	34	28	20	9	-	-
ALL OTHER--MALE----	-	2	2	-	2	1	-	1	-	-	-	-
FEMALE--	-	-	2	1	-	-	2	1	-	-	-	-
BLACK---MALE----	-	2	2	-	1	1	-	1	-	-	-	-
FEMALE--	-	-	2	-	-	-	1	1	-	-	-	-
CONNECTICUT -----	17	29	39	66	101	100	98	72	45	15	1	-
WHITE-----MALE----	9	12	21	40	48	45	46	33	12	3	-	-
FEMALE--	4	11	11	23	48	53	50	38	33	12	1	-
ALL OTHER--MALE----	1	4	3	2	3	-	-	1	-	-	-	-
FEMALE--	3	2	4	1	2	2	2	-	-	-	-	-
BLACK---MALE----	1	4	3	2	3	-	-	1	-	-	-	-
FEMALE--	2	2	4	1	2	1	2	-	-	-	-	-
DELAWARE -----	2	5	16	15	19	23	12	16	8	1	1	-
WHITE-----MALE----	1	3	9	6	6	17	6	5	2	-	-	-
FEMALE--	1	-	3	8	6	4	5	10	4	1	1	-
ALL OTHER--MALE----	-	1	3	1	3	-	-	-	-	-	-	-
FEMALE--	-	1	1	-	4	2	1	1	2	-	-	-
BLACK---MALE----	-	1	3	-	3	-	-	-	-	-	-	-
FEMALE--	-	1	1	-	4	2	1	1	1	-	-	-
DISTRICT OF COLUMBIA ----	7	6	6	22	22	18	19	13	7	1	-	-
WHITE-----MALE----	-	-	1	1	1	-	2	1	2	-	-	-
FEMALE--	-	-	-	4	3	5	3	5	1	1	-	-
ALL OTHER--MALE----	5	3	3	11	11	5	8	2	1	-	-	-
FEMALE--	2	3	2	6	7	8	6	5	3	-	-	-
BLACK---MALE----	5	3	3	11	11	5	8	2	1	-	-	-
FEMALE--	2	3	2	6	7	8	6	5	3	-	-	-
FLORIDA -----	98	141	220	386	519	594	566	418	190	60	5	-
WHITE-----MALE----	44	62	113	207	270	283	268	170	61	17	2	-
FEMALE--	39	50	79	142	209	273	270	216	115	43	3	-
ALL OTHER--MALE----	9	15	10	16	23	15	10	10	5	-	-	-
FEMALE--	6	14	18	21	17	23	18	22	9	-	-	-
BLACK---MALE----	9	13	9	14	22	15	10	10	5	-	-	-
FEMALE--	6	14	16	21	17	22	18	22	9	-	-	-
GEORGIA -----	52	73	79	114	141	148	133	92	39	14	1	-
WHITE-----MALE----	20	24	32	50	55	44	52	25	2	2	-	-
FEMALE--	12	31	23	34	52	65	45	53	24	8	1	-
ALL OTHER--MALE----	6	9	11	16	19	13	14	4	1	-	-	-
FEMALE--	14	9	13	14	15	26	22	10	12	4	-	-
BLACK---MALE----	6	8	11	15	19	12	14	4	1	-	-	-
FEMALE--	14	8	13	13	15	26	21	10	12	4	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 516
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 OF COLON (153)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
HAWAII -----	10	10	19	23	19	17	22	14	9	1	-	-
WHITE-----MALE----	2	1	5	6	3	2	4	-	1	-	-	-
FEMALE--	-	1	5	2	3	3	1	2	1	-	-	-
ALL OTHER--MALE----	2	3	3	8	11	6	8	7	2	-	-	-
FEMALE--	6	5	6	7	3	6	7	6	4	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	1	-	-	-	-
IDAHO -----	3	10	10	20	25	33	34	15	11	2	-	-
WHITE-----MALE----	2	6	8	13	15	17	13	5	3	2	-	-
FEMALE--	1	4	2	6	9	16	18	10	8	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	2	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
ILLINOIS -----	89	105	207	266	372	378	369	250	140	44	5	-
WHITE-----MALE----	32	43	92	128	187	149	136	89	40	7	2	-
FEMALE--	34	30	74	89	122	182	200	132	85	37	2	-
ALL OTHER--MALE----	8	15	20	21	29	19	12	9	7	-	1	-
FEMALE--	15	17	21	28	34	28	21	20	8	-	-	-
BLACK---MALE----	7	15	20	19	27	19	12	9	6	-	1	-
FEMALE--	15	17	19	26	32	28	21	20	7	-	-	-
INDIANA -----	28	56	112	140	189	193	193	128	64	15	1	-
WHITE-----MALE----	10	30	64	74	100	86	60	46	17	1	-	-
FEMALE--	14	21	35	48	76	83	118	77	42	12	1	-
ALL OTHER--MALE----	2	3	9	5	5	14	5	3	-	-	-	-
FEMALE--	2	2	4	13	8	10	10	2	5	2	-	-
BLACK---MALE----	2	3	9	5	4	14	5	3	-	-	-	-
FEMALE--	2	2	3	13	8	10	10	2	5	2	-	-
IOWA -----	27	34	46	86	104	105	110	91	47	13	3	-
WHITE-----MALE----	14	15	25	45	54	53	41	26	13	2	-	-
FEMALE--	13	18	21	39	47	52	69	65	33	11	3	-
ALL OTHER--MALE----	-	1	-	1	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	1	3	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	1	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	1	2	-	-	-	-	-	-	-
KANSAS -----	10	25	22	54	72	76	71	78	33	20	4	-
WHITE-----MALE----	8	10	11	26	35	35	27	25	10	4	1	-
FEMALE--	2	12	9	27	32	35	42	51	22	15	3	-
ALL OTHER--MALE----	-	2	2	1	2	4	-	1	-	-	-	-
FEMALE--	-	1	-	-	3	2	2	1	1	1	-	-
BLACK---MALE----	-	2	1	1	2	4	-	1	-	-	-	-
FEMALE--	-	1	-	-	2	1	2	1	1	1	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 517
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
0 OF COLON (153)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
KENTUCKY -----	836	-	-	-	-	-	2	-	3	8	8	33
WHITE-----MALE----	368	-	-	-	-	-	1	-	2	3	3	16
FEMALE--	408	-	-	-	-	-	-	-	-	4	4	16
ALL OTHER--MALE----	25	-	-	-	-	-	1	-	-	-	-	1
FEMALE--	35	-	-	-	-	-	-	-	1	1	1	-
BLACK---MALE----	25	-	-	-	-	-	1	-	-	-	-	1
FEMALE--	34	-	-	-	-	-	-	-	1	1	1	-
LOUISIANA -----	797	-	-	-	-	-	1	1	4	7	12	25
WHITE-----MALE----	262	-	-	-	-	-	1	-	-	3	5	3
FEMALE--	287	-	-	-	-	-	-	1	2	1	4	7
ALL OTHER--MALE----	118	-	-	-	-	-	-	-	2	2	2	3
FEMALE--	130	-	-	-	-	-	-	-	-	1	1	12
BLACK---MALE----	118	-	-	-	-	-	-	-	2	2	2	3
FEMALE--	129	-	-	-	-	-	-	-	-	1	1	12
MAINE -----	252	-	-	-	-	-	-	1	-	-	5	6
WHITE-----MALE----	123	-	-	-	-	-	-	-	-	-	2	3
FEMALE--	129	-	-	-	-	-	-	1	-	-	3	3
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	943	-	-	-	-	-	-	-	1	3	13	31
WHITE-----MALE----	378	-	-	-	-	-	-	-	-	-	4	12
FEMALE--	343	-	-	-	-	-	-	-	-	3	3	8
ALL OTHER--MALE----	108	-	-	-	-	-	-	-	-	-	3	4
FEMALE--	114	-	-	-	-	-	-	-	1	-	3	7
BLACK---MALE----	104	-	-	-	-	-	-	-	-	-	3	4
FEMALE--	108	-	-	-	-	-	-	-	1	-	3	7
MASSACHUSETTS -----	1,286	-	-	-	-	-	1	1	4	5	15	18
WHITE-----MALE----	570	-	-	-	-	-	-	-	2	3	8	12
FEMALE--	663	-	-	-	-	-	-	1	2	2	7	5
ALL OTHER--MALE----	23	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	30	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	16	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	25	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	1,753	-	-	-	-	-	1	2	4	15	23	51
WHITE-----MALE----	730	-	-	-	-	-	-	-	1	4	14	25
FEMALE--	750	-	-	-	-	-	-	1	2	4	5	10
ALL OTHER--MALE----	120	-	-	-	-	-	1	1	-	2	4	9
FEMALE--	153	-	-	-	-	-	-	-	1	5	-	7
BLACK---MALE----	113	-	-	-	-	-	1	1	-	2	4	8
FEMALE--	149	-	-	-	-	-	-	-	1	5	-	7

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 517
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 OF COLON (153)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
KENTUCKY -----	30	53	76	104	114	141	105	103	49	6	1	-
WHITE-----MALE----	15	28	41	57	67	59	35	24	15	2	-	-
FEMALE--	11	21	28	41	38	77	60	71	33	3	1	-
ALL OTHER--MALE----	3	2	2	4	4	2	2	2	1	1	-	-
FEMALE--	1	2	5	2	5	3	8	6	-	-	-	-
BLACK---MALE----	3	2	2	4	4	2	2	2	1	1	-	-
FEMALE--	1	2	4	2	5	3	8	6	-	-	-	-
LOUISIANA -----	31	48	69	101	124	118	117	80	45	13	1	-
WHITE-----MALE----	7	16	35	39	46	42	33	17	12	2	1	-
FEMALE--	8	12	20	26	41	43	50	43	23	6	-	-
ALL OTHER--MALE----	9	12	9	18	15	13	19	9	3	2	-	-
FEMALE--	7	8	5	18	22	20	15	11	7	3	-	-
BLACK---MALE----	9	12	9	18	15	13	19	9	3	2	-	-
FEMALE--	7	7	5	18	22	20	15	11	7	3	-	-
MAINE -----	7	11	18	30	38	36	37	44	14	3	2	-
WHITE-----MALE----	4	5	13	17	17	20	17	18	6	-	1	-
FEMALE--	3	6	5	13	21	16	20	26	8	3	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	48	68	78	113	156	137	136	93	50	15	1	-
WHITE-----MALE----	19	21	40	46	65	59	64	31	15	2	-	-
FEMALE--	15	22	19	36	56	45	49	46	29	11	1	-
ALL OTHER--MALE----	4	12	15	17	22	15	8	7	1	-	-	-
FEMALE--	10	13	4	14	13	18	15	9	5	2	-	-
BLACK---MALE----	3	12	15	17	21	14	7	7	1	-	-	-
FEMALE--	10	12	4	13	13	17	14	8	5	1	-	-
MASSACHUSETTS -----	35	50	88	144	195	224	214	168	93	30	1	-
WHITE-----MALE----	19	30	38	69	101	101	96	55	29	7	-	-
FEMALE--	16	14	42	64	87	114	114	111	62	21	1	-
ALL OTHER--MALE----	-	4	7	2	1	7	1	-	-	-	-	-
FEMALE--	-	2	1	9	6	2	3	2	2	2	-	-
BLACK---MALE----	-	2	5	1	1	6	1	-	-	-	-	-
FEMALE--	-	2	1	7	5	2	2	2	2	2	-	-
MICHIGAN -----	64	97	146	201	286	303	244	192	98	22	4	-
WHITE-----MALE----	24	46	69	103	128	121	93	70	30	2	-	-
FEMALE--	21	33	49	62	119	140	114	105	62	19	4	-
ALL OTHER--MALE----	13	12	14	19	14	11	12	7	1	-	-	-
FEMALE--	6	6	14	17	25	31	25	10	5	1	-	-
BLACK---MALE----	11	11	12	19	13	11	12	7	1	-	-	-
FEMALE--	6	6	14	16	24	29	25	10	5	1	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 520
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 OF COLON (153)												
OHIO -----	2,234	-	-	-	-	-	-	4	6	11	29	56
WHITE-----MALE----	958	-	-	-	-	-	-	2	1	3	9	21
FEMALE--	1,044	-	-	-	-	-	-	1	5	7	18	24
ALL OTHER--MALE----	107	-	-	-	-	-	-	-	-	1	1	6
FEMALE--	125	-	-	-	-	-	-	1	-	-	1	5
BLACK---MALE----	105	-	-	-	-	-	-	-	-	1	1	6
FEMALE--	121	-	-	-	-	-	-	1	-	-	1	5
OKLAHOMA -----	635	-	-	-	-	-	1	-	2	2	10	17
WHITE-----MALE----	245	-	-	-	-	-	-	-	1	1	3	6
FEMALE--	316	-	-	-	-	-	-	-	-	1	3	8
ALL OTHER--MALE----	36	-	-	-	-	-	1	-	-	-	1	3
FEMALE--	38	-	-	-	-	-	-	-	1	-	3	-
BLACK---MALE----	20	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	16	-	-	-	-	-	-	-	-	-	3	-
OREGON -----	548	-	-	-	-	-	-	3	-	6	8	12
WHITE-----MALE----	268	-	-	-	-	-	-	2	-	3	5	7
FEMALE--	263	-	-	-	-	-	-	1	-	3	3	5
ALL OTHER--MALE----	7	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	3,008	-	-	-	-	-	1	4	6	11	27	58
WHITE-----MALE----	1,278	-	-	-	-	-	1	2	3	4	13	30
FEMALE--	1,485	-	-	-	-	-	-	2	2	4	10	22
ALL OTHER--MALE----	121	-	-	-	-	-	-	-	-	3	2	2
FEMALE--	124	-	-	-	-	-	-	-	1	-	2	4
BLACK---MALE----	120	-	-	-	-	-	-	-	-	3	2	2
FEMALE--	121	-	-	-	-	-	-	-	1	-	2	4
RHODE ISLAND -----	251	-	-	-	-	-	-	-	-	1	2	2
WHITE-----MALE----	114	-	-	-	-	-	-	-	-	-	2	1
FEMALE--	130	-	-	-	-	-	-	-	-	1	-	1
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	660	-	-	-	-	-	-	2	3	10	16	22
WHITE-----MALE----	214	-	-	-	-	-	-	1	-	-	5	7
FEMALE--	242	-	-	-	-	-	-	-	1	4	3	8
ALL OTHER--MALE----	93	-	-	-	-	-	-	-	1	1	2	5
FEMALE--	111	-	-	-	-	-	-	1	1	5	6	2
BLACK---MALE----	93	-	-	-	-	-	-	-	1	1	2	5
FEMALE--	110	-	-	-	-	-	-	1	1	5	6	2

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 520
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 OF COLON (153)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
OHIO -----	78	104	181	263	375	371	329	248	140	37	2	-
WHITE-----MALE----	41	55	87	135	189	165	136	77	30	7	-	-
FEMALE--	30	32	64	93	152	175	171	151	94	25	2	-
ALL OTHER--MALE----	3	9	12	18	21	15	8	7	6	-	-	-
FEMALE--	4	8	18	17	13	16	14	13	10	5	-	-
BLACK---MALE----	3	9	12	17	21	15	8	6	6	-	-	-
FEMALE--	3	8	18	16	13	16	14	13	9	4	-	-
OKLAHOMA -----	28	35	48	78	94	94	95	70	38	22	1	-
WHITE-----MALE----	12	14	20	38	34	41	43	19	10	2	1	-
FEMALE--	12	14	20	31	43	44	44	49	27	20	-	-
ALL OTHER--MALE----	1	5	4	4	12	3	2	-	-	-	-	-
FEMALE--	3	2	4	5	5	6	6	2	1	-	-	-
BLACK---MALE----	-	5	2	1	6	2	1	-	-	-	-	-
FEMALE--	2	-	-	2	3	3	2	1	-	-	-	-
OREGON -----	31	17	56	57	92	84	81	65	27	7	2	-
WHITE-----MALE----	10	12	34	35	52	38	38	24	6	2	-	-
FEMALE--	17	5	19	20	38	42	42	41	20	5	2	-
ALL OTHER--MALE----	1	-	2	1	1	1	1	-	-	-	-	-
FEMALE--	3	-	1	1	1	3	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	3	-	-	1	-	-	-
PENNSYLVANIA -----	84	144	200	374	482	542	503	335	166	64	7	-
WHITE-----MALE----	33	68	101	206	237	236	188	103	39	12	2	-
FEMALE--	37	57	75	132	217	269	279	208	119	47	5	-
ALL OTHER--MALE----	9	8	15	21	17	16	17	8	2	1	-	-
FEMALE--	5	11	9	15	11	21	19	16	6	4	-	-
BLACK---MALE----	9	7	15	21	17	16	17	8	2	1	-	-
FEMALE--	5	9	9	15	11	20	19	16	6	4	-	-
RHODE ISLAND -----	3	12	12	37	38	46	34	31	22	10	1	-
WHITE-----MALE----	3	4	7	23	13	18	18	16	4	5	-	-
FEMALE--	-	7	5	12	25	26	15	15	17	5	1	-
ALL OTHER--MALE----	-	-	-	2	-	1	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	1	1	-	1	-	-	-
BLACK---MALE----	-	-	-	2	-	1	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	1	1	-	1	-	-	-
SOUTH CAROLINA -----	25	46	56	87	105	90	92	67	34	5	-	-
WHITE-----MALE----	13	13	19	35	45	27	26	17	6	-	-	-
FEMALE--	4	17	16	25	33	38	38	32	19	4	-	-
ALL OTHER--MALE----	3	7	9	13	13	13	13	8	5	-	-	-
FEMALE--	5	9	12	14	14	12	15	10	4	1	-	-
BLACK---MALE----	3	7	9	13	13	13	13	8	5	-	-	-
FEMALE--	5	9	12	14	14	12	15	9	4	1	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 521
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
 CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
 0 OF COLON (153)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
SOUTH DAKOTA -----	166	-	-	-	-	-	-	-	-	1	-	1
WHITE-----MALE----	87	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	71	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	949	-	-	-	-	-	1	1	2	6	15	23
WHITE-----MALE----	393	-	-	-	-	-	1	1	1	3	7	8
FEMALE--	408	-	-	-	-	-	-	-	1	2	4	9
ALL OTHER--MALE----	65	-	-	-	-	-	-	-	-	-	4	2
FEMALE--	83	-	-	-	-	-	-	-	-	1	-	4
BLACK---MALE----	65	-	-	-	-	-	-	-	-	-	4	2
FEMALE--	80	-	-	-	-	-	-	-	-	1	-	4
TEXAS -----	2,734	-	-	-	-	1	4	8	18	29	44	90
WHITE-----MALE----	1,193	-	-	-	-	-	1	4	6	11	18	46
FEMALE--	1,141	-	-	-	-	1	1	-	8	11	18	26
ALL OTHER--MALE----	196	-	-	-	-	-	-	2	2	4	5	10
FEMALE--	204	-	-	-	-	-	2	2	2	3	3	8
BLACK---MALE----	191	-	-	-	-	-	-	2	2	4	5	9
FEMALE--	195	-	-	-	-	-	2	2	2	3	3	8
UTAH -----	182	-	-	-	-	-	1	-	1	2	4	6
WHITE-----MALE----	81	-	-	-	-	-	1	-	-	-	3	2
FEMALE--	98	-	-	-	-	-	-	-	1	1	1	4
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	142	-	-	-	-	-	-	-	-	1	-	2
WHITE-----MALE----	66	-	-	-	-	-	-	-	-	1	-	2
FEMALE--	76	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	1,015	-	-	-	-	-	1	1	4	5	14	33
WHITE-----MALE----	350	-	-	-	-	-	-	-	1	2	3	10
FEMALE--	423	-	-	-	-	-	-	-	1	3	7	9
ALL OTHER--MALE----	105	-	-	-	-	-	1	-	2	-	3	5
FEMALE--	137	-	-	-	-	-	-	1	-	-	1	9
BLACK---MALE----	103	-	-	-	-	-	1	-	2	-	3	5
FEMALE--	129	-	-	-	-	-	-	1	-	-	1	6

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 521
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 OF COLON (153)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
SOUTH DAKOTA -----	4	7	18	16	28	32	28	19	11	1	-	-
WHITE-----MALE----	2	5	10	8	18	15	13	11	4	-	-	-
FEMALE--	1	1	6	7	9	16	15	7	7	1	-	-
ALL OTHER--MALE----	-	1	1	1	-	1	-	-	-	-	-	-
FEMALE--	1	-	1	-	1	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	35	71	77	129	143	152	145	88	47	14	-	-
WHITE-----MALE----	14	30	32	67	65	64	57	26	11	6	-	-
FEMALE--	14	29	26	49	53	63	73	49	30	6	-	-
ALL OTHER--MALE----	3	6	8	9	9	10	4	9	1	-	-	-
FEMALE--	4	6	11	4	16	15	11	4	5	2	-	-
BLACK---MALE----	3	6	8	9	9	10	4	9	1	-	-	-
FEMALE--	4	5	11	4	16	13	11	4	5	2	-	-
TEXAS -----	125	162	225	322	411	410	384	297	147	53	4	-
WHITE-----MALE----	64	81	122	168	205	187	145	98	26	10	1	-
FEMALE--	34	54	63	100	142	182	198	169	101	31	2	-
ALL OTHER--MALE----	18	14	24	27	30	24	17	11	6	2	-	-
FEMALE--	9	13	16	27	34	17	24	19	14	10	1	-
BLACK---MALE----	18	14	24	25	30	23	16	11	6	2	-	-
FEMALE--	8	11	15	25	33	17	24	19	13	9	1	-
UTAH -----	2	9	15	18	28	36	29	21	7	3	-	-
WHITE-----MALE----	1	1	7	9	12	16	16	11	2	-	-	-
FEMALE--	1	8	7	9	16	20	12	10	5	3	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
VERMONT -----	1	9	9	8	20	25	27	21	15	4	-	-
WHITE-----MALE----	1	6	7	6	7	11	10	6	6	3	-	-
FEMALE--	-	3	2	2	13	14	17	15	9	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	53	66	92	112	149	157	153	96	63	14	2	-
WHITE-----MALE----	20	30	36	39	62	58	46	27	15	1	-	-
FEMALE--	19	18	28	46	50	67	76	47	39	12	1	-
ALL OTHER--MALE----	5	9	16	11	17	15	12	7	1	1	-	-
FEMALE--	9	9	12	16	20	17	19	15	8	-	1	-
BLACK---MALE----	5	9	15	11	17	14	12	7	1	1	-	-
FEMALE--	8	9	12	15	20	16	18	14	8	-	1	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 522
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 0 OF COLON (153)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
WASHINGTON -----	32	45	65	110	111	114	137	97	52	14	1	-
WHITE-----MALE----	12	23	40	60	59	46	61	35	17	1	-	-
FEMALE--	16	20	21	48	46	58	72	59	34	13	-	-
ALL OTHER--MALE----	4	-	3	2	5	5	-	3	-	-	1	-
FEMALE--	-	2	1	-	1	5	4	-	1	-	-	-
BLACK---MALE----	4	-	-	2	2	5	-	1	-	-	-	-
FEMALE--	-	2	-	-	-	2	1	-	-	-	-	-
WEST VIRGINIA -----	14	18	25	58	75	62	67	62	20	7	1	-
WHITE-----MALE----	7	9	17	36	41	28	30	18	3	4	-	-
FEMALE--	6	9	7	21	26	31	36	42	17	2	1	-
ALL OTHER--MALE----	1	-	-	-	4	-	-	-	-	1	-	-
FEMALE--	-	-	1	1	4	3	1	2	-	-	-	-
BLACK---MALE----	1	-	-	-	4	-	-	-	-	1	-	-
FEMALE--	-	-	1	1	4	3	1	2	-	-	-	-
WISCONSIN -----	21	48	84	111	119	136	153	129	65	24	4	-
WHITE-----MALE----	11	26	49	59	62	74	56	48	25	6	3	-
FEMALE--	9	16	30	47	53	58	94	76	39	18	1	-
ALL OTHER--MALE----	-	3	4	1	4	2	2	2	-	-	-	-
FEMALE--	1	3	1	4	-	2	1	3	1	-	-	-
BLACK---MALE----	-	3	3	1	4	2	2	1	-	-	-	-
FEMALE--	1	3	1	4	-	2	1	3	-	-	-	-
WYOMING -----	4	3	12	7	12	16	13	10	11	1	-	-
WHITE-----MALE----	2	1	9	1	6	7	4	6	1	1	-	-
FEMALE--	2	1	3	6	6	9	8	4	10	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 524
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 0 HEPATIC AND SPLENIC FLEXURES AND TRANSVERSE COLON (153.0-153.1,153.7)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
COLORADO -----	-	-	-	1	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	1	-	-	3	1	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	2	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	1	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
GEORGIA -----	1	-	2	-	1	-	-	1	-	-	-	-
WHITE-----MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 530
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 HEPATIC AND SPLENIC FLEXURES AND TRANSVERSE COLON (153.0-153.1,153.7)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
SOUTH DAKOTA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	-	-	-	1	-	1	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS -----	1	1	2	-	2	2	-	-	-	-	-	-
WHITE-----MALE----	1	1	1	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
UTAH -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	-	1	-	-	-	-	1	-	1	-	-	-
WHITE-----MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 532
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 DESCENDING COLON (153.2)												
0 UNITED STATES --	7	11	12	16	23	26	27	16	12	1	-	-
WHITE-----MALE----	1	3	5	6	11	9	8	5	5	-	-	-
FEMALE--	5	5	3	6	9	14	16	11	6	1	-	-
ALL OTHER--MALE----	1	-	3	3	3	1	-	-	1	-	-	-
FEMALE--	-	3	1	1	-	2	3	-	-	-	-	-
BLACK---MALE----	1	-	3	2	2	-	-	-	1	-	-	-
FEMALE--	-	1	1	1	-	2	3	-	-	-	-	-
ALABAMA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	3	6	5	7	13	11	12	2	4	-	-	-
WHITE-----MALE----	-	1	2	3	8	5	2	-	1	-	-	-
FEMALE--	3	3	1	2	4	4	9	2	3	-	-	-
ALL OTHER--MALE----	-	-	1	2	1	1	-	-	-	-	-	-
FEMALE--	-	2	1	-	-	1	1	-	-	-	-	-
BLACK---MALE----	-	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	1	1	-	-	1	1	-	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 533
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 0 DESCENDING COLON (153.2)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
COLORADO -----	-	-	-	-	-	-	-	-	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	-	-	-	-	-	3	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	2	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	1	-	-	-	1	1	1	1	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	1	-	-	-	-
FEMALE--	1	-	-	-	1	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
GEORGIA -----	1	1	-	-	1	1	1	-	-	-	-	-
WHITE-----MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	-	-	-	-
BLACK---MALE----	1	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 541
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 SIGMOID COLON (153.3)												
0 UNITED STATES --	30	35	81	98	104	127	118	87	52	16	2	-
WHITE-----MALE----	12	20	42	40	59	48	53	33	13	4	-	-
FEMALE--	14	12	25	41	32	59	55	50	33	11	1	-
ALL OTHER--MALE----	3	2	7	9	8	10	2	2	2	-	1	-
FEMALE--	1	1	7	8	5	10	8	2	4	1	-	-
BLACK---MALE----	1	2	5	6	5	6	-	-	1	-	1	-
FEMALE--	-	1	4	4	5	4	5	2	4	1	-	-
ALABAMA -----	-	-	1	-	-	-	1	-	-	-	-	-
WHITE-----MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	1	-	-	-	-	1	1	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	-	-	-	1	-	1	-	-	-	1	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	1	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	11	11	29	30	28	33	35	12	6	2	-	-
WHITE-----MALE----	4	6	15	12	8	14	17	3	1	1	-	-
FEMALE--	4	5	8	9	14	10	13	7	5	1	-	-
ALL OTHER--MALE----	2	-	3	3	5	3	2	2	-	-	-	-
FEMALE--	1	-	3	6	1	6	3	-	-	-	-	-
BLACK---MALE----	-	-	1	1	3	-	-	-	-	-	-	-
FEMALE--	-	-	1	2	1	-	-	-	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 544
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 SIGMOID COLON (153.3)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
KENTUCKY -----	1	-	-	-	-	2	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	2	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	-	-	-	2	2	1	1	3	-	-	-	-
WHITE-----MALE----	-	-	-	1	1	1	1	2	-	-	-	-
FEMALE--	-	-	-	1	1	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MAINE -----	-	-	-	2	-	1	-	1	1	-	-	-
WHITE-----MALE----	-	-	-	1	-	1	-	1	1	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	-	-	-	1	1	4	2	1	2	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	1	-	2	-	-	-
FEMALE--	-	-	-	-	-	2	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	-	-	-	-	-
MASSACHUSETTS -----	-	1	1	2	1	1	4	3	3	1	-	-
WHITE-----MALE----	-	1	1	-	1	1	2	-	-	-	-	-
FEMALE--	-	-	-	2	-	-	2	3	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
MICHIGAN -----	-	1	4	-	8	6	4	2	-	-	-	-
WHITE-----MALE----	-	1	2	-	4	1	2	1	-	-	-	-
FEMALE--	-	-	1	-	2	4	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	2	1	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	2	1	1	-	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 548
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 0 SIGMOID COLON (153.3)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
SOUTH DAKOTA -----	-	-	-	-	1	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	1	-	2	3	1	2	2	1	-	-	-	-
WHITE-----MALE----	-	-	1	1	-	2	1	-	-	-	-	-
FEMALE--	1	-	-	2	1	-	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
TEXAS -----	1	1	2	7	2	4	3	4	2	-	-	-
WHITE-----MALE----	-	-	1	5	2	1	2	2	-	-	-	-
FEMALE--	1	1	-	1	-	3	1	1	2	-	-	-
ALL OTHER--MALE----	-	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
UTAH -----	-	-	-	-	-	1	1	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	-	1	-	-	-	-	-	2	2	1	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	1	1	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 550
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
0 CECUM, APPENDIX, AND ASCENDING COLON (153.4-153.6)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 UNITED STATES --	1,466	-	-	-	-	-	-	4	6	20	23	46
WHITE-----MALE----	575	-	-	-	-	-	-	1	2	7	8	24
FEMALE--	739	-	-	-	-	-	-	1	1	6	12	14
ALL OTHER--MALE----	70	-	-	-	-	-	-	-	3	3	1	4
FEMALE--	82	-	-	-	-	-	-	2	-	4	2	4
BLACK---MALE----	59	-	-	-	-	-	-	-	3	3	1	4
FEMALE--	66	-	-	-	-	-	-	1	-	3	2	3
ALABAMA -----	6	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALASKA -----	2	-	-	-	-	-	-	-	-	-	-	1
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	15	-	-	-	-	-	-	-	-	-	1	-
WHITE-----MALE----	5	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	4	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	381	-	-	-	-	-	-	1	1	4	2	11
WHITE-----MALE----	148	-	-	-	-	-	-	1	1	2	1	6
FEMALE--	184	-	-	-	-	-	-	-	-	-	-	3
ALL OTHER--MALE----	20	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	29	-	-	-	-	-	-	-	-	2	1	2
BLACK---MALE----	11	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	19	-	-	-	-	-	-	-	-	2	1	1

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 550
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 CECUM, APPENDIX, AND ASCENDING COLON (153.4-153.6)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 UNITED STATES --	61	62	119	160	222	205	211	176	113	35	3	-
WHITE-----MALE----	27	33	61	69	99	78	75	53	29	9	-	-
FEMALE--	23	22	44	71	100	110	118	109	79	26	3	-
ALL OTHER--MALE----	5	5	5	5	17	10	5	6	1	-	-	-
FEMALE--	6	2	9	15	6	7	13	8	4	-	-	-
BLACK---MALE----	5	4	4	3	15	8	2	6	1	-	-	-
FEMALE--	4	2	8	13	4	5	12	6	3	-	-	-
ALABAMA -----	-	-	-	2	-	2	-	2	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	-	1	-	-	-	-
FEMALE--	-	-	-	1	-	1	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
ALASKA -----	-	-	-	1	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	-	-	1	1	-	2	3	5	2	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	2	1	1	-	-	-
FEMALE--	-	-	1	1	-	2	1	4	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	1	-	-	-	2	1	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	16	17	37	43	64	55	62	37	21	9	1	-
WHITE-----MALE----	7	8	16	15	27	20	22	15	4	3	-	-
FEMALE--	6	5	17	17	27	29	36	20	17	6	1	-
ALL OTHER--MALE----	1	3	2	3	6	3	2	-	-	-	-	-
FEMALE--	2	1	2	8	4	3	2	2	-	-	-	-
BLACK---MALE----	1	2	1	1	5	1	-	-	-	-	-	-
FEMALE--	1	1	1	6	2	2	1	1	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 556
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 CECUM, APPENDIX, AND ASCENDING COLON (153.4-153.6)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
OHIO -----	-	3	3	5	8	11	8	11	3	1	-	-
WHITE-----MALE----	-	1	1	3	4	3	4	2	1	1	-	-
FEMALE--	-	1	1	1	3	7	4	7	1	-	-	-
ALL OTHER--MALE----	-	1	-	1	1	1	-	1	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	1	1	-	-	-
BLACK---MALE----	-	1	-	1	1	1	-	1	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	1	-	-	-	-
OKLAHOMA -----	-	2	-	5	2	1	2	3	-	1	-	-
WHITE-----MALE----	-	1	-	2	2	-	-	-	-	1	-	-
FEMALE--	-	1	-	3	-	1	2	3	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	4	-	1	1	3	1	3	-	1	-	-	-
WHITE-----MALE----	2	-	1	1	3	-	3	-	-	-	-	-
FEMALE--	2	-	-	-	-	1	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	1	3	8	5	9	13	11	10	10	1	1	-
WHITE-----MALE----	1	2	5	1	2	6	2	2	1	-	-	-
FEMALE--	-	1	3	4	7	7	8	7	9	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	-	-	-	-
RHODE ISLAND -----	-	-	-	-	-	-	2	1	-	1	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
SOUTH CAROLINA -----	-	-	1	2	4	1	2	4	1	-	-	-
WHITE-----MALE----	-	-	-	2	-	-	-	2	-	-	-	-
FEMALE--	-	-	-	-	3	1	1	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	1	-	-	-	-
FEMALE--	-	-	1	-	-	-	1	1	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	1	-	-	-	-
FEMALE--	-	-	1	-	-	-	1	1	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 559
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 OTHER AND COLON, UNSPECIFIED (153.8-153.9)												
0 UNITED STATES --	45,346	-	-	-	2	7	28	60	148	290	588	1,121
WHITE-----MALE----	19,325	-	-	-	1	2	10	27	54	110	228	480
FEMALE--	20,057	-	-	-	1	3	5	19	51	105	230	383
ALL OTHER--MALE----	2,784	-	-	-	-	-	9	6	24	34	70	125
FEMALE--	3,180	-	-	-	-	2	4	8	19	41	60	133
BLACK---MALE----	2,427	-	-	-	-	-	6	6	23	30	63	107
FEMALE--	2,833	-	-	-	-	2	3	7	16	39	52	114
ALABAMA -----	725	-	-	-	-	1	2	2	3	7	11	11
WHITE-----MALE----	270	-	-	-	-	1	1	-	-	2	1	4
FEMALE--	275	-	-	-	-	-	1	1	3	4	3	3
ALL OTHER--MALE----	88	-	-	-	-	-	-	1	-	-	4	3
FEMALE--	92	-	-	-	-	-	-	-	-	1	3	1
BLACK---MALE----	88	-	-	-	-	-	-	1	-	-	4	3
FEMALE--	90	-	-	-	-	-	-	-	-	1	3	1
ALASKA -----	50	-	-	-	-	-	-	-	-	-	1	3
WHITE-----MALE----	21	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	18	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	678	-	-	-	-	-	-	1	1	6	8	12
WHITE-----MALE----	348	-	-	-	-	-	-	-	1	3	7	4
FEMALE--	297	-	-	-	-	-	-	1	-	3	1	7
ALL OTHER--MALE----	16	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	17	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	9	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	13	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	498	-	-	-	-	-	-	2	3	6	10	12
WHITE-----MALE----	206	-	-	-	-	-	-	1	-	2	2	6
FEMALE--	212	-	-	-	-	-	-	1	1	2	6	3
ALL OTHER--MALE----	35	-	-	-	-	-	-	-	1	1	1	1
FEMALE--	45	-	-	-	-	-	-	-	1	1	1	2
BLACK---MALE----	35	-	-	-	-	-	-	-	1	1	1	1
FEMALE--	45	-	-	-	-	-	-	-	1	1	1	2
CALIFORNIA -----	3,524	-	-	-	1	2	3	3	19	24	62	102
WHITE-----MALE----	1,494	-	-	-	-	1	-	1	6	10	21	48
FEMALE--	1,485	-	-	-	1	1	1	2	10	8	27	30
ALL OTHER--MALE----	265	-	-	-	-	-	2	-	1	3	6	8
FEMALE--	280	-	-	-	-	-	-	-	2	3	8	16
BLACK---MALE----	129	-	-	-	-	-	-	-	1	1	2	3
FEMALE--	155	-	-	-	-	-	-	-	1	2	3	8

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 559
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OTHER AND COLON, UNSPECIFIED (153.8-153.9)												
0 UNITED STATES --	1,554	2,406	3,621	5,411	7,030	7,421	7,058	5,169	2,588	756	87	1
WHITE-----MALE----	706	1,092	1,785	2,710	3,368	3,280	2,859	1,758	686	148	21	-
FEMALE--	522	833	1,229	1,930	2,747	3,319	3,472	2,959	1,645	543	60	1
ALL OTHER--MALE----	156	253	316	386	470	377	297	170	78	12	1	-
FEMALE--	170	228	291	385	445	445	430	282	179	53	5	-
BLACK---MALE----	140	225	266	335	413	329	258	147	67	12	-	-
FEMALE--	143	203	250	344	405	394	382	264	161	49	5	-
ALABAMA -----	40	47	65	78	118	95	103	95	36	9	2	-
WHITE-----MALE----	15	23	31	38	45	46	31	25	4	2	1	-
FEMALE--	14	11	17	24	40	31	48	49	22	4	-	-
ALL OTHER--MALE----	7	5	9	8	20	6	11	9	5	-	-	-
FEMALE--	4	8	8	8	13	12	13	12	5	3	1	-
BLACK---MALE----	7	5	9	8	20	6	11	9	5	-	-	-
FEMALE--	4	8	7	8	13	12	12	12	5	3	1	-
ALASKA -----	2	3	5	10	7	7	4	8	-	-	-	-
WHITE-----MALE----	1	2	3	5	2	2	1	2	-	-	-	-
FEMALE--	1	1	1	4	2	3	-	5	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	1	2	1	-	-	-	-
FEMALE--	-	-	1	1	2	1	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	-	-	-	-	-	-
ARIZONA -----	18	43	59	84	111	111	110	67	33	14	-	-
WHITE-----MALE----	8	26	27	45	62	60	55	33	12	5	-	-
FEMALE--	8	15	25	36	46	47	52	28	19	9	-	-
ALL OTHER--MALE----	1	-	3	-	3	4	1	3	1	-	-	-
FEMALE--	1	2	4	3	-	-	2	3	1	-	-	-
BLACK---MALE----	-	-	1	-	3	3	-	2	-	-	-	-
FEMALE--	1	2	3	2	-	-	2	2	1	-	-	-
ARKANSAS -----	21	31	36	57	74	63	84	51	39	5	4	-
WHITE-----MALE----	14	17	14	26	33	28	39	15	9	-	-	-
FEMALE--	5	10	15	21	34	26	35	24	22	3	4	-
ALL OTHER--MALE----	-	1	3	5	4	4	4	6	4	-	-	-
FEMALE--	2	3	4	5	3	5	6	6	4	2	-	-
BLACK---MALE----	-	1	3	5	4	4	4	6	4	-	-	-
FEMALE--	2	3	4	5	3	5	6	6	4	2	-	-
CALIFORNIA -----	110	197	301	387	544	572	544	403	198	46	6	-
WHITE-----MALE----	51	91	133	192	250	244	239	142	57	7	1	-
FEMALE--	31	65	105	137	211	246	232	225	115	33	5	-
ALL OTHER--MALE----	10	24	36	34	43	46	32	10	9	1	-	-
FEMALE--	18	17	27	24	40	36	41	26	17	5	-	-
BLACK---MALE----	7	14	16	16	24	24	12	3	5	1	-	-
FEMALE--	10	12	12	13	22	17	21	19	11	4	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 560
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
0 OTHER AND COLON, UNSPECIFIED (153.8-153.9)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
COLORADO -----	438	-	-	-	-	-	-	-	1	1	6	18
WHITE-----MALE----	201	-	-	-	-	-	-	-	1	-	2	8
FEMALE--	222	-	-	-	-	-	-	-	-	1	3	9
ALL OTHER--MALE----	8	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	7	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	576	-	-	-	-	-	1	1	2	3	9	9
WHITE-----MALE----	267	-	-	-	-	-	1	-	1	2	5	3
FEMALE--	272	-	-	-	-	-	-	-	-	1	2	3
ALL OTHER--MALE----	15	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	22	-	-	-	-	-	-	1	1	-	1	3
BLACK---MALE----	15	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	19	-	-	-	-	-	-	-	1	-	1	3
DELAWARE -----	115	-	-	-	-	-	-	-	-	-	-	4
WHITE-----MALE----	57	-	-	-	-	-	-	-	-	-	-	3
FEMALE--	39	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	7	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	12	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	11	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	120	-	-	-	-	-	-	-	-	-	2	-
WHITE-----MALE----	8	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	22	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	48	-	-	-	-	-	-	-	-	-	2	-
FEMALE--	42	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	48	-	-	-	-	-	-	-	-	-	2	-
FEMALE--	42	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	3,174	-	-	-	-	-	2	5	3	13	31	56
WHITE-----MALE----	1,479	-	-	-	-	-	1	3	2	5	10	27
FEMALE--	1,416	-	-	-	-	-	-	1	-	5	13	19
ALL OTHER--MALE----	119	-	-	-	-	-	1	-	-	2	5	2
FEMALE--	160	-	-	-	-	-	-	1	1	1	3	8
BLACK---MALE----	112	-	-	-	-	-	1	-	-	2	5	1
FEMALE--	155	-	-	-	-	-	-	1	1	1	2	7
GEORGIA -----	927	-	-	-	-	-	1	2	12	16	17	31
WHITE-----MALE----	311	-	-	-	-	-	-	1	2	3	4	12
FEMALE--	361	-	-	-	-	-	-	-	3	4	7	9
ALL OTHER--MALE----	111	-	-	-	-	-	1	1	6	5	4	7
FEMALE--	144	-	-	-	-	-	-	-	1	4	2	3
BLACK---MALE----	108	-	-	-	-	-	1	1	6	5	4	7
FEMALE--	141	-	-	-	-	-	-	-	1	4	2	3

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 560
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 0 OTHER AND COLON, UNSPECIFIED (153.8-153.9)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
COLORADO -----	15	24	40	50	61	73	58	54	26	11	-	-
WHITE-----MALE----	9	10	17	22	37	34	25	25	9	2	-	-
FEMALE--	6	12	19	27	23	38	31	27	17	9	-	-
ALL OTHER--MALE----	-	2	2	-	1	1	-	1	-	-	-	-
FEMALE--	-	-	2	1	-	-	2	1	-	-	-	-
BLACK---MALE----	-	2	2	-	1	1	-	1	-	-	-	-
FEMALE--	-	-	2	-	-	-	1	1	-	-	-	-
CONNECTICUT -----	17	26	38	62	98	91	92	71	43	12	1	-
WHITE-----MALE----	9	9	20	38	46	43	43	32	12	3	-	-
FEMALE--	4	11	11	21	47	46	47	38	31	9	1	-
ALL OTHER--MALE----	1	4	3	2	3	-	-	1	-	-	-	-
FEMALE--	3	2	4	1	2	2	2	-	-	-	-	-
BLACK---MALE----	1	4	3	2	3	-	-	1	-	-	-	-
FEMALE--	2	2	4	1	2	1	2	-	-	-	-	-
DELAWARE -----	1	5	16	14	18	22	12	14	8	-	1	-
WHITE-----MALE----	1	3	9	6	6	16	6	5	2	-	-	-
FEMALE--	-	-	3	7	6	4	5	8	4	-	1	-
ALL OTHER--MALE----	-	1	3	1	2	-	-	-	-	-	-	-
FEMALE--	-	1	1	-	4	2	1	1	2	-	-	-
BLACK---MALE----	-	1	3	-	2	-	-	-	-	-	-	-
FEMALE--	-	1	1	-	4	2	1	1	1	-	-	-
DISTRICT OF COLUMBIA ----	7	6	6	22	20	17	19	13	7	1	-	-
WHITE-----MALE----	-	-	1	1	1	-	2	1	2	-	-	-
FEMALE--	-	-	-	4	3	5	3	5	1	1	-	-
ALL OTHER--MALE----	5	3	3	11	9	4	8	2	1	-	-	-
FEMALE--	2	3	2	6	7	8	6	5	3	-	-	-
BLACK---MALE----	5	3	3	11	9	4	8	2	1	-	-	-
FEMALE--	2	3	2	6	7	8	6	5	3	-	-	-
FLORIDA -----	92	135	211	372	500	568	546	399	178	58	5	-
WHITE-----MALE----	42	59	109	200	256	267	261	163	56	16	2	-
FEMALE--	36	47	76	135	204	263	258	205	109	42	3	-
ALL OTHER--MALE----	8	15	9	16	23	15	10	9	4	-	-	-
FEMALE--	6	14	17	21	17	23	17	22	9	-	-	-
BLACK---MALE----	8	13	8	14	22	15	10	9	4	-	-	-
FEMALE--	6	14	15	21	17	22	17	22	9	-	-	-
GEORGIA-----	47	70	72	109	132	145	129	90	39	14	1	-
WHITE-----MALE----	18	22	27	46	53	44	50	25	2	2	-	-
FEMALE--	12	30	22	33	48	64	44	52	24	8	1	-
ALL OTHER--MALE----	4	9	11	16	16	12	14	4	1	-	-	-
FEMALE--	13	9	12	14	15	25	21	9	12	4	-	-
BLACK---MALE----	4	8	11	15	16	11	14	4	1	-	-	-
FEMALE--	13	8	12	13	15	25	20	9	12	4	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 561
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 OTHER AND COLON, UNSPECIFIED (153.8-153.9)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
HAWAII -----	10	10	18	22	18	17	21	14	7	1	-	-
WHITE-----MALE----	2	1	5	6	3	2	4	-	1	-	-	-
FEMALE--	-	1	5	2	2	3	2	1	1	1	-	-
ALL OTHER--MALE----	2	3	3	8	10	6	8	7	1	-	-	-
FEMALE--	6	5	5	6	3	6	7	6	4	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
IDAHO -----	3	10	10	20	24	31	34	15	11	2	-	-
WHITE-----MALE----	2	6	8	13	14	16	13	5	3	2	-	-
FEMALE--	1	4	2	6	9	15	18	10	8	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	2	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
ILLINOIS -----	87	104	189	253	355	360	353	235	130	37	4	-
WHITE-----MALE----	32	43	84	122	177	142	129	86	36	5	2	-
FEMALE--	33	29	68	84	118	173	194	120	79	32	2	-
ALL OTHER--MALE----	8	15	17	20	26	18	11	9	7	-	-	-
FEMALE--	14	17	20	27	34	27	19	20	8	-	-	-
BLACK---MALE----	7	15	17	18	24	18	11	9	6	-	-	-
FEMALE--	14	17	18	25	32	27	19	20	7	-	-	-
INDIANA -----	28	53	106	138	187	189	190	122	58	13	1	-
WHITE-----MALE----	10	29	60	73	99	83	59	44	13	1	-	-
FEMALE--	14	19	33	47	75	82	116	74	40	11	1	-
ALL OTHER--MALE----	2	3	9	5	5	14	5	2	-	-	-	-
FEMALE--	2	2	4	13	8	10	10	2	5	1	-	-
BLACK---MALE----	2	3	9	5	4	14	5	2	-	-	-	-
FEMALE--	2	2	3	13	8	10	10	2	5	1	-	-
IOWA -----	25	33	39	81	101	101	107	84	44	12	3	-
WHITE-----MALE----	14	14	21	43	53	52	40	25	13	2	-	-
FEMALE--	11	18	18	36	45	49	67	59	31	10	3	-
ALL OTHER--MALE----	-	1	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	3	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	2	-	-	-	-	-	-	-
KANSAS -----	10	22	22	50	64	73	70	76	31	19	4	-
WHITE-----MALE----	8	8	11	25	33	33	27	25	9	4	1	-
FEMALE--	2	11	9	24	26	35	41	49	21	14	3	-
ALL OTHER--MALE----	-	2	2	1	2	3	-	1	-	-	-	-
FEMALE--	-	1	-	-	3	2	2	1	1	1	-	-
BLACK---MALE----	-	2	1	1	2	3	-	1	-	-	-	-
FEMALE--	-	1	-	-	2	1	2	1	1	1	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 562
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
 CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
 0 OTHER AND COLON, UNSPECIFIED (153.8-153.9)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
KENTUCKY -----	808	-	-	-	-	-	2	-	3	8	8	31
WHITE-----MALE----	358	-	-	-	-	-	1	-	2	3	3	16
FEMALE--	391	-	-	-	-	-	-	-	-	4	4	14
ALL OTHER--MALE----	24	-	-	-	-	-	1	-	-	-	-	1
FEMALE--	35	-	-	-	-	-	-	-	1	1	1	-
BLACK---MALE----	24	-	-	-	-	-	1	-	-	-	-	1
FEMALE--	34	-	-	-	-	-	-	-	1	1	1	-
LOUISIANA -----	779	-	-	-	-	-	1	1	4	7	12	25
WHITE-----MALE----	253	-	-	-	-	-	1	-	-	3	5	3
FEMALE--	278	-	-	-	-	-	-	1	2	1	4	7
ALL OTHER--MALE----	118	-	-	-	-	-	-	-	2	2	2	3
FEMALE--	130	-	-	-	-	-	-	-	-	1	1	12
BLACK---MALE----	118	-	-	-	-	-	-	-	2	2	2	3
FEMALE--	129	-	-	-	-	-	-	-	-	1	1	12
MAINE -----	234	-	-	-	-	-	-	1	-	-	5	6
WHITE-----MALE----	111	-	-	-	-	-	-	-	-	-	2	3
FEMALE--	123	-	-	-	-	-	-	1	-	-	3	3
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	912	-	-	-	-	-	-	-	1	3	13	29
WHITE-----MALE----	366	-	-	-	-	-	-	-	-	-	4	11
FEMALE--	330	-	-	-	-	-	-	-	-	3	3	8
ALL OTHER--MALE----	106	-	-	-	-	-	-	-	-	-	3	3
FEMALE--	110	-	-	-	-	-	-	-	1	-	3	7
BLACK---MALE----	102	-	-	-	-	-	-	-	-	-	3	3
FEMALE--	104	-	-	-	-	-	-	-	1	-	3	7
MASSACHUSETTS -----	1,232	-	-	-	-	-	1	1	3	4	15	18
WHITE-----MALE----	553	-	-	-	-	-	-	-	1	2	8	12
FEMALE--	628	-	-	-	-	-	-	1	2	2	7	5
ALL OTHER--MALE----	23	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	28	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	16	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	23	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	1,684	-	-	-	-	-	1	1	4	14	22	49
WHITE-----MALE----	705	-	-	-	-	-	-	-	1	3	13	24
FEMALE--	715	-	-	-	-	-	-	-	2	4	5	9
ALL OTHER--MALE----	119	-	-	-	-	-	1	1	-	2	4	9
FEMALE--	145	-	-	-	-	-	-	-	1	5	-	7
BLACK---MALE----	112	-	-	-	-	-	1	1	-	2	4	8
FEMALE--	141	-	-	-	-	-	-	-	1	5	-	7

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 562
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 OTHER AND COLON, UNSPECIFIED (153.8-153.9)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
KENTUCKY -----	29	50	75	103	111	138	100	96	48	6	-	-
WHITE-----MALE----	14	26	40	56	65	59	35	21	15	2	-	-
FEMALE--	11	20	28	41	37	74	56	67	32	3	-	-
ALL OTHER--MALE----	3	2	2	4	4	2	1	2	1	1	-	-
FEMALE--	1	2	5	2	5	3	8	6	-	-	-	-
BLACK---MALE----	3	2	2	4	4	2	1	2	1	1	-	-
FEMALE--	1	2	4	2	5	3	8	6	-	-	-	-
LOUISIANA -----	31	48	68	99	120	117	115	73	44	13	1	-
WHITE-----MALE----	7	16	35	38	44	41	31	14	12	2	1	-
FEMALE--	8	12	19	25	39	43	50	39	22	6	-	-
ALL OTHER--MALE----	9	12	9	18	15	13	19	9	3	2	-	-
FEMALE--	7	8	5	18	22	20	15	11	7	3	-	-
BLACK---MALE----	9	12	9	18	15	13	19	9	3	2	-	-
FEMALE--	7	7	5	18	22	20	15	11	7	3	-	-
MAINE -----	6	11	17	27	36	34	35	40	11	3	2	-
WHITE-----MALE----	4	5	12	15	16	19	16	14	4	-	1	-
FEMALE--	2	6	5	12	20	15	19	26	7	3	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	48	65	77	112	153	129	130	89	47	15	1	-
WHITE-----MALE----	19	20	40	46	64	54	62	31	13	2	-	-
FEMALE--	15	20	18	36	55	43	46	43	28	11	1	-
ALL OTHER--MALE----	4	12	15	16	22	15	8	7	1	-	-	-
FEMALE--	10	13	4	14	12	17	14	8	5	2	-	-
BLACK---MALE----	3	12	15	16	21	14	7	7	1	-	-	-
FEMALE--	10	12	4	13	12	16	13	7	5	1	-	-
MASSACHUSETTS -----	34	49	83	139	191	216	202	164	83	28	1	-
WHITE-----MALE----	19	29	36	67	100	98	92	55	27	7	-	-
FEMALE--	15	14	39	61	84	109	107	107	55	19	1	-
ALL OTHER--MALE----	-	4	7	2	1	7	1	-	-	-	-	-
FEMALE--	-	2	1	9	6	2	2	2	1	2	-	-
BLACK---MALE----	-	2	5	1	1	6	1	-	-	-	-	-
FEMALE--	-	2	1	7	5	2	1	2	1	2	-	-
MICHIGAN -----	62	92	141	192	272	292	233	188	96	21	4	-
WHITE-----MALE----	24	44	66	101	123	118	88	69	29	2	-	-
FEMALE--	19	32	48	57	112	133	109	102	61	18	4	-
ALL OTHER--MALE----	13	11	14	19	14	11	12	7	1	-	-	-
FEMALE--	6	5	13	15	23	30	24	10	5	1	-	-
BLACK---MALE----	11	10	12	19	13	11	12	7	1	-	-	-
FEMALE--	6	5	13	14	22	28	24	10	5	1	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 565
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
0 OTHER AND COLON, UNSPECIFIED (153.8-153.9)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
OHIO -----	2,137	-	-	-	-	-	-	4	6	11	26	55
WHITE-----MALE----	921	-	-	-	-	-	-	2	1	3	8	20
FEMALE--	996	-	-	-	-	-	-	1	5	7	16	24
ALL OTHER--MALE----	100	-	-	-	-	-	-	-	-	1	1	6
FEMALE--	120	-	-	-	-	-	-	1	-	-	1	5
BLACK---MALE----	98	-	-	-	-	-	-	-	-	1	1	6
FEMALE--	117	-	-	-	-	-	-	1	-	-	1	5
OKLAHOMA -----	609	-	-	-	-	-	1	-	2	2	10	16
WHITE-----MALE----	238	-	-	-	-	-	-	-	1	1	3	6
FEMALE--	299	-	-	-	-	-	-	-	-	1	3	7
ALL OTHER--MALE----	36	-	-	-	-	-	1	-	-	-	1	3
FEMALE--	36	-	-	-	-	-	-	-	1	-	3	-
BLACK---MALE----	20	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	15	-	-	-	-	-	-	-	-	-	3	-
OREGON -----	527	-	-	-	-	-	-	3	-	6	8	11
WHITE-----MALE----	255	-	-	-	-	-	-	2	-	3	5	7
FEMALE--	256	-	-	-	-	-	-	1	-	3	3	4
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	2,887	-	-	-	-	-	1	4	6	11	25	55
WHITE-----MALE----	1,238	-	-	-	-	-	1	2	3	4	13	29
FEMALE--	1,408	-	-	-	-	-	-	2	2	4	8	21
ALL OTHER--MALE----	120	-	-	-	-	-	-	-	-	3	2	2
FEMALE--	121	-	-	-	-	-	-	-	1	-	2	3
BLACK---MALE----	119	-	-	-	-	-	-	-	-	3	2	2
FEMALE--	118	-	-	-	-	-	-	-	1	-	2	3
RHODE ISLAND -----	239	-	-	-	-	-	-	-	-	1	2	2
WHITE-----MALE----	107	-	-	-	-	-	-	-	-	-	2	1
FEMALE--	126	-	-	-	-	-	-	-	-	1	-	1
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	635	-	-	-	-	-	-	2	3	10	14	20
WHITE-----MALE----	205	-	-	-	-	-	-	1	-	-	4	6
FEMALE--	234	-	-	-	-	-	-	-	1	4	3	8
ALL OTHER--MALE----	89	-	-	-	-	-	-	-	1	1	2	4
FEMALE--	107	-	-	-	-	-	-	1	1	5	5	2
BLACK---MALE----	89	-	-	-	-	-	-	-	1	1	2	4
FEMALE--	106	-	-	-	-	-	-	1	1	5	5	2

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 565
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 OTHER AND COLON, UNSPECIFIED (153.8-153.9)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
OHIO -----	77	101	172	254	359	353	317	231	134	36	1	-
WHITE-----MALE----	41	54	85	131	179	161	130	72	28	6	-	-
FEMALE--	29	31	59	90	148	163	165	141	91	25	1	-
ALL OTHER--MALE----	3	8	11	17	19	14	8	6	6	-	-	-
FEMALE--	4	8	17	16	13	15	14	12	9	5	-	-
BLACK---MALE----	3	8	11	16	19	14	8	5	6	-	-	-
FEMALE--	3	8	17	15	13	15	14	12	9	4	-	-
OKLAHOMA -----	28	32	47	70	91	91	93	67	38	20	1	-
WHITE-----MALE----	12	13	19	36	32	41	43	19	10	1	1	-
FEMALE--	12	13	20	25	43	41	42	46	27	19	-	-
ALL OTHER--MALE----	1	5	4	4	12	3	2	-	-	-	-	-
FEMALE--	3	1	4	5	4	6	6	2	1	-	-	-
BLACK---MALE----	-	5	2	1	6	2	1	-	-	-	-	-
FEMALE--	2	-	-	2	2	3	2	1	-	-	-	-
OREGON -----	26	17	54	56	89	80	78	64	26	7	2	-
WHITE-----MALE----	7	12	32	34	49	37	35	24	6	2	-	-
FEMALE--	15	5	19	20	38	40	42	40	19	5	2	-
ALL OTHER--MALE----	1	-	2	1	1	-	1	-	-	-	-	-
FEMALE--	3	-	1	1	1	3	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	3	-	-	1	-	-	-
PENNSYLVANIA -----	82	137	189	366	469	522	483	320	149	62	6	-
WHITE-----MALE----	32	63	94	205	232	227	184	98	37	12	2	-
FEMALE--	36	55	71	125	209	259	264	199	104	45	4	-
ALL OTHER--MALE----	9	8	15	21	17	15	17	8	2	1	-	-
FEMALE--	5	11	9	15	11	21	18	15	6	4	-	-
BLACK---MALE----	9	7	15	21	17	15	17	8	2	1	-	-
FEMALE--	5	9	9	15	11	20	18	15	6	4	-	-
RHODE ISLAND -----	3	11	12	35	36	45	31	29	22	9	1	-
WHITE-----MALE----	3	4	7	21	11	18	16	15	4	5	-	-
FEMALE--	-	6	5	12	25	25	15	14	17	4	1	-
ALL OTHER--MALE----	-	-	-	2	-	1	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	1	-	-	1	-	-	-
BLACK---MALE----	-	-	-	2	-	1	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	1	-	-	1	-	-	-
OSOUTH CAROLINA -----	25	46	55	82	100	88	89	63	33	5	-	-
WHITE-----MALE----	13	13	19	32	44	27	25	15	6	-	-	-
FEMALE--	4	17	16	24	30	36	37	32	18	4	-	-
ALL OTHER--MALE----	3	7	9	12	12	13	13	7	5	-	-	-
FEMALE--	5	9	11	14	14	12	14	9	4	1	-	-
BLACK---MALE----	3	7	9	12	12	13	13	7	5	-	-	-
FEMALE--	5	9	11	14	14	12	14	8	4	1	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 566
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 OTHER AND COLON, UNSPECIFIED (153.8-153.9)												
SOUTH DAKOTA -----	162	-	-	-	-	-	-	-	-	1	-	1
WHITE-----MALE----	85	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	69	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	901	-	-	-	-	-	1	1	2	6	14	22
WHITE-----MALE----	376	-	-	-	-	-	1	1	1	3	6	7
FEMALE--	381	-	-	-	-	-	-	-	1	2	4	9
ALL OTHER--MALE----	64	-	-	-	-	-	-	-	-	-	4	2
FEMALE--	80	-	-	-	-	-	-	-	-	1	-	4
BLACK---MALE----	64	-	-	-	-	-	-	-	-	-	4	2
FEMALE--	77	-	-	-	-	-	-	-	-	1	-	4
TEXAS -----	2,635	-	-	-	-	1	4	8	18	23	43	82
WHITE-----MALE----	1,150	-	-	-	-	-	1	4	6	10	17	41
FEMALE--	1,098	-	-	-	-	1	1	-	8	8	18	24
ALL OTHER--MALE----	187	-	-	-	-	-	-	2	2	2	5	9
FEMALE--	200	-	-	-	-	-	2	2	2	3	3	8
BLACK---MALE----	182	-	-	-	-	-	-	2	2	2	5	8
FEMALE--	191	-	-	-	-	-	2	2	2	3	3	8
UTAH -----	175	-	-	-	-	-	1	-	1	2	4	5
WHITE-----MALE----	79	-	-	-	-	-	1	-	-	-	3	1
FEMALE--	94	-	-	-	-	-	-	-	1	1	1	4
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	135	-	-	-	-	-	-	-	-	-	-	1
WHITE-----MALE----	60	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	75	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	982	-	-	-	-	-	1	1	4	4	12	33
WHITE-----MALE----	341	-	-	-	-	-	-	-	1	2	3	10
FEMALE--	408	-	-	-	-	-	-	-	1	2	6	9
ALL OTHER--MALE----	101	-	-	-	-	-	1	-	2	-	2	5
FEMALE--	132	-	-	-	-	-	-	1	-	-	1	9
BLACK---MALE----	99	-	-	-	-	-	1	-	2	-	2	5
FEMALE--	124	-	-	-	-	-	-	1	-	-	1	6

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 566
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 0 OTHER AND COLON, UNSPECIFIED (153.8-153.9)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
SOUTH DAKOTA -----	4	7	17	16	27	32	27	18	11	1	-	-
WHITE-----MALE----	2	5	9	8	18	15	12	11	4	-	-	-
FEMALE--	1	1	6	7	8	16	15	6	7	1	-	-
ALL OTHER--MALE----	-	1	1	1	-	1	-	-	-	-	-	-
FEMALE--	1	-	1	-	1	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	31	70	73	121	140	144	132	85	45	14	-	-
WHITE-----MALE----	12	30	30	64	65	61	53	25	11	6	-	-
FEMALE--	12	28	25	45	50	59	65	47	28	6	-	-
ALL OTHER--MALE----	3	6	8	8	9	10	4	9	1	-	-	-
FEMALE--	4	6	10	4	16	14	10	4	5	2	-	-
BLACK---MALE----	3	6	8	8	9	10	4	9	1	-	-	-
FEMALE--	4	5	10	4	16	12	10	4	5	2	-	-
TEXAS -----	119	159	216	312	399	394	376	285	141	51	4	-
WHITE-----MALE----	61	80	117	161	198	183	142	93	26	9	1	-
FEMALE--	31	52	62	98	139	171	194	163	96	30	2	-
ALL OTHER--MALE----	18	14	21	26	29	23	17	11	6	2	-	-
FEMALE--	9	13	16	27	33	17	23	18	13	10	1	-
BLACK---MALE----	18	14	21	24	29	22	16	11	6	2	-	-
FEMALE--	8	11	15	25	32	17	23	18	12	9	1	-
UTAH -----	2	9	15	17	28	35	27	19	7	3	-	-
WHITE-----MALE----	1	1	7	9	12	16	16	10	2	-	-	-
FEMALE--	1	8	7	8	16	19	11	9	5	3	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
VERMONT -----	1	9	8	8	19	25	27	19	14	4	-	-
WHITE-----MALE----	1	6	6	6	6	11	10	5	3	-	-	-
FEMALE--	-	3	2	2	13	14	17	14	9	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	51	63	91	108	144	154	150	93	58	13	2	-
WHITE-----MALE----	20	28	36	39	60	56	44	26	15	1	-	-
FEMALE--	19	18	28	43	47	66	75	46	36	11	1	-
ALL OTHER--MALE----	4	8	16	11	17	15	12	6	1	1	-	-
FEMALE--	8	9	11	15	20	17	19	15	6	-	1	-
BLACK---MALE----	4	8	15	11	17	14	12	6	1	1	-	-
FEMALE--	7	9	11	14	20	16	18	14	6	-	1	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 567
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 0 OTHER AND COLON, UNSPECIFIED (153.8-153.9)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
WASHINGTON -----	29	41	63	103	103	107	132	89	49	13	1	-
WHITE-----MALE----	10	21	39	57	56	44	58	34	16	1	-	-
FEMALE--	15	18	20	44	41	54	70	52	32	12	-	-
ALL OTHER--MALE----	4	-	3	2	5	5	-	3	-	-	1	-
FEMALE--	-	2	1	-	1	4	4	-	1	-	-	-
BLACK---MALE----	4	-	-	2	2	5	-	1	-	-	-	-
FEMALE--	-	2	-	-	-	2	1	-	-	-	-	-
WEST VIRGINIA -----	12	18	25	55	74	55	64	60	18	7	1	-
WHITE-----MALE----	6	9	17	33	40	25	29	18	2	4	-	-
FEMALE--	6	9	7	21	26	27	34	40	16	2	1	-
ALL OTHER--MALE----	-	-	-	-	4	-	-	-	-	1	-	-
FEMALE--	-	-	1	1	4	3	1	2	-	-	-	-
BLACK---MALE----	-	-	-	-	4	-	-	-	-	1	-	-
FEMALE--	-	-	1	1	4	3	1	2	-	-	-	-
WISCONSIN -----	21	47	80	107	117	134	149	128	62	24	4	-
WHITE-----MALE----	11	26	47	57	61	72	53	48	23	6	3	-
FEMALE--	9	15	28	45	52	58	93	75	38	18	1	-
ALL OTHER--MALE----	-	3	4	1	4	2	2	2	-	-	-	-
FEMALE--	1	3	1	4	-	2	1	3	1	-	-	-
BLACK---MALE----	-	3	3	1	4	2	2	1	-	-	-	-
FEMALE--	1	3	1	4	-	2	1	3	-	-	-	-
WYOMING -----	4	3	11	7	10	16	13	10	10	1	-	-
WHITE-----MALE----	2	1	8	1	5	7	4	6	1	1	-	-
FEMALE--	2	1	3	6	5	9	8	4	9	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 568
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 OF RECTUM, RECTOSIGMOID JUNCTION, AND ANUS (154)												
0 UNITED STATES --	8,592	-	-	-	-	4	4	26	47	117	173	326
WHITE-----MALE----	4,007	-	-	-	-	3	1	11	21	41	84	163
FEMALE--	3,518	-	-	-	-	1	3	7	14	45	51	101
ALL OTHER--MALE----	559	-	-	-	-	-	-	5	10	19	24	35
FEMALE--	508	-	-	-	-	-	-	3	2	12	14	27
BLACK---MALE----	467	-	-	-	-	-	-	4	6	18	19	31
FEMALE--	427	-	-	-	-	-	-	2	2	10	10	17
ALABAMA -----	117	-	-	-	-	-	-	-	-	3	4	4
WHITE-----MALE----	57	-	-	-	-	-	-	-	-	1	3	3
FEMALE--	38	-	-	-	-	-	-	-	-	1	1	1
ALL OTHER--MALE----	11	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	11	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	11	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	11	-	-	-	-	-	-	-	-	-	-	-
ALASKA -----	11	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	7	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	126	-	-	-	-	-	-	-	-	-	3	3
WHITE-----MALE----	66	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	54	-	-	-	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	1	-
ARKANSAS -----	80	-	-	-	-	-	-	1	-	4	-	4
WHITE-----MALE----	27	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	41	-	-	-	-	-	-	1	-	3	-	2
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	6	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	883	-	-	-	-	-	-	3	5	12	22	37
WHITE-----MALE----	427	-	-	-	-	-	-	1	2	6	14	16
FEMALE--	323	-	-	-	-	-	-	-	1	1	4	11
ALL OTHER--MALE----	70	-	-	-	-	-	-	1	2	3	3	4
FEMALE--	63	-	-	-	-	-	-	1	-	2	1	6
BLACK---MALE----	35	-	-	-	-	-	-	1	-	2	1	1
FEMALE--	28	-	-	-	-	-	-	-	-	2	-	3

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 568
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 0 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 0 OF RECTUM, RECTOSIGMOID JUNCTION, AND ANUS (154)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 UNITED STATES --	377	580	829	1,083	1,307	1,266	1,127	764	400	135	27	-
WHITE-----MALE----	193	289	451	580	699	569	495	272	101	31	3	-
FEMALE--	121	201	263	374	469	554	528	418	262	86	20	-
ALL OTHER--MALE----	35	58	67	79	68	58	54	29	14	4	-	-
FEMALE--	28	32	48	50	71	85	50	45	23	14	4	-
BLACK---MALE----	28	53	57	66	58	46	44	23	10	4	-	-
FEMALE--	21	24	43	41	60	77	45	41	19	12	3	-
ALABAMA -----	2	9	16	21	15	11	8	15	8	1	-	-
WHITE-----MALE----	1	2	12	12	6	5	4	7	1	-	-	-
FEMALE--	1	6	-	8	6	2	3	5	4	-	-	-
ALL OTHER--MALE----	-	1	-	1	3	1	-	3	1	-	-	-
FEMALE--	-	-	4	-	-	3	1	-	2	1	-	-
BLACK---MALE----	-	1	-	1	3	1	-	3	1	-	-	-
FEMALE--	-	-	4	-	-	3	1	-	2	1	-	-
ALASKA -----	-	2	2	2	1	1	3	-	-	-	-	-
WHITE-----MALE----	-	1	1	2	1	1	1	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	2	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	6	16	14	18	16	15	17	10	7	1	-	-
WHITE-----MALE----	2	7	11	13	8	10	8	3	1	-	-	-
FEMALE--	3	8	3	3	8	4	9	7	6	1	-	-
ALL OTHER--MALE----	1	-	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	1	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	1	-	-	-	-	-	-	-	-
ARKANSAS -----	7	4	7	9	5	15	8	10	4	1	1	-
WHITE-----MALE----	1	2	2	4	1	5	5	4	1	-	-	-
FEMALE--	5	2	2	4	2	9	2	4	3	1	1	-
ALL OTHER--MALE----	1	-	3	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	1	1	2	-	-	-	-
BLACK---MALE----	1	-	3	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	1	1	2	-	-	-	-
CALIFORNIA -----	45	62	94	113	140	113	121	76	31	7	2	-
WHITE-----MALE----	19	33	56	56	71	47	65	31	9	1	-	-
FEMALE--	13	18	23	40	55	51	46	37	16	6	1	-
ALL OTHER--MALE----	5	6	11	10	8	7	5	3	2	-	-	-
FEMALE--	8	5	4	7	6	8	5	5	4	-	1	-
BLACK---MALE----	3	4	7	5	4	2	2	2	1	-	-	-
FEMALE--	4	2	3	-	3	6	2	1	2	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 569
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
 CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
 0 OF RECTUM, RECTOSIGMOID JUNCTION, AND ANUS (154)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
COLORADO -----	119	-	-	-	-	-	-	-	1	3	1	5
WHITE-----MALE----	66	-	-	-	-	-	-	-	1	2	-	2
FEMALE--	45	-	-	-	-	-	-	-	-	1	1	1
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	119	-	-	-	-	-	-	-	-	-	1	5
WHITE-----MALE----	62	-	-	-	-	-	-	-	-	-	1	5
FEMALE--	51	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	31	-	-	-	-	-	-	-	-	-	-	1
WHITE-----MALE----	10	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	13	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	28	-	-	-	-	-	-	-	-	-	2	1
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	11	-	-	-	-	-	-	-	-	-	2	-
FEMALE--	13	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	11	-	-	-	-	-	-	-	-	-	2	-
FEMALE--	13	-	-	-	-	-	-	-	-	-	-	1
FLORIDA -----	537	-	-	-	-	-	1	3	8	10	18	
WHITE-----MALE----	260	-	-	-	-	-	-	2	3	4	10	
FEMALE--	232	-	-	-	-	-	1	-	4	4	5	
ALL OTHER--MALE----	25	-	-	-	-	-	-	-	1	1	3	
FEMALE--	20	-	-	-	-	-	-	-	1	1	-	
BLACK---MALE----	22	-	-	-	-	-	-	-	1	1	3	
FEMALE--	19	-	-	-	-	-	-	-	1	1	-	
GEORGIA -----	174	-	-	-	-	-	-	-	2	4	5	9
WHITE-----MALE----	63	-	-	-	-	-	-	-	-	1	2	3
FEMALE--	72	-	-	-	-	-	-	-	1	2	1	3
ALL OTHER--MALE----	16	-	-	-	-	-	-	-	1	-	1	1
FEMALE--	23	-	-	-	-	-	-	-	-	1	1	2
BLACK---MALE----	16	-	-	-	-	-	-	-	1	-	1	1
FEMALE--	23	-	-	-	-	-	-	-	-	1	1	2

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 569
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 OF RECTUM, RECTOSIGMOID JUNCTION, AND ANUS (154)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
COLORADO -----	4	9	20	13	20	13	13	9	5	3	-	-
WHITE-----MALE----	3	6	10	6	15	7	6	4	3	1	-	-
FEMALE--	1	2	9	7	2	5	7	5	2	2	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	3	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	2	1	-	-	-	-	-	-
CONNECTICUT -----	8	4	7	14	23	19	17	10	8	3	-	-
WHITE-----MALE----	5	3	3	5	15	13	5	5	2	-	-	-
FEMALE--	2	-	4	7	8	5	12	4	6	3	-	-
ALL OTHER--MALE----	1	1	-	2	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	1	1	-	2	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
DELAWARE -----	3	3	4	3	3	7	4	2	1	-	-	-
WHITE-----MALE----	2	1	-	2	-	4	-	-	1	-	-	-
FEMALE--	-	1	2	1	3	2	3	-	-	-	-	-
ALL OTHER--MALE----	-	1	1	-	-	-	-	1	-	-	-	-
FEMALE--	1	-	1	-	-	1	1	1	-	-	-	-
BLACK---MALE----	-	1	1	-	-	-	-	1	-	-	-	-
FEMALE--	1	-	1	-	-	1	1	1	-	-	-	-
DISTRICT OF COLUMBIA ----	1	3	2	4	4	1	3	5	-	2	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	1	2	-	-	-	-
ALL OTHER--MALE----	1	1	-	2	1	1	1	2	-	-	-	-
FEMALE--	-	2	2	2	3	-	1	1	-	1	-	-
BLACK---MALE----	1	1	-	2	1	1	1	2	-	-	-	-
FEMALE--	-	2	2	2	3	-	1	1	-	1	-	-
FLORIDA -----	18	22	51	78	91	88	74	52	18	4	1	-
WHITE-----MALE----	7	12	30	42	50	43	29	23	4	1	-	-
FEMALE--	8	8	16	33	37	40	36	24	13	2	1	-
ALL OTHER--MALE----	1	1	3	1	2	4	6	1	-	1	-	-
FEMALE--	2	1	2	2	2	1	3	4	1	-	-	-
BLACK---MALE----	1	1	3	-	2	4	4	1	-	1	-	-
FEMALE--	1	1	2	2	2	1	3	4	1	-	-	-
GEORGIA -----	8	18	13	28	19	26	21	10	7	4	-	-
WHITE-----MALE----	1	10	5	13	9	8	6	3	2	-	-	-
FEMALE--	4	4	7	9	5	12	10	6	5	3	-	-
ALL OTHER--MALE----	2	2	1	3	1	2	1	1	-	-	-	-
FEMALE--	1	2	-	3	4	4	4	-	-	1	-	-
BLACK---MALE----	2	2	1	3	1	2	1	1	-	-	-	-
FEMALE--	1	2	-	3	4	4	4	-	-	1	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 571
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 OF RECTUM, RECTOSIGMOID JUNCTION, AND ANUS (154)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
KENTUCKY -----	3	7	16	23	20	21	18	16	3	2	1	-
WHITE-----MALE----	2	3	11	12	10	7	11	8	1	1	1	-
FEMALE--	-	4	4	9	9	11	7	8	2	1	-	-
ALL OTHER--MALE----	1	-	1	2	1	2	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	1	-	1	2	1	2	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
LOUISIANA -----	8	14	12	8	14	14	11	8	3	-	-	-
WHITE-----MALE----	4	5	3	3	6	4	7	3	2	-	-	-
FEMALE--	4	2	5	3	7	7	4	2	1	-	-	-
ALL OTHER--MALE----	-	5	2	1	-	1	-	2	-	-	-	-
FEMALE--	-	2	2	1	1	2	-	1	-	-	-	-
BLACK---MALE----	-	5	2	1	-	1	-	2	-	-	-	-
FEMALE--	-	2	2	1	1	2	-	1	-	-	-	-
MAINE -----	1	2	6	4	12	9	5	5	2	1	1	-
WHITE-----MALE----	1	-	4	2	8	4	5	3	-	-	-	-
FEMALE--	-	2	2	2	4	5	-	2	2	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	6	7	22	22	35	18	25	10	12	2	-	-
WHITE-----MALE----	3	3	9	7	15	6	6	3	3	-	-	-
FEMALE--	3	2	6	7	12	9	11	6	8	2	-	-
ALL OTHER--MALE----	-	2	6	4	5	-	5	1	-	-	-	-
FEMALE--	-	-	1	4	3	3	3	-	1	-	-	-
BLACK---MALE----	-	2	5	4	5	-	5	1	-	-	-	-
FEMALE--	-	-	1	4	3	3	3	-	1	-	-	-
MASSACHUSETTS -----	12	17	23	37	44	39	42	33	11	8	1	-
WHITE-----MALE----	6	10	11	22	30	17	12	12	5	3	-	-
FEMALE--	5	6	11	13	13	20	30	21	6	5	1	-
ALL OTHER--MALE----	1	1	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	1	1	-	2	-	-	-	-	-	-
BLACK---MALE----	1	1	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	1	1	-	1	-	-	-	-	-	-
MICHIGAN -----	14	17	21	48	27	56	41	25	9	5	1	-
WHITE-----MALE----	7	9	14	24	15	22	19	12	3	1	-	-
FEMALE--	6	7	6	18	10	24	15	11	6	3	1	-
ALL OTHER--MALE----	-	1	1	4	2	4	4	1	-	-	-	-
FEMALE--	1	-	-	2	-	6	3	1	-	1	-	-
BLACK---MALE----	-	1	1	3	2	4	4	1	-	-	-	-
FEMALE--	1	-	-	2	-	6	3	1	-	1	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 574
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 0 OF RECTUM, RECTOSIGMOID JUNCTION, AND ANUS (154)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
OHIO -----	23	33	33	52	61	71	47	47	28	12	2	-
WHITE-----MALE----	15	20	19	34	29	30	16	12	10	4	-	-
FEMALE--	7	11	9	12	29	34	24	30	16	4	1	-
ALL OTHER--MALE----	-	2	2	3	3	2	4	1	-	-	-	-
FEMALE--	1	-	3	3	-	5	3	4	2	4	1	-
BLACK---MALE----	-	2	2	3	2	2	4	1	-	-	-	-
FEMALE--	1	-	3	3	-	5	3	4	2	4	1	-
OKLAHOMA -----	4	6	11	7	12	8	12	7	3	1	-	-
WHITE-----MALE----	3	3	7	5	7	4	7	3	1	-	-	-
FEMALE--	-	2	4	2	5	3	4	3	1	1	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	1	1	1	-	-	-
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
OREGON -----	3	10	9	8	13	14	22	10	6	1	-	-
WHITE-----MALE----	-	8	6	7	9	4	12	2	-	-	-	-
FEMALE--	3	2	3	1	4	8	10	8	6	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	14	37	41	51	71	68	80	40	29	9	2	-
WHITE-----MALE----	7	18	26	32	37	33	42	10	5	2	-	-
FEMALE--	6	15	13	17	24	26	36	27	22	6	2	-
ALL OTHER--MALE----	1	-	2	2	3	3	2	1	1	1	-	-
FEMALE--	-	4	-	-	7	6	-	2	1	-	-	-
BLACK---MALE----	1	-	2	2	3	3	1	1	1	1	-	-
FEMALE--	-	3	-	-	6	6	-	2	1	-	-	-
RHODE ISLAND -----	-	3	4	9	11	9	11	6	3	1	-	-
WHITE-----MALE----	-	3	4	8	9	-	5	4	1	-	-	-
FEMALE--	-	-	-	1	2	9	6	2	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	7	12	10	10	25	10	11	4	4	-	1	-
WHITE-----MALE----	3	5	5	3	11	6	5	2	-	-	-	-
FEMALE--	1	4	4	2	8	2	4	1	3	-	-	-
ALL OTHER--MALE----	3	2	1	3	2	-	1	1	-	-	-	-
FEMALE--	-	1	-	2	4	2	1	-	1	-	1	-
BLACK---MALE----	3	2	1	3	2	-	1	1	-	-	-	-
FEMALE--	-	1	-	2	4	2	1	-	1	-	1	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 575
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
0 OF RECTUM, RECTOSIGMOID JUNCTION, AND ANUS (154)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
SOUTH DAKOTA -----	20	-	-	-	-	-	-	-	-	-	-	1
WHITE-----MALE----	10	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	170	-	-	-	-	-	-	-	-	3	5	7
WHITE-----MALE----	70	-	-	-	-	-	-	-	-	2	4	3
FEMALE--	67	-	-	-	-	-	-	-	-	-	-	2
ALL OTHER--MALE----	15	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	18	-	-	-	-	-	-	-	-	1	-	1
BLACK---MALE----	15	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	18	-	-	-	-	-	-	-	-	1	-	1
TEXAS -----	491	-	-	-	-	-	1	-	6	7	12	23
WHITE-----MALE----	221	-	-	-	-	-	-	-	2	4	7	11
FEMALE--	200	-	-	-	-	-	1	-	1	3	3	7
ALL OTHER--MALE----	35	-	-	-	-	-	-	-	2	-	1	1
FEMALE--	35	-	-	-	-	-	-	-	1	-	1	4
BLACK---MALE----	33	-	-	-	-	-	-	-	1	-	1	1
FEMALE--	33	-	-	-	-	-	-	-	1	-	1	4
UTAH -----	27	-	-	-	-	-	-	1	-	1	-	2
WHITE-----MALE----	14	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	27	-	-	-	-	-	-	-	1	-	1	-
WHITE-----MALE----	17	-	-	-	-	-	-	-	1	-	1	-
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	198	-	-	-	-	-	-	1	2	4	4	3
WHITE-----MALE----	73	-	-	-	-	-	-	1	1	1	2	1
FEMALE--	75	-	-	-	-	-	-	-	-	2	2	1
ALL OTHER--MALE----	26	-	-	-	-	-	-	-	1	-	-	1
FEMALE--	24	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	23	-	-	-	-	-	-	-	1	-	-	1
FEMALE--	23	-	-	-	-	-	-	-	-	1	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 575
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 OF RECTUM, RECTOSIGMOID JUNCTION, AND ANUS (154)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
SOUTH DAKOTA -----	-	1	-	5	1	3	2	4	1	2	-	-
WHITE-----MALE----	-	-	-	2	-	2	1	2	1	1	-	-
FEMALE--	-	1	-	3	1	-	1	1	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	10	7	21	23	31	23	17	14	8	-	1	-
WHITE-----MALE----	5	3	11	7	16	11	4	3	1	-	-	-
FEMALE--	3	2	7	10	10	10	8	9	5	-	1	-
ALL OTHER--MALE----	1	2	-	3	2	1	3	1	-	-	-	-
FEMALE--	1	-	3	3	3	1	2	1	2	-	-	-
BLACK---MALE----	1	2	-	3	2	1	3	1	-	-	-	-
FEMALE--	1	-	3	3	3	1	2	1	2	-	-	-
TEXAS -----	26	39	56	60	74	76	46	35	22	7	1	-
WHITE-----MALE----	18	19	28	28	37	35	16	14	1	1	-	-
FEMALE--	4	12	22	22	27	34	26	15	17	5	1	-
ALL OTHER--MALE----	1	6	4	6	5	4	1	1	3	-	-	-
FEMALE--	3	2	2	4	5	3	3	5	1	1	-	-
BLACK---MALE----	1	5	4	6	5	4	1	1	3	-	-	-
FEMALE--	2	2	2	3	5	3	3	5	1	1	-	-
UTAH -----	2	2	3	2	4	2	6	1	1	-	-	-
WHITE-----MALE----	-	1	2	-	3	1	4	1	-	-	-	-
FEMALE--	1	1	1	2	1	1	2	-	1	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	1	5	1	5	6	5	1	1	-	-	-
WHITE-----MALE----	-	1	4	-	3	3	1	-	-	-	-	-
FEMALE--	-	-	1	1	2	3	2	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	12	18	24	26	32	23	22	15	9	2	1	-
WHITE-----MALE----	6	8	10	16	10	10	3	2	2	-	-	-
FEMALE--	3	5	5	8	15	7	11	8	5	2	1	-
ALL OTHER--MALE----	2	4	6	1	3	2	5	1	-	-	-	-
FEMALE--	1	1	3	1	4	4	3	4	2	-	-	-
BLACK---MALE----	2	2	6	1	3	2	5	-	-	-	-	-
FEMALE--	1	1	2	1	4	4	3	4	2	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 577
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 OF LIVER AND INTRAHEPATIC BILE DUCTS (155)												
0 UNITED STATES --	11,584	4	17	10	5	9	26	36	50	131	307	487
WHITE-----MALE----	5,713	1	10	4	4	5	9	15	19	49	160	238
FEMALE--	3,720	1	5	4	1	3	5	12	11	24	47	84
ALL OTHER--MALE----	1,415	1	2	2	-	1	7	8	13	39	84	134
FEMALE--	736	1	-	-	-	-	5	1	7	19	16	31
BLACK---MALE----	874	1	2	1	-	1	6	6	2	24	49	86
FEMALE--	503	-	-	-	-	-	3	1	5	15	11	16
ALABAMA -----	210	-	-	1	-	-	-	-	2	6	5	4
WHITE-----MALE----	107	-	-	-	-	-	-	-	-	4	1	3
FEMALE--	65	-	-	-	-	-	-	-	-	2	3	-
ALL OTHER--MALE----	21	-	-	1	-	-	-	-	1	-	1	1
FEMALE--	17	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	21	-	-	1	-	-	-	-	1	-	1	1
FEMALE--	17	-	-	-	-	-	-	-	1	-	-	-
ALASKA -----	9	-	-	-	-	-	-	-	-	-	2	-
WHITE-----MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	198	-	-	-	-	-	1	-	1	1	5	5
WHITE-----MALE----	93	-	-	-	-	-	-	-	1	-	4	2
FEMALE--	78	-	-	-	-	-	-	-	-	-	-	2
ALL OTHER--MALE----	17	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	10	-	-	-	-	-	1	-	-	1	-	-
BLACK---MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	161	-	-	-	-	1	1	1	-	2	1	5
WHITE-----MALE----	85	-	-	-	-	-	-	1	-	1	-	2
FEMALE--	57	-	-	-	-	1	-	-	-	-	-	2
ALL OTHER--MALE----	13	-	-	-	-	-	1	-	-	-	1	-
FEMALE--	6	-	-	-	-	-	-	-	-	1	-	1
BLACK---MALE----	12	-	-	-	-	-	1	-	-	-	1	-
FEMALE--	6	-	-	-	-	-	-	-	-	1	-	1
CALIFORNIA -----	1,373	1	2	2	-	-	2	5	7	19	49	79
WHITE-----MALE----	584	-	1	1	-	-	1	1	2	4	23	31
FEMALE--	391	-	1	1	-	-	-	4	1	2	8	14
ALL OTHER--MALE----	285	-	-	-	-	-	1	-	4	9	18	28
FEMALE--	113	1	-	-	-	-	-	-	-	4	-	6
BLACK---MALE----	67	-	-	-	-	-	1	-	-	3	2	4
FEMALE--	23	-	-	-	-	-	-	-	-	1	-	2

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 577
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 OF LIVER AND INTRAHEPATIC BILE DUCTS (155)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 UNITED STATES --	612	786	1,122	1,651	1,941	1,735	1,367	889	348	46	5	-
WHITE-----MALE----	293	413	622	860	1,088	847	624	345	99	8	-	-
FEMALE--	132	173	233	480	596	647	586	433	205	33	5	-
ALL OTHER--MALE----	138	148	179	213	169	129	75	54	18	1	-	-
FEMALE--	49	52	88	98	88	112	82	57	26	4	-	-
BLACK---MALE----	81	82	103	133	114	89	47	36	10	1	-	-
FEMALE--	30	32	55	67	62	76	60	42	24	4	-	-
ALABAMA -----	11	18	23	36	30	32	22	15	5	-	-	-
WHITE-----MALE----	5	9	17	18	20	19	5	5	1	-	-	-
FEMALE--	4	7	4	11	6	7	13	5	3	-	-	-
ALL OTHER--MALE----	-	1	-	6	3	3	-	3	1	-	-	-
FEMALE--	2	1	2	1	1	3	4	2	-	-	-	-
BLACK---MALE----	-	1	-	6	3	3	-	3	1	-	-	-
FEMALE--	2	1	2	1	1	3	4	2	-	-	-	-
ALASKA -----	-	1	2	2	1	1	-	-	-	-	-	-
WHITE-----MALE----	-	-	2	1	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	7	12	11	27	36	31	32	22	7	-	-	-
WHITE-----MALE----	5	7	3	11	15	14	17	12	2	-	-	-
FEMALE--	-	4	5	10	19	11	13	9	5	-	-	-
ALL OTHER--MALE----	2	1	2	5	1	4	-	-	-	-	-	-
FEMALE--	-	-	1	1	1	2	2	1	-	-	-	-
BLACK---MALE----	1	1	-	-	-	4	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
ARKANSAS -----	10	15	13	32	25	19	25	7	3	-	1	-
WHITE-----MALE----	7	11	8	16	14	11	11	3	-	-	-	-
FEMALE--	2	2	3	12	9	7	11	4	3	-	1	-
ALL OTHER--MALE----	1	1	-	3	2	1	3	-	-	-	-	-
FEMALE--	-	1	2	1	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	3	2	1	3	-	-	-	-	-
FEMALE--	-	1	2	1	-	-	-	-	-	-	-	-
CALIFORNIA -----	82	123	144	185	214	179	146	92	35	7	-	-
WHITE-----MALE----	37	60	58	81	105	73	62	36	6	2	-	-
FEMALE--	15	20	30	49	63	56	64	39	19	5	-	-
ALL OTHER--MALE----	21	30	39	40	33	28	15	12	7	-	-	-
FEMALE--	9	13	17	15	13	22	5	5	3	-	-	-
BLACK---MALE----	5	7	13	13	8	4	1	4	2	-	-	-
FEMALE--	3	1	4	2	1	5	1	1	2	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 578
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 OF LIVER AND INTRAHEPATIC BILE DUCTS (155)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
COLORADO -----	7	4	12	17	24	16	13	6	4	-	-	-
WHITE-----MALE----	5	3	10	14	17	5	4	2	4	-	-	-
FEMALE--	2	1	2	2	6	11	8	3	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	-	-	-	-
CONNECTICUT -----	11	6	18	21	20	15	23	14	8	-	-	-
WHITE-----MALE----	5	5	10	12	18	11	11	7	4	-	-	-
FEMALE--	4	-	7	7	2	4	11	4	4	-	-	-
ALL OTHER--MALE----	2	1	1	1	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	2	-	-	-	-
BLACK---MALE----	2	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	1	-	-	-	-
DELAWARE -----	-	2	4	2	1	3	2	-	1	1	1	-
WHITE-----MALE----	-	1	2	1	1	2	2	-	-	-	-	-
FEMALE--	-	-	1	-	-	1	-	-	1	1	1	-
ALL OTHER--MALE----	-	1	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	1	1	5	3	4	2	1	3	1	-	-	-
WHITE-----MALE----	-	-	1	-	-	1	-	2	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	3	2	2	1	-	1	-	-	-	-
FEMALE--	-	1	1	1	2	-	1	-	1	-	-	-
BLACK---MALE----	1	-	3	2	2	1	-	1	-	-	-	-
FEMALE--	-	1	1	1	2	-	1	-	1	-	-	-
FLORIDA -----	40	39	78	94	153	136	122	77	37	1	-	-
WHITE-----MALE----	25	21	48	53	94	84	70	37	11	-	-	-
FEMALE--	8	8	16	30	50	47	45	37	23	1	-	-
ALL OTHER--MALE----	5	9	7	5	5	1	4	1	1	-	-	-
FEMALE--	2	1	7	6	4	4	3	2	2	-	-	-
BLACK---MALE----	2	6	7	5	5	1	4	1	1	-	-	-
FEMALE--	2	1	5	6	4	3	2	2	2	-	-	-
GEORGIA -----	9	14	28	38	39	31	26	19	10	1	-	-
WHITE-----MALE----	2	9	12	22	20	7	9	10	1	1	-	-
FEMALE--	5	2	7	8	12	15	12	7	7	-	-	-
ALL OTHER--MALE----	2	3	6	2	6	6	2	1	-	-	-	-
FEMALE--	-	-	3	6	1	3	3	1	2	-	-	-
BLACK---MALE----	2	1	5	2	5	6	2	1	-	-	-	-
FEMALE--	-	-	2	6	-	3	1	1	2	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 580
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 OF LIVER AND INTRAHEPATIC BILE DUCTS (155)												
KENTUCKY -----	180	-	-	-	-	-	-	-	-	4	3	8
WHITE-----MALE----	110	-	-	-	-	-	-	-	-	3	1	5
FEMALE--	57	-	-	-	-	-	-	-	-	1	-	2
ALL OTHER--MALE----	7	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	6	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	7	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	5	-	-	-	-	-	-	-	-	-	1	-
LOUISIANA -----	239	-	-	-	-	1	-	-	1	1	11	13
WHITE-----MALE----	108	-	-	-	-	1	-	-	-	-	6	4
FEMALE--	62	-	-	-	-	-	-	-	1	-	3	1
ALL OTHER--MALE----	41	-	-	-	-	-	-	-	-	-	2	7
FEMALE--	28	-	-	-	-	-	-	-	-	1	-	1
BLACK---MALE----	38	-	-	-	-	-	-	-	-	-	2	6
FEMALE--	27	-	-	-	-	-	-	-	-	1	-	1
MAINE -----	33	1	1	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	25	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	212	-	-	-	-	1	1	-	3	2	5	7
WHITE-----MALE----	83	-	-	-	-	1	1	-	-	1	2	1
FEMALE--	66	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	41	-	-	-	-	-	-	-	-	-	1	5
FEMALE--	22	-	-	-	-	-	-	-	2	1	2	1
BLACK---MALE----	35	-	-	-	-	-	-	-	-	-	1	5
FEMALE--	21	-	-	-	-	-	-	-	2	1	2	1
MASSACHUSETTS -----	278	-	-	-	1	1	-	4	2	2	8	8
WHITE-----MALE----	174	-	-	-	-	1	-	1	-	1	6	6
FEMALE--	82	-	-	-	1	-	-	-	1	1	-	1
ALL OTHER--MALE----	17	-	-	-	-	-	-	2	1	-	2	1
FEMALE--	5	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	10	-	-	-	-	-	-	1	-	-	1	1
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
MICHIGAN -----	391	-	3	-	2	-	2	-	2	6	8	22
WHITE-----MALE----	178	-	2	-	2	-	1	-	-	2	3	11
FEMALE--	134	-	1	-	-	-	-	-	1	2	3	3
ALL OTHER--MALE----	54	-	-	-	-	-	-	-	1	2	2	6
FEMALE--	25	-	-	-	-	-	1	-	-	-	-	2
BLACK---MALE----	43	-	-	-	-	-	-	-	-	2	2	5
FEMALE--	21	-	-	-	-	-	1	-	-	-	-	1

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 580
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 OF LIVER AND INTRAHEPATIC BILE DUCTS (155)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
KENTUCKY -----	8	12	13	25	36	31	18	19	3	-	-	-
WHITE-----MALE----	7	6	9	14	26	22	9	7	1	-	-	-
FEMALE--	1	2	2	9	10	8	8	12	2	-	-	-
ALL OTHER--MALE----	-	2	1	1	-	1	-	-	-	-	-	-
FEMALE--	-	2	1	1	-	-	1	-	-	-	-	-
BLACK---MALE----	-	2	1	1	-	1	-	-	-	-	-	-
FEMALE--	-	2	1	-	-	-	1	-	-	-	-	-
LOUISIANA -----	12	18	24	32	34	43	27	18	4	-	-	-
WHITE-----MALE----	3	12	13	19	17	22	8	3	-	-	-	-
FEMALE--	2	3	4	10	9	7	11	9	2	-	-	-
ALL OTHER--MALE----	4	3	6	2	3	6	2	4	2	-	-	-
FEMALE--	3	-	1	1	5	8	6	2	-	-	-	-
BLACK---MALE----	4	3	6	2	3	6	1	3	2	-	-	-
FEMALE--	3	-	1	1	5	8	5	2	-	-	-	-
MAINE -----	-	-	2	6	13	5	4	-	-	1	-	-
WHITE-----MALE----	-	-	1	4	11	4	3	-	-	-	-	-
FEMALE--	-	-	1	2	2	1	1	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	19	13	20	40	31	23	21	19	7	-	-	-
WHITE-----MALE----	4	6	10	17	16	10	8	4	2	-	-	-
FEMALE--	2	3	5	13	9	9	7	12	5	-	-	-
ALL OTHER--MALE----	9	2	4	8	4	3	3	2	-	-	-	-
FEMALE--	4	2	1	2	2	1	3	1	-	-	-	-
BLACK---MALE----	8	-	4	5	4	3	3	2	-	-	-	-
FEMALE--	4	2	1	2	2	-	3	1	-	-	-	-
MASSACHUSETTS -----	15	16	27	39	42	55	29	19	8	2	-	-
WHITE-----MALE----	12	8	22	31	32	25	18	7	3	1	-	-
FEMALE--	-	6	3	8	8	25	11	11	5	1	-	-
ALL OTHER--MALE----	3	2	1	-	2	2	-	1	-	-	-	-
FEMALE--	-	-	1	-	-	3	-	-	-	-	-	-
BLACK---MALE----	2	1	1	-	1	1	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	20	19	41	64	62	55	47	25	9	4	-	-
WHITE-----MALE----	7	5	17	31	42	24	22	8	-	1	-	-
FEMALE--	4	9	12	19	13	22	22	12	9	2	-	-
ALL OTHER--MALE----	8	4	11	9	3	3	2	2	-	1	-	-
FEMALE--	1	1	1	5	4	6	1	3	-	-	-	-
BLACK---MALE----	6	4	6	7	3	3	2	2	-	1	-	-
FEMALE--	1	-	1	4	4	5	1	3	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 583
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 OF LIVER AND INTRAHEPATIC BILE DUCTS (155)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
OHIO -----	19	21	39	66	76	72	62	35	10	2	-	-
WHITE-----MALE----	8	9	25	42	38	42	22	12	3	-	-	-
FEMALE--	3	5	7	17	24	23	31	18	5	2	-	-
ALL OTHER--MALE----	4	6	5	5	10	5	3	1	-	-	-	-
FEMALE--	4	1	2	2	4	2	6	4	2	-	-	-
BLACK---MALE----	4	4	5	5	10	5	2	1	-	-	-	-
FEMALE--	3	1	2	1	4	2	5	4	2	-	-	-
OKLAHOMA -----	7	12	11	22	25	19	20	10	2	-	-	-
WHITE-----MALE----	3	10	6	9	16	7	9	2	1	-	-	-
FEMALE--	3	1	2	12	7	8	10	6	1	-	-	-
ALL OTHER--MALE----	1	-	3	-	2	3	-	1	-	-	-	-
FEMALE--	-	1	-	1	-	1	1	1	-	-	-	-
BLACK---MALE----	-	-	1	-	-	2	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	1	-	-	-	-
OREGON -----	8	9	9	15	18	20	9	6	4	-	-	-
WHITE-----MALE----	3	6	3	10	12	8	6	4	1	-	-	-
FEMALE--	2	2	5	4	5	10	3	2	3	-	-	-
ALL OTHER--MALE----	2	1	1	1	1	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	25	42	46	92	103	96	63	50	18	8	-	-
WHITE-----MALE----	12	26	26	58	54	42	27	19	7	-	-	-
FEMALE--	6	6	12	23	39	47	31	29	11	7	-	-
ALL OTHER--MALE----	6	6	4	7	8	5	1	1	-	-	-	-
FEMALE--	1	4	4	4	2	2	4	1	-	1	-	-
BLACK---MALE----	5	4	3	7	7	5	1	1	-	-	-	-
FEMALE--	-	3	4	4	2	2	3	1	-	1	-	-
RHODE ISLAND -----	3	5	7	6	9	7	3	2	2	-	-	-
WHITE-----MALE----	1	3	5	2	4	4	3	-	2	-	-	-
FEMALE--	2	1	2	3	5	3	-	2	-	-	-	-
ALL OTHER--MALE----	-	1	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	8	5	13	24	17	20	12	7	3	-	1	-
WHITE-----MALE----	4	2	2	13	10	5	4	1	1	-	-	-
FEMALE--	4	2	3	5	5	6	6	5	-	-	1	-
ALL OTHER--MALE----	-	1	5	4	1	3	2	1	1	-	-	-
FEMALE--	-	-	3	2	1	6	-	-	1	-	-	-
BLACK---MALE----	-	1	4	4	1	3	2	1	1	-	-	-
FEMALE--	-	-	2	2	-	6	-	-	1	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 584
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 OF LIVER AND INTRAHEPATIC BILE DUCTS (155)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
SOUTH DAKOTA -----	1	2	2	3	9	4	2	4	3	-	-	-
WHITE-----MALE----	-	1	2	2	7	2	-	1	1	-	-	-
FEMALE--	1	1	-	1	2	2	2	3	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	15	23	23	26	34	43	28	7	3	-	-	-
WHITE-----MALE----	6	19	17	16	18	18	16	2	-	-	-	-
FEMALE--	4	3	3	5	11	20	6	5	1	-	-	-
ALL OTHER--MALE----	3	-	1	4	4	4	3	-	-	-	-	-
FEMALE--	2	1	2	1	1	1	3	-	2	-	-	-
BLACK---MALE----	2	-	1	4	4	4	3	-	-	-	-	-
FEMALE--	2	1	1	1	1	1	3	-	2	-	-	-
TEXAS -----	49	64	89	136	140	125	95	64	27	1	1	-
WHITE-----MALE----	25	40	54	61	79	65	37	26	12	-	-	-
FEMALE--	11	8	20	48	43	48	50	28	13	1	1	-
ALL OTHER--MALE----	11	13	10	22	10	3	4	6	1	-	-	-
FEMALE--	2	3	5	5	8	9	4	4	1	-	-	-
BLACK---MALE----	5	9	6	19	10	3	3	4	1	-	-	-
FEMALE--	2	1	3	4	6	9	4	3	1	-	-	-
UTAH -----	4	2	7	6	10	5	5	2	1	-	-	-
WHITE-----MALE----	1	2	3	3	6	2	4	-	-	-	-	-
FEMALE--	2	-	1	2	3	3	1	2	1	-	-	-
ALL OTHER--MALE----	-	-	3	1	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	2	1	1	2	2	2	1	3	-	-	-	-
WHITE-----MALE----	1	1	1	2	1	1	1	1	-	-	-	-
FEMALE--	1	-	-	-	1	1	-	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	11	23	22	32	60	46	31	18	6	1	-	-
WHITE-----MALE----	2	9	14	16	26	24	12	6	2	-	-	-
FEMALE--	4	3	3	7	16	13	13	9	3	1	-	-
ALL OTHER--MALE----	1	6	2	6	12	7	4	-	1	-	-	-
FEMALE--	4	5	3	3	6	2	2	3	-	-	-	-
BLACK---MALE----	-	4	1	5	11	5	3	-	1	-	-	-
FEMALE--	2	5	2	3	5	2	2	2	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 586
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 LIVER, PRIMARY (155.0)												
0 UNITED STATES --	321	397	585	772	901	746	490	258	69	6	2	-
WHITE-----MALE----	157	213	337	429	566	400	264	113	24	1	-	-
FEMALE--	50	61	88	179	213	218	168	95	37	5	2	-
ALL OTHER--MALE----	92	99	116	119	86	73	26	28	5	-	-	-
FEMALE--	22	24	44	45	36	55	32	22	3	-	-	-
BLACK---MALE----	48	54	55	72	53	44	21	16	2	-	-	-
FEMALE--	11	12	24	27	22	33	20	11	2	-	-	-
ALABAMA -----	5	3	8	14	10	8	4	3	-	-	-	-
WHITE-----MALE----	3	2	7	9	8	7	-	2	-	-	-	-
FEMALE--	1	-	1	4	2	-	3	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	1	1	1	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	1	1	1	-	-	-	-
ALASKA -----	-	-	2	1	1	1	-	-	-	-	-	-
WHITE-----MALE----	-	-	2	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	5	6	5	17	16	15	17	5	1	-	-	-
WHITE-----MALE----	4	4	1	8	7	6	9	4	-	-	-	-
FEMALE--	-	2	3	6	8	6	6	-	1	-	-	-
ALL OTHER--MALE----	1	-	1	3	1	2	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	2	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	2	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	2	6	4	11	11	5	7	2	-	-	1	-
WHITE-----MALE----	1	3	3	5	6	2	4	-	-	-	-	-
FEMALE--	-	2	1	4	4	3	1	2	-	-	1	-
ALL OTHER--MALE----	1	1	-	1	1	-	2	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	1	1	-	2	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
CALIFORNIA -----	52	60	82	95	118	95	43	39	11	2	-	-
WHITE-----MALE----	26	31	27	43	58	37	27	16	1	1	-	-
FEMALE--	6	5	15	19	29	20	12	10	6	1	-	-
ALL OTHER--MALE----	16	18	31	24	22	22	3	10	2	-	-	-
FEMALE--	4	6	9	9	9	16	1	3	2	-	-	-
BLACK---MALE----	5	5	9	10	5	3	1	3	1	-	-	-
FEMALE--	2	-	3	1	1	3	-	-	1	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 587
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 0 LIVER, PRIMARY (155.0)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
COLORADO -----	4	2	6	7	9	2	6	3	1	-	-	-
WHITE-----MALE----	3	2	6	6	9	-	2	2	1	-	-	-
FEMALE--	1	-	-	1	-	2	4	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	6	4	13	8	10	9	7	5	3	-	-	-
WHITE-----MALE----	3	3	6	6	10	7	6	1	2	-	-	-
FEMALE--	2	-	6	2	-	2	-	2	1	-	-	-
ALL OTHER--MALE----	1	1	1	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	-	-	-	-
BLACK---MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	2	2	1	-	1	1	-	1	-	-	-
WHITE-----MALE----	-	1	1	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	1	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	-	-	3	2	3	1	1	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	3	1	2	-	-	1	-	-	-	-
FEMALE--	-	-	-	1	1	-	1	-	-	-	-	-
BLACK---MALE----	-	-	3	1	2	-	-	1	-	-	-	-
FEMALE--	-	-	-	1	1	-	1	-	-	-	-	-
FLORIDA -----	19	22	38	47	70	54	47	14	7	-	-	-
WHITE-----MALE----	11	11	24	29	47	38	33	8	2	-	-	-
FEMALE--	2	4	6	12	19	12	12	6	5	-	-	-
ALL OTHER--MALE----	5	6	3	3	1	1	1	-	-	-	-	-
FEMALE--	1	1	5	3	3	3	1	-	-	-	-	-
BLACK---MALE----	2	4	3	3	1	1	1	-	-	-	-	-
FEMALE--	1	1	3	3	3	3	-	-	-	-	-	-
GEORGIA -----	4	8	13	14	16	16	9	4	1	-	-	-
WHITE-----MALE----	1	7	6	10	7	4	3	2	-	-	-	-
FEMALE--	1	-	1	1	4	7	4	2	1	-	-	-
ALL OTHER--MALE----	2	1	4	2	4	4	1	-	-	-	-	-
FEMALE--	-	-	2	1	1	1	1	-	-	-	-	-
BLACK---MALE----	2	1	3	2	3	4	1	-	-	-	-	-
FEMALE--	-	-	1	1	-	1	-	-	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 589
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 LIVER, PRIMARY (155.0)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
KENTUCKY -----	5	2	6	8	19	8	4	5	1	-	-	-
WHITE-----MALE----	5	-	4	5	15	8	2	2	1	-	-	-
FEMALE--	-	1	1	2	4	-	1	3	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	1	-	-	1	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	1	-	-	-	-	-
LOUISIANA -----	3	6	8	9	8	12	4	5	1	-	-	-
WHITE-----MALE----	1	4	5	6	5	7	1	1	-	-	-	-
FEMALE--	-	1	1	3	-	2	1	2	-	-	-	-
ALL OTHER--MALE----	1	1	2	-	-	1	-	1	1	-	-	-
FEMALE--	1	-	-	-	3	2	2	1	-	-	-	-
BLACK---MALE----	1	1	2	-	-	1	-	-	1	-	-	-
FEMALE--	1	-	-	-	3	2	1	1	-	-	-	-
MAINE -----	-	-	1	3	5	3	2	-	-	-	-	-
WHITE-----MALE----	-	-	1	2	5	3	2	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	6	4	7	18	11	14	9	3	-	-	-	-
WHITE-----MALE----	-	2	4	9	7	6	3	1	-	-	-	-
FEMALE--	-	-	-	4	3	6	2	2	-	-	-	-
ALL OTHER--MALE----	5	2	2	4	1	2	3	-	-	-	-	-
FEMALE--	1	-	1	1	-	-	1	-	-	-	-	-
BLACK---MALE----	4	-	2	2	1	2	3	-	-	-	-	-
FEMALE--	1	-	1	1	-	-	1	-	-	-	-	-
MASSACHUSETTS -----	7	7	15	20	21	20	6	7	-	-	-	-
WHITE-----MALE----	5	4	13	18	17	8	5	4	-	-	-	-
FEMALE--	-	2	-	2	3	8	1	2	-	-	-	-
ALL OTHER--MALE----	2	1	1	-	1	2	-	1	-	-	-	-
FEMALE--	-	-	1	-	-	2	-	-	-	-	-	-
BLACK---MALE----	2	1	1	-	1	1	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	5	7	15	28	28	19	12	5	-	1	-	-
WHITE-----MALE----	1	2	4	15	22	9	10	2	-	-	-	-
FEMALE--	1	4	3	7	3	5	2	3	-	1	-	-
ALL OTHER--MALE----	3	1	8	4	2	2	-	-	-	-	-	-
FEMALE--	-	-	-	2	1	3	-	-	-	-	-	-
BLACK---MALE----	1	1	3	3	2	2	-	-	-	-	-	-
FEMALE--	-	-	-	2	1	3	-	-	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 592
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 LIVER, PRIMARY (155.0)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
OHIO -----	7	9	19	26	27	23	15	9	2	-	-	-
WHITE-----MALE----	4	3	15	20	12	14	6	5	1	-	-	-
FEMALE--	-	1	3	3	8	5	6	3	1	-	-	-
ALL OTHER--MALE----	2	5	1	2	5	4	2	-	-	-	-	-
FEMALE--	1	-	-	1	2	-	1	1	-	-	-	-
BLACK---MALE----	2	3	1	2	5	4	2	-	-	-	-	-
FEMALE--	-	-	-	-	2	-	-	1	-	-	-	-
OKLAHOMA -----	3	8	7	8	13	3	6	3	-	-	-	-
WHITE-----MALE----	1	6	4	4	7	2	3	1	-	-	-	-
FEMALE--	1	1	-	4	4	1	2	2	-	-	-	-
ALL OTHER--MALE----	1	-	3	-	2	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
OREGON -----	2	6	4	8	5	9	5	1	2	-	-	-
WHITE-----MALE----	1	5	2	5	4	5	2	1	1	-	-	-
FEMALE--	-	-	2	2	1	2	3	-	1	-	-	-
ALL OTHER--MALE----	1	1	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	15	23	23	37	38	37	19	11	4	1	-	-
WHITE-----MALE----	9	16	14	19	25	21	10	4	1	-	-	-
FEMALE--	2	-	3	10	10	11	6	6	3	1	-	-
ALL OTHER--MALE----	4	6	3	4	2	3	-	1	-	-	-	-
FEMALE--	-	1	3	4	1	2	3	-	-	-	-	-
BLACK---MALE----	3	4	2	4	1	3	-	1	-	-	-	-
FEMALE--	-	1	3	4	1	2	2	-	-	-	-	-
RHODE ISLAND -----	-	3	3	2	4	2	1	-	-	-	-	-
WHITE-----MALE----	-	1	2	1	1	1	1	-	-	-	-	-
FEMALE--	-	1	1	1	3	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	4	3	8	14	7	7	3	3	-	-	-	-
WHITE-----MALE----	1	2	1	8	6	3	2	1	-	-	-	-
FEMALE--	3	1	2	3	1	2	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	4	3	-	1	-	1	-	-	-	-
FEMALE--	-	-	1	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	3	3	-	1	-	1	-	-	-	-
FEMALE--	-	-	1	-	-	1	-	-	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 593
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 LIVER, PRIMARY (155.0)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
SOUTH DAKOTA -----	1	1	1	3	4	2	1	1	2	-	-	-
WHITE-----MALE----	-	-	1	2	3	2	-	-	1	-	-	-
FEMALE--	1	1	-	1	1	-	1	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	10	9	15	15	12	16	12	1	-	-	-	-
WHITE-----MALE----	4	8	11	8	7	6	7	-	-	-	-	-
FEMALE--	1	-	2	2	3	9	3	1	-	-	-	-
ALL OTHER--MALE----	3	-	1	4	2	-	1	-	-	-	-	-
FEMALE--	2	1	1	1	-	1	1	-	-	-	-	-
BLACK---MALE----	2	-	1	4	2	-	1	-	-	-	-	-
FEMALE--	2	1	1	1	-	1	1	-	-	-	-	-
TEXAS -----	38	48	67	96	98	90	57	33	11	1	1	-
WHITE-----MALE----	21	30	43	47	57	55	30	14	8	-	-	-
FEMALE--	7	5	14	31	27	30	24	12	3	1	1	-
ALL OTHER--MALE----	9	10	6	14	8	2	2	5	-	-	-	-
FEMALE--	1	3	4	4	6	3	1	2	-	-	-	-
BLACK---MALE----	3	8	3	11	8	2	2	3	-	-	-	-
FEMALE--	1	1	2	3	4	3	1	2	-	-	-	-
UTAH -----	1	2	2	2	4	2	2	-	-	-	-	-
WHITE-----MALE----	-	2	-	1	3	1	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	2	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	1	-	1	1	1	1	1	-	-	-	-
WHITE-----MALE----	-	1	-	1	1	1	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	5	16	12	16	30	12	11	5	1	-	-	-
WHITE-----MALE----	2	7	10	7	18	5	5	4	1	-	-	-
FEMALE--	1	2	-	4	5	3	3	1	-	-	-	-
ALL OTHER--MALE----	1	4	1	4	5	3	2	-	-	-	-	-
FEMALE--	1	3	1	1	2	1	1	-	-	-	-	-
BLACK---MALE----	-	3	-	3	4	2	2	-	-	-	-	-
FEMALE--	-	3	-	1	1	1	1	-	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 595
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 INTRAHEPATIC BILE DUCTS (155.1)												
0 UNITED STATES --	117	131	203	306	387	338	332	223	98	12	-	-
WHITE-----MALE----	50	65	106	132	184	137	132	83	32	3	-	-
FEMALE--	50	49	67	131	164	167	165	126	56	7	-	-
ALL OTHER--MALE----	5	10	15	27	27	17	17	4	2	1	-	-
FEMALE--	12	7	15	16	12	17	18	10	8	1	-	-
BLACK---MALE----	2	5	12	10	20	11	6	1	-	1	-	-
FEMALE--	6	4	8	10	8	11	13	9	7	1	-	-
ALABAMA -----	3	4	2	6	4	6	3	2	-	-	-	-
WHITE-----MALE----	1	2	2	2	2	1	1	1	-	-	-	-
FEMALE--	2	2	-	4	-	3	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	2	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	2	1	-	-	-	-	-
ALASKA -----	-	1	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	-	1	2	4	5	4	2	5	4	-	-	-
WHITE-----MALE----	-	1	-	2	1	3	2	2	1	-	-	-
FEMALE--	-	-	-	2	4	1	-	3	3	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	-	-	3	3	2	1	5	-	-	-	-	-
WHITE-----MALE----	-	-	1	2	1	1	-	-	-	-	-	-
FEMALE--	-	-	1	1	1	-	4	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	15	23	25	32	34	34	51	15	5	2	-	-
WHITE-----MALE----	3	11	12	13	15	10	16	5	1	1	-	-
FEMALE--	8	9	5	14	15	19	27	10	2	1	-	-
ALL OTHER--MALE----	1	1	3	4	3	4	6	-	2	-	-	-
FEMALE--	3	2	5	1	1	1	2	-	-	-	-	-
BLACK---MALE----	-	-	3	-	1	1	-	-	-	-	-	-
FEMALE--	-	1	1	-	-	-	1	-	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 596
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 INTRAHEPATIC BILE DUCTS (155.1)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
COLORADO -----	1	2	5	6	9	6	2	1	2	-	-	-
WHITE-----MALE----	1	1	3	5	5	2	-	-	2	-	-	-
FEMALE--	-	1	2	1	4	4	2	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	4	-	5	8	5	4	8	4	3	-	-	-
WHITE-----MALE----	2	-	4	3	4	3	4	3	1	-	-	-
FEMALE--	2	-	1	4	1	1	4	1	2	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	-	1	-	1	-	1	-	-	-	-	-
WHITE-----MALE----	-	-	1	-	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	-	-	1	1	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
FLORIDA -----	5	3	12	12	35	29	31	20	12	1	-	-
WHITE-----MALE----	3	2	6	7	22	11	16	11	4	-	-	-
FEMALE--	2	1	5	4	10	17	14	7	7	1	-	-
ALL OTHER--MALE----	-	-	1	1	2	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	2	1	-	-	-
BLACK---MALE----	-	-	1	1	2	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	2	1	-	-	-
GEORGIA -----	3	2	6	10	9	4	7	6	4	1	-	-
WHITE-----MALE----	1	-	3	6	6	-	2	3	1	1	-	-
FEMALE--	2	1	3	2	3	3	4	2	2	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	2	-	1	1	1	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	2	-	1	1	1	1	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 598
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 INTRAHEPATIC BILE DUCTS (155.1)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
KENTUCKY -----	1	2	2	6	2	8	5	4	-	-	-	-
WHITE-----MALE----	-	2	1	3	1	6	3	1	-	-	-	-
FEMALE--	1	-	-	3	1	2	2	3	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	2	1	-	2	2	2	5	1	-	-	-	-
WHITE-----MALE----	1	1	-	1	1	1	-	1	-	-	-	-
FEMALE--	1	-	-	1	-	1	3	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	2	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	2	-	-	-	-	-
MAINE -----	-	-	1	2	4	1	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	1	2	1	-	-	-	-	-	-
FEMALE--	-	-	1	1	2	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	4	5	4	8	7	4	4	3	2	-	-	-
WHITE-----MALE----	2	3	2	2	2	1	4	-	1	-	-	-
FEMALE--	1	2	1	4	3	2	-	3	1	-	-	-
ALL OTHER--MALE----	-	-	1	2	1	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	1	1	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-
MASSACHUSETTS -----	3	3	5	4	7	11	8	4	4	1	-	-
WHITE-----MALE----	3	-	4	2	6	4	3	1	1	1	-	-
FEMALE--	-	3	1	2	1	7	5	3	3	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	4	6	6	10	11	14	12	7	2	1	-	-
WHITE-----MALE----	3	1	4	5	7	4	3	2	-	-	-	-
FEMALE--	1	3	2	3	3	9	8	5	2	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	1	-	-	1	-	-
FEMALE--	-	1	-	2	1	1	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	1	-	-	1	-	-
FEMALE--	-	-	-	1	1	-	-	-	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 601
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 INTRAHEPATIC BILE DUCTS (155.1)												
OHIO -----	7	3	10	14	16	15	19	15	3	1	-	-
WHITE-----MALE----	1	2	6	5	5	9	7	5	-	-	-	-
FEMALE--	3	1	2	8	8	4	11	7	2	1	-	-
ALL OTHER--MALE----	-	-	1	1	2	1	-	1	-	-	-	-
FEMALE--	3	-	1	-	1	1	1	2	1	-	-	-
BLACK---MALE----	-	-	1	1	2	1	-	1	-	-	-	-
FEMALE--	3	-	1	-	1	1	1	2	1	-	-	-
OKLAHOMA -----	1	2	2	4	1	5	4	4	-	-	-	-
WHITE-----MALE----	-	2	1	1	-	2	1	-	-	-	-	-
FEMALE--	1	-	1	3	1	3	3	3	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
OREGON -----	2	2	2	4	4	4	2	3	1	-	-	-
WHITE-----MALE----	-	-	-	2	3	1	2	2	-	-	-	-
FEMALE--	-	2	1	2	1	3	-	1	1	-	-	-
ALL OTHER--MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	2	8	16	17	25	28	22	12	7	-	-	-
WHITE-----MALE----	-	4	6	13	10	10	9	4	4	-	-	-
FEMALE--	2	2	9	4	13	17	13	7	3	-	-	-
ALL OTHER--MALE----	-	-	-	-	2	1	-	-	-	-	-	-
FEMALE--	-	2	1	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	2	1	-	-	-	-	-	-
FEMALE--	-	1	1	-	-	-	-	1	-	-	-	-
RHODE ISLAND -----	2	1	1	2	1	2	1	-	-	-	-	-
WHITE-----MALE----	-	1	1	-	-	1	1	-	-	-	-	-
FEMALE--	2	-	-	1	1	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	3	2	3	3	4	-	2	1	2	-	-	-
WHITE-----MALE----	2	-	-	1	1	-	2	-	1	-	-	-
FEMALE--	1	1	1	1	2	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	2	1	-	-	-	-	1	-	-	-
BLACK---MALE----	-	1	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	1	1	-	-	-	-	1	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 604
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 LIVER, NOT SPECIFIED AS PRIMARY OR SECONDARY (155.2)												
0 UNITED STATES --	4,090	1	2	1	2	1	7	6	11	43	88	120
WHITE-----MALE----	1,903	-	1	-	2	1	1	1	5	19	42	60
FEMALE--	1,494	-	1	1	-	-	1	4	2	9	20	31
ALL OTHER--MALE----	413	-	-	-	-	-	3	1	2	9	20	23
FEMALE--	280	1	-	-	-	-	2	-	2	6	6	6
BLACK---MALE----	298	-	-	-	-	-	2	-	-	7	13	13
FEMALE--	231	-	-	-	-	-	2	-	2	6	5	3
ALABAMA -----	118	-	-	-	-	-	-	-	1	3	3	4
WHITE-----MALE----	54	-	-	-	-	-	-	-	-	2	-	3
FEMALE--	39	-	-	-	-	-	-	-	-	1	2	-
ALL OTHER--MALE----	17	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	8	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	17	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	8	-	-	-	-	-	-	-	1	-	-	-
ALASKA -----	1	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	74	-	-	-	-	-	-	-	-	-	2	1
WHITE-----MALE----	34	-	-	-	-	-	-	-	-	-	2	1
FEMALE--	31	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	92	-	-	-	-	-	1	-	-	1	-	3
WHITE-----MALE----	53	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	30	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	6	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	6	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	1	-	-
CALIFORNIA -----	414	1	-	1	-	-	-	1	2	4	14	17
WHITE-----MALE----	181	-	-	-	-	-	-	-	1	1	6	7
FEMALE--	138	-	-	1	-	-	-	1	-	-	4	5
ALL OTHER--MALE----	65	-	-	-	-	-	-	-	1	2	4	5
FEMALE--	30	1	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	12	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	7	-	-	-	-	-	-	-	-	1	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 604
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 LIVER, NOT SPECIFIED AS PRIMARY OR SECONDARY (155.2)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 UNITED STATES --	174	258	334	573	653	651	545	408	181	28	3	-
WHITE-----MALE----	86	135	179	299	338	310	228	149	43	4	-	-
FEMALE--	32	63	78	170	219	262	253	212	112	21	3	-
ALL OTHER--MALE----	41	39	48	67	56	39	32	22	11	-	-	-
FEMALE--	15	21	29	37	40	40	32	25	15	3	-	-
BLACK---MALE----	31	23	36	51	41	34	20	19	8	-	-	-
FEMALE--	13	16	23	30	32	32	27	22	15	3	-	-
ALABAMA -----	3	11	13	16	16	18	15	10	5	-	-	-
WHITE-----MALE----	1	5	8	7	10	11	4	2	1	-	-	-
FEMALE--	1	5	3	3	4	4	9	4	3	-	-	-
ALL OTHER--MALE----	-	1	-	5	2	3	-	3	1	-	-	-
FEMALE--	1	-	2	1	-	-	2	1	-	-	-	-
BLACK---MALE----	-	1	-	5	2	3	-	3	1	-	-	-
FEMALE--	1	-	2	1	-	-	2	1	-	-	-	-
ALASKA -----	-	-	-	1	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	2	5	4	6	15	12	13	12	2	-	-	-
WHITE-----MALE----	1	2	2	1	7	5	6	6	1	-	-	-
FEMALE--	-	2	2	2	7	4	7	6	1	-	-	-
ALL OTHER--MALE----	1	1	-	2	-	2	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	1	-	-	-	-	-	-
BLACK---MALE----	1	1	-	-	-	2	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
ARKANSAS -----	8	9	6	18	12	13	13	5	3	-	-	-
WHITE-----MALE----	6	8	4	9	7	8	6	3	-	-	-	-
FEMALE--	2	-	1	7	4	4	6	2	3	-	-	-
ALL OTHER--MALE----	-	-	-	2	1	1	1	-	-	-	-	-
FEMALE--	-	1	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	2	1	1	1	-	-	-	-	-
FEMALE--	-	1	1	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	15	40	37	58	62	50	52	38	19	3	-	-
WHITE-----MALE----	8	18	19	25	32	26	19	15	4	-	-	-
FEMALE--	1	6	10	16	19	17	25	19	11	3	-	-
ALL OTHER--MALE----	4	11	5	12	8	2	6	2	3	-	-	-
FEMALE--	2	5	3	5	3	5	2	2	1	-	-	-
BLACK---MALE----	-	2	1	3	2	-	-	1	1	-	-	-
FEMALE--	1	-	-	1	-	2	-	1	1	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 605
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 LIVER, NOT SPECIFIED AS PRIMARY OR SECONDARY (155.2)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
COLORADO -----	2	-	1	4	6	8	5	2	1	-	-	-
WHITE-----MALE----	1	-	1	3	3	3	2	-	1	-	-	-
FEMALE--	1	-	-	-	2	5	2	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	-	-	-	-
CONNECTICUT -----	1	2	-	5	5	2	8	5	2	-	-	-
WHITE-----MALE----	-	2	-	3	4	1	1	3	1	-	-	-
FEMALE--	-	-	-	1	1	1	7	1	1	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	1	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	1	-	-	-	-
DELAWARE -----	-	-	1	1	-	2	-	-	-	1	1	-
WHITE-----MALE----	-	-	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	1	1	1	-	1	1	-	2	1	-	-	-
WHITE-----MALE----	-	-	1	-	-	-	-	2	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	1	-	-	1	-	-	-	1	-	-	-
BLACK---MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	1	-	-	1	-	-	-	1	-	-	-
FLORIDA -----	16	14	28	35	48	53	44	43	18	-	-	-
WHITE-----MALE----	11	8	18	17	25	35	21	18	5	-	-	-
FEMALE--	4	3	5	14	21	18	19	24	11	-	-	-
ALL OTHER--MALE----	-	3	3	1	2	-	2	1	1	-	-	-
FEMALE--	1	-	2	3	-	-	2	-	1	-	-	-
BLACK---MALE----	-	2	3	1	2	-	2	1	1	-	-	-
FEMALE--	1	-	2	3	-	-	2	-	1	-	-	-
GEORGIA -----	2	4	9	14	14	11	10	9	5	-	-	-
WHITE-----MALE----	-	2	3	6	7	3	4	5	-	-	-	-
FEMALE--	2	1	3	5	5	5	4	3	4	-	-	-
ALL OTHER--MALE----	-	1	2	-	2	2	1	1	-	-	-	-
FEMALE--	-	-	1	3	-	1	1	-	1	-	-	-
BLACK---MALE----	-	-	2	-	2	2	1	1	-	-	-	-
FEMALE--	-	-	1	3	-	1	-	-	1	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 607
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
0 LIVER, NOT SPECIFIED AS PRIMARY OR SECONDARY (155.2)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
KENTUCKY -----	85	-	-	-	-	-	-	-	-	2	2	4
WHITE-----MALE----	46	-	-	-	-	-	-	-	-	2	-	2
FEMALE--	32	-	-	-	-	-	-	-	-	-	-	2
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	1	-
LOUISIANA -----	151	-	-	-	-	-	-	-	-	-	3	7
WHITE-----MALE----	65	-	-	-	-	-	-	-	-	-	1	3
FEMALE--	43	-	-	-	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	29	-	-	-	-	-	-	-	-	-	1	3
FEMALE--	14	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	27	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	14	-	-	-	-	-	-	-	-	-	-	-
MAINE -----	8	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	83	-	-	-	-	-	-	-	-	1	2	-
WHITE-----MALE----	29	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	31	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	11	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	12	-	-	-	-	-	-	-	-	1	1	-
BLACK---MALE----	11	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	11	-	-	-	-	-	-	-	-	1	1	-
MASSACHUSETTS -----	103	-	-	-	-	1	-	-	1	-	1	1
WHITE-----MALE----	62	-	-	-	-	1	-	-	-	-	1	-
FEMALE--	37	-	-	-	-	-	-	-	1	-	-	1
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	172	-	1	-	2	-	1	-	1	4	4	6
WHITE-----MALE----	68	-	-	-	2	-	-	-	-	-	1	2
FEMALE--	65	-	1	-	-	-	-	-	-	2	1	2
ALL OTHER--MALE----	27	-	-	-	-	-	-	-	1	2	2	2
FEMALE--	12	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	25	-	-	-	-	-	-	-	-	2	2	2
FEMALE--	12	-	-	-	-	-	1	-	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 607
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 LIVER, NOT SPECIFIED AS PRIMARY OR SECONDARY (155.2)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
KENTUCKY -----	2	8	5	11	15	15	9	10	2	-	-	-
WHITE-----MALE----	2	4	4	6	10	8	4	4	-	-	-	-
FEMALE--	-	1	1	4	5	6	5	6	2	-	-	-
ALL OTHER--MALE----	-	1	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	2	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	2	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	7	11	16	21	24	29	18	12	3	-	-	-
WHITE-----MALE----	1	7	8	12	11	14	7	1	-	-	-	-
FEMALE--	1	2	3	6	9	4	7	7	2	-	-	-
ALL OTHER--MALE----	3	2	4	2	3	5	2	3	1	-	-	-
FEMALE--	2	-	1	1	1	6	2	1	-	-	-	-
BLACK---MALE----	3	2	4	2	3	5	1	3	1	-	-	-
FEMALE--	2	-	1	1	1	6	2	1	-	-	-	-
MAINE -----	-	-	-	1	4	1	1	-	-	1	-	-
WHITE-----MALE----	-	-	-	1	4	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	9	4	9	14	13	5	8	13	5	-	-	-
WHITE-----MALE----	2	1	4	6	7	3	1	3	1	-	-	-
FEMALE--	1	1	4	5	3	1	5	7	4	-	-	-
ALL OTHER--MALE----	4	-	1	2	2	-	-	2	-	-	-	-
FEMALE--	2	2	-	1	1	1	2	1	-	-	-	-
BLACK---MALE----	4	-	1	2	2	-	-	2	-	-	-	-
FEMALE--	2	2	-	1	1	-	2	1	-	-	-	-
MASSACHUSETTS -----	5	6	7	15	14	24	15	8	4	1	-	-
WHITE-----MALE----	4	4	5	11	9	13	10	2	2	-	-	-
FEMALE--	-	1	2	4	4	10	5	6	2	1	-	-
ALL OTHER--MALE----	1	1	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	11	6	20	26	23	22	23	13	7	2	-	-
WHITE-----MALE----	3	2	9	11	13	11	9	4	-	1	-	-
FEMALE--	2	2	7	9	7	8	12	4	7	1	-	-
ALL OTHER--MALE----	5	2	3	5	1	1	1	2	-	-	-	-
FEMALE--	1	-	1	1	2	2	1	3	-	-	-	-
BLACK---MALE----	5	2	3	4	1	1	1	2	-	-	-	-
FEMALE--	1	-	1	1	2	2	1	3	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 610
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 LIVER, NOT SPECIFIED AS PRIMARY OR SECONDARY (155.2)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
OHIO -----	5	9	10	26	33	34	28	11	5	1	-	-
WHITE-----MALE----	3	4	4	17	21	19	9	2	2	-	-	-
FEMALE--	-	3	2	6	8	14	14	8	2	1	-	-
ALL OTHER--MALE----	2	1	3	2	3	-	1	-	-	-	-	-
FEMALE--	-	1	1	1	1	1	4	1	1	-	-	-
BLACK---MALE----	2	1	3	2	3	-	-	-	-	-	-	-
FEMALE--	-	1	1	1	1	1	4	1	1	-	-	-
OKLAHOMA -----	3	2	2	10	11	11	10	3	2	-	-	-
WHITE-----MALE----	2	2	1	4	9	3	5	1	1	-	-	-
FEMALE--	1	-	1	5	2	4	5	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	3	-	1	-	-	-	-
FEMALE--	-	-	-	1	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	2	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
OREGON -----	4	1	3	3	9	7	2	2	1	-	-	-
WHITE-----MALE----	2	1	1	3	5	2	2	1	-	-	-	-
FEMALE--	2	-	2	-	3	5	-	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	8	11	7	38	40	31	22	27	7	7	-	-
WHITE-----MALE----	3	6	6	26	19	11	8	11	2	-	-	-
FEMALE--	2	4	-	9	16	19	12	16	5	6	-	-
ALL OTHER--MALE----	2	-	1	3	4	1	1	-	-	-	-	-
FEMALE--	1	1	-	-	1	-	1	-	-	1	-	-
BLACK---MALE----	2	-	1	3	4	1	1	-	-	-	-	-
FEMALE--	-	1	-	-	1	-	1	-	-	1	-	-
RHODE ISLAND -----	1	1	3	2	4	3	1	2	2	-	-	-
WHITE-----MALE----	1	1	2	1	3	2	1	-	2	-	-	-
FEMALE--	-	-	1	1	1	1	-	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	1	-	2	7	6	13	7	3	1	-	1	-
WHITE-----MALE----	1	-	1	4	3	2	-	-	-	-	-	-
FEMALE--	-	-	-	1	2	4	5	3	-	-	1	-
ALL OTHER--MALE----	-	-	1	1	-	2	2	-	1	-	-	-
FEMALE--	-	-	-	1	1	5	-	-	-	-	-	-
BLACK---MALE----	-	-	1	1	-	2	2	-	1	-	-	-
FEMALE--	-	-	-	1	-	5	-	-	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 611
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 LIVER, NOT SPECIFIED AS PRIMARY OR SECONDARY (155.2)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
SOUTH DAKOTA -----	-	1	1	-	2	1	-	2	1	-	-	-
WHITE-----MALE----	-	1	1	-	1	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	2	11	7	5	14	20	9	5	3	-	-	-
WHITE-----MALE----	-	9	5	4	7	8	5	2	-	-	-	-
FEMALE--	2	2	1	1	5	9	2	3	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	3	1	-	-	-	-	-
FEMALE--	-	-	1	-	1	-	1	-	2	-	-	-
BLACK---MALE----	-	-	-	-	1	3	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	-	2	-	-	-
TEXAS -----	1	10	10	20	22	20	14	16	11	-	-	-
WHITE-----MALE----	-	5	4	9	10	7	4	6	4	-	-	-
FEMALE--	-	3	4	3	8	10	10	7	5	-	-	-
ALL OTHER--MALE----	1	2	2	8	2	-	-	1	1	-	-	-
FEMALE--	-	-	-	-	2	3	-	2	1	-	-	-
BLACK---MALE----	1	-	1	8	2	-	-	1	1	-	-	-
FEMALE--	-	-	-	-	2	3	-	1	1	-	-	-
UTAH -----	1	-	3	2	2	2	1	1	1	-	-	-
WHITE-----MALE----	1	-	1	1	-	1	1	-	-	-	-	-
FEMALE--	-	-	1	1	2	1	-	1	1	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	1	-	-	1	1	1	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	2	3	9	14	19	22	15	7	4	1	-	-
WHITE-----MALE----	-	-	4	7	6	11	5	1	-	-	-	-
FEMALE--	-	-	2	3	6	8	7	4	3	1	-	-
ALL OTHER--MALE----	-	2	1	2	3	2	2	-	1	-	-	-
FEMALE--	2	1	2	2	4	1	1	2	-	-	-	-
BLACK---MALE----	-	1	1	2	3	1	1	-	1	-	-	-
FEMALE--	2	1	2	2	4	1	1	2	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 613
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 OF GALLBLADDER AND EXTRAHEPATIC BILE DUCTS (156)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 UNITED STATES --	117	154	301	428	601	644	634	395	176	45	9	-
WHITE-----MALE----	33	43	93	144	217	222	208	108	46	10	1	-
FEMALE--	64	75	151	229	324	341	364	250	108	31	8	-
ALL OTHER--MALE----	9	10	16	18	30	35	15	14	6	-	-	-
FEMALE--	11	26	41	37	30	46	47	23	16	4	-	-
BLACK---MALE----	6	9	10	16	21	25	8	7	3	-	-	-
FEMALE--	7	16	35	26	23	35	35	18	12	3	-	-
ALABAMA -----	1	2	2	5	10	20	10	7	3	2	-	-
WHITE-----MALE----	1	1	-	2	4	9	2	-	1	-	-	-
FEMALE--	-	1	2	2	3	9	5	6	1	2	-	-
ALL OTHER--MALE----	-	-	-	-	2	2	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	3	1	1	-	-	-
BLACK---MALE----	-	-	-	-	2	2	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	3	1	1	-	-	-
ALASKA -----	-	-	-	-	1	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	3	1	4	11	7	5	13	6	2	-	1	-
WHITE-----MALE----	1	-	1	6	2	3	4	2	1	-	-	-
FEMALE--	2	-	3	5	3	1	6	2	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	1	1	-	-	-
FEMALE--	-	1	-	-	2	-	3	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ARKANSAS -----	1	-	5	8	5	7	12	3	3	1	-	-
WHITE-----MALE----	-	-	2	2	3	3	4	-	-	-	-	-
FEMALE--	1	-	1	5	2	4	4	3	3	1	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	1	-	-	-	-	-
FEMALE--	-	-	2	-	-	-	3	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	1	-	-	-	-	-
FEMALE--	-	-	2	-	-	-	3	-	-	-	-	-
CALIFORNIA -----	10	18	38	37	55	50	64	34	18	8	1	-
WHITE-----MALE----	3	4	12	10	19	16	22	7	4	3	-	-
FEMALE--	5	6	18	23	26	23	34	21	10	4	1	-
ALL OTHER--MALE----	-	4	2	1	7	5	5	2	2	-	-	-
FEMALE--	2	4	6	3	3	6	3	4	2	1	-	-
BLACK---MALE----	-	3	-	-	1	2	2	-	-	-	-	-
FEMALE--	1	2	4	1	1	2	-	2	-	1	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 614
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 OF GALLBLADDER AND EXTRAHEPATIC BILE DUCTS (156)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
COLORADO -----	1	-	7	5	4	5	7	5	-	-	-	-
WHITE-----MALE----	1	-	2	1	2	2	3	-	-	-	-	-
FEMALE--	-	-	3	3	2	3	4	5	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	2	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	2	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	1	2	4	8	13	9	4	4	5	2	-	-
WHITE-----MALE----	-	2	1	2	4	3	-	1	-	1	-	-
FEMALE--	1	-	2	5	9	5	4	3	5	1	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	1	-	-	-	-	-	-
DELAWARE -----	2	-	-	-	1	-	-	2	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	-	1	-	-	3	2	1	-	2	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	2	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	2	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	2	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	1	-	-	1	-	-	-
FLORIDA -----	7	10	22	29	37	46	43	28	9	1	1	-
WHITE-----MALE----	-	2	3	9	21	21	19	10	2	-	-	-
FEMALE--	7	4	12	16	15	23	20	17	7	1	1	-
ALL OTHER--MALE----	-	3	3	2	-	1	2	-	-	-	-	-
FEMALE--	-	1	4	2	1	1	2	1	-	-	-	-
BLACK---MALE----	-	3	3	1	-	1	2	-	-	-	-	-
FEMALE--	-	1	4	2	1	1	2	1	-	-	-	-
GEORGIA -----	2	4	8	6	7	13	4	7	1	-	-	-
WHITE-----MALE----	-	1	1	1	2	4	-	1	-	-	-	-
FEMALE--	1	1	2	1	3	5	2	4	1	-	-	-
ALL OTHER--MALE----	1	-	-	2	1	1	-	-	-	-	-	-
FEMALE--	-	2	5	2	1	3	2	2	-	-	-	-
BLACK---MALE----	-	-	-	2	1	1	-	-	-	-	-	-
FEMALE--	-	2	5	2	1	3	2	2	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 615
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 OF GALLBLADDER AND EXTRAHEPATIC BILE DUCTS (156)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
HAWAII -----	2	1	-	2	2	2	2	2	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	1	1	2	-	-	-	-
FEMALE--	2	1	-	2	1	1	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	1	1	-	2	3	1	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	1	-	-	1	-	-	-	-	-
FEMALE--	-	1	-	1	3	1	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	5	9	14	21	31	37	41	16	12	3	-	-
WHITE-----MALE----	-	2	1	4	11	15	13	4	6	-	-	-
FEMALE--	3	4	9	13	17	20	25	10	4	3	-	-
ALL OTHER--MALE----	2	-	3	1	1	1	1	-	1	-	-	-
FEMALE--	-	3	1	3	2	1	2	2	1	-	-	-
BLACK---MALE----	1	-	-	1	1	1	1	-	1	-	-	-
FEMALE--	-	3	1	3	2	-	2	2	1	-	-	-
INDIANA -----	5	4	2	8	17	15	14	4	4	2	1	-
WHITE-----MALE----	2	-	-	3	9	3	3	1	-	-	-	-
FEMALE--	2	3	1	5	8	12	10	3	4	2	1	-
ALL OTHER--MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	1	-	-	-	-	-
IOWA -----	2	2	3	9	7	10	14	6	5	1	-	-
WHITE-----MALE----	1	-	3	4	4	5	3	-	2	-	-	-
FEMALE--	1	2	-	5	3	5	11	6	3	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS -----	-	2	4	3	7	10	3	4	2	1	-	-
WHITE-----MALE----	-	-	4	-	1	4	-	2	1	-	-	-
FEMALE--	-	2	-	3	6	4	3	2	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	2	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	2	-	-	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 616
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 OF GALLBLADDER AND EXTRAHEPATIC BILE DUCTS (156)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
KENTUCKY -----	3	2	8	3	14	15	15	11	2	1	-	-
WHITE-----MALE----	-	1	2	1	6	10	4	3	1	-	-	-
FEMALE--	3	1	4	2	8	3	11	8	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	2	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	2	-	-	1	-	-	-	-	-	-
LOUISIANA -----	-	1	2	3	9	8	4	9	2	-	-	-
WHITE-----MALE----	-	1	-	-	4	5	2	3	-	-	-	-
FEMALE--	-	-	1	1	3	2	1	6	1	-	-	-
ALL OTHER--MALE----	-	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	1	1	1	1	1	-	1	-	-	-
BLACK---MALE----	-	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	1	1	1	1	-	-	1	-	-	-
MAINE -----	-	1	4	2	4	3	4	4	1	-	-	-
WHITE-----MALE----	-	1	1	1	1	2	2	1	-	-	-	-
FEMALE--	-	-	3	1	3	1	2	3	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	1	1	3	8	13	8	10	7	2	-	-	-
WHITE-----MALE----	-	-	2	4	5	3	3	3	1	-	-	-
FEMALE--	1	1	-	-	5	3	3	3	-	-	-	-
ALL OTHER--MALE----	-	-	1	1	1	2	-	1	-	-	-	-
FEMALE--	-	-	-	3	2	-	4	-	1	-	-	-
BLACK---MALE----	-	-	1	1	-	2	-	1	-	-	-	-
FEMALE--	-	-	-	3	2	-	4	-	1	-	-	-
MASSACHUSETTS -----	2	1	11	10	15	21	20	22	5	1	-	-
WHITE-----MALE----	1	-	6	5	5	5	6	7	-	-	-	-
FEMALE--	1	1	2	5	10	14	14	15	5	1	-	-
ALL OTHER--MALE----	-	-	1	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	2	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
MICHIGAN -----	4	9	15	17	24	22	24	10	4	1	-	-
WHITE-----MALE----	1	3	7	7	6	4	13	4	1	-	-	-
FEMALE--	1	3	6	9	13	16	10	6	3	1	-	-
ALL OTHER--MALE----	1	-	1	1	4	1	-	-	-	-	-	-
FEMALE--	1	3	1	-	1	1	1	-	-	-	-	-
BLACK---MALE----	1	-	1	1	4	1	-	-	-	-	-	-
FEMALE--	1	2	1	-	1	1	1	-	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 617
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 OF GALLBLADDER AND EXTRAHEPATIC BILE DUCTS (156)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
MINNESOTA -----	2	5	10	6	14	11	20	4	4	1	-	-
WHITE-----MALE----	-	-	3	1	2	5	5	-	1	1	-	-
FEMALE--	2	4	6	4	11	6	15	4	3	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	1	1	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	1	1	-	-	-	-	-	-	-	-
MISSISSIPPI -----	1	2	4	3	5	4	-	2	2	-	-	-
WHITE-----MALE----	-	-	1	2	4	-	-	1	-	-	-	-
FEMALE--	1	-	2	-	-	2	-	1	1	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	1	1	1	1	1	-	-	1	-	-	-
BLACK---MALE----	-	1	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	1	1	1	1	1	-	-	1	-	-	-
MISSOURI -----	5	2	9	4	10	11	10	7	3	3	1	-
WHITE-----MALE----	1	-	2	1	1	4	2	1	-	1	-	-
FEMALE--	2	2	6	3	8	6	7	6	2	2	1	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	2	-	1	-	-	1	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	2	-	1	-	-	1	1	-	1	-	-	-
MONTANA -----	1	-	1	2	1	-	-	2	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	1	1	1	-	-	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	-	2	2	3	4	6	5	1	2	1	1	-
WHITE-----MALE----	-	1	1	1	2	1	1	1	1	1	-	-
FEMALE--	-	1	1	2	2	5	4	-	1	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA -----	1	1	-	2	2	1	2	1	1	-	-	-
WHITE-----MALE----	1	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	1	-	1	1	-	1	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	1	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 619
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 OF GALLBLADDER AND EXTRAHEPATIC BILE DUCTS (156)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
OHIO -----	6	4	14	20	24	37	31	14	8	2	-	-
WHITE-----MALE----	4	2	5	7	5	10	7	3	2	-	-	-
FEMALE--	2	1	8	12	17	26	20	11	5	2	-	-
ALL OTHER--MALE----	-	-	-	1	1	1	1	-	-	-	-	-
FEMALE--	-	1	1	-	1	-	3	-	1	-	-	-
BLACK---MALE----	-	-	-	1	1	1	1	-	-	-	-	-
FEMALE--	-	1	1	-	1	-	3	-	1	-	-	-
OKLAHOMA -----	4	4	2	7	7	10	5	4	1	-	-	-
WHITE-----MALE----	1	2	1	2	2	2	4	1	-	-	-	-
FEMALE--	3	-	1	5	3	5	1	3	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	2	-	-	-	-	-	-
FEMALE--	-	2	-	-	1	1	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	2	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	2	2	3	3	6	5	3	4	3	-	-	-
WHITE-----MALE----	2	1	-	1	3	3	1	2	1	-	-	-
FEMALE--	-	1	3	2	3	2	2	2	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	6	8	14	24	47	35	46	22	15	1	1	-
WHITE-----MALE----	3	2	3	10	13	10	14	4	5	-	-	-
FEMALE--	2	6	10	13	33	21	31	16	10	1	1	-
ALL OTHER--MALE----	-	-	-	1	-	2	1	1	-	-	-	-
FEMALE--	1	-	1	-	1	2	-	1	-	-	-	-
BLACK---MALE----	-	-	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	1	-	1	2	-	1	-	-	-	-
RHODE ISLAND -----	1	1	1	-	3	1	5	3	1	-	-	-
WHITE-----MALE----	-	-	-	-	2	-	2	-	-	-	-	-
FEMALE--	1	1	1	-	1	1	3	3	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	-	2	4	7	6	12	7	4	5	1	-	-
WHITE-----MALE----	-	1	1	2	3	2	1	1	1	-	-	-
FEMALE--	-	1	2	3	1	5	4	1	4	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	1	-	-	-	-
FEMALE--	-	-	1	2	2	4	2	1	-	1	-	-
BLACK---MALE----	-	-	-	-	-	1	-	1	-	-	-	-
FEMALE--	-	-	1	2	2	4	2	1	-	1	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 620
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 OF GALLBLADDER AND EXTRAHEPATIC BILE DUCTS (156)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
SOUTH DAKOTA -----	-	-	3	4	-	1	-	1	-	-	-	-
WHITE-----MALE----	-	-	1	2	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	2	-	1	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	-	-	1	10	10	12	15	6	1	-	-	-
WHITE-----MALE----	-	-	-	5	4	4	5	-	-	-	-	-
FEMALE--	-	-	1	5	6	6	6	5	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	1	-	-	-
FEMALE--	-	-	-	-	-	2	4	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	1	1	-	-	-
FEMALE--	-	-	-	-	-	2	4	-	-	-	-	-
TEXAS -----	7	14	18	39	38	30	13	18	6	4	-	-
WHITE-----MALE----	-	3	5	15	14	13	9	6	2	1	-	-
FEMALE--	6	9	11	21	21	14	4	10	4	2	-	-
ALL OTHER--MALE----	1	1	-	1	2	3	-	-	-	-	-	-
FEMALE--	-	1	2	2	1	-	-	2	-	1	-	-
BLACK---MALE----	1	1	-	1	2	3	-	-	-	-	-	-
FEMALE--	-	1	1	1	1	-	-	2	-	-	-	-
UTAH -----	-	-	-	-	2	4	3	4	-	-	-	-
WHITE-----MALE----	-	-	-	-	1	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	1	3	3	3	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	-	-	-	4	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	3	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	2	4	5	9	14	18	9	5	1	1	1	-
WHITE-----MALE----	1	2	1	3	3	2	2	2	-	-	1	-
FEMALE--	1	2	2	4	6	14	5	3	-	-	-	-
ALL OTHER--MALE----	-	-	1	1	3	-	-	-	-	-	-	-
FEMALE--	-	-	1	1	2	2	2	-	1	1	-	-
BLACK---MALE----	-	-	1	1	3	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	1	2	1	-	1	1	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 622
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 OF PANCREAS (157)												
0 UNITED STATES --	27,260	-	-	1	-	3	8	10	44	148	370	754
WHITE-----MALE----	11,300	-	-	-	-	-	4	4	18	66	176	388
FEMALE--	12,213	-	-	1	-	2	2	5	14	46	115	219
ALL OTHER--MALE----	1,727	-	-	-	-	-	1	1	6	19	47	102
FEMALE--	2,020	-	-	-	-	1	1	-	6	17	32	45
BLACK---MALE----	1,472	-	-	-	-	-	1	1	4	17	39	85
FEMALE--	1,750	-	-	-	-	-	1	-	6	11	29	36
ALABAMA -----	472	-	-	-	-	-	-	-	-	1	6	15
WHITE-----MALE----	165	-	-	-	-	-	-	-	-	-	1	8
FEMALE--	163	-	-	-	-	-	-	-	-	-	2	2
ALL OTHER--MALE----	69	-	-	-	-	-	-	-	-	-	1	3
FEMALE--	75	-	-	-	-	-	-	-	-	1	2	2
BLACK---MALE----	69	-	-	-	-	-	-	-	-	-	1	3
FEMALE--	75	-	-	-	-	-	-	-	-	1	2	2
ALASKA -----	35	-	-	-	-	-	-	-	-	1	1	4
WHITE-----MALE----	12	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	16	-	-	-	-	-	-	-	-	-	-	2
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	3	-	-	-	-	-	-	-	-	1	-	1
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	457	-	-	-	-	-	-	-	-	3	5	13
WHITE-----MALE----	218	-	-	-	-	-	-	-	-	2	5	7
FEMALE--	216	-	-	-	-	-	-	-	-	-	-	5
ALL OTHER--MALE----	11	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	12	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	326	-	-	-	-	-	-	-	1	-	2	18
WHITE-----MALE----	136	-	-	-	-	-	-	-	1	-	-	9
FEMALE--	126	-	-	-	-	-	-	-	-	-	1	5
ALL OTHER--MALE----	30	-	-	-	-	-	-	-	-	-	1	3
FEMALE--	34	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	28	-	-	-	-	-	-	-	-	-	1	3
FEMALE--	34	-	-	-	-	-	-	-	-	-	-	1
CALIFORNIA -----	2,679	-	-	-	-	-	-	1	6	11	48	72
WHITE-----MALE----	1,046	-	-	-	-	-	-	1	-	6	22	31
FEMALE--	1,208	-	-	-	-	-	-	-	3	2	19	26
ALL OTHER--MALE----	201	-	-	-	-	-	-	-	2	1	6	13
FEMALE--	224	-	-	-	-	-	-	-	1	2	1	2
BLACK---MALE----	101	-	-	-	-	-	-	-	-	1	4	7
FEMALE--	120	-	-	-	-	-	-	-	1	1	-	1

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 622
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OF PANCREAS (157)												
0 UNITED STATES --	1,148	1,721	2,470	3,567	4,635	4,722	3,858	2,450	1,084	231	32	4
WHITE-----MALE----	593	806	1,172	1,689	1,986	1,942	1,431	724	244	50	5	2
FEMALE--	351	590	888	1,327	2,047	2,230	1,994	1,477	736	148	21	-
ALL OTHER--MALE----	117	184	193	275	270	243	145	86	28	8	1	1
FEMALE--	87	141	217	276	332	307	288	163	76	25	5	1
BLACK---MALE----	104	154	169	242	235	203	112	78	20	6	1	1
FEMALE--	74	120	193	240	278	274	241	148	70	23	5	1
ALABAMA -----	21	29	45	62	77	80	67	44	19	5	1	-
WHITE-----MALE----	8	13	19	30	26	27	17	12	4	-	-	-
FEMALE--	4	6	19	15	27	25	33	19	10	-	1	-
ALL OTHER--MALE----	4	4	3	9	11	20	7	5	2	-	-	-
FEMALE--	5	6	4	8	13	8	10	8	3	5	-	-
BLACK---MALE----	4	4	3	9	11	20	7	5	2	-	-	-
FEMALE--	5	6	4	8	13	8	10	8	3	5	-	-
ALASKA -----	2	2	4	5	7	3	3	2	1	-	-	-
WHITE-----MALE----	1	-	2	-	5	1	1	1	-	-	-	-
FEMALE--	1	1	1	5	2	1	1	1	1	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	19	19	32	75	84	87	64	34	18	4	-	-
WHITE-----MALE----	11	7	15	40	38	41	30	14	6	2	-	-
FEMALE--	7	10	16	34	39	44	30	18	11	2	-	-
ALL OTHER--MALE----	1	1	-	-	3	-	2	2	1	-	-	-
FEMALE--	-	1	1	1	4	2	2	-	-	-	-	-
BLACK---MALE----	-	1	-	-	1	-	-	-	1	-	-	-
FEMALE--	-	-	-	1	2	2	1	-	-	-	-	-
ARKANSAS -----	11	16	40	52	48	46	40	30	20	2	-	-
WHITE-----MALE----	7	7	19	25	16	16	13	17	6	-	-	-
FEMALE--	-	8	14	15	25	23	19	6	10	-	-	-
ALL OTHER--MALE----	3	-	3	6	4	3	1	4	1	1	-	-
FEMALE--	1	1	4	6	3	4	7	3	3	1	-	-
BLACK---MALE----	3	-	3	6	3	2	1	4	1	1	-	-
FEMALE--	1	1	4	6	3	4	7	3	3	1	-	-
CALIFORNIA -----	111	180	213	355	463	481	366	240	112	19	1	-
WHITE-----MALE----	55	79	105	164	178	190	121	67	22	5	-	-
FEMALE--	39	59	71	131	211	221	188	153	74	10	1	-
ALL OTHER--MALE----	9	25	14	31	24	37	22	7	9	1	-	-
FEMALE--	8	17	23	29	50	33	35	13	7	3	-	-
BLACK---MALE----	5	14	6	15	13	21	7	5	3	-	-	-
FEMALE--	2	9	11	15	26	22	18	7	5	2	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 623
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 OF PANCREAS (157)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
COLORADO -----	14	14	32	45	49	58	48	34	14	1	-	-
WHITE-----MALE----	9	9	14	24	22	26	18	13	3	-	-	-
FEMALE--	5	4	15	14	26	28	30	20	10	1	-	-
ALL OTHER--MALE----	-	1	3	5	1	1	-	1	-	-	-	-
FEMALE--	-	-	-	2	-	3	-	-	1	-	-	-
BLACK---MALE----	-	1	1	5	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	2	-	-	1	-	-	-
CONNECTICUT -----	15	20	31	51	79	79	58	42	21	2	-	-
WHITE-----MALE----	9	9	12	28	35	32	23	12	4	2	-	-
FEMALE--	4	10	15	19	41	44	32	27	17	-	-	-
ALL OTHER--MALE----	2	1	3	4	-	1	2	-	-	-	-	-
FEMALE--	-	-	1	-	3	2	1	3	-	-	-	-
BLACK---MALE----	2	1	3	4	-	1	1	-	-	-	-	-
FEMALE--	-	-	1	-	3	2	1	3	-	-	-	-
DELAWARE -----	3	3	4	10	10	9	10	5	6	-	-	-
WHITE-----MALE----	2	1	1	6	6	3	5	2	2	-	-	-
FEMALE--	1	2	2	3	3	4	4	2	4	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	1	1	1	-	-	-	-
FEMALE--	-	-	1	1	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	1	1	1	-	-	-	-
FEMALE--	-	-	1	1	-	1	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	2	2	7	8	16	6	10	7	6	-	-	-
WHITE-----MALE----	-	-	1	-	3	1	1	2	1	-	-	-
FEMALE--	-	-	1	1	3	-	1	-	-	-	-	-
ALL OTHER--MALE----	1	2	2	4	5	3	3	2	-	-	-	-
FEMALE--	1	-	3	3	5	2	5	3	5	-	-	-
BLACK---MALE----	1	2	2	4	5	3	3	2	-	-	-	-
FEMALE--	1	-	3	3	5	2	5	3	5	-	-	-
FLORIDA -----	62	96	171	257	339	349	296	185	74	16	2	1
WHITE-----MALE----	35	52	85	125	178	167	136	62	15	3	1	-
FEMALE--	22	33	59	109	131	160	146	110	57	12	1	-
ALL OTHER--MALE----	4	7	11	10	17	9	4	3	-	-	-	-
FEMALE--	1	4	16	13	13	13	10	10	2	1	-	1
BLACK---MALE----	4	6	11	10	16	9	4	3	-	-	-	-
FEMALE--	1	4	16	12	12	13	9	10	1	1	-	1
GEORGIA -----	28	47	49	69	85	93	98	48	25	8	-	-
WHITE-----MALE----	15	20	22	26	39	25	31	8	5	2	-	-
FEMALE--	8	14	11	26	31	45	46	28	11	5	-	-
ALL OTHER--MALE----	5	8	8	8	7	11	4	5	2	1	-	-
FEMALE--	-	5	8	9	8	12	17	7	7	-	-	-
BLACK---MALE----	5	8	7	8	7	11	4	5	2	1	-	-
FEMALE--	-	4	8	9	8	12	17	7	7	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 624
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 OF PANCREAS (157)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
HAWAII -----	8	8	8	18	20	16	18	6	2	1	-	-
WHITE-----MALE----	3	1	2	3	1	3	2	1	-	-	-	-
FEMALE--	1	1	1	3	1	2	-	2	1	-	-	-
ALL OTHER--MALE----	4	4	2	8	9	8	7	1	-	-	-	-
FEMALE--	-	2	3	4	9	3	9	2	1	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	5	5	5	9	16	17	19	9	3	-	-	-
WHITE-----MALE----	4	3	5	5	8	11	13	4	2	-	-	-
FEMALE--	1	2	-	4	8	6	6	5	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	57	90	135	155	222	221	159	117	53	9	1	-
WHITE-----MALE----	31	43	55	66	98	82	51	33	10	3	-	-
FEMALE--	12	32	51	56	98	105	81	70	34	5	-	-
ALL OTHER--MALE----	7	9	21	19	9	15	13	4	1	-	-	-
FEMALE--	7	6	8	14	17	19	14	10	8	1	1	-
BLACK---MALE----	7	8	21	19	8	13	12	3	1	-	-	-
FEMALE--	6	6	8	13	13	19	12	9	7	1	1	-
INDIANA -----	23	42	59	86	106	82	86	37	27	8	-	-
WHITE-----MALE----	15	21	30	48	61	35	36	12	11	2	-	-
FEMALE--	4	14	22	26	35	41	41	23	11	6	-	-
ALL OTHER--MALE----	4	5	3	5	3	3	4	1	1	-	-	-
FEMALE--	-	2	4	7	7	3	5	1	4	-	-	-
BLACK---MALE----	4	4	3	4	3	3	4	1	1	-	-	-
FEMALE--	-	2	4	6	6	3	5	1	4	-	-	-
IOWA -----	10	14	20	41	52	56	44	42	22	3	-	-
WHITE-----MALE----	6	4	10	12	26	25	19	14	4	-	-	-
FEMALE--	4	10	9	28	26	31	25	27	17	3	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	1	-	-	-
KANSAS -----	8	14	18	41	34	46	47	27	10	2	1	-
WHITE-----MALE----	6	7	11	16	11	27	19	8	4	-	-	-
FEMALE--	2	5	5	23	16	17	27	18	6	2	1	-
ALL OTHER--MALE----	-	1	2	1	3	1	-	-	-	-	-	-
FEMALE--	-	1	-	1	4	1	1	1	-	-	-	-
BLACK---MALE----	-	1	1	1	3	1	-	-	-	-	-	-
FEMALE--	-	1	-	1	4	1	1	1	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 625
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX OF PANCREAS (157)	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
KENTUCKY -----	410	-	-	-	-	-	-	1	-	2	4	14
WHITE-----MALE----	190	-	-	-	-	-	-	-	-	1	3	7
FEMALE--	187	-	-	-	-	-	1	-	-	-	1	4
ALL OTHER--MALE----	14	-	-	-	-	-	-	-	-	1	-	2
FEMALE--	19	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	14	-	-	-	-	-	-	-	-	1	-	2
FEMALE--	19	-	-	-	-	-	-	-	-	-	-	1
LOUISIANA -----	456	-	-	-	-	-	-	-	2	4	6	8
WHITE-----MALE----	173	-	-	-	-	-	-	-	1	1	6	4
FEMALE--	143	-	-	-	-	-	-	-	1	-	-	1
ALL OTHER--MALE----	68	-	-	-	-	-	-	-	-	2	-	2
FEMALE--	72	-	-	-	-	-	-	-	-	1	-	1
BLACK---MALE----	68	-	-	-	-	-	-	-	-	2	-	2
FEMALE--	72	-	-	-	-	-	-	-	-	1	-	1
MAINE -----	152	-	-	-	-	-	-	-	-	-	2	2
WHITE-----MALE----	77	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	75	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	494	-	-	-	-	-	-	-	1	4	8	13
WHITE-----MALE----	190	-	-	-	-	-	-	-	-	1	5	4
FEMALE--	188	-	-	-	-	-	-	-	-	1	2	2
ALL OTHER--MALE----	60	-	-	-	-	-	-	-	-	-	1	6
FEMALE--	56	-	-	-	-	-	-	-	1	2	-	1
BLACK---MALE----	55	-	-	-	-	-	-	-	-	-	-	6
FEMALE--	53	-	-	-	-	-	-	-	1	2	-	1
MASSACHUSETTS -----	694	-	-	-	-	-	-	-	1	3	8	22
WHITE-----MALE----	306	-	-	-	-	-	-	-	1	1	3	14
FEMALE--	349	-	-	-	-	-	-	-	-	2	4	7
ALL OTHER--MALE----	17	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	22	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	15	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	19	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	967	-	-	-	-	-	2	-	2	8	9	30
WHITE-----MALE----	367	-	-	-	-	-	1	-	1	5	4	16
FEMALE--	451	-	-	-	-	-	-	-	1	2	-	11
ALL OTHER--MALE----	72	-	-	-	-	-	-	-	-	1	4	1
FEMALE--	77	-	-	-	-	-	1	-	-	-	1	2
BLACK---MALE----	69	-	-	-	-	-	-	-	-	1	3	1
FEMALE--	76	-	-	-	-	-	1	-	-	-	1	2

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 625
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 0 OF PANCREAS (157)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
KENTUCKY -----	21	28	47	52	67	73	51	32	11	4	3	-
WHITE-----MALE----	11	13	28	27	31	36	15	13	2	3	-	-
FEMALE--	9	13	16	20	28	35	31	17	9	1	2	-
ALL OTHER--MALE----	1	1	2	1	4	-	-	2	-	-	-	-
FEMALE--	-	1	1	4	4	2	5	-	-	-	1	-
BLACK---MALE----	1	1	2	1	4	-	-	2	-	-	-	-
FEMALE--	-	1	1	4	4	2	5	-	-	-	1	-
LOUISIANA -----	26	46	44	56	83	68	53	44	13	2	1	-
WHITE-----MALE----	11	13	21	22	34	31	19	8	1	1	-	-
FEMALE--	2	15	14	18	24	21	15	23	8	1	-	-
ALL OTHER--MALE----	9	13	3	11	12	6	6	3	1	-	-	-
FEMALE--	4	5	6	5	13	10	13	10	3	-	1	-
BLACK---MALE----	9	13	3	11	12	6	6	3	1	-	-	-
FEMALE--	4	5	6	5	13	10	13	10	3	-	1	-
MAINE -----	5	10	9	15	35	22	33	10	8	1	-	-
WHITE-----MALE----	3	5	6	10	18	10	15	5	2	-	-	-
FEMALE--	2	5	3	5	17	12	18	5	6	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	27	36	39	66	78	90	74	37	20	1	-	-
WHITE-----MALE----	12	11	19	35	31	32	25	9	6	-	-	-
FEMALE--	9	12	10	15	33	34	34	22	13	1	-	-
ALL OTHER--MALE----	5	9	7	10	7	9	4	1	1	-	-	-
FEMALE--	1	4	3	6	7	15	11	5	-	-	-	-
BLACK---MALE----	5	9	6	10	7	8	2	1	1	-	-	-
FEMALE--	1	4	3	6	6	14	11	4	-	-	-	-
MASSACHUSETTS -----	30	38	57	89	109	130	93	75	30	8	-	1
WHITE-----MALE----	15	19	30	43	51	53	43	24	7	2	-	-
FEMALE--	10	18	24	38	52	69	49	48	23	5	-	-
ALL OTHER--MALE----	3	1	2	6	1	1	-	-	-	-	-	1
FEMALE--	2	-	1	2	5	7	1	3	-	1	-	-
BLACK---MALE----	3	1	2	5	1	1	-	-	-	-	-	1
FEMALE--	2	-	1	-	5	6	1	3	-	1	-	-
MICHIGAN -----	37	56	88	138	180	178	130	77	27	4	1	-
WHITE-----MALE----	18	25	41	52	66	62	48	20	7	1	-	-
FEMALE--	13	16	29	59	88	97	66	48	17	3	1	-
ALL OTHER--MALE----	1	10	9	16	12	10	4	2	2	-	-	-
FEMALE--	5	5	9	11	14	9	12	7	1	-	-	-
BLACK---MALE----	1	10	9	16	10	10	4	2	2	-	-	-
FEMALE--	5	5	9	11	14	9	11	7	1	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 626
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 OF PANCREAS (157)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
MINNESOTA -----	16	28	43	58	76	60	79	44	27	5	-	-
WHITE-----MALE----	9	14	22	32	39	36	34	16	6	2	-	-
FEMALE--	7	13	21	25	37	23	45	28	21	3	-	-
ALL OTHER--MALE----	-	1	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	1	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI -----	14	16	33	39	44	47	50	25	13	3	-	-
WHITE-----MALE----	5	8	14	19	18	14	11	10	3	-	-	-
FEMALE--	1	2	5	9	14	17	23	9	6	2	-	-
ALL OTHER--MALE----	5	2	8	6	7	5	6	2	-	-	-	-
FEMALE--	3	4	6	5	5	11	10	4	4	1	-	-
BLACK---MALE----	5	2	8	6	7	5	6	2	-	-	-	-
FEMALE--	3	4	6	5	5	11	10	4	4	1	-	-
MISSOURI -----	19	38	43	74	90	87	81	51	30	2	1	-
WHITE-----MALE----	12	11	19	35	41	37	35	17	9	1	-	-
FEMALE--	6	20	18	27	39	45	40	32	21	1	1	-
ALL OTHER--MALE----	-	2	3	5	4	2	1	1	-	-	-	-
FEMALE--	1	5	3	7	6	3	5	1	-	-	-	-
BLACK---MALE----	-	1	3	5	4	2	1	1	-	-	-	-
FEMALE--	1	5	3	7	6	3	4	1	-	-	-	-
MONTANA -----	4	1	13	10	11	14	9	7	3	-	-	-
WHITE-----MALE----	-	1	7	8	4	7	3	2	-	-	-	-
FEMALE--	2	-	5	2	7	7	4	5	3	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	1	-	-	-	2	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	5	11	12	22	27	22	28	12	9	2	-	-
WHITE-----MALE----	2	7	8	14	14	9	12	3	1	-	-	-
FEMALE--	3	3	4	8	10	10	15	8	8	2	-	-
ALL OTHER--MALE----	-	1	-	-	2	2	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	1	1	-	-	-	-
BLACK---MALE----	-	-	-	-	2	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	1	-	-	-	-
NEVADA -----	9	16	24	17	29	23	15	9	4	-	-	-
WHITE-----MALE----	8	9	10	11	19	12	8	2	2	-	-	-
FEMALE--	1	4	7	5	7	11	6	6	2	-	-	-
ALL OTHER--MALE----	-	-	6	1	3	-	-	-	-	-	-	-
FEMALE--	-	3	1	-	-	-	1	1	-	-	-	-
BLACK---MALE----	-	-	6	1	3	-	-	-	-	-	-	-
FEMALE--	-	3	1	-	-	-	-	1	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 627
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
OF PANCREAS (157)