

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 628
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
0 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 OF PANCREAS (157)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
OHIO -----	51	81	98	144	216	243	174	99	52	17	2	-
WHITE-----MALE----	28	42	38	67	74	102	62	16	13	4	-	-
FEMALE--	21	28	47	53	109	112	102	70	37	10	2	-
ALL OTHER--MALE----	2	4	5	12	20	11	3	3	-	-	-	-
FEMALE--	-	7	8	12	13	18	7	10	2	3	-	-
BLACK---MALE----	2	4	4	12	20	11	3	3	-	-	-	-
FEMALE--	-	7	8	12	13	18	7	10	2	3	-	-
OKLAHOMA -----	14	27	33	40	55	53	46	32	13	5	-	-
WHITE-----MALE----	5	15	22	18	26	23	17	8	-	2	-	-
FEMALE--	9	9	8	15	24	23	24	21	9	3	-	-
ALL OTHER--MALE----	-	1	2	3	1	3	1	1	2	-	-	-
FEMALE--	-	2	1	4	4	4	4	2	2	-	-	-
BLACK---MALE----	-	-	2	2	-	3	1	-	-	-	-	-
FEMALE--	-	1	1	4	1	2	2	1	1	-	-	-
OREGON -----	14	17	26	49	72	60	51	33	13	2	-	-
WHITE-----MALE----	8	12	16	23	37	26	25	8	4	-	-	-
FEMALE--	5	5	10	25	31	34	26	25	9	2	-	-
ALL OTHER--MALE----	1	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	3	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	-	-	-	-	-	-
PENNSYLVANIA -----	52	97	150	203	263	253	239	127	57	14	1	-
WHITE-----MALE----	26	51	75	106	113	108	75	30	17	2	-	-
FEMALE--	17	31	55	76	126	125	149	83	40	12	-	-
ALL OTHER--MALE----	3	10	11	9	15	6	4	4	-	-	-	-
FEMALE--	6	5	9	12	9	14	11	10	-	-	1	-
BLACK---MALE----	3	9	11	9	15	5	4	4	-	-	-	-
FEMALE--	5	5	9	12	9	14	10	10	-	-	1	-
RHODE ISLAND -----	5	8	7	14	22	26	14	11	6	1	1	-
WHITE-----MALE----	4	2	5	9	14	16	2	3	1	-	-	-
FEMALE--	-	6	1	5	7	10	12	8	5	1	1	-
ALL OTHER--MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
SOUTH CAROLINA -----	18	22	53	61	69	77	52	20	10	3	3	-
WHITE-----MALE----	6	7	19	25	18	26	11	4	-	-	-	-
FEMALE--	4	7	17	17	29	27	28	9	7	3	1	-
ALL OTHER--MALE----	4	6	6	8	7	9	3	3	-	-	1	-
FEMALE--	4	2	11	11	15	15	10	4	3	-	1	-
BLACK---MALE----	4	6	6	8	7	9	3	3	-	-	1	-
FEMALE--	4	2	11	11	15	15	10	4	3	-	1	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 629
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
0 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 OF PANCREAS (157)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
SOUTH DAKOTA -----	1	4	3	9	14	13	10	8	5	1	-	-
WHITE-----MALE----	1	2	2	4	8	6	4	3	1	-	-	-
FEMALE--	-	2	1	4	5	5	6	5	4	1	-	-
ALL OTHER--MALE----	-	-	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	30	31	49	85	97	103	78	51	26	3	1	-
WHITE-----MALE----	16	11	23	38	37	39	26	12	3	-	1	-
FEMALE--	7	13	14	40	47	42	38	32	18	1	-	-
ALL OTHER--MALE----	2	4	5	2	6	10	5	1	1	-	-	-
FEMALE--	5	3	7	5	7	12	9	6	4	2	-	-
BLACK---MALE----	2	4	5	2	6	10	5	1	1	-	-	-
FEMALE--	5	3	7	5	7	11	9	6	4	2	-	-
TEXAS -----	69	95	151	200	286	252	197	155	66	22	1	1
WHITE-----MALE----	35	58	80	95	124	99	86	50	10	2	-	1
FEMALE--	25	24	44	74	121	120	89	92	45	16	1	-
ALL OTHER--MALE----	6	6	9	13	15	15	8	10	1	3	-	-
FEMALE--	3	7	18	18	26	18	14	3	10	1	-	-
BLACK---MALE----	6	6	9	13	14	13	8	10	1	3	-	-
FEMALE--	3	6	17	15	26	18	13	3	10	1	-	-
UTAH -----	6	6	11	11	12	20	11	7	3	1	-	-
WHITE-----MALE----	4	3	2	5	8	13	3	2	2	-	-	-
FEMALE--	2	3	9	6	3	7	8	5	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	2	5	7	8	9	10	7	5	1	-	-	-
WHITE-----MALE----	-	3	3	6	4	6	2	2	-	-	-	-
FEMALE--	1	2	4	2	5	4	5	3	1	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	37	38	50	85	110	95	73	55	18	5	1	1
WHITE-----MALE----	22	13	18	32	40	35	21	13	4	2	-	1
FEMALE--	9	10	18	24	42	43	32	30	13	3	1	-
ALL OTHER--MALE----	4	8	5	15	15	4	9	3	-	-	-	-
FEMALE--	2	7	9	14	13	13	11	9	1	-	-	-
BLACK---MALE----	3	8	5	15	15	4	8	3	-	-	-	-
FEMALE--	2	5	9	13	12	12	10	9	1	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 631
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 0 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
 0 CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
 0 OF RETROPERITONEUM, PERITONEUM, AND OTHER AND ILL-DEFINED SITES WITHIN THE DIGESTIVE ORGANS AND PERITONEUM (158-159)

0	CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0	UNITED STATES --	1,899	-	-	-	1	-	3	4	13	22	30	45
	WHITE-----MALE----	707	-	-	-	1	-	2	2	9	12	11	16
	FEMALE--	1,001	-	-	-	-	-	1	1	3	6	15	16
	ALL OTHER--MALE----	88	-	-	-	-	-	-	-	1	1	-	10
	FEMALE--	103	-	-	-	-	-	-	1	-	3	4	3
	BLACK---MALE----	83	-	-	-	-	-	-	-	1	1	-	9
	FEMALE--	88	-	-	-	-	-	-	1	-	3	3	2
ALABAMA	-----	17	-	-	-	1	-	-	-	-	-	-	-
	WHITE-----MALE----	6	-	-	-	1	-	-	-	-	-	-	-
	FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
	FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
	BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
	FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALASKA	-----	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
	BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA	-----	36	-	-	-	-	-	-	-	-	-	-	-
	WHITE-----MALE----	17	-	-	-	-	-	-	-	-	-	-	-
	FEMALE--	19	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
	BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS	-----	12	-	-	-	-	-	-	-	-	-	-	1
	WHITE-----MALE----	7	-	-	-	-	-	-	-	-	-	-	1
	FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
	BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA	-----	188	-	-	-	-	-	-	1	1	4	4	4
	WHITE-----MALE----	71	-	-	-	-	-	-	-	1	2	1	1
	FEMALE--	95	-	-	-	-	-	-	-	-	1	2	2
	ALL OTHER--MALE----	9	-	-	-	-	-	-	-	-	-	-	1
	FEMALE--	13	-	-	-	-	-	-	1	-	1	1	-
	BLACK---MALE----	7	-	-	-	-	-	-	-	-	-	-	1
	FEMALE--	8	-	-	-	-	-	-	1	-	1	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 631
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
0 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 OF RETROPERITONEUM, PERITONEUM, AND OTHER AND ILL-DEFINED SITES WITHIN THE DIGESTIVE ORGANS AND PERITONEUM (158-159)

	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 UNITED STATES --	66	99	142	225	280	296	288	199	132	43	11	-
WHITE-----MALE----	31	39	53	107	106	124	93	55	33	11	2	-
FEMALE--	28	43	77	98	131	149	170	134	93	28	8	-
ALL OTHER--MALE----	2	7	6	11	21	10	11	2	1	4	1	-
FEMALE--	5	10	6	9	22	13	14	8	5	-	-	-
BLACK---MALE----	2	6	6	11	20	9	10	2	1	4	1	-
FEMALE--	4	8	4	5	20	12	14	8	4	-	-	-
ALABAMA -----	2	-	2	2	6	-	2	2	-	-	-	-
WHITE-----MALE----	-	-	-	2	2	-	1	-	-	-	-	-
FEMALE--	1	-	1	-	3	-	1	1	-	-	-	-
ALL OTHER--MALE----	1	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	1	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ALASKA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	-	2	5	3	5	6	5	5	4	1	-	-
WHITE-----MALE----	-	2	2	2	2	5	-	2	2	-	-	-
FEMALE--	-	-	3	1	3	1	5	3	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	1	-	1	2	-	4	1	2	-	-	-	-
WHITE-----MALE----	1	-	-	1	-	3	-	1	-	-	-	-
FEMALE--	-	-	1	1	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	-	-	-	-
CALIFORNIA -----	10	15	10	28	30	27	28	14	9	3	-	-
WHITE-----MALE----	4	3	3	12	8	14	10	6	4	2	-	-
FEMALE--	4	10	5	14	19	10	17	6	4	1	-	-
ALL OTHER--MALE----	-	1	-	2	2	2	1	-	-	-	-	-
FEMALE--	2	1	2	-	1	1	-	2	1	-	-	-
BLACK---MALE----	-	1	-	2	1	2	-	-	-	-	-	-
FEMALE--	1	1	-	-	1	-	-	2	1	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 632
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
0 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 OF RETROPERITONEUM, PERITONEUM, AND OTHER AND ILL-DEFINED SITES WITHIN THE DIGESTIVE ORGANS AND PERITONEUM (158-159)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
COLORADO -----	1	-	3	1	-	3	4	1	-	1	-	-
WHITE-----MALE----	-	-	2	1	-	-	2	-	-	-	-	-
FEMALE--	1	-	1	-	-	3	2	1	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	1	2	-	1	2	5	2	1	5	1	-	-
WHITE-----MALE----	-	1	-	1	-	3	-	-	1	-	-	-
FEMALE--	1	1	-	-	2	1	2	1	4	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	-	2	-	1	1	-	-	-	-	-	-
WHITE-----MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	1	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	-	-	-	-	-	-	1	-	-	1	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
FLORIDA -----	3	7	18	16	26	28	20	16	4	3	-	-
WHITE-----MALE----	2	3	9	12	13	15	4	1	2	-	-	-
FEMALE--	1	4	6	4	10	12	15	15	2	3	-	-
ALL OTHER--MALE----	-	-	3	-	2	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	-	-	-	-	-
BLACK---MALE----	-	-	3	-	2	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	-	-	-	-	-
GEORGIA -----	1	4	4	6	2	3	3	7	-	-	-	-
WHITE-----MALE----	-	1	1	2	-	1	-	4	-	-	-	-
FEMALE--	-	1	3	2	-	1	1	2	-	-	-	-
ALL OTHER--MALE----	1	2	-	-	2	-	1	1	-	-	-	-
FEMALE--	-	-	-	2	-	1	1	-	-	-	-	-
BLACK---MALE----	1	2	-	-	2	-	1	1	-	-	-	-
FEMALE--	-	-	-	2	-	1	1	-	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 633
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
0 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 OF RETROPERITONEUM, PERITONEUM, AND OTHER AND ILL-DEFINED SITES WITHIN THE DIGESTIVE ORGANS AND PERITONEUM (158-159)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
HAWAII -----	-	-	-	-	1	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	1	1	2	-	-	2	2	-	2	-	-	-
WHITE-----MALE----	-	-	1	-	-	1	2	-	1	-	-	-
FEMALE--	1	1	1	-	-	1	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	4	4	5	8	5	9	15	8	6	3	-	-
WHITE-----MALE----	1	2	1	3	2	6	8	5	1	1	-	-
FEMALE--	3	1	3	3	2	3	6	2	5	2	-	-
ALL OTHER--MALE----	-	-	1	-	1	-	1	-	-	-	-	-
FEMALE--	-	1	-	2	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	1	-	1	-	1	-	-	-	-	-
FEMALE--	-	1	-	1	-	-	-	1	-	-	-	-
INDIANA -----	2	2	1	5	-	4	6	3	5	-	-	-
WHITE-----MALE----	-	1	1	4	-	-	3	2	-	-	-	-
FEMALE--	2	1	-	1	-	4	3	1	5	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IOWA -----	1	1	2	2	1	3	3	2	5	1	1	-
WHITE-----MALE----	1	-	2	-	1	2	-	2	2	-	-	-
FEMALE--	-	1	-	2	-	1	3	-	3	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS -----	1	1	4	2	2	4	2	6	1	-	-	-
WHITE-----MALE----	1	1	2	1	1	1	1	-	1	-	-	-
FEMALE--	-	-	2	1	-	2	-	6	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	-	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 634
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
0 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 OF RETROPERITONEUM, PERITONEUM, AND OTHER AND ILL-DEFINED SITES WITHIN THE DIGESTIVE ORGANS AND PERITONEUM (158-159)

	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
KENTUCKY -----	1	1	2	3	4	2	2	4	2	-	1	-
WHITE-----MALE----	1	-	1	1	1	-	-	3	-	-	-	-
FEMALE--	-	1	1	2	3	2	2	1	2	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	-	3	3	1	6	4	4	1	-	2	1	-
WHITE-----MALE----	-	1	1	-	1	-	2	-	-	-	-	-
FEMALE--	-	1	2	1	2	2	1	1	-	2	1	-
ALL OTHER--MALE----	-	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	1	-	-	3	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	1	-	-	3	1	-	-	-	-	-	-
MAINE -----	-	-	2	2	4	4	2	1	2	-	-	-
WHITE-----MALE----	-	-	1	1	1	1	1	-	-	-	-	-
FEMALE--	-	-	1	1	3	3	1	1	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	1	2	1	6	1	5	3	4	1	-	1	-
WHITE-----MALE----	-	-	-	3	1	3	-	-	-	-	-	-
FEMALE--	1	-	1	1	-	2	3	4	-	-	1	-
ALL OTHER--MALE----	-	-	-	2	-	-	-	-	-	-	-	-
FEMALE--	-	2	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	2	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	1	-	-	-
MASSACHUSETTS -----	3	1	5	7	6	11	11	3	8	5	-	-
WHITE-----MALE----	3	1	3	2	3	4	4	-	2	1	-	-
FEMALE--	-	-	2	5	3	6	7	3	6	3	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
MICHIGAN -----	3	4	3	14	13	13	11	12	6	-	-	-
WHITE-----MALE----	1	1	-	6	2	6	4	5	-	-	-	-
FEMALE--	1	2	3	6	9	5	7	7	5	-	-	-
ALL OTHER--MALE----	-	1	-	1	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	1	2	2	-	-	1	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	2	-	-	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 637
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
0 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 OF RETROPERITONEUM, PERITONEUM, AND OTHER AND ILL-DEFINED SITES WITHIN THE DIGESTIVE ORGANS AND PERITONEUM (158-159)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
OHIO -----	2	6	4	12	17	10	21	11	8	3	-	-
WHITE-----MALE----	1	2	1	6	5	6	9	2	2	-	-	-
FEMALE--	1	3	2	5	7	4	11	9	5	3	-	-
ALL OTHER--MALE----	-	1	1	1	2	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	3	-	1	-	1	-	-	-
BLACK---MALE----	-	1	1	1	2	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	3	-	1	-	1	-	-	-
OKLAHOMA -----	2	2	1	2	2	3	5	1	-	-	-	-
WHITE-----MALE----	2	2	-	1	1	1	3	1	-	-	-	-
FEMALE--	-	-	1	1	1	2	2	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	1	-	1	1	2	5	2	3	2	-	1	-
WHITE-----MALE----	1	-	-	1	1	2	2	-	-	-	-	-
FEMALE--	-	-	1	-	1	3	-	3	2	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	3	7	5	18	25	22	23	16	12	3	1	-
WHITE-----MALE----	2	4	1	11	12	5	3	4	3	3	-	-
FEMALE--	-	3	4	7	9	13	18	11	9	-	1	-
ALL OTHER--MALE----	-	-	-	-	1	1	1	-	-	-	-	-
FEMALE--	1	-	-	-	3	3	1	1	-	-	-	-
BLACK---MALE----	-	-	-	-	1	1	1	-	-	-	-	-
FEMALE--	1	-	-	-	3	3	1	1	-	-	-	-
RHODE ISLAND -----	1	-	1	1	2	3	3	2	1	-	1	-
WHITE-----MALE----	-	-	1	-	-	1	-	-	-	-	1	-
FEMALE--	-	-	-	1	2	2	3	2	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	1	1	2	2	2	1	2	4	1	-	-	-
WHITE-----MALE----	1	-	1	2	-	1	-	-	-	-	-	-
FEMALE--	-	-	1	-	1	-	-	4	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	2	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	2	-	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 638
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
0 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 OF RETROPERITONEUM, PERITONEUM, AND OTHER AND ILL-DEFINED SITES WITHIN THE DIGESTIVE ORGANS AND PERITONEUM (158-159)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
SOUTH DAKOTA -----	-	-	1	-	-	1	1	2	1	1	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	1	-	-	1	1	1	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	1	2	4	3	6	8	10	2	2	1	-	-
WHITE-----MALE----	-	2	2	2	4	2	3	-	1	-	-	-
FEMALE--	1	-	2	1	-	5	5	2	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	2	-	-	1	-	-
FEMALE--	-	-	-	-	1	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	2	-	-	1	-	-
FEMALE--	-	-	-	-	1	1	-	-	-	-	-	-
TEXAS -----	5	4	10	13	23	13	8	6	3	1	1	-
WHITE-----MALE----	2	2	3	5	6	4	2	2	1	-	-	-
FEMALE--	3	1	7	5	13	8	3	3	2	-	1	-
ALL OTHER--MALE----	-	-	-	2	2	1	1	1	-	1	-	-
FEMALE--	-	1	-	1	2	-	2	-	-	-	-	-
BLACK---MALE----	-	-	-	2	2	1	1	1	-	1	-	-
FEMALE--	-	1	-	1	2	-	2	-	-	-	-	-
UTAH -----	1	1	-	1	2	-	1	-	-	-	-	-
WHITE-----MALE----	1	-	-	1	1	-	1	-	-	-	-	-
FEMALE--	-	1	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	1	-	-	-	-	1	1	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	1	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	-	2	2	5	5	7	1	-	2	-	-	-
WHITE-----MALE----	-	-	-	1	1	1	1	-	-	-	-	-
FEMALE--	-	1	2	3	4	6	-	-	1	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	1	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	1	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 640
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
0 CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
0 MALIGNANT NEOPLASMS OF RESPIRATORY AND INTRATHORACIC ORGANS (160-165)

0	CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0	UNITED STATES --	157,271	1	1	3	5	7	18	53	258	825	2,001	4,368
	WHITE-----MALE----	82,987	-	-	2	3	3	6	22	122	345	899	2,071
	FEMALE--	55,379	1	1	1	2	1	7	18	90	286	626	1,369
	ALL OTHER--MALE----	12,553	-	-	-	-	1	5	8	27	127	303	624
	FEMALE--	6,352	-	-	-	-	2	-	5	19	67	173	304
	BLACK---MALE----	11,151	-	-	-	-	1	3	6	22	116	281	571
	FEMALE--	5,563	-	-	-	-	2	-	3	15	63	155	264
ALABAMA	-----	2,847	-	-	-	-	-	-	1	5	15	25	66
	WHITE-----MALE----	1,485	-	-	-	-	-	-	-	2	9	8	27
	FEMALE--	842	-	-	-	-	-	-	-	2	3	6	22
	ALL OTHER--MALE----	365	-	-	-	-	-	-	1	-	3	8	11
	FEMALE--	155	-	-	-	-	-	-	-	1	-	3	6
	BLACK---MALE----	363	-	-	-	-	-	-	1	-	3	8	11
	FEMALE--	155	-	-	-	-	-	-	-	1	-	3	6
ALASKA	-----	183	-	-	-	-	-	-	-	1	2	3	8
	WHITE-----MALE----	81	-	-	-	-	-	-	-	1	1	1	2
	FEMALE--	59	-	-	-	-	-	-	-	-	1	-	4
	ALL OTHER--MALE----	28	-	-	-	-	-	-	-	-	-	1	2
	FEMALE--	15	-	-	-	-	-	-	-	-	-	1	-
	BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	1	1
	FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ARIZONA	-----	2,427	-	-	-	-	-	-	-	5	4	23	48
	WHITE-----MALE----	1,407	-	-	-	-	-	-	-	3	3	12	32
	FEMALE--	943	-	-	-	-	-	-	-	1	1	9	13
	ALL OTHER--MALE----	51	-	-	-	-	-	-	-	1	-	1	1
	FEMALE--	26	-	-	-	-	-	-	-	-	-	1	2
	BLACK---MALE----	38	-	-	-	-	-	-	-	1	-	-	1
	FEMALE--	19	-	-	-	-	-	-	-	-	-	1	2
ARKANSAS	-----	1,968	-	-	-	-	1	1	-	1	12	30	57
	WHITE-----MALE----	1,162	-	-	-	-	-	-	-	-	8	17	29
	FEMALE--	595	-	-	-	-	-	1	-	1	3	6	19
	ALL OTHER--MALE----	150	-	-	-	-	-	-	-	-	-	4	6
	FEMALE--	61	-	-	-	-	1	-	-	-	1	3	3
	BLACK---MALE----	149	-	-	-	-	-	-	-	-	-	4	6
	FEMALE--	58	-	-	-	-	1	-	-	-	1	2	3
CALIFORNIA	-----	14,060	-	1	-	-	1	3	6	27	59	173	363
	WHITE-----MALE----	6,725	-	-	-	-	1	1	3	13	27	70	160
	FEMALE--	5,476	-	1	-	-	-	-	2	8	17	59	121
	ALL OTHER--MALE----	1,209	-	-	-	-	-	2	-	3	10	31	53
	FEMALE--	650	-	-	-	-	-	-	1	3	5	13	29
	BLACK---MALE----	693	-	-	-	-	-	1	-	2	8	22	36
	FEMALE--	380	-	-	-	-	-	-	-	1	3	7	18

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 640
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
0 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 MALIGNANT NEOPLASMS OF RESPIRATORY AND INTRATHORACIC ORGANS (160-165)

0	UNITED STATES --	8,110	12,288	18,542	26,702	30,270	25,484	17,385	7,942	2,465	465	70	8
	WHITE-----MALE----	4,066	6,359	9,805	14,578	16,517	13,729	9,205	3,993	1,056	182	22	2
	FEMALE--	2,686	3,978	6,058	8,896	10,554	9,329	6,748	3,276	1,176	233	41	2
	ALL OTHER--MALE----	926	1,371	1,848	2,145	2,108	1,586	913	412	116	28	2	3
	FEMALE--	432	580	831	1,083	1,091	840	519	261	117	22	5	1
	BLACK---MALE----	858	1,244	1,668	1,912	1,841	1,378	775	354	95	22	1	3
	FEMALE--	386	524	737	972	959	713	430	220	99	16	4	1
	ALABAMA -----	157	238	377	554	557	435	255	120	38	4	-	-
	WHITE-----MALE----	76	116	210	296	298	233	135	59	14	2	-	-
	FEMALE--	50	66	95	163	168	131	80	41	13	2	-	-
	ALL OTHER--MALE----	24	42	48	72	59	49	25	17	6	-	-	-
	FEMALE--	7	14	24	23	32	22	15	3	5	-	-	-
	BLACK---MALE----	24	42	48	71	58	49	25	17	6	-	-	-
	FEMALE--	7	14	24	23	32	22	15	3	5	-	-	-
	ALASKA -----	11	11	30	37	36	23	18	2	1	-	-	-
	WHITE-----MALE----	7	6	12	17	16	11	5	2	-	-	-	-
	FEMALE--	3	2	13	10	15	5	5	-	1	-	-	-
	ALL OTHER--MALE----	1	1	2	9	5	3	4	-	-	-	-	-
	FEMALE--	-	2	3	1	-	4	4	-	-	-	-	-
	BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
	FEMALE--	-	-	1	-	-	-	1	-	-	-	-	-
	ARIZONA -----	111	181	248	418	506	412	303	131	29	8	-	-
	WHITE-----MALE----	64	109	154	241	279	246	182	62	18	2	-	-
	FEMALE--	38	65	81	161	213	161	119	65	10	6	-	-
	ALL OTHER--MALE----	6	5	11	9	11	3	1	2	-	-	-	-
	FEMALE--	3	2	2	7	3	2	1	2	1	-	-	-
	BLACK---MALE----	5	5	7	7	8	2	-	2	-	-	-	-
	FEMALE--	3	2	2	5	2	1	-	-	1	-	-	-
	ARKANSAS -----	113	185	232	321	371	330	206	78	19	9	2	-
	WHITE-----MALE----	65	97	143	204	207	211	123	45	11	2	-	-
	FEMALE--	27	56	60	88	136	95	64	27	6	6	-	-
	ALL OTHER--MALE----	18	24	19	20	20	19	13	5	-	1	1	-
	FEMALE--	3	8	10	9	8	5	6	1	2	-	1	-
	BLACK---MALE----	18	24	19	20	20	18	13	5	-	1	1	-
	FEMALE--	3	8	10	9	7	4	6	1	2	-	1	-
	CALIFORNIA -----	695	968	1,530	2,233	2,734	2,415	1,739	811	243	53	6	-
	WHITE-----MALE----	325	438	713	1,144	1,323	1,182	832	392	84	16	1	-
	FEMALE--	254	356	558	799	1,093	975	721	346	135	27	4	-
	ALL OTHER--MALE----	76	123	171	184	209	166	123	43	12	3	-	-
	FEMALE--	40	51	88	106	109	92	63	30	12	7	1	-
	BLACK---MALE----	54	78	111	104	111	87	58	15	5	1	-	-
	FEMALE--	28	32	55	76	66	46	28	10	8	2	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 641
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 0 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
 0 CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
 0 MALIGNANT NEOPLASMS OF RESPIRATORY AND INTRATHORACIC ORGANS (160-165)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
COLORADO -----	1,418	-	-	-	-	-	-	-	1	3	24	34
WHITE-----MALE----	814	-	-	-	-	-	-	-	1	1	10	14
FEMALE--	537	-	-	-	-	-	-	-	-	2	9	17
ALL OTHER--MALE----	40	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	27	-	-	-	-	-	-	-	-	-	4	2
BLACK---MALE----	29	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	18	-	-	-	-	-	-	-	-	-	3	1
CONNECTICUT -----	1,943	-	-	-	-	-	1	3	3	12	22	41
WHITE-----MALE----	1,026	-	-	-	-	-	1	2	3	3	9	20
FEMALE--	810	-	-	-	-	-	-	-	-	5	11	17
ALL OTHER--MALE----	69	-	-	-	-	-	-	-	-	2	2	3
FEMALE--	38	-	-	-	-	-	-	-	1	2	-	1
BLACK---MALE----	63	-	-	-	-	-	-	-	-	1	2	3
FEMALE--	35	-	-	-	-	-	-	-	1	2	-	1
DELAWARE -----	530	-	-	-	-	-	-	-	-	5	6	19
WHITE-----MALE----	256	-	-	-	-	-	-	-	-	2	2	6
FEMALE--	184	-	-	-	-	-	-	-	-	2	4	9
ALL OTHER--MALE----	52	-	-	-	-	-	-	-	-	1	-	3
FEMALE--	38	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	50	-	-	-	-	-	-	-	-	1	-	3
FEMALE--	36	-	-	-	-	-	-	-	-	-	-	1
DISTRICT OF COLUMBIA ----	343	-	-	-	-	-	-	-	1	3	8	14
WHITE-----MALE----	41	-	-	-	-	-	-	-	1	-	1	2
FEMALE--	30	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	178	-	-	-	-	-	-	-	-	2	6	7
FEMALE--	94	-	-	-	-	-	-	-	-	1	1	5
BLACK---MALE----	178	-	-	-	-	-	-	-	-	2	6	7
FEMALE--	94	-	-	-	-	-	-	-	-	1	1	5
FLORIDA -----	11,750	-	-	-	-	1	2	4	14	48	138	273
WHITE-----MALE----	6,523	-	-	-	-	1	1	1	5	20	70	158
FEMALE--	4,326	-	-	-	-	-	1	-	7	16	35	80
ALL OTHER--MALE----	619	-	-	-	-	-	-	1	1	10	22	26
FEMALE--	282	-	-	-	-	-	-	2	1	2	11	9
BLACK---MALE----	600	-	-	-	-	-	-	1	1	10	22	24
FEMALE--	266	-	-	-	-	-	-	1	1	2	11	8
GEORGIA -----	3,798	-	-	-	-	-	1	3	7	36	78	159
WHITE-----MALE----	1,961	-	-	-	-	-	1	1	3	15	28	67
FEMALE--	1,081	-	-	-	-	-	-	1	3	8	20	37
ALL OTHER--MALE----	541	-	-	-	-	-	-	-	1	10	17	43
FEMALE--	215	-	-	-	-	-	-	1	-	3	13	12
BLACK---MALE----	533	-	-	-	-	-	-	-	1	10	17	42
FEMALE--	210	-	-	-	-	-	-	1	-	3	13	12

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 641
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
0 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 MALIGNANT NEOPLASMS OF RESPIRATORY AND INTRATHORACIC ORGANS (160-165)

	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
COLORADO -----	73	89	171	235	288	235	163	76	22	4	-	-
WHITE-----MALE----	42	46	102	147	172	137	91	37	12	2	-	-
FEMALE--	28	35	60	80	107	85	68	35	9	2	-	-
ALL OTHER--MALE----	2	4	8	5	4	9	2	3	1	-	-	-
FEMALE--	1	4	1	3	5	4	2	1	-	-	-	-
BLACK---MALE----	2	2	7	5	4	5	-	2	-	-	-	-
FEMALE--	1	3	1	2	4	2	1	-	-	-	-	-
CONNECTICUT -----	106	142	204	284	360	343	272	117	29	5	2	-
WHITE-----MALE----	50	80	106	144	213	180	146	59	10	3	-	-
FEMALE--	44	51	81	126	130	151	118	55	17	2	2	-
ALL OTHER--MALE----	8	8	13	11	10	5	5	1	1	-	-	-
FEMALE--	4	3	4	3	7	7	3	2	1	-	-	-
BLACK---MALE----	7	8	11	11	8	5	5	1	1	-	-	-
FEMALE--	4	3	3	3	7	7	2	2	-	-	-	-
DELAWARE -----	24	31	74	113	103	74	48	24	7	2	-	-
WHITE-----MALE----	13	13	42	51	56	29	25	12	4	1	-	-
FEMALE--	7	12	24	31	31	33	17	10	3	1	-	-
ALL OTHER--MALE----	1	2	4	19	8	7	5	2	-	-	-	-
FEMALE--	3	4	4	12	8	5	1	-	-	-	-	-
BLACK---MALE----	1	2	4	19	8	7	4	1	-	-	-	-
FEMALE--	3	4	4	11	8	5	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	15	28	47	54	58	55	36	17	7	-	-	-
WHITE-----MALE----	-	3	7	5	7	11	2	2	-	-	-	-
FEMALE--	1	4	1	6	1	7	6	2	2	-	-	-
ALL OTHER--MALE----	11	13	27	31	35	20	16	8	2	-	-	-
FEMALE--	3	8	12	12	15	17	12	5	3	-	-	-
BLACK---MALE----	11	13	27	31	35	20	16	8	2	-	-	-
FEMALE--	3	8	12	12	15	17	12	5	3	-	-	-
FLORIDA -----	519	817	1,260	1,953	2,291	1,969	1,463	710	234	44	9	1
WHITE-----MALE----	271	460	703	1,092	1,305	1,105	816	390	101	20	4	-
FEMALE--	167	270	410	708	851	754	585	291	125	21	5	-
ALL OTHER--MALE----	61	64	96	112	94	71	39	16	4	2	-	-
FEMALE--	20	23	51	41	41	39	23	13	4	1	-	1
BLACK---MALE----	58	63	92	110	91	68	39	15	4	2	-	-
FEMALE--	19	22	50	38	40	36	21	13	2	1	-	1
GEORGIA -----	254	364	537	663	680	509	311	140	44	7	5	-
WHITE-----MALE----	125	177	282	387	359	271	156	67	17	3	2	-
FEMALE--	67	100	150	170	199	155	101	45	20	2	3	-
ALL OTHER--MALE----	42	59	79	69	88	65	41	21	4	2	-	-
FEMALE--	20	28	26	37	34	18	13	7	3	-	-	-
BLACK---MALE----	42	57	78	67	86	65	41	21	4	2	-	-
FEMALE--	20	26	25	35	34	18	13	7	3	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 642
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
0 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 MALIGNANT NEOPLASMS OF RESPIRATORY AND INTRATHORACIC ORGANS (160-165)

	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
HAWAII -----	20	34	55	76	101	82	51	15	15	2	-	-
WHITE-----MALE----	2	11	7	16	22	10	8	3	2	-	-	-
FEMALE--	3	4	6	11	10	12	10	3	1	-	-	-
ALL OTHER--MALE----	9	14	29	30	47	42	20	5	6	2	-	-
FEMALE--	6	5	13	19	22	18	13	4	6	-	-	-
BLACK---MALE----	-	-	-	-	2	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
IDAHO -----	22	41	54	80	104	97	58	30	4	-	-	-
WHITE-----MALE----	15	20	37	50	62	56	34	16	2	-	-	-
FEMALE--	6	21	17	29	42	41	24	13	2	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	1	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	370	559	853	1,195	1,351	1,165	779	364	110	22	3	1
WHITE-----MALE----	161	264	391	622	706	584	411	171	44	7	1	-
FEMALE--	122	173	283	357	429	417	297	144	57	14	2	1
ALL OTHER--MALE----	64	84	120	131	132	107	45	30	4	-	-	-
FEMALE--	23	38	59	85	84	57	26	19	5	1	-	-
BLACK---MALE----	61	83	115	128	125	103	39	30	4	-	-	-
FEMALE--	22	38	57	82	81	54	23	18	5	1	-	-
INDIANA -----	217	318	444	703	769	576	402	186	52	10	1	-
WHITE-----MALE----	128	175	261	429	447	343	210	100	22	2	-	-
FEMALE--	71	118	146	235	268	198	163	71	26	8	1	-
ALL OTHER--MALE----	13	21	21	22	31	23	16	9	3	-	-	-
FEMALE--	5	4	16	17	23	12	13	6	1	-	-	-
BLACK---MALE----	13	21	21	21	30	22	15	9	3	-	-	-
FEMALE--	4	3	16	16	23	11	13	6	1	-	-	-
IOWA -----	58	128	191	284	342	310	258	105	40	5	-	-
WHITE-----MALE----	31	84	112	190	215	189	153	66	23	2	-	-
FEMALE--	25	41	75	90	121	120	102	38	17	3	-	-
ALL OTHER--MALE----	1	2	4	3	3	1	3	1	-	-	-	-
FEMALE--	1	1	-	1	3	-	-	-	-	-	-	-
BLACK---MALE----	1	2	4	2	2	-	3	1	-	-	-	-
FEMALE--	1	1	-	1	2	-	-	-	-	-	-	-
KANSAS -----	57	115	166	269	324	263	172	80	35	9	1	-
WHITE-----MALE----	31	64	97	140	193	165	101	35	17	5	-	-
FEMALE--	25	39	58	109	115	94	64	43	16	4	1	-
ALL OTHER--MALE----	1	7	8	15	14	1	2	-	-	-	-	-
FEMALE--	-	5	3	5	2	3	5	2	2	-	-	-
BLACK---MALE----	1	7	6	12	13	1	2	-	-	-	-	-
FEMALE--	-	4	3	3	2	3	3	2	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 643
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
0 CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
0 MALIGNANT NEOPLASMS OF RESPIRATORY AND INTRATHORACIC ORGANS (160-165)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
KENTUCKY -----	3,183	-	-	-	-	1	-	2	6	25	44	96
WHITE-----MALE----	1,879	-	-	-	-	1	-	1	3	13	22	57
FEMALE--	1,094	-	-	-	-	-	-	1	3	9	18	32
ALL OTHER--MALE----	130	-	-	-	-	-	-	-	-	2	2	3
FEMALE--	80	-	-	-	-	-	-	-	-	1	2	4
BLACK---MALE----	127	-	-	-	-	-	-	-	-	2	2	3
FEMALE--	78	-	-	-	-	-	-	-	-	1	2	4
LOUISIANA -----	2,840	-	-	-	-	-	-	1	3	15	44	96
WHITE-----MALE----	1,295	-	-	-	-	-	-	-	2	9	13	39
FEMALE--	754	-	-	-	-	-	-	1	-	4	7	16
ALL OTHER--MALE----	535	-	-	-	-	-	-	-	1	-	16	31
FEMALE--	256	-	-	-	-	-	-	-	-	2	8	10
BLACK---MALE----	528	-	-	-	-	-	-	-	1	-	16	31
FEMALE--	254	-	-	-	-	-	-	-	-	2	8	10
MAINE -----	914	-	-	1	-	-	-	1	1	7	9	19
WHITE-----MALE----	523	-	-	-	-	-	-	-	-	4	5	15
FEMALE--	390	-	-	1	-	-	-	1	1	3	4	4
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	3,074	-	-	-	-	-	-	2	6	15	38	104
WHITE-----MALE----	1,328	-	-	-	-	-	-	1	5	2	14	37
FEMALE--	1,015	-	-	-	-	-	-	-	-	4	10	24
ALL OTHER--MALE----	491	-	-	-	-	-	-	-	1	6	8	28
FEMALE--	240	-	-	-	-	-	-	1	-	3	6	15
BLACK---MALE----	475	-	-	-	-	-	-	-	1	6	8	28
FEMALE--	228	-	-	-	-	-	-	1	-	2	6	15
MASSACHUSETTS -----	3,820	-	-	-	-	-	-	-	7	19	46	99
WHITE-----MALE----	2,071	-	-	-	-	-	-	-	3	10	20	51
FEMALE--	1,610	-	-	-	-	-	-	-	4	6	25	37
ALL OTHER--MALE----	78	-	-	-	-	-	-	-	-	2	1	6
FEMALE--	61	-	-	-	-	-	-	-	-	1	-	5
BLACK---MALE----	52	-	-	-	-	-	-	-	-	2	-	3
FEMALE--	52	-	-	-	-	-	-	-	-	1	-	4
MICHIGAN -----	5,832	1	-	-	-	-	1	1	6	37	87	187
WHITE-----MALE----	2,972	-	-	-	-	-	-	-	3	14	41	62
FEMALE--	2,000	1	-	-	-	-	-	1	3	17	25	68
ALL OTHER--MALE----	554	-	-	-	-	-	1	-	-	1	17	34
FEMALE--	306	-	-	-	-	-	-	-	-	5	4	23
BLACK---MALE----	526	-	-	-	-	-	1	-	-	1	17	34
FEMALE--	288	-	-	-	-	-	-	-	-	5	4	21

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 643
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
0 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 MALIGNANT NEOPLASMS OF RESPIRATORY AND INTRATHORACIC ORGANS (160-165)

	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
KENTUCKY -----	187	315	448	573	585	439	311	115	30	6	-	-
WHITE-----MALE----	99	187	287	331	348	264	174	73	16	3	-	-
FEMALE--	72	112	128	201	207	147	112	39	11	2	-	-
ALL OTHER--MALE----	11	11	25	22	15	19	16	3	-	1	-	-
FEMALE--	5	5	8	19	15	9	9	-	3	-	-	-
BLACK---MALE----	10	11	24	21	15	19	16	3	-	1	-	-
FEMALE--	5	5	7	19	15	8	9	-	3	-	-	-
LOUISIANA -----	177	239	355	504	524	428	262	137	44	10	1	-
WHITE-----MALE----	82	113	162	241	244	200	114	53	20	3	-	-
FEMALE--	43	65	77	127	148	122	85	44	12	3	-	-
ALL OTHER--MALE----	31	43	78	94	94	74	40	24	6	2	1	-
FEMALE--	21	18	38	42	38	32	23	16	6	2	-	-
BLACK---MALE----	30	42	76	93	94	74	40	24	5	2	-	-
FEMALE--	21	18	37	42	37	32	23	16	6	2	-	-
MAINE -----	35	62	98	173	183	156	96	58	13	2	-	-
WHITE-----MALE----	17	42	60	97	105	92	46	36	4	-	-	-
FEMALE--	18	20	38	76	78	64	50	21	9	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	170	260	361	526	567	515	310	145	42	10	2	1
WHITE-----MALE----	56	116	159	223	262	234	135	65	17	2	-	-
FEMALE--	45	58	108	170	192	191	127	60	18	5	2	1
ALL OTHER--MALE----	53	57	69	89	69	62	29	13	5	2	-	-
FEMALE--	16	29	25	44	44	28	19	7	2	1	-	-
BLACK---MALE----	52	54	66	87	66	60	27	13	5	2	-	-
FEMALE--	16	28	22	43	39	27	19	7	2	1	-	-
MASSACHUSETTS -----	182	290	385	573	741	665	489	242	65	14	3	-
WHITE-----MALE----	92	165	206	316	436	358	242	120	40	11	1	-
FEMALE--	78	113	163	234	281	290	235	116	24	2	2	-
ALL OTHER--MALE----	7	6	8	12	17	9	6	3	-	1	-	-
FEMALE--	5	6	8	11	7	8	6	3	1	-	-	-
BLACK---MALE----	6	3	7	8	10	7	3	3	-	-	-	-
FEMALE--	4	6	7	11	4	8	4	2	1	-	-	-
MICHIGAN -----	334	495	691	1,051	1,075	898	614	250	82	19	3	-
WHITE-----MALE----	150	253	363	531	590	453	335	130	36	9	2	-
FEMALE--	113	151	215	368	340	338	220	92	38	10	-	-
ALL OTHER--MALE----	46	68	74	91	92	69	41	16	4	-	-	-
FEMALE--	25	23	39	61	53	38	18	12	4	-	1	-
BLACK---MALE----	46	62	72	87	86	65	37	15	3	-	-	-
FEMALE--	23	23	38	57	50	34	17	12	3	-	1	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 644
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
0 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 MALIGNANT NEOPLASMS OF RESPIRATORY AND INTRATHORACIC ORGANS (160-165)

	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
MINNESOTA -----	105	178	234	359	418	336	263	128	46	10	1	-
WHITE-----MALE----	60	90	124	218	250	204	152	64	22	4	-	-
FEMALE--	36	83	103	128	161	125	104	62	24	6	1	-
ALL OTHER--MALE----	4	2	4	9	6	4	4	2	-	-	-	-
FEMALE--	5	3	3	4	1	3	3	-	-	-	-	-
BLACK---MALE----	3	-	4	5	4	2	2	1	-	-	-	-
FEMALE--	3	1	3	2	1	3	1	-	-	-	-	-
MISSISSIPPI -----	94	144	242	304	364	262	170	98	24	3	-	-
WHITE-----MALE----	41	64	113	150	200	133	85	40	5	1	-	-
FEMALE--	22	32	53	84	86	71	45	32	12	1	-	-
ALL OTHER--MALE----	25	36	63	51	54	42	31	16	6	-	-	-
FEMALE--	6	12	13	19	24	16	9	10	1	1	-	-
BLACK---MALE----	25	36	63	50	54	42	30	15	6	-	-	-
FEMALE--	6	12	13	19	24	16	9	10	1	1	-	-
MISSOURI -----	210	279	467	656	696	587	417	193	56	11	3	-
WHITE-----MALE----	109	171	259	395	399	361	230	105	26	6	-	-
FEMALE--	76	71	152	201	242	176	158	79	23	4	3	-
ALL OTHER--MALE----	14	25	40	40	33	29	17	5	5	1	-	-
FEMALE--	11	12	16	20	22	21	12	4	2	-	-	-
BLACK---MALE----	13	23	40	39	31	28	17	5	5	1	-	-
FEMALE--	10	12	14	20	20	20	12	4	2	-	-	-
MONTANA -----	24	26	57	80	88	83	79	32	9	-	-	-
WHITE-----MALE----	13	9	30	50	47	52	50	23	5	-	-	-
FEMALE--	9	15	21	27	36	26	28	9	4	-	-	-
ALL OTHER--MALE----	-	1	3	1	-	2	-	-	-	-	-	-
FEMALE--	2	1	3	2	5	3	1	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
NEBRASKA -----	44	54	105	152	176	152	101	53	21	4	1	-
WHITE-----MALE----	28	32	58	91	120	90	62	25	9	3	-	-
FEMALE--	15	15	42	55	53	59	39	27	12	1	1	-
ALL OTHER--MALE----	1	5	4	2	3	2	-	1	-	-	-	-
FEMALE--	-	2	1	4	-	1	-	-	-	-	-	-
BLACK---MALE----	1	5	3	2	3	2	-	1	-	-	-	-
FEMALE--	-	1	1	4	-	1	-	-	-	-	-	-
NEVADA -----	60	103	152	193	229	149	81	33	9	1	-	-
WHITE-----MALE----	29	53	92	108	118	80	44	18	3	-	-	-
FEMALE--	23	39	47	74	100	60	35	13	2	1	-	-
ALL OTHER--MALE----	4	7	8	8	7	4	2	1	2	-	-	-
FEMALE--	4	4	5	3	4	5	-	1	2	-	-	-
BLACK---MALE----	4	7	6	5	4	4	1	-	1	-	-	-
FEMALE--	3	2	5	3	3	2	-	-	1	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 646
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
0 CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
0 MALIGNANT NEOPLASMS OF RESPIRATORY AND INTRATHORACIC ORGANS (160-165)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
OHIO -----	7,610	-	-	-	1	1	1	3	11	38	76	217
WHITE-----MALE----	3,996	-	-	-	1	-	-	1	4	22	33	106
FEMALE--	2,742	-	-	-	-	1	-	2	3	9	30	74
ALL OTHER--MALE----	558	-	-	-	-	-	1	-	2	3	3	24
FEMALE--	314	-	-	-	-	-	-	-	2	4	10	13
BLACK---MALE----	551	-	-	-	-	-	1	-	2	3	3	24
FEMALE--	310	-	-	-	-	-	-	-	2	4	10	12
OKLAHOMA -----	2,299	-	-	1	-	-	-	-	2	8	29	70
WHITE-----MALE----	1,354	-	-	1	-	-	-	-	1	5	18	40
FEMALE--	767	-	-	-	-	-	-	-	-	2	8	24
ALL OTHER--MALE----	114	-	-	-	-	-	-	-	-	1	2	3
FEMALE--	64	-	-	-	-	-	-	-	1	-	1	3
BLACK---MALE----	70	-	-	-	-	-	-	-	-	-	2	3
FEMALE--	39	-	-	-	-	-	-	-	-	-	1	2
OREGON -----	1,998	-	-	-	-	-	-	-	4	7	18	42
WHITE-----MALE----	1,132	-	-	-	-	-	-	-	4	7	11	21
FEMALE--	808	-	-	-	-	-	-	-	-	-	7	17
ALL OTHER--MALE----	33	-	-	-	-	-	-	-	-	-	-	3
FEMALE--	25	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	18	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	8,422	-	-	-	1	-	2	9	35	92	206	
WHITE-----MALE----	4,642	-	-	-	-	-	-	4	14	38	104	
FEMALE--	2,911	-	-	-	1	-	1	3	13	31	62	
ALL OTHER--MALE----	552	-	-	-	-	-	1	1	6	9	28	
FEMALE--	317	-	-	-	-	-	-	1	2	14	12	
BLACK---MALE----	532	-	-	-	-	-	-	1	5	9	26	
FEMALE--	308	-	-	-	-	-	-	1	2	13	12	
RHODE ISLAND -----	741	-	-	-	-	-	-	2	3	6	26	
WHITE-----MALE----	418	-	-	-	-	-	-	-	2	3	11	
FEMALE--	295	-	-	-	-	-	-	2	-	2	15	
ALL OTHER--MALE----	15	-	-	-	-	-	-	-	1	1	-	
FEMALE--	13	-	-	-	-	-	-	-	-	-	-	
BLACK---MALE----	10	-	-	-	-	-	-	-	1	-	-	
FEMALE--	11	-	-	-	-	-	-	-	-	-	-	
SOUTH CAROLINA -----	2,314	-	-	-	-	-	1	7	16	34	77	
WHITE-----MALE----	1,127	-	-	-	-	-	1	1	8	13	27	
FEMALE--	649	-	-	-	-	-	-	2	3	2	16	
ALL OTHER--MALE----	386	-	-	-	-	-	-	2	3	11	28	
FEMALE--	152	-	-	-	-	-	-	2	2	8	6	
BLACK---MALE----	383	-	-	-	-	-	-	2	3	11	28	
FEMALE--	151	-	-	-	-	-	-	2	2	8	6	

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 646
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
0 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 MALIGNANT NEOPLASMS OF RESPIRATORY AND INTRATHORACIC ORGANS (160-165)

	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
OHIO -----	381	568	912	1,346	1,511	1,223	810	377	107	21	6	-
WHITE-----MALE----	212	291	493	728	816	629	424	180	46	9	1	-
FEMALE--	113	203	308	464	519	483	314	152	53	9	5	-
ALL OTHER--MALE----	30	54	71	93	124	69	49	28	5	2	-	-
FEMALE--	26	20	40	61	52	42	23	17	3	1	-	-
BLACK---MALE----	30	53	70	92	122	68	48	28	5	2	-	-
FEMALE--	26	20	39	61	52	41	22	17	3	1	-	-
OKLAHOMA -----	104	183	298	411	416	380	244	104	44	4	-	1
WHITE-----MALE----	63	96	183	243	248	230	148	54	21	2	-	1
FEMALE--	37	63	89	132	142	127	79	41	21	2	-	-
ALL OTHER--MALE----	3	16	14	23	21	15	10	4	2	-	-	-
FEMALE--	1	8	12	13	5	8	7	5	-	-	-	-
BLACK---MALE----	2	10	7	10	13	11	6	4	2	-	-	-
FEMALE--	-	5	8	10	4	3	4	2	-	-	-	-
OREGON -----	84	164	228	346	364	322	275	103	38	3	-	-
WHITE-----MALE----	44	84	128	207	204	186	164	55	16	1	-	-
FEMALE--	37	71	94	128	149	130	107	47	19	2	-	-
ALL OTHER--MALE----	3	4	3	8	4	4	1	1	2	-	-	-
FEMALE--	-	5	3	3	7	2	3	-	1	-	-	-
BLACK---MALE----	-	3	3	4	2	2	-	-	2	-	-	-
FEMALE--	-	1	-	-	5	1	1	-	1	-	-	-
PENNSYLVANIA -----	344	620	859	1,452	1,723	1,500	992	443	120	21	3	-
WHITE-----MALE----	188	312	491	823	1,008	839	527	232	54	7	1	-
FEMALE--	104	209	252	472	573	539	391	189	58	12	1	-
ALL OTHER--MALE----	25	66	85	104	86	76	46	13	5	1	-	-
FEMALE--	27	33	31	53	56	46	28	9	3	1	1	-
BLACK---MALE----	23	65	83	100	84	74	44	12	5	1	-	-
FEMALE--	27	33	30	51	55	44	27	9	3	-	1	-
RHODE ISLAND -----	43	42	67	114	162	109	99	49	13	5	1	-
WHITE-----MALE----	19	25	35	71	97	59	61	26	7	2	-	-
FEMALE--	21	14	28	37	59	49	36	22	6	3	1	-
ALL OTHER--MALE----	3	1	3	4	2	-	-	-	-	-	-	-
FEMALE--	-	2	1	2	4	1	2	1	-	-	-	-
BLACK---MALE----	2	1	2	3	1	-	-	-	-	-	-	-
FEMALE--	-	2	1	1	3	1	2	1	-	-	-	-
SOUTH CAROLINA -----	146	222	300	394	458	353	194	82	26	4	-	-
WHITE-----MALE----	60	97	149	192	244	184	97	44	9	1	-	-
FEMALE--	45	66	75	106	132	98	64	25	15	-	-	-
ALL OTHER--MALE----	32	42	57	70	60	49	21	9	1	1	-	-
FEMALE--	9	17	19	26	22	22	12	4	1	2	-	-
BLACK---MALE----	32	40	57	70	60	48	21	9	1	1	-	-
FEMALE--	9	17	19	26	21	22	12	4	1	2	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 647
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
0 CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
0 MALIGNANT NEOPLASMS OF RESPIRATORY AND INTRATHORACIC ORGANS (160-165)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
SOUTH DAKOTA -----	438	-	-	-	-	-	-	-	-	2	3	8
WHITE-----MALE----	271	-	-	-	-	-	-	-	-	-	2	5
FEMALE--	141	-	-	-	-	-	-	-	-	2	1	2
ALL OTHER--MALE----	19	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	3,867	-	-	-	-	-	2	6	25	55	121	
WHITE-----MALE----	2,212	-	-	-	-	-	1	3	9	32	65	
FEMALE--	1,147	-	-	-	-	-	-	3	12	14	38	
ALL OTHER--MALE----	359	-	-	-	-	-	1	-	1	7	15	
FEMALE--	149	-	-	-	-	-	-	-	3	2	3	
BLACK---MALE----	357	-	-	-	-	-	1	-	1	7	15	
FEMALE--	147	-	-	-	-	-	-	-	3	2	3	
TEXAS -----	9,706	-	-	-	1	-	1	6	13	43	151	278
WHITE-----MALE----	5,214	-	-	-	1	-	-	4	6	17	74	149
FEMALE--	3,317	-	-	-	-	-	1	2	4	15	47	77
ALL OTHER--MALE----	804	-	-	-	-	-	-	-	2	8	18	35
FEMALE--	371	-	-	-	-	-	-	-	1	3	12	17
BLACK---MALE----	782	-	-	-	-	-	-	-	2	7	17	34
FEMALE--	349	-	-	-	-	-	-	-	1	3	11	15
UTAH -----	383	-	-	-	-	-	1	1	3	4	8	
WHITE-----MALE----	226	-	-	-	-	-	-	-	1	2	2	6
FEMALE--	146	-	-	-	-	-	1	-	1	1	2	
ALL OTHER--MALE----	7	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	324	-	-	-	-	-	-	-	4	3	8	8
WHITE-----MALE----	191	-	-	-	-	-	-	-	2	1	4	5
FEMALE--	132	-	-	-	-	-	-	-	2	2	4	3
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	3,841	-	-	-	-	-	-	-	7	23	56	110
WHITE-----MALE----	1,829	-	-	-	-	-	-	-	3	4	20	45
FEMALE--	1,250	-	-	-	-	-	-	-	3	11	21	26
ALL OTHER--MALE----	517	-	-	-	-	-	-	-	-	6	11	19
FEMALE--	245	-	-	-	-	-	-	-	1	2	4	20
BLACK---MALE----	495	-	-	-	-	-	-	-	-	6	10	17
FEMALE--	234	-	-	-	-	-	-	-	1	2	4	16

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 647
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
0 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 MALIGNANT NEOPLASMS OF RESPIRATORY AND INTRATHORACIC ORGANS (160-165)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
SOUTH DAKOTA -----	24	33	48	64	90	75	51	29	8	3	-	-
WHITE-----MALE----	14	18	28	40	62	47	31	18	5	1	-	-
FEMALE--	7	12	13	22	23	24	20	10	3	2	-	-
ALL OTHER--MALE----	2	3	5	2	4	1	-	1	-	-	-	-
FEMALE--	1	-	2	-	1	3	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	224	377	533	699	706	571	332	146	58	11	-	1
WHITE-----MALE----	123	236	301	414	422	321	191	67	21	6	-	-
FEMALE--	68	91	160	182	200	182	107	58	30	2	-	-
ALL OTHER--MALE----	23	36	55	78	54	48	23	12	3	2	-	1
FEMALE--	10	14	17	25	30	20	11	9	4	1	-	-
BLACK---MALE----	23	36	54	78	54	47	23	12	3	2	-	1
FEMALE--	10	14	16	25	29	20	11	9	4	1	-	-
TEXAS -----	529	786	1,229	1,697	1,875	1,528	966	422	150	27	3	1
WHITE-----MALE----	276	428	648	941	1,036	846	501	208	66	10	2	1
FEMALE--	166	224	406	547	643	543	387	170	71	13	1	-
ALL OTHER--MALE----	62	98	121	145	140	96	48	23	5	3	-	-
FEMALE--	25	36	54	64	56	43	30	21	8	1	-	-
BLACK---MALE----	61	94	120	143	137	90	48	22	4	3	-	-
FEMALE--	25	34	52	59	51	40	28	21	8	1	-	-
UTAH -----	24	23	55	59	73	68	39	16	9	-	-	-
WHITE-----MALE----	13	14	33	39	41	39	22	10	4	-	-	-
FEMALE--	9	9	22	20	29	25	17	5	5	-	-	-
ALL OTHER--MALE----	1	-	-	-	2	3	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	1	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	2	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
VERMONT -----	18	21	35	57	59	51	35	20	5	-	-	-
WHITE-----MALE----	11	16	22	33	32	36	17	11	1	-	-	-
FEMALE--	7	5	12	24	27	15	18	9	4	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	228	309	483	662	775	588	381	157	53	5	4	-
WHITE-----MALE----	101	142	219	326	387	298	189	70	21	2	2	-
FEMALE--	77	97	159	195	242	200	136	58	21	2	2	-
ALL OTHER--MALE----	39	51	81	94	94	63	31	21	7	-	-	-
FEMALE--	11	19	24	47	52	27	25	8	4	1	-	-
BLACK---MALE----	38	49	78	90	89	61	30	20	7	-	-	-
FEMALE--	11	19	24	45	51	26	24	6	4	1	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 649
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
0 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 OF LARYNX (161)

0	CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0	UNITED STATES --	272	412	578	649	654	524	337	166	57	16	2	-
	WHITE-----MALE----	161	251	340	405	417	346	227	110	46	10	2	-
	FEMALE--	34	51	97	114	126	108	75	40	8	4	-	-
	ALL OTHER--MALE----	61	94	121	100	91	60	31	15	1	2	-	-
	FEMALE--	16	16	20	30	20	10	4	1	2	-	-	-
	BLACK---MALE----	58	93	118	95	89	53	30	13	1	2	-	-
	FEMALE--	16	16	19	30	20	10	4	1	2	-	-	-
	ALABAMA -----	4	4	8	6	14	7	9	2	2	1	-	-
	WHITE-----MALE----	1	2	5	5	6	4	6	2	1	1	-	-
	FEMALE--	1	-	1	-	1	2	1	-	-	-	-	-
	ALL OTHER--MALE----	1	2	1	1	6	1	2	-	1	-	-	-
	FEMALE--	1	-	1	-	1	-	-	-	-	-	-	-
	BLACK---MALE----	1	2	1	1	6	1	2	-	1	-	-	-
	FEMALE--	1	-	1	-	1	-	-	-	-	-	-	-
	ALASKA -----	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
	BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
	ARIZONA -----	8	6	6	6	8	8	4	4	1	-	-	-
	WHITE-----MALE----	6	5	4	5	5	5	4	1	1	-	-	-
	FEMALE--	1	1	2	1	3	3	-	2	-	-	-	-
	ALL OTHER--MALE----	1	-	-	-	-	-	-	1	-	-	-	-
	FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
	BLACK---MALE----	1	-	-	-	-	-	-	1	-	-	-	-
	FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
	ARKANSAS -----	4	8	5	9	4	5	3	-	-	-	-	-
	WHITE-----MALE----	2	5	5	6	1	2	3	-	-	-	-	-
	FEMALE--	1	-	-	-	2	1	-	-	-	-	-	-
	ALL OTHER--MALE----	1	3	-	2	-	2	-	-	-	-	-	-
	FEMALE--	-	-	-	1	1	-	-	-	-	-	-	-
	BLACK---MALE----	1	3	-	2	-	2	-	-	-	-	-	-
	FEMALE--	-	-	-	1	1	-	-	-	-	-	-	-
	CALIFORNIA -----	13	33	45	42	61	51	24	17	4	1	-	-
	WHITE-----MALE----	4	20	29	33	33	32	18	8	3	1	-	-
	FEMALE--	5	4	4	3	18	12	4	6	1	-	-	-
	ALL OTHER--MALE----	4	9	11	4	8	6	1	3	-	-	-	-
	FEMALE--	-	-	1	2	2	1	1	-	-	-	-	-
	BLACK---MALE----	3	9	9	4	7	3	1	2	-	-	-	-
	FEMALE--	-	-	1	2	2	1	1	-	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 651
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
0 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 OF LARYNX (161)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
HAWAII -----	3	2	-	-	-	1	-	-	-	-	-	-
WHITE-----MALE----	2	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	-	1	3	3	2	1	-	-	-	-	-	-
WHITE-----MALE----	-	-	3	2	1	1	-	-	-	-	-	-
FEMALE--	-	1	-	1	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	15	25	40	34	33	26	16	7	1	-	-	-
WHITE-----MALE----	12	14	19	14	19	15	11	4	1	-	-	-
FEMALE--	-	3	5	6	5	6	5	2	-	-	-	-
ALL OTHER--MALE----	3	7	14	9	6	3	-	1	-	-	-	-
FEMALE--	-	1	2	5	3	2	-	-	-	-	-	-
BLACK---MALE----	3	7	14	9	6	3	-	1	-	-	-	-
FEMALE--	-	1	2	5	3	2	-	-	-	-	-	-
INDIANA -----	3	7	13	12	13	7	9	9	1	1	-	-
WHITE-----MALE----	3	3	9	10	8	6	5	6	1	-	-	-
FEMALE--	-	3	2	2	3	-	3	3	-	1	-	-
ALL OTHER--MALE----	-	1	2	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	2	1	-	-	-	-	-	-
BLACK---MALE----	-	1	2	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	2	1	-	-	-	-	-	-
IOWA -----	1	2	4	14	7	10	5	2	3	-	-	-
WHITE-----MALE----	1	1	1	11	6	8	3	2	3	-	-	-
FEMALE--	-	1	2	3	-	2	2	-	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
KANSAS -----	2	5	5	4	8	5	3	3	2	1	-	-
WHITE-----MALE----	1	4	2	3	6	3	1	2	2	1	-	-
FEMALE--	1	1	2	-	1	2	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	1	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	1	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 655
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
0 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 OF LARYNX (161)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
OHIO -----	12	19	33	35	39	41	15	5	5	-	-	-
WHITE-----MALE----	8	16	20	21	27	25	13	4	5	-	-	-
FEMALE--	-	1	4	6	8	10	2	1	-	-	-	-
ALL OTHER--MALE----	2	1	6	4	4	2	-	-	-	-	-	-
FEMALE--	2	1	3	4	-	4	-	-	-	-	-	-
BLACK---MALE----	2	1	6	4	4	2	-	-	-	-	-	-
FEMALE--	2	1	3	4	-	4	-	-	-	-	-	-
OKLAHOMA -----	1	5	5	5	8	5	3	-	-	-	-	-
WHITE-----MALE----	1	4	4	5	6	3	3	-	-	-	-	-
FEMALE--	-	1	1	-	2	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	2	5	3	7	10	3	2	1	1	-	-	-
WHITE-----MALE----	1	3	3	3	7	2	2	1	-	-	-	-
FEMALE--	1	2	-	2	3	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	2	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	9	20	27	30	32	34	21	15	3	1	-	-
WHITE-----MALE----	7	10	14	14	25	22	11	11	3	1	-	-
FEMALE--	1	3	5	7	2	7	5	3	-	-	-	-
ALL OTHER--MALE----	-	4	8	7	4	4	4	1	-	-	-	-
FEMALE--	1	3	-	2	1	1	1	-	-	-	-	-
BLACK---MALE----	-	4	8	7	4	4	4	1	-	-	-	-
FEMALE--	1	3	-	2	1	1	1	-	-	-	-	-
RHODE ISLAND -----	2	1	6	4	1	4	1	1	1	-	-	-
WHITE-----MALE----	-	1	6	2	1	3	1	1	-	-	-	-
FEMALE--	1	-	-	2	-	1	-	-	1	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	8	14	18	7	10	5	5	3	1	-	-	-
WHITE-----MALE----	2	6	9	5	7	3	3	3	1	-	-	-
FEMALE--	1	3	2	1	2	-	2	-	-	-	-	-
ALL OTHER--MALE----	4	5	7	1	-	2	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	4	5	7	1	-	2	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 656
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
0 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 OF LARYNX (161)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
SOUTH DAKOTA -----	-	1	1	1	2	2	2	1	-	-	-	-
WHITE-----MALE----	-	1	1	-	1	2	1	1	-	-	-	-
FEMALE--	-	-	-	1	1	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	10	9	20	19	12	8	10	5	-	1	-	-
WHITE-----MALE----	7	7	13	13	8	3	7	3	-	-	-	-
FEMALE--	-	1	3	1	-	2	1	-	-	-	-	-
ALL OTHER--MALE----	3	1	4	3	3	3	2	1	-	1	-	-
FEMALE--	-	-	-	2	1	-	-	1	-	-	-	-
BLACK---MALE----	3	1	4	3	3	3	2	1	-	1	-	-
FEMALE--	-	-	-	2	1	-	-	1	-	-	-	-
TEXAS -----	10	26	39	35	39	26	16	8	3	1	-	-
WHITE-----MALE----	8	16	25	25	22	18	14	6	3	-	-	-
FEMALE--	-	2	6	5	7	4	2	1	-	1	-	-
ALL OTHER--MALE----	-	7	8	4	9	4	-	1	-	-	-	-
FEMALE--	2	1	-	1	1	-	-	-	-	-	-	-
BLACK---MALE----	-	7	8	4	9	3	-	1	-	-	-	-
FEMALE--	2	1	-	1	1	-	-	-	-	-	-	-
UTAH -----	-	-	1	1	-	1	-	-	-	-	-	-
WHITE-----MALE----	-	-	1	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	1	1	1	1	-	1	-	-	-	-	-	-
WHITE-----MALE----	1	1	1	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	9	12	16	22	19	13	4	4	1	-	2	-
WHITE-----MALE----	4	8	7	9	6	9	2	2	1	-	2	-
FEMALE--	1	2	3	4	4	1	2	-	-	-	-	-
ALL OTHER--MALE----	4	-	3	9	6	3	-	2	-	-	-	-
FEMALE--	-	2	3	-	3	-	-	-	-	-	-	-
BLACK---MALE----	4	-	3	9	6	3	-	2	-	-	-	-
FEMALE--	-	2	3	-	3	-	-	-	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 658
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 0 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

0 CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 OF TRACHEA, BRONCHUS, AND LUNG (162)												
0 UNITED STATES --	152,015	1	-	3	3	3	11	40	224	777	1,905	4,146
WHITE-----MALE----	79,809	-	-	2	2	-	5	16	105	322	849	1,953
FEMALE--	54,246	1	-	1	1	1	4	14	81	274	611	1,335
ALL OTHER--MALE----	11,811	-	-	-	-	-	2	6	21	118	278	572
FEMALE--	6,149	-	-	-	-	2	-	4	17	63	167	286
BLACK---MALE----	10,463	-	-	-	-	-	2	5	18	107	258	523
FEMALE--	5,372	-	-	-	-	2	-	3	13	59	151	247
ALABAMA -----	2,777	-	-	-	-	-	-	1	5	14	25	63
WHITE-----MALE----	1,444	-	-	-	-	-	-	-	2	8	8	25
FEMALE--	835	-	-	-	-	-	-	-	2	3	6	22
ALL OTHER--MALE----	348	-	-	-	-	-	-	1	-	3	8	10
FEMALE--	150	-	-	-	-	-	-	-	1	-	3	6
BLACK---MALE----	346	-	-	-	-	-	-	1	-	3	8	10
FEMALE--	150	-	-	-	-	-	-	-	1	-	3	6
ALASKA -----	182	-	-	-	-	-	-	-	1	2	3	7
WHITE-----MALE----	80	-	-	-	-	-	-	-	1	1	1	1
FEMALE--	59	-	-	-	-	-	-	-	-	1	-	4
ALL OTHER--MALE----	28	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	15	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	2,352	-	-	-	-	-	-	-	4	4	21	47
WHITE-----MALE----	1,359	-	-	-	-	-	-	-	3	3	11	32
FEMALE--	920	-	-	-	-	-	-	-	-	1	8	12
ALL OTHER--MALE----	48	-	-	-	-	-	-	-	1	-	1	1
FEMALE--	25	-	-	-	-	-	-	-	-	-	1	2
BLACK---MALE----	35	-	-	-	-	-	-	-	1	-	-	1
FEMALE--	19	-	-	-	-	-	-	-	-	-	1	2
ARKANSAS -----	1,920	-	-	-	-	1	1	-	1	12	28	57
WHITE-----MALE----	1,135	-	-	-	-	-	-	-	-	8	17	29
FEMALE--	587	-	-	-	-	-	1	-	1	3	5	19
ALL OTHER--MALE----	141	-	-	-	-	-	-	-	-	-	4	6
FEMALE--	57	-	-	-	-	1	-	-	-	1	2	3
BLACK---MALE----	140	-	-	-	-	-	-	-	-	-	4	6
FEMALE--	55	-	-	-	-	1	-	-	-	1	2	3
CALIFORNIA -----	13,601	-	-	-	-	-	2	3	24	51	159	341
WHITE-----MALE----	6,458	-	-	-	-	-	1	2	11	22	62	146
FEMALE--	5,372	-	-	-	-	-	-	1	8	15	58	120
ALL OTHER--MALE----	1,139	-	-	-	-	-	1	-	2	10	27	47
FEMALE--	632	-	-	-	-	-	-	-	3	4	12	28
BLACK---MALE----	644	-	-	-	-	-	1	-	1	8	18	32
FEMALE--	367	-	-	-	-	-	-	-	1	2	7	17

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 658												
(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)												
0 CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OF TRACHEA, BRONCHUS, AND LUNG (162)												
0 UNITED STATES --	7,766	11,792	17,838	25,878	29,398	24,752	16,903	7,685	2,374	442	66	8
WHITE-----MALE----	3,871	6,063	9,392	14,070	15,967	13,255	8,903	3,841	1,001	170	20	2
FEMALE--	2,625	3,899	5,926	8,731	10,362	9,161	6,612	3,198	1,144	224	39	2
ALL OTHER--MALE----	855	1,268	1,720	2,034	2,006	1,513	877	395	115	26	2	3
FEMALE--	415	562	800	1,043	1,063	823	511	251	114	22	5	1
BLACK---MALE----	795	1,143	1,546	1,811	1,743	1,315	740	339	94	20	1	3
FEMALE--	369	506	707	933	932	698	422	213	96	16	4	1
ALABAMA -----	152	233	366	546	542	428	246	117	36	3	-	-
WHITE-----MALE----	75	114	204	289	291	229	129	56	13	1	-	-
FEMALE--	48	66	94	163	167	129	79	41	13	2	-	-
ALL OTHER--MALE----	23	39	47	71	53	48	23	17	5	-	-	-
FEMALE--	6	14	21	23	31	22	15	3	5	-	-	-
BLACK---MALE----	23	39	47	70	52	48	23	17	5	-	-	-
FEMALE--	6	14	21	23	31	22	15	3	5	-	-	-
ALASKA -----	11	11	30	37	36	23	18	2	1	-	-	-
WHITE-----MALE----	7	6	12	17	16	11	5	2	-	-	-	-
FEMALE--	3	2	13	10	15	5	5	-	1	-	-	-
ALL OTHER--MALE----	1	1	2	9	5	3	4	-	-	-	-	-
FEMALE--	-	2	3	1	-	4	4	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	1	-	-	-	-	-
ARIZONA -----	102	175	241	408	496	402	293	124	28	7	-	-
WHITE-----MALE----	58	104	149	233	273	240	175	59	17	2	-	-
FEMALE--	37	64	79	159	209	158	116	62	10	5	-	-
ALL OTHER--MALE----	4	5	11	9	11	3	1	1	-	-	-	-
FEMALE--	3	2	2	7	3	1	1	2	1	-	-	-
BLACK---MALE----	3	5	7	7	8	2	-	1	-	-	-	-
FEMALE--	3	2	2	5	2	1	-	-	1	-	-	-
ARKANSAS -----	109	175	226	312	363	324	203	78	19	9	2	-
WHITE-----MALE----	63	91	137	198	205	209	120	45	11	2	-	-
FEMALE--	26	56	60	88	132	93	64	27	6	6	-	-
ALL OTHER--MALE----	17	20	19	18	20	17	13	5	-	1	1	-
FEMALE--	3	8	10	8	6	5	6	1	2	-	1	-
BLACK---MALE----	17	20	19	18	20	16	13	5	-	1	1	-
FEMALE--	3	8	10	8	5	4	6	1	2	-	1	-
CALIFORNIA -----	672	926	1,469	2,171	2,655	2,346	1,703	784	237	52	6	-
WHITE-----MALE----	317	413	679	1,100	1,279	1,141	808	380	81	15	1	-
FEMALE--	245	350	546	791	1,071	956	711	337	132	27	4	-
ALL OTHER--MALE----	71	112	159	176	199	158	122	40	12	3	-	-
FEMALE--	39	51	85	104	106	91	62	27	12	7	1	-
BLACK---MALE----	51	68	102	100	103	84	57	13	5	1	-	-
FEMALE--	27	32	52	74	64	45	27	9	8	2	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 659
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
0 CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
0 OF TRACHEA, BRONCHUS, AND LUNG (162)

STATE	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
COLORADO	1,350	-	-	-	-	-	-	-	1	3	22	31
WHITE	773	-	-	-	-	-	-	-	1	1	9	13
FEMALE	512	-	-	-	-	-	-	-	-	2	9	15
ALL OTHER	38	-	-	-	-	-	-	-	-	-	-	1
FEMALE	27	-	-	-	-	-	-	-	-	-	4	2
BLACK	27	-	-	-	-	-	-	-	-	-	-	1
FEMALE	18	-	-	-	-	-	-	-	-	-	3	1
CONNECTICUT	1,892	-	-	-	-	-	-	1	3	12	20	39
WHITE	992	-	-	-	-	-	-	1	2	3	8	20
FEMALE	797	-	-	-	-	-	-	-	-	5	10	16
ALL OTHER	67	-	-	-	-	-	-	-	-	2	2	2
FEMALE	36	-	-	-	-	-	-	-	1	2	-	1
BLACK	61	-	-	-	-	-	-	-	-	1	2	2
FEMALE	34	-	-	-	-	-	-	-	1	2	-	1
DELAWARE	513	-	-	-	-	-	-	-	-	5	6	19
WHITE	248	-	-	-	-	-	-	-	-	2	2	6
FEMALE	181	-	-	-	-	-	-	-	-	2	4	9
ALL OTHER	46	-	-	-	-	-	-	-	-	1	-	3
FEMALE	38	-	-	-	-	-	-	-	-	-	-	1
BLACK	44	-	-	-	-	-	-	-	-	1	-	3
FEMALE	36	-	-	-	-	-	-	-	-	-	-	1
DISTRICT OF COLUMBIA	314	-	-	-	-	-	-	-	-	2	6	14
WHITE	36	-	-	-	-	-	-	-	-	-	1	2
FEMALE	30	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER	158	-	-	-	-	-	-	-	-	1	4	7
FEMALE	90	-	-	-	-	-	-	-	-	1	1	5
BLACK	158	-	-	-	-	-	-	-	-	1	4	7
FEMALE	90	-	-	-	-	-	-	-	-	1	1	5
FLORIDA	11,289	-	-	-	-	-	1	2	12	45	134	253
WHITE	6,228	-	-	-	-	-	1	-	4	19	67	144
FEMALE	4,221	-	-	-	-	-	-	-	6	15	35	76
ALL OTHER	567	-	-	-	-	-	-	-	1	9	22	25
FEMALE	273	-	-	-	-	-	-	2	1	2	10	8
BLACK	548	-	-	-	-	-	-	-	1	9	22	23
FEMALE	257	-	-	-	-	-	-	1	1	2	10	7
GEORGIA	3,696	-	-	-	-	-	1	2	7	33	73	149
WHITE	1,911	-	-	-	-	-	1	-	3	15	27	64
FEMALE	1,065	-	-	-	-	-	-	-	3	8	19	37
ALL OTHER	511	-	-	-	-	-	-	-	1	7	15	37
FEMALE	209	-	-	-	-	-	-	1	-	3	12	11
BLACK	504	-	-	-	-	-	-	-	1	7	15	37
FEMALE	204	-	-	-	-	-	-	1	-	3	12	11

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 659
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 0 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
 0 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 0 OF TRACHEA, BRONCHUS, AND LUNG (162)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
COLORADO -----	69	88	163	226	271	222	156	73	21	4	-	-
WHITE-----MALE----	40	45	96	139	165	127	86	37	12	2	-	-
FEMALE--	26	35	58	79	98	82	66	32	8	2	-	-
ALL OTHER--MALE----	2	4	8	5	3	9	2	3	1	-	-	-
FEMALE--	1	4	1	3	5	4	2	1	-	-	-	-
BLACK---MALE----	2	2	7	5	3	5	-	2	-	-	-	-
FEMALE--	1	3	1	2	4	2	1	-	-	-	-	-
CONNECTICUT -----	102	138	196	273	352	334	271	116	28	5	2	-
WHITE-----MALE----	47	76	103	135	207	175	145	58	9	3	-	-
FEMALE--	43	51	79	124	128	147	118	55	17	2	2	-
ALL OTHER--MALE----	8	8	12	11	10	5	5	1	1	-	-	-
FEMALE--	4	3	2	3	7	7	3	2	1	-	-	-
BLACK---MALE----	7	8	10	11	8	5	5	1	1	-	-	-
FEMALE--	4	3	2	3	7	7	2	2	-	-	-	-
DELAWARE -----	24	31	73	106	97	71	48	24	7	2	-	-
WHITE-----MALE----	13	13	41	50	52	27	25	12	4	1	-	-
FEMALE--	7	12	24	29	31	32	17	10	3	1	-	-
ALL OTHER--MALE----	1	2	4	15	6	7	5	2	-	-	-	-
FEMALE--	3	4	4	12	8	5	1	-	-	-	-	-
BLACK---MALE----	1	2	4	15	6	7	4	1	-	-	-	-
FEMALE--	3	4	4	11	8	5	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	13	28	40	47	56	52	34	15	7	-	-	-
WHITE-----MALE----	-	3	4	5	6	11	2	2	-	-	-	-
FEMALE--	1	4	1	6	1	7	6	2	2	-	-	-
ALL OTHER--MALE----	9	13	23	26	34	18	14	7	2	-	-	-
FEMALE--	3	8	12	10	15	16	12	4	3	-	-	-
BLACK---MALE----	9	13	23	26	34	18	14	7	2	-	-	-
FEMALE--	3	8	12	10	15	16	12	4	3	-	-	-
FLORIDA -----	495	773	1,196	1,862	2,226	1,902	1,423	685	227	43	9	1
WHITE-----MALE----	261	436	664	1,034	1,261	1,054	786	377	97	19	4	-
FEMALE--	161	260	395	690	835	741	577	281	123	21	5	-
ALL OTHER--MALE----	54	54	87	99	89	69	37	15	4	2	-	-
FEMALE--	19	23	50	39	41	38	23	12	3	1	-	1
BLACK---MALE----	51	53	83	97	86	66	37	14	4	2	-	-
FEMALE--	18	22	49	36	40	35	21	12	1	1	-	1
GEORGIA -----	245	352	523	648	667	500	303	138	43	7	5	-
WHITE-----MALE----	121	172	275	381	351	265	149	66	16	3	2	-
FEMALE--	66	97	146	169	196	154	100	44	20	2	3	-
ALL OTHER--MALE----	39	56	77	62	86	63	41	21	4	2	-	-
FEMALE--	19	27	25	36	34	18	13	7	3	-	-	-
BLACK---MALE----	39	54	76	60	84	63	41	21	4	2	-	-
FEMALE--	19	25	24	34	34	18	13	7	3	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 660
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
0 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 OF TRACHEA, BRONCHUS, AND LUNG (162)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
HAWAII -----	16	32	55	76	100	80	51	15	15	2	-	-
WHITE-----MALE----	-	9	7	16	22	10	8	3	2	-	-	-
FEMALE--	3	4	6	11	10	11	10	3	1	-	-	-
ALL OTHER--MALE----	7	14	29	30	46	42	20	5	6	2	-	-
FEMALE--	6	5	13	19	22	17	13	4	6	-	-	-
BLACK---MALE----	-	-	-	-	2	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
IDAHO -----	20	39	50	77	100	95	58	30	4	-	-	-
WHITE-----MALE----	13	20	33	48	59	54	34	16	2	-	-	-
FEMALE--	6	19	17	28	41	41	24	13	2	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	1	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	354	530	812	1,159	1,310	1,129	756	353	107	22	3	1
WHITE-----MALE----	148	248	372	607	682	565	395	165	43	7	1	-
FEMALE--	122	168	277	350	423	408	290	140	55	14	2	1
ALL OTHER--MALE----	61	77	106	122	124	101	45	29	4	-	-	-
FEMALE--	23	37	57	80	81	55	26	19	5	1	-	-
BLACK---MALE----	58	76	101	119	117	97	39	29	4	-	-	-
FEMALE--	22	37	55	77	78	52	23	18	5	1	-	-
INDIANA -----	212	308	429	689	754	564	390	176	51	7	1	-
WHITE-----MALE----	123	170	252	419	439	333	203	94	21	2	-	-
FEMALE--	71	114	143	231	263	198	159	67	26	5	1	-
ALL OTHER--MALE----	13	20	18	22	31	22	15	9	3	-	-	-
FEMALE--	5	4	16	17	21	11	13	6	1	-	-	-
BLACK---MALE----	13	20	18	21	30	21	14	9	3	-	-	-
FEMALE--	4	3	16	16	21	10	13	6	1	-	-	-
IOWA -----	57	125	185	269	332	298	252	102	36	5	-	-
WHITE-----MALE----	30	82	109	178	206	179	150	64	20	2	-	-
FEMALE--	25	40	73	87	121	118	99	37	16	3	-	-
ALL OTHER--MALE----	1	2	3	3	3	1	3	1	-	-	-	-
FEMALE--	1	1	-	1	2	-	-	-	-	-	-	-
BLACK---MALE----	1	2	3	2	2	-	3	1	-	-	-	-
FEMALE--	1	1	-	1	1	-	-	-	-	-	-	-
KANSAS -----	55	110	158	263	314	253	168	75	32	8	1	-
WHITE-----MALE----	30	60	93	136	187	157	100	32	15	4	-	-
FEMALE--	24	38	55	109	112	92	62	41	15	4	1	-
ALL OTHER--MALE----	1	7	7	14	13	1	2	-	-	-	-	-
FEMALE--	-	5	3	4	2	3	4	2	2	-	-	-
BLACK---MALE----	1	7	5	11	12	1	2	-	-	-	-	-
FEMALE--	-	4	3	3	2	3	2	2	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 661
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
0 CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
0 OF TRACHEA, BRONCHUS, AND LUNG (162)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
KENTUCKY -----	3,084	-	-	-	-	-	-	1	5	24	42	93
WHITE-----MALE----	1,816	-	-	-	-	-	-	1	2	13	20	57
FEMALE--	1,069	-	-	-	-	-	-	-	3	8	18	30
ALL OTHER--MALE----	123	-	-	-	-	-	-	-	-	2	2	2
FEMALE--	76	-	-	-	-	-	-	-	-	1	2	4
BLACK---MALE----	120	-	-	-	-	-	-	-	-	2	2	2
FEMALE--	74	-	-	-	-	-	-	-	-	1	2	4
LOUISIANA -----	2,744	-	-	-	-	-	-	1	1	15	42	90
WHITE-----MALE----	1,256	-	-	-	-	-	-	-	-	9	13	38
FEMALE--	736	-	-	-	-	-	-	1	-	4	7	15
ALL OTHER--MALE----	505	-	-	-	-	-	-	-	1	-	14	27
FEMALE--	247	-	-	-	-	-	-	-	-	2	8	10
BLACK---MALE----	499	-	-	-	-	-	-	-	1	-	14	27
FEMALE--	245	-	-	-	-	-	-	-	-	2	8	10
MAINE -----	887	-	-	1	-	-	-	1	1	7	9	19
WHITE-----MALE----	504	-	-	-	-	-	-	-	-	4	5	15
FEMALE--	382	-	-	1	-	-	-	1	1	3	4	4
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	2,969	-	-	-	-	-	-	2	6	13	35	99
WHITE-----MALE----	1,285	-	-	-	-	-	-	1	5	2	13	36
FEMALE--	993	-	-	-	-	-	-	-	-	4	10	23
ALL OTHER--MALE----	455	-	-	-	-	-	-	-	1	4	7	25
FEMALE--	236	-	-	-	-	-	-	1	-	3	5	15
BLACK---MALE----	441	-	-	-	-	-	-	-	1	4	7	25
FEMALE--	224	-	-	-	-	-	-	1	-	2	5	15
MASSACHUSETTS -----	3,692	-	-	-	-	-	-	-	7	18	43	96
WHITE-----MALE----	1,973	-	-	-	-	-	-	-	3	9	17	49
FEMALE--	1,582	-	-	-	-	-	-	-	4	6	25	36
ALL OTHER--MALE----	77	-	-	-	-	-	-	-	-	2	1	6
FEMALE--	60	-	-	-	-	-	-	-	-	1	-	5
BLACK---MALE----	51	-	-	-	-	-	-	-	-	2	-	3
FEMALE--	51	-	-	-	-	-	-	-	-	1	-	4
MICHIGAN -----	5,658	1	-	-	-	-	-	1	6	36	85	175
WHITE-----MALE----	2,874	-	-	-	-	-	-	-	3	14	41	58
FEMALE--	1,958	1	-	-	-	-	-	1	3	16	24	66
ALL OTHER--MALE----	528	-	-	-	-	-	-	-	-	1	17	29
FEMALE--	298	-	-	-	-	-	-	-	-	5	3	22
BLACK---MALE----	500	-	-	-	-	-	-	-	-	1	17	29
FEMALE--	280	-	-	-	-	-	-	-	-	5	3	20

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 661
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
0 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 OF TRACHEA, BRONCHUS, AND LUNG (162)

KENTUCKY -----	184	304	437	552	572	426	299	110	29	6	-	-
WHITE-----MALE----	98	180	280	317	340	253	167	70	15	3	-	-
FEMALE--	71	110	125	197	203	145	109	37	11	2	-	-
ALL OTHER--MALE----	10	9	24	21	14	19	16	3	-	1	-	-
FEMALE--	5	5	8	17	15	9	7	-	3	-	-	-
BLACK---MALE----	9	9	23	20	14	19	16	3	-	1	-	-
FEMALE--	5	5	7	17	15	8	7	-	3	-	-	-
LOUISIANA -----	171	232	340	486	508	417	253	136	41	10	1	-
WHITE-----MALE----	80	109	157	234	239	194	110	52	18	3	-	-
FEMALE--	43	65	73	122	145	120	83	44	11	3	-	-
ALL OTHER--MALE----	28	41	75	90	87	71	38	24	6	2	1	-
FEMALE--	20	17	35	40	37	32	22	16	6	2	-	-
BLACK---MALE----	28	40	73	89	87	71	38	24	5	2	-	-
FEMALE--	20	17	34	40	36	32	22	16	6	2	-	-
MAINE -----	32	59	92	170	179	150	95	57	13	2	-	-
WHITE-----MALE----	15	39	56	95	101	89	46	35	4	-	-	-
FEMALE--	17	20	36	75	78	61	49	21	9	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	157	246	352	512	552	498	302	143	41	9	1	1
WHITE-----MALE----	53	110	156	217	255	224	131	64	16	2	-	-
FEMALE--	44	55	107	166	188	189	124	59	18	4	1	1
ALL OTHER--MALE----	44	53	64	87	65	57	28	13	5	2	-	-
FEMALE--	16	28	25	42	44	28	19	7	2	1	-	-
BLACK---MALE----	44	50	62	85	62	55	26	13	5	2	-	-
FEMALE--	16	27	22	41	39	27	19	7	2	1	-	-
MASSACHUSETTS -----	174	277	374	547	721	648	476	235	60	13	3	-
WHITE-----MALE----	86	153	199	297	422	344	232	116	35	10	1	-
FEMALE--	77	112	159	227	276	287	232	113	24	2	2	-
ALL OTHER--MALE----	7	6	8	12	16	9	6	3	-	1	-	-
FEMALE--	4	6	8	11	7	8	6	3	1	-	-	-
BLACK---MALE----	6	3	7	8	9	7	3	3	-	-	-	-
FEMALE--	3	6	7	11	4	8	4	2	1	-	-	-
MICHIGAN -----	319	483	666	1,024	1,044	882	596	238	81	18	3	-
WHITE-----MALE----	144	244	349	512	569	447	324	123	36	8	2	-
FEMALE--	108	150	210	364	335	331	214	88	37	10	-	-
ALL OTHER--MALE----	43	66	70	89	87	66	40	16	4	-	-	-
FEMALE--	24	23	37	59	53	38	18	11	4	-	1	-
BLACK---MALE----	43	60	68	85	81	62	36	15	3	-	-	-
FEMALE--	22	23	36	55	50	34	17	11	3	-	1	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 662
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
0 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 OF TRACHEA, BRONCHUS, AND LUNG (162)

	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
MINNESOTA -----	101	177	227	348	409	323	259	126	42	10	1	-
WHITE-----MALE----	57	89	119	209	243	195	149	62	19	4	-	-
FEMALE--	35	83	101	126	159	121	103	62	23	6	1	-
ALL OTHER--MALE----	4	2	4	9	6	4	4	2	-	-	-	-
FEMALE--	5	3	3	4	1	3	3	-	-	-	-	-
BLACK---MALE----	3	-	4	5	4	2	2	1	-	-	-	-
FEMALE--	3	1	3	2	1	3	1	-	-	-	-	-
MISSISSIPPI -----	91	139	230	296	353	254	168	96	24	3	-	-
WHITE-----MALE----	40	61	106	148	195	128	84	40	5	1	-	-
FEMALE--	21	32	52	80	84	70	44	31	12	1	-	-
ALL OTHER--MALE----	24	34	60	49	50	40	31	15	6	-	-	-
FEMALE--	6	12	12	19	24	16	9	10	1	1	-	-
BLACK---MALE----	24	34	60	48	50	40	30	14	6	-	-	-
FEMALE--	6	12	12	19	24	16	9	10	1	1	-	-
MISSOURI -----	198	272	454	641	678	578	404	190	55	8	3	-
WHITE-----MALE----	100	165	252	385	393	355	224	103	25	5	-	-
FEMALE--	74	71	150	198	234	175	152	78	23	3	3	-
ALL OTHER--MALE----	14	24	36	39	30	27	16	5	5	-	-	-
FEMALE--	10	12	16	19	21	21	12	4	2	-	-	-
BLACK---MALE----	13	22	36	38	28	26	16	5	5	-	-	-
FEMALE--	9	12	14	19	19	20	12	4	2	-	-	-
MONTANA -----	24	26	57	79	86	83	77	32	9	-	-	-
WHITE-----MALE----	13	9	30	49	45	52	49	23	5	-	-	-
FEMALE--	9	15	21	27	36	26	27	9	4	-	-	-
ALL OTHER--MALE----	-	1	3	1	-	2	-	-	-	-	-	-
FEMALE--	2	1	3	2	5	3	1	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
NEBRASKA -----	43	54	102	147	172	149	101	50	19	4	-	-
WHITE-----MALE----	27	32	56	88	117	87	62	24	8	3	-	-
FEMALE--	15	15	41	55	52	59	39	25	11	1	-	-
ALL OTHER--MALE----	1	5	4	2	3	2	-	1	-	-	-	-
FEMALE--	-	2	1	2	-	1	-	-	-	-	-	-
BLACK---MALE----	1	5	3	2	3	2	-	1	-	-	-	-
FEMALE--	-	1	1	2	-	1	-	-	-	-	-	-
NEVADA -----	58	100	146	186	218	144	79	31	9	1	-	-
WHITE-----MALE----	27	51	88	104	113	76	43	17	3	-	-	-
FEMALE--	23	38	47	72	94	59	34	13	2	1	-	-
ALL OTHER--MALE----	4	7	8	7	7	4	2	1	2	-	-	-
FEMALE--	4	4	3	3	4	5	-	-	2	-	-	-
BLACK---MALE----	4	7	6	5	4	4	1	-	1	-	-	-
FEMALE--	3	2	3	3	3	2	-	-	1	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 664
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
0 CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
0 OF TRACHEA, BRONCHUS, AND LUNG (162)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
OHIO -----	7,331	-	-	-	-	1	1	3	10	34	74	205
WHITE-----MALE----	3,814	-	-	-	-	-	-	1	4	19	32	98
FEMALE--	2,692	-	-	-	-	1	-	2	3	8	29	73
ALL OTHER--MALE----	530	-	-	-	-	-	1	-	2	3	3	23
FEMALE--	295	-	-	-	-	-	-	-	1	4	10	11
BLACK---MALE----	523	-	-	-	-	-	1	-	2	3	3	23
FEMALE--	291	-	-	-	-	-	-	-	1	4	10	10
OKLAHOMA -----	2,241	-	-	1	-	-	-	-	2	8	27	67
WHITE-----MALE----	1,311	-	-	1	-	-	-	-	1	5	16	37
FEMALE--	753	-	-	-	-	-	-	-	-	2	8	24
ALL OTHER--MALE----	113	-	-	-	-	-	-	-	-	1	2	3
FEMALE--	64	-	-	-	-	-	-	-	1	-	1	3
BLACK---MALE----	70	-	-	-	-	-	-	-	-	-	2	3
FEMALE--	39	-	-	-	-	-	-	-	-	-	1	2
OREGON -----	1,943	-	-	-	-	-	-	-	4	5	17	40
WHITE-----MALE----	1,098	-	-	-	-	-	-	-	4	5	10	19
FEMALE--	791	-	-	-	-	-	-	-	-	-	7	17
ALL OTHER--MALE----	29	-	-	-	-	-	-	-	-	-	-	3
FEMALE--	25	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	17	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	8,159	-	-	-	1	-	-	2	7	30	88	199
WHITE-----MALE----	4,491	-	-	-	-	-	-	-	3	12	36	101
FEMALE--	2,850	-	-	-	1	-	-	1	3	12	30	61
ALL OTHER--MALE----	512	-	-	-	-	-	-	1	-	4	8	26
FEMALE--	306	-	-	-	-	-	-	-	1	2	14	11
BLACK---MALE----	493	-	-	-	-	-	-	-	-	3	8	24
FEMALE--	297	-	-	-	-	-	-	-	1	2	13	11
RHODE ISLAND -----	715	-	-	-	-	-	-	-	2	3	6	26
WHITE-----MALE----	399	-	-	-	-	-	-	-	-	2	3	11
FEMALE--	289	-	-	-	-	-	-	-	2	-	2	15
ALL OTHER--MALE----	14	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	13	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	9	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	11	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	2,221	-	-	-	-	-	-	-	5	16	33	75
WHITE-----MALE----	1,077	-	-	-	-	-	-	-	1	8	13	26
FEMALE--	631	-	-	-	-	-	-	-	2	3	2	15
ALL OTHER--MALE----	365	-	-	-	-	-	-	-	1	3	10	28
FEMALE--	148	-	-	-	-	-	-	-	1	2	8	6
BLACK---MALE----	362	-	-	-	-	-	-	-	1	3	10	28
FEMALE--	147	-	-	-	-	-	-	-	1	2	8	6

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 664
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
0 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 OF TRACHEA, BRONCHUS, AND LUNG (162)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
OHIO -----	367	546	874	1,301	1,463	1,170	788	367	101	20	6	-
WHITE-----MALE----	203	273	469	701	782	599	409	174	41	8	1	-
FEMALE--	112	202	303	455	510	470	309	149	52	9	5	-
ALL OTHER--MALE----	28	52	65	88	119	65	47	27	5	2	-	-
FEMALE--	24	19	37	57	52	36	23	17	3	1	-	-
BLACK---MALE----	28	51	64	87	117	64	46	27	5	2	-	-
FEMALE--	24	19	36	57	52	35	22	17	3	1	-	-
OKLAHOMA -----	101	177	289	403	405	371	238	103	44	4	-	1
WHITE-----MALE----	60	92	177	236	240	225	144	53	21	2	-	1
FEMALE--	37	61	86	131	139	124	77	41	21	2	-	-
ALL OTHER--MALE----	3	16	14	23	21	14	10	4	2	-	-	-
FEMALE--	1	8	12	13	5	8	7	5	-	-	-	-
BLACK---MALE----	2	10	7	10	13	11	6	4	2	-	-	-
FEMALE--	-	5	8	10	4	3	4	2	-	-	-	-
OREGON -----	80	159	224	337	350	316	271	101	36	3	-	-
WHITE-----MALE----	42	81	124	202	196	183	162	53	16	1	-	-
FEMALE--	35	69	94	126	143	129	105	47	17	2	-	-
ALL OTHER--MALE----	3	4	3	6	4	2	1	1	2	-	-	-
FEMALE--	-	5	3	3	7	2	3	-	1	-	-	-
BLACK---MALE----	-	3	3	3	2	2	-	-	2	-	-	-
FEMALE--	-	1	-	-	5	1	1	-	1	-	-	-
PENNSYLVANIA -----	331	596	826	1,415	1,682	1,455	961	427	116	20	3	-
WHITE-----MALE----	181	300	474	805	977	812	511	221	51	6	1	-
FEMALE--	100	204	244	462	568	527	382	185	57	12	1	-
ALL OTHER--MALE----	24	62	77	97	82	71	42	12	5	1	-	-
FEMALE--	26	30	31	51	55	45	26	9	3	1	1	-
BLACK---MALE----	23	61	75	93	80	69	40	11	5	1	-	-
FEMALE--	26	30	30	49	54	43	25	9	3	-	1	-
RHODE ISLAND -----	41	40	61	109	161	104	97	47	12	5	1	-
WHITE-----MALE----	19	24	29	68	96	55	59	24	7	2	-	-
FEMALE--	20	13	28	35	59	48	36	22	5	3	1	-
ALL OTHER--MALE----	2	1	3	4	2	-	-	-	-	-	-	-
FEMALE--	-	2	1	2	4	1	2	1	-	-	-	-
BLACK---MALE----	1	1	2	3	1	-	-	-	-	-	-	-
FEMALE--	-	2	1	1	3	1	2	1	-	-	-	-
SOUTH CAROLINA -----	137	207	280	384	446	346	185	78	25	4	-	-
WHITE-----MALE----	57	91	139	186	237	180	90	40	8	1	-	-
FEMALE--	44	62	73	103	128	97	62	25	15	-	-	-
ALL OTHER--MALE----	28	37	50	69	60	47	21	9	1	1	-	-
FEMALE--	8	17	18	26	21	22	12	4	1	2	-	-
BLACK---MALE----	28	35	50	69	60	46	21	9	1	1	-	-
FEMALE--	8	17	18	26	20	22	12	4	1	2	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 665
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
0 CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
0 OF TRACHEA, BRONCHUS, AND LUNG (162)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
SOUTH DAKOTA -----	423	-	-	-	-	-	-	-	-	2	2	7
WHITE-----MALE----	259	-	-	-	-	-	-	-	-	-	1	4
FEMALE--	138	-	-	-	-	-	-	-	-	2	1	2
ALL OTHER--MALE----	19	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	3,730	-	-	-	-	-	-	2	6	24	53	117
WHITE-----MALE----	2,122	-	-	-	-	-	-	1	3	9	30	64
FEMALE--	1,127	-	-	-	-	-	-	-	3	11	14	36
ALL OTHER--MALE----	337	-	-	-	-	-	-	1	-	1	7	14
FEMALE--	144	-	-	-	-	-	-	-	-	3	2	3
BLACK---MALE----	335	-	-	-	-	-	-	1	-	1	7	14
FEMALE--	142	-	-	-	-	-	-	-	-	3	2	3
TEXAS -----	9,357	-	-	-	1	-	1	4	9	38	139	255
WHITE-----MALE----	4,985	-	-	-	1	-	-	3	4	13	66	135
FEMALE--	3,253	-	-	-	-	-	1	1	2	14	46	74
ALL OTHER--MALE----	759	-	-	-	-	-	-	-	2	8	15	31
FEMALE--	360	-	-	-	-	-	-	-	1	3	12	15
BLACK---MALE----	739	-	-	-	-	-	-	-	2	7	14	30
FEMALE--	338	-	-	-	-	-	-	-	1	3	11	13
UTAH -----	377	-	-	-	-	-	-	1	1	3	4	8
WHITE-----MALE----	222	-	-	-	-	-	-	-	1	2	2	6
FEMALE--	144	-	-	-	-	-	-	1	-	1	1	2
ALL OTHER--MALE----	7	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	316	-	-	-	-	-	-	-	3	3	7	8
WHITE-----MALE----	186	-	-	-	-	-	-	-	2	1	4	5
FEMALE--	129	-	-	-	-	-	-	-	1	2	3	3
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	3,706	-	-	-	-	-	-	-	6	22	55	107
WHITE-----MALE----	1,764	-	-	-	-	-	-	-	2	4	19	44
FEMALE--	1,226	-	-	-	-	-	-	-	3	10	21	26
ALL OTHER--MALE----	486	-	-	-	-	-	-	-	-	6	11	18
FEMALE--	230	-	-	-	-	-	-	-	1	2	4	19
BLACK---MALE----	464	-	-	-	-	-	-	-	-	6	10	16
FEMALE--	220	-	-	-	-	-	-	-	1	2	4	16

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 665
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
0 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 OF TRACHEA, BRONCHUS, AND LUNG (162)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
SOUTH DAKOTA -----	24	31	47	63	86	73	49	28	8	3	-	-
WHITE-----MALE----	14	16	27	40	59	45	30	17	5	1	-	-
FEMALE--	7	12	13	21	22	24	19	10	3	2	-	-
ALL OTHER--MALE----	2	3	5	2	4	1	-	1	-	-	-	-
FEMALE--	1	-	2	-	1	3	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	210	365	512	673	685	557	319	140	56	10	-	1
WHITE-----MALE----	113	227	287	396	407	314	182	63	20	6	-	-
FEMALE--	67	89	157	180	198	178	105	58	29	2	-	-
ALL OTHER--MALE----	20	35	51	75	51	45	21	11	3	1	-	1
FEMALE--	10	14	17	22	29	20	11	8	4	1	-	-
BLACK---MALE----	20	35	50	75	51	44	21	11	3	1	-	1
FEMALE--	10	14	16	22	28	20	11	8	4	1	-	-
TEXAS -----	515	756	1,179	1,654	1,813	1,475	938	407	144	25	3	1
WHITE-----MALE----	266	410	614	910	1,000	810	479	198	63	10	2	1
FEMALE--	165	222	399	541	629	532	381	166	68	11	1	-
ALL OTHER--MALE----	61	90	112	141	130	91	48	22	5	3	-	-
FEMALE--	23	34	54	62	54	42	30	21	8	1	-	-
BLACK---MALE----	61	86	111	139	127	86	48	21	4	3	-	-
FEMALE--	23	32	52	57	49	39	28	21	8	1	-	-
UTAH -----	24	23	54	57	71	67	39	16	9	-	-	-
WHITE-----MALE----	13	14	32	38	40	38	22	10	4	-	-	-
FEMALE--	9	9	22	19	28	25	17	5	5	-	-	-
ALL OTHER--MALE----	1	-	-	-	2	3	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	1	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	2	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
VERMONT -----	17	20	34	56	59	49	35	20	5	-	-	-
WHITE-----MALE----	10	15	21	33	32	34	17	11	1	-	-	-
FEMALE--	7	5	12	23	27	15	18	9	4	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	217	294	466	633	751	574	371	152	51	5	2	-
WHITE-----MALE----	96	134	211	314	378	288	184	68	20	2	-	-
FEMALE--	76	93	156	189	238	199	133	58	20	2	2	-
ALL OTHER--MALE----	34	50	78	85	88	60	30	19	7	-	-	-
FEMALE--	11	17	21	45	47	27	24	7	4	1	-	-
BLACK---MALE----	33	48	75	81	83	58	29	18	7	-	-	-
FEMALE--	11	17	21	43	46	26	23	5	4	1	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 667
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 0 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
 0 CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
 0 OF ALL OTHER AND ILL-DEFINED SITES WITHIN THE RESPIRATORY SYSTEM AND INTRATHORACIC ORGANS (160,163-165)

0	CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0	UNITED STATES --	1,338	-	1	-	2	4	7	11	29	22	37	63
	WHITE-----MALE----	731	-	-	-	1	3	1	5	13	9	21	34
	FEMALE--	447	-	1	-	1	-	3	3	8	10	6	18
	ALL OTHER--MALE----	94	-	-	-	-	1	3	2	6	2	6	6
	FEMALE--	66	-	-	-	-	-	-	1	2	1	4	5
	BLACK---MALE----	67	-	-	-	-	1	1	1	4	2	5	4
	FEMALE--	56	-	-	-	-	-	-	-	2	1	2	5
ALABAMA	-----	9	-	-	-	-	-	-	-	-	-	-	-
	WHITE-----MALE----	5	-	-	-	-	-	-	-	-	-	-	-
	FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
	FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
	BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
	FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALASKA	-----	1	-	-	-	-	-	-	-	-	-	-	1
	WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	1
	FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
	BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA	-----	23	-	-	-	-	-	-	-	1	-	1	1
	WHITE-----MALE----	12	-	-	-	-	-	-	-	-	-	1	-
	FEMALE--	9	-	-	-	-	-	-	-	1	-	-	1
	ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
	FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
	BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
	FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS	-----	10	-	-	-	-	-	-	-	-	-	2	-
	WHITE-----MALE----	3	-	-	-	-	-	-	-	-	-	-	-
	FEMALE--	4	-	-	-	-	-	-	-	-	-	1	-
	ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
	FEMALE--	2	-	-	-	-	-	-	-	-	-	1	-
	BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
	FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA	-----	144	-	1	-	-	1	1	3	1	5	5	12
	WHITE-----MALE----	70	-	-	-	-	1	-	1	-	2	3	8
	FEMALE--	46	-	1	-	-	-	-	1	-	2	-	1
	ALL OTHER--MALE----	17	-	-	-	-	-	1	-	1	-	1	2
	FEMALE--	11	-	-	-	-	-	-	1	-	1	1	1
	BLACK---MALE----	5	-	-	-	-	-	-	-	1	-	1	1
	FEMALE--	6	-	-	-	-	-	-	-	-	1	-	1

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 667
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
0 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 OF ALL OTHER AND ILL-DEFINED SITES WITHIN THE RESPIRATORY SYSTEM AND INTRATHORACIC ORGANS (160,163-165)

0	CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0	UNITED STATES --	72	84	126	175	218	208	145	91	34	7	2	-
	WHITE-----MALE----	34	45	73	103	133	128	75	42	9	2	-	-
	FEMALE--	27	28	35	51	66	60	61	38	24	5	2	-
	ALL OTHER--MALE----	10	9	7	11	11	13	5	2	-	-	-	-
	FEMALE--	1	2	11	10	8	7	4	9	1	-	-	-
	BLACK---MALE----	5	8	4	6	9	10	5	2	-	-	-	-
	FEMALE--	1	2	11	9	7	5	4	6	1	-	-	-
ALABAMA	-----	1	1	3	2	1	-	-	1	-	-	-	-
	WHITE-----MALE----	-	-	1	2	1	-	-	1	-	-	-	-
	FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
	FEMALE--	-	-	2	-	-	-	-	-	-	-	-	-
	BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
	FEMALE--	-	-	2	-	-	-	-	-	-	-	-	-
ALASKA	-----	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
	BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA	-----	1	-	1	4	2	2	6	3	-	1	-	-
	WHITE-----MALE----	-	-	1	3	1	1	3	2	-	-	-	-
	FEMALE--	-	-	-	1	1	-	3	1	-	1	-	-
	ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
	FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
	BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
	FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS	-----	-	2	1	-	4	1	-	-	-	-	-	-
	WHITE-----MALE----	-	1	1	-	1	-	-	-	-	-	-	-
	FEMALE--	-	-	-	-	2	1	-	-	-	-	-	-
	ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
	FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
	BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
	FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
CALIFORNIA	-----	10	9	16	20	18	18	12	10	2	-	-	-
	WHITE-----MALE----	4	5	5	11	11	9	6	4	-	-	-	-
	FEMALE--	4	2	8	5	4	7	6	3	2	-	-	-
	ALL OTHER--MALE----	1	2	1	4	2	2	-	-	-	-	-	-
	FEMALE--	1	-	2	-	1	-	-	3	-	-	-	-
	BLACK---MALE----	-	1	-	-	1	-	-	-	-	-	-	-
	FEMALE--	1	-	2	-	-	-	-	1	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 670
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
0 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 OF ALL OTHER AND ILL-DEFINED SITES WITHIN THE RESPIRATORY SYSTEM AND INTRATHORACIC ORGANS (160,163-165)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
KENTUCKY -----	1	-	2	4	3	3	2	2	-	-	-	-
WHITE-----MALE----	1	-	2	2	3	3	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	2	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	2	-	-	1	-	-	-	-	-
LOUISIANA -----	1	-	5	3	5	1	2	1	1	-	-	-
WHITE-----MALE----	-	-	2	-	3	1	-	1	1	-	-	-
FEMALE--	-	-	2	1	1	-	1	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	1	1	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	1	1	-	-	1	-	-	-	-	-
MAINE -----	-	-	1	1	-	4	1	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	-	1	-	-	-	-
FEMALE--	-	-	1	1	-	3	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	-	2	2	2	2	4	1	-	1	1	1	-
WHITE-----MALE----	-	1	1	-	-	4	-	-	1	-	-	-
FEMALE--	-	-	-	1	2	-	1	-	-	1	1	-
ALL OTHER--MALE----	-	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
MASSACHUSETTS -----	-	2	1	4	4	5	5	3	1	-	-	-
WHITE-----MALE----	-	1	-	2	2	4	3	1	1	-	-	-
FEMALE--	-	1	1	2	2	1	2	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	3	3	5	6	6	5	2	5	-	-	-	-
WHITE-----MALE----	-	3	3	4	2	2	1	2	-	-	-	-
FEMALE--	3	-	1	2	4	3	1	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	1	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 673
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
0 CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
0 OF ALL OTHER AND ILL-DEFINED SITES WITHIN THE RESPIRATORY SYSTEM AND INTRATHORACIC ORGANS (160,163-165)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
OHIO -----	63	-	-	-	1	-	-	-	1	2	1	3
WHITE-----MALE----	35	-	-	-	1	-	-	-	-	1	1	2
FEMALE--	17	-	-	-	-	-	-	-	-	1	-	1
ALL OTHER--MALE----	8	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	8	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	1	-	-	-
OKLAHOMA -----	23	-	-	-	-	-	-	-	-	-	1	1
WHITE-----MALE----	14	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	17	-	-	-	-	-	-	-	-	1	-	-
WHITE-----MALE----	8	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	59	-	-	-	-	-	-	-	1	1	2	2
WHITE-----MALE----	28	-	-	-	-	-	-	-	-	1	1	1
FEMALE--	25	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	1	-	1	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	3	-	-	-	-	-	-	-	1	-	1	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	1
RHODE ISLAND -----	5	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	20	-	-	-	-	-	-	1	2	-	-	1
WHITE-----MALE----	10	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	1	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 674
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
0 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 OF ALL OTHER AND ILL-DEFINED SITES WITHIN THE RESPIRATORY SYSTEM AND INTRATHORACIC ORGANS (160,163-165)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
SOUTH DAKOTA -----	-	1	-	-	2	-	-	-	-	-	-	-
WHITE-----MALE----	-	1	-	-	2	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	4	3	1	7	9	6	3	1	2	-	-	-
WHITE-----MALE----	3	2	1	5	7	4	2	1	1	-	-	-
FEMALE--	1	1	-	1	2	2	1	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
TEXAS -----	4	4	11	8	23	27	12	7	3	1	-	-
WHITE-----MALE----	2	2	9	6	14	18	8	4	-	-	-	-
FEMALE--	1	-	1	1	7	7	4	3	3	1	-	-
ALL OTHER--MALE----	1	1	1	-	1	1	-	-	-	-	-	-
FEMALE--	-	1	-	1	1	1	-	-	-	-	-	-
BLACK---MALE----	-	1	1	-	1	1	-	-	-	-	-	-
FEMALE--	-	1	-	1	1	1	-	-	-	-	-	-
UTAH -----	-	-	-	1	2	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	-	-	-	1	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	2	3	1	7	5	1	6	1	1	-	-	-
WHITE-----MALE----	1	-	1	3	3	1	3	-	-	-	-	-
FEMALE--	-	2	-	2	-	-	1	-	1	-	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	2	2	-	1	1	-	-	-	-
BLACK---MALE----	1	1	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	2	2	-	1	1	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 676
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
0 CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
0 MALIGNANT NEOPLASMS OF BONE, CONNECTIVE TISSUE, SKIN, AND BREAST (170-175)

0	CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0	UNITED STATES --	57,875	2	12	47	69	166	175	330	787	1,634	2,723	3,969
	WHITE-----MALE----	8,164	-	6	20	28	74	92	114	183	295	385	491
	FEMALE--	42,690	1	2	16	30	60	50	150	438	979	1,779	2,760
	ALL OTHER--MALE----	606	-	-	4	6	21	16	16	19	38	41	42
	FEMALE--	6,415	1	4	7	5	11	17	50	147	322	518	676
	BLACK---MALE----	509	-	-	4	4	18	12	13	17	29	37	37
	FEMALE--	5,718	1	2	7	4	9	16	42	133	280	459	594
ALABAMA	-----	916	-	-	-	1	-	5	11	17	33	54	71
	WHITE-----MALE----	126	-	-	-	-	-	3	2	1	5	7	8
	FEMALE--	564	-	-	-	-	-	2	6	9	16	25	38
	ALL OTHER--MALE----	11	-	-	-	-	-	-	-	1	1	1	1
	FEMALE--	215	-	-	-	1	-	-	3	6	11	21	24
	BLACK---MALE----	11	-	-	-	-	-	-	-	1	1	1	1
	FEMALE--	213	-	-	-	1	-	-	3	6	11	21	23
ALASKA	-----	79	-	-	-	-	-	-	1	3	5	3	12
	WHITE-----MALE----	18	-	-	-	-	-	-	-	1	1	-	2
	FEMALE--	48	-	-	-	-	-	-	1	2	3	1	9
	ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
	FEMALE--	12	-	-	-	-	-	-	-	-	1	2	1
	BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
	FEMALE--	2	-	-	-	-	-	-	-	-	-	1	-
ARIZONA	-----	816	-	-	-	-	1	2	4	11	26	34	48
	WHITE-----MALE----	152	-	-	-	-	-	1	1	5	3	5	10
	FEMALE--	632	-	-	-	-	1	1	3	6	22	27	34
	ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	1	-
	FEMALE--	29	-	-	-	-	-	-	-	-	1	1	4
	BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
	FEMALE--	15	-	-	-	-	-	-	-	-	-	-	4
ARKANSAS	-----	569	-	-	-	-	2	3	3	3	15	32	48
	WHITE-----MALE----	96	-	-	-	-	-	2	-	1	1	3	5
	FEMALE--	399	-	-	-	-	1	1	2	1	9	25	33
	ALL OTHER--MALE----	9	-	-	-	-	-	-	-	-	-	-	2
	FEMALE--	65	-	-	-	-	1	-	1	1	5	4	8
	BLACK---MALE----	9	-	-	-	-	-	-	-	-	-	-	2
	FEMALE--	64	-	-	-	-	1	-	1	1	4	4	8
CALIFORNIA	-----	5,881	-	2	4	14	21	30	31	84	201	317	445
	WHITE-----MALE----	889	-	1	2	6	12	17	11	14	38	40	61
	FEMALE--	4,310	-	-	2	6	7	9	11	55	116	221	302
	ALL OTHER--MALE----	64	-	-	-	1	2	2	3	1	4	3	4
	FEMALE--	618	-	1	-	1	-	2	6	14	43	53	78
	BLACK---MALE----	27	-	-	-	-	1	1	2	1	-	1	2
	FEMALE--	381	-	-	-	-	-	2	4	9	30	31	56

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 676
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
0 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 MALIGNANT NEOPLASMS OF BONE, CONNECTIVE TISSUE, SKIN, AND BREAST (170-175)

0	CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0	UNITED STATES --	4,369	4,694	5,122	6,385	7,336	6,945	5,978	4,203	2,123	679	126	1
	WHITE-----MALE----	573	621	725	948	1,087	981	790	512	192	44	3	-
	FEMALE--	3,079	3,382	3,765	4,726	5,527	5,351	4,729	3,391	1,788	583	103	1
	ALL OTHER--MALE----	46	56	46	76	66	52	37	16	5	2	1	-
	FEMALE--	671	635	586	635	656	561	422	284	138	50	19	-
	BLACK---MALE----	35	51	41	65	56	40	29	13	5	2	1	-
	FEMALE--	575	566	529	559	581	510	389	263	132	48	19	-
ALABAMA -----		93	78	97	87	105	88	76	66	22	9	3	-
	WHITE-----MALE----	9	13	10	17	13	17	15	5	1	-	-	-
	FEMALE--	57	42	67	57	72	56	49	45	16	7	-	-
	ALL OTHER--MALE----	2	2	1	-	1	-	-	-	-	-	1	-
	FEMALE--	25	21	19	13	19	15	12	16	5	2	2	-
	BLACK---MALE----	2	2	1	-	1	-	-	-	-	-	1	-
	FEMALE--	24	21	19	13	19	15	12	16	5	2	2	-
ALASKA -----		11	11	8	9	4	4	6	2	-	-	-	-
	WHITE-----MALE----	6	2	1	2	-	2	1	-	-	-	-	-
	FEMALE--	5	7	7	4	2	1	4	2	-	-	-	-
	ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
	FEMALE--	-	2	-	2	2	1	-	-	-	-	-	-
	BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
	FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
ARIZONA -----		53	79	62	100	115	104	80	59	24	12	1	1
	WHITE-----MALE----	13	15	11	12	23	16	16	15	3	3	-	-
	FEMALE--	38	60	46	83	91	85	63	41	20	9	1	1
	ALL OTHER--MALE----	-	1	-	1	-	-	-	-	-	-	-	-
	FEMALE--	2	3	5	4	1	3	1	3	1	-	-	-
	BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
	FEMALE--	1	1	3	1	1	1	1	1	1	-	-	-
ARKANSAS -----		38	35	53	63	83	68	53	37	20	10	3	-
	WHITE-----MALE----	5	8	12	10	15	15	10	6	3	-	-	-
	FEMALE--	32	24	34	45	58	46	36	26	15	9	2	-
	ALL OTHER--MALE----	1	-	2	-	2	-	1	1	-	-	-	-
	FEMALE--	-	3	5	8	8	7	6	4	2	1	1	-
	BLACK---MALE----	1	-	2	-	2	-	1	1	-	-	-	-
	FEMALE--	-	3	5	8	8	7	6	4	2	1	1	-
CALIFORNIA -----		483	492	543	634	757	648	592	343	183	50	7	-
	WHITE-----MALE----	61	58	85	91	97	105	106	57	24	3	-	-
	FEMALE--	339	365	399	472	589	491	455	268	152	45	6	-
	ALL OTHER--MALE----	6	6	2	8	10	4	5	3	-	-	-	-
	FEMALE--	77	63	57	63	61	48	26	15	7	2	1	-
	BLACK---MALE----	2	4	1	5	5	-	2	-	-	-	-	-
	FEMALE--	42	43	37	37	32	31	11	9	5	1	1	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 677
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 0 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
 0 CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
 0 MALIGNANT NEOPLASMS OF BONE, CONNECTIVE TISSUE, SKIN, AND BREAST (170-175)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
COLORADO -----	632	-	-	2	1	1	1	6	7	18	33	69
WHITE-----MALE----	96	-	-	1	1	-	1	2	1	3	5	11
FEMALE--	507	-	-	1	-	1	-	3	6	14	22	53
ALL OTHER--MALE----	3	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	26	-	-	-	-	-	-	-	-	1	6	5
BLACK---MALE----	3	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	22	-	-	-	-	-	-	-	-	1	4	4
CONNECTICUT -----	802	-	-	1	1	1	3	8	5	19	30	52
WHITE-----MALE----	118	-	-	-	-	1	2	3	2	3	5	6
FEMALE--	636	-	-	-	-	-	1	4	3	12	23	41
ALL OTHER--MALE----	7	-	-	1	1	-	-	-	-	-	-	1
FEMALE--	41	-	-	-	-	-	-	1	-	4	2	4
BLACK---MALE----	7	-	-	1	1	-	-	-	-	-	-	1
FEMALE--	39	-	-	-	-	-	1	-	-	3	1	4
DELAWARE -----	174	-	-	-	-	-	1	-	4	6	9	11
WHITE-----MALE----	23	-	-	-	-	-	-	-	2	-	1	3
FEMALE--	121	-	-	-	-	-	-	-	1	5	5	6
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	28	-	-	-	-	-	1	-	1	1	3	2
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	28	-	-	-	-	-	1	-	1	1	3	2
DISTRICT OF COLUMBIA ----	153	-	-	-	-	1	-	1	3	3	8	9
WHITE-----MALE----	7	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	29	-	-	-	-	1	-	-	1	-	2	1
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	113	-	-	-	-	-	-	1	1	3	6	8
BLACK---MALE----	4	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	111	-	-	-	-	-	-	1	1	3	6	8
FLORIDA -----	3,751	-	1	3	1	10	6	22	38	98	135	217
WHITE-----MALE----	613	-	1	2	1	5	2	7	14	21	18	36
FEMALE--	2,815	-	-	1	-	4	1	11	16	59	91	148
ALL OTHER--MALE----	29	-	-	-	-	-	1	-	-	1	4	2
FEMALE--	294	-	-	-	-	1	2	4	8	17	22	31
BLACK---MALE----	27	-	-	-	-	-	1	-	-	-	4	2
FEMALE--	285	-	-	-	-	-	2	2	8	16	21	31
GEORGIA -----	1,321	-	-	4	1	8	3	9	28	54	85	118
WHITE-----MALE----	161	-	-	1	-	5	1	3	5	8	11	8
FEMALE--	824	-	-	2	-	1	1	5	11	24	41	72
ALL OTHER--MALE----	27	-	-	-	-	1	-	-	3	4	2	-
FEMALE--	309	-	-	1	1	1	1	1	9	18	31	38
BLACK---MALE----	27	-	-	-	-	1	-	-	3	4	2	-
FEMALE--	306	-	-	1	1	1	1	1	8	16	31	38

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 677
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
0 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 MALIGNANT NEOPLASMS OF BONE, CONNECTIVE TISSUE, SKIN, AND BREAST (170-175)

	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
COLORADO -----	49	51	49	75	64	90	53	43	14	5	1	-
WHITE-----MALE----	6	4	8	8	12	14	9	7	3	-	-	-
FEMALE--	43	45	39	63	49	73	43	35	11	5	1	-
ALL OTHER--MALE----	-	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	2	2	3	2	3	1	1	-	-	-	-
BLACK---MALE----	-	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	2	2	3	2	3	1	-	-	-	-	-
CONNECTICUT -----	70	54	74	90	89	114	91	57	35	8	-	-
WHITE-----MALE----	10	6	8	17	16	14	14	7	3	1	-	-
FEMALE--	55	42	60	67	71	97	72	50	31	7	-	-
ALL OTHER--MALE----	-	1	-	1	-	2	-	-	-	-	-	-
FEMALE--	5	5	6	5	2	1	5	-	1	-	-	-
BLACK---MALE----	-	1	-	1	-	2	-	-	-	-	-	-
FEMALE--	5	5	6	5	2	1	5	-	1	-	-	-
DELAWARE -----	11	13	15	19	31	26	13	7	7	1	-	-
WHITE-----MALE----	3	2	4	3	1	2	-	2	-	-	-	-
FEMALE--	5	9	7	14	25	22	10	4	7	1	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	1	-	-	-	-
FEMALE--	3	1	4	2	5	2	3	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	1	-	-	-	-
FEMALE--	3	1	4	2	5	2	3	-	-	-	-	-
DISTRICT OF COLUMBIA ----	18	17	11	12	13	18	19	12	5	1	2	-
WHITE-----MALE----	1	-	-	-	2	1	2	-	1	-	-	-
FEMALE--	4	2	1	1	4	1	4	3	2	1	1	-
ALL OTHER--MALE----	-	-	1	-	-	1	-	1	-	-	-	-
FEMALE--	13	15	9	11	7	15	13	8	2	-	1	-
BLACK---MALE----	-	-	1	-	-	1	-	1	-	-	-	-
FEMALE--	12	15	9	10	7	15	13	8	2	-	1	-
FLORIDA -----	239	284	309	442	491	518	410	336	143	42	6	-
WHITE-----MALE----	38	30	40	66	89	89	62	67	23	2	-	-
FEMALE--	170	217	239	350	366	408	325	251	114	38	6	-
ALL OTHER--MALE----	4	4	4	2	3	2	1	1	-	-	-	-
FEMALE--	27	33	26	24	33	19	22	17	6	2	-	-
BLACK---MALE----	3	4	4	2	3	2	1	1	-	-	-	-
FEMALE--	26	31	25	24	33	19	22	17	6	2	-	-
GEORGIA -----	109	109	118	165	127	120	121	93	38	9	2	-
WHITE-----MALE----	11	16	16	25	14	19	10	3	5	-	-	-
FEMALE--	69	68	77	101	92	79	86	68	22	4	1	-
ALL OTHER--MALE----	3	3	2	3	2	2	-	-	1	1	-	-
FEMALE--	26	22	23	36	19	20	25	22	10	4	1	-
BLACK---MALE----	3	3	2	3	2	2	-	-	1	1	-	-
FEMALE--	26	22	23	36	19	20	25	22	10	4	1	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 678
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
0 CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
0 MALIGNANT NEOPLASMS OF BONE, CONNECTIVE TISSUE, SKIN, AND BREAST (170-175)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
HAWAII -----	183	-	1	-	-	-	1	2	3	9	9	14
WHITE-----MALE----	18	-	1	-	-	-	-	-	-	1	1	2
FEMALE--	55	-	-	-	-	-	-	-	1	2	1	4
ALL OTHER--MALE----	15	-	-	-	-	-	1	-	1	1	-	1
FEMALE--	95	-	-	-	-	-	-	2	1	5	7	7
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	203	-	-	1	-	-	1	1	1	7	12	15
WHITE-----MALE----	37	-	-	1	-	-	1	-	-	1	3	2
FEMALE--	161	-	-	-	-	-	-	1	-	5	9	12
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	1	1	-	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	1	1	-	-
ILLINOIS -----	2,699	-	-	3	1	10	4	17	40	78	121	184
WHITE-----MALE----	309	-	-	2	1	1	1	3	10	10	13	22
FEMALE--	2,022	-	-	1	-	5	1	5	20	43	81	112
ALL OTHER--MALE----	32	-	-	-	-	3	1	3	1	2	3	3
FEMALE--	336	-	-	-	-	1	1	6	9	23	24	47
BLACK---MALE----	28	-	-	-	-	1	1	2	1	2	3	3
FEMALE--	321	-	-	-	-	1	1	6	9	22	23	45
INDIANA -----	1,369	-	2	1	3	4	8	5	13	33	52	95
WHITE-----MALE----	194	-	1	1	2	1	5	4	4	7	11	10
FEMALE--	1,070	-	1	-	1	3	2	1	8	22	36	78
ALL OTHER--MALE----	4	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	101	-	-	-	-	-	-	-	1	4	5	7
BLACK---MALE----	4	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	99	-	-	-	-	-	-	-	1	4	5	7
IOWA -----	691	-	-	-	-	4	1	4	8	16	27	34
WHITE-----MALE----	101	-	-	-	-	3	1	4	1	5	4	6
FEMALE--	580	-	-	-	-	1	-	-	7	10	22	28
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	9	-	-	-	-	-	-	-	-	1	1	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	1	1	-
KANSAS -----	531	-	-	1	1	4	3	3	5	14	19	29
WHITE-----MALE----	83	-	-	1	-	-	1	-	1	4	2	9
FEMALE--	418	-	-	-	1	3	1	2	3	9	15	17
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	28	-	-	-	-	1	1	1	1	1	2	3
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	23	-	-	-	-	1	1	1	1	-	2	3

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 678
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 0 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
 0 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 0 MALIGNANT NEOPLASMS OF BONE, CONNECTIVE TISSUE, SKIN, AND BREAST (170-175)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
HAWAII -----	21	19	9	19	27	25	15	7	2	-	-	-
WHITE-----MALE----	2	2	-	-	3	3	3	-	-	-	-	-
FEMALE--	6	9	5	3	5	9	5	3	2	-	-	-
ALL OTHER--MALE----	1	-	-	2	3	3	2	-	-	-	-	-
FEMALE--	12	8	4	14	16	10	5	4	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
IDAHO -----	8	23	19	19	23	18	21	19	12	3	-	-
WHITE-----MALE----	3	3	3	1	6	3	3	3	3	1	-	-
FEMALE--	5	19	16	18	17	15	18	16	9	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	202	233	239	287	310	326	328	165	102	42	7	-
WHITE-----MALE----	20	40	22	42	32	39	29	17	3	2	-	-
FEMALE--	145	154	177	207	251	263	280	140	93	39	5	-
ALL OTHER--MALE----	4	4	4	2	1	1	-	-	-	-	-	-
FEMALE--	33	35	36	36	26	23	19	8	6	1	2	-
BLACK---MALE----	3	4	4	2	1	1	-	-	-	-	-	-
FEMALE--	30	33	35	34	24	22	19	8	6	1	2	-
INDIANA -----	99	99	137	142	166	174	153	110	49	21	3	-
WHITE-----MALE----	8	17	20	23	25	21	15	13	4	1	1	-
FEMALE--	80	72	109	106	128	137	130	94	42	18	2	-
ALL OTHER--MALE----	-	-	-	1	1	-	1	-	-	-	-	-
FEMALE--	11	10	8	12	12	16	7	3	3	2	-	-
BLACK---MALE----	-	-	-	1	1	-	1	-	-	-	-	-
FEMALE--	11	10	8	11	12	16	7	3	2	2	-	-
IOWA -----	44	45	67	67	91	92	76	67	32	13	3	-
WHITE-----MALE----	7	10	7	10	11	14	11	6	1	-	-	-
FEMALE--	36	32	59	57	79	77	64	61	31	13	3	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	1	3	1	-	1	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	3	1	-	1	-	-	-	-	-	-	-
KANSAS -----	40	39	47	65	63	68	45	46	27	10	2	-
WHITE-----MALE----	5	5	3	10	10	10	9	10	2	1	-	-
FEMALE--	32	29	38	54	51	56	36	35	25	9	2	-
ALL OTHER--MALE----	-	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	3	4	5	1	2	2	-	1	-	-	-	-
BLACK---MALE----	-	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	2	4	3	-	2	2	-	1	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 679
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 0 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
 0 CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
 0 MALIGNANT NEOPLASMS OF BONE, CONNECTIVE TISSUE, SKIN, AND BREAST (170-175)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
KENTUCKY -----	829	-	-	-	-	3	-	5	9	21	42	51
WHITE-----MALE----	124	-	-	-	-	2	-	3	-	5	8	9
FEMALE--	651	-	-	-	-	1	-	1	7	16	29	35
ALL OTHER--MALE----	8	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	46	-	-	-	-	-	-	1	2	-	5	5
BLACK---MALE----	8	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	45	-	-	-	-	-	-	1	2	-	5	4
LOUISIANA -----	926	-	-	-	1	1	2	5	19	34	57	81
WHITE-----MALE----	110	-	-	-	-	-	1	1	5	7	4	5
FEMALE--	539	-	-	-	-	-	-	3	3	15	30	47
ALL OTHER--MALE----	30	-	-	-	1	1	1	1	1	1	1	1
FEMALE--	247	-	-	-	-	-	-	-	10	11	22	28
BLACK---MALE----	30	-	-	-	1	1	1	1	1	1	1	1
FEMALE--	247	-	-	-	-	-	-	-	10	11	22	28
MAINE -----	290	-	-	-	1	-	1	-	4	9	11	17
WHITE-----MALE----	53	-	-	-	-	-	1	-	-	2	4	-
FEMALE--	235	-	-	-	1	-	-	-	4	7	7	16
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	1,118	1	1	-	-	2	4	7	18	28	58	87
WHITE-----MALE----	144	-	1	-	-	-	1	3	5	3	4	7
FEMALE--	738	-	-	-	-	-	1	4	5	15	31	52
ALL OTHER--MALE----	14	-	-	-	-	2	-	-	-	-	4	-
FEMALE--	222	1	-	-	-	-	2	-	8	10	19	28
BLACK---MALE----	13	-	-	-	-	2	-	-	-	-	4	-
FEMALE--	212	1	-	-	-	-	2	-	7	9	18	24
MASSACHUSETTS -----	1,544	-	-	1	4	4	4	5	19	32	62	104
WHITE-----MALE----	212	-	-	-	-	2	3	2	5	11	8	16
FEMALE--	1,265	-	-	-	3	1	1	2	12	19	50	82
ALL OTHER--MALE----	9	-	-	-	1	1	-	1	-	-	-	3
FEMALE--	58	-	-	1	-	-	-	-	2	2	4	3
BLACK---MALE----	6	-	-	-	1	1	-	1	-	-	-	2
FEMALE--	45	-	-	1	-	-	-	-	1	2	4	2
MICHIGAN -----	2,052	-	-	2	2	4	5	5	35	59	98	143
WHITE-----MALE----	247	-	-	1	1	2	3	3	7	9	11	13
FEMALE--	1,521	-	-	1	1	-	-	2	20	35	72	96
ALL OTHER--MALE----	23	-	-	-	-	2	2	-	1	1	-	2
FEMALE--	261	-	-	-	-	-	-	-	7	14	15	32
BLACK---MALE----	23	-	-	-	-	2	2	-	1	1	-	2
FEMALE--	245	-	-	-	-	-	-	-	7	14	15	29

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 679
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
0 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 MALIGNANT NEOPLASMS OF BONE, CONNECTIVE TISSUE, SKIN, AND BREAST (170-175)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
KENTUCKY -----	73	74	84	95	91	103	78	65	25	8	2	-
WHITE-----MALE----	11	12	13	13	15	12	15	5	-	-	1	-
FEMALE--	59	60	70	75	70	81	57	57	24	8	1	-
ALL OTHER--MALE----	-	-	-	1	1	3	-	1	-	-	-	-
FEMALE--	3	2	1	6	5	7	6	2	1	-	-	-
BLACK---MALE----	-	-	-	1	1	3	-	1	-	-	-	-
FEMALE--	3	2	1	6	5	7	6	2	1	-	-	-
LOUISIANA -----	77	94	80	107	104	91	79	61	21	8	4	-
WHITE-----MALE----	11	10	14	11	13	10	6	9	3	-	-	-
FEMALE--	38	57	50	56	64	59	55	37	14	8	3	-
ALL OTHER--MALE----	1	2	3	8	1	3	4	-	-	-	-	-
FEMALE--	27	25	13	32	26	19	14	15	4	-	1	-
BLACK---MALE----	1	2	3	8	1	3	4	-	-	-	-	-
FEMALE--	27	25	13	32	26	19	14	15	4	-	1	-
MAINE -----	22	22	33	31	31	40	26	23	12	5	2	-
WHITE-----MALE----	3	1	8	9	5	7	5	5	2	1	-	-
FEMALE--	19	21	25	22	26	33	20	18	10	4	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
MARYLAND -----	74	94	114	112	149	123	116	66	48	12	4	-
WHITE-----MALE----	9	14	12	12	28	18	15	6	5	1	-	-
FEMALE--	43	56	83	76	96	88	82	54	40	8	4	-
ALL OTHER--MALE----	-	2	1	-	2	-	2	-	1	-	-	-
FEMALE--	22	22	18	24	23	17	17	6	2	3	-	-
BLACK---MALE----	-	2	1	-	1	-	2	-	1	-	-	-
FEMALE--	22	22	17	23	22	17	17	6	2	3	-	-
MASSACHUSETTS -----	100	118	92	157	209	195	175	155	79	22	7	-
WHITE-----MALE----	15	14	19	19	30	30	14	16	5	2	1	-
FEMALE--	77	94	69	134	177	162	152	134	72	19	5	-
ALL OTHER--MALE----	-	2	-	-	-	-	1	-	-	-	-	-
FEMALE--	8	8	4	4	2	3	8	5	2	1	1	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	8	2	4	1	2	5	5	2	1	1	-
MICHIGAN -----	152	160	183	246	253	251	225	127	70	29	3	-
WHITE-----MALE----	20	20	21	33	39	33	19	7	4	1	-	-
FEMALE--	99	116	137	178	184	192	187	108	63	27	3	-
ALL OTHER--MALE----	1	2	1	5	3	-	1	2	-	-	-	-
FEMALE--	32	22	24	30	27	26	18	10	3	1	-	-
BLACK---MALE----	1	2	1	5	3	-	1	2	-	-	-	-
FEMALE--	30	22	19	30	24	26	18	7	3	1	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 680
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
 0 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 0 MALIGNANT NEOPLASMS OF BONE, CONNECTIVE TISSUE, SKIN, AND BREAST (170-175)

	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
MINNESOTA -----	71	75	80	85	110	125	116	89	49	13	3	-
WHITE-----MALE----	10	13	5	11	26	26	14	10	8	-	-	-
FEMALE--	57	61	74	70	83	95	101	78	41	13	3	-
ALL OTHER--MALE----	-	-	-	2	-	-	1	-	-	-	-	-
FEMALE--	4	1	1	2	1	4	-	1	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	3	1	-	1	-	2	-	1	-	-	-	-
MISSISSIPPI -----	53	31	64	79	71	65	50	35	21	5	-	-
WHITE-----MALE----	2	4	12	6	6	12	7	5	1	-	-	-
FEMALE--	32	15	32	44	40	38	32	19	14	2	-	-
ALL OTHER--MALE----	1	4	1	3	4	4	1	-	1	-	-	-
FEMALE--	18	8	19	26	21	11	10	11	5	3	-	-
BLACK---MALE----	1	4	-	3	4	4	1	-	1	-	-	-
FEMALE--	18	8	19	26	21	11	10	11	5	3	-	-
MISSOURI -----	103	101	106	142	138	150	148	95	49	12	2	-
WHITE-----MALE----	12	11	20	26	23	21	27	12	1	-	-	-
FEMALE--	73	79	76	98	101	119	107	77	40	12	2	-
ALL OTHER--MALE----	1	2	-	1	-	1	1	-	-	-	-	-
FEMALE--	17	9	10	17	14	9	13	6	8	-	-	-
BLACK---MALE----	-	1	-	1	-	1	1	-	-	-	-	-
FEMALE--	16	8	10	17	13	9	13	6	8	-	-	-
MONTANA -----	14	11	20	23	23	37	17	24	8	-	1	-
WHITE-----MALE----	3	3	1	4	7	3	3	5	1	-	-	-
FEMALE--	11	7	18	18	14	34	14	19	7	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	1	1	2	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	22	28	32	35	54	61	55	48	17	7	1	-
WHITE-----MALE----	2	7	8	3	6	5	6	7	2	1	-	-
FEMALE--	19	21	22	32	45	54	48	40	14	6	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	2	-	3	2	1	1	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	1	-	3	2	-	1	1	-	-	-
NEVADA -----	28	29	26	46	39	40	14	11	9	4	-	-
WHITE-----MALE----	5	4	3	6	10	9	4	1	1	-	-	-
FEMALE--	21	22	22	36	27	30	10	10	8	3	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	2	3	-	4	2	1	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	2	-	2	2	1	-	-	-	1	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 682
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 0 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
 0 CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
 0 MALIGNANT NEOPLASMS OF BONE, CONNECTIVE TISSUE, SKIN, AND BREAST (170-175)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
OHIO -----	2,747	1	-	-	2	4	6	14	36	77	119	185
WHITE-----MALE----	336	-	-	-	1	2	2	5	8	12	19	18
FEMALE--	2,116	1	-	-	1	2	4	5	24	52	78	140
ALL OTHER--MALE----	29	-	-	-	-	-	-	1	-	2	1	2
FEMALE--	266	-	-	-	-	-	-	3	4	11	21	25
BLACK---MALE----	28	-	-	-	-	-	-	1	-	2	1	2
FEMALE--	258	-	-	-	-	-	-	3	4	9	20	23
OKLAHOMA -----	748	-	-	-	3	2	1	3	13	21	43	43
WHITE-----MALE----	111	-	-	-	-	2	1	-	3	5	8	8
FEMALE--	560	-	-	-	2	-	-	3	9	13	27	29
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	73	-	-	-	1	-	-	-	1	2	8	6
BLACK---MALE----	3	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	48	-	-	-	1	-	-	-	-	-	4	4
OREGON -----	701	-	-	-	1	3	1	7	9	22	37	53
WHITE-----MALE----	121	-	-	-	-	3	-	3	4	3	9	12
FEMALE--	565	-	-	-	1	-	1	4	5	18	28	38
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	14	-	-	-	-	-	-	-	-	1	-	3
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	3	-	-	-	-	-	-
PENNSYLVANIA -----	3,294	-	-	1	1	5	6	23	37	61	136	205
WHITE-----MALE----	430	-	-	1	-	3	2	11	10	10	17	27
FEMALE--	2,603	-	-	-	-	2	3	11	23	38	101	153
ALL OTHER--MALE----	25	-	-	-	1	-	1	-	1	2	-	3
FEMALE--	236	-	-	-	-	-	-	1	3	11	18	22
BLACK---MALE----	21	-	-	-	-	-	-	-	1	2	-	3
FEMALE--	227	-	-	-	-	-	-	1	3	9	18	22
RHODE ISLAND -----	285	-	-	-	-	-	2	3	3	5	8	15
WHITE-----MALE----	31	-	-	-	-	-	1	-	-	2	-	2
FEMALE--	248	-	-	-	-	-	1	2	3	3	7	12
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	1	-	-	1	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	1	-	-	1	1
SOUTH CAROLINA -----	758	-	-	1	2	3	2	3	11	24	39	54
WHITE-----MALE----	116	-	-	1	2	1	1	-	5	4	5	4
FEMALE--	434	-	-	-	-	1	-	2	-	10	15	31
ALL OTHER--MALE----	21	-	-	-	-	1	-	1	-	-	3	1
FEMALE--	187	-	-	-	-	-	1	-	6	10	16	18
BLACK---MALE----	21	-	-	-	-	1	-	1	-	-	3	1
FEMALE--	187	-	-	-	-	-	1	-	6	10	16	18

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 682
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
0 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 MALIGNANT NEOPLASMS OF BONE, CONNECTIVE TISSUE, SKIN, AND BREAST (170-175)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
OHIO -----	169	214	252	304	366	344	294	218	102	34	6	-
WHITE-----MALE----	18	24	37	40	44	46	24	23	11	2	-	-
FEMALE--	131	169	178	238	284	273	241	180	83	28	4	-
ALL OTHER--MALE----	1	1	7	6	4	1	2	1	-	-	-	-
FEMALE--	19	20	30	20	34	24	27	14	8	4	2	-
BLACK---MALE----	1	1	7	6	4	1	1	1	-	-	-	-
FEMALE--	18	20	30	20	32	24	27	14	8	4	2	-
OKLAHOMA -----	59	59	56	83	95	99	73	59	28	7	1	-
WHITE-----MALE----	4	8	9	12	15	12	12	8	3	1	-	-
FEMALE--	48	46	42	60	71	80	55	49	19	6	1	-
ALL OTHER--MALE----	1	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	6	5	5	11	8	6	6	2	6	-	-	-
BLACK---MALE----	-	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	4	1	4	10	5	5	4	2	4	-	4	-
OREGON -----	51	67	50	65	86	79	79	58	24	6	3	-
WHITE-----MALE----	8	12	7	16	13	14	9	4	3	1	-	-
FEMALE--	41	53	41	48	72	63	70	54	21	5	2	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	2	2	1	1	1	2	-	-	-	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	2	-	-	-	-	1	-
PENNSYLVANIA -----	202	248	255	368	478	426	390	255	139	51	7	-
WHITE-----MALE----	32	32	37	53	67	43	45	29	8	3	-	-
FEMALE--	148	192	198	283	384	351	328	214	123	44	7	-
ALL OTHER--MALE----	4	3	-	4	-	5	-	-	1	-	-	-
FEMALE--	18	21	20	28	27	27	17	12	7	4	-	-
BLACK---MALE----	3	3	-	4	-	4	-	-	1	-	-	-
FEMALE--	16	19	20	27	26	26	17	12	7	4	-	-
RHODE ISLAND -----	18	15	28	26	40	35	36	33	13	5	-	-
WHITE-----MALE----	1	4	1	5	4	4	2	4	1	-	-	-
FEMALE--	17	10	26	21	35	31	34	29	12	5	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	1	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	1	-	-	-	-	-	-	-
SOUTH CAROLINA -----	50	69	86	80	102	87	63	51	25	6	-	-
WHITE-----MALE----	6	12	17	9	22	8	12	7	-	-	-	-
FEMALE--	29	34	48	51	63	61	34	33	18	4	-	-
ALL OTHER--MALE----	2	2	1	3	2	3	2	-	-	-	-	-
FEMALE--	13	21	20	17	15	15	15	11	7	2	-	-
BLACK---MALE----	2	2	1	3	2	3	2	-	-	-	-	-
FEMALE--	13	21	20	17	15	15	15	11	7	2	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 683
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
0 CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
0 MALIGNANT NEOPLASMS OF BONE, CONNECTIVE TISSUE, SKIN, AND BREAST (170-175)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
SOUTH DAKOTA -----	161	-	-	-	-	-	2	2	1	6	5	13
WHITE-----MALE----	25	-	-	-	-	-	2	1	-	2	1	2
FEMALE--	132	-	-	-	-	-	-	1	1	3	4	11
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	1,180	-	-	2	1	1	2	7	14	33	60	92
WHITE-----MALE----	179	-	-	2	1	1	-	2	-	4	9	11
FEMALE--	826	-	-	-	-	-	1	4	11	17	31	72
ALL OTHER--MALE----	12	-	-	-	-	-	-	-	-	3	-	1
FEMALE--	163	-	-	-	-	-	1	1	3	9	20	8
BLACK---MALE----	12	-	-	-	-	-	-	-	-	3	-	1
FEMALE--	159	-	-	-	-	-	1	1	3	9	19	8
TEXAS -----	3,394	-	-	6	4	13	10	20	63	111	182	251
WHITE-----MALE----	538	-	-	-	1	5	6	7	8	24	24	34
FEMALE--	2,426	-	-	3	3	7	1	6	41	62	118	176
ALL OTHER--MALE----	41	-	-	2	-	1	3	-	2	6	2	2
FEMALE--	389	-	-	1	-	-	-	7	12	19	38	39
BLACK---MALE----	37	-	-	2	-	1	3	-	2	4	2	1
FEMALE--	368	-	-	1	-	-	-	7	11	18	35	38
UTAH -----	291	-	-	1	2	1	8	4	7	10	12	18
WHITE-----MALE----	56	-	-	-	-	-	7	2	1	1	1	3
FEMALE--	228	-	-	1	2	1	1	2	6	9	11	12
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	3
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	142	-	-	-	-	-	-	1	2	4	8	9
WHITE-----MALE----	29	-	-	-	-	-	-	1	1	-	2	2
FEMALE--	113	-	-	-	-	-	-	-	1	4	6	7
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	1,382	-	1	1	2	4	3	11	19	52	71	100
WHITE-----MALE----	191	-	-	1	-	-	-	3	4	7	11	14
FEMALE--	887	-	1	-	1	3	1	5	8	30	34	69
ALL OTHER--MALE----	30	-	-	-	1	-	-	2	-	1	2	-
FEMALE--	274	-	-	-	-	1	2	1	7	14	24	17
BLACK---MALE----	28	-	-	-	1	-	-	1	-	1	2	-
FEMALE--	263	-	-	-	-	1	2	1	7	14	22	13

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 683
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
0 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 MALIGNANT NEOPLASMS OF BONE, CONNECTIVE TISSUE, SKIN, AND BREAST (170-175)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
SOUTH DAKOTA -----	8	8	14	17	22	21	19	13	6	4	-	-
WHITE-----MALE----	1	1	-	2	4	3	3	3	-	-	-	-
FEMALE--	6	6	14	15	18	17	16	10	6	4	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	92	119	106	125	145	153	115	57	44	10	2	-
WHITE-----MALE----	17	16	17	23	24	23	15	9	5	-	-	-
FEMALE--	62	82	73	90	100	113	86	43	30	9	2	-
ALL OTHER--MALE----	-	3	1	-	1	-	2	-	1	-	-	-
FEMALE--	13	18	15	12	20	17	12	5	8	1	-	-
BLACK---MALE----	-	3	1	-	1	-	2	-	1	-	-	-
FEMALE--	13	17	14	12	19	17	12	5	8	1	-	-
TEXAS -----	283	283	316	365	413	383	306	230	110	38	7	-
WHITE-----MALE----	41	27	57	72	70	68	50	28	12	4	-	-
FEMALE--	196	217	220	256	295	276	235	185	94	31	4	-
ALL OTHER--MALE----	4	1	2	5	8	2	-	-	-	1	-	-
FEMALE--	42	38	37	32	40	37	21	17	4	2	3	-
BLACK---MALE----	4	1	2	4	8	2	-	-	-	1	-	-
FEMALE--	39	37	33	31	37	35	21	16	4	2	3	-
UTAH -----	18	24	24	36	30	34	30	15	13	4	-	-
WHITE-----MALE----	3	5	4	8	6	6	6	3	-	-	-	-
FEMALE--	14	18	20	28	24	27	23	12	13	4	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	1	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	11	7	9	17	16	9	21	14	10	3	1	-
WHITE-----MALE----	2	2	2	6	5	2	4	-	-	-	-	-
FEMALE--	9	5	7	11	11	7	17	14	10	3	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	118	145	136	141	179	147	127	67	40	16	2	-
WHITE-----MALE----	11	19	17	24	27	18	20	11	2	2	-	-
FEMALE--	83	97	89	89	118	90	88	39	33	9	-	-
ALL OTHER--MALE----	3	1	5	2	4	4	2	3	-	-	-	-
FEMALE--	21	28	25	26	30	35	17	14	5	5	2	-
BLACK---MALE----	3	1	5	2	4	3	2	3	-	-	-	-
FEMALE--	20	27	24	25	30	35	17	13	5	5	2	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 685
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
0 CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
0 OF BONE AND ARTICULAR CARTILAGE (170)

0	CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0	UNITED STATES --	1,217	1	1	16	33	106	67	49	38	37	50	53
	WHITE-----MALE----	578	-	1	6	12	51	43	25	17	18	26	21
	FEMALE--	444	1	-	8	15	33	11	15	12	11	17	18
	ALL OTHER--MALE----	97	-	-	2	2	14	8	3	4	3	4	7
	FEMALE--	98	-	-	-	4	8	5	6	5	5	3	7
	BLACK---MALE----	85	-	-	2	1	12	6	3	4	3	2	5
	FEMALE--	84	-	-	-	3	7	4	4	4	4	2	6
ALABAMA	-----	27	-	-	-	-	-	1	-	1	2	1	1
	WHITE-----MALE----	9	-	-	-	-	-	1	-	-	1	-	-
	FEMALE--	11	-	-	-	-	-	-	-	-	-	1	-
	ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
	FEMALE--	6	-	-	-	-	-	-	-	1	1	-	1
	BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
	FEMALE--	5	-	-	-	-	-	-	-	1	1	-	-
ALASKA	-----	1	-	-	-	-	-	-	-	-	-	-	-
	WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
	FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
	BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA	-----	12	-	-	-	-	1	-	-	-	-	2	2
	WHITE-----MALE----	3	-	-	-	-	-	-	-	-	-	-	1
	FEMALE--	7	-	-	-	-	1	-	-	-	-	-	1
	ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	1	-
	FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
	BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS	-----	44	-	-	-	-	2	1	1	-	-	-	3
	WHITE-----MALE----	21	-	-	-	-	-	1	-	-	-	-	2
	FEMALE--	16	-	-	-	-	1	-	-	-	-	-	1
	ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	-
	FEMALE--	3	-	-	-	-	1	-	1	-	-	-	-
	BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	-	-
	FEMALE--	3	-	-	-	-	1	-	1	-	-	-	-
CALIFORNIA	-----	123	-	-	3	8	14	11	3	9	5	3	5
	WHITE-----MALE----	58	-	-	1	4	8	9	1	3	2	3	2
	FEMALE--	49	-	-	2	2	5	1	-	5	2	-	2
	ALL OTHER--MALE----	8	-	-	-	1	1	1	1	-	-	-	1
	FEMALE--	8	-	-	-	1	-	-	1	1	1	-	-
	BLACK---MALE----	4	-	-	-	-	1	-	1	-	-	-	-
	FEMALE--	3	-	-	-	-	-	-	-	-	1	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 685
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
0 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 OF BONE AND ARTICULAR CARTILAGE (170)

	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 UNITED STATES --	54	55	82	104	122	145	99	62	38	4	1	-
WHITE-----MALE----	26	32	47	56	57	62	38	26	13	1	-	-
FEMALE--	19	15	27	34	44	63	47	30	20	3	1	-
ALL OTHER--MALE----	4	4	2	11	10	11	6	-	2	-	-	-
FEMALE--	5	4	6	3	11	9	8	6	3	-	-	-
BLACK---MALE----	4	4	2	10	9	11	5	-	2	-	-	-
FEMALE--	4	3	6	2	10	9	7	6	3	-	-	-
ALABAMA -----	3	1	4	1	5	2	3	1	1	-	-	-
WHITE-----MALE----	-	1	2	1	1	1	1	-	-	-	-	-
FEMALE--	2	-	1	-	4	1	1	1	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	1	-	1	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	1	-	1	-	-	-
ALASKA -----	-	-	1	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	-	1	1	2	1	-	-	1	1	-	-	-
WHITE-----MALE----	-	-	-	-	1	-	-	1	-	-	-	-
FEMALE--	-	1	1	2	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	4	1	4	6	9	6	4	1	2	-	-	-
WHITE-----MALE----	1	1	2	4	4	2	1	1	2	-	-	-
FEMALE--	2	-	2	2	2	4	2	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	2	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	2	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
CALIFORNIA -----	5	2	4	9	4	13	13	9	2	1	-	-
WHITE-----MALE----	2	-	3	4	1	5	5	4	1	-	-	-
FEMALE--	2	1	1	4	2	8	6	4	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	2	-	-	-	-	-
FEMALE--	1	1	-	1	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	1	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	1	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 686
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
0 CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
0 OF BONE AND ARTICULAR CARTILAGE (170)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
COLORADO -----	10	-	-	-	-	1	1	-	-	1	-	2
WHITE-----MALE----	3	-	-	-	-	-	1	-	-	-	-	1
FEMALE--	7	-	-	-	-	1	-	-	-	1	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	16	-	-	1	-	-	1	4	-	-	1	1
WHITE-----MALE----	8	-	-	-	-	-	1	2	-	-	-	1
FEMALE--	7	-	-	-	-	-	-	2	-	-	1	-
ALL OTHER--MALE----	1	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	3	-	-	-	-	-	1	-	-	-	-	1
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
DISTRICT OF COLUMBIA ----	4	-	-	-	-	-	-	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	1	-	-	-	-
FLORIDA -----	73	-	1	2	1	6	4	2	2	6	3	1
WHITE-----MALE----	38	-	1	1	1	3	2	2	-	3	1	1
FEMALE--	27	-	-	1	-	3	-	-	1	3	2	-
ALL OTHER--MALE----	2	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	1	-	1	-	-	-
BLACK---MALE----	2	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	1	-	1	-	-	-
GEORGIA -----	31	-	-	1	1	5	1	-	2	-	-	1
WHITE-----MALE----	13	-	-	-	-	4	1	-	-	-	-	-
FEMALE--	8	-	-	1	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	2	-	-	-
FEMALE--	4	-	-	-	1	1	-	-	-	-	-	-
BLACK---MALE----	6	-	-	-	-	-	-	-	2	-	-	-
FEMALE--	4	-	-	-	1	1	-	-	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 686
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
0 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 OF BONE AND ARTICULAR CARTILAGE (170)

STATE	RACE	SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
COLORADO			-	1	1	-	-	-	-	1	1	1	-	-
	WHITE	MALE	-	-	-	-	-	-	-	-	1	-	-	-
		FEMALE	-	1	1	-	-	-	-	1	-	1	-	-
	ALL OTHER	MALE	-	-	-	-	-	-	-	-	-	-	-	-
		FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
	BLACK	MALE	-	-	-	-	-	-	-	-	-	-	-	-
		FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT			1	-	-	3	1	1	-	2	-	-	-	-
	WHITE	MALE	1	-	-	1	1	1	-	-	-	-	-	-
		FEMALE	-	-	-	2	-	-	-	2	-	-	-	-
	ALL OTHER	MALE	-	-	-	-	-	-	-	-	-	-	-	-
		FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
	BLACK	MALE	-	-	-	-	-	-	-	-	-	-	-	-
		FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE			-	-	1	-	-	-	-	-	-	-	-	-
	WHITE	MALE	-	-	1	-	-	-	-	-	-	-	-	-
		FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER	MALE	-	-	-	-	-	-	-	-	-	-	-	-
		FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
	BLACK	MALE	-	-	-	-	-	-	-	-	-	-	-	-
		FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA			-	-	-	-	1	-	1	1	-	-	-	-
	WHITE	MALE	-	-	-	-	-	-	-	-	-	-	-	-
		FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER	MALE	-	-	-	-	-	-	-	-	-	-	-	-
		FEMALE	-	-	-	-	1	-	1	1	-	-	-	-
	BLACK	MALE	-	-	-	-	-	-	-	-	-	-	-	-
		FEMALE	-	-	-	-	1	-	1	1	-	-	-	-
FLORIDA			3	-	4	9	7	12	4	3	3	-	-	-
	WHITE	MALE	1	-	1	6	4	7	2	1	1	-	-	-
		FEMALE	1	-	1	2	2	5	2	2	2	-	-	-
	ALL OTHER	MALE	-	-	1	-	-	-	-	-	-	-	-	-
		FEMALE	1	-	1	1	1	-	-	-	-	-	-	-
	BLACK	MALE	-	-	1	-	-	-	-	-	-	-	-	-
		FEMALE	1	-	1	1	1	-	-	-	-	-	-	-
GEORGIA			1	-	1	5	4	4	4	1	-	-	-	-
	WHITE	MALE	-	-	1	3	1	2	1	-	-	-	-	-
		FEMALE	1	-	-	-	3	-	2	-	-	-	-	-
	ALL OTHER	MALE	-	-	-	2	-	2	-	-	-	-	-	-
		FEMALE	-	-	-	-	-	-	1	1	-	-	-	-
	BLACK	MALE	-	-	-	2	-	2	-	-	-	-	-	-
		FEMALE	-	-	-	-	-	-	1	1	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 687
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
0 CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
0 OF BONE AND ARTICULAR CARTILAGE (170)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
HAWAII -----	7	-	-	-	-	-	1	1	-	1	-	-
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	1	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	3	-	-	-	-	-	-	-	-	-	1	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	50	-	-	1	1	7	2	-	3	1	1	1
WHITE-----MALE----	21	-	-	1	1	1	1	-	1	-	-	-
FEMALE--	20	-	-	-	-	2	-	-	1	1	1	-
ALL OTHER--MALE----	7	-	-	-	-	3	1	-	1	-	-	1
FEMALE--	2	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	5	-	-	-	-	1	1	-	1	-	-	1
FEMALE--	2	-	-	-	-	1	-	-	-	-	-	-
INDIANA -----	30	-	-	-	1	3	4	2	-	1	1	-
WHITE-----MALE----	17	-	-	-	1	1	3	1	-	1	1	-
FEMALE--	12	-	-	-	-	2	-	1	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IOWA -----	17	-	-	-	-	3	1	3	-	1	-	1
WHITE-----MALE----	14	-	-	-	-	3	1	3	-	1	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS -----	6	-	-	-	1	2	-	-	1	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	1	1	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 691
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
0 CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
0 OF BONE AND ARTICULAR CARTILAGE (170)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
OHIO -----	35	1	-	-	1	2	2	2	-	2	4	2
WHITE-----MALE----	20	-	-	-	-	2	1	1	-	2	3	2
FEMALE--	11	1	-	-	1	-	1	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	1	-	-	1	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	1	-	-	1	-
OKLAHOMA -----	17	-	-	-	2	2	-	-	1	-	1	1
WHITE-----MALE----	9	-	-	-	-	2	-	-	1	-	1	-
FEMALE--	7	-	-	-	1	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-
OREGON -----	10	-	-	-	1	1	-	1	-	2	2	-
WHITE-----MALE----	4	-	-	-	-	1	-	-	-	1	1	-
FEMALE--	6	-	-	-	1	-	-	1	-	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	51	-	-	-	-	3	2	4	1	1	4	4
WHITE-----MALE----	25	-	-	-	-	2	1	2	-	-	3	1
FEMALE--	19	-	-	-	-	1	1	2	1	-	1	1
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	2	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	1
RHODE ISLAND -----	5	-	-	-	-	-	1	2	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	1	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	28	-	-	-	1	2	-	1	-	1	1	2
WHITE-----MALE----	10	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	6	-	-	-	-	1	-	1	-	-	1	-
FEMALE--	8	-	-	-	-	-	-	-	-	1	-	1
BLACK---MALE----	6	-	-	-	-	1	-	1	-	-	1	-
FEMALE--	8	-	-	-	-	-	-	-	-	1	-	1

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 691
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
0 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 OF BONE AND ARTICULAR CARTILAGE (170)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
OHIO -----	-	2	1	1	4	6	3	1	1	-	-	-
WHITE-----MALE----	-	-	1	-	3	3	-	1	1	-	-	-
FEMALE--	-	1	-	1	1	2	3	-	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA -----	-	1	1	3	1	1	3	-	-	-	-	-
WHITE-----MALE----	-	-	-	2	1	1	1	-	-	-	-	-
FEMALE--	-	1	1	1	-	-	2	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	-	-	-	1	-	-	-	-	2	-	-	-
WHITE-----MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	-	2	3	5	8	5	5	1	3	-	-	-
WHITE-----MALE----	-	-	3	2	7	2	1	-	1	-	-	-
FEMALE--	-	2	-	2	1	2	4	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	-	-	2	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	-	-	2	-	-	-
RHODE ISLAND -----	-	1	-	-	-	-	-	-	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	2	3	2	3	5	4	1	-	-	-	-	-
WHITE-----MALE----	2	1	2	1	2	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	1	1	-	-	-	-	-	-
FEMALE--	-	2	-	-	2	2	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	1	1	-	-	-	-	-	-
FEMALE--	-	2	-	-	2	2	-	-	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 692
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
0 CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
0 OF BONE AND ARTICULAR CARTILAGE (170)

STATE	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
SOUTH DAKOTA	5	-	-	-	-	-	2	-	-	-	-	-
WHITE--MALE----	3	-	-	-	-	-	2	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE	27	-	-	2	-	1	-	-	-	-	1	1
WHITE--MALE----	14	-	-	2	-	1	-	-	-	-	-	1
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	1	-
TEXAS	102	-	-	3	4	7	4	1	-	1	3	5
WHITE--MALE----	44	-	-	-	1	2	2	-	-	1	2	1
FEMALE--	46	-	-	2	3	5	1	1	-	-	-	3
ALL OTHER--MALE----	5	-	-	1	-	-	1	-	-	-	1	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	4	-	-	1	-	-	1	-	-	-	1	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	1
UTAH	13	-	-	1	1	-	3	1	1	-	-	-
WHITE--MALE----	8	-	-	-	-	-	3	1	1	-	-	-
FEMALE--	5	-	-	1	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT	3	-	-	-	-	-	-	-	1	-	-	-
WHITE--MALE----	2	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA	28	-	-	-	2	4	-	1	-	2	1	-
WHITE--MALE----	7	-	-	-	-	-	-	1	-	2	-	-
FEMALE--	11	-	-	-	1	3	-	-	-	-	1	-
ALL OTHER--MALE----	6	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	6	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	1	-	-	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 692
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
 0 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 0 OF BONE AND ARTICULAR CARTILAGE (170)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
SOUTH DAKOTA -----	-	-	-	-	1	1	-	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	-	2	4	5	-	2	4	1	4	-	-	-
WHITE-----MALE----	-	2	3	2	-	-	-	1	2	-	-	-
FEMALE--	-	-	1	3	-	2	3	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
TEXAS -----	7	2	11	4	8	24	12	3	3	-	-	-
WHITE-----MALE----	4	1	7	1	2	9	8	1	2	-	-	-
FEMALE--	1	-	2	2	6	14	3	2	1	-	-	-
ALL OTHER--MALE----	1	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	1	1	2	-	1	1	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	2	-	-	1	1	-	-	-	-	-
UTAH -----	-	2	1	-	-	-	1	1	1	-	-	-
WHITE-----MALE----	-	1	1	-	-	-	-	1	-	-	-	-
FEMALE--	-	1	-	-	-	-	1	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	1	-	-	-	-	-	-	1	-	-	-
WHITE-----MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	-	2	1	1	5	3	4	1	1	-	-	-
WHITE-----MALE----	-	1	1	1	1	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	1	-	2	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	2	2	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	2	2	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	1	-	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 694
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 0 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
 0 CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
 0 OF CONNECTIVE AND OTHER SOFT TISSUE (171)

0	CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0	UNITED STATES --	3,847	-	11	31	34	57	66	81	112	146	190	251
	WHITE-----MALE----	1,616	-	5	14	16	23	36	36	57	69	75	95
	FEMALE--	1,666	-	2	8	14	24	19	30	37	49	71	102
	ALL OTHER--MALE----	240	-	-	2	3	7	7	11	11	17	20	26
	FEMALE--	325	-	4	7	1	3	4	4	7	11	24	28
	BLACK---MALE----	193	-	-	2	2	6	5	9	10	12	19	23
	FEMALE--	281	-	2	7	1	2	4	4	5	10	22	25
ALABAMA	-----	56	-	-	-	1	-	2	1	2	3	4	3
	WHITE-----MALE----	25	-	-	-	-	-	1	-	1	2	1	1
	FEMALE--	19	-	-	-	-	-	1	1	-	-	2	-
	ALL OTHER--MALE----	5	-	-	-	-	-	-	-	1	1	1	-
	FEMALE--	7	-	-	-	1	-	-	-	-	-	-	2
	BLACK---MALE----	5	-	-	-	-	-	-	-	1	1	1	-
	FEMALE--	7	-	-	-	1	-	-	-	-	-	-	2
ALASKA	-----	8	-	-	-	-	-	-	-	1	-	-	1
	WHITE-----MALE----	3	-	-	-	-	-	-	-	-	-	-	1
	FEMALE--	3	-	-	-	-	-	-	-	1	-	-	-
	ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
	FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
	BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
	FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA	-----	51	-	-	-	-	-	1	1	3	2	1	3
	WHITE-----MALE----	22	-	-	-	-	-	1	1	3	-	-	1
	FEMALE--	27	-	-	-	-	-	-	-	-	2	1	2
	ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
	FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
	BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS	-----	42	-	-	-	-	-	1	-	-	2	4	4
	WHITE-----MALE----	21	-	-	-	-	-	1	-	-	-	2	2
	FEMALE--	14	-	-	-	-	-	-	-	-	-	2	-
	ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	2
	FEMALE--	4	-	-	-	-	-	-	-	-	2	-	-
	BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	2
	FEMALE--	4	-	-	-	-	-	-	-	-	2	-	-
CALIFORNIA	-----	415	-	2	1	6	6	10	10	5	19	21	30
	WHITE-----MALE----	166	-	1	1	2	4	5	4	-	10	11	11
	FEMALE--	189	-	-	-	4	1	4	3	4	5	8	15
	ALL OTHER--MALE----	30	-	-	-	-	1	1	2	1	3	1	2
	FEMALE--	30	-	1	-	-	-	-	1	-	1	1	2
	BLACK---MALE----	11	-	-	-	-	-	1	1	1	-	-	1
	FEMALE--	15	-	-	-	-	-	-	1	-	1	1	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 694
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 0 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
 0 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 0 OF CONNECTIVE AND OTHER SOFT TISSUE (171)

	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 UNITED STATES --	274	290	311	420	457	435	351	231	77	19	3	-
WHITE-----MALE----	98	110	131	185	214	190	138	90	25	9	-	-
FEMALE--	134	123	138	178	173	194	186	123	49	10	2	-
ALL OTHER--MALE----	14	22	14	27	29	18	7	5	-	-	-	-
FEMALE--	28	35	28	30	41	33	20	13	3	-	1	-
BLACK---MALE----	11	21	11	22	23	9	4	4	-	-	-	-
FEMALE--	24	31	25	28	31	27	17	12	3	-	1	-
ALABAMA -----	4	6	9	3	4	6	7	1	-	-	-	-
WHITE-----MALE----	2	2	2	3	2	4	4	-	-	-	-	-
FEMALE--	1	3	6	-	1	1	2	1	-	-	-	-
ALL OTHER--MALE----	-	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	1	1	-	-	-	-	-
BLACK---MALE----	-	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	1	1	-	-	-	-	-
ALASKA -----	-	5	-	1	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	2	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	2	7	5	8	5	4	3	4	2	-	-	-
WHITE-----MALE----	1	3	1	1	2	1	2	3	2	-	-	-
FEMALE--	1	4	3	6	3	3	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	2	4	5	2	1	8	5	3	1	-	-	-
WHITE-----MALE----	1	3	2	2	1	6	-	-	1	-	-	-
FEMALE--	1	1	3	-	-	2	4	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	-	-	-	-
CALIFORNIA -----	36	32	36	45	49	41	43	15	5	3	-	-
WHITE-----MALE----	10	12	16	20	17	19	16	5	1	1	-	-
FEMALE--	20	12	16	19	23	15	25	9	4	2	-	-
ALL OTHER--MALE----	2	2	-	4	6	3	1	1	-	-	-	-
FEMALE--	4	6	4	2	3	4	1	-	-	-	-	-
BLACK---MALE----	1	1	-	3	2	-	-	-	-	-	-	-
FEMALE--	2	5	2	1	-	2	-	-	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 695
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
0 CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
0 OF CONNECTIVE AND OTHER SOFT TISSUE (171)

STATE	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
COLORADO	47	-	-	2	1	-	-	2	-	1	-	8
WHITE	19	-	-	1	1	-	-	-	-	1	-	2
FEMALE	25	-	-	1	-	-	-	1	-	-	-	6
ALL OTHER	2	-	-	-	-	-	-	1	-	-	-	-
FEMALE	1	-	-	-	-	-	-	-	-	-	-	-
BLACK	2	-	-	-	-	-	-	1	-	-	-	-
FEMALE	1	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT	51	-	-	-	1	1	1	-	1	2	2	3
WHITE	21	-	-	-	-	1	-	-	-	1	-	2
FEMALE	26	-	-	-	-	-	1	-	1	1	2	-
ALL OTHER	2	-	-	-	1	-	-	-	-	-	-	1
FEMALE	2	-	-	-	-	-	-	-	-	-	-	-
BLACK	2	-	-	-	1	-	-	-	-	-	-	1
FEMALE	2	-	-	-	-	-	-	-	-	-	-	-
DELAWARE	13	-	-	-	-	-	-	-	-	-	2	-
WHITE	6	-	-	-	-	-	-	-	-	-	1	-
FEMALE	6	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	1	-	-	-	-	-	-	-	-	-	-	-
BLACK	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	1	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA	9	-	-	-	-	1	-	-	-	-	-	-
WHITE	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE	2	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE	5	-	-	-	-	-	-	-	-	-	-	-
BLACK	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE	5	-	-	-	-	-	-	-	-	-	-	-
FLORIDA	207	-	-	1	-	4	1	3	6	7	8	11
WHITE	100	-	-	1	-	2	-	2	5	4	2	4
FEMALE	84	-	-	-	-	1	-	1	1	3	3	3
ALL OTHER	11	-	-	-	-	-	-	-	-	-	2	1
FEMALE	12	-	-	-	-	1	1	-	-	-	1	3
BLACK	11	-	-	-	-	-	-	-	-	-	2	1
FEMALE	10	-	-	-	-	-	1	-	-	-	1	3
GEORGIA	85	-	-	3	-	3	1	3	2	6	4	5
WHITE	26	-	-	1	-	1	-	3	1	1	1	1
FEMALE	29	-	-	1	-	1	1	-	-	1	-	3
ALL OTHER	12	-	-	-	-	1	-	-	1	3	1	-
FEMALE	18	-	-	1	-	-	-	-	-	1	2	1
BLACK	12	-	-	-	-	1	-	-	1	3	1	-
FEMALE	18	-	-	1	-	-	-	-	-	1	2	1

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 695
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
0 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 OF CONNECTIVE AND OTHER SOFT TISSUE (171)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
COLORADO -----	4	3	3	6	3	5	1	5	3	-	-	-
WHITE-----MALE----	2	1	3	3	-	3	-	2	-	-	-	-
FEMALE--	2	2	-	3	1	2	1	3	3	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
CONNECTICUT -----	4	3	4	6	3	5	8	4	3	-	-	-
WHITE-----MALE----	2	-	2	4	3	1	3	2	-	-	-	-
FEMALE--	2	2	2	1	-	4	5	2	3	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	1	-	-	-	-	-	-	-	-
DELAWARE -----	1	2	1	1	2	3	1	-	-	-	-	-
WHITE-----MALE----	1	1	1	-	-	2	-	-	-	-	-	-
FEMALE--	-	-	-	1	2	1	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	2	1	1	-	-	2	1	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	1	1	1	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	1	1	1	-	-	-	-
FLORIDA -----	13	24	9	25	33	23	20	12	7	-	-	-
WHITE-----MALE----	5	8	4	12	18	10	11	8	4	-	-	-
FEMALE--	7	11	4	11	10	13	9	4	3	-	-	-
ALL OTHER--MALE----	1	3	-	2	2	-	-	-	-	-	-	-
FEMALE--	-	2	1	-	3	-	-	-	-	-	-	-
BLACK---MALE----	1	3	-	2	2	-	-	-	-	-	-	-
FEMALE--	-	1	1	-	3	-	-	-	-	-	-	-
GEORGIA -----	7	10	6	9	6	7	3	7	3	-	-	-
WHITE-----MALE----	2	2	4	3	1	3	2	-	-	-	-	-
FEMALE--	3	3	2	2	2	3	-	5	2	-	-	-
ALL OTHER--MALE----	1	2	-	1	2	-	-	-	-	-	-	-
FEMALE--	1	3	-	3	1	1	1	2	1	-	-	-
BLACK---MALE----	1	2	-	1	2	-	-	-	-	-	-	-
FEMALE--	1	3	-	3	1	1	1	2	1	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 696
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
0 CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
0 OF CONNECTIVE AND OTHER SOFT TISSUE (171)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
HAWAII -----	18	-	1	-	-	-	-	-	1	-	-	2
WHITE-----MALE----	4	-	1	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	8	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	5	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	15	-	-	1	-	-	1	1	-	-	1	-
WHITE-----MALE----	12	-	-	1	-	-	1	-	-	-	1	-
FEMALE--	3	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	170	-	-	2	-	3	1	6	7	4	6	15
WHITE-----MALE----	69	-	-	1	-	-	-	1	5	1	2	7
FEMALE--	78	-	-	1	-	3	1	3	2	2	3	4
ALL OTHER--MALE----	12	-	-	-	-	-	-	2	-	-	1	1
FEMALE--	11	-	-	-	-	-	-	-	-	1	-	3
BLACK---MALE----	12	-	-	-	-	-	-	2	-	-	1	1
FEMALE--	11	-	-	-	-	-	-	-	-	1	-	3
INDIANA -----	95	-	2	1	2	1	2	1	3	2	6	3
WHITE-----MALE----	48	-	1	1	1	-	1	1	2	2	3	2
FEMALE--	44	-	1	-	1	1	1	-	1	-	2	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	1	-
IOWA -----	35	-	-	-	-	1	-	1	-	1	2	2
WHITE-----MALE----	16	-	-	-	-	-	-	1	-	1	2	-
FEMALE--	19	-	-	-	-	1	-	-	-	-	-	2
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS -----	33	-	-	1	-	2	1	-	-	-	1	1
WHITE-----MALE----	12	-	-	1	-	-	-	-	-	-	-	1
FEMALE--	19	-	-	-	-	2	-	-	-	-	1	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 697
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
0 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 OF CONNECTIVE AND OTHER SOFT TISSUE (171)

	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
KENTUCKY -----	5	5	5	9	4	6	7	2	-	-	-	-
WHITE-----MALE----	3	5	2	6	2	2	1	-	-	-	-	-
FEMALE--	2	-	3	2	2	4	5	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	-	-	-	-	-
LOUISIANA -----	4	4	2	6	7	2	6	1	-	-	-	-
WHITE-----MALE----	1	1	-	3	2	1	2	-	-	-	-	-
FEMALE--	1	2	1	1	2	1	2	1	-	-	-	-
ALL OTHER--MALE----	1	-	1	2	1	-	2	-	-	-	-	-
FEMALE--	1	1	-	-	2	-	-	-	-	-	-	-
BLACK---MALE----	1	-	1	2	1	-	2	-	-	-	-	-
FEMALE--	1	1	-	-	2	-	-	-	-	-	-	-
MAINE -----	3	1	1	2	1	2	-	-	1	-	-	-
WHITE-----MALE----	1	-	1	1	-	1	-	-	1	-	-	-
FEMALE--	2	1	-	1	1	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	5	7	5	7	11	8	6	3	1	-	-	-
WHITE-----MALE----	2	1	1	2	6	4	2	-	-	-	-	-
FEMALE--	2	2	1	2	4	4	4	3	1	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	3	3	3	1	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	3	3	3	1	-	-	-	-	-	-	-
MASSACHUSETTS -----	3	4	5	10	11	10	15	5	3	-	-	-
WHITE-----MALE----	1	3	1	4	4	6	4	2	1	-	-	-
FEMALE--	2	1	3	6	7	3	8	3	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	1	-	-	1	2	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	1	-	-	-	-	-
MICHIGAN -----	10	14	13	12	15	19	12	8	1	-	-	-
WHITE-----MALE----	5	5	4	6	10	7	4	1	-	-	-	-
FEMALE--	3	7	7	5	4	10	8	5	1	-	-	-
ALL OTHER--MALE----	-	-	-	1	1	-	-	1	-	-	-	-
FEMALE--	2	2	2	-	-	2	-	1	-	-	-	-
BLACK---MALE----	-	-	-	1	1	-	-	1	-	-	-	-
FEMALE--	2	2	2	-	-	2	-	1	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 700
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
0 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 OF CONNECTIVE AND OTHER SOFT TISSUE (171)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
OHIO -----	6	9	24	23	25	20	14	16	5	1	1	-
WHITE-----MALE----	4	2	10	8	13	8	1	7	-	-	-	-
FEMALE--	2	5	8	11	7	12	11	9	5	1	-	-
ALL OTHER--MALE----	-	-	4	3	2	-	-	-	-	-	-	-
FEMALE--	-	2	2	1	3	-	2	-	-	-	1	-
BLACK---MALE----	-	-	4	3	2	-	-	-	-	-	-	-
FEMALE--	-	2	2	1	2	-	2	-	-	-	1	-
OKLAHOMA -----	2	3	2	1	6	3	5	4	-	-	-	-
WHITE-----MALE----	1	1	1	1	3	1	2	1	-	-	-	-
FEMALE--	1	2	1	-	3	1	2	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	-	-	-	-
OREGON -----	4	4	5	9	5	3	3	1	-	-	-	-
WHITE-----MALE----	2	3	1	5	5	2	1	-	-	-	-	-
FEMALE--	2	1	3	4	-	1	2	1	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	14	11	14	27	25	24	24	10	6	-	-	-
WHITE-----MALE----	7	6	6	12	10	9	9	4	1	-	-	-
FEMALE--	5	3	8	11	13	12	13	6	5	-	-	-
ALL OTHER--MALE----	2	2	-	2	-	3	-	-	-	-	-	-
FEMALE--	-	-	-	2	2	-	2	-	-	-	-	-
BLACK---MALE----	2	2	-	2	-	2	-	-	-	-	-	-
FEMALE--	-	-	-	2	2	-	2	-	-	-	-	-
RHODE ISLAND -----	-	1	-	-	7	3	2	2	-	-	-	-
WHITE-----MALE----	-	1	-	-	2	1	-	2	-	-	-	-
FEMALE--	-	-	-	-	5	2	2	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	1	8	7	1	7	6	6	3	2	-	-	-
WHITE-----MALE----	-	1	3	-	5	2	3	2	-	-	-	-
FEMALE--	-	2	2	-	2	1	2	-	2	-	-	-
ALL OTHER--MALE----	-	1	-	1	-	1	1	-	-	-	-	-
FEMALE--	1	4	2	-	-	2	-	1	-	-	-	-
BLACK---MALE----	-	1	-	1	-	1	1	-	-	-	-	-
FEMALE--	1	4	2	-	-	2	-	1	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 701
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
0 CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
0 OF CONNECTIVE AND OTHER SOFT TISSUE (171)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
SOUTH DAKOTA -----	10	-	-	-	-	-	-	1	1	-	1	-
WHITE-----MALE----	4	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	6	-	-	-	-	-	-	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	72	-	-	-	1	-	1	2	1	-	4	7
WHITE-----MALE----	32	-	-	-	1	-	-	1	-	-	1	2
FEMALE--	27	-	-	-	-	-	-	1	1	-	2	4
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	12	-	-	-	-	-	1	-	-	-	1	1
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	12	-	-	-	-	-	1	-	-	-	1	1
TEXAS -----	232	-	-	3	-	5	5	9	8	11	16	11
WHITE-----MALE----	88	-	-	-	-	3	3	5	3	4	4	3
FEMALE--	101	-	-	1	-	1	-	2	2	3	8	5
ALL OTHER--MALE----	15	-	-	1	-	1	2	-	2	3	1	1
FEMALE--	28	-	-	1	-	-	-	2	1	1	3	2
BLACK---MALE----	13	-	-	1	-	1	2	-	2	2	1	-
FEMALE--	24	-	-	1	-	-	-	2	1	1	2	2
UTAH -----	25	-	-	-	1	1	3	-	1	-	1	-
WHITE-----MALE----	13	-	-	-	-	-	3	-	-	-	-	-
FEMALE--	10	-	-	-	1	1	-	-	1	-	1	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	10	-	-	-	-	-	-	-	-	-	1	2
WHITE-----MALE----	6	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	2
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	105	-	1	1	-	-	-	4	2	4	5	9
WHITE-----MALE----	35	-	-	1	-	-	-	1	-	1	1	5
FEMALE--	38	-	1	-	-	-	-	1	-	2	-	3
ALL OTHER--MALE----	12	-	-	-	-	-	-	2	-	-	2	-
FEMALE--	20	-	-	-	-	-	-	-	2	1	2	1
BLACK---MALE----	10	-	-	-	-	-	-	1	-	-	2	-
FEMALE--	20	-	-	-	-	-	-	-	2	1	2	1

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 701
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
0 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 OF CONNECTIVE AND OTHER SOFT TISSUE (171)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
SOUTH DAKOTA -----	-	-	1	-	2	2	2	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	1	2	-	-	-	-	-	-
FEMALE--	-	-	1	-	1	-	2	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	7	9	7	3	10	11	5	4	-	-	-	-
WHITE-----MALE----	5	3	4	1	6	5	1	2	-	-	-	-
FEMALE--	2	4	2	1	4	1	3	2	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	1	1	-	5	1	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	1	1	-	5	1	-	-	-	-	-
TEXAS -----	19	8	21	29	25	20	16	17	7	2	-	-
WHITE-----MALE----	8	1	8	12	10	8	8	4	3	1	-	-
FEMALE--	9	6	10	13	10	9	7	10	4	1	-	-
ALL OTHER--MALE----	-	-	-	1	3	-	-	-	-	-	-	-
FEMALE--	2	1	3	3	2	3	1	3	-	-	-	-
BLACK---MALE----	-	-	-	1	3	-	-	-	-	-	-	-
FEMALE--	1	1	3	2	1	3	1	3	-	-	-	-
UTAH -----	-	2	2	2	3	6	1	2	-	-	-	-
WHITE-----MALE----	-	1	2	1	2	2	1	1	-	-	-	-
FEMALE--	-	-	-	1	1	3	-	1	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	1	-	-	2	-	3	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	2	-	2	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	8	7	10	15	14	11	7	5	1	1	-	-
WHITE-----MALE----	-	2	4	4	8	2	4	1	-	1	-	-
FEMALE--	7	4	2	7	2	5	2	2	-	-	-	-
ALL OTHER--MALE----	1	1	2	-	1	2	-	1	-	-	-	-
FEMALE--	-	-	2	4	3	2	1	1	1	-	-	-
BLACK---MALE----	1	1	2	-	1	1	-	1	-	-	-	-
FEMALE--	-	-	2	4	3	2	1	1	1	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 703
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
0 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 MELANOMA OF SKIN (172)

0	CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0	UNITED STATES --	553	561	596	802	960	820	721	445	196	45	5	-
	WHITE-----MALE----	359	368	404	528	592	506	411	252	77	10	-	-
	FEMALE--	182	182	181	260	350	298	293	184	117	33	4	-
	ALL OTHER--MALE----	9	6	6	8	6	5	11	2	1	2	-	-
	FEMALE--	3	5	5	6	12	11	6	7	1	-	1	-
	BLACK---MALE----	5	4	6	6	3	3	7	1	1	2	-	-
	FEMALE--	2	3	2	5	9	9	6	7	1	-	1	-
ALABAMA -----		14	13	6	15	16	17	9	11	2	4	-	-
	WHITE-----MALE----	6	9	2	12	9	11	8	4	-	-	-	-
	FEMALE--	7	3	4	3	7	5	1	7	2	4	-	-
	ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
	FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
	BLACK---MALE----	1	1	-	-	-	-	-	-	-	-	-	-
	FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALASKA -----		5	1	-	1	1	2	1	-	-	-	-	-
	WHITE-----MALE----	5	-	-	1	-	2	1	-	-	-	-	-
	FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
	ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
	BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----		11	11	11	14	24	17	12	10	-	-	-	-
	WHITE-----MALE----	9	9	9	8	17	11	9	7	-	-	-	-
	FEMALE--	2	2	2	6	7	6	3	3	-	-	-	-
	ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
	BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----		1	3	7	3	13	9	8	5	1	-	-	-
	WHITE-----MALE----	1	2	5	3	8	6	5	3	-	-	-	-
	FEMALE--	-	1	1	-	5	3	3	2	1	-	-	-
	ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
	FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
	BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
	FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----		59	49	69	79	97	79	92	49	28	2	1	-
	WHITE-----MALE----	38	30	50	47	59	55	59	31	13	-	-	-
	FEMALE--	20	17	17	32	34	23	31	17	15	2	1	-
	ALL OTHER--MALE----	1	1	-	-	1	1	2	1	-	-	-	-
	FEMALE--	-	1	2	-	3	-	-	-	-	-	-	-
	BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
	FEMALE--	-	-	1	-	2	-	-	-	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 704
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
0 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 MELANOMA OF SKIN (172)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
COLORADO -----	10	3	5	8	13	15	12	3	2	1	-	-
WHITE-----MALE----	3	1	2	5	7	8	6	2	1	-	-	-
FEMALE--	7	2	3	2	6	7	6	1	1	1	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	9	8	8	14	14	14	12	6	2	-	-	-
WHITE-----MALE----	6	5	6	12	10	9	8	4	2	-	-	-
FEMALE--	3	3	2	2	4	4	4	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	1	2	3	6	-	1	2	2	-	-	-	-
WHITE-----MALE----	1	1	2	3	-	-	-	1	-	-	-	-
FEMALE--	-	1	-	3	-	1	2	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	2	-	-	1	2	-	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	2	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
FLORIDA -----	41	25	46	54	75	70	57	51	26	1	-	-
WHITE-----MALE----	24	14	28	36	52	50	33	40	8	1	-	-
FEMALE--	16	11	17	17	23	18	23	11	18	-	-	-
ALL OTHER--MALE----	1	-	1	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	1	-	-	-	-	-
BLACK---MALE----	1	-	1	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	1	-	-	-	-	-
GEORGIA -----	12	11	13	17	17	15	10	5	5	1	-	-
WHITE-----MALE----	6	9	10	12	8	9	4	2	3	-	-	-
FEMALE--	6	2	2	4	7	5	6	3	1	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	1	1	-	-
FEMALE--	-	-	-	1	2	1	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	1	1	-	-
FEMALE--	-	-	-	1	2	1	-	-	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 709
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
0 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 MELANOMA OF SKIN (172)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
OHIO -----	20	21	32	38	33	31	24	22	9	1	-	-
WHITE-----MALE----	12	16	21	23	20	23	10	9	6	1	-	-
FEMALE--	7	5	9	14	12	8	13	11	3	-	-	-
ALL OTHER--MALE----	1	-	2	1	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	2	-	-	-	-
BLACK---MALE----	1	-	2	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	2	-	-	-	-
OKLAHOMA -----	7	7	8	11	13	15	7	10	7	-	-	-
WHITE-----MALE----	1	6	5	5	7	7	4	4	2	-	-	-
FEMALE--	5	1	3	6	6	8	3	6	5	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	8	11	6	9	11	12	12	1	3	1	-	-
WHITE-----MALE----	5	8	5	8	6	9	6	1	2	1	-	-
FEMALE--	3	3	1	1	4	3	6	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	17	35	39	47	63	33	39	28	8	2	-	-
WHITE-----MALE----	15	21	24	30	38	22	26	16	5	-	-	-
FEMALE--	2	14	15	17	25	11	13	12	3	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND -----	4	3	2	6	3	2	4	2	1	-	-	-
WHITE-----MALE----	1	3	1	5	-	2	2	1	-	-	-	-
FEMALE--	3	-	1	1	3	-	2	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	5	8	15	5	10	8	9	2	-	-	-	-
WHITE-----MALE----	4	7	11	4	6	3	6	2	-	-	-	-
FEMALE--	-	1	4	1	4	5	2	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 710
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 0 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
 0 CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
 0 MELANOMA OF SKIN (172)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
SOUTH DAKOTA -----	25	-	-	-	-	-	-	1	-	2	-	3
WHITE-----MALE----	14	-	-	-	-	-	-	1	-	2	-	2
FEMALE--	11	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	165	-	-	-	-	-	1	3	3	12	8	13
WHITE-----MALE----	94	-	-	-	-	-	-	1	-	4	7	5
FEMALE--	65	-	-	-	-	-	1	2	3	6	1	7
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	2	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	4	-	-	-	-	-	-	-	-	2	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	1
TEXAS -----	465	-	-	-	-	1	1	2	11	21	30	36
WHITE-----MALE----	285	-	-	-	-	-	1	1	5	14	16	23
FEMALE--	173	-	-	-	-	1	-	-	6	7	14	13
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	1	-	-	-	-
UTAH -----	51	-	-	-	-	-	2	3	2	1	3	4
WHITE-----MALE----	26	-	-	-	-	-	1	1	-	1	1	2
FEMALE--	25	-	-	-	-	-	1	2	2	-	2	2
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	26	-	-	-	-	-	-	1	1	-	2	3
WHITE-----MALE----	17	-	-	-	-	-	-	1	-	-	1	1
FEMALE--	9	-	-	-	-	-	-	-	1	-	1	2
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	181	-	-	-	-	-	1	4	5	7	14	14
WHITE-----MALE----	109	-	-	-	-	-	-	1	4	4	9	8
FEMALE--	66	-	-	-	-	-	1	3	1	2	5	5
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	1	-	1
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	1	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 710
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
0 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 MELANOMA OF SKIN (172)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
SOUTH DAKOTA -----	2	3	1	2	4	2	3	2	-	-	-	-
WHITE-----MALE----	1	1	-	1	2	-	2	2	-	-	-	-
FEMALE--	1	2	1	1	2	2	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	14	13	9	16	22	19	19	9	3	1	-	-
WHITE-----MALE----	11	8	4	12	13	13	10	5	1	-	-	-
FEMALE--	3	4	5	4	9	6	8	3	2	1	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
TEXAS -----	34	36	39	58	59	52	41	25	12	6	1	-
WHITE-----MALE----	23	21	29	45	37	29	25	12	2	2	-	-
FEMALE--	10	13	10	13	22	23	15	12	10	3	1	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	2	-	-	-	-	1	1	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	2	-	-	-	-	1	1	-	-	-	-
UTAH -----	3	5	4	9	2	4	7	1	1	-	-	-
WHITE-----MALE----	3	3	1	5	1	3	4	-	-	-	-	-
FEMALE--	-	2	3	4	1	1	3	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	2	2	2	6	2	-	3	1	1	-	-	-
WHITE-----MALE----	2	1	2	4	2	-	3	-	-	-	-	-
FEMALE--	-	1	-	2	-	-	-	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	15	18	13	15	19	22	17	11	4	1	1	-
WHITE-----MALE----	10	13	10	11	12	10	9	6	1	1	-	-
FEMALE--	5	5	3	4	7	10	7	5	3	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	2	-	-	-	-	1	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	2	-	-	-	-	1	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 712
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
0 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 OTHER MALIGNANT NEOPLASMS OF SKIN (173)

	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 UNITED STATES --	111	137	180	245	257	264	277	220	154	55	15	-
WHITE-----MALE----	76	87	118	148	171	170	169	119	68	20	3	-
FEMALE--	18	25	38	69	70	82	99	91	84	35	11	-
ALL OTHER--MALE----	14	20	15	21	13	8	7	5	-	-	-	-
FEMALE--	3	5	9	7	3	4	2	5	2	-	1	-
BLACK---MALE----	11	18	14	18	13	8	7	4	-	-	-	-
FEMALE--	3	4	9	7	3	4	2	5	2	-	1	-
ALABAMA -----	1	2	4	2	1	2	3	2	3	-	-	-
WHITE-----MALE----	1	1	4	1	1	1	2	-	1	-	-	-
FEMALE--	-	1	-	1	-	1	1	2	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA -----	1	-	-	1	-	-	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	3	3	-	3	2	3	8	3	2	2	-	-
WHITE-----MALE----	3	3	-	3	2	3	4	3	1	2	-	-
FEMALE--	-	-	-	-	-	-	4	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	1	2	4	1	3	3	7	1	3	2	-	-
WHITE-----MALE----	1	2	3	1	2	1	4	-	-	-	-	-
FEMALE--	-	-	-	-	1	2	3	1	3	2	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	14	21	17	28	20	24	31	19	13	4	-	-
WHITE-----MALE----	11	14	11	17	15	17	25	14	8	2	-	-
FEMALE--	1	3	4	7	4	6	6	4	5	2	-	-
ALL OTHER--MALE----	1	3	2	4	1	-	-	1	-	-	-	-
FEMALE--	1	1	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	3	1	2	1	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	1	-	-	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 713
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
0 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 OTHER MALIGNANT NEOPLASMS OF SKIN (173)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
COLORADO -----	1	2	2	1	6	6	4	5	1	-	-	-
WHITE-----MALE----	1	2	2	-	4	3	3	3	1	-	-	-
FEMALE--	-	-	-	1	2	3	1	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	1	1	-	1	4	4	2	1	2	1	-	-
WHITE-----MALE----	1	-	-	-	2	1	2	1	1	1	-	-
FEMALE--	-	-	-	-	2	2	-	-	1	-	-	-
ALL OTHER--MALE----	-	1	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	-	-	-	-	-	-	2	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	-	-	-	-	1	-	1	1	1	-	1	-
WHITE-----MALE----	-	-	-	-	-	-	1	-	1	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	12	10	12	20	22	25	19	21	12	6	-	-
WHITE-----MALE----	7	8	7	11	14	16	12	16	9	1	-	-
FEMALE--	2	-	4	9	7	8	7	4	3	5	-	-
ALL OTHER--MALE----	2	1	-	-	1	-	-	1	-	-	-	-
FEMALE--	1	1	1	-	-	1	-	-	-	-	-	-
BLACK---MALE----	1	1	-	-	1	-	-	1	-	-	-	-
FEMALE--	1	1	1	-	-	1	-	-	-	-	-	-
GEORGIA -----	3	6	2	11	5	6	6	4	3	-	1	-
WHITE-----MALE----	3	4	1	7	4	5	3	1	2	-	-	-
FEMALE--	-	1	1	2	1	1	3	3	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	2	-	-	-	-	1	-	1	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	2	-	-	-	-	1	-	1	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 715
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
0 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 OTHER MALIGNANT NEOPLASMS OF SKIN (173)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
KENTUCKY -----	3	1	1	1	3	2	5	6	4	2	1	-
WHITE-----MALE----	2	1	1	1	2	1	2	1	-	-	1	-
FEMALE--	1	-	-	-	-	1	3	5	4	2	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	-	4	2	5	1	3	4	4	2	-	1	-
WHITE-----MALE----	-	2	1	3	-	3	1	4	2	-	-	-
FEMALE--	-	-	-	-	1	-	2	-	-	-	1	-
ALL OTHER--MALE----	-	2	1	2	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	2	1	2	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MAINE -----	-	-	-	2	4	-	3	2	-	-	-	-
WHITE-----MALE----	-	-	-	2	3	-	2	2	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	1	4	6	4	2	6	4	-	3	1	-	-
WHITE-----MALE----	1	2	2	3	-	3	3	-	2	1	-	-
FEMALE--	-	-	2	-	1	3	1	-	1	-	-	-
ALL OTHER--MALE----	-	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	1	1	1	-	-	-	-	-	-	-
BLACK---MALE----	-	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	1	1	1	-	-	-	-	-	-	-
MASSACHUSETTS -----	-	5	3	2	7	9	4	8	6	1	1	-
WHITE-----MALE----	-	2	3	2	4	5	4	4	2	1	1	-
FEMALE--	-	1	-	-	3	4	-	4	4	-	-	-
ALL OTHER--MALE----	-	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	3	1	9	9	8	11	5	3	4	1	-	-
WHITE-----MALE----	2	-	7	5	4	7	2	2	-	1	-	-
FEMALE--	-	-	1	3	3	3	3	1	4	-	-	-
ALL OTHER--MALE----	1	1	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	-	-	-	-	-	-
BLACK---MALE----	1	1	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	-	-	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 718
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
0 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 OTHER MALIGNANT NEOPLASMS OF SKIN (173)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
OHIO -----	2	5	5	10	10	13	17	14	7	2	-	-
WHITE-----MALE----	1	4	2	9	6	11	10	5	4	-	-	-
FEMALE--	1	1	1	1	3	2	6	9	3	2	-	-
ALL OTHER--MALE----	-	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	1	-	-	-	-	-
OKLAHOMA -----	2	2	5	5	5	2	6	6	3	2	1	-
WHITE-----MALE----	2	1	2	4	4	2	3	3	1	1	-	-
FEMALE--	-	1	3	-	-	-	3	3	2	1	1	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
OREGON -----	2	-	2	2	2	4	2	5	3	-	-	-
WHITE-----MALE----	1	-	1	2	2	3	2	3	1	-	-	-
FEMALE--	1	-	1	-	-	1	-	2	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	11	10	6	15	12	18	14	15	5	3	1	-
WHITE-----MALE----	8	5	4	8	9	8	6	8	1	3	-	-
FEMALE--	-	3	1	6	3	8	8	7	4	-	1	-
ALL OTHER--MALE----	2	1	-	1	-	2	-	-	-	-	-	-
FEMALE--	1	1	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	1	-	1	-	2	-	-	-	-	-	-
FEMALE--	1	1	1	-	-	-	-	-	-	-	-	-
RHODE ISLAND -----	-	-	-	-	1	1	1	2	3	1	-	-
WHITE-----MALE----	-	-	-	-	1	1	-	1	1	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	1	2	3	4	13	5	3	7	1	-	-	-
WHITE-----MALE----	-	1	1	2	9	3	3	3	-	-	-	-
FEMALE--	-	-	1	1	3	1	-	2	-	-	-	-
ALL OTHER--MALE----	1	1	1	1	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	2	1	-	-	-
BLACK---MALE----	1	1	1	1	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	2	1	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 719
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
0 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 OTHER MALIGNANT NEOPLASMS OF SKIN (173)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
SOUTH DAKOTA -----	-	-	-	1	-	2	1	2	-	-	-	-
WHITE-----MALE----	-	-	-	1	-	1	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	1	4	6	8	5	6	10	4	5	2	-	-
WHITE-----MALE----	1	3	5	7	5	3	4	1	2	-	-	-
FEMALE--	-	-	-	1	-	3	5	3	3	2	-	-
ALL OTHER--MALE----	-	1	1	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	1	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS -----	10	6	16	21	27	28	12	20	7	6	-	-
WHITE-----MALE----	6	3	12	11	17	22	7	9	5	1	-	-
FEMALE--	2	3	2	7	7	4	5	11	2	5	-	-
ALL OTHER--MALE----	2	-	1	3	3	2	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	1	3	3	2	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
UTAH -----	-	-	-	2	2	1	1	2	-	2	-	-
WHITE-----MALE----	-	-	-	2	2	1	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	1	-	3	-	1	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	2	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	1	-	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	2	4	4	6	7	10	8	8	2	1	-	-
WHITE-----MALE----	1	3	2	4	4	6	6	4	1	-	-	-
FEMALE--	-	-	-	1	3	4	2	2	1	1	-	-
ALL OTHER--MALE----	1	-	1	1	-	-	-	1	-	-	-	-
FEMALE--	-	1	1	-	-	-	-	1	-	-	-	-
BLACK---MALE----	1	-	1	1	-	-	-	1	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 721												
(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH												
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)												
0 CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 OF FEMALE BREAST (174)												
0 UNITED STATES --	43,091	1	-	-	1	-	18	101	438	1,100	1,996	3,058
WHITE-----FEMALE--	37,218	-	-	-	1	-	10	65	306	799	1,508	2,423
ALL OTHER--FEMALE--	5,873	1	-	-	-	-	8	36	132	301	488	635
BLACK---FEMALE--	5,254	1	-	-	-	-	8	31	121	263	434	559
ALABAMA -----	673	-	-	-	-	-	1	4	13	26	40	56
WHITE-----FEMALE--	472	-	-	-	-	-	1	1	8	16	19	35
ALL OTHER--FEMALE--	201	-	-	-	-	-	-	3	5	10	21	21
BLACK---FEMALE--	200	-	-	-	-	-	-	3	5	10	21	21
ALASKA -----	53	-	-	-	-	-	-	1	1	4	3	9
WHITE-----FEMALE--	43	-	-	-	-	-	-	1	1	3	1	8
ALL OTHER--FEMALE--	10	-	-	-	-	-	-	-	-	1	2	1
BLACK---FEMALE--	2	-	-	-	-	-	-	-	-	-	1	-
ARIZONA -----	581	-	-	-	-	-	-	3	5	19	25	32
WHITE-----FEMALE--	554	-	-	-	-	-	-	3	5	18	25	28
ALL OTHER--FEMALE--	27	-	-	-	-	-	-	-	-	1	-	4
BLACK---FEMALE--	15	-	-	-	-	-	-	-	-	-	-	4
ARKANSAS -----	391	-	-	-	-	-	1	2	2	10	23	38
WHITE-----FEMALE--	333	-	-	-	-	-	1	2	1	7	19	30
ALL OTHER--FEMALE--	58	-	-	-	-	-	-	-	1	3	4	8
BLACK---FEMALE--	57	-	-	-	-	-	-	-	1	2	4	8
CALIFORNIA -----	4,315	-	-	-	-	-	4	8	49	136	243	337
WHITE-----FEMALE--	3,748	-	-	-	-	-	2	4	36	96	193	262
ALL OTHER--FEMALE--	567	-	-	-	-	-	2	4	13	40	50	75
BLACK---FEMALE--	356	-	-	-	-	-	2	3	9	28	30	55

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 721												
(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH												
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)												
0 CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OF FEMALE BREAST (174)												
0 UNITED STATES --	3,358	3,623	3,919	4,774	5,479	5,218	4,490	3,216	1,647	552	101	1
WHITE-----FEMALE--	2,726	3,037	3,381	4,185	4,890	4,714	4,104	2,963	1,518	502	85	1
ALL OTHER--FEMALE--	632	586	538	589	589	504	386	253	129	50	16	-
BLACK---FEMALE--	542	525	487	517	528	461	357	233	123	48	16	-
ALABAMA -----	71	56	74	66	78	61	54	50	16	5	2	-
WHITE-----FEMALE--	47	35	56	53	60	48	44	34	12	3	-	-
ALL OTHER--FEMALE--	24	21	18	13	18	13	10	16	4	2	2	-
BLACK---FEMALE--	23	21	18	13	18	13	10	16	4	2	2	-
ALASKA -----	5	5	7	6	3	2	5	2	-	-	-	-
WHITE-----FEMALE--	5	4	7	4	2	1	4	2	-	-	-	-
ALL OTHER--FEMALE--	-	1	-	2	1	1	1	-	-	-	-	-
BLACK---FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
ARIZONA -----	37	56	44	73	82	79	56	40	19	9	1	1
WHITE-----FEMALE--	35	53	40	69	81	76	55	37	18	9	1	1
ALL OTHER--FEMALE--	2	3	4	4	1	3	1	3	1	-	-	-
BLACK---FEMALE--	1	1	3	1	1	1	1	1	1	-	-	-
ARKANSAS -----	29	25	33	51	57	42	29	25	13	8	3	-
WHITE-----FEMALE--	29	22	28	43	50	35	24	22	11	7	2	-
ALL OTHER--FEMALE--	-	3	5	8	7	7	5	3	2	1	1	-
BLACK---FEMALE--	-	3	5	8	7	7	5	3	2	1	1	-
CALIFORNIA -----	367	386	412	470	581	482	412	248	134	40	6	-
WHITE-----FEMALE--	296	332	361	410	526	439	387	234	127	38	5	-
ALL OTHER--FEMALE--	71	54	51	60	55	43	25	14	7	2	1	-
BLACK---FEMALE--	39	36	34	36	30	28	11	8	5	1	1	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 722
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
 0 CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
 0 OF FEMALE BREAST (174)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
COLORADO -----	439	-	-	-	-	-	-	2	2	10	25	46
WHITE-----FEMALE--	414	-	-	-	-	-	-	2	2	9	19	41
ALL OTHER--FEMALE--	25	-	-	-	-	-	-	-	-	1	6	5
BLACK---FEMALE--	21	-	-	-	-	-	-	-	-	1	4	4
CONNECTICUT -----	604	-	-	-	-	-	-	2	2	13	19	42
WHITE-----FEMALE--	565	-	-	-	-	-	-	1	2	9	17	38
ALL OTHER--FEMALE--	39	-	-	-	-	-	-	1	-	4	2	4
BLACK---FEMALE--	37	-	-	-	-	-	-	1	-	3	1	4
DELAWARE -----	130	-	-	-	-	-	-	-	2	5	6	8
WHITE-----FEMALE--	105	-	-	-	-	-	-	-	1	4	3	6
ALL OTHER--FEMALE--	25	-	-	-	-	-	-	-	1	1	3	2
BLACK---FEMALE--	25	-	-	-	-	-	-	-	1	1	3	2
DISTRICT OF COLUMBIA ----	127	-	-	-	-	-	-	-	2	3	8	9
WHITE-----FEMALE--	24	-	-	-	-	-	-	-	1	-	2	1
ALL OTHER--FEMALE--	103	-	-	-	-	-	-	-	1	3	6	8
BLACK---FEMALE--	101	-	-	-	-	-	-	-	1	3	6	8
FLORIDA -----	2,732	-	-	-	-	-	1	10	16	65	94	162
WHITE-----FEMALE--	2,466	-	-	-	-	-	1	8	9	48	74	134
ALL OTHER--FEMALE--	266	-	-	-	-	-	-	2	7	17	20	28
BLACK---FEMALE--	260	-	-	-	-	-	-	1	7	16	19	28
GEORGIA -----	994	-	-	-	-	-	1	4	20	34	62	97
WHITE-----FEMALE--	715	-	-	-	-	-	-	3	11	17	33	60
ALL OTHER--FEMALE--	279	-	-	-	-	-	1	1	9	17	29	37
BLACK---FEMALE--	276	-	-	-	-	-	1	1	8	15	29	37

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 722
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
0 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 OF FEMALE BREAST (174)

	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
COLORADO -----	34	42	37	60	41	64	36	29	7	3	1	-
WHITE-----FEMALE--	34	40	35	57	40	61	35	28	7	3	1	-
ALL OTHER--FEMALE--	-	2	2	3	1	3	1	1	-	-	-	-
BLACK---FEMALE--	-	2	2	3	1	3	1	-	-	-	-	-
CONNECTICUT -----	55	41	62	66	67	88	68	44	28	7	-	-
WHITE-----FEMALE--	50	37	56	62	65	87	63	44	27	7	-	-
ALL OTHER--FEMALE--	5	4	6	4	2	1	5	-	1	-	-	-
BLACK---FEMALE--	5	4	6	4	2	1	5	-	1	-	-	-
DELAWARE -----	8	8	10	12	28	22	10	3	7	1	-	-
WHITE-----FEMALE--	5	8	7	10	23	20	7	3	7	1	-	-
ALL OTHER--FEMALE--	3	-	3	2	5	2	3	-	-	-	-	-
BLACK---FEMALE--	3	-	3	2	5	2	3	-	-	-	-	-
DISTRICT OF COLUMBIA ----	14	16	10	11	9	15	15	9	4	1	1	-
WHITE-----FEMALE--	2	2	1	1	3	1	4	3	2	1	-	-
ALL OTHER--FEMALE--	12	14	9	10	6	14	11	6	2	-	1	-
BLACK---FEMALE--	11	14	9	9	6	14	11	6	2	-	1	-
FLORIDA -----	169	225	236	333	353	381	305	247	94	35	6	-
WHITE-----FEMALE--	144	195	213	311	324	364	284	230	88	33	6	-
ALL OTHER--FEMALE--	25	30	23	22	29	17	21	17	6	2	-	-
BLACK---FEMALE--	24	29	22	22	29	17	21	17	6	2	-	-
GEORGIA -----	84	81	95	123	95	88	98	76	27	8	1	-
WHITE-----FEMALE--	59	62	72	93	79	70	75	57	19	4	1	-
ALL OTHER--FEMALE--	25	19	23	30	16	18	23	19	8	4	-	-
BLACK---FEMALE--	25	19	23	30	16	18	23	19	8	4	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 723
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
0 CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
0 OF FEMALE BREAST (174)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
HAWAII -----	129	-	-	-	-	-	-	1	-	6	7	10
WHITE-----FEMALE--	46	-	-	-	-	-	-	-	-	2	-	3
ALL OTHER--FEMALE--	83	-	-	-	-	-	-	1	-	4	7	7
BLACK---FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	146	-	-	-	-	-	-	-	1	6	7	11
WHITE-----FEMALE--	141	-	-	-	-	-	-	-	-	5	7	10
ALL OTHER--FEMALE--	5	-	-	-	-	-	-	-	1	1	-	1
BLACK---FEMALE--	2	-	-	-	-	-	-	-	1	1	-	-
ILLINOIS -----	2,108	-	-	-	-	-	1	7	23	56	94	146
WHITE-----FEMALE--	1,791	-	-	-	-	-	-	2	14	35	70	102
ALL OTHER--FEMALE--	317	-	-	-	-	-	1	5	9	21	24	44
BLACK---FEMALE--	302	-	-	-	-	-	1	5	9	20	23	42
INDIANA -----	1,042	-	-	-	-	-	1	-	7	25	37	78
WHITE-----FEMALE--	945	-	-	-	-	-	1	-	6	21	33	72
ALL OTHER--FEMALE--	97	-	-	-	-	-	-	-	1	4	4	6
BLACK---FEMALE--	95	-	-	-	-	-	-	-	1	4	4	6
IOWA -----	526	-	-	-	-	-	-	-	6	9	19	24
WHITE-----FEMALE--	517	-	-	-	-	-	-	-	6	8	18	24
ALL OTHER--FEMALE--	9	-	-	-	-	-	-	-	-	1	1	-
BLACK---FEMALE--	7	-	-	-	-	-	-	-	-	1	1	-
KANSAS -----	395	-	-	-	-	-	1	2	3	9	14	17
WHITE-----FEMALE--	370	-	-	-	-	-	1	1	2	8	12	15
ALL OTHER--FEMALE--	25	-	-	-	-	-	-	1	1	1	2	2
BLACK---FEMALE--	20	-	-	-	-	-	-	1	1	-	2	2

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 723
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
0 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 OF FEMALE BREAST (174)

	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
HAWAII -----	18	15	8	17	15	17	8	6	1	-	-	-
WHITE-----FEMALE--	6	8	5	3	4	8	4	2	1	-	-	-
ALL OTHER--FEMALE--	12	7	3	14	11	9	4	4	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
IDAHO -----	4	18	14	16	15	13	17	14	8	2	-	-
WHITE-----FEMALE--	4	17	14	16	15	13	17	14	8	1	-	-
ALL OTHER--FEMALE--	-	1	-	-	-	-	-	-	-	1	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	162	168	189	223	252	260	261	134	91	36	5	-
WHITE-----FEMALE--	131	134	156	187	229	238	243	127	85	35	3	-
ALL OTHER--FEMALE--	31	34	33	36	23	22	18	7	6	1	2	-
BLACK---FEMALE--	28	32	32	34	21	21	18	7	6	1	2	-
INDIANA -----	83	75	107	107	122	137	121	86	36	19	1	-
WHITE-----FEMALE--	72	65	100	96	110	121	114	83	33	17	1	-
ALL OTHER--FEMALE--	11	10	7	11	12	16	7	3	3	2	-	-
BLACK---FEMALE--	11	10	7	10	12	16	7	3	2	2	-	-
IOWA -----	34	32	55	55	71	68	60	53	26	11	3	-
WHITE-----FEMALE--	33	29	54	55	70	67	60	53	26	11	3	-
ALL OTHER--FEMALE--	1	3	1	-	1	1	-	-	-	-	-	-
BLACK---FEMALE--	-	3	1	-	1	-	-	-	-	-	-	-
KANSAS -----	31	31	36	50	50	50	34	32	25	8	2	-
WHITE-----FEMALE--	28	27	31	49	48	48	34	31	25	8	2	-
ALL OTHER--FEMALE--	3	4	5	1	2	2	-	1	-	-	-	-
BLACK---FEMALE--	2	4	3	-	2	2	-	1	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 724
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
 0 CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
 0 OF FEMALE BREAST (174)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
KENTUCKY -----	607	-	-	-	-	-	-	1	8	13	30	36
WHITE-----FEMALE--	563	-	-	-	-	-	-	-	6	13	25	31
ALL OTHER--FEMALE--	44	-	-	-	-	-	-	1	2	-	5	5
BLACK---FEMALE--	43	-	-	-	-	-	-	1	2	-	5	4
LOUISIANA -----	711	-	-	-	-	-	-	1	11	23	49	68
WHITE-----FEMALE--	476	-	-	-	-	-	-	1	2	13	27	42
ALL OTHER--FEMALE--	235	-	-	-	-	-	-	-	9	10	22	26
BLACK---FEMALE--	235	-	-	-	-	-	-	-	9	10	22	26
MAINE -----	209	-	-	-	-	-	-	-	3	5	6	14
WHITE-----FEMALE--	208	-	-	-	-	-	-	-	3	5	6	14
ALL OTHER--FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	849	1	-	-	-	-	1	1	9	21	44	74
WHITE-----FEMALE--	648	-	-	-	-	-	-	1	3	13	26	46
ALL OTHER--FEMALE--	201	1	-	-	-	-	1	-	6	8	18	28
BLACK---FEMALE--	192	1	-	-	-	-	1	-	5	8	17	24
MASSACHUSETTS -----	1,153	-	-	-	-	-	-	2	9	17	46	75
WHITE-----FEMALE--	1,102	-	-	-	-	-	-	2	7	15	42	73
ALL OTHER--FEMALE--	51	-	-	-	-	-	-	-	2	2	4	2
BLACK---FEMALE--	41	-	-	-	-	-	-	-	1	2	4	1
MICHIGAN -----	1,597	-	-	-	-	-	-	-	25	40	76	116
WHITE-----FEMALE--	1,348	-	-	-	-	-	-	-	18	26	62	84
ALL OTHER--FEMALE--	249	-	-	-	-	-	-	-	7	14	14	32
BLACK---FEMALE--	233	-	-	-	-	-	-	-	7	14	14	29

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 724
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
0 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 OF FEMALE BREAST (174)

	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
KENTUCKY -----	54	55	65	72	65	78	52	51	20	6	1	-
WHITE-----FEMALE--	51	53	64	67	60	71	47	49	19	6	1	-
ALL OTHER--FEMALE--	3	2	1	5	5	7	5	2	1	-	-	-
BLACK---FEMALE--	3	2	1	5	5	7	5	2	1	-	-	-
LOUISIANA -----	61	75	56	84	80	71	59	47	16	7	3	-
WHITE-----FEMALE--	35	51	43	52	57	53	46	33	12	7	2	-
ALL OTHER--FEMALE--	26	24	13	32	23	18	13	14	4	-	1	-
BLACK---FEMALE--	26	24	13	32	23	18	13	14	4	-	1	-
MAINE -----	17	20	25	20	22	28	18	15	10	4	2	-
WHITE-----FEMALE--	17	20	25	20	22	28	17	15	10	4	2	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
MARYLAND -----	58	65	90	88	107	93	89	55	40	9	4	-
WHITE-----FEMALE--	37	47	76	68	86	76	72	49	38	6	4	-
ALL OTHER--FEMALE--	21	18	14	20	21	17	17	6	2	3	-	-
BLACK---FEMALE--	21	18	13	19	20	17	17	6	2	3	-	-
MASSACHUSETTS -----	77	92	64	120	155	140	141	127	62	20	6	-
WHITE-----FEMALE--	69	84	62	116	153	138	135	122	60	19	5	-
ALL OTHER--FEMALE--	8	8	2	4	2	2	6	5	2	1	1	-
BLACK---FEMALE--	4	8	1	4	1	2	4	5	2	1	1	-
MICHIGAN -----	120	125	142	183	193	196	186	109	58	25	3	-
WHITE-----FEMALE--	90	105	120	154	166	173	168	100	55	24	3	-
ALL OTHER--FEMALE--	30	20	22	29	27	23	18	9	3	1	-	-
BLACK---FEMALE--	28	20	17	29	24	23	18	6	3	1	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 725
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
0 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 OF FEMALE BREAST (174)

	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
MINNESOTA -----	58	54	70	62	73	90	89	70	39	11	2	-
WHITE-----FEMALE--	54	53	69	61	72	89	89	69	39	11	2	-
ALL OTHER--FEMALE--	4	1	1	1	1	1	-	1	-	-	-	-
BLACK---FEMALE--	3	1	-	-	-	-	-	1	-	-	-	-
MISSISSIPPI -----	47	19	47	62	52	45	35	25	14	5	-	-
WHITE-----FEMALE--	31	11	30	36	33	34	26	17	9	2	-	-
ALL OTHER--FEMALE--	16	8	17	26	19	11	9	8	5	3	-	-
BLACK---FEMALE--	16	8	17	26	19	11	9	8	5	3	-	-
MISSOURI -----	81	80	80	100	91	106	102	70	42	9	2	-
WHITE-----FEMALE--	65	71	70	84	77	100	90	64	34	9	2	-
ALL OTHER--FEMALE--	16	9	10	16	14	6	12	6	8	-	-	-
BLACK---FEMALE--	15	8	10	16	13	6	12	6	8	-	-	-
MONTANA -----	8	8	17	16	15	29	13	16	6	-	-	-
WHITE-----FEMALE--	8	7	16	16	13	29	13	16	6	-	-	-
ALL OTHER--FEMALE--	-	1	1	-	2	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	19	20	21	29	43	50	41	35	15	5	1	-
WHITE-----FEMALE--	18	20	19	29	40	48	40	34	14	5	1	-
ALL OTHER--FEMALE--	1	-	2	-	3	2	1	1	1	-	-	-
BLACK---FEMALE--	1	-	1	-	3	2	-	1	1	-	-	-
NEVADA -----	15	23	19	35	27	27	9	7	6	3	-	-
WHITE-----FEMALE--	13	20	19	31	25	26	9	7	6	2	-	-
ALL OTHER--FEMALE--	2	3	-	4	2	1	-	-	-	1	-	-
BLACK---FEMALE--	2	2	-	2	2	1	-	-	-	1	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 727
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 0 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
 0 CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
 0 OF FEMALE BREAST (174)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
OHIO -----	2,110	-	-	-	-	-	1	5	17	52	83	147
WHITE-----FEMALE--	1,865	-	-	-	-	-	1	3	13	41	65	123
ALL OTHER--FEMALE--	245	-	-	-	-	-	-	2	4	11	18	24
BLACK---FEMALE--	238	-	-	-	-	-	-	2	4	9	17	22
OKLAHOMA -----	537	-	-	-	-	-	-	1	6	11	33	31
WHITE-----FEMALE--	470	-	-	-	-	-	-	1	5	10	25	26
ALL OTHER--FEMALE--	67	-	-	-	-	-	-	-	1	1	8	5
BLACK---FEMALE--	44	-	-	-	-	-	-	-	-	-	4	4
OREGON -----	512	-	-	-	-	-	-	1	3	15	25	34
WHITE-----FEMALE--	499	-	-	-	-	-	-	1	3	14	25	31
ALL OTHER--FEMALE--	13	-	-	-	-	-	-	-	-	1	-	3
BLACK---FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	2,536	-	-	-	-	-	-	5	20	45	108	161
WHITE-----FEMALE--	2,316	-	-	-	-	-	-	4	17	34	90	142
ALL OTHER--FEMALE--	220	-	-	-	-	-	-	1	3	11	18	19
BLACK---FEMALE--	211	-	-	-	-	-	-	1	3	9	18	19
RHODE ISLAND -----	219	-	-	-	-	-	-	-	2	2	8	12
WHITE-----FEMALE--	214	-	-	-	-	-	-	-	2	2	7	11
ALL OTHER--FEMALE--	5	-	-	-	-	-	-	-	-	-	1	1
BLACK---FEMALE--	4	-	-	-	-	-	-	-	-	-	1	1
SOUTH CAROLINA -----	548	-	-	-	-	-	1	1	6	17	27	44
WHITE-----FEMALE--	384	-	-	-	-	-	-	1	-	8	12	27
ALL OTHER--FEMALE--	164	-	-	-	-	-	1	-	6	9	15	17
BLACK---FEMALE--	164	-	-	-	-	-	1	-	6	9	15	17

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 727
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
 0 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 0 OF FEMALE BREAST (174)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
OHIO -----	140	175	187	230	291	273	232	163	80	29	5	-
WHITE-----FEMALE--	121	157	160	211	261	249	208	151	72	25	4	-
ALL OTHER--FEMALE--	19	18	27	19	30	24	24	12	8	4	1	-
BLACK---FEMALE--	18	18	27	19	29	24	24	12	8	4	1	-
OKLAHOMA -----	48	46	39	63	70	77	50	39	18	5	-	-
WHITE-----FEMALE--	42	41	34	53	62	71	45	38	12	5	-	-
ALL OTHER--FEMALE--	6	5	5	10	8	6	5	1	6	-	-	-
BLACK---FEMALE--	4	1	4	9	5	5	3	1	4	-	-	-
OREGON -----	37	51	37	44	68	60	62	51	16	5	3	-
WHITE-----FEMALE--	35	49	36	43	68	58	62	51	16	5	2	-
ALL OTHER--FEMALE--	2	2	1	1	-	2	-	-	-	-	1	-
BLACK---FEMALE--	-	-	-	-	-	2	-	-	-	-	1	-
PENNSYLVANIA -----	158	190	193	272	367	344	305	200	116	46	6	-
WHITE-----FEMALE--	141	170	174	247	342	318	290	188	111	42	6	-
ALL OTHER--FEMALE--	17	20	19	25	25	26	15	12	5	4	-	-
BLACK---FEMALE--	15	18	19	24	24	25	15	12	5	4	-	-
RHODE ISLAND -----	14	10	26	20	28	29	29	27	8	4	-	-
WHITE-----FEMALE--	14	9	25	20	27	29	29	27	8	4	-	-
ALL OTHER--FEMALE--	-	1	1	-	1	-	-	-	-	-	-	-
BLACK---FEMALE--	-	1	-	-	1	-	-	-	-	-	-	-
SOUTH CAROLINA -----	41	46	59	65	67	64	43	39	22	6	-	-
WHITE-----FEMALE--	29	31	41	48	54	53	29	31	16	4	-	-
ALL OTHER--FEMALE--	12	15	18	17	13	11	14	8	6	2	-	-
BLACK---FEMALE--	12	15	18	17	13	11	14	8	6	2	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 728
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
0 CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
0 OF FEMALE BREAST (174)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
SOUTH DAKOTA -----	115	-	-	-	-	-	-	-	-	4	4	10
WHITE-----FEMALE--	111	-	-	-	-	-	-	-	-	3	4	10
ALL OTHER--FEMALE--	4	-	-	-	-	-	-	-	-	1	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	853	-	-	-	-	-	-	2	9	20	46	67
WHITE-----FEMALE--	706	-	-	-	-	-	-	1	6	11	28	61
ALL OTHER--FEMALE--	147	-	-	-	-	-	-	1	3	9	18	6
BLACK---FEMALE--	143	-	-	-	-	-	-	1	3	9	17	6
TEXAS -----	2,403	-	-	-	-	-	-	7	43	70	131	189
WHITE-----FEMALE--	2,055	-	-	-	-	-	-	3	32	52	96	153
ALL OTHER--FEMALE--	348	-	-	-	-	-	-	4	11	18	35	36
BLACK---FEMALE--	332	-	-	-	-	-	-	4	10	17	33	35
UTAH -----	190	-	-	-	-	-	-	-	3	9	8	13
WHITE-----FEMALE--	185	-	-	-	-	-	-	-	3	9	8	10
ALL OTHER--FEMALE--	5	-	-	-	-	-	-	-	-	-	-	3
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	95	-	-	-	-	-	-	-	-	4	5	3
WHITE-----FEMALE--	95	-	-	-	-	-	-	-	-	4	5	3
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	1,000	-	-	-	-	-	2	2	12	38	50	76
WHITE-----FEMALE--	758	-	-	-	-	-	-	1	7	26	28	61
ALL OTHER--FEMALE--	242	-	-	-	-	-	2	1	5	12	22	15
BLACK---FEMALE--	233	-	-	-	-	-	2	1	5	12	20	12

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 728
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
0 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 OF FEMALE BREAST (174)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
SOUTH DAKOTA -----	6	5	12	14	15	14	13	8	6	4	-	-
WHITE-----FEMALE--	5	4	12	14	15	13	13	8	6	4	-	-
ALL OTHER--FEMALE--	1	1	-	-	-	1	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	70	91	79	92	107	113	77	39	32	7	2	-
WHITE-----FEMALE--	57	74	65	81	87	101	67	35	24	6	2	-
ALL OTHER--FEMALE--	13	17	14	11	20	12	10	4	8	1	-	-
BLACK---FEMALE--	13	16	13	11	19	12	10	4	8	1	-	-
TEXAS -----	213	229	227	250	288	259	223	163	81	24	6	-
WHITE-----FEMALE--	174	195	196	221	250	226	205	150	77	22	3	-
ALL OTHER--FEMALE--	39	34	31	29	38	33	18	13	4	2	3	-
BLACK---FEMALE--	37	34	27	29	36	31	18	12	4	2	3	-
UTAH -----	15	15	17	23	22	23	20	9	11	2	-	-
WHITE-----FEMALE--	14	15	17	23	22	23	19	9	11	2	-	-
ALL OTHER--FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	8	4	6	9	10	6	16	12	8	3	1	-
WHITE-----FEMALE--	8	4	6	9	10	6	16	12	8	3	1	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	92	114	106	99	131	101	90	41	32	13	1	-
WHITE-----FEMALE--	71	87	84	77	105	71	75	29	28	8	-	-
ALL OTHER--FEMALE--	21	27	22	22	26	30	15	12	4	5	1	-
BLACK---FEMALE--	20	27	21	21	26	30	15	11	4	5	1	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 730
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
0 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 OF MALE BREAST (175)

	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 UNITED STATES --	19	28	34	40	61	63	40	29	11	4	1	-
WHITE-----MALE----	14	24	25	31	53	53	34	25	9	4	-	-
ALL OTHER--MALE----	5	4	9	9	8	10	6	4	2	-	1	-
BLACK---MALE----	4	4	8	9	8	9	6	4	2	-	1	-
ALABAMA -----	-	-	-	-	1	-	-	1	-	-	1	-
WHITE-----MALE----	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	1	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	1	-
ALASKA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	-	1	1	-	1	1	1	1	-	1	-	-
WHITE-----MALE----	-	-	1	-	1	1	1	1	-	1	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	1	-	-	-	-	-	-	2	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	2	2	5	3	6	9	1	3	1	-	-	-
WHITE-----MALE----	-	2	5	3	5	9	1	3	1	-	-	-
ALL OTHER--MALE----	2	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	1	-	-	-	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 733
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
 0 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 0 OF MALE BREAST (175)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
KENTUCKY -----	-	-	-	1	1	2	1	1	-	-	-	-
WHITE-----MALE----	-	-	-	1	1	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	2	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	2	-	1	-	-	-	-
LOUISIANA -----	1	-	1	2	3	2	1	2	-	-	-	-
WHITE-----MALE----	1	-	1	1	3	1	1	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	1	-	-	-	-	-	-
MAINE -----	-	-	-	-	-	1	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	-	1	2	2	4	-	2	1	1	-	-	-
WHITE-----MALE----	-	1	2	2	4	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	2	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	2	-	1	-	-	-
MASSACHUSETTS -----	-	1	2	-	1	4	-	-	1	-	-	-
WHITE-----MALE----	-	1	2	-	1	4	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	-	2	1	1	1	3	2	2	2	-	-	-
WHITE-----MALE----	-	1	1	-	1	3	2	1	2	-	-	-
ALL OTHER--MALE----	-	1	-	1	-	-	-	1	-	-	-	-
BLACK---MALE----	-	1	-	1	-	-	-	1	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 736
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
0 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 OF MALE BREAST (175)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
OHIO -----	1	2	3	2	3	1	4	2	-	1	-	-
WHITE-----MALE----	1	2	3	-	2	1	3	1	-	1	-	-
ALL OTHER--MALE----	-	-	-	2	1	-	1	1	-	-	-	-
BLACK---MALE----	-	-	-	2	1	-	1	1	-	-	-	-
OKLAHOMA -----	-	-	1	-	-	1	2	-	-	-	-	-
WHITE-----MALE----	-	-	1	-	-	1	2	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	-	1	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	2	-	-	2	3	2	3	1	1	-	-	-
WHITE-----MALE----	2	-	-	1	3	2	3	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	1	-	-	-
RHODE ISLAND -----	-	-	-	-	1	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	-	2	-	2	-	-	1	-	-	-	-	-
WHITE-----MALE----	-	2	-	2	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 737
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
 0 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 0 OF MALE BREAST (175)

	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
SOUTH DAKOTA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	-	-	1	1	1	2	-	-	-	-	-	-
WHITE-----MALE----	-	-	1	1	-	2	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
TEXAS -----	-	2	2	3	6	-	2	2	-	-	-	-
WHITE-----MALE----	-	1	1	3	4	-	2	2	-	-	-	-
ALL OTHER--MALE----	-	1	1	-	2	-	-	-	-	-	-	-
BLACK---MALE----	-	1	1	-	2	-	-	-	-	-	-	-
UTAH -----	-	-	-	-	1	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	-	-	1	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	1	-	2	5	3	-	1	1	-	-	-	-
WHITE-----MALE----	-	-	-	4	2	-	1	-	-	-	-	-
ALL OTHER--MALE----	1	-	2	1	1	-	-	1	-	-	-	-
BLACK---MALE----	1	-	2	1	1	-	-	1	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 739
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
0 CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
0 MALIGNANT NEOPLASMS OF GENITAL ORGANS (179-187)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 UNITED STATES --	60,080	-	1	-	4	15	75	190	378	625	933	1,357
WHITE-----MALE----	28,539	-	-	-	-	5	29	54	47	63	59	107
FEMALE--	21,832	-	-	-	3	2	31	104	260	433	688	996
ALL OTHER--MALE----	6,156	-	-	-	-	1	2	4	6	8	7	27
FEMALE--	3,553	-	1	-	1	7	13	28	65	121	179	227
BLACK---MALE----	5,758	-	-	-	-	-	2	2	5	5	5	25
FEMALE--	3,029	-	1	-	1	6	10	21	56	100	144	169
ALABAMA -----	1,055	-	-	-	-	-	1	2	8	9	20	30
WHITE-----MALE----	396	-	-	-	-	-	-	-	-	2	-	6
FEMALE--	313	-	-	-	-	-	-	1	8	3	13	19
ALL OTHER--MALE----	245	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	101	-	-	-	-	-	1	1	-	4	7	5
BLACK---MALE----	245	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	100	-	-	-	-	-	1	1	-	4	7	5
ALASKA -----	45	-	-	-	-	-	-	1	-	1	1	3
WHITE-----MALE----	15	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	18	-	-	-	-	-	-	1	-	-	1	3
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	944	-	-	-	-	-	3	6	6	12	16	21
WHITE-----MALE----	544	-	-	-	-	-	1	1	-	2	2	-
FEMALE--	356	-	-	-	-	-	1	5	5	8	13	19
ALL OTHER--MALE----	23	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	21	-	-	-	-	-	1	-	1	2	1	2
BLACK---MALE----	16	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	1	-	-	-	-	1
ARKANSAS -----	630	-	-	-	-	-	1	-	1	5	7	13
WHITE-----MALE----	292	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	193	-	-	-	-	-	1	-	1	4	6	9
ALL OTHER--MALE----	104	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	41	-	-	-	-	-	-	-	-	1	-	3
BLACK---MALE----	103	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	39	-	-	-	-	-	-	-	-	1	-	2
CALIFORNIA -----	5,729	-	-	-	-	-	11	20	44	76	113	145
WHITE-----MALE----	2,803	-	-	-	-	-	6	7	7	5	5	9
FEMALE--	2,116	-	-	-	-	-	3	10	29	58	78	102
ALL OTHER--MALE----	452	-	-	-	-	-	1	1	1	2	-	2
FEMALE--	358	-	-	-	-	-	1	2	7	11	30	32
BLACK---MALE----	326	-	-	-	-	-	1	-	-	1	-	1
FEMALE--	180	-	-	-	-	-	-	-	2	6	14	15

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 739
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
0 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 MALIGNANT NEOPLASMS OF GENITAL ORGANS (179-187)

0	CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0	UNITED STATES --	1,813	2,472	3,940	6,387	9,405	10,686	10,338	7,145	3,362	842	108	4
	WHITE-----MALE----	237	532	1,155	2,527	4,618	5,895	6,128	4,467	2,076	488	52	-
	FEMALE--	1,242	1,466	2,013	2,637	3,185	3,147	2,769	1,793	829	203	29	2
	ALL OTHER--MALE----	85	178	390	729	1,100	1,276	1,132	694	378	117	21	1
	FEMALE--	249	296	382	494	502	368	309	191	79	34	6	1
	BLACK---MALE----	78	166	369	697	1,026	1,213	1,061	639	337	107	20	1
	FEMALE--	192	224	326	436	449	334	277	174	71	31	6	1
	ALABAMA -----	28	40	73	125	148	186	188	126	53	17	1	-
	WHITE-----MALE----	4	9	20	45	54	78	88	62	21	7	-	-
	FEMALE--	15	21	35	45	47	38	34	22	10	2	-	-
	ALL OTHER--MALE----	3	4	6	25	37	56	54	34	21	4	1	-
	FEMALE--	6	6	12	10	10	14	12	8	1	4	-	-
	BLACK---MALE----	3	4	6	25	37	56	54	34	21	4	1	-
	FEMALE--	5	6	12	10	10	14	12	8	1	4	-	-
	ALASKA -----	3	3	6	6	9	1	9	2	-	-	-	-
	WHITE-----MALE----	-	1	1	3	5	-	2	2	-	-	-	-
	FEMALE--	-	1	2	3	3	1	3	-	-	-	-	-
	ALL OTHER--MALE----	-	-	2	-	-	-	3	-	-	-	-	-
	FEMALE--	3	1	1	-	1	-	1	-	-	-	-	-
	BLACK---MALE----	-	-	1	-	-	-	2	-	-	-	-	-
	FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-
	ARIZONA -----	22	33	57	80	174	170	173	105	53	10	3	-
	WHITE-----MALE----	5	12	17	44	96	115	115	84	41	7	2	-
	FEMALE--	15	18	33	34	71	48	55	18	11	2	-	-
	ALL OTHER--MALE----	-	-	4	-	6	5	3	2	1	1	1	-
	FEMALE--	2	3	3	2	1	2	-	1	-	-	-	-
	BLACK---MALE----	-	-	3	-	5	2	3	2	-	-	1	-
	FEMALE--	-	-	1	-	-	1	-	-	-	-	-	-
	ARKANSAS -----	22	21	48	54	78	90	133	96	45	15	1	-
	WHITE-----MALE----	4	7	13	25	47	42	72	49	24	7	1	-
	FEMALE--	12	11	24	19	16	25	35	21	6	3	-	-
	ALL OTHER--MALE----	2	3	6	2	9	15	24	24	13	5	-	-
	FEMALE--	4	-	5	8	6	8	2	2	2	-	-	-
	BLACK---MALE----	2	2	6	2	9	15	24	24	13	5	-	-
	FEMALE--	4	-	5	7	6	8	2	2	2	-	-	-
	CALIFORNIA -----	174	241	357	600	922	955	966	681	333	79	12	-
	WHITE-----MALE----	17	51	103	255	485	544	591	439	223	49	7	-
	FEMALE--	120	137	184	246	307	294	277	166	85	16	4	-
	ALL OTHER--MALE----	5	13	37	60	80	84	71	62	21	11	1	-
	FEMALE--	32	40	33	39	50	33	27	14	4	3	-	-
	BLACK---MALE----	5	11	33	46	56	66	52	35	11	7	1	-
	FEMALE--	15	19	16	21	28	16	15	10	-	3	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 740
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
 0 CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
 0 MALIGNANT NEOPLASMS OF GENITAL ORGANS (179-187)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
COLORADO -----	601	-	-	-	-	-	1	2	3	9	13	14
WHITE-----MALE----	313	-	-	-	-	-	-	-	-	2	3	-
FEMALE--	256	-	-	-	-	-	1	2	3	6	9	13
ALL OTHER--MALE----	21	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	11	-	-	-	-	-	-	-	-	1	1	1
BLACK---MALE----	20	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	1	1	-
CONNECTICUT -----	775	-	-	-	-	-	1	-	5	6	8	14
WHITE-----MALE----	411	-	-	-	-	-	-	-	2	1	-	-
FEMALE--	300	-	-	-	-	-	1	-	2	4	7	11
ALL OTHER--MALE----	41	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	23	-	-	-	-	-	-	-	1	1	1	2
BLACK---MALE----	39	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	19	-	-	-	-	-	-	-	1	-	1	2
DELAWARE -----	205	-	-	-	1	-	-	1	1	2	4	3
WHITE-----MALE----	84	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	61	-	-	-	1	-	-	1	1	1	1	1
ALL OTHER--MALE----	39	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	21	-	-	-	-	-	-	-	-	1	3	1
BLACK---MALE----	38	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	21	-	-	-	-	-	-	-	-	1	3	1
DISTRICT OF COLUMBIA ----	203	-	-	-	-	-	-	-	3	2	5	5
WHITE-----MALE----	22	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	14	-	-	-	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	104	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	63	-	-	-	-	-	-	-	3	2	4	4
BLACK---MALE----	104	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	63	-	-	-	-	-	-	-	3	2	4	4
FLORIDA -----	4,250	-	-	-	-	1	4	10	10	41	57	83
WHITE-----MALE----	2,199	-	-	-	-	-	1	4	1	5	7	7
FEMALE--	1,471	-	-	-	-	-	2	6	8	26	43	60
ALL OTHER--MALE----	362	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	218	-	-	-	-	1	1	-	1	10	7	16
BLACK---MALE----	358	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	205	-	-	-	-	1	1	-	1	9	7	13
GEORGIA -----	1,445	-	-	-	-	1	3	4	14	18	13	33
WHITE-----MALE----	513	-	-	-	-	-	1	1	1	2	1	2
FEMALE--	434	-	-	-	-	-	1	3	8	14	7	21
ALL OTHER--MALE----	344	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	154	-	-	-	-	1	1	-	5	2	5	8
BLACK---MALE----	340	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	153	-	-	-	-	1	1	-	5	2	5	8

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 740
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
0 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 MALIGNANT NEOPLASMS OF GENITAL ORGANS (179-187)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
COLORADO -----	16	20	54	64	97	102	96	67	32	11	-	-
WHITE-----MALE----	1	7	18	28	52	59	64	48	22	9	-	-
FEMALE--	15	11	34	32	41	37	25	17	8	2	-	-
ALL OTHER--MALE----	-	2	1	2	3	6	6	1	-	-	-	-
FEMALE--	-	-	1	2	1	-	1	1	2	-	-	-
BLACK---MALE----	-	2	1	2	3	5	6	1	-	-	-	-
FEMALE--	-	-	1	1	-	-	1	1	2	-	-	-
CONNECTICUT -----	23	22	49	79	101	162	145	103	46	10	1	-
WHITE-----MALE----	2	8	16	35	46	103	98	63	30	6	1	-
FEMALE--	18	13	25	32	46	51	39	33	14	4	-	-
ALL OTHER--MALE----	-	1	5	6	8	5	7	6	2	-	-	-
FEMALE--	3	-	3	6	1	3	1	1	-	-	-	-
BLACK---MALE----	-	1	5	6	7	5	6	6	2	-	-	-
FEMALE--	2	-	3	5	1	3	1	-	-	-	-	-
DELAWARE -----	6	12	11	24	31	31	37	22	10	8	1	-
WHITE-----MALE----	1	2	4	7	10	17	21	13	4	3	1	-
FEMALE--	3	9	4	9	8	6	5	5	3	3	-	-
ALL OTHER--MALE----	2	-	1	3	11	6	10	2	2	2	-	-
FEMALE--	-	1	2	5	2	2	1	2	1	-	-	-
BLACK---MALE----	2	-	1	3	10	6	10	2	2	2	-	-
FEMALE--	-	1	2	5	2	2	1	2	1	-	-	-
DISTRICT OF COLUMBIA ----	11	7	11	22	25	41	31	24	14	2	-	-
WHITE-----MALE----	1	1	-	2	2	5	2	6	2	1	-	-
FEMALE--	3	1	-	2	-	3	1	-	2	-	-	-
ALL OTHER--MALE----	1	2	7	10	16	25	21	13	9	-	-	-
FEMALE--	6	3	4	8	7	8	7	5	1	1	-	-
BLACK---MALE----	1	2	7	10	16	25	21	13	9	-	-	-
FEMALE--	6	3	4	8	7	8	7	5	1	1	-	-
FLORIDA -----	111	128	271	428	690	762	772	546	261	68	7	-
WHITE-----MALE----	14	30	74	182	370	427	485	369	175	42	6	-
FEMALE--	78	72	140	178	223	249	190	117	59	19	1	-
ALL OTHER--MALE----	6	14	32	40	58	62	77	47	19	7	-	-
FEMALE--	13	12	25	28	39	24	20	13	8	-	-	-
BLACK---MALE----	6	14	32	40	57	62	76	46	19	6	-	-
FEMALE--	11	10	24	28	37	22	20	13	8	-	-	-
GEORGIA -----	48	77	114	188	234	254	192	149	81	17	5	-
WHITE-----MALE----	3	17	35	39	83	111	84	83	39	9	2	-
FEMALE--	26	31	44	64	75	56	37	25	19	3	-	-
ALL OTHER--MALE----	6	14	20	55	58	69	59	36	20	4	1	-
FEMALE--	13	15	15	30	18	18	12	5	3	1	2	-
BLACK---MALE----	6	13	19	55	57	69	59	36	19	4	1	-
FEMALE--	13	15	15	30	17	18	12	5	3	1	2	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 741
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
0 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 MALIGNANT NEOPLASMS OF GENITAL ORGANS (179-187)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
HAWAII -----	9	11	10	18	31	31	32	18	12	2	1	-
WHITE-----MALE----	-	2	1	4	4	8	8	6	-	-	-	-
FEMALE--	1	1	2	1	4	5	1	-	-	-	-	-
ALL OTHER--MALE----	1	1	-	2	14	14	21	10	11	2	1	-
FEMALE--	7	7	7	11	9	4	2	2	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	5	10	18	24	31	42	53	35	18	3	1	-
WHITE-----MALE----	1	2	6	11	16	32	38	27	12	2	1	-
FEMALE--	4	8	11	13	15	10	15	7	6	1	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	86	117	169	267	438	491	465	346	136	37	6	-
WHITE-----MALE----	15	17	55	102	197	251	253	205	84	15	5	-
FEMALE--	54	71	86	105	161	154	137	96	32	11	-	-
ALL OTHER--MALE----	2	12	17	38	54	70	55	33	17	8	-	-
FEMALE--	15	17	11	22	26	16	20	12	3	3	1	-
BLACK---MALE----	2	11	17	37	52	67	55	33	16	8	-	-
FEMALE--	15	15	10	18	25	14	19	11	3	2	1	-
INDIANA -----	33	63	82	151	217	239	259	149	61	15	2	-
WHITE-----MALE----	8	18	29	64	112	126	157	99	37	9	-	-
FEMALE--	22	39	47	72	80	90	81	36	13	6	2	-
ALL OTHER--MALE----	2	-	4	9	16	15	14	13	11	-	-	-
FEMALE--	1	6	2	6	9	8	7	1	-	-	-	-
BLACK---MALE----	2	-	4	9	16	15	14	13	11	-	-	-
FEMALE--	1	6	2	6	9	8	7	1	-	-	-	-
IOWA -----	23	29	40	81	127	153	126	101	49	16	2	-
WHITE-----MALE----	2	5	9	40	73	102	83	75	34	11	-	-
FEMALE--	19	23	28	40	50	50	42	24	15	5	2	-
ALL OTHER--MALE----	1	-	2	-	3	1	1	1	-	-	-	-
FEMALE--	1	1	1	1	1	-	-	1	-	-	-	-
BLACK---MALE----	1	-	1	-	3	1	1	-	-	-	-	-
FEMALE--	1	-	1	1	1	-	-	1	-	-	-	-
KANSAS -----	11	32	41	58	85	110	116	87	53	18	3	-
WHITE-----MALE----	1	3	13	22	44	69	83	67	39	11	-	-
FEMALE--	10	24	26	31	32	36	28	17	12	5	3	-
ALL OTHER--MALE----	-	4	1	5	6	5	5	2	2	2	-	-
FEMALE--	-	1	1	-	3	-	-	1	-	-	-	-
BLACK---MALE----	-	4	1	5	5	5	5	2	2	2	-	-
FEMALE--	-	1	-	-	3	-	-	1	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 742
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
0 CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
0 MALIGNANT NEOPLASMS OF GENITAL ORGANS (179-187)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
KENTUCKY -----	873	-	-	-	-	-	1	5	3	12	13	26
WHITE-----MALE----	434	-	-	-	-	-	-	2	-	1	1	3
FEMALE--	369	-	-	-	-	-	1	3	2	10	11	22
ALL OTHER--MALE----	45	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	25	-	-	-	-	-	-	-	1	-	1	-
BLACK---MALE----	43	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	24	-	-	-	-	-	-	-	1	-	1	-
LOUISIANA -----	1,064	-	-	-	-	1	3	2	11	13	19	28
WHITE-----MALE----	374	-	-	-	-	-	1	-	2	1	2	3
FEMALE--	279	-	-	-	-	-	1	-	3	8	9	18
ALL OTHER--MALE----	266	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	145	-	-	-	-	-	1	2	6	4	8	7
BLACK---MALE----	265	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	141	-	-	-	-	-	1	2	6	4	7	7
MAINE -----	331	-	-	-	-	-	1	-	1	4	7	8
WHITE-----MALE----	178	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	152	-	-	-	-	-	1	-	1	3	7	8
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	1,100	-	-	-	-	-	2	3	7	11	14	26
WHITE-----MALE----	447	-	-	-	-	-	1	-	2	-	1	1
FEMALE--	310	-	-	-	-	-	-	2	2	6	8	13
ALL OTHER--MALE----	224	-	-	-	-	-	-	-	2	-	1	1
FEMALE--	119	-	-	-	-	-	1	1	1	5	4	11
BLACK---MALE----	218	-	-	-	-	-	-	-	2	-	1	1
FEMALE--	107	-	-	-	-	-	1	1	1	5	4	7
MASSACHUSETTS -----	1,477	-	-	-	1	1	1	6	8	11	19	33
WHITE-----MALE----	801	-	-	-	-	1	-	2	2	3	1	4
FEMALE--	598	-	-	-	1	-	1	4	5	7	15	27
ALL OTHER--MALE----	44	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	34	-	-	-	-	-	-	-	1	1	3	2
BLACK---MALE----	37	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	25	-	-	-	-	-	-	-	-	1	3	-
MICHIGAN -----	2,109	-	-	-	-	3	5	3	19	23	29	41
WHITE-----MALE----	1,005	-	-	-	-	2	3	-	4	5	4	8
FEMALE--	776	-	-	-	-	-	-	2	14	14	20	23
ALL OTHER--MALE----	218	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	110	-	-	-	-	1	2	1	-	4	5	10
BLACK---MALE----	215	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	104	-	-	-	-	1	2	1	-	4	5	9

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 742
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
0 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 MALIGNANT NEOPLASMS OF GENITAL ORGANS (179-187)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
KENTUCKY -----	22	49	62	104	136	133	147	103	44	11	2	-
WHITE-----MALE----	5	7	15	49	78	75	97	61	28	11	1	-
FEMALE--	16	39	38	42	49	47	37	39	13	-	-	-
ALL OTHER--MALE----	-	1	8	8	4	7	9	2	3	-	1	-
FEMALE--	1	2	1	5	5	4	4	1	-	-	-	-
BLACK---MALE----	-	1	8	8	3	7	8	2	3	-	1	-
FEMALE--	-	2	1	5	5	4	4	1	-	-	-	-
LOUISIANA -----	28	46	81	127	160	182	178	119	55	9	2	-
WHITE-----MALE----	2	11	20	39	53	83	82	53	22	-	-	-
FEMALE--	18	22	27	26	43	34	39	26	4	-	1	-
ALL OTHER--MALE----	4	5	13	36	43	53	44	33	25	8	1	-
FEMALE--	4	8	21	26	21	12	13	7	4	1	-	-
BLACK---MALE----	4	5	13	36	43	53	44	33	25	8	1	-
FEMALE--	4	8	20	25	21	11	13	7	4	1	-	-
MAINE -----	11	7	30	27	52	71	56	34	19	2	1	-
WHITE-----MALE----	3	4	7	14	31	45	37	19	14	2	1	-
FEMALE--	8	3	23	13	21	26	18	15	5	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	32	48	67	127	172	219	178	117	57	17	3	-
WHITE-----MALE----	6	5	22	42	71	100	89	64	34	7	2	-
FEMALE--	14	24	22	36	41	62	38	28	11	3	-	-
ALL OTHER--MALE----	4	5	14	36	40	48	41	16	8	7	1	-
FEMALE--	8	14	9	13	20	9	10	9	4	-	-	-
BLACK---MALE----	3	5	14	36	36	48	41	15	8	7	1	-
FEMALE--	7	9	9	13	19	8	10	9	4	-	-	-
MASSACHUSETTS -----	51	56	92	147	227	303	252	164	83	21	1	-
WHITE-----MALE----	7	12	33	63	125	191	181	107	57	12	-	-
FEMALE--	43	37	53	76	85	94	62	53	25	9	1	-
ALL OTHER--MALE----	1	2	4	3	12	12	5	4	1	-	-	-
FEMALE--	-	5	2	5	5	6	4	-	-	-	-	-
BLACK---MALE----	1	2	4	3	8	10	5	3	1	-	-	-
FEMALE--	-	2	1	5	4	6	3	-	-	-	-	-
MICHIGAN -----	54	78	146	207	337	395	359	266	113	30	1	-
WHITE-----MALE----	7	16	40	74	164	219	211	162	69	16	1	-
FEMALE--	38	54	76	94	122	111	101	72	24	11	-	-
ALL OTHER--MALE----	2	4	17	21	37	55	38	25	16	2	-	-
FEMALE--	7	4	13	18	14	10	9	7	4	1	-	-
BLACK---MALE----	2	4	16	20	37	55	37	25	16	2	-	-
FEMALE--	5	4	11	18	14	10	9	6	4	1	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 743
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
0 CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
0 MALIGNANT NEOPLASMS OF GENITAL ORGANS (179-187)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
MINNESOTA -----	1,134	-	-	-	-	-	1	4	5	10	10	20
WHITE-----MALE----	666	-	-	-	-	-	-	2	1	1	-	1
FEMALE--	431	-	-	-	-	-	1	1	4	6	10	19
ALL OTHER--MALE----	23	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	14	-	-	-	-	-	-	1	-	3	-	-
BLACK---MALE----	19	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	11	-	-	-	-	-	-	1	-	2	-	-
MISSISSIPPI -----	657	-	-	-	-	-	3	1	3	13	8	7
WHITE-----MALE----	221	-	-	-	-	-	1	1	1	1	-	1
FEMALE--	128	-	-	-	-	-	2	-	1	7	3	2
ALL OTHER--MALE----	218	-	-	-	-	-	-	-	-	1	-	2
FEMALE--	90	-	-	-	-	-	-	-	1	4	5	2
BLACK---MALE----	217	-	-	-	-	-	-	-	-	1	-	2
FEMALE--	90	-	-	-	-	-	-	-	1	4	5	2
MISSOURI -----	1,221	-	-	-	1	-	1	7	9	10	23	23
WHITE-----MALE----	587	-	-	-	-	-	1	-	-	1	-	1
FEMALE--	474	-	-	-	1	-	-	3	7	8	22	18
ALL OTHER--MALE----	99	-	-	-	-	-	-	2	1	-	-	2
FEMALE--	61	-	-	-	-	-	-	2	1	1	1	2
BLACK---MALE----	98	-	-	-	-	-	-	2	1	-	-	2
FEMALE--	54	-	-	-	-	-	-	1	1	1	1	2
MONTANA -----	205	-	-	-	-	-	1	-	1	2	3	4
WHITE-----MALE----	124	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	79	-	-	-	-	-	1	-	1	2	3	4
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	343	-	-	-	-	-	1	1	1	2	3	6
WHITE-----MALE----	166	-	-	-	-	-	1	1	-	-	-	1
FEMALE--	165	-	-	-	-	-	-	-	1	2	3	5
ALL OTHER--MALE----	11	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	10	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
NEVADA -----	319	-	-	-	-	-	-	1	4	3	7	6
WHITE-----MALE----	159	-	-	-	-	-	-	-	1	-	-	1
FEMALE--	135	-	-	-	-	-	-	-	3	1	7	5
ALL OTHER--MALE----	13	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	12	-	-	-	-	-	-	1	-	2	-	-
BLACK---MALE----	10	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	1	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 743
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
0 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 MALIGNANT NEOPLASMS OF GENITAL ORGANS (179-187)

	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
MINNESOTA -----	31	55	59	115	156	209	222	135	76	24	2	-
WHITE-----MALE----	6	16	30	55	90	138	154	96	57	18	1	-
FEMALE--	24	37	26	56	58	65	63	38	17	5	1	-
ALL OTHER--MALE----	-	1	1	4	3	5	5	1	2	1	-	-
FEMALE--	1	1	2	-	5	1	-	-	-	-	-	-
BLACK---MALE----	-	-	1	3	2	5	4	1	2	1	-	-
FEMALE--	-	-	2	-	5	1	-	-	-	-	-	-
MISSISSIPPI -----	15	22	47	78	105	107	98	95	38	15	2	-
WHITE-----MALE----	2	3	12	22	39	44	31	41	15	7	-	-
FEMALE--	7	9	15	16	21	11	16	13	5	-	-	-
ALL OTHER--MALE----	2	4	13	22	31	44	43	33	16	7	-	-
FEMALE--	4	6	7	18	14	8	8	8	2	1	2	-
BLACK---MALE----	2	4	13	22	31	43	43	33	16	7	-	-
FEMALE--	4	6	7	18	14	8	8	8	2	1	2	-
MISSOURI -----	47	55	61	122	188	209	191	162	95	14	3	-
WHITE-----MALE----	10	18	22	49	87	123	114	98	52	9	2	-
FEMALE--	35	29	33	54	76	58	49	47	31	2	1	-
ALL OTHER--MALE----	-	2	2	7	14	21	23	12	10	3	-	-
FEMALE--	2	6	4	12	11	7	5	5	2	-	-	-
BLACK---MALE----	-	2	2	7	14	21	23	12	10	2	-	-
FEMALE--	1	4	4	11	11	6	4	5	2	-	-	-
MONTANA -----	5	10	13	27	30	38	35	25	8	3	-	-
WHITE-----MALE----	-	4	4	11	18	29	33	18	5	2	-	-
FEMALE--	5	5	9	16	12	9	2	7	2	1	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	10	9	18	32	54	61	73	41	22	8	1	-
WHITE-----MALE----	2	-	8	10	32	34	39	22	9	6	1	-
FEMALE--	8	9	9	21	20	26	30	16	13	2	-	-
ALL OTHER--MALE----	-	-	-	1	2	1	4	3	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	2	1	3	3	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
NEVADA -----	14	19	25	51	56	51	43	27	10	1	1	-
WHITE-----MALE----	1	4	6	25	32	31	35	16	6	1	-	-
FEMALE--	10	13	16	23	19	16	8	10	4	-	-	-
ALL OTHER--MALE----	1	2	1	2	2	3	-	1	-	-	1	-
FEMALE--	2	-	2	1	3	1	-	-	-	-	-	-
BLACK---MALE----	-	1	1	2	2	2	-	1	-	-	1	-
FEMALE--	2	-	-	-	2	1	-	-	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 745
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
0 CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
0 MALIGNANT NEOPLASMS OF GENITAL ORGANS (179-187)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
OHIO -----	2,731	-	-	-	-	-	2	7	13	37	37	60
WHITE-----MALE----	1,289	-	-	-	-	-	2	2	-	3	3	10
FEMALE--	1,071	-	-	-	-	-	-	3	8	31	31	43
ALL OTHER--MALE----	243	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	128	-	-	-	-	-	-	2	5	3	2	5
BLACK---MALE----	240	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	123	-	-	-	-	-	-	2	5	3	2	5
OKLAHOMA -----	713	-	-	-	-	-	2	6	6	7	15	13
WHITE-----MALE----	360	-	-	-	-	-	-	2	1	-	-	2
FEMALE--	259	-	-	-	-	-	1	4	3	6	11	7
ALL OTHER--MALE----	57	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	37	-	-	-	-	-	1	-	2	1	3	4
BLACK---MALE----	31	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	19	-	-	-	-	-	-	-	1	-	1	2
OREGON -----	797	-	-	-	-	-	1	2	5	6	14	15
WHITE-----MALE----	489	-	-	-	-	-	-	1	1	1	-	1
FEMALE--	283	-	-	-	-	-	-	1	4	5	13	13
ALL OTHER--MALE----	14	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	11	-	-	-	-	-	1	-	-	-	1	1
BLACK---MALE----	11	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	3,420	-	-	-	-	-	3	4	20	31	45	64
WHITE-----MALE----	1,678	-	-	-	-	-	-	1	3	2	1	6
FEMALE--	1,338	-	-	-	-	-	3	3	17	23	39	54
ALL OTHER--MALE----	282	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	122	-	-	-	-	-	-	-	-	6	5	4
BLACK---MALE----	278	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	120	-	-	-	-	-	-	-	-	6	5	4
RHODE ISLAND -----	245	-	-	-	1	-	1	4	3	1	4	7
WHITE-----MALE----	136	-	-	-	-	-	-	-	1	-	-	1
FEMALE--	98	-	-	-	-	-	1	2	2	1	4	5
ALL OTHER--MALE----	6	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	5	-	-	-	1	-	-	1	-	-	-	1
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	1	-	-	1	-	-	-	1
SOUTH CAROLINA -----	890	-	-	-	-	-	-	5	6	9	15	28
WHITE-----MALE----	301	-	-	-	-	-	-	2	-	2	1	3
FEMALE--	225	-	-	-	-	-	-	2	3	4	7	12
ALL OTHER--MALE----	223	-	-	-	-	-	-	-	-	-	2	-
FEMALE--	141	-	-	-	-	-	-	1	3	3	5	13
BLACK---MALE----	222	-	-	-	-	-	-	-	-	-	2	-
FEMALE--	139	-	-	-	-	-	-	1	3	3	5	13

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 745
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
0 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 MALIGNANT NEOPLASMS OF GENITAL ORGANS (179-187)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
OHIO -----	84	107	176	328	452	479	454	310	142	37	6	-
WHITE-----MALE----	10	28	53	134	217	242	270	190	97	24	4	-
FEMALE--	65	67	95	136	171	158	141	81	34	5	2	-
ALL OTHER--MALE----	1	7	14	34	51	59	31	31	8	4	-	-
FEMALE--	8	5	14	24	13	20	12	8	3	4	-	-
BLACK---MALE----	1	7	14	34	50	58	31	30	8	4	-	-
FEMALE--	7	5	13	23	13	20	11	8	3	3	-	-
OKLAHOMA -----	16	37	51	73	103	109	119	96	40	15	3	2
WHITE-----MALE----	3	9	17	27	60	68	78	60	25	7	1	-
FEMALE--	11	24	28	38	28	31	27	26	7	6	-	1
ALL OTHER--MALE----	1	1	3	3	11	9	9	10	7	-	2	-
FEMALE--	1	3	3	5	4	1	5	-	1	2	-	1
BLACK---MALE----	-	1	1	2	6	7	4	6	2	-	2	-
FEMALE--	-	1	2	3	3	1	3	-	-	1	-	1
OREGON -----	25	29	39	62	126	147	165	103	49	8	1	-
WHITE-----MALE----	8	8	17	37	82	101	119	71	37	4	1	-
FEMALE--	17	21	19	25	40	43	40	28	10	4	-	-
ALL OTHER--MALE----	-	-	-	-	1	3	6	3	1	-	-	-
FEMALE--	-	-	3	-	3	-	1	1	-	-	-	-
BLACK---MALE----	-	-	-	-	1	2	5	2	1	-	-	-
FEMALE--	-	-	1	-	2	-	-	-	1	-	-	-
PENNSYLVANIA -----	89	141	198	358	502	686	627	410	191	45	6	-
WHITE-----MALE----	12	30	62	136	243	402	374	264	113	28	1	-
FEMALE--	70	86	106	169	195	204	185	106	63	12	3	-
ALL OTHER--MALE----	-	14	17	34	49	62	55	30	14	5	2	-
FEMALE--	7	11	13	19	15	18	13	10	1	-	-	-
BLACK---MALE----	-	13	17	34	49	62	54	28	14	5	2	-
FEMALE--	6	11	13	18	15	18	13	10	1	-	-	-
RHODE ISLAND -----	5	11	16	19	34	46	36	41	14	2	-	-
WHITE-----MALE----	1	2	7	11	20	30	25	28	9	1	-	-
FEMALE--	4	6	9	8	13	15	10	12	5	1	-	-
ALL OTHER--MALE----	-	2	-	-	1	1	-	1	-	-	-	-
FEMALE--	-	1	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	2	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	25	40	73	109	148	177	126	74	48	6	1	-
WHITE-----MALE----	2	5	16	33	42	81	54	34	23	3	-	-
FEMALE--	11	22	27	27	42	32	13	17	4	2	-	-
ALL OTHER--MALE----	3	4	15	27	36	53	48	19	15	-	1	-
FEMALE--	9	9	15	22	28	11	11	4	6	1	-	-
BLACK---MALE----	3	4	15	27	36	52	48	19	15	-	1	-
FEMALE--	9	8	15	22	27	11	11	4	6	1	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 746
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
0 CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
0 MALIGNANT NEOPLASMS OF GENITAL ORGANS (179-187)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
SOUTH DAKOTA -----	188	-	-	-	-	-	-	1	1	1	4	5
WHITE-----MALE----	113	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	67	-	-	-	-	-	1	1	-	-	3	4
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	1,204	-	-	-	-	-	2	5	9	21	20	28
WHITE-----MALE----	527	-	-	-	-	-	-	3	-	2	2	-
FEMALE--	426	-	-	-	-	-	-	2	7	12	15	23
ALL OTHER--MALE----	159	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	92	-	-	-	-	-	1	-	2	7	3	5
BLACK---MALE----	157	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	91	-	-	-	-	-	1	-	2	7	3	4
TEXAS -----	3,542	-	-	-	-	3	7	7	29	52	74	93
WHITE-----MALE----	1,653	-	-	-	-	1	2	1	1	1	6	9
FEMALE--	1,310	-	-	-	-	1	5	6	24	38	44	68
ALL OTHER--MALE----	357	-	-	-	-	-	-	-	-	1	-	5
FEMALE--	222	-	-	-	-	1	-	-	4	12	24	11
BLACK---MALE----	351	-	-	-	-	-	-	-	-	1	-	5
FEMALE--	206	-	-	-	-	1	-	-	4	9	23	8
UTAH -----	326	-	-	-	-	-	-	2	3	2	5	11
WHITE-----MALE----	207	-	-	-	-	-	-	-	1	-	1	-
FEMALE--	109	-	-	-	-	-	-	2	2	2	4	10
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
VERMONT -----	147	-	-	-	-	-	-	1	1	-	5	2
WHITE-----MALE----	92	-	-	-	-	-	-	1	1	-	-	-
FEMALE--	54	-	-	-	-	-	-	-	-	-	5	2
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	1,400	-	-	-	-	-	1	4	6	7	27	28
WHITE-----MALE----	525	-	-	-	-	-	1	1	1	-	3	-
FEMALE--	473	-	-	-	-	-	-	2	3	7	14	23
ALL OTHER--MALE----	264	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	138	-	-	-	-	-	-	1	2	-	9	5
BLACK---MALE----	258	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	129	-	-	-	-	-	-	1	2	-	7	5

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 746
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
0 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 MALIGNANT NEOPLASMS OF GENITAL ORGANS (179-187)

STATE	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
SOUTH DAKOTA	4	9	8	14	28	35	35	26	12	4	1	-
WHITE	2	3	2	9	17	24	23	20	10	-	1	-
FEMALE	2	6	5	3	9	10	12	5	2	4	-	-
ALL OTHER	-	-	1	1	1	1	-	1	-	-	-	-
FEMALE	-	-	-	1	1	-	-	-	-	-	-	-
BLACK	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE	34	53	82	134	186	204	207	133	70	13	3	-
WHITE	2	11	17	54	92	107	109	77	42	8	1	-
FEMALE	24	35	40	59	45	63	58	27	14	2	-	-
ALL OTHER	1	4	10	13	28	23	38	24	12	3	2	-
FEMALE	7	3	15	8	21	11	2	5	2	-	-	-
BLACK	1	3	10	12	28	23	38	24	12	3	2	-
FEMALE	7	3	15	8	21	11	2	5	2	-	-	-
TEXAS	114	124	230	398	551	591	607	431	180	46	4	1
WHITE	10	26	69	158	305	307	361	257	115	23	1	-
FEMALE	87	80	123	168	173	185	146	117	34	10	1	-
ALL OTHER	5	4	15	44	52	74	76	47	21	10	2	1
FEMALE	12	14	23	28	21	25	24	10	10	3	-	-
BLACK	5	4	15	44	50	74	74	47	19	10	2	1
FEMALE	10	12	22	27	20	25	22	10	10	3	-	-
UTAH	10	14	20	29	52	43	68	38	25	4	-	-
WHITE	2	5	8	18	30	31	51	34	22	4	-	-
FEMALE	8	8	11	11	21	10	15	3	2	-	-	-
ALL OTHER	-	-	-	-	-	2	2	1	1	-	-	-
FEMALE	-	1	1	-	1	-	-	-	-	-	-	-
BLACK	-	-	-	-	-	-	1	1	1	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT	3	8	11	15	26	16	26	24	9	-	-	-
WHITE	-	1	5	8	20	11	19	20	6	-	-	-
FEMALE	3	7	6	7	6	5	6	4	3	-	-	-
ALL OTHER	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA	41	67	122	177	230	228	215	161	66	18	2	-
WHITE	3	11	35	53	91	114	99	85	21	7	-	-
FEMALE	30	34	54	63	61	52	58	39	29	3	1	-
ALL OTHER	4	6	18	35	54	49	44	31	14	7	1	-
FEMALE	4	16	15	26	24	13	14	6	2	1	-	-
BLACK	3	6	18	35	53	49	42	30	13	7	1	-
FEMALE	4	13	13	25	23	13	14	6	2	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 748												
(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)												
CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
OF CERVIX UTERI (180)												
0 UNITED STATES --	4,542	-	-	-	-	-	18	94	208	357	457	427
WHITE-----FEMALE--	3,479	-	-	-	-	-	12	77	165	274	348	320
ALL OTHER--FEMALE--	1,063	-	-	-	-	-	6	17	43	83	109	107
BLACK---FEMALE--	907	-	-	-	-	-	6	14	39	69	94	92
ALABAMA -----	84	-	-	-	-	-	1	1	6	4	12	9
WHITE-----FEMALE--	54	-	-	-	-	-	-	1	6	1	7	6
ALL OTHER--FEMALE--	30	-	-	-	-	-	1	-	-	3	5	3
BLACK---FEMALE--	30	-	-	-	-	-	1	-	-	3	5	3
ALASKA -----	6	-	-	-	-	-	-	-	-	-	1	-
WHITE-----FEMALE--	3	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	67	-	-	-	-	-	1	5	4	8	4	7
WHITE-----FEMALE--	58	-	-	-	-	-	-	5	3	6	4	6
ALL OTHER--FEMALE--	9	-	-	-	-	-	1	-	1	2	-	1
BLACK---FEMALE--	2	-	-	-	-	-	1	-	-	-	-	1
ARKANSAS -----	36	-	-	-	-	-	1	-	1	3	4	4
WHITE-----FEMALE--	28	-	-	-	-	-	1	-	1	2	4	2
ALL OTHER--FEMALE--	8	-	-	-	-	-	-	-	-	1	-	2
BLACK---FEMALE--	7	-	-	-	-	-	-	-	-	1	-	2
CALIFORNIA -----	462	-	-	-	-	-	-	8	23	49	52	51
WHITE-----FEMALE--	358	-	-	-	-	-	-	7	18	41	37	38
ALL OTHER--FEMALE--	104	-	-	-	-	-	-	1	5	8	15	13
BLACK---FEMALE--	49	-	-	-	-	-	-	-	2	5	7	8

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 748
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
 0 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 0 OF CERVIX UTERI (180)

	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 UNITED STATES --	434	370	404	437	394	332	270	199	111	27	1	2
WHITE-----FEMALE--	329	274	287	326	302	276	218	163	87	19	1	1
ALL OTHER--FEMALE--	105	96	117	111	92	56	52	36	24	8	-	1
BLACK---FEMALE--	87	71	98	91	82	54	46	34	22	7	-	1
ALABAMA -----	4	2	10	9	8	5	5	5	1	2	-	-
WHITE-----FEMALE--	2	1	7	4	6	4	4	4	1	-	-	-
ALL OTHER--FEMALE--	2	1	3	5	2	1	1	1	-	2	-	-
BLACK---FEMALE--	2	1	3	5	2	1	1	1	-	2	-	-
ALASKA -----	2	2	-	1	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	-	1	-	1	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	2	1	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	4	7	8	5	7	3	3	-	1	-	-	-
WHITE-----FEMALE--	4	6	7	4	7	2	3	-	1	-	-	-
ALL OTHER--FEMALE--	-	1	1	1	-	1	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	8	1	4	2	4	2	-	2	-	-	-	-
WHITE-----FEMALE--	4	1	4	1	4	2	-	2	-	-	-	-
ALL OTHER--FEMALE--	4	-	-	1	-	-	-	-	-	-	-	-
BLACK---FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	43	47	35	47	30	24	28	15	8	2	-	-
WHITE-----FEMALE--	31	35	24	37	22	22	23	14	8	1	-	-
ALL OTHER--FEMALE--	12	12	11	10	8	2	5	1	-	1	-	-
BLACK---FEMALE--	6	6	4	4	2	2	2	-	-	1	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 749
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
 0 CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
 0 OF CERVIX UTERI (180)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
COLORADO -----	39	-	-	-	-	-	-	2	2	3	4	5
WHITE-----FEMALE--	37	-	-	-	-	-	-	2	2	3	4	4
ALL OTHER--FEMALE--	2	-	-	-	-	-	-	-	-	-	-	1
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	56	-	-	-	-	-	1	-	2	3	4	6
WHITE-----FEMALE--	42	-	-	-	-	-	1	-	1	2	3	4
ALL OTHER--FEMALE--	14	-	-	-	-	-	-	-	1	1	1	2
BLACK---FEMALE--	10	-	-	-	-	-	-	-	1	-	1	2
DELAWARE -----	22	-	-	-	-	-	-	1	-	1	2	1
WHITE-----FEMALE--	14	-	-	-	-	-	-	1	-	1	-	1
ALL OTHER--FEMALE--	8	-	-	-	-	-	-	-	-	-	2	-
BLACK---FEMALE--	8	-	-	-	-	-	-	-	-	-	2	-
DISTRICT OF COLUMBIA ----	18	-	-	-	-	-	-	-	2	2	2	2
WHITE-----FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	17	-	-	-	-	-	-	-	2	2	2	2
BLACK---FEMALE--	17	-	-	-	-	-	-	-	2	2	2	2
FLORIDA -----	298	-	-	-	-	-	2	5	7	24	28	34
WHITE-----FEMALE--	240	-	-	-	-	-	2	5	6	16	26	24
ALL OTHER--FEMALE--	58	-	-	-	-	-	-	-	1	8	2	10
BLACK---FEMALE--	53	-	-	-	-	-	-	-	1	7	2	9
GEORGIA -----	120	-	-	-	-	-	1	3	10	12	7	10
WHITE-----FEMALE--	69	-	-	-	-	-	-	3	6	10	5	5
ALL OTHER--FEMALE--	51	-	-	-	-	-	1	-	4	2	2	5
BLACK---FEMALE--	51	-	-	-	-	-	1	-	4	2	2	5

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 749
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
0 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 OF CERVIX UTERI (180)

	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
COLORADO -----	5	1	4	5	1	4	1	2	-	-	-	-
WHITE-----FEMALE--	5	1	4	4	1	4	1	2	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	6	2	5	5	6	6	5	4	-	1	-	-
WHITE-----FEMALE--	4	2	4	2	6	4	5	3	-	1	-	-
ALL OTHER--FEMALE--	2	-	1	3	-	2	-	1	-	-	-	-
BLACK---FEMALE--	1	-	1	2	-	2	-	-	-	-	-	-
DELAWARE -----	1	2	2	2	3	2	3	-	1	1	-	-
WHITE-----FEMALE--	1	2	2	1	2	-	2	-	-	1	-	-
ALL OTHER--FEMALE--	-	-	-	1	1	2	1	-	1	-	-	-
BLACK---FEMALE--	-	-	-	1	1	2	1	-	1	-	-	-
DISTRICT OF COLUMBIA ----	4	-	-	1	3	-	-	2	-	-	-	-
WHITE-----FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	3	-	-	1	3	-	-	2	-	-	-	-
BLACK---FEMALE--	3	-	-	1	3	-	-	2	-	-	-	-
FLORIDA -----	26	17	30	36	28	22	13	10	12	4	-	-
WHITE-----FEMALE--	22	14	21	30	21	18	12	8	11	4	-	-
ALL OTHER--FEMALE--	4	3	9	6	7	4	1	2	1	-	-	-
BLACK---FEMALE--	2	3	8	6	7	4	1	2	1	-	-	-
GEORGIA -----	14	10	9	12	11	10	4	5	2	-	-	-
WHITE-----FEMALE--	5	3	3	6	9	6	3	3	2	-	-	-
ALL OTHER--FEMALE--	9	7	6	6	2	4	1	2	-	-	-	-
BLACK---FEMALE--	9	7	6	6	2	4	1	2	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 750
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
0 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 OF CERVIX UTERI (180)

	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
HAWAII -----	2	1	-	-	1	1	2	-	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	1	-	1	-	-	-	-	-
ALL OTHER--FEMALE--	2	1	-	-	-	1	1	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	2	2	4	-	1	-	-	-	-	-	-	-
WHITE-----FEMALE--	2	2	4	-	1	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	25	15	14	13	16	17	8	6	6	2	-	-
WHITE-----FEMALE--	18	10	11	8	12	14	3	4	4	-	-	-
ALL OTHER--FEMALE--	7	5	3	5	4	3	5	2	2	2	-	-
BLACK---FEMALE--	7	4	3	4	3	3	4	2	2	2	-	-
INDIANA -----	9	6	11	10	14	11	11	4	3	-	-	-
WHITE-----FEMALE--	9	4	9	9	12	11	8	4	3	-	-	-
ALL OTHER--FEMALE--	-	2	2	1	2	-	3	-	-	-	-	-
BLACK---FEMALE--	-	2	2	1	2	-	3	-	-	-	-	-
IOWA -----	3	5	1	5	4	5	2	2	1	-	-	-
WHITE-----FEMALE--	3	4	1	5	3	5	2	2	1	-	-	-
ALL OTHER--FEMALE--	-	1	-	-	1	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
KANSAS -----	3	6	4	3	4	2	2	-	3	-	-	-
WHITE-----FEMALE--	3	6	3	3	1	2	2	-	3	-	-	-
ALL OTHER--FEMALE--	-	-	1	-	3	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	3	-	-	-	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 751
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 0 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
 0 CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
 0 OF CERVIX UTERI (180)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
KENTUCKY -----	86	-	-	-	-	-	-	2	3	7	5	8
WHITE-----FEMALE--	79	-	-	-	-	-	-	2	2	7	5	8
ALL OTHER--FEMALE--	7	-	-	-	-	-	-	-	1	-	-	-
BLACK---FEMALE--	7	-	-	-	-	-	-	-	1	-	-	-
LOUISIANA -----	102	-	-	-	-	-	2	2	4	8	13	11
WHITE-----FEMALE--	47	-	-	-	-	-	1	-	1	5	6	8
ALL OTHER--FEMALE--	55	-	-	-	-	-	1	2	3	3	7	3
BLACK---FEMALE--	54	-	-	-	-	-	1	2	3	3	6	3
MAINE -----	23	-	-	-	-	-	1	-	-	1	3	1
WHITE-----FEMALE--	23	-	-	-	-	-	1	-	-	1	3	1
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	81	-	-	-	-	-	-	1	1	7	5	7
WHITE-----FEMALE--	49	-	-	-	-	-	-	1	1	3	2	4
ALL OTHER--FEMALE--	32	-	-	-	-	-	-	-	-	4	3	3
BLACK---FEMALE--	29	-	-	-	-	-	-	-	-	4	3	3
MASSACHUSETTS -----	88	-	-	-	-	-	1	2	3	5	10	7
WHITE-----FEMALE--	79	-	-	-	-	-	1	2	3	5	8	6
ALL OTHER--FEMALE--	9	-	-	-	-	-	-	-	-	-	2	1
BLACK---FEMALE--	7	-	-	-	-	-	-	-	-	-	2	-
MICHIGAN -----	146	-	-	-	-	-	1	2	8	10	19	12
WHITE-----FEMALE--	116	-	-	-	-	-	-	2	8	8	17	4
ALL OTHER--FEMALE--	30	-	-	-	-	-	1	-	-	2	2	8
BLACK---FEMALE--	28	-	-	-	-	-	1	-	-	2	2	7

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 751
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
 0 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 0 OF CERVIX UTERI (180)

	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
KENTUCKY -----	3	11	8	8	10	7	9	5	-	-	-	-
WHITE-----FEMALE--	3	10	8	7	9	6	8	4	-	-	-	-
ALL OTHER--FEMALE--	-	1	-	1	1	1	1	1	-	-	-	-
BLACK---FEMALE--	-	1	-	1	1	1	1	1	-	-	-	-
LOUISIANA -----	7	6	9	7	9	8	8	6	2	-	-	-
WHITE-----FEMALE--	5	3	1	1	2	4	5	4	1	-	-	-
ALL OTHER--FEMALE--	2	3	8	6	7	4	3	2	1	-	-	-
BLACK---FEMALE--	2	3	8	6	7	4	3	2	1	-	-	-
MAINE -----	1	-	2	1	3	5	-	3	2	-	-	-
WHITE-----FEMALE--	1	-	2	1	3	5	-	3	2	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	5	9	7	9	5	9	8	4	2	2	-	-
WHITE-----FEMALE--	1	4	5	7	3	9	5	2	-	2	-	-
ALL OTHER--FEMALE--	4	5	2	2	2	-	3	2	2	-	-	-
BLACK---FEMALE--	4	3	2	2	1	-	3	2	2	-	-	-
MASSACHUSETTS -----	10	7	6	7	7	11	5	4	3	-	-	-
WHITE-----FEMALE--	10	5	6	6	7	9	4	4	3	-	-	-
ALL OTHER--FEMALE--	-	2	-	1	-	2	1	-	-	-	-	-
BLACK---FEMALE--	-	1	-	1	-	2	1	-	-	-	-	-
MICHIGAN -----	14	11	10	13	14	8	12	6	5	1	-	-
WHITE-----FEMALE--	12	10	7	11	12	8	8	5	3	1	-	-
ALL OTHER--FEMALE--	2	1	3	2	2	-	4	1	2	-	-	-
BLACK---FEMALE--	1	1	3	2	2	-	4	1	2	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 752
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
 0 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 0 OF CERVIX UTERI (180)

	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
MINNESOTA -----	6	12	3	3	8	4	2	4	-	-	-	-
WHITE-----FEMALE--	5	11	3	3	7	4	2	4	-	-	-	-
ALL OTHER--FEMALE--	1	1	-	-	1	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
MISSISSIPPI -----	6	2	5	4	6	1	6	4	1	1	-	-
WHITE-----FEMALE--	3	2	2	3	2	-	3	1	1	-	-	-
ALL OTHER--FEMALE--	3	-	3	1	4	1	3	3	-	1	-	-
BLACK---FEMALE--	3	-	3	1	4	1	3	3	-	1	-	-
MISSOURI -----	8	12	5	16	15	3	8	4	2	-	1	-
WHITE-----FEMALE--	8	10	3	11	13	3	7	3	2	-	1	-
ALL OTHER--FEMALE--	-	2	2	5	2	-	1	1	-	-	-	-
BLACK---FEMALE--	-	2	2	4	2	-	1	1	-	-	-	-
MONTANA -----	3	-	2	1	-	1	-	1	-	-	-	-
WHITE-----FEMALE--	3	-	2	1	-	1	-	1	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	3	3	2	3	1	5	2	2	2	1	-	-
WHITE-----FEMALE--	3	3	1	3	1	5	2	2	2	1	-	-
ALL OTHER--FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
NEVADA -----	5	-	3	1	1	-	1	1	-	-	-	-
WHITE-----FEMALE--	4	-	3	1	-	-	1	1	-	-	-	-
ALL OTHER--FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-
BLACK---FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 754
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 0 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
 0 CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
 0 OF CERVIX UTERI (180)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
OHIO -----	204	-	-	-	-	-	-	3	8	21	14	14
WHITE-----FEMALE--	174	-	-	-	-	-	-	2	6	19	12	11
ALL OTHER--FEMALE--	30	-	-	-	-	-	-	1	2	2	2	3
BLACK---FEMALE--	30	-	-	-	-	-	-	1	2	2	2	3
OKLAHOMA -----	57	-	-	-	-	-	-	2	2	5	10	5
WHITE-----FEMALE--	46	-	-	-	-	-	-	2	1	4	8	4
ALL OTHER--FEMALE--	11	-	-	-	-	-	-	-	1	1	2	1
BLACK---FEMALE--	6	-	-	-	-	-	-	-	1	-	1	1
OREGON -----	45	-	-	-	-	-	-	1	2	4	8	4
WHITE-----FEMALE--	42	-	-	-	-	-	-	1	2	4	7	4
ALL OTHER--FEMALE--	3	-	-	-	-	-	-	-	-	-	1	-
BLACK---FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	215	-	-	-	-	-	-	3	7	17	20	24
WHITE-----FEMALE--	181	-	-	-	-	-	-	3	7	13	17	23
ALL OTHER--FEMALE--	34	-	-	-	-	-	-	-	-	4	3	1
BLACK---FEMALE--	33	-	-	-	-	-	-	-	-	4	3	1
RHODE ISLAND -----	24	-	-	-	-	-	1	2	2	1	2	3
WHITE-----FEMALE--	23	-	-	-	-	-	1	1	2	1	2	3
ALL OTHER--FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
BLACK---FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
SOUTH CAROLINA -----	77	-	-	-	-	-	-	2	6	3	5	14
WHITE-----FEMALE--	35	-	-	-	-	-	-	2	3	2	2	6
ALL OTHER--FEMALE--	42	-	-	-	-	-	-	-	3	1	3	8
BLACK---FEMALE--	41	-	-	-	-	-	-	-	3	1	3	8

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 754
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
0 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 OF CERVIX UTERI (180)

	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
OHIO -----	24	13	16	21	22	13	15	13	7	-	-	-
WHITE-----FEMALE--	20	11	12	15	20	12	15	12	7	-	-	-
ALL OTHER--FEMALE--	4	2	4	6	2	1	-	1	-	-	-	-
BLACK---FEMALE--	4	2	4	6	2	1	-	1	-	-	-	-
OKLAHOMA -----	3	3	2	9	2	4	4	1	1	2	-	2
WHITE-----FEMALE--	3	3	2	6	2	3	4	1	1	1	-	1
ALL OTHER--FEMALE--	-	-	-	3	-	1	-	-	-	1	-	1
BLACK---FEMALE--	-	-	-	1	-	1	-	-	-	-	-	1
OREGON -----	3	2	3	7	1	1	3	4	2	-	-	-
WHITE-----FEMALE--	3	2	1	7	1	1	3	4	2	-	-	-
ALL OTHER--FEMALE--	-	-	2	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	18	19	15	20	19	20	12	15	4	2	-	-
WHITE-----FEMALE--	14	15	10	17	18	15	10	14	3	2	-	-
ALL OTHER--FEMALE--	4	4	5	3	1	5	2	1	1	-	-	-
BLACK---FEMALE--	4	4	5	2	1	5	2	1	1	-	-	-
RHODE ISLAND -----	1	2	2	2	1	1	1	2	1	-	-	-
WHITE-----FEMALE--	1	2	2	2	1	1	1	2	1	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	5	5	10	7	10	2	4	2	2	-	-	-
WHITE-----FEMALE--	2	3	5	2	5	1	-	2	-	-	-	-
ALL OTHER--FEMALE--	3	2	5	5	5	1	4	-	2	-	-	-
BLACK---FEMALE--	3	2	5	5	4	1	4	-	2	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 755
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
0 CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
0 OF CERVIX UTERI (180)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
SOUTH DAKOTA -----	8	-	-	-	-	-	-	1	-	-	2	-
WHITE-----FEMALE--	7	-	-	-	-	-	-	1	-	-	2	-
ALL OTHER--FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	116	-	-	-	-	-	-	1	6	10	7	8
WHITE-----FEMALE--	82	-	-	-	-	-	-	1	4	6	5	6
ALL OTHER--FEMALE--	34	-	-	-	-	-	-	-	2	4	2	2
BLACK---FEMALE--	34	-	-	-	-	-	-	-	2	4	2	2
TEXAS -----	356	-	-	-	-	-	3	5	23	32	50	30
WHITE-----FEMALE--	274	-	-	-	-	-	3	5	19	25	30	25
ALL OTHER--FEMALE--	82	-	-	-	-	-	-	-	4	7	20	5
BLACK---FEMALE--	77	-	-	-	-	-	-	-	4	6	20	4
UTAH -----	19	-	-	-	-	-	-	2	2	1	1	3
WHITE-----FEMALE--	19	-	-	-	-	-	-	2	2	1	1	3
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	11	-	-	-	-	-	-	-	-	-	3	2
WHITE-----FEMALE--	11	-	-	-	-	-	-	-	-	-	3	2
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	108	-	-	-	-	-	-	2	2	4	11	8
WHITE-----FEMALE--	75	-	-	-	-	-	-	1	-	4	7	8
ALL OTHER--FEMALE--	33	-	-	-	-	-	-	1	2	-	4	-
BLACK---FEMALE--	28	-	-	-	-	-	-	1	2	-	3	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 755
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
0 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 OF CERVIX UTERI (180)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
SOUTH DAKOTA -----	1	1	-	1	1	1	-	-	-	-	-	-
WHITE-----FEMALE--	1	1	-	-	1	1	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	9	6	17	12	10	13	10	5	1	1	-	-
WHITE-----FEMALE--	7	6	10	11	5	7	10	3	-	1	-	-
ALL OTHER--FEMALE--	2	-	7	1	5	6	-	2	1	-	-	-
BLACK---FEMALE--	2	-	7	1	5	6	-	2	1	-	-	-
TEXAS -----	30	23	30	36	21	24	18	20	10	1	-	-
WHITE-----FEMALE--	24	17	23	29	17	20	13	18	5	1	-	-
ALL OTHER--FEMALE--	6	6	7	7	4	4	5	2	5	-	-	-
BLACK---FEMALE--	5	5	7	6	4	4	5	2	5	-	-	-
UTAH -----	-	-	4	1	4	-	1	-	-	-	-	-
WHITE-----FEMALE--	-	-	4	1	4	-	1	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	1	1	2	-	1	1	-	-	-	-	-
WHITE-----FEMALE--	-	1	1	2	-	1	1	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	8	15	10	19	11	6	4	4	4	-	-	-
WHITE-----FEMALE--	7	9	6	10	8	5	4	4	2	-	-	-
ALL OTHER--FEMALE--	1	6	4	9	3	1	-	-	2	-	-	-
BLACK---FEMALE--	1	4	3	8	3	1	-	-	2	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 757
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
0 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 OF OTHER PARTS OF UTERUS (179,181-182)

	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 UNITED STATES --	242	332	595	853	1,046	991	941	636	275	90	10	1
WHITE-----FEMALE--	194	266	461	673	852	827	819	559	245	80	8	1
ALL OTHER--FEMALE--	48	66	134	180	194	164	122	77	30	10	2	-
BLACK---FEMALE--	40	54	119	169	179	151	109	72	28	9	2	-
ALABAMA -----	2	7	10	15	12	12	8	6	4	2	-	-
WHITE-----FEMALE--	-	6	5	14	8	7	5	4	3	1	-	-
ALL OTHER--FEMALE--	2	1	5	1	4	5	3	2	1	1	-	-
BLACK---FEMALE--	2	1	5	1	4	5	3	2	1	1	-	-
ALASKA -----	-	-	-	1	1	1	-	-	-	-	-	-
WHITE-----FEMALE--	-	-	-	1	1	1	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	3	1	8	9	18	15	16	4	6	2	-	-
WHITE-----FEMALE--	3	1	8	9	18	15	16	4	6	2	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	1	1	7	9	6	9	11	4	3	1	-	-
WHITE-----FEMALE--	1	1	6	5	3	4	9	2	2	1	-	-
ALL OTHER--FEMALE--	-	-	1	4	3	5	2	2	1	-	-	-
BLACK---FEMALE--	-	-	1	4	3	5	2	2	1	-	-	-
CALIFORNIA -----	28	33	46	65	103	94	90	54	26	10	1	-
WHITE-----FEMALE--	22	27	36	54	86	76	81	50	24	9	1	-
ALL OTHER--FEMALE--	6	6	10	11	17	18	9	4	2	1	-	-
BLACK---FEMALE--	4	5	7	8	12	9	5	4	-	1	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 758
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
0 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 OF OTHER PARTS OF UTERUS (179,181-182)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
COLORADO -----	2	2	9	8	12	12	8	6	3	1	-	-
WHITE-----FEMALE--	2	2	9	7	12	12	7	5	2	1	-	-
ALL OTHER--FEMALE--	-	-	-	1	-	-	1	1	1	-	-	-
BLACK---FEMALE--	-	-	-	1	-	-	1	1	1	-	-	-
CONNECTICUT -----	4	2	9	15	18	18	17	11	3	1	-	-
WHITE-----FEMALE--	4	2	8	13	17	18	17	11	3	1	-	-
ALL OTHER--FEMALE--	-	-	1	2	1	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	1	2	1	-	-	-	-	-	-	-
DELAWARE -----	-	3	3	6	2	3	1	2	-	-	-	-
WHITE-----FEMALE--	-	2	1	3	1	3	1	1	-	-	-	-
ALL OTHER--FEMALE--	-	1	2	3	1	-	-	1	-	-	-	-
BLACK---FEMALE--	-	1	2	3	1	-	-	1	-	-	-	-
DISTRICT OF COLUMBIA ----	2	1	2	4	2	3	5	1	2	-	-	-
WHITE-----FEMALE--	-	-	-	1	-	-	-	-	1	-	-	-
ALL OTHER--FEMALE--	2	1	2	3	2	3	5	1	1	-	-	-
BLACK---FEMALE--	2	1	2	3	2	3	5	1	1	-	-	-
FLORIDA -----	13	16	36	48	71	73	67	51	24	6	-	-
WHITE-----FEMALE--	9	11	29	40	53	63	56	46	19	6	-	-
ALL OTHER--FEMALE--	4	5	7	8	18	10	11	5	5	-	-	-
BLACK---FEMALE--	4	3	7	8	18	9	11	5	5	-	-	-
GEORGIA -----	6	7	11	28	19	22	8	9	8	2	-	-
WHITE-----FEMALE--	5	4	7	19	15	15	2	6	7	2	-	-
ALL OTHER--FEMALE--	1	3	4	9	4	7	6	3	1	-	-	-
BLACK---FEMALE--	1	3	4	9	4	7	6	3	1	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 759
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
0 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 OF OTHER PARTS OF UTERUS (179,181-182)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
HAWAII -----	1	3	5	2	6	4	1	1	-	-	-	-
WHITE-----FEMALE--	-	-	1	1	-	4	-	-	-	-	-	-
ALL OTHER--FEMALE--	1	3	4	1	6	-	1	1	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	-	1	3	5	3	2	6	1	1	1	-	-
WHITE-----FEMALE--	-	1	3	5	3	2	6	-	1	1	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	5	19	25	33	59	37	56	31	10	6	1	-
WHITE-----FEMALE--	5	16	21	23	48	35	48	27	9	5	-	-
ALL OTHER--FEMALE--	-	3	4	10	11	2	8	4	1	1	1	-
BLACK---FEMALE--	-	2	4	8	11	2	8	3	1	-	1	-
INDIANA -----	5	12	10	20	31	31	29	11	1	2	-	-
WHITE-----FEMALE--	5	10	10	18	25	25	28	10	1	2	-	-
ALL OTHER--FEMALE--	-	2	-	2	6	6	1	1	-	-	-	-
BLACK---FEMALE--	-	2	-	2	6	6	1	1	-	-	-	-
IOWA -----	5	8	9	14	26	13	14	10	4	2	-	-
WHITE-----FEMALE--	5	8	8	13	26	13	14	9	4	2	-	-
ALL OTHER--FEMALE--	-	-	1	1	-	-	-	1	-	-	-	-
BLACK---FEMALE--	-	-	1	1	-	-	-	1	-	-	-	-
KANSAS -----	3	4	5	7	10	13	6	9	1	3	1	-
WHITE-----FEMALE--	3	4	5	7	10	13	6	8	1	3	1	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 760
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 0 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
 0 CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
 0 OF OTHER PARTS OF UTERUS (179,181-182)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
KENTUCKY -----	88	-	-	-	-	-	-	-	-	1	2	5
WHITE-----FEMALE--	77	-	-	-	-	-	-	-	-	1	1	5
ALL OTHER--FEMALE--	11	-	-	-	-	-	-	-	-	-	1	-
BLACK---FEMALE--	10	-	-	-	-	-	-	-	-	-	1	-
LOUISIANA -----	104	-	-	-	-	-	-	-	2	2	2	2
WHITE-----FEMALE--	64	-	-	-	-	-	-	-	1	1	2	1
ALL OTHER--FEMALE--	40	-	-	-	-	-	-	-	1	1	-	1
BLACK---FEMALE--	38	-	-	-	-	-	-	-	1	1	-	1
MAINE -----	31	-	-	-	-	-	-	-	1	-	2	-
WHITE-----FEMALE--	31	-	-	-	-	-	-	-	1	-	2	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	118	-	-	-	-	-	-	-	1	1	2	4
WHITE-----FEMALE--	75	-	-	-	-	-	-	-	-	-	2	2
ALL OTHER--FEMALE--	43	-	-	-	-	-	-	-	1	1	-	2
BLACK---FEMALE--	40	-	-	-	-	-	-	-	1	1	-	1
MASSACHUSETTS -----	167	-	-	-	-	-	-	-	-	-	1	3
WHITE-----FEMALE--	160	-	-	-	-	-	-	-	-	-	1	3
ALL OTHER--FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	233	-	-	-	-	-	-	-	-	2	4	5
WHITE-----FEMALE--	198	-	-	-	-	-	-	-	-	1	2	4
ALL OTHER--FEMALE--	35	-	-	-	-	-	-	-	-	1	2	1
BLACK---FEMALE--	33	-	-	-	-	-	-	-	-	1	2	1

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 760
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
 0 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 0 OF OTHER PARTS OF UTERUS (179,181-182)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
KENTUCKY -----	3	4	6	13	21	8	10	12	3	-	-	-
WHITE-----FEMALE--	2	4	6	10	18	7	8	12	3	-	-	-
ALL OTHER--FEMALE--	1	-	-	3	3	1	2	-	-	-	-	-
BLACK---FEMALE--	-	-	-	3	3	1	2	-	-	-	-	-
LOUISIANA -----	4	3	10	14	22	16	14	9	4	-	-	-
WHITE-----FEMALE--	4	3	6	5	14	9	8	7	3	-	-	-
ALL OTHER--FEMALE--	-	-	4	9	8	7	6	2	1	-	-	-
BLACK---FEMALE--	-	-	4	8	8	6	6	2	1	-	-	-
MAINE -----	2	1	3	4	6	4	1	6	1	-	-	-
WHITE-----FEMALE--	2	1	3	4	6	4	1	6	1	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	3	8	7	12	23	22	16	13	6	-	-	-
WHITE-----FEMALE--	2	3	4	6	13	17	13	9	4	-	-	-
ALL OTHER--FEMALE--	1	5	3	6	10	5	3	4	2	-	-	-
BLACK---FEMALE--	1	3	3	6	10	5	3	4	2	-	-	-
MASSACHUSETTS -----	6	6	22	23	22	29	26	19	6	3	1	-
WHITE-----FEMALE--	6	6	21	22	21	27	24	19	6	3	1	-
ALL OTHER--FEMALE--	-	-	1	1	1	2	2	-	-	-	-	-
BLACK---FEMALE--	-	-	1	1	1	2	1	-	-	-	-	-
MICHIGAN -----	8	11	16	34	40	32	37	30	7	7	-	-
WHITE-----FEMALE--	4	9	12	27	37	28	34	28	5	7	-	-
ALL OTHER--FEMALE--	4	2	4	7	3	4	3	2	2	-	-	-
BLACK---FEMALE--	3	2	3	7	3	4	3	2	2	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 763
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
0 CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
0 OF OTHER PARTS OF UTERUS (179,181-182)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
OHIO -----	329	-	-	-	-	-	-	1	1	3	7	7
WHITE-----FEMALE--	288	-	-	-	-	-	-	-	-	2	7	7
ALL OTHER--FEMALE--	41	-	-	-	-	-	1	1	1	-	-	-
BLACK---FEMALE--	41	-	-	-	-	-	1	1	1	-	-	-
OKLAHOMA -----	65	-	-	-	-	-	-	-	-	1	2	2
WHITE-----FEMALE--	55	-	-	-	-	-	-	-	-	1	2	2
ALL OTHER--FEMALE--	10	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	74	-	-	-	-	-	-	-	-	1	1	1
WHITE-----FEMALE--	70	-	-	-	-	-	-	-	-	1	1	1
ALL OTHER--FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	419	-	-	-	-	-	1	-	2	1	7	8
WHITE-----FEMALE--	376	-	-	-	-	-	1	-	2	-	6	8
ALL OTHER--FEMALE--	43	-	-	-	-	-	-	-	-	1	1	-
BLACK---FEMALE--	43	-	-	-	-	-	-	-	-	1	1	-
RHODE ISLAND -----	19	-	-	-	-	-	-	-	-	-	1	1
WHITE-----FEMALE--	17	-	-	-	-	-	-	-	-	-	1	1
ALL OTHER--FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	101	-	-	-	-	-	-	1	-	1	1	1
WHITE-----FEMALE--	48	-	-	-	-	-	-	-	-	1	1	1
ALL OTHER--FEMALE--	53	-	-	-	-	-	-	1	-	-	-	-
BLACK---FEMALE--	53	-	-	-	-	-	-	1	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 763
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
0 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 OF OTHER PARTS OF UTERUS (179,181-182)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
OHIO -----	13	20	30	57	51	48	41	34	10	4	2	-
WHITE-----FEMALE--	12	19	27	47	44	41	40	31	7	2	2	-
ALL OTHER--FEMALE--	1	1	3	10	7	7	1	3	3	2	-	-
BLACK---FEMALE--	1	1	3	10	7	7	1	3	3	2	-	-
OKLAHOMA -----	5	4	9	7	6	7	9	10	1	2	-	-
WHITE-----FEMALE--	4	1	7	6	6	7	6	10	1	2	-	-
ALL OTHER--FEMALE--	1	3	2	1	-	-	3	-	-	-	-	-
BLACK---FEMALE--	-	1	2	1	-	-	2	-	-	-	-	-
OREGON -----	5	6	5	6	16	11	9	6	5	2	-	-
WHITE-----FEMALE--	5	6	4	6	14	11	9	6	4	2	-	-
ALL OTHER--FEMALE--	-	-	1	-	2	-	-	-	1	-	-	-
BLACK---FEMALE--	-	-	-	-	1	-	-	-	1	-	-	-
PENNSYLVANIA -----	14	26	35	59	59	77	65	40	17	7	1	-
WHITE-----FEMALE--	13	22	29	53	54	68	60	35	17	7	1	-
ALL OTHER--FEMALE--	1	4	6	6	5	9	5	5	-	-	-	-
BLACK---FEMALE--	1	4	6	6	5	9	5	5	-	-	-	-
RHODE ISLAND -----	1	2	2	1	3	1	2	3	2	-	-	-
WHITE-----FEMALE--	1	1	2	1	3	1	1	3	2	-	-	-
ALL OTHER--FEMALE--	-	1	-	-	-	-	1	-	-	-	-	-
BLACK---FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	5	8	12	17	22	15	6	6	3	3	-	-
WHITE-----FEMALE--	2	5	5	8	7	9	2	4	1	2	-	-
ALL OTHER--FEMALE--	3	3	7	9	15	6	4	2	2	1	-	-
BLACK---FEMALE--	3	3	7	9	15	6	4	2	2	1	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 764
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
0 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 OF OTHER PARTS OF UTERUS (179,181-182)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
SOUTH DAKOTA -----	-	-	1	1	3	3	3	3	1	1	-	-
WHITE-----FEMALE--	-	-	1	1	3	3	3	3	1	1	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	4	6	11	6	27	22	11	8	3	-	-	-
WHITE-----FEMALE--	3	5	6	4	16	17	11	6	3	-	-	-
ALL OTHER--FEMALE--	1	1	5	2	11	5	-	2	-	-	-	-
BLACK---FEMALE--	1	1	5	2	11	5	-	2	-	-	-	-
TEXAS -----	12	17	33	49	48	53	46	36	13	2	-	-
WHITE-----FEMALE--	10	14	23	40	39	44	38	32	12	1	-	-
ALL OTHER--FEMALE--	2	3	10	9	9	9	8	4	1	1	-	-
BLACK---FEMALE--	2	2	9	9	8	9	7	4	1	1	-	-
UTAH -----	1	-	2	2	6	3	5	1	1	-	-	-
WHITE-----FEMALE--	1	-	1	2	6	3	5	1	1	-	-	-
ALL OTHER--FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	2	1	1	3	1	2	2	3	-	-	-
WHITE-----FEMALE--	-	2	1	1	3	1	2	2	3	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	5	5	20	30	20	15	19	15	4	2	-	-
WHITE-----FEMALE--	3	4	14	20	14	7	15	10	4	1	-	-
ALL OTHER--FEMALE--	2	1	6	10	6	8	4	5	-	1	-	-
BLACK---FEMALE--	2	1	5	10	6	8	4	5	-	1	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 766
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
0 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 OF OVARY AND OTHER UTERINE ADNEXA (183)

	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 UNITED STATES --	774	1,009	1,333	1,728	2,100	2,023	1,674	967	409	84	13	-
WHITE-----FEMALE--	686	889	1,212	1,539	1,902	1,883	1,554	908	386	71	10	-
ALL OTHER--FEMALE--	88	120	121	189	198	140	120	59	23	13	3	-
BLACK---FEMALE--	59	87	100	162	174	122	107	52	20	12	3	-
ALABAMA -----	15	16	25	30	34	34	30	13	2	2	-	-
WHITE-----FEMALE--	13	12	22	26	30	27	22	11	2	1	-	-
ALL OTHER--FEMALE--	2	4	3	4	4	7	8	2	-	1	-	-
BLACK---FEMALE--	1	4	3	4	4	7	8	2	-	1	-	-
ALASKA -----	1	-	3	-	3	-	3	-	-	-	-	-
WHITE-----FEMALE--	-	-	2	-	2	-	2	-	-	-	-	-
ALL OTHER--FEMALE--	1	-	1	-	1	-	1	-	-	-	-	-
BLACK---FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-
ARIZONA -----	10	13	20	22	45	28	33	14	4	-	-	-
WHITE-----FEMALE--	8	11	18	21	44	27	33	13	4	-	-	-
ALL OTHER--FEMALE--	2	2	2	1	1	1	-	1	-	-	-	-
BLACK---FEMALE--	-	-	1	-	-	1	-	-	-	-	-	-
ARKANSAS -----	7	9	18	15	11	22	22	17	5	2	-	-
WHITE-----FEMALE--	7	9	14	12	9	19	22	17	4	2	-	-
ALL OTHER--FEMALE--	-	-	4	3	2	3	-	-	1	-	-	-
BLACK---FEMALE--	-	-	4	3	2	3	-	-	1	-	-	-
CALIFORNIA -----	77	89	129	159	210	196	171	95	44	5	1	-
WHITE-----FEMALE--	65	70	118	142	188	183	158	90	43	4	1	-
ALL OTHER--FEMALE--	12	19	11	17	22	13	13	5	1	1	-	-
BLACK---FEMALE--	4	6	4	8	14	5	8	3	-	1	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 767
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
0 CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
0 OF OVARY AND OTHER UTERINE ADNEXA (183)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
COLORADO -----	146	-	-	-	-	-	-	-	1	2	5	9
WHITE-----FEMALE--	143	-	-	-	-	-	-	-	1	2	4	9
ALL OTHER--FEMALE--	3	-	-	-	-	-	-	-	-	-	1	-
BLACK---FEMALE--	2	-	-	-	-	-	-	-	-	-	1	-
CONNECTICUT -----	147	-	-	-	-	-	-	-	1	1	2	6
WHITE-----FEMALE--	143	-	-	-	-	-	-	-	1	1	2	6
ALL OTHER--FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	32	-	-	-	1	-	-	-	1	1	1	-
WHITE-----FEMALE--	29	-	-	-	1	-	-	-	1	-	1	-
ALL OTHER--FEMALE--	3	-	-	-	-	-	-	-	-	1	-	-
BLACK---FEMALE--	3	-	-	-	-	-	-	-	-	1	-	-
DISTRICT OF COLUMBIA ----	32	-	-	-	-	-	-	-	-	-	2	2
WHITE-----FEMALE--	9	-	-	-	-	-	-	-	-	-	1	1
ALL OTHER--FEMALE--	23	-	-	-	-	-	-	-	-	-	1	1
BLACK---FEMALE--	23	-	-	-	-	-	-	-	-	-	1	1
FLORIDA -----	890	-	-	-	-	1	-	-	2	11	19	34
WHITE-----FEMALE--	818	-	-	-	-	-	-	-	2	9	15	31
ALL OTHER--FEMALE--	72	-	-	-	-	1	-	-	-	2	4	3
BLACK---FEMALE--	68	-	-	-	-	1	-	-	-	2	4	2
GEORGIA -----	323	-	-	-	-	1	1	-	3	3	4	15
WHITE-----FEMALE--	263	-	-	-	-	-	1	-	2	3	2	13
ALL OTHER--FEMALE--	60	-	-	-	-	1	-	-	1	-	2	2
BLACK---FEMALE--	59	-	-	-	-	1	-	-	1	-	2	2

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 767
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
0 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 OF OVARY AND OTHER UTERINE ADNEXA (183)

	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
COLORADO -----	6	7	20	19	26	19	17	9	6	-	-	-
WHITE-----FEMALE--	6	7	20	19	25	19	17	9	5	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	1	-	-	-	1	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
CONNECTICUT -----	10	9	13	15	22	28	13	17	9	1	-	-
WHITE-----FEMALE--	10	9	12	14	22	27	12	17	9	1	-	-
ALL OTHER--FEMALE--	-	-	1	1	-	1	1	-	-	-	-	-
BLACK---FEMALE--	-	-	1	1	-	1	1	-	-	-	-	-
DELAWARE -----	2	5	1	6	4	2	2	4	2	-	-	-
WHITE-----FEMALE--	2	5	1	5	4	2	2	3	2	-	-	-
ALL OTHER--FEMALE--	-	-	-	1	-	-	-	1	-	-	-	-
BLACK---FEMALE--	-	-	-	1	-	-	-	1	-	-	-	-
DISTRICT OF COLUMBIA ----	3	2	2	5	2	7	3	2	1	1	-	-
WHITE-----FEMALE--	2	-	-	1	-	2	1	-	1	-	-	-
ALL OTHER--FEMALE--	1	2	2	4	2	5	2	2	-	1	-	-
BLACK---FEMALE--	1	2	2	4	2	5	2	2	-	1	-	-
FLORIDA -----	50	46	94	113	153	161	120	56	23	6	1	-
WHITE-----FEMALE--	45	43	86	101	141	151	115	51	21	6	1	-
ALL OTHER--FEMALE--	5	3	8	12	12	10	5	5	2	-	-	-
BLACK---FEMALE--	5	3	8	12	10	9	5	5	2	-	-	-
GEORGIA -----	19	28	39	50	60	40	34	14	9	2	1	-
WHITE-----FEMALE--	16	23	34	36	48	33	30	14	7	1	-	-
ALL OTHER--FEMALE--	3	5	5	14	12	7	4	-	2	1	1	-
BLACK---FEMALE--	3	5	5	14	11	7	4	-	2	1	1	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 769
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
0 CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
0 OF OVARY AND OTHER UTERINE ADNEXA (183)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
KENTUCKY -----	199	-	-	-	-	-	1	1	-	2	5	8
WHITE-----FEMALE--	192	-	-	-	-	-	1	1	-	2	5	8
ALL OTHER--FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	196	-	-	-	-	-	-	-	3	1	2	12
WHITE-----FEMALE--	149	-	-	-	-	-	-	-	1	1	1	9
ALL OTHER--FEMALE--	47	-	-	-	-	-	-	-	2	-	1	3
BLACK---FEMALE--	46	-	-	-	-	-	-	-	2	-	1	3
MAINE -----	92	-	-	-	-	-	-	-	-	2	2	7
WHITE-----FEMALE--	92	-	-	-	-	-	-	-	-	2	2	7
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	208	-	-	-	-	-	1	1	1	3	4	13
WHITE-----FEMALE--	170	-	-	-	-	-	-	1	1	3	3	7
ALL OTHER--FEMALE--	38	-	-	-	-	-	1	-	-	-	1	6
BLACK---FEMALE--	32	-	-	-	-	-	1	-	-	-	1	3
MASSACHUSETTS -----	351	-	-	-	1	-	-	2	3	3	7	19
WHITE-----FEMALE--	333	-	-	-	1	-	-	2	2	2	6	18
ALL OTHER--FEMALE--	18	-	-	-	-	-	-	-	1	1	1	1
BLACK---FEMALE--	12	-	-	-	-	-	-	-	-	1	1	-
MICHIGAN -----	474	-	-	-	-	1	1	1	6	6	2	16
WHITE-----FEMALE--	431	-	-	-	-	-	-	-	6	5	1	15
ALL OTHER--FEMALE--	43	-	-	-	-	1	1	1	-	1	1	1
BLACK---FEMALE--	42	-	-	-	-	1	1	1	-	1	1	1

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 769
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
0 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 OF OVARY AND OTHER UTERINE ADNEXA (183)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
KENTUCKY -----	11	24	25	24	22	33	20	18	5	-	-	-
WHITE-----FEMALE--	11	23	24	23	21	31	19	18	5	-	-	-
ALL OTHER--FEMALE--	-	1	1	1	1	2	1	-	-	-	-	-
BLACK---FEMALE--	-	1	1	1	1	2	1	-	-	-	-	-
LOUISIANA -----	9	21	28	27	32	20	25	12	2	1	1	-
WHITE-----FEMALE--	8	16	19	18	26	19	21	9	-	-	1	-
ALL OTHER--FEMALE--	1	5	9	9	6	1	4	3	2	1	-	-
BLACK---FEMALE--	1	5	8	9	6	1	4	3	2	1	-	-
MAINE -----	5	2	18	7	11	16	14	6	2	-	-	-
WHITE-----FEMALE--	5	2	18	7	11	16	14	6	2	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	13	20	17	23	31	35	23	17	5	1	-	-
WHITE-----FEMALE--	11	17	13	19	23	31	19	16	5	1	-	-
ALL OTHER--FEMALE--	2	3	4	4	8	4	4	1	-	-	-	-
BLACK---FEMALE--	1	2	4	4	8	3	4	1	-	-	-	-
MASSACHUSETTS -----	25	28	27	50	58	56	31	22	15	4	-	-
WHITE-----FEMALE--	25	25	26	47	54	54	30	22	15	4	-	-
ALL OTHER--FEMALE--	-	3	1	3	4	2	1	-	-	-	-	-
BLACK---FEMALE--	-	1	-	3	3	2	1	-	-	-	-	-
MICHIGAN -----	22	36	59	61	76	77	57	34	15	4	-	-
WHITE-----FEMALE--	21	35	53	52	68	71	55	31	15	3	-	-
ALL OTHER--FEMALE--	1	1	6	9	8	6	2	3	-	1	-	-
BLACK---FEMALE--	1	1	5	9	8	6	2	3	-	1	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 770
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 0 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
 0 CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
 0 OF OVARY AND OTHER UTERINE ADNEXA (183)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
MINNESOTA -----	256	-	-	-	-	-	1	-	-	2	8	12
WHITE-----FEMALE--	254	-	-	-	-	-	1	-	-	2	8	12
ALL OTHER--FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI -----	101	-	-	-	-	-	1	-	1	1	2	2
WHITE-----FEMALE--	70	-	-	-	-	-	1	-	1	-	1	1
ALL OTHER--FEMALE--	31	-	-	-	-	-	-	-	-	1	1	1
BLACK---FEMALE--	31	-	-	-	-	-	-	-	-	1	1	1
MISSOURI -----	276	-	-	-	1	-	-	2	3	1	4	9
WHITE-----FEMALE--	251	-	-	-	1	-	-	2	2	1	4	9
ALL OTHER--FEMALE--	25	-	-	-	-	-	-	-	1	-	-	-
BLACK---FEMALE--	22	-	-	-	-	-	-	-	1	-	-	-
MONTANA -----	42	-	-	-	-	-	1	-	-	-	1	4
WHITE-----FEMALE--	42	-	-	-	-	-	1	-	-	-	1	4
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	88	-	-	-	-	-	-	-	-	1	-	1
WHITE-----FEMALE--	88	-	-	-	-	-	-	-	-	1	-	1
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA -----	84	-	-	-	-	-	-	-	-	1	-	2
WHITE-----FEMALE--	78	-	-	-	-	-	-	-	-	-	-	2
ALL OTHER--FEMALE--	6	-	-	-	-	-	-	-	-	1	-	-
BLACK---FEMALE--	4	-	-	-	-	-	-	-	-	1	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 770
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
0 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 OF OVARY AND OTHER UTERINE ADNEXA (183)

	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
MINNESOTA -----	16	23	14	36	41	38	37	18	6	4	-	-
WHITE-----FEMALE--	16	23	13	36	40	38	37	18	6	4	-	-
ALL OTHER--FEMALE--	-	-	1	-	1	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	1	-	1	-	-	-	-	-	-	-
MISSISSIPPI -----	4	10	12	17	20	9	14	5	2	-	1	-
WHITE-----FEMALE--	4	6	10	9	12	8	11	4	2	-	-	-
ALL OTHER--FEMALE--	-	4	2	8	8	1	3	1	-	-	1	-
BLACK---FEMALE--	-	4	2	8	8	1	3	1	-	-	1	-
MISSOURI -----	20	16	22	34	45	46	31	25	17	-	-	-
WHITE-----FEMALE--	19	13	20	29	39	43	30	23	16	-	-	-
ALL OTHER--FEMALE--	1	3	2	5	6	3	1	2	1	-	-	-
BLACK---FEMALE--	1	1	2	5	6	2	1	2	1	-	-	-
MONTANA -----	2	4	5	8	7	5	1	3	-	1	-	-
WHITE-----FEMALE--	2	4	5	8	7	5	1	3	-	1	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	2	6	7	12	14	12	16	10	7	-	-	-
WHITE-----FEMALE--	2	6	7	12	14	12	16	10	7	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA -----	5	9	12	16	14	13	2	8	2	-	-	-
WHITE-----FEMALE--	4	9	11	16	12	12	2	8	2	-	-	-
ALL OTHER--FEMALE--	1	-	1	-	2	1	-	-	-	-	-	-
BLACK---FEMALE--	1	-	-	-	1	1	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 772													
(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH													
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)													
0 CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	
0 OF OVARY AND OTHER UTERINE ADNEXA (183)													
OHIO -----	604	-	-	-	-	-	-	1	4	10	11	27	
WHITE-----FEMALE--	554	-	-	-	-	-	-	1	2	10	11	25	
ALL OTHER--FEMALE--	50	-	-	-	-	-	-	-	2	-	-	2	
BLACK---FEMALE--	45	-	-	-	-	-	-	-	2	-	-	2	
OKLAHOMA -----	162	-	-	-	-	-	2	2	3	1	2	4	
WHITE-----FEMALE--	146	-	-	-	-	-	1	2	2	1	1	1	
ALL OTHER--FEMALE--	16	-	-	-	-	-	1	-	1	-	1	3	
BLACK---FEMALE--	7	-	-	-	-	-	-	-	-	-	-	1	
OREGON -----	162	-	-	-	-	-	1	-	2	-	5	8	
WHITE-----FEMALE--	158	-	-	-	-	-	-	-	2	-	5	7	
ALL OTHER--FEMALE--	4	-	-	-	-	-	1	-	-	-	-	1	
BLACK---FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-	
PENNSYLVANIA -----	751	-	-	-	-	-	2	-	7	11	17	25	
WHITE-----FEMALE--	713	-	-	-	-	-	2	-	7	10	16	22	
ALL OTHER--FEMALE--	38	-	-	-	-	-	-	-	-	1	1	3	
BLACK---FEMALE--	37	-	-	-	-	-	-	-	-	1	1	3	
RHODE ISLAND -----	57	-	-	-	1	-	-	1	-	-	1	2	
WHITE-----FEMALE--	55	-	-	-	-	-	-	1	-	-	1	1	
ALL OTHER--FEMALE--	2	-	-	-	1	-	-	-	-	-	-	1	
BLACK---FEMALE--	2	-	-	-	1	-	-	-	-	-	-	1	
SOUTH CAROLINA -----	176	-	-	-	-	-	-	-	-	3	5	10	
WHITE-----FEMALE--	133	-	-	-	-	-	-	-	-	1	4	5	
ALL OTHER--FEMALE--	43	-	-	-	-	-	-	-	-	2	1	5	
BLACK---FEMALE--	42	-	-	-	-	-	-	-	-	2	1	5	

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 772
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
0 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 OF OVARY AND OTHER UTERINE ADNEXA (183)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
OHIO -----	33	39	59	77	103	106	83	34	12	5	-	-
WHITE-----FEMALE--	31	37	53	70	99	95	74	31	12	3	-	-
ALL OTHER--FEMALE--	2	2	6	7	4	11	9	3	-	2	-	-
BLACK---FEMALE--	1	2	5	6	4	11	8	3	-	1	-	-
OKLAHOMA -----	4	17	20	25	21	20	18	14	6	3	-	-
WHITE-----FEMALE--	4	17	19	24	17	20	16	14	5	2	-	-
ALL OTHER--FEMALE--	-	-	1	1	4	-	2	-	1	1	-	-
BLACK---FEMALE--	-	-	-	1	3	-	1	-	-	1	-	-
OREGON -----	7	12	14	12	24	27	28	17	4	1	-	-
WHITE-----FEMALE--	7	12	14	12	23	27	28	16	4	1	-	-
ALL OTHER--FEMALE--	-	-	-	-	1	-	-	1	-	-	-	-
BLACK---FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
PENNSYLVANIA -----	45	49	66	106	114	117	109	51	29	2	1	-
WHITE-----FEMALE--	43	47	64	97	109	113	103	48	29	2	1	-
ALL OTHER--FEMALE--	2	2	2	9	5	4	6	3	-	-	-	-
BLACK---FEMALE--	1	2	2	9	5	4	6	3	-	-	-	-
RHODE ISLAND -----	2	3	5	5	8	12	7	7	2	1	-	-
WHITE-----FEMALE--	2	3	5	5	8	12	7	7	2	1	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	10	18	19	25	35	24	12	11	4	-	-	-
WHITE-----FEMALE--	7	14	16	17	27	20	9	11	2	-	-	-
ALL OTHER--FEMALE--	3	4	3	8	8	4	3	-	2	-	-	-
BLACK---FEMALE--	3	3	3	8	8	4	3	-	2	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 773
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
0 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 OF OVARY AND OTHER UTERINE ADNEXA (183)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
SOUTH DAKOTA -----	1	5	4	2	5	6	7	1	1	2	-	-
WHITE-----FEMALE--	1	5	4	2	4	6	7	1	1	2	-	-
ALL OTHER--FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	17	22	26	48	29	38	34	14	11	1	-	-
WHITE-----FEMALE--	13	20	23	43	24	38	33	13	10	1	-	-
ALL OTHER--FEMALE--	4	2	3	5	5	-	1	1	1	-	-	-
BLACK---FEMALE--	4	2	3	5	5	-	1	1	1	-	-	-
TEXAS -----	54	53	78	107	120	126	90	60	17	6	1	-
WHITE-----FEMALE--	50	48	73	96	113	115	80	56	14	6	1	-
ALL OTHER--FEMALE--	4	5	5	11	7	11	10	4	3	-	-	-
BLACK---FEMALE--	3	5	5	11	7	11	9	4	3	-	-	-
UTAH -----	7	9	6	8	12	7	9	2	-	-	-	-
WHITE-----FEMALE--	7	8	6	8	11	7	9	2	-	-	-	-
ALL OTHER--FEMALE--	-	1	-	-	1	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	3	4	4	4	3	3	3	2	-	-	-	-
WHITE-----FEMALE--	3	4	4	4	3	3	3	2	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	21	29	33	35	53	43	45	20	21	2	-	-
WHITE-----FEMALE--	20	21	31	29	38	39	36	19	21	2	-	-
ALL OTHER--FEMALE--	1	8	2	6	15	4	9	1	-	-	-	-
BLACK---FEMALE--	1	7	2	6	14	4	9	1	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 775
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
0 CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
0 OF OTHER AND UNSPECIFIED FEMALE GENITAL ORGANS (184)

0	CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0	UNITED STATES --	1,169	-	-	-	-	-	-	3	3	15	11	18
	WHITE-----FEMALE--	1,048	-	-	-	-	-	-	2	3	12	10	14
	ALL OTHER--FEMALE--	121	-	-	-	-	-	-	1	-	3	1	4
	BLACK---FEMALE--	106	-	-	-	-	-	-	1	-	2	1	4
	ALABAMA -----	23	-	-	-	-	-	-	-	-	1	-	-
	WHITE-----FEMALE--	18	-	-	-	-	-	-	-	-	1	-	-
	ALL OTHER--FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
	BLACK---FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
	ALASKA -----	3	-	-	-	-	-	-	-	-	-	-	1
	WHITE-----FEMALE--	3	-	-	-	-	-	-	-	-	-	-	1
	ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
	BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
	ARIZONA -----	11	-	-	-	-	-	-	-	-	-	1	-
	WHITE-----FEMALE--	11	-	-	-	-	-	-	-	-	-	1	-
	ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
	BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
	ARKANSAS -----	6	-	-	-	-	-	-	-	-	-	-	-
	WHITE-----FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER--FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
	BLACK---FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
	CALIFORNIA -----	113	-	-	-	-	-	-	-	1	4	1	1
	WHITE-----FEMALE--	97	-	-	-	-	-	-	-	1	3	1	1
	ALL OTHER--FEMALE--	16	-	-	-	-	-	-	-	-	1	-	-
	BLACK---FEMALE--	9	-	-	-	-	-	-	-	-	1	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 775
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
0 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 OF OTHER AND UNSPECIFIED FEMALE GENITAL ORGANS (184)

	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 UNITED STATES --	41	51	63	113	147	169	193	182	113	36	11	-
WHITE-----FEMALE--	33	37	53	99	129	161	178	163	111	33	10	-
ALL OTHER--FEMALE--	8	14	10	14	18	8	15	19	2	3	1	-
BLACK---FEMALE--	6	12	9	14	14	7	15	16	1	3	1	-
ALABAMA -----	-	2	2	1	3	1	3	6	4	-	-	-
WHITE-----FEMALE--	-	2	1	1	3	-	3	3	4	-	-	-
ALL OTHER--FEMALE--	-	-	1	-	-	1	-	3	-	-	-	-
BLACK---FEMALE--	-	-	1	-	-	1	-	3	-	-	-	-
ALASKA -----	-	-	-	1	-	-	1	-	-	-	-	-
WHITE-----FEMALE--	-	-	-	1	-	-	1	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	-	-	-	-	2	4	3	1	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	2	4	3	1	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	-	-	-	1	1	-	4	-	-	-	-	-
WHITE-----FEMALE--	-	-	-	1	-	-	4	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
CALIFORNIA -----	4	8	7	14	14	13	15	16	11	2	2	-
WHITE-----FEMALE--	2	5	6	13	11	13	15	12	10	2	2	-
ALL OTHER--FEMALE--	2	3	1	1	3	-	-	4	1	-	-	-
BLACK---FEMALE--	1	2	1	1	-	-	-	3	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 776
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
0 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 OF OTHER AND UNSPECIFIED FEMALE GENITAL ORGANS (184)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
COLORADO -----	2	1	2	2	3	2	-	1	1	1	-	-
WHITE-----FEMALE--	2	1	1	2	3	2	-	1	1	1	-	-
ALL OTHER--FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	1	-	1	3	1	2	5	2	2	1	-	-
WHITE-----FEMALE--	-	-	1	3	1	2	5	2	2	1	-	-
ALL OTHER--FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	-	-	-	1	1	-	1	1	2	-	-
WHITE-----FEMALE--	-	-	-	-	1	1	-	1	1	2	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	-	1	-	-	-	1	-	-	-	-	-	-
WHITE-----FEMALE--	-	1	-	-	-	1	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	2	5	5	9	10	17	10	13	8	3	-	-
WHITE-----FEMALE--	2	4	4	7	8	17	7	12	8	3	-	-
ALL OTHER--FEMALE--	-	1	1	2	2	-	3	1	-	-	-	-
BLACK---FEMALE--	-	1	1	2	2	-	3	1	-	-	-	-
GEORGIA -----	-	1	-	4	3	2	3	2	3	-	1	-
WHITE-----FEMALE--	-	1	-	3	3	2	2	2	3	-	-	-
ALL OTHER--FEMALE--	-	-	-	1	-	-	1	-	-	-	1	-
BLACK---FEMALE--	-	-	-	1	-	-	1	-	-	-	1	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 778
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
0 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 OF OTHER AND UNSPECIFIED FEMALE GENITAL ORGANS (184)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
KENTUCKY -----	-	2	-	2	1	3	2	5	5	-	-	-
WHITE-----FEMALE--	-	2	-	2	1	3	2	5	5	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	2	-	1	4	1	2	5	6	-	-	-	-
WHITE-----FEMALE--	1	-	1	2	1	2	5	6	-	-	-	-
ALL OTHER--FEMALE--	1	-	-	2	-	-	-	-	-	-	-	-
BLACK---FEMALE--	1	-	-	2	-	-	-	-	-	-	-	-
MAINE -----	-	-	-	1	1	1	3	-	-	-	-	-
WHITE-----FEMALE--	-	-	-	1	1	1	3	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	1	1	-	5	2	5	1	3	2	-	-	-
WHITE-----FEMALE--	-	-	-	4	2	5	1	1	2	-	-	-
ALL OTHER--FEMALE--	1	1	-	1	-	-	-	2	-	-	-	-
BLACK---FEMALE--	1	1	-	1	-	-	-	2	-	-	-	-
MASSACHUSETTS -----	2	1	-	1	3	4	4	8	1	2	-	-
WHITE-----FEMALE--	2	1	-	1	3	4	4	8	1	2	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	1	-	4	4	6	4	4	9	1	-	-	-
WHITE-----FEMALE--	1	-	4	4	5	4	4	8	1	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	1	-	-	1	-	-	-	-
BLACK---FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 781
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
0 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 OF OTHER AND UNSPECIFIED FEMALE GENITAL ORGANS (184)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
OHIO -----	3	-	4	5	8	11	14	8	8	-	-	-
WHITE-----FEMALE--	2	-	3	4	8	10	12	7	8	-	-	-
ALL OTHER--FEMALE--	1	-	1	1	-	1	2	1	-	-	-	-
BLACK---FEMALE--	1	-	1	1	-	1	2	1	-	-	-	-
OKLAHOMA -----	-	3	-	2	3	1	1	1	-	1	-	-
WHITE-----FEMALE--	-	3	-	2	3	1	1	1	-	1	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	2	1	-	-	2	4	-	2	-	1	-	-
WHITE-----FEMALE--	2	1	-	-	2	4	-	2	-	1	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	-	3	3	3	18	8	12	10	14	1	1	-
WHITE-----FEMALE--	-	2	3	2	14	8	12	9	14	1	1	-
ALL OTHER--FEMALE--	-	1	-	1	4	-	-	1	-	-	-	-
BLACK---FEMALE--	-	1	-	1	4	-	-	1	-	-	-	-
RHODE ISLAND -----	-	-	-	-	1	1	1	-	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	1	1	1	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	-	-	1	-	3	2	2	2	1	-	-	-
WHITE-----FEMALE--	-	-	1	-	3	2	2	-	1	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	2	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	2	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 782
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
0 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 OF OTHER AND UNSPECIFIED FEMALE GENITAL ORGANS (184)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
SOUTH DAKOTA -----	-	-	-	-	1	-	2	1	-	1	-	-
WHITE-----FEMALE--	-	-	-	-	1	-	2	1	-	1	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	1	4	1	1	-	1	5	5	1	-	-	-
WHITE-----FEMALE--	1	4	1	1	-	1	4	5	1	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
TEXAS -----	3	1	5	4	5	7	16	11	4	4	-	-
WHITE-----FEMALE--	3	1	4	3	4	6	15	11	3	2	-	-
ALL OTHER--FEMALE--	-	-	1	1	1	1	1	-	1	2	-	-
BLACK---FEMALE--	-	-	1	1	1	1	1	-	1	2	-	-
UTAH -----	-	-	-	-	-	-	-	-	1	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	-	1	6	5	1	1	4	6	2	-	1	-
WHITE-----FEMALE--	-	-	3	4	1	1	3	6	2	-	1	-
ALL OTHER--FEMALE--	-	1	3	1	-	-	1	-	-	-	-	-
BLACK---FEMALE--	-	1	3	1	-	-	1	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 784												
(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH												
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)												
CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
OF PROSTATE (185)												
UNITED STATES --	294	682	1,500	3,227	5,677	7,139	7,222	5,140	2,442	603	72	1
WHITE-----MALE----	213	506	1,115	2,499	4,580	5,867	6,097	4,446	2,065	486	51	-
ALL OTHER--MALE----	81	176	385	728	1,097	1,272	1,125	694	377	117	21	1
BLACK---MALE-----	76	164	364	696	1,024	1,210	1,054	639	337	107	20	1
ALABAMA -----	6	12	25	70	90	133	142	96	41	11	1	-
WHITE-----MALE----	3	8	19	45	53	77	88	62	20	7	-	-
ALL OTHER--MALE----	3	4	6	25	37	56	54	34	21	4	1	-
BLACK---MALE-----	3	4	6	25	37	56	54	34	21	4	1	-
ALASKA -----	-	1	3	3	4	-	5	2	-	-	-	-
WHITE-----MALE----	-	1	1	3	4	-	2	2	-	-	-	-
ALL OTHER--MALE----	-	-	2	-	-	-	3	-	-	-	-	-
BLACK---MALE-----	-	-	1	-	-	-	2	-	-	-	-	-
ARIZONA -----	5	12	21	43	102	120	118	86	41	8	3	-
WHITE-----MALE----	5	12	17	43	96	115	115	84	41	7	2	-
ALL OTHER--MALE----	-	-	4	-	6	5	3	2	-	1	1	-
BLACK---MALE-----	-	-	3	-	5	2	3	2	-	-	1	-
ARKANSAS -----	4	10	19	27	54	57	95	72	37	12	1	-
WHITE-----MALE----	2	7	13	25	46	42	71	48	24	7	1	-
ALL OTHER--MALE----	2	3	6	2	8	15	24	24	13	5	-	-
BLACK---MALE-----	2	2	6	2	8	15	24	24	13	5	-	-
CALIFORNIA -----	19	62	132	314	561	621	659	498	242	60	8	-
WHITE-----MALE----	14	49	96	254	481	538	588	436	221	49	7	-
ALL OTHER--MALE----	5	13	36	60	80	83	71	62	21	11	1	-
BLACK---MALE-----	5	11	32	46	56	65	52	35	11	7	1	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 785
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
0 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 OF PROSTATE (185)

	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
COLORADO -----	1	9	17	29	55	65	70	49	22	9	-	-
WHITE-----MALE----	1	7	16	27	52	59	64	48	22	9	-	-
ALL OTHER--MALE----	-	2	1	2	3	6	6	1	-	-	-	-
BLACK---MALE-----	-	2	1	2	3	5	6	1	-	-	-	-
CONNECTICUT -----	2	8	21	40	54	107	103	69	32	6	1	-
WHITE-----MALE----	2	7	16	34	46	102	96	63	30	6	1	-
ALL OTHER--MALE----	-	1	5	6	8	5	7	6	2	-	-	-
BLACK---MALE-----	-	1	5	6	7	5	6	6	2	-	-	-
DELAWARE -----	3	2	5	10	21	23	31	15	6	5	1	-
WHITE-----MALE----	1	2	4	7	10	17	21	13	4	3	1	-
ALL OTHER--MALE----	2	-	1	3	11	6	10	2	2	2	-	-
BLACK---MALE-----	2	-	1	3	10	6	10	2	2	2	-	-
DISTRICT OF COLUMBIA ----	2	3	7	12	18	30	23	19	11	1	-	-
WHITE-----MALE----	1	1	-	2	2	5	2	6	2	1	-	-
ALL OTHER--MALE----	1	2	7	10	16	25	21	13	9	-	-	-
BLACK---MALE-----	1	2	7	10	16	25	21	13	9	-	-	-
FLORIDA -----	19	42	104	218	425	485	554	414	193	49	6	-
WHITE-----MALE----	13	28	73	178	367	423	480	367	174	42	6	-
ALL OTHER--MALE----	6	14	31	40	58	62	74	47	19	7	-	-
BLACK---MALE-----	6	14	31	40	57	62	73	46	19	6	-	-
GEORGIA -----	9	31	53	93	140	180	142	118	59	13	3	-
WHITE-----MALE----	3	17	33	39	82	111	83	82	39	9	2	-
ALL OTHER--MALE----	6	14	20	54	58	69	59	36	20	4	1	-
BLACK---MALE-----	6	13	19	54	57	69	59	36	19	4	1	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 786
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
0 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 OF PROSTATE (185)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
HAWAII -----	1	3	1	6	18	22	29	16	11	2	1	-
WHITE-----MALE----	-	2	1	4	4	8	8	6	-	-	-	-
ALL OTHER--MALE----	1	1	-	2	14	14	21	10	11	2	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	1	2	7	11	16	32	38	27	12	2	1	-
WHITE-----MALE----	1	2	6	11	16	32	38	27	12	2	1	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	16	28	70	139	251	320	307	237	101	23	5	-
WHITE-----MALE----	14	16	53	101	197	250	252	204	84	15	5	-
ALL OTHER--MALE----	2	12	17	38	54	70	55	33	17	8	-	-
BLACK---MALE----	2	11	17	37	52	67	55	33	16	8	-	-
INDIANA -----	10	17	32	73	128	139	168	112	48	9	-	-
WHITE-----MALE----	8	17	28	64	112	124	154	99	37	9	-	-
ALL OTHER--MALE----	2	-	4	9	16	15	14	13	11	-	-	-
BLACK---MALE----	2	-	4	9	16	15	14	13	11	-	-	-
IOWA -----	3	5	11	39	75	101	84	76	34	11	-	-
WHITE-----MALE----	2	5	9	39	72	100	83	75	34	11	-	-
ALL OTHER--MALE----	1	-	2	-	3	1	1	1	-	-	-	-
BLACK---MALE----	1	-	1	-	3	1	1	-	-	-	-	-
KANSAS -----	1	7	14	26	50	74	88	67	41	13	-	-
WHITE-----MALE----	1	3	13	21	44	69	83	65	39	11	-	-
ALL OTHER--MALE----	-	4	1	5	6	5	5	2	2	2	-	-
BLACK---MALE----	-	4	1	5	5	5	5	2	2	2	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 787
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
 0 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 0 OF PROSTATE (185)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
KENTUCKY -----	4	8	23	57	79	82	106	63	31	11	2	-
WHITE-----MALE----	4	7	15	49	75	75	97	61	28	11	1	-
ALL OTHER--MALE----	-	1	8	8	4	7	9	2	3	-	1	-
BLACK---MALE----	-	1	8	8	3	7	8	2	3	-	1	-
LOUISIANA -----	6	14	33	75	95	136	126	86	47	8	1	-
WHITE-----MALE----	2	9	20	39	52	83	82	53	22	-	-	-
ALL OTHER--MALE----	4	5	13	36	43	53	44	33	25	8	1	-
BLACK---MALE----	4	5	13	36	43	53	44	33	25	8	1	-
MAINE -----	3	4	7	14	31	42	38	19	14	2	1	-
WHITE-----MALE----	3	4	7	14	31	42	37	19	14	2	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
MARYLAND -----	8	10	36	76	110	147	130	79	42	14	3	-
WHITE-----MALE----	4	5	22	40	70	99	89	63	34	7	2	-
ALL OTHER--MALE----	4	5	14	36	40	48	41	16	8	7	1	-
BLACK---MALE----	3	5	14	36	36	48	41	15	8	7	1	-
MASSACHUSETTS -----	6	13	36	66	134	203	185	108	58	12	-	-
WHITE-----MALE----	5	11	33	63	123	191	180	104	57	12	-	-
ALL OTHER--MALE----	1	2	3	3	11	12	5	4	1	-	-	-
BLACK---MALE----	1	2	3	3	8	10	5	3	1	-	-	-
MICHIGAN -----	9	19	56	94	198	274	247	186	85	18	1	-
WHITE-----MALE----	7	15	39	73	161	219	209	161	69	16	1	-
ALL OTHER--MALE----	2	4	17	21	37	55	38	25	16	2	-	-
BLACK---MALE----	2	4	16	20	37	55	37	25	16	2	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 788
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
0 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 OF PROSTATE (185)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
MINNESOTA -----	6	17	31	59	92	142	159	96	58	19	1	-
WHITE-----MALE----	6	16	30	55	89	137	154	95	56	18	1	-
ALL OTHER--MALE----	-	1	1	4	3	5	5	1	2	1	-	-
BLACK---MALE----	-	-	1	3	2	5	4	1	2	1	-	-
MISSISSIPPI -----	3	7	25	44	69	87	74	74	31	14	-	-
WHITE-----MALE----	1	3	12	22	38	44	31	41	15	7	-	-
ALL OTHER--MALE----	2	4	13	22	31	43	43	33	16	7	-	-
BLACK---MALE----	2	4	13	22	31	43	43	33	16	7	-	-
MISSOURI -----	10	20	23	56	100	144	137	110	61	12	2	-
WHITE-----MALE----	10	18	21	49	86	123	114	98	51	9	2	-
ALL OTHER--MALE----	-	2	2	7	14	21	23	12	10	3	-	-
BLACK---MALE----	-	2	2	7	14	21	23	12	10	2	-	-
MONTANA -----	-	5	4	11	18	29	32	18	6	2	-	-
WHITE-----MALE----	-	4	4	11	18	29	32	18	5	2	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	2	-	8	11	33	35	43	25	9	6	1	-
WHITE-----MALE----	2	-	8	10	31	34	39	22	9	6	1	-
ALL OTHER--MALE----	-	-	-	1	2	1	4	3	-	-	-	-
BLACK---MALE----	-	-	-	1	2	1	3	3	-	-	-	-
NEVADA -----	1	6	7	27	34	34	35	17	6	1	1	-
WHITE-----MALE----	1	4	6	25	32	31	35	16	6	1	-	-
ALL OTHER--MALE----	-	2	1	2	2	3	-	1	-	-	1	-
BLACK---MALE----	-	1	1	2	2	2	-	1	-	-	1	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 790
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
 0 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 0 OF PROSTATE (185)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
OHIO -----	10	33	63	168	267	300	301	220	103	28	3	-
WHITE-----MALE----	9	26	49	134	216	241	270	189	95	24	3	-
ALL OTHER--MALE----	1	7	14	34	51	59	31	31	8	4	-	-
BLACK---MALE----	1	7	14	34	50	58	31	30	8	4	-	-
OKLAHOMA -----	3	10	19	30	71	77	85	70	32	6	3	-
WHITE-----MALE----	2	9	16	27	60	68	76	60	25	6	1	-
ALL OTHER--MALE----	1	1	3	3	11	9	9	10	7	-	2	-
BLACK---MALE----	-	1	1	2	6	7	4	6	2	-	2	-
OREGON -----	8	8	17	37	83	103	125	74	37	4	1	-
WHITE-----MALE----	8	8	17	37	82	100	119	71	36	4	1	-
ALL OTHER--MALE----	-	-	-	-	1	3	6	3	1	-	-	-
BLACK---MALE----	-	-	-	-	1	2	5	2	1	-	-	-
PENNSYLVANIA -----	11	43	74	166	292	463	425	294	126	32	3	-
WHITE-----MALE----	11	29	58	132	243	402	370	264	112	27	1	-
ALL OTHER--MALE----	-	14	16	34	49	61	55	30	14	5	2	-
BLACK---MALE----	-	13	16	34	49	61	54	28	14	5	2	-
RHODE ISLAND -----	1	4	6	11	21	31	25	29	9	1	-	-
WHITE-----MALE----	1	2	6	11	20	30	25	28	9	1	-	-
ALL OTHER--MALE----	-	2	-	-	1	1	-	1	-	-	-	-
BLACK---MALE----	-	2	-	-	1	1	-	-	-	-	-	-
SOUTH CAROLINA -----	5	9	30	60	78	134	101	53	38	3	1	-
WHITE-----MALE----	2	5	15	33	42	81	54	34	23	3	-	-
ALL OTHER--MALE----	3	4	15	27	36	53	47	19	15	-	1	-
BLACK---MALE----	3	4	15	27	36	52	47	19	15	-	1	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 791
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
0 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 OF PROSTATE (185)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
SOUTH DAKOTA -----	2	3	3	10	18	25	23	21	10	-	1	-
WHITE-----MALE----	2	3	2	9	17	24	23	20	10	-	1	-
ALL OTHER--MALE----	-	-	1	1	1	1	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	3	15	26	66	120	130	146	101	53	11	3	-
WHITE-----MALE----	2	11	16	53	92	107	108	77	41	8	1	-
ALL OTHER--MALE----	1	4	10	13	28	23	38	24	12	3	2	-
BLACK---MALE----	1	3	10	12	28	23	38	24	12	3	2	-
TEXAS -----	13	26	81	200	355	380	435	302	136	33	3	1
WHITE-----MALE----	9	22	67	156	303	306	359	255	115	23	1	-
ALL OTHER--MALE----	4	4	14	44	52	74	76	47	21	10	2	1
BLACK---MALE----	4	4	14	44	50	74	74	47	19	10	2	1
UTAH -----	2	5	8	18	30	33	53	35	23	4	-	-
WHITE-----MALE----	2	5	8	18	30	31	51	34	22	4	-	-
ALL OTHER--MALE----	-	-	-	-	-	2	2	1	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	1	1	-	-	-
VERMONT -----	-	1	5	8	20	11	20	20	6	-	-	-
WHITE-----MALE----	-	1	5	8	20	11	19	20	6	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
VIRGINIA -----	6	16	52	88	144	163	142	116	35	14	1	-
WHITE-----MALE----	2	11	34	53	90	114	99	85	21	7	-	-
ALL OTHER--MALE----	4	5	18	35	54	49	43	31	14	7	1	-
BLACK---MALE----	3	5	18	35	53	49	41	30	13	7	1	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 792
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 0 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
 0 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 0 OF PROSTATE (185)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
WASHINGTON -----	3	14	22	51	102	137	147	95	42	14	1	-
WHITE-----MALE----	3	14	21	45	97	126	140	92	38	14	1	-
ALL OTHER--MALE----	-	-	1	6	5	11	7	3	4	-	-	-
BLACK---MALE-----	-	-	-	4	4	6	5	2	1	-	-	-
WEST VIRGINIA -----	3	1	9	27	47	45	60	30	15	3	1	-
WHITE-----MALE----	3	1	9	25	40	37	59	27	13	3	1	-
ALL OTHER--MALE----	-	-	-	2	7	8	1	3	2	-	-	-
BLACK---MALE-----	-	-	-	2	7	8	1	3	2	-	-	-
WISCONSIN -----	6	6	22	67	121	150	178	113	64	18	1	-
WHITE-----MALE----	6	4	18	60	114	141	174	112	64	17	1	-
ALL OTHER--MALE----	-	2	4	7	7	9	4	1	-	1	-	-
BLACK---MALE-----	-	2	4	7	7	6	3	1	-	-	-	-
WYOMING -----	-	2	3	7	10	9	19	10	6	-	-	-
WHITE-----MALE----	-	2	3	7	10	8	19	10	5	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	1	-	-	-
BLACK---MALE-----	-	-	-	-	-	1	-	-	1	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 793
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 0 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
 0 CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
 0 OF TESTIS (186)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 UNITED STATES --	345	-	-	-	-	6	28	57	49	59	34	30
WHITE-----MALE----	320	-	-	-	-	5	27	53	44	53	32	28
ALL OTHER--MALE----	25	-	-	-	-	1	1	4	5	6	2	2
BLACK---MALE----	17	-	-	-	-	-	1	2	4	3	2	2
ALABAMA -----	6	-	-	-	-	-	-	-	-	2	-	2
WHITE-----MALE----	6	-	-	-	-	-	-	-	-	2	-	2
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA -----	1	-	-	-	-	-	-	-	-	1	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	5	-	-	-	-	-	1	1	-	2	1	-
WHITE-----MALE----	5	-	-	-	-	-	1	1	-	2	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	3	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	44	-	-	-	-	-	6	8	8	6	2	2
WHITE-----MALE----	40	-	-	-	-	-	6	7	7	4	2	2
ALL OTHER--MALE----	4	-	-	-	-	-	-	1	1	2	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	1	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 796
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 0 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
 0 CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
 0 OF TESTIS (186)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
KENTUCKY -----	4	-	-	-	-	-	-	1	-	1	1	-
WHITE-----MALE----	4	-	-	-	-	-	-	1	-	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	8	-	-	-	-	1	1	-	1	-	2	2
WHITE-----MALE----	7	-	-	-	-	-	1	-	1	-	2	2
ALL OTHER--MALE----	1	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
MAINE -----	1	-	-	-	-	-	-	-	-	1	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	8	-	-	-	-	-	1	-	4	-	-	1
WHITE-----MALE----	6	-	-	-	-	-	1	-	2	-	-	1
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	2	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	2	-	-	-
MASSACHUSETTS -----	15	-	-	-	-	1	-	2	2	3	-	2
WHITE-----MALE----	15	-	-	-	-	1	-	2	2	3	-	2
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	19	-	-	-	-	2	3	-	4	5	2	1
WHITE-----MALE----	18	-	-	-	-	2	3	-	3	5	2	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	1	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 802
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
0 CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
0 OF PENIS AND OTHER MALE GENITAL ORGANS (187)

0	CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0	UNITED STATES --	227	-	-	-	-	-	1	1	3	6	6	15
	WHITE-----MALE----	198	-	-	-	-	-	-	1	3	5	6	11
	ALL OTHER--MALE----	29	-	-	-	-	-	1	-	-	1	-	4
	BLACK---MALE----	24	-	-	-	-	-	1	-	-	1	-	3
	ALABAMA -----	5	-	-	-	-	-	-	-	-	-	-	1
	WHITE-----MALE----	5	-	-	-	-	-	-	-	-	-	-	1
	ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
	BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
	ALASKA -----	1	-	-	-	-	-	-	-	-	-	-	-
	WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
	BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
	ARIZONA -----	2	-	-	-	-	-	-	-	-	-	-	-
	WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
	BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
	ARKANSAS -----	3	-	-	-	-	-	-	-	-	-	-	-
	WHITE-----MALE----	3	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
	BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
	CALIFORNIA -----	24	-	-	-	-	-	1	-	-	-	1	1
	WHITE-----MALE----	21	-	-	-	-	-	-	-	-	-	1	1
	ALL OTHER--MALE----	3	-	-	-	-	-	1	-	-	-	-	-
	BLACK---MALE----	3	-	-	-	-	-	1	-	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 802
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
0 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 OF PENIS AND OTHER MALE GENITAL ORGANS (187)

	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 UNITED STATES --	12	16	28	23	30	25	31	18	10	2	-	-
WHITE-----MALE----	9	15	23	22	29	21	24	18	9	2	-	-
ALL OTHER--MALE----	3	1	5	1	1	4	7	-	1	-	-	-
BLACK---MALE----	2	1	5	1	-	3	7	-	-	-	-	-
ALABAMA -----	-	1	1	-	-	1	-	-	1	-	-	-
WHITE-----MALE----	-	1	1	-	-	1	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA -----	-	-	-	-	1	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	-	-	-	1	-	-	-	-	1	-	-	-
WHITE-----MALE----	-	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	1	-	-	-	-	-	1	1	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	1	1	4	-	4	5	2	2	2	-	-	-
WHITE-----MALE----	1	1	3	-	4	4	2	2	2	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	1	-	-	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 808
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
0 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 OF PENIS AND OTHER MALE GENITAL ORGANS (187)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
OHIO -----	1	1	3	-	1	1	-	1	2	-	-	-
WHITE-----MALE----	1	1	3	-	1	1	-	1	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA -----	1	-	1	-	-	-	1	-	-	1	-	-
WHITE-----MALE----	1	-	1	-	-	-	1	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	-	-	-	-	-	-	-	-	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	-	1	3	4	-	1	4	-	1	1	-	-
WHITE-----MALE----	-	1	2	4	-	-	4	-	1	1	-	-
ALL OTHER--MALE----	-	-	1	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	1	-	-	-	-	-	-
RHODE ISLAND -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	-	-	-	-	-	-	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 809
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
 0 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 0 OF PENIS AND OTHER MALE GENITAL ORGANS (187)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
SOUTH DAKOTA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	-	-	1	1	-	-	-	-	1	-	-	-
WHITE-----MALE----	-	-	1	1	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS -----	1	3	1	2	2	-	2	2	-	-	-	-
WHITE-----MALE----	-	3	-	2	2	-	2	2	-	-	-	-
ALL OTHER--MALE----	1	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	1	-	-	-	-	-	-	-	-	-
UTAH -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	1	-	1	-	-	-	1	-	-	-	-	-
WHITE-----MALE----	1	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 811
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
0 CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
0 MALIGNANT NEOPLASMS OF URINARY ORGANS (188-189)

0	CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0	UNITED STATES --	23,004	5	13	22	5	15	14	26	55	141	304	607
	WHITE-----MALE----	13,475	1	6	10	1	3	1	8	19	79	179	359
	FEMALE--	7,346	4	5	6	2	6	4	8	16	33	69	162
	ALL OTHER--MALE----	1,243	-	2	3	1	3	5	8	14	14	37	56
	FEMALE--	940	-	-	3	1	3	4	2	6	15	19	30
	BLACK---MALE----	1,048	-	2	3	1	3	5	8	13	11	30	47
	FEMALE--	848	-	-	3	1	3	3	2	6	13	18	28
ALABAMA -----		320	-	-	1	-	2	-	-	-	1	5	11
	WHITE-----MALE----	173	-	-	1	-	-	-	-	-	-	3	8
	FEMALE--	88	-	-	-	-	1	-	-	-	-	2	1
	ALL OTHER--MALE----	43	-	-	-	-	1	-	-	-	1	-	2
	FEMALE--	16	-	-	-	-	-	-	-	-	-	-	-
	BLACK---MALE----	41	-	-	-	-	1	-	-	-	1	-	2
	FEMALE--	16	-	-	-	-	-	-	-	-	-	-	-
ALASKA -----		32	-	-	-	-	-	-	-	-	1	-	-
	WHITE-----MALE----	17	-	-	-	-	-	-	-	-	1	-	-
	FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	-	-
	FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
	BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----		344	-	1	-	-	-	-	-	3	2	4	5
	WHITE-----MALE----	214	-	-	-	-	-	-	-	-	1	3	2
	FEMALE--	113	-	1	-	-	-	-	-	2	1	1	2
	ALL OTHER--MALE----	11	-	-	-	-	-	-	-	1	-	-	-
	FEMALE--	6	-	-	-	-	-	-	-	-	-	-	1
	BLACK---MALE----	7	-	-	-	-	-	-	-	1	-	-	-
	FEMALE--	3	-	-	-	-	-	-	-	-	-	-	1
ARKANSAS -----		248	-	-	-	-	-	-	-	-	2	3	8
	WHITE-----MALE----	147	-	-	-	-	-	-	-	-	1	3	5
	FEMALE--	79	-	-	-	-	-	-	-	-	1	-	1
	ALL OTHER--MALE----	9	-	-	-	-	-	-	-	-	-	-	1
	FEMALE--	13	-	-	-	-	-	-	-	-	-	-	1
	BLACK---MALE----	8	-	-	-	-	-	-	-	-	-	-	1
	FEMALE--	13	-	-	-	-	-	-	-	-	-	-	1
CALIFORNIA -----		2,129	1	3	2	-	-	1	1	3	20	34	61
	WHITE-----MALE----	1,259	-	1	1	-	-	-	-	2	9	18	31
	FEMALE--	643	1	2	-	-	-	-	-	1	8	9	15
	ALL OTHER--MALE----	145	-	-	-	-	-	1	-	-	1	7	9
	FEMALE--	82	-	-	1	-	-	-	1	-	2	-	6
	BLACK---MALE----	91	-	-	-	-	-	1	-	-	-	4	6
	FEMALE--	51	-	-	1	-	-	-	1	-	1	-	5

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 811
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
0 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 MALIGNANT NEOPLASMS OF URINARY ORGANS (188-189)

0	CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0	UNITED STATES --	950	1,307	1,907	2,792	3,662	3,781	3,522	2,423	1,131	275	46	1
	WHITE-----MALE----	591	829	1,189	1,768	2,250	2,277	1,967	1,271	546	105	16	-
	FEMALE--	234	325	510	752	1,070	1,201	1,301	973	492	148	25	-
	ALL OTHER--MALE----	90	106	121	172	197	161	128	79	35	8	2	1
	FEMALE--	35	47	87	100	145	142	126	100	58	14	3	-
	BLACK---MALE----	78	93	106	145	166	135	102	64	28	5	2	1
	FEMALE--	29	40	75	93	130	131	109	95	53	13	3	-
	ALABAMA -----	17	21	29	47	47	51	42	33	9	3	1	-
	WHITE-----MALE----	8	12	16	26	25	32	23	15	3	1	-	-
	FEMALE--	4	5	7	11	14	13	12	10	6	1	1	-
	ALL OTHER--MALE----	5	4	4	8	6	2	6	4	-	-	-	-
	FEMALE--	-	-	2	2	2	4	1	4	-	1	-	-
	BLACK---MALE----	5	4	4	6	6	2	6	4	-	-	-	-
	FEMALE--	-	-	2	2	2	4	1	4	-	1	-	-
	ALASKA -----	-	3	3	8	5	5	4	2	1	-	-	-
	WHITE-----MALE----	-	2	2	5	2	2	2	1	-	-	-	-
	FEMALE--	-	-	-	2	2	1	-	1	1	-	-	-
	ALL OTHER--MALE----	-	-	-	1	1	2	1	-	-	-	-	-
	FEMALE--	-	1	1	-	-	-	1	-	-	-	-	-
	BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
	ARIZONA -----	17	14	26	40	55	73	60	25	13	5	1	-
	WHITE-----MALE----	9	8	20	26	36	48	42	10	7	1	1	-
	FEMALE--	5	5	6	13	13	22	18	15	5	4	-	-
	ALL OTHER--MALE----	3	1	-	1	5	-	-	-	-	-	-	-
	FEMALE--	-	-	-	-	1	3	-	-	1	-	-	-
	BLACK---MALE----	3	1	-	-	2	-	-	-	-	-	-	-
	FEMALE--	-	-	-	-	-	2	-	-	-	-	-	-
	ARKANSAS -----	11	17	17	26	39	41	41	27	13	3	-	-
	WHITE-----MALE----	7	12	10	17	23	27	23	15	4	-	-	-
	FEMALE--	2	3	5	8	12	10	15	11	8	3	-	-
	ALL OTHER--MALE----	2	2	-	-	1	1	2	-	-	-	-	-
	FEMALE--	-	-	2	1	3	3	1	1	1	-	-	-
	BLACK---MALE----	2	2	-	-	-	1	2	-	-	-	-	-
	FEMALE--	-	-	2	1	3	3	1	1	1	-	-	-
	CALIFORNIA -----	91	138	174	237	350	329	344	215	89	28	8	-
	WHITE-----MALE----	57	79	109	145	232	206	189	124	46	8	2	-
	FEMALE--	21	39	44	68	88	87	125	72	39	18	6	-
	ALL OTHER--MALE----	8	15	16	13	20	24	19	9	2	1	-	-
	FEMALE--	5	5	5	11	10	12	11	10	2	1	-	-
	BLACK---MALE----	3	9	10	10	10	17	12	7	2	-	-	-
	FEMALE--	2	2	2	8	6	8	6	8	-	1	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 812
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
0 CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
0 MALIGNANT NEOPLASMS OF URINARY ORGANS (188-189)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
COLORADO -----	259	-	-	-	-	2	-	-	-	5	6	16
WHITE-----MALE----	161	-	-	-	-	1	-	-	-	5	2	12
FEMALE--	92	-	-	-	-	1	-	-	-	-	3	4
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	362	-	-	1	-	-	-	-	2	3	6	9
WHITE-----MALE----	210	-	-	1	-	-	-	-	1	2	2	4
FEMALE--	136	-	-	-	-	-	-	-	1	1	-	5
ALL OTHER--MALE----	9	-	-	-	-	-	-	-	-	-	3	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	8	-	-	-	-	-	-	-	-	-	3	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	1	-
DELAWARE -----	80	-	-	-	-	-	-	-	1	-	1	2
WHITE-----MALE----	46	-	-	-	-	-	-	-	1	-	-	2
FEMALE--	28	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	49	-	-	-	-	-	1	-	-	-	-	1
WHITE-----MALE----	9	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	19	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	19	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	19	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	19	-	-	-	-	-	1	-	-	-	-	-
FLORIDA -----	1,682	-	-	1	-	2	1	1	5	3	18	26
WHITE-----MALE----	1,060	-	-	-	-	-	-	-	1	1	10	15
FEMALE--	510	-	-	-	-	2	-	1	2	-	2	7
ALL OTHER--MALE----	56	-	-	-	-	-	1	-	1	2	1	2
FEMALE--	56	-	-	1	-	-	-	-	1	-	5	2
BLACK---MALE----	53	-	-	-	-	-	1	-	1	2	1	2
FEMALE--	55	-	-	1	-	-	-	-	1	-	4	2
GEORGIA -----	473	-	-	1	1	-	-	1	2	6	8	18
WHITE-----MALE----	244	-	-	-	1	-	-	-	-	2	6	8
FEMALE--	139	-	-	-	-	-	-	1	-	1	1	9
ALL OTHER--MALE----	54	-	-	-	-	-	-	-	2	1	1	1
FEMALE--	36	-	-	1	-	-	-	-	-	2	-	-
BLACK---MALE----	50	-	-	-	-	-	-	-	2	1	1	1
FEMALE--	36	-	-	1	-	-	-	-	-	2	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 812
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
0 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 MALIGNANT NEOPLASMS OF URINARY ORGANS (188-189)

	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
COLORADO -----	12	11	28	32	45	30	33	20	16	3	-	-
WHITE-----MALE----	8	6	16	21	32	20	18	9	10	1	-	-
FEMALE--	4	5	11	10	13	8	14	11	6	2	-	-
ALL OTHER--MALE----	-	-	1	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	-	-	-	-
BLACK---MALE----	-	-	1	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
CONNECTICUT -----	15	17	30	30	57	53	64	43	25	5	2	-
WHITE-----MALE----	14	9	20	16	36	28	36	25	12	3	1	-
FEMALE--	1	6	9	14	18	22	27	18	11	2	1	-
ALL OTHER--MALE----	-	2	1	-	3	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	3	1	-	2	-	-	-
BLACK---MALE----	-	2	1	-	2	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	3	1	-	2	-	-	-
DELAWARE -----	3	5	3	9	17	9	17	6	4	3	-	-
WHITE-----MALE----	3	3	2	5	8	6	10	3	2	1	-	-
FEMALE--	-	1	-	3	8	3	7	3	1	1	-	-
ALL OTHER--MALE----	-	1	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	1	1	-	-
BLACK---MALE----	-	1	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	1	1	-	-
DISTRICT OF COLUMBIA ----	3	1	6	5	11	7	4	6	4	-	-	-
WHITE-----MALE----	-	-	-	2	1	2	1	1	2	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	1	-	-	-
ALL OTHER--MALE----	3	1	2	1	5	2	1	2	1	-	-	-
FEMALE--	-	-	4	2	5	3	2	2	-	-	-	-
BLACK---MALE----	3	1	2	1	5	2	1	2	1	-	-	-
FEMALE--	-	-	4	2	5	3	2	2	-	-	-	-
FLORIDA -----	54	80	157	192	254	294	288	175	103	24	4	-
WHITE-----MALE----	28	51	99	141	167	199	171	104	59	14	-	-
FEMALE--	13	23	48	43	72	79	107	61	37	10	3	-
ALL OTHER--MALE----	10	2	6	4	8	8	4	2	5	-	-	-
FEMALE--	3	4	4	4	7	8	6	8	2	-	1	-
BLACK---MALE----	10	2	4	4	8	7	4	2	5	-	-	-
FEMALE--	3	4	4	4	7	8	6	8	2	-	1	-
GEORGIA -----	15	31	43	50	86	94	57	40	17	3	-	-
WHITE-----MALE----	9	16	31	25	41	51	25	21	8	-	-	-
FEMALE--	3	3	10	15	31	29	19	10	5	2	-	-
ALL OTHER--MALE----	2	10	1	5	8	8	8	5	2	-	-	-
FEMALE--	1	2	1	5	6	6	5	4	2	1	-	-
BLACK---MALE----	2	10	1	5	7	8	7	3	2	-	-	-
FEMALE--	1	2	1	5	6	6	5	4	2	1	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 813
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
0 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 MALIGNANT NEOPLASMS OF URINARY ORGANS (188-189)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
HAWAII -----	5	2	3	5	11	10	14	5	4	2	-	-
WHITE-----MALE----	1	1	-	1	4	3	1	-	-	-	-	-
FEMALE--	-	-	-	-	3	-	1	1	-	-	-	-
ALL OTHER--MALE----	2	-	2	3	3	4	10	3	3	1	-	-
FEMALE--	2	1	1	1	1	3	2	1	1	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	1	4	11	13	16	13	17	12	2	-	-	-
WHITE-----MALE----	1	3	9	10	11	11	13	6	-	-	-	-
FEMALE--	-	-	2	3	5	2	4	6	2	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	33	48	82	135	150	164	163	123	56	8	-	-
WHITE-----MALE----	16	31	49	79	90	99	93	64	23	1	-	-
FEMALE--	7	12	23	32	43	49	57	47	28	7	-	-
ALL OTHER--MALE----	9	4	5	11	9	10	7	3	-	-	-	-
FEMALE--	1	1	5	13	8	6	6	9	5	-	-	-
BLACK---MALE----	9	4	5	9	8	10	7	2	-	-	-	-
FEMALE--	1	1	5	12	7	6	5	9	5	-	-	-
INDIANA -----	26	30	39	64	95	100	84	59	25	6	1	-
WHITE-----MALE----	20	21	24	39	63	61	47	34	8	-	1	-
FEMALE--	6	6	11	16	28	35	31	22	16	6	-	-
ALL OTHER--MALE----	-	1	3	6	3	2	4	-	-	-	-	-
FEMALE--	-	2	1	3	1	2	2	3	1	-	-	-
BLACK---MALE----	-	1	3	6	3	2	3	-	-	-	-	-
FEMALE--	-	2	1	3	1	2	2	3	1	-	-	-
IOWA -----	7	19	15	35	32	52	57	46	19	8	2	-
WHITE-----MALE----	7	15	12	19	24	36	36	33	9	4	1	-
FEMALE--	-	4	3	16	7	16	21	12	10	4	1	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS -----	9	14	16	26	23	48	42	25	17	3	-	-
WHITE-----MALE----	6	12	10	17	16	31	23	14	10	3	-	-
FEMALE--	2	1	6	8	6	15	18	11	6	-	-	-
ALL OTHER--MALE----	1	1	-	1	-	1	1	-	1	-	-	-
FEMALE--	-	-	-	-	1	1	-	-	-	-	-	-
BLACK---MALE----	1	1	-	1	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	-	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 814
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
0 CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
0 MALIGNANT NEOPLASMS OF URINARY ORGANS (188-189)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
KENTUCKY -----	377	-	-	-	-	-	-	-	2	1	5	10
WHITE-----MALE----	236	-	-	-	-	-	-	-	1	1	1	9
FEMALE--	121	-	-	-	-	-	-	-	1	-	3	1
ALL OTHER--MALE----	10	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	10	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	375	-	1	1	-	-	-	2	2	1	7	11
WHITE-----MALE----	189	-	1	1	-	-	-	-	-	1	2	4
FEMALE--	104	-	-	-	-	-	-	1	-	-	4	3
ALL OTHER--MALE----	43	-	-	-	-	-	-	-	2	-	1	2
FEMALE--	39	-	-	-	-	-	-	1	-	-	-	2
BLACK---MALE----	43	-	-	-	-	-	-	-	2	-	1	2
FEMALE--	38	-	-	-	-	-	-	1	-	-	-	2
MAINE -----	147	-	-	-	-	-	-	-	-	1	-	4
WHITE-----MALE----	98	-	-	-	-	-	-	-	-	1	-	3
FEMALE--	49	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	408	-	-	-	-	1	1	1	1	2	8	13
WHITE-----MALE----	206	-	-	-	-	-	-	-	1	2	4	7
FEMALE--	117	-	-	-	-	-	-	-	-	-	-	4
ALL OTHER--MALE----	45	-	-	-	-	-	-	1	-	-	2	1
FEMALE--	40	-	-	-	-	1	1	-	-	-	2	1
BLACK---MALE----	43	-	-	-	-	-	-	1	-	-	2	1
FEMALE--	38	-	-	-	-	1	-	-	-	-	2	1
MASSACHUSETTS -----	626	-	-	1	-	-	-	1	2	3	2	8
WHITE-----MALE----	393	-	-	-	-	-	-	1	-	1	1	4
FEMALE--	219	-	-	1	-	-	-	-	2	1	1	3
ALL OTHER--MALE----	9	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	5	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	1	-	-
MICHIGAN -----	872	-	-	-	-	-	-	-	2	5	5	15
WHITE-----MALE----	504	-	-	-	-	-	-	-	-	3	3	8
FEMALE--	275	-	-	-	-	-	-	-	-	1	-	4
ALL OTHER--MALE----	53	-	-	-	-	-	-	-	1	-	2	3
FEMALE--	40	-	-	-	-	-	-	-	1	1	-	-
BLACK---MALE----	49	-	-	-	-	-	-	-	1	-	2	3
FEMALE--	39	-	-	-	-	-	-	-	1	1	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 814
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
0 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 MALIGNANT NEOPLASMS OF URINARY ORGANS (188-189)

	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
KENTUCKY -----	16	34	28	48	65	66	50	38	12	2	-	-
WHITE-----MALE----	12	25	22	33	48	35	25	18	6	-	-	-
FEMALE--	3	9	4	12	15	27	21	17	6	2	-	-
ALL OTHER--MALE----	-	-	1	2	2	1	1	2	-	-	-	-
FEMALE--	1	-	1	1	-	3	3	1	-	-	-	-
BLACK---MALE----	-	-	1	2	2	1	1	2	-	-	-	-
FEMALE--	1	-	1	1	-	3	3	1	-	-	-	-
LOUISIANA -----	27	26	27	41	61	54	54	31	24	4	1	-
WHITE-----MALE----	13	13	19	19	29	26	34	14	12	1	-	-
FEMALE--	7	6	5	11	18	18	14	10	4	3	-	-
ALL OTHER--MALE----	4	6	1	7	7	4	1	1	6	-	1	-
FEMALE--	3	1	2	4	7	6	5	6	2	-	-	-
BLACK---MALE----	4	6	1	7	7	4	1	1	6	-	1	-
FEMALE--	3	1	2	4	7	6	4	6	2	-	-	-
MAINE -----	8	8	7	18	27	28	18	18	9	1	-	-
WHITE-----MALE----	6	8	6	12	17	21	10	10	3	1	-	-
FEMALE--	2	-	1	6	10	7	8	8	6	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	17	30	31	43	59	69	69	40	17	5	1	-
WHITE-----MALE----	10	14	16	25	27	33	38	16	11	2	-	-
FEMALE--	5	7	9	9	14	20	21	20	5	2	1	-
ALL OTHER--MALE----	2	5	4	7	10	9	4	-	-	-	-	-
FEMALE--	-	4	2	2	8	7	6	4	1	1	-	-
BLACK---MALE----	2	4	4	7	10	8	4	-	-	-	-	-
FEMALE--	-	3	2	2	8	7	6	4	1	1	-	-
MASSACHUSETTS -----	28	36	52	75	84	114	87	87	36	7	3	-
WHITE-----MALE----	14	25	39	56	61	70	52	47	19	1	2	-
FEMALE--	10	9	13	19	22	42	33	39	17	6	1	-
ALL OTHER--MALE----	1	2	-	-	1	2	2	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	1	2	-	-	-	1	2	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	36	47	82	116	159	154	123	82	36	8	2	-
WHITE-----MALE----	28	25	50	81	92	91	60	44	16	3	-	-
FEMALE--	6	16	21	22	48	51	55	28	17	4	2	-
ALL OTHER--MALE----	2	5	5	8	11	5	6	4	1	-	-	-
FEMALE--	-	1	6	5	8	7	2	6	2	1	-	-
BLACK---MALE----	2	5	5	7	10	4	6	3	1	-	-	-
FEMALE--	-	1	6	5	8	7	2	5	2	1	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 815
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
 0 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 0 MALIGNANT NEOPLASMS OF URINARY ORGANS (188-189)

	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
MINNESOTA -----	17	28	27	51	69	65	68	56	26	4	2	-
WHITE-----MALE----	13	22	17	34	47	42	43	33	13	3	-	-
FEMALE--	4	6	9	17	19	22	25	23	13	1	2	-
ALL OTHER--MALE----	-	-	-	-	2	1	-	-	-	-	-	-
FEMALE--	-	-	1	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI -----	14	12	12	24	31	31	17	16	7	1	-	-
WHITE-----MALE----	5	9	7	9	12	20	11	3	1	-	-	-
FEMALE--	5	1	2	6	6	4	3	10	2	-	-	-
ALL OTHER--MALE----	3	-	2	6	7	5	1	1	-	1	-	-
FEMALE--	1	2	1	3	6	2	2	2	4	-	-	-
BLACK---MALE----	3	-	2	6	7	5	1	1	-	1	-	-
FEMALE--	1	2	-	3	6	2	2	2	4	-	-	-
MISSOURI -----	12	32	46	65	74	82	77	55	31	6	-	-
WHITE-----MALE----	7	19	34	44	44	42	43	22	18	3	-	-
FEMALE--	5	10	8	17	22	31	28	28	11	3	-	-
ALL OTHER--MALE----	-	3	2	4	5	2	4	-	2	-	-	-
FEMALE--	-	-	2	-	3	7	2	5	-	-	-	-
BLACK---MALE----	-	3	2	4	5	2	4	-	2	-	-	-
FEMALE--	-	-	2	-	3	7	2	5	-	-	-	-
MONTANA -----	4	3	4	9	7	10	10	7	3	-	-	-
WHITE-----MALE----	2	1	3	4	5	7	4	4	1	-	-	-
FEMALE--	2	1	1	3	1	3	6	2	2	-	-	-
ALL OTHER--MALE----	-	-	-	2	1	-	-	1	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	9	6	12	8	25	16	24	24	12	3	1	-
WHITE-----MALE----	7	3	11	6	19	8	12	16	6	3	-	-
FEMALE--	2	3	1	2	5	8	12	8	6	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
NEVADA -----	6	10	16	29	30	27	13	13	2	-	-	-
WHITE-----MALE----	6	6	10	21	16	17	9	7	2	-	-	-
FEMALE--	-	3	6	5	12	9	4	5	-	-	-	-
ALL OTHER--MALE----	-	1	-	3	2	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	1	-	-	-	-
BLACK---MALE----	-	1	-	1	2	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 817
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
0 CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
0 MALIGNANT NEOPLASMS OF URINARY ORGANS (188-189)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
OHIO -----	1,053	1	-	2	-	-	-	2	1	4	19	30
WHITE-----MALE----	600	-	-	1	-	-	-	-	1	2	15	20
FEMALE--	364	1	-	1	-	-	-	1	-	2	4	6
ALL OTHER--MALE----	47	-	-	-	-	-	-	1	-	-	-	3
FEMALE--	42	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	44	-	-	-	-	-	-	1	-	-	-	3
FEMALE--	42	-	-	-	-	-	-	-	-	-	-	1
OKLAHOMA -----	306	-	-	1	-	-	-	1	-	2	4	15
WHITE-----MALE----	173	-	-	-	-	-	-	1	-	1	3	6
FEMALE--	102	-	-	1	-	-	-	-	-	1	-	8
ALL OTHER--MALE----	17	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	14	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	9	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	1	-
OREGON -----	295	-	-	-	-	1	-	-	2	1	2	8
WHITE-----MALE----	192	-	-	-	-	-	-	-	1	1	2	6
FEMALE--	98	-	-	-	-	1	-	-	1	-	-	2
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	1,352	-	-	3	1	-	-	1	1	10	17	24
WHITE-----MALE----	819	-	-	2	-	-	-	-	-	7	12	14
FEMALE--	446	-	-	-	1	-	-	1	-	1	4	9
ALL OTHER--MALE----	52	-	-	1	-	-	-	-	1	1	1	1
FEMALE--	35	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	52	-	-	1	-	-	-	-	1	1	1	1
FEMALE--	35	-	-	-	-	-	-	-	-	1	-	-
RHODE ISLAND -----	91	-	-	-	-	-	-	-	-	3	-	-
WHITE-----MALE----	53	-	-	-	-	-	-	-	-	3	-	-
FEMALE--	38	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	320	1	1	-	-	1	2	2	-	3	3	10
WHITE-----MALE----	165	-	-	-	-	1	-	1	-	2	1	5
FEMALE--	96	1	-	-	-	-	1	-	-	-	1	2
ALL OTHER--MALE----	29	-	1	-	-	-	-	1	-	1	1	3
FEMALE--	30	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	29	-	1	-	-	-	-	1	-	1	1	3
FEMALE--	29	-	-	-	-	-	1	-	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 817
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
0 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 MALIGNANT NEOPLASMS OF URINARY ORGANS (188-189)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
OHIO -----	43	61	88	126	175	153	173	103	60	11	1	-
WHITE-----MALE----	28	40	50	85	100	88	94	48	23	5	-	-
FEMALE--	10	18	28	34	55	54	68	47	29	5	1	-
ALL OTHER--MALE----	4	2	7	5	8	7	6	4	-	-	-	-
FEMALE--	1	1	3	2	12	4	5	4	8	1	-	-
BLACK---MALE----	2	2	7	5	8	6	6	4	-	-	-	-
FEMALE--	1	1	3	2	12	4	5	4	8	1	-	-
OKLAHOMA -----	12	17	27	48	48	41	41	29	12	8	-	-
WHITE-----MALE----	6	12	18	31	29	23	23	14	6	-	-	-
FEMALE--	4	3	7	13	11	15	14	14	5	6	-	-
ALL OTHER--MALE----	1	2	-	4	2	2	1	1	1	2	-	-
FEMALE--	1	-	2	-	6	1	3	-	-	-	-	-
BLACK---MALE----	-	1	-	4	1	-	-	-	1	2	-	-
FEMALE--	-	-	1	-	2	1	1	-	-	-	-	-
OREGON -----	12	16	22	32	56	49	44	30	16	3	1	-
WHITE-----MALE----	9	15	16	21	35	31	30	16	9	-	-	-
FEMALE--	3	1	5	11	20	17	14	13	6	3	1	-
ALL OTHER--MALE----	-	-	1	-	1	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
PENNSYLVANIA -----	48	62	105	181	218	232	217	149	70	13	-	-
WHITE-----MALE----	34	40	67	122	145	148	117	76	28	7	-	-
FEMALE--	9	18	30	44	57	77	90	65	36	4	-	-
ALL OTHER--MALE----	4	3	7	11	9	4	2	5	2	-	-	-
FEMALE--	1	1	1	4	7	3	8	3	4	2	-	-
BLACK---MALE----	4	3	7	11	9	4	2	5	2	-	-	-
FEMALE--	1	1	1	4	7	3	8	3	4	2	-	-
RHODE ISLAND -----	3	2	9	13	15	14	18	10	3	1	-	-
WHITE-----MALE----	2	1	5	8	11	9	9	4	1	-	-	-
FEMALE--	1	1	4	5	4	5	9	6	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	12	27	27	41	60	51	40	26	10	3	-	-
WHITE-----MALE----	7	15	16	26	40	25	16	10	-	-	-	-
FEMALE--	3	6	4	10	14	17	17	12	5	3	-	-
ALL OTHER--MALE----	2	2	5	2	1	3	2	3	2	-	-	-
FEMALE--	-	4	2	3	5	6	5	1	3	-	-	-
BLACK---MALE----	2	2	5	2	1	3	2	3	2	-	-	-
FEMALE--	-	4	2	3	5	5	5	1	3	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 818
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
0 CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
0 MALIGNANT NEOPLASMS OF URINARY ORGANS (188-189)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
SOUTH DAKOTA -----	75	-	-	-	-	-	-	-	-	-	1	2
WHITE-----MALE----	45	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	28	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	462	-	-	-	-	-	-	-	-	3	7	13
WHITE-----MALE----	249	-	-	-	-	-	-	-	-	2	3	7
FEMALE--	155	-	-	-	-	-	-	-	-	-	3	4
ALL OTHER--MALE----	34	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	24	-	-	-	-	-	-	-	-	1	-	1
BLACK---MALE----	34	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	24	-	-	-	-	-	-	-	-	1	-	1
TEXAS -----	1,345	-	-	-	-	1	1	2	1	14	22	48
WHITE-----MALE----	793	-	-	-	-	1	-	2	-	5	14	31
FEMALE--	414	-	-	-	-	-	-	-	1	5	5	14
ALL OTHER--MALE----	72	-	-	-	-	-	1	-	-	2	3	2
FEMALE--	66	-	-	-	-	-	-	-	-	2	-	1
BLACK---MALE----	68	-	-	-	-	-	1	-	-	1	3	2
FEMALE--	65	-	-	-	-	-	-	-	-	2	-	1
UTAH -----	90	-	-	-	-	-	-	1	-	-	2	1
WHITE-----MALE----	54	-	-	-	-	-	-	1	-	-	2	1
FEMALE--	35	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	46	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	30	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	16	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	530	-	1	2	-	1	1	1	1	4	2	20
WHITE-----MALE----	279	-	1	1	-	-	-	-	-	3	1	11
FEMALE--	151	-	-	-	-	-	-	-	-	1	-	2
ALL OTHER--MALE----	58	-	-	1	-	1	-	1	1	-	-	3
FEMALE--	42	-	-	-	-	-	1	-	-	-	1	4
BLACK---MALE----	55	-	-	1	-	1	-	1	-	-	-	3
FEMALE--	42	-	-	-	-	-	1	-	-	-	1	4

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 818
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
0 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 MALIGNANT NEOPLASMS OF URINARY ORGANS (188-189)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
SOUTH DAKOTA -----	2	3	2	13	9	13	16	6	8	-	-	-
WHITE-----MALE----	1	1	1	8	7	7	7	5	5	-	-	-
FEMALE--	1	2	1	4	2	6	8	1	3	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	17	26	43	60	79	72	70	49	16	4	3	-
WHITE-----MALE----	11	14	22	38	49	36	33	27	5	1	1	-
FEMALE--	6	6	13	15	22	26	29	17	11	3	-	-
ALL OTHER--MALE----	-	5	5	5	3	6	5	3	-	-	-	-
FEMALE--	-	1	3	2	5	4	3	2	-	-	2	-
BLACK---MALE----	-	5	5	5	3	6	5	3	-	-	-	-
FEMALE--	-	1	3	2	5	4	3	2	-	-	2	-
TEXAS -----	64	85	109	184	206	217	178	143	53	17	-	-
WHITE-----MALE----	40	57	69	117	128	125	104	73	21	6	-	-
FEMALE--	19	17	26	47	63	69	57	55	26	10	-	-
ALL OTHER--MALE----	4	5	8	9	8	12	8	8	2	-	-	-
FEMALE--	1	6	6	11	7	11	9	7	4	1	-	-
BLACK---MALE----	4	5	8	9	8	12	6	7	2	-	-	-
FEMALE--	1	6	5	11	7	11	9	7	4	1	-	-
UTAH -----	1	8	7	14	15	13	12	12	3	1	-	-
WHITE-----MALE----	1	5	6	6	6	7	9	6	3	1	-	-
FEMALE--	-	3	1	7	9	6	3	6	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	2	-	4	5	9	9	9	4	3	1	-	-
WHITE-----MALE----	2	-	3	3	5	5	7	3	1	1	-	-
FEMALE--	-	-	1	2	4	4	2	1	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	28	32	45	69	86	78	75	62	15	5	1	1
WHITE-----MALE----	14	22	23	37	45	45	40	28	5	2	1	-
FEMALE--	8	4	15	17	26	23	22	24	8	1	-	-
ALL OTHER--MALE----	4	3	5	7	11	6	6	6	-	2	-	1
FEMALE--	2	3	2	8	4	4	7	4	2	-	-	-
BLACK---MALE----	3	3	5	7	11	5	6	6	-	2	-	1
FEMALE--	2	3	2	8	4	4	7	4	2	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 820
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
0 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 OF BLADDER (188)

	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 UNITED STATES --	253	379	692	1,219	1,815	2,087	2,125	1,578	821	194	37	1
WHITE-----MALE----	159	249	460	842	1,207	1,372	1,284	900	432	85	13	-
FEMALE--	64	69	161	253	443	563	694	565	324	93	19	-
ALL OTHER--MALE----	21	40	36	77	95	83	73	49	29	4	2	1
FEMALE--	9	21	35	47	70	69	74	64	36	12	3	-
BLACK---MALE----	21	36	28	66	86	73	65	42	22	2	2	1
FEMALE--	8	18	32	44	61	65	69	62	33	12	3	-
ALABAMA -----	3	7	9	20	17	23	21	23	6	3	1	-
WHITE-----MALE----	-	5	5	12	10	16	15	8	2	1	-	-
FEMALE--	2	-	2	5	4	3	2	8	4	1	1	-
ALL OTHER--MALE----	1	2	2	2	2	1	4	4	-	-	-	-
FEMALE--	-	-	-	1	1	3	-	3	-	1	-	-
BLACK---MALE----	1	2	2	1	2	1	4	4	-	-	-	-
FEMALE--	-	-	-	1	1	3	-	3	-	1	-	-
ALASKA -----	-	1	1	2	2	2	2	1	1	-	-	-
WHITE-----MALE----	-	1	1	2	2	1	2	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	6	5	11	19	24	37	34	17	8	4	1	-
WHITE-----MALE----	4	2	8	15	15	30	25	8	5	1	1	-
FEMALE--	2	2	3	4	8	6	9	9	3	3	-	-
ALL OTHER--MALE----	-	1	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ARKANSAS -----	3	6	5	13	23	24	25	15	12	1	-	-
WHITE-----MALE----	2	5	4	8	13	18	14	11	4	-	-	-
FEMALE--	1	-	-	5	8	4	9	4	7	1	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	1	-	2	2	1	-	1	-	-	-
BLACK---MALE----	-	1	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	1	-	2	2	1	-	1	-	-	-
CALIFORNIA -----	25	34	65	97	175	197	205	132	62	19	6	-
WHITE-----MALE----	17	18	42	61	120	137	123	83	36	7	1	-
FEMALE--	6	7	15	25	38	45	67	41	24	10	5	-
ALL OTHER--MALE----	1	7	7	8	9	10	8	5	1	1	-	-
FEMALE--	1	2	1	3	8	5	7	3	1	1	-	-
BLACK---MALE----	1	6	5	5	7	7	5	5	1	-	-	-
FEMALE--	-	1	1	3	4	4	5	3	-	1	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 821
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
0 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 OF BLADDER (188)

	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
COLORADO -----	3	2	9	17	27	16	18	11	12	2	-	-
WHITE-----MALE----	3	1	7	11	22	9	11	7	8	1	-	-
FEMALE--	-	1	2	6	5	6	7	4	4	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
CONNECTICUT -----	6	4	11	17	35	30	32	25	19	3	1	-
WHITE-----MALE----	6	3	5	11	24	19	20	17	10	2	-	-
FEMALE--	-	1	6	6	9	10	12	8	8	1	1	-
ALL OTHER--MALE----	-	-	-	-	2	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	2	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	1	-	-	-
DELAWARE -----	1	3	1	6	9	4	10	2	3	2	-	-
WHITE-----MALE----	1	1	1	3	5	3	5	2	2	-	-	-
FEMALE--	-	1	-	2	3	1	5	-	1	1	-	-
ALL OTHER--MALE----	-	1	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	1	-	-
BLACK---MALE----	-	1	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	1	-	-
DISTRICT OF COLUMBIA ----	1	-	2	4	4	3	4	6	1	-	-	-
WHITE-----MALE----	-	-	-	1	1	1	1	1	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	1	-	1	1	2	1	1	2	-	-	-	-
FEMALE--	-	-	1	2	1	1	2	2	-	-	-	-
BLACK---MALE----	1	-	1	1	2	1	1	2	-	-	-	-
FEMALE--	-	-	1	2	1	1	2	2	-	-	-	-
FLORIDA -----	16	13	69	100	136	175	185	110	78	19	4	-
WHITE-----MALE----	8	9	52	77	97	118	119	69	45	13	-	-
FEMALE--	2	2	13	18	32	45	57	33	28	6	3	-
ALL OTHER--MALE----	4	-	3	2	4	5	3	2	4	-	-	-
FEMALE--	2	2	1	3	3	7	6	6	1	-	1	-
BLACK---MALE----	4	-	1	2	4	5	3	2	4	-	-	-
FEMALE--	2	2	1	3	3	7	6	6	1	-	1	-
GEORGIA -----	6	13	19	26	39	60	41	22	11	2	-	-
WHITE-----MALE----	4	8	16	20	23	37	19	13	6	-	-	-
FEMALE--	2	2	3	4	11	15	11	5	2	1	-	-
ALL OTHER--MALE----	-	2	-	1	4	5	6	3	2	-	-	-
FEMALE--	-	1	-	1	1	3	5	1	1	1	-	-
BLACK---MALE----	-	2	-	1	3	5	5	1	2	-	-	-
FEMALE--	-	1	-	1	1	3	5	1	1	1	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 822
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
 0 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 0 OF BLADDER (188)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
HAWAII -----	-	1	1	1	1	5	4	1	4	-	-	-
WHITE-----MALE----	-	1	-	-	-	2	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	2	1	-	3	-	-	-
FEMALE--	-	-	1	1	-	1	1	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	-	1	4	4	8	7	8	8	2	-	-	-
WHITE-----MALE----	-	-	2	4	6	7	6	4	-	-	-	-
FEMALE--	-	-	2	-	2	-	2	4	2	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	3	18	29	54	72	89	100	88	39	7	-	-
WHITE-----MALE----	-	14	17	31	42	60	61	44	20	1	-	-
FEMALE--	3	2	11	8	19	23	32	33	15	6	-	-
ALL OTHER--MALE----	-	2	-	5	5	5	3	2	-	-	-	-
FEMALE--	-	-	1	10	6	1	4	9	4	-	-	-
BLACK---MALE----	-	2	-	5	5	5	3	2	-	-	-	-
FEMALE--	-	-	1	9	5	1	3	9	4	-	-	-
INDIANA -----	5	9	13	25	45	58	51	36	17	5	1	-
WHITE-----MALE----	5	8	9	18	34	34	33	23	8	-	1	-
FEMALE--	-	1	3	2	10	21	16	11	8	5	-	-
ALL OTHER--MALE----	-	-	-	3	1	1	1	-	-	-	-	-
FEMALE--	-	-	1	2	-	2	1	2	1	-	-	-
BLACK---MALE----	-	-	-	3	1	1	-	-	-	-	-	-
FEMALE--	-	-	1	2	-	2	1	2	1	-	-	-
IOWA -----	3	2	4	17	17	30	34	28	12	6	2	-
WHITE-----MALE----	3	2	3	10	16	22	25	22	8	3	1	-
FEMALE--	-	-	1	7	1	8	9	6	4	3	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS -----	3	2	7	10	12	23	23	19	12	2	-	-
WHITE-----MALE----	2	1	6	9	10	18	15	12	8	2	-	-
FEMALE--	1	-	1	-	1	5	8	7	3	-	-	-
ALL OTHER--MALE----	-	1	-	1	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 823
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
0 CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
0 OF BLADDER (188)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
KENTUCKY -----	167	-	-	-	-	-	-	-	1	1	2	2
WHITE-----MALE----	108	-	-	-	-	-	-	-	1	1	1	2
FEMALE--	48	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	158	-	-	-	-	-	-	-	-	-	-	1
WHITE-----MALE----	83	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	35	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	21	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	19	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	21	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	18	-	-	-	-	-	-	-	-	-	-	1
MAINE -----	75	-	-	-	-	-	-	-	-	-	-	1
WHITE-----MALE----	51	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	24	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	221	-	-	-	-	-	-	-	-	-	3	6
WHITE-----MALE----	115	-	-	-	-	-	-	-	-	-	2	2
FEMALE--	63	-	-	-	-	-	-	-	-	-	-	3
ALL OTHER--MALE----	21	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	22	-	-	-	-	-	-	-	-	-	1	1
BLACK---MALE----	20	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	21	-	-	-	-	-	-	-	-	-	1	1
MASSACHUSETTS -----	346	-	-	-	-	-	-	-	-	-	-	4
WHITE-----MALE----	231	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	106	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	447	-	-	-	-	-	-	-	-	3	1	3
WHITE-----MALE----	270	-	-	-	-	-	-	-	-	2	-	3
FEMALE--	133	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	21	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	23	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	18	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	22	-	-	-	-	-	-	-	-	1	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 823
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
 0 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 0 OF BLADDER (188)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
KENTUCKY -----	4	9	6	25	25	33	27	23	8	1	-	-
WHITE-----MALE----	3	7	3	17	19	19	15	14	6	-	-	-
FEMALE--	1	2	2	5	5	11	9	9	2	1	-	-
ALL OTHER--MALE----	-	-	1	2	1	1	1	-	-	-	-	-
FEMALE--	-	-	-	1	-	2	2	-	-	-	-	-
BLACK---MALE----	-	-	1	2	1	1	1	-	-	-	-	-
FEMALE--	-	-	-	1	-	2	2	-	-	-	-	-
LOUISIANA -----	4	8	9	20	26	25	28	17	17	2	1	-
WHITE-----MALE----	2	4	6	9	13	17	18	7	7	-	-	-
FEMALE--	1	2	2	4	6	2	7	6	3	2	-	-
ALL OTHER--MALE----	1	1	-	5	3	2	1	1	6	-	1	-
FEMALE--	-	1	1	2	4	4	2	3	1	-	-	-
BLACK---MALE----	1	1	-	5	3	2	1	1	6	-	1	-
FEMALE--	-	1	1	2	4	4	1	3	1	-	-	-
MAINE -----	3	3	3	8	13	14	12	11	6	1	-	-
WHITE-----MALE----	2	3	2	7	9	11	6	7	2	1	-	-
FEMALE--	1	-	1	1	4	3	6	4	4	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	3	7	11	21	33	42	44	33	14	4	-	-
WHITE-----MALE----	1	3	6	12	19	20	24	13	11	2	-	-
FEMALE--	2	-	2	5	6	13	12	16	3	1	-	-
ALL OTHER--MALE----	-	2	1	3	5	6	4	-	-	-	-	-
FEMALE--	-	2	2	1	3	3	4	4	-	1	-	-
BLACK---MALE----	-	1	1	3	5	6	4	-	-	-	-	-
FEMALE--	-	1	2	1	3	3	4	4	-	1	-	-
MASSACHUSETTS -----	11	13	22	34	40	71	53	64	29	2	3	-
WHITE-----MALE----	4	10	16	29	31	47	34	39	17	-	2	-
FEMALE--	4	2	6	5	8	23	18	24	12	2	1	-
ALL OTHER--MALE----	1	1	-	-	1	1	1	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	1	1	-	-	-	-	1	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	14	13	27	52	84	72	83	56	31	6	2	-
WHITE-----MALE----	8	7	13	43	52	49	44	32	14	3	-	-
FEMALE--	5	4	9	6	23	17	34	16	15	2	2	-
ALL OTHER--MALE----	1	2	1	2	4	3	3	3	1	-	-	-
FEMALE--	-	-	4	1	5	3	2	5	1	1	-	-
BLACK---MALE----	1	2	1	2	3	2	3	2	1	-	-	-
FEMALE--	-	-	4	1	5	3	2	4	1	1	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 826
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
0 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 OF BLADDER (188)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
OHIO -----	12	16	36	54	85	87	106	70	43	6	1	-
WHITE-----MALE----	8	13	25	41	57	58	65	34	19	3	-	-
FEMALE--	2	3	8	10	19	24	33	33	20	3	1	-
ALL OTHER--MALE----	1	-	1	3	5	3	5	2	-	-	-	-
FEMALE--	1	-	2	-	4	2	3	1	4	-	-	-
BLACK---MALE----	1	-	1	3	5	3	5	2	-	-	-	-
FEMALE--	1	-	2	-	4	2	3	1	4	-	-	-
OKLAHOMA -----	3	2	9	20	23	18	22	19	8	4	-	-
WHITE-----MALE----	1	2	5	15	16	12	12	10	4	-	-	-
FEMALE--	2	-	3	4	4	5	10	8	3	3	-	-
ALL OTHER--MALE----	-	-	-	1	1	-	-	1	1	1	-	-
FEMALE--	-	-	1	-	2	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	1	-	-	-	1	1	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
OREGON -----	3	8	9	15	24	26	22	19	14	1	-	-
WHITE-----MALE----	3	8	6	11	17	18	17	8	7	-	-	-
FEMALE--	-	-	3	4	6	8	5	10	6	1	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	16	22	41	78	108	136	138	99	49	9	-	-
WHITE-----MALE----	12	16	27	57	77	93	78	56	20	6	-	-
FEMALE--	3	6	11	15	26	38	54	38	25	1	-	-
ALL OTHER--MALE----	1	-	2	4	3	3	2	3	1	-	-	-
FEMALE--	-	-	1	2	2	2	4	2	3	2	-	-
BLACK---MALE----	1	-	2	4	3	3	2	3	1	-	-	-
FEMALE--	-	-	1	2	2	2	4	2	3	2	-	-
RHODE ISLAND -----	2	-	4	5	7	8	12	8	2	1	-	-
WHITE-----MALE----	1	-	2	3	6	5	5	3	1	-	-	-
FEMALE--	1	-	2	2	1	3	7	5	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	6	10	7	16	39	34	25	19	7	2	-	-
WHITE-----MALE----	4	6	4	10	27	20	10	8	-	-	-	-
FEMALE--	1	1	-	3	6	10	11	8	4	2	-	-
ALL OTHER--MALE----	1	1	2	2	1	-	1	2	2	-	-	-
FEMALE--	-	2	1	1	5	4	3	1	1	-	-	-
BLACK---MALE----	1	1	2	2	1	-	1	2	2	-	-	-
FEMALE--	-	2	1	1	5	3	3	1	1	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 827
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
0 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 OF BLADDER (188)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
SOUTH DAKOTA -----	1	-	1	7	2	2	7	3	7	-	-	-
WHITE-----MALE----	-	-	1	4	1	1	3	2	4	-	-	-
FEMALE--	1	-	-	2	1	1	4	1	3	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	4	14	15	20	37	36	38	34	10	3	3	-
WHITE-----MALE----	2	7	8	13	25	18	17	17	4	1	1	-
FEMALE--	2	2	5	5	7	13	16	13	6	2	-	-
ALL OTHER--MALE----	-	4	1	1	3	4	3	3	-	-	-	-
FEMALE--	-	1	1	1	2	1	2	1	-	-	2	-
BLACK---MALE----	-	4	1	1	3	4	3	3	-	-	-	-
FEMALE--	-	1	1	1	2	1	2	1	-	-	2	-
TEXAS -----	8	24	32	70	89	99	112	89	38	14	-	-
WHITE-----MALE----	5	15	24	50	60	64	69	51	17	3	-	-
FEMALE--	2	3	4	12	22	25	31	30	16	10	-	-
ALL OTHER--MALE----	-	3	2	3	3	5	6	4	1	-	-	-
FEMALE--	1	3	2	5	4	5	6	4	4	1	-	-
BLACK---MALE----	-	3	2	3	3	5	5	3	1	-	-	-
FEMALE--	1	3	2	5	4	5	6	4	4	1	-	-
UTAH -----	1	2	3	2	5	7	10	10	1	1	-	-
WHITE-----MALE----	1	1	3	1	1	4	8	5	1	1	-	-
FEMALE--	-	1	-	-	4	3	2	5	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	3	2	6	4	5	2	1	1	-	-
WHITE-----MALE----	-	-	3	2	2	2	4	2	-	1	-	-
FEMALE--	-	-	-	-	4	2	1	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	9	14	18	27	44	44	40	42	10	4	-	1
WHITE-----MALE----	4	9	9	13	22	26	23	23	3	2	-	-
FEMALE--	2	2	6	6	12	14	12	12	6	1	-	-
ALL OTHER--MALE----	2	1	2	4	8	4	2	3	-	1	-	1
FEMALE--	1	2	1	4	2	-	3	4	1	-	-	-
BLACK---MALE----	2	1	2	4	8	3	2	3	-	1	-	1
FEMALE--	1	2	1	4	2	-	3	4	1	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 829
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 0 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
 0 CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
 0 OF KIDNEY AND OTHER AND UNSPECIFIED URINARY ORGANS (189)

0	CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0	UNITED STATES --	11,552	4	13	22	4	14	13	22	46	106	244	468
	WHITE-----MALE----	6,328	1	6	10	1	3	1	7	11	63	147	272
	FEMALE--	4,030	3	5	6	1	6	4	6	15	20	53	128
	ALL OTHER--MALE----	707	-	2	3	1	2	5	7	14	9	29	45
	FEMALE--	487	-	-	3	1	3	3	2	6	14	15	23
	BLACK---MALE----	582	-	2	3	1	2	5	7	13	7	22	39
	FEMALE--	429	-	-	3	1	3	2	2	6	12	14	22
	ALABAMA -----	181	-	-	1	-	2	-	-	-	1	4	6
	WHITE-----MALE----	95	-	-	1	-	-	-	-	-	-	3	4
	FEMALE--	55	-	-	-	-	1	-	-	-	-	1	1
	ALL OTHER--MALE----	24	-	-	-	-	1	-	-	-	1	-	1
	FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
	BLACK---MALE----	23	-	-	-	-	1	-	-	-	1	-	1
	FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
	ALASKA -----	20	-	-	-	-	-	-	-	-	1	-	-
	WHITE-----MALE----	7	-	-	-	-	-	-	-	-	1	-	-
	FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	-
	FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
	BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
	ARIZONA -----	176	-	1	-	-	-	-	-	3	1	3	5
	WHITE-----MALE----	99	-	-	-	-	-	-	-	-	1	2	2
	FEMALE--	63	-	1	-	-	-	-	-	2	-	1	2
	ALL OTHER--MALE----	9	-	-	-	-	-	-	-	1	-	-	-
	FEMALE--	5	-	-	-	-	-	-	-	-	-	-	1
	BLACK---MALE----	5	-	-	-	-	-	-	-	1	-	-	-
	FEMALE--	2	-	-	-	-	-	-	-	-	-	-	1
	ARKANSAS -----	120	-	-	-	-	-	-	-	-	2	3	7
	WHITE-----MALE----	67	-	-	-	-	-	-	-	-	1	3	4
	FEMALE--	40	-	-	-	-	-	-	-	-	1	-	1
	ALL OTHER--MALE----	7	-	-	-	-	-	-	-	-	-	-	1
	FEMALE--	6	-	-	-	-	-	-	-	-	-	-	1
	BLACK---MALE----	6	-	-	-	-	-	-	-	-	-	-	1
	FEMALE--	6	-	-	-	-	-	-	-	-	-	-	1
	CALIFORNIA -----	1,079	1	3	2	-	1	1	1	1	16	23	45
	WHITE-----MALE----	595	-	1	1	-	-	-	-	-	8	14	19
	FEMALE--	351	1	2	-	-	-	-	-	1	5	4	14
	ALL OTHER--MALE----	85	-	-	-	-	-	1	-	-	1	5	8
	FEMALE--	48	-	-	1	-	-	-	1	-	2	-	4
	BLACK---MALE----	46	-	-	-	-	-	1	-	-	-	2	5
	FEMALE--	28	-	-	1	-	-	-	1	-	1	-	4

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 829
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
0 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
0 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 OF KIDNEY AND OTHER AND UNSPECIFIED URINARY ORGANS (189)

	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 UNITED STATES --	697	928	1,215	1,573	1,847	1,694	1,397	845	310	81	9	-
WHITE-----MALE----	432	580	729	926	1,043	905	683	371	114	20	3	-
FEMALE--	170	256	349	499	627	638	607	408	168	55	6	-
ALL OTHER--MALE----	69	66	85	95	102	78	55	30	6	4	-	-
FEMALE--	26	26	52	53	75	73	52	36	22	2	-	-
BLACK---MALE----	57	57	78	79	80	62	37	22	6	3	-	-
FEMALE--	21	22	43	49	69	66	40	33	20	1	-	-
ALABAMA -----	14	14	20	27	30	28	21	10	3	-	-	-
WHITE-----MALE----	8	7	11	14	15	16	8	7	1	-	-	-
FEMALE--	2	5	5	6	10	10	2	2	-	-	-	-
ALL OTHER--MALE----	4	2	2	6	4	1	2	-	-	-	-	-
FEMALE--	-	-	2	1	1	1	1	1	-	-	-	-
BLACK---MALE----	4	2	2	5	4	1	2	-	-	-	-	-
FEMALE--	-	-	2	1	1	1	1	1	-	-	-	-
ALASKA -----	-	2	2	6	3	3	2	1	-	-	-	-
WHITE-----MALE----	-	1	1	3	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	2	2	1	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	1	1	1	-	-	-	-	-
FEMALE--	-	1	1	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	11	9	15	21	31	36	26	8	5	1	-	-
WHITE-----MALE----	5	6	12	11	21	18	17	2	2	-	-	-
FEMALE--	3	3	3	9	5	16	9	6	2	1	-	-
ALL OTHER--MALE----	3	-	-	1	4	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	2	-	-	1	-	-	-
BLACK---MALE----	3	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ARKANSAS -----	8	11	12	13	16	17	16	12	1	2	-	-
WHITE-----MALE----	5	7	6	9	10	9	9	4	-	-	-	-
FEMALE--	1	3	5	3	4	6	6	7	1	2	-	-
ALL OTHER--MALE----	2	1	-	-	1	1	1	-	-	-	-	-
FEMALE--	-	-	1	1	1	1	-	1	-	-	-	-
BLACK---MALE----	2	1	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	1	1	1	1	-	1	-	-	-	-
CALIFORNIA -----	66	104	109	140	175	132	139	83	27	9	2	-
WHITE-----MALE----	40	61	67	84	112	69	66	41	10	1	1	-
FEMALE--	15	32	29	43	50	42	58	31	15	8	1	-
ALL OTHER--MALE----	7	8	9	5	11	14	11	4	1	-	-	-
FEMALE--	4	3	4	8	2	7	4	7	1	-	-	-
BLACK---MALE----	2	3	5	5	3	10	7	2	1	-	-	-
FEMALE--	2	1	1	5	2	4	1	5	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 830
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
0 CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
0 OF KIDNEY AND OTHER AND UNSPECIFIED URINARY ORGANS (189)

STATE	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
COLORADO	136	-	-	-	-	2	-	-	-	4	6	11
WHITE	76	-	-	-	-	1	-	-	-	4	2	8
FEMALE	55	-	-	-	-	1	-	-	-	-	3	3
ALL OTHER	4	-	-	-	-	-	-	-	-	-	1	-
FEMALE	1	-	-	-	-	-	-	-	-	-	-	-
BLACK	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT	176	-	-	1	-	-	-	-	2	2	6	7
WHITE	90	-	-	1	-	-	-	-	1	1	2	2
FEMALE	74	-	-	-	-	-	-	-	1	1	-	5
ALL OTHER	7	-	-	-	-	-	-	-	-	-	3	-
FEMALE	5	-	-	-	-	-	-	-	-	-	1	-
BLACK	6	-	-	-	-	-	-	-	-	-	3	-
FEMALE	5	-	-	-	-	-	-	-	-	-	1	-
DELAWARE	39	-	-	-	-	-	-	-	1	-	1	2
WHITE	23	-	-	-	-	-	-	-	1	-	-	2
FEMALE	14	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE	1	-	-	-	-	-	-	-	-	-	-	-
BLACK	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE	1	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA	23	-	-	-	-	-	-	-	-	-	-	1
WHITE	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER	10	-	-	-	-	-	-	-	-	-	-	1
FEMALE	9	-	-	-	-	-	-	-	-	-	-	-
BLACK	10	-	-	-	-	-	-	-	-	-	-	1
FEMALE	9	-	-	-	-	-	-	-	-	-	-	-
FLORIDA	767	-	-	1	-	2	1	1	4	2	14	22
WHITE	449	-	-	-	-	-	-	-	-	1	9	13
FEMALE	269	-	-	-	-	2	-	1	2	-	1	6
ALL OTHER	27	-	-	-	-	-	1	-	1	1	-	2
FEMALE	22	-	-	1	-	-	-	-	1	-	4	1
BLACK	26	-	-	-	-	-	1	-	1	1	-	2
FEMALE	21	-	-	1	-	-	-	-	1	-	3	1
GEORGIA	225	-	-	1	1	-	-	-	2	5	7	12
WHITE	94	-	-	-	1	-	-	-	-	2	5	5
FEMALE	79	-	-	-	-	-	-	-	-	-	1	7
ALL OTHER	30	-	-	-	-	-	-	-	2	1	1	-
FEMALE	22	-	-	1	-	-	-	-	-	2	-	-
BLACK	30	-	-	-	-	-	-	-	2	1	1	-
FEMALE	22	-	-	1	-	-	-	-	-	2	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 830
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
0 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 OF KIDNEY AND OTHER AND UNSPECIFIED URINARY ORGANS (189)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
COLORADO -----	9	9	19	15	18	14	15	9	4	1	-	-
WHITE-----MALE----	5	5	9	10	10	11	7	2	2	-	-	-
FEMALE--	4	4	9	4	8	2	7	7	2	1	-	-
ALL OTHER--MALE----	-	-	1	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	1	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	9	13	19	13	22	23	32	18	6	2	1	-
WHITE-----MALE----	8	6	15	5	12	9	16	8	2	1	1	-
FEMALE--	1	5	3	8	9	12	15	10	3	1	-	-
ALL OTHER--MALE----	-	2	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	2	1	-	1	-	-	-
BLACK---MALE----	-	2	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	2	1	-	1	-	-	-
DELAWARE -----	2	2	2	3	8	5	7	4	1	1	-	-
WHITE-----MALE----	2	2	1	2	3	3	5	1	-	1	-	-
FEMALE--	-	-	-	1	5	2	2	3	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
DISTRICT OF COLUMBIA ----	2	1	4	1	7	4	-	-	3	-	-	-
WHITE-----MALE----	-	-	-	1	-	1	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	2	1	1	-	3	1	-	-	1	-	-	-
FEMALE--	-	-	3	-	4	2	-	-	-	-	-	-
BLACK---MALE----	2	1	1	-	3	1	-	-	1	-	-	-
FEMALE--	-	-	3	-	4	2	-	-	-	-	-	-
FLORIDA -----	38	67	88	92	118	119	103	65	25	5	-	-
WHITE-----MALE----	20	42	47	64	70	81	52	35	14	1	-	-
FEMALE--	11	21	35	25	40	34	50	28	9	4	-	-
ALL OTHER--MALE----	6	2	3	2	4	3	1	-	1	-	-	-
FEMALE--	1	2	3	1	4	1	-	2	1	-	-	-
BLACK---MALE----	6	2	3	2	4	2	1	-	1	-	-	-
FEMALE--	1	2	3	1	4	1	-	2	1	-	-	-
GEORGIA -----	9	18	24	24	47	34	16	18	6	1	-	-
WHITE-----MALE----	5	8	15	5	18	14	6	8	2	-	-	-
FEMALE--	1	1	7	11	20	14	8	5	3	1	-	-
ALL OTHER--MALE----	2	8	1	4	4	3	2	2	-	-	-	-
FEMALE--	1	1	1	4	5	3	-	3	1	-	-	-
BLACK---MALE----	2	8	1	4	4	3	2	2	-	-	-	-
FEMALE--	1	1	1	4	5	3	-	3	1	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 831
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
0 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 OF KIDNEY AND OTHER AND UNSPECIFIED URINARY ORGANS (189)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
HAWAII -----	5	1	2	4	10	5	10	4	-	2	-	-
WHITE-----MALE----	1	-	-	1	4	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	3	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	2	3	2	2	9	3	-	1	-	-
FEMALE--	2	1	-	-	1	2	1	1	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	1	3	7	9	8	6	9	4	-	-	-	-
WHITE-----MALE----	1	3	7	6	5	4	7	2	-	-	-	-
FEMALE--	-	-	-	3	3	2	2	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	30	30	53	81	78	75	63	35	17	1	-	-
WHITE-----MALE----	16	17	32	48	48	39	32	20	3	-	-	-
FEMALE--	4	10	12	24	24	26	25	14	13	1	-	-
ALL OTHER--MALE----	9	2	5	6	4	5	4	1	-	-	-	-
FEMALE--	1	1	4	3	2	5	2	-	1	-	-	-
BLACK---MALE----	9	2	5	4	3	5	4	-	-	-	-	-
FEMALE--	1	1	4	3	2	5	2	-	1	-	-	-
INDIANA -----	21	21	26	39	50	42	33	23	8	1	-	-
WHITE-----MALE----	15	13	15	21	29	27	14	11	-	-	-	-
FEMALE--	6	5	8	14	18	14	15	11	8	1	-	-
ALL OTHER--MALE----	-	1	3	3	2	1	3	-	-	-	-	-
FEMALE--	-	2	-	1	1	-	1	1	-	-	-	-
BLACK---MALE----	-	1	3	3	2	1	3	-	-	-	-	-
FEMALE--	-	2	-	1	1	-	1	1	-	-	-	-
IOWA -----	4	17	11	18	15	22	23	18	7	2	-	-
WHITE-----MALE----	4	13	9	9	8	14	11	11	1	1	-	-
FEMALE--	-	4	2	9	6	8	12	6	6	1	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS -----	6	12	9	16	11	25	19	6	5	1	-	-
WHITE-----MALE----	4	11	4	8	6	13	8	2	2	1	-	-
FEMALE--	1	1	5	8	5	10	10	4	3	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 832
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
0 CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
0 OF KIDNEY AND OTHER AND UNSPECIFIED URINARY ORGANS (189)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
KENTUCKY -----	210	-	-	-	-	-	-	-	1	-	3	8
WHITE-----MALE----	128	-	-	-	-	-	-	-	-	-	-	7
FEMALE--	73	-	-	-	-	-	-	-	1	-	2	1
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	217	-	1	1	-	-	-	2	2	1	7	10
WHITE-----MALE----	106	-	1	1	-	-	-	-	-	1	2	4
FEMALE--	69	-	-	-	-	-	-	1	-	-	4	3
ALL OTHER--MALE----	22	-	-	-	-	-	-	-	2	-	1	2
FEMALE--	20	-	-	-	-	-	-	1	-	-	-	1
BLACK---MALE----	22	-	-	-	-	-	-	-	2	-	1	2
FEMALE--	20	-	-	-	-	-	-	1	-	-	-	1
MAINE -----	72	-	-	-	-	-	-	-	-	1	-	3
WHITE-----MALE----	47	-	-	-	-	-	-	-	-	1	-	2
FEMALE--	25	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	187	-	-	-	-	1	1	1	1	2	5	7
WHITE-----MALE----	91	-	-	-	-	-	-	-	1	2	2	5
FEMALE--	54	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	24	-	-	-	-	-	-	1	-	-	2	1
FEMALE--	18	-	-	-	-	1	1	-	-	-	1	-
BLACK---MALE----	23	-	-	-	-	-	-	1	-	-	2	1
FEMALE--	17	-	-	-	-	1	-	-	-	-	1	-
MASSACHUSETTS -----	280	-	-	1	-	-	-	1	2	3	2	4
WHITE-----MALE----	162	-	-	-	-	-	-	1	-	1	1	2
FEMALE--	113	-	-	1	-	-	-	-	2	1	1	2
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	1	-	-
MICHIGAN -----	425	-	-	-	-	-	-	-	2	2	4	12
WHITE-----MALE----	234	-	-	-	-	-	-	-	-	1	3	5
FEMALE--	142	-	-	-	-	-	-	-	-	1	-	4
ALL OTHER--MALE----	32	-	-	-	-	-	-	-	1	-	1	3
FEMALE--	17	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	31	-	-	-	-	-	-	-	1	-	1	3
FEMALE--	17	-	-	-	-	-	-	-	1	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 832
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
0 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 OF KIDNEY AND OTHER AND UNSPECIFIED URINARY ORGANS (189)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
KENTUCKY -----	12	25	22	23	40	33	23	15	4	1	-	-
WHITE-----MALE----	9	18	19	16	29	16	10	4	-	-	-	-
FEMALE--	2	7	2	7	10	16	12	8	4	1	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	2	-	-	-	-
FEMALE--	1	-	1	-	-	1	1	1	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	2	-	-	-	-
FEMALE--	1	-	1	-	-	1	1	1	-	-	-	-
LOUISIANA -----	23	18	18	21	35	29	26	14	7	2	-	-
WHITE-----MALE----	11	9	13	10	16	9	16	7	5	1	-	-
FEMALE--	6	4	3	7	12	16	7	4	1	1	-	-
ALL OTHER--MALE----	3	5	1	2	4	2	-	-	-	-	-	-
FEMALE--	3	-	1	2	3	2	3	3	1	-	-	-
BLACK---MALE----	3	5	1	2	4	2	-	-	-	-	-	-
FEMALE--	3	-	1	2	3	2	3	3	1	-	-	-
MAINE -----	5	5	4	10	14	14	6	7	3	-	-	-
WHITE-----MALE----	4	5	4	5	8	10	4	3	1	-	-	-
FEMALE--	1	-	-	5	6	4	2	4	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	14	23	20	22	26	27	25	7	3	1	1	-
WHITE-----MALE----	9	11	10	13	8	13	14	3	-	-	-	-
FEMALE--	3	7	7	4	8	7	9	4	2	1	1	-
ALL OTHER--MALE----	2	3	3	4	5	3	-	-	-	-	-	-
FEMALE--	-	2	-	1	5	4	2	-	1	-	-	-
BLACK---MALE----	2	3	3	4	5	2	-	-	-	-	-	-
FEMALE--	-	2	-	1	5	4	2	-	1	-	-	-
MASSACHUSETTS -----	17	23	30	41	44	43	34	23	7	5	-	-
WHITE-----MALE----	10	15	23	27	30	23	18	8	2	1	-	-
FEMALE--	6	7	7	14	14	19	15	15	5	4	-	-
ALL OTHER--MALE----	-	1	-	-	-	1	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	1	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	22	34	55	64	75	82	40	26	5	2	-	-
WHITE-----MALE----	20	18	37	38	40	42	16	12	2	-	-	-
FEMALE--	1	12	12	16	25	34	21	12	2	2	-	-
ALL OTHER--MALE----	1	3	4	6	7	2	3	1	-	-	-	-
FEMALE--	-	1	2	4	3	4	-	1	1	-	-	-
BLACK---MALE----	1	3	4	5	7	2	3	1	-	-	-	-
FEMALE--	-	1	2	4	3	4	-	1	1	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 833
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
0 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 OF KIDNEY AND OTHER AND UNSPECIFIED URINARY ORGANS (189)

	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
MINNESOTA -----	12	22	20	30	29	31	23	25	9	1	2	-
WHITE-----MALE----	8	17	13	18	17	18	9	10	3	1	-	-
FEMALE--	4	5	6	12	9	12	14	15	6	-	2	-
ALL OTHER--MALE----	-	-	-	-	2	1	-	-	-	-	-	-
FEMALE--	-	-	1	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI -----	13	11	8	15	17	16	4	6	4	1	-	-
WHITE-----MALE----	5	8	4	7	6	10	3	-	-	-	-	-
FEMALE--	5	1	2	3	3	1	1	5	2	-	-	-
ALL OTHER--MALE----	2	-	2	3	4	3	-	-	-	1	-	-
FEMALE--	1	2	-	2	4	2	-	1	2	-	-	-
BLACK---MALE----	2	-	2	3	4	3	-	-	-	1	-	-
FEMALE--	1	2	-	2	4	2	-	1	2	-	-	-
MISSOURI -----	12	26	35	39	40	40	36	16	8	3	-	-
WHITE-----MALE----	7	15	24	24	20	17	21	7	3	-	-	-
FEMALE--	5	9	7	14	14	19	14	9	5	3	-	-
ALL OTHER--MALE----	-	2	2	1	5	-	-	-	-	-	-	-
FEMALE--	-	-	2	-	1	4	1	-	-	-	-	-
BLACK---MALE----	-	2	2	1	5	-	-	-	-	-	-	-
FEMALE--	-	-	2	-	1	4	1	-	-	-	-	-
MONTANA -----	3	1	3	8	3	3	4	3	-	-	-	-
WHITE-----MALE----	1	-	2	3	2	2	1	1	-	-	-	-
FEMALE--	2	1	1	3	1	1	3	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	2	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	6	5	8	4	12	10	14	9	4	-	-	-
WHITE-----MALE----	5	3	7	2	7	5	7	5	2	-	-	-
FEMALE--	1	2	1	2	4	5	7	4	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
NEVADA -----	5	7	10	11	13	12	6	5	-	-	-	-
WHITE-----MALE----	5	3	6	6	10	5	5	2	-	-	-	-
FEMALE--	-	3	4	3	2	6	1	2	-	-	-	-
ALL OTHER--MALE----	-	1	-	2	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	1	-	-	-	-
BLACK---MALE----	-	1	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 835
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 0 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
 0 CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
 0 OF KIDNEY AND OTHER AND UNSPECIFIED URINARY ORGANS (189)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
OHIO -----	526	1	-	2	-	-	-	2	1	3	12	27
WHITE-----MALE----	270	-	-	1	-	-	-	-	1	2	10	18
FEMALE--	205	1	-	1	-	-	-	1	-	1	2	6
ALL OTHER--MALE----	26	-	-	-	-	-	-	1	-	-	-	2
FEMALE--	25	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	23	-	-	-	-	-	-	1	-	-	-	2
FEMALE--	25	-	-	-	-	-	-	-	-	-	-	1
OKLAHOMA -----	175	-	-	1	-	-	-	-	-	1	4	14
WHITE-----MALE----	95	-	-	-	-	-	-	-	-	1	3	6
FEMALE--	59	-	-	1	-	-	-	-	-	-	-	8
ALL OTHER--MALE----	11	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	10	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	1	-
OREGON -----	152	-	-	-	-	1	-	-	2	-	1	8
WHITE-----MALE----	95	-	-	-	-	-	-	-	1	-	1	6
FEMALE--	55	-	-	-	-	1	-	-	1	-	-	2
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	644	-	-	3	-	-	1	1	7	14	19	
WHITE-----MALE----	371	-	-	2	-	-	-	-	5	10	12	
FEMALE--	225	-	-	-	-	-	1	-	1	4	6	
ALL OTHER--MALE----	31	-	-	1	-	-	-	1	-	-	1	
FEMALE--	17	-	-	-	-	-	-	-	1	-	-	
BLACK---MALE----	31	-	-	1	-	-	-	1	-	-	1	
FEMALE--	17	-	-	-	-	-	-	-	1	-	-	
RHODE ISLAND -----	41	-	-	-	-	-	-	-	2	-	-	
WHITE-----MALE----	26	-	-	-	-	-	-	-	2	-	-	
FEMALE--	15	-	-	-	-	-	-	-	-	-	-	
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	
SOUTH CAROLINA -----	151	-	1	-	-	1	2	2	-	3	2	8
WHITE-----MALE----	75	-	-	-	-	1	-	1	-	2	-	5
FEMALE--	49	-	-	-	-	-	1	-	-	-	1	2
ALL OTHER--MALE----	15	-	1	-	-	-	-	1	-	1	1	1
FEMALE--	12	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	15	-	1	-	-	-	-	1	-	1	1	1
FEMALE--	12	-	-	-	-	-	1	-	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 835
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
0 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 OF KIDNEY AND OTHER AND UNSPECIFIED URINARY ORGANS (189)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
OHIO -----	31	45	52	72	90	66	67	33	17	5	-	-
WHITE-----MALE----	20	27	25	44	43	30	29	14	4	2	-	-
FEMALE--	8	15	20	24	36	30	35	14	9	2	-	-
ALL OTHER--MALE----	3	2	6	2	3	4	1	2	-	-	-	-
FEMALE--	-	1	1	2	8	2	2	3	4	1	-	-
BLACK---MALE----	1	2	6	2	3	3	1	2	-	-	-	-
FEMALE--	-	1	1	2	8	2	2	3	4	1	-	-
OKLAHOMA -----	9	15	18	28	25	23	19	10	4	4	-	-
WHITE-----MALE----	5	10	13	16	13	11	11	4	2	-	-	-
FEMALE--	2	3	4	9	7	10	4	6	2	3	-	-
ALL OTHER--MALE----	1	2	-	3	1	2	1	-	-	1	-	-
FEMALE--	1	-	1	-	4	-	3	-	-	-	-	-
BLACK---MALE----	-	1	-	3	-	-	-	-	-	1	-	-
FEMALE--	-	-	1	-	2	-	1	-	-	-	-	-
OREGON -----	9	8	13	17	32	23	22	11	2	2	1	-
WHITE-----MALE----	6	7	10	10	18	13	13	8	2	-	-	-
FEMALE--	3	1	2	7	14	9	9	3	-	2	1	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
PENNSYLVANIA -----	32	40	64	103	110	96	79	50	21	4	-	-
WHITE-----MALE----	22	24	40	65	68	55	39	20	8	1	-	-
FEMALE--	6	12	19	29	31	39	36	27	11	3	-	-
ALL OTHER--MALE----	3	3	5	7	6	1	-	2	1	-	-	-
FEMALE--	1	1	-	2	5	1	4	1	1	-	-	-
BLACK---MALE----	3	3	5	7	6	1	-	2	1	-	-	-
FEMALE--	1	1	-	2	5	1	4	1	1	-	-	-
RHODE ISLAND -----	1	2	5	8	8	6	6	2	1	-	-	-
WHITE-----MALE----	1	1	3	5	5	4	4	1	-	-	-	-
FEMALE--	-	1	2	3	3	2	2	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	6	17	20	25	21	17	15	7	3	1	-	-
WHITE-----MALE----	3	9	12	16	13	5	6	2	-	-	-	-
FEMALE--	2	5	4	7	8	7	6	4	1	1	-	-
ALL OTHER--MALE----	1	1	3	-	-	3	1	1	-	-	-	-
FEMALE--	-	2	1	2	-	2	2	-	2	-	-	-
BLACK---MALE----	1	1	3	-	-	3	1	1	-	-	-	-
FEMALE--	-	2	1	2	-	2	2	-	2	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 836
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
0 CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
0 OF KIDNEY AND OTHER AND UNSPECIFIED URINARY ORGANS (189)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
SOUTH DAKOTA -----	44	-	-	-	-	-	-	-	-	-	1	1
WHITE-----MALE----	28	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	15	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	240	-	-	-	-	-	-	-	-	2	5	8
WHITE-----MALE----	132	-	-	-	-	-	-	-	-	1	3	4
FEMALE--	81	-	-	-	-	-	-	-	-	-	2	2
ALL OTHER--MALE----	14	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	13	-	-	-	-	-	-	-	-	1	-	1
BLACK---MALE----	14	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	13	-	-	-	-	-	-	-	-	1	-	1
TEXAS -----	751	-	-	-	-	1	1	2	1	10	19	36
WHITE-----MALE----	424	-	-	-	-	1	-	2	-	4	12	23
FEMALE--	254	-	-	-	-	-	-	-	1	4	5	10
ALL OTHER--MALE----	42	-	-	-	-	-	1	-	-	-	2	2
FEMALE--	31	-	-	-	-	-	-	-	-	2	-	1
BLACK---MALE----	41	-	-	-	-	-	1	-	-	-	2	2
FEMALE--	30	-	-	-	-	-	-	-	-	2	-	1
UTAH -----	47	-	-	-	-	-	-	1	-	-	1	1
WHITE-----MALE----	27	-	-	-	-	-	-	1	-	-	1	1
FEMALE--	20	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	22	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	14	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	269	-	1	2	-	-	1	1	1	4	2	13
WHITE-----MALE----	140	-	1	1	-	-	-	-	-	3	1	6
FEMALE--	76	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	29	-	-	1	-	-	-	1	1	-	-	3
FEMALE--	24	-	-	-	-	-	1	-	-	-	1	4
BLACK---MALE----	27	-	-	1	-	-	-	1	-	-	-	3
FEMALE--	24	-	-	-	-	-	1	-	-	-	1	4

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 836
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
0 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 OF KIDNEY AND OTHER AND UNSPECIFIED URINARY ORGANS (189)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
SOUTH DAKOTA -----	1	3	1	6	7	11	9	3	1	-	-	-
WHITE-----MALE----	1	1	-	4	6	6	4	3	1	-	-	-
FEMALE--	-	2	1	2	1	5	4	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	13	12	28	40	42	36	32	15	6	1	-	-
WHITE-----MALE----	9	7	14	25	24	18	16	10	1	-	-	-
FEMALE--	4	4	8	10	15	13	13	4	5	1	-	-
ALL OTHER--MALE----	-	1	4	4	-	2	2	-	-	-	-	-
FEMALE--	-	-	2	1	3	3	1	1	-	-	-	-
BLACK---MALE----	-	1	4	4	-	2	2	-	-	-	-	-
FEMALE--	-	-	2	1	3	3	1	1	-	-	-	-
TEXAS -----	56	61	77	114	117	118	66	54	15	3	-	-
WHITE-----MALE----	35	42	45	67	68	61	35	22	4	3	-	-
FEMALE--	17	14	22	35	41	44	26	25	10	-	-	-
ALL OTHER--MALE----	4	2	6	6	5	7	2	4	1	-	-	-
FEMALE--	-	3	4	6	3	6	3	3	-	-	-	-
BLACK---MALE----	4	2	6	6	5	7	1	4	1	-	-	-
FEMALE--	-	3	3	6	3	6	3	3	-	-	-	-
UTAH -----	-	6	4	12	10	6	2	2	2	-	-	-
WHITE-----MALE----	-	4	3	5	5	3	1	1	2	-	-	-
FEMALE--	-	2	1	7	5	3	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	2	-	1	3	3	5	4	2	2	-	-	-
WHITE-----MALE----	2	-	-	1	3	3	3	1	1	-	-	-
FEMALE--	-	-	1	2	-	2	1	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	19	18	27	42	42	34	35	20	5	1	1	-
WHITE-----MALE----	10	13	14	24	23	19	17	5	2	-	1	-
FEMALE--	6	2	9	11	14	9	10	12	2	-	-	-
ALL OTHER--MALE----	2	2	3	3	3	2	4	3	-	1	-	-
FEMALE--	1	1	1	4	2	4	4	-	1	-	-	-
BLACK---MALE----	1	2	3	3	3	2	4	3	-	1	-	-
FEMALE--	1	1	1	4	2	4	4	-	1	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 838
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
0 CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
0 MALIGNANT NEOPLASMS OF OTHER AND UNSPECIFIED SITES (190-199)

0	CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0	UNITED STATES --	52,024	42	216	258	180	158	160	276	497	853	1,328	2,076
	WHITE-----MALE----	23,768	25	101	124	81	76	76	123	252	425	622	996
	FEMALE--	22,250	15	72	89	63	47	48	106	174	296	465	719
	ALL OTHER--MALE----	3,102	2	24	22	17	18	23	25	36	70	131	210
	FEMALE--	2,904	-	19	23	19	17	13	22	35	62	110	151
	BLACK---MALE----	2,673	2	18	19	17	17	20	19	29	57	115	173
	FEMALE--	2,461	-	16	17	16	12	11	18	26	50	85	125
ALABAMA -----		1,330	-	3	2	2	1	3	3	9	18	34	45
	WHITE-----MALE----	538	-	1	-	2	-	1	2	2	7	9	16
	FEMALE--	522	-	-	1	-	-	2	1	2	6	11	16
	ALL OTHER--MALE----	144	-	2	-	-	-	-	-	4	3	7	9
	FEMALE--	126	-	-	1	-	1	-	-	1	2	7	4
	BLACK---MALE----	143	-	2	-	-	-	-	-	4	3	7	8
	FEMALE--	125	-	-	1	-	1	-	-	1	2	6	4
ALASKA -----		78	-	-	-	-	-	-	-	2	5	3	5
	WHITE-----MALE----	39	-	-	-	-	-	-	-	2	3	3	1
	FEMALE--	23	-	-	-	-	-	-	-	-	2	-	3
	ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	-
	FEMALE--	12	-	-	-	-	-	-	-	-	-	-	1
	BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----		838	2	1	1	1	3	-	4	11	23	24	32
	WHITE-----MALE----	447	2	1	-	-	2	-	1	9	15	16	16
	FEMALE--	350	-	-	1	1	1	-	2	2	8	7	14
	ALL OTHER--MALE----	18	-	-	-	-	-	-	1	-	-	1	2
	FEMALE--	23	-	-	-	-	-	-	-	-	-	-	-
	BLACK---MALE----	9	-	-	-	-	-	-	-	-	-	-	-
	FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----		517	-	1	-	2	4	2	1	4	8	5	17
	WHITE-----MALE----	247	-	-	-	1	2	-	-	3	7	3	11
	FEMALE--	214	-	1	-	-	-	1	1	1	1	-	4
	ALL OTHER--MALE----	21	-	-	-	1	2	-	-	-	-	-	2
	FEMALE--	35	-	-	-	-	-	1	-	-	-	2	-
	BLACK---MALE----	20	-	-	-	1	2	-	-	-	-	-	2
	FEMALE--	34	-	-	-	-	-	1	-	-	-	2	-
CALIFORNIA -----		4,702	4	29	27	13	15	14	36	39	92	132	205
	WHITE-----MALE----	2,073	3	8	11	8	7	10	14	20	49	49	106
	FEMALE--	2,008	-	14	11	2	4	2	18	11	21	55	61
	ALL OTHER--MALE----	322	1	4	-	1	1	2	3	6	14	14	23
	FEMALE--	299	-	3	5	2	3	-	1	2	8	14	15
	BLACK---MALE----	156	1	1	-	1	1	1	1	2	7	11	9
	FEMALE--	151	-	1	2	2	1	-	-	2	9	9	7

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 838
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
0 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 MALIGNANT NEOPLASMS OF OTHER AND UNSPECIFIED SITES (190-199)

0	CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0	UNITED STATES --	2,878	3,587	4,909	6,582	7,885	7,608	6,123	4,073	1,835	423	74	3
	WHITE-----MALE----	1,419	1,793	2,445	3,318	3,885	3,501	2,549	1,356	502	84	13	2
	FEMALE--	1,036	1,293	1,831	2,490	3,163	3,423	3,039	2,361	1,171	295	53	1
	ALL OTHER--MALE----	258	291	370	430	428	322	224	132	53	14	2	-
	FEMALE--	165	210	263	344	409	362	311	224	109	30	6	-
	BLACK---MALE----	230	265	328	372	372	267	186	110	45	10	2	-
	FEMALE--	134	180	226	297	335	310	266	200	104	27	6	-
ALABAMA -----		68	85	146	175	212	196	164	98	54	9	3	-
	WHITE-----MALE----	29	33	68	80	106	86	54	27	13	2	-	-
	FEMALE--	24	34	54	59	77	74	78	47	28	5	3	-
	ALL OTHER--MALE----	10	11	16	20	18	15	13	9	6	1	-	-
	FEMALE--	5	7	8	16	11	21	19	15	7	1	-	-
	BLACK---MALE----	10	11	16	20	18	15	13	9	6	1	-	-
	FEMALE--	5	7	8	16	11	21	19	15	7	1	-	-
ALASKA -----		11	6	7	13	11	5	5	5	-	-	-	-
	WHITE-----MALE----	7	2	2	5	8	4	1	1	-	-	-	-
	FEMALE--	1	2	3	5	2	1	2	2	-	-	-	-
	ALL OTHER--MALE----	-	-	2	1	1	-	-	-	-	-	-	-
	FEMALE--	3	2	-	2	-	-	2	2	-	-	-	-
	BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----		38	69	81	104	125	136	90	53	32	8	-	-
	WHITE-----MALE----	29	38	41	59	66	69	43	26	13	1	-	-
	FEMALE--	9	27	33	42	51	60	44	25	18	5	-	-
	ALL OTHER--MALE----	-	3	2	2	1	3	1	1	-	1	-	-
	FEMALE--	-	1	5	1	7	4	2	1	1	1	-	-
	BLACK---MALE----	-	3	1	2	1	2	-	-	-	-	-	-
	FEMALE--	-	1	2	-	4	-	-	1	-	-	-	-
ARKANSAS -----		40	42	60	56	70	81	50	42	25	6	1	-
	WHITE-----MALE----	21	25	27	26	31	43	19	18	9	1	-	-
	FEMALE--	16	14	25	24	30	34	26	17	14	4	1	-
	ALL OTHER--MALE----	2	1	2	3	3	1	2	1	1	-	-	-
	FEMALE--	1	2	6	3	6	3	3	6	1	1	-	-
	BLACK---MALE----	2	1	2	2	3	1	2	1	1	-	-	-
	FEMALE--	1	2	6	2	6	3	3	6	1	1	-	-
CALIFORNIA -----		284	318	471	569	698	706	537	337	143	31	2	-
	WHITE-----MALE----	131	148	236	279	301	326	206	113	43	4	1	-
	FEMALE--	104	118	181	206	320	307	282	184	84	22	1	-
	ALL OTHER--MALE----	29	24	27	52	38	35	19	20	6	3	-	-
	FEMALE--	20	28	27	32	39	38	30	20	10	2	-	-
	BLACK---MALE----	19	15	11	24	18	15	9	9	1	-	-	-
	FEMALE--	15	15	13	17	16	19	11	12	8	1	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 839
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 0 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
 0 CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
 0 MALIGNANT NEOPLASMS OF OTHER AND UNSPECIFIED SITES (190-199)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
COLORADO -----	669	1	2	4	2	-	-	5	4	12	19	28
WHITE-----MALE----	330	1	1	-	2	-	-	3	3	7	10	10
FEMALE--	316	-	1	3	-	-	-	2	1	5	9	16
ALL OTHER--MALE----	10	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	13	-	-	1	-	-	-	-	-	-	-	1
BLACK---MALE----	7	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	1
CONNECTICUT -----	736	-	2	7	2	1	2	2	3	7	17	26
WHITE-----MALE----	349	-	1	5	-	-	2	2	1	4	7	14
FEMALE--	323	-	1	1	2	1	-	-	2	2	7	9
ALL OTHER--MALE----	35	-	-	-	-	-	-	-	-	1	1	2
FEMALE--	29	-	-	1	-	-	-	-	-	-	2	1
BLACK---MALE----	33	-	-	-	-	-	-	-	-	1	1	2
FEMALE--	25	-	-	-	-	-	-	-	-	-	1	1
DELAWARE -----	173	1	1	1	1	1	1	1	-	3	4	8
WHITE-----MALE----	76	1	-	1	1	1	1	-	-	1	2	5
FEMALE--	69	-	-	-	-	-	-	1	-	1	2	1
ALL OTHER--MALE----	17	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	11	-	1	-	-	-	-	-	-	-	-	1
BLACK---MALE----	17	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	11	-	1	-	-	-	-	-	-	-	-	1
DISTRICT OF COLUMBIA ----	134	-	-	-	-	1	-	1	3	3	4	10
WHITE-----MALE----	10	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	19	-	-	-	-	-	-	1	-	-	1	-
ALL OTHER--MALE----	58	-	-	-	-	1	-	-	1	3	3	4
FEMALE--	47	-	-	-	-	-	-	-	2	-	-	4
BLACK---MALE----	58	-	-	-	-	1	-	-	1	3	3	4
FEMALE--	47	-	-	-	-	-	-	-	2	-	-	4
FLORIDA -----	3,049	3	10	13	9	7	10	10	19	44	66	93
WHITE-----MALE----	1,452	2	3	4	3	2	3	3	9	22	32	55
FEMALE--	1,345	1	3	5	2	4	3	6	6	15	26	26
ALL OTHER--MALE----	135	-	1	2	2	1	1	1	2	5	4	2
FEMALE--	117	-	3	2	2	-	3	-	2	2	4	10
BLACK---MALE----	127	-	1	2	2	1	1	1	2	5	4	2
FEMALE--	109	-	3	2	1	-	2	-	2	-	4	10
GEORGIA -----	1,378	-	2	9	6	7	6	6	21	20	32	81
WHITE-----MALE----	569	-	-	1	2	4	-	2	8	11	9	36
FEMALE--	482	-	-	3	2	-	3	3	4	6	7	23
ALL OTHER--MALE----	164	-	1	4	2	2	2	1	4	-	8	15
FEMALE--	163	-	1	1	-	1	1	-	5	3	8	7
BLACK---MALE----	162	-	1	4	2	2	2	1	4	-	8	15
FEMALE--	160	-	1	1	-	1	1	-	5	3	8	6

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 839
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
0 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 MALIGNANT NEOPLASMS OF OTHER AND UNSPECIFIED SITES (190-199)

	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
COLORADO -----	39	46	61	97	107	97	76	49	16	4	-	-
WHITE-----MALE----	20	26	32	50	56	52	26	22	8	1	-	-
FEMALE--	17	19	26	45	44	42	48	27	8	3	-	-
ALL OTHER--MALE----	1	1	1	2	3	1	-	-	-	-	-	-
FEMALE--	1	-	2	-	4	2	2	-	-	-	-	-
BLACK---MALE----	1	1	1	2	2	-	-	-	-	-	-	-
FEMALE--	1	-	2	-	2	1	2	-	-	-	-	-
CONNECTICUT -----	51	47	47	82	107	126	105	61	35	4	2	-
WHITE-----MALE----	19	24	27	44	49	58	53	22	16	-	1	-
FEMALE--	25	18	14	30	49	55	47	37	18	4	1	-
ALL OTHER--MALE----	6	3	4	5	5	4	1	2	1	-	-	-
FEMALE--	1	2	2	3	4	9	4	-	-	-	-	-
BLACK---MALE----	5	3	4	5	5	3	1	2	1	-	-	-
FEMALE--	1	2	2	3	3	8	4	-	-	-	-	-
DELAWARE -----	10	11	17	20	24	17	20	20	11	1	-	-
WHITE-----MALE----	3	7	7	11	10	9	7	7	2	-	-	-
FEMALE--	3	3	8	7	8	5	10	13	6	1	-	-
ALL OTHER--MALE----	3	-	1	1	5	2	2	-	1	-	-	-
FEMALE--	1	1	1	1	1	1	1	-	2	-	-	-
BLACK---MALE----	3	-	1	1	5	2	2	-	1	-	-	-
FEMALE--	1	1	1	1	1	1	1	-	2	-	-	-
DISTRICT OF COLUMBIA ----	12	12	15	17	18	13	13	8	4	-	-	-
WHITE-----MALE----	1	-	2	-	2	2	1	-	-	-	-	-
FEMALE--	2	-	2	-	2	2	5	2	2	-	-	-
ALL OTHER--MALE----	6	7	10	10	5	5	3	-	-	-	-	-
FEMALE--	3	5	1	7	9	4	6	2	2	-	-	-
BLACK---MALE----	6	7	10	10	5	5	3	-	-	-	-	-
FEMALE--	3	5	1	7	9	4	4	6	2	-	-	-
FLORIDA -----	152	187	248	420	493	482	402	239	113	27	2	-
WHITE-----MALE----	73	90	138	218	254	212	191	96	36	6	-	-
FEMALE--	61	75	89	171	203	240	187	129	72	19	2	-
ALL OTHER--MALE----	13	17	12	19	19	11	12	8	3	-	-	-
FEMALE--	5	5	9	12	17	19	12	6	2	2	-	-
BLACK---MALE----	13	16	11	17	17	11	10	8	3	-	-	-
FEMALE--	5	5	9	9	16	19	12	6	2	2	-	-
GEORGIA -----	109	112	153	194	177	194	122	81	34	8	4	-
WHITE-----MALE----	40	50	60	96	97	83	41	21	4	1	3	-
FEMALE--	39	34	55	57	51	79	53	36	21	6	-	-
ALL OTHER--MALE----	18	17	23	25	14	15	6	5	2	-	-	-
FEMALE--	12	11	15	16	15	17	22	19	7	1	1	-
BLACK---MALE----	18	17	23	24	14	14	6	5	2	-	-	-
FEMALE--	11	11	15	16	15	17	21	19	7	1	1	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 840
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
0 CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
0 MALIGNANT NEOPLASMS OF OTHER AND UNSPECIFIED SITES (190-199)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
HAWAII -----	156	-	-	1	1	-	-	-	3	3	7	6
WHITE-----MALE----	31	-	-	1	-	-	-	-	-	-	-	1
FEMALE--	18	-	-	-	-	-	-	-	-	-	-	2
ALL OTHER--MALE----	52	-	-	-	-	-	-	-	-	2	2	-
FEMALE--	55	-	-	-	1	-	-	-	3	1	5	3
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	203	-	3	1	-	1	-	1	4	1	4	6
WHITE-----MALE----	110	-	2	1	-	-	-	1	3	1	3	4
FEMALE--	93	-	1	-	-	1	-	-	1	-	1	2
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	2,354	1	12	13	7	6	4	9	17	43	49	94
WHITE-----MALE----	1,051	1	7	10	2	4	2	4	10	27	23	46
FEMALE--	976	-	3	2	4	1	2	4	6	10	9	22
ALL OTHER--MALE----	164	-	-	1	-	1	-	1	1	1	10	13
FEMALE--	163	-	2	-	1	-	-	-	-	5	7	13
BLACK---MALE----	157	-	-	1	-	1	-	1	1	1	9	11
FEMALE--	157	-	2	-	1	-	-	-	-	5	7	13
INDIANA -----	1,176	2	5	5	3	3	5	8	11	18	41	37
WHITE-----MALE----	540	1	2	1	1	2	4	3	5	8	22	15
FEMALE--	565	1	2	3	2	1	1	2	4	9	14	18
ALL OTHER--MALE----	25	-	-	-	-	-	-	-	-	-	4	3
FEMALE--	46	-	1	1	-	-	-	3	2	1	1	1
BLACK---MALE----	24	-	-	-	-	-	-	-	-	-	4	3
FEMALE--	44	-	1	1	-	-	-	3	1	1	1	1
IOWA -----	512	1	2	2	3	1	1	3	5	11	12	21
WHITE-----MALE----	256	-	2	1	2	-	-	3	3	6	5	15
FEMALE--	252	1	-	1	1	1	1	-	2	5	6	5
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
KANSAS -----	517	3	4	5	4	-	2	4	5	10	14	17
WHITE-----MALE----	249	2	1	3	2	-	1	3	1	4	6	9
FEMALE--	245	1	2	1	1	-	1	1	4	6	7	7
ALL OTHER--MALE----	14	-	1	-	-	-	-	-	-	-	1	-
FEMALE--	9	-	-	1	1	-	-	-	-	-	-	1
BLACK---MALE----	13	-	1	-	-	-	-	-	-	-	1	-
FEMALE--	6	-	-	1	1	-	-	-	-	-	-	1

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 840
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
0 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 MALIGNANT NEOPLASMS OF OTHER AND UNSPECIFIED SITES (190-199)

	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
HAWAII -----	14	5	11	13	33	24	25	7	3	-	-	-
WHITE-----MALE----	5	1	4	3	6	5	3	-	2	-	-	-
FEMALE--	2	-	-	2	3	4	4	1	-	-	-	-
ALL OTHER--MALE----	2	3	6	5	9	8	11	4	-	-	-	-
FEMALE--	5	1	1	3	15	7	7	2	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	7	9	18	36	37	29	19	20	6	1	-	-
WHITE-----MALE----	5	7	10	17	18	18	10	9	1	-	-	-
FEMALE--	2	2	8	19	19	11	9	11	5	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	128	177	225	304	370	309	295	173	92	21	5	-
WHITE-----MALE----	59	90	101	155	186	128	110	58	23	5	-	-
FEMALE--	47	52	76	101	138	154	167	100	59	14	5	-
ALL OTHER--MALE----	10	23	27	26	19	14	7	7	3	-	-	-
FEMALE--	12	12	21	22	27	13	11	8	7	2	-	-
BLACK---MALE----	10	22	26	24	19	14	7	7	3	-	-	-
FEMALE--	10	12	21	20	26	12	11	8	7	2	-	-
INDIANA -----	53	67	117	156	206	156	143	94	36	9	1	-
WHITE-----MALE----	28	32	55	85	99	72	59	32	13	1	-	-
FEMALE--	24	30	55	63	90	77	81	60	21	6	1	-
ALL OTHER--MALE----	1	3	3	1	6	2	2	-	-	-	-	-
FEMALE--	-	2	4	7	11	5	1	2	2	2	-	-
BLACK---MALE----	1	3	3	1	6	2	1	-	-	-	-	-
FEMALE--	-	2	3	7	11	5	1	2	2	2	-	-
IOWA -----	21	36	40	57	73	78	66	43	32	3	1	-
WHITE-----MALE----	13	14	21	31	43	42	27	16	11	-	1	-
FEMALE--	8	22	19	26	30	35	38	27	21	3	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	-	-	-	-
KANSAS -----	27	29	36	72	71	69	72	46	22	5	-	-
WHITE-----MALE----	15	14	22	34	36	34	34	22	6	-	-	-
FEMALE--	12	10	14	35	31	34	36	22	15	5	-	-
ALL OTHER--MALE----	-	5	-	1	3	1	-	1	1	-	-	-
FEMALE--	-	-	-	2	1	-	2	1	-	-	-	-
BLACK---MALE----	-	4	-	1	3	1	-	1	1	-	-	-
FEMALE--	-	-	-	1	-	-	1	1	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 841
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
 0 CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
 0 MALIGNANT NEOPLASMS OF OTHER AND UNSPECIFIED SITES (190-199)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
KENTUCKY -----	836	-	4	4	2	3	2	2	6	21	21	38
WHITE-----MALE----	435	-	4	2	1	2	2	-	3	15	16	24
FEMALE--	342	-	-	2	1	1	-	1	3	5	5	12
ALL OTHER--MALE----	31	-	-	-	-	-	-	1	-	1	-	-
FEMALE--	28	-	-	-	-	-	-	-	-	-	-	2
BLACK---MALE----	29	-	-	-	-	-	-	1	-	1	-	-
FEMALE--	27	-	-	-	-	-	-	-	-	-	-	2
LOUISIANA -----	945	1	5	4	2	2	3	3	10	15	30	40
WHITE-----MALE----	352	-	2	3	-	-	-	1	2	5	11	12
FEMALE--	327	1	2	1	1	-	-	-	4	3	5	16
ALL OTHER--MALE----	140	-	1	-	-	1	2	1	3	3	4	9
FEMALE--	126	-	-	-	1	1	1	1	1	4	10	3
BLACK---MALE----	135	-	1	-	-	1	2	1	3	3	4	7
FEMALE--	122	-	-	-	1	1	1	1	1	4	10	2
MAINE -----	342	-	-	3	-	-	2	-	4	4	6	18
WHITE-----MALE----	198	-	-	1	1	-	2	-	2	2	4	13
FEMALE--	144	-	-	2	-	-	-	-	2	2	2	5
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	955	1	2	7	2	3	4	10	6	17	28	39
WHITE-----MALE----	395	-	-	4	-	-	1	7	3	7	8	15
FEMALE--	367	1	-	1	-	2	-	-	2	4	13	10
ALL OTHER--MALE----	98	-	2	1	1	1	2	2	-	2	4	6
FEMALE--	95	-	-	1	1	-	1	1	1	4	3	8
BLACK---MALE----	94	-	2	1	1	1	2	2	-	2	3	6
FEMALE--	87	-	-	1	1	-	1	1	1	3	2	7
MASSACHUSETTS -----	1,504	-	2	7	3	3	5	10	14	19	28	52
WHITE-----MALE----	723	-	1	5	2	2	3	7	8	10	22	25
FEMALE--	709	-	1	1	1	1	1	3	6	7	5	24
ALL OTHER--MALE----	41	-	-	1	-	-	1	-	-	-	1	1
FEMALE--	31	-	-	-	-	-	-	-	-	2	-	2
BLACK---MALE----	35	-	-	-	-	-	1	-	-	-	-	1
FEMALE--	23	-	-	-	-	-	-	-	-	2	-	2
MICHIGAN -----	1,858	4	9	6	8	10	6	12	22	29	70	93
WHITE-----MALE----	856	1	3	1	2	7	3	3	15	12	33	47
FEMALE--	790	3	3	2	4	2	1	5	6	14	26	35
ALL OTHER--MALE----	104	-	-	1	1	-	1	2	-	2	8	5
FEMALE--	108	-	3	2	1	1	1	2	1	1	3	6
BLACK---MALE----	96	-	-	1	1	-	1	2	-	2	6	5
FEMALE--	98	-	3	2	1	-	1	2	-	1	3	4

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 841
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
0 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 MALIGNANT NEOPLASMS OF OTHER AND UNSPECIFIED SITES (190-199)

	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
KENTUCKY -----	57	64	92	96	127	123	83	58	27	5	1	-
WHITE-----MALE----	35	39	55	50	74	53	36	16	6	2	-	-
FEMALE--	19	20	30	35	42	62	43	39	19	2	1	-
ALL OTHER--MALE----	2	3	4	6	7	4	1	1	1	-	-	-
FEMALE--	1	2	3	5	4	4	3	2	1	1	-	-
BLACK---MALE----	2	3	4	6	6	3	1	1	1	-	-	-
FEMALE--	1	2	3	5	3	4	3	2	1	1	-	-
LOUISIANA -----	50	63	100	138	141	138	111	63	23	2	1	-
WHITE-----MALE----	23	32	37	54	62	49	39	14	5	1	-	-
FEMALE--	17	12	31	51	43	54	44	33	9	-	-	-
ALL OTHER--MALE----	8	14	20	22	19	19	7	4	2	-	1	-
FEMALE--	2	5	12	11	17	16	21	12	7	1	-	-
BLACK---MALE----	7	13	20	22	19	18	7	4	2	-	1	-
FEMALE--	2	5	11	11	16	16	20	12	7	1	-	-
MAINE -----	15	23	36	39	56	52	34	30	15	3	1	-
WHITE-----MALE----	8	19	25	21	37	26	17	13	6	1	-	-
FEMALE--	7	4	11	18	19	26	17	17	9	2	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	66	53	84	126	151	124	123	75	27	6	1	-
WHITE-----MALE----	30	24	36	51	69	44	56	31	9	-	-	-
FEMALE--	18	14	29	41	66	60	49	36	16	5	-	-
ALL OTHER--MALE----	8	8	12	14	8	11	14	1	1	-	-	-
FEMALE--	10	7	7	20	8	9	4	7	1	1	1	-
BLACK---MALE----	8	8	11	13	8	10	14	1	1	-	-	-
FEMALE--	9	7	6	19	7	9	3	7	1	1	1	-
MASSACHUSETTS -----	78	78	136	171	232	243	195	150	58	16	4	-
WHITE-----MALE----	38	40	80	96	125	112	83	38	22	4	-	-
FEMALE--	33	31	48	67	93	125	107	106	35	10	4	-
ALL OTHER--MALE----	6	4	5	5	9	3	2	2	-	1	-	-
FEMALE--	1	3	3	3	5	3	3	4	1	1	-	-
BLACK---MALE----	6	4	5	4	8	3	1	1	-	1	-	-
FEMALE--	1	2	3	1	3	2	2	3	1	1	-	-
MICHIGAN -----	88	134	180	236	288	245	216	133	56	11	2	-
WHITE-----MALE----	50	65	102	116	134	113	93	41	13	2	-	-
FEMALE--	27	51	60	96	117	108	99	84	38	8	1	-
ALL OTHER--MALE----	9	11	9	12	20	11	8	2	1	1	-	-
FEMALE--	2	7	9	12	17	13	16	6	4	-	1	-
BLACK---MALE----	7	8	9	12	19	11	8	2	1	1	-	-
FEMALE--	2	7	9	11	14	12	15	6	4	-	1	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 842
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 0 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
 0 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 0 MALIGNANT NEOPLASMS OF OTHER AND UNSPECIFIED SITES (190-199)

	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
MINNESOTA -----	43	46	66	95	131	139	105	77	44	10	-	-
WHITE-----MALE----	27	24	30	51	70	75	48	26	5	3	-	-
FEMALE--	15	21	34	41	58	63	55	48	39	7	-	-
ALL OTHER--MALE----	1	1	-	2	2	1	2	1	-	-	-	-
FEMALE--	-	-	2	1	1	-	-	2	-	-	-	-
BLACK---MALE----	1	1	-	1	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	1	-	-	-	-
MISSISSIPPI -----	40	49	69	78	85	70	60	52	25	8	-	-
WHITE-----MALE----	18	17	26	30	41	25	24	15	5	-	-	-
FEMALE--	10	19	20	28	26	28	21	22	9	3	-	-
ALL OTHER--MALE----	9	6	10	11	10	8	8	5	6	2	-	-
FEMALE--	3	7	13	9	8	9	7	10	5	3	-	-
BLACK---MALE----	9	6	10	11	9	8	8	5	6	2	-	-
FEMALE--	3	7	13	9	8	9	7	10	5	3	-	-
MISSOURI -----	57	88	103	147	178	178	162	101	57	10	3	-
WHITE-----MALE----	33	42	47	68	91	95	76	26	22	-	-	-
FEMALE--	19	33	44	61	75	72	80	67	28	10	3	-
ALL OTHER--MALE----	3	6	8	9	5	5	2	3	2	-	-	-
FEMALE--	2	7	4	9	7	6	4	5	5	-	-	-
BLACK---MALE----	3	5	8	9	5	5	2	3	2	-	-	-
FEMALE--	2	7	4	9	7	6	4	5	5	-	-	-
MONTANA -----	8	11	24	23	23	38	22	20	4	4	-	-
WHITE-----MALE----	5	5	16	12	15	19	14	11	-	1	-	-
FEMALE--	2	6	7	10	7	16	8	9	4	3	-	-
ALL OTHER--MALE----	1	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	1	1	-	2	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	14	18	29	38	48	52	32	35	13	4	1	-
WHITE-----MALE----	7	10	13	18	22	24	14	9	3	2	-	-
FEMALE--	7	7	14	20	22	27	18	26	9	2	1	-
ALL OTHER--MALE----	-	1	1	-	-	1	-	-	1	-	-	-
FEMALE--	-	-	1	-	4	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	1	-	-	1	-	-	-
FEMALE--	-	-	1	-	2	-	-	-	-	-	-	-
NEVADA -----	15	34	46	66	54	48	32	26	10	4	-	-
WHITE-----MALE----	6	21	30	46	33	26	19	17	3	-	-	-
FEMALE--	7	11	13	18	18	18	12	9	6	4	-	-
ALL OTHER--MALE----	1	1	1	2	1	4	-	-	-	-	-	-
FEMALE--	1	1	2	-	2	-	1	-	1	-	-	-
BLACK---MALE----	1	1	1	2	1	1	-	-	-	-	-	-
FEMALE--	-	1	2	-	2	-	1	-	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 844
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
0 CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
0 MALIGNANT NEOPLASMS OF OTHER AND UNSPECIFIED SITES (190-199)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
OHIO -----	2,421	2	10	9	8	10	8	12	17	38	70	95
WHITE-----MALE----	1,128	1	6	3	4	4	5	6	11	17	43	38
FEMALE--	1,018	1	3	4	2	5	2	6	4	13	20	41
ALL OTHER--MALE----	149	-	-	1	2	-	-	-	1	5	3	11
FEMALE--	126	-	1	1	-	1	1	-	1	3	4	5
BLACK---MALE----	147	-	-	1	2	-	-	-	1	5	3	11
FEMALE--	124	-	1	1	-	1	1	-	1	3	4	5
OKLAHOMA -----	700	-	-	3	-	1	4	4	10	11	18	25
WHITE-----MALE----	336	-	-	3	-	1	2	2	6	8	12	13
FEMALE--	293	-	-	-	-	-	1	1	3	3	5	10
ALL OTHER--MALE----	39	-	-	-	-	-	1	1	1	-	1	2
FEMALE--	32	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	25	-	-	-	-	-	-	-	1	-	1	2
FEMALE--	16	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	668	-	2	1	-	4	2	3	4	9	8	24
WHITE-----MALE----	337	-	2	1	-	1	-	1	4	5	5	18
FEMALE--	311	-	-	-	-	2	1	2	-	4	3	6
ALL OTHER--MALE----	8	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	12	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	3,222	2	6	2	9	6	11	9	21	36	64	105
WHITE-----MALE----	1,543	2	1	1	5	2	7	8	11	16	39	48
FEMALE--	1,423	-	4	1	3	3	4	-	8	16	19	43
ALL OTHER--MALE----	130	-	-	-	-	-	-	1	-	1	4	6
FEMALE--	126	-	1	-	1	1	-	2	3	2	2	8
BLACK---MALE----	124	-	-	-	-	-	-	1	-	1	3	6
FEMALE--	122	-	1	-	1	-	-	2	3	2	2	8
RHODE ISLAND -----	225	-	-	1	2	-	-	1	2	3	4	6
WHITE-----MALE----	122	-	-	1	-	-	-	1	1	2	1	3
FEMALE--	94	-	-	-	2	-	-	-	-	1	2	1
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	1	-	-	1
FEMALE--	5	-	-	-	-	-	-	-	-	-	1	1
BLACK---MALE----	2	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	1
SOUTH CAROLINA -----	631	-	3	5	3	2	3	6	10	15	15	28
WHITE-----MALE----	231	-	1	3	-	-	2	2	3	3	3	7
FEMALE--	248	-	2	2	1	1	2	2	6	8	4	9
ALL OTHER--MALE----	87	-	-	-	2	1	1	1	1	1	3	11
FEMALE--	65	-	-	-	-	-	-	1	-	3	5	1
BLACK---MALE----	86	-	-	-	2	1	1	1	1	1	3	11
FEMALE--	62	-	-	-	-	-	-	1	-	3	3	1

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 844
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 0 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
 0 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 0 MALIGNANT NEOPLASMS OF OTHER AND UNSPECIFIED SITES (190-199)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
OHIO -----	143	167	213	346	392	326	293	157	81	18	6	-
WHITE-----MALE----	65	92	108	187	189	163	114	48	18	6	-	-
FEMALE--	59	53	77	115	155	139	151	95	58	10	5	-
ALL OTHER--MALE----	13	12	18	23	32	12	9	4	1	2	-	-
FEMALE--	6	10	10	21	16	12	19	10	4	-	1	-
BLACK---MALE----	13	12	17	22	32	12	9	4	1	2	-	-
FEMALE--	5	10	10	20	16	12	19	10	4	-	1	-
OKLAHOMA -----	34	45	65	86	98	110	88	62	26	5	2	3
WHITE-----MALE----	20	25	30	43	54	47	32	27	4	3	2	2
FEMALE--	9	16	25	33	34	54	44	30	22	2	-	1
ALL OTHER--MALE----	4	2	5	6	5	3	6	2	-	-	-	-
FEMALE--	1	2	5	4	5	6	6	3	-	-	-	-
BLACK---MALE----	1	2	5	3	4	2	2	2	-	-	-	-
FEMALE--	-	1	2	1	3	3	4	2	-	-	-	-
OREGON -----	34	59	56	72	102	112	86	59	26	5	-	-
WHITE-----MALE----	15	34	30	39	59	57	33	25	7	1	-	-
FEMALE--	14	24	26	28	38	54	53	33	19	4	-	-
ALL OTHER--MALE----	3	-	-	1	2	-	-	-	-	-	-	-
FEMALE--	2	1	-	4	3	1	-	1	-	-	-	-
BLACK---MALE----	1	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	1	-	3	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	137	181	275	431	552	555	418	256	115	28	3	-
WHITE-----MALE----	73	95	146	222	285	252	199	88	34	8	1	-
FEMALE--	50	68	88	170	219	272	202	158	73	20	2	-
ALL OTHER--MALE----	7	8	22	23	27	15	6	6	4	-	-	-
FEMALE--	7	10	19	16	21	16	11	4	4	-	-	-
BLACK---MALE----	7	8	19	23	26	15	6	5	4	-	-	-
FEMALE--	7	9	19	15	21	16	11	3	4	-	-	-
RHODE ISLAND -----	10	7	19	25	41	39	37	20	6	2	-	-
WHITE-----MALE----	5	6	13	16	21	22	18	8	3	1	-	-
FEMALE--	5	1	5	8	18	17	19	11	3	1	-	-
ALL OTHER--MALE----	-	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	-	1	-	-	-	-
SOUTH CAROLINA -----	37	47	62	75	89	97	59	56	16	3	-	-
WHITE-----MALE----	10	22	33	31	37	38	18	15	2	1	-	-
FEMALE--	14	10	20	31	33	37	25	29	12	2	-	-
ALL OTHER--MALE----	8	9	7	7	9	11	7	7	1	-	-	-
FEMALE--	5	6	2	6	10	11	9	5	1	-	-	-
BLACK---MALE----	8	9	7	7	8	11	7	7	1	-	-	-
FEMALE--	5	5	2	6	10	11	9	5	1	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 845
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
0 CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
0 MALIGNANT NEOPLASMS OF OTHER AND UNSPECIFIED SITES (190-199)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
SOUTH DAKOTA -----	137	-	2	1	2	-	-	1	-	-	1	7
WHITE-----MALE----	59	-	1	-	1	-	-	-	-	-	-	5
FEMALE--	73	-	-	1	1	-	-	1	-	-	1	2
ALL OTHER--MALE----	2	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	1,023	-	5	4	6	4	2	7	12	18	21	33
WHITE-----MALE----	459	-	4	3	-	2	2	2	5	10	10	16
FEMALE--	435	-	1	1	4	1	-	1	6	3	6	6
ALL OTHER--MALE----	64	-	-	-	-	-	-	1	-	4	2	6
FEMALE--	65	-	-	-	2	1	-	3	1	1	3	5
BLACK---MALE----	64	-	-	-	-	-	-	1	-	4	2	6
FEMALE--	64	-	-	-	2	1	-	3	1	1	3	4
TEXAS -----	2,647	4	26	24	18	14	18	16	31	47	69	118
WHITE-----MALE----	1,208	2	15	9	9	4	6	7	13	20	27	48
FEMALE--	1,138	2	9	11	7	5	9	7	14	18	30	55
ALL OTHER--MALE----	152	-	1	3	1	3	2	-	2	4	8	10
FEMALE--	149	-	1	1	1	2	1	2	2	5	4	5
BLACK---MALE----	145	-	1	3	1	3	2	-	2	4	7	9
FEMALE--	133	-	1	1	1	2	1	2	2	4	3	4
UTAH -----	255	-	2	2	1	2	-	4	4	4	11	12
WHITE-----MALE----	145	-	2	1	-	1	-	2	3	2	6	8
FEMALE--	104	-	-	1	1	1	-	2	1	2	5	3
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	114	-	-	1	1	1	-	1	4	1	1	9
WHITE-----MALE----	62	-	-	1	-	1	-	1	2	1	-	5
FEMALE--	52	-	-	-	1	-	-	-	2	-	1	4
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	1,347	1	6	6	5	3	7	12	8	19	35	52
WHITE-----MALE----	566	-	3	1	2	-	3	4	5	4	14	15
FEMALE--	522	1	1	4	1	1	2	2	2	9	14	22
ALL OTHER--MALE----	151	-	2	1	2	2	2	3	-	2	4	12
FEMALE--	108	-	-	-	-	-	-	3	1	4	3	3
BLACK---MALE----	141	-	2	1	2	2	2	2	-	1	4	12
FEMALE--	101	-	-	-	-	-	-	1	1	4	2	3

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 845
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
0 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 MALIGNANT NEOPLASMS OF OTHER AND UNSPECIFIED SITES (190-199)

	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
SOUTH DAKOTA -----	12	9	14	11	17	17	15	17	6	3	2	-
WHITE-----MALE----	4	7	8	5	7	6	5	7	3	-	-	-
FEMALE--	7	2	6	6	8	10	10	10	3	3	2	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	2	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	74	87	110	112	165	150	96	69	38	6	4	-
WHITE-----MALE----	38	52	62	52	76	71	30	18	5	1	-	-
FEMALE--	27	20	39	48	68	64	58	43	31	4	4	-
ALL OTHER--MALE----	9	10	6	5	9	6	1	5	-	-	-	-
FEMALE--	-	5	3	7	12	9	7	3	2	1	-	-
BLACK---MALE----	9	10	6	5	9	6	1	5	-	-	-	-
FEMALE--	-	5	3	7	12	9	7	3	2	1	-	-
TEXAS -----	174	216	275	333	365	320	261	211	81	23	3	-
WHITE-----MALE----	94	111	140	172	195	143	111	60	18	4	-	-
FEMALE--	59	77	103	119	134	146	127	130	57	16	3	-
ALL OTHER--MALE----	11	13	20	24	15	16	11	6	1	1	-	-
FEMALE--	10	15	12	18	21	15	12	15	5	2	-	-
BLACK---MALE----	11	12	19	22	15	15	11	6	1	1	-	-
FEMALE--	7	12	11	17	19	14	11	14	5	2	-	-
UTAH -----	12	14	25	34	32	33	31	21	9	2	-	-
WHITE-----MALE----	6	7	14	21	21	18	17	10	4	2	-	-
FEMALE--	5	6	11	13	9	15	13	11	5	-	-	-
ALL OTHER--MALE----	-	-	-	-	2	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	4	9	10	14	16	16	11	10	1	4	-	-
WHITE-----MALE----	2	6	2	8	10	11	7	4	1	-	-	-
FEMALE--	2	3	8	6	6	5	4	6	-	4	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	75	84	130	170	223	204	151	97	50	8	1	-
WHITE-----MALE----	35	40	60	91	99	87	59	27	14	3	-	-
FEMALE--	24	26	45	52	84	81	60	56	30	4	1	-
ALL OTHER--MALE----	9	12	16	14	26	19	18	6	1	-	-	-
FEMALE--	7	6	9	13	14	17	14	8	5	1	-	-
BLACK---MALE----	8	12	15	13	23	17	18	6	1	-	-	-
FEMALE--	6	6	8	12	14	16	14	8	5	1	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 856
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 0 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

0 CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 OF BRAIN (191)												
0 UNITED STATES --	12,106	25	119	177	129	104	102	162	284	429	589	792
WHITE-----MALE----	6,171	16	57	86	63	51	48	74	157	247	315	455
FEMALE--	5,123	8	38	63	44	35	32	68	103	148	226	277
ALL OTHER--MALE----	423	1	12	14	7	8	15	14	13	17	29	32
FEMALE--	389	-	12	14	15	10	7	6	11	17	19	28
BLACK---MALE----	348	1	8	13	7	7	12	11	12	13	23	22
FEMALE--	313	-	9	10	14	8	6	3	10	13	14	21
ALABAMA -----	196	-	1	2	1	-	1	-	2	9	6	10
WHITE-----MALE----	85	-	-	-	1	-	1	-	1	4	1	5
FEMALE--	88	-	-	1	-	-	-	-	-	4	4	4
ALL OTHER--MALE----	15	-	1	-	-	-	-	-	1	1	1	-
FEMALE--	8	-	-	1	-	-	-	-	-	-	-	1
BLACK---MALE----	15	-	1	-	-	-	-	-	1	1	1	-
FEMALE--	8	-	-	1	-	-	-	-	-	-	-	1
ALASKA -----	22	-	-	-	-	-	-	-	2	4	2	3
WHITE-----MALE----	15	-	-	-	-	-	-	-	2	3	2	1
FEMALE--	5	-	-	-	-	-	-	-	-	1	-	2
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	196	2	-	-	1	3	-	1	6	11	11	11
WHITE-----MALE----	112	2	-	-	-	2	-	-	4	7	7	4
FEMALE--	81	-	-	-	1	1	-	1	2	4	4	7
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	148	-	1	-	1	1	1	-	3	6	3	10
WHITE-----MALE----	81	-	-	-	1	1	-	-	2	6	1	8
FEMALE--	58	-	1	-	-	-	-	-	1	-	-	2
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	1	-	-	-	2	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	1	-	-	-	2	-
CALIFORNIA -----	1,215	4	18	16	7	12	9	28	21	47	65	91
WHITE-----MALE----	587	3	6	5	6	6	6	8	14	30	32	50
FEMALE--	519	-	8	8	1	3	2	16	6	11	27	25
ALL OTHER--MALE----	58	1	2	-	-	-	1	3	1	3	5	9
FEMALE--	51	-	2	3	-	3	-	1	-	3	1	7
BLACK---MALE----	26	1	1	-	-	-	-	1	-	-	5	3
FEMALE--	18	-	-	-	-	1	-	-	-	1	-	4

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 856
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
0 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 OF BRAIN (191)

	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 UNITED STATES --	951	1,073	1,273	1,532	1,618	1,358	833	405	134	15	1	1
WHITE-----MALE----	527	606	673	783	832	628	353	152	45	2	-	1
FEMALE--	357	405	526	659	693	663	447	236	82	12	1	-
ALL OTHER--MALE----	36	31	41	47	48	34	16	7	1	-	-	-
FEMALE--	31	31	33	43	45	33	17	10	6	1	-	-
BLACK---MALE----	30	28	35	39	40	27	13	6	1	-	-	-
FEMALE--	24	23	29	38	33	30	13	8	6	1	-	-
ALABAMA -----	12	18	26	27	23	26	18	6	8	-	-	-
WHITE-----MALE----	5	8	12	11	11	11	8	3	3	-	-	-
FEMALE--	6	9	10	12	11	13	8	3	3	-	-	-
ALL OTHER--MALE----	1	1	3	3	1	1	1	-	-	-	-	-
FEMALE--	-	-	1	1	-	1	1	-	2	-	-	-
BLACK---MALE----	1	1	3	3	1	1	1	-	-	-	-	-
FEMALE--	-	-	1	1	-	1	1	-	2	-	-	-
ALASKA -----	3	1	1	3	2	-	-	1	-	-	-	-
WHITE-----MALE----	3	-	1	1	2	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	14	22	20	23	28	23	11	5	4	-	-	-
WHITE-----MALE----	13	14	10	13	15	10	6	3	2	-	-	-
FEMALE--	1	8	9	10	12	12	5	2	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	1	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
ARKANSAS -----	18	18	16	15	12	23	10	7	3	-	-	-
WHITE-----MALE----	11	12	8	5	5	12	4	4	1	-	-	-
FEMALE--	6	5	7	8	7	11	6	2	2	-	-	-
ALL OTHER--MALE----	-	-	-	2	-	-	-	1	-	-	-	-
FEMALE--	1	1	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	2	-	-	-	1	-	-	-	-
FEMALE--	1	1	1	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	101	92	139	149	151	132	86	31	14	2	-	-
WHITE-----MALE----	53	48	71	77	62	69	27	9	5	-	-	-
FEMALE--	43	35	60	61	76	53	54	20	8	2	-	-
ALL OTHER--MALE----	2	2	5	8	5	8	1	2	-	-	-	-
FEMALE--	3	7	3	3	8	2	4	-	1	-	-	-
BLACK---MALE----	1	2	1	4	2	4	-	1	-	-	-	-
FEMALE--	2	3	2	1	1	2	-	-	1	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 857
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 0 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
 0 CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
 0 OF BRAIN (191)

0	CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
COLORADO	-----	162	-	1	3	2	-	-	4	3	6	8	9
	WHITE-----MALE----	79	-	-	-	2	-	-	2	3	5	3	3
	FEMALE--	78	-	1	3	-	-	-	2	-	1	5	5
	ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
	FEMALE--	3	-	-	-	-	-	-	-	-	-	-	1
	BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
	FEMALE--	3	-	-	-	-	-	-	-	-	-	-	1
CONNECTICUT	-----	149	-	-	6	-	1	1	-	1	3	4	10
	WHITE-----MALE----	74	-	-	4	-	-	1	-	-	1	1	6
	FEMALE--	65	-	-	1	-	1	-	-	1	1	2	4
	ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	1	-	-
	FEMALE--	6	-	-	1	-	-	-	-	-	-	1	-
	BLACK---MALE----	4	-	-	-	-	-	-	-	-	1	-	-
	FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
DELAWARE	-----	36	-	-	1	1	1	1	-	-	1	1	2
	WHITE-----MALE----	18	-	-	1	1	1	1	-	-	-	-	2
	FEMALE--	15	-	-	-	-	-	-	-	-	1	1	-
	ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
	FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
	BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
	FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA	----	12	-	-	-	-	-	-	-	2	1	2	1
	WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	1
	FEMALE--	2	-	-	-	-	-	-	-	-	-	1	-
	ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	1	1	-
	FEMALE--	4	-	-	-	-	-	-	-	2	-	-	-
	BLACK---MALE----	5	-	-	-	-	-	-	-	-	1	1	-
	FEMALE--	4	-	-	-	-	-	-	-	2	-	-	-
FLORIDA	-----	798	2	7	7	6	5	7	5	11	20	29	37
	WHITE-----MALE----	409	1	3	2	3	2	2	2	5	11	14	21
	FEMALE--	344	1	1	3	-	2	3	3	5	8	14	12
	ALL OTHER--MALE----	19	-	1	-	2	1	1	-	-	-	1	-
	FEMALE--	26	-	2	2	1	-	1	-	1	1	-	4
	BLACK---MALE----	18	-	1	-	2	1	1	-	-	-	1	-
	FEMALE--	23	-	2	2	1	-	-	-	1	-	-	4
GEORGIA	-----	296	-	2	6	3	3	5	3	7	10	10	21
	WHITE-----MALE----	142	-	-	1	1	2	-	1	3	5	6	15
	FEMALE--	112	-	-	3	2	-	2	1	1	4	2	6
	ALL OTHER--MALE----	19	-	1	2	-	1	2	1	1	-	-	-
	FEMALE--	23	-	1	-	-	-	1	-	2	1	2	-
	BLACK---MALE----	19	-	1	2	-	1	2	1	1	-	-	-
	FEMALE--	23	-	1	-	-	-	1	-	2	1	2	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 857
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 0 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
 0 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 0 OF BRAIN (191)

	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
COLORADO -----	13	11	16	27	22	19	10	8	-	-	-	-
WHITE-----MALE----	5	8	7	14	15	10	1	1	-	-	-	-
FEMALE--	6	3	8	13	6	9	9	7	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	1	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	1	-	1	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	15	13	12	20	24	13	16	8	2	-	-	-
WHITE-----MALE----	6	8	8	10	11	6	7	5	-	-	-	-
FEMALE--	9	5	4	8	12	4	8	3	2	-	-	-
ALL OTHER--MALE----	-	-	-	1	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	2	1	-	-	-	-	-
BLACK---MALE----	-	-	-	1	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	2	1	-	-	-	-	-
DELAWARE -----	4	5	1	4	5	4	1	4	-	-	-	-
WHITE-----MALE----	1	3	1	2	2	2	-	1	-	-	-	-
FEMALE--	1	2	-	1	3	2	1	3	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	2	1	2	-	1	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	1	2	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	1	2	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-
FLORIDA -----	56	54	62	123	137	113	63	37	15	2	-	-
WHITE-----MALE----	33	28	36	65	71	51	34	19	5	1	-	-
FEMALE--	20	24	24	54	56	58	28	17	10	1	-	-
ALL OTHER--MALE----	1	1	-	2	7	1	1	-	-	-	-	-
FEMALE--	2	1	2	2	3	3	-	1	-	-	-	-
BLACK---MALE----	1	1	-	2	6	1	1	-	-	-	-	-
FEMALE--	2	1	2	1	3	3	-	1	-	-	-	-
GEORGIA -----	24	32	43	47	30	28	14	5	3	-	-	-
WHITE-----MALE----	10	16	17	26	20	13	6	-	-	-	-	-
FEMALE--	8	14	22	16	8	14	7	2	-	-	-	-
ALL OTHER--MALE----	2	1	2	2	1	1	-	1	1	-	-	-
FEMALE--	4	1	2	3	1	-	1	2	2	-	-	-
BLACK---MALE----	2	1	2	2	1	1	-	1	1	-	-	-
FEMALE--	4	1	2	3	1	-	1	2	2	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 858
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 0 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
 0 CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
 0 OF BRAIN (191)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
HAWAII -----	33	-	-	-	1	-	-	-	-	1	2	2
WHITE-----MALE----	7	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	11	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	11	-	-	-	1	-	-	-	-	-	1	2
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	54	-	1	1	-	1	-	-	3	-	3	5
WHITE-----MALE----	32	-	-	1	-	-	-	-	2	-	2	3
FEMALE--	22	-	1	-	-	1	-	-	1	-	1	2
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	464	-	9	7	6	5	1	3	12	24	15	28
WHITE-----MALE----	250	-	4	6	2	3	1	-	8	17	11	16
FEMALE--	181	-	3	1	3	1	-	2	3	5	3	10
ALL OTHER--MALE----	8	-	-	-	-	1	-	1	1	-	1	1
FEMALE--	25	-	2	-	1	-	-	-	-	2	-	1
BLACK---MALE----	7	-	-	-	-	1	-	1	1	-	-	1
FEMALE--	22	-	2	-	1	-	-	-	-	2	-	1
INDIANA -----	268	1	2	3	3	1	4	4	6	7	12	17
WHITE-----MALE----	119	-	1	1	1	-	3	3	4	3	4	6
FEMALE--	140	1	1	2	2	1	1	1	2	3	8	9
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	5	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	5	-	-	-	-	-	-	-	-	1	-	-
IOWA -----	170	1	2	2	2	1	-	2	5	5	8	12
WHITE-----MALE----	84	-	2	1	2	-	-	2	3	3	4	9
FEMALE--	85	1	-	1	-	1	-	-	2	2	3	3
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS -----	150	1	3	5	4	-	1	4	4	4	7	10
WHITE-----MALE----	78	1	1	3	2	-	1	3	1	1	3	6
FEMALE--	64	-	1	1	1	-	-	1	3	3	4	4
ALL OTHER--MALE----	4	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	1	1	-	-	-	-	-	-	-
BLACK---MALE----	3	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	1	1	-	-	-	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 859
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
0 CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
0 OF BRAIN (191)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
KENTUCKY -----	230	-	2	2	1	3	2	2	2	12	13	16
WHITE-----MALE----	139	-	2	-	-	2	2	-	1	9	9	12
FEMALE--	84	-	-	2	1	1	-	1	1	2	4	4
ALL OTHER--MALE----	6	-	-	-	-	-	-	1	-	1	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	5	-	-	-	-	-	-	1	-	1	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	176	1	4	2	2	1	2	1	5	6	10	15
WHITE-----MALE----	66	-	2	1	-	-	-	-	-	3	6	5
FEMALE--	81	1	1	1	1	-	-	-	3	2	3	7
ALL OTHER--MALE----	18	-	1	-	-	-	1	1	2	1	1	3
FEMALE--	11	-	-	-	1	1	1	-	-	-	-	-
BLACK---MALE----	17	-	1	-	-	-	1	1	2	1	1	2
FEMALE--	10	-	-	-	1	1	1	-	-	-	-	-
MAINE -----	79	-	-	3	-	-	2	-	1	2	3	8
WHITE-----MALE----	53	-	-	1	1	-	2	-	1	1	2	6
FEMALE--	26	-	-	2	-	-	-	-	-	1	1	2
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	201	1	1	5	2	2	-	6	5	7	15	9
WHITE-----MALE----	87	-	-	3	-	-	-	5	2	4	6	5
FEMALE--	88	1	-	1	-	1	-	-	2	2	7	3
ALL OTHER--MALE----	14	-	1	1	1	1	-	1	-	1	1	-
FEMALE--	12	-	-	-	1	-	-	-	1	-	1	1
BLACK---MALE----	14	-	1	1	1	1	-	1	-	1	1	-
FEMALE--	11	-	-	-	1	-	-	-	1	-	1	1
MASSACHUSETTS -----	280	-	1	5	2	1	2	6	9	10	14	20
WHITE-----MALE----	172	-	1	4	1	1	2	4	5	6	12	12
FEMALE--	101	-	-	1	1	-	-	2	4	3	2	8
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	1	-	-
MICHIGAN -----	495	2	6	5	3	7	2	7	16	16	38	38
WHITE-----MALE----	257	-	3	1	1	5	1	2	12	8	19	22
FEMALE--	203	2	2	1	1	2	1	5	4	7	14	13
ALL OTHER--MALE----	18	-	-	1	-	-	-	-	-	1	4	-
FEMALE--	17	-	1	2	1	-	-	-	-	-	1	3
BLACK---MALE----	16	-	-	1	-	-	-	-	-	1	2	-
FEMALE--	13	-	1	2	1	-	-	-	-	-	1	1

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 859
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
0 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 OF BRAIN (191)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
KENTUCKY -----	22	21	22	26	33	26	13	11	1	-	-	-
WHITE-----MALE----	14	14	15	15	20	9	9	6	-	-	-	-
FEMALE--	7	7	7	10	10	17	4	5	1	-	-	-
ALL OTHER--MALE----	-	-	-	1	3	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	2	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	14	12	19	25	16	20	11	8	2	-	-	-
WHITE-----MALE----	6	6	9	10	5	6	5	1	1	-	-	-
FEMALE--	7	5	6	9	10	12	6	6	1	-	-	-
ALL OTHER--MALE----	-	1	2	4	-	1	-	-	-	-	-	-
FEMALE--	1	-	2	2	1	1	-	1	-	-	-	-
BLACK---MALE----	-	1	2	4	-	1	-	-	-	-	-	-
FEMALE--	1	-	1	2	1	1	-	1	-	-	-	-
MAINE -----	5	4	6	13	10	9	6	6	-	-	-	-
WHITE-----MALE----	3	4	3	8	8	6	3	4	-	-	-	-
FEMALE--	2	-	3	5	2	3	3	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	17	11	16	22	28	22	17	13	2	-	-	-
WHITE-----MALE----	9	6	5	11	8	7	11	5	-	-	-	-
FEMALE--	7	1	9	8	16	14	6	8	2	-	-	-
ALL OTHER--MALE----	-	2	2	2	1	-	-	-	-	-	-	-
FEMALE--	1	2	-	1	3	1	-	-	-	-	-	-
BLACK---MALE----	-	2	2	2	1	-	-	-	-	-	-	-
FEMALE--	-	2	-	1	3	1	-	-	-	-	-	-
MASSACHUSETTS -----	24	22	28	33	36	36	19	9	3	-	-	-
WHITE-----MALE----	13	13	21	23	25	15	9	4	1	-	-	-
FEMALE--	11	6	6	10	9	21	10	5	2	-	-	-
ALL OTHER--MALE----	-	1	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	2	1	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	2	1	-	1	-	-	-	-	-	-	-
MICHIGAN -----	36	40	49	56	70	46	33	17	6	2	-	-
WHITE-----MALE----	23	21	30	29	36	25	13	4	2	-	-	-
FEMALE--	12	17	16	22	28	19	18	13	4	2	-	-
ALL OTHER--MALE----	1	1	3	2	4	-	1	-	-	-	-	-
FEMALE--	-	1	-	3	2	2	1	-	-	-	-	-
BLACK---MALE----	1	1	3	2	4	-	1	-	-	-	-	-
FEMALE--	-	1	-	2	1	2	1	-	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 860
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 0 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
 0 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 0 OF BRAIN (191)

	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
MINNESOTA -----	15	16	19	27	32	17	17	4	2	-	-	-
WHITE-----MALE----	10	11	10	13	21	6	9	3	1	-	-	-
FEMALE--	5	5	9	14	11	11	7	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI -----	12	13	13	16	10	13	10	8	1	-	-	-
WHITE-----MALE----	6	7	4	3	5	4	4	3	1	-	-	-
FEMALE--	5	5	6	9	5	7	5	4	-	-	-	-
ALL OTHER--MALE----	-	-	1	3	-	2	1	-	-	-	-	-
FEMALE--	1	1	2	1	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	1	3	-	2	1	-	-	-	-	-
FEMALE--	1	1	2	1	-	-	-	1	-	-	-	-
MISSOURI -----	18	29	31	30	29	30	14	6	1	1	-	-
WHITE-----MALE----	7	16	9	12	15	19	10	1	-	-	-	-
FEMALE--	9	12	18	17	14	10	4	5	1	1	-	-
ALL OTHER--MALE----	1	-	2	-	-	1	-	-	-	-	-	-
FEMALE--	1	1	2	1	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	2	-	-	1	-	-	-	-	-	-
FEMALE--	1	1	2	1	-	-	-	-	-	-	-	-
MONTANA -----	4	4	5	6	2	6	3	-	1	-	-	-
WHITE-----MALE----	4	4	2	3	-	2	3	-	-	-	-	-
FEMALE--	-	-	3	3	2	4	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	4	5	7	8	12	10	5	3	-	-	-	-
WHITE-----MALE----	3	2	4	3	5	7	3	2	-	-	-	-
FEMALE--	1	3	3	5	6	3	2	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
NEVADA -----	1	7	6	9	9	6	1	2	1	-	-	-
WHITE-----MALE----	-	4	5	5	4	4	-	2	1	-	-	-
FEMALE--	1	3	1	3	4	2	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 862
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 0 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
 0 CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
 0 OF BRAIN (191)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
OHIO -----	519	2	7	5	5	7	6	7	12	20	28	37
WHITE-----MALE----	270	1	4	1	4	2	4	4	6	10	21	23
FEMALE--	212	1	2	2	1	4	2	3	4	7	7	10
ALL OTHER--MALE----	26	-	-	1	-	-	-	-	1	2	-	3
FEMALE--	11	-	1	1	-	1	-	-	1	1	-	1
BLACK---MALE----	26	-	-	1	-	-	-	-	1	2	-	3
FEMALE--	11	-	1	1	-	1	-	-	1	1	-	1
OKLAHOMA -----	178	-	-	1	-	1	2	-	6	6	8	10
WHITE-----MALE----	99	-	-	1	-	1	1	-	5	5	4	6
FEMALE--	70	-	-	-	-	-	-	-	1	1	4	4
ALL OTHER--MALE----	5	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	167	-	1	1	-	3	2	2	3	4	3	16
WHITE-----MALE----	95	-	1	1	-	-	-	1	3	2	3	14
FEMALE--	68	-	-	-	-	2	1	1	-	2	-	2
ALL OTHER--MALE----	4	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	647	1	4	1	7	4	8	6	9	18	35	35
WHITE-----MALE----	353	1	1	1	3	2	5	5	3	10	26	21
FEMALE--	273	-	3	-	3	2	3	-	6	7	8	13
ALL OTHER--MALE----	11	-	-	-	-	-	-	1	-	1	1	-
FEMALE--	10	-	-	-	1	-	-	-	-	-	-	1
BLACK---MALE----	11	-	-	-	-	-	-	1	-	1	1	-
FEMALE--	10	-	-	-	1	-	-	-	-	-	-	1
RHODE ISLAND -----	60	-	-	1	2	-	-	-	2	3	-	2
WHITE-----MALE----	33	-	-	1	-	-	-	-	1	2	-	1
FEMALE--	26	-	-	-	2	-	-	-	-	1	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	172	-	-	5	2	1	1	3	8	9	8	11
WHITE-----MALE----	70	-	-	3	-	-	-	2	2	2	1	3
FEMALE--	79	-	-	2	1	1	-	1	6	5	3	6
ALL OTHER--MALE----	13	-	-	-	1	-	1	-	-	-	-	2
FEMALE--	10	-	-	-	-	-	-	-	-	2	4	-
BLACK---MALE----	13	-	-	-	1	-	1	-	-	-	-	2
FEMALE--	8	-	-	-	-	-	-	-	-	2	3	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 862
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
0 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 OF BRAIN (191)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
OHIO -----	51	38	53	70	69	53	36	9	4	-	-	-
WHITE-----MALE----	23	26	25	41	32	24	16	2	1	-	-	-
FEMALE--	24	10	25	27	29	26	18	7	3	-	-	-
ALL OTHER--MALE----	4	2	3	1	7	1	1	-	-	-	-	-
FEMALE--	-	-	-	1	1	2	1	-	-	-	-	-
BLACK---MALE----	4	2	3	1	7	1	1	-	-	-	-	-
FEMALE--	-	-	-	1	1	2	1	-	-	-	-	-
OKLAHOMA -----	13	17	20	20	16	28	20	7	2	-	-	1
WHITE-----MALE----	9	12	11	9	10	13	8	3	-	-	-	1
FEMALE--	3	5	7	10	5	13	11	4	2	-	-	-
ALL OTHER--MALE----	1	-	-	1	1	1	-	-	-	-	-	-
FEMALE--	-	-	2	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	2	-	-	-	1	-	-	-	-	-
OREGON -----	13	22	20	17	20	19	13	7	1	-	-	-
WHITE-----MALE----	7	10	11	12	11	11	5	3	-	-	-	-
FEMALE--	5	12	9	5	8	8	8	4	1	-	-	-
ALL OTHER--MALE----	1	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	39	49	66	94	108	94	45	16	6	2	-	-
WHITE-----MALE----	25	25	42	53	56	46	17	7	3	1	-	-
FEMALE--	12	22	21	39	49	46	26	9	3	1	-	-
ALL OTHER--MALE----	2	2	1	-	1	1	1	-	-	-	-	-
FEMALE--	-	-	2	2	2	1	1	-	-	-	-	-
BLACK---MALE----	2	2	1	-	1	1	1	-	-	-	-	-
FEMALE--	-	-	2	2	2	1	1	-	-	-	-	-
RHODE ISLAND -----	6	3	6	6	8	11	7	1	2	-	-	-
WHITE-----MALE----	3	3	4	4	6	3	4	1	-	-	-	-
FEMALE--	3	-	2	2	2	8	3	-	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	9	19	17	24	20	20	7	8	-	-	-	-
WHITE-----MALE----	3	10	10	11	7	11	2	3	-	-	-	-
FEMALE--	4	5	6	11	12	6	5	5	-	-	-	-
ALL OTHER--MALE----	2	3	1	1	1	1	-	-	-	-	-	-
FEMALE--	-	1	-	1	-	2	-	-	-	-	-	-
BLACK---MALE----	2	3	1	1	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	2	-	-	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 863
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
0 CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
0 OF BRAIN (191)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
SOUTH DAKOTA -----	40	-	2	1	2	-	-	-	-	-	-	4
WHITE-----MALE----	21	-	1	-	1	-	-	-	-	-	-	3
FEMALE--	18	-	-	1	1	-	-	-	-	-	-	1
ALL OTHER--MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	302	-	1	4	5	3	2	4	7	12	14	13
WHITE-----MALE----	152	-	-	3	-	2	2	2	4	9	8	8
FEMALE--	130	-	1	1	3	-	-	1	3	2	4	3
ALL OTHER--MALE----	13	-	-	-	-	-	-	1	-	1	2	2
FEMALE--	7	-	-	-	2	1	-	-	-	-	-	-
BLACK---MALE----	13	-	-	-	-	-	-	1	-	1	2	2
FEMALE--	7	-	-	-	2	1	-	-	-	-	-	-
TEXAS -----	815	2	13	16	15	11	11	8	17	30	30	54
WHITE-----MALE----	389	2	7	5	7	3	4	4	7	14	13	20
FEMALE--	372	-	5	8	6	4	5	4	8	13	13	30
ALL OTHER--MALE----	24	-	-	2	1	2	1	-	1	-	3	2
FEMALE--	30	-	1	1	1	2	1	-	1	3	1	2
BLACK---MALE----	23	-	-	2	1	2	1	-	1	-	3	2
FEMALE--	27	-	1	1	1	2	1	-	1	2	1	2
UTAH -----	78	-	-	1	1	2	-	3	2	2	7	5
WHITE-----MALE----	46	-	-	1	-	1	-	2	1	1	4	4
FEMALE--	32	-	-	-	1	1	-	1	1	1	3	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	27	-	-	1	-	1	-	-	2	1	1	6
WHITE-----MALE----	15	-	-	1	-	1	-	-	1	1	-	4
FEMALE--	12	-	-	-	-	-	-	-	1	-	1	2
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	263	-	3	4	3	-	5	8	5	6	17	15
WHITE-----MALE----	121	-	2	1	1	-	1	3	2	3	8	7
FEMALE--	108	-	1	2	1	-	2	2	2	2	8	7
ALL OTHER--MALE----	23	-	-	1	1	-	2	1	-	-	1	1
FEMALE--	11	-	-	-	-	-	-	2	1	1	-	-
BLACK---MALE----	23	-	-	1	1	-	2	1	-	-	1	1
FEMALE--	10	-	-	-	-	-	-	1	1	1	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 863
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
0 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 OF BRAIN (191)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
SOUTH DAKOTA -----	6	2	4	4	5	4	2	2	1	-	1	-
WHITE-----MALE----	2	2	3	2	1	3	1	1	1	-	-	-
FEMALE--	4	-	1	2	4	1	1	1	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	34	33	34	31	40	33	18	10	3	1	-	-
WHITE-----MALE----	20	19	20	11	21	16	5	1	1	-	-	-
FEMALE--	13	10	12	20	17	16	13	8	2	1	-	-
ALL OTHER--MALE----	1	2	1	-	1	1	-	1	-	-	-	-
FEMALE--	-	2	1	-	1	-	-	-	-	-	-	-
BLACK---MALE----	1	2	1	-	1	1	-	1	-	-	-	-
FEMALE--	-	2	1	-	1	-	-	-	-	-	-	-
TEXAS -----	62	74	86	97	113	81	49	33	11	2	-	-
WHITE-----MALE----	31	41	52	52	66	31	17	10	3	-	-	-
FEMALE--	25	32	32	40	42	47	29	19	8	2	-	-
ALL OTHER--MALE----	3	1	1	1	2	1	1	2	-	-	-	-
FEMALE--	3	-	1	4	3	2	2	2	-	-	-	-
BLACK---MALE----	3	-	1	1	2	1	1	2	-	-	-	-
FEMALE--	2	-	1	4	3	2	2	1	-	-	-	-
UTAH -----	4	5	7	12	14	7	3	1	2	-	-	-
WHITE-----MALE----	2	3	5	6	10	2	3	1	-	-	-	-
FEMALE--	2	2	2	6	4	5	-	-	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	2	-	3	2	3	4	1	-	-	-	-	-
WHITE-----MALE----	2	-	-	-	2	3	-	-	-	-	-	-
FEMALE--	-	-	3	2	1	1	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	23	23	25	36	37	31	14	5	3	-	-	-
WHITE-----MALE----	15	12	13	18	19	8	5	2	1	-	-	-
FEMALE--	6	6	10	14	16	17	7	3	2	-	-	-
ALL OTHER--MALE----	1	3	2	2	1	5	2	-	-	-	-	-
FEMALE--	1	2	-	2	1	1	-	-	-	-	-	-
BLACK---MALE----	1	3	2	2	1	5	2	-	-	-	-	-
FEMALE--	1	2	-	2	1	1	-	-	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 865
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
0 CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
0 OF OTHER AND UNSPECIFIED PARTS OF NERVOUS SYSTEM (192)

0	CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0	UNITED STATES --	270	2	9	3	7	3	3	7	6	8	12	14
	WHITE-----MALE----	116	-	3	1	-	-	3	3	2	5	3	9
	FEMALE--	113	2	4	2	2	-	2	2	2	2	7	3
	ALL OTHER--MALE----	23	-	1	-	4	3	-	1	1	1	-	2
	FEMALE--	18	-	1	-	1	-	1	1	1	-	2	-
	BLACK---MALE----	17	-	-	-	4	3	-	1	1	-	-	1
	FEMALE--	17	-	1	-	1	-	1	-	-	-	2	-
ALABAMA	-----	3	-	-	-	-	-	-	-	-	-	-	-
	WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
	BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA	-----	1	-	-	-	-	-	-	-	-	-	-	-
	WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
	FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
	BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA	-----	7	-	-	1	-	-	-	-	-	1	-	1
	WHITE-----MALE----	5	-	-	-	-	-	-	-	-	1	-	1
	FEMALE--	2	-	-	1	-	-	-	-	-	-	-	-
	ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
	BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS	-----	2	-	-	-	1	1	-	-	-	-	-	-
	WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER--MALE----	2	-	-	-	1	1	-	-	-	-	-	-
	FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
	BLACK---MALE----	2	-	-	-	1	1	-	-	-	-	-	-
	FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA	-----	23	-	1	1	1	-	2	-	2	1	-	1
	WHITE-----MALE----	8	-	-	1	-	-	2	-	-	-	-	-
	FEMALE--	8	-	-	-	-	-	-	-	1	-	-	-
	ALL OTHER--MALE----	3	-	1	-	-	-	-	-	-	1	-	1
	FEMALE--	4	-	-	-	1	-	-	-	1	-	-	-
	BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	1
	FEMALE--	3	-	-	-	1	-	-	-	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 865
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 0 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
 0 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 0 OF OTHER AND UNSPECIFIED PARTS OF NERVOUS SYSTEM (192)

0	CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0	UNITED STATES --	16	10	22	33	43	30	31	8	2	1	-	-
	WHITE-----MALE----	5	4	9	20	20	13	15	1	-	-	-	-
	FEMALE--	8	4	8	11	16	17	13	7	2	1	-	-
	ALL OTHER--MALE----	3	1	3	1	1	-	1	-	-	-	-	-
	FEMALE--	-	1	2	1	6	-	2	-	-	-	-	-
	BLACK---MALE----	2	1	2	1	1	-	-	-	-	-	-	-
	FEMALE--	-	1	2	1	6	-	2	-	-	-	-	-
ALABAMA	-----	-	1	-	-	-	2	-	-	-	-	-	-
	WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE--	-	1	-	-	-	2	-	-	-	-	-	-
	ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
	BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA	-----	1	-	-	-	-	-	-	-	-	-	-	-
	WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
	FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
	BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA	-----	-	1	-	2	1	-	-	-	-	-	-	-
	WHITE-----MALE----	-	1	-	1	1	-	-	-	-	-	-	-
	FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
	ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
	BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS	-----	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
	BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA	-----	2	-	1	3	4	3	-	1	-	-	-	-
	WHITE-----MALE----	-	-	-	2	2	1	-	-	-	-	-	-
	FEMALE--	2	-	1	1	-	2	-	1	-	-	-	-
	ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE--	-	-	-	-	2	-	-	-	-	-	-	-
	BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE--	-	-	-	-	2	-	-	-	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 866
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
0 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 OF OTHER AND UNSPECIFIED PARTS OF NERVOUS SYSTEM (192)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
COLORADO -----	-	1	-	1	-	2	2	-	-	-	-	-
WHITE-----MALE----	-	-	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	1	2	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	1	-	1	1	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	1	2	1	1	6	2	6	2	-	-	-	-
WHITE-----MALE----	-	2	-	1	2	-	3	1	-	-	-	-
FEMALE--	1	-	1	-	2	2	2	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
GEORGIA -----	1	-	-	-	2	-	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 868
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
 0 CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
 0 OF OTHER AND UNSPECIFIED PARTS OF NERVOUS SYSTEM (192)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
KENTUCKY -----	6	-	1	-	-	-	-	-	-	1	-	2
WHITE-----MALE----	4	-	1	-	-	-	-	-	-	1	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	4	-	-	-	-	-	-	-	-	-	1	1
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
MAINE -----	1	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	6	-	-	-	-	-	-	-	-	-	2	-
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS -----	6	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	11	-	-	-	-	-	-	1	-	-	-	1
WHITE-----MALE----	6	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 874
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
0 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 OF THYROID GLAND AND OTHER ENDOCRINE GLANDS AND RELATED STRUCTURES (193-194)

	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 UNITED STATES --	101	107	140	208	259	238	230	148	55	13	2	-
WHITE-----MALE----	47	45	56	106	104	89	65	31	11	1	-	-
FEMALE--	42	46	70	79	126	124	142	102	40	11	2	-
ALL OTHER--MALE----	5	8	5	10	7	8	7	3	2	-	-	-
FEMALE--	7	8	9	13	22	17	16	12	2	1	-	-
BLACK---MALE----	4	6	5	8	7	5	5	2	1	-	-	-
FEMALE--	6	6	7	9	12	15	10	10	2	1	-	-
ALABAMA -----	1	3	3	1	4	2	4	1	-	-	-	-
WHITE-----MALE----	-	1	1	1	2	-	2	-	-	-	-	-
FEMALE--	-	2	1	-	1	1	2	-	-	-	-	-
ALL OTHER--MALE----	1	-	1	-	-	1	-	1	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	1	-	1	-	-	1	-	1	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
ALASKA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	-	2	2	5	4	3	4	5	-	-	-	-
WHITE-----MALE----	-	2	-	4	2	-	-	1	-	-	-	-
FEMALE--	-	-	2	1	2	3	4	4	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	2	2	2	1	4	4	1	1	-	-	-	-
WHITE-----MALE----	2	2	2	-	2	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	3	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	1	-	-	-	-
CALIFORNIA -----	12	12	12	25	21	25	27	20	9	1	-	-
WHITE-----MALE----	6	4	6	12	9	9	7	5	2	-	-	-
FEMALE--	5	5	5	10	9	11	16	11	5	1	-	-
ALL OTHER--MALE----	-	1	-	1	1	3	-	1	1	-	-	-
FEMALE--	1	2	1	2	2	2	4	3	1	-	-	-
BLACK---MALE----	-	1	-	-	1	2	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	-	1	1	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 875
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
 0 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 0 OF THYROID GLAND AND OTHER ENDOCRINE GLANDS AND RELATED STRUCTURES (193-194)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
COLORADO -----	2	2	-	3	2	1	3	-	-	-	-	-
WHITE-----MALE----	2	-	-	2	-	1	-	-	-	-	-	-
FEMALE--	-	2	-	1	2	-	3	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	1	-	1	-	6	5	3	1	1	-	-	-
WHITE-----MALE----	1	-	1	-	2	3	1	-	-	-	-	-
FEMALE--	-	-	-	-	3	2	2	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	1	-	-	2	1	2	-	2	-	-	-
WHITE-----MALE----	-	1	-	-	1	1	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	-	-	1	-	-	-	1	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
FLORIDA -----	7	8	8	13	16	16	18	9	4	2	1	-
WHITE-----MALE----	5	7	3	6	5	4	8	1	1	-	-	-
FEMALE--	1	1	3	6	11	12	10	8	3	2	1	-
ALL OTHER--MALE----	-	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	1	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	1	-	1	-	-	-	-	-	-	-	-	-
GEORGIA -----	1	3	1	4	3	8	2	3	-	-	-	-
WHITE-----MALE----	-	1	-	2	1	1	1	1	-	-	-	-
FEMALE--	1	-	1	2	1	5	1	1	-	-	-	-
ALL OTHER--MALE----	-	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	2	-	1	-	-	-	-
BLACK---MALE----	-	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	2	-	1	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 877
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
0 CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
0 OF THYROID GLAND AND OTHER ENDOCRINE GLANDS AND RELATED STRUCTURES (193-194)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
KENTUCKY -----	29	-	1	2	1	-	-	-	1	-	-	2
WHITE-----MALE----	13	-	1	2	1	-	-	-	-	-	-	-
FEMALE--	12	-	-	-	-	-	-	-	1	-	-	2
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	29	-	1	2	-	1	-	1	-	-	-	-
WHITE-----MALE----	10	-	-	2	-	-	-	-	-	-	-	-
FEMALE--	12	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	4	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	1	-	-	-	-
MAINE -----	10	-	-	-	-	-	-	-	-	-	1	2
WHITE-----MALE----	6	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	31	-	-	2	-	-	1	-	-	2	-	-
WHITE-----MALE----	15	-	-	1	-	-	1	-	-	1	-	-
FEMALE--	12	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	1	-	-	-	-	-	-	-	-
MASSACHUSETTS -----	43	-	1	1	-	1	-	-	1	2	1	2
WHITE-----MALE----	15	-	-	-	-	-	-	-	1	1	1	1
FEMALE--	27	-	1	-	-	1	-	-	-	1	-	1
ALL OTHER--MALE----	1	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	60	-	3	1	2	-	1	1	1	2	1	2
WHITE-----MALE----	21	-	-	-	1	-	1	-	-	-	1	-
FEMALE--	28	-	1	1	-	-	-	-	-	2	-	2
ALL OTHER--MALE----	5	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	6	-	2	-	-	-	-	1	1	-	-	-
BLACK---MALE----	3	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	5	-	2	-	-	-	-	1	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 877
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
0 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 OF THYROID GLAND AND OTHER ENDOCRINE GLANDS AND RELATED STRUCTURES (193-194)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
KENTUCKY -----	2	-	2	2	3	4	6	2	1	-	-	-
WHITE-----MALE----	2	-	1	-	1	2	2	1	-	-	-	-
FEMALE--	-	-	-	2	1	1	3	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	1	1	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	1	1	-	-	-	-	-
LOUISIANA -----	1	1	5	4	8	5	-	-	-	-	-	-
WHITE-----MALE----	-	-	2	3	3	-	-	-	-	-	-	-
FEMALE--	1	-	3	1	3	3	-	-	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	-	-	-	-	-
MAINE -----	-	1	-	1	3	-	-	1	1	-	-	-
WHITE-----MALE----	-	1	-	-	2	-	-	-	1	-	-	-
FEMALE--	-	-	-	1	1	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	1	1	3	5	1	5	5	3	-	2	-	-
WHITE-----MALE----	1	1	2	2	1	3	-	2	-	-	-	-
FEMALE--	-	-	1	1	-	2	4	1	-	2	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
MASSACHUSETTS -----	2	2	4	1	3	5	7	5	3	2	-	-
WHITE-----MALE----	-	1	-	1	2	1	4	1	1	-	-	-
FEMALE--	2	1	4	-	1	4	3	4	2	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	3	4	3	3	11	7	9	3	3	-	-	-
WHITE-----MALE----	-	2	2	-	7	3	3	-	1	-	-	-
FEMALE--	-	1	1	3	4	3	6	2	2	-	-	-
ALL OTHER--MALE----	2	1	-	-	-	-	-	1	-	-	-	-
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 880
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
0 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 OF THYROID GLAND AND OTHER ENDOCRINE GLANDS AND RELATED STRUCTURES (193-194)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
OHIO -----	5	-	8	14	12	12	9	4	5	-	-	-
WHITE-----MALE----	1	-	2	12	6	5	3	1	-	-	-	-
FEMALE--	4	-	6	2	5	6	5	3	5	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	1	-	-	-	-	-
OKLAHOMA -----	1	1	3	3	2	4	1	3	1	-	-	-
WHITE-----MALE----	1	1	1	1	2	1	-	1	-	-	-	-
FEMALE--	-	-	1	2	-	3	-	2	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	-	4	1	4	8	3	1	1	2	1	-	-
WHITE-----MALE----	-	2	-	3	4	2	-	-	-	1	-	-
FEMALE--	-	2	1	1	3	1	1	1	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	3	4	7	17	17	17	9	10	4	-	-	-
WHITE-----MALE----	-	1	5	8	7	7	3	1	-	-	-	-
FEMALE--	3	3	2	6	10	9	6	9	3	-	-	-
ALL OTHER--MALE----	-	-	-	2	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	-	-	1	-	-	-
BLACK---MALE----	-	-	-	2	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	1	-	-	-
RHODE ISLAND -----	-	-	-	-	-	1	3	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	2	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	4	-	-	3	3	2	5	1	-	-	-	-
WHITE-----MALE----	1	-	-	1	1	2	1	-	-	-	-	-
FEMALE--	2	-	-	1	1	-	2	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	1	1	-	2	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	1	1	-	2	-	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 881
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
0 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 OF THYROID GLAND AND OTHER ENDOCRINE GLANDS AND RELATED STRUCTURES (193-194)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
SOUTH DAKOTA -----	-	1	1	1	1	1	2	2	1	-	-	-
WHITE-----MALE----	-	1	-	1	1	-	-	-	1	-	-	-
FEMALE--	-	-	1	-	-	1	2	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	1	2	3	5	4	5	4	1	1	-	-	-
WHITE-----MALE----	1	1	1	2	1	5	2	-	-	-	-	-
FEMALE--	-	-	1	3	3	-	2	1	1	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
TEXAS -----	12	12	12	19	12	11	14	11	1	1	-	-
WHITE-----MALE----	7	5	6	10	4	5	4	3	-	-	-	-
FEMALE--	5	4	4	7	7	4	9	8	1	1	-	-
ALL OTHER--MALE----	-	1	1	1	-	1	-	-	-	-	-	-
FEMALE--	-	2	1	1	1	1	1	-	-	-	-	-
BLACK---MALE----	-	1	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	2	1	1	-	1	1	-	-	-	-	-
UTAH -----	-	-	1	2	1	1	-	-	-	-	-	-
WHITE-----MALE----	-	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	1	-	1	2	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	3	3	4	6	5	1	9	5	2	-	-	-
WHITE-----MALE----	2	2	2	3	2	1	2	1	-	-	-	-
FEMALE--	-	1	1	2	2	-	6	-	2	-	-	-
ALL OTHER--MALE----	-	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	1	-	1	-	-	-	1	4	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	1	-	1	-	-	-	1	4	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 883
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 0 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
 0 CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
 0 OF ALL OTHER AND UNSPECIFIED SITES (195-199)

0	CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0	UNITED STATES --	37,466	6	14	12	21	37	37	84	185	370	679	1,184
	WHITE-----MALE----	16,609	4	5	3	7	22	14	38	87	156	276	494
	FEMALE--	15,939	2	8	3	11	5	10	27	55	121	218	398
	ALL OTHER--MALE----	2,554	-	1	3	-	3	7	7	22	48	99	172
	FEMALE--	2,364	-	-	3	3	7	6	12	21	45	86	120
	BLACK---MALE----	2,225	-	1	3	-	3	7	4	16	40	89	148
	FEMALE--	2,032	-	-	2	1	4	5	11	16	37	66	102
ALABAMA	-----	1,108	-	1	-	-	1	2	3	7	9	28	35
	WHITE-----MALE----	442	-	-	-	-	-	-	2	1	3	8	11
	FEMALE--	424	-	-	-	-	-	2	1	2	2	7	12
	ALL OTHER--MALE----	125	-	1	-	-	-	-	-	3	2	6	9
	FEMALE--	117	-	-	-	-	1	-	-	1	2	7	3
	BLACK---MALE----	124	-	1	-	-	-	-	-	3	2	6	8
	FEMALE--	116	-	-	-	-	1	-	-	1	2	6	3
ALASKA	-----	55	-	-	-	-	-	-	-	-	1	1	2
	WHITE-----MALE----	23	-	-	-	-	-	-	-	-	-	1	-
	FEMALE--	18	-	-	-	-	-	-	-	-	1	-	1
	ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
	FEMALE--	11	-	-	-	-	-	-	-	-	-	-	1
	BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA	-----	601	-	-	-	-	-	-	2	5	10	13	18
	WHITE-----MALE----	317	-	-	-	-	-	-	1	5	6	9	11
	FEMALE--	247	-	-	-	-	-	-	-	-	4	3	6
	ALL OTHER--MALE----	16	-	-	-	-	-	-	1	-	-	1	1
	FEMALE--	21	-	-	-	-	-	-	-	-	-	-	-
	BLACK---MALE----	9	-	-	-	-	-	-	-	-	-	-	-
	FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS	-----	347	-	-	-	-	2	-	1	1	2	2	6
	WHITE-----MALE----	157	-	-	-	-	1	-	-	1	1	2	3
	FEMALE--	147	-	-	-	-	-	-	1	-	1	-	1
	ALL OTHER--MALE----	16	-	-	-	-	1	-	-	-	-	-	2
	FEMALE--	27	-	-	-	-	-	-	-	-	-	-	-
	BLACK---MALE----	15	-	-	-	-	1	-	-	-	-	-	2
	FEMALE--	26	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA	-----	3,232	-	4	2	3	3	3	8	14	40	64	107
	WHITE-----MALE----	1,390	-	-	1	1	1	2	6	5	17	16	53
	FEMALE--	1,371	-	4	-	1	1	-	2	3	8	27	33
	ALL OTHER--MALE----	248	-	-	-	-	1	1	-	5	10	8	13
	FEMALE--	223	-	-	1	1	-	-	-	1	5	13	8
	BLACK---MALE----	122	-	-	-	-	1	1	-	2	7	5	5
	FEMALE--	124	-	-	1	1	-	-	-	-	1	9	3

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 883
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
0 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 OF ALL OTHER AND UNSPECIFIED SITES (195-199)

0	CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0	UNITED STATES --	1,793	2,374	3,452	4,768	5,935	5,938	4,988	3,489	1,635	392	71	2
	WHITE-----MALE----	831	1,120	1,696	2,390	2,913	2,750	2,099	1,164	445	81	13	1
	FEMALE--	622	834	1,217	1,722	2,315	2,596	2,413	2,002	1,040	269	50	1
	ALL OTHER--MALE----	213	250	320	370	372	280	200	121	50	14	2	-
	FEMALE--	127	170	219	286	335	312	276	202	100	28	6	-
	BLACK---MALE----	193	229	286	323	324	235	168	101	43	10	2	-
	FEMALE--	104	150	188	249	283	265	241	182	95	25	6	-
	ALABAMA -----	55	62	117	147	185	166	141	91	46	9	3	-
	WHITE-----MALE----	24	23	55	68	93	75	43	24	10	2	-	-
	FEMALE--	18	22	43	47	65	58	68	44	25	5	3	-
	ALL OTHER--MALE----	8	10	12	17	17	13	12	8	6	1	-	-
	FEMALE--	5	7	7	15	10	20	18	15	5	1	-	-
	BLACK---MALE----	8	10	12	17	17	13	12	8	6	1	-	-
	FEMALE--	5	7	7	15	10	20	18	15	5	1	-	-
	ALASKA -----	7	5	6	10	9	5	5	4	-	-	-	-
	WHITE-----MALE----	3	2	1	4	6	4	1	1	-	-	-	-
	FEMALE--	1	2	3	4	2	1	2	1	-	-	-	-
	ALL OTHER--MALE----	-	-	2	-	1	-	-	-	-	-	-	-
	FEMALE--	3	1	-	2	-	-	2	2	-	-	-	-
	BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
	ARIZONA -----	24	44	59	74	91	109	75	41	28	8	-	-
	WHITE-----MALE----	16	21	31	41	47	59	37	21	11	1	-	-
	FEMALE--	8	19	22	30	37	44	35	18	16	5	-	-
	ALL OTHER--MALE----	-	3	2	2	1	2	1	1	-	1	-	-
	FEMALE--	-	1	4	1	6	4	2	1	1	1	-	-
	BLACK---MALE----	-	3	1	2	1	2	-	-	-	-	-	-
	FEMALE--	-	1	2	-	3	-	-	1	-	-	-	-
	ARKANSAS -----	20	22	42	39	54	54	39	34	22	6	1	-
	WHITE-----MALE----	8	11	17	21	24	30	15	14	8	1	-	-
	FEMALE--	10	9	18	14	22	20	19	15	12	4	1	-
	ALL OTHER--MALE----	2	1	2	1	3	1	2	-	1	-	-	-
	FEMALE--	-	1	5	3	5	3	3	5	1	1	-	-
	BLACK---MALE----	2	1	2	-	3	1	2	-	1	-	-	-
	FEMALE--	-	1	5	2	5	3	3	5	1	1	-	-
	CALIFORNIA -----	166	213	316	385	518	537	419	282	118	28	2	-
	WHITE-----MALE----	70	95	158	185	226	244	171	98	36	4	1	-
	FEMALE--	53	78	114	131	233	235	208	151	69	19	1	-
	ALL OTHER--MALE----	27	21	21	43	32	24	18	16	5	3	-	-
	FEMALE--	16	19	23	26	27	34	22	17	8	2	-	-
	BLACK---MALE----	18	12	10	20	15	9	9	7	1	-	-	-
	FEMALE--	12	12	11	16	13	16	11	11	6	1	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 884
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
0 CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
0 OF ALL OTHER AND UNSPECIFIED SITES (195-199)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
COLORADO -----	481	1	-	1	-	-	-	1	1	6	9	18
WHITE-----MALE----	238	1	-	-	-	-	-	1	-	2	5	7
FEMALE--	225	-	-	-	-	-	-	-	1	4	4	10
ALL OTHER--MALE----	8	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	10	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	559	-	-	-	2	-	-	1	2	4	12	15
WHITE-----MALE----	261	-	-	-	-	-	-	1	1	3	6	7
FEMALE--	245	-	-	-	2	-	-	-	1	1	4	5
ALL OTHER--MALE----	30	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	23	-	-	-	-	-	-	-	-	-	1	1
BLACK---MALE----	28	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	21	-	-	-	-	-	-	-	-	-	1	1
DELAWARE -----	128	1	-	-	-	-	-	1	-	2	3	6
WHITE-----MALE----	54	1	-	-	-	-	-	-	-	1	2	3
FEMALE--	52	-	-	-	-	-	-	1	-	-	1	1
ALL OTHER--MALE----	13	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	13	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	1
DISTRICT OF COLUMBIA ----	118	-	-	-	-	-	-	1	1	2	2	9
WHITE-----MALE----	9	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	15	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	52	-	-	-	-	-	-	-	1	2	2	4
FEMALE--	42	-	-	-	-	-	-	-	-	-	-	4
BLACK---MALE----	52	-	-	-	-	-	-	-	1	2	2	4
FEMALE--	42	-	-	-	-	-	-	-	-	-	-	4
FLORIDA -----	2,066	-	1	3	1	-	2	1	7	22	36	48
WHITE-----MALE----	965	-	-	-	-	-	-	-	4	11	17	27
FEMALE--	905	-	1	1	-	-	-	1	-	5	12	13
ALL OTHER--MALE----	110	-	-	2	-	-	-	-	2	5	3	2
FEMALE--	86	-	-	-	1	-	2	-	1	1	4	6
BLACK---MALE----	104	-	-	2	-	-	-	-	2	5	3	2
FEMALE--	81	-	-	-	-	-	2	-	1	-	4	6
GEORGIA -----	1,037	-	-	2	-	3	1	3	13	9	22	57
WHITE-----MALE----	414	-	-	-	-	2	-	1	5	5	3	21
FEMALE--	350	-	-	-	-	-	1	2	2	2	5	14
ALL OTHER--MALE----	138	-	-	1	-	-	-	-	3	-	8	15
FEMALE--	135	-	-	1	-	1	-	-	3	2	6	7
BLACK---MALE----	136	-	-	1	-	-	-	-	3	-	8	15
FEMALE--	132	-	-	1	-	1	-	-	3	2	6	6

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 884
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
0 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 OF ALL OTHER AND UNSPECIFIED SITES (195-199)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
COLORADO -----	24	32	45	66	83	73	61	40	16	4	-	-
WHITE-----MALE----	13	18	25	33	41	38	25	20	8	1	-	-
FEMALE--	11	13	18	31	36	32	34	20	8	3	-	-
ALL OTHER--MALE----	-	1	1	2	2	1	-	-	-	-	-	-
FEMALE--	-	-	1	-	4	2	2	-	-	-	-	-
BLACK---MALE----	-	1	1	2	1	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	2	1	2	-	-	-	-	-
CONNECTICUT -----	34	34	33	61	77	108	86	52	32	4	2	-
WHITE-----MALE----	12	16	17	34	36	49	45	17	16	-	1	-
FEMALE--	15	13	10	21	34	49	37	33	15	4	1	-
ALL OTHER--MALE----	6	3	4	4	3	3	1	2	1	-	-	-
FEMALE--	1	2	2	2	4	7	3	-	-	-	-	-
BLACK---MALE----	5	3	4	4	3	2	1	2	1	-	-	-
FEMALE--	1	2	2	2	3	6	3	-	-	-	-	-
DELAWARE -----	6	5	16	16	17	12	17	16	9	1	-	-
WHITE-----MALE----	2	3	6	9	7	6	7	6	1	-	-	-
FEMALE--	2	1	8	6	5	3	8	10	5	1	-	-
ALL OTHER--MALE----	1	-	1	1	4	2	1	-	1	-	-	-
FEMALE--	1	1	1	-	1	1	1	-	2	-	-	-
BLACK---MALE----	1	-	1	1	4	2	1	-	1	-	-	-
FEMALE--	1	1	1	-	1	1	1	-	2	-	-	-
DISTRICT OF COLUMBIA ----	10	11	12	17	17	13	12	7	4	-	-	-
WHITE-----MALE----	1	-	2	-	2	2	1	-	-	-	-	-
FEMALE--	1	-	1	-	2	2	5	1	2	-	-	-
ALL OTHER--MALE----	6	6	8	10	5	5	3	-	-	-	-	-
FEMALE--	2	5	1	7	8	4	3	6	2	-	-	-
BLACK---MALE----	6	6	8	10	5	5	3	-	-	-	-	-
FEMALE--	2	5	1	7	8	4	3	6	2	-	-	-
FLORIDA -----	84	121	174	280	329	344	307	189	93	23	1	-
WHITE-----MALE----	34	52	97	146	172	153	142	75	30	5	-	-
FEMALE--	36	50	60	108	134	165	143	101	58	16	1	-
ALL OTHER--MALE----	12	15	11	16	11	10	10	8	3	-	-	-
FEMALE--	2	4	6	10	12	16	12	5	2	2	-	-
BLACK---MALE----	12	14	10	14	10	10	9	8	3	-	-	-
FEMALE--	2	4	6	8	11	16	12	5	2	2	-	-
GEORGIA -----	82	76	109	142	142	156	105	73	31	7	4	-
WHITE-----MALE----	29	32	43	67	75	69	34	20	4	1	3	-
FEMALE--	30	20	32	39	41	58	45	33	21	5	-	-
ALL OTHER--MALE----	15	14	21	23	13	14	6	4	1	-	-	-
FEMALE--	8	10	13	13	13	15	20	16	5	1	1	-
BLACK---MALE----	15	14	21	22	13	13	6	4	1	-	-	-
FEMALE--	7	10	13	13	13	15	19	16	5	1	1	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 885
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
0 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 OF ALL OTHER AND UNSPECIFIED SITES (195-199)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
HAWAII -----	7	2	10	11	22	19	21	6	2	-	-	-
WHITE-----MALE----	4	-	4	2	4	4	3	-	1	-	-	-
FEMALE--	1	-	-	2	2	2	3	1	-	-	-	-
ALL OTHER--MALE----	-	2	5	4	6	7	9	4	-	-	-	-
FEMALE--	2	-	1	3	10	6	6	1	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	6	3	11	25	25	23	14	17	5	1	-	-
WHITE-----MALE----	4	2	8	10	14	14	6	8	1	-	-	-
FEMALE--	2	1	3	15	11	9	8	9	4	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	78	128	171	231	284	254	253	156	86	21	5	-
WHITE-----MALE----	33	59	75	115	139	114	99	50	22	5	-	-
FEMALE--	30	35	53	75	105	114	137	92	54	14	5	-
ALL OTHER--MALE----	9	23	26	25	19	14	7	7	3	-	-	-
FEMALE--	6	11	17	16	21	12	10	7	7	2	-	-
BLACK---MALE----	9	22	25	23	19	14	7	7	3	-	-	-
FEMALE--	6	11	17	15	21	11	10	7	7	2	-	-
INDIANA -----	31	36	78	126	159	113	116	79	34	8	1	-
WHITE-----MALE----	17	14	37	73	79	53	47	27	13	1	-	-
FEMALE--	13	17	34	48	64	54	67	50	19	5	1	-
ALL OTHER--MALE----	1	3	3	1	5	2	1	-	-	-	-	-
FEMALE--	-	2	4	4	11	4	1	2	2	2	-	-
BLACK---MALE----	1	3	3	1	5	2	-	-	-	-	-	-
FEMALE--	-	2	3	4	11	4	1	2	2	2	-	-
IOWA -----	12	18	18	33	48	49	48	32	29	3	1	-
WHITE-----MALE----	8	8	10	21	28	27	23	14	11	-	1	-
FEMALE--	4	10	8	12	20	21	25	18	18	3	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
KANSAS -----	16	18	20	49	56	47	56	38	20	5	-	-
WHITE-----MALE----	9	11	12	25	26	22	25	16	6	-	-	-
FEMALE--	7	4	8	23	26	25	30	20	13	5	-	-
ALL OTHER--MALE----	-	3	-	1	3	-	-	1	1	-	-	-
FEMALE--	-	-	-	-	1	-	1	1	-	-	-	-
BLACK---MALE----	-	3	-	1	3	-	-	1	1	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 886
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
0 CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
0 OF ALL OTHER AND UNSPECIFIED SITES (195-199)

STATE	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
KENTUCKY	568	-	-	-	-	-	-	-	3	8	8	18
WHITE	278	-	-	-	-	-	-	-	2	5	7	11
FEMALE	243	-	-	-	-	-	-	-	1	3	1	5
ALL OTHER	25	-	-	-	-	-	-	-	-	-	-	-
FEMALE	22	-	-	-	-	-	-	-	-	-	-	2
BLACK	24	-	-	-	-	-	-	-	-	-	-	-
FEMALE	22	-	-	-	-	-	-	-	-	-	-	2
LOUISIANA	734	-	-	-	-	-	1	1	5	9	19	24
WHITE	275	-	-	-	-	-	-	1	2	2	5	7
FEMALE	232	-	-	-	-	-	-	-	1	1	2	9
ALL OTHER	116	-	-	-	-	-	1	-	1	2	3	5
FEMALE	111	-	-	-	-	-	-	-	1	4	9	3
BLACK	113	-	-	-	-	-	1	-	1	2	3	5
FEMALE	108	-	-	-	-	-	-	-	1	4	9	2
MAINE	252	-	-	-	-	-	-	-	3	2	2	8
WHITE	138	-	-	-	-	-	-	-	1	1	1	6
FEMALE	114	-	-	-	-	-	-	-	2	1	1	2
ALL OTHER	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
BLACK	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND	714	-	-	-	-	1	3	3	1	8	11	30
WHITE	289	-	-	-	-	-	-	1	1	2	1	10
FEMALE	263	-	-	-	-	1	-	-	-	1	5	7
ALL OTHER	81	-	-	-	-	-	2	1	-	1	3	6
FEMALE	81	-	-	-	-	-	1	1	-	4	2	7
BLACK	77	-	-	-	-	-	2	1	-	1	2	6
FEMALE	74	-	-	-	-	-	1	1	-	3	1	6
MASSACHUSETTS	1,172	-	-	1	1	1	3	4	4	7	13	30
WHITE	531	-	-	1	1	1	1	3	2	3	9	12
FEMALE	577	-	-	-	-	-	1	1	2	3	3	15
ALL OTHER	38	-	-	-	-	-	1	-	-	-	1	1
FEMALE	26	-	-	-	-	-	-	-	-	1	-	2
BLACK	33	-	-	-	-	-	1	-	-	-	-	1
FEMALE	18	-	-	-	-	-	-	-	-	1	-	2
MICHIGAN	1,281	1	-	-	3	3	3	3	5	11	31	52
WHITE	568	-	-	-	-	2	1	1	3	4	13	24
FEMALE	548	1	-	-	3	-	-	-	2	5	12	20
ALL OTHER	81	-	-	-	-	-	1	2	-	1	4	5
FEMALE	84	-	-	-	-	1	1	-	-	1	2	3
BLACK	77	-	-	-	-	-	1	2	-	1	4	5
FEMALE	79	-	-	-	-	-	1	-	-	1	2	3

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 886
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
0 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 OF ALL OTHER AND UNSPECIFIED SITES (195-199)

	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
KENTUCKY -----	33	42	68	65	91	93	63	45	25	5	1	-
WHITE-----MALE----	19	24	39	34	53	42	25	9	6	2	-	-
FEMALE--	12	13	23	22	31	44	35	33	17	2	1	-
ALL OTHER--MALE----	2	3	4	5	4	4	1	1	1	-	-	-
FEMALE--	-	2	2	4	3	3	2	2	1	1	-	-
BLACK---MALE----	2	3	4	5	4	3	1	1	1	-	-	-
FEMALE--	-	2	2	4	3	3	2	2	1	1	-	-
LOUISIANA -----	35	49	75	109	116	113	99	55	21	2	1	-
WHITE-----MALE----	17	26	25	41	54	43	34	13	4	1	-	-
FEMALE--	9	7	22	41	29	39	37	27	8	-	-	-
ALL OTHER--MALE----	8	11	18	18	18	17	7	4	2	-	1	-
FEMALE--	1	5	10	9	15	14	21	11	7	1	-	-
BLACK---MALE----	7	10	18	18	18	16	7	4	2	-	1	-
FEMALE--	1	5	10	9	14	14	20	11	7	1	-	-
MAINE -----	10	18	29	25	43	43	28	23	14	3	1	-
WHITE-----MALE----	5	14	21	13	27	20	14	9	5	1	-	-
FEMALE--	5	4	8	12	16	23	14	14	9	2	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	48	41	65	97	121	97	99	59	25	4	1	-
WHITE-----MALE----	20	17	29	37	60	34	44	24	9	-	-	-
FEMALE--	11	13	19	31	49	44	38	27	14	3	-	-
ALL OTHER--MALE----	8	6	10	11	7	11	13	1	1	-	-	-
FEMALE--	9	5	7	18	5	8	4	7	1	1	1	-
BLACK---MALE----	8	6	9	10	7	10	13	1	1	-	-	-
FEMALE--	9	5	6	17	4	8	3	7	1	1	1	-
MASSACHUSETTS -----	51	54	103	136	191	200	168	135	52	14	4	-
WHITE-----MALE----	25	26	59	71	97	95	69	32	20	4	-	-
FEMALE--	19	24	37	57	82	99	94	97	31	8	4	-
ALL OTHER--MALE----	6	3	5	5	8	3	2	2	-	1	-	-
FEMALE--	1	1	2	3	4	3	3	4	1	1	-	-
BLACK---MALE----	6	3	5	4	7	3	1	1	-	1	-	-
FEMALE--	1	-	2	1	2	2	2	3	1	1	-	-
MICHIGAN -----	49	90	126	173	204	189	169	111	47	9	2	-
WHITE-----MALE----	27	42	69	86	90	83	75	36	10	2	-	-
FEMALE--	15	33	42	68	83	85	72	68	32	6	1	-
ALL OTHER--MALE----	6	9	6	10	16	11	7	1	1	1	-	-
FEMALE--	1	6	9	9	15	10	15	6	4	-	1	-
BLACK---MALE----	5	7	6	10	15	11	7	1	1	1	-	-
FEMALE--	1	6	9	9	13	9	14	6	4	-	1	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 887
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
0 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 OF ALL OTHER AND UNSPECIFIED SITES (195-199)

	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
MINNESOTA -----	27	26	44	64	94	118	84	70	41	10	-	-
WHITE-----MALE----	17	10	19	36	46	67	39	22	4	3	-	-
FEMALE--	9	15	23	25	45	50	44	45	37	7	-	-
ALL OTHER--MALE----	1	1	-	2	2	1	1	1	-	-	-	-
FEMALE--	-	-	2	1	1	-	-	2	-	-	-	-
BLACK---MALE----	1	1	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	1	-	-	-	-
MISSISSIPPI -----	27	35	55	60	73	56	50	42	23	8	-	-
WHITE-----MALE----	12	9	22	26	36	21	20	11	4	-	-	-
FEMALE--	4	14	13	19	20	20	16	18	9	3	-	-
ALL OTHER--MALE----	9	6	9	8	10	6	7	5	5	2	-	-
FEMALE--	2	6	11	7	7	9	7	8	5	3	-	-
BLACK---MALE----	9	6	9	8	9	6	7	5	5	2	-	-
FEMALE--	2	6	11	7	7	9	7	8	5	3	-	-
MISSOURI -----	37	57	66	113	142	141	142	91	56	9	2	-
WHITE-----MALE----	25	25	36	53	71	75	65	25	22	-	-	-
FEMALE--	10	21	23	44	59	57	71	59	27	9	2	-
ALL OTHER--MALE----	2	5	6	9	5	4	2	3	2	-	-	-
FEMALE--	-	6	1	7	7	5	4	4	5	-	-	-
BLACK---MALE----	2	4	6	9	5	4	2	3	2	-	-	-
FEMALE--	-	6	1	7	7	5	4	4	5	-	-	-
MONTANA -----	4	5	18	17	21	30	18	20	3	4	-	-
WHITE-----MALE----	1	1	13	9	15	15	10	11	-	1	-	-
FEMALE--	2	4	4	7	5	12	8	9	3	3	-	-
ALL OTHER--MALE----	1	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	1	1	-	2	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	10	13	19	27	32	40	25	31	13	4	1	-
WHITE-----MALE----	4	8	8	13	16	17	10	7	3	2	-	-
FEMALE--	6	4	9	14	14	22	15	24	9	2	1	-
ALL OTHER--MALE----	-	1	1	-	-	1	-	-	1	-	-	-
FEMALE--	-	-	1	-	2	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	1	-	-	1	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
NEVADA -----	11	26	40	55	45	41	31	24	9	4	-	-
WHITE-----MALE----	5	16	25	41	29	21	19	15	2	-	-	-
FEMALE--	4	8	12	13	14	16	11	9	6	4	-	-
ALL OTHER--MALE----	1	1	1	1	1	4	-	-	-	-	-	-
FEMALE--	1	1	2	-	1	-	1	-	1	-	-	-
BLACK---MALE----	1	1	1	1	1	1	-	-	-	-	-	-
FEMALE--	-	1	2	-	1	-	1	-	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 889
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
0 CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
0 OF ALL OTHER AND UNSPECIFIED SITES (195-199)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
OHIO -----	1,799	-	-	-	1	2	2	3	5	13	38	55
WHITE-----MALE----	817	-	-	-	-	2	1	2	5	6	21	14
FEMALE--	750	-	-	-	1	-	-	1	-	3	10	29
ALL OTHER--MALE----	120	-	-	-	-	-	-	-	-	2	3	8
FEMALE--	112	-	-	-	-	-	1	-	-	2	4	4
BLACK---MALE----	118	-	-	-	-	-	-	-	-	2	3	8
FEMALE--	110	-	-	-	-	-	1	-	-	2	4	4
OKLAHOMA -----	490	-	-	-	-	-	1	4	4	5	7	14
WHITE-----MALE----	218	-	-	-	-	-	-	2	1	3	5	7
FEMALE--	212	-	-	-	-	-	1	1	2	2	1	5
ALL OTHER--MALE----	33	-	-	-	-	-	-	1	1	-	1	2
FEMALE--	27	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	23	-	-	-	-	-	-	-	1	-	1	2
FEMALE--	13	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	468	-	-	-	-	1	-	1	1	4	3	8
WHITE-----MALE----	226	-	-	-	-	1	-	-	1	3	2	4
FEMALE--	227	-	-	-	-	-	-	1	-	1	1	4
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	11	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	2,442	1	-	-	-	2	2	2	11	15	26	64
WHITE-----MALE----	1,142	1	-	-	-	-	1	2	7	6	12	24
FEMALE--	1,073	-	-	-	-	1	1	-	2	6	9	27
ALL OTHER--MALE----	117	-	-	-	-	-	-	-	-	-	3	6
FEMALE--	110	-	-	-	-	1	-	-	2	3	2	7
BLACK---MALE----	111	-	-	-	-	-	-	-	-	-	2	6
FEMALE--	107	-	-	-	-	-	-	-	2	3	2	7
RHODE ISLAND -----	158	-	-	-	-	-	-	1	-	-	4	4
WHITE-----MALE----	85	-	-	-	-	-	-	1	-	-	1	2
FEMALE--	65	-	-	-	-	-	-	-	-	-	2	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	5	-	-	-	-	-	-	-	-	-	1	1
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	1
SOUTH CAROLINA -----	425	-	-	-	-	-	-	2	2	6	6	15
WHITE-----MALE----	147	-	-	-	-	-	-	-	1	1	2	2
FEMALE--	158	-	-	-	-	-	-	1	-	3	-	3
ALL OTHER--MALE----	70	-	-	-	-	-	-	-	1	1	3	9
FEMALE--	50	-	-	-	-	-	-	1	-	1	1	1
BLACK---MALE----	69	-	-	-	-	-	-	-	1	1	3	9
FEMALE--	49	-	-	-	-	-	-	1	-	1	-	1

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 889
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
0 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 OF ALL OTHER AND UNSPECIFIED SITES (195-199)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
OHIO -----	86	129	152	260	308	260	245	144	72	18	6	-
WHITE-----MALE----	41	66	81	132	151	133	94	45	17	6	-	-
FEMALE--	30	43	46	86	118	107	126	85	50	10	5	-
ALL OTHER--MALE----	9	10	15	22	25	11	8	4	1	2	-	-
FEMALE--	6	10	10	20	14	9	17	10	4	-	1	-
BLACK---MALE----	9	10	14	21	25	11	8	4	1	2	-	-
FEMALE--	5	10	10	19	14	9	17	10	4	-	1	-
OKLAHOMA -----	20	24	41	62	80	78	67	51	23	5	2	2
WHITE-----MALE----	10	10	17	32	42	33	24	22	4	3	2	1
FEMALE--	6	10	17	21	29	38	33	24	19	2	-	1
ALL OTHER--MALE----	3	2	5	5	4	2	5	2	-	-	-	-
FEMALE--	1	2	2	4	5	5	5	3	-	-	-	-
BLACK---MALE----	1	2	5	3	3	2	1	2	-	-	-	-
FEMALE--	-	1	-	1	3	3	3	2	-	-	-	-
OREGON -----	21	32	35	51	73	88	72	51	23	4	-	-
WHITE-----MALE----	8	21	19	24	43	43	28	22	7	-	-	-
FEMALE--	9	10	16	22	27	44	44	28	16	4	-	-
ALL OTHER--MALE----	2	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	2	1	-	4	2	1	-	1	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	3	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	95	128	200	316	419	441	359	227	105	26	3	-
WHITE-----MALE----	48	69	99	161	219	199	176	79	31	7	1	-
FEMALE--	35	43	63	121	157	214	168	138	67	19	2	-
ALL OTHER--MALE----	5	6	21	21	26	14	5	6	4	-	-	-
FEMALE--	7	10	17	13	17	14	10	4	3	-	-	-
BLACK---MALE----	5	6	18	21	25	14	5	5	4	-	-	-
FEMALE--	7	9	17	13	17	14	10	3	3	-	-	-
RHODE ISLAND -----	4	4	13	18	33	27	26	18	4	2	-	-
WHITE-----MALE----	2	3	9	11	15	18	12	7	3	1	-	-
FEMALE--	2	1	3	6	16	9	14	10	1	1	-	-
ALL OTHER--MALE----	-	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	-	1	-	-	-	-
SOUTH CAROLINA -----	23	28	44	46	66	74	47	47	16	3	-	-
WHITE-----MALE----	6	12	22	18	29	24	15	12	2	1	-	-
FEMALE--	8	5	14	18	20	31	18	23	12	2	-	-
ALL OTHER--MALE----	5	6	6	6	8	10	7	7	1	-	-	-
FEMALE--	4	5	2	4	9	9	7	5	1	-	-	-
BLACK---MALE----	5	6	6	6	7	10	7	7	1	-	-	-
FEMALE--	4	5	2	4	9	9	7	5	1	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 890
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 0 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
 0 CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
 0 OF ALL OTHER AND UNSPECIFIED SITES (195-199)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
SOUTH DAKOTA -----	83	-	-	-	-	-	-	-	-	-	1	2
WHITE-----MALE----	32	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	47	-	-	-	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	675	-	1	-	-	-	-	3	5	4	6	17
WHITE-----MALE----	286	-	1	-	-	-	-	-	1	1	2	6
FEMALE--	285	-	-	-	-	-	-	-	3	-	1	3
ALL OTHER--MALE----	48	-	-	-	-	-	-	-	-	-	2	4
FEMALE--	56	-	-	-	-	-	-	3	1	1	3	4
BLACK---MALE----	48	-	-	-	-	-	-	-	-	2	-	4
FEMALE--	55	-	-	-	-	-	-	3	1	1	3	3
TEXAS -----	1,654	-	2	-	1	-	5	5	10	15	38	61
WHITE-----MALE----	738	-	1	-	1	-	2	2	3	6	13	26
FEMALE--	687	-	1	-	-	-	3	2	5	4	17	24
ALL OTHER--MALE----	118	-	-	-	-	-	-	-	1	3	5	8
FEMALE--	111	-	-	-	-	-	-	1	1	2	3	3
BLACK---MALE----	113	-	-	-	-	-	-	-	1	3	4	7
FEMALE--	99	-	-	-	-	-	-	1	1	2	2	2
UTAH -----	165	-	-	1	-	-	-	-	2	2	3	6
WHITE-----MALE----	91	-	-	-	-	-	-	-	2	1	1	3
FEMALE--	68	-	-	1	-	-	-	-	-	1	2	2
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	80	-	-	-	-	-	-	-	1	-	-	3
WHITE-----MALE----	44	-	-	-	-	-	-	-	1	-	-	1
FEMALE--	36	-	-	-	-	-	-	-	-	-	-	2
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	1,024	-	-	-	1	2	2	2	3	13	18	33
WHITE-----MALE----	424	-	-	-	1	-	2	-	3	1	6	7
FEMALE--	390	-	-	-	-	1	-	-	-	7	6	12
ALL OTHER--MALE----	120	-	-	-	-	1	-	1	-	2	3	11
FEMALE--	90	-	-	-	-	-	-	1	-	3	3	3
BLACK---MALE----	111	-	-	-	-	1	-	-	-	1	3	11
FEMALE--	84	-	-	-	-	-	-	-	-	3	2	3

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 890
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 0 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
 0 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 0 OF ALL OTHER AND UNSPECIFIED SITES (195-199)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
SOUTH DAKOTA -----	5	6	8	6	11	12	11	13	4	3	1	-
WHITE-----MALE----	1	4	5	2	5	3	4	6	1	-	-	-
FEMALE--	3	2	3	4	4	8	7	7	3	3	1	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	2	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	38	52	73	74	120	110	74	56	33	5	4	-
WHITE-----MALE----	16	32	41	38	54	49	23	17	4	1	-	-
FEMALE--	14	10	26	25	47	47	43	32	27	3	4	-
ALL OTHER--MALE----	8	8	4	4	8	5	1	4	-	-	-	-
FEMALE--	-	2	2	7	11	9	7	3	2	1	-	-
BLACK---MALE----	8	8	4	4	8	5	1	4	-	-	-	-
FEMALE--	-	2	2	7	11	9	7	3	2	1	-	-
TEXAS -----	99	126	173	205	237	224	195	166	69	20	3	-
WHITE-----MALE----	56	62	80	103	125	104	88	47	15	4	-	-
FEMALE--	29	40	65	67	82	94	88	102	48	13	3	-
ALL OTHER--MALE----	7	11	18	22	13	14	10	4	1	1	-	-
FEMALE--	7	13	10	13	17	12	9	13	5	2	-	-
BLACK---MALE----	7	11	17	20	13	14	10	4	1	1	-	-
FEMALE--	5	10	9	12	16	11	8	13	5	2	-	-
UTAH -----	8	7	17	20	17	25	28	20	7	2	-	-
WHITE-----MALE----	4	2	8	14	11	16	14	9	4	2	-	-
FEMALE--	3	4	9	6	4	9	13	11	3	-	-	-
ALL OTHER--MALE----	-	-	-	-	2	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	2	9	6	12	12	10	10	10	1	4	-	-
WHITE-----MALE----	-	6	2	8	7	7	7	4	1	-	-	-
FEMALE--	2	3	4	4	5	3	3	6	-	4	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	48	57	100	128	179	172	127	86	44	8	1	-
WHITE-----MALE----	17	25	45	70	77	78	52	24	13	3	-	-
FEMALE--	18	19	34	36	65	64	46	52	25	4	1	-
ALL OTHER--MALE----	8	9	13	11	24	14	16	6	1	-	-	-
FEMALE--	5	4	8	11	13	16	13	4	5	1	-	-
BLACK---MALE----	7	9	12	11	21	12	16	6	1	-	-	-
FEMALE--	4	4	7	10	13	15	13	4	5	1	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 892
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 0 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
 0 CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
 0 MALIGNANT NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES (200-208)

0	CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0	UNITED STATES --	54,930	33	163	181	230	287	400	518	778	961	1,322	1,778
	WHITE-----MALE----	25,978	8	82	87	110	144	187	253	396	506	680	928
	FEMALE--	22,934	19	54	55	70	90	127	168	218	265	393	556
	ALL OTHER--MALE----	3,180	5	13	25	25	31	50	54	106	113	150	180
	FEMALE--	2,838	1	14	14	25	22	36	43	58	77	99	114
	BLACK---MALE----	2,700	4	7	20	18	23	41	44	98	96	132	155
	FEMALE--	2,448	-	10	13	18	20	28	36	40	60	84	92
	ALABAMA -----	857	1	-	5	3	6	9	6	12	11	22	25
	WHITE-----MALE----	352	-	-	3	1	4	3	2	5	4	9	10
	FEMALE--	320	1	-	1	-	-	2	2	2	3	5	11
	ALL OTHER--MALE----	87	-	-	1	1	1	3	-	2	1	5	2
	FEMALE--	98	-	-	-	1	1	1	2	3	3	3	2
	BLACK---MALE----	87	-	-	1	1	1	3	-	2	1	5	2
	FEMALE--	98	-	-	-	1	1	1	2	3	3	3	2
	ALASKA -----	68	-	2	1	-	-	-	-	-	6	1	5
	WHITE-----MALE----	34	-	-	-	-	-	-	-	-	4	1	4
	FEMALE--	24	-	1	-	-	-	-	-	-	2	-	1
	ALL OTHER--MALE----	5	-	1	1	-	-	-	-	-	-	-	-
	FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
	BLACK---MALE----	1	-	-	1	-	-	-	-	-	-	-	-
	FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
	ARIZONA -----	885	-	4	4	3	5	7	11	14	14	24	24
	WHITE-----MALE----	467	-	4	4	3	3	5	4	11	11	11	14
	FEMALE--	380	-	-	-	-	2	1	4	1	1	11	6
	ALL OTHER--MALE----	23	-	-	-	-	-	-	2	-	2	1	3
	FEMALE--	15	-	-	-	-	-	1	1	2	-	1	1
	BLACK---MALE----	10	-	-	-	-	-	-	1	-	-	1	1
	FEMALE--	4	-	-	-	-	-	-	1	-	-	-	-
	ARKANSAS -----	589	-	1	-	3	4	6	3	7	6	12	15
	WHITE-----MALE----	282	-	-	-	2	2	5	2	4	3	8	8
	FEMALE--	248	-	1	-	3	2	-	1	1	2	2	4
	ALL OTHER--MALE----	33	-	-	-	-	-	1	-	-	1	2	3
	FEMALE--	26	-	-	-	-	-	-	-	2	-	-	-
	BLACK---MALE----	33	-	-	-	-	-	1	-	-	1	2	3
	FEMALE--	25	-	-	-	-	-	-	-	2	-	-	-
	CALIFORNIA -----	5,356	3	21	20	41	51	51	61	91	105	146	182
	WHITE-----MALE----	2,500	-	8	11	22	31	17	27	45	61	68	78
	FEMALE--	2,214	3	9	8	12	9	22	25	27	32	47	67
	ALL OTHER--MALE----	356	-	2	1	4	6	5	3	12	6	21	24
	FEMALE--	286	-	2	-	3	5	7	6	7	6	10	13
	BLACK---MALE----	176	-	1	-	1	3	1	1	9	3	12	18
	FEMALE--	163	-	2	-	-	3	3	3	-	4	6	4

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 892
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
0 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 MALIGNANT NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES (200-208)

0	CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0	UNITED STATES --	2,255	3,001	4,279	6,240	8,501	8,949	7,740	4,881	1,919	455	58	1
	WHITE-----MALE----	1,132	1,528	2,162	3,146	4,248	4,266	3,398	1,946	644	113	13	1
	FEMALE--	787	1,038	1,533	2,385	3,410	3,952	3,757	2,579	1,144	295	39	-
	ALL OTHER--MALE----	194	243	321	378	446	351	276	153	48	16	2	-
	FEMALE--	142	192	263	331	397	380	309	203	83	31	4	-
	BLACK---MALE----	167	208	286	331	348	300	236	129	40	15	2	-
	FEMALE--	126	175	232	281	343	330	279	182	70	26	3	-
	ALABAMA -----	43	49	69	110	112	152	127	69	19	6	1	-
	WHITE-----MALE----	17	24	33	44	53	67	47	20	6	-	-	-
	FEMALE--	13	13	21	40	43	58	62	31	8	3	1	-
	ALL OTHER--MALE----	6	4	11	13	10	10	9	6	-	2	-	-
	FEMALE--	7	8	4	13	6	17	9	12	5	1	-	-
	BLACK---MALE----	6	4	11	13	10	10	9	6	-	2	-	-
	FEMALE--	7	8	4	13	6	17	9	12	5	1	-	-
	ALASKA -----	5	5	8	8	9	4	8	4	2	-	-	-
	WHITE-----MALE----	3	4	3	3	5	2	3	1	1	-	-	-
	FEMALE--	2	-	5	4	1	2	3	3	-	-	-	-
	ALL OTHER--MALE----	-	1	-	-	-	-	1	-	1	-	-	-
	FEMALE--	-	-	-	1	3	-	1	-	-	-	-	-
	BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
	ARIZONA -----	37	42	74	93	151	143	127	73	29	6	-	-
	WHITE-----MALE----	17	21	43	60	80	74	52	36	10	4	-	-
	FEMALE--	19	19	29	31	65	66	69	36	18	2	-	-
	ALL OTHER--MALE----	-	1	-	2	4	1	6	1	-	-	-	-
	FEMALE--	1	1	2	-	2	2	-	-	1	-	-	-
	BLACK---MALE----	-	1	-	1	2	-	3	-	-	-	-	-
	FEMALE--	-	1	-	-	-	1	-	-	1	-	-	-
	ARKANSAS -----	29	38	31	79	89	100	87	49	23	6	1	-
	WHITE-----MALE----	13	14	19	45	47	37	42	25	8	-	-	-
	FEMALE--	11	19	10	28	35	51	42	17	12	6	1	-
	ALL OTHER--MALE----	3	2	2	4	3	6	2	3	1	-	-	-
	FEMALE--	2	3	-	2	4	6	1	4	2	-	-	-
	BLACK---MALE----	3	2	2	4	3	6	2	3	1	-	-	-
	FEMALE--	2	3	-	2	4	6	1	4	1	-	-	-
	CALIFORNIA -----	246	308	408	605	816	826	738	410	177	41	9	-
	WHITE-----MALE----	120	139	230	296	377	390	338	165	66	9	2	-
	FEMALE--	87	121	118	239	345	352	341	222	95	27	6	-
	ALL OTHER--MALE----	21	26	29	42	58	47	32	8	8	1	-	-
	FEMALE--	18	22	31	28	36	37	27	15	8	4	1	-
	BLACK---MALE----	13	17	17	19	15	23	16	2	4	1	-	-
	FEMALE--	14	13	21	17	22	18	19	7	5	2	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 893
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
0 CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
0 MALIGNANT NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES (200-208)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
COLORADO -----	639	1	3	2	5	6	4	4	8	7	18	26
WHITE-----MALE----	327	1	3	2	3	3	-	2	7	5	9	17
FEMALE--	281	-	-	-	1	2	4	2	-	1	8	9
ALL OTHER--MALE----	16	-	-	-	-	1	-	-	1	1	-	-
FEMALE--	15	-	-	-	1	-	-	-	-	-	1	-
BLACK---MALE----	12	-	-	-	-	1	-	-	1	1	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	718	1	4	1	3	3	2	6	11	18	15	18
WHITE-----MALE----	344	1	1	1	2	2	1	4	8	5	9	8
FEMALE--	327	-	1	-	1	-	1	-	3	9	5	8
ALL OTHER--MALE----	26	-	-	-	-	1	-	-	-	3	-	1
FEMALE--	21	-	2	-	-	-	-	2	-	1	1	1
BLACK---MALE----	21	-	-	-	-	-	-	-	-	2	-	1
FEMALE--	19	-	2	-	-	-	-	2	-	1	-	-
DELAWARE -----	168	-	-	1	1	-	-	2	1	2	5	2
WHITE-----MALE----	78	-	-	-	-	-	-	1	1	1	1	2
FEMALE--	63	-	-	-	-	-	-	1	-	-	2	-
ALL OTHER--MALE----	11	-	-	-	1	-	-	-	-	1	2	-
FEMALE--	16	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	11	-	-	-	1	-	-	-	-	1	2	-
FEMALE--	16	-	-	1	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	106	-	-	-	1	-	-	2	5	1	2	6
WHITE-----MALE----	22	-	-	-	-	-	-	-	4	-	-	1
FEMALE--	11	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	40	-	-	-	1	-	-	1	1	1	1	2
FEMALE--	33	-	-	-	-	-	-	1	-	-	-	3
BLACK---MALE----	38	-	-	-	1	-	-	1	1	1	1	1
FEMALE--	33	-	-	-	-	-	-	1	-	-	-	3
FLORIDA -----	3,738	1	5	12	6	10	22	22	60	52	87	108
WHITE-----MALE----	1,900	-	1	4	3	4	5	7	28	29	40	53
FEMALE--	1,512	1	2	3	2	3	11	8	19	15	22	34
ALL OTHER--MALE----	180	-	-	1	1	2	4	4	8	4	16	16
FEMALE--	146	-	2	4	-	1	2	3	5	4	9	5
BLACK---MALE----	175	-	-	1	1	2	4	4	8	4	16	16
FEMALE--	137	-	2	4	-	1	2	3	4	4	8	4
GEORGIA -----	1,168	-	6	7	7	5	11	5	22	35	40	33
WHITE-----MALE----	478	-	3	3	3	2	5	3	8	14	15	15
FEMALE--	416	-	2	-	2	2	2	1	6	6	6	10
ALL OTHER--MALE----	161	-	1	4	1	1	4	-	5	10	16	6
FEMALE--	113	-	-	-	1	-	-	1	3	5	3	2
BLACK---MALE----	161	-	1	4	1	1	4	-	5	10	16	6
FEMALE--	111	-	-	-	1	-	-	1	3	4	3	2

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 893
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
0 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 MALIGNANT NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES (200-208)

	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
COLORADO -----	29	35	60	69	99	103	76	47	29	7	1	-
WHITE-----MALE----	17	24	30	32	51	60	33	15	10	3	-	-
FEMALE--	10	11	23	30	42	40	42	32	19	4	1	-
ALL OTHER--MALE----	-	-	5	3	2	3	-	-	-	-	-	-
FEMALE--	2	-	2	4	4	-	1	-	-	-	-	-
BLACK---MALE----	-	-	4	2	1	2	-	-	-	-	-	-
FEMALE--	1	-	1	3	3	-	-	-	-	-	-	-
CONNECTICUT -----	28	40	48	67	108	139	104	69	25	8	-	-
WHITE-----MALE----	14	22	21	35	52	64	49	34	10	1	-	-
FEMALE--	10	15	23	26	50	72	50	33	14	6	-	-
ALL OTHER--MALE----	3	3	3	2	4	2	1	1	1	1	-	-
FEMALE--	1	-	1	4	2	1	4	1	-	-	-	-
BLACK---MALE----	3	1	3	2	3	2	1	1	1	1	-	-
FEMALE--	1	-	1	4	2	1	4	1	-	-	-	-
DELAWARE -----	5	6	26	20	25	28	21	17	6	-	-	-
WHITE-----MALE----	2	4	7	13	13	16	8	9	-	-	-	-
FEMALE--	2	1	10	5	9	8	12	7	6	-	-	-
ALL OTHER--MALE----	1	-	2	-	2	2	-	-	-	-	-	-
FEMALE--	-	1	7	2	1	2	1	1	-	-	-	-
BLACK---MALE----	1	-	2	-	2	2	-	-	-	-	-	-
FEMALE--	-	1	7	2	1	2	1	1	-	-	-	-
DISTRICT OF COLUMBIA ----	3	9	9	10	16	12	12	15	3	-	-	-
WHITE-----MALE----	1	4	2	2	3	-	1	4	-	-	-	-
FEMALE--	-	-	-	1	1	3	2	2	1	-	-	-
ALL OTHER--MALE----	-	1	5	6	7	3	5	5	1	-	-	-
FEMALE--	2	4	2	1	5	6	4	4	1	-	-	-
BLACK---MALE----	-	1	5	6	7	3	5	4	1	-	-	-
FEMALE--	2	4	2	1	5	6	4	4	1	-	-	-
FLORIDA -----	131	168	245	421	617	688	572	331	141	38	1	-
WHITE-----MALE----	62	86	133	228	353	375	278	152	42	17	-	-
FEMALE--	48	53	86	149	233	285	264	160	93	20	1	-
ALL OTHER--MALE----	12	19	12	27	14	11	15	10	4	-	-	-
FEMALE--	9	10	14	17	17	17	15	9	2	1	-	-
BLACK---MALE----	12	17	12	26	13	11	15	9	4	-	-	-
FEMALE--	9	10	14	13	15	17	15	9	2	1	-	-
GEORGIA -----	62	73	79	132	183	177	162	81	38	9	1	-
WHITE-----MALE----	29	38	36	60	84	65	59	27	8	1	-	-
FEMALE--	14	20	24	39	59	74	76	41	23	8	1	-
ALL OTHER--MALE----	13	10	11	19	23	18	12	5	2	-	-	-
FEMALE--	6	5	8	14	17	20	15	8	5	-	-	-
BLACK---MALE----	13	10	11	19	23	18	12	5	2	-	-	-
FEMALE--	6	5	8	13	17	20	15	8	5	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 894
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 0 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
 0 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 0 MALIGNANT NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES (200-208)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
HAWAII -----	14	10	15	24	37	32	25	6	6	1	-	-
WHITE-----MALE----	5	1	5	2	7	6	4	-	-	-	-	-
FEMALE--	-	1	3	4	5	5	2	1	2	-	-	-
ALL OTHER--MALE----	6	5	3	6	19	13	8	3	2	1	-	-
FEMALE--	3	3	4	12	6	8	11	2	2	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	3	15	21	26	29	37	41	27	6	3	1	-
WHITE-----MALE----	1	8	13	18	18	24	27	15	1	1	-	-
FEMALE--	2	7	8	8	11	12	13	12	5	2	1	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	98	122	193	280	399	405	355	244	87	20	1	-
WHITE-----MALE----	53	56	86	144	186	192	148	98	29	5	-	-
FEMALE--	29	49	68	103	165	186	172	126	50	13	1	-
ALL OTHER--MALE----	11	9	21	20	25	14	19	7	5	-	-	-
FEMALE--	5	8	18	13	23	13	16	13	3	2	-	-
BLACK---MALE----	10	9	18	20	24	13	19	7	5	-	-	-
FEMALE--	5	8	18	12	22	11	16	12	3	2	-	-
INDIANA -----	48	72	105	146	199	183	191	104	44	10	3	-
WHITE-----MALE----	23	45	63	77	114	90	69	39	15	2	1	-
FEMALE--	24	22	37	57	68	86	111	63	26	6	1	-
ALL OTHER--MALE----	-	1	3	4	14	4	7	-	1	-	-	-
FEMALE--	1	4	2	8	3	3	4	2	2	2	1	-
BLACK---MALE----	-	1	3	4	14	4	7	-	1	-	-	-
FEMALE--	1	4	2	8	3	3	4	2	2	2	1	-
IOWA -----	27	35	59	77	99	137	129	81	46	9	1	-
WHITE-----MALE----	14	18	42	35	50	66	59	33	18	2	-	-
FEMALE--	12	16	15	40	49	70	70	48	28	6	1	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	1	-	-
FEMALE--	1	1	1	2	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	1	-	-
FEMALE--	-	1	1	2	-	1	-	-	-	-	-	-
KANSAS -----	19	31	43	65	98	81	98	61	30	6	-	-
WHITE-----MALE----	14	15	22	38	55	44	42	28	7	1	-	-
FEMALE--	5	11	16	19	42	35	51	31	22	3	-	-
ALL OTHER--MALE----	-	1	2	5	-	1	4	1	-	-	-	-
FEMALE--	-	4	3	3	1	1	1	1	1	2	-	-
BLACK---MALE----	-	1	2	5	-	1	3	1	-	-	-	-
FEMALE--	-	4	2	2	1	1	1	1	1	2	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 895
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
0 CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
0 MALIGNANT NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES (200-208)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
KENTUCKY -----	809	1	1	6	4	9	7	7	12	15	17	28
WHITE-----MALE----	414	-	1	5	3	8	3	4	8	7	12	13
FEMALE--	358	1	-	-	1	1	3	3	4	6	5	15
ALL OTHER--MALE----	19	-	-	1	-	-	1	-	-	2	-	-
FEMALE--	18	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	19	-	-	1	-	-	1	-	-	2	-	-
FEMALE--	18	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	870	-	2	3	4	4	9	16	13	18	23	31
WHITE-----MALE----	347	-	1	1	2	1	2	8	4	11	12	15
FEMALE--	293	-	-	1	-	1	1	-	3	2	5	4
ALL OTHER--MALE----	128	-	1	1	1	-	2	5	3	5	5	10
FEMALE--	102	-	-	-	1	2	4	3	3	-	1	2
BLACK---MALE----	124	-	1	1	1	-	1	5	3	4	5	10
FEMALE--	100	-	-	-	1	2	3	3	3	-	1	2
MAINE -----	265	-	1	-	3	-	2	1	5	4	6	6
WHITE-----MALE----	131	-	1	-	1	-	1	-	1	1	5	4
FEMALE--	134	-	-	-	2	-	1	1	4	3	1	2
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	917	-	5	4	4	1	10	8	12	23	21	35
WHITE-----MALE----	394	-	-	3	4	-	4	4	6	8	8	18
FEMALE--	341	-	2	1	-	1	2	1	3	7	6	10
ALL OTHER--MALE----	91	-	2	-	-	-	1	3	-	5	3	4
FEMALE--	91	-	1	-	-	-	3	-	3	3	4	3
BLACK---MALE----	85	-	1	-	-	-	1	3	-	5	2	4
FEMALE--	89	-	1	-	-	-	3	-	3	3	4	3
MASSACHUSETTS -----	1,371	1	2	2	2	2	8	14	13	16	33	48
WHITE-----MALE----	703	-	-	1	1	2	6	7	10	12	18	28
FEMALE--	607	1	2	1	-	-	2	5	3	3	13	12
ALL OTHER--MALE----	36	-	-	-	-	-	-	2	-	1	2	7
FEMALE--	25	-	-	-	1	-	-	-	-	-	-	1
BLACK---MALE----	29	-	-	-	-	-	-	2	-	-	2	6
FEMALE--	19	-	-	-	1	-	-	-	-	-	-	1
MICHIGAN -----	2,060	2	5	4	5	9	18	9	24	31	46	69
WHITE-----MALE----	975	-	3	2	1	3	10	4	12	17	27	43
FEMALE--	843	-	2	2	2	5	3	4	5	8	13	17
ALL OTHER--MALE----	110	2	-	-	2	-	1	-	4	2	3	4
FEMALE--	132	-	-	-	-	1	4	1	3	4	3	5
BLACK---MALE----	100	2	-	-	1	-	1	-	4	1	3	4
FEMALE--	121	-	-	-	-	1	4	1	3	4	3	5

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 895
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
0 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 MALIGNANT NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES (200-208)

	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
KENTUCKY -----	36	44	79	80	137	124	104	74	19	4	1	-
WHITE-----MALE----	19	27	38	44	79	66	40	28	9	-	-	-
FEMALE--	16	16	35	34	50	54	58	42	9	4	1	-
ALL OTHER--MALE----	1	-	3	2	1	1	4	2	1	-	-	-
FEMALE--	-	1	3	-	7	3	2	2	-	-	-	-
BLACK---MALE----	1	-	3	2	1	1	4	2	1	-	-	-
FEMALE--	-	1	3	-	7	3	2	2	-	-	-	-
LOUISIANA -----	44	56	61	114	132	130	107	77	23	3	-	-
WHITE-----MALE----	18	20	28	44	59	47	44	26	4	-	-	-
FEMALE--	10	16	21	39	41	50	42	40	15	2	-	-
ALL OTHER--MALE----	11	15	7	13	15	18	10	4	2	-	-	-
FEMALE--	5	5	5	18	17	15	11	7	2	1	-	-
BLACK---MALE----	11	14	7	13	15	17	10	4	2	-	-	-
FEMALE--	5	5	5	17	17	15	11	7	2	1	-	-
MAINE -----	6	11	19	27	41	47	28	37	16	5	-	-
WHITE-----MALE----	3	7	12	15	22	21	13	16	8	-	-	-
FEMALE--	3	4	7	12	19	26	15	21	8	5	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	27	63	82	104	148	137	130	63	31	7	2	-
WHITE-----MALE----	13	21	41	56	73	58	52	19	5	-	1	-
FEMALE--	9	20	21	26	53	60	58	33	22	5	1	-
ALL OTHER--MALE----	2	15	13	12	13	6	7	5	-	-	-	-
FEMALE--	3	7	7	10	9	13	13	6	4	2	-	-
BLACK---MALE----	2	14	12	12	11	6	7	5	-	-	-	-
FEMALE--	3	6	7	9	9	13	13	6	4	2	-	-
MASSACHUSETTS -----	42	72	98	159	218	221	202	145	49	20	4	-
WHITE-----MALE----	30	45	51	82	106	111	95	67	23	6	2	-
FEMALE--	10	22	36	67	107	106	102	75	24	14	2	-
ALL OTHER--MALE----	2	3	5	7	3	1	2	1	-	-	-	-
FEMALE--	-	2	6	3	2	3	3	2	2	-	-	-
BLACK---MALE----	2	3	2	7	1	1	2	1	-	-	-	-
FEMALE--	-	1	6	1	1	3	3	1	1	-	-	-
MICHIGAN -----	106	116	184	226	314	340	288	169	77	16	2	-
WHITE-----MALE----	59	59	83	123	151	158	124	65	24	7	-	-
FEMALE--	38	40	74	81	126	133	142	90	47	9	2	-
ALL OTHER--MALE----	6	10	15	9	18	19	9	6	-	-	-	-
FEMALE--	3	7	12	13	19	30	13	8	6	-	-	-
BLACK---MALE----	4	10	15	7	16	19	8	5	-	-	-	-
FEMALE--	2	6	10	12	17	27	12	8	6	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 896
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 0 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
 0 CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
 0 MALIGNANT NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES (200-208)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
MINNESOTA -----	1,119	2	1	3	2	5	7	7	17	21	22	34
WHITE-----MALE----	544	-	1	3	1	1	4	3	7	15	14	20
FEMALE--	549	-	-	-	1	3	2	3	8	5	7	14
ALL OTHER--MALE----	16	1	-	-	-	-	1	1	1	1	1	-
FEMALE--	10	1	-	-	-	1	-	-	1	-	-	-
BLACK---MALE----	8	-	-	-	-	-	1	1	1	-	1	-
FEMALE--	7	-	-	-	-	1	-	-	-	-	-	-
MISSISSIPPI -----	522	1	1	1	4	1	8	5	8	7	10	19
WHITE-----MALE----	187	-	-	-	-	1	-	1	2	1	1	9
FEMALE--	178	1	1	-	2	-	2	3	2	-	3	4
ALL OTHER--MALE----	90	-	-	1	2	-	5	1	4	3	3	4
FEMALE--	67	-	-	-	-	-	1	-	-	3	3	2
BLACK---MALE----	89	-	-	1	2	-	4	1	4	3	3	4
FEMALE--	67	-	-	-	-	-	1	-	-	3	3	2
MISSOURI -----	1,217	-	2	4	5	8	7	12	15	25	19	36
WHITE-----MALE----	596	-	1	2	3	3	3	9	8	20	7	16
FEMALE--	527	-	-	1	1	5	1	1	4	3	9	15
ALL OTHER--MALE----	47	-	-	1	1	-	3	1	3	1	1	3
FEMALE--	47	-	1	-	-	-	-	1	-	1	2	2
BLACK---MALE----	46	-	-	1	1	-	3	1	3	1	1	3
FEMALE--	46	-	1	-	-	-	-	1	-	1	2	2
MONTANA -----	196	1	-	-	-	1	-	5	1	-	3	8
WHITE-----MALE----	104	-	-	-	-	1	-	1	1	-	2	6
FEMALE--	89	1	-	-	-	-	-	4	-	-	1	2
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	354	-	1	1	-	1	2	3	7	3	4	10
WHITE-----MALE----	187	-	-	-	-	-	1	2	4	2	2	8
FEMALE--	152	-	-	1	-	-	1	1	-	-	1	1
ALL OTHER--MALE----	10	-	-	-	-	1	-	-	2	1	1	1
FEMALE--	5	-	1	-	-	-	-	-	1	-	-	-
BLACK---MALE----	9	-	-	-	-	-	-	-	2	1	1	1
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
NEVADA -----	293	-	-	1	-	2	3	2	3	10	5	15
WHITE-----MALE----	151	-	-	-	-	1	3	-	1	7	2	7
FEMALE--	115	-	-	-	-	1	-	1	1	2	3	3
ALL OTHER--MALE----	11	-	-	1	-	-	-	-	1	-	-	1
FEMALE--	16	-	-	-	-	-	-	1	-	1	-	4
BLACK---MALE----	7	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	7	-	-	-	-	-	-	1	-	-	-	1

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 896
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 0 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
 0 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 0 MALIGNANT NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES (200-208)

	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
MINNESOTA -----	43	56	90	101	165	177	177	130	47	12	-	-
WHITE-----MALE----	24	25	45	56	85	84	89	43	20	4	-	-
FEMALE--	18	29	40	45	78	90	87	85	26	8	-	-
ALL OTHER--MALE----	-	1	4	-	1	2	1	1	-	-	-	-
FEMALE--	1	1	1	-	1	1	-	1	1	-	-	-
BLACK---MALE----	-	1	2	-	-	1	-	-	-	-	-	-
FEMALE--	1	1	-	-	1	-	-	1	1	-	-	-
MISSISSIPPI -----	33	29	48	64	74	67	71	47	20	4	-	-
WHITE-----MALE----	8	16	17	24	30	25	31	12	8	1	-	-
FEMALE--	10	5	18	25	23	27	20	24	6	2	-	-
ALL OTHER--MALE----	10	4	9	8	11	9	8	6	1	1	-	-
FEMALE--	5	4	4	7	10	6	12	5	5	-	-	-
BLACK---MALE----	10	4	9	8	11	9	8	6	1	1	-	-
FEMALE--	5	4	4	7	10	6	12	5	5	-	-	-
MISSOURI -----	51	76	78	134	174	210	173	124	55	7	2	-
WHITE-----MALE----	27	42	46	72	92	102	67	53	22	1	-	-
FEMALE--	19	27	24	53	68	97	99	63	30	5	2	-
ALL OTHER--MALE----	4	4	3	3	5	6	1	4	2	1	-	-
FEMALE--	1	3	5	6	9	5	6	4	1	-	-	-
BLACK---MALE----	4	4	3	3	5	6	1	3	2	1	-	-
FEMALE--	1	3	5	6	8	5	6	4	1	-	-	-
MONTANA -----	8	9	15	28	26	42	24	17	6	2	-	-
WHITE-----MALE----	8	6	9	13	15	21	12	8	-	1	-	-
FEMALE--	-	3	5	15	11	19	12	9	6	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	18	13	17	36	52	67	58	35	22	4	-	-
WHITE-----MALE----	13	9	11	20	27	35	26	19	8	-	-	-
FEMALE--	5	4	6	15	23	31	30	15	14	4	-	-
ALL OTHER--MALE----	-	-	-	1	1	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	1	-	-	-	-
BLACK---MALE----	-	-	-	1	1	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	1	-	-	-	-
NEVADA -----	20	16	30	32	46	46	40	14	7	1	-	-
WHITE-----MALE----	10	11	20	13	22	28	22	3	1	-	-	-
FEMALE--	8	5	9	16	20	14	16	10	6	-	-	-
ALL OTHER--MALE----	1	-	1	1	3	1	-	1	-	-	-	-
FEMALE--	1	-	-	2	1	3	2	-	-	1	-	-
BLACK---MALE----	1	-	1	1	2	-	-	1	-	-	-	-
FEMALE--	1	-	-	2	-	1	1	-	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 898
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
0 CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
0 MALIGNANT NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES (200-208)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
OHIO -----	2,623	-	12	6	14	9	14	18	34	34	69	87
WHITE-----MALE----	1,235	-	8	1	6	4	8	11	18	13	38	58
FEMALE--	1,137	-	4	2	6	5	3	6	6	18	22	22
ALL OTHER--MALE----	124	-	-	1	1	-	2	-	9	2	6	2
FEMALE--	127	-	-	2	1	-	1	1	1	1	3	5
BLACK---MALE----	122	-	-	1	1	-	2	-	9	2	6	2
FEMALE--	123	-	-	2	1	-	-	1	1	1	3	5
OKLAHOMA -----	761	-	2	1	4	2	1	8	11	8	25	22
WHITE-----MALE----	366	-	1	1	2	1	-	3	5	2	16	10
FEMALE--	325	-	1	-	1	-	1	2	4	3	6	9
ALL OTHER--MALE----	36	-	-	-	-	1	-	3	2	1	2	2
FEMALE--	34	-	-	-	1	-	-	-	-	2	1	1
BLACK---MALE----	27	-	-	-	-	1	-	3	1	1	2	1
FEMALE--	13	-	-	-	-	-	-	-	-	-	-	1
OREGON -----	710	-	2	1	-	4	8	5	10	9	19	24
WHITE-----MALE----	387	-	-	-	-	1	4	4	7	8	11	18
FEMALE--	307	-	1	1	-	3	4	1	3	1	8	5
ALL OTHER--MALE----	12	-	1	-	-	-	-	-	-	-	-	1
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	3,081	1	4	8	10	6	20	29	36	41	67	70
WHITE-----MALE----	1,492	1	3	3	5	2	8	17	20	27	35	39
FEMALE--	1,372	-	1	3	3	4	8	7	11	11	22	25
ALL OTHER--MALE----	112	-	-	2	1	-	3	2	5	3	6	1
FEMALE--	105	-	-	-	1	-	1	3	-	-	4	5
BLACK---MALE----	107	-	-	2	1	-	3	1	5	3	6	1
FEMALE--	103	-	-	-	1	-	1	2	-	-	4	5
RHODE ISLAND -----	233	-	-	1	-	-	3	2	6	5	1	11
WHITE-----MALE----	116	-	-	1	-	-	2	2	3	2	1	7
FEMALE--	109	-	-	-	-	-	1	-	2	2	-	4
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	1	1	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	1	-	-
SOUTH CAROLINA -----	772	-	2	5	2	5	3	11	10	8	25	22
WHITE-----MALE----	299	-	2	4	-	1	1	3	3	4	9	9
FEMALE--	284	-	-	-	1	1	2	3	4	2	7	2
ALL OTHER--MALE----	104	-	-	-	-	1	-	3	2	1	7	6
FEMALE--	85	-	-	1	1	2	-	2	1	1	2	5
BLACK---MALE----	103	-	-	-	-	1	-	3	2	1	6	6
FEMALE--	85	-	-	1	1	2	-	2	1	1	2	5

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 898
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
0 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 MALIGNANT NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES (200-208)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
OHIO -----	98	124	176	323	429	470	356	240	89	18	3	-
WHITE-----MALE----	56	70	80	166	204	219	146	99	24	5	1	-
FEMALE--	31	38	76	120	176	212	191	124	63	10	2	-
ALL OTHER--MALE----	7	6	10	19	25	20	6	5	2	1	-	-
FEMALE--	4	10	10	18	24	19	13	12	-	2	-	-
BLACK---MALE----	7	5	10	19	25	19	6	5	2	1	-	-
FEMALE--	4	10	10	18	24	18	13	10	-	2	-	-
OKLAHOMA -----	27	40	68	83	108	119	112	74	38	8	-	-
WHITE-----MALE----	12	22	38	47	54	55	48	33	14	2	-	-
FEMALE--	12	13	24	30	43	54	58	39	21	4	-	-
ALL OTHER--MALE----	3	3	3	3	4	3	4	1	1	-	-	-
FEMALE--	-	2	3	3	7	7	2	1	2	2	-	-
BLACK---MALE----	3	1	2	3	2	2	4	-	1	-	-	-
FEMALE--	-	1	1	1	4	3	-	1	1	-	-	-
OREGON -----	21	34	41	75	114	126	111	72	24	6	4	-
WHITE-----MALE----	15	23	22	48	64	69	56	28	8	-	1	-
FEMALE--	5	9	18	25	47	56	54	41	16	6	3	-
ALL OTHER--MALE----	1	2	-	2	2	-	1	2	-	-	-	-
FEMALE--	-	-	1	-	1	1	-	1	-	-	-	-
BLACK---MALE----	-	1	-	1	1	-	1	2	-	-	-	-
FEMALE--	-	-	1	-	1	-	-	-	-	-	-	-
PENNSYLVANIA -----	110	162	243	365	540	498	468	271	105	23	4	-
WHITE-----MALE----	52	90	126	175	285	242	216	101	38	7	-	-
FEMALE--	46	55	89	159	221	225	239	158	65	16	4	-
ALL OTHER--MALE----	4	7	18	15	18	13	8	5	1	-	-	-
FEMALE--	8	10	10	16	16	18	5	7	1	-	-	-
BLACK---MALE----	4	7	17	15	17	13	7	4	1	-	-	-
FEMALE--	8	10	10	15	16	18	5	7	1	-	-	-
RHODE ISLAND -----	6	7	18	27	50	40	33	14	9	-	-	-
WHITE-----MALE----	4	3	8	16	24	21	12	6	4	-	-	-
FEMALE--	2	3	9	10	26	18	20	7	5	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	1	-	-	-	-	-	-
FEMALE--	-	1	-	1	-	-	1	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	1	-	1	-	-	1	1	-	-	-	-
SOUTH CAROLINA -----	34	54	75	77	128	125	98	59	24	4	1	-
WHITE-----MALE----	14	28	27	34	55	48	34	17	5	1	-	-
FEMALE--	12	11	27	28	41	50	44	33	13	3	-	-
ALL OTHER--MALE----	7	8	11	9	16	15	12	6	-	-	-	-
FEMALE--	1	7	10	6	16	12	8	3	6	-	1	-
BLACK---MALE----	7	8	11	9	16	15	12	6	-	-	-	-
FEMALE--	1	7	10	6	16	12	8	3	6	-	1	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 899
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
0 CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
0 MALIGNANT NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES (200-208)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
SOUTH DAKOTA -----	154	-	2	-	1	1	-	-	2	1	3	5
WHITE-----MALE----	92	-	1	-	1	-	-	-	2	-	3	2
FEMALE--	55	-	1	-	-	-	-	-	-	1	-	1
ALL OTHER--MALE----	4	-	-	-	-	1	-	-	-	-	-	1
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	1,148	1	3	4	2	4	8	16	14	26	24	35
WHITE-----MALE----	501	-	1	3	1	4	6	10	6	14	12	17
FEMALE--	512	1	2	-	-	-	1	4	5	7	8	11
ALL OTHER--MALE----	79	-	-	-	1	-	1	2	2	3	2	5
FEMALE--	56	-	-	1	-	-	-	-	1	2	2	2
BLACK---MALE----	78	-	-	-	1	-	1	2	2	2	2	5
FEMALE--	56	-	-	1	-	-	-	-	1	2	2	2
TEXAS -----	3,343	2	25	17	14	30	25	43	57	72	103	136
WHITE-----MALE----	1,595	1	21	10	7	16	15	27	29	42	56	65
FEMALE--	1,388	1	3	6	5	12	7	11	17	17	28	51
ALL OTHER--MALE----	184	-	-	1	-	1	3	3	5	9	11	11
FEMALE--	176	-	1	-	2	1	-	2	6	4	8	9
BLACK---MALE----	173	-	-	1	-	1	2	3	5	8	11	9
FEMALE--	168	-	1	-	1	1	-	1	6	3	8	9
UTAH -----	274	-	1	1	3	6	4	4	5	5	8	12
WHITE-----MALE----	149	-	1	-	2	3	4	2	3	2	4	8
FEMALE--	118	-	-	1	1	3	-	2	2	2	4	4
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	126	-	-	-	-	-	-	1	1	4	-	1
WHITE-----MALE----	67	-	-	-	-	-	-	-	-	2	-	1
FEMALE--	58	-	-	-	-	-	-	1	1	2	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	1,262	-	3	4	3	12	12	13	11	18	28	42
WHITE-----MALE----	527	-	2	1	3	5	6	8	4	5	18	20
FEMALE--	461	-	1	2	-	3	2	2	3	7	4	12
ALL OTHER--MALE----	149	-	-	1	-	4	1	2	2	3	4	6
FEMALE--	125	-	-	-	-	-	3	1	2	3	2	4
BLACK---MALE----	141	-	-	1	-	4	1	2	2	3	3	6
FEMALE--	118	-	-	-	-	-	3	1	1	3	1	3

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 899
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
0 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 MALIGNANT NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES (200-208)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
SOUTH DAKOTA -----	4	9	12	17	22	31	20	19	1	4	-	-
WHITE-----MALE----	2	8	6	9	14	16	12	13	-	3	-	-
FEMALE--	-	1	5	7	8	15	8	6	1	1	-	-
ALL OTHER--MALE----	1	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	1	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	51	65	81	135	183	195	147	103	41	9	1	-
WHITE-----MALE----	26	32	42	58	88	82	54	33	11	1	-	-
FEMALE--	22	20	29	64	77	98	72	58	27	6	-	-
ALL OTHER--MALE----	3	5	7	7	9	9	12	7	3	-	1	-
FEMALE--	-	8	3	6	9	6	9	5	-	2	-	-
BLACK---MALE----	3	5	7	7	9	9	12	7	3	-	1	-
FEMALE--	-	8	3	6	9	6	9	5	-	2	-	-
TEXAS -----	129	186	300	373	465	490	449	294	109	22	2	-
WHITE-----MALE----	70	99	155	189	217	221	185	121	41	7	1	-
FEMALE--	44	63	112	131	200	224	223	156	66	10	1	-
ALL OTHER--MALE----	9	13	20	33	24	17	12	6	2	4	-	-
FEMALE--	6	11	13	20	24	28	29	11	-	1	-	-
BLACK---MALE----	6	13	20	30	23	17	12	6	2	4	-	-
FEMALE--	6	11	12	19	22	28	29	10	-	1	-	-
UTAH -----	6	18	23	25	36	40	41	27	8	1	-	-
WHITE-----MALE----	4	7	11	14	18	17	30	13	5	1	-	-
FEMALE--	2	11	10	10	18	21	11	13	3	-	-	-
ALL OTHER--MALE----	-	-	1	1	-	1	-	1	-	-	-	-
FEMALE--	-	-	1	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
VERMONT -----	7	4	12	11	25	24	19	12	5	-	-	-
WHITE-----MALE----	5	1	6	8	13	14	10	5	2	-	-	-
FEMALE--	2	2	6	3	12	10	9	7	3	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	62	88	95	186	205	170	146	116	36	9	3	-
WHITE-----MALE----	29	39	44	78	91	73	55	34	10	2	-	-
FEMALE--	18	32	23	61	69	69	63	62	21	6	1	-
ALL OTHER--MALE----	7	11	11	25	25	18	17	9	2	-	1	-
FEMALE--	8	6	17	22	20	10	11	11	3	1	1	-
BLACK---MALE----	7	11	10	22	22	18	17	9	2	-	1	-
FEMALE--	7	6	17	21	20	9	10	11	3	1	1	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 904
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
0 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 LYMPHOSARCOMA AND RETICULOSARCOMA (200)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
KENTUCKY -----	1	1	-	2	1	3	1	-	-	-	-	-
WHITE-----MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	2	-	3	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
LOUISIANA -----	-	3	1	2	1	2	2	4	1	-	-	-
WHITE-----MALE----	-	2	-	2	-	1	1	1	1	-	-	-
FEMALE--	-	-	1	-	-	1	-	3	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MAINE -----	-	-	1	2	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	1	2	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	1	-	-	3	1	3	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	3	1	2	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS -----	-	-	1	3	1	4	1	1	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	2	1	-	1	-	-	-
FEMALE--	-	-	1	2	1	2	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	2	3	4	5	12	5	3	1	2	1	-	-
WHITE-----MALE----	1	1	1	2	7	2	1	1	-	-	-	-
FEMALE--	-	2	2	3	4	3	2	-	2	1	-	-
ALL OTHER--MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 907
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
0 CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
0 LYMPHOSARCOMA AND RETICULOSARCOMA (200)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
OHIO -----	45	-	-	1	1	2	2	-	-	1	1	3
WHITE-----MALE----	18	-	-	-	1	2	1	-	-	1	1	2
FEMALE--	23	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	-	-	1	-	-	1	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	1	-	-	1	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA -----	18	-	-	-	-	1	-	-	-	-	-	1
WHITE-----MALE----	4	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	13	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	17	-	-	-	-	-	1	-	-	-	-	1
WHITE-----MALE----	10	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	48	-	-	1	-	-	2	1	-	1	3	1
WHITE-----MALE----	22	-	-	-	-	-	1	1	-	-	3	1
FEMALE--	23	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	3	-	-	1	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	1	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND -----	2	-	-	-	-	-	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	16	-	-	-	-	-	1	-	1	-	-	1
WHITE-----MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	10	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	2	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	2	-	-	-	-	-	-	-	1	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 907
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
0 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 LYMPHOSARCOMA AND RETICULOSARCOMA (200)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
OHIO -----	4	6	4	5	5	4	2	2	1	1	-	-
WHITE-----MALE----	1	2	2	1	3	1	-	-	-	-	-	-
FEMALE--	3	3	2	4	2	3	2	2	1	1	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA -----	1	1	3	2	5	1	2	1	-	-	-	-
WHITE-----MALE----	-	-	1	2	-	-	-	-	-	-	-	-
FEMALE--	1	1	2	-	4	1	2	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
OREGON -----	1	-	-	2	2	3	4	3	-	-	-	-
WHITE-----MALE----	1	-	-	2	-	2	2	2	-	-	-	-
FEMALE--	-	-	-	-	2	1	2	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	1	1	4	5	9	5	8	4	2	-	-	-
WHITE-----MALE----	-	1	3	3	4	1	3	1	-	-	-	-
FEMALE--	1	-	1	2	4	4	5	3	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND -----	-	-	-	-	-	1	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	-	-	-	1	1	4	3	1	2	1	-	-
WHITE-----MALE----	-	-	-	1	-	1	-	-	-	1	-	-
FEMALE--	-	-	-	-	1	3	3	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 908
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
0 CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
0 LYMPHOSARCOMA AND RETICULOSARCOMA (200)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
SOUTH DAKOTA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	15	-	-	1	-	-	-	1	-	-	-	-
WHITE-----MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	1	-	-	-	-	-	-	-	-
TEXAS -----	73	-	-	2	-	1	1	1	1	5	6	1
WHITE-----MALE----	29	-	-	2	-	1	1	1	1	2	2	1
FEMALE--	35	-	-	-	-	-	-	-	-	2	1	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	2	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	2	-
UTAH -----	6	-	-	-	-	-	-	-	1	1	-	-
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	6	-	-	-	-	-	-	-	-	1	-	-
WHITE-----MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	24	-	-	-	-	-	-	-	4	-	1	1
WHITE-----MALE----	8	-	-	-	-	-	-	-	1	-	-	1
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	2	-	1	-
BLACK---MALE----	4	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	1	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 908
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
0 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 LYMPHOSARCOMA AND RETICULOSARCOMA (200)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
SOUTH DAKOTA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	-	2	1	-	3	1	3	3	-	-	-	-
WHITE-----MALE----	-	2	-	-	2	-	-	2	-	-	-	-
FEMALE--	-	-	1	-	1	1	2	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
TEXAS -----	1	4	2	12	7	13	9	5	2	-	-	-
WHITE-----MALE----	-	2	1	2	4	2	3	3	1	-	-	-
FEMALE--	1	2	1	9	3	10	4	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	1	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	1	-	-	-	-
UTAH -----	-	-	-	1	1	-	-	2	-	-	-	-
WHITE-----MALE----	-	-	-	1	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	1	-	-	-	2	-	-	1	1	-	-	-
WHITE-----MALE----	1	-	-	-	2	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	2	3	1	6	2	-	1	3	-	-	-	-
WHITE-----MALE----	1	1	-	3	1	-	-	-	-	-	-	-
FEMALE--	-	2	-	2	-	-	1	2	-	-	-	-
ALL OTHER--MALE----	-	-	1	1	1	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	1	1	1	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 910
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
0 CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
0 HODGKIN'S DISEASE (201)

0	CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0	UNITED STATES --	1,408	-	1	1	7	27	75	91	105	102	101	99
	WHITE-----MALE----	672	-	1	1	-	7	37	45	58	50	58	46
	FEMALE--	577	-	-	-	3	13	22	35	30	32	27	44
	ALL OTHER--MALE----	92	-	-	-	3	2	10	5	11	12	9	5
	FEMALE--	67	-	-	-	1	5	6	6	6	8	7	4
	BLACK---MALE----	83	-	-	-	3	2	9	4	10	12	8	5
	FEMALE--	59	-	-	-	1	4	4	6	6	6	7	4
ALABAMA	-----	25	-	-	-	-	1	3	1	2	2	3	2
	WHITE-----MALE----	8	-	-	-	-	-	2	1	1	-	1	-
	FEMALE--	12	-	-	-	-	-	-	-	1	1	1	2
	ALL OTHER--MALE----	3	-	-	-	-	-	1	-	-	-	1	-
	FEMALE--	2	-	-	-	-	1	-	-	-	1	-	-
	BLACK---MALE----	3	-	-	-	-	-	1	-	-	-	1	-
	FEMALE--	2	-	-	-	-	1	-	-	-	1	-	-
ALASKA	-----	1	-	-	-	-	-	-	-	-	-	-	-
	WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
	BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA	-----	27	-	-	-	-	-	2	2	2	3	-	-
	WHITE-----MALE----	13	-	-	-	-	-	1	-	1	2	-	-
	FEMALE--	10	-	-	-	-	-	-	1	1	1	-	-
	ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
	FEMALE--	3	-	-	-	-	-	1	1	-	-	-	-
	BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE--	2	-	-	-	-	-	-	1	-	-	-	-
ARKANSAS	-----	24	-	-	-	-	1	1	1	1	1	3	1
	WHITE-----MALE----	11	-	-	-	-	1	1	-	-	1	2	-
	FEMALE--	9	-	-	-	-	-	-	1	-	-	-	-
	ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	1	1
	FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
	BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	1	1
	FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
CALIFORNIA	-----	141	-	-	1	-	1	7	9	12	15	9	7
	WHITE-----MALE----	70	-	-	1	-	-	2	5	5	9	5	4
	FEMALE--	54	-	-	-	-	-	4	3	5	5	2	2
	ALL OTHER--MALE----	9	-	-	-	-	-	-	1	2	-	-	1
	FEMALE--	8	-	-	-	-	1	1	-	-	1	2	-
	BLACK---MALE----	7	-	-	-	-	-	-	-	2	-	-	1
	FEMALE--	6	-	-	-	-	-	-	-	-	1	2	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 911
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
0 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 HODGKIN'S DISEASE (201)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
COLORADO -----	3	-	-	1	-	-	1	1	-	-	-	-
WHITE-----MALE----	3	-	-	1	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	1	1	-	1	3	4	1	1	-	-	-	-
WHITE-----MALE----	1	1	-	1	2	2	1	1	-	-	-	-
FEMALE--	-	-	-	-	1	2	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	1	-	-	-	2	1	1	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	2	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	7	6	4	8	11	6	11	6	1	1	-	-
WHITE-----MALE----	5	4	1	2	6	3	3	1	-	-	-	-
FEMALE--	2	2	3	6	3	2	8	5	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
GEORGIA -----	1	2	2	1	4	4	5	3	-	-	-	-
WHITE-----MALE----	-	1	1	-	1	2	1	-	-	-	-	-
FEMALE--	1	-	-	1	1	2	4	3	-	-	-	-
ALL OTHER--MALE----	-	1	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	1	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 913
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
0 CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
0 HODGKIN'S DISEASE (201)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
KENTUCKY -----	24	-	-	-	-	-	3	2	4	3	1	1
WHITE-----MALE----	14	-	-	-	-	-	1	2	4	2	1	-
FEMALE--	9	-	-	-	-	-	1	-	-	1	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	24	-	-	-	-	1	-	2	2	-	1	-
WHITE-----MALE----	12	-	-	-	-	1	-	1	1	-	1	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	1	-	-	-
MAINE -----	8	-	-	-	1	-	2	-	-	-	1	-
WHITE-----MALE----	4	-	-	-	-	-	1	-	-	-	1	-
FEMALE--	4	-	-	-	1	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	27	-	-	-	-	1	2	1	2	4	4	2
WHITE-----MALE----	12	-	-	-	-	-	1	1	2	2	1	1
FEMALE--	11	-	-	-	-	1	-	-	-	-	2	1
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	2	-	-	-	-	-	1	-	-	1	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	2	-	-	-	-	-	1	-	-	1	-	-
MASSACHUSETTS -----	42	-	-	-	-	-	1	3	3	2	4	3
WHITE-----MALE----	26	-	-	-	-	-	1	2	2	1	3	3
FEMALE--	15	-	-	-	-	-	-	1	1	1	1	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	50	-	-	-	-	1	6	1	2	3	4	9
WHITE-----MALE----	25	-	-	-	-	-	3	1	1	1	4	7
FEMALE--	15	-	-	-	-	1	1	-	-	-	-	1
ALL OTHER--MALE----	7	-	-	-	-	-	-	-	1	1	-	1
FEMALE--	3	-	-	-	-	-	2	-	-	1	-	-
BLACK---MALE----	7	-	-	-	-	-	-	-	1	1	-	1
FEMALE--	3	-	-	-	-	-	2	-	-	1	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 916
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
0 CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
0 HODGKIN'S DISEASE (201)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
OHIO -----	65	-	-	-	-	1	5	1	6	4	7	1
WHITE-----MALE----	28	-	-	-	-	-	1	-	5	-	5	1
FEMALE--	34	-	-	-	-	1	3	1	1	4	1	-
ALL OTHER--MALE----	2	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	2	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
OKLAHOMA -----	22	-	-	-	-	-	-	3	2	3	1	1
WHITE-----MALE----	11	-	-	-	-	-	-	1	1	2	1	-
FEMALE--	6	-	-	-	-	-	-	1	-	-	-	1
ALL OTHER--MALE----	2	-	-	-	-	-	-	1	1	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	2	-	-	-	-	-	-	1	1	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	9	-	-	-	-	1	-	1	1	-	-	1
WHITE-----MALE----	3	-	-	-	-	-	-	1	-	-	-	1
FEMALE--	6	-	-	-	-	1	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	75	-	-	-	-	-	4	4	7	5	6	5
WHITE-----MALE----	35	-	-	-	-	-	2	3	1	2	4	1
FEMALE--	35	-	-	-	-	-	1	1	4	2	1	4
ALL OTHER--MALE----	5	-	-	-	-	-	1	-	2	1	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	5	-	-	-	-	-	1	-	2	1	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND -----	11	-	-	-	-	-	1	-	-	-	-	2
WHITE-----MALE----	6	-	-	-	-	-	1	-	-	-	-	1
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	19	-	-	-	-	1	-	3	-	-	3	1
WHITE-----MALE----	8	-	-	-	-	-	-	1	-	-	1	-
FEMALE--	8	-	-	-	-	-	-	1	-	-	1	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	1	-	1	-	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	1	-	1	-	-	1	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 917
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
0 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 HODGKIN'S DISEASE (201)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
SOUTH DAKOTA -----	-	-	-	-	-	-	2	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	2	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	1	3	2	2	1	-	1	-	-	-	-	-
WHITE-----MALE----	1	3	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	2	1	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS -----	2	5	3	7	8	7	10	4	2	-	-	-
WHITE-----MALE----	1	1	1	1	8	2	3	4	-	-	-	-
FEMALE--	1	1	2	5	-	5	6	-	2	-	-	-
ALL OTHER--MALE----	-	1	-	1	-	-	1	-	-	-	-	-
FEMALE--	-	2	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	1	-	-	1	-	-	-	-	-
FEMALE--	-	2	-	-	-	-	-	-	-	-	-	-
UTAH -----	-	1	-	-	-	1	-	-	-	-	-	-
WHITE-----MALE----	-	1	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	1	-	1	-	1	-	-	1	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	1	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	-	1	1	2	1	3	1	1	-	-	-	-
WHITE-----MALE----	-	1	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	3	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	1	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 919
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 0 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
 0 CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
 0 OTHER MALIGNANT NEOPLASMS OF LYMPHOID AND HISTIOCYTIC TISSUE (202)

0	CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0	UNITED STATES --	21,952	1	10	6	23	44	75	171	299	431	614	784
	WHITE-----MALE----	10,441	-	4	4	14	26	29	80	158	255	345	434
	FEMALE--	9,730	1	3	-	5	14	29	49	71	94	159	236
	ALL OTHER--MALE----	999	-	1	1	2	2	10	22	54	54	75	81
	FEMALE--	782	-	2	1	2	2	7	20	16	28	35	33
	BLACK---MALE----	809	-	1	-	2	2	9	19	49	46	69	74
	FEMALE--	637	-	1	1	2	2	7	16	11	24	31	30
ALABAMA	-----	323	-	-	-	1	2	-	3	4	7	5	9
	WHITE-----MALE----	150	-	-	-	-	2	-	1	2	3	2	5
	FEMALE--	133	-	-	-	-	-	-	-	1	1	1	3
	ALL OTHER--MALE----	21	-	-	-	-	-	-	-	1	1	1	1
	FEMALE--	19	-	-	-	1	-	-	2	-	2	1	-
	BLACK---MALE----	21	-	-	-	-	-	-	-	1	1	1	1
	FEMALE--	19	-	-	-	1	-	-	2	-	2	1	-
ALASKA	-----	26	-	-	-	-	-	-	-	-	2	-	2
	WHITE-----MALE----	15	-	-	-	-	-	-	-	-	2	-	2
	FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
	FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
	BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA	-----	388	-	-	-	1	-	-	4	4	6	11	9
	WHITE-----MALE----	198	-	-	-	1	-	-	1	3	5	7	7
	FEMALE--	178	-	-	-	-	-	-	1	-	-	4	1
	ALL OTHER--MALE----	10	-	-	-	-	-	-	2	-	1	-	1
	FEMALE--	2	-	-	-	-	-	-	-	1	-	-	-
	BLACK---MALE----	4	-	-	-	-	-	-	1	-	-	-	1
	FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS	-----	217	-	-	-	-	-	-	2	3	3	2	5
	WHITE-----MALE----	111	-	-	-	-	-	-	2	2	1	1	3
	FEMALE--	94	-	-	-	-	-	-	-	1	2	1	2
	ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	-
	FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
	BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	-	-
	FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA	-----	2,131	-	1	1	1	4	11	17	34	31	59	94
	WHITE-----MALE----	980	-	-	1	1	3	4	3	19	21	30	41
	FEMALE--	953	-	1	-	-	1	6	10	9	7	18	38
	ALL OTHER--MALE----	115	-	-	-	-	-	-	1	5	2	11	11
	FEMALE--	83	-	-	-	-	-	1	3	1	1	-	4
	BLACK---MALE----	48	-	-	-	-	-	-	1	3	1	6	10
	FEMALE--	36	-	-	-	-	-	1	1	-	-	-	2

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 919												
(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH												
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)												
0 CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OTHER MALIGNANT NEOPLASMS OF LYMPHOID AND HISTIOCYTIC TISSUE (202)												
0 UNITED STATES --	976	1,267	1,759	2,480	3,419	3,638	3,163	1,890	730	151	20	1
WHITE-----MALE----	516	692	942	1,248	1,674	1,691	1,358	699	229	40	2	1
FEMALE--	341	444	645	1,044	1,518	1,754	1,629	1,106	471	101	16	-
ALL OTHER--MALE----	74	80	100	94	124	95	80	34	11	4	1	-
FEMALE--	45	51	72	94	103	98	96	51	19	6	1	-
BLACK---MALE----	63	66	86	82	82	64	59	24	8	3	1	-
FEMALE--	39	43	61	71	78	80	76	42	15	6	1	-
ALABAMA -----	18	23	26	41	38	58	53	26	7	2	-	-
WHITE-----MALE----	10	15	12	19	20	26	20	10	3	-	-	-
FEMALE--	6	5	9	15	17	29	30	12	2	2	-	-
ALL OTHER--MALE----	2	2	3	4	1	1	3	1	-	-	-	-
FEMALE--	-	1	2	3	-	2	-	3	2	-	-	-
BLACK---MALE----	2	2	3	4	1	1	3	1	-	-	-	-
FEMALE--	-	1	2	3	-	2	-	3	2	-	-	-
ALASKA -----	5	3	2	3	4	2	1	2	-	-	-	-
WHITE-----MALE----	3	2	1	1	2	1	1	-	-	-	-	-
FEMALE--	2	-	1	1	-	1	-	2	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	2	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	16	17	35	44	81	62	51	34	11	2	-	-
WHITE-----MALE----	8	7	17	27	45	29	20	18	3	-	-	-
FEMALE--	8	10	18	17	33	32	28	16	8	2	-	-
ALL OTHER--MALE----	-	-	-	-	2	1	3	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	13	13	16	23	35	40	37	18	5	2	-	-
WHITE-----MALE----	8	8	11	11	16	18	17	11	2	-	-	-
FEMALE--	4	4	4	11	16	20	20	5	2	2	-	-
ALL OTHER--MALE----	-	-	1	1	-	1	-	1	-	-	-	-
FEMALE--	1	1	-	-	3	1	-	1	1	-	-	-
BLACK---MALE----	-	-	1	1	-	1	-	1	-	-	-	-
FEMALE--	1	1	-	-	3	1	-	1	1	-	-	-
CALIFORNIA -----	91	135	172	244	326	349	313	170	59	17	2	-
WHITE-----MALE----	50	69	97	114	146	163	139	55	19	5	-	-
FEMALE--	33	55	57	107	145	157	152	105	38	12	2	-
ALL OTHER--MALE----	6	6	8	13	22	15	12	2	1	-	-	-
FEMALE--	2	5	10	10	13	14	10	8	1	-	-	-
BLACK---MALE----	5	4	5	4	3	3	3	-	-	-	-	-
FEMALE--	-	2	7	3	5	7	5	3	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 920
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
0 CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
0 OTHER MALIGNANT NEOPLASMS OF LYMPHOID AND HISTIOCYTIC TISSUE (202)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
COLORADO -----	234	-	-	-	1	1	-	2	4	4	9	8
WHITE-----MALE----	108	-	-	-	1	1	-	1	3	2	5	5
FEMALE--	118	-	-	-	-	-	-	1	-	1	4	3
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	1	1	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	1	1	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	303	-	-	-	2	1	-	2	4	8	8	8
WHITE-----MALE----	129	-	-	-	1	1	-	1	2	3	5	1
FEMALE--	158	-	-	-	1	-	-	-	2	2	2	6
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	2	-	1
FEMALE--	10	-	-	-	-	-	-	1	-	1	1	-
BLACK---MALE----	5	-	-	-	-	-	-	-	-	2	-	1
FEMALE--	9	-	-	-	-	-	-	1	-	1	-	-
DELAWARE -----	58	-	-	-	1	-	-	1	1	-	4	1
WHITE-----MALE----	26	-	-	-	-	-	-	-	1	-	1	1
FEMALE--	23	-	-	-	-	-	-	1	-	-	1	-
ALL OTHER--MALE----	6	-	-	-	1	-	-	-	-	-	2	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	6	-	-	-	1	-	-	-	-	-	2	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	26	-	-	-	-	-	-	1	3	1	-	-
WHITE-----MALE----	7	-	-	-	-	-	-	-	3	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	9	-	-	-	-	-	-	1	-	1	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	8	-	-	-	-	-	-	1	-	1	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	1,529	-	1	-	1	2	3	6	29	28	43	46
WHITE-----MALE----	790	-	-	-	-	2	-	2	18	18	21	25
FEMALE--	628	-	-	-	-	-	3	-	4	5	9	12
ALL OTHER--MALE----	66	-	-	-	1	-	-	2	4	2	11	7
FEMALE--	45	-	1	-	-	-	-	2	3	3	2	2
BLACK---MALE----	64	-	-	-	1	-	-	2	4	2	11	7
FEMALE--	41	-	1	-	-	-	-	2	2	3	2	2
GEORGIA -----	413	-	-	-	2	-	1	2	8	16	15	11
WHITE-----MALE----	193	-	-	-	2	-	1	1	3	9	7	5
FEMALE--	148	-	-	-	-	-	-	1	1	3	1	3
ALL OTHER--MALE----	48	-	-	-	-	-	-	-	3	3	6	3
FEMALE--	24	-	-	-	-	-	-	-	1	1	1	-
BLACK---MALE----	48	-	-	-	-	-	-	-	3	3	6	3
FEMALE--	24	-	-	-	-	-	-	-	1	1	1	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 920
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
0 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 OTHER MALIGNANT NEOPLASMS OF LYMPHOID AND HISTIOCYTIC TISSUE (202)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
COLORADO -----	11	14	28	26	33	42	23	19	7	2	-	-
WHITE-----MALE----	5	9	15	10	14	21	9	3	3	1	-	-
FEMALE--	4	5	11	16	19	19	14	16	4	1	-	-
ALL OTHER--MALE----	-	-	1	-	-	2	-	-	-	-	-	-
FEMALE--	2	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	12	19	18	29	39	62	45	31	14	1	-	-
WHITE-----MALE----	5	11	9	14	12	29	17	14	4	-	-	-
FEMALE--	7	7	8	12	26	32	25	17	10	1	-	-
ALL OTHER--MALE----	-	1	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	1	3	-	-	3	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	1	3	-	-	3	-	-	-	-	-
DELAWARE -----	2	1	7	9	7	12	6	3	3	-	-	-
WHITE-----MALE----	-	1	1	6	3	7	3	2	-	-	-	-
FEMALE--	1	-	4	3	3	3	3	1	3	-	-	-
ALL OTHER--MALE----	1	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	2	-	-	1	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	2	-	-	1	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	1	3	4	2	1	4	1	5	-	-	-	-
WHITE-----MALE----	-	2	1	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	1	-	2	-	1	-	-	-	-
ALL OTHER--MALE----	-	1	3	-	-	1	1	1	-	-	-	-
FEMALE--	1	-	-	1	1	1	-	2	-	-	-	-
BLACK---MALE----	-	1	3	-	-	1	1	-	-	-	-	-
FEMALE--	1	-	-	1	1	1	-	2	-	-	-	-
FLORIDA -----	63	64	100	166	252	271	236	159	47	11	1	-
WHITE-----MALE----	27	35	63	87	135	140	121	74	15	7	-	-
FEMALE--	24	20	30	64	112	122	109	79	31	3	1	-
ALL OTHER--MALE----	10	6	4	7	3	2	2	4	1	-	-	-
FEMALE--	2	3	3	8	2	7	4	2	-	1	-	-
BLACK---MALE----	10	6	4	7	2	2	2	3	1	-	-	-
FEMALE--	2	3	3	5	2	7	4	2	-	1	-	-
GEORGIA -----	26	25	29	44	67	69	56	25	13	4	-	-
WHITE-----MALE----	14	14	14	23	41	27	22	7	3	-	-	-
FEMALE--	6	7	8	14	20	30	26	17	7	4	-	-
ALL OTHER--MALE----	6	3	4	6	4	4	4	1	1	-	-	-
FEMALE--	-	1	3	1	2	8	4	-	2	-	-	-
BLACK---MALE----	6	3	4	6	4	4	4	1	1	-	-	-
FEMALE--	-	1	3	1	2	8	4	-	2	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 922
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
0 CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
0 OTHER MALIGNANT NEOPLASMS OF LYMPHOID AND HISTIOCYTIC TISSUE (202)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
KENTUCKY -----	346	1	-	-	2	4	3	-	4	5	13	12
WHITE-----MALE----	179	-	-	-	2	4	1	-	3	2	8	8
FEMALE--	157	1	-	-	-	-	2	-	1	2	5	4
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	5	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	357	-	1	-	1	1	4	10	3	13	12	14
WHITE-----MALE----	151	-	-	-	1	-	-	5	-	9	6	7
FEMALE--	137	-	-	-	-	-	1	-	-	-	4	1
ALL OTHER--MALE----	43	-	1	-	-	-	1	2	2	4	1	6
FEMALE--	26	-	-	-	-	1	2	3	1	-	1	-
BLACK---MALE----	41	-	1	-	-	-	1	2	2	3	1	6
FEMALE--	26	-	-	-	-	1	2	3	1	-	1	-
MAINE -----	115	-	-	-	-	-	-	1	3	1	4	2
WHITE-----MALE----	47	-	-	-	-	-	-	-	1	-	3	1
FEMALE--	68	-	-	-	-	-	-	1	2	1	1	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	349	-	-	-	-	-	-	5	2	10	11	16
WHITE-----MALE----	163	-	-	-	-	-	-	3	2	3	5	9
FEMALE--	134	-	-	-	-	-	-	1	-	3	2	4
ALL OTHER--MALE----	29	-	-	-	-	-	-	1	-	2	1	3
FEMALE--	23	-	-	-	-	-	-	-	-	2	3	-
BLACK---MALE----	27	-	-	-	-	-	-	1	-	2	1	3
FEMALE--	23	-	-	-	-	-	-	-	-	2	3	-
MASSACHUSETTS -----	582	-	-	-	1	1	1	4	3	6	12	22
WHITE-----MALE----	308	-	-	-	-	1	1	2	3	5	6	13
FEMALE--	258	-	-	-	-	-	-	2	-	1	6	6
ALL OTHER--MALE----	8	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	8	-	-	-	1	-	-	-	-	-	-	1
BLACK---MALE----	5	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	6	-	-	-	1	-	-	-	-	-	-	1
MICHIGAN -----	813	-	-	-	-	1	2	4	12	9	19	28
WHITE-----MALE----	393	-	-	-	-	-	-	2	9	4	12	15
FEMALE--	360	-	-	-	-	1	1	2	1	3	4	8
ALL OTHER--MALE----	28	-	-	-	-	-	1	-	1	-	2	2
FEMALE--	32	-	-	-	-	-	-	-	1	2	1	3
BLACK---MALE----	26	-	-	-	-	-	1	-	1	-	2	2
FEMALE--	29	-	-	-	-	-	-	-	1	2	1	3

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 922
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
0 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 OTHER MALIGNANT NEOPLASMS OF LYMPHOID AND HISTIOCYTIC TISSUE (202)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
KENTUCKY -----	14	20	42	27	59	51	53	26	9	1	-	-
WHITE-----MALE----	8	12	20	14	30	31	20	11	5	-	-	-
FEMALE--	6	8	20	13	26	19	30	15	4	1	-	-
ALL OTHER--MALE----	-	-	2	-	-	-	2	-	-	-	-	-
FEMALE--	-	-	-	-	3	1	1	-	-	-	-	-
BLACK---MALE----	-	-	2	-	-	-	2	-	-	-	-	-
FEMALE--	-	-	-	-	3	1	1	-	-	-	-	-
LOUISIANA -----	16	22	31	52	49	54	47	19	7	1	-	-
WHITE-----MALE----	5	9	13	23	25	22	21	5	-	-	-	-
FEMALE--	5	8	13	20	21	25	18	13	7	1	-	-
ALL OTHER--MALE----	5	3	3	4	2	5	4	-	-	-	-	-
FEMALE--	1	2	2	5	1	2	4	1	-	-	-	-
BLACK---MALE----	5	3	3	4	2	4	4	-	-	-	-	-
FEMALE--	1	2	2	5	1	2	4	1	-	-	-	-
MAINE -----	5	7	7	9	21	23	10	14	6	2	-	-
WHITE-----MALE----	2	3	5	2	10	10	4	4	2	-	-	-
FEMALE--	3	4	2	7	11	13	6	10	4	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	12	21	28	32	67	56	46	23	17	3	-	-
WHITE-----MALE----	5	6	18	18	37	23	23	9	2	-	-	-
FEMALE--	5	6	4	8	24	30	18	14	13	2	-	-
ALL OTHER--MALE----	-	6	5	4	5	1	1	-	-	-	-	-
FEMALE--	2	3	1	2	1	2	4	-	2	1	-	-
BLACK---MALE----	-	5	5	4	4	1	1	-	-	-	-	-
FEMALE--	2	3	1	2	1	2	4	-	2	1	-	-
MASSACHUSETTS -----	20	26	46	59	112	90	88	62	20	8	1	-
WHITE-----MALE----	16	18	26	31	61	39	44	25	13	3	1	-
FEMALE--	4	7	15	27	48	50	43	37	7	5	-	-
ALL OTHER--MALE----	-	-	3	1	1	1	-	-	-	-	-	-
FEMALE--	-	1	2	-	2	-	1	-	-	-	-	-
BLACK---MALE----	-	-	1	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	2	-	1	-	1	-	-	-	-	-
MICHIGAN -----	45	45	77	92	132	141	108	66	24	6	2	-
WHITE-----MALE----	28	23	35	49	65	69	48	27	4	3	-	-
FEMALE--	14	19	36	35	60	63	51	38	19	3	2	-
ALL OTHER--MALE----	3	2	2	3	6	3	2	1	-	-	-	-
FEMALE--	-	1	4	5	1	6	7	-	1	-	-	-
BLACK---MALE----	2	2	2	3	6	3	1	1	-	-	-	-
FEMALE--	-	-	3	5	1	6	6	-	1	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 923
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 0 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
 0 CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
 0 OTHER MALIGNANT NEOPLASMS OF LYMPHOID AND HISTIOCYTIC TISSUE (202)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
MINNESOTA -----	470	-	-	1	1	-	2	1	4	12	7	16
WHITE-----MALE----	213	-	-	1	-	-	1	1	1	8	5	10
FEMALE--	246	-	-	-	1	-	1	-	2	3	1	6
ALL OTHER--MALE----	9	-	-	-	-	-	-	-	1	1	1	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	1	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI -----	181	-	-	-	-	1	2	2	3	6	2	10
WHITE-----MALE----	75	-	-	-	-	1	-	-	-	1	-	6
FEMALE--	61	-	-	-	-	-	2	2	1	-	-	2
ALL OTHER--MALE----	25	-	-	-	-	-	2	-	2	3	1	2
FEMALE--	20	-	-	-	-	-	-	-	-	2	1	-
BLACK---MALE----	25	-	-	-	-	-	2	-	2	3	1	2
FEMALE--	20	-	-	-	-	-	-	-	-	2	1	-
MISSOURI -----	504	-	-	-	-	2	1	6	3	12	11	16
WHITE-----MALE----	249	-	-	-	-	-	-	4	1	11	5	10
FEMALE--	233	-	-	-	-	2	1	-	1	1	5	5
ALL OTHER--MALE----	10	-	-	-	-	-	-	1	1	-	1	-
FEMALE--	12	-	-	-	-	-	-	1	-	-	-	1
BLACK---MALE----	9	-	-	-	-	-	-	1	1	-	1	-
FEMALE--	12	-	-	-	-	-	-	1	-	-	-	1
MONTANA -----	79	-	-	-	-	-	-	1	1	-	1	4
WHITE-----MALE----	35	-	-	-	-	-	-	-	1	-	1	3
FEMALE--	41	-	-	-	-	-	-	1	-	-	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	155	-	-	-	-	-	-	3	2	1	2	6
WHITE-----MALE----	79	-	-	-	-	-	-	2	-	1	1	4
FEMALE--	67	-	-	-	-	-	-	1	-	-	-	1
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	1	-	1	1
FEMALE--	4	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	5	-	-	-	-	-	-	-	1	-	1	1
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
NEVADA -----	125	-	-	-	-	-	-	1	3	7	3	5
WHITE-----MALE----	67	-	-	-	-	-	-	-	1	5	2	1
FEMALE--	48	-	-	-	-	-	-	-	1	2	1	2
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	6	-	-	-	-	-	-	1	-	-	-	2
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	1	-	-	-	1

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 923
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 0 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
 0 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 0 OTHER MALIGNANT NEOPLASMS OF LYMPHOID AND HISTIOCYTIC TISSUE (202)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
MINNESOTA -----	19	21	41	53	63	86	66	50	21	6	-	-
WHITE-----MALE----	9	10	24	29	33	38	26	10	6	1	-	-
FEMALE--	10	11	13	24	29	47	39	39	15	5	-	-
ALL OTHER--MALE----	-	-	3	-	1	-	1	1	-	-	-	-
FEMALE--	-	-	1	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	2	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
MISSISSIPPI -----	10	12	17	23	21	22	26	17	6	1	-	-
WHITE-----MALE----	-	9	6	12	7	11	15	5	2	-	-	-
FEMALE--	5	2	5	8	11	7	6	9	2	1	-	-
ALL OTHER--MALE----	2	-	4	2	-	3	2	1	1	-	-	-
FEMALE--	3	1	2	1	3	1	3	2	1	-	-	-
BLACK---MALE----	2	-	4	2	-	3	2	1	1	-	-	-
FEMALE--	3	1	2	1	3	1	3	2	1	-	-	-
MISSOURI -----	21	33	39	55	68	82	77	50	26	1	1	-
WHITE-----MALE----	13	23	23	27	35	36	32	18	11	-	-	-
FEMALE--	8	10	11	27	30	45	42	29	14	1	1	-
ALL OTHER--MALE----	-	-	2	-	2	-	1	1	1	-	-	-
FEMALE--	-	-	3	1	1	1	2	2	-	-	-	-
BLACK---MALE----	-	-	2	-	2	-	1	-	1	-	-	-
FEMALE--	-	-	3	1	1	1	2	2	-	-	-	-
MONTANA -----	4	1	3	13	13	25	5	6	2	-	-	-
WHITE-----MALE----	4	1	1	5	6	10	1	2	-	-	-	-
FEMALE--	-	-	1	8	7	13	4	4	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	7	6	5	16	23	28	28	15	11	2	-	-
WHITE-----MALE----	7	5	2	8	12	13	13	9	2	-	-	-
FEMALE--	-	1	3	8	10	14	13	5	9	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	1	-	-	-	-
NEVADA -----	7	7	10	12	20	23	17	6	4	-	-	-
WHITE-----MALE----	3	4	8	6	11	14	10	1	1	-	-	-
FEMALE--	3	3	2	4	9	7	6	5	3	-	-	-
ALL OTHER--MALE----	1	-	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	1	-	-	-	-	-
BLACK---MALE----	1	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	-	-	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 925
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
0 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 OTHER MALIGNANT NEOPLASMS OF LYMPHOID AND HISTIOCYTIC TISSUE (202)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
OHIO -----	40	49	82	142	183	193	149	89	37	4	3	-
WHITE-----MALE----	23	30	40	77	87	85	65	35	14	2	1	-
FEMALE--	13	16	36	56	83	99	79	49	23	2	2	-
ALL OTHER--MALE----	2	-	2	4	8	3	1	-	-	-	-	-
FEMALE--	2	3	4	5	5	6	4	5	-	-	-	-
BLACK---MALE----	2	-	2	4	8	2	1	-	-	-	-	-
FEMALE--	2	3	4	5	5	5	4	4	-	-	-	-
OKLAHOMA -----	12	12	23	25	43	52	47	24	14	2	-	-
WHITE-----MALE----	8	6	16	15	22	22	20	9	6	1	-	-
FEMALE--	3	6	7	9	18	28	25	15	8	1	-	-
ALL OTHER--MALE----	1	-	-	-	1	1	1	-	-	-	-	-
FEMALE--	-	-	-	1	2	1	1	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
OREGON -----	12	15	16	29	45	48	37	25	5	3	-	-
WHITE-----MALE----	7	12	8	16	24	21	16	10	3	-	-	-
FEMALE--	4	2	8	12	21	27	21	14	2	3	-	-
ALL OTHER--MALE----	1	1	-	1	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	46	75	99	142	217	203	195	109	40	8	4	-
WHITE-----MALE----	21	43	58	73	109	98	76	36	10	3	-	-
FEMALE--	22	28	36	61	94	97	116	71	30	5	4	-
ALL OTHER--MALE----	2	2	4	6	8	2	2	2	-	-	-	-
FEMALE--	1	2	1	2	6	6	1	-	-	-	-	-
BLACK---MALE----	2	2	3	6	7	2	1	1	-	-	-	-
FEMALE--	1	2	1	1	6	6	1	-	-	-	-	-
RHODE ISLAND -----	4	2	12	11	26	21	16	7	4	-	-	-
WHITE-----MALE----	3	-	5	7	14	9	3	3	1	-	-	-
FEMALE--	1	2	7	4	12	12	13	3	3	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
SOUTH CAROLINA -----	19	28	25	29	39	44	28	26	7	1	-	-
WHITE-----MALE----	10	17	11	15	20	17	12	6	1	-	-	-
FEMALE--	6	7	7	11	15	19	14	18	5	1	-	-
ALL OTHER--MALE----	2	2	5	1	2	6	2	1	-	-	-	-
FEMALE--	1	2	2	2	2	2	-	1	1	-	-	-
BLACK---MALE----	2	2	5	1	2	6	2	1	-	-	-	-
FEMALE--	1	2	2	2	2	2	-	1	1	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 926
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
0 CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
0 OTHER MALIGNANT NEOPLASMS OF LYMPHOID AND HISTIOCYTIC TISSUE (202)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
SOUTH DAKOTA -----	59	-	-	-	-	-	-	-	1	1	-	-
WHITE-----MALE----	28	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	29	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	455	-	1	-	-	1	1	5	5	12	11	15
WHITE-----MALE----	196	-	-	-	-	1	-	4	1	9	6	8
FEMALE--	228	-	1	-	-	-	-	-	3	1	4	4
ALL OTHER--MALE----	22	-	-	-	-	-	1	1	1	1	1	3
FEMALE--	9	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	21	-	-	-	-	-	1	1	1	-	1	3
FEMALE--	9	-	-	-	-	-	-	-	-	1	-	-
TEXAS -----	1,269	-	-	-	1	5	3	14	24	28	47	62
WHITE-----MALE----	627	-	-	-	-	4	2	7	13	18	32	33
FEMALE--	537	-	-	-	1	1	-	2	5	5	7	22
ALL OTHER--MALE----	62	-	-	-	-	-	1	3	4	3	5	6
FEMALE--	43	-	-	-	-	-	-	2	2	2	3	1
BLACK---MALE----	58	-	-	-	-	-	1	3	4	3	5	4
FEMALE--	40	-	-	-	-	-	-	1	2	1	3	1
UTAH -----	119	-	-	-	-	-	2	1	2	3	4	7
WHITE-----MALE----	59	-	-	-	-	-	2	-	2	1	3	4
FEMALE--	58	-	-	-	-	-	-	1	-	1	1	3
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	49	-	-	-	-	-	-	1	-	1	-	1
WHITE-----MALE----	25	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	23	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	481	-	-	-	-	2	5	6	3	10	13	17
WHITE-----MALE----	211	-	-	-	-	1	3	4	1	4	8	9
FEMALE--	193	-	-	-	-	1	-	-	1	4	2	4
ALL OTHER--MALE----	40	-	-	-	-	-	1	1	1	1	2	3
FEMALE--	37	-	-	-	-	-	1	1	-	1	1	1
BLACK---MALE----	39	-	-	-	-	-	1	1	1	1	2	3
FEMALE--	36	-	-	-	-	-	1	1	-	1	1	1

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 926
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
0 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 OTHER MALIGNANT NEOPLASMS OF LYMPHOID AND HISTIOCYTIC TISSUE (202)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
SOUTH DAKOTA -----	-	1	6	9	11	12	7	7	1	3	-	-
WHITE-----MALE----	-	1	1	4	5	6	4	3	-	3	-	-
FEMALE--	-	-	4	4	6	6	3	4	1	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	20	30	32	58	73	79	57	37	16	2	-	-
WHITE-----MALE----	13	14	18	25	31	27	21	14	4	-	-	-
FEMALE--	7	13	13	32	37	48	31	20	12	2	-	-
ALL OTHER--MALE----	-	3	1	-	3	3	3	1	-	-	-	-
FEMALE--	-	-	-	1	2	1	2	2	-	-	-	-
BLACK---MALE----	-	3	1	-	3	3	3	1	-	-	-	-
FEMALE--	-	-	-	1	2	1	2	2	-	-	-	-
TEXAS -----	64	82	114	140	172	186	183	97	43	4	-	-
WHITE-----MALE----	35	48	62	79	80	83	66	45	18	2	-	-
FEMALE--	22	28	43	50	82	88	105	50	25	1	-	-
ALL OTHER--MALE----	3	5	7	6	5	9	4	-	-	1	-	-
FEMALE--	4	1	2	5	5	6	8	2	-	-	-	-
BLACK---MALE----	1	5	7	6	5	9	4	-	-	1	-	-
FEMALE--	4	1	2	5	4	6	8	2	-	-	-	-
UTAH -----	4	10	11	10	16	19	16	9	5	-	-	-
WHITE-----MALE----	2	3	5	4	10	6	12	3	2	-	-	-
FEMALE--	2	7	5	6	6	13	4	6	3	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	2	4	4	4	9	10	8	5	-	-	-	-
WHITE-----MALE----	2	1	2	2	4	7	3	2	-	-	-	-
FEMALE--	-	2	2	2	5	3	5	3	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	23	35	39	71	75	60	69	35	11	4	3	-
WHITE-----MALE----	15	18	20	30	29	28	30	8	2	1	-	-
FEMALE--	5	11	10	28	32	26	33	24	9	2	1	-
ALL OTHER--MALE----	2	4	4	7	7	3	3	-	-	-	1	-
FEMALE--	1	2	5	6	7	3	3	3	-	1	1	-
BLACK---MALE----	2	4	3	7	7	3	3	-	-	-	1	-
FEMALE--	1	2	5	6	7	2	3	3	-	1	1	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 928
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
0 CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
0 MULTIPLE MYELOMA AND IMMUNOPROLIFERATIVE NEOPLASMS (203)

0	CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0	UNITED STATES --	10,248	-	-	-	-	1	2	1	16	43	113	217
	WHITE-----MALE----	4,342	-	-	-	-	-	1	-	7	15	48	94
	FEMALE--	4,025	-	-	-	-	-	-	1	4	11	29	59
	ALL OTHER--MALE----	911	-	-	-	-	1	1	-	4	10	22	31
	FEMALE--	970	-	-	-	-	-	-	-	1	7	14	33
	BLACK---MALE----	835	-	-	-	-	1	1	-	4	8	20	28
	FEMALE--	891	-	-	-	-	-	-	-	-	6	13	26
ALABAMA	-----	190	-	-	-	-	-	-	-	-	1	3	4
	WHITE-----MALE----	54	-	-	-	-	-	-	-	-	1	1	1
	FEMALE--	65	-	-	-	-	-	-	-	-	-	1	1
	ALL OTHER--MALE----	29	-	-	-	-	-	-	-	-	-	-	1
	FEMALE--	42	-	-	-	-	-	-	-	-	-	1	1
	BLACK---MALE----	29	-	-	-	-	-	-	-	-	-	-	1
	FEMALE--	42	-	-	-	-	-	-	-	-	-	1	1
ALASKA	-----	13	-	-	-	-	-	-	-	-	-	-	1
	WHITE-----MALE----	6	-	-	-	-	-	-	-	-	-	-	-
	FEMALE--	4	-	-	-	-	-	-	-	-	-	-	1
	ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
	FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
	BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ARIZONA	-----	154	-	-	-	-	-	-	-	-	1	2	2
	WHITE-----MALE----	75	-	-	-	-	-	-	-	-	-	-	-
	FEMALE--	70	-	-	-	-	-	-	-	-	-	1	2
	ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	1	1	-
	FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
	BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	1	-
	FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS	-----	117	-	-	-	-	-	1	-	-	-	1	2
	WHITE-----MALE----	47	-	-	-	-	-	-	-	-	-	1	1
	FEMALE--	43	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER--MALE----	17	-	-	-	-	-	1	-	-	-	-	1
	FEMALE--	10	-	-	-	-	-	-	-	-	-	-	-
	BLACK---MALE----	17	-	-	-	-	-	1	-	-	-	-	1
	FEMALE--	10	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA	-----	981	-	-	-	-	-	-	-	2	6	15	22
	WHITE-----MALE----	401	-	-	-	-	-	-	-	1	2	6	7
	FEMALE--	415	-	-	-	-	-	-	-	-	2	4	7
	ALL OTHER--MALE----	81	-	-	-	-	-	-	-	1	1	2	4
	FEMALE--	84	-	-	-	-	-	-	-	-	1	3	4
	BLACK---MALE----	49	-	-	-	-	-	-	-	1	1	1	3
	FEMALE--	63	-	-	-	-	-	-	-	-	1	2	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 928
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
0 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 MULTIPLE MYELOMA AND IMMUNOPROLIFERATIVE NEOPLASMS (203)

0	CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0	UNITED STATES --	412	613	975	1,366	1,819	1,858	1,508	916	325	57	6	-
	WHITE-----MALE----	185	257	399	610	802	803	643	356	105	15	2	-
	FEMALE--	128	204	343	485	687	761	671	433	177	29	3	-
	ALL OTHER--MALE----	59	79	110	140	161	131	89	50	19	3	1	-
	FEMALE--	40	73	123	131	169	163	105	77	24	10	-	-
	BLACK---MALE----	53	71	105	129	142	124	83	45	17	3	1	-
	FEMALE--	36	71	111	121	156	149	100	72	21	9	-	-
	ALABAMA -----	11	10	21	33	20	37	25	18	5	2	-	-
	WHITE-----MALE----	4	3	8	9	6	14	4	3	-	-	-	-
	FEMALE--	3	2	5	13	7	11	14	6	2	-	-	-
	ALL OTHER--MALE----	2	-	6	5	4	4	3	3	-	1	-	-
	FEMALE--	2	5	2	6	3	8	4	6	3	1	-	-
	BLACK---MALE----	2	-	6	5	4	4	3	3	-	1	-	-
	FEMALE--	2	5	2	6	3	8	4	6	3	1	-	-
	ALASKA -----	-	1	1	4	1	1	2	-	2	-	-	-
	WHITE-----MALE----	-	1	-	2	-	1	1	-	1	-	-	-
	FEMALE--	-	-	1	2	-	-	-	-	-	-	-	-
	ALL OTHER--MALE----	-	-	-	-	-	-	-	-	1	-	-	-
	FEMALE--	-	-	-	-	1	-	1	-	-	-	-	-
	BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
	ARIZONA -----	5	9	18	17	31	29	25	11	3	1	-	-
	WHITE-----MALE----	2	6	10	11	13	16	8	7	1	1	-	-
	FEMALE--	3	3	6	5	16	12	17	3	2	-	-	-
	ALL OTHER--MALE----	-	-	-	1	1	-	-	1	-	-	-	-
	FEMALE--	-	-	2	-	1	-	-	-	-	-	-	-
	BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
	FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
	ARKANSAS -----	7	7	9	23	17	15	21	10	4	-	-	-
	WHITE-----MALE----	1	2	2	12	9	4	10	4	1	-	-	-
	FEMALE--	3	4	6	6	5	5	9	3	2	-	-	-
	ALL OTHER--MALE----	2	1	1	3	2	3	1	1	1	-	-	-
	FEMALE--	1	-	-	2	1	3	1	2	-	-	-	-
	BLACK---MALE----	2	1	1	3	2	3	1	1	1	-	-	-
	FEMALE--	1	-	-	2	1	3	1	2	-	-	-	-
	CALIFORNIA -----	49	59	95	124	191	171	134	66	39	7	1	-
	WHITE-----MALE----	19	17	39	55	83	68	57	31	15	1	-	-
	FEMALE--	20	27	33	51	76	78	60	30	21	5	1	-
	ALL OTHER--MALE----	5	7	7	10	19	13	8	2	2	-	-	-
	FEMALE--	5	8	16	8	13	12	9	3	1	1	-	-
	BLACK---MALE----	3	4	5	5	9	9	6	1	1	-	-	-
	FEMALE--	3	7	12	7	12	8	8	2	1	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 929
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
0 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 MULTIPLE MYELOMA AND IMMUNOPROLIFERATIVE NEOPLASMS (203)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
COLORADO -----	3	6	18	18	28	22	22	3	9	1	-	-
WHITE-----MALE----	2	3	6	9	14	13	10	3	4	1	-	-
FEMALE--	1	3	8	5	9	8	11	-	5	-	-	-
ALL OTHER--MALE----	-	-	3	2	2	1	-	-	-	-	-	-
FEMALE--	-	-	1	2	3	-	1	-	-	-	-	-
BLACK---MALE----	-	-	2	1	1	1	-	-	-	-	-	-
FEMALE--	-	-	1	2	3	-	-	-	-	-	-	-
CONNECTICUT -----	2	9	11	16	22	20	20	14	1	2	-	-
WHITE-----MALE----	-	5	6	10	10	10	13	6	-	1	-	-
FEMALE--	1	4	5	5	10	9	5	8	-	1	-	-
ALL OTHER--MALE----	1	-	-	1	1	1	1	-	1	-	-	-
FEMALE--	-	-	-	-	1	-	1	-	1	-	-	-
BLACK---MALE----	1	-	-	1	1	1	1	-	1	-	-	-
FEMALE--	-	-	-	-	1	-	1	-	-	-	-	-
DELAWARE -----	1	1	8	6	7	3	4	6	-	-	-	-
WHITE-----MALE----	1	-	2	4	4	1	2	4	-	-	-	-
FEMALE--	-	-	2	-	2	1	1	2	-	-	-	-
ALL OTHER--MALE----	-	-	2	-	1	1	-	-	-	-	-	-
FEMALE--	-	1	2	2	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	2	-	1	1	-	-	-	-	-	-
FEMALE--	-	1	2	2	-	-	1	-	-	-	-	-
DISTRICT OF COLUMBIA ----	2	3	4	2	5	5	3	2	-	-	-	-
WHITE-----MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	2	2	4	1	1	2	-	-	-	-
FEMALE--	1	3	1	-	1	4	1	-	-	-	-	-
BLACK---MALE----	-	-	2	2	4	1	1	2	-	-	-	-
FEMALE--	1	3	1	-	1	4	1	-	-	-	-	-
FLORIDA -----	23	34	53	95	132	124	95	47	22	2	-	-
WHITE-----MALE----	12	18	22	49	66	64	42	18	3	1	-	-
FEMALE--	7	8	18	25	49	54	41	22	17	1	-	-
ALL OTHER--MALE----	1	7	4	15	9	2	6	2	2	-	-	-
FEMALE--	3	1	9	6	8	4	6	5	-	-	-	-
BLACK---MALE----	1	7	4	14	9	2	6	2	2	-	-	-
FEMALE--	3	1	9	6	8	4	6	5	-	-	-	-
GEORGIA -----	14	20	18	37	53	34	33	12	6	1	-	-
WHITE-----MALE----	5	11	5	14	18	12	12	2	1	-	-	-
FEMALE--	2	3	6	10	16	12	12	4	2	1	-	-
ALL OTHER--MALE----	3	3	3	8	11	3	4	1	-	-	-	-
FEMALE--	4	3	4	5	8	7	5	5	3	-	-	-
BLACK---MALE----	3	3	3	8	11	3	4	1	-	-	-	-
FEMALE--	4	3	4	5	8	7	5	5	3	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 930
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
0 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 MULTIPLE MYELOMA AND IMMUNOPROLIFERATIVE NEOPLASMS (203)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
HAWAII -----	3	-	1	3	7	6	3	2	-	-	-	-
WHITE-----MALE----	3	-	-	-	2	3	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	2	1	2	1	-	-	-	-
FEMALE--	-	-	1	2	2	1	1	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	2	1	2	7	6	12	12	5	1	-	-	-
WHITE-----MALE----	1	-	2	2	3	4	10	4	-	-	-	-
FEMALE--	1	1	-	5	3	8	1	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	9	24	38	58	84	82	61	43	16	3	-	-
WHITE-----MALE----	6	8	15	26	33	38	17	17	3	1	-	-
FEMALE--	2	10	11	17	29	32	32	20	10	1	-	-
ALL OTHER--MALE----	1	2	6	9	14	4	8	2	1	-	-	-
FEMALE--	-	4	6	6	8	8	4	4	2	1	-	-
BLACK---MALE----	1	2	5	9	13	4	8	2	1	-	-	-
FEMALE--	-	4	6	6	8	8	4	4	2	1	-	-
INDIANA -----	6	12	19	35	43	33	41	17	4	2	1	-
WHITE-----MALE----	4	8	8	19	22	20	21	9	1	-	1	-
FEMALE--	2	4	7	13	16	12	16	8	2	1	-	-
ALL OTHER--MALE----	-	-	2	2	4	1	2	-	1	-	-	-
FEMALE--	-	-	2	1	1	-	2	-	-	1	-	-
BLACK---MALE----	-	-	2	2	4	1	2	-	1	-	-	-
FEMALE--	-	-	2	1	1	-	2	-	-	1	-	-
IOWA -----	3	7	14	18	18	23	19	19	10	-	1	-
WHITE-----MALE----	3	1	10	6	7	12	10	8	4	-	-	-
FEMALE--	-	5	3	10	11	10	9	11	6	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	1	2	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	1	2	-	1	-	-	-	-	-	-
KANSAS -----	3	8	9	24	22	19	21	15	4	-	-	-
WHITE-----MALE----	3	3	5	16	12	11	9	7	3	-	-	-
FEMALE--	-	4	4	5	10	8	12	7	1	-	-	-
ALL OTHER--MALE----	-	-	-	3	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	3	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	1	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 931
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 0 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
 0 CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
 0 MULTIPLE MYELOMA AND IMMUNOPROLIFERATIVE NEOPLASMS (203)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
KENTUCKY -----	145	-	-	-	-	-	-	-	1	2	1	2
WHITE-----MALE----	59	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	75	-	-	-	-	-	-	-	1	1	-	2
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	161	-	-	-	-	-	-	-	-	-	2	6
WHITE-----MALE----	41	-	-	-	-	-	-	-	-	-	-	3
FEMALE--	42	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	41	-	-	-	-	-	-	-	-	-	2	1
FEMALE--	37	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	40	-	-	-	-	-	-	-	-	-	2	1
FEMALE--	37	-	-	-	-	-	-	-	-	-	-	1
MAINE -----	51	-	-	-	-	-	-	-	-	1	-	-
WHITE-----MALE----	30	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	21	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	180	-	-	-	-	-	-	-	-	1	1	5
WHITE-----MALE----	56	-	-	-	-	-	-	-	-	1	1	3
FEMALE--	60	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	31	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	33	-	-	-	-	-	-	-	-	-	-	2
BLACK---MALE----	30	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	33	-	-	-	-	-	-	-	-	-	-	2
MASSACHUSETTS -----	233	-	-	-	-	-	-	-	-	1	2	3
WHITE-----MALE----	105	-	-	-	-	-	-	-	-	1	1	1
FEMALE--	108	-	-	-	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	10	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	10	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	418	-	-	-	-	-	-	-	-	1	4	5
WHITE-----MALE----	170	-	-	-	-	-	-	-	-	-	2	2
FEMALE--	159	-	-	-	-	-	-	-	-	-	2	3
ALL OTHER--MALE----	34	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	55	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	33	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	51	-	-	-	-	-	-	-	-	1	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 931
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
0 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 MULTIPLE MYELOMA AND IMMUNOPROLIFERATIVE NEOPLASMS (203)

	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
KENTUCKY -----	7	8	11	23	26	28	16	18	2	-	-	-
WHITE-----MALE----	3	4	3	11	10	13	5	7	1	-	-	-
FEMALE--	4	3	6	11	13	13	11	10	-	-	-	-
ALL OTHER--MALE----	-	-	1	1	-	1	-	-	1	-	-	-
FEMALE--	-	1	1	-	3	1	-	1	-	-	-	-
BLACK---MALE----	-	-	1	1	-	1	-	-	1	-	-	-
FEMALE--	-	1	1	-	3	1	-	1	-	-	-	-
LOUISIANA -----	9	15	11	22	27	33	17	15	3	1	-	-
WHITE-----MALE----	3	2	7	2	9	7	3	5	-	-	-	-
FEMALE--	2	3	1	5	5	10	7	6	2	-	-	-
ALL OTHER--MALE----	2	8	2	6	6	7	4	2	1	-	-	-
FEMALE--	2	2	1	9	7	9	3	2	-	1	-	-
BLACK---MALE----	2	7	2	6	6	7	4	2	1	-	-	-
FEMALE--	2	2	1	9	7	9	3	2	-	1	-	-
MAINE -----	-	1	5	7	7	10	6	9	5	-	-	-
WHITE-----MALE----	-	1	2	5	5	5	3	6	3	-	-	-
FEMALE--	-	-	3	2	2	5	3	3	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	7	13	16	24	34	27	30	14	7	1	-	-
WHITE-----MALE----	4	3	6	8	15	4	7	2	2	-	-	-
FEMALE--	1	7	4	6	10	8	14	5	4	1	-	-
ALL OTHER--MALE----	2	3	3	6	5	5	3	4	-	-	-	-
FEMALE--	-	-	3	4	4	10	6	3	1	-	-	-
BLACK---MALE----	2	3	3	6	4	5	3	4	-	-	-	-
FEMALE--	-	-	3	4	4	10	6	3	1	-	-	-
MASSACHUSETTS -----	12	15	16	32	29	49	43	20	9	1	1	-
WHITE-----MALE----	7	7	6	15	10	23	21	9	4	-	-	-
FEMALE--	3	5	9	12	18	24	20	9	4	1	1	-
ALL OTHER--MALE----	2	2	-	3	1	-	-	1	-	-	-	-
FEMALE--	-	1	1	2	-	2	2	1	1	-	-	-
BLACK---MALE----	2	2	-	3	1	-	-	1	-	-	-	-
FEMALE--	-	1	1	1	-	2	2	1	-	-	-	-
MICHIGAN -----	22	21	46	46	67	85	68	37	14	2	-	-
WHITE-----MALE----	9	9	19	25	28	26	28	16	5	1	-	-
FEMALE--	8	4	16	17	24	32	33	14	5	1	-	-
ALL OTHER--MALE----	2	6	5	2	5	10	3	1	-	-	-	-
FEMALE--	3	2	6	2	10	17	4	6	4	-	-	-
BLACK---MALE----	1	6	5	2	5	10	3	1	-	-	-	-
FEMALE--	2	2	5	2	9	16	4	6	4	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 932
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
0 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 MULTIPLE MYELOMA AND IMMUNOPROLIFERATIVE NEOPLASMS (203)

	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
MINNESOTA -----	7	8	17	17	31	36	30	25	10	-	-	-
WHITE-----MALE----	5	5	10	8	15	13	13	10	6	-	-	-
FEMALE--	1	3	7	9	15	21	17	15	4	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	2	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-
MISSISSIPPI -----	12	5	12	10	20	13	20	8	4	-	-	-
WHITE-----MALE----	3	1	6	3	6	3	5	2	1	-	-	-
FEMALE--	2	-	3	2	4	5	6	5	1	-	-	-
ALL OTHER--MALE----	6	2	1	2	5	2	3	-	-	-	-	-
FEMALE--	1	2	2	3	5	3	6	1	2	-	-	-
BLACK---MALE----	6	2	1	2	5	2	3	-	-	-	-	-
FEMALE--	1	2	2	3	5	3	6	1	2	-	-	-
MISSOURI -----	8	14	19	28	38	35	34	23	3	2	-	-
WHITE-----MALE----	4	4	8	14	19	16	12	9	-	-	-	-
FEMALE--	2	8	8	10	13	15	19	11	2	1	-	-
ALL OTHER--MALE----	2	1	1	1	1	3	-	2	1	1	-	-
FEMALE--	-	1	2	3	5	1	3	1	-	-	-	-
BLACK---MALE----	2	1	1	1	1	3	-	2	1	1	-	-
FEMALE--	-	1	2	3	5	1	3	1	-	-	-	-
MONTANA -----	1	4	3	7	5	3	7	-	1	1	-	-
WHITE-----MALE----	1	3	2	5	4	2	4	-	-	-	-	-
FEMALE--	-	1	1	2	1	1	3	-	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	2	3	2	8	10	16	11	5	3	-	-	-
WHITE-----MALE----	2	1	1	4	4	10	3	2	1	-	-	-
FEMALE--	-	2	1	4	6	6	8	3	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA -----	6	3	7	4	9	7	12	3	-	-	-	-
WHITE-----MALE----	3	2	5	2	5	3	7	-	-	-	-	-
FEMALE--	2	1	2	1	3	2	4	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	1	-	-	-	-
FEMALE--	1	-	-	1	-	2	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	1	-	-	-	-
FEMALE--	1	-	-	1	-	-	1	-	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 934
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
0 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 MULTIPLE MYELOMA AND IMMUNOPROLIFERATIVE NEOPLASMS (203)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
OHIO -----	21	34	37	68	89	92	69	47	11	4	-	-
WHITE-----MALE----	11	16	9	31	39	37	26	19	1	-	-	-
FEMALE--	5	9	18	23	29	40	35	21	9	2	-	-
ALL OTHER--MALE----	4	3	6	7	7	8	3	2	1	-	-	-
FEMALE--	1	6	4	7	14	7	5	5	-	2	-	-
BLACK---MALE----	4	3	6	7	7	8	3	2	1	-	-	-
FEMALE--	1	6	4	7	14	7	5	4	-	2	-	-
OKLAHOMA -----	5	12	19	15	18	21	22	17	4	-	-	-
WHITE-----MALE----	2	6	9	5	7	10	10	6	1	-	-	-
FEMALE--	2	1	8	8	9	7	11	10	2	-	-	-
ALL OTHER--MALE----	1	3	-	1	1	1	1	-	1	-	-	-
FEMALE--	-	2	2	1	1	3	-	1	-	-	-	-
BLACK---MALE----	1	1	-	1	1	1	1	-	1	-	-	-
FEMALE--	-	1	-	-	1	1	-	1	-	-	-	-
OREGON -----	-	6	9	15	25	24	26	18	5	1	-	-
WHITE-----MALE----	-	2	6	10	15	16	17	5	1	-	-	-
FEMALE--	-	4	3	5	8	7	9	12	4	1	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
PENNSYLVANIA -----	20	31	53	69	111	103	76	40	17	1	-	-
WHITE-----MALE----	11	16	22	25	59	50	32	16	9	-	-	-
FEMALE--	6	7	15	30	39	43	38	19	8	1	-	-
ALL OTHER--MALE----	1	3	10	5	6	5	3	2	-	-	-	-
FEMALE--	2	5	6	9	7	5	3	3	-	-	-	-
BLACK---MALE----	1	3	10	5	6	5	3	2	-	-	-	-
FEMALE--	2	5	6	9	7	5	3	3	-	-	-	-
RHODE ISLAND -----	-	-	4	3	7	5	8	2	1	-	-	-
WHITE-----MALE----	-	-	1	1	3	3	4	1	-	-	-	-
FEMALE--	-	-	2	1	4	2	4	1	1	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	5	10	20	15	37	32	37	8	6	-	-	-
WHITE-----MALE----	1	3	3	4	15	12	13	2	-	-	-	-
FEMALE--	2	-	8	4	10	6	15	4	4	-	-	-
ALL OTHER--MALE----	2	3	4	4	4	6	3	2	-	-	-	-
FEMALE--	-	4	5	3	8	8	6	-	2	-	-	-
BLACK---MALE----	2	3	4	4	4	6	3	2	-	-	-	-
FEMALE--	-	4	5	3	8	8	6	-	2	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 935
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
0 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 MULTIPLE MYELOMA AND IMMUNOPROLIFERATIVE NEOPLASMS (203)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
SOUTH DAKOTA -----	3	5	2	2	2	4	4	4	-	-	-	-
WHITE-----MALE----	2	4	2	2	2	3	2	4	-	-	-	-
FEMALE--	-	1	-	-	-	1	2	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	13	15	24	27	43	45	51	17	8	2	1	-
WHITE-----MALE----	4	7	11	13	18	19	17	3	1	-	-	-
FEMALE--	7	2	7	11	17	19	24	10	5	2	-	-
ALL OTHER--MALE----	2	2	3	1	4	3	5	2	2	-	1	-
FEMALE--	-	4	3	2	4	4	5	2	-	-	-	-
BLACK---MALE----	2	2	3	1	4	3	5	2	2	-	1	-
FEMALE--	-	4	3	2	4	4	5	2	-	-	-	-
TEXAS -----	27	38	76	86	111	102	71	65	11	-	-	-
WHITE-----MALE----	14	16	30	33	47	42	34	21	2	-	-	-
FEMALE--	9	14	31	31	49	44	32	38	8	-	-	-
ALL OTHER--MALE----	3	5	8	13	6	5	3	3	1	-	-	-
FEMALE--	1	3	7	9	9	11	2	3	-	-	-	-
BLACK---MALE----	3	5	8	12	6	5	3	3	1	-	-	-
FEMALE--	1	3	7	8	9	11	2	3	-	-	-	-
UTAH -----	1	2	6	8	9	3	8	9	-	-	-	-
WHITE-----MALE----	1	-	3	4	4	1	7	5	-	-	-	-
FEMALE--	-	2	3	4	5	1	1	3	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	-	1	7	3	4	1	1	-	-	-
WHITE-----MALE----	-	-	-	-	4	2	2	1	-	-	-	-
FEMALE--	-	-	-	1	3	1	2	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	11	22	26	51	45	49	23	28	7	1	-	-
WHITE-----MALE----	1	10	9	16	20	15	5	10	2	1	-	-
FEMALE--	5	6	4	15	9	20	9	11	4	-	-	-
ALL OTHER--MALE----	3	3	5	12	8	11	4	5	-	-	-	-
FEMALE--	2	3	8	8	8	3	5	2	1	-	-	-
BLACK---MALE----	3	3	5	10	8	11	4	5	-	-	-	-
FEMALE--	2	3	8	7	8	3	5	2	1	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 937
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 0 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

0 CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 LEUKEMIA (204-208)												
0 UNITED STATES --	20,340	32	150	163	187	202	228	236	335	352	462	635
WHITE-----MALE----	10,055	8	75	78	86	102	109	117	161	165	211	329
FEMALE--	8,179	18	51	53	61	60	71	78	107	120	169	208
ALL OTHER--MALE----	1,124	5	12	20	18	26	25	25	35	35	42	55
FEMALE--	982	1	12	12	22	14	23	16	32	32	40	43
BLACK---MALE----	931	4	6	16	12	18	18	21	33	28	34	43
FEMALE--	832	-	9	11	15	13	17	13	21	22	31	32
ALABAMA -----	311	1	-	5	2	3	6	2	4	1	11	8
WHITE-----MALE----	137	-	-	3	1	2	1	-	1	-	5	4
FEMALE--	106	1	-	1	-	-	2	2	-	1	2	3
ALL OTHER--MALE----	33	-	-	1	1	1	2	-	-	-	3	-
FEMALE--	35	-	-	-	-	-	1	-	3	-	1	1
BLACK---MALE----	33	-	-	1	1	1	2	-	-	-	3	-
FEMALE--	35	-	-	-	-	-	1	-	3	-	1	1
ALASKA -----	26	-	2	1	-	-	-	-	-	4	1	2
WHITE-----MALE----	13	-	-	-	-	-	-	-	-	2	1	2
FEMALE--	10	-	1	-	-	-	-	-	-	2	-	-
ALL OTHER--MALE----	3	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	298	-	4	4	2	5	5	4	6	2	11	12
WHITE-----MALE----	173	-	4	4	2	3	4	2	5	2	4	7
FEMALE--	113	-	-	-	-	2	1	2	-	-	6	3
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	6	-	-	-	-	-	-	-	1	-	1	1
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	217	-	1	-	3	3	3	-	3	2	6	6
WHITE-----MALE----	104	-	-	-	1	3	-	-	2	1	4	3
FEMALE--	98	-	1	-	3	2	-	-	-	-	1	2
ALL OTHER--MALE----	8	-	-	-	-	-	-	-	-	1	1	1
FEMALE--	7	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	8	-	-	-	-	-	-	-	-	1	1	1
FEMALE--	6	-	-	-	-	-	-	-	1	-	-	-
CALIFORNIA -----	2,012	3	19	18	37	45	33	34	41	51	55	54
WHITE-----MALE----	994	-	7	9	19	27	11	19	18	27	23	24
FEMALE--	767	3	8	8	12	8	12	12	13	18	20	19
ALL OTHER--MALE----	144	-	2	1	3	6	5	-	4	3	7	7
FEMALE--	107	-	2	-	3	4	5	3	6	3	5	4
BLACK---MALE----	71	-	1	-	1	3	1	-	3	1	5	4
FEMALE--	58	-	2	-	-	3	2	2	-	2	2	2

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 937
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
0 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 LEUKEMIA (204-208)

0	CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0	UNITED STATES --	752	977	1,400	2,166	2,998	3,192	2,842	1,946	815	238	32	-
	WHITE-----MALE----	371	500	754	1,175	1,632	1,666	1,320	835	297	55	9	-
	FEMALE--	276	343	479	753	1,101	1,293	1,319	976	463	160	20	-
	ALL OTHER--MALE----	55	73	101	136	149	119	98	68	18	9	-	-
	FEMALE--	50	61	66	102	116	114	105	67	37	14	3	-
	BLACK---MALE----	46	60	85	112	115	109	88	59	15	9	-	-
	FEMALE--	44	54	58	86	102	97	100	63	31	11	2	-
ALABAMA	-----	10	13	20	36	52	55	47	25	7	2	1	-
	WHITE-----MALE----	2	4	12	16	27	26	23	7	3	-	-	-
	FEMALE--	1	5	6	12	17	17	17	13	4	1	1	-
	ALL OTHER--MALE----	2	2	2	4	5	5	2	2	-	1	-	-
	FEMALE--	5	2	-	4	3	7	5	3	-	-	-	-
	BLACK---MALE----	2	2	2	4	5	5	2	2	-	1	-	-
	FEMALE--	5	2	-	4	3	7	5	3	-	-	-	-
ALASKA	-----	-	1	4	-	3	1	5	2	-	-	-	-
	WHITE-----MALE----	-	1	2	-	3	-	1	1	-	-	-	-
	FEMALE--	-	-	2	-	-	1	3	1	-	-	-	-
	ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
	FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
	BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA	-----	11	16	18	26	36	49	44	27	13	3	-	-
	WHITE-----MALE----	3	8	14	19	20	28	24	11	6	3	-	-
	FEMALE--	7	6	4	6	15	20	18	16	7	-	-	-
	ALL OTHER--MALE----	-	1	-	1	1	-	2	-	-	-	-	-
	FEMALE--	1	1	-	-	-	1	-	-	-	-	-	-
	BLACK---MALE----	-	1	-	-	1	-	2	-	-	-	-	-
	FEMALE--	-	1	-	-	-	1	-	-	-	-	-	-
ARKANSAS	-----	7	13	4	28	33	41	26	20	13	4	1	-
	WHITE-----MALE----	2	4	4	18	20	14	14	9	5	-	-	-
	FEMALE--	4	7	-	10	12	23	12	9	7	4	1	-
	ALL OTHER--MALE----	1	-	-	-	1	2	-	1	-	-	-	-
	FEMALE--	-	2	-	-	-	2	-	1	1	-	-	-
	BLACK---MALE----	1	-	-	-	1	2	-	1	-	-	-	-
	FEMALE--	-	2	-	-	-	2	-	1	-	-	-	-
CALIFORNIA	-----	95	96	130	218	280	271	270	163	76	17	6	-
	WHITE-----MALE----	46	42	86	114	138	142	132	74	31	3	2	-
	FEMALE--	30	36	26	76	116	101	119	83	34	10	3	-
	ALL OTHER--MALE----	9	11	13	18	16	18	11	4	5	1	-	-
	FEMALE--	10	7	5	10	10	10	8	2	6	3	1	-
	BLACK---MALE----	4	7	6	9	3	11	7	1	3	1	-	-
	FEMALE--	10	2	2	7	5	3	6	2	4	2	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 938
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
0 CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
0 LEUKEMIA (204-208)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
COLORADO -----	241	1	3	2	4	3	3	2	3	2	6	10
WHITE-----MALE----	130	1	3	2	2	1	-	1	3	2	2	6
FEMALE--	104	-	-	-	1	1	3	1	-	-	3	4
ALL OTHER--MALE----	3	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	4	-	-	-	1	-	-	-	-	-	1	-
BLACK---MALE----	3	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	267	1	4	1	1	2	1	2	4	6	7	9
WHITE-----MALE----	134	1	1	1	1	1	-	1	3	2	4	7
FEMALE--	110	-	1	-	-	-	1	-	1	3	3	1
ALL OTHER--MALE----	14	-	-	-	-	1	-	-	-	1	-	-
FEMALE--	9	-	2	-	-	-	-	1	-	-	-	1
BLACK---MALE----	10	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	2	-	-	-	-	1	-	-	-	-
DELAWARE -----	65	-	-	1	-	-	-	1	-	-	1	1
WHITE-----MALE----	28	-	-	-	-	-	-	1	-	-	-	1
FEMALE--	30	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	7	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	1	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	45	-	-	-	-	-	-	-	1	-	1	3
WHITE-----MALE----	12	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	15	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	12	-	-	-	-	-	-	-	-	-	-	2
BLACK---MALE----	15	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	12	-	-	-	-	-	-	-	-	-	-	2
FLORIDA -----	1,383	1	4	12	5	7	12	9	19	18	30	36
WHITE-----MALE----	728	-	1	4	3	2	3	2	5	8	15	18
FEMALE--	554	1	2	3	2	3	5	4	12	7	7	12
ALL OTHER--MALE----	51	-	-	1	-	2	2	2	2	2	3	4
FEMALE--	50	-	1	4	-	-	2	1	-	1	5	2
BLACK---MALE----	49	-	-	1	-	2	2	2	2	2	3	4
FEMALE--	47	-	1	4	-	-	2	1	-	1	4	2
GEORGIA -----	456	-	5	5	5	4	8	3	10	16	17	14
WHITE-----MALE----	186	-	2	3	1	2	4	2	5	4	5	8
FEMALE--	166	-	2	-	2	1	1	-	2	3	5	4
ALL OTHER--MALE----	61	-	1	2	1	1	3	-	1	5	5	1
FEMALE--	43	-	-	-	1	-	-	1	2	4	2	1
BLACK---MALE----	61	-	1	2	1	1	3	-	1	5	5	1
FEMALE--	41	-	-	-	1	-	-	1	2	3	2	1

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 938
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 0 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
 0 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 0 LEUKEMIA (204-208)

	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
COLORADO -----	10	15	13	22	35	37	29	24	12	4	1	-
WHITE-----MALE----	5	12	9	10	21	24	14	8	3	1	-	-
FEMALE--	5	3	3	9	14	13	15	16	9	3	1	-
ALL OTHER--MALE----	-	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	2	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
CONNECTICUT -----	13	11	18	21	41	50	37	23	10	5	-	-
WHITE-----MALE----	8	5	5	10	25	22	18	13	6	-	-	-
FEMALE--	2	4	10	9	13	27	19	8	4	4	-	-
ALL OTHER--MALE----	2	2	3	1	2	-	-	1	-	1	-	-
FEMALE--	1	-	-	1	1	1	-	1	-	-	-	-
BLACK---MALE----	2	-	3	1	2	-	-	1	-	1	-	-
FEMALE--	1	-	-	1	1	1	-	1	-	-	-	-
DELAWARE -----	1	4	9	5	9	12	10	8	3	-	-	-
WHITE-----MALE----	-	3	3	3	4	7	3	3	-	-	-	-
FEMALE--	1	1	3	2	4	4	7	4	3	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	3	-	1	1	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	3	-	1	1	-	1	-	-	-	-
DISTRICT OF COLUMBIA ----	-	3	1	6	9	3	7	8	3	-	-	-
WHITE-----MALE----	-	2	-	2	3	-	1	3	-	-	-	-
FEMALE--	-	-	-	-	1	1	1	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	4	3	1	3	2	1	-	-	-
FEMALE--	-	1	1	-	2	1	2	2	1	-	-	-
BLACK---MALE----	-	-	-	4	3	1	3	2	1	-	-	-
FEMALE--	-	1	1	-	2	1	2	2	1	-	-	-
FLORIDA -----	37	61	82	141	208	277	219	113	69	23	-	-
WHITE-----MALE----	17	27	44	81	138	164	107	57	24	8	-	-
FEMALE--	15	23	33	52	64	102	100	50	42	15	-	-
ALL OTHER--MALE----	1	5	3	5	1	6	7	4	1	-	-	-
FEMALE--	4	6	2	3	5	5	5	2	2	-	-	-
BLACK---MALE----	1	3	3	5	1	6	7	4	1	-	-	-
FEMALE--	4	6	2	2	4	5	5	2	2	-	-	-
GEORGIA -----	21	21	28	47	58	69	64	41	15	4	1	-
WHITE-----MALE----	10	10	15	21	24	24	24	18	3	1	-	-
FEMALE--	5	7	9	13	21	29	30	17	11	3	1	-
ALL OTHER--MALE----	4	3	3	5	7	11	4	3	1	-	-	-
FEMALE--	2	1	1	8	6	5	6	3	-	-	-	-
BLACK---MALE----	4	3	3	5	7	11	4	3	1	-	-	-
FEMALE--	2	1	1	7	6	5	6	3	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 939
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
0 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 LEUKEMIA (204-208)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
HAWAII -----	4	3	5	7	13	9	2	2	3	-	-	-
WHITE-----MALE----	-	-	2	-	3	2	1	-	-	-	-	-
FEMALE--	-	1	1	-	3	1	-	-	1	-	-	-
ALL OTHER--MALE----	3	2	1	4	6	2	1	1	1	-	-	-
FEMALE--	1	-	1	3	1	4	-	1	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	1	7	6	7	8	8	14	11	3	2	-	-
WHITE-----MALE----	-	5	5	6	5	6	9	6	1	-	-	-
FEMALE--	1	2	1	1	3	2	5	5	2	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	32	41	70	90	141	150	131	107	39	9	-	-
WHITE-----MALE----	18	22	26	54	70	75	61	50	15	3	-	-
FEMALE--	10	18	30	27	58	67	54	49	21	5	-	-
ALL OTHER--MALE----	3	-	7	7	5	6	6	2	2	-	-	-
FEMALE--	1	1	7	2	8	2	10	6	1	1	-	-
BLACK---MALE----	3	-	6	7	5	6	6	2	2	-	-	-
FEMALE--	1	1	7	2	7	1	10	5	1	1	-	-
INDIANA -----	20	25	32	44	71	72	74	46	23	7	1	-
WHITE-----MALE----	8	14	22	24	45	35	21	20	8	2	-	-
FEMALE--	11	8	10	15	21	33	49	26	13	4	-	-
ALL OTHER--MALE----	-	1	-	1	4	2	2	-	-	-	-	-
FEMALE--	1	2	-	4	1	2	2	-	2	1	1	-
BLACK---MALE----	-	1	-	1	4	2	2	-	-	-	-	-
FEMALE--	1	2	-	4	1	2	2	-	2	1	1	-
IOWA -----	15	11	19	27	33	48	40	32	16	5	-	-
WHITE-----MALE----	6	7	13	16	20	27	18	15	6	2	-	-
FEMALE--	8	4	5	11	13	21	22	17	10	2	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	1	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS -----	7	8	15	12	44	31	36	27	11	5	-	-
WHITE-----MALE----	4	4	6	8	27	18	18	14	2	-	-	-
FEMALE--	3	3	6	3	16	11	16	13	8	3	-	-
ALL OTHER--MALE----	-	-	1	1	-	1	1	-	-	-	-	-
FEMALE--	-	1	2	-	1	1	1	-	1	2	-	-
BLACK---MALE----	-	-	1	1	-	1	1	-	-	-	-	-
FEMALE--	-	1	2	-	1	1	1	-	1	2	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 940
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
0 CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
0 LEUKEMIA (204-208)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
KENTUCKY -----	280	-	1	5	2	5	1	4	3	3	1	13
WHITE-----MALE----	159	-	1	4	1	4	1	2	1	2	1	5
FEMALE--	107	-	-	-	1	1	-	2	2	-	-	8
ALL OTHER--MALE----	9	-	-	1	-	-	-	-	-	1	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	9	-	-	1	-	-	-	-	-	1	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	309	-	1	3	3	2	5	4	8	3	8	10
WHITE-----MALE----	134	-	1	1	1	-	2	2	3	1	5	5
FEMALE--	101	-	-	1	-	1	-	-	3	1	1	2
ALL OTHER--MALE----	39	-	-	1	1	-	1	2	1	1	2	2
FEMALE--	35	-	-	-	1	1	2	-	1	-	-	1
BLACK---MALE----	38	-	-	1	1	-	-	2	1	1	2	2
FEMALE--	34	-	-	-	1	1	1	-	1	-	-	1
MAINE -----	86	-	1	-	2	-	-	-	1	2	1	3
WHITE-----MALE----	46	-	1	-	1	-	-	-	-	1	1	2
FEMALE--	40	-	-	-	1	-	-	-	1	1	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	351	-	5	4	3	-	8	2	8	8	4	12
WHITE-----MALE----	156	-	-	3	3	-	3	-	2	2	1	5
FEMALE--	133	-	2	1	-	-	2	-	3	4	1	5
ALL OTHER--MALE----	29	-	2	-	-	-	1	2	-	2	1	1
FEMALE--	33	-	1	-	-	-	2	-	3	-	1	1
BLACK---MALE----	27	-	1	-	-	-	1	2	-	2	1	1
FEMALE--	31	-	1	-	-	-	2	-	3	-	1	1
MASSACHUSETTS -----	494	1	2	2	-	1	6	7	6	5	14	17
WHITE-----MALE----	255	-	-	1	-	1	4	3	5	3	8	9
FEMALE--	217	1	2	1	-	-	2	2	1	1	4	5
ALL OTHER--MALE----	15	-	-	-	-	-	-	2	-	1	2	3
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	12	-	-	-	-	-	-	2	-	-	2	3
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	740	2	5	4	5	7	9	4	10	18	19	27
WHITE-----MALE----	370	-	3	2	1	3	6	1	2	12	9	19
FEMALE--	290	-	2	2	2	3	1	2	4	5	7	5
ALL OTHER--MALE----	39	2	-	-	2	-	-	-	2	1	1	1
FEMALE--	41	-	-	-	-	1	2	1	2	-	2	2
BLACK---MALE----	32	2	-	-	1	-	-	-	2	-	1	1
FEMALE--	37	-	-	-	-	1	2	1	2	-	2	2

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 940
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
0 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 LEUKEMIA (204-208)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
KENTUCKY -----	13	13	26	27	48	41	32	30	8	3	1	-
WHITE-----MALE----	8	9	15	18	37	22	15	10	3	-	-	-
FEMALE--	4	4	9	8	10	18	14	17	5	3	1	-
ALL OTHER--MALE----	1	-	-	1	1	-	2	2	-	-	-	-
FEMALE--	-	-	2	-	-	1	1	1	-	-	-	-
BLACK---MALE----	1	-	-	1	1	-	2	2	-	-	-	-
FEMALE--	-	-	2	-	-	1	1	1	-	-	-	-
LOUISIANA -----	16	14	17	32	53	40	40	38	11	1	-	-
WHITE-----MALE----	8	6	8	16	23	17	18	15	2	-	-	-
FEMALE--	3	4	5	11	15	13	17	17	6	1	-	-
ALL OTHER--MALE----	4	3	2	3	6	6	1	2	1	-	-	-
FEMALE--	1	1	2	2	9	4	4	4	2	-	-	-
BLACK---MALE----	4	3	2	3	6	6	1	2	1	-	-	-
FEMALE--	1	1	2	2	9	4	4	4	2	-	-	-
MAINE -----	1	2	6	7	12	14	12	14	5	3	-	-
WHITE-----MALE----	1	2	4	5	7	6	6	6	3	-	-	-
FEMALE--	-	-	2	2	5	8	6	8	2	3	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	5	28	36	43	46	50	51	26	7	3	2	-
WHITE-----MALE----	2	12	16	26	20	29	22	8	1	-	1	-
FEMALE--	2	6	12	11	19	20	23	14	5	2	1	-
ALL OTHER--MALE----	-	6	5	2	3	-	3	1	-	-	-	-
FEMALE--	1	4	3	4	4	1	3	3	1	1	-	-
BLACK---MALE----	-	6	4	2	3	-	3	1	-	-	-	-
FEMALE--	1	3	3	3	4	1	3	3	1	1	-	-
MASSACHUSETTS -----	10	26	31	60	73	73	68	60	19	11	2	-
WHITE-----MALE----	7	15	18	35	34	43	28	32	5	3	1	-
FEMALE--	3	10	8	23	38	29	38	27	13	8	1	-
ALL OTHER--MALE----	-	1	2	1	1	-	2	-	-	-	-	-
FEMALE--	-	-	3	1	-	1	-	1	-	-	-	-
BLACK---MALE----	-	1	1	1	-	-	2	-	-	-	-	-
FEMALE--	-	-	3	-	-	1	-	-	1	-	-	-
MICHIGAN -----	37	45	55	77	99	107	106	61	36	7	-	-
WHITE-----MALE----	21	26	28	44	50	60	46	19	15	3	-	-
FEMALE--	16	13	19	23	37	34	55	36	20	4	-	-
ALL OTHER--MALE----	-	2	6	4	5	6	3	4	-	-	-	-
FEMALE--	-	4	2	6	7	7	2	2	1	-	-	-
BLACK---MALE----	-	2	6	2	3	6	3	3	-	-	-	-
FEMALE--	-	4	2	5	6	5	2	2	1	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 943
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
0 CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
0 LEUKEMIA (204-208)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
OHIO -----	950	-	12	5	13	3	6	8	15	19	28	32
WHITE-----MALE----	476	-	8	1	5	2	5	5	9	8	14	23
FEMALE--	394	-	4	2	6	1	-	2	1	10	12	8
ALL OTHER--MALE----	45	-	-	-	1	-	-	-	5	-	-	1
FEMALE--	35	-	-	2	1	-	1	1	-	1	2	-
BLACK---MALE----	44	-	-	-	1	-	-	-	5	-	-	1
FEMALE--	34	-	-	2	-	-	-	1	-	1	2	-
OKLAHOMA -----	301	-	1	1	4	1	1	3	6	4	10	8
WHITE-----MALE----	148	-	-	1	2	-	-	1	2	-	4	3
FEMALE--	121	-	1	-	1	-	1	-	4	2	4	4
ALL OTHER--MALE----	18	-	-	-	-	1	-	2	-	1	1	1
FEMALE--	14	-	-	-	1	-	-	-	-	1	1	-
BLACK---MALE----	14	-	-	-	-	1	-	2	-	1	1	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	278	-	1	1	-	3	5	4	4	4	2	10
WHITE-----MALE----	158	-	-	-	-	1	3	3	3	4	1	8
FEMALE--	113	-	-	1	-	2	2	1	1	-	1	2
ALL OTHER--MALE----	6	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	1,176	1	3	6	9	5	10	14	20	9	21	31
WHITE-----MALE----	593	1	2	2	5	2	5	7	13	6	6	17
FEMALE--	510	-	1	3	2	3	3	5	5	2	13	10
ALL OTHER--MALE----	33	-	-	1	1	-	1	-	2	1	1	1
FEMALE--	40	-	-	-	1	-	1	2	-	-	1	3
BLACK---MALE----	33	-	-	1	1	-	1	-	2	1	1	1
FEMALE--	39	-	-	-	1	-	1	1	-	-	1	3
RHODE ISLAND -----	74	-	-	1	-	-	-	2	3	3	-	3
WHITE-----MALE----	43	-	-	1	-	-	-	2	2	1	-	1
FEMALE--	28	-	-	-	-	-	-	-	1	1	-	2
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	1	-	-
SOUTH CAROLINA -----	284	-	2	4	2	4	2	5	5	3	9	9
WHITE-----MALE----	113	-	2	3	-	1	1	1	3	1	6	3
FEMALE--	100	-	-	-	1	1	1	1	2	-	2	-
ALL OTHER--MALE----	43	-	-	-	-	1	-	2	-	1	1	3
FEMALE--	28	-	-	1	1	1	-	1	-	1	-	3
BLACK---MALE----	42	-	-	-	-	1	-	2	-	1	-	3
FEMALE--	28	-	-	1	1	1	-	1	-	1	-	3

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 943
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
0 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 LEUKEMIA (204-208)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
OHIO -----	27	31	47	104	147	176	129	99	40	9	-	-
WHITE-----MALE----	18	19	28	55	74	94	53	43	9	3	-	-
FEMALE--	7	9	16	35	58	67	70	51	30	5	-	-
ALL OTHER--MALE----	1	2	1	8	10	9	2	3	1	1	-	-
FEMALE--	1	1	2	6	5	6	4	2	-	-	-	-
BLACK---MALE----	1	1	1	8	10	9	2	3	1	1	-	-
FEMALE--	1	1	2	6	5	6	4	2	-	-	-	-
OKLAHOMA -----	8	15	23	39	39	43	40	32	18	5	-	-
WHITE-----MALE----	2	10	12	24	22	21	18	18	7	1	-	-
FEMALE--	5	5	7	12	12	18	19	13	10	3	-	-
ALL OTHER--MALE----	1	-	3	2	2	1	2	1	-	-	-	-
FEMALE--	-	-	1	1	3	3	1	-	1	1	-	-
BLACK---MALE----	1	-	2	2	1	1	2	-	-	-	-	-
FEMALE--	-	-	1	1	1	2	-	-	-	-	-	-
OREGON -----	8	13	16	28	40	50	44	25	14	2	4	-
WHITE-----MALE----	7	9	8	20	24	30	21	11	4	-	1	-
FEMALE--	1	3	7	7	15	20	22	13	10	2	3	-
ALL OTHER--MALE----	-	1	-	1	1	-	1	1	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	1	1	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	40	53	85	140	193	178	185	114	45	14	-	-
WHITE-----MALE----	18	29	41	70	105	89	105	47	19	4	-	-
FEMALE--	16	19	37	61	82	76	76	62	24	10	-	-
ALL OTHER--MALE----	1	2	4	4	3	6	3	1	1	-	-	-
FEMALE--	5	3	3	5	3	7	1	4	1	-	-	-
BLACK---MALE----	1	2	4	4	3	6	3	1	1	-	-	-
FEMALE--	5	3	3	5	3	7	1	4	1	-	-	-
RHODE ISLAND -----	2	4	2	12	15	11	8	4	4	-	-	-
WHITE-----MALE----	1	3	2	7	6	7	5	2	3	-	-	-
FEMALE--	1	1	-	5	9	3	2	2	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
SOUTH CAROLINA -----	9	15	29	30	49	43	29	23	9	2	1	-
WHITE-----MALE----	3	7	12	13	19	17	9	8	4	-	-	-
FEMALE--	3	4	12	12	14	21	11	10	3	2	-	-
ALL OTHER--MALE----	3	3	2	4	10	3	7	3	-	-	-	-
FEMALE--	-	1	3	1	6	2	2	2	2	-	1	-
BLACK---MALE----	3	3	2	4	10	3	7	3	-	-	-	-
FEMALE--	-	1	3	1	6	2	2	2	2	-	1	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 944
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
0 CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
0 LEUKEMIA (204-208)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
SOUTH DAKOTA -----	62	-	2	-	1	1	-	-	-	-	1	3
WHITE-----MALE----	37	-	1	-	1	-	-	-	-	-	1	1
FEMALE--	21	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	1	-	-	-	-	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	390	1	2	3	2	2	6	3	5	7	10	11
WHITE-----MALE----	183	-	1	3	1	2	5	3	2	3	4	3
FEMALE--	161	1	1	-	-	-	1	-	2	4	3	6
ALL OTHER--MALE----	28	-	-	-	1	-	-	-	1	-	1	1
FEMALE--	18	-	-	-	-	-	-	-	-	-	2	1
BLACK---MALE----	28	-	-	-	1	-	-	-	1	-	1	1
FEMALE--	18	-	-	-	-	-	-	-	-	-	2	1
TEXAS -----	1,300	2	25	15	12	20	17	23	27	33	33	49
WHITE-----MALE----	649	1	21	8	7	10	9	15	11	17	17	23
FEMALE--	519	1	3	6	4	10	6	8	12	9	13	21
ALL OTHER--MALE----	61	-	-	1	-	-	2	-	1	5	1	3
FEMALE--	71	-	1	-	1	-	-	-	3	2	2	2
BLACK---MALE----	55	-	-	1	-	-	1	-	1	4	1	3
FEMALE--	67	-	1	-	-	-	-	-	3	2	2	2
UTAH -----	100	-	1	1	3	6	1	3	2	1	4	5
WHITE-----MALE----	60	-	1	-	2	3	1	2	1	1	1	4
FEMALE--	37	-	-	1	1	3	-	1	1	-	3	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	49	-	-	-	-	-	-	-	1	1	-	-
WHITE-----MALE----	27	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	22	-	-	-	-	-	-	-	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	460	-	3	4	3	7	6	5	2	6	9	15
WHITE-----MALE----	206	-	2	1	3	4	3	3	1	1	6	6
FEMALE--	165	-	1	2	-	1	1	1	1	1	2	5
ALL OTHER--MALE----	50	-	-	1	-	2	-	1	-	2	1	3
FEMALE--	39	-	-	-	-	-	2	-	-	2	-	1
BLACK---MALE----	45	-	-	1	-	2	-	1	-	2	-	3
FEMALE--	37	-	-	-	-	-	2	-	-	2	-	1

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 944
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
0 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 LEUKEMIA (204-208)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
SOUTH DAKOTA -----	1	3	4	6	9	15	7	8	-	1	-	-
WHITE-----MALE----	-	3	3	3	7	7	4	6	-	-	-	-
FEMALE--	-	-	1	3	2	8	3	2	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	17	15	22	48	63	70	35	46	17	5	-	-
WHITE-----MALE----	8	6	12	20	37	36	16	14	6	1	-	-
FEMALE--	8	5	7	19	21	30	14	27	10	2	-	-
ALL OTHER--MALE----	1	-	3	6	2	3	4	4	1	-	-	-
FEMALE--	-	4	-	3	3	1	1	1	-	2	-	-
BLACK---MALE----	1	-	3	6	2	3	4	4	1	-	-	-
FEMALE--	-	4	-	3	3	1	1	1	-	2	-	-
TEXAS -----	35	57	105	128	167	182	176	123	51	18	2	-
WHITE-----MALE----	20	32	61	74	78	92	79	48	20	5	1	-
FEMALE--	11	18	35	36	66	77	76	67	30	9	1	-
ALL OTHER--MALE----	3	2	5	12	13	3	3	3	1	3	-	-
FEMALE--	1	5	4	6	10	10	18	5	-	1	-	-
BLACK---MALE----	2	2	5	10	12	3	3	3	1	3	-	-
FEMALE--	1	5	3	6	9	10	18	4	-	1	-	-
UTAH -----	1	5	6	6	10	17	17	7	3	1	-	-
WHITE-----MALE----	1	3	3	5	4	9	11	4	3	1	-	-
FEMALE--	-	2	2	-	6	7	6	3	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
VERMONT -----	3	-	7	6	6	11	7	4	3	-	-	-
WHITE-----MALE----	1	-	4	6	3	5	5	1	2	-	-	-
FEMALE--	2	-	3	-	3	6	2	3	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	26	27	28	56	82	58	52	49	18	4	-	-
WHITE-----MALE----	12	9	14	28	41	30	20	16	6	-	-	-
FEMALE--	8	13	9	16	28	20	19	25	8	4	-	-
ALL OTHER--MALE----	2	4	1	4	9	4	10	4	2	-	-	-
FEMALE--	4	1	4	8	4	4	3	4	2	-	-	-
BLACK---MALE----	2	4	1	3	6	4	10	4	2	-	-	-
FEMALE--	3	1	4	8	4	4	2	4	2	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 946
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 0 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

0 CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 LYMPHOID LEUKEMIA (204)												
0 UNITED STATES --	6,102	11	50	91	99	85	91	67	73	69	80	119
WHITE-----MALE----	3,093	2	27	42	46	46	53	41	40	38	45	71
FEMALE--	2,392	6	15	30	32	24	24	22	22	23	23	29
ALL OTHER--MALE----	339	2	4	13	11	8	9	2	5	3	8	11
FEMALE--	278	1	4	6	10	7	5	2	6	5	4	8
BLACK---MALE----	298	2	3	11	6	4	6	1	5	3	7	9
FEMALE--	244	-	2	6	6	7	3	1	5	3	4	6
ALABAMA -----	111	-	-	3	-	2	1	1	-	-	2	2
WHITE-----MALE----	51	-	-	1	-	2	-	-	-	-	1	1
FEMALE--	38	-	-	1	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	14	-	-	1	-	-	1	-	-	-	1	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	14	-	-	1	-	-	1	-	-	-	1	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	1
ALASKA -----	9	-	-	-	-	-	-	-	-	1	-	1
WHITE-----MALE----	6	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	94	-	2	3	1	4	2	-	3	1	2	4
WHITE-----MALE----	57	-	2	3	1	3	2	-	3	1	2	3
FEMALE--	36	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	61	-	-	-	2	-	-	-	1	1	1	2
WHITE-----MALE----	29	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	25	-	-	-	2	-	-	-	-	-	1	1
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	3	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	2	-	-	-	-	-	-	-	1	-	-	-
CALIFORNIA -----	592	1	6	8	22	21	11	15	7	12	10	13
WHITE-----MALE----	319	-	2	5	11	16	4	9	5	8	6	6
FEMALE--	207	1	2	3	6	1	2	6	2	4	1	3
ALL OTHER--MALE----	42	-	1	-	2	2	3	-	-	-	3	2
FEMALE--	24	-	1	-	3	2	2	-	-	-	-	2
BLACK---MALE----	22	-	-	-	-	1	-	-	-	-	2	1
FEMALE--	13	-	1	-	-	2	-	-	-	-	-	1

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 946
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
0 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 LYMPHOID LEUKEMIA (204)

0	CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0	LYMPHOID LEUKEMIA (204)												
0	UNITED STATES --	170	241	361	590	824	929	934	727	348	123	20	-
	WHITE-----MALE----	89	137	204	329	467	491	433	327	126	31	8	-
	FEMALE--	51	67	107	191	275	369	440	350	197	84	11	-
	ALL OTHER--MALE----	18	26	27	39	41	43	33	25	9	2	-	-
	FEMALE--	12	11	23	31	41	26	28	25	16	6	1	-
	BLACK---MALE----	16	23	23	37	35	41	32	24	8	2	-	-
	FEMALE--	10	11	21	28	35	25	25	24	15	6	1	-
	ALABAMA -----	1	2	6	12	21	22	19	13	4	-	-	-
	WHITE-----MALE----	1	1	1	3	12	10	9	6	3	-	-	-
	FEMALE--	-	-	5	4	5	6	8	7	1	-	-	-
	ALL OTHER--MALE----	-	1	-	3	3	3	1	-	-	-	-	-
	FEMALE--	-	-	-	2	1	3	1	-	-	-	-	-
	BLACK---MALE----	-	1	-	3	3	3	1	-	-	-	-	-
	FEMALE--	-	-	-	2	1	3	1	-	-	-	-	-
	ALASKA -----	-	-	1	-	2	-	2	2	-	-	-	-
	WHITE-----MALE----	-	-	-	-	2	-	1	1	-	-	-	-
	FEMALE--	-	-	1	-	-	-	1	1	-	-	-	-
	ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
	BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
	ARIZONA -----	2	5	5	6	9	18	10	12	4	1	-	-
	WHITE-----MALE----	-	4	3	5	4	9	6	4	1	1	-	-
	FEMALE--	2	1	2	1	5	9	4	8	3	-	-	-
	ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
	BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
	ARKANSAS -----	2	3	2	3	11	11	10	8	3	1	-	-
	WHITE-----MALE----	2	1	2	1	8	5	4	4	1	-	-	-
	FEMALE--	-	1	-	2	2	5	6	3	1	1	-	-
	ALL OTHER--MALE----	-	-	-	-	1	1	-	1	-	-	-	-
	FEMALE--	-	1	-	-	-	-	-	-	1	-	-	-
	BLACK---MALE----	-	-	-	-	1	1	-	1	-	-	-	-
	FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
	CALIFORNIA -----	28	22	35	56	71	77	80	55	29	10	3	-
	WHITE-----MALE----	13	11	19	34	43	41	39	29	13	3	2	-
	FEMALE--	10	9	9	17	22	28	38	25	11	6	1	-
	ALL OTHER--MALE----	3	2	6	3	3	7	2	1	2	-	-	-
	FEMALE--	2	-	1	2	3	1	1	-	3	1	-	-
	BLACK---MALE----	2	2	4	2	-	5	2	-	1	-	-	-
	FEMALE--	2	-	-	2	1	-	-	-	3	1	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 947
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 0 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
 0 CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
 0 LYMPHOID LEUKEMIA (204)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
COLORADO -----	86	-	2	2	2	2	1	1	2	-	1	1
WHITE-----MALE----	45	-	2	2	1	1	-	-	2	-	-	1
FEMALE--	39	-	-	-	-	1	1	1	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	60	-	-	1	1	1	1	1	1	-	2	3
WHITE-----MALE----	35	-	-	1	1	1	-	-	1	-	1	3
FEMALE--	18	-	-	-	-	-	1	-	-	-	1	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	1	-	-	-	-
DELAWARE -----	24	-	-	1	-	-	-	-	-	-	1	1
WHITE-----MALE----	10	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	8	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	1	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	14	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	7	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	7	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	397	1	1	6	3	3	3	-	5	4	4	8
WHITE-----MALE----	211	-	1	-	2	1	-	-	1	2	1	6
FEMALE--	156	1	-	2	1	2	1	-	4	2	2	2
ALL OTHER--MALE----	15	-	-	1	-	-	1	-	-	-	1	-
FEMALE--	15	-	-	3	-	-	1	-	-	-	-	-
BLACK---MALE----	14	-	-	1	-	-	1	-	-	-	1	-
FEMALE--	14	-	-	3	-	-	1	-	-	-	-	-
GEORGIA -----	128	-	-	2	4	1	3	1	2	1	-	4
WHITE-----MALE----	51	-	-	1	1	1	1	1	1	-	-	4
FEMALE--	47	-	-	-	2	-	-	-	-	-	-	-
ALL OTHER--MALE----	19	-	-	1	1	-	2	-	-	-	-	-
FEMALE--	11	-	-	-	-	-	-	-	1	1	-	-
BLACK---MALE----	19	-	-	1	1	-	2	-	-	-	-	-
FEMALE--	10	-	-	-	-	-	-	-	1	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 947
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 0 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
 0 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 0 LYMPHOID LEUKEMIA (204)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
COLORADO -----	3	5	3	7	13	10	13	9	7	1	1	-
WHITE-----MALE----	3	2	2	2	9	6	8	3	1	-	-	-
FEMALE--	-	3	1	4	4	4	5	6	6	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
CONNECTICUT -----	3	2	4	6	5	11	3	10	3	2	-	-
WHITE-----MALE----	2	1	1	3	2	8	1	7	2	-	-	-
FEMALE--	-	1	2	2	2	3	2	2	1	1	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	1	-	1	-	-
FEMALE--	1	-	-	1	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	1	-	1	-	-
FEMALE--	1	-	-	1	1	-	-	-	-	-	-	-
DELAWARE -----	-	2	2	1	3	4	2	5	2	-	-	-
WHITE-----MALE----	-	2	-	1	2	2	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	3	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	2	-	1	1	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	2	-	1	1	-	1	-	-	-	-
DISTRICT OF COLUMBIA ----	-	1	-	3	2	1	1	5	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	3	1	-	-	2	1	-	-	-
FEMALE--	-	1	-	-	1	-	1	2	-	-	-	-
BLACK---MALE----	-	-	-	3	1	-	-	2	1	-	-	-
FEMALE--	-	1	-	-	1	-	1	2	-	-	-	-
FLORIDA -----	6	9	22	39	61	73	67	44	28	10	-	-
WHITE-----MALE----	5	3	13	19	43	45	31	23	10	5	-	-
FEMALE--	1	4	8	15	15	26	30	17	18	5	-	-
ALL OTHER--MALE----	-	1	-	2	-	1	5	3	-	-	-	-
FEMALE--	-	1	1	3	3	1	1	1	-	-	-	-
BLACK---MALE----	-	-	-	2	-	1	5	3	-	-	-	-
FEMALE--	-	1	1	2	3	1	1	1	-	-	-	-
GEORGIA -----	4	3	7	15	19	19	23	12	7	-	1	-
WHITE-----MALE----	2	2	4	5	10	5	9	3	1	-	-	-
FEMALE--	1	-	1	4	6	8	11	8	5	-	1	-
ALL OTHER--MALE----	1	1	2	3	1	2	3	1	1	-	-	-
FEMALE--	-	-	-	3	2	4	-	-	-	-	-	-
BLACK---MALE----	1	1	2	3	1	2	3	1	1	-	-	-
FEMALE--	-	-	-	3	2	4	-	-	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 948
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
0 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 LYMPHOID LEUKEMIA (204)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
HAWAII -----	2	2	-	-	4	1	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	1	1	1	-	-	-	-	-
FEMALE--	-	1	-	-	2	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	-	2	-	2	2	3	2	4	2	1	-	-
WHITE-----MALE----	-	2	-	2	1	3	2	4	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	11	12	16	25	39	36	49	49	11	5	-	-
WHITE-----MALE----	6	6	8	17	20	18	26	22	2	1	-	-
FEMALE--	3	5	5	6	17	18	16	23	7	3	-	-
ALL OTHER--MALE----	2	-	1	2	1	-	3	-	2	-	-	-
FEMALE--	-	1	2	-	1	-	4	4	-	1	-	-
BLACK---MALE----	2	-	1	2	1	-	3	-	2	-	-	-
FEMALE--	-	1	2	-	1	-	4	4	-	1	-	-
INDIANA -----	4	7	10	11	24	31	24	18	9	4	1	-
WHITE-----MALE----	2	4	8	7	15	15	4	9	5	1	-	-
FEMALE--	2	3	2	2	6	14	20	9	3	2	-	-
ALL OTHER--MALE----	-	-	-	-	3	1	-	-	-	-	-	-
FEMALE--	-	-	-	2	-	1	-	-	1	1	1	-
BLACK---MALE----	-	-	-	-	3	1	-	-	-	-	-	-
FEMALE--	-	-	-	2	-	1	-	-	1	1	1	-
IOWA -----	4	5	6	9	12	16	19	17	9	3	-	-
WHITE-----MALE----	4	3	5	5	6	10	8	7	4	2	-	-
FEMALE--	-	2	1	4	6	6	11	10	5	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS -----	3	1	6	4	8	11	10	11	5	4	-	-
WHITE-----MALE----	2	1	3	3	5	7	5	6	-	-	-	-
FEMALE--	1	-	2	1	3	3	5	5	4	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	1	-	-	1	2	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	1	-	-	1	2	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 949
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
0 CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
0 LYMPHOID LEUKEMIA (204)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
KENTUCKY -----	90	-	-	3	2	2	1	2	-	-	1	2
WHITE-----MALE----	50	-	-	3	1	2	1	1	-	-	1	2
FEMALE--	37	-	-	-	1	-	-	1	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	108	-	-	2	-	1	1	-	-	-	-	3
WHITE-----MALE----	46	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	31	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	20	-	-	1	-	-	-	-	-	-	-	2
FEMALE--	11	-	-	-	-	1	-	-	-	-	-	1
BLACK---MALE----	20	-	-	1	-	-	-	-	-	-	-	2
FEMALE--	11	-	-	-	-	1	-	-	-	-	-	1
MAINE -----	20	-	-	-	2	-	-	-	1	-	-	-
WHITE-----MALE----	7	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	13	-	-	-	1	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	108	-	2	3	1	-	5	-	-	3	2	1
WHITE-----MALE----	48	-	-	2	1	-	2	-	-	2	-	1
FEMALE--	40	-	-	1	-	-	2	-	-	-	-	-
ALL OTHER--MALE----	10	-	1	-	-	-	-	-	-	1	1	-
FEMALE--	10	-	1	-	-	-	1	-	-	-	1	-
BLACK---MALE----	10	-	1	-	-	-	-	-	-	1	1	-
FEMALE--	10	-	1	-	-	-	1	-	-	-	1	-
MASSACHUSETTS -----	148	-	1	1	-	1	1	4	1	-	3	3
WHITE-----MALE----	82	-	-	-	-	1	1	2	1	-	2	2
FEMALE--	57	-	1	1	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	6	-	-	-	-	-	-	1	-	-	1	1
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	6	-	-	-	-	-	-	1	-	-	1	1
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	190	-	1	3	3	2	3	1	2	-	1	9
WHITE-----MALE----	96	-	1	1	1	1	3	1	-	-	1	8
FEMALE--	75	-	-	2	1	1	-	-	1	-	-	1
ALL OTHER--MALE----	8	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	11	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	10	-	-	-	-	-	-	-	1	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 949
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
0 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 LYMPHOID LEUKEMIA (204)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
KENTUCKY -----	2	3	6	4	12	13	16	14	5	1	1	-
WHITE-----MALE----	1	-	4	4	7	8	7	7	1	-	-	-
FEMALE--	-	3	2	-	5	5	8	6	4	1	1	-
ALL OTHER--MALE----	1	-	-	-	-	-	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	6	5	4	15	16	19	11	18	6	1	-	-
WHITE-----MALE----	4	2	2	8	6	9	4	9	1	-	-	-
FEMALE--	-	-	-	4	5	5	5	7	3	1	-	-
ALL OTHER--MALE----	2	3	1	3	2	4	1	-	1	-	-	-
FEMALE--	-	-	1	-	3	1	1	2	1	-	-	-
BLACK---MALE----	2	3	1	3	2	4	1	-	1	-	-	-
FEMALE--	-	-	1	-	3	1	2	1	1	-	-	-
MAINE -----	-	-	-	1	2	2	5	3	2	2	-	-
WHITE-----MALE----	-	-	-	-	1	2	3	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	2	3	2	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	1	6	9	7	18	17	18	7	4	2	2	-
WHITE-----MALE----	-	3	4	7	9	8	6	2	-	-	1	-
FEMALE--	-	1	3	-	6	9	8	3	4	2	1	-
ALL OTHER--MALE----	-	1	1	-	2	-	2	1	-	-	-	-
FEMALE--	1	1	1	-	1	-	2	1	-	-	-	-
BLACK---MALE----	-	1	1	-	2	-	2	1	-	-	-	-
FEMALE--	1	1	1	-	1	-	2	1	-	-	-	-
MASSACHUSETTS -----	-	4	9	19	24	17	27	19	6	6	2	-
WHITE-----MALE----	-	3	5	12	15	10	14	9	2	2	1	-
FEMALE--	-	1	-	6	9	7	12	10	4	4	1	-
ALL OTHER--MALE----	-	-	1	1	-	-	1	-	-	-	-	-
FEMALE--	-	-	3	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	1	-	-	1	-	-	-	-	-
FEMALE--	-	-	3	-	-	-	-	-	-	-	-	-
MICHIGAN -----	4	13	4	20	21	27	37	23	14	2	-	-
WHITE-----MALE----	2	12	1	7	9	18	15	9	6	-	-	-
FEMALE--	2	1	2	8	9	7	20	11	7	2	-	-
ALL OTHER--MALE----	-	-	-	1	1	2	1	2	-	-	-	-
FEMALE--	-	-	1	4	2	-	1	1	1	-	-	-
BLACK---MALE----	-	-	-	-	1	2	1	2	-	-	-	-
FEMALE--	-	-	1	3	2	-	1	1	1	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 952
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
0 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 LYMPHOID LEUKEMIA (204)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
OHIO -----	9	9	7	32	38	61	41	32	23	3	-	-
WHITE-----MALE----	4	7	5	15	20	33	13	12	5	2	-	-
FEMALE--	5	2	1	12	13	21	25	17	17	1	-	-
ALL OTHER--MALE----	-	-	-	3	3	5	-	1	1	-	-	-
FEMALE--	-	-	1	2	2	2	3	2	-	-	-	-
BLACK---MALE----	-	-	-	3	3	5	-	1	1	-	-	-
FEMALE--	-	-	1	2	2	2	3	2	-	-	-	-
OKLAHOMA -----	1	5	9	9	9	13	14	18	4	4	-	-
WHITE-----MALE----	-	3	4	4	6	7	8	12	1	1	-	-
FEMALE--	1	2	4	4	1	5	5	6	3	3	-	-
ALL OTHER--MALE----	-	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	2	1	1	-	-	-	-	-
BLACK---MALE----	-	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
OREGON -----	1	6	2	6	15	14	14	11	5	2	2	-
WHITE-----MALE----	1	5	1	3	8	6	6	5	-	-	-	-
FEMALE--	-	-	1	3	7	8	8	6	5	2	2	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	5	10	25	40	42	48	56	40	18	8	-	-
WHITE-----MALE----	3	7	18	23	21	23	34	16	7	2	-	-
FEMALE--	-	1	7	15	19	21	22	21	10	6	-	-
ALL OTHER--MALE----	-	1	-	-	2	3	-	-	-	-	-	-
FEMALE--	2	1	-	2	-	1	-	3	1	-	-	-
BLACK---MALE----	-	1	-	-	2	3	-	-	-	-	-	-
FEMALE--	2	1	-	2	-	1	-	3	1	-	-	-
RHODE ISLAND -----	-	2	1	4	5	5	2	3	1	-	-	-
WHITE-----MALE----	-	2	1	2	2	2	2	2	1	-	-	-
FEMALE--	-	-	-	2	3	2	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	1	6	13	5	16	9	13	6	4	1	-	-
WHITE-----MALE----	-	2	4	2	5	3	5	1	2	-	-	-
FEMALE--	1	-	7	2	4	5	5	3	1	1	-	-
ALL OTHER--MALE----	-	3	-	1	3	1	3	-	-	-	-	-
FEMALE--	-	1	2	-	4	-	-	2	1	-	-	-
BLACK---MALE----	-	3	-	1	3	1	3	-	-	-	-	-
FEMALE--	-	1	2	-	4	-	-	2	1	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 953
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
 0 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 0 LYMPHOID LEUKEMIA (204)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
SOUTH DAKOTA -----	-	-	2	-	3	4	2	2	-	1	-	-
WHITE-----MALE----	-	-	1	-	3	1	2	1	-	-	-	-
FEMALE--	-	-	1	-	-	3	-	1	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	3	3	4	15	16	18	15	18	12	2	-	-
WHITE-----MALE----	2	2	2	6	7	8	5	6	3	1	-	-
FEMALE--	1	1	1	4	8	8	7	11	8	1	-	-
ALL OTHER--MALE----	-	-	1	4	-	2	2	1	1	-	-	-
FEMALE--	-	-	-	1	1	-	1	-	-	-	-	-
BLACK---MALE----	-	-	1	4	-	2	2	1	1	-	-	-
FEMALE--	-	-	-	1	1	-	1	-	-	-	-	-
TEXAS -----	7	15	27	28	51	44	54	54	24	12	2	-
WHITE-----MALE----	4	9	20	16	28	26	24	21	11	5	1	-
FEMALE--	3	4	6	7	13	16	25	28	13	6	1	-
ALL OTHER--MALE----	-	1	1	4	5	1	1	2	-	1	-	-
FEMALE--	-	1	-	1	5	1	4	3	-	-	-	-
BLACK---MALE----	-	1	1	4	4	1	1	2	-	1	-	-
FEMALE--	-	1	-	1	4	1	4	2	-	-	-	-
UTAH -----	1	-	2	2	2	1	5	3	1	1	-	-
WHITE-----MALE----	1	-	1	2	-	1	3	2	1	1	-	-
FEMALE--	-	-	1	-	2	-	2	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	1	3	-	1	2	2	2	-	-	-
WHITE-----MALE----	-	-	1	3	-	1	-	2	2	-	-	-
FEMALE--	-	-	-	-	-	-	1	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	10	6	9	17	24	17	15	16	10	3	-	-
WHITE-----MALE----	4	2	3	12	16	7	8	4	3	-	-	-
FEMALE--	2	2	4	3	6	8	5	9	5	3	-	-
ALL OTHER--MALE----	2	2	-	1	-	-	1	2	-	-	-	-
FEMALE--	2	-	2	1	2	2	1	1	2	-	-	-
BLACK---MALE----	2	2	-	1	-	-	1	2	-	-	-	-
FEMALE--	1	-	2	1	2	2	-	1	2	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 955
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 0 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

0 CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 MYELOID LEUKEMIA (205)												
0 UNITED STATES --	8,860	13	62	41	46	71	100	120	199	222	268	372
WHITE-----MALE----	4,380	4	34	22	20	32	39	53	93	104	115	184
FEMALE--	3,542	7	22	11	13	22	35	36	66	70	109	134
ALL OTHER--MALE----	495	2	2	3	4	12	12	21	22	25	23	33
FEMALE--	443	-	4	5	9	5	14	10	18	23	21	21
BLACK---MALE----	396	1	-	2	3	9	8	18	21	19	18	24
FEMALE--	372	-	3	4	7	5	10	8	10	18	16	16
ALABAMA -----	104	-	-	-	-	-	1	-	3	-	7	5
WHITE-----MALE----	42	-	-	-	-	-	-	-	1	-	2	3
FEMALE--	33	-	-	-	-	-	1	-	-	-	2	2
ALL OTHER--MALE----	11	-	-	-	-	-	-	-	-	-	2	-
FEMALE--	18	-	-	-	-	-	-	-	2	-	1	-
BLACK---MALE----	11	-	-	-	-	-	-	-	-	-	2	-
FEMALE--	18	-	-	-	-	-	-	-	2	-	1	-
ALASKA -----	13	-	1	1	-	-	-	-	-	3	1	1
WHITE-----MALE----	6	-	-	-	-	-	-	-	-	1	1	1
FEMALE--	6	-	1	-	-	-	-	-	-	2	-	-
ALL OTHER--MALE----	1	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	116	-	-	-	-	-	1	2	3	-	7	6
WHITE-----MALE----	61	-	-	-	-	-	-	1	2	-	1	3
FEMALE--	46	-	-	-	-	-	1	1	-	-	5	2
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	4	-	-	-	-	-	-	-	1	-	1	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	86	-	1	-	-	3	2	-	1	-	3	3
WHITE-----MALE----	43	-	-	-	-	1	2	-	1	-	3	1
FEMALE--	39	-	1	-	-	2	-	-	-	-	-	1
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	922	2	4	5	5	15	16	13	26	28	31	30
WHITE-----MALE----	452	-	2	3	4	9	4	6	10	15	12	12
FEMALE--	350	2	2	2	1	2	7	5	9	8	13	12
ALL OTHER--MALE----	69	-	-	-	-	3	2	-	3	2	3	4
FEMALE--	51	-	-	-	-	1	3	2	4	3	3	2
BLACK---MALE----	31	-	-	-	-	2	1	-	2	-	3	2
FEMALE--	26	-	-	-	-	1	2	1	-	2	1	1

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 955
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
0 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 MYELOID LEUKEMIA (205)

0	CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0	UNITED STATES --	430	519	684	1,049	1,360	1,367	1,051	633	197	52	4	-
	WHITE-----MALE----	202	255	350	559	733	709	513	270	76	12	1	-
	FEMALE--	170	198	262	381	520	564	459	318	108	35	2	-
	ALL OTHER--MALE----	28	28	47	64	61	42	34	26	4	2	-	-
	FEMALE--	30	38	25	45	46	52	45	19	9	3	1	-
	BLACK---MALE----	23	22	39	50	49	36	28	21	3	2	-	-
	FEMALE--	28	32	22	38	42	43	43	18	7	2	-	-
	ALABAMA -----	6	6	8	13	18	17	13	6	1	-	-	-
	WHITE-----MALE----	1	1	6	4	8	9	7	-	-	-	-	-
	FEMALE--	-	3	1	6	6	5	3	3	1	-	-	-
	ALL OTHER--MALE----	1	-	1	1	2	2	1	1	-	-	-	-
	FEMALE--	4	2	-	2	2	1	2	2	-	-	-	-
	BLACK---MALE----	1	-	1	1	2	2	1	1	-	-	-	-
	FEMALE--	4	2	-	2	2	1	2	2	-	-	-	-
	ALASKA -----	-	1	2	-	-	1	2	-	-	-	-	-
	WHITE-----MALE----	-	1	2	-	-	-	-	-	-	-	-	-
	FEMALE--	-	-	-	-	-	1	2	-	-	-	-	-
	ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
	BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
	ARIZONA -----	4	8	5	10	19	18	18	9	5	1	-	-
	WHITE-----MALE----	-	3	5	8	12	12	8	2	3	1	-	-
	FEMALE--	3	3	-	1	7	6	8	7	2	-	-	-
	ALL OTHER--MALE----	-	1	-	1	-	-	2	-	-	-	-	-
	FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
	BLACK---MALE----	-	1	-	-	-	-	2	-	-	-	-	-
	FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
	ARKANSAS -----	3	5	2	17	12	19	5	3	4	2	1	-
	WHITE-----MALE----	-	2	2	11	9	6	2	1	2	-	-	-
	FEMALE--	3	3	-	6	3	10	3	2	2	2	1	-
	ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
	FEMALE--	-	-	-	-	-	2	-	-	-	-	-	-
	BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
	FEMALE--	-	-	-	-	-	2	-	-	-	-	-	-
	CALIFORNIA -----	56	49	69	118	132	133	106	55	26	2	1	-
	WHITE-----MALE----	27	20	45	58	63	76	52	24	10	-	-	-
	FEMALE--	18	19	15	45	60	46	43	27	12	2	-	-
	ALL OTHER--MALE----	6	5	6	12	6	6	7	2	2	-	-	-
	FEMALE--	5	5	3	3	3	5	4	2	2	-	1	-
	BLACK---MALE----	2	2	2	5	1	2	4	1	2	-	-	-
	FEMALE--	5	1	2	2	1	1	3	2	1	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 956
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 0 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
 0 CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
 0 MYELOID LEUKEMIA (205)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
COLORADO -----	102	-	-	-	-	1	-	1	1	2	3	8
WHITE-----MALE----	56	-	-	-	-	-	-	1	1	2	1	4
FEMALE--	42	-	-	-	-	-	-	-	-	-	1	4
ALL OTHER--MALE----	2	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	2	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	119	1	1	-	-	1	-	1	2	5	4	3
WHITE-----MALE----	59	1	1	-	-	-	-	1	1	1	2	2
FEMALE--	48	-	-	-	-	-	-	-	1	3	2	-
ALL OTHER--MALE----	10	-	-	-	-	1	-	-	-	1	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	7	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	23	-	-	-	-	-	-	1	-	-	-	-
WHITE-----MALE----	13	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	17	-	-	-	-	-	-	-	-	-	-	3
WHITE-----MALE----	8	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	2
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	2
FLORIDA -----	624	-	1	5	2	2	8	5	10	11	16	17
WHITE-----MALE----	318	-	-	3	1	-	3	1	3	5	10	5
FEMALE--	265	-	1	1	1	1	3	2	6	3	3	9
ALL OTHER--MALE----	19	-	-	-	-	1	1	2	1	2	1	2
FEMALE--	22	-	-	1	-	-	1	-	-	1	2	1
BLACK---MALE----	19	-	-	-	-	1	1	2	1	2	1	2
FEMALE--	21	-	-	1	-	-	1	-	-	1	2	1
GEORGIA -----	202	-	3	1	1	1	4	1	4	13	9	7
WHITE-----MALE----	83	-	1	1	-	1	3	1	2	3	2	3
FEMALE--	76	-	2	-	-	-	1	-	1	3	2	3
ALL OTHER--MALE----	26	-	-	-	-	-	-	-	1	4	3	1
FEMALE--	17	-	-	-	1	-	-	-	-	3	2	-
BLACK---MALE----	26	-	-	-	-	-	-	-	1	4	3	1
FEMALE--	16	-	-	-	1	-	-	-	-	3	2	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 956
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 0 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
 0 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 0 MYELOID LEUKEMIA (205)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
COLORADO -----	5	8	6	10	18	18	11	8	2	-	-	-
WHITE-----MALE----	1	8	5	5	8	12	5	3	-	-	-	-
FEMALE--	4	-	-	4	10	6	6	5	2	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	9	5	11	8	27	19	16	3	2	1	-	-
WHITE-----MALE----	5	2	2	3	20	8	7	1	2	-	-	-
FEMALE--	2	2	7	4	5	10	9	2	-	1	-	-
ALL OTHER--MALE----	2	1	2	1	2	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	2	-	2	1	2	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
DELAWARE -----	1	2	3	3	5	4	2	2	-	-	-	-
WHITE-----MALE----	-	1	3	1	2	3	-	2	-	-	-	-
FEMALE--	1	1	-	2	3	1	2	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	-	1	1	2	3	2	3	2	-	-	-	-
WHITE-----MALE----	-	1	-	2	2	-	1	2	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	1	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	1	-	-	1	-	-	-	-	-	-
FLORIDA -----	25	39	40	80	94	119	86	36	22	6	-	-
WHITE-----MALE----	10	17	19	49	58	64	42	20	6	2	-	-
FEMALE--	11	15	18	31	33	51	42	15	15	4	-	-
ALL OTHER--MALE----	1	3	2	-	1	2	-	-	-	-	-	-
FEMALE--	3	4	1	-	2	2	2	1	1	-	-	-
BLACK---MALE----	1	3	2	-	1	2	-	-	-	-	-	-
FEMALE--	3	4	1	-	1	2	2	1	1	-	-	-
GEORGIA -----	13	12	13	22	26	28	24	15	2	3	-	-
WHITE-----MALE----	7	6	6	12	8	11	8	7	-	1	-	-
FEMALE--	3	6	6	6	10	11	13	5	2	2	-	-
ALL OTHER--MALE----	2	-	-	2	5	5	1	2	-	-	-	-
FEMALE--	1	-	1	2	3	1	2	1	-	-	-	-
BLACK---MALE----	2	-	-	2	5	5	1	2	-	-	-	-
FEMALE--	1	-	1	1	3	1	2	1	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 957
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
0 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 MYELOID LEUKEMIA (205)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
HAWAII -----	1	1	4	3	3	6	-	1	1	-	-	-
WHITE-----MALE----	-	-	2	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	1	-	1	1	-	-	-	-	-	-
ALL OTHER--MALE----	1	1	-	1	2	2	-	1	1	-	-	-
FEMALE--	-	-	1	2	-	2	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	1	2	4	4	2	1	10	3	1	1	-	-
WHITE-----MALE----	-	2	3	3	1	1	5	-	1	-	-	-
FEMALE--	1	-	1	1	1	-	5	3	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	15	17	33	43	54	63	50	23	13	2	-	-
WHITE-----MALE----	7	8	11	25	24	31	20	9	7	2	-	-
FEMALE--	6	9	15	15	24	30	24	11	5	-	-	-
ALL OTHER--MALE----	1	-	4	2	2	1	3	2	-	-	-	-
FEMALE--	1	-	3	1	4	1	3	1	1	-	-	-
BLACK---MALE----	1	-	3	2	2	1	3	2	-	-	-	-
FEMALE--	1	-	3	1	3	1	3	1	1	-	-	-
INDIANA -----	11	9	15	19	25	18	20	17	3	-	-	-
WHITE-----MALE----	5	4	11	11	17	7	8	8	1	-	-	-
FEMALE--	5	2	4	6	6	10	10	9	1	-	-	-
ALL OTHER--MALE----	-	1	-	-	1	-	-	-	-	-	-	-
FEMALE--	1	2	-	2	1	1	2	-	1	-	-	-
BLACK---MALE----	-	1	-	-	1	-	-	-	-	-	-	-
FEMALE--	1	2	-	2	1	1	2	-	1	-	-	-
IOWA -----	8	2	11	13	15	21	12	11	3	1	-	-
WHITE-----MALE----	2	1	6	8	10	11	7	7	1	-	-	-
FEMALE--	5	1	4	5	5	10	5	4	2	1	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS -----	2	5	4	7	20	12	13	8	3	-	-	-
WHITE-----MALE----	1	2	2	4	12	7	7	5	1	-	-	-
FEMALE--	1	2	2	2	7	4	5	3	2	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	1	-	-	1	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	1	-	-	1	-	1	-	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 958
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 0 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
 0 CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
 0 MYELOID LEUKEMIA (205)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
KENTUCKY -----	116	-	1	1	-	-	-	1	2	3	-	6
WHITE-----MALE----	68	-	1	1	-	-	-	1	1	2	-	1
FEMALE--	43	-	-	-	-	-	-	-	1	-	-	5
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	118	-	1	1	2	1	3	4	7	2	8	5
WHITE-----MALE----	52	-	1	1	-	-	1	2	3	1	5	4
FEMALE--	41	-	-	-	-	1	-	-	3	-	1	1
ALL OTHER--MALE----	12	-	-	-	1	-	1	2	1	1	2	-
FEMALE--	13	-	-	-	1	-	1	-	-	-	-	-
BLACK---MALE----	11	-	-	-	1	-	-	2	1	1	2	-
FEMALE--	12	-	-	-	1	-	-	-	-	-	-	-
MAINE -----	41	-	1	-	-	-	-	-	-	2	1	1
WHITE-----MALE----	27	-	1	-	-	-	-	-	-	1	1	1
FEMALE--	14	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	161	-	2	1	1	-	3	2	6	5	1	11
WHITE-----MALE----	73	-	-	1	1	-	1	-	2	-	-	4
FEMALE--	55	-	2	-	-	-	-	-	2	4	1	5
ALL OTHER--MALE----	16	-	-	-	-	-	1	2	-	1	-	1
FEMALE--	17	-	-	-	-	-	1	-	2	-	-	1
BLACK---MALE----	15	-	-	-	-	-	1	2	-	1	-	1
FEMALE--	16	-	-	-	-	-	1	-	2	-	-	1
MASSACHUSETTS -----	227	-	1	1	-	-	5	1	4	3	11	11
WHITE-----MALE----	113	-	-	1	-	-	3	-	3	2	6	5
FEMALE--	105	-	1	-	-	-	2	-	1	-	4	4
ALL OTHER--MALE----	6	-	-	-	-	-	-	1	-	1	1	2
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	5	-	-	-	-	-	-	1	-	-	1	2
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	331	1	-	1	1	3	3	3	7	14	11	15
WHITE-----MALE----	181	-	-	1	-	1	2	-	2	11	7	8
FEMALE--	114	-	-	-	1	1	-	2	2	3	3	4
ALL OTHER--MALE----	17	1	-	-	-	-	-	-	2	-	1	1
FEMALE--	19	-	-	-	-	1	1	1	1	-	-	2
BLACK---MALE----	15	1	-	-	-	-	-	-	2	-	1	1
FEMALE--	18	-	-	-	-	1	1	1	1	-	-	2

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 958
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
0 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 MYELOID LEUKEMIA (205)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
KENTUCKY -----	8	7	14	15	25	14	7	11	-	1	-	-
WHITE-----MALE----	4	6	8	10	20	6	4	3	-	-	-	-
FEMALE--	4	1	5	4	4	8	3	7	-	1	-	-
ALL OTHER--MALE----	-	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	1	-	-	-	-
LOUISIANA -----	6	8	7	11	21	9	13	6	3	-	-	-
WHITE-----MALE----	2	4	3	5	8	4	5	3	-	-	-	-
FEMALE--	2	3	3	5	7	3	6	3	3	-	-	-
ALL OTHER--MALE----	1	-	-	-	2	1	-	-	-	-	-	-
FEMALE--	1	1	1	1	4	1	2	-	-	-	-	-
BLACK---MALE----	1	-	-	-	2	1	-	-	-	-	-	-
FEMALE--	1	1	1	1	4	1	2	-	-	-	-	-
MAINE -----	1	2	3	6	6	6	4	5	2	1	-	-
WHITE-----MALE----	1	2	2	5	4	3	2	2	2	-	-	-
FEMALE--	-	-	1	1	2	3	2	3	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	3	15	21	25	17	23	13	10	1	1	-	-
WHITE-----MALE----	2	6	10	14	7	15	7	3	-	-	-	-
FEMALE--	1	2	6	8	6	7	4	7	-	-	-	-
ALL OTHER--MALE----	-	5	3	1	1	-	1	-	-	-	-	-
FEMALE--	-	2	2	2	3	1	1	-	1	1	-	-
BLACK---MALE----	-	5	2	1	1	-	1	-	-	-	-	-
FEMALE--	-	1	2	2	3	1	1	-	1	1	-	-
MASSACHUSETTS -----	9	20	15	30	37	36	19	15	7	2	-	-
WHITE-----MALE----	6	10	10	16	13	19	7	10	2	-	-	-
FEMALE--	3	9	5	14	24	16	12	4	4	2	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	1	1	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	1	-	-	-
MICHIGAN -----	25	27	27	33	48	43	36	21	10	2	-	-
WHITE-----MALE----	16	12	14	23	27	23	21	7	5	1	-	-
FEMALE--	9	10	10	7	16	13	13	14	5	1	-	-
ALL OTHER--MALE----	-	2	3	1	2	3	1	-	-	-	-	-
FEMALE--	-	3	-	2	3	4	1	-	-	-	-	-
BLACK---MALE----	-	2	3	1	-	3	1	-	-	-	-	-
FEMALE--	-	3	-	2	3	3	1	-	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 961
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
0 CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
0 MYELOID LEUKEMIA (205)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
OHIO -----	404	-	4	-	2	1	2	5	8	10	19	26
WHITE-----MALE----	204	-	2	-	2	1	1	2	5	3	9	19
FEMALE--	166	-	2	-	-	-	-	2	-	6	9	6
ALL OTHER--MALE----	19	-	-	-	-	-	-	-	3	-	-	1
FEMALE--	15	-	-	-	-	-	1	1	-	1	1	-
BLACK---MALE----	19	-	-	-	-	-	-	-	3	-	-	1
FEMALE--	14	-	-	-	-	-	-	1	-	1	1	-
OKLAHOMA -----	138	-	1	1	3	-	1	3	3	2	7	4
WHITE-----MALE----	62	-	-	1	1	-	-	1	1	-	2	1
FEMALE--	61	-	1	-	1	-	1	-	2	-	4	3
ALL OTHER--MALE----	11	-	-	-	-	-	-	2	-	1	1	-
FEMALE--	4	-	-	-	1	-	-	-	-	1	-	-
BLACK---MALE----	10	-	-	-	-	-	-	2	-	1	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	136	-	-	-	-	1	2	1	2	3	2	4
WHITE-----MALE----	85	-	-	-	-	-	2	1	2	3	1	2
FEMALE--	46	-	-	-	-	1	-	-	-	-	1	2
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	509	-	2	2	1	3	6	8	10	4	14	19
WHITE-----MALE----	247	-	2	1	1	1	2	4	6	3	5	11
FEMALE--	230	-	-	1	-	2	2	3	4	-	8	7
ALL OTHER--MALE----	14	-	-	-	-	-	1	-	-	1	-	-
FEMALE--	18	-	-	-	-	-	1	1	-	-	1	1
BLACK---MALE----	14	-	-	-	-	-	1	-	-	1	-	-
FEMALE--	18	-	-	-	-	-	1	1	-	-	1	1
RHODE ISLAND -----	30	-	-	-	-	-	-	2	1	2	-	2
WHITE-----MALE----	17	-	-	-	-	-	-	2	1	1	-	1
FEMALE--	13	-	-	-	-	-	-	-	-	1	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	126	-	-	1	2	2	1	3	3	1	6	6
WHITE-----MALE----	50	-	-	-	-	1	-	-	2	1	5	2
FEMALE--	46	-	-	-	1	-	1	-	1	-	1	-
ALL OTHER--MALE----	18	-	-	-	-	-	-	2	-	-	-	2
FEMALE--	12	-	-	1	1	1	-	1	-	-	-	2
BLACK---MALE----	18	-	-	-	-	-	-	2	-	-	-	2
FEMALE--	12	-	-	1	1	1	-	1	-	-	-	2

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 961
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
0 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 MYELOID LEUKEMIA (205)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
OHIO -----	16	13	24	51	66	72	45	33	4	3	-	-
WHITE-----MALE----	13	8	11	25	29	38	21	15	-	-	-	-
FEMALE--	1	5	12	19	29	29	22	17	4	3	-	-
ALL OTHER--MALE----	1	-	-	4	6	2	1	1	-	-	-	-
FEMALE--	1	-	1	3	2	3	1	-	-	-	-	-
BLACK---MALE----	1	-	-	4	6	2	1	1	-	-	-	-
FEMALE--	1	-	1	3	2	3	1	-	-	-	-	-
OKLAHOMA -----	5	8	11	21	19	18	15	8	8	-	-	-
WHITE-----MALE----	-	6	7	13	11	9	4	2	3	-	-	-
FEMALE--	4	2	2	7	7	8	10	5	4	-	-	-
ALL OTHER--MALE----	1	-	1	1	1	1	1	1	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	1	-	-	-
BLACK---MALE----	1	-	1	1	1	1	1	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
OREGON -----	6	7	9	14	17	26	24	11	6	-	1	-
WHITE-----MALE----	5	4	4	10	11	19	11	6	3	-	1	-
FEMALE--	1	3	4	3	5	7	12	4	3	-	-	-
ALL OTHER--MALE----	-	-	-	1	1	-	1	1	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	1	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	25	32	42	61	90	72	65	39	10	4	-	-
WHITE-----MALE----	9	15	13	33	49	32	39	14	5	2	-	-
FEMALE--	13	14	24	25	37	35	24	24	5	2	-	-
ALL OTHER--MALE----	-	1	4	2	1	1	2	1	-	-	-	-
FEMALE--	3	2	1	1	3	4	-	-	-	-	-	-
BLACK---MALE----	-	1	4	2	1	1	2	1	-	-	-	-
FEMALE--	3	2	1	1	3	4	-	-	-	-	-	-
RHODE ISLAND -----	1	2	-	4	8	5	2	-	1	-	-	-
WHITE-----MALE----	-	1	-	2	3	4	1	-	1	-	-	-
FEMALE--	1	1	-	2	5	1	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	6	7	10	16	19	22	8	8	4	1	-	-
WHITE-----MALE----	1	4	5	7	7	8	2	3	2	-	-	-
FEMALE--	2	3	3	6	7	12	2	4	2	1	-	-
ALL OTHER--MALE----	3	-	1	2	3	2	2	1	-	-	-	-
FEMALE--	-	-	1	1	2	-	2	-	-	-	-	-
BLACK---MALE----	3	-	1	2	3	2	2	1	-	-	-	-
FEMALE--	-	-	1	1	2	-	2	-	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 962
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 0 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

0 CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 MYELOID LEUKEMIA (205)												
SOUTH DAKOTA -----	30	-	1	-	-	-	-	-	-	-	-	2
WHITE-----MALE----	20	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	9	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	168	-	1	1	-	1	3	2	4	4	4	9
WHITE-----MALE----	78	-	1	1	-	1	2	2	1	3	1	2
FEMALE--	71	-	-	-	-	-	1	-	2	1	2	6
ALL OTHER--MALE----	11	-	-	-	-	-	-	-	1	-	1	1
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	11	-	-	-	-	-	-	-	1	-	1	1
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
TEXAS -----	551	-	15	6	2	7	9	9	15	26	15	25
WHITE-----MALE----	268	-	13	4	1	2	4	8	5	12	5	14
FEMALE--	218	-	1	1	-	5	3	1	7	8	9	9
ALL OTHER--MALE----	32	-	-	1	-	-	2	-	1	4	1	1
FEMALE--	33	-	1	-	1	-	-	-	2	2	-	1
BLACK---MALE----	28	-	-	1	-	-	1	-	1	3	1	1
FEMALE--	32	-	1	-	-	-	-	-	2	2	-	1
UTAH -----	56	-	1	-	1	1	-	1	1	-	3	3
WHITE-----MALE----	34	-	1	-	1	-	-	-	-	-	1	2
FEMALE--	21	-	-	-	-	1	-	1	1	-	2	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	29	-	-	-	-	-	-	-	1	1	-	-
WHITE-----MALE----	14	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	15	-	-	-	-	-	-	-	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	179	-	-	1	-	4	2	2	-	4	4	7
WHITE-----MALE----	74	-	-	-	-	1	-	1	-	1	1	2
FEMALE--	67	-	-	1	-	1	-	1	-	-	2	3
ALL OTHER--MALE----	22	-	-	-	-	2	-	-	-	1	1	2
FEMALE--	16	-	-	-	-	-	2	-	-	2	-	-
BLACK---MALE----	21	-	-	-	-	2	-	-	-	1	-	2
FEMALE--	16	-	-	-	-	-	2	-	-	2	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 962
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
0 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 MYELOID LEUKEMIA (205)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
SOUTH DAKOTA -----	-	2	1	4	3	8	4	5	-	-	-	-
WHITE-----MALE----	-	2	1	3	3	4	2	4	-	-	-	-
FEMALE--	-	-	-	1	-	4	2	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	9	9	11	23	26	28	13	17	2	1	-	-
WHITE-----MALE----	5	4	6	9	14	13	8	4	1	-	-	-
FEMALE--	4	2	4	11	9	14	4	10	1	-	-	-
ALL OTHER--MALE----	-	-	1	1	2	-	1	3	-	-	-	-
FEMALE--	-	3	-	2	1	1	-	-	-	1	-	-
BLACK---MALE----	-	-	1	1	2	-	1	3	-	-	-	-
FEMALE--	-	3	-	2	1	1	-	-	-	1	-	-
TEXAS -----	21	28	52	65	69	81	58	36	8	4	-	-
WHITE-----MALE----	12	16	27	40	27	34	27	16	1	-	-	-
FEMALE--	7	9	20	15	34	40	22	18	7	2	-	-
ALL OTHER--MALE----	1	-	4	7	6	1	-	1	-	2	-	-
FEMALE--	1	3	1	3	2	6	9	1	-	-	-	-
BLACK---MALE----	1	-	4	5	6	1	-	1	-	2	-	-
FEMALE--	1	3	1	3	2	6	9	1	-	-	-	-
UTAH -----	-	4	2	4	8	13	9	3	2	-	-	-
WHITE-----MALE----	-	2	2	3	4	8	7	1	2	-	-	-
FEMALE--	-	2	-	-	4	5	2	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	3	-	3	3	5	8	3	1	1	-	-	-
WHITE-----MALE----	1	-	1	3	3	3	2	1	-	-	-	-
FEMALE--	2	-	2	-	2	5	1	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	9	11	15	22	32	25	18	19	4	-	-	-
WHITE-----MALE----	2	3	8	6	17	15	9	6	2	-	-	-
FEMALE--	5	7	4	9	12	6	5	10	1	-	-	-
ALL OTHER--MALE----	-	1	1	2	2	3	4	2	1	-	-	-
FEMALE--	2	-	2	5	1	1	-	1	-	-	-	-
BLACK---MALE----	-	1	1	2	2	3	4	2	1	-	-	-
FEMALE--	2	-	2	5	1	1	-	1	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 971
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
 0 CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
 0 MONOCYTIC LEUKEMIA (206)