

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 1,915
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 PNEUMOCOCCAL AND OTHER BACTERIAL PNEUMONIA (481-482)												
OHIO -----	160	-	2	-	-	1	-	2	1	1	7	4
WHITE-----MALE----	66	-	-	-	-	1	-	-	-	-	6	1
FEMALE--	69	-	1	-	-	-	-	-	1	-	1	1
ALL OTHER--MALE----	15	-	1	-	-	-	-	2	-	-	-	2
FEMALE--	10	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	15	-	1	-	-	-	-	2	-	-	-	2
FEMALE--	10	-	-	-	-	-	-	-	-	1	-	-
OKLAHOMA -----	87	-	-	-	-	-	1	1	1	-	2	4
WHITE-----MALE----	40	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	38	-	-	-	-	-	1	1	-	-	1	3
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	88	-	-	-	-	-	-	-	1	1	3	4
WHITE-----MALE----	45	-	-	-	-	-	-	-	1	1	1	1
FEMALE--	41	-	-	-	-	-	-	-	-	-	1	2
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	183	1	1	-	-	-	1	-	3	2	10	7
WHITE-----MALE----	82	1	1	-	-	-	-	-	1	-	3	3
FEMALE--	78	-	-	-	-	-	-	-	-	-	3	4
ALL OTHER--MALE----	12	-	-	-	-	-	1	-	1	-	2	-
FEMALE--	11	-	-	-	-	-	-	-	1	2	2	-
BLACK---MALE----	11	-	-	-	-	-	1	-	1	-	2	-
FEMALE--	11	-	-	-	-	-	-	-	1	2	2	-
RHODE ISLAND -----	18	-	-	-	-	-	-	-	-	-	-	2
WHITE-----MALE----	9	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	136	-	1	-	-	-	-	1	4	8	4	5
WHITE-----MALE----	52	-	-	-	-	-	-	-	1	2	1	1
FEMALE--	53	-	1	-	-	-	-	-	1	3	1	-
ALL OTHER--MALE----	18	-	-	-	-	-	-	1	1	1	1	2
FEMALE--	13	-	-	-	-	-	-	-	1	2	1	2
BLACK---MALE----	18	-	-	-	-	-	-	1	1	1	1	2
FEMALE--	13	-	-	-	-	-	-	-	1	2	1	2

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,915
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 PNEUMOCOCCAL AND OTHER BACTERIAL PNEUMONIA (481-482)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
OHIO -----	8	2	12	13	20	17	30	16	19	5	-	-
WHITE-----MALE----	2	1	3	6	7	11	18	5	5	-	-	-
FEMALE--	3	-	6	1	12	5	12	10	11	5	-	-
ALL OTHER--MALE----	1	-	3	4	-	1	-	-	1	-	-	-
FEMALE--	2	1	-	2	1	-	-	1	2	-	-	-
BLACK---MALE----	1	-	3	4	-	1	-	-	1	-	-	-
FEMALE--	2	1	-	2	1	-	-	1	2	-	-	-
OKLAHOMA -----	7	5	6	5	9	4	14	13	9	5	1	-
WHITE-----MALE----	2	2	4	3	6	2	7	6	4	2	-	-
FEMALE--	4	2	1	2	3	2	4	6	4	3	1	-
ALL OTHER--MALE----	-	1	-	-	-	-	1	-	-	-	-	-
FEMALE--	1	-	1	-	-	-	2	1	1	-	-	-
BLACK---MALE----	-	1	-	-	-	-	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	-	1	-	-	-
OREGON -----	3	1	2	7	9	10	14	14	12	5	2	-
WHITE-----MALE----	1	-	1	5	7	7	7	4	5	3	1	-
FEMALE--	2	1	1	2	2	3	7	10	7	2	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	6	3	12	10	21	24	30	30	17	4	1	-
WHITE-----MALE----	3	2	5	6	10	13	16	11	6	1	-	-
FEMALE--	1	-	4	2	11	10	11	18	10	3	1	-
ALL OTHER--MALE----	1	1	1	1	-	1	2	1	-	-	-	-
FEMALE--	1	-	2	1	-	-	1	-	1	-	-	-
BLACK---MALE----	1	1	1	1	-	1	1	1	-	-	-	-
FEMALE--	1	-	2	1	-	-	1	-	1	-	-	-
RHODE ISLAND -----	-	2	-	1	2	3	4	1	3	-	-	-
WHITE-----MALE----	-	2	-	1	1	1	3	-	1	-	-	-
FEMALE--	-	-	-	-	1	2	1	1	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	4	6	6	6	15	16	27	17	15	1	-	-
WHITE-----MALE----	2	2	3	4	11	5	13	5	2	-	-	-
FEMALE--	1	3	2	-	2	7	10	11	11	-	-	-
ALL OTHER--MALE----	1	1	-	2	2	1	2	1	1	1	-	-
FEMALE--	-	-	1	-	-	3	2	-	1	-	-	-
BLACK---MALE----	1	1	-	2	2	1	2	1	1	1	-	-
FEMALE--	-	-	1	-	-	3	2	-	1	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,916
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 0 PNEUMOCOCCAL AND OTHER BACTERIAL PNEUMONIA (481-482)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
SOUTH DAKOTA -----	-	-	-	1	-	1	-	2	2	1	-	-
WHITE-----MALE----	-	-	-	1	-	1	-	1	1	1	-	-
FEMALE--	-	-	-	-	-	-	-	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	5	8	7	9	17	22	30	22	16	7	-	-
WHITE-----MALE----	1	4	3	4	10	12	13	10	6	1	-	-
FEMALE--	2	1	2	4	6	8	13	12	9	4	-	-
ALL OTHER--MALE----	1	1	1	-	1	-	1	-	-	1	-	-
FEMALE--	1	2	1	1	-	2	3	-	1	1	-	-
BLACK---MALE----	1	1	1	-	1	-	1	-	-	1	-	-
FEMALE--	1	2	1	1	-	2	3	-	1	1	-	-
TEXAS -----	8	12	16	21	26	37	46	57	28	7	4	1
WHITE-----MALE----	4	4	5	12	16	16	16	23	10	2	-	-
FEMALE--	3	6	5	7	7	19	28	31	16	5	4	1
ALL OTHER--MALE----	-	1	3	-	2	1	-	2	1	-	-	-
FEMALE--	1	1	3	2	1	1	2	1	1	-	-	-
BLACK---MALE----	-	1	3	-	2	1	-	2	1	-	-	-
FEMALE--	1	1	2	2	1	1	2	1	1	-	-	-
UTAH -----	-	-	-	2	2	3	4	3	1	-	-	-
WHITE-----MALE----	-	-	-	1	-	2	2	1	1	-	-	-
FEMALE--	-	-	-	1	2	1	2	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	-	-	-	-	3	2	-	1	-	-
WHITE-----MALE----	-	-	-	-	-	-	3	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	6	2	4	9	7	10	17	15	7	4	-	-
WHITE-----MALE----	3	-	2	4	2	1	7	4	1	-	-	-
FEMALE--	-	-	1	3	4	8	8	9	5	3	-	-
ALL OTHER--MALE----	3	-	-	1	1	1	2	1	1	-	-	-
FEMALE--	-	2	1	1	-	-	-	1	-	1	-	-
BLACK---MALE----	3	-	-	1	1	1	2	1	1	-	-	-
FEMALE--	-	2	1	1	-	-	-	1	-	1	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,918
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 BRONCHOPNEUMONIA, ORGANISM UNSPECIFIED (485)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 UNITED STATES --	100	86	129	167	258	406	552	663	552	285	82	3
WHITE-----MALE----	45	46	68	69	125	190	224	228	139	62	18	2
FEMALE--	26	21	28	56	97	168	293	392	393	196	57	-
ALL OTHER--MALE----	20	9	22	29	20	33	20	21	6	11	3	-
FEMALE--	9	10	11	13	16	15	15	22	14	16	4	1
BLACK---MALE----	19	9	21	27	17	25	16	13	5	8	3	-
FEMALE--	9	8	10	13	15	13	15	20	9	15	4	1
ALABAMA -----	1	-	-	4	-	1	2	5	2	1	1	-
WHITE-----MALE----	-	-	-	2	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	2	-	-	-	4	2	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	2	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	1	-
BLACK---MALE----	1	-	-	-	-	-	2	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	1	-
ALASKA -----	1	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	1	1	-	4	3	2	5	8	7	6	3	-
WHITE-----MALE----	1	1	-	3	2	1	2	5	2	3	2	-
FEMALE--	-	-	-	1	1	1	3	3	5	3	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	-	-	-	1	3	3	3	-	3	2	1	-
WHITE-----MALE----	-	-	-	-	2	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	3	-	1	-
ALL OTHER--MALE----	-	-	-	1	1	1	1	-	-	2	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	1	1	1	-	-	2	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
CALIFORNIA -----	12	19	21	27	42	69	76	103	95	43	7	1
WHITE-----MALE----	4	11	11	12	25	28	35	30	28	16	1	1
FEMALE--	5	6	6	8	16	33	37	66	62	23	6	-
ALL OTHER--MALE----	2	2	3	3	-	5	4	4	2	3	-	-
FEMALE--	1	-	1	4	1	3	-	3	3	1	-	-
BLACK---MALE----	2	2	3	3	-	-	1	2	1	1	-	-
FEMALE--	1	-	1	4	-	2	-	3	1	1	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 1,919
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
0 BRONCHOPNEUMONIA, ORGANISM UNSPECIFIED (485)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
COLORADO -----	41	4	1	-	-	-	-	-	1	-	6	5
WHITE-----MALE----	15	3	-	-	-	-	-	-	1	-	3	2
FEMALE--	21	1	-	-	-	-	-	-	-	-	2	2
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	3	-	1	-	-	-	-	-	-	-	-	1
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	2	-	1	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	30	1	-	-	-	1	-	-	-	-	1	2
WHITE-----MALE----	10	-	-	-	-	1	-	-	-	-	1	1
FEMALE--	19	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	2	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	7	-	-	-	-	-	-	-	-	-	2	-
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	2	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	2	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	307	8	3	1	-	3	1	3	4	6	5	5
WHITE-----MALE----	116	5	1	-	-	2	1	1	2	2	1	3
FEMALE--	157	1	-	1	-	-	-	1	1	2	1	2
ALL OTHER--MALE----	21	1	2	-	-	-	-	-	1	1	2	-
FEMALE--	13	1	-	-	-	1	-	1	-	1	1	-
BLACK---MALE----	21	1	2	-	-	-	-	-	1	1	2	-
FEMALE--	13	1	-	-	-	1	-	1	-	1	1	-
GEORGIA -----	65	5	2	1	-	-	-	-	3	2	6	5
WHITE-----MALE----	20	3	-	-	-	-	-	-	-	1	3	1
FEMALE--	23	-	1	-	-	-	-	-	1	-	1	1
ALL OTHER--MALE----	12	-	1	1	-	-	-	-	2	-	1	3
FEMALE--	10	2	-	-	-	-	-	-	-	1	1	-
BLACK---MALE----	12	-	1	1	-	-	-	-	2	-	1	3
FEMALE--	10	2	-	-	-	-	-	-	-	1	1	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,919
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 0 BRONCHOPNEUMONIA, ORGANISM UNSPECIFIED (485)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
COLORADO -----	3	-	2	2	1	-	4	9	3	-	-	-
WHITE-----MALE----	2	-	-	1	-	-	1	-	2	-	-	-
FEMALE--	1	-	-	1	1	-	3	9	1	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	-	-	-	-	2	3	2	4	9	3	2	-
WHITE-----MALE----	-	-	-	-	1	1	-	2	1	-	2	-
FEMALE--	-	-	-	-	1	2	2	2	8	3	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	1	-	-	1	-	-	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	-	-	-	1	-	1	2	-	-	1	-	-
WHITE-----MALE----	-	-	-	-	-	-	2	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	10	3	9	11	18	32	34	64	48	30	9	-
WHITE-----MALE----	5	2	5	3	8	19	16	25	10	5	-	-
FEMALE--	2	-	1	3	6	10	17	39	37	24	9	-
ALL OTHER--MALE----	3	-	2	4	2	2	-	-	1	-	-	-
FEMALE--	-	1	1	1	2	1	1	-	-	1	-	-
BLACK---MALE----	3	-	2	4	2	2	-	-	1	-	-	-
FEMALE--	-	1	1	1	2	1	1	-	-	1	-	-
GEORGIA -----	4	1	1	4	4	2	5	12	3	2	3	-
WHITE-----MALE----	2	-	-	1	3	1	-	4	1	-	-	-
FEMALE--	1	1	-	-	1	-	4	7	2	1	2	-
ALL OTHER--MALE----	-	-	1	3	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	1	1	-	1	1	-
BLACK---MALE----	-	-	1	3	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	1	1	-	1	1	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,921
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 BRONCHOPNEUMONIA, ORGANISM UNSPECIFIED (485)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
KENTUCKY -----	-	-	2	2	2	6	2	2	3	4	1	-
WHITE-----MALE----	-	-	1	1	1	3	1	1	1	1	1	-
FEMALE--	-	-	-	1	-	2	1	1	2	3	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	-	-	-	-	-
LOUISIANA -----	2	1	2	2	5	3	10	7	4	8	-	-
WHITE-----MALE----	-	-	2	-	1	1	2	5	3	3	-	-
FEMALE--	-	1	-	1	4	1	6	1	1	5	-	-
ALL OTHER--MALE----	2	-	-	1	-	1	2	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	2	-	-	1	-	1	2	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
MAINE -----	-	-	1	1	-	2	-	2	1	1	-	-
WHITE-----MALE----	-	-	1	-	-	2	-	1	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	1	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	1	-	1	3	3	6	7	9	9	5	1	-
WHITE-----MALE----	1	-	1	2	2	3	3	3	4	2	-	-
FEMALE--	-	-	-	-	1	3	4	5	5	2	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	1	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	1	-	1	-	-
MASSACHUSETTS -----	1	-	-	4	6	15	10	14	19	8	-	-
WHITE-----MALE----	1	-	-	2	5	12	1	1	5	2	-	-
FEMALE--	-	-	-	2	1	3	9	12	14	6	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	4	3	3	5	8	11	10	11	9	4	2	2
WHITE-----MALE----	1	1	1	-	4	4	3	2	-	3	2	1
FEMALE--	1	-	1	5	2	4	7	8	8	1	-	-
ALL OTHER--MALE----	2	2	1	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	2	2	-	1	1	-	-	1
BLACK---MALE----	2	2	1	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	2	2	-	1	1	-	-	1

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 1,924
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
0 BRONCHOPNEUMONIA, ORGANISM UNSPECIFIED (485)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
OHIO -----	133	5	1	2	1	-	-	2	2	-	3	3
WHITE-----MALE----	58	3	1	-	-	-	-	2	-	-	1	1
FEMALE--	58	1	-	1	1	-	-	-	-	-	-	1
ALL OTHER--MALE----	11	1	-	1	-	-	-	-	1	-	2	-
FEMALE--	6	-	-	-	-	-	-	-	1	-	-	1
BLACK---MALE----	11	1	-	1	-	-	-	-	1	-	2	-
FEMALE--	6	-	-	-	-	-	-	-	1	-	-	1
OKLAHOMA -----	46	3	-	-	-	-	-	-	2	-	1	1
WHITE-----MALE----	24	3	-	-	-	-	-	-	-	-	1	1
FEMALE--	20	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	27	1	-	-	-	-	-	-	-	1	-	2
WHITE-----MALE----	11	1	-	-	-	-	-	-	-	1	-	2
FEMALE--	16	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	168	10	3	-	1	-	-	2	5	5	4	6
WHITE-----MALE----	75	4	2	-	-	-	-	-	1	3	4	2
FEMALE--	74	2	-	-	1	-	-	2	1	-	-	3
ALL OTHER--MALE----	8	3	-	-	-	-	-	-	-	1	-	-
FEMALE--	11	1	1	-	-	-	-	-	3	1	-	1
BLACK---MALE----	8	3	-	-	-	-	-	-	-	1	-	-
FEMALE--	11	1	1	-	-	-	-	-	3	1	-	1
RHODE ISLAND -----	15	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	9	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	26	2	1	-	-	1	-	-	1	1	3	-
WHITE-----MALE----	8	1	-	-	-	-	-	-	-	-	1	-
FEMALE--	8	1	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	7	-	1	-	-	-	-	-	1	1	1	-
FEMALE--	3	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	7	-	1	-	-	-	-	-	1	1	1	-
FEMALE--	3	-	-	-	-	1	-	-	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,924
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 BRONCHOPNEUMONIA, ORGANISM UNSPECIFIED (485)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
OHIO -----	3	4	7	6	8	22	20	20	15	7	2	-
WHITE-----MALE----	1	3	6	2	4	13	6	8	4	3	-	-
FEMALE--	1	1	-	3	2	8	12	11	10	4	2	-
ALL OTHER--MALE----	-	-	1	1	2	1	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	1	1	-	-	-
BLACK---MALE----	-	-	1	1	2	1	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	1	1	-	-	-
OKLAHOMA -----	-	-	1	1	5	5	6	10	9	-	2	-
WHITE-----MALE----	-	-	1	1	4	1	3	5	4	-	-	-
FEMALE--	-	-	-	-	1	4	3	4	5	-	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	-	-	-	-	2	2	5	3	8	3	-	-
WHITE-----MALE----	-	-	-	-	1	1	2	1	1	1	-	-
FEMALE--	-	-	-	-	1	1	3	2	7	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	6	6	2	6	10	11	28	29	23	7	4	-
WHITE-----MALE----	4	3	2	3	4	5	11	15	7	3	2	-
FEMALE--	-	2	-	3	5	6	14	14	16	3	2	-
ALL OTHER--MALE----	1	1	-	-	1	-	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	2	-	-	1	-	-
BLACK---MALE----	1	1	-	-	1	-	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	2	-	-	1	-	-
RHODE ISLAND -----	1	1	-	-	-	1	5	4	2	1	-	-
WHITE-----MALE----	1	1	-	-	-	-	4	2	-	1	-	-
FEMALE--	-	-	-	-	-	1	1	2	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	1	-	1	-	-	3	3	5	3	1	-	-
WHITE-----MALE----	-	-	1	-	-	1	2	2	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	2	3	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	1	-	1	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	1	-	1	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 1,925
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
 CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
 0 BRONCHOPNEUMONIA, ORGANISM UNSPECIFIED (485)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
SOUTH DAKOTA -----	7	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	70	1	-	-	-	-	-	1	-	2	1	-
WHITE-----MALE----	25	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	36	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	5	1	-	-	-	-	-	-	-	1	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	5	1	-	-	-	-	-	-	-	1	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	1	-	-
TEXAS -----	220	9	6	1	-	1	-	3	5	6	8	14
WHITE-----MALE----	88	6	1	1	-	-	-	-	3	3	6	5
FEMALE--	100	2	2	-	-	-	-	1	1	2	-	5
ALL OTHER--MALE----	21	-	3	-	-	-	-	-	1	1	2	3
FEMALE--	11	1	-	-	-	1	-	2	-	-	-	1
BLACK---MALE----	20	-	2	-	-	-	-	-	1	1	2	3
FEMALE--	10	1	-	-	-	1	-	2	-	-	-	1
UTAH -----	12	-	-	-	-	-	-	-	-	1	1	-
WHITE-----MALE----	9	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	7	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	30	1	-	-	-	-	1	1	-	2	-	-
WHITE-----MALE----	14	-	-	-	-	-	1	-	-	1	-	-
FEMALE--	12	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	3	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	3	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 1,927
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 PNEUMONIA DUE TO OTHER AND UNSPECIFIED ORGANISM (483,486)												
0 UNITED STATES --	72,915	179	75	49	42	51	73	137	226	388	574	702
WHITE-----MALE----	28,740	67	24	17	18	24	25	50	86	158	238	300
FEMALE--	36,288	45	27	22	11	11	23	45	70	90	131	188
ALL OTHER--MALE----	4,133	41	14	4	7	8	13	24	42	97	122	154
FEMALE--	3,754	26	10	6	6	8	12	18	28	43	83	60
BLACK---MALE----	3,393	34	14	4	6	7	13	21	40	88	116	139
FEMALE--	3,165	22	8	3	5	8	10	17	24	38	78	53
ALABAMA -----	1,210	1	3	-	2	1	6	6	2	10	10	13
WHITE-----MALE----	428	-	1	-	-	1	2	2	-	4	4	4
FEMALE--	530	-	-	-	1	-	1	1	1	2	-	5
ALL OTHER--MALE----	124	1	-	-	-	-	1	-	1	3	6	3
FEMALE--	128	-	2	-	1	-	2	3	-	1	-	1
BLACK---MALE----	123	1	-	-	-	-	1	-	1	3	6	3
FEMALE--	127	-	1	-	1	-	2	3	-	1	-	1
ALASKA -----	26	-	-	-	-	-	-	-	1	-	1	-
WHITE-----MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	1,100	14	-	1	2	-	-	3	3	8	16	14
WHITE-----MALE----	513	6	-	-	1	-	-	1	2	2	8	7
FEMALE--	514	7	-	-	1	-	-	2	1	3	7	4
ALL OTHER--MALE----	39	-	-	1	-	-	-	-	-	3	1	2
FEMALE--	34	1	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	8	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	1
ARKANSAS -----	865	2	3	-	-	1	2	3	2	6	6	7
WHITE-----MALE----	361	-	-	-	-	1	1	1	1	3	5	2
FEMALE--	406	-	2	-	-	-	-	1	1	2	-	5
ALL OTHER--MALE----	49	1	1	-	-	-	-	-	-	1	1	-
FEMALE--	49	1	-	-	-	-	1	1	-	-	-	-
BLACK---MALE----	49	1	1	-	-	-	-	-	-	1	1	-
FEMALE--	48	1	-	-	-	-	1	1	-	-	-	-
CALIFORNIA -----	9,537	23	8	6	4	2	2	14	20	26	40	58
WHITE-----MALE----	3,697	8	2	3	3	1	1	2	8	13	20	25
FEMALE--	4,761	8	4	3	1	-	-	7	10	9	13	21
ALL OTHER--MALE----	561	5	2	-	-	1	-	2	1	2	3	10
FEMALE--	518	2	-	-	-	-	1	3	1	2	4	2
BLACK---MALE----	241	3	2	-	-	-	-	1	1	-	1	5
FEMALE--	267	1	-	-	-	-	1	2	-	2	3	1

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,927
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 PNEUMONIA DUE TO OTHER AND UNSPECIFIED ORGANISM (483,486)												
0 UNITED STATES --	772	1,143	1,731	3,157	5,964	9,476	14,031	15,373	11,992	5,277	1,499	4
WHITE-----MALE----	348	532	773	1,574	2,925	4,565	6,144	5,714	3,648	1,241	267	2
FEMALE--	222	333	585	1,057	2,207	3,915	6,573	8,460	7,519	3,669	1,084	1
ALL OTHER--MALE----	127	182	239	309	504	571	660	533	329	116	37	-
FEMALE--	75	96	134	217	328	425	654	666	496	251	111	1
BLACK---MALE----	113	164	202	269	411	468	508	414	245	85	32	-
FEMALE--	66	90	118	191	272	354	537	555	415	211	89	1
ALABAMA -----	11	22	38	53	112	157	254	249	175	67	18	-
WHITE-----MALE----	6	12	17	27	45	61	99	79	42	21	1	-
FEMALE--	3	3	7	16	41	68	110	128	104	29	10	-
ALL OTHER--MALE----	1	5	8	5	18	17	23	18	10	3	1	-
FEMALE--	1	2	6	5	8	11	22	24	19	14	6	-
BLACK---MALE----	1	5	8	5	18	17	23	18	9	3	1	-
FEMALE--	1	2	6	5	8	11	22	24	19	14	6	-
ALASKA -----	-	2	1	-	2	2	5	7	4	-	1	-
WHITE-----MALE----	-	1	-	-	1	-	1	1	2	-	-	-
FEMALE--	-	-	-	-	-	1	1	1	2	-	1	-
ALL OTHER--MALE----	-	1	1	-	-	-	1	2	-	-	-	-
FEMALE--	-	-	-	-	1	1	2	3	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	11	18	27	53	106	162	194	214	171	60	23	-
WHITE-----MALE----	6	7	13	34	66	96	85	105	50	20	4	-
FEMALE--	3	6	11	16	37	61	98	105	104	36	12	-
ALL OTHER--MALE----	1	4	-	2	1	3	9	1	9	1	1	-
FEMALE--	1	1	3	1	2	2	3	3	8	3	6	-
BLACK---MALE----	-	3	-	-	-	-	3	-	1	-	-	-
FEMALE--	-	1	1	-	1	-	1	1	2	1	1	-
ARKANSAS -----	8	16	19	46	65	119	174	193	122	56	15	-
WHITE-----MALE----	2	6	11	26	30	53	73	85	43	17	1	-
FEMALE--	3	8	5	16	30	48	85	91	68	31	10	-
ALL OTHER--MALE----	3	1	-	3	2	6	10	12	6	2	-	-
FEMALE--	-	1	3	1	3	12	6	5	5	6	4	-
BLACK---MALE----	3	1	-	3	2	6	10	12	6	2	-	-
FEMALE--	-	1	3	1	3	12	5	5	5	6	4	-
CALIFORNIA -----	77	108	202	402	760	1,353	1,969	2,043	1,536	676	207	1
WHITE-----MALE----	48	59	85	184	341	623	854	737	487	154	38	1
FEMALE--	16	33	83	147	292	565	884	1,103	932	472	158	-
ALL OTHER--MALE----	5	12	27	38	80	87	120	99	48	19	-	-
FEMALE--	8	4	7	33	47	78	111	104	69	31	11	-
BLACK---MALE----	4	6	13	21	37	42	46	38	11	10	-	-
FEMALE--	4	2	6	21	19	43	55	51	34	17	5	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 1,928
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
0 PNEUMONIA DUE TO OTHER AND UNSPECIFIED ORGANISM (483,486)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
COLORADO -----	863	2	1	-	-	-	-	3	3	5	3	11
WHITE-----MALE----	363	1	1	-	-	-	-	2	1	2	1	6
FEMALE--	477	1	-	-	-	-	-	1	1	3	1	4
ALL OTHER--MALE----	13	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	10	-	-	-	-	-	-	-	1	-	-	1
BLACK---MALE----	10	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	7	-	-	-	-	-	-	-	1	-	-	-
CONNECTICUT -----	1,057	2	-	1	-	2	-	1	1	7	3	10
WHITE-----MALE----	434	2	-	-	-	1	-	-	-	2	2	2
FEMALE--	560	-	-	1	-	1	-	-	-	3	-	5
ALL OTHER--MALE----	30	-	-	-	-	-	-	-	1	2	1	2
FEMALE--	33	-	-	-	-	-	-	1	-	-	-	1
BLACK---MALE----	26	-	-	-	-	-	-	-	1	2	1	2
FEMALE--	30	-	-	-	-	-	-	1	-	-	-	1
DELAWARE -----	184	-	-	-	-	-	-	-	1	2	1	1
WHITE-----MALE----	64	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	93	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	15	-	-	-	-	-	-	-	-	1	1	1
FEMALE--	12	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	15	-	-	-	-	-	-	-	-	1	1	1
FEMALE--	12	-	-	-	-	-	-	-	1	-	-	-
DISTRICT OF COLUMBIA ----	176	1	2	-	-	-	-	-	1	1	3	5
WHITE-----MALE----	14	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	25	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	61	1	2	-	-	-	-	-	-	-	2	2
FEMALE--	76	-	-	-	-	-	-	-	1	1	1	2
BLACK---MALE----	61	1	2	-	-	-	-	-	-	-	2	2
FEMALE--	76	-	-	-	-	-	-	-	1	1	1	2
FLORIDA -----	3,078	10	5	4	1	4	-	3	18	26	42	51
WHITE-----MALE----	1,364	2	2	1	-	2	-	1	4	5	16	17
FEMALE--	1,410	3	1	2	-	2	-	-	7	6	6	16
ALL OTHER--MALE----	175	2	-	1	1	-	-	1	5	10	14	15
FEMALE--	129	3	2	-	-	-	-	1	2	5	6	3
BLACK---MALE----	170	2	-	1	1	-	-	1	5	10	14	14
FEMALE--	126	3	2	-	-	-	-	1	2	5	6	3
GEORGIA -----	1,920	5	4	2	-	2	3	6	11	23	27	29
WHITE-----MALE----	622	1	-	1	-	1	-	1	3	7	4	8
FEMALE--	835	-	-	1	-	-	1	2	-	5	5	10
ALL OTHER--MALE----	253	4	2	-	-	-	1	3	6	8	12	8
FEMALE--	210	-	2	-	-	1	1	-	2	3	6	3
BLACK---MALE----	251	4	2	-	-	-	1	3	6	8	12	8
FEMALE--	209	-	2	-	-	1	1	-	2	2	6	3

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,928
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 PNEUMONIA DUE TO OTHER AND UNSPECIFIED ORGANISM (483,486)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
COLORADO -----	11	8	22	32	69	104	165	187	137	76	24	-
WHITE-----MALE----	8	4	8	19	31	54	79	76	50	15	5	-
FEMALE--	3	2	13	11	36	46	85	107	86	59	18	-
ALL OTHER--MALE----	-	1	1	1	2	4	1	1	1	-	-	-
FEMALE--	-	1	-	1	-	-	-	3	-	2	1	-
BLACK---MALE----	-	1	1	1	1	3	1	-	1	-	-	-
FEMALE--	-	1	-	1	-	-	-	2	-	1	1	-
CONNECTICUT -----	10	12	25	40	82	102	201	246	197	92	23	-
WHITE-----MALE----	5	2	14	24	46	53	100	88	70	19	4	-
FEMALE--	2	7	9	12	25	43	93	148	123	69	19	-
ALL OTHER--MALE----	3	2	1	1	5	2	4	3	2	1	-	-
FEMALE--	-	1	1	3	6	4	4	7	2	3	-	-
BLACK---MALE----	3	2	-	1	4	1	4	2	2	1	-	-
FEMALE--	-	1	1	2	6	4	3	6	2	3	-	-
DELAWARE -----	3	3	4	13	17	23	30	32	36	15	3	-
WHITE-----MALE----	3	1	-	11	9	9	9	10	8	4	-	-
FEMALE--	-	2	2	2	7	9	17	19	21	10	3	-
ALL OTHER--MALE----	-	-	2	-	1	3	1	2	3	-	-	-
FEMALE--	-	-	-	-	-	2	3	1	4	1	-	-
BLACK---MALE----	-	-	2	-	1	3	1	2	3	-	-	-
FEMALE--	-	-	-	-	-	2	3	1	4	1	-	-
DISTRICT OF COLUMBIA ----	3	6	6	7	19	21	27	30	29	10	5	-
WHITE-----MALE----	-	-	1	-	1	4	1	1	4	1	-	-
FEMALE--	-	-	-	-	1	3	4	5	5	4	3	-
ALL OTHER--MALE----	3	5	3	2	10	7	7	9	8	-	-	-
FEMALE--	-	1	2	5	7	7	15	15	12	5	2	-
BLACK---MALE----	3	5	3	2	10	7	7	9	8	-	-	-
FEMALE--	-	1	2	5	7	7	15	15	12	5	2	-
FLORIDA -----	39	53	92	136	279	414	600	632	451	176	41	1
WHITE-----MALE----	14	20	44	74	158	210	287	271	167	54	15	-
FEMALE--	13	12	28	47	90	167	276	328	266	114	26	-
ALL OTHER--MALE----	6	12	14	8	17	25	20	11	8	5	-	-
FEMALE--	6	9	6	7	14	12	17	22	10	3	-	1
BLACK---MALE----	6	11	14	8	16	23	20	11	8	5	-	-
FEMALE--	6	9	6	7	13	12	17	22	8	3	-	1
GEORGIA -----	40	55	68	103	179	259	360	384	256	86	18	-
WHITE-----MALE----	12	18	18	39	60	116	137	110	69	15	2	-
FEMALE--	8	12	22	28	71	96	153	210	145	56	10	-
ALL OTHER--MALE----	18	18	23	28	26	24	32	24	11	4	1	-
FEMALE--	2	7	5	8	22	23	38	40	31	11	5	-
BLACK---MALE----	18	18	22	28	26	24	32	23	11	4	1	-
FEMALE--	2	7	5	8	22	23	38	40	31	11	5	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 1,929
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
0 PNEUMONIA DUE TO OTHER AND UNSPECIFIED ORGANISM (483,486)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
HAWAII -----	285	1	-	2	-	-	1	-	1	2	2	3
WHITE-----MALE----	38	-	-	-	-	-	-	-	1	1	2	-
FEMALE--	31	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	121	1	-	-	-	-	-	-	-	-	-	1
FEMALE--	95	-	-	2	-	-	1	-	-	1	-	2
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	270	1	-	2	-	-	1	-	-	4	2	6
WHITE-----MALE----	123	1	-	-	-	-	-	-	-	2	2	3
FEMALE--	144	-	-	2	-	-	1	-	-	2	-	3
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	3,419	5	5	1	1	3	6	5	11	18	28	47
WHITE-----MALE----	1,309	-	2	-	-	1	4	-	4	6	6	19
FEMALE--	1,665	1	3	-	-	2	1	1	3	4	7	8
ALL OTHER--MALE----	241	3	-	-	1	-	-	2	2	7	9	14
FEMALE--	204	1	-	1	-	-	1	2	2	1	6	6
BLACK---MALE----	224	2	-	-	1	-	-	2	2	7	9	14
FEMALE--	198	1	-	1	-	-	1	2	2	1	6	6
INDIANA -----	1,551	2	2	2	1	-	4	3	1	10	9	10
WHITE-----MALE----	655	1	1	-	-	-	4	1	-	6	5	7
FEMALE--	820	-	-	1	1	-	-	1	-	4	4	2
ALL OTHER--MALE----	43	1	1	1	-	-	-	1	-	-	-	1
FEMALE--	33	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	41	1	1	1	-	-	-	1	-	-	-	1
FEMALE--	33	-	-	-	-	-	-	-	1	-	-	-
IOWA -----	1,031	3	-	2	-	-	1	1	2	1	8	8
WHITE-----MALE----	434	2	-	2	-	-	-	-	1	-	2	6
FEMALE--	584	-	-	-	-	-	1	1	-	1	5	1
ALL OTHER--MALE----	9	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	1	-	1	1
BLACK---MALE----	6	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	1	-	1	1
KANSAS -----	802	-	2	1	2	-	-	2	3	2	4	2
WHITE-----MALE----	348	-	1	1	1	-	-	1	2	1	2	-
FEMALE--	423	-	1	-	-	-	-	1	-	1	1	2
ALL OTHER--MALE----	9	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	22	-	-	-	1	-	-	-	-	-	1	-
BLACK---MALE----	8	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	19	-	-	-	1	-	-	-	-	-	1	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,929
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 PNEUMONIA DUE TO OTHER AND UNSPECIFIED ORGANISM (483,486)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
HAWAII -----	1	5	6	6	27	42	56	62	41	21	6	-
WHITE-----MALE----	-	1	1	1	4	3	8	10	4	2	-	-
FEMALE--	-	2	-	-	1	9	3	4	8	3	1	-
ALL OTHER--MALE----	-	1	4	3	13	19	28	28	14	7	2	-
FEMALE--	1	1	1	2	9	11	17	20	15	9	3	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	2	3	5	15	19	27	53	55	54	16	5	-
WHITE-----MALE----	2	2	3	10	8	16	23	23	20	6	2	-
FEMALE--	-	1	1	5	10	11	29	32	34	10	3	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ILLINOIS -----	46	60	96	128	262	429	682	707	529	285	65	-
WHITE-----MALE----	17	27	34	55	136	206	297	247	176	65	7	-
FEMALE--	12	13	34	47	85	163	318	392	319	201	51	-
ALL OTHER--MALE----	12	14	17	13	28	32	36	33	12	6	-	-
FEMALE--	5	6	11	13	13	28	31	35	22	13	7	-
BLACK---MALE----	12	14	15	11	27	30	31	31	11	5	-	-
FEMALE--	5	6	9	13	13	27	30	35	22	12	6	-
INDIANA -----	12	24	43	75	140	195	313	321	250	103	31	-
WHITE-----MALE----	9	13	20	42	75	101	140	132	73	17	8	-
FEMALE--	2	10	17	27	58	86	161	179	162	84	21	-
ALL OTHER--MALE----	-	1	3	4	7	4	8	5	6	-	-	-
FEMALE--	1	-	3	2	-	4	4	5	9	2	2	-
BLACK---MALE----	-	1	3	3	6	4	8	5	6	-	-	-
FEMALE--	1	-	3	2	-	4	4	5	9	2	2	-
IOWA -----	7	14	27	21	79	131	169	224	201	105	27	-
WHITE-----MALE----	4	8	16	12	54	71	76	94	57	24	5	-
FEMALE--	2	5	10	9	25	59	91	129	143	80	22	-
ALL OTHER--MALE----	1	1	1	-	-	1	2	1	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	-	1	-	-	-	1	2	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-
KANSAS -----	5	10	17	33	51	90	140	182	154	80	22	-
WHITE-----MALE----	3	3	8	20	29	53	72	68	57	21	5	-
FEMALE--	2	6	8	12	21	37	62	105	89	58	17	-
ALL OTHER--MALE----	-	1	-	1	1	-	2	2	1	-	-	-
FEMALE--	-	-	1	-	-	-	4	7	7	1	-	-
BLACK---MALE----	-	-	-	1	1	-	2	2	1	-	-	-
FEMALE--	-	-	1	-	-	-	3	7	5	1	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 1,930
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
0 PNEUMONIA DUE TO OTHER AND UNSPECIFIED ORGANISM (483,486)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
KENTUCKY -----	1,201	2	-	-	-	2	2	-	2	3	8	7
WHITE-----MALE----	511	1	-	-	-	1	2	-	2	2	5	4
FEMALE--	621	1	-	-	-	-	-	-	-	1	3	1
ALL OTHER--MALE----	31	-	-	-	-	1	-	-	-	-	-	2
FEMALE--	38	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	31	-	-	-	-	1	-	-	-	-	-	2
FEMALE--	38	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	920	4	-	-	1	-	2	2	1	10	13	8
WHITE-----MALE----	305	2	-	-	-	-	-	2	-	6	6	3
FEMALE--	395	1	-	-	1	-	1	-	-	1	1	3
ALL OTHER--MALE----	116	-	-	-	-	-	1	-	1	2	5	1
FEMALE--	104	1	-	-	-	-	-	-	-	1	1	1
BLACK---MALE----	116	-	-	-	-	-	1	-	1	2	5	1
FEMALE--	104	1	-	-	-	-	-	-	-	1	1	1
MAINE -----	363	-	1	-	-	-	-	1	1	2	1	1
WHITE-----MALE----	158	-	-	-	-	-	-	-	1	1	-	1
FEMALE--	205	-	1	-	-	-	-	1	-	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	1,317	3	1	1	1	1	2	4	7	17	17	13
WHITE-----MALE----	448	1	-	1	-	-	-	2	2	-	1	3
FEMALE--	558	-	1	-	1	1	-	-	1	-	3	1
ALL OTHER--MALE----	162	2	-	-	-	-	1	1	2	12	8	8
FEMALE--	149	-	-	-	-	-	1	1	2	5	5	1
BLACK---MALE----	153	2	-	-	-	-	1	1	2	12	8	8
FEMALE--	142	-	-	-	-	-	1	1	2	5	5	1
MASSACHUSETTS -----	2,569	1	-	3	-	2	1	6	4	8	15	17
WHITE-----MALE----	1,031	-	-	1	-	2	1	4	2	6	11	12
FEMALE--	1,477	-	-	2	-	-	-	2	1	1	2	4
ALL OTHER--MALE----	27	-	-	-	-	-	-	-	1	1	1	1
FEMALE--	34	1	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	24	-	-	-	-	-	-	-	1	1	1	1
FEMALE--	29	1	-	-	-	-	-	-	-	-	1	-
MICHIGAN -----	2,694	5	4	3	2	5	5	5	11	19	29	29
WHITE-----MALE----	1,054	-	-	1	2	-	-	4	3	9	7	15
FEMALE--	1,283	2	2	1	-	2	4	-	6	4	7	5
ALL OTHER--MALE----	201	2	2	-	-	-	1	1	2	3	5	8
FEMALE--	156	1	-	1	-	3	-	-	-	3	10	1
BLACK---MALE----	189	2	2	-	-	-	1	1	2	3	5	8
FEMALE--	145	1	-	-	-	3	-	-	-	2	10	1

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,930
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 PNEUMONIA DUE TO OTHER AND UNSPECIFIED ORGANISM (483,486)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
KENTUCKY -----	10	29	33	42	99	150	231	258	222	75	26	-
WHITE-----MALE----	8	16	16	24	50	87	111	94	65	14	9	-
FEMALE--	2	11	14	13	44	55	108	148	147	57	16	-
ALL OTHER--MALE----	-	1	1	5	3	2	7	4	2	2	1	-
FEMALE--	-	1	2	-	2	6	5	12	8	2	-	-
BLACK---MALE----	-	1	1	5	3	2	7	4	2	2	1	-
FEMALE--	-	1	2	-	2	6	5	12	8	2	-	-
LOUISIANA -----	15	13	30	42	80	125	169	189	146	61	9	-
WHITE-----MALE----	2	5	11	20	24	54	63	57	34	14	2	-
FEMALE--	6	3	6	8	34	49	69	96	79	31	6	-
ALL OTHER--MALE----	5	4	5	12	13	15	15	19	13	5	-	-
FEMALE--	2	1	8	2	9	7	22	17	20	11	1	-
BLACK---MALE----	5	4	5	12	13	15	15	19	13	5	-	-
FEMALE--	2	1	8	2	9	7	22	17	20	11	1	-
MAINE -----	2	5	3	15	25	39	78	74	74	28	13	-
WHITE-----MALE----	2	4	2	10	15	22	39	33	20	7	1	-
FEMALE--	-	1	1	5	10	17	39	41	54	21	12	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	17	19	26	70	135	197	267	236	177	80	26	-
WHITE-----MALE----	5	5	6	30	71	86	86	79	46	19	5	-
FEMALE--	2	5	7	15	28	64	122	130	111	49	17	-
ALL OTHER--MALE----	8	6	9	13	21	31	22	7	8	3	-	-
FEMALE--	2	3	4	12	15	16	37	20	12	9	4	-
BLACK---MALE----	8	6	7	13	19	28	20	7	8	3	-	-
FEMALE--	2	3	4	12	15	15	32	19	12	9	4	-
MASSACHUSETTS -----	13	22	45	78	159	289	514	596	481	240	75	-
WHITE-----MALE----	8	15	21	41	96	158	236	219	124	58	16	-
FEMALE--	5	6	21	31	57	126	268	365	350	178	58	-
ALL OTHER--MALE----	-	1	1	4	3	4	5	2	2	1	-	-
FEMALE--	-	-	2	2	3	1	5	10	5	3	1	-
BLACK---MALE----	-	1	1	2	3	3	5	2	2	1	-	-
FEMALE--	-	-	2	2	3	1	5	8	3	2	1	-
MICHIGAN -----	38	41	70	141	236	361	489	568	423	161	49	-
WHITE-----MALE----	13	22	25	68	109	173	220	215	123	39	6	-
FEMALE--	8	7	26	41	85	147	219	303	270	109	35	-
ALL OTHER--MALE----	10	9	12	19	27	20	27	30	13	7	3	-
FEMALE--	7	3	7	13	15	21	23	20	17	6	5	-
BLACK---MALE----	8	8	11	18	27	19	25	28	11	7	3	-
FEMALE--	7	2	7	13	12	19	23	19	15	6	5	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,931
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 PNEUMONIA DUE TO OTHER AND UNSPECIFIED ORGANISM (483,486)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
MINNESOTA -----	10	11	13	38	67	130	208	239	257	117	39	-
WHITE-----MALE----	4	7	10	30	38	72	110	105	96	33	8	-
FEMALE--	4	2	2	6	26	53	94	133	161	81	29	-
ALL OTHER--MALE----	1	1	-	1	2	2	1	1	-	3	1	-
FEMALE--	1	1	1	1	1	3	3	-	-	-	1	-
BLACK---MALE----	1	-	-	1	1	1	-	1	-	1	1	-
FEMALE--	1	1	-	-	-	2	1	-	-	-	1	-
MISSISSIPPI -----	14	24	32	46	69	91	134	165	134	52	13	-
WHITE-----MALE----	8	10	13	15	28	32	41	43	32	10	-	-
FEMALE--	3	5	7	16	23	34	63	83	70	24	8	-
ALL OTHER--MALE----	2	6	9	10	11	16	15	12	15	3	2	-
FEMALE--	1	3	3	5	7	9	15	27	17	15	3	-
BLACK---MALE----	2	6	9	9	11	16	15	12	15	3	2	-
FEMALE--	1	3	3	5	7	9	15	27	17	15	3	-
MISSOURI -----	15	21	31	80	153	233	349	432	354	154	41	-
WHITE-----MALE----	8	12	11	42	74	107	156	170	83	33	5	-
FEMALE--	5	6	14	26	64	101	174	236	254	113	33	-
ALL OTHER--MALE----	1	3	2	10	9	13	12	10	7	3	-	-
FEMALE--	1	-	4	2	6	12	7	16	10	5	3	-
BLACK---MALE----	1	3	2	10	9	13	12	10	7	3	-	-
FEMALE--	1	-	4	2	6	10	6	16	10	5	3	-
MONTANA -----	1	2	2	9	11	28	42	46	48	10	8	-
WHITE-----MALE----	-	2	1	6	6	10	23	21	24	4	1	-
FEMALE--	1	-	1	1	5	17	16	24	24	6	7	-
ALL OTHER--MALE----	-	-	-	2	-	1	3	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	6	6	7	13	27	50	77	116	119	62	11	-
WHITE-----MALE----	2	4	3	9	14	19	38	44	36	17	3	-
FEMALE--	3	2	3	4	12	28	39	71	82	45	8	-
ALL OTHER--MALE----	1	-	-	-	-	2	-	-	-	-	-	-
FEMALE--	-	-	1	-	1	1	-	1	1	-	-	-
BLACK---MALE----	1	-	-	-	-	2	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	1	-	-	-
NEVADA -----	5	8	17	26	47	46	62	56	31	12	2	-
WHITE-----MALE----	2	5	7	11	26	23	29	20	8	3	1	-
FEMALE--	2	3	9	12	15	19	25	35	21	8	1	-
ALL OTHER--MALE----	1	-	-	1	3	2	5	-	1	-	-	-
FEMALE--	-	-	1	2	3	2	3	1	1	1	-	-
BLACK---MALE----	1	-	-	-	1	2	2	-	-	-	-	-
FEMALE--	-	-	1	2	1	-	2	-	-	1	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 1,933
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
0 PNEUMONIA DUE TO OTHER AND UNSPECIFIED ORGANISM (483,486)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
OHIO -----	2,996	7	4	3	1	2	1	6	4	18	22	23
WHITE-----MALE----	1,229	3	1	2	-	-	1	2	3	10	16	12
FEMALE--	1,531	3	3	1	1	1	-	3	1	5	4	9
ALL OTHER--MALE----	119	1	-	-	-	-	-	-	-	2	1	-
FEMALE--	117	-	-	-	-	1	-	1	-	1	1	2
BLACK---MALE----	117	1	-	-	-	-	-	-	-	2	1	-
FEMALE--	114	-	-	-	-	1	-	1	-	1	1	2
OKLAHOMA -----	1,212	2	1	1	3	-	-	-	5	9	5	11
WHITE-----MALE----	484	-	-	1	1	-	-	-	3	6	2	4
FEMALE--	639	1	-	-	-	-	-	-	-	1	3	3
ALL OTHER--MALE----	50	1	1	-	1	-	-	-	1	1	-	2
FEMALE--	39	-	-	-	1	-	-	-	1	1	-	2
BLACK---MALE----	35	1	1	-	-	-	-	-	1	1	-	-
FEMALE--	25	-	-	-	-	-	-	-	-	-	-	1
OREGON -----	830	2	-	-	1	1	-	1	1	5	3	6
WHITE-----MALE----	363	1	-	-	-	1	-	-	-	3	2	4
FEMALE--	451	1	-	-	-	-	-	1	-	2	1	2
ALL OTHER--MALE----	9	-	-	-	1	-	-	-	1	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	3,998	10	3	2	5	1	3	12	15	7	28	30
WHITE-----MALE----	1,638	5	1	1	3	1	2	2	4	4	14	11
FEMALE--	2,082	2	1	-	1	-	1	5	6	2	4	6
ALL OTHER--MALE----	137	2	1	-	-	-	-	2	3	-	5	9
FEMALE--	141	1	-	1	1	-	-	3	2	1	5	4
BLACK---MALE----	132	2	1	-	-	-	-	2	3	-	5	9
FEMALE--	139	1	-	1	1	-	-	3	2	1	5	4
RHODE ISLAND -----	285	3	1	-	-	1	-	-	1	1	2	4
WHITE-----MALE----	127	2	1	-	-	1	-	-	-	-	2	2
FEMALE--	150	-	-	-	-	-	-	-	1	-	-	1
ALL OTHER--MALE----	4	1	-	-	-	-	-	-	-	1	-	1
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	924	1	1	-	2	-	5	2	3	8	10	10
WHITE-----MALE----	331	-	1	-	-	-	-	1	1	1	2	2
FEMALE--	362	-	-	-	-	-	-	-	1	2	2	1
ALL OTHER--MALE----	130	-	-	-	1	-	4	1	1	2	2	5
FEMALE--	101	1	-	-	1	-	1	-	-	3	4	2
BLACK---MALE----	129	-	-	-	1	-	4	1	1	2	1	5
FEMALE--	100	1	-	-	1	-	1	-	-	3	4	2

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,933
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 PNEUMONIA DUE TO OTHER AND UNSPECIFIED ORGANISM (483,486)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
OHIO -----	28	55	71	138	276	415	610	565	460	214	73	-
WHITE-----MALE----	11	28	29	69	145	213	261	223	127	57	16	-
FEMALE--	11	18	30	52	109	169	307	311	299	145	49	-
ALL OTHER--MALE----	3	4	10	10	10	26	19	15	13	3	2	-
FEMALE--	3	5	2	7	12	7	23	16	21	9	6	-
BLACK---MALE----	3	4	10	10	10	26	19	14	12	3	2	-
FEMALE--	3	4	1	7	12	7	23	16	20	9	6	-
OKLAHOMA -----	9	21	32	61	101	146	200	264	222	98	21	-
WHITE-----MALE----	4	10	19	35	47	70	90	97	57	31	7	-
FEMALE--	2	5	10	24	43	67	96	156	151	66	11	-
ALL OTHER--MALE----	2	4	2	1	8	6	7	6	6	-	1	-
FEMALE--	1	2	1	1	3	3	7	5	8	1	2	-
BLACK---MALE----	1	4	1	1	5	5	4	5	4	-	1	-
FEMALE--	-	2	1	1	-	3	6	4	5	-	2	-
OREGON -----	10	11	16	25	60	93	176	172	142	83	22	-
WHITE-----MALE----	4	6	10	13	36	50	91	67	51	21	3	-
FEMALE--	5	5	5	12	23	42	82	101	91	61	17	-
ALL OTHER--MALE----	1	-	-	-	1	1	-	3	-	1	-	-
FEMALE--	-	-	1	-	-	-	3	1	-	-	2	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	1	-
PENNSYLVANIA -----	24	59	80	147	309	592	805	872	645	273	75	1
WHITE-----MALE----	14	24	41	78	151	308	361	341	191	66	15	-
FEMALE--	5	19	19	52	134	252	400	490	427	199	56	1
ALL OTHER--MALE----	4	9	11	5	14	24	19	16	10	3	-	-
FEMALE--	1	7	9	12	10	8	25	25	17	5	4	-
BLACK---MALE----	4	8	9	5	13	24	18	16	10	3	-	-
FEMALE--	1	7	9	12	10	8	25	24	16	5	4	-
RHODE ISLAND -----	1	7	2	10	18	25	47	66	60	27	9	-
WHITE-----MALE----	1	5	2	4	11	15	24	25	22	9	1	-
FEMALE--	-	1	-	6	6	10	23	39	37	18	8	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	2	1	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	1	1	-	-	-
SOUTH CAROLINA -----	18	25	22	51	93	146	171	176	122	45	12	1
WHITE-----MALE----	6	7	9	19	41	69	70	53	40	6	2	1
FEMALE--	4	6	5	13	25	44	60	98	62	33	6	-
ALL OTHER--MALE----	4	7	7	13	18	22	22	10	7	2	2	-
FEMALE--	4	5	1	6	9	11	19	15	13	4	2	-
BLACK---MALE----	4	7	7	13	18	22	22	10	7	2	2	-
FEMALE--	4	5	1	6	9	11	19	14	13	4	2	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 1,934
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
0 PNEUMONIA DUE TO OTHER AND UNSPECIFIED ORGANISM (483,486)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
SOUTH DAKOTA -----	252	1	1	-	1	-	1	1	1	1	2	2
WHITE-----MALE----	113	1	-	-	1	-	-	-	-	1	1	1
FEMALE--	123	-	1	-	-	-	-	1	1	-	-	-
ALL OTHER--MALE----	9	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	7	-	-	-	-	-	1	-	-	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	1,582	5	1	1	1	3	2	5	3	5	12	17
WHITE-----MALE----	593	-	1	-	-	1	-	1	-	4	7	5
FEMALE--	745	1	-	-	-	-	2	2	2	1	1	3
ALL OTHER--MALE----	123	1	-	1	1	2	-	2	1	-	2	6
FEMALE--	121	3	-	-	-	-	-	-	-	-	2	3
BLACK---MALE----	122	1	-	1	1	2	-	2	1	-	2	6
FEMALE--	119	3	-	-	-	-	-	-	-	-	2	2
TEXAS -----	3,443	7	2	1	3	4	5	10	15	24	40	47
WHITE-----MALE----	1,336	5	-	-	3	1	1	3	10	11	17	26
FEMALE--	1,727	1	1	1	-	-	3	3	1	6	10	13
ALL OTHER--MALE----	196	-	1	-	-	3	1	2	3	5	9	8
FEMALE--	184	1	-	-	-	-	-	2	1	2	4	-
BLACK---MALE----	189	-	1	-	-	3	1	2	3	5	8	8
FEMALE--	174	1	-	-	-	-	-	2	1	2	4	-
UTAH -----	431	2	1	-	-	-	-	-	1	7	2	3
WHITE-----MALE----	189	1	1	-	-	-	-	-	-	4	2	3
FEMALE--	228	-	-	-	-	-	-	-	1	2	-	-
ALL OTHER--MALE----	9	1	-	-	-	-	-	-	-	1	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	150	-	-	-	-	-	-	-	-	1	-	2
WHITE-----MALE----	69	-	-	-	-	-	-	-	-	1	-	2
FEMALE--	80	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	1,738	2	2	-	-	1	-	3	8	11	16	16
WHITE-----MALE----	646	1	2	-	-	-	-	2	4	3	7	3
FEMALE--	806	-	-	-	-	-	-	1	3	3	2	2
ALL OTHER--MALE----	146	-	-	-	-	-	-	-	-	5	3	7
FEMALE--	140	1	-	-	-	1	-	-	1	-	4	4
BLACK---MALE----	138	-	-	-	-	-	-	-	-	5	3	6
FEMALE--	134	1	-	-	-	1	-	-	1	-	4	4

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,934
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 PNEUMONIA DUE TO OTHER AND UNSPECIFIED ORGANISM (483,486)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
SOUTH DAKOTA -----	2	3	2	4	21	24	47	56	44	24	14	-
WHITE-----MALE----	-	1	2	1	15	11	25	28	15	8	2	-
FEMALE--	-	-	-	2	4	11	20	27	28	16	12	-
ALL OTHER--MALE----	1	1	-	1	2	1	1	1	-	-	-	-
FEMALE--	1	1	-	-	-	1	1	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	16	30	45	77	149	209	308	337	243	90	23	-
WHITE-----MALE----	6	18	20	31	61	94	125	132	67	17	3	-
FEMALE--	4	7	15	30	68	93	129	162	150	60	15	-
ALL OTHER--MALE----	5	1	6	6	8	10	34	22	12	3	-	-
FEMALE--	1	4	4	10	12	12	20	21	14	10	5	-
BLACK---MALE----	5	1	6	6	8	9	34	22	12	3	-	-
FEMALE--	1	4	4	10	11	12	20	21	14	10	5	-
TEXAS -----	52	53	90	181	283	400	645	706	583	216	76	-
WHITE-----MALE----	25	26	50	96	126	193	267	245	176	45	10	-
FEMALE--	14	21	23	55	113	168	314	414	357	151	58	-
ALL OTHER--MALE----	5	4	10	12	25	25	31	21	22	4	5	-
FEMALE--	8	2	7	18	19	14	33	26	28	16	3	-
BLACK---MALE----	5	3	10	12	25	23	29	20	22	4	5	-
FEMALE--	7	2	7	16	19	14	27	26	27	16	3	-
UTAH -----	5	7	9	17	26	60	82	84	80	35	10	-
WHITE-----MALE----	1	3	4	7	14	39	35	34	30	10	1	-
FEMALE--	4	3	5	7	11	20	47	49	49	22	8	-
ALL OTHER--MALE----	-	1	-	2	1	1	-	-	-	2	-	-
FEMALE--	-	-	-	1	-	-	-	1	1	1	1	-
BLACK---MALE----	-	1	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	2	4	4	12	24	26	32	23	13	7	-
WHITE-----MALE----	-	1	2	-	11	17	17	9	6	3	-	-
FEMALE--	-	1	2	4	1	7	9	23	17	10	6	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	19	35	32	85	139	242	332	390	267	114	24	-
WHITE-----MALE----	10	19	14	38	73	125	107	129	78	29	2	-
FEMALE--	6	6	9	23	35	84	172	203	167	75	15	-
ALL OTHER--MALE----	1	8	6	16	23	14	28	26	4	1	4	-
FEMALE--	2	2	3	8	8	19	25	32	18	9	3	-
BLACK---MALE----	1	8	6	16	20	14	27	24	4	-	4	-
FEMALE--	2	2	3	8	8	19	23	30	16	9	3	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 1,936
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 INFLUENZA (487)												
0 UNITED STATES --	745	15	3	5	3	6	2	2	6	9	5	9
WHITE-----MALE----	246	6	1	3	1	2	2	1	1	2	-	6
FEMALE--	449	4	2	2	1	1	-	1	3	6	4	3
ALL OTHER--MALE----	23	3	-	-	-	1	-	-	-	-	1	-
FEMALE--	27	2	-	-	1	2	-	-	2	1	-	-
BLACK---MALE----	14	1	-	-	-	1	-	-	-	-	1	-
FEMALE--	20	2	-	-	-	1	-	-	1	1	-	-
ALABAMA -----	6	-	-	-	-	-	-	-	-	1	-	-
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	14	-	-	-	-	1	-	-	-	-	-	-
WHITE-----MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	8	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	99	3	1	-	-	1	-	-	3	2	1	1
WHITE-----MALE----	30	1	-	-	-	1	-	-	1	1	-	-
FEMALE--	60	-	1	-	-	-	-	-	1	1	1	1
ALL OTHER--MALE----	4	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	1	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	1	-	-	-	-	-	-	1	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,936
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 INFLUENZA (487)												
0 UNITED STATES --	12	21	17	25	59	67	116	153	112	70	28	-
WHITE-----MALE----	5	11	3	12	24	28	47	52	29	7	3	-
FEMALE--	4	8	11	12	30	32	65	96	80	59	25	-
ALL OTHER--MALE----	2	2	2	1	1	3	1	3	2	1	-	-
FEMALE--	1	-	1	-	4	4	3	2	1	3	-	-
BLACK---MALE----	2	1	2	1	-	1	-	3	-	1	-	-
FEMALE--	-	-	1	-	4	1	3	2	1	3	-	-
ALABAMA -----	-	-	2	-	-	-	-	2	-	1	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	1	-	1	-	-
FEMALE--	-	-	1	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	-	1	-	-	-	-	2	3	5	2	-	-
WHITE-----MALE----	-	1	-	-	-	-	-	1	1	-	-	-
FEMALE--	-	-	-	-	-	-	2	2	4	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	-	1	-	-	-	1	2	3	1	-	-	-
WHITE-----MALE----	-	1	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	1	2	3	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	4	2	-	1	8	12	16	20	16	5	3	-
WHITE-----MALE----	2	1	-	1	3	2	7	5	4	1	-	-
FEMALE--	1	1	-	-	4	7	9	15	11	4	3	-
ALL OTHER--MALE----	-	-	-	-	-	2	-	-	1	-	-	-
FEMALE--	1	-	-	-	1	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,939
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 0 INFLUENZA (487)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
KENTUCKY -----	-	-	-	-	1	-	-	1	1	1	2	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	1	-	-	1	1	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	-	-	-	1	1	-	1	-	1	-	-	-
WHITE-----MALE----	-	-	-	1	-	-	1	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
MAINE -----	-	-	-	1	-	1	4	4	3	-	1	-
WHITE-----MALE----	-	-	-	-	-	1	2	2	2	-	-	-
FEMALE--	-	-	-	1	-	-	2	2	1	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	-	1	1	1	1	1	-	3	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	1	1	1	1	-	2	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS -----	-	-	-	-	1	-	1	2	1	1	1	-
WHITE-----MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	2	1	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	-	-	-	-	6	3	1	4	5	3	2	-
WHITE-----MALE----	-	-	-	-	3	2	1	-	1	-	-	-
FEMALE--	-	-	-	-	1	1	-	4	4	2	2	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	1	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,942
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 0 INFLUENZA (487)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
OHIO -----	-	1	1	-	2	1	4	6	1	3	2	-
WHITE-----MALE----	-	1	-	-	-	1	2	4	-	-	-	-
FEMALE--	-	-	1	-	2	-	2	2	1	3	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA -----	-	-	-	-	1	1	1	-	2	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	1	-	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	-	1	-	-	-	3	-	2	1	1	1	-
WHITE-----MALE----	-	1	-	-	-	1	-	1	1	-	-	-
FEMALE--	-	-	-	-	-	2	-	1	-	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	-	1	1	1	1	1	4	11	11	6	1	-
WHITE-----MALE----	-	-	-	1	-	-	3	3	4	-	-	-
FEMALE--	-	1	1	-	-	1	1	8	7	6	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
RHODE ISLAND -----	-	-	-	1	-	-	1	-	-	1	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	-	-	2	1	-	2	1	1	-	2	1	-
WHITE-----MALE----	-	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	1	1	-	-	-	1	-	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	1	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,943
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 0 INFLUENZA (487)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
SOUTH DAKOTA -----	-	1	-	-	1	-	1	4	4	1	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	2	2	-	-	-
FEMALE--	-	-	-	-	1	-	1	2	2	1	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	-	1	-	-	3	2	5	5	2	-	-	-
WHITE-----MALE----	-	-	-	-	2	1	2	4	-	-	-	-
FEMALE--	-	1	-	-	1	1	2	-	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
TEXAS -----	1	2	1	1	4	3	3	6	3	3	-	-
WHITE-----MALE----	-	1	-	1	4	2	1	4	-	1	-	-
FEMALE--	-	-	1	-	-	-	2	2	3	1	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	1	1	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
UTAH -----	-	-	-	-	-	1	-	2	2	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	-	1	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	-	-	-	1	1	2	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	2	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	1	-	-	1	1	2	4	4	3	2	-	-
WHITE-----MALE----	1	-	-	1	-	1	3	2	1	-	-	-
FEMALE--	-	-	-	-	1	1	1	-	2	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	2	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	2	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 1,945
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 CHRONIC OBSTRUCTIVE PULMONARY DISEASES AND ALLIED CONDITIONS (490-496)												
0 UNITED STATES --	106,027	38	51	55	110	111	126	162	189	307	548	970
WHITE-----MALE----	49,822	12	14	18	31	29	34	43	44	93	170	365
FEMALE--	48,067	7	8	8	19	27	33	54	58	107	195	358
ALL OTHER--MALE----	4,663	13	20	18	30	35	33	33	40	50	88	119
FEMALE--	3,475	6	9	11	30	20	26	32	47	57	95	128
BLACK---MALE----	3,928	13	16	15	26	34	28	28	36	47	82	112
FEMALE--	2,996	4	9	10	27	18	24	31	41	55	86	115
ALABAMA -----	1,741	-	-	-	1	-	2	2	4	7	10	21
WHITE-----MALE----	860	-	-	-	-	-	-	-	-	5	3	11
FEMALE--	645	-	-	-	-	-	1	2	1	-	4	4
ALL OTHER--MALE----	142	-	-	-	1	-	-	-	2	1	1	5
FEMALE--	94	-	-	-	-	-	1	-	1	1	2	1
BLACK---MALE----	141	-	-	-	1	-	-	-	2	1	1	5
FEMALE--	92	-	-	-	-	-	1	-	1	1	2	1
ALASKA -----	113	-	-	-	-	-	-	-	1	1	1	1
WHITE-----MALE----	35	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	51	-	-	-	-	-	-	-	-	1	1	1
ALL OTHER--MALE----	13	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	14	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	2,130	1	-	1	2	5	1	4	4	6	7	14
WHITE-----MALE----	1,050	-	-	-	1	1	-	2	1	1	3	7
FEMALE--	1,039	-	-	1	1	4	1	2	2	5	2	7
ALL OTHER--MALE----	29	1	-	-	-	-	-	-	1	-	2	-
FEMALE--	12	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	15	1	-	-	-	-	-	-	-	-	2	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	1,117	3	1	1	-	1	2	1	2	4	4	11
WHITE-----MALE----	587	1	1	1	-	-	-	1	1	2	3	9
FEMALE--	447	1	-	-	-	1	-	-	-	1	-	1
ALL OTHER--MALE----	64	1	-	-	-	-	1	-	-	-	1	1
FEMALE--	19	-	-	-	-	-	1	-	1	1	-	-
BLACK---MALE----	64	1	-	-	-	-	1	-	-	-	1	1
FEMALE--	17	-	-	-	-	-	1	-	1	1	-	-
CALIFORNIA -----	11,416	3	5	8	13	10	15	15	29	32	69	112
WHITE-----MALE----	4,888	1	3	2	5	3	2	5	6	13	21	45
FEMALE--	5,419	1	-	1	1	5	6	4	12	9	28	35
ALL OTHER--MALE----	653	1	2	4	3	1	7	5	5	4	11	17
FEMALE--	456	-	-	1	4	1	-	1	6	6	9	15
BLACK---MALE----	305	1	1	4	1	1	4	3	3	3	9	14
FEMALE--	291	-	-	1	3	1	-	1	4	6	7	12

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,945
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 CHRONIC OBSTRUCTIVE PULMONARY DISEASES AND ALLIED CONDITIONS (490-496)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 UNITED STATES --	1,831	3,475	6,571	12,064	18,107	21,420	19,532	12,924	5,633	1,554	236	13
WHITE-----MALE----	793	1,528	3,107	5,952	8,768	10,538	9,477	5,855	2,339	552	56	4
FEMALE--	757	1,480	2,777	5,136	8,079	9,586	9,009	6,363	2,961	892	148	5
ALL OTHER--MALE----	136	262	405	576	738	810	657	380	169	36	12	3
FEMALE--	145	205	282	400	522	486	389	326	164	74	20	1
BLACK---MALE----	126	234	358	488	615	653	531	320	123	29	11	3
FEMALE--	132	180	245	346	456	414	322	265	134	63	18	1
ALABAMA -----	32	72	122	251	267	362	300	180	80	26	2	-
WHITE-----MALE----	17	33	63	136	141	187	155	80	25	4	-	-
FEMALE--	9	26	39	85	100	134	112	70	41	16	1	-
ALL OTHER--MALE----	4	8	11	20	18	22	22	17	8	2	-	-
FEMALE--	2	5	9	10	8	19	11	13	6	4	1	-
BLACK---MALE----	4	8	11	20	18	22	21	17	8	2	-	-
FEMALE--	2	5	9	9	8	18	11	13	6	4	1	-
ALASKA -----	1	7	6	20	23	22	15	7	7	1	-	-
WHITE-----MALE----	1	2	2	6	11	5	3	3	2	-	-	-
FEMALE--	-	1	4	8	9	11	8	4	2	1	-	-
ALL OTHER--MALE----	-	3	-	3	2	1	1	-	2	-	-	-
FEMALE--	-	1	-	3	1	5	3	-	1	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ARIZONA -----	24	65	127	241	386	465	398	260	95	21	3	-
WHITE-----MALE----	16	31	73	121	191	246	191	115	42	5	3	-
FEMALE--	8	32	53	111	187	210	203	143	51	16	-	-
ALL OTHER--MALE----	-	2	1	7	5	5	2	1	2	-	-	-
FEMALE--	-	-	-	2	3	4	2	1	-	-	-	-
BLACK---MALE----	-	2	1	3	4	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	2	2	-	-	-	-	-
ARKANSAS -----	24	33	80	143	209	231	175	119	54	19	-	-
WHITE-----MALE----	10	12	46	78	113	114	101	60	29	5	-	-
FEMALE--	12	16	28	54	82	100	65	49	23	14	-	-
ALL OTHER--MALE----	-	4	4	7	12	14	8	10	1	-	-	-
FEMALE--	2	1	2	4	2	3	1	-	1	-	-	-
BLACK---MALE----	-	4	4	7	12	14	8	10	1	-	-	-
FEMALE--	2	1	2	4	2	1	1	-	1	-	-	-
CALIFORNIA -----	193	349	634	1,150	1,897	2,340	2,205	1,474	662	179	20	2
WHITE-----MALE----	77	140	270	547	803	1,038	960	621	261	58	6	1
FEMALE--	87	147	279	488	893	1,116	1,087	751	353	102	13	1
ALL OTHER--MALE----	8	37	43	75	123	125	101	50	23	7	1	-
FEMALE--	21	25	42	40	78	61	57	52	25	12	-	-
BLACK---MALE----	5	24	28	31	63	49	36	16	4	4	1	-
FEMALE--	17	14	29	27	53	37	29	30	13	7	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 1,946
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 CHRONIC OBSTRUCTIVE PULMONARY DISEASES AND ALLIED CONDITIONS (490-496)												
COLORADO -----	1,654	1	1	1	3	1	1	-	2	7	5	13
WHITE-----MALE----	853	-	-	-	1	-	-	-	-	1	2	7
FEMALE--	756	1	-	1	2	1	1	-	2	5	3	6
ALL OTHER--MALE----	25	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	20	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	17	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	15	-	-	-	-	-	-	-	-	1	-	-
CONNECTICUT -----	1,212	-	-	-	1	1	1	1	2	5	6	11
WHITE-----MALE----	557	-	-	-	-	-	1	1	-	2	4	5
FEMALE--	622	-	-	-	-	-	-	-	2	2	1	5
ALL OTHER--MALE----	18	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	15	-	-	-	1	1	-	-	-	-	1	-
BLACK---MALE----	15	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	15	-	-	-	1	1	-	-	-	-	1	-
DELAWARE -----	279	-	-	-	-	-	-	2	-	-	1	2
WHITE-----MALE----	128	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	127	-	-	-	-	-	-	-	-	-	1	2
ALL OTHER--MALE----	14	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	10	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	14	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	10	-	-	-	-	-	-	1	-	-	-	-
DISTRICT OF COLUMBIA ----	162	1	1	1	1	2	-	-	1	2	-	2
WHITE-----MALE----	17	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	38	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	62	1	1	1	-	1	-	-	-	1	-	-
FEMALE--	45	-	-	-	1	1	-	-	-	1	-	2
BLACK---MALE----	62	1	1	1	-	1	-	-	-	1	-	-
FEMALE--	44	-	-	-	1	1	-	-	-	1	-	2
FLORIDA -----	7,707	1	2	2	4	1	6	8	6	21	38	46
WHITE-----MALE----	3,621	-	-	-	1	-	2	1	2	4	12	20
FEMALE--	3,668	-	1	1	-	-	3	2	1	5	15	20
ALL OTHER--MALE----	258	-	-	-	1	1	-	2	1	7	5	5
FEMALE--	160	1	1	1	2	-	1	3	2	5	6	1
BLACK---MALE----	249	-	-	-	1	1	-	2	1	7	5	5
FEMALE--	156	1	1	1	2	-	1	3	2	5	6	1
GEORGIA -----	2,533	1	-	1	-	2	2	4	4	6	17	29
WHITE-----MALE----	1,147	-	-	-	-	1	1	-	2	-	7	10
FEMALE--	1,032	-	-	-	-	-	1	2	-	3	4	13
ALL OTHER--MALE----	226	1	-	-	-	1	-	1	2	2	4	4
FEMALE--	128	-	-	1	-	-	-	1	-	1	2	2
BLACK---MALE----	224	1	-	-	-	1	-	1	2	2	4	4
FEMALE--	121	-	-	1	-	-	-	1	-	1	1	2

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,946
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 CHRONIC OBSTRUCTIVE PULMONARY DISEASES AND ALLIED CONDITIONS (490-496)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
COLORADO -----	16	39	92	210	283	357	335	183	82	21	1	-
WHITE-----MALE----	10	19	47	119	136	190	175	93	44	9	-	-
FEMALE--	5	20	40	87	136	157	150	88	38	12	1	-
ALL OTHER--MALE----	1	-	4	1	6	7	3	2	-	-	-	-
FEMALE--	-	-	1	3	5	3	7	-	-	-	-	-
BLACK---MALE----	1	-	3	1	3	4	2	2	-	-	-	-
FEMALE--	-	-	1	2	4	3	4	-	-	-	-	-
CONNECTICUT -----	14	25	57	126	190	247	243	190	71	19	2	-
WHITE-----MALE----	7	7	23	76	77	112	114	91	26	10	1	-
FEMALE--	5	16	30	46	111	128	126	98	43	8	1	-
ALL OTHER--MALE----	1	1	3	1	2	5	2	-	1	-	-	-
FEMALE--	1	1	1	3	-	2	1	1	1	1	-	-
BLACK---MALE----	1	1	3	-	1	4	2	-	1	-	-	-
FEMALE--	1	1	1	3	-	2	1	1	1	1	-	-
DELAWARE -----	5	16	19	33	52	50	43	36	15	5	-	-
WHITE-----MALE----	1	5	9	18	25	23	20	20	5	1	-	-
FEMALE--	4	7	7	14	24	21	20	15	8	4	-	-
ALL OTHER--MALE----	-	2	2	-	2	5	2	-	1	-	-	-
FEMALE--	-	2	1	1	1	1	1	1	1	-	-	-
BLACK---MALE----	-	2	2	-	2	5	2	-	1	-	-	-
FEMALE--	-	2	1	1	1	1	1	1	1	-	-	-
DISTRICT OF COLUMBIA ----	5	5	8	16	31	29	24	22	9	2	-	-
WHITE-----MALE----	-	-	1	2	5	4	4	1	-	-	-	-
FEMALE--	-	-	1	2	5	10	9	5	4	1	-	-
ALL OTHER--MALE----	2	4	2	9	9	11	8	9	3	-	-	-
FEMALE--	3	1	4	3	12	4	3	7	2	1	-	-
BLACK---MALE----	2	4	2	9	9	11	8	9	3	-	-	-
FEMALE--	3	1	3	3	12	4	3	7	2	1	-	-
FLORIDA -----	108	200	439	817	1,291	1,548	1,504	1,064	453	124	20	4
WHITE-----MALE----	45	97	224	403	612	761	715	479	197	38	6	2
FEMALE--	48	80	170	358	622	720	741	543	245	80	12	1
ALL OTHER--MALE----	9	17	33	39	39	43	28	18	7	2	-	1
FEMALE--	6	6	12	17	18	24	20	24	4	4	2	-
BLACK---MALE----	8	17	31	39	36	41	27	18	7	2	-	1
FEMALE--	6	6	12	17	18	23	20	21	4	4	2	-
GEORGIA -----	61	129	198	360	454	504	409	245	86	16	5	-
WHITE-----MALE----	23	59	87	180	212	237	191	93	40	4	-	-
FEMALE--	23	46	84	136	187	211	169	112	30	9	2	-
ALL OTHER--MALE----	7	13	19	28	38	38	33	26	8	-	1	-
FEMALE--	8	11	8	16	17	18	16	14	8	3	2	-
BLACK---MALE----	7	13	19	28	37	37	33	26	8	-	1	-
FEMALE--	7	11	8	15	17	17	14	14	7	3	2	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 1,947
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
0 CHRONIC OBSTRUCTIVE PULMONARY DISEASES AND ALLIED CONDITIONS (490-496)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
HAWAII -----	239	-	-	1	1	1	-	2	1	3	3	3
WHITE-----MALE----	45	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	49	-	-	-	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	88	-	-	1	-	1	-	2	-	1	-	1
FEMALE--	57	-	-	-	1	-	-	-	1	2	1	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	477	-	-	-	-	-	1	2	-	2	4	4
WHITE-----MALE----	279	-	-	-	-	-	1	1	-	-	3	2
FEMALE--	194	-	-	-	-	-	-	-	-	2	1	2
ALL OTHER--MALE----	2	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	4,361	1	3	1	4	11	12	14	12	14	29	49
WHITE-----MALE----	1,916	-	-	1	2	2	3	3	2	3	6	10
FEMALE--	1,984	-	-	-	-	1	1	2	3	1	6	15
ALL OTHER--MALE----	251	1	2	-	1	5	2	2	4	7	9	9
FEMALE--	210	-	1	-	1	3	6	7	3	3	8	15
BLACK---MALE----	234	1	2	-	1	5	2	2	4	7	9	9
FEMALE--	201	-	1	-	1	3	6	7	3	3	8	13
INDIANA -----	2,607	-	1	2	4	3	3	3	1	10	11	26
WHITE-----MALE----	1,280	-	-	1	2	1	1	1	-	3	3	9
FEMALE--	1,209	-	1	-	1	1	-	1	-	6	6	14
ALL OTHER--MALE----	59	-	-	-	1	-	2	-	1	1	2	-
FEMALE--	59	-	-	1	-	1	-	1	-	-	-	3
BLACK---MALE----	58	-	-	-	1	-	2	-	1	1	2	-
FEMALE--	56	-	-	1	-	1	-	1	-	-	-	2
IOWA -----	1,346	-	-	-	3	-	3	1	3	3	3	5
WHITE-----MALE----	751	-	-	-	3	-	-	-	1	2	1	3
FEMALE--	582	-	-	-	-	-	3	1	2	1	2	1
ALL OTHER--MALE----	8	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	1
KANSAS -----	1,132	-	-	1	1	2	1	-	3	6	8	9
WHITE-----MALE----	603	-	-	-	1	-	-	-	-	4	3	4
FEMALE--	487	-	-	-	-	-	1	-	2	1	4	4
ALL OTHER--MALE----	26	-	-	1	-	2	-	-	1	-	-	1
FEMALE--	16	-	-	-	-	-	-	-	-	1	1	-
BLACK---MALE----	23	-	-	1	-	2	-	-	1	-	-	1
FEMALE--	10	-	-	-	-	-	-	-	-	1	1	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,947
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 CHRONIC OBSTRUCTIVE PULMONARY DISEASES AND ALLIED CONDITIONS (490-496)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
HAWAII -----	6	6	12	18	37	49	44	30	18	4	-	-
WHITE-----MALE----	1	2	-	4	7	14	7	6	3	-	-	-
FEMALE--	1	1	2	4	10	9	9	6	4	1	-	-
ALL OTHER--MALE----	2	-	6	5	14	13	22	10	9	1	-	-
FEMALE--	2	3	4	5	6	13	6	8	2	2	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
IDAHO -----	6	11	29	55	77	106	100	54	24	2	-	-
WHITE-----MALE----	2	7	16	33	45	61	64	30	13	1	-	-
FEMALE--	4	3	13	22	32	45	35	23	11	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	77	150	266	492	725	925	799	471	239	55	12	-
WHITE-----MALE----	31	68	123	229	340	418	387	181	90	15	2	-
FEMALE--	30	60	105	209	324	437	358	260	130	34	8	-
ALL OTHER--MALE----	12	13	21	30	36	40	31	16	6	2	2	-
FEMALE--	4	9	17	24	25	30	23	14	13	4	-	-
BLACK---MALE----	12	12	20	28	32	37	26	16	6	2	1	-
FEMALE--	4	9	16	23	25	29	20	14	12	4	-	-
INDIANA -----	47	92	166	325	469	521	461	300	120	39	3	-
WHITE-----MALE----	19	42	73	172	236	279	234	136	48	17	3	-
FEMALE--	22	39	78	133	220	226	216	156	67	22	-	-
ALL OTHER--MALE----	3	7	8	11	4	7	6	4	2	-	-	-
FEMALE--	3	4	7	9	9	9	5	4	3	-	-	-
BLACK---MALE----	3	7	8	10	4	7	6	4	2	-	-	-
FEMALE--	3	4	7	9	8	9	4	4	3	-	-	-
IOWA -----	21	47	87	151	215	243	269	172	89	26	5	-
WHITE-----MALE----	9	28	46	86	125	143	154	97	41	11	1	-
FEMALE--	10	19	39	63	87	99	115	74	47	15	4	-
ALL OTHER--MALE----	1	-	1	2	1	1	-	1	1	-	-	-
FEMALE--	1	-	1	-	2	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	2	1	-	-	1	1	-	-	-
FEMALE--	1	-	1	-	1	-	-	-	-	-	-	-
KANSAS -----	19	37	62	134	192	216	217	141	64	16	3	-
WHITE-----MALE----	9	20	38	78	112	114	113	71	29	7	-	-
FEMALE--	9	16	20	51	73	94	98	69	34	8	3	-
ALL OTHER--MALE----	-	1	4	2	6	6	-	1	1	-	-	-
FEMALE--	1	-	-	3	1	2	6	-	-	1	-	-
BLACK---MALE----	-	-	4	1	5	6	-	1	1	-	-	-
FEMALE--	-	-	-	3	1	1	2	-	-	1	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 1,948
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
0 CHRONIC OBSTRUCTIVE PULMONARY DISEASES AND ALLIED CONDITIONS (490-496)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
KENTUCKY -----	1,946	1	-	-	3	4	-	4	4	1	7	18
WHITE-----MALE----	1,018	1	-	-	1	3	-	1	-	1	3	7
FEMALE--	850	-	-	-	1	1	-	2	1	-	3	10
ALL OTHER--MALE----	41	-	-	-	1	-	-	-	2	-	-	-
FEMALE--	37	-	-	-	-	-	-	1	1	-	1	1
BLACK---MALE----	40	-	-	-	1	-	-	-	2	-	-	-
FEMALE--	37	-	-	-	-	-	-	1	1	-	1	1
LOUISIANA -----	1,439	2	5	1	3	3	1	3	1	2	15	8
WHITE-----MALE----	611	1	-	-	-	1	-	-	1	-	4	-
FEMALE--	543	-	-	-	1	1	1	1	-	1	3	3
ALL OTHER--MALE----	179	1	3	-	1	1	-	1	-	-	5	5
FEMALE--	106	-	2	1	1	-	-	1	-	1	3	-
BLACK---MALE----	176	1	3	-	1	1	-	1	-	-	5	5
FEMALE--	105	-	2	-	1	-	-	1	-	1	3	-
MAINE -----	659	-	-	-	-	-	-	2	1	2	2	4
WHITE-----MALE----	298	-	-	-	-	-	-	1	1	1	1	3
FEMALE--	361	-	-	-	-	-	-	1	-	1	1	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	1,762	1	1	2	1	2	4	4	7	10	17	28
WHITE-----MALE----	696	-	-	-	-	-	1	-	1	1	2	8
FEMALE--	799	-	-	-	-	-	-	2	1	1	6	6
ALL OTHER--MALE----	138	1	-	-	1	-	2	2	2	2	2	6
FEMALE--	129	-	1	2	-	2	1	-	3	6	7	8
BLACK---MALE----	130	1	-	-	1	-	2	2	2	2	2	6
FEMALE--	122	-	1	2	-	1	1	-	3	6	6	8
MASSACHUSETTS -----	2,442	1	5	1	1	1	4	4	4	7	17	19
WHITE-----MALE----	1,097	-	3	1	-	-	2	1	2	2	7	9
FEMALE--	1,274	-	1	-	-	1	-	2	-	2	8	10
ALL OTHER--MALE----	42	1	1	-	1	-	1	-	2	1	1	-
FEMALE--	29	-	-	-	-	-	1	1	-	2	1	-
BLACK---MALE----	34	1	-	-	1	-	-	-	2	1	1	-
FEMALE--	22	-	-	-	-	-	-	-	-	2	1	-
MICHIGAN -----	3,682	2	1	2	6	10	5	6	9	11	24	47
WHITE-----MALE----	1,719	1	-	-	-	2	1	1	2	3	8	12
FEMALE--	1,648	-	-	-	1	2	-	2	3	4	7	17
ALL OTHER--MALE----	175	1	1	1	2	5	1	1	2	1	4	9
FEMALE--	140	-	-	1	3	1	3	2	2	3	5	9
BLACK---MALE----	164	1	1	-	2	5	1	1	2	1	4	9
FEMALE--	126	-	-	1	2	1	3	2	2	3	4	9

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,948
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 CHRONIC OBSTRUCTIVE PULMONARY DISEASES AND ALLIED CONDITIONS (490-496)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
KENTUCKY -----	40	89	162	245	381	369	321	181	98	16	2	-
WHITE-----MALE----	13	41	85	128	201	215	189	86	38	5	-	-
FEMALE--	26	41	68	105	169	148	121	89	54	9	2	-
ALL OTHER--MALE----	-	3	7	6	6	4	5	4	3	-	-	-
FEMALE--	1	4	2	6	5	2	6	2	3	2	-	-
BLACK---MALE----	-	3	7	5	6	4	5	4	3	-	-	-
FEMALE--	1	4	2	6	5	2	6	2	3	2	-	-
LOUISIANA -----	31	56	95	191	277	263	246	147	66	21	2	-
WHITE-----MALE----	15	22	38	87	110	121	110	72	19	10	-	-
FEMALE--	6	21	34	67	114	102	91	57	32	8	-	-
ALL OTHER--MALE----	4	7	12	21	35	26	35	11	9	1	1	-
FEMALE--	6	6	11	16	18	14	10	7	6	2	1	-
BLACK---MALE----	4	7	12	20	35	25	34	11	9	1	1	-
FEMALE--	6	6	11	16	18	14	10	7	6	2	1	-
MAINE -----	11	18	35	60	127	141	104	95	36	18	3	-
WHITE-----MALE----	7	8	11	23	52	72	53	37	20	8	-	-
FEMALE--	4	10	24	37	75	69	51	58	16	10	3	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	45	54	96	176	317	322	316	224	98	29	7	1
WHITE-----MALE----	11	20	38	71	134	148	130	93	29	9	-	-
FEMALE--	17	21	36	77	145	139	154	112	57	18	6	1
ALL OTHER--MALE----	8	8	13	18	22	18	18	9	5	1	-	-
FEMALE--	9	5	9	10	16	17	14	10	7	1	1	-
BLACK---MALE----	8	8	13	18	19	14	17	9	5	1	-	-
FEMALE--	9	5	8	9	16	16	14	9	6	1	1	-
MASSACHUSETTS -----	35	59	112	231	394	452	482	381	177	45	10	-
WHITE-----MALE----	19	28	55	108	194	194	229	162	65	12	4	-
FEMALE--	15	28	55	116	190	242	248	207	111	32	6	-
ALL OTHER--MALE----	-	-	1	6	5	11	2	7	1	1	-	-
FEMALE--	1	3	1	1	5	5	3	5	-	-	-	-
BLACK---MALE----	-	-	-	6	4	8	2	7	1	-	-	-
FEMALE--	1	3	-	1	5	3	3	3	-	-	-	-
MICHIGAN -----	62	113	224	464	661	756	640	370	190	68	11	-
WHITE-----MALE----	26	51	107	221	292	372	336	177	84	20	3	-
FEMALE--	26	43	90	205	316	343	274	169	96	43	7	-
ALL OTHER--MALE----	5	14	15	22	26	22	22	15	4	2	-	-
FEMALE--	5	5	12	16	27	19	8	9	6	3	1	-
BLACK---MALE----	4	12	14	22	23	20	22	15	4	1	-	-
FEMALE--	5	5	11	13	23	19	7	8	4	3	1	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,949
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 CHRONIC OBSTRUCTIVE PULMONARY DISEASES AND ALLIED CONDITIONS (490-496)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
MINNESOTA -----	22	38	98	175	259	335	368	241	97	23	6	-
WHITE-----MALE----	9	16	47	92	154	189	189	126	45	8	1	-
FEMALE--	12	19	48	82	101	141	176	113	51	15	5	-
ALL OTHER--MALE----	-	3	1	1	3	3	2	-	1	-	-	-
FEMALE--	1	-	2	-	1	2	1	2	-	-	-	-
BLACK---MALE----	-	2	-	-	2	1	-	-	-	-	-	-
FEMALE--	1	-	1	-	-	-	1	2	-	-	-	-
MISSISSIPPI -----	32	51	82	116	196	183	164	94	47	7	5	-
WHITE-----MALE----	12	13	40	50	97	98	88	39	21	3	1	-
FEMALE--	11	23	25	45	71	64	50	38	18	3	2	-
ALL OTHER--MALE----	5	5	11	14	15	15	19	12	7	1	2	-
FEMALE--	4	10	6	7	13	6	7	5	1	-	-	-
BLACK---MALE----	5	5	11	14	14	15	19	12	7	1	2	-
FEMALE--	4	10	5	7	13	6	7	5	1	-	-	-
MISSOURI -----	41	90	151	291	416	512	469	294	126	52	6	-
WHITE-----MALE----	23	42	62	144	190	257	229	142	58	24	2	-
FEMALE--	16	43	80	131	196	228	218	141	63	26	3	-
ALL OTHER--MALE----	-	2	6	7	17	15	12	5	2	1	1	-
FEMALE--	2	3	3	9	13	12	10	6	3	1	-	-
BLACK---MALE----	-	2	6	7	16	14	11	5	2	1	1	-
FEMALE--	2	3	3	8	13	12	10	6	3	1	-	-
MONTANA -----	5	14	39	62	95	115	102	75	23	4	1	-
WHITE-----MALE----	4	4	26	38	51	64	54	38	14	1	-	-
FEMALE--	1	10	12	19	42	50	46	35	8	3	1	-
ALL OTHER--MALE----	-	-	-	2	2	1	-	1	1	-	-	-
FEMALE--	-	-	1	3	-	-	2	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	4	34	37	95	107	144	155	110	51	18	4	-
WHITE-----MALE----	2	17	24	48	64	89	95	63	24	7	1	-
FEMALE--	2	13	11	41	39	54	58	46	26	11	3	-
ALL OTHER--MALE----	-	3	1	5	2	-	1	-	-	-	-	-
FEMALE--	-	1	1	1	2	1	1	1	1	-	-	-
BLACK---MALE----	-	2	1	5	2	-	1	-	-	-	-	-
FEMALE--	-	1	1	-	2	1	1	1	1	-	-	-
NEVADA -----	14	33	70	119	161	190	160	63	35	7	1	-
WHITE-----MALE----	9	17	33	71	79	97	72	30	17	2	1	-
FEMALE--	5	12	34	44	79	88	86	30	17	5	-	-
ALL OTHER--MALE----	-	3	3	2	2	4	1	2	1	-	-	-
FEMALE--	-	1	-	2	1	1	1	1	-	-	-	-
BLACK---MALE----	-	3	2	2	2	1	1	2	1	-	-	-
FEMALE--	-	1	-	-	1	1	-	-	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 1,951
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
0 CHRONIC OBSTRUCTIVE PULMONARY DISEASES AND ALLIED CONDITIONS (490-496)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
OHIO -----	5,123	1	1	3	5	4	8	6	12	12	26	44
WHITE-----MALE----	2,394	1	1	-	1	3	3	-	5	3	13	18
FEMALE--	2,375	-	-	1	1	-	2	3	3	5	8	15
ALL OTHER--MALE----	195	-	-	1	2	1	2	1	3	1	2	3
FEMALE--	159	-	-	1	1	-	1	2	1	3	3	8
BLACK---MALE----	185	-	-	1	2	1	1	1	3	1	2	3
FEMALE--	153	-	-	1	1	-	1	2	1	3	3	7
OKLAHOMA -----	1,566	2	-	2	3	2	1	2	1	6	7	11
WHITE-----MALE----	794	2	-	2	-	1	-	-	-	1	2	5
FEMALE--	678	-	-	-	-	-	-	2	-	3	4	3
ALL OTHER--MALE----	50	-	-	-	2	1	1	-	1	-	1	3
FEMALE--	44	-	-	-	1	-	-	-	-	2	-	-
BLACK---MALE----	30	-	-	-	1	1	1	-	1	-	1	2
FEMALE--	20	-	-	-	1	-	-	-	-	2	-	-
OREGON -----	1,640	-	-	-	-	1	2	2	3	4	5	8
WHITE-----MALE----	829	-	-	-	-	-	2	1	-	3	1	5
FEMALE--	788	-	-	-	-	1	-	1	3	1	3	1
ALL OTHER--MALE----	12	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	11	-	-	-	-	-	-	-	-	-	1	1
BLACK---MALE----	8	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	4	-	-	-	-	-	-	-	-	-	1	-
PENNSYLVANIA -----	5,414	1	5	2	3	4	1	6	3	8	25	43
WHITE-----MALE----	2,653	1	2	-	2	1	-	1	-	1	8	19
FEMALE--	2,432	-	-	1	-	1	-	1	1	5	7	18
ALL OTHER--MALE----	186	-	3	1	-	1	-	3	1	1	7	5
FEMALE--	143	-	-	-	1	1	1	1	1	1	3	1
BLACK---MALE----	180	-	3	1	-	1	-	3	1	1	6	5
FEMALE--	141	-	-	-	1	1	1	1	1	1	3	1
RHODE ISLAND -----	410	-	-	-	-	-	-	-	-	-	-	2
WHITE-----MALE----	180	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	223	-	-	-	-	-	-	-	-	-	-	2
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	1,459	-	-	2	1	-	1	4	-	4	7	18
WHITE-----MALE----	665	-	-	1	-	-	-	1	-	2	1	4
FEMALE--	575	-	-	-	-	-	-	1	-	-	2	7
ALL OTHER--MALE----	117	-	-	1	1	-	-	1	-	-	1	3
FEMALE--	102	-	-	-	-	-	1	1	-	2	3	4
BLACK---MALE----	117	-	-	1	1	-	-	1	-	-	1	3
FEMALE--	101	-	-	-	-	-	1	1	-	2	3	4

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,951
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 CHRONIC OBSTRUCTIVE PULMONARY DISEASES AND ALLIED CONDITIONS (490-496)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
OHIO -----	76	158	346	582	884	1,096	931	576	253	85	14	-
WHITE-----MALE----	36	69	159	279	423	546	450	241	114	26	3	-
FEMALE--	29	70	152	258	410	504	420	308	126	51	9	-
ALL OTHER--MALE----	9	12	18	27	29	27	29	15	8	4	1	-
FEMALE--	2	7	17	18	22	19	32	12	5	4	1	-
BLACK---MALE----	8	12	17	24	27	27	28	15	7	4	1	-
FEMALE--	2	7	16	18	21	19	31	11	5	3	1	-
OKLAHOMA -----	39	45	119	190	308	324	247	155	74	21	4	3
WHITE-----MALE----	21	20	70	94	153	174	124	81	33	9	1	1
FEMALE--	14	24	40	85	142	135	110	67	38	9	1	1
ALL OTHER--MALE----	1	1	3	6	5	10	8	5	1	-	-	1
FEMALE--	3	-	6	5	8	5	5	2	2	3	2	-
BLACK---MALE----	1	1	2	2	3	5	4	3	1	-	-	1
FEMALE--	2	-	2	3	5	3	-	-	-	1	1	-
OREGON -----	23	55	101	175	306	346	316	193	81	18	1	-
WHITE-----MALE----	11	23	52	86	161	174	165	101	33	11	-	-
FEMALE--	10	30	47	88	142	168	150	90	45	7	1	-
ALL OTHER--MALE----	2	2	2	1	-	1	-	1	2	-	-	-
FEMALE--	-	-	-	-	3	3	1	1	1	-	-	-
BLACK---MALE----	2	2	2	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	2	-	-	-	-	-	-
PENNSYLVANIA -----	88	148	271	601	947	1,117	1,017	736	295	77	15	1
WHITE-----MALE----	45	62	135	302	485	577	491	354	131	33	3	-
FEMALE--	29	67	109	262	403	485	481	356	154	43	9	-
ALL OTHER--MALE----	9	15	18	19	29	33	23	12	4	-	1	1
FEMALE--	5	4	9	18	30	22	22	14	6	1	2	-
BLACK---MALE----	9	15	18	19	28	30	23	11	4	-	1	1
FEMALE--	5	4	8	18	29	22	22	14	6	1	2	-
RHODE ISLAND -----	6	9	13	44	63	67	90	60	39	12	5	-
WHITE-----MALE----	2	5	4	23	34	29	40	21	17	4	1	-
FEMALE--	4	3	9	19	29	37	49	39	21	8	3	-
ALL OTHER--MALE----	-	-	-	1	-	1	1	-	-	-	-	-
FEMALE--	-	1	-	1	-	-	-	-	1	-	1	-
BLACK---MALE----	-	-	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	1	-	1	-
SOUTH CAROLINA -----	40	68	129	215	257	283	219	145	53	12	1	-
WHITE-----MALE----	13	31	55	99	130	154	103	50	17	4	-	-
FEMALE--	14	27	63	82	89	92	87	74	31	5	1	-
ALL OTHER--MALE----	7	5	7	16	20	25	17	10	2	1	-	-
FEMALE--	6	5	4	18	18	12	12	11	3	2	-	-
BLACK---MALE----	7	5	7	16	20	25	17	10	2	1	-	-
FEMALE--	6	4	4	18	18	12	12	11	3	2	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 1,952
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
0 CHRONIC OBSTRUCTIVE PULMONARY DISEASES AND ALLIED CONDITIONS (490-496)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
SOUTH DAKOTA -----	294	-	-	1	-	-	-	-	-	1	2	2
WHITE-----MALE----	179	-	-	1	-	-	-	-	-	-	1	2
FEMALE--	110	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	2,300	-	-	2	4	2	7	4	6	4	10	28
WHITE-----MALE----	1,166	-	-	-	1	1	1	1	-	1	1	10
FEMALE--	956	-	-	1	-	1	2	3	2	2	3	12
ALL OTHER--MALE----	109	-	-	1	2	-	2	-	2	1	3	1
FEMALE--	69	-	-	-	1	-	2	-	2	-	3	5
BLACK---MALE----	107	-	-	1	2	-	2	-	2	1	3	1
FEMALE--	68	-	-	-	1	-	1	-	2	-	3	5
TEXAS -----	6,378	1	4	7	8	7	7	8	15	21	26	69
WHITE-----MALE----	3,081	1	2	5	2	1	3	2	6	6	5	22
FEMALE--	2,837	-	-	-	1	-	1	2	2	8	10	29
ALL OTHER--MALE----	259	-	-	2	4	4	-	2	2	4	8	7
FEMALE--	201	-	2	-	1	2	3	2	5	3	3	11
BLACK---MALE----	250	-	-	2	4	4	-	2	2	4	7	7
FEMALE--	190	-	2	-	1	2	3	2	5	3	3	10
UTAH -----	460	-	-	-	3	-	-	1	1	1	1	3
WHITE-----MALE----	266	-	-	-	-	-	-	1	-	-	-	2
FEMALE--	191	-	-	-	3	-	-	-	1	1	1	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	243	-	-	-	-	-	-	-	-	-	1	3
WHITE-----MALE----	112	-	-	-	-	-	-	-	-	-	-	3
FEMALE--	129	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	2,263	1	1	-	1	3	3	3	5	10	15	28
WHITE-----MALE----	965	-	-	-	-	-	1	1	1	1	8	8
FEMALE--	1,011	-	-	-	-	2	1	-	3	7	2	9
ALL OTHER--MALE----	174	-	1	-	1	1	1	1	1	1	1	4
FEMALE--	113	1	-	-	-	-	-	1	-	1	4	7
BLACK---MALE----	165	-	1	-	1	1	1	1	1	1	1	4
FEMALE--	110	1	-	-	-	-	-	1	-	1	3	7

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,952
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 CHRONIC OBSTRUCTIVE PULMONARY DISEASES AND ALLIED CONDITIONS (490-496)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
SOUTH DAKOTA -----	2	6	10	32	47	55	66	44	18	8	-	-
WHITE-----MALE----	1	4	3	19	31	38	38	26	12	3	-	-
FEMALE--	1	1	7	13	15	15	28	18	6	5	-	-
ALL OTHER--MALE----	-	1	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	51	114	192	264	439	449	377	234	95	14	4	-
WHITE-----MALE----	25	54	86	136	236	250	217	99	41	6	-	-
FEMALE--	20	55	84	106	172	181	142	119	41	6	4	-
ALL OTHER--MALE----	3	2	10	15	23	14	10	10	9	1	-	-
FEMALE--	3	3	12	7	8	4	8	6	4	1	-	-
BLACK---MALE----	3	2	10	14	23	14	9	10	9	1	-	-
FEMALE--	3	3	12	7	8	4	8	6	4	1	-	-
TEXAS -----	110	239	442	713	1,156	1,311	1,057	765	313	88	10	1
WHITE-----MALE----	43	110	208	361	578	666	543	369	116	32	-	-
FEMALE--	57	102	192	287	500	575	472	361	182	47	9	-
ALL OTHER--MALE----	4	12	24	37	48	48	27	16	5	5	-	-
FEMALE--	6	15	18	28	30	22	15	19	10	4	1	1
BLACK---MALE----	4	12	24	35	46	45	26	16	5	5	-	-
FEMALE--	6	15	17	26	25	20	15	19	10	4	1	1
UTAH -----	5	21	30	45	82	90	92	63	18	4	-	-
WHITE-----MALE----	3	12	17	28	47	52	54	38	10	2	-	-
FEMALE--	2	9	13	17	34	37	38	25	8	2	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	3	10	17	28	36	56	39	30	18	1	1	-
WHITE-----MALE----	-	4	8	15	22	25	14	16	5	-	-	-
FEMALE--	3	6	8	13	14	31	24	14	13	1	1	-
ALL OTHER--MALE----	-	-	1	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	45	88	143	270	368	489	387	270	94	36	2	1
WHITE-----MALE----	12	35	61	126	162	226	173	110	27	12	1	-
FEMALE--	25	30	58	107	169	211	174	133	61	17	1	1
ALL OTHER--MALE----	4	12	15	24	24	30	32	16	4	1	-	-
FEMALE--	4	11	9	13	13	22	8	11	2	6	-	-
BLACK---MALE----	4	12	13	21	23	30	30	15	4	1	-	-
FEMALE--	4	10	9	13	12	22	8	11	2	6	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 1,954
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
0 BRONCHITIS, CHRONIC AND UNSPECIFIED, EMPHYSEMA AND ASTHMA (490-493)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 UNITED STATES --	26,104	37	46	53	108	107	117	156	169	240	375	493
WHITE-----MALE----	11,611	12	12	18	31	26	30	41	36	60	91	161
FEMALE--	11,645	6	7	7	18	27	30	54	52	83	134	184
ALL OTHER--MALE----	1,460	13	18	17	30	35	33	31	37	45	71	65
FEMALE--	1,388	6	9	11	29	19	24	30	44	52	79	83
BLACK---MALE----	1,224	13	14	14	26	34	28	26	33	43	65	60
FEMALE--	1,197	4	9	10	26	17	22	29	39	50	70	72
ALABAMA -----	361	-	-	-	1	-	1	2	4	3	3	9
WHITE-----MALE----	173	-	-	-	-	-	-	-	-	1	-	6
FEMALE--	133	-	-	-	-	-	-	2	1	-	1	-
ALL OTHER--MALE----	29	-	-	-	1	-	-	-	2	1	1	2
FEMALE--	26	-	-	-	-	-	1	-	1	1	1	1
BLACK---MALE----	29	-	-	-	1	-	-	-	2	1	1	2
FEMALE--	26	-	-	-	-	-	1	-	1	1	1	1
ALASKA -----	27	-	-	-	-	-	-	-	1	1	1	-
WHITE-----MALE----	8	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	13	-	-	-	-	-	-	-	-	1	1	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	563	1	-	1	2	5	1	4	4	5	7	5
WHITE-----MALE----	263	-	-	-	1	1	-	2	1	1	3	3
FEMALE--	288	-	-	1	1	4	1	2	2	4	2	2
ALL OTHER--MALE----	9	1	-	-	-	-	-	-	1	-	2	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	1	-	-	-	-	-	-	-	-	2	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	254	3	1	1	-	1	2	1	1	2	1	5
WHITE-----MALE----	135	1	1	1	-	-	-	1	1	-	-	5
FEMALE--	90	1	-	-	-	1	-	-	-	1	-	-
ALL OTHER--MALE----	18	1	-	-	-	-	1	-	-	-	1	-
FEMALE--	11	-	-	-	-	-	1	-	-	1	-	-
BLACK---MALE----	18	1	-	-	-	-	1	-	-	-	1	-
FEMALE--	11	-	-	-	-	-	1	-	-	1	-	-
CALIFORNIA -----	3,152	2	5	8	13	10	13	15	25	25	42	57
WHITE-----MALE----	1,316	1	3	2	5	3	1	5	5	10	14	24
FEMALE--	1,458	-	-	1	1	5	5	4	11	7	14	18
ALL OTHER--MALE----	203	1	2	4	3	1	7	5	5	4	7	5
FEMALE--	175	-	-	1	4	1	-	1	4	4	7	10
BLACK---MALE----	97	1	1	4	1	1	4	3	3	3	5	3
FEMALE--	114	-	-	1	3	1	-	1	3	4	5	7

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,954
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 BRONCHITIS, CHRONIC AND UNSPECIFIED, EMPHYSEMA AND ASTHMA (490-493)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 UNITED STATES --	722	1,151	1,880	3,152	4,448	4,901	4,115	2,457	1,024	293	57	3
WHITE-----MALE----	262	438	832	1,536	2,097	2,353	1,988	1,093	389	89	14	2
FEMALE--	299	502	798	1,316	2,015	2,216	1,911	1,214	555	178	38	1
ALL OTHER--MALE----	69	98	128	159	188	186	121	73	34	8	1	-
FEMALE--	92	113	122	141	148	146	95	77	46	18	4	-
BLACK---MALE----	62	88	110	126	149	150	90	63	23	6	1	-
FEMALE--	82	96	103	119	124	125	82	61	37	16	4	-
ALABAMA -----	8	15	35	60	56	73	46	34	10	1	-	-
WHITE-----MALE----	3	6	14	33	28	39	26	13	4	-	-	-
FEMALE--	4	4	16	19	24	27	16	15	3	1	-	-
ALL OTHER--MALE----	1	3	3	5	1	4	1	3	1	-	-	-
FEMALE--	-	2	2	3	3	3	3	3	2	-	-	-
BLACK---MALE----	1	3	3	5	1	4	1	3	1	-	-	-
FEMALE--	-	2	2	3	3	3	3	3	2	-	-	-
ALASKA -----	-	1	3	6	4	4	4	1	1	-	-	-
WHITE-----MALE----	-	-	1	1	3	1	2	-	-	-	-	-
FEMALE--	-	-	2	2	1	2	2	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	2	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	1	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	5	29	31	67	103	127	78	62	22	4	-	-
WHITE-----MALE----	2	14	16	42	46	58	39	26	6	2	-	-
FEMALE--	3	15	15	20	57	67	39	36	15	2	-	-
ALL OTHER--MALE----	-	-	-	3	-	1	-	-	1	-	-	-
FEMALE--	-	-	-	2	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ARKANSAS -----	7	8	22	40	49	47	30	19	11	3	-	-
WHITE-----MALE----	1	3	13	21	31	22	17	10	6	1	-	-
FEMALE--	4	2	7	13	15	22	11	7	4	2	-	-
ALL OTHER--MALE----	-	2	2	3	2	3	1	2	-	-	-	-
FEMALE--	2	1	-	3	1	-	1	-	1	-	-	-
BLACK---MALE----	-	2	2	3	2	3	1	2	-	-	-	-
FEMALE--	2	1	-	3	1	-	1	-	1	-	-	-
CALIFORNIA -----	86	128	206	339	569	591	527	326	125	37	2	1
WHITE-----MALE----	33	45	81	156	236	255	236	134	55	11	-	1
FEMALE--	38	53	92	146	274	277	260	172	57	21	2	-
ALL OTHER--MALE----	5	15	14	22	37	34	19	8	4	1	-	-
FEMALE--	10	15	19	15	22	25	12	12	9	4	-	-
BLACK---MALE----	2	10	9	7	17	17	3	3	-	-	-	-
FEMALE--	6	9	12	9	15	15	8	7	5	3	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 1,955
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
0 BRONCHITIS, CHRONIC AND UNSPECIFIED, EMPHYSEMA AND ASTHMA (490-493)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
COLORADO -----	349	1	1	1	3	1	1	-	2	6	4	8
WHITE-----MALE----	164	-	-	-	1	-	-	-	-	1	1	4
FEMALE--	167	1	-	1	2	1	1	-	2	4	3	4
ALL OTHER--MALE----	9	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	9	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	6	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	1	-	-
CONNECTICUT -----	252	-	-	-	1	1	1	1	1	5	2	4
WHITE-----MALE----	111	-	-	-	-	-	1	1	-	2	1	-
FEMALE--	128	-	-	-	-	-	-	-	1	2	1	4
ALL OTHER--MALE----	8	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	5	-	-	-	1	1	-	-	-	-	-	-
BLACK---MALE----	6	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	5	-	-	-	1	1	-	-	-	-	-	-
DELAWARE -----	72	-	-	-	-	-	-	2	-	-	1	1
WHITE-----MALE----	33	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	36	-	-	-	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	1	-	-	-	-
DISTRICT OF COLUMBIA ----	52	1	1	1	1	2	-	-	-	2	-	1
WHITE-----MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	21	1	1	1	-	1	-	-	-	1	-	-
FEMALE--	17	-	-	-	1	1	-	-	-	1	-	1
BLACK---MALE----	21	1	1	1	-	1	-	-	-	1	-	-
FEMALE--	16	-	-	-	1	1	-	-	-	1	-	1
FLORIDA -----	1,824	1	1	2	4	1	4	8	5	15	23	22
WHITE-----MALE----	839	-	-	-	1	-	1	1	1	2	4	12
FEMALE--	854	-	-	1	-	-	3	2	1	3	10	9
ALL OTHER--MALE----	77	-	-	-	1	1	-	2	1	5	4	1
FEMALE--	54	1	1	1	2	-	-	3	2	5	5	-
BLACK---MALE----	74	-	-	-	1	1	-	2	1	5	4	1
FEMALE--	53	1	1	1	2	-	-	3	2	5	5	-
GEORGIA -----	652	1	-	1	-	2	2	3	3	5	10	12
WHITE-----MALE----	279	-	-	-	-	1	1	-	1	-	1	2
FEMALE--	266	-	-	-	-	-	1	2	-	3	4	8
ALL OTHER--MALE----	43	1	-	-	-	1	-	1	2	1	3	1
FEMALE--	64	-	-	1	-	-	-	-	-	1	2	1
BLACK---MALE----	43	1	-	-	-	1	-	1	2	1	3	1
FEMALE--	60	-	-	1	-	-	-	-	-	1	1	1

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,955
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 BRONCHITIS, CHRONIC AND UNSPECIFIED, EMPHYSEMA AND ASTHMA (490-493)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
COLORADO -----	10	10	21	48	67	71	53	28	8	5	-	-
WHITE-----MALE----	7	6	14	27	31	32	25	10	4	1	-	-
FEMALE--	2	4	6	19	32	37	22	18	4	4	-	-
ALL OTHER--MALE----	1	-	1	-	3	1	2	-	-	-	-	-
FEMALE--	-	-	-	2	1	1	4	-	-	-	-	-
BLACK---MALE----	1	-	1	-	1	1	1	-	-	-	-	-
FEMALE--	-	-	-	1	1	1	3	-	-	-	-	-
CONNECTICUT -----	8	8	13	32	41	47	45	24	16	2	-	-
WHITE-----MALE----	2	1	6	22	14	21	22	10	7	1	-	-
FEMALE--	4	7	6	8	25	25	21	14	9	1	-	-
ALL OTHER--MALE----	1	-	1	1	2	1	1	-	-	-	-	-
FEMALE--	1	-	-	1	-	-	1	-	-	-	-	-
BLACK---MALE----	1	-	1	-	1	1	1	-	-	-	-	-
FEMALE--	1	-	-	1	-	-	1	-	-	-	-	-
DELAWARE -----	2	3	3	14	15	13	8	5	3	2	-	-
WHITE-----MALE----	-	2	2	8	7	4	6	1	1	1	-	-
FEMALE--	2	1	-	6	8	8	2	4	2	1	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	3	-	1	8	6	10	10	3	2	-	-	-
WHITE-----MALE----	-	-	-	-	-	3	2	-	-	-	-	-
FEMALE--	-	-	-	2	1	3	3	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	5	2	3	2	2	1	-	-	-
FEMALE--	2	-	1	1	3	1	3	1	1	-	-	-
BLACK---MALE----	1	-	-	5	2	3	2	2	1	-	-	-
FEMALE--	2	-	-	1	3	1	3	1	1	-	-	-
FLORIDA -----	45	65	125	209	324	350	320	197	76	23	3	1
WHITE-----MALE----	13	28	54	111	155	169	156	92	31	7	-	1
FEMALE--	23	30	57	84	159	166	156	91	42	15	2	-
ALL OTHER--MALE----	6	5	10	10	6	9	6	7	2	1	-	-
FEMALE--	3	2	4	4	4	6	2	7	1	-	1	-
BLACK---MALE----	5	5	10	10	6	8	5	7	2	1	-	-
FEMALE--	3	2	4	4	4	6	2	6	1	-	1	-
GEORGIA -----	23	46	63	97	105	113	91	51	22	2	-	-
WHITE-----MALE----	6	20	25	45	39	52	55	23	6	2	-	-
FEMALE--	9	13	28	42	52	44	30	20	10	-	-	-
ALL OTHER--MALE----	3	2	5	3	7	7	1	2	3	-	-	-
FEMALE--	5	11	5	7	7	10	5	6	3	-	-	-
BLACK---MALE----	3	2	5	3	7	7	1	2	3	-	-	-
FEMALE--	4	11	5	6	7	10	4	6	3	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,956
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 BRONCHITIS, CHRONIC AND UNSPECIFIED, EMPHYSEMA AND ASTHMA (490-493)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
HAWAII -----	4	3	8	8	11	6	14	4	6	3	-	-
WHITE-----MALE----	1	-	-	3	-	3	1	1	1	-	-	-
FEMALE--	1	1	2	2	5	-	5	1	-	1	-	-
ALL OTHER--MALE----	1	-	4	1	3	2	6	1	4	1	-	-
FEMALE--	1	2	2	2	3	1	2	1	1	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	-	6	11	16	16	19	25	13	5	-	-	-
WHITE-----MALE----	-	3	4	8	9	14	15	6	2	-	-	-
FEMALE--	-	2	7	8	7	5	10	6	3	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	30	42	77	154	200	232	192	117	38	13	4	-
WHITE-----MALE----	9	20	33	68	86	101	97	41	14	4	1	-
FEMALE--	8	13	32	65	100	106	81	70	21	6	3	-
ALL OTHER--MALE----	11	4	4	11	7	12	8	4	1	1	-	-
FEMALE--	2	5	8	10	7	13	6	2	2	2	-	-
BLACK---MALE----	11	4	4	10	7	11	7	4	1	1	-	-
FEMALE--	2	5	7	10	7	12	6	2	2	2	-	-
INDIANA -----	21	29	50	75	120	115	103	57	27	12	2	-
WHITE-----MALE----	6	12	24	45	56	65	54	27	7	7	2	-
FEMALE--	11	12	19	25	59	41	47	29	20	5	-	-
ALL OTHER--MALE----	1	4	4	3	1	4	1	-	-	-	-	-
FEMALE--	3	1	3	2	4	5	1	1	-	-	-	-
BLACK---MALE----	1	4	4	2	1	4	1	-	-	-	-	-
FEMALE--	3	1	3	2	3	5	1	1	-	-	-	-
IOWA -----	14	7	14	34	51	44	49	34	18	4	-	-
WHITE-----MALE----	7	6	5	20	24	26	25	19	5	-	-	-
FEMALE--	6	1	9	14	25	18	24	15	12	4	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	2	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
KANSAS -----	8	11	15	33	29	39	31	26	12	3	1	-
WHITE-----MALE----	3	3	6	21	19	21	15	12	4	-	-	-
FEMALE--	4	8	7	10	9	15	13	14	8	2	1	-
ALL OTHER--MALE----	-	-	2	1	1	2	-	-	-	-	-	-
FEMALE--	1	-	-	1	-	1	3	-	-	1	-	-
BLACK---MALE----	-	-	2	-	1	2	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	-	-	1	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 1,957
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
0 BRONCHITIS, CHRONIC AND UNSPECIFIED, EMPHYSEMA AND ASTHMA (490-493)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
KENTUCKY -----	406	1	-	-	3	3	-	3	4	-	5	8
WHITE-----MALE----	187	1	-	-	1	2	-	1	-	-	3	3
FEMALE--	194	-	-	-	1	1	-	2	1	-	1	4
ALL OTHER--MALE----	11	-	-	-	1	-	-	-	2	-	-	-
FEMALE--	14	-	-	-	-	-	-	-	1	-	1	1
BLACK---MALE----	11	-	-	-	1	-	-	-	2	-	-	-
FEMALE--	14	-	-	-	-	-	-	-	1	-	1	1
LOUISIANA -----	440	2	5	1	2	2	1	3	1	2	11	6
WHITE-----MALE----	171	1	-	-	-	-	-	-	1	-	3	-
FEMALE--	156	-	-	-	1	1	1	1	-	1	2	2
ALL OTHER--MALE----	64	1	3	-	1	1	-	1	-	-	3	4
FEMALE--	49	-	2	1	-	-	-	1	-	1	3	-
BLACK---MALE----	63	1	3	-	1	1	-	1	-	-	3	4
FEMALE--	48	-	2	-	-	-	-	1	-	1	3	-
MAINE -----	144	-	-	-	-	-	-	2	1	1	1	1
WHITE-----MALE----	60	-	-	-	-	-	-	1	1	-	-	1
FEMALE--	84	-	-	-	-	-	-	1	-	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	462	1	1	2	1	2	4	4	7	9	14	16
WHITE-----MALE----	166	-	-	-	-	-	1	-	1	1	2	3
FEMALE--	193	-	-	-	-	-	-	2	1	1	3	3
ALL OTHER--MALE----	47	1	-	-	1	-	2	2	2	2	2	5
FEMALE--	56	-	1	2	-	2	1	-	3	5	7	5
BLACK---MALE----	43	1	-	-	1	-	2	2	2	2	2	5
FEMALE--	51	-	1	2	-	1	-	-	3	5	6	5
MASSACHUSETTS -----	529	1	5	1	1	1	4	4	3	7	8	10
WHITE-----MALE----	224	-	3	1	-	-	2	1	2	2	3	3
FEMALE--	278	-	1	-	-	1	-	2	-	2	4	7
ALL OTHER--MALE----	15	1	1	-	1	-	1	-	1	1	1	-
FEMALE--	12	-	-	-	-	-	1	1	-	2	-	-
BLACK---MALE----	11	1	-	-	1	-	-	-	1	1	1	-
FEMALE--	7	-	-	-	-	-	-	-	-	2	-	-
MICHIGAN -----	1,086	2	1	2	6	10	5	6	7	10	17	29
WHITE-----MALE----	493	1	-	-	-	2	1	1	1	2	3	7
FEMALE--	460	-	-	-	1	2	-	2	3	4	5	9
ALL OTHER--MALE----	69	1	1	1	2	5	1	1	1	1	4	6
FEMALE--	64	-	-	1	3	1	3	2	2	3	5	7
BLACK---MALE----	65	1	1	-	2	5	1	1	1	1	4	6
FEMALE--	58	-	-	1	2	1	3	2	2	3	4	7

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,957
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 BRONCHITIS, CHRONIC AND UNSPECIFIED, EMPHYSEMA AND ASTHMA (490-493)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
KENTUCKY -----	15	22	33	58	75	88	48	19	16	4	1	-
WHITE-----MALE----	4	13	16	24	38	47	23	5	6	-	-	-
FEMALE--	10	7	15	32	34	39	22	12	9	3	1	-
ALL OTHER--MALE----	-	-	1	-	1	2	3	1	-	-	-	-
FEMALE--	1	2	1	2	2	-	-	1	1	1	-	-
BLACK---MALE----	-	-	1	-	1	2	3	1	-	-	-	-
FEMALE--	1	2	1	2	2	-	-	1	1	1	-	-
LOUISIANA -----	11	21	33	51	92	76	60	36	16	8	-	-
WHITE-----MALE----	3	9	12	17	40	34	30	13	6	2	-	-
FEMALE--	2	4	11	18	36	31	20	16	4	5	-	-
ALL OTHER--MALE----	2	3	5	7	13	7	5	4	3	1	-	-
FEMALE--	4	5	5	9	3	4	5	3	3	-	-	-
BLACK---MALE----	2	3	5	7	13	7	4	4	3	1	-	-
FEMALE--	4	5	5	9	3	4	5	3	3	-	-	-
MAINE -----	3	6	9	14	30	30	18	18	4	5	1	-
WHITE-----MALE----	2	2	3	3	10	15	12	7	1	2	-	-
FEMALE--	1	4	6	11	20	15	6	11	3	3	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	16	23	34	52	71	59	84	30	24	5	2	1
WHITE-----MALE----	4	6	12	26	30	21	38	14	6	1	-	-
FEMALE--	3	11	14	19	30	32	39	14	14	4	2	1
ALL OTHER--MALE----	3	3	4	4	7	3	4	-	2	-	-	-
FEMALE--	6	3	4	3	4	3	3	2	2	-	-	-
BLACK---MALE----	3	3	4	4	5	2	3	-	2	-	-	-
FEMALE--	6	3	4	2	4	2	3	2	1	-	-	-
MASSACHUSETTS -----	10	19	35	62	71	95	96	60	25	8	3	-
WHITE-----MALE----	5	10	9	29	38	43	40	23	8	1	1	-
FEMALE--	4	7	24	32	31	50	55	32	17	7	2	-
ALL OTHER--MALE----	-	-	1	1	1	1	1	3	-	-	-	-
FEMALE--	1	2	1	-	1	1	-	2	-	-	-	-
BLACK---MALE----	-	-	-	1	-	1	1	3	-	-	-	-
FEMALE--	1	2	-	-	1	-	-	1	-	-	-	-
MICHIGAN -----	28	53	74	133	201	202	162	83	40	11	4	-
WHITE-----MALE----	10	24	40	62	91	96	85	46	17	2	2	-
FEMALE--	11	24	29	59	89	96	68	30	18	8	2	-
ALL OTHER--MALE----	2	4	1	6	10	7	8	4	3	-	-	-
FEMALE--	5	1	4	6	11	3	1	3	2	1	-	-
BLACK---MALE----	2	3	1	6	9	6	8	4	3	-	-	-
FEMALE--	5	1	4	5	9	3	1	2	2	1	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,958
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 BRONCHITIS, CHRONIC AND UNSPECIFIED, EMPHYSEMA AND ASTHMA (490-493)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
MINNESOTA -----	11	12	20	28	55	68	59	41	19	5	2	-
WHITE-----MALE----	4	3	6	18	33	37	24	18	9	2	-	-
FEMALE--	7	8	13	10	21	31	35	23	10	3	2	-
ALL OTHER--MALE----	-	1	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
MISSISSIPPI -----	15	17	22	30	40	29	37	10	13	2	1	-
WHITE-----MALE----	3	4	11	14	24	19	14	4	6	1	1	-
FEMALE--	6	7	2	9	13	8	11	5	5	1	-	-
ALL OTHER--MALE----	3	1	6	4	1	1	9	-	2	-	-	-
FEMALE--	3	5	3	3	2	1	3	1	-	-	-	-
BLACK---MALE----	3	1	6	4	1	1	9	-	2	-	-	-
FEMALE--	3	5	3	3	2	1	3	1	-	-	-	-
MISSOURI -----	12	23	38	59	79	101	90	56	22	9	-	-
WHITE-----MALE----	7	8	16	24	27	50	41	28	9	2	-	-
FEMALE--	4	12	18	30	44	48	41	26	12	6	-	-
ALL OTHER--MALE----	-	2	3	2	6	1	3	1	-	-	-	-
FEMALE--	1	1	1	3	2	2	5	1	1	1	-	-
BLACK---MALE----	-	2	3	2	6	1	3	1	-	-	-	-
FEMALE--	1	1	1	2	2	2	5	1	1	1	-	-
MONTANA -----	-	5	7	13	22	25	20	15	3	1	-	-
WHITE-----MALE----	-	1	3	7	12	16	8	8	2	-	-	-
FEMALE--	-	4	4	5	9	8	12	6	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	2	10	9	26	23	31	26	20	14	3	1	-
WHITE-----MALE----	1	4	5	12	14	17	12	14	8	-	-	-
FEMALE--	1	3	2	12	9	14	14	6	6	3	1	-
ALL OTHER--MALE----	-	2	1	2	-	-	-	-	-	-	-	-
FEMALE--	-	1	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	1	2	-	-	-	-	-	-	-	-
FEMALE--	-	1	1	-	-	-	-	-	-	-	-	-
NEVADA -----	2	6	17	22	36	37	25	12	3	-	1	-
WHITE-----MALE----	-	1	5	14	22	18	10	4	1	-	1	-
FEMALE--	2	4	11	8	13	17	14	7	2	-	-	-
ALL OTHER--MALE----	-	1	1	-	-	1	-	1	-	-	-	-
FEMALE--	-	-	-	-	1	1	1	-	-	-	-	-
BLACK---MALE----	-	1	1	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	-	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 1,960
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
0 BRONCHITIS, CHRONIC AND UNSPECIFIED, EMPHYSEMA AND ASTHMA (490-493)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
OHIO -----	1,124	1	-	3	5	4	7	6	8	11	19	19
WHITE-----MALE----	509	1	-	-	1	3	2	-	3	2	9	4
FEMALE--	516	-	-	1	1	-	2	3	1	5	5	8
ALL OTHER--MALE----	56	-	-	1	2	1	2	1	3	1	2	2
FEMALE--	43	-	-	1	1	-	1	2	1	3	3	5
BLACK---MALE----	50	-	-	1	2	1	1	1	3	1	2	2
FEMALE--	42	-	-	1	1	-	1	2	1	3	3	4
OKLAHOMA -----	291	2	-	2	3	1	1	2	-	5	3	3
WHITE-----MALE----	133	2	-	2	-	-	-	-	-	1	1	1
FEMALE--	128	-	-	-	-	-	-	2	-	2	1	1
ALL OTHER--MALE----	15	-	-	-	2	1	1	-	-	-	1	1
FEMALE--	15	-	-	-	1	-	-	-	-	2	-	-
BLACK---MALE----	8	-	-	-	1	1	1	-	-	-	1	1
FEMALE--	8	-	-	-	1	-	-	-	-	2	-	-
OREGON -----	533	-	-	-	-	1	2	2	3	3	5	6
WHITE-----MALE----	277	-	-	-	-	-	2	1	-	2	1	4
FEMALE--	248	-	-	-	-	1	-	1	3	1	3	1
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	3	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	5	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	1	-
PENNSYLVANIA -----	1,157	1	3	2	3	4	1	5	3	8	19	24
WHITE-----MALE----	526	1	1	-	2	1	-	1	-	1	6	9
FEMALE--	540	-	-	1	-	1	-	1	1	5	5	10
ALL OTHER--MALE----	51	-	2	1	-	1	-	2	1	1	5	4
FEMALE--	40	-	-	-	1	1	1	1	1	1	3	1
BLACK---MALE----	49	-	2	1	-	1	-	2	1	1	4	4
FEMALE--	39	-	-	-	1	1	1	1	1	1	3	1
RHODE ISLAND -----	65	-	-	-	-	-	-	-	-	-	-	1
WHITE-----MALE----	25	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	39	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	370	-	-	2	1	-	1	4	-	2	5	7
WHITE-----MALE----	161	-	-	1	-	-	-	1	-	-	-	-
FEMALE--	137	-	-	-	-	-	-	1	-	-	2	2
ALL OTHER--MALE----	25	-	-	1	1	-	-	1	-	-	-	1
FEMALE--	47	-	-	-	-	-	1	1	-	2	3	4
BLACK---MALE----	25	-	-	1	1	-	-	1	-	-	-	1
FEMALE--	46	-	-	-	-	-	1	1	-	2	3	4

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,960
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 BRONCHITIS, CHRONIC AND UNSPECIFIED, EMPHYSEMA AND ASTHMA (490-493)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
OHIO -----	30	42	78	133	185	240	177	95	45	11	5	-
WHITE-----MALE----	13	12	36	60	91	118	92	42	16	2	2	-
FEMALE--	11	23	35	60	85	112	82	48	25	7	2	-
ALL OTHER--MALE----	6	5	3	8	6	4	1	4	3	-	1	-
FEMALE--	-	2	4	5	3	6	2	1	1	2	-	-
BLACK---MALE----	5	5	3	6	5	4	1	4	2	-	1	-
FEMALE--	-	2	4	5	3	6	2	1	1	2	-	-
OKLAHOMA -----	14	11	27	34	50	55	40	22	12	2	2	-
WHITE-----MALE----	7	3	14	12	28	32	18	9	3	-	-	-
FEMALE--	5	8	7	21	20	19	12	8	1	1	1	-
ALL OTHER--MALE----	-	-	2	1	1	2	2	1	-	-	-	-
FEMALE--	2	-	4	-	1	1	1	-	1	1	1	-
BLACK---MALE----	-	-	1	1	-	-	1	-	-	-	-	-
FEMALE--	2	-	-	-	-	1	-	-	-	1	1	-
OREGON -----	12	17	42	65	93	105	101	50	20	5	1	-
WHITE-----MALE----	7	8	22	34	52	45	57	26	12	4	-	-
FEMALE--	4	9	18	31	41	58	44	24	7	1	1	-
ALL OTHER--MALE----	1	-	2	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	1	-	-	-
BLACK---MALE----	1	-	2	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
PENNSYLVANIA -----	28	43	74	150	202	242	173	115	41	12	4	-
WHITE-----MALE----	13	12	30	76	95	132	82	50	12	1	1	-
FEMALE--	7	24	36	67	96	99	87	59	28	11	2	-
ALL OTHER--MALE----	3	5	3	4	6	7	3	3	-	-	-	-
FEMALE--	5	2	5	3	5	4	1	3	1	-	1	-
BLACK---MALE----	3	5	3	4	6	7	3	2	-	-	-	-
FEMALE--	5	2	4	3	5	4	1	3	1	-	1	-
RHODE ISLAND -----	1	5	2	6	11	8	16	10	5	-	-	-
WHITE-----MALE----	-	2	-	3	7	4	3	4	2	-	-	-
FEMALE--	1	2	2	3	4	4	13	6	3	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	19	19	33	55	70	58	48	27	14	5	-	-
WHITE-----MALE----	7	6	15	24	32	32	24	14	3	2	-	-
FEMALE--	6	8	13	19	29	16	18	11	10	2	-	-
ALL OTHER--MALE----	2	2	2	3	4	6	2	-	-	-	-	-
FEMALE--	4	3	3	9	5	4	4	2	1	1	-	-
BLACK---MALE----	2	2	2	3	4	6	2	-	-	-	-	-
FEMALE--	4	2	3	9	5	4	4	2	1	1	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 1,961
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
0 BRONCHITIS, CHRONIC AND UNSPECIFIED, EMPHYSEMA AND ASTHMA (490-493)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
SOUTH DAKOTA -----	85	-	-	1	-	-	-	-	-	-	2	2
WHITE-----MALE----	49	-	-	1	-	-	-	-	-	-	1	2
FEMALE--	35	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	546	-	-	1	4	2	7	3	5	3	7	8
WHITE-----MALE----	258	-	-	-	1	1	1	-	-	1	1	2
FEMALE--	219	-	-	-	-	1	2	3	1	1	2	2
ALL OTHER--MALE----	36	-	-	1	2	-	2	-	2	1	2	1
FEMALE--	33	-	-	-	1	-	2	-	2	-	2	3
BLACK---MALE----	35	-	-	1	2	-	2	-	2	1	2	1
FEMALE--	32	-	-	-	1	-	1	-	2	-	2	3
TEXAS -----	1,756	1	4	7	8	7	6	8	15	19	18	32
WHITE-----MALE----	847	1	2	5	2	1	3	2	6	5	2	10
FEMALE--	718	-	-	-	1	-	1	2	2	7	7	11
ALL OTHER--MALE----	98	-	-	2	4	4	-	2	2	4	6	5
FEMALE--	93	-	2	-	1	2	2	2	5	3	3	6
BLACK---MALE----	92	-	-	2	4	4	-	2	2	4	5	5
FEMALE--	85	-	2	-	1	2	2	2	5	3	3	5
UTAH -----	142	-	-	-	3	-	-	1	1	1	1	3
WHITE-----MALE----	74	-	-	-	-	-	-	1	-	-	-	2
FEMALE--	66	-	-	-	3	-	-	-	1	1	1	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	43	-	-	-	-	-	-	-	-	-	1	2
WHITE-----MALE----	17	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	26	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	524	1	1	-	1	3	2	3	5	7	11	14
WHITE-----MALE----	198	-	-	-	-	-	-	1	1	1	4	5
FEMALE--	241	-	-	-	-	2	1	-	3	4	2	4
ALL OTHER--MALE----	46	-	1	-	1	1	1	1	1	1	1	1
FEMALE--	39	1	-	-	-	-	-	1	-	1	4	4
BLACK---MALE----	41	-	1	-	1	1	1	1	1	1	1	1
FEMALE--	36	1	-	-	-	-	-	1	-	1	3	4

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,961
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 BRONCHITIS, CHRONIC AND UNSPECIFIED, EMPHYSEMA AND ASTHMA (490-493)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
SOUTH DAKOTA -----	-	3	4	12	13	13	20	11	3	1	-	-
WHITE-----MALE----	-	2	1	7	9	8	12	5	1	-	-	-
FEMALE--	-	1	3	5	4	4	8	6	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	17	35	53	73	89	101	75	42	19	1	1	-
WHITE-----MALE----	6	12	22	40	51	65	33	17	5	-	-	-
FEMALE--	8	20	21	27	30	33	34	20	13	-	1	-
ALL OTHER--MALE----	-	1	4	5	5	1	5	3	1	-	-	-
FEMALE--	3	2	6	1	3	2	3	2	-	1	-	-
BLACK---MALE----	-	1	4	5	5	1	4	3	1	-	-	-
FEMALE--	3	2	6	1	3	2	3	2	-	1	-	-
TEXAS -----	43	94	134	203	301	354	265	148	61	24	4	-
WHITE-----MALE----	14	35	72	105	156	183	146	65	23	9	-	-
FEMALE--	22	45	48	72	121	150	109	71	34	12	3	-
ALL OTHER--MALE----	3	7	7	13	15	12	4	6	-	2	-	-
FEMALE--	4	7	7	13	9	9	6	6	4	1	1	-
BLACK---MALE----	3	7	7	11	15	10	3	6	-	2	-	-
FEMALE--	4	7	7	11	6	7	6	6	4	1	1	-
UTAH -----	1	7	11	17	33	22	17	14	8	2	-	-
WHITE-----MALE----	1	2	6	9	19	11	10	8	4	1	-	-
FEMALE--	-	5	5	8	13	11	7	6	4	1	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	4	6	6	9	5	3	3	4	-	-	-
WHITE-----MALE----	-	1	1	4	3	2	1	3	-	-	-	-
FEMALE--	-	3	5	2	6	3	2	-	4	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	18	32	28	50	83	114	71	57	18	5	-	-
WHITE-----MALE----	6	11	15	23	29	47	22	27	5	1	-	-
FEMALE--	9	9	8	20	43	55	39	27	11	4	-	-
ALL OTHER--MALE----	2	6	3	4	5	7	7	2	1	-	-	-
FEMALE--	1	6	2	3	6	5	3	1	1	-	-	-
BLACK---MALE----	2	6	1	2	4	7	7	2	1	-	-	-
FEMALE--	1	5	2	3	5	5	3	1	1	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,963
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 BRONCHITIS, NOT SPECIFIED AS ACUTE OR CHRONIC (490)												
0 UNITED STATES --	8	9	14	20	48	72	93	103	86	44	18	-
WHITE-----MALE----	1	3	5	10	23	34	45	35	25	5	5	-
FEMALE--	5	3	5	7	23	31	43	61	59	36	13	-
ALL OTHER--MALE----	1	2	2	2	1	3	4	1	1	1	-	-
FEMALE--	1	1	2	1	1	4	1	6	1	2	-	-
BLACK---MALE----	1	2	2	2	1	3	4	1	-	1	-	-
FEMALE--	1	1	2	1	1	4	1	6	1	2	-	-
ALABAMA -----	-	-	1	1	2	3	3	2	-	-	-	-
WHITE-----MALE----	-	-	1	-	1	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	2	2	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	-	-	1	-	-	1	-	2	-	-	-	-
WHITE-----MALE----	-	-	1	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	-	-	-	2	2	4	1	3	1	-	-	-
WHITE-----MALE----	-	-	-	2	2	1	-	2	1	-	-	-
FEMALE--	-	-	-	-	-	3	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	-	3	4	2	6	7	9	11	10	1	1	-
WHITE-----MALE----	-	1	-	-	1	2	5	4	4	-	-	-
FEMALE--	-	1	3	2	4	3	4	6	6	1	1	-
ALL OTHER--MALE----	-	1	-	-	1	2	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	1	-	-	1	2	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	1	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,964
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 BRONCHITIS, NOT SPECIFIED AS ACUTE OR CHRONIC (490)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
COLORADO -----	-	-	-	-	-	-	1	-	-	1	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	-	-	-	1	-	-	1	2	3	-	-	-
WHITE-----MALE----	-	-	-	1	-	-	-	-	2	-	-	-
FEMALE--	-	-	-	-	-	-	-	2	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
DELAWARE -----	-	-	-	-	-	-	1	-	2	1	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA -----	-	-	-	-	-	-	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	1	1	-	2	1	4	6	3	4	3	1	-
WHITE-----MALE----	-	1	-	-	1	1	5	2	1	-	-	-
FEMALE--	1	-	-	1	-	2	-	-	3	3	1	-
ALL OTHER--MALE----	-	-	-	1	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	1	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	1	-	-	-	-
GEORGIA -----	-	-	-	-	1	3	-	3	2	-	-	-
WHITE-----MALE----	-	-	-	-	-	2	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	2	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	1	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 1,972
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 CHRONIC BRONCHITIS (491)												
0 UNITED STATES --	2,577	14	2	2	5	3	3	9	14	11	23	30
WHITE-----MALE----	1,220	4	2	1	-	-	-	5	4	3	13	9
FEMALE--	1,152	4	-	-	3	2	2	3	5	4	5	13
ALL OTHER--MALE----	109	3	-	-	-	1	-	1	1	2	3	3
FEMALE--	96	3	-	1	2	-	1	-	4	2	2	5
BLACK---MALE----	80	3	-	-	-	-	-	1	1	2	3	3
FEMALE--	80	2	-	1	1	-	1	-	4	2	2	4
ALABAMA -----	39	-	-	-	-	-	-	-	-	1	1	-
WHITE-----MALE----	18	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	13	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	6	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALASKA -----	5	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	41	-	-	-	1	-	-	-	-	1	-	-
WHITE-----MALE----	23	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	16	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	37	3	1	-	-	-	-	-	-	-	-	1
WHITE-----MALE----	18	1	1	-	-	-	-	-	-	-	-	1
FEMALE--	17	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	350	-	-	-	1	-	1	2	2	3	7	3
WHITE-----MALE----	137	-	-	-	-	-	-	1	-	1	5	2
FEMALE--	180	-	-	-	1	-	1	1	1	1	2	1
ALL OTHER--MALE----	19	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	14	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	5	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	10	-	-	-	-	-	-	-	1	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,972
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 CHRONIC BRONCHITIS (491)												
0 UNITED STATES --	57	87	156	295	409	475	455	309	147	61	9	1
WHITE-----MALE----	25	31	74	133	214	227	235	151	64	22	2	1
FEMALE--	24	46	67	126	171	217	202	146	70	35	7	-
ALL OTHER--MALE----	3	7	9	22	11	18	13	5	6	1	-	-
FEMALE--	5	3	6	14	13	13	5	7	7	3	-	-
BLACK---MALE----	2	6	9	16	5	13	7	5	4	-	-	-
FEMALE--	4	3	4	10	11	11	4	6	7	3	-	-
ALABAMA -----	-	1	4	5	6	7	5	6	2	1	-	-
WHITE-----MALE----	-	-	1	3	5	5	2	2	-	-	-	-
FEMALE--	-	1	3	-	-	2	3	1	1	1	-	-
ALL OTHER--MALE----	-	-	-	1	1	-	1	-	1	-	-	-
FEMALE--	-	-	-	1	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	1	1	-	1	-	1	-	-	-
FEMALE--	-	-	-	1	-	-	-	1	-	-	-	-
ALASKA -----	-	-	-	1	-	1	1	1	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	-	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	-	2	1	6	8	4	9	7	2	-	-	-
WHITE-----MALE----	-	1	1	2	4	3	7	3	1	-	-	-
FEMALE--	-	1	-	2	4	1	2	4	1	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	2	2	1	3	7	6	6	3	-	2	-	-
WHITE-----MALE----	-	-	1	2	3	3	4	1	-	1	-	-
FEMALE--	2	1	-	1	4	3	2	2	-	1	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	6	10	19	33	72	69	61	40	13	8	-	-
WHITE-----MALE----	2	5	8	8	27	25	31	15	5	2	-	-
FEMALE--	3	4	7	21	36	38	27	23	7	6	-	-
ALL OTHER--MALE----	1	-	3	2	4	4	3	-	1	-	-	-
FEMALE--	-	1	1	2	5	2	-	2	-	-	-	-
BLACK---MALE----	-	-	3	-	-	1	-	-	-	-	-	-
FEMALE--	-	1	1	1	4	1	-	1	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 1,973
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 CHRONIC BRONCHITIS (491)												
COLORADO -----	35	-	-	-	-	-	-	-	1	-	-	1
WHITE-----MALE----	19	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	14	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	25	-	-	-	-	-	-	-	-	-	-	1
WHITE-----MALE----	13	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	12	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	8	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	2	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	216	-	-	-	-	-	-	-	-	-	3	2
WHITE-----MALE----	109	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	96	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	6	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	1	-
GEORGIA -----	57	1	-	-	-	-	1	-	-	2	-	-
WHITE-----MALE----	32	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	19	-	-	-	-	-	1	-	-	1	-	-
ALL OTHER--MALE----	3	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	3	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	1	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,973
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 0 CHRONIC BRONCHITIS (491)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
COLORADO -----	1	2	1	6	7	6	4	5	-	1	-	-
WHITE-----MALE----	1	1	1	4	4	3	2	2	-	-	-	-
FEMALE--	-	1	-	1	2	3	2	3	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	1	2	-	3	4	3	7	-	3	1	-	-
WHITE-----MALE----	-	-	-	3	3	3	3	-	1	-	-	-
FEMALE--	1	2	-	-	1	-	4	-	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	-	1	1	-	4	2	-	-	-	-	-
WHITE-----MALE----	-	-	-	1	-	2	2	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	-	-	-	1	-	-	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
FLORIDA -----	7	4	12	27	36	32	43	28	17	4	-	1
WHITE-----MALE----	3	2	7	11	20	16	22	16	8	1	-	1
FEMALE--	3	1	4	15	16	14	20	11	8	3	-	-
ALL OTHER--MALE----	1	-	1	-	-	1	1	-	1	-	-	-
FEMALE--	-	1	-	1	-	1	-	1	-	-	-	-
BLACK---MALE----	1	-	1	-	-	1	1	-	1	-	-	-
FEMALE--	-	1	-	1	-	1	-	1	-	-	-	-
GEORGIA -----	1	2	6	8	7	9	10	6	4	-	-	-
WHITE-----MALE----	-	1	3	3	4	6	6	6	3	-	-	-
FEMALE--	1	1	2	4	1	3	4	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	1	-	-	-	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,975
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 CHRONIC BRONCHITIS (491)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
KENTUCKY -----	1	2	6	9	8	15	6	-	3	-	1	-
WHITE-----MALE----	-	-	-	4	5	9	3	-	1	-	-	-
FEMALE--	1	2	5	4	3	6	3	-	2	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	1	-	-	-	-	-	-	-	-
LOUISIANA -----	1	1	3	5	4	5	-	4	2	-	-	-
WHITE-----MALE----	-	1	-	1	3	2	-	1	1	-	-	-
FEMALE--	-	-	2	1	1	2	-	2	-	-	-	-
ALL OTHER--MALE----	-	-	1	3	-	-	-	1	1	-	-	-
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	1	3	-	-	-	1	1	-	-	-
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-
MAINE -----	-	1	2	1	4	4	4	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	2	2	2	-	-	-	-	-
FEMALE--	-	1	2	1	2	2	2	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	1	-	3	3	7	10	11	6	5	-	-	-
WHITE-----MALE----	-	-	2	-	2	4	2	3	1	-	-	-
FEMALE--	-	-	1	3	3	4	7	3	4	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	1	-	-	-	2	1	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	2	-	1	-	-	-	-	-
MASSACHUSETTS -----	-	1	1	3	7	4	11	6	4	3	-	-
WHITE-----MALE----	-	1	-	1	4	1	5	4	1	-	-	-
FEMALE--	-	-	1	2	3	3	6	2	3	3	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	3	3	7	9	10	22	10	6	4	2	1	-
WHITE-----MALE----	3	1	4	3	5	13	3	6	2	1	1	-
FEMALE--	-	1	2	5	4	7	5	-	1	-	-	-
ALL OTHER--MALE----	-	1	-	1	1	1	2	-	-	-	-	-
FEMALE--	-	-	1	-	-	1	-	-	1	1	-	-
BLACK---MALE----	-	-	-	1	1	1	2	-	-	-	-	-
FEMALE--	-	-	1	-	-	1	-	-	1	1	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,976
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 CHRONIC BRONCHITIS (491)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
MINNESOTA -----	-	1	2	3	8	5	3	10	4	1	-	-
WHITE-----MALE----	-	-	-	2	6	4	2	6	3	1	-	-
FEMALE--	-	-	2	1	2	1	1	4	1	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI -----	-	1	4	3	5	2	5	2	2	-	-	-
WHITE-----MALE----	-	-	3	3	4	1	4	1	-	-	-	-
FEMALE--	-	1	1	-	1	1	-	1	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSOURI -----	3	2	3	3	6	11	14	5	5	2	-	-
WHITE-----MALE----	1	1	1	1	2	8	7	3	2	-	-	-
FEMALE--	2	1	1	2	4	3	6	2	2	2	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	1	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	1	-	-	-
MONTANA -----	-	-	1	1	2	1	-	2	-	-	-	-
WHITE-----MALE----	-	-	1	-	1	1	-	1	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	-	-	2	3	3	3	4	2	3	1	1	-
WHITE-----MALE----	-	-	1	2	3	1	2	1	3	-	-	-
FEMALE--	-	-	1	-	-	2	2	1	-	1	1	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA -----	-	1	1	2	4	6	3	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	1	3	1	-	-	-	-	-
FEMALE--	-	1	1	2	2	3	2	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,978
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 CHRONIC BRONCHITIS (491)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
OHIO -----	2	1	6	14	22	23	28	16	8	5	1	-
WHITE-----MALE----	1	-	2	9	10	12	18	7	5	2	-	-
FEMALE--	1	-	4	3	11	9	10	8	2	3	1	-
ALL OTHER--MALE----	-	1	-	2	1	1	-	1	1	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	1	-	1	1	1	-	1	1	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
OKLAHOMA -----	-	-	5	2	5	2	3	4	1	1	-	-
WHITE-----MALE----	-	-	1	1	2	2	1	1	-	-	-	-
FEMALE--	-	-	2	-	2	-	2	3	1	1	-	-
ALL OTHER--MALE----	-	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	2	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	-	3	6	4	8	6	12	1	2	2	1	-
WHITE-----MALE----	-	1	5	3	7	2	8	-	2	2	-	-
FEMALE--	-	2	1	1	1	4	4	1	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	4	3	4	14	14	19	15	12	9	1	-	-
WHITE-----MALE----	4	1	3	8	5	12	7	7	5	-	-	-
FEMALE--	-	2	1	6	9	7	8	5	4	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND -----	-	-	-	1	3	-	1	1	-	-	-	-
WHITE-----MALE----	-	-	-	1	3	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	-	1	-	8	2	8	2	5	1	3	-	-
WHITE-----MALE----	-	1	-	2	2	5	-	3	-	1	-	-
FEMALE--	-	-	-	5	-	3	2	2	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	1	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,979
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 CHRONIC BRONCHITIS (491)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
SOUTH DAKOTA -----	-	1	1	1	1	1	-	-	-	-	-	-
WHITE-----MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	1	1	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	2	4	1	7	8	7	10	2	3	1	-	-
WHITE-----MALE----	-	1	-	5	3	4	5	1	-	-	-	-
FEMALE--	1	3	-	2	5	3	4	1	3	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	-	-	1	-	-	-	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
TEXAS -----	3	9	13	16	25	33	23	23	9	3	-	-
WHITE-----MALE----	1	3	10	8	12	21	11	10	3	1	-	-
FEMALE--	2	5	3	7	10	10	11	12	4	2	-	-
ALL OTHER--MALE----	-	1	-	-	1	1	-	1	-	-	-	-
FEMALE--	-	-	-	1	2	1	1	-	2	-	-	-
BLACK---MALE----	-	1	-	-	1	1	-	1	-	-	-	-
FEMALE--	-	-	-	1	1	1	1	-	2	-	-	-
UTAH -----	-	1	2	1	1	3	1	1	-	-	-	-
WHITE-----MALE----	-	1	2	1	1	1	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	2	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	1	-	1	1	-	-	1	-	-	-	-
WHITE-----MALE----	-	-	-	1	-	-	-	1	-	-	-	-
FEMALE--	-	1	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	2	2	2	9	13	17	6	8	4	-	-	-
WHITE-----MALE----	1	1	1	2	6	11	1	5	-	-	-	-
FEMALE--	-	-	1	4	6	6	4	2	4	-	-	-
ALL OTHER--MALE----	1	-	-	2	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	1	1	-	1	1	-	-	-	-
BLACK---MALE----	1	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	1	1	-	1	1	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 1,981
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 EMPHYSEMA (492)												
0 UNITED STATES --	17,286	2	1	-	-	-	1	5	4	17	53	141
WHITE-----MALE----	8,750	-	-	-	-	-	-	2	2	8	21	72
FEMALE--	7,507	-	-	-	-	-	-	2	2	3	15	42
ALL OTHER--MALE----	672	-	1	-	-	-	1	-	-	3	14	18
FEMALE--	357	2	-	-	-	-	-	1	-	3	3	9
BLACK---MALE----	576	-	1	-	-	-	1	-	-	3	14	17
FEMALE--	306	1	-	-	-	-	-	1	-	3	3	8
ALABAMA -----	229	-	-	-	-	-	-	-	-	-	-	3
WHITE-----MALE----	139	-	-	-	-	-	-	-	-	-	-	3
FEMALE--	74	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	11	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	11	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
ALASKA -----	14	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	394	-	-	-	-	-	-	-	-	-	1	3
WHITE-----MALE----	203	-	-	-	-	-	-	-	-	-	1	3
FEMALE--	187	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	157	-	-	-	-	-	-	-	-	-	-	3
WHITE-----MALE----	94	-	-	-	-	-	-	-	-	-	-	3
FEMALE--	52	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	9	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	9	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	2,073	-	-	-	-	-	-	-	1	2	8	11
WHITE-----MALE----	976	-	-	-	-	-	-	-	1	-	2	8
FEMALE--	954	-	-	-	-	-	-	-	-	1	2	2
ALL OTHER--MALE----	93	-	-	-	-	-	-	-	-	-	3	-
FEMALE--	50	-	-	-	-	-	-	-	-	1	1	1
BLACK---MALE----	50	-	-	-	-	-	-	-	-	-	3	-
FEMALE--	36	-	-	-	-	-	-	-	-	1	1	1

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,981
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 EMPHYSEMA (492)												
0 UNITED STATES --	321	681	1,268	2,343	3,390	3,734	3,010	1,613	571	111	20	-
WHITE-----MALE----	149	316	645	1,263	1,686	1,910	1,562	798	257	53	6	-
FEMALE--	135	288	528	945	1,516	1,633	1,325	733	281	48	11	-
ALL OTHER--MALE----	24	49	64	85	127	128	82	52	19	4	1	-
FEMALE--	13	28	31	50	61	63	41	30	14	6	2	-
BLACK---MALE----	21	47	56	71	111	105	65	46	14	3	1	-
FEMALE--	9	25	28	46	52	58	35	21	10	4	2	-
ALABAMA -----	3	9	21	46	38	51	32	21	5	-	-	-
WHITE-----MALE----	2	6	11	29	21	32	23	9	3	-	-	-
FEMALE--	1	2	8	14	17	16	8	7	1	-	-	-
ALL OTHER--MALE----	-	1	2	2	-	3	-	3	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	2	1	-	-	-
BLACK---MALE----	-	1	2	2	-	3	-	3	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	2	1	-	-	-
ALASKA -----	-	-	2	4	4	2	2	-	-	-	-	-
WHITE-----MALE----	-	-	1	1	3	1	-	-	-	-	-	-
FEMALE--	-	-	1	1	1	1	2	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	2	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	1	19	19	52	84	99	58	43	12	3	-	-
WHITE-----MALE----	1	10	11	36	40	47	27	20	5	2	-	-
FEMALE--	-	9	8	14	44	51	31	23	6	1	-	-
ALL OTHER--MALE----	-	-	-	2	-	1	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	3	4	16	26	34	32	18	12	8	1	-	-
WHITE-----MALE----	1	3	10	15	23	17	11	7	4	-	-	-
FEMALE--	2	1	5	10	9	13	5	3	3	1	-	-
ALL OTHER--MALE----	-	-	1	1	2	2	1	2	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	1	-	-	-
BLACK---MALE----	-	-	1	1	2	2	1	2	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	1	-	-	-
CALIFORNIA -----	41	73	132	247	407	445	388	221	80	16	1	-
WHITE-----MALE----	20	30	61	131	181	211	179	104	40	8	-	-
FEMALE--	17	32	63	97	196	200	194	108	35	6	1	-
ALL OTHER--MALE----	2	8	6	12	20	25	9	5	2	1	-	-
FEMALE--	2	3	2	7	10	9	6	4	3	1	-	-
BLACK---MALE----	1	6	3	7	12	13	2	3	-	-	-	-
FEMALE--	-	2	2	6	8	7	4	2	2	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,982
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 EMPHYSEMA (492)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
COLORADO -----	5	4	13	34	50	56	39	12	5	-	-	-
WHITE-----MALE----	5	3	9	20	24	26	21	5	3	-	-	-
FEMALE--	-	1	3	13	26	29	16	7	2	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	2	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	-	-	-	-	-	-
CONNECTICUT -----	4	3	10	22	30	40	34	19	8	1	-	-
WHITE-----MALE----	1	1	5	17	10	17	18	9	3	1	-	-
FEMALE--	2	2	5	5	19	22	15	10	5	-	-	-
ALL OTHER--MALE----	1	-	-	-	1	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	1	3	1	10	14	6	5	3	1	-	-	-
WHITE-----MALE----	-	2	1	5	6	1	3	1	-	-	-	-
FEMALE--	1	1	-	5	8	5	2	2	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	1	-	-	5	5	9	6	-	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	3	1	-	-	-	-	-
FEMALE--	-	-	-	2	1	3	1	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	3	2	2	2	-	-	-	-	-
FEMALE--	-	-	-	-	2	1	2	-	1	-	-	-
BLACK---MALE----	1	-	-	3	2	2	2	-	-	-	-	-
FEMALE--	-	-	-	-	2	1	2	-	1	-	-	-
FLORIDA -----	17	45	86	150	253	290	242	141	45	12	-	-
WHITE-----MALE----	6	21	37	91	119	146	125	67	21	6	-	-
FEMALE--	8	21	43	52	126	136	113	66	23	6	-	-
ALL OTHER--MALE----	1	3	6	6	6	6	3	5	1	-	-	-
FEMALE--	2	-	-	1	2	2	1	3	-	-	-	-
BLACK---MALE----	1	3	6	6	6	5	3	5	1	-	-	-
FEMALE--	2	-	-	1	2	2	1	3	-	-	-	-
GEORGIA -----	9	29	41	79	88	88	68	36	12	2	-	-
WHITE-----MALE----	5	16	19	40	34	40	45	15	3	2	-	-
FEMALE--	3	9	20	34	45	37	21	17	6	-	-	-
ALL OTHER--MALE----	-	2	1	1	5	5	1	2	3	-	-	-
FEMALE--	1	2	1	4	4	6	1	2	-	-	-	-
BLACK---MALE----	-	2	1	1	5	5	1	2	3	-	-	-
FEMALE--	1	2	1	4	4	6	1	2	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,983
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 0 EMPHYSEMA (492)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
HAWAII -----	4	-	2	6	9	4	9	2	3	1	-	-
WHITE-----MALE----	1	-	-	3	-	3	1	1	1	-	-	-
FEMALE--	1	-	-	2	5	-	2	-	-	-	-	-
ALL OTHER--MALE----	1	-	2	1	3	1	5	1	1	-	-	-
FEMALE--	1	-	-	-	1	-	1	-	1	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	-	5	8	12	14	11	19	7	4	-	-	-
WHITE-----MALE----	-	3	3	5	8	10	13	3	2	-	-	-
FEMALE--	-	2	5	7	6	1	6	3	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	11	20	56	117	150	189	152	86	25	7	1	-
WHITE-----MALE----	6	14	29	63	72	92	80	31	10	4	-	-
FEMALE--	3	4	23	46	71	82	63	51	15	2	1	-
ALL OTHER--MALE----	2	2	3	6	6	8	5	2	-	1	-	-
FEMALE--	-	-	1	2	1	7	4	2	-	-	-	-
BLACK---MALE----	2	2	3	6	6	8	5	2	-	1	-	-
FEMALE--	-	-	1	2	1	6	4	2	-	-	-	-
INDIANA -----	12	15	39	62	90	83	73	42	15	5	2	-
WHITE-----MALE----	3	9	23	41	43	53	42	20	5	4	2	-
FEMALE--	8	5	14	18	46	26	29	21	10	1	-	-
ALL OTHER--MALE----	1	1	2	2	-	2	1	-	-	-	-	-
FEMALE--	-	-	-	1	1	2	1	1	-	-	-	-
BLACK---MALE----	1	1	2	1	-	2	1	-	-	-	-	-
FEMALE--	-	-	-	1	-	2	1	1	-	-	-	-
IOWA -----	8	5	12	21	37	37	30	17	7	1	-	-
WHITE-----MALE----	5	5	5	12	20	24	19	11	2	-	-	-
FEMALE--	2	-	7	9	17	13	11	6	4	1	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS -----	5	4	9	25	23	29	18	18	4	1	-	-
WHITE-----MALE----	1	2	4	19	17	15	10	9	3	-	-	-
FEMALE--	3	2	4	5	6	12	7	9	1	-	-	-
ALL OTHER--MALE----	-	-	1	1	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	1	-	-	1	-	-
BLACK---MALE----	-	-	1	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 1,984
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 EMPHYSEMA (492)												
KENTUCKY -----	276	-	-	-	-	-	-	-	-	-	2	2
WHITE-----MALE----	142	-	-	-	-	-	-	-	-	-	2	1
FEMALE--	123	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	303	-	1	-	-	-	-	-	-	-	3	2
WHITE-----MALE----	140	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	106	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	39	-	1	-	-	-	-	-	-	-	1	2
FEMALE--	18	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	38	-	1	-	-	-	-	-	-	-	1	2
FEMALE--	18	-	-	-	-	-	-	-	-	-	1	-
MAINE -----	97	-	-	-	-	-	-	-	-	-	-	1
WHITE-----MALE----	45	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	52	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	254	-	-	-	-	-	-	-	-	-	2	2
WHITE-----MALE----	120	-	-	-	-	-	-	-	-	-	2	-
FEMALE--	114	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	15	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	15	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS -----	346	-	-	-	-	-	-	-	-	2	-	2
WHITE-----MALE----	167	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	170	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	1	-	-
MICHIGAN -----	800	-	-	-	-	-	-	2	-	-	2	12
WHITE-----MALE----	401	-	-	-	-	-	-	1	-	-	1	4
FEMALE--	342	-	-	-	-	-	-	-	-	-	1	4
ALL OTHER--MALE----	34	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	23	-	-	-	-	-	-	1	-	-	-	2
BLACK---MALE----	32	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	20	-	-	-	-	-	-	1	-	-	-	2

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,984
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 EMPHYSEMA (492)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
KENTUCKY -----	6	17	25	42	59	64	35	14	8	2	-	-
WHITE-----MALE----	2	13	14	19	31	34	18	4	4	-	-	-
FEMALE--	4	4	10	22	26	28	14	9	4	1	-	-
ALL OTHER--MALE----	-	-	1	-	-	2	3	-	-	-	-	-
FEMALE--	-	-	-	1	2	-	-	1	-	1	-	-
BLACK---MALE----	-	-	1	-	-	2	3	-	-	-	-	-
FEMALE--	-	-	-	1	2	-	-	1	-	1	-	-
LOUISIANA -----	3	12	22	34	78	63	50	23	7	5	-	-
WHITE-----MALE----	1	5	10	16	35	29	29	11	2	2	-	-
FEMALE--	1	2	7	11	33	26	14	8	1	2	-	-
ALL OTHER--MALE----	1	2	3	3	10	6	4	3	2	1	-	-
FEMALE--	-	3	2	4	-	2	3	1	2	-	-	-
BLACK---MALE----	1	2	3	3	10	6	3	3	2	1	-	-
FEMALE--	-	3	2	4	-	2	3	1	2	-	-	-
MAINE -----	2	3	6	11	22	24	12	10	3	3	-	-
WHITE-----MALE----	2	2	3	3	8	13	8	2	1	2	-	-
FEMALE--	-	1	3	8	14	11	4	8	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	4	12	16	34	52	40	60	17	11	2	2	-
WHITE-----MALE----	2	4	7	22	23	15	31	10	3	1	-	-
FEMALE--	1	7	6	8	25	22	27	7	7	1	2	-
ALL OTHER--MALE----	1	1	1	2	4	2	2	-	1	-	-	-
FEMALE--	-	-	2	2	-	1	-	-	-	-	-	-
BLACK---MALE----	1	1	1	2	4	2	2	-	1	-	-	-
FEMALE--	-	-	2	2	-	1	-	-	-	-	-	-
MASSACHUSETTS -----	2	15	22	53	56	78	68	33	13	1	1	-
WHITE-----MALE----	1	7	8	27	31	39	32	13	6	-	1	-
FEMALE--	1	6	13	25	24	38	36	18	7	1	-	-
ALL OTHER--MALE----	-	-	-	1	-	1	-	1	-	-	-	-
FEMALE--	-	2	1	-	1	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	1	-	1	-	1	-	-	-	-
FEMALE--	-	2	-	-	1	-	-	1	-	-	-	-
MICHIGAN -----	15	32	61	110	173	165	132	61	28	4	3	-
WHITE-----MALE----	3	17	35	58	80	78	73	36	13	1	1	-
FEMALE--	8	15	25	46	76	80	52	19	11	3	2	-
ALL OTHER--MALE----	2	-	-	3	9	5	6	4	3	-	-	-
FEMALE--	2	-	1	3	8	2	1	2	1	-	-	-
BLACK---MALE----	2	-	-	3	8	4	6	4	3	-	-	-
FEMALE--	2	-	1	3	6	2	1	1	1	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,987
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 EMPHYSEMA (492)												
OHIO -----	18	28	61	109	142	181	125	63	22	2	1	-
WHITE-----MALE----	10	10	32	48	78	96	67	30	7	-	-	-
FEMALE--	6	13	24	54	58	81	56	30	14	1	-	-
ALL OTHER--MALE----	2	3	3	3	4	3	1	3	1	-	1	-
FEMALE--	-	2	2	4	2	1	1	-	-	1	-	-
BLACK---MALE----	2	3	3	2	4	3	1	3	-	-	1	-
FEMALE--	-	2	2	4	2	1	1	-	-	1	-	-
OKLAHOMA -----	5	7	16	28	37	42	30	12	5	1	1	-
WHITE-----MALE----	4	2	12	10	23	26	16	7	2	-	-	-
FEMALE--	1	5	3	18	14	14	12	4	2	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	1	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	1	1	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	1	1	-
OREGON -----	8	11	32	56	78	81	68	38	15	-	-	-
WHITE-----MALE----	6	6	15	27	41	32	42	21	10	-	-	-
FEMALE--	2	5	15	29	37	47	26	17	5	-	-	-
ALL OTHER--MALE----	-	-	2	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	2	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
PENNSYLVANIA -----	13	25	57	111	155	183	130	75	22	3	1	-
WHITE-----MALE----	8	9	24	63	87	102	67	36	5	1	-	-
FEMALE--	3	13	26	45	61	74	60	36	16	2	1	-
ALL OTHER--MALE----	1	3	3	3	4	5	2	2	-	-	-	-
FEMALE--	1	-	4	-	3	2	1	1	1	-	-	-
BLACK---MALE----	1	3	3	3	4	5	2	2	-	-	-	-
FEMALE--	1	-	3	-	3	2	1	1	1	-	-	-
RHODE ISLAND -----	-	3	1	3	8	7	12	6	3	-	-	-
WHITE-----MALE----	-	2	-	2	4	4	3	4	2	-	-	-
FEMALE--	-	1	1	1	4	3	9	2	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	7	10	24	31	50	43	32	18	6	1	-	-
WHITE-----MALE----	6	5	13	20	24	26	19	10	2	1	-	-
FEMALE--	1	3	9	8	21	9	10	7	4	-	-	-
ALL OTHER--MALE----	-	1	1	2	3	6	1	-	-	-	-	-
FEMALE--	-	1	1	1	2	2	2	1	-	-	-	-
BLACK---MALE----	-	1	1	2	3	6	1	-	-	-	-	-
FEMALE--	-	-	1	1	2	2	2	1	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,988
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 EMPHYSEMA (492)												
SOUTH DAKOTA -----	-	2	2	10	9	10	15	8	2	-	-	-
WHITE-----MALE----	-	1	1	6	8	7	11	5	-	-	-	-
FEMALE--	-	1	1	4	1	3	4	3	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	10	27	37	54	63	81	52	27	10	-	-	-
WHITE-----MALE----	5	11	20	32	42	56	25	15	4	-	-	-
FEMALE--	5	15	14	20	18	23	24	9	5	-	-	-
ALL OTHER--MALE----	-	1	-	2	3	1	1	3	1	-	-	-
FEMALE--	-	-	3	-	-	1	2	-	-	-	-	-
BLACK---MALE----	-	1	-	2	3	1	1	3	1	-	-	-
FEMALE--	-	-	3	-	-	1	2	-	-	-	-	-
TEXAS -----	22	53	93	156	238	271	202	85	31	10	4	-
WHITE-----MALE----	8	20	54	89	133	147	119	46	18	5	-	-
FEMALE--	13	26	34	53	89	115	76	33	12	4	3	-
ALL OTHER--MALE----	1	4	4	8	10	6	4	5	-	1	-	-
FEMALE--	-	3	1	6	6	3	3	1	1	-	1	-
BLACK---MALE----	1	4	4	8	10	6	3	5	-	1	-	-
FEMALE--	-	3	1	6	4	3	3	1	1	-	1	-
UTAH -----	1	6	9	15	25	15	11	9	3	1	-	-
WHITE-----MALE----	1	1	4	7	15	9	7	5	1	1	-	-
FEMALE--	-	5	5	8	10	6	4	4	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	2	3	5	8	5	3	2	2	-	-	-
WHITE-----MALE----	-	1	1	3	3	2	1	2	-	-	-	-
FEMALE--	-	1	2	2	5	3	2	-	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	7	14	20	29	57	80	56	36	8	2	-	-
WHITE-----MALE----	4	5	11	16	21	33	19	18	3	1	-	-
FEMALE--	3	6	5	10	29	40	30	16	5	1	-	-
ALL OTHER--MALE----	-	2	2	2	4	4	5	2	-	-	-	-
FEMALE--	-	1	2	1	3	3	2	-	-	-	-	-
BLACK---MALE----	-	2	1	1	4	4	5	2	-	-	-	-
FEMALE--	-	1	2	1	3	3	2	-	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 1,990
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ASTHMA (493)												
0 UNITED STATES --	5,667	8	34	48	101	102	112	141	147	206	290	313
WHITE-----MALE----	1,426	2	4	16	30	24	29	34	29	47	56	77
FEMALE--	2,684	-	6	6	15	25	28	48	44	74	111	124
ALL OTHER--MALE----	649	5	16	17	29	34	32	30	35	40	51	43
FEMALE--	908	1	8	9	27	19	23	29	39	45	72	69
BLACK---MALE----	540	5	12	14	26	34	27	25	31	38	45	39
FEMALE--	785	1	8	8	25	17	21	28	34	43	64	60
ALABAMA -----	80	-	-	-	1	-	1	2	3	2	2	6
WHITE-----MALE----	12	-	-	-	-	-	-	-	-	1	-	3
FEMALE--	39	-	-	-	-	-	-	2	1	-	1	-
ALL OTHER--MALE----	10	-	-	-	1	-	-	-	1	-	-	2
FEMALE--	19	-	-	-	-	-	1	-	1	1	1	1
BLACK---MALE----	10	-	-	-	1	-	-	-	1	-	-	2
FEMALE--	19	-	-	-	-	-	1	-	1	1	1	1
ALASKA -----	8	-	-	-	-	-	-	-	1	1	1	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	1	1	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	122	-	-	1	1	4	1	4	4	4	6	2
WHITE-----MALE----	34	-	-	-	1	-	-	2	1	-	2	-
FEMALE--	83	-	-	1	-	4	1	2	2	4	2	2
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	1	-	2	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	2	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	46	-	-	1	-	1	2	1	1	2	1	-
WHITE-----MALE----	14	-	-	1	-	-	-	1	1	-	-	-
FEMALE--	16	-	-	-	-	1	-	-	-	1	-	-
ALL OTHER--MALE----	7	-	-	-	-	-	1	-	-	-	1	-
FEMALE--	9	-	-	-	-	-	1	-	-	1	-	-
BLACK---MALE----	7	-	-	-	-	-	1	-	-	-	1	-
FEMALE--	9	-	-	-	-	-	1	-	-	1	-	-
CALIFORNIA -----	666	1	2	8	11	10	12	13	21	20	26	41
WHITE-----MALE----	182	-	-	2	5	3	1	4	4	9	7	14
FEMALE--	290	-	-	1	-	5	4	3	9	5	10	13
ALL OTHER--MALE----	85	1	2	4	2	1	7	5	5	3	3	5
FEMALE--	109	-	-	1	4	1	-	1	3	3	6	9
BLACK---MALE----	37	1	1	4	1	1	4	3	3	2	1	3
FEMALE--	66	-	-	1	3	1	-	1	2	3	4	6

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,990
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ASTHMA (493)												
0 UNITED STATES --	336	374	442	494	601	620	557	432	220	77	10	2
WHITE-----MALE----	87	88	108	130	174	182	146	109	43	9	1	1
FEMALE--	135	165	198	238	305	335	341	274	145	59	7	1
ALL OTHER--MALE----	41	40	53	50	49	37	22	15	8	2	-	-
FEMALE--	73	81	83	76	73	66	48	34	24	7	2	-
BLACK---MALE----	38	33	43	37	32	29	14	11	5	2	-	-
FEMALE--	68	67	69	62	60	52	42	28	19	7	2	-
ALABAMA -----	5	5	9	8	10	12	6	5	3	-	-	-
WHITE-----MALE----	1	-	1	1	1	1	-	2	1	-	-	-
FEMALE--	3	1	5	5	6	7	4	3	1	-	-	-
ALL OTHER--MALE----	1	2	1	1	-	1	-	-	-	-	-	-
FEMALE--	-	2	2	1	3	3	2	-	1	-	-	-
BLACK---MALE----	1	2	1	1	-	1	-	-	-	-	-	-
FEMALE--	-	2	2	1	3	3	2	-	1	-	-	-
ALASKA -----	-	1	1	1	-	1	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	1	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	4	8	10	9	11	23	11	10	8	1	-	-
WHITE-----MALE----	1	3	3	4	2	7	5	3	-	-	-	-
FEMALE--	3	5	7	4	9	15	6	7	8	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ARKANSAS -----	2	2	5	9	6	5	5	1	2	-	-	-
WHITE-----MALE----	-	-	2	2	3	1	2	-	1	-	-	-
FEMALE--	-	-	2	2	2	3	3	1	1	-	-	-
ALL OTHER--MALE----	-	1	1	2	-	1	-	-	-	-	-	-
FEMALE--	2	1	-	3	1	-	-	-	-	-	-	-
BLACK---MALE----	-	1	1	2	-	1	-	-	-	-	-	-
FEMALE--	2	1	-	3	1	-	-	-	-	-	-	-
CALIFORNIA -----	39	42	51	57	84	70	69	54	22	12	-	1
WHITE-----MALE----	11	9	12	17	27	17	21	11	6	1	-	1
FEMALE--	18	16	19	26	38	36	35	35	9	8	-	-
ALL OTHER--MALE----	2	6	5	8	12	3	7	3	1	-	-	-
FEMALE--	8	11	15	6	7	14	6	5	6	3	-	-
BLACK---MALE----	1	3	3	-	4	1	1	-	-	-	-	-
FEMALE--	6	6	8	2	3	7	4	3	3	3	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,991
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ASTHMA (493)												
COLORADO -----	4	4	7	8	10	9	9	11	3	3	-	-
WHITE-----MALE----	1	2	4	3	3	3	2	3	1	1	-	-
FEMALE--	2	2	3	5	4	5	3	8	2	2	-	-
ALL OTHER--MALE----	1	-	-	-	2	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	4	-	-	-	-	-
BLACK---MALE----	1	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	3	-	-	-	-	-
CONNECTICUT -----	3	3	3	6	7	4	3	3	2	-	-	-
WHITE-----MALE----	1	-	1	1	1	1	1	1	1	-	-	-
FEMALE--	1	3	1	3	5	3	2	2	1	-	-	-
ALL OTHER--MALE----	-	-	1	1	1	-	-	-	-	-	-	-
FEMALE--	1	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	1	-	-	1	-	-	-	-	-	-	-	-
DELAWARE -----	1	-	1	3	1	3	-	2	-	1	-	-
WHITE-----MALE----	-	-	1	2	1	1	-	-	-	1	-	-
FEMALE--	1	-	-	1	-	2	-	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	2	-	1	2	1	1	2	3	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	2	-	1	-	2	1	-	-	-
FEMALE--	2	-	1	-	1	-	1	1	-	-	-	-
BLACK---MALE----	-	-	-	2	-	1	-	2	1	-	-	-
FEMALE--	2	-	-	-	1	-	1	1	-	-	-	-
FLORIDA -----	20	15	27	30	34	24	29	25	10	4	2	-
WHITE-----MALE----	4	4	10	9	15	6	4	7	1	-	-	-
FEMALE--	11	8	10	16	17	14	23	14	8	3	1	-
ALL OTHER--MALE----	4	2	3	3	-	2	1	2	-	1	-	-
FEMALE--	1	1	4	2	2	2	1	2	1	-	1	-
BLACK---MALE----	3	2	3	3	-	2	-	2	-	1	-	-
FEMALE--	1	1	4	2	2	2	1	1	1	-	1	-
GEORGIA -----	13	15	16	10	9	13	13	6	4	-	-	-
WHITE-----MALE----	1	3	3	2	1	4	4	2	-	-	-	-
FEMALE--	5	3	6	4	5	4	5	1	1	-	-	-
ALL OTHER--MALE----	3	-	4	1	1	2	-	-	-	-	-	-
FEMALE--	4	9	3	3	2	3	4	3	3	-	-	-
BLACK---MALE----	3	-	4	1	1	2	-	-	-	-	-	-
FEMALE--	3	9	3	2	2	3	3	3	3	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,992
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ASTHMA (493)												
HAWAII -----	-	3	6	2	2	1	3	1	2	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	2	-	-	-	2	-	-	-	-	-
ALL OTHER--MALE----	-	-	2	-	-	-	-	-	2	-	-	-
FEMALE--	-	2	2	2	2	1	1	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	-	1	3	1	1	7	4	4	1	-	-	-
WHITE-----MALE----	-	-	1	1	1	3	-	2	-	-	-	-
FEMALE--	-	-	2	-	-	4	4	2	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	18	15	15	27	30	20	25	12	2	2	-	-
WHITE-----MALE----	3	4	2	3	6	3	8	2	-	-	-	-
FEMALE--	4	5	7	13	17	10	14	9	1	1	-	-
ALL OTHER--MALE----	9	1	-	3	1	2	1	1	1	-	-	-
FEMALE--	2	5	6	8	6	5	2	-	-	1	-	-
BLACK---MALE----	9	1	-	3	1	1	1	1	1	-	-	-
FEMALE--	2	5	5	8	6	5	2	-	-	1	-	-
INDIANA -----	8	8	10	9	20	18	14	10	6	1	-	-
WHITE-----MALE----	2	2	1	2	8	5	4	5	1	1	-	-
FEMALE--	3	4	4	6	8	9	10	5	5	-	-	-
ALL OTHER--MALE----	-	1	2	1	1	2	-	-	-	-	-	-
FEMALE--	3	1	3	-	3	2	-	-	-	-	-	-
BLACK---MALE----	-	1	2	1	1	2	-	-	-	-	-	-
FEMALE--	3	1	3	-	3	2	-	-	-	-	-	-
IOWA -----	2	2	2	8	8	4	13	10	7	2	-	-
WHITE-----MALE----	-	1	-	3	1	1	3	2	1	-	-	-
FEMALE--	2	1	2	5	5	3	10	8	6	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	2	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
KANSAS -----	1	4	4	5	4	6	6	3	2	1	1	-
WHITE-----MALE----	1	1	2	1	1	3	1	1	-	-	-	-
FEMALE--	-	3	1	4	2	2	3	2	2	1	1	-
ALL OTHER--MALE----	-	-	1	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	2	-	-	-	-	-
BLACK---MALE----	-	-	1	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 1,993
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ASTHMA (493)												
KENTUCKY -----	70	1	-	-	3	3	-	2	4	-	3	4
WHITE-----MALE----	19	1	-	-	1	2	-	1	-	-	1	1
FEMALE--	39	-	-	-	1	1	-	1	1	-	1	2
ALL OTHER--MALE----	5	-	-	-	1	-	-	-	2	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	1	-	1	1
BLACK---MALE----	5	-	-	-	1	-	-	-	2	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	1	-	1	1
LOUISIANA -----	99	1	4	1	2	2	1	3	1	2	8	3
WHITE-----MALE----	18	1	-	-	-	-	-	-	1	-	3	-
FEMALE--	36	-	-	-	1	1	1	1	-	1	1	1
ALL OTHER--MALE----	16	-	2	-	1	1	-	1	-	-	2	2
FEMALE--	29	-	2	1	-	-	-	1	-	1	2	-
BLACK---MALE----	16	-	2	-	1	1	-	1	-	-	2	2
FEMALE--	28	-	2	-	-	-	-	1	-	1	2	-
MAINE -----	27	-	-	-	-	-	-	2	1	1	1	-
WHITE-----MALE----	8	-	-	-	-	-	-	1	1	-	-	-
FEMALE--	19	-	-	-	-	-	-	1	-	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	151	1	1	2	1	2	4	4	6	7	11	13
WHITE-----MALE----	29	-	-	-	-	-	1	-	1	-	-	3
FEMALE--	50	-	-	-	-	-	-	2	1	1	3	1
ALL OTHER--MALE----	29	1	-	-	1	-	2	2	2	2	1	4
FEMALE--	43	-	1	2	-	2	1	-	2	4	7	5
BLACK---MALE----	27	1	-	-	1	-	2	2	2	2	1	4
FEMALE--	39	-	1	2	-	1	1	-	2	4	6	5
MASSACHUSETTS -----	118	-	3	-	1	1	4	4	3	5	8	8
WHITE-----MALE----	30	-	1	-	-	-	2	1	2	1	3	2
FEMALE--	71	-	1	-	-	1	-	2	-	2	4	6
ALL OTHER--MALE----	11	-	1	-	1	-	1	-	1	1	1	-
FEMALE--	6	-	-	-	-	-	1	1	-	1	-	-
BLACK---MALE----	7	-	-	-	1	-	-	-	1	1	1	-
FEMALE--	2	-	-	-	-	-	-	-	-	1	-	-
MICHIGAN -----	191	-	1	2	5	10	5	4	6	10	14	17
WHITE-----MALE----	42	-	-	-	-	2	1	-	-	2	1	3
FEMALE--	86	-	-	-	1	2	-	2	3	4	4	5
ALL OTHER--MALE----	28	-	1	1	2	5	1	1	1	1	4	4
FEMALE--	35	-	-	1	2	1	3	1	2	3	5	5
BLACK---MALE----	27	-	1	-	2	5	1	1	1	1	4	4
FEMALE--	33	-	-	1	2	1	3	1	2	3	4	5

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,993
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 ASTHMA (493)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
KENTUCKY -----	8	3	2	7	8	7	6	5	3	1	-	-
WHITE-----MALE----	2	-	2	1	2	3	1	1	-	-	-	-
FEMALE--	5	1	-	6	5	4	5	3	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	1	-	-	-	-
FEMALE--	1	2	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	1	-	-	-	-
FEMALE--	1	2	-	-	-	-	-	-	1	-	-	-
LOUISIANA -----	7	8	8	12	10	6	9	6	4	1	-	-
WHITE-----MALE----	2	3	2	-	2	2	1	-	1	-	-	-
FEMALE--	1	2	2	6	2	3	6	4	2	1	-	-
ALL OTHER--MALE----	1	1	1	1	3	-	-	-	-	-	-	-
FEMALE--	3	2	3	5	3	1	2	2	1	-	-	-
BLACK---MALE----	1	1	1	1	3	-	-	-	-	-	-	-
FEMALE--	3	2	3	5	3	1	2	2	1	-	-	-
MAINE -----	1	2	1	2	4	2	2	6	-	1	1	-
WHITE-----MALE----	-	-	-	-	-	-	2	4	-	-	-	-
FEMALE--	1	2	1	2	4	2	-	2	-	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	11	11	15	13	12	7	13	6	8	2	-	1
WHITE-----MALE----	2	2	3	3	5	1	5	1	2	-	-	-
FEMALE--	2	4	7	7	2	5	5	4	3	2	-	1
ALL OTHER--MALE----	2	2	3	2	3	-	1	-	1	-	-	-
FEMALE--	5	3	2	1	2	1	2	1	2	-	-	-
BLACK---MALE----	2	2	3	2	1	-	1	-	1	-	-	-
FEMALE--	5	3	2	-	2	1	2	1	1	-	-	-
MASSACHUSETTS -----	8	3	12	5	7	11	11	17	5	2	-	-
WHITE-----MALE----	4	2	1	1	3	2	-	5	-	-	-	-
FEMALE--	3	1	10	4	3	8	10	9	5	2	-	-
ALL OTHER--MALE----	-	-	1	-	1	-	1	2	-	-	-	-
FEMALE--	1	-	-	-	-	1	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	2	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	9	18	6	14	17	12	16	12	8	5	-	-
WHITE-----MALE----	4	6	1	1	6	3	6	4	2	-	-	-
FEMALE--	3	8	2	8	8	8	10	7	6	5	-	-
ALL OTHER--MALE----	-	3	1	2	-	1	-	-	-	-	-	-
FEMALE--	2	1	2	3	3	-	-	1	-	-	-	-
BLACK---MALE----	-	3	1	2	-	1	-	-	-	-	-	-
FEMALE--	2	1	2	2	3	-	-	1	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,994
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 ASTHMA (493)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
MINNESOTA -----	7	1	7	6	8	22	16	15	7	2	1	-
WHITE-----MALE----	2	-	1	4	5	8	2	5	1	-	-	-
FEMALE--	5	1	5	2	3	14	14	10	6	2	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
MISSISSIPPI -----	7	4	5	7	8	4	8	4	1	-	-	-
WHITE-----MALE----	1	-	2	2	1	2	2	-	-	-	-	-
FEMALE--	3	1	-	2	5	1	2	3	1	-	-	-
ALL OTHER--MALE----	1	-	1	1	-	-	2	-	-	-	-	-
FEMALE--	2	3	2	2	2	1	2	1	-	-	-	-
BLACK---MALE----	1	-	1	1	-	-	2	-	-	-	-	-
FEMALE--	2	3	2	2	2	1	2	1	-	-	-	-
MISSOURI -----	2	10	4	7	11	19	13	9	3	3	-	-
WHITE-----MALE----	1	3	2	-	2	8	2	3	-	1	-	-
FEMALE--	-	5	1	6	6	11	8	6	3	2	-	-
ALL OTHER--MALE----	-	1	-	-	2	-	-	-	-	-	-	-
FEMALE--	1	1	1	1	1	-	3	-	-	-	-	-
BLACK---MALE----	-	1	-	-	2	-	-	-	-	-	-	-
FEMALE--	1	1	1	1	1	-	3	-	-	-	-	-
MONTANA -----	-	2	-	4	2	3	2	2	-	-	-	-
WHITE-----MALE----	-	1	-	3	1	2	-	-	-	-	-	-
FEMALE--	-	1	-	1	1	1	2	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	-	5	2	8	7	4	8	9	5	-	-	-
WHITE-----MALE----	-	1	1	4	3	2	4	5	1	-	-	-
FEMALE--	-	2	1	3	4	2	4	4	4	-	-	-
ALL OTHER--MALE----	-	1	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
NEVADA -----	-	-	6	2	3	5	3	2	-	-	-	-
WHITE-----MALE----	-	-	1	-	3	2	-	-	-	-	-	-
FEMALE--	-	-	4	2	-	2	3	2	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 1,996
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ASTHMA (493)												
OHIO -----	201	-	-	3	5	3	7	6	6	11	14	10
WHITE-----MALE----	48	-	-	-	1	2	2	-	1	2	5	3
FEMALE--	105	-	-	1	1	-	2	3	1	5	5	4
ALL OTHER--MALE----	22	-	-	1	2	1	2	1	3	1	1	-
FEMALE--	26	-	-	1	1	-	1	2	1	3	3	3
BLACK---MALE----	19	-	-	1	2	1	1	1	3	1	1	-
FEMALE--	25	-	-	1	1	-	1	2	1	3	3	2
OKLAHOMA -----	73	-	-	1	3	1	1	2	-	5	2	2
WHITE-----MALE----	18	-	-	1	-	-	-	-	-	1	1	-
FEMALE--	38	-	-	-	-	-	-	2	-	2	-	1
ALL OTHER--MALE----	9	-	-	-	2	1	1	-	-	-	1	1
FEMALE--	8	-	-	-	1	-	-	-	-	2	-	-
BLACK---MALE----	7	-	-	-	1	1	1	-	-	-	1	1
FEMALE--	5	-	-	-	1	-	-	-	-	2	-	-
OREGON -----	87	-	-	-	-	1	2	2	3	2	3	-
WHITE-----MALE----	36	-	-	-	-	-	2	1	-	1	-	-
FEMALE--	48	-	-	-	-	1	-	1	3	1	2	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
PENNSYLVANIA -----	226	-	1	2	3	4	1	5	2	7	14	14
WHITE-----MALE----	49	-	-	-	2	1	-	1	-	1	4	4
FEMALE--	131	-	-	1	-	1	-	1	1	4	4	8
ALL OTHER--MALE----	22	-	1	1	-	1	-	2	1	1	3	1
FEMALE--	24	-	-	-	1	1	1	1	-	1	3	1
BLACK---MALE----	20	-	1	1	-	1	-	2	1	1	2	1
FEMALE--	24	-	-	-	1	1	1	1	-	1	3	1
RHODE ISLAND -----	14	-	-	-	-	-	-	-	-	-	-	1
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	13	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	104	-	-	2	1	-	1	4	-	2	4	4
WHITE-----MALE----	17	-	-	1	-	-	-	1	-	-	-	-
FEMALE--	45	-	-	-	-	-	-	1	-	-	2	2
ALL OTHER--MALE----	10	-	-	1	1	-	-	1	-	-	-	-
FEMALE--	32	-	-	-	-	-	1	1	-	2	2	2
BLACK---MALE----	10	-	-	1	1	-	-	1	-	-	-	-
FEMALE--	32	-	-	-	-	-	1	1	-	2	2	2

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,996
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ASTHMA (493)												
OHIO -----	10	12	11	9	18	30	20	13	10	2	1	-
WHITE-----MALE----	2	1	2	3	3	10	5	2	3	-	1	-
FEMALE--	4	10	7	2	13	17	14	10	5	1	-	-
ALL OTHER--MALE----	4	1	-	3	1	-	-	-	1	-	-	-
FEMALE--	-	-	2	1	1	3	1	1	1	1	-	-
BLACK---MALE----	3	1	-	3	-	-	-	-	1	-	-	-
FEMALE--	-	-	2	1	1	3	1	1	1	1	-	-
OKLAHOMA -----	8	3	6	4	8	11	5	5	6	-	-	-
WHITE-----MALE----	3	1	1	1	3	4	-	1	1	-	-	-
FEMALE--	3	2	2	3	4	6	4	4	5	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	1	-	-	-	-	-	-
FEMALE--	2	-	2	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	1	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	4	3	4	5	7	16	20	11	3	1	-	-
WHITE-----MALE----	1	1	2	4	4	9	6	5	-	-	-	-
FEMALE--	2	2	2	1	3	7	14	6	2	1	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	9	15	13	24	31	31	20	20	6	3	1	-
WHITE-----MALE----	-	2	3	5	3	11	6	5	1	-	-	-
FEMALE--	3	9	9	16	24	16	13	13	5	3	-	-
ALL OTHER--MALE----	2	2	-	1	2	2	1	1	-	-	-	-
FEMALE--	4	2	1	2	2	2	-	1	-	-	1	-
BLACK---MALE----	2	2	-	1	2	2	1	-	-	-	-	-
FEMALE--	4	2	1	2	2	2	-	1	-	-	1	-
RHODE ISLAND -----	1	2	1	2	-	1	3	1	2	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	1	2	-	1	3	1	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	12	8	8	16	17	6	12	2	5	-	-	-
WHITE-----MALE----	1	-	2	2	5	-	4	-	1	-	-	-
FEMALE--	5	5	3	6	8	4	5	1	3	-	-	-
ALL OTHER--MALE----	2	1	1	1	1	-	1	-	-	-	-	-
FEMALE--	4	2	2	7	3	2	2	1	1	-	-	-
BLACK---MALE----	2	1	1	1	1	-	1	-	-	-	-	-
FEMALE--	4	2	2	7	3	2	2	1	1	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 1,997
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ASTHMA (493)												
SOUTH DAKOTA -----	18	-	-	1	-	-	-	-	-	-	2	-
WHITE-----MALE----	7	-	-	1	-	-	-	-	-	-	1	-
FEMALE--	10	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	114	-	-	1	4	1	7	3	3	3	5	4
WHITE-----MALE----	22	-	-	-	1	1	1	-	-	1	1	-
FEMALE--	49	-	-	-	-	-	2	3	-	1	1	1
ALL OTHER--MALE----	20	-	-	1	2	-	2	-	1	1	1	1
FEMALE--	23	-	-	-	1	-	2	-	2	-	2	2
BLACK---MALE----	19	-	-	1	2	-	2	-	1	1	1	1
FEMALE--	22	-	-	-	1	-	1	-	2	-	2	2
TEXAS -----	376	-	3	7	8	7	6	5	13	16	15	19
WHITE-----MALE----	100	-	2	5	2	1	3	-	5	3	-	5
FEMALE--	170	-	-	-	1	-	1	1	1	6	6	7
ALL OTHER--MALE----	48	-	-	2	4	4	-	2	2	4	6	3
FEMALE--	58	-	1	-	1	2	2	2	5	3	3	4
BLACK---MALE----	43	-	-	2	4	4	-	2	2	4	5	3
FEMALE--	54	-	1	-	1	2	2	2	5	3	3	4
UTAH -----	34	-	-	-	3	-	-	1	1	1	-	2
WHITE-----MALE----	14	-	-	-	-	-	-	1	-	-	-	1
FEMALE--	18	-	-	-	3	-	-	-	1	1	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	7	-	-	-	-	-	-	-	-	-	-	2
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	125	-	1	-	1	3	2	3	3	6	9	9
WHITE-----MALE----	28	-	-	-	-	-	-	1	-	1	2	3
FEMALE--	55	-	-	-	-	2	1	-	2	3	2	2
ALL OTHER--MALE----	22	-	1	-	1	1	1	1	1	1	1	1
FEMALE--	20	-	-	-	-	-	-	1	-	1	4	3
BLACK---MALE----	20	-	1	-	1	1	1	1	1	1	1	1
FEMALE--	17	-	-	-	-	-	-	1	-	1	3	3

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,997
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ASTHMA (493)												
SOUTH DAKOTA -----	-	-	1	1	3	2	4	2	1	1	-	-
WHITE-----MALE----	-	-	-	1	1	1	1	-	1	-	-	-
FEMALE--	-	-	1	-	2	-	3	2	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	5	4	14	12	15	11	12	8	2	-	-	-
WHITE-----MALE----	1	-	1	3	4	4	3	-	1	-	-	-
FEMALE--	2	2	7	5	7	6	5	6	1	-	-	-
ALL OTHER--MALE----	-	-	3	3	2	-	3	-	-	-	-	-
FEMALE--	2	2	3	1	2	1	1	2	-	-	-	-
BLACK---MALE----	-	-	3	3	2	-	2	-	-	-	-	-
FEMALE--	2	2	3	1	2	1	1	2	-	-	-	-
TEXAS -----	17	32	27	29	36	47	33	31	18	7	-	-
WHITE-----MALE----	5	12	7	6	10	13	11	6	2	2	-	-
FEMALE--	6	14	11	12	21	24	20	20	15	4	-	-
ALL OTHER--MALE----	2	2	3	5	4	5	-	-	-	-	-	-
FEMALE--	4	4	6	6	1	5	2	5	1	1	-	-
BLACK---MALE----	2	2	3	3	4	3	-	-	-	-	-	-
FEMALE--	4	4	6	4	1	3	2	5	1	1	-	-
UTAH -----	-	-	-	1	7	3	5	4	5	1	-	-
WHITE-----MALE----	-	-	-	1	3	1	2	2	3	-	-	-
FEMALE--	-	-	-	-	3	2	3	2	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	1	3	-	-	-	-	-	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	3	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	9	16	6	11	9	14	8	10	4	1	-	-
WHITE-----MALE----	1	5	3	4	-	2	1	4	1	-	-	-
FEMALE--	6	3	2	6	6	7	5	6	1	1	-	-
ALL OTHER--MALE----	1	4	1	-	1	3	2	-	1	-	-	-
FEMALE--	1	4	-	1	2	2	-	-	1	-	-	-
BLACK---MALE----	1	4	-	-	-	3	2	-	1	-	-	-
FEMALE--	1	3	-	1	1	2	-	-	1	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 1,999
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 BRONCHIECTASIS AND EXTRINSIC ALLERGIC ALVEOLITIS (494-495)												
0 UNITED STATES --	1,167	-	2	-	1	1	2	1	4	9	9	23
WHITE-----MALE----	337	-	1	-	-	1	1	1	2	2	4	9
FEMALE--	747	-	1	-	-	-	-	-	1	5	2	9
ALL OTHER--MALE----	31	-	-	-	-	-	-	-	-	2	1	2
FEMALE--	52	-	-	-	1	-	1	-	1	-	2	3
BLACK---MALE----	20	-	-	-	-	-	-	-	-	1	1	1
FEMALE--	23	-	-	-	1	-	1	-	1	-	2	1
ALABAMA -----	18	-	-	-	-	-	-	-	-	-	2	-
WHITE-----MALE----	6	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
ALASKA -----	2	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	40	-	-	-	-	-	-	-	-	-	-	3
WHITE-----MALE----	13	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	25	-	-	-	-	-	-	-	-	-	-	2
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	8	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	128	-	-	-	-	-	1	-	3	-	2	3
WHITE-----MALE----	34	-	-	-	-	-	1	-	1	-	2	2
FEMALE--	77	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	12	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	1	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,999
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 BRONCHIECTASIS AND EXTRINSIC ALLERGIC ALVEOLITIS (494-495)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 UNITED STATES --	23	43	54	79	160	217	254	176	83	22	4	-
WHITE-----MALE----	12	12	19	27	49	68	67	37	18	5	2	-
FEMALE--	8	23	30	46	99	137	178	129	62	15	2	-
ALL OTHER--MALE----	1	6	3	4	2	4	3	2	1	-	-	-
FEMALE--	2	2	2	2	10	8	6	8	2	2	-	-
BLACK---MALE----	1	2	3	4	-	1	3	2	1	-	-	-
FEMALE--	2	-	-	1	3	3	4	3	1	-	-	-
ALABAMA -----	-	1	2	1	-	4	2	5	1	-	-	-
WHITE-----MALE----	-	-	1	1	-	2	-	1	-	-	-	-
FEMALE--	-	1	-	-	-	2	2	3	1	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA -----	-	-	-	-	1	-	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	-	1	-	5	5	9	10	6	-	1	-	-
WHITE-----MALE----	-	-	-	-	3	4	3	2	-	-	-	-
FEMALE--	-	1	-	5	1	4	7	4	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	-	-	-	1	1	1	3	-	2	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	2	-	1	-	-	-
FEMALE--	-	-	-	1	1	-	1	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	4	4	4	6	19	20	26	22	8	6	-	-
WHITE-----MALE----	2	1	-	3	5	5	6	2	3	1	-	-
FEMALE--	2	-	3	3	11	13	18	18	4	4	-	-
ALL OTHER--MALE----	-	2	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	1	1	-	2	1	2	2	1	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 2,000
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 BRONCHIECTASIS AND EXTRINSIC ALLERGIC ALVEOLITIS (494-495)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
COLORADO -----	-	-	1	3	1	2	3	1	-	-	-	-
WHITE-----MALE----	-	-	-	1	-	1	2	-	-	-	-	-
FEMALE--	-	-	1	2	1	1	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	1	-	3	1	-	1	1	1	-	-	-	-
WHITE-----MALE----	1	-	2	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	1	1	-	-	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	-	-	-	2	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	-	-	1	-	1	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
FLORIDA -----	2	1	2	4	14	21	20	18	9	3	1	-
WHITE-----MALE----	2	1	-	2	4	6	5	5	2	1	1	-
FEMALE--	-	-	2	1	10	15	14	13	7	2	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
GEORGIA -----	1	1	2	3	2	5	3	3	1	1	-	-
WHITE-----MALE----	1	1	1	2	-	3	2	-	-	-	-	-
FEMALE--	-	-	1	1	2	2	-	3	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 2,008
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 CHRONIC AIRWAYS OBSTRUCTION, NOT ELSEWHERE CLASSIFIED (496)												
0 UNITED STATES --	78,756	1	3	2	1	3	7	5	16	58	164	454
WHITE-----MALE----	37,874	-	1	-	-	2	3	1	6	31	75	195
FEMALE--	35,675	1	-	1	1	-	3	-	5	19	59	165
ALL OTHER--MALE----	3,172	-	2	1	-	-	-	2	3	3	16	52
FEMALE--	2,035	-	-	-	-	1	1	2	2	5	14	42
BLACK---MALE----	2,684	-	2	1	-	-	-	2	3	3	16	51
FEMALE--	1,776	-	-	-	-	1	1	2	1	5	14	42
ALABAMA -----	1,362	-	-	-	-	-	1	-	-	4	5	12
WHITE-----MALE----	681	-	-	-	-	-	-	-	-	4	2	5
FEMALE--	503	-	-	-	-	-	1	-	-	-	3	4
ALL OTHER--MALE----	111	-	-	-	-	-	-	-	-	-	-	3
FEMALE--	67	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	110	-	-	-	-	-	-	-	-	-	-	3
FEMALE--	65	-	-	-	-	-	-	-	-	-	-	-
ALASKA -----	84	-	-	-	-	-	-	-	-	-	-	1
WHITE-----MALE----	27	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	38	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	10	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	1,527	-	-	-	-	-	-	-	-	1	-	6
WHITE-----MALE----	774	-	-	-	-	-	-	-	-	-	-	3
FEMALE--	726	-	-	-	-	-	-	-	-	1	-	3
ALL OTHER--MALE----	20	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	11	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	855	-	-	-	-	-	-	-	1	2	3	6
WHITE-----MALE----	448	-	-	-	-	-	-	-	-	2	3	4
FEMALE--	353	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	46	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	8	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	46	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	6	-	-	-	-	-	-	-	1	-	-	-
CALIFORNIA -----	8,136	1	-	-	-	-	1	-	1	7	25	52
WHITE-----MALE----	3,538	-	-	-	-	-	-	-	-	3	5	19
FEMALE--	3,884	1	-	-	-	-	1	-	-	2	14	17
ALL OTHER--MALE----	445	-	-	-	-	-	-	-	-	-	4	11
FEMALE--	269	-	-	-	-	-	-	-	1	2	2	5
BLACK---MALE----	208	-	-	-	-	-	-	-	-	-	4	11
FEMALE--	174	-	-	-	-	-	-	-	-	2	2	5

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 2,008
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 CHRONIC AIRWAYS OBSTRUCTION, NOT ELSEWHERE CLASSIFIED (496)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 UNITED STATES --	1,086	2,281	4,637	8,833	13,499	16,302	15,163	10,291	4,526	1,239	175	10
WHITE-----MALE----	519	1,078	2,256	4,389	6,622	8,117	7,422	4,725	1,932	458	40	2
FEMALE--	450	955	1,949	3,774	5,965	7,233	6,920	5,020	2,344	699	108	4
ALL OTHER--MALE----	66	158	274	413	548	620	533	305	134	28	11	3
FEMALE--	51	90	158	257	364	332	288	241	116	54	16	1
BLACK---MALE----	63	144	245	358	466	502	438	255	99	23	10	3
FEMALE--	48	84	142	226	329	286	236	201	96	47	14	1
ALABAMA -----	24	56	85	190	211	285	252	141	69	25	2	-
WHITE-----MALE----	14	27	48	102	113	146	129	66	21	4	-	-
FEMALE--	5	21	23	66	76	105	94	52	37	15	1	-
ALL OTHER--MALE----	3	5	7	15	17	18	21	13	7	2	-	-
FEMALE--	2	3	7	7	5	16	8	10	4	4	1	-
BLACK---MALE----	3	5	7	15	17	18	20	13	7	2	-	-
FEMALE--	2	3	7	6	5	15	8	10	4	4	1	-
ALASKA -----	1	6	3	14	18	18	10	6	6	1	-	-
WHITE-----MALE----	1	2	1	5	8	4	1	3	2	-	-	-
FEMALE--	-	1	2	6	8	9	6	3	1	1	-	-
ALL OTHER--MALE----	-	3	-	1	2	1	1	-	2	-	-	-
FEMALE--	-	-	-	2	-	4	2	-	1	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ARIZONA -----	19	35	96	169	278	329	310	192	73	16	3	-
WHITE-----MALE----	14	17	57	79	142	184	149	87	36	3	3	-
FEMALE--	5	16	38	86	129	139	157	103	36	13	-	-
ALL OTHER--MALE----	-	2	1	4	5	4	2	1	1	-	-	-
FEMALE--	-	-	-	-	2	2	2	1	-	-	-	-
BLACK---MALE----	-	2	1	2	4	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	2	-	-	-	-	-
ARKANSAS -----	17	25	58	102	159	183	142	100	41	16	-	-
WHITE-----MALE----	9	9	33	57	82	91	82	50	22	4	-	-
FEMALE--	8	14	21	40	66	78	53	42	18	12	-	-
ALL OTHER--MALE----	-	2	2	4	10	11	7	8	1	-	-	-
FEMALE--	-	-	2	1	1	3	-	-	-	-	-	-
BLACK---MALE----	-	2	2	4	10	11	7	8	1	-	-	-
FEMALE--	-	-	2	1	1	1	-	-	-	-	-	-
CALIFORNIA -----	103	217	424	805	1,309	1,729	1,652	1,126	529	136	18	1
WHITE-----MALE----	42	94	189	388	562	778	718	485	203	46	6	-
FEMALE--	47	94	184	339	608	826	809	561	292	77	11	1
ALL OTHER--MALE----	3	20	29	53	85	90	82	42	19	6	1	-
FEMALE--	11	9	22	25	54	35	43	38	15	7	-	-
BLACK---MALE----	3	14	19	24	46	32	33	13	4	4	1	-
FEMALE--	11	5	17	18	38	22	20	22	8	4	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 2,009
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
 CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
 0 CHRONIC AIRWAYS OBSTRUCTION, NOT ELSEWHERE CLASSIFIED (496)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
COLORADO -----	1,294	-	-	-	-	-	-	-	-	1	1	5
WHITE-----MALE----	685	-	-	-	-	-	-	-	-	-	1	3
FEMALE--	582	-	-	-	-	-	-	-	-	1	-	2
ALL OTHER--MALE----	16	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	11	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	11	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	952	-	-	-	-	-	-	-	1	-	4	7
WHITE-----MALE----	442	-	-	-	-	-	-	-	-	-	3	5
FEMALE--	490	-	-	-	-	-	-	-	1	-	-	1
ALL OTHER--MALE----	10	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	10	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	9	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	10	-	-	-	-	-	-	-	-	-	1	-
DELAWARE -----	205	-	-	-	-	-	-	-	-	-	-	1
WHITE-----MALE----	94	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	90	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	13	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	13	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	108	-	-	-	-	-	-	-	1	-	-	1
WHITE-----MALE----	12	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	29	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	40	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	27	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	40	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	27	-	-	-	-	-	-	-	-	-	-	1
FLORIDA -----	5,783	-	-	-	-	-	2	-	1	4	14	23
WHITE-----MALE----	2,752	-	-	-	-	-	1	-	1	2	7	8
FEMALE--	2,747	-	-	-	-	-	-	-	-	1	5	10
ALL OTHER--MALE----	179	-	-	-	-	-	-	-	-	1	1	4
FEMALE--	105	-	-	-	-	-	1	-	-	-	1	1
BLACK---MALE----	173	-	-	-	-	-	-	-	-	1	1	4
FEMALE--	102	-	-	-	-	-	1	-	-	-	1	1
GEORGIA -----	1,858	-	-	-	-	-	-	1	1	1	7	16
WHITE-----MALE----	858	-	-	-	-	-	-	-	1	-	6	8
FEMALE--	755	-	-	-	-	-	-	-	-	-	-	5
ALL OTHER--MALE----	183	-	-	-	-	-	-	-	-	1	1	3
FEMALE--	62	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	181	-	-	-	-	-	-	-	-	1	1	3
FEMALE--	59	-	-	-	-	-	-	1	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 2,009
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 CHRONIC AIRWAYS OBSTRUCTION, NOT ELSEWHERE CLASSIFIED (496)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
COLORADO -----	6	29	70	159	215	284	279	154	74	16	1	-
WHITE-----MALE----	3	13	33	91	105	157	148	83	40	8	-	-
FEMALE--	3	16	33	66	103	119	127	69	34	8	1	-
ALL OTHER--MALE----	-	-	3	1	3	6	1	2	-	-	-	-
FEMALE--	-	-	1	1	4	2	3	-	-	-	-	-
BLACK---MALE----	-	-	2	1	2	3	1	2	-	-	-	-
FEMALE--	-	-	1	1	3	2	1	-	-	-	-	-
CONNECTICUT -----	5	17	41	93	149	199	197	165	55	17	2	-
WHITE-----MALE----	4	6	15	54	63	90	92	81	19	9	1	-
FEMALE--	1	9	23	37	86	103	104	83	34	7	1	-
ALL OTHER--MALE----	-	1	2	-	-	4	1	-	1	-	-	-
FEMALE--	-	1	1	2	-	2	-	1	1	1	-	-
BLACK---MALE----	-	1	2	-	-	3	1	-	1	-	-	-
FEMALE--	-	1	1	2	-	2	-	1	1	1	-	-
DELAWARE -----	3	13	16	19	35	37	35	31	12	3	-	-
WHITE-----MALE----	1	3	7	10	17	19	14	19	4	-	-	-
FEMALE--	2	6	7	8	15	13	18	11	6	3	-	-
ALL OTHER--MALE----	-	2	1	-	2	5	2	-	1	-	-	-
FEMALE--	-	2	1	1	1	-	1	1	1	-	-	-
BLACK---MALE----	-	2	1	-	2	5	2	-	1	-	-	-
FEMALE--	-	2	1	1	1	-	1	1	1	-	-	-
DISTRICT OF COLUMBIA ----	2	5	6	8	24	19	14	19	7	2	-	-
WHITE-----MALE----	-	-	1	2	5	1	2	1	-	-	-	-
FEMALE--	-	-	1	-	4	7	6	5	4	1	-	-
ALL OTHER--MALE----	1	4	1	4	7	8	6	7	2	-	-	-
FEMALE--	1	1	3	2	8	3	-	6	1	1	-	-
BLACK---MALE----	1	4	1	4	7	8	6	7	2	-	-	-
FEMALE--	1	1	3	2	8	3	-	6	1	1	-	-
FLORIDA -----	61	134	312	604	953	1,177	1,164	849	368	98	16	3
WHITE-----MALE----	30	68	170	290	453	586	554	382	164	30	5	1
FEMALE--	25	50	111	273	453	539	571	439	196	63	10	1
ALL OTHER--MALE----	3	12	23	28	33	34	22	11	5	1	-	1
FEMALE--	3	4	8	13	14	18	17	17	3	4	1	-
BLACK---MALE----	3	12	21	28	30	33	22	11	5	1	-	1
FEMALE--	3	4	8	13	14	17	17	15	3	4	1	-
GEORGIA -----	37	82	133	260	347	386	315	191	63	13	5	-
WHITE-----MALE----	16	38	61	133	173	182	134	70	34	2	-	-
FEMALE--	14	33	55	93	133	165	139	89	19	8	2	-
ALL OTHER--MALE----	4	11	14	25	31	31	32	24	5	-	1	-
FEMALE--	3	-	3	9	10	8	10	8	5	3	2	-
BLACK---MALE----	4	11	14	25	30	30	32	24	5	-	1	-
FEMALE--	3	-	3	9	10	7	9	8	4	3	2	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 2,010
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
0 CHRONIC AIRWAYS OBSTRUCTION, NOT ELSEWHERE CLASSIFIED (496)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
HAWAII -----	152	-	-	-	-	-	-	-	-	-	-	1
WHITE-----MALE----	34	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	29	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	59	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	30	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	352	-	-	-	-	-	-	-	-	-	2	1
WHITE-----MALE----	213	-	-	-	-	-	-	-	-	-	2	-
FEMALE--	138	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	3,100	-	1	-	-	-	-	-	-	4	4	23
WHITE-----MALE----	1,412	-	-	-	-	-	-	-	-	2	3	6
FEMALE--	1,429	-	-	-	-	-	-	-	-	1	-	10
ALL OTHER--MALE----	147	-	1	-	-	-	-	-	-	1	-	1
FEMALE--	112	-	-	-	-	-	-	-	-	-	1	6
BLACK---MALE----	134	-	1	-	-	-	-	-	-	1	-	1
FEMALE--	107	-	-	-	-	-	-	-	-	-	1	6
INDIANA -----	1,930	-	-	-	1	-	-	-	-	3	2	15
WHITE-----MALE----	958	-	-	-	-	-	-	-	-	2	1	7
FEMALE--	903	-	-	-	1	-	-	-	-	1	1	6
ALL OTHER--MALE----	34	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	35	-	-	-	-	-	-	-	-	-	-	2
BLACK---MALE----	34	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	34	-	-	-	-	-	-	-	-	-	-	2
IOWA -----	1,041	-	-	-	-	-	-	-	-	2	1	3
WHITE-----MALE----	603	-	-	-	-	-	-	-	-	2	-	2
FEMALE--	430	-	-	-	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
KANSAS -----	890	-	-	-	-	-	-	-	-	1	3	5
WHITE-----MALE----	489	-	-	-	-	-	-	-	-	-	2	2
FEMALE--	377	-	-	-	-	-	-	-	-	-	1	2
ALL OTHER--MALE----	16	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	8	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	14	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	6	-	-	-	-	-	-	-	-	1	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 2,010
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 CHRONIC AIRWAYS OBSTRUCTION, NOT ELSEWHERE CLASSIFIED (496)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
HAWAII -----	2	3	4	10	26	40	30	23	12	1	-	-
WHITE-----MALE----	-	2	-	1	7	11	6	5	2	-	-	-
FEMALE--	-	-	-	2	5	8	4	5	4	-	-	-
ALL OTHER--MALE----	1	-	2	4	11	11	16	9	5	-	-	-
FEMALE--	1	1	2	3	3	10	4	4	1	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
IDAHO -----	6	5	18	39	59	87	74	40	19	2	-	-
WHITE-----MALE----	2	4	12	25	36	47	49	24	11	1	-	-
FEMALE--	4	1	6	14	23	40	24	16	8	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	45	106	186	333	520	684	599	349	196	42	8	-
WHITE-----MALE----	22	48	90	158	254	314	288	140	75	11	1	-
FEMALE--	20	46	70	142	220	325	272	185	105	28	5	-
ALL OTHER--MALE----	1	8	17	19	29	28	22	12	5	1	2	-
FEMALE--	2	4	9	14	17	17	17	12	11	2	-	-
BLACK---MALE----	1	8	16	18	25	26	18	12	5	1	1	-
FEMALE--	2	4	9	13	17	17	14	12	10	2	-	-
INDIANA -----	25	63	115	249	344	401	353	239	92	27	1	-
WHITE-----MALE----	13	30	48	127	179	212	179	108	41	10	1	-
FEMALE--	10	27	59	107	157	182	165	124	46	17	-	-
ALL OTHER--MALE----	2	3	4	8	3	3	5	4	2	-	-	-
FEMALE--	-	3	4	7	5	4	4	3	3	-	-	-
BLACK---MALE----	2	3	4	8	3	3	5	4	2	-	-	-
FEMALE--	-	3	4	7	5	4	3	3	3	-	-	-
IOWA -----	7	39	72	117	161	194	211	136	71	22	5	-
WHITE-----MALE----	2	22	41	66	101	116	125	78	36	11	1	-
FEMALE--	4	17	29	49	59	77	86	57	35	11	4	-
ALL OTHER--MALE----	-	-	1	2	1	1	-	1	-	-	-	-
FEMALE--	1	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	2	1	-	-	1	-	-	-	-
FEMALE--	1	-	1	-	-	-	-	-	-	-	-	-
KANSAS -----	11	25	45	101	161	176	185	111	51	13	2	-
WHITE-----MALE----	6	17	32	57	92	93	97	59	25	7	-	-
FEMALE--	5	7	11	41	63	78	85	51	25	6	2	-
ALL OTHER--MALE----	-	1	2	1	5	4	-	1	1	-	-	-
FEMALE--	-	-	-	2	1	1	3	-	-	-	-	-
BLACK---MALE----	-	-	2	1	4	4	-	1	1	-	-	-
FEMALE--	-	-	-	2	1	1	1	-	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 2,011
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 CHRONIC AIRWAYS OBSTRUCTION, NOT ELSEWHERE CLASSIFIED (496)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
KENTUCKY -----	24	66	128	185	302	279	271	162	82	12	1	-
WHITE-----MALE----	9	27	68	104	162	167	166	81	32	5	-	-
FEMALE--	15	34	53	71	132	108	97	77	45	6	1	-
ALL OTHER--MALE----	-	3	6	6	5	2	2	3	3	-	-	-
FEMALE--	-	2	1	4	3	2	6	1	2	1	-	-
BLACK---MALE----	-	3	6	5	5	2	2	3	3	-	-	-
FEMALE--	-	2	1	4	3	2	6	1	2	1	-	-
LOUISIANA -----	18	34	60	140	184	185	178	111	48	13	2	-
WHITE-----MALE----	11	13	25	70	69	87	79	59	12	8	-	-
FEMALE--	4	16	22	49	78	70	65	41	27	3	-	-
ALL OTHER--MALE----	2	4	7	14	22	19	29	7	6	-	1	-
FEMALE--	1	1	6	7	15	9	5	4	3	2	1	-
BLACK---MALE----	2	4	7	13	22	18	29	7	6	-	1	-
FEMALE--	1	1	6	7	15	9	5	4	3	2	1	-
MAINE -----	8	12	26	45	95	109	85	76	32	13	2	-
WHITE-----MALE----	5	6	8	19	42	57	40	29	19	6	-	-
FEMALE--	3	6	18	26	53	52	45	47	13	7	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	29	30	62	123	244	257	228	189	72	24	5	-
WHITE-----MALE----	7	14	26	45	104	126	92	78	23	8	-	-
FEMALE--	14	9	22	57	113	103	111	95	41	14	4	-
ALL OTHER--MALE----	5	5	9	14	15	14	14	8	3	1	-	-
FEMALE--	3	2	5	7	12	14	11	8	5	1	1	-
BLACK---MALE----	5	5	9	14	14	12	14	8	3	1	-	-
FEMALE--	3	2	4	7	12	14	11	7	5	1	1	-
MASSACHUSETTS -----	25	38	76	166	322	348	379	318	152	37	7	-
WHITE-----MALE----	14	18	46	79	156	150	188	139	57	11	3	-
FEMALE--	11	19	30	82	158	186	187	172	94	25	4	-
ALL OTHER--MALE----	-	-	-	4	4	9	1	4	1	1	-	-
FEMALE--	-	1	-	1	4	3	3	3	-	-	-	-
BLACK---MALE----	-	-	-	4	4	7	1	4	1	-	-	-
FEMALE--	-	1	-	1	4	2	3	2	-	-	-	-
MICHIGAN -----	34	59	146	329	454	550	472	284	149	57	7	-
WHITE-----MALE----	16	27	66	158	198	274	251	131	67	18	1	-
FEMALE--	15	18	58	145	224	245	200	136	77	35	5	-
ALL OTHER--MALE----	3	10	14	16	16	15	14	11	1	2	-	-
FEMALE--	-	4	8	10	16	16	7	6	4	2	1	-
BLACK---MALE----	2	9	13	16	14	14	14	11	1	1	-	-
FEMALE--	-	4	7	8	14	16	6	6	2	2	1	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 2,014
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 CHRONIC AIRWAYS OBSTRUCTION, NOT ELSEWHERE CLASSIFIED (496)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
OHIO -----	45	114	268	443	692	848	749	470	206	74	9	-
WHITE-----MALE----	22	57	123	218	329	428	355	198	98	24	1	-
FEMALE--	18	46	117	193	321	384	336	252	99	44	7	-
ALL OTHER--MALE----	3	6	15	19	23	23	28	11	5	4	-	-
FEMALE--	2	5	13	13	19	13	30	9	4	2	1	-
BLACK---MALE----	3	6	14	18	22	23	27	11	5	4	-	-
FEMALE--	2	5	12	13	18	13	29	9	4	1	1	-
OKLAHOMA -----	25	34	90	155	253	266	206	131	59	18	2	3
WHITE-----MALE----	14	17	55	82	124	141	106	71	29	9	1	1
FEMALE--	9	16	32	63	118	113	90	54	28	8	-	1
ALL OTHER--MALE----	1	1	1	5	4	8	6	4	1	-	-	1
FEMALE--	1	-	2	5	7	4	4	2	1	1	1	-
BLACK---MALE----	1	1	1	1	3	5	3	3	1	-	-	1
FEMALE--	-	-	2	3	5	2	-	-	-	-	-	-
OREGON -----	11	37	59	109	210	237	207	141	57	12	-	-
WHITE-----MALE----	4	14	30	52	109	127	107	74	20	7	-	-
FEMALE--	6	21	29	56	98	108	99	65	35	5	-	-
ALL OTHER--MALE----	1	2	-	1	-	-	-	1	2	-	-	-
FEMALE--	-	-	-	-	3	2	1	1	-	-	-	-
BLACK---MALE----	1	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	-	-	-	-	-
PENNSYLVANIA -----	59	103	194	443	736	861	832	610	244	64	11	1
WHITE-----MALE----	31	50	102	222	388	438	405	301	118	32	2	-
FEMALE--	22	41	73	192	302	379	386	289	118	31	7	-
ALL OTHER--MALE----	6	10	15	15	23	26	20	9	4	-	1	1
FEMALE--	-	2	4	14	23	18	21	11	4	1	1	-
BLACK---MALE----	6	10	15	15	22	23	20	9	4	-	1	1
FEMALE--	-	2	4	14	23	18	21	11	4	1	1	-
RHODE ISLAND -----	5	4	11	38	51	57	73	50	33	12	4	-
WHITE-----MALE----	2	3	4	20	27	25	36	17	15	4	1	-
FEMALE--	3	1	7	16	24	32	36	33	17	8	2	-
ALL OTHER--MALE----	-	-	-	1	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	1	-	1	-
BLACK---MALE----	-	-	-	1	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	1	-
SOUTH CAROLINA -----	20	48	96	159	187	221	165	115	39	7	1	-
WHITE-----MALE----	6	24	40	74	98	119	79	36	14	2	-	-
FEMALE--	8	19	50	63	60	75	63	60	21	3	1	-
ALL OTHER--MALE----	4	3	5	13	16	19	15	10	2	1	-	-
FEMALE--	2	2	1	9	13	8	8	9	2	1	-	-
BLACK---MALE----	4	3	5	13	16	19	15	10	2	1	-	-
FEMALE--	2	2	1	9	13	8	8	9	2	1	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 2,015
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 CHRONIC AIRWAYS OBSTRUCTION, NOT ELSEWHERE CLASSIFIED (496)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
SOUTH DAKOTA -----	2	3	6	20	34	40	46	33	14	6	-	-
WHITE-----MALE----	1	2	2	12	22	30	26	21	11	2	-	-
FEMALE--	1	-	4	8	11	10	20	12	3	4	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	33	78	137	190	347	340	297	187	76	13	3	-
WHITE-----MALE----	18	42	64	96	184	181	180	82	36	6	-	-
FEMALE--	12	34	62	79	140	144	107	94	28	6	3	-
ALL OTHER--MALE----	3	1	5	9	18	13	5	7	8	1	-	-
FEMALE--	-	1	6	6	5	2	5	4	4	-	-	-
BLACK---MALE----	3	1	5	8	18	13	5	7	8	1	-	-
FEMALE--	-	1	6	6	5	2	5	4	4	-	-	-
TEXAS -----	67	143	305	506	845	943	773	607	246	62	6	1
WHITE-----MALE----	29	74	135	254	421	477	393	302	92	22	-	-
FEMALE--	35	56	142	213	371	417	348	282	143	34	6	-
ALL OTHER--MALE----	1	5	17	24	33	36	23	10	5	3	-	-
FEMALE--	2	8	11	15	20	13	9	13	6	3	-	1
BLACK---MALE----	1	5	17	24	31	35	23	10	5	3	-	-
FEMALE--	2	8	10	15	19	13	9	13	6	3	-	1
UTAH -----	4	11	18	28	48	67	72	48	10	2	-	-
WHITE-----MALE----	2	8	10	19	27	41	44	30	6	1	-	-
FEMALE--	2	3	8	9	21	25	28	18	4	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	3	6	11	22	27	51	35	27	13	1	-	-
WHITE-----MALE----	-	3	7	11	19	23	13	13	5	-	-	-
FEMALE--	3	3	3	11	8	28	21	14	8	1	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	26	56	113	218	280	371	307	210	76	31	2	1
WHITE-----MALE----	6	24	45	102	131	179	147	82	22	11	1	-
FEMALE--	16	21	49	86	123	152	130	104	50	13	1	1
ALL OTHER--MALE----	2	6	12	20	19	23	25	14	3	1	-	-
FEMALE--	2	5	7	10	7	17	5	10	1	6	-	-
BLACK---MALE----	2	6	12	19	19	23	23	13	3	1	-	-
FEMALE--	2	5	7	10	7	17	5	10	1	6	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 2,017
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 PNEUMOCONIOSES AND OTHER LUNG DISEASES DUE TO EXTERNAL AGENTS (500-508)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 UNITED STATES --	113	161	264	533	1,049	1,704	2,279	2,492	1,699	721	159	-
WHITE-----MALE----	60	85	154	290	611	932	1,205	1,105	577	214	42	-
FEMALE--	26	44	62	142	300	573	870	1,181	964	431	99	-
ALL OTHER--MALE----	15	20	32	70	86	121	106	105	60	30	-	-
FEMALE--	12	12	16	31	52	78	98	101	98	46	18	-
BLACK---MALE----	14	19	31	62	78	109	96	80	47	24	-	-
FEMALE--	11	11	14	26	41	73	88	91	86	39	16	-
ALABAMA -----	2	-	8	10	32	22	31	43	35	8	3	-
WHITE-----MALE----	-	-	5	5	11	12	11	20	10	3	-	-
FEMALE--	-	-	1	1	13	8	14	16	16	4	2	-
ALL OTHER--MALE----	2	-	1	4	4	1	2	2	3	-	-	-
FEMALE--	-	-	1	-	4	1	4	5	6	1	1	-
BLACK---MALE----	2	-	1	4	4	1	2	2	3	-	-	-
FEMALE--	-	-	1	-	3	1	4	5	6	1	1	-
ALASKA -----	-	-	-	-	-	2	-	-	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	2	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	1	5	2	7	15	19	21	35	28	10	4	-
WHITE-----MALE----	-	4	2	3	10	13	12	20	11	3	1	-
FEMALE--	1	1	-	2	5	5	8	15	13	7	3	-
ALL OTHER--MALE----	-	-	-	1	-	1	-	-	2	-	-	-
FEMALE--	-	-	-	1	-	-	1	-	2	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
ARKANSAS -----	4	1	5	6	15	27	29	32	20	8	1	-
WHITE-----MALE----	3	-	5	3	10	16	14	11	7	2	1	-
FEMALE--	1	-	-	3	2	7	9	16	10	3	-	-
ALL OTHER--MALE----	-	1	-	-	3	2	4	2	2	-	-	-
FEMALE--	-	-	-	-	-	2	2	3	1	3	-	-
BLACK---MALE----	-	1	-	-	3	2	4	2	2	-	-	-
FEMALE--	-	-	-	-	-	2	2	3	1	3	-	-
CALIFORNIA -----	8	12	10	29	56	77	126	126	73	37	15	-
WHITE-----MALE----	3	7	4	17	30	44	65	61	25	12	3	-
FEMALE--	2	4	5	9	17	28	50	56	37	21	11	-
ALL OTHER--MALE----	2	-	1	2	7	1	5	6	5	1	-	-
FEMALE--	1	1	-	1	2	4	6	3	6	3	1	-
BLACK---MALE----	1	-	1	1	5	1	2	1	2	-	-	-
FEMALE--	1	-	-	1	-	2	3	1	3	1	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 2,018
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 PNEUMOCONIOSES AND OTHER LUNG DISEASES DUE TO EXTERNAL AGENTS (500-508)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
COLORADO -----	4	4	8	5	10	14	25	33	17	7	3	-
WHITE-----MALE----	4	3	3	3	6	6	13	12	10	2	1	-
FEMALE--	-	1	5	2	4	7	11	21	7	5	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	1	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	1	-
CONNECTICUT -----	1	4	5	2	16	20	41	43	38	14	1	-
WHITE-----MALE----	1	2	4	2	11	8	28	17	15	4	-	-
FEMALE--	-	1	1	-	5	11	10	26	23	8	1	-
ALL OTHER--MALE----	-	1	-	-	-	-	3	-	-	2	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	3	-	-	2	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
DELAWARE -----	1	1	2	3	2	4	8	10	4	1	2	-
WHITE-----MALE----	-	-	1	2	1	2	2	6	2	-	-	-
FEMALE--	1	1	-	-	-	1	4	4	1	1	2	-
ALL OTHER--MALE----	-	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	1	1	1	-	1	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	1	1	1	-	1	-	1	-	-	-
DISTRICT OF COLUMBIA ----	1	1	1	9	2	3	6	6	2	1	-	-
WHITE-----MALE----	-	1	-	1	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	1	1	1	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	1	5	1	1	2	-	-	1	-	-
FEMALE--	1	-	-	2	-	1	3	6	1	-	-	-
BLACK---MALE----	-	-	1	5	1	1	2	-	-	1	-	-
FEMALE--	1	-	-	2	-	1	3	6	1	-	-	-
FLORIDA -----	2	6	24	32	82	112	190	195	131	59	16	-
WHITE-----MALE----	2	4	10	17	50	53	96	94	60	20	6	-
FEMALE--	-	1	8	12	28	47	78	86	65	35	6	-
ALL OTHER--MALE----	-	1	5	1	4	8	5	10	4	-	-	-
FEMALE--	-	-	1	2	-	4	11	5	2	4	4	-
BLACK---MALE----	-	1	4	1	4	8	5	8	4	-	-	-
FEMALE--	-	-	1	1	-	4	10	5	2	4	4	-
GEORGIA -----	9	5	15	13	38	60	53	74	38	10	2	-
WHITE-----MALE----	4	2	7	6	23	20	22	25	9	4	-	-
FEMALE--	3	2	3	3	9	21	23	37	23	5	2	-
ALL OTHER--MALE----	1	1	3	2	5	8	4	4	-	-	-	-
FEMALE--	1	-	2	2	1	11	4	8	6	1	-	-
BLACK---MALE----	1	1	3	2	5	8	4	4	-	-	-	-
FEMALE--	1	-	2	2	1	10	4	8	6	1	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 2,019
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 PNEUMOCONIOSES AND OTHER LUNG DISEASES DUE TO EXTERNAL AGENTS (500-508)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
HAWAII -----	-	1	2	5	8	4	7	14	10	6	1	-
WHITE-----MALE----	-	-	-	1	1	1	2	2	-	-	-	-
FEMALE--	-	1	-	-	1	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	3	4	3	3	9	5	3	-	-
FEMALE--	-	-	2	1	2	-	2	3	4	3	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	1	1	1	1	1	12	7	5	6	1	3	-
WHITE-----MALE----	1	1	1	1	1	6	7	4	2	1	1	-
FEMALE--	-	-	-	-	-	6	-	1	4	-	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	10	5	11	21	60	88	111	118	81	38	8	-
WHITE-----MALE----	4	1	8	8	26	53	58	44	24	8	3	-
FEMALE--	5	1	-	9	23	22	39	64	46	26	4	-
ALL OTHER--MALE----	1	-	2	3	9	9	10	6	1	1	-	-
FEMALE--	-	3	1	1	2	4	4	4	10	3	1	-
BLACK---MALE----	1	-	2	3	9	8	9	5	1	1	-	-
FEMALE--	-	3	1	1	2	4	4	4	8	3	1	-
INDIANA -----	1	8	5	17	13	43	56	66	35	15	4	-
WHITE-----MALE----	1	7	4	9	8	22	30	29	7	5	1	-
FEMALE--	-	1	1	7	3	19	23	32	23	9	3	-
ALL OTHER--MALE----	-	-	-	1	-	1	2	-	3	-	-	-
FEMALE--	-	-	-	-	2	1	1	5	2	1	-	-
BLACK---MALE----	-	-	-	1	-	1	2	-	3	-	-	-
FEMALE--	-	-	-	-	2	1	1	4	2	1	-	-
IOWA -----	1	1	-	8	12	17	25	37	24	8	2	-
WHITE-----MALE----	1	-	-	5	6	12	14	21	10	3	-	-
FEMALE--	-	1	-	3	5	5	10	15	12	5	2	-
ALL OTHER--MALE----	-	-	-	-	1	-	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	2	-	-	-
BLACK---MALE----	-	-	-	-	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
KANSAS -----	2	1	1	1	10	10	15	35	17	11	2	-
WHITE-----MALE----	1	1	-	1	7	5	8	18	6	4	1	-
FEMALE--	1	-	1	-	3	4	6	16	11	7	1	-
ALL OTHER--MALE----	-	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 2,020
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 PNEUMOCONIOSES AND OTHER LUNG DISEASES DUE TO EXTERNAL AGENTS (500-508)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
KENTUCKY -----	3	6	12	5	20	37	46	39	32	15	3	-
WHITE-----MALE----	2	1	11	4	16	26	29	21	9	7	1	-
FEMALE--	1	1	1	1	3	9	16	18	21	7	2	-
ALL OTHER--MALE----	-	4	-	-	1	-	1	-	-	1	-	-
FEMALE--	-	-	-	-	-	2	-	-	2	-	-	-
BLACK---MALE----	-	4	-	-	1	-	1	-	-	1	-	-
FEMALE--	-	-	-	-	-	2	-	-	2	-	-	-
LOUISIANA -----	2	4	2	7	15	31	36	29	23	13	3	-
WHITE-----MALE----	-	2	2	3	8	12	18	6	5	1	1	-
FEMALE--	-	1	-	3	5	9	14	17	14	7	1	-
ALL OTHER--MALE----	2	-	-	1	1	6	3	4	3	1	-	-
FEMALE--	-	1	-	-	1	4	1	2	1	4	1	-
BLACK---MALE----	2	-	-	1	1	6	3	4	3	1	-	-
FEMALE--	-	1	-	-	1	4	1	2	1	4	1	-
MAINE -----	1	1	1	3	7	7	11	12	7	7	-	-
WHITE-----MALE----	1	1	-	3	6	2	7	5	2	2	-	-
FEMALE--	-	-	1	-	1	5	4	7	5	5	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	-	3	7	15	20	40	60	53	42	14	5	-
WHITE-----MALE----	-	1	3	10	15	23	24	19	13	5	2	-
FEMALE--	-	1	-	3	2	8	20	25	23	5	-	-
ALL OTHER--MALE----	-	-	3	1	2	8	7	4	1	3	-	-
FEMALE--	-	1	1	1	1	1	9	5	5	1	3	-
BLACK---MALE----	-	-	3	1	2	7	6	4	1	3	-	-
FEMALE--	-	1	1	1	1	1	9	5	5	1	3	-
MASSACHUSETTS -----	2	5	3	17	34	49	75	86	75	29	5	-
WHITE-----MALE----	1	3	3	11	17	23	36	37	24	6	1	-
FEMALE--	-	2	-	6	15	23	39	44	49	22	4	-
ALL OTHER--MALE----	-	-	-	-	2	2	-	4	2	1	-	-
FEMALE--	1	-	-	-	-	1	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	2	2	-	3	2	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	1	6	8	20	29	50	56	62	41	18	5	-
WHITE-----MALE----	-	3	6	7	14	24	26	24	16	10	1	-
FEMALE--	-	1	1	7	9	23	25	32	22	6	4	-
ALL OTHER--MALE----	-	2	1	5	2	3	2	3	2	1	-	-
FEMALE--	1	-	-	1	4	-	3	3	1	1	-	-
BLACK---MALE----	-	2	1	5	2	3	2	2	2	1	-	-
FEMALE--	1	-	-	1	3	-	3	3	1	1	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 2,023
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
0 PNEUMOCONIOSES AND OTHER LUNG DISEASES DUE TO EXTERNAL AGENTS (500-508)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
OHIO -----	493	-	-	-	-	-	-	-	1	3	1	-
WHITE-----MALE----	226	-	-	-	-	-	-	-	-	2	1	-
FEMALE--	221	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	27	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	19	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	27	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	19	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA -----	189	-	1	-	-	-	-	-	-	1	2	-
WHITE-----MALE----	85	-	-	-	-	-	-	-	-	1	2	-
FEMALE--	91	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	117	-	-	-	-	-	1	1	-	-	-	-
WHITE-----MALE----	70	-	-	-	-	-	1	1	-	-	-	-
FEMALE--	42	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	1,150	-	-	-	-	-	2	2	4	3	3	6
WHITE-----MALE----	665	-	-	-	-	-	1	1	-	1	1	2
FEMALE--	395	-	-	-	-	-	-	1	4	1	1	1
ALL OTHER--MALE----	44	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	46	-	-	-	-	-	1	-	-	1	-	1
BLACK---MALE----	41	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	43	-	-	-	-	-	-	-	-	1	-	1
RHODE ISLAND -----	38	-	-	-	-	-	-	-	-	1	1	-
WHITE-----MALE----	16	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	19	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	181	-	-	-	-	-	3	-	1	2	-	2
WHITE-----MALE----	54	-	-	-	-	-	1	-	-	-	-	1
FEMALE--	74	-	-	-	-	-	1	-	1	-	-	-
ALL OTHER--MALE----	27	-	-	-	-	-	1	-	-	-	-	1
FEMALE--	26	-	-	-	-	-	-	-	-	2	-	-
BLACK---MALE----	27	-	-	-	-	-	1	-	-	-	-	1
FEMALE--	26	-	-	-	-	-	-	-	-	2	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 2,023
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 PNEUMOCONIOSES AND OTHER LUNG DISEASES DUE TO EXTERNAL AGENTS (500-508)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
OHIO -----	7	10	10	25	51	72	102	94	68	42	7	-
WHITE-----MALE----	6	5	6	15	28	41	49	41	17	14	1	-
FEMALE--	1	1	4	8	16	27	43	47	43	24	6	-
ALL OTHER--MALE----	-	1	-	2	4	-	8	5	4	2	-	-
FEMALE--	-	3	-	-	3	4	2	1	4	2	-	-
BLACK---MALE----	-	1	-	2	4	-	8	5	4	2	-	-
FEMALE--	-	3	-	-	3	4	2	1	4	2	-	-
OKLAHOMA -----	2	1	3	7	14	25	50	50	25	7	1	-
WHITE-----MALE----	1	-	1	4	8	13	28	19	7	1	-	-
FEMALE--	1	1	1	2	2	11	19	29	18	5	1	-
ALL OTHER--MALE----	-	-	-	-	2	-	2	-	-	1	-	-
FEMALE--	-	-	1	1	2	1	1	2	-	-	-	-
BLACK---MALE----	-	-	-	-	2	-	1	-	-	-	-	-
FEMALE--	-	-	1	-	1	1	2	-	-	-	-	-
OREGON -----	-	2	-	6	15	28	19	26	10	5	4	-
WHITE-----MALE----	-	2	-	4	10	22	12	11	4	1	2	-
FEMALE--	-	-	-	2	4	5	7	13	5	4	2	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	1	-	-	-
FEMALE--	-	-	-	-	1	-	-	2	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	8	7	15	50	115	208	240	244	170	60	13	-
WHITE-----MALE----	5	1	10	31	83	132	165	137	74	19	2	-
FEMALE--	2	5	3	9	27	51	65	89	92	35	9	-
ALL OTHER--MALE----	-	1	1	7	3	15	3	8	1	2	-	-
FEMALE--	1	-	1	3	2	10	7	10	3	4	2	-
BLACK---MALE----	-	1	1	7	3	14	3	8	1	1	-	-
FEMALE--	1	-	1	3	2	10	7	9	3	3	2	-
RHODE ISLAND -----	1	-	-	1	1	3	10	6	11	2	1	-
WHITE-----MALE----	-	-	-	1	-	1	5	4	4	1	-	-
FEMALE--	1	-	-	-	-	2	5	2	6	1	1	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
SOUTH CAROLINA -----	2	5	4	15	16	26	38	33	24	9	1	-
WHITE-----MALE----	-	2	-	5	6	12	12	5	8	2	-	-
FEMALE--	-	-	1	2	4	8	15	24	13	4	1	-
ALL OTHER--MALE----	1	1	2	5	4	4	5	3	-	-	-	-
FEMALE--	1	2	1	3	2	2	6	1	3	3	-	-
BLACK---MALE----	1	1	2	5	4	4	5	3	-	-	-	-
FEMALE--	1	2	1	3	2	2	6	1	3	3	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 2,024
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
0 PNEUMOCONIOSES AND OTHER LUNG DISEASES DUE TO EXTERNAL AGENTS (500-508)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
SOUTH DAKOTA -----	21	-	-	-	-	-	-	-	-	-	-	1
WHITE-----MALE----	10	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	11	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	276	-	-	-	-	-	-	1	1	4	1	2
WHITE-----MALE----	117	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	117	-	-	-	-	-	-	1	1	-	1	1
ALL OTHER--MALE----	20	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	22	-	-	-	-	-	-	-	-	2	-	-
BLACK---MALE----	20	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	21	-	-	-	-	-	-	-	-	2	-	-
TEXAS -----	646	1	1	2	1	-	2	3	2	6	2	1
WHITE-----MALE----	268	-	-	1	1	-	1	-	1	2	-	-
FEMALE--	299	1	1	1	-	-	1	1	-	3	1	1
ALL OTHER--MALE----	41	-	-	-	-	-	-	2	1	1	-	-
FEMALE--	38	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	41	-	-	-	-	-	-	2	1	1	-	-
FEMALE--	37	-	-	-	-	-	-	-	-	-	1	-
UTAH -----	43	-	-	-	-	-	-	-	1	-	-	-
WHITE-----MALE----	30	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	11	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	25	-	-	-	-	-	-	-	1	-	-	-
WHITE-----MALE----	15	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	10	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	386	-	-	-	-	-	2	1	1	2	1	2
WHITE-----MALE----	165	-	-	-	-	-	1	-	1	1	-	1
FEMALE--	146	-	-	-	-	-	1	-	-	-	1	-
ALL OTHER--MALE----	46	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	29	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	46	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	29	-	-	-	-	-	-	1	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 2,024
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 PNEUMOCONIOSES AND OTHER LUNG DISEASES DUE TO EXTERNAL AGENTS (500-508)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
SOUTH DAKOTA -----	-	-	-	-	2	2	5	5	3	3	-	-
WHITE-----MALE----	-	-	-	-	1	1	2	2	-	3	-	-
FEMALE--	-	-	-	-	1	1	3	3	3	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	4	5	12	12	21	36	56	65	37	15	4	-
WHITE-----MALE----	-	2	7	6	8	17	37	27	6	4	1	-
FEMALE--	-	2	3	3	10	9	16	29	28	10	3	-
ALL OTHER--MALE----	2	-	2	2	1	7	1	3	1	-	-	-
FEMALE--	2	1	-	1	2	3	2	6	2	1	-	-
BLACK---MALE----	2	-	2	2	1	7	1	3	1	-	-	-
FEMALE--	2	1	-	1	1	3	2	6	2	1	-	-
TEXAS -----	9	9	21	27	56	93	111	134	111	49	5	-
WHITE-----MALE----	5	5	13	12	31	49	55	55	25	11	1	-
FEMALE--	1	1	6	10	13	38	43	64	77	32	4	-
ALL OTHER--MALE----	2	3	-	3	5	2	9	6	3	4	-	-
FEMALE--	1	-	2	2	7	4	4	9	6	2	-	-
BLACK---MALE----	2	3	-	3	5	2	9	6	3	4	-	-
FEMALE--	1	-	2	2	7	4	3	9	6	2	-	-
UTAH -----	-	1	2	4	3	4	8	8	9	2	1	-
WHITE-----MALE----	-	-	2	2	1	4	6	5	7	1	1	-
FEMALE--	-	1	-	1	1	-	2	3	2	1	-	-
ALL OTHER--MALE----	-	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	1	-	-	4	2	3	5	4	4	1	-	-
WHITE-----MALE----	1	-	-	4	1	2	3	3	1	-	-	-
FEMALE--	-	-	-	-	1	1	2	1	3	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	3	5	9	30	30	63	86	72	55	18	6	-
WHITE-----MALE----	1	4	7	11	18	37	35	29	13	5	1	-
FEMALE--	-	1	-	7	5	14	38	33	32	10	4	-
ALL OTHER--MALE----	1	-	2	10	6	8	7	7	3	-	-	-
FEMALE--	1	-	-	2	1	4	6	3	7	3	1	-
BLACK---MALE----	1	-	2	10	6	8	7	7	3	-	-	-
FEMALE--	1	-	-	2	1	4	6	3	7	3	1	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 2,027
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
0 EMPYEMA AND ABSCESS OF LUNG AND MEDIASTINUM (510,513)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
COLORADO -----	5	-	-	-	-	-	-	-	-	-	1	-
WHITE-----MALE----	3	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	7	-	-	-	-	-	-	-	-	1	-	-
WHITE-----MALE----	5	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	7	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	1	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	53	1	-	-	-	-	1	1	-	1	4	-
WHITE-----MALE----	33	1	-	-	-	-	-	-	-	1	3	-
FEMALE--	11	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	9	-	-	-	-	-	1	1	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	9	-	-	-	-	-	1	1	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
GEORGIA -----	21	-	-	-	-	-	-	1	-	1	1	-
WHITE-----MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	6	-	-	-	-	-	-	1	-	-	1	-
FEMALE--	5	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	6	-	-	-	-	-	-	1	-	-	1	-
FEMALE--	5	-	-	-	-	-	-	-	-	1	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 2,027
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 0 EMPYEMA AND ABSCESS OF LUNG AND MEDIASTINUM (510,513)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
COLORADO -----	-	1	1	-	-	-	2	-	-	-	-	-
WHITE-----MALE----	-	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	2	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	1	-	-	1	1	-	1	-	2	-	-	-
WHITE-----MALE----	1	-	-	-	1	-	1	-	1	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	1	-	2	-	1	2	-	1	-	-	-	-
WHITE-----MALE----	1	-	2	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA -----	-	-	-	-	-	-	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
FLORIDA -----	1	4	4	6	8	8	9	5	-	-	-	-
WHITE-----MALE----	-	2	3	6	6	5	3	3	-	-	-	-
FEMALE--	-	-	-	-	1	2	6	2	-	-	-	-
ALL OTHER--MALE----	1	2	1	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	2	1	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
GEORGIA -----	2	-	2	2	4	3	4	-	1	-	-	-
WHITE-----MALE----	1	-	1	1	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	1	2	1	-	-	1	-	-	-
ALL OTHER--MALE----	1	-	-	-	1	-	2	-	-	-	-	-
FEMALE--	-	-	1	-	1	1	1	-	-	-	-	-
BLACK---MALE----	1	-	-	-	1	-	2	-	-	-	-	-
FEMALE--	-	-	1	-	1	1	1	-	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 2,029
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 0 EMPYEMA AND ABSCESS OF LUNG AND MEDIASTINUM (510,513)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
KENTUCKY -----	1	1	1	2	-	1	3	-	1	-	-	-
WHITE-----MALE----	1	1	-	1	-	1	3	-	1	-	-	-
FEMALE--	-	-	1	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	-	-	1	-	1	2	1	2	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	2	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
MAINE -----	-	-	-	-	1	-	1	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	1	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	1	1	1	2	3	1	1	4	-	-	-	-
WHITE-----MALE----	-	1	-	1	1	1	1	1	-	-	-	-
FEMALE--	-	-	-	1	1	-	-	1	-	-	-	-
ALL OTHER--MALE----	1	-	1	-	1	-	-	2	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	1	-	1	-	-	2	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS -----	-	-	-	2	2	3	4	1	1	1	-	-
WHITE-----MALE----	-	-	-	1	2	3	3	1	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	1	-	1	5	3	1	2	2	-	-	-	-
WHITE-----MALE----	1	-	-	2	2	-	1	-	-	-	-	-
FEMALE--	-	-	-	3	-	-	-	2	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 2,032
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 EMPYEMA AND ABSCESS OF LUNG AND MEDIASTINUM (510,513)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
OHIO -----	-	4	2	3	5	6	2	1	3	-	-	-
WHITE-----MALE----	-	3	2	1	4	4	2	1	2	-	-	-
FEMALE--	-	1	-	2	1	2	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA -----	-	-	-	1	2	-	-	-	-	1	-	-
WHITE-----MALE----	-	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	1	-	1	2	-	-	-	1	-	-	-	-
WHITE-----MALE----	1	-	1	1	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	-	1	1	2	2	4	5	5	-	1	-	-
WHITE-----MALE----	-	1	1	1	2	-	2	2	-	1	-	-
FEMALE--	-	-	-	1	-	3	2	3	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	-	1	1	4	1	3	-	1	-	-	-	-
WHITE-----MALE----	-	1	1	1	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	1	2	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	3	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	3	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 2,035
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 PLEURISY (511)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 UNITED STATES --	6	19	32	49	76	133	157	175	117	45	9	1
WHITE-----MALE----	3	8	18	24	38	52	69	64	36	8	1	-
FEMALE--	2	6	8	17	24	68	66	97	71	33	5	-
ALL OTHER--MALE----	-	2	5	5	8	5	8	6	2	1	-	-
FEMALE--	1	3	1	3	6	8	14	8	8	3	3	1
BLACK---MALE----	-	2	4	4	6	5	6	6	1	1	-	-
FEMALE--	-	3	1	3	6	7	14	8	7	3	3	1
ALABAMA -----	-	1	1	2	-	4	4	5	-	4	1	-
WHITE-----MALE----	-	-	-	-	-	3	-	2	-	-	-	-
FEMALE--	-	1	-	1	-	1	3	-	-	2	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	2	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	1	-	2	1	-
BLACK---MALE----	-	-	1	-	-	-	-	2	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	1	-	2	1	-
ALASKA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	-	1	1	1	-	-	1	4	1	-	-	-
WHITE-----MALE----	-	1	1	1	-	-	1	3	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	-	1	-	1	1	3	2	2	2	-	-	-
WHITE-----MALE----	-	-	-	1	1	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	2	2	1	1	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	1	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	1	-	-	-
CALIFORNIA -----	1	-	1	5	7	9	7	2	4	2	1	-
WHITE-----MALE----	1	-	-	1	-	5	5	1	1	1	-	-
FEMALE--	-	-	1	4	4	4	1	1	2	1	1	-
ALL OTHER--MALE----	-	-	-	-	3	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	1	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 2,036
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 PLEURISY (511)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
COLORADO -----	-	-	-	-	-	2	2	1	-	1	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	2	1	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	-	1	-	1	1	5	2	2	2	-	-	-
WHITE-----MALE----	-	1	-	1	-	-	1	1	1	-	-	-
FEMALE--	-	-	-	-	1	5	1	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	-	-	-	1	1	-	2	1	-	-	-
WHITE-----MALE----	-	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
DISTRICT OF COLUMBIA ----	-	-	-	1	-	1	1	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	1	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	1	-	-	-	-
FLORIDA -----	-	-	4	1	2	3	7	8	11	5	-	1
WHITE-----MALE----	-	-	3	1	-	3	5	3	1	2	-	-
FEMALE--	-	-	-	-	2	-	2	5	10	3	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	1
GEORGIA -----	-	-	2	1	-	3	6	8	5	1	-	-
WHITE-----MALE----	-	-	1	1	-	-	1	3	1	-	-	-
FEMALE--	-	-	-	-	-	2	2	5	3	1	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	3	-	1	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	3	-	1	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 2,041
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 PLEURISY (511)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
OHIO -----	1	-	1	2	6	10	13	9	4	4	-	-
WHITE-----MALE----	1	-	1	2	3	3	7	4	2	1	-	-
FEMALE--	-	-	-	-	3	6	5	2	3	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA -----	-	-	-	1	-	4	3	3	2	1	1	-
WHITE-----MALE----	-	-	-	-	-	2	2	2	1	-	-	-
FEMALE--	-	-	-	1	-	2	1	1	1	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	-	-	-	-	1	2	1	-	2	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
PENNSYLVANIA -----	-	-	1	5	8	10	10	12	5	3	-	-
WHITE-----MALE----	-	-	-	2	6	6	4	5	2	1	-	-
FEMALE--	-	-	-	2	2	3	6	6	2	2	-	-
ALL OTHER--MALE----	-	-	1	1	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	1	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	1	-	-	-
RHODE ISLAND -----	-	-	-	-	1	3	1	-	-	1	-	-
WHITE-----MALE----	-	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
SOUTH CAROLINA -----	-	-	-	3	3	-	2	2	2	1	-	-
WHITE-----MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	2	-	-	2	2	-	-	-
ALL OTHER--MALE----	-	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	2	-	-	1	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	2	-	-	1	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 2,042
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 PLEURISY (511)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
SOUTH DAKOTA -----	-	-	-	-	-	1	1	-	-	1	-	-
WHITE-----MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	-	1	-	-	3	1	4	4	4	-	-	-
WHITE-----MALE----	-	-	-	-	1	-	1	-	1	-	-	-
FEMALE--	-	1	-	-	1	1	1	4	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	-	1	-	-	-
TEXAS -----	1	3	4	1	6	3	7	12	4	3	1	-
WHITE-----MALE----	-	2	4	1	3	2	2	7	-	2	-	-
FEMALE--	1	1	-	-	1	1	3	5	4	1	1	-
ALL OTHER--MALE----	-	-	-	-	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	-	-	-	-	-
UTAH -----	-	-	-	-	-	1	1	-	1	-	1	-
WHITE-----MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	1	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	1	-	-	1	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	-	1	1	2	2	3	5	4	3	2	1	-
WHITE-----MALE----	-	-	1	-	1	2	1	1	1	-	-	-
FEMALE--	-	-	-	2	1	-	3	2	1	2	-	-
ALL OTHER--MALE----	-	1	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	1	-	1	-
BLACK---MALE----	-	1	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	1	-	1	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 2,044
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
0 ALL OTHER DISEASES OF RESPIRATORY SYSTEM (512,514-519)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 UNITED STATES --	16,641	219	75	28	31	43	48	78	113	170	236	338
WHITE-----MALE----	7,407	81	25	10	10	19	19	30	43	67	79	125
FEMALE--	7,398	60	29	13	12	14	15	23	28	49	82	113
ALL OTHER--MALE----	910	44	12	3	4	4	4	11	26	22	40	48
FEMALE--	926	34	9	2	5	6	10	14	16	32	35	52
BLACK---MALE----	748	41	10	3	4	4	4	11	23	19	36	44
FEMALE--	784	30	9	2	3	6	10	11	15	29	35	47
ALABAMA -----	345	7	2	-	-	-	1	5	1	5	10	12
WHITE-----MALE----	141	-	1	-	-	-	-	1	-	2	2	3
FEMALE--	139	3	1	-	-	-	-	3	-	1	2	5
ALL OTHER--MALE----	32	4	-	-	-	-	-	-	-	2	3	1
FEMALE--	33	-	-	-	-	-	1	1	1	-	3	3
BLACK---MALE----	31	4	-	-	-	-	-	-	-	2	3	1
FEMALE--	32	-	-	-	-	-	1	1	1	-	3	3
ALASKA -----	18	-	-	-	1	-	-	-	-	-	-	-
WHITE-----MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	331	7	3	1	1	-	3	3	1	4	5	3
WHITE-----MALE----	167	3	1	-	-	-	2	1	1	2	2	2
FEMALE--	140	2	2	1	1	-	1	2	-	1	2	1
ALL OTHER--MALE----	16	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	8	2	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	205	2	1	-	-	1	-	-	2	-	1	8
WHITE-----MALE----	95	-	1	-	-	-	-	-	1	-	-	1
FEMALE--	93	1	-	-	-	1	-	-	-	-	-	6
ALL OTHER--MALE----	10	1	-	-	-	-	-	-	-	-	1	1
FEMALE--	7	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	9	1	-	-	-	-	-	-	-	-	1	1
FEMALE--	7	-	-	-	-	-	-	-	1	-	-	-
CALIFORNIA -----	1,400	25	4	4	5	5	4	6	9	11	18	22
WHITE-----MALE----	633	9	3	1	2	2	2	1	2	6	6	6
FEMALE--	607	10	1	2	1	1	2	2	6	2	8	8
ALL OTHER--MALE----	77	1	-	1	1	-	-	1	1	2	3	4
FEMALE--	83	5	-	-	1	2	-	2	-	1	1	4
BLACK---MALE----	32	1	-	1	1	-	-	1	1	2	1	2
FEMALE--	36	3	-	-	-	2	-	1	-	-	1	4

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 2,044
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 ALL OTHER DISEASES OF RESPIRATORY SYSTEM (512,514-519)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 UNITED STATES --	415	628	952	1,649	2,378	2,852	2,738	2,175	1,034	358	81	2
WHITE-----MALE----	177	293	453	859	1,242	1,386	1,232	813	347	82	14	1
FEMALE--	141	216	348	602	915	1,245	1,324	1,224	638	248	59	-
ALL OTHER--MALE----	45	64	84	91	118	109	93	59	15	11	3	-
FEMALE--	52	55	67	97	103	112	89	79	34	17	5	1
BLACK---MALE----	39	55	74	72	89	85	66	47	11	9	2	-
FEMALE--	49	47	59	81	88	84	66	64	29	14	5	1
ALABAMA -----	10	12	20	37	44	54	61	43	14	5	2	-
WHITE-----MALE----	6	5	10	21	20	26	24	14	4	2	-	-
FEMALE--	1	3	4	14	13	22	29	24	10	2	2	-
ALL OTHER--MALE----	1	2	2	-	5	3	6	2	-	1	-	-
FEMALE--	2	2	4	2	6	3	2	3	-	-	-	-
BLACK---MALE----	-	2	2	-	5	3	6	2	-	1	-	-
FEMALE--	2	2	4	2	6	3	1	3	-	-	-	-
ALASKA -----	1	2	-	2	3	5	2	-	1	1	-	-
WHITE-----MALE----	-	-	-	1	1	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	2	1	-	-	-	-	-
ALL OTHER--MALE----	1	1	-	1	1	1	-	-	1	-	-	-
FEMALE--	-	1	-	-	1	1	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	14	8	14	35	43	57	54	40	26	8	1	-
WHITE-----MALE----	3	6	10	24	25	27	24	18	13	3	-	-
FEMALE--	10	2	3	9	18	28	25	20	10	2	-	-
ALL OTHER--MALE----	1	-	1	2	-	1	2	2	2	2	1	-
FEMALE--	-	-	-	-	-	1	3	-	1	1	-	-
BLACK---MALE----	1	-	1	1	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	2	3	10	21	33	31	35	35	13	5	2	-
WHITE-----MALE----	1	3	5	12	18	17	18	12	6	-	-	-
FEMALE--	1	-	3	8	15	10	14	22	6	4	2	-
ALL OTHER--MALE----	-	-	2	1	-	3	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	2	1	1	1	-	-
BLACK---MALE----	-	-	2	1	-	3	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	2	1	1	1	-	-
CALIFORNIA -----	32	56	86	131	217	247	246	181	70	18	3	-
WHITE-----MALE----	15	23	38	65	109	113	114	80	28	8	-	-
FEMALE--	14	19	32	46	88	108	116	91	38	9	3	-
ALL OTHER--MALE----	-	2	9	9	13	13	9	6	2	-	-	-
FEMALE--	3	12	7	11	7	13	7	4	2	1	-	-
BLACK---MALE----	-	-	3	5	4	4	5	1	-	-	-	-
FEMALE--	3	8	1	3	4	3	-	2	1	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 2,045
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
0 ALL OTHER DISEASES OF RESPIRATORY SYSTEM (512,514-519)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
COLORADO -----	207	3	-	1	1	1	-	-	1	2	6	4
WHITE-----MALE----	96	2	-	1	1	1	-	-	1	1	3	3
FEMALE--	102	-	-	-	-	-	-	-	-	1	3	-
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	3	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	3	1	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	200	1	1	1	1	-	-	2	2	1	4	5
WHITE-----MALE----	97	-	-	-	-	-	-	1	2	1	2	2
FEMALE--	95	-	1	-	1	-	-	-	-	-	1	3
ALL OTHER--MALE----	5	1	-	1	-	-	-	-	-	-	1	-
FEMALE--	3	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	5	1	-	1	-	-	-	-	-	-	1	-
FEMALE--	3	-	-	-	-	-	-	1	-	-	-	-
DELAWARE -----	38	-	-	-	-	-	-	-	-	-	1	2
WHITE-----MALE----	20	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	15	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	1
DISTRICT OF COLUMBIA ----	51	-	-	-	-	-	-	-	-	4	1	1
WHITE-----MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	19	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	19	-	-	-	-	-	-	-	-	3	1	-
BLACK---MALE----	19	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	19	-	-	-	-	-	-	-	-	3	1	-
FLORIDA -----	1,171	13	6	-	1	3	2	3	7	10	18	18
WHITE-----MALE----	574	4	-	-	-	1	-	2	2	5	4	10
FEMALE--	507	1	3	-	-	-	-	1	2	3	6	3
ALL OTHER--MALE----	43	4	1	-	-	2	-	-	3	1	3	3
FEMALE--	47	4	2	-	1	-	2	-	-	1	5	2
BLACK---MALE----	41	4	1	-	-	2	-	-	3	1	3	2
FEMALE--	47	4	2	-	1	-	2	-	-	1	5	2
GEORGIA -----	482	8	5	1	-	-	2	4	4	1	7	10
WHITE-----MALE----	177	1	1	1	-	-	-	-	2	-	2	2
FEMALE--	200	1	2	-	-	-	1	-	-	-	2	4
ALL OTHER--MALE----	56	4	1	-	-	-	-	2	2	1	2	2
FEMALE--	49	2	1	-	-	-	1	2	-	-	1	2
BLACK---MALE----	56	4	1	-	-	-	-	2	2	1	2	2
FEMALE--	47	2	1	-	-	-	1	2	-	-	1	2

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 2,045
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 ALL OTHER DISEASES OF RESPIRATORY SYSTEM (512,514-519)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
COLORADO -----	2	5	10	25	35	33	29	28	14	7	-	-
WHITE-----MALE----	-	2	3	17	20	14	14	11	2	-	-	-
FEMALE--	2	2	6	7	14	19	14	15	12	7	-	-
ALL OTHER--MALE----	-	1	1	-	1	-	1	1	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	1	-	-	-	-
BLACK---MALE----	-	1	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	1	-	-	-	-
CONNECTICUT -----	5	10	8	21	29	36	33	21	15	4	-	-
WHITE-----MALE----	1	7	8	10	20	18	12	7	5	1	-	-
FEMALE--	4	2	-	11	8	18	21	12	10	3	-	-
ALL OTHER--MALE----	-	1	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	2	-	-	-	-
BLACK---MALE----	-	1	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	2	-	-	-	-
DELAWARE -----	-	1	4	3	11	5	4	6	1	-	-	-
WHITE-----MALE----	-	-	1	3	8	3	-	4	1	-	-	-
FEMALE--	-	1	2	-	3	2	4	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	1	3	2	5	8	5	10	5	4	-	2	-
WHITE-----MALE----	-	-	-	1	1	1	2	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	3	3	-	-	1	-
ALL OTHER--MALE----	1	3	1	2	4	3	2	-	1	-	-	-
FEMALE--	-	-	1	2	3	1	3	2	2	-	1	-
BLACK---MALE----	1	3	1	2	4	3	2	-	1	-	-	-
FEMALE--	-	-	1	2	3	1	3	2	2	-	1	-
FLORIDA -----	22	38	58	103	151	238	207	153	89	26	4	1
WHITE-----MALE----	14	15	27	61	84	122	106	66	40	9	2	-
FEMALE--	4	12	25	37	60	107	97	83	46	15	2	-
ALL OTHER--MALE----	2	6	3	4	2	4	3	1	-	1	-	-
FEMALE--	2	5	3	1	5	5	1	3	3	1	-	1
BLACK---MALE----	2	6	3	4	2	3	3	1	-	1	-	-
FEMALE--	2	5	3	1	5	5	1	3	3	1	-	1
GEORGIA -----	23	24	36	43	57	90	74	67	17	9	-	-
WHITE-----MALE----	11	10	15	17	27	36	32	14	5	1	-	-
FEMALE--	5	7	12	14	19	38	35	43	11	6	-	-
ALL OTHER--MALE----	4	4	6	7	4	7	3	5	1	1	-	-
FEMALE--	3	3	3	5	7	9	4	5	-	1	-	-
BLACK---MALE----	4	4	6	7	4	7	3	5	1	1	-	-
FEMALE--	2	3	3	5	7	8	4	5	-	1	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 2,046
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
0 ALL OTHER DISEASES OF RESPIRATORY SYSTEM (512,514-519)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
HAWAII -----	78	1	-	-	-	-	-	1	-	1	-	-
WHITE-----MALE----	10	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	10	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	30	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	28	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	79	4	-	-	-	1	-	-	1	1	2	1
WHITE-----MALE----	37	2	-	-	-	1	-	-	-	-	-	1
FEMALE--	40	2	-	-	-	-	-	-	-	1	2	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	752	10	2	2	5	6	1	7	7	11	13	17
WHITE-----MALE----	320	3	1	-	-	2	1	3	1	3	4	6
FEMALE--	313	2	1	1	3	1	-	2	4	5	4	6
ALL OTHER--MALE----	61	5	-	-	2	1	-	-	1	1	2	2
FEMALE--	58	-	-	1	-	2	-	2	1	2	3	3
BLACK---MALE----	57	5	-	-	2	1	-	-	-	1	2	2
FEMALE--	53	-	-	1	-	2	-	2	1	2	3	3
INDIANA -----	454	12	1	1	-	1	2	-	4	2	5	10
WHITE-----MALE----	194	4	1	-	-	-	-	-	2	1	3	2
FEMALE--	231	6	-	1	-	1	1	-	1	1	1	7
ALL OTHER--MALE----	8	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	21	2	-	-	-	-	1	-	-	-	1	1
BLACK---MALE----	8	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	19	2	-	-	-	-	1	-	-	-	1	-
IOWA -----	191	-	-	-	1	-	-	-	-	-	2	1
WHITE-----MALE----	95	-	-	-	1	-	-	-	-	-	-	1
FEMALE--	95	-	-	-	-	-	-	-	-	-	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS -----	181	-	4	-	-	-	1	-	-	4	1	2
WHITE-----MALE----	79	-	1	-	-	-	-	-	-	4	-	1
FEMALE--	96	-	3	-	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	1	-	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 2,046
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 ALL OTHER DISEASES OF RESPIRATORY SYSTEM (512,514-519)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
HAWAII -----	2	2	2	8	11	15	18	14	3	-	-	-
WHITE-----MALE----	1	-	-	1	2	4	-	1	1	-	-	-
FEMALE--	-	-	-	-	-	3	1	4	1	-	-	-
ALL OTHER--MALE----	-	2	-	6	4	4	12	1	-	-	-	-
FEMALE--	1	-	2	1	5	4	5	8	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	1	4	5	5	15	15	12	4	6	2	-	-
WHITE-----MALE----	1	1	2	1	8	10	7	1	2	-	-	-
FEMALE--	-	3	3	4	7	5	5	2	4	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	22	28	46	73	95	139	129	78	45	14	2	-
WHITE-----MALE----	7	16	21	35	46	65	63	29	13	1	-	-
FEMALE--	2	5	13	29	38	56	57	41	29	12	2	-
ALL OTHER--MALE----	6	4	7	7	5	10	4	4	-	-	-	-
FEMALE--	7	3	5	2	6	8	5	4	3	1	-	-
BLACK---MALE----	6	4	6	6	5	9	4	4	-	-	-	-
FEMALE--	6	3	5	1	6	6	4	4	3	1	-	-
INDIANA -----	5	9	23	40	80	79	79	64	27	7	3	-
WHITE-----MALE----	5	4	14	15	42	37	36	19	8	-	1	-
FEMALE--	-	4	6	21	35	38	38	43	18	7	2	-
ALL OTHER--MALE----	-	-	2	1	1	1	1	1	-	-	-	-
FEMALE--	-	1	1	3	2	3	4	1	1	-	-	-
BLACK---MALE----	-	-	2	1	1	1	1	1	-	-	-	-
FEMALE--	-	1	1	3	1	3	4	1	1	-	-	-
IOWA -----	-	7	9	13	20	37	31	33	26	9	2	-
WHITE-----MALE----	-	5	3	9	11	25	15	15	5	4	1	-
FEMALE--	-	2	6	4	9	12	16	18	20	5	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS -----	2	3	11	17	21	32	27	34	12	9	1	-
WHITE-----MALE----	-	3	6	9	10	11	12	16	4	2	-	-
FEMALE--	2	-	5	8	10	20	13	17	8	7	1	-
ALL OTHER--MALE----	-	-	-	-	1	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	-	-	-	-
BLACK---MALE----	-	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 2,047
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
0 ALL OTHER DISEASES OF RESPIRATORY SYSTEM (512,514-519)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
KENTUCKY -----	278	4	2	-	-	1	-	1	1	2	2	3
WHITE-----MALE----	117	1	2	-	-	-	-	1	-	1	1	-
FEMALE--	145	2	-	-	-	1	-	-	-	1	-	2
ALL OTHER--MALE----	9	1	-	-	-	-	-	-	1	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	1	1
BLACK---MALE----	9	1	-	-	-	-	-	-	1	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	1	1
LOUISIANA -----	307	4	1	-	-	1	-	4	1	2	5	12
WHITE-----MALE----	109	2	-	-	-	-	-	1	-	-	2	4
FEMALE--	127	-	-	-	-	1	-	1	-	2	2	2
ALL OTHER--MALE----	39	2	-	-	-	-	-	2	-	-	1	3
FEMALE--	32	-	1	-	-	-	-	-	1	-	-	3
BLACK---MALE----	39	2	-	-	-	-	-	2	-	-	1	3
FEMALE--	32	-	1	-	-	-	-	-	1	-	-	3
MAINE -----	103	-	-	1	-	-	1	1	-	-	2	3
WHITE-----MALE----	54	-	-	-	-	-	-	1	-	-	2	1
FEMALE--	49	-	-	1	-	-	1	-	-	-	-	2
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	285	7	3	1	-	1	-	-	2	2	3	9
WHITE-----MALE----	122	4	1	-	-	-	-	-	-	-	1	2
FEMALE--	102	2	-	-	-	1	-	-	1	-	-	-
ALL OTHER--MALE----	29	-	1	-	-	-	-	-	-	1	-	7
FEMALE--	32	1	1	1	-	-	-	-	1	1	2	-
BLACK---MALE----	29	-	1	-	-	-	-	-	-	1	-	7
FEMALE--	30	1	1	1	-	-	-	-	1	1	2	-
MASSACHUSETTS -----	465	3	-	1	-	3	1	2	-	7	6	7
WHITE-----MALE----	235	2	-	-	-	3	-	1	-	2	2	4
FEMALE--	214	-	-	1	-	-	-	-	-	4	2	2
ALL OTHER--MALE----	9	-	-	-	-	-	1	-	-	1	-	1
FEMALE--	7	1	-	-	-	-	-	1	-	-	2	-
BLACK---MALE----	7	-	-	-	-	-	1	-	-	1	-	1
FEMALE--	7	1	-	-	-	-	-	1	-	-	2	-
MICHIGAN -----	585	6	4	2	1	1	4	3	4	4	7	12
WHITE-----MALE----	247	4	1	1	1	-	1	1	3	-	4	5
FEMALE--	271	-	2	-	-	-	1	-	-	3	1	3
ALL OTHER--MALE----	32	1	1	1	-	-	1	2	1	-	-	2
FEMALE--	35	1	-	-	-	1	1	-	-	1	2	2
BLACK---MALE----	30	1	1	1	-	-	1	2	1	-	-	2
FEMALE--	34	1	-	-	-	1	1	-	-	1	2	2

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 2,047
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 ALL OTHER DISEASES OF RESPIRATORY SYSTEM (512,514-519)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
KENTUCKY -----	6	17	20	32	45	44	43	30	15	6	4	-
WHITE-----MALE----	1	9	6	15	22	18	23	10	5	2	-	-
FEMALE--	5	8	10	17	21	24	18	18	10	4	4	-
ALL OTHER--MALE----	-	-	4	-	1	1	-	1	-	-	-	-
FEMALE--	-	-	-	-	1	1	2	1	-	-	-	-
BLACK---MALE----	-	-	4	-	1	1	-	1	-	-	-	-
FEMALE--	-	-	-	-	1	1	2	1	-	-	-	-
LOUISIANA -----	8	13	27	35	43	47	43	36	17	7	1	-
WHITE-----MALE----	4	6	8	18	17	17	14	9	6	1	-	-
FEMALE--	2	5	9	11	12	24	18	24	8	5	1	-
ALL OTHER--MALE----	1	1	4	4	6	3	8	3	1	-	-	-
FEMALE--	1	1	6	2	8	3	3	-	2	1	-	-
BLACK---MALE----	1	1	4	4	6	3	8	3	1	-	-	-
FEMALE--	1	1	6	2	8	3	3	-	2	1	-	-
MAINE -----	1	2	7	14	10	16	22	14	4	5	-	-
WHITE-----MALE----	-	2	5	9	5	11	12	4	2	-	-	-
FEMALE--	1	-	2	5	5	5	10	10	2	5	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	13	9	20	27	45	49	33	41	12	6	1	1
WHITE-----MALE----	7	2	10	12	16	30	14	16	5	1	-	1
FEMALE--	2	5	4	7	19	13	18	21	6	3	-	-
ALL OTHER--MALE----	-	1	4	2	3	3	1	3	-	2	1	-
FEMALE--	4	1	2	6	7	3	-	1	1	-	-	-
BLACK---MALE----	-	1	4	2	3	3	1	3	-	2	1	-
FEMALE--	4	1	2	5	7	2	-	1	1	-	-	-
MASSACHUSETTS -----	9	19	21	35	64	99	71	74	31	8	4	-
WHITE-----MALE----	2	11	13	18	40	53	38	32	13	-	1	-
FEMALE--	6	7	8	16	24	44	30	41	18	8	3	-
ALL OTHER--MALE----	1	1	-	1	-	1	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	2	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	1	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	2	-	-	-	-	-
MICHIGAN -----	16	24	29	62	91	100	99	63	36	14	3	-
WHITE-----MALE----	1	7	9	23	53	51	44	23	12	2	1	-
FEMALE--	7	13	16	32	34	42	47	34	23	11	2	-
ALL OTHER--MALE----	4	2	3	2	2	2	5	2	1	-	-	-
FEMALE--	4	2	1	5	2	5	3	4	-	1	-	-
BLACK---MALE----	3	2	3	2	2	2	4	2	1	-	-	-
FEMALE--	4	1	1	5	2	5	3	4	-	1	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 2,048
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 ALL OTHER DISEASES OF RESPIRATORY SYSTEM (512,514-519)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
MINNESOTA -----	7	10	7	22	37	47	52	42	34	10	2	-
WHITE-----MALE----	3	6	2	13	15	26	27	13	9	3	-	-
FEMALE--	3	4	4	9	21	20	25	29	25	7	2	-
ALL OTHER--MALE----	1	-	1	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI -----	1	8	14	13	22	24	21	17	8	2	-	-
WHITE-----MALE----	-	3	6	7	13	13	7	7	3	-	-	-
FEMALE--	-	5	2	2	6	10	12	6	3	-	-	-
ALL OTHER--MALE----	1	-	4	1	1	1	2	2	1	1	-	-
FEMALE--	-	-	2	3	2	-	-	2	1	1	-	-
BLACK---MALE----	1	-	4	1	1	1	2	2	1	1	-	-
FEMALE--	-	-	2	3	2	-	-	2	1	1	-	-
MISSOURI -----	17	20	13	41	62	70	82	50	29	11	5	-
WHITE-----MALE----	13	9	4	22	35	29	38	22	11	1	1	-
FEMALE--	3	7	6	11	24	39	39	27	17	10	2	-
ALL OTHER--MALE----	-	2	-	4	2	1	3	-	-	-	-	-
FEMALE--	1	2	3	4	1	1	2	1	1	-	2	-
BLACK---MALE----	-	2	-	3	2	1	3	-	-	-	-	-
FEMALE--	1	2	3	4	1	1	2	1	1	-	2	-
MONTANA -----	1	4	4	5	6	9	14	12	5	1	-	-
WHITE-----MALE----	-	3	3	3	5	7	4	6	3	-	-	-
FEMALE--	1	-	1	2	-	1	10	6	2	1	-	-
ALL OTHER--MALE----	-	1	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	1	4	8	8	16	15	26	20	12	3	3	-
WHITE-----MALE----	1	2	2	4	9	3	13	8	5	-	-	-
FEMALE--	-	2	4	4	5	12	12	11	6	3	3	-
ALL OTHER--MALE----	-	-	2	-	2	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	1	-	-	-
BLACK---MALE----	-	-	2	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	1	-	-	-
NEVADA -----	2	5	8	15	16	19	13	5	2	1	1	-
WHITE-----MALE----	1	2	6	8	9	10	7	4	-	-	-	-
FEMALE--	1	-	2	5	7	7	6	1	2	-	1	-
ALL OTHER--MALE----	-	3	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	-	-	-	1	-	-
BLACK---MALE----	-	2	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	-	-	-	1	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 2,050
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
0 ALL OTHER DISEASES OF RESPIRATORY SYSTEM (512,514-519)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
OHIO -----	793	3	2	3	4	2	1	2	3	9	10	18
WHITE-----MALE----	359	2	1	1	1	-	-	1	1	2	5	6
FEMALE--	370	1	1	2	2	2	-	-	-	4	4	7
ALL OTHER--MALE----	29	-	-	-	-	-	1	-	-	2	1	2
FEMALE--	35	-	-	-	1	-	-	1	2	1	-	3
BLACK---MALE----	26	-	-	-	-	-	1	-	-	2	1	2
FEMALE--	34	-	-	-	1	-	-	1	2	1	-	3
OKLAHOMA -----	222	5	2	1	-	2	-	1	2	-	5	5
WHITE-----MALE----	94	3	-	1	-	2	-	-	1	-	1	1
FEMALE--	112	-	1	-	-	-	-	1	1	-	3	2
ALL OTHER--MALE----	7	1	-	-	-	-	-	-	-	-	-	1
FEMALE--	9	1	1	-	-	-	-	-	-	-	1	1
BLACK---MALE----	6	1	-	-	-	-	-	-	-	-	-	1
FEMALE--	7	1	1	-	-	-	-	-	-	-	1	1
OREGON -----	193	1	1	-	-	-	-	-	2	1	1	3
WHITE-----MALE----	89	1	1	-	-	-	-	-	-	1	1	-
FEMALE--	99	-	-	-	-	-	-	-	2	-	-	3
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	951	5	1	-	1	5	3	4	3	11	9	19
WHITE-----MALE----	436	1	-	-	1	3	1	2	2	8	3	9
FEMALE--	440	1	-	-	-	2	1	2	-	1	4	2
ALL OTHER--MALE----	38	2	1	-	-	-	1	-	-	-	2	4
FEMALE--	37	1	-	-	-	-	-	-	1	2	-	4
BLACK---MALE----	38	2	1	-	-	-	1	-	-	-	2	4
FEMALE--	36	1	-	-	-	-	-	-	1	2	-	3
RHODE ISLAND -----	57	-	-	-	-	-	-	-	-	1	1	-
WHITE-----MALE----	27	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	28	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	273	4	1	1	-	-	1	-	7	7	4	6
WHITE-----MALE----	101	-	-	1	-	-	-	-	3	-	-	1
FEMALE--	107	1	1	-	-	-	-	-	1	2	1	2
ALL OTHER--MALE----	29	3	-	-	-	-	-	-	2	1	-	1
FEMALE--	36	-	-	-	-	-	1	-	1	4	3	2
BLACK---MALE----	29	3	-	-	-	-	-	-	2	1	-	1
FEMALE--	35	-	-	-	-	-	1	-	1	4	3	1

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 2,050
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 ALL OTHER DISEASES OF RESPIRATORY SYSTEM (512,514-519)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
OHIO -----	16	21	44	89	122	111	155	114	43	16	5	-
WHITE-----MALE----	7	9	23	47	58	61	71	43	16	3	1	-
FEMALE--	7	10	14	33	55	43	78	66	24	13	4	-
ALL OTHER--MALE----	1	1	4	5	4	4	2	1	1	-	-	-
FEMALE--	1	1	3	4	5	3	4	4	2	-	-	-
BLACK---MALE----	1	1	4	4	3	4	1	1	1	-	-	-
FEMALE--	1	1	3	4	5	3	3	4	2	-	-	-
OKLAHOMA -----	7	10	13	14	33	34	31	37	14	6	-	-
WHITE-----MALE----	4	4	4	6	20	19	14	9	3	2	-	-
FEMALE--	-	4	9	7	11	13	17	28	11	4	-	-
ALL OTHER--MALE----	2	-	-	-	2	1	-	-	-	-	-	-
FEMALE--	1	2	-	1	-	1	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	2	1	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	1	-	-	-	-	-	-
OREGON -----	2	3	10	18	25	40	44	30	7	4	1	-
WHITE-----MALE----	2	3	4	5	15	18	22	12	3	1	-	-
FEMALE--	-	-	6	11	10	21	20	18	4	3	1	-
ALL OTHER--MALE----	-	-	-	2	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	19	34	56	105	138	180	179	105	52	18	4	-
WHITE-----MALE----	6	17	31	62	79	74	73	38	20	5	1	-
FEMALE--	8	11	19	35	48	100	97	64	31	11	3	-
ALL OTHER--MALE----	-	5	4	3	8	3	3	1	1	-	-	-
FEMALE--	5	1	2	5	3	3	6	2	-	2	-	-
BLACK---MALE----	-	5	4	3	8	3	3	1	1	-	-	-
FEMALE--	5	1	2	5	3	3	6	2	-	2	-	-
RHODE ISLAND -----	2	-	3	5	7	6	11	11	8	1	1	-
WHITE-----MALE----	-	-	1	2	4	4	3	6	6	-	-	-
FEMALE--	1	-	2	2	3	2	8	5	2	1	1	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	11	16	24	32	40	43	34	29	11	2	-	-
WHITE-----MALE----	5	6	12	18	13	12	15	11	3	1	-	-
FEMALE--	3	4	8	8	18	21	14	15	7	1	-	-
ALL OTHER--MALE----	1	3	3	3	5	6	1	-	-	-	-	-
FEMALE--	2	3	1	3	4	4	4	3	1	-	-	-
BLACK---MALE----	1	3	3	3	5	6	1	-	-	-	-	-
FEMALE--	2	3	1	3	4	4	4	3	1	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 2,051
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
0 ALL OTHER DISEASES OF RESPIRATORY SYSTEM (512,514-519)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
SOUTH DAKOTA -----	55	-	1	1	-	-	-	-	-	-	-	1
WHITE-----MALE----	29	-	1	1	-	-	-	-	-	-	-	1
FEMALE--	21	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	297	2	1	-	-	2	1	4	6	4	6	12
WHITE-----MALE----	118	-	-	-	-	1	1	-	2	2	-	6
FEMALE--	137	1	-	-	-	1	-	3	1	2	2	2
ALL OTHER--MALE----	26	-	1	-	-	-	-	1	2	-	3	4
FEMALE--	16	1	-	-	-	-	-	-	1	-	1	-
BLACK---MALE----	25	-	-	-	-	-	-	1	2	-	3	4
FEMALE--	16	1	-	-	-	-	-	-	1	-	1	-
TEXAS -----	967	25	7	-	-	1	4	7	7	14	16	25
WHITE-----MALE----	442	9	2	-	-	-	2	1	5	7	8	15
FEMALE--	435	8	4	-	-	1	2	2	1	4	4	6
ALL OTHER--MALE----	45	5	1	-	-	-	-	3	-	1	4	2
FEMALE--	45	3	-	-	-	-	-	1	1	2	-	2
BLACK---MALE----	40	4	1	-	-	-	-	3	-	1	4	1
FEMALE--	42	3	-	-	-	-	-	-	1	2	-	2
UTAH -----	74	-	-	-	-	-	1	-	-	-	-	-
WHITE-----MALE----	46	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	26	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	34	-	-	-	-	-	-	-	-	1	1	1
WHITE-----MALE----	17	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	17	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	434	7	4	-	-	-	-	1	1	4	9	15
WHITE-----MALE----	178	2	1	-	-	-	-	1	1	1	3	3
FEMALE--	183	1	1	-	-	-	-	-	-	-	3	6
ALL OTHER--MALE----	33	2	1	-	-	-	-	-	-	1	1	1
FEMALE--	40	2	1	-	-	-	-	-	-	2	2	5
BLACK---MALE----	31	2	1	-	-	-	-	-	-	1	1	1
FEMALE--	36	1	1	-	-	-	-	-	-	2	2	5

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 2,051
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 0 ALL OTHER DISEASES OF RESPIRATORY SYSTEM (512,514-519)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
SOUTH DAKOTA -----	1	1	2	4	12	12	11	5	2	2	-	-
WHITE-----MALE----	1	1	1	2	7	4	5	3	1	1	-	-
FEMALE--	-	-	1	-	4	7	5	2	1	1	-	-
ALL OTHER--MALE----	-	-	-	1	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	12	16	19	30	38	46	33	32	22	9	2	-
WHITE-----MALE----	2	10	6	17	17	29	11	11	2	1	-	-
FEMALE--	7	5	11	9	18	12	20	17	19	5	2	-
ALL OTHER--MALE----	3	1	2	-	1	3	2	1	-	2	-	-
FEMALE--	-	-	-	4	2	2	-	3	1	1	-	-
BLACK---MALE----	3	1	2	-	1	3	2	1	-	2	-	-
FEMALE--	-	-	-	4	2	2	-	3	1	1	-	-
TEXAS -----	25	35	55	104	158	151	144	111	54	24	-	-
WHITE-----MALE----	7	16	32	59	84	79	55	41	14	6	-	-
FEMALE--	12	15	18	38	64	64	79	60	37	16	-	-
ALL OTHER--MALE----	5	2	3	1	6	2	4	4	1	1	-	-
FEMALE--	1	2	2	6	4	6	6	6	2	1	-	-
BLACK---MALE----	4	2	3	1	6	2	3	3	1	1	-	-
FEMALE--	1	2	2	6	4	5	6	5	2	1	-	-
UTAH -----	2	4	5	8	12	16	12	8	3	2	1	-
WHITE-----MALE----	1	2	2	6	9	11	8	5	2	-	-	-
FEMALE--	1	2	3	1	3	4	4	3	1	2	1	-
ALL OTHER--MALE----	-	-	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	2	6	3	5	6	5	3	-	1	-
WHITE-----MALE----	-	-	1	3	1	4	1	1	-	-	-	-
FEMALE--	-	-	1	3	2	1	2	4	2	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	12	21	19	44	63	65	60	62	38	8	1	-
WHITE-----MALE----	5	13	7	24	31	32	18	23	13	-	-	-
FEMALE--	4	5	8	12	19	25	32	34	24	8	1	-
ALL OTHER--MALE----	2	1	2	2	8	5	5	2	-	-	-	-
FEMALE--	1	2	2	6	5	3	5	3	1	-	-	-
BLACK---MALE----	2	1	2	2	7	5	4	2	-	-	-	-
FEMALE--	1	2	2	6	4	2	5	2	1	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 2,053
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 IX. DISEASES OF THE DIGESTIVE SYSTEM (520-579)												
0 UNITED STATES --	77,429	353	154	87	49	79	148	319	819	1,984	3,426	4,276
WHITE-----MALE----	33,207	137	61	35	23	34	58	141	390	992	1,944	2,426
FEMALE--	33,740	101	44	26	16	21	39	89	232	476	678	900
ALL OTHER--MALE----	5,627	66	24	15	7	17	23	58	112	312	519	651
FEMALE--	4,855	49	25	11	3	7	28	31	85	204	285	299
BLACK---MALE----	4,801	56	18	12	6	17	22	48	82	263	446	586
FEMALE--	4,132	45	19	6	3	7	24	22	74	168	242	263
ALABAMA -----	1,351	9	2	2	1	1	2	4	8	38	57	77
WHITE-----MALE----	506	6	2	1	1	1	-	1	2	14	22	27
FEMALE--	537	-	-	-	-	-	-	1	5	13	5	18
ALL OTHER--MALE----	163	2	-	1	-	-	1	2	1	6	20	25
FEMALE--	145	1	-	-	-	-	1	-	-	5	10	7
BLACK---MALE----	159	2	-	1	-	-	1	2	1	6	20	25
FEMALE--	145	1	-	-	-	-	1	-	-	5	10	7
ALASKA -----	111	-	-	1	-	-	-	1	1	12	12	6
WHITE-----MALE----	42	-	-	-	-	-	-	-	-	5	3	2
FEMALE--	31	-	-	1	-	-	-	1	-	3	3	2
ALL OTHER--MALE----	17	-	-	-	-	-	-	-	-	1	5	2
FEMALE--	21	-	-	-	-	-	-	-	1	3	1	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	2	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	1,408	5	-	1	2	5	9	21	45	83	91	
WHITE-----MALE----	653	1	-	-	1	2	4	3	8	25	31	63
FEMALE--	591	4	-	-	1	-	-	1	3	8	21	16
ALL OTHER--MALE----	89	-	-	1	-	-	-	3	7	6	17	10
FEMALE--	75	-	-	-	-	-	1	2	3	6	14	2
BLACK---MALE----	16	-	-	-	-	-	-	-	1	-	3	1
FEMALE--	10	-	-	-	-	-	-	-	-	1	1	-
ARKANSAS -----	764	5	2	3	-	-	4	2	9	13	24	31
WHITE-----MALE----	345	1	2	2	-	-	1	1	3	3	13	20
FEMALE--	323	1	-	1	-	-	2	-	4	4	7	2
ALL OTHER--MALE----	43	2	-	-	-	-	-	-	1	4	2	4
FEMALE--	53	1	-	-	-	-	1	1	1	2	2	5
BLACK---MALE----	42	2	-	-	-	-	-	-	1	4	2	4
FEMALE--	53	1	-	-	-	-	1	1	1	2	2	5
CALIFORNIA -----	8,159	43	13	8	3	8	21	42	117	276	469	585
WHITE-----MALE----	3,823	19	5	4	2	5	12	21	70	164	311	349
FEMALE--	3,347	13	3	2	1	3	4	14	29	77	102	151
ALL OTHER--MALE----	549	5	4	1	-	-	2	6	11	17	31	63
FEMALE--	440	6	1	1	-	-	3	1	7	18	25	22
BLACK---MALE----	294	3	1	-	-	-	1	3	3	11	19	46
FEMALE--	256	4	1	-	-	-	2	-	6	12	21	19

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 2,053
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 IX. DISEASES OF THE DIGESTIVE SYSTEM (520-579)												
0 UNITED STATES --	4,172	4,466	5,416	6,918	8,750	9,614	9,909	8,749	5,367	1,954	403	17
WHITE-----MALE----	2,338	2,401	2,822	3,443	3,988	4,011	3,680	2,619	1,250	350	57	7
FEMALE--	1,014	1,223	1,710	2,518	3,698	4,618	5,370	5,462	3,742	1,455	302	6
ALL OTHER--MALE----	528	512	544	490	532	449	369	231	121	36	7	4
FEMALE--	292	330	340	467	532	536	490	437	254	113	37	-
BLACK---MALE----	465	433	474	426	456	382	283	189	97	29	7	4
FEMALE--	229	282	277	392	464	461	416	394	214	104	26	-
ALABAMA -----	75	79	111	141	150	155	164	156	81	29	9	-
WHITE-----MALE----	45	38	51	68	63	52	50	46	10	5	1	-
FEMALE--	14	20	37	44	51	81	82	85	58	18	5	-
ALL OTHER--MALE----	12	15	16	11	16	8	14	7	4	1	1	-
FEMALE--	4	6	7	18	20	14	18	18	9	5	2	-
BLACK---MALE----	12	15	15	11	16	8	13	6	3	1	1	-
FEMALE--	4	6	7	18	20	14	18	18	9	5	2	-
ALASKA -----	10	7	6	16	12	9	5	7	4	2	-	-
WHITE-----MALE----	7	3	3	10	5	1	1	2	-	-	-	-
FEMALE--	1	-	3	3	2	5	1	3	1	2	-	-
ALL OTHER--MALE----	1	2	-	2	1	1	2	-	-	-	-	-
FEMALE--	1	2	-	1	4	2	1	2	3	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
ARIZONA -----	100	93	107	114	153	170	167	130	81	22	7	-
WHITE-----MALE----	51	51	51	57	76	85	72	43	24	5	-	-
FEMALE--	28	30	40	48	70	79	86	83	52	16	5	-
ALL OTHER--MALE----	10	7	7	5	4	4	4	2	2	-	-	-
FEMALE--	11	5	9	4	3	2	5	2	3	1	2	-
BLACK---MALE----	2	-	1	2	-	3	1	1	1	-	-	-
FEMALE--	-	2	2	-	1	1	2	-	-	-	-	-
ARKANSAS -----	36	51	44	56	90	105	101	102	55	26	5	-
WHITE-----MALE----	25	32	25	26	47	53	38	34	16	3	-	-
FEMALE--	6	13	12	26	33	42	56	56	33	20	5	-
ALL OTHER--MALE----	2	4	5	2	4	4	3	4	2	-	-	-
FEMALE--	3	2	2	2	6	6	4	8	4	3	-	-
BLACK---MALE----	2	4	5	2	3	4	3	4	2	-	-	-
FEMALE--	3	2	2	2	6	6	4	8	4	3	-	-
CALIFORNIA -----	530	528	657	727	916	961	894	730	435	161	34	1
WHITE-----MALE----	307	291	362	362	411	409	334	224	112	43	5	1
FEMALE--	148	162	212	265	390	454	450	450	281	109	27	-
ALL OTHER--MALE----	46	48	48	51	60	56	55	25	15	4	1	-
FEMALE--	29	27	35	49	55	42	55	31	27	5	1	-
BLACK---MALE----	30	29	30	26	33	27	18	6	6	1	1	-
FEMALE--	20	16	22	25	33	17	28	15	11	4	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 2,054
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 IX. DISEASES OF THE DIGESTIVE SYSTEM (520-579)												
COLORADO -----	1,041	5	1	1	-	-	2	3	22	37	63	80
WHITE-----MALE----	480	2	-	-	-	-	1	1	9	17	43	54
FEMALE--	505	2	-	1	-	-	1	2	10	16	14	24
ALL OTHER--MALE----	31	1	1	-	-	-	-	-	1	3	3	1
FEMALE--	25	-	-	-	-	-	-	-	2	1	3	1
BLACK---MALE----	22	1	-	-	-	-	-	-	-	1	3	1
FEMALE--	16	-	-	-	-	-	-	-	1	-	2	-
CONNECTICUT -----	1,031	3	4	-	-	2	1	4	15	21	39	59
WHITE-----MALE----	457	2	1	-	-	2	1	-	8	11	29	34
FEMALE--	508	1	2	-	-	-	-	-	5	7	7	13
ALL OTHER--MALE----	37	-	1	-	-	-	-	1	2	2	3	8
FEMALE--	29	-	-	-	-	-	-	3	-	1	-	4
BLACK---MALE----	36	-	-	-	-	-	-	1	2	2	3	8
FEMALE--	26	-	-	-	-	-	-	2	-	1	-	3
DELAWARE -----	227	2	1	-	-	-	-	1	7	6	13	17
WHITE-----MALE----	85	1	-	-	-	-	-	-	4	4	7	5
FEMALE--	95	-	-	-	-	-	-	-	3	-	3	7
ALL OTHER--MALE----	25	-	-	-	-	-	-	1	-	2	2	5
FEMALE--	22	1	1	-	-	-	-	-	-	-	1	-
BLACK---MALE----	24	-	-	-	-	-	-	1	-	2	2	5
FEMALE--	21	1	-	-	-	-	-	-	-	-	1	-
DISTRICT OF COLUMBIA ----	271	2	-	-	-	-	1	1	2	14	15	23
WHITE-----MALE----	17	-	-	-	-	-	-	1	-	2	-	1
FEMALE--	23	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	122	-	-	-	-	-	-	-	2	7	12	12
FEMALE--	109	2	-	-	-	-	1	-	-	5	3	9
BLACK---MALE----	122	-	-	-	-	-	-	-	2	7	12	12
FEMALE--	107	2	-	-	-	-	1	-	-	5	3	9
FLORIDA -----	4,843	16	8	3	2	1	6	14	45	119	198	240
WHITE-----MALE----	2,325	6	-	1	2	-	2	6	13	56	130	139
FEMALE--	2,068	4	3	-	-	1	1	6	16	38	32	63
ALL OTHER--MALE----	247	4	1	2	-	-	2	2	8	16	20	27
FEMALE--	203	2	4	-	-	-	1	-	8	9	16	11
BLACK---MALE----	237	4	-	2	-	-	2	2	8	15	18	27
FEMALE--	195	2	4	-	-	-	1	-	8	8	16	11
GEORGIA -----	1,978	11	3	1	2	4	6	11	21	58	99	108
WHITE-----MALE----	724	3	-	-	2	-	-	4	9	27	45	53
FEMALE--	746	2	1	-	-	1	-	2	4	11	22	18
ALL OTHER--MALE----	252	4	-	-	-	2	3	4	6	12	16	28
FEMALE--	256	2	2	1	-	1	3	1	2	8	16	9
BLACK---MALE----	248	4	-	-	-	2	3	4	6	11	16	27
FEMALE--	250	2	2	1	-	1	3	1	2	8	16	9

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 2,054
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 IX. DISEASES OF THE DIGESTIVE SYSTEM (520-579)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
COLORADO -----	65	54	68	79	103	121	128	104	77	25	3	-
WHITE-----MALE----	42	25	40	39	44	59	50	35	13	6	-	-
FEMALE--	19	21	25	35	56	57	76	65	61	17	3	-
ALL OTHER--MALE----	4	6	1	3	1	1	-	2	1	2	-	-
FEMALE--	-	2	2	2	2	4	2	2	2	-	-	-
BLACK---MALE----	4	4	1	3	1	-	-	1	1	1	-	-
FEMALE--	-	1	1	2	1	2	2	2	2	-	-	-
CONNECTICUT -----	49	44	55	81	115	155	141	124	76	34	9	-
WHITE-----MALE----	33	26	27	45	52	66	50	44	24	1	1	-
FEMALE--	11	14	23	29	57	84	89	74	52	32	8	-
ALL OTHER--MALE----	5	3	2	2	4	2	2	-	-	-	-	-
FEMALE--	-	1	3	5	2	3	-	6	-	1	-	-
BLACK---MALE----	5	3	2	2	4	2	2	-	-	-	-	-
FEMALE--	-	1	3	5	2	2	-	6	-	1	-	-
DELAWARE -----	9	16	15	20	22	25	29	27	13	3	1	-
WHITE-----MALE----	4	6	5	12	10	12	11	4	-	-	-	-
FEMALE--	2	5	7	6	6	9	12	21	10	3	1	-
ALL OTHER--MALE----	3	3	2	-	1	1	5	-	-	-	-	-
FEMALE--	-	2	1	2	5	3	1	2	3	-	-	-
BLACK---MALE----	2	3	2	-	1	1	5	-	-	-	-	-
FEMALE--	-	2	1	2	5	3	1	2	3	-	-	-
DISTRICT OF COLUMBIA -----	17	26	24	23	21	25	23	36	12	5	1	-
WHITE-----MALE----	1	2	1	2	-	1	2	4	-	-	-	-
FEMALE--	-	-	-	1	5	2	3	6	5	-	-	-
ALL OTHER--MALE----	10	17	14	9	9	8	6	13	2	1	-	-
FEMALE--	6	7	9	11	7	14	12	13	5	4	1	-
BLACK---MALE----	10	17	14	9	9	8	6	13	2	1	-	-
FEMALE--	6	7	8	11	7	14	12	13	4	4	1	-
FLORIDA -----	244	262	326	476	573	702	640	544	294	117	11	2
WHITE-----MALE----	146	160	181	271	284	306	293	207	91	28	3	-
FEMALE--	66	69	105	167	251	349	314	304	188	83	6	2
ALL OTHER--MALE----	16	20	26	23	19	23	16	13	7	2	-	-
FEMALE--	16	13	14	15	19	24	17	20	8	4	2	-
BLACK---MALE----	15	19	26	23	18	22	15	13	6	2	-	-
FEMALE--	14	13	13	14	19	23	15	20	8	4	2	-
GEORGIA -----	132	147	170	185	211	245	245	179	93	41	6	-
WHITE-----MALE----	60	66	71	73	86	88	70	45	17	5	-	-
FEMALE--	34	38	48	69	64	102	124	110	61	30	5	-
ALL OTHER--MALE----	17	25	32	24	28	26	17	5	3	-	-	-
FEMALE--	21	18	19	19	33	29	34	19	12	6	1	-
BLACK---MALE----	17	25	32	24	27	26	17	5	2	-	-	-
FEMALE--	21	18	18	18	30	28	34	19	12	6	1	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 2,055
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 IX. DISEASES OF THE DIGESTIVE SYSTEM (520-579)												
HAWAII -----	270	3	-	1	-	-	-	-	5	7	12	8
WHITE-----MALE----	63	1	-	-	-	-	-	-	3	1	5	5
FEMALE--	41	-	-	-	-	-	-	-	1	1	1	-
ALL OTHER--MALE----	90	1	-	-	-	-	-	-	1	4	5	2
FEMALE--	76	1	-	1	-	-	-	-	-	1	1	1
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	306	1	-	1	-	-	1	1	-	2	11	14
WHITE-----MALE----	145	-	-	1	-	-	-	-	-	2	8	9
FEMALE--	157	1	-	-	-	-	1	1	-	-	3	4
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	3,588	22	7	4	4	2	11	22	55	120	181	176
WHITE-----MALE----	1,470	8	3	2	2	1	6	11	22	61	85	97
FEMALE--	1,553	6	2	1	2	-	1	3	13	19	41	33
ALL OTHER--MALE----	329	4	1	1	-	1	1	6	13	23	41	34
FEMALE--	236	4	1	-	-	-	3	2	7	17	14	12
BLACK---MALE----	313	3	1	1	-	1	1	6	12	23	39	34
FEMALE--	229	3	1	-	-	-	3	2	7	17	14	12
INDIANA -----	1,648	11	5	-	1	2	4	5	20	41	55	80
WHITE-----MALE----	713	1	-	-	-	1	1	3	14	22	31	47
FEMALE--	792	7	4	-	1	1	2	1	4	17	16	20
ALL OTHER--MALE----	71	1	-	-	-	-	1	1	1	1	5	10
FEMALE--	72	2	1	-	-	-	-	-	1	1	3	3
BLACK---MALE----	71	1	-	-	-	-	1	1	1	1	5	10
FEMALE--	68	2	1	-	-	-	-	-	1	1	3	3
IOWA -----	862	2	5	1	-	1	1	3	7	7	15	26
WHITE-----MALE----	378	2	2	-	-	-	-	2	4	3	11	18
FEMALE--	470	-	3	1	-	1	1	1	2	2	2	8
ALL OTHER--MALE----	8	-	-	-	-	-	-	-	1	2	2	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	1	-	1	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
KANSAS -----	757	2	1	2	1	1	-	4	6	10	27	26
WHITE-----MALE----	336	-	-	1	1	-	-	2	2	7	17	16
FEMALE--	373	2	-	1	-	-	-	2	3	2	5	6
ALL OTHER--MALE----	26	-	-	-	-	1	-	-	-	-	3	2
FEMALE--	22	-	1	-	-	-	-	-	1	1	2	2
BLACK---MALE----	20	-	-	-	-	1	-	-	-	-	3	2
FEMALE--	18	-	1	-	-	-	-	-	1	1	2	1

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 2,055
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 IX. DISEASES OF THE DIGESTIVE SYSTEM (520-579)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
HAWAII -----	12	20	21	21	27	30	50	24	19	6	4	-
WHITE-----MALE----	3	8	5	1	7	8	7	4	3	2	-	-
FEMALE--	2	4	2	5	2	5	9	4	4	1	-	-
ALL OTHER--MALE----	3	6	10	6	10	8	20	9	4	1	-	-
FEMALE--	4	2	4	9	8	9	14	7	8	2	4	-
BLACK---MALE----	-	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	15	15	18	27	37	32	51	45	30	4	1	-
WHITE-----MALE----	11	8	8	12	20	15	27	13	11	-	-	-
FEMALE--	3	7	10	15	16	16	24	32	19	4	1	-
ALL OTHER--MALE----	-	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	180	197	219	335	387	409	483	398	262	97	17	-
WHITE-----MALE----	85	110	99	163	176	173	187	105	55	17	2	-
FEMALE--	46	52	69	108	163	193	259	265	189	73	15	-
ALL OTHER--MALE----	37	22	36	30	29	22	10	12	4	2	-	-
FEMALE--	12	13	15	34	19	21	27	16	14	5	-	-
BLACK---MALE----	36	19	32	29	28	21	9	12	4	2	-	-
FEMALE--	12	11	15	31	19	20	27	16	14	5	-	-
INDIANA -----	72	96	119	149	192	216	206	182	130	50	12	-
WHITE-----MALE----	44	61	62	81	86	89	66	56	33	13	2	-
FEMALE--	20	22	43	53	96	109	133	113	90	32	8	-
ALL OTHER--MALE----	5	6	9	7	4	6	5	4	3	2	-	-
FEMALE--	3	7	5	8	6	12	2	9	4	3	2	-
BLACK---MALE----	5	6	9	7	4	6	5	4	3	2	-	-
FEMALE--	3	6	4	8	6	11	2	8	4	3	2	-
IOWA -----	27	35	33	69	96	84	128	151	108	56	7	-
WHITE-----MALE----	20	21	17	38	50	39	53	51	34	12	1	-
FEMALE--	7	13	14	30	43	45	75	99	73	44	6	-
ALL OTHER--MALE----	-	-	1	1	1	-	-	-	-	-	-	-
FEMALE--	-	1	1	-	2	-	-	1	1	-	-	-
BLACK---MALE----	-	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	1	1	-	-	-
KANSAS -----	21	28	51	52	78	88	114	107	93	36	9	-
WHITE-----MALE----	9	10	30	32	41	45	49	41	26	6	1	-
FEMALE--	10	10	14	19	34	39	61	63	66	29	7	-
ALL OTHER--MALE----	2	5	4	1	3	1	3	-	1	-	-	-
FEMALE--	-	3	3	-	-	3	1	3	-	1	1	-
BLACK---MALE----	1	4	2	1	1	1	3	-	1	-	-	-
FEMALE--	-	1	3	-	-	2	1	3	-	1	1	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 2,056
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 IX. DISEASES OF THE DIGESTIVE SYSTEM (520-579)												
KENTUCKY -----	1,180	7	-	1	-	1	1	3	16	35	39	57
WHITE-----MALE----	539	4	-	1	-	-	1	3	9	18	27	39
FEMALE--	564	2	-	-	-	-	-	-	5	11	9	12
ALL OTHER--MALE----	38	1	-	-	-	1	-	-	1	4	3	4
FEMALE--	39	-	-	-	-	-	-	-	1	2	-	2
BLACK---MALE----	36	1	-	-	-	1	-	-	1	3	3	4
FEMALE--	38	-	-	-	-	-	-	-	1	2	-	2
LOUISIANA -----	1,246	8	3	-	3	1	7	7	12	35	63	88
WHITE-----MALE----	400	1	-	-	2	-	3	3	2	10	19	32
FEMALE--	472	1	1	-	-	1	-	2	3	5	9	20
ALL OTHER--MALE----	206	2	2	-	1	-	2	2	2	14	23	27
FEMALE--	168	4	-	-	-	-	2	-	5	6	12	9
BLACK---MALE----	202	2	2	-	1	-	2	2	2	14	23	27
FEMALE--	166	4	-	-	-	-	2	-	5	6	11	9
MAINE -----	409	-	-	1	-	-	-	-	1	2	12	9
WHITE-----MALE----	176	-	-	-	-	-	-	-	1	1	9	7
FEMALE--	231	-	-	1	-	-	-	-	-	1	3	1
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	1,393	6	2	3	1	-	-	7	22	51	52	87
WHITE-----MALE----	479	3	1	1	-	-	-	4	8	14	21	33
FEMALE--	526	2	-	1	-	-	-	3	5	7	2	7
ALL OTHER--MALE----	220	1	-	-	-	-	-	-	4	19	19	32
FEMALE--	168	-	1	1	1	-	-	-	5	11	10	15
BLACK---MALE----	210	1	-	-	-	-	-	-	4	19	18	31
FEMALE--	163	-	1	1	1	-	-	-	5	11	10	15
MASSACHUSETTS -----	1,993	1	3	2	-	1	1	10	23	41	77	100
WHITE-----MALE----	948	1	-	-	-	1	-	7	13	27	53	73
FEMALE--	949	-	-	2	-	-	-	3	5	6	13	19
ALL OTHER--MALE----	43	-	1	-	-	-	-	-	1	4	8	5
FEMALE--	53	-	2	-	-	-	1	-	4	4	3	3
BLACK---MALE----	38	-	1	-	-	-	-	-	-	4	8	5
FEMALE--	46	-	2	-	-	-	1	-	4	4	3	3
MICHIGAN -----	3,018	11	7	1	2	3	5	13	32	84	156	178
WHITE-----MALE----	1,218	3	2	1	1	2	1	5	15	32	75	88
FEMALE--	1,295	2	3	-	1	1	1	5	15	19	28	26
ALL OTHER--MALE----	291	3	2	-	-	-	2	2	2	21	34	48
FEMALE--	214	3	-	-	-	-	1	1	-	12	19	16
BLACK---MALE----	279	3	2	-	-	-	2	2	2	19	34	48
FEMALE--	198	3	-	-	-	-	1	1	-	8	17	14

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 2,056
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 IX. DISEASES OF THE DIGESTIVE SYSTEM (520-579)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
KENTUCKY -----	74	75	90	121	118	144	132	149	83	29	5	-
WHITE-----MALE----	50	48	59	66	46	50	52	41	22	3	-	-
FEMALE--	21	22	27	46	65	82	74	100	58	25	5	-
ALL OTHER--MALE----	3	4	1	5	4	3	3	1	-	-	-	-
FEMALE--	-	1	3	4	3	9	3	7	3	1	-	-
BLACK---MALE----	3	3	1	5	4	3	3	1	-	-	-	-
FEMALE--	-	1	2	4	3	9	3	7	3	1	-	-
LOUISIANA -----	63	87	91	98	147	149	159	134	68	16	7	-
WHITE-----MALE----	27	36	42	45	44	47	44	33	10	-	-	-
FEMALE--	6	20	25	32	62	59	92	75	43	11	5	-
ALL OTHER--MALE----	18	23	15	7	21	19	7	12	4	4	1	-
FEMALE--	12	8	9	14	20	24	16	14	11	1	1	-
BLACK---MALE----	17	22	15	6	21	19	6	12	4	4	1	-
FEMALE--	12	8	9	14	19	24	16	14	11	1	1	-
MAINE -----	22	19	35	36	50	50	75	47	36	12	2	-
WHITE-----MALE----	20	9	22	17	24	20	26	17	2	1	-	-
FEMALE--	2	10	12	19	26	30	49	30	34	11	2	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	81	82	104	119	153	174	151	164	90	35	8	1
WHITE-----MALE----	35	31	45	56	57	60	45	36	22	6	1	-
FEMALE--	14	21	29	32	55	83	85	96	55	23	6	-
ALL OTHER--MALE----	23	20	23	18	19	18	8	9	5	1	-	1
FEMALE--	9	10	7	13	22	13	13	23	8	5	1	-
BLACK---MALE----	22	19	23	18	19	14	7	8	5	1	-	1
FEMALE--	9	10	5	13	22	13	11	22	8	5	1	-
MASSACHUSETTS -----	103	84	103	169	227	260	280	244	174	77	13	-
WHITE-----MALE----	68	53	68	92	111	127	113	84	46	9	2	-
FEMALE--	26	25	31	71	107	124	160	153	126	68	10	-
ALL OTHER--MALE----	2	3	3	2	4	4	4	2	-	-	-	-
FEMALE--	7	3	1	4	5	5	3	5	2	-	1	-
BLACK---MALE----	2	2	3	1	4	4	3	1	-	-	-	-
FEMALE--	5	3	-	3	4	5	3	5	1	-	-	-
MICHIGAN -----	153	154	192	297	358	346	414	349	186	65	9	3
WHITE-----MALE----	79	79	93	125	163	147	159	99	34	12	2	1
FEMALE--	29	39	59	131	141	165	212	222	144	44	7	1
ALL OTHER--MALE----	27	18	27	22	30	18	17	11	4	2	-	1
FEMALE--	18	18	13	19	24	16	26	17	4	7	-	-
BLACK---MALE----	26	18	25	21	30	15	16	11	3	1	-	1
FEMALE--	18	16	13	16	24	16	24	16	4	7	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 2,057
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 IX. DISEASES OF THE DIGESTIVE SYSTEM (520-579)												
MINNESOTA -----	1,114	4	2	1	-	1	1	2	6	17	44	40
WHITE-----MALE----	484	1	1	-	-	1	1	1	3	9	22	25
FEMALE--	572	1	1	1	-	-	-	1	2	5	14	10
ALL OTHER--MALE----	31	2	-	-	-	-	-	-	1	2	5	3
FEMALE--	27	-	-	-	-	-	-	-	-	1	3	2
BLACK---MALE----	11	1	-	-	-	-	-	-	-	-	3	-
FEMALE--	11	-	-	-	-	-	-	-	-	-	1	1
MISSISSIPPI -----	851	8	1	1	-	1	2	9	6	33	42	51
WHITE-----MALE----	307	4	-	-	-	-	-	3	1	10	19	28
FEMALE--	277	1	-	-	-	-	-	-	1	7	2	5
ALL OTHER--MALE----	119	-	1	1	-	-	1	2	3	10	10	8
FEMALE--	148	3	-	-	-	1	1	4	1	6	11	10
BLACK---MALE----	116	-	1	1	-	-	1	2	3	10	10	8
FEMALE--	142	3	-	-	-	1	1	3	1	5	10	8
MISSOURI -----	1,577	9	3	1	-	-	-	9	12	25	57	76
WHITE-----MALE----	641	1	1	-	-	-	-	4	7	15	35	47
FEMALE--	757	5	2	-	-	-	-	3	3	5	11	13
ALL OTHER--MALE----	85	2	-	-	-	-	-	1	-	2	5	12
FEMALE--	94	1	-	1	-	-	-	1	2	3	6	4
BLACK---MALE----	83	2	-	-	-	-	-	1	-	2	5	12
FEMALE--	92	1	-	1	-	-	-	1	2	3	6	4
MONTANA -----	257	-	1	-	-	1	-	1	1	6	10	16
WHITE-----MALE----	107	-	1	-	-	1	-	-	1	2	3	9
FEMALE--	120	-	-	-	-	-	-	1	-	3	3	5
ALL OTHER--MALE----	16	-	-	-	-	-	-	-	-	1	1	2
FEMALE--	14	-	-	-	-	-	-	-	-	-	3	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	483	1	1	2	-	1	1	4	2	10	16	16
WHITE-----MALE----	209	-	1	2	-	1	1	2	1	5	6	8
FEMALE--	242	-	-	-	-	-	-	1	-	2	6	7
ALL OTHER--MALE----	21	1	-	-	-	-	-	1	1	3	2	1
FEMALE--	11	-	-	-	-	-	-	-	-	-	2	-
BLACK---MALE----	18	1	-	-	-	-	-	1	1	2	2	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	1	-
NEVADA -----	521	4	-	1	-	2	-	1	12	10	38	44
WHITE-----MALE----	292	3	-	-	-	-	-	-	5	3	30	28
FEMALE--	193	-	-	-	-	1	-	-	5	6	7	11
ALL OTHER--MALE----	22	1	-	1	-	-	-	-	2	1	-	4
FEMALE--	14	-	-	-	-	1	-	1	-	-	1	1
BLACK---MALE----	11	-	-	-	-	-	-	-	1	-	-	3
FEMALE--	9	-	-	-	-	1	-	1	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 2,057
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 IX. DISEASES OF THE DIGESTIVE SYSTEM (520-579)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
MINNESOTA -----	51	48	82	69	100	144	148	156	139	54	5	-
WHITE-----MALE----	30	27	40	36	49	61	61	56	41	17	2	-
FEMALE--	13	16	35	28	49	79	81	98	98	37	3	-
ALL OTHER--MALE----	3	2	3	2	2	2	3	1	-	-	-	-
FEMALE--	5	3	4	3	-	2	3	1	-	-	-	-
BLACK---MALE----	2	1	-	1	2	-	1	-	-	-	-	-
FEMALE--	1	1	2	3	-	1	-	1	-	-	-	-
MISSISSIPPI -----	51	41	65	79	106	97	99	95	49	11	3	1
WHITE-----MALE----	24	13	32	37	42	38	28	20	7	1	-	-
FEMALE--	10	10	15	27	38	32	42	47	30	7	2	1
ALL OTHER--MALE----	11	12	7	7	8	11	11	10	5	1	-	-
FEMALE--	6	6	11	8	18	16	18	18	7	2	1	-
BLACK---MALE----	11	10	7	7	8	11	11	9	5	1	-	-
FEMALE--	6	5	11	8	18	16	18	18	7	2	1	-
MISSOURI -----	72	90	92	150	184	189	197	225	126	51	9	-
WHITE-----MALE----	42	43	53	79	80	74	71	58	25	4	2	-
FEMALE--	18	33	27	52	81	90	112	158	94	43	7	-
ALL OTHER--MALE----	8	8	8	7	14	10	4	3	1	-	-	-
FEMALE--	4	6	4	12	9	15	10	6	6	4	-	-
BLACK---MALE----	8	8	7	7	13	10	4	3	1	-	-	-
FEMALE--	4	6	4	12	8	15	9	6	6	4	-	-
MONTANA -----	21	19	18	21	26	28	35	27	14	11	1	-
WHITE-----MALE----	11	13	6	10	15	15	9	7	2	2	-	-
FEMALE--	5	4	7	8	8	11	24	20	11	9	1	-
ALL OTHER--MALE----	4	1	3	1	2	-	1	-	-	-	-	-
FEMALE--	1	1	2	2	1	2	1	-	1	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	9	20	22	39	39	54	76	87	58	23	2	-
WHITE-----MALE----	6	11	10	19	22	29	35	36	12	2	-	-
FEMALE--	1	6	7	18	15	23	37	50	46	21	2	-
ALL OTHER--MALE----	1	2	4	-	1	2	1	1	-	-	-	-
FEMALE--	1	1	1	2	1	-	3	-	-	-	-	-
BLACK---MALE----	1	2	3	-	1	2	1	1	-	-	-	-
FEMALE--	1	1	-	2	-	-	2	-	-	-	-	-
NEVADA -----	40	36	50	48	68	62	48	36	16	3	1	1
WHITE-----MALE----	25	26	29	35	39	27	21	16	4	-	-	1
FEMALE--	12	6	19	12	28	30	23	17	12	3	1	-
ALL OTHER--MALE----	3	3	-	-	1	2	2	2	-	-	-	-
FEMALE--	-	1	2	1	-	3	2	1	-	-	-	-
BLACK---MALE----	3	1	-	-	-	2	-	1	-	-	-	-
FEMALE--	-	1	1	1	-	1	2	1	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 2,059
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 IX. DISEASES OF THE DIGESTIVE SYSTEM (520-579)												
OHIO -----	3,212	11	7	-	3	-	4	13	25	67	117	157
WHITE-----MALE----	1,317	7	4	-	-	-	2	6	13	41	69	92
FEMALE--	1,499	3	1	-	2	-	1	1	7	13	24	27
ALL OTHER--MALE----	194	1	1	-	1	-	-	3	3	6	13	23
FEMALE--	202	-	1	-	-	-	1	3	2	7	11	15
BLACK---MALE----	193	1	1	-	1	-	-	3	3	6	13	23
FEMALE--	196	-	1	-	-	-	1	3	2	7	11	15
OKLAHOMA -----	1,097	3	3	2	3	-	5	4	9	19	44	53
WHITE-----MALE----	459	2	2	2	-	-	2	1	5	12	27	30
FEMALE--	495	1	-	-	-	-	2	1	1	2	9	7
ALL OTHER--MALE----	77	-	1	-	3	-	-	-	2	1	6	8
FEMALE--	66	-	-	-	-	-	1	2	1	4	2	8
BLACK---MALE----	30	-	1	-	2	-	-	-	-	1	1	6
FEMALE--	32	-	-	-	-	-	-	-	1	-	2	3
OREGON -----	1,008	1	2	1	2	1	4	2	5	26	43	57
WHITE-----MALE----	469	1	2	-	1	-	2	1	3	15	25	33
FEMALE--	503	-	-	1	1	-	1	-	2	8	14	19
ALL OTHER--MALE----	16	-	-	-	-	-	-	1	-	-	4	1
FEMALE--	20	-	-	-	-	1	1	-	-	3	-	4
BLACK---MALE----	7	-	-	-	-	-	-	1	-	-	1	1
FEMALE--	4	-	-	-	-	1	-	-	-	2	-	-
PENNSYLVANIA -----	4,222	11	10	7	-	6	5	8	34	67	145	167
WHITE-----MALE----	1,724	6	4	3	-	1	1	6	17	34	83	97
FEMALE--	2,046	3	2	3	-	3	2	2	10	16	26	33
ALL OTHER--MALE----	219	1	2	1	-	2	1	-	4	9	27	23
FEMALE--	233	1	2	-	-	-	1	-	3	8	9	14
BLACK---MALE----	216	1	2	1	-	2	1	-	4	9	27	23
FEMALE--	224	1	1	-	-	-	1	-	3	8	9	14
RHODE ISLAND -----	333	-	1	-	-	-	-	-	9	5	11	14
WHITE-----MALE----	157	-	-	-	-	-	-	-	6	3	8	11
FEMALE--	166	-	1	-	-	-	-	-	3	2	2	2
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	5	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	1,162	4	4	2	1	1	5	7	12	28	61	77
WHITE-----MALE----	410	2	2	1	-	-	1	3	6	10	30	30
FEMALE--	416	-	2	-	-	-	2	2	3	4	10	12
ALL OTHER--MALE----	175	2	-	1	1	1	1	2	1	10	11	23
FEMALE--	161	-	-	-	-	-	1	-	2	4	10	12
BLACK---MALE----	174	2	-	1	1	1	1	2	1	9	11	23
FEMALE--	159	-	-	-	-	-	1	-	2	4	10	12

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 2,059
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 IX. DISEASES OF THE DIGESTIVE SYSTEM (520-579)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
OHIO -----	141	176	189	302	402	466	412	366	245	92	17	-
WHITE-----MALE----	75	97	101	158	170	167	142	106	51	15	1	-
FEMALE--	33	54	52	113	177	257	236	232	184	69	13	-
ALL OTHER--MALE----	22	17	19	14	27	19	13	5	4	1	2	-
FEMALE--	11	8	17	17	28	23	21	23	6	7	1	-
BLACK---MALE----	22	17	19	14	27	19	13	5	3	1	2	-
FEMALE--	8	8	16	16	27	23	21	23	6	7	1	-
OKLAHOMA -----	49	65	84	103	130	127	138	126	83	38	9	-
WHITE-----MALE----	26	40	40	45	55	50	53	38	21	8	-	-
FEMALE--	13	14	32	47	56	60	81	80	53	28	8	-
ALL OTHER--MALE----	8	8	7	6	11	6	3	2	5	-	-	-
FEMALE--	2	3	5	5	8	11	1	6	4	2	1	-
BLACK---MALE----	1	2	3	2	3	1	3	1	3	-	-	-
FEMALE--	-	2	4	1	3	7	1	3	4	1	-	-
OREGON -----	42	54	62	70	116	136	133	125	90	29	7	-
WHITE-----MALE----	29	33	34	37	66	49	61	47	24	5	1	-
FEMALE--	9	17	26	29	48	86	70	78	65	24	5	-
ALL OTHER--MALE----	1	3	1	2	2	1	-	-	-	-	-	-
FEMALE--	3	1	1	2	-	-	2	-	1	-	1	-
BLACK---MALE----	-	1	1	2	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	173	213	238	367	526	600	628	546	327	117	27	-
WHITE-----MALE----	97	112	124	196	246	246	221	147	60	18	5	-
FEMALE--	44	61	80	124	229	307	377	366	249	91	18	-
ALL OTHER--MALE----	21	22	16	23	16	23	12	8	7	1	-	-
FEMALE--	11	18	18	24	35	24	18	25	11	7	4	-
BLACK---MALE----	21	21	16	23	15	23	11	8	7	1	-	-
FEMALE--	11	18	16	23	33	22	18	25	11	7	3	-
RHODE ISLAND -----	12	13	26	27	36	51	44	39	30	12	3	-
WHITE-----MALE----	7	9	17	14	20	22	18	10	9	2	1	-
FEMALE--	4	3	6	11	16	29	25	29	21	10	2	-
ALL OTHER--MALE----	-	-	1	1	-	-	1	-	-	-	-	-
FEMALE--	1	1	2	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	1	-	-	1	-	-	-	-	-
FEMALE--	1	1	1	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	89	79	82	114	122	155	142	110	56	9	2	-
WHITE-----MALE----	40	35	34	45	47	52	41	20	11	-	-	-
FEMALE--	12	16	24	42	44	63	69	72	33	5	1	-
ALL OTHER--MALE----	28	19	15	9	18	14	9	5	4	1	-	-
FEMALE--	9	9	9	18	13	26	23	13	8	3	1	-
BLACK---MALE----	28	19	15	9	18	14	9	5	4	1	-	-
FEMALE--	9	9	9	18	12	25	23	13	8	3	1	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 2,060
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 IX. DISEASES OF THE DIGESTIVE SYSTEM (520-579)												
SOUTH DAKOTA -----	235	-	-	-	-	-	1	-	3	10	10	7
WHITE-----MALE----	87	-	-	-	-	-	-	-	-	3	3	3
FEMALE--	105	-	-	-	-	-	1	-	1	2	1	-
ALL OTHER--MALE----	25	-	-	-	-	-	-	-	2	5	4	2
FEMALE--	18	-	-	-	-	-	-	-	-	-	2	2
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	1,611	13	2	2	1	2	2	4	22	39	61	93
WHITE-----MALE----	687	3	-	-	-	-	2	-	11	19	41	56
FEMALE--	677	5	1	-	1	-	-	3	4	8	6	12
ALL OTHER--MALE----	146	4	1	2	-	1	-	-	3	7	9	14
FEMALE--	101	1	-	-	-	1	-	1	4	5	5	11
BLACK---MALE----	145	4	1	2	-	1	-	-	3	7	9	14
FEMALE--	98	1	-	-	-	1	-	1	4	5	5	10
TEXAS -----	5,140	39	17	11	6	15	11	27	52	179	262	316
WHITE-----MALE----	2,416	16	12	6	3	7	4	13	28	106	161	202
FEMALE--	2,133	13	5	4	2	2	4	4	19	47	58	67
ALL OTHER--MALE----	332	5	-	-	-	5	2	8	3	19	35	26
FEMALE--	259	5	-	1	1	1	1	2	2	7	8	21
BLACK---MALE----	313	5	-	-	-	5	2	7	2	19	33	24
FEMALE--	246	5	-	-	1	1	1	2	1	7	8	21
UTAH -----	470	2	2	-	-	1	1	2	2	17	16	13
WHITE-----MALE----	193	1	2	-	-	-	-	-	1	8	10	8
FEMALE--	263	-	-	-	-	1	1	2	-	5	3	4
ALL OTHER--MALE----	9	1	-	-	-	-	-	-	1	3	1	1
FEMALE--	5	-	-	-	-	-	-	-	-	1	2	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	162	-	-	-	-	-	1	1	1	5	4	6
WHITE-----MALE----	85	-	-	-	-	-	1	-	-	3	4	4
FEMALE--	77	-	-	-	-	-	-	1	1	2	-	2
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	1,776	6	3	1	2	7	1	8	13	36	70	95
WHITE-----MALE----	684	2	1	1	1	1	1	3	5	18	41	51
FEMALE--	704	2	1	-	-	2	-	3	6	6	12	13
ALL OTHER--MALE----	210	2	1	-	-	3	-	2	1	10	7	26
FEMALE--	178	-	-	-	1	1	-	-	1	2	10	5
BLACK---MALE----	205	1	1	-	-	3	-	2	1	9	6	26
FEMALE--	172	-	-	-	1	1	-	-	1	2	10	5

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 2,060
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 IX. DISEASES OF THE DIGESTIVE SYSTEM (520-579)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
SOUTH DAKOTA -----	10	13	14	11	23	19	44	39	26	4	1	-
WHITE-----MALE----	2	5	5	6	14	6	20	12	6	2	-	-
FEMALE--	3	2	3	3	8	11	22	26	19	2	1	-
ALL OTHER--MALE----	1	5	3	1	-	-	-	1	1	-	-	-
FEMALE--	4	1	3	1	1	2	2	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	90	90	148	152	190	185	183	183	106	37	6	-
WHITE-----MALE----	49	49	75	77	84	75	60	57	21	7	1	-
FEMALE--	24	23	46	53	82	92	101	109	79	25	3	-
ALL OTHER--MALE----	13	9	22	17	15	8	13	5	1	2	-	-
FEMALE--	4	9	5	5	9	10	9	12	5	3	2	-
BLACK---MALE----	13	9	22	17	14	8	13	5	1	2	-	-
FEMALE--	4	9	5	5	8	9	9	12	5	3	2	-
TEXAS -----	299	357	377	459	566	580	605	523	308	103	24	4
WHITE-----MALE----	193	208	220	223	281	255	240	152	66	14	4	2
FEMALE--	62	91	117	171	235	279	315	325	213	82	17	1
ALL OTHER--MALE----	32	39	25	38	26	18	21	15	10	3	1	1
FEMALE--	12	19	15	27	24	28	29	31	19	4	2	-
BLACK---MALE----	30	34	25	38	24	16	19	15	10	3	1	1
FEMALE--	10	17	13	26	23	28	28	30	18	4	2	-
UTAH -----	21	15	25	28	54	71	75	63	49	10	3	-
WHITE-----MALE----	12	10	14	20	21	31	25	15	11	3	1	-
FEMALE--	9	4	11	8	32	39	50	48	37	7	2	-
ALL OTHER--MALE----	-	1	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	6	8	10	14	15	17	24	26	18	4	2	-
WHITE-----MALE----	4	7	4	10	9	10	13	5	10	1	-	-
FEMALE--	2	1	6	4	6	7	11	21	8	3	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	108	110	140	156	214	227	233	193	119	23	9	2
WHITE-----MALE----	52	58	73	71	75	78	77	48	22	2	1	2
FEMALE--	28	26	33	40	87	107	116	123	77	17	5	-
ALL OTHER--MALE----	21	11	20	26	22	19	16	13	8	1	1	-
FEMALE--	7	15	14	19	30	23	24	9	12	3	2	-
BLACK---MALE----	20	10	20	26	22	19	16	13	8	1	1	-
FEMALE--	7	13	13	18	29	23	24	8	12	3	2	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 2,065
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 DISEASES OF ORAL CAVITY, SALIVARY GLANDS, AND JAWS (520-529)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
KENTUCKY -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	-	-	-	-	-	-	1	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MAINE -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	-	-	-	-	-	-	-	-	1	1	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-
MASSACHUSETTS -----	-	-	-	-	-	-	1	-	-	1	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	-	-	-	-	1	-	1	-	2	1	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 2,071
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
 CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
 DISEASES OF OTHER PARTS OF THE DIGESTIVE SYSTEM (530-579)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 UNITED STATES --	77,340	353	153	87	49	78	148	319	819	1,982	3,424	4,274
WHITE-----MALE----	33,175	137	61	35	23	34	58	141	390	991	1,943	2,425
FEMALE--	33,693	101	43	26	16	21	39	89	232	475	678	900
ALL OTHER--MALE----	5,620	66	24	15	7	16	23	58	112	312	518	650
FEMALE--	4,852	49	25	11	3	7	28	31	85	204	285	299
BLACK---MALE----	4,794	56	18	12	6	16	22	48	82	263	445	585
FEMALE--	4,130	45	19	6	3	7	24	22	74	168	242	263
ALABAMA -----	1,348	9	2	2	1	1	2	4	8	38	57	77
WHITE-----MALE----	505	6	2	1	1	1	-	1	2	14	22	27
FEMALE--	535	-	-	-	-	-	-	1	5	13	5	18
ALL OTHER--MALE----	163	2	-	1	-	-	1	2	1	6	20	25
FEMALE--	145	1	-	-	-	-	1	-	-	5	10	7
BLACK---MALE----	159	2	-	1	-	-	1	2	1	6	20	25
FEMALE--	145	1	-	-	-	-	1	-	-	5	10	7
ALASKA -----	110	-	-	1	-	-	-	1	1	12	12	6
WHITE-----MALE----	41	-	-	-	-	-	-	-	-	5	3	2
FEMALE--	31	-	-	1	-	-	-	1	-	3	3	2
ALL OTHER--MALE----	17	-	-	-	-	-	-	-	-	1	5	2
FEMALE--	21	-	-	-	-	-	-	-	1	3	1	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	2	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	1,408	5	-	1	2	5	9	21	45	83	91	91
WHITE-----MALE----	653	1	-	-	1	2	4	3	8	25	31	63
FEMALE--	591	4	-	-	1	-	-	1	3	8	21	16
ALL OTHER--MALE----	89	-	-	1	-	-	-	3	7	6	17	10
FEMALE--	75	-	-	-	-	-	1	2	3	6	14	2
BLACK---MALE----	16	-	-	-	-	-	-	-	1	-	3	1
FEMALE--	10	-	-	-	-	-	-	-	-	1	1	-
ARKANSAS -----	763	5	2	3	-	-	4	2	9	13	24	31
WHITE-----MALE----	344	1	2	2	-	-	1	1	3	3	13	20
FEMALE--	323	1	-	1	-	-	2	-	4	4	7	2
ALL OTHER--MALE----	43	2	-	-	-	-	-	-	1	4	2	4
FEMALE--	53	1	-	-	-	-	1	1	1	2	2	5
BLACK---MALE----	42	2	-	-	-	-	-	-	1	4	2	4
FEMALE--	53	1	-	-	-	-	1	1	1	2	2	5
CALIFORNIA -----	8,150	43	13	8	3	8	21	42	117	276	469	585
WHITE-----MALE----	3,819	19	5	4	2	5	12	21	70	164	311	349
FEMALE--	3,342	13	3	2	1	3	4	14	29	77	102	151
ALL OTHER--MALE----	549	5	4	1	-	-	2	6	11	17	31	63
FEMALE--	440	6	1	1	-	-	3	1	7	18	25	22
BLACK---MALE----	294	3	1	-	-	-	1	3	3	11	19	46
FEMALE--	256	4	1	-	-	-	2	-	6	12	21	19

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 2,071
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
DISEASES OF OTHER PARTS OF THE DIGESTIVE SYSTEM (530-579)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 UNITED STATES --	4,168	4,464	5,414	6,916	8,748	9,598	9,894	8,735	5,354	1,943	403	17
WHITE-----MALE----	2,337	2,399	2,822	3,441	3,988	4,002	3,674	2,615	1,247	348	57	7
FEMALE--	1,014	1,223	1,708	2,518	3,698	4,612	5,361	5,452	3,732	1,447	302	6
ALL OTHER--MALE----	525	512	544	490	532	448	369	231	121	36	7	4
FEMALE--	292	330	340	467	530	536	490	437	254	112	37	-
BLACK---MALE----	462	433	474	426	456	381	283	189	97	29	7	4
FEMALE--	229	282	277	392	463	461	416	394	214	103	26	-
ALABAMA -----	75	79	111	140	150	155	164	155	80	29	9	-
WHITE-----MALE----	45	38	51	67	63	52	50	46	10	5	1	-
FEMALE--	14	20	37	44	51	81	82	84	57	18	5	-
ALL OTHER--MALE----	12	15	16	11	16	8	14	7	4	1	1	-
FEMALE--	4	6	7	18	20	14	18	18	9	5	2	-
BLACK---MALE----	12	15	15	11	16	8	13	6	3	1	1	-
FEMALE--	4	6	7	18	20	14	18	18	9	5	2	-
ALASKA -----	10	7	6	15	12	9	5	7	4	2	-	-
WHITE-----MALE----	7	3	3	9	5	1	1	2	-	-	-	-
FEMALE--	1	-	3	3	2	5	1	3	1	2	-	-
ALL OTHER--MALE----	1	2	-	2	1	1	2	-	-	-	-	-
FEMALE--	1	2	-	1	4	2	1	2	3	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
ARIZONA -----	100	93	107	114	153	170	167	130	81	22	7	-
WHITE-----MALE----	51	51	51	57	76	85	72	43	24	5	-	-
FEMALE--	28	30	40	48	70	79	86	83	52	16	5	-
ALL OTHER--MALE----	10	7	7	5	4	4	4	2	2	-	-	-
FEMALE--	11	5	9	4	3	2	5	2	3	1	2	-
BLACK---MALE----	2	-	1	2	-	3	1	1	1	-	-	-
FEMALE--	-	2	2	-	1	1	2	-	-	-	-	-
ARKANSAS -----	36	51	44	56	90	105	100	102	55	26	5	-
WHITE-----MALE----	25	32	25	26	47	53	37	34	16	3	-	-
FEMALE--	6	13	12	26	33	42	56	56	33	20	5	-
ALL OTHER--MALE----	2	4	5	2	4	4	3	4	2	-	-	-
FEMALE--	3	2	2	2	6	6	4	8	4	3	-	-
BLACK---MALE----	2	4	5	2	3	4	3	4	2	-	-	-
FEMALE--	3	2	2	2	6	6	4	8	4	3	-	-
CALIFORNIA -----	530	528	656	727	916	958	894	727	434	160	34	1
WHITE-----MALE----	307	291	362	362	411	407	334	223	111	43	5	1
FEMALE--	148	162	211	265	390	453	450	448	281	108	27	-
ALL OTHER--MALE----	46	48	48	51	60	56	55	25	15	4	1	-
FEMALE--	29	27	35	49	55	42	55	31	27	5	1	-
BLACK---MALE----	30	29	30	26	33	27	18	6	6	1	1	-
FEMALE--	20	16	22	25	33	17	28	15	11	4	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 2,072
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
DISEASES OF OTHER PARTS OF THE DIGESTIVE SYSTEM (530-579)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
COLORADO -----	1,038	5	1	1	-	-	2	3	22	37	63	79
WHITE-----MALE----	479	2	-	-	-	-	1	1	9	17	43	53
FEMALE--	503	2	-	1	-	-	1	2	10	16	14	24
ALL OTHER--MALE----	31	1	1	-	-	-	-	-	1	3	3	1
FEMALE--	25	-	-	-	-	-	-	-	2	1	3	1
BLACK---MALE----	22	1	-	-	-	-	-	-	-	1	3	1
FEMALE--	16	-	-	-	-	-	-	-	1	-	2	-
CONNECTICUT -----	1,029	3	4	-	-	2	1	4	15	20	39	59
WHITE-----MALE----	457	2	1	-	-	2	1	-	8	11	29	34
FEMALE--	506	1	2	-	-	-	-	-	5	6	7	13
ALL OTHER--MALE----	37	-	1	-	-	-	-	1	2	2	3	8
FEMALE--	29	-	-	-	-	-	-	3	-	1	-	4
BLACK---MALE----	36	-	-	-	-	-	-	1	2	2	3	8
FEMALE--	26	-	-	-	-	-	-	2	-	1	-	3
DELAWARE -----	226	2	1	-	-	-	-	1	7	6	13	17
WHITE-----MALE----	84	1	-	-	-	-	-	-	4	4	7	5
FEMALE--	95	-	-	-	-	-	-	-	3	-	3	7
ALL OTHER--MALE----	25	-	-	-	-	-	-	1	-	2	2	5
FEMALE--	22	1	1	-	-	-	-	-	-	-	1	-
BLACK---MALE----	24	-	-	-	-	-	-	1	-	2	2	5
FEMALE--	21	1	-	-	-	-	-	-	-	-	1	-
DISTRICT OF COLUMBIA ----	271	2	-	-	-	-	1	1	2	14	15	23
WHITE-----MALE----	17	-	-	-	-	-	-	1	-	2	-	1
FEMALE--	23	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	122	-	-	-	-	-	-	-	2	7	12	12
FEMALE--	109	2	-	-	-	-	1	-	-	5	3	9
BLACK---MALE----	122	-	-	-	-	-	-	-	2	7	12	12
FEMALE--	107	2	-	-	-	-	1	-	-	5	3	9
FLORIDA -----	4,840	16	8	3	2	1	6	14	45	119	197	240
WHITE-----MALE----	2,323	6	-	1	2	-	2	6	13	56	130	139
FEMALE--	2,068	4	3	-	-	1	1	6	16	38	32	63
ALL OTHER--MALE----	246	4	1	2	-	-	2	2	8	16	19	27
FEMALE--	203	2	4	-	-	-	1	-	8	9	16	11
BLACK---MALE----	236	4	-	2	-	-	2	2	8	15	17	27
FEMALE--	195	2	4	-	-	-	1	-	8	8	16	11
GEORGIA -----	1,977	11	3	1	2	4	6	11	21	58	99	108
WHITE-----MALE----	724	3	-	-	2	-	-	4	9	27	45	53
FEMALE--	746	2	1	-	-	1	-	2	4	11	22	18
ALL OTHER--MALE----	252	4	-	-	-	2	3	4	6	12	16	28
FEMALE--	255	2	2	1	-	1	3	1	2	8	16	9
BLACK---MALE----	248	4	-	-	-	2	3	4	6	11	16	27
FEMALE--	250	2	2	1	-	1	3	1	2	8	16	9

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 2,072
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
DISEASES OF OTHER PARTS OF THE DIGESTIVE SYSTEM (530-579)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
COLORADO -----	65	54	68	79	103	121	127	103	77	25	3	-
WHITE-----MALE----	42	25	40	39	44	59	50	35	13	6	-	-
FEMALE--	19	21	25	35	56	57	75	64	61	17	3	-
ALL OTHER--MALE----	4	6	1	3	1	1	-	2	1	2	-	-
FEMALE--	-	2	2	2	2	4	2	2	2	-	-	-
BLACK---MALE----	4	4	1	3	1	-	-	1	1	1	-	-
FEMALE--	-	1	1	2	1	2	2	2	2	-	-	-
CONNECTICUT -----	49	44	55	81	115	155	141	124	76	33	9	-
WHITE-----MALE----	33	26	27	45	52	66	50	44	24	1	1	-
FEMALE--	11	14	23	29	57	84	89	74	52	31	8	-
ALL OTHER--MALE----	5	3	2	2	4	2	2	-	-	-	-	-
FEMALE--	-	1	3	5	2	3	-	6	-	1	-	-
BLACK---MALE----	5	3	2	2	4	2	2	-	-	-	-	-
FEMALE--	-	1	3	5	2	2	-	6	-	1	-	-
DELAWARE -----	9	15	15	20	22	25	29	27	13	3	1	-
WHITE-----MALE----	4	5	5	12	10	12	11	4	-	-	-	-
FEMALE--	2	5	7	6	6	9	12	21	10	3	1	-
ALL OTHER--MALE----	3	3	2	-	1	1	5	-	-	-	-	-
FEMALE--	-	2	1	2	5	3	1	2	3	-	-	-
BLACK---MALE----	2	3	2	-	1	1	5	-	-	-	-	-
FEMALE--	-	2	1	2	5	3	1	2	3	-	-	-
DISTRICT OF COLUMBIA -----	17	26	24	23	21	25	23	36	12	5	1	-
WHITE-----MALE----	1	2	1	2	-	1	2	4	-	-	-	-
FEMALE--	-	-	-	1	5	2	3	6	5	-	-	-
ALL OTHER--MALE----	10	17	14	9	9	8	6	13	2	1	-	-
FEMALE--	6	7	9	11	7	14	12	13	5	4	1	-
BLACK---MALE----	10	17	14	9	9	8	6	13	2	1	-	-
FEMALE--	6	7	8	11	7	14	12	13	4	4	1	-
FLORIDA -----	244	262	326	476	573	702	640	543	293	117	11	2
WHITE-----MALE----	146	160	181	271	284	306	293	206	90	28	3	-
FEMALE--	66	69	105	167	251	349	314	304	188	83	6	2
ALL OTHER--MALE----	16	20	26	23	19	23	16	13	7	2	-	-
FEMALE--	16	13	14	15	19	24	17	20	8	4	2	-
BLACK---MALE----	15	19	26	23	18	22	15	13	6	2	-	-
FEMALE--	14	13	13	14	19	23	15	20	8	4	2	-
GEORGIA -----	132	147	170	185	210	245	245	179	93	41	6	-
WHITE-----MALE----	60	66	71	73	86	88	70	45	17	5	-	-
FEMALE--	34	38	48	69	64	102	124	110	61	30	5	-
ALL OTHER--MALE----	17	25	32	24	28	26	17	5	3	-	-	-
FEMALE--	21	18	19	19	32	29	34	19	12	6	1	-
BLACK---MALE----	17	25	32	24	27	26	17	5	2	-	-	-
FEMALE--	21	18	18	18	30	28	34	19	12	6	1	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 2,073
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
 CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
 DISEASES OF OTHER PARTS OF THE DIGESTIVE SYSTEM (530-579)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
HAWAII -----	270	3	-	1	-	-	-	-	5	7	12	8
WHITE-----MALE----	63	1	-	-	-	-	-	-	3	1	5	5
FEMALE--	41	-	-	-	-	-	-	-	1	1	1	-
ALL OTHER--MALE----	90	1	-	-	-	-	-	-	1	4	5	2
FEMALE--	76	1	-	1	-	-	-	-	-	1	1	1
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	306	1	-	1	-	-	1	1	-	2	11	14
WHITE-----MALE----	145	-	-	1	-	-	-	-	-	2	8	9
FEMALE--	157	1	-	-	-	-	1	1	-	-	3	4
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	3,586	22	7	4	4	2	11	22	55	120	181	176
WHITE-----MALE----	1,469	8	3	2	2	1	6	11	22	61	85	97
FEMALE--	1,552	6	2	1	2	-	1	3	13	19	41	33
ALL OTHER--MALE----	329	4	1	1	-	1	1	6	13	23	41	34
FEMALE--	236	4	1	-	-	-	3	2	7	17	14	12
BLACK---MALE----	313	3	1	1	-	1	1	6	12	23	39	34
FEMALE--	229	3	1	-	-	-	3	2	7	17	14	12
INDIANA -----	1,647	11	5	-	1	2	4	5	20	41	55	80
WHITE-----MALE----	713	1	-	-	-	1	1	3	14	22	31	47
FEMALE--	791	7	4	-	1	1	2	1	4	17	16	20
ALL OTHER--MALE----	71	1	-	-	-	-	1	1	1	1	5	10
FEMALE--	72	2	1	-	-	-	-	-	1	1	3	3
BLACK---MALE----	71	1	-	-	-	-	1	1	1	1	5	10
FEMALE--	68	2	1	-	-	-	-	-	1	1	3	3
IOWA -----	860	2	5	1	-	1	1	3	7	7	15	26
WHITE-----MALE----	378	2	2	-	-	-	-	2	4	3	11	18
FEMALE--	468	-	3	1	-	1	1	1	2	2	2	8
ALL OTHER--MALE----	8	-	-	-	-	-	-	-	1	2	2	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	1	-	1	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
KANSAS -----	756	2	1	2	1	1	-	4	6	10	27	26
WHITE-----MALE----	336	-	-	1	1	-	-	2	2	7	17	16
FEMALE--	372	2	-	1	-	-	-	2	3	2	5	6
ALL OTHER--MALE----	26	-	-	-	-	1	-	-	-	-	3	2
FEMALE--	22	-	1	-	-	-	-	-	1	1	2	2
BLACK---MALE----	20	-	-	-	-	1	-	-	-	-	3	2
FEMALE--	18	-	1	-	-	-	-	-	1	1	2	1

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 2,073
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
DISEASES OF OTHER PARTS OF THE DIGESTIVE SYSTEM (530-579)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
HAWAII -----	12	20	21	21	27	30	50	24	19	6	4	-
WHITE-----MALE----	3	8	5	1	7	8	7	4	3	2	-	-
FEMALE--	2	4	2	5	2	5	9	4	4	1	-	-
ALL OTHER--MALE----	3	6	10	6	10	8	20	9	4	1	-	-
FEMALE--	4	2	4	9	8	9	14	7	8	2	4	-
BLACK---MALE----	-	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	15	15	18	27	37	32	51	45	30	4	1	-
WHITE-----MALE----	11	8	8	12	20	15	27	13	11	-	-	-
FEMALE--	3	7	10	15	16	16	24	32	19	4	1	-
ALL OTHER--MALE----	-	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	180	197	219	335	387	409	482	397	262	97	17	-
WHITE-----MALE----	85	110	99	163	176	173	186	105	55	17	2	-
FEMALE--	46	52	69	108	163	193	259	264	189	73	15	-
ALL OTHER--MALE----	37	22	36	30	29	22	10	12	4	2	-	-
FEMALE--	12	13	15	34	19	21	27	16	14	5	-	-
BLACK---MALE----	36	19	32	29	28	21	9	12	4	2	-	-
FEMALE--	12	11	15	31	19	20	27	16	14	5	-	-
INDIANA -----	72	96	119	149	192	216	206	181	130	50	12	-
WHITE-----MALE----	44	61	62	81	86	89	66	56	33	13	2	-
FEMALE--	20	22	43	53	96	109	133	112	90	32	8	-
ALL OTHER--MALE----	5	6	9	7	4	6	5	4	3	2	-	-
FEMALE--	3	7	5	8	6	12	2	9	4	3	2	-
BLACK---MALE----	5	6	9	7	4	6	5	4	3	2	-	-
FEMALE--	3	6	4	8	6	11	2	8	4	3	2	-
IOWA -----	27	35	33	69	96	84	127	151	108	55	7	-
WHITE-----MALE----	20	21	17	38	50	39	53	51	34	12	1	-
FEMALE--	7	13	14	30	43	45	74	99	73	43	6	-
ALL OTHER--MALE----	-	-	1	1	1	-	-	-	-	-	-	-
FEMALE--	-	1	1	-	2	-	-	1	1	-	-	-
BLACK---MALE----	-	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	1	1	-	-	-
KANSAS -----	21	28	51	52	78	88	114	107	92	36	9	-
WHITE-----MALE----	9	10	30	32	41	45	49	41	26	6	1	-
FEMALE--	10	10	14	19	34	39	61	63	65	29	7	-
ALL OTHER--MALE----	2	5	4	1	3	1	3	-	1	-	-	-
FEMALE--	-	3	3	-	-	3	1	3	-	1	1	-
BLACK---MALE----	1	4	2	1	1	1	3	-	1	-	-	-
FEMALE--	-	1	3	-	-	2	1	3	-	1	1	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 2,074
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
 CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
 DISEASES OF OTHER PARTS OF THE DIGESTIVE SYSTEM (530-579)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
KENTUCKY -----	1,179	7	-	1	-	-	1	3	16	35	39	57
WHITE-----MALE----	539	4	-	1	-	-	1	3	9	18	27	39
FEMALE--	564	2	-	-	-	-	-	-	5	11	9	12
ALL OTHER--MALE----	37	1	-	-	-	-	-	-	1	4	3	4
FEMALE--	39	-	-	-	-	-	-	-	1	2	-	2
BLACK---MALE----	35	1	-	-	-	-	-	-	1	3	3	4
FEMALE--	38	-	-	-	-	-	-	-	1	2	-	2
LOUISIANA -----	1,244	8	3	-	3	1	7	7	12	35	63	88
WHITE-----MALE----	400	1	-	-	2	-	3	3	2	10	19	32
FEMALE--	470	1	1	-	-	1	-	2	3	5	9	20
ALL OTHER--MALE----	206	2	2	-	1	-	2	2	2	14	23	27
FEMALE--	168	4	-	-	-	-	2	-	5	6	12	9
BLACK---MALE----	202	2	2	-	1	-	2	2	2	14	23	27
FEMALE--	166	4	-	-	-	-	2	-	5	6	11	9
MAINE -----	409	-	-	1	-	-	-	-	1	2	12	9
WHITE-----MALE----	176	-	-	-	-	-	-	-	1	1	9	7
FEMALE--	231	-	-	1	-	-	-	-	-	1	3	1
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	1,391	6	2	3	1	-	-	7	22	51	52	87
WHITE-----MALE----	478	3	1	1	-	-	-	4	8	14	21	33
FEMALE--	526	2	-	1	-	-	-	3	5	7	2	7
ALL OTHER--MALE----	220	1	-	-	-	-	-	-	4	19	19	32
FEMALE--	167	-	1	1	1	-	-	-	5	11	10	15
BLACK---MALE----	210	1	-	-	-	-	-	-	4	19	18	31
FEMALE--	162	-	1	1	1	-	-	-	5	11	10	15
MASSACHUSETTS -----	1,991	1	3	2	-	1	1	10	23	41	77	100
WHITE-----MALE----	947	1	-	-	-	1	-	7	13	27	53	73
FEMALE--	948	-	-	2	-	-	-	3	5	6	13	19
ALL OTHER--MALE----	43	-	1	-	-	-	-	-	1	4	8	5
FEMALE--	53	-	2	-	-	-	1	-	4	4	3	3
BLACK---MALE----	38	-	1	-	-	-	-	-	-	4	8	5
FEMALE--	46	-	2	-	-	-	1	-	4	4	3	3
MICHIGAN -----	3,012	11	6	1	2	3	5	13	32	84	156	178
WHITE-----MALE----	1,218	3	2	1	1	2	1	5	15	32	75	88
FEMALE--	1,290	2	2	-	1	1	1	5	15	19	28	26
ALL OTHER--MALE----	291	3	2	-	-	-	2	2	2	21	34	48
FEMALE--	213	3	-	-	-	-	1	1	-	12	19	16
BLACK---MALE----	279	3	2	-	-	-	2	2	2	19	34	48
FEMALE--	197	3	-	-	-	-	1	1	-	8	17	14

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 2,074
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
DISEASES OF OTHER PARTS OF THE DIGESTIVE SYSTEM (530-579)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
KENTUCKY -----	74	75	90	121	118	144	132	149	83	29	5	-
WHITE-----MALE----	50	48	59	66	46	50	52	41	22	3	-	-
FEMALE--	21	22	27	46	65	82	74	100	58	25	5	-
ALL OTHER--MALE----	3	4	1	5	4	3	3	1	-	-	-	-
FEMALE--	-	1	3	4	3	9	3	7	3	1	-	-
BLACK---MALE----	3	3	1	5	4	3	3	1	-	-	-	-
FEMALE--	-	1	2	4	3	9	3	7	3	1	-	-
LOUISIANA -----	63	87	91	98	147	149	158	133	68	16	7	-
WHITE-----MALE----	27	36	42	45	44	47	44	33	10	-	-	-
FEMALE--	6	20	25	32	62	59	91	74	43	11	5	-
ALL OTHER--MALE----	18	23	15	7	21	19	7	12	4	4	1	-
FEMALE--	12	8	9	14	20	24	16	14	11	1	1	-
BLACK---MALE----	17	22	15	6	21	19	6	12	4	4	1	-
FEMALE--	12	8	9	14	19	24	16	14	11	1	1	-
MAINE -----	22	19	35	36	50	50	75	47	36	12	2	-
WHITE-----MALE----	20	9	22	17	24	20	26	17	2	1	-	-
FEMALE--	2	10	12	19	26	30	49	30	34	11	2	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	81	82	104	119	153	174	151	164	89	34	8	1
WHITE-----MALE----	35	31	45	56	57	60	45	36	21	6	1	-
FEMALE--	14	21	29	32	55	83	85	96	55	23	6	-
ALL OTHER--MALE----	23	20	23	18	19	18	8	9	5	1	-	1
FEMALE--	9	10	7	13	22	13	13	23	8	4	1	-
BLACK---MALE----	22	19	23	18	19	14	7	8	5	1	-	1
FEMALE--	9	10	5	13	22	13	11	22	8	4	1	-
MASSACHUSETTS -----	103	84	103	169	227	260	279	244	174	76	13	-
WHITE-----MALE----	68	53	68	92	111	127	113	84	46	8	2	-
FEMALE--	26	25	31	71	107	124	159	153	126	68	10	-
ALL OTHER--MALE----	2	3	3	2	4	4	4	2	-	-	-	-
FEMALE--	7	3	1	4	5	5	3	5	2	-	1	-
BLACK---MALE----	2	2	3	1	4	4	3	1	-	-	-	-
FEMALE--	5	3	-	3	4	5	3	5	1	-	-	-
MICHIGAN -----	153	154	192	297	357	346	413	349	184	64	9	3
WHITE-----MALE----	79	79	93	125	163	147	159	99	34	12	2	1
FEMALE--	29	39	59	131	141	165	211	222	142	43	7	1
ALL OTHER--MALE----	27	18	27	22	30	18	17	11	4	2	-	1
FEMALE--	18	18	13	19	23	16	26	17	4	7	-	-
BLACK---MALE----	26	18	25	21	30	15	16	11	3	1	-	1
FEMALE--	18	16	13	16	23	16	24	16	4	7	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 2,075
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
 CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
 DISEASES OF OTHER PARTS OF THE DIGESTIVE SYSTEM (530-579)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
MINNESOTA -----	1,113	4	2	1	-	1	1	2	6	17	44	40
WHITE-----MALE----	483	1	1	-	-	1	1	1	3	9	22	25
FEMALE--	572	1	1	1	-	-	-	1	2	5	14	10
ALL OTHER--MALE----	31	2	-	-	-	-	-	-	1	2	5	3
FEMALE--	27	-	-	-	-	-	-	-	-	1	3	2
BLACK---MALE----	11	1	-	-	-	-	-	-	-	-	3	-
FEMALE--	11	-	-	-	-	-	-	-	-	-	1	1
MISSISSIPPI -----	851	8	1	1	-	1	2	9	6	33	42	51
WHITE-----MALE----	307	4	-	-	-	-	-	3	1	10	19	28
FEMALE--	277	1	-	-	-	-	-	-	1	7	2	5
ALL OTHER--MALE----	119	-	1	1	-	-	1	2	3	10	10	8
FEMALE--	148	3	-	-	-	1	1	4	1	6	11	10
BLACK---MALE----	116	-	1	1	-	-	1	2	3	10	10	8
FEMALE--	142	3	-	-	-	1	1	3	1	5	10	8
MISSOURI -----	1,574	9	3	1	-	-	-	9	12	24	57	76
WHITE-----MALE----	638	1	1	-	-	-	-	4	7	14	35	47
FEMALE--	757	5	2	-	-	-	-	3	3	5	11	13
ALL OTHER--MALE----	85	2	-	-	-	-	-	1	-	2	5	12
FEMALE--	94	1	-	1	-	-	-	1	2	3	6	4
BLACK---MALE----	83	2	-	-	-	-	-	1	-	2	5	12
FEMALE--	92	1	-	1	-	-	-	1	2	3	6	4
MONTANA -----	257	-	1	-	-	1	-	1	1	6	10	16
WHITE-----MALE----	107	-	1	-	-	1	-	-	1	2	3	9
FEMALE--	120	-	-	-	-	-	-	1	-	3	3	5
ALL OTHER--MALE----	16	-	-	-	-	-	-	-	-	1	1	2
FEMALE--	14	-	-	-	-	-	-	-	-	-	3	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	482	1	1	2	-	1	1	4	2	10	16	16
WHITE-----MALE----	209	-	1	2	-	1	1	2	1	5	6	8
FEMALE--	241	-	-	-	-	-	-	1	-	2	6	7
ALL OTHER--MALE----	21	1	-	-	-	-	-	1	1	3	2	1
FEMALE--	11	-	-	-	-	-	-	-	-	-	2	-
BLACK---MALE----	18	1	-	-	-	-	-	1	1	2	2	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	1	-
NEVADA -----	521	4	-	1	-	2	-	1	12	10	38	44
WHITE-----MALE----	292	3	-	-	-	-	-	-	5	3	30	28
FEMALE--	193	-	-	-	-	1	-	-	5	6	7	11
ALL OTHER--MALE----	22	1	-	1	-	-	-	-	2	1	-	4
FEMALE--	14	-	-	-	-	1	-	1	-	-	1	1
BLACK---MALE----	11	-	-	-	-	-	-	-	1	-	-	3
FEMALE--	9	-	-	-	-	1	-	1	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 2,075
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 DISEASES OF OTHER PARTS OF THE DIGESTIVE SYSTEM (530-579)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
MINNESOTA -----	51	48	82	69	100	144	148	156	139	53	5	-
WHITE-----MALE----	30	27	40	36	49	61	61	56	41	16	2	-
FEMALE--	13	16	35	28	49	79	81	98	98	37	3	-
ALL OTHER--MALE----	3	2	3	2	2	2	3	1	-	-	-	-
FEMALE--	5	3	4	3	-	2	3	1	-	-	-	-
BLACK---MALE----	2	1	-	1	2	-	1	-	-	-	-	-
FEMALE--	1	1	2	3	-	1	-	1	-	-	-	-
MISSISSIPPI -----	51	41	65	79	106	97	99	95	49	11	3	1
WHITE-----MALE----	24	13	32	37	42	38	28	20	7	1	-	-
FEMALE--	10	10	15	27	38	32	42	47	30	7	2	1
ALL OTHER--MALE----	11	12	7	7	8	11	11	10	5	1	-	-
FEMALE--	6	6	11	8	18	16	18	18	7	2	1	-
BLACK---MALE----	11	10	7	7	8	11	11	9	5	1	-	-
FEMALE--	6	5	11	8	18	16	18	18	7	2	1	-
MISSOURI -----	72	90	92	150	184	188	196	225	126	51	9	-
WHITE-----MALE----	42	43	53	79	80	73	70	58	25	4	2	-
FEMALE--	18	33	27	52	81	90	112	158	94	43	7	-
ALL OTHER--MALE----	8	8	8	7	14	10	4	3	1	-	-	-
FEMALE--	4	6	4	12	9	15	10	6	6	4	-	-
BLACK---MALE----	8	8	7	7	13	10	4	3	1	-	-	-
FEMALE--	4	6	4	12	8	15	9	6	6	4	-	-
MONTANA -----	21	19	18	21	26	28	35	27	14	11	1	-
WHITE-----MALE----	11	13	6	10	15	15	9	7	2	2	-	-
FEMALE--	5	4	7	8	8	11	24	20	11	9	1	-
ALL OTHER--MALE----	4	1	3	1	2	-	1	-	-	-	-	-
FEMALE--	1	1	2	2	1	2	1	-	1	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	9	20	22	39	39	54	75	87	58	23	2	-
WHITE-----MALE----	6	11	10	19	22	29	35	36	12	2	-	-
FEMALE--	1	6	7	18	15	23	36	50	46	21	2	-
ALL OTHER--MALE----	1	2	4	-	1	2	1	1	-	-	-	-
FEMALE--	1	1	1	2	1	-	3	-	-	-	-	-
BLACK---MALE----	1	2	3	-	1	2	1	1	-	-	-	-
FEMALE--	1	1	-	2	-	-	2	-	-	-	-	-
NEVADA -----	40	36	50	48	68	62	48	36	16	3	1	1
WHITE-----MALE----	25	26	29	35	39	27	21	16	4	-	-	1
FEMALE--	12	6	19	12	28	30	23	17	12	3	1	-
ALL OTHER--MALE----	3	3	-	-	1	2	2	2	-	-	-	-
FEMALE--	-	1	2	1	-	3	2	1	-	-	-	-
BLACK---MALE----	3	1	-	-	-	2	-	1	-	-	-	-
FEMALE--	-	1	1	1	-	1	2	1	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 2,077
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
DISEASES OF OTHER PARTS OF THE DIGESTIVE SYSTEM (530-579)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
OHIO -----	3,210	11	7	-	3	-	4	13	25	67	117	157
WHITE-----MALE----	1,316	7	4	-	-	-	2	6	13	41	69	92
FEMALE--	1,498	3	1	-	2	-	1	1	7	13	24	27
ALL OTHER--MALE----	194	1	1	-	1	-	-	3	3	6	13	23
FEMALE--	202	-	1	-	-	-	1	3	2	7	11	15
BLACK---MALE----	193	1	1	-	1	-	-	3	3	6	13	23
FEMALE--	196	-	1	-	-	-	1	3	2	7	11	15
OKLAHOMA -----	1,096	3	3	2	3	-	5	4	9	19	44	53
WHITE-----MALE----	458	2	2	2	-	-	2	1	5	12	27	30
FEMALE--	495	1	-	-	-	-	2	1	1	2	9	7
ALL OTHER--MALE----	77	-	1	-	3	-	-	-	2	1	6	8
FEMALE--	66	-	-	-	-	-	1	2	1	4	2	8
BLACK---MALE----	30	-	1	-	2	-	-	-	-	1	1	6
FEMALE--	32	-	-	-	-	-	-	-	1	-	2	3
OREGON -----	1,002	1	2	1	2	1	4	2	5	26	43	57
WHITE-----MALE----	467	1	2	-	1	-	2	1	3	15	25	33
FEMALE--	499	-	-	1	1	-	1	-	2	8	14	19
ALL OTHER--MALE----	16	-	-	-	-	-	-	1	-	-	4	1
FEMALE--	20	-	-	-	-	1	1	-	-	3	-	4
BLACK---MALE----	7	-	-	-	-	-	-	1	-	-	1	1
FEMALE--	4	-	-	-	-	1	-	-	-	2	-	-
PENNSYLVANIA -----	4,219	11	10	7	-	6	5	8	34	67	145	167
WHITE-----MALE----	1,721	6	4	3	-	1	1	6	17	34	83	97
FEMALE--	2,046	3	2	3	-	3	2	2	10	16	26	33
ALL OTHER--MALE----	219	1	2	1	-	2	1	-	4	9	27	23
FEMALE--	233	1	2	-	-	-	1	-	3	8	9	14
BLACK---MALE----	216	1	2	1	-	2	1	-	4	9	27	23
FEMALE--	224	1	1	-	-	-	1	-	3	8	9	14
RHODE ISLAND -----	333	-	1	-	-	-	-	-	9	5	11	14
WHITE-----MALE----	157	-	-	-	-	-	-	-	6	3	8	11
FEMALE--	166	-	1	-	-	-	-	-	3	2	2	2
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	5	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	1,159	4	4	2	1	1	5	7	12	28	61	77
WHITE-----MALE----	410	2	2	1	-	-	1	3	6	10	30	30
FEMALE--	414	-	2	-	-	-	2	2	3	4	10	12
ALL OTHER--MALE----	174	2	-	1	1	1	1	2	1	10	11	23
FEMALE--	161	-	-	-	-	-	1	-	2	4	10	12
BLACK---MALE----	173	2	-	1	1	1	1	2	1	9	11	23
FEMALE--	159	-	-	-	-	-	1	-	2	4	10	12

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 2,077
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
DISEASES OF OTHER PARTS OF THE DIGESTIVE SYSTEM (530-579)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
OHIO -----	141	176	189	302	402	466	411	366	245	91	17	-
WHITE-----MALE----	75	97	101	158	170	167	141	106	51	15	1	-
FEMALE--	33	54	52	113	177	257	236	232	184	68	13	-
ALL OTHER--MALE----	22	17	19	14	27	19	13	5	4	1	2	-
FEMALE--	11	8	17	17	28	23	21	23	6	7	1	-
BLACK---MALE----	22	17	19	14	27	19	13	5	3	1	2	-
FEMALE--	8	8	16	16	27	23	21	23	6	7	1	-
OKLAHOMA -----	48	65	84	103	130	127	138	126	83	38	9	-
WHITE-----MALE----	25	40	40	45	55	50	53	38	21	8	-	-
FEMALE--	13	14	32	47	56	60	81	80	53	28	8	-
ALL OTHER--MALE----	8	8	7	6	11	6	3	2	5	-	-	-
FEMALE--	2	3	5	5	8	11	1	6	4	2	1	-
BLACK---MALE----	1	2	3	2	3	1	3	1	3	-	-	-
FEMALE--	-	2	4	1	3	7	1	3	4	1	-	-
OREGON -----	42	54	62	70	116	135	132	125	86	29	7	-
WHITE-----MALE----	29	33	34	37	66	48	60	47	24	5	1	-
FEMALE--	9	17	26	29	48	86	70	78	61	24	5	-
ALL OTHER--MALE----	1	3	1	2	2	1	-	-	-	-	-	-
FEMALE--	3	1	1	2	-	-	2	-	1	-	1	-
BLACK---MALE----	-	1	1	2	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	173	212	238	367	526	599	628	545	327	117	27	-
WHITE-----MALE----	97	111	124	196	246	245	221	146	60	18	5	-
FEMALE--	44	61	80	124	229	307	377	366	249	91	18	-
ALL OTHER--MALE----	21	22	16	23	16	23	12	8	7	1	-	-
FEMALE--	11	18	18	24	35	24	18	25	11	7	4	-
BLACK---MALE----	21	21	16	23	15	23	11	8	7	1	-	-
FEMALE--	11	18	16	23	33	22	18	25	11	7	3	-
RHODE ISLAND -----	12	13	26	27	36	51	44	39	30	12	3	-
WHITE-----MALE----	7	9	17	14	20	22	18	10	9	2	1	-
FEMALE--	4	3	6	11	16	29	25	29	21	10	2	-
ALL OTHER--MALE----	-	-	1	1	-	-	1	-	-	-	-	-
FEMALE--	1	1	2	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	1	-	-	1	-	-	-	-	-
FEMALE--	1	1	1	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	88	79	81	114	122	154	142	110	56	9	2	-
WHITE-----MALE----	40	35	34	45	47	52	41	20	11	-	-	-
FEMALE--	12	16	23	42	44	62	69	72	33	5	1	-
ALL OTHER--MALE----	27	19	15	9	18	14	9	5	4	1	-	-
FEMALE--	9	9	9	18	13	26	23	13	8	3	1	-
BLACK---MALE----	27	19	15	9	18	14	9	5	4	1	-	-
FEMALE--	9	9	9	18	12	25	23	13	8	3	1	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 2,078
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
DISEASES OF OTHER PARTS OF THE DIGESTIVE SYSTEM (530-579)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
SOUTH DAKOTA -----	234	-	-	-	-	-	1	-	3	10	10	7
WHITE-----MALE----	87	-	-	-	-	-	-	-	-	3	3	3
FEMALE--	104	-	-	-	-	-	1	-	1	2	1	-
ALL OTHER--MALE----	25	-	-	-	-	-	-	-	2	5	4	2
FEMALE--	18	-	-	-	-	-	-	-	-	-	2	2
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	1,607	13	2	2	1	2	2	4	22	39	61	93
WHITE-----MALE----	685	3	-	-	-	-	2	-	11	19	41	56
FEMALE--	675	5	1	-	1	-	-	3	4	8	6	12
ALL OTHER--MALE----	146	4	1	2	-	1	-	-	3	7	9	14
FEMALE--	101	1	-	-	-	1	-	1	4	5	5	11
BLACK---MALE----	145	4	1	2	-	1	-	-	3	7	9	14
FEMALE--	98	1	-	-	-	1	-	1	4	5	5	10
TEXAS -----	5,136	39	17	11	6	15	11	27	52	179	262	316
WHITE-----MALE----	2,415	16	12	6	3	7	4	13	28	106	161	202
FEMALE--	2,131	13	5	4	2	2	4	4	19	47	58	67
ALL OTHER--MALE----	331	5	-	-	-	5	2	8	3	19	35	26
FEMALE--	259	5	-	1	1	1	1	2	2	7	8	21
BLACK---MALE----	312	5	-	-	-	5	2	7	2	19	33	24
FEMALE--	246	5	-	-	1	1	1	2	1	7	8	21
UTAH -----	468	2	2	-	-	1	1	2	2	17	15	13
WHITE-----MALE----	192	1	2	-	-	-	-	-	1	8	9	8
FEMALE--	262	-	-	-	-	1	1	2	-	5	3	4
ALL OTHER--MALE----	9	1	-	-	-	-	-	-	1	3	1	1
FEMALE--	5	-	-	-	-	-	-	-	-	1	2	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	161	-	-	-	-	-	1	1	1	5	4	6
WHITE-----MALE----	85	-	-	-	-	-	1	-	-	3	4	4
FEMALE--	76	-	-	-	-	-	-	1	1	2	-	2
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	1,776	6	3	1	2	7	1	8	13	36	70	95
WHITE-----MALE----	684	2	1	1	1	1	1	3	5	18	41	51
FEMALE--	704	2	1	-	-	2	-	3	6	6	12	13
ALL OTHER--MALE----	210	2	1	-	-	3	-	2	1	10	7	26
FEMALE--	178	-	-	-	1	1	-	-	1	2	10	5
BLACK---MALE----	205	1	1	-	-	3	-	2	1	9	6	26
FEMALE--	172	-	-	-	1	1	-	-	1	2	10	5

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 2,078
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
DISEASES OF OTHER PARTS OF THE DIGESTIVE SYSTEM (530-579)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
SOUTH DAKOTA -----	10	13	14	11	23	18	44	39	26	4	1	-
WHITE-----MALE----	2	5	5	6	14	6	20	12	6	2	-	-
FEMALE--	3	2	3	3	8	10	22	26	19	2	1	-
ALL OTHER--MALE----	1	5	3	1	-	-	-	1	1	-	-	-
FEMALE--	4	1	3	1	1	2	2	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	90	90	148	152	190	184	183	180	106	37	6	-
WHITE-----MALE----	49	49	75	77	84	74	60	56	21	7	1	-
FEMALE--	24	23	46	53	82	92	101	107	79	25	3	-
ALL OTHER--MALE----	13	9	22	17	15	8	13	5	1	2	-	-
FEMALE--	4	9	5	5	9	10	9	12	5	3	2	-
BLACK---MALE----	13	9	22	17	14	8	13	5	1	2	-	-
FEMALE--	4	9	5	5	8	9	9	12	5	3	2	-
TEXAS -----	299	357	377	459	566	577	604	523	308	103	24	4
WHITE-----MALE----	193	208	220	223	281	254	240	152	66	14	4	2
FEMALE--	62	91	117	171	235	278	314	325	213	82	17	1
ALL OTHER--MALE----	32	39	25	38	26	17	21	15	10	3	1	1
FEMALE--	12	19	15	27	24	28	29	31	19	4	2	-
BLACK---MALE----	30	34	25	38	24	15	19	15	10	3	1	1
FEMALE--	10	17	13	26	23	28	28	30	18	4	2	-
UTAH -----	21	15	25	28	54	70	75	63	49	10	3	-
WHITE-----MALE----	12	10	14	20	21	31	25	15	11	3	1	-
FEMALE--	9	4	11	8	32	38	50	48	37	7	2	-
ALL OTHER--MALE----	-	1	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	6	8	10	14	15	17	24	26	18	3	2	-
WHITE-----MALE----	4	7	4	10	9	10	13	5	10	1	-	-
FEMALE--	2	1	6	4	6	7	11	21	8	2	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	108	110	140	156	214	227	233	193	119	23	9	2
WHITE-----MALE----	52	58	73	71	75	78	77	48	22	2	1	2
FEMALE--	28	26	33	40	87	107	116	123	77	17	5	-
ALL OTHER--MALE----	21	11	20	26	22	19	16	13	8	1	1	-
FEMALE--	7	15	14	19	30	23	24	9	12	3	2	-
BLACK---MALE----	20	10	20	26	22	19	16	13	8	1	1	-
FEMALE--	7	13	13	18	29	23	24	8	12	3	2	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 2,080
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ULCER OF STOMACH AND DUODENUM (531-533)												
0 UNITED STATES --	5,105	12	4	2	3	4	4	9	20	54	85	129
WHITE-----MALE----	2,052	3	2	-	2	1	-	2	4	23	49	67
FEMALE--	2,408	5	1	-	-	1	1	-	8	7	13	29
ALL OTHER--MALE----	352	2	-	2	-	1	1	6	5	15	18	24
FEMALE--	293	2	1	-	1	1	2	1	3	9	5	9
BLACK---MALE----	280	1	-	1	-	1	1	5	5	13	17	23
FEMALE--	240	2	1	-	1	1	2	1	2	7	5	8
ALABAMA -----	70	-	-	-	1	-	-	-	-	2	-	4
WHITE-----MALE----	27	-	-	-	1	-	-	-	-	-	-	3
FEMALE--	33	-	-	-	-	-	-	-	-	1	-	1
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
ALASKA -----	6	-	-	-	-	-	-	-	-	1	-	-
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	84	-	-	1	-	-	-	-	1	1	2	-
WHITE-----MALE----	35	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	43	-	-	-	-	-	-	-	-	-	2	-
ALL OTHER--MALE----	4	-	-	1	-	-	-	-	1	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	46	-	-	-	-	-	-	-	-	-	1	2
WHITE-----MALE----	23	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	21	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	818	2	-	-	-	-	-	2	3	11	10	22
WHITE-----MALE----	345	1	-	-	-	-	-	-	1	7	7	11
FEMALE--	348	1	-	-	-	-	-	-	-	1	2	4
ALL OTHER--MALE----	71	-	-	-	-	-	-	2	-	-	-	7
FEMALE--	54	-	-	-	-	-	-	-	2	3	1	-
BLACK---MALE----	35	-	-	-	-	-	-	1	-	-	-	7
FEMALE--	32	-	-	-	-	-	-	-	2	2	1	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 2,080
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ULCER OF STOMACH AND DUODENUM (531-533)												
0 UNITED STATES --	135	150	261	396	576	764	921	847	520	174	32	3
WHITE-----MALE----	70	79	118	191	260	358	372	273	138	37	3	-
FEMALE--	34	36	86	133	220	329	474	529	349	124	28	1
ALL OTHER--MALE----	21	22	40	38	53	35	37	13	13	4	-	2
FEMALE--	10	13	17	34	43	42	38	32	20	9	1	-
BLACK---MALE----	18	17	33	31	43	25	26	7	8	3	-	2
FEMALE--	8	11	10	30	35	36	30	27	15	7	1	-
ALABAMA -----	1	3	3	4	5	11	14	11	8	2	1	-
WHITE-----MALE----	1	1	2	3	3	3	2	5	2	1	-	-
FEMALE--	-	2	1	1	1	6	7	6	5	1	1	-
ALL OTHER--MALE----	-	-	-	-	1	-	2	-	-	-	-	-
FEMALE--	-	-	-	-	-	2	3	-	1	-	-	-
BLACK---MALE----	-	-	-	-	1	-	2	-	-	-	-	-
FEMALE--	-	-	-	-	-	2	3	-	1	-	-	-
ALASKA -----	-	-	1	-	1	-	1	2	-	-	-	-
WHITE-----MALE----	-	-	-	-	1	-	-	1	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	3	2	8	6	8	13	15	12	11	1	-	-
WHITE-----MALE----	1	1	5	1	2	8	9	4	3	-	-	-
FEMALE--	2	-	2	5	5	5	6	7	8	1	-	-
ALL OTHER--MALE----	-	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	2	2	2	2	5	4	6	12	5	2	1	-
WHITE-----MALE----	1	1	1	1	2	3	2	7	3	-	-	-
FEMALE--	1	1	1	1	2	1	4	4	2	2	1	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
CALIFORNIA -----	22	17	40	62	115	121	158	120	77	34	2	-
WHITE-----MALE----	13	6	18	30	47	63	69	45	18	9	-	-
FEMALE--	5	4	11	23	46	46	65	67	49	22	2	-
ALL OTHER--MALE----	2	5	7	5	10	9	13	5	5	1	-	-
FEMALE--	2	2	4	4	12	3	11	3	5	2	-	-
BLACK---MALE----	1	3	4	2	7	4	4	1	1	-	-	-
FEMALE--	2	1	-	4	9	1	5	2	2	1	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 2,081
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ULCER OF STOMACH AND DUODENUM (531-533)												
COLORADO -----	60	-	-	-	-	-	-	-	-	1	4	4
WHITE-----MALE----	27	-	-	-	-	-	-	-	-	1	4	2
FEMALE--	32	-	-	-	-	-	-	-	-	-	-	2
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	50	-	-	-	-	-	-	-	-	-	1	1
WHITE-----MALE----	20	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	28	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	8	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	10	-	-	-	-	-	-	-	-	-	1	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	5	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	358	-	1	-	1	-	1	1	1	2	8	10
WHITE-----MALE----	164	-	-	-	1	-	-	-	-	-	4	5
FEMALE--	162	-	1	-	-	-	-	-	-	-	3	3
ALL OTHER--MALE----	15	-	-	-	-	-	-	1	1	2	1	1
FEMALE--	17	-	-	-	-	-	1	-	-	-	-	1
BLACK---MALE----	14	-	-	-	-	-	-	1	1	2	1	1
FEMALE--	15	-	-	-	-	-	1	-	-	-	-	1
GEORGIA -----	122	-	1	-	-	-	-	2	-	4	1	4
WHITE-----MALE----	40	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	53	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	14	-	-	-	-	-	-	2	-	2	-	1
FEMALE--	15	-	1	-	-	-	-	-	-	2	1	1
BLACK---MALE----	14	-	-	-	-	-	-	2	-	2	-	1
FEMALE--	14	-	1	-	-	-	-	-	-	2	1	1

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 2,081
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 ULCER OF STOMACH AND DUODENUM (531-533)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
COLORADO -----	2	3	3	3	7	8	9	6	7	3	-	-
WHITE-----MALE----	2	1	1	3	3	2	2	3	2	1	-	-
FEMALE--	-	2	2	-	4	5	7	3	5	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	2	1	2	3	1	15	6	12	3	-	3	-
WHITE-----MALE----	1	1	1	2	-	6	4	4	-	-	-	-
FEMALE--	-	-	1	1	1	8	2	8	3	-	3	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
DELAWARE -----	-	1	-	1	2	1	1	2	-	-	-	-
WHITE-----MALE----	-	1	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	2	1	-	1	1	1	1	2	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	2	1	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	1	1	-	-	-	-
BLACK---MALE----	2	1	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	1	1	-	-	-	-
FLORIDA -----	14	10	14	22	35	58	67	65	33	14	1	-
WHITE-----MALE----	9	5	5	13	20	25	33	26	12	6	-	-
FEMALE--	4	2	4	7	13	30	31	36	21	7	-	-
ALL OTHER--MALE----	-	2	2	1	1	1	1	-	-	1	-	-
FEMALE--	1	1	3	1	1	2	2	3	-	-	1	-
BLACK---MALE----	-	1	2	1	1	1	1	-	-	1	-	-
FEMALE--	-	1	2	1	1	2	2	3	-	-	1	-
GEORGIA -----	5	5	6	13	18	21	18	12	9	2	1	-
WHITE-----MALE----	2	3	2	3	7	8	6	3	4	-	-	-
FEMALE--	2	2	3	8	6	8	8	9	4	2	1	-
ALL OTHER--MALE----	-	-	1	1	3	2	2	-	-	-	-	-
FEMALE--	1	-	-	1	2	3	2	-	1	-	-	-
BLACK---MALE----	-	-	1	1	3	2	2	-	-	-	-	-
FEMALE--	1	-	-	1	1	3	2	-	1	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 2,083
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 0 ULCER OF STOMACH AND DUODENUM (531-533)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
KENTUCKY -----	4	1	3	5	6	9	8	11	10	2	-	-
WHITE-----MALE----	3	1	1	4	3	2	4	3	2	1	-	-
FEMALE--	1	-	2	1	1	6	4	8	8	1	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	-	-	-	-	-
LOUISIANA -----	3	4	3	6	11	8	14	11	4	2	-	-
WHITE-----MALE----	2	1	-	2	3	4	5	3	3	-	-	-
FEMALE--	-	1	2	-	3	1	8	8	-	1	-	-
ALL OTHER--MALE----	1	2	1	2	5	2	-	-	-	1	-	-
FEMALE--	-	-	-	2	-	1	1	-	1	-	-	-
BLACK---MALE----	1	2	1	1	5	2	-	-	-	1	-	-
FEMALE--	-	-	-	2	-	1	1	-	1	-	-	-
MAINE -----	-	1	3	2	3	4	8	3	1	1	1	-
WHITE-----MALE----	-	1	2	1	2	1	1	3	-	-	-	-
FEMALE--	-	-	1	1	1	3	7	-	1	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	1	1	2	7	13	14	11	10	5	-	2	1
WHITE-----MALE----	-	-	2	3	5	4	3	3	1	-	-	-
FEMALE--	-	-	-	2	2	8	6	6	2	-	2	-
ALL OTHER--MALE----	1	1	-	1	3	1	1	-	1	-	-	1
FEMALE--	-	-	-	1	3	1	1	1	1	-	-	-
BLACK---MALE----	1	1	-	1	3	1	1	-	1	-	-	1
FEMALE--	-	-	-	1	3	1	1	1	1	-	-	-
MASSACHUSETTS -----	4	1	6	6	13	12	22	12	12	5	2	-
WHITE-----MALE----	2	-	2	2	5	7	10	5	6	-	1	-
FEMALE--	2	1	4	3	7	3	12	7	6	5	1	-
ALL OTHER--MALE----	-	-	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
MICHIGAN -----	4	5	12	18	26	23	33	33	19	4	-	1
WHITE-----MALE----	2	3	4	9	16	11	15	10	5	-	-	-
FEMALE--	-	1	5	6	7	9	17	23	14	4	-	-
ALL OTHER--MALE----	1	-	2	2	-	2	1	-	-	-	-	1
FEMALE--	1	1	1	1	3	1	-	-	-	-	-	-
BLACK---MALE----	1	-	2	2	-	1	1	-	-	-	-	1
FEMALE--	1	1	1	1	3	1	-	-	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 2,086
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 ULCER OF STOMACH AND DUODENUM (531-533)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
OHIO -----	2	6	9	14	21	29	37	38	15	11	-	-
WHITE-----MALE----	2	5	5	10	6	10	14	11	2	4	-	-
FEMALE--	-	-	3	4	11	17	23	27	13	6	-	-
ALL OTHER--MALE----	-	1	1	-	3	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	-	-	1	-	-
BLACK---MALE----	-	1	1	-	3	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	-	-	1	-	-
OKLAHOMA -----	1	-	1	6	7	12	9	15	4	2	1	-
WHITE-----MALE----	1	-	-	1	-	6	4	5	-	1	-	-
FEMALE--	-	-	-	4	5	6	5	9	3	1	1	-
ALL OTHER--MALE----	-	-	1	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	1	1	-	-	-
BLACK---MALE----	-	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	1	1	-	-	-
OREGON -----	-	2	-	1	3	10	10	9	7	-	-	-
WHITE-----MALE----	-	2	-	1	1	3	4	3	1	-	-	-
FEMALE--	-	-	-	-	2	7	5	6	6	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	4	8	7	15	23	29	43	44	22	4	2	-
WHITE-----MALE----	3	5	3	7	15	10	10	9	4	-	-	-
FEMALE--	-	2	2	5	7	16	33	35	17	4	2	-
ALL OTHER--MALE----	1	1	-	1	-	2	-	-	1	-	-	-
FEMALE--	-	-	2	2	1	1	-	-	-	-	-	-
BLACK---MALE----	1	1	-	1	-	2	-	-	1	-	-	-
FEMALE--	-	-	1	2	1	1	-	-	-	-	-	-
RHODE ISLAND -----	-	-	-	4	2	4	5	1	3	2	-	-
WHITE-----MALE----	-	-	-	2	2	2	1	1	1	1	-	-
FEMALE--	-	-	-	1	-	2	3	-	2	1	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	2	4	1	4	5	10	12	11	9	-	-	-
WHITE-----MALE----	1	2	1	3	1	2	4	3	3	-	-	-
FEMALE--	-	1	-	1	2	6	7	8	6	-	-	-
ALL OTHER--MALE----	-	1	-	-	2	1	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	2	1	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 2,087
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 ULCER OF STOMACH AND DUODENUM (531-533)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
SOUTH DAKOTA -----	-	-	2	1	3	2	2	4	3	1	-	-
WHITE-----MALE----	-	-	2	-	2	2	1	1	-	-	-	-
FEMALE--	-	-	-	1	1	-	1	3	3	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	1	7	7	11	15	17	16	21	12	5	-	-
WHITE-----MALE----	-	3	5	5	8	6	5	4	5	1	-	-
FEMALE--	1	2	1	6	5	10	10	16	7	2	-	-
ALL OTHER--MALE----	-	2	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	1	1	-	2	-	-
BLACK---MALE----	-	2	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	-	2	-	-
TEXAS -----	10	11	18	23	31	38	64	39	26	8	2	-
WHITE-----MALE----	6	4	7	8	16	22	21	14	5	1	-	-
FEMALE--	2	4	7	7	11	11	35	23	18	6	2	-
ALL OTHER--MALE----	1	1	3	5	2	2	4	-	2	-	-	-
FEMALE--	1	2	1	3	2	3	4	2	1	1	-	-
BLACK---MALE----	1	1	3	5	1	2	4	-	2	-	-	-
FEMALE--	1	2	1	3	2	3	4	2	1	1	-	-
UTAH -----	1	-	1	1	2	5	6	6	3	-	-	-
WHITE-----MALE----	-	-	1	1	-	2	1	1	-	-	-	-
FEMALE--	1	-	-	-	2	3	5	5	3	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	1	-	2	1	3	-	2	1	3	-	-	-
WHITE-----MALE----	1	-	1	-	2	-	-	-	2	-	-	-
FEMALE--	-	-	1	1	1	-	2	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	3	2	9	8	9	15	20	11	15	-	-	-
WHITE-----MALE----	1	2	4	5	2	6	14	5	6	-	-	-
FEMALE--	-	-	-	2	2	7	4	5	8	-	-	-
ALL OTHER--MALE----	1	-	3	-	-	-	1	-	-	-	-	-
FEMALE--	1	-	2	1	5	2	1	1	1	-	-	-
BLACK---MALE----	1	-	3	-	-	-	1	-	-	-	-	-
FEMALE--	1	-	2	1	5	2	1	-	1	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 2,089
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 GASTRIC ULCER (531)												
0 UNITED STATES --	1,546	10	3	2	2	2	1	1	7	26	29	58
WHITE-----MALE----	562	2	2	-	1	-	-	-	1	9	18	32
FEMALE--	772	5	-	-	-	1	1	-	2	4	4	14
ALL OTHER--MALE----	125	1	-	2	-	1	-	-	3	6	6	8
FEMALE--	87	2	1	-	1	-	-	1	1	7	1	4
BLACK---MALE----	99	-	-	1	-	1	-	-	3	5	5	8
FEMALE--	71	2	1	-	1	-	-	1	-	5	1	4
ALABAMA -----	28	-	-	-	1	-	-	-	-	2	-	2
WHITE-----MALE----	11	-	-	-	1	-	-	-	-	-	-	2
FEMALE--	12	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALASKA -----	3	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	29	-	-	1	-	-	-	-	1	1	-	-
WHITE-----MALE----	12	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	12	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	-	-	1	-	-	-	-	1	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	15	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	246	2	-	-	-	-	-	-	1	5	4	9
WHITE-----MALE----	105	1	-	-	-	-	-	-	1	2	3	5
FEMALE--	109	1	-	-	-	-	-	-	-	-	1	2
ALL OTHER--MALE----	21	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	11	-	-	-	-	-	-	-	-	3	-	-
BLACK---MALE----	11	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	8	-	-	-	-	-	-	-	-	2	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 2,089
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 GASTRIC ULCER (531)												
0 UNITED STATES --	42	38	100	145	165	238	251	229	142	46	8	1
WHITE-----MALE----	19	20	43	67	63	98	86	63	29	9	-	-
FEMALE--	12	8	36	51	76	118	141	154	103	34	8	-
ALL OTHER--MALE----	8	8	15	13	19	11	14	4	4	1	-	1
FEMALE--	3	2	6	14	7	11	10	8	6	2	-	-
BLACK---MALE----	8	7	13	9	15	7	11	1	3	1	-	1
FEMALE--	1	2	3	13	6	10	9	6	4	2	-	-
ALABAMA -----	-	-	2	1	3	4	7	3	3	-	-	-
WHITE-----MALE----	-	-	2	1	2	2	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	2	2	3	3	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	3	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	3	-	-	-	-	-
ALASKA -----	-	-	1	-	-	-	1	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	2	1	3	4	2	2	4	4	3	1	-	-
WHITE-----MALE----	1	1	2	1	-	1	2	2	1	-	-	-
FEMALE--	1	-	-	3	1	1	2	1	2	1	-	-
ALL OTHER--MALE----	-	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	1	-	2	1	3	-	2	3	1	1	1	-
WHITE-----MALE----	-	-	1	-	1	-	1	2	-	-	-	-
FEMALE--	1	-	1	1	1	-	1	1	1	1	1	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	7	7	14	23	40	32	39	28	23	12	-	-
WHITE-----MALE----	5	3	7	9	15	17	18	11	4	4	-	-
FEMALE--	2	1	5	12	19	13	17	15	13	8	-	-
ALL OTHER--MALE----	-	3	2	1	5	2	2	2	2	-	-	-
FEMALE--	-	-	-	1	1	-	2	-	4	-	-	-
BLACK---MALE----	-	2	1	-	3	1	1	-	1	-	-	-
FEMALE--	-	-	-	1	1	-	2	-	2	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 2,090
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 GASTRIC ULCER (531)												
COLORADO -----	19	-	-	-	-	-	-	-	-	-	1	2
WHITE-----MALE----	8	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	23	-	-	-	-	-	-	-	-	-	-	1
WHITE-----MALE----	7	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	15	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	4	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	3	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	87	-	-	-	-	-	-	-	-	1	5	2
WHITE-----MALE----	33	-	-	-	-	-	-	-	-	-	3	2
FEMALE--	46	-	-	-	-	-	-	-	-	-	2	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
GEORGIA -----	42	-	1	-	-	-	-	-	-	1	-	3
WHITE-----MALE----	13	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	19	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	6	-	1	-	-	-	-	-	-	1	-	1
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	6	-	1	-	-	-	-	-	-	1	-	1

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 2,090
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 GASTRIC ULCER (531)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
COLORADO -----	1	-	1	2	2	4	2	2	2	-	-	-
WHITE-----MALE----	1	-	-	2	-	-	1	1	1	-	-	-
FEMALE--	-	-	1	-	2	3	1	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	1	1	1	1	1	6	1	6	3	-	1	-
WHITE-----MALE----	-	1	1	1	-	2	1	1	-	-	-	-
FEMALE--	-	-	-	-	1	4	-	5	3	-	1	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	1	-	1	1	-	-	1	-	-	-	-
WHITE-----MALE----	-	1	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	1	1	-	-	-	-	-	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
FLORIDA -----	3	-	3	6	5	18	18	18	6	2	-	-
WHITE-----MALE----	2	-	1	3	2	6	7	5	1	1	-	-
FEMALE--	-	-	1	2	2	12	9	12	5	1	-	-
ALL OTHER--MALE----	-	-	-	1	1	-	1	-	-	-	-	-
FEMALE--	1	-	1	-	-	-	1	1	-	-	-	-
BLACK---MALE----	-	-	-	1	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	-	-	-	-
GEORGIA -----	3	1	1	6	3	7	2	8	4	1	1	-
WHITE-----MALE----	2	1	-	2	1	4	-	1	1	-	-	-
FEMALE--	1	-	1	2	1	2	1	7	2	1	1	-
ALL OTHER--MALE----	-	-	-	1	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	-	-	1	-	-	-
BLACK---MALE----	-	-	-	1	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	-	-	1	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 2,092
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 GASTRIC ULCER (531)												
KENTUCKY -----	1	-	-	2	1	3	4	5	4	-	-	-
WHITE-----MALE----	1	-	-	2	-	1	2	2	1	-	-	-
FEMALE--	-	-	-	-	1	2	2	3	3	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	-	-	2	1	5	2	2	2	-	2	-	-
WHITE-----MALE----	-	-	-	-	2	-	-	1	-	-	-	-
FEMALE--	-	-	2	-	1	-	2	1	-	1	-	-
ALL OTHER--MALE----	-	-	-	1	2	1	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	2	1	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
MAINE -----	-	-	2	1	2	2	2	-	1	1	1	-
WHITE-----MALE----	-	-	2	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	2	2	-	1	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	-	-	1	2	-	4	5	3	2	-	1	-
WHITE-----MALE----	-	-	1	1	-	1	1	-	1	-	-	-
FEMALE--	-	-	-	1	-	2	3	2	1	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	-	-	-	-
MASSACHUSETTS -----	-	-	5	3	6	5	7	1	4	2	-	-
WHITE-----MALE----	-	-	2	1	1	4	1	1	1	-	-	-
FEMALE--	-	-	3	1	5	-	6	-	3	2	-	-
ALL OTHER--MALE----	-	-	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	1	1	5	4	7	5	11	7	6	-	-	1
WHITE-----MALE----	-	1	1	1	3	1	3	2	1	-	-	-
FEMALE--	-	-	2	1	3	4	7	5	5	-	-	-
ALL OTHER--MALE----	1	-	1	1	-	-	1	-	-	-	-	1
FEMALE--	-	-	1	1	1	-	-	-	-	-	-	-
BLACK---MALE----	1	-	1	1	-	-	1	-	-	-	-	1
FEMALE--	-	-	1	1	1	-	-	-	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 2,095
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 GASTRIC ULCER (531)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
OHIO -----	1	1	4	3	9	11	10	8	1	1	-	-
WHITE-----MALE----	1	1	3	3	2	2	2	3	-	-	-	-
FEMALE--	-	-	-	-	4	9	8	5	1	1	-	-
ALL OTHER--MALE----	-	-	1	-	3	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	3	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA -----	-	-	-	4	2	4	3	6	3	1	1	-
WHITE-----MALE----	-	-	-	1	-	2	1	-	-	-	-	-
FEMALE--	-	-	-	3	1	2	2	6	2	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	1	-	-	-
OREGON -----	-	-	-	-	1	2	2	3	1	-	-	-
WHITE-----MALE----	-	-	-	-	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	2	1	3	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	1	3	2	6	7	11	14	7	11	1	-	-
WHITE-----MALE----	-	2	-	4	3	4	4	2	2	-	-	-
FEMALE--	-	-	1	1	4	6	10	5	8	1	-	-
ALL OTHER--MALE----	1	1	-	1	-	1	-	-	1	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	1	-	1	-	1	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND -----	-	-	-	1	1	-	1	-	1	-	-	-
WHITE-----MALE----	-	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	-	2	-	-	1	3	4	6	1	-	-	-
WHITE-----MALE----	-	1	-	-	-	1	-	1	-	-	-	-
FEMALE--	-	-	-	-	1	1	4	5	1	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 2,096
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 0 GASTRIC ULCER (531)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
SOUTH DAKOTA -----	-	-	1	-	-	-	-	-	1	-	-	-
WHITE-----MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	1	1	2	4	2	4	4	4	4	2	-	-
WHITE-----MALE----	-	-	1	1	1	2	2	-	1	1	-	-
FEMALE--	1	1	-	3	-	2	2	4	3	-	-	-
ALL OTHER--MALE----	-	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	-	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-
TEXAS -----	4	3	8	7	4	9	17	6	9	2	-	-
WHITE-----MALE----	1	-	3	1	2	5	6	1	2	-	-	-
FEMALE--	1	3	2	5	2	3	10	4	6	1	-	-
ALL OTHER--MALE----	1	-	2	-	-	-	1	-	1	-	-	-
FEMALE--	1	-	1	1	-	1	-	1	-	1	-	-
BLACK---MALE----	1	-	2	-	-	-	1	-	1	-	-	-
FEMALE--	1	-	1	1	-	1	-	1	-	1	-	-
UTAH -----	1	-	-	-	-	2	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	2	1	3	-	1	-	-	-	-	-
WHITE-----MALE----	-	-	1	-	2	-	-	-	-	-	-	-
FEMALE--	-	-	1	1	1	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	1	-	2	2	2	7	4	3	6	-	-	-
WHITE-----MALE----	-	-	-	-	-	5	3	1	-	-	-	-
FEMALE--	-	-	-	1	-	2	1	1	6	-	-	-
ALL OTHER--MALE----	1	-	2	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	2	-	-	1	-	-	-	-
BLACK---MALE----	1	-	2	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	2	-	-	-	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 2,098
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 DUODENAL ULCER (532)												
0 UNITED STATES --	47	50	77	134	210	256	287	250	131	35	2	1
WHITE-----MALE----	24	26	35	77	106	124	121	98	44	6	-	-
FEMALE--	11	11	19	35	70	106	144	144	78	26	2	-
ALL OTHER--MALE----	8	4	16	12	18	11	8	3	5	2	-	1
FEMALE--	4	9	7	10	16	15	14	5	4	1	-	-
BLACK---MALE----	6	3	12	11	15	6	3	2	3	1	-	1
FEMALE--	4	7	4	8	12	12	11	5	3	1	-	-
ALABAMA -----	-	-	-	3	1	1	6	5	1	2	-	-
WHITE-----MALE----	-	-	-	2	-	-	-	3	1	1	-	-
FEMALE--	-	-	-	1	-	1	5	2	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA -----	-	-	-	-	1	-	-	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	-	1	2	1	4	6	5	1	5	-	-	-
WHITE-----MALE----	-	-	1	-	2	3	4	1	1	-	-	-
FEMALE--	-	-	1	1	2	3	1	-	4	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	-	1	-	1	1	2	-	2	-	1	-	-
WHITE-----MALE----	-	1	-	1	1	2	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	2	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	10	8	16	22	41	42	53	40	16	7	-	-
WHITE-----MALE----	4	3	8	13	19	19	24	12	6	-	-	-
FEMALE--	3	2	2	4	15	18	21	27	9	6	-	-
ALL OTHER--MALE----	1	1	3	3	4	4	5	1	1	1	-	-
FEMALE--	2	2	3	2	3	1	3	-	-	-	-	-
BLACK---MALE----	-	1	1	2	3	1	-	1	-	-	-	-
FEMALE--	2	1	-	2	3	1	1	-	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 2,099
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 DUODENAL ULCER (532)												
COLORADO -----	24	-	-	-	-	-	-	-	-	1	2	1
WHITE-----MALE----	11	-	-	-	-	-	-	-	-	1	2	-
FEMALE--	13	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	12	-	-	-	-	-	-	-	-	-	1	-
WHITE-----MALE----	8	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	2	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	4	-	-	-	-	-	-	-	-	-	1	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	124	-	1	-	1	-	1	-	1	1	2	5
WHITE-----MALE----	57	-	-	-	1	-	-	-	-	-	1	2
FEMALE--	52	-	1	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	8	-	-	-	-	-	-	-	1	1	1	1
FEMALE--	7	-	-	-	-	-	1	-	-	-	-	1
BLACK---MALE----	7	-	-	-	-	-	-	-	1	1	1	1
FEMALE--	7	-	-	-	-	-	1	-	-	-	-	1
GEORGIA -----	35	-	-	-	-	-	-	2	-	2	-	-
WHITE-----MALE----	12	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	12	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	6	-	-	-	-	-	-	2	-	1	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	6	-	-	-	-	-	-	2	-	1	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	1	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 2,099
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 0 DUODENAL ULCER (532)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
COLORADO -----	-	3	1	-	2	3	3	3	3	2	-	-
WHITE-----MALE----	-	1	1	-	-	2	-	2	1	1	-	-
FEMALE--	-	2	-	-	2	1	3	1	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	1	-	-	-	-	5	3	2	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	2	3	1	-	-	-	-
FEMALE--	-	-	-	-	-	3	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	-	-	-	1	1	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	1	-	-	-	-	-	1	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
FLORIDA -----	5	3	7	9	17	17	21	18	12	3	-	-
WHITE-----MALE----	3	1	2	7	10	7	8	11	4	-	-	-
FEMALE--	2	-	2	2	6	9	13	6	8	2	-	-
ALL OTHER--MALE----	-	1	1	-	-	1	-	-	-	1	-	-
FEMALE--	-	1	2	-	1	-	-	1	-	-	-	-
BLACK---MALE----	-	-	1	-	-	1	-	-	-	1	-	-
FEMALE--	-	1	2	-	1	-	-	1	-	-	-	-
GEORGIA -----	-	-	3	3	9	6	5	3	2	-	-	-
WHITE-----MALE----	-	-	-	1	4	2	1	2	2	-	-	-
FEMALE--	-	-	2	2	2	3	2	1	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	2	-	2	-	-	-	-	-
BLACK---MALE----	-	-	1	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	2	-	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 2,101
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 DUODENAL ULCER (532)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
KENTUCKY -----	-	1	2	1	2	1	3	3	2	1	-	-
WHITE-----MALE----	-	1	-	-	1	-	1	-	-	-	-	-
FEMALE--	-	-	2	1	-	-	2	3	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	-	-	-	-	-
LOUISIANA -----	-	2	-	2	2	4	4	1	2	-	-	-
WHITE-----MALE----	-	-	-	-	1	4	4	-	2	-	-	-
FEMALE--	-	1	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	2	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	2	-	-	-	-	-	-	-	-
MAINE -----	-	-	1	-	1	2	3	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	1	1	-	1	-	-	-	-
FEMALE--	-	-	1	-	-	1	3	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	1	-	-	3	5	7	2	3	1	-	1	1
WHITE-----MALE----	-	-	-	2	2	2	1	2	-	-	-	-
FEMALE--	-	-	-	1	1	5	1	1	-	-	1	-
ALL OTHER--MALE----	1	-	-	-	1	-	-	-	1	-	-	1
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	1	-	-	-	1	-	-	1
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
MASSACHUSETTS -----	1	1	-	2	4	5	5	8	4	1	-	-
WHITE-----MALE----	-	-	-	1	2	3	4	3	3	-	-	-
FEMALE--	1	1	-	1	1	2	1	5	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	2	2	3	8	11	13	8	10	5	-	-	-
WHITE-----MALE----	2	1	-	5	6	7	4	4	3	-	-	-
FEMALE--	-	-	2	2	4	4	4	6	2	-	-	-
ALL OTHER--MALE----	-	-	1	1	-	2	-	-	-	-	-	-
FEMALE--	-	1	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	1	-	1	-	-	-	-	-	-
FEMALE--	-	1	-	-	1	-	-	-	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 2,105
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 DUODENAL ULCER (532)												
SOUTH DAKOTA -----	-	-	1	1	2	-	1	4	-	-	-	-
WHITE-----MALE----	-	-	1	-	2	-	-	1	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	3	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	-	1	3	3	5	6	3	4	-	-	-	-
WHITE-----MALE----	-	-	3	1	3	2	-	1	-	-	-	-
FEMALE--	-	1	-	2	1	3	3	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
TEXAS -----	2	4	3	9	13	12	18	15	4	2	-	-
WHITE-----MALE----	2	1	2	6	7	7	7	7	2	1	-	-
FEMALE--	-	-	-	1	4	3	10	8	2	1	-	-
ALL OTHER--MALE----	-	1	1	1	1	1	-	-	-	-	-	-
FEMALE--	-	2	-	1	1	1	1	-	-	-	-	-
BLACK---MALE----	-	1	1	1	1	1	-	-	-	-	-	-
FEMALE--	-	2	-	1	1	1	1	-	-	-	-	-
UTAH -----	-	-	1	-	1	1	1	1	1	1	-	-
WHITE-----MALE----	-	-	1	-	-	1	-	1	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	1	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	2	-	3	2	-	5	7	2	1	-	-	-
WHITE-----MALE----	1	-	2	2	-	1	5	1	1	-	-	-
FEMALE--	-	-	-	-	-	2	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	1	-	-	2	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	1	-	-	2	1	-	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 2,107
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 PEPTIC ULCER, SITE UNSPECIFIED (533)												
0 UNITED STATES --	1,959	-	-	-	-	1	1	4	3	8	15	33
WHITE-----MALE----	774	-	-	-	-	1	-	1	-	5	8	18
FEMALE--	966	-	-	-	-	-	-	-	1	1	2	6
ALL OTHER--MALE----	109	-	-	-	-	-	-	3	-	2	4	8
FEMALE--	110	-	-	-	-	-	1	-	2	-	1	1
BLACK---MALE----	91	-	-	-	-	-	-	3	-	2	4	8
FEMALE--	92	-	-	-	-	-	1	-	2	-	1	1
ALABAMA -----	23	-	-	-	-	-	-	-	-	-	-	2
WHITE-----MALE----	9	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	11	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALASKA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	28	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	11	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	17	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	21	-	-	-	-	-	-	-	-	-	-	1
WHITE-----MALE----	12	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	301	-	-	-	-	-	-	1	2	4	-	6
WHITE-----MALE----	123	-	-	-	-	-	-	-	-	3	-	3
FEMALE--	129	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	23	-	-	-	-	-	-	1	-	-	-	3
FEMALE--	26	-	-	-	-	-	-	-	2	-	-	-
BLACK---MALE----	13	-	-	-	-	-	-	1	-	-	-	3
FEMALE--	13	-	-	-	-	-	-	-	2	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 2,107
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 PEPTIC ULCER, SITE UNSPECIFIED (533)												
0 UNITED STATES --	46	62	84	117	201	270	383	368	247	93	22	1
WHITE-----MALE----	27	33	40	47	91	136	165	112	65	22	3	-
FEMALE--	11	17	31	47	74	105	189	231	168	64	18	1
ALL OTHER--MALE----	5	10	9	13	16	13	15	6	4	1	-	-
FEMALE--	3	2	4	10	20	16	14	19	10	6	1	-
BLACK---MALE----	4	7	8	11	13	12	12	4	2	1	-	-
FEMALE--	3	2	3	9	17	14	10	16	8	4	1	-
ALABAMA -----	1	3	1	-	1	6	1	3	4	-	1	-
WHITE-----MALE----	1	1	-	-	1	1	1	2	1	-	-	-
FEMALE--	-	2	1	-	-	3	-	1	2	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	2	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	2	-	-	1	-	-	-
ALASKA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	1	-	3	1	2	5	6	7	3	-	-	-
WHITE-----MALE----	-	-	2	-	-	4	3	1	1	-	-	-
FEMALE--	1	-	1	1	2	1	3	6	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	1	1	-	-	1	2	4	7	4	-	-	-
WHITE-----MALE----	1	-	-	-	1	1	1	5	3	-	-	-
FEMALE--	-	1	-	-	1	1	3	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
CALIFORNIA -----	5	2	10	17	34	47	66	52	38	15	2	-
WHITE-----MALE----	4	-	3	8	13	27	27	22	8	5	-	-
FEMALE--	-	1	4	7	12	15	27	25	27	8	2	-
ALL OTHER--MALE----	1	1	2	1	1	3	6	2	2	-	-	-
FEMALE--	-	-	1	1	8	2	6	3	1	2	-	-
BLACK---MALE----	1	-	2	-	1	2	3	-	-	-	-	-
FEMALE--	-	-	-	1	5	-	2	2	-	1	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 2,108
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 PEPTIC ULCER, SITE UNSPECIFIED (533)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
COLORADO -----	1	-	1	1	3	1	4	1	2	1	-	-
WHITE-----MALE----	1	-	-	1	3	-	1	-	-	-	-	-
FEMALE--	-	-	1	-	-	1	3	1	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	-	-	1	2	-	4	2	4	-	-	2	-
WHITE-----MALE----	-	-	-	1	-	2	-	2	-	-	-	-
FEMALE--	-	-	1	1	-	1	2	2	-	-	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
DELAWARE -----	-	-	-	-	-	-	1	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	-	-	-	1	1	1	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	-	-	-	-	-
FLORIDA -----	6	7	4	7	13	23	28	29	15	9	1	-
WHITE-----MALE----	4	4	2	3	8	12	18	10	7	5	-	-
FEMALE--	2	2	1	3	5	9	9	18	8	4	-	-
ALL OTHER--MALE----	-	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	2	1	1	-	-	1	-
BLACK---MALE----	-	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	2	1	1	-	-	1	-
GEORGIA -----	2	4	2	4	6	8	11	1	3	1	-	-
WHITE-----MALE----	-	2	2	-	2	2	5	-	1	-	-	-
FEMALE--	1	2	-	4	3	3	5	1	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	1	1	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	2	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	1	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	2	-	-	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 2,110
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 PEPTIC ULCER, SITE UNSPECIFIED (533)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
KENTUCKY -----	3	-	1	2	3	5	1	3	4	1	-	-
WHITE-----MALE----	2	-	1	2	2	1	1	1	1	1	-	-
FEMALE--	1	-	-	-	-	4	-	2	3	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	3	2	1	3	4	2	8	8	2	-	-	-
WHITE-----MALE----	2	1	-	2	-	-	1	2	1	-	-	-
FEMALE--	-	-	-	-	2	1	6	6	-	-	-	-
ALL OTHER--MALE----	1	1	1	1	2	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	1	-	-	-
BLACK---MALE----	1	1	1	1	2	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	1	-	-	-
MAINE -----	-	1	-	1	-	-	3	2	-	-	-	-
WHITE-----MALE----	-	1	-	-	-	-	1	2	-	-	-	-
FEMALE--	-	-	-	1	-	-	2	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	-	1	1	2	8	3	4	4	2	-	-	-
WHITE-----MALE----	-	-	1	-	3	1	1	1	-	-	-	-
FEMALE--	-	-	-	-	1	1	2	3	1	-	-	-
ALL OTHER--MALE----	-	1	-	1	2	-	1	-	-	-	-	-
FEMALE--	-	-	-	1	2	1	-	-	1	-	-	-
BLACK---MALE----	-	1	-	1	2	-	1	-	-	-	-	-
FEMALE--	-	-	-	1	2	1	-	-	1	-	-	-
MASSACHUSETTS -----	3	-	1	1	3	2	10	3	4	2	2	-
WHITE-----MALE----	2	-	-	-	2	-	5	1	2	-	1	-
FEMALE--	1	-	1	1	1	1	5	2	2	2	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
MICHIGAN -----	1	2	4	6	8	5	14	16	8	4	-	-
WHITE-----MALE----	-	1	3	3	7	3	8	4	1	-	-	-
FEMALE--	-	1	1	3	-	1	6	12	7	4	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	1	-	-	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 2,114
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 PEPTIC ULCER, SITE UNSPECIFIED (533)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
SOUTH DAKOTA -----	-	-	-	-	1	2	1	-	2	1	-	-
WHITE-----MALE----	-	-	-	-	-	2	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	-	5	2	4	8	7	9	13	8	3	-	-
WHITE-----MALE----	-	3	1	3	4	2	3	3	4	-	-	-
FEMALE--	-	-	1	1	4	5	5	10	4	2	-	-
ALL OTHER--MALE----	-	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	1	-	-
BLACK---MALE----	-	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	1	-	-
TEXAS -----	4	4	7	7	14	17	29	18	13	4	2	-
WHITE-----MALE----	3	3	2	1	7	10	8	6	1	-	-	-
FEMALE--	1	1	5	1	5	5	15	11	10	4	2	-
ALL OTHER--MALE----	-	-	-	4	1	1	3	-	1	-	-	-
FEMALE--	-	-	-	1	1	1	3	1	1	-	-	-
BLACK---MALE----	-	-	-	4	-	1	3	-	1	-	-	-
FEMALE--	-	-	-	1	1	1	3	1	1	-	-	-
UTAH -----	-	-	-	1	1	2	4	5	2	-	-	-
WHITE-----MALE----	-	-	-	1	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	2	3	5	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	-	-	-	-	1	1	3	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	2	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	-	2	4	4	7	3	9	6	8	-	-	-
WHITE-----MALE----	-	2	2	3	2	-	6	3	5	-	-	-
FEMALE--	-	-	-	1	2	3	2	3	2	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	1	-	3	-	-	-	1	-	-	-
BLACK---MALE----	-	-	1	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	1	-	3	-	-	-	1	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 2,116
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 0 GASTRITIS AND DUODENITIS (535)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 UNITED STATES --	21	17	21	28	46	65	61	77	68	24	7	-
WHITE-----MALE----	11	12	13	18	14	29	21	25	20	10	-	-
FEMALE--	5	1	7	9	21	22	29	48	43	13	7	-
ALL OTHER--MALE----	3	3	-	-	5	7	5	2	-	1	-	-
FEMALE--	2	1	1	1	6	7	6	2	5	-	-	-
BLACK---MALE----	2	2	-	-	4	3	3	2	-	1	-	-
FEMALE--	2	1	1	1	6	7	6	2	4	-	-	-
ALABAMA -----	-	-	-	-	1	-	2	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	2	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ALASKA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	1	-	-	3	1	-	3	-	1	-	-	-
WHITE-----MALE----	1	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	2	-	-	3	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	-	-	-	-	-	-	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	5	1	3	4	5	15	9	7	13	1	2	-
WHITE-----MALE----	4	-	1	3	2	5	5	2	4	1	-	-
FEMALE--	-	1	2	1	3	5	3	5	9	-	2	-
ALL OTHER--MALE----	-	-	-	-	-	4	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 2,122
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 GASTRITIS AND DUODENITIS (535)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
OHIO -----	1	1	2	3	1	1	1	5	3	1	-	-
WHITE-----MALE----	1	-	1	2	-	-	-	1	-	1	-	-
FEMALE--	-	-	1	1	1	1	1	4	2	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
OKLAHOMA -----	-	-	1	-	2	-	-	2	2	-	-	-
WHITE-----MALE----	-	-	1	-	-	-	-	1	1	-	-	-
FEMALE--	-	-	-	-	1	-	-	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
OREGON -----	-	-	-	1	-	-	2	2	-	-	-	-
WHITE-----MALE----	-	-	-	1	-	-	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	1	-	1	2	5	4	2	2	4	2	-	-
WHITE-----MALE----	1	-	-	1	1	1	2	1	1	1	-	-
FEMALE--	-	-	-	1	1	2	-	1	3	1	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	2	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	2	1	-	-	-	-	-	-
RHODE ISLAND -----	-	-	-	-	-	-	-	1	-	1	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	-	-	-	1	-	3	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	1	-	2	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 2,123
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 GASTRITIS AND DUODENITIS (535)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
SOUTH DAKOTA -----	-	1	-	-	-	-	2	-	-	-	1	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	2	-	-	-	1	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	-	-	1	2	-	-	2	2	1	-	-	-
WHITE-----MALE----	-	-	1	2	-	-	-	1	1	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS -----	2	1	2	1	5	1	2	7	2	-	1	-
WHITE-----MALE----	1	1	-	-	2	-	1	2	1	-	-	-
FEMALE--	1	-	2	1	2	-	-	5	1	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	1	-	-	-	-	-
UTAH -----	-	-	-	-	1	-	-	-	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	-	-	1	1	-	-	1	-	1	-
WHITE-----MALE----	-	-	-	-	1	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	-	-	-	-	1	2	1	4	2	1	-	-
WHITE-----MALE----	-	-	-	-	-	2	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	3	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 2,128
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 APPENDICITIS (540-543)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
KENTUCKY -----	-	-	1	-	-	1	2	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	-	1	-	-	-	-	-	-	2	1	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	2	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	2	-	-	-
MAINE -----	-	-	-	-	-	-	-	1	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	-	2	2	1	-	2	-	1	-	-	-	-
WHITE-----MALE----	-	1	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	2	-	1	-	-	-	-
ALL OTHER--MALE----	-	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS -----	-	-	1	1	-	2	1	-	1	-	-	-
WHITE-----MALE----	-	-	1	-	-	1	1	-	1	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	-	-	-	4	2	2	1	-	3	1	-	-
WHITE-----MALE----	-	-	-	3	1	2	-	-	1	1	-	-
FEMALE--	-	-	-	1	1	-	-	-	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 2,131
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 APPENDICITIS (540-543)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
OHIO -----	1	-	1	3	1	1	1	2	-	-	-	-
WHITE-----MALE----	1	-	-	3	-	-	-	1	-	-	-	-
FEMALE--	-	-	1	-	1	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
OKLAHOMA -----	-	2	-	1	-	-	3	-	1	2	-	-
WHITE-----MALE----	-	1	-	-	-	-	-	-	1	1	-	-
FEMALE--	-	1	-	1	-	-	3	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-
OREGON -----	-	-	-	1	-	1	2	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	2	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	1	-	-	-	4	2	2	1	2	1	-	-
WHITE-----MALE----	1	-	-	-	2	1	2	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	1	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-
RHODE ISLAND -----	-	-	-	-	-	1	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	-	-	1	-	1	2	1	-	-	-	-	-
WHITE-----MALE----	-	-	1	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	-	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 2,134
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 HERNIA OF ABDOMINAL CAVITY AND INTESTINAL OBSTRUCTION WITHOUT MENTION OF HERNIA (550-553,560)												
0 UNITED STATES --	6,476	69	24	15	7	9	15	21	29	41	63	87
WHITE-----MALE----	2,000	23	7	5	3	5	4	8	11	10	22	35
FEMALE--	3,585	21	5	4	3	1	5	2	7	16	26	21
ALL OTHER--MALE----	400	13	8	5	1	3	3	5	4	9	9	19
FEMALE--	491	12	4	1	-	-	3	6	7	6	6	12
BLACK---MALE----	369	10	6	5	1	3	3	4	3	8	9	18
FEMALE--	454	11	4	-	-	-	3	4	7	4	6	11
ALABAMA -----	120	2	-	-	-	-	-	-	-	1	2	2
WHITE-----MALE----	27	1	-	-	-	-	-	-	-	-	1	1
FEMALE--	59	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	18	1	-	-	-	-	-	-	-	1	1	1
FEMALE--	16	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	18	1	-	-	-	-	-	-	-	1	1	1
FEMALE--	16	-	-	-	-	-	-	-	-	-	-	-
ALASKA -----	6	-	-	1	-	-	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	111	1	-	-	-	-	-	-	-	1	2	1
WHITE-----MALE----	41	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	64	1	-	-	-	-	-	-	-	1	2	1
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	62	1	-	-	-	-	-	1	-	1	-	1
WHITE-----MALE----	21	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	30	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	1	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	1	-	-	-	-	-	-	-	1	-	-
CALIFORNIA -----	493	6	4	1	-	1	3	4	5	3	7	8
WHITE-----MALE----	154	2	1	-	-	1	1	2	4	1	3	2
FEMALE--	281	2	1	1	-	-	2	-	-	1	3	6
ALL OTHER--MALE----	31	1	2	-	-	-	-	1	1	-	1	-
FEMALE--	27	1	-	-	-	-	-	1	-	1	-	-
BLACK---MALE----	19	-	1	-	-	-	-	-	1	-	1	-
FEMALE--	20	-	-	-	-	-	-	-	-	1	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 2,134
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 HERNIA OF ABDOMINAL CAVITY AND INTESTINAL OBSTRUCTION WITHOUT MENTION OF HERNIA (550-553,560)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 UNITED STATES --	82	134	196	305	600	889	1,239	1,335	900	347	69	-
WHITE-----MALE----	34	58	77	117	247	317	407	383	169	51	7	-
FEMALE--	28	51	75	132	250	449	698	815	654	267	55	-
ALL OTHER--MALE----	15	14	22	25	58	48	53	51	26	7	2	-
FEMALE--	5	11	22	31	45	75	81	86	51	22	5	-
BLACK---MALE----	14	14	22	23	53	45	46	50	25	5	2	-
FEMALE--	4	11	21	29	42	73	74	79	46	21	4	-
ALABAMA -----	1	2	2	7	17	10	27	17	19	6	5	-
WHITE-----MALE----	-	1	-	2	4	1	7	6	2	1	-	-
FEMALE--	-	1	-	3	6	7	16	5	14	3	4	-
ALL OTHER--MALE----	1	-	1	1	2	1	3	2	1	1	1	-
FEMALE--	-	-	1	1	5	1	1	4	2	1	-	-
BLACK---MALE----	1	-	1	1	2	1	3	2	1	1	1	-
FEMALE--	-	-	1	1	5	1	1	4	2	1	-	-
ALASKA -----	-	-	1	-	-	1	1	1	-	1	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	1	-	-	1	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	3	1	4	4	9	20	18	23	18	5	1	-
WHITE-----MALE----	1	-	1	2	5	9	9	6	6	2	-	-
FEMALE--	1	1	3	1	4	10	7	17	12	3	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	1	-	-	1	-	-	1	-	-	-	1	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ARKANSAS -----	-	-	-	3	4	8	15	14	8	6	-	-
WHITE-----MALE----	-	-	-	2	2	4	5	3	3	1	-	-
FEMALE--	-	-	-	1	1	2	8	9	5	3	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	1	1	-	-	-	-
FEMALE--	-	-	-	-	1	1	1	1	-	2	-	-
BLACK---MALE----	-	-	-	-	-	1	1	1	-	-	-	-
FEMALE--	-	-	-	-	1	1	1	1	-	2	-	-
CALIFORNIA -----	9	21	19	20	52	71	84	83	58	32	2	-
WHITE-----MALE----	4	13	9	9	20	26	23	21	8	4	-	-
FEMALE--	2	6	7	9	23	38	52	55	45	26	2	-
ALL OTHER--MALE----	3	2	1	1	6	5	3	2	1	1	-	-
FEMALE--	-	-	2	1	3	2	6	5	4	1	-	-
BLACK---MALE----	2	2	1	-	4	3	2	1	1	-	-	-
FEMALE--	-	-	2	1	2	2	4	5	2	1	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 2,135
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 HERNIA OF ABDOMINAL CAVITY AND INTESTINAL OBSTRUCTION WITHOUT MENTION OF HERNIA (550-553,560)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
COLORADO -----	1	5	5	4	7	8	20	12	12	3	-	-
WHITE-----MALE----	-	1	3	2	2	2	7	4	4	2	-	-
FEMALE--	1	3	2	1	5	6	12	7	7	1	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	1	1	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	1	1	-	-	-
CONNECTICUT -----	-	1	3	-	8	11	14	9	9	11	1	-
WHITE-----MALE----	-	-	1	-	6	6	4	3	4	-	-	-
FEMALE--	-	1	1	-	2	5	10	6	5	10	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	1	-	-
DELAWARE -----	-	-	-	2	1	2	3	3	-	1	-	-
WHITE-----MALE----	-	-	-	1	1	1	1	1	-	-	-	-
FEMALE--	-	-	-	1	-	1	1	2	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	1	-	3	3	3	4	2	9	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	2	-	-	-	-
ALL OTHER--MALE----	-	-	3	1	-	1	-	4	1	-	-	-
FEMALE--	1	-	-	2	3	2	2	3	-	-	-	-
BLACK---MALE----	-	-	3	1	-	1	-	4	1	-	-	-
FEMALE--	1	-	-	2	3	2	2	3	-	-	-	-
FLORIDA -----	8	3	10	20	32	48	70	71	55	22	2	-
WHITE-----MALE----	6	1	2	9	14	15	22	26	17	3	1	-
FEMALE--	1	1	4	6	12	28	45	42	35	19	1	-
ALL OTHER--MALE----	1	-	1	2	4	4	1	3	2	-	-	-
FEMALE--	-	1	3	3	2	1	2	-	1	-	-	-
BLACK---MALE----	1	-	1	2	4	4	1	3	2	-	-	-
FEMALE--	-	1	3	2	2	1	2	-	1	-	-	-
GEORGIA -----	1	7	7	17	24	26	37	38	15	7	2	-
WHITE-----MALE----	-	-	2	4	7	7	3	9	1	2	-	-
FEMALE--	1	4	2	8	6	9	22	25	10	5	1	-
ALL OTHER--MALE----	-	2	2	4	8	4	4	1	-	-	-	-
FEMALE--	-	1	1	1	3	6	8	3	4	-	1	-
BLACK---MALE----	-	2	2	4	8	4	4	1	-	-	-	-
FEMALE--	-	1	1	1	3	6	8	3	4	-	1	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 2,136
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 0 HERNIA OF ABDOMINAL CAVITY AND INTESTINAL OBSTRUCTION WITHOUT MENTION OF HERNIA (550-553,560)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
HAWAII -----	1	-	-	-	3	1	5	3	2	-	-	-
WHITE-----MALE----	-	-	-	-	1	-	-	1	-	-	-	-
FEMALE--	1	-	-	-	-	1	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	2	-	2	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	2	2	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	-	-	3	1	2	-	7	11	6	-	-	-
WHITE-----MALE----	-	-	1	-	2	-	5	5	2	-	-	-
FEMALE--	-	-	2	1	-	-	2	6	4	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	1	6	4	16	24	37	56	61	41	14	6	-
WHITE-----MALE----	1	4	-	5	9	14	26	14	8	2	-	-
FEMALE--	-	-	3	7	12	16	25	39	29	10	6	-
ALL OTHER--MALE----	-	1	1	-	2	5	1	5	-	-	-	-
FEMALE--	-	1	-	4	1	2	4	3	4	2	-	-
BLACK---MALE----	-	1	1	-	2	5	1	5	-	-	-	-
FEMALE--	-	1	-	4	1	2	4	3	4	2	-	-
INDIANA -----	2	2	9	6	13	20	21	27	18	8	1	-
WHITE-----MALE----	2	1	7	1	5	4	5	8	4	3	-	-
FEMALE--	-	1	1	3	7	12	15	14	13	5	1	-
ALL OTHER--MALE----	-	-	-	1	1	1	-	2	1	-	-	-
FEMALE--	-	-	1	1	-	3	1	2	-	-	-	-
BLACK---MALE----	-	-	-	1	1	1	-	2	1	-	-	-
FEMALE--	-	-	1	1	-	3	1	2	-	-	-	-
IOWA -----	1	5	-	2	8	6	15	27	19	6	2	-
WHITE-----MALE----	1	2	-	1	6	2	7	8	8	1	-	-
FEMALE--	-	3	-	1	2	4	8	19	10	5	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
KANSAS -----	-	2	2	1	5	10	17	18	18	7	4	-
WHITE-----MALE----	-	1	1	-	2	4	6	7	4	-	1	-
FEMALE--	-	-	-	1	3	5	10	10	14	7	3	-
ALL OTHER--MALE----	-	1	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	1	-	-	1	-	1	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	1	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 2,137
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 HERNIA OF ABDOMINAL CAVITY AND INTESTINAL OBSTRUCTION WITHOUT MENTION OF HERNIA (550-553,560)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
KENTUCKY -----	1	5	1	2	11	17	18	21	12	4	-	-
WHITE-----MALE----	1	3	1	1	5	5	10	7	1	-	-	-
FEMALE--	-	2	-	1	6	9	7	12	11	4	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	3	-	2	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	3	-	2	-	-	-	-
LOUISIANA -----	2	3	4	9	9	23	21	30	16	8	1	-
WHITE-----MALE----	-	2	2	4	3	2	5	4	1	-	-	-
FEMALE--	-	-	1	4	3	11	13	17	11	6	-	-
ALL OTHER--MALE----	1	-	1	1	2	3	1	5	2	1	1	-
FEMALE--	1	1	-	-	1	7	2	4	2	1	-	-
BLACK---MALE----	1	-	1	1	2	3	1	5	2	1	1	-
FEMALE--	1	1	-	-	1	7	2	4	2	1	-	-
MAINE -----	1	-	-	3	2	7	6	7	5	2	-	-
WHITE-----MALE----	1	-	-	1	1	-	2	3	-	-	-	-
FEMALE--	-	-	-	2	1	7	4	4	5	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	2	2	-	9	12	25	22	27	16	9	3	-
WHITE-----MALE----	-	-	-	4	3	8	5	4	2	1	-	-
FEMALE--	-	2	-	4	4	12	14	17	11	5	2	-
ALL OTHER--MALE----	2	-	-	-	5	2	2	1	1	-	-	-
FEMALE--	-	-	-	1	-	3	1	5	2	3	1	-
BLACK---MALE----	2	-	-	-	5	2	2	1	1	-	-	-
FEMALE--	-	-	-	1	-	3	1	5	2	3	1	-
MASSACHUSETTS -----	1	-	2	4	10	21	30	40	27	14	1	-
WHITE-----MALE----	-	-	2	-	4	11	10	13	4	3	-	-
FEMALE--	1	-	-	4	6	8	19	22	23	11	1	-
ALL OTHER--MALE----	-	-	-	-	-	2	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	4	-	-	-	-
BLACK---MALE----	-	-	-	-	-	2	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	4	-	-	-	-
MICHIGAN -----	1	6	7	18	20	33	67	59	34	18	4	-
WHITE-----MALE----	1	3	4	8	8	13	26	15	3	6	1	-
FEMALE--	-	3	2	7	8	17	34	39	29	9	3	-
ALL OTHER--MALE----	-	-	1	3	3	1	2	1	1	1	-	-
FEMALE--	-	-	-	-	1	2	5	4	1	2	-	-
BLACK---MALE----	-	-	1	3	3	1	2	1	-	-	-	-
FEMALE--	-	-	-	-	1	2	4	3	1	2	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 2,140
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 HERNIA OF ABDOMINAL CAVITY AND INTESTINAL OBSTRUCTION WITHOUT MENTION OF HERNIA (550-553,560)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
OHIO -----	5	3	7	13	31	40	66	55	39	16	5	-
WHITE-----MALE----	2	1	3	7	6	14	14	13	10	1	-	-
FEMALE--	3	1	2	4	20	20	45	41	26	13	5	-
ALL OTHER--MALE----	-	1	-	1	4	3	2	1	2	-	-	-
FEMALE--	-	-	2	1	1	3	5	-	1	2	-	-
BLACK---MALE----	-	1	-	1	4	3	2	1	2	-	-	-
FEMALE--	-	-	2	1	1	3	5	-	1	2	-	-
OKLAHOMA -----	-	1	3	9	9	14	15	16	23	6	3	-
WHITE-----MALE----	-	1	2	2	4	6	5	6	4	1	-	-
FEMALE--	-	-	1	6	5	5	9	6	17	5	3	-
ALL OTHER--MALE----	-	-	-	1	-	2	1	1	2	-	-	-
FEMALE--	-	-	-	-	-	1	-	3	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	1	1	2	-	-	-
FEMALE--	-	-	-	-	-	1	-	1	-	-	-	-
OREGON -----	3	3	1	1	5	15	14	22	14	8	2	-
WHITE-----MALE----	2	2	-	1	2	5	10	11	5	2	-	-
FEMALE--	1	1	1	-	3	10	4	11	9	6	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	3	8	16	15	36	70	75	82	49	21	2	-
WHITE-----MALE----	1	4	7	6	19	27	24	21	5	4	1	-
FEMALE--	2	3	6	6	12	35	49	50	42	16	1	-
ALL OTHER--MALE----	-	-	2	2	2	2	-	3	1	-	-	-
FEMALE--	-	1	1	1	3	6	2	8	1	1	-	-
BLACK---MALE----	-	-	2	2	2	2	-	3	1	-	-	-
FEMALE--	-	1	1	1	3	5	2	8	1	1	-	-
RHODE ISLAND -----	-	-	1	2	-	6	3	4	6	2	-	-
WHITE-----MALE----	-	-	-	1	-	3	1	1	-	-	-	-
FEMALE--	-	-	-	1	-	3	2	3	5	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	5	3	2	5	13	10	17	18	9	2	-	-
WHITE-----MALE----	-	1	1	1	3	2	6	3	1	-	-	-
FEMALE--	1	-	-	4	6	4	6	12	4	2	-	-
ALL OTHER--MALE----	4	1	1	-	2	1	1	2	2	-	-	-
FEMALE--	-	1	-	-	2	3	4	1	2	-	-	-
BLACK---MALE----	4	1	1	-	2	1	1	2	2	-	-	-
FEMALE--	-	1	-	-	2	3	4	1	2	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 2,141
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 HERNIA OF ABDOMINAL CAVITY AND INTESTINAL OBSTRUCTION WITHOUT MENTION OF HERNIA (550-553,560)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
SOUTH DAKOTA -----	-	3	-	-	2	2	7	6	7	-	-	-
WHITE-----MALE----	-	2	-	-	1	1	2	3	1	-	-	-
FEMALE--	-	1	-	-	1	1	4	3	6	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	4	1	11	4	12	20	26	19	17	6	1	-
WHITE-----MALE----	1	-	3	1	10	10	8	8	2	1	-	-
FEMALE--	1	-	4	2	2	9	11	10	14	3	1	-
ALL OTHER--MALE----	1	1	3	-	-	-	3	-	-	2	-	-
FEMALE--	1	-	1	1	-	1	4	1	1	-	-	-
BLACK---MALE----	1	1	3	-	-	-	3	-	-	2	-	-
FEMALE--	1	-	1	1	-	1	4	1	1	-	-	-
TEXAS -----	3	8	16	18	38	56	83	87	61	21	4	-
WHITE-----MALE----	-	4	4	5	19	21	32	18	12	2	-	-
FEMALE--	2	3	9	8	12	29	44	58	41	19	3	-
ALL OTHER--MALE----	1	1	1	2	3	1	2	3	3	-	-	-
FEMALE--	-	-	2	3	4	5	5	8	5	-	1	-
BLACK---MALE----	1	1	1	2	3	1	2	3	3	-	-	-
FEMALE--	-	-	2	3	4	5	5	7	5	-	1	-
UTAH -----	1	3	1	2	4	6	12	8	7	1	-	-
WHITE-----MALE----	-	1	-	-	2	1	5	-	1	-	-	-
FEMALE--	1	2	1	2	2	5	7	8	6	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	1	-	-	3	4	3	2	-	-	-
WHITE-----MALE----	-	-	-	-	-	2	2	-	1	-	-	-
FEMALE--	-	-	1	-	-	1	2	3	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	-	1	6	10	21	23	32	32	21	2	-	-
WHITE-----MALE----	-	-	1	3	6	3	6	10	1	2	-	-
FEMALE--	-	1	3	4	8	12	18	17	16	-	-	-
ALL OTHER--MALE----	-	-	1	1	3	1	3	4	1	-	-	-
FEMALE--	-	-	1	2	4	7	5	1	3	-	-	-
BLACK---MALE----	-	-	1	1	3	1	3	4	1	-	-	-
FEMALE--	-	-	1	2	3	7	5	1	3	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 2,143
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 REGIONAL ENTERITIS AND IDIOPATHIC PROCTOCOLITIS (555-556)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 UNITED STATES --	44	43	58	72	98	164	144	84	37	9	3	-
WHITE-----MALE----	21	22	31	31	39	66	43	17	5	2	-	-
FEMALE--	20	14	18	37	53	87	92	63	32	7	-	-
ALL OTHER--MALE----	-	1	4	1	2	6	3	1	-	-	-	-
FEMALE--	3	6	5	3	4	5	6	3	-	-	3	-
BLACK---MALE----	-	1	4	1	2	6	2	1	-	-	-	-
FEMALE--	3	5	5	3	4	5	5	3	-	-	2	-
ALABAMA -----	1	-	-	-	-	1	1	3	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	-	2	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	-	1	1	1	1	5	2	3	1	-	-	-
WHITE-----MALE----	-	1	1	-	1	4	1	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	1	3	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	-	-	-	-	-	1	1	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	4	5	10	7	10	12	9	5	2	2	-	-
WHITE-----MALE----	1	1	3	4	2	3	1	-	-	1	-	-
FEMALE--	3	3	5	3	7	8	5	5	2	1	-	-
ALL OTHER--MALE----	-	-	1	-	1	1	1	-	-	-	-	-
FEMALE--	-	1	1	-	-	-	2	-	-	-	-	-
BLACK---MALE----	-	-	1	-	1	1	-	-	-	-	-	-
FEMALE--	-	1	1	-	-	-	1	-	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 2,144
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 0 REGIONAL ENTERITIS AND IDIOPATHIC PROCTOCOLITIS (555-556)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
COLORADO -----	-	-	1	1	2	2	2	2	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	-	-	1	-	-	-
FEMALE--	-	-	1	1	2	1	2	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	1	-	-	1	3	1	2	1	1	-	-	-
WHITE-----MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	3	1	2	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	9	1	1	6	4	10	4	5	4	-	-	-
WHITE-----MALE----	6	-	1	2	2	3	3	1	2	-	-	-
FEMALE--	3	1	-	4	2	7	1	4	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
GEORGIA -----	1	1	3	-	2	4	1	-	3	-	-	-
WHITE-----MALE----	-	-	-	-	1	-	-	-	1	-	-	-
FEMALE--	1	-	1	-	1	3	1	-	2	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	1	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	1	-	-	1	-	-	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 2,146
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
0 REGIONAL ENTERITIS AND IDIOPATHIC PROCTOCOLITIS (555-556)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
KENTUCKY -----	15	-	-	-	-	-	-	-	2	1	-	-
WHITE-----MALE----	7	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	13	-	1	-	-	-	1	1	-	1	-	1
WHITE-----MALE----	5	-	-	-	-	-	-	1	-	-	-	1
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	-	1	-	-	-	1	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	1	-	-	-	1	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MAINE -----	6	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	18	-	-	-	-	-	-	-	1	-	-	-
WHITE-----MALE----	7	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	1	-	-	-
MASSACHUSETTS -----	32	-	-	-	-	-	-	-	2	-	2	1
WHITE-----MALE----	12	-	-	-	-	-	-	-	2	-	-	1
FEMALE--	20	-	-	-	-	-	-	-	-	-	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	42	-	-	-	-	-	-	1	-	3	-	2
WHITE-----MALE----	16	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	20	-	-	-	-	-	-	-	-	1	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	1	-	1	-	1
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	1	-	1	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 2,146
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 0 REGIONAL ENTERITIS AND IDIOPATHIC PROCTOCOLITIS (555-556)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
KENTUCKY -----	2	1	-	2	1	2	2	2	-	-	-	-
WHITE-----MALE----	2	1	-	-	-	1	2	-	-	-	-	-
FEMALE--	-	-	-	2	1	1	-	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	-	-	1	1	1	2	1	2	-	-	-	-
WHITE-----MALE----	-	-	1	-	-	1	-	1	-	-	-	-
FEMALE--	-	-	-	1	1	-	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MAINE -----	-	-	-	-	1	2	2	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	2	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	3	-	-	-	4	3	5	2	-	-	-	-
WHITE-----MALE----	2	-	-	-	1	2	2	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	3	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-
MASSACHUSETTS -----	1	1	-	2	3	5	9	4	2	-	-	-
WHITE-----MALE----	-	1	-	2	2	1	1	1	1	-	-	-
FEMALE--	1	-	-	-	1	4	8	3	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	1	2	6	6	3	5	5	6	2	-	-	-
WHITE-----MALE----	1	2	4	1	1	3	2	1	-	-	-	-
FEMALE--	-	-	1	5	2	2	3	3	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	1	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 2,149
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 REGIONAL ENTERITIS AND IDIOPATHIC PROCTOCOLITIS (555-556)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
OHIO -----	2	2	1	4	2	6	8	6	2	-	-	-
WHITE-----MALE----	2	2	1	1	-	3	3	1	-	-	-	-
FEMALE--	-	-	-	2	2	3	4	5	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
OKLAHOMA -----	-	1	1	-	2	1	1	-	-	-	-	-
WHITE-----MALE----	-	1	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
OREGON -----	-	-	1	2	1	2	2	2	2	-	1	-
WHITE-----MALE----	-	-	1	1	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	2	2	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	-	6	4	11	14	16	16	5	4	1	2	-
WHITE-----MALE----	-	2	2	5	6	6	7	-	-	-	-	-
FEMALE--	-	3	2	5	7	8	8	3	4	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	1	-	1	1	1	1	2	-	-	2	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	1	-	1	1	1	1	2	-	-	2	-
RHODE ISLAND -----	-	-	-	-	-	1	-	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	-	-	-	-	-	1	2	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	2	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	2	-	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 2,152
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 ALL OTHER NONINFECTIVE GASTROENTERITIS AND COLITIS (557-558)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 UNITED STATES --	187	282	419	802	1,272	1,565	1,757	1,466	850	263	55	1
WHITE-----MALE----	69	98	151	288	474	493	524	342	170	45	12	-
FEMALE--	83	124	204	413	654	929	1,086	1,032	630	200	37	1
ALL OTHER--MALE----	15	22	36	32	55	49	52	26	15	2	1	-
FEMALE--	20	38	28	69	89	94	95	66	35	16	5	-
BLACK---MALE----	15	20	33	27	49	44	36	21	13	2	1	-
FEMALE--	17	34	26	59	82	84	82	58	30	15	4	-
ALABAMA -----	2	4	10	21	21	24	25	20	13	1	1	-
WHITE-----MALE----	-	-	4	8	8	7	8	3	1	-	-	-
FEMALE--	1	3	4	8	8	16	12	14	9	1	-	-
ALL OTHER--MALE----	1	-	1	3	1	-	2	1	1	-	-	-
FEMALE--	-	1	1	2	4	1	3	2	2	-	1	-
BLACK---MALE----	1	-	1	3	1	-	2	1	1	-	-	-
FEMALE--	-	1	1	2	4	1	3	2	2	-	1	-
ALASKA -----	-	-	-	1	1	1	-	1	1	-	-	-
WHITE-----MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	3	5	6	8	15	25	32	26	12	5	-	-
WHITE-----MALE----	1	2	1	4	8	6	13	10	2	1	-	-
FEMALE--	2	3	4	4	7	19	15	16	9	4	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	2	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	2	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ARKANSAS -----	2	5	8	11	17	27	17	21	9	4	-	-
WHITE-----MALE----	1	4	3	1	12	11	7	4	4	-	-	-
FEMALE--	-	1	4	9	4	12	10	14	4	3	-	-
ALL OTHER--MALE----	-	-	1	-	-	1	-	2	1	-	-	-
FEMALE--	1	-	-	1	1	3	-	1	-	1	-	-
BLACK---MALE----	-	-	1	-	-	1	-	2	1	-	-	-
FEMALE--	1	-	-	1	1	3	-	1	-	1	-	-
CALIFORNIA -----	23	31	49	88	146	157	180	151	77	20	6	-
WHITE-----MALE----	8	10	18	27	48	45	47	30	15	7	-	-
FEMALE--	13	17	30	46	78	96	112	111	55	12	5	-
ALL OTHER--MALE----	1	1	-	5	8	6	7	3	2	-	1	-
FEMALE--	1	3	1	10	12	10	14	7	5	1	-	-
BLACK---MALE----	1	1	-	1	5	5	4	-	2	-	1	-
FEMALE--	-	2	1	5	10	6	8	2	3	1	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 2,153
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 ALL OTHER NONINFECTIVE GASTROENTERITIS AND COLITIS (557-558)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
COLORADO -----	-	4	7	5	18	21	25	21	15	2	1	-
WHITE-----MALE----	-	3	2	2	8	11	10	5	2	-	-	-
FEMALE--	-	1	5	3	9	10	14	15	12	2	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	1	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	1	1	-	-	-
CONNECTICUT -----	2	3	4	8	14	24	26	25	11	3	1	-
WHITE-----MALE----	1	1	2	3	5	10	4	7	5	-	-	-
FEMALE--	1	-	2	5	8	14	22	16	6	3	1	-
ALL OTHER--MALE----	-	2	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	2	-	-	-	-
BLACK---MALE----	-	2	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	2	-	-	-	-
DELAWARE -----	2	-	-	3	2	4	4	6	-	-	-	-
WHITE-----MALE----	1	-	-	1	-	1	1	2	-	-	-	-
FEMALE--	-	-	-	-	2	3	2	4	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	2	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	2	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	1	-	-	-	5	1	7	4	2	1	1	-
WHITE-----MALE----	-	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	3	-	2	-	2	-	-	-
ALL OTHER--MALE----	1	-	-	-	1	-	1	1	-	-	-	-
FEMALE--	-	-	-	-	1	-	3	3	-	1	1	-
BLACK---MALE----	1	-	-	-	1	-	1	1	-	-	-	-
FEMALE--	-	-	-	-	1	-	3	3	-	1	1	-
FLORIDA -----	11	15	26	53	73	126	100	91	48	12	1	-
WHITE-----MALE----	3	11	9	20	26	36	40	23	10	2	-	-
FEMALE--	4	2	15	30	42	78	55	58	37	9	1	-
ALL OTHER--MALE----	-	1	2	2	2	2	2	3	1	-	-	-
FEMALE--	4	1	-	1	3	10	3	7	-	1	-	-
BLACK---MALE----	-	1	2	2	1	2	1	3	1	-	-	-
FEMALE--	4	1	-	1	3	9	3	7	-	1	-	-
GEORGIA -----	5	9	18	18	25	34	42	29	19	6	1	-
WHITE-----MALE----	3	3	9	6	9	11	12	8	4	1	-	-
FEMALE--	1	3	2	11	8	16	20	19	13	4	1	-
ALL OTHER--MALE----	1	1	5	1	1	5	4	-	1	-	-	-
FEMALE--	-	2	2	-	7	2	6	2	1	1	-	-
BLACK---MALE----	1	1	5	1	1	5	4	-	1	-	-	-
FEMALE--	-	2	2	-	7	2	6	2	1	1	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 2,155
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
0 ALL OTHER NONINFECTIVE GASTROENTERITIS AND COLITIS (557-558)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
KENTUCKY -----	164	-	-	-	-	-	1	-	-	-	1	3
WHITE-----MALE----	44	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	111	-	-	-	-	-	-	-	-	-	1	2
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	127	1	1	-	-	-	-	-	-	-	3	1
WHITE-----MALE----	26	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	76	-	-	-	-	-	-	-	-	-	2	1
ALL OTHER--MALE----	11	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	14	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	11	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	14	1	-	-	-	-	-	-	-	-	-	-
MAINE -----	44	-	-	-	-	-	-	-	-	-	-	1
WHITE-----MALE----	12	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	32	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	155	1	1	-	-	-	-	-	1	-	1	1
WHITE-----MALE----	36	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	84	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	13	1	-	-	-	-	-	-	-	-	1	1
FEMALE--	22	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	12	1	-	-	-	-	-	-	-	-	1	1
FEMALE--	22	-	-	-	-	-	-	-	1	-	-	-
MASSACHUSETTS -----	265	-	-	-	-	-	-	-	-	2	1	1
WHITE-----MALE----	82	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	174	-	-	-	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	365	3	2	-	-	-	-	-	2	3	11	6
WHITE-----MALE----	105	-	-	-	-	-	-	-	2	-	4	-
FEMALE--	206	1	-	-	-	-	-	-	-	2	5	1
ALL OTHER--MALE----	25	2	2	-	-	-	-	-	-	-	1	3
FEMALE--	29	-	-	-	-	-	-	-	-	1	1	2
BLACK---MALE----	25	2	2	-	-	-	-	-	-	-	1	3
FEMALE--	29	-	-	-	-	-	-	-	-	1	1	2

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 2,155
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 ALL OTHER NONINFECTIVE GASTROENTERITIS AND COLITIS (557-558)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
KENTUCKY -----	4	6	12	12	30	26	26	27	10	3	3	-
WHITE-----MALE----	1	3	7	2	7	8	6	6	2	1	-	-
FEMALE--	3	3	5	9	22	16	18	19	8	2	3	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	2	2	2	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	2	2	2	-	-	-	-
LOUISIANA -----	1	2	3	13	21	24	25	20	9	1	2	-
WHITE-----MALE----	-	-	-	5	3	7	5	5	-	-	-	-
FEMALE--	1	1	1	5	14	12	17	12	7	1	2	-
ALL OTHER--MALE----	-	1	1	1	3	1	-	2	1	-	-	-
FEMALE--	-	-	1	2	1	4	3	1	1	-	-	-
BLACK---MALE----	-	1	1	1	3	1	-	2	1	-	-	-
FEMALE--	-	-	1	2	1	4	3	1	1	-	-	-
MAINE -----	2	2	1	3	7	4	10	5	8	1	-	-
WHITE-----MALE----	2	1	1	2	2	-	3	1	-	-	-	-
FEMALE--	-	1	-	1	5	4	7	4	8	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	3	4	12	15	23	25	28	31	7	1	1	-
WHITE-----MALE----	-	-	3	6	5	11	5	4	1	-	-	-
FEMALE--	3	-	5	6	14	8	19	22	5	1	1	-
ALL OTHER--MALE----	-	1	3	1	-	2	1	2	-	-	-	-
FEMALE--	-	3	1	2	4	4	3	3	1	-	-	-
BLACK---MALE----	-	1	3	1	-	2	-	2	-	-	-	-
FEMALE--	-	3	1	2	4	4	3	3	1	-	-	-
MASSACHUSETTS -----	5	6	7	22	25	42	48	49	41	13	3	-
WHITE-----MALE----	1	2	4	10	11	11	16	16	8	1	1	-
FEMALE--	4	3	3	11	13	29	30	33	32	12	2	-
ALL OTHER--MALE----	-	-	-	1	-	-	1	-	-	-	-	-
FEMALE--	-	1	-	-	1	2	1	-	1	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	1	2	1	-	-	-	-	-
MICHIGAN -----	3	12	13	41	61	59	63	54	27	5	-	-
WHITE-----MALE----	2	7	4	13	18	20	17	13	5	-	-	-
FEMALE--	-	2	6	23	32	33	37	40	21	3	-	-
ALL OTHER--MALE----	-	2	2	-	8	3	-	-	1	1	-	-
FEMALE--	1	1	1	5	3	3	9	1	-	1	-	-
BLACK---MALE----	-	2	2	-	8	3	-	-	1	1	-	-
FEMALE--	1	1	1	5	3	3	9	1	-	1	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 2,156
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 ALL OTHER NONINFECTIVE GASTROENTERITIS AND COLITIS (557-558)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
MINNESOTA -----	2	4	8	7	16	29	20	23	29	7	-	-
WHITE-----MALE----	1	-	5	2	8	9	3	11	9	3	-	-
FEMALE--	1	4	2	5	8	20	15	12	20	4	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI -----	2	3	5	13	16	10	14	15	6	-	2	-
WHITE-----MALE----	-	-	2	4	4	4	5	2	2	-	-	-
FEMALE--	-	3	1	5	6	3	6	8	3	-	1	-
ALL OTHER--MALE----	1	-	-	3	1	1	1	1	-	-	-	-
FEMALE--	1	-	2	1	5	2	2	4	1	-	1	-
BLACK---MALE----	1	-	-	3	1	1	1	1	-	-	-	-
FEMALE--	1	-	2	1	5	2	2	4	1	-	1	-
MISSOURI -----	6	5	13	17	37	34	38	28	24	7	2	-
WHITE-----MALE----	1	-	5	3	12	10	15	4	7	-	1	-
FEMALE--	2	4	5	12	21	19	21	23	15	6	1	-
ALL OTHER--MALE----	1	-	2	-	1	1	-	-	-	-	-	-
FEMALE--	2	1	1	2	3	4	2	1	2	1	-	-
BLACK---MALE----	1	-	2	-	1	1	-	-	-	-	-	-
FEMALE--	2	1	1	2	3	4	1	1	2	1	-	-
MONTANA -----	-	1	1	4	4	2	13	6	3	2	-	-
WHITE-----MALE----	-	1	-	3	1	-	6	2	-	1	-	-
FEMALE--	-	-	-	-	3	2	6	4	3	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	1	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	-	3	-	6	5	8	7	11	12	2	-	-
WHITE-----MALE----	-	1	-	2	2	3	2	2	2	-	-	-
FEMALE--	-	1	-	4	3	5	4	9	10	2	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA -----	2	2	-	6	14	15	14	7	1	3	-	-
WHITE-----MALE----	1	2	-	4	5	5	5	5	-	-	-	-
FEMALE--	1	-	-	2	9	10	6	2	1	3	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	2	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 2,158
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 ALL OTHER NONINFECTIVE GASTROENTERITIS AND COLITIS (557-558)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
OHIO -----	10	16	19	50	64	71	75	49	36	11	2	-
WHITE-----MALE----	4	5	6	16	25	16	26	16	5	1	1	-
FEMALE--	4	8	8	28	33	49	46	30	31	10	1	-
ALL OTHER--MALE----	-	2	3	1	4	2	1	1	-	-	-	-
FEMALE--	2	1	2	5	2	4	2	2	-	-	-	-
BLACK---MALE----	-	2	3	1	4	2	1	1	-	-	-	-
FEMALE--	1	1	1	5	2	4	2	2	-	-	-	-
OKLAHOMA -----	-	6	7	14	23	30	36	25	14	3	1	-
WHITE-----MALE----	-	-	3	4	10	6	12	3	2	1	-	-
FEMALE--	-	3	4	9	8	22	22	22	12	2	1	-
ALL OTHER--MALE----	-	2	-	-	1	-	2	-	-	-	-	-
FEMALE--	-	1	-	1	4	2	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	2	-	-	-	-	-
FEMALE--	-	1	-	-	-	2	-	-	-	-	-	-
OREGON -----	1	1	4	7	25	28	20	18	15	6	-	-
WHITE-----MALE----	-	1	-	2	11	7	9	5	5	-	-	-
FEMALE--	1	-	4	5	13	21	11	13	10	6	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	15	13	18	38	72	98	116	94	53	15	4	-
WHITE-----MALE----	7	3	7	13	25	27	41	21	13	2	3	-
FEMALE--	5	8	8	17	40	63	70	69	37	11	-	-
ALL OTHER--MALE----	1	-	1	4	1	6	3	-	-	-	-	-
FEMALE--	2	2	2	4	6	2	2	4	3	2	1	-
BLACK---MALE----	1	-	1	4	1	6	3	-	-	-	-	-
FEMALE--	2	2	2	4	6	2	2	4	3	2	1	-
RHODE ISLAND -----	1	4	1	-	7	11	9	7	5	-	1	-
WHITE-----MALE----	-	3	1	-	3	4	3	1	1	-	1	-
FEMALE--	-	1	-	-	4	7	6	6	4	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	4	9	11	14	17	23	29	18	6	-	1	-
WHITE-----MALE----	2	2	2	2	9	6	8	2	1	-	-	-
FEMALE--	-	3	5	9	5	13	16	14	5	-	1	-
ALL OTHER--MALE----	1	3	1	-	1	1	-	1	-	-	-	-
FEMALE--	1	1	3	3	2	3	5	1	-	-	-	-
BLACK---MALE----	1	3	1	-	1	1	-	1	-	-	-	-
FEMALE--	1	1	3	3	2	3	5	1	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 2,159
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
0 ALL OTHER NONINFECTIVE GASTROENTERITIS AND COLITIS (557-558)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
SOUTH DAKOTA -----	19	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	12	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	207	5	-	-	-	-	-	-	1	-	4	3
WHITE-----MALE----	64	1	-	-	-	-	-	-	1	-	2	3
FEMALE--	119	2	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	13	1	-	-	-	-	-	-	-	-	1	-
FEMALE--	11	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	13	1	-	-	-	-	-	-	-	-	1	-
FEMALE--	11	1	-	-	-	-	-	-	-	-	-	-
TEXAS -----	599	8	4	3	-	1	1	1	-	5	10	11
WHITE-----MALE----	200	4	4	3	-	1	-	1	-	4	4	6
FEMALE--	337	1	-	-	-	-	-	-	-	1	5	4
ALL OTHER--MALE----	20	1	-	-	-	-	-	-	-	-	1	1
FEMALE--	42	2	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	20	1	-	-	-	-	-	-	-	-	1	1
FEMALE--	42	2	-	-	-	-	1	-	-	-	-	-
UTAH -----	66	-	-	-	-	-	1	1	-	-	-	2
WHITE-----MALE----	23	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	42	-	-	-	-	-	1	1	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	18	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	9	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	246	1	1	-	-	-	-	2	1	2	1	1
WHITE-----MALE----	62	-	-	-	-	-	-	1	-	1	-	1
FEMALE--	140	1	1	-	-	-	-	-	-	1	1	-
ALL OTHER--MALE----	15	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	29	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	15	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	29	-	-	-	-	-	-	-	1	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 2,159
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 ALL OTHER NONINFECTIVE GASTROENTERITIS AND COLITIS (557-558)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
SOUTH DAKOTA -----	1	1	1	-	2	-	10	2	1	1	-	-
WHITE-----MALE----	-	1	-	-	1	-	4	-	-	-	-	-
FEMALE--	1	-	1	-	1	-	5	2	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	2	7	15	19	31	31	37	31	15	5	1	-
WHITE-----MALE----	2	1	6	9	9	10	9	9	1	-	1	-
FEMALE--	-	3	6	8	18	19	24	20	13	5	-	-
ALL OTHER--MALE----	-	1	2	-	3	1	4	-	-	-	-	-
FEMALE--	-	2	1	2	1	1	-	2	1	-	-	-
BLACK---MALE----	-	1	2	-	3	1	4	-	-	-	-	-
FEMALE--	-	2	1	2	1	1	-	2	1	-	-	-
TEXAS -----	13	20	26	53	77	104	121	77	42	20	2	-
WHITE-----MALE----	6	7	11	15	33	35	33	24	7	2	-	-
FEMALE--	6	8	13	33	34	56	76	50	30	18	2	-
ALL OTHER--MALE----	-	1	1	2	4	3	3	-	3	-	-	-
FEMALE--	1	4	1	3	6	10	9	3	2	-	-	-
BLACK---MALE----	-	1	1	2	4	3	3	-	3	-	-	-
FEMALE--	1	4	1	3	6	10	9	3	2	-	-	-
UTAH -----	3	-	1	3	7	13	11	13	6	4	1	-
WHITE-----MALE----	-	-	1	2	5	4	3	2	2	1	1	-
FEMALE--	3	-	-	1	2	8	8	11	4	3	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	1	-	1	2	1	4	5	1	2	1	-	-
WHITE-----MALE----	1	-	-	1	-	3	3	-	-	1	-	-
FEMALE--	-	-	1	1	1	1	2	1	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	7	19	16	19	37	32	47	42	14	4	-	-
WHITE-----MALE----	2	3	7	6	14	6	12	8	1	-	-	-
FEMALE--	5	9	6	6	17	19	29	31	11	3	-	-
ALL OTHER--MALE----	-	1	1	4	2	3	1	2	-	-	-	-
FEMALE--	-	6	2	3	4	4	5	1	2	1	-	-
BLACK---MALE----	-	1	1	4	2	3	1	2	-	-	-	-
FEMALE--	-	6	2	3	4	4	5	1	2	1	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 2,161
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 DIVERTICULA OF INTESTINE (562)												
0 UNITED STATES --	40	72	103	189	358	520	590	657	393	136	22	1
WHITE-----MALE----	18	27	41	76	124	161	157	167	72	23	5	-
FEMALE--	16	35	50	93	196	313	388	445	298	104	15	1
ALL OTHER--MALE----	1	5	7	11	14	23	13	11	7	-	-	-
FEMALE--	5	5	5	9	24	23	32	34	16	9	2	-
BLACK---MALE----	1	4	6	10	11	20	9	8	5	-	-	-
FEMALE--	2	5	5	8	22	20	31	32	13	8	1	-
ALABAMA -----	1	2	3	3	7	7	5	13	4	4	-	-
WHITE-----MALE----	-	1	1	1	4	1	3	3	-	1	-	-
FEMALE--	1	-	-	1	1	4	1	9	4	3	-	-
ALL OTHER--MALE----	-	1	1	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	1	1	2	1	1	1	-	-	-	-
BLACK---MALE----	-	1	1	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	1	1	2	1	1	1	-	-	-	-
ALASKA -----	1	-	-	1	2	1	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
ARIZONA -----	2	2	-	4	8	5	9	4	3	1	-	-
WHITE-----MALE----	1	-	-	2	1	-	2	2	1	1	-	-
FEMALE--	1	2	-	2	6	4	7	2	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	-	-	-	-	-
ARKANSAS -----	-	-	1	1	2	6	7	4	3	1	-	-
WHITE-----MALE----	-	-	-	-	2	5	1	1	1	-	-	-
FEMALE--	-	-	1	1	-	1	5	2	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
CALIFORNIA -----	7	10	9	23	48	63	60	75	35	14	3	-
WHITE-----MALE----	3	3	4	6	19	17	12	21	9	3	-	-
FEMALE--	2	7	3	14	22	40	43	51	20	11	3	-
ALL OTHER--MALE----	-	-	2	1	4	2	4	2	2	-	-	-
FEMALE--	2	-	-	2	3	4	1	1	4	-	-	-
BLACK---MALE----	-	-	1	-	2	2	1	2	-	-	-	-
FEMALE--	-	-	-	1	2	2	-	1	1	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 2,162
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 0 DIVERTICULA OF INTESTINE (562)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
COLORADO -----	-	-	-	-	3	6	4	3	4	2	-	-
WHITE-----MALE----	-	-	-	-	2	2	-	2	-	-	-	-
FEMALE--	-	-	-	-	1	4	4	1	4	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	-	-	1	-	4	9	4	11	5	-	-	-
WHITE-----MALE----	-	-	1	-	1	1	1	5	2	-	-	-
FEMALE--	-	-	-	-	3	8	3	6	3	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	-	-	-	-	-	1	2	2	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	2	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
DISTRICT OF COLUMBIA ----	-	1	1	-	1	1	-	1	-	1	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	1	1	-	-	1	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	1	1	-	-	1	-	-	-	1	-	-
FLORIDA -----	3	5	5	17	32	39	42	41	26	12	-	1
WHITE-----MALE----	2	3	2	9	7	17	18	12	3	3	-	-
FEMALE--	1	1	2	7	25	20	22	29	22	8	-	1
ALL OTHER--MALE----	-	-	1	1	-	2	1	-	1	-	-	-
FEMALE--	-	1	-	-	-	-	1	-	-	1	-	-
BLACK---MALE----	-	-	1	1	-	2	1	-	1	-	-	-
FEMALE--	-	1	-	-	-	-	1	-	-	1	-	-
GEORGIA -----	1	3	4	3	13	9	17	7	5	1	-	-
WHITE-----MALE----	-	3	1	1	6	2	4	1	1	-	-	-
FEMALE--	1	-	3	1	6	6	10	3	3	1	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	2	3	1	-	-	-
BLACK---MALE----	-	-	-	1	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	2	3	1	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 2,164
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 DIVERTICULA OF INTESTINE (562)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
KENTUCKY -----	-	1	2	4	5	9	8	10	7	4	-	-
WHITE-----MALE----	-	1	1	2	1	-	3	2	1	-	-	-
FEMALE--	-	-	1	2	3	8	4	8	5	4	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	-	1	-	-	-
LOUISIANA -----	1	1	1	3	7	12	11	10	6	-	1	-
WHITE-----MALE----	-	-	-	1	2	3	5	2	-	-	-	-
FEMALE--	-	-	1	2	4	7	5	7	4	-	1	-
ALL OTHER--MALE----	-	1	-	-	-	1	-	-	1	-	-	-
FEMALE--	1	-	-	-	1	1	1	1	1	-	-	-
BLACK---MALE----	-	1	-	-	-	1	-	-	1	-	-	-
FEMALE--	1	-	-	-	1	1	1	1	1	-	-	-
MAINE -----	-	1	-	-	1	3	3	1	2	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	2	-	-	-	-	-
FEMALE--	-	1	-	-	1	3	1	1	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	-	1	2	6	6	11	11	10	5	3	-	-
WHITE-----MALE----	-	-	1	2	1	1	2	2	2	2	-	-
FEMALE--	-	1	1	3	4	6	8	4	2	1	-	-
ALL OTHER--MALE----	-	-	-	1	-	3	-	2	-	-	-	-
FEMALE--	-	-	-	-	1	1	1	2	1	-	-	-
BLACK---MALE----	-	-	-	1	-	2	-	1	-	-	-	-
FEMALE--	-	-	-	-	1	1	1	2	1	-	-	-
MASSACHUSETTS -----	1	2	2	3	8	9	16	17	11	4	-	-
WHITE-----MALE----	-	1	-	1	3	3	3	2	3	-	-	-
FEMALE--	1	1	2	2	5	5	13	14	8	4	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
MICHIGAN -----	3	3	6	10	14	18	22	28	12	6	1	-
WHITE-----MALE----	1	-	3	2	6	6	7	6	1	-	-	-
FEMALE--	2	3	2	8	7	11	14	22	10	5	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	1	1	1	-	1	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	1	1	1	-	1	1	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 2,167
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 DIVERTICULA OF INTESTINE (562)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
OHIO -----	2	4	4	7	13	22	22	27	25	6	1	-
WHITE-----MALE----	1	-	2	4	4	8	5	6	4	2	-	-
FEMALE--	-	3	2	2	6	13	15	16	21	3	1	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	1	3	1	2	5	-	1	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	1	3	1	2	5	-	1	-	-
OKLAHOMA -----	-	-	3	3	1	5	2	4	3	2	1	-
WHITE-----MALE----	-	-	1	1	-	1	-	1	3	-	-	-
FEMALE--	-	-	1	2	1	3	2	3	-	2	-	-
ALL OTHER--MALE----	-	-	1	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	1	1	-	2	3	9	17	12	4	1	-	-
WHITE-----MALE----	1	1	-	2	2	3	6	5	-	-	-	-
FEMALE--	-	-	-	-	1	6	11	7	4	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	-	4	2	5	19	21	36	33	21	7	1	-
WHITE-----MALE----	-	2	1	3	2	7	8	5	4	1	-	-
FEMALE--	-	2	1	2	16	13	24	26	16	6	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	3	2	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	3	2	1	-	-	-
RHODE ISLAND -----	-	-	1	1	3	3	3	1	2	-	-	-
WHITE-----MALE----	-	-	1	-	1	-	-	-	2	-	-	-
FEMALE--	-	-	-	1	2	3	3	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	-	2	4	2	4	12	11	14	5	1	-	-
WHITE-----MALE----	-	-	1	1	2	3	3	2	-	-	-	-
FEMALE--	-	1	3	-	1	7	7	9	5	1	-	-
ALL OTHER--MALE----	-	1	-	1	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	3	-	-	-	-
BLACK---MALE----	-	1	-	1	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	3	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 2,168
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 DIVERTICULA OF INTESTINE (562)												
SOUTH DAKOTA -----	-	-	-	-	1	2	3	8	2	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	2	3	1	-	-	-
FEMALE--	-	-	-	-	1	2	1	5	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	1	2	1	7	10	20	12	16	6	4	1	-
WHITE-----MALE----	-	-	1	1	3	5	2	5	-	-	-	-
FEMALE--	1	1	-	5	5	15	10	10	6	4	1	-
ALL OTHER--MALE----	-	-	-	1	2	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	1	2	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	1	-	-	-	-
TEXAS -----	5	6	7	14	29	29	34	46	23	7	2	-
WHITE-----MALE----	4	5	4	8	11	10	11	8	-	1	-	-
FEMALE--	-	1	2	4	18	19	22	36	21	6	2	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	2	-	-	1	2	2	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	2	-	-	1	2	2	-	-	-
UTAH -----	-	-	-	1	-	6	6	5	2	1	-	-
WHITE-----MALE----	-	-	-	1	-	3	1	2	1	-	-	-
FEMALE--	-	-	-	-	-	3	5	3	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	2	1	1	-	1	1	5	1	1	-	-
WHITE-----MALE----	-	2	1	-	-	-	-	1	1	-	-	-
FEMALE--	-	-	-	1	-	1	1	4	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	-	1	2	3	7	12	11	11	7	2	-	-
WHITE-----MALE----	-	1	1	2	3	3	1	-	-	-	-	-
FEMALE--	-	-	-	-	4	8	7	8	5	2	-	-
ALL OTHER--MALE----	-	-	1	1	-	1	-	1	1	-	-	-
FEMALE--	-	-	-	-	-	-	3	2	1	-	-	-
BLACK---MALE----	-	-	1	1	-	1	-	1	1	-	-	-
FEMALE--	-	-	-	-	-	-	3	2	1	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 2,170
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 CHRONIC LIVER DISEASE AND CIRRHOSIS (571)												
0 UNITED STATES --	25,047	17	5	4	1	4	16	121	449	1,295	2,345	2,845
WHITE-----MALE----	13,992	11	2	1	1	2	10	61	227	711	1,427	1,746
FEMALE--	7,430	5	2	3	-	2	3	30	134	281	441	546
ALL OTHER--MALE----	2,319	1	-	-	-	-	-	21	51	186	312	388
FEMALE--	1,306	-	1	-	-	-	3	9	37	117	165	165
BLACK---MALE----	1,923	1	-	-	-	-	-	16	27	153	261	336
FEMALE--	1,027	-	1	-	-	-	2	4	27	88	132	140
ALABAMA -----	408	-	-	-	-	-	-	-	2	22	31	45
WHITE-----MALE----	198	-	-	-	-	-	-	-	-	10	16	20
FEMALE--	120	-	-	-	-	-	-	-	2	5	3	8
ALL OTHER--MALE----	59	-	-	-	-	-	-	-	-	4	7	12
FEMALE--	31	-	-	-	-	-	-	-	-	3	5	5
BLACK---MALE----	57	-	-	-	-	-	-	-	-	4	7	12
FEMALE--	31	-	-	-	-	-	-	-	-	3	5	5
ALASKA -----	54	-	-	-	-	-	-	-	1	9	12	4
WHITE-----MALE----	24	-	-	-	-	-	-	-	-	4	3	1
FEMALE--	15	-	-	-	-	-	-	-	-	3	3	2
ALL OTHER--MALE----	8	-	-	-	-	-	-	-	-	-	5	1
FEMALE--	7	-	-	-	-	-	-	-	1	2	1	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	2	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	546	-	-	-	-	-	1	6	17	34	63	62
WHITE-----MALE----	295	-	-	-	-	-	1	2	6	20	27	40
FEMALE--	151	-	-	-	-	-	-	-	2	5	13	11
ALL OTHER--MALE----	53	-	-	-	-	-	-	3	6	3	10	9
FEMALE--	47	-	-	-	-	-	-	1	3	6	13	2
BLACK---MALE----	6	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	4	-	-	-	-	-	-	-	-	1	1	-
ARKANSAS -----	196	-	-	-	-	-	-	-	6	8	17	16
WHITE-----MALE----	114	-	-	-	-	-	-	-	1	2	12	13
FEMALE--	58	-	-	-	-	-	-	-	3	2	3	-
ALL OTHER--MALE----	14	-	-	-	-	-	-	-	1	3	1	2
FEMALE--	10	-	-	-	-	-	-	-	1	1	1	1
BLACK---MALE----	14	-	-	-	-	-	-	-	1	3	1	2
FEMALE--	10	-	-	-	-	-	-	-	1	1	1	1
CALIFORNIA -----	3,534	3	1	1	1	-	4	22	78	208	369	466
WHITE-----MALE----	2,106	2	-	1	1	-	3	13	47	130	258	295
FEMALE--	1,034	1	1	-	-	-	-	8	19	57	73	106
ALL OTHER--MALE----	246	-	-	-	-	-	-	1	8	11	23	48
FEMALE--	148	-	-	-	-	-	1	-	4	10	15	17
BLACK---MALE----	137	-	-	-	-	-	-	1	1	7	13	31
FEMALE--	90	-	-	-	-	-	-	-	3	5	14	15

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 2,170
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 CHRONIC LIVER DISEASE AND CIRRHOSIS (571)												
0 UNITED STATES --	2,586	2,558	2,754	2,902	2,823	2,140	1,367	628	148	26	3	10
WHITE-----MALE----	1,559	1,525	1,615	1,643	1,459	1,040	642	248	47	9	1	5
FEMALE--	554	601	741	932	1,100	964	646	341	88	11	2	3
ALL OTHER--MALE----	325	289	261	201	140	73	44	15	8	2	-	2
FEMALE--	148	143	137	126	124	63	35	24	5	4	-	-
BLACK---MALE----	287	237	215	174	117	57	28	7	3	2	-	2
FEMALE--	115	117	109	104	99	41	21	21	2	4	-	-
ALABAMA -----	36	43	56	55	50	38	18	8	2	2	-	-
WHITE-----MALE----	27	23	25	32	22	14	6	2	-	1	-	-
FEMALE--	4	8	21	15	17	21	10	5	1	-	-	-
ALL OTHER--MALE----	5	11	7	3	6	1	2	-	1	-	-	-
FEMALE--	-	1	3	5	5	2	-	1	-	1	-	-
BLACK---MALE----	5	11	6	3	6	1	2	-	-	-	-	-
FEMALE--	-	1	3	5	5	2	-	1	-	-	-	-
ALASKA -----	7	6	3	7	3	2	-	-	-	-	-	-
WHITE-----MALE----	5	3	2	4	2	-	-	-	-	-	-	-
FEMALE--	1	-	1	3	-	2	-	-	-	-	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	2	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	67	55	52	49	56	43	24	15	2	-	-	-
WHITE-----MALE----	38	33	28	28	29	24	12	7	-	-	-	-
FEMALE--	14	13	17	16	24	17	11	7	1	-	-	-
ALL OTHER--MALE----	9	5	3	3	1	1	-	-	-	-	-	-
FEMALE--	6	4	4	2	2	1	1	1	1	-	-	-
BLACK---MALE----	2	-	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	2	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	20	27	17	19	25	15	16	8	2	-	-	-
WHITE-----MALE----	16	17	15	11	11	8	6	2	-	-	-	-
FEMALE--	3	6	1	5	13	6	9	6	1	-	-	-
ALL OTHER--MALE----	1	2	1	2	-	-	-	-	1	-	-	-
FEMALE--	-	2	-	1	1	1	1	-	-	-	-	-
BLACK---MALE----	1	2	1	2	-	-	-	-	1	-	-	-
FEMALE--	-	2	-	1	1	1	1	-	-	-	-	-
CALIFORNIA -----	377	361	418	364	340	272	153	66	25	4	-	1
WHITE-----MALE----	237	222	260	202	182	141	73	26	9	3	-	1
FEMALE--	95	92	113	122	125	113	62	33	13	1	-	-
ALL OTHER--MALE----	30	30	28	23	17	11	10	5	1	-	-	-
FEMALE--	15	17	17	17	16	7	8	2	2	-	-	-
BLACK---MALE----	23	16	18	15	7	2	2	1	-	-	-	-
FEMALE--	12	9	11	9	7	-	4	1	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 2,171
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 CHRONIC LIVER DISEASE AND CIRRHOSIS (571)												
COLORADO -----	342	-	-	-	-	-	-	1	14	21	42	55
WHITE-----MALE----	197	-	-	-	-	-	-	1	8	7	28	38
FEMALE--	119	-	-	-	-	-	-	-	4	11	9	15
ALL OTHER--MALE----	13	-	-	-	-	-	-	-	1	2	2	1
FEMALE--	13	-	-	-	-	-	-	-	1	1	3	1
BLACK---MALE----	10	-	-	-	-	-	-	-	-	1	2	1
FEMALE--	6	-	-	-	-	-	-	-	-	-	2	-
CONNECTICUT -----	303	-	-	-	-	1	-	1	7	11	22	40
WHITE-----MALE----	181	-	-	-	-	1	-	-	4	8	17	26
FEMALE--	99	-	-	-	-	-	-	-	3	2	4	8
ALL OTHER--MALE----	13	-	-	-	-	-	-	-	-	-	1	5
FEMALE--	10	-	-	-	-	-	-	1	-	1	-	1
BLACK---MALE----	13	-	-	-	-	-	-	-	-	-	1	5
FEMALE--	9	-	-	-	-	-	-	1	-	1	-	1
DELAWARE -----	81	-	-	-	-	-	-	-	5	4	10	11
WHITE-----MALE----	39	-	-	-	-	-	-	-	2	4	6	4
FEMALE--	31	-	-	-	-	-	-	-	3	-	2	5
ALL OTHER--MALE----	7	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	4	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	7	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	4	-	-	-	-	-	-	-	-	-	1	-
DISTRICT OF COLUMBIA ----	96	-	-	-	-	-	1	-	-	11	11	16
WHITE-----MALE----	5	-	-	-	-	-	-	1	-	-	-	1
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	57	-	-	-	-	-	-	-	-	6	9	7
FEMALE--	28	-	-	-	-	-	-	-	-	5	2	7
BLACK---MALE----	57	-	-	-	-	-	-	-	-	6	9	7
FEMALE--	28	-	-	-	-	-	-	-	-	5	2	7
FLORIDA -----	1,831	2	-	-	-	-	1	3	24	72	142	170
WHITE-----MALE----	1,088	2	-	-	-	-	-	1	9	37	103	104
FEMALE--	589	-	-	-	-	-	1	2	9	23	18	49
ALL OTHER--MALE----	87	-	-	-	-	-	-	-	1	6	8	11
FEMALE--	67	-	-	-	-	-	-	-	5	6	13	6
BLACK---MALE----	83	-	-	-	-	-	-	-	1	5	7	11
FEMALE--	64	-	-	-	-	-	-	-	5	5	13	6
GEORGIA -----	596	-	-	-	-	-	1	5	9	34	60	56
WHITE-----MALE----	293	-	-	-	-	-	-	2	4	19	31	28
FEMALE--	172	-	-	-	-	-	-	1	3	7	14	6
ALL OTHER--MALE----	74	-	-	-	-	-	-	2	2	3	6	17
FEMALE--	57	-	-	-	-	-	1	-	-	5	9	5
BLACK---MALE----	72	-	-	-	-	-	-	2	2	2	6	17
FEMALE--	55	-	-	-	-	-	1	-	-	5	9	5

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 2,171
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 CHRONIC LIVER DISEASE AND CIRRHOSIS (571)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
COLORADO -----	35	28	26	43	30	21	15	9	1	1	-	-
WHITE-----MALE----	21	17	18	25	13	12	6	2	-	1	-	-
FEMALE--	11	8	6	15	16	7	9	7	1	-	-	-
ALL OTHER--MALE----	3	2	-	2	-	-	-	-	-	-	-	-
FEMALE--	-	1	2	1	1	2	-	-	-	-	-	-
BLACK---MALE----	3	1	-	2	-	-	-	-	-	-	-	-
FEMALE--	-	1	1	1	-	1	-	-	-	-	-	-
CONNECTICUT -----	28	26	25	36	43	31	21	10	1	-	-	-
WHITE-----MALE----	19	18	13	20	22	15	11	6	1	-	-	-
FEMALE--	7	7	8	14	17	15	10	4	-	-	-	-
ALL OTHER--MALE----	2	-	2	1	2	-	-	-	-	-	-	-
FEMALE--	-	1	2	1	2	1	-	-	-	-	-	-
BLACK---MALE----	2	-	2	1	2	-	-	-	-	-	-	-
FEMALE--	-	1	2	1	2	-	-	-	-	-	-	-
DELAWARE -----	4	11	10	8	8	5	3	2	-	-	-	-
WHITE-----MALE----	3	4	4	5	4	1	2	-	-	-	-	-
FEMALE--	1	3	5	3	2	4	1	2	-	-	-	-
ALL OTHER--MALE----	-	3	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	2	-	-	-	-	-	-	-
BLACK---MALE----	-	3	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	2	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	8	14	11	9	5	3	1	4	2	-	-	-
WHITE-----MALE----	-	1	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	1	1	1	-	-	-
ALL OTHER--MALE----	4	12	6	5	4	2	-	1	1	-	-	-
FEMALE--	4	1	4	3	-	-	-	2	-	-	-	-
BLACK---MALE----	4	12	6	5	4	2	-	1	1	-	-	-
FEMALE--	4	1	4	3	-	-	-	2	-	-	-	-
FLORIDA -----	165	173	188	227	254	208	124	66	8	3	-	1
WHITE-----MALE----	98	113	115	138	151	116	62	36	3	-	-	-
FEMALE--	45	48	56	73	93	84	55	26	4	2	-	1
ALL OTHER--MALE----	13	7	13	12	5	5	4	1	1	-	-	-
FEMALE--	9	5	4	4	5	3	3	3	-	1	-	-
BLACK---MALE----	12	7	13	12	5	5	4	1	-	-	-	-
FEMALE--	8	5	4	4	5	3	2	3	-	1	-	-
GEORGIA -----	77	67	75	70	49	46	31	12	3	-	1	-
WHITE-----MALE----	43	32	40	34	22	22	13	3	-	-	-	-
FEMALE--	16	16	21	23	17	20	17	8	2	-	1	-
ALL OTHER--MALE----	8	13	10	7	3	2	-	-	1	-	-	-
FEMALE--	10	6	4	6	7	2	1	1	-	-	-	-
BLACK---MALE----	8	13	10	7	3	2	-	-	-	-	-	-
FEMALE--	10	6	4	5	6	2	1	1	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 2,172
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 CHRONIC LIVER DISEASE AND CIRRHOSIS (571)												
HAWAII -----	78	-	-	-	-	-	-	-	3	3	9	6
WHITE-----MALE----	32	-	-	-	-	-	-	-	3	1	5	5
FEMALE--	9	-	-	-	-	-	-	-	-	1	1	-
ALL OTHER--MALE----	25	-	-	-	-	-	-	-	-	1	3	1
FEMALE--	12	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	71	1	-	-	-	-	-	-	-	2	8	9
WHITE-----MALE----	46	-	-	-	-	-	-	-	-	2	7	7
FEMALE--	23	1	-	-	-	-	-	-	-	-	1	2
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	1,129	-	-	-	-	-	1	11	31	84	126	122
WHITE-----MALE----	590	-	-	-	-	-	1	4	17	46	67	68
FEMALE--	323	-	-	-	-	-	-	2	8	11	24	23
ALL OTHER--MALE----	146	-	-	-	-	-	-	4	4	15	27	24
FEMALE--	70	-	-	-	-	-	-	1	2	12	8	7
BLACK---MALE----	139	-	-	-	-	-	-	4	3	15	26	24
FEMALE--	70	-	-	-	-	-	-	1	2	12	8	7
INDIANA -----	439	-	-	-	-	-	3	12	23	32	45	
WHITE-----MALE----	250	-	-	-	-	-	2	7	14	19	28	
FEMALE--	148	-	-	-	-	-	-	3	9	7	11	
ALL OTHER--MALE----	24	-	-	-	-	-	-	1	1	-	5	4
FEMALE--	17	-	-	-	-	-	-	-	1	-	1	2
BLACK---MALE----	24	-	-	-	-	-	-	1	1	-	5	4
FEMALE--	16	-	-	-	-	-	-	-	1	-	1	2
IOWA -----	177	-	-	-	-	-	1	2	3	5	8	15
WHITE-----MALE----	100	-	-	-	-	-	-	1	1	2	5	13
FEMALE--	70	-	-	-	-	-	1	1	2	1	2	2
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	2	1	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
KANSAS -----	164	-	-	-	-	-	-	2	3	5	14	15
WHITE-----MALE----	96	-	-	-	-	-	-	1	1	4	7	12
FEMALE--	49	-	-	-	-	-	-	1	1	1	5	2
ALL OTHER--MALE----	13	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	1	-	2	1
BLACK---MALE----	8	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	1	-	2	1

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 2,173
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 CHRONIC LIVER DISEASE AND CIRRHOSIS (571)												
KENTUCKY -----	345	1	-	-	-	-	-	3	8	21	22	33
WHITE-----MALE----	210	1	-	-	-	-	-	3	5	12	16	24
FEMALE--	113	-	-	-	-	-	-	-	3	5	5	5
ALL OTHER--MALE----	13	-	-	-	-	-	-	-	-	2	1	2
FEMALE--	9	-	-	-	-	-	-	-	-	2	-	2
BLACK---MALE----	12	-	-	-	-	-	-	-	-	1	1	2
FEMALE--	8	-	-	-	-	-	-	-	-	2	-	2
LOUISIANA -----	369	-	-	-	-	-	-	1	6	17	33	41
WHITE-----MALE----	163	-	-	-	-	-	-	-	1	8	11	15
FEMALE--	95	-	-	-	-	-	-	-	2	-	4	9
ALL OTHER--MALE----	73	-	-	-	-	-	-	1	1	6	11	12
FEMALE--	38	-	-	-	-	-	-	-	2	3	7	5
BLACK---MALE----	70	-	-	-	-	-	-	1	1	6	11	12
FEMALE--	36	-	-	-	-	-	-	-	2	3	6	5
MAINE -----	123	-	-	-	-	-	-	-	-	1	8	7
WHITE-----MALE----	76	-	-	-	-	-	-	-	-	1	6	6
FEMALE--	46	-	-	-	-	-	-	-	-	-	2	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	426	-	1	-	-	-	-	3	10	29	33	54
WHITE-----MALE----	194	-	-	-	-	-	-	1	4	8	14	25
FEMALE--	98	-	-	-	-	-	-	2	4	4	1	2
ALL OTHER--MALE----	86	-	-	-	-	-	-	-	2	12	11	19
FEMALE--	48	-	1	-	-	-	-	-	-	5	7	8
BLACK---MALE----	82	-	-	-	-	-	-	-	2	12	11	18
FEMALE--	46	-	1	-	-	-	-	-	-	5	7	8
MASSACHUSETTS -----	574	-	-	-	-	-	-	5	16	28	44	63
WHITE-----MALE----	371	-	-	-	-	-	-	4	8	20	31	45
FEMALE--	176	-	-	-	-	-	-	1	5	3	7	13
ALL OTHER--MALE----	14	-	-	-	-	-	-	-	1	2	4	3
FEMALE--	13	-	-	-	-	-	-	-	2	3	2	2
BLACK---MALE----	12	-	-	-	-	-	-	-	-	2	4	3
FEMALE--	13	-	-	-	-	-	-	-	2	3	2	2
MICHIGAN -----	968	-	-	-	-	-	-	4	21	56	106	116
WHITE-----MALE----	481	-	-	-	-	-	-	3	7	24	56	67
FEMALE--	281	-	-	-	-	-	-	1	13	9	18	11
ALL OTHER--MALE----	147	-	-	-	-	-	-	-	1	17	24	31
FEMALE--	59	-	-	-	-	-	-	-	-	6	8	7
BLACK---MALE----	139	-	-	-	-	-	-	-	1	15	24	31
FEMALE--	52	-	-	-	-	-	-	-	-	4	6	7

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 2,173
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 CHRONIC LIVER DISEASE AND CIRRHOSIS (571)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
KENTUCKY -----	38	40	48	54	22	24	12	11	8	-	-	-
WHITE-----MALE----	27	28	35	33	8	8	4	3	3	-	-	-
FEMALE--	9	8	9	19	14	15	8	8	5	-	-	-
ALL OTHER--MALE----	2	3	1	2	-	-	-	-	-	-	-	-
FEMALE--	-	1	3	-	-	1	-	-	-	-	-	-
BLACK---MALE----	2	3	1	2	-	-	-	-	-	-	-	-
FEMALE--	-	1	2	-	-	1	-	-	-	-	-	-
LOUISIANA -----	44	40	51	31	44	30	18	11	1	1	-	-
WHITE-----MALE----	21	20	28	15	17	15	4	7	1	-	-	-
FEMALE--	3	8	12	13	20	9	12	3	-	-	-	-
ALL OTHER--MALE----	14	11	8	1	3	3	1	-	-	1	-	-
FEMALE--	6	1	3	2	4	3	1	1	-	-	-	-
BLACK---MALE----	13	10	8	1	3	3	-	-	-	1	-	-
FEMALE--	6	1	3	2	3	3	1	1	-	-	-	-
MAINE -----	14	10	20	16	21	7	12	4	3	-	-	-
WHITE-----MALE----	13	5	14	8	12	4	6	1	-	-	-	-
FEMALE--	1	5	6	8	9	3	6	3	3	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	47	49	47	45	44	37	15	8	3	1	-	-
WHITE-----MALE----	25	21	26	24	24	15	5	1	1	-	-	-
FEMALE--	7	11	13	10	12	19	7	4	1	1	-	-
ALL OTHER--MALE----	10	13	6	9	-	2	1	-	1	-	-	-
FEMALE--	5	4	2	2	8	1	2	3	-	-	-	-
BLACK---MALE----	10	12	6	9	-	-	1	-	1	-	-	-
FEMALE--	5	4	1	2	8	1	1	3	-	-	-	-
MASSACHUSETTS -----	65	47	43	69	77	57	41	13	6	-	-	-
WHITE-----MALE----	50	35	33	41	39	32	23	9	1	-	-	-
FEMALE--	11	11	10	28	36	25	18	3	5	-	-	-
ALL OTHER--MALE----	2	-	-	-	1	-	-	1	-	-	-	-
FEMALE--	2	1	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	2	1	-	-	1	-	-	-	-	-	-	-
MICHIGAN -----	104	87	95	116	105	73	51	26	4	2	-	2
WHITE-----MALE----	53	48	52	55	48	35	21	10	1	-	-	1
FEMALE--	18	17	25	46	44	32	27	14	3	2	-	1
ALL OTHER--MALE----	21	14	13	9	9	4	3	1	-	-	-	-
FEMALE--	12	8	5	6	4	2	-	1	-	-	-	-
BLACK---MALE----	20	14	11	8	9	3	2	1	-	-	-	-
FEMALE--	12	8	5	3	4	2	-	1	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 2,176
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 CHRONIC LIVER DISEASE AND CIRRHOSIS (571)												
OHIO -----	922	2	-	-	-	-	1	6	9	42	75	110
WHITE-----MALE----	519	2	-	-	-	-	1	4	6	27	49	68
FEMALE--	274	-	-	-	-	-	-	1	3	7	17	19
ALL OTHER--MALE----	82	-	-	-	-	-	-	-	-	4	6	14
FEMALE--	47	-	-	-	-	-	-	1	-	4	3	9
BLACK---MALE----	82	-	-	-	-	-	-	-	-	4	6	14
FEMALE--	44	-	-	-	-	-	-	1	-	4	3	9
OKLAHOMA -----	290	-	-	-	-	-	1	2	2	13	32	34
WHITE-----MALE----	161	-	-	-	-	-	1	-	1	8	20	21
FEMALE--	74	-	-	-	-	-	-	-	-	1	6	4
ALL OTHER--MALE----	30	-	-	-	-	-	-	-	1	-	5	4
FEMALE--	25	-	-	-	-	-	-	2	-	4	1	5
BLACK---MALE----	6	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	9	-	-	-	-	-	-	-	-	-	1	1
OREGON -----	315	-	-	-	-	-	-	1	3	18	35	37
WHITE-----MALE----	182	-	-	-	-	-	-	-	3	9	21	24
FEMALE--	113	-	-	-	-	-	-	-	-	7	11	8
ALL OTHER--MALE----	8	-	-	-	-	-	-	1	-	-	3	1
FEMALE--	12	-	-	-	-	-	-	-	-	2	-	4
BLACK---MALE----	5	-	-	-	-	-	-	1	-	-	1	1
FEMALE--	2	-	-	-	-	-	-	-	-	1	-	-
PENNSYLVANIA -----	1,103	1	-	-	-	1	-	2	13	44	90	105
WHITE-----MALE----	601	1	-	-	-	-	-	1	9	22	55	60
FEMALE--	353	-	-	-	-	1	-	1	3	10	14	19
ALL OTHER--MALE----	85	-	-	-	-	-	-	-	-	6	18	16
FEMALE--	64	-	-	-	-	-	-	-	1	6	3	10
BLACK---MALE----	85	-	-	-	-	-	-	-	-	6	18	16
FEMALE--	63	-	-	-	-	-	-	-	1	6	3	10
RHODE ISLAND -----	102	-	-	-	-	-	-	-	6	5	7	10
WHITE-----MALE----	65	-	-	-	-	-	-	-	5	3	4	9
FEMALE--	34	-	-	-	-	-	-	-	1	2	2	1
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	347	-	-	-	-	-	-	1	2	21	40	43
WHITE-----MALE----	172	-	-	-	-	-	-	-	-	7	22	21
FEMALE--	80	-	-	-	-	-	-	-	1	4	6	5
ALL OTHER--MALE----	63	-	-	-	-	-	-	1	1	7	6	13
FEMALE--	32	-	-	-	-	-	-	-	-	3	6	4
BLACK---MALE----	63	-	-	-	-	-	-	1	1	7	6	13
FEMALE--	31	-	-	-	-	-	-	-	-	3	6	4

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 2,176
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 CHRONIC LIVER DISEASE AND CIRRHOSIS (571)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
OHIO -----	78	95	82	113	122	115	43	21	7	-	1	-
WHITE-----MALE----	43	59	43	77	64	40	21	13	2	-	-	-
FEMALE--	11	26	21	28	43	65	21	6	5	-	1	-
ALL OTHER--MALE----	17	7	11	6	10	5	1	1	-	-	-	-
FEMALE--	7	3	7	2	5	5	-	1	-	-	-	-
BLACK---MALE----	17	7	11	6	10	5	1	1	-	-	-	-
FEMALE--	5	3	7	2	4	5	-	1	-	-	-	-
OKLAHOMA -----	22	36	35	31	32	23	20	5	2	-	-	-
WHITE-----MALE----	13	29	17	14	14	10	12	1	-	-	-	-
FEMALE--	3	4	9	12	16	8	7	3	1	-	-	-
ALL OTHER--MALE----	4	2	5	3	2	2	-	1	1	-	-	-
FEMALE--	2	1	4	2	-	3	1	-	-	-	-	-
BLACK---MALE----	1	1	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	1	3	1	-	1	1	-	-	-	-	-
OREGON -----	29	34	43	28	38	24	18	5	2	-	-	-
WHITE-----MALE----	21	19	25	15	25	9	9	-	2	-	-	-
FEMALE--	6	12	17	11	13	15	8	5	-	-	-	-
ALL OTHER--MALE----	-	2	1	-	-	-	-	-	-	-	-	-
FEMALE--	2	1	-	2	-	-	1	-	-	-	-	-
BLACK---MALE----	-	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	77	105	110	147	146	127	88	36	9	2	-	-
WHITE-----MALE----	44	61	63	91	74	68	35	13	2	2	-	-
FEMALE--	19	24	30	39	58	54	53	22	6	-	-	-
ALL OTHER--MALE----	10	12	8	7	4	3	-	1	-	-	-	-
FEMALE--	4	8	9	10	10	2	-	-	1	-	-	-
BLACK---MALE----	10	12	8	7	4	3	-	1	-	-	-	-
FEMALE--	4	8	9	10	10	1	-	-	1	-	-	-
RHODE ISLAND -----	6	7	15	14	12	11	4	5	-	-	-	-
WHITE-----MALE----	5	5	12	8	6	3	3	2	-	-	-	-
FEMALE--	1	1	2	6	6	8	1	3	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	51	39	32	44	32	20	16	6	-	-	-	-
WHITE-----MALE----	28	22	18	23	16	8	6	1	-	-	-	-
FEMALE--	6	4	6	14	9	12	8	5	-	-	-	-
ALL OTHER--MALE----	11	7	5	5	6	-	1	-	-	-	-	-
FEMALE--	6	6	3	2	1	-	1	-	-	-	-	-
BLACK---MALE----	11	7	5	5	6	-	1	-	-	-	-	-
FEMALE--	6	6	3	2	-	-	1	-	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 2,177
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 CHRONIC LIVER DISEASE AND CIRRHOSIS (571)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
SOUTH DAKOTA -----	6	7	9	4	7	4	4	2	-	-	-	-
WHITE-----MALE----	-	1	2	1	4	-	1	-	-	-	-	-
FEMALE--	2	1	2	2	2	3	3	2	-	-	-	-
ALL OTHER--MALE----	-	4	3	1	-	-	-	-	-	-	-	-
FEMALE--	4	1	2	-	1	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	60	51	74	55	60	38	25	8	3	-	-	-
WHITE-----MALE----	35	34	43	33	29	15	13	2	-	-	-	-
FEMALE--	15	11	19	16	27	20	10	5	3	-	-	-
ALL OTHER--MALE----	10	4	9	5	2	2	1	-	-	-	-	-
FEMALE--	-	2	3	1	2	1	1	1	-	-	-	-
BLACK---MALE----	10	4	9	5	1	2	1	-	-	-	-	-
FEMALE--	-	2	3	1	2	1	1	1	-	-	-	-
TEXAS -----	203	232	202	209	196	151	96	42	9	2	1	4
WHITE-----MALE----	141	148	137	127	114	80	54	19	3	-	1	2
FEMALE--	31	51	50	60	77	69	40	21	5	1	-	1
ALL OTHER--MALE----	26	24	12	15	5	2	1	-	-	-	-	1
FEMALE--	5	9	3	7	-	-	1	2	1	1	-	-
BLACK---MALE----	24	19	12	15	5	2	1	-	-	-	-	1
FEMALE--	4	7	2	7	-	-	1	2	1	1	-	-
UTAH -----	10	6	7	10	13	11	4	4	-	-	-	-
WHITE-----MALE----	8	4	3	5	6	6	2	-	-	-	-	-
FEMALE--	2	1	4	5	7	5	2	4	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	2	3	4	5	4	3	1	-	-	-	-	-
WHITE-----MALE----	1	3	2	4	3	3	-	-	-	-	-	-
FEMALE--	1	-	2	1	1	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	61	50	60	61	51	39	28	12	2	-	-	1
WHITE-----MALE----	29	33	37	27	21	15	11	4	1	-	-	1
FEMALE--	17	8	15	17	22	21	13	8	1	-	-	-
ALL OTHER--MALE----	13	5	4	11	6	2	3	-	-	-	-	-
FEMALE--	2	4	4	6	2	1	1	-	-	-	-	-
BLACK---MALE----	12	4	4	11	6	2	3	-	-	-	-	-
FEMALE--	2	3	4	6	2	1	1	-	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 2,179
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 CHRONIC LIVER DISEASE AND CIRRHOSIS, SPECIFIED AS ALCOHOLIC (571.0-571.3)												
0 UNITED STATES --	12,079	-	-	-	-	-	5	86	308	859	1,567	1,841
WHITE-----MALE----	7,484	-	-	-	-	-	4	40	158	458	967	1,143
FEMALE--	2,564	-	-	-	-	-	-	21	94	200	296	343
ALL OTHER--MALE----	1,369	-	-	-	-	-	-	19	34	127	193	254
FEMALE--	662	-	-	-	-	-	1	6	22	74	111	101
BLACK---MALE----	1,119	-	-	-	-	-	-	14	13	98	155	213
FEMALE--	525	-	-	-	-	-	1	2	13	53	88	80
ALABAMA -----	143	-	-	-	-	-	-	-	1	14	16	22
WHITE-----MALE----	78	-	-	-	-	-	-	-	-	6	7	12
FEMALE--	28	-	-	-	-	-	-	-	1	4	2	5
ALL OTHER--MALE----	23	-	-	-	-	-	-	-	-	2	3	4
FEMALE--	14	-	-	-	-	-	-	-	-	2	4	1
BLACK---MALE----	22	-	-	-	-	-	-	-	-	2	3	4
FEMALE--	14	-	-	-	-	-	-	-	-	2	4	1
ALASKA -----	43	-	-	-	-	-	-	-	1	9	9	4
WHITE-----MALE----	20	-	-	-	-	-	-	-	-	4	3	1
FEMALE--	10	-	-	-	-	-	-	-	-	3	1	2
ALL OTHER--MALE----	7	-	-	-	-	-	-	-	-	-	4	1
FEMALE--	6	-	-	-	-	-	-	-	1	2	1	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	2	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	277	-	-	-	-	-	-	6	15	23	48	39
WHITE-----MALE----	158	-	-	-	-	-	-	2	5	12	21	24
FEMALE--	53	-	-	-	-	-	-	-	2	4	8	8
ALL OTHER--MALE----	37	-	-	-	-	-	-	3	6	3	9	6
FEMALE--	29	-	-	-	-	-	-	1	2	4	10	1
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	75	-	-	-	-	-	-	-	4	3	13	10
WHITE-----MALE----	49	-	-	-	-	-	-	-	1	-	9	8
FEMALE--	16	-	-	-	-	-	-	-	3	2	2	-
ALL OTHER--MALE----	7	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	3	-	-	-	-	-	-	-	-	1	1	1
BLACK---MALE----	7	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	3	-	-	-	-	-	-	-	-	1	1	1
CALIFORNIA -----	2,373	-	-	-	-	-	1	17	56	163	308	358
WHITE-----MALE----	1,569	-	-	-	-	-	1	10	34	100	219	235
FEMALE--	569	-	-	-	-	-	-	7	14	50	59	77
ALL OTHER--MALE----	163	-	-	-	-	-	-	-	5	8	21	33
FEMALE--	72	-	-	-	-	-	-	-	3	5	9	13
BLACK---MALE----	105	-	-	-	-	-	-	-	-	5	11	22
FEMALE--	63	-	-	-	-	-	-	-	2	4	9	11

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 2,179
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 CHRONIC LIVER DISEASE AND CIRRHOSIS, SPECIFIED AS ALCOHOLIC (571.0-571.3)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 UNITED STATES --	1,614	1,445	1,404	1,178	876	524	260	80	22	2	-	8
WHITE-----MALE----	1,009	913	896	759	570	322	174	50	17	-	-	4
FEMALE--	311	294	276	268	207	159	68	22	2	1	-	2
ALL OTHER--MALE----	193	163	163	105	61	33	12	6	3	1	-	2
FEMALE--	101	75	69	46	38	10	6	2	-	-	-	-
BLACK---MALE----	170	133	133	92	51	29	10	4	1	1	-	2
FEMALE--	80	62	56	40	35	7	6	2	-	-	-	-
ALABAMA -----	20	13	24	16	9	7	1	-	-	-	-	-
WHITE-----MALE----	17	8	9	9	6	4	-	-	-	-	-	-
FEMALE--	1	1	9	4	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	2	3	5	1	1	1	1	-	-	-	-	-
FEMALE--	-	1	1	2	2	1	-	-	-	-	-	-
BLACK---MALE----	2	3	4	1	1	1	1	-	-	-	-	-
FEMALE--	-	1	1	2	2	1	-	-	-	-	-	-
ALASKA -----	6	4	3	4	2	1	-	-	-	-	-	-
WHITE-----MALE----	5	1	2	2	2	-	-	-	-	-	-	-
FEMALE--	-	-	1	2	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	2	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	46	29	28	18	12	7	4	2	-	-	-	-
WHITE-----MALE----	29	18	14	14	9	5	3	2	-	-	-	-
FEMALE--	9	5	9	3	2	2	1	-	-	-	-	-
ALL OTHER--MALE----	3	4	2	-	1	-	-	-	-	-	-	-
FEMALE--	5	2	3	1	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	10	9	7	6	8	2	1	1	1	-	-	-
WHITE-----MALE----	7	6	6	4	6	1	1	-	-	-	-	-
FEMALE--	2	3	-	-	2	1	-	1	-	-	-	-
ALL OTHER--MALE----	1	-	1	2	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	1	2	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	291	272	282	220	184	135	61	17	6	1	-	1
WHITE-----MALE----	188	181	196	142	120	88	38	11	5	-	-	1
FEMALE--	67	62	56	58	51	43	18	5	1	1	-	-
ALL OTHER--MALE----	24	17	22	15	10	4	3	1	-	-	-	-
FEMALE--	12	12	8	5	3	-	2	-	-	-	-	-
BLACK---MALE----	18	13	16	12	6	1	1	-	-	-	-	-
FEMALE--	10	9	8	5	3	-	2	-	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 2,180
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
0 CHRONIC LIVER DISEASE AND CIRRHOSIS, SPECIFIED AS ALCOHOLIC (571.0-571.3)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
COLORADO -----	222	-	-	-	-	-	-	1	10	15	35	48
WHITE-----MALE----	143	-	-	-	-	-	-	1	5	4	24	33
FEMALE--	62	-	-	-	-	-	-	-	3	8	8	13
ALL OTHER--MALE----	10	-	-	-	-	-	-	-	1	2	2	1
FEMALE--	7	-	-	-	-	-	-	-	1	1	1	1
BLACK---MALE----	7	-	-	-	-	-	-	-	-	1	2	1
FEMALE--	3	-	-	-	-	-	-	-	-	-	1	-
CONNECTICUT -----	108	-	-	-	-	-	-	-	4	4	8	18
WHITE-----MALE----	65	-	-	-	-	-	-	-	2	2	5	14
FEMALE--	33	-	-	-	-	-	-	-	2	1	3	2
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	5	-	-	-	-	-	-	-	-	1	-	1
BLACK---MALE----	5	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	5	-	-	-	-	-	-	-	-	1	-	1
DELAWARE -----	46	-	-	-	-	-	-	-	5	4	6	7
WHITE-----MALE----	28	-	-	-	-	-	-	-	2	4	6	3
FEMALE--	13	-	-	-	-	-	-	-	3	-	-	3
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	5	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	37	-	-	-	-	-	-	-	-	3	6	9
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	21	-	-	-	-	-	-	-	-	2	4	4
FEMALE--	13	-	-	-	-	-	-	-	-	1	2	4
BLACK---MALE----	21	-	-	-	-	-	-	-	-	2	4	4
FEMALE--	13	-	-	-	-	-	-	-	-	1	2	4
FLORIDA -----	759	-	-	-	-	-	2	17	17	41	85	98
WHITE-----MALE----	461	-	-	-	-	-	-	7	7	18	63	56
FEMALE--	211	-	-	-	-	-	2	6	6	15	12	32
ALL OTHER--MALE----	56	-	-	-	-	-	-	1	1	4	4	7
FEMALE--	31	-	-	-	-	-	-	3	3	4	6	3
BLACK---MALE----	53	-	-	-	-	-	-	1	1	3	4	7
FEMALE--	31	-	-	-	-	-	-	3	3	4	6	3
GEORGIA -----	232	-	-	-	-	-	4	5	5	18	27	36
WHITE-----MALE----	117	-	-	-	-	-	1	2	2	9	13	17
FEMALE--	42	-	-	-	-	-	1	2	2	3	4	4
ALL OTHER--MALE----	43	-	-	-	-	-	2	1	1	2	5	13
FEMALE--	30	-	-	-	-	-	-	-	-	4	5	2
BLACK---MALE----	42	-	-	-	-	-	2	1	1	1	5	13
FEMALE--	30	-	-	-	-	-	-	-	-	4	5	2

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 2,180
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 CHRONIC LIVER DISEASE AND CIRRHOSIS, SPECIFIED AS ALCOHOLIC (571.0-571.3)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
COLORADO -----	30	21	19	24	10	5	3	1	-	-	-	-
WHITE-----MALE----	21	14	14	15	6	4	2	-	-	-	-	-
FEMALE--	8	4	3	8	4	1	1	1	-	-	-	-
ALL OTHER--MALE----	1	2	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	1	2	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	1	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	1	1	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	15	6	16	14	10	8	2	2	1	-	-	-
WHITE-----MALE----	11	3	8	6	5	5	2	1	1	-	-	-
FEMALE--	3	3	5	7	3	3	-	1	-	-	-	-
ALL OTHER--MALE----	1	-	1	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	2	-	1	-	-	-	-	-	-	-
BLACK---MALE----	1	-	1	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	2	-	1	-	-	-	-	-	-	-
DELAWARE -----	4	8	8	2	-	-	2	-	-	-	-	-
WHITE-----MALE----	3	3	3	2	-	-	2	-	-	-	-	-
FEMALE--	1	2	4	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	3	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	3	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	7	4	2	2	3	1	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	-	-	-	-	-
ALL OTHER--MALE----	3	4	1	1	2	-	-	-	-	-	-	-
FEMALE--	4	-	1	1	-	-	-	-	-	-	-	-
BLACK---MALE----	3	4	1	1	2	-	-	-	-	-	-	-
FEMALE--	4	-	1	1	-	-	-	-	-	-	-	-
FLORIDA -----	99	74	89	93	80	54	18	6	2	-	-	1
WHITE-----MALE----	61	48	51	59	54	29	11	3	1	-	-	-
FEMALE--	22	19	27	24	22	22	5	2	-	-	-	1
ALL OTHER--MALE----	10	5	8	8	3	3	1	1	1	-	-	-
FEMALE--	6	2	3	2	1	-	1	-	-	-	-	-
BLACK---MALE----	9	5	8	8	3	3	1	1	-	-	-	-
FEMALE--	6	2	3	2	1	-	1	-	-	-	-	-
GEORGIA -----	43	23	28	23	12	8	4	-	1	-	-	-
WHITE-----MALE----	25	9	15	12	7	3	4	-	-	-	-	-
FEMALE--	8	6	4	5	-	4	-	-	1	-	-	-
ALL OTHER--MALE----	4	5	6	3	1	1	-	-	-	-	-	-
FEMALE--	6	3	3	3	4	-	-	-	-	-	-	-
BLACK---MALE----	4	5	6	3	1	1	-	-	-	-	-	-
FEMALE--	6	3	3	3	4	-	-	-	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 2,182
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
0 CHRONIC LIVER DISEASE AND CIRRHOSIS, SPECIFIED AS ALCOHOLIC (571.0-571.3)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
KENTUCKY -----	146	-	-	-	-	-	-	1	6	17	16	20
WHITE-----MALE----	110	-	-	-	-	-	-	1	4	9	12	14
FEMALE--	24	-	-	-	-	-	-	-	2	5	4	2
ALL OTHER--MALE----	7	-	-	-	-	-	-	-	-	1	-	2
FEMALE--	5	-	-	-	-	-	-	-	-	2	-	2
BLACK---MALE----	6	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	5	-	-	-	-	-	-	-	-	2	-	2
LOUISIANA -----	146	-	-	-	-	-	-	1	3	9	23	24
WHITE-----MALE----	65	-	-	-	-	-	-	-	1	4	9	9
FEMALE--	22	-	-	-	-	-	-	-	1	-	3	4
ALL OTHER--MALE----	45	-	-	-	-	-	-	1	-	4	6	8
FEMALE--	14	-	-	-	-	-	-	-	1	1	5	3
BLACK---MALE----	45	-	-	-	-	-	-	1	-	4	6	8
FEMALE--	14	-	-	-	-	-	-	-	1	1	5	3
MAINE -----	56	-	-	-	-	-	-	-	-	1	7	4
WHITE-----MALE----	44	-	-	-	-	-	-	-	-	1	5	3
FEMALE--	11	-	-	-	-	-	-	-	-	-	2	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	192	-	-	-	-	-	-	2	7	18	18	34
WHITE-----MALE----	88	-	-	-	-	-	-	1	2	4	6	19
FEMALE--	32	-	-	-	-	-	-	1	4	3	1	-
ALL OTHER--MALE----	52	-	-	-	-	-	-	-	1	9	7	10
FEMALE--	20	-	-	-	-	-	-	-	-	2	4	5
BLACK---MALE----	51	-	-	-	-	-	-	-	1	9	7	9
FEMALE--	20	-	-	-	-	-	-	-	-	2	4	5
MASSACHUSETTS -----	193	-	-	-	-	-	-	4	10	12	22	34
WHITE-----MALE----	134	-	-	-	-	-	-	3	5	6	15	25
FEMALE--	48	-	-	-	-	-	-	1	4	3	5	6
ALL OTHER--MALE----	7	-	-	-	-	-	-	-	1	1	2	2
FEMALE--	4	-	-	-	-	-	-	-	-	2	-	1
BLACK---MALE----	6	-	-	-	-	-	-	-	-	1	2	2
FEMALE--	4	-	-	-	-	-	-	-	-	2	-	1
MICHIGAN -----	434	-	-	-	-	-	-	4	15	44	62	76
WHITE-----MALE----	243	-	-	-	-	-	-	3	4	20	33	46
FEMALE--	82	-	-	-	-	-	-	1	10	5	12	7
ALL OTHER--MALE----	83	-	-	-	-	-	-	-	1	14	13	20
FEMALE--	26	-	-	-	-	-	-	-	-	5	4	3
BLACK---MALE----	79	-	-	-	-	-	-	-	1	12	13	20
FEMALE--	21	-	-	-	-	-	-	-	-	3	3	3

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 2,185
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
0 CHRONIC LIVER DISEASE AND CIRRHOSIS, SPECIFIED AS ALCOHOLIC (571.0-571.3)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
OHIO -----	364	-	-	-	-	-	-	5	4	27	43	56
WHITE-----MALE----	238	-	-	-	-	-	-	4	2	19	26	38
FEMALE--	63	-	-	-	-	-	-	-	2	5	11	7
ALL OTHER--MALE----	39	-	-	-	-	-	-	-	-	1	4	6
FEMALE--	24	-	-	-	-	-	-	1	-	2	2	5
BLACK---MALE----	39	-	-	-	-	-	-	-	-	1	4	6
FEMALE--	24	-	-	-	-	-	-	1	-	2	2	5
OKLAHOMA -----	157	-	-	-	-	-	1	1	2	9	25	25
WHITE-----MALE----	104	-	-	-	-	-	1	-	1	5	18	15
FEMALE--	17	-	-	-	-	-	-	-	-	1	3	3
ALL OTHER--MALE----	22	-	-	-	-	-	-	-	1	-	4	3
FEMALE--	14	-	-	-	-	-	-	1	-	3	-	4
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	226	-	-	-	-	-	-	1	2	17	32	28
WHITE-----MALE----	147	-	-	-	-	-	-	-	2	9	19	17
FEMALE--	62	-	-	-	-	-	-	-	-	6	11	6
ALL OTHER--MALE----	7	-	-	-	-	-	-	1	-	-	2	1
FEMALE--	10	-	-	-	-	-	-	-	-	2	-	4
BLACK---MALE----	5	-	-	-	-	-	-	1	-	-	1	1
FEMALE--	2	-	-	-	-	-	-	-	-	1	-	-
PENNSYLVANIA -----	319	-	-	-	-	-	-	1	7	21	43	52
WHITE-----MALE----	204	-	-	-	-	-	-	-	6	10	26	28
FEMALE--	62	-	-	-	-	-	-	1	1	6	6	12
ALL OTHER--MALE----	32	-	-	-	-	-	-	-	-	3	10	7
FEMALE--	21	-	-	-	-	-	-	-	-	2	1	5
BLACK---MALE----	32	-	-	-	-	-	-	-	-	3	10	7
FEMALE--	21	-	-	-	-	-	-	-	-	2	1	5
RHODE ISLAND -----	46	-	-	-	-	-	-	-	4	4	4	6
WHITE-----MALE----	33	-	-	-	-	-	-	-	4	3	2	5
FEMALE--	12	-	-	-	-	-	-	-	-	1	2	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	244	-	-	-	-	-	-	1	2	19	34	38
WHITE-----MALE----	136	-	-	-	-	-	-	-	-	7	18	21
FEMALE--	33	-	-	-	-	-	-	-	1	4	5	3
ALL OTHER--MALE----	49	-	-	-	-	-	-	1	1	5	5	12
FEMALE--	26	-	-	-	-	-	-	-	-	3	6	2
BLACK---MALE----	49	-	-	-	-	-	-	1	1	5	5	12
FEMALE--	26	-	-	-	-	-	-	-	-	3	6	2

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 2,185
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 CHRONIC LIVER DISEASE AND CIRRHOSIS, SPECIFIED AS ALCOHOLIC (571.0-571.3)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
OHIO -----	48	43	40	43	26	22	5	2	-	-	-	-
WHITE-----MALE----	30	32	23	33	15	12	2	2	-	-	-	-
FEMALE--	6	9	4	8	5	4	2	-	-	-	-	-
ALL OTHER--MALE----	9	1	6	1	6	4	1	-	-	-	-	-
FEMALE--	3	1	7	1	-	2	-	-	-	-	-	-
BLACK---MALE----	9	1	6	1	6	4	1	-	-	-	-	-
FEMALE--	3	1	7	1	-	2	-	-	-	-	-	-
OKLAHOMA -----	15	27	16	13	10	7	4	1	1	-	-	-
WHITE-----MALE----	10	23	7	7	8	6	3	-	-	-	-	-
FEMALE--	1	2	3	2	1	-	1	-	-	-	-	-
ALL OTHER--MALE----	3	2	3	2	1	1	-	1	1	-	-	-
FEMALE--	1	-	3	2	-	-	-	-	-	-	-	-
BLACK---MALE----	1	1	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	2	1	-	-	-	-	-	-	-	-
OREGON -----	29	30	32	16	22	8	7	1	1	-	-	-
WHITE-----MALE----	21	19	21	13	16	4	5	-	1	-	-	-
FEMALE--	6	8	10	2	6	4	2	1	-	-	-	-
ALL OTHER--MALE----	-	2	1	-	-	-	-	-	-	-	-	-
FEMALE--	2	1	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	31	45	32	34	26	16	7	4	-	-	-	-
WHITE-----MALE----	20	29	22	28	17	11	4	3	-	-	-	-
FEMALE--	7	8	6	5	4	3	3	-	-	-	-	-
ALL OTHER--MALE----	3	4	2	1	-	1	-	1	-	-	-	-
FEMALE--	1	4	2	-	5	1	-	-	-	-	-	-
BLACK---MALE----	3	4	2	1	-	1	-	1	-	-	-	-
FEMALE--	1	4	2	-	5	1	-	-	-	-	-	-
RHODE ISLAND -----	5	5	3	8	4	-	1	2	-	-	-	-
WHITE-----MALE----	4	3	3	4	2	-	1	2	-	-	-	-
FEMALE--	1	1	-	4	2	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	39	31	24	28	15	4	9	-	-	-	-	-
WHITE-----MALE----	23	18	15	16	11	2	5	-	-	-	-	-
FEMALE--	3	1	2	7	2	2	3	-	-	-	-	-
ALL OTHER--MALE----	8	7	4	4	2	-	-	-	-	-	-	-
FEMALE--	5	5	3	1	-	-	1	-	-	-	-	-
BLACK---MALE----	8	7	4	4	2	-	-	-	-	-	-	-
FEMALE--	5	5	3	1	-	-	1	-	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 2,191
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 CHRONIC HEPATITIS AND BILIARY CIRRHOSIS (571.4,571.6)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
KENTUCKY -----	1	1	-	2	2	2	-	2	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	1	-	2	2	1	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
LOUISIANA -----	-	2	-	2	2	2	1	-	-	-	-	-
WHITE-----MALE----	-	1	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	1	-	1	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	2	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	2	1	-	-	-	-	-	-
MAINE -----	-	-	-	-	2	1	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	1	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	-	1	1	1	1	3	1	3	-	-	-	-
WHITE-----MALE----	-	-	1	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	2	-	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	1	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	1	1	-	-	-	-
MASSACHUSETTS -----	-	-	1	2	4	4	6	1	-	-	-	-
WHITE-----MALE----	-	-	-	1	-	1	2	1	-	-	-	-
FEMALE--	-	-	1	1	4	3	4	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	2	1	3	4	10	6	6	1	-	1	-	-
WHITE-----MALE----	2	-	-	1	1	-	1	-	-	-	-	-
FEMALE--	2	1	3	2	8	5	5	1	-	1	-	-
ALL OTHER--MALE----	-	-	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 2,197
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
 CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
 0 CIRRHOSIS OF LIVER AND OTHER AND UNSPECIFIED CHRONIC LIVER DISEASE WITHOUT MENTION OF ALCOHOL (571.5,571.8-571.9)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 UNITED STATES --	12,218	15	5	4	-	4	11	33	137	420	752	975
WHITE-----MALE----	6,352	10	2	1	-	2	6	19	69	243	446	591
FEMALE--	4,357	4	2	3	-	2	3	9	37	79	136	193
ALL OTHER--MALE----	918	1	-	-	-	-	-	2	17	57	118	132
FEMALE--	591	-	1	-	-	-	2	3	14	41	52	59
BLACK---MALE----	783	1	-	-	-	-	-	2	14	54	105	121
FEMALE--	468	-	1	-	-	-	1	2	13	33	43	56
ALABAMA -----	259	-	-	-	-	-	-	-	1	8	15	23
WHITE-----MALE----	119	-	-	-	-	-	-	-	-	4	9	8
FEMALE--	88	-	-	-	-	-	-	-	1	1	1	3
ALL OTHER--MALE----	36	-	-	-	-	-	-	-	-	2	4	8
FEMALE--	16	-	-	-	-	-	-	-	-	1	1	4
BLACK---MALE----	35	-	-	-	-	-	-	-	-	2	4	8
FEMALE--	16	-	-	-	-	-	-	-	-	1	1	4
ALASKA -----	11	-	-	-	-	-	-	-	-	-	3	-
WHITE-----MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	2	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	248	-	-	-	-	-	1	-	2	10	14	23
WHITE-----MALE----	134	-	-	-	-	-	1	-	1	7	6	16
FEMALE--	83	-	-	-	-	-	-	-	-	1	5	3
ALL OTHER--MALE----	15	-	-	-	-	-	-	-	-	-	1	3
FEMALE--	16	-	-	-	-	-	-	-	1	2	2	1
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	4	-	-	-	-	-	-	-	-	1	1	-
ARKANSAS -----	109	-	-	-	-	-	-	-	2	4	3	6
WHITE-----MALE----	65	-	-	-	-	-	-	-	-	2	3	5
FEMALE--	33	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	1	2	-	1
FEMALE--	5	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	6	-	-	-	-	-	-	-	1	2	-	1
FEMALE--	5	-	-	-	-	-	-	-	1	-	-	-
CALIFORNIA -----	1,058	3	1	1	-	-	3	4	20	45	56	101
WHITE-----MALE----	522	2	-	1	-	-	2	2	13	30	37	58
FEMALE--	398	1	1	-	-	-	-	1	3	7	11	25
ALL OTHER--MALE----	74	-	-	-	-	-	-	1	3	3	2	14
FEMALE--	64	-	-	-	-	-	1	-	1	5	6	4
BLACK---MALE----	29	-	-	-	-	-	-	1	1	2	2	8
FEMALE--	24	-	-	-	-	-	-	-	1	1	5	4

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 2,197
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 CIRRHOSIS OF LIVER AND OTHER AND UNSPECIFIED CHRONIC LIVER DISEASE WITHOUT MENTION OF ALCOHOL (571.5,571.8-571.9)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 UNITED STATES --	940	1,072	1,285	1,630	1,797	1,475	1,020	497	118	23	3	2
WHITE-----MALE----	543	602	703	865	868	698	454	189	30	9	1	1
FEMALE--	225	286	423	601	774	698	510	282	78	9	2	1
ALL OTHER--MALE----	126	120	96	91	78	36	30	8	5	1	-	-
FEMALE--	46	64	63	73	77	43	26	18	5	4	-	-
BLACK---MALE----	112	102	80	77	66	26	18	2	2	1	-	-
FEMALE--	35	52	50	60	58	30	13	15	2	4	-	-
ALABAMA -----	16	29	32	37	40	30	16	8	2	2	-	-
WHITE-----MALE----	10	15	16	22	16	10	6	2	-	1	-	-
FEMALE--	3	6	12	11	16	19	9	5	1	-	-	-
ALL OTHER--MALE----	3	8	2	2	5	-	1	-	1	-	-	-
FEMALE--	-	-	2	2	3	1	-	1	-	1	-	-
BLACK---MALE----	3	8	2	2	5	-	1	-	-	-	-	-
FEMALE--	-	-	2	2	3	1	-	1	-	1	-	-
ALASKA -----	1	2	-	3	1	1	-	-	-	-	-	-
WHITE-----MALE----	-	2	-	2	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	1	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	20	24	23	30	40	30	19	11	1	-	-	-
WHITE-----MALE----	9	15	14	14	20	18	9	4	-	-	-	-
FEMALE--	5	6	7	12	19	10	9	6	-	-	-	-
ALL OTHER--MALE----	5	1	1	3	-	1	-	-	-	-	-	-
FEMALE--	1	2	1	1	1	1	1	1	1	-	-	-
BLACK---MALE----	1	-	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	2	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	10	16	10	12	15	11	12	7	1	-	-	-
WHITE-----MALE----	9	11	9	7	5	7	5	2	-	-	-	-
FEMALE--	1	2	1	4	9	3	7	5	1	-	-	-
ALL OTHER--MALE----	-	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	1	1	1	-	-	-	-	-	-
BLACK---MALE----	-	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	1	1	1	-	-	-	-	-	-
CALIFORNIA -----	81	82	121	132	144	115	85	43	18	3	-	-
WHITE-----MALE----	49	38	62	60	62	51	35	13	4	3	-	-
FEMALE--	24	30	46	58	64	54	38	24	11	-	-	-
ALL OTHER--MALE----	5	10	6	7	6	6	6	4	1	-	-	-
FEMALE--	3	4	7	7	12	4	6	2	2	-	-	-
BLACK---MALE----	4	3	2	2	1	1	1	1	-	-	-	-
FEMALE--	2	-	2	2	4	-	2	1	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 2,198
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
0 CIRRHOSIS OF LIVER AND OTHER AND UNSPECIFIED CHRONIC LIVER DISEASE WITHOUT MENTION OF ALCOHOL (571.5,571.8-571.9)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
COLORADO -----	109	-	-	-	-	-	-	-	4	6	6	7
WHITE-----MALE----	51	-	-	-	-	-	-	-	3	3	4	5
FEMALE--	52	-	-	-	-	-	-	-	1	3	-	2
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	2	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	1	-
CONNECTICUT -----	184	-	-	-	-	1	-	1	3	7	14	22
WHITE-----MALE----	113	-	-	-	-	1	-	-	2	6	12	12
FEMALE--	58	-	-	-	-	-	-	-	1	1	1	6
ALL OTHER--MALE----	8	-	-	-	-	-	-	-	-	-	1	4
FEMALE--	5	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	8	-	-	-	-	-	-	-	-	-	1	4
FEMALE--	4	-	-	-	-	-	-	1	-	-	-	-
DELAWARE -----	33	-	-	-	-	-	-	-	-	-	4	4
WHITE-----MALE----	10	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	17	-	-	-	-	-	-	-	-	-	2	2
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	4	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	4	-	-	-	-	-	-	-	-	-	1	-
DISTRICT OF COLUMBIA ----	54	-	-	-	-	-	1	-	-	8	5	6
WHITE-----MALE----	4	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	34	-	-	-	-	-	-	-	-	4	5	3
FEMALE--	12	-	-	-	-	-	-	-	-	4	-	2
BLACK---MALE----	34	-	-	-	-	-	-	-	-	4	5	3
FEMALE--	12	-	-	-	-	-	-	-	-	4	-	2
FLORIDA -----	1,031	2	-	-	-	-	1	1	7	31	53	71
WHITE-----MALE----	613	2	-	-	-	-	-	1	2	19	36	48
FEMALE--	355	-	-	-	-	-	1	-	3	8	6	16
ALL OTHER--MALE----	29	-	-	-	-	-	-	-	-	2	4	4
FEMALE--	34	-	-	-	-	-	-	-	2	2	7	3
BLACK---MALE----	28	-	-	-	-	-	-	-	-	2	3	4
FEMALE--	31	-	-	-	-	-	-	-	2	1	7	3
GEORGIA -----	351	-	-	-	-	-	1	1	4	16	31	20
WHITE-----MALE----	171	-	-	-	-	-	-	1	2	10	16	11
FEMALE--	123	-	-	-	-	-	-	-	1	4	10	2
ALL OTHER--MALE----	30	-	-	-	-	-	-	-	1	1	1	4
FEMALE--	27	-	-	-	-	-	1	-	-	1	4	3
BLACK---MALE----	29	-	-	-	-	-	-	-	1	1	1	4
FEMALE--	25	-	-	-	-	-	1	-	-	1	4	3

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 2,198
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 CIRRHOSIS OF LIVER AND OTHER AND UNSPECIFIED CHRONIC LIVER DISEASE WITHOUT MENTION OF ALCOHOL (571.5,571.8-571.9)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
COLORADO -----	4	7	5	18	15	15	12	8	1	1	-	-
WHITE-----MALE----	-	3	2	10	6	8	4	2	-	1	-	-
FEMALE--	3	4	3	7	8	6	8	6	1	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	1	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	-	-	-	-	-	-
CONNECTICUT -----	12	19	8	21	30	20	18	8	-	-	-	-
WHITE-----MALE----	8	15	5	13	16	9	9	5	-	-	-	-
FEMALE--	3	3	2	7	12	10	9	3	-	-	-	-
ALL OTHER--MALE----	1	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	1	-	1	1	1	-	-	-	-	-	-
BLACK---MALE----	1	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	1	-	1	1	-	-	-	-	-	-	-
DELAWARE -----	-	3	1	6	8	5	1	1	-	-	-	-
WHITE-----MALE----	-	1	-	3	4	1	-	-	-	-	-	-
FEMALE--	-	1	1	3	2	4	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	2	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	2	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	1	10	9	6	2	1	1	2	2	-	-	-
WHITE-----MALE----	-	1	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	1	-	-	-
ALL OTHER--MALE----	1	8	5	4	2	1	-	-	1	-	-	-
FEMALE--	-	1	3	1	-	-	-	1	-	-	-	-
BLACK---MALE----	1	8	5	4	2	1	-	-	1	-	-	-
FEMALE--	-	1	3	1	-	-	-	1	-	-	-	-
FLORIDA -----	64	95	98	127	162	148	103	59	6	3	-	-
WHITE-----MALE----	36	65	63	77	92	87	50	33	2	-	-	-
FEMALE--	23	27	29	44	64	56	48	24	4	2	-	-
ALL OTHER--MALE----	2	1	5	4	2	2	3	-	-	-	-	-
FEMALE--	3	2	1	2	4	3	2	2	-	1	-	-
BLACK---MALE----	2	1	5	4	2	2	3	-	-	-	-	-
FEMALE--	2	2	1	2	4	3	1	2	-	1	-	-
GEORGIA -----	34	44	46	45	35	36	24	11	2	-	1	-
WHITE-----MALE----	18	23	24	21	15	18	9	3	-	-	-	-
FEMALE--	8	10	17	18	15	15	14	7	1	-	1	-
ALL OTHER--MALE----	4	8	4	3	2	1	-	-	1	-	-	-
FEMALE--	4	3	1	3	3	2	1	1	-	-	-	-
BLACK---MALE----	4	8	4	3	2	1	-	-	-	-	-	-
FEMALE--	4	3	1	2	2	2	1	1	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 2,199
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
0 CIRRHOSIS OF LIVER AND OTHER AND UNSPECIFIED CHRONIC LIVER DISEASE WITHOUT MENTION OF ALCOHOL (571.5,571.8-571.9)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
HAWAII -----	46	-	-	-	-	-	-	-	1	1	5	2
WHITE-----MALE----	16	-	-	-	-	-	-	-	1	1	1	2
FEMALE--	5	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	16	-	-	-	-	-	-	-	-	-	3	-
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	28	1	-	-	-	-	-	-	-	1	4	1
WHITE-----MALE----	18	-	-	-	-	-	-	-	-	1	3	1
FEMALE--	10	1	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	626	-	-	-	-	-	1	5	10	32	37	46
WHITE-----MALE----	311	-	-	-	-	-	1	2	4	15	21	25
FEMALE--	213	-	-	-	-	-	-	1	3	7	6	10
ALL OTHER--MALE----	64	-	-	-	-	-	-	1	3	3	8	9
FEMALE--	38	-	-	-	-	-	-	1	-	7	2	2
BLACK---MALE----	59	-	-	-	-	-	-	1	2	3	8	9
FEMALE--	38	-	-	-	-	-	-	1	-	7	2	2
INDIANA -----	275	-	-	-	-	-	-	2	5	15	17	20
WHITE-----MALE----	145	-	-	-	-	-	-	2	1	9	9	15
FEMALE--	106	-	-	-	-	-	-	-	2	6	4	4
ALL OTHER--MALE----	11	-	-	-	-	-	-	-	1	-	3	-
FEMALE--	13	-	-	-	-	-	-	-	1	-	1	1
BLACK---MALE----	11	-	-	-	-	-	-	-	1	-	3	-
FEMALE--	12	-	-	-	-	-	-	-	1	-	1	1
IOWA -----	82	-	-	-	-	-	1	1	1	2	-	3
WHITE-----MALE----	44	-	-	-	-	-	-	1	1	1	-	3
FEMALE--	36	-	-	-	-	-	1	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
KANSAS -----	89	-	-	-	-	-	-	1	1	3	4	9
WHITE-----MALE----	54	-	-	-	-	-	-	1	-	3	3	8
FEMALE--	26	-	-	-	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	7	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	1	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 2,200
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
0 CIRRHOSIS OF LIVER AND OTHER AND UNSPECIFIED CHRONIC LIVER DISEASE WITHOUT MENTION OF ALCOHOL (571.5,571.8-571.9)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
KENTUCKY -----	189	1	-	-	-	-	-	2	2	4	6	13
WHITE-----MALE----	98	1	-	-	-	-	-	2	1	3	4	10
FEMALE--	82	-	-	-	-	-	-	-	1	-	1	3
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	6	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	212	-	-	-	-	-	-	-	3	7	10	16
WHITE-----MALE----	94	-	-	-	-	-	-	-	-	3	2	5
FEMALE--	69	-	-	-	-	-	-	-	1	-	1	5
ALL OTHER--MALE----	28	-	-	-	-	-	-	-	1	2	5	4
FEMALE--	21	-	-	-	-	-	-	-	1	2	2	2
BLACK---MALE----	25	-	-	-	-	-	-	-	1	2	5	4
FEMALE--	19	-	-	-	-	-	-	-	1	2	1	2
MAINE -----	63	-	-	-	-	-	-	-	-	-	1	3
WHITE-----MALE----	29	-	-	-	-	-	-	-	-	-	1	3
FEMALE--	34	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	222	-	1	-	-	-	1	3	10	15	20	
WHITE-----MALE----	104	-	-	-	-	-	-	2	4	8	6	
FEMALE--	59	-	-	-	-	-	1	-	-	-	2	
ALL OTHER--MALE----	34	-	-	-	-	-	-	1	3	4	9	
FEMALE--	25	-	1	-	-	-	-	-	3	3	3	
BLACK---MALE----	31	-	-	-	-	-	-	1	3	4	9	
FEMALE--	23	-	1	-	-	-	-	-	3	3	3	
MASSACHUSETTS -----	361	-	-	-	-	-	1	6	15	22	28	
WHITE-----MALE----	230	-	-	-	-	-	1	3	13	16	19	
FEMALE--	115	-	-	-	-	-	-	1	-	2	7	
ALL OTHER--MALE----	7	-	-	-	-	-	-	-	1	2	1	
FEMALE--	9	-	-	-	-	-	-	2	1	2	1	
BLACK---MALE----	6	-	-	-	-	-	-	-	1	2	1	
FEMALE--	9	-	-	-	-	-	-	2	1	2	1	
MICHIGAN -----	498	-	-	-	-	-	-	6	12	42	40	
WHITE-----MALE----	233	-	-	-	-	-	-	3	4	21	21	
FEMALE--	171	-	-	-	-	-	-	3	4	6	4	
ALL OTHER--MALE----	62	-	-	-	-	-	-	-	3	11	11	
FEMALE--	32	-	-	-	-	-	-	-	1	4	4	
BLACK---MALE----	59	-	-	-	-	-	-	-	3	11	11	
FEMALE--	30	-	-	-	-	-	-	-	1	3	4	

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 2,200
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 CIRRHOSIS OF LIVER AND OTHER AND UNSPECIFIED CHRONIC LIVER DISEASE WITHOUT MENTION OF ALCOHOL (571.5,571.8-571.9)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
KENTUCKY -----	16	22	26	34	16	19	11	9	8	-	-	-
WHITE-----MALE----	10	11	17	19	6	6	3	2	3	-	-	-
FEMALE--	6	7	6	15	10	13	8	7	5	-	-	-
ALL OTHER--MALE----	-	3	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	2	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	3	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	1	-	-	-	-	-	-	-	-	-
LOUISIANA -----	21	18	25	24	34	24	17	11	1	1	-	-
WHITE-----MALE----	11	9	14	11	13	14	4	7	1	-	-	-
FEMALE--	2	4	6	11	18	7	11	3	-	-	-	-
ALL OTHER--MALE----	6	4	2	-	1	1	1	-	1	-	-	-
FEMALE--	2	1	3	2	2	2	1	1	-	-	-	-
BLACK---MALE----	5	3	2	-	1	1	-	-	-	1	-	-
FEMALE--	2	1	3	2	1	2	1	1	-	-	-	-
MAINE -----	5	3	5	11	14	5	9	4	3	-	-	-
WHITE-----MALE----	4	1	2	5	7	2	3	1	-	-	-	-
FEMALE--	1	2	3	6	7	3	6	3	3	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	21	20	22	23	33	33	11	5	3	1	-	-
WHITE-----MALE----	12	9	12	14	18	14	3	1	1	-	-	-
FEMALE--	4	4	8	5	9	16	6	2	1	1	-	-
ALL OTHER--MALE----	4	6	1	2	-	2	1	-	1	-	-	-
FEMALE--	1	1	1	2	6	1	1	2	-	-	-	-
BLACK---MALE----	4	5	1	2	-	-	1	-	1	-	-	-
FEMALE--	1	1	-	2	6	1	-	2	-	-	-	-
MASSACHUSETTS -----	36	24	27	57	55	45	29	10	6	-	-	-
WHITE-----MALE----	28	17	21	32	28	27	17	7	1	-	-	-
FEMALE--	5	7	6	25	25	18	12	2	5	-	-	-
ALL OTHER--MALE----	1	-	-	-	1	-	-	1	-	-	-	-
FEMALE--	2	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	1	-	-	-	-	-	-	-
MICHIGAN -----	49	35	50	72	74	53	38	22	4	1	-	-
WHITE-----MALE----	26	14	26	33	32	27	15	10	1	-	-	-
FEMALE--	8	9	14	33	31	23	21	11	3	1	-	-
ALL OTHER--MALE----	10	7	6	3	8	1	2	-	-	-	-	-
FEMALE--	5	5	4	3	3	2	-	1	-	-	-	-
BLACK---MALE----	10	7	5	2	8	1	1	-	-	-	-	-
FEMALE--	5	5	4	2	3	2	-	1	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 2,204
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 CIRRHOSIS OF LIVER AND OTHER AND UNSPECIFIED CHRONIC LIVER DISEASE WITHOUT MENTION OF ALCOHOL (571.5,571.8-571.9)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
SOUTH DAKOTA -----	1	2	4	1	3	3	3	2	-	-	-	-
WHITE-----MALE----	-	-	-	-	2	-	-	-	-	-	-	-
FEMALE--	-	1	-	1	1	3	3	2	-	-	-	-
ALL OTHER--MALE----	-	-	2	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	2	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	20	18	42	33	40	29	20	7	2	-	-	-
WHITE-----MALE----	15	10	23	20	17	11	11	1	-	-	-	-
FEMALE--	4	6	14	9	20	16	7	5	2	-	-	-
ALL OTHER--MALE----	1	-	3	3	1	1	1	-	-	-	-	-
FEMALE--	-	2	2	1	2	1	1	1	-	-	-	-
BLACK---MALE----	1	-	3	3	-	1	1	-	-	-	-	-
FEMALE--	-	2	2	1	2	1	1	1	-	-	-	-
TEXAS -----	97	115	115	131	142	113	69	34	7	2	1	2
WHITE-----MALE----	62	64	71	74	75	53	36	13	1	-	1	1
FEMALE--	18	31	36	46	64	58	31	20	5	1	-	1
ALL OTHER--MALE----	15	14	7	6	3	2	1	-	-	-	-	-
FEMALE--	2	6	1	5	-	-	1	1	1	1	-	-
BLACK---MALE----	14	12	7	6	3	2	1	-	-	-	-	-
FEMALE--	2	4	1	5	-	-	1	1	1	1	-	-
UTAH -----	2	3	5	6	7	6	2	3	-	-	-	-
WHITE-----MALE----	1	3	1	2	1	4	1	-	-	-	-	-
FEMALE--	1	-	4	4	6	2	1	3	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	1	3	2	3	2	3	-	-	-	-	-	-
WHITE-----MALE----	-	3	-	2	1	3	-	-	-	-	-	-
FEMALE--	1	-	2	1	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	25	26	39	35	39	29	24	10	2	-	-	-
WHITE-----MALE----	11	20	20	15	14	13	10	3	1	-	-	-
FEMALE--	7	2	13	9	19	15	11	7	1	-	-	-
ALL OTHER--MALE----	6	2	2	7	4	-	2	-	-	-	-	-
FEMALE--	1	2	4	4	2	1	1	-	-	-	-	-
BLACK---MALE----	5	2	2	7	4	-	2	-	-	-	-	-
FEMALE--	1	1	4	4	2	1	1	-	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 2,206
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 CHOLELITHIASIS AND OTHER DISORDERS OF GALLBLADDER (574-575)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 UNITED STATES --	59	82	122	247	315	461	469	480	312	116	25	-
WHITE-----MALE----	32	33	49	112	148	203	204	135	70	24	5	-
FEMALE--	15	30	46	85	122	195	224	302	217	79	17	-
ALL OTHER--MALE----	7	12	12	17	24	23	15	13	7	2	-	-
FEMALE--	5	7	15	33	21	40	26	30	18	11	3	-
BLACK---MALE----	5	11	11	13	18	19	12	11	6	1	-	-
FEMALE--	4	7	11	24	18	30	22	26	14	8	2	-
ALABAMA -----	-	2	1	9	5	11	8	11	8	3	-	-
WHITE-----MALE----	-	2	-	4	2	8	3	4	-	-	-	-
FEMALE--	-	-	1	4	2	1	5	5	5	1	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	1	1	-	-	-
FEMALE--	-	-	-	1	-	2	-	1	2	2	-	-
BLACK---MALE----	-	-	-	-	1	-	-	1	1	-	-	-
FEMALE--	-	-	-	1	-	2	-	1	2	2	-	-
ALASKA -----	-	-	-	1	1	1	1	-	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	1	2	3	6	4	8	7	5	3	4	1	-
WHITE-----MALE----	1	2	3	3	1	4	3	2	-	1	-	-
FEMALE--	-	-	-	2	2	3	4	3	3	2	-	-
ALL OTHER--MALE----	-	-	-	1	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	-	-	-	2	3	6	5	5	1	-	-	-
WHITE-----MALE----	-	-	-	1	2	1	3	1	-	-	-	-
FEMALE--	-	-	-	1	1	4	2	3	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	1	-	-	-	-
CALIFORNIA -----	12	13	15	37	38	48	46	51	25	8	3	-
WHITE-----MALE----	2	5	4	18	16	20	16	14	9	5	2	-
FEMALE--	6	6	8	9	13	19	25	32	13	3	1	-
ALL OTHER--MALE----	2	2	-	4	7	3	2	3	1	-	-	-
FEMALE--	2	-	3	6	2	6	3	2	2	-	-	-
BLACK---MALE----	1	1	-	3	3	2	-	1	1	-	-	-
FEMALE--	1	-	2	3	-	2	2	-	1	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 2,207
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
 CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
 0 CHOLELITHIASIS AND OTHER DISORDERS OF GALLBLADDER (574-575)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
COLORADO -----	26	-	-	-	-	-	1	-	-	-	1	-
WHITE-----MALE----	12	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	14	-	-	-	-	-	1	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	38	-	-	-	-	-	-	-	-	-	-	1
WHITE-----MALE----	12	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	26	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	7	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	11	-	-	-	-	-	-	-	-	-	-	1
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	1
FLORIDA -----	165	-	-	-	-	-	-	1	1	2	-	1
WHITE-----MALE----	76	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	78	-	-	-	-	-	-	1	-	1	-	1
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	1	-	-
GEORGIA -----	78	-	-	-	-	-	-	-	2	1	1	5
WHITE-----MALE----	24	-	-	-	-	-	-	-	-	1	1	2
FEMALE--	27	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	8	-	-	-	-	-	-	-	1	-	-	1
FEMALE--	19	-	-	-	-	-	-	-	1	-	-	1
BLACK---MALE----	8	-	-	-	-	-	-	-	1	-	-	1
FEMALE--	18	-	-	-	-	-	-	-	1	-	-	1

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 2,207
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 CHOLELITHIASIS AND OTHER DISORDERS OF GALLBLADDER (574-575)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
COLORADO -----	2	-	4	2	1	7	3	2	1	2	-	-
WHITE-----MALE----	1	-	3	1	-	4	1	1	-	1	-	-
FEMALE--	1	-	1	1	1	3	2	1	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	1	-	3	4	4	4	8	7	4	2	-	-
WHITE-----MALE----	1	-	1	1	2	2	2	1	1	-	-	-
FEMALE--	-	-	2	3	2	2	6	6	3	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	-	1	-	1	1	2	-	1	-	1	-
WHITE-----MALE----	-	-	-	-	1	1	2	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	1	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	-	2	1	-	-	2	2	1	2	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	1	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	1	1	-	-	2	1	-	1	-	-	-
BLACK---MALE----	-	1	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	1	1	-	-	2	1	-	1	-	-	-
FLORIDA -----	-	2	5	16	18	30	41	23	14	9	2	-
WHITE-----MALE----	-	-	1	7	10	15	23	9	7	3	-	-
FEMALE--	-	2	3	7	7	13	18	12	6	6	1	-
ALL OTHER--MALE----	-	-	-	2	-	1	-	1	1	-	-	-
FEMALE--	-	-	1	-	1	1	-	1	-	-	1	-
BLACK---MALE----	-	-	-	2	-	-	-	1	1	-	-	-
FEMALE--	-	-	1	-	1	1	-	1	-	-	1	-
GEORGIA -----	1	2	3	6	13	11	14	11	4	4	-	-
WHITE-----MALE----	1	-	1	-	5	2	5	5	1	-	-	-
FEMALE--	-	-	1	3	3	4	7	5	-	3	-	-
ALL OTHER--MALE----	-	-	-	1	3	2	-	-	-	-	-	-
FEMALE--	-	2	1	2	2	3	2	1	3	1	-	-
BLACK---MALE----	-	-	-	1	3	2	-	-	-	-	-	-
FEMALE--	-	2	1	2	2	2	2	1	3	1	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 2,208
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 CHOLELITHIASIS AND OTHER DISORDERS OF GALLBLADDER (574-575)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
HAWAII -----	-	-	-	1	1	3	2	1	1	-	-	-
WHITE-----MALE----	-	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	-	-	-	-	1	1	4	1	4	-	1	-
WHITE-----MALE----	-	-	-	-	1	-	4	-	2	-	-	-
FEMALE--	-	-	-	-	-	1	-	1	2	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	2	8	3	7	13	19	17	26	10	6	-	-
WHITE-----MALE----	2	4	2	4	10	8	7	12	2	1	-	-
FEMALE--	-	3	1	1	2	9	8	14	8	5	-	-
ALL OTHER--MALE----	-	-	-	1	1	2	-	-	-	-	-	-
FEMALE--	-	1	-	1	-	-	2	-	-	-	-	-
BLACK---MALE----	-	-	-	1	1	2	-	-	-	-	-	-
FEMALE--	-	1	-	1	-	-	2	-	-	-	-	-
INDIANA -----	-	-	-	1	5	7	10	6	5	1	-	-
WHITE-----MALE----	-	-	-	1	2	2	3	2	3	-	-	-
FEMALE--	-	-	-	-	3	4	6	3	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	1	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	1	-	1	-	-
IOWA -----	-	1	-	3	5	2	5	7	7	-	1	-
WHITE-----MALE----	-	1	-	2	4	2	2	2	3	-	-	-
FEMALE--	-	-	-	1	1	-	3	5	4	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS -----	-	1	2	-	4	2	5	7	5	1	-	-
WHITE-----MALE----	-	-	1	-	2	1	2	-	-	-	-	-
FEMALE--	-	-	1	-	2	-	3	7	5	1	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 2,209
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 CHOLELITHIASIS AND OTHER DISORDERS OF GALLBLADDER (574-575)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
KENTUCKY -----	2	-	3	4	9	8	10	10	5	1	-	-
WHITE-----MALE----	1	-	1	-	5	5	7	2	1	-	-	-
FEMALE--	1	-	2	2	3	3	3	8	4	1	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	2	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	2	-	-	-	-	-	-	-	-
LOUISIANA -----	1	1	2	4	4	8	12	7	3	-	-	-
WHITE-----MALE----	-	-	1	1	3	2	6	1	-	-	-	-
FEMALE--	-	-	-	1	1	1	4	3	3	-	-	-
ALL OTHER--MALE----	1	1	-	-	-	3	-	1	-	-	-	-
FEMALE--	-	-	1	2	-	2	2	2	-	-	-	-
BLACK---MALE----	1	1	-	-	-	3	-	1	-	-	-	-
FEMALE--	-	-	1	2	-	2	2	2	-	-	-	-
MAINE -----	-	-	3	1	1	1	4	3	1	1	-	-
WHITE-----MALE----	-	-	1	1	-	-	1	-	-	-	-	-
FEMALE--	-	-	2	-	1	1	3	3	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	2	-	3	3	3	7	2	9	8	3	-	-
WHITE-----MALE----	1	-	-	1	2	3	1	4	1	-	-	-
FEMALE--	1	-	-	-	1	3	1	1	5	2	-	-
ALL OTHER--MALE----	-	-	2	-	-	1	-	1	1	1	-	-
FEMALE--	-	-	1	2	-	-	-	3	1	-	-	-
BLACK---MALE----	-	-	2	-	-	1	-	1	1	1	-	-
FEMALE--	-	-	1	2	-	-	-	2	1	-	-	-
MASSACHUSETTS -----	1	-	3	2	4	12	18	6	9	1	1	-
WHITE-----MALE----	1	-	2	1	2	7	9	3	4	1	-	-
FEMALE--	-	-	1	1	2	5	8	3	5	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	3	2	5	5	17	15	13	16	7	5	-	-
WHITE-----MALE----	2	1	1	1	7	6	6	4	2	1	-	-
FEMALE--	1	1	2	2	7	7	6	12	5	4	-	-
ALL OTHER--MALE----	-	-	1	-	1	1	1	-	-	-	-	-
FEMALE--	-	-	1	2	2	1	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	1	1	1	-	-	-	-	-
FEMALE--	-	-	1	2	2	1	-	-	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 2,212
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 CHOLELITHIASIS AND OTHER DISORDERS OF GALLBLADDER (574-575)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
OHIO -----	2	2	3	12	12	20	20	17	19	5	2	-
WHITE-----MALE----	1	1	2	2	4	11	5	2	3	-	-	-
FEMALE--	1	1	-	8	6	7	13	14	14	5	1	-
ALL OTHER--MALE----	-	-	-	1	1	-	-	-	1	-	-	-
FEMALE--	-	-	1	1	1	2	2	1	1	-	1	-
BLACK---MALE----	-	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	1	1	1	2	2	1	1	-	1	-
OKLAHOMA -----	3	5	1	2	4	5	3	6	3	3	-	-
WHITE-----MALE----	2	3	-	1	1	1	2	1	-	-	-	-
FEMALE--	-	2	1	1	3	3	1	4	3	2	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	1	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	1	-	-	-	-
OREGON -----	-	-	-	2	6	10	7	7	5	2	-	-
WHITE-----MALE----	-	-	-	1	4	3	3	3	-	-	-	-
FEMALE--	-	-	-	1	2	7	4	4	5	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	1	4	4	11	23	27	20	40	22	2	1	-
WHITE-----MALE----	-	2	-	6	11	11	10	12	3	-	-	-
FEMALE--	-	2	4	5	12	15	10	28	17	2	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	1	-	-	-	-	1	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	1	-	-	-	-	1	-	-	1	-	-	-
RHODE ISLAND -----	1	-	-	1	1	4	1	2	3	2	-	-
WHITE-----MALE----	1	-	-	-	1	3	1	-	1	-	-	-
FEMALE--	-	-	-	-	-	1	-	2	2	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	1	1	4	6	9	8	5	10	1	-	-	-
WHITE-----MALE----	1	-	1	2	2	4	-	1	-	-	-	-
FEMALE--	-	-	2	2	3	1	4	4	1	-	-	-
ALL OTHER--MALE----	-	1	1	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	2	4	2	1	5	-	-	-	-
BLACK---MALE----	-	1	1	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	2	4	2	1	5	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 2,213
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
0 CHOLELITHIASIS AND OTHER DISORDERS OF GALLBLADDER (574-575)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
SOUTH DAKOTA -----	5	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	71	-	-	-	-	-	-	-	-	-	1	2
WHITE-----MALE----	33	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	31	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	1
TEXAS -----	230	1	-	-	-	1	-	1	2	3	1	6
WHITE-----MALE----	93	-	-	-	-	-	-	-	2	1	-	4
FEMALE--	106	-	-	-	-	-	-	-	-	2	1	2
ALL OTHER--MALE----	12	1	-	-	-	1	-	1	-	-	-	-
FEMALE--	19	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	12	1	-	-	-	1	-	1	-	-	-	-
FEMALE--	17	-	-	-	-	-	-	-	-	-	-	-
UTAH -----	23	-	-	-	-	-	-	-	-	1	1	-
WHITE-----MALE----	9	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	12	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	7	-	-	-	-	-	-	-	-	1	-	-
WHITE-----MALE----	4	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	65	-	-	-	-	-	-	-	-	2	-	-
WHITE-----MALE----	22	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	24	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	12	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	12	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	1	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 2,213
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 CHOLELITHIASIS AND OTHER DISORDERS OF GALLBLADDER (574-575)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
SOUTH DAKOTA -----	-	-	1	-	-	1	1	1	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	3	3	4	9	5	11	10	12	7	4	-	-
WHITE-----MALE----	1	2	2	6	4	6	3	4	3	1	-	-
FEMALE--	2	-	2	2	1	4	6	6	4	3	-	-
ALL OTHER--MALE----	-	1	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	2	-	-	-	-
BLACK---MALE----	-	1	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	2	-	-	-	-
TEXAS -----	5	9	6	24	24	42	36	36	25	7	1	-
WHITE-----MALE----	2	6	4	8	8	18	19	13	6	2	-	-
FEMALE--	1	2	1	11	13	21	11	17	19	4	1	-
ALL OTHER--MALE----	1	1	1	1	-	-	3	2	-	-	-	-
FEMALE--	1	-	-	4	3	3	3	4	-	1	-	-
BLACK---MALE----	1	1	1	1	-	-	3	2	-	-	-	-
FEMALE--	1	-	-	3	2	3	3	4	-	1	-	-
UTAH -----	-	-	1	-	1	5	6	1	5	1	1	-
WHITE-----MALE----	-	-	1	-	-	2	3	1	-	1	-	-
FEMALE--	-	-	-	-	1	3	3	-	4	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	-	1	1	2	-	2	-	-	-	-
WHITE-----MALE----	-	-	-	1	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	-	2	4	8	3	11	12	12	6	4	1	-
WHITE-----MALE----	-	1	2	6	1	4	4	2	1	-	-	-
FEMALE--	-	1	-	-	-	5	4	6	4	3	1	-
ALL OTHER--MALE----	-	-	1	2	1	2	2	3	1	-	-	-
FEMALE--	-	-	1	-	1	-	2	1	-	1	-	-
BLACK---MALE----	-	-	1	2	1	2	2	3	1	-	-	-
FEMALE--	-	-	-	-	1	-	2	1	-	1	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 2,215
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
0 ALL OTHER DISEASES OF DIGESTIVE SYSTEM (530,534,536-537,564-570,572-573,576-579)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 UNITED STATES --	23,592	168	78	37	19	38	80	132	248	457	755	947
WHITE-----MALE----	9,589	67	31	14	10	19	28	55	117	192	365	462
FEMALE--	10,546	48	26	13	4	8	25	43	58	126	141	215
ALL OTHER--MALE----	1,808	32	9	6	3	6	12	20	43	87	154	181
FEMALE--	1,649	21	12	4	2	5	15	14	30	52	95	89
BLACK---MALE----	1,592	27	6	5	2	6	12	17	39	75	136	171
FEMALE--	1,438	19	8	3	2	5	14	12	30	50	87	82
ALABAMA -----	468	5	-	1	-	1	2	2	4	13	22	19
WHITE-----MALE----	162	4	-	-	-	1	-	-	1	4	5	-
FEMALE--	188	-	-	-	-	-	-	1	2	7	1	7
ALL OTHER--MALE----	61	1	-	1	-	-	1	1	1	-	11	10
FEMALE--	57	-	-	-	-	-	1	-	-	2	5	2
BLACK---MALE----	59	1	-	1	-	-	1	1	1	-	11	10
FEMALE--	57	-	-	-	-	-	1	-	-	2	5	2
ALASKA -----	26	-	-	-	-	-	-	-	-	2	-	2
WHITE-----MALE----	9	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	8	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	400	2	-	-	2	1	3	3	2	7	13	21
WHITE-----MALE----	179	1	-	-	1	1	2	1	2	2	2	19
FEMALE--	182	1	-	-	1	-	-	1	-	2	3	1
ALL OTHER--MALE----	23	-	-	-	-	-	-	-	-	3	7	1
FEMALE--	16	-	-	-	-	-	1	1	-	-	1	-
BLACK---MALE----	6	-	-	-	-	-	-	-	-	-	2	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	276	4	2	1	-	-	3	1	3	4	3	10
WHITE-----MALE----	117	1	2	-	-	-	1	-	2	1	1	4
FEMALE--	119	1	-	1	-	-	1	-	1	2	1	-
ALL OTHER--MALE----	17	2	-	-	-	-	-	-	-	1	-	2
FEMALE--	23	-	-	-	-	-	1	1	-	-	1	4
BLACK---MALE----	16	2	-	-	-	-	-	-	-	1	-	2
FEMALE--	23	-	-	-	-	-	1	1	-	-	1	4
CALIFORNIA -----	1,460	19	7	3	-	3	7	12	21	40	57	56
WHITE-----MALE----	636	7	4	1	-	2	3	6	13	19	29	27
FEMALE--	634	4	1	-	-	1	2	4	6	13	18	21
ALL OTHER--MALE----	103	4	2	1	-	-	-	2	1	4	4	7
FEMALE--	87	4	-	1	-	-	2	-	1	4	6	1
BLACK---MALE----	50	3	-	-	-	-	-	1	1	2	2	7
FEMALE--	46	4	-	-	-	-	2	-	1	4	5	1

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 2,215
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 ALL OTHER DISEASES OF DIGESTIVE SYSTEM (530,534,536-537,564-570,572-573,576-579)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 UNITED STATES --	997	1,108	1,449	1,940	2,613	2,968	3,299	3,128	2,104	838	187	2
WHITE-----MALE----	511	536	711	945	1,202	1,307	1,287	1,012	549	143	24	2
FEMALE--	257	326	472	676	1,062	1,301	1,697	1,861	1,408	638	141	-
ALL OTHER--MALE----	135	141	157	161	177	176	145	96	45	18	4	-
FEMALE--	94	105	109	158	172	184	170	159	102	39	18	-
BLACK---MALE----	117	125	146	143	155	156	119	79	37	15	4	-
FEMALE--	74	90	88	132	153	162	144	145	88	38	12	-
ALABAMA -----	33	23	36	40	43	52	62	71	26	11	2	-
WHITE-----MALE----	17	10	19	17	19	17	20	21	5	1	1	-
FEMALE--	7	6	10	12	15	26	27	39	19	9	-	-
ALL OTHER--MALE----	5	3	6	4	5	4	5	3	-	-	-	-
FEMALE--	4	4	1	7	4	5	10	8	2	1	1	-
BLACK---MALE----	5	3	6	4	5	4	4	2	-	-	-	-
FEMALE--	4	4	1	7	4	5	10	8	2	1	1	-
ALASKA -----	2	-	1	5	3	3	2	3	2	1	-	-
WHITE-----MALE----	1	-	1	4	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	2	1	1	1	1	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	2	1	-	2	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	20	25	31	32	50	49	56	42	30	6	5	-
WHITE-----MALE----	7	12	11	15	27	30	22	12	12	-	-	-
FEMALE--	8	11	13	15	22	18	32	28	15	6	5	-
ALL OTHER--MALE----	1	2	2	1	1	1	1	2	1	-	-	-
FEMALE--	4	-	5	1	-	-	1	-	2	-	-	-
BLACK---MALE----	-	-	-	1	-	1	-	1	1	-	-	-
FEMALE--	-	-	2	-	-	-	-	-	-	-	-	-
ARKANSAS -----	12	17	15	18	33	38	31	37	27	13	4	-
WHITE-----MALE----	7	10	6	10	16	21	12	16	5	2	-	-
FEMALE--	2	5	4	8	11	16	16	17	18	11	4	-
ALL OTHER--MALE----	1	2	3	-	3	1	1	1	-	-	-	-
FEMALE--	2	-	2	-	3	-	2	3	4	-	-	-
BLACK---MALE----	1	2	3	-	2	1	1	1	-	-	-	-
FEMALE--	2	-	2	-	3	-	2	3	4	-	-	-
CALIFORNIA -----	68	69	85	117	161	192	193	169	120	45	16	-
WHITE-----MALE----	32	31	41	60	74	84	88	64	38	10	3	-
FEMALE--	22	26	32	38	73	85	81	89	74	32	12	-
ALL OTHER--MALE----	8	8	6	11	7	14	14	5	3	2	-	-
FEMALE--	6	4	6	8	7	9	10	11	5	1	1	-
BLACK---MALE----	2	6	3	4	4	8	5	-	1	1	-	-
FEMALE--	4	3	4	1	3	3	4	4	2	1	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 2,216
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
0 ALL OTHER DISEASES OF DIGESTIVE SYSTEM (530,534,536-537,564-570,572-573,576-579)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
COLORADO -----	354	3	1	1	-	-	1	1	6	8	13	17
WHITE-----MALE----	151	-	-	-	-	-	1	-	-	5	9	12
FEMALE--	185	2	-	1	-	-	-	1	5	2	3	5
ALL OTHER--MALE----	14	1	1	-	-	-	-	-	-	1	1	-
FEMALE--	4	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	9	1	-	-	-	-	-	-	-	-	1	-
FEMALE--	2	-	-	-	-	-	-	-	1	-	-	-
CONNECTICUT -----	389	3	3	-	-	1	-	2	6	6	14	14
WHITE-----MALE----	163	2	1	-	-	1	-	-	3	2	9	6
FEMALE--	198	1	2	-	-	-	-	-	1	3	3	4
ALL OTHER--MALE----	16	-	-	-	-	-	-	1	2	1	2	2
FEMALE--	12	-	-	-	-	-	-	1	-	-	-	2
BLACK---MALE----	16	-	-	-	-	-	-	1	2	1	2	2
FEMALE--	11	-	-	-	-	-	-	1	-	-	-	1
DELAWARE -----	86	1	1	-	-	-	-	1	1	2	3	6
WHITE-----MALE----	26	1	-	-	-	-	-	-	1	-	1	1
FEMALE--	34	-	-	-	-	-	-	-	-	-	1	2
ALL OTHER--MALE----	14	-	-	-	-	-	-	1	-	2	1	3
FEMALE--	12	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	13	-	-	-	-	-	-	1	-	2	1	3
FEMALE--	11	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	90	1	-	-	-	-	1	-	2	2	3	4
WHITE-----MALE----	8	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	40	-	-	-	-	-	-	-	2	1	2	4
FEMALE--	39	1	-	-	-	-	1	-	-	-	1	-
BLACK---MALE----	40	-	-	-	-	-	-	-	2	1	2	4
FEMALE--	37	1	-	-	-	-	1	-	-	-	1	-
FLORIDA -----	1,208	8	1	1	1	-	2	7	11	33	34	49
WHITE-----MALE----	559	3	-	1	1	-	1	4	1	14	17	26
FEMALE--	512	4	1	-	-	-	-	2	4	10	7	8
ALL OTHER--MALE----	79	1	-	-	-	-	1	1	4	7	7	11
FEMALE--	58	-	-	-	-	-	-	-	2	2	3	4
BLACK---MALE----	79	1	-	-	-	-	1	1	4	7	7	11
FEMALE--	57	-	-	-	-	-	-	-	2	2	3	4
GEORGIA -----	668	6	-	1	-	2	4	2	9	15	31	35
WHITE-----MALE----	228	1	-	-	-	-	-	-	5	6	10	17
FEMALE--	244	2	-	-	-	-	-	1	1	2	6	10
ALL OTHER--MALE----	97	1	-	-	-	1	2	-	2	6	10	7
FEMALE--	99	2	-	1	-	1	2	1	1	1	5	1
BLACK---MALE----	95	1	-	-	-	1	2	-	2	6	10	6
FEMALE--	98	2	-	1	-	1	2	1	1	1	5	1

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 2,216
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 ALL OTHER DISEASES OF DIGESTIVE SYSTEM (530,534,536-537,564-570,572-573,576-579)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
COLORADO -----	24	13	21	20	33	48	48	47	36	11	2	-
WHITE-----MALE----	18	3	13	5	15	25	23	17	4	1	-	-
FEMALE--	6	7	7	14	17	21	25	28	31	8	2	-
ALL OTHER--MALE----	-	2	1	1	1	-	-	2	1	2	-	-
FEMALE--	-	1	-	-	-	2	-	-	-	-	-	-
BLACK---MALE----	-	1	1	1	1	-	-	1	1	1	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
CONNECTICUT -----	14	13	17	29	38	60	58	48	42	17	4	-
WHITE-----MALE----	11	6	8	18	16	26	24	17	11	1	1	-
FEMALE--	1	6	9	6	21	31	33	27	31	16	3	-
ALL OTHER--MALE----	2	1	-	1	1	2	1	-	-	-	-	-
FEMALE--	-	-	-	4	-	1	-	4	-	-	-	-
BLACK---MALE----	2	1	-	1	1	2	1	-	-	-	-	-
FEMALE--	-	-	-	4	-	1	-	4	-	-	-	-
DELAWARE -----	3	3	4	6	8	12	14	11	9	1	-	-
WHITE-----MALE----	-	-	1	5	3	7	5	1	-	-	-	-
FEMALE--	1	2	2	1	2	1	5	9	7	1	-	-
ALL OTHER--MALE----	2	-	-	-	1	1	3	-	-	-	-	-
FEMALE--	-	1	1	-	2	3	1	1	2	-	-	-
BLACK---MALE----	1	-	-	-	1	1	3	-	-	-	-	-
FEMALE--	-	1	1	-	2	3	1	1	2	-	-	-
DISTRICT OF COLUMBIA ----	5	7	8	10	6	12	10	12	4	3	-	-
WHITE-----MALE----	1	1	-	1	-	-	1	3	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	1	1	-	-	-
ALL OTHER--MALE----	3	3	5	2	4	5	4	4	-	1	-	-
FEMALE--	1	3	3	6	2	7	5	4	3	2	-	-
BLACK---MALE----	3	3	5	2	4	5	4	4	-	1	-	-
FEMALE--	1	3	2	6	2	7	5	4	2	2	-	-
FLORIDA -----	32	50	70	112	121	173	185	172	100	41	5	-
WHITE-----MALE----	21	25	41	71	54	72	89	71	36	9	2	-
FEMALE--	8	11	20	32	54	86	84	91	57	30	3	-
ALL OTHER--MALE----	1	10	6	3	6	8	7	4	1	1	-	-
FEMALE--	2	4	3	6	7	7	5	6	6	1	-	-
BLACK---MALE----	1	10	6	3	6	8	7	4	1	1	-	-
FEMALE--	2	4	3	6	7	7	4	6	6	1	-	-
GEORGIA -----	40	53	53	58	63	92	81	68	34	20	1	-
WHITE-----MALE----	10	25	16	25	28	36	27	16	5	1	-	-
FEMALE--	12	13	14	15	16	35	36	39	26	15	1	-
ALL OTHER--MALE----	8	9	13	9	9	10	5	4	1	-	-	-
FEMALE--	10	6	10	9	10	11	13	9	2	4	-	-
BLACK---MALE----	8	9	13	9	8	10	5	4	1	-	-	-
FEMALE--	10	6	9	9	10	11	13	9	2	4	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 2,217
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
0 ALL OTHER DISEASES OF DIGESTIVE SYSTEM (530,534,536-537,564-570,572-573,576-579)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
HAWAII -----	107	2	-	-	-	-	-	-	1	2	2	1
WHITE-----MALE----	21	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	15	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	38	-	-	-	-	-	-	-	1	2	1	-
FEMALE--	33	1	-	-	-	-	-	-	-	-	1	1
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	102	-	-	1	-	-	-	1	-	-	2	3
WHITE-----MALE----	41	-	-	1	-	-	-	-	-	-	-	1
FEMALE--	59	-	-	-	-	-	-	1	-	-	2	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	1,193	8	1	3	1	2	4	7	17	23	38	41
WHITE-----MALE----	451	2	1	1	1	1	2	6	5	11	15	23
FEMALE--	539	2	-	1	-	-	1	-	2	5	9	4
ALL OTHER--MALE----	118	2	-	1	-	1	-	1	7	5	10	10
FEMALE--	85	2	-	-	-	-	1	-	3	2	4	4
BLACK---MALE----	110	1	-	1	-	1	-	1	7	5	9	10
FEMALE--	80	1	-	-	-	-	1	-	3	2	4	4
INDIANA -----	583	5	3	-	-	2	2	8	10	17	17	27
WHITE-----MALE----	251	1	-	-	-	1	-	1	7	5	9	17
FEMALE--	281	3	2	-	-	1	2	1	1	3	6	5
ALL OTHER--MALE----	28	1	-	-	-	-	-	-	-	1	-	4
FEMALE--	23	-	1	-	-	-	-	-	-	1	2	1
BLACK---MALE----	28	1	-	-	-	-	-	-	-	1	-	4
FEMALE--	22	-	1	-	-	-	-	-	-	1	2	1
IOWA -----	260	1	2	-	-	1	-	1	3	1	4	8
WHITE-----MALE----	120	1	-	-	-	-	-	1	3	1	3	3
FEMALE--	137	-	2	-	-	1	-	-	-	-	-	5
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS -----	284	-	-	2	1	-	-	1	1	3	8	9
WHITE-----MALE----	121	-	-	1	1	-	-	1	-	1	6	3
FEMALE--	147	-	-	1	-	-	-	-	1	1	-	4
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	2	1
FEMALE--	11	-	-	-	-	-	-	-	-	1	-	1
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	2	1
FEMALE--	8	-	-	-	-	-	-	-	-	1	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 2,217
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 ALL OTHER DISEASES OF DIGESTIVE SYSTEM (530,534,536-537,564-570,572-573,576-579)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
HAWAII -----	3	6	10	8	8	9	28	12	9	3	3	-
WHITE-----MALE----	2	3	2	-	-	1	7	2	1	2	-	-
FEMALE--	-	2	2	2	1	1	4	2	1	-	-	-
ALL OTHER--MALE----	1	-	3	2	5	5	8	6	3	1	-	-
FEMALE--	-	1	3	4	2	2	9	2	4	-	3	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	5	9	5	6	14	13	17	10	14	2	-	-
WHITE-----MALE----	4	4	3	1	8	6	6	2	5	-	-	-
FEMALE--	1	5	2	5	6	6	11	8	9	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	64	62	78	108	131	133	169	137	110	47	9	-
WHITE-----MALE----	27	34	31	50	57	50	63	38	23	8	2	-
FEMALE--	16	15	23	36	58	67	87	93	78	35	7	-
ALL OTHER--MALE----	17	6	17	11	9	8	7	1	4	1	-	-
FEMALE--	4	7	7	11	7	8	12	5	5	3	-	-
BLACK---MALE----	16	5	15	10	9	7	7	1	4	1	-	-
FEMALE--	4	6	7	9	7	7	12	5	5	3	-	-
INDIANA -----	19	38	34	59	54	73	73	66	59	25	7	-
WHITE-----MALE----	11	25	16	31	24	34	22	25	14	7	1	-
FEMALE--	7	8	13	21	27	34	48	38	41	16	4	-
ALL OTHER--MALE----	1	4	3	4	2	2	3	1	1	1	-	-
FEMALE--	-	1	2	3	1	3	-	2	3	1	2	-
BLACK---MALE----	1	4	3	4	2	2	3	1	1	1	-	-
FEMALE--	-	-	2	3	1	3	-	2	3	1	2	-
IOWA -----	8	4	7	19	23	24	47	41	36	28	2	-
WHITE-----MALE----	7	3	4	9	10	14	23	14	15	9	-	-
FEMALE--	1	1	3	9	12	10	24	27	21	19	2	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS -----	6	10	15	21	24	31	46	43	42	17	4	-
WHITE-----MALE----	3	3	7	11	13	15	21	18	14	3	-	-
FEMALE--	3	4	7	10	11	15	23	23	28	13	3	-
ALL OTHER--MALE----	-	1	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	2	1	-	-	1	1	2	-	1	1	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	1	-	-	1	1	2	-	1	1	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 2,218
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
0 ALL OTHER DISEASES OF DIGESTIVE SYSTEM (530,534,536-537,564-570,572-573,576-579)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
KENTUCKY -----	383	3	-	1	-	-	-	-	5	13	14	19
WHITE-----MALE----	180	1	-	1	-	-	-	-	3	6	10	14
FEMALE--	177	1	-	-	-	-	-	-	1	5	2	4
ALL OTHER--MALE----	17	1	-	-	-	-	-	-	1	2	2	1
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	16	1	-	-	-	-	-	-	1	2	2	1
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	407	5	1	-	1	1	3	4	4	12	21	33
WHITE-----MALE----	124	1	-	-	1	-	1	2	1	2	6	12
FEMALE--	150	-	1	-	-	1	-	2	1	3	1	7
ALL OTHER--MALE----	67	2	-	-	-	-	1	-	1	5	10	12
FEMALE--	66	2	-	-	-	-	1	-	1	2	4	2
BLACK---MALE----	67	2	-	-	-	-	1	-	1	5	10	12
FEMALE--	66	2	-	-	-	-	1	-	1	2	4	2
MAINE -----	146	-	-	1	-	-	-	-	1	1	3	1
WHITE-----MALE----	60	-	-	-	-	-	-	-	1	-	2	1
FEMALE--	85	-	-	1	-	-	-	-	-	1	1	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	470	5	-	1	1	-	-	4	8	20	17	24
WHITE-----MALE----	155	3	-	1	-	-	-	3	2	6	7	4
FEMALE--	187	2	-	-	-	-	-	1	1	3	1	5
ALL OTHER--MALE----	74	-	-	-	-	-	-	-	2	6	6	9
FEMALE--	54	-	-	-	1	-	-	-	3	5	3	6
BLACK---MALE----	72	-	-	-	-	-	-	-	2	6	5	9
FEMALE--	52	-	-	-	1	-	-	-	3	5	3	6
MASSACHUSETTS -----	715	-	3	2	-	1	1	4	4	8	24	29
WHITE-----MALE----	328	-	-	-	-	1	-	3	2	4	18	22
FEMALE--	346	-	-	2	-	-	-	1	-	3	2	5
ALL OTHER--MALE----	17	-	1	-	-	-	-	-	-	-	4	1
FEMALE--	24	-	2	-	-	-	1	-	2	1	-	1
BLACK---MALE----	16	-	1	-	-	-	-	-	-	-	4	1
FEMALE--	20	-	2	-	-	-	1	-	2	1	-	1
MICHIGAN -----	905	3	4	1	1	2	3	5	6	13	32	36
WHITE-----MALE----	356	1	2	1	-	2	-	2	5	5	12	12
FEMALE--	395	1	2	-	1	-	1	2	-	4	5	10
ALL OTHER--MALE----	81	-	-	-	-	-	1	1	1	2	7	11
FEMALE--	73	1	-	-	-	-	1	-	-	2	8	3
BLACK---MALE----	80	-	-	-	-	-	1	1	1	2	7	11
FEMALE--	69	1	-	-	-	-	1	-	-	2	8	2

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 2,218
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 ALL OTHER DISEASES OF DIGESTIVE SYSTEM (530,534,536-537,564-570,572-573,576-579)

KENTUCKY -----	23	20	20	37	34	46	45	56	30	15	2	-
WHITE-----MALE----	15	10	13	24	17	20	15	18	12	1	-	-
FEMALE--	7	9	7	9	15	23	29	34	16	13	2	-
ALL OTHER--MALE----	1	1	-	3	2	1	1	1	-	-	-	-
FEMALE--	-	-	-	1	-	2	-	3	2	1	-	-
BLACK---MALE----	1	-	-	3	2	1	1	1	-	-	-	-
FEMALE--	-	-	-	1	-	2	-	3	2	1	-	-
LOUISIANA -----	10	35	26	31	50	41	54	42	27	3	3	-
WHITE-----MALE----	4	13	10	17	13	12	14	10	5	-	-	-
FEMALE--	1	10	8	6	16	18	30	23	18	2	2	-
ALL OTHER--MALE----	1	6	4	2	8	5	5	4	-	1	-	-
FEMALE--	4	6	4	6	13	6	5	5	4	-	1	-
BLACK---MALE----	1	6	4	2	8	5	5	4	-	1	-	-
FEMALE--	4	6	4	6	13	6	5	5	4	-	1	-
MAINE -----	5	5	8	11	14	22	30	21	15	7	1	-
WHITE-----MALE----	4	2	4	4	7	14	11	7	2	1	-	-
FEMALE--	1	3	3	7	7	8	19	14	13	6	1	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	21	23	36	33	47	49	56	64	43	16	2	-
WHITE-----MALE----	7	9	13	15	16	15	22	18	11	2	1	-
FEMALE--	3	7	9	7	17	24	27	37	29	13	1	-
ALL OTHER--MALE----	8	4	11	6	9	7	2	3	1	-	-	-
FEMALE--	3	3	3	5	5	3	5	6	2	1	-	-
BLACK---MALE----	8	4	11	6	9	6	2	3	1	-	-	-
FEMALE--	3	3	2	5	5	3	4	6	2	1	-	-
MASSACHUSETTS -----	25	27	39	60	87	99	94	101	64	37	6	-
WHITE-----MALE----	14	14	24	35	45	53	40	34	17	2	-	-
FEMALE--	6	9	11	22	37	44	51	67	46	35	5	-
ALL OTHER--MALE----	-	3	3	-	3	-	2	-	-	-	-	-
FEMALE--	5	1	1	3	2	2	1	-	1	-	1	-
BLACK---MALE----	-	2	3	-	3	-	2	-	-	-	-	-
FEMALE--	3	1	-	3	2	2	1	-	1	-	-	-
MICHIGAN -----	33	37	48	76	107	115	158	126	73	23	3	-
WHITE-----MALE----	17	15	21	31	57	49	65	40	14	4	1	-
FEMALE--	8	12	16	33	33	53	73	68	55	16	2	-
ALL OTHER--MALE----	5	2	8	8	8	7	10	8	2	-	-	-
FEMALE--	3	8	3	4	9	6	10	10	2	3	-	-
BLACK---MALE----	5	2	8	8	8	6	10	8	2	-	-	-
FEMALE--	3	6	3	4	9	6	9	10	2	3	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 2,219
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
0 ALL OTHER DISEASES OF DIGESTIVE SYSTEM (530,534,536-537,564-570,572-573,576-579)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
MINNESOTA -----	392	3	2	1	-	-	1	2	2	5	11	11
WHITE-----MALE----	161	-	1	-	-	-	1	1	1	-	7	8
FEMALE--	209	1	1	1	-	-	-	1	1	4	2	3
ALL OTHER--MALE----	11	2	-	-	-	-	-	-	-	1	1	-
FEMALE--	11	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	5	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI -----	278	3	-	1	-	1	-	5	2	10	16	15
WHITE-----MALE----	89	1	-	-	-	-	-	1	1	1	6	5
FEMALE--	89	-	-	-	-	-	-	-	-	2	-	4
ALL OTHER--MALE----	41	-	-	1	-	-	-	1	1	5	4	3
FEMALE--	59	2	-	-	-	1	-	3	-	2	6	3
BLACK---MALE----	40	-	-	1	-	-	-	1	1	5	4	3
FEMALE--	57	2	-	-	-	1	-	3	-	1	5	3
MISSOURI -----	514	3	2	1	-	-	-	7	5	8	18	19
WHITE-----MALE----	195	1	-	-	-	-	-	2	2	3	9	10
FEMALE--	246	2	2	-	-	-	-	3	1	3	5	3
ALL OTHER--MALE----	34	-	-	-	-	-	-	1	-	1	2	4
FEMALE--	39	-	-	1	-	-	-	1	2	1	2	2
BLACK---MALE----	33	-	-	-	-	-	-	1	-	1	2	4
FEMALE--	39	-	-	1	-	-	-	1	2	1	2	2
MONTANA -----	81	-	-	-	-	1	-	1	1	1	1	6
WHITE-----MALE----	32	-	-	-	-	1	-	-	1	1	-	4
FEMALE--	44	-	-	-	-	-	-	1	-	-	1	1
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	193	1	-	-	-	1	1	1	1	2	6	5
WHITE-----MALE----	87	-	-	-	-	1	1	-	-	2	3	4
FEMALE--	96	-	-	-	-	-	-	-	-	-	2	1
ALL OTHER--MALE----	6	1	-	-	-	-	-	1	1	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	6	1	-	-	-	-	-	1	1	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	1	-
NEVADA -----	139	1	-	-	-	1	-	1	2	3	5	4
WHITE-----MALE----	71	1	-	-	-	-	-	-	1	-	4	2
FEMALE--	57	-	-	-	-	-	-	-	1	3	1	2
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	1	-	1	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	1	-	1	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 2,219
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 ALL OTHER DISEASES OF DIGESTIVE SYSTEM (530,534,536-537,564-570,572-573,576-579)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
MINNESOTA -----	15	14	20	17	37	41	59	70	55	22	4	-
WHITE-----MALE----	9	9	9	9	15	20	25	22	16	7	1	-
FEMALE--	2	4	10	5	21	19	30	47	39	15	3	-
ALL OTHER--MALE----	1	-	-	2	1	1	2	-	-	-	-	-
FEMALE--	3	1	1	1	-	1	2	1	-	-	-	-
BLACK---MALE----	1	-	-	1	1	-	1	-	-	-	-	-
FEMALE--	-	-	1	1	-	-	-	1	-	-	-	-
MISSISSIPPI -----	12	11	19	19	36	34	36	39	15	4	-	-
WHITE-----MALE----	3	2	10	7	15	17	8	11	1	-	-	-
FEMALE--	3	2	4	9	14	9	13	16	9	4	-	-
ALL OTHER--MALE----	3	5	2	-	2	3	4	6	1	-	-	-
FEMALE--	3	2	3	3	5	5	11	6	4	-	-	-
BLACK---MALE----	3	4	2	-	2	3	4	6	1	-	-	-
FEMALE--	3	2	3	3	5	5	11	6	4	-	-	-
MISSOURI -----	19	17	27	49	58	63	60	85	50	20	3	-
WHITE-----MALE----	14	8	16	25	23	21	22	25	11	3	-	-
FEMALE--	1	5	7	14	26	32	32	54	37	16	3	-
ALL OTHER--MALE----	3	2	2	4	5	5	2	2	1	-	-	-
FEMALE--	1	2	2	6	4	5	4	4	1	1	-	-
BLACK---MALE----	3	2	2	4	4	5	2	2	1	-	-	-
FEMALE--	1	2	2	6	4	5	4	4	1	1	-	-
MONTANA -----	6	5	3	3	8	14	8	12	7	3	1	-
WHITE-----MALE----	3	3	-	2	5	7	2	1	2	-	-	-
FEMALE--	2	1	3	1	2	6	6	11	5	3	1	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	3	7	8	19	16	20	33	30	25	13	1	-
WHITE-----MALE----	1	5	4	9	9	9	18	14	5	2	-	-
FEMALE--	1	2	3	9	6	10	14	16	20	11	1	-
ALL OTHER--MALE----	-	-	1	-	1	1	-	-	-	-	-	-
FEMALE--	1	-	-	1	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	1	-	1	1	-	-	-	-	-	-
FEMALE--	1	-	-	1	-	-	-	-	-	-	-	-
NEVADA -----	8	8	18	11	21	19	20	10	5	-	1	1
WHITE-----MALE----	4	7	10	7	12	9	10	2	1	-	-	1
FEMALE--	4	1	6	4	9	7	9	5	4	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	2	-	2	-	-	-	-
FEMALE--	-	-	2	-	-	1	1	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	2	-	1	-	-	-	-
FEMALE--	-	-	1	-	-	1	1	1	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 2,221
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
0 ALL OTHER DISEASES OF DIGESTIVE SYSTEM (530,534,536-537,564-570,572-573,576-579)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
OHIO -----	1,066	7	4	-	-	-	1	6	13	17	32	31
WHITE-----MALE----	427	5	2	-	-	-	1	2	7	12	14	16
FEMALE--	491	1	-	-	-	-	-	-	2	2	6	5
ALL OTHER--MALE----	67	1	1	-	-	-	-	2	3	2	7	6
FEMALE--	81	-	1	-	-	-	-	2	1	1	5	4
BLACK---MALE----	67	1	1	-	-	-	-	2	3	2	7	6
FEMALE--	80	-	1	-	-	-	-	2	1	1	5	4
OKLAHOMA -----	390	2	1	-	2	-	1	2	5	4	11	14
WHITE-----MALE----	167	2	1	-	-	-	-	1	2	2	6	5
FEMALE--	179	-	-	-	-	-	1	1	1	1	3	3
ALL OTHER--MALE----	26	-	-	-	2	-	-	-	1	1	1	3
FEMALE--	18	-	-	-	-	-	-	-	1	-	1	3
BLACK---MALE----	10	-	-	-	1	-	-	-	-	1	1	3
FEMALE--	10	-	-	-	-	-	-	-	1	-	1	2
OREGON -----	300	1	2	-	1	-	3	-	-	7	5	11
WHITE-----MALE----	141	1	2	-	-	-	2	-	-	5	3	6
FEMALE--	149	-	-	-	1	-	1	-	-	1	2	5
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
PENNSYLVANIA -----	1,523	5	6	2	-	-	3	4	17	20	45	42
WHITE-----MALE----	617	2	2	1	-	-	-	3	7	12	27	25
FEMALE--	745	2	1	1	-	-	1	1	5	6	8	10
ALL OTHER--MALE----	83	1	1	-	-	-	1	-	3	2	6	4
FEMALE--	78	-	2	-	-	-	1	-	2	-	4	3
BLACK---MALE----	80	1	1	-	-	-	1	-	3	2	6	4
FEMALE--	72	-	1	-	-	-	1	-	2	-	4	3
RHODE ISLAND -----	102	-	1	-	-	-	-	-	1	-	4	2
WHITE-----MALE----	44	-	-	-	-	-	-	-	-	-	4	1
FEMALE--	56	-	1	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	393	2	3	2	-	1	5	6	7	4	11	22
WHITE-----MALE----	127	1	1	1	-	-	1	3	5	2	4	7
FEMALE--	131	-	2	-	-	-	2	2	-	-	1	3
ALL OTHER--MALE----	67	1	-	1	-	1	1	1	-	1	3	6
FEMALE--	68	-	-	-	-	-	1	-	2	1	3	6
BLACK---MALE----	67	1	-	1	-	1	1	1	-	1	3	6
FEMALE--	67	-	-	-	-	-	1	-	2	1	3	6

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 2,221
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 ALL OTHER DISEASES OF DIGESTIVE SYSTEM (530,534,536-537,564-570,572-573,576-579)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
OHIO -----	38	47	61	83	135	161	138	146	99	41	6	-
WHITE-----MALE----	18	24	38	36	61	65	53	42	25	6	-	-
FEMALE--	14	15	14	36	54	81	67	89	70	31	4	-
ALL OTHER--MALE----	4	5	4	5	5	8	8	2	1	1	2	-
FEMALE--	2	3	5	6	15	7	10	13	3	3	-	-
BLACK---MALE----	4	5	4	5	5	8	8	2	1	1	2	-
FEMALE--	2	3	5	5	15	7	10	13	3	3	-	-
OKLAHOMA -----	22	14	32	37	50	37	49	53	31	20	3	-
WHITE-----MALE----	9	5	16	22	25	19	18	20	10	4	-	-
FEMALE--	10	4	16	12	16	13	31	32	16	16	3	-
ALL OTHER--MALE----	3	4	-	1	7	1	-	-	2	-	-	-
FEMALE--	-	1	-	2	2	4	-	1	3	-	-	-
BLACK---MALE----	-	-	-	-	3	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	1	2	-	-	3	-	-	-
OREGON -----	8	13	13	25	35	36	40	47	37	12	4	-
WHITE-----MALE----	5	8	8	13	20	16	18	19	11	3	1	-
FEMALE--	1	4	4	10	14	19	22	28	25	9	3	-
ALL OTHER--MALE----	1	1	-	2	1	1	-	-	-	-	-	-
FEMALE--	1	-	1	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	2	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	71	64	76	123	184	205	230	208	141	62	15	-
WHITE-----MALE----	40	32	41	64	91	87	82	64	28	8	1	-
FEMALE--	18	17	27	44	75	100	130	131	105	50	13	-
ALL OTHER--MALE----	9	9	5	9	7	9	8	4	4	1	-	-
FEMALE--	4	6	3	6	11	9	10	9	4	3	1	-
BLACK---MALE----	9	8	5	9	6	9	7	4	4	1	-	-
FEMALE--	4	6	2	5	9	9	10	9	4	3	-	-
RHODE ISLAND -----	4	2	8	5	11	10	19	17	11	5	2	-
WHITE-----MALE----	1	1	3	3	7	7	9	5	3	-	-	-
FEMALE--	3	1	4	2	4	3	10	12	8	5	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	25	21	26	38	41	65	48	33	26	6	1	-
WHITE-----MALE----	8	8	9	12	14	24	13	8	6	-	-	-
FEMALE--	5	7	7	12	18	17	21	20	12	2	-	-
ALL OTHER--MALE----	11	5	7	3	6	9	6	2	2	1	-	-
FEMALE--	1	1	3	11	3	15	8	3	6	3	1	-
BLACK---MALE----	11	5	7	3	6	9	6	2	2	1	-	-
FEMALE--	1	1	3	11	3	14	8	3	6	3	1	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 2,222
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
0 ALL OTHER DISEASES OF DIGESTIVE SYSTEM (530,534,536-537,564-570,572-573,576-579)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
SOUTH DAKOTA -----	73	-	-	-	-	-	1	-	-	1	2	2
WHITE-----MALE----	38	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	27	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	-	2	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	448	8	1	1	-	-	1	1	5	8	11	20
WHITE-----MALE----	166	2	-	-	-	-	1	-	1	3	8	5
FEMALE--	191	3	-	-	-	-	-	1	-	3	-	6
ALL OTHER--MALE----	53	3	1	1	-	-	-	-	2	-	2	5
FEMALE--	38	-	-	-	-	-	-	-	2	2	1	4
BLACK---MALE----	53	3	1	1	-	-	-	-	2	-	2	5
FEMALE--	38	-	-	-	-	-	-	-	2	2	1	4
TEXAS -----	1,337	19	10	2	3	7	9	10	23	38	34	49
WHITE-----MALE----	552	7	6	1	2	4	3	4	11	17	19	25
FEMALE--	607	7	4	1	1	1	4	2	10	11	4	15
ALL OTHER--MALE----	100	2	-	-	-	1	2	3	1	5	7	4
FEMALE--	78	3	-	-	-	1	-	1	1	5	4	5
BLACK---MALE----	94	2	-	-	-	1	2	2	1	5	6	4
FEMALE--	74	3	-	-	-	1	-	1	1	5	4	5
UTAH -----	181	1	1	-	-	-	-	1	-	5	5	2
WHITE-----MALE----	82	1	1	-	-	-	-	-	-	3	2	1
FEMALE--	97	-	-	-	-	-	-	1	-	1	3	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	60	-	-	-	-	-	1	-	1	2	1	2
WHITE-----MALE----	31	-	-	-	-	-	1	-	-	-	1	2
FEMALE--	29	-	-	-	-	-	-	-	1	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	639	3	-	1	2	6	1	5	5	12	26	37
WHITE-----MALE----	248	1	-	1	1	1	1	2	3	4	13	20
FEMALE--	238	1	-	-	-	2	-	3	2	2	6	4
ALL OTHER--MALE----	82	1	-	-	-	2	-	-	-	5	1	10
FEMALE--	71	-	-	-	1	1	-	-	-	1	6	3
BLACK---MALE----	80	-	-	-	-	2	-	-	-	4	1	10
FEMALE--	69	-	-	-	1	1	-	-	-	1	6	3

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 2,222
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 ALL OTHER DISEASES OF DIGESTIVE SYSTEM (530,534,536-537,564-570,572-573,576-579)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
SOUTH DAKOTA -----	3	1	1	6	7	5	14	16	12	2	-	-
WHITE-----MALE----	2	1	1	5	5	2	9	5	4	2	-	-
FEMALE--	-	-	-	-	2	2	5	10	7	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	1	1	-	-	-
FEMALE--	-	-	-	1	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	19	16	35	43	54	45	51	69	44	13	3	-
WHITE-----MALE----	10	8	14	18	20	22	19	22	9	4	-	-
FEMALE--	4	5	14	14	22	14	26	39	31	8	1	-
ALL OTHER--MALE----	2	-	7	10	7	4	4	4	1	-	-	-
FEMALE--	3	3	-	1	5	5	2	4	3	1	2	-
BLACK---MALE----	2	-	7	10	7	4	4	4	1	-	-	-
FEMALE--	3	3	-	1	5	5	2	4	3	1	2	-
TEXAS -----	53	67	95	114	152	147	161	179	116	38	11	-
WHITE-----MALE----	30	32	49	49	72	64	67	50	31	6	3	-
FEMALE--	17	21	32	47	61	70	81	109	75	28	6	-
ALL OTHER--MALE----	3	10	6	13	12	7	8	10	2	3	1	-
FEMALE--	3	4	8	5	7	6	5	10	8	1	1	-
BLACK---MALE----	3	10	6	13	11	6	6	10	2	3	1	-
FEMALE--	2	4	7	5	7	6	4	10	7	1	1	-
UTAH -----	6	6	14	11	25	24	28	24	25	2	1	-
WHITE-----MALE----	4	5	8	11	8	13	10	7	7	1	-	-
FEMALE--	2	1	6	-	16	11	18	17	18	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	2	3	1	4	5	3	11	13	9	1	1	-
WHITE-----MALE----	1	2	-	4	2	1	8	4	5	-	-	-
FEMALE--	1	1	1	-	3	2	3	9	4	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	36	34	39	47	83	88	77	67	51	10	8	1
WHITE-----MALE----	19	17	19	22	27	37	29	17	12	-	1	1
FEMALE--	6	7	8	11	33	33	35	44	29	8	4	-
ALL OTHER--MALE----	7	5	9	7	10	9	6	3	5	1	1	-
FEMALE--	4	5	3	7	13	9	7	3	5	1	2	-
BLACK---MALE----	7	5	9	7	10	9	6	3	5	1	1	-
FEMALE--	4	4	3	6	13	9	7	3	5	1	2	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 2,224
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 X. DISEASES OF THE GENITOURINARY SYSTEM (580-629)												
0 UNITED STATES --	44,538	171	26	21	16	32	73	114	171	316	489	664
WHITE-----MALE----	15,796	66	10	11	3	10	21	34	50	91	159	210
FEMALE--	20,404	40	12	5	7	11	21	33	46	79	127	182
ALL OTHER--MALE----	3,671	41	3	1	4	4	15	29	37	87	130	150
FEMALE--	4,667	24	1	4	2	7	16	18	38	59	73	122
BLACK---MALE----	3,308	40	3	1	4	3	12	27	34	82	124	145
FEMALE--	4,251	22	1	4	2	6	14	15	34	55	69	110
ALABAMA -----	1,054	7	2	-	-	1	2	3	-	2	9	12
WHITE-----MALE----	271	2	1	-	-	-	-	2	-	1	2	3
FEMALE--	410	-	1	-	-	-	1	-	-	1	3	2
ALL OTHER--MALE----	153	3	-	-	-	1	1	-	-	-	1	3
FEMALE--	220	2	-	-	-	-	-	1	-	-	3	4
BLACK---MALE----	153	3	-	-	-	1	1	-	-	-	1	3
FEMALE--	219	2	-	-	-	-	-	1	-	-	3	4
ALASKA -----	25	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	9	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	621	5	2	-	-	1	-	4	2	7	4	7
WHITE-----MALE----	250	2	1	-	-	1	-	3	1	3	1	4
FEMALE--	302	3	1	-	-	-	-	1	-	1	2	1
ALL OTHER--MALE----	34	-	-	-	-	-	-	-	1	1	-	1
FEMALE--	35	-	-	-	-	-	-	-	-	2	1	1
BLACK---MALE----	12	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	1	-	-
ARKANSAS -----	673	4	-	-	-	-	2	-	1	1	3	8
WHITE-----MALE----	229	2	-	-	-	-	1	-	1	-	1	2
FEMALE--	294	1	-	-	-	-	1	-	-	1	1	2
ALL OTHER--MALE----	67	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	83	1	-	-	-	-	-	-	-	-	-	2
BLACK---MALE----	66	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	83	1	-	-	-	-	-	-	-	-	-	2
CALIFORNIA -----	3,427	17	4	1	2	4	5	13	21	24	34	52
WHITE-----MALE----	1,168	7	1	-	-	-	1	3	7	7	11	18
FEMALE--	1,698	7	2	1	2	1	2	4	8	7	18	14
ALL OTHER--MALE----	246	1	1	-	-	2	1	4	-	4	4	15
FEMALE--	315	2	-	-	-	1	1	2	6	6	1	5
BLACK---MALE----	139	1	1	-	-	1	-	4	-	3	3	13
FEMALE--	191	1	-	-	-	1	-	2	4	5	-	4

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 2,224
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 X. DISEASES OF THE GENITOURINARY SYSTEM (580-629)												
0 UNITED STATES --	829	1,054	1,746	2,860	4,801	6,661	8,366	8,036	5,527	2,096	465	4
WHITE-----MALE----	281	365	664	1,065	1,973	2,699	3,252	2,712	1,554	477	89	-
FEMALE--	227	324	516	1,015	1,783	2,798	3,894	4,344	3,296	1,349	295	-
ALL OTHER--MALE----	163	214	288	365	479	532	441	365	220	82	18	3
FEMALE--	158	151	278	415	566	632	779	615	457	188	63	1
BLACK---MALE----	152	185	270	333	426	472	392	322	190	72	16	3
FEMALE--	145	139	256	368	523	575	699	565	417	174	57	1
ALABAMA -----	26	30	40	85	118	157	188	179	125	55	13	-
WHITE-----MALE----	7	9	16	22	37	49	53	35	23	8	1	-
FEMALE--	5	7	7	22	37	61	72	96	56	34	5	-
ALL OTHER--MALE----	9	7	8	20	15	21	21	19	16	5	3	-
FEMALE--	5	7	9	21	29	26	42	29	30	8	4	-
BLACK---MALE----	9	7	8	20	15	21	21	19	16	5	3	-
FEMALE--	5	7	9	21	29	26	41	29	30	8	4	-
ALASKA -----	1	2	1	4	1	4	8	1	1	2	-	-
WHITE-----MALE----	-	1	-	3	-	2	1	-	-	2	-	-
FEMALE--	-	-	-	-	-	2	4	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	1	1	-	-	-	-
FEMALE--	1	1	1	1	-	-	2	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	13	13	39	46	74	94	126	93	63	24	3	1
WHITE-----MALE----	2	4	16	14	35	38	60	40	19	5	1	-
FEMALE--	6	4	17	22	31	48	62	47	38	17	1	-
ALL OTHER--MALE----	2	3	2	5	4	5	3	2	3	2	-	-
FEMALE--	3	2	4	5	4	3	1	4	3	-	1	1
BLACK---MALE----	-	-	-	1	4	1	2	1	1	2	-	-
FEMALE--	-	-	1	1	-	1	-	2	-	-	-	1
ARKANSAS -----	18	14	28	39	55	119	141	128	82	24	6	-
WHITE-----MALE----	8	3	8	17	21	49	48	44	19	2	3	-
FEMALE--	5	5	8	12	17	45	66	65	48	15	2	-
ALL OTHER--MALE----	2	3	8	4	5	14	11	10	3	4	-	-
FEMALE--	3	3	4	6	12	11	16	9	12	3	1	-
BLACK---MALE----	2	3	8	3	5	14	11	10	3	4	-	-
FEMALE--	3	3	4	6	12	11	16	9	12	3	1	-
CALIFORNIA -----	52	80	112	230	368	478	657	640	430	163	39	1
WHITE-----MALE----	20	27	42	82	142	195	251	200	110	38	6	-
FEMALE--	17	28	37	99	159	208	314	361	276	104	29	-
ALL OTHER--MALE----	5	17	13	24	29	36	34	31	18	5	1	1
FEMALE--	10	8	20	25	38	39	58	48	26	16	3	-
BLACK---MALE----	4	10	10	13	17	15	14	15	11	3	-	1
FEMALE--	7	7	16	15	25	20	35	25	16	7	1	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 2,225
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
0 X. DISEASES OF THE GENITOURINARY SYSTEM (580-629)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
COLORADO -----	466	-	-	1	-	1	-	-	4	4	6	8
WHITE-----MALE----	190	-	-	1	-	-	-	-	3	2	4	3
FEMALE--	228	-	-	-	-	1	-	-	1	1	1	2
ALL OTHER--MALE----	18	-	-	-	-	-	-	-	-	-	1	3
FEMALE--	30	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	16	-	-	-	-	-	-	-	-	-	-	3
FEMALE--	25	-	-	-	-	-	-	-	-	1	-	-
CONNECTICUT -----	592	1	-	1	-	1	2	3	2	7	3	10
WHITE-----MALE----	233	1	-	-	-	1	-	2	1	1	2	6
FEMALE--	302	-	-	-	-	-	-	-	-	4	-	1
ALL OTHER--MALE----	21	-	-	-	-	-	-	-	1	1	-	-
FEMALE--	36	-	-	1	-	-	2	1	-	1	1	3
BLACK---MALE----	18	-	-	-	-	-	-	-	1	1	-	-
FEMALE--	31	-	-	1	-	-	1	1	-	1	1	2
DELAWARE -----	142	-	-	-	-	-	-	1	-	1	1	2
WHITE-----MALE----	53	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	63	-	-	-	-	-	-	1	-	1	-	2
ALL OTHER--MALE----	13	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	13	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	13	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	13	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	166	-	-	-	-	-	-	1	1	4	3	6
WHITE-----MALE----	9	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	61	-	-	-	-	-	-	1	-	2	1	4
FEMALE--	93	-	-	-	-	-	-	-	1	2	2	2
BLACK---MALE----	61	-	-	-	-	-	-	1	-	2	1	4
FEMALE--	92	-	-	-	-	-	-	-	1	2	2	2
FLORIDA -----	2,246	7	1	2	1	-	4	2	3	14	26	29
WHITE-----MALE----	955	1	-	1	-	-	1	1	1	6	10	13
FEMALE--	956	3	-	-	1	-	1	-	1	3	3	3
ALL OTHER--MALE----	143	2	1	-	-	-	1	1	-	2	7	3
FEMALE--	192	1	-	1	-	-	1	-	1	3	6	10
BLACK---MALE----	140	2	1	-	-	-	1	1	-	2	7	3
FEMALE--	185	1	-	1	-	-	1	-	1	3	6	9
GEORGIA -----	1,371	5	1	-	-	1	4	5	4	12	23	24
WHITE-----MALE----	345	1	1	-	-	-	1	-	1	1	3	5
FEMALE--	488	-	-	-	-	-	2	2	1	2	5	5
ALL OTHER--MALE----	204	2	-	-	-	-	1	2	1	6	10	5
FEMALE--	334	2	-	-	-	1	-	1	1	3	5	9
BLACK---MALE----	200	2	-	-	-	-	1	2	1	6	10	5
FEMALE--	333	2	-	-	-	1	-	1	1	3	5	9

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 2,225
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 X. DISEASES OF THE GENITOURINARY SYSTEM (580-629)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
COLORADO -----	6	12	17	29	56	62	82	87	57	29	5	-
WHITE-----MALE----	2	4	9	12	32	19	37	34	22	6	-	-
FEMALE--	4	4	5	14	20	37	41	47	28	19	3	-
ALL OTHER--MALE----	-	3	1	-	2	2	-	3	2	-	1	-
FEMALE--	-	1	2	3	2	4	4	3	5	4	1	-
BLACK---MALE----	-	3	1	-	2	2	-	2	2	-	1	-
FEMALE--	-	1	2	2	2	3	1	3	5	4	1	-
CONNECTICUT -----	7	14	25	47	61	83	110	105	76	23	11	-
WHITE-----MALE----	4	2	13	14	23	36	52	39	25	9	2	-
FEMALE--	1	11	5	23	29	39	54	63	49	14	9	-
ALL OTHER--MALE----	1	1	3	4	6	3	-	-	1	-	-	-
FEMALE--	1	-	4	6	3	5	4	3	1	-	-	-
BLACK---MALE----	1	1	3	3	6	2	-	-	-	-	-	-
FEMALE--	1	-	4	4	3	4	4	3	1	-	-	-
DELAWARE -----	6	4	4	12	16	24	27	24	15	5	-	-
WHITE-----MALE----	2	2	2	3	4	10	14	11	5	-	-	-
FEMALE--	2	2	2	4	10	8	9	11	8	3	-	-
ALL OTHER--MALE----	2	-	-	4	-	3	1	1	1	-	-	-
FEMALE--	-	-	-	1	2	3	3	1	1	2	-	-
BLACK---MALE----	2	-	-	4	-	3	1	1	1	-	-	-
FEMALE--	-	-	-	1	2	3	3	1	1	2	-	-
DISTRICT OF COLUMBIA ----	7	8	8	21	22	20	23	20	15	5	2	-
WHITE-----MALE----	-	-	-	2	-	1	2	1	2	1	-	-
FEMALE--	-	-	-	1	-	-	-	1	-	1	-	-
ALL OTHER--MALE----	3	3	5	6	10	4	12	5	3	2	-	-
FEMALE--	4	5	3	12	12	15	9	13	10	1	2	-
BLACK---MALE----	3	3	5	6	10	4	12	5	3	2	-	-
FEMALE--	4	5	3	12	12	15	8	13	10	1	2	-
FLORIDA -----	40	44	70	139	249	341	417	402	323	111	21	-
WHITE-----MALE----	16	19	32	63	124	162	192	163	111	34	5	-
FEMALE--	10	14	16	38	89	137	185	195	177	67	13	-
ALL OTHER--MALE----	7	6	12	17	17	21	9	17	18	2	-	-
FEMALE--	7	5	10	21	19	21	31	27	17	8	3	-
BLACK---MALE----	6	5	12	17	17	21	9	17	17	2	-	-
FEMALE--	7	5	10	20	19	19	30	27	16	7	3	-
GEORGIA -----	34	55	79	98	157	192	269	218	131	42	17	-
WHITE-----MALE----	11	18	23	23	47	69	71	45	18	7	-	-
FEMALE--	5	11	18	23	43	54	110	107	67	23	10	-
ALL OTHER--MALE----	6	13	18	18	29	29	29	20	10	4	1	-
FEMALE--	12	13	20	34	38	40	59	46	36	8	6	-
BLACK---MALE----	6	13	17	18	27	29	29	20	10	3	1	-
FEMALE--	12	13	20	34	38	40	59	46	35	8	6	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 2,226
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 X. DISEASES OF THE GENITOURINARY SYSTEM (580-629)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
HAWAII -----	4	2	13	10	12	24	30	29	18	4	2	-
WHITE-----MALE----	-	-	4	-	1	3	7	4	2	-	-	-
FEMALE--	-	-	-	2	-	6	5	2	2	-	-	-
ALL OTHER--MALE----	1	-	3	2	6	8	2	13	5	2	-	-
FEMALE--	3	2	6	6	5	7	16	10	9	2	2	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	2	1	6	8	13	21	32	34	23	12	-	-
WHITE-----MALE----	1	1	1	3	7	12	19	19	13	5	-	-
FEMALE--	1	-	5	4	6	9	12	15	9	7	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	1	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	48	49	91	165	297	339	411	425	281	117	21	-
WHITE-----MALE----	14	18	34	66	119	130	158	142	87	22	3	-
FEMALE--	12	13	18	43	104	123	184	227	155	75	14	-
ALL OTHER--MALE----	14	10	22	26	38	40	25	15	15	6	1	-
FEMALE--	8	8	17	30	36	46	44	41	24	14	3	-
BLACK---MALE----	14	10	22	26	35	37	23	15	13	6	1	-
FEMALE--	8	7	17	29	36	45	41	40	24	14	3	-
INDIANA -----	13	26	54	83	128	185	219	218	143	83	6	-
WHITE-----MALE----	4	11	24	28	58	74	81	86	40	23	-	-
FEMALE--	4	9	23	44	54	86	115	111	95	49	5	-
ALL OTHER--MALE----	2	3	3	3	9	8	9	6	1	3	-	-
FEMALE--	3	3	4	8	7	17	14	15	7	8	1	-
BLACK---MALE----	2	3	3	3	9	8	9	6	1	3	-	-
FEMALE--	3	3	3	8	7	17	14	14	7	8	1	-
IOWA -----	7	6	11	17	23	41	69	84	54	20	5	-
WHITE-----MALE----	5	2	4	9	14	24	36	25	12	6	1	-
FEMALE--	2	4	5	8	8	16	33	58	41	14	4	-
ALL OTHER--MALE----	-	-	1	-	-	1	-	-	1	-	-	-
FEMALE--	-	-	1	-	1	-	-	1	-	-	-	-
BLACK---MALE----	-	-	1	-	-	1	-	-	1	-	-	-
FEMALE--	-	-	1	-	1	-	-	-	-	-	-	-
KANSAS -----	5	12	17	30	47	61	78	99	74	27	9	-
WHITE-----MALE----	3	4	7	10	18	29	31	32	23	7	4	-
FEMALE--	1	5	7	15	22	28	41	62	48	18	5	-
ALL OTHER--MALE----	-	2	1	2	2	1	2	-	2	-	-	-
FEMALE--	1	1	2	3	5	3	4	5	1	2	-	-
BLACK---MALE----	-	1	1	2	2	1	2	-	2	-	-	-
FEMALE--	1	1	2	3	5	2	3	5	1	2	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 2,227
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 X. DISEASES OF THE GENITOURINARY SYSTEM (580-629)												
KENTUCKY -----	848	2	-	1	-	-	2	2	4	7	6	10
WHITE-----MALE----	338	1	-	-	-	-	-	1	2	2	5	2
FEMALE--	423	1	-	1	-	-	-	-	1	4	1	4
ALL OTHER--MALE----	40	-	-	-	-	-	1	-	1	1	-	4
FEMALE--	47	-	-	-	-	-	1	1	-	-	-	-
BLACK---MALE----	39	-	-	-	-	-	1	-	1	1	-	4
FEMALE--	45	-	-	-	-	-	1	1	-	-	-	-
LOUISIANA -----	1,014	2	-	-	1	-	4	3	6	10	13	19
WHITE-----MALE----	279	2	-	-	-	-	1	1	1	4	1	5
FEMALE--	351	-	-	-	1	-	-	-	1	-	1	4
ALL OTHER--MALE----	169	-	-	-	-	-	3	1	3	5	7	5
FEMALE--	215	-	-	-	-	-	-	1	1	1	4	5
BLACK---MALE----	168	-	-	-	-	-	3	1	3	5	7	5
FEMALE--	215	-	-	-	-	-	-	1	1	1	4	5
MAINE -----	248	1	-	-	-	-	-	1	2	-	1	-
WHITE-----MALE----	119	1	-	-	-	-	-	-	-	-	1	-
FEMALE--	127	-	-	-	-	-	-	1	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	905	6	1	1	3	-	1	3	4	11	6	19
WHITE-----MALE----	245	1	-	-	-	-	1	2	1	2	1	5
FEMALE--	352	1	-	-	-	-	-	-	1	-	1	3
ALL OTHER--MALE----	145	3	-	1	2	-	-	1	1	9	3	8
FEMALE--	163	1	1	-	1	-	-	-	1	-	1	3
BLACK---MALE----	141	3	-	1	2	-	-	1	1	9	3	8
FEMALE--	160	1	1	-	1	-	-	-	1	-	1	3
MASSACHUSETTS -----	1,324	3	-	1	-	2	1	2	5	7	13	14
WHITE-----MALE----	531	2	-	1	-	2	1	-	2	4	5	7
FEMALE--	711	-	-	-	-	-	-	1	2	2	2	5
ALL OTHER--MALE----	39	1	-	-	-	-	-	1	-	1	2	-
FEMALE--	43	-	-	-	-	-	-	-	1	-	4	2
BLACK---MALE----	32	1	-	-	-	-	-	1	-	1	2	-
FEMALE--	35	-	-	-	-	-	-	-	1	-	4	2
MICHIGAN -----	1,687	11	2	-	-	-	2	4	4	8	23	31
WHITE-----MALE----	602	1	1	-	-	-	1	1	-	4	6	4
FEMALE--	764	-	1	-	-	-	-	1	3	2	3	10
ALL OTHER--MALE----	151	9	-	-	-	-	-	2	-	2	11	11
FEMALE--	170	1	-	-	-	-	1	-	1	-	3	6
BLACK---MALE----	142	9	-	-	-	-	-	2	-	1	11	11
FEMALE--	164	1	-	-	-	-	1	-	1	-	2	6

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 2,227
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 X. DISEASES OF THE GENITOURINARY SYSTEM (580-629)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
KENTUCKY -----	19	15	35	64	79	131	164	163	111	28	5	-
WHITE-----MALE----	6	9	18	29	43	51	72	57	32	6	2	-
FEMALE--	10	3	15	21	30	64	80	93	72	20	3	-
ALL OTHER--MALE----	1	1	2	7	5	8	5	4	-	-	-	-
FEMALE--	2	2	-	7	1	8	7	9	7	2	-	-
BLACK---MALE----	1	1	2	7	5	8	4	4	-	-	-	-
FEMALE--	2	2	-	6	1	8	6	9	7	2	-	-
LOUISIANA -----	21	25	56	77	121	161	178	167	95	39	16	-
WHITE-----MALE----	8	4	15	26	34	61	48	41	21	5	1	-
FEMALE--	4	6	13	17	40	52	68	68	45	23	8	-
ALL OTHER--MALE----	3	9	14	16	12	25	29	15	17	3	2	-
FEMALE--	6	6	14	18	35	23	33	43	12	8	5	-
BLACK---MALE----	3	9	14	16	12	24	29	15	17	3	2	-
FEMALE--	6	6	14	18	35	23	33	43	12	8	5	-
MAINE -----	7	4	11	10	15	41	45	59	31	13	7	-
WHITE-----MALE----	4	4	5	6	7	25	20	29	10	4	3	-
FEMALE--	3	-	6	4	7	16	25	29	21	9	4	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	1	-	-	-	-
MARYLAND -----	14	17	50	69	89	145	157	149	109	43	8	-
WHITE-----MALE----	2	2	16	19	27	47	60	31	24	4	-	-
FEMALE--	2	4	8	20	29	52	58	81	58	27	7	-
ALL OTHER--MALE----	7	7	12	14	16	24	11	16	8	2	-	-
FEMALE--	3	4	14	16	17	22	28	21	19	10	1	-
BLACK---MALE----	7	7	12	14	16	22	11	15	7	2	-	-
FEMALE--	3	4	14	16	17	22	26	21	18	10	1	-
MASSACHUSETTS -----	11	18	40	65	154	219	265	238	167	82	17	-
WHITE-----MALE----	5	12	21	33	71	88	115	89	50	21	2	-
FEMALE--	5	4	16	26	66	116	139	139	115	59	14	-
ALL OTHER--MALE----	-	2	3	2	10	5	6	3	2	-	1	-
FEMALE--	1	-	-	4	7	10	5	7	-	2	-	-
BLACK---MALE----	-	2	3	2	6	4	6	2	2	-	-	-
FEMALE--	1	-	-	3	6	8	4	5	-	1	-	-
MICHIGAN -----	32	34	62	93	187	268	329	298	214	72	13	-
WHITE-----MALE----	12	12	28	32	73	99	133	119	56	16	4	-
FEMALE--	8	13	16	33	72	122	144	155	133	41	7	-
ALL OTHER--MALE----	6	7	9	12	21	27	15	11	7	-	1	-
FEMALE--	6	2	9	16	21	20	37	13	18	15	1	-
BLACK---MALE----	5	6	9	10	20	25	15	10	7	-	1	-
FEMALE--	6	2	9	15	20	19	35	13	18	15	1	-