

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 2,605

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
CONGENITAL ANOMALIES OF HEART (745-746)												
MAINE -----	13	4	1	-	-	1	-	1	1	1	-	1
WHITE-----MALE----	6	-	1	-	-	1	-	1	-	1	-	1
FEMALE--	7	4	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	56	26	6	-	2	-	1	1	4	1	1	-
WHITE-----MALE----	23	10	-	-	1	-	1	1	4	-	1	-
FEMALE--	16	8	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	9	4	3	-	1	-	-	-	-	1	-	-
FEMALE--	8	4	2	-	-	-	-	-	-	-	-	-
BLACK---MALE----	8	3	3	-	1	-	-	-	-	1	-	-
FEMALE--	7	3	2	-	-	-	-	-	-	-	-	-
MASSACHUSETTS -----	67	24	5	2	5	-	2	2	1	3	3	6
WHITE-----MALE----	32	12	4	-	3	-	1	1	1	-	-	3
FEMALE--	29	8	-	2	1	-	1	1	-	3	3	3
ALL OTHER--MALE----	3	2	-	-	1	-	-	-	-	-	-	-
FEMALE--	3	2	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	2	-	-	1	-	-	-	-	-	-	-
FEMALE--	2	2	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	125	54	17	4	2	3	2	4	2	6	7	4
WHITE-----MALE----	54	23	8	1	1	2	1	3	1	2	4	1
FEMALE--	40	13	3	3	-	1	1	-	1	3	2	1
ALL OTHER--MALE----	18	11	3	-	-	-	-	1	-	1	-	2
FEMALE--	13	7	3	-	1	-	-	-	-	-	1	-
BLACK---MALE----	14	9	2	-	-	-	-	-	-	1	-	2
FEMALE--	13	7	3	-	1	-	-	-	-	-	1	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 2,605
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 CONGENITAL ANOMALIES OF HEART (745-746)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
KENTUCKY -----	-	3	1	3	2	-	5	-	-	-	-	-
WHITE-----MALE----	-	1	-	-	2	-	2	-	-	-	-	-
FEMALE--	-	2	1	3	-	-	3	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	1	-	1	1	1	1	1	1	-	-	-	-
WHITE-----MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	1	1	-	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
MAINE -----	-	-	-	1	-	-	1	1	-	-	-	-
WHITE-----MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	3	2	2	-	2	1	1	-	2	-	1	-
WHITE-----MALE----	1	-	1	-	1	1	-	-	1	-	-	-
FEMALE--	2	1	1	-	1	-	-	-	1	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	1	-	-	-	-	-
MASSACHUSETTS -----	1	2	2	3	2	-	2	1	-	1	-	-
WHITE-----MALE----	-	-	2	1	2	-	-	1	-	1	-	-
FEMALE--	1	2	-	2	-	-	2	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	4	2	3	2	3	3	1	1	1	-	-	-
WHITE-----MALE----	3	1	1	-	1	1	-	-	-	-	-	-
FEMALE--	1	1	2	2	2	2	1	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 2,609
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
CONGENITAL ANOMALIES OF HEART (745-746)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
SOUTH DAKOTA -----	13	10	1	-	-	1	-	-	-	-	-	-
WHITE-----MALE----	8	6	1	-	-	1	-	-	-	-	-	-
FEMALE--	3	2	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	2	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	91	54	6	1	5	1	1	1	3	2	1	-
WHITE-----MALE----	37	26	1	-	1	1	-	1	2	1	1	-
FEMALE--	32	16	2	-	1	-	-	-	1	1	-	-
ALL OTHER--MALE----	6	4	1	-	1	-	-	-	-	-	-	-
FEMALE--	16	8	2	1	2	-	1	-	-	-	-	-
BLACK---MALE----	6	4	1	-	1	-	-	-	-	-	-	-
FEMALE--	15	8	2	1	2	-	1	-	-	-	-	-
TEXAS -----	314	164	17	8	11	6	6	7	8	10	5	6
WHITE-----MALE----	140	80	6	6	7	4	1	1	4	4	3	3
FEMALE--	135	62	7	2	3	1	3	5	4	4	2	3
ALL OTHER--MALE----	16	10	1	-	1	1	1	-	-	-	-	-
FEMALE--	23	12	3	-	-	1	1	1	-	2	-	-
BLACK---MALE----	13	7	1	-	1	1	1	-	-	-	-	-
FEMALE--	22	12	3	-	-	-	-	1	-	2	-	-
UTAH -----	53	35	3	1	-	1	1	-	-	-	2	2
WHITE-----MALE----	31	22	2	1	-	1	1	-	-	-	1	-
FEMALE--	21	12	1	-	-	-	-	-	-	-	1	2
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	10	5	-	-	-	-	-	-	-	-	2	1
WHITE-----MALE----	3	1	-	-	-	-	-	-	-	-	1	1
FEMALE--	7	4	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	97	55	7	-	-	2	2	3	1	3	3	4
WHITE-----MALE----	43	25	2	-	-	1	1	1	-	2	2	3
FEMALE--	27	15	1	-	-	1	-	1	-	-	1	1
ALL OTHER--MALE----	12	6	2	-	-	-	1	-	-	1	-	-
FEMALE--	15	9	2	-	-	-	-	1	1	-	-	-
BLACK---MALE----	11	6	1	-	-	-	1	-	-	1	-	-
FEMALE--	14	8	2	-	-	-	-	1	1	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 2,609
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
CONGENITAL ANOMALIES OF HEART (745-746)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
SOUTH DAKOTA -----	-	1	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	1	5	3	-	1	3	1	-	1	1	-	-
WHITE-----MALE----	1	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	3	2	-	1	2	1	-	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
TEXAS -----	7	4	6	9	8	10	6	11	2	3	-	-
WHITE-----MALE----	4	2	1	4	3	2	2	2	-	1	-	-
FEMALE--	3	2	5	4	4	7	4	7	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	1	-	-
FEMALE--	-	-	-	1	-	1	-	2	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	1	-	-
FEMALE--	-	-	-	1	-	1	-	2	-	-	-	-
UTAH -----	-	1	-	2	4	-	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	1	1	-	1	-	-	-	-	-
FEMALE--	-	1	-	1	3	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	-	1	-	-	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	3	6	-	1	1	4	1	1	-	-	-	-
WHITE-----MALE----	-	2	-	1	-	2	1	-	-	-	-	-
FEMALE--	1	3	-	-	1	2	-	-	-	-	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 2,610
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
 CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
 CONGENITAL ANOMALIES OF HEART (745-746)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
WASHINGTON -----	95	62	3	1	2	-	-	3	3	2	2	7
WHITE-----MALE----	49	34	-	1	1	-	-	2	1	1	1	4
FEMALE--	38	22	2	-	1	-	-	1	1	1	1	3
ALL OTHER--MALE----	4	4	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	2	1	-	-	-	-	-	1	-	-	-
BLACK---MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	2	-	-	-	-	-	-	1	-	-	-
WEST VIRGINIA -----	34	13	3	-	1	2	-	1	-	-	1	2
WHITE-----MALE----	20	9	3	-	1	-	-	1	-	-	1	1
FEMALE--	13	4	-	-	-	2	-	-	-	-	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN -----	64	33	1	1	-	2	6	1	2	2	2	3
WHITE-----MALE----	27	16	-	-	-	1	2	1	-	-	2	1
FEMALE--	22	5	1	1	-	-	2	-	2	2	-	2
ALL OTHER--MALE----	8	6	-	-	-	1	1	-	-	-	-	-
FEMALE--	7	6	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	7	5	-	-	-	1	1	-	-	-	-	-
FEMALE--	6	5	-	-	-	-	1	-	-	-	-	-
WYOMING -----	6	3	-	-	-	-	-	1	-	-	-	-
WHITE-----MALE----	3	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 2,611
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
OTHER CONGENITAL ANOMALIES OF CIRCULATORY SYSTEM (747)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 UNITED STATES --	1,038	350	37	22	25	25	17	15	25	30	47	39
WHITE-----MALE----	404	142	11	8	7	7	9	5	11	7	19	14
FEMALE--	403	122	16	4	11	10	6	5	6	12	12	10
ALL OTHER--MALE----	127	57	6	5	1	7	1	3	4	4	10	9
FEMALE--	104	29	4	5	6	1	1	2	4	7	6	6
BLACK---MALE----	100	46	5	4	-	4	-	2	2	2	8	9
FEMALE--	77	22	3	3	3	-	-	2	2	6	4	4
ALABAMA -----	13	2	2	2	-	1	-	-	-	-	-	2
WHITE-----MALE----	6	1	1	1	-	-	-	-	-	-	-	-
FEMALE--	2	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	1	-	-	-	-	-	1
FEMALE--	3	1	-	1	-	-	-	-	-	-	-	1
BLACK---MALE----	2	-	-	-	-	1	-	-	-	-	-	1
FEMALE--	3	1	-	1	-	-	-	-	-	-	-	1
ALASKA -----	1	1	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	16	6	-	-	1	-	-	-	-	-	-	-
WHITE-----MALE----	8	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	3	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	1	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	8	3	-	-	-	-	-	1	-	1	-	-
WHITE-----MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	2	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
CALIFORNIA -----	155	59	8	6	3	7	1	3	3	9	8	2
WHITE-----MALE----	59	19	1	4	-	2	-	1	2	3	4	-
FEMALE--	68	32	4	-	3	2	-	1	-	3	2	1
ALL OTHER--MALE----	14	3	1	1	-	3	1	-	-	2	1	1
FEMALE--	14	5	2	1	-	-	-	1	1	1	1	-
BLACK---MALE----	6	1	-	-	-	1	-	-	-	1	1	1
FEMALE--	6	3	1	-	-	-	-	1	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 2,618
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
OTHER CONGENITAL ANOMALIES OF CIRCULATORY SYSTEM (747)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
SOUTH DAKOTA -----	-	-	-	-	-	1	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	1	2	4	1	1	-	1	1	-	-	-	-
WHITE-----MALE----	1	2	2	-	1	-	1	-	-	-	-	-
FEMALE--	-	-	1	1	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS -----	3	4	3	10	5	3	3	4	1	1	-	-
WHITE-----MALE----	1	-	1	2	-	2	2	3	-	-	-	-
FEMALE--	2	3	2	6	4	-	1	1	1	1	-	-
ALL OTHER--MALE----	-	-	-	2	1	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	2	1	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	1	-	-	-	-	-	-
UTAH -----	2	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	-	-	-	1	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	1	-	1	-	2	1	2	-	-	-	1	-
WHITE-----MALE----	1	-	-	-	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	1	-	-	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	1	-	-	-	1	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 2,620
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
 CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
 ALL OTHER CONGENITAL ANOMALIES (743-744,748-759)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 UNITED STATES --	4,764	3,251	205	62	50	52	44	48	44	76	86	95
WHITE-----MALE----	2,003	1,360	86	26	24	26	21	22	18	28	35	40
FEMALE--	1,781	1,143	66	24	17	18	15	17	18	28	40	41
ALL OTHER--MALE----	512	409	25	8	4	3	3	4	2	9	2	9
FEMALE--	468	339	28	4	5	5	5	5	6	11	9	5
BLACK---MALE----	433	348	21	6	4	3	2	3	1	8	2	8
FEMALE--	403	287	25	3	5	3	5	4	6	10	9	4
ALABAMA -----	80	54	6	-	-	1	2	-	1	2	2	2
WHITE-----MALE----	38	27	1	-	-	-	2	-	-	1	-	1
FEMALE--	20	11	2	-	-	-	-	-	1	1	2	1
ALL OTHER--MALE----	11	8	1	-	-	1	-	-	-	-	-	-
FEMALE--	11	8	2	-	-	-	-	-	-	-	-	-
BLACK---MALE----	11	8	1	-	-	1	-	-	-	-	-	-
FEMALE--	11	8	2	-	-	-	-	-	-	-	-	-
ALASKA -----	12	7	-	-	-	1	-	-	-	1	-	-
WHITE-----MALE----	6	3	-	-	-	1	-	-	-	-	-	-
FEMALE--	3	2	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	3	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	100	78	2	1	-	1	1	-	-	3	1	2
WHITE-----MALE----	56	45	1	1	-	1	1	-	-	2	-	2
FEMALE--	31	21	-	-	-	-	-	-	-	1	1	-
ALL OTHER--MALE----	6	5	1	-	-	-	-	-	-	-	-	-
FEMALE--	7	7	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	3	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	3	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	43	30	3	-	-	-	-	1	-	1	-	-
WHITE-----MALE----	26	19	2	-	-	-	-	1	-	1	-	-
FEMALE--	11	6	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	3	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	2	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	3	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	2	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	609	421	39	11	8	8	7	7	5	8	11	13
WHITE-----MALE----	268	195	15	3	3	5	2	4	-	3	4	5
FEMALE--	224	147	16	7	3	2	3	2	3	2	3	7
ALL OTHER--MALE----	50	40	2	1	1	-	1	-	1	2	-	-
FEMALE--	67	39	6	-	1	1	1	1	1	1	4	1
BLACK---MALE----	26	20	1	-	1	-	-	-	1	2	-	-
FEMALE--	42	22	4	-	1	-	1	-	1	-	4	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 2,620
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
ALL OTHER CONGENITAL ANOMALIES (743-744,748-759)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 UNITED STATES --	111	102	99	76	96	83	81	59	30	10	3	1
WHITE-----MALE----	53	43	49	27	38	40	34	19	10	2	1	1
FEMALE--	42	47	43	40	47	34	43	33	17	6	2	-
ALL OTHER--MALE----	8	3	4	2	6	6	2	2	1	-	-	-
FEMALE--	8	9	3	7	5	3	2	5	2	2	-	-
BLACK---MALE----	8	3	4	1	3	5	1	1	1	-	-	-
FEMALE--	8	8	3	6	5	2	2	5	1	2	-	-
ALABAMA -----	2	1	-	2	1	1	1	2	-	-	-	-
WHITE-----MALE----	1	-	-	-	1	1	1	2	-	-	-	-
FEMALE--	-	1	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
ALASKA -----	1	-	-	1	1	-	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	1	-	3	1	-	2	3	-	1	-	-	-
WHITE-----MALE----	1	-	1	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	2	1	-	2	3	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	2	1	-	2	1	1	-	-	1	-	-	-
WHITE-----MALE----	2	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	1	-	2	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
CALIFORNIA -----	12	10	6	6	13	7	9	5	3	-	-	-
WHITE-----MALE----	3	4	2	1	5	6	4	2	2	-	-	-
FEMALE--	5	4	3	4	6	-	4	3	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	3	2	1	1	1	1	1	-	1	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	1	1	1	1	1	1	-	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 2,623
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
ALL OTHER CONGENITAL ANOMALIES (743-744,748-759)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
KENTUCKY -----	62	48	2	-	-	1	1	-	-	1	1	1
WHITE-----MALE----	32	25	2	-	-	-	-	-	-	-	-	1
FEMALE--	23	17	-	-	-	1	1	-	-	-	1	-
ALL OTHER--MALE----	6	6	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	5	5	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
LOUISIANA -----	110	77	5	2	4	-	2	1	2	-	1	2
WHITE-----MALE----	34	20	2	1	3	-	-	-	2	-	-	-
FEMALE--	27	20	-	1	-	-	-	-	-	-	1	2
ALL OTHER--MALE----	26	22	1	-	-	-	1	-	-	-	-	-
FEMALE--	23	15	2	-	1	-	1	1	-	-	-	-
BLACK---MALE----	25	22	-	-	-	-	1	-	-	-	-	-
FEMALE--	21	13	2	-	1	-	1	1	-	-	-	-
MAINE -----	17	6	2	1	-	-	-	1	-	-	1	-
WHITE-----MALE----	9	5	1	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	1	1	-	-	-	1	-	-	1	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	79	50	2	3	-	-	2	2	1	2	1	3
WHITE-----MALE----	22	15	-	-	-	-	-	-	-	-	-	-
FEMALE--	26	14	1	2	-	-	1	-	-	-	1	2
ALL OTHER--MALE----	14	10	1	-	-	-	-	1	-	1	-	-
FEMALE--	17	11	-	1	-	-	1	1	1	1	-	1
BLACK---MALE----	13	10	1	-	-	-	-	1	-	1	-	-
FEMALE--	15	9	-	1	-	-	1	1	1	1	-	1
MASSACHUSETTS -----	64	36	2	2	1	4	1	-	1	1	3	2
WHITE-----MALE----	27	15	1	-	1	2	-	-	-	-	1	1
FEMALE--	26	14	-	1	-	2	1	-	1	-	2	-
ALL OTHER--MALE----	5	2	1	1	-	-	-	-	-	-	-	1
FEMALE--	6	5	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	2	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	5	4	-	-	-	-	-	-	-	1	-	-
MICHIGAN -----	163	111	8	1	-	-	2	2	2	4	3	5
WHITE-----MALE----	58	39	3	-	-	-	1	-	-	-	3	2
FEMALE--	66	43	1	1	-	-	1	1	2	3	-	2
ALL OTHER--MALE----	14	11	-	-	-	-	-	1	-	-	-	1
FEMALE--	25	18	4	-	-	-	-	-	-	1	-	-
BLACK---MALE----	12	9	-	-	-	-	-	1	-	-	-	1
FEMALE--	25	18	4	-	-	-	-	-	-	1	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 2,623
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
ALL OTHER CONGENITAL ANOMALIES (743-744,748-759)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
KENTUCKY -----	2	-	1	1	1	1	1	-	-	-	-	-
WHITE-----MALE----	2	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	1	1	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	2	2	2	3	3	1	-	1	-	-	-	-
WHITE-----MALE----	2	-	1	2	1	-	-	-	-	-	-	-
FEMALE--	-	1	-	1	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	1	1	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	1	1	-	1	-	-	-	-	-	-	-
MAINE -----	1	1	1	1	-	-	1	-	1	-	-	-
WHITE-----MALE----	-	-	-	1	-	-	1	-	1	-	-	-
FEMALE--	1	1	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	2	-	1	2	4	3	-	1	-	-	-	-
WHITE-----MALE----	2	-	1	1	2	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	2	2	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS -----	2	1	2	2	1	1	2	-	-	-	-	-
WHITE-----MALE----	1	1	1	2	-	-	1	-	-	-	-	-
FEMALE--	1	-	1	-	1	1	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	4	5	3	-	3	4	2	1	1	2	-	-
WHITE-----MALE----	2	2	1	-	2	2	1	-	-	-	-	-
FEMALE--	1	3	2	-	1	-	1	1	1	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 2,627
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 ALL OTHER CONGENITAL ANOMALIES (743-744,748-759)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
SOUTH DAKOTA -----	1	-	1	-	-	1	2	-	-	-	-	-
WHITE-----MALE----	-	-	1	-	-	1	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	5	1	1	4	2	1	2	3	2	-	-	-
WHITE-----MALE----	1	-	-	2	-	1	1	2	1	-	-	-
FEMALE--	2	1	1	2	2	-	1	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
TEXAS -----	5	8	3	4	7	4	5	6	2	1	-	-
WHITE-----MALE----	3	3	2	-	1	3	2	2	1	-	-	-
FEMALE--	2	5	-	4	6	1	2	3	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	1	1	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	1	1	-	-
UTAH -----	2	1	1	-	-	-	1	1	1	-	-	-
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	1	-	-	-	1	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	-	-	-	-	1	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	-	3	5	3	4	4	-	2	2	1	-	-
WHITE-----MALE----	-	1	5	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	3	3	3	-	1	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	2	-	-	1	-	-	1	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	2	-	-	1	-	-	1	-	1	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 2,665
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 XVI. SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS (780-799)												
0 UNITED STATES --	26,190	3,883	283	72	100	264	423	514	756	1,022	1,128	1,106
WHITE-----MALE----	10,516	1,490	114	23	42	125	217	263	364	516	554	580
FEMALE--	10,610	976	81	26	31	60	79	127	185	237	249	242
ALL OTHER--MALE----	2,832	818	45	14	15	47	81	76	137	166	214	203
FEMALE--	2,232	599	43	9	12	32	46	48	70	103	111	81
BLACK---MALE----	2,564	722	43	14	14	41	68	64	125	153	200	190
FEMALE--	2,043	545	37	6	12	27	41	45	65	97	107	75
ALABAMA -----	1,237	86	11	3	1	10	20	11	34	38	48	47
WHITE-----MALE----	374	30	5	-	-	5	5	5	14	20	23	18
FEMALE--	433	24	2	2	-	1	5	4	6	11	7	9
ALL OTHER--MALE----	208	14	1	-	1	1	7	2	9	6	10	16
FEMALE--	222	18	3	1	-	3	3	-	5	1	8	4
BLACK---MALE----	208	14	1	-	1	1	7	2	9	6	10	16
FEMALE--	221	18	3	1	-	3	3	-	5	1	8	4
ALASKA -----	50	18	-	-	-	-	1	-	-	-	-	1
WHITE-----MALE----	18	3	-	-	-	-	1	-	-	-	-	-
FEMALE--	13	4	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	9	5	-	-	-	-	-	-	-	-	-	1
FEMALE--	10	6	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	227	55	4	-	2	3	5	8	11	9	9	9
WHITE-----MALE----	98	21	1	-	-	1	2	3	5	3	6	7
FEMALE--	91	21	2	-	1	1	-	1	-	5	2	1
ALL OTHER--MALE----	19	5	-	-	-	-	1	-	2	2	-	1
FEMALE--	19	8	1	-	1	-	-	1	1	1	1	-
BLACK---MALE----	3	2	-	-	-	-	-	-	-	1	-	-
FEMALE--	7	3	-	-	1	-	-	-	-	-	1	-
ARKANSAS -----	714	51	3	2	1	1	2	4	4	17	17	25
WHITE-----MALE----	283	17	-	1	1	1	1	3	1	6	4	11
FEMALE--	288	15	-	1	-	-	-	1	2	3	5	7
ALL OTHER--MALE----	85	10	1	-	-	-	1	-	1	5	5	6
FEMALE--	58	9	2	-	-	-	-	-	-	3	3	1
BLACK---MALE----	84	10	1	-	-	-	1	-	1	5	5	6
FEMALE--	58	9	2	-	-	-	-	-	-	3	3	1
CALIFORNIA -----	1,576	429	37	9	15	32	59	69	91	140	143	139
WHITE-----MALE----	787	184	17	4	7	14	34	35	46	83	79	87
FEMALE--	463	108	12	4	7	7	15	21	27	34	39	36
ALL OTHER--MALE----	200	90	4	1	1	5	6	10	11	12	16	7
FEMALE--	126	47	4	-	-	6	4	3	7	11	9	9
BLACK---MALE----	135	60	3	1	1	2	3	5	9	10	12	6
FEMALE--	91	40	2	-	-	2	3	3	5	7	7	7

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 2,665
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 XVI. SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS (780-799)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 UNITED STATES --	905	868	995	1,270	1,631	2,073	2,438	2,456	2,200	1,215	502	86
WHITE-----MALE----	457	426	513	642	747	889	972	731	515	204	90	42
FEMALE--	230	251	294	433	657	921	1,208	1,504	1,522	910	362	25
ALL OTHER--MALE----	135	123	118	116	116	137	110	71	48	25	4	13
FEMALE--	83	68	70	79	111	126	148	150	115	76	46	6
BLACK---MALE----	125	112	111	113	103	128	99	60	42	24	4	9
FEMALE--	78	59	64	73	104	114	134	143	106	69	38	4
ALABAMA -----	55	47	69	87	100	134	151	127	101	41	16	-
WHITE-----MALE----	17	16	26	34	31	41	35	29	16	4	-	-
FEMALE--	10	11	12	28	32	53	61	66	58	24	7	-
ALL OTHER--MALE----	19	10	15	18	20	18	17	12	8	4	-	-
FEMALE--	9	10	16	7	17	22	38	20	19	9	9	-
BLACK---MALE----	19	10	15	18	20	18	17	12	8	4	-	-
FEMALE--	9	10	16	7	17	22	38	20	18	9	9	-
ALASKA -----	3	-	3	4	4	4	4	3	4	1	-	-
WHITE-----MALE----	2	-	1	2	1	3	2	1	2	-	-	-
FEMALE--	-	-	-	1	2	1	2	2	1	-	-	-
ALL OTHER--MALE----	-	-	1	-	1	-	-	-	1	-	-	-
FEMALE--	1	-	1	1	-	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	5	9	8	6	5	10	12	18	18	6	12	10
WHITE-----MALE----	1	6	3	4	4	3	4	8	3	1	3	9
FEMALE--	3	2	3	2	-	5	7	9	14	5	7	-
ALL OTHER--MALE----	1	1	1	-	1	1	-	1	1	-	-	1
FEMALE--	-	-	1	-	-	1	-	-	-	-	2	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	2	-
ARKANSAS -----	28	39	53	47	59	87	89	96	50	30	9	-
WHITE-----MALE----	15	22	30	26	21	41	30	36	10	5	1	-
FEMALE--	7	8	15	12	29	33	44	54	31	16	5	-
ALL OTHER--MALE----	3	8	5	7	5	11	8	2	2	5	-	-
FEMALE--	3	1	3	2	4	2	7	4	7	4	3	-
BLACK---MALE----	3	8	5	7	5	10	8	2	2	5	-	-
FEMALE--	3	1	3	2	4	2	7	4	7	4	3	-
CALIFORNIA -----	95	67	37	46	47	23	34	24	9	9	-	22
WHITE-----MALE----	54	33	19	29	17	7	16	12	-	1	-	9
FEMALE--	25	21	13	12	25	12	13	9	6	8	-	9
ALL OTHER--MALE----	11	8	5	2	3	1	2	2	1	-	-	2
FEMALE--	5	5	-	3	2	3	3	1	2	-	-	2
BLACK---MALE----	7	5	4	2	2	1	1	-	-	-	-	1
FEMALE--	4	4	-	2	-	3	1	-	-	-	-	1

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 2,666
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
0 XVI. SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS (780-799)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
COLORADO -----	236	47	3	1	1	2	1	2	6	5	8	12
WHITE-----MALE----	102	21	1	-	1	-	1	1	3	4	5	7
FEMALE--	115	19	1	1	-	2	-	-	1	1	2	3
ALL OTHER--MALE----	8	3	-	-	-	-	-	1	-	-	1	2
FEMALE--	11	4	1	-	-	-	-	-	2	-	-	-
BLACK---MALE----	5	2	-	-	-	-	-	1	-	-	-	2
FEMALE--	11	4	1	-	-	-	-	-	2	-	-	-
CONNECTICUT -----	227	28	5	-	1	1	1	3	4	7	4	7
WHITE-----MALE----	91	13	2	-	1	1	-	2	-	1	3	4
FEMALE--	111	6	2	-	-	-	-	1	2	5	-	2
ALL OTHER--MALE----	16	5	1	-	-	-	1	-	1	1	1	-
FEMALE--	9	4	-	-	-	-	-	-	1	-	-	1
BLACK---MALE----	15	4	1	-	-	-	1	-	1	1	1	-
FEMALE--	8	3	-	-	-	-	-	-	1	-	-	1
DELAWARE -----	60	8	1	-	-	-	-	2	3	2	2	2
WHITE-----MALE----	28	5	1	-	-	-	-	2	2	1	1	-
FEMALE--	21	-	-	-	-	-	-	-	1	1	-	-
ALL OTHER--MALE----	9	3	-	-	-	-	-	-	-	-	1	2
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	9	3	-	-	-	-	-	-	-	-	1	2
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	161	18	-	-	-	2	3	4	13	21	26	23
WHITE-----MALE----	9	1	-	-	-	-	-	1	2	2	-	-
FEMALE--	13	1	-	-	-	1	-	-	-	1	1	1
ALL OTHER--MALE----	91	9	-	-	-	-	1	2	8	13	17	19
FEMALE--	48	7	-	-	-	1	2	1	3	5	8	3
BLACK---MALE----	90	9	-	-	-	-	1	2	8	12	17	19
FEMALE--	47	7	-	-	-	1	2	1	3	5	8	3
FLORIDA -----	2,571	185	10	2	3	3	17	22	35	55	68	49
WHITE-----MALE----	962	74	5	-	-	2	11	6	17	27	36	32
FEMALE--	1,318	41	2	1	3	1	3	8	7	13	16	13
ALL OTHER--MALE----	144	37	1	1	-	-	1	4	7	11	14	2
FEMALE--	147	33	2	-	-	-	2	4	4	4	2	2
BLACK---MALE----	139	36	1	1	-	-	1	4	7	10	13	2
FEMALE--	145	33	2	-	-	-	2	4	4	4	2	2
GEORGIA -----	724	123	4	-	1	7	10	6	8	15	5	24
WHITE-----MALE----	192	37	2	-	-	1	1	1	2	5	1	7
FEMALE--	296	33	1	-	-	1	3	3	1	3	-	7
ALL OTHER--MALE----	124	30	-	-	1	4	4	-	4	5	-	8
FEMALE--	112	23	1	-	-	1	2	2	1	2	4	2
BLACK---MALE----	121	29	-	-	1	4	4	-	4	5	-	8
FEMALE--	108	22	1	-	-	1	2	2	1	2	4	2

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 2,666
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 XVI. SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS (780-799)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
COLORADO -----	3	6	2	8	13	17	25	19	22	19	14	-
WHITE-----MALE----	2	4	1	6	9	8	10	4	10	2	2	-
FEMALE--	-	2	1	2	4	9	14	14	10	17	12	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	2	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	2	-	-	-
CONNECTICUT -----	2	7	9	13	14	20	23	34	26	14	4	-
WHITE-----MALE----	1	3	6	8	4	11	12	10	5	3	1	-
FEMALE--	1	4	3	4	8	7	10	21	21	11	3	-
ALL OTHER--MALE----	-	-	-	1	1	2	1	1	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	2	-	-	-	-
BLACK---MALE----	-	-	-	1	1	2	1	1	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	2	-	-	-	-
DELAWARE -----	1	-	2	4	7	8	4	5	5	3	1	-
WHITE-----MALE----	1	-	-	3	3	5	1	2	1	-	-	-
FEMALE--	-	-	2	1	1	3	3	3	3	2	1	-
ALL OTHER--MALE----	-	-	-	-	2	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	2	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	1	-	-
DISTRICT OF COLUMBIA ----	13	5	8	11	3	5	2	4	-	-	-	-
WHITE-----MALE----	2	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	1	-	-	4	1	1	1	-	-	-	-	-
ALL OTHER--MALE----	6	1	6	6	-	1	1	1	-	-	-	-
FEMALE--	4	4	2	1	1	3	-	3	-	-	-	-
BLACK---MALE----	6	1	6	6	-	1	1	1	-	-	-	-
FEMALE--	4	3	2	1	1	3	-	3	-	-	-	-
FLORIDA -----	53	55	82	90	155	232	343	434	389	216	62	11
WHITE-----MALE----	25	26	49	54	84	89	148	120	95	41	11	10
FEMALE--	15	19	21	28	57	125	180	283	272	164	46	-
ALL OTHER--MALE----	8	6	6	7	7	9	5	9	6	2	-	1
FEMALE--	5	4	6	1	7	9	10	22	16	9	5	-
BLACK---MALE----	8	6	6	7	7	8	5	9	6	2	-	-
FEMALE--	5	4	6	1	7	7	10	22	16	9	5	-
GEORGIA -----	22	18	29	36	49	62	92	75	87	40	11	-
WHITE-----MALE----	7	7	7	15	16	18	31	16	11	5	2	-
FEMALE--	6	3	7	3	16	26	46	45	62	24	6	-
ALL OTHER--MALE----	7	5	9	12	7	8	10	4	5	1	-	-
FEMALE--	2	3	6	6	10	10	5	10	9	10	3	-
BLACK---MALE----	7	5	9	12	7	8	10	2	5	1	-	-
FEMALE--	2	3	6	6	8	10	5	10	9	9	3	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 2,667
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
0 XVI. SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS (780-799)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
HAWAII -----	82	14	-	2	-	-	2	-	2	4	6	4
WHITE-----MALE----	22	2	-	-	-	-	-	-	-	1	4	3
FEMALE--	8	2	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	32	6	-	-	-	-	2	-	1	3	1	-
FEMALE--	20	4	-	2	-	-	-	-	1	-	-	1
BLACK---MALE----	2	-	-	-	-	-	1	-	-	1	-	-
FEMALE--	2	2	-	-	-	-	-	-	-	-	-	-
IDAHO -----	103	25	-	-	-	1	1	1	-	1	2	1
WHITE-----MALE----	45	13	-	-	-	1	1	1	-	-	2	1
FEMALE--	56	11	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	1,289	244	30	9	15	39	38	49	75	75	87	63
WHITE-----MALE----	529	56	11	6	9	21	25	29	35	43	42	30
FEMALE--	407	49	6	-	4	9	4	9	19	14	12	10
ALL OTHER--MALE----	209	72	8	1	-	7	8	9	14	12	27	16
FEMALE--	144	67	5	2	2	2	1	2	7	6	6	7
BLACK---MALE----	201	72	8	1	-	6	7	9	14	12	26	16
FEMALE--	140	66	5	2	2	2	1	2	7	6	6	6
INDIANA -----	505	113	11	-	2	5	8	10	19	11	14	17
WHITE-----MALE----	214	50	7	-	1	2	1	6	13	6	7	8
FEMALE--	210	29	2	-	1	1	3	2	5	-	2	3
ALL OTHER--MALE----	45	17	2	-	-	2	2	1	-	4	3	5
FEMALE--	36	17	-	-	-	-	2	1	1	1	2	1
BLACK---MALE----	42	16	1	-	-	2	2	1	-	4	3	5
FEMALE--	34	17	-	-	-	-	2	1	1	-	2	1
IOWA -----	205	25	-	-	2	1	1	3	7	1	6	2
WHITE-----MALE----	63	9	-	-	1	1	1	-	1	1	5	-
FEMALE--	127	8	-	-	1	-	-	3	4	-	1	2
ALL OTHER--MALE----	8	3	-	-	-	-	-	-	1	-	-	-
FEMALE--	7	5	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	7	3	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	5	-	-	-	-	-	-	1	-	-	-
KANSAS -----	429	47	2	-	-	3	11	1	5	11	12	14
WHITE-----MALE----	181	23	1	-	-	1	6	1	3	8	9	10
FEMALE--	195	12	1	-	-	2	2	-	1	2	1	2
ALL OTHER--MALE----	28	5	-	-	-	-	1	-	1	1	-	2
FEMALE--	25	7	-	-	-	-	2	-	-	-	2	-
BLACK---MALE----	27	5	-	-	-	-	1	-	1	1	-	1
FEMALE--	23	6	-	-	-	-	2	-	-	-	2	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 2,667
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 XVI. SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS (780-799)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
HAWAII -----	2	4	2	4	2	4	11	7	5	4	2	1
WHITE-----MALE----	1	-	1	-	1	1	1	4	1	1	-	1
FEMALE--	-	2	-	1	-	-	2	-	-	-	-	-
ALL OTHER--MALE----	-	1	1	2	1	2	7	2	2	1	-	-
FEMALE--	1	1	-	1	-	1	1	1	2	2	2	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	2	3	1	1	2	4	9	15	15	12	7	-
WHITE-----MALE----	1	2	-	1	2	3	2	6	5	3	1	-
FEMALE--	1	-	1	-	-	1	7	9	10	9	6	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	54	41	49	42	62	68	82	65	56	33	10	3
WHITE-----MALE----	22	22	32	17	30	30	26	24	10	8	1	-
FEMALE--	17	11	9	17	25	32	50	35	43	23	8	1
ALL OTHER--MALE----	10	6	5	4	1	3	2	3	-	-	-	1
FEMALE--	5	2	3	4	6	3	4	3	3	2	1	1
BLACK---MALE----	9	5	5	3	-	3	2	2	-	-	-	1
FEMALE--	4	2	3	4	6	3	3	3	3	2	1	1
INDIANA -----	9	11	18	22	27	32	46	43	47	28	11	1
WHITE-----MALE----	6	5	8	11	13	15	20	16	12	4	3	-
FEMALE--	2	4	8	7	14	14	22	24	34	24	8	1
ALL OTHER--MALE----	-	2	2	2	-	2	1	-	-	-	-	-
FEMALE--	1	-	-	2	-	1	3	3	1	-	-	-
BLACK---MALE----	-	2	2	2	-	1	1	-	-	-	-	-
FEMALE--	1	-	-	2	-	1	2	3	1	-	-	-
IOWA -----	4	3	5	8	8	12	16	25	35	20	21	-
WHITE-----MALE----	2	2	4	2	3	6	7	6	6	-	6	-
FEMALE--	1	-	1	6	5	5	7	19	29	20	15	-
ALL OTHER--MALE----	-	1	-	-	-	1	2	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	1	2	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
KANSAS -----	8	12	15	32	31	36	45	49	57	26	12	-
WHITE-----MALE----	5	3	7	15	14	13	18	18	17	5	4	-
FEMALE--	1	6	6	12	10	22	24	25	38	20	8	-
ALL OTHER--MALE----	1	3	1	5	3	-	1	3	-	1	-	-
FEMALE--	1	-	1	-	4	1	2	3	2	-	-	-
BLACK---MALE----	1	3	1	5	3	-	1	3	-	1	-	-
FEMALE--	1	-	-	-	4	1	2	3	2	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 2,668
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
0 XVI. SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS (780-799)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
KENTUCKY -----	257	38	-	1	1	1	1	3	7	5	2	10
WHITE-----MALE----	110	19	-	-	1	1	1	1	4	3	1	7
FEMALE--	118	9	-	1	-	-	-	1	2	2	-	1
ALL OTHER--MALE----	11	5	-	-	-	-	-	1	1	-	-	1
FEMALE--	18	5	-	-	-	-	-	-	-	-	1	1
BLACK---MALE----	11	5	-	-	-	-	-	1	1	-	-	1
FEMALE--	17	4	-	-	-	-	-	-	-	-	1	1
LOUISIANA -----	460	70	3	1	-	1	3	4	6	13	13	6
WHITE-----MALE----	125	20	-	1	-	-	1	2	3	3	4	3
FEMALE--	181	14	-	-	-	-	1	-	1	2	1	-
ALL OTHER--MALE----	85	24	3	-	-	1	1	-	-	3	7	1
FEMALE--	69	12	-	-	-	-	-	2	2	5	1	2
BLACK---MALE----	85	24	3	-	-	1	1	-	-	3	7	1
FEMALE--	68	12	-	-	-	-	-	2	2	5	1	2
MAINE -----	89	2	1	-	-	1	-	1	1	-	-	1
WHITE-----MALE----	40	2	-	-	-	-	-	1	1	-	-	1
FEMALE--	48	-	1	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	247	80	5	2	3	1	7	8	16	11	16	10
WHITE-----MALE----	74	27	1	1	1	-	2	3	2	5	-	5
FEMALE--	67	14	-	-	-	-	-	3	1	3	5	1
ALL OTHER--MALE----	70	26	1	1	2	1	2	1	10	3	7	3
FEMALE--	36	13	3	-	-	-	3	1	3	-	4	1
BLACK---MALE----	68	25	1	1	2	1	1	1	10	3	7	3
FEMALE--	35	13	3	-	-	-	2	1	3	-	4	1
MASSACHUSETTS -----	468	41	4	2	1	2	7	12	9	5	13	15
WHITE-----MALE----	180	10	2	-	-	-	6	6	5	4	7	6
FEMALE--	255	18	-	2	1	1	1	3	2	1	3	7
ALL OTHER--MALE----	24	9	1	-	-	1	-	3	1	-	2	1
FEMALE--	9	4	1	-	-	-	-	-	1	-	1	1
BLACK---MALE----	20	9	1	-	-	1	-	2	1	-	2	-
FEMALE--	9	4	1	-	-	-	-	-	1	-	1	1
MICHIGAN -----	351	157	3	-	1	2	4	5	6	6	14	5
WHITE-----MALE----	124	51	2	-	1	1	2	-	4	1	7	3
FEMALE--	113	31	1	-	-	1	1	2	1	1	1	-
ALL OTHER--MALE----	61	43	-	-	-	-	1	1	1	2	1	2
FEMALE--	53	32	-	-	-	-	-	2	-	2	5	-
BLACK---MALE----	59	41	-	-	-	-	1	1	1	2	1	2
FEMALE--	52	31	-	-	-	-	-	2	-	2	5	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 2,668
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 XVI. SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS (780-799)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
KENTUCKY -----	8	11	10	16	23	31	30	21	21	13	4	-
WHITE-----MALE----	5	5	5	9	5	14	14	7	4	4	-	-
FEMALE--	2	5	3	7	13	16	16	12	16	9	3	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	1	-	1	-
FEMALE--	1	1	2	-	4	1	-	2	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	1	-	1	-
FEMALE--	1	1	2	-	4	1	-	2	-	-	-	-
LOUISIANA -----	13	16	12	29	29	55	57	59	43	21	6	-
WHITE-----MALE----	1	2	4	12	15	19	14	11	8	1	1	-
FEMALE--	5	5	4	10	7	23	32	32	27	13	4	-
ALL OTHER--MALE----	6	6	2	2	6	7	4	6	3	3	-	-
FEMALE--	1	3	2	5	1	6	7	10	5	4	1	-
BLACK---MALE----	6	6	2	2	6	7	4	6	3	3	-	-
FEMALE--	1	3	2	5	1	6	7	9	5	4	1	-
MAINE -----	2	2	4	6	9	13	12	12	8	9	5	-
WHITE-----MALE----	1	1	2	5	6	6	8	1	1	4	-	-
FEMALE--	1	1	2	1	3	7	4	11	7	4	5	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-
MARYLAND -----	8	5	8	6	13	10	12	8	9	4	2	3
WHITE-----MALE----	1	2	5	2	4	3	7	1	2	-	-	-
FEMALE--	2	-	2	3	6	5	3	7	6	3	2	1
ALL OTHER--MALE----	4	3	1	-	3	1	-	-	-	1	-	-
FEMALE--	1	-	-	1	-	1	2	-	1	-	-	2
BLACK---MALE----	4	3	1	-	3	1	-	-	-	1	-	-
FEMALE--	1	-	-	1	-	1	2	-	1	-	-	2
MASSACHUSETTS -----	10	8	10	15	45	51	66	54	64	24	9	1
WHITE-----MALE----	9	2	6	12	21	22	23	18	13	5	3	-
FEMALE--	-	6	3	3	22	28	43	35	51	19	6	-
ALL OTHER--MALE----	1	-	1	-	2	1	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	1	-	1	-	-	1	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
MICHIGAN -----	5	8	9	8	13	15	23	24	28	10	5	-
WHITE-----MALE----	3	3	4	4	4	7	12	4	9	1	1	-
FEMALE--	-	3	3	3	6	7	7	16	17	8	4	-
ALL OTHER--MALE----	2	-	2	1	1	1	3	-	-	-	-	-
FEMALE--	-	2	-	-	2	-	1	4	2	1	-	-
BLACK---MALE----	2	-	2	1	1	1	3	-	-	-	-	-
FEMALE--	-	2	-	-	2	-	1	4	2	1	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 2,669
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 XVI. SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS (780-799)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
MINNESOTA -----	13	12	30	39	54	75	117	147	168	117	53	1
WHITE-----MALE----	9	7	19	22	28	36	50	51	38	16	12	1
FEMALE--	4	3	10	15	23	38	65	94	130	101	40	-
ALL OTHER--MALE----	-	1	1	1	1	-	1	1	-	-	-	-
FEMALE--	-	1	-	1	2	1	1	1	-	-	1	-
BLACK---MALE----	-	1	1	1	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	1	-	-	-	-
MISSISSIPPI -----	5	5	5	13	17	22	33	28	29	14	3	-
WHITE-----MALE----	1	2	2	3	4	6	6	9	1	1	-	-
FEMALE--	2	1	1	4	6	9	15	12	17	7	1	-
ALL OTHER--MALE----	2	2	1	3	4	2	5	4	2	2	-	-
FEMALE--	-	-	1	3	3	5	7	3	9	4	2	-
BLACK---MALE----	2	2	1	3	4	2	5	4	2	2	-	-
FEMALE--	-	-	1	3	3	5	7	3	9	4	2	-
MISSOURI -----	11	12	11	29	18	25	37	38	41	20	11	1
WHITE-----MALE----	8	8	6	18	10	11	12	10	10	4	1	-
FEMALE--	1	2	4	9	6	11	20	25	30	15	10	-
ALL OTHER--MALE----	1	1	1	1	1	1	4	1	-	-	-	1
FEMALE--	1	1	-	1	1	2	1	2	1	1	-	-
BLACK---MALE----	1	1	1	1	1	1	4	1	-	-	-	1
FEMALE--	1	1	-	1	1	2	1	2	-	1	-	-
MONTANA -----	3	3	1	7	7	14	12	18	22	20	6	-
WHITE-----MALE----	2	-	1	4	2	9	6	6	5	5	-	-
FEMALE--	1	3	-	3	4	5	6	12	17	15	6	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	11	18	26	41	41	61	51	70	57	28	17	-
WHITE-----MALE----	7	12	19	23	20	32	25	30	14	6	5	-
FEMALE--	4	3	7	15	17	26	23	40	42	22	12	-
ALL OTHER--MALE----	-	3	-	2	2	1	-	-	1	-	-	-
FEMALE--	-	-	-	1	2	2	3	-	-	-	-	-
BLACK---MALE----	-	2	-	2	2	1	-	-	1	-	-	-
FEMALE--	-	-	-	-	2	2	2	-	-	-	-	-
NEVADA -----	5	1	1	2	4	12	6	8	4	4	2	7
WHITE-----MALE----	3	-	1	1	4	3	3	3	2	1	-	4
FEMALE--	2	1	-	1	-	7	2	5	2	3	2	2
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	2	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	2	-	-	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 2,670
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
0 XVI. SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS (780-799)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
NEW HAMPSHIRE -----	36	9	-	-	-	-	1	3	1	1	2	-
WHITE-----MALE----	18	4	-	-	-	-	1	2	1	1	1	-
FEMALE--	18	5	-	-	-	-	-	1	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY -----	440	68	5	3	1	7	8	13	18	14	29	23
WHITE-----MALE----	166	16	1	-	1	2	4	7	9	7	15	13
FEMALE--	175	16	2	3	-	3	2	3	5	4	3	5
ALL OTHER--MALE----	61	20	1	-	-	2	2	1	3	2	6	3
FEMALE--	38	16	1	-	-	-	-	2	1	1	5	2
BLACK---MALE----	56	17	1	-	-	2	2	1	3	1	6	3
FEMALE--	37	16	1	-	-	-	-	2	1	1	5	2
NEW MEXICO -----	115	26	-	-	-	2	2	3	-	1	2	3
WHITE-----MALE----	44	13	-	-	-	1	-	2	-	1	-	3
FEMALE--	55	8	-	-	-	1	2	1	-	-	1	-
ALL OTHER--MALE----	7	3	-	-	-	-	-	-	-	-	1	-
FEMALE--	9	2	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	2	-	-	-	-	-	-	-	-	-	-
NEW YORK -----	2,209	215	29	14	13	36	57	89	136	213	219	227
WHITE-----MALE----	1,019	76	6	5	6	13	30	46	71	113	107	124
FEMALE--	664	46	14	4	3	6	7	15	33	46	51	42
ALL OTHER--MALE----	317	59	3	4	2	7	11	14	23	29	41	44
FEMALE--	209	34	6	1	2	10	9	14	9	25	20	17
BLACK---MALE----	295	57	3	4	2	6	9	13	20	25	40	42
FEMALE--	197	32	6	1	2	9	8	14	9	25	20	15
NORTH CAROLINA -----	443	116	10	-	3	3	8	5	11	19	14	15
WHITE-----MALE----	141	44	3	-	-	-	-	2	6	7	4	7
FEMALE--	163	17	2	-	-	1	1	3	3	5	5	5
ALL OTHER--MALE----	63	32	3	-	2	-	3	-	1	3	2	1
FEMALE--	76	23	2	-	1	2	4	-	1	4	3	2
BLACK---MALE----	59	32	3	-	2	-	1	-	1	3	2	1
FEMALE--	72	20	1	-	1	2	4	-	1	4	3	2
NORTH DAKOTA -----	57	7	-	-	-	2	1	-	1	-	1	1
WHITE-----MALE----	20	3	-	-	-	-	1	-	-	-	1	-
FEMALE--	30	2	-	-	-	-	-	-	1	-	-	1
ALL OTHER--MALE----	3	2	-	-	-	1	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 2,671
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
0 XVI. SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS (780-799)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
OHIO -----	1,689	182	36	2	9	40	56	76	71	100	127	106
WHITE-----MALE----	784	71	20	-	1	22	32	45	33	47	59	60
FEMALE--	581	43	10	1	4	9	10	17	21	23	31	19
ALL OTHER--MALE----	212	42	2	1	3	8	13	10	11	19	24	18
FEMALE--	112	26	4	-	1	1	1	4	6	11	13	9
BLACK---MALE----	208	41	2	1	3	8	13	10	10	19	23	18
FEMALE--	109	26	4	-	1	1	1	3	5	11	13	9
OKLAHOMA -----	266	72	4	1	2	6	9	8	8	12	9	14
WHITE-----MALE----	115	33	2	-	-	2	5	3	3	5	2	6
FEMALE--	106	18	1	1	1	3	3	3	4	4	6	6
ALL OTHER--MALE----	26	10	-	-	-	1	1	2	1	3	-	2
FEMALE--	19	11	1	-	1	-	-	-	-	-	1	-
BLACK---MALE----	19	4	-	-	-	1	1	2	1	3	-	1
FEMALE--	11	5	-	-	1	-	-	-	-	-	1	-
OREGON -----	654	58	3	-	1	2	4	1	1	6	5	15
WHITE-----MALE----	293	24	1	-	1	1	2	1	-	6	4	11
FEMALE--	338	26	2	-	-	1	2	-	1	-	-	3
ALL OTHER--MALE----	12	6	-	-	-	-	-	-	-	-	1	1
FEMALE--	11	2	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	6	4	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	1	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	1,562	149	7	1	3	5	16	11	24	26	40	45
WHITE-----MALE----	686	51	2	-	2	4	10	5	16	14	23	27
FEMALE--	667	35	1	-	-	-	2	3	4	6	9	6
ALL OTHER--MALE----	107	32	3	-	-	1	4	2	4	3	3	8
FEMALE--	102	31	1	1	1	-	-	1	-	3	5	4
BLACK---MALE----	103	29	3	-	-	1	4	2	3	3	3	8
FEMALE--	100	31	1	1	1	-	-	1	-	3	4	4
RHODE ISLAND -----	82	13	-	-	1	-	2	3	5	4	8	6
WHITE-----MALE----	49	7	-	-	1	-	2	3	3	3	5	3
FEMALE--	29	4	-	-	-	-	-	-	2	1	3	2
ALL OTHER--MALE----	3	2	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	321	57	2	1	2	-	6	5	6	14	14	12
WHITE-----MALE----	89	21	-	-	-	-	-	4	1	6	3	5
FEMALE--	98	10	2	-	1	-	-	-	1	2	3	1
ALL OTHER--MALE----	74	17	-	1	1	-	1	-	4	2	7	6
FEMALE--	60	9	-	-	-	-	5	1	-	4	1	-
BLACK---MALE----	74	17	-	1	1	-	1	-	4	2	7	6
FEMALE--	60	9	-	-	-	-	5	1	-	4	1	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 2,671
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 XVI. SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS (780-799)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
OHIO -----	69	63	69	78	96	132	127	105	80	36	28	1
WHITE-----MALE----	33	40	46	38	48	62	66	31	21	4	5	-
FEMALE--	18	16	15	23	34	56	54	68	54	31	23	1
ALL OTHER--MALE----	14	5	7	9	8	8	4	2	3	1	-	-
FEMALE--	4	2	1	8	6	6	3	4	2	-	-	-
BLACK---MALE----	13	5	7	9	8	8	4	2	3	1	-	-
FEMALE--	4	2	1	8	6	5	3	4	2	-	-	-
OKLAHOMA -----	10	10	8	9	14	10	17	17	16	7	2	1
WHITE-----MALE----	6	6	5	6	5	5	7	4	8	2	-	-
FEMALE--	4	3	2	3	6	4	7	13	8	5	1	-
ALL OTHER--MALE----	-	-	1	-	2	1	-	-	-	-	-	1
FEMALE--	-	1	-	-	1	-	2	-	-	-	1	-
BLACK---MALE----	-	-	1	-	2	1	1	-	-	-	-	1
FEMALE--	-	1	-	-	1	-	2	-	-	-	-	-
OREGON -----	21	24	33	38	55	68	86	79	77	56	20	1
WHITE-----MALE----	16	15	22	27	33	30	45	24	17	9	3	1
FEMALE--	5	8	11	11	20	33	41	53	59	46	16	-
ALL OTHER--MALE----	-	1	-	-	1	1	-	-	1	-	-	-
FEMALE--	-	-	-	-	1	4	-	2	-	1	1	-
BLACK---MALE----	-	1	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	2	-	1	-	1	-	-
PENNSYLVANIA -----	55	56	83	101	172	211	182	190	112	52	20	1
WHITE-----MALE----	26	31	48	53	91	103	79	60	28	8	5	-
FEMALE--	15	17	26	37	68	91	92	120	80	42	13	-
ALL OTHER--MALE----	6	5	6	6	7	8	5	2	-	-	1	1
FEMALE--	8	3	3	5	6	9	6	8	4	2	1	-
BLACK---MALE----	6	5	6	6	7	8	5	2	-	-	1	1
FEMALE--	8	2	3	5	6	9	6	8	4	2	1	-
RHODE ISLAND -----	5	2	3	4	3	7	5	3	5	2	1	-
WHITE-----MALE----	4	1	1	3	1	4	3	2	2	-	1	-
FEMALE--	1	1	1	1	2	3	2	1	3	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	10	12	19	22	15	23	30	34	22	10	4	1
WHITE-----MALE----	4	7	6	9	3	4	6	6	2	1	1	-
FEMALE--	1	-	3	5	8	8	12	13	18	7	2	1
ALL OTHER--MALE----	3	3	7	4	2	7	5	2	-	1	1	-
FEMALE--	2	2	3	4	2	4	7	13	2	1	-	-
BLACK---MALE----	3	3	7	4	2	7	5	2	-	1	1	-
FEMALE--	2	2	3	4	2	4	7	13	2	1	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 2,672
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
0 XVI. SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS (780-799)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
SOUTH DAKOTA -----	67	16	1	-	-	-	-	1	1	1	2	-
WHITE-----MALE----	28	7	-	-	-	-	-	1	-	-	1	-
FEMALE--	24	2	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	8	4	-	-	-	-	-	-	1	1	1	-
FEMALE--	7	3	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	836	106	7	4	-	6	3	5	13	26	22	27
WHITE-----MALE----	322	46	1	1	-	6	2	3	4	10	14	11
FEMALE--	346	20	3	-	-	-	1	1	2	6	3	10
ALL OTHER--MALE----	82	25	2	2	-	-	-	-	4	5	5	-
FEMALE--	86	15	1	1	-	-	-	1	3	5	-	6
BLACK---MALE----	81	25	2	2	-	-	-	-	4	5	5	-
FEMALE--	82	15	1	1	-	-	-	1	3	5	-	6
TEXAS -----	1,170	278	9	3	9	13	16	20	22	44	43	37
WHITE-----MALE----	516	114	6	3	5	7	14	6	16	20	26	18
FEMALE--	472	91	2	-	1	1	2	9	4	14	10	13
ALL OTHER--MALE----	101	45	1	-	1	4	-	4	1	6	3	5
FEMALE--	81	28	-	-	2	1	-	1	1	4	4	1
BLACK---MALE----	97	45	1	-	1	4	-	3	1	6	3	5
FEMALE--	78	27	-	-	2	1	-	1	1	4	4	1
UTAH -----	271	29	2	-	-	2	2	1	6	4	3	7
WHITE-----MALE----	135	17	2	-	-	1	-	-	2	3	3	3
FEMALE--	125	8	-	-	-	1	1	1	4	-	-	4
ALL OTHER--MALE----	7	2	-	-	-	-	1	-	-	1	-	-
FEMALE--	4	2	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
VERMONT -----	25	5	-	-	-	-	-	1	-	1	-	2
WHITE-----MALE----	11	5	-	-	-	-	-	1	-	1	-	1
FEMALE--	14	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	689	98	4	1	-	9	12	13	20	31	26	25
WHITE-----MALE----	264	45	2	-	-	9	4	4	5	17	16	9
FEMALE--	265	20	1	1	-	-	-	2	4	6	5	5
ALL OTHER--MALE----	92	23	1	-	-	-	4	5	6	6	4	8
FEMALE--	68	10	-	-	-	-	4	2	5	2	1	3
BLACK---MALE----	87	20	1	-	-	-	4	4	6	6	4	8
FEMALE--	65	9	-	-	-	-	3	2	5	2	1	3

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 2,672
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 XVI. SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS (780-799)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
SOUTH DAKOTA -----	3	1	5	3	4	3	8	4	3	9	2	-
WHITE-----MALE----	1	1	3	2	2	1	3	1	3	2	-	-
FEMALE--	1	-	1	1	2	2	3	3	-	7	2	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	2	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	28	36	30	46	62	84	107	93	75	42	12	2
WHITE-----MALE----	16	19	13	16	26	42	37	28	19	5	2	1
FEMALE--	6	8	13	21	25	30	60	55	46	27	8	1
ALL OTHER--MALE----	3	5	3	4	4	7	5	4	3	1	-	-
FEMALE--	3	4	1	5	7	5	5	6	7	9	2	-
BLACK---MALE----	3	5	3	4	4	7	5	3	3	1	-	-
FEMALE--	3	3	1	5	7	4	5	6	6	8	2	-
TEXAS -----	42	29	44	62	70	80	87	92	90	45	28	7
WHITE-----MALE----	28	18	22	33	34	36	40	28	32	7	2	1
FEMALE--	8	4	18	25	28	29	41	57	52	35	24	4
ALL OTHER--MALE----	3	7	1	1	1	8	2	2	3	1	-	2
FEMALE--	3	-	3	3	7	7	4	5	3	2	2	-
BLACK---MALE----	2	6	1	1	1	8	2	2	3	1	-	1
FEMALE--	3	-	3	3	7	7	4	4	3	2	1	-
UTAH -----	6	6	10	22	28	31	35	24	34	14	5	-
WHITE-----MALE----	4	3	5	14	15	16	18	10	10	8	1	-
FEMALE--	2	3	5	7	12	15	16	13	24	6	3	-
ALL OTHER--MALE----	-	-	-	1	1	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	1	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	3	-	-	-	1	-	1	3	4	3	1	-
WHITE-----MALE----	2	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	1	-	-	-	1	-	1	3	3	3	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	11	20	22	29	52	52	75	78	60	34	14	3
WHITE-----MALE----	7	9	11	9	25	19	33	22	13	2	2	1
FEMALE--	2	6	8	13	20	20	27	48	38	29	9	1
ALL OTHER--MALE----	1	3	2	2	3	9	6	4	3	-	1	1
FEMALE--	1	2	1	5	4	4	9	4	6	3	2	-
BLACK---MALE----	1	3	2	2	3	9	5	4	3	-	1	1
FEMALE--	1	2	1	5	4	4	9	4	5	3	2	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 2,675
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 SENILITY WITHOUT MENTION OF PSYCHOSIS (797)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
COLORADO -----	-	-	-	-	-	-	2	5	5	7	7	-
WHITE-----MALE----	-	-	-	-	-	-	1	1	2	1	-	-
FEMALE--	-	-	-	-	-	-	1	4	3	6	7	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	-	-	-	-	-	-	-	3	5	4	4	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	1	1	1	-
FEMALE--	-	-	-	-	-	-	-	3	4	3	3	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	-	-	-	-	-	-	-	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	-	-	5	16	57	95	189	291	269	149	51	-
WHITE-----MALE----	-	-	3	12	25	27	77	80	67	29	10	-
FEMALE--	-	-	2	2	26	62	105	193	190	115	37	-
ALL OTHER--MALE----	-	-	-	2	1	4	2	3	4	2	-	-
FEMALE--	-	-	-	-	5	2	5	15	8	3	4	-
BLACK---MALE----	-	-	-	2	1	3	2	3	4	2	-	-
FEMALE--	-	-	-	-	5	2	5	15	8	3	4	-
GEORGIA -----	-	-	-	3	10	17	33	35	38	24	9	-
WHITE-----MALE----	-	-	-	-	4	5	11	4	6	2	2	-
FEMALE--	-	-	-	-	3	6	15	23	25	15	4	-
ALL OTHER--MALE----	-	-	-	2	-	3	5	2	3	1	-	-
FEMALE--	-	-	-	1	3	3	2	6	4	6	3	-
BLACK---MALE----	-	-	-	2	-	3	5	1	3	1	-	-
FEMALE--	-	-	-	1	2	3	2	6	4	5	3	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 2,677
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
SENILITY WITHOUT MENTION OF PSYCHOSIS (797)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
KENTUCKY -----	-	-	-	-	1	1	1	7	8	4	-	-
WHITE-----MALE----	-	-	-	-	1	-	-	2	-	-	-	-
FEMALE--	-	-	-	-	-	1	4	8	4	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
LOUISIANA -----	-	-	-	-	-	2	2	8	4	4	3	-
WHITE-----MALE----	-	-	-	-	-	2	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	5	4	2	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	2	-	2	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	2	-	2	1	-
MAINE -----	-	-	-	-	-	1	1	1	-	7	5	-
WHITE-----MALE----	-	-	-	-	-	-	1	-	-	3	-	-
FEMALE--	-	-	-	-	-	1	-	1	-	3	5	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-
MARYLAND -----	-	-	-	-	-	-	1	-	1	1	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS -----	-	-	-	-	-	-	3	5	4	5	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	3	4	3	5	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
MICHIGAN -----	-	-	-	-	-	1	1	5	3	2	3	-
WHITE-----MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	4	3	2	3	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 2,680
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
SENILITY WITHOUT MENTION OF PSYCHOSIS (797)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
OHIO -----	-	-	-	1	-	2	4	11	28	11	15	-
WHITE-----MALE----	-	-	-	-	-	-	3	4	9	1	3	-
FEMALE--	-	-	-	1	-	2	1	7	19	10	12	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA -----	-	-	-	-	-	-	-	2	3	2	2	-
WHITE-----MALE----	-	-	-	-	-	-	-	1	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	2	2	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	-	-	-	-	1	2	5	9	24	23	8	-
WHITE-----MALE----	-	-	-	-	-	1	1	3	4	4	-	-
FEMALE--	-	-	-	-	1	1	4	6	20	19	7	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	-	-	-	-	2	1	2	5	8	10	6	-
WHITE-----MALE----	-	-	-	-	1	-	2	2	1	3	3	-
FEMALE--	-	-	-	-	1	1	-	3	7	6	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-
RHODE ISLAND -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	-	-	-	-	-	1	1	12	8	5	2	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	1	-	3	7	5	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	2	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	7	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	2	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	7	1	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 2,681
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 SENILITY WITHOUT MENTION OF PSYCHOSIS (797)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
SOUTH DAKOTA -----	-	-	-	-	-	-	1	1	1	5	2	-
WHITE-----MALE----	-	-	-	-	-	-	1	-	1	1	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	4	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	-	-	-	-	2	3	9	9	13	6	5	-
WHITE-----MALE----	-	-	-	-	-	1	4	4	3	-	2	-
FEMALE--	-	-	-	-	2	2	5	4	10	6	3	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
TEXAS -----	-	-	-	1	3	5	6	9	18	10	8	-
WHITE-----MALE----	-	-	-	1	1	2	2	4	6	3	-	-
FEMALE--	-	-	-	-	1	2	3	5	10	7	7	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	1	-	-	-
FEMALE--	-	-	-	-	1	1	-	-	1	-	1	-
BLACK---MALE----	-	-	-	-	-	-	1	-	1	-	-	-
FEMALE--	-	-	-	-	1	1	-	-	1	-	-	-
UTAH -----	-	-	-	-	2	3	2	4	8	12	3	-
WHITE-----MALE----	-	-	-	1	-	-	-	5	5	6	-	-
FEMALE--	-	-	-	1	3	2	3	3	13	6	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	-	-	-	-	-	-	1	1	1	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	-	-	-	-	-	2	1	9	15	13	9	-
WHITE-----MALE----	-	-	-	-	-	1	1	-	1	-	1	-
FEMALE--	-	-	-	-	-	1	-	9	12	11	5	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	1	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	1	2	2	-
BLACK---MALE----	-	-	-	-	-	-	-	-	1	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	1	2	2	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 2,683
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
 CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
 SYMPTOMS, SIGNS, AND OTHER ILL-DEFINED CONDITIONS (780-796,798-799)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 UNITED STATES --	23,552	3,883	283	72	100	264	423	514	756	1,022	1,128	1,105
WHITE-----MALE----	9,847	1,490	114	23	42	125	217	263	364	516	554	580
FEMALE--	8,836	976	81	26	31	60	79	127	185	237	249	241
ALL OTHER--MALE----	2,782	818	45	14	15	47	81	76	137	166	214	203
FEMALE--	2,087	599	43	9	12	32	46	48	70	103	111	81
BLACK---MALE----	2,519	722	43	14	14	41	68	64	125	153	200	190
FEMALE--	1,909	545	37	6	12	27	41	45	65	97	107	75
ALABAMA -----	1,180	86	11	3	1	10	20	11	34	38	48	47
WHITE-----MALE----	362	30	5	-	-	5	5	5	14	20	23	18
FEMALE--	397	24	2	2	-	1	5	4	6	11	7	9
ALL OTHER--MALE----	207	14	1	-	1	1	7	2	9	6	10	16
FEMALE--	214	18	3	1	-	3	3	-	5	1	8	4
BLACK---MALE----	207	14	1	-	1	1	7	2	9	6	10	16
FEMALE--	213	18	3	1	-	3	3	-	5	1	8	4
ALASKA -----	49	18	-	-	-	-	1	-	-	-	-	1
WHITE-----MALE----	17	3	-	-	-	-	1	-	-	-	-	-
FEMALE--	13	4	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	9	5	-	-	-	-	-	-	-	-	-	1
FEMALE--	10	6	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	192	55	4	-	2	3	5	8	11	9	9	9
WHITE-----MALE----	92	21	1	-	-	1	2	3	5	3	6	7
FEMALE--	67	21	2	-	1	1	-	1	-	5	2	1
ALL OTHER--MALE----	16	5	-	-	-	-	1	-	2	2	-	1
FEMALE--	17	8	1	-	1	-	-	1	1	1	1	-
BLACK---MALE----	3	2	-	-	-	-	-	-	-	1	-	-
FEMALE--	5	3	-	-	1	-	-	-	-	-	1	-
ARKANSAS -----	706	51	3	2	1	1	2	4	4	17	17	25
WHITE-----MALE----	282	17	-	1	1	1	1	3	1	6	4	11
FEMALE--	282	15	-	1	-	-	-	1	2	3	5	7
ALL OTHER--MALE----	85	10	1	-	-	-	1	-	1	5	5	6
FEMALE--	57	9	2	-	-	-	-	-	-	3	3	1
BLACK---MALE----	84	10	1	-	-	-	1	-	1	5	5	6
FEMALE--	57	9	2	-	-	-	-	-	-	3	3	1
CALIFORNIA -----	1,572	429	37	9	15	32	59	69	91	140	143	139
WHITE-----MALE----	786	184	17	4	7	14	34	35	46	83	79	87
FEMALE--	460	108	12	4	7	7	15	21	27	34	39	36
ALL OTHER--MALE----	200	90	4	1	1	5	6	10	11	12	16	7
FEMALE--	126	47	4	-	-	6	4	3	7	11	9	9
BLACK---MALE----	135	60	3	1	1	2	3	5	9	10	12	6
FEMALE--	91	40	2	-	-	2	3	3	5	7	7	7

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 2,683
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
SYMPTOMS, SIGNS, AND OTHER ILL-DEFINED CONDITIONS (780-796,798-799)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 UNITED STATES --	905	868	990	1,243	1,540	1,910	2,109	1,881	1,502	731	237	86
WHITE-----MALE----	457	426	510	627	709	839	854	583	353	117	42	42
FEMALE--	230	251	292	426	615	825	1,020	1,127	1,018	540	175	25
ALL OTHER--MALE----	135	123	118	112	115	128	98	63	38	21	2	13
FEMALE--	83	68	70	78	101	118	137	108	93	53	18	6
BLACK---MALE----	125	112	111	109	102	121	87	54	33	20	2	9
FEMALE--	78	59	64	72	95	106	124	102	85	47	16	4
ALABAMA -----	55	47	69	86	99	131	146	116	85	27	10	-
WHITE-----MALE----	17	16	26	34	30	40	34	25	14	1	-	-
FEMALE--	10	11	12	27	32	51	58	61	46	15	3	-
ALL OTHER--MALE----	19	10	15	18	20	18	16	12	8	4	-	-
FEMALE--	9	10	16	7	17	22	38	18	17	7	7	-
BLACK---MALE----	19	10	15	18	20	18	16	12	8	4	-	-
FEMALE--	9	10	16	7	17	22	38	18	16	7	7	-
ALASKA -----	3	-	3	4	4	4	4	3	3	1	-	-
WHITE-----MALE----	2	-	1	2	1	3	2	1	1	-	-	-
FEMALE--	-	-	-	1	2	1	2	2	1	-	-	-
ALL OTHER--MALE----	-	-	1	-	1	-	-	-	1	-	-	-
FEMALE--	1	-	1	1	-	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	5	9	8	5	5	8	10	13	8	-	3	10
WHITE-----MALE----	1	6	3	3	4	3	4	8	1	-	1	9
FEMALE--	3	2	3	2	-	4	5	5	7	-	2	-
ALL OTHER--MALE----	1	1	1	-	1	-	-	-	-	-	-	1
FEMALE--	-	-	1	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	28	39	53	47	59	87	88	93	49	28	8	-
WHITE-----MALE----	15	22	30	26	21	41	30	35	10	5	1	-
FEMALE--	7	8	15	12	29	33	43	52	30	14	5	-
ALL OTHER--MALE----	3	8	5	7	5	11	8	2	2	5	-	-
FEMALE--	3	1	3	2	4	2	7	4	7	4	2	-
BLACK---MALE----	3	8	5	7	5	10	8	2	2	5	-	-
FEMALE--	3	1	3	2	4	2	7	4	7	4	2	-
CALIFORNIA -----	95	67	37	46	46	23	34	23	9	7	-	22
WHITE-----MALE----	54	33	19	29	16	7	16	12	-	1	-	9
FEMALE--	25	21	13	12	25	12	13	8	6	6	-	9
ALL OTHER--MALE----	11	8	5	2	3	1	2	2	1	-	-	2
FEMALE--	5	5	-	3	2	3	3	1	2	-	-	2
BLACK---MALE----	7	5	4	2	2	1	1	-	-	-	-	1
FEMALE--	4	4	-	2	-	3	1	-	-	-	-	1

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 2,684
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
SYMPTOMS, SIGNS, AND OTHER ILL-DEFINED CONDITIONS (780-796,798-799)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
COLORADO -----	210	47	3	1	1	2	1	2	6	5	8	12
WHITE-----MALE----	97	21	1	-	1	-	1	1	3	4	5	7
FEMALE--	94	19	1	1	-	2	-	-	1	1	2	3
ALL OTHER--MALE----	8	3	-	-	-	-	-	1	-	-	1	2
FEMALE--	11	4	1	-	-	-	-	-	2	-	-	-
BLACK---MALE----	5	2	-	-	-	-	-	1	-	-	-	2
FEMALE--	11	4	1	-	-	-	-	-	2	-	-	-
CONNECTICUT -----	211	28	5	-	1	1	1	3	4	7	4	7
WHITE-----MALE----	88	13	2	-	1	1	-	2	-	1	3	4
FEMALE--	98	6	2	-	-	-	-	1	2	5	-	2
ALL OTHER--MALE----	16	5	1	-	-	-	1	-	1	1	1	-
FEMALE--	9	4	-	-	-	-	-	-	1	-	-	1
BLACK---MALE----	15	4	1	-	-	-	1	-	1	1	1	-
FEMALE--	8	3	-	-	-	-	-	-	1	-	-	1
DELAWARE -----	59	8	1	-	-	-	-	2	3	2	2	2
WHITE-----MALE----	28	5	1	-	-	-	-	2	2	1	1	-
FEMALE--	20	-	-	-	-	-	-	-	1	1	-	-
ALL OTHER--MALE----	9	3	-	-	-	-	-	-	-	-	1	2
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	9	3	-	-	-	-	-	-	-	-	1	2
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	161	18	-	-	-	2	3	4	13	21	26	23
WHITE-----MALE----	9	1	-	-	-	-	-	1	2	2	-	-
FEMALE--	13	1	-	-	-	1	-	-	-	1	1	1
ALL OTHER--MALE----	91	9	-	-	-	-	1	2	8	13	17	19
FEMALE--	48	7	-	-	-	1	2	1	3	5	8	3
BLACK---MALE----	90	9	-	-	-	-	1	2	8	12	17	19
FEMALE--	47	7	-	-	-	1	2	1	3	5	8	3
FLORIDA -----	1,448	185	10	2	3	3	17	22	35	55	68	48
WHITE-----MALE----	632	74	5	-	-	2	11	6	17	27	36	32
FEMALE--	585	41	2	1	3	1	3	8	7	13	16	12
ALL OTHER--MALE----	126	37	1	1	-	-	1	4	7	11	14	2
FEMALE--	105	33	2	-	-	-	2	4	4	4	2	2
BLACK---MALE----	122	36	1	1	-	-	1	4	7	10	13	2
FEMALE--	103	33	2	-	-	-	2	4	4	4	2	2
GEORGIA -----	555	123	4	-	1	7	10	6	8	15	5	24
WHITE-----MALE----	158	37	2	-	-	1	1	1	2	5	1	7
FEMALE--	205	33	1	-	-	1	3	3	1	3	-	7
ALL OTHER--MALE----	108	30	-	-	1	4	4	-	4	5	-	8
FEMALE--	84	23	1	-	-	1	2	2	1	2	4	2
BLACK---MALE----	106	29	-	-	1	4	4	-	4	5	-	8
FEMALE--	82	22	1	-	-	1	2	2	1	2	4	2

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 2,684
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
SYMPTOMS, SIGNS, AND OTHER ILL-DEFINED CONDITIONS (780-796,798-799)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
COLORADO -----	3	6	2	8	13	17	23	14	17	12	7	-
WHITE-----MALE----	2	4	1	6	9	8	9	3	8	1	2	-
FEMALE--	-	2	1	2	4	9	13	10	7	11	5	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	2	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	2	-	-	-
CONNECTICUT -----	2	7	9	13	14	20	23	31	21	10	-	-
WHITE-----MALE----	1	3	6	8	4	11	12	10	4	2	-	-
FEMALE--	1	4	3	4	8	7	10	18	17	8	-	-
ALL OTHER--MALE----	-	-	-	1	1	2	1	1	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	2	-	-	-	-
BLACK---MALE----	-	-	-	1	1	2	1	1	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	2	-	-	-	-
DELAWARE -----	1	-	2	4	7	8	4	5	4	3	1	-
WHITE-----MALE----	1	-	-	3	3	5	1	2	1	-	-	-
FEMALE--	-	-	2	1	1	3	3	3	2	2	1	-
ALL OTHER--MALE----	-	-	-	-	2	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	2	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	1	-	-
DISTRICT OF COLUMBIA ----	13	5	8	11	3	5	2	4	-	-	-	-
WHITE-----MALE----	2	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	1	-	-	4	1	1	1	-	-	-	-	-
ALL OTHER--MALE----	6	1	6	6	-	1	1	1	-	-	-	-
FEMALE--	4	4	2	1	1	3	-	3	-	-	-	-
BLACK---MALE----	6	1	6	6	-	1	1	1	-	-	-	-
FEMALE--	4	3	2	1	1	3	-	3	-	-	-	-
FLORIDA -----	53	55	77	74	98	137	154	143	120	67	11	11
WHITE-----MALE----	25	26	46	42	59	62	71	40	28	12	1	10
FEMALE--	15	19	19	26	31	63	75	90	82	49	9	-
ALL OTHER--MALE----	8	6	6	5	6	5	3	6	2	-	-	1
FEMALE--	5	4	6	1	2	7	5	7	8	6	1	-
BLACK---MALE----	8	6	6	5	6	5	3	6	2	-	-	-
FEMALE--	5	4	6	1	2	5	5	7	8	6	1	-
GEORGIA -----	22	18	29	33	39	45	59	40	49	16	2	-
WHITE-----MALE----	7	7	7	15	12	13	20	12	5	3	-	-
FEMALE--	6	3	7	3	13	20	31	22	37	9	2	-
ALL OTHER--MALE----	7	5	9	10	7	5	5	2	2	-	-	-
FEMALE--	2	3	6	5	7	7	3	4	5	4	-	-
BLACK---MALE----	7	5	9	10	7	5	5	1	2	-	-	-
FEMALE--	2	3	6	5	6	7	3	4	5	4	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 2,685
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
SYMPTOMS, SIGNS, AND OTHER ILL-DEFINED CONDITIONS (780-796,798-799)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
HAWAII -----	80	14	-	2	-	-	2	-	2	4	6	4
WHITE-----MALE----	20	2	-	-	-	-	-	-	-	1	4	3
FEMALE--	8	2	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	32	6	-	-	-	-	2	-	1	3	1	-
FEMALE--	20	4	-	2	-	-	-	-	1	-	-	1
BLACK---MALE----	2	-	-	-	-	-	1	-	-	1	-	-
FEMALE--	2	2	-	-	-	-	-	-	-	-	-	-
IDAHO -----	70	25	-	-	-	1	1	1	-	1	2	1
WHITE-----MALE----	35	13	-	-	-	1	1	1	-	-	2	1
FEMALE--	33	11	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	1,255	244	30	9	15	39	38	49	75	75	87	63
WHITE-----MALE----	520	56	11	6	9	21	25	29	35	43	42	30
FEMALE--	382	49	6	-	4	9	4	9	19	14	12	10
ALL OTHER--MALE----	209	72	8	1	-	7	8	9	14	12	27	16
FEMALE--	144	67	5	2	2	2	1	2	7	6	6	7
BLACK---MALE----	201	72	8	1	-	6	7	9	14	12	26	16
FEMALE--	140	66	5	2	2	2	1	2	7	6	6	6
INDIANA -----	459	113	11	-	2	5	8	10	19	11	14	17
WHITE-----MALE----	203	50	7	-	1	2	1	6	13	6	7	8
FEMALE--	177	29	2	-	1	1	3	2	5	-	2	3
ALL OTHER--MALE----	45	17	2	-	-	2	2	1	-	4	3	5
FEMALE--	34	17	-	-	-	-	2	1	1	1	2	1
BLACK---MALE----	42	16	1	-	-	2	2	1	-	4	3	5
FEMALE--	32	17	-	-	-	-	2	1	1	-	2	1
IOWA -----	135	25	-	-	2	1	1	3	7	1	6	2
WHITE-----MALE----	50	9	-	-	1	1	1	-	1	1	5	-
FEMALE--	70	8	-	-	1	-	-	3	4	-	1	2
ALL OTHER--MALE----	8	3	-	-	-	-	-	-	1	-	-	-
FEMALE--	7	5	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	7	3	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	5	-	-	-	-	-	-	1	-	-	-
KANSAS -----	404	47	2	-	-	3	11	1	5	11	12	14
WHITE-----MALE----	169	23	1	-	-	1	6	1	3	8	9	10
FEMALE--	182	12	1	-	-	2	2	-	1	2	1	2
ALL OTHER--MALE----	28	5	-	-	-	-	1	-	1	1	-	2
FEMALE--	25	7	-	-	-	-	2	-	-	-	2	-
BLACK---MALE----	27	5	-	-	-	-	1	-	1	1	-	1
FEMALE--	23	6	-	-	-	-	2	-	-	-	2	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 2,685
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
SYMPTOMS, SIGNS, AND OTHER ILL-DEFINED CONDITIONS (780-796,798-799)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
HAWAII -----	2	4	2	4	2	4	10	7	5	3	2	1
WHITE-----MALE----	1	-	1	-	1	1	-	4	1	-	-	1
FEMALE--	-	2	-	1	-	-	2	-	-	-	-	-
ALL OTHER--MALE----	-	1	1	2	1	2	7	2	2	1	-	-
FEMALE--	1	1	-	1	-	1	1	1	2	2	2	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	2	3	1	1	2	4	9	7	2	3	4	-
WHITE-----MALE----	1	2	-	1	2	3	2	3	-	1	1	-
FEMALE--	1	-	1	-	-	1	7	4	2	2	3	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	54	41	49	42	62	68	79	61	43	21	8	3
WHITE-----MALE----	22	22	32	17	30	30	25	23	7	4	1	-
FEMALE--	17	11	9	17	25	32	48	32	33	15	6	1
ALL OTHER--MALE----	10	6	5	4	1	3	2	3	-	-	-	1
FEMALE--	5	2	3	4	6	3	4	3	3	2	1	1
BLACK---MALE----	9	5	5	3	-	3	2	2	-	-	-	1
FEMALE--	4	2	3	4	6	3	3	3	3	2	1	1
INDIANA -----	9	11	18	22	27	32	41	29	36	17	6	1
WHITE-----MALE----	6	5	8	11	13	15	19	10	10	4	1	-
FEMALE--	2	4	8	7	14	14	19	17	25	13	5	1
ALL OTHER--MALE----	-	2	2	2	-	2	1	-	-	-	-	-
FEMALE--	1	-	-	2	-	1	2	2	1	-	-	-
BLACK---MALE----	-	2	2	2	-	1	1	-	-	-	-	-
FEMALE--	1	-	-	2	-	1	1	2	1	-	-	-
IOWA -----	4	3	5	7	7	10	15	11	13	8	4	-
WHITE-----MALE----	2	2	4	2	2	5	7	4	2	-	1	-
FEMALE--	1	-	1	5	5	4	6	7	11	8	3	-
ALL OTHER--MALE----	-	1	-	-	-	1	2	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	1	2	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
KANSAS -----	8	12	15	32	31	36	43	44	50	20	7	-
WHITE-----MALE----	5	3	7	15	14	13	17	16	15	1	1	-
FEMALE--	1	6	6	12	10	22	23	22	33	18	6	-
ALL OTHER--MALE----	1	3	1	5	3	-	1	3	-	1	-	-
FEMALE--	1	-	1	-	4	1	2	3	2	-	-	-
BLACK---MALE----	1	3	1	5	3	-	1	3	-	1	-	-
FEMALE--	1	-	-	-	4	1	2	3	2	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 2,686
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
SYMPTOMS, SIGNS, AND OTHER ILL-DEFINED CONDITIONS (780-796,798-799)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
KENTUCKY -----	235	38	-	1	1	1	1	3	7	5	2	10
WHITE-----MALE----	107	19	-	-	1	1	1	1	4	3	1	7
FEMALE--	100	9	-	1	-	-	-	1	2	2	-	1
ALL OTHER--MALE----	11	5	-	-	-	-	-	1	1	-	-	1
FEMALE--	17	5	-	-	-	-	-	-	-	-	1	1
BLACK---MALE----	11	5	-	-	-	-	-	1	1	-	-	1
FEMALE--	16	4	-	-	-	-	-	-	-	-	1	1
LOUISIANA -----	437	70	3	1	-	1	3	4	6	13	13	6
WHITE-----MALE----	122	20	-	1	-	-	1	2	3	3	4	3
FEMALE--	167	14	-	-	-	-	1	-	1	2	1	-
ALL OTHER--MALE----	85	24	3	-	-	1	1	-	-	3	7	1
FEMALE--	63	12	-	-	-	-	-	2	2	5	1	2
BLACK---MALE----	85	24	3	-	-	1	1	-	-	3	7	1
FEMALE--	62	12	-	-	-	-	-	2	2	5	1	2
MAINE -----	74	2	1	-	-	1	-	1	1	-	-	1
WHITE-----MALE----	36	2	-	-	-	-	-	1	1	-	-	1
FEMALE--	38	-	1	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	244	80	5	2	3	1	7	8	16	11	16	10
WHITE-----MALE----	74	27	1	1	1	-	2	3	2	5	-	5
FEMALE--	64	14	-	-	-	-	-	3	1	3	5	1
ALL OTHER--MALE----	70	26	1	1	2	1	2	1	10	3	7	3
FEMALE--	36	13	3	-	-	-	3	1	3	-	4	1
BLACK---MALE----	68	25	1	1	2	1	1	1	10	3	7	3
FEMALE--	35	13	3	-	-	-	2	1	3	-	4	1
MASSACHUSETTS -----	451	41	4	2	1	2	7	12	9	5	13	15
WHITE-----MALE----	179	10	2	-	-	-	6	6	5	4	7	6
FEMALE--	240	18	-	2	1	1	1	3	2	1	3	7
ALL OTHER--MALE----	24	9	1	-	-	1	-	3	1	-	2	1
FEMALE--	8	4	1	-	-	-	-	-	1	-	1	1
BLACK---MALE----	20	9	1	-	-	1	-	2	1	-	2	-
FEMALE--	8	4	1	-	-	-	-	-	1	-	1	1
MICHIGAN -----	336	157	3	-	1	2	4	5	6	6	14	5
WHITE-----MALE----	123	51	2	-	1	1	2	-	4	1	7	3
FEMALE--	100	31	1	-	-	1	1	2	1	1	1	-
ALL OTHER--MALE----	61	43	-	-	-	-	1	1	1	2	1	2
FEMALE--	52	32	-	-	-	-	-	2	-	2	5	-
BLACK---MALE----	59	41	-	-	-	-	1	1	1	2	1	2
FEMALE--	51	31	-	-	-	-	-	2	-	2	5	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 2,686
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
SYMPTOMS, SIGNS, AND OTHER ILL-DEFINED CONDITIONS (780-796,798-799)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
KENTUCKY -----	8	11	10	16	22	30	29	14	13	9	4	-
WHITE-----MALE----	5	5	5	9	4	14	14	5	4	4	-	-
FEMALE--	2	5	3	7	13	15	15	8	8	5	3	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	1	-	1	-
FEMALE--	1	1	2	-	4	1	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	1	-	1	-
FEMALE--	1	1	2	-	4	1	-	1	-	-	-	-
LOUISIANA -----	13	16	12	29	29	53	55	51	39	17	3	-
WHITE-----MALE----	1	2	4	12	15	17	14	10	8	1	1	-
FEMALE--	5	5	4	10	7	23	31	27	23	11	2	-
ALL OTHER--MALE----	6	6	2	2	6	7	4	6	3	3	-	-
FEMALE--	1	3	2	5	1	6	6	8	5	2	-	-
BLACK---MALE----	6	6	2	2	6	7	4	6	3	3	-	-
FEMALE--	1	3	2	5	1	6	6	7	5	2	-	-
MAINE -----	2	2	4	6	9	12	11	11	8	2	-	-
WHITE-----MALE----	1	1	2	5	6	6	7	1	1	1	-	-
FEMALE--	1	1	2	1	3	6	4	10	7	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	8	5	8	6	13	10	11	8	8	3	2	3
WHITE-----MALE----	1	2	5	2	4	3	7	1	2	-	-	-
FEMALE--	2	-	2	3	6	5	2	7	5	2	2	1
ALL OTHER--MALE----	4	3	1	-	3	1	-	-	-	1	-	-
FEMALE--	1	-	-	1	-	1	2	-	1	-	-	2
BLACK---MALE----	4	3	1	-	3	1	-	-	-	1	-	-
FEMALE--	1	-	-	1	-	1	2	-	1	-	-	2
MASSACHUSETTS -----	10	8	10	15	45	51	63	49	60	19	9	1
WHITE-----MALE----	9	2	6	12	21	22	23	18	12	5	3	-
FEMALE--	-	6	3	3	22	28	40	31	48	14	6	-
ALL OTHER--MALE----	1	-	1	-	2	1	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	1	-	-	1	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	5	8	9	8	13	14	22	19	25	8	2	-
WHITE-----MALE----	3	3	4	4	4	6	12	4	9	1	1	-
FEMALE--	-	3	3	3	6	7	6	12	14	6	1	-
ALL OTHER--MALE----	2	-	2	1	1	1	3	-	-	-	-	-
FEMALE--	-	2	-	-	2	-	1	3	2	1	-	-
BLACK---MALE----	2	-	2	1	1	1	3	-	-	-	-	-
FEMALE--	-	2	-	-	2	-	1	3	2	1	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 2,687
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 SYMPTOMS, SIGNS, AND OTHER ILL-DEFINED CONDITIONS (780-796,798-799)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
MINNESOTA -----	13	12	30	39	54	72	109	128	138	87	26	1
WHITE-----MALE----	9	7	19	22	28	35	49	46	29	12	7	1
FEMALE--	4	3	10	15	23	36	58	80	109	75	19	-
ALL OTHER--MALE----	-	1	1	1	1	-	1	1	-	-	-	-
FEMALE--	-	1	-	1	2	1	1	1	-	-	-	-
BLACK---MALE----	-	1	1	1	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	1	-	-	-	-
MISSISSIPPI -----	5	5	5	13	16	21	31	27	25	8	1	-
WHITE-----MALE----	1	2	2	3	4	5	6	9	1	-	-	-
FEMALE--	2	1	1	4	5	9	14	11	14	4	1	-
ALL OTHER--MALE----	2	2	1	3	4	2	4	4	2	1	-	-
FEMALE--	-	-	1	3	3	5	7	3	8	3	-	-
BLACK---MALE----	2	2	1	3	4	2	4	4	2	1	-	-
FEMALE--	-	-	1	3	3	5	7	3	8	3	-	-
MISSOURI -----	11	12	11	29	17	22	33	31	30	16	6	1
WHITE-----MALE----	8	8	6	18	10	11	12	9	6	4	1	-
FEMALE--	1	2	4	9	5	9	17	21	23	12	5	-
ALL OTHER--MALE----	1	1	1	1	1	1	3	1	-	-	-	1
FEMALE--	1	1	-	1	1	1	1	-	1	-	-	-
BLACK---MALE----	1	1	1	1	1	1	3	1	-	-	-	1
FEMALE--	1	1	-	1	1	1	1	-	-	-	-	-
MONTANA -----	3	3	1	7	7	14	11	15	10	11	2	-
WHITE-----MALE----	2	-	1	4	2	9	6	6	1	2	-	-
FEMALE--	1	3	-	3	4	5	5	9	9	9	2	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	11	18	26	41	40	59	46	59	41	22	13	-
WHITE-----MALE----	7	12	19	23	19	31	24	26	12	5	4	-
FEMALE--	4	3	7	15	17	25	19	33	28	17	9	-
ALL OTHER--MALE----	-	3	-	2	2	1	-	-	1	-	-	-
FEMALE--	-	-	-	1	2	2	3	-	-	-	-	-
BLACK---MALE----	-	2	-	2	2	1	-	-	1	-	-	-
FEMALE--	-	-	-	-	2	2	2	-	-	-	-	-
NEVADA -----	5	1	1	2	4	12	5	7	2	3	1	7
WHITE-----MALE----	3	-	1	1	4	3	2	3	2	1	-	4
FEMALE--	2	1	-	1	-	7	2	4	-	2	1	2
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	2	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	2	-	-	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 2,688
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
SYMPTOMS, SIGNS, AND OTHER ILL-DEFINED CONDITIONS (780-796,798-799)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
NEW HAMPSHIRE -----	32	9	-	-	-	-	1	3	1	1	2	-
WHITE-----MALE----	16	4	-	-	-	-	1	2	1	1	1	-
FEMALE--	16	5	-	-	-	-	-	1	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY -----	421	68	5	3	1	7	8	13	18	14	29	23
WHITE-----MALE----	160	16	1	-	1	2	4	7	9	7	15	13
FEMALE--	162	16	2	3	-	3	2	3	5	4	3	5
ALL OTHER--MALE----	61	20	1	-	-	2	2	1	3	2	6	3
FEMALE--	38	16	1	-	-	-	-	2	1	1	5	2
BLACK---MALE----	56	17	1	-	-	2	2	1	3	1	6	3
FEMALE--	37	16	1	-	-	-	-	2	1	1	5	2
NEW MEXICO -----	100	26	-	-	-	2	2	3	-	1	2	3
WHITE-----MALE----	43	13	-	-	-	1	-	2	-	1	-	3
FEMALE--	45	8	-	-	-	1	2	1	-	-	1	-
ALL OTHER--MALE----	7	3	-	-	-	-	-	-	-	-	1	-
FEMALE--	5	2	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	2	-	-	-	-	-	-	-	-	-	-
NEW YORK -----	2,174	215	29	14	13	36	57	89	136	213	219	227
WHITE-----MALE----	1,008	76	6	5	6	13	30	46	71	113	107	124
FEMALE--	642	46	14	4	3	6	7	15	33	46	51	42
ALL OTHER--MALE----	316	59	3	4	2	7	11	14	23	29	41	44
FEMALE--	208	34	6	1	2	10	9	14	9	25	20	17
BLACK---MALE----	294	57	3	4	2	6	9	13	20	25	40	42
FEMALE--	196	32	6	1	2	9	8	14	9	25	20	15
NORTH CAROLINA -----	361	116	10	-	3	3	8	5	11	19	14	15
WHITE-----MALE----	122	44	3	-	-	-	-	2	6	7	4	7
FEMALE--	114	17	2	-	-	1	1	3	3	5	5	5
ALL OTHER--MALE----	62	32	3	-	2	-	3	-	1	3	2	1
FEMALE--	63	23	2	-	1	2	4	-	1	4	3	2
BLACK---MALE----	58	32	3	-	2	-	1	-	1	3	2	1
FEMALE--	59	20	1	-	1	2	4	-	1	4	3	2
NORTH DAKOTA -----	46	7	-	-	-	2	1	-	1	-	1	1
WHITE-----MALE----	18	3	-	-	-	-	1	-	-	-	1	-
FEMALE--	21	2	-	-	-	-	-	-	1	-	-	1
ALL OTHER--MALE----	3	2	-	-	-	1	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 2,689
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
SYMPTOMS, SIGNS, AND OTHER ILL-DEFINED CONDITIONS (780-796,798-799)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
OHIO -----	1,617	182	36	2	9	40	56	76	71	100	127	106
WHITE-----MALE----	764	71	20	-	1	22	32	45	33	47	59	60
FEMALE--	529	43	10	1	4	9	10	17	21	23	31	19
ALL OTHER--MALE----	212	42	2	1	3	8	13	10	11	19	24	18
FEMALE--	112	26	4	-	1	1	1	4	6	11	13	9
BLACK---MALE----	208	41	2	1	3	8	13	10	10	19	23	18
FEMALE--	109	26	4	-	1	1	1	3	5	11	13	9
OKLAHOMA -----	257	72	4	1	2	6	9	8	8	12	9	14
WHITE-----MALE----	113	33	2	-	-	2	5	3	3	5	2	6
FEMALE--	100	18	1	1	1	3	3	3	4	4	6	6
ALL OTHER--MALE----	26	10	-	-	-	1	1	2	1	3	-	2
FEMALE--	18	11	1	-	1	-	-	-	-	-	1	-
BLACK---MALE----	19	4	-	-	-	1	1	2	1	3	-	1
FEMALE--	11	5	-	-	1	-	-	-	-	-	1	-
OREGON -----	582	58	3	-	1	2	4	1	1	6	5	15
WHITE-----MALE----	280	24	1	-	1	1	2	1	-	6	4	11
FEMALE--	280	26	2	-	-	1	2	-	1	-	-	3
ALL OTHER--MALE----	12	6	-	-	-	-	-	-	-	-	1	1
FEMALE--	10	2	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	6	4	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	1	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	1,528	149	7	1	3	5	16	11	24	26	40	45
WHITE-----MALE----	674	51	2	-	2	4	10	5	16	14	23	27
FEMALE--	647	35	1	-	-	-	2	3	4	6	9	6
ALL OTHER--MALE----	106	32	3	-	-	1	4	2	4	3	3	8
FEMALE--	101	31	1	1	1	-	-	1	-	3	5	4
BLACK---MALE----	102	29	3	-	-	1	4	2	3	3	3	8
FEMALE--	99	31	1	1	1	-	-	1	-	3	4	4
RHODE ISLAND -----	82	13	-	-	1	-	2	3	5	4	8	6
WHITE-----MALE----	49	7	-	-	1	-	2	3	3	3	5	3
FEMALE--	29	4	-	-	-	-	-	-	2	1	3	2
ALL OTHER--MALE----	3	2	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	292	57	2	1	2	-	6	5	6	14	14	12
WHITE-----MALE----	88	21	-	-	-	-	-	4	1	6	3	5
FEMALE--	81	10	2	-	1	-	-	-	1	2	3	1
ALL OTHER--MALE----	72	17	-	1	1	-	1	-	4	2	7	6
FEMALE--	51	9	-	-	-	-	5	1	-	4	1	-
BLACK---MALE----	72	17	-	1	1	-	1	-	4	2	7	6
FEMALE--	51	9	-	-	-	-	5	1	-	4	1	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 2,689
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
SYMPTOMS, SIGNS, AND OTHER ILL-DEFINED CONDITIONS (780-796,798-799)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
OHIO -----	69	63	69	77	96	130	123	94	52	25	13	1
WHITE-----MALE----	33	40	46	38	48	62	63	27	12	3	2	-
FEMALE--	18	16	15	22	34	54	53	61	35	21	11	1
ALL OTHER--MALE----	14	5	7	9	8	8	4	2	3	1	-	-
FEMALE--	4	2	1	8	6	6	3	4	2	-	-	-
BLACK---MALE----	13	5	7	9	8	8	4	2	3	1	-	-
FEMALE--	4	2	1	8	6	5	3	4	2	-	-	-
OKLAHOMA -----	10	10	8	9	14	10	17	15	13	5	-	1
WHITE-----MALE----	6	6	5	6	5	5	7	3	7	2	-	-
FEMALE--	4	3	2	3	6	4	7	12	6	3	-	-
ALL OTHER--MALE----	-	-	1	-	2	1	-	-	-	-	-	1
FEMALE--	-	1	-	-	1	-	2	-	-	-	-	-
BLACK---MALE----	-	-	1	-	2	1	1	-	-	-	-	1
FEMALE--	-	1	-	-	1	-	2	-	-	-	-	-
OREGON -----	21	24	33	38	54	66	81	70	53	33	12	1
WHITE-----MALE----	16	15	22	27	33	29	44	21	13	5	3	1
FEMALE--	5	8	11	11	19	32	37	47	39	27	9	-
ALL OTHER--MALE----	-	1	-	-	1	1	-	-	1	-	-	-
FEMALE--	-	-	-	-	1	4	-	2	-	1	-	-
BLACK---MALE----	-	1	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	2	-	1	-	1	-	-
PENNSYLVANIA -----	55	56	83	101	170	210	180	185	104	42	14	1
WHITE-----MALE----	26	31	48	53	90	103	77	58	27	5	2	-
FEMALE--	15	17	26	37	67	90	92	117	73	36	11	-
ALL OTHER--MALE----	6	5	6	6	7	8	5	2	-	-	-	1
FEMALE--	8	3	3	5	6	9	6	8	4	1	1	-
BLACK---MALE----	6	5	6	6	7	8	5	2	-	-	-	1
FEMALE--	8	2	3	5	6	9	6	8	4	1	1	-
RHODE ISLAND -----	5	2	3	4	3	7	5	3	5	2	1	-
WHITE-----MALE----	4	1	1	3	1	4	3	2	2	-	1	-
FEMALE--	1	1	1	1	2	3	2	1	3	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	10	12	19	22	15	22	29	22	14	5	2	1
WHITE-----MALE----	4	7	6	9	3	4	6	6	2	1	-	-
FEMALE--	1	-	3	5	8	7	12	10	11	2	1	1
ALL OTHER--MALE----	3	3	7	4	2	7	5	-	-	1	1	-
FEMALE--	2	2	3	4	2	4	6	6	1	1	-	-
BLACK---MALE----	3	3	7	4	2	7	5	-	-	1	1	-
FEMALE--	2	2	3	4	2	4	6	6	1	1	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 2,690
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
 CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
 SYMPTOMS, SIGNS, AND OTHER ILL-DEFINED CONDITIONS (780-796,798-799)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
SOUTH DAKOTA -----	57	16	1	-	-	-	-	1	1	1	2	-
WHITE-----MALE----	25	7	-	-	-	-	-	1	-	-	1	-
FEMALE--	17	2	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	8	4	-	-	-	-	-	-	1	1	1	-
FEMALE--	7	3	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	789	106	7	4	-	6	3	5	13	26	22	27
WHITE-----MALE----	308	46	1	1	-	6	2	3	4	10	14	11
FEMALE--	314	20	3	-	-	-	1	1	2	6	3	10
ALL OTHER--MALE----	82	25	2	2	-	-	-	-	4	5	5	-
FEMALE--	85	15	1	1	-	-	-	1	3	5	-	6
BLACK---MALE----	81	25	2	2	-	-	-	-	4	5	5	-
FEMALE--	81	15	1	1	-	-	-	1	3	5	-	6
TEXAS -----	1,110	278	9	3	9	13	16	20	22	44	43	37
WHITE-----MALE----	497	114	6	3	5	7	14	6	16	20	26	18
FEMALE--	437	91	2	-	1	1	2	9	4	14	10	13
ALL OTHER--MALE----	99	45	1	-	1	4	-	4	1	6	3	5
FEMALE--	77	28	-	-	2	1	-	1	1	4	4	1
BLACK---MALE----	95	45	1	-	1	4	-	3	1	6	3	5
FEMALE--	75	27	-	-	2	1	-	1	1	4	4	1
UTAH -----	219	29	2	-	-	2	2	1	6	4	3	7
WHITE-----MALE----	118	17	2	-	-	1	-	-	2	3	3	3
FEMALE--	92	8	-	-	-	1	1	1	4	-	-	4
ALL OTHER--MALE----	7	2	-	-	-	-	1	-	-	1	-	-
FEMALE--	2	2	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
VERMONT -----	22	5	-	-	-	-	-	1	-	1	-	2
WHITE-----MALE----	11	5	-	-	-	-	-	1	-	1	-	1
FEMALE--	11	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	640	98	4	1	-	9	12	13	20	31	26	25
WHITE-----MALE----	260	45	2	-	-	9	4	4	5	17	16	9
FEMALE--	227	20	1	1	-	-	-	2	4	6	5	5
ALL OTHER--MALE----	90	23	1	-	-	-	4	5	6	6	4	8
FEMALE--	63	10	-	-	-	-	4	2	5	2	1	3
BLACK---MALE----	85	20	1	-	-	-	4	4	6	6	4	8
FEMALE--	60	9	-	-	-	-	3	2	5	2	1	3

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 2,690
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 SYMPTOMS, SIGNS, AND OTHER ILL-DEFINED CONDITIONS (780-796,798-799)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
SOUTH DAKOTA -----	3	1	5	3	4	3	7	3	2	4	-	-
WHITE-----MALE----	1	1	3	2	2	1	2	1	2	1	-	-
FEMALE--	1	-	1	1	2	2	3	2	-	3	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	2	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	28	36	30	46	60	81	98	84	62	36	7	2
WHITE-----MALE----	16	19	13	16	26	41	33	24	16	5	-	1
FEMALE--	6	8	13	21	23	28	55	51	36	21	5	1
ALL OTHER--MALE----	3	5	3	4	4	7	5	4	3	1	-	-
FEMALE--	3	4	1	5	7	5	5	5	7	9	2	-
BLACK---MALE----	3	5	3	4	4	7	5	3	3	1	-	-
FEMALE--	3	3	1	5	7	4	5	5	6	8	2	-
TEXAS -----	42	29	44	61	67	75	81	83	72	35	20	7
WHITE-----MALE----	28	18	22	32	33	34	38	24	26	4	2	1
FEMALE--	8	4	18	25	27	27	38	52	42	28	17	4
ALL OTHER--MALE----	3	7	1	1	1	8	1	2	2	1	-	2
FEMALE--	3	-	3	3	6	6	4	5	2	2	1	-
BLACK---MALE----	2	6	1	1	1	8	1	2	2	1	-	1
FEMALE--	3	-	3	3	6	6	4	4	2	2	1	-
UTAH -----	6	6	10	20	25	29	31	16	16	2	2	-
WHITE-----MALE----	4	3	5	13	15	16	18	5	5	2	1	-
FEMALE--	2	3	5	6	9	13	13	10	11	-	1	-
ALL OTHER--MALE----	-	-	-	1	1	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	3	-	-	-	1	-	1	3	3	2	-	-
WHITE-----MALE----	2	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	1	-	-	-	1	-	1	3	2	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	11	20	22	29	52	50	74	69	45	21	5	3
WHITE-----MALE----	7	9	11	9	25	18	32	22	12	2	1	1
FEMALE--	2	6	8	13	20	19	27	39	26	18	4	1
ALL OTHER--MALE----	1	3	2	2	3	9	6	4	2	-	-	1
FEMALE--	1	2	1	5	4	4	9	4	5	1	-	-
BLACK---MALE----	1	3	2	2	3	9	5	4	2	-	-	1
FEMALE--	1	2	1	5	4	4	9	4	4	1	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 2,692
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 SUPPLEMENTARY CLASSIFICATION OF EXTERNAL CAUSES OF INJURY AND POISONING (E800-E999)												
0 UNITED STATES --	150,298	1,194	2,621	1,794	2,503	11,663	13,419	12,180	12,697	13,699	12,366	9,989
WHITE-----MALE----	83,115	423	1,060	738	1,236	6,233	7,631	6,910	7,445	8,202	7,493	6,024
FEMALE--	37,156	362	711	505	638	2,211	1,764	1,914	2,189	2,576	2,388	2,052
ALL OTHER--MALE----	22,277	222	470	339	443	2,670	3,426	2,723	2,327	2,144	1,860	1,413
FEMALE--	7,750	187	380	212	186	549	598	633	736	777	625	500
BLACK---MALE----	19,196	195	405	286	354	2,323	3,015	2,333	2,005	1,858	1,638	1,238
FEMALE--	6,319	168	320	184	145	438	486	517	612	663	524	385
ALABAMA -----	3,297	30	53	36	52	268	329	309	276	302	253	226
WHITE-----MALE----	1,572	7	17	11	26	106	162	137	133	149	136	121
FEMALE--	729	7	9	8	7	56	38	55	47	65	45	36
ALL OTHER--MALE----	751	10	14	13	16	90	103	94	79	69	55	52
FEMALE--	245	6	13	4	3	16	26	23	17	19	17	17
BLACK---MALE----	743	10	14	13	16	90	102	93	76	68	54	51
FEMALE--	243	6	13	4	3	16	26	22	17	19	17	17
ALASKA -----	483	7	11	7	13	46	53	49	57	54	52	34
WHITE-----MALE----	249	5	3	1	5	21	22	25	35	31	30	15
FEMALE--	65	1	3	2	2	3	5	5	2	11	10	8
ALL OTHER--MALE----	128	1	3	4	4	21	20	15	12	10	10	9
FEMALE--	41	-	2	-	2	1	6	4	8	2	2	2
BLACK---MALE----	12	-	-	-	-	2	4	2	-	-	-	2
FEMALE--	2	-	-	-	-	-	-	2	-	-	-	-
ARIZONA -----	3,348	28	74	36	58	264	311	277	321	312	289	225
WHITE-----MALE----	2,035	8	35	15	24	165	200	153	210	209	207	152
FEMALE--	750	8	18	7	18	39	47	47	49	55	47	36
ALL OTHER--MALE----	400	8	10	8	9	47	56	60	43	39	19	24
FEMALE--	163	4	11	6	7	13	8	17	19	9	16	13
BLACK---MALE----	84	2	3	-	-	10	17	13	7	9	6	6
FEMALE--	30	2	1	-	1	3	2	1	6	2	1	2
ARKANSAS -----	1,867	17	24	31	31	187	166	149	156	166	133	98
WHITE-----MALE----	1,009	5	9	13	14	109	92	82	86	95	89	60
FEMALE--	471	8	4	11	10	36	27	32	31	21	18	20
ALL OTHER--MALE----	283	2	7	3	5	38	41	27	32	37	21	11
FEMALE--	104	2	4	4	2	4	6	8	7	13	5	7
BLACK---MALE----	270	2	7	3	4	38	40	26	29	35	20	10
FEMALE--	100	2	4	4	1	4	5	7	7	13	5	7
CALIFORNIA -----	16,177	117	316	165	248	1,263	1,463	1,489	1,522	1,643	1,563	1,300
WHITE-----MALE----	9,767	39	146	72	132	784	942	925	983	1,066	1,001	825
FEMALE--	3,493	44	95	50	59	177	171	220	239	294	293	252
ALL OTHER--MALE----	2,129	22	35	28	40	247	296	280	242	195	188	159
FEMALE--	788	12	40	15	17	55	54	64	58	88	81	64
BLACK---MALE----	1,400	17	22	15	15	160	189	203	175	145	134	116
FEMALE--	437	9	28	7	8	29	35	36	41	62	54	42

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 2,692
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 SUPPLEMENTARY CLASSIFICATION OF EXTERNAL CAUSES OF INJURY AND POISONING (E800-E999)												
0 UNITED STATES --	7,092	5,663	5,188	5,741	6,545	7,030	7,360	6,046	3,680	1,309	289	230
WHITE-----MALE----	4,239	3,461	3,067	3,357	3,720	3,782	3,647	2,579	1,293	368	59	148
FEMALE--	1,646	1,288	1,327	1,569	2,044	2,522	3,135	3,064	2,166	859	193	33
ALL OTHER--MALE----	932	668	557	537	476	409	309	193	91	23	10	35
FEMALE--	275	246	237	278	305	317	269	210	130	59	27	14
BLACK---MALE----	802	555	487	464	394	328	239	145	78	20	10	24
FEMALE--	213	188	183	207	233	263	219	186	104	45	22	14
ALABAMA -----	153	129	108	137	148	135	158	105	62	23	5	-
WHITE-----MALE----	79	81	58	74	75	59	67	49	16	8	1	-
FEMALE--	38	20	27	27	40	47	63	42	38	12	2	-
ALL OTHER--MALE----	32	22	19	26	20	18	10	6	2	1	-	-
FEMALE--	4	6	4	10	13	11	18	8	6	2	2	-
BLACK---MALE----	32	22	19	26	20	18	10	6	2	1	-	-
FEMALE--	4	6	4	10	12	11	18	8	6	2	2	-
ALASKA -----	24	25	10	10	5	10	9	3	4	-	-	-
WHITE-----MALE----	14	16	4	7	3	6	5	-	1	-	-	-
FEMALE--	1	2	2	-	1	1	2	2	2	-	-	-
ALL OTHER--MALE----	6	4	2	3	1	1	1	1	-	-	-	-
FEMALE--	3	3	2	-	-	2	1	-	1	-	-	-
BLACK---MALE----	1	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	151	118	106	114	124	149	149	116	83	18	7	18
WHITE-----MALE----	93	78	67	73	68	87	77	66	25	5	3	15
FEMALE--	38	21	23	28	43	53	59	45	52	13	3	1
ALL OTHER--MALE----	17	16	10	6	8	5	6	3	4	-	-	2
FEMALE--	3	3	6	7	5	4	7	2	2	-	1	-
BLACK---MALE----	3	1	-	-	1	2	1	-	3	-	-	-
FEMALE--	-	-	1	1	2	1	2	1	1	-	-	-
ARKANSAS -----	100	79	72	64	79	95	106	69	36	7	1	1
WHITE-----MALE----	59	42	42	38	41	47	49	26	10	1	-	-
FEMALE--	23	26	19	16	23	33	47	37	25	4	-	-
ALL OTHER--MALE----	14	9	9	5	9	6	3	2	-	1	-	1
FEMALE--	4	2	2	5	6	9	7	4	1	1	1	-
BLACK---MALE----	13	8	8	5	9	6	3	2	-	1	-	1
FEMALE--	4	1	2	5	6	9	7	4	1	1	1	-
CALIFORNIA -----	831	639	532	563	570	593	587	409	225	73	18	48
WHITE-----MALE----	496	401	310	332	333	338	299	187	87	26	7	36
FEMALE--	212	146	150	141	160	178	231	194	127	43	9	8
ALL OTHER--MALE----	88	71	49	53	41	41	26	19	4	1	-	4
FEMALE--	35	21	23	37	36	36	31	9	7	3	2	-
BLACK---MALE----	61	42	30	30	19	12	6	6	1	-	-	2
FEMALE--	21	12	6	12	7	11	7	6	4	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 2,693
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
0 SUPPLEMENTARY CLASSIFICATION OF EXTERNAL CAUSES OF INJURY AND POISONING (E800-E999)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
COLORADO -----	2,396	19	33	20	47	161	232	172	209	234	244	192
WHITE-----MALE----	1,575	7	12	11	31	109	170	126	133	175	175	137
FEMALE--	689	8	16	7	15	42	42	36	59	44	53	46
ALL OTHER--MALE----	97	3	3	1	1	6	16	5	14	10	15	7
FEMALE--	35	1	2	1	-	4	4	5	3	5	1	2
BLACK---MALE----	69	2	1	1	1	5	13	2	13	7	9	6
FEMALE--	19	1	1	-	-	4	1	3	2	2	-	-
CONNECTICUT -----	1,539	10	21	14	24	80	122	107	127	136	133	106
WHITE-----MALE----	882	6	5	9	12	32	73	57	92	92	102	60
FEMALE--	425	2	7	4	6	20	13	18	20	25	18	20
ALL OTHER--MALE----	185	1	5	-	5	26	30	31	9	12	12	20
FEMALE--	47	1	4	1	1	2	6	1	6	7	1	6
BLACK---MALE----	175	1	5	-	3	24	30	30	9	11	11	19
FEMALE--	37	1	4	1	1	2	4	1	4	6	-	6
DELAWARE -----	402	4	2	6	5	20	32	31	40	53	49	19
WHITE-----MALE----	204	1	1	1	2	9	25	18	20	29	24	9
FEMALE--	99	1	-	-	2	4	5	4	5	12	6	5
ALL OTHER--MALE----	68	2	-	3	-	6	1	4	8	9	14	5
FEMALE--	31	-	1	2	1	1	1	5	7	3	5	-
BLACK---MALE----	64	1	-	2	-	6	1	4	7	8	14	5
FEMALE--	27	-	1	2	-	-	1	5	6	3	5	-
DISTRICT OF COLUMBIA ----	554	3	4	12	6	80	97	70	42	42	51	26
WHITE-----MALE----	53	-	-	1	-	3	3	8	2	4	5	4
FEMALE--	21	-	-	1	-	1	2	2	-	-	1	1
ALL OTHER--MALE----	387	2	3	4	4	64	84	54	33	30	35	19
FEMALE--	93	1	1	6	2	12	8	6	7	8	10	2
BLACK---MALE----	380	2	3	4	3	64	84	54	30	30	34	19
FEMALE--	93	1	1	6	2	12	8	6	7	8	10	2
FLORIDA -----	8,848	69	176	87	144	492	693	633	706	825	767	589
WHITE-----MALE----	5,097	19	65	31	60	261	398	375	394	520	489	381
FEMALE--	2,258	22	55	28	37	96	104	99	151	149	161	121
ALL OTHER--MALE----	1,122	14	30	15	32	117	165	129	126	106	92	71
FEMALE--	371	14	26	13	15	18	26	30	35	50	25	16
BLACK---MALE----	1,076	13	29	15	29	116	158	121	119	104	89	70
FEMALE--	352	14	26	13	14	17	23	28	32	48	25	15
GEORGIA -----	4,689	46	95	65	93	453	465	422	388	420	356	301
WHITE-----MALE----	2,118	11	25	21	35	194	208	197	180	216	147	157
FEMALE--	996	10	8	10	19	88	39	59	49	69	69	54
ALL OTHER--MALE----	1,107	12	32	22	30	131	187	124	118	85	105	59
FEMALE--	468	13	30	12	9	40	31	42	41	50	35	31
BLACK---MALE----	1,069	12	32	21	28	126	178	120	114	83	105	56
FEMALE--	441	13	27	12	9	38	30	39	40	48	33	26

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 2,693
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 SUPPLEMENTARY CLASSIFICATION OF EXTERNAL CAUSES OF INJURY AND POISONING (E800-E999)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
COLORADO -----	100	84	77	67	95	99	119	101	70	15	5	1
WHITE-----MALE----	74	54	45	44	63	61	66	51	24	5	1	1
FEMALE--	21	25	30	22	31	34	52	47	46	10	3	-
ALL OTHER--MALE----	2	5	2	1	1	3	1	1	-	-	-	-
FEMALE--	3	-	-	-	-	1	-	2	-	-	1	-
BLACK---MALE----	2	3	2	-	-	1	1	-	-	-	-	-
FEMALE--	2	-	-	-	-	1	-	1	-	-	1	-
CONNECTICUT -----	93	59	49	51	81	79	96	72	61	12	6	-
WHITE-----MALE----	47	36	32	30	45	52	43	25	24	4	4	-
FEMALE--	32	12	13	14	32	25	52	47	36	7	2	-
ALL OTHER--MALE----	13	9	2	4	3	1	1	-	-	1	-	-
FEMALE--	1	2	2	3	1	1	-	-	1	-	-	-
BLACK---MALE----	12	9	2	4	2	1	1	-	-	1	-	-
FEMALE--	-	2	2	1	1	1	-	-	-	-	-	-
DELAWARE -----	14	24	10	18	12	18	18	14	8	4	1	-
WHITE-----MALE----	7	14	6	9	9	7	6	3	2	2	-	-
FEMALE--	4	6	3	4	2	7	12	9	6	2	-	-
ALL OTHER--MALE----	2	4	1	4	1	3	-	1	-	-	-	-
FEMALE--	1	-	-	1	-	1	-	1	-	-	1	-
BLACK---MALE----	2	4	1	4	1	3	-	1	-	-	-	-
FEMALE--	1	-	-	1	-	1	-	1	-	-	-	-
DISTRICT OF COLUMBIA ----	15	12	14	11	16	18	17	9	5	2	-	2
WHITE-----MALE----	4	3	1	2	2	4	2	3	1	-	-	1
FEMALE--	1	-	-	1	3	3	1	-	3	-	-	1
ALL OTHER--MALE----	6	8	10	5	10	5	9	2	-	-	-	-
FEMALE--	4	1	3	3	1	6	5	4	1	2	-	-
BLACK---MALE----	6	8	10	5	10	5	8	1	-	-	-	-
FEMALE--	4	1	3	3	1	6	5	4	1	2	-	-
FLORIDA -----	455	356	321	360	432	525	512	409	197	68	5	27
WHITE-----MALE----	295	223	192	221	254	299	286	210	84	26	1	13
FEMALE--	109	77	86	96	136	193	204	180	106	39	4	5
ALL OTHER--MALE----	45	39	35	29	25	21	11	10	4	1	-	5
FEMALE--	6	17	8	14	17	12	11	9	3	2	-	4
BLACK---MALE----	44	34	34	27	25	19	11	9	4	1	-	5
FEMALE--	5	16	8	13	15	11	11	9	3	2	-	4
GEORGIA -----	209	179	190	191	202	174	175	134	88	36	3	4
WHITE-----MALE----	109	99	99	95	96	81	72	45	24	5	1	1
FEMALE--	44	36	38	44	61	63	83	75	51	25	2	-
ALL OTHER--MALE----	40	30	33	29	30	17	12	2	4	2	-	3
FEMALE--	16	14	20	23	15	13	8	12	9	4	-	-
BLACK---MALE----	36	29	32	29	29	17	12	2	3	2	-	3
FEMALE--	14	13	19	20	15	12	8	12	9	4	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 2,694
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
0 SUPPLEMENTARY CLASSIFICATION OF EXTERNAL CAUSES OF INJURY AND POISONING (E800-E999)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
HAWAII -----	573	4	7	6	7	37	45	45	48	55	51	45
WHITE-----MALE----	156	-	-	1	-	6	12	11	16	24	22	21
FEMALE--	52	-	-	-	-	3	3	1	4	7	6	4
ALL OTHER--MALE----	255	2	5	2	4	22	23	29	20	16	19	14
FEMALE--	110	2	2	3	3	6	7	4	8	8	4	6
BLACK---MALE----	8	-	2	-	-	-	2	1	1	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	792	8	20	13	14	89	55	49	52	60	51	53
WHITE-----MALE----	521	5	13	10	8	60	36	38	40	40	39	38
FEMALE--	246	3	7	3	5	25	15	9	11	19	10	13
ALL OTHER--MALE----	17	-	-	-	-	3	3	2	1	1	2	2
FEMALE--	8	-	-	-	1	1	1	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-
ILLINOIS -----	6,110	70	107	75	98	546	641	513	503	513	450	377
WHITE-----MALE----	2,956	22	34	22	42	218	301	237	264	262	230	199
FEMALE--	1,345	19	23	21	23	75	55	73	77	84	84	70
ALL OTHER--MALE----	1,386	17	22	23	25	213	260	163	117	124	110	76
FEMALE--	423	12	28	9	8	40	25	40	45	43	26	32
BLACK---MALE----	1,344	17	22	21	25	212	256	156	113	123	104	73
FEMALE--	401	12	28	9	8	38	23	39	45	39	26	29
INDIANA -----	3,299	28	63	47	67	293	290	247	257	252	243	195
WHITE-----MALE----	1,864	13	24	15	32	170	167	148	162	150	157	121
FEMALE--	951	9	22	15	20	68	36	46	50	58	51	49
ALL OTHER--MALE----	359	2	12	11	6	50	77	36	29	38	26	18
FEMALE--	125	4	5	6	9	5	10	17	16	6	9	7
BLACK---MALE----	347	2	11	11	5	48	76	36	27	36	26	18
FEMALE--	117	4	5	6	8	5	10	16	16	5	9	5
IOWA -----	1,497	10	37	20	23	120	105	96	101	115	119	70
WHITE-----MALE----	956	2	20	8	15	80	78	77	74	82	88	43
FEMALE--	476	6	13	9	6	27	18	14	23	28	27	22
ALL OTHER--MALE----	45	-	3	2	2	10	7	3	4	2	3	4
FEMALE--	20	2	1	1	-	3	2	2	-	3	1	1
BLACK---MALE----	33	-	2	2	-	7	7	2	3	1	2	3
FEMALE--	11	2	-	-	-	1	-	2	-	2	1	1
KANSAS -----	1,574	12	27	19	35	157	144	116	105	130	118	73
WHITE-----MALE----	931	4	12	11	21	100	95	74	65	81	81	50
FEMALE--	477	4	8	5	9	33	24	21	28	35	22	19
ALL OTHER--MALE----	125	2	4	1	3	19	21	19	12	7	12	3
FEMALE--	41	2	3	2	2	5	4	2	-	7	3	1
BLACK---MALE----	104	2	3	1	3	14	19	16	10	5	10	3
FEMALE--	32	1	2	2	1	3	3	1	-	7	3	1

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 2,694
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 SUPPLEMENTARY CLASSIFICATION OF EXTERNAL CAUSES OF INJURY AND POISONING (E800-E999)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
HAWAII -----	39	21	9	23	20	33	27	23	16	11	1	-
WHITE-----MALE----	17	7	-	7	1	6	1	3	-	1	-	-
FEMALE--	3	3	1	2	2	4	2	1	1	4	1	-
ALL OTHER--MALE----	15	9	4	8	11	15	16	14	6	1	-	-
FEMALE--	4	2	4	6	6	8	8	5	9	5	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	34	31	41	33	37	53	42	30	17	8	2	-
WHITE-----MALE----	23	19	26	24	25	34	18	15	7	3	-	-
FEMALE--	10	10	15	8	11	17	24	14	10	5	2	-
ALL OTHER--MALE----	-	1	-	-	-	2	-	-	-	-	-	-
FEMALE--	1	1	-	1	1	-	-	1	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	265	232	229	227	258	288	311	222	128	48	8	1
WHITE-----MALE----	141	135	129	121	153	147	154	87	45	12	-	1
FEMALE--	58	37	56	64	63	104	135	112	72	34	6	-
ALL OTHER--MALE----	51	47	34	30	26	26	4	10	8	-	-	-
FEMALE--	15	13	10	12	16	11	18	13	3	2	2	-
BLACK---MALE----	48	45	34	30	24	22	2	9	8	-	-	-
FEMALE--	11	11	8	12	14	11	18	13	3	2	2	-
INDIANA -----	143	127	110	129	177	151	182	144	102	41	9	2
WHITE-----MALE----	87	78	73	84	105	88	93	53	33	10	-	1
FEMALE--	42	33	32	37	58	52	78	88	69	31	7	-
ALL OTHER--MALE----	10	10	1	6	10	7	6	2	-	-	1	1
FEMALE--	4	6	4	2	4	4	5	1	-	-	1	-
BLACK---MALE----	9	10	1	5	10	6	6	2	-	-	1	1
FEMALE--	4	5	4	2	3	4	4	1	-	-	1	-
IOWA -----	57	42	53	59	64	104	104	102	63	25	8	-
WHITE-----MALE----	47	31	34	42	38	60	57	42	32	3	3	-
FEMALE--	8	11	18	17	23	44	47	57	31	22	5	-
ALL OTHER--MALE----	2	-	1	-	-	-	-	2	-	-	-	-
FEMALE--	-	-	-	-	3	-	-	1	-	-	-	-
BLACK---MALE----	1	-	1	-	-	-	-	2	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	1	-	-	-	-
KANSAS -----	54	45	58	67	51	66	113	93	63	18	10	-
WHITE-----MALE----	38	29	27	43	33	42	55	37	24	7	2	-
FEMALE--	8	13	28	18	15	23	51	55	39	11	8	-
ALL OTHER--MALE----	6	3	1	5	2	1	4	-	-	-	-	-
FEMALE--	2	-	2	1	1	-	3	1	-	-	-	-
BLACK---MALE----	6	2	1	5	1	-	3	-	-	-	-	-
FEMALE--	1	-	1	1	1	-	3	1	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 2,695
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
0 SUPPLEMENTARY CLASSIFICATION OF EXTERNAL CAUSES OF INJURY AND POISONING (E800-E999)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
KENTUCKY -----	2,477	36	34	38	32	216	191	196	191	209	206	150
WHITE-----MALE----	1,561	18	20	23	14	135	135	138	126	137	140	109
FEMALE--	714	13	12	9	15	59	31	36	34	56	51	34
ALL OTHER--MALE----	149	2	1	3	1	20	22	18	24	13	12	5
FEMALE--	53	3	1	3	2	2	3	4	7	3	3	2
BLACK---MALE----	142	2	1	3	1	20	21	17	23	12	12	5
FEMALE--	46	3	1	2	1	2	2	4	5	3	3	2
LOUISIANA -----	3,202	28	68	45	61	311	372	317	294	307	272	194
WHITE-----MALE----	1,290	7	13	14	23	111	124	126	116	139	118	92
FEMALE--	571	2	19	4	13	36	26	31	40	40	39	43
ALL OTHER--MALE----	1,065	9	16	16	19	145	196	142	106	103	94	49
FEMALE--	276	10	20	11	6	19	26	18	32	25	21	10
BLACK---MALE----	1,036	8	16	15	18	141	189	140	103	99	93	46
FEMALE--	267	10	20	11	6	19	26	17	31	23	20	10
MAINE -----	604	3	5	7	12	42	31	43	50	51	38	36
WHITE-----MALE----	405	1	2	4	6	31	26	37	41	33	28	27
FEMALE--	199	2	3	3	6	11	5	6	9	18	10	9
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	2,978	19	32	26	40	214	292	284	317	296	259	194
WHITE-----MALE----	1,176	1	7	4	15	56	95	91	112	133	120	92
FEMALE--	542	5	6	3	9	29	26	31	36	32	35	28
ALL OTHER--MALE----	975	4	13	14	11	120	141	141	130	99	83	60
FEMALE--	285	9	6	5	5	9	30	21	39	32	21	14
BLACK---MALE----	944	4	13	12	11	119	138	137	128	99	82	57
FEMALE--	269	9	6	5	5	8	28	20	39	30	19	12
MASSACHUSETTS -----	2,293	6	26	16	26	131	167	173	214	210	186	148
WHITE-----MALE----	1,397	2	10	11	16	81	118	125	148	147	126	98
FEMALE--	698	2	12	-	4	22	19	28	48	46	40	39
ALL OTHER--MALE----	152	2	1	5	4	24	28	16	14	13	13	8
FEMALE--	46	-	3	-	2	4	2	4	4	4	7	3
BLACK---MALE----	123	2	1	2	2	19	25	14	13	8	8	8
FEMALE--	32	-	3	-	2	3	1	3	4	2	5	-
MICHIGAN -----	5,142	47	107	64	89	423	459	421	430	450	384	304
WHITE-----MALE----	2,600	21	43	20	43	208	203	185	221	230	198	167
FEMALE--	1,273	8	27	20	21	83	61	75	76	103	80	60
ALL OTHER--MALE----	965	13	14	18	17	111	172	131	104	76	77	59
FEMALE--	304	5	23	6	8	21	23	30	29	41	29	18
BLACK---MALE----	904	13	11	18	15	106	164	124	95	73	71	53
FEMALE--	275	5	22	5	7	19	20	26	28	38	24	15

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 2,695
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 SUPPLEMENTARY CLASSIFICATION OF EXTERNAL CAUSES OF INJURY AND POISONING (E800-E999)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
KENTUCKY -----	120	98	89	106	115	131	125	104	61	27	2	-
WHITE-----MALE----	85	67	61	66	67	84	56	46	22	11	1	-
FEMALE--	26	26	25	33	45	41	68	51	35	13	1	-
ALL OTHER--MALE----	6	5	1	6	2	4	-	2	-	2	-	-
FEMALE--	3	-	2	1	1	2	1	5	4	1	-	-
BLACK---MALE----	6	3	1	6	2	3	-	2	-	2	-	-
FEMALE--	3	-	2	1	-	2	-	5	4	1	-	-
LOUISIANA -----	146	100	94	108	120	100	112	88	37	21	7	-
WHITE-----MALE----	68	49	52	57	47	42	45	29	11	7	-	-
FEMALE--	27	17	13	21	38	35	52	43	18	9	5	-
ALL OTHER--MALE----	44	22	18	22	24	18	8	7	3	3	1	-
FEMALE--	7	12	11	8	11	5	7	9	5	2	1	-
BLACK---MALE----	43	21	18	22	24	18	8	7	3	3	1	-
FEMALE--	7	11	9	8	11	5	7	8	5	2	1	-
MAINE -----	24	21	25	27	33	42	44	40	24	6	-	-
WHITE-----MALE----	18	16	19	13	23	22	25	21	11	1	-	-
FEMALE--	6	5	6	14	10	20	19	19	13	5	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	126	109	108	106	113	125	131	102	50	22	7	6
WHITE-----MALE----	64	56	50	54	60	55	59	31	13	5	1	2
FEMALE--	21	18	24	20	26	50	47	52	29	13	2	-
ALL OTHER--MALE----	31	27	24	22	14	14	13	9	2	-	1	2
FEMALE--	10	8	10	10	13	6	12	10	6	4	3	2
BLACK---MALE----	30	25	21	20	13	14	11	6	2	-	1	1
FEMALE--	10	6	10	9	13	6	11	8	6	4	3	2
MASSACHUSETTS -----	84	78	63	96	107	113	139	143	114	42	7	4
WHITE-----MALE----	54	54	42	57	64	67	73	55	36	8	1	4
FEMALE--	22	20	17	33	40	43	64	83	77	33	6	-
ALL OTHER--MALE----	8	2	3	5	2	1	-	2	-	1	-	-
FEMALE--	-	2	1	1	1	2	2	3	1	-	-	-
BLACK---MALE----	7	1	3	4	2	1	-	2	-	1	-	-
FEMALE--	-	2	-	1	-	2	1	2	1	-	-	-
MICHIGAN -----	258	183	164	214	238	254	285	203	115	38	10	2
WHITE-----MALE----	141	121	98	128	131	147	145	96	37	14	3	-
FEMALE--	68	32	37	58	75	83	114	96	69	22	5	-
ALL OTHER--MALE----	41	21	24	22	23	13	13	5	7	1	1	2
FEMALE--	8	9	5	6	9	11	13	6	2	1	1	-
BLACK---MALE----	39	20	22	20	21	13	11	4	7	1	1	2
FEMALE--	8	7	5	4	9	11	12	6	2	1	1	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 2,696
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
0 SUPPLEMENTARY CLASSIFICATION OF EXTERNAL CAUSES OF INJURY AND POISONING (E800-E999)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
MINNESOTA -----	2,347	21	30	21	47	187	163	141	154	168	167	120
WHITE-----MALE----	1,399	10	13	13	27	121	106	94	97	111	111	78
FEMALE--	753	5	8	6	13	42	33	28	31	32	46	31
ALL OTHER--MALE----	141	3	5	2	6	19	22	15	17	17	6	9
FEMALE--	54	3	4	-	1	5	2	4	9	8	4	2
BLACK---MALE----	75	2	2	2	4	10	13	7	8	10	1	6
FEMALE--	27	2	2	-	-	3	2	4	5	5	1	-
MISSISSIPPI -----	2,227	24	47	31	48	222	269	180	179	188	160	141
WHITE-----MALE----	886	7	12	8	18	73	100	69	62	85	80	62
FEMALE--	432	4	5	3	10	43	21	29	34	28	13	27
ALL OTHER--MALE----	657	6	22	12	10	86	123	65	65	53	51	34
FEMALE--	252	7	8	8	10	20	25	17	18	22	16	18
BLACK---MALE----	642	6	21	12	10	86	118	62	63	51	51	33
FEMALE--	244	6	7	8	10	20	24	17	18	20	16	17
MISSOURI -----	3,669	22	69	41	79	299	331	248	265	342	292	226
WHITE-----MALE----	2,079	6	35	20	40	159	190	133	162	209	182	129
FEMALE--	1,003	8	19	17	27	64	56	54	50	65	64	60
ALL OTHER--MALE----	452	6	10	2	7	64	76	51	43	47	35	26
FEMALE--	135	2	5	2	5	12	9	10	10	21	11	11
BLACK---MALE----	434	6	9	2	7	61	75	50	40	46	32	26
FEMALE--	129	2	5	2	5	11	9	10	9	20	11	10
MONTANA -----	629	5	12	7	14	41	54	47	36	57	46	45
WHITE-----MALE----	419	3	7	3	9	32	40	34	25	42	27	33
FEMALE--	151	2	5	3	3	4	6	6	6	10	14	7
ALL OTHER--MALE----	45	-	-	1	2	5	6	5	3	5	4	5
FEMALE--	14	-	-	-	-	-	2	2	2	-	1	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	909	6	13	9	28	73	63	62	58	52	80	54
WHITE-----MALE----	550	3	4	6	17	41	47	45	34	32	53	43
FEMALE--	305	2	8	-	9	26	8	11	17	14	20	10
ALL OTHER--MALE----	41	-	1	-	2	6	5	5	6	5	5	1
FEMALE--	13	1	-	3	-	3	1	1	1	1	2	-
BLACK---MALE----	28	-	1	-	1	3	4	3	3	3	5	-
FEMALE--	11	-	-	3	-	3	1	1	1	1	1	-
NEVADA -----	1,213	14	20	14	16	77	110	109	123	137	116	89
WHITE-----MALE----	788	8	8	8	11	34	68	73	85	92	85	61
FEMALE--	273	3	6	5	3	20	20	16	23	28	25	22
ALL OTHER--MALE----	119	2	4	1	2	21	18	17	13	12	5	4
FEMALE--	33	1	2	-	-	2	4	3	2	5	1	2
BLACK---MALE----	92	2	4	1	2	17	13	13	11	7	5	3
FEMALE--	25	1	1	-	-	1	2	3	2	2	1	2

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 2,698
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
0 SUPPLEMENTARY CLASSIFICATION OF EXTERNAL CAUSES OF INJURY AND POISONING (E800-E999)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
OHIO -----	5,031	45	93	71	81	351	385	370	378	397	357	330
WHITE-----MALE----	2,817	15	40	30	42	194	227	219	259	264	218	200
FEMALE--	1,474	16	31	24	26	81	59	70	53	68	84	83
ALL OTHER--MALE----	526	7	11	7	11	60	81	65	52	46	42	34
FEMALE--	214	7	11	10	2	16	18	16	14	19	13	13
BLACK---MALE----	511	6	11	6	11	59	75	64	51	46	41	34
FEMALE--	208	7	11	10	2	16	17	14	13	19	12	13
OKLAHOMA -----	2,349	20	40	26	38	189	206	176	182	211	190	162
WHITE-----MALE----	1,325	7	16	15	18	99	137	101	108	125	109	91
FEMALE--	655	7	10	6	13	50	25	41	38	50	51	44
ALL OTHER--MALE----	249	3	9	2	5	27	33	29	25	28	21	16
FEMALE--	120	3	5	3	2	13	11	5	11	8	9	11
BLACK---MALE----	148	2	8	2	4	22	20	10	16	14	13	9
FEMALE--	57	1	3	3	2	4	5	1	5	3	4	6
OREGON -----	2,067	16	37	29	39	133	166	145	179	193	181	155
WHITE-----MALE----	1,333	10	23	10	23	96	113	108	117	134	124	108
FEMALE--	606	4	13	18	15	28	32	23	40	46	40	40
ALL OTHER--MALE----	98	2	-	-	1	9	19	12	12	12	11	5
FEMALE--	30	-	1	1	-	-	2	2	10	1	6	2
BLACK---MALE----	44	1	-	-	1	3	11	5	3	6	5	2
FEMALE--	8	-	-	-	-	-	-	1	3	-	2	1
PENNSYLVANIA -----	6,765	36	82	64	86	444	556	521	518	605	546	449
WHITE-----MALE----	3,865	17	36	31	51	235	334	326	314	396	349	277
FEMALE--	1,776	9	19	22	21	79	77	71	90	110	94	78
ALL OTHER--MALE----	879	6	22	8	12	110	128	105	97	78	76	68
FEMALE--	245	4	5	3	2	20	17	19	17	21	27	26
BLACK---MALE----	832	6	22	8	12	105	121	96	89	74	74	66
FEMALE--	224	4	5	2	2	18	16	16	17	20	26	23
RHODE ISLAND -----	365	1	7	4	2	16	28	21	24	36	31	22
WHITE-----MALE----	226	-	5	3	-	10	22	11	14	24	23	20
FEMALE--	105	1	1	-	-	3	3	7	7	8	5	1
ALL OTHER--MALE----	21	-	1	1	1	2	3	1	3	2	2	-
FEMALE--	13	-	-	-	1	1	-	2	-	2	1	1
BLACK---MALE----	16	-	1	1	1	1	2	1	3	2	1	-
FEMALE--	7	-	-	-	1	1	-	-	-	2	-	-
SOUTH CAROLINA -----	2,620	28	62	38	57	209	236	229	225	241	216	183
WHITE-----MALE----	1,135	6	16	11	21	88	101	98	103	116	110	69
FEMALE--	550	5	12	11	11	34	21	31	35	46	45	40
ALL OTHER--MALE----	693	12	20	9	17	68	98	79	62	57	49	63
FEMALE--	242	5	14	7	8	19	16	21	25	22	12	11
BLACK---MALE----	685	12	20	9	17	67	96	78	61	56	49	63
FEMALE--	241	5	14	7	8	19	16	21	24	22	12	11

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 2,698
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 SUPPLEMENTARY CLASSIFICATION OF EXTERNAL CAUSES OF INJURY AND POISONING (E800-E999)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
OHIO -----	242	202	164	241	260	290	301	245	154	57	17	-
WHITE-----MALE----	155	118	93	137	155	142	148	99	43	17	2	-
FEMALE--	59	57	50	85	87	124	132	131	101	39	14	-
ALL OTHER--MALE----	23	19	9	13	11	16	13	6	-	-	-	-
FEMALE--	5	8	12	6	7	8	8	9	10	1	1	-
BLACK---MALE----	22	18	9	13	11	16	12	6	-	-	-	-
FEMALE--	5	7	12	6	7	8	8	9	10	1	1	-
OKLAHOMA -----	117	106	103	79	102	116	105	91	59	21	3	7
WHITE-----MALE----	73	60	64	50	65	63	52	40	25	3	1	3
FEMALE--	32	29	24	20	30	43	47	44	31	15	1	4
ALL OTHER--MALE----	10	11	9	8	6	2	2	1	1	-	1	-
FEMALE--	2	6	6	1	1	8	4	6	2	3	-	-
BLACK---MALE----	7	6	6	4	2	-	1	-	1	-	1	-
FEMALE--	2	2	2	-	-	5	2	5	1	1	-	-
OREGON -----	83	84	64	83	79	88	108	103	69	25	7	1
WHITE-----MALE----	54	61	38	51	58	54	59	50	32	9	-	1
FEMALE--	25	21	24	27	20	33	48	50	36	16	7	-
ALL OTHER--MALE----	4	1	1	3	1	1	1	2	1	-	-	-
FEMALE--	-	1	1	2	-	-	-	1	-	-	-	-
BLACK---MALE----	-	1	1	1	1	-	1	1	1	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	295	225	246	271	371	384	411	369	192	78	14	2
WHITE-----MALE----	181	131	166	152	213	203	208	148	69	25	1	2
FEMALE--	62	55	52	93	125	156	182	200	120	51	10	-
ALL OTHER--MALE----	43	32	25	19	15	9	13	8	1	1	3	-
FEMALE--	9	7	3	7	18	16	8	13	2	1	-	-
BLACK---MALE----	40	30	24	18	14	8	12	8	1	1	3	-
FEMALE--	8	6	3	6	15	14	7	13	2	1	-	-
RHODE ISLAND -----	14	12	14	20	19	27	23	14	19	8	2	1
WHITE-----MALE----	11	6	9	13	8	14	16	8	5	3	1	-
FEMALE--	2	4	3	7	10	11	7	6	13	5	1	-
ALL OTHER--MALE----	-	-	2	-	-	1	-	-	1	-	-	1
FEMALE--	1	2	-	-	1	1	-	-	-	-	-	-
BLACK---MALE----	-	-	2	-	-	-	-	-	1	-	-	-
FEMALE--	-	1	-	-	1	1	-	-	-	-	-	-
SOUTH CAROLINA -----	132	104	105	93	126	109	96	74	40	16	1	-
WHITE-----MALE----	68	53	48	47	54	51	39	23	12	1	-	-
FEMALE--	20	19	20	22	36	33	34	40	22	13	-	-
ALL OTHER--MALE----	37	24	28	16	20	12	15	3	3	1	-	-
FEMALE--	7	8	9	8	16	13	8	8	3	1	1	-
BLACK---MALE----	37	24	27	16	19	12	15	3	3	1	-	-
FEMALE--	7	8	9	8	16	13	8	8	3	1	1	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 2,699
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
0 SUPPLEMENTARY CLASSIFICATION OF EXTERNAL CAUSES OF INJURY AND POISONING (E800-E999)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
SOUTH DAKOTA -----	488	3	10	8	14	46	28	35	29	42	36	26
WHITE-----MALE----	276	1	3	2	6	25	15	22	18	24	22	20
FEMALE--	124	1	-	4	5	9	7	5	2	8	9	2
ALL OTHER--MALE----	66	-	5	2	1	10	6	8	6	6	5	3
FEMALE--	22	1	2	-	2	2	-	-	3	4	-	1
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	3,924	24	61	57	65	309	353	345	336	359	323	252
WHITE-----MALE----	2,174	9	20	26	32	170	204	187	181	216	192	157
FEMALE--	980	6	18	6	13	59	55	57	71	73	63	49
ALL OTHER--MALE----	562	5	10	11	14	65	78	81	68	52	47	36
FEMALE--	208	4	13	14	6	15	16	20	16	18	21	10
BLACK---MALE----	552	5	9	11	14	63	78	80	65	52	47	33
FEMALE--	202	4	13	14	6	15	14	20	16	17	21	10
TEXAS -----	11,270	96	246	177	202	1,006	1,092	973	1,012	1,076	961	704
WHITE-----MALE----	6,822	43	120	81	103	649	712	627	670	671	632	455
FEMALE--	2,781	39	75	61	49	203	169	168	192	210	191	155
ALL OTHER--MALE----	1,180	6	30	20	31	122	166	142	105	150	92	68
FEMALE--	487	8	21	15	19	32	45	36	45	45	46	26
BLACK---MALE----	1,061	5	25	17	29	105	152	127	93	134	86	62
FEMALE--	431	7	18	14	17	25	38	32	39	41	41	20
UTAH -----	1,117	14	25	19	30	127	114	92	106	109	93	66
WHITE-----MALE----	763	7	14	13	23	96	87	62	87	79	61	50
FEMALE--	287	7	8	5	6	23	17	20	7	23	30	14
ALL OTHER--MALE----	44	-	1	-	1	5	7	10	6	5	1	1
FEMALE--	23	-	2	1	-	3	-	6	2	1	1	1
BLACK---MALE----	15	-	-	-	-	1	1	3	3	3	1	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	285	4	4	2	9	20	22	20	19	23	23	21
WHITE-----MALE----	190	2	2	2	6	13	15	14	18	19	18	16
FEMALE--	90	1	2	-	3	7	5	5	1	4	5	4
ALL OTHER--MALE----	3	-	-	-	-	-	2	-	-	-	-	1
FEMALE--	2	1	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	3,641	26	50	39	45	266	314	290	302	316	248	263
WHITE-----MALE----	1,809	6	18	12	20	117	169	150	159	173	120	146
FEMALE--	853	10	13	12	8	45	35	36	52	53	50	46
ALL OTHER--MALE----	706	2	12	11	14	82	92	83	64	68	58	55
FEMALE--	273	8	7	4	3	22	18	21	27	22	20	16
BLACK---MALE----	679	2	11	11	13	77	88	79	64	64	57	52
FEMALE--	255	8	6	3	2	20	18	19	25	20	19	16

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 2,699
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 SUPPLEMENTARY CLASSIFICATION OF EXTERNAL CAUSES OF INJURY AND POISONING (E800-E999)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
SOUTH DAKOTA -----	17	16	23	25	33	29	22	18	21	7	-	-
WHITE-----MALE----	8	12	15	17	19	17	12	10	4	4	-	-
FEMALE--	4	2	4	5	10	11	9	8	16	3	-	-
ALL OTHER--MALE----	5	1	2	1	3	1	1	-	-	-	-	-
FEMALE--	-	1	2	2	1	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	180	151	140	168	178	170	179	151	88	26	3	6
WHITE-----MALE----	104	100	82	107	97	83	97	68	31	7	-	4
FEMALE--	53	38	39	37	61	66	72	74	51	16	2	1
ALL OTHER--MALE----	14	11	16	16	14	9	6	4	4	-	1	-
FEMALE--	9	2	3	8	6	12	4	5	2	3	-	1
BLACK---MALE----	14	11	16	16	14	9	6	4	4	-	1	-
FEMALE--	9	2	3	7	4	12	4	5	2	3	-	1
TEXAS -----	539	420	347	356	455	455	424	371	227	76	15	40
WHITE-----MALE----	338	260	220	225	261	249	206	169	79	23	1	28
FEMALE--	125	99	84	87	155	159	187	178	131	46	12	6
ALL OTHER--MALE----	57	41	26	31	24	26	16	11	9	1	-	6
FEMALE--	19	20	17	13	15	21	15	13	8	6	2	-
BLACK---MALE----	52	35	25	30	20	26	15	11	9	1	-	2
FEMALE--	15	18	17	11	13	21	15	13	8	6	2	-
UTAH -----	42	29	30	33	36	39	45	37	25	6	-	-
WHITE-----MALE----	30	20	17	18	24	21	27	19	8	-	-	-
FEMALE--	10	9	11	12	11	18	15	18	17	6	-	-
ALL OTHER--MALE----	1	-	1	3	-	-	2	-	-	-	-	-
FEMALE--	1	-	1	-	1	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	9	11	10	11	6	8	19	20	18	4	2	-
WHITE-----MALE----	8	10	6	7	3	4	11	9	7	-	-	-
FEMALE--	1	1	4	4	3	4	8	11	11	4	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	170	157	131	161	183	197	177	143	104	41	13	5
WHITE-----MALE----	87	88	73	94	101	89	80	59	34	8	3	3
FEMALE--	42	33	26	43	52	69	70	63	58	28	7	2
ALL OTHER--MALE----	31	23	20	14	20	22	18	13	3	-	1	-
FEMALE--	10	13	12	10	10	17	9	8	9	5	2	-
BLACK---MALE----	30	23	20	14	19	21	18	13	2	-	1	-
FEMALE--	8	12	12	9	9	16	9	8	9	5	2	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 2,701
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
ACCIDENTS AND ADVERSE EFFECTS (E800-E949)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 UNITED STATES --	94,948	804	2,147	1,588	1,845	6,756	7,053	6,208	6,617	7,359	6,908	5,717
WHITE-----MALE----	51,061	302	921	665	920	3,950	4,504	3,825	4,045	4,492	4,214	3,371
FEMALE--	28,344	243	592	447	504	1,712	1,235	1,222	1,299	1,486	1,365	1,183
ALL OTHER--MALE----	10,528	146	369	300	298	805	1,014	880	908	956	953	836
FEMALE--	5,015	113	265	176	123	289	300	281	365	425	376	327
BLACK---MALE----	8,642	122	313	250	236	618	773	676	736	787	836	736
FEMALE--	4,013	101	219	153	91	220	227	222	287	351	310	250
ALABAMA -----	2,198	20	43	32	40	175	201	178	164	174	144	136
WHITE-----MALE----	1,059	5	15	10	19	80	116	98	80	88	83	77
FEMALE--	574	6	9	7	7	50	28	40	30	43	27	20
ALL OTHER--MALE----	398	5	10	12	12	36	37	33	41	37	23	30
FEMALE--	167	4	9	3	2	9	20	7	13	6	11	9
BLACK---MALE----	395	5	10	12	12	36	36	33	41	36	23	29
FEMALE--	166	4	9	3	2	9	20	7	13	6	11	9
ALASKA -----	317	7	9	5	9	28	29	29	31	40	30	25
WHITE-----MALE----	166	5	2	-	4	16	12	14	23	23	17	11
FEMALE--	44	1	2	1	2	2	4	3	1	8	5	5
ALL OTHER--MALE----	80	1	3	4	3	9	9	9	3	7	7	8
FEMALE--	27	-	2	-	-	1	4	3	4	2	1	1
BLACK---MALE----	6	-	-	-	-	1	1	1	-	-	-	2
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
ARIZONA -----	2,123	22	64	29	42	136	169	144	191	182	171	136
WHITE-----MALE----	1,183	6	29	12	16	77	99	74	113	118	121	88
FEMALE--	546	6	16	5	15	32	29	27	34	28	27	17
ALL OTHER--MALE----	260	7	8	8	6	18	36	29	30	28	12	19
FEMALE--	134	3	11	4	5	9	5	14	14	8	11	12
BLACK---MALE----	35	2	2	-	-	1	8	-	2	5	3	5
FEMALE--	20	1	1	-	1	1	-	1	3	2	1	1
ARKANSAS -----	1,262	12	21	28	21	118	101	92	89	98	79	51
WHITE-----MALE----	667	4	9	13	9	72	64	56	49	52	49	33
FEMALE--	370	5	4	8	8	30	18	21	22	13	14	9
ALL OTHER--MALE----	155	1	7	3	4	12	14	11	15	27	12	5
FEMALE--	70	2	1	4	-	4	5	4	3	6	4	4
BLACK---MALE----	145	1	7	3	3	12	13	10	12	26	11	5
FEMALE--	68	2	1	4	-	4	4	4	3	6	4	4
CALIFORNIA -----	9,487	78	248	139	168	560	693	700	791	963	928	774
WHITE-----MALE----	5,553	26	119	61	86	331	446	458	549	641	610	487
FEMALE--	2,447	31	73	40	43	124	113	144	135	183	174	144
ALL OTHER--MALE----	987	14	27	25	27	75	103	73	78	89	90	105
FEMALE--	500	7	29	13	12	30	31	25	29	50	54	38
BLACK---MALE----	574	9	18	13	10	32	43	44	48	62	66	80
FEMALE--	261	7	20	5	5	13	21	15	16	33	38	23

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 2,701
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
ACCIDENTS AND ADVERSE EFFECTS (E800-E949)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 UNITED STATES --	4,129	3,451	3,420	3,909	4,871	5,494	6,168	5,377	3,461	1,263	287	116
WHITE-----MALE----	2,370	1,967	1,887	2,067	2,479	2,619	2,758	2,083	1,138	341	58	85
FEMALE--	988	863	964	1,214	1,761	2,262	2,907	2,931	2,116	845	192	13
ALL OTHER--MALE----	573	438	384	402	372	334	261	171	85	19	10	14
FEMALE--	198	183	185	226	259	279	242	192	122	58	27	4
BLACK---MALE----	499	363	334	346	309	272	201	128	72	16	10	9
FEMALE--	153	146	142	171	200	234	197	170	99	44	22	4
ALABAMA -----	84	85	82	102	113	118	131	90	59	22	5	-
WHITE-----MALE----	41	52	43	49	49	46	49	37	14	7	1	-
FEMALE--	20	14	21	20	36	46	57	42	37	12	2	-
ALL OTHER--MALE----	20	13	16	24	17	17	9	3	2	1	-	-
FEMALE--	3	6	2	9	11	9	16	8	6	2	2	-
BLACK---MALE----	20	13	16	24	17	17	9	3	2	1	-	-
FEMALE--	3	6	2	9	10	9	16	8	6	2	2	-
ALASKA -----	17	16	7	7	4	10	8	3	3	-	-	-
WHITE-----MALE----	8	10	3	5	3	6	4	-	-	-	-	-
FEMALE--	1	1	1	-	-	1	2	2	2	-	-	-
ALL OTHER--MALE----	6	3	2	2	1	1	1	1	-	-	-	-
FEMALE--	2	2	1	-	-	2	1	-	1	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	78	69	78	77	94	111	126	94	73	16	7	14
WHITE-----MALE----	44	40	47	49	50	55	58	48	19	5	3	12
FEMALE--	21	14	17	18	33	48	55	41	49	11	3	-
ALL OTHER--MALE----	10	12	8	4	7	4	6	3	3	-	-	2
FEMALE--	3	3	6	6	4	4	7	2	2	-	1	-
BLACK---MALE----	2	-	-	-	1	1	1	-	2	-	-	-
FEMALE--	-	-	1	1	1	1	2	1	1	-	-	-
ARKANSAS -----	64	62	47	49	62	70	89	64	36	7	1	1
WHITE-----MALE----	36	31	27	27	33	33	35	24	10	1	-	-
FEMALE--	16	20	13	14	19	26	44	37	25	4	-	-
ALL OTHER--MALE----	9	9	7	4	6	3	3	1	-	1	-	1
FEMALE--	3	2	-	4	4	8	7	2	1	1	1	-
BLACK---MALE----	9	8	6	4	6	3	3	1	-	1	-	1
FEMALE--	3	1	-	4	4	8	7	2	1	1	1	-
CALIFORNIA -----	497	388	332	370	366	416	441	335	191	68	17	24
WHITE-----MALE----	298	233	186	200	183	208	189	133	60	23	6	20
FEMALE--	118	96	102	100	128	148	201	176	122	41	9	2
ALL OTHER--MALE----	55	43	29	43	30	32	24	18	4	1	-	2
FEMALE--	26	16	15	27	25	28	27	8	5	3	2	-
BLACK---MALE----	40	29	16	25	14	10	6	6	1	-	-	2
FEMALE--	14	10	3	9	5	10	6	6	2	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 2,702
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
ACCIDENTS AND ADVERSE EFFECTS (E800-E949)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
COLORADO -----	1,431	12	28	16	28	109	119	90	114	108	126	88
WHITE-----MALE----	858	5	10	9	19	69	82	60	67	85	85	58
FEMALE--	500	4	15	6	9	35	27	25	38	16	31	26
ALL OTHER--MALE----	50	2	2	1	-	2	7	3	6	4	10	3
FEMALE--	23	1	1	-	-	3	3	2	3	3	-	1
BLACK---MALE----	29	2	-	1	-	1	4	-	5	4	6	2
FEMALE--	13	1	-	-	-	3	-	1	2	1	-	-
CONNECTICUT -----	1,046	5	15	13	16	39	69	52	68	83	87	76
WHITE-----MALE----	596	4	4	9	6	19	48	26	53	60	67	42
FEMALE--	331	-	7	4	4	14	10	12	8	12	12	13
ALL OTHER--MALE----	88	-	2	-	5	6	8	13	3	5	7	16
FEMALE--	31	1	2	-	1	-	3	1	4	6	1	5
BLACK---MALE----	80	-	2	-	3	4	8	12	3	4	7	16
FEMALE--	25	1	2	-	1	-	2	1	4	5	-	5
DELAWARE -----	241	3	1	5	5	12	22	19	23	23	29	8
WHITE-----MALE----	116	-	1	-	2	6	17	12	14	15	13	3
FEMALE--	72	1	-	-	2	3	5	3	4	3	5	3
ALL OTHER--MALE----	36	2	-	3	-	2	-	2	4	3	8	2
FEMALE--	17	-	-	2	1	1	-	2	1	2	3	-
BLACK---MALE----	34	1	-	2	-	2	-	2	4	3	8	2
FEMALE--	14	-	-	2	-	-	-	2	1	2	3	-
DISTRICT OF COLUMBIA ----	179	1	3	9	-	8	7	4	8	11	20	13
WHITE-----MALE----	30	-	-	1	-	1	2	1	1	2	3	2
FEMALE--	14	-	-	1	-	-	1	-	-	-	-	1
ALL OTHER--MALE----	88	1	2	3	-	3	4	3	4	7	11	9
FEMALE--	47	-	1	4	-	4	-	-	3	2	6	1
BLACK---MALE----	85	1	2	3	-	3	4	3	2	7	11	9
FEMALE--	47	-	1	4	-	4	-	-	3	2	6	1
FLORIDA -----	5,407	44	150	78	104	301	373	325	371	426	404	316
WHITE-----MALE----	2,995	15	58	28	45	176	238	212	212	275	268	207
FEMALE--	1,618	13	47	24	31	73	69	58	94	78	73	60
ALL OTHER--MALE----	554	7	27	15	20	41	54	42	45	46	46	39
FEMALE--	240	9	18	11	8	11	12	13	20	27	17	10
BLACK---MALE----	526	6	26	15	18	41	49	38	40	45	45	38
FEMALE--	224	9	18	11	7	10	10	11	17	25	17	9
GEORGIA -----	2,995	36	83	63	73	303	254	222	207	232	184	165
WHITE-----MALE----	1,323	8	23	21	26	149	137	107	103	117	82	79
FEMALE--	768	8	5	10	17	73	28	44	28	42	36	33
ALL OTHER--MALE----	569	9	28	20	24	57	71	44	55	41	47	32
FEMALE--	335	11	27	12	6	24	18	27	21	32	19	21
BLACK---MALE----	556	9	28	19	23	56	65	42	55	40	47	32
FEMALE--	317	11	24	12	6	23	18	26	20	31	17	19

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 2,702
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
ACCIDENTS AND ADVERSE EFFECTS (E800-E949)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
COLORADO -----	51	43	53	43	65	67	100	86	65	14	5	1
WHITE-----MALE----	34	23	29	27	40	37	51	39	23	4	1	1
FEMALE--	15	17	23	15	24	27	48	44	42	10	3	-
ALL OTHER--MALE----	-	3	1	1	1	2	1	1	-	-	-	-
FEMALE--	2	-	-	-	-	1	-	2	-	-	1	-
BLACK---MALE----	-	1	1	-	-	1	1	-	-	-	-	-
FEMALE--	2	-	-	-	-	1	-	1	-	-	1	-
CONNECTICUT -----	56	35	35	27	67	70	88	66	61	12	6	-
WHITE-----MALE----	31	18	21	17	34	47	38	20	24	4	4	-
FEMALE--	15	8	12	8	30	22	49	46	36	7	2	-
ALL OTHER--MALE----	10	8	1	-	2	-	1	-	-	1	-	-
FEMALE--	-	1	1	2	1	1	-	-	1	-	-	-
BLACK---MALE----	9	8	1	-	1	-	1	-	-	1	-	-
FEMALE--	-	1	1	-	1	1	-	-	-	-	-	-
DELAWARE -----	8	12	4	9	7	11	15	13	8	3	1	-
WHITE-----MALE----	3	5	3	3	5	3	4	3	2	2	-	-
FEMALE--	4	4	1	3	1	4	11	8	6	1	-	-
ALL OTHER--MALE----	-	3	-	2	1	3	-	1	-	-	-	-
FEMALE--	1	-	-	1	-	1	-	1	-	-	1	-
BLACK---MALE----	-	3	-	2	1	3	-	1	-	-	-	-
FEMALE--	1	-	-	1	-	1	-	1	-	-	-	-
DISTRICT OF COLUMBIA ----	9	7	13	7	12	16	14	8	5	2	-	2
WHITE-----MALE----	1	2	1	2	2	4	-	3	1	-	-	1
FEMALE--	1	-	-	1	2	2	1	-	3	-	-	1
ALL OTHER--MALE----	4	4	9	2	8	4	9	1	-	-	-	-
FEMALE--	3	1	3	2	-	6	4	4	1	2	-	-
BLACK---MALE----	4	4	9	2	8	4	8	1	-	-	-	-
FEMALE--	3	1	3	2	-	6	4	4	1	2	-	-
FLORIDA -----	246	206	190	238	306	366	386	332	168	64	5	8
WHITE-----MALE----	154	113	95	126	160	179	190	153	61	24	1	5
FEMALE--	55	52	57	75	109	164	180	164	101	37	4	-
ALL OTHER--MALE----	33	28	31	26	20	13	8	6	4	1	-	2
FEMALE--	4	13	7	11	17	10	8	9	2	2	-	1
BLACK---MALE----	33	24	30	24	20	13	8	6	4	1	-	2
FEMALE--	3	13	7	10	15	10	8	9	2	2	-	1
GEORGIA -----	124	116	117	121	155	145	148	128	80	35	2	2
WHITE-----MALE----	62	59	56	49	63	60	55	42	18	5	1	1
FEMALE--	25	21	26	31	55	59	77	74	50	25	1	-
ALL OTHER--MALE----	23	24	19	22	24	15	8	1	3	1	-	1
FEMALE--	14	12	16	19	13	11	8	11	9	4	-	-
BLACK---MALE----	23	24	19	22	24	15	8	1	2	1	-	1
FEMALE--	13	11	15	16	13	10	8	11	9	4	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 2,703
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
ACCIDENTS AND ADVERSE EFFECTS (E800-E949)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
HAWAII -----	368	4	7	6	6	23	25	19	22	34	31	29
WHITE-----MALE----	88	-	-	1	-	4	8	6	7	15	10	14
FEMALE--	27	-	-	-	-	1	1	1	1	3	3	3
ALL OTHER--MALE----	169	2	5	2	3	14	12	9	10	10	16	9
FEMALE--	84	2	2	3	3	4	4	3	4	6	2	3
BLACK---MALE----	5	-	2	-	-	-	1	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	562	6	18	12	11	62	37	31	35	41	35	32
WHITE-----MALE----	351	3	12	10	7	41	23	22	25	27	27	25
FEMALE--	195	3	6	2	3	18	12	8	9	13	6	7
ALL OTHER--MALE----	10	-	-	-	-	2	2	1	1	1	2	-
FEMALE--	6	-	-	-	1	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-
ILLINOIS -----	3,683	41	84	61	70	222	284	236	245	274	265	234
WHITE-----MALE----	1,885	13	31	20	34	121	190	134	143	161	140	121
FEMALE--	1,017	10	18	18	18	57	37	45	43	43	47	41
ALL OTHER--MALE----	536	12	16	17	13	26	48	41	45	48	60	53
FEMALE--	245	6	19	6	5	18	9	16	14	22	18	19
BLACK---MALE----	507	12	16	15	13	26	45	36	43	47	56	51
FEMALE--	230	6	19	6	5	17	8	15	14	19	18	17
INDIANA -----	2,092	22	48	42	52	189	132	120	131	121	120	113
WHITE-----MALE----	1,163	11	21	15	27	123	95	84	93	80	76	61
FEMALE--	745	6	18	14	16	56	23	27	26	31	30	36
ALL OTHER--MALE----	119	2	6	9	5	9	12	3	8	7	10	11
FEMALE--	65	3	3	4	4	1	2	6	4	3	4	5
BLACK---MALE----	115	2	5	9	4	9	12	3	8	6	10	11
FEMALE--	57	3	3	4	3	1	2	5	4	2	4	3
IOWA -----	1,091	4	32	20	17	84	70	62	59	70	67	35
WHITE-----MALE----	651	1	17	8	14	56	51	51	42	47	47	19
FEMALE--	403	3	11	9	3	24	15	9	14	19	18	13
ALL OTHER--MALE----	23	-	3	2	-	3	2	1	3	2	1	2
FEMALE--	14	-	1	1	-	1	2	1	-	2	1	1
BLACK---MALE----	18	-	2	2	-	2	2	1	2	1	1	2
FEMALE--	6	-	-	-	-	-	-	1	-	1	1	1
KANSAS -----	1,075	7	23	18	27	102	92	66	56	68	59	41
WHITE-----MALE----	601	3	11	10	16	68	65	44	33	40	41	31
FEMALE--	398	3	7	5	8	28	16	15	20	23	12	10
ALL OTHER--MALE----	54	-	3	1	2	5	9	6	3	3	5	-
FEMALE--	22	1	2	2	1	1	2	1	-	2	1	-
BLACK---MALE----	40	-	2	1	2	3	8	4	1	2	4	-
FEMALE--	16	-	2	2	-	-	1	1	-	2	1	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 2,703
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
ACCIDENTS AND ADVERSE EFFECTS (E800-E949)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
HAWAII -----	18	11	7	14	16	28	21	21	15	10	1	-
WHITE-----MALE----	8	4	-	2	-	4	1	3	-	1	-	-
FEMALE--	-	1	1	-	2	3	1	1	1	3	1	-
ALL OTHER--MALE----	8	6	3	7	8	13	12	13	6	1	-	-
FEMALE--	2	-	3	5	6	8	7	4	8	5	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	23	17	31	20	29	37	33	26	17	7	2	-
WHITE-----MALE----	15	10	19	13	19	21	12	11	7	2	-	-
FEMALE--	7	6	12	6	10	15	21	14	10	5	2	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	1	1	-	1	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	160	152	139	152	188	229	260	210	124	45	8	-
WHITE-----MALE----	82	88	76	77	107	102	114	78	43	10	-	-
FEMALE--	40	25	36	51	48	94	126	110	71	33	6	-
ALL OTHER--MALE----	29	29	21	14	21	23	3	10	7	-	-	-
FEMALE--	9	10	6	10	12	10	17	12	3	2	2	-
BLACK---MALE----	28	28	21	14	19	19	2	9	7	-	-	-
FEMALE--	8	8	4	10	10	10	17	12	3	2	2	-
INDIANA -----	77	82	78	79	136	124	150	133	97	37	9	-
WHITE-----MALE----	46	45	50	48	73	66	67	44	30	8	-	-
FEMALE--	24	25	24	24	52	49	75	86	67	29	7	-
ALL OTHER--MALE----	5	8	-	5	7	5	4	2	-	-	1	-
FEMALE--	2	4	4	2	4	4	4	1	-	-	1	-
BLACK---MALE----	5	8	-	4	7	5	4	2	-	-	1	-
FEMALE--	2	3	4	2	3	4	3	1	-	-	1	-
IOWA -----	35	30	38	47	53	91	89	96	59	25	8	-
WHITE-----MALE----	29	21	22	34	27	48	46	37	28	3	3	-
FEMALE--	5	9	15	13	23	43	43	56	31	22	5	-
ALL OTHER--MALE----	1	-	1	-	-	-	-	2	-	-	-	-
FEMALE--	-	-	-	-	3	-	-	1	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	2	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	1	-	-	-	-
KANSAS -----	37	34	38	45	43	51	93	87	60	18	10	-
WHITE-----MALE----	23	20	16	26	27	27	36	34	21	7	2	-
FEMALE--	7	12	20	16	13	23	50	52	39	11	8	-
ALL OTHER--MALE----	5	2	1	2	2	1	4	-	-	-	-	-
FEMALE--	2	-	1	1	1	-	3	1	-	-	-	-
BLACK---MALE----	5	1	1	2	1	-	3	-	-	-	-	-
FEMALE--	1	-	-	1	1	-	3	1	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 2,704
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
 CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
 ACCIDENTS AND ADVERSE EFFECTS (E800-E949)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
KENTUCKY -----	1,737	26	32	35	25	159	132	125	110	122	115	87
WHITE-----MALE----	1,048	14	18	21	9	107	99	86	75	78	77	61
FEMALE--	580	9	12	9	13	49	25	29	18	39	31	21
ALL OTHER--MALE----	75	1	1	3	1	2	8	8	14	4	7	3
FEMALE--	34	2	1	2	2	1	-	2	3	1	-	2
BLACK---MALE----	70	1	1	3	1	2	7	7	13	4	7	3
FEMALE--	29	2	1	1	1	1	-	2	2	1	-	2
LOUISIANA -----	1,815	19	58	41	45	135	155	136	149	149	141	110
WHITE-----MALE----	799	4	12	14	17	72	80	77	68	78	73	49
FEMALE--	417	1	17	3	8	26	19	16	25	23	17	27
ALL OTHER--MALE----	443	6	13	16	15	31	47	40	45	38	40	29
FEMALE--	156	8	16	8	5	6	9	3	11	10	11	5
BLACK---MALE----	427	5	13	15	15	30	43	38	44	35	40	28
FEMALE--	150	8	16	8	5	6	9	3	10	10	10	5
MAINE -----	395	2	5	7	9	37	20	22	27	20	28	14
WHITE-----MALE----	239	1	2	4	5	26	16	19	21	9	24	11
FEMALE--	156	1	3	3	4	11	4	3	6	11	4	3
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	1,420	14	25	22	25	87	101	79	84	74	81	83
WHITE-----MALE----	594	1	7	4	10	33	46	33	42	37	34	42
FEMALE--	390	4	5	2	5	23	18	17	15	13	16	12
ALL OTHER--MALE----	289	3	8	12	8	25	28	24	16	16	26	20
FEMALE--	147	6	5	4	2	6	9	5	11	8	5	9
BLACK---MALE----	270	3	8	10	8	25	26	21	16	16	25	20
FEMALE--	137	6	5	4	2	6	7	5	11	7	4	8
MASSACHUSETTS -----	1,279	3	20	13	17	65	82	60	59	63	55	59
WHITE-----MALE----	705	1	8	8	8	44	63	44	41	44	37	38
FEMALE--	497	1	8	-	4	14	11	9	13	13	15	17
ALL OTHER--MALE----	53	1	1	5	3	5	8	5	3	4	2	3
FEMALE--	24	-	3	-	2	2	-	2	2	2	1	1
BLACK---MALE----	36	1	1	2	1	2	7	4	2	1	1	3
FEMALE--	18	-	3	-	2	2	-	1	2	-	1	-
MICHIGAN -----	3,081	36	87	57	65	253	208	172	211	215	205	151
WHITE-----MALE----	1,582	17	39	17	32	146	120	93	128	116	109	83
FEMALE--	984	6	24	20	18	69	41	48	43	52	54	32
ALL OTHER--MALE----	354	10	11	15	10	28	36	23	27	25	35	27
FEMALE--	161	3	13	5	5	10	11	8	13	22	7	9
BLACK---MALE----	315	10	8	15	8	24	33	16	23	23	33	23
FEMALE--	138	3	12	4	4	8	9	5	12	19	4	7

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 2,704
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
ACCIDENTS AND ADVERSE EFFECTS (E800-E949)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
KENTUCKY -----	77	68	70	79	86	105	106	91	58	27	2	-
WHITE-----MALE----	53	47	43	46	45	62	40	35	20	11	1	-
FEMALE--	17	18	24	26	38	39	65	50	34	13	1	-
ALL OTHER--MALE----	4	3	1	6	2	3	-	2	-	2	-	-
FEMALE--	3	-	2	1	1	1	1	4	4	1	-	-
BLACK---MALE----	4	2	1	6	2	2	-	2	-	2	-	-
FEMALE--	3	-	2	1	-	1	-	4	4	1	-	-
LOUISIANA -----	80	58	59	78	89	82	92	80	36	16	7	-
WHITE-----MALE----	35	25	32	35	28	28	33	24	10	5	-	-
FEMALE--	13	12	7	17	33	31	48	42	18	9	5	-
ALL OTHER--MALE----	28	12	11	19	19	18	6	5	3	1	1	-
FEMALE--	4	9	9	7	9	5	5	9	5	1	1	-
BLACK---MALE----	27	11	11	19	19	18	6	5	3	1	1	-
FEMALE--	4	8	7	7	9	5	5	8	5	1	1	-
MAINE -----	9	11	13	17	24	32	36	34	22	6	-	-
WHITE-----MALE----	7	9	8	7	14	14	17	15	9	1	-	-
FEMALE--	2	2	5	10	10	18	19	19	13	5	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	62	58	72	77	89	103	109	93	49	22	7	4
WHITE-----MALE----	34	26	34	34	44	40	44	28	13	5	1	2
FEMALE--	11	11	18	17	22	46	44	48	28	13	2	-
ALL OTHER--MALE----	11	15	15	18	12	11	10	8	2	-	1	-
FEMALE--	6	6	5	8	11	6	11	9	6	4	3	2
BLACK---MALE----	11	14	13	16	11	11	8	5	2	-	1	-
FEMALE--	6	4	5	8	11	6	10	7	6	4	3	2
MASSACHUSETTS -----	33	38	40	74	80	99	128	134	109	41	7	-
WHITE-----MALE----	18	26	23	47	44	54	66	51	32	7	1	-
FEMALE--	13	10	13	24	34	42	61	80	76	33	6	-
ALL OTHER--MALE----	2	1	3	2	2	1	-	1	-	1	-	-
FEMALE--	-	1	1	1	-	2	1	2	1	-	-	-
BLACK---MALE----	1	1	3	1	2	1	-	1	-	1	-	-
FEMALE--	-	1	-	1	-	2	1	1	1	-	-	-
MICHIGAN -----	143	99	97	136	175	202	231	181	109	37	10	1
WHITE-----MALE----	77	60	57	70	76	103	105	84	34	13	3	-
FEMALE--	42	24	24	49	71	79	106	87	68	22	5	-
ALL OTHER--MALE----	20	10	11	11	20	12	9	5	6	1	1	1
FEMALE--	4	5	5	6	8	8	11	5	1	1	1	-
BLACK---MALE----	18	9	10	11	18	12	8	4	6	1	1	1
FEMALE--	4	4	5	4	8	8	10	5	1	1	1	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 2,705
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
ACCIDENTS AND ADVERSE EFFECTS (E800-E949)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
MINNESOTA -----	1,642	15	23	18	33	127	98	71	71	89	83	63
WHITE-----MALE----	933	8	12	11	19	83	70	49	47	60	54	37
FEMALE--	616	3	6	6	9	36	19	17	16	18	24	20
ALL OTHER--MALE----	65	2	4	1	4	7	9	3	7	7	2	5
FEMALE--	28	2	1	-	1	1	-	2	1	4	3	1
BLACK---MALE----	28	1	2	1	2	1	5	-	4	3	-	3
FEMALE--	8	1	-	-	-	-	-	2	-	2	-	-
MISSISSIPPI -----	1,509	20	40	31	37	161	158	110	93	113	97	87
WHITE-----MALE----	583	4	11	8	14	63	67	43	30	51	44	32
FEMALE--	326	4	4	3	7	35	17	18	18	17	10	16
ALL OTHER--MALE----	409	6	18	12	8	51	60	37	35	30	30	23
FEMALE--	191	6	7	8	8	12	14	12	10	15	13	16
BLACK---MALE----	400	6	17	12	8	51	59	34	33	28	30	23
FEMALE--	184	5	6	8	8	12	14	12	10	13	13	15
MISSOURI -----	2,392	13	59	34	60	194	182	124	145	178	165	122
WHITE-----MALE----	1,333	5	31	18	30	120	117	76	93	109	108	69
FEMALE--	799	5	19	12	23	50	46	35	31	37	38	36
ALL OTHER--MALE----	181	2	6	2	4	19	15	11	14	23	16	9
FEMALE--	79	1	3	2	3	5	4	2	7	9	3	8
BLACK---MALE----	170	2	5	2	4	16	15	11	13	22	13	9
FEMALE--	75	1	3	2	3	5	4	2	6	9	3	7
MONTANA -----	398	4	9	6	10	23	35	26	21	30	26	26
WHITE-----MALE----	238	3	7	2	8	18	24	17	14	20	14	18
FEMALE--	118	1	2	3	1	2	4	6	3	6	8	6
ALL OTHER--MALE----	33	-	-	1	1	3	6	1	2	4	4	2
FEMALE--	9	-	-	-	-	-	1	2	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	648	6	10	9	23	47	29	39	36	29	46	34
WHITE-----MALE----	360	3	2	6	14	26	19	28	21	17	31	24
FEMALE--	261	2	7	-	7	20	8	9	12	8	12	9
ALL OTHER--MALE----	18	-	1	-	2	1	-	1	3	4	2	1
FEMALE--	9	1	-	3	-	-	2	1	-	-	1	-
BLACK---MALE----	10	-	1	-	1	-	-	-	1	2	2	-
FEMALE--	7	-	-	3	-	-	2	1	-	-	-	-
NEVADA -----	604	8	14	13	10	41	45	48	45	67	55	37
WHITE-----MALE----	381	6	6	7	8	22	28	33	32	44	40	22
FEMALE--	171	1	5	5	1	14	12	8	11	16	12	12
ALL OTHER--MALE----	42	1	2	1	1	4	5	7	2	4	3	2
FEMALE--	10	-	1	-	-	1	-	-	-	3	-	1
BLACK---MALE----	29	1	2	1	1	2	4	5	1	2	3	1
FEMALE--	7	-	-	-	-	1	-	-	-	2	-	1

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 2,707
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
ACCIDENTS AND ADVERSE EFFECTS (E800-E949)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
OHIO -----	3,407	34	69	68	59	229	235	194	212	209	215	203
WHITE-----MALE----	1,855	13	37	29	30	148	157	124	160	144	126	125
FEMALE--	1,206	13	21	23	23	63	49	50	34	39	55	48
ALL OTHER--MALE----	213	4	5	6	5	11	24	13	17	17	23	20
FEMALE--	133	4	6	10	1	7	5	7	1	9	11	10
BLACK---MALE----	202	3	5	5	5	10	20	13	16	17	22	20
FEMALE--	131	4	6	10	1	7	5	6	1	9	10	10
OKLAHOMA -----	1,580	16	32	23	28	127	117	104	96	121	117	89
WHITE-----MALE----	861	6	13	13	15	69	82	65	54	64	69	50
FEMALE--	507	5	10	6	11	37	17	28	23	34	34	26
ALL OTHER--MALE----	131	3	6	2	1	13	10	10	12	20	11	6
FEMALE--	81	2	3	2	1	8	8	1	7	3	3	7
BLACK---MALE----	68	2	5	2	1	9	2	2	7	8	8	4
FEMALE--	40	1	3	2	1	2	2	-	4	1	2	3
OREGON -----	1,353	9	28	23	27	93	100	92	100	106	115	98
WHITE-----MALE----	819	5	16	8	14	70	65	66	67	72	81	66
FEMALE--	456	2	12	14	13	18	27	16	22	28	21	26
ALL OTHER--MALE----	56	2	-	-	-	5	6	8	6	5	8	4
FEMALE--	22	-	-	1	-	-	2	2	5	1	5	2
BLACK---MALE----	20	1	-	-	-	1	1	3	1	2	3	2
FEMALE--	7	-	-	-	-	-	-	1	2	-	2	1
PENNSYLVANIA -----	4,436	20	64	59	69	227	289	298	260	314	323	269
WHITE-----MALE----	2,458	12	31	29	42	140	205	207	166	215	204	156
FEMALE--	1,455	5	15	21	17	63	55	53	57	61	58	51
ALL OTHER--MALE----	364	2	15	6	8	17	25	33	29	25	42	44
FEMALE--	159	1	3	3	2	7	4	5	8	13	19	18
BLACK---MALE----	341	2	15	6	8	16	21	26	25	25	42	44
FEMALE--	147	1	3	2	2	7	4	5	8	13	19	16
RHODE ISLAND -----	208	-	6	3	1	7	11	9	10	12	12	5
WHITE-----MALE----	117	-	4	3	-	6	10	6	3	7	8	4
FEMALE--	73	-	1	-	-	1	-	1	4	4	2	-
ALL OTHER--MALE----	12	-	1	-	1	-	1	1	3	1	1	-
FEMALE--	6	-	-	-	-	-	-	1	-	-	1	1
BLACK---MALE----	9	-	1	-	1	-	-	1	3	1	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	1,717	19	57	35	44	140	134	121	128	147	130	111
WHITE-----MALE----	704	5	16	10	19	61	71	53	65	67	61	38
FEMALE--	411	5	12	11	9	30	17	17	17	28	28	24
ALL OTHER--MALE----	435	8	18	8	12	38	37	38	33	37	33	42
FEMALE--	167	1	11	6	4	11	9	13	13	15	8	7
BLACK---MALE----	430	8	18	8	12	37	36	38	32	36	33	42
FEMALE--	166	1	11	6	4	11	9	13	12	15	8	7

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 2,707
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
ACCIDENTS AND ADVERSE EFFECTS (E800-E949)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
OHIO -----	138	127	102	169	202	222	267	231	148	57	17	-
WHITE-----MALE----	77	73	51	93	111	93	120	87	38	17	2	-
FEMALE--	44	42	38	63	80	111	127	130	100	39	14	-
ALL OTHER--MALE----	12	9	4	8	6	10	13	6	-	-	-	-
FEMALE--	5	3	9	5	5	8	7	8	10	1	1	-
BLACK---MALE----	12	8	4	8	6	10	12	6	-	-	-	-
FEMALE--	5	3	9	5	5	8	7	8	10	1	1	-
OKLAHOMA -----	79	71	79	56	76	99	91	81	49	21	3	5
WHITE-----MALE----	48	37	48	35	47	47	42	33	17	3	1	3
FEMALE--	23	21	19	16	23	43	43	41	29	15	1	2
ALL OTHER--MALE----	6	8	7	4	5	2	2	1	1	-	1	-
FEMALE--	2	5	5	1	1	7	4	6	2	3	-	-
BLACK---MALE----	3	4	5	2	1	-	1	-	1	-	1	-
FEMALE--	2	2	2	-	-	4	2	5	1	1	-	-
OREGON -----	44	41	43	50	56	67	76	85	68	24	7	1
WHITE-----MALE----	31	27	21	27	37	38	33	35	31	8	-	1
FEMALE--	11	13	20	19	18	28	42	47	36	16	7	-
ALL OTHER--MALE----	2	1	1	2	1	1	1	2	1	-	-	-
FEMALE--	-	-	1	2	-	-	-	1	-	-	-	-
BLACK---MALE----	-	1	1	-	1	-	1	1	1	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	167	140	174	184	292	319	362	329	186	76	14	1
WHITE-----MALE----	93	75	110	91	154	154	169	114	65	24	1	1
FEMALE--	40	36	45	71	112	146	174	197	118	50	10	-
ALL OTHER--MALE----	25	22	16	16	10	5	12	7	1	1	3	-
FEMALE--	9	7	3	6	16	14	7	11	2	1	-	-
BLACK---MALE----	23	20	16	15	10	4	11	7	1	1	3	-
FEMALE--	8	6	3	5	13	12	6	11	2	1	-	-
RHODE ISLAND -----	6	4	11	16	14	21	22	11	17	8	2	-
WHITE-----MALE----	4	1	7	11	5	9	15	6	4	3	1	-
FEMALE--	1	2	3	5	8	11	7	5	12	5	1	-
ALL OTHER--MALE----	-	-	1	-	-	1	-	-	1	-	-	-
FEMALE--	1	1	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
SOUTH CAROLINA -----	76	57	78	57	90	87	85	67	37	16	1	-
WHITE-----MALE----	30	24	29	23	32	37	33	19	10	1	-	-
FEMALE--	11	10	16	16	27	29	32	38	21	13	-	-
ALL OTHER--MALE----	30	16	25	13	16	10	14	3	3	1	-	-
FEMALE--	5	7	8	5	15	11	6	7	3	1	1	-
BLACK---MALE----	30	16	24	13	16	10	14	3	3	1	-	-
FEMALE--	5	7	8	5	15	11	6	7	3	1	1	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 2,708
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
 CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
 ACCIDENTS AND ADVERSE EFFECTS (E800-E949)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
SOUTH DAKOTA -----	342	2	8	8	12	30	17	19	18	29	18	12
WHITE-----MALE----	174	1	3	2	5	17	6	13	11	16	11	7
FEMALE--	105	1	-	4	5	5	7	3	1	6	5	1
ALL OTHER--MALE----	46	-	5	2	1	7	4	3	3	3	2	3
FEMALE--	17	-	-	-	1	1	-	-	3	4	-	1
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	2,637	17	55	51	47	205	222	192	200	197	200	153
WHITE-----MALE----	1,463	7	18	24	24	132	146	118	111	122	117	99
FEMALE--	770	5	17	6	10	47	46	40	52	46	40	28
ALL OTHER--MALE----	254	3	10	9	9	16	20	28	26	17	27	19
FEMALE--	150	2	10	12	4	10	10	6	11	12	16	7
BLACK---MALE----	247	3	9	9	9	14	20	27	24	17	27	18
FEMALE--	145	2	10	12	4	10	9	6	11	11	16	7
TEXAS -----	7,269	72	207	157	146	621	626	556	568	606	552	411
WHITE-----MALE----	4,211	31	110	71	74	400	423	369	367	382	365	259
FEMALE--	2,097	31	59	57	36	152	116	105	126	131	106	92
ALL OTHER--MALE----	617	6	25	17	21	49	56	63	45	69	51	39
FEMALE--	344	4	13	12	15	20	31	19	30	24	30	21
BLACK---MALE----	555	5	20	16	21	39	50	53	39	64	48	36
FEMALE--	308	4	12	11	13	16	26	18	25	22	25	18
UTAH -----	644	5	21	16	20	76	66	42	36	50	43	33
WHITE-----MALE----	398	2	12	11	14	59	47	25	30	33	23	28
FEMALE--	206	3	6	5	5	15	10	11	2	13	20	4
ALL OTHER--MALE----	26	-	1	-	1	2	6	6	2	2	-	-
FEMALE--	14	-	2	-	-	-	3	-	2	2	-	1
BLACK---MALE----	5	-	-	-	-	-	1	1	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	194	3	3	2	8	15	17	9	7	14	13	10
WHITE-----MALE----	115	2	1	2	5	10	11	5	6	11	9	7
FEMALE--	77	-	2	-	3	5	5	4	1	3	4	3
ALL OTHER--MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	2,237	15	46	30	36	150	144	139	155	165	118	147
WHITE-----MALE----	1,072	3	18	12	17	68	100	75	86	94	57	84
FEMALE--	607	6	12	6	6	32	19	18	23	26	22	25
ALL OTHER--MALE----	381	2	11	10	11	35	21	38	33	33	29	28
FEMALE--	177	4	5	2	2	15	4	8	13	12	10	10
BLACK---MALE----	366	2	11	10	10	31	18	36	33	32	29	28
FEMALE--	169	4	4	2	2	13	4	8	13	12	9	10

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 2,708
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
ACCIDENTS AND ADVERSE EFFECTS (E800-E949)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
SOUTH DAKOTA -----	13	7	18	18	27	25	19	14	21	7	-	-
WHITE-----MALE----	5	5	10	12	13	14	9	6	4	4	-	-
FEMALE--	3	1	4	3	10	10	9	8	16	3	-	-
ALL OTHER--MALE----	5	-	2	1	3	1	1	-	-	-	-	-
FEMALE--	-	1	2	2	1	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	114	92	88	112	138	146	155	137	83	26	3	4
WHITE-----MALE----	68	56	50	68	66	66	77	57	28	7	-	2
FEMALE--	31	27	24	26	57	60	68	72	49	16	2	1
ALL OTHER--MALE----	8	8	11	12	9	8	6	3	4	-	1	-
FEMALE--	7	1	3	6	6	12	4	5	2	3	-	1
BLACK---MALE----	8	8	11	12	9	8	6	3	4	-	1	-
FEMALE--	7	1	3	5	4	12	4	5	2	3	-	1
TEXAS -----	320	272	227	234	333	350	351	331	214	75	15	25
WHITE-----MALE----	192	157	135	136	166	171	151	143	69	22	1	17
FEMALE--	83	70	65	64	136	138	173	165	129	46	12	5
ALL OTHER--MALE----	33	29	16	22	18	23	13	10	8	1	-	3
FEMALE--	12	16	11	12	13	18	14	13	8	6	2	-
BLACK---MALE----	32	25	15	21	16	23	13	10	8	1	-	-
FEMALE--	9	15	11	11	11	18	14	13	8	6	2	-
UTAH -----	23	16	23	24	23	25	40	32	24	6	-	-
WHITE-----MALE----	16	10	13	11	11	10	22	14	7	-	-	-
FEMALE--	5	6	8	11	11	15	15	18	17	6	-	-
ALL OTHER--MALE----	1	-	1	2	-	-	2	-	-	-	-	-
FEMALE--	1	-	1	-	1	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	2	7	7	8	5	6	17	17	18	4	2	-
WHITE-----MALE----	2	6	5	5	3	3	9	6	7	-	-	-
FEMALE--	-	1	2	3	2	3	8	11	11	4	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	100	82	89	110	135	148	144	128	101	41	13	1
WHITE-----MALE----	46	41	44	55	62	56	63	47	32	8	3	1
FEMALE--	26	19	17	35	46	56	59	62	57	28	7	-
ALL OTHER--MALE----	21	14	16	11	17	20	15	12	3	-	1	-
FEMALE--	7	8	12	9	10	16	7	7	9	5	2	-
BLACK---MALE----	20	14	16	11	16	19	15	12	2	-	1	-
FEMALE--	6	8	12	8	9	15	7	7	9	5	2	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 2,710
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 TRANSPORT ACCIDENTS (E800-E848)												
0 UNITED STATES --	46,224	216	838	913	1,172	5,473	5,442	4,292	3,922	3,957	3,385	2,846
WHITE-----MALE----	26,032	81	334	375	594	3,113	3,406	2,548	2,277	2,316	2,014	1,692
FEMALE--	12,693	85	268	303	382	1,554	1,035	939	877	945	808	686
ALL OTHER--MALE----	5,162	28	132	143	137	568	750	605	539	480	394	295
FEMALE--	2,337	22	104	92	59	238	251	200	229	216	169	173
BLACK---MALE----	4,060	21	106	120	106	431	570	453	426	375	328	247
FEMALE--	1,699	21	80	77	43	181	189	154	163	158	118	118
ALABAMA -----	1,219	8	19	21	21	142	168	129	113	117	89	71
WHITE-----MALE----	632	2	6	6	13	65	101	67	48	62	49	45
FEMALE--	300	5	6	6	4	47	23	31	26	35	21	12
ALL OTHER--MALE----	209	-	3	7	4	25	28	26	29	16	11	10
FEMALE--	78	1	4	2	-	5	16	5	10	4	8	4
BLACK---MALE----	208	-	3	7	4	25	28	26	29	15	11	10
FEMALE--	77	1	4	2	-	5	16	5	10	4	8	4
ALASKA -----	150	-	5	2	5	13	17	13	16	20	17	14
WHITE-----MALE----	88	-	-	-	1	10	8	6	13	13	12	9
FEMALE--	21	-	2	1	2	1	3	1	-	3	2	3
ALL OTHER--MALE----	32	-	1	1	2	2	4	5	2	4	2	2
FEMALE--	9	-	2	-	-	-	2	1	1	-	1	-
BLACK---MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
ARIZONA -----	1,059	6	26	23	36	112	119	104	98	87	80	66
WHITE-----MALE----	567	2	10	10	12	59	62	48	52	50	47	39
FEMALE--	245	-	5	4	14	28	22	20	20	15	17	9
ALL OTHER--MALE----	156	3	5	6	6	16	31	23	16	16	6	7
FEMALE--	91	1	6	3	4	9	4	13	10	6	10	11
BLACK---MALE----	9	-	-	-	-	1	6	-	-	1	-	1
FEMALE--	6	-	-	-	-	1	-	1	1	-	-	1
ARKANSAS -----	676	3	6	16	14	89	75	72	67	72	54	37
WHITE-----MALE----	377	1	1	6	7	55	47	42	38	38	31	25
FEMALE--	182	2	1	5	4	26	16	17	17	12	13	7
ALL OTHER--MALE----	82	-	4	2	3	5	7	9	10	17	6	1
FEMALE--	35	-	-	3	-	3	5	4	2	5	4	4
BLACK---MALE----	73	-	4	2	2	5	7	8	7	16	5	1
FEMALE--	33	-	-	3	-	3	4	4	2	5	4	4
CALIFORNIA -----	4,538	20	102	83	116	419	493	429	382	423	353	316
WHITE-----MALE----	2,652	7	47	35	58	238	308	265	251	268	222	204
FEMALE--	1,152	8	35	28	34	107	95	99	67	91	75	65
ALL OTHER--MALE----	477	4	8	12	18	54	66	48	41	42	34	34
FEMALE--	257	1	12	8	6	20	24	17	23	22	22	13
BLACK---MALE----	237	3	4	6	6	20	25	28	22	25	20	21
FEMALE--	103	1	8	3	3	8	17	8	10	9	12	4

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 2,710
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 TRANSPORT ACCIDENTS (E800-E848)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 UNITED STATES --	2,169	1,794	1,670	1,705	1,869	1,789	1,543	855	279	39	2	54
WHITE-----MALE----	1,243	1,032	907	899	932	877	750	438	148	17	-	39
FEMALE--	588	498	537	567	719	737	667	356	117	17	2	6
ALL OTHER--MALE----	247	184	147	149	132	102	73	37	11	2	-	7
FEMALE--	91	80	79	90	86	73	53	24	3	3	-	2
BLACK---MALE----	204	143	121	121	102	81	58	30	10	2	-	5
FEMALE--	58	57	51	59	58	54	34	20	2	2	-	2
ALABAMA -----	49	52	44	35	49	37	39	12	4	-	-	-
WHITE-----MALE----	30	30	22	18	23	15	21	8	1	-	-	-
FEMALE--	9	10	12	7	16	12	13	2	3	-	-	-
ALL OTHER--MALE----	10	7	9	7	5	7	4	1	-	-	-	-
FEMALE--	-	5	1	3	5	3	1	1	-	-	-	-
BLACK---MALE----	10	7	9	7	5	7	4	1	-	-	-	-
FEMALE--	-	5	1	3	4	3	1	1	-	-	-	-
ALASKA -----	10	4	4	3	-	5	1	1	-	-	-	-
WHITE-----MALE----	7	2	3	1	-	2	1	-	-	-	-	-
FEMALE--	-	1	1	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	2	1	-	2	-	1	-	1	-	-	-	-
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	42	41	39	34	43	41	33	16	9	-	-	4
WHITE-----MALE----	21	23	22	23	24	25	20	9	5	-	-	4
FEMALE--	14	9	11	6	16	15	11	5	4	-	-	-
ALL OTHER--MALE----	5	7	4	2	1	1	-	1	-	-	-	-
FEMALE--	2	2	2	3	2	-	2	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	1	-	-	-	-
ARKANSAS -----	36	36	15	16	18	19	22	8	1	-	-	-
WHITE-----MALE----	21	17	8	9	8	9	9	4	1	-	-	-
FEMALE--	10	12	6	5	8	9	9	3	-	-	-	-
ALL OTHER--MALE----	5	5	1	1	2	1	2	1	-	-	-	-
FEMALE--	-	2	-	1	-	-	2	-	-	-	-	-
BLACK---MALE----	5	4	-	1	2	1	2	1	-	-	-	-
FEMALE--	-	1	-	1	-	-	2	-	-	-	-	-
CALIFORNIA -----	223	204	190	184	184	175	126	75	24	6	-	11
WHITE-----MALE----	132	128	103	94	90	87	50	40	13	4	-	8
FEMALE--	58	52	63	51	60	67	54	30	9	2	-	2
ALL OTHER--MALE----	21	19	13	19	20	9	10	3	1	-	-	1
FEMALE--	12	5	11	20	14	12	12	2	1	-	-	-
BLACK---MALE----	13	11	5	11	9	-	4	2	1	-	-	1
FEMALE--	4	1	1	6	3	3	1	1	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 2,711
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
0 TRANSPORT ACCIDENTS (E800-E848)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
COLORADO -----	719	3	18	7	22	92	87	66	75	60	61	43
WHITE-----MALE----	443	-	5	5	14	57	57	43	45	49	37	25
FEMALE--	241	3	10	2	8	31	21	19	25	9	20	17
ALL OTHER--MALE----	22	-	2	-	-	1	6	2	4	1	4	-
FEMALE--	13	-	1	-	-	3	3	2	1	1	-	1
BLACK---MALE----	10	-	-	-	-	-	3	-	3	1	3	-
FEMALE--	5	-	-	-	-	3	-	1	-	-	-	-
CONNECTICUT -----	357	-	6	7	8	31	47	32	25	32	27	23
WHITE-----MALE----	207	-	1	5	6	13	29	14	19	20	17	16
FEMALE--	104	-	3	2	1	14	9	9	3	9	4	5
ALL OTHER--MALE----	37	-	2	-	1	4	7	8	1	2	5	2
FEMALE--	9	-	-	-	-	-	2	1	2	1	1	-
BLACK---MALE----	33	-	2	-	1	2	7	7	1	1	5	2
FEMALE--	7	-	-	-	-	-	2	1	2	1	-	-
DELAWARE -----	109	1	-	-	4	11	17	16	10	7	10	2
WHITE-----MALE----	56	-	-	-	2	5	12	9	7	4	3	2
FEMALE--	38	1	-	-	2	3	5	3	3	3	3	-
ALL OTHER--MALE----	11	-	-	-	-	2	-	2	-	-	3	-
FEMALE--	4	-	-	-	-	1	-	2	-	-	1	-
BLACK---MALE----	11	-	-	-	-	2	-	2	-	-	3	-
FEMALE--	3	-	-	-	-	-	-	2	-	-	1	-
DISTRICT OF COLUMBIA ----	63	-	-	5	-	8	5	3	4	5	6	6
WHITE-----MALE----	11	-	-	1	-	1	1	-	1	1	-	2
FEMALE--	5	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	34	-	-	2	-	3	3	3	3	3	4	3
FEMALE--	13	-	-	2	-	4	-	-	-	1	2	1
BLACK---MALE----	31	-	-	2	-	3	3	3	1	3	4	3
FEMALE--	13	-	-	2	-	4	-	-	-	1	2	1
FLORIDA -----	2,991	9	44	48	75	253	302	233	252	263	228	184
WHITE-----MALE----	1,691	1	15	13	35	147	192	148	135	168	150	114
FEMALE--	839	2	13	19	25	64	62	44	68	50	48	41
ALL OTHER--MALE----	329	3	9	8	12	31	38	32	33	30	23	22
FEMALE--	132	3	7	8	3	11	10	9	16	15	7	7
BLACK---MALE----	309	3	9	8	11	31	34	28	29	29	22	22
FEMALE--	121	3	7	8	2	10	8	8	13	14	7	6
GEORGIA -----	1,665	10	41	36	42	255	214	164	132	150	102	99
WHITE-----MALE----	786	3	11	12	17	122	117	76	65	78	47	45
FEMALE--	378	2	4	7	13	69	26	36	23	26	23	21
ALL OTHER--MALE----	322	3	12	11	11	42	56	28	35	26	24	21
FEMALE--	179	2	14	6	1	22	15	24	9	20	8	12
BLACK---MALE----	315	3	12	11	11	42	51	27	35	25	24	21
FEMALE--	164	2	13	6	1	21	15	23	8	19	6	10

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 2,711
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 TRANSPORT ACCIDENTS (E800-E848)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
COLORADO -----	26	25	29	20	25	21	19	13	7	-	-	-
WHITE-----MALE----	16	14	15	15	17	12	10	5	2	-	-	-
FEMALE--	9	10	14	4	8	9	9	8	5	-	-	-
ALL OTHER--MALE----	-	1	-	1	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	25	12	22	8	16	15	13	6	1	1	-	-
WHITE-----MALE----	15	7	11	4	8	11	9	1	1	-	-	-
FEMALE--	8	2	10	3	8	4	4	5	-	1	-	-
ALL OTHER--MALE----	2	3	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	1	-	-	-	-	-	-	-	-
BLACK---MALE----	2	3	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
DELAWARE -----	4	7	3	4	3	2	5	1	2	-	-	-
WHITE-----MALE----	1	1	3	2	2	1	1	-	1	-	-	-
FEMALE--	3	3	-	2	1	-	4	1	1	-	-	-
ALL OTHER--MALE----	-	3	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	3	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	2	1	3	1	3	4	5	1	-	-	-	1
WHITE-----MALE----	-	-	1	-	1	1	-	-	-	-	-	1
FEMALE--	-	-	-	1	1	1	1	-	-	-	-	-
ALL OTHER--MALE----	1	1	1	-	1	1	4	1	-	-	-	-
FEMALE--	1	-	1	-	-	1	-	-	-	-	-	-
BLACK---MALE----	1	1	1	-	1	1	3	1	-	-	-	-
FEMALE--	1	-	1	-	-	1	-	-	-	-	-	-
FLORIDA -----	152	120	113	138	145	164	145	86	23	6	-	8
WHITE-----MALE----	94	66	55	78	74	74	69	43	11	4	-	5
FEMALE--	39	34	38	41	53	80	68	37	12	1	-	-
ALL OTHER--MALE----	18	12	17	13	12	6	4	4	-	-	-	2
FEMALE--	1	8	3	6	6	4	4	2	-	1	-	1
BLACK---MALE----	18	10	16	11	12	6	4	4	-	-	-	2
FEMALE--	-	8	3	6	6	4	4	2	-	1	-	1
GEORGIA -----	71	56	58	51	60	59	40	17	6	1	-	1
WHITE-----MALE----	34	30	33	18	21	27	18	9	2	-	-	1
FEMALE--	15	10	13	15	24	25	18	4	4	-	-	-
ALL OTHER--MALE----	12	9	7	7	10	4	2	1	-	1	-	-
FEMALE--	10	7	5	11	5	3	2	3	-	-	-	-
BLACK---MALE----	12	9	7	7	10	4	2	1	-	1	-	-
FEMALE--	9	6	4	8	5	3	2	3	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 2,712
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
0 TRANSPORT ACCIDENTS (E800-E848)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
HAWAII -----	147	-	1	2	4	19	19	13	12	13	14	12
WHITE-----MALE----	36	-	-	-	-	3	6	5	5	4	4	5
FEMALE--	12	-	-	-	-	1	1	-	1	2	1	2
ALL OTHER--MALE----	61	-	1	1	2	12	8	7	2	3	7	3
FEMALE--	38	-	-	1	2	3	4	1	4	4	2	2
BLACK---MALE----	2	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	303	2	8	6	8	49	29	22	19	31	23	18
WHITE-----MALE----	189	1	6	5	4	28	18	16	11	18	19	13
FEMALE--	103	1	2	1	3	18	9	5	8	12	4	5
ALL OTHER--MALE----	7	-	-	-	-	2	2	1	-	1	-	-
FEMALE--	4	-	-	-	1	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-
ILLINOIS -----	1,699	8	30	35	45	185	214	163	125	135	114	114
WHITE-----MALE----	966	1	13	14	19	104	146	93	67	86	67	69
FEMALE--	426	5	8	10	17	50	29	34	33	29	26	23
ALL OTHER--MALE----	216	1	5	9	6	16	32	27	17	13	17	15
FEMALE--	91	1	4	2	3	15	7	9	8	7	4	7
BLACK---MALE----	197	1	5	8	6	16	30	23	15	13	14	13
FEMALE--	80	1	4	2	3	14	6	8	8	4	4	6
INDIANA -----	1,022	4	15	21	32	160	106	90	85	74	64	65
WHITE-----MALE----	620	4	6	7	16	102	77	63	60	47	41	34
FEMALE--	320	-	8	8	13	51	19	21	18	22	18	25
ALL OTHER--MALE----	56	-	-	3	3	6	9	3	5	4	5	3
FEMALE--	26	-	1	3	-	1	1	3	2	1	-	3
BLACK---MALE----	54	-	-	3	3	6	9	3	5	3	5	3
FEMALE--	22	-	1	3	-	1	1	2	2	1	-	1
IOWA -----	526	2	13	11	14	71	63	46	38	50	34	25
WHITE-----MALE----	339	1	6	4	12	47	45	38	29	32	21	13
FEMALE--	166	1	5	6	2	21	14	7	8	15	11	10
ALL OTHER--MALE----	12	-	2	-	-	3	2	1	1	1	1	1
FEMALE--	9	-	-	1	-	-	2	-	-	2	1	1
BLACK---MALE----	10	-	2	-	-	2	2	1	1	-	1	1
FEMALE--	4	-	-	-	-	-	-	-	-	1	1	1
KANSAS -----	546	1	8	10	18	88	74	49	37	41	34	27
WHITE-----MALE----	331	-	3	3	8	58	50	32	23	20	23	19
FEMALE--	180	1	4	5	8	26	15	12	13	19	10	8
ALL OTHER--MALE----	23	-	1	-	1	3	7	4	1	1	1	-
FEMALE--	12	-	-	2	1	1	2	1	-	1	-	-
BLACK---MALE----	16	-	-	-	1	2	6	3	-	1	-	-
FEMALE--	7	-	-	2	-	-	1	1	-	1	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 2,713
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
0 TRANSPORT ACCIDENTS (E800-E848)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
KENTUCKY -----	834	6	10	23	15	130	105	89	58	64	58	44
WHITE-----MALE----	526	2	6	13	4	82	79	58	37	41	37	31
FEMALE--	264	4	4	6	9	47	21	24	13	20	19	11
ALL OTHER--MALE----	34	-	-	3	-	1	5	5	6	2	2	1
FEMALE--	10	-	-	1	2	-	-	2	2	1	-	1
BLACK---MALE----	33	-	-	3	-	1	5	5	6	2	2	1
FEMALE--	6	-	-	-	1	-	-	2	1	1	-	1
LOUISIANA -----	991	3	32	19	27	103	125	90	101	99	82	65
WHITE-----MALE----	472	1	8	9	11	55	63	49	50	52	44	24
FEMALE--	208	1	8	2	7	23	19	12	13	18	12	20
ALL OTHER--MALE----	243	-	7	4	6	20	36	27	29	21	24	18
FEMALE--	68	1	9	4	3	5	7	2	9	8	2	3
BLACK---MALE----	230	-	7	4	6	19	32	25	28	18	24	18
FEMALE--	65	1	9	4	3	5	7	2	8	8	2	3
MAINE -----	188	1	3	6	5	31	17	16	21	12	14	8
WHITE-----MALE----	125	-	1	3	4	20	13	14	19	4	11	7
FEMALE--	63	1	2	3	1	11	4	2	2	8	3	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	685	3	11	15	12	75	83	54	63	51	43	52
WHITE-----MALE----	305	1	3	3	7	28	39	20	30	24	20	26
FEMALE--	155	2	2	1	2	20	16	14	12	7	6	8
ALL OTHER--MALE----	160	-	3	8	3	22	21	16	13	14	15	14
FEMALE--	65	-	3	3	-	5	7	4	8	6	2	4
BLACK---MALE----	152	-	3	8	3	22	20	15	13	14	15	14
FEMALE--	57	-	3	3	-	5	5	4	8	5	1	4
MASSACHUSETTS -----	489	1	3	4	9	52	69	47	38	28	27	29
WHITE-----MALE----	310	-	-	4	4	35	53	32	26	20	16	21
FEMALE--	145	1	3	-	4	14	11	8	8	7	8	6
ALL OTHER--MALE----	21	-	-	-	-	1	5	5	3	-	2	1
FEMALE--	13	-	-	-	1	2	-	2	1	1	1	1
BLACK---MALE----	17	-	-	-	-	1	5	4	2	-	1	1
FEMALE--	9	-	-	-	1	2	-	1	1	-	1	-
MICHIGAN -----	1,634	9	36	31	40	220	173	130	157	126	122	88
WHITE-----MALE----	882	5	15	11	23	125	104	68	95	64	67	48
FEMALE--	510	2	10	13	14	67	36	38	40	35	35	22
ALL OTHER--MALE----	177	1	5	6	1	21	25	21	17	14	16	13
FEMALE--	65	1	6	1	2	7	8	3	5	13	4	5
BLACK---MALE----	155	1	4	6	1	18	22	16	15	12	15	10
FEMALE--	49	1	5	1	2	5	6	2	5	11	1	3

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 2,713
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 TRANSPORT ACCIDENTS (E800-E848)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
KENTUCKY -----	34	36	31	28	29	28	26	14	6	-	-	-
WHITE-----MALE----	27	22	20	15	13	21	10	6	2	-	-	-
FEMALE--	7	12	11	9	14	6	15	8	4	-	-	-
ALL OTHER--MALE----	-	2	-	4	2	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	1	-	4	2	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	45	41	31	36	34	27	20	8	3	-	-	-
WHITE-----MALE----	19	19	16	16	11	8	12	4	1	-	-	-
FEMALE--	11	10	3	11	14	12	8	3	1	-	-	-
ALL OTHER--MALE----	15	7	6	8	7	6	-	1	1	-	-	-
FEMALE--	-	5	6	1	2	1	-	-	-	-	-	-
BLACK---MALE----	14	6	6	8	7	6	-	1	1	-	-	-
FEMALE--	-	4	5	1	2	1	-	-	-	-	-	-
MAINE -----	2	7	5	6	8	9	10	4	3	-	-	-
WHITE-----MALE----	2	6	3	3	2	2	5	4	2	-	-	-
FEMALE--	-	1	2	3	6	7	5	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	37	28	33	27	26	27	19	18	7	-	-	1
WHITE-----MALE----	22	11	14	13	15	11	7	7	4	-	-	-
FEMALE--	8	7	11	6	8	12	7	4	2	-	-	-
ALL OTHER--MALE----	4	4	7	5	1	3	2	5	-	-	-	-
FEMALE--	3	6	1	3	2	1	3	2	1	-	-	1
BLACK---MALE----	4	3	6	4	1	3	2	2	-	-	-	-
FEMALE--	3	4	1	3	2	1	2	1	1	-	-	1
MASSACHUSETTS -----	17	17	20	24	29	28	24	18	5	-	-	-
WHITE-----MALE----	9	11	9	14	15	15	14	9	3	-	-	-
FEMALE--	7	5	9	8	14	13	10	7	2	-	-	-
ALL OTHER--MALE----	1	-	1	1	-	-	-	1	-	-	-	-
FEMALE--	-	1	1	1	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	1	1	-	-	-	1	-	-	-	-
FEMALE--	-	1	-	1	-	-	-	1	-	-	-	-
MICHIGAN -----	87	52	52	66	67	63	65	37	11	1	-	1
WHITE-----MALE----	43	29	32	35	28	30	33	21	5	1	-	-
FEMALE--	35	15	16	24	29	29	28	16	6	-	-	-
ALL OTHER--MALE----	7	6	4	5	9	2	3	-	-	-	-	1
FEMALE--	2	2	-	2	1	2	1	-	-	-	-	-
BLACK---MALE----	6	6	4	5	8	2	3	-	-	-	-	1
FEMALE--	2	1	-	1	1	2	-	-	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 2,714
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 TRANSPORT ACCIDENTS (E800-E848)												
MINNESOTA -----	665	3	7	12	23	107	72	50	48	49	45	40
WHITE-----MALE----	401	1	2	5	12	65	50	34	29	33	27	23
FEMALE--	217	1	3	6	8	35	15	13	14	10	15	15
ALL OTHER--MALE----	37	1	2	1	3	6	7	2	4	4	1	2
FEMALE--	10	-	-	-	-	1	-	1	1	2	2	-
BLACK---MALE----	13	-	1	1	1	-	3	-	3	1	-	-
FEMALE--	2	-	-	-	-	-	-	1	-	-	-	-
MISSISSIPPI -----	895	7	13	14	22	122	133	93	73	72	66	59
WHITE-----MALE----	348	1	4	6	6	49	55	33	21	30	27	24
FEMALE--	188	1	1	2	7	31	16	17	17	12	8	11
ALL OTHER--MALE----	257	3	5	5	3	35	50	32	26	21	23	11
FEMALE--	102	2	3	1	6	7	12	11	9	9	8	13
BLACK---MALE----	250	3	4	5	3	35	50	29	24	20	23	11
FEMALE--	97	2	2	1	6	7	12	11	9	7	8	12
MISSOURI -----	1,170	3	20	18	36	164	136	99	102	103	103	67
WHITE-----MALE----	699	2	8	10	18	98	83	63	61	62	68	39
FEMALE--	357	1	7	7	14	45	39	30	25	25	27	23
ALL OTHER--MALE----	80	-	3	-	3	16	10	5	13	11	5	2
FEMALE--	34	-	2	1	1	5	4	1	3	5	3	3
BLACK---MALE----	72	-	2	-	3	13	10	5	12	11	3	2
FEMALE--	32	-	2	1	1	5	4	1	2	5	3	3
MONTANA -----	209	2	4	3	5	18	28	18	13	18	23	16
WHITE-----MALE----	125	2	3	1	3	14	19	11	9	9	11	11
FEMALE--	54	-	1	2	1	2	3	4	1	6	8	4
ALL OTHER--MALE----	26	-	-	-	1	2	5	1	2	3	4	1
FEMALE--	4	-	-	-	-	-	1	2	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	320	3	5	6	13	40	26	27	27	22	29	22
WHITE-----MALE----	188	1	1	3	8	21	17	18	15	12	19	15
FEMALE--	115	2	4	-	5	18	7	9	10	7	8	6
ALL OTHER--MALE----	11	-	-	-	-	1	-	-	2	3	2	1
FEMALE--	6	-	-	3	-	-	2	-	-	-	-	-
BLACK---MALE----	7	-	-	-	-	-	-	-	1	2	2	-
FEMALE--	6	-	-	3	-	-	2	-	-	-	-	-
NEVADA -----	343	2	5	7	5	32	33	27	24	41	29	21
WHITE-----MALE----	200	1	1	3	4	14	21	16	15	25	19	11
FEMALE--	112	-	2	3	-	13	10	7	8	12	8	8
ALL OTHER--MALE----	25	1	1	1	1	4	2	4	1	2	2	1
FEMALE--	6	-	1	-	-	1	-	-	-	2	-	1
BLACK---MALE----	15	1	1	1	1	2	2	2	-	-	2	1
FEMALE--	4	-	-	-	-	1	-	-	-	1	-	1

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 2,716
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 TRANSPORT ACCIDENTS (E800-E848)												
OHIO -----	1,500	10	15	37	30	188	196	136	121	106	90	116
WHITE-----MALE----	909	5	9	17	15	116	132	84	93	70	52	72
FEMALE--	460	3	3	13	12	59	40	40	20	26	27	32
ALL OTHER--MALE----	89	1	1	2	3	7	19	9	7	7	6	7
FEMALE--	42	1	2	5	-	6	5	3	1	3	5	5
BLACK---MALE----	81	1	1	1	3	6	16	9	6	7	5	7
FEMALE--	40	1	2	5	-	6	5	2	1	3	4	5
OKLAHOMA -----	836	6	12	11	19	110	94	81	54	76	62	47
WHITE-----MALE----	452	3	5	7	9	59	62	51	28	35	42	23
FEMALE--	269	3	2	4	8	33	16	20	18	28	16	17
ALL OTHER--MALE----	66	-	3	-	1	10	9	9	2	10	3	2
FEMALE--	49	-	2	-	1	8	7	1	6	3	1	5
BLACK---MALE----	29	-	2	-	1	8	1	1	2	6	2	-
FEMALE--	20	-	2	-	1	2	1	-	3	1	-	2
OREGON -----	582	4	10	13	15	73	68	57	53	49	40	43
WHITE-----MALE----	366	2	4	7	7	54	42	37	36	28	28	30
FEMALE--	181	1	6	6	8	17	22	13	11	18	8	12
ALL OTHER--MALE----	24	1	-	-	-	2	2	5	3	2	2	1
FEMALE--	11	-	-	-	-	-	2	2	3	1	2	-
BLACK---MALE----	8	-	-	-	-	1	-	2	-	-	1	1
FEMALE--	3	-	-	-	-	-	-	1	1	-	-	-
PENNSYLVANIA -----	1,680	3	22	32	43	178	204	167	113	109	118	102
WHITE-----MALE----	1,037	2	10	14	30	103	146	119	71	76	78	62
FEMALE--	494	-	7	15	10	55	39	27	29	27	31	28
ALL OTHER--MALE----	102	1	4	1	1	14	15	18	12	3	5	5
FEMALE--	47	-	1	2	2	6	4	3	1	3	4	7
BLACK---MALE----	84	1	4	1	1	13	12	11	8	3	5	5
FEMALE--	40	-	1	1	2	6	4	3	1	3	4	5
RHODE ISLAND -----	79	-	1	2	-	7	8	7	8	8	6	2
WHITE-----MALE----	45	-	1	2	-	6	7	5	2	4	4	1
FEMALE--	23	-	-	-	-	1	-	-	3	4	1	-
ALL OTHER--MALE----	6	-	-	-	-	-	1	1	3	-	1	-
FEMALE--	5	-	-	-	-	-	-	1	-	-	-	1
BLACK---MALE----	4	-	-	-	-	-	-	1	3	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	947	5	22	21	32	114	118	89	92	88	71	59
WHITE-----MALE----	416	1	7	6	15	48	59	35	43	40	36	23
FEMALE--	210	2	6	7	8	29	16	14	14	20	16	11
ALL OTHER--MALE----	233	2	5	6	7	27	34	28	23	19	16	19
FEMALE--	88	-	4	2	2	10	9	12	12	9	3	6
BLACK---MALE----	230	2	5	6	7	27	34	28	22	18	16	19
FEMALE--	87	-	4	2	2	10	9	12	11	9	3	6

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 2,716
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 TRANSPORT ACCIDENTS (E800-E848)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
OHIO -----	61	60	48	77	59	64	57	18	9	1	1	-
WHITE-----MALE----	31	34	27	42	34	29	31	11	4	1	-	-
FEMALE--	23	24	18	32	25	28	22	7	5	-	1	-
ALL OTHER--MALE----	6	2	2	3	-	5	2	-	-	-	-	-
FEMALE--	1	-	1	-	-	2	2	-	-	-	-	-
BLACK---MALE----	6	1	2	3	-	5	2	-	-	-	-	-
FEMALE--	1	-	1	-	-	2	2	-	-	-	-	-
OKLAHOMA -----	45	39	38	28	29	40	21	17	5	1	-	1
WHITE-----MALE----	23	15	23	14	18	17	7	7	3	-	-	1
FEMALE--	16	16	9	11	9	19	12	9	2	1	-	-
ALL OTHER--MALE----	4	5	2	2	2	2	-	-	-	-	-	-
FEMALE--	2	3	4	1	-	2	2	1	-	-	-	-
BLACK---MALE----	1	3	2	-	-	-	-	-	-	-	-	-
FEMALE--	2	1	2	-	-	1	1	1	-	-	-	-
OREGON -----	29	19	13	24	21	18	14	11	7	-	-	1
WHITE-----MALE----	19	11	5	13	12	10	9	5	6	-	-	1
FEMALE--	8	8	7	9	8	8	5	6	-	-	-	-
ALL OTHER--MALE----	2	-	1	1	1	-	-	-	1	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	1	-	-	-	1	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	71	62	62	63	90	94	88	43	16	-	-	-
WHITE-----MALE----	44	36	44	35	43	54	38	23	9	-	-	-
FEMALE--	22	18	16	21	41	34	47	20	7	-	-	-
ALL OTHER--MALE----	4	7	2	6	-	2	2	-	-	-	-	-
FEMALE--	1	1	-	1	6	4	1	-	-	-	-	-
BLACK---MALE----	4	6	2	5	-	1	2	-	-	-	-	-
FEMALE--	-	1	-	1	5	2	1	-	-	-	-	-
RHODE ISLAND -----	1	3	6	9	4	3	2	2	-	-	-	-
WHITE-----MALE----	-	-	4	5	-	2	2	-	-	-	-	-
FEMALE--	-	2	2	4	3	1	-	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
SOUTH CAROLINA -----	40	30	38	29	26	33	24	14	1	1	-	-
WHITE-----MALE----	14	17	15	13	14	15	9	4	1	1	-	-
FEMALE--	9	5	9	11	7	8	9	9	-	-	-	-
ALL OTHER--MALE----	13	7	9	4	3	5	5	1	-	-	-	-
FEMALE--	4	1	5	1	2	5	1	-	-	-	-	-
BLACK---MALE----	13	7	8	4	3	5	5	1	-	-	-	-
FEMALE--	4	1	5	1	2	5	1	-	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 2,717
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 TRANSPORT ACCIDENTS (E800-E848)												
SOUTH DAKOTA -----	175	-	3	4	11	22	14	13	12	22	11	5
WHITE-----MALE----	88	-	-	2	4	13	6	7	6	12	6	2
FEMALE--	52	-	-	1	5	5	6	3	1	4	4	1
ALL OTHER--MALE----	25	-	3	1	1	3	2	3	2	2	1	2
FEMALE--	10	-	-	-	1	1	-	-	3	4	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	1,372	6	28	27	28	169	169	132	127	117	113	75
WHITE-----MALE----	805	3	10	16	16	103	108	79	72	71	69	48
FEMALE--	381	1	9	3	6	47	41	32	34	33	26	15
ALL OTHER--MALE----	115	-	7	3	3	11	12	16	15	7	8	9
FEMALE--	71	2	2	5	3	8	8	5	6	6	10	3
BLACK---MALE----	110	-	7	3	3	10	12	15	13	7	8	8
FEMALE--	67	2	2	5	3	8	7	5	6	5	10	3
TEXAS -----	4,132	25	90	101	101	518	505	417	368	377	317	251
WHITE-----MALE----	2,445	9	41	42	51	325	332	268	221	223	199	148
FEMALE--	1,141	14	38	43	28	142	104	85	98	95	74	68
ALL OTHER--MALE----	358	-	7	8	13	34	44	52	27	45	26	21
FEMALE--	188	2	4	8	9	17	25	12	22	14	18	14
BLACK---MALE----	312	-	5	8	13	26	39	43	23	41	23	19
FEMALE--	160	2	3	7	8	13	22	11	18	13	15	11
UTAH -----	375	2	15	13	14	53	53	38	29	27	28	18
WHITE-----MALE----	233	-	8	8	11	37	34	23	24	16	13	15
FEMALE--	110	2	6	5	3	14	10	10	1	7	15	2
ALL OTHER--MALE----	19	-	-	-	-	2	6	5	2	2	-	-
FEMALE--	13	-	1	-	-	-	3	-	2	2	-	1
BLACK---MALE----	3	-	-	-	-	-	1	1	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	85	-	2	1	2	11	15	5	3	7	8	3
WHITE-----MALE----	53	-	1	1	-	7	10	1	2	4	5	3
FEMALE--	31	-	1	-	2	4	4	4	1	3	3	-
ALL OTHER--MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	943	4	16	15	14	115	101	85	94	94	57	62
WHITE-----MALE----	496	1	7	4	9	52	69	45	51	52	25	40
FEMALE--	221	2	6	3	4	25	15	14	14	19	13	9
ALL OTHER--MALE----	166	1	3	6	1	24	14	21	21	19	12	10
FEMALE--	60	-	-	2	-	14	3	5	8	4	7	3
BLACK---MALE----	156	1	3	6	1	20	12	19	21	18	12	10
FEMALE--	56	-	-	2	-	12	3	5	8	4	6	3

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 2,717
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 TRANSPORT ACCIDENTS (E800-E848)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
SOUTH DAKOTA -----	9	1	7	7	10	9	10	4	1	-	-	-
WHITE-----MALE----	2	1	5	4	5	5	4	3	1	-	-	-
FEMALE--	3	-	2	2	4	4	6	1	-	-	-	-
ALL OTHER--MALE----	4	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	61	49	39	52	60	49	42	21	6	1	-	1
WHITE-----MALE----	36	32	22	34	22	20	25	14	4	1	-	-
FEMALE--	18	13	12	11	33	26	14	5	1	-	-	1
ALL OTHER--MALE----	5	3	2	5	4	2	2	-	1	-	-	-
FEMALE--	2	1	3	2	1	1	1	2	-	-	-	-
BLACK---MALE----	5	3	2	5	4	2	2	-	1	-	-	-
FEMALE--	2	1	3	1	-	1	1	2	-	-	-	-
TEXAS -----	190	159	108	117	168	122	112	56	20	1	-	9
WHITE-----MALE----	118	90	64	65	85	62	55	29	13	-	-	5
FEMALE--	48	46	33	36	65	48	46	22	6	-	-	2
ALL OTHER--MALE----	19	18	4	9	9	8	7	4	1	-	-	2
FEMALE--	5	5	7	7	9	4	4	1	-	1	-	-
BLACK---MALE----	18	15	4	8	7	8	7	4	1	-	-	-
FEMALE--	3	4	7	6	7	4	4	1	-	1	-	-
UTAH -----	13	10	13	14	12	5	12	4	2	-	-	-
WHITE-----MALE----	8	7	7	8	5	2	5	2	-	-	-	-
FEMALE--	3	3	4	6	6	3	6	2	2	-	-	-
ALL OTHER--MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	1	-	1	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	1	4	4	5	2	3	4	3	2	-	-	-
WHITE-----MALE----	1	4	2	2	1	2	3	2	2	-	-	-
FEMALE--	-	-	2	3	1	1	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	49	40	32	39	44	23	32	17	8	1	-	1
WHITE-----MALE----	23	22	14	19	22	8	19	9	4	-	-	1
FEMALE--	14	12	10	13	17	10	10	6	4	1	-	-
ALL OTHER--MALE----	10	4	6	3	4	3	2	2	-	-	-	-
FEMALE--	2	2	2	4	1	2	1	-	-	-	-	-
BLACK---MALE----	9	4	6	3	4	3	2	2	-	-	-	-
FEMALE--	1	2	2	4	1	2	1	-	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 2,719
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 RAILWAY ACCIDENTS (E800-E807)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 UNITED STATES --	31	17	11	9	10	17	5	7	1	1	-	10
WHITE-----MALE----	21	13	7	5	6	8	3	4	-	1	-	8
FEMALE--	1	1	3	2	-	5	1	2	1	-	-	-
ALL OTHER--MALE----	8	3	1	1	2	1	-	1	-	-	-	1
FEMALE--	1	-	-	1	2	3	1	-	-	-	-	1
BLACK---MALE----	8	2	-	1	2	1	-	1	-	-	-	-
FEMALE--	-	-	-	1	2	2	1	-	-	-	-	1
ALABAMA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	1	2	-	-	-	-	-	1	-	-	-	1
WHITE-----MALE----	-	1	-	-	-	-	-	1	-	-	-	1
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	-	1	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	3	6	4	1	2	3	-	1	-	1	-	-
WHITE-----MALE----	3	5	3	1	1	2	-	1	-	1	-	-
FEMALE--	-	-	1	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 2,728
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 MOTOR VEHICLE ACCIDENTS (E810-E825)												
0 UNITED STATES --	43,649	215	820	879	1,101	5,329	5,247	4,063	3,666	3,654	3,099	2,586
WHITE-----MALE----	24,214	81	327	359	558	3,032	3,262	2,393	2,088	2,093	1,786	1,510
FEMALE--	12,238	84	261	287	355	1,517	1,007	896	851	899	777	632
ALL OTHER--MALE----	4,909	28	128	142	129	550	729	578	503	451	370	275
FEMALE--	2,288	22	104	91	59	230	249	196	224	211	166	169
BLACK---MALE----	3,862	21	103	119	101	416	554	433	400	354	307	230
FEMALE--	1,666	21	80	76	43	177	188	152	159	155	117	114
ALABAMA -----	1,176	7	19	21	19	141	163	124	107	111	81	67
WHITE-----MALE----	604	2	6	6	11	64	96	65	46	60	42	42
FEMALE--	292	4	6	6	4	47	23	29	25	33	20	11
ALL OTHER--MALE----	203	-	3	7	4	25	28	25	27	14	11	10
FEMALE--	77	1	4	2	-	5	16	5	9	4	8	4
BLACK---MALE----	202	-	3	7	4	25	28	25	27	13	11	10
FEMALE--	76	1	4	2	-	5	16	5	9	4	8	4
ALASKA -----	98	-	5	2	4	11	13	10	7	13	8	7
WHITE-----MALE----	47	-	-	-	1	9	6	4	6	7	4	2
FEMALE--	20	-	2	1	2	1	3	1	-	2	2	3
ALL OTHER--MALE----	22	-	1	1	1	1	2	4	-	4	1	2
FEMALE--	9	-	2	-	-	-	2	1	1	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
ARIZONA -----	996	6	26	22	31	110	113	100	89	79	72	65
WHITE-----MALE----	525	2	10	10	10	59	57	47	46	46	40	38
FEMALE--	233	-	5	3	12	26	22	19	19	12	17	9
ALL OTHER--MALE----	152	3	5	6	5	16	30	22	15	16	6	7
FEMALE--	86	1	6	3	4	9	4	12	9	5	9	11
BLACK---MALE----	9	-	-	-	-	1	6	-	-	1	-	1
FEMALE--	6	-	-	-	-	1	-	1	1	-	-	1
ARKANSAS -----	636	3	6	15	13	88	73	67	60	66	51	35
WHITE-----MALE----	348	1	1	5	7	54	45	38	33	34	29	23
FEMALE--	178	2	1	5	4	26	16	17	15	12	13	7
ALL OTHER--MALE----	75	-	4	2	2	5	7	8	10	15	5	1
FEMALE--	35	-	-	3	-	3	5	4	2	5	4	4
BLACK---MALE----	66	-	4	2	1	5	7	7	7	14	4	1
FEMALE--	33	-	-	3	-	3	4	4	2	5	4	4
CALIFORNIA -----	4,224	20	100	80	111	404	473	400	357	382	326	282
WHITE-----MALE----	2,421	7	45	35	57	228	293	245	228	236	202	183
FEMALE--	1,092	8	35	25	30	104	90	92	66	85	72	55
ALL OTHER--MALE----	457	4	8	12	18	53	66	46	40	39	31	31
FEMALE--	254	1	12	8	6	19	24	17	23	22	21	13
BLACK---MALE----	226	3	4	6	6	19	25	28	22	24	17	19
FEMALE--	101	1	8	3	3	7	17	8	10	9	12	4

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 2,728
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 MOTOR VEHICLE ACCIDENTS (E810-E825)												
0 UNITED STATES --	1,967	1,650	1,546	1,623	1,796	1,724	1,509	832	265	35	-	43
WHITE-----MALE----	1,089	923	807	842	880	838	733	423	144	16	-	30
FEMALE--	560	477	523	555	706	719	654	350	108	14	-	6
ALL OTHER--MALE----	230	173	138	138	126	97	70	35	11	2	-	6
FEMALE--	88	77	78	88	84	70	52	24	2	3	-	1
BLACK---MALE----	187	134	115	113	96	76	57	29	10	2	-	5
FEMALE--	57	55	50	57	56	52	33	20	1	2	-	1
ALABAMA -----	47	51	43	35	48	37	39	12	4	-	-	-
WHITE-----MALE----	28	30	21	18	22	15	21	8	1	-	-	-
FEMALE--	9	10	12	7	16	12	13	2	3	-	-	-
ALL OTHER--MALE----	10	6	9	7	5	7	4	1	-	-	-	-
FEMALE--	-	5	1	3	5	3	1	1	-	-	-	-
BLACK---MALE----	10	6	9	7	5	7	4	1	-	-	-	-
FEMALE--	-	5	1	3	4	3	1	1	-	-	-	-
ALASKA -----	5	2	3	2	-	5	1	-	-	-	-	-
WHITE-----MALE----	2	-	2	1	-	2	1	-	-	-	-	-
FEMALE--	-	1	1	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	2	1	-	1	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	38	38	36	32	39	41	33	14	9	-	-	3
WHITE-----MALE----	18	21	19	21	21	25	20	7	5	-	-	3
FEMALE--	14	8	11	6	15	15	11	5	4	-	-	-
ALL OTHER--MALE----	5	7	4	2	1	1	-	1	-	-	-	-
FEMALE--	1	2	2	3	2	-	2	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	1	-	-	-	-
ARKANSAS -----	29	32	14	16	18	19	22	8	1	-	-	-
WHITE-----MALE----	15	16	7	9	8	9	9	4	1	-	-	-
FEMALE--	9	11	6	5	8	9	9	3	-	-	-	-
ALL OTHER--MALE----	5	3	1	1	2	1	2	1	-	-	-	-
FEMALE--	-	2	-	1	-	-	2	-	-	-	-	-
BLACK---MALE----	5	2	-	1	2	1	2	1	-	-	-	-
FEMALE--	-	1	-	1	-	-	2	-	-	-	-	-
CALIFORNIA -----	193	180	166	172	173	170	123	74	23	4	-	11
WHITE-----MALE----	106	108	83	85	86	84	48	39	12	3	-	8
FEMALE--	54	50	60	49	57	65	53	30	9	1	-	2
ALL OTHER--MALE----	21	17	12	18	17	9	10	3	1	-	-	1
FEMALE--	12	5	11	20	13	12	12	2	1	-	-	-
BLACK---MALE----	13	10	5	11	6	-	4	2	1	-	-	1
FEMALE--	4	1	1	6	2	3	1	1	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 2,729
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
0 MOTOR VEHICLE ACCIDENTS (E810-E825)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
COLORADO -----	669	3	17	7	21	89	85	61	69	56	57	35
WHITE-----MALE----	404	-	5	5	13	54	55	38	40	45	33	20
FEMALE--	230	3	9	2	8	31	21	19	24	9	20	14
ALL OTHER--MALE----	22	-	2	-	-	1	6	2	4	1	4	-
FEMALE--	13	-	1	-	-	3	3	2	1	1	-	1
BLACK---MALE----	10	-	-	-	-	-	3	-	3	1	3	-
FEMALE--	5	-	-	-	-	3	-	1	-	-	-	-
CONNECTICUT -----	326	-	6	7	8	31	46	30	20	27	23	21
WHITE-----MALE----	188	-	1	5	6	13	28	13	16	17	14	15
FEMALE--	95	-	3	2	1	14	9	8	1	8	4	4
ALL OTHER--MALE----	35	-	2	-	1	4	7	8	1	1	4	2
FEMALE--	8	-	-	-	-	-	2	1	2	1	1	-
BLACK---MALE----	32	-	2	-	1	2	7	7	1	1	4	2
FEMALE--	6	-	-	-	-	-	2	1	2	1	-	-
DELAWARE -----	105	1	-	-	4	10	17	16	10	6	10	2
WHITE-----MALE----	54	-	-	-	2	5	12	9	7	4	3	2
FEMALE--	37	1	-	-	2	3	5	3	3	2	3	-
ALL OTHER--MALE----	11	-	-	-	-	2	-	2	-	-	3	-
FEMALE--	3	-	-	-	-	-	-	2	-	-	1	-
BLACK---MALE----	11	-	-	-	-	2	-	2	-	-	3	-
FEMALE--	3	-	-	-	-	-	-	2	-	-	1	-
DISTRICT OF COLUMBIA ----	59	-	-	5	-	7	5	3	4	5	6	5
WHITE-----MALE----	7	-	-	1	-	-	1	-	1	1	-	1
FEMALE--	5	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	34	-	-	2	-	3	3	3	3	3	4	3
FEMALE--	13	-	-	2	-	4	-	-	-	1	2	1
BLACK---MALE----	31	-	-	2	-	3	3	3	1	3	4	3
FEMALE--	13	-	-	2	-	4	-	-	-	1	2	1
FLORIDA -----	2,809	9	40	46	70	245	284	218	235	249	210	170
WHITE-----MALE----	1,567	1	13	13	33	144	178	138	121	158	136	105
FEMALE--	807	2	11	18	24	61	62	42	66	49	46	37
ALL OTHER--MALE----	308	3	9	7	10	29	34	30	33	28	22	21
FEMALE--	127	3	7	8	3	11	10	8	15	14	6	7
BLACK---MALE----	290	3	9	7	10	29	31	26	29	27	21	21
FEMALE--	116	3	7	8	2	10	8	7	12	13	6	6
GEORGIA -----	1,588	10	40	32	41	252	205	157	130	142	93	91
WHITE-----MALE----	748	3	10	11	17	120	112	75	65	74	40	42
FEMALE--	355	2	4	4	12	69	24	32	23	23	21	18
ALL OTHER--MALE----	309	3	12	11	11	41	55	26	33	25	24	19
FEMALE--	176	2	14	6	1	22	14	24	9	20	8	12
BLACK---MALE----	302	3	12	11	11	41	50	25	33	24	24	19
FEMALE--	161	2	13	6	1	21	14	23	8	19	6	10

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 2,729
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 MOTOR VEHICLE ACCIDENTS (E810-E825)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
COLORADO -----	23	21	24	19	24	20	19	13	6	-	-	-
WHITE-----MALE----	13	13	12	14	16	11	10	5	2	-	-	-
FEMALE--	9	7	12	4	8	9	9	8	4	-	-	-
ALL OTHER--MALE----	-	1	-	1	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	19	11	18	8	15	15	13	6	1	1	-	-
WHITE-----MALE----	11	6	9	4	8	11	9	1	1	-	-	-
FEMALE--	6	2	9	3	7	4	4	5	-	1	-	-
ALL OTHER--MALE----	2	3	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	2	3	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	4	7	2	3	3	2	5	1	2	-	-	-
WHITE-----MALE----	1	1	2	1	2	1	1	-	1	-	-	-
FEMALE--	3	3	-	2	1	-	4	1	1	-	-	-
ALL OTHER--MALE----	-	3	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	3	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	2	1	2	1	3	3	5	1	-	-	-	1
WHITE-----MALE----	-	-	-	-	1	-	-	-	-	-	-	1
FEMALE--	-	-	-	1	1	1	1	-	-	-	-	-
ALL OTHER--MALE----	1	1	1	-	1	1	4	1	-	-	-	-
FEMALE--	1	-	1	-	-	1	-	-	-	-	-	-
BLACK---MALE----	1	1	1	-	1	1	3	1	-	-	-	-
FEMALE--	1	-	1	-	-	1	-	-	-	-	-	-
FLORIDA -----	140	109	107	133	138	151	142	79	20	6	-	8
WHITE-----MALE----	86	57	50	74	69	67	67	38	10	4	-	5
FEMALE--	38	33	38	40	51	76	67	35	10	1	-	-
ALL OTHER--MALE----	15	12	16	13	12	4	4	4	-	-	-	2
FEMALE--	1	7	3	6	6	4	4	2	-	1	-	1
BLACK---MALE----	15	10	15	11	12	4	4	4	-	-	-	2
FEMALE--	-	7	3	6	6	4	4	2	-	1	-	1
GEORGIA -----	63	51	56	48	57	56	40	16	6	1	-	1
WHITE-----MALE----	29	27	32	17	19	26	18	8	2	-	-	1
FEMALE--	14	9	12	15	23	24	18	4	4	-	-	-
ALL OTHER--MALE----	10	8	7	7	10	3	2	1	-	1	-	-
FEMALE--	10	7	5	9	5	3	2	3	-	-	-	-
BLACK---MALE----	10	8	7	7	10	3	2	1	-	1	-	-
FEMALE--	9	6	4	6	5	3	2	3	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 2,730
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 MOTOR VEHICLE ACCIDENTS (E810-E825)												
HAWAII -----	139	-	1	2	4	19	18	11	12	12	14	10
WHITE-----MALE----	32	-	-	-	-	3	5	3	5	4	4	4
FEMALE--	9	-	-	-	-	1	1	-	1	1	1	2
ALL OTHER--MALE----	60	-	1	1	2	12	8	7	2	3	7	2
FEMALE--	38	-	-	1	2	3	4	1	4	4	2	2
BLACK---MALE----	2	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	282	2	8	6	8	46	29	19	19	27	21	16
WHITE-----MALE----	171	1	6	5	4	25	18	13	11	15	18	11
FEMALE--	100	1	2	1	3	18	9	5	8	11	3	5
ALL OTHER--MALE----	7	-	-	-	-	2	2	1	-	1	-	-
FEMALE--	4	-	-	-	1	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-
ILLINOIS -----	1,600	8	30	35	41	179	205	157	118	127	101	105
WHITE-----MALE----	898	1	13	14	17	101	140	89	62	80	57	62
FEMALE--	408	5	8	10	16	49	28	33	31	28	24	21
ALL OTHER--MALE----	206	1	5	9	5	15	30	26	17	13	16	15
FEMALE--	88	1	4	2	3	14	7	9	8	6	4	7
BLACK---MALE----	189	1	5	8	5	15	28	23	15	13	13	13
FEMALE--	78	1	4	2	3	13	6	8	8	4	4	6
INDIANA -----	969	4	14	21	29	159	104	85	78	67	57	63
WHITE-----MALE----	582	4	6	7	15	101	76	59	53	41	36	32
FEMALE--	309	-	7	8	11	51	18	20	18	21	16	25
ALL OTHER--MALE----	53	-	-	3	3	6	9	3	5	4	5	3
FEMALE--	25	-	1	3	-	1	1	3	2	1	-	3
BLACK---MALE----	51	-	-	3	3	6	9	3	5	3	5	3
FEMALE--	21	-	1	3	-	1	1	2	2	1	-	1
IOWA -----	490	2	13	11	13	69	61	43	34	45	29	22
WHITE-----MALE----	309	1	6	4	11	46	43	36	26	27	18	11
FEMALE--	162	1	5	6	2	20	14	7	8	15	9	9
ALL OTHER--MALE----	10	-	2	-	-	3	2	-	-	1	1	1
FEMALE--	9	-	-	1	-	-	2	-	-	2	1	1
BLACK---MALE----	8	-	2	-	-	2	2	-	-	-	1	1
FEMALE--	4	-	-	-	-	-	-	-	-	1	1	1
KANSAS -----	521	1	7	10	18	87	72	45	36	38	27	25
WHITE-----MALE----	313	-	3	3	8	57	48	30	22	18	17	18
FEMALE--	173	1	3	5	8	26	15	10	13	18	9	7
ALL OTHER--MALE----	23	-	1	-	1	3	7	4	1	1	1	-
FEMALE--	12	-	-	2	1	1	2	1	-	1	-	-
BLACK---MALE----	16	-	-	-	1	2	6	3	-	1	-	-
FEMALE--	7	-	-	2	-	-	1	1	-	1	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 2,731
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 MOTOR VEHICLE ACCIDENTS (E810-E825)												
KENTUCKY -----	808	6	10	22	15	128	98	86	57	63	56	43
WHITE-----MALE----	503	2	6	12	4	80	72	55	36	40	35	30
FEMALE--	263	4	4	6	9	47	21	24	13	20	19	11
ALL OTHER--MALE----	32	-	-	3	-	1	5	5	6	2	2	1
FEMALE--	10	-	-	1	2	-	-	2	2	1	-	1
BLACK---MALE----	31	-	-	3	-	1	5	5	6	2	2	1
FEMALE--	6	-	-	-	1	-	-	2	1	1	-	1
LOUISIANA -----	911	3	32	19	26	101	116	80	89	89	73	58
WHITE-----MALE----	418	1	8	9	11	54	57	44	40	46	38	19
FEMALE--	202	1	8	2	6	22	18	12	13	16	12	20
ALL OTHER--MALE----	224	-	7	4	6	20	34	23	27	19	21	16
FEMALE--	67	1	9	4	3	5	7	1	9	8	2	3
BLACK---MALE----	211	-	7	4	6	19	30	21	26	16	21	16
FEMALE--	64	1	9	4	3	5	7	1	8	8	2	3
MAINE -----	177	1	3	6	4	30	16	14	21	12	13	8
WHITE-----MALE----	116	-	1	3	3	19	13	12	19	4	10	7
FEMALE--	61	1	2	3	1	11	3	2	2	8	3	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	652	3	11	14	11	71	83	50	61	48	40	48
WHITE-----MALE----	285	1	3	2	6	27	39	18	28	23	18	23
FEMALE--	150	2	2	1	2	20	16	13	12	6	5	8
ALL OTHER--MALE----	155	-	3	8	3	20	21	15	13	14	15	13
FEMALE--	62	-	3	3	-	4	7	4	8	5	2	4
BLACK---MALE----	147	-	3	8	3	20	20	14	13	14	15	13
FEMALE--	54	-	3	3	-	4	5	4	8	4	1	4
MASSACHUSETTS -----	458	1	3	4	8	50	67	45	35	25	25	26
WHITE-----MALE----	285	-	-	4	4	33	51	30	23	17	14	18
FEMALE--	139	1	3	-	3	14	11	8	8	7	8	6
ALL OTHER--MALE----	21	-	-	-	-	1	5	5	3	-	2	1
FEMALE--	13	-	-	-	1	2	-	2	1	1	1	1
BLACK---MALE----	17	-	-	-	-	1	5	4	2	-	1	1
FEMALE--	9	-	-	-	1	2	-	1	1	-	1	-
MICHIGAN -----	1,579	9	36	31	39	218	168	130	150	123	112	83
WHITE-----MALE----	838	5	15	11	22	125	101	68	89	62	58	44
FEMALE--	501	2	10	13	14	65	35	38	39	34	34	21
ALL OTHER--MALE----	176	1	5	6	1	21	25	21	17	14	16	13
FEMALE--	64	1	6	1	2	7	7	3	5	13	4	5
BLACK---MALE----	154	1	4	6	1	18	22	16	15	12	15	10
FEMALE--	49	1	5	1	2	5	6	2	5	11	1	3

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 2,731
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 MOTOR VEHICLE ACCIDENTS (E810-E825)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
KENTUCKY -----	33	35	29	26	29	26	26	14	6	-	-	-
WHITE-----MALE----	26	22	18	14	13	20	10	6	2	-	-	-
FEMALE--	7	12	11	9	14	5	15	8	4	-	-	-
ALL OTHER--MALE----	-	1	-	3	2	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	3	2	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	39	35	29	33	31	27	20	8	3	-	-	-
WHITE-----MALE----	15	13	14	16	8	8	12	4	1	-	-	-
FEMALE--	11	10	3	10	14	12	8	3	1	-	-	-
ALL OTHER--MALE----	13	7	6	6	7	6	-	1	1	-	-	-
FEMALE--	-	5	6	1	2	1	-	-	-	-	-	-
BLACK---MALE----	12	6	6	6	7	6	-	1	1	-	-	-
FEMALE--	-	4	5	1	2	1	-	-	-	-	-	-
MAINE -----	1	5	3	6	8	9	10	4	3	-	-	-
WHITE-----MALE----	1	4	2	3	2	2	5	4	2	-	-	-
FEMALE--	-	1	1	3	6	7	5	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	35	25	33	25	25	26	18	18	7	-	-	-
WHITE-----MALE----	20	9	14	11	15	10	7	7	4	-	-	-
FEMALE--	8	7	11	6	7	12	6	4	2	-	-	-
ALL OTHER--MALE----	4	3	7	5	1	3	2	5	-	-	-	-
FEMALE--	3	6	1	3	2	1	3	2	1	-	-	-
BLACK---MALE----	4	2	6	4	1	3	2	2	-	-	-	-
FEMALE--	3	4	1	3	2	1	2	1	1	-	-	-
MASSACHUSETTS -----	14	16	18	23	29	25	21	18	5	-	-	-
WHITE-----MALE----	6	11	8	14	15	13	12	9	3	-	-	-
FEMALE--	7	4	8	7	14	12	9	7	2	-	-	-
ALL OTHER--MALE----	1	-	1	1	-	-	-	1	-	-	-	-
FEMALE--	-	1	1	1	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	1	1	-	-	-	1	-	-	-	-
FEMALE--	-	1	-	1	-	-	-	1	-	-	-	-
MICHIGAN -----	82	48	48	63	65	61	65	35	11	1	-	1
WHITE-----MALE----	39	25	28	33	26	28	33	20	5	1	-	-
FEMALE--	34	15	16	24	29	29	28	15	6	-	-	-
ALL OTHER--MALE----	7	6	4	4	9	2	3	-	-	-	-	1
FEMALE--	2	2	-	2	1	2	1	-	-	-	-	-
BLACK---MALE----	6	6	4	4	8	2	3	-	-	-	-	1
FEMALE--	2	1	-	1	1	2	-	-	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 2,732
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 MOTOR VEHICLE ACCIDENTS (E810-E825)												
MINNESOTA -----	634	3	6	11	21	104	70	48	43	47	44	38
WHITE-----MALE----	381	1	2	5	12	63	48	32	27	32	26	21
FEMALE--	210	1	3	5	6	35	15	13	12	9	15	15
ALL OTHER--MALE----	33	1	1	1	3	5	7	2	3	4	1	2
FEMALE--	10	-	-	-	-	1	-	1	1	2	2	-
BLACK---MALE----	10	-	-	1	1	-	3	-	2	1	-	-
FEMALE--	2	-	-	-	-	-	-	1	-	-	-	-
MISSISSIPPI -----	867	7	13	14	21	120	131	89	68	67	62	57
WHITE-----MALE----	333	1	4	6	6	49	54	31	18	26	25	24
FEMALE--	186	1	1	2	6	31	16	17	17	12	8	10
ALL OTHER--MALE----	247	3	5	5	3	33	49	30	25	20	21	10
FEMALE--	101	2	3	1	6	7	12	11	8	9	8	13
BLACK---MALE----	240	3	4	5	3	33	49	27	23	19	21	10
FEMALE--	96	2	2	1	6	7	12	11	8	7	8	12
MISSOURI -----	1,127	3	20	17	35	162	133	92	99	96	101	61
WHITE-----MALE----	669	2	8	9	17	97	82	59	60	56	67	35
FEMALE--	346	1	7	7	14	44	37	28	24	24	26	21
ALL OTHER--MALE----	79	-	3	-	3	16	10	4	13	11	5	2
FEMALE--	33	-	2	1	1	5	4	1	2	5	3	3
BLACK---MALE----	71	-	2	-	3	13	10	4	12	11	3	2
FEMALE--	31	-	2	1	1	5	4	1	1	5	3	3
MONTANA -----	191	2	4	3	5	16	26	17	11	17	19	13
WHITE-----MALE----	108	2	3	1	3	13	17	10	7	8	7	8
FEMALE--	54	-	1	2	1	2	3	4	1	6	8	4
ALL OTHER--MALE----	25	-	-	-	1	1	5	1	2	3	4	1
FEMALE--	4	-	-	-	-	-	1	2	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	301	3	4	6	12	39	25	27	25	19	27	21
WHITE-----MALE----	177	1	1	3	7	20	17	18	14	9	18	15
FEMALE--	108	2	3	-	5	18	6	9	9	7	7	6
ALL OTHER--MALE----	10	-	-	-	-	1	-	-	2	3	2	-
FEMALE--	6	-	-	3	-	-	2	-	-	-	-	-
BLACK---MALE----	7	-	-	-	-	-	-	-	1	2	2	-
FEMALE--	6	-	-	3	-	-	2	-	-	-	-	-
NEVADA -----	328	2	5	7	5	30	33	24	24	38	27	21
WHITE-----MALE----	192	1	1	3	4	13	21	14	15	24	17	11
FEMALE--	107	-	2	3	-	12	10	6	8	11	8	8
ALL OTHER--MALE----	23	1	1	1	1	4	2	4	1	1	2	1
FEMALE--	6	-	1	-	-	1	-	-	-	2	-	1
BLACK---MALE----	15	1	1	1	1	2	2	2	-	-	2	1
FEMALE--	4	-	-	-	-	1	-	-	-	1	-	1

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 2,734
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 MOTOR VEHICLE ACCIDENTS (E810-E825)												
OHIO -----	1,429	10	15	35	25	182	191	131	116	98	82	104
WHITE-----MALE----	852	5	9	15	12	111	129	80	88	62	45	64
FEMALE--	449	3	3	13	10	58	39	39	20	26	26	29
ALL OTHER--MALE----	86	1	1	2	3	7	18	9	7	7	6	6
FEMALE--	42	1	2	5	-	6	5	3	1	3	5	5
BLACK---MALE----	78	1	1	1	3	6	15	9	6	7	5	6
FEMALE--	40	1	2	5	-	6	5	2	1	3	4	5
OKLAHOMA -----	809	6	12	10	19	108	92	76	54	73	58	46
WHITE-----MALE----	436	3	5	7	9	57	60	49	28	35	38	23
FEMALE--	262	3	2	3	8	33	16	18	18	27	16	16
ALL OTHER--MALE----	63	-	3	-	1	10	9	9	2	8	3	2
FEMALE--	48	-	2	-	1	8	7	-	6	3	1	5
BLACK---MALE----	28	-	2	-	1	8	1	1	2	5	2	-
FEMALE--	20	-	2	-	1	2	1	-	3	1	-	2
OREGON -----	533	4	9	12	14	73	65	54	44	42	37	29
WHITE-----MALE----	325	2	3	7	7	54	40	34	28	21	26	18
FEMALE--	175	1	6	5	7	17	21	13	11	18	8	10
ALL OTHER--MALE----	22	1	-	-	-	2	2	5	2	2	1	1
FEMALE--	11	-	-	-	-	-	2	2	3	1	2	-
BLACK---MALE----	8	-	-	-	-	1	-	2	-	-	1	1
FEMALE--	3	-	-	-	-	-	-	1	1	-	-	-
PENNSYLVANIA -----	1,594	3	22	32	39	159	201	164	107	98	112	96
WHITE-----MALE----	990	2	10	14	26	100	144	117	66	67	75	59
FEMALE--	461	-	7	15	10	41	38	26	28	27	29	25
ALL OTHER--MALE----	96	1	4	1	1	12	15	18	12	1	4	5
FEMALE--	47	-	1	2	2	6	4	3	1	3	4	7
BLACK---MALE----	78	1	4	1	1	11	12	11	8	1	4	5
FEMALE--	40	-	1	1	2	6	4	3	1	3	4	5
RHODE ISLAND -----	78	-	1	2	-	7	8	7	8	7	6	2
WHITE-----MALE----	45	-	1	2	-	6	7	5	2	4	4	1
FEMALE--	22	-	-	-	-	1	-	-	3	3	1	-
ALL OTHER--MALE----	6	-	-	-	-	-	1	1	3	-	1	-
FEMALE--	5	-	-	-	-	-	-	1	-	-	-	1
BLACK---MALE----	4	-	-	-	-	-	-	1	3	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	901	5	20	20	30	113	114	84	87	83	60	53
WHITE-----MALE----	391	1	7	5	13	48	56	35	40	37	28	20
FEMALE--	201	2	5	7	8	29	16	10	13	18	16	10
ALL OTHER--MALE----	221	2	4	6	7	26	33	27	22	19	13	17
FEMALE--	88	-	4	2	2	10	9	12	12	9	3	6
BLACK---MALE----	218	2	4	6	7	26	33	27	21	18	13	17
FEMALE--	87	-	4	2	2	10	9	12	11	9	3	6

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 2,734
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 MOTOR VEHICLE ACCIDENTS (E810-E825)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
OHIO -----	58	60	44	74	59	63	56	17	8	1	-	-
WHITE-----MALE----	29	34	23	39	34	28	30	10	4	1	-	-
FEMALE--	23	24	18	32	25	28	22	7	4	-	-	-
ALL OTHER--MALE----	5	2	2	3	-	5	2	-	-	-	-	-
FEMALE--	1	-	1	-	-	2	2	-	-	-	-	-
BLACK---MALE----	5	1	2	3	-	5	2	-	-	-	-	-
FEMALE--	1	-	1	-	-	2	2	-	-	-	-	-
OKLAHOMA -----	42	37	37	27	28	40	20	17	5	1	-	1
WHITE-----MALE----	21	13	22	14	17	17	7	7	3	-	-	1
FEMALE--	15	16	9	11	9	19	11	9	2	1	-	-
ALL OTHER--MALE----	4	5	2	1	2	2	-	-	-	-	-	-
FEMALE--	2	3	4	1	-	2	2	1	-	-	-	-
BLACK---MALE----	1	3	2	-	-	-	-	-	-	-	-	-
FEMALE--	2	1	2	-	-	1	1	1	-	-	-	-
OREGON -----	27	16	13	23	21	18	14	11	6	-	-	1
WHITE-----MALE----	18	8	5	12	12	10	9	5	5	-	-	1
FEMALE--	7	8	7	9	8	8	5	6	-	-	-	-
ALL OTHER--MALE----	2	-	1	1	1	-	-	-	1	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	1	-	-	-	1	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	67	57	56	61	89	90	85	42	14	-	-	-
WHITE-----MALE----	43	33	39	33	42	51	38	23	8	-	-	-
FEMALE--	19	16	15	21	41	33	45	19	6	-	-	-
ALL OTHER--MALE----	4	7	2	6	-	2	1	-	-	-	-	-
FEMALE--	1	1	-	1	6	4	1	-	-	-	-	-
BLACK---MALE----	4	6	2	5	-	1	1	-	-	-	-	-
FEMALE--	-	1	-	1	5	2	1	-	-	-	-	-
RHODE ISLAND -----	1	3	6	9	4	3	2	2	-	-	-	-
WHITE-----MALE----	-	-	4	5	-	2	2	-	-	-	-	-
FEMALE--	-	2	2	4	3	1	-	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
SOUTH CAROLINA -----	40	29	38	28	25	32	24	14	1	1	-	-
WHITE-----MALE----	14	16	15	13	13	15	9	4	1	1	-	-
FEMALE--	9	5	9	11	7	8	9	9	-	-	-	-
ALL OTHER--MALE----	13	7	9	3	3	4	5	1	-	-	-	-
FEMALE--	4	1	5	1	2	5	1	-	-	-	-	-
BLACK---MALE----	13	7	8	3	3	4	5	1	-	-	-	-
FEMALE--	4	1	5	1	2	5	1	-	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 2,735
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 MOTOR VEHICLE ACCIDENTS (E810-E825)												
SOUTH DAKOTA -----	172	-	2	3	11	22	14	13	12	22	11	5
WHITE-----MALE----	87	-	-	2	4	13	6	7	6	12	6	2
FEMALE--	51	-	-	-	5	5	6	3	1	4	4	1
ALL OTHER--MALE----	24	-	2	1	1	3	2	3	2	2	1	2
FEMALE--	10	-	-	-	1	1	-	-	3	4	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	1,308	6	27	26	28	164	165	128	116	110	102	68
WHITE-----MALE----	752	3	9	16	16	99	105	75	64	64	60	41
FEMALE--	374	1	9	2	6	46	41	32	33	33	24	15
ALL OTHER--MALE----	111	-	7	3	3	11	11	16	13	7	8	9
FEMALE--	71	2	2	5	3	8	8	5	6	6	10	3
BLACK---MALE----	106	-	7	3	3	10	11	15	11	7	8	8
FEMALE--	67	2	2	5	3	8	7	5	6	5	10	3
TEXAS -----	3,956	25	90	96	96	514	486	398	351	354	301	232
WHITE-----MALE----	2,308	9	41	38	49	322	318	251	211	206	185	132
FEMALE--	1,119	14	38	42	27	141	100	84	96	92	72	66
ALL OTHER--MALE----	341	-	7	8	11	34	43	51	22	42	26	20
FEMALE--	188	2	4	8	9	17	25	12	22	14	18	14
BLACK---MALE----	301	-	5	8	11	26	39	43	20	39	23	18
FEMALE--	160	2	3	7	8	13	22	11	18	13	15	11
UTAH -----	342	2	15	12	14	52	52	35	24	22	23	13
WHITE-----MALE----	205	-	8	7	11	37	34	20	20	11	9	10
FEMALE--	106	2	6	5	3	13	9	10	1	7	14	2
ALL OTHER--MALE----	18	-	-	-	-	2	6	5	1	2	-	-
FEMALE--	13	-	1	-	-	-	3	-	2	2	-	1
BLACK---MALE----	3	-	-	-	-	-	1	1	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	84	-	2	1	2	11	15	4	3	7	8	3
WHITE-----MALE----	53	-	1	1	-	7	10	1	2	4	5	3
FEMALE--	30	-	1	-	2	4	4	3	1	3	3	-
ALL OTHER--MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	886	4	15	15	13	109	99	81	84	89	54	56
WHITE-----MALE----	459	1	7	4	8	50	67	43	43	48	24	35
FEMALE--	217	2	6	3	4	25	15	14	14	18	13	9
ALL OTHER--MALE----	152	1	2	6	1	22	14	19	19	19	10	9
FEMALE--	58	-	-	2	-	12	3	5	8	4	7	3
BLACK---MALE----	143	1	2	6	1	18	12	18	19	18	10	9
FEMALE--	56	-	-	2	-	12	3	5	8	4	6	3

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 2,735
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 MOTOR VEHICLE ACCIDENTS (E810-E825)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
SOUTH DAKOTA -----	9	1	7	7	9	9	10	4	1	-	-	-
WHITE-----MALE----	2	1	5	4	4	5	4	3	1	-	-	-
FEMALE--	3	-	2	2	4	4	6	1	-	-	-	-
ALL OTHER--MALE----	4	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	57	47	37	50	58	48	42	21	6	1	-	1
WHITE-----MALE----	32	30	22	32	20	20	25	14	4	1	-	-
FEMALE--	18	13	11	11	33	25	14	5	1	-	-	1
ALL OTHER--MALE----	5	3	1	5	4	2	2	-	1	-	-	-
FEMALE--	2	1	3	2	1	1	1	2	-	-	-	-
BLACK---MALE----	5	3	1	5	4	2	2	-	1	-	-	-
FEMALE--	2	1	3	1	-	1	1	2	-	-	-	-
TEXAS -----	179	152	100	107	164	120	110	55	20	1	-	5
WHITE-----MALE----	110	84	57	57	81	60	53	29	13	-	-	2
FEMALE--	45	45	33	35	65	48	46	22	6	-	-	2
ALL OTHER--MALE----	19	18	3	8	9	8	7	3	1	-	-	1
FEMALE--	5	5	7	7	9	4	4	1	-	1	-	-
BLACK---MALE----	18	15	3	7	7	8	7	3	1	-	-	-
FEMALE--	3	4	7	6	7	4	4	1	-	1	-	-
UTAH -----	12	9	12	10	12	5	12	4	2	-	-	-
WHITE-----MALE----	7	6	6	5	5	2	5	2	-	-	-	-
FEMALE--	3	3	4	5	6	3	6	2	2	-	-	-
ALL OTHER--MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	1	-	1	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	1	4	4	5	2	3	4	3	2	-	-	-
WHITE-----MALE----	1	4	2	2	1	2	3	2	2	-	-	-
FEMALE--	-	-	2	3	1	1	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	43	34	31	38	43	22	30	17	8	1	-	-
WHITE-----MALE----	20	18	13	18	22	8	17	9	4	-	-	-
FEMALE--	12	11	10	13	17	10	10	6	4	1	-	-
ALL OTHER--MALE----	9	3	6	3	3	2	2	2	-	-	-	-
FEMALE--	2	2	2	4	1	2	1	-	-	-	-	-
BLACK---MALE----	8	3	6	3	3	2	2	2	-	-	-	-
FEMALE--	1	2	2	4	1	2	1	-	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 2,737
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 MOTOR VEHICLE TRAFFIC ACCIDENTS (E810-E819)												
0 UNITED STATES --	42,522	206	690	828	1,051	5,250	5,177	3,986	3,584	3,570	3,029	2,520
WHITE-----MALE----	23,460	77	272	331	524	2,976	3,203	2,332	2,022	2,034	1,732	1,460
FEMALE--	12,002	81	217	271	345	1,502	1,003	890	843	889	767	622
ALL OTHER--MALE----	4,820	27	113	138	123	544	724	568	497	438	366	271
FEMALE--	2,240	21	88	88	59	228	247	196	222	209	164	167
BLACK---MALE----	3,797	21	94	115	97	413	549	426	395	344	304	227
FEMALE--	1,633	20	72	75	43	175	186	152	157	153	115	112
ALABAMA -----	1,164	7	19	19	14	141	162	124	107	109	81	66
WHITE-----MALE----	595	2	6	6	6	64	95	65	46	59	42	41
FEMALE--	292	4	6	6	4	47	23	29	25	33	20	11
ALL OTHER--MALE----	200	-	3	5	4	25	28	25	27	13	11	10
FEMALE--	77	1	4	2	-	5	16	5	9	4	8	4
BLACK---MALE----	199	-	3	5	4	25	28	25	27	12	11	10
FEMALE--	76	1	4	2	-	5	16	5	9	4	8	4
ALASKA -----	82	-	2	2	4	9	13	8	5	8	7	6
WHITE-----MALE----	39	-	-	-	1	7	6	3	4	5	4	1
FEMALE--	17	-	-	1	2	1	3	1	-	2	1	3
ALL OTHER--MALE----	18	-	1	1	1	1	2	3	-	1	1	2
FEMALE--	8	-	1	-	-	-	2	1	1	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
ARIZONA -----	971	5	21	19	31	107	113	97	87	79	71	64
WHITE-----MALE----	510	2	10	8	10	56	57	45	44	46	39	37
FEMALE--	230	-	4	3	12	26	22	19	19	12	17	9
ALL OTHER--MALE----	148	2	3	6	5	16	30	21	15	16	6	7
FEMALE--	83	1	4	2	4	9	4	12	9	5	9	11
BLACK---MALE----	9	-	-	-	-	1	6	-	-	1	-	1
FEMALE--	6	-	-	-	-	1	-	1	1	-	-	1
ARKANSAS -----	619	3	4	14	13	85	72	65	59	66	48	35
WHITE-----MALE----	335	1	-	4	7	51	44	36	32	34	28	23
FEMALE--	175	2	1	5	4	26	16	17	15	12	11	7
ALL OTHER--MALE----	74	-	3	2	2	5	7	8	10	15	5	1
FEMALE--	35	-	-	3	-	3	5	4	2	5	4	4
BLACK---MALE----	65	-	3	2	1	5	7	7	7	14	4	1
FEMALE--	33	-	-	3	-	3	4	4	2	5	4	4
CALIFORNIA -----	4,098	20	74	76	107	400	472	390	347	375	316	269
WHITE-----MALE----	2,338	7	34	33	54	226	292	237	218	229	194	171
FEMALE--	1,065	8	25	23	29	104	90	91	66	85	72	54
ALL OTHER--MALE----	452	4	6	12	18	51	66	45	40	39	31	31
FEMALE--	243	1	9	8	6	19	24	17	23	22	19	13
BLACK---MALE----	225	3	4	6	6	19	25	27	22	24	17	19
FEMALE--	95	1	6	3	3	7	17	8	10	9	10	4

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 2,737
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 MOTOR VEHICLE TRAFFIC ACCIDENTS (E810-E819)												
0 UNITED STATES --	1,918	1,612	1,500	1,584	1,746	1,673	1,467	803	251	34	-	43
WHITE-----MALE----	1,058	898	772	817	846	810	706	412	133	15	-	30
FEMALE--	547	469	517	544	692	703	642	333	105	14	-	6
ALL OTHER--MALE----	227	169	135	137	125	95	70	34	11	2	-	6
FEMALE--	86	76	76	86	83	65	49	24	2	3	-	1
BLACK---MALE----	185	131	112	112	95	75	57	28	10	2	-	5
FEMALE--	56	54	49	56	55	48	31	20	1	2	-	1
ALABAMA -----	47	51	43	35	48	37	38	12	4	-	-	-
WHITE-----MALE----	28	30	21	18	22	15	20	8	1	-	-	-
FEMALE--	9	10	12	7	16	12	13	2	3	-	-	-
ALL OTHER--MALE----	10	6	9	7	5	7	4	1	-	-	-	-
FEMALE--	-	5	1	3	5	3	1	1	-	-	-	-
BLACK---MALE----	10	6	9	7	5	7	4	1	-	-	-	-
FEMALE--	-	5	1	3	4	3	1	1	-	-	-	-
ALASKA -----	5	2	3	2	-	5	1	-	-	-	-	-
WHITE-----MALE----	2	-	2	1	-	2	1	-	-	-	-	-
FEMALE--	-	1	1	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	2	1	-	1	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	38	38	35	32	37	40	31	14	9	-	-	3
WHITE-----MALE----	18	21	18	21	20	25	18	7	5	-	-	3
FEMALE--	14	8	11	6	14	14	11	5	4	-	-	-
ALL OTHER--MALE----	5	7	4	2	1	1	-	1	-	-	-	-
FEMALE--	1	2	2	3	2	-	2	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	1	-	-	-	-
ARKANSAS -----	27	31	14	15	18	19	22	8	1	-	-	-
WHITE-----MALE----	14	15	7	8	8	9	9	4	1	-	-	-
FEMALE--	8	11	6	5	8	9	9	3	-	-	-	-
ALL OTHER--MALE----	5	3	1	1	2	1	2	1	-	-	-	-
FEMALE--	-	2	-	1	-	-	2	-	-	-	-	-
BLACK---MALE----	5	2	-	1	2	1	2	1	-	-	-	-
FEMALE--	-	1	-	1	-	-	2	-	-	-	-	-
CALIFORNIA -----	188	177	161	167	170	163	120	70	22	3	-	11
WHITE-----MALE----	103	105	81	82	85	81	47	38	11	2	-	8
FEMALE--	53	50	58	48	55	62	53	27	9	1	-	2
ALL OTHER--MALE----	21	17	12	18	17	9	10	3	1	-	-	1
FEMALE--	11	5	10	19	13	11	10	2	1	-	-	-
BLACK---MALE----	13	10	5	11	6	-	4	2	1	-	-	1
FEMALE--	4	1	1	6	2	2	-	1	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 2,738
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 MOTOR VEHICLE TRAFFIC ACCIDENTS (E810-E819)												
COLORADO -----	650	3	14	7	20	87	84	59	69	55	56	35
WHITE-----MALE----	393	-	4	5	13	52	55	36	40	44	32	20
FEMALE--	224	3	8	2	7	31	21	19	24	9	20	14
ALL OTHER--MALE----	20	-	1	-	-	1	5	2	4	1	4	-
FEMALE--	13	-	1	-	-	3	3	2	1	1	-	1
BLACK---MALE----	9	-	-	-	-	-	2	-	3	1	3	-
FEMALE--	5	-	-	-	-	3	-	1	-	-	-	-
CONNECTICUT -----	319	-	6	7	8	31	46	29	19	25	23	21
WHITE-----MALE----	182	-	1	5	6	13	28	12	15	15	14	15
FEMALE--	94	-	3	2	1	14	9	8	1	8	4	4
ALL OTHER--MALE----	35	-	2	-	1	4	7	8	1	1	4	2
FEMALE--	8	-	-	-	-	-	2	1	2	1	1	-
BLACK---MALE----	32	-	2	-	1	2	7	7	1	1	4	2
FEMALE--	6	-	-	-	-	-	2	1	2	1	-	-
DELAWARE -----	105	1	-	-	4	10	17	16	10	6	10	2
WHITE-----MALE----	54	-	-	-	2	5	12	9	7	4	3	2
FEMALE--	37	1	-	-	2	3	5	3	3	2	3	-
ALL OTHER--MALE----	11	-	-	-	-	2	-	2	-	-	3	-
FEMALE--	3	-	-	-	-	-	-	2	-	-	1	-
BLACK---MALE----	11	-	-	-	-	2	-	2	-	-	3	-
FEMALE--	3	-	-	-	-	-	-	2	-	-	1	-
DISTRICT OF COLUMBIA ----	59	-	-	5	-	7	5	3	4	5	6	5
WHITE-----MALE----	7	-	-	1	-	-	1	-	1	1	-	1
FEMALE--	5	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	34	-	-	2	-	3	3	3	3	3	4	3
FEMALE--	13	-	-	2	-	4	-	-	-	1	2	1
BLACK---MALE----	31	-	-	2	-	3	3	3	1	3	4	3
FEMALE--	13	-	-	2	-	4	-	-	-	1	2	1
FLORIDA -----	2,759	9	32	46	68	241	281	218	231	242	206	165
WHITE-----MALE----	1,536	1	9	13	31	141	176	138	119	152	133	102
FEMALE--	796	2	9	18	24	61	62	42	66	48	45	36
ALL OTHER--MALE----	302	3	7	7	10	29	33	30	32	28	22	20
FEMALE--	125	3	7	8	3	10	10	8	14	14	6	7
BLACK---MALE----	284	3	7	7	10	29	30	26	28	27	21	20
FEMALE--	114	3	7	8	2	9	8	7	11	13	6	6
GEORGIA -----	1,541	10	35	31	38	246	200	152	125	136	92	89
WHITE-----MALE----	723	3	7	11	16	115	108	72	64	71	40	42
FEMALE--	348	2	4	3	12	69	23	31	21	23	21	18
ALL OTHER--MALE----	300	3	12	11	9	40	55	25	32	23	23	18
FEMALE--	170	2	12	6	1	22	14	24	8	19	8	11
BLACK---MALE----	293	3	12	11	9	40	50	24	32	22	23	18
FEMALE--	155	2	11	6	1	21	14	23	7	18	6	9

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 2,738
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 MOTOR VEHICLE TRAFFIC ACCIDENTS (E810-E819)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
COLORADO -----	20	20	23	19	22	20	19	12	6	-	-	-
WHITE-----MALE----	11	13	11	14	15	11	10	5	2	-	-	-
FEMALE--	8	6	12	4	7	9	9	7	4	-	-	-
ALL OTHER--MALE----	-	1	-	1	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	18	11	17	8	15	14	13	6	1	1	-	-
WHITE-----MALE----	10	6	8	4	8	11	9	1	1	-	-	-
FEMALE--	6	2	9	3	7	3	4	5	-	1	-	-
ALL OTHER--MALE----	2	3	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	2	3	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	4	7	2	3	3	2	5	1	2	-	-	-
WHITE-----MALE----	1	1	2	1	2	1	1	-	1	-	-	-
FEMALE--	3	3	-	2	1	-	4	1	1	-	-	-
ALL OTHER--MALE----	-	3	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	3	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	2	1	2	1	3	3	5	1	-	-	-	1
WHITE-----MALE----	-	-	-	-	1	-	-	-	-	-	-	1
FEMALE--	-	-	-	1	1	1	1	-	-	-	-	-
ALL OTHER--MALE----	1	1	1	-	1	1	4	1	-	-	-	-
FEMALE--	1	-	1	-	-	1	-	-	-	-	-	-
BLACK---MALE----	1	1	1	-	1	1	3	1	-	-	-	-
FEMALE--	1	-	1	-	-	1	-	-	-	-	-	-
FLORIDA -----	139	107	106	131	138	150	140	76	19	6	-	8
WHITE-----MALE----	85	57	49	73	69	66	66	38	9	4	-	5
FEMALE--	38	32	38	39	51	76	66	32	10	1	-	-
ALL OTHER--MALE----	15	11	16	13	12	4	4	4	-	-	-	2
FEMALE--	1	7	3	6	6	4	4	2	-	1	-	1
BLACK---MALE----	15	9	15	11	12	4	4	4	-	-	-	2
FEMALE--	-	7	3	6	6	4	4	2	-	1	-	1
GEORGIA -----	62	50	56	46	56	54	40	15	6	1	-	1
WHITE-----MALE----	28	26	32	17	18	25	18	7	2	-	-	1
FEMALE--	14	9	12	14	23	23	18	4	4	-	-	-
ALL OTHER--MALE----	10	8	7	7	10	3	2	1	-	1	-	-
FEMALE--	10	7	5	8	5	3	2	3	-	-	-	-
BLACK---MALE----	10	8	7	7	10	3	2	1	-	1	-	-
FEMALE--	9	6	4	5	5	3	2	3	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 2,739
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 MOTOR VEHICLE TRAFFIC ACCIDENTS (E810-E819)												
HAWAII -----	135	-	1	2	3	19	18	10	12	12	14	10
WHITE-----MALE----	31	-	-	-	-	3	5	2	5	4	4	4
FEMALE--	9	-	-	-	-	1	1	-	1	1	1	2
ALL OTHER--MALE----	58	-	1	1	1	12	8	7	2	3	7	2
FEMALE--	37	-	-	1	2	3	4	1	4	4	2	2
BLACK---MALE----	2	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	274	2	7	6	7	45	29	17	18	27	21	15
WHITE-----MALE----	164	1	5	5	4	24	18	11	10	15	18	10
FEMALE--	99	1	2	1	2	18	9	5	8	11	3	5
ALL OTHER--MALE----	7	-	-	-	-	2	2	1	-	1	-	-
FEMALE--	4	-	-	-	1	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-
ILLINOIS -----	1,555	8	25	35	39	174	200	156	113	126	94	103
WHITE-----MALE----	865	1	10	14	15	100	136	88	58	79	50	61
FEMALE--	400	5	6	10	16	46	28	33	31	28	24	21
ALL OTHER--MALE----	204	1	5	9	5	14	30	26	16	13	16	15
FEMALE--	86	1	4	2	3	14	6	9	8	6	4	6
BLACK---MALE----	187	1	5	8	5	14	28	23	14	13	13	13
FEMALE--	76	1	4	2	3	13	5	8	8	4	4	5
INDIANA -----	941	3	13	19	27	157	103	80	76	64	56	61
WHITE-----MALE----	562	3	5	6	14	99	76	55	52	39	35	31
FEMALE--	302	-	7	7	10	51	17	20	17	20	16	24
ALL OTHER--MALE----	52	-	-	3	3	6	9	2	5	4	5	3
FEMALE--	25	-	1	3	-	1	1	3	2	1	-	3
BLACK---MALE----	50	-	-	3	3	6	9	2	5	3	5	3
FEMALE--	21	-	1	3	-	1	1	2	2	1	-	1
IOWA -----	477	2	13	10	13	69	59	42	33	45	29	22
WHITE-----MALE----	300	1	6	4	11	46	41	35	25	27	18	11
FEMALE--	158	1	5	5	2	20	14	7	8	15	9	9
ALL OTHER--MALE----	10	-	2	-	-	3	2	-	-	1	1	1
FEMALE--	9	-	-	1	-	-	2	-	-	2	1	1
BLACK---MALE----	8	-	2	-	-	2	2	-	-	-	1	1
FEMALE--	4	-	-	-	-	-	-	-	-	1	1	1
KANSAS -----	500	1	5	10	18	84	71	45	34	37	26	25
WHITE-----MALE----	296	-	2	3	8	56	47	30	20	17	16	18
FEMALE--	170	1	2	5	8	24	15	10	13	18	9	7
ALL OTHER--MALE----	22	-	1	-	1	3	7	4	1	1	1	-
FEMALE--	12	-	-	2	1	1	2	1	-	1	-	-
BLACK---MALE----	15	-	-	-	1	2	6	3	-	1	-	-
FEMALE--	7	-	-	2	-	-	1	1	-	1	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 2,740
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 MOTOR VEHICLE TRAFFIC ACCIDENTS (E810-E819)												
KENTUCKY -----	791	5	10	21	13	127	97	85	56	63	55	42
WHITE-----MALE----	490	2	6	11	3	79	71	55	35	40	34	29
FEMALE--	260	3	4	6	8	47	21	24	13	20	19	11
ALL OTHER--MALE----	31	-	-	3	-	1	5	4	6	2	2	1
FEMALE--	10	-	-	1	2	-	-	2	2	1	-	1
BLACK---MALE----	30	-	-	3	-	1	5	4	6	2	2	1
FEMALE--	6	-	-	-	1	-	-	2	1	1	-	1
LOUISIANA -----	897	3	30	19	26	98	114	80	89	86	72	58
WHITE-----MALE----	411	1	8	9	11	52	55	44	40	45	38	19
FEMALE--	199	1	7	2	6	21	18	12	13	16	12	20
ALL OTHER--MALE----	222	-	7	4	6	20	34	23	27	18	20	16
FEMALE--	65	1	8	4	3	5	7	1	9	7	2	3
BLACK---MALE----	209	-	7	4	6	19	30	21	26	15	20	16
FEMALE--	62	1	8	4	3	5	7	1	8	7	2	3
MAINE -----	165	1	1	5	4	30	15	14	18	12	12	7
WHITE-----MALE----	106	-	-	3	3	19	12	12	16	4	9	6
FEMALE--	59	1	1	2	1	11	3	2	2	8	3	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	638	3	11	14	11	70	82	50	59	48	39	48
WHITE-----MALE----	278	1	3	2	6	26	39	18	26	23	17	23
FEMALE--	148	2	2	1	2	20	16	13	12	6	5	8
ALL OTHER--MALE----	151	-	3	8	3	20	20	15	13	14	15	13
FEMALE--	61	-	3	3	-	4	7	4	8	5	2	4
BLACK---MALE----	143	-	3	8	3	20	19	14	13	14	15	13
FEMALE--	53	-	3	3	-	4	5	4	8	4	1	4
MASSACHUSETTS -----	448	1	3	3	7	50	65	44	34	24	25	26
WHITE-----MALE----	277	-	-	3	3	33	49	29	23	16	14	18
FEMALE--	137	1	3	-	3	14	11	8	7	7	8	6
ALL OTHER--MALE----	21	-	-	-	-	1	5	5	3	-	2	1
FEMALE--	13	-	-	-	1	2	-	2	1	1	1	1
BLACK---MALE----	17	-	-	-	-	1	5	4	2	-	1	1
FEMALE--	9	-	-	-	1	2	-	1	1	-	1	-
MICHIGAN -----	1,526	8	33	28	36	213	167	124	143	119	106	82
WHITE-----MALE----	799	4	15	9	21	122	101	62	82	58	53	43
FEMALE--	491	2	9	12	12	64	35	38	39	34	33	21
ALL OTHER--MALE----	173	1	4	6	1	20	24	21	17	14	16	13
FEMALE--	63	1	5	1	2	7	7	3	5	13	4	5
BLACK---MALE----	152	1	3	6	1	18	21	16	15	12	15	10
FEMALE--	48	1	4	1	2	5	6	2	5	11	1	3

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 2,740
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 MOTOR VEHICLE TRAFFIC ACCIDENTS (E810-E819)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
KENTUCKY -----	31	34	29	26	29	24	25	14	5	-	-	-
WHITE-----MALE----	24	21	18	14	13	19	9	6	1	-	-	-
FEMALE--	7	12	11	9	14	4	15	8	4	-	-	-
ALL OTHER--MALE----	-	1	-	3	2	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	3	2	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	39	34	29	33	31	27	19	7	3	-	-	-
WHITE-----MALE----	15	12	14	16	8	8	11	4	1	-	-	-
FEMALE--	11	10	3	10	14	12	8	2	1	-	-	-
ALL OTHER--MALE----	13	7	6	6	7	6	-	1	1	-	-	-
FEMALE--	-	5	6	1	2	1	-	-	-	-	-	-
BLACK---MALE----	12	6	6	6	7	6	-	1	1	-	-	-
FEMALE--	-	4	5	1	2	1	-	-	-	-	-	-
MAINE -----	-	4	3	6	8	8	10	4	3	-	-	-
WHITE-----MALE----	-	3	2	3	2	1	5	4	2	-	-	-
FEMALE--	-	1	1	3	6	7	5	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	35	25	29	25	23	25	17	17	7	-	-	-
WHITE-----MALE----	20	9	13	11	14	10	6	7	4	-	-	-
FEMALE--	8	7	10	6	7	11	6	4	2	-	-	-
ALL OTHER--MALE----	4	3	5	5	1	3	2	4	-	-	-	-
FEMALE--	3	6	1	3	1	1	3	2	1	-	-	-
BLACK---MALE----	4	2	4	4	1	3	2	1	-	-	-	-
FEMALE--	3	4	1	3	1	1	2	1	1	-	-	-
MASSACHUSETTS -----	14	16	17	22	29	25	21	17	5	-	-	-
WHITE-----MALE----	6	11	7	13	15	13	12	9	3	-	-	-
FEMALE--	7	4	8	7	14	12	9	6	2	-	-	-
ALL OTHER--MALE----	1	-	1	1	-	-	-	1	-	-	-	-
FEMALE--	-	1	1	1	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	1	1	-	-	-	1	-	-	-	-
FEMALE--	-	1	-	1	-	-	-	1	-	-	-	-
MICHIGAN -----	82	48	45	61	61	58	64	35	11	1	-	1
WHITE-----MALE----	39	25	25	32	22	27	33	20	5	1	-	-
FEMALE--	34	15	16	23	29	27	27	15	6	-	-	-
ALL OTHER--MALE----	7	6	4	4	9	2	3	-	-	-	-	1
FEMALE--	2	2	-	2	1	2	1	-	-	-	-	-
BLACK---MALE----	6	6	4	4	8	2	3	-	-	-	-	1
FEMALE--	2	1	-	1	1	2	-	-	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 2,741
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 MOTOR VEHICLE TRAFFIC ACCIDENTS (E810-E819)												
MINNESOTA -----	602	3	3	9	18	103	68	44	38	45	42	37
WHITE-----MALE----	357	1	2	4	11	62	46	28	22	30	25	20
FEMALE--	204	1	-	4	5	35	15	13	12	9	14	15
ALL OTHER--MALE----	32	1	1	1	2	5	7	2	3	4	1	2
FEMALE--	9	-	-	-	-	1	-	1	1	2	2	-
BLACK---MALE----	10	-	-	1	1	-	3	-	2	1	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
MISSISSIPPI -----	853	7	9	14	20	118	131	87	68	67	62	56
WHITE-----MALE----	330	1	4	6	6	48	54	31	18	26	25	23
FEMALE--	184	1	1	2	5	31	16	17	17	12	8	10
ALL OTHER--MALE----	239	3	2	5	3	32	49	28	25	20	21	10
FEMALE--	100	2	2	1	6	7	12	11	8	9	8	13
BLACK---MALE----	233	3	2	5	3	32	49	25	23	19	21	10
FEMALE--	96	2	2	1	6	7	12	11	8	7	8	12
MISSOURI -----	1,103	3	18	16	34	162	133	92	97	93	99	59
WHITE-----MALE----	650	2	7	8	16	97	82	59	59	55	65	33
FEMALE--	342	1	6	7	14	44	37	28	23	23	26	21
ALL OTHER--MALE----	78	-	3	-	3	16	10	4	13	10	5	2
FEMALE--	33	-	2	1	1	5	4	1	2	5	3	3
BLACK---MALE----	70	-	2	-	3	13	10	4	12	10	3	2
FEMALE--	31	-	2	1	1	5	4	1	1	5	3	3
MONTANA -----	181	1	4	2	4	15	26	17	11	17	18	13
WHITE-----MALE----	100	1	3	-	2	12	17	10	7	8	7	8
FEMALE--	52	-	1	2	1	2	3	4	1	6	7	4
ALL OTHER--MALE----	25	-	-	-	1	1	5	1	2	3	4	1
FEMALE--	4	-	-	-	-	-	1	2	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	285	3	3	5	12	35	25	27	25	19	26	21
WHITE-----MALE----	165	1	1	2	7	17	17	18	14	9	17	15
FEMALE--	105	2	2	-	5	17	6	9	9	7	7	6
ALL OTHER--MALE----	9	-	-	-	-	1	-	-	2	3	2	-
FEMALE--	6	-	-	3	-	-	2	-	-	-	-	-
BLACK---MALE----	6	-	-	-	-	-	-	-	1	2	2	-
FEMALE--	6	-	-	3	-	-	2	-	-	-	-	-
NEVADA -----	322	2	4	6	5	30	33	24	23	38	27	20
WHITE-----MALE----	187	1	1	2	4	13	21	14	14	24	17	10
FEMALE--	107	-	2	3	-	12	10	6	8	11	8	8
ALL OTHER--MALE----	23	1	1	1	1	4	2	4	1	1	2	1
FEMALE--	5	-	-	-	-	1	-	-	-	2	-	1
BLACK---MALE----	15	1	1	1	1	2	2	2	-	-	2	1
FEMALE--	4	-	-	-	-	1	-	-	-	1	-	1

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 2,743
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 MOTOR VEHICLE TRAFFIC ACCIDENTS (E810-E819)												
OHIO -----	1,399	10	13	34	23	180	187	129	113	97	81	100
WHITE-----MALE----	831	5	8	14	12	109	126	78	85	61	44	62
FEMALE--	444	3	3	13	10	58	39	39	20	26	26	27
ALL OTHER--MALE----	83	1	1	2	1	7	17	9	7	7	6	6
FEMALE--	41	1	1	5	-	6	5	3	1	3	5	5
BLACK---MALE----	75	1	1	1	1	6	14	9	6	7	5	6
FEMALE--	39	1	1	5	-	6	5	2	1	3	4	5
OKLAHOMA -----	797	6	12	9	19	107	92	74	54	71	58	44
WHITE-----MALE----	428	3	5	6	9	56	60	47	28	34	38	22
FEMALE--	258	3	2	3	8	33	16	18	18	26	16	15
ALL OTHER--MALE----	63	-	3	-	1	10	9	9	2	8	3	2
FEMALE--	48	-	2	-	1	8	7	-	6	3	1	5
BLACK---MALE----	28	-	2	-	1	8	1	1	2	5	2	-
FEMALE--	20	-	2	-	1	2	1	-	3	1	-	2
OREGON -----	514	3	6	12	14	73	61	54	43	41	36	27
WHITE-----MALE----	308	1	1	7	7	54	36	34	27	20	25	16
FEMALE--	173	1	5	5	7	17	21	13	11	18	8	10
ALL OTHER--MALE----	22	1	-	-	-	2	2	5	2	2	1	1
FEMALE--	11	-	-	-	-	-	2	2	3	1	2	-
BLACK---MALE----	8	-	-	-	-	1	-	2	-	-	1	1
FEMALE--	3	-	-	-	-	-	-	1	1	-	-	-
PENNSYLVANIA -----	1,563	3	21	30	39	158	199	162	105	96	110	94
WHITE-----MALE----	971	2	10	12	26	99	142	116	65	66	75	58
FEMALE--	449	-	6	15	10	41	38	25	27	26	27	24
ALL OTHER--MALE----	96	1	4	1	1	12	15	18	12	1	4	5
FEMALE--	47	-	1	2	2	6	4	3	1	3	4	7
BLACK---MALE----	78	1	4	1	1	11	12	11	8	1	4	5
FEMALE--	40	-	1	1	2	6	4	3	1	3	4	5
RHODE ISLAND -----	78	-	1	2	-	7	8	7	8	7	6	2
WHITE-----MALE----	45	-	1	2	-	6	7	5	2	4	4	1
FEMALE--	22	-	-	-	-	1	-	-	3	3	1	-
ALL OTHER--MALE----	6	-	-	-	-	-	1	1	3	-	1	-
FEMALE--	5	-	-	-	-	-	-	1	-	-	-	1
BLACK---MALE----	4	-	-	-	-	-	-	1	3	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	883	4	15	20	29	113	112	84	86	82	59	53
WHITE-----MALE----	384	1	6	5	12	48	54	35	40	37	27	20
FEMALE--	194	1	3	7	8	29	16	10	12	18	16	10
ALL OTHER--MALE----	218	2	3	6	7	26	33	27	22	18	13	17
FEMALE--	87	-	3	2	2	10	9	12	12	9	3	6
BLACK---MALE----	215	2	3	6	7	26	33	27	21	17	13	17
FEMALE--	86	-	3	2	2	10	9	12	11	9	3	6

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 2,743
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 MOTOR VEHICLE TRAFFIC ACCIDENTS (E810-E819)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
OHIO -----	56	58	43	72	59	62	56	17	8	1	-	-
WHITE-----MALE----	27	34	22	38	34	27	30	10	4	1	-	-
FEMALE--	23	22	18	31	25	28	22	7	4	-	-	-
ALL OTHER--MALE----	5	2	2	3	-	5	2	-	-	-	-	-
FEMALE--	1	-	1	-	-	2	2	-	-	-	-	-
BLACK---MALE----	5	1	2	3	-	5	2	-	-	-	-	-
FEMALE--	1	-	1	-	-	2	2	-	-	-	-	-
OKLAHOMA -----	42	37	36	25	27	40	20	17	5	1	-	1
WHITE-----MALE----	21	13	21	13	17	17	7	7	3	-	-	1
FEMALE--	15	16	9	10	8	19	11	9	2	1	-	-
ALL OTHER--MALE----	4	5	2	1	2	2	-	-	-	-	-	-
FEMALE--	2	3	4	1	-	2	2	1	-	-	-	-
BLACK---MALE----	1	3	2	-	-	-	-	-	-	-	-	-
FEMALE--	2	1	2	-	-	1	1	1	-	-	-	-
OREGON -----	26	16	13	23	20	16	12	11	6	-	-	1
WHITE-----MALE----	17	8	5	12	11	9	7	5	5	-	-	1
FEMALE--	7	8	7	9	8	7	5	6	-	-	-	-
ALL OTHER--MALE----	2	-	1	1	1	-	-	-	1	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	1	-	-	-	1	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	67	54	55	59	87	87	83	41	13	-	-	-
WHITE-----MALE----	43	30	38	31	42	48	37	23	8	-	-	-
FEMALE--	19	16	15	21	39	33	44	18	5	-	-	-
ALL OTHER--MALE----	4	7	2	6	-	2	1	-	-	-	-	-
FEMALE--	1	1	-	1	6	4	1	-	-	-	-	-
BLACK---MALE----	4	6	2	5	-	1	1	-	-	-	-	-
FEMALE--	-	1	-	1	5	2	1	-	-	-	-	-
RHODE ISLAND -----	1	3	6	9	4	3	2	2	-	-	-	-
WHITE-----MALE----	-	-	4	5	-	2	2	-	-	-	-	-
FEMALE--	-	2	2	4	3	1	-	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
SOUTH CAROLINA -----	38	28	38	28	24	31	24	13	1	1	-	-
WHITE-----MALE----	14	16	15	13	12	14	9	4	1	1	-	-
FEMALE--	8	4	9	11	7	8	9	8	-	-	-	-
ALL OTHER--MALE----	12	7	9	3	3	4	5	1	-	-	-	-
FEMALE--	4	1	5	1	2	5	1	-	-	-	-	-
BLACK---MALE----	12	7	8	3	3	4	5	1	-	-	-	-
FEMALE--	4	1	5	1	2	5	1	-	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 2,744
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 MOTOR VEHICLE TRAFFIC ACCIDENTS (E810-E819)												
SOUTH DAKOTA -----	165	-	2	3	10	22	14	13	12	22	8	5
WHITE-----MALE----	81	-	-	2	3	13	6	7	6	12	4	2
FEMALE--	50	-	-	-	5	5	6	3	1	4	3	1
ALL OTHER--MALE----	24	-	2	1	1	3	2	3	2	2	1	2
FEMALE--	10	-	-	-	1	1	-	-	3	4	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	1,281	6	24	23	27	162	164	126	116	109	102	67
WHITE-----MALE----	739	3	7	14	15	97	104	74	64	64	60	40
FEMALE--	364	1	8	2	6	46	41	31	33	32	24	15
ALL OTHER--MALE----	110	-	7	2	3	11	11	16	13	7	8	9
FEMALE--	68	2	2	5	3	8	8	5	6	6	10	3
BLACK---MALE----	105	-	7	2	3	10	11	15	11	7	8	8
FEMALE--	64	2	2	5	3	8	7	5	6	5	10	3
TEXAS -----	3,852	24	69	88	95	508	479	395	348	348	296	228
WHITE-----MALE----	2,239	9	29	36	48	320	311	249	209	202	180	129
FEMALE--	1,090	13	29	38	27	137	100	84	96	91	72	65
ALL OTHER--MALE----	336	-	7	7	11	34	43	50	21	41	26	20
FEMALE--	187	2	4	7	9	17	25	12	22	14	18	14
BLACK---MALE----	296	-	5	7	11	26	39	42	19	38	23	18
FEMALE--	159	2	3	6	8	13	22	11	18	13	15	11
UTAH -----	330	2	14	11	13	51	52	34	22	22	23	12
WHITE-----MALE----	196	-	8	6	10	36	34	20	18	11	9	9
FEMALE--	105	2	6	5	3	13	9	10	1	7	14	2
ALL OTHER--MALE----	17	-	-	-	-	2	6	4	1	2	-	-
FEMALE--	12	-	-	-	-	-	3	-	2	2	-	1
BLACK---MALE----	3	-	-	-	-	-	1	1	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	82	-	2	1	2	11	15	4	3	7	6	3
WHITE-----MALE----	51	-	1	1	-	7	10	1	2	4	3	3
FEMALE--	30	-	1	-	2	4	4	3	1	3	3	-
ALL OTHER--MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	867	4	15	15	11	108	98	81	84	85	54	55
WHITE-----MALE----	446	1	7	4	6	49	66	43	43	46	24	34
FEMALE--	213	2	6	3	4	25	15	14	14	17	13	9
ALL OTHER--MALE----	150	1	2	6	1	22	14	19	19	18	10	9
FEMALE--	58	-	-	2	-	12	3	5	8	4	7	3
BLACK---MALE----	141	1	2	6	1	18	12	18	19	17	10	9
FEMALE--	56	-	-	2	-	12	3	5	8	4	6	3

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 2,744
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 MOTOR VEHICLE TRAFFIC ACCIDENTS (E810-E819)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
SOUTH DAKOTA -----	9	1	5	7	9	9	9	4	1	-	-	-
WHITE-----MALE----	2	1	3	4	4	5	3	3	1	-	-	-
FEMALE--	3	-	2	2	4	4	6	1	-	-	-	-
ALL OTHER--MALE----	4	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	54	46	36	48	57	47	39	20	6	1	-	1
WHITE-----MALE----	32	30	22	30	20	20	25	13	4	1	-	-
FEMALE--	15	13	10	11	32	25	12	5	1	-	-	1
ALL OTHER--MALE----	5	3	1	5	4	2	2	-	1	-	-	-
FEMALE--	2	-	3	2	1	-	-	2	-	-	-	-
BLACK---MALE----	5	3	1	5	4	2	2	-	1	-	-	-
FEMALE--	2	-	3	1	-	-	-	2	-	-	-	-
TEXAS -----	174	149	97	103	156	114	105	53	17	1	-	5
WHITE-----MALE----	106	81	54	54	75	57	50	28	10	-	-	2
FEMALE--	44	45	33	34	63	46	44	21	6	-	-	2
ALL OTHER--MALE----	19	18	3	8	9	7	7	3	1	-	-	1
FEMALE--	5	5	7	7	9	4	4	1	-	1	-	-
BLACK---MALE----	18	15	3	7	7	7	7	3	1	-	-	-
FEMALE--	3	4	7	6	7	4	4	1	-	1	-	-
UTAH -----	11	6	12	10	12	5	12	4	2	-	-	-
WHITE-----MALE----	6	4	6	5	5	2	5	2	-	-	-	-
FEMALE--	3	2	4	5	6	3	6	2	2	-	-	-
ALL OTHER--MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	1	-	1	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	1	4	4	5	2	3	4	3	2	-	-	-
WHITE-----MALE----	1	4	2	2	1	2	3	2	2	-	-	-
FEMALE--	-	-	2	3	1	1	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	42	33	29	37	40	21	30	17	7	1	-	-
WHITE-----MALE----	20	18	11	17	21	7	17	9	3	-	-	-
FEMALE--	11	11	10	13	15	10	10	6	4	1	-	-
ALL OTHER--MALE----	9	2	6	3	3	2	2	2	-	-	-	-
FEMALE--	2	2	2	4	1	2	1	-	-	-	-	-
BLACK---MALE----	8	2	6	3	3	2	2	2	-	-	-	-
FEMALE--	1	2	2	4	1	2	1	-	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 2,755
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 INVOLVING COLLISION WITH ANOTHER MOTOR VEHICLE (E811-E812)												
0 UNITED STATES --	16,448	101	245	261	351	1,787	1,768	1,484	1,225	1,246	1,071	982
WHITE-----MALE----	8,456	40	95	100	169	940	999	788	675	691	562	549
FEMALE--	5,687	43	97	114	133	601	449	408	331	377	340	298
ALL OTHER--MALE----	1,464	11	23	25	32	170	226	206	138	111	100	77
FEMALE--	841	7	30	22	17	76	94	82	81	67	69	58
BLACK---MALE----	1,163	8	19	21	25	129	184	157	106	89	84	64
FEMALE--	633	7	29	18	12	63	75	65	59	45	50	36
ALABAMA -----	383	3	7	3	2	39	46	52	37	30	17	18
WHITE-----MALE----	184	-	3	-	1	14	25	22	18	16	8	12
FEMALE--	111	2	3	3	1	16	7	16	6	8	5	4
ALL OTHER--MALE----	60	-	-	-	-	8	9	12	8	5	2	1
FEMALE--	28	1	1	-	-	1	5	2	5	1	2	1
BLACK---MALE----	60	-	-	-	-	8	9	12	8	5	2	1
FEMALE--	27	1	1	-	-	1	5	2	5	1	2	1
ALASKA -----	18	-	-	-	3	2	4	-	1	3	-	1
WHITE-----MALE----	11	-	-	-	1	2	3	-	1	2	-	-
FEMALE--	3	-	-	-	1	-	1	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	1	-	-	-	-	1	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	300	1	1	3	8	29	31	34	33	19	20	17
WHITE-----MALE----	169	-	1	2	2	16	21	13	21	13	12	12
FEMALE--	89	-	-	-	5	11	7	10	5	3	6	3
ALL OTHER--MALE----	26	1	-	-	1	-	3	9	3	2	2	-
FEMALE--	16	-	-	1	-	2	-	2	4	1	-	2
BLACK---MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	2	-	-	-	-	1	-	-	-	-	-	-
ARKANSAS -----	214	1	1	3	5	32	17	25	18	18	16	10
WHITE-----MALE----	102	1	-	2	3	18	8	14	7	9	7	4
FEMALE--	70	-	1	-	1	10	3	5	6	4	6	5
ALL OTHER--MALE----	25	-	-	-	1	2	3	4	3	4	1	-
FEMALE--	17	-	-	1	-	2	3	2	2	1	2	1
BLACK---MALE----	20	-	-	-	1	2	3	3	1	3	1	-
FEMALE--	16	-	-	1	-	2	2	2	2	1	2	1
CALIFORNIA -----	1,568	13	28	30	34	136	183	143	134	141	102	100
WHITE-----MALE----	851	6	13	14	14	60	113	82	85	83	65	60
FEMALE--	492	4	12	10	14	50	38	42	32	38	24	23
ALL OTHER--MALE----	141	3	1	4	4	20	27	12	9	10	5	12
FEMALE--	84	-	2	2	2	6	5	7	8	10	8	5
BLACK---MALE----	60	3	1	2	1	6	8	8	4	6	1	7
FEMALE--	33	-	2	-	-	4	1	3	3	3	4	2

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 2,755
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 INVOLVING COLLISION WITH ANOTHER MOTOR VEHICLE (E811-E812)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 UNITED STATES --	787	701	684	727	838	881	767	396	128	15	-	3
WHITE-----MALE----	390	349	325	354	386	418	352	202	63	6	-	3
FEMALE--	282	258	283	297	371	401	364	172	61	7	-	-
ALL OTHER--MALE----	74	59	44	40	46	32	31	14	4	1	-	-
FEMALE--	41	35	32	36	35	30	20	8	-	1	-	-
BLACK---MALE----	58	44	38	30	37	27	27	11	4	1	-	-
FEMALE--	27	25	22	24	26	26	15	8	-	1	-	-
ALABAMA -----	16	15	21	11	28	15	17	5	1	-	-	-
WHITE-----MALE----	10	9	11	5	14	5	8	3	-	-	-	-
FEMALE--	3	5	6	4	7	6	7	1	1	-	-	-
ALL OTHER--MALE----	3	-	3	2	3	2	2	-	-	-	-	-
FEMALE--	-	1	1	-	4	2	-	1	-	-	-	-
BLACK---MALE----	3	-	3	2	3	2	2	-	-	-	-	-
FEMALE--	-	1	1	-	3	2	-	1	-	-	-	-
ALASKA -----	1	1	-	-	-	2	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	13	13	8	8	14	18	18	9	3	-	-	-
WHITE-----MALE----	5	7	4	5	7	10	11	4	3	-	-	-
FEMALE--	6	4	4	2	6	8	6	3	-	-	-	-
ALL OTHER--MALE----	2	1	-	-	1	-	-	1	-	-	-	-
FEMALE--	-	1	-	1	-	-	1	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ARKANSAS -----	8	9	6	9	10	12	11	2	1	-	-	-
WHITE-----MALE----	4	3	2	4	5	5	4	1	1	-	-	-
FEMALE--	3	4	3	3	4	6	5	1	-	-	-	-
ALL OTHER--MALE----	1	1	1	1	1	1	1	-	-	-	-	-
FEMALE--	-	1	-	1	-	-	1	-	-	-	-	-
BLACK---MALE----	1	1	-	1	1	1	1	-	-	-	-	-
FEMALE--	-	1	-	1	-	-	1	-	-	-	-	-
CALIFORNIA -----	73	77	65	71	63	70	57	30	15	2	-	1
WHITE-----MALE----	35	40	34	29	31	35	24	19	7	1	-	1
FEMALE--	27	29	25	26	23	30	27	10	7	1	-	-
ALL OTHER--MALE----	8	6	2	6	4	2	4	1	1	-	-	-
FEMALE--	3	2	4	10	5	3	2	-	-	-	-	-
BLACK---MALE----	3	3	-	4	-	-	2	-	1	-	-	-
FEMALE--	2	1	1	4	2	1	-	-	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 2,756
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
0 INVOLVING COLLISION WITH ANOTHER MOTOR VEHICLE (E811-E812)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
COLORADO -----	212	1	8	2	2	27	19	16	28	16	17	8
WHITE-----MALE----	118	-	2	1	2	18	9	8	14	12	8	5
FEMALE--	81	1	5	1	-	8	7	6	13	3	7	3
ALL OTHER--MALE----	6	-	-	-	-	-	-	2	1	-	2	-
FEMALE--	7	-	1	-	-	1	3	-	-	1	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	1	-	1	-
FEMALE--	2	-	-	-	-	1	-	-	-	-	-	-
CONNECTICUT -----	108	-	-	1	-	7	16	11	4	11	8	6
WHITE-----MALE----	61	-	-	1	-	3	10	6	3	7	4	3
FEMALE--	35	-	-	-	-	3	3	2	-	4	2	2
ALL OTHER--MALE----	10	-	-	-	-	1	2	3	1	-	1	1
FEMALE--	2	-	-	-	-	-	1	-	-	-	1	-
BLACK---MALE----	10	-	-	-	-	1	2	3	1	-	1	1
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
DELAWARE -----	50	-	-	-	2	4	6	10	4	5	5	1
WHITE-----MALE----	24	-	-	-	1	2	4	5	3	3	1	1
FEMALE--	21	-	-	-	1	2	2	2	1	2	3	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	1	-	-	1	-
FEMALE--	2	-	-	-	-	-	-	2	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	1	-	-	1	-
FEMALE--	2	-	-	-	-	-	-	2	-	-	-	-
DISTRICT OF COLUMBIA ----	20	-	-	-	-	2	1	1	1	1	5	1
WHITE-----MALE----	3	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	13	-	-	-	-	1	1	1	-	-	4	1
FEMALE--	3	-	-	-	-	1	-	-	-	1	1	-
BLACK---MALE----	13	-	-	-	-	1	1	1	-	-	4	1
FEMALE--	3	-	-	-	-	1	-	-	-	1	1	-
FLORIDA -----	1,288	3	16	19	26	104	119	92	91	74	72	76
WHITE-----MALE----	665	-	4	4	13	54	68	55	46	47	42	44
FEMALE--	461	1	5	11	11	32	33	24	31	16	20	19
ALL OTHER--MALE----	113	-	2	1	2	13	13	11	10	9	8	9
FEMALE--	49	2	5	3	-	5	5	2	4	2	2	4
BLACK---MALE----	107	-	2	1	2	13	12	10	9	9	8	9
FEMALE--	43	2	5	3	-	4	4	1	3	2	2	3
GEORGIA -----	491	5	8	3	8	70	62	45	44	36	29	24
WHITE-----MALE----	240	2	2	-	2	34	36	21	26	18	15	13
FEMALE--	137	1	-	2	4	19	7	6	10	11	7	8
ALL OTHER--MALE----	63	2	4	-	2	12	11	8	5	2	4	3
FEMALE--	51	-	2	1	-	5	8	10	3	5	3	-
BLACK---MALE----	63	2	4	-	2	12	11	8	5	2	4	3
FEMALE--	46	-	2	1	-	5	8	10	2	4	2	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 2,756
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 INVOLVING COLLISION WITH ANOTHER MOTOR VEHICLE (E811-E812)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
COLORADO -----	7	6	15	12	8	7	6	5	2	-	-	-
WHITE-----MALE----	4	5	6	9	7	3	4	1	-	-	-	-
FEMALE--	2	1	9	2	1	4	2	4	2	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	8	5	3	3	8	8	4	3	1	1	-	-
WHITE-----MALE----	4	3	1	2	3	6	3	1	1	-	-	-
FEMALE--	4	1	2	1	5	2	1	2	-	1	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	3	2	1	1	2	1	2	-	1	-	-	-
WHITE-----MALE----	1	-	1	-	1	-	1	-	-	-	-	-
FEMALE--	2	2	-	1	1	-	1	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	-	1	-	-	1	1	3	1	-	-	-	1
WHITE-----MALE----	-	-	-	-	1	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	1	2	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	1	2	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	71	51	59	68	89	96	97	51	10	4	-	-
WHITE-----MALE----	39	24	25	36	41	44	46	25	5	3	-	-
FEMALE--	24	17	25	28	37	50	47	24	5	1	-	-
ALL OTHER--MALE----	7	5	7	3	7	1	3	2	-	-	-	-
FEMALE--	1	5	2	1	4	1	1	-	-	-	-	-
BLACK---MALE----	7	4	6	2	7	1	3	2	-	-	-	-
FEMALE--	-	5	2	1	4	1	1	-	-	-	-	-
GEORGIA -----	24	15	19	21	21	27	20	6	3	1	-	-
WHITE-----MALE----	11	10	10	6	6	13	11	4	-	-	-	-
FEMALE--	9	3	5	8	11	12	9	2	3	-	-	-
ALL OTHER--MALE----	1	1	1	3	2	1	-	-	-	1	-	-
FEMALE--	3	1	3	4	2	1	-	-	-	-	-	-
BLACK---MALE----	1	1	1	3	2	1	-	-	-	1	-	-
FEMALE--	3	1	3	2	2	1	-	-	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 2,758
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
0 INVOLVING COLLISION WITH ANOTHER MOTOR VEHICLE (E811-E812)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
KENTUCKY -----	348	2	1	7	7	48	31	37	24	29	29	19
WHITE-----MALE----	186	-	-	3	1	27	20	25	15	14	16	13
FEMALE--	148	2	1	4	5	20	10	11	7	13	13	5
ALL OTHER--MALE----	10	-	-	-	-	1	1	1	1	1	-	1
FEMALE--	4	-	-	-	1	-	-	-	1	1	-	-
BLACK---MALE----	9	-	-	-	-	1	1	1	1	1	-	1
FEMALE--	2	-	-	-	1	-	-	-	-	1	-	-
LOUISIANA -----	174	-	6	2	3	12	16	14	18	13	16	15
WHITE-----MALE----	70	-	2	2	1	7	4	9	10	5	8	6
FEMALE--	53	-	3	-	1	2	5	-	1	4	4	6
ALL OTHER--MALE----	44	-	1	-	1	3	7	5	5	4	4	3
FEMALE--	7	-	-	-	-	-	-	-	2	-	-	-
BLACK---MALE----	43	-	1	-	1	3	7	4	5	4	4	3
FEMALE--	4	-	-	-	-	-	-	-	1	-	-	-
MAINE -----	61	1	1	2	1	9	2	7	6	4	6	-
WHITE-----MALE----	39	-	-	2	1	6	2	5	6	2	3	-
FEMALE--	22	1	1	-	-	3	-	2	-	2	3	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	235	-	3	3	2	34	26	15	22	15	16	19
WHITE-----MALE----	102	-	-	-	2	12	12	3	8	10	7	10
FEMALE--	70	-	2	1	-	9	7	9	6	1	2	5
ALL OTHER--MALE----	44	-	1	1	-	11	7	3	4	2	6	4
FEMALE--	19	-	-	1	-	2	-	-	4	2	1	-
BLACK---MALE----	42	-	1	1	-	11	7	2	4	2	6	4
FEMALE--	17	-	-	1	-	2	-	-	4	2	-	-
MASSACHUSETTS -----	109	-	-	-	1	7	14	15	11	9	-	6
WHITE-----MALE----	61	-	-	-	1	6	6	10	4	5	-	5
FEMALE--	40	-	-	-	-	1	5	2	6	4	-	1
ALL OTHER--MALE----	7	-	-	-	-	-	3	2	1	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	6	-	-	-	-	-	3	2	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
MICHIGAN -----	654	7	18	9	11	79	73	59	55	42	39	31
WHITE-----MALE----	305	3	8	1	6	43	42	23	31	22	20	14
FEMALE--	254	2	5	7	5	25	14	24	18	14	13	12
ALL OTHER--MALE----	68	1	2	1	-	9	12	10	3	3	5	3
FEMALE--	27	1	3	-	-	2	5	2	3	3	1	2
BLACK---MALE----	62	1	2	1	-	8	11	9	3	3	4	2
FEMALE--	21	1	3	-	-	2	5	1	3	1	-	1

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 2,758
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 INVOLVING COLLISION WITH ANOTHER MOTOR VEHICLE (E811-E812)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
KENTUCKY -----	15	16	12	11	17	12	19	9	3	-	-	-
WHITE-----MALE----	10	6	6	5	4	9	7	4	1	-	-	-
FEMALE--	5	9	6	4	12	3	11	5	2	-	-	-
ALL OTHER--MALE----	-	1	-	2	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	2	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	14	10	6	7	5	9	4	1	3	-	-	-
WHITE-----MALE----	5	2	1	1	2	2	2	-	1	-	-	-
FEMALE--	6	4	1	6	1	5	2	1	1	-	-	-
ALL OTHER--MALE----	3	1	3	-	2	1	-	-	1	-	-	-
FEMALE--	-	3	1	-	-	1	-	-	-	-	-	-
BLACK---MALE----	3	1	3	-	2	1	-	-	1	-	-	-
FEMALE--	-	2	-	-	-	1	-	-	-	-	-	-
MAINE -----	-	1	1	4	4	3	5	2	2	-	-	-
WHITE-----MALE----	-	1	1	3	1	1	2	2	1	-	-	-
FEMALE--	-	-	-	1	3	2	3	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	11	11	15	10	9	8	6	7	3	-	-	-
WHITE-----MALE----	8	4	7	2	6	3	2	4	2	-	-	-
FEMALE--	1	4	5	5	3	4	3	2	1	-	-	-
ALL OTHER--MALE----	-	-	2	1	-	1	-	1	-	-	-	-
FEMALE--	2	3	1	2	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	2	-	-	1	-	1	-	-	-	-
FEMALE--	2	2	1	2	-	-	1	-	-	-	-	-
MASSACHUSETTS -----	5	5	4	6	8	6	5	5	2	-	-	-
WHITE-----MALE----	1	3	2	4	3	3	3	4	1	-	-	-
FEMALE--	4	2	2	2	5	3	2	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	39	16	20	32	35	30	34	20	5	-	-	-
WHITE-----MALE----	13	11	7	15	10	10	15	9	2	-	-	-
FEMALE--	21	4	10	11	19	18	18	11	3	-	-	-
ALL OTHER--MALE----	4	1	3	4	6	-	1	-	-	-	-	-
FEMALE--	1	-	-	2	-	2	-	-	-	-	-	-
BLACK---MALE----	4	1	3	4	5	-	1	-	-	-	-	-
FEMALE--	1	-	-	1	-	2	-	-	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 2,759
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
 CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
 0 INVOLVING COLLISION WITH ANOTHER MOTOR VEHICLE (E811-E812)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
MINNESOTA -----	308	3	1	2	7	43	26	18	12	28	22	22
WHITE-----MALE----	181	1	1	-	5	30	19	6	7	21	13	9
FEMALE--	110	1	-	2	2	10	6	10	5	5	6	12
ALL OTHER--MALE----	12	1	-	-	-	3	1	2	-	1	1	1
FEMALE--	5	-	-	-	-	-	-	-	-	1	2	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI -----	375	2	4	5	12	48	55	41	22	22	23	19
WHITE-----MALE----	141	1	3	4	5	20	15	10	7	11	8	10
FEMALE--	92	-	-	-	3	14	9	9	5	3	5	5
ALL OTHER--MALE----	83	-	-	1	-	9	22	11	7	4	6	1
FEMALE--	59	1	1	-	4	5	9	11	3	4	4	3
BLACK---MALE----	80	-	-	1	-	9	22	10	5	4	6	1
FEMALE--	58	1	1	-	4	5	9	11	3	4	4	3
MISSOURI -----	437	2	8	7	13	61	42	30	26	42	32	26
WHITE-----MALE----	231	1	3	4	5	29	22	18	15	25	21	13
FEMALE--	167	1	4	2	6	21	14	11	8	13	10	11
ALL OTHER--MALE----	27	-	-	-	2	9	4	1	2	4	1	-
FEMALE--	12	-	1	1	-	2	2	-	1	-	-	2
BLACK---MALE----	24	-	-	-	2	7	4	1	2	4	1	-
FEMALE--	12	-	1	1	-	2	2	-	1	-	-	2
MONTANA -----	62	1	1	-	-	4	10	6	3	5	3	2
WHITE-----MALE----	34	1	1	-	-	3	7	4	2	3	1	1
FEMALE--	24	-	-	-	-	1	2	2	1	2	2	1
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	145	2	2	-	5	20	14	14	6	10	11	12
WHITE-----MALE----	70	-	-	-	1	7	7	8	4	5	5	7
FEMALE--	69	2	2	-	4	12	5	6	2	3	5	5
ALL OTHER--MALE----	4	-	-	-	-	1	-	-	-	2	1	-
FEMALE--	2	-	-	-	-	-	2	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	2	-	-	-	-	-	2	-	-	-	-	-
NEVADA -----	110	-	1	1	2	5	16	10	9	12	7	7
WHITE-----MALE----	64	-	1	-	2	1	10	7	6	8	3	3
FEMALE--	37	-	-	1	-	2	4	1	3	4	4	2
ALL OTHER--MALE----	7	-	-	-	-	1	2	2	-	-	-	1
FEMALE--	2	-	-	-	-	1	-	-	-	-	-	1
BLACK---MALE----	7	-	-	-	-	1	2	2	-	-	-	1
FEMALE--	2	-	-	-	-	1	-	-	-	-	-	1

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 2,761
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
0 INVOLVING COLLISION WITH ANOTHER MOTOR VEHICLE (E811-E812)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
OHIO -----	537	7	2	12	9	59	59	37	29	33	36	43
WHITE-----MALE----	305	4	1	5	4	31	40	23	21	21	16	25
FEMALE--	194	2	-	6	5	23	14	10	7	10	16	13
ALL OTHER--MALE----	23	1	-	-	-	2	3	3	1	2	2	2
FEMALE--	15	-	1	1	-	3	2	1	-	-	2	3
BLACK---MALE----	22	1	-	-	-	2	3	3	1	2	2	2
FEMALE--	14	-	1	1	-	3	2	-	-	-	2	3
OKLAHOMA -----	311	3	3	3	7	31	35	26	15	22	19	19
WHITE-----MALE----	156	2	2	2	4	16	22	15	8	11	8	10
FEMALE--	113	1	-	1	1	9	8	6	6	10	10	5
ALL OTHER--MALE----	22	-	-	-	1	2	3	5	1	1	1	1
FEMALE--	20	-	1	-	1	4	2	-	-	-	-	3
BLACK---MALE----	11	-	-	-	1	2	1	1	1	-	1	-
FEMALE--	10	-	1	-	1	2	-	-	-	-	-	2
OREGON -----	200	2	3	6	3	18	23	21	18	20	11	12
WHITE-----MALE----	100	-	1	3	1	12	9	13	8	5	8	6
FEMALE--	85	1	2	3	2	5	12	5	8	13	3	6
ALL OTHER--MALE----	11	1	-	-	-	1	2	2	1	1	-	-
FEMALE--	4	-	-	-	-	-	-	1	1	1	-	-
BLACK---MALE----	2	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	1	1	-	-	-
PENNSYLVANIA -----	542	1	5	7	10	40	59	42	33	39	42	36
WHITE-----MALE----	301	1	-	2	6	24	36	26	21	30	27	22
FEMALE--	203	-	5	5	4	14	18	7	8	9	14	9
ALL OTHER--MALE----	29	-	-	-	-	2	4	8	4	-	-	3
FEMALE--	9	-	-	-	-	-	1	1	-	-	1	2
BLACK---MALE----	22	-	-	-	-	1	4	6	2	-	-	3
FEMALE--	7	-	-	-	-	-	1	1	-	-	1	1
RHODE ISLAND -----	22	-	-	-	-	3	2	2	1	3	-	1
WHITE-----MALE----	11	-	-	-	-	2	2	1	-	1	-	-
FEMALE--	6	-	-	-	-	1	-	-	-	2	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	4	-	-	-	-	-	-	1	-	-	-	1
BLACK---MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	366	3	8	10	13	48	36	36	28	22	17	17
WHITE-----MALE----	148	1	3	3	2	15	16	14	12	11	5	9
FEMALE--	115	1	2	6	6	16	5	7	5	8	7	3
ALL OTHER--MALE----	62	1	1	1	3	11	10	10	6	3	3	2
FEMALE--	41	-	2	-	2	6	5	5	5	-	2	3
BLACK---MALE----	60	1	1	1	3	11	10	10	5	3	3	2
FEMALE--	41	-	2	-	2	6	5	5	5	-	2	3

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 2,761
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 INVOLVING COLLISION WITH ANOTHER MOTOR VEHICLE (E811-E812)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
OHIO -----	21	28	27	27	32	31	29	11	5	-	-	-
WHITE-----MALE----	11	15	15	16	18	15	15	7	2	-	-	-
FEMALE--	8	12	11	11	14	13	12	4	3	-	-	-
ALL OTHER--MALE----	2	1	1	-	-	2	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	-	-	-	-
BLACK---MALE----	2	-	1	-	-	2	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	-	-	-	-
OKLAHOMA -----	20	14	21	15	10	27	12	6	2	1	-	-
WHITE-----MALE----	9	4	10	8	5	13	3	3	1	-	-	-
FEMALE--	9	5	6	7	5	12	7	3	1	1	-	-
ALL OTHER--MALE----	1	3	2	-	-	1	-	-	-	-	-	-
FEMALE--	1	2	3	-	-	1	2	-	-	-	-	-
BLACK---MALE----	-	2	2	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	1	-	-	1	1	-	-	-	-	-
OREGON -----	11	4	8	11	9	9	6	2	3	-	-	-
WHITE-----MALE----	6	1	4	6	5	5	3	1	3	-	-	-
FEMALE--	4	3	3	3	4	4	3	1	-	-	-	-
ALL OTHER--MALE----	1	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	22	20	20	22	34	47	41	16	6	-	-	-
WHITE-----MALE----	11	6	13	10	14	25	17	7	3	-	-	-
FEMALE--	9	10	7	10	20	19	23	9	3	-	-	-
ALL OTHER--MALE----	1	4	-	1	-	2	-	-	-	-	-	-
FEMALE--	1	-	-	1	-	1	1	-	-	-	-	-
BLACK---MALE----	1	3	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	1	-	-	-	-	-
RHODE ISLAND -----	1	-	1	4	2	2	-	-	-	-	-	-
WHITE-----MALE----	-	-	1	3	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
SOUTH CAROLINA -----	18	18	23	11	16	19	13	10	-	-	-	-
WHITE-----MALE----	8	12	9	6	7	9	4	2	-	-	-	-
FEMALE--	5	4	8	4	7	7	6	8	-	-	-	-
ALL OTHER--MALE----	2	2	2	1	1	-	3	-	-	-	-	-
FEMALE--	3	-	4	-	1	3	-	-	-	-	-	-
BLACK---MALE----	2	2	1	1	1	-	3	-	-	-	-	-
FEMALE--	3	-	4	-	1	3	-	-	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 2,762
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
0 INVOLVING COLLISION WITH ANOTHER MOTOR VEHICLE (E811-E812)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
SOUTH DAKOTA -----	84	-	1	3	8	5	2	6	5	11	4	1
WHITE-----MALE----	43	-	-	2	3	2	1	5	3	7	2	-
FEMALE--	27	-	-	-	3	2	-	1	-	2	1	1
ALL OTHER--MALE----	9	-	1	1	1	-	1	-	1	-	1	-
FEMALE--	5	-	-	-	1	1	-	-	1	2	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	483	2	13	13	9	53	53	50	38	40	34	30
WHITE-----MALE----	246	2	4	9	5	29	31	24	13	22	20	16
FEMALE--	185	-	5	1	1	19	17	18	18	16	8	10
ALL OTHER--MALE----	31	-	3	2	2	2	3	6	5	-	1	3
FEMALE--	21	-	1	1	1	3	2	2	2	2	5	1
BLACK---MALE----	29	-	3	2	2	1	3	6	4	-	1	3
FEMALE--	20	-	1	1	1	3	2	2	2	1	5	1
TEXAS -----	1,632	14	25	25	34	183	160	169	119	132	119	109
WHITE-----MALE----	844	4	10	10	17	104	90	97	68	62	70	54
FEMALE--	571	9	9	11	10	66	46	48	34	45	29	40
ALL OTHER--MALE----	128	-	3	3	4	9	17	18	8	15	8	8
FEMALE--	89	1	3	1	3	4	7	6	9	10	12	7
BLACK---MALE----	117	-	2	3	4	8	16	16	8	15	7	8
FEMALE--	72	1	3	1	2	3	6	5	7	10	10	4
UTAH -----	124	2	6	5	4	14	14	13	7	6	9	4
WHITE-----MALE----	61	-	2	3	3	10	8	6	5	2	2	4
FEMALE--	55	2	4	2	1	4	5	6	-	2	7	-
ALL OTHER--MALE----	4	-	-	-	-	-	1	1	1	1	-	-
FEMALE--	4	-	-	-	-	-	-	-	1	1	-	-
BLACK---MALE----	2	-	-	-	-	-	-	1	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	23	-	-	-	1	4	1	1	1	4	3	1
WHITE-----MALE----	14	-	-	-	-	4	-	1	1	2	1	1
FEMALE--	9	-	-	-	1	-	1	-	-	2	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	243	1	4	5	3	27	27	25	23	26	14	16
WHITE-----MALE----	108	-	1	1	-	9	18	12	13	15	4	8
FEMALE--	74	1	3	1	2	11	2	6	4	5	2	3
ALL OTHER--MALE----	40	-	-	3	1	2	6	5	4	4	4	4
FEMALE--	21	-	-	-	-	5	1	2	2	2	4	1
BLACK---MALE----	38	-	-	3	1	2	5	4	4	4	4	4
FEMALE--	20	-	-	-	-	5	1	2	2	2	3	1

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 2,762
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 INVOLVING COLLISION WITH ANOTHER MOTOR VEHICLE (E811-E812)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
SOUTH DAKOTA -----	5	-	4	6	5	7	7	3	1	-	-	-
WHITE-----MALE----	-	-	3	3	3	4	2	2	1	-	-	-
FEMALE--	3	-	1	2	2	3	5	1	-	-	-	-
ALL OTHER--MALE----	2	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	20	19	11	17	24	27	17	10	3	-	-	-
WHITE-----MALE----	12	10	7	10	6	8	10	6	2	-	-	-
FEMALE--	7	9	4	7	16	18	7	3	1	-	-	-
ALL OTHER--MALE----	1	-	-	-	2	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	1	-	-	-	2	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
TEXAS -----	71	86	48	61	95	73	63	36	9	1	-	-
WHITE-----MALE----	34	38	25	30	44	34	28	19	6	-	-	-
FEMALE--	25	33	20	26	40	34	28	15	3	-	-	-
ALL OTHER--MALE----	8	12	1	3	5	2	3	1	-	-	-	-
FEMALE--	4	3	2	2	6	3	4	1	-	1	-	-
BLACK---MALE----	7	10	1	2	4	2	3	1	-	-	-	-
FEMALE--	2	2	2	1	4	3	4	1	-	1	-	-
UTAH -----	7	3	4	7	6	3	7	3	-	-	-	-
WHITE-----MALE----	4	2	1	3	1	-	3	2	-	-	-	-
FEMALE--	2	1	3	4	4	3	4	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	-	1	1	2	2	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	2	1	-	-	-	-
FEMALE--	-	-	-	1	1	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	11	8	9	8	12	4	7	8	5	-	-	-
WHITE-----MALE----	5	3	2	3	5	-	3	4	2	-	-	-
FEMALE--	3	4	4	4	7	3	3	3	3	-	-	-
ALL OTHER--MALE----	3	-	2	-	-	1	-	1	-	-	-	-
FEMALE--	-	1	1	1	-	-	1	-	-	-	-	-
BLACK---MALE----	3	-	2	-	-	1	-	1	-	-	-	-
FEMALE--	-	1	1	1	-	-	1	-	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 2,764
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 INVOLVING COLLISION WITH PEDESTRIAN (E814)												
0 UNITED STATES --	5,641	9	216	263	230	277	355	330	436	496	477	382
WHITE-----MALE----	2,925	4	86	105	121	154	211	178	210	256	250	210
FEMALE--	1,337	3	54	60	71	55	55	65	89	91	98	63
ALL OTHER--MALE----	954	-	51	64	29	45	64	59	98	98	101	69
FEMALE--	425	2	25	34	9	23	25	28	39	51	28	40
BLACK---MALE----	760	-	44	58	24	28	45	48	83	80	89	62
FEMALE--	305	2	16	30	7	20	18	23	29	43	24	29
ALABAMA -----	94	-	4	9	2	3	5	8	11	9	5	6
WHITE-----MALE----	42	-	1	4	1	1	4	3	4	7	2	3
FEMALE--	16	-	1	1	-	-	-	-	1	1	1	1
ALL OTHER--MALE----	28	-	1	3	1	2	1	4	6	-	1	1
FEMALE--	8	-	1	1	-	-	-	1	-	1	1	1
BLACK---MALE----	28	-	1	3	1	2	1	4	6	-	1	1
FEMALE--	8	-	1	1	-	-	-	1	-	1	1	1
ALASKA -----	9	-	-	1	1	-	1	-	1	2	-	-
WHITE-----MALE----	4	-	-	-	-	-	1	-	1	1	-	-
FEMALE--	3	-	-	1	1	-	-	-	-	1	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	161	-	9	6	4	15	12	14	10	11	15	13
WHITE-----MALE----	70	-	3	3	-	5	6	5	4	6	8	5
FEMALE--	36	-	3	-	2	3	1	4	2	-	3	3
ALL OTHER--MALE----	42	-	1	3	2	7	5	4	1	5	1	2
FEMALE--	13	-	2	-	-	-	-	1	3	-	3	3
BLACK---MALE----	2	-	-	-	-	-	1	-	-	1	-	-
FEMALE--	2	-	-	-	-	-	-	-	1	-	-	1
ARKANSAS -----	39	-	1	1	2	1	7	3	4	3	3	1
WHITE-----MALE----	20	-	-	-	1	-	6	3	2	-	1	1
FEMALE--	6	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	9	-	1	-	1	-	1	-	2	1	2	-
FEMALE--	4	-	-	-	-	1	-	-	2	-	-	-
BLACK---MALE----	6	-	1	-	-	-	1	-	1	1	1	-
FEMALE--	4	-	-	-	-	1	-	-	2	-	-	-
CALIFORNIA -----	797	1	38	26	24	29	55	48	55	59	71	53
WHITE-----MALE----	455	-	18	14	15	18	38	29	36	36	40	36
FEMALE--	186	1	11	6	5	6	9	11	8	11	16	8
ALL OTHER--MALE----	95	-	5	4	2	5	3	4	9	9	10	6
FEMALE--	61	-	4	2	2	-	5	4	2	3	5	3
BLACK---MALE----	59	-	3	4	1	2	2	4	7	6	8	4
FEMALE--	27	-	3	1	2	-	4	3	2	3	4	2

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 2,764
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 INVOLVING COLLISION WITH PEDESTRIAN (E814)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 UNITED STATES --	326	274	248	254	286	273	260	161	53	6	-	29
WHITE-----MALE----	196	152	135	133	140	122	125	80	34	5	-	18
FEMALE--	67	49	61	68	88	112	104	60	17	1	-	6
ALL OTHER--MALE----	47	56	41	36	36	23	18	13	1	-	-	5
FEMALE--	16	17	11	17	22	16	13	8	1	-	-	-
BLACK---MALE----	36	42	32	26	24	14	11	10	-	-	-	4
FEMALE--	8	12	6	12	10	6	5	5	-	-	-	-
ALABAMA -----	2	6	4	3	4	4	5	2	2	-	-	-
WHITE-----MALE----	1	2	1	2	1	1	2	1	1	-	-	-
FEMALE--	-	-	-	1	2	2	3	1	1	-	-	-
ALL OTHER--MALE----	1	2	3	-	1	1	-	-	-	-	-	-
FEMALE--	-	2	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	2	3	-	1	1	-	-	-	-	-	-
FEMALE--	-	2	-	-	-	-	-	-	-	-	-	-
ALASKA -----	2	-	-	1	-	-	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	7	6	13	4	5	7	4	2	2	-	-	2
WHITE-----MALE----	4	2	5	2	3	3	2	1	1	-	-	2
FEMALE--	2	-	3	1	2	3	2	1	1	-	-	-
ALL OTHER--MALE----	1	4	4	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	4	1	1	2	1	1	3	-	-	-	-	-
WHITE-----MALE----	4	-	-	1	-	-	1	-	-	-	-	-
FEMALE--	-	-	1	1	1	1	1	-	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
CALIFORNIA -----	44	41	34	43	52	49	40	20	6	1	-	8
WHITE-----MALE----	27	24	18	26	26	23	13	8	4	1	-	5
FEMALE--	9	8	13	9	12	17	14	9	1	-	-	2
ALL OTHER--MALE----	3	7	3	4	9	4	6	1	-	-	-	1
FEMALE--	5	2	-	4	5	5	7	2	1	-	-	-
BLACK---MALE----	3	4	2	2	3	-	2	1	-	-	-	1
FEMALE--	-	-	-	2	-	-	-	1	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 2,765
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
0 INVOLVING COLLISION WITH PEDESTRIAN (E814)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
COLORADO -----	82	-	1	2	8	5	6	6	7	7	9	6
WHITE-----MALE----	51	-	1	2	2	3	5	5	2	6	6	3
FEMALE--	22	-	-	-	6	1	1	1	2	-	1	2
ALL OTHER--MALE----	7	-	-	-	-	-	-	-	3	1	2	-
FEMALE--	2	-	-	-	-	1	-	-	-	-	-	1
BLACK---MALE----	5	-	-	-	-	-	-	-	2	1	2	-
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-
CONNECTICUT -----	50	-	1	3	2	6	1	3	1	3	2	4
WHITE-----MALE----	27	-	1	1	1	5	-	1	-	-	1	3
FEMALE--	14	-	-	2	-	1	-	1	-	2	-	-
ALL OTHER--MALE----	7	-	-	-	1	-	1	-	-	1	1	1
FEMALE--	2	-	-	-	-	-	-	1	1	-	-	-
BLACK---MALE----	7	-	-	-	1	-	1	-	-	1	1	1
FEMALE--	2	-	-	-	-	-	-	1	1	-	-	-
DELAWARE -----	11	-	-	-	-	1	3	-	2	-	1	-
WHITE-----MALE----	4	-	-	-	-	1	1	-	1	-	-	-
FEMALE--	5	-	-	-	-	-	2	-	1	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	9	-	-	1	-	1	-	-	-	-	-	2
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	7	-	-	1	-	1	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	6	-	-	1	-	1	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
FLORIDA -----	508	-	7	16	16	16	23	22	38	58	50	34
WHITE-----MALE----	282	-	2	4	8	10	15	14	13	36	31	23
FEMALE--	117	-	2	5	5	5	2	2	12	8	11	4
ALL OTHER--MALE----	71	-	3	5	3	-	4	5	6	7	6	4
FEMALE--	38	-	-	2	-	1	2	1	7	7	2	3
BLACK---MALE----	69	-	3	5	3	-	4	5	6	7	6	4
FEMALE--	36	-	-	2	-	1	2	1	6	6	2	3
GEORGIA -----	171	-	14	12	9	6	18	9	11	17	15	13
WHITE-----MALE----	68	-	3	2	5	2	8	4	7	5	3	7
FEMALE--	25	-	2	-	2	2	4	2	-	3	4	1
ALL OTHER--MALE----	57	-	4	8	2	-	6	2	4	6	8	3
FEMALE--	21	-	5	2	-	2	-	1	-	3	-	2
BLACK---MALE----	55	-	4	8	2	-	4	2	4	6	8	3
FEMALE--	19	-	4	2	-	2	-	1	-	3	-	2

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 2,765
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 INVOLVING COLLISION WITH PEDESTRIAN (E814)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
COLORADO -----	3	3	3	2	1	3	7	2	1	-	-	-
WHITE-----MALE----	2	2	2	2	1	2	2	2	1	-	-	-
FEMALE--	1	-	1	-	-	1	5	-	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	3	3	3	1	3	3	5	3	-	-	-	-
WHITE-----MALE----	2	1	2	-	2	3	4	-	-	-	-	-
FEMALE--	-	1	1	1	1	-	1	3	-	-	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	1	2	1	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	1	-	1	-	2	-	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	1	-	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	35	21	23	34	29	30	26	18	6	1	-	5
WHITE-----MALE----	24	13	11	21	15	14	10	11	3	1	-	3
FEMALE--	7	2	6	5	8	14	12	4	3	-	-	-
ALL OTHER--MALE----	4	5	5	4	4	2	1	1	-	-	-	2
FEMALE--	-	1	1	4	2	-	3	2	-	-	-	-
BLACK---MALE----	4	4	5	3	4	2	1	1	-	-	-	2
FEMALE--	-	1	1	4	2	-	3	2	-	-	-	-
GEORGIA -----	6	10	10	7	5	3	2	2	2	-	-	-
WHITE-----MALE----	4	3	7	3	1	1	1	1	1	-	-	-
FEMALE--	-	1	1	-	1	1	-	-	1	-	-	-
ALL OTHER--MALE----	1	5	2	2	3	-	1	-	-	-	-	-
FEMALE--	1	1	-	2	-	1	-	1	-	-	-	-
BLACK---MALE----	1	5	2	2	3	-	1	-	-	-	-	-
FEMALE--	1	1	-	1	-	1	-	1	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 2,767
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
0 INVOLVING COLLISION WITH PEDESTRIAN (E814)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
KENTUCKY -----	53	-	3	7	3	4	5	1	5	4	1	3
WHITE-----MALE----	32	-	2	2	2	3	3	1	4	3	-	2
FEMALE--	12	-	1	2	-	1	1	-	1	1	-	-
ALL OTHER--MALE----	7	-	-	3	-	-	1	-	1	-	1	-
FEMALE--	2	-	-	-	1	-	-	-	-	-	-	1
BLACK---MALE----	7	-	-	3	-	-	1	-	1	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
LOUISIANA -----	122	-	5	8	7	3	14	7	13	13	13	7
WHITE-----MALE----	46	-	1	2	4	1	4	3	6	7	3	-
FEMALE--	24	-	2	1	1	-	2	1	1	2	2	3
ALL OTHER--MALE----	44	-	1	2	2	1	8	3	5	3	8	4
FEMALE--	8	-	1	3	-	1	-	-	1	1	-	-
BLACK---MALE----	43	-	1	2	2	1	8	3	5	2	8	4
FEMALE--	8	-	1	3	-	1	-	-	1	1	-	-
MAINE -----	18	-	-	1	1	2	1	-	2	2	1	1
WHITE-----MALE----	8	-	-	-	1	2	-	-	2	-	1	-
FEMALE--	10	-	-	1	-	-	1	-	-	2	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	125	1	1	4	5	6	10	10	10	13	11	15
WHITE-----MALE----	55	1	1	1	2	3	4	2	3	5	3	6
FEMALE--	15	-	-	-	1	2	3	1	1	1	2	-
ALL OTHER--MALE----	43	-	-	2	2	1	1	4	5	6	6	7
FEMALE--	12	-	-	1	-	-	2	3	1	1	-	2
BLACK---MALE----	40	-	-	2	2	1	1	4	5	6	6	7
FEMALE--	10	-	-	1	-	-	1	3	1	1	-	2
MASSACHUSETTS -----	84	-	1	2	2	7	5	3	6	2	6	5
WHITE-----MALE----	46	-	-	2	1	5	4	2	3	1	4	2
FEMALE--	30	-	1	-	1	2	1	1	1	1	2	1
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	1	-	-	1
FEMALE--	4	-	-	-	-	-	-	-	1	-	-	1
BLACK---MALE----	3	-	-	-	-	-	-	-	1	-	-	1
FEMALE--	2	-	-	-	-	-	-	-	1	-	-	-
MICHIGAN -----	209	-	7	10	7	16	7	8	22	18	17	21
WHITE-----MALE----	101	-	2	4	4	8	3	4	8	5	8	10
FEMALE--	43	-	1	1	3	4	1	3	7	2	4	2
ALL OTHER--MALE----	42	-	2	4	-	1	3	-	6	3	4	6
FEMALE--	23	-	2	1	-	3	-	1	1	8	1	3
BLACK---MALE----	37	-	1	4	-	1	3	-	5	3	4	4
FEMALE--	20	-	1	1	-	2	-	1	1	8	1	2

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 2,767
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 INVOLVING COLLISION WITH PEDESTRIAN (E814)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
KENTUCKY -----	1	3	4	2	2	3	1	-	1	-	-	-
WHITE-----MALE----	1	3	2	1	-	3	-	-	-	-	-	-
FEMALE--	-	-	2	1	1	-	1	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	6	5	3	2	7	4	5	-	-	-	-	-
WHITE-----MALE----	2	3	2	2	2	1	3	-	-	-	-	-
FEMALE--	1	1	-	-	3	2	2	-	-	-	-	-
ALL OTHER--MALE----	3	1	1	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	3	1	1	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
MAINE -----	-	-	-	-	1	4	2	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	4	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	8	4	5	3	4	3	5	5	2	-	-	-
WHITE-----MALE----	6	3	3	2	3	2	3	1	1	-	-	-
FEMALE--	-	-	1	-	-	1	1	-	1	-	-	-
ALL OTHER--MALE----	1	1	1	1	1	-	1	3	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	1	1	1	1	1	-	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS -----	2	1	4	8	6	11	4	7	2	-	-	-
WHITE-----MALE----	1	-	1	4	2	4	4	4	2	-	-	-
FEMALE--	-	-	1	4	4	7	-	3	-	-	-	-
ALL OTHER--MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	15	13	9	7	8	6	10	6	-	1	-	1
WHITE-----MALE----	7	6	8	5	3	5	5	5	-	1	-	-
FEMALE--	5	3	-	2	1	-	3	1	-	-	-	-
ALL OTHER--MALE----	2	3	1	-	3	1	2	-	-	-	-	1
FEMALE--	1	1	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	1	3	1	-	3	1	2	-	-	-	-	1
FEMALE--	1	1	-	-	1	-	-	-	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 2,770
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
0 INVOLVING COLLISION WITH PEDESTRIAN (E814)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
OHIO -----	131	1	3	10	4	6	6	12	6	8	11	12
WHITE-----MALE----	73	1	3	6	1	3	5	6	3	4	5	7
FEMALE--	37	-	-	-	2	3	-	3	1	2	4	2
ALL OTHER--MALE----	14	-	-	1	1	-	1	2	1	1	2	2
FEMALE--	7	-	-	3	-	-	-	1	1	1	-	1
BLACK---MALE----	12	-	-	1	1	-	1	2	-	1	1	2
FEMALE--	7	-	-	3	-	-	-	1	1	1	-	1
OKLAHOMA -----	76	-	3	2	7	6	8	3	6	9	5	2
WHITE-----MALE----	46	-	1	1	3	5	6	2	5	5	4	1
FEMALE--	17	-	-	1	4	1	1	1	-	-	1	1
ALL OTHER--MALE----	8	-	1	-	-	-	1	-	-	3	-	-
FEMALE--	5	-	1	-	-	-	-	-	1	1	-	-
BLACK---MALE----	4	-	1	-	-	-	-	-	-	3	-	-
FEMALE--	4	-	1	-	-	-	-	-	1	-	-	-
OREGON -----	56	-	-	2	2	7	2	5	4	5	5	2
WHITE-----MALE----	40	-	-	1	1	7	2	2	2	4	3	2
FEMALE--	12	-	-	1	1	-	-	2	1	-	1	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	1	1	1	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	1	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	231	-	9	12	12	6	9	10	14	11	20	19
WHITE-----MALE----	130	-	3	6	8	5	3	8	9	7	11	10
FEMALE--	65	-	1	4	2	-	1	2	3	3	4	6
ALL OTHER--MALE----	17	-	4	-	-	1	2	-	1	-	3	2
FEMALE--	19	-	1	2	2	-	3	-	1	1	2	1
BLACK---MALE----	14	-	4	-	-	1	1	-	-	-	3	2
FEMALE--	15	-	1	1	2	-	3	-	1	1	2	1
RHODE ISLAND -----	19	-	1	1	-	-	-	1	1	1	4	1
WHITE-----MALE----	10	-	1	1	-	-	-	-	-	1	2	1
FEMALE--	6	-	-	-	-	-	-	-	1	-	1	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	1	-	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	93	-	4	4	5	1	8	5	9	13	6	11
WHITE-----MALE----	23	-	1	-	3	-	4	-	1	2	2	1
FEMALE--	8	-	-	-	1	-	1	-	1	2	-	-
ALL OTHER--MALE----	45	-	2	3	1	1	2	4	6	4	3	8
FEMALE--	17	-	1	1	-	-	1	1	1	5	1	2
BLACK---MALE----	45	-	2	3	1	1	2	4	6	4	3	8
FEMALE--	17	-	1	1	-	-	1	1	1	5	1	2

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 2,770
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 INVOLVING COLLISION WITH PEDESTRIAN (E814)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
OHIO -----	8	12	2	9	5	6	6	1	2	1	-	-
WHITE-----MALE----	3	7	1	5	4	2	4	-	2	1	-	-
FEMALE--	5	4	1	2	1	4	2	1	-	-	-	-
ALL OTHER--MALE----	-	1	-	2	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	2	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA -----	5	5	3	1	5	2	1	3	-	-	-	-
WHITE-----MALE----	1	2	3	-	5	-	1	1	-	-	-	-
FEMALE--	3	1	-	1	-	1	-	1	-	-	-	-
ALL OTHER--MALE----	1	1	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	1	-	-	-	-
OREGON -----	3	3	1	4	-	1	3	4	2	-	-	1
WHITE-----MALE----	2	2	1	3	-	1	2	2	2	-	-	1
FEMALE--	1	1	-	1	-	-	1	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	11	12	13	9	17	16	15	10	6	-	-	-
WHITE-----MALE----	7	8	9	3	7	8	7	7	4	-	-	-
FEMALE--	3	3	4	4	6	6	8	3	2	-	-	-
ALL OTHER--MALE----	1	1	-	2	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	4	2	-	-	-	-	-	-
BLACK---MALE----	1	1	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	3	-	-	-	-	-	-	-
RHODE ISLAND -----	-	3	3	2	-	-	1	-	-	-	-	-
WHITE-----MALE----	-	-	2	1	-	-	1	-	-	-	-	-
FEMALE--	-	2	1	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	3	5	6	6	-	4	1	1	1	-	-	-
WHITE-----MALE----	-	2	2	3	-	1	-	-	1	-	-	-
FEMALE--	1	-	-	2	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	3	3	1	-	1	-	1	-	-	-	-
FEMALE--	-	-	1	-	-	2	1	-	-	-	-	-
BLACK---MALE----	2	3	3	1	-	1	-	1	-	-	-	-
FEMALE--	-	-	1	-	-	2	1	-	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 2,771
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
0 INVOLVING COLLISION WITH PEDESTRIAN (E814)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
SOUTH DAKOTA -----	11	-	-	-	-	3	2	-	-	-	-	-
WHITE-----MALE----	2	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	4	-	-	-	-	2	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	96	-	4	4	3	3	7	7	7	2	14	5
WHITE-----MALE----	50	-	-	2	3	1	4	5	3	2	7	3
FEMALE--	19	-	1	-	-	1	2	2	3	-	3	-
ALL OTHER--MALE----	19	-	2	-	-	1	1	-	-	-	3	2
FEMALE--	8	-	1	2	-	-	-	-	1	-	1	-
BLACK---MALE----	19	-	2	-	-	1	1	-	-	-	3	2
FEMALE--	7	-	1	2	-	-	-	-	1	-	1	-
TEXAS -----	465	1	21	30	19	33	36	28	38	51	40	36
WHITE-----MALE----	283	1	10	11	13	23	25	18	23	31	24	22
FEMALE--	120	-	8	13	2	5	7	4	10	12	10	10
ALL OTHER--MALE----	42	-	2	3	2	4	3	4	4	7	2	3
FEMALE--	20	-	1	3	2	1	1	2	1	1	4	1
BLACK---MALE----	37	-	1	3	2	3	2	3	4	7	2	3
FEMALE--	18	-	-	2	2	1	1	2	1	1	4	1
UTAH -----	38	-	4	2	4	1	5	1	3	1	5	2
WHITE-----MALE----	21	-	4	1	3	1	1	-	2	-	2	2
FEMALE--	11	-	-	1	1	-	1	-	1	1	3	-
ALL OTHER--MALE----	4	-	-	-	-	-	1	1	-	-	-	-
FEMALE--	2	-	-	-	-	-	2	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	9	-	-	-	-	-	1	1	-	1	1	-
WHITE-----MALE----	5	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	4	-	-	-	-	-	1	1	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	110	-	6	8	4	5	9	3	7	11	6	9
WHITE-----MALE----	51	-	3	3	2	1	7	1	3	5	3	5
FEMALE--	21	-	2	1	2	1	1	1	-	1	1	-
ALL OTHER--MALE----	27	-	1	2	-	1	-	1	3	4	1	3
FEMALE--	11	-	-	2	-	2	1	-	1	1	1	1
BLACK---MALE----	26	-	1	2	-	1	-	1	3	3	1	3
FEMALE--	10	-	-	2	-	2	1	-	1	1	1	1

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 2,771
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 INVOLVING COLLISION WITH PEDESTRIAN (E814)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
SOUTH DAKOTA -----	2	-	1	-	2	1	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	1	1	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	6	5	4	6	6	2	5	4	1	-	-	1
WHITE-----MALE----	4	1	3	2	2	-	4	3	1	-	-	-
FEMALE--	-	1	-	-	3	1	-	1	-	-	-	1
ALL OTHER--MALE----	1	3	1	3	-	1	1	-	-	-	-	-
FEMALE--	1	-	-	1	1	-	-	-	-	-	-	-
BLACK---MALE----	1	3	1	3	-	1	1	-	-	-	-	-
FEMALE--	1	-	-	1	-	-	-	-	-	-	-	-
TEXAS -----	32	20	11	9	15	16	15	8	1	-	-	5
WHITE-----MALE----	25	11	7	4	10	11	8	3	1	-	-	2
FEMALE--	6	7	4	2	5	3	7	3	-	-	-	2
ALL OTHER--MALE----	1	2	-	-	-	2	-	2	-	-	-	1
FEMALE--	-	-	-	3	-	-	-	-	-	-	-	-
BLACK---MALE----	1	2	-	-	-	2	-	2	-	-	-	-
FEMALE--	-	-	-	3	-	-	-	-	-	-	-	-
UTAH -----	2	2	2	-	2	-	1	1	-	-	-	-
WHITE-----MALE----	-	2	1	-	1	-	1	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	1	-	-	-	-
ALL OTHER--MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	2	-	2	-	-	-	-	1	-	-	-
WHITE-----MALE----	-	2	-	1	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	8	7	3	5	8	4	4	2	1	-	-	-
WHITE-----MALE----	4	4	1	1	4	-	3	1	-	-	-	-
FEMALE--	1	2	-	2	2	3	-	-	1	-	-	-
ALL OTHER--MALE----	2	1	2	2	2	-	1	1	-	-	-	-
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	2	1	2	2	2	-	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 2,773
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 INVOLVING COLLISION WITH OTHER VEHICLE OR OBJECT (E813,E815)												
0 UNITED STATES --	6,461	10	46	118	198	1,056	1,025	747	606	600	447	343
WHITE-----MALE----	4,055	3	19	54	105	665	690	503	382	393	301	217
FEMALE--	1,358	4	17	29	52	220	147	119	118	105	87	75
ALL OTHER--MALE----	799	-	6	23	30	132	148	105	81	70	45	42
FEMALE--	249	3	4	12	11	39	40	20	25	32	14	9
BLACK---MALE----	651	-	6	18	24	106	118	86	67	54	37	35
FEMALE--	190	3	3	9	8	34	28	15	18	24	9	8
ALABAMA -----	97	-	-	-	2	16	25	11	7	10	9	5
WHITE-----MALE----	50	-	-	-	-	8	11	4	4	8	5	2
FEMALE--	26	-	-	-	-	6	7	5	2	2	3	1
ALL OTHER--MALE----	18	-	-	-	2	2	6	2	1	-	1	1
FEMALE--	3	-	-	-	-	-	1	-	-	-	-	1
BLACK---MALE----	18	-	-	-	2	2	6	2	1	-	1	1
FEMALE--	3	-	-	-	-	-	1	-	-	-	-	1
ALASKA -----	2	-	-	1	-	-	-	1	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	73	-	-	4	5	11	12	8	2	9	3	5
WHITE-----MALE----	52	-	-	1	3	8	7	7	2	7	3	4
FEMALE--	6	-	-	1	-	-	2	-	-	1	-	-
ALL OTHER--MALE----	12	-	-	2	1	3	3	1	-	1	-	1
FEMALE--	3	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	2	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	69	-	2	1	2	5	8	8	12	7	5	5
WHITE-----MALE----	43	-	-	-	2	4	6	4	9	4	4	5
FEMALE--	15	-	-	-	-	1	1	2	2	1	1	-
ALL OTHER--MALE----	11	-	2	1	-	-	1	2	1	2	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	11	-	2	1	-	-	1	2	1	2	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	766	1	1	9	28	116	108	84	67	78	59	43
WHITE-----MALE----	481	-	1	3	15	74	68	52	44	55	40	29
FEMALE--	149	1	-	3	4	22	16	15	13	11	10	8
ALL OTHER--MALE----	104	-	-	-	7	15	19	14	7	7	8	6
FEMALE--	32	-	-	3	2	5	5	3	3	5	1	-
BLACK---MALE----	55	-	-	-	2	8	8	10	4	3	5	4
FEMALE--	13	-	-	1	1	2	4	-	2	1	1	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 2,774
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
0 INVOLVING COLLISION WITH OTHER VEHICLE OR OBJECT (E813,E815)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
COLORADO -----	47	-	1	-	3	6	11	3	5	4	1	4
WHITE-----MALE----	35	-	-	-	3	5	10	1	5	4	-	1
FEMALE--	12	-	1	-	-	1	1	2	-	-	1	3
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	78	-	3	-	1	9	16	8	7	7	6	8
WHITE-----MALE----	48	-	-	-	1	3	9	5	6	6	4	6
FEMALE--	17	-	2	-	-	4	2	-	-	-	2	2
ALL OTHER--MALE----	10	-	1	-	-	2	4	3	-	-	-	-
FEMALE--	3	-	-	-	-	-	1	-	1	1	-	-
BLACK---MALE----	9	-	1	-	-	1	4	3	-	-	-	-
FEMALE--	3	-	-	-	-	-	1	-	1	1	-	-
DELAWARE -----	18	-	-	-	-	1	5	1	3	1	2	1
WHITE-----MALE----	9	-	-	-	-	-	4	-	2	1	-	1
FEMALE--	4	-	-	-	-	-	1	-	1	-	-	-
ALL OTHER--MALE----	4	-	-	-	-	1	-	1	-	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	4	-	-	-	-	1	-	1	-	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
DISTRICT OF COLUMBIA ----	3	-	-	-	-	1	1	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-
FLORIDA -----	475	1	4	6	16	64	68	47	59	57	39	27
WHITE-----MALE----	311	-	3	2	6	40	50	35	38	41	28	17
FEMALE--	94	-	1	2	4	13	10	4	12	9	7	6
ALL OTHER--MALE----	55	-	-	-	4	9	7	7	8	6	2	4
FEMALE--	15	1	-	2	2	2	1	1	1	1	2	-
BLACK---MALE----	53	-	-	-	4	9	7	6	8	5	2	4
FEMALE--	12	1	-	2	1	2	-	1	-	1	2	-
GEORGIA -----	138	-	-	3	7	42	17	17	14	12	6	7
WHITE-----MALE----	75	-	-	1	3	24	11	11	8	4	3	2
FEMALE--	23	-	-	1	3	7	-	5	-	2	1	2
ALL OTHER--MALE----	32	-	-	-	1	7	5	1	6	4	2	3
FEMALE--	8	-	-	1	-	4	1	-	-	2	-	-
BLACK---MALE----	31	-	-	-	1	7	5	1	6	3	2	3
FEMALE--	8	-	-	1	-	4	1	-	-	2	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 2,776
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
 CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
 0 INVOLVING COLLISION WITH OTHER VEHICLE OR OBJECT (E813,E815)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
KENTUCKY -----	229	1	2	5	2	42	41	29	17	18	18	13
WHITE-----MALE----	161	1	1	5	-	28	32	19	10	14	12	9
FEMALE--	59	-	1	-	2	14	7	7	4	4	5	4
ALL OTHER--MALE----	7	-	-	-	-	-	2	1	3	-	1	-
FEMALE--	2	-	-	-	-	-	-	2	-	-	-	-
BLACK---MALE----	7	-	-	-	-	-	2	1	3	-	1	-
FEMALE--	2	-	-	-	-	-	-	2	-	-	-	-
LOUISIANA -----	48	-	2	2	2	8	5	6	2	6	-	3
WHITE-----MALE----	28	-	-	2	1	7	2	4	1	5	-	-
FEMALE--	7	-	1	-	-	-	2	-	-	1	-	1
ALL OTHER--MALE----	10	-	-	-	1	1	-	1	1	-	-	2
FEMALE--	3	-	1	-	-	-	1	1	-	-	-	-
BLACK---MALE----	10	-	-	-	1	1	-	1	1	-	-	2
FEMALE--	3	-	1	-	-	-	1	1	-	-	-	-
MAINE -----	21	-	-	1	1	4	3	1	2	3	1	2
WHITE-----MALE----	17	-	-	1	1	2	3	1	2	1	1	2
FEMALE--	4	-	-	-	-	2	-	-	-	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	72	-	2	2	2	6	13	9	11	5	3	3
WHITE-----MALE----	35	-	1	-	1	2	7	5	7	1	1	2
FEMALE--	9	-	-	-	-	1	1	-	1	1	-	-
ALL OTHER--MALE----	23	-	-	2	1	2	4	4	2	3	2	1
FEMALE--	5	-	1	-	-	1	1	-	1	-	-	-
BLACK---MALE----	22	-	-	2	1	2	3	4	2	3	2	1
FEMALE--	4	-	1	-	-	1	-	-	1	-	-	-
MASSACHUSETTS -----	118	-	1	-	2	15	23	12	10	5	4	8
WHITE-----MALE----	83	-	-	-	1	12	19	9	10	3	3	6
FEMALE--	26	-	1	-	1	1	2	2	-	1	-	2
ALL OTHER--MALE----	5	-	-	-	-	1	2	-	-	-	1	-
FEMALE--	4	-	-	-	-	1	-	1	-	1	-	-
BLACK---MALE----	4	-	-	-	-	1	2	-	-	-	-	-
FEMALE--	2	-	-	-	-	1	-	-	-	-	-	-
MICHIGAN -----	193	-	1	3	9	37	22	20	18	20	10	12
WHITE-----MALE----	118	-	1	2	5	23	16	13	11	12	6	6
FEMALE--	48	-	-	-	2	10	4	4	4	2	3	5
ALL OTHER--MALE----	21	-	-	1	1	4	2	3	2	4	1	1
FEMALE--	6	-	-	-	1	-	-	-	1	2	-	-
BLACK---MALE----	20	-	-	1	1	4	2	2	2	4	1	1
FEMALE--	4	-	-	-	1	-	-	-	1	2	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 2,779
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
0 INVOLVING COLLISION WITH OTHER VEHICLE OR OBJECT (E813,E815)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
OHIO -----	180	-	-	3	4	40	30	19	18	17	11	9
WHITE-----MALE----	119	-	-	1	3	26	21	15	15	9	8	6
FEMALE--	36	-	-	1	1	9	3	3	1	6	1	1
ALL OTHER--MALE----	17	-	-	-	-	3	5	1	2	1	1	2
FEMALE--	8	-	-	1	-	2	1	-	-	1	1	-
BLACK---MALE----	17	-	-	-	-	3	5	1	2	1	1	2
FEMALE--	8	-	-	1	-	2	1	-	-	1	1	-
OKLAHOMA -----	103	1	2	2	-	22	15	10	6	11	3	7
WHITE-----MALE----	64	-	1	1	-	16	11	8	2	5	3	3
FEMALE--	27	1	-	1	-	4	3	2	3	4	-	2
ALL OTHER--MALE----	8	-	1	-	-	2	1	-	-	1	-	1
FEMALE--	4	-	-	-	-	-	-	-	1	1	-	1
BLACK---MALE----	5	-	1	-	-	2	-	-	-	1	-	-
FEMALE--	2	-	-	-	-	-	-	-	1	1	-	-
OREGON -----	70	-	-	1	4	16	8	5	4	7	7	5
WHITE-----MALE----	46	-	-	1	2	13	7	4	3	5	3	3
FEMALE--	21	-	-	-	2	2	1	1	-	2	3	2
ALL OTHER--MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	1	-	1	-
BLACK---MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	284	-	-	7	14	50	39	33	20	14	19	15
WHITE-----MALE----	183	-	-	3	9	30	27	27	13	9	14	9
FEMALE--	70	-	-	3	4	9	7	2	4	5	5	5
ALL OTHER--MALE----	22	-	-	1	1	6	5	3	3	-	-	-
FEMALE--	9	-	-	-	-	5	-	1	-	-	-	1
BLACK---MALE----	17	-	-	1	1	6	3	1	2	-	-	-
FEMALE--	9	-	-	-	-	5	-	1	-	-	-	1
RHODE ISLAND -----	21	-	-	1	-	2	6	2	2	-	1	-
WHITE-----MALE----	15	-	-	1	-	2	5	2	1	-	1	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	1	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	172	-	2	3	3	30	25	22	19	22	12	11
WHITE-----MALE----	89	-	2	1	2	14	12	10	10	15	9	5
FEMALE--	26	-	-	-	-	8	2	2	2	3	2	2
ALL OTHER--MALE----	46	-	-	2	1	7	9	8	4	3	1	4
FEMALE--	11	-	-	-	-	1	2	2	3	1	-	-
BLACK---MALE----	46	-	-	2	1	7	9	8	4	3	1	4
FEMALE--	11	-	-	-	-	1	2	2	3	1	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 2,779
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 INVOLVING COLLISION WITH OTHER VEHICLE OR OBJECT (E813,E815)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
OHIO -----	5	2	3	4	2	5	7	1	-	-	-	-
WHITE-----MALE----	4	1	1	3	1	2	2	1	-	-	-	-
FEMALE--	-	1	1	1	1	2	4	-	-	-	-	-
ALL OTHER--MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	-	-	-	-
BLACK---MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	-	-	-	-
OKLAHOMA -----	6	5	5	1	2	2	-	2	-	-	-	1
WHITE-----MALE----	4	2	5	-	1	-	-	1	-	-	-	1
FEMALE--	1	3	-	1	-	1	-	1	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	2	-	2	-	4	3	1	1	-	-	-	-
WHITE-----MALE----	2	-	-	-	1	1	1	-	-	-	-	-
FEMALE--	-	-	2	-	3	2	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	12	8	8	8	13	14	8	2	-	-	-	-
WHITE-----MALE----	8	4	4	6	10	7	3	-	-	-	-	-
FEMALE--	4	3	3	1	3	6	4	2	-	-	-	-
ALL OTHER--MALE----	-	-	1	1	-	-	1	-	-	-	-	-
FEMALE--	-	1	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	1	1	-	-	1	-	-	-	-	-
FEMALE--	-	1	-	-	-	1	-	-	-	-	-	-
RHODE ISLAND -----	-	-	1	2	1	1	1	1	-	-	-	-
WHITE-----MALE----	-	-	-	1	-	1	1	-	-	-	-	-
FEMALE--	-	-	1	1	1	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	6	-	4	5	3	1	4	-	-	-	-	-
WHITE-----MALE----	2	-	1	3	2	-	1	-	-	-	-	-
FEMALE--	2	-	-	1	-	1	1	-	-	-	-	-
ALL OTHER--MALE----	2	-	3	-	-	-	2	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	-	-	-	-	-	-
BLACK---MALE----	2	-	3	-	-	-	2	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	-	-	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 2,780
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
0 INVOLVING COLLISION WITH OTHER VEHICLE OR OBJECT (E813,E815)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
SOUTH DAKOTA -----	21	-	-	-	1	6	2	5	3	-	1	1
WHITE-----MALE----	11	-	-	-	-	4	1	2	2	-	-	-
FEMALE--	7	-	-	-	1	2	1	2	-	-	1	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	1	1	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	287	1	2	1	7	46	56	34	27	28	18	12
WHITE-----MALE----	182	-	1	1	2	29	39	20	20	17	10	7
FEMALE--	64	-	1	-	4	7	12	9	6	6	5	1
ALL OTHER--MALE----	21	-	-	-	-	6	2	3	1	2	1	3
FEMALE--	20	1	-	-	1	4	3	2	-	3	2	1
BLACK---MALE----	19	-	-	-	-	6	2	2	1	2	1	2
FEMALE--	20	1	-	-	1	4	3	2	-	3	2	1
TEXAS -----	778	3	6	13	21	132	136	99	74	81	59	37
WHITE-----MALE----	495	-	1	8	9	84	86	72	43	56	44	26
FEMALE--	163	2	5	4	7	27	23	13	21	15	10	6
ALL OTHER--MALE----	81	-	-	-	3	14	15	12	5	9	4	2
FEMALE--	39	1	-	1	2	7	12	2	5	1	1	3
BLACK---MALE----	71	-	-	-	3	10	14	9	5	7	4	2
FEMALE--	32	1	-	1	2	5	10	2	3	1	-	3
UTAH -----	27	-	-	2	1	6	7	4	1	2	-	-
WHITE-----MALE----	20	-	-	1	1	3	6	3	1	2	-	-
FEMALE--	6	-	-	1	-	3	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	15	-	1	-	1	4	4	-	2	2	-	-
WHITE-----MALE----	10	-	-	-	-	2	4	-	1	2	-	-
FEMALE--	5	-	1	-	1	2	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	118	-	1	1	2	18	12	18	11	11	8	6
WHITE-----MALE----	64	-	1	-	2	7	8	11	4	6	3	5
FEMALE--	20	-	-	-	-	3	2	1	-	1	3	-
ALL OTHER--MALE----	29	-	-	1	-	7	2	6	4	3	2	1
FEMALE--	5	-	-	-	-	1	-	-	3	1	-	-
BLACK---MALE----	28	-	-	1	-	6	2	6	4	3	2	1
FEMALE--	5	-	-	-	-	1	-	-	3	1	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 2,782
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 NOT INVOLVING COLLISION ON HIGHWAY (E816-E818)												
0 UNITED STATES --	7,696	44	78	88	166	1,332	1,221	847	782	735	614	434
WHITE-----MALE----	4,577	18	33	37	83	775	809	529	459	413	364	269
FEMALE--	1,861	12	22	28	49	383	199	166	176	190	149	98
ALL OTHER--MALE----	907	10	12	13	20	127	162	120	101	101	70	40
FEMALE--	351	4	11	10	14	47	51	32	46	31	31	27
BLACK---MALE----	648	8	7	7	16	92	104	76	71	71	50	32
FEMALE--	218	3	9	9	9	26	36	21	26	20	17	16
ALABAMA -----	267	2	2	3	3	43	40	25	28	26	21	22
WHITE-----MALE----	163	1	-	2	2	22	26	19	15	12	12	16
FEMALE--	48	1	-	1	-	13	3	2	9	8	5	2
ALL OTHER--MALE----	44	-	1	-	1	8	6	3	3	5	2	4
FEMALE--	12	-	1	-	-	-	5	1	1	1	2	-
BLACK---MALE----	43	-	1	-	1	8	6	3	3	4	2	4
FEMALE--	12	-	1	-	-	-	5	1	1	1	2	-
ALASKA -----	15	-	1	-	-	-	2	2	-	1	4	-
WHITE-----MALE----	5	-	-	-	-	-	-	-	-	1	2	-
FEMALE--	2	-	-	-	-	-	1	1	-	-	-	-
ALL OTHER--MALE----	6	-	1	-	-	-	1	1	-	-	1	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	224	1	3	4	9	34	33	20	23	26	21	16
WHITE-----MALE----	106	-	2	1	3	17	11	10	8	14	9	12
FEMALE--	51	-	-	1	2	6	8	3	6	5	6	1
ALL OTHER--MALE----	39	-	-	1	1	6	11	2	8	5	2	1
FEMALE--	28	1	1	1	3	5	3	5	1	2	4	2
BLACK---MALE----	2	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	146	1	-	4	3	30	20	17	10	16	11	11
WHITE-----MALE----	89	-	-	2	1	19	11	10	6	8	7	8
FEMALE--	39	1	-	1	2	9	6	4	3	3	3	2
ALL OTHER--MALE----	12	-	-	-	-	2	1	2	1	4	-	1
FEMALE--	6	-	-	1	-	-	2	1	-	1	1	-
BLACK---MALE----	12	-	-	-	-	2	1	2	1	4	-	1
FEMALE--	6	-	-	1	-	-	2	1	-	1	1	-
CALIFORNIA -----	787	5	6	11	14	97	103	97	79	80	74	59
WHITE-----MALE----	451	1	2	2	8	59	63	61	46	49	43	37
FEMALE--	197	2	2	4	5	23	22	20	10	19	19	12
ALL OTHER--MALE----	92	1	-	4	1	10	13	14	14	9	7	6
FEMALE--	47	1	2	1	-	5	5	2	9	3	5	4
BLACK---MALE----	38	-	-	-	-	3	4	4	6	6	2	4
FEMALE--	15	1	1	1	-	1	4	1	3	1	1	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 2,782
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 0 NOT INVOLVING COLLISION ON HIGHWAY (E816-E818)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 UNITED STATES --	324	233	190	161	160	137	90	43	10	5	-	2
WHITE-----MALE----	201	152	114	87	82	81	48	18	4	-	-	1
FEMALE--	74	55	46	50	57	43	35	22	5	2	-	-
ALL OTHER--MALE----	41	20	21	18	12	11	3	3	1	1	-	-
FEMALE--	8	6	9	6	9	2	4	-	-	2	-	1
BLACK---MALE----	36	18	18	17	8	9	3	3	1	1	-	-
FEMALE--	5	4	2	3	5	2	3	-	-	1	-	1
ALABAMA -----	14	14	9	4	4	2	3	2	-	-	-	-
WHITE-----MALE----	10	11	5	3	3	2	1	1	-	-	-	-
FEMALE--	1	-	2	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	3	2	1	-	-	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	3	3	2	1	-	-	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALASKA -----	2	-	1	-	-	1	1	-	-	-	-	-
WHITE-----MALE----	-	-	1	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	5	8	5	3	7	3	2	1	-	-	-	-
WHITE-----MALE----	3	5	3	2	4	2	-	-	-	-	-	-
FEMALE--	2	2	2	-	3	1	2	1	-	-	-	-
ALL OTHER--MALE----	-	1	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	5	6	2	1	3	3	2	1	-	-	-	-
WHITE-----MALE----	4	5	2	1	2	2	1	-	-	-	-	-
FEMALE--	1	1	-	-	1	1	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	28	27	29	16	28	19	8	7	-	-	-	-
WHITE-----MALE----	14	15	15	7	10	11	4	4	-	-	-	-
FEMALE--	11	9	7	6	13	6	4	3	-	-	-	-
ALL OTHER--MALE----	3	2	3	2	2	1	-	-	-	-	-	-
FEMALE--	-	1	4	1	3	1	-	-	-	-	-	-
BLACK---MALE----	3	1	2	2	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 2,783
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
0 NOT INVOLVING COLLISION ON HIGHWAY (E816-E818)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
COLORADO -----	192	2	1	2	2	38	34	20	18	20	20	8
WHITE-----MALE----	113	-	-	1	2	20	21	12	11	14	12	4
FEMALE--	70	2	-	1	-	16	9	7	6	6	8	4
ALL OTHER--MALE----	6	-	1	-	-	1	4	-	-	-	-	-
FEMALE--	3	-	-	-	-	1	-	1	1	-	-	-
BLACK---MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	2	-	-	-	-	1	-	1	-	-	-	-
CONNECTICUT -----	34	-	-	-	2	6	3	2	3	3	4	3
WHITE-----MALE----	20	-	-	-	2	2	3	-	2	1	3	3
FEMALE--	11	-	-	-	-	4	-	1	1	2	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	1	-	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	11	-	-	-	1	-	1	4	1	-	1	-
WHITE-----MALE----	7	-	-	-	-	-	1	3	1	-	1	-
FEMALE--	3	-	-	-	1	-	-	1	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	5	-	-	1	-	-	-	1	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	1	-	-	-	1	1	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	1	-	-	-	1	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	350	3	3	5	9	52	52	42	31	37	32	17
WHITE-----MALE----	206	-	-	3	4	36	34	23	14	21	22	11
FEMALE--	80	1	-	-	3	8	11	10	8	11	6	3
ALL OTHER--MALE----	50	2	2	1	1	7	6	6	7	4	4	3
FEMALE--	14	-	1	1	1	1	1	3	2	1	-	-
BLACK---MALE----	42	2	2	1	1	7	4	4	4	4	3	3
FEMALE--	14	-	1	1	1	1	1	3	2	1	-	-
GEORGIA -----	255	2	2	5	5	49	35	31	23	26	14	12
WHITE-----MALE----	127	1	1	3	3	23	17	15	13	16	7	4
FEMALE--	53	-	-	-	-	16	6	9	3	2	3	3
ALL OTHER--MALE----	46	-	-	-	2	6	8	5	5	4	3	2
FEMALE--	29	1	1	2	-	4	4	2	2	4	1	3
BLACK---MALE----	45	-	-	-	2	6	8	4	5	4	3	2
FEMALE--	27	1	1	2	-	4	4	2	2	4	1	2

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 2,783
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 NOT INVOLVING COLLISION ON HIGHWAY (E816-E818)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
COLORADO -----	5	4	2	2	5	3	1	3	2	-	-	-
WHITE-----MALE----	3	3	1	2	3	2	1	1	-	-	-	-
FEMALE--	2	1	1	-	2	1	-	2	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	1	-	3	2	1	-	1	-	-	-	-	-
WHITE-----MALE----	-	-	2	1	1	-	-	-	-	-	-	-
FEMALE--	1	-	1	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	1	-	1	-	-	-	1	-	-	-	-
WHITE-----MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	-	-	-	1	-	1	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
FLORIDA -----	17	13	11	6	4	7	5	1	-	1	-	2
WHITE-----MALE----	12	8	7	2	3	2	3	-	-	-	-	1
FEMALE--	2	4	3	2	1	4	2	1	-	4	-	-
ALL OTHER--MALE----	3	1	1	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	1	-	1
BLACK---MALE----	3	1	1	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	1	-	1
GEORGIA -----	16	5	11	7	4	6	1	1	-	-	-	-
WHITE-----MALE----	7	2	7	3	2	3	-	-	-	-	-	-
FEMALE--	3	-	1	3	2	1	-	1	-	-	-	-
ALL OTHER--MALE----	5	2	2	-	-	2	-	-	-	-	-	-
FEMALE--	1	1	1	1	-	-	1	-	-	-	-	-
BLACK---MALE----	5	2	2	-	-	2	-	-	-	-	-	-
FEMALE--	1	1	-	1	-	-	1	-	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 2,784
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
0 NOT INVOLVING COLLISION ON HIGHWAY (E816-E818)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
HAWAII -----	18	-	-	-	1	3	2	1	1	2	5	-
WHITE-----MALE----	6	-	-	-	-	-	2	-	1	-	2	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	10	-	-	-	-	3	-	1	-	2	3	-
FEMALE--	2	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	104	1	1	-	-	19	13	8	12	12	10	3
WHITE-----MALE----	64	-	1	-	-	10	8	6	6	6	8	3
FEMALE--	35	1	-	-	-	7	5	1	6	5	2	-
ALL OTHER--MALE----	3	-	-	-	-	1	-	1	-	1	-	-
FEMALE--	2	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	182	2	1	3	4	31	30	26	16	17	13	8
WHITE-----MALE----	120	-	-	2	1	18	21	18	11	12	8	7
FEMALE--	42	1	-	-	2	12	5	6	4	3	3	1
ALL OTHER--MALE----	13	1	-	1	-	-	3	1	-	1	2	-
FEMALE--	7	-	1	-	1	1	1	1	1	1	-	-
BLACK---MALE----	11	1	-	1	-	-	2	-	-	1	2	-
FEMALE--	6	-	1	-	1	1	1	1	1	-	-	-
INDIANA -----	89	1	1	1	1	20	18	6	9	3	10	2
WHITE-----MALE----	59	1	1	-	-	14	15	4	5	1	6	1
FEMALE--	25	-	-	1	-	6	3	1	4	1	3	1
ALL OTHER--MALE----	5	-	-	-	1	-	-	1	-	1	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	-	1	-	-	1	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IOWA -----	95	-	-	-	-	18	18	9	11	13	5	7
WHITE-----MALE----	69	-	-	-	-	10	15	9	9	8	4	3
FEMALE--	23	-	-	-	-	8	2	-	2	5	1	3
ALL OTHER--MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	1
KANSAS -----	117	-	-	1	7	27	22	11	7	9	9	6
WHITE-----MALE----	69	-	-	-	2	18	15	8	3	2	5	4
FEMALE--	35	-	-	1	4	7	3	1	4	6	4	2
ALL OTHER--MALE----	6	-	-	-	-	1	3	1	-	-	-	-
FEMALE--	7	-	-	-	1	1	1	1	-	1	-	-
BLACK---MALE----	4	-	-	-	-	1	3	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	1	1	-	1	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 2,785
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 NOT INVOLVING COLLISION ON HIGHWAY (E816-E818)												
KENTUCKY -----	73	-	1	1	-	18	10	9	3	5	1	5
WHITE-----MALE----	54	-	1	1	-	11	10	6	1	3	1	4
FEMALE--	15	-	-	-	-	7	-	2	1	1	-	1
ALL OTHER--MALE----	4	-	-	-	-	-	-	1	1	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	-	-	-	-	1	1	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	107	1	3	2	3	18	11	13	11	15	8	7
WHITE-----MALE----	59	1	1	1	2	8	9	8	6	6	5	4
FEMALE--	19	-	1	-	-	5	-	3	1	2	1	2
ALL OTHER--MALE----	24	-	-	1	1	5	1	2	4	4	2	1
FEMALE--	5	-	1	-	-	-	1	-	-	3	-	-
BLACK---MALE----	23	-	-	1	1	5	1	2	4	3	2	1
FEMALE--	5	-	1	-	-	-	1	-	-	3	-	-
MAINE -----	51	-	-	1	1	12	9	6	7	2	4	3
WHITE-----MALE----	36	-	-	-	-	7	7	6	5	1	4	3
FEMALE--	15	-	-	1	1	5	2	-	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	48	-	-	1	1	9	14	6	2	4	2	2
WHITE-----MALE----	28	-	-	-	-	5	9	3	1	2	2	1
FEMALE--	7	-	-	-	1	2	-	2	1	1	-	-
ALL OTHER--MALE----	9	-	-	1	-	2	4	1	-	-	-	-
FEMALE--	4	-	-	-	-	-	1	-	-	1	-	1
BLACK---MALE----	9	-	-	1	-	2	4	1	-	-	-	-
FEMALE--	4	-	-	-	-	-	1	-	-	1	-	1
MASSACHUSETTS -----	26	-	-	-	-	4	4	5	3	3	2	2
WHITE-----MALE----	22	-	-	-	-	2	3	4	3	3	2	2
FEMALE--	2	-	-	-	-	1	1	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-
MICHIGAN -----	194	1	4	-	3	38	34	18	23	20	16	3
WHITE-----MALE----	110	1	3	-	2	22	20	13	13	9	6	2
FEMALE--	54	-	1	-	-	10	9	1	6	7	7	-
ALL OTHER--MALE----	26	-	-	-	-	4	4	4	4	4	3	1
FEMALE--	4	-	-	-	1	2	1	-	-	-	-	-
BLACK---MALE----	22	-	-	-	-	4	3	3	4	2	3	1
FEMALE--	2	-	-	-	1	1	-	-	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 2,786
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
0 NOT INVOLVING COLLISION ON HIGHWAY (E816-E818)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
MINNESOTA -----	123	-	-	1	4	28	23	12	15	9	10	5
WHITE-----MALE----	72	-	-	1	2	11	17	9	10	3	6	5
FEMALE--	40	-	-	-	1	16	4	2	4	2	4	-
ALL OTHER--MALE----	7	-	-	-	1	-	2	-	-	3	-	-
FEMALE--	4	-	-	-	-	1	-	1	1	1	-	-
BLACK---MALE----	4	-	-	-	1	-	1	-	-	1	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
MISSISSIPPI -----	300	4	1	2	4	52	57	33	33	24	20	19
WHITE-----MALE----	123	-	-	-	-	23	29	18	11	8	6	6
FEMALE--	58	1	-	1	1	12	5	5	7	6	3	3
ALL OTHER--MALE----	96	3	1	-	2	17	20	10	12	9	8	4
FEMALE--	23	-	-	1	1	-	3	-	3	1	3	6
BLACK---MALE----	95	3	1	-	2	17	20	9	12	9	8	4
FEMALE--	23	-	-	1	1	-	3	-	3	1	3	6
MISSOURI -----	226	-	4	4	7	51	32	23	27	17	17	14
WHITE-----MALE----	140	-	2	2	4	33	21	16	17	8	10	12
FEMALE--	63	-	-	2	2	16	8	5	3	6	6	2
ALL OTHER--MALE----	16	-	1	-	1	2	1	1	7	2	-	-
FEMALE--	7	-	1	-	-	-	2	1	-	1	1	-
BLACK---MALE----	13	-	-	-	1	1	1	1	6	2	-	-
FEMALE--	6	-	1	-	-	-	2	1	-	1	1	-
MONTANA -----	86	-	3	1	3	6	12	7	7	7	11	8
WHITE-----MALE----	47	-	2	-	2	6	8	2	4	3	5	4
FEMALE--	22	-	1	1	-	-	1	2	-	3	4	3
ALL OTHER--MALE----	14	-	-	-	1	-	3	1	2	1	2	1
FEMALE--	3	-	-	-	-	-	-	2	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	62	1	-	-	2	8	7	9	7	2	7	5
WHITE-----MALE----	45	1	-	-	1	5	6	7	3	-	7	5
FEMALE--	16	-	-	-	1	3	1	2	4	2	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA -----	99	1	1	1	2	17	10	8	8	15	6	11
WHITE-----MALE----	52	1	-	-	1	7	6	4	6	9	4	5
FEMALE--	41	-	1	1	-	8	4	4	2	3	2	6
ALL OTHER--MALE----	4	-	-	-	1	2	-	-	-	1	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	2	-	-
BLACK---MALE----	2	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 2,788
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 NOT INVOLVING COLLISION ON HIGHWAY (E816-E818)												
OHIO -----	135	-	-	-	1	19	31	24	10	12	5	10
WHITE-----MALE----	88	-	-	-	1	12	24	11	9	9	4	7
FEMALE--	38	-	-	-	-	6	4	10	1	3	-	3
ALL OTHER--MALE----	6	-	-	-	-	-	2	3	-	-	-	-
FEMALE--	3	-	-	-	-	1	1	-	-	-	1	-
BLACK---MALE----	6	-	-	-	-	-	2	3	-	-	-	-
FEMALE--	3	-	-	-	-	1	1	-	-	-	-	-
OKLAHOMA -----	193	1	3	1	4	35	25	21	19	22	18	10
WHITE-----MALE----	103	1	-	1	1	15	13	15	10	10	11	6
FEMALE--	59	-	2	-	3	12	4	4	6	8	4	3
ALL OTHER--MALE----	20	-	1	-	-	6	4	2	1	3	2	-
FEMALE--	11	-	-	-	-	2	4	-	2	1	1	1
BLACK---MALE----	8	-	-	-	-	4	-	-	1	1	1	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
OREGON -----	155	1	3	2	4	24	25	16	14	9	13	7
WHITE-----MALE----	105	1	-	2	3	16	18	11	12	6	11	5
FEMALE--	40	-	3	-	1	8	5	3	1	3	1	1
ALL OTHER--MALE----	5	-	-	-	-	-	-	1	-	-	-	1
FEMALE--	5	-	-	-	-	-	2	1	1	-	1	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	187	2	4	-	1	25	41	29	17	12	13	8
WHITE-----MALE----	130	1	4	-	1	15	37	19	8	11	8	2
FEMALE--	36	-	-	-	-	8	3	6	6	1	3	3
ALL OTHER--MALE----	15	1	-	-	-	1	1	4	3	-	1	-
FEMALE--	6	-	-	-	-	1	-	-	-	-	1	3
BLACK---MALE----	12	1	-	-	-	1	1	1	3	-	1	-
FEMALE--	5	-	-	-	-	1	-	-	-	-	1	2
RHODE ISLAND -----	10	-	-	-	-	2	-	1	2	1	1	-
WHITE-----MALE----	5	-	-	-	-	2	-	1	-	-	1	-
FEMALE--	5	-	-	-	-	-	-	-	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	195	1	1	1	6	32	37	16	24	19	13	11
WHITE-----MALE----	98	-	-	1	3	17	20	8	17	7	5	4
FEMALE--	35	-	1	-	1	5	7	1	1	4	5	5
ALL OTHER--MALE----	49	1	-	-	2	7	10	4	4	5	3	2
FEMALE--	13	-	-	-	-	3	-	3	2	3	-	-
BLACK---MALE----	49	1	-	-	2	7	10	4	4	5	3	2
FEMALE--	12	-	-	-	-	3	-	3	1	3	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 2,789
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 NOT INVOLVING COLLISION ON HIGHWAY (E816-E818)												
SOUTH DAKOTA -----	44	-	1	-	1	8	8	2	4	10	3	3
WHITE-----MALE----	22	-	-	-	-	6	3	-	1	4	2	2
FEMALE--	10	-	-	-	1	1	4	-	1	2	1	-
ALL OTHER--MALE----	8	-	1	-	-	1	1	2	-	2	-	1
FEMALE--	4	-	-	-	-	-	-	-	2	2	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	245	1	2	2	6	43	31	21	31	25	26	10
WHITE-----MALE----	168	1	1	1	4	26	20	18	22	15	18	10
FEMALE--	50	-	1	-	1	15	6	-	3	6	5	-
ALL OTHER--MALE----	18	-	-	-	-	1	2	3	4	4	2	-
FEMALE--	9	-	-	1	1	1	3	-	2	-	1	-
BLACK---MALE----	18	-	-	-	-	1	2	3	4	4	2	-
FEMALE--	8	-	-	1	1	1	2	-	2	-	1	-
TEXAS -----	720	3	9	15	18	131	114	76	91	69	60	34
WHITE-----MALE----	463	3	4	5	8	89	89	49	60	41	33	18
FEMALE--	167	-	3	7	6	32	16	13	23	17	18	8
ALL OTHER--MALE----	65	-	2	1	2	6	5	12	3	10	8	6
FEMALE--	25	-	-	2	2	4	4	2	5	1	1	2
BLACK---MALE----	56	-	2	1	2	4	4	11	2	9	7	4
FEMALE--	23	-	-	2	2	3	4	2	5	-	1	2
UTAH -----	113	-	3	1	4	27	22	13	7	8	6	6
WHITE-----MALE----	75	-	1	-	3	20	16	8	6	6	3	3
FEMALE--	27	-	2	1	1	6	2	3	-	2	3	2
ALL OTHER--MALE----	7	-	-	-	-	1	4	2	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	1	-	-	1
BLACK---MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	10	-	-	-	-	-	4	-	-	-	-	1
WHITE-----MALE----	10	-	-	-	-	-	4	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	143	-	1	-	2	25	19	15	19	16	13	6
WHITE-----MALE----	81	-	-	-	2	13	14	7	9	7	9	5
FEMALE--	30	-	1	-	-	6	2	4	5	5	1	-
ALL OTHER--MALE----	27	-	-	-	-	6	3	4	3	4	1	1
FEMALE--	5	-	-	-	-	-	-	-	2	-	2	-
BLACK---MALE----	24	-	-	-	-	4	3	4	3	4	1	1
FEMALE--	5	-	-	-	-	-	-	-	2	-	2	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 2,791
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 MOTOR VEHICLE TRAFFIC ACCIDENT OF UNSPECIFIED NATURE (E819)												
0 UNITED STATES --	5,903	41	98	90	101	758	764	549	503	460	385	353
WHITE-----MALE----	3,230	12	36	32	43	419	466	312	278	269	233	198
FEMALE--	1,654	19	24	36	38	230	145	129	119	114	84	83
ALL OTHER--MALE----	661	5	21	13	12	68	118	74	76	52	46	42
FEMALE--	358	5	17	9	8	41	35	34	30	25	22	30
BLACK---MALE----	550	4	18	11	8	56	95	56	66	45	41	33
FEMALE--	272	5	14	8	7	30	27	28	24	18	15	21
ALABAMA -----	308	2	6	4	5	39	43	26	23	33	28	15
WHITE-----MALE----	146	1	2	-	2	18	26	15	5	15	15	8
FEMALE--	89	1	2	1	3	12	6	6	7	14	6	3
ALL OTHER--MALE----	47	-	1	2	-	5	6	4	8	3	4	3
FEMALE--	26	-	1	1	-	4	5	1	3	1	3	1
BLACK---MALE----	47	-	1	2	-	5	6	4	8	3	4	3
FEMALE--	26	-	1	1	-	4	5	1	3	1	3	1
ALASKA -----	38	-	1	-	-	7	6	5	3	2	3	5
WHITE-----MALE----	18	-	-	-	-	5	2	2	2	1	2	1
FEMALE--	9	-	-	-	-	1	1	-	-	1	1	3
ALL OTHER--MALE----	6	-	-	-	-	1	1	2	-	-	-	1
FEMALE--	5	-	1	-	-	-	2	1	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
ARIZONA -----	211	3	8	2	5	18	24	21	19	14	12	13
WHITE-----MALE----	112	2	4	1	2	10	12	10	9	6	7	4
FEMALE--	48	-	1	1	3	6	4	2	6	3	2	2
ALL OTHER--MALE----	28	1	2	-	-	-	7	5	3	3	1	3
FEMALE--	23	-	1	-	-	2	1	4	1	2	2	4
BLACK---MALE----	2	-	-	-	-	-	1	-	-	-	-	1
FEMALE--	2	-	-	-	-	-	-	1	-	-	-	-
ARKANSAS -----	138	1	-	5	1	15	18	11	15	19	10	8
WHITE-----MALE----	76	-	-	-	-	10	11	5	8	13	7	5
FEMALE--	41	1	-	3	1	5	6	5	4	3	1	-
ALL OTHER--MALE----	14	-	-	1	-	-	1	-	3	3	1	-
FEMALE--	7	-	-	1	-	-	-	1	-	-	1	3
BLACK---MALE----	13	-	-	1	-	-	1	-	3	3	1	-
FEMALE--	6	-	-	1	-	-	-	1	-	-	1	3
CALIFORNIA -----	167	-	1	-	7	21	21	18	9	17	10	12
WHITE-----MALE----	91	-	-	-	2	15	8	13	5	6	6	7
FEMALE--	37	-	-	-	1	2	5	3	2	6	3	3
ALL OTHER--MALE----	20	-	-	-	4	1	4	1	1	4	1	1
FEMALE--	19	-	1	-	-	3	4	1	1	1	-	1
BLACK---MALE----	13	-	-	-	2	-	3	1	1	3	1	-
FEMALE--	7	-	-	-	-	-	4	1	-	1	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 2,792
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
0 MOTOR VEHICLE TRAFFIC ACCIDENT OF UNSPECIFIED NATURE (E819)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
COLORADO -----	112	-	3	1	5	11	13	14	11	8	9	9
WHITE-----MALE----	74	-	1	1	4	6	9	10	8	8	6	7
FEMALE--	36	-	2	-	1	5	3	3	3	-	3	2
ALL OTHER--MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	49	-	2	3	3	3	10	5	4	1	3	-
WHITE-----MALE----	26	-	-	3	2	-	6	-	4	1	2	-
FEMALE--	17	-	1	-	1	2	4	4	-	-	-	-
ALL OTHER--MALE----	6	-	1	-	-	1	-	1	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	5	-	1	-	-	-	-	1	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	15	1	-	-	1	4	2	1	-	-	1	-
WHITE-----MALE----	10	-	-	-	1	2	2	1	-	-	1	-
FEMALE--	4	1	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	22	-	-	3	-	3	3	-	2	4	1	2
WHITE-----MALE----	4	-	-	1	-	-	1	-	-	1	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	10	-	-	-	-	1	2	-	2	3	-	1
FEMALE--	7	-	-	2	-	2	-	-	-	-	1	-
BLACK---MALE----	9	-	-	-	-	1	2	-	1	3	-	1
FEMALE--	7	-	-	2	-	2	-	-	-	-	1	-
FLORIDA -----	124	1	1	-	1	4	13	14	12	14	13	11
WHITE-----MALE----	69	1	-	-	-	1	7	11	8	7	10	7
FEMALE--	40	-	1	-	1	3	3	2	3	4	1	4
ALL OTHER--MALE----	10	-	-	-	-	-	3	-	1	1	2	-
FEMALE--	5	-	-	-	-	-	-	1	-	2	-	-
BLACK---MALE----	10	-	-	-	-	-	3	-	1	1	2	-
FEMALE--	5	-	-	-	-	-	-	1	-	2	-	-
GEORGIA -----	480	3	11	8	9	78	67	49	33	45	27	33
WHITE-----MALE----	208	-	1	5	3	31	35	20	10	28	11	16
FEMALE--	110	1	2	-	3	25	6	9	8	5	6	4
ALL OTHER--MALE----	101	1	4	3	2	15	25	9	12	7	6	7
FEMALE--	61	1	4	-	1	7	1	11	3	5	4	6
BLACK---MALE----	98	1	4	3	2	15	22	9	12	7	6	7
FEMALE--	55	1	4	-	1	6	1	10	3	5	3	5

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 2,792
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 MOTOR VEHICLE TRAFFIC ACCIDENT OF UNSPECIFIED NATURE (E819)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
COLORADO -----	5	6	2	2	5	4	3	1	-	-	-	-
WHITE-----MALE----	2	3	1	-	4	1	2	1	-	-	-	-
FEMALE--	3	3	1	2	1	3	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	4	1	4	2	1	2	1	-	-	-	-	-
WHITE-----MALE----	2	-	2	1	1	1	1	-	-	-	-	-
FEMALE--	1	-	2	1	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	1	-	1	1	-	1	-	1	-	-	-
WHITE-----MALE----	-	1	-	-	1	-	-	-	1	-	-	-
FEMALE--	-	-	-	1	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	1	-	1	-	-	1	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	1	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	1	-	1	-	-	-	-	-	-	-	-	-
FLORIDA -----	2	10	3	6	5	7	4	1	2	-	-	-
WHITE-----MALE----	1	5	1	3	4	1	1	-	1	-	-	-
FEMALE--	1	5	1	1	1	4	3	1	1	-	-	-
ALL OTHER--MALE----	-	-	1	2	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	2	-	-	-	-	-	-
BLACK---MALE----	-	-	1	2	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	2	-	-	-	-	-	-
GEORGIA -----	14	17	13	10	21	18	17	6	1	-	-	-
WHITE-----MALE----	4	8	6	5	8	8	6	2	1	-	-	-
FEMALE--	2	5	5	2	8	9	9	1	-	-	-	-
ALL OTHER--MALE----	3	-	1	2	2	-	1	1	-	-	-	-
FEMALE--	5	4	1	1	3	1	1	2	-	-	-	-
BLACK---MALE----	3	-	1	2	2	-	1	1	-	-	-	-
FEMALE--	4	3	1	1	3	1	1	2	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 2,794
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
0 MOTOR VEHICLE TRAFFIC ACCIDENT OF UNSPECIFIED NATURE (E819)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
KENTUCKY -----	86	2	3	1	1	15	10	9	7	7	5	2
WHITE-----MALE----	55	1	2	-	-	10	6	4	5	6	4	1
FEMALE--	26	1	1	-	1	5	3	4	1	1	1	1
ALL OTHER--MALE----	3	-	-	-	-	-	1	1	-	-	-	-
FEMALE--	2	-	-	1	-	-	-	-	1	-	-	-
BLACK---MALE----	3	-	-	-	-	-	1	1	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
LOUISIANA -----	422	2	14	4	9	53	66	39	44	36	33	21
WHITE-----MALE----	200	-	4	2	2	28	35	20	17	21	20	8
FEMALE--	88	1	-	1	3	12	9	8	10	7	5	5
ALL OTHER--MALE----	96	-	5	1	1	9	18	11	11	6	6	6
FEMALE--	38	1	5	-	3	4	4	-	6	2	2	2
BLACK---MALE----	86	-	5	1	1	8	14	10	10	5	6	6
FEMALE--	38	1	5	-	3	4	4	-	6	2	2	2
MAINE -----	13	-	-	-	-	3	-	-	1	-	-	1
WHITE-----MALE----	6	-	-	-	-	2	-	-	1	-	-	1
FEMALE--	7	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	158	2	5	4	1	15	19	10	14	11	7	9
WHITE-----MALE----	58	-	1	1	1	4	7	5	7	5	4	4
FEMALE--	47	2	-	-	-	6	5	1	3	2	1	3
ALL OTHER--MALE----	32	-	2	2	-	4	4	3	2	3	1	1
FEMALE--	21	-	2	1	-	1	3	1	2	1	1	1
BLACK---MALE----	30	-	2	2	-	4	4	3	2	3	1	1
FEMALE--	18	-	2	1	-	1	3	1	2	-	1	1
MASSACHUSETTS -----	111	1	1	1	2	17	19	9	4	5	13	5
WHITE-----MALE----	65	-	-	1	-	8	17	4	3	4	5	3
FEMALE--	39	1	1	-	1	9	2	3	-	1	6	2
ALL OTHER--MALE----	4	-	-	-	-	-	-	2	1	-	1	-
FEMALE--	3	-	-	-	1	-	-	-	-	-	1	-
BLACK---MALE----	4	-	-	-	-	-	-	2	1	-	1	-
FEMALE--	3	-	-	-	1	-	-	-	-	-	1	-
MICHIGAN -----	261	-	3	5	6	40	29	17	23	19	24	15
WHITE-----MALE----	157	-	1	2	4	24	19	9	17	10	13	11
FEMALE--	87	-	2	3	2	14	7	5	4	9	6	2
ALL OTHER--MALE----	14	-	-	-	-	2	2	3	2	-	3	2
FEMALE--	3	-	-	-	-	-	1	-	-	-	2	-
BLACK---MALE----	10	-	-	-	-	1	1	2	1	-	3	2
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 2,797
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
0 MOTOR VEHICLE TRAFFIC ACCIDENT OF UNSPECIFIED NATURE (E819)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
OHIO -----	408	2	8	9	5	55	60	36	49	27	17	26
WHITE-----MALE----	241	-	4	2	3	37	35	22	36	18	10	17
FEMALE--	136	1	3	6	2	16	18	13	10	5	5	8
ALL OTHER--MALE----	23	-	1	1	-	2	6	-	3	3	1	-
FEMALE--	8	1	-	-	-	-	1	1	-	1	1	1
BLACK---MALE----	18	-	1	-	-	1	3	-	3	3	1	-
FEMALE--	7	1	-	-	-	-	1	1	-	1	-	1
OKLAHOMA -----	93	1	-	-	1	12	8	13	4	4	10	6
WHITE-----MALE----	48	-	-	-	1	4	7	6	2	2	9	2
FEMALE--	34	1	-	-	-	6	-	5	-	2	1	4
ALL OTHER--MALE----	3	-	-	-	-	-	-	2	-	-	-	-
FEMALE--	8	-	-	-	-	2	1	-	2	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	1	-	-	-
OREGON -----	33	-	-	1	1	8	3	7	3	-	-	1
WHITE-----MALE----	17	-	-	-	-	6	-	4	2	-	-	-
FEMALE--	15	-	-	1	1	2	3	2	1	-	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	316	-	3	4	2	37	50	48	21	20	16	16
WHITE-----MALE----	225	-	3	1	2	25	39	36	14	9	15	15
FEMALE--	74	-	-	3	-	10	8	8	6	8	1	1
ALL OTHER--MALE----	13	-	-	-	-	2	3	3	1	1	-	-
FEMALE--	4	-	-	-	-	-	-	1	-	2	-	-
BLACK---MALE----	13	-	-	-	-	2	3	3	1	1	-	-
FEMALE--	4	-	-	-	-	-	-	1	-	2	-	-
RHODE ISLAND -----	6	-	-	-	-	-	-	1	2	2	-	-
WHITE-----MALE----	4	-	-	-	-	-	-	1	1	2	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	52	-	-	2	2	2	6	3	6	5	11	3
WHITE-----MALE----	23	-	-	-	2	2	2	1	-	2	6	1
FEMALE--	10	-	-	1	-	-	1	-	3	1	2	-
ALL OTHER--MALE----	14	-	-	-	-	-	2	1	2	2	3	1
FEMALE--	5	-	-	1	-	-	1	1	1	-	-	1
BLACK---MALE----	13	-	-	-	-	-	2	1	2	1	3	1
FEMALE--	5	-	-	1	-	-	1	1	1	-	-	1

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 2,798
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
0 MOTOR VEHICLE TRAFFIC ACCIDENT OF UNSPECIFIED NATURE (E819)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
SOUTH DAKOTA -----	3	-	-	-	-	-	-	-	-	1	-	-
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	163	2	3	3	2	17	17	14	13	12	8	10
WHITE-----MALE----	89	-	1	1	1	12	10	7	6	7	4	4
FEMALE--	43	1	-	1	-	4	4	2	3	3	2	4
ALL OTHER--MALE----	21	-	2	-	1	1	3	4	3	1	1	1
FEMALE--	10	1	-	1	-	-	-	1	1	1	1	1
BLACK---MALE----	20	-	2	-	1	1	3	4	2	1	1	1
FEMALE--	9	1	-	1	-	-	-	1	1	1	1	1
TEXAS -----	196	3	7	1	2	20	28	18	19	10	13	9
WHITE-----MALE----	113	1	3	1	-	13	16	9	11	7	7	6
FEMALE--	56	2	4	-	2	5	8	6	6	2	3	1
ALL OTHER--MALE----	17	-	-	-	-	1	3	3	1	-	3	1
FEMALE--	10	-	-	-	-	1	1	-	1	-	-	1
BLACK---MALE----	13	-	-	-	-	1	3	2	-	-	3	1
FEMALE--	10	-	-	-	-	1	1	-	1	1	-	1
UTAH -----	18	-	1	1	-	3	2	3	3	4	1	-
WHITE-----MALE----	14	-	1	1	-	2	2	3	3	1	1	-
FEMALE--	2	-	-	-	-	-	-	-	-	2	-	-
ALL OTHER--MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	24	-	1	1	-	3	5	2	-	-	2	1
WHITE-----MALE----	11	-	1	1	-	1	2	-	-	-	1	1
FEMALE--	12	-	-	-	-	2	2	2	-	-	1	-
ALL OTHER--MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	251	3	3	1	-	33	31	20	24	21	12	17
WHITE-----MALE----	141	1	2	-	-	19	19	12	14	13	5	10
FEMALE--	67	1	-	1	-	4	8	2	5	5	5	6
ALL OTHER--MALE----	27	1	1	-	-	6	3	3	5	3	2	-
FEMALE--	16	-	-	-	-	4	1	3	-	-	-	1
BLACK---MALE----	25	1	1	-	-	5	2	3	5	3	2	-
FEMALE--	16	-	-	-	-	4	1	3	-	-	-	1

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 2,798
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 MOTOR VEHICLE TRAFFIC ACCIDENT OF UNSPECIFIED NATURE (E819)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
SOUTH DAKOTA -----	-	1	-	-	-	-	1	-	-	-	-	-
WHITE-----MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	9	4	8	10	12	6	8	2	2	1	-	-
WHITE-----MALE----	6	3	5	7	3	3	5	2	1	1	-	-
FEMALE--	2	1	1	1	9	3	2	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	1	-	-	1	-	1	-	-	-
FEMALE--	-	-	2	1	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	1	-	-	1	-	1	-	-	-
FEMALE--	-	-	2	-	-	-	-	-	-	-	-	-
TEXAS -----	6	8	7	5	14	7	12	4	3	-	-	-
WHITE-----MALE----	5	4	4	3	6	5	7	3	2	-	-	-
FEMALE--	-	2	2	1	5	2	4	1	-	-	-	-
ALL OTHER--MALE----	1	1	-	-	1	-	1	-	1	-	-	-
FEMALE--	-	1	1	1	2	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	1	-	1	-	-	-
FEMALE--	-	1	1	1	2	-	-	-	-	-	-	-
UTAH -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	1	4	1	-	-	1	2	-	-	-	-
WHITE-----MALE----	-	1	2	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	2	1	-	-	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	14	10	8	15	13	7	14	5	-	-	-	-
WHITE-----MALE----	8	5	3	8	9	2	9	2	-	-	-	-
FEMALE--	5	3	4	4	2	4	5	3	-	-	-	-
ALL OTHER--MALE----	-	1	1	-	1	-	-	-	-	-	-	-
FEMALE--	1	1	-	3	1	1	-	-	-	-	-	-
BLACK---MALE----	-	1	1	-	1	-	-	-	-	-	-	-
FEMALE--	1	1	-	3	1	1	-	-	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 2,800
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 MOTOR VEHICLE NONTRAFFIC ACCIDENTS (E820-E825)												
0 UNITED STATES --	49	38	46	39	50	51	42	29	14	1	-	-
WHITE-----MALE----	31	25	35	25	34	28	27	11	11	1	-	-
FEMALE--	13	8	6	11	14	16	12	17	3	-	-	-
ALL OTHER--MALE----	3	4	3	1	1	2	-	1	-	-	-	-
FEMALE--	2	1	2	2	1	5	3	-	-	-	-	-
BLACK---MALE----	2	3	3	1	1	1	-	1	-	-	-	-
FEMALE--	1	1	1	1	1	4	2	-	-	-	-	-
ALABAMA -----	-	-	-	-	-	-	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	-	-	1	-	2	1	2	-	-	-	-	-
WHITE-----MALE----	-	-	1	-	1	-	2	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	2	1	-	1	-	-	-	-	-	-	-	-
WHITE-----MALE----	1	1	-	1	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	5	3	5	5	3	7	3	4	1	1	-	-
WHITE-----MALE----	3	3	2	3	1	3	1	1	1	1	-	-
FEMALE--	1	-	2	1	2	3	-	3	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	1	1	-	1	2	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 2,801
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 MOTOR VEHICLE NONTRAFFIC ACCIDENTS (E820-E825)												
COLORADO -----	19	-	3	-	1	2	1	2	-	1	1	-
WHITE-----MALE----	11	-	1	-	-	2	-	2	-	1	1	-
FEMALE--	6	-	1	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	1	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	7	-	-	-	-	-	-	1	1	2	-	-
WHITE-----MALE----	6	-	-	-	-	-	-	1	1	2	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	50	-	8	-	2	4	3	-	4	7	4	5
WHITE-----MALE----	31	-	4	-	2	3	2	-	2	6	3	3
FEMALE--	11	-	2	-	-	-	-	-	-	1	1	1
ALL OTHER--MALE----	6	-	2	-	-	-	1	-	1	-	-	1
FEMALE--	2	-	-	-	-	1	-	-	1	-	-	-
BLACK---MALE----	6	-	2	-	-	-	1	-	1	-	-	1
FEMALE--	2	-	-	-	-	1	-	-	1	-	-	-
GEORGIA -----	47	-	5	1	3	6	5	5	5	6	1	2
WHITE-----MALE----	25	-	3	-	1	5	4	3	1	3	-	-
FEMALE--	7	-	-	1	-	-	1	1	2	-	-	-
ALL OTHER--MALE----	9	-	-	-	2	1	-	1	1	2	1	1
FEMALE--	6	-	2	-	-	-	-	-	1	1	-	1
BLACK---MALE----	9	-	-	-	2	1	-	1	1	2	1	1
FEMALE--	6	-	2	-	-	-	-	-	1	1	-	1

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 2,827
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 AIR AND SPACE TRANSPORT ACCIDENTS (E840-E845)												
0 UNITED STATES --	1,061	-	6	14	19	41	73	96	98	121	112	143
WHITE-----MALE----	766	-	3	4	8	16	53	61	72	89	92	99
FEMALE--	235	-	3	9	11	22	14	26	16	22	16	39
ALL OTHER--MALE----	36	-	-	-	-	1	5	7	7	7	2	1
FEMALE--	24	-	-	1	-	2	1	2	3	3	2	4
BLACK---MALE----	26	-	-	-	-	1	5	5	6	2	2	1
FEMALE--	18	-	-	1	-	1	1	1	2	3	1	4
ALABAMA -----	19	-	-	-	2	-	1	2	-	3	5	4
WHITE-----MALE----	14	-	-	-	2	-	1	1	-	1	4	3
FEMALE--	5	-	-	-	-	-	-	1	-	2	1	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA -----	34	-	-	-	-	-	2	-	3	6	7	7
WHITE-----MALE----	31	-	-	-	-	-	1	-	3	5	7	7
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	26	-	-	-	1	-	3	-	6	2	4	1
WHITE-----MALE----	21	-	-	-	-	-	3	-	4	1	3	1
FEMALE--	3	-	-	-	1	-	-	-	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	1	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	13	-	-	-	-	-	2	4	1	-	1	2
WHITE-----MALE----	11	-	-	-	-	-	2	3	1	-	1	2
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	122	-	1	1	-	4	3	13	10	16	8	13
WHITE-----MALE----	96	-	1	-	-	2	1	9	10	13	7	7
FEMALE--	21	-	-	1	-	1	2	3	-	2	1	5
ALL OTHER--MALE----	4	-	-	-	-	-	-	1	-	1	-	1
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 2,828
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
0 AIR AND SPACE TRANSPORT ACCIDENTS (E840-E845)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
COLORADO -----	22	-	-	-	-	1	1	2	2	2	3	4
WHITE-----MALE----	18	-	-	-	-	1	1	2	2	2	3	3
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	21	-	-	-	-	-	-	2	1	4	1	2
WHITE-----MALE----	13	-	-	-	-	-	-	1	-	3	1	1
FEMALE--	6	-	-	-	-	-	-	1	1	-	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	2	-	-	-	-	1	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	2	-	-	-	-	1	-	-	-	-	-	1
WHITE-----MALE----	2	-	-	-	-	1	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	70	-	3	-	-	2	8	10	6	4	6	6
WHITE-----MALE----	47	-	1	-	-	-	7	6	4	2	5	4
FEMALE--	12	-	2	-	-	1	-	1	1	1	-	2
ALL OTHER--MALE----	6	-	-	-	-	1	1	2	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	1	1	1	1	-
BLACK---MALE----	6	-	-	-	-	1	1	2	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	1	1	1	1	-
GEORGIA -----	51	-	1	4	1	1	7	6	1	6	6	6
WHITE-----MALE----	24	-	1	1	-	1	3	1	-	3	4	3
FEMALE--	22	-	-	3	1	-	2	4	-	3	2	3
ALL OTHER--MALE----	3	-	-	-	-	-	1	1	1	-	-	-
FEMALE--	2	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	1	1	1	-	-	-
FEMALE--	2	-	-	-	-	-	1	-	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 2,845
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ACCIDENTAL POISONING (E850-E869)												
0 UNITED STATES --	9,510	15	42	18	34	190	448	796	1,296	1,825	1,808	1,269
WHITE-----MALE----	5,584	6	12	11	20	132	303	511	843	1,150	1,088	706
FEMALE--	1,907	5	9	4	7	34	64	138	236	300	299	218
ALL OTHER--MALE----	1,430	2	16	1	3	16	66	102	150	251	301	274
FEMALE--	589	2	5	2	4	8	15	45	67	124	120	71
BLACK---MALE----	1,299	2	16	1	2	12	56	89	129	230	282	258
FEMALE--	538	2	5	2	4	5	11	39	62	118	114	64
ALABAMA -----	90	-	4	-	-	2	2	6	7	15	14	8
WHITE-----MALE----	41	-	1	-	-	2	1	1	4	7	8	3
FEMALE--	26	-	-	-	-	-	-	4	1	2	2	3
ALL OTHER--MALE----	13	-	1	-	-	-	-	1	1	5	3	1
FEMALE--	10	-	2	-	-	-	1	-	1	1	1	1
BLACK---MALE----	13	-	1	-	-	-	-	1	1	5	3	1
FEMALE--	10	-	2	-	-	-	1	-	1	1	1	1
ALASKA -----	44	-	-	-	-	1	3	8	6	8	4	4
WHITE-----MALE----	19	-	-	-	-	-	1	4	5	3	3	-
FEMALE--	5	-	-	-	-	-	-	1	-	2	1	-
ALL OTHER--MALE----	12	-	-	-	-	1	1	1	1	1	-	3
FEMALE--	8	-	-	-	-	-	1	2	-	2	-	1
BLACK---MALE----	4	-	-	-	-	1	-	1	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	309	-	-	-	-	4	21	18	62	62	63	40
WHITE-----MALE----	226	-	-	-	-	1	15	12	41	48	52	32
FEMALE--	51	-	-	-	-	2	5	5	12	7	7	3
ALL OTHER--MALE----	23	-	-	-	-	1	1	-	6	5	3	5
FEMALE--	9	-	-	-	-	-	-	1	3	2	1	-
BLACK---MALE----	9	-	-	-	-	-	-	-	2	4	1	1
FEMALE--	5	-	-	-	-	-	-	-	2	2	1	-
ARKANSAS -----	34	-	-	-	-	1	1	5	1	2	7	2
WHITE-----MALE----	21	-	-	-	-	1	1	3	-	1	6	1
FEMALE--	8	-	-	-	-	-	-	2	1	-	-	1
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	1,998	2	2	4	-	27	66	146	281	397	409	305
WHITE-----MALE----	1,288	-	-	2	-	16	43	101	204	271	273	193
FEMALE--	406	1	1	1	-	4	11	32	48	72	76	47
ALL OTHER--MALE----	212	-	1	1	-	2	9	7	24	33	39	52
FEMALE--	92	1	-	-	-	5	3	6	5	21	21	13
BLACK---MALE----	175	-	1	1	-	2	5	4	17	28	35	46
FEMALE--	81	1	-	-	-	3	2	6	5	20	19	11

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 2,845
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ACCIDENTAL POISONING (E850-E869)												
0 UNITED STATES --	544	304	172	154	139	140	138	107	47	9	1	14
WHITE-----MALE----	285	145	70	75	60	59	48	39	9	2	-	10
FEMALE--	118	76	58	52	61	61	71	56	31	7	1	1
ALL OTHER--MALE----	109	57	31	17	12	6	10	2	2	-	-	2
FEMALE--	32	26	13	10	6	14	9	10	5	-	-	1
BLACK---MALE----	98	53	29	17	11	5	6	1	1	-	-	1
FEMALE--	30	22	10	7	5	13	9	10	5	-	-	1
ALABAMA -----	4	5	-	7	4	2	6	3	1	-	-	-
WHITE-----MALE----	1	2	-	4	1	1	2	3	-	-	-	-
FEMALE--	3	1	-	3	3	-	3	-	1	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	1	1	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	1	1	-	-	-	-	-
ALASKA -----	3	6	1	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	1	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	2	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	2	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	11	4	7	6	2	3	1	1	-	-	-	4
WHITE-----MALE----	9	1	3	5	-	1	1	1	-	-	-	4
FEMALE--	1	3	3	-	1	2	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	1	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	3	5	-	-	2	1	1	3	-	-	-	-
WHITE-----MALE----	2	2	-	-	1	1	1	1	-	-	-	-
FEMALE--	-	2	-	-	1	-	-	1	-	-	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
CALIFORNIA -----	145	68	45	26	14	23	18	11	7	-	-	2
WHITE-----MALE----	84	38	22	15	5	12	6	2	-	-	-	1
FEMALE--	34	17	16	7	8	8	10	8	5	-	-	-
ALL OTHER--MALE----	19	10	7	2	1	1	1	1	1	-	-	1
FEMALE--	8	3	-	2	-	2	1	-	1	-	-	-
BLACK---MALE----	16	10	6	2	1	-	-	-	-	-	-	1
FEMALE--	7	3	-	1	-	1	1	-	1	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 2,846
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ACCIDENTAL POISONING (E850-E869)												
COLORADO -----	146	-	-	1	1	2	12	9	23	23	34	15
WHITE-----MALE----	98	-	-	-	1	2	8	7	12	17	24	11
FEMALE--	34	-	-	1	-	-	3	1	9	3	6	2
ALL OTHER--MALE----	11	-	-	-	-	-	1	1	1	1	4	2
FEMALE--	3	-	-	-	-	-	-	-	1	2	-	-
BLACK---MALE----	7	-	-	-	-	-	1	-	1	1	2	1
FEMALE--	2	-	-	-	-	-	-	-	1	1	-	-
CONNECTICUT -----	193	-	-	-	2	2	13	13	32	36	38	37
WHITE-----MALE----	133	-	-	-	-	2	11	10	25	30	33	16
FEMALE--	26	-	-	-	1	-	1	2	3	2	4	7
ALL OTHER--MALE----	23	-	-	-	-	-	-	1	2	2	1	10
FEMALE--	11	-	-	-	1	-	1	-	2	2	-	4
BLACK---MALE----	22	-	-	-	-	-	-	1	2	2	1	10
FEMALE--	9	-	-	-	1	-	-	-	2	1	-	4
DELAWARE -----	38	-	-	-	-	-	2	2	6	13	12	3
WHITE-----MALE----	24	-	-	-	-	-	2	2	4	9	6	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	9	-	-	-	-	-	-	-	2	3	3	1
FEMALE--	3	-	-	-	-	-	-	-	-	1	2	-
BLACK---MALE----	9	-	-	-	-	-	-	-	2	3	3	1
FEMALE--	3	-	-	-	-	-	-	-	-	1	2	-
DISTRICT OF COLUMBIA ----	11	-	-	-	-	-	-	-	2	2	5	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	2	-	-
FEMALE--	7	-	-	-	-	-	-	-	2	-	4	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	2	-	-
FEMALE--	7	-	-	-	-	-	-	-	2	-	4	-
FLORIDA -----	425	-	3	-	-	13	19	40	59	84	78	50
WHITE-----MALE----	260	-	1	-	-	9	15	26	34	55	49	39
FEMALE--	99	-	1	-	-	3	2	10	18	18	13	4
ALL OTHER--MALE----	46	-	1	-	-	1	1	2	5	8	12	7
FEMALE--	20	-	-	-	-	-	1	2	2	3	4	-
BLACK---MALE----	45	-	1	-	-	1	1	2	4	8	12	7
FEMALE--	19	-	-	-	-	-	1	1	2	3	4	-
GEORGIA -----	197	-	2	-	1	5	5	18	31	41	34	22
WHITE-----MALE----	82	-	-	-	-	4	2	9	16	14	16	8
FEMALE--	45	-	-	-	-	1	1	3	3	11	6	6
ALL OTHER--MALE----	42	-	1	-	1	-	2	6	7	8	7	4
FEMALE--	28	-	1	-	-	-	-	-	5	8	5	4
BLACK---MALE----	41	-	1	-	1	-	2	5	7	8	7	4
FEMALE--	28	-	1	-	-	-	-	-	5	8	5	4

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 2,847
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ACCIDENTAL POISONING (E850-E869)												
HAWAII -----	45	-	-	-	-	-	-	3	3	8	12	9
WHITE-----MALE----	28	-	-	-	-	-	-	1	2	6	6	8
FEMALE--	2	-	-	-	-	-	-	1	-	-	1	-
ALL OTHER--MALE----	13	-	-	-	-	-	-	1	1	1	5	1
FEMALE--	2	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	26	-	-	-	1	1	-	3	5	4	1	4
WHITE-----MALE----	19	-	-	-	1	1	-	2	4	3	1	2
FEMALE--	7	-	-	-	-	-	-	1	1	1	-	2
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	414	1	1	-	2	4	16	39	62	82	82	58
WHITE-----MALE----	175	-	1	-	1	2	6	20	35	36	32	24
FEMALE--	63	-	-	-	1	1	2	7	6	9	8	7
ALL OTHER--MALE----	129	-	-	-	-	1	7	7	17	25	32	21
FEMALE--	47	1	-	-	-	-	1	5	4	12	10	6
BLACK---MALE----	129	-	-	-	-	1	7	7	17	25	32	21
FEMALE--	46	1	-	-	-	-	1	5	4	12	10	5
INDIANA -----	75	-	1	-	2	1	3	9	6	10	18	9
WHITE-----MALE----	46	-	-	-	1	1	3	5	4	7	11	4
FEMALE--	13	-	-	-	-	-	-	2	1	2	3	1
ALL OTHER--MALE----	10	-	1	-	-	-	-	-	1	1	2	3
FEMALE--	6	-	-	-	1	-	-	2	-	-	2	1
BLACK---MALE----	10	-	1	-	-	-	-	-	1	1	2	3
FEMALE--	6	-	-	-	1	-	-	2	-	-	2	1
IOWA -----	45	-	-	-	-	-	3	9	6	4	6	2
WHITE-----MALE----	29	-	-	-	-	-	3	7	3	3	5	-
FEMALE--	13	-	-	-	-	-	-	1	2	1	1	2
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	2	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	2	-	-	-	-	-	-	1	-	-	-	-
KANSAS -----	46	-	1	-	-	-	2	4	5	10	5	6
WHITE-----MALE----	31	-	1	-	-	-	2	4	3	9	3	5
FEMALE--	10	-	-	-	-	-	-	-	2	-	-	1
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	2	-
FEMALE--	2	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	2	-
FEMALE--	2	-	-	-	-	-	-	-	-	1	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 2,847
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 0 ACCIDENTAL POISONING (E850-E869)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
HAWAII -----	4	2	-	1	-	1	2	-	-	-	-	-
WHITE-----MALE----	3	1	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	2	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	2	-	-	1	-	1	1	2	-	-	-	-
WHITE-----MALE----	2	-	-	1	-	1	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	18	14	7	6	1	2	10	6	3	-	-	-
WHITE-----MALE----	6	4	1	-	1	-	4	2	-	-	-	-
FEMALE--	2	1	3	4	-	2	5	3	2	-	-	-
ALL OTHER--MALE----	8	6	2	2	-	-	1	-	-	-	-	-
FEMALE--	2	3	1	-	-	-	-	1	1	-	-	-
BLACK---MALE----	8	6	2	2	-	-	1	-	-	-	-	-
FEMALE--	2	3	1	-	-	-	-	1	1	-	-	-
INDIANA -----	4	3	-	2	2	1	3	1	-	-	-	-
WHITE-----MALE----	2	2	-	2	1	-	2	1	-	-	-	-
FEMALE--	-	1	-	-	1	1	1	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IOWA -----	1	1	3	1	2	2	2	3	-	-	-	-
WHITE-----MALE----	1	1	2	1	1	-	-	2	-	-	-	-
FEMALE--	-	-	1	-	1	2	2	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
KANSAS -----	2	1	-	2	2	1	2	2	-	1	-	-
WHITE-----MALE----	1	-	-	2	-	-	-	1	-	-	-	-
FEMALE--	-	1	-	-	1	1	2	1	-	1	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 2,848
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ACCIDENTAL POISONING (E850-E869)												
KENTUCKY -----	122	1	1	1	2	4	6	9	19	20	16	12
WHITE-----MALE----	73	1	-	-	2	3	4	7	14	10	9	7
FEMALE--	40	-	-	-	-	1	2	1	2	10	5	5
ALL OTHER--MALE----	6	-	1	-	-	-	-	1	2	-	2	-
FEMALE--	3	-	-	1	-	-	-	-	1	-	-	-
BLACK---MALE----	6	-	1	-	-	-	-	1	2	-	2	-
FEMALE--	3	-	-	1	-	-	-	-	1	-	-	-
LOUISIANA -----	87	-	1	-	-	1	5	13	14	16	9	9
WHITE-----MALE----	34	-	-	-	-	1	3	6	2	8	3	6
FEMALE--	25	-	-	-	-	-	-	3	8	2	3	2
ALL OTHER--MALE----	22	-	-	-	-	-	2	4	3	6	1	1
FEMALE--	6	-	1	-	-	-	-	-	1	-	2	-
BLACK---MALE----	22	-	-	-	-	-	2	4	3	6	1	1
FEMALE--	5	-	1	-	-	-	-	-	1	-	1	-
MAINE -----	15	1	-	-	-	-	-	-	2	3	4	1
WHITE-----MALE----	11	1	-	-	-	-	-	-	-	2	4	1
FEMALE--	4	-	-	-	-	-	-	-	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	35	-	-	-	-	-	3	2	1	2	10	3
WHITE-----MALE----	13	-	-	-	-	-	1	-	1	2	3	1
FEMALE--	11	-	-	-	-	-	1	1	-	-	2	-
ALL OTHER--MALE----	9	-	-	-	-	-	1	1	-	-	4	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	1	1
BLACK---MALE----	9	-	-	-	-	-	1	1	-	-	4	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	1	1
MASSACHUSETTS -----	38	-	-	1	-	-	2	2	3	7	3	2
WHITE-----MALE----	21	-	-	1	-	-	2	2	2	5	2	1
FEMALE--	16	-	-	-	-	-	-	-	1	2	1	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	163	-	2	1	-	4	4	16	13	30	31	21
WHITE-----MALE----	76	-	-	1	-	3	3	8	7	16	14	7
FEMALE--	42	-	-	-	-	1	-	4	1	5	9	6
ALL OTHER--MALE----	30	-	2	-	-	-	1	1	3	5	8	4
FEMALE--	15	-	-	-	-	-	-	3	2	4	-	4
BLACK---MALE----	28	-	2	-	-	-	1	-	2	5	8	4
FEMALE--	14	-	-	-	-	-	-	2	2	4	-	4

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 2,848
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 ACCIDENTAL POISONING (E850-E869)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
KENTUCKY -----	8	8	5	-	2	3	5	-	-	-	-	-
WHITE-----MALE----	4	6	1	-	-	3	2	-	-	-	-	-
FEMALE--	4	2	3	-	2	-	3	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
LOUISIANA -----	1	1	2	3	3	2	5	2	-	-	-	-
WHITE-----MALE----	-	1	-	2	2	-	-	-	-	-	-	-
FEMALE--	-	-	1	1	-	1	3	1	-	-	-	-
ALL OTHER--MALE----	1	-	1	-	1	-	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	-	-	-	-
BLACK---MALE----	1	-	1	-	1	-	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	-	-	-	-
MAINE -----	-	1	-	-	1	1	-	-	1	-	-	-
WHITE-----MALE----	-	1	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	4	2	1	-	2	2	2	1	-	-	-	-
WHITE-----MALE----	2	-	-	-	1	1	1	-	-	-	-	-
FEMALE--	1	1	1	-	1	1	1	1	-	-	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS -----	-	3	-	2	2	3	-	4	3	1	-	-
WHITE-----MALE----	-	1	-	2	-	1	-	2	-	-	-	-
FEMALE--	-	1	-	-	2	2	-	2	3	1	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	8	4	1	6	4	4	3	5	6	-	-	-
WHITE-----MALE----	4	3	-	2	2	-	1	3	2	-	-	-
FEMALE--	1	-	1	3	2	3	2	2	2	-	-	-
ALL OTHER--MALE----	3	1	-	1	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	1	-	-	-
BLACK---MALE----	3	1	-	1	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	1	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 2,849
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ACCIDENTAL POISONING (E850-E869)												
MINNESOTA -----	59	-	3	-	-	1	4	5	4	7	11	9
WHITE-----MALE----	37	-	2	-	-	1	3	2	3	5	8	5
FEMALE--	11	-	-	-	-	-	-	1	1	-	2	1
ALL OTHER--MALE----	7	-	1	-	-	-	1	1	-	1	1	2
FEMALE--	4	-	-	-	-	-	-	1	-	1	-	1
BLACK---MALE----	5	-	1	-	-	-	1	-	-	1	-	2
FEMALE--	2	-	-	-	-	-	-	1	-	1	-	-
MISSISSIPPI -----	41	-	3	1	-	2	3	-	2	13	3	2
WHITE-----MALE----	19	-	-	1	-	2	1	-	2	8	2	1
FEMALE--	9	-	1	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	7	-	2	-	-	-	2	-	-	2	-	1
FEMALE--	6	-	-	-	-	-	-	-	-	2	1	-
BLACK---MALE----	6	-	2	-	-	-	1	-	-	2	-	1
FEMALE--	6	-	-	-	-	-	-	-	-	2	1	-
MISSOURI -----	153	2	2	-	3	2	8	9	19	42	18	18
WHITE-----MALE----	78	1	1	-	2	2	4	4	14	23	7	8
FEMALE--	43	1	1	-	-	-	1	2	3	7	7	6
ALL OTHER--MALE----	25	-	-	-	-	-	3	3	-	9	4	3
FEMALE--	7	-	-	-	1	-	-	-	2	3	-	1
BLACK---MALE----	25	-	-	-	-	-	3	3	-	9	4	3
FEMALE--	7	-	-	-	1	-	-	-	2	3	-	1
MONTANA -----	14	-	-	-	-	1	-	-	2	2	-	2
WHITE-----MALE----	9	-	-	-	-	1	-	-	1	1	-	2
FEMALE--	3	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	14	-	-	-	-	-	-	1	2	2	3	-
WHITE-----MALE----	8	-	-	-	-	-	-	-	2	1	1	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	2	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
NEVADA -----	68	-	-	-	-	2	4	6	10	13	20	5
WHITE-----MALE----	52	-	-	-	-	2	2	4	9	10	16	4
FEMALE--	7	-	-	-	-	-	-	-	-	1	3	1
ALL OTHER--MALE----	8	-	-	-	-	-	2	2	1	1	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	8	-	-	-	-	-	2	2	1	1	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 2,851
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ACCIDENTAL POISONING (E850-E869)												
OHIO -----	264	1	1	2	1	7	10	18	24	45	48	34
WHITE-----MALE----	149	-	1	2	1	6	5	14	17	33	18	19
FEMALE--	63	1	-	-	-	1	2	1	4	5	14	6
ALL OTHER--MALE----	35	-	-	-	-	-	3	1	3	4	12	7
FEMALE--	17	-	-	-	-	-	-	2	-	3	4	2
BLACK---MALE----	35	-	-	-	-	-	3	1	3	4	12	7
FEMALE--	17	-	-	-	-	-	-	2	-	3	4	2
OKLAHOMA -----	112	-	1	-	2	1	7	7	16	16	20	13
WHITE-----MALE----	63	-	-	-	1	1	7	4	9	7	10	8
FEMALE--	31	-	1	-	1	-	-	3	2	2	7	3
ALL OTHER--MALE----	16	-	-	-	-	-	-	-	5	7	3	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	5	-	-	-	-	-	-	-	1	1	2	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	186	-	-	-	-	3	7	17	29	39	43	27
WHITE-----MALE----	131	-	-	-	-	2	4	15	18	30	32	17
FEMALE--	37	-	-	-	-	1	1	1	8	6	6	7
ALL OTHER--MALE----	12	-	-	-	-	-	2	1	1	3	3	1
FEMALE--	6	-	-	-	-	-	-	-	2	-	2	2
BLACK---MALE----	6	-	-	-	-	-	1	1	-	2	1	-
FEMALE--	3	-	-	-	-	-	-	-	1	-	1	1
PENNSYLVANIA -----	710	-	2	1	1	22	38	72	98	141	133	94
WHITE-----MALE----	413	-	-	1	1	15	26	47	61	98	76	49
FEMALE--	129	-	-	-	-	4	8	13	19	21	17	9
ALL OTHER--MALE----	130	-	2	-	-	2	4	10	13	16	29	31
FEMALE--	38	-	-	-	-	1	-	2	5	6	11	5
BLACK---MALE----	128	-	2	-	-	2	4	10	13	16	29	31
FEMALE--	37	-	-	-	-	1	-	2	5	6	11	5
RHODE ISLAND -----	8	-	1	-	-	-	1	-	-	1	3	-
WHITE-----MALE----	5	-	-	-	-	-	1	-	-	-	2	-
FEMALE--	2	-	1	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	101	-	2	-	-	2	3	11	13	20	18	12
WHITE-----MALE----	45	-	-	-	-	2	1	7	9	10	7	5
FEMALE--	25	-	1	-	-	-	-	1	1	4	6	5
ALL OTHER--MALE----	23	-	-	-	-	-	2	2	3	4	4	2
FEMALE--	8	-	1	-	-	-	-	1	-	2	1	-
BLACK---MALE----	23	-	-	-	-	-	2	2	3	4	4	2
FEMALE--	8	-	1	-	-	-	-	1	-	2	1	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 2,851
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 0 ACCIDENTAL POISONING (E850-E869)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
OHIO -----	18	10	9	5	11	7	6	4	3	-	-	-
WHITE-----MALE----	8	4	4	3	5	2	3	3	1	-	-	-
FEMALE--	7	4	4	1	5	4	2	-	2	-	-	-
ALL OTHER--MALE----	-	2	-	1	1	-	1	-	-	-	-	-
FEMALE--	3	-	1	-	-	1	-	1	-	-	-	-
BLACK---MALE----	-	2	-	1	1	-	1	-	-	-	-	-
FEMALE--	3	-	1	-	-	1	-	1	-	-	-	-
OKLAHOMA -----	7	5	5	2	2	1	3	1	1	-	-	2
WHITE-----MALE----	5	5	2	1	-	1	1	-	-	-	-	1
FEMALE--	2	-	3	1	2	-	2	-	1	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
OREGON -----	8	5	1	2	-	4	1	-	-	-	-	-
WHITE-----MALE----	7	3	1	-	-	2	-	-	-	-	-	-
FEMALE--	1	1	-	2	-	2	1	-	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	27	12	10	9	10	18	9	9	2	1	-	1
WHITE-----MALE----	8	3	7	3	4	10	3	-	-	-	-	1
FEMALE--	4	4	1	3	4	8	4	7	2	1	-	-
ALL OTHER--MALE----	12	4	2	3	1	-	1	-	-	-	-	-
FEMALE--	3	1	-	-	1	-	1	2	-	-	-	-
BLACK---MALE----	11	4	2	3	1	-	-	-	-	-	-	-
FEMALE--	3	1	-	-	-	-	1	2	-	-	-	-
RHODE ISLAND -----	-	1	-	-	1	-	-	-	-	-	-	-
WHITE-----MALE----	-	1	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	7	2	3	1	4	2	-	1	-	-	-	-
WHITE-----MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	1	1	2	-	-	1	-	-	-	-
ALL OTHER--MALE----	2	1	2	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	2	-	-	-	-	-	-
BLACK---MALE----	2	1	2	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	2	-	-	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 2,852
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ACCIDENTAL POISONING (E850-E869)												
SOUTH DAKOTA -----	13	-	-	-	-	1	-	2	1	3	1	-
WHITE-----MALE----	5	-	-	-	-	-	-	2	1	-	1	-
FEMALE--	5	-	-	-	-	-	-	-	-	2	-	-
ALL OTHER--MALE----	2	-	-	-	-	1	-	-	-	1	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	186	-	-	-	2	5	12	24	17	30	34	24
WHITE-----MALE----	95	-	-	-	1	3	7	14	8	17	20	11
FEMALE--	48	-	-	-	1	-	1	6	7	4	6	5
ALL OTHER--MALE----	29	-	-	-	-	2	3	4	2	6	4	7
FEMALE--	14	-	-	-	-	-	1	-	-	3	4	1
BLACK---MALE----	29	-	-	-	-	2	3	4	2	6	4	7
FEMALE--	14	-	-	-	-	-	1	-	-	3	4	1
TEXAS -----	636	3	4	2	3	22	50	55	89	122	111	64
WHITE-----MALE----	409	1	2	1	2	19	37	39	65	76	72	38
FEMALE--	133	1	2	1	1	2	5	9	17	27	22	12
ALL OTHER--MALE----	57	1	-	-	-	1	4	4	4	13	12	8
FEMALE--	37	-	-	-	-	-	4	3	3	6	5	6
BLACK---MALE----	55	1	-	-	-	1	4	3	4	13	12	8
FEMALE--	36	-	-	-	-	-	3	3	3	6	5	6
UTAH -----	31	-	-	-	2	2	-	-	-	5	8	4
WHITE-----MALE----	18	-	-	-	-	2	-	-	-	4	5	4
FEMALE--	12	-	-	-	2	-	-	-	-	1	3	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	11	-	-	-	1	-	-	1	1	2	1	1
WHITE-----MALE----	8	-	-	-	1	-	-	1	1	2	1	1
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	189	-	1	-	-	7	13	18	24	30	30	30
WHITE-----MALE----	90	-	-	-	-	4	9	9	12	13	17	14
FEMALE--	29	-	-	-	-	2	2	-	5	4	4	5
ALL OTHER--MALE----	51	-	1	-	-	1	2	7	4	8	8	9
FEMALE--	19	-	-	-	-	-	-	2	3	5	1	2
BLACK---MALE----	50	-	1	-	-	1	1	7	4	8	8	9
FEMALE--	19	-	-	-	-	-	-	2	3	5	1	2

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 2,852
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 ACCIDENTAL POISONING (E850-E869)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
SOUTH DAKOTA -----	-	-	1	-	1	1	-	-	-	2	-	-
WHITE-----MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	11	5	3	6	1	4	4	2	1	-	-	1
WHITE-----MALE----	4	2	2	3	1	-	-	1	1	-	-	-
FEMALE--	4	3	1	2	-	4	3	1	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	1	-	-	1	-	-	-	-	1
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	1	-	-	1	-	-	-	-	1
TEXAS -----	38	19	10	8	8	9	4	8	3	2	-	2
WHITE-----MALE----	23	10	5	4	4	4	1	4	-	1	-	1
FEMALE--	8	4	3	3	3	4	2	4	2	1	-	-
ALL OTHER--MALE----	5	1	1	-	1	1	-	-	-	-	-	1
FEMALE--	2	4	1	1	-	-	1	-	1	-	-	-
BLACK---MALE----	5	1	1	-	1	1	-	-	-	-	-	-
FEMALE--	2	4	1	1	-	-	1	-	1	-	-	-
UTAH -----	3	2	-	2	1	1	1	-	-	-	-	-
WHITE-----MALE----	1	1	-	-	-	-	1	-	-	-	-	-
FEMALE--	2	1	-	1	1	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	-	1	-	-	-	1	2	-	-	-
WHITE-----MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	10	7	4	3	2	3	2	4	1	-	-	-
WHITE-----MALE----	3	2	2	1	1	1	1	1	-	-	-	-
FEMALE--	3	-	-	1	-	-	-	2	1	-	-	-
ALL OTHER--MALE----	3	4	1	1	1	-	1	-	-	-	-	-
FEMALE--	1	1	1	-	-	2	-	1	-	-	-	-
BLACK---MALE----	3	4	1	1	1	-	1	-	-	-	-	-
FEMALE--	1	1	1	-	-	2	-	1	-	-	-	-
BLACK---MALE----	3	4	1	1	1	-	1	-	-	-	-	-
FEMALE--	1	1	1	-	-	2	-	1	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 2,854
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ACCIDENTAL POISONING BY DRUGS, MEDICAMENTS, AND BIOLOGICALS (E850-E858)												
0 UNITED STATES --	8,431	14	21	7	13	134	386	720	1,209	1,714	1,697	1,168
WHITE-----MALE----	4,900	6	5	4	7	88	258	457	784	1,066	1,010	633
FEMALE--	1,727	4	5	2	3	29	57	132	225	291	285	209
ALL OTHER--MALE----	1,286	2	10	1	1	9	58	89	137	239	284	261
FEMALE--	518	2	1	-	2	8	13	42	63	118	118	65
BLACK---MALE----	1,192	2	10	1	1	8	51	81	119	224	267	249
FEMALE--	483	2	1	-	2	5	11	38	59	114	112	61
ALABAMA -----	65	-	2	-	-	1	2	4	5	13	12	8
WHITE-----MALE----	30	-	1	-	-	1	1	-	3	7	7	3
FEMALE--	22	-	-	-	-	-	-	4	1	2	2	3
ALL OTHER--MALE----	7	-	-	-	-	-	-	-	-	4	2	1
FEMALE--	6	-	1	-	-	-	1	-	1	-	1	1
BLACK---MALE----	7	-	-	-	-	-	-	-	-	4	2	1
FEMALE--	6	-	1	-	-	-	1	-	1	-	1	1
ALASKA -----	29	-	-	-	-	1	-	6	6	6	3	2
WHITE-----MALE----	14	-	-	-	-	-	-	3	5	2	2	-
FEMALE--	5	-	-	-	-	-	-	1	-	2	1	-
ALL OTHER--MALE----	8	-	-	-	-	1	-	1	1	1	-	2
FEMALE--	2	-	-	-	-	-	-	1	-	1	-	-
BLACK---MALE----	4	-	-	-	-	1	-	1	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	280	-	-	-	-	3	20	17	57	58	60	36
WHITE-----MALE----	208	-	-	-	-	1	15	12	37	46	49	29
FEMALE--	49	-	-	-	-	2	5	5	12	7	7	3
ALL OTHER--MALE----	17	-	-	-	-	-	-	-	5	4	3	4
FEMALE--	6	-	-	-	-	-	-	-	3	1	1	-
BLACK---MALE----	8	-	-	-	-	-	-	-	2	4	1	1
FEMALE--	4	-	-	-	-	-	-	-	2	1	1	-
ARKANSAS -----	30	-	-	-	-	1	1	5	1	2	7	2
WHITE-----MALE----	20	-	-	-	-	1	1	3	-	1	6	1
FEMALE--	7	-	-	-	-	-	-	2	1	-	-	1
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	1,935	2	2	3	-	24	61	141	274	388	402	301
WHITE-----MALE----	1,247	-	-	1	-	14	40	99	197	264	268	191
FEMALE--	395	1	1	1	-	3	11	31	48	71	75	47
ALL OTHER--MALE----	205	-	1	1	-	2	8	5	24	32	39	51
FEMALE--	88	1	-	-	-	5	2	6	5	21	20	12
BLACK---MALE----	174	-	1	1	-	2	4	4	17	28	35	46
FEMALE--	79	1	-	-	-	3	2	6	5	20	18	11

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 2,854
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 ACCIDENTAL POISONING BY DRUGS, MEDICAMENTS, AND BIOLOGICALS (E850-E858)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 UNITED STATES --	454	237	126	101	99	92	97	84	39	7	1	11
WHITE-----MALE----	226	109	48	46	37	41	33	26	6	1	-	9
FEMALE--	106	69	46	36	51	40	53	49	28	6	1	-
ALL OTHER--MALE----	94	43	25	14	7	5	4	1	1	-	-	1
FEMALE--	28	16	7	5	4	6	7	8	4	-	-	1
BLACK---MALE----	86	41	24	14	7	4	2	-	-	-	-	1
FEMALE--	26	16	6	2	3	5	7	8	4	-	-	1
ALABAMA -----	4	1	-	3	4	1	3	1	1	-	-	-
WHITE-----MALE----	1	-	-	2	1	1	1	1	-	-	-	-
FEMALE--	3	1	-	1	3	-	1	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALASKA -----	3	2	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	10	4	4	4	1	2	-	1	-	-	-	3
WHITE-----MALE----	8	1	2	3	-	1	-	1	-	-	-	3
FEMALE--	1	3	2	-	1	1	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	2	2	-	-	2	1	1	3	-	-	-	-
WHITE-----MALE----	2	1	-	-	1	1	1	1	-	-	-	-
FEMALE--	-	1	-	-	1	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
CALIFORNIA -----	136	68	40	23	14	21	16	10	7	-	-	2
WHITE-----MALE----	77	38	19	14	5	11	6	2	-	-	-	1
FEMALE--	33	17	14	6	8	7	9	7	5	-	-	-
ALL OTHER--MALE----	18	10	7	2	1	1	-	1	1	-	-	1
FEMALE--	8	3	-	1	-	2	1	-	1	-	-	-
BLACK---MALE----	16	10	6	2	1	-	-	-	-	-	-	1
FEMALE--	7	3	-	-	-	1	1	-	1	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 2,855
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
0 ACCIDENTAL POISONING BY DRUGS, MEDICAMENTS, AND BIOLOGICALS (E850-E858)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
COLORADO -----	119	-	-	-	1	-	6	7	22	22	31	10
WHITE-----MALE----	78	-	-	-	1	-	3	6	12	16	22	7
FEMALE--	30	-	-	-	-	-	2	1	8	3	6	2
ALL OTHER--MALE----	8	-	-	-	-	-	1	-	1	1	3	1
FEMALE--	3	-	-	-	-	-	-	-	1	2	-	-
BLACK---MALE----	6	-	-	-	-	-	1	-	1	1	1	1
FEMALE--	2	-	-	-	-	-	-	-	1	1	-	-
CONNECTICUT -----	170	-	-	-	-	1	13	13	31	33	36	30
WHITE-----MALE----	122	-	-	-	-	1	11	10	25	27	31	13
FEMALE--	22	-	-	-	-	-	1	2	2	2	4	6
ALL OTHER--MALE----	18	-	-	-	-	-	-	1	2	2	1	8
FEMALE--	8	-	-	-	-	-	1	-	2	2	-	3
BLACK---MALE----	18	-	-	-	-	-	-	1	2	2	1	8
FEMALE--	6	-	-	-	-	-	-	-	2	1	-	3
DELAWARE -----	37	-	-	-	-	-	2	2	6	13	11	3
WHITE-----MALE----	24	-	-	-	-	-	2	2	4	9	6	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	8	-	-	-	-	-	-	-	2	3	2	1
FEMALE--	3	-	-	-	-	-	-	-	-	1	2	-
BLACK---MALE----	8	-	-	-	-	-	-	-	2	3	2	1
FEMALE--	3	-	-	-	-	-	-	-	-	1	2	-
DISTRICT OF COLUMBIA ----	11	-	-	-	-	-	-	-	2	2	5	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	2	-	-
FEMALE--	7	-	-	-	-	-	-	-	2	-	4	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	2	-	-
FEMALE--	7	-	-	-	-	-	-	-	2	-	4	-
FLORIDA -----	376	-	1	-	-	11	17	37	56	79	70	47
WHITE-----MALE----	231	-	1	-	-	8	13	24	33	50	44	36
FEMALE--	93	-	-	-	-	3	2	9	18	18	12	4
ALL OTHER--MALE----	38	-	-	-	-	-	1	2	4	8	10	7
FEMALE--	14	-	-	-	-	-	1	2	1	3	4	-
BLACK---MALE----	38	-	-	-	-	-	1	2	4	8	10	7
FEMALE--	13	-	-	-	-	-	1	1	1	3	4	-
GEORGIA -----	169	-	1	-	1	3	5	14	27	40	32	17
WHITE-----MALE----	67	-	-	-	-	2	2	6	14	14	14	4
FEMALE--	43	-	-	-	-	1	1	3	3	11	6	6
ALL OTHER--MALE----	35	-	1	-	1	-	2	5	5	8	7	3
FEMALE--	24	-	-	-	-	-	-	-	5	7	5	4
BLACK---MALE----	34	-	1	-	1	-	2	4	5	8	7	3
FEMALE--	24	-	-	-	-	-	-	-	5	7	5	4

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 2,856
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
0 ACCIDENTAL POISONING BY DRUGS, MEDICAMENTS, AND BIOLOGICALS (E850-E858)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
HAWAII -----	41	-	-	-	-	-	-	2	3	7	11	9
WHITE-----MALE----	28	-	-	-	-	-	-	1	2	6	6	8
FEMALE--	2	-	-	-	-	-	-	1	-	-	1	-
ALL OTHER--MALE----	10	-	-	-	-	-	-	-	1	1	4	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	16	-	-	-	-	1	-	2	3	2	1	3
WHITE-----MALE----	10	-	-	-	-	1	-	1	2	1	1	1
FEMALE--	6	-	-	-	-	-	-	1	1	1	-	2
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	372	1	1	-	2	3	13	37	58	76	77	50
WHITE-----MALE----	152	-	1	-	1	2	4	19	33	30	30	18
FEMALE--	51	-	-	-	1	1	1	6	5	9	6	7
ALL OTHER--MALE----	124	-	-	-	-	-	7	7	16	25	31	20
FEMALE--	45	1	-	-	-	-	1	5	4	12	10	5
BLACK---MALE----	124	-	-	-	-	-	7	7	16	25	31	20
FEMALE--	45	1	-	-	-	-	1	5	4	12	10	5
INDIANA -----	55	-	-	-	2	1	2	8	5	8	16	6
WHITE-----MALE----	32	-	-	-	1	1	2	4	3	5	10	3
FEMALE--	10	-	-	-	-	-	-	2	1	2	3	-
ALL OTHER--MALE----	7	-	-	-	-	-	-	-	1	1	1	2
FEMALE--	6	-	-	-	1	-	-	2	-	-	2	1
BLACK---MALE----	7	-	-	-	-	-	-	-	1	1	1	2
FEMALE--	6	-	-	-	1	-	-	2	-	-	2	1
IOWA -----	24	-	-	-	-	-	2	3	5	2	3	2
WHITE-----MALE----	12	-	-	-	-	-	2	1	2	1	2	-
FEMALE--	9	-	-	-	-	-	-	1	2	1	1	2
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	2	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	2	-	-	-	-	-	-	1	-	-	-	-
KANSAS -----	35	-	1	-	-	-	2	4	3	8	4	5
WHITE-----MALE----	24	-	1	-	-	-	2	4	2	7	3	4
FEMALE--	7	-	-	-	-	-	-	-	1	-	-	1
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	2	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	2	-	-	-	-	-	-	-	-	1	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 2,856
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 ACCIDENTAL POISONING BY DRUGS, MEDICAMENTS, AND BIOLOGICALS (E850-E858)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
HAWAII -----	4	2	-	1	-	1	1	-	-	-	-	-
WHITE-----MALE----	3	1	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	1	-	-	-	-	1	-	2	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	1	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	15	14	6	4	1	1	7	5	1	-	-	-
WHITE-----MALE----	5	4	1	-	1	-	2	1	-	-	-	-
FEMALE--	1	1	2	2	-	1	4	3	1	-	-	-
ALL OTHER--MALE----	7	6	2	2	-	-	1	-	-	-	-	-
FEMALE--	2	3	1	-	-	-	-	1	-	-	-	-
BLACK---MALE----	7	6	2	2	-	-	1	-	-	-	-	-
FEMALE--	2	3	1	-	-	-	-	1	-	-	-	-
INDIANA -----	2	-	-	2	1	-	1	1	-	-	-	-
WHITE-----MALE----	-	-	-	2	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IOWA -----	-	1	1	-	-	1	1	3	-	-	-	-
WHITE-----MALE----	-	1	1	-	-	-	-	2	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
KANSAS -----	1	1	-	1	1	1	2	1	-	-	-	-
WHITE-----MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	1	2	1	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 2,857
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
0 ACCIDENTAL POISONING BY DRUGS, MEDICAMENTS, AND BIOLOGICALS (E850-E858)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
KENTUCKY -----	94	1	1	-	-	3	5	8	17	18	13	9
WHITE-----MALE----	51	1	-	-	-	2	3	6	12	8	7	5
FEMALE--	36	-	-	-	-	1	2	1	2	10	4	4
ALL OTHER--MALE----	6	-	1	-	-	-	-	1	2	-	2	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	6	-	1	-	-	-	-	1	2	-	2	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
LOUISIANA -----	72	-	-	-	-	-	5	12	13	13	9	9
WHITE-----MALE----	29	-	-	-	-	-	3	6	2	6	3	6
FEMALE--	22	-	-	-	-	-	-	3	8	1	3	2
ALL OTHER--MALE----	17	-	-	-	-	-	2	3	2	6	1	1
FEMALE--	4	-	-	-	-	-	-	-	1	-	2	-
BLACK---MALE----	17	-	-	-	-	-	2	3	2	6	1	1
FEMALE--	3	-	-	-	-	-	-	-	1	-	1	-
MAINE -----	12	1	-	-	-	-	-	-	2	3	4	-
WHITE-----MALE----	8	1	-	-	-	-	-	-	-	2	4	-
FEMALE--	4	-	-	-	-	-	-	-	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	27	-	-	-	-	-	1	2	1	2	8	2
WHITE-----MALE----	12	-	-	-	-	-	-	-	1	2	3	1
FEMALE--	9	-	-	-	-	-	1	1	-	-	1	-
ALL OTHER--MALE----	6	-	-	-	-	-	-	1	-	-	4	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	6	-	-	-	-	-	-	1	-	-	4	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS -----	31	-	-	1	-	-	2	1	3	5	2	2
WHITE-----MALE----	16	-	-	1	-	-	2	1	2	3	2	1
FEMALE--	15	-	-	-	-	-	-	-	1	2	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	118	-	2	1	-	1	2	9	10	27	27	17
WHITE-----MALE----	50	-	-	1	-	-	1	3	5	13	13	6
FEMALE--	32	-	-	-	-	1	-	3	1	5	7	5
ALL OTHER--MALE----	24	-	2	-	-	-	1	-	3	5	7	3
FEMALE--	12	-	-	-	-	-	-	3	1	4	-	3
BLACK---MALE----	23	-	2	-	-	-	1	-	2	5	7	3
FEMALE--	11	-	-	-	-	-	-	2	1	4	-	3

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 2,857
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 0 ACCIDENTAL POISONING BY DRUGS, MEDICAMENTS, AND BIOLOGICALS (E850-E858)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
KENTUCKY -----	6	3	3	-	2	1	4	-	-	-	-	-
WHITE-----MALE----	2	2	-	-	-	1	2	-	-	-	-	-
FEMALE--	4	1	3	-	2	-	2	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	1	1	1	2	2	1	2	1	-	-	-	-
WHITE-----MALE----	-	1	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	1	1	1	1	1	1	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	1	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
MAINE -----	-	-	-	-	1	-	-	-	1	-	-	-
WHITE-----MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	2	1	1	-	2	2	2	1	-	-	-	-
WHITE-----MALE----	2	-	-	-	1	1	1	-	-	-	-	-
FEMALE--	-	1	1	-	1	1	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS -----	-	2	-	1	2	3	-	3	3	1	-	-
WHITE-----MALE----	-	1	-	1	-	1	-	1	-	-	-	-
FEMALE--	-	1	-	-	2	2	-	2	3	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	5	3	-	3	1	2	2	2	4	-	-	-
WHITE-----MALE----	1	3	-	1	-	-	1	1	1	-	-	-
FEMALE--	1	-	-	2	1	2	1	1	2	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 2,858
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
0 ACCIDENTAL POISONING BY DRUGS, MEDICAMENTS, AND BIOLOGICALS (E850-E858)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
MINNESOTA -----	35	-	1	-	-	1	-	4	2	5	8	6
WHITE-----MALE----	19	-	-	-	-	1	-	2	1	3	6	2
FEMALE--	8	-	-	-	-	-	-	-	1	-	2	1
ALL OTHER--MALE----	5	-	1	-	-	-	-	1	-	1	-	2
FEMALE--	3	-	-	-	-	-	-	1	-	1	-	1
BLACK---MALE----	4	-	1	-	-	-	-	-	-	1	-	2
FEMALE--	2	-	-	-	-	-	-	1	-	1	-	-
MISSISSIPPI -----	30	-	-	1	-	2	2	-	-	11	2	2
WHITE-----MALE----	14	-	-	1	-	2	-	-	-	7	1	1
FEMALE--	8	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	2	-	-	1	-	1
FEMALE--	4	-	-	-	-	-	-	-	-	2	1	-
BLACK---MALE----	3	-	-	-	-	-	1	-	-	1	-	1
FEMALE--	4	-	-	-	-	-	-	-	-	2	1	-
MISSOURI -----	126	2	-	-	1	1	7	9	18	37	18	15
WHITE-----MALE----	59	1	-	-	-	1	3	4	14	19	7	5
FEMALE--	36	1	-	-	-	-	1	2	2	7	7	6
ALL OTHER--MALE----	24	-	-	-	-	-	3	3	-	8	4	3
FEMALE--	7	-	-	-	1	-	-	-	2	3	-	1
BLACK---MALE----	24	-	-	-	-	-	3	3	-	8	4	3
FEMALE--	7	-	-	-	1	-	-	-	2	3	-	1
MONTANA -----	11	-	-	-	-	1	-	-	2	2	-	2
WHITE-----MALE----	7	-	-	-	-	1	-	-	1	1	-	2
FEMALE--	3	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	7	-	-	-	-	-	-	1	-	1	3	-
WHITE-----MALE----	3	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
NEVADA -----	63	-	-	-	-	1	4	5	9	13	19	5
WHITE-----MALE----	48	-	-	-	-	1	2	4	8	10	15	4
FEMALE--	7	-	-	-	-	-	-	-	-	1	3	1
ALL OTHER--MALE----	7	-	-	-	-	-	2	1	1	1	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	7	-	-	-	-	-	2	1	1	1	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 2,860
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
0 ACCIDENTAL POISONING BY DRUGS, MEDICAMENTS, AND BIOLOGICALS (E850-E858)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
OHIO -----	212	1	-	-	-	2	6	17	21	41	43	31
WHITE-----MALE----	111	-	-	-	-	1	2	13	14	30	15	17
FEMALE--	50	1	-	-	-	1	1	4	4	12	5	
ALL OTHER--MALE----	35	-	-	-	-	-	3	1	3	4	12	7
FEMALE--	16	-	-	-	-	-	-	2	-	3	4	2
BLACK---MALE----	35	-	-	-	-	-	3	1	3	4	12	7
FEMALE--	16	-	-	-	-	-	-	2	-	3	4	2
OKLAHOMA -----	90	-	1	-	1	-	5	7	13	11	19	12
WHITE-----MALE----	49	-	-	-	-	-	5	4	7	5	9	7
FEMALE--	27	-	1	-	1	-	-	3	2	2	7	3
ALL OTHER--MALE----	12	-	-	-	-	-	-	-	4	4	3	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	5	-	-	-	-	-	-	-	1	1	2	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	176	-	-	-	-	1	5	17	29	37	42	27
WHITE-----MALE----	123	-	-	-	-	-	3	15	18	28	31	17
FEMALE--	35	-	-	-	-	1	-	1	8	6	6	7
ALL OTHER--MALE----	12	-	-	-	-	-	2	1	1	3	3	1
FEMALE--	6	-	-	-	-	-	-	-	2	-	2	2
BLACK---MALE----	6	-	-	-	-	-	1	1	-	2	1	-
FEMALE--	3	-	-	-	-	-	-	-	1	-	1	1
PENNSYLVANIA -----	643	-	2	-	-	19	37	67	93	138	125	88
WHITE-----MALE----	363	-	-	-	-	13	25	43	56	95	69	44
FEMALE--	118	-	-	-	-	3	8	12	19	21	17	9
ALL OTHER--MALE----	127	-	2	-	-	2	4	10	13	16	28	30
FEMALE--	35	-	-	-	-	1	-	2	5	6	11	5
BLACK---MALE----	125	-	2	-	-	2	4	10	13	16	28	30
FEMALE--	34	-	-	-	-	1	-	2	5	6	11	5
RHODE ISLAND -----	8	-	1	-	-	-	1	-	-	1	3	-
WHITE-----MALE----	5	-	-	-	-	-	1	-	-	-	2	-
FEMALE--	2	-	1	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	78	-	1	-	-	1	3	8	11	18	16	9
WHITE-----MALE----	36	-	-	-	-	1	1	4	8	9	6	4
FEMALE--	22	-	1	-	-	-	-	1	1	4	6	4
ALL OTHER--MALE----	16	-	-	-	-	-	2	2	2	4	3	1
FEMALE--	4	-	-	-	-	-	-	1	-	1	1	-
BLACK---MALE----	16	-	-	-	-	-	2	2	2	4	3	1
FEMALE--	4	-	-	-	-	-	-	1	-	1	1	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 2,860
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 ACCIDENTAL POISONING BY DRUGS, MEDICAMENTS, AND BIOLOGICALS (E850-E858)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
OHIO -----	12	8	5	3	10	5	4	2	1	-	-	-
WHITE-----MALE----	6	2	3	1	4	1	1	1	-	-	-	-
FEMALE--	4	4	1	1	5	3	2	-	1	-	-	-
ALL OTHER--MALE----	-	2	-	1	1	-	1	-	-	-	-	-
FEMALE--	2	-	1	-	-	1	-	1	-	-	-	-
BLACK---MALE----	-	2	-	1	1	-	1	-	-	-	-	-
FEMALE--	2	-	1	-	-	1	-	1	-	-	-	-
OKLAHOMA -----	6	4	4	1	2	1	-	1	1	-	-	1
WHITE-----MALE----	4	4	1	1	-	1	-	-	-	-	-	1
FEMALE--	2	-	3	-	2	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
OREGON -----	7	4	1	2	-	3	1	-	-	-	-	-
WHITE-----MALE----	6	2	1	-	-	2	-	-	-	-	-	-
FEMALE--	1	1	-	2	-	1	1	-	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	21	11	5	7	6	7	6	8	1	1	-	1
WHITE-----MALE----	4	3	2	1	3	3	1	-	-	-	-	1
FEMALE--	4	3	1	3	2	4	4	6	1	1	-	-
ALL OTHER--MALE----	12	4	2	3	-	-	1	-	-	-	-	-
FEMALE--	1	1	-	-	1	-	-	2	-	-	-	-
BLACK---MALE----	11	4	2	3	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	2	-	-	-	-
RHODE ISLAND -----	-	1	-	-	1	-	-	-	-	-	-	-
WHITE-----MALE----	-	1	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	5	2	-	-	3	-	-	1	-	-	-	-
WHITE-----MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	2	-	-	1	-	-	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 2,861
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
0 ACCIDENTAL POISONING BY DRUGS, MEDICAMENTS, AND BIOLOGICALS (E850-E858)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
SOUTH DAKOTA -----	8	-	-	-	-	-	-	1	1	3	-	-
WHITE-----MALE----	3	-	-	-	-	-	-	1	1	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	2	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	163	-	-	-	-	3	11	20	16	30	29	22
WHITE-----MALE----	79	-	-	-	-	1	6	11	8	17	15	9
FEMALE--	43	-	-	-	-	-	1	6	6	4	6	5
ALL OTHER--MALE----	28	-	-	-	-	2	3	3	2	6	4	7
FEMALE--	13	-	-	-	-	-	1	-	-	3	4	1
BLACK---MALE----	28	-	-	-	-	2	3	3	2	6	4	7
FEMALE--	13	-	-	-	-	-	1	-	-	3	4	1
TEXAS -----	566	2	2	1	1	17	44	49	83	115	104	61
WHITE-----MALE----	354	1	1	-	1	15	33	33	61	70	65	35
FEMALE--	123	-	1	1	-	2	3	9	17	26	22	12
ALL OTHER--MALE----	53	1	-	-	-	-	4	4	3	13	12	8
FEMALE--	36	-	-	-	-	-	4	3	2	6	5	6
BLACK---MALE----	52	1	-	-	-	-	4	3	3	13	12	8
FEMALE--	35	-	-	-	-	-	3	3	2	6	5	6
UTAH -----	19	-	-	-	1	1	-	-	-	4	7	1
WHITE-----MALE----	11	-	-	-	-	1	-	-	-	3	5	1
FEMALE--	7	-	-	-	1	-	-	-	-	1	2	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	6	-	-	-	-	-	-	1	-	1	-	-
WHITE-----MALE----	3	-	-	-	-	-	-	1	-	1	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	151	-	1	-	-	2	9	13	22	28	26	27
WHITE-----MALE----	72	-	-	-	-	-	7	6	12	12	15	12
FEMALE--	25	-	-	-	-	1	1	-	4	4	4	4
ALL OTHER--MALE----	38	-	1	-	-	1	1	5	3	7	6	9
FEMALE--	16	-	-	-	-	-	-	2	3	5	1	2
BLACK---MALE----	38	-	1	-	-	1	1	5	3	7	6	9
FEMALE--	16	-	-	-	-	-	-	2	3	5	1	2

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 2,861
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 ACCIDENTAL POISONING BY DRUGS, MEDICAMENTS, AND BIOLOGICALS (E850-E858)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
SOUTH DAKOTA -----	-	-	-	-	-	1	-	-	-	2	-	-
WHITE-----MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	9	4	2	6	1	2	4	2	1	-	-	1
WHITE-----MALE----	4	1	1	3	1	-	-	1	1	-	-	-
FEMALE--	3	3	1	2	-	2	3	1	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	1	-	-	1	-	-	-	-	1
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	1	-	-	1	-	-	-	-	1
TEXAS -----	29	15	8	4	7	8	3	8	3	1	-	1
WHITE-----MALE----	15	6	3	2	3	4	1	4	-	-	-	1
FEMALE--	8	4	3	1	3	3	1	4	2	1	-	-
ALL OTHER--MALE----	4	1	1	-	1	1	-	-	-	-	-	-
FEMALE--	2	4	1	1	-	-	1	-	1	-	-	-
BLACK---MALE----	4	1	1	-	1	1	-	-	-	-	-	-
FEMALE--	2	4	1	1	-	-	1	-	1	-	-	-
UTAH -----	-	1	-	1	1	1	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	1	-	-	1	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	-	1	-	-	-	1	2	-	-	-
WHITE-----MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	8	4	2	2	-	2	1	3	1	-	-	-
WHITE-----MALE----	3	-	1	1	-	1	1	1	-	-	-	-
FEMALE--	3	-	-	1	-	-	-	2	1	-	-	-
ALL OTHER--MALE----	1	3	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	1	3	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	1	-	-	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 2,869
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
0 ACCIDENTAL POISONING BY OTHER SOLID OR LIQUID SUBSTANCES (E860-E866)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
OHIO -----	11	-	1	-	-	-	-	-	2	1	2	1
WHITE-----MALE----	7	-	1	-	-	-	-	-	2	1	1	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA -----	11	-	-	-	1	1	-	-	2	5	-	1
WHITE-----MALE----	7	-	-	-	1	1	-	-	1	2	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	1	3	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	3	-	-	-	-	-	2	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	19	-	-	-	1	-	-	2	2	-	2	5
WHITE-----MALE----	13	-	-	-	1	-	-	2	2	-	2	4
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	15	-	-	-	-	-	-	1	1	1	2	3
WHITE-----MALE----	3	-	-	-	-	-	-	1	-	-	1	1
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	7	-	-	-	-	-	-	-	1	-	1	1
FEMALE--	2	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	7	-	-	-	-	-	-	-	1	-	1	1
FEMALE--	2	-	-	-	-	-	-	-	-	1	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 2,869
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 ACCIDENTAL POISONING BY OTHER SOLID OR LIQUID SUBSTANCES (E860-E866)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
OHIO -----	3	1	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA -----	1	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	-	-	-	-	-	1	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	3	1	1	-	1	1	-	-	-	-	-	-
WHITE-----MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	1	-	3	1	1	1	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	2	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	1	-	2	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 2,873
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
 CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
 0 ACCIDENTAL POISONING BY GASES AND VAPORS (E867-E869)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
COLORADO -----	20	-	-	1	-	2	6	1	1	-	2	2
WHITE-----MALE----	15	-	-	-	-	2	5	1	-	-	2	1
FEMALE--	4	-	-	1	-	-	1	-	1	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	12	-	-	-	2	1	-	-	-	2	-	2
WHITE-----MALE----	5	-	-	-	-	1	-	-	-	2	-	-
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	2	-	-	-	1	-	-	-	-	-	-	1
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	2	-	-	-	1	-	-	-	-	-	-	1
DELAWARE -----	1	-	-	-	-	-	-	-	-	-	1	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	22	-	-	-	-	1	1	3	1	1	2	1
WHITE-----MALE----	13	-	-	-	-	-	1	2	-	1	2	1
FEMALE--	2	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	3	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	1	-	-	-
GEORGIA -----	10	-	-	-	-	1	-	2	1	1	2	1
WHITE-----MALE----	6	-	-	-	-	1	-	2	-	-	2	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	1	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 2,875
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
0 ACCIDENTAL POISONING BY GASES AND VAPORS (E867-E869)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
KENTUCKY -----	17	-	-	1	2	-	-	-	1	1	2	2
WHITE-----MALE----	12	-	-	-	2	-	-	-	1	1	1	2
FEMALE--	3	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	1	-	-	-	-	-	-	-	-
LOUISIANA -----	10	-	-	-	-	1	-	1	1	1	-	-
WHITE-----MALE----	4	-	-	-	-	1	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	5	-	-	-	-	-	-	1	1	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	5	-	-	-	-	-	-	1	1	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
MAINE -----	1	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	6	-	-	-	-	-	2	-	-	-	2	-
WHITE-----MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	2	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	2	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
MASSACHUSETTS -----	5	-	-	-	-	-	-	1	-	2	-	-
WHITE-----MALE----	4	-	-	-	-	-	-	1	-	2	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	39	-	-	-	-	3	2	7	3	3	3	4
WHITE-----MALE----	22	-	-	-	-	3	2	5	2	3	-	1
FEMALE--	8	-	-	-	-	-	-	1	-	-	2	1
ALL OTHER--MALE----	6	-	-	-	-	-	-	1	-	-	1	1
FEMALE--	3	-	-	-	-	-	-	-	1	-	-	1
BLACK---MALE----	5	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	3	-	-	-	-	-	-	-	1	-	-	1

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 2,875
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 ACCIDENTAL POISONING BY GASES AND VAPORS (E867-E869)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
KENTUCKY -----	-	4	1	-	-	2	1	-	-	-	-	-
WHITE-----MALE----	-	3	-	-	-	2	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
LOUISIANA -----	-	-	1	1	1	1	1	1	-	-	-	-
WHITE-----MALE----	-	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
MAINE -----	-	-	-	-	-	1	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	2	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS -----	-	1	-	-	-	-	-	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	1	1	1	2	3	2	-	2	2	-	-	-
WHITE-----MALE----	1	-	-	1	2	-	-	1	1	-	-	-
FEMALE--	-	-	1	-	1	1	-	1	-	-	-	-
ALL OTHER--MALE----	-	1	-	1	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	1	-	1	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 2,878
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 ACCIDENTAL POISONING BY GASES AND VAPORS (E867-E869)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
OHIO -----	3	1	4	2	1	2	2	2	2	-	-	-
WHITE-----MALE----	1	1	1	2	1	1	2	2	1	-	-	-
FEMALE--	1	-	3	-	-	1	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA -----	-	1	1	1	-	-	3	-	-	-	-	1
WHITE-----MALE----	-	1	1	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	2	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	1	1	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	3	-	4	2	3	10	3	1	1	-	-	-
WHITE-----MALE----	3	-	4	2	1	7	2	-	-	-	-	-
FEMALE--	-	-	-	-	2	3	-	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
RHODE ISLAND -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	1	-	-	-	-	1	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 2,879
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 ACCIDENTAL POISONING BY GASES AND VAPORS (E867-E869)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
SOUTH DAKOTA -----	-	-	1	-	1	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	1	1	1	-	-	1	-	-	-	-	-	-
WHITE-----MALE----	-	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS -----	3	1	2	3	-	1	-	-	-	1	-	-
WHITE-----MALE----	3	1	2	2	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	1	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
UTAH -----	1	1	-	1	-	-	-	-	-	-	-	-
WHITE-----MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	-	2	1	-	-	1	1	1	-	-	-	-
WHITE-----MALE----	-	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	1	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	1	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 2,881
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 MISADVENTURES DURING MEDICAL CARE, ABNORMAL REACTIONS, AND LATE COMPLICATIONS (E870-E879)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 UNITED STATES --	114	128	192	290	372	448	373	327	153	54	14	-
WHITE-----MALE----	42	49	75	118	166	177	132	107	41	14	2	-
FEMALE--	42	48	75	116	144	196	202	189	90	36	5	-
ALL OTHER--MALE----	11	19	18	23	32	37	23	13	5	-	-	-
FEMALE--	19	12	24	33	30	38	16	18	17	4	7	-
BLACK---MALE----	11	16	16	21	27	36	20	10	5	-	-	-
FEMALE--	18	11	23	29	28	35	12	17	15	4	7	-
ALABAMA -----	1	2	-	11	10	9	10	8	4	1	-	-
WHITE-----MALE----	-	1	-	3	2	4	1	1	1	-	-	-
FEMALE--	1	-	-	5	4	3	7	4	1	1	-	-
ALL OTHER--MALE----	-	1	-	2	3	2	1	-	1	-	-	-
FEMALE--	-	-	-	1	1	-	1	3	1	-	-	-
BLACK---MALE----	-	1	-	2	3	2	1	-	1	-	-	-
FEMALE--	-	-	-	1	1	-	1	3	1	-	-	-
ALASKA -----	-	-	-	-	-	-	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	1	1	3	8	10	3	8	2	5	1	1	-
WHITE-----MALE----	-	1	3	3	6	-	1	1	-	-	1	-
FEMALE--	1	-	-	4	4	2	4	1	5	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	3	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	-	-	-	-	-
ARKANSAS -----	1	3	3	2	1	4	3	6	1	-	-	-
WHITE-----MALE----	-	-	2	1	1	2	-	1	-	-	-	-
FEMALE--	-	3	1	1	-	1	3	5	1	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
CALIFORNIA -----	8	12	6	21	15	27	22	17	7	2	-	-
WHITE-----MALE----	5	4	1	11	9	12	9	4	3	1	-	-
FEMALE--	2	5	4	10	4	12	11	12	3	1	-	-
ALL OTHER--MALE----	-	2	1	-	1	1	2	1	-	-	-	-
FEMALE--	1	1	-	-	1	2	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	1	1	-	-	1	-	-	-	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 2,882
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
 CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
 0 MISADVENTURES DURING MEDICAL CARE, ABNORMAL REACTIONS, AND LATE COMPLICATIONS (E870-E879)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
COLORADO -----	46	-	-	1	-	-	-	1	1	-	-	2
WHITE-----MALE----	21	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	22	-	-	1	-	-	-	1	-	-	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	1	-	-	-
CONNECTICUT -----	65	-	1	1	1	-	-	-	-	1	-	3
WHITE-----MALE----	29	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	30	-	-	-	1	-	-	-	-	-	-	1
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	3	-	-	-	-	-	-	-	-	1	-	1
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	1	-	1
DELAWARE -----	11	-	-	-	-	-	-	-	-	-	-	1
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	7	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	83	-	2	1	-	-	1	-	-	4	2	2
WHITE-----MALE----	35	-	-	1	-	-	-	-	-	2	1	1
FEMALE--	35	-	2	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	5	-	-	-	-	-	1	-	-	-	-	1
FEMALE--	8	-	-	-	-	-	-	-	-	1	1	-
BLACK---MALE----	4	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	1	1	-
GEORGIA -----	106	1	-	-	1	-	2	2	1	2	5	5
WHITE-----MALE----	29	-	-	-	1	-	-	-	-	1	1	2
FEMALE--	30	-	-	-	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	27	1	-	-	-	-	2	2	-	1	2	1
FEMALE--	20	-	-	-	-	-	-	-	1	-	1	1
BLACK---MALE----	27	1	-	-	-	-	2	2	-	1	2	1
FEMALE--	20	-	-	-	-	-	-	-	1	-	1	1

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 2,882
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 MISADVENTURES DURING MEDICAL CARE, ABNORMAL REACTIONS, AND LATE COMPLICATIONS (E870-E879)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
COLORADO -----	1	3	5	3	4	5	11	5	2	2	-	-
WHITE-----MALE----	-	2	2	2	2	2	5	4	-	1	-	-
FEMALE--	1	1	3	1	2	2	5	1	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
CONNECTICUT -----	4	3	1	-	11	8	13	8	7	3	-	-
WHITE-----MALE----	2	1	1	-	5	5	4	3	5	1	-	-
FEMALE--	2	2	-	-	5	3	8	5	1	2	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	-	-	-	1	3	2	3	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	1	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	1	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	-	-	2	-	1	3	-	-	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	1	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	2	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	2	-	-	-	-	-	-
FLORIDA -----	3	3	7	5	7	16	7	13	4	5	1	-
WHITE-----MALE----	1	-	5	1	2	7	4	9	-	1	-	-
FEMALE--	1	-	2	3	4	8	3	3	4	3	1	-
ALL OTHER--MALE----	-	2	-	-	1	-	-	-	-	-	-	-
FEMALE--	1	1	-	1	-	1	-	1	-	1	-	-
BLACK---MALE----	-	2	-	-	1	-	-	-	-	-	-	-
FEMALE--	1	1	-	1	-	1	-	1	-	1	-	-
GEORGIA -----	3	5	11	9	20	13	8	11	5	2	-	-
WHITE-----MALE----	-	1	-	3	9	4	3	3	-	1	-	-
FEMALE--	2	1	4	2	4	2	2	7	3	1	-	-
ALL OTHER--MALE----	1	3	1	2	4	5	2	-	-	-	-	-
FEMALE--	-	-	6	2	3	2	1	1	2	-	-	-
BLACK---MALE----	1	3	1	2	4	5	2	-	-	-	-	-
FEMALE--	-	-	6	2	3	2	1	1	2	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 2,884
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
0 MISADVENTURES DURING MEDICAL CARE, ABNORMAL REACTIONS, AND LATE COMPLICATIONS (E870-E879)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
KENTUCKY -----	40	-	-	-	-	-	1	-	-	-	-	-
WHITE-----MALE----	20	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	20	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	52	-	-	-	1	-	-	-	-	-	1	2
WHITE-----MALE----	16	-	-	-	1	-	-	-	-	-	1	1
FEMALE--	16	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	7	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	13	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	7	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	12	-	-	-	-	-	-	-	-	-	-	1
MAINE -----	17	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	11	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	110	1	-	2	-	-	-	2	1	-	4	3
WHITE-----MALE----	37	-	-	-	-	-	-	1	-	-	1	-
FEMALE--	36	-	-	1	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	19	-	-	1	-	-	-	-	-	-	1	1
FEMALE--	18	1	-	-	-	-	-	1	1	-	1	1
BLACK---MALE----	16	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	17	1	-	-	-	-	-	1	1	-	1	1
MASSACHUSETTS -----	33	-	-	-	-	1	-	-	1	2	1	3
WHITE-----MALE----	18	-	-	-	-	1	-	-	1	2	1	-
FEMALE--	15	-	-	-	-	-	-	-	-	-	-	3
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	100	-	1	-	-	-	1	1	3	6	3	2
WHITE-----MALE----	46	-	1	-	-	-	1	1	1	1	2	1
FEMALE--	39	-	-	-	-	-	-	-	-	4	-	1
ALL OTHER--MALE----	7	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	8	-	-	-	-	-	-	-	2	1	-	-
BLACK---MALE----	7	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	8	-	-	-	-	-	-	-	2	1	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 2,884
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 MISADVENTURES DURING MEDICAL CARE, ABNORMAL REACTIONS, AND LATE COMPLICATIONS (E870-E879)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
KENTUCKY -----	3	1	6	3	3	5	8	7	3	-	-	-
WHITE-----MALE----	2	1	3	1	-	3	4	3	2	-	-	-
FEMALE--	1	-	3	2	3	2	4	4	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	3	1	5	6	6	12	3	8	4	-	-	-
WHITE-----MALE----	-	-	1	1	2	5	1	2	1	-	-	-
FEMALE--	-	-	1	2	2	4	-	5	2	-	-	-
ALL OTHER--MALE----	1	1	1	1	-	2	1	-	-	-	-	-
FEMALE--	2	-	2	2	2	1	1	1	1	-	-	-
BLACK---MALE----	1	1	1	1	-	2	1	-	-	-	-	-
FEMALE--	2	-	1	2	2	1	1	1	1	-	-	-
MAINE -----	-	2	1	4	1	1	4	2	2	-	-	-
WHITE-----MALE----	-	1	1	-	1	-	1	1	1	-	-	-
FEMALE--	-	1	-	4	-	1	3	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	4	2	9	13	12	16	21	10	5	4	1	-
WHITE-----MALE----	2	1	6	6	4	4	7	3	2	-	-	-
FEMALE--	1	-	1	2	3	6	11	4	2	3	-	-
ALL OTHER--MALE----	-	1	1	3	3	5	1	2	-	-	-	-
FEMALE--	1	-	1	2	2	1	2	1	1	1	1	-
BLACK---MALE----	-	1	1	2	2	5	1	2	-	-	-	-
FEMALE--	1	-	1	2	2	1	2	-	1	1	1	-
MASSACHUSETTS -----	-	1	1	4	3	5	3	6	1	1	-	-
WHITE-----MALE----	-	1	1	2	3	4	1	1	-	-	-	-
FEMALE--	-	-	-	2	-	1	2	5	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	6	8	6	3	13	20	12	8	5	2	-	-
WHITE-----MALE----	3	6	1	1	7	10	4	4	-	2	-	-
FEMALE--	2	2	3	2	4	6	6	4	5	-	-	-
ALL OTHER--MALE----	1	-	1	-	1	3	-	-	-	-	-	-
FEMALE--	-	-	1	-	1	1	2	-	-	-	-	-
BLACK---MALE----	1	-	1	-	1	3	-	-	-	-	-	-
FEMALE--	-	-	1	-	1	1	2	-	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 2,887
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 MISADVENTURES DURING MEDICAL CARE, ABNORMAL REACTIONS, AND LATE COMPLICATIONS (E870-E879)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
OHIO -----	5	5	9	20	20	29	13	15	8	-	-	-
WHITE-----MALE----	3	1	-	8	11	7	4	5	2	-	-	-
FEMALE--	2	3	6	9	7	18	8	8	4	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	3	1	-	-	-	-	-
FEMALE--	-	1	2	3	2	1	-	2	2	-	-	-
BLACK---MALE----	-	-	1	-	-	3	1	-	-	-	-	-
FEMALE--	-	1	2	3	2	1	-	2	2	-	-	-
OKLAHOMA -----	1	2	3	4	5	9	5	3	2	-	-	-
WHITE-----MALE----	-	1	1	3	4	3	3	-	1	-	-	-
FEMALE--	1	-	2	-	-	5	2	3	1	-	-	-
ALL OTHER--MALE----	-	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	1	-	-	-	-	-	-
OREGON -----	-	-	2	1	5	5	4	6	2	-	-	-
WHITE-----MALE----	-	-	2	-	4	3	1	3	1	-	-	-
FEMALE--	-	-	-	1	1	2	3	3	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	9	10	12	22	43	44	24	27	6	5	-	-
WHITE-----MALE----	4	4	6	8	17	15	9	9	3	1	-	-
FEMALE--	2	3	6	11	20	23	14	16	3	4	-	-
ALL OTHER--MALE----	1	2	-	1	2	1	-	1	-	-	-	-
FEMALE--	2	1	-	2	4	5	1	1	-	-	-	-
BLACK---MALE----	1	2	-	1	2	1	-	1	-	-	-	-
FEMALE--	2	1	-	2	3	5	1	1	-	-	-	-
RHODE ISLAND -----	-	-	1	1	1	3	-	-	1	-	-	-
WHITE-----MALE----	-	-	1	1	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	2	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	3	3	4	3	9	3	4	3	3	1	1	-
WHITE-----MALE----	1	1	-	2	3	3	-	-	1	-	-	-
FEMALE--	-	-	-	1	1	-	2	3	2	-	-	-
ALL OTHER--MALE----	2	1	1	-	2	-	2	-	-	-	-	-
FEMALE--	-	1	3	-	3	-	-	-	-	1	1	-
BLACK---MALE----	2	1	1	-	2	-	2	-	-	-	-	-
FEMALE--	-	1	3	-	3	-	-	-	-	1	1	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 2,888
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 0 MISADVENTURES DURING MEDICAL CARE, ABNORMAL REACTIONS, AND LATE COMPLICATIONS (E870-E879)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
SOUTH DAKOTA -----	-	-	1	2	1	2	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	1	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	4	5	6	2	11	10	13	4	3	2	-	-
WHITE-----MALE----	-	-	4	1	6	4	6	3	-	-	-	-
FEMALE--	1	4	1	1	3	4	6	1	2	2	-	-
ALL OTHER--MALE----	1	1	1	-	1	-	-	-	1	-	-	-
FEMALE--	2	-	-	-	1	2	1	-	-	-	-	-
BLACK---MALE----	1	1	1	-	1	-	-	-	1	-	-	-
FEMALE--	2	-	-	-	1	2	1	-	-	-	-	-
TEXAS -----	15	4	9	20	17	30	20	23	10	6	2	-
WHITE-----MALE----	3	-	3	12	7	14	6	6	2	1	-	-
FEMALE--	8	3	5	4	9	10	13	15	6	4	1	-
ALL OTHER--MALE----	1	-	1	3	1	2	1	1	-	-	-	-
FEMALE--	3	1	-	1	-	4	-	1	2	1	1	-
BLACK---MALE----	1	-	1	3	1	2	1	1	-	-	-	-
FEMALE--	3	1	-	1	-	4	-	1	2	1	1	-
UTAH -----	1	-	4	2	-	2	4	7	-	-	-	-
WHITE-----MALE----	1	-	2	-	-	-	1	2	-	-	-	-
FEMALE--	-	-	2	2	-	2	1	5	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	2	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	-	-	-	-	1	-	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	4	5	9	10	9	18	13	13	9	3	1	-
WHITE-----MALE----	2	2	4	2	3	5	6	4	2	2	-	-
FEMALE--	-	1	3	5	5	9	5	5	4	1	-	-
ALL OTHER--MALE----	-	-	1	1	1	1	2	2	-	-	-	-
FEMALE--	2	2	1	2	-	3	-	2	3	-	1	-
BLACK---MALE----	-	-	1	1	1	1	2	2	-	-	-	-
FEMALE--	2	2	1	2	-	3	-	2	3	-	1	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 2,890
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 ACCIDENTAL FALLS (E880-E888)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 UNITED STATES --	365	368	492	680	1,100	1,699	2,519	2,777	2,142	857	227	3
WHITE-----MALE----	215	230	315	391	588	806	1,069	1,005	642	223	50	-
FEMALE--	83	80	109	204	423	785	1,342	1,662	1,423	599	161	3
ALL OTHER--MALE----	60	48	47	65	53	55	45	45	24	11	3	-
FEMALE--	7	10	21	20	36	53	63	65	53	24	13	-
BLACK---MALE----	55	36	44	50	42	43	28	30	18	9	3	-
FEMALE--	6	9	18	17	25	39	48	52	37	15	9	-
ALABAMA -----	6	4	10	13	17	29	38	27	31	12	2	-
WHITE-----MALE----	4	3	6	8	10	7	12	9	7	3	-	-
FEMALE--	1	-	2	4	6	19	25	18	22	8	2	-
ALL OTHER--MALE----	1	1	1	1	1	1	-	-	1	1	-	-
FEMALE--	-	-	1	-	-	2	1	-	1	-	-	-
BLACK---MALE----	1	1	1	1	1	1	-	-	1	1	-	-
FEMALE--	-	-	1	-	-	2	1	-	1	-	-	-
ALASKA -----	1	-	-	1	1	3	6	2	3	-	-	-
WHITE-----MALE----	-	-	-	1	1	2	3	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	2	2	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	5	5	4	11	16	35	57	58	44	15	6	-
WHITE-----MALE----	2	4	3	8	7	15	25	30	9	5	2	-
FEMALE--	1	1	-	3	7	17	28	27	34	10	3	-
ALL OTHER--MALE----	1	-	-	-	2	-	2	-	-	-	-	-
FEMALE--	1	-	1	-	-	3	2	1	1	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	1	1	-	-	-	-	-
ARKANSAS -----	4	3	6	8	15	24	35	23	22	5	-	-
WHITE-----MALE----	2	3	5	3	8	11	12	5	5	1	-	-
FEMALE--	1	-	1	4	5	12	21	17	17	3	-	-
ALL OTHER--MALE----	1	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	2	1	2	1	-	1	-	-
BLACK---MALE----	1	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	2	1	2	1	-	1	-	-
CALIFORNIA -----	42	39	39	68	90	108	181	167	113	45	15	-
WHITE-----MALE----	25	22	25	38	45	56	80	68	33	15	6	-
FEMALE--	12	10	9	18	35	40	87	90	76	28	8	-
ALL OTHER--MALE----	5	5	3	9	5	7	5	5	2	-	-	-
FEMALE--	-	2	2	3	5	5	9	4	2	2	1	-
BLACK---MALE----	5	4	2	2	1	3	1	-	-	-	-	-
FEMALE--	-	1	-	2	1	1	2	4	1	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 2,891
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
0 ACCIDENTAL FALLS (E880-E888)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
COLORADO -----	234	-	-	-	-	2	1	1	3	4	6	6
WHITE-----MALE----	112	-	-	-	-	1	1	1	1	3	5	5
FEMALE--	114	-	-	-	-	1	-	-	1	-	-	1
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	1	1	1	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	1	1	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	221	-	1	-	-	1	3	1	5	3	6	6
WHITE-----MALE----	107	-	-	-	-	1	3	-	4	2	3	5
FEMALE--	108	-	1	-	-	-	-	-	1	1	3	-
ALL OTHER--MALE----	5	-	-	-	-	-	-	1	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	5	-	-	-	-	-	-	1	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	32	-	-	-	-	-	-	-	-	-	4	-
WHITE-----MALE----	14	-	-	-	-	-	-	-	-	-	3	-
FEMALE--	16	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	38	-	-	-	-	-	-	-	-	1	7	1
WHITE-----MALE----	7	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	16	-	-	-	-	-	-	-	-	-	6	1
FEMALE--	9	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	16	-	-	-	-	-	-	-	-	-	6	1
FEMALE--	9	-	-	-	-	-	-	-	-	1	-	-
FLORIDA -----	779	-	1	-	-	4	7	8	7	15	21	31
WHITE-----MALE----	379	-	-	-	-	3	5	7	5	9	14	21
FEMALE--	363	-	1	-	-	1	1	1	1	2	5	6
ALL OTHER--MALE----	26	-	-	-	-	-	1	-	1	2	2	3
FEMALE--	11	-	-	-	-	-	-	-	-	2	-	1
BLACK---MALE----	25	-	-	-	-	-	1	-	1	2	2	3
FEMALE--	8	-	-	-	-	-	-	-	-	1	-	1
GEORGIA -----	358	1	2	-	1	2	3	1	8	2	6	14
WHITE-----MALE----	138	-	1	-	1	2	2	1	4	2	3	10
FEMALE--	169	-	-	-	-	-	-	-	-	-	-	2
ALL OTHER--MALE----	28	1	-	-	-	-	1	-	3	-	2	1
FEMALE--	23	-	1	-	-	-	-	-	1	-	1	1
BLACK---MALE----	28	1	-	-	-	-	1	-	3	-	2	1
FEMALE--	22	-	1	-	-	-	-	-	1	-	1	1

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 2,891
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 0 ACCIDENTAL FALLS (E880-E888)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
COLORADO -----	6	6	6	5	17	24	46	48	40	9	4	-
WHITE-----MALE----	4	2	5	3	7	14	23	20	14	3	-	-
FEMALE--	2	2	1	2	10	10	23	26	26	6	3	-
ALL OTHER--MALE----	-	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	2	-	-	1	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	1	-
CONNECTICUT -----	3	6	5	10	23	29	35	39	33	7	5	-
WHITE-----MALE----	2	4	5	7	12	20	11	12	11	2	3	-
FEMALE--	1	1	-	2	10	9	24	27	22	4	2	-
ALL OTHER--MALE----	-	1	-	-	1	-	-	-	-	1	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	1	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	1	2	1	-	1	5	5	6	4	2	1	-
WHITE-----MALE----	1	2	-	-	1	2	1	1	1	2	-	-
FEMALE--	-	-	1	-	-	3	4	4	3	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
DISTRICT OF COLUMBIA ----	2	1	5	4	4	4	-	3	4	1	-	1
WHITE-----MALE----	-	-	-	2	-	1	-	2	1	-	-	-
FEMALE--	1	-	-	-	1	1	-	-	2	-	-	1
ALL OTHER--MALE----	-	1	4	1	3	-	-	-	-	-	-	-
FEMALE--	1	-	1	1	-	2	-	1	1	1	-	-
BLACK---MALE----	-	1	4	1	3	-	-	-	-	-	-	-
FEMALE--	1	-	1	1	-	2	-	1	1	1	-	-
FLORIDA -----	22	18	21	31	71	90	144	157	92	36	3	-
WHITE-----MALE----	15	9	13	16	41	50	68	65	26	11	1	-
FEMALE--	4	6	4	14	26	36	75	90	64	24	2	-
ALL OTHER--MALE----	3	3	3	-	2	3	-	-	2	1	-	-
FEMALE--	-	-	1	1	2	1	1	2	-	-	-	-
BLACK---MALE----	3	2	3	-	2	3	-	-	2	1	-	-
FEMALE--	-	-	1	1	-	1	1	2	-	-	-	-
GEORGIA -----	10	14	15	25	29	35	62	66	45	17	-	-
WHITE-----MALE----	6	10	6	9	15	14	18	19	14	1	-	-
FEMALE--	1	2	2	7	10	18	40	43	28	16	-	-
ALL OTHER--MALE----	2	2	5	7	1	1	1	-	1	-	-	-
FEMALE--	1	-	2	2	3	2	3	4	2	-	-	-
BLACK---MALE----	2	2	5	7	1	1	1	-	1	-	-	-
FEMALE--	1	-	2	2	3	1	3	4	2	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 2,892
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 ACCIDENTAL FALLS (E880-E888)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
HAWAII -----	2	2	-	4	4	12	11	10	11	9	1	-
WHITE-----MALE----	-	1	-	-	-	1	1	1	-	1	-	-
FEMALE--	-	-	-	-	1	2	1	1	1	2	1	-
ALL OTHER--MALE----	2	1	-	4	2	5	5	5	4	1	-	-
FEMALE--	-	-	-	-	1	4	4	3	6	5	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	2	3	5	5	6	10	14	13	15	6	2	-
WHITE-----MALE----	1	1	3	3	3	7	2	7	6	2	-	-
FEMALE--	1	2	2	2	3	3	12	6	9	4	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	20	19	22	23	42	85	103	102	71	26	5	-
WHITE-----MALE----	8	12	18	16	22	40	41	35	18	6	-	-
FEMALE--	5	5	2	5	14	36	55	59	50	18	5	-
ALL OTHER--MALE----	5	2	2	2	3	4	1	5	2	-	-	-
FEMALE--	2	-	-	-	3	5	6	3	1	2	-	-
BLACK---MALE----	4	2	2	2	3	3	1	5	2	-	-	-
FEMALE--	2	-	-	-	2	5	6	3	1	2	-	-
INDIANA -----	5	3	13	14	26	28	57	57	54	26	6	-
WHITE-----MALE----	4	2	10	9	14	15	25	19	17	5	-	-
FEMALE--	1	1	3	5	12	11	29	37	37	21	4	-
ALL OTHER--MALE----	-	-	-	-	-	1	2	-	-	-	1	-
FEMALE--	-	-	-	-	-	1	1	1	-	-	1	-
BLACK---MALE----	-	-	-	-	-	1	2	-	-	-	1	-
FEMALE--	-	-	-	-	-	1	1	1	-	-	1	-
IOWA -----	1	7	5	8	20	35	39	58	46	18	8	-
WHITE-----MALE----	1	6	3	6	9	19	19	21	22	1	3	-
FEMALE--	-	1	1	2	10	16	20	36	24	17	5	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS -----	3	3	3	9	6	14	34	48	37	14	7	-
WHITE-----MALE----	3	3	1	5	2	9	12	18	11	6	2	-
FEMALE--	-	-	2	2	4	5	21	30	26	8	5	-
ALL OTHER--MALE----	-	-	-	2	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	2	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 2,893
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ACCIDENTAL FALLS (E880-E888)												
KENTUCKY -----	234	-	-	1	-	2	1	2	4	2	5	7
WHITE-----MALE----	103	-	-	1	-	2	1	2	2	-	4	4
FEMALE--	117	-	-	-	-	-	-	-	1	1	1	2
ALL OTHER--MALE----	8	-	-	-	-	-	-	-	1	1	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	8	-	-	-	-	-	-	-	1	1	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	1
LOUISIANA -----	197	-	2	1	-	3	-	2	3	3	9	9
WHITE-----MALE----	75	-	1	-	-	2	-	2	1	3	4	2
FEMALE--	86	-	1	-	-	1	-	-	1	-	-	2
ALL OTHER--MALE----	28	-	-	1	-	-	-	-	1	-	4	5
FEMALE--	8	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	27	-	-	-	-	-	-	-	1	-	4	5
FEMALE--	7	-	-	-	-	-	-	-	-	-	1	-
MAINE -----	72	-	-	-	-	1	1	1	-	3	3	-
WHITE-----MALE----	37	-	-	-	-	1	1	1	-	2	3	-
FEMALE--	35	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	230	-	-	-	-	-	-	2	4	7	9	8
WHITE-----MALE----	93	-	-	-	-	-	-	2	1	6	4	4
FEMALE--	106	-	-	-	-	-	-	-	1	-	3	2
ALL OTHER--MALE----	18	-	-	-	-	-	-	-	1	-	2	-
FEMALE--	13	-	-	-	-	-	-	-	1	1	-	2
BLACK---MALE----	16	-	-	-	-	-	-	-	1	-	1	-
FEMALE--	12	-	-	-	-	-	-	-	1	1	-	1
MASSACHUSETTS -----	361	-	2	-	1	3	2	2	7	3	2	8
WHITE-----MALE----	150	-	1	-	1	3	2	2	5	3	2	5
FEMALE--	201	-	-	-	-	-	-	-	2	-	-	2
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	5	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	4	-	1	-	-	-	-	-	-	-	-	-
MICHIGAN -----	502	1	2	3	-	3	3	1	10	11	8	11
WHITE-----MALE----	233	-	1	1	-	2	1	1	9	8	5	6
FEMALE--	220	-	1	1	-	-	1	-	-	1	2	1
ALL OTHER--MALE----	35	1	-	1	-	-	1	-	1	1	1	4
FEMALE--	14	-	-	-	-	1	-	-	-	1	-	-
BLACK---MALE----	30	1	-	1	-	-	1	-	1	1	-	4
FEMALE--	14	-	-	-	-	1	-	-	-	1	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 2,893
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 ACCIDENTAL FALLS (E880-E888)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
KENTUCKY -----	10	7	6	15	15	21	30	50	35	19	2	-
WHITE-----MALE----	4	3	5	9	8	10	13	17	9	8	1	-
FEMALE--	2	3	1	6	7	11	17	30	24	10	1	-
ALL OTHER--MALE----	4	1	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	3	2	-	-	-
BLACK---MALE----	4	1	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	3	2	-	-	-
LOUISIANA -----	3	3	10	14	14	24	34	36	11	10	6	-
WHITE-----MALE----	1	1	6	8	6	11	9	12	3	3	-	-
FEMALE--	-	2	1	1	6	8	23	22	7	6	5	-
ALL OTHER--MALE----	2	-	2	4	2	4	1	1	-	-	1	-
FEMALE--	-	-	1	1	-	1	1	1	1	1	-	-
BLACK---MALE----	2	-	2	4	2	4	1	1	-	-	1	-
FEMALE--	-	-	1	1	-	1	1	-	1	1	-	-
MAINE -----	3	-	4	3	4	8	12	15	10	4	-	-
WHITE-----MALE----	3	-	4	2	2	3	7	6	2	-	-	-
FEMALE--	-	-	-	1	2	5	5	9	8	4	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	3	9	8	11	19	31	37	39	23	15	5	-
WHITE-----MALE----	2	6	5	4	10	9	18	10	6	5	1	-
FEMALE--	-	1	2	3	4	20	16	28	16	8	2	-
ALL OTHER--MALE----	1	2	1	4	3	1	3	-	-	-	-	-
FEMALE--	-	-	-	-	2	1	-	1	1	2	2	-
BLACK---MALE----	1	2	1	4	3	1	2	-	-	-	-	-
FEMALE--	-	-	-	-	2	1	-	1	1	2	2	-
MASSACHUSETTS -----	1	4	7	24	23	34	58	67	75	32	6	-
WHITE-----MALE----	1	3	5	16	15	19	24	20	19	3	1	-
FEMALE--	-	1	1	7	8	13	33	46	55	28	5	-
ALL OTHER--MALE----	-	-	1	1	-	1	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	1	1	1	1	-	-	-
BLACK---MALE----	-	-	1	-	-	1	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	1	1	-	1	-	-	-
MICHIGAN -----	18	13	19	25	39	68	87	84	62	26	8	-
WHITE-----MALE----	12	5	14	14	17	37	34	37	18	8	3	-
FEMALE--	2	4	1	9	18	29	48	39	41	18	4	-
ALL OTHER--MALE----	4	3	2	2	3	2	3	3	3	-	-	-
FEMALE--	-	1	2	-	1	-	2	5	-	-	1	-
BLACK---MALE----	4	2	1	2	3	2	2	2	3	-	-	-
FEMALE--	-	1	2	-	1	-	2	5	-	-	1	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 2,896
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ACCIDENTAL FALLS (E880-E888)												
OHIO -----	673	2	3	1	2	1	4	5	8	5	15	14
WHITE-----MALE----	268	-	1	-	2	1	4	4	4	3	10	9
FEMALE--	363	1	1	1	-	-	-	1	2	1	2	4
ALL OTHER--MALE----	22	1	1	-	-	-	-	-	2	-	3	1
FEMALE--	20	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	21	-	1	-	-	-	-	-	2	-	3	1
FEMALE--	20	-	-	-	-	-	-	-	-	1	-	-
OKLAHOMA -----	204	-	-	1	1	-	1	2	3	6	4	11
WHITE-----MALE----	106	-	-	-	1	-	1	1	3	5	3	9
FEMALE--	89	-	-	-	-	-	-	1	-	1	-	2
ALL OTHER--MALE----	5	-	-	1	-	-	-	-	-	-	1	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	1	-	-	-	-	-	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	251	-	-	-	2	2	2	2	4	2	6	8
WHITE-----MALE----	113	-	-	-	1	1	1	2	4	1	4	7
FEMALE--	132	-	-	-	1	-	1	-	-	1	1	1
ALL OTHER--MALE----	4	-	-	-	-	1	-	-	-	-	1	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	803	1	4	3	2	5	4	10	13	11	15	24
WHITE-----MALE----	357	1	1	3	1	4	3	8	8	9	9	12
FEMALE--	399	-	1	-	-	1	-	-	3	1	3	5
ALL OTHER--MALE----	30	-	2	-	1	-	1	2	2	1	2	4
FEMALE--	17	-	-	-	-	-	-	-	-	-	1	3
BLACK---MALE----	29	-	2	-	1	-	1	2	2	1	2	4
FEMALE--	17	-	-	-	-	-	-	-	-	-	1	3
RHODE ISLAND -----	73	-	-	-	-	-	-	1	-	-	2	-
WHITE-----MALE----	39	-	-	-	-	-	-	1	-	-	1	-
FEMALE--	32	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	186	1	1	-	-	-	2	4	2	6	12	5
WHITE-----MALE----	69	-	-	-	-	-	1	3	1	3	7	2
FEMALE--	87	-	-	-	-	-	-	1	-	2	2	1
ALL OTHER--MALE----	18	1	1	-	-	-	1	-	1	-	3	2
FEMALE--	12	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	17	1	1	-	-	-	-	-	1	-	3	2
FEMALE--	12	-	-	-	-	-	-	-	-	1	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 2,896
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 ACCIDENTAL FALLS (E880-E888)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
OHIO -----	19	15	17	29	48	70	124	142	92	42	15	-
WHITE-----MALE----	11	10	12	17	27	27	47	46	20	12	1	-
FEMALE--	6	3	5	11	20	38	70	88	66	30	13	-
ALL OTHER--MALE----	2	1	-	1	1	1	4	4	-	-	-	-
FEMALE--	-	1	-	-	-	4	3	4	6	-	1	-
BLACK---MALE----	2	1	-	1	1	1	4	4	-	-	-	-
FEMALE--	-	1	-	-	-	4	3	4	6	-	1	-
OKLAHOMA -----	5	5	6	8	8	29	35	37	27	13	2	-
WHITE-----MALE----	4	2	5	6	6	15	18	14	10	2	1	-
FEMALE--	-	2	1	1	2	13	16	23	16	10	1	-
ALL OTHER--MALE----	1	1	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	1	1	-	-
BLACK---MALE----	1	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-
OREGON -----	2	5	11	5	10	24	41	50	46	22	7	-
WHITE-----MALE----	1	5	6	2	7	13	15	19	17	7	-	-
FEMALE--	1	-	4	3	3	11	25	29	29	15	7	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	1	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	21	17	28	34	67	85	140	153	110	50	6	-
WHITE-----MALE----	14	11	12	16	40	37	62	54	35	17	-	-
FEMALE--	4	3	11	16	24	46	74	96	73	32	6	-
ALL OTHER--MALE----	2	2	4	2	1	-	3	-	-	1	-	-
FEMALE--	1	1	1	-	2	2	1	3	2	-	-	-
BLACK---MALE----	2	1	4	2	1	-	3	-	-	1	-	-
FEMALE--	1	1	1	-	2	2	1	3	2	-	-	-
RHODE ISLAND -----	2	-	2	4	6	12	15	9	13	6	1	-
WHITE-----MALE----	2	-	1	3	3	5	10	6	4	2	1	-
FEMALE--	-	-	-	1	3	7	5	3	9	4	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	3	3	4	8	15	26	35	27	21	11	-	-
WHITE-----MALE----	2	2	2	2	5	10	14	8	7	-	-	-
FEMALE--	-	-	2	1	7	14	18	16	12	11	-	-
ALL OTHER--MALE----	1	1	-	2	2	1	1	1	-	-	-	-
FEMALE--	-	-	-	3	1	1	2	2	2	-	-	-
BLACK---MALE----	1	1	-	2	2	1	1	1	-	-	-	-
FEMALE--	-	-	-	3	1	1	2	2	2	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 2,897
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 ACCIDENTAL FALLS (E880-E888)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
SOUTH DAKOTA -----	-	-	4	6	8	9	7	9	16	5	-	-
WHITE-----MALE----	-	-	2	5	4	5	4	2	3	4	-	-
FEMALE--	-	-	1	-	4	4	3	7	12	1	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	5	8	11	11	26	40	54	69	52	18	3	-
WHITE-----MALE----	3	6	8	8	13	23	22	26	17	6	-	-
FEMALE--	2	1	2	3	11	13	31	41	33	11	2	-
ALL OTHER--MALE----	-	1	1	-	1	3	-	2	1	-	1	-
FEMALE--	-	-	-	-	1	1	1	-	1	1	-	-
BLACK---MALE----	-	1	1	-	1	3	-	2	1	-	1	-
FEMALE--	-	-	-	-	-	1	1	-	1	1	-	-
TEXAS -----	27	32	26	24	78	113	143	168	134	47	13	1
WHITE-----MALE----	14	20	18	13	37	57	57	70	38	11	1	-
FEMALE--	10	7	8	8	39	51	82	93	92	32	11	1
ALL OTHER--MALE----	3	4	-	1	1	2	-	2	2	1	-	-
FEMALE--	-	1	-	2	1	3	4	3	2	3	1	-
BLACK---MALE----	3	3	-	1	1	2	-	2	2	1	-	-
FEMALE--	-	1	-	2	1	3	4	3	2	3	1	-
UTAH -----	1	1	4	2	5	13	19	18	19	4	-	-
WHITE-----MALE----	1	1	3	2	2	5	12	8	5	-	-	-
FEMALE--	-	-	1	-	3	8	7	10	14	4	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	1	2	1	3	10	6	9	4	2	-
WHITE-----MALE----	-	-	1	2	1	1	3	2	4	-	-	-
FEMALE--	-	-	-	-	-	2	7	4	5	4	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	7	6	13	17	34	49	47	62	58	25	10	-
WHITE-----MALE----	3	4	9	9	19	18	17	23	19	5	3	-
FEMALE--	3	1	1	5	10	22	28	35	35	19	6	-
ALL OTHER--MALE----	-	1	2	2	1	6	-	2	1	-	-	-
FEMALE--	1	-	1	1	4	3	2	2	3	1	1	-
BLACK---MALE----	-	1	2	2	1	5	-	2	1	-	-	-
FEMALE--	1	-	1	1	4	3	2	2	3	1	1	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 2,900
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
0 FALL FROM ONE LEVEL TO ANOTHER (E880-E884)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
COLORADO -----	60	-	-	-	-	1	-	1	1	2	3	2
WHITE-----MALE----	34	-	-	-	-	1	-	1	-	2	2	2
FEMALE--	23	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	1	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	59	-	1	-	-	-	2	1	4	3	2	2
WHITE-----MALE----	29	-	-	-	-	-	2	-	3	2	2	2
FEMALE--	27	-	1	-	-	-	-	-	1	1	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	2	-	-	-	-	-	-	-	-	-	1	-
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	8	-	-	-	-	-	-	-	-	-	3	-
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	2	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	2	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	149	-	-	-	-	3	5	6	5	6	8	7
WHITE-----MALE----	97	-	-	-	-	3	4	5	4	5	6	4
FEMALE--	40	-	-	-	-	-	-	1	1	-	1	1
ALL OTHER--MALE----	9	-	-	-	-	-	1	-	-	1	1	2
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	9	-	-	-	-	-	1	-	-	1	1	2
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
GEORGIA -----	64	-	-	-	-	2	2	1	5	1	2	6
WHITE-----MALE----	35	-	-	-	-	2	1	1	2	1	1	6
FEMALE--	13	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	11	-	-	-	-	-	1	-	2	-	1	-
FEMALE--	5	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	11	-	-	-	-	-	1	-	2	-	1	-
FEMALE--	5	-	-	-	-	-	-	-	1	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 2,900
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 FALL FROM ONE LEVEL TO ANOTHER (E880-E884)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
COLORADO -----	4	3	2	1	4	5	14	8	6	2	1	-
WHITE-----MALE----	2	2	2	1	1	3	8	2	3	2	-	-
FEMALE--	2	-	-	-	3	2	6	6	3	-	1	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	3	1	1	2	11	7	9	8	2	-	-	-
WHITE-----MALE----	2	-	1	2	5	4	3	1	-	-	-	-
FEMALE--	1	-	-	-	5	3	6	7	2	-	-	-
ALL OTHER--MALE----	-	1	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	-	-	-	-	1	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	1	-	2	-	-	1	-	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	2	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	2	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	4	10	9	10	15	15	14	20	7	5	-	-
WHITE-----MALE----	3	7	7	7	12	10	9	7	3	1	-	-
FEMALE--	-	2	1	2	3	5	5	11	4	3	-	-
ALL OTHER--MALE----	1	1	1	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	1	-	-	-	2	-	-	-	-
BLACK---MALE----	1	1	1	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	1	-	-	-	2	-	-	-	-
GEORGIA -----	4	5	3	4	9	8	2	9	-	1	-	-
WHITE-----MALE----	4	2	1	2	6	4	-	2	-	-	-	-
FEMALE--	-	1	-	-	1	3	2	5	-	1	-	-
ALL OTHER--MALE----	-	2	1	2	1	1	-	-	-	-	-	-
FEMALE--	-	-	1	-	1	-	-	2	-	-	-	-
BLACK---MALE----	-	2	1	2	1	1	-	-	-	-	-	-
FEMALE--	-	-	1	-	1	-	-	2	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 2,902
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 FALL FROM ONE LEVEL TO ANOTHER (E880-E884)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
KENTUCKY -----	6	3	2	4	5	3	5	12	3	-	-	-
WHITE-----MALE----	3	2	2	3	3	3	4	5	-	-	-	-
FEMALE--	1	1	-	1	2	-	1	5	2	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	2	1	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	2	1	-	-	-
LOUISIANA -----	2	2	3	2	1	1	3	-	-	-	-	-
WHITE-----MALE----	1	1	1	1	-	1	1	-	-	-	-	-
FEMALE--	-	1	-	-	1	-	1	-	-	-	-	-
ALL OTHER--MALE----	1	-	1	1	-	-	1	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	1	1	-	-	1	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
MAINE -----	2	-	3	1	2	3	1	1	1	1	-	-
WHITE-----MALE----	2	-	3	1	1	2	-	-	1	-	-	-
FEMALE--	-	-	-	-	1	1	1	1	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	2	4	4	4	4	6	13	6	2	3	1	-
WHITE-----MALE----	2	4	3	1	3	4	8	1	1	-	1	-
FEMALE--	-	-	1	1	-	2	4	5	1	2	-	-
ALL OTHER--MALE----	-	-	-	2	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	2	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	1	-	-
MASSACHUSETTS -----	-	1	5	12	8	8	11	12	8	-	-	-
WHITE-----MALE----	-	-	4	8	7	2	5	4	5	-	-	-
FEMALE--	-	1	1	4	1	5	6	8	3	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
MICHIGAN -----	9	2	7	8	7	17	19	13	5	1	1	-
WHITE-----MALE----	7	1	7	3	4	9	9	5	-	1	1	-
FEMALE--	-	1	-	3	1	7	9	6	4	-	-	-
ALL OTHER--MALE----	2	-	-	2	1	1	1	2	1	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	2	1	1	1	1	1	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 2,906
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 0 FALL FROM ONE LEVEL TO ANOTHER (E880-E884)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
SOUTH DAKOTA -----	-	-	1	-	3	1	-	-	3	1	-	-
WHITE-----MALE----	-	-	1	-	2	-	-	-	1	1	-	-
FEMALE--	-	-	-	-	1	1	-	-	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	3	3	1	1	6	7	4	4	8	1	-	-
WHITE-----MALE----	1	2	1	1	4	4	2	3	1	-	-	-
FEMALE--	2	-	-	-	1	2	2	1	7	1	-	-
ALL OTHER--MALE----	-	1	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
TEXAS -----	8	14	8	4	19	14	11	18	9	4	-	1
WHITE-----MALE----	6	11	7	2	11	8	6	11	2	2	-	-
FEMALE--	1	3	1	1	8	4	5	6	7	2	-	1
ALL OTHER--MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	-	1	-	-	-	-
BLACK---MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	-	1	-	-	-	-
UTAH -----	-	1	3	1	3	3	2	2	2	1	-	-
WHITE-----MALE----	-	1	2	1	1	1	1	2	-	-	-	-
FEMALE--	-	-	1	-	2	2	1	-	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	1	1	1	1	-	-	-	-	-	-
WHITE-----MALE----	-	-	1	1	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	3	3	6	6	8	11	10	11	4	3	1	-
WHITE-----MALE----	1	2	5	3	5	7	4	4	1	2	1	-
FEMALE--	2	1	-	1	2	3	5	6	3	1	-	-
ALL OTHER--MALE----	-	-	-	2	1	-	-	1	-	-	-	-
FEMALE--	-	-	1	-	-	1	1	-	-	-	-	-
BLACK---MALE----	-	-	-	2	1	-	-	1	-	-	-	-
FEMALE--	-	-	1	-	-	1	-	-	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 2,908
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 0 FALL ON SAME LEVEL (E885-E886)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 UNITED STATES --	16	23	18	47	52	114	123	115	85	25	3	-
WHITE-----MALE----	9	12	11	25	24	52	55	47	31	7	-	-
FEMALE--	2	10	6	20	22	59	64	63	53	17	3	-
ALL OTHER--MALE----	4	1	-	2	3	1	-	1	-	-	-	-
FEMALE--	1	-	1	-	3	2	4	4	1	1	-	-
BLACK---MALE----	3	-	-	2	2	1	-	1	-	-	-	-
FEMALE--	-	-	1	-	2	2	3	3	-	-	-	-
ALABAMA -----	-	1	-	2	2	5	2	3	1	-	-	-
WHITE-----MALE----	-	1	-	1	-	3	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	1	3	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	-	-	-	-
ALASKA -----	1	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	1	1	1	3	2	8	7	10	8	2	-	-
WHITE-----MALE----	-	1	-	3	1	2	4	6	1	-	-	-
FEMALE--	-	-	-	-	-	6	3	3	7	2	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	1	-	1	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
ARKANSAS -----	1	-	-	2	1	3	1	1	3	-	-	-
WHITE-----MALE----	1	-	-	-	1	1	-	1	1	-	-	-
FEMALE--	-	-	-	1	-	2	1	-	2	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	3	3	3	4	5	9	18	9	8	-	1	-
WHITE-----MALE----	2	1	2	2	1	2	8	5	4	-	-	-
FEMALE--	-	2	1	2	3	6	10	4	4	-	1	-
ALL OTHER--MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 2,917
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 FRACTURE, CAUSE UNSPECIFIED, AND OTHER AND UNSPECIFIED FALLS (E887-E888)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 UNITED STATES --	201	196	296	417	759	1,241	2,004	2,319	1,857	766	203	1
WHITE-----MALE----	104	113	170	223	382	565	807	821	541	192	44	-
FEMALE--	58	42	78	137	317	597	1,111	1,415	1,248	543	144	1
ALL OTHER--MALE----	34	33	33	39	33	41	34	35	20	9	3	-
FEMALE--	5	8	15	18	27	38	52	48	48	22	12	-
BLACK---MALE----	31	24	30	30	27	32	19	24	14	8	3	-
FEMALE--	5	7	13	15	18	26	40	38	34	14	8	-
ALABAMA -----	4	3	7	8	10	23	35	21	27	12	1	-
WHITE-----MALE----	3	2	4	6	6	4	11	9	7	3	-	-
FEMALE--	1	-	2	1	4	17	24	12	18	8	1	-
ALL OTHER--MALE----	-	1	-	1	-	1	-	-	1	1	-	-
FEMALE--	-	-	1	-	-	1	-	-	1	-	-	-
BLACK---MALE----	-	1	-	1	-	1	-	-	1	1	-	-
FEMALE--	-	-	1	-	-	1	-	-	1	-	-	-
ALASKA -----	-	-	-	1	1	3	6	1	3	-	-	-
WHITE-----MALE----	-	-	-	1	1	2	3	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	3	2	2	5	10	21	41	42	31	12	5	-
WHITE-----MALE----	1	2	2	3	4	7	16	20	6	5	2	-
FEMALE--	1	-	-	2	5	11	21	22	24	7	2	-
ALL OTHER--MALE----	1	-	-	-	1	-	2	-	-	-	-	-
FEMALE--	-	-	-	-	-	3	2	-	1	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	-	-	-	-
ARKANSAS -----	-	2	2	4	12	16	28	17	17	5	-	-
WHITE-----MALE----	-	2	1	2	6	7	10	3	2	1	-	-
FEMALE--	-	-	1	2	4	8	16	14	15	3	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	2	1	2	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	2	1	2	-	-	1	-	-
CALIFORNIA -----	26	25	25	37	66	80	139	140	92	40	11	-
WHITE-----MALE----	13	13	12	17	35	41	60	55	25	12	4	-
FEMALE--	10	6	8	12	27	30	66	76	63	26	6	-
ALL OTHER--MALE----	3	5	3	5	1	5	5	5	2	-	-	-
FEMALE--	-	1	2	3	3	4	8	4	2	2	1	-
BLACK---MALE----	3	4	2	1	-	2	1	-	-	-	-	-
FEMALE--	-	-	-	2	-	1	2	4	1	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 2,918
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 FRACTURE, CAUSE UNSPECIFIED, AND OTHER AND UNSPECIFIED FALLS (E887-E888)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
COLORADO -----	2	3	4	3	12	17	32	40	34	6	3	-
WHITE-----MALE----	2	-	3	1	5	9	15	18	11	-	-	-
FEMALE--	-	2	1	2	7	8	17	20	23	6	2	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	2	-	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	1	-