

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 331

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 NEUROSYPHILIS (094)												
OHIO -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	-	-	-	-	1	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	-	-	-	-	-	1	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 336

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ALL OTHER SYPHILIS (090-091,095-097)												
HAWAII -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	-	-	-	-	-	1	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
INDIANA -----	-	-	-	-	-	-	-	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IOWA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS -----	-	-	-	-	-	-	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 361

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
 OTHER INFECTIOUS AND PARASITIC DISEASES AND LATE EFFECTS OF INFECTIOUS AND PARASITIC DISEASES (100-139)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
UNITED STATES --	4,190	112	26	18	14	31	44	65	138	237	286	301
WHITE-----MALE----	1,563	42	15	6	5	12	10	22	45	75	92	94
FEMALE--	1,438	26	9	8	5	11	18	17	27	34	52	65
ALL OTHER--MALE----	550	21	-	3	2	3	8	14	38	73	62	67
FEMALE--	639	23	2	1	2	5	8	12	28	55	80	75
BLACK---MALE----	480	19	-	2	1	3	6	13	37	70	57	61
FEMALE--	585	21	2	1	1	4	8	11	28	49	79	69
ALABAMA -----	81	3	-	1	-	-	1	1	1	4	5	7
WHITE-----MALE----	23	1	-	1	-	-	-	-	-	1	2	1
FEMALE--	24	-	-	-	-	-	1	-	1	-	-	-
ALL OTHER--MALE----	14	2	-	-	-	-	-	-	-	3	1	3
FEMALE--	20	-	-	-	-	-	-	1	-	-	2	3
BLACK---MALE----	14	2	-	-	-	-	-	-	-	3	1	3
FEMALE--	20	-	-	-	-	-	-	1	-	-	2	3
ALASKA -----	9	-	-	-	-	-	-	-	-	1	-	-
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	93	4	-	3	-	1	2	-	6	-	3	8
WHITE-----MALE----	44	3	-	1	-	1	1	-	3	-	3	3
FEMALE--	33	1	-	2	-	-	1	-	2	-	-	3
ALL OTHER--MALE----	8	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	2
BLACK---MALE----	4	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	2	-	-	-
ARKANSAS -----	42	1	1	-	-	1	-	2	1	-	4	1
WHITE-----MALE----	15	-	1	-	-	-	-	1	-	-	1	-
FEMALE--	19	1	-	-	-	1	-	1	-	-	1	1
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	1	-	1	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	4	-	-	-	-	-	-	-	1	-	1	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	1	-
CALIFORNIA -----	481	16	2	-	2	7	11	8	24	34	28	41
WHITE-----MALE----	228	7	1	-	1	2	4	5	13	23	16	18
FEMALE--	143	4	1	-	-	4	4	2	4	3	4	9
ALL OTHER--MALE----	60	1	-	-	1	-	2	-	5	6	3	10
FEMALE--	50	4	-	-	-	1	1	1	2	2	5	4
BLACK---MALE----	31	1	-	-	-	-	-	-	4	5	3	6
FEMALE--	35	2	-	-	-	1	1	-	2	1	5	3

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 361

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 OTHER INFECTIOUS AND PARASITIC DISEASES AND LATE EFFECTS OF INFECTIOUS AND PARASITIC DISEASES (100-139)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 UNITED STATES --	309	282	341	362	436	509	339	199	92	40	9	-
WHITE-----MALE----	113	92	126	151	186	226	147	62	29	12	1	-
FEMALE--	96	98	114	141	169	205	153	110	50	23	7	-
ALL OTHER--MALE----	38	34	51	32	34	39	15	11	3	2	-	-
FEMALE--	62	58	50	38	47	39	24	16	10	3	1	-
BLACK---MALE----	35	30	42	25	25	30	12	7	3	2	-	-
FEMALE--	58	53	45	32	42	35	19	16	8	3	1	-
ALABAMA -----	7	12	5	8	9	7	5	4	1	-	-	-
WHITE-----MALE----	-	4	3	1	3	3	-	2	1	-	-	-
FEMALE--	4	2	-	4	4	2	5	1	-	-	-	-
ALL OTHER--MALE----	1	2	-	1	-	-	-	1	-	-	-	-
FEMALE--	2	4	2	2	2	2	-	-	-	-	-	-
BLACK---MALE----	1	2	-	1	-	-	-	1	-	-	-	-
FEMALE--	2	4	2	2	2	2	-	-	-	-	-	-
ALASKA -----	1	1	-	1	2	2	-	1	-	-	-	-
WHITE-----MALE----	1	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	6	5	11	7	12	10	9	4	1	1	-	-
WHITE-----MALE----	3	3	5	4	4	4	4	1	-	1	-	-
FEMALE--	1	1	4	2	5	6	3	2	-	-	-	-
ALL OTHER--MALE----	2	1	-	1	1	-	1	1	-	-	-	-
FEMALE--	-	-	2	-	2	-	1	-	1	-	-	-
BLACK---MALE----	1	1	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	-	-	-	-	-
ARKANSAS -----	1	2	5	7	7	2	5	1	1	-	-	-
WHITE-----MALE----	-	-	2	5	2	-	2	1	-	-	-	-
FEMALE--	1	2	2	1	3	2	2	-	1	-	-	-
ALL OTHER--MALE----	-	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	1	-	-	-	-	-
BLACK---MALE----	-	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	1	-	-	-	-	-
CALIFORNIA -----	49	37	27	38	47	47	38	20	4	1	-	-
WHITE-----MALE----	21	12	9	22	23	24	15	10	2	-	-	-
FEMALE--	17	12	9	10	16	14	19	9	2	-	-	-
ALL OTHER--MALE----	6	6	4	3	7	4	1	1	-	-	-	-
FEMALE--	5	7	5	3	1	5	3	-	-	1	-	-
BLACK---MALE----	5	4	-	-	2	1	-	-	-	-	-	-
FEMALE--	3	4	4	2	1	3	2	-	-	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 362

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
OTHER INFECTIOUS AND PARASITIC DISEASES AND LATE EFFECTS OF INFECTIOUS AND PARASITIC DISEASES (100-139)												
COLORADO -----	44	1	-	-	-	-	1	1	1	2	4	5
WHITE-----MALE----	17	1	-	-	-	-	-	1	-	1	1	1
FEMALE--	20	-	-	-	-	-	1	-	1	1	-	2
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	2	2
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	2	2
CONNECTICUT -----	64	1	1	-	-	-	1	-	1	5	5	3
WHITE-----MALE----	28	1	1	-	-	-	-	-	-	3	3	-
FEMALE--	23	-	-	-	-	-	1	-	1	1	1	2
ALL OTHER--MALE----	9	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	4	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	9	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	4	-	-	-	-	-	-	-	-	-	1	-
DELAWARE -----	12	1	-	-	-	-	-	-	-	1	-	-
WHITE-----MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	1	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	28	1	-	-	-	-	-	1	1	3	1	5
WHITE-----MALE----	5	-	-	-	-	-	-	-	1	2	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	6	-	-	-	-	-	-	1	-	-	-	1
FEMALE--	15	1	-	-	-	-	-	-	-	1	1	4
BLACK---MALE----	6	-	-	-	-	-	-	1	-	-	-	1
FEMALE--	15	1	-	-	-	-	-	-	-	1	1	4
FLORIDA -----	264	11	1	3	3	3	3	5	13	17	17	9
WHITE-----MALE----	111	3	-	1	1	-	-	1	4	6	6	2
FEMALE--	83	4	-	-	1	-	1	2	3	3	2	3
ALL OTHER--MALE----	33	2	-	1	-	2	1	2	4	5	5	3
FEMALE--	37	2	1	1	1	1	1	-	2	3	4	1
BLACK---MALE----	30	2	-	1	-	2	1	2	4	5	4	3
FEMALE--	36	2	1	1	-	1	1	-	2	3	4	1
GEORGIA -----	119	4	-	-	1	-	2	3	4	7	16	8
WHITE-----MALE----	34	1	-	-	1	-	-	-	-	2	10	1
FEMALE--	30	-	-	-	-	-	1	1	-	1	-	3
ALL OTHER--MALE----	27	2	-	-	-	-	-	-	3	2	3	4
FEMALE--	28	1	-	-	-	-	1	2	1	2	3	-
BLACK---MALE----	27	2	-	-	-	-	-	-	3	2	3	4
FEMALE--	28	1	-	-	-	-	1	2	1	2	3	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 362

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 OTHER INFECTIOUS AND PARASITIC DISEASES AND LATE EFFECTS OF INFECTIOUS AND PARASITIC DISEASES (100-139)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
COLORADO -----	-	3	5	1	8	4	5	3	-	-	-	-
WHITE-----MALE----	-	-	2	-	5	3	2	-	-	-	-	-
FEMALE--	-	3	2	1	2	1	3	3	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	6	4	8	7	6	8	5	1	1	1	-	-
WHITE-----MALE----	1	1	3	3	2	6	4	-	-	-	-	-
FEMALE--	2	1	2	3	4	1	1	1	1	1	-	-
ALL OTHER--MALE----	2	1	3	-	-	1	-	-	-	-	-	-
FEMALE--	1	1	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	2	1	3	-	-	1	-	-	-	-	-	-
FEMALE--	1	1	-	1	-	-	-	-	-	-	-	-
DELAWARE -----	1	1	-	-	2	3	1	2	-	-	-	-
WHITE-----MALE----	-	-	-	-	2	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	2	1	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	1	1	2	1	1	5	3	1	-	1	-	-
WHITE-----MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	3	1	-	-	-	-	-
FEMALE--	-	1	2	1	1	1	1	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	3	1	-	-	-	-	-
FEMALE--	-	1	2	1	1	1	1	1	-	-	-	-
FLORIDA -----	15	19	25	24	31	23	21	16	3	2	-	-
WHITE-----MALE----	5	8	14	11	21	8	10	8	2	-	-	-
FEMALE--	2	5	8	10	7	13	11	5	1	2	-	-
ALL OTHER--MALE----	3	-	2	2	-	-	-	1	-	-	-	-
FEMALE--	5	6	1	1	3	2	-	2	-	-	-	-
BLACK---MALE----	2	-	2	2	-	-	-	-	-	-	-	-
FEMALE--	5	6	1	1	3	2	-	2	-	-	-	-
GEORGIA -----	21	3	6	6	10	12	10	2	3	1	-	-
WHITE-----MALE----	6	1	1	1	3	-	4	2	-	1	-	-
FEMALE--	4	1	1	3	4	7	3	-	1	-	-	-
ALL OTHER--MALE----	4	1	3	-	1	4	-	-	-	-	-	-
FEMALE--	7	-	1	2	2	1	3	-	2	-	-	-
BLACK---MALE----	4	1	3	-	1	4	-	-	-	-	-	-
FEMALE--	7	-	1	2	2	1	3	-	2	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 364

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
 OTHER INFECTIOUS AND PARASITIC DISEASES AND LATE EFFECTS OF INFECTIOUS AND PARASITIC DISEASES (100-139)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
KENTUCKY -----	49	1	-	-	-	2	2	-	-	2	3	3
WHITE-----MALE----	28	-	-	-	-	1	1	-	-	1	1	2
FEMALE--	17	1	-	-	-	-	-	-	-	-	2	-
ALL OTHER--MALE----	3	-	-	-	-	-	1	-	-	1	-	1
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	1	-	-	-	-	1
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-
LOUISIANA -----	75	5	1	-	-	-	1	1	1	5	4	11
WHITE-----MALE----	18	1	1	-	-	-	-	1	-	1	-	1
FEMALE--	18	1	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	19	1	-	-	-	-	1	-	-	2	1	6
FEMALE--	20	2	-	-	-	-	-	-	1	2	2	4
BLACK---MALE----	19	1	-	-	-	-	1	-	-	2	1	6
FEMALE--	20	2	-	-	-	-	-	-	1	2	2	4
MAINE -----	14	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	7	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	115	2	1	-	1	-	1	1	3	12	8	9
WHITE-----MALE----	17	1	-	-	-	-	-	-	1	-	1	1
FEMALE--	36	-	1	-	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	28	-	-	-	-	-	-	1	1	8	2	3
FEMALE--	34	1	-	-	1	-	1	-	1	4	4	4
BLACK---MALE----	27	-	-	-	-	-	-	1	1	8	2	3
FEMALE--	34	1	-	-	1	-	1	-	1	4	4	4
MASSACHUSETTS -----	96	1	2	-	-	1	2	1	3	2	3	10
WHITE-----MALE----	43	1	2	-	-	-	-	-	1	1	1	3
FEMALE--	42	-	-	-	-	1	2	1	1	1	1	3
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	7	-	-	-	-	-	-	-	1	-	1	2
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	6	-	-	-	-	-	-	-	1	-	1	2
MICHIGAN -----	129	1	-	-	-	-	1	2	3	5	12	10
WHITE-----MALE----	39	-	-	-	-	-	1	-	1	-	1	2
FEMALE--	38	-	-	-	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	20	1	-	-	-	-	-	-	-	4	4	3
FEMALE--	32	-	-	-	-	-	-	2	2	1	6	4
BLACK---MALE----	19	1	-	-	-	-	-	-	-	4	4	3
FEMALE--	32	-	-	-	-	-	-	2	2	1	6	4

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 364

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 OTHER INFECTIOUS AND PARASITIC DISEASES AND LATE EFFECTS OF INFECTIOUS AND PARASITIC DISEASES (100-139)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
KENTUCKY -----	4	4	3	8	5	5	3	2	2	-	-	-
WHITE-----MALE----	2	3	3	4	4	3	2	1	-	-	-	-
FEMALE--	2	1	-	4	1	2	1	1	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	2	2	3	8	12	7	9	2	1	-	-	-
WHITE-----MALE----	1	-	-	1	4	3	3	-	1	-	-	-
FEMALE--	1	2	1	2	2	2	5	1	-	-	-	-
ALL OTHER--MALE----	-	-	1	2	4	1	-	-	-	-	-	-
FEMALE--	-	-	1	3	2	1	1	1	-	-	-	-
BLACK---MALE----	-	-	1	2	4	1	-	-	-	-	-	-
FEMALE--	-	-	1	3	2	1	1	1	-	-	-	-
MAINE -----	1	2	1	1	-	2	2	3	-	2	-	-
WHITE-----MALE----	-	2	1	1	-	1	2	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	-	3	-	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	6	8	10	10	14	17	6	4	2	-	-	-
WHITE-----MALE----	2	-	1	1	1	3	3	1	1	-	-	-
FEMALE--	2	4	2	4	9	7	3	2	-	-	-	-
ALL OTHER--MALE----	-	1	2	4	3	2	-	-	1	-	-	-
FEMALE--	2	3	5	1	1	5	-	1	-	-	-	-
BLACK---MALE----	-	1	2	4	2	2	-	-	1	-	-	-
FEMALE--	2	3	5	1	1	5	-	1	-	-	-	-
MASSACHUSETTS -----	4	5	8	10	11	15	12	5	1	-	-	-
WHITE-----MALE----	2	2	3	8	6	6	6	1	-	-	-	-
FEMALE--	2	2	5	2	3	9	6	2	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	1	-	-	-	-
FEMALE--	-	1	-	-	1	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	1	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	1	-	-	-	-
MICHIGAN -----	7	14	9	12	14	16	11	9	2	1	-	-
WHITE-----MALE----	3	4	3	5	5	6	4	3	1	-	-	-
FEMALE--	2	4	4	4	8	6	2	5	1	-	-	-
ALL OTHER--MALE----	-	2	1	-	-	3	2	-	-	-	-	-
FEMALE--	2	4	1	3	1	1	3	1	-	1	-	-
BLACK---MALE----	-	1	1	-	-	3	2	-	-	-	-	-
FEMALE--	2	4	1	3	1	1	3	1	-	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 367

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
 OTHER INFECTIOUS AND PARASITIC DISEASES AND LATE EFFECTS OF INFECTIOUS AND PARASITIC DISEASES (100-139)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
OHIO -----	159	1	1	2	3	-	-	1	2	11	10	7
WHITE-----MALE----	57	-	1	1	1	-	-	1	-	1	2	1
FEMALE--	61	-	-	1	2	-	-	-	1	2	4	2
ALL OTHER--MALE----	19	1	-	-	-	-	-	-	-	5	2	2
FEMALE--	22	-	-	-	-	-	-	-	1	3	2	2
BLACK---MALE----	19	1	-	-	-	-	-	-	-	5	2	2
FEMALE--	20	-	-	-	-	-	-	-	1	2	2	2
OKLAHOMA -----	52	2	1	-	-	-	1	1	1	1	3	4
WHITE-----MALE----	19	2	-	-	-	-	-	1	-	-	-	3
FEMALE--	25	-	1	-	-	-	-	-	1	1	2	1
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	52	1	1	1	-	-	-	-	1	1	3	1
WHITE-----MALE----	24	1	1	-	-	-	-	-	1	1	1	-
FEMALE--	25	-	-	1	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	1	-
PENNSYLVANIA -----	178	3	1	-	1	3	1	7	6	10	10	12
WHITE-----MALE----	64	1	1	-	-	2	-	3	1	2	-	6
FEMALE--	70	2	-	-	1	1	1	1	1	2	1	2
ALL OTHER--MALE----	15	-	-	-	-	-	-	1	2	3	2	-
FEMALE--	29	-	-	-	-	-	-	2	2	3	7	4
BLACK---MALE----	13	-	-	-	-	-	-	1	2	3	2	-
FEMALE--	29	-	-	-	-	-	-	2	2	3	7	4
RHODE ISLAND -----	22	-	1	-	-	1	1	-	-	-	3	2
WHITE-----MALE----	7	-	1	-	-	-	-	-	-	-	1	1
FEMALE--	12	-	-	-	-	1	-	-	-	-	1	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
SOUTH CAROLINA -----	90	6	1	-	-	-	-	1	3	7	8	6
WHITE-----MALE----	27	2	-	-	-	-	-	-	-	-	2	1
FEMALE--	25	-	-	-	-	-	-	1	-	1	2	2
ALL OTHER--MALE----	20	2	-	-	-	-	-	-	1	3	3	1
FEMALE--	18	2	1	-	-	-	-	-	2	3	1	2
BLACK---MALE----	20	2	-	-	-	-	-	-	1	3	3	1
FEMALE--	18	2	1	-	-	-	-	-	2	3	1	2

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 367

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 OTHER INFECTIOUS AND PARASITIC DISEASES AND LATE EFFECTS OF INFECTIOUS AND PARASITIC DISEASES (100-139)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
OHIO -----	9	9	15	16	23	27	9	5	5	3	-	-
WHITE-----MALE----	3	3	6	7	9	13	4	1	3	-	-	-
FEMALE--	3	2	6	8	7	13	4	2	1	3	-	-
ALL OTHER--MALE----	2	1	-	-	4	1	-	-	1	-	-	-
FEMALE--	1	3	3	1	3	-	1	2	-	-	-	-
BLACK---MALE----	2	1	-	-	4	1	-	-	1	-	-	-
FEMALE--	1	3	3	1	3	-	-	2	-	-	-	-
OKLAHOMA -----	6	2	5	5	5	6	6	2	-	2	-	-
WHITE-----MALE----	2	-	2	1	1	4	1	-	-	2	-	-
FEMALE--	2	1	2	3	4	2	3	2	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	2	1	-	1	-	-	2	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	2	-	-	-	-	-
OREGON -----	5	2	2	3	9	11	8	-	1	2	-	-
WHITE-----MALE----	-	2	1	2	4	5	4	-	-	1	-	-
FEMALE--	4	-	1	-	5	6	4	-	1	6	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	10	10	10	17	25	22	12	10	7	1	-	-
WHITE-----MALE----	3	-	2	8	12	12	6	4	1	-	-	-
FEMALE--	3	6	5	8	9	8	6	6	6	1	-	-
ALL OTHER--MALE----	2	2	1	-	-	2	-	-	-	-	-	-
FEMALE--	2	2	2	1	4	-	-	-	-	-	-	-
BLACK---MALE----	2	2	-	-	-	1	-	-	-	-	-	-
FEMALE--	2	2	2	1	4	-	-	-	-	-	-	-
RHODE ISLAND -----	1	1	1	2	4	2	1	-	-	1	1	-
WHITE-----MALE----	-	-	-	-	2	1	-	-	-	1	-	-
FEMALE--	1	1	1	2	2	1	1	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	5	5	4	12	8	15	4	3	-	1	1	-
WHITE-----MALE----	1	-	2	5	3	10	-	1	-	-	-	-
FEMALE--	3	1	1	4	2	4	1	2	-	1	-	-
ALL OTHER--MALE----	1	1	1	3	2	-	2	-	-	-	-	-
FEMALE--	-	3	-	-	1	1	1	-	-	-	1	-
BLACK---MALE----	1	1	1	3	2	-	2	-	-	-	-	-
FEMALE--	-	3	-	-	1	1	1	-	-	-	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 368

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
OTHER INFECTIOUS AND PARASITIC DISEASES AND LATE EFFECTS OF INFECTIOUS AND PARASITIC DISEASES (100-139)												
SOUTH DAKOTA -----	11	-	-	-	-	-	-	-	-	-	-	1
WHITE-----MALE----	6	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	96	2	-	-	-	2	3	2	2	4	8	7
WHITE-----MALE----	39	-	-	-	-	2	-	1	-	2	3	4
FEMALE--	34	1	-	-	-	-	1	-	-	1	2	-
ALL OTHER--MALE----	10	-	-	-	-	-	1	-	1	-	3	1
FEMALE--	13	1	-	-	-	-	1	1	1	1	-	2
BLACK---MALE----	10	-	-	-	-	-	1	-	1	-	3	1
FEMALE--	12	1	-	-	-	-	1	1	1	1	-	1
TEXAS -----	277	9	6	2	-	1	2	2	12	15	21	27
WHITE-----MALE----	124	3	3	1	-	1	-	-	6	7	10	15
FEMALE--	97	3	3	1	-	-	-	-	4	3	4	7
ALL OTHER--MALE----	25	1	-	-	-	-	-	2	2	2	4	2
FEMALE--	31	2	-	-	-	-	2	-	-	3	3	3
BLACK---MALE----	24	1	-	-	-	-	-	2	2	2	4	2
FEMALE--	29	2	-	-	-	-	2	-	-	3	3	3
UTAH -----	19	2	-	-	-	-	1	-	-	-	-	1
WHITE-----MALE----	9	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	10	-	-	-	-	-	1	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	6	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	107	1	1	1	-	1	1	2	6	8	10	8
WHITE-----MALE----	26	1	1	-	-	-	1	-	1	1	2	1
FEMALE--	28	-	-	-	-	1	-	-	1	-	-	1
ALL OTHER--MALE----	22	-	-	1	-	-	-	2	1	4	1	3
FEMALE--	31	-	-	-	-	-	-	-	3	3	7	3
BLACK---MALE----	21	-	-	-	-	-	-	2	1	4	1	3
FEMALE--	29	-	-	-	-	-	-	-	3	3	6	3

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 368

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 OTHER INFECTIOUS AND PARASITIC DISEASES AND LATE EFFECTS OF INFECTIOUS AND PARASITIC DISEASES (100-139)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
SOUTH DAKOTA -----	-	1	2	1	1	2	-	1	1	1	-	-
WHITE-----MALE----	-	-	1	1	1	1	-	-	1	-	-	-
FEMALE--	-	1	1	-	-	1	-	1	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	6	8	9	6	10	12	11	3	1	-	-	-
WHITE-----MALE----	-	2	6	2	3	6	7	1	-	-	-	-
FEMALE--	3	5	2	3	5	4	4	2	1	-	-	-
ALL OTHER--MALE----	1	1	1	-	-	1	-	-	-	-	-	-
FEMALE--	2	-	-	1	2	1	-	-	-	-	-	-
BLACK---MALE----	1	1	1	-	-	1	-	-	-	-	-	-
FEMALE--	2	-	-	1	2	1	-	-	-	-	-	-
TEXAS -----	24	12	31	20	22	30	16	11	10	4	-	-
WHITE-----MALE----	10	7	10	11	11	14	8	2	4	1	-	-
FEMALE--	10	3	13	7	8	11	7	6	5	2	-	-
ALL OTHER--MALE----	2	-	5	1	-	1	1	1	-	1	-	-
FEMALE--	2	2	3	1	3	4	-	2	1	-	-	-
BLACK---MALE----	2	-	5	1	-	-	1	1	-	1	-	-
FEMALE--	1	2	3	1	3	3	-	2	1	-	-	-
UTAH -----	1	-	2	2	1	5	2	2	-	-	-	-
WHITE-----MALE----	1	-	1	1	-	2	1	1	-	-	-	-
FEMALE--	-	-	1	1	1	3	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	2	-	-	2	-	1	-	1	-	-	-	-
WHITE-----MALE----	1	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	1	-	1	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	6	4	8	5	13	11	8	6	6	1	-	-
WHITE-----MALE----	1	-	2	1	4	4	3	3	-	-	-	-
FEMALE--	2	1	3	2	2	5	4	-	5	1	-	-
ALL OTHER--MALE----	-	1	2	1	3	1	1	1	-	-	-	-
FEMALE--	3	2	1	1	4	1	-	2	1	-	-	-
BLACK---MALE----	-	1	2	1	3	1	1	1	-	-	-	-
FEMALE--	3	2	1	1	3	1	-	2	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 370

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 MYCOSES (110-118)												
0 UNITED STATES --	2,374	104	16	17	14	23	25	39	73	117	145	159
WHITE-----MALE----	1,038	39	11	5	5	9	6	16	28	52	66	66
FEMALE--	790	24	4	8	5	6	10	10	16	22	32	39
ALL OTHER--MALE----	284	19	-	3	2	3	3	5	18	27	27	35
FEMALE--	262	22	1	1	2	5	6	8	11	16	20	19
BLACK---MALE----	234	17	-	2	1	3	2	5	17	26	24	30
FEMALE--	225	20	1	1	1	4	6	7	11	12	19	15
ALABAMA -----	48	3	-	1	-	-	1	1	1	2	2	2
WHITE-----MALE----	21	1	-	1	-	-	-	-	-	1	2	1
FEMALE--	14	-	-	-	-	-	1	-	1	-	-	-
ALL OTHER--MALE----	6	2	-	-	-	-	-	-	-	1	-	1
FEMALE--	7	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	6	2	-	-	-	-	-	-	-	1	-	1
FEMALE--	7	-	-	-	-	-	-	1	-	-	-	-
ALASKA -----	4	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	66	3	-	3	-	1	1	-	4	-	3	7
WHITE-----MALE----	34	2	-	1	-	1	1	-	2	-	3	3
FEMALE--	19	1	-	2	-	-	-	-	1	-	-	2
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	2
BLACK---MALE----	3	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	29	1	1	-	-	1	-	1	1	-	1	1
WHITE-----MALE----	12	-	1	-	-	-	-	-	-	-	1	-
FEMALE--	12	1	-	-	-	1	-	1	-	-	-	1
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	317	15	2	-	2	5	7	6	17	25	23	28
WHITE-----MALE----	155	6	1	-	1	1	2	4	9	19	14	15
FEMALE--	97	4	1	-	-	3	3	1	3	2	4	6
ALL OTHER--MALE----	36	1	-	-	1	-	1	-	4	3	3	4
FEMALE--	29	4	-	-	-	1	1	1	1	1	2	3
BLACK---MALE----	17	1	-	-	-	-	-	-	3	3	3	-
FEMALE--	16	2	-	-	-	1	1	-	1	-	2	2

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 370

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
MYCOSES (110-118)												
UNITED STATES --	169	142	197	233	252	309	188	96	37	14	5	-
WHITE-----MALE----	79	59	85	106	117	146	85	39	14	4	1	-
FEMALE--	60	53	67	85	91	115	76	39	18	7	3	-
ALL OTHER--MALE----	14	16	27	21	22	23	9	9	1	-	-	-
FEMALE--	16	14	18	21	22	25	18	9	4	3	1	-
BLACK---MALE----	12	14	20	15	16	17	7	5	1	-	-	-
FEMALE--	14	11	14	17	20	22	14	9	3	3	1	-
ALABAMA -----	3	4	4	5	6	7	2	3	1	-	-	-
WHITE-----MALE----	-	2	3	1	3	3	-	2	1	-	-	-
FEMALE--	3	1	-	2	2	2	2	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	1	-	-	-	-
FEMALE--	-	1	1	1	1	2	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	1	-	-	-	-
FEMALE--	-	1	1	1	1	2	-	-	-	-	-	-
ALASKA -----	1	-	-	-	1	2	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	5	3	7	6	9	8	3	2	1	-	-	-
WHITE-----MALE----	2	2	3	4	4	4	2	-	-	-	-	-
FEMALE--	1	1	2	1	2	4	1	1	-	-	-	-
ALL OTHER--MALE----	2	-	-	1	1	-	-	1	-	-	-	-
FEMALE--	-	-	2	-	2	-	-	-	1	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
ARKANSAS -----	-	2	4	5	3	2	4	1	1	-	-	-
WHITE-----MALE----	-	-	2	4	1	-	2	1	-	-	-	-
FEMALE--	-	2	1	1	-	2	1	-	1	-	-	-
ALL OTHER--MALE----	-	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	-	-	-	-	-
BLACK---MALE----	-	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	-	-	-	-	-
CALIFORNIA -----	33	24	15	24	25	27	22	14	2	1	-	-
WHITE-----MALE----	14	8	6	13	13	14	8	7	-	-	-	-
FEMALE--	14	11	4	7	9	7	10	6	2	-	-	-
ALL OTHER--MALE----	4	3	3	2	3	2	1	1	-	-	-	-
FEMALE--	1	2	2	2	-	4	3	-	-	1	-	-
BLACK---MALE----	3	2	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	1	1	-	2	2	-	-	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 371

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 MYCOSES (110-118)												
COLORADO -----	17	1	-	-	-	-	-	1	1	2	1	3
WHITE-----MALE----	10	1	-	-	-	-	-	1	-	1	1	1
FEMALE--	7	-	-	-	-	-	-	-	1	1	-	2
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	30	1	-	-	-	-	-	-	-	1	1	1
WHITE-----MALE----	17	1	-	-	-	-	-	-	-	-	1	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	6	1	-	-	-	-	-	-	-	1	-	-
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	1	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	16	1	-	-	-	-	-	1	1	2	1	2
WHITE-----MALE----	3	-	-	-	-	-	-	-	1	1	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	9	1	-	-	-	-	-	-	-	1	1	2
BLACK---MALE----	3	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	9	1	-	-	-	-	-	-	-	1	1	2
FLORIDA -----	154	10	1	3	3	3	3	1	7	5	8	2
WHITE-----MALE----	73	3	-	1	1	-	-	1	4	2	4	1
FEMALE--	53	4	-	-	1	-	1	-	1	3	1	1
ALL OTHER--MALE----	13	1	-	1	-	2	1	-	2	-	2	-
FEMALE--	15	2	1	1	1	1	1	-	-	-	1	-
BLACK---MALE----	11	1	-	1	-	2	1	-	2	-	1	-
FEMALE--	14	2	1	1	-	1	1	-	-	-	1	-
GEORGIA -----	65	4	-	-	1	-	2	-	2	3	12	3
WHITE-----MALE----	24	1	-	-	1	-	-	-	-	1	8	1
FEMALE--	14	-	-	-	-	-	1	-	-	1	-	1
ALL OTHER--MALE----	16	2	-	-	-	-	-	-	2	-	3	1
FEMALE--	11	1	-	-	-	-	1	-	-	1	1	-
BLACK---MALE----	16	2	-	-	-	-	-	-	2	-	3	1
FEMALE--	11	1	-	-	-	-	1	-	-	1	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 371

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 MYCOSES (110-118)												
COLORADO -----	-	-	2	-	2	3	1	-	-	-	-	-
WHITE-----MALE----	-	-	1	-	1	2	1	-	-	-	-	-
FEMALE--	-	-	1	-	1	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	3	2	4	5	3	5	3	-	-	1	-	-
WHITE-----MALE----	1	1	2	3	2	4	2	-	-	-	-	-
FEMALE--	1	-	1	2	1	-	1	-	-	1	-	-
ALL OTHER--MALE----	-	1	1	-	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	1	-	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	-	-	-	2	1	-	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	2	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	1	-	1	-	1	3	2	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	1	-	1	1	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	1	-	1	1	1	-	-	-	-	-
FLORIDA -----	6	8	14	16	18	17	13	12	2	2	-	-
WHITE-----MALE----	3	5	9	8	12	5	6	6	2	-	-	-
FEMALE--	2	2	4	7	3	11	7	3	-	2	-	-
ALL OTHER--MALE----	1	-	1	1	-	-	-	1	-	-	-	-
FEMALE--	-	1	-	-	3	1	-	2	-	-	-	-
BLACK---MALE----	1	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	3	1	-	2	-	-	-	-
GEORGIA -----	13	2	3	4	3	7	5	-	-	1	-	-
WHITE-----MALE----	4	1	1	1	1	-	3	-	-	1	-	-
FEMALE--	3	-	-	2	2	3	1	-	-	-	-	-
ALL OTHER--MALE----	3	1	1	-	-	3	-	-	-	-	-	-
FEMALE--	3	-	1	1	-	1	1	-	-	-	-	-
BLACK---MALE----	3	1	1	-	-	3	-	-	-	-	-	-
FEMALE--	3	-	1	1	-	1	1	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 373

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 MYCOSES (110-118)												
KENTUCKY -----	33	-	-	-	-	2	1	-	-	1	2	1
WHITE-----MALE----	19	-	-	-	-	1	1	-	-	-	-	1
FEMALE--	12	-	-	-	-	-	-	-	-	-	2	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-
LOUISIANA -----	42	5	-	-	-	-	-	1	-	3	1	7
WHITE-----MALE----	14	1	-	-	-	-	-	1	-	1	-	1
FEMALE--	8	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	12	1	-	-	-	-	-	-	-	1	-	5
FEMALE--	8	2	-	-	-	-	-	-	-	1	1	1
BLACK---MALE----	12	1	-	-	-	-	-	-	-	1	-	5
FEMALE--	8	2	-	-	-	-	-	-	-	1	1	1
MAINE -----	4	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	74	2	1	-	1	-	1	-	2	6	5	7
WHITE-----MALE----	12	1	-	-	-	-	-	-	-	-	1	1
FEMALE--	26	-	1	-	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	16	-	-	-	-	-	-	-	1	4	1	2
FEMALE--	20	1	-	-	1	-	1	-	1	2	2	3
BLACK---MALE----	15	-	-	-	-	-	-	-	1	4	1	2
FEMALE--	20	1	-	-	1	-	1	-	1	2	2	3
MASSACHUSETTS -----	51	1	2	-	-	1	1	-	-	1	1	6
WHITE-----MALE----	25	1	2	-	-	-	-	-	-	-	1	2
FEMALE--	22	-	-	-	-	1	1	-	-	1	-	2
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	64	1	-	-	-	-	-	2	1	1	5	6
WHITE-----MALE----	22	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	18	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	11	1	-	-	-	-	-	-	-	1	2	3
FEMALE--	13	-	-	-	-	-	-	2	1	-	1	1
BLACK---MALE----	10	1	-	-	-	-	-	-	-	1	2	3
FEMALE--	13	-	-	-	-	-	-	2	1	-	1	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 373

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 MYCOSES (110-118)												
KENTUCKY -----	2	4	1	6	4	3	3	1	2	-	-	-
WHITE-----MALE----	1	3	1	4	3	1	2	1	-	-	-	-
FEMALE--	1	1	-	2	1	2	1	-	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	1	-	1	6	6	4	6	-	1	-	-	-
WHITE-----MALE----	1	-	-	1	3	2	2	-	1	-	-	-
FEMALE--	-	-	1	1	1	1	3	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	2	2	1	-	-	-	-	-	-
FEMALE--	-	-	-	2	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	2	2	1	-	-	-	-	-	-
FEMALE--	-	-	-	2	-	-	1	-	-	-	-	-
MAINE -----	-	1	1	1	-	1	-	-	-	-	-	-
WHITE-----MALE----	-	1	1	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	3	3	6	5	13	12	4	3	-	-	-	-
WHITE-----MALE----	1	-	1	1	1	3	2	-	-	-	-	-
FEMALE--	2	2	1	2	8	4	2	2	-	-	-	-
ALL OTHER--MALE----	-	1	1	2	3	1	-	-	-	-	-	-
FEMALE--	-	-	3	-	1	4	-	1	-	-	-	-
BLACK---MALE----	-	1	1	2	2	1	-	-	-	-	-	-
FEMALE--	-	-	3	-	1	4	-	1	-	-	-	-
MASSACHUSETTS -----	1	2	6	4	5	11	7	2	-	-	-	-
WHITE-----MALE----	1	-	2	4	5	3	3	1	-	-	-	-
FEMALE--	-	1	4	-	-	8	4	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	1	-	-	-	-
MICHIGAN -----	5	6	6	8	10	2	6	3	1	1	-	-
WHITE-----MALE----	2	3	2	4	3	1	3	1	-	-	-	-
FEMALE--	2	1	3	2	6	-	-	2	1	-	-	-
ALL OTHER--MALE----	-	2	1	-	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	2	1	-	3	-	-	1	-	-
BLACK---MALE----	-	1	1	-	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	2	1	-	3	-	-	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 376

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 MYCOSES (110-118)												
OHIO -----	93	1	1	2	3	-	-	1	1	4	6	3
WHITE-----MALE----	40	-	1	1	1	-	-	1	-	-	2	1
FEMALE--	36	-	-	1	2	-	-	-	-	2	3	-
ALL OTHER--MALE----	11	1	-	-	-	-	-	-	-	2	1	2
FEMALE--	6	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	11	1	-	-	-	-	-	-	-	2	1	2
FEMALE--	6	-	-	-	-	-	-	-	1	-	-	-
OKLAHOMA -----	35	2	-	-	-	-	-	1	-	-	1	4
WHITE-----MALE----	15	2	-	-	-	-	-	1	-	-	-	3
FEMALE--	15	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	23	-	1	1	-	-	-	-	1	1	-	1
WHITE-----MALE----	9	-	1	-	-	-	-	-	1	1	-	-
FEMALE--	13	-	-	1	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	107	3	1	-	1	2	1	5	3	4	2	6
WHITE-----MALE----	48	1	1	-	-	2	-	2	-	1	-	4
FEMALE--	43	2	-	-	1	-	1	1	1	2	1	1
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	12	-	-	-	-	-	-	2	2	-	1	1
BLACK---MALE----	2	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	12	-	-	-	-	-	-	2	2	-	1	1
RHODE ISLAND -----	7	-	1	-	-	-	-	-	-	-	-	1
WHITE-----MALE----	5	-	1	-	-	-	-	-	-	-	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	55	5	-	-	-	-	-	1	1	1	5	4
WHITE-----MALE----	20	2	-	-	-	-	-	-	-	-	2	1
FEMALE--	18	-	-	-	-	-	-	1	-	-	2	2
ALL OTHER--MALE----	10	1	-	-	-	-	-	-	-	1	1	-
FEMALE--	7	2	-	-	-	-	-	-	1	-	-	1
BLACK---MALE----	10	1	-	-	-	-	-	-	-	1	1	-
FEMALE--	7	2	-	-	-	-	-	-	1	-	-	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 376

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 MYCOSES (110-118)												
OHIO -----	3	5	10	10	15	16	5	2	4	1	-	-
WHITE-----MALE----	2	1	4	5	5	9	3	1	3	-	-	-
FEMALE--	1	2	5	4	5	6	2	1	1	1	-	-
ALL OTHER--MALE----	-	1	-	-	3	1	-	-	-	-	-	-
FEMALE--	-	1	1	1	2	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	3	1	-	-	-	-	-	-
FEMALE--	-	1	1	1	2	-	-	-	-	-	-	-
OKLAHOMA -----	2	2	4	5	4	5	4	1	-	-	-	-
WHITE-----MALE----	2	-	1	1	1	3	1	-	-	-	-	-
FEMALE--	-	1	2	3	3	2	2	1	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	1	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
OREGON -----	5	-	1	-	5	3	4	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	3	1	2	-	-	-	-	-
FEMALE--	4	-	1	-	2	2	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	4	7	7	15	16	16	7	6	1	-	-	-
WHITE-----MALE----	1	-	1	8	10	9	4	4	-	-	-	-
FEMALE--	2	5	4	6	4	6	3	2	1	-	-	-
ALL OTHER--MALE----	-	1	1	-	-	1	-	-	-	-	-	-
FEMALE--	1	1	1	1	2	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	1	1	2	-	-	-	-	-	-	-
RHODE ISLAND -----	-	-	-	2	1	1	-	-	-	1	-	-
WHITE-----MALE----	-	-	-	-	1	1	-	-	-	1	-	-
FEMALE--	-	-	-	2	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	2	2	2	8	6	12	3	1	-	1	1	-
WHITE-----MALE----	1	-	-	4	2	8	-	-	-	-	-	-
FEMALE--	1	1	1	2	2	3	1	1	-	1	-	-
ALL OTHER--MALE----	-	-	1	2	2	-	2	-	-	-	-	-
FEMALE--	-	1	-	-	-	1	-	-	-	-	1	-
BLACK---MALE----	-	-	1	2	2	-	2	-	-	-	-	-
FEMALE--	-	1	-	-	-	1	-	-	-	-	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 377

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 MYCOSES (110-118)												
SOUTH DAKOTA -----	6	-	-	-	-	-	-	-	-	-	-	1
WHITE-----MALE----	4	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	58	2	-	-	-	2	2	2	1	3	3	2
WHITE-----MALE----	26	-	-	-	-	2	-	1	-	2	2	1
FEMALE--	20	1	-	-	-	-	-	-	-	1	1	-
ALL OTHER--MALE----	4	-	-	-	-	-	1	-	1	-	-	1
FEMALE--	8	1	-	-	-	-	1	1	-	-	-	-
BLACK---MALE----	4	-	-	-	-	-	1	-	1	-	-	1
FEMALE--	8	1	-	-	-	-	1	1	-	-	-	-
TEXAS -----	159	9	4	2	-	-	1	-	9	11	14	13
WHITE-----MALE----	79	3	2	1	-	-	-	-	3	6	7	8
FEMALE--	54	3	2	1	-	-	-	-	4	3	3	2
ALL OTHER--MALE----	14	1	-	-	-	-	-	-	2	1	3	2
FEMALE--	12	2	-	-	-	-	1	-	-	1	1	1
BLACK---MALE----	14	1	-	-	-	-	-	-	2	1	3	2
FEMALE--	11	2	-	-	-	-	1	-	-	1	1	1
UTAH -----	9	2	-	-	-	-	1	-	-	-	-	1
WHITE-----MALE----	4	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	1	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	3	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	51	1	-	1	-	-	1	2	3	3	5	2
WHITE-----MALE----	14	1	-	-	-	-	1	-	1	-	2	-
FEMALE--	12	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	8	-	-	1	-	-	-	2	-	-	1	-
FEMALE--	17	-	-	-	-	-	-	-	1	3	2	2
BLACK---MALE----	7	-	-	-	-	-	-	2	-	-	1	-
FEMALE--	15	-	-	-	-	-	-	-	1	3	1	2

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 377

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
MYCOSES (110-118)												
SOUTH DAKOTA -----	-	-	-	-	1	2	-	-	1	1	-	-
WHITE-----MALE----	-	-	-	-	1	1	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	4	5	7	-	8	9	6	2	-	-	-	-
WHITE-----MALE----	-	2	5	-	2	5	3	1	-	-	-	-
FEMALE--	2	2	2	-	4	3	3	1	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	2	1	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	2	1	-	-	-	-	-	-
TEXAS -----	16	5	17	14	12	14	7	6	5	-	-	-
WHITE-----MALE----	8	3	7	6	6	9	5	2	3	-	-	-
FEMALE--	7	2	7	6	5	4	1	2	2	-	-	-
ALL OTHER--MALE----	-	-	2	1	-	-	1	1	-	-	-	-
FEMALE--	1	-	1	1	1	1	-	1	-	-	-	-
BLACK---MALE----	-	-	2	1	-	-	1	1	-	-	-	-
FEMALE--	-	-	1	1	1	1	-	1	-	-	-	-
UTAH -----	1	-	1	2	-	-	1	-	-	-	-	-
WHITE-----MALE----	1	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	1	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	1	-	-	1	-	1	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	4	1	4	4	7	5	3	4	1	-	-	-
WHITE-----MALE----	-	-	2	1	2	2	1	1	-	-	-	-
FEMALE--	2	-	1	2	1	2	2	-	1	-	-	-
ALL OTHER--MALE----	-	-	1	-	2	-	-	1	-	-	-	-
FEMALE--	2	1	-	1	2	1	-	2	-	-	-	-
BLACK---MALE----	-	-	1	-	2	-	-	1	-	-	-	-
FEMALE--	2	1	-	1	1	1	-	2	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 395

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 LATE EFFECTS OF TUBERCULOSIS (137)												
SOUTH DAKOTA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	-	-	-	-	1	1	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS -----	1	-	1	2	2	3	1	-	1	1	-	-
WHITE-----MALE----	-	-	-	2	1	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	2	1	-	-	1	-	-
ALL OTHER--MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	1	-	1	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	1	-	-	-	-	-	-	-
UTAH -----	-	-	1	-	-	1	-	-	-	-	-	-
WHITE-----MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	-	-	-	-	-	-	-	-	1	1	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 406

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
 ALL OTHER INFECTIOUS AND PARASITIC DISEASES AND LATE EFFECTS OF OTHER INFECTIOUS AND PARASITIC DISEASES (100-104,130-136,139)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
UNITED STATES --	1,448	8	10	1	-	7	13	24	62	117	133	129
WHITE-----MALE----	379	3	4	1	-	2	2	5	15	22	23	24
FEMALE--	470	2	5	-	-	5	4	6	11	12	18	22
ALL OTHER--MALE----	245	2	-	-	-	-	5	9	20	46	32	28
FEMALE--	354	1	1	-	-	-	2	4	16	37	60	55
BLACK---MALE----	235	2	-	-	-	-	4	8	20	44	31	28
FEMALE--	344	1	1	-	-	-	2	4	16	36	60	54
ALABAMA -----	30	-	-	-	-	-	-	-	-	2	3	5
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	8	-	-	-	-	-	-	-	-	2	1	2
FEMALE--	13	-	-	-	-	-	-	-	-	-	2	3
BLACK---MALE----	8	-	-	-	-	-	-	-	-	2	1	2
FEMALE--	13	-	-	-	-	-	-	-	-	-	2	3
ALASKA -----	2	-	-	-	-	-	-	-	-	1	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	16	1	-	-	-	-	-	-	2	-	-	-
WHITE-----MALE----	8	1	-	-	-	-	-	-	1	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	9	-	-	-	-	-	-	1	-	-	3	-
WHITE-----MALE----	3	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	1	-
CALIFORNIA -----	114	1	-	-	-	2	1	1	5	8	5	13
WHITE-----MALE----	41	1	-	-	-	1	-	-	2	3	2	3
FEMALE--	34	-	-	-	-	1	-	1	1	1	-	3
ALL OTHER--MALE----	18	-	-	-	-	-	1	-	1	3	-	6
FEMALE--	21	-	-	-	-	-	-	-	1	1	3	1
BLACK---MALE----	14	-	-	-	-	-	-	-	1	2	-	6
FEMALE--	19	-	-	-	-	-	-	-	1	1	3	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 406

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ALL OTHER INFECTIOUS AND PARASITIC DISEASES AND LATE EFFECTS OF OTHER INFECTIOUS AND PARASITIC DISEASES (100-104,130-136,139)												
0 UNITED STATES --	120	120	121	91	124	137	95	70	43	19	4	-
WHITE-----MALE----	27	28	28	28	48	51	38	15	11	4	-	-
FEMALE--	26	31	41	39	46	63	48	49	25	13	4	-
ALL OTHER--MALE----	22	18	22	10	10	11	4	2	2	2	-	-
FEMALE--	45	43	30	14	20	12	5	4	5	-	-	-
BLACK---MALE----	21	16	21	10	9	11	4	2	2	2	-	-
FEMALE--	43	41	30	14	18	11	5	4	4	-	-	-
ALABAMA -----	4	7	1	3	2	-	3	-	-	-	-	-
WHITE-----MALE----	-	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	2	1	-	3	-	-	-	-	-
ALL OTHER--MALE----	1	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	3	1	1	1	-	-	-	-	-	-	-
BLACK---MALE----	1	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	3	1	1	1	-	-	-	-	-	-	-
ALASKA -----	-	1	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	1	2	4	-	1	1	3	1	-	-	-	-
WHITE-----MALE----	1	1	2	-	-	-	1	1	-	-	-	-
FEMALE--	-	-	2	-	1	1	1	-	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ARKANSAS -----	-	-	1	2	2	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
CALIFORNIA -----	13	13	9	7	12	12	10	1	1	-	-	-
WHITE-----MALE----	5	4	2	4	5	6	2	-	1	-	-	-
FEMALE--	2	1	4	2	4	5	8	1	-	-	-	-
ALL OTHER--MALE----	2	3	-	-	2	-	-	-	-	-	-	-
FEMALE--	4	5	3	1	1	1	-	-	-	-	-	-
BLACK---MALE----	2	2	-	-	1	-	-	-	-	-	-	-
FEMALE--	3	4	3	1	1	1	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 407

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ALL OTHER INFECTIOUS AND PARASITIC DISEASES AND LATE EFFECTS OF OTHER INFECTIOUS AND PARASITIC DISEASES (100-104,130-136,139)												
COLORADO -----	13	-	-	-	-	-	-	-	-	-	3	2
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	2	2
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	2	2
CONNECTICUT -----	32	-	1	-	-	-	1	-	1	4	4	2
WHITE-----MALE----	11	-	1	-	-	-	-	-	-	3	2	-
FEMALE--	13	-	-	-	-	-	1	-	1	1	1	1
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	3	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	5	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	3	-	-	-	-	-	-	-	-	-	1	-
DELAWARE -----	5	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	12	-	-	-	-	-	-	-	-	1	-	3
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	2
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	2
FLORIDA -----	80	1	-	-	-	-	-	4	5	11	8	5
WHITE-----MALE----	23	-	-	-	-	-	-	-	-	4	2	1
FEMALE--	20	-	-	-	-	-	-	2	2	-	-	2
ALL OTHER--MALE----	18	1	-	-	-	-	-	2	2	5	3	1
FEMALE--	19	-	-	-	-	-	-	-	1	2	3	1
BLACK---MALE----	17	1	-	-	-	-	-	2	2	5	3	1
FEMALE--	19	-	-	-	-	-	-	-	1	2	3	1
GEORGIA -----	50	-	-	-	-	-	-	2	2	4	4	5
WHITE-----MALE----	8	-	-	-	-	-	-	-	-	1	2	-
FEMALE--	14	-	-	-	-	-	-	-	-	-	-	2
ALL OTHER--MALE----	11	-	-	-	-	-	-	-	1	2	-	3
FEMALE--	17	-	-	-	-	-	-	2	1	1	2	-
BLACK---MALE----	11	-	-	-	-	-	-	-	1	2	-	3
FEMALE--	17	-	-	-	-	-	-	2	1	1	2	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 407

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 ALL OTHER INFECTIOUS AND PARASITIC DISEASES AND LATE EFFECTS OF OTHER INFECTIOUS AND PARASITIC DISEASES (100-104,130-136,139)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
COLORADO -----	-	1	2	-	2	-	1	2	-	-	-	-
WHITE-----MALE----	-	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	1	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	3	2	4	2	2	3	2	1	-	-	-	-
WHITE-----MALE----	-	-	1	-	-	2	2	-	-	-	-	-
FEMALE--	1	1	1	1	2	1	-	1	-	-	-	-
ALL OTHER--MALE----	2	-	2	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	2	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	1	-	-	-	-	-	-	-	-
DELAWARE -----	1	1	-	-	-	2	-	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	-	1	1	1	-	2	1	1	-	1	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	2	-	-	-	-	-	-
FEMALE--	-	1	1	1	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	2	-	-	-	-	-	-
FEMALE--	-	1	1	1	-	-	1	1	-	-	-	-
FLORIDA -----	9	9	8	3	10	2	2	3	-	-	-	-
WHITE-----MALE----	2	1	2	1	8	1	-	1	-	-	-	-
FEMALE--	-	3	4	1	2	-	2	2	-	-	-	-
ALL OTHER--MALE----	2	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	5	5	1	-	-	1	-	-	-	-	-	-
BLACK---MALE----	1	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	5	5	1	-	-	1	-	-	-	-	-	-
GEORGIA -----	7	1	3	2	7	5	4	1	3	-	-	-
WHITE-----MALE----	1	-	-	-	2	-	1	1	-	-	-	-
FEMALE--	1	1	1	1	2	4	1	-	1	-	-	-
ALL OTHER--MALE----	1	-	2	-	1	1	-	-	-	-	-	-
FEMALE--	4	-	-	1	2	-	2	-	2	-	-	-
BLACK---MALE----	1	-	2	-	1	1	-	-	-	-	-	-
FEMALE--	4	-	-	1	2	-	2	-	2	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 409

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ALL OTHER INFECTIOUS AND PARASITIC DISEASES AND LATE EFFECTS OF OTHER INFECTIOUS AND PARASITIC DISEASES (100-104,130-136,139)												
KENTUCKY -----	15	1	-	-	-	-	1	-	-	1	1	2
WHITE-----MALE----	8	-	-	-	-	-	-	-	-	1	1	1
FEMALE--	5	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	1	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	1	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	23	-	1	-	-	-	1	-	1	2	2	3
WHITE-----MALE----	3	-	1	-	-	-	1	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	4	-	-	-	-	-	1	-	-	1	-	-
FEMALE--	10	-	-	-	-	-	-	-	1	1	1	3
BLACK---MALE----	4	-	-	-	-	-	1	-	-	1	-	-
FEMALE--	10	-	-	-	-	-	-	-	1	1	1	3
MAINE -----	5	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	39	-	-	-	-	-	-	1	1	6	3	2
WHITE-----MALE----	5	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	12	-	-	-	-	-	-	1	-	4	1	1
FEMALE--	13	-	-	-	-	-	-	-	-	2	2	1
BLACK---MALE----	12	-	-	-	-	-	-	1	-	4	1	1
FEMALE--	13	-	-	-	-	-	-	-	-	2	2	1
MASSACHUSETTS -----	38	-	-	-	-	-	1	1	3	1	2	4
WHITE-----MALE----	13	-	-	-	-	-	-	-	1	1	-	1
FEMALE--	18	-	-	-	-	-	1	1	1	-	1	1
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	1	-	1	2
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	1	-	1	2
MICHIGAN -----	51	-	-	-	-	-	1	-	2	4	7	4
WHITE-----MALE----	13	-	-	-	-	-	1	-	1	-	-	-
FEMALE--	11	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	8	-	-	-	-	-	-	-	-	3	2	-
FEMALE--	19	-	-	-	-	-	-	-	1	1	5	3
BLACK---MALE----	8	-	-	-	-	-	-	-	-	3	2	-
FEMALE--	19	-	-	-	-	-	-	-	1	1	5	3

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 409

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ALL OTHER INFECTIOUS AND PARASITIC DISEASES AND LATE EFFECTS OF OTHER INFECTIOUS AND PARASITIC DISEASES (100-104,130-136,139)												
KENTUCKY -----	2	-	2	2	-	2	-	1	-	-	-	-
WHITE-----MALE----	1	-	2	-	-	2	-	-	-	-	-	-
FEMALE--	1	-	-	2	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	1	1	1	2	5	2	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	1	1	-	1	1	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	2	-	-	-	-	-	-	-
FEMALE--	-	-	1	1	1	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	2	-	-	-	-	-	-	-
FEMALE--	-	-	1	1	1	1	-	-	-	-	-	-
MAINE -----	1	1	-	-	-	-	1	-	-	2	-	-
WHITE-----MALE----	-	1	-	-	-	-	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	3	5	4	5	1	4	1	1	2	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	1	1	1	-	-	-
FEMALE--	-	2	1	2	1	3	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	1	2	-	1	-	-	1	-	-	-
FEMALE--	2	3	2	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	2	-	1	-	-	1	-	-	-
FEMALE--	2	3	2	1	-	2	-	-	-	-	-	-
MASSACHUSETTS -----	1	3	2	4	5	2	5	3	1	-	-	-
WHITE-----MALE----	-	2	1	3	-	1	3	-	-	-	-	-
FEMALE--	1	1	1	1	3	1	2	2	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	2	5	2	3	2	11	3	4	1	-	-	-
WHITE-----MALE----	1	-	1	1	1	4	-	2	1	-	-	-
FEMALE--	-	1	-	1	1	4	2	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	2	1	-	-	-	-	-
FEMALE--	1	4	1	1	-	1	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	2	1	-	-	-	-	-
FEMALE--	1	4	1	1	-	1	-	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 412

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ALL OTHER INFECTIOUS AND PARASITIC DISEASES AND LATE EFFECTS OF OTHER INFECTIOUS AND PARASITIC DISEASES (100-104,130-136,139)												
OHIO -----	44	-	-	-	-	-	-	-	1	6	4	4
WHITE-----MALE----	8	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	15	-	-	-	-	-	-	-	1	-	1	2
ALL OTHER--MALE----	8	-	-	-	-	-	-	-	-	3	1	-
FEMALE--	13	-	-	-	-	-	-	-	-	2	2	2
BLACK---MALE----	8	-	-	-	-	-	-	-	-	3	1	-
FEMALE--	13	-	-	-	-	-	-	-	-	2	2	2
OKLAHOMA -----	14	-	1	-	-	-	-	-	1	1	2	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	10	-	1	-	-	-	-	-	1	1	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	25	1	-	-	-	-	-	-	-	-	3	-
WHITE-----MALE----	14	1	-	-	-	-	-	-	-	-	1	-
FEMALE--	9	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
PENNSYLVANIA -----	61	-	-	-	-	1	-	2	3	6	8	5
WHITE-----MALE----	15	-	-	-	-	-	-	1	1	1	-	2
FEMALE--	18	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	11	-	-	-	-	-	-	1	2	2	2	-
FEMALE--	17	-	-	-	-	-	-	-	-	3	6	3
BLACK---MALE----	11	-	-	-	-	-	-	1	2	2	2	-
FEMALE--	17	-	-	-	-	-	-	-	-	3	6	3
RHODE ISLAND -----	12	-	-	-	-	1	1	-	-	-	2	-
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	8	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
SOUTH CAROLINA -----	33	1	1	-	-	-	-	-	2	6	3	2
WHITE-----MALE----	7	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	10	1	-	-	-	-	-	-	1	2	2	1
FEMALE--	11	-	1	-	-	-	-	-	1	3	1	1
BLACK---MALE----	10	1	-	-	-	-	-	-	1	2	2	1
FEMALE--	11	-	1	-	-	-	-	-	1	3	1	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 412

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ALL OTHER INFECTIOUS AND PARASITIC DISEASES AND LATE EFFECTS OF OTHER INFECTIOUS AND PARASITIC DISEASES (100-104,130-136,139)												
OHIO -----	5	3	4	3	6	4	-	1	1	2	-	-
WHITE-----MALE----	1	1	1	-	3	1	-	-	-	-	-	-
FEMALE--	1	-	1	3	1	3	-	-	-	2	-	-
ALL OTHER--MALE----	2	-	-	-	1	-	-	-	1	-	-	-
FEMALE--	1	2	2	-	1	-	-	1	-	-	-	-
BLACK---MALE----	2	-	-	-	1	-	-	-	1	-	-	-
FEMALE--	1	2	2	-	1	-	-	1	-	-	-	-
OKLAHOMA -----	4	-	-	-	1	1	2	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	2	-	-	-	1	-	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
OREGON -----	-	2	1	3	3	7	4	-	1	-	-	-
WHITE-----MALE----	-	2	1	2	1	4	2	-	-	-	-	-
FEMALE--	-	-	-	-	2	3	2	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	6	3	3	1	6	4	4	3	5	1	-	-
WHITE-----MALE----	2	-	1	-	2	2	2	-	1	-	-	-
FEMALE--	1	1	1	1	2	1	2	3	4	1	-	-
ALL OTHER--MALE----	2	1	-	-	-	1	-	-	-	-	-	-
FEMALE--	1	1	1	-	2	-	-	-	-	-	-	-
BLACK---MALE----	2	1	-	-	-	1	-	-	-	-	-	-
FEMALE--	1	1	1	-	2	-	-	-	-	-	-	-
RHODE ISLAND -----	1	1	1	-	3	1	-	-	-	-	1	-
WHITE-----MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	1	1	1	-	2	1	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	3	3	2	3	2	3	1	1	-	-	-	-
WHITE-----MALE----	-	-	2	1	1	2	-	1	-	-	-	-
FEMALE--	2	-	-	1	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	1	1	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	2	-	-	1	-	1	-	-	-	-	-
BLACK---MALE----	1	1	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	2	-	-	1	-	1	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 413

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ALL OTHER INFECTIOUS AND PARASITIC DISEASES AND LATE EFFECTS OF OTHER INFECTIOUS AND PARASITIC DISEASES (100-104,130-136,139)												
SOUTH DAKOTA -----	3	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	30	-	-	-	-	-	1	-	1	1	5	4
WHITE-----MALE----	8	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	12	-	-	-	-	-	1	-	-	-	1	-
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	3	-
FEMALE--	5	-	-	-	-	-	-	-	1	1	-	2
BLACK---MALE----	5	-	-	-	-	-	-	-	-	-	3	-
FEMALE--	4	-	-	-	-	-	-	-	1	1	-	1
TEXAS -----	89	-	2	-	-	-	1	2	3	4	4	10
WHITE-----MALE----	29	-	1	-	-	-	-	-	3	1	-	4
FEMALE--	34	-	1	-	-	-	-	-	-	-	1	4
ALL OTHER--MALE----	9	-	-	-	-	-	-	2	-	1	1	-
FEMALE--	17	-	-	-	-	-	1	-	-	2	2	2
BLACK---MALE----	9	-	-	-	-	-	-	2	-	1	1	-
FEMALE--	16	-	-	-	-	-	1	-	-	2	2	2
UTAH -----	5	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	3	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	49	-	1	-	-	1	-	-	3	5	5	6
WHITE-----MALE----	9	-	1	-	-	-	-	-	-	1	-	1
FEMALE--	13	-	-	-	-	1	-	-	-	-	-	1
ALL OTHER--MALE----	14	-	-	-	-	-	-	-	1	4	-	3
FEMALE--	13	-	-	-	-	-	-	-	2	-	5	1
BLACK---MALE----	14	-	-	-	-	-	-	-	1	4	-	3
FEMALE--	13	-	-	-	-	-	-	-	2	-	5	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 413

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ALL OTHER INFECTIOUS AND PARASITIC DISEASES AND LATE EFFECTS OF OTHER INFECTIOUS AND PARASITIC DISEASES (100-104,130-136,139)												
SOUTH DAKOTA -----	-	-	1	1	-	-	-	1	-	-	-	-
WHITE-----MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	2	2	1	6	-	1	4	1	1	-	-	-
WHITE-----MALE----	-	-	-	2	-	-	3	-	-	-	-	-
FEMALE--	1	2	-	3	-	1	1	1	1	-	-	-
ALL OTHER--MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
TEXAS -----	4	6	13	4	7	11	6	5	4	3	-	-
WHITE-----MALE----	1	4	3	3	3	3	2	-	-	1	-	-
FEMALE--	1	-	6	1	3	5	4	4	3	1	-	-
ALL OTHER--MALE----	1	-	3	-	-	-	-	-	-	1	-	-
FEMALE--	1	2	1	-	1	3	-	1	1	-	-	-
BLACK---MALE----	1	-	3	-	-	-	-	-	-	1	-	-
FEMALE--	1	2	1	-	1	2	-	1	1	-	-	-
UTAH -----	-	-	-	-	-	4	-	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	2	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	2	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	1	-	-	1	-	-	-	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	1	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	2	3	3	1	5	6	3	1	4	-	-	-
WHITE-----MALE----	1	-	-	-	1	2	1	1	-	-	-	-
FEMALE--	-	1	1	-	1	3	1	-	4	-	-	-
ALL OTHER--MALE----	-	1	1	1	1	1	1	-	-	-	-	-
FEMALE--	1	1	1	-	2	-	-	-	-	-	-	-
BLACK---MALE----	-	1	1	1	1	1	1	-	-	-	-	-
FEMALE--	1	1	1	-	2	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 415

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 II. NEOPLASMS (140-239)												
0 UNITED STATES --	547,236	154	503	582	524	759	1,001	1,683	3,111	6,203	11,212	18,331
WHITE-----MALE----	246,118	52	215	238	229	355	471	694	1,206	2,080	3,971	6,987
FEMALE--	229,085	64	181	220	195	237	310	600	1,245	2,699	4,793	7,520
ALL OTHER--MALE----	38,358	24	57	62	61	85	134	199	286	593	1,073	1,883
FEMALE--	33,675	14	50	62	39	82	86	190	374	831	1,375	1,941
BLACK---MALE----	33,095	16	46	44	45	68	107	159	227	491	918	1,595
FEMALE--	29,099	9	34	52	31	66	71	158	320	716	1,141	1,640
ALABAMA -----	9,701	1	5	12	7	16	15	30	61	120	185	331
WHITE-----MALE----	4,069	1	2	5	4	5	6	9	22	36	54	110
FEMALE--	3,326	-	3	3	2	4	4	12	20	36	71	116
ALL OTHER--MALE----	1,278	-	-	1	-	3	-	3	7	22	29	55
FEMALE--	1,028	-	-	3	1	4	5	6	12	26	31	50
BLACK---MALE----	1,263	-	-	1	-	3	-	3	7	22	27	55
FEMALE--	1,021	-	-	3	1	4	5	6	12	26	31	49
ALASKA -----	629	1	3	2	3	5	1	3	3	17	23	42
WHITE-----MALE----	250	-	1	1	2	5	-	1	-	6	8	17
FEMALE--	212	1	1	-	1	-	-	2	-	6	9	13
ALL OTHER--MALE----	101	-	1	1	-	-	1	-	1	1	1	9
FEMALE--	66	-	-	-	-	-	-	-	2	4	5	3
BLACK---MALE----	11	-	-	1	-	-	-	-	-	-	-	1
FEMALE--	8	-	-	-	-	-	-	-	1	1	-	1
ARIZONA -----	8,561	1	11	8	10	11	17	32	54	83	165	239
WHITE-----MALE----	4,350	1	3	1	2	8	5	17	23	34	65	104
FEMALE--	3,801	-	6	5	6	3	9	10	25	39	85	118
ALL OTHER--MALE----	230	-	1	-	1	-	3	5	1	5	6	9
FEMALE--	180	-	1	2	1	-	-	-	5	5	9	8
BLACK---MALE----	117	-	-	-	-	-	-	2	-	2	2	5
FEMALE--	84	-	-	1	-	-	-	-	1	2	5	3
ARKANSAS -----	6,135	1	5	9	2	9	7	10	27	76	119	190
WHITE-----MALE----	2,865	-	4	5	2	6	3	2	11	21	37	75
FEMALE--	2,420	-	1	4	-	2	2	4	8	36	61	62
ALL OTHER--MALE----	461	1	-	-	-	1	1	2	4	7	8	24
FEMALE--	389	-	-	-	-	-	1	2	4	12	13	29
BLACK---MALE----	452	1	-	-	-	1	1	2	4	7	8	23
FEMALE--	376	-	-	-	-	-	1	2	4	11	12	28
CALIFORNIA -----	52,700	18	65	85	85	104	107	201	359	685	1,193	1,945
WHITE-----MALE----	22,985	4	28	45	40	55	49	88	158	252	380	718
FEMALE--	22,134	9	23	28	31	25	40	70	134	286	511	818
ALL OTHER--MALE----	4,007	4	9	3	8	13	7	20	30	55	116	191
FEMALE--	3,574	1	5	9	6	11	11	23	37	92	186	218
BLACK---MALE----	2,082	1	5	1	3	4	3	10	11	28	61	89
FEMALE--	1,874	-	2	4	2	6	4	12	22	52	103	109

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 415

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 II. NEOPLASMS (140-239)												
0 UNITED STATES --	27,601	36,779	50,261	70,691	87,572	87,394	71,250	45,752	20,095	5,046	721	11
WHITE-----MALE----	11,502	16,092	23,350	34,614	42,366	41,810	32,529	18,739	7,002	1,450	164	2
FEMALE--	11,224	14,387	18,926	26,579	34,535	36,314	31,923	22,630	11,047	3,018	436	2
ALL OTHER--MALE----	2,600	3,552	4,510	5,317	5,960	5,155	3,490	2,172	897	209	34	5
FEMALE--	2,275	2,748	3,475	4,181	4,711	4,115	3,308	2,211	1,149	369	87	2
BLACK---MALE----	2,254	3,067	3,936	4,637	5,196	4,458	2,969	1,884	760	184	29	5
FEMALE--	1,942	2,394	2,997	3,576	4,086	3,583	2,876	1,968	1,031	328	78	2
ALABAMA -----	509	748	943	1,316	1,543	1,508	1,189	719	341	93	9	-
WHITE-----MALE----	208	312	445	598	684	680	501	270	95	20	2	-
FEMALE--	161	252	281	442	504	511	439	278	145	40	2	-
ALL OTHER--MALE----	88	107	136	169	197	184	126	95	47	9	-	-
FEMALE--	52	77	81	107	158	133	123	76	54	24	5	-
BLACK---MALE----	85	106	135	167	197	182	124	93	47	9	-	-
FEMALE--	52	76	81	105	157	132	123	75	54	24	5	-
ALASKA -----	56	63	67	104	103	58	39	22	10	3	1	-
WHITE-----MALE----	22	25	23	46	44	20	15	9	4	1	-	-
FEMALE--	19	18	21	29	40	26	13	8	3	1	1	-
ALL OTHER--MALE----	11	14	12	18	12	7	8	3	1	-	-	-
FEMALE--	4	6	11	11	7	5	3	2	2	1	-	-
BLACK---MALE----	2	1	-	3	1	1	-	1	-	-	-	-
FEMALE--	-	1	1	1	1	-	-	1	-	-	-	-
ARIZONA -----	378	556	762	1,131	1,443	1,478	1,178	646	283	63	12	-
WHITE-----MALE----	170	282	382	597	770	829	612	292	126	22	5	-
FEMALE--	177	235	336	484	611	596	532	334	145	39	6	-
ALL OTHER--MALE----	19	28	22	29	34	28	20	13	5	1	-	-
FEMALE--	12	11	22	21	28	25	14	7	7	1	1	-
BLACK---MALE----	7	14	11	15	17	18	12	9	2	1	-	-
FEMALE--	2	9	8	12	11	13	8	3	5	1	-	-
ARKANSAS -----	294	462	617	819	1,002	943	775	495	218	52	2	1
WHITE-----MALE----	138	211	326	409	501	477	345	203	76	13	-	-
FEMALE--	113	184	203	306	371	370	329	226	111	26	1	-
ALL OTHER--MALE----	24	43	49	66	73	43	56	39	16	3	-	1
FEMALE--	19	24	39	38	57	53	45	27	15	10	1	-
BLACK---MALE----	23	41	48	65	71	43	55	39	16	3	-	1
FEMALE--	19	21	37	38	53	53	44	27	15	10	1	-
CALIFORNIA -----	2,778	3,569	4,789	6,563	8,099	8,551	6,828	4,339	1,818	451	68	-
WHITE-----MALE----	1,144	1,472	2,059	2,988	3,672	3,995	3,130	1,850	680	156	22	-
FEMALE--	1,148	1,432	1,846	2,554	3,344	3,557	3,000	2,048	943	249	38	-
ALL OTHER--MALE----	238	381	508	558	588	555	380	228	98	15	2	-
FEMALE--	248	284	376	463	495	444	318	213	97	31	6	-
BLACK---MALE----	132	211	277	295	319	290	187	110	37	7	1	-
FEMALE--	124	161	212	232	262	240	152	107	51	12	5	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 416

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 II. NEOPLASMS (140-239)												
COLORADO -----	5,736	3	5	9	7	12	11	20	41	75	116	230
WHITE-----MALE----	2,839	1	3	5	2	5	6	10	18	31	52	100
FEMALE--	2,631	1	1	3	3	7	4	8	20	37	56	104
ALL OTHER--MALE----	151	1	-	-	-	-	1	2	1	5	3	16
FEMALE--	115	-	1	1	2	-	-	-	2	2	5	10
BLACK---MALE----	110	1	-	-	-	-	-	1	-	3	3	11
FEMALE--	87	-	1	1	1	-	-	-	1	2	4	7
CONNECTICUT -----	7,265	1	3	5	4	10	15	16	39	71	140	190
WHITE-----MALE----	3,302	1	-	1	3	4	10	7	11	25	55	71
FEMALE--	3,468	-	3	2	1	3	4	6	22	42	66	101
ALL OTHER--MALE----	255	-	-	2	-	2	1	2	4	1	11	8
FEMALE--	240	-	-	-	-	1	-	1	2	3	8	10
BLACK---MALE----	235	-	-	2	-	2	1	2	4	1	10	7
FEMALE--	225	-	-	-	-	1	-	1	2	3	8	8
DELAWARE -----	1,700	1	-	3	1	1	2	6	9	31	34	46
WHITE-----MALE----	721	-	-	-	1	1	1	1	1	14	6	18
FEMALE--	692	1	-	2	-	-	-	3	4	8	17	18
ALL OTHER--MALE----	144	-	-	1	-	-	-	1	1	4	8	4
FEMALE--	143	-	-	-	-	-	1	1	3	5	3	6
BLACK---MALE----	136	-	-	1	-	-	-	1	1	4	7	4
FEMALE--	137	-	-	-	-	-	1	1	3	5	3	5
DISTRICT OF COLUMBIA ----	1,370	-	2	2	1	3	3	7	10	19	37	50
WHITE-----MALE----	148	-	1	1	-	1	-	2	-	2	5	4
FEMALE--	148	-	-	-	-	1	-	-	2	3	2	5
ALL OTHER--MALE----	538	-	1	-	1	1	1	3	3	5	13	26
FEMALE--	536	-	-	1	-	-	2	2	5	9	17	15
BLACK---MALE----	531	-	1	-	1	1	1	3	3	5	12	26
FEMALE--	529	-	-	-	-	-	2	2	5	8	16	15
FLORIDA -----	38,555	5	34	25	28	44	49	111	219	374	674	1,077
WHITE-----MALE----	18,893	4	19	5	13	19	18	36	85	138	259	432
FEMALE--	16,003	-	8	10	10	9	13	39	91	150	269	447
ALL OTHER--MALE----	1,978	-	5	5	4	8	14	17	16	40	70	99
FEMALE--	1,681	1	2	5	1	8	4	19	27	46	76	99
BLACK---MALE----	1,915	-	5	5	3	8	13	14	16	36	66	95
FEMALE--	1,605	1	2	5	1	7	4	18	26	43	72	91
GEORGIA -----	13,249	2	6	9	14	17	32	54	93	170	358	577
WHITE-----MALE----	5,086	-	1	5	2	8	13	17	19	48	101	171
FEMALE--	4,692	1	1	-	2	5	9	14	30	47	128	181
ALL OTHER--MALE----	1,878	-	1	-	5	2	7	10	20	28	48	117
FEMALE--	1,593	1	3	4	5	2	3	13	24	47	81	108
BLACK---MALE----	1,843	-	1	-	4	2	7	8	20	27	46	114
FEMALE--	1,551	-	3	4	5	2	3	13	23	46	75	103

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 416

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 II. NEOPLASMS (140-239)												
COLORADO -----	338	348	569	722	850	871	728	488	237	49	7	-
WHITE-----MALE----	153	165	301	408	436	470	359	202	92	19	1	-
FEMALE--	168	166	229	279	386	373	342	273	138	28	5	-
ALL OTHER--MALE----	12	10	18	19	19	14	16	11	3	-	-	-
FEMALE--	5	7	21	16	9	14	11	2	4	2	1	-
BLACK---MALE----	9	8	15	17	14	8	8	10	2	-	-	-
FEMALE--	5	5	16	14	6	11	4	2	4	2	1	-
CONNECTICUT -----	356	437	601	843	1,085	1,223	1,075	728	324	84	15	-
WHITE-----MALE----	134	195	289	437	525	595	501	296	112	27	3	-
FEMALE--	178	174	256	355	488	573	527	403	200	54	10	-
ALL OTHER--MALE----	18	33	31	33	35	31	19	17	5	1	1	-
FEMALE--	26	35	25	18	37	24	28	12	7	2	1	-
BLACK---MALE----	18	27	30	32	31	30	16	16	4	1	1	-
FEMALE--	25	34	23	15	37	22	26	10	7	2	1	-
DELAWARE -----	85	109	176	229	289	290	182	126	67	9	2	2
WHITE-----MALE----	36	44	82	108	127	123	80	57	16	4	-	1
FEMALE--	27	44	68	80	109	131	80	51	44	3	1	1
ALL OTHER--MALE----	11	7	16	22	35	18	8	7	1	-	-	-
FEMALE--	11	14	10	19	18	18	14	11	6	2	1	-
BLACK---MALE----	10	7	13	20	35	18	8	6	1	-	-	-
FEMALE--	11	13	9	19	18	17	13	11	5	2	1	-
DISTRICT OF COLUMBIA ----	87	99	146	199	187	189	154	112	51	8	4	-
WHITE-----MALE----	8	8	9	14	22	21	15	20	13	2	-	-
FEMALE--	5	8	12	18	11	20	28	19	12	1	1	-
ALL OTHER--MALE----	40	53	67	79	76	80	54	30	4	1	-	-
FEMALE--	34	30	58	88	78	68	57	43	22	4	3	-
BLACK---MALE----	40	53	66	78	76	79	52	29	4	1	-	-
FEMALE--	34	30	58	87	77	67	57	42	22	4	3	-
FLORIDA -----	1,638	2,243	3,224	4,948	6,324	6,569	5,482	3,599	1,471	371	42	4
WHITE-----MALE----	715	1,053	1,560	2,624	3,284	3,467	2,758	1,640	611	138	15	-
FEMALE--	674	830	1,209	1,864	2,564	2,673	2,418	1,733	763	208	20	1
ALL OTHER--MALE----	145	207	248	254	268	240	167	110	49	7	3	2
FEMALE--	104	153	207	206	208	189	139	116	48	18	4	1
BLACK---MALE----	138	201	241	246	262	234	164	108	48	7	3	2
FEMALE--	100	147	196	197	199	178	136	113	46	18	4	1
GEORGIA -----	824	1,089	1,396	1,767	2,012	1,982	1,478	892	402	66	9	-
WHITE-----MALE----	291	424	582	767	829	836	559	290	108	15	-	-
FEMALE--	270	366	429	548	712	718	611	381	199	36	4	-
ALL OTHER--MALE----	157	180	219	256	275	246	154	108	37	7	1	-
FEMALE--	106	119	166	196	196	182	154	113	58	8	4	-
BLACK---MALE----	154	174	218	252	270	243	152	107	36	7	1	-
FEMALE--	100	116	162	191	189	180	153	113	58	8	4	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 417

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49

II. NEOPLASMS (140-239)

HAWAII -----	1,873	3	2	6	3	1	4	7	13	24	40	66
WHITE-----MALE----	301	-	-	-	1	-	-	-	2	2	8	8
FEMALE--	213	-	-	1	1	-	-	2	-	4	4	6
ALL OTHER--MALE----	770	1	-	5	1	1	4	3	4	9	11	24
FEMALE--	589	2	2	-	-	-	-	2	7	9	17	28
BLACK---MALE----	8	-	-	-	-	-	-	1	-	2	1	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	1	-
IDAHO -----	1,981	1	1	2	5	2	4	4	11	24	39	57
WHITE-----MALE----	1,088	-	-	-	3	1	4	3	3	13	18	25
FEMALE--	865	1	1	2	2	1	-	1	8	11	20	30
ALL OTHER--MALE----	15	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	13	-	-	-	-	-	-	-	-	-	-	2
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	1
ILLINOIS -----	24,859	6	22	19	15	41	56	80	139	273	574	852
WHITE-----MALE----	10,659	2	13	7	9	19	26	26	49	82	202	277
FEMALE--	10,262	2	3	6	4	10	17	31	67	109	211	343
ALL OTHER--MALE----	2,089	1	2	3	1	8	9	11	8	34	69	108
FEMALE--	1,849	1	4	3	1	4	4	12	15	48	92	124
BLACK---MALE----	1,941	1	1	3	1	8	9	10	7	31	63	98
FEMALE--	1,756	1	4	3	1	4	3	11	14	44	86	122
INDIANA -----	12,539	9	9	16	15	19	20	44	64	117	227	376
WHITE-----MALE----	5,897	3	5	9	8	10	9	24	31	54	107	162
FEMALE--	5,640	5	4	5	5	7	9	18	30	47	86	174
ALL OTHER--MALE----	538	1	-	2	2	-	1	2	3	5	14	19
FEMALE--	464	-	-	-	-	2	1	-	-	11	20	21
BLACK---MALE----	522	1	-	2	2	-	1	2	2	5	12	19
FEMALE--	447	-	-	-	-	1	1	-	-	10	20	20
IOWA -----	6,411	-	2	6	6	4	10	10	25	50	105	161
WHITE-----MALE----	3,279	-	2	4	3	1	7	3	12	20	42	68
FEMALE--	3,047	-	-	2	3	2	3	6	13	28	59	87
ALL OTHER--MALE----	47	-	-	-	-	1	-	-	-	-	2	3
FEMALE--	38	-	-	-	-	-	-	1	-	2	2	3
BLACK---MALE----	36	-	-	-	-	1	-	-	-	-	1	2
FEMALE--	29	-	-	-	-	-	-	-	-	1	2	2
KANSAS -----	5,289	-	8	9	4	12	10	15	18	65	105	149
WHITE-----MALE----	2,615	-	6	4	2	7	5	7	9	24	41	79
FEMALE--	2,374	-	1	5	2	4	2	5	7	36	51	61
ALL OTHER--MALE----	166	-	1	-	-	1	3	3	1	2	7	1
FEMALE--	134	-	-	-	-	-	-	-	1	3	6	8
BLACK---MALE----	140	-	1	-	-	1	3	2	1	1	6	1
FEMALE--	103	-	-	-	-	-	-	-	1	3	5	7

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 417

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 II. NEOPLASMS (140-239)												
HAWAII -----	84	134	163	236	316	295	239	144	70	19	4	-
WHITE-----MALE----	23	24	28	36	50	51	37	23	7	1	-	-
FEMALE--	11	12	22	24	41	30	29	21	5	-	-	-
ALL OTHER--MALE----	28	58	61	95	127	130	95	66	34	11	2	-
FEMALE--	22	40	52	81	98	84	78	34	24	7	2	-
BLACK---MALE----	-	2	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	-	-	-	-	-
IDAHO -----	86	134	188	241	337	327	275	151	72	19	1	-
WHITE-----MALE----	34	64	103	132	207	196	155	73	41	12	1	-
FEMALE--	52	66	81	105	127	127	115	77	31	7	-	-
ALL OTHER--MALE----	-	3	2	2	1	2	4	-	-	-	-	-
FEMALE--	-	1	2	2	2	2	1	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
ILLINOIS -----	1,307	1,678	2,270	3,131	3,946	3,939	3,297	2,081	883	214	36	-
WHITE-----MALE----	514	700	1,002	1,441	1,858	1,777	1,442	864	292	51	6	-
FEMALE--	528	613	804	1,162	1,493	1,625	1,536	1,040	501	136	21	-
ALL OTHER--MALE----	147	191	284	291	339	297	161	66	47	11	1	-
FEMALE--	118	174	180	237	256	240	158	111	43	16	8	-
BLACK---MALE----	129	182	266	279	317	274	145	60	45	11	1	-
FEMALE--	111	163	168	226	245	227	153	103	43	16	8	-
INDIANA -----	590	774	1,211	1,701	2,087	2,019	1,617	1,001	476	118	29	-
WHITE-----MALE----	272	334	592	871	1,061	978	748	410	167	34	8	-
FEMALE--	261	358	504	695	856	906	780	521	281	70	18	-
ALL OTHER--MALE----	26	46	74	72	91	67	51	41	14	5	2	-
FEMALE--	31	36	41	63	79	68	38	29	14	9	1	-
BLACK---MALE----	25	45	74	70	86	65	51	40	14	4	2	-
FEMALE--	30	35	41	59	79	63	36	28	14	9	1	-
IOWA -----	265	398	508	769	989	1,067	945	626	354	99	12	-
WHITE-----MALE----	137	218	257	414	567	580	493	274	136	36	5	-
FEMALE--	124	171	242	342	413	476	444	349	213	63	7	-
ALL OTHER--MALE----	3	6	5	7	4	6	5	2	3	-	-	-
FEMALE--	1	3	4	6	5	5	3	1	2	-	-	-
BLACK---MALE----	1	4	3	7	4	5	4	1	3	-	-	-
FEMALE--	-	2	3	6	4	4	2	1	2	-	-	-
KANSAS -----	232	321	471	626	798	871	746	503	252	67	7	-
WHITE-----MALE----	111	161	259	305	440	453	371	225	87	18	1	-
FEMALE--	99	126	181	281	313	379	347	266	156	46	6	-
ALL OTHER--MALE----	13	18	17	23	27	23	13	7	5	1	-	-
FEMALE--	9	16	14	17	18	16	15	5	4	2	-	-
BLACK---MALE----	13	16	11	20	24	15	13	7	4	1	-	-
FEMALE--	8	12	11	9	14	12	13	4	3	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 418

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 II. NEOPLASMS (140-239)												
KENTUCKY -----	9,097	5	8	11	6	5	16	29	60	106	166	313
WHITE-----MALE----	4,566	2	4	5	2	2	7	15	27	40	67	155
FEMALE--	3,859	2	3	5	4	3	5	10	27	56	82	129
ALL OTHER--MALE----	341	1	1	-	-	-	1	-	2	5	6	13
FEMALE--	331	-	-	1	-	-	3	4	4	5	11	16
BLACK---MALE----	338	1	1	-	-	-	1	-	2	5	6	13
FEMALE--	321	-	-	1	-	-	3	4	4	4	9	15
LOUISIANA -----	9,508	2	6	10	11	10	30	27	63	131	195	379
WHITE-----MALE----	3,451	1	4	2	2	4	12	9	14	31	55	114
FEMALE--	3,175	1	1	2	6	3	7	5	21	42	53	95
ALL OTHER--MALE----	1,550	-	-	1	-	3	8	4	13	22	31	86
FEMALE--	1,332	-	1	5	3	-	3	9	15	36	56	84
BLACK---MALE----	1,532	-	-	1	-	3	8	4	13	21	29	85
FEMALE--	1,308	-	1	5	3	-	3	9	14	36	56	82
MAINE -----	3,016	-	2	2	4	4	1	8	16	26	51	85
WHITE-----MALE----	1,549	-	-	1	3	4	-	4	9	8	19	37
FEMALE--	1,458	-	2	1	1	-	1	4	7	18	32	47
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	10,285	2	19	11	12	9	12	28	72	137	222	400
WHITE-----MALE----	3,840	1	2	2	3	2	3	8	26	35	72	128
FEMALE--	3,778	-	9	5	3	2	3	9	24	53	66	129
ALL OTHER--MALE----	1,431	-	4	2	5	3	2	5	6	22	33	70
FEMALE--	1,236	1	4	2	1	2	4	6	16	27	51	73
BLACK---MALE----	1,365	-	4	2	5	3	2	3	5	21	32	67
FEMALE--	1,167	1	3	2	1	2	4	6	15	26	47	70
MASSACHUSETTS -----	13,950	2	9	7	10	18	19	32	62	127	221	397
WHITE-----MALE----	6,508	-	5	5	3	7	12	21	31	50	79	161
FEMALE--	6,793	2	4	2	5	5	7	7	29	68	114	204
ALL OTHER--MALE----	338	-	-	-	1	1	-	2	2	2	10	17
FEMALE--	311	-	-	-	1	5	-	2	-	7	18	15
BLACK---MALE----	268	-	-	-	1	1	-	-	2	1	7	10
FEMALE--	244	-	-	-	-	4	-	1	-	6	13	13
MICHIGAN -----	19,846	4	13	25	18	33	37	83	95	217	379	655
WHITE-----MALE----	8,808	1	8	9	11	10	17	33	37	73	136	241
FEMALE--	8,244	1	3	12	4	14	11	30	45	97	168	277
ALL OTHER--MALE----	1,448	1	1	2	1	5	6	8	2	20	31	60
FEMALE--	1,346	1	1	2	2	4	3	12	11	27	44	77
BLACK---MALE----	1,361	1	1	1	1	5	5	8	1	19	30	56
FEMALE--	1,248	1	1	2	2	2	3	10	10	26	40	71

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 418

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 II. NEOPLASMS (140-239)												
KENTUCKY -----	532	676	986	1,262	1,499	1,393	997	666	271	79	11	-
WHITE-----MALE----	276	336	527	701	797	731	468	275	104	21	4	-
FEMALE--	216	280	384	485	595	565	463	342	146	52	5	-
ALL OTHER--MALE----	22	35	43	38	55	47	33	25	11	3	-	-
FEMALE--	18	25	32	38	52	50	33	24	10	3	2	-
BLACK---MALE----	22	35	42	37	55	47	33	25	10	3	-	-
FEMALE--	18	24	32	38	51	49	32	22	10	3	2	-
LOUISIANA -----	502	740	961	1,279	1,563	1,408	1,069	708	318	83	13	-
WHITE-----MALE----	154	278	367	489	635	560	381	243	85	10	1	-
FEMALE--	180	208	262	403	502	491	423	268	153	44	5	-
ALL OTHER--MALE----	89	151	180	227	252	195	125	107	39	14	3	-
FEMALE--	79	103	152	160	174	162	140	90	41	15	4	-
BLACK---MALE----	87	150	175	225	250	194	124	107	39	14	3	-
FEMALE--	74	103	147	156	171	159	139	90	41	15	4	-
MAINE -----	145	186	239	418	514	496	401	277	109	31	1	-
WHITE-----MALE----	76	105	124	248	279	267	199	117	42	7	-	-
FEMALE--	69	79	115	168	235	227	202	159	66	24	1	-
ALL OTHER--MALE----	-	1	-	1	-	1	-	1	1	-	-	-
FEMALE--	-	1	-	1	-	1	-	-	-	-	-	-
BLACK---MALE----	-	1	-	1	-	1	-	-	1	-	-	-
FEMALE--	-	1	-	-	-	1	-	-	-	-	-	-
MARYLAND -----	579	751	999	1,282	1,659	1,575	1,315	725	381	84	11	-
WHITE-----MALE----	185	269	383	539	671	629	505	254	105	14	4	-
FEMALE--	194	232	307	404	563	642	558	313	207	49	6	-
ALL OTHER--MALE----	101	135	184	198	235	179	131	76	33	6	1	-
FEMALE--	99	115	125	141	190	125	121	82	36	15	-	-
BLACK---MALE----	99	121	177	189	231	171	122	72	32	6	1	-
FEMALE--	95	110	115	128	178	119	113	82	35	15	-	-
MASSACHUSETTS -----	610	861	1,113	1,679	2,202	2,295	2,118	1,395	565	178	30	-
WHITE-----MALE----	272	399	580	875	1,117	1,096	973	603	173	43	3	-
FEMALE--	299	409	462	729	992	1,099	1,074	745	382	129	26	-
ALL OTHER--MALE----	21	31	41	43	48	61	35	17	3	3	-	-
FEMALE--	18	22	30	32	45	39	36	30	7	3	1	-
BLACK---MALE----	19	26	37	36	36	47	27	15	2	1	-	-
FEMALE--	14	17	26	27	34	31	30	22	3	3	-	-
MICHIGAN -----	1,017	1,385	1,855	2,600	3,228	3,172	2,551	1,587	704	160	27	1
WHITE-----MALE----	421	594	832	1,284	1,526	1,463	1,164	652	234	52	10	-
FEMALE--	396	546	712	970	1,244	1,330	1,110	788	385	87	14	-
ALL OTHER--MALE----	90	140	156	204	243	225	143	62	41	5	1	1
FEMALE--	110	105	155	142	215	154	134	85	44	16	2	-
BLACK---MALE----	82	125	146	188	234	217	140	56	38	5	1	1
FEMALE--	106	93	141	128	201	147	122	82	42	16	2	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 419

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 II. NEOPLASMS (140-239)												
MINNESOTA -----	8,919	3	13	9	6	12	10	21	47	100	153	272
WHITE-----MALE----	4,496	2	5	5	3	3	5	9	20	41	59	129
FEMALE--	4,140	1	6	2	1	7	2	9	17	47	84	125
ALL OTHER--MALE----	143	-	-	-	1	-	1	3	7	6	2	7
FEMALE--	140	-	2	2	1	2	2	-	3	6	8	11
BLACK---MALE----	86	-	-	-	1	-	1	1	4	2	1	4
FEMALE--	71	-	2	1	1	1	-	-	2	2	5	7
MISSISSIPPI -----	5,901	3	6	7	4	13	14	14	40	76	150	211
WHITE-----MALE----	2,177	-	3	1	1	4	3	5	8	14	33	58
FEMALE--	1,805	2	-	1	2	2	2	4	16	21	43	54
ALL OTHER--MALE----	1,069	-	1	3	-	3	3	1	8	19	37	53
FEMALE--	850	1	2	2	1	4	6	4	8	22	37	46
BLACK---MALE----	1,057	-	1	2	-	2	3	1	8	17	37	52
FEMALE--	841	1	2	2	1	4	6	4	8	22	37	45
MISSOURI -----	12,113	2	7	13	9	22	22	31	52	142	210	417
WHITE-----MALE----	5,563	-	1	4	5	12	15	10	13	50	62	168
FEMALE--	5,231	1	4	7	4	7	4	13	25	61	111	185
ALL OTHER--MALE----	680	1	2	-	-	3	3	5	7	16	19	26
FEMALE--	639	-	-	2	-	-	-	3	7	15	18	38
BLACK---MALE----	651	1	2	-	-	3	3	5	7	16	19	24
FEMALE--	614	-	-	1	-	-	-	2	6	14	17	35
MONTANA -----	1,828	-	2	1	1	2	1	8	10	10	24	49
WHITE-----MALE----	942	-	-	1	1	1	1	4	5	3	8	26
FEMALE--	821	-	2	-	-	1	-	2	4	6	13	20
ALL OTHER--MALE----	37	-	-	-	-	-	-	-	1	1	2	-
FEMALE--	28	-	-	-	-	-	-	2	-	-	1	3
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	3,291	-	4	2	2	2	10	4	24	32	67	93
WHITE-----MALE----	1,675	-	2	1	-	1	5	1	14	14	26	43
FEMALE--	1,499	-	1	-	2	1	4	2	9	15	37	42
ALL OTHER--MALE----	69	-	-	1	-	-	1	-	1	2	3	4
FEMALE--	48	-	1	-	-	-	-	1	-	1	1	4
BLACK---MALE----	56	-	-	1	-	-	1	-	1	2	2	4
FEMALE--	39	-	1	-	-	-	-	1	-	1	1	3
NEVADA -----	3,226	1	4	8	7	1	5	6	10	34	68	116
WHITE-----MALE----	1,626	1	2	5	4	-	1	4	6	13	27	44
FEMALE--	1,359	-	2	3	3	1	4	2	2	15	30	52
ALL OTHER--MALE----	121	-	-	-	-	-	-	-	1	1	6	9
FEMALE--	120	-	-	-	-	-	-	-	1	5	5	11
BLACK---MALE----	86	-	-	-	-	-	-	-	1	-	5	7
FEMALE--	77	-	-	-	-	-	-	-	1	4	3	5

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 419

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 II. NEOPLASMS (140-239)												
MINNESOTA -----	385	601	743	1,043	1,338	1,390	1,285	913	425	129	21	-
WHITE-----MALE----	178	299	402	578	748	760	642	416	156	30	6	-
FEMALE--	181	269	318	433	560	594	623	490	264	92	15	-
ALL OTHER--MALE----	10	16	12	22	16	20	11	5	2	2	-	-
FEMALE--	16	17	11	10	14	16	9	2	3	5	-	-
BLACK---MALE----	6	13	11	11	7	10	6	4	2	2	-	-
FEMALE--	6	8	7	2	7	7	7	1	2	3	-	-
MISSISSIPPI -----	320	434	627	812	852	890	699	476	192	50	11	-
WHITE-----MALE----	109	170	256	348	349	366	245	152	43	9	-	-
FEMALE--	92	123	168	224	276	273	242	172	67	19	2	-
ALL OTHER--MALE----	65	81	122	133	125	155	126	89	33	8	4	-
FEMALE--	54	60	81	107	102	96	86	63	49	14	5	-
BLACK---MALE----	64	80	120	132	124	155	126	88	33	8	4	-
FEMALE--	53	58	80	107	101	96	85	62	48	14	5	-
MISSOURI -----	598	818	1,173	1,563	1,954	1,826	1,581	1,054	481	121	17	-
WHITE-----MALE----	257	393	600	793	985	842	754	404	167	26	2	-
FEMALE--	252	319	434	584	775	810	693	572	274	81	15	-
ALL OTHER--MALE----	42	56	69	99	114	103	59	37	14	5	-	-
FEMALE--	47	50	70	87	80	71	75	41	26	9	-	-
BLACK---MALE----	36	55	67	94	110	100	55	36	14	4	-	-
FEMALE--	46	48	70	82	78	69	72	41	25	8	-	-
MONTANA -----	74	111	163	218	298	302	282	170	78	23	1	-
WHITE-----MALE----	31	58	78	118	171	163	149	87	26	11	-	-
FEMALE--	38	48	78	95	114	130	128	80	49	12	1	-
ALL OTHER--MALE----	4	3	4	1	9	6	3	2	1	-	-	-
FEMALE--	1	2	3	4	4	3	2	1	2	-	-	-
BLACK---MALE----	-	-	2	1	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	146	209	252	394	518	535	448	316	176	50	7	-
WHITE-----MALE----	60	114	152	223	294	283	225	135	63	17	2	-
FEMALE--	78	83	88	152	210	242	215	173	109	32	4	-
ALL OTHER--MALE----	5	7	4	14	7	7	4	5	2	1	1	-
FEMALE--	3	5	8	5	7	3	4	3	2	-	-	-
BLACK---MALE----	3	5	2	12	5	7	4	4	2	1	-	-
FEMALE--	2	3	6	5	6	1	4	3	2	-	-	-
NEVADA -----	182	276	361	468	587	505	339	184	52	10	2	-
WHITE-----MALE----	80	120	199	271	324	258	163	81	19	4	-	-
FEMALE--	85	130	126	166	232	220	160	89	30	5	2	-
ALL OTHER--MALE----	9	16	19	19	13	15	7	5	-	1	-	-
FEMALE--	8	10	17	12	18	12	9	9	3	-	-	-
BLACK---MALE----	3	13	13	13	9	12	6	3	-	1	-	-
FEMALE--	5	5	9	8	12	8	6	9	2	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 421

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 II. NEOPLASMS (140-239)												
OHIO -----	25,061	4	18	17	29	29	48	62	112	263	490	808
WHITE-----MALE----	11,483	3	7	9	12	20	34	33	43	85	191	330
FEMALE--	10,875	1	8	6	12	7	12	22	49	123	223	362
ALL OTHER--MALE----	1,443	-	2	1	4	1	1	5	11	25	32	68
FEMALE--	1,260	-	1	1	1	1	1	2	9	30	44	48
BLACK---MALE----	1,410	-	2	1	4	1	1	5	11	23	31	64
FEMALE--	1,235	-	1	1	1	1	1	2	8	29	43	45
OKLAHOMA -----	7,333	1	3	10	9	12	12	18	42	69	151	244
WHITE-----MALE----	3,460	-	2	4	3	4	3	10	16	28	51	110
FEMALE--	3,094	-	1	2	3	3	5	6	20	34	72	100
ALL OTHER--MALE----	418	1	-	2	2	3	2	2	2	3	11	14
FEMALE--	361	-	-	2	1	2	2	-	4	4	17	20
BLACK---MALE----	259	-	-	-	1	1	2	2	2	2	7	9
FEMALE--	216	-	-	1	1	1	2	-	3	2	10	8
OREGON -----	6,857	1	9	5	7	8	6	24	32	62	126	209
WHITE-----MALE----	3,438	-	4	3	2	2	3	10	14	23	47	93
FEMALE--	3,234	-	3	2	3	6	2	12	18	30	70	102
ALL OTHER--MALE----	110	1	2	-	2	-	1	1	-	4	3	8
FEMALE--	75	-	-	-	-	-	-	1	-	5	6	6
BLACK---MALE----	50	-	1	-	1	-	-	1	-	2	3	4
FEMALE--	30	-	-	-	-	-	-	-	-	3	3	3
PENNSYLVANIA -----	30,619	11	31	25	16	33	44	71	160	281	534	875
WHITE-----MALE----	13,978	6	12	13	7	12	22	36	65	89	227	325
FEMALE--	13,650	5	11	11	9	18	15	20	65	147	242	406
ALL OTHER--MALE----	1,535	-	4	1	-	2	2	10	16	17	32	76
FEMALE--	1,456	-	4	-	-	1	5	5	14	28	33	68
BLACK---MALE----	1,462	-	4	1	-	1	2	8	14	15	26	74
FEMALE--	1,399	-	3	-	-	-	4	5	14	27	32	62
RHODE ISLAND -----	2,500	1	1	3	4	5	1	10	13	28	39	73
WHITE-----MALE----	1,211	1	-	2	2	2	1	4	3	10	19	35
FEMALE--	1,203	-	1	1	2	3	-	6	7	16	17	35
ALL OTHER--MALE----	46	-	-	-	-	-	-	-	2	2	2	3
FEMALE--	40	-	-	-	-	-	-	-	1	-	1	-
BLACK---MALE----	37	-	-	-	-	-	-	-	1	1	1	2
FEMALE--	34	-	-	-	-	-	-	-	-	-	1	-
SOUTH CAROLINA -----	7,721	2	9	5	4	12	22	27	38	93	168	298
WHITE-----MALE----	2,959	1	2	1	3	6	5	8	14	25	42	84
FEMALE--	2,522	1	4	1	-	4	8	7	8	27	52	75
ALL OTHER--MALE----	1,211	-	2	2	1	1	4	6	3	12	30	70
FEMALE--	1,029	-	1	1	-	1	5	6	13	29	44	69
BLACK---MALE----	1,204	-	2	2	1	1	4	5	2	12	30	69
FEMALE--	1,020	-	1	1	-	1	5	6	13	28	42	69

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 421

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 II. NEOPLASMS (140-239)												
OHIO -----	1,236	1,637	2,223	3,387	4,265	3,993	3,352	2,014	833	211	30	-
WHITE-----MALE----	572	719	1,057	1,723	2,112	1,877	1,546	790	267	51	2	-
FEMALE--	508	710	913	1,260	1,687	1,734	1,525	1,069	479	139	26	-
ALL OTHER--MALE----	81	106	143	227	257	220	142	81	33	3	-	-
FEMALE--	75	102	110	177	209	162	139	74	54	18	2	-
BLACK---MALE----	79	103	141	222	253	216	139	79	32	3	-	-
FEMALE--	68	101	109	174	207	161	135	74	54	18	2	-
OKLAHOMA -----	396	481	749	977	1,134	1,131	927	618	255	76	17	1
WHITE-----MALE----	156	246	372	526	569	556	422	259	101	18	3	1
FEMALE--	182	181	293	361	442	474	424	305	127	50	9	-
ALL OTHER--MALE----	32	34	49	46	66	56	47	26	16	3	1	-
FEMALE--	26	20	35	44	57	45	34	28	11	5	4	-
BLACK---MALE----	19	23	27	31	39	37	24	19	11	3	-	-
FEMALE--	12	13	22	28	29	29	24	19	7	3	2	-
OREGON -----	334	437	571	849	1,084	1,128	994	626	266	68	11	-
WHITE-----MALE----	150	203	285	459	564	600	542	297	114	20	3	-
FEMALE--	171	227	261	369	491	510	437	318	146	48	8	-
ALL OTHER--MALE----	4	5	17	16	15	12	9	7	3	-	-	-
FEMALE--	9	2	8	5	14	6	6	4	3	-	-	-
BLACK---MALE----	2	-	5	10	7	4	4	4	2	-	-	-
FEMALE--	2	-	1	3	6	3	3	-	3	-	-	-
PENNSYLVANIA -----	1,332	1,791	2,587	3,911	5,121	5,251	4,281	2,762	1,207	264	30	1
WHITE-----MALE----	576	807	1,232	1,955	2,545	2,496	1,923	1,112	424	87	7	-
FEMALE--	555	723	1,035	1,548	2,088	2,338	2,055	1,492	690	156	21	-
ALL OTHER--MALE----	96	133	164	216	282	222	148	72	35	6	1	-
FEMALE--	105	128	156	192	206	195	155	86	58	15	1	1
BLACK---MALE----	90	128	155	207	270	213	140	72	35	6	1	-
FEMALE--	99	120	148	189	200	189	148	85	57	15	1	1
RHODE ISLAND -----	106	146	218	293	382	453	325	258	108	27	6	-
WHITE-----MALE----	53	67	97	149	209	243	163	108	32	9	2	-
FEMALE--	43	72	113	135	163	191	157	148	73	17	3	-
ALL OTHER--MALE----	8	6	2	3	6	11	-	1	-	-	-	-
FEMALE--	2	1	6	6	4	8	5	1	3	1	1	-
BLACK---MALE----	6	5	2	3	6	9	-	1	-	-	-	-
FEMALE--	2	1	6	3	4	7	4	1	3	1	1	-
SOUTH CAROLINA -----	506	600	858	1,011	1,243	1,141	898	513	214	52	7	-
WHITE-----MALE----	172	219	384	435	529	455	343	156	65	10	-	-
FEMALE--	158	197	221	304	395	402	322	211	96	24	5	-
ALL OTHER--MALE----	106	103	145	160	182	150	127	78	20	8	1	-
FEMALE--	70	81	108	112	137	134	106	68	33	10	1	-
BLACK---MALE----	106	103	143	159	182	149	127	78	20	8	1	-
FEMALE--	70	80	106	111	135	134	106	68	33	10	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 422

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 II. NEOPLASMS (140-239)												
SOUTH DAKOTA -----	1,562	1	1	1	1	5	2	6	6	21	15	34
WHITE-----MALE----	839	-	-	-	-	3	1	2	4	8	5	17
FEMALE--	649	-	-	1	1	1	1	2	1	8	7	14
ALL OTHER--MALE----	40	1	-	-	-	-	-	-	-	3	1	2
FEMALE--	34	-	1	-	-	1	-	2	1	2	2	1
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	11,983	2	12	14	8	18	22	46	73	137	267	468
WHITE-----MALE----	5,473	-	4	6	5	10	14	22	27	46	101	179
FEMALE--	4,631	1	6	3	2	2	5	17	27	54	112	186
ALL OTHER--MALE----	972	1	2	3	-	4	2	3	12	19	29	50
FEMALE--	907	-	-	2	1	2	1	4	7	18	25	53
BLACK---MALE----	952	1	2	3	-	3	1	3	10	19	27	49
FEMALE--	890	-	-	2	1	2	1	3	7	18	24	50
TEXAS -----	32,600	19	40	50	37	48	77	115	215	430	819	1,248
WHITE-----MALE----	15,056	9	19	21	14	21	40	49	86	151	324	500
FEMALE--	13,171	5	18	23	15	18	24	45	87	202	354	502
ALL OTHER--MALE----	2,406	4	1	5	5	6	9	13	16	37	65	128
FEMALE--	1,967	1	2	1	3	3	4	8	26	40	76	118
BLACK---MALE----	2,266	4	1	2	4	6	7	10	14	34	59	118
FEMALE--	1,841	1	1	1	3	3	2	8	23	36	68	104
UTAH -----	2,190	3	6	3	5	5	5	11	23	25	55	71
WHITE-----MALE----	1,133	-	2	1	3	3	5	6	8	15	26	32
FEMALE--	991	3	4	2	2	2	-	5	11	10	28	35
ALL OTHER--MALE----	32	-	-	-	-	-	-	-	1	-	1	1
FEMALE--	34	-	-	-	-	-	-	-	3	-	-	3
BLACK---MALE----	8	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	10	-	-	-	-	-	-	-	1	-	-	1
VERMONT -----	1,249	1	2	-	1	-	1	6	2	11	29	54
WHITE-----MALE----	643	-	-	-	1	-	1	3	-	7	12	29
FEMALE--	601	1	2	-	-	-	-	3	2	4	17	25
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	13,137	3	12	13	12	13	23	48	91	187	304	483
WHITE-----MALE----	5,339	1	3	2	2	5	11	19	37	51	87	180
FEMALE--	4,936	-	3	4	3	5	3	13	26	78	120	167
ALL OTHER--MALE----	1,558	1	2	5	4	1	6	7	10	25	44	75
FEMALE--	1,304	1	4	2	3	2	3	9	18	33	53	61
BLACK---MALE----	1,498	1	2	4	4	1	5	7	9	23	40	72
FEMALE--	1,231	1	3	2	2	2	3	7	18	31	48	57

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 422

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 II. NEOPLASMS (140-239)												
SOUTH DAKOTA -----	55	88	120	173	287	259	229	132	93	32	1	-
WHITE-----MALE----	23	47	72	104	165	154	124	67	32	11	-	-
FEMALE--	27	37	42	58	106	99	98	63	61	21	1	-
ALL OTHER--MALE----	3	3	3	7	11	4	2	-	-	-	-	-
FEMALE--	2	1	3	4	5	2	5	2	-	-	-	-
BLACK---MALE----	-	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	688	920	1,265	1,635	1,933	1,705	1,344	939	393	82	12	-
WHITE-----MALE----	306	453	603	816	949	818	595	369	124	25	1	-
FEMALE--	247	320	475	582	688	652	555	435	215	40	7	-
ALL OTHER--MALE----	70	79	101	129	158	122	95	64	20	8	1	-
FEMALE--	65	68	86	108	138	113	99	71	34	9	3	-
BLACK---MALE----	69	77	98	128	156	121	94	63	19	8	1	-
FEMALE--	64	68	83	105	137	112	98	69	34	9	3	-
TEXAS -----	1,749	2,341	3,135	4,440	5,170	4,900	3,771	2,555	1,131	269	40	1
WHITE-----MALE----	756	1,085	1,491	2,233	2,546	2,436	1,747	1,069	383	67	9	-
FEMALE--	687	913	1,116	1,597	1,998	1,960	1,636	1,193	595	161	22	-
ALL OTHER--MALE----	172	194	314	347	362	273	207	155	75	14	3	1
FEMALE--	134	149	214	263	264	231	181	138	78	27	6	-
BLACK---MALE----	156	184	295	325	349	257	199	150	74	14	3	1
FEMALE--	119	143	199	247	252	213	176	134	77	25	6	-
UTAH -----	106	142	163	263	309	360	290	224	94	25	2	-
WHITE-----MALE----	53	71	92	136	165	193	151	108	53	10	-	-
FEMALE--	51	60	65	117	136	159	132	113	40	14	2	-
ALL OTHER--MALE----	1	3	3	3	6	6	4	2	1	-	-	-
FEMALE--	1	8	3	7	2	2	3	1	-	1	-	-
BLACK---MALE----	1	-	2	-	2	2	-	-	-	-	-	-
FEMALE--	-	3	1	1	-	-	1	1	-	1	-	-
VERMONT -----	58	93	100	156	224	180	160	101	56	14	-	-
WHITE-----MALE----	35	53	57	91	121	93	75	39	21	5	-	-
FEMALE--	22	40	42	65	101	86	85	62	35	9	-	-
ALL OTHER--MALE----	-	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	1	-	-	-	-	-	-
VIRGINIA -----	720	950	1,251	1,750	2,175	2,089	1,514	986	402	93	18	-
WHITE-----MALE----	282	387	529	785	942	889	632	349	116	28	2	-
FEMALE--	274	333	443	574	800	804	604	434	194	46	8	-
ALL OTHER--MALE----	90	139	150	236	260	217	141	101	33	8	3	-
FEMALE--	74	91	129	155	173	179	137	102	59	11	5	-
BLACK---MALE----	86	133	144	228	249	211	138	99	31	8	3	-
FEMALE--	65	86	120	144	167	171	133	100	56	10	5	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 424

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
 MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES (140-208)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 UNITED STATES --	539,577	91	438	547	483	702	943	1,616	2,991	6,076	11,023	18,099
WHITE-----MALE----	243,192	32	188	231	218	329	445	667	1,152	2,026	3,894	6,885
FEMALE--	225,329	36	152	205	177	220	289	573	1,208	2,657	4,723	7,435
ALL OTHER--MALE----	37,918	13	52	59	52	78	129	193	272	583	1,054	1,863
FEMALE--	33,138	10	46	52	36	75	80	183	359	810	1,352	1,916
BLACK---MALE----	32,719	8	41	41	38	63	104	154	215	483	900	1,578
FEMALE--	28,614	5	31	45	28	59	66	152	305	696	1,122	1,616
ALABAMA -----	9,577	1	4	12	7	10	15	30	60	119	183	329
WHITE-----MALE----	4,021	1	1	5	4	2	6	9	21	36	53	109
FEMALE--	3,281	-	3	3	2	3	4	12	20	36	70	116
ALL OTHER--MALE----	1,268	-	-	1	-	2	-	3	7	22	29	54
FEMALE--	1,007	-	-	3	1	3	5	6	12	25	31	50
BLACK---MALE----	1,253	-	-	1	-	2	-	3	7	22	27	54
FEMALE--	1,000	-	-	3	1	3	5	6	12	25	31	49
ALASKA -----	622	-	2	1	3	5	1	3	3	17	22	41
WHITE-----MALE----	245	-	-	-	2	5	-	1	-	6	7	16
FEMALE--	211	-	1	-	1	-	-	2	-	6	9	13
ALL OTHER--MALE----	100	-	1	1	-	-	1	-	1	1	1	9
FEMALE--	66	-	-	-	-	-	-	-	2	4	5	3
BLACK---MALE----	11	-	-	1	-	-	-	-	-	-	-	1
FEMALE--	8	-	-	-	-	-	-	-	1	1	-	1
ARIZONA -----	8,448	1	10	7	9	9	14	32	51	82	162	237
WHITE-----MALE----	4,310	1	3	1	2	8	5	17	21	34	64	104
FEMALE--	3,738	-	5	5	5	1	6	10	25	39	84	116
ALL OTHER--MALE----	224	-	1	-	1	-	3	5	1	4	5	9
FEMALE--	176	-	1	1	1	-	-	-	4	5	9	8
BLACK---MALE----	114	-	-	-	-	-	-	2	-	1	2	5
FEMALE--	81	-	-	1	-	-	-	-	-	2	5	3
ARKANSAS -----	6,063	-	5	9	2	9	7	10	26	75	116	185
WHITE-----MALE----	2,838	-	4	5	2	6	3	2	11	20	36	72
FEMALE--	2,385	-	1	4	-	2	2	4	8	36	60	61
ALL OTHER--MALE----	456	-	-	-	-	1	1	2	3	7	8	23
FEMALE--	384	-	-	-	-	-	1	2	4	12	12	29
BLACK---MALE----	447	-	-	-	-	1	1	2	3	7	8	22
FEMALE--	371	-	-	-	-	-	1	2	4	11	11	28
CALIFORNIA -----	51,990	11	57	82	81	96	104	192	349	670	1,168	1,918
WHITE-----MALE----	22,702	2	23	45	40	52	47	83	150	248	370	709
FEMALE--	21,793	6	20	26	30	21	39	67	132	278	503	806
ALL OTHER--MALE----	3,966	2	9	3	6	12	7	20	30	54	113	189
FEMALE--	3,529	1	5	8	5	11	11	22	37	90	182	214
BLACK---MALE----	2,059	1	5	1	2	4	3	10	11	27	58	88
FEMALE--	1,842	-	2	4	1	6	4	11	22	51	100	106

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 424

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES (140-208)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 UNITED STATES --	27,330	36,447	49,867	70,044	86,702	86,242	70,049	44,771	19,525	4,884	696	11
WHITE-----MALE----	11,382	15,937	23,179	34,341	41,996	41,321	32,079	18,430	6,882	1,414	162	2
FEMALE--	11,123	14,260	18,771	26,311	34,141	35,768	31,286	22,032	10,639	2,902	419	2
ALL OTHER--MALE----	2,579	3,524	4,470	5,266	5,912	5,096	3,445	2,148	884	208	33	5
FEMALE--	2,246	2,726	3,447	4,126	4,653	4,057	3,239	2,161	1,120	360	82	2
BLACK---MALE----	2,238	3,043	3,899	4,591	5,155	4,403	2,930	1,868	750	183	29	5
FEMALE--	1,917	2,372	2,970	3,530	4,034	3,532	2,817	1,920	1,003	319	73	2
ALABAMA -----	505	739	933	1,308	1,526	1,490	1,166	705	334	92	9	-
WHITE-----MALE----	206	309	442	593	676	674	493	264	95	20	2	-
FEMALE--	159	247	277	440	498	503	433	273	140	40	2	-
ALL OTHER--MALE----	88	107	135	169	196	183	122	95	46	9	-	-
FEMALE--	52	76	79	106	156	130	118	73	53	23	5	-
BLACK---MALE----	85	106	134	167	196	181	120	93	46	9	-	-
FEMALE--	52	75	79	104	155	129	118	72	53	23	5	-
ALASKA -----	56	63	67	104	103	57	38	22	10	3	1	-
WHITE-----MALE----	22	25	23	46	44	19	15	9	4	1	-	-
FEMALE--	19	18	21	29	40	26	13	8	3	1	1	-
ALL OTHER--MALE----	11	14	12	18	12	7	7	3	1	-	-	-
FEMALE--	4	6	11	11	7	5	3	2	2	1	-	-
BLACK---MALE----	2	1	-	3	1	1	-	1	-	-	-	-
FEMALE--	-	1	1	1	1	-	-	1	-	-	-	-
ARIZONA -----	371	552	758	1,121	1,435	1,463	1,163	632	268	59	12	-
WHITE-----MALE----	170	279	379	591	766	822	606	287	125	20	5	-
FEMALE--	172	234	335	480	608	589	524	325	132	37	6	-
ALL OTHER--MALE----	17	28	22	29	34	27	19	13	5	1	-	-
FEMALE--	12	11	22	21	27	25	14	7	6	1	1	-
BLACK---MALE----	6	14	11	15	17	18	11	9	2	1	-	-
FEMALE--	2	9	8	12	10	13	8	3	4	1	-	-
ARKANSAS -----	289	457	612	812	992	933	762	490	217	52	2	1
WHITE-----MALE----	137	210	324	406	497	473	341	200	76	13	-	-
FEMALE--	110	180	201	303	365	365	322	224	110	26	1	-
ALL OTHER--MALE----	24	43	48	66	73	43	55	39	16	3	-	1
FEMALE--	18	24	39	37	57	52	44	27	15	10	1	-
BLACK---MALE----	23	41	47	65	71	43	54	39	16	3	-	1
FEMALE--	18	21	37	37	53	52	43	27	15	10	1	-
CALIFORNIA -----	2,749	3,521	4,758	6,509	8,019	8,473	6,708	4,255	1,768	434	68	-
WHITE-----MALE----	1,132	1,449	2,047	2,966	3,636	3,961	3,090	1,816	665	149	22	-
FEMALE--	1,137	1,413	1,828	2,529	3,313	3,520	2,932	2,004	911	240	38	-
ALL OTHER--MALE----	236	379	508	554	578	552	375	225	97	15	2	-
FEMALE--	244	280	375	460	492	440	311	210	95	30	6	-
BLACK---MALE----	132	209	277	293	312	288	183	110	37	7	1	-
FEMALE--	123	157	211	231	260	236	147	104	50	11	5	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 425

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES (140-208)												
COLORADO -----	5,647	1	5	9	7	11	10	19	39	72	112	226
WHITE-----MALE----	2,802	1	3	5	2	4	6	10	18	28	50	96
FEMALE--	2,585	-	1	3	3	7	4	7	18	37	54	104
ALL OTHER--MALE----	147	-	-	-	-	-	-	2	1	5	3	16
FEMALE--	113	-	1	1	2	-	-	-	2	2	5	10
BLACK---MALE----	107	-	-	-	-	-	-	1	-	3	3	11
FEMALE--	86	-	1	1	1	-	-	-	1	2	4	7
CONNECTICUT -----	7,137	-	2	3	4	10	14	14	37	69	136	187
WHITE-----MALE----	3,244	-	-	1	3	4	9	7	10	25	53	70
FEMALE--	3,404	-	2	1	1	3	4	5	21	40	65	100
ALL OTHER--MALE----	252	-	-	1	-	2	1	2	4	1	11	7
FEMALE--	237	-	-	-	-	1	-	-	2	3	7	10
BLACK---MALE----	232	-	-	1	-	2	1	2	4	1	10	6
FEMALE--	222	-	-	-	-	1	-	-	2	3	7	8
DELAWARE -----	1,669	-	-	3	1	1	2	6	7	30	34	46
WHITE-----MALE----	709	-	-	-	1	1	1	1	-	14	6	18
FEMALE--	676	-	-	2	-	-	-	3	3	7	17	18
ALL OTHER--MALE----	143	-	-	1	-	-	-	1	1	4	8	4
FEMALE--	141	-	-	-	-	-	1	1	3	5	3	6
BLACK---MALE----	135	-	-	1	-	-	-	1	1	4	7	4
FEMALE--	136	-	-	-	-	-	1	1	3	5	3	5
DISTRICT OF COLUMBIA ----	1,348	-	2	1	1	2	3	7	8	18	37	50
WHITE-----MALE----	147	-	1	1	-	1	-	2	-	2	5	4
FEMALE--	145	-	-	-	-	-	-	-	2	3	2	5
ALL OTHER--MALE----	533	-	1	-	1	1	3	1	5	13	26	26
FEMALE--	523	-	-	-	-	-	2	2	5	8	17	15
BLACK---MALE----	526	-	1	-	1	1	1	3	1	5	12	26
FEMALE--	517	-	-	-	-	-	2	2	5	7	16	15
FLORIDA -----	38,100	4	31	21	27	41	47	107	215	365	671	1,067
WHITE-----MALE----	18,700	4	17	4	13	17	18	35	83	134	258	429
FEMALE--	15,794	-	7	8	9	9	13	38	91	147	269	443
ALL OTHER--MALE----	1,958	-	5	5	4	7	13	16	15	39	69	98
FEMALE--	1,648	-	2	4	1	8	3	18	26	45	75	97
BLACK---MALE----	1,896	-	5	5	3	7	12	13	15	35	65	94
FEMALE--	1,574	-	2	4	1	7	3	17	25	42	71	89
GEORGIA -----	13,025	1	6	7	13	15	29	52	90	166	351	568
WHITE-----MALE----	5,009	-	1	5	2	7	11	16	19	47	99	168
FEMALE--	4,595	-	1	-	2	5	8	13	29	45	124	178
ALL OTHER--MALE----	1,853	-	1	-	4	2	7	10	18	28	48	116
FEMALE--	1,568	1	3	2	5	1	3	13	24	46	80	106
BLACK---MALE----	1,818	-	1	-	3	2	7	8	18	27	46	113
FEMALE--	1,526	-	3	2	5	1	3	13	23	45	74	101

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 425

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES (140-208)												
COLORADO -----	334	346	559	714	841	864	718	477	229	48	6	-
WHITE-----MALE----	152	164	297	403	432	466	355	198	92	19	1	-
FEMALE--	166	166	223	276	382	370	337	266	130	27	4	-
ALL OTHER--MALE----	11	10	18	19	18	14	16	11	3	-	-	-
FEMALE--	5	6	21	16	9	14	10	2	4	2	1	-
BLACK---MALE----	8	8	15	17	13	8	8	10	2	-	-	-
FEMALE--	5	4	16	14	6	11	4	2	4	2	1	-
CONNECTICUT -----	351	430	592	834	1,076	1,200	1,055	710	317	81	15	-
WHITE-----MALE----	131	192	284	432	522	583	488	289	111	27	3	-
FEMALE--	176	172	252	351	482	562	520	392	194	51	10	-
ALL OTHER--MALE----	18	32	31	33	35	31	19	17	5	1	1	-
FEMALE--	26	34	25	18	37	24	28	12	7	2	1	-
BLACK---MALE----	18	26	30	32	31	30	16	16	4	1	1	-
FEMALE--	25	33	23	15	37	22	26	10	7	2	1	-
DELAWARE -----	85	105	173	227	287	283	178	123	67	7	2	2
WHITE-----MALE----	36	43	81	106	125	123	79	55	16	2	-	1
FEMALE--	27	41	67	80	109	126	77	50	44	3	1	1
ALL OTHER--MALE----	11	7	16	22	35	17	8	7	1	-	-	-
FEMALE--	11	14	9	19	18	17	14	11	6	2	1	-
BLACK---MALE----	10	7	13	20	35	17	8	6	1	-	-	-
FEMALE--	11	13	8	19	18	17	13	11	5	2	1	-
DISTRICT OF COLUMBIA ----	86	99	144	196	185	187	153	107	51	8	3	-
WHITE-----MALE----	8	8	9	14	21	21	15	20	13	2	-	-
FEMALE--	5	8	12	18	11	20	28	17	12	1	1	-
ALL OTHER--MALE----	39	53	66	79	75	80	54	30	4	1	-	-
FEMALE--	34	30	57	85	78	66	56	40	22	4	2	-
BLACK---MALE----	39	53	65	78	75	79	52	29	4	1	-	-
FEMALE--	34	30	57	84	77	65	56	39	22	4	2	-
FLORIDA -----	1,626	2,230	3,204	4,920	6,266	6,510	5,392	3,518	1,428	365	41	4
WHITE-----MALE----	708	1,047	1,549	2,617	3,257	3,441	2,714	1,606	598	136	15	-
FEMALE--	672	827	1,202	1,851	2,536	2,643	2,380	1,690	735	204	19	1
ALL OTHER--MALE----	142	205	247	252	267	239	165	109	49	7	3	2
FEMALE--	104	151	206	200	206	187	133	113	46	18	4	1
BLACK---MALE----	136	199	240	244	261	233	162	107	48	7	3	2
FEMALE--	100	145	195	192	197	176	131	110	44	18	4	1
GEORGIA -----	814	1,076	1,380	1,739	1,988	1,951	1,446	871	392	61	9	-
WHITE-----MALE----	285	417	576	755	821	825	551	283	108	13	-	-
FEMALE--	268	360	424	540	702	705	593	369	191	34	4	-
ALL OTHER--MALE----	156	180	214	252	273	242	150	108	37	6	1	-
FEMALE--	105	119	166	192	192	179	152	111	56	8	4	-
BLACK---MALE----	153	174	213	248	268	239	148	107	36	6	1	-
FEMALE--	99	116	162	187	185	177	151	111	56	8	4	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 426

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES (140-208)												
HAWAII -----	1,846	2	2	6	3	-	4	7	13	24	40	65
WHITE-----MALE----	300	-	-	-	1	-	-	-	2	2	8	7
FEMALE--	209	-	-	1	1	-	-	2	-	4	4	6
ALL OTHER--MALE----	758	-	-	5	1	-	4	3	4	9	11	24
FEMALE--	579	2	2	-	-	-	-	2	7	9	17	28
BLACK---MALE----	8	-	-	-	-	-	-	1	-	2	1	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	1	-
IDAHO -----	1,947	-	1	2	4	2	4	4	11	22	38	55
WHITE-----MALE----	1,072	-	-	-	3	1	4	3	3	12	17	24
FEMALE--	847	-	1	2	1	1	-	1	8	10	20	29
ALL OTHER--MALE----	15	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	13	-	-	-	-	-	-	-	-	-	-	2
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	1
ILLINOIS -----	24,479	3	20	19	14	37	51	74	131	267	567	840
WHITE-----MALE----	10,512	-	12	7	9	18	23	25	45	76	198	272
FEMALE--	10,097	1	2	6	4	10	16	29	66	109	209	339
ALL OTHER--MALE----	2,047	1	2	3	-	7	8	8	6	34	68	106
FEMALE--	1,823	1	4	3	1	2	4	12	14	48	92	123
BLACK---MALE----	1,904	1	1	3	-	7	8	7	6	31	62	97
FEMALE--	1,731	1	4	3	1	2	3	11	13	44	86	121
INDIANA -----	12,332	2	7	16	15	18	18	40	64	117	226	367
WHITE-----MALE----	5,830	2	4	9	8	10	9	21	31	54	107	158
FEMALE--	5,517	-	3	5	5	6	7	17	30	47	85	172
ALL OTHER--MALE----	529	-	-	2	2	-	1	2	3	5	14	18
FEMALE--	456	-	-	-	-	2	1	-	-	11	20	19
BLACK---MALE----	514	-	-	2	2	-	1	2	2	5	12	18
FEMALE--	439	-	-	-	-	1	1	-	-	10	20	18
IOWA -----	6,331	-	2	6	6	4	10	10	24	49	104	160
WHITE-----MALE----	3,256	-	2	4	3	1	7	3	12	19	42	68
FEMALE--	2,990	-	-	2	3	2	3	6	12	28	58	86
ALL OTHER--MALE----	47	-	-	-	-	1	-	-	-	-	2	3
FEMALE--	38	-	-	-	-	-	-	1	-	2	2	3
BLACK---MALE----	36	-	-	-	-	1	-	-	-	-	1	2
FEMALE--	29	-	-	-	-	-	-	-	-	1	2	2
KANSAS -----	5,219	-	7	8	4	12	10	15	18	64	104	149
WHITE-----MALE----	2,582	-	6	4	2	7	5	7	9	24	41	79
FEMALE--	2,340	-	1	4	2	4	2	5	7	36	50	61
ALL OTHER--MALE----	163	-	-	-	-	1	3	3	1	1	7	1
FEMALE--	134	-	-	-	-	-	-	-	1	3	6	8
BLACK---MALE----	138	-	-	-	-	1	3	2	1	1	6	1
FEMALE--	103	-	-	-	-	-	-	-	1	3	5	7

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 426

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES (140-208)												
HAWAII -----	84	132	162	233	312	293	233	141	68	19	3	-
WHITE-----MALE----	23	24	28	36	50	51	37	23	7	1	-	-
FEMALE--	11	11	22	24	40	30	27	21	5	-	-	-
ALL OTHER--MALE----	28	57	60	95	127	130	93	63	32	11	1	-
FEMALE--	22	40	52	78	95	82	76	34	24	7	2	-
BLACK---MALE----	-	2	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	-	-	-	-	-
IDAHO -----	85	132	187	240	335	323	266	147	70	18	1	-
WHITE-----MALE----	33	63	102	132	206	194	151	71	40	12	1	-
FEMALE--	52	65	81	104	126	125	110	75	30	6	-	-
ALL OTHER--MALE----	-	3	2	2	1	2	4	-	-	-	-	-
FEMALE--	-	1	2	2	2	2	1	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
ILLINOIS -----	1,296	1,661	2,254	3,100	3,904	3,879	3,245	2,034	845	204	34	-
WHITE-----MALE----	511	693	996	1,430	1,838	1,753	1,421	847	283	49	6	-
FEMALE--	524	607	799	1,151	1,477	1,597	1,513	1,015	475	129	19	-
ALL OTHER--MALE----	143	189	280	286	335	291	156	66	46	11	1	-
FEMALE--	118	172	179	233	254	238	155	106	41	15	8	-
BLACK---MALE----	125	181	262	275	313	268	141	60	44	11	1	-
FEMALE--	111	161	167	223	243	225	150	98	41	15	8	-
INDIANA -----	587	768	1,199	1,684	2,058	1,987	1,579	975	463	113	29	-
WHITE-----MALE----	270	332	589	864	1,050	966	734	408	165	31	8	-
FEMALE--	260	354	498	686	841	888	759	498	270	68	18	-
ALL OTHER--MALE----	26	46	73	71	89	66	49	41	14	5	2	-
FEMALE--	31	36	39	63	78	67	37	28	14	9	1	-
BLACK---MALE----	25	45	73	69	85	64	49	40	14	4	2	-
FEMALE--	30	35	39	59	78	62	35	27	14	9	1	-
IOWA -----	262	397	507	766	978	1,061	927	608	343	96	11	-
WHITE-----MALE----	135	217	257	413	562	577	489	269	135	36	5	-
FEMALE--	123	171	241	340	407	473	430	336	203	60	6	-
ALL OTHER--MALE----	3	6	5	7	4	6	5	2	3	-	-	-
FEMALE--	1	3	4	6	5	5	3	1	2	-	-	-
BLACK---MALE----	1	4	3	7	4	5	4	1	3	-	-	-
FEMALE--	-	2	3	6	4	4	2	1	2	-	-	-
KANSAS -----	231	315	467	623	790	863	731	491	246	64	7	-
WHITE-----MALE----	110	158	256	303	435	449	361	221	86	18	1	-
FEMALE--	99	123	180	280	310	375	343	258	151	43	6	-
ALL OTHER--MALE----	13	18	17	23	27	23	12	7	5	1	-	-
FEMALE--	9	16	14	17	18	16	15	5	4	2	-	-
BLACK---MALE----	13	16	11	20	24	15	12	7	4	1	-	-
FEMALE--	8	12	11	9	14	12	13	4	3	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 427

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES (140-208)												
KENTUCKY -----	8,970	2	8	11	5	5	15	29	57	104	162	307
WHITE-----MALE----	4,516	1	4	5	2	2	6	15	26	38	66	152
FEMALE--	3,791	1	3	5	3	3	5	10	25	56	79	128
ALL OTHER--MALE----	336	-	1	-	-	-	1	-	2	5	6	11
FEMALE--	327	-	-	1	-	-	3	4	4	5	11	16
BLACK---MALE----	333	-	1	-	-	-	1	-	2	5	6	11
FEMALE--	317	-	-	1	-	-	3	4	4	4	9	15
LOUISIANA -----	9,352	2	4	9	9	8	29	27	59	130	189	376
WHITE-----MALE----	3,405	1	2	2	2	4	11	9	13	31	53	114
FEMALE--	3,104	1	1	1	4	1	7	5	19	42	53	94
ALL OTHER--MALE----	1,531	-	-	1	-	3	8	4	12	22	30	85
FEMALE--	1,312	-	1	5	3	-	3	9	15	35	53	83
BLACK---MALE----	1,513	-	-	1	-	3	8	4	12	21	28	84
FEMALE--	1,288	-	1	5	3	-	3	9	14	35	53	81
MAINE -----	2,980	-	2	2	4	3	1	8	16	26	51	84
WHITE-----MALE----	1,532	-	-	1	3	3	-	4	9	8	19	37
FEMALE--	1,439	-	2	1	1	-	1	4	7	18	32	46
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	10,129	2	16	11	12	9	11	27	70	133	217	395
WHITE-----MALE----	3,783	1	1	2	3	2	3	8	25	35	71	125
FEMALE--	3,716	-	7	5	3	2	3	8	23	52	65	129
ALL OTHER--MALE----	1,415	-	4	2	5	3	2	5	6	20	30	69
FEMALE--	1,215	1	4	2	1	2	3	6	16	26	51	72
BLACK---MALE----	1,351	-	4	2	5	3	2	3	5	19	29	66
FEMALE--	1,146	1	3	2	1	2	3	6	15	25	47	69
MASSACHUSETTS -----	13,687	2	7	5	9	16	19	31	62	121	213	389
WHITE-----MALE----	6,400	-	3	4	3	6	12	20	31	44	74	157
FEMALE--	6,650	2	4	1	4	4	7	7	29	68	112	201
ALL OTHER--MALE----	332	-	-	-	1	1	-	2	2	2	10	16
FEMALE--	305	-	-	-	1	5	-	2	-	7	17	15
BLACK---MALE----	264	-	-	-	1	1	-	-	2	1	7	10
FEMALE--	240	-	-	-	-	4	-	1	-	6	13	13
MICHIGAN -----	19,610	2	12	25	16	31	36	78	89	214	370	651
WHITE-----MALE----	8,736	1	8	9	10	9	17	32	37	72	130	240
FEMALE--	8,114	-	2	12	4	13	10	26	42	96	167	275
ALL OTHER--MALE----	1,433	1	1	2	1	5	6	8	2	20	29	59
FEMALE--	1,327	-	1	2	1	4	3	12	8	26	44	77
BLACK---MALE----	1,346	1	1	1	1	5	5	8	1	19	28	55
FEMALE--	1,229	-	1	2	1	2	3	10	7	25	40	71

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 427

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES (140-208)												
KENTUCKY -----	528	670	979	1,253	1,480	1,373	976	653	265	78	10	-
WHITE-----MALE----	273	334	523	697	789	721	463	271	103	21	4	-
FEMALE--	215	276	381	480	585	558	448	334	141	51	4	-
ALL OTHER--MALE----	22	35	43	38	55	45	33	25	11	3	-	-
FEMALE--	18	25	32	38	51	49	32	23	10	3	2	-
BLACK---MALE----	22	35	42	37	55	45	33	25	10	3	-	-
FEMALE--	18	24	32	38	50	48	31	21	10	3	2	-
LOUISIANA -----	498	731	952	1,268	1,546	1,385	1,042	691	306	78	13	-
WHITE-----MALE----	152	276	366	483	633	550	370	240	83	9	1	-
FEMALE--	179	204	256	401	491	483	414	258	144	41	5	-
ALL OTHER--MALE----	89	150	178	225	249	192	122	105	39	14	3	-
FEMALE--	78	101	152	159	173	160	136	88	40	14	4	-
BLACK---MALE----	87	149	173	223	247	191	121	105	39	14	3	-
FEMALE--	73	101	147	155	170	157	135	88	40	14	4	-
MAINE -----	144	184	237	414	511	487	398	272	107	28	1	-
WHITE-----MALE----	76	103	122	247	278	261	197	115	42	7	-	-
FEMALE--	68	79	115	165	233	224	201	156	64	21	1	-
ALL OTHER--MALE----	-	1	-	1	-	1	-	1	1	-	-	-
FEMALE--	-	1	-	1	-	1	-	-	-	-	-	-
BLACK---MALE----	-	1	-	1	-	1	-	-	1	-	-	-
FEMALE--	-	1	-	-	-	1	-	-	-	-	-	-
MARYLAND -----	571	744	991	1,270	1,647	1,548	1,287	709	367	81	11	-
WHITE-----MALE----	179	264	381	533	664	618	498	250	102	14	4	-
FEMALE--	194	231	305	400	559	630	542	306	198	48	6	-
ALL OTHER--MALE----	101	134	182	197	235	177	130	74	32	6	1	-
FEMALE--	97	115	123	140	189	123	117	79	35	13	-	-
BLACK---MALE----	99	121	175	188	231	169	121	71	31	6	1	-
FEMALE--	93	110	113	127	177	117	109	79	34	13	-	-
MASSACHUSETTS -----	605	856	1,103	1,653	2,175	2,250	2,073	1,347	551	173	27	-
WHITE-----MALE----	271	398	576	863	1,107	1,077	954	586	170	41	3	-
FEMALE--	295	406	457	716	977	1,075	1,050	715	371	126	23	-
ALL OTHER--MALE----	21	31	41	42	47	59	35	16	3	3	-	-
FEMALE--	18	21	29	32	44	39	34	30	7	3	1	-
BLACK---MALE----	19	26	37	35	36	45	27	14	2	1	-	-
FEMALE--	14	16	25	27	33	31	29	22	3	3	-	-
MICHIGAN -----	1,015	1,381	1,843	2,584	3,202	3,139	2,512	1,547	678	157	27	1
WHITE-----MALE----	421	592	824	1,279	1,515	1,452	1,150	648	228	52	10	-
FEMALE--	395	544	710	963	1,233	1,311	1,090	757	366	84	14	-
ALL OTHER--MALE----	89	140	154	201	243	224	141	60	40	5	1	1
FEMALE--	110	105	155	141	211	152	131	82	44	16	2	-
BLACK---MALE----	81	125	144	185	234	216	138	54	37	5	1	1
FEMALE--	106	93	141	127	197	145	119	79	42	16	2	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 428

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES (140-208)												
MINNESOTA -----	8,777	3	11	9	5	12	10	20	44	99	153	269
WHITE-----MALE----	4,440	2	5	5	3	3	5	9	17	40	59	126
FEMALE--	4,058	1	4	2	1	7	2	9	17	47	84	125
ALL OTHER--MALE----	140	-	-	-	-	-	1	2	7	6	2	7
FEMALE--	139	-	2	2	1	2	2	-	3	6	8	11
BLACK---MALE----	85	-	-	-	-	-	1	1	4	2	1	4
FEMALE--	71	-	2	1	1	1	-	-	2	2	5	7
MISSISSIPPI -----	5,849	3	5	7	4	13	12	13	38	74	147	210
WHITE-----MALE----	2,160	-	3	1	1	4	3	4	7	13	32	58
FEMALE--	1,787	2	-	1	2	2	2	4	16	21	41	54
ALL OTHER--MALE----	1,064	-	1	3	-	3	3	1	8	19	37	53
FEMALE--	838	1	1	2	1	4	4	4	7	21	37	45
BLACK---MALE----	1,052	-	1	2	-	2	3	1	8	17	37	52
FEMALE--	829	1	1	2	1	4	4	4	7	21	37	44
MISSOURI -----	11,959	2	6	12	8	20	21	30	49	138	206	414
WHITE-----MALE----	5,490	-	-	4	5	10	15	10	12	49	61	167
FEMALE--	5,161	1	4	6	3	7	3	13	24	59	108	183
ALL OTHER--MALE----	679	1	2	-	-	3	3	5	7	16	19	26
FEMALE--	629	-	-	2	-	-	-	2	6	14	18	38
BLACK---MALE----	650	1	2	-	-	3	3	5	7	16	19	24
FEMALE--	604	-	-	1	-	-	-	1	5	13	17	35
MONTANA -----	1,788	-	-	1	1	2	1	7	10	10	24	48
WHITE-----MALE----	926	-	-	1	1	1	1	4	5	3	8	25
FEMALE--	799	-	-	-	-	1	-	2	4	6	13	20
ALL OTHER--MALE----	37	-	-	-	-	-	-	-	1	1	2	-
FEMALE--	26	-	-	-	-	-	-	1	-	-	1	3
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	3,238	-	3	2	1	2	10	4	22	31	65	91
WHITE-----MALE----	1,654	-	2	1	-	1	5	1	12	13	25	42
FEMALE--	1,467	-	-	-	1	1	4	2	9	15	36	41
ALL OTHER--MALE----	69	-	-	1	-	-	1	-	1	2	3	4
FEMALE--	48	-	1	-	-	-	-	1	-	1	1	4
BLACK---MALE----	56	-	-	1	-	-	1	-	1	2	2	4
FEMALE--	39	-	1	-	-	-	-	1	-	1	1	3
NEVADA -----	3,179	-	4	8	5	1	4	6	10	34	67	113
WHITE-----MALE----	1,605	-	2	5	2	-	1	4	6	13	26	43
FEMALE--	1,335	-	2	3	3	1	3	2	2	15	30	50
ALL OTHER--MALE----	120	-	-	-	-	-	-	-	1	1	6	9
FEMALE--	119	-	-	-	-	-	-	-	1	5	5	11
BLACK---MALE----	85	-	-	-	-	-	-	-	1	-	5	7
FEMALE--	77	-	-	-	-	-	-	-	1	4	3	5

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 428

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES (140-208)												
MINNESOTA -----	383	592	741	1,031	1,327	1,370	1,260	886	409	123	20	-
WHITE-----MALE----	176	295	401	570	745	750	633	411	151	28	6	-
FEMALE--	181	264	317	430	552	585	607	468	253	88	14	-
ALL OTHER--MALE----	10	16	12	21	16	20	11	5	2	2	-	-
FEMALE--	16	17	11	10	14	15	9	2	3	5	-	-
BLACK---MALE----	6	13	11	11	7	10	6	4	2	2	-	-
FEMALE--	6	8	7	2	7	7	7	1	2	3	-	-
MISSISSIPPI -----	317	431	625	806	846	884	693	471	190	50	10	-
WHITE-----MALE----	109	169	255	347	347	364	241	151	42	9	-	-
FEMALE--	90	121	168	221	274	271	241	170	66	19	1	-
ALL OTHER--MALE----	65	81	121	133	123	154	126	88	33	8	4	-
FEMALE--	53	60	81	105	102	95	85	62	49	14	5	-
BLACK---MALE----	64	80	119	132	122	154	126	87	33	8	4	-
FEMALE--	52	58	80	105	101	95	84	61	48	14	5	-
MISSOURI -----	590	806	1,164	1,553	1,940	1,800	1,559	1,038	468	119	16	-
WHITE-----MALE----	256	386	594	787	975	828	743	396	164	26	2	-
FEMALE--	248	315	431	581	771	800	682	564	264	80	14	-
ALL OTHER--MALE----	42	56	69	98	114	103	59	37	14	5	-	-
FEMALE--	44	49	70	87	80	69	75	41	26	8	-	-
BLACK---MALE----	36	55	67	93	110	100	55	36	14	4	-	-
FEMALE--	43	47	70	82	78	67	72	41	25	7	-	-
MONTANA -----	72	110	161	216	290	296	276	165	76	21	1	-
WHITE-----MALE----	29	58	77	117	168	160	147	85	26	10	-	-
FEMALE--	38	47	78	94	109	127	124	77	47	11	1	-
ALL OTHER--MALE----	4	3	4	1	9	6	3	2	1	-	-	-
FEMALE--	1	2	2	4	4	3	2	1	2	-	-	-
BLACK---MALE----	-	-	2	1	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	144	209	249	392	514	527	440	306	171	48	7	-
WHITE-----MALE----	60	114	150	223	291	281	221	132	61	17	2	-
FEMALE--	76	83	87	150	209	236	211	166	106	30	4	-
ALL OTHER--MALE----	5	7	4	14	7	7	4	5	2	1	1	-
FEMALE--	3	5	8	5	7	3	4	3	2	-	-	-
BLACK---MALE----	3	5	2	12	5	7	4	4	2	1	-	-
FEMALE--	2	3	6	5	6	1	4	3	2	-	-	-
NEVADA -----	177	272	354	459	585	499	334	183	52	10	2	-
WHITE-----MALE----	79	119	194	266	323	256	162	81	19	4	-	-
FEMALE--	81	127	124	162	231	217	157	88	30	5	2	-
ALL OTHER--MALE----	9	16	19	19	13	14	7	5	-	1	-	-
FEMALE--	8	10	17	12	18	12	8	9	3	-	-	-
BLACK---MALE----	3	13	13	13	9	11	6	3	-	1	-	-
FEMALE--	5	5	9	8	12	8	6	9	2	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 430

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES (140-208)												
OHIO -----	24,693	2	11	16	27	26	46	61	107	257	486	796
WHITE-----MALE----	11,332	1	3	9	12	17	33	32	40	84	189	325
FEMALE--	10,688	1	5	5	10	7	11	22	48	120	222	356
ALL OTHER--MALE----	1,430	-	2	1	4	1	1	5	11	24	32	68
FEMALE--	1,243	-	1	1	1	1	1	2	8	29	43	47
BLACK---MALE----	1,397	-	2	1	4	1	1	5	11	22	31	64
FEMALE--	1,218	-	1	1	1	1	1	2	7	28	42	44
OKLAHOMA -----	7,235	1	2	10	9	12	11	17	41	69	148	240
WHITE-----MALE----	3,428	-	2	4	3	4	3	9	15	28	51	109
FEMALE--	3,039	-	-	2	3	3	4	6	20	34	70	97
ALL OTHER--MALE----	414	1	-	2	2	3	2	2	2	3	10	14
FEMALE--	354	-	-	2	1	2	2	-	4	4	17	20
BLACK---MALE----	256	-	-	-	1	1	2	2	2	2	6	9
FEMALE--	211	-	-	1	1	1	2	-	3	2	10	8
OREGON -----	6,768	1	6	5	7	8	6	24	32	61	124	208
WHITE-----MALE----	3,407	-	4	3	2	2	3	10	14	22	47	92
FEMALE--	3,180	-	-	2	3	6	2	12	18	30	69	102
ALL OTHER--MALE----	107	1	2	-	2	-	1	1	-	4	3	8
FEMALE--	74	-	-	-	-	-	-	1	-	5	5	6
BLACK---MALE----	48	-	1	-	1	-	-	1	-	2	3	4
FEMALE--	29	-	-	-	-	-	-	-	-	3	2	3
PENNSYLVANIA -----	30,181	4	28	24	16	30	41	66	153	278	524	866
WHITE-----MALE----	13,817	2	10	13	7	11	21	33	62	88	225	319
FEMALE--	13,403	2	10	10	9	16	14	19	63	145	236	403
ALL OTHER--MALE----	1,520	-	4	1	-	2	2	9	15	17	31	76
FEMALE--	1,441	-	4	-	-	1	4	5	13	28	32	68
BLACK---MALE----	1,447	-	4	1	-	1	2	7	13	15	25	74
FEMALE--	1,386	-	3	-	-	-	4	5	13	27	31	62
RHODE ISLAND -----	2,466	-	1	3	4	5	1	9	12	28	38	73
WHITE-----MALE----	1,196	-	-	2	2	2	1	4	3	10	18	35
FEMALE--	1,187	-	1	1	2	3	-	5	6	16	17	35
ALL OTHER--MALE----	44	-	-	-	-	-	-	-	2	2	2	3
FEMALE--	39	-	-	-	-	-	-	-	1	-	1	-
BLACK---MALE----	35	-	-	-	-	-	-	-	1	1	1	2
FEMALE--	33	-	-	-	-	-	-	-	-	-	1	-
SOUTH CAROLINA -----	7,640	2	8	4	4	11	20	26	38	91	166	296
WHITE-----MALE----	2,937	1	2	1	3	6	4	7	14	24	42	84
FEMALE--	2,488	1	4	1	-	4	8	7	8	27	51	75
ALL OTHER--MALE----	1,201	-	1	2	1	-	3	6	3	12	30	70
FEMALE--	1,014	-	1	-	-	1	5	6	13	28	43	67
BLACK---MALE----	1,194	-	1	2	1	-	3	5	2	12	30	69
FEMALE--	1,005	-	1	-	-	1	5	6	13	27	41	67

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 430

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES (140-208)												
OHIO -----	1,215	1,624	2,211	3,349	4,211	3,932	3,297	1,972	813	204	30	-
WHITE-----MALE----	562	712	1,051	1,707	2,086	1,850	1,528	775	263	51	2	-
FEMALE--	499	705	907	1,245	1,663	1,708	1,489	1,042	465	132	26	-
ALL OTHER--MALE----	81	105	143	223	255	215	142	81	33	3	-	-
FEMALE--	73	102	110	174	207	159	138	74	52	18	2	-
BLACK---MALE----	79	102	141	218	251	211	139	79	32	3	-	-
FEMALE--	66	101	109	171	205	158	134	74	52	18	2	-
OKLAHOMA -----	391	477	744	969	1,124	1,110	913	611	248	71	16	1
WHITE-----MALE----	155	245	368	522	565	549	418	257	99	18	3	1
FEMALE--	179	178	292	358	436	463	416	301	123	45	9	-
ALL OTHER--MALE----	31	34	49	45	66	55	47	26	16	3	1	-
FEMALE--	26	20	35	44	57	43	32	27	10	5	3	-
BLACK---MALE----	19	23	27	30	39	36	24	19	11	3	-	-
FEMALE--	12	13	22	28	29	27	23	19	6	3	1	-
OREGON -----	329	433	568	844	1,075	1,117	978	605	260	66	11	-
WHITE-----MALE----	147	200	285	456	562	595	534	292	114	20	3	-
FEMALE--	169	226	260	367	485	504	429	302	140	46	8	-
ALL OTHER--MALE----	4	5	15	16	14	12	9	7	3	-	-	-
FEMALE--	9	2	8	5	14	6	6	4	3	-	-	-
BLACK---MALE----	2	-	4	10	6	4	4	4	2	-	-	-
FEMALE--	2	-	1	3	6	3	3	-	3	-	-	-
PENNSYLVANIA -----	1,326	1,776	2,569	3,863	5,081	5,177	4,210	2,688	1,177	253	30	1
WHITE-----MALE----	575	798	1,229	1,938	2,526	2,463	1,901	1,086	420	83	7	-
FEMALE--	551	718	1,023	1,522	2,069	2,299	2,011	1,446	666	150	21	-
ALL OTHER--MALE----	95	133	162	212	281	221	146	71	35	6	1	-
FEMALE--	105	127	155	191	205	194	152	85	56	14	1	1
BLACK---MALE----	89	128	153	203	269	212	138	71	35	6	1	-
FEMALE--	99	119	147	188	199	188	146	84	55	14	1	1
RHODE ISLAND -----	106	146	216	290	379	447	320	252	105	25	6	-
WHITE-----MALE----	53	67	97	148	209	238	161	105	30	9	2	-
FEMALE--	43	72	112	133	161	190	154	145	73	15	3	-
ALL OTHER--MALE----	8	6	1	3	5	11	-	1	-	-	-	-
FEMALE--	2	1	6	6	4	8	5	1	2	1	1	-
BLACK---MALE----	6	5	1	3	5	9	-	1	-	-	-	-
FEMALE--	2	1	6	3	4	7	4	1	2	1	1	-
SOUTH CAROLINA -----	504	597	851	1,007	1,233	1,126	888	505	207	49	7	-
WHITE-----MALE----	172	218	382	433	528	451	338	155	63	9	-	-
FEMALE--	157	197	219	303	388	394	318	206	93	22	5	-
ALL OTHER--MALE----	105	101	144	160	181	149	127	77	20	8	1	-
FEMALE--	70	81	106	111	136	132	105	67	31	10	1	-
BLACK---MALE----	105	101	142	159	181	148	127	77	20	8	1	-
FEMALE--	70	80	104	110	134	132	105	67	31	10	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 431

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES (140-208)												
SOUTH DAKOTA -----	1,548	1	1	1	1	5	2	6	5	20	15	34
WHITE-----MALE----	829	-	-	-	-	3	1	2	3	8	5	17
FEMALE--	646	-	-	1	1	1	1	2	1	8	7	14
ALL OTHER--MALE----	39	1	-	-	-	-	-	-	-	2	1	2
FEMALE--	34	-	1	-	-	1	-	2	1	2	2	1
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	11,861	1	8	13	8	17	20	46	71	134	266	464
WHITE-----MALE----	5,424	-	3	6	5	10	13	22	27	44	100	178
FEMALE--	4,580	1	4	3	2	2	4	17	26	53	112	184
ALL OTHER--MALE----	961	-	1	2	-	3	2	3	11	19	29	50
FEMALE--	896	-	-	2	1	2	1	4	7	18	25	52
BLACK---MALE----	942	-	1	2	-	2	1	3	9	19	27	49
FEMALE--	879	-	-	2	1	2	1	3	7	18	24	49
TEXAS -----	32,193	13	39	47	36	47	73	112	207	423	810	1,236
WHITE-----MALE----	14,912	7	18	19	14	21	36	49	81	148	321	498
FEMALE--	12,965	3	18	22	15	18	24	43	85	199	349	495
ALL OTHER--MALE----	2,378	2	1	5	4	6	9	13	16	36	65	128
FEMALE--	1,938	1	2	1	3	2	4	7	25	40	75	115
BLACK---MALE----	2,239	2	1	2	3	6	7	10	14	33	59	118
FEMALE--	1,812	1	1	1	3	2	2	7	22	36	67	101
UTAH -----	2,133	2	6	3	4	4	4	9	23	25	54	70
WHITE-----MALE----	1,109	-	2	1	3	2	4	6	8	15	25	31
FEMALE--	959	2	4	2	1	2	-	3	11	10	28	35
ALL OTHER--MALE----	32	-	-	-	-	-	-	-	1	-	1	1
FEMALE--	33	-	-	-	-	-	-	-	3	-	-	3
BLACK---MALE----	8	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	10	-	-	-	-	-	-	-	1	-	-	1
VERMONT -----	1,230	-	2	-	-	-	1	5	2	11	29	51
WHITE-----MALE----	633	-	-	-	-	-	1	2	-	7	12	27
FEMALE--	592	-	2	-	-	-	-	3	2	4	17	24
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	12,928	1	11	10	9	12	21	47	86	184	300	478
WHITE-----MALE----	5,255	-	3	1	-	4	11	19	35	49	84	177
FEMALE--	4,852	-	3	4	3	5	1	13	23	77	119	165
ALL OTHER--MALE----	1,545	1	2	4	4	1	6	7	10	25	44	75
FEMALE--	1,276	-	3	1	2	2	3	8	18	33	53	61
BLACK---MALE----	1,486	1	2	3	4	1	5	7	9	23	40	72
FEMALE--	1,204	-	2	1	1	2	3	6	18	31	48	57

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 431

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES (140-208)												
SOUTH DAKOTA -----	55	88	120	171	286	256	227	131	91	31	1	-
WHITE-----MALE----	23	47	72	104	164	151	122	66	30	11	-	-
FEMALE--	27	37	42	56	106	99	98	63	61	20	1	-
ALL OTHER--MALE----	3	3	3	7	11	4	2	-	-	-	-	-
FEMALE--	2	1	3	4	5	2	5	2	-	-	-	-
BLACK---MALE----	-	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	684	914	1,259	1,617	1,918	1,693	1,330	924	383	79	12	-
WHITE-----MALE----	305	450	601	805	942	812	590	364	121	25	1	-
FEMALE--	246	318	473	579	682	647	547	426	210	37	7	-
ALL OTHER--MALE----	69	79	100	127	157	122	95	64	19	8	1	-
FEMALE--	64	67	85	106	137	112	98	70	33	9	3	-
BLACK---MALE----	68	77	97	126	156	121	94	63	18	8	1	-
FEMALE--	63	67	82	103	136	111	97	68	33	9	3	-
TEXAS -----	1,733	2,333	3,107	4,407	5,117	4,831	3,710	2,501	1,108	263	39	1
WHITE-----MALE----	748	1,082	1,476	2,225	2,525	2,406	1,727	1,056	380	66	9	-
FEMALE--	681	909	1,108	1,580	1,973	1,929	1,601	1,156	579	156	22	-
ALL OTHER--MALE----	171	193	311	343	358	267	205	155	72	14	3	1
FEMALE--	133	149	212	259	261	229	177	134	77	27	5	-
BLACK---MALE----	155	183	292	321	345	252	197	150	71	14	3	1
FEMALE--	118	143	197	243	249	211	172	130	76	25	5	-
UTAH -----	102	139	159	258	306	350	284	215	90	24	2	-
WHITE-----MALE----	50	69	90	134	164	188	149	105	53	10	-	-
FEMALE--	50	59	63	115	134	154	128	107	36	13	2	-
ALL OTHER--MALE----	1	3	3	3	6	6	4	2	1	-	-	-
FEMALE--	1	8	3	6	2	2	3	1	-	1	-	-
BLACK---MALE----	1	-	2	-	2	2	-	-	-	-	-	-
FEMALE--	-	3	1	1	-	-	1	1	-	1	-	-
VERMONT -----	58	91	99	155	224	179	155	100	54	14	-	-
WHITE-----MALE----	35	52	56	90	121	93	74	39	19	5	-	-
FEMALE--	22	39	42	65	101	85	81	61	35	9	-	-
ALL OTHER--MALE----	-	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	1	-	-	-	-	-	-
VIRGINIA -----	711	942	1,235	1,731	2,148	2,058	1,487	962	384	93	18	-
WHITE-----MALE----	278	383	521	776	928	875	622	346	113	28	2	-
FEMALE--	272	331	438	569	791	791	591	419	183	46	8	-
ALL OTHER--MALE----	90	138	150	233	259	214	139	100	32	8	3	-
FEMALE--	71	90	126	153	170	178	135	97	56	11	5	-
BLACK---MALE----	86	132	144	225	248	208	136	99	30	8	3	-
FEMALE--	63	85	117	142	164	170	131	95	53	10	5	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 433

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 MALIGNANT NEOPLASMS OF LIP, ORAL CAVITY, AND PHARYNX (140-149)												
0 UNITED STATES --	7,894	-	-	2	4	10	14	24	41	112	214	443
WHITE-----MALE----	4,193	-	-	1	-	1	2	13	17	57	111	219
FEMALE--	2,317	-	-	1	2	4	3	4	13	25	38	77
ALL OTHER--MALE----	1,008	-	-	-	1	3	4	5	9	21	49	120
FEMALE--	376	-	-	-	1	2	5	2	2	9	16	27
BLACK---MALE----	851	-	-	-	1	3	1	5	6	16	39	95
FEMALE--	314	-	-	-	-	2	4	-	2	7	12	20
ALABAMA -----	131	-	-	-	-	-	1	-	-	3	3	8
WHITE-----MALE----	62	-	-	-	-	-	-	-	-	2	2	4
FEMALE--	35	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	23	-	-	-	-	-	-	-	-	-	-	4
FEMALE--	11	-	-	-	-	-	1	-	-	1	-	-
BLACK---MALE----	23	-	-	-	-	-	-	-	-	-	-	4
FEMALE--	11	-	-	-	-	-	1	-	-	1	-	-
ALASKA -----	13	-	-	-	-	-	-	-	-	-	-	1
WHITE-----MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	132	-	-	-	1	-	-	1	-	3	3	5
WHITE-----MALE----	84	-	-	-	-	-	-	1	-	3	2	2
FEMALE--	41	-	-	-	-	-	-	-	-	-	1	2
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	3	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	94	-	-	-	-	-	-	-	1	2	4	4
WHITE-----MALE----	47	-	-	-	-	-	-	-	1	1	2	2
FEMALE--	31	-	-	-	-	-	-	-	-	1	-	1
ALL OTHER--MALE----	13	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	3	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	13	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	3	-	-	-	-	-	-	-	-	-	1	-
CALIFORNIA -----	830	-	-	-	1	-	1	3	3	15	30	48
WHITE-----MALE----	412	-	-	-	-	-	-	1	2	8	10	17
FEMALE--	263	-	-	-	1	-	-	1	1	2	9	13
ALL OTHER--MALE----	112	-	-	-	-	-	-	-	-	4	8	13
FEMALE--	43	-	-	-	-	-	1	1	-	1	3	5
BLACK---MALE----	51	-	-	-	-	-	-	-	-	1	2	3
FEMALE--	20	-	-	-	-	-	-	-	-	1	1	3

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 433

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 MALIGNANT NEOPLASMS OF LIP, ORAL CAVITY, AND PHARYNX (140-149)												
0 UNITED STATES --	619	714	921	1,144	1,158	931	758	467	237	70	10	1
WHITE-----MALE----	337	410	525	675	676	494	362	193	81	17	2	-
FEMALE--	98	128	199	287	326	338	344	236	141	47	6	-
ALL OTHER--MALE----	150	135	147	123	114	66	29	19	9	3	-	1
FEMALE--	34	41	50	59	42	33	23	19	6	3	2	-
BLACK---MALE----	128	123	125	104	100	56	21	17	7	3	-	1
FEMALE--	30	36	43	50	36	28	19	15	6	2	2	-
ALABAMA -----	12	11	14	22	17	19	8	9	2	1	1	-
WHITE-----MALE----	4	8	7	11	7	9	3	4	-	1	-	-
FEMALE--	1	-	2	7	7	5	5	5	2	-	-	-
ALL OTHER--MALE----	5	1	5	2	2	4	-	-	-	-	-	-
FEMALE--	2	2	-	2	1	1	-	-	-	-	1	-
BLACK---MALE----	5	1	5	2	2	4	-	-	-	-	-	-
FEMALE--	2	2	-	2	1	1	-	-	-	-	1	-
ALASKA -----	1	3	3	2	1	1	1	-	-	-	-	-
WHITE-----MALE----	1	1	2	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	2	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	11	13	13	18	19	19	18	1	6	1	-	-
WHITE-----MALE----	7	9	8	11	14	13	12	1	1	-	-	-
FEMALE--	2	4	5	6	4	6	6	-	5	-	-	-
ALL OTHER--MALE----	1	-	-	1	-	-	-	-	-	1	-	-
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	9	9	9	13	13	7	9	10	3	1	-	-
WHITE-----MALE----	5	6	4	6	10	4	3	2	1	-	-	-
FEMALE--	1	2	2	5	1	2	5	8	2	1	-	-
ALL OTHER--MALE----	3	1	3	2	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	-	-	-	-	-
BLACK---MALE----	3	1	3	2	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	-	-	-	-	-
CALIFORNIA -----	62	61	95	108	135	122	79	45	19	3	-	-
WHITE-----MALE----	35	34	47	65	71	61	31	24	5	1	-	-
FEMALE--	14	6	25	22	50	45	43	16	13	2	-	-
ALL OTHER--MALE----	13	15	15	15	11	12	3	3	-	-	-	-
FEMALE--	-	6	8	6	3	4	2	2	1	-	-	-
BLACK---MALE----	5	11	6	7	6	7	2	1	-	-	-	-
FEMALE--	-	2	6	2	2	1	-	1	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 434

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 MALIGNANT NEOPLASMS OF LIP, ORAL CAVITY, AND PHARYNX (140-149)												
COLORADO -----	71	-	-	-	-	1	1	1	1	2	1	4
WHITE-----MALE----	44	-	-	-	-	1	-	-	1	-	1	3
FEMALE--	23	-	-	-	-	-	1	-	-	2	-	1
ALL OTHER--MALE----	4	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	88	-	-	-	-	1	-	-	-	1	2	3
WHITE-----MALE----	49	-	-	-	-	-	-	-	-	1	2	1
FEMALE--	30	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	5	-	-	-	-	1	-	-	-	-	-	1
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	5	-	-	-	-	1	-	-	-	-	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	31	-	-	-	-	-	-	-	-	1	2	4
WHITE-----MALE----	19	-	-	-	-	-	-	-	-	1	1	4
FEMALE--	5	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	35	-	-	-	-	-	1	-	-	-	3	3
WHITE-----MALE----	6	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	20	-	-	-	-	-	-	-	-	-	2	3
FEMALE--	8	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	20	-	-	-	-	-	-	-	-	-	2	3
FEMALE--	8	-	-	-	-	-	1	-	-	-	-	-
FLORIDA -----	651	-	-	-	-	1	1	2	3	10	18	27
WHITE-----MALE----	388	-	-	-	-	-	1	2	2	5	13	15
FEMALE--	195	-	-	-	-	-	-	-	1	5	3	8
ALL OTHER--MALE----	50	-	-	-	-	-	-	-	-	-	2	2
FEMALE--	18	-	-	-	-	1	-	-	-	-	-	2
BLACK---MALE----	48	-	-	-	-	-	-	-	-	-	2	2
FEMALE--	17	-	-	-	-	1	-	-	-	-	-	1
GEORGIA -----	217	-	-	-	-	1	-	1	1	7	4	20
WHITE-----MALE----	81	-	-	-	-	-	-	1	-	3	1	8
FEMALE--	62	-	-	-	-	1	-	-	-	-	2	2
ALL OTHER--MALE----	54	-	-	-	-	-	-	-	1	2	-	10
FEMALE--	20	-	-	-	-	-	-	-	-	2	1	-
BLACK---MALE----	52	-	-	-	-	-	-	-	1	2	-	9
FEMALE--	19	-	-	-	-	-	-	-	-	1	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 434

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 MALIGNANT NEOPLASMS OF LIP, ORAL CAVITY, AND PHARYNX (140-149)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
COLORADO -----	3	3	8	5	12	12	7	4	6	-	-	-
WHITE-----MALE----	3	1	6	4	5	9	4	3	3	-	-	-
FEMALE--	-	1	2	1	6	2	3	1	3	-	-	-
ALL OTHER--MALE----	-	1	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	2	9	13	9	11	13	8	7	7	2	-	-
WHITE-----MALE----	1	7	8	6	4	8	5	3	2	1	-	-
FEMALE--	-	2	3	2	6	4	3	3	5	1	-	-
ALL OTHER--MALE----	-	-	-	1	-	1	-	1	-	-	-	-
FEMALE--	1	-	2	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	1	-	1	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-
DELAWARE -----	4	2	6	2	5	2	2	-	1	-	-	-
WHITE-----MALE----	2	1	4	1	2	1	1	-	1	-	-	-
FEMALE--	1	-	-	-	1	1	1	-	-	-	-	-
ALL OTHER--MALE----	1	1	1	1	2	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	1	1	1	2	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	5	4	6	5	6	2	-	-	-	-	-	-
WHITE-----MALE----	-	-	1	2	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	5	3	3	2	1	1	-	-	-	-	-	-
FEMALE--	-	1	2	1	3	-	-	-	-	-	-	-
BLACK---MALE----	5	3	3	2	1	1	-	-	-	-	-	-
FEMALE--	-	1	2	1	3	-	-	-	-	-	-	-
FLORIDA -----	49	61	69	101	94	78	65	41	23	7	-	1
WHITE-----MALE----	31	39	42	68	59	47	31	22	9	2	-	-
FEMALE--	6	12	13	24	26	27	34	19	12	5	-	-
ALL OTHER--MALE----	10	7	11	5	8	3	-	-	1	-	-	1
FEMALE--	2	3	3	4	1	1	-	-	1	-	-	-
BLACK---MALE----	10	7	10	5	8	2	-	-	1	-	-	1
FEMALE--	2	3	3	4	1	1	-	-	1	-	-	-
GEORGIA -----	20	16	32	30	23	19	22	19	2	-	-	-
WHITE-----MALE----	8	9	10	14	13	4	6	3	1	-	-	-
FEMALE--	2	1	10	5	3	7	13	15	1	-	-	-
ALL OTHER--MALE----	6	5	10	6	6	5	3	-	-	-	-	-
FEMALE--	4	1	2	5	1	3	-	1	-	-	-	-
BLACK---MALE----	6	5	10	6	5	5	3	-	-	-	-	-
FEMALE--	4	1	2	5	1	3	-	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 435

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 MALIGNANT NEOPLASMS OF LIP, ORAL CAVITY, AND PHARYNX (140-149)												
HAWAII -----	2	3	3	9	4	5	3	2	2	-	-	-
WHITE-----MALE----	1	3	-	1	1	3	1	-	-	-	-	-
FEMALE--	1	-	-	1	-	1	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	3	4	2	-	2	-	2	-	-	-
FEMALE--	-	-	-	3	1	1	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	2	1	2	4	3	6	2	-	1	-	-	-
WHITE-----MALE----	2	1	1	3	3	4	2	-	-	-	-	-
FEMALE--	-	-	1	1	-	2	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	41	35	46	51	48	26	31	15	9	1	1	-
WHITE-----MALE----	20	23	24	28	29	14	15	8	3	-	-	-
FEMALE--	6	5	6	13	12	10	15	3	6	1	1	-
ALL OTHER--MALE----	14	5	11	6	4	2	1	2	-	-	-	-
FEMALE--	1	2	5	4	3	-	-	2	-	-	-	-
BLACK---MALE----	13	5	9	6	4	2	1	2	-	-	-	-
FEMALE--	1	2	3	4	3	-	-	1	-	-	-	-
INDIANA -----	15	15	13	21	25	19	16	13	5	-	-	-
WHITE-----MALE----	6	6	10	15	12	12	7	4	1	-	-	-
FEMALE--	6	5	1	6	12	7	9	9	3	-	-	-
ALL OTHER--MALE----	3	3	2	-	1	-	-	-	1	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	3	2	-	1	-	-	-	1	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
IOWA -----	2	7	5	9	20	12	4	3	6	1	-	-
WHITE-----MALE----	1	5	1	6	15	11	2	2	2	1	-	-
FEMALE--	-	2	3	3	4	1	2	1	4	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	1	-	-	-	-	-	-	-
KANSAS -----	5	7	5	8	5	11	8	5	1	2	2	-
WHITE-----MALE----	2	3	4	5	2	4	3	2	-	1	-	-
FEMALE--	1	2	1	2	2	6	5	3	1	1	2	-
ALL OTHER--MALE----	2	1	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	1	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	2	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	1	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 436

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 MALIGNANT NEOPLASMS OF LIP, ORAL CAVITY, AND PHARYNX (140-149)												
KENTUCKY -----	10	16	14	16	14	13	9	8	3	2	-	-
WHITE-----MALE----	6	7	10	9	11	8	4	2	2	1	-	-
FEMALE--	2	5	3	5	1	4	4	6	1	1	-	-
ALL OTHER--MALE----	1	3	1	2	1	1	-	-	-	-	-	-
FEMALE--	1	1	-	-	1	-	1	-	-	-	-	-
BLACK---MALE----	1	3	1	2	1	1	-	-	-	-	-	-
FEMALE--	1	1	-	-	1	-	1	-	-	-	-	-
LOUISIANA -----	12	18	21	31	22	20	13	11	6	-	2	-
WHITE-----MALE----	5	2	12	11	15	6	3	3	1	-	-	-
FEMALE--	3	3	2	5	-	8	7	6	4	-	1	-
ALL OTHER--MALE----	3	10	6	12	4	3	2	1	-	-	-	-
FEMALE--	1	3	1	3	3	1	1	1	1	-	1	-
BLACK---MALE----	3	10	6	12	4	3	1	1	-	-	-	-
FEMALE--	1	3	1	3	2	3	1	1	1	-	1	-
MAINE -----	2	3	3	11	6	2	5	-	2	-	-	-
WHITE-----MALE----	1	3	3	6	4	2	2	-	1	-	-	-
FEMALE--	1	-	-	5	2	-	3	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	17	20	15	20	25	19	28	8	9	1	-	-
WHITE-----MALE----	4	12	11	8	14	8	16	3	5	-	-	-
FEMALE--	3	2	3	3	7	7	7	3	3	1	-	-
ALL OTHER--MALE----	7	6	1	8	3	2	1	2	1	-	-	-
FEMALE--	3	-	-	1	1	2	4	-	-	-	-	-
BLACK---MALE----	7	6	1	8	3	2	1	2	1	-	-	-
FEMALE--	3	-	-	1	1	2	3	-	-	-	-	-
MASSACHUSETTS -----	6	15	20	24	31	26	21	9	3	1	-	-
WHITE-----MALE----	6	11	13	19	19	14	13	3	2	-	-	-
FEMALE--	-	1	7	5	10	12	8	6	1	-	-	-
ALL OTHER--MALE----	-	3	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	1	-	-
BLACK---MALE----	-	2	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	1	-	-
MICHIGAN -----	28	21	30	42	35	34	26	7	11	-	-	-
WHITE-----MALE----	17	11	16	27	17	14	13	3	4	-	-	-
FEMALE--	1	5	4	10	10	16	12	4	7	-	-	-
ALL OTHER--MALE----	7	3	8	2	6	2	-	-	-	-	-	-
FEMALE--	3	2	2	3	2	2	1	-	-	-	-	-
BLACK---MALE----	7	3	8	2	6	2	-	-	-	-	-	-
FEMALE--	2	2	2	3	2	2	1	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 437

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 MALIGNANT NEOPLASMS OF LIP, ORAL CAVITY, AND PHARYNX (140-149)												
MINNESOTA -----	10	8	20	20	21	10	12	10	-	3	-	-
WHITE-----MALE----	5	5	13	14	11	4	8	4	-	-	-	-
FEMALE--	4	2	7	6	10	5	4	6	-	2	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	1	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
MISSISSIPPI -----	10	10	9	11	9	15	8	7	1	-	-	-
WHITE-----MALE----	3	3	3	5	5	7	4	4	-	-	-	-
FEMALE--	-	3	4	3	1	3	2	1	1	-	-	-
ALL OTHER--MALE----	6	4	2	2	3	3	2	1	-	-	-	-
FEMALE--	1	-	-	1	-	2	-	1	-	-	-	-
BLACK---MALE----	6	4	2	2	3	3	2	1	-	-	-	-
FEMALE--	1	-	-	1	-	2	-	1	-	-	-	-
MISSOURI -----	15	18	16	12	29	22	22	3	13	1	-	-
WHITE-----MALE----	11	10	9	9	20	9	10	-	4	-	-	-
FEMALE--	-	5	4	1	2	12	10	3	8	1	-	-
ALL OTHER--MALE----	3	2	2	1	5	-	-	-	-	-	-	-
FEMALE--	1	1	1	1	2	1	2	-	1	-	-	-
BLACK---MALE----	2	2	2	1	5	-	-	-	-	-	-	-
FEMALE--	1	1	1	1	2	1	2	-	1	-	-	-
MONTANA -----	2	1	3	-	5	3	3	1	1	1	-	-
WHITE-----MALE----	2	1	2	-	3	1	2	1	-	1	-	-
FEMALE--	-	-	1	-	1	1	1	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	2	4	6	3	5	2	2	3	2	3	-	-
WHITE-----MALE----	2	4	5	2	2	1	1	1	1	-	-	-
FEMALE--	-	-	1	1	3	-	1	2	-	3	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA -----	1	9	3	6	5	4	4	2	-	-	-	-
WHITE-----MALE----	-	5	2	6	4	-	2	1	-	-	-	-
FEMALE--	-	3	1	-	-	4	2	1	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	1	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 439

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 MALIGNANT NEOPLASMS OF LIP, ORAL CAVITY, AND PHARYNX (140-149)												
OHIO -----	312	-	-	-	-	-	1	-	-	6	9	16
WHITE-----MALE----	167	-	-	-	-	-	-	-	-	3	6	8
FEMALE--	104	-	-	-	-	-	-	-	-	2	2	4
ALL OTHER--MALE----	26	-	-	-	-	-	-	-	-	-	1	4
FEMALE--	15	-	-	-	-	-	1	-	-	1	-	-
BLACK---MALE----	26	-	-	-	-	-	-	-	-	-	1	4
FEMALE--	15	-	-	-	-	-	1	-	-	1	-	-
OKLAHOMA -----	82	-	-	-	-	-	-	-	-	2	2	4
WHITE-----MALE----	50	-	-	-	-	-	-	-	-	-	2	3
FEMALE--	27	-	-	-	-	-	-	-	-	2	-	1
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	123	-	-	-	-	-	-	-	2	1	3	2
WHITE-----MALE----	62	-	-	-	-	-	-	-	-	-	2	2
FEMALE--	58	-	-	-	-	-	-	-	2	-	1	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	360	-	-	1	-	1	-	1	3	3	4	25
WHITE-----MALE----	186	-	-	1	-	-	-	-	-	1	3	8
FEMALE--	120	-	-	-	-	1	-	-	2	1	-	8
ALL OTHER--MALE----	40	-	-	-	-	-	-	1	1	1	1	7
FEMALE--	14	-	-	-	-	-	-	-	-	-	-	2
BLACK---MALE----	37	-	-	-	-	-	-	1	1	1	-	7
FEMALE--	14	-	-	-	-	-	-	-	-	-	-	2
RHODE ISLAND -----	25	-	-	-	-	-	-	-	-	-	1	2
WHITE-----MALE----	14	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	10	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	132	-	-	-	-	1	1	1	2	2	7	14
WHITE-----MALE----	49	-	-	-	-	-	-	-	-	1	2	4
FEMALE--	25	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	43	-	-	-	-	-	-	1	1	-	3	8
FEMALE--	15	-	-	-	-	1	1	-	1	1	2	1
BLACK---MALE----	41	-	-	-	-	-	-	1	-	-	3	8
FEMALE--	14	-	-	-	-	1	1	-	1	1	1	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 439

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 MALIGNANT NEOPLASMS OF LIP, ORAL CAVITY, AND PHARYNX (140-149)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
OHIO -----	24	24	38	47	47	37	41	12	8	2	-	-
WHITE-----MALE----	18	11	25	25	28	20	16	6	1	-	-	-
FEMALE--	1	5	10	15	14	15	23	5	6	2	-	-
ALL OTHER--MALE----	3	5	1	6	4	1	-	1	-	-	-	-
FEMALE--	2	3	2	1	1	1	2	-	1	-	-	-
BLACK---MALE----	3	5	1	6	4	1	-	1	-	-	-	-
FEMALE--	2	3	2	1	1	1	2	-	1	-	-	-
OKLAHOMA -----	7	7	15	13	5	13	7	6	1	-	-	-
WHITE-----MALE----	3	5	9	9	5	7	4	2	1	-	-	-
FEMALE--	3	1	5	3	-	6	3	3	-	-	-	-
ALL OTHER--MALE----	1	1	1	1	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	10	4	15	19	16	17	16	11	5	1	1	-
WHITE-----MALE----	5	2	7	14	7	7	7	5	3	-	1	-
FEMALE--	4	2	7	5	9	10	9	6	2	1	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	20	34	42	54	50	52	32	24	11	3	-	-
WHITE-----MALE----	12	18	23	31	30	29	15	12	3	-	-	-
FEMALE--	7	10	10	12	14	17	15	12	8	3	-	-
ALL OTHER--MALE----	1	4	7	7	5	4	1	-	-	-	-	-
FEMALE--	-	2	2	4	1	2	1	-	-	-	-	-
BLACK---MALE----	1	4	7	5	5	4	1	-	-	-	-	-
FEMALE--	-	2	2	4	1	2	1	-	-	-	-	-
RHODE ISLAND -----	1	3	1	1	7	4	2	2	-	1	-	-
WHITE-----MALE----	1	1	1	1	5	2	-	1	-	-	-	-
FEMALE--	-	1	-	-	2	2	2	1	-	1	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	13	15	16	15	11	8	10	10	5	1	-	-
WHITE-----MALE----	4	5	7	8	7	3	5	1	1	1	-	-
FEMALE--	-	1	1	4	3	2	3	7	3	-	-	-
ALL OTHER--MALE----	6	7	8	2	1	2	2	1	1	-	-	-
FEMALE--	3	2	-	1	-	1	-	1	-	-	-	-
BLACK---MALE----	6	7	7	2	1	2	2	1	1	-	-	-
FEMALE--	3	2	-	1	-	1	-	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 440

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 MALIGNANT NEOPLASMS OF LIP, ORAL CAVITY, AND PHARYNX (140-149)												
SOUTH DAKOTA -----	1	3	2	4	4	4	3	-	-	1	-	-
WHITE-----MALE----	-	3	2	4	1	3	1	-	-	-	-	-
FEMALE--	-	-	-	-	2	1	2	-	-	1	-	-
ALL OTHER--MALE----	1	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	12	21	21	22	26	19	18	16	5	2	-	-
WHITE-----MALE----	6	10	13	14	17	7	9	4	4	-	-	-
FEMALE--	-	6	4	5	5	9	7	10	1	2	-	-
ALL OTHER--MALE----	6	4	3	2	3	2	1	1	-	-	-	-
FEMALE--	-	1	1	1	1	1	1	1	-	-	-	-
BLACK---MALE----	6	4	3	2	3	2	1	1	-	-	-	-
FEMALE--	-	1	1	1	1	1	-	1	-	-	-	-
TEXAS -----	51	52	62	77	83	58	42	29	16	7	-	-
WHITE-----MALE----	36	36	40	46	47	44	22	11	6	2	-	-
FEMALE--	6	6	11	24	25	13	19	15	9	5	-	-
ALL OTHER--MALE----	9	7	9	4	9	1	-	1	1	-	-	-
FEMALE--	-	3	2	3	2	-	1	2	-	-	-	-
BLACK---MALE----	9	6	9	4	8	1	-	1	1	-	-	-
FEMALE--	-	3	2	3	2	-	1	2	-	-	-	-
UTAH -----	1	-	3	7	1	6	4	3	-	-	-	-
WHITE-----MALE----	-	-	2	6	1	3	2	1	-	-	-	-
FEMALE--	1	-	1	1	-	2	2	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	3	2	-	2	-	1	3	1	-	-	-	-
WHITE-----MALE----	2	1	-	2	-	1	1	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	2	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	17	17	28	29	23	21	19	8	4	2	-	-
WHITE-----MALE----	10	11	18	11	11	9	10	4	2	-	-	-
FEMALE--	2	2	2	9	6	8	7	3	2	1	-	-
ALL OTHER--MALE----	4	3	6	5	5	4	1	-	-	-	-	-
FEMALE--	1	1	2	4	1	-	1	1	-	1	-	-
BLACK---MALE----	4	3	6	5	5	4	-	-	-	-	-	-
FEMALE--	1	1	2	3	1	-	1	1	-	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 451

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX OF TONGUE (141)	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
UNITED STATES --	1,826	-	-	1	-	1	1	11	9	37	62	99
WHITE-----MALE----	972	-	-	-	-	-	-	6	6	21	28	47
FEMALE--	571	-	-	1	-	1	1	4	1	10	16	22
ALL OTHER--MALE----	210	-	-	-	-	-	-	-	2	3	12	22
FEMALE--	73	-	-	-	-	-	-	1	-	3	6	8
BLACK---MALE----	189	-	-	-	-	-	-	-	1	3	11	19
FEMALE--	62	-	-	-	-	-	-	-	-	3	5	8
ALABAMA -----	17	-	-	-	-	-	-	-	-	1	-	1
WHITE-----MALE----	7	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALASKA -----	3	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	37	-	-	-	-	-	-	1	-	2	2	2
WHITE-----MALE----	27	-	-	-	-	-	-	1	-	2	2	1
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	14	-	-	-	-	-	-	-	1	1	-	-
WHITE-----MALE----	6	-	-	-	-	-	-	-	1	1	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	192	-	-	-	-	-	-	1	1	4	8	11
WHITE-----MALE----	90	-	-	-	-	-	-	-	1	1	1	2
FEMALE--	68	-	-	-	-	-	-	1	-	1	4	4
ALL OTHER--MALE----	25	-	-	-	-	-	-	-	-	1	2	3
FEMALE--	9	-	-	-	-	-	-	-	-	1	1	2
BLACK---MALE----	15	-	-	-	-	-	-	-	-	1	1	2
FEMALE--	7	-	-	-	-	-	-	-	-	1	1	2

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 455

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX OF TONGUE (141)	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
MINNESOTA -----	3	1	5	7	7	4	3	2	-	-	-	-
WHITE-----MALE----	2	1	2	7	3	1	3	1	-	-	-	-
FEMALE--	1	-	3	-	4	2	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
MISSISSIPPI -----	1	-	-	2	1	4	3	-	1	-	-	-
WHITE-----MALE----	-	-	-	-	1	2	2	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	-	-	1	-	-	-
ALL OTHER--MALE----	1	-	-	1	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	1	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSOURI -----	2	5	2	3	5	2	4	1	1	-	-	-
WHITE-----MALE----	2	3	1	3	2	-	2	-	1	-	-	-
FEMALE--	-	1	1	-	1	2	2	1	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	2	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	2	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MONTANA -----	1	-	-	-	2	-	1	-	1	-	-	-
WHITE-----MALE----	1	-	-	-	2	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	1	1	-	-	2	1	1	1	1	1	-	-
WHITE-----MALE----	1	1	-	-	1	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	1	-	1	1	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA -----	-	3	-	1	2	2	1	1	-	-	-	-
WHITE-----MALE----	-	1	-	1	1	-	-	1	-	-	-	-
FEMALE--	-	1	-	-	-	2	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	1	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 457

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX OF TONGUE (141)	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
OHIO -----	81	-	-	-	-	-	-	-	-	1	2	4
WHITE-----MALE----	49	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	23	-	-	-	-	-	-	-	-	1	1	1
ALL OTHER--MALE----	7	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	7	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA -----	22	-	-	-	-	-	-	-	-	-	1	-
WHITE-----MALE----	15	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	35	-	-	-	-	-	-	-	-	-	1	1
WHITE-----MALE----	17	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	18	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	88	-	-	-	-	-	-	-	-	1	1	9
WHITE-----MALE----	50	-	-	-	-	-	-	-	-	1	1	3
FEMALE--	26	-	-	-	-	-	-	-	-	-	-	3
ALL OTHER--MALE----	11	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	11	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
RHODE ISLAND -----	7	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	27	-	-	-	-	-	-	-	-	2	4	3
WHITE-----MALE----	10	-	-	-	-	-	-	-	-	1	2	1
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	7	-	-	-	-	-	-	-	-	-	2	1
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	7	-	-	-	-	-	-	-	-	-	2	1
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 458

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX OF TONGUE (141)	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
SOUTH DAKOTA -----	-	1	-	1	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	1	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	3	5	3	4	3	4	4	5	-	-	-	-
WHITE-----MALE----	2	3	3	2	2	-	3	1	-	-	-	-
FEMALE--	-	-	-	2	1	2	1	3	-	-	-	-
ALL OTHER--MALE----	1	2	-	-	-	1	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	1	2	-	-	-	1	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
TEXAS -----	11	10	17	14	17	12	10	4	2	1	-	-
WHITE-----MALE----	9	10	11	8	11	7	6	1	-	1	-	-
FEMALE--	2	-	2	5	5	5	4	3	1	-	-	-
ALL OTHER--MALE----	-	-	3	-	1	-	-	-	1	-	-	-
FEMALE--	-	-	1	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	3	-	1	-	-	-	1	-	-	-
FEMALE--	-	-	1	1	-	-	-	-	-	-	-	-
UTAH -----	1	-	1	-	-	1	1	1	-	-	-	-
WHITE-----MALE----	-	-	1	-	-	-	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	1	-	-	1	-	-	1	-	-	-	-	-
WHITE-----MALE----	1	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	5	3	9	2	3	3	8	4	1	1	-	-
WHITE-----MALE----	2	3	6	-	2	2	3	2	-	-	-	-
FEMALE--	1	-	-	1	1	-	4	2	1	-	-	-
ALL OTHER--MALE----	2	-	1	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	2	1	-	-	-	-	-	1	-	-
BLACK---MALE----	2	-	1	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	2	-	-	-	-	-	-	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 460

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX OF PHARYNX (146-149.0)	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
UNITED STATES --	327	381	480	589	581	422	286	147	70	18	1	1
WHITE-----MALE----	169	215	261	354	344	240	146	74	34	4	-	-
FEMALE--	43	60	104	135	147	130	118	57	33	11	1	-
ALL OTHER--MALE----	99	83	90	69	69	39	10	7	1	2	-	1
FEMALE--	16	23	25	31	21	13	12	9	2	1	-	-
BLACK---MALE----	81	74	75	55	62	32	8	7	1	2	-	1
FEMALE--	14	19	19	25	18	12	11	5	2	-	-	-
ALABAMA -----	7	5	9	14	9	11	2	2	2	-	-	-
WHITE-----MALE----	2	2	5	8	5	4	2	1	-	-	-	-
FEMALE--	1	-	1	4	2	4	-	1	2	-	-	-
ALL OTHER--MALE----	2	1	3	1	2	3	-	-	-	-	-	-
FEMALE--	2	2	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	2	1	3	1	2	3	-	-	-	-	-	-
FEMALE--	2	2	-	1	-	-	-	-	-	-	-	-
ALASKA -----	1	3	-	1	1	-	-	-	-	-	-	-
WHITE-----MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	2	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	4	8	4	11	7	8	8	-	1	-	-	-
WHITE-----MALE----	3	6	2	7	5	5	4	-	1	-	-	-
FEMALE--	-	2	2	4	2	3	4	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	6	5	7	7	8	4	5	3	1	-	-	-
WHITE-----MALE----	3	3	2	3	6	2	1	1	-	-	-	-
FEMALE--	1	2	2	4	1	2	3	2	1	-	-	-
ALL OTHER--MALE----	2	-	3	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	2	-	3	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
CALIFORNIA -----	37	34	47	59	68	60	29	13	6	-	-	-
WHITE-----MALE----	21	18	22	34	37	31	13	9	3	-	-	-
FEMALE--	9	2	12	10	22	21	14	3	2	-	-	-
ALL OTHER--MALE----	7	10	10	10	8	7	1	-	-	-	-	-
FEMALE--	-	4	3	5	1	1	1	1	1	-	-	-
BLACK---MALE----	2	7	3	4	5	4	1	-	-	-	-	-
FEMALE--	-	1	2	1	-	-	-	-	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 461

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX OF PHARYNX (146-149.0)	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
COLORADO -----	-	-	3	4	6	6	4	2	2	-	-	-
WHITE-----MALE----	-	-	2	3	2	3	2	2	2	-	-	-
FEMALE--	-	-	1	1	3	2	2	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	2	3	11	7	2	5	4	3	2	-	-	-
WHITE-----MALE----	1	3	7	5	-	2	2	2	-	-	-	-
FEMALE--	-	-	2	1	2	2	2	-	2	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	1	-	1	-	-	-	-
FEMALE--	1	-	2	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	1	-	1	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	3	-	2	1	4	1	2	-	-	-	-	-
WHITE-----MALE----	1	-	2	-	1	1	1	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	1	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	1	2	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	1	2	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	4	2	3	3	2	1	-	-	-	-	-	-
WHITE-----MALE----	-	-	1	2	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	1	1	2	-	-	-	-	-	-	-
BLACK---MALE----	4	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	1	1	2	-	-	-	-	-	-	-
FLORIDA -----	25	32	34	49	49	26	24	12	8	3	-	1
WHITE-----MALE----	11	20	20	33	34	16	16	9	3	1	-	-
FEMALE--	4	6	8	14	9	8	8	3	4	2	-	-
ALL OTHER--MALE----	8	4	4	2	6	2	-	-	-	-	-	1
FEMALE--	2	2	2	-	-	-	-	-	1	-	-	-
BLACK---MALE----	8	4	4	2	6	1	-	-	-	-	-	1
FEMALE--	2	2	2	-	-	-	-	-	1	-	-	-
GEORGIA -----	10	10	20	25	14	8	12	5	-	-	-	-
WHITE-----MALE----	3	6	5	12	10	2	1	1	-	-	-	-
FEMALE--	1	-	6	3	1	4	9	3	-	-	-	-
ALL OTHER--MALE----	4	4	7	5	2	1	2	-	-	-	-	-
FEMALE--	2	-	2	5	1	1	-	1	-	-	-	-
BLACK---MALE----	4	4	7	5	2	1	2	-	-	-	-	-
FEMALE--	2	-	2	5	1	1	-	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 463

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX OF PHARYNX (146-149.0)	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
KENTUCKY -----	7	12	9	8	7	9	2	4	3	-	-	-
WHITE-----MALE----	4	5	7	7	6	5	1	1	2	-	-	-
FEMALE--	2	3	2	1	-	3	-	3	1	-	-	-
ALL OTHER--MALE----	1	3	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	1	-	-	1	-	1	-	-	-	-	-
BLACK---MALE----	1	3	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	1	-	-	1	-	1	-	-	-	-	-
LOUISIANA -----	8	12	12	19	18	10	7	2	-	-	-	-
WHITE-----MALE----	4	2	6	5	11	3	1	1	-	-	-	-
FEMALE--	2	1	-	1	-	4	3	1	-	-	-	-
ALL OTHER--MALE----	2	7	6	10	4	3	2	-	-	-	-	-
FEMALE--	-	2	-	3	3	-	1	-	-	-	-	-
BLACK---MALE----	2	7	6	10	4	3	1	-	-	-	-	-
FEMALE--	-	2	-	3	2	-	1	-	-	-	-	-
MAINE -----	1	3	2	5	3	1	2	-	-	-	-	-
WHITE-----MALE----	1	3	2	3	2	1	2	-	-	-	-	-
FEMALE--	-	-	-	2	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	6	11	8	10	13	10	10	2	5	1	-	-
WHITE-----MALE----	2	5	6	3	8	3	6	1	3	-	-	-
FEMALE--	-	2	2	3	3	4	2	1	2	1	-	-
ALL OTHER--MALE----	3	4	-	3	1	1	-	-	-	-	-	-
FEMALE--	1	-	-	1	1	2	2	-	-	-	-	-
BLACK---MALE----	3	4	-	3	1	1	-	-	-	-	-	-
FEMALE--	1	-	-	1	1	2	2	-	-	-	-	-
MASSACHUSETTS -----	4	10	11	10	13	13	4	-	2	-	-	-
WHITE-----MALE----	4	8	9	9	6	6	3	-	2	-	-	-
FEMALE--	-	-	2	1	6	7	1	-	-	-	-	-
ALL OTHER--MALE----	-	2	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	12	12	8	20	19	15	10	2	3	-	-	-
WHITE-----MALE----	5	6	4	14	8	7	5	2	1	-	-	-
FEMALE--	-	3	2	4	5	4	5	-	2	-	-	-
ALL OTHER--MALE----	6	2	2	1	4	2	-	-	-	-	-	-
FEMALE--	1	1	-	1	2	2	-	-	-	-	-	-
BLACK---MALE----	6	2	2	1	4	2	-	-	-	-	-	-
FEMALE--	1	1	-	1	2	2	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 466

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX OF PHARYNX (146-149.0)	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
OHIO -----	142	-	-	-	-	-	-	-	-	4	2	9
WHITE-----MALE----	82	-	-	-	-	-	-	-	-	3	2	5
FEMALE--	42	-	-	-	-	-	-	-	-	-	-	2
ALL OTHER--MALE----	11	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	7	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	11	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	7	-	-	-	-	-	-	-	-	1	-	-
OKLAHOMA -----	36	-	-	-	-	-	-	-	-	1	1	3
WHITE-----MALE----	21	-	-	-	-	-	-	-	-	-	1	3
FEMALE--	10	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	44	-	-	-	-	-	-	-	-	1	1	-
WHITE-----MALE----	27	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	16	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	160	-	-	1	-	-	-	-	1	2	2	11
WHITE-----MALE----	86	-	-	1	-	-	-	-	-	-	1	3
FEMALE--	45	-	-	-	-	-	-	-	-	1	-	4
ALL OTHER--MALE----	20	-	-	-	-	-	-	-	1	1	1	4
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	17	-	-	-	-	-	-	-	1	1	-	4
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND -----	10	-	-	-	-	-	-	-	-	-	1	1
WHITE-----MALE----	7	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	3	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	73	-	-	-	-	1	-	1	1	-	2	10
WHITE-----MALE----	27	-	-	-	-	-	-	-	-	-	-	3
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	32	-	-	-	-	-	-	1	-	-	1	6
FEMALE--	9	-	-	-	-	1	-	-	1	-	1	1
BLACK---MALE----	31	-	-	-	-	-	-	1	-	-	1	6
FEMALE--	8	-	-	-	-	1	-	-	1	-	-	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 466

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX OF PHARYNX (146-149.0)	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
OHIO -----	15	13	20	18	19	18	18	4	2	-	-	-
WHITE-----MALE----	13	5	13	9	10	9	9	3	1	-	-	-
FEMALE--	-	3	5	7	7	8	8	1	1	-	-	-
ALL OTHER--MALE----	2	4	1	1	1	-	-	-	-	-	-	-
FEMALE--	-	1	1	1	1	1	1	-	-	-	-	-
BLACK---MALE----	2	4	1	1	1	-	-	-	-	-	-	-
FEMALE--	-	1	1	1	1	1	1	-	-	-	-	-
OKLAHOMA -----	4	3	8	6	2	3	1	4	-	-	-	-
WHITE-----MALE----	2	1	3	4	2	2	1	2	-	-	-	-
FEMALE--	1	1	4	1	-	1	-	1	-	-	-	-
ALL OTHER--MALE----	1	1	1	1	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	5	2	3	7	9	6	5	4	1	-	-	-
WHITE-----MALE----	3	1	1	6	5	4	3	2	1	-	-	-
FEMALE--	2	1	2	1	4	2	2	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	10	15	19	34	18	25	11	9	2	-	-	-
WHITE-----MALE----	5	9	10	18	14	14	6	5	-	-	-	-
FEMALE--	4	3	5	9	3	5	5	4	2	-	-	-
ALL OTHER--MALE----	1	1	3	3	1	4	-	-	-	-	-	-
FEMALE--	-	2	1	4	-	2	-	-	-	-	-	-
BLACK---MALE----	1	1	3	1	1	4	-	-	-	-	-	-
FEMALE--	-	2	1	4	-	2	-	-	-	-	-	-
RHODE ISLAND -----	1	-	-	1	4	1	1	-	-	-	-	-
WHITE-----MALE----	1	-	-	1	3	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	8	10	14	9	5	2	4	4	2	-	-	-
WHITE-----MALE----	2	3	6	5	4	-	3	1	-	-	-	-
FEMALE--	-	-	1	1	-	-	1	1	1	-	-	-
ALL OTHER--MALE----	3	7	7	2	1	2	-	1	1	-	-	-
FEMALE--	3	-	-	1	-	-	-	1	-	-	-	-
BLACK---MALE----	3	7	6	2	1	2	-	1	1	-	-	-
FEMALE--	3	-	-	1	-	-	-	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 467

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX OF PHARYNX (146-149.0)	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
SOUTH DAKOTA -----	1	1	1	1	3	1	1	-	-	-	-	-
WHITE-----MALE----	-	1	1	1	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	2	1	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	5	10	11	6	15	5	6	1	2	-	-	-
WHITE-----MALE----	2	4	7	6	10	3	2	-	1	-	-	-
FEMALE--	-	4	2	-	2	1	3	1	1	-	-	-
ALL OTHER--MALE----	3	2	1	-	3	1	1	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	2	1	-	3	1	1	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
TEXAS -----	30	29	32	46	51	31	21	10	6	5	-	-
WHITE-----MALE----	18	19	18	28	26	25	10	4	4	1	-	-
FEMALE--	4	3	8	15	17	5	10	5	2	4	-	-
ALL OTHER--MALE----	8	4	6	3	6	1	-	-	-	-	-	-
FEMALE--	-	3	-	-	2	-	1	1	-	-	-	-
BLACK---MALE----	8	3	6	3	5	1	-	-	-	-	-	-
FEMALE--	-	3	-	-	2	-	1	1	-	-	-	-
UTAH -----	-	-	-	3	-	3	2	1	-	-	-	-
WHITE-----MALE----	-	-	-	3	-	2	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	1	1	-	1	-	-	-	1	-	-	-	-
WHITE-----MALE----	1	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	8	10	11	18	13	8	2	2	1	-	-	-
WHITE-----MALE----	5	7	6	8	5	4	1	1	1	-	-	-
FEMALE--	1	1	1	6	3	4	-	-	-	-	-	-
ALL OTHER--MALE----	1	2	4	4	4	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	1	1	-	-	-	-
BLACK---MALE----	1	2	4	4	4	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	1	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 469

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 OF OTHER AND ILL-DEFINED SITES WITHIN THE LIP, ORAL CAVITY, AND PHARYNX (142-145,149.1-149.9)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 UNITED STATES --	152	180	214	266	310	290	280	189	117	36	4	-
WHITE-----MALE----	89	100	123	150	183	136	124	69	33	7	-	-
FEMALE--	26	47	53	73	94	124	139	107	77	27	3	-
ALL OTHER--MALE----	25	25	27	23	17	16	8	8	4	1	-	-
FEMALE--	12	8	11	20	16	14	9	5	3	1	1	-
BLACK---MALE----	25	23	21	20	12	13	6	7	4	1	-	-
FEMALE--	10	8	10	20	14	13	8	5	3	1	1	-
ALABAMA -----	5	4	3	5	5	7	2	5	-	1	1	-
WHITE-----MALE----	2	4	2	1	2	4	1	1	-	1	-	-
FEMALE--	-	-	-	2	3	1	1	4	-	-	-	-
ALL OTHER--MALE----	3	-	1	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	-	-	-	-	1	-
BLACK---MALE----	3	-	1	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	-	-	-	-	1	-
ALASKA -----	-	-	2	-	-	-	1	-	-	-	-	-
WHITE-----MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	3	4	3	3	8	6	4	1	4	1	-	-
WHITE-----MALE----	1	2	1	1	7	5	3	1	-	-	-	-
FEMALE--	2	2	2	2	1	1	1	-	4	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	1	3	1	3	5	3	3	3	1	1	-	-
WHITE-----MALE----	1	2	1	2	4	2	2	-	1	-	-	-
FEMALE--	-	-	-	1	-	-	1	3	-	1	-	-
ALL OTHER--MALE----	-	1	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
CALIFORNIA -----	13	11	24	20	38	35	29	20	8	3	-	-
WHITE-----MALE----	9	8	12	11	21	13	11	9	1	1	-	-
FEMALE--	1	2	8	6	14	17	16	8	7	2	-	-
ALL OTHER--MALE----	3	-	3	2	1	3	1	2	-	-	-	-
FEMALE--	-	1	1	1	2	2	1	1	-	-	-	-
BLACK---MALE----	3	-	2	1	-	1	-	1	-	-	-	-
FEMALE--	-	1	-	1	2	1	-	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 470

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
 OF OTHER AND ILL-DEFINED SITES WITHIN THE LIP, ORAL CAVITY, AND PHARYNX (142-145,149.1-149.9)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
COLORADO -----	23	-	-	-	-	1	1	1	1	-	-	1
WHITE-----MALE----	15	-	-	-	-	1	-	-	1	-	-	1
FEMALE--	7	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	25	-	-	-	-	-	-	-	-	1	-	2
WHITE-----MALE----	10	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	13	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	7	-	-	-	-	-	-	-	-	-	-	1
WHITE-----MALE----	5	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	7	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	200	-	-	-	-	-	-	-	1	1	6	9
WHITE-----MALE----	116	-	-	-	-	-	-	-	-	1	5	3
FEMALE--	68	-	-	-	-	-	-	-	1	-	-	4
ALL OTHER--MALE----	11	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	10	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
GEORGIA -----	53	-	-	-	-	1	-	-	-	2	1	7
WHITE-----MALE----	19	-	-	-	-	-	-	-	-	1	-	2
FEMALE--	20	-	-	-	-	1	-	-	-	-	1	1
ALL OTHER--MALE----	9	-	-	-	-	-	-	-	-	-	-	4
FEMALE--	5	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	9	-	-	-	-	-	-	-	-	-	-	4
FEMALE--	5	-	-	-	-	-	-	-	-	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 470

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 OF OTHER AND ILL-DEFINED SITES WITHIN THE LIP, ORAL CAVITY, AND PHARYNX (142-145,149.1-149.9)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
COLORADO -----	1	1	2	-	4	3	3	1	3	-	-	-
WHITE-----MALE----	1	1	2	-	2	3	2	-	1	-	-	-
FEMALE--	-	-	-	-	2	-	1	1	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	-	5	1	1	5	3	2	2	2	1	-	-
WHITE-----MALE----	-	3	-	-	3	2	1	-	-	-	-	-
FEMALE--	-	2	1	1	1	1	1	2	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
DELAWARE -----	-	1	2	-	1	1	-	-	1	-	-	-
WHITE-----MALE----	-	1	1	-	1	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	-	2	1	1	2	1	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	2	1	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	2	1	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	13	16	14	30	21	29	27	19	11	3	-	-
WHITE-----MALE----	10	12	7	20	16	17	10	9	5	1	-	-
FEMALE--	1	4	3	6	5	10	17	10	5	2	-	-
ALL OTHER--MALE----	2	-	3	1	-	1	-	-	1	-	-	-
FEMALE--	-	-	1	3	-	1	-	-	-	-	-	-
BLACK---MALE----	2	-	2	1	-	1	-	-	1	-	-	-
FEMALE--	-	-	1	3	-	1	-	-	-	-	-	-
GEORGIA -----	6	3	3	4	2	6	7	9	2	-	-	-
WHITE-----MALE----	4	1	1	2	-	1	5	1	1	-	-	-
FEMALE--	-	1	2	1	1	1	2	8	1	-	-	-
ALL OTHER--MALE----	1	-	-	1	1	2	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	2	-	-	-	-	-	-
BLACK---MALE----	1	-	-	1	1	2	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	2	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 471

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 OF OTHER AND ILL-DEFINED SITES WITHIN THE LIP, ORAL CAVITY, AND PHARYNX (142-145,149.1-149.9)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
HAWAII -----	-	-	1	1	3	2	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	1	1	2	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	-	-	1	1	-	2	-	-	1	-	-	-
WHITE-----MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	2	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	14	5	7	16	9	9	11	6	2	-	1	-
WHITE-----MALE----	8	4	3	11	6	3	5	5	-	-	-	-
FEMALE--	4	-	1	3	1	6	5	1	2	-	1	-
ALL OTHER--MALE----	2	1	2	-	1	-	1	-	-	-	-	-
FEMALE--	-	-	1	2	1	-	-	-	-	-	-	-
BLACK---MALE----	2	1	2	-	1	-	1	-	-	-	-	-
FEMALE--	-	-	1	2	1	-	-	-	-	-	-	-
INDIANA -----	5	5	3	4	8	6	6	5	3	-	-	-
WHITE-----MALE----	-	2	3	3	2	2	2	-	-	-	-	-
FEMALE--	3	3	-	1	6	4	4	5	2	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IOWA -----	-	1	2	5	7	2	2	1	5	-	-	-
WHITE-----MALE----	-	1	-	3	5	2	1	1	1	-	-	-
FEMALE--	-	-	2	2	1	-	1	-	4	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
KANSAS -----	1	3	2	2	1	5	4	2	1	1	1	-
WHITE-----MALE----	1	1	2	-	-	1	2	1	-	-	-	-
FEMALE--	-	1	-	1	-	3	2	1	1	1	1	-
ALL OTHER--MALE----	-	1	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 472

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 OF OTHER AND ILL-DEFINED SITES WITHIN THE LIP, ORAL CAVITY, AND PHARYNX (142-145,149.1-149.9)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
KENTUCKY -----	1	3	3	4	4	-	4	3	-	1	-	-
WHITE-----MALE----	1	2	1	1	3	-	2	1	-	-	-	-
FEMALE--	-	1	1	2	1	-	2	2	-	1	-	-
ALL OTHER--MALE----	-	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	2	3	3	6	1	6	3	6	6	-	-	-
WHITE-----MALE----	1	-	2	3	1	2	1	-	1	-	-	-
FEMALE--	-	2	-	3	-	2	2	4	4	-	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	1	-	-	2	-	1	1	-	-	-
BLACK---MALE----	1	1	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	1	-	-	2	-	1	1	-	-	-
MAINE -----	1	-	1	2	1	-	1	-	1	-	-	-
WHITE-----MALE----	-	-	1	1	-	-	-	-	1	-	-	-
FEMALE--	1	-	-	1	1	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	4	5	4	5	6	6	11	3	2	-	-	-
WHITE-----MALE----	1	4	4	2	3	4	6	1	1	-	-	-
FEMALE--	1	-	-	-	3	2	4	-	1	-	-	-
ALL OTHER--MALE----	-	1	-	3	-	-	-	2	-	-	-	-
FEMALE--	2	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	1	-	3	-	-	-	2	-	-	-	-
FEMALE--	2	-	-	-	-	-	1	-	-	-	-	-
MASSACHUSETTS -----	1	3	2	2	12	7	9	5	1	1	-	-
WHITE-----MALE----	1	2	2	1	8	6	4	1	-	-	-	-
FEMALE--	-	1	-	1	3	1	5	4	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	1	-	-
MICHIGAN -----	10	6	14	9	9	12	9	3	5	-	-	-
WHITE-----MALE----	7	3	9	4	4	3	4	1	2	-	-	-
FEMALE--	1	2	2	4	5	9	4	2	3	-	-	-
ALL OTHER--MALE----	1	-	2	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	1	1	-	-	1	-	-	-	-	-
BLACK---MALE----	1	-	2	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	1	1	-	-	1	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 475

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
 OF OTHER AND ILL-DEFINED SITES WITHIN THE LIP, ORAL CAVITY, AND PHARYNX (142-145,149.1-149.9)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
OHIO -----	88	-	-	-	-	-	1	-	-	1	5	3
WHITE-----MALE----	35	-	-	-	-	-	-	-	-	-	3	2
FEMALE--	39	-	-	-	-	-	-	-	-	1	1	1
ALL OTHER--MALE----	8	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	6	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	8	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	6	-	-	-	-	-	1	-	-	-	-	-
OKLAHOMA -----	23	-	-	-	-	-	-	-	-	1	-	1
WHITE-----MALE----	13	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	10	-	-	-	-	-	-	-	-	1	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	43	-	-	-	-	-	-	-	2	-	1	1
WHITE-----MALE----	18	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	23	-	-	-	-	-	-	-	2	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	110	-	-	-	-	1	-	1	2	-	1	5
WHITE-----MALE----	48	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	49	-	-	-	-	1	-	2	-	-	-	1
ALL OTHER--MALE----	9	-	-	-	-	-	-	1	-	-	-	1
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	9	-	-	-	-	-	-	1	-	-	-	1
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	1
RHODE ISLAND -----	8	-	-	-	-	-	-	-	-	-	-	1
WHITE-----MALE----	3	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	32	-	-	-	-	-	1	-	1	-	1	1
WHITE-----MALE----	12	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	11	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	1	-	-	1
FEMALE--	5	-	-	-	-	-	1	-	-	-	1	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	5	-	-	-	-	-	1	-	-	-	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 475

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 OF OTHER AND ILL-DEFINED SITES WITHIN THE LIP, ORAL CAVITY, AND PHARYNX (142-145,149.1-149.9)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
OHIO -----	5	4	7	12	9	7	20	7	6	1	-	-
WHITE-----MALE----	2	1	4	6	6	3	6	2	-	-	-	-
FEMALE--	1	1	2	4	2	3	13	4	5	1	-	-
ALL OTHER--MALE----	1	1	-	2	1	1	-	1	-	-	-	-
FEMALE--	1	1	1	-	-	-	1	-	1	-	-	-
BLACK---MALE----	1	1	-	2	1	1	-	1	-	-	-	-
FEMALE--	1	1	1	-	-	-	1	-	1	-	-	-
OKLAHOMA -----	2	1	3	2	2	5	5	1	-	-	-	-
WHITE-----MALE----	1	1	2	2	2	3	2	-	-	-	-	-
FEMALE--	1	-	1	-	-	2	3	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	2	1	9	6	3	4	8	2	3	1	-	-
WHITE-----MALE----	-	1	4	3	1	1	3	1	2	-	-	-
FEMALE--	1	-	4	3	2	3	5	1	1	1	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	4	15	13	7	17	15	12	9	5	3	-	-
WHITE-----MALE----	2	6	5	5	9	7	5	4	2	-	-	-
FEMALE--	2	6	4	1	7	8	6	5	3	3	-	-
ALL OTHER--MALE----	-	3	3	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	1	-	1	-	-	-	-	-
BLACK---MALE----	-	3	3	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	1	-	1	-	-	-	-	-
RHODE ISLAND -----	-	1	-	-	1	1	1	2	-	1	-	-
WHITE-----MALE----	-	-	-	-	1	-	-	1	-	-	-	-
FEMALE--	-	1	-	-	-	1	1	1	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	2	3	1	3	4	3	5	4	2	1	-	-
WHITE-----MALE----	1	1	1	2	1	2	2	-	1	1	-	-
FEMALE--	-	-	-	1	3	-	2	4	1	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	2	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	2	-	-	-	1	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 478

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 MALIGNANT NEOPLASMS OF DIGESTIVE ORGANS AND PERITONEUM (150-159)												
0 UNITED STATES --	127,054	7	21	9	7	40	69	185	464	1,042	2,093	3,888
WHITE-----MALE----	57,437	3	9	7	1	17	35	72	194	420	946	1,882
FEMALE--	50,319	-	8	-	1	10	16	51	130	303	627	1,034
ALL OTHER--MALE----	10,321	2	3	1	4	7	11	37	81	192	310	625
FEMALE--	8,977	2	1	1	1	6	7	25	59	127	210	347
BLACK---MALE----	8,336	-	1	1	2	4	7	29	57	140	242	491
FEMALE--	7,547	2	1	1	-	4	3	18	43	100	165	283
ALABAMA -----	1,988	-	-	-	1	-	2	2	5	18	34	56
WHITE-----MALE----	718	-	-	-	1	-	1	-	1	6	12	23
FEMALE--	704	-	-	-	-	-	1	2	1	4	10	18
ALL OTHER--MALE----	305	-	-	-	-	-	-	-	-	5	8	12
FEMALE--	261	-	-	-	-	-	-	-	3	3	4	3
BLACK---MALE----	301	-	-	-	-	-	-	-	-	5	8	12
FEMALE--	259	-	-	-	-	-	-	-	3	3	4	3
ALASKA -----	138	-	-	-	-	-	-	-	1	3	3	8
WHITE-----MALE----	59	-	-	-	-	-	-	-	-	-	1	6
FEMALE--	28	-	-	-	-	-	-	-	-	1	2	-
ALL OTHER--MALE----	29	-	-	-	-	-	-	-	1	1	-	1
FEMALE--	22	-	-	-	-	-	-	-	-	1	-	1
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	1,899	-	-	-	-	-	2	4	10	12	31	53
WHITE-----MALE----	1,024	-	-	-	-	-	1	2	5	5	16	32
FEMALE--	765	-	-	-	-	-	1	-	3	4	10	19
ALL OTHER--MALE----	60	-	-	-	-	-	-	2	-	2	2	1
FEMALE--	50	-	-	-	-	-	-	-	2	1	3	1
BLACK---MALE----	21	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	21	-	-	-	-	-	-	-	-	-	-	1
ARKANSAS -----	1,293	-	-	-	-	1	-	-	3	16	15	39
WHITE-----MALE----	578	-	-	-	-	1	-	-	-	5	4	18
FEMALE--	499	-	-	-	-	-	-	-	1	3	6	8
ALL OTHER--MALE----	109	-	-	-	-	-	-	-	1	5	3	7
FEMALE--	107	-	-	-	-	-	-	-	1	3	2	6
BLACK---MALE----	104	-	-	-	-	-	-	-	1	5	3	6
FEMALE--	102	-	-	-	-	-	-	-	1	3	1	6
CALIFORNIA -----	12,667	-	4	2	2	9	9	23	50	114	244	415
WHITE-----MALE----	5,631	-	3	2	-	4	5	11	16	49	91	184
FEMALE--	4,735	-	1	-	-	2	2	5	15	31	77	112
ALL OTHER--MALE----	1,263	-	-	-	1	2	-	3	13	17	43	79
FEMALE--	1,038	-	-	-	1	1	2	4	6	17	33	40
BLACK---MALE----	515	-	-	-	-	-	-	2	2	6	21	23
FEMALE--	465	-	-	-	-	-	1	1	2	8	16	13

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 478

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 MALIGNANT NEOPLASMS OF DIGESTIVE ORGANS AND PERITONEUM (150-159)												
0 UNITED STATES --	5,882	8,084	11,061	15,624	19,755	20,612	18,035	12,434	5,945	1,582	210	5
WHITE-----MALE----	3,033	3,999	5,611	8,096	9,799	9,558	7,529	4,271	1,590	326	39	-
FEMALE--	1,625	2,401	3,337	4,983	7,107	8,486	8,493	6,847	3,681	1,046	131	2
ALL OTHER--MALE----	779	1,095	1,283	1,445	1,530	1,281	874	488	213	51	7	2
FEMALE--	445	589	830	1,100	1,319	1,287	1,139	828	461	159	33	1
BLACK---MALE----	634	890	1,051	1,209	1,248	1,017	694	399	168	45	5	2
FEMALE--	357	506	703	897	1,081	1,101	974	723	413	140	31	1
ALABAMA -----	114	149	163	236	314	337	252	177	98	28	2	-
WHITE-----MALE----	52	52	71	88	121	134	90	42	20	4	-	-
FEMALE--	27	45	42	75	98	128	108	89	45	11	-	-
ALL OTHER--MALE----	23	37	34	42	54	35	20	20	13	2	-	-
FEMALE--	12	15	16	31	41	40	34	26	20	11	2	-
BLACK---MALE----	20	37	34	42	54	34	20	20	13	2	-	-
FEMALE--	12	14	16	31	41	40	34	25	20	11	2	-
ALASKA -----	18	13	17	21	17	14	14	5	4	-	-	-
WHITE-----MALE----	7	7	6	10	7	5	7	1	2	-	-	-
FEMALE--	5	1	5	2	4	5	2	1	-	-	-	-
ALL OTHER--MALE----	4	2	3	5	5	2	2	2	1	-	-	-
FEMALE--	2	3	3	4	1	2	3	1	1	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	81	134	172	261	327	312	250	163	72	14	1	-
WHITE-----MALE----	50	75	103	147	186	173	135	61	29	3	1	-
FEMALE--	23	50	54	98	126	126	102	99	39	11	-	-
ALL OTHER--MALE----	6	8	9	9	8	6	6	-	1	-	-	-
FEMALE--	2	1	6	7	7	7	7	3	3	-	-	-
BLACK---MALE----	1	3	4	3	2	4	2	-	1	-	-	-
FEMALE--	1	1	1	2	4	4	3	2	2	-	-	-
ARKANSAS -----	48	81	125	155	226	209	171	125	63	14	2	-
WHITE-----MALE----	32	41	64	81	112	104	59	42	15	-	-	-
FEMALE--	11	22	36	54	79	79	82	69	37	11	1	-
ALL OTHER--MALE----	3	14	16	11	19	8	10	7	4	1	-	-
FEMALE--	2	4	9	9	16	18	20	7	7	2	1	-
BLACK---MALE----	3	13	15	11	17	8	10	7	4	1	-	-
FEMALE--	2	3	9	9	14	18	19	7	7	2	1	-
CALIFORNIA -----	667	825	1,137	1,548	1,888	2,057	1,750	1,198	556	145	24	-
WHITE-----MALE----	351	404	555	751	898	928	745	439	153	38	4	-
FEMALE--	176	226	320	471	652	814	775	627	331	83	15	-
ALL OTHER--MALE----	87	129	164	179	162	162	127	57	32	4	2	-
FEMALE--	53	66	98	147	176	153	103	75	40	20	3	-
BLACK---MALE----	47	57	65	83	70	64	46	19	8	1	1	-
FEMALE--	16	34	54	65	70	77	45	36	18	6	3	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 479

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 MALIGNANT NEOPLASMS OF DIGESTIVE ORGANS AND PERITONEUM (150-159)												
COLORADO -----	1,336	-	-	-	-	-	-	3	3	14	15	47
WHITE-----MALE----	706	-	-	-	-	-	-	2	2	9	8	32
FEMALE--	564	-	-	-	-	-	-	1	-	3	6	7
ALL OTHER--MALE----	32	-	-	-	-	-	-	-	-	2	-	7
FEMALE--	34	-	-	-	-	-	-	-	1	-	1	1
BLACK---MALE----	19	-	-	-	-	-	-	-	-	2	-	3
FEMALE--	22	-	-	-	-	-	-	-	-	-	1	1
CONNECTICUT -----	1,734	-	-	-	-	1	-	2	6	14	26	35
WHITE-----MALE----	852	-	-	-	-	-	-	1	-	5	17	18
FEMALE--	756	-	-	-	-	1	-	1	3	9	7	13
ALL OTHER--MALE----	64	-	-	-	-	-	-	-	3	-	2	1
FEMALE--	62	-	-	-	-	-	-	-	-	-	-	3
BLACK---MALE----	57	-	-	-	-	-	-	-	3	-	2	1
FEMALE--	58	-	-	-	-	-	-	-	-	-	-	3
DELAWARE -----	397	-	-	-	-	-	-	-	-	6	9	7
WHITE-----MALE----	162	-	-	-	-	-	-	-	-	1	1	5
FEMALE--	155	-	-	-	-	-	-	-	-	2	4	2
ALL OTHER--MALE----	37	-	-	-	-	-	-	-	-	2	3	-
FEMALE--	43	-	-	-	-	-	-	-	-	1	1	-
BLACK---MALE----	35	-	-	-	-	-	-	-	-	2	3	-
FEMALE--	43	-	-	-	-	-	-	-	-	1	1	-
DISTRICT OF COLUMBIA -----	356	-	-	-	-	-	-	2	1	2	12	15
WHITE-----MALE----	38	-	-	-	-	-	-	1	-	-	1	1
FEMALE--	40	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	151	-	-	-	-	-	-	-	1	-	7	11
FEMALE--	127	-	-	-	-	-	-	1	-	2	4	3
BLACK---MALE----	147	-	-	-	-	-	-	-	1	-	6	11
FEMALE--	124	-	-	-	-	-	-	1	-	1	4	3
FLORIDA -----	8,919	-	2	-	-	1	1	10	31	68	110	218
WHITE-----MALE----	4,345	-	1	-	-	-	-	4	12	29	50	107
FEMALE--	3,620	-	1	-	-	-	-	4	11	14	30	62
ALL OTHER--MALE----	515	-	-	-	-	1	1	2	4	17	17	28
FEMALE--	439	-	-	-	-	-	-	-	4	8	13	21
BLACK---MALE----	493	-	-	-	-	1	-	1	4	14	17	26
FEMALE--	423	-	-	-	-	-	-	-	4	7	11	21
GEORGIA -----	2,805	-	-	-	-	2	1	8	12	30	65	114
WHITE-----MALE----	1,032	-	-	-	-	2	-	2	2	11	24	37
FEMALE--	912	-	-	-	-	-	1	1	3	5	18	28
ALL OTHER--MALE----	431	-	-	-	-	-	-	2	5	8	14	32
FEMALE--	430	-	-	-	-	-	-	3	2	6	9	17
BLACK---MALE----	415	-	-	-	-	-	-	2	5	8	13	31
FEMALE--	421	-	-	-	-	-	-	3	2	6	8	14

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 479

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 MALIGNANT NEOPLASMS OF DIGESTIVE ORGANS AND PERITONEUM (150-159)												
COLORADO -----	67	70	132	184	191	206	197	128	61	16	2	-
WHITE-----MALE----	46	43	78	113	102	110	94	43	20	4	-	-
FEMALE--	17	26	44	60	79	92	93	84	40	11	1	-
ALL OTHER--MALE----	2	-	5	5	6	2	3	-	-	-	-	-
FEMALE--	2	1	5	6	4	2	7	1	1	1	1	-
BLACK---MALE----	1	-	4	4	4	-	1	-	-	-	-	-
FEMALE--	2	-	2	6	1	2	3	1	1	1	1	-
CONNECTICUT -----	78	100	147	198	252	296	284	181	83	29	2	-
WHITE-----MALE----	42	52	84	107	134	161	127	71	26	7	-	-
FEMALE--	26	30	48	75	102	121	141	104	52	22	1	-
ALL OTHER--MALE----	5	11	9	10	7	6	6	2	1	-	1	-
FEMALE--	5	7	6	6	9	8	10	4	4	-	-	-
BLACK---MALE----	5	8	9	10	5	6	4	2	1	-	1	-
FEMALE--	5	6	6	5	9	7	10	3	4	-	-	-
DELAWARE -----	16	23	42	58	72	48	48	35	27	4	1	1
WHITE-----MALE----	7	10	17	31	31	24	17	14	4	-	-	-
FEMALE--	2	7	18	17	25	20	22	16	17	2	-	1
ALL OTHER--MALE----	4	2	3	7	10	2	2	1	1	-	-	-
FEMALE--	3	4	4	3	6	2	7	4	5	2	1	-
BLACK---MALE----	3	2	3	6	10	2	2	1	1	-	-	-
FEMALE--	3	4	4	3	6	2	7	4	5	2	1	-
DISTRICT OF COLUMBIA ----	15	27	45	46	38	56	41	37	17	1	1	-
WHITE-----MALE----	2	1	3	2	7	5	4	6	4	1	-	-
FEMALE--	-	2	4	5	4	5	6	7	7	-	-	-
ALL OTHER--MALE----	6	19	23	26	16	23	13	6	-	-	-	-
FEMALE--	7	5	15	13	11	23	18	18	6	-	1	-
BLACK---MALE----	6	19	22	25	16	22	13	6	-	-	-	-
FEMALE--	7	5	15	13	11	22	18	17	6	-	1	-
FLORIDA -----	353	493	718	1,081	1,367	1,602	1,365	936	448	99	13	3
WHITE-----MALE----	191	255	382	606	743	822	633	330	147	28	5	-
FEMALE--	101	139	221	354	502	650	643	547	274	59	7	1
ALL OTHER--MALE----	41	60	69	65	64	65	41	27	10	2	-	1
FEMALE--	20	39	46	56	58	65	48	32	17	10	1	1
BLACK---MALE----	37	59	68	64	63	60	40	26	10	2	-	1
FEMALE--	18	39	44	56	55	62	47	31	16	10	1	1
GEORGIA -----	159	209	296	334	424	466	334	228	99	19	5	-
WHITE-----MALE----	61	81	133	134	178	175	109	57	22	4	-	-
FEMALE--	29	50	69	87	135	166	148	103	55	12	2	-
ALL OTHER--MALE----	48	52	56	55	49	52	27	24	6	1	-	-
FEMALE--	21	26	38	58	62	73	50	44	16	2	3	-
BLACK---MALE----	46	48	56	52	47	51	26	23	6	1	-	-
FEMALE--	21	26	37	58	59	73	49	44	16	2	3	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 480

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 MALIGNANT NEOPLASMS OF DIGESTIVE ORGANS AND PERITONEUM (150-159)												
HAWAII -----	558	-	-	-	-	-	1	-	2	7	8	16
WHITE-----MALE----	63	-	-	-	-	-	-	-	-	1	1	2
FEMALE--	45	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	270	-	-	-	-	-	1	-	-	3	5	6
FEMALE--	180	-	-	-	-	-	-	-	2	3	1	8
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	436	-	-	-	-	-	-	1	2	3	8	15
WHITE-----MALE----	246	-	-	-	-	-	-	1	-	3	4	8
FEMALE--	185	-	-	-	-	-	-	-	2	-	4	7
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	5,996	1	1	1	-	3	3	5	9	45	103	184
WHITE-----MALE----	2,605	-	-	-	-	1	2	1	4	16	46	74
FEMALE--	2,351	-	-	-	-	1	1	1	2	13	31	56
ALL OTHER--MALE----	575	-	1	-	-	1	-	2	1	13	16	34
FEMALE--	465	1	-	1	-	-	-	1	2	3	10	20
BLACK---MALE----	509	-	-	-	-	1	-	2	1	11	13	31
FEMALE--	436	1	-	1	-	-	-	1	1	3	10	20
INDIANA -----	2,787	-	-	2	-	1	1	8	8	26	40	81
WHITE-----MALE----	1,293	-	-	2	-	-	1	5	4	10	22	46
FEMALE--	1,224	-	-	-	-	1	-	2	4	11	7	22
ALL OTHER--MALE----	150	-	-	-	-	-	-	1	-	4	7	10
FEMALE--	120	-	-	-	-	-	-	-	-	1	4	3
BLACK---MALE----	143	-	-	-	-	-	-	1	-	4	6	10
FEMALE--	113	-	-	-	-	-	-	-	-	1	4	3
IOWA -----	1,638	-	-	-	-	-	1	1	6	6	21	40
WHITE-----MALE----	850	-	-	-	-	-	1	-	3	4	11	23
FEMALE--	760	-	-	-	-	-	-	1	3	2	8	14
ALL OTHER--MALE----	18	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	10	-	-	-	-	-	-	-	-	-	1	1
BLACK---MALE----	12	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	8	-	-	-	-	-	-	-	-	-	1	1
KANSAS -----	1,178	-	-	-	-	-	1	-	8	10	14	31
WHITE-----MALE----	554	-	-	-	-	-	1	-	3	6	7	19
FEMALE--	549	-	-	-	-	-	-	-	4	4	5	11
ALL OTHER--MALE----	41	-	-	-	-	-	-	-	-	-	2	-
FEMALE--	34	-	-	-	-	-	-	-	1	-	-	1
BLACK---MALE----	31	-	-	-	-	-	-	-	-	-	2	-
FEMALE--	27	-	-	-	-	-	-	-	1	-	-	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 480

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 MALIGNANT NEOPLASMS OF DIGESTIVE ORGANS AND PERITONEUM (150-159)												
HAWAII -----	22	44	40	71	105	103	67	46	22	4	-	-
WHITE-----MALE----	2	10	4	10	8	10	10	4	1	-	-	-
FEMALE--	1	4	2	4	11	8	6	6	2	-	-	-
ALL OTHER--MALE----	13	20	22	32	51	59	27	19	11	1	-	-
FEMALE--	6	10	12	25	35	26	24	17	8	3	-	-
BLACK---MALE----	-	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	15	36	45	40	72	65	67	42	20	5	-	-
WHITE-----MALE----	8	18	32	25	49	38	35	15	6	4	-	-
FEMALE--	7	17	13	14	23	25	31	27	14	1	-	-
ALL OTHER--MALE----	-	1	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	2	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	282	384	537	705	934	937	878	605	277	83	19	-
WHITE-----MALE----	122	189	266	347	443	422	363	215	78	13	3	-
FEMALE--	91	102	149	219	319	371	433	328	168	55	11	-
ALL OTHER--MALE----	48	57	78	78	104	77	33	17	10	5	-	-
FEMALE--	21	36	44	61	68	67	49	45	21	10	5	-
BLACK---MALE----	39	53	71	73	90	68	29	13	9	5	-	-
FEMALE--	18	34	41	55	63	65	46	41	21	10	5	-
INDIANA -----	117	136	259	338	449	469	410	264	140	33	5	-
WHITE-----MALE----	65	57	138	193	227	221	174	84	37	7	-	-
FEMALE--	40	57	93	114	180	209	204	157	95	23	5	-
ALL OTHER--MALE----	8	15	18	17	20	19	18	12	1	-	-	-
FEMALE--	4	7	10	14	22	20	14	11	7	3	-	-
BLACK---MALE----	7	14	18	16	17	19	18	12	1	-	-	-
FEMALE--	4	7	10	11	22	18	13	10	7	3	-	-
IOWA -----	64	99	99	194	236	273	269	180	112	34	3	-
WHITE-----MALE----	51	62	68	106	142	141	127	67	33	9	2	-
FEMALE--	13	32	29	85	90	130	138	112	77	25	1	-
ALL OTHER--MALE----	-	5	1	2	2	2	2	-	1	-	-	-
FEMALE--	-	-	1	1	2	-	2	1	1	-	-	-
BLACK---MALE----	-	3	-	2	2	1	1	-	1	-	-	-
FEMALE--	-	-	1	1	1	-	1	1	1	-	-	-
KANSAS -----	47	85	97	122	173	200	175	133	64	18	-	-
WHITE-----MALE----	28	44	53	60	90	95	79	38	28	3	-	-
FEMALE--	16	33	33	52	71	94	88	92	32	14	-	-
ALL OTHER--MALE----	2	4	6	6	9	6	4	-	2	-	-	-
FEMALE--	1	4	5	4	3	5	4	3	2	1	-	-
BLACK---MALE----	2	4	3	5	6	4	4	-	1	-	-	-
FEMALE--	1	4	4	2	3	3	3	2	2	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 481

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 MALIGNANT NEOPLASMS OF DIGESTIVE ORGANS AND PERITONEUM (150-159)												
KENTUCKY -----	1,951	-	-	-	-	-	2	4	9	17	37	55
WHITE-----MALE----	955	-	-	-	-	-	1	2	7	9	18	36
FEMALE--	826	-	-	-	-	-	1	2	2	5	16	11
ALL OTHER--MALE----	90	-	-	-	-	-	-	-	-	3	1	5
FEMALE--	80	-	-	-	-	-	-	-	-	-	2	3
BLACK---MALE----	90	-	-	-	-	-	-	-	-	3	1	5
FEMALE--	76	-	-	-	-	-	-	-	-	-	1	3
LOUISIANA -----	2,174	-	1	-	-	-	5	6	12	19	40	80
WHITE-----MALE----	797	-	-	-	-	-	3	-	5	5	18	33
FEMALE--	654	-	-	-	-	-	1	-	2	5	5	11
ALL OTHER--MALE----	398	-	-	-	-	-	1	3	4	7	12	24
FEMALE--	325	-	1	-	-	-	-	3	1	2	5	12
BLACK---MALE----	390	-	-	-	-	-	1	3	4	7	11	23
FEMALE--	318	-	1	-	-	-	-	3	1	2	5	11
MAINE -----	715	-	1	-	-	-	-	-	2	3	8	18
WHITE-----MALE----	382	-	-	-	-	-	-	-	1	2	4	10
FEMALE--	329	-	1	-	-	-	-	-	1	1	4	8
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	2,474	1	-	-	-	-	-	3	7	15	39	90
WHITE-----MALE----	928	-	-	-	-	-	-	1	5	4	18	36
FEMALE--	830	-	-	-	-	-	-	1	1	6	10	18
ALL OTHER--MALE----	387	-	-	-	-	-	-	1	-	2	7	20
FEMALE--	329	1	-	-	-	-	-	-	1	3	4	16
BLACK---MALE----	356	-	-	-	-	-	-	-	-	2	6	17
FEMALE--	300	1	-	-	-	-	-	-	1	3	4	15
MASSACHUSETTS -----	3,413	-	-	-	-	-	-	1	8	16	38	94
WHITE-----MALE----	1,643	-	-	-	-	-	-	1	6	6	18	56
FEMALE--	1,578	-	-	-	-	-	-	-	2	7	13	31
ALL OTHER--MALE----	101	-	-	-	-	-	-	-	-	-	4	4
FEMALE--	91	-	-	-	-	-	-	-	-	3	3	3
BLACK---MALE----	74	-	-	-	-	-	-	-	-	-	2	3
FEMALE--	66	-	-	-	-	-	-	-	-	3	2	2
MICHIGAN -----	4,613	1	1	-	-	2	4	5	15	28	69	139
WHITE-----MALE----	2,105	1	1	-	-	-	2	3	6	12	31	60
FEMALE--	1,786	-	-	-	-	-	1	-	5	6	23	33
ALL OTHER--MALE----	373	-	-	-	-	2	1	1	2	6	7	28
FEMALE--	349	-	-	-	-	-	-	1	2	4	8	18
BLACK---MALE----	342	-	-	-	-	2	-	1	1	5	6	24
FEMALE--	323	-	-	-	-	-	-	1	2	3	7	17

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 481

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 MALIGNANT NEOPLASMS OF DIGESTIVE ORGANS AND PERITONEUM (150-159)												
KENTUCKY -----	95	147	178	238	292	340	237	195	77	26	2	-
WHITE-----MALE----	60	79	104	131	165	158	92	64	26	3	-	-
FEMALE--	23	51	58	90	105	155	127	111	48	19	2	-
ALL OTHER--MALE----	7	13	8	9	11	13	11	7	1	1	-	-
FEMALE--	5	4	8	8	11	14	7	13	2	3	-	-
BLACK---MALE----	7	13	8	9	11	13	11	7	1	1	-	-
FEMALE--	5	4	8	8	11	14	6	11	2	3	-	-
LOUISIANA -----	102	197	214	268	376	306	251	179	83	31	4	-
WHITE-----MALE----	35	85	92	100	148	113	91	44	21	4	-	-
FEMALE--	22	46	38	69	115	106	92	84	37	17	4	-
ALL OTHER--MALE----	29	44	47	63	68	43	27	17	6	3	-	-
FEMALE--	16	22	37	36	45	44	41	34	19	7	-	-
BLACK---MALE----	29	43	44	62	67	43	27	17	6	3	-	-
FEMALE--	12	22	36	36	45	44	40	34	19	7	-	-
MAINE -----	29	44	50	110	126	117	90	69	38	10	-	-
WHITE-----MALE----	19	26	32	75	72	64	45	23	9	-	-	-
FEMALE--	10	16	18	35	54	53	45	45	28	10	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	1	1	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	107	177	251	291	419	371	358	202	111	27	5	-
WHITE-----MALE----	39	68	101	134	164	140	137	55	21	3	2	-
FEMALE--	24	38	53	72	131	143	143	103	68	16	3	-
ALL OTHER--MALE----	27	42	61	51	67	45	43	16	4	1	-	-
FEMALE--	17	29	36	34	57	43	35	28	18	7	-	-
BLACK---MALE----	26	36	57	47	65	42	38	15	4	1	-	-
FEMALE--	16	27	33	26	49	39	33	28	18	7	-	-
MASSACHUSETTS -----	129	199	238	431	536	570	541	373	170	56	13	-
WHITE-----MALE----	72	127	145	236	306	262	217	144	36	9	2	-
FEMALE--	42	59	70	172	205	272	305	215	130	45	10	-
ALL OTHER--MALE----	9	10	15	13	12	21	9	3	-	1	-	-
FEMALE--	6	3	8	10	13	15	10	11	4	1	1	-
BLACK---MALE----	9	9	13	9	7	14	6	2	-	-	-	-
FEMALE--	4	2	7	7	9	12	9	6	2	1	-	-
MICHIGAN -----	222	313	436	538	713	797	649	430	188	58	4	1
WHITE-----MALE----	115	157	214	292	343	379	269	147	52	20	1	-
FEMALE--	61	91	140	163	259	306	302	248	114	32	2	-
ALL OTHER--MALE----	25	43	43	52	56	57	33	8	6	2	-	1
FEMALE--	21	22	39	31	55	55	45	27	16	4	1	-
BLACK---MALE----	22	40	39	46	52	56	32	7	6	2	-	1
FEMALE--	20	20	35	28	51	54	39	25	16	4	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 482

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 MALIGNANT NEOPLASMS OF DIGESTIVE ORGANS AND PERITONEUM (150-159)												
MINNESOTA -----	2,073	-	1	-	-	1	1	2	6	25	27	55
WHITE-----MALE----	1,060	-	1	-	-	-	-	-	-	13	15	33
FEMALE--	934	-	-	-	-	-	-	1	4	8	10	17
ALL OTHER--MALE----	43	-	-	-	-	-	-	1	1	4	1	4
FEMALE--	36	-	-	-	-	1	1	-	1	-	1	1
BLACK---MALE----	24	-	-	-	-	-	-	-	1	1	-	3
FEMALE--	14	-	-	-	-	-	-	-	-	-	-	1
MISSISSIPPI -----	1,269	-	-	-	-	2	1	-	10	22	29	58
WHITE-----MALE----	447	-	-	-	-	-	-	-	1	5	8	19
FEMALE--	356	-	-	-	-	1	-	-	2	3	6	12
ALL OTHER--MALE----	242	-	-	-	-	-	1	-	4	8	8	20
FEMALE--	224	-	-	-	-	1	-	-	3	6	7	7
BLACK---MALE----	236	-	-	-	-	-	1	-	4	6	8	20
FEMALE--	220	-	-	-	-	1	-	-	3	6	7	7
MISSOURI -----	2,710	-	1	1	-	-	2	3	9	23	38	86
WHITE-----MALE----	1,226	-	-	1	-	-	2	-	4	8	14	48
FEMALE--	1,139	-	1	-	-	-	-	1	4	7	16	23
ALL OTHER--MALE----	175	-	-	-	-	-	-	1	-	7	8	5
FEMALE--	170	-	-	-	-	-	-	1	1	1	-	10
BLACK---MALE----	166	-	-	-	-	-	-	1	-	7	8	4
FEMALE--	161	-	-	-	-	-	-	-	-	1	-	9
MONTANA -----	392	-	-	-	-	-	-	-	4	-	2	10
WHITE-----MALE----	222	-	-	-	-	-	-	-	2	-	-	7
FEMALE--	153	-	-	-	-	-	-	-	2	-	2	2
ALL OTHER--MALE----	14	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	761	-	-	1	-	-	-	1	4	7	11	21
WHITE-----MALE----	397	-	-	-	-	-	-	-	4	5	5	11
FEMALE--	322	-	-	-	-	-	-	-	-	2	4	5
ALL OTHER--MALE----	31	-	-	1	-	-	-	-	-	-	2	3
FEMALE--	11	-	-	-	-	-	-	1	-	-	-	2
BLACK---MALE----	24	-	-	1	-	-	-	-	-	-	1	3
FEMALE--	10	-	-	-	-	-	-	1	-	-	-	2
NEVADA -----	700	-	1	1	-	-	-	-	1	7	12	23
WHITE-----MALE----	362	-	-	1	-	-	-	-	1	3	7	8
FEMALE--	274	-	1	-	-	-	-	-	-	1	4	7
ALL OTHER--MALE----	33	-	-	-	-	-	-	-	-	1	-	4
FEMALE--	31	-	-	-	-	-	-	-	-	2	1	4
BLACK---MALE----	23	-	-	-	-	-	-	-	-	-	-	3
FEMALE--	21	-	-	-	-	-	-	-	-	1	1	2

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 482

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 MALIGNANT NEOPLASMS OF DIGESTIVE ORGANS AND PERITONEUM (150-159)												
MINNESOTA -----	96	115	151	246	307	316	320	240	122	38	4	-
WHITE-----MALE----	60	65	94	142	186	172	138	97	39	5	-	-
FEMALE--	28	44	53	93	110	136	175	140	80	31	4	-
ALL OTHER--MALE----	5	4	1	6	3	5	5	2	-	1	-	-
FEMALE--	3	2	3	5	8	3	2	1	3	1	-	-
BLACK---MALE----	3	2	1	2	2	3	4	1	-	1	-	-
FEMALE--	-	1	2	-	3	2	2	-	2	1	-	-
MISSISSIPPI -----	70	91	131	161	167	181	154	125	50	15	2	-
WHITE-----MALE----	23	37	50	78	58	77	54	30	6	1	-	-
FEMALE--	15	20	29	31	54	61	50	48	17	7	-	-
ALL OTHER--MALE----	19	22	31	27	26	20	20	25	8	2	1	-
FEMALE--	13	12	21	25	29	23	30	22	19	5	1	-
BLACK---MALE----	18	21	30	26	26	20	20	25	8	2	1	-
FEMALE--	13	11	20	25	28	23	30	22	18	5	1	-
MISSOURI -----	115	152	246	333	439	408	383	288	133	46	4	-
WHITE-----MALE----	60	83	127	180	219	180	173	78	39	9	1	-
FEMALE--	37	46	77	106	177	175	174	182	76	34	3	-
ALL OTHER--MALE----	12	15	25	24	29	28	9	10	1	1	-	-
FEMALE--	6	8	17	23	14	25	27	18	17	2	-	-
BLACK---MALE----	10	14	24	24	27	28	8	9	1	1	-	-
FEMALE--	6	8	17	21	13	25	25	18	16	2	-	-
MONTANA -----	14	29	34	52	59	59	58	37	27	7	-	-
WHITE-----MALE----	8	16	16	32	39	36	34	21	6	5	-	-
FEMALE--	4	10	16	19	16	23	22	14	21	2	-	-
ALL OTHER--MALE----	2	2	1	1	4	-	2	2	-	-	-	-
FEMALE--	-	1	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	1	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	31	43	53	97	104	124	124	79	46	14	1	-
WHITE-----MALE----	13	30	34	58	55	74	66	28	11	3	-	-
FEMALE--	15	10	18	32	43	46	56	45	35	11	-	-
ALL OTHER--MALE----	2	2	1	6	4	4	1	4	-	-	1	-
FEMALE--	1	1	-	1	2	-	1	2	-	-	-	-
BLACK---MALE----	1	2	-	5	3	4	1	3	-	-	-	-
FEMALE--	1	1	-	1	1	-	1	2	-	-	-	-
NEVADA -----	41	62	75	102	116	115	88	42	9	5	-	-
WHITE-----MALE----	22	34	40	60	73	57	38	15	2	1	-	-
FEMALE--	13	21	26	32	38	54	45	21	7	4	-	-
ALL OTHER--MALE----	4	7	5	6	2	2	2	-	-	-	-	-
FEMALE--	2	-	4	4	3	2	3	6	-	-	-	-
BLACK---MALE----	1	7	4	4	1	1	2	-	-	-	-	-
FEMALE--	2	-	1	3	2	1	2	6	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 484

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 MALIGNANT NEOPLASMS OF DIGESTIVE ORGANS AND PERITONEUM (150-159)												
OHIO -----	5,681	-	1	-	1	-	2	8	12	39	74	182
WHITE-----MALE----	2,626	-	-	-	-	-	1	3	4	19	44	92
FEMALE--	2,356	-	-	-	-	-	1	2	4	11	19	54
ALL OTHER--MALE----	393	-	1	-	1	-	-	2	3	6	4	28
FEMALE--	306	-	-	-	-	-	-	1	1	3	7	8
BLACK---MALE----	382	-	1	-	1	-	-	2	3	5	3	25
FEMALE--	298	-	-	-	-	-	-	1	1	3	6	7
OKLAHOMA -----	1,524	-	-	-	-	-	2	5	8	7	24	60
WHITE-----MALE----	689	-	-	-	-	-	-	4	3	4	10	36
FEMALE--	647	-	-	-	-	-	2	-	4	3	9	16
ALL OTHER--MALE----	107	-	-	-	-	-	-	1	1	-	3	4
FEMALE--	81	-	-	-	-	-	-	-	-	-	2	4
BLACK---MALE----	58	-	-	-	-	-	-	1	1	-	1	3
FEMALE--	49	-	-	-	-	-	-	-	-	-	1	2
OREGON -----	1,434	-	-	-	1	1	1	3	2	9	18	38
WHITE-----MALE----	733	-	-	-	-	-	-	2	2	5	8	22
FEMALE--	650	-	-	-	-	1	-	1	-	3	9	12
ALL OTHER--MALE----	29	-	-	-	1	-	1	-	-	1	-	3
FEMALE--	22	-	-	-	-	-	-	-	-	-	1	1
BLACK---MALE----	12	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	7,221	-	1	-	-	1	2	8	21	55	100	172
WHITE-----MALE----	3,341	-	1	-	-	-	2	4	13	21	51	82
FEMALE--	3,149	-	-	-	-	1	-	2	3	24	36	60
ALL OTHER--MALE----	373	-	-	-	-	-	-	2	3	4	5	22
FEMALE--	358	-	-	-	-	-	-	-	2	6	8	8
BLACK---MALE----	346	-	-	-	-	-	-	2	2	3	2	20
FEMALE--	341	-	-	-	-	-	-	-	2	5	7	7
RHODE ISLAND -----	616	-	-	-	-	1	-	1	3	8	11	19
WHITE-----MALE----	303	-	-	-	-	1	-	1	-	3	6	12
FEMALE--	288	-	-	-	-	-	-	-	1	4	4	6
ALL OTHER--MALE----	15	-	-	-	-	-	-	-	1	1	1	1
FEMALE--	10	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	8	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	1,793	-	-	-	-	-	1	2	10	19	45	67
WHITE-----MALE----	633	-	-	-	-	-	-	-	4	6	13	13
FEMALE--	541	-	-	-	-	-	-	-	-	3	8	11
ALL OTHER--MALE----	329	-	-	-	-	-	1	-	2	2	14	31
FEMALE--	290	-	-	-	-	-	-	2	4	8	10	12
BLACK---MALE----	329	-	-	-	-	-	1	-	2	2	14	31
FEMALE--	287	-	-	-	-	-	-	2	4	8	10	12

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 484

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 MALIGNANT NEOPLASMS OF DIGESTIVE ORGANS AND PERITONEUM (150-159)												
OHIO -----	245	352	454	721	950	904	838	573	246	73	6	-
WHITE-----MALE----	141	162	232	388	491	418	359	200	57	15	-	-
FEMALE--	71	138	167	219	348	393	396	321	161	46	5	-
ALL OTHER--MALE----	21	27	37	71	70	48	41	22	9	2	-	-
FEMALE--	12	25	18	43	41	45	42	30	19	10	1	-
BLACK---MALE----	21	25	36	69	70	48	41	21	9	2	-	-
FEMALE--	10	24	18	42	41	45	40	30	19	10	1	-
OKLAHOMA -----	81	91	145	165	240	224	227	141	80	19	5	-
WHITE-----MALE----	39	52	79	89	124	89	77	48	31	3	1	-
FEMALE--	24	21	47	62	84	108	125	81	44	14	3	-
ALL OTHER--MALE----	13	13	11	5	19	18	13	3	2	1	-	-
FEMALE--	5	5	8	9	13	9	12	9	3	1	1	-
BLACK---MALE----	8	8	4	4	9	10	5	2	1	1	-	-
FEMALE--	2	3	6	4	7	5	10	6	2	1	-	-
OREGON -----	71	80	109	194	211	215	232	138	86	23	2	-
WHITE-----MALE----	36	48	67	112	112	111	124	61	20	2	1	-
FEMALE--	31	29	35	74	90	101	103	76	63	21	1	-
ALL OTHER--MALE----	1	3	6	6	2	2	2	-	1	-	-	-
FEMALE--	3	-	1	2	7	1	3	1	2	-	-	-
BLACK---MALE----	1	-	2	4	1	-	1	-	1	-	-	-
FEMALE--	1	-	-	2	2	-	2	-	2	-	-	-
PENNSYLVANIA -----	277	373	545	848	1,174	1,285	1,135	783	344	88	9	-
WHITE-----MALE----	156	194	304	462	625	572	466	266	99	21	2	-
FEMALE--	74	122	177	296	429	594	579	469	220	56	7	-
ALL OTHER--MALE----	28	42	41	39	67	57	40	14	8	1	-	-
FEMALE--	19	15	23	51	53	62	50	34	17	10	-	-
BLACK---MALE----	27	39	36	37	66	51	38	14	8	1	-	-
FEMALE--	18	15	19	49	53	59	47	33	17	10	-	-
RHODE ISLAND -----	25	33	55	61	101	102	82	76	33	3	2	-
WHITE-----MALE----	16	20	31	37	60	50	34	24	6	1	1	-
FEMALE--	7	10	22	24	37	47	47	52	25	2	-	-
ALL OTHER--MALE----	2	3	1	-	2	3	-	-	-	-	-	-
FEMALE--	-	-	1	-	2	2	1	-	2	-	1	-
BLACK---MALE----	1	3	1	-	2	1	-	-	-	-	-	-
FEMALE--	-	-	1	-	2	2	1	-	2	-	1	-
SOUTH CAROLINA -----	112	143	182	230	268	277	210	138	71	16	2	-
WHITE-----MALE----	34	59	84	86	108	100	67	37	19	3	-	-
FEMALE--	26	35	36	64	76	94	83	59	35	9	2	-
ALL OTHER--MALE----	34	33	42	47	44	37	23	13	5	1	-	-
FEMALE--	18	16	20	33	40	46	37	29	12	3	-	-
BLACK---MALE----	34	33	42	47	44	37	23	13	5	1	-	-
FEMALE--	18	15	19	32	40	46	37	29	12	3	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 485

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 MALIGNANT NEOPLASMS OF DIGESTIVE ORGANS AND PERITONEUM (150-159)												
SOUTH DAKOTA -----	376	1	-	-	-	-	-	1	1	1	4	10
WHITE-----MALE----	183	-	-	-	-	-	-	-	1	1	-	7
FEMALE--	178	-	-	-	-	-	-	-	-	-	3	2
ALL OTHER--MALE----	8	1	-	-	-	-	-	-	-	-	-	1
FEMALE--	7	-	-	-	-	-	-	1	-	-	1	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	2,650	-	-	-	-	1	3	6	10	26	51	94
WHITE-----MALE----	1,145	-	-	-	-	1	3	2	4	12	27	46
FEMALE--	994	-	-	-	-	-	-	3	2	6	14	21
ALL OTHER--MALE----	258	-	-	-	-	-	-	-	2	7	8	18
FEMALE--	253	-	-	-	-	-	-	1	2	1	2	9
BLACK---MALE----	251	-	-	-	-	-	-	-	1	7	7	18
FEMALE--	248	-	-	-	-	-	-	-	2	1	2	9
TEXAS -----	7,614	1	3	-	-	4	8	14	39	75	175	285
WHITE-----MALE----	3,570	1	1	-	-	4	4	2	14	35	97	155
FEMALE--	2,915	-	2	-	-	-	1	7	10	25	50	74
ALL OTHER--MALE----	617	-	-	-	-	-	1	4	9	13	19	34
FEMALE--	512	-	-	-	-	-	2	1	6	2	9	22
BLACK---MALE----	561	-	-	-	-	-	1	3	7	11	16	31
FEMALE--	473	-	-	-	-	-	-	1	4	1	8	20
UTAH -----	476	-	-	-	-	1	1	-	4	-	13	12
WHITE-----MALE----	241	-	-	-	-	1	1	-	3	-	7	8
FEMALE--	213	-	-	-	-	-	-	-	1	-	6	2
ALL OTHER--MALE----	12	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	283	-	-	-	-	-	-	1	-	-	4	9
WHITE-----MALE----	144	-	-	-	-	-	-	-	-	-	3	7
FEMALE--	139	-	-	-	-	-	-	1	-	-	1	2
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	2,863	-	-	-	1	-	4	4	17	32	54	115
WHITE-----MALE----	1,131	-	-	-	-	-	2	2	9	12	18	47
FEMALE--	999	-	-	-	-	-	-	2	5	8	17	27
ALL OTHER--MALE----	383	-	-	-	1	-	-	-	1	6	13	29
FEMALE--	350	-	-	-	-	-	2	-	2	6	6	12
BLACK---MALE----	358	-	-	-	1	-	-	-	1	5	11	26
FEMALE--	327	-	-	-	-	-	2	-	2	6	5	11

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 485

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 MALIGNANT NEOPLASMS OF DIGESTIVE ORGANS AND PERITONEUM (150-159)												
SOUTH DAKOTA -----	16	17	32	38	64	54	57	43	29	8	-	-
WHITE-----MALE----	11	9	16	24	28	30	29	19	7	1	-	-
FEMALE--	5	8	14	12	32	24	26	23	22	7	-	-
ALL OTHER--MALE----	-	-	1	2	3	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	1	-	2	1	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	137	178	242	330	388	416	362	251	125	26	4	-
WHITE-----MALE----	68	92	102	180	189	187	121	80	25	6	-	-
FEMALE--	38	44	90	93	117	159	177	132	79	16	3	-
ALL OTHER--MALE----	21	21	25	36	37	33	28	15	5	2	-	-
FEMALE--	10	21	25	21	45	37	36	24	16	2	1	-
BLACK---MALE----	20	20	24	35	37	33	27	15	5	2	-	-
FEMALE--	10	21	24	21	45	36	36	22	16	2	1	-
TEXAS -----	393	557	699	994	1,142	1,105	961	697	361	87	14	-
WHITE-----MALE----	210	285	355	537	578	528	412	250	83	16	3	-
FEMALE--	115	182	208	295	406	452	448	356	219	56	9	-
ALL OTHER--MALE----	44	53	89	102	81	60	42	40	21	4	1	-
FEMALE--	24	37	47	60	77	65	59	51	38	11	1	-
BLACK---MALE----	36	46	81	94	77	55	39	38	21	4	1	-
FEMALE--	20	33	43	55	75	58	57	49	37	11	1	-
UTAH -----	15	39	33	61	80	83	47	57	24	5	1	-
WHITE-----MALE----	10	21	18	37	42	40	19	24	9	1	-	-
FEMALE--	5	12	13	22	34	40	27	32	14	4	1	-
ALL OTHER--MALE----	-	3	1	-	2	2	1	1	1	-	-	-
FEMALE--	-	3	1	2	2	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	2	-	1	-	-	-	-	-	-	-	-
VERMONT -----	11	19	26	32	47	33	41	38	17	5	-	-
WHITE-----MALE----	6	12	16	20	29	17	15	15	4	-	-	-
FEMALE--	5	7	10	12	18	16	26	23	13	5	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	150	203	269	368	454	445	349	254	107	32	5	-
WHITE-----MALE----	68	90	124	168	190	175	118	81	20	7	-	-
FEMALE--	38	62	75	93	153	178	156	107	58	18	2	-
ALL OTHER--MALE----	32	35	39	60	63	38	31	23	8	4	-	-
FEMALE--	12	16	31	47	48	54	44	43	21	3	3	-
BLACK---MALE----	30	32	37	57	57	37	30	23	7	4	-	-
FEMALE--	12	15	28	43	45	49	42	42	19	3	3	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 487

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX OF ESOPHAGUS (150)	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 UNITED STATES --	741	1,094	1,363	1,744	1,925	1,652	1,103	628	244	66	9	-
WHITE-----MALE----	487	686	857	1,166	1,290	1,049	660	319	111	21	-	-
FEMALE--	59	133	203	253	351	414	325	251	107	40	8	-
ALL OTHER--MALE----	160	210	228	235	201	130	74	30	15	2	-	-
FEMALE--	35	65	75	90	83	59	44	28	11	3	1	-
BLACK---MALE----	147	195	209	217	176	117	64	26	11	2	-	-
FEMALE--	34	62	69	80	76	51	35	22	9	3	1	-
ALABAMA -----	20	26	23	30	28	24	10	5	2	-	-	-
WHITE-----MALE----	12	9	9	13	12	11	7	2	-	-	-	-
FEMALE--	1	2	2	5	5	4	2	2	-	-	-	-
ALL OTHER--MALE----	5	14	11	10	10	9	1	1	2	-	-	-
FEMALE--	2	1	1	2	1	-	-	-	-	-	-	-
BLACK---MALE----	4	14	11	10	10	9	1	1	2	-	-	-
FEMALE--	2	1	1	2	1	-	-	-	-	-	-	-
ALASKA -----	-	1	2	-	3	2	2	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	2	1	-	-	-	-	-
FEMALE--	-	-	1	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	2	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	8	15	23	33	36	29	19	7	4	-	-	-
WHITE-----MALE----	6	13	15	24	26	22	17	4	2	-	-	-
FEMALE--	2	1	5	8	10	7	2	3	1	-	-	-
ALL OTHER--MALE----	-	1	3	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	1	-	-	-
ARKANSAS -----	7	9	11	18	18	17	8	7	3	-	1	-
WHITE-----MALE----	5	4	6	11	10	14	3	2	1	-	-	-
FEMALE--	-	1	2	4	3	2	3	4	-	-	1	-
ALL OTHER--MALE----	2	3	2	3	3	1	1	1	1	-	-	-
FEMALE--	-	1	1	-	2	-	1	-	1	-	-	-
BLACK---MALE----	2	3	2	3	3	1	1	1	1	-	-	-
FEMALE--	-	1	1	-	2	-	1	-	1	-	-	-
CALIFORNIA -----	55	91	121	178	175	178	112	69	29	6	-	-
WHITE-----MALE----	35	69	78	127	118	111	70	37	13	2	-	-
FEMALE--	6	8	21	28	44	56	31	28	13	4	-	-
ALL OTHER--MALE----	13	11	17	16	8	6	8	3	3	-	-	-
FEMALE--	1	3	5	7	5	5	3	1	-	-	-	-
BLACK---MALE----	9	6	11	10	6	4	2	1	1	-	-	-
FEMALE--	1	2	5	4	3	4	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 488

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX OF ESOPHAGUS (150)	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
COLORADO -----	8	7	12	23	19	21	12	5	4	-	-	-
WHITE-----MALE----	7	7	9	21	16	14	10	3	3	-	-	-
FEMALE--	-	-	2	1	3	7	1	2	1	-	-	-
ALL OTHER--MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
CONNECTICUT -----	16	17	22	19	19	16	20	18	6	2	-	-
WHITE-----MALE----	12	8	14	12	15	13	13	13	2	-	-	-
FEMALE--	1	6	5	4	2	2	7	5	4	2	-	-
ALL OTHER--MALE----	3	2	1	3	2	1	-	-	-	-	-	-
FEMALE--	-	1	2	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	2	1	3	1	1	-	-	-	-	-	-
FEMALE--	-	1	2	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	3	7	11	12	3	1	1	-	-	-	-
WHITE-----MALE----	-	2	5	9	7	1	1	1	-	-	-	-
FEMALE--	-	-	-	-	2	2	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	2	1	2	-	-	-	-	-	-	-
FEMALE--	-	1	-	1	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	2	1	2	-	-	-	-	-	-	-
FEMALE--	-	1	-	1	1	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	3	4	5	8	6	5	4	3	2	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	2	-	-	-
FEMALE--	-	-	-	-	-	-	1	2	-	-	-	-
ALL OTHER--MALE----	3	3	2	4	4	2	2	-	-	-	-	-
FEMALE--	-	1	3	4	2	3	1	1	-	-	-	-
BLACK---MALE----	3	3	2	4	4	2	2	-	-	-	-	-
FEMALE--	-	1	3	4	2	3	1	1	-	-	-	-
FLORIDA -----	51	74	84	119	138	125	87	47	17	8	1	-
WHITE-----MALE----	37	41	53	89	98	94	56	26	9	5	-	-
FEMALE--	6	13	14	19	30	28	23	18	8	2	1	-
ALL OTHER--MALE----	7	15	11	7	6	3	5	2	-	-	-	-
FEMALE--	1	5	6	4	4	-	3	1	-	1	-	-
BLACK---MALE----	7	15	11	7	6	3	5	2	-	-	-	-
FEMALE--	1	5	5	4	3	-	3	1	-	1	-	-
GEORGIA -----	24	34	39	38	47	37	24	11	3	1	-	-
WHITE-----MALE----	9	13	18	16	23	14	10	2	3	-	-	-
FEMALE--	2	-	3	3	9	10	11	6	-	1	-	-
ALL OTHER--MALE----	11	17	13	12	10	10	1	2	-	-	-	-
FEMALE--	2	4	5	7	5	3	2	1	-	-	-	-
BLACK---MALE----	11	16	13	11	9	10	1	2	-	-	-	-
FEMALE--	2	4	5	7	5	3	2	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 490

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX OF ESOPHAGUS (150)	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
KENTUCKY -----	13	19	16	26	23	29	9	7	3	1	-	-
WHITE-----MALE----	9	13	12	16	11	18	7	4	2	1	-	-
FEMALE--	-	4	2	7	6	7	2	2	1	-	-	-
ALL OTHER--MALE----	2	1	2	2	5	4	-	-	-	-	-	-
FEMALE--	2	1	-	1	1	-	-	1	-	-	-	-
BLACK---MALE----	2	1	2	2	5	4	-	-	-	-	-	-
FEMALE--	2	1	-	1	1	-	-	1	-	-	-	-
LOUISIANA -----	6	38	24	30	37	15	16	5	3	1	1	-
WHITE-----MALE----	1	22	10	15	19	6	7	3	3	1	-	-
FEMALE--	-	7	3	3	7	3	6	1	-	-	1	-
ALL OTHER--MALE----	4	8	10	10	8	5	1	1	-	-	-	-
FEMALE--	1	1	1	2	3	1	2	-	-	-	-	-
BLACK---MALE----	4	8	10	10	8	5	1	1	-	-	-	-
FEMALE--	1	1	-	2	3	1	2	-	-	-	-	-
MAINE -----	3	9	7	19	7	12	6	6	-	-	-	-
WHITE-----MALE----	3	8	6	15	6	11	4	3	-	-	-	-
FEMALE--	-	1	1	4	1	1	2	3	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	12	25	34	40	38	33	22	8	6	-	-	-
WHITE-----MALE----	5	12	17	27	25	14	12	3	2	-	-	-
FEMALE--	-	-	-	3	5	7	5	4	4	-	-	-
ALL OTHER--MALE----	5	8	9	6	3	8	2	1	-	-	-	-
FEMALE--	2	5	8	4	5	4	3	-	-	-	-	-
BLACK---MALE----	5	8	9	6	3	8	2	1	-	-	-	-
FEMALE--	2	5	8	3	5	4	2	-	-	-	-	-
MASSACHUSETTS -----	15	29	37	40	54	49	39	20	5	3	-	-
WHITE-----MALE----	10	23	28	35	45	23	24	15	1	1	-	-
FEMALE--	1	5	5	4	9	23	13	4	3	2	-	-
ALL OTHER--MALE----	4	1	3	-	-	2	2	-	-	-	-	-
FEMALE--	-	-	1	1	-	1	-	1	1	-	-	-
BLACK---MALE----	4	1	3	-	-	2	2	-	-	-	-	-
FEMALE--	-	-	1	1	-	-	-	-	-	-	-	-
MICHIGAN -----	30	41	53	50	76	63	46	28	5	4	-	-
WHITE-----MALE----	25	27	29	36	44	44	22	12	3	3	-	-
FEMALE--	3	2	14	6	18	13	14	15	1	1	-	-
ALL OTHER--MALE----	2	7	8	6	7	4	6	-	1	-	-	-
FEMALE--	-	5	2	2	7	2	4	1	-	-	-	-
BLACK---MALE----	2	6	8	5	6	4	6	-	1	-	-	-
FEMALE--	-	5	2	2	7	2	3	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 493

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX OF ESOPHAGUS (150)	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
OHIO -----	30	49	56	83	93	75	40	31	4	3	-	-
WHITE-----MALE----	26	32	31	54	66	49	24	10	1	-	-	-
FEMALE--	2	10	13	8	19	19	9	17	3	3	-	-
ALL OTHER--MALE----	2	4	11	15	6	6	6	2	-	-	-	-
FEMALE--	-	3	1	6	2	1	1	2	-	-	-	-
BLACK---MALE----	2	4	11	15	6	6	6	2	-	-	-	-
FEMALE--	-	3	1	6	2	1	1	2	-	-	-	-
OKLAHOMA -----	13	14	8	21	21	18	10	4	2	2	-	-
WHITE-----MALE----	10	12	6	15	13	7	5	1	2	-	-	-
FEMALE--	1	-	1	5	5	7	1	2	-	2	-	-
ALL OTHER--MALE----	2	2	1	-	3	3	3	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	1	1	-	-	-	-
BLACK---MALE----	1	-	-	-	1	1	3	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	1	-	-	-	-	-
OREGON -----	5	12	20	25	23	21	20	12	3	-	-	-
WHITE-----MALE----	5	12	19	17	20	16	14	8	2	-	-	-
FEMALE--	-	-	1	6	3	5	6	4	1	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	44	57	72	83	116	88	65	29	21	4	1	-
WHITE-----MALE----	30	40	56	57	89	55	41	15	8	-	-	-
FEMALE--	3	4	8	14	16	26	21	14	12	3	1	-
ALL OTHER--MALE----	8	10	6	9	11	2	1	-	1	-	-	-
FEMALE--	3	3	2	3	-	5	2	-	-	1	-	-
BLACK---MALE----	7	10	5	9	11	2	1	-	1	-	-	-
FEMALE--	3	3	2	3	-	5	2	-	-	1	-	-
RHODE ISLAND -----	3	7	5	2	11	6	5	3	1	-	-	-
WHITE-----MALE----	3	5	3	2	8	5	3	2	-	-	-	-
FEMALE--	-	1	2	-	2	1	2	1	1	-	-	-
ALL OTHER--MALE----	-	1	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	23	17	30	39	26	24	13	8	6	1	-	-
WHITE-----MALE----	5	3	15	11	12	10	2	1	2	-	-	-
FEMALE--	-	1	1	4	2	6	7	3	3	-	-	-
ALL OTHER--MALE----	14	12	13	19	8	5	4	1	-	1	-	-
FEMALE--	4	1	1	5	4	3	-	3	1	-	-	-
BLACK---MALE----	14	12	13	19	8	5	4	1	-	1	-	-
FEMALE--	4	1	1	5	4	3	-	3	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 494

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX OF ESOPHAGUS (150)	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
SOUTH DAKOTA -----	1	-	4	4	2	4	5	2	1	-	-	-
WHITE-----MALE----	-	-	3	3	-	4	4	1	1	-	-	-
FEMALE--	1	-	1	-	2	-	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	16	22	36	30	35	38	19	10	3	1	1	-
WHITE-----MALE----	9	12	20	22	24	24	11	5	2	-	-	-
FEMALE--	2	4	6	4	6	9	4	4	1	1	-	-
ALL OTHER--MALE----	5	2	5	2	5	5	3	1	-	-	-	-
FEMALE--	-	4	5	2	-	-	1	-	-	-	1	-
BLACK---MALE----	5	2	5	2	5	5	3	1	-	-	-	-
FEMALE--	-	4	5	2	-	-	1	-	-	-	1	-
TEXAS -----	37	60	87	103	101	87	49	36	13	1	1	-
WHITE-----MALE----	26	45	48	69	69	59	30	20	4	-	-	-
FEMALE--	3	6	13	16	14	20	15	10	5	1	1	-
ALL OTHER--MALE----	8	7	21	16	14	6	3	3	3	-	-	-
FEMALE--	-	2	5	2	4	2	1	3	1	-	-	-
BLACK---MALE----	8	7	19	15	13	5	3	3	3	-	-	-
FEMALE--	-	2	5	1	4	2	1	2	1	-	-	-
UTAH -----	2	5	1	4	6	8	2	1	2	1	1	-
WHITE-----MALE----	2	5	1	3	6	7	1	1	1	-	-	-
FEMALE--	-	-	-	1	-	1	1	-	1	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	2	2	5	4	4	2	4	3	-	-	-	-
WHITE-----MALE----	2	2	5	3	3	2	3	2	-	-	-	-
FEMALE--	-	-	-	1	1	-	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	20	39	26	58	49	43	20	9	3	1	-	-
WHITE-----MALE----	14	23	15	20	31	20	11	4	-	-	-	-
FEMALE--	-	4	4	12	7	11	4	3	2	1	-	-
ALL OTHER--MALE----	6	11	4	20	8	8	1	2	-	-	-	-
FEMALE--	-	1	3	6	3	4	4	-	1	-	-	-
BLACK---MALE----	6	11	4	20	7	8	1	2	-	-	-	-
FEMALE--	-	1	2	6	2	4	3	-	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 496

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX OF STOMACH (151)	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 UNITED STATES --	13,062	-	-	-	-	6	8	46	76	195	329	412
WHITE-----MALE----	6,074	-	-	-	-	1	-	13	34	64	142	208
FEMALE--	4,083	-	-	-	-	1	3	11	16	52	90	85
ALL OTHER--MALE----	1,692	-	-	-	-	2	2	8	14	39	56	79
FEMALE--	1,213	-	-	-	-	2	3	14	12	40	41	40
BLACK---MALE----	1,297	-	-	-	-	2	2	6	7	30	43	59
FEMALE--	904	-	-	-	-	2	-	11	7	26	27	25
ALABAMA -----	207	-	-	-	-	-	-	1	1	2	4	8
WHITE-----MALE----	71	-	-	-	-	-	-	-	-	-	1	5
FEMALE--	58	-	-	-	-	-	-	1	-	-	2	2
ALL OTHER--MALE----	45	-	-	-	-	-	-	-	-	1	1	1
FEMALE--	33	-	-	-	-	-	-	-	1	1	-	-
BLACK---MALE----	45	-	-	-	-	-	-	-	-	1	1	1
FEMALE--	31	-	-	-	-	-	-	-	1	1	-	-
ALASKA -----	18	-	-	-	-	-	-	-	1	-	-	1
WHITE-----MALE----	7	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	1	-	-	1
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	200	-	-	-	-	-	1	1	1	3	11	8
WHITE-----MALE----	113	-	-	-	-	-	-	-	-	-	6	3
FEMALE--	68	-	-	-	-	-	1	-	-	2	3	4
ALL OTHER--MALE----	9	-	-	-	-	-	-	1	-	-	1	1
FEMALE--	10	-	-	-	-	-	-	-	1	1	1	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	119	-	-	-	-	-	-	-	1	2	4	5
WHITE-----MALE----	52	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	41	-	-	-	-	-	-	-	1	-	-	1
ALL OTHER--MALE----	13	-	-	-	-	-	-	-	-	1	1	3
FEMALE--	13	-	-	-	-	-	-	-	-	1	2	-
BLACK---MALE----	13	-	-	-	-	-	-	-	-	1	1	3
FEMALE--	12	-	-	-	-	-	-	-	-	1	1	-
CALIFORNIA -----	1,550	-	-	-	-	1	1	9	9	26	48	59
WHITE-----MALE----	686	-	-	-	-	-	-	5	2	10	23	30
FEMALE--	453	-	-	-	-	1	-	2	2	6	15	12
ALL OTHER--MALE----	250	-	-	-	-	-	-	1	3	2	6	9
FEMALE--	161	-	-	-	-	-	1	1	2	8	4	8
BLACK---MALE----	91	-	-	-	-	-	-	1	1	-	3	2
FEMALE--	45	-	-	-	-	-	-	-	-	3	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 496

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX OF STOMACH (151)	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 UNITED STATES --	597	806	1,043	1,508	1,879	2,159	1,883	1,309	605	170	30	1
WHITE-----MALE----	315	412	520	801	953	1,053	846	505	162	36	9	-
FEMALE--	123	181	249	361	524	661	707	597	319	95	8	-
ALL OTHER--MALE----	111	147	189	219	239	247	190	87	53	8	2	-
FEMALE--	48	66	85	127	163	198	140	120	71	31	11	1
BLACK---MALE----	89	108	143	179	186	182	143	70	40	6	2	-
FEMALE--	35	48	54	89	113	163	109	94	63	26	11	1
ALABAMA -----	9	14	15	19	35	43	18	23	11	2	2	-
WHITE-----MALE----	2	4	5	5	15	21	5	5	3	-	-	-
FEMALE--	4	5	6	4	7	10	5	7	4	1	-	-
ALL OTHER--MALE----	2	2	4	7	8	5	5	7	1	1	-	-
FEMALE--	1	3	-	3	5	7	3	4	3	-	2	-
BLACK---MALE----	2	2	4	7	8	5	5	7	1	1	-	-
FEMALE--	1	2	-	3	5	7	3	3	3	-	2	-
ALASKA -----	1	4	5	2	2	1	1	-	-	-	-	-
WHITE-----MALE----	-	2	2	1	-	1	1	-	-	-	-	-
FEMALE--	-	-	1	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	1	2	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	1	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	10	9	20	23	44	25	23	13	8	-	-	-
WHITE-----MALE----	8	5	14	18	30	15	9	4	1	-	-	-
FEMALE--	2	3	4	4	11	8	10	9	7	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	2	3	-	-	-	-	-
FEMALE--	-	-	2	1	3	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	2	-	1	-	-	-	-	-
ARKANSAS -----	3	7	7	19	17	23	13	10	6	2	-	-
WHITE-----MALE----	3	6	3	11	10	8	5	4	-	-	-	-
FEMALE--	-	-	2	5	5	12	4	5	5	1	-	-
ALL OTHER--MALE----	-	1	2	1	1	-	2	-	1	-	-	-
FEMALE--	-	-	-	2	1	3	2	1	-	1	-	-
BLACK---MALE----	-	1	2	1	1	-	2	-	1	-	-	-
FEMALE--	-	-	-	2	1	3	2	1	-	1	-	-
CALIFORNIA -----	70	112	135	170	208	242	216	143	74	24	3	-
WHITE-----MALE----	34	59	61	79	93	115	99	55	16	4	1	-
FEMALE--	16	24	23	44	58	62	73	64	37	13	1	-
ALL OTHER--MALE----	13	21	33	32	29	43	28	15	13	1	1	-
FEMALE--	7	8	18	15	28	22	16	9	8	6	-	-
BLACK---MALE----	5	9	8	15	10	17	9	5	5	-	1	-
FEMALE--	2	2	8	4	6	8	4	1	4	2	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 497

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX OF STOMACH (151)	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
COLORADO -----	125	-	-	-	-	-	-	2	-	4	2	6
WHITE-----MALE----	74	-	-	-	-	-	-	2	-	3	1	4
FEMALE--	40	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	8	-	-	-	-	-	-	-	-	1	-	2
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	6	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	200	-	-	-	-	-	-	-	-	1	3	2
WHITE-----MALE----	115	-	-	-	-	-	-	-	-	-	2	1
FEMALE--	65	-	-	-	-	-	-	-	-	1	1	1
ALL OTHER--MALE----	9	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	11	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	7	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	11	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	37	-	-	-	-	-	-	-	-	2	2	1
WHITE-----MALE----	14	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	8	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	8	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	1	1	-
BLACK---MALE----	7	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	1	1	-
DISTRICT OF COLUMBIA ----	36	-	-	-	-	-	-	1	-	-	1	1
WHITE-----MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	20	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	11	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	19	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	10	-	-	-	-	-	-	1	-	-	-	-
FLORIDA -----	960	-	-	-	-	-	-	1	8	12	11	25
WHITE-----MALE----	477	-	-	-	-	-	-	-	4	4	7	18
FEMALE--	324	-	-	-	-	-	-	1	3	1	2	3
ALL OTHER--MALE----	98	-	-	-	-	-	-	-	-	2	1	4
FEMALE--	61	-	-	-	-	-	-	-	1	5	1	-
BLACK---MALE----	95	-	-	-	-	-	-	-	-	1	1	4
FEMALE--	57	-	-	-	-	-	-	-	1	4	1	-
GEORGIA -----	308	-	-	-	-	-	-	2	-	9	5	8
WHITE-----MALE----	109	-	-	-	-	-	-	-	-	2	1	2
FEMALE--	67	-	-	-	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	68	-	-	-	-	-	-	-	-	4	2	3
FEMALE--	64	-	-	-	-	-	-	2	-	3	1	2
BLACK---MALE----	65	-	-	-	-	-	-	-	-	4	2	3
FEMALE--	64	-	-	-	-	-	-	2	-	3	1	2

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 497

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX OF STOMACH (151)	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
COLORADO -----	6	5	12	15	20	20	18	8	5	2	-	-
WHITE-----MALE----	5	3	9	10	12	12	8	2	2	1	-	-
FEMALE--	1	2	1	4	7	8	7	6	3	-	-	-
ALL OTHER--MALE----	-	-	1	1	1	-	2	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	1	-	-	1	-	-
BLACK---MALE----	-	-	1	1	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-
CONNECTICUT -----	5	9	11	18	33	41	43	23	7	3	1	-
WHITE-----MALE----	5	5	6	9	22	31	19	11	2	2	-	-
FEMALE--	-	2	4	7	8	9	17	11	3	1	-	-
ALL OTHER--MALE----	-	2	1	1	-	-	4	-	-	-	1	-
FEMALE--	-	-	-	1	3	1	3	1	2	-	-	-
BLACK---MALE----	-	1	1	1	-	-	3	-	-	-	1	-
FEMALE--	-	-	-	1	3	1	3	1	2	-	-	-
DELAWARE -----	2	2	2	3	8	3	7	2	1	1	1	-
WHITE-----MALE----	1	1	2	1	2	2	4	-	-	-	-	-
FEMALE--	-	-	-	1	2	1	2	-	1	-	-	-
ALL OTHER--MALE----	1	-	-	1	4	-	-	1	-	-	-	-
FEMALE--	-	1	-	-	-	-	1	1	-	1	1	-
BLACK---MALE----	-	-	-	1	4	-	-	1	-	-	-	-
FEMALE--	-	1	-	-	-	-	1	1	-	1	1	-
DISTRICT OF COLUMBIA ----	1	2	5	4	2	6	7	5	1	-	-	-
WHITE-----MALE----	-	-	1	-	1	-	-	1	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	1	2	3	4	-	4	3	1	-	-	-	-
FEMALE--	-	-	-	-	1	2	4	3	-	-	-	-
BLACK---MALE----	1	2	3	4	-	3	3	1	-	-	-	-
FEMALE--	-	-	-	-	1	1	4	3	-	-	-	-
FLORIDA -----	39	45	84	90	141	186	139	115	51	10	2	1
WHITE-----MALE----	19	26	40	55	81	95	66	43	16	2	1	-
FEMALE--	10	9	26	19	45	54	56	62	28	5	-	-
ALL OTHER--MALE----	7	7	14	12	12	23	9	6	1	-	-	-
FEMALE--	3	3	4	4	3	14	8	4	6	3	1	1
BLACK---MALE----	7	7	14	12	12	21	9	6	1	-	-	-
FEMALE--	3	3	4	4	3	13	8	3	5	3	1	1
GEORGIA -----	28	20	28	40	41	61	33	19	11	2	1	-
WHITE-----MALE----	10	8	15	15	16	21	9	7	3	-	-	-
FEMALE--	2	3	3	10	11	13	15	4	3	1	-	-
ALL OTHER--MALE----	13	3	8	7	8	9	6	4	1	-	-	-
FEMALE--	3	6	2	8	6	18	3	4	4	1	1	-
BLACK---MALE----	12	3	8	6	8	9	5	4	1	-	-	-
FEMALE--	3	6	2	8	6	18	3	4	4	1	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 498

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX OF STOMACH (151)	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
HAWAII -----	4	8	8	20	24	26	15	11	2	1	-	-
WHITE-----MALE----	-	-	-	1	1	1	3	-	-	-	-	-
FEMALE--	-	-	-	-	2	1	1	2	-	-	-	-
ALL OTHER--MALE----	3	6	5	10	16	19	7	5	1	-	-	-
FEMALE--	1	2	3	9	5	5	4	4	1	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	2	2	4	2	3	6	5	3	1	-	-	-
WHITE-----MALE----	1	1	3	2	2	3	3	-	-	-	-	-
FEMALE--	1	1	1	-	1	2	2	3	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	19	24	48	61	102	101	83	64	21	5	3	-
WHITE-----MALE----	9	13	23	36	56	38	41	27	6	2	1	-
FEMALE--	3	5	10	11	25	36	32	30	8	2	1	-
ALL OTHER--MALE----	6	3	9	11	14	14	6	2	5	1	-	-
FEMALE--	1	3	6	3	7	13	4	5	2	-	1	-
BLACK---MALE----	3	2	9	9	12	14	6	2	4	1	-	-
FEMALE--	-	3	4	1	4	13	3	4	2	-	1	-
INDIANA -----	10	10	22	27	31	48	32	18	11	3	1	-
WHITE-----MALE----	6	5	9	15	18	20	15	7	2	-	-	-
FEMALE--	3	4	10	6	8	20	12	9	6	3	1	-
ALL OTHER--MALE----	1	1	3	4	3	5	3	-	-	-	-	-
FEMALE--	-	-	-	2	2	3	2	2	3	-	-	-
BLACK---MALE----	1	1	3	4	3	5	3	-	-	-	-	-
FEMALE--	-	-	-	2	2	3	1	2	3	-	-	-
IOWA -----	1	12	7	16	13	15	13	10	11	4	-	-
WHITE-----MALE----	1	10	6	11	10	13	8	7	1	1	-	-
FEMALE--	-	2	-	5	2	2	4	3	10	3	-	-
ALL OTHER--MALE----	-	-	1	-	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS -----	2	5	10	8	19	16	9	9	2	-	-	-
WHITE-----MALE----	2	5	6	5	12	8	4	6	1	-	-	-
FEMALE--	-	-	2	1	4	7	4	3	1	-	-	-
ALL OTHER--MALE----	-	-	1	-	2	1	1	-	-	-	-	-
FEMALE--	-	-	1	2	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	2	-	1	-	-	-	-	-
FEMALE--	-	-	1	1	1	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 499

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX OF STOMACH (151)	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
KENTUCKY -----	224	-	-	-	-	-	-	2	1	2	8	4
WHITE-----MALE----	111	-	-	-	-	-	-	1	1	2	2	4
FEMALE--	95	-	-	-	-	-	-	1	-	-	5	-
ALL OTHER--MALE----	8	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	10	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	8	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	238	-	-	-	-	-	1	4	1	1	9	8
WHITE-----MALE----	85	-	-	-	-	-	-	-	-	-	4	4
FEMALE--	46	-	-	-	-	-	1	-	-	-	-	3
ALL OTHER--MALE----	57	-	-	-	-	-	-	1	1	1	5	1
FEMALE--	50	-	-	-	-	-	-	3	-	-	-	-
BLACK---MALE----	56	-	-	-	-	-	-	1	1	1	5	1
FEMALE--	48	-	-	-	-	-	-	3	-	-	-	-
MAINE -----	77	-	-	-	-	-	-	-	1	2	1	1
WHITE-----MALE----	54	-	-	-	-	-	-	-	-	2	1	1
FEMALE--	22	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	264	-	-	-	-	-	-	1	2	1	8	10
WHITE-----MALE----	80	-	-	-	-	-	-	-	2	-	2	3
FEMALE--	73	-	-	-	-	-	-	1	-	1	2	2
ALL OTHER--MALE----	76	-	-	-	-	-	-	-	-	-	4	2
FEMALE--	35	-	-	-	-	-	-	-	-	-	-	3
BLACK---MALE----	67	-	-	-	-	-	-	-	-	-	4	1
FEMALE--	31	-	-	-	-	-	-	-	-	-	-	3
MASSACHUSETTS -----	362	-	-	-	-	-	-	-	3	6	4	8
WHITE-----MALE----	185	-	-	-	-	-	-	-	2	1	2	5
FEMALE--	148	-	-	-	-	-	-	-	1	4	1	2
ALL OTHER--MALE----	16	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	13	-	-	-	-	-	-	-	-	1	1	1
BLACK---MALE----	9	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	1	1	-
MICHIGAN -----	427	-	-	-	-	1	-	2	4	6	11	13
WHITE-----MALE----	204	-	-	-	-	-	-	1	2	3	4	6
FEMALE--	133	-	-	-	-	-	-	-	1	1	4	2
ALL OTHER--MALE----	45	-	-	-	-	1	-	-	-	1	1	2
FEMALE--	45	-	-	-	-	-	-	1	1	1	2	3
BLACK---MALE----	43	-	-	-	-	1	-	-	-	1	1	2
FEMALE--	41	-	-	-	-	-	-	1	1	-	1	3

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 499

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX OF STOMACH (151)	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
KENTUCKY -----	6	16	22	24	32	42	23	33	7	2	-	-
WHITE-----MALE----	4	7	10	14	20	20	11	12	3	-	-	-
FEMALE--	2	5	9	10	11	20	11	16	4	1	-	-
ALL OTHER--MALE----	-	3	2	-	-	-	1	2	-	-	-	-
FEMALE--	-	1	1	-	1	2	-	3	-	1	-	-
BLACK---MALE----	-	3	2	-	-	-	1	2	-	-	-	-
FEMALE--	-	1	1	-	1	2	-	3	-	1	-	-
LOUISIANA -----	14	24	15	31	43	28	27	23	5	4	-	-
WHITE-----MALE----	3	9	7	11	17	12	11	5	1	1	-	-
FEMALE--	2	4	1	7	9	4	5	7	2	1	-	-
ALL OTHER--MALE----	7	5	4	9	9	5	5	4	-	-	-	-
FEMALE--	2	6	3	4	8	7	6	7	2	2	-	-
BLACK---MALE----	7	5	3	9	9	5	5	4	-	-	-	-
FEMALE--	1	6	3	4	8	7	5	7	2	2	-	-
MAINE -----	2	6	5	8	12	10	13	8	6	2	-	-
WHITE-----MALE----	1	5	5	8	9	6	10	5	1	-	-	-
FEMALE--	1	1	-	-	3	4	3	3	4	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	8	19	23	33	42	40	39	26	10	2	-	-
WHITE-----MALE----	3	5	5	12	16	15	8	7	1	1	-	-
FEMALE--	2	4	5	7	11	14	9	12	3	-	-	-
ALL OTHER--MALE----	3	9	11	10	9	9	15	2	2	-	-	-
FEMALE--	-	1	2	4	6	2	7	5	4	1	-	-
BLACK---MALE----	3	7	11	8	8	9	12	2	2	-	-	-
FEMALE--	-	1	2	3	4	2	6	5	4	1	-	-
MASSACHUSETTS -----	11	18	22	29	54	64	68	48	16	8	3	-
WHITE-----MALE----	5	14	19	15	28	35	33	18	6	1	1	-
FEMALE--	3	2	3	11	21	22	32	28	10	6	2	-
ALL OTHER--MALE----	1	2	-	2	3	5	2	-	-	1	-	-
FEMALE--	2	-	-	1	2	2	1	2	-	-	-	-
BLACK---MALE----	1	2	-	2	3	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	2	1	1	-	-	-	-	-
MICHIGAN -----	24	29	34	43	59	77	47	50	20	5	2	-
WHITE-----MALE----	8	13	20	32	32	35	22	17	8	-	1	-
FEMALE--	9	7	10	5	16	25	20	23	6	4	-	-
ALL OTHER--MALE----	4	6	3	6	5	10	2	2	2	-	-	-
FEMALE--	3	3	1	-	6	7	3	8	4	1	1	-
BLACK---MALE----	3	6	3	6	5	10	2	1	2	-	-	-
FEMALE--	2	3	1	-	6	7	2	8	4	1	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 500

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX OF STOMACH (151)	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
MINNESOTA -----	6	9	13	13	24	26	34	20	15	1	-	-
WHITE-----MALE----	4	4	8	6	17	17	27	15	4	-	-	-
FEMALE--	-	3	4	5	7	6	6	4	10	1	-	-
ALL OTHER--MALE----	1	2	-	-	-	1	1	1	-	-	-	-
FEMALE--	1	-	1	2	-	2	-	-	1	-	-	-
BLACK---MALE----	1	1	-	-	-	1	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	2	-	-	1	-	-	-
MISSISSIPPI -----	5	8	13	20	14	19	14	17	7	2	-	-
WHITE-----MALE----	2	3	5	7	4	7	3	2	-	-	-	-
FEMALE--	2	2	1	5	4	2	3	5	4	1	-	-
ALL OTHER--MALE----	1	2	6	5	4	5	7	5	3	1	-	-
FEMALE--	-	1	1	3	2	5	1	5	-	-	-	-
BLACK---MALE----	1	2	6	5	4	5	7	5	3	1	-	-
FEMALE--	-	1	1	3	2	5	1	5	-	-	-	-
MISSOURI -----	12	11	17	23	30	38	33	25	15	5	2	-
WHITE-----MALE----	7	7	9	16	18	18	20	8	2	1	-	-
FEMALE--	3	2	2	4	8	11	9	11	8	2	2	-
ALL OTHER--MALE----	1	2	4	2	3	6	2	3	-	-	-	-
FEMALE--	1	-	2	1	1	3	2	3	5	2	-	-
BLACK---MALE----	1	2	4	2	2	6	1	3	-	-	-	-
FEMALE--	1	-	2	1	1	3	2	3	4	2	-	-
MONTANA -----	2	4	2	2	2	5	1	4	3	3	-	-
WHITE-----MALE----	1	2	2	1	1	2	1	4	3	2	-	-
FEMALE--	-	2	-	-	1	3	-	-	-	1	-	-
ALL OTHER--MALE----	1	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	6	4	9	11	5	10	8	7	2	1	-	-
WHITE-----MALE----	5	3	9	4	2	9	3	5	1	-	-	-
FEMALE--	-	-	-	3	-	1	5	1	1	1	-	-
ALL OTHER--MALE----	1	1	-	4	2	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	1	1	-	4	1	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA -----	2	3	10	6	4	15	6	7	1	-	-	-
WHITE-----MALE----	-	3	4	4	3	6	4	2	1	-	-	-
FEMALE--	1	-	2	2	1	8	2	2	-	-	-	-
ALL OTHER--MALE----	1	-	2	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	2	-	-	1	-	3	-	-	-	-
BLACK---MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	3	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 502

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX OF STOMACH (151)	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
OHIO -----	499	-	-	-	-	-	-	1	1	8	10	17
WHITE-----MALE----	261	-	-	-	-	-	-	1	1	4	5	9
FEMALE--	145	-	-	-	-	-	-	-	-	2	2	2
ALL OTHER--MALE----	54	-	-	-	-	-	-	-	-	2	1	5
FEMALE--	39	-	-	-	-	-	-	-	-	-	2	1
BLACK---MALE----	52	-	-	-	-	-	-	-	-	2	1	5
FEMALE--	38	-	-	-	-	-	-	-	-	-	2	1
OKLAHOMA -----	128	-	-	-	-	-	-	1	2	-	-	3
WHITE-----MALE----	60	-	-	-	-	-	-	-	-	-	-	3
FEMALE--	46	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	14	-	-	-	-	-	-	1	1	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	11	-	-	-	-	-	-	1	1	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	116	-	-	-	-	-	-	2	1	1	1	5
WHITE-----MALE----	70	-	-	-	-	-	-	1	1	1	1	2
FEMALE--	41	-	-	-	-	-	-	1	-	-	-	3
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	681	-	-	-	-	-	-	2	3	6	16	12
WHITE-----MALE----	345	-	-	-	-	-	-	-	3	2	8	5
FEMALE--	251	-	-	-	-	-	-	1	-	2	4	3
ALL OTHER--MALE----	49	-	-	-	-	-	-	1	-	1	-	2
FEMALE--	36	-	-	-	-	-	-	-	-	1	4	2
BLACK---MALE----	46	-	-	-	-	-	-	1	-	1	-	2
FEMALE--	31	-	-	-	-	-	-	-	-	-	3	2
RHODE ISLAND -----	72	-	-	-	-	-	-	-	-	2	1	1
WHITE-----MALE----	41	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	30	-	-	-	-	-	-	-	-	2	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	192	-	-	-	-	-	-	1	2	4	6	7
WHITE-----MALE----	53	-	-	-	-	-	-	-	1	1	2	-
FEMALE--	40	-	-	-	-	-	-	-	-	2	-	3
ALL OTHER--MALE----	58	-	-	-	-	-	-	-	-	-	2	4
FEMALE--	41	-	-	-	-	-	-	1	1	1	2	-
BLACK---MALE----	58	-	-	-	-	-	-	-	-	-	2	4
FEMALE--	41	-	-	-	-	-	-	1	1	1	2	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 502

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX OF STOMACH (151)	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
OHIO -----	24	23	41	55	62	74	81	66	25	10	1	-
WHITE-----MALE----	16	12	30	27	34	43	38	31	7	3	-	-
FEMALE--	4	5	5	15	19	17	29	30	13	2	-	-
ALL OTHER--MALE----	3	5	4	9	6	6	8	4	1	-	-	-
FEMALE--	1	1	2	4	3	8	6	1	4	5	1	-
BLACK---MALE----	3	3	4	9	6	6	8	4	1	-	-	-
FEMALE--	1	1	2	4	3	8	5	1	4	5	1	-
OKLAHOMA -----	7	11	14	13	24	18	15	11	7	1	1	-
WHITE-----MALE----	5	5	8	8	10	8	6	2	4	-	1	-
FEMALE--	-	1	3	4	8	9	9	7	3	1	-	-
ALL OTHER--MALE----	1	4	3	1	2	-	-	1	-	-	-	-
FEMALE--	1	1	-	-	4	1	-	1	-	-	-	-
BLACK---MALE----	1	3	1	1	2	-	-	1	-	-	-	-
FEMALE--	1	-	-	-	1	1	-	1	-	-	-	-
OREGON -----	6	6	4	21	15	17	18	8	9	1	1	-
WHITE-----MALE----	5	4	3	15	8	9	10	5	4	-	1	-
FEMALE--	1	1	-	5	6	8	8	2	5	1	-	-
ALL OTHER--MALE----	-	1	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	1	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	28	36	40	76	98	146	109	64	33	11	1	-
WHITE-----MALE----	16	21	24	42	50	73	57	30	10	3	1	-
FEMALE--	5	9	9	28	36	57	39	32	19	7	-	-
ALL OTHER--MALE----	6	5	5	1	9	11	6	-	1	1	-	-
FEMALE--	1	1	2	5	3	5	7	2	3	-	-	-
BLACK---MALE----	6	5	4	1	9	10	5	-	1	1	-	-
FEMALE--	1	1	1	4	3	5	7	1	3	-	-	-
RHODE ISLAND -----	2	5	8	12	9	11	11	7	2	1	-	-
WHITE-----MALE----	1	3	7	5	6	7	5	4	1	-	-	-
FEMALE--	1	2	1	7	3	3	6	3	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	12	18	15	22	31	29	19	15	9	2	-	-
WHITE-----MALE----	4	8	2	6	12	9	5	2	1	-	-	-
FEMALE--	-	4	2	4	4	5	7	5	3	1	-	-
ALL OTHER--MALE----	6	4	9	7	8	9	4	3	2	-	-	-
FEMALE--	2	2	2	5	7	6	3	5	3	1	-	-
BLACK---MALE----	6	4	9	7	8	9	4	3	2	-	-	-
FEMALE--	2	2	2	5	7	6	3	5	3	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 503

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX OF STOMACH (151)	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
SOUTH DAKOTA -----	32	-	-	-	-	-	-	1	-	-	1	1
WHITE-----MALE----	16	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	12	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	1	-	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	260	-	-	-	-	-	-	-	1	2	7	4
WHITE-----MALE----	115	-	-	-	-	-	-	-	-	2	5	1
FEMALE--	81	-	-	-	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	36	-	-	-	-	-	-	-	1	-	-	2
FEMALE--	28	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	35	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	27	-	-	-	-	-	-	-	-	-	1	-
TEXAS -----	805	-	-	-	-	1	2	2	9	17	27	38
WHITE-----MALE----	373	-	-	-	-	1	-	-	4	7	11	17
FEMALE--	270	-	-	-	-	-	-	1	1	7	9	12
ALL OTHER--MALE----	87	-	-	-	-	-	-	-	2	3	4	7
FEMALE--	75	-	-	-	-	-	2	1	2	-	3	2
BLACK---MALE----	78	-	-	-	-	-	-	-	1	2	3	6
FEMALE--	68	-	-	-	-	-	-	1	2	-	2	2
UTAH -----	45	-	-	-	-	-	-	-	-	-	2	2
WHITE-----MALE----	23	-	-	-	-	-	-	-	-	-	2	1
FEMALE--	17	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	27	-	-	-	-	-	-	-	-	-	3	1
WHITE-----MALE----	16	-	-	-	-	-	-	-	-	-	2	1
FEMALE--	11	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	287	-	-	-	-	-	-	-	2	4	7	9
WHITE-----MALE----	99	-	-	-	-	-	-	-	1	1	2	4
FEMALE--	82	-	-	-	-	-	-	-	-	1	2	2
ALL OTHER--MALE----	57	-	-	-	-	-	-	-	-	1	2	3
FEMALE--	49	-	-	-	-	-	-	-	1	1	1	-
BLACK---MALE----	52	-	-	-	-	-	-	-	-	1	2	3
FEMALE--	43	-	-	-	-	-	-	-	1	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 503

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX OF STOMACH (151)	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
SOUTH DAKOTA -----	1	-	3	2	3	7	7	3	2	1	-	-
WHITE-----MALE----	-	-	2	2	1	5	4	1	-	-	-	-
FEMALE--	1	-	-	-	1	2	3	2	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	12	16	19	33	49	27	48	28	12	1	1	-
WHITE-----MALE----	6	10	4	19	24	14	19	10	1	-	-	-
FEMALE--	3	3	6	6	15	8	19	10	7	1	1	-
ALL OTHER--MALE----	2	3	4	5	5	2	6	4	2	-	-	-
FEMALE--	1	-	5	3	5	3	4	4	2	-	-	-
BLACK---MALE----	2	3	4	5	5	2	6	4	2	-	-	-
FEMALE--	1	-	4	3	5	3	4	4	2	-	-	-
TEXAS -----	51	62	53	108	104	102	106	61	49	11	2	-
WHITE-----MALE----	24	27	26	59	54	53	44	25	18	2	1	-
FEMALE--	15	21	15	26	30	36	44	25	21	7	-	-
ALL OTHER--MALE----	8	5	7	16	13	7	9	3	3	-	-	-
FEMALE--	4	9	5	7	7	6	9	8	7	2	1	-
BLACK---MALE----	7	5	7	15	12	7	7	3	3	-	-	-
FEMALE--	3	7	5	7	6	6	9	8	7	2	1	-
UTAH -----	4	2	2	8	4	5	4	10	2	-	-	-
WHITE-----MALE----	2	1	1	5	1	4	1	5	-	-	-	-
FEMALE--	2	-	1	2	2	1	3	5	1	-	-	-
ALL OTHER--MALE----	-	1	-	-	1	-	-	-	1	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	2	1	3	5	3	6	2	-	1	-	-
WHITE-----MALE----	-	2	1	2	5	1	2	-	-	-	-	-
FEMALE--	-	-	-	1	-	2	4	2	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	18	27	22	33	35	45	48	27	9	1	-	-
WHITE-----MALE----	6	11	10	19	11	15	12	7	-	-	-	-
FEMALE--	5	8	9	5	6	15	16	9	4	-	-	-
ALL OTHER--MALE----	5	7	2	4	10	3	12	5	3	-	-	-
FEMALE--	2	1	1	5	8	12	8	6	2	1	-	-
BLACK---MALE----	4	5	2	4	9	3	11	5	3	-	-	-
FEMALE--	2	1	1	5	7	10	7	5	2	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 505

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
OF SMALL INTESTINE, INCLUDING DUODENUM (152)												
UNITED STATES --	66	73	84	127	178	180	154	107	33	8	-	-
WHITE-----MALE----	35	33	43	54	86	82	66	42	9	1	-	-
FEMALE--	14	22	25	47	67	72	76	54	21	6	-	-
ALL OTHER--MALE----	9	9	7	14	9	14	5	4	-	-	-	-
FEMALE--	8	9	9	12	16	12	7	7	3	1	-	-
BLACK---MALE----	7	8	6	12	9	11	5	4	-	-	-	-
FEMALE--	7	9	8	10	12	10	7	5	3	1	-	-
ALABAMA -----	-	1	1	1	2	-	2	4	1	-	-	-
WHITE-----MALE----	-	-	1	1	-	-	1	2	-	-	-	-
FEMALE--	-	-	-	-	2	-	-	2	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
ALASKA -----	-	-	-	1	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	2	1	-	5	4	3	3	3	1	-	-	-
WHITE-----MALE----	2	-	-	4	2	3	2	2	-	-	-	-
FEMALE--	-	1	-	-	2	-	1	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	-	-	-	1	1	2	1	-	1	-	-	-
WHITE-----MALE----	-	-	-	1	-	1	1	-	1	-	-	-
FEMALE--	-	-	-	-	1	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	7	6	11	9	14	25	18	16	2	1	-	-
WHITE-----MALE----	5	4	5	4	7	14	8	4	2	-	-	-
FEMALE--	1	2	3	2	5	6	9	10	-	1	-	-
ALL OTHER--MALE----	1	-	2	2	1	1	-	1	-	-	-	-
FEMALE--	-	-	1	1	1	4	1	1	-	-	-	-
BLACK---MALE----	1	-	1	2	1	-	-	1	-	-	-	-
FEMALE--	-	-	1	1	-	3	1	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 506

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
 OF SMALL INTESTINE, INCLUDING DUODENUM (152)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
COLORADO -----	12	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	7	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	17	-	-	-	-	-	-	-	-	2	-	-
WHITE-----MALE----	8	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	2	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	7	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	7	-	-	-	-	-	-	-	-	-	-	1
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	96	-	-	-	-	-	-	-	1	3	1	2
WHITE-----MALE----	54	-	-	-	-	-	-	-	1	2	1	-
FEMALE--	38	-	-	-	-	-	-	-	-	1	-	1
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
GEORGIA -----	24	-	-	-	-	-	-	-	2	1	1	1
WHITE-----MALE----	7	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	1	1	-	1
BLACK---MALE----	6	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	1	1	-	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 508

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
 OF SMALL INTESTINE, INCLUDING DUODENUM (152)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
KENTUCKY -----	17	-	-	-	-	-	-	-	1	-	-	1
WHITE-----MALE----	9	-	-	-	-	-	-	-	1	-	-	1
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	15	-	-	-	-	-	-	-	-	1	1	1
WHITE-----MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
MAINE -----	4	-	-	-	-	-	-	-	-	-	-	1
WHITE-----MALE----	4	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	21	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	8	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS -----	35	-	-	-	-	-	-	-	1	-	-	3
WHITE-----MALE----	16	-	-	-	-	-	-	-	1	-	-	2
FEMALE--	16	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	35	-	-	-	-	-	-	-	-	1	-	1
WHITE-----MALE----	15	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	13	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 508

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 OF SMALL INTESTINE, INCLUDING DUODENUM (152)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
KENTUCKY -----	1	1	2	2	3	2	4	-	-	-	-	-
WHITE-----MALE----	1	-	2	1	2	-	1	-	-	-	-	-
FEMALE--	-	1	-	1	1	2	3	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	-	1	1	2	2	2	3	-	1	-	-	-
WHITE-----MALE----	-	-	1	-	1	2	-	-	-	-	-	-
FEMALE--	-	1	-	2	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	3	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	3	-	1	-	-	-
MAINE -----	-	-	-	2	1	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	2	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	3	4	1	2	5	2	3	1	-	-	-	-
WHITE-----MALE----	1	-	1	2	1	-	2	1	-	-	-	-
FEMALE--	1	-	-	-	2	-	1	-	-	-	-	-
ALL OTHER--MALE----	1	1	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	3	-	-	2	1	-	-	-	-	-	-
BLACK---MALE----	1	1	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	3	-	-	2	1	-	-	-	-	-	-
MASSACHUSETTS -----	1	4	1	6	3	7	6	3	-	-	-	-
WHITE-----MALE----	-	2	1	2	3	3	2	-	-	-	-	-
FEMALE--	-	2	-	3	-	3	4	3	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
MICHIGAN -----	2	-	5	6	6	5	7	2	-	-	-	-
WHITE-----MALE----	1	-	3	1	4	3	1	1	-	-	-	-
FEMALE--	-	-	1	3	1	1	6	1	-	-	-	-
ALL OTHER--MALE----	-	-	1	2	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	2	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 511

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 OF SMALL INTESTINE, INCLUDING DUODENUM (152)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
OHIO -----	3	3	1	5	12	8	7	4	2	1	-	-
WHITE-----MALE----	1	1	-	1	5	2	5	3	-	-	-	-
FEMALE--	-	1	-	1	4	6	2	1	2	1	-	-
ALL OTHER--MALE----	1	1	-	-	1	-	-	-	-	-	-	-
FEMALE--	1	-	1	3	2	-	-	-	-	-	-	-
BLACK---MALE----	1	1	-	-	1	-	-	-	-	-	-	-
FEMALE--	1	-	1	3	2	-	-	-	-	-	-	-
OKLAHOMA -----	1	-	-	1	2	2	4	2	-	-	-	-
WHITE-----MALE----	1	-	-	1	1	1	2	1	-	-	-	-
FEMALE--	-	-	-	-	1	-	2	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	-	1	-	-	2	1	3	3	1	-	-	-
WHITE-----MALE----	-	-	-	-	2	1	2	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	3	1	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	3	2	4	4	10	7	3	5	-	-	-	-
WHITE-----MALE----	2	2	3	2	4	3	2	3	-	-	-	-
FEMALE--	-	-	1	1	4	4	1	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	2	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	2	-	-	-	-	-	-	-
RHODE ISLAND -----	-	-	-	1	2	1	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	2	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	3	2	-	3	1	3	2	1	-	-	-	-
WHITE-----MALE----	1	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	2	1	-	-	-	3	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	1	-	-	-	-
FEMALE--	-	1	-	1	-	-	2	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	1	-	-	-	-
FEMALE--	-	1	-	1	-	-	2	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 512

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 OF SMALL INTESTINE, INCLUDING DUODENUM (152)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
SOUTH DAKOTA -----	1	-	-	-	2	1	2	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	2	-	-	-	-	-
FEMALE--	-	-	-	-	2	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	2	2	2	3	3	6	3	1	1	-	-	-
WHITE-----MALE----	1	1	1	1	-	3	2	1	-	-	-	-
FEMALE--	-	-	-	2	2	1	1	-	1	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	1	1	-	1	1	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	1	1	-	1	1	-	-	-	-	-	-
TEXAS -----	4	4	6	5	9	8	7	3	2	2	-	-
WHITE-----MALE----	1	2	5	1	4	3	1	1	1	-	-	-
FEMALE--	3	2	1	3	5	4	6	1	1	2	-	-
ALL OTHER--MALE----	-	-	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
UTAH -----	-	1	1	-	-	1	-	1	-	-	-	-
WHITE-----MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
VERMONT -----	1	-	1	-	2	1	-	1	-	-	-	-
WHITE-----MALE----	-	-	1	-	1	1	-	1	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	1	2	-	1	5	4	4	3	2	-	-	-
WHITE-----MALE----	-	-	-	-	1	2	1	2	1	-	-	-
FEMALE--	1	-	-	1	3	1	2	-	1	-	-	-
ALL OTHER--MALE----	-	1	-	-	1	-	1	-	-	-	-	-
FEMALE--	-	1	-	-	-	1	-	1	-	-	-	-
BLACK---MALE----	-	1	-	-	1	-	1	-	-	-	-	-
FEMALE--	-	1	-	-	-	1	-	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 514

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX OF COLON (153)	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 UNITED STATES --	48,111	-	-	-	2	14	30	64	172	329	629	1,248
WHITE-----MALE----	20,370	-	-	-	-	9	19	24	65	113	256	516
FEMALE--	21,289	-	-	-	-	3	5	22	52	110	222	435
ALL OTHER--MALE----	3,067	-	-	-	2	1	6	12	30	52	71	157
FEMALE--	3,385	-	-	-	-	1	-	6	25	54	80	140
BLACK---MALE----	2,658	-	-	-	1	-	3	10	23	41	58	139
FEMALE--	2,997	-	-	-	-	-	-	4	19	44	67	119
ALABAMA -----	738	-	-	-	-	-	1	1	2	6	12	27
WHITE-----MALE----	245	-	-	-	-	-	1	-	1	1	5	7
FEMALE--	286	-	-	-	-	-	-	1	-	3	3	11
ALL OTHER--MALE----	98	-	-	-	-	-	-	-	-	1	1	8
FEMALE--	109	-	-	-	-	-	-	-	1	1	3	1
BLACK---MALE----	98	-	-	-	-	-	-	-	-	1	1	8
FEMALE--	109	-	-	-	-	-	-	-	1	1	3	1
ALASKA -----	42	-	-	-	-	-	-	-	-	1	2	3
WHITE-----MALE----	18	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	10	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	9	-	-	-	-	-	-	-	-	1	-	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	665	-	-	-	-	-	1	1	6	6	6	12
WHITE-----MALE----	328	-	-	-	-	-	1	1	3	2	2	8
FEMALE--	307	-	-	-	-	-	-	-	3	2	3	3
ALL OTHER--MALE----	15	-	-	-	-	-	-	-	-	2	-	-
FEMALE--	15	-	-	-	-	-	-	-	-	-	1	1
BLACK---MALE----	9	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	1
ARKANSAS -----	465	-	-	-	-	-	-	-	1	3	2	12
WHITE-----MALE----	199	-	-	-	-	-	-	-	-	-	1	6
FEMALE--	194	-	-	-	-	-	-	-	-	1	1	3
ALL OTHER--MALE----	32	-	-	-	-	-	-	-	1	1	-	-
FEMALE--	40	-	-	-	-	-	-	-	-	1	-	3
BLACK---MALE----	31	-	-	-	-	-	-	-	1	1	-	-
FEMALE--	40	-	-	-	-	-	-	-	-	1	-	3
CALIFORNIA -----	4,270	-	-	-	1	5	3	7	14	31	60	116
WHITE-----MALE----	1,784	-	-	-	-	3	3	3	4	13	18	44
FEMALE--	1,841	-	-	-	-	1	-	1	5	7	23	46
ALL OTHER--MALE----	303	-	-	-	1	1	-	1	3	4	7	12
FEMALE--	342	-	-	-	-	-	-	2	2	7	12	14
BLACK---MALE----	154	-	-	-	-	-	-	1	-	3	3	6
FEMALE--	181	-	-	-	-	-	-	1	1	3	8	5

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 514

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX OF COLON (153)	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 UNITED STATES --	1,832	2,585	3,763	5,444	7,142	7,921	7,513	5,643	2,884	796	98	2
WHITE-----MALE----	856	1,150	1,830	2,749	3,386	3,614	3,013	1,857	740	159	14	-
FEMALE--	639	956	1,281	1,913	2,769	3,441	3,701	3,271	1,860	537	70	2
ALL OTHER--MALE----	176	272	346	409	482	426	323	185	83	31	3	-
FEMALE--	161	207	306	373	505	440	476	330	201	69	11	-
BLACK---MALE----	150	239	304	359	427	364	274	163	72	29	2	-
FEMALE--	132	182	275	327	443	397	430	304	182	62	10	-
ALABAMA -----	38	42	52	74	109	112	115	80	52	15	-	-
WHITE-----MALE----	12	14	21	30	44	41	43	13	10	2	-	-
FEMALE--	12	19	17	22	29	49	47	46	21	6	-	-
ALL OTHER--MALE----	7	5	8	10	20	11	9	8	9	1	-	-
FEMALE--	7	4	6	12	16	11	16	13	12	6	-	-
BLACK---MALE----	7	5	8	10	20	11	9	8	9	1	-	-
FEMALE--	7	4	6	12	16	11	16	13	12	6	-	-
ALASKA -----	6	3	4	9	5	2	5	-	2	-	-	-
WHITE-----MALE----	-	2	1	6	3	-	2	-	1	-	-	-
FEMALE--	2	1	2	1	1	1	1	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	1	1	-	1	-	-	-	-	-
FEMALE--	2	-	1	1	-	1	1	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	25	42	63	71	105	117	94	75	30	10	1	-
WHITE-----MALE----	12	20	34	35	66	58	45	27	10	3	1	-
FEMALE--	9	20	24	33	37	54	46	48	18	7	-	-
ALL OTHER--MALE----	4	1	3	1	1	2	1	-	-	-	-	-
FEMALE--	-	1	2	2	1	3	2	-	2	-	-	-
BLACK---MALE----	-	1	2	1	1	2	1	-	-	-	-	-
FEMALE--	-	1	1	-	1	2	1	-	1	-	-	-
ARKANSAS -----	14	34	36	50	74	77	70	56	28	8	-	-
WHITE-----MALE----	9	17	13	27	36	38	21	22	9	-	-	-
FEMALE--	4	12	14	15	27	28	39	26	17	7	-	-
ALL OTHER--MALE----	-	3	4	4	4	5	3	6	-	1	-	-
FEMALE--	1	2	5	4	7	6	7	2	2	-	-	-
BLACK---MALE----	-	3	4	4	3	5	3	6	-	1	-	-
FEMALE--	1	2	5	4	7	6	7	2	2	-	-	-
CALIFORNIA -----	176	237	350	457	597	693	676	512	258	64	13	-
WHITE-----MALE----	80	101	167	215	270	310	287	183	63	19	1	-
FEMALE--	61	81	121	161	228	292	312	291	166	36	9	-
ALL OTHER--MALE----	16	34	30	42	40	50	41	12	8	1	-	-
FEMALE--	19	21	32	39	59	41	36	26	21	8	3	-
BLACK---MALE----	9	17	18	26	20	21	22	5	2	1	-	-
FEMALE--	5	13	18	22	32	25	17	15	10	3	3	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 515

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX OF COLON (153)	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
COLORADO -----	500	-	-	-	-	-	-	1	-	6	5	16
WHITE-----MALE----	241	-	-	-	-	-	-	-	-	3	3	13
FEMALE--	243	-	-	-	-	-	-	1	-	2	2	3
ALL OTHER--MALE----	7	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	5	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	625	-	-	-	-	-	-	1	2	6	11	12
WHITE-----MALE----	267	-	-	-	-	-	-	1	-	3	7	6
FEMALE--	312	-	-	-	-	-	-	-	1	3	3	6
ALL OTHER--MALE----	22	-	-	-	-	-	-	-	1	-	1	-
FEMALE--	24	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	20	-	-	-	-	-	-	-	1	-	1	-
FEMALE--	21	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	158	-	-	-	-	-	-	-	-	1	4	2
WHITE-----MALE----	58	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	72	-	-	-	-	-	-	-	-	1	1	1
ALL OTHER--MALE----	13	-	-	-	-	-	-	-	-	-	3	-
FEMALE--	15	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	13	-	-	-	-	-	-	-	-	-	3	-
FEMALE--	15	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	115	-	-	-	-	-	-	1	1	2	2	2
WHITE-----MALE----	16	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	16	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	38	-	-	-	-	-	-	-	1	-	1	2
FEMALE--	45	-	-	-	-	-	-	-	-	2	1	-
BLACK---MALE----	38	-	-	-	-	-	-	-	1	-	1	2
FEMALE--	44	-	-	-	-	-	-	-	-	1	1	-
FLORIDA -----	3,380	-	-	-	-	-	-	4	10	18	43	58
WHITE-----MALE----	1,510	-	-	-	-	-	-	1	5	6	17	21
FEMALE--	1,538	-	-	-	-	-	-	2	1	5	12	19
ALL OTHER--MALE----	164	-	-	-	-	-	-	1	2	5	6	7
FEMALE--	168	-	-	-	-	-	-	-	2	2	8	11
BLACK---MALE----	157	-	-	-	-	-	-	-	2	4	6	6
FEMALE--	164	-	-	-	-	-	-	-	2	2	6	11
GEORGIA -----	992	-	-	-	-	2	-	2	7	7	25	37
WHITE-----MALE----	354	-	-	-	-	2	-	-	1	2	11	12
FEMALE--	377	-	-	-	-	-	-	1	1	2	10	13
ALL OTHER--MALE----	119	-	-	-	-	-	-	1	4	2	2	9
FEMALE--	142	-	-	-	-	-	-	-	1	1	2	3
BLACK---MALE----	117	-	-	-	-	-	-	1	4	2	2	8
FEMALE--	140	-	-	-	-	-	-	-	1	1	2	2

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 515

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX OF COLON (153)	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
COLORADO -----	23	21	55	61	68	72	72	55	35	9	1	-
WHITE-----MALE----	16	13	33	33	27	34	36	18	9	3	-	-
FEMALE--	7	8	18	25	38	36	34	37	25	6	1	-
ALL OTHER--MALE----	-	-	2	2	1	1	-	-	-	-	-	-
FEMALE--	-	-	2	1	2	1	2	-	1	-	-	-
BLACK---MALE----	-	-	2	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	2	1	1	1	2	-	1	-	-	-
CONNECTICUT -----	26	30	47	73	81	105	102	81	36	12	-	-
WHITE-----MALE----	10	12	24	36	35	52	45	26	9	1	-	-
FEMALE--	11	9	18	32	40	46	54	53	25	11	-	-
ALL OTHER--MALE----	2	4	2	3	3	3	1	1	1	-	-	-
FEMALE--	3	5	3	2	3	4	2	1	1	-	-	-
BLACK---MALE----	2	4	2	3	2	3	-	1	1	-	-	-
FEMALE--	3	4	3	1	3	3	2	1	1	-	-	-
DELAWARE -----	7	6	16	20	29	19	20	21	11	1	-	1
WHITE-----MALE----	1	2	7	13	11	8	7	8	-	-	-	-
FEMALE--	1	2	6	4	14	10	9	12	9	1	-	1
ALL OTHER--MALE----	3	1	1	2	2	-	-	-	1	-	-	-
FEMALE--	2	1	2	1	2	1	4	1	1	-	-	-
BLACK---MALE----	3	1	1	2	2	-	-	-	1	-	-	-
FEMALE--	2	1	2	1	2	1	4	1	1	-	-	-
DISTRICT OF COLUMBIA ----	7	8	13	12	15	17	13	12	9	1	-	-
WHITE-----MALE----	2	1	1	1	3	1	1	3	1	1	-	-
FEMALE--	-	1	-	2	1	3	1	4	4	-	-	-
ALL OTHER--MALE----	-	3	7	6	6	6	6	-	-	-	-	-
FEMALE--	5	3	5	3	5	7	5	5	4	-	-	-
BLACK---MALE----	-	3	7	6	6	6	6	-	-	-	-	-
FEMALE--	5	3	5	3	5	7	5	5	4	-	-	-
FLORIDA -----	109	161	236	405	495	613	548	415	212	44	8	1
WHITE-----MALE----	56	75	115	213	258	305	235	129	60	11	3	-
FEMALE--	31	54	83	140	186	270	284	268	145	32	5	1
ALL OTHER--MALE----	14	19	21	22	23	22	11	7	4	-	-	-
FEMALE--	8	13	17	30	28	16	18	11	3	1	-	-
BLACK---MALE----	12	19	21	22	23	20	11	7	4	-	-	-
FEMALE--	7	13	17	30	28	16	17	11	3	1	-	-
GEORGIA -----	42	62	94	111	142	167	138	106	38	11	1	-
WHITE-----MALE----	18	16	42	56	62	63	35	25	6	3	-	-
FEMALE--	10	25	22	32	52	57	68	50	27	6	1	-
ALL OTHER--MALE----	9	14	17	9	11	17	11	11	1	1	-	-
FEMALE--	5	7	13	14	17	30	24	20	4	1	-	-
BLACK---MALE----	9	14	17	9	11	17	11	10	1	1	-	-
FEMALE--	5	7	13	14	17	30	23	20	4	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 516

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX OF COLON (153)	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
HAWAII -----	141	-	-	-	-	-	1	-	1	4	-	5
WHITE-----MALE----	24	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	12	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	55	-	-	-	-	-	1	-	-	1	-	1
FEMALE--	50	-	-	-	-	-	-	-	1	2	-	4
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	147	-	-	-	-	-	-	-	1	1	-	5
WHITE-----MALE----	80	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	67	-	-	-	-	-	-	-	1	-	-	4
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	2,353	-	-	-	-	1	2	2	3	6	33	65
WHITE-----MALE----	966	-	-	-	-	-	2	1	1	3	16	23
FEMALE--	1,016	-	-	-	-	1	-	-	1	2	11	26
ALL OTHER--MALE----	180	-	-	-	-	-	-	1	-	1	3	9
FEMALE--	191	-	-	-	-	-	-	-	1	-	3	7
BLACK---MALE----	169	-	-	-	-	-	-	1	-	1	2	9
FEMALE--	186	-	-	-	-	-	-	-	1	-	3	7
INDIANA -----	1,148	-	-	-	-	-	1	3	4	5	14	25
WHITE-----MALE----	476	-	-	-	-	-	1	2	2	1	5	15
FEMALE--	575	-	-	-	-	-	-	-	2	3	4	9
ALL OTHER--MALE----	45	-	-	-	-	-	-	1	-	1	4	1
FEMALE--	52	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	43	-	-	-	-	-	-	1	-	1	3	1
FEMALE--	52	-	-	-	-	-	-	-	-	-	1	-
IOWA -----	748	-	-	-	-	-	1	-	1	2	7	9
WHITE-----MALE----	346	-	-	-	-	-	1	-	-	-	4	2
FEMALE--	393	-	-	-	-	-	-	-	1	2	3	6
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
KANSAS -----	495	-	-	-	-	-	-	-	5	7	4	10
WHITE-----MALE----	209	-	-	-	-	-	-	-	1	3	3	7
FEMALE--	259	-	-	-	-	-	-	-	3	4	1	3
ALL OTHER--MALE----	14	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	13	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	10	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	12	-	-	-	-	-	-	-	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 516

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX OF COLON (153)	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
HAWAII -----	3	9	11	23	22	29	15	8	8	2	-	-
WHITE-----MALE----	-	2	1	6	4	6	1	2	1	-	-	-
FEMALE--	-	-	-	-	3	3	3	1	2	-	-	-
ALL OTHER--MALE----	-	4	8	10	6	13	4	3	3	1	-	-
FEMALE--	3	3	2	7	9	7	7	2	2	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	6	9	19	12	21	20	30	16	4	3	-	-
WHITE-----MALE----	2	4	14	6	12	13	17	6	2	2	-	-
FEMALE--	4	5	5	6	9	7	13	10	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	91	126	184	259	336	367	377	291	150	51	9	-
WHITE-----MALE----	38	48	86	127	154	163	147	103	45	8	1	-
FEMALE--	38	51	54	76	127	154	193	157	88	33	4	-
ALL OTHER--MALE----	8	19	24	30	33	26	12	7	5	2	-	-
FEMALE--	7	8	20	26	22	24	25	24	12	8	4	-
BLACK---MALE----	7	19	22	29	33	24	10	5	5	2	-	-
FEMALE--	6	6	20	25	22	24	24	24	12	8	4	-
INDIANA -----	46	41	90	134	179	196	183	135	72	18	2	-
WHITE-----MALE----	21	12	42	80	88	82	72	33	16	4	-	-
FEMALE--	20	22	37	44	77	98	99	92	52	14	2	-
ALL OTHER--MALE----	3	3	5	4	6	7	5	4	1	-	-	-
FEMALE--	2	4	6	6	8	9	7	6	3	-	-	-
BLACK---MALE----	2	3	5	4	6	7	5	4	1	-	-	-
FEMALE--	2	4	6	6	8	9	7	6	3	-	-	-
IOWA -----	22	30	43	90	109	131	130	91	62	18	2	-
WHITE-----MALE----	14	16	25	42	62	64	63	32	15	5	1	-
FEMALE--	8	14	18	47	44	67	65	58	46	13	1	-
ALL OTHER--MALE----	-	-	-	1	1	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	2	-	2	1	-	-	-	-
BLACK---MALE----	-	-	-	1	1	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	1	-	1	1	-	-	-	-
KANSAS -----	20	29	37	46	69	73	81	63	40	11	-	-
WHITE-----MALE----	13	11	17	21	33	39	31	9	18	3	-	-
FEMALE--	5	16	16	22	32	31	47	51	20	8	-	-
ALL OTHER--MALE----	1	-	2	3	4	2	1	-	1	-	-	-
FEMALE--	1	2	2	-	-	1	2	3	1	-	-	-
BLACK---MALE----	1	-	-	3	2	2	1	-	1	-	-	-
FEMALE--	1	2	2	-	-	1	2	2	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 517

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX OF COLON (153)	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
KENTUCKY -----	781	-	-	-	-	-	1	2	1	9	17	20
WHITE-----MALE----	373	-	-	-	-	-	1	1	1	4	10	10
FEMALE--	350	-	-	-	-	-	-	1	-	4	6	5
ALL OTHER--MALE----	27	-	-	-	-	-	-	-	-	1	1	3
FEMALE--	31	-	-	-	-	-	-	-	-	-	-	2
BLACK---MALE----	27	-	-	-	-	-	-	-	-	1	1	3
FEMALE--	29	-	-	-	-	-	-	-	-	-	-	2
LOUISIANA -----	814	-	-	-	-	-	4	-	6	4	15	28
WHITE-----MALE----	281	-	-	-	-	-	3	-	4	1	7	9
FEMALE--	263	-	-	-	-	-	-	-	-	-	2	5
ALL OTHER--MALE----	140	-	-	-	-	-	1	-	1	2	3	9
FEMALE--	130	-	-	-	-	-	-	-	1	1	3	5
BLACK---MALE----	139	-	-	-	-	-	1	-	1	2	2	9
FEMALE--	129	-	-	-	-	-	-	-	1	1	3	5
MAINE -----	249	-	-	-	-	-	-	-	-	-	2	5
WHITE-----MALE----	117	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	130	-	-	-	-	-	-	-	-	-	2	3
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	933	-	-	-	-	-	-	-	2	5	12	28
WHITE-----MALE----	339	-	-	-	-	-	-	-	1	2	5	10
FEMALE--	365	-	-	-	-	-	-	-	1	2	6	5
ALL OTHER--MALE----	113	-	-	-	-	-	-	-	-	1	-	6
FEMALE--	116	-	-	-	-	-	-	-	-	-	1	7
BLACK---MALE----	109	-	-	-	-	-	-	-	-	1	-	6
FEMALE--	114	-	-	-	-	-	-	-	-	-	1	6
MASSACHUSETTS -----	1,273	-	-	-	-	-	-	-	3	4	15	18
WHITE-----MALE----	549	-	-	-	-	-	-	-	2	1	4	6
FEMALE--	662	-	-	-	-	-	-	-	1	1	6	11
ALL OTHER--MALE----	30	-	-	-	-	-	-	-	-	-	3	-
FEMALE--	32	-	-	-	-	-	-	-	-	2	2	1
BLACK---MALE----	22	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	25	-	-	-	-	-	-	-	-	2	1	1
MICHIGAN -----	1,722	-	-	-	-	-	1	1	4	9	20	42
WHITE-----MALE----	759	-	-	-	-	-	-	1	1	3	7	15
FEMALE--	722	-	-	-	-	-	-	-	2	1	9	12
ALL OTHER--MALE----	114	-	-	-	-	-	1	-	1	4	-	6
FEMALE--	127	-	-	-	-	-	-	-	-	1	4	9
BLACK---MALE----	105	-	-	-	-	-	-	-	-	3	-	5
FEMALE--	118	-	-	-	-	-	-	-	-	1	4	9

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 517

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX OF COLON (153)	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
KENTUCKY -----	34	51	68	85	114	137	103	86	38	14	1	-
WHITE-----MALE----	25	31	41	48	65	62	34	29	10	1	-	-
FEMALE--	6	16	25	33	43	64	60	48	26	12	1	-
ALL OTHER--MALE----	1	3	-	2	2	5	6	2	1	-	-	-
FEMALE--	2	1	2	2	4	6	3	7	1	1	-	-
BLACK---MALE----	1	3	-	2	2	5	6	2	1	-	-	-
FEMALE--	2	1	2	2	4	6	3	5	1	1	-	-
LOUISIANA -----	34	63	69	97	139	119	100	73	42	19	2	-
WHITE-----MALE----	12	25	22	31	54	47	36	18	10	2	-	-
FEMALE--	8	17	14	31	41	43	37	36	18	9	2	-
ALL OTHER--MALE----	7	15	14	24	24	16	9	8	4	3	-	-
FEMALE--	7	6	19	11	20	13	18	11	10	5	-	-
BLACK---MALE----	7	15	14	24	24	16	9	8	4	3	-	-
FEMALE--	6	6	19	11	20	13	18	11	10	5	-	-
MAINE -----	9	14	16	38	45	38	32	31	15	4	-	-
WHITE-----MALE----	4	7	8	26	25	20	11	10	4	-	-	-
FEMALE--	5	6	8	12	20	18	21	20	11	4	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	32	49	92	96	151	141	154	93	60	15	3	-
WHITE-----MALE----	11	19	37	40	47	64	63	27	11	1	1	-
FEMALE--	6	13	25	28	56	56	66	50	37	12	2	-
ALL OTHER--MALE----	8	7	17	20	27	7	15	3	1	1	-	-
FEMALE--	7	10	13	8	21	14	10	13	11	1	-	-
BLACK---MALE----	8	7	15	19	27	6	15	3	1	1	-	-
FEMALE--	7	10	13	8	20	14	10	13	11	1	-	-
MASSACHUSETTS -----	34	63	79	129	195	213	226	169	91	29	5	-
WHITE-----MALE----	22	36	38	72	95	104	83	61	18	6	1	-
FEMALE--	9	23	32	53	88	102	135	105	70	22	4	-
ALL OTHER--MALE----	2	3	5	-	7	6	3	1	-	-	-	-
FEMALE--	1	1	4	4	5	1	5	2	3	1	-	-
BLACK---MALE----	2	3	4	-	4	5	3	-	-	-	-	-
FEMALE--	1	-	4	4	2	1	5	1	2	1	-	-
MICHIGAN -----	58	87	150	196	263	307	280	182	94	27	1	-
WHITE-----MALE----	28	43	78	95	131	133	127	64	24	9	-	-
FEMALE--	20	31	45	73	86	131	128	107	62	14	1	-
ALL OTHER--MALE----	6	8	11	13	26	20	8	5	3	2	-	-
FEMALE--	4	5	16	15	20	23	17	6	5	2	-	-
BLACK---MALE----	6	7	11	10	25	20	8	5	3	2	-	-
FEMALE--	4	4	16	14	17	22	15	5	5	2	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 518

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX OF COLON (153)	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
MINNESOTA -----	29	47	54	85	100	136	125	108	58	18	3	-
WHITE-----MALE----	16	25	29	49	59	77	46	42	19	1	-	-
FEMALE--	12	20	24	34	38	55	76	65	38	16	3	-
ALL OTHER--MALE----	1	2	1	2	1	4	3	-	-	1	-	-
FEMALE--	-	-	-	-	2	-	-	1	1	-	-	-
BLACK---MALE----	-	1	1	1	-	2	2	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
MISSISSIPPI -----	16	30	44	56	74	70	72	52	18	7	-	-
WHITE-----MALE----	7	10	13	29	24	37	26	17	2	-	-	-
FEMALE--	4	7	11	12	26	23	21	18	6	3	-	-
ALL OTHER--MALE----	2	5	9	9	10	4	7	10	2	-	-	-
FEMALE--	3	8	11	6	14	6	18	7	8	4	-	-
BLACK---MALE----	2	5	8	8	10	4	7	10	2	-	-	-
FEMALE--	3	7	10	6	13	6	18	7	8	4	-	-
MISSOURI -----	31	58	88	125	175	178	180	139	68	25	1	-
WHITE-----MALE----	15	26	47	64	79	70	73	37	24	3	-	-
FEMALE--	7	26	31	46	79	84	92	91	37	21	1	-
ALL OTHER--MALE----	6	3	7	5	11	14	2	2	1	1	-	-
FEMALE--	3	3	3	10	6	10	13	9	6	-	-	-
BLACK---MALE----	6	3	7	5	11	14	2	2	1	1	-	-
FEMALE--	3	3	3	9	6	10	12	9	6	-	-	-
MONTANA -----	4	8	16	14	24	18	32	13	16	2	-	-
WHITE-----MALE----	2	4	6	7	16	10	18	6	3	2	-	-
FEMALE--	2	4	9	7	6	8	13	6	13	-	-	-
ALL OTHER--MALE----	-	-	-	-	2	-	1	1	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	13	12	19	36	44	70	62	36	21	8	1	-
WHITE-----MALE----	1	6	11	23	23	42	31	11	4	3	-	-
FEMALE--	10	5	8	12	19	24	29	23	17	5	-	-
ALL OTHER--MALE----	1	-	-	-	1	4	1	1	-	-	1	-
FEMALE--	1	1	-	1	1	-	1	1	-	-	-	-
BLACK---MALE----	-	-	-	-	1	4	1	1	-	-	-	-
FEMALE--	1	1	-	1	1	-	1	1	-	-	-	-
NEVADA -----	13	22	27	47	46	44	46	19	3	1	-	-
WHITE-----MALE----	5	11	13	29	31	23	17	5	1	-	-	-
FEMALE--	6	8	11	14	14	19	27	13	2	1	-	-
ALL OTHER--MALE----	2	3	2	-	1	1	2	-	-	-	-	-
FEMALE--	-	-	1	4	-	1	-	1	-	-	-	-
BLACK---MALE----	-	3	2	-	1	1	2	-	-	-	-	-
FEMALE--	-	-	1	3	-	1	-	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 520

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX OF COLON (153)	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
OHIO -----	2,358	-	-	-	-	-	1	3	5	11	19	69
WHITE-----MALE----	992	-	-	-	-	-	-	1	2	3	12	25
FEMALE--	1,115	-	-	-	-	-	1	1	1	4	6	37
ALL OTHER--MALE----	130	-	-	-	-	-	-	1	1	1	-	3
FEMALE--	121	-	-	-	-	-	-	-	1	3	1	4
BLACK---MALE----	128	-	-	-	-	-	-	1	1	1	-	3
FEMALE--	120	-	-	-	-	-	-	-	1	3	1	4
OKLAHOMA -----	620	-	-	-	-	-	1	2	2	3	9	22
WHITE-----MALE----	251	-	-	-	-	-	-	2	1	2	2	11
FEMALE--	291	-	-	-	-	-	1	-	1	1	5	5
ALL OTHER--MALE----	43	-	-	-	-	-	-	-	-	-	1	3
FEMALE--	35	-	-	-	-	-	-	-	-	-	1	3
BLACK---MALE----	27	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	23	-	-	-	-	-	-	-	-	-	1	2
OREGON -----	533	-	-	-	-	-	1	-	1	4	4	12
WHITE-----MALE----	253	-	-	-	-	-	-	-	1	3	2	6
FEMALE--	261	-	-	-	-	-	-	-	-	1	1	5
ALL OTHER--MALE----	12	-	-	-	-	-	1	-	-	-	-	1
FEMALE--	7	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	2,892	-	-	-	-	1	-	4	7	25	25	65
WHITE-----MALE----	1,244	-	-	-	-	-	-	2	3	6	10	30
FEMALE--	1,369	-	-	-	-	1	-	1	1	15	13	26
ALL OTHER--MALE----	134	-	-	-	-	-	-	1	2	2	1	7
FEMALE--	145	-	-	-	-	-	-	-	1	2	1	2
BLACK---MALE----	128	-	-	-	-	-	-	1	1	1	-	7
FEMALE--	139	-	-	-	-	-	-	-	1	2	1	1
RHODE ISLAND -----	222	-	-	-	-	-	-	1	2	2	3	4
WHITE-----MALE----	96	-	-	-	-	-	-	1	-	1	2	4
FEMALE--	120	-	-	-	-	-	-	-	1	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	652	-	-	-	-	-	1	1	5	6	15	24
WHITE-----MALE----	249	-	-	-	-	-	-	-	1	3	5	5
FEMALE--	211	-	-	-	-	-	-	-	-	-	2	3
ALL OTHER--MALE----	88	-	-	-	-	-	1	-	1	-	6	10
FEMALE--	104	-	-	-	-	-	-	1	3	3	2	6
BLACK---MALE----	88	-	-	-	-	-	1	-	1	-	6	10
FEMALE--	102	-	-	-	-	-	-	1	3	3	2	6

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 520

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX OF COLON (153)	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
OHIO -----	79	123	161	288	384	412	355	275	141	31	1	-
WHITE-----MALE----	38	46	84	149	184	175	142	91	34	6	-	-
FEMALE--	34	60	67	100	156	196	177	162	93	19	1	-
ALL OTHER--MALE----	4	5	6	25	28	23	17	9	5	2	-	-
FEMALE--	3	12	4	14	16	18	19	13	9	4	-	-
BLACK---MALE----	4	5	5	24	28	23	17	9	5	2	-	-
FEMALE--	3	12	4	13	16	18	19	13	9	4	-	-
OKLAHOMA -----	27	31	52	51	92	111	101	61	43	11	1	-
WHITE-----MALE----	9	12	30	24	48	43	33	15	16	3	-	-
FEMALE--	11	10	18	23	31	56	56	41	25	7	-	-
ALL OTHER--MALE----	6	6	2	2	6	8	7	-	1	1	-	-
FEMALE--	1	3	2	2	7	4	5	5	1	-	1	-
BLACK---MALE----	4	5	2	1	4	7	1	-	-	1	-	-
FEMALE--	-	2	1	-	5	2	5	4	1	-	-	-
OREGON -----	22	31	35	68	61	79	100	58	43	13	1	-
WHITE-----MALE----	9	15	22	38	28	44	48	25	10	2	-	-
FEMALE--	10	15	10	28	31	34	50	33	31	11	1	-
ALL OTHER--MALE----	1	1	3	1	1	-	2	-	1	-	-	-
FEMALE--	2	-	-	1	1	1	-	-	1	-	-	-
BLACK---MALE----	1	-	1	-	-	-	1	-	1	-	-	-
FEMALE--	1	-	-	1	-	-	-	-	1	-	-	-
PENNSYLVANIA -----	82	123	205	324	454	496	501	372	160	45	3	-
WHITE-----MALE----	44	57	97	167	239	217	192	117	50	13	-	-
FEMALE--	28	49	84	127	165	236	267	225	100	28	3	-
ALL OTHER--MALE----	4	13	14	11	24	20	21	10	4	-	-	-
FEMALE--	6	4	10	19	26	23	21	20	6	4	-	-
BLACK---MALE----	4	13	14	11	24	18	20	10	4	-	-	-
FEMALE--	5	4	9	18	26	22	20	20	6	4	-	-
RHODE ISLAND -----	7	5	18	20	37	41	31	29	20	2	-	-
WHITE-----MALE----	3	4	7	13	20	19	13	7	1	1	-	-
FEMALE--	4	1	10	7	17	20	18	22	17	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	2	-	-	2	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	2	-	-	2	-	-	-
SOUTH CAROLINA -----	36	48	49	79	98	104	82	65	29	8	2	-
WHITE-----MALE----	10	25	25	31	42	40	26	24	11	1	-	-
FEMALE--	11	13	12	25	29	33	30	28	17	6	2	-
ALL OTHER--MALE----	5	4	9	13	12	12	10	5	-	-	-	-
FEMALE--	10	6	3	10	15	19	16	8	1	1	-	-
BLACK---MALE----	5	4	9	13	12	12	10	5	-	-	-	-
FEMALE--	10	5	3	9	15	19	16	8	1	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 521

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX OF COLON (153)	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
SOUTH DAKOTA -----	149	-	-	-	-	-	-	-	-	-	-	5
WHITE-----MALE----	69	-	-	-	-	-	-	-	-	-	-	3
FEMALE--	77	-	-	-	-	-	-	-	-	-	-	2
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	1,040	-	-	-	-	1	2	1	2	9	19	33
WHITE-----MALE----	408	-	-	-	-	1	2	1	1	4	12	16
FEMALE--	431	-	-	-	-	-	-	-	1	1	6	5
ALL OTHER--MALE----	91	-	-	-	-	-	-	-	-	3	1	6
FEMALE--	110	-	-	-	-	-	-	-	-	1	-	6
BLACK---MALE----	90	-	-	-	-	-	-	-	-	3	1	6
FEMALE--	109	-	-	-	-	-	-	-	-	1	-	6
TEXAS -----	2,766	-	-	-	-	1	2	5	16	16	52	90
WHITE-----MALE----	1,251	-	-	-	-	1	1	-	5	6	19	46
FEMALE--	1,126	-	-	-	-	-	-	3	6	9	19	27
ALL OTHER--MALE----	191	-	-	-	-	-	1	2	2	1	9	7
FEMALE--	198	-	-	-	-	-	-	-	3	-	5	10
BLACK---MALE----	183	-	-	-	-	-	1	2	2	1	9	7
FEMALE--	191	-	-	-	-	-	-	-	1	-	5	9
UTAH -----	189	-	-	-	-	-	1	-	2	-	6	5
WHITE-----MALE----	85	-	-	-	-	-	1	-	1	-	3	2
FEMALE--	97	-	-	-	-	-	-	-	1	-	3	2
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	117	-	-	-	-	-	-	1	-	-	1	2
WHITE-----MALE----	48	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	69	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	1,066	-	-	-	1	-	1	2	7	12	17	48
WHITE-----MALE----	405	-	-	-	-	-	1	1	4	4	5	17
FEMALE--	412	-	-	-	-	-	-	1	2	3	6	15
ALL OTHER--MALE----	111	-	-	-	1	-	-	-	-	1	3	10
FEMALE--	138	-	-	-	-	-	-	-	1	4	3	6
BLACK---MALE----	107	-	-	-	1	-	-	-	-	-	3	9
FEMALE--	134	-	-	-	-	-	-	-	1	4	3	6

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 521

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX OF COLON (153)	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
SOUTH DAKOTA -----	7	6	11	15	24	21	20	22	12	6	-	-
WHITE-----MALE----	5	2	5	9	12	9	10	10	3	1	-	-
FEMALE--	2	4	6	6	11	12	9	11	9	5	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	45	51	80	112	154	177	167	106	66	14	1	-
WHITE-----MALE----	21	27	31	58	69	74	46	27	15	3	-	-
FEMALE--	15	14	40	35	47	70	86	64	39	7	1	-
ALL OTHER--MALE----	5	5	6	12	15	13	15	5	3	2	-	-
FEMALE--	4	5	3	7	23	20	20	10	9	2	-	-
BLACK---MALE----	5	5	6	12	15	13	14	5	3	2	-	-
FEMALE--	4	5	3	7	23	19	20	10	9	2	-	-
TEXAS -----	136	189	219	326	394	413	378	318	161	44	6	-
WHITE-----MALE----	71	86	117	187	192	203	166	113	31	7	-	-
FEMALE--	45	72	65	93	142	167	169	167	107	30	5	-
ALL OTHER--MALE----	9	14	25	28	28	21	18	18	5	2	1	-
FEMALE--	11	17	12	18	32	22	25	20	18	5	-	-
BLACK---MALE----	9	14	23	26	26	20	18	17	5	2	1	-
FEMALE--	10	15	12	18	31	22	25	20	18	5	-	-
UTAH -----	3	14	14	17	37	37	18	20	13	2	-	-
WHITE-----MALE----	1	7	7	10	19	14	7	7	6	-	-	-
FEMALE--	2	6	6	7	16	22	10	13	7	2	-	-
ALL OTHER--MALE----	-	1	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	1	-	2	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	4	11	10	11	17	17	18	15	7	3	-	-
WHITE-----MALE----	1	6	3	4	9	11	4	5	2	-	-	-
FEMALE--	3	5	7	7	8	6	14	10	5	3	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	57	57	105	128	169	151	124	113	54	16	4	-
WHITE-----MALE----	22	24	45	61	59	60	45	40	13	4	-	-
FEMALE--	20	24	31	32	68	65	55	51	31	6	2	-
ALL OTHER--MALE----	11	5	12	16	22	10	5	8	3	4	-	-
FEMALE--	4	4	17	19	20	16	19	14	7	2	2	-
BLACK---MALE----	11	5	12	15	21	10	5	8	3	4	-	-
FEMALE--	4	4	16	17	20	15	19	14	7	2	2	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 523

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 HEPATIC AND SPLENIC FLEXURES AND TRANSVERSE COLON (153.0-153.1,153.7)												
0 UNITED STATES --	9	6	16	15	30	28	24	29	12	6	-	-
WHITE-----MALE----	3	1	5	7	15	11	7	8	4	2	-	-
FEMALE--	5	4	8	7	10	14	14	16	6	4	-	-
ALL OTHER--MALE----	1	1	2	1	2	1	1	3	-	-	-	-
FEMALE--	-	-	1	-	3	2	2	2	2	-	-	-
BLACK---MALE----	1	1	2	1	2	1	-	2	-	-	-	-
FEMALE--	-	-	-	-	2	2	2	2	2	-	-	-
ALABAMA -----	-	-	-	-	-	-	-	-	-	1	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	-	-	-	-	-	1	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	-	-	-	-	-	-	-	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	4	2	5	5	9	6	7	6	2	2	-	-
WHITE-----MALE----	1	1	1	1	4	5	3	3	1	2	-	-
FEMALE--	2	1	2	4	3	1	3	2	1	-	-	-
ALL OTHER--MALE----	1	-	1	-	-	-	1	1	-	-	-	-
FEMALE--	-	-	1	-	2	-	-	-	-	-	-	-
BLACK---MALE----	1	-	1	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 524

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 HEPATIC AND SPLENIC FLEXURES AND TRANSVERSE COLON (153.0-153.1,153.7)												
COLORADO -----	-	-	-	-	-	1	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	-	-	-	-	-	1	2	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
DELAWARE -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	-	-	1	1	1	2	1	3	1	-	-	-
WHITE-----MALE----	-	-	-	-	1	2	1	-	-	-	-	-
FEMALE--	-	-	1	1	-	-	-	2	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
GEORGIA -----	-	-	1	-	2	1	-	-	-	-	-	-
WHITE-----MALE----	-	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 530

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 HEPATIC AND SPLENIC FLEXURES AND TRANSVERSE COLON (153.0-153.1,153.7)												
SOUTH DAKOTA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	-	-	1	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS -----	-	-	-	-	-	1	-	2	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
UTAH -----	-	-	-	-	1	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	-	-	-	-	-	-	2	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 532

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 DESCENDING COLON (153.2)												
0 UNITED STATES --	5	9	16	21	19	36	23	22	9	2	-	-
WHITE-----MALE----	2	2	10	8	7	17	13	6	3	2	-	-
FEMALE--	3	3	4	6	7	14	9	14	6	-	-	-
ALL OTHER--MALE----	-	3	-	4	4	3	1	-	-	-	-	-
FEMALE--	-	1	2	3	1	2	-	2	-	-	-	-
BLACK---MALE----	-	3	-	3	3	1	1	-	-	-	-	-
FEMALE--	-	1	2	1	-	2	-	1	-	-	-	-
ALABAMA -----	-	-	-	1	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	-	-	-	-	-	2	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	-	-	-	-	1	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	3	4	12	14	8	18	10	12	4	1	-	-
WHITE-----MALE----	1	1	8	5	5	7	6	4	1	1	-	-
FEMALE--	2	2	3	3	1	8	4	8	3	-	-	-
ALL OTHER--MALE----	-	-	-	3	1	2	-	-	-	-	-	-
FEMALE--	-	1	1	3	1	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	3	-	-	-	-	-	-	-	-
FEMALE--	-	1	1	1	-	1	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 541

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 SIGMOID COLON (153.3)												
0 UNITED STATES --	43	53	65	87	116	155	144	98	31	12	4	-
WHITE-----MALE----	21	23	37	57	61	71	60	37	9	2	-	-
FEMALE--	15	21	19	22	45	67	71	51	17	8	4	-
ALL OTHER--MALE----	2	3	7	6	5	11	7	3	3	-	-	-
FEMALE--	5	6	2	2	5	6	6	7	2	2	-	-
BLACK---MALE----	1	-	5	4	3	9	3	3	2	-	-	-
FEMALE--	3	3	2	2	2	5	4	4	1	1	-	-
ALABAMA -----	-	1	-	-	-	-	5	1	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	3	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	2	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	2	-	1	-	-	2	1	-	-	-	-	-
WHITE-----MALE----	2	-	1	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	1	1	-	1	-	-	1	1	-	-	-	-
WHITE-----MALE----	1	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	14	18	28	22	41	38	53	29	7	1	-	-
WHITE-----MALE----	6	7	14	12	22	19	25	10	1	-	-	-
FEMALE--	5	5	8	5	13	14	21	16	4	-	-	-
ALL OTHER--MALE----	1	3	4	3	4	4	4	1	1	-	-	-
FEMALE--	2	3	2	2	2	1	3	2	1	1	-	-
BLACK---MALE----	-	-	2	2	2	3	-	1	-	-	-	-
FEMALE--	1	1	2	2	-	1	1	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 542

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
SIGMOID COLON (153.3)												
COLORADO -----	-	-	2	1	1	-	1	-	-	-	-	-
WHITE-----MALE----	-	-	2	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	1	1	-	1	-	3	1	2	1	-	-	-
WHITE-----MALE----	-	1	-	1	-	1	1	1	-	-	-	-
FEMALE--	1	-	-	-	-	1	-	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	-	-	-	-	-	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	1	-	2	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	3	4	3	5	5	9	7	9	2	-	-	-
WHITE-----MALE----	1	2	1	3	3	3	-	5	-	-	-	-
FEMALE--	1	1	2	2	2	5	7	4	2	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	1	-	-	-	-	-	-
GEORGIA -----	-	-	2	2	1	1	1	-	-	1	-	-
WHITE-----MALE----	-	-	2	2	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	-	-	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 547

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 SIGMOID COLON (153.3)												
OHIO -----	3	3	2	6	4	7	6	5	4	1	-	-
WHITE-----MALE----	1	1	1	2	2	5	3	2	2	1	-	-
FEMALE--	2	1	1	3	2	2	3	3	2	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
OKLAHOMA -----	1	-	1	-	2	-	-	1	-	-	-	-
WHITE-----MALE----	1	-	1	-	1	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	1	1	-	2	-	-	-	1	1	-	-	-
WHITE-----MALE----	-	1	-	2	-	-	-	1	1	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	1	1	2	4	4	6	3	3	1	1	-	-
WHITE-----MALE----	1	-	1	2	3	2	2	-	-	-	-	-
FEMALE--	-	1	1	2	1	3	-	2	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	-	-	-	-
RHODE ISLAND -----	-	-	1	-	1	-	-	1	-	-	-	-
WHITE-----MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	1	-	1	-	3	3	-	1	-	-	-	-
WHITE-----MALE----	-	-	1	-	3	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 548

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 SIGMOID COLON (153.3)												
SOUTH DAKOTA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	-	-	-	1	1	-	5	1	-	-	-	-
WHITE-----MALE----	-	-	-	1	1	-	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	4	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS -----	4	1	1	5	2	7	7	1	-	1	-	-
WHITE-----MALE----	3	1	1	3	1	5	-	-	-	-	-	-
FEMALE--	-	-	-	2	1	2	5	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	1	-	-	-	-
UTAH -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	1	-	-	-	2	1	1	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	1	1	-	-	-
FEMALE--	-	1	-	-	-	2	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	-	-	1	1	1	3	-	1	1	-	-	-
WHITE-----MALE----	-	-	1	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	2	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 550

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
CECUM, APPENDIX, AND ASCENDING COLON (153.4-153.6)												
UNITED STATES --	57	73	122	131	161	214	250	200	116	20	4	-
WHITE-----MALE----	29	25	60	58	67	80	95	61	23	3	-	-
FEMALE--	21	27	44	54	76	110	128	121	87	11	3	-
ALL OTHER--MALE----	3	12	11	11	8	11	10	5	2	4	-	-
FEMALE--	4	9	7	8	10	13	17	13	4	2	1	-
BLACK---MALE----	2	10	11	11	6	7	7	4	2	4	-	-
FEMALE--	4	8	5	6	9	11	15	12	4	2	1	-
ALABAMA -----	-	1	-	-	1	-	2	2	1	-	-	-
WHITE-----MALE----	-	1	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA -----	-	-	-	1	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	-	4	1	1	2	2	-	2	-	-	-	-
WHITE-----MALE----	-	2	1	-	2	1	-	1	-	-	-	-
FEMALE--	-	2	-	1	-	1	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	-	-	-	-	1	-	-	2	2	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	1	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	15	25	45	45	58	85	93	66	34	3	2	-
WHITE-----MALE----	4	10	20	21	25	31	38	25	11	-	-	-
FEMALE--	8	8	18	19	27	43	46	38	22	1	2	-
ALL OTHER--MALE----	2	5	3	1	2	6	3	-	-	-	-	-
FEMALE--	1	2	4	4	4	5	6	3	1	2	-	-
BLACK---MALE----	1	3	3	1	1	2	1	-	-	-	-	-
FEMALE--	1	2	2	3	3	3	5	2	1	2	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 551

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 CECUM, APPENDIX, AND ASCENDING COLON (153.4-153.6)												
COLORADO -----	1	-	1	3	-	1	-	3	-	-	-	-
WHITE-----MALE----	1	-	-	3	-	-	-	2	-	-	-	-
FEMALE--	-	-	1	-	-	1	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	1	1	2	1	-	3	1	2	2	-	-	-
WHITE-----MALE----	1	-	2	1	-	-	1	-	-	-	-	-
FEMALE--	-	1	-	-	-	3	-	2	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	-	-	-	-	-	-	-	1	1	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	1	1	1	1	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	3	4	6	11	7	7	8	9	7	1	-	-
WHITE-----MALE----	2	1	3	5	1	4	3	3	1	1	-	-
FEMALE--	1	1	2	3	5	3	5	6	4	-	-	-
ALL OTHER--MALE----	-	1	1	3	1	-	-	-	1	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	1	1	3	1	-	-	-	1	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	1	-	-	-
GEORGIA -----	-	2	2	4	1	5	2	-	3	-	-	-
WHITE-----MALE----	-	-	-	2	-	3	-	-	-	-	-	-
FEMALE--	-	1	-	2	1	1	2	-	3	-	-	-
ALL OTHER--MALE----	-	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	1	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 553

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 CECUM, APPENDIX, AND ASCENDING COLON (153.4-153.6)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
KENTUCKY -----	2	-	-	1	4	3	3	1	3	-	-	-
WHITE-----MALE----	2	-	-	-	3	-	1	1	-	-	-	-
FEMALE--	-	-	-	1	1	3	2	-	3	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	-	-	-	1	1	1	3	1	1	-	-	-
WHITE-----MALE----	-	-	-	-	1	-	1	-	1	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MAINE -----	-	-	1	-	2	1	1	1	-	-	-	-
WHITE-----MALE----	-	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	-	2	2	1	4	1	2	2	1	-	-	-
WHITE-----MALE----	-	1	-	-	-	-	2	1	-	-	-	-
FEMALE--	-	-	1	-	3	1	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	1	1	-	-	1	-	-	-	-
FEMALE--	-	1	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	1	-	-	1	-	-	-	-
FEMALE--	-	1	1	-	-	-	-	-	-	-	-	-
MASSACHUSETTS -----	-	3	1	1	-	1	5	4	4	-	-	-
WHITE-----MALE----	-	2	1	-	-	-	-	2	1	-	-	-
FEMALE--	-	1	-	1	-	1	5	2	3	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	3	1	4	6	4	5	9	6	2	1	-	-
WHITE-----MALE----	2	-	2	2	2	2	6	1	-	1	-	-
FEMALE--	1	1	1	3	2	2	1	4	2	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	1	1	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	1	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 556

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 CECUM, APPENDIX, AND ASCENDING COLON (153.4-153.6)												
OHIO -----	3	2	4	2	4	6	6	7	3	2	-	-
WHITE-----MALE----	1	-	2	-	3	4	-	2	1	-	-	-
FEMALE--	2	2	2	2	1	2	5	5	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA -----	2	-	-	-	2	2	2	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	1	-	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	2	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	-	-	-	-	-
OREGON -----	-	-	-	2	2	3	2	3	-	-	-	-
WHITE-----MALE----	-	-	-	-	1	1	1	1	-	-	-	-
FEMALE--	-	-	-	2	1	2	1	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	-	2	3	3	6	8	14	9	7	3	-	-
WHITE-----MALE----	-	-	-	1	3	3	5	2	-	1	-	-
FEMALE--	-	1	3	1	3	4	9	6	6	2	-	-
ALL OTHER--MALE----	-	1	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	1	1	-	-	-
BLACK---MALE----	-	1	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	1	1	-	-	-
RRHODE ISLAND -----	-	-	1	-	1	2	-	1	1	-	-	-
WHITE-----MALE----	-	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	1	-	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	-	1	2	1	3	-	5	-	-	-	-	-
WHITE-----MALE----	-	1	2	-	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	2	-	-	-	-	-
FEMALE--	-	-	-	-	2	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	2	-	-	-	-	-
FEMALE--	-	-	-	-	2	-	1	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 557

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 CECUM, APPENDIX, AND ASCENDING COLON (153.4-153.6)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
SOUTH DAKOTA -----	-	-	-	-	-	1	-	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	1	2	-	1	1	3	2	1	3	-	-	-
WHITE-----MALE----	-	1	-	1	-	2	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	1	1	1	2	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
TEXAS -----	4	1	7	4	4	8	8	5	6	1	-	-
WHITE-----MALE----	2	-	3	3	1	3	5	1	1	-	-	-
FEMALE--	1	1	3	1	3	3	3	3	5	1	-	-
ALL OTHER--MALE----	-	-	1	-	-	2	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	1	-	-	2	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
UTAH -----	-	-	-	1	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	1	1	-	1	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	1	1	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	3	2	1	1	3	3	1	1	1	1	-	-
WHITE-----MALE----	2	1	-	-	-	-	1	-	-	-	-	-
FEMALE--	1	-	1	-	1	1	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	1	-	-	-	-	1	-	-
FEMALE--	-	1	-	-	1	2	-	-	1	-	-	-
BLACK---MALE----	-	-	-	1	1	-	-	-	-	1	-	-
FEMALE--	-	1	-	-	1	2	-	-	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 559

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 OTHER AND COLON, UNSPECIFIED (153.8-153.9)												
0 UNITED STATES --	45,463	-	-	-	2	13	30	59	158	310	583	1,178
WHITE-----MALE----	19,287	-	-	-	-	8	19	21	56	105	235	487
FEMALE--	20,058	-	-	-	-	3	5	20	51	106	205	404
ALL OTHER--MALE----	2,902	-	-	-	2	1	6	12	27	49	66	154
FEMALE--	3,216	-	-	-	-	1	-	6	24	50	77	133
BLACK---MALE----	2,533	-	-	-	1	-	3	10	21	38	54	138
FEMALE--	2,864	-	-	-	-	-	-	4	18	41	64	114
ALABAMA -----	720	-	-	-	-	-	1	1	2	6	12	26
WHITE-----MALE----	240	-	-	-	-	-	1	-	1	1	5	7
FEMALE--	275	-	-	-	-	-	-	1	-	3	3	10
ALL OTHER--MALE----	96	-	-	-	-	-	-	-	-	1	1	8
FEMALE--	109	-	-	-	-	-	-	-	1	1	3	1
BLACK---MALE----	96	-	-	-	-	-	-	-	-	1	1	8
FEMALE--	109	-	-	-	-	-	-	-	1	1	3	1
ALASKA -----	41	-	-	-	-	-	-	-	-	1	2	3
WHITE-----MALE----	17	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	10	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	9	-	-	-	-	-	-	-	-	1	-	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	643	-	-	-	-	-	1	1	6	6	5	12
WHITE-----MALE----	314	-	-	-	-	-	1	1	3	2	1	8
FEMALE--	299	-	-	-	-	-	-	-	3	2	3	3
ALL OTHER--MALE----	15	-	-	-	-	-	-	-	-	2	-	-
FEMALE--	15	-	-	-	-	-	-	-	-	-	1	1
BLACK---MALE----	9	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	1
ARKANSAS -----	453	-	-	-	-	-	-	-	1	3	2	12
WHITE-----MALE----	197	-	-	-	-	-	-	-	-	-	1	6
FEMALE--	187	-	-	-	-	-	-	-	-	1	1	3
ALL OTHER--MALE----	29	-	-	-	-	-	-	-	1	1	-	-
FEMALE--	40	-	-	-	-	-	-	-	-	1	-	3
BLACK---MALE----	28	-	-	-	-	-	-	-	1	1	-	-
FEMALE--	40	-	-	-	-	-	-	-	-	1	-	3
CALIFORNIA -----	3,364	-	-	-	1	5	3	5	11	27	45	90
WHITE-----MALE----	1,402	-	-	-	-	3	3	2	2	11	11	36
FEMALE--	1,446	-	-	-	-	1	-	-	5	7	17	34
ALL OTHER--MALE----	241	-	-	-	1	1	-	1	2	3	6	10
FEMALE--	275	-	-	-	-	-	-	2	2	6	11	10
BLACK---MALE----	124	-	-	-	-	-	-	1	-	2	2	6
FEMALE--	141	-	-	-	-	-	-	1	1	3	7	3

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 559

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OTHER AND COLON, UNSPECIFIED (153.8-153.9)												
0 UNITED STATES --	1,718	2,444	3,544	5,190	6,816	7,488	7,072	5,294	2,716	756	90	2
WHITE-----MALE----	801	1,099	1,718	2,619	3,236	3,435	2,838	1,745	701	150	14	-
FEMALE--	595	901	1,206	1,824	2,631	3,236	3,479	3,069	1,744	514	63	2
ALL OTHER--MALE----	170	253	326	387	463	400	304	174	78	27	3	-
FEMALE--	152	191	294	360	486	417	451	306	193	65	10	-
BLACK---MALE----	146	225	286	340	413	346	263	154	68	25	2	-
FEMALE--	125	170	266	318	430	377	409	285	175	59	9	-
ALABAMA -----	38	40	52	73	108	112	108	77	50	14	-	-
WHITE-----MALE----	12	13	21	30	44	41	39	13	10	2	-	-
FEMALE--	12	18	17	21	28	49	44	44	20	5	-	-
ALL OTHER--MALE----	7	5	8	10	20	11	9	7	8	1	-	-
FEMALE--	7	4	6	12	16	11	16	13	12	6	-	-
BLACK---MALE----	7	5	8	10	20	11	9	7	8	1	-	-
FEMALE--	7	4	6	12	16	11	16	13	12	6	-	-
ALASKA -----	6	3	4	8	5	2	5	-	2	-	-	-
WHITE-----MALE----	-	2	1	5	3	-	2	-	1	-	-	-
FEMALE--	2	1	2	1	1	1	1	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	1	1	-	1	-	-	-	-	-
FEMALE--	2	-	1	1	-	1	1	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	23	38	61	70	103	110	93	73	30	10	1	-
WHITE-----MALE----	10	18	32	35	64	55	44	26	10	3	1	-
FEMALE--	9	18	24	32	37	50	46	47	18	7	-	-
ALL OTHER--MALE----	4	1	3	1	1	2	1	-	-	-	-	-
FEMALE--	-	1	2	2	1	3	2	-	2	-	-	-
BLACK---MALE----	-	1	2	1	1	2	1	-	-	-	-	-
FEMALE--	-	1	1	-	1	2	1	-	1	-	-	-
ARKANSAS -----	13	33	36	49	72	77	69	52	26	8	-	-
WHITE-----MALE----	8	17	13	26	36	38	21	22	9	-	-	-
FEMALE--	4	11	14	15	26	28	38	24	15	7	-	-
ALL OTHER--MALE----	-	3	4	4	3	5	3	4	-	1	-	-
FEMALE--	1	2	5	4	7	6	7	2	2	-	-	-
BLACK---MALE----	-	3	4	4	2	5	3	4	-	1	-	-
FEMALE--	1	2	5	4	7	6	7	2	2	-	-	-
CALIFORNIA -----	140	188	260	371	481	546	513	399	211	57	11	-
WHITE-----MALE----	68	82	124	176	214	248	215	141	49	16	1	-
FEMALE--	44	65	90	130	184	226	238	227	136	35	7	-
ALL OTHER--MALE----	12	26	22	35	33	38	33	10	7	1	-	-
FEMALE--	16	15	24	30	50	34	27	21	19	5	3	-
BLACK---MALE----	7	14	12	20	17	16	21	3	2	1	-	-
FEMALE--	3	9	13	16	28	20	11	13	9	1	3	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 560

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 OTHER AND COLON, UNSPECIFIED (153.8-153.9)												
COLORADO -----	482	-	-	-	-	-	-	1	-	6	4	15
WHITE-----MALE----	230	-	-	-	-	-	-	-	-	3	2	12
FEMALE--	237	-	-	-	-	-	-	1	-	2	2	3
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	5	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	599	-	-	-	-	-	-	1	2	6	11	12
WHITE-----MALE----	256	-	-	-	-	-	-	1	-	3	7	6
FEMALE--	299	-	-	-	-	-	-	-	1	3	3	6
ALL OTHER--MALE----	21	-	-	-	-	-	-	-	1	-	1	-
FEMALE--	23	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	19	-	-	-	-	-	-	-	1	-	1	-
FEMALE--	20	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	154	-	-	-	-	-	-	-	-	1	3	2
WHITE-----MALE----	58	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	68	-	-	-	-	-	-	-	-	1	-	1
ALL OTHER--MALE----	13	-	-	-	-	-	-	-	-	-	3	-
FEMALE--	15	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	13	-	-	-	-	-	-	-	-	-	3	-
FEMALE--	15	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	108	-	-	-	-	-	-	1	1	2	2	2
WHITE-----MALE----	15	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	16	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	35	-	-	-	-	-	-	-	1	-	1	2
FEMALE--	42	-	-	-	-	-	-	-	-	2	1	-
BLACK---MALE----	35	-	-	-	-	-	-	-	1	-	1	2
FEMALE--	41	-	-	-	-	-	-	-	-	1	1	-
FLORIDA -----	3,245	-	-	-	-	-	-	4	6	17	40	57
WHITE-----MALE----	1,455	-	-	-	-	-	-	1	2	6	14	21
FEMALE--	1,474	-	-	-	-	-	-	2	1	5	12	18
ALL OTHER--MALE----	153	-	-	-	-	-	-	1	1	4	6	7
FEMALE--	163	-	-	-	-	-	-	-	2	2	8	11
BLACK---MALE----	146	-	-	-	-	-	-	-	1	3	6	6
FEMALE--	159	-	-	-	-	-	-	-	2	2	6	11
GEORGIA -----	958	-	-	-	-	2	-	2	7	6	24	37
WHITE-----MALE----	341	-	-	-	-	2	-	-	1	2	11	12
FEMALE--	366	-	-	-	-	-	-	1	1	2	9	13
ALL OTHER--MALE----	116	-	-	-	-	-	-	1	4	1	2	9
FEMALE--	135	-	-	-	-	-	-	-	1	1	2	3
BLACK---MALE----	114	-	-	-	-	-	-	1	4	1	2	8
FEMALE--	133	-	-	-	-	-	-	-	1	1	2	2

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 560

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OTHER AND COLON, UNSPECIFIED (153.8-153.9)												
COLORADO -----	22	21	52	56	67	70	71	52	35	9	1	-
WHITE-----MALE----	15	13	31	30	27	34	35	16	9	3	-	-
FEMALE--	7	8	17	24	37	34	34	36	25	6	1	-
ALL OTHER--MALE----	-	-	2	1	1	1	-	-	-	-	-	-
FEMALE--	-	-	2	1	2	1	2	-	1	-	-	-
BLACK---MALE----	-	-	2	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	2	1	1	1	2	-	1	-	-	-
CONNECTICUT -----	24	28	45	71	81	98	98	77	33	12	-	-
WHITE-----MALE----	9	11	22	34	35	50	43	25	9	1	-	-
FEMALE--	10	8	18	32	40	42	53	50	22	11	-	-
ALL OTHER--MALE----	2	4	2	3	3	2	1	1	1	-	-	-
FEMALE--	3	5	3	2	3	4	1	1	1	-	-	-
BLACK---MALE----	2	4	2	3	2	2	-	1	1	-	-	-
FEMALE--	3	4	3	1	3	3	1	1	1	-	-	-
DELAWARE -----	7	6	16	20	29	19	19	21	10	-	-	1
WHITE-----MALE----	1	2	7	13	11	8	7	8	-	-	-	-
FEMALE--	1	2	6	4	14	10	8	12	8	-	-	1
ALL OTHER--MALE----	3	1	1	2	2	-	-	-	1	-	-	-
FEMALE--	2	1	2	1	2	1	4	1	1	-	-	-
BLACK---MALE----	3	1	1	2	2	-	-	-	1	-	-	-
FEMALE--	2	1	2	1	2	1	4	1	1	-	-	-
DISTRICT OF COLUMBIA -----	5	7	10	11	15	17	13	12	9	1	-	-
WHITE-----MALE----	2	1	-	1	3	1	1	3	1	1	-	-
FEMALE--	-	1	-	2	1	3	1	4	4	-	-	-
ALL OTHER--MALE----	-	3	5	5	6	6	6	-	-	-	-	-
FEMALE--	3	2	5	3	5	7	5	5	4	-	-	-
BLACK---MALE----	-	3	5	5	6	6	6	-	-	-	-	-
FEMALE--	3	2	5	3	5	7	5	5	4	-	-	-
FLORIDA -----	103	152	226	388	482	593	531	392	202	43	8	1
WHITE-----MALE----	53	72	111	205	253	294	230	121	59	10	3	-
FEMALE--	29	52	78	134	179	262	272	254	138	32	5	1
ALL OTHER--MALE----	13	17	20	19	22	22	11	7	3	-	-	-
FEMALE--	8	11	17	30	28	15	18	10	2	1	-	-
BLACK---MALE----	11	17	20	19	22	20	11	7	3	-	-	-
FEMALE--	7	11	17	30	28	15	17	10	2	1	-	-
GEORGIA -----	42	60	89	104	138	160	135	106	35	10	1	-
WHITE-----MALE----	18	16	39	51	61	60	34	25	6	3	-	-
FEMALE--	10	24	22	30	51	56	66	50	24	6	1	-
ALL OTHER--MALE----	9	13	16	9	11	17	11	11	1	1	-	-
FEMALE--	5	7	12	14	15	27	24	20	4	-	-	-
BLACK---MALE----	9	13	16	9	11	17	11	10	1	1	-	-
FEMALE--	5	7	12	14	15	27	23	20	4	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 561

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 OTHER AND COLON, UNSPECIFIED (153.8-153.9)												
HAWAII -----	139	-	-	-	-	-	1	-	1	4	-	5
WHITE-----MALE----	24	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	12	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	55	-	-	-	-	-	1	-	-	1	-	1
FEMALE--	48	-	-	-	-	-	-	-	1	2	-	4
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	144	-	-	-	-	-	-	-	1	1	-	5
WHITE-----MALE----	78	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	66	-	-	-	-	-	-	-	1	-	-	4
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	2,254	-	-	-	-	1	2	2	2	6	31	60
WHITE-----MALE----	936	-	-	-	-	-	2	1	1	3	15	22
FEMALE--	966	-	-	-	-	1	-	-	1	2	10	23
ALL OTHER--MALE----	173	-	-	-	-	-	-	1	-	1	3	9
FEMALE--	179	-	-	-	-	-	-	-	-	-	3	6
BLACK---MALE----	163	-	-	-	-	-	-	1	-	1	2	9
FEMALE--	176	-	-	-	-	-	-	-	-	-	3	6
INDIANA -----	1,118	-	-	-	-	-	1	3	4	5	13	24
WHITE-----MALE----	462	-	-	-	-	-	1	2	2	1	5	15
FEMALE--	560	-	-	-	-	-	-	-	2	3	4	8
ALL OTHER--MALE----	44	-	-	-	-	-	-	1	-	1	3	1
FEMALE--	52	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	43	-	-	-	-	-	-	1	-	1	3	1
FEMALE--	52	-	-	-	-	-	-	-	-	-	1	-
IOWA -----	705	-	-	-	-	-	1	-	1	2	7	9
WHITE-----MALE----	326	-	-	-	-	-	1	-	-	-	4	2
FEMALE--	370	-	-	-	-	-	-	-	1	2	3	6
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
KANSAS -----	476	-	-	-	-	-	-	-	5	7	4	10
WHITE-----MALE----	199	-	-	-	-	-	-	-	1	3	3	7
FEMALE--	250	-	-	-	-	-	-	-	3	4	1	3
ALL OTHER--MALE----	14	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	13	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	10	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	12	-	-	-	-	-	-	-	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 561

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OTHER AND COLON, UNSPECIFIED (153.8-153.9)												
HAWAII -----	2	9	11	23	21	29	15	8	8	2	-	-
WHITE-----MALE----	-	2	1	6	4	6	1	2	1	-	-	-
FEMALE--	-	-	-	-	3	3	3	1	2	-	-	-
ALL OTHER--MALE----	-	4	8	10	6	13	4	3	3	1	-	-
FEMALE--	2	3	2	7	8	7	7	2	2	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	6	9	19	12	21	20	28	15	4	3	-	-
WHITE-----MALE----	2	4	14	6	12	13	16	5	2	2	-	-
FEMALE--	4	5	5	6	9	7	12	10	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	87	123	175	249	322	350	360	279	146	51	8	-
WHITE-----MALE----	37	48	81	123	149	157	143	100	45	8	1	-
FEMALE--	35	49	52	73	120	146	181	152	84	33	4	-
ALL OTHER--MALE----	8	19	23	28	32	24	12	6	5	2	-	-
FEMALE--	7	7	19	25	21	23	24	21	12	8	3	-
BLACK---MALE----	7	19	21	27	32	22	10	5	5	2	-	-
FEMALE--	6	6	19	25	21	23	23	21	12	8	3	-
INDIANA -----	46	41	86	128	176	190	177	133	71	18	2	-
WHITE-----MALE----	21	12	41	74	86	80	70	33	15	4	-	-
FEMALE--	20	22	34	44	76	94	95	90	52	14	2	-
ALL OTHER--MALE----	3	3	5	4	6	7	5	4	1	-	-	-
FEMALE--	2	4	6	6	8	9	7	6	3	-	-	-
BLACK---MALE----	2	3	5	4	6	7	5	4	1	-	-	-
FEMALE--	2	4	6	6	8	9	7	6	3	-	-	-
IOWA -----	21	30	41	82	107	123	124	85	56	14	2	-
WHITE-----MALE----	13	16	24	39	61	58	59	30	13	5	1	-
FEMALE--	8	14	17	42	43	65	63	54	42	9	1	-
ALL OTHER--MALE----	-	-	-	1	1	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	2	-	2	1	-	-	-	-
BLACK---MALE----	-	-	-	1	1	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	1	-	1	1	-	-	-	-
KANSAS -----	19	27	35	45	63	69	79	63	39	11	-	-
WHITE-----MALE----	13	10	16	20	30	37	29	9	18	3	-	-
FEMALE--	4	15	15	22	29	29	47	51	19	8	-	-
ALL OTHER--MALE----	1	-	2	3	4	2	1	-	1	-	-	-
FEMALE--	1	2	2	-	-	1	2	3	1	-	-	-
BLACK---MALE----	1	-	-	3	2	2	1	-	1	-	-	-
FEMALE--	1	2	2	-	-	1	2	2	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 562

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 OTHER AND COLON, UNSPECIFIED (153.8-153.9)												
KENTUCKY -----	756	-	-	-	-	-	1	2	1	8	16	18
WHITE-----MALE----	362	-	-	-	-	-	1	1	1	3	9	9
FEMALE--	336	-	-	-	-	-	-	1	-	4	6	4
ALL OTHER--MALE----	27	-	-	-	-	-	-	-	-	1	1	3
FEMALE--	31	-	-	-	-	-	-	-	-	-	-	2
BLACK---MALE----	27	-	-	-	-	-	-	-	-	1	1	3
FEMALE--	29	-	-	-	-	-	-	-	-	-	-	2
LOUISIANA -----	797	-	-	-	-	-	4	-	5	3	15	28
WHITE-----MALE----	275	-	-	-	-	-	3	-	3	1	7	9
FEMALE--	259	-	-	-	-	-	-	-	-	-	2	5
ALL OTHER--MALE----	134	-	-	-	-	-	1	-	1	2	3	9
FEMALE--	129	-	-	-	-	-	-	-	1	-	3	5
BLACK---MALE----	133	-	-	-	-	-	1	-	1	2	2	9
FEMALE--	128	-	-	-	-	-	-	-	1	-	3	5
MAINE -----	229	-	-	-	-	-	-	-	-	-	2	3
WHITE-----MALE----	106	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	122	-	-	-	-	-	-	-	-	-	2	2
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	902	-	-	-	-	-	-	-	2	4	12	26
WHITE-----MALE----	329	-	-	-	-	-	-	-	1	2	5	9
FEMALE--	352	-	-	-	-	-	-	-	1	1	6	4
ALL OTHER--MALE----	108	-	-	-	-	-	-	-	-	1	-	6
FEMALE--	113	-	-	-	-	-	-	-	-	-	1	7
BLACK---MALE----	104	-	-	-	-	-	-	-	-	1	-	6
FEMALE--	111	-	-	-	-	-	-	-	-	-	1	6
MASSACHUSETTS -----	1,230	-	-	-	-	-	-	-	3	3	14	18
WHITE-----MALE----	537	-	-	-	-	-	-	-	2	1	4	6
FEMALE--	632	-	-	-	-	-	-	-	1	1	5	11
ALL OTHER--MALE----	30	-	-	-	-	-	-	-	-	-	3	-
FEMALE--	31	-	-	-	-	-	-	-	-	1	2	1
BLACK---MALE----	22	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	24	-	-	-	-	-	-	-	-	1	1	1
MICHIGAN -----	1,654	-	-	-	-	-	1	1	4	9	17	40
WHITE-----MALE----	730	-	-	-	-	-	-	1	1	3	6	15
FEMALE--	690	-	-	-	-	-	-	-	2	1	7	10
ALL OTHER--MALE----	111	-	-	-	-	-	1	-	1	4	-	6
FEMALE--	123	-	-	-	-	-	-	-	-	1	4	9
BLACK---MALE----	102	-	-	-	-	-	-	-	-	3	-	5
FEMALE--	114	-	-	-	-	-	-	-	-	1	4	9

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 562

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OTHER AND COLON, UNSPECIFIED (153.8-153.9)												
KENTUCKY -----	32	51	68	84	108	133	100	84	35	14	1	-
WHITE-----MALE----	23	31	41	48	62	62	33	27	10	1	-	-
FEMALE--	6	16	25	32	40	60	58	48	23	12	1	-
ALL OTHER--MALE----	1	3	-	2	2	5	6	2	1	-	-	-
FEMALE--	2	1	2	2	4	6	3	7	1	1	-	-
BLACK---MALE----	1	3	-	2	2	5	6	2	1	-	-	-
FEMALE--	2	1	2	2	4	6	3	5	1	1	-	-
LOUISIANA -----	33	61	69	95	138	117	96	72	40	19	2	-
WHITE-----MALE----	11	24	22	31	53	47	35	18	9	2	-	-
FEMALE--	8	16	14	31	41	42	35	36	18	9	2	-
ALL OTHER--MALE----	7	15	14	22	24	15	8	7	3	3	-	-
FEMALE--	7	6	19	11	20	13	18	11	10	5	-	-
BLACK---MALE----	7	15	14	22	24	15	8	7	3	3	-	-
FEMALE--	6	6	19	11	20	13	18	11	10	5	-	-
MAINE -----	7	13	14	35	43	36	29	28	15	4	-	-
WHITE-----MALE----	3	6	6	23	24	19	10	10	4	-	-	-
FEMALE--	4	6	8	12	19	17	19	18	11	4	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	31	45	89	95	144	139	149	89	59	15	3	-
WHITE-----MALE----	10	18	36	40	46	64	59	26	11	1	1	-
FEMALE--	6	12	24	28	52	54	65	49	36	12	2	-
ALL OTHER--MALE----	8	6	17	19	25	7	15	2	1	1	-	-
FEMALE--	7	9	12	8	21	14	10	12	11	1	-	-
BLACK---MALE----	8	6	15	18	25	6	15	2	1	1	-	-
FEMALE--	7	9	12	8	20	14	10	12	11	1	-	-
MASSACHUSETTS -----	34	59	75	126	194	208	214	164	85	29	4	-
WHITE-----MALE----	22	34	36	72	95	102	82	58	16	6	1	-
FEMALE--	9	21	30	50	87	99	124	103	66	22	3	-
ALL OTHER--MALE----	2	3	5	-	7	6	3	1	-	-	-	-
FEMALE--	1	1	4	4	5	1	5	2	3	1	-	-
BLACK---MALE----	2	3	4	-	4	5	3	-	-	-	-	-
FEMALE--	1	-	4	4	2	1	5	1	2	1	-	-
MICHIGAN -----	54	84	146	188	258	295	267	173	92	25	-	-
WHITE-----MALE----	26	42	76	91	128	128	120	61	24	8	-	-
FEMALE--	18	29	44	70	84	126	124	102	60	13	-	-
ALL OTHER--MALE----	6	8	10	13	26	19	7	5	3	2	-	-
FEMALE--	4	5	16	14	20	22	16	5	5	2	-	-
BLACK---MALE----	6	7	10	10	25	19	7	5	3	2	-	-
FEMALE--	4	4	16	13	17	21	14	4	5	2	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 563

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OTHER AND COLON, UNSPECIFIED (153.8-153.9)												
MINNESOTA -----	29	45	51	84	95	126	122	102	55	18	3	-
WHITE-----MALE----	16	23	27	49	57	71	44	40	17	1	-	-
FEMALE--	12	20	23	33	35	51	75	61	37	16	3	-
ALL OTHER--MALE----	1	2	1	2	1	4	3	-	-	1	-	-
FEMALE--	-	-	-	-	2	-	-	1	1	-	-	-
BLACK---MALE----	-	1	1	1	-	2	2	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
MISSISSIPPI -----	16	27	40	54	73	68	69	49	17	7	-	-
WHITE-----MALE----	7	10	12	27	23	35	26	17	2	-	-	-
FEMALE--	4	7	10	12	26	23	20	15	6	3	-	-
ALL OTHER--MALE----	2	4	7	9	10	4	7	10	2	-	-	-
FEMALE--	3	6	11	6	14	6	16	7	7	4	-	-
BLACK---MALE----	2	4	6	8	10	4	7	10	2	-	-	-
FEMALE--	3	6	10	6	13	6	16	7	7	4	-	-
MISSOURI -----	29	58	88	122	169	172	166	133	65	24	1	-
WHITE-----MALE----	13	26	47	61	78	68	67	35	23	3	-	-
FEMALE--	7	26	31	46	76	81	86	88	35	21	1	-
ALL OTHER--MALE----	6	3	7	5	9	14	1	2	1	-	-	-
FEMALE--	3	3	3	10	6	9	12	8	6	-	-	-
BLACK---MALE----	6	3	7	5	9	14	1	2	1	-	-	-
FEMALE--	3	3	3	9	6	9	11	8	6	-	-	-
MONTANA -----	4	7	14	13	24	16	31	13	15	2	-	-
WHITE-----MALE----	2	4	5	7	16	9	18	6	3	2	-	-
FEMALE--	2	3	8	6	6	7	12	6	12	-	-	-
ALL OTHER--MALE----	-	-	-	-	2	-	1	1	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	13	11	19	36	43	69	59	35	21	7	1	-
WHITE-----MALE----	1	5	11	23	22	42	31	11	4	3	-	-
FEMALE--	10	5	8	12	19	23	27	22	17	4	-	-
ALL OTHER--MALE----	1	-	-	-	1	4	1	1	-	-	1	-
FEMALE--	1	1	-	1	1	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	1	4	1	1	-	-	-	-
FEMALE--	1	1	-	1	1	-	-	1	-	-	-	-
NEVADA -----	13	22	27	47	44	40	45	19	2	1	-	-
WHITE-----MALE----	5	11	13	29	30	22	17	5	1	-	-	-
FEMALE--	6	8	11	14	13	16	26	13	1	1	-	-
ALL OTHER--MALE----	2	3	2	-	1	1	2	-	-	-	-	-
FEMALE--	-	-	1	4	-	1	-	1	-	-	-	-
BLACK---MALE----	-	3	2	-	1	1	2	-	-	-	-	-
FEMALE--	-	-	1	3	-	1	-	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 565

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 OTHER AND COLON, UNSPECIFIED (153.8-153.9)												
OHIO -----	2,267	-	-	-	-	-	1	2	4	11	17	68
WHITE-----MALE----	953	-	-	-	-	-	-	-	1	3	11	24
FEMALE--	1,069	-	-	-	-	-	1	1	1	4	6	37
ALL OTHER--MALE----	126	-	-	-	-	-	-	1	1	1	-	3
FEMALE--	119	-	-	-	-	-	-	-	1	3	-	4
BLACK---MALE----	124	-	-	-	-	-	-	1	1	1	-	3
FEMALE--	118	-	-	-	-	-	-	-	1	3	-	4
OKLAHOMA -----	605	-	-	-	-	-	1	2	2	3	8	21
WHITE-----MALE----	244	-	-	-	-	-	-	2	1	2	2	10
FEMALE--	286	-	-	-	-	-	1	-	1	1	4	5
ALL OTHER--MALE----	42	-	-	-	-	-	-	-	-	-	1	3
FEMALE--	33	-	-	-	-	-	-	-	-	-	1	3
BLACK---MALE----	26	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	21	-	-	-	-	-	-	-	-	-	1	2
OREGON -----	514	-	-	-	-	-	1	-	1	4	4	11
WHITE-----MALE----	243	-	-	-	-	-	-	-	1	3	2	5
FEMALE--	252	-	-	-	-	-	-	-	-	1	1	5
ALL OTHER--MALE----	12	-	-	-	-	-	1	-	-	-	-	1
FEMALE--	7	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	2,796	-	-	-	-	1	-	4	5	23	25	63
WHITE-----MALE----	1,209	-	-	-	-	-	-	2	1	5	10	29
FEMALE--	1,317	-	-	-	-	1	-	1	1	14	13	26
ALL OTHER--MALE----	131	-	-	-	-	-	-	1	2	2	1	7
FEMALE--	139	-	-	-	-	-	-	-	1	2	1	1
BLACK---MALE----	125	-	-	-	-	-	-	1	1	1	-	7
FEMALE--	133	-	-	-	-	-	-	-	1	2	1	-
RHODE ISLAND -----	211	-	-	-	-	-	-	1	2	2	3	4
WHITE-----MALE----	93	-	-	-	-	-	-	1	-	1	2	4
FEMALE--	112	-	-	-	-	-	-	-	1	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	628	-	-	-	-	-	1	1	5	6	15	22
WHITE-----MALE----	238	-	-	-	-	-	-	-	1	3	5	4
FEMALE--	205	-	-	-	-	-	-	-	-	-	2	2
ALL OTHER--MALE----	85	-	-	-	-	-	1	-	1	-	6	10
FEMALE--	100	-	-	-	-	-	-	1	3	3	2	6
BLACK---MALE----	85	-	-	-	-	-	1	-	1	-	6	10
FEMALE--	98	-	-	-	-	-	-	1	3	3	2	6

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 565

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OTHER AND COLON, UNSPECIFIED (153.8-153.9)												
OHIO -----	73	118	155	280	375	397	343	260	134	28	1	-
WHITE-----MALE----	36	45	81	147	178	165	139	87	31	5	-	-
FEMALE--	30	57	64	95	153	192	169	151	89	18	1	-
ALL OTHER--MALE----	4	5	6	24	28	22	16	9	5	1	-	-
FEMALE--	3	11	4	14	16	18	19	13	9	4	-	-
BLACK---MALE----	4	5	5	23	28	22	16	9	5	1	-	-
FEMALE--	3	11	4	13	16	18	19	13	9	4	-	-
OKLAHOMA -----	24	31	51	51	88	109	99	60	43	11	1	-
WHITE-----MALE----	8	12	29	24	46	43	32	14	16	3	-	-
FEMALE--	10	10	18	23	30	54	56	41	25	7	-	-
ALL OTHER--MALE----	5	6	2	2	6	8	7	-	1	1	-	-
FEMALE--	1	3	2	2	6	4	4	5	1	-	1	-
BLACK---MALE----	3	5	2	1	4	7	1	-	-	1	-	-
FEMALE--	-	2	1	-	4	2	4	4	1	-	-	-
OREGON -----	21	30	35	64	59	76	98	54	42	13	1	-
WHITE-----MALE----	9	14	22	36	27	43	47	23	9	2	-	-
FEMALE--	9	15	10	26	30	32	49	31	31	11	1	-
ALL OTHER--MALE----	1	1	3	1	1	-	2	-	1	-	-	-
FEMALE--	2	-	-	1	1	1	-	-	1	-	-	-
BLACK---MALE----	1	-	1	-	-	-	1	-	1	-	-	-
FEMALE--	1	-	-	1	-	-	-	-	1	-	-	-
PENNSYLVANIA -----	81	120	200	317	440	482	481	359	151	41	3	-
WHITE-----MALE----	43	57	96	164	231	212	183	114	50	12	-	-
FEMALE--	28	47	80	124	159	229	257	217	92	25	3	-
ALL OTHER--MALE----	4	12	14	11	24	19	21	9	4	-	-	-
FEMALE--	6	4	10	18	26	22	20	19	5	4	-	-
BLACK---MALE----	4	12	14	11	24	17	20	9	4	-	-	-
FEMALE--	5	4	9	17	26	21	19	19	5	4	-	-
RHODE ISLAND -----	7	5	16	20	34	39	30	27	19	2	-	-
WHITE-----MALE----	3	4	6	13	19	18	13	7	1	1	-	-
FEMALE--	4	1	9	7	15	19	17	20	16	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	2	-	-	2	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	2	-	-	2	-	-	-
SOUTH CAROLINA -----	35	47	46	78	92	100	77	64	29	8	2	-
WHITE-----MALE----	10	24	22	31	38	39	25	24	11	1	-	-
FEMALE--	10	13	12	24	29	31	29	28	17	6	2	-
ALL OTHER--MALE----	5	4	9	13	12	11	8	5	-	-	-	-
FEMALE--	10	6	3	10	13	19	15	7	1	1	-	-
BLACK---MALE----	5	4	9	13	12	11	8	5	-	-	-	-
FEMALE--	10	5	3	9	13	19	15	7	1	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 566

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 OTHER AND COLON, UNSPECIFIED (153.8-153.9)												
SOUTH DAKOTA -----	146	-	-	-	-	-	-	-	-	-	-	5
WHITE-----MALE----	68	-	-	-	-	-	-	-	-	-	-	3
FEMALE--	76	-	-	-	-	-	-	-	-	-	-	2
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	1,012	-	-	-	-	1	2	1	2	9	18	33
WHITE-----MALE----	399	-	-	-	-	1	2	1	1	4	12	16
FEMALE--	418	-	-	-	-	-	-	-	1	1	6	5
ALL OTHER--MALE----	86	-	-	-	-	-	-	-	-	3	-	6
FEMALE--	109	-	-	-	-	-	-	-	-	1	-	6
BLACK---MALE----	85	-	-	-	-	-	-	-	-	3	-	6
FEMALE--	108	-	-	-	-	-	-	-	-	1	-	6
TEXAS -----	2,674	-	-	-	-	1	2	5	15	14	49	89
WHITE-----MALE----	1,211	-	-	-	-	1	1	-	5	5	18	45
FEMALE--	1,085	-	-	-	-	-	-	3	6	8	17	27
ALL OTHER--MALE----	186	-	-	-	-	-	1	2	1	1	9	7
FEMALE--	192	-	-	-	-	-	-	-	3	-	5	10
BLACK---MALE----	178	-	-	-	-	-	1	2	1	1	9	7
FEMALE--	185	-	-	-	-	-	-	-	1	-	5	9
UTAH -----	185	-	-	-	-	-	1	-	2	-	5	5
WHITE-----MALE----	84	-	-	-	-	-	1	-	1	-	3	2
FEMALE--	94	-	-	-	-	-	-	-	1	-	2	2
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	107	-	-	-	-	-	-	1	-	-	1	2
WHITE-----MALE----	44	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	63	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	1,033	-	-	-	1	-	1	2	7	11	16	47
WHITE-----MALE----	395	-	-	-	-	-	1	1	4	3	4	17
FEMALE--	401	-	-	-	-	-	-	1	2	3	6	14
ALL OTHER--MALE----	107	-	-	-	1	-	-	-	-	1	3	10
FEMALE--	130	-	-	-	-	-	-	-	1	4	3	6
BLACK---MALE----	103	-	-	-	1	-	-	-	-	-	3	9
FEMALE--	126	-	-	-	-	-	-	-	1	4	3	6

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 566

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OTHER AND COLON, UNSPECIFIED (153.8-153.9)												
SOUTH DAKOTA -----	7	6	11	15	24	20	20	20	12	6	-	-
WHITE-----MALE----	5	2	5	9	12	8	10	10	3	1	-	-
FEMALE--	2	4	6	6	11	12	9	10	9	5	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	44	48	79	110	151	173	159	104	63	14	1	-
WHITE-----MALE----	21	26	31	56	68	72	44	26	15	3	-	-
FEMALE--	14	14	40	35	45	68	81	63	37	7	1	-
ALL OTHER--MALE----	5	3	5	12	15	13	15	5	2	2	-	-
FEMALE--	4	5	3	7	23	20	19	10	9	2	-	-
BLACK---MALE----	5	3	5	12	15	13	14	5	2	2	-	-
FEMALE--	4	5	3	7	23	19	19	10	9	2	-	-
TEXAS -----	128	186	211	317	386	396	363	310	155	41	6	-
WHITE-----MALE----	66	84	113	181	189	195	161	111	30	6	-	-
FEMALE--	44	71	62	90	137	161	161	163	102	28	5	-
ALL OTHER--MALE----	9	14	24	28	28	19	17	18	5	2	1	-
FEMALE--	9	17	12	18	32	21	24	18	18	5	-	-
BLACK---MALE----	9	14	22	26	26	18	17	17	5	2	1	-
FEMALE--	8	15	12	18	31	21	24	18	18	5	-	-
UTAH -----	3	14	14	15	36	37	18	20	13	2	-	-
WHITE-----MALE----	1	7	7	9	19	14	7	7	6	-	-	-
FEMALE--	2	6	6	6	15	22	10	13	7	2	-	-
ALL OTHER--MALE----	-	1	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	1	-	2	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	4	10	9	10	17	14	16	14	6	3	-	-
WHITE-----MALE----	1	6	3	4	9	10	3	4	1	-	-	-
FEMALE--	3	4	6	6	8	4	13	10	5	3	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	54	55	103	126	165	144	120	110	52	15	4	-
WHITE-----MALE----	20	23	44	60	58	60	43	40	13	4	-	-
FEMALE--	19	24	30	32	67	61	54	50	30	6	2	-
ALL OTHER--MALE----	11	5	12	15	21	10	5	7	3	3	-	-
FEMALE--	4	3	17	19	19	13	18	13	6	2	2	-
BLACK---MALE----	11	5	12	14	20	10	5	7	3	3	-	-
FEMALE--	4	3	16	17	19	12	18	13	6	2	2	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 568

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 OF RECTUM, RECTOSIGMOID JUNCTION, AND ANUS (154)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 UNITED STATES --	456	575	738	1,036	1,288	1,212	1,079	773	406	116	21	-
WHITE-----MALE----	243	290	392	556	656	600	504	272	96	19	6	-
FEMALE--	150	183	230	333	468	488	481	415	267	79	12	-
ALL OTHER--MALE----	42	68	78	85	88	59	30	34	16	1	-	-
FEMALE--	21	34	38	62	76	65	64	52	27	17	3	-
BLACK---MALE----	37	55	62	66	73	45	20	27	10	1	-	-
FEMALE--	17	30	34	48	63	56	53	46	25	15	3	-
ALABAMA -----	5	10	12	11	14	17	8	8	3	4	-	-
WHITE-----MALE----	3	5	7	6	6	6	3	1	-	1	-	-
FEMALE--	2	2	2	2	4	8	3	4	2	-	-	-
ALL OTHER--MALE----	-	1	2	3	-	1	-	2	-	-	-	-
FEMALE--	-	2	1	-	4	2	2	1	1	3	-	-
BLACK---MALE----	-	1	2	3	-	1	-	2	-	-	-	-
FEMALE--	-	2	1	-	4	2	2	1	1	3	-	-
ALASKA -----	2	1	-	2	-	2	-	2	-	-	-	-
WHITE-----MALE----	1	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	1	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	1	-	1	-	-	-	-
FEMALE--	-	1	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	4	14	5	20	16	17	16	4	9	1	-	-
WHITE-----MALE----	2	7	3	11	6	11	7	1	7	-	-	-
FEMALE--	1	6	2	8	9	4	7	3	2	1	-	-
ALL OTHER--MALE----	-	1	-	1	1	-	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	2	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	2	1	-	-	-	-	-
ARKANSAS -----	3	4	10	5	12	7	6	4	6	2	-	-
WHITE-----MALE----	3	2	5	2	5	4	3	2	-	-	-	-
FEMALE--	-	1	1	2	4	2	3	2	5	2	-	-
ALL OTHER--MALE----	-	1	3	1	2	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	1	1	-	-	1	-	-	-
BLACK---MALE----	-	1	2	1	2	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	1	1	-	-	1	-	-	-
CALIFORNIA -----	51	51	66	108	149	122	96	77	39	8	2	-
WHITE-----MALE----	25	26	35	51	78	61	45	31	9	1	-	-
FEMALE--	19	15	16	40	51	46	41	40	24	5	2	-
ALL OTHER--MALE----	7	7	11	8	13	5	3	3	5	-	-	-
FEMALE--	-	3	4	9	7	10	7	3	1	2	-	-
BLACK---MALE----	6	5	5	4	9	1	-	-	-	-	-	-
FEMALE--	-	3	3	4	2	6	2	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 569

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX OF RECTUM, RECTOSIGMOID JUNCTION, AND ANUS (154)	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
COLORADO -----	96	-	-	-	-	-	-	-	1	-	2	6
WHITE-----MALE----	53	-	-	-	-	-	-	-	-	-	1	5
FEMALE--	39	-	-	-	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	111	-	-	-	-	-	-	1	2	2	3	2
WHITE-----MALE----	59	-	-	-	-	-	-	-	-	2	2	1
FEMALE--	48	-	-	-	-	-	-	1	1	-	1	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	3	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
DELAWARE -----	31	-	-	-	-	-	-	-	-	-	1	1
WHITE-----MALE----	10	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	14	-	-	-	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	24	-	-	-	-	-	-	-	-	-	1	1
WHITE-----MALE----	3	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	11	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	11	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	543	-	-	-	-	-	-	1	-	7	8	24
WHITE-----MALE----	270	-	-	-	-	-	-	-	-	3	3	11
FEMALE--	225	-	-	-	-	-	-	1	-	2	5	9
ALL OTHER--MALE----	25	-	-	-	-	-	-	-	-	2	-	2
FEMALE--	23	-	-	-	-	-	-	-	-	-	-	2
BLACK---MALE----	24	-	-	-	-	-	-	-	-	2	-	2
FEMALE--	23	-	-	-	-	-	-	-	-	-	-	2
GEORGIA -----	192	-	-	-	-	-	1	2	-	4	5	12
WHITE-----MALE----	69	-	-	-	-	-	-	1	-	1	1	3
FEMALE--	66	-	-	-	-	-	1	-	-	1	2	5
ALL OTHER--MALE----	29	-	-	-	-	-	-	-	-	1	2	2
FEMALE--	28	-	-	-	-	-	-	1	-	1	-	2
BLACK---MALE----	29	-	-	-	-	-	-	-	-	1	2	2
FEMALE--	27	-	-	-	-	-	-	1	-	1	-	2

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 569

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 OF RECTUM, RECTOSIGMOID JUNCTION, AND ANUS (154)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
COLORADO -----	6	8	8	15	12	10	13	10	3	2	-	-
WHITE-----MALE----	6	5	5	8	5	6	7	3	2	-	-	-
FEMALE--	-	3	3	6	5	4	6	7	1	2	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
CONNECTICUT -----	4	9	4	8	21	17	16	13	6	3	-	-
WHITE-----MALE----	3	5	2	4	16	9	8	5	1	1	-	-
FEMALE--	1	4	1	3	5	8	8	8	5	2	-	-
ALL OTHER--MALE----	-	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	3	4	3	8	5	3	-	2	1	-	-
WHITE-----MALE----	-	1	1	1	3	3	1	-	-	-	-	-
FEMALE--	-	1	3	2	3	-	2	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	2	1	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	1	-	-	1	1	-	-
BLACK---MALE----	-	-	-	-	2	1	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	1	-	-	1	1	-	-
DISTRICT OF COLUMBIA ----	3	2	6	3	1	1	-	5	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	2	-	-	-	-
FEMALE--	-	-	2	-	1	1	-	1	-	-	-	-
ALL OTHER--MALE----	2	2	3	2	-	-	-	1	-	-	-	-
FEMALE--	1	-	1	1	-	-	-	1	1	-	-	-
BLACK---MALE----	2	2	3	2	-	-	-	1	-	-	-	-
FEMALE--	1	-	1	1	-	-	-	1	1	-	-	-
FLORIDA -----	23	43	42	69	74	95	72	62	17	6	-	-
WHITE-----MALE----	10	25	22	37	36	54	35	27	5	2	-	-
FEMALE--	12	11	14	26	32	37	35	28	11	2	-	-
ALL OTHER--MALE----	1	4	5	3	4	2	-	1	1	-	-	-
FEMALE--	-	3	1	3	2	2	2	6	-	2	-	-
BLACK---MALE----	1	4	5	3	3	2	-	1	1	-	-	-
FEMALE--	-	3	1	3	2	2	2	6	-	2	-	-
GEORGIA -----	9	17	22	21	28	31	22	7	8	1	2	-
WHITE-----MALE----	5	8	12	5	11	12	6	3	1	-	-	-
FEMALE--	3	5	5	5	6	15	10	3	3	1	1	-
ALL OTHER--MALE----	1	3	2	7	6	3	-	-	2	-	-	-
FEMALE--	-	1	3	4	5	1	6	1	2	-	1	-
BLACK---MALE----	1	3	2	7	6	3	-	-	2	-	-	-
FEMALE--	-	1	2	4	5	1	6	1	2	-	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 571

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 OF RECTUM, RECTOSIGMOID JUNCTION, AND ANUS (154)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
KENTUCKY -----	7	11	3	15	13	20	19	10	3	3	-	-
WHITE-----MALE----	3	4	2	8	6	10	7	3	-	1	-	-
FEMALE--	4	5	1	5	6	10	10	7	3	2	-	-
ALL OTHER--MALE----	-	2	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	2	-	-	2	-	-	-	-	-
BLACK---MALE----	-	2	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	2	-	-	2	-	-	-	-	-
LOUISIANA -----	9	9	8	11	15	12	14	10	3	1	1	-
WHITE-----MALE----	1	3	3	5	5	5	7	4	-	-	-	-
FEMALE--	5	5	1	2	7	4	3	5	3	1	1	-
ALL OTHER--MALE----	3	1	3	3	2	2	1	-	-	-	-	-
FEMALE--	-	-	1	1	1	1	3	1	-	-	-	-
BLACK---MALE----	3	1	2	3	2	2	1	-	-	-	-	-
FEMALE--	-	-	1	1	1	1	3	1	-	-	-	-
MAINE -----	6	2	3	7	6	15	9	4	2	2	-	-
WHITE-----MALE----	3	-	2	5	3	8	5	2	1	-	-	-
FEMALE--	3	2	1	2	3	7	4	2	1	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	7	6	14	24	31	33	22	15	8	2	1	-
WHITE-----MALE----	4	1	5	13	12	13	8	3	2	-	1	-
FEMALE--	2	1	5	6	6	13	4	8	5	-	-	-
ALL OTHER--MALE----	-	3	4	2	6	4	4	2	1	-	-	-
FEMALE--	1	1	-	3	7	3	6	2	-	2	-	-
BLACK---MALE----	-	3	3	2	6	3	3	2	1	-	-	-
FEMALE--	1	1	-	3	7	2	6	2	-	2	-	-
MASSACHUSETTS -----	9	14	23	42	40	32	36	25	12	8	1	-
WHITE-----MALE----	6	6	18	24	23	12	14	9	3	1	-	-
FEMALE--	3	7	5	14	15	17	21	16	9	7	1	-
ALL OTHER--MALE----	-	1	-	4	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	2	2	-	-	-	-	-	-
BLACK---MALE----	-	1	-	3	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	2	2	-	-	-	-	-	-
MICHIGAN -----	15	18	39	32	51	49	35	27	16	2	-	-
WHITE-----MALE----	8	10	17	20	27	31	17	11	5	2	-	-
FEMALE--	5	4	14	7	16	12	14	13	10	-	-	-
ALL OTHER--MALE----	1	3	4	2	7	4	2	1	-	-	-	-
FEMALE--	1	1	4	3	1	2	2	2	1	-	-	-
BLACK---MALE----	1	3	3	2	6	4	2	1	-	-	-	-
FEMALE--	1	1	3	2	1	2	2	2	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 572

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
 OF RECTUM, RECTOSIGMOID JUNCTION, AND ANUS (154)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
MINNESOTA -----	142	-	-	-	-	-	-	-	-	5	1	3
WHITE-----MALE----	75	-	-	-	-	-	-	-	-	3	-	1
FEMALE--	65	-	-	-	-	-	-	-	-	1	1	2
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI -----	50	-	-	-	-	-	-	-	2	2	-	4
WHITE-----MALE----	19	-	-	-	-	-	-	-	-	2	-	3
FEMALE--	17	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	1	-	-	1
BLACK---MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	1	-	-	1
MISSOURI -----	173	-	-	-	-	-	-	-	1	1	3	5
WHITE-----MALE----	82	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	75	-	-	-	-	-	-	-	1	-	1	4
ALL OTHER--MALE----	7	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	7	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
MONTANA -----	29	-	-	-	-	-	-	-	1	-	-	1
WHITE-----MALE----	21	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	7	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	44	-	-	-	-	-	-	-	-	2	2	2
WHITE-----MALE----	31	-	-	-	-	-	-	-	-	2	1	2
FEMALE--	12	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA -----	50	-	-	-	-	-	-	-	-	1	3	1
WHITE-----MALE----	30	-	-	-	-	-	-	-	-	-	2	-
FEMALE--	16	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 572

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 OF RECTUM, RECTOSIGMOID JUNCTION, AND ANUS (154)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
MINNESOTA -----	13	9	14	12	17	19	19	16	11	3	-	-
WHITE-----MALE----	7	6	8	6	11	10	12	6	5	-	-	-
FEMALE--	5	3	6	6	6	9	7	10	6	3	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI -----	6	2	5	5	7	6	4	5	-	1	1	-
WHITE-----MALE----	2	2	1	3	4	2	-	-	-	-	-	-
FEMALE--	3	-	2	1	1	3	4	2	-	-	-	-
ALL OTHER--MALE----	1	-	1	1	-	-	-	3	-	-	-	-
FEMALE--	-	-	1	-	2	1	-	-	-	1	1	-
BLACK---MALE----	1	-	1	1	-	-	-	3	-	-	-	-
FEMALE--	-	-	1	-	2	1	-	-	-	1	1	-
MISSOURI -----	10	9	17	26	31	23	25	14	6	1	1	-
WHITE-----MALE----	5	5	11	11	13	12	16	6	-	-	1	-
FEMALE--	4	3	6	11	14	10	8	6	6	1	-	-
ALL OTHER--MALE----	1	1	-	1	2	-	-	1	-	-	-	-
FEMALE--	-	-	-	3	2	1	1	1	-	-	-	-
BLACK---MALE----	1	1	-	1	2	-	-	1	-	-	-	-
FEMALE--	-	-	-	2	2	1	1	1	-	-	-	-
MONTANA -----	1	-	2	10	4	3	4	3	-	-	-	-
WHITE-----MALE----	1	-	1	7	3	2	3	3	-	-	-	-
FEMALE--	-	-	-	3	1	1	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	3	4	1	8	3	4	6	7	2	-	-	-
WHITE-----MALE----	2	4	-	7	2	3	5	3	-	-	-	-
FEMALE--	1	-	1	1	1	1	1	3	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA -----	5	4	7	1	9	7	7	4	1	-	-	-
WHITE-----MALE----	4	2	6	-	6	4	5	1	-	-	-	-
FEMALE--	1	1	1	1	3	3	2	2	1	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 574

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX OF RECTUM, RECTOSIGMOID JUNCTION, AND ANUS (154)	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
OHIO -----	20	35	37	46	64	50	54	31	16	9	1	-
WHITE-----MALE----	12	17	21	30	41	24	28	12	3	3	-	-
FEMALE--	8	13	14	11	17	22	25	17	10	6	1	-
ALL OTHER--MALE----	-	3	2	4	6	-	1	-	1	-	-	-
FEMALE--	-	2	-	1	-	4	-	2	2	-	-	-
BLACK---MALE----	-	3	2	3	6	-	1	-	1	-	-	-
FEMALE--	-	2	-	1	-	4	-	2	2	-	-	-
OKLAHOMA -----	6	5	13	19	10	13	14	12	3	2	-	-
WHITE-----MALE----	5	4	7	13	5	6	8	6	1	-	-	-
FEMALE--	1	1	5	4	3	4	6	5	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	2	3	-	1	-	-	-	-
FEMALE--	-	-	1	2	-	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	1	1	-	-	-	-	-	1	-	-
OREGON -----	11	8	16	14	14	8	18	11	8	3	-	-
WHITE-----MALE----	2	4	9	8	7	5	12	5	2	-	-	-
FEMALE--	9	4	6	4	7	3	4	6	6	3	-	-
ALL OTHER--MALE----	-	-	1	2	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	2	-	-	-	-	-
BLACK---MALE----	-	-	-	2	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
PENNSYLVANIA -----	18	35	33	56	79	81	69	56	34	8	-	-
WHITE-----MALE----	11	17	23	36	49	38	36	15	7	1	-	-
FEMALE--	4	12	7	16	25	35	29	39	25	6	-	-
ALL OTHER--MALE----	1	5	3	1	2	4	2	1	1	-	-	-
FEMALE--	2	1	-	3	3	4	2	1	1	1	-	-
BLACK---MALE----	1	4	2	1	2	3	2	1	1	-	-	-
FEMALE--	2	1	-	3	3	4	2	1	1	1	-	-
RHODE ISLAND -----	1	1	4	4	10	3	5	7	1	-	1	-
WHITE-----MALE----	1	1	3	3	7	-	1	1	-	-	1	-
FEMALE--	-	-	1	1	2	3	3	6	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	-	-	-	-	-
SOUTH CAROLINA -----	7	11	14	14	16	16	11	4	1	1	-	-
WHITE-----MALE----	2	4	7	7	5	3	5	1	1	-	-	-
FEMALE--	2	5	1	3	5	8	2	3	-	1	-	-
ALL OTHER--MALE----	3	2	3	2	2	3	2	-	-	-	-	-
FEMALE--	-	-	3	2	4	2	2	-	-	-	-	-
BLACK---MALE----	3	2	3	2	2	3	2	-	-	-	-	-
FEMALE--	-	-	3	2	4	2	2	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 575

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX OF RECTUM, RECTOSIGMOID JUNCTION, AND ANUS (154)	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
SOUTH DAKOTA -----	24	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	10	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	14	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	165	-	-	-	-	-	-	1	2	2	4	10
WHITE-----MALE----	72	-	-	-	-	-	-	1	1	-	2	3
FEMALE--	62	-	-	-	-	-	-	-	-	1	1	6
ALL OTHER--MALE----	13	-	-	-	-	-	-	-	1	1	-	1
FEMALE--	18	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	13	-	-	-	-	-	-	-	1	1	-	1
FEMALE--	17	-	-	-	-	-	-	-	-	-	1	-
TEXAS -----	472	-	-	-	-	-	-	2	4	7	15	22
WHITE-----MALE----	227	-	-	-	-	-	-	1	2	4	10	11
FEMALE--	184	-	-	-	-	-	-	1	1	2	5	9
ALL OTHER--MALE----	32	-	-	-	-	-	-	-	1	1	-	1
FEMALE--	29	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	31	-	-	-	-	-	-	-	1	1	-	1
FEMALE--	25	-	-	-	-	-	-	-	-	-	-	-
UTAH -----	32	-	-	-	-	1	-	-	1	-	1	-
WHITE-----MALE----	15	-	-	-	-	1	-	-	1	-	1	-
FEMALE--	14	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	20	-	-	-	-	-	-	-	-	-	-	2
WHITE-----MALE----	9	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	11	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	210	-	-	-	-	-	-	1	-	4	6	11
WHITE-----MALE----	81	-	-	-	-	-	-	1	-	1	2	5
FEMALE--	83	-	-	-	-	-	-	-	-	1	3	4
ALL OTHER--MALE----	24	-	-	-	-	-	-	-	-	1	1	2
FEMALE--	22	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	24	-	-	-	-	-	-	-	-	1	1	2
FEMALE--	20	-	-	-	-	-	-	-	-	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 575

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 OF RECTUM, RECTOSIGMOID JUNCTION, AND ANUS (154)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
SOUTH DAKOTA -----	1	3	2	2	5	3	4	2	2	-	-	-
WHITE-----MALE----	1	1	1	1	2	1	2	1	-	-	-	-
FEMALE--	-	2	1	1	3	2	2	1	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	14	13	16	19	19	24	16	15	9	1	-	-
WHITE-----MALE----	7	6	8	12	12	9	5	6	-	-	-	-
FEMALE--	-	5	7	5	4	8	10	7	7	1	-	-
ALL OTHER--MALE----	5	-	1	1	-	2	-	1	-	-	-	-
FEMALE--	2	2	-	1	3	5	1	1	2	-	-	-
BLACK---MALE----	5	-	1	1	-	2	-	1	-	-	-	-
FEMALE--	2	2	-	1	3	5	1	-	2	-	-	-
TEXAS -----	27	38	40	69	66	50	63	46	20	3	-	-
WHITE-----MALE----	15	18	20	37	37	28	25	15	4	-	-	-
FEMALE--	11	14	14	19	20	18	33	24	10	3	-	-
ALL OTHER--MALE----	1	4	5	7	2	2	-	5	3	-	-	-
FEMALE--	-	2	1	6	7	2	5	2	3	-	-	-
BLACK---MALE----	-	4	5	7	2	2	-	5	3	-	-	-
FEMALE--	-	2	1	5	7	1	4	2	3	-	-	-
UTAH -----	-	1	1	6	7	5	3	4	1	1	-	-
WHITE-----MALE----	-	-	1	3	1	4	1	1	1	-	-	-
FEMALE--	-	-	-	3	5	-	2	3	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	1	1	2	-	5	3	1	1	3	1	-	-
WHITE-----MALE----	1	-	2	-	2	1	1	-	1	-	-	-
FEMALE--	-	1	-	-	3	2	-	1	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	12	12	18	23	27	32	28	21	9	5	1	-
WHITE-----MALE----	7	5	8	13	12	13	8	4	1	1	-	-
FEMALE--	2	5	5	3	12	14	18	6	6	4	-	-
ALL OTHER--MALE----	1	-	5	4	3	4	1	2	-	-	-	-
FEMALE--	2	2	-	3	-	1	1	9	2	-	1	-
BLACK---MALE----	1	-	5	4	3	4	1	2	-	-	-	-
FEMALE--	2	1	-	3	-	1	1	9	1	-	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 577

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX OF LIVER AND INTRAHEPATIC BILE DUCTS (155)	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
UNITED STATES --	11,938	5	19	9	5	15	14	35	59	132	283	551
WHITE-----MALE----	5,850	3	7	7	1	3	5	13	20	57	126	274
FEMALE--	3,772	-	8	-	1	5	3	7	15	25	55	89
ALL OTHER--MALE----	1,498	2	3	1	2	4	2	11	15	45	75	156
FEMALE--	818	-	1	1	1	3	4	4	9	5	27	32
BLACK---MALE----	900	-	1	1	1	2	1	8	8	24	46	99
FEMALE--	546	-	1	1	-	2	3	2	7	4	19	20
ALABAMA -----	221	-	-	-	1	-	1	-	1	5	2	3
WHITE-----MALE----	103	-	-	-	1	-	-	-	-	2	1	2
FEMALE--	76	-	-	-	-	-	1	-	1	1	1	1
ALL OTHER--MALE----	24	-	-	-	-	-	-	-	-	2	-	-
FEMALE--	18	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	23	-	-	-	-	-	-	-	-	2	-	-
FEMALE--	18	-	-	-	-	-	-	-	-	-	-	-
ALASKA -----	14	-	-	-	-	-	-	-	-	-	-	2
WHITE-----MALE----	8	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	198	-	-	-	-	-	-	1	1	1	6	5
WHITE-----MALE----	114	-	-	-	-	-	-	1	-	1	3	3
FEMALE--	65	-	-	-	-	-	-	-	-	-	2	2
ALL OTHER--MALE----	11	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	1	-	1	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	185	-	-	-	-	1	-	-	1	5	3	8
WHITE-----MALE----	90	-	-	-	-	1	-	-	-	3	1	3
FEMALE--	65	-	-	-	-	-	-	-	-	-	2	1
ALL OTHER--MALE----	16	-	-	-	-	-	-	-	-	2	-	2
FEMALE--	14	-	-	-	-	-	-	-	1	-	-	2
BLACK---MALE----	13	-	-	-	-	-	-	-	-	2	-	1
FEMALE--	12	-	-	-	-	-	-	-	1	-	-	2
CALIFORNIA -----	1,509	-	4	2	1	2	3	3	9	19	40	79
WHITE-----MALE----	650	-	3	2	-	-	1	1	1	5	13	35
FEMALE--	389	-	1	-	-	-	1	-	2	5	8	8
ALL OTHER--MALE----	311	-	-	-	-	1	-	1	5	8	13	29
FEMALE--	159	-	-	-	1	1	1	1	1	1	6	7
BLACK---MALE----	66	-	-	-	-	-	-	-	-	1	4	5
FEMALE--	38	-	-	-	-	-	1	-	1	1	2	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 577

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 OF LIVER AND INTRAHEPATIC BILE DUCTS (155)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 UNITED STATES --	714	854	1,130	1,621	1,883	1,906	1,441	834	338	80	9	1
WHITE-----MALE----	362	441	580	865	1,013	951	651	335	108	28	-	-
FEMALE--	149	189	274	446	567	684	620	397	186	44	8	-
ALL OTHER--MALE----	147	183	188	196	192	138	70	48	16	3	-	1
FEMALE--	56	41	88	114	111	133	100	54	28	5	1	-
BLACK---MALE----	88	107	114	130	109	73	45	29	11	2	-	1
FEMALE--	34	28	55	69	66	96	74	40	19	5	1	-
ALABAMA -----	16	12	14	27	44	47	26	12	9	1	-	-
WHITE-----MALE----	8	3	10	9	17	27	14	4	5	-	-	-
FEMALE--	3	3	-	14	19	14	11	5	2	-	-	-
ALL OTHER--MALE----	4	5	3	2	3	4	-	1	-	-	-	-
FEMALE--	1	1	1	2	5	2	1	2	2	1	-	-
BLACK---MALE----	4	5	3	2	3	3	-	1	-	-	-	-
FEMALE--	1	1	1	2	5	2	1	2	2	1	-	-
ALASKA -----	-	2	3	1	1	2	1	2	-	-	-	-
WHITE-----MALE----	-	1	2	-	1	-	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	2	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	1	1	-	-	-	1	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	6	13	19	35	31	37	22	13	6	2	-	-
WHITE-----MALE----	4	7	10	20	13	23	16	9	4	-	-	-
FEMALE--	-	5	7	11	14	12	4	4	2	2	-	-
ALL OTHER--MALE----	2	1	1	3	3	1	-	-	-	-	-	-
FEMALE--	-	-	1	1	1	1	2	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	4	10	19	23	40	28	25	13	4	-	1	-
WHITE-----MALE----	2	5	12	14	24	13	9	3	-	-	-	-
FEMALE--	2	2	4	7	12	9	14	9	3	-	-	-
ALL OTHER--MALE----	-	2	3	2	3	1	1	-	-	-	-	-
FEMALE--	-	1	-	-	1	5	1	1	1	-	1	-
BLACK---MALE----	-	1	3	2	2	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	5	1	1	1	-	1	-
CALIFORNIA -----	127	116	152	230	216	225	155	96	24	5	1	-
WHITE-----MALE----	71	44	66	95	103	92	62	43	10	3	-	-
FEMALE--	18	27	29	59	45	78	63	35	8	1	1	-
ALL OTHER--MALE----	27	35	42	47	38	33	16	13	2	1	-	-
FEMALE--	11	10	15	29	30	22	14	5	4	-	-	-
BLACK---MALE----	11	11	7	9	8	6	2	2	-	-	-	-
FEMALE--	-	5	5	5	6	4	7	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 578

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX OF LIVER AND INTRAHEPATIC BILE DUCTS (155)	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
COLORADO -----	8	7	9	19	18	13	10	8	1	1	-	-
WHITE-----MALE----	2	3	2	13	8	10	5	4	-	-	-	-
FEMALE--	4	3	5	5	8	3	5	4	1	1	-	-
ALL OTHER--MALE----	1	-	1	-	2	-	-	-	-	-	-	-
FEMALE--	1	1	1	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	1	-	-	-	-	-	-	-	-
CONNECTICUT -----	5	10	22	13	20	27	23	9	5	4	-	-
WHITE-----MALE----	3	7	16	12	12	19	8	4	3	2	-	-
FEMALE--	1	-	6	1	7	8	14	5	2	2	-	-
ALL OTHER--MALE----	-	3	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	1	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	1	-	-	-	-	-
DELAWARE -----	2	3	1	2	4	3	4	2	6	-	-	-
WHITE-----MALE----	2	3	-	-	3	2	1	2	2	-	-	-
FEMALE--	-	-	1	1	1	1	1	-	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	2	-	2	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	2	-	2	-	-	-
DISTRICT OF COLUMBIA ----	1	4	3	5	2	6	4	2	1	-	-	-
WHITE-----MALE----	-	-	-	-	1	2	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	1	-	-	-
ALL OTHER--MALE----	-	4	3	3	1	2	1	1	-	-	-	-
FEMALE--	1	-	-	2	-	1	2	1	-	-	-	-
BLACK---MALE----	-	4	3	3	1	2	1	1	-	-	-	-
FEMALE--	1	-	-	2	-	1	2	-	-	-	-	-
FLORIDA -----	41	44	76	110	127	163	118	70	29	8	-	1
WHITE-----MALE----	27	20	46	66	78	89	67	33	17	3	-	-
FEMALE--	6	14	16	34	35	63	43	29	9	3	-	-
ALL OTHER--MALE----	6	8	9	5	8	5	3	6	2	1	-	1
FEMALE--	2	2	5	5	6	6	5	2	1	1	-	-
BLACK---MALE----	4	7	8	5	8	4	3	5	2	1	-	1
FEMALE--	1	2	5	5	4	5	5	2	1	1	-	-
GEORGIA -----	18	21	25	37	40	56	24	16	7	1	-	-
WHITE-----MALE----	7	12	12	21	20	31	9	5	5	-	-	-
FEMALE--	2	2	7	7	11	14	9	7	2	1	-	-
ALL OTHER--MALE----	5	4	3	4	2	4	2	-	-	-	-	-
FEMALE--	4	3	3	5	7	7	4	4	-	-	-	-
BLACK---MALE----	4	2	3	4	2	3	2	-	-	-	-	-
FEMALE--	4	3	3	5	5	7	4	4	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 579

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 OF LIVER AND INTRAHEPATIC BILE DUCTS (155)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
HAWAII -----	3	5	7	3	15	10	10	4	5	-	-	-
WHITE-----MALE----	1	-	1	-	1	-	2	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	2	-	-	-	-
ALL OTHER--MALE----	2	4	4	1	8	7	5	1	2	-	-	-
FEMALE--	-	1	2	2	5	3	3	1	3	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	1	1	3	4	4	5	3	1	3	1	-	-
WHITE-----MALE----	1	-	3	2	3	-	-	-	2	1	-	-
FEMALE--	-	-	-	1	1	4	2	1	1	-	-	-
ALL OTHER--MALE----	-	1	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	38	42	53	70	92	89	68	38	14	4	1	-
WHITE-----MALE----	12	26	26	34	45	50	28	16	3	-	-	-
FEMALE--	17	3	17	16	31	23	28	16	11	4	1	-
ALL OTHER--MALE----	7	7	8	13	13	10	4	2	-	-	-	-
FEMALE--	2	6	2	7	3	6	8	4	-	-	-	-
BLACK---MALE----	4	6	6	13	5	6	4	2	-	-	-	-
FEMALE--	2	6	2	4	3	6	7	2	-	-	-	-
INDIANA -----	9	18	25	34	34	38	34	15	8	1	-	-
WHITE-----MALE----	5	9	13	16	20	23	19	8	4	-	-	-
FEMALE--	1	4	9	12	10	11	11	7	3	1	-	-
ALL OTHER--MALE----	2	4	3	5	4	2	4	-	-	-	-	-
FEMALE--	1	1	-	1	-	2	-	-	1	-	-	-
BLACK---MALE----	2	3	3	5	1	2	4	-	-	-	-	-
FEMALE--	1	1	-	-	-	1	-	-	1	-	-	-
IOWA -----	4	8	6	7	14	14	13	9	4	2	-	-
WHITE-----MALE----	2	3	6	5	8	7	6	2	1	1	-	-
FEMALE--	2	1	-	2	6	6	7	7	3	1	-	-
ALL OTHER--MALE----	-	4	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS -----	2	6	8	10	14	14	13	8	1	-	-	-
WHITE-----MALE----	2	2	4	4	8	5	7	1	1	-	-	-
FEMALE--	-	3	2	6	5	7	4	7	-	-	-	-
ALL OTHER--MALE----	-	1	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	2	2	-	-	-	-	-
BLACK---MALE----	-	1	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 580

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX OF LIVER AND INTRAHEPATIC BILE DUCTS (155)	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
KENTUCKY -----	169	-	-	-	-	-	1	-	-	2	2	7
WHITE-----MALE----	100	-	-	-	-	-	-	-	-	1	-	5
FEMALE--	53	-	-	-	-	-	1	-	-	-	1	1
ALL OTHER--MALE----	13	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	3	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	13	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	1	-
LOUISIANA -----	232	-	1	-	-	-	-	1	1	5	3	15
WHITE-----MALE----	91	-	-	-	-	-	-	-	-	2	2	5
FEMALE--	62	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	46	-	-	-	-	-	-	1	1	2	1	6
FEMALE--	33	-	1	-	-	-	-	-	-	-	-	4
BLACK---MALE----	43	-	-	-	-	-	-	1	1	2	1	6
FEMALE--	31	-	1	-	-	-	-	-	-	-	-	3
MAINE -----	50	-	1	-	-	-	-	-	-	-	-	2
WHITE-----MALE----	24	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	25	-	1	-	-	-	-	-	-	-	-	2
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	235	-	-	-	-	-	-	1	1	4	5	14
WHITE-----MALE----	97	-	-	-	-	-	-	-	1	-	3	5
FEMALE--	69	-	-	-	-	-	-	-	-	1	-	2
ALL OTHER--MALE----	44	-	-	-	-	-	-	1	-	1	2	6
FEMALE--	25	-	-	-	-	-	-	-	-	2	-	1
BLACK---MALE----	31	-	-	-	-	-	-	-	-	1	1	4
FEMALE--	15	-	-	-	-	-	-	-	-	2	-	1
MASSACHUSETTS -----	315	-	-	-	-	-	-	-	-	3	5	17
WHITE-----MALE----	182	-	-	-	-	-	-	-	-	2	3	16
FEMALE--	106	-	-	-	-	-	-	-	-	1	1	-
ALL OTHER--MALE----	16	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	11	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	9	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	415	1	1	-	-	1	1	1	3	3	6	21
WHITE-----MALE----	203	1	1	-	-	-	1	-	2	2	4	9
FEMALE--	127	-	-	-	-	-	-	-	-	1	-	2
ALL OTHER--MALE----	53	-	-	-	-	1	-	1	-	-	2	9
FEMALE--	32	-	-	-	-	-	-	-	1	-	-	1
BLACK---MALE----	42	-	-	-	-	1	-	1	-	-	1	7
FEMALE--	27	-	-	-	-	-	-	-	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 580

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 OF LIVER AND INTRAHEPATIC BILE DUCTS (155)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
KENTUCKY -----	12	16	19	29	26	21	12	11	9	1	1	-
WHITE-----MALE----	7	12	15	15	18	13	9	3	2	-	-	-
FEMALE--	3	2	3	11	8	7	1	7	6	1	1	-
ALL OTHER--MALE----	2	2	1	3	-	1	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	1	-	-	-
BLACK---MALE----	2	2	1	3	-	1	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
LOUISIANA -----	13	16	33	37	30	36	18	18	3	2	-	-
WHITE-----MALE----	4	9	18	15	11	14	7	4	-	-	-	-
FEMALE--	2	2	5	7	10	14	8	9	2	2	-	-
ALL OTHER--MALE----	4	5	6	8	5	3	1	2	1	-	-	-
FEMALE--	3	-	4	7	4	5	2	3	-	-	-	-
BLACK---MALE----	4	4	5	7	5	3	1	2	1	-	-	-
FEMALE--	2	-	4	7	4	5	2	3	-	-	-	-
MAINE -----	3	4	2	8	13	8	6	2	1	-	-	-
WHITE-----MALE----	3	1	1	4	8	3	3	1	-	-	-	-
FEMALE--	-	2	1	4	5	5	3	1	1	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	15	24	28	22	48	25	24	16	7	-	1	-
WHITE-----MALE----	2	10	14	12	24	10	9	5	2	-	-	-
FEMALE--	6	6	1	5	14	10	12	6	5	-	1	-
ALL OTHER--MALE----	4	7	8	1	6	2	3	3	-	-	-	-
FEMALE--	3	1	5	4	4	3	-	2	-	-	-	-
BLACK---MALE----	3	3	7	1	6	1	2	2	-	-	-	-
FEMALE--	2	-	4	1	1	2	-	2	-	-	-	-
MASSACHUSETTS -----	25	20	18	60	44	55	36	24	7	1	-	-
WHITE-----MALE----	14	17	12	35	29	26	17	8	3	-	-	-
FEMALE--	9	2	2	21	12	22	18	13	4	1	-	-
ALL OTHER--MALE----	1	1	3	3	1	5	-	-	-	-	-	-
FEMALE--	1	-	1	1	2	2	1	3	-	-	-	-
BLACK---MALE----	1	-	2	1	-	3	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	2	-	2	-	-	-	-
MICHIGAN -----	21	34	38	60	58	64	53	34	10	5	-	-
WHITE-----MALE----	12	18	12	35	30	37	22	14	1	2	-	-
FEMALE--	5	6	13	15	22	17	19	18	7	2	-	-
ALL OTHER--MALE----	3	9	7	8	4	4	5	-	-	-	-	-
FEMALE--	1	1	6	2	2	6	7	2	2	1	-	-
BLACK---MALE----	2	8	5	7	3	3	4	-	-	-	-	-
FEMALE--	1	1	3	2	2	6	7	1	2	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 581

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX OF LIVER AND INTRAHEPATIC BILE DUCTS (155)	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
MINNESOTA -----	9	11	7	29	28	24	20	13	5	-	-	-
WHITE-----MALE----	5	8	2	21	17	17	9	6	1	-	-	-
FEMALE--	2	2	5	5	8	7	10	6	4	-	-	-
ALL OTHER--MALE----	1	-	-	2	2	-	-	1	-	-	-	-
FEMALE--	1	1	-	1	1	-	1	-	-	-	-	-
BLACK---MALE----	1	-	-	-	2	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
MISSISSIPPI -----	6	8	18	14	23	18	20	8	5	-	-	-
WHITE-----MALE----	2	6	11	7	10	7	12	2	1	-	-	-
FEMALE--	2	-	3	2	8	4	5	3	3	-	-	-
ALL OTHER--MALE----	-	1	3	3	2	1	2	1	-	-	-	-
FEMALE--	2	1	1	2	3	6	1	2	1	-	-	-
BLACK---MALE----	-	1	3	3	2	1	2	1	-	-	-	-
FEMALE--	2	1	1	2	3	6	1	2	1	-	-	-
MISSOURI -----	15	15	23	36	48	30	41	13	4	8	-	-
WHITE-----MALE----	10	11	8	16	29	14	20	3	2	3	-	-
FEMALE--	4	1	6	13	15	10	17	8	1	5	-	-
ALL OTHER--MALE----	1	3	7	5	3	1	-	1	-	-	-	-
FEMALE--	-	-	2	2	1	5	4	1	1	-	-	-
BLACK---MALE----	1	2	7	5	2	1	-	1	-	-	-	-
FEMALE--	-	-	2	2	1	5	4	1	1	-	-	-
MONTANA -----	3	4	2	4	7	5	5	6	4	1	-	-
WHITE-----MALE----	2	3	1	2	5	4	4	2	-	-	-	-
FEMALE--	-	1	1	2	2	1	1	3	4	1	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	3	1	4	5	16	8	7	4	1	2	-	-
WHITE-----MALE----	1	1	2	1	10	5	6	-	-	-	-	-
FEMALE--	2	-	2	3	5	3	1	4	1	2	-	-
ALL OTHER--MALE----	-	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA -----	7	8	6	12	10	11	6	2	1	-	-	-
WHITE-----MALE----	4	6	3	7	4	6	2	2	-	-	-	-
FEMALE--	1	2	2	3	5	4	2	-	1	-	-	-
ALL OTHER--MALE----	1	-	-	2	1	1	-	-	-	-	-	-
FEMALE--	1	-	1	-	-	-	2	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 583

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX OF LIVER AND INTRAHEPATIC BILE DUCTS (155)	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
OHIO -----	420	-	1	-	1	-	1	2	3	6	11	15
WHITE-----MALE----	195	-	-	-	-	-	1	-	-	3	6	6
FEMALE--	159	-	-	-	-	-	-	-	1	2	2	2
ALL OTHER--MALE----	51	-	1	-	1	-	-	1	2	1	3	6
FEMALE--	15	-	-	-	-	-	-	1	-	-	-	1
BLACK---MALE----	48	-	1	-	1	-	-	1	2	-	2	5
FEMALE--	13	-	-	-	-	-	-	1	-	-	-	-
OKLAHOMA -----	132	-	-	-	-	-	-	2	-	-	4	5
WHITE-----MALE----	56	-	-	-	-	-	-	2	-	-	1	3
FEMALE--	54	-	-	-	-	-	-	-	-	-	1	2
ALL OTHER--MALE----	14	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	105	-	-	-	1	1	-	-	-	3	3	3
WHITE-----MALE----	62	-	-	-	-	-	-	-	-	1	3	1
FEMALE--	37	-	-	-	-	1	-	-	-	1	-	2
ALL OTHER--MALE----	6	-	-	-	1	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	566	-	1	-	-	-	1	-	2	3	15	23
WHITE-----MALE----	279	-	1	-	-	-	1	-	-	3	9	14
FEMALE--	212	-	-	-	-	-	-	-	-	-	2	4
ALL OTHER--MALE----	47	-	-	-	-	-	-	-	1	-	3	5
FEMALE--	28	-	-	-	-	-	-	-	1	-	1	-
BLACK---MALE----	38	-	-	-	-	-	-	-	1	-	1	3
FEMALE--	25	-	-	-	-	-	-	-	1	-	1	-
RHODE ISLAND -----	68	-	-	-	-	1	-	-	1	1	3	2
WHITE-----MALE----	41	-	-	-	-	1	-	-	-	-	2	1
FEMALE--	21	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	1	1	1	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	162	-	-	-	-	-	-	-	-	3	10	3
WHITE-----MALE----	62	-	-	-	-	-	-	-	-	1	3	2
FEMALE--	50	-	-	-	-	-	-	-	-	-	2	-
ALL OTHER--MALE----	27	-	-	-	-	-	-	-	-	1	3	-
FEMALE--	23	-	-	-	-	-	-	-	-	1	2	1
BLACK---MALE----	27	-	-	-	-	-	-	-	-	1	3	-
FEMALE--	22	-	-	-	-	-	-	-	-	1	2	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 583

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
OF LIVER AND INTRAHEPATIC BILE DUCTS (155)												
OHIO -----	21	29	34	58	75	59	57	36	10	1	-	-
WHITE-----MALE----	12	16	14	31	43	26	20	15	2	-	-	-
FEMALE--	5	11	13	19	23	25	31	17	7	1	-	-
ALL OTHER--MALE----	4	1	5	6	8	6	2	3	1	-	-	-
FEMALE--	-	1	2	2	1	2	4	1	-	-	-	-
BLACK---MALE----	4	1	5	6	8	6	2	3	1	-	-	-
FEMALE--	-	1	2	2	1	2	3	1	-	-	-	-
OKLAHOMA -----	12	7	17	12	23	16	20	9	4	-	1	-
WHITE-----MALE----	4	4	9	8	11	5	3	5	1	-	-	-
FEMALE--	3	2	4	3	9	9	13	4	3	-	1	-
ALL OTHER--MALE----	3	1	3	-	3	2	1	-	-	-	-	-
FEMALE--	2	-	1	1	-	-	3	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	2	-	-	-	-	-
OREGON -----	8	7	9	14	15	20	14	7	-	-	-	-
WHITE-----MALE----	4	6	3	11	8	10	10	5	-	-	-	-
FEMALE--	4	1	4	2	6	10	4	2	-	-	-	-
ALL OTHER--MALE----	-	-	2	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	30	29	49	79	89	100	82	45	15	3	-	-
WHITE-----MALE----	15	14	25	43	57	46	28	17	5	1	-	-
FEMALE--	10	9	13	26	20	44	49	24	9	2	-	-
ALL OTHER--MALE----	4	5	5	8	8	4	2	1	1	-	-	-
FEMALE--	1	1	6	2	4	6	3	3	-	-	-	-
BLACK---MALE----	4	4	4	7	7	3	2	1	1	-	-	-
FEMALE--	1	1	4	2	4	5	3	3	-	-	-	-
RHODE ISLAND -----	6	1	4	7	11	11	12	7	1	-	-	-
WHITE-----MALE----	4	1	3	7	7	6	4	4	1	-	-	-
FEMALE--	1	-	1	-	3	5	8	3	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
SOUTH CAROLINA -----	8	12	18	23	24	33	16	5	5	2	-	-
WHITE-----MALE----	4	5	7	11	9	10	4	4	1	1	-	-
FEMALE--	3	1	4	7	10	14	7	-	2	-	-	-
ALL OTHER--MALE----	1	6	2	3	4	4	2	-	1	-	-	-
FEMALE--	-	-	5	2	1	5	3	1	1	1	-	-
BLACK---MALE----	1	6	2	3	4	4	2	-	1	-	-	-
FEMALE--	-	-	4	2	1	5	3	1	1	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 584

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX OF LIVER AND INTRAHEPATIC BILE DUCTS (155)	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
SOUTH DAKOTA -----	30	1	-	-	-	-	-	-	-	1	-	-
WHITE-----MALE----	16	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	12	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	217	-	-	-	-	-	-	3	-	4	7	13
WHITE-----MALE----	93	-	-	-	-	-	-	-	-	2	2	5
FEMALE--	91	-	-	-	-	-	-	2	-	2	2	5
ALL OTHER--MALE----	25	-	-	-	-	-	-	-	-	-	3	2
FEMALE--	8	-	-	-	-	-	-	1	-	-	-	1
BLACK---MALE----	22	-	-	-	-	-	-	-	-	-	3	2
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	1
TEXAS -----	923	1	2	-	-	1	-	4	3	10	27	44
WHITE-----MALE----	515	1	-	-	-	1	-	1	1	4	20	32
FEMALE--	279	-	2	-	-	-	-	1	1	1	5	7
ALL OTHER--MALE----	82	-	-	-	-	-	-	2	1	4	2	5
FEMALE--	47	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	61	-	-	-	-	-	-	1	1	4	1	4
FEMALE--	37	-	-	-	-	-	-	-	-	-	-	-
UTAH -----	44	-	-	-	-	-	-	-	-	-	-	2
WHITE-----MALE----	22	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	20	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	19	-	-	-	-	-	-	-	-	-	-	1
WHITE-----MALE----	11	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	269	-	-	-	-	-	2	1	2	2	6	14
WHITE-----MALE----	115	-	-	-	-	-	-	-	1	1	1	3
FEMALE--	77	-	-	-	-	-	-	1	1	1	1	2
ALL OTHER--MALE----	49	-	-	-	-	-	-	-	-	-	3	7
FEMALE--	28	-	-	-	-	-	2	-	-	-	1	2
BLACK---MALE----	38	-	-	-	-	-	-	-	-	-	1	5
FEMALE--	22	-	-	-	-	-	2	-	-	-	1	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 584

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
OF LIVER AND INTRAHEPATIC BILE DUCTS (155)												
SOUTH DAKOTA -----	-	2	4	1	5	4	4	4	4	-	-	-
WHITE-----MALE----	-	2	2	-	3	4	2	1	1	-	-	-
FEMALE--	-	-	2	-	2	-	2	3	3	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	10	22	19	25	21	40	25	22	5	1	-	-
WHITE-----MALE----	3	11	9	12	14	15	7	11	1	1	-	-
FEMALE--	4	7	8	6	5	21	16	9	4	-	-	-
ALL OTHER--MALE----	2	4	2	6	1	2	2	1	-	-	-	-
FEMALE--	1	-	-	1	1	2	-	1	-	-	-	-
BLACK---MALE----	1	3	1	6	1	2	2	1	-	-	-	-
FEMALE--	1	-	-	1	1	2	-	-	-	-	-	-
TEXAS -----	54	76	109	131	151	125	102	51	25	5	2	-
WHITE-----MALE----	32	44	63	78	84	71	53	20	7	3	-	-
FEMALE--	7	20	22	36	50	44	42	24	13	2	2	-
ALL OTHER--MALE----	12	10	14	9	11	5	3	2	2	-	-	-
FEMALE--	3	2	10	8	6	5	4	5	3	-	-	-
BLACK---MALE----	6	5	10	9	11	3	2	2	2	-	-	-
FEMALE--	2	2	6	7	6	3	4	5	2	-	-	-
UTAH -----	2	6	-	5	8	6	8	7	-	-	-	-
WHITE-----MALE----	2	1	-	2	7	3	2	3	-	-	-	-
FEMALE--	-	4	-	3	1	3	6	3	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	1	1	2	3	5	-	2	4	-	-	-	-
WHITE-----MALE----	-	-	1	3	4	-	1	2	-	-	-	-
FEMALE--	1	1	1	-	1	-	1	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	15	22	19	41	39	51	33	15	6	1	-	-
WHITE-----MALE----	4	10	10	22	20	22	15	4	1	1	-	-
FEMALE--	4	4	3	10	8	16	15	7	4	-	-	-
ALL OTHER--MALE----	6	8	4	4	7	7	1	1	1	-	-	-
FEMALE--	1	-	2	5	4	6	2	3	-	-	-	-
BLACK---MALE----	5	8	2	3	5	6	1	1	1	-	-	-
FEMALE--	1	-	2	3	3	4	2	3	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 586

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
LIVER, PRIMARY (155.0)												
UNITED STATES --	5,541	4	17	9	3	12	9	24	34	70	154	318
WHITE-----MALE----	2,998	2	7	7	1	3	4	8	12	26	70	175
FEMALE--	1,293	-	7	-	-	3	2	5	7	12	25	28
ALL OTHER--MALE----	886	2	3	1	2	4	1	8	11	28	44	103
FEMALE--	364	-	-	1	-	2	2	3	4	4	15	12
BLACK---MALE----	504	-	1	1	1	2	1	5	4	16	26	64
FEMALE--	213	-	-	1	-	1	1	1	3	3	10	10
ALABAMA -----	71	-	-	-	1	-	-	-	-	4	-	-
WHITE-----MALE----	36	-	-	-	1	-	-	-	-	2	-	-
FEMALE--	18	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	12	-	-	-	-	-	-	-	-	2	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	11	-	-	-	-	-	-	-	-	2	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
ALASKA -----	8	-	-	-	-	-	-	-	-	-	-	1
WHITE-----MALE----	5	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	74	-	-	-	-	-	-	1	1	-	2	2
WHITE-----MALE----	46	-	-	-	-	-	-	1	-	-	2	2
FEMALE--	16	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	77	-	-	-	-	1	-	-	1	2	2	3
WHITE-----MALE----	40	-	-	-	-	1	-	-	-	1	-	1
FEMALE--	27	-	-	-	-	-	-	-	-	-	2	1
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	5	-	-	-	-	-	-	-	1	-	-	1
BLACK---MALE----	4	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	4	-	-	-	-	-	-	-	1	-	-	1
CALIFORNIA -----	777	-	4	2	-	2	3	2	7	8	22	51
WHITE-----MALE----	358	-	3	2	-	-	1	-	1	2	6	25
FEMALE--	142	-	1	-	-	-	1	-	1	2	3	5
ALL OTHER--MALE----	195	-	-	-	-	1	-	1	5	3	9	20
FEMALE--	82	-	-	-	-	1	1	1	-	1	4	1
BLACK---MALE----	40	-	-	-	-	-	-	-	-	-	3	3
FEMALE--	14	-	-	-	-	-	1	-	-	1	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 586

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 LIVER, PRIMARY (155.0)												
0 UNITED STATES --	393	470	582	793	902	833	557	254	85	14	3	1
WHITE-----MALE----	217	243	316	468	521	469	300	117	26	6	-	-
FEMALE--	49	85	104	166	223	236	187	100	46	5	3	-
ALL OTHER--MALE----	99	124	123	104	100	73	35	12	6	2	-	1
FEMALE--	28	18	39	55	58	55	35	25	7	1	-	-
BLACK---MALE----	54	68	71	68	55	33	21	5	6	1	-	1
FEMALE--	14	12	23	28	30	32	23	16	4	1	-	-
ALABAMA -----	5	6	4	11	17	13	7	1	2	-	-	-
WHITE-----MALE----	3	1	4	4	9	8	3	-	1	-	-	-
FEMALE--	-	2	-	4	5	3	4	-	-	-	-	-
ALL OTHER--MALE----	1	3	-	2	2	2	-	-	-	-	-	-
FEMALE--	1	-	-	1	1	-	-	1	1	-	-	-
BLACK---MALE----	1	3	-	2	2	1	-	-	-	-	-	-
FEMALE--	1	-	-	1	1	-	-	1	1	-	-	-
ALASKA -----	-	1	1	1	1	1	-	2	-	-	-	-
WHITE-----MALE----	-	1	1	-	1	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	3	6	7	12	15	15	9	1	-	-	-	-
WHITE-----MALE----	2	4	5	6	6	11	6	1	-	-	-	-
FEMALE--	-	1	2	4	5	3	1	-	-	-	-	-
ALL OTHER--MALE----	1	1	-	1	3	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	1	2	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	1	4	8	9	20	7	11	7	1	-	-	-
WHITE-----MALE----	1	2	3	7	13	2	8	1	-	-	-	-
FEMALE--	-	-	3	2	6	4	3	5	1	-	-	-
ALL OTHER--MALE----	-	1	2	-	1	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	1	-	1	-	-	-	-
BLACK---MALE----	-	1	2	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	1	-	-	-	-
CALIFORNIA -----	84	69	85	118	122	111	55	26	4	2	-	-
WHITE-----MALE----	49	30	40	57	57	48	20	14	2	1	-	-
FEMALE--	6	12	10	18	24	30	20	7	2	-	-	-
ALL OTHER--MALE----	22	23	28	26	23	21	10	2	-	1	-	-
FEMALE--	7	4	7	17	18	12	5	3	-	-	-	-
BLACK---MALE----	9	5	3	7	6	3	1	-	-	-	-	-
FEMALE--	-	1	1	4	2	-	3	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 587

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 LIVER, PRIMARY (155.0)												
COLORADO -----	4	5	4	8	8	6	4	4	-	-	-	-
WHITE-----MALE----	1	3	1	7	3	5	3	1	-	-	-	-
FEMALE--	1	2	2	-	3	1	1	3	-	-	-	-
ALL OTHER--MALE----	1	-	1	-	2	-	-	-	-	-	-	-
FEMALE--	1	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	1	-	-	-	-	-	-	-	-
CONNECTICUT -----	4	5	13	9	12	12	3	3	1	1	-	-
WHITE-----MALE----	2	4	9	9	8	8	-	2	1	-	-	-
FEMALE--	1	-	4	-	4	4	3	1	-	1	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	2	1	1	-	4	-	2	-	2	-	-	-
WHITE-----MALE----	2	1	-	-	3	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	1	-	1	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	1	-	-	-
DISTRICT OF COLUMBIA ----	1	1	3	2	2	5	1	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	-	-	-	-
ALL OTHER--MALE----	-	1	3	2	1	2	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	-	1	-	-	-	-
BLACK---MALE----	-	1	3	2	1	2	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-
FLORIDA -----	24	26	40	60	67	70	51	25	9	1	-	1
WHITE-----MALE----	18	15	23	39	46	41	34	11	4	-	-	-
FEMALE--	2	5	7	16	12	23	12	13	4	-	-	-
ALL OTHER--MALE----	3	5	8	2	5	3	1	1	1	-	-	1
FEMALE--	1	1	2	3	4	3	4	-	-	1	-	-
BLACK---MALE----	2	4	7	2	5	2	1	-	1	-	-	1
FEMALE--	-	1	2	3	2	2	4	-	-	1	-	-
GEORGIA -----	7	11	12	19	15	21	9	3	2	-	-	-
WHITE-----MALE----	4	5	8	11	9	15	6	1	1	-	-	-
FEMALE--	-	1	1	4	2	5	2	-	1	-	-	-
ALL OTHER--MALE----	3	3	2	2	2	1	-	-	-	-	-	-
FEMALE--	-	2	1	2	2	-	1	2	-	-	-	-
BLACK---MALE----	2	2	2	2	2	1	-	-	-	-	-	-
FEMALE--	-	2	1	2	2	-	1	2	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 589

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 LIVER, PRIMARY (155.0)												
KENTUCKY -----	67	-	-	-	-	-	1	-	-	1	1	1
WHITE-----MALE----	41	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	15	-	-	-	-	-	1	-	-	-	1	-
ALL OTHER--MALE----	10	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	10	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	64	-	-	-	-	-	-	-	-	2	-	6
WHITE-----MALE----	32	-	-	-	-	-	-	-	-	1	-	3
FEMALE--	15	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	14	-	-	-	-	-	-	-	-	1	-	2
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	12	-	-	-	-	-	-	-	-	1	-	2
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	1
MAINE -----	23	-	1	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	14	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	106	-	-	-	-	-	-	1	-	2	3	7
WHITE-----MALE----	44	-	-	-	-	-	-	-	-	-	1	3
FEMALE--	20	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	26	-	-	-	-	-	-	1	-	1	2	3
FEMALE--	16	-	-	-	-	-	-	-	-	1	-	1
BLACK---MALE----	16	-	-	-	-	-	-	-	-	1	1	2
FEMALE--	9	-	-	-	-	-	-	-	-	1	-	1
MASSACHUSETTS -----	137	-	-	-	-	-	-	-	-	2	2	6
WHITE-----MALE----	95	-	-	-	-	-	-	-	-	2	2	6
FEMALE--	29	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	10	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	149	-	1	-	-	1	1	1	3	2	1	7
WHITE-----MALE----	83	-	1	-	-	-	1	-	2	1	1	3
FEMALE--	35	-	-	-	-	-	-	-	-	1	-	1
ALL OTHER--MALE----	21	-	-	-	-	1	-	1	-	-	-	3
FEMALE--	10	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	16	-	-	-	-	1	-	1	-	-	-	2
FEMALE--	10	-	-	-	-	-	-	-	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 589

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 LIVER, PRIMARY (155.0)												
KENTUCKY -----	4	8	8	12	9	11	7	3	1	-	-	-
WHITE-----MALE----	2	6	6	6	6	7	5	2	-	-	-	-
FEMALE--	-	-	1	4	3	3	-	1	1	-	-	-
ALL OTHER--MALE----	2	2	1	2	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	2	2	1	2	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	3	3	17	11	7	6	5	2	2	-	-	-
WHITE-----MALE----	1	1	11	7	1	4	2	1	-	-	-	-
FEMALE--	1	-	2	1	4	2	2	1	2	-	-	-
ALL OTHER--MALE----	1	2	4	3	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	-	-	-	-	-
BLACK---MALE----	1	1	3	3	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	-	-	-	-	-
MAINE -----	3	2	-	3	5	5	2	1	1	-	-	-
WHITE-----MALE----	3	1	-	2	3	3	1	1	-	-	-	-
FEMALE--	-	-	-	1	2	2	1	-	1	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	3	15	16	14	16	5	12	9	2	-	1	-
WHITE-----MALE----	-	5	9	9	8	1	4	3	1	-	-	-
FEMALE--	1	3	-	1	4	2	5	2	1	-	1	-
ALL OTHER--MALE----	1	7	3	1	1	1	3	2	-	-	-	-
FEMALE--	1	-	4	3	3	1	-	2	-	-	-	-
BLACK---MALE----	1	3	3	1	1	-	2	1	-	-	-	-
FEMALE--	-	-	3	-	1	1	-	2	-	-	-	-
MASSACHUSETTS -----	15	15	9	25	23	22	14	3	1	-	-	-
WHITE-----MALE----	8	13	7	13	18	15	9	1	1	-	-	-
FEMALE--	5	2	-	8	4	3	5	2	-	-	-	-
ALL OTHER--MALE----	1	-	2	3	-	4	-	-	-	-	-	-
FEMALE--	1	-	-	1	1	-	-	-	-	-	-	-
BLACK---MALE----	1	-	1	1	-	2	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-
MICHIGAN -----	8	19	13	20	28	22	13	8	1	-	-	-
WHITE-----MALE----	4	11	3	13	17	16	7	3	-	-	-	-
FEMALE--	1	4	4	6	8	2	3	4	1	-	-	-
ALL OTHER--MALE----	2	4	5	-	2	2	1	-	-	-	-	-
FEMALE--	1	-	1	1	1	2	2	1	-	-	-	-
BLACK---MALE----	1	4	3	-	1	2	1	-	-	-	-	-
FEMALE--	1	-	1	1	1	2	2	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 592

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 LIVER, PRIMARY (155.0)												
OHIO -----	147	-	1	-	1	-	1	1	-	2	5	6
WHITE-----MALE----	77	-	-	-	-	-	1	-	-	1	3	1
FEMALE--	41	-	-	-	-	-	-	-	-	1	1	1
ALL OTHER--MALE----	22	-	1	-	1	-	-	-	-	-	1	4
FEMALE--	7	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	22	-	1	-	1	-	-	-	-	-	1	4
FEMALE--	6	-	-	-	-	-	-	1	-	-	-	-
OKLAHOMA -----	43	-	-	-	-	-	-	1	-	-	1	2
WHITE-----MALE----	25	-	-	-	-	-	-	1	-	-	-	2
FEMALE--	11	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	59	-	-	-	1	1	-	-	-	1	1	3
WHITE-----MALE----	39	-	-	-	-	-	-	-	-	1	1	1
FEMALE--	15	-	-	-	-	1	-	-	-	-	-	2
ALL OTHER--MALE----	5	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	231	-	1	-	-	-	-	-	1	1	10	14
WHITE-----MALE----	126	-	1	-	-	-	-	-	-	1	7	7
FEMALE--	62	-	-	-	-	-	-	-	-	-	1	2
ALL OTHER--MALE----	28	-	-	-	-	-	-	-	1	-	2	5
FEMALE--	15	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	23	-	-	-	-	-	-	-	1	-	1	3
FEMALE--	13	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND -----	27	-	-	-	-	1	-	-	1	-	-	1
WHITE-----MALE----	18	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	1	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	79	-	-	-	-	-	-	-	-	1	5	3
WHITE-----MALE----	34	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	23	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	11	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	11	-	-	-	-	-	-	-	-	1	2	1
BLACK---MALE----	11	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	11	-	-	-	-	-	-	-	-	1	2	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 592

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 LIVER, PRIMARY (155.0)												
OHIO -----	10	13	12	18	32	19	19	5	2	-	-	-
WHITE-----MALE----	8	6	6	9	18	13	8	3	-	-	-	-
FEMALE--	-	5	3	4	10	5	8	2	1	-	-	-
ALL OTHER--MALE----	2	1	2	5	3	-	1	-	1	-	-	-
FEMALE--	-	1	1	-	1	1	2	-	-	-	-	-
BLACK---MALE----	2	1	2	5	3	-	1	-	1	-	-	-
FEMALE--	-	1	1	-	1	1	1	-	-	-	-	-
OKLAHOMA -----	4	3	9	4	6	3	7	3	-	-	-	-
WHITE-----MALE----	1	1	5	4	6	1	2	2	-	-	-	-
FEMALE--	1	1	2	-	-	1	5	1	-	-	-	-
ALL OTHER--MALE----	2	1	1	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	4	6	5	9	10	10	5	3	-	-	-	-
WHITE-----MALE----	3	5	1	8	7	6	4	2	-	-	-	-
FEMALE--	1	1	2	-	2	4	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	2	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	17	11	23	37	40	38	29	5	4	-	-	-
WHITE-----MALE----	9	6	11	21	26	22	13	1	1	-	-	-
FEMALE--	4	3	4	8	10	11	14	2	3	-	-	-
ALL OTHER--MALE----	3	2	4	6	2	1	1	1	-	-	-	-
FEMALE--	1	-	4	2	2	4	1	1	-	-	-	-
BLACK---MALE----	3	2	3	5	2	1	1	1	-	-	-	-
FEMALE--	1	-	3	2	2	3	1	1	-	-	-	-
RHODE ISLAND -----	3	1	4	1	1	5	5	3	1	-	-	-
WHITE-----MALE----	2	1	3	1	1	3	3	2	1	-	-	-
FEMALE--	-	-	1	-	-	2	2	1	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	6	6	7	13	10	16	7	3	2	-	-	-
WHITE-----MALE----	3	3	3	4	5	7	3	2	1	-	-	-
FEMALE--	3	-	-	5	3	8	3	-	-	-	-	-
ALL OTHER--MALE----	-	3	2	2	1	-	1	-	1	-	-	-
FEMALE--	-	-	2	2	1	1	-	1	-	-	-	-
BLACK---MALE----	-	3	2	2	1	-	1	-	1	-	-	-
FEMALE--	-	-	2	2	1	1	-	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 593

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 LIVER, PRIMARY (155.0)												
SOUTH DAKOTA -----	-	1	1	1	2	2	1	2	1	-	-	-
WHITE-----MALE----	-	1	1	-	-	2	1	1	-	-	-	-
FEMALE--	-	-	-	-	2	-	-	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	4	15	9	8	8	20	13	10	2	1	-	-
WHITE-----MALE----	1	9	3	5	6	8	6	5	-	1	-	-
FEMALE--	1	3	4	1	1	10	5	3	2	-	-	-
ALL OTHER--MALE----	2	3	2	2	-	1	2	1	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	1	-	-	-	-
BLACK---MALE----	1	3	1	2	-	1	2	1	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	-	-	-	-	-
TEXAS -----	37	55	82	100	111	88	68	33	12	2	2	-
WHITE-----MALE----	22	30	48	61	63	57	41	18	2	1	-	-
FEMALE--	2	13	15	26	34	24	25	14	6	1	2	-
ALL OTHER--MALE----	11	10	11	7	8	4	1	-	2	-	-	-
FEMALE--	2	2	8	6	6	3	1	1	2	-	-	-
BLACK---MALE----	5	5	8	7	8	3	1	-	2	-	-	-
FEMALE--	2	2	5	5	6	1	1	1	1	-	-	-
UTAH -----	1	2	-	1	3	3	2	1	-	-	-	-
WHITE-----MALE----	1	-	-	1	2	3	1	1	-	-	-	-
FEMALE--	-	1	-	-	1	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	1	1	1	3	-	-	1	-	-	-	-
WHITE-----MALE----	-	-	1	1	2	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	1	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	8	12	8	19	18	23	10	4	1	-	-	-
WHITE-----MALE----	2	4	4	11	11	12	5	1	-	-	-	-
FEMALE--	1	2	2	4	3	5	3	2	1	-	-	-
ALL OTHER--MALE----	4	6	2	2	3	3	1	-	-	-	-	-
FEMALE--	1	-	-	2	1	3	1	1	-	-	-	-
BLACK---MALE----	3	6	1	1	3	3	1	-	-	-	-	-
FEMALE--	1	-	-	1	-	1	1	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 595

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 INTRAHEPATIC BILE DUCTS (155.1)												
0 UNITED STATES --	114	140	208	309	354	396	303	208	92	18	1	-
WHITE-----MALE----	45	71	98	135	165	158	110	72	31	4	-	-
FEMALE--	46	50	74	137	141	196	166	112	54	14	1	-
ALL OTHER--MALE----	12	10	15	19	31	17	12	16	1	-	-	-
FEMALE--	11	9	21	18	17	25	15	8	6	-	-	-
BLACK---MALE----	6	5	10	12	16	8	6	11	-	-	-	-
FEMALE--	7	5	12	13	9	21	12	6	3	-	-	-
ALABAMA -----	1	2	3	5	7	9	3	4	1	-	-	-
WHITE-----MALE----	-	1	2	3	1	4	3	2	-	-	-	-
FEMALE--	-	-	-	1	5	5	-	1	1	-	-	-
ALL OTHER--MALE----	1	1	1	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	1	1	-	-	-	-	-	-	-
BLACK---MALE----	1	1	1	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	1	1	-	-	-	-	-	-	-
ALASKA -----	-	1	-	-	-	1	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	-	3	6	9	1	8	7	5	2	1	-	-
WHITE-----MALE----	-	1	3	6	1	2	5	3	1	-	-	-
FEMALE--	-	2	3	3	-	5	2	2	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	1	2	3	3	4	1	1	1	1	-	-	-
WHITE-----MALE----	1	1	2	1	-	-	-	1	-	-	-	-
FEMALE--	-	-	1	2	2	1	1	-	1	-	-	-
ALL OTHER--MALE----	-	1	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	21	17	22	39	31	35	32	25	9	1	-	-
WHITE-----MALE----	10	4	8	13	18	12	13	9	4	-	-	-
FEMALE--	7	7	6	18	6	14	14	10	3	1	-	-
ALL OTHER--MALE----	3	3	4	5	4	5	3	5	-	-	-	-
FEMALE--	1	3	4	3	3	4	2	1	2	-	-	-
BLACK---MALE----	-	2	2	-	-	1	-	1	-	-	-	-
FEMALE--	-	2	1	-	1	2	2	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 596

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 INTRAHEPATIC BILE DUCTS (155.1)												
COLORADO -----	1	2	1	3	5	3	4	2	1	-	-	-
WHITE-----MALE----	-	-	-	1	1	2	1	1	-	-	-	-
FEMALE--	1	1	-	2	4	1	3	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	-	2	6	2	3	8	11	3	2	2	-	-
WHITE-----MALE----	-	1	5	2	3	4	5	1	1	2	-	-
FEMALE--	-	-	1	-	-	4	6	2	1	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	-	-	2	-	-	-	1	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	1	1	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	-	-	-	1	-	1	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
FLORIDA -----	5	7	9	19	26	35	22	22	7	2	-	-
WHITE-----MALE----	2	3	6	8	13	15	9	8	6	-	-	-
FEMALE--	2	4	2	8	11	19	13	11	1	2	-	-
ALL OTHER--MALE----	-	-	-	2	2	-	-	2	-	-	-	-
FEMALE--	1	-	1	1	-	1	-	1	-	-	-	-
BLACK---MALE----	-	-	-	2	2	-	-	2	-	-	-	-
FEMALE--	1	-	1	1	-	1	-	1	-	-	-	-
GEORGIA -----	6	1	6	6	10	9	5	5	1	-	-	-
WHITE-----MALE----	-	-	2	2	3	2	1	1	-	-	-	-
FEMALE--	2	1	2	3	5	4	3	4	1	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	2	-	2	1	2	2	1	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	2	-	2	1	1	2	1	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 598

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 INTRAHEPATIC BILE DUCTS (155.1)												
KENTUCKY -----	2	3	4	5	3	3	-	4	3	-	-	-
WHITE-----MALE----	-	3	4	2	1	3	-	1	1	-	-	-
FEMALE--	2	-	-	3	2	-	-	3	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
LOUISIANA -----	1	2	4	5	7	5	1	1	-	-	-	-
WHITE-----MALE----	-	1	1	2	3	-	-	-	-	-	-	-
FEMALE--	-	1	1	2	4	5	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	2	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	2	1	-	-	-	-	-	-	-	-
MAINE -----	-	-	1	3	4	-	2	1	-	-	-	-
WHITE-----MALE----	-	-	-	2	1	-	1	-	-	-	-	-
FEMALE--	-	-	1	1	3	-	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	2	5	4	3	10	8	5	2	-	-	-	-
WHITE-----MALE----	-	4	2	-	5	3	1	1	-	-	-	-
FEMALE--	1	1	-	3	3	4	4	1	-	-	-	-
ALL OTHER--MALE----	-	-	2	-	1	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	1	-	-	-	-	-	-
BLACK---MALE----	-	-	2	-	1	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-
MASSACHUSETTS -----	5	2	3	15	6	12	4	6	2	-	-	-
WHITE-----MALE----	3	2	2	8	3	4	2	2	-	-	-	-
FEMALE--	2	-	1	7	2	8	2	3	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	2	2	8	15	9	15	11	7	-	-	-	-
WHITE-----MALE----	1	1	2	5	4	4	4	4	-	-	-	-
FEMALE--	1	1	4	7	5	10	5	3	-	-	-	-
ALL OTHER--MALE----	-	-	-	3	-	-	2	-	-	-	-	-
FEMALE--	-	-	2	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	2	-	-	2	-	-	-	-	-
FEMALE--	-	-	1	-	-	1	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 601

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 INTRAHEPATIC BILE DUCTS (155.1)												
OHIO -----	8	13	8	18	14	15	12	11	4	1	-	-
WHITE-----MALE----	4	7	3	7	7	7	2	4	2	-	-	-
FEMALE--	4	6	3	11	5	6	9	4	2	1	-	-
ALL OTHER--MALE----	-	-	2	-	2	2	-	2	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	-	-	-	-
BLACK---MALE----	-	-	2	-	2	2	-	2	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	-	-	-	-
OKLAHOMA -----	3	4	3	1	6	1	5	1	-	-	-	-
WHITE-----MALE----	-	3	1	1	2	-	1	1	-	-	-	-
FEMALE--	1	1	1	-	3	1	3	-	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	1	-	1	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	3	-	3	3	1	5	6	2	-	-	-	-
WHITE-----MALE----	-	-	1	2	-	2	3	2	-	-	-	-
FEMALE--	3	-	2	1	1	3	3	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	4	5	14	15	19	25	22	13	5	-	-	-
WHITE-----MALE----	2	3	6	9	9	9	5	3	1	-	-	-
FEMALE--	2	1	5	5	6	15	16	8	4	-	-	-
ALL OTHER--MALE----	-	-	1	1	3	-	-	-	-	-	-	-
FEMALE--	-	1	2	-	1	1	1	2	-	-	-	-
BLACK---MALE----	-	-	1	1	2	-	-	-	-	-	-	-
FEMALE--	-	1	1	-	1	1	1	2	-	-	-	-
RHODE ISLAND -----	-	-	-	-	5	3	4	2	-	-	-	-
WHITE-----MALE----	-	-	-	-	2	2	1	2	-	-	-	-
FEMALE--	-	-	-	-	2	1	3	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
SOUTH CAROLINA -----	-	1	4	4	5	6	3	-	1	-	-	-
WHITE-----MALE----	-	-	1	3	2	-	1	-	-	-	-	-
FEMALE--	-	1	2	1	2	3	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	2	2	-	1	-	-	-
BLACK---MALE----	-	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	2	2	-	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 602

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 INTRAHEPATIC BILE DUCTS (155.1)												
SOUTH DAKOTA -----	-	1	2	-	-	1	2	1	1	-	-	-
WHITE-----MALE----	-	1	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	2	-	-	-	1	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	2	3	7	10	5	6	5	1	2	-	-	-
WHITE-----MALE----	1	-	4	5	4	2	-	-	1	-	-	-
FEMALE--	1	2	3	4	1	2	5	1	1	-	-	-
ALL OTHER--MALE----	-	1	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
TEXAS -----	11	11	16	19	25	23	14	11	8	-	-	-
WHITE-----MALE----	8	6	9	9	10	10	4	1	3	-	-	-
FEMALE--	3	5	4	7	12	11	9	7	5	-	-	-
ALL OTHER--MALE----	-	-	1	1	3	1	-	2	-	-	-	-
FEMALE--	-	-	2	2	-	1	1	1	-	-	-	-
BLACK---MALE----	-	-	1	1	3	-	-	2	-	-	-	-
FEMALE--	-	-	1	2	-	1	1	1	-	-	-	-
UTAH -----	-	-	-	1	-	-	2	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	2	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	-	1	2	-	-	1	-	-	-	-
WHITE-----MALE----	-	-	-	1	2	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	2	7	5	12	8	8	10	5	1	1	-	-
WHITE-----MALE----	-	6	3	5	5	1	3	2	-	1	-	-
FEMALE--	2	1	1	4	1	5	7	2	1	-	-	-
ALL OTHER--MALE----	-	-	-	1	1	1	-	1	-	-	-	-
FEMALE--	-	-	1	2	1	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	1	1	-	1	-	-	-	-
FEMALE--	-	-	1	2	1	1	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 604

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 LIVER, NOT SPECIFIED AS PRIMARY OR SECONDARY (155.2)												
0 UNITED STATES --	4,087	1	2	-	2	3	5	7	19	36	77	154
WHITE-----MALE----	1,890	1	-	-	-	-	1	2	6	18	34	66
FEMALE--	1,429	-	1	-	1	2	1	2	5	6	11	31
ALL OTHER--MALE----	455	-	-	-	-	-	1	3	3	11	22	45
FEMALE--	313	-	1	-	1	1	2	-	5	1	10	12
BLACK---MALE----	310	-	-	-	-	-	-	3	3	4	18	30
FEMALE--	241	-	1	-	-	1	2	-	4	1	9	7
ALABAMA -----	112	-	-	-	-	-	1	-	1	-	1	2
WHITE-----MALE----	50	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	43	-	-	-	-	-	1	-	1	-	-	1
ALL OTHER--MALE----	8	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	11	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	8	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	11	-	-	-	-	-	-	-	-	-	-	-
ALASKA -----	3	-	-	-	-	-	-	-	-	-	-	1
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	76	-	-	-	-	-	-	-	-	-	1	1
WHITE-----MALE----	44	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	27	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	87	-	-	-	-	-	-	-	-	1	-	4
WHITE-----MALE----	41	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	30	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	8	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	7	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	1
CALIFORNIA -----	480	-	-	-	1	-	-	1	1	8	9	21
WHITE-----MALE----	197	-	-	-	-	-	-	1	-	3	5	8
FEMALE--	153	-	-	-	-	-	-	-	-	1	2	1
ALL OTHER--MALE----	79	-	-	-	-	-	-	-	-	4	1	8
FEMALE--	51	-	-	-	1	-	-	-	1	-	1	4
BLACK---MALE----	20	-	-	-	-	-	-	-	-	1	1	2
FEMALE--	16	-	-	-	-	-	-	-	1	-	1	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 604

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 LIVER, NOT SPECIFIED AS PRIMARY OR SECONDARY (155.2)												
0 UNITED STATES --	207	244	340	519	627	677	581	372	161	48	5	-
WHITE-----MALE----	100	127	166	262	327	324	241	146	51	18	-	-
FEMALE--	54	54	96	143	203	252	267	185	86	25	4	-
ALL OTHER--MALE----	36	49	50	73	61	48	23	20	9	1	-	-
FEMALE--	17	14	28	41	36	53	50	21	15	4	1	-
BLACK---MALE----	28	34	33	50	38	32	18	13	5	1	-	-
FEMALE--	13	11	20	28	27	43	39	18	12	4	1	-
ALABAMA -----	10	4	7	11	20	25	16	7	6	1	-	-
WHITE-----MALE----	5	1	4	2	7	15	8	2	4	-	-	-
FEMALE--	3	1	-	9	9	6	7	4	1	-	-	-
ALL OTHER--MALE----	2	1	2	-	1	2	-	-	-	-	-	-
FEMALE--	-	1	1	-	3	2	1	1	1	1	-	-
BLACK---MALE----	2	1	2	-	1	2	-	-	-	-	-	-
FEMALE--	-	1	1	-	3	2	1	1	1	1	-	-
ALASKA -----	-	-	2	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	3	4	6	14	15	14	6	7	4	1	-	-
WHITE-----MALE----	2	2	2	8	6	10	5	5	3	-	-	-
FEMALE--	-	2	2	4	9	4	1	2	1	1	-	-
ALL OTHER--MALE----	1	-	1	2	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	2	4	8	11	16	20	13	5	2	-	1	-
WHITE-----MALE----	-	2	7	6	11	11	1	1	-	-	-	-
FEMALE--	2	2	-	3	4	4	10	4	1	-	-	-
ALL OTHER--MALE----	-	-	1	2	1	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	4	1	-	1	-	1	-
BLACK---MALE----	-	-	1	2	1	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	4	1	-	1	-	1	-
CALIFORNIA -----	22	30	45	73	63	79	68	45	11	2	1	-
WHITE-----MALE----	12	10	18	25	28	32	29	20	4	2	-	-
FEMALE--	5	8	13	23	15	34	29	18	3	-	1	-
ALL OTHER--MALE----	2	9	10	16	11	7	3	6	2	-	-	-
FEMALE--	3	3	4	9	9	6	7	1	2	-	-	-
BLACK---MALE----	2	4	2	2	2	2	1	1	-	-	-	-
FEMALE--	-	2	3	1	3	2	2	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 605

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 LIVER, NOT SPECIFIED AS PRIMARY OR SECONDARY (155.2)												
COLORADO -----	3	-	4	8	5	4	2	2	-	1	-	-
WHITE-----MALE----	1	-	1	5	4	3	1	2	-	-	-	-
FEMALE--	2	-	3	3	1	1	1	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	1	3	3	2	5	7	9	3	2	1	-	-
WHITE-----MALE----	1	2	2	1	1	7	3	1	1	-	-	-
FEMALE--	-	-	1	1	3	-	5	2	1	1	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	-	-	-	-	-
DELAWARE -----	-	2	-	-	-	3	2	1	3	-	-	-
WHITE-----MALE----	-	2	-	-	-	2	1	1	1	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	1	-	-	-
DISTRICT OF COLUMBIA ----	-	3	-	2	-	-	3	1	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	3	-	1	-	-	1	1	-	-	-	-
FEMALE--	-	-	-	1	-	-	2	-	-	-	-	-
BLACK---MALE----	-	3	-	1	-	-	1	1	-	-	-	-
FEMALE--	-	-	-	1	-	-	2	-	-	-	-	-
FLORIDA -----	12	11	27	31	34	58	45	23	13	5	-	-
WHITE-----MALE----	7	2	17	19	19	33	24	14	7	3	-	-
FEMALE--	2	5	7	10	12	21	18	5	4	1	-	-
ALL OTHER--MALE----	3	3	1	1	1	2	2	3	1	1	-	-
FEMALE--	-	1	2	1	2	2	1	1	1	-	-	-
BLACK---MALE----	2	3	1	1	1	2	2	3	1	1	-	-
FEMALE--	-	1	2	1	2	2	1	1	1	-	-	-
GEORGIA -----	5	9	7	12	15	26	10	8	4	1	-	-
WHITE-----MALE----	3	7	2	8	8	14	2	3	4	-	-	-
FEMALE--	-	-	4	-	4	5	4	3	-	1	-	-
ALL OTHER--MALE----	-	1	1	2	-	2	2	-	-	-	-	-
FEMALE--	2	1	-	2	3	5	2	2	-	-	-	-
BLACK---MALE----	-	-	1	2	-	1	2	-	-	-	-	-
FEMALE--	2	1	-	2	2	5	2	2	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 606

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 LIVER, NOT SPECIFIED AS PRIMARY OR SECONDARY (155.2)												
HAWAII -----	-	1	3	-	2	3	2	2	2	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	1	2	-	-	2	-	1	1	-	-	-
FEMALE--	-	-	1	-	1	1	1	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	-	-	-	3	2	1	2	1	2	1	-	-
WHITE-----MALE----	-	-	-	2	2	-	-	-	1	1	-	-
FEMALE--	-	-	-	-	1	1	1	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	13	21	18	31	40	32	33	23	11	2	-	-
WHITE-----MALE----	4	15	6	13	17	22	15	9	3	-	-	-
FEMALE--	7	-	7	8	15	6	12	12	8	2	-	-
ALL OTHER--MALE----	-	4	4	5	6	3	2	1	-	-	-	-
FEMALE--	2	2	1	5	2	1	4	1	-	-	-	-
BLACK---MALE----	-	3	4	5	1	2	2	1	-	-	-	-
FEMALE--	2	2	1	4	2	1	3	1	-	-	-	-
INDIANA -----	3	6	9	11	15	12	18	12	3	1	-	-
WHITE-----MALE----	2	5	4	4	10	7	10	6	2	-	-	-
FEMALE--	1	1	4	4	4	4	6	6	1	1	-	-
ALL OTHER--MALE----	-	-	1	2	1	1	2	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	2	-	1	2	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IOWA -----	-	-	-	-	3	2	3	2	1	1	-	-
WHITE-----MALE----	-	-	-	-	2	-	2	-	-	-	-	-
FEMALE--	-	-	-	-	1	2	1	2	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS -----	1	2	4	1	6	5	5	4	-	-	-	-
WHITE-----MALE----	1	-	3	-	3	1	1	1	-	-	-	-
FEMALE--	-	2	-	1	3	2	2	3	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	2	2	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 607

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 LIVER, NOT SPECIFIED AS PRIMARY OR SECONDARY (155.2)												
KENTUCKY -----	6	5	7	12	14	7	5	4	5	1	1	-
WHITE-----MALE----	5	3	5	7	11	3	4	-	1	-	-	-
FEMALE--	1	2	2	4	3	4	1	3	4	1	1	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	9	11	12	21	16	25	12	15	1	2	-	-
WHITE-----MALE----	3	7	6	6	7	10	5	3	-	-	-	-
FEMALE--	1	1	2	4	2	7	5	7	-	2	-	-
ALL OTHER--MALE----	3	3	2	5	4	3	1	2	1	-	-	-
FEMALE--	2	-	2	6	3	5	1	3	-	-	-	-
BLACK---MALE----	3	3	2	4	4	3	1	2	1	-	-	-
FEMALE--	2	-	2	6	3	5	1	3	-	-	-	-
MAINE -----	-	2	1	2	4	3	2	-	-	-	-	-
WHITE-----MALE----	-	-	1	-	4	-	1	-	-	-	-	-
FEMALE--	-	2	-	2	-	3	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	10	4	8	5	22	12	7	5	5	-	-	-
WHITE-----MALE----	2	1	3	3	11	6	4	1	1	-	-	-
FEMALE--	4	2	1	1	7	4	3	3	4	-	-	-
ALL OTHER--MALE----	3	-	3	-	4	1	-	1	-	-	-	-
FEMALE--	1	1	1	1	-	1	-	-	-	-	-	-
BLACK---MALE----	2	-	2	-	4	1	-	1	-	-	-	-
FEMALE--	1	-	1	1	-	-	-	-	-	-	-	-
MASSACHUSETTS -----	5	3	6	20	15	21	18	15	4	1	-	-
WHITE-----MALE----	3	2	3	14	8	7	6	5	2	-	-	-
FEMALE--	2	-	1	6	6	11	11	8	2	1	-	-
ALL OTHER--MALE----	-	1	1	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	1	-	1	2	1	2	-	-	-	-
BLACK---MALE----	-	-	1	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	2	-	2	-	-	-	-
MICHIGAN -----	11	13	17	25	21	27	29	19	9	5	-	-
WHITE-----MALE----	7	6	7	17	9	17	11	7	1	2	-	-
FEMALE--	3	1	5	2	9	5	11	11	6	2	-	-
ALL OTHER--MALE----	1	5	2	5	2	2	2	-	-	-	-	-
FEMALE--	-	1	3	1	1	3	5	1	2	1	-	-
BLACK---MALE----	1	4	2	5	2	1	1	-	-	-	-	-
FEMALE--	-	1	1	1	1	3	5	-	2	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 608

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 LIVER, NOT SPECIFIED AS PRIMARY OR SECONDARY (155.2)												
MINNESOTA -----	2	3	1	14	6	9	8	4	3	-	-	-
WHITE-----MALE----	1	2	-	10	5	7	3	2	1	-	-	-
FEMALE--	1	1	1	2	1	2	5	2	2	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI -----	3	6	13	13	20	12	16	5	3	-	-	-
WHITE-----MALE----	2	5	8	7	9	5	10	2	-	-	-	-
FEMALE--	1	-	1	2	6	3	4	2	2	-	-	-
ALL OTHER--MALE----	-	-	3	2	2	1	1	-	-	-	-	-
FEMALE--	-	1	1	2	3	3	1	1	1	-	-	-
BLACK---MALE----	-	-	3	2	2	1	1	-	-	-	-	-
FEMALE--	-	1	1	2	3	3	1	1	1	-	-	-
MISSOURI -----	8	7	8	5	15	8	21	7	-	3	-	-
WHITE-----MALE----	5	5	5	2	10	6	9	1	-	1	-	-
FEMALE--	2	1	1	1	4	1	10	4	-	2	-	-
ALL OTHER--MALE----	1	1	1	2	1	-	-	1	-	-	-	-
FEMALE--	-	-	1	-	-	1	2	1	-	-	-	-
BLACK---MALE----	1	-	1	2	1	-	-	1	-	-	-	-
FEMALE--	-	-	1	-	-	1	2	1	-	-	-	-
MONTANA -----	-	-	2	-	2	-	-	-	2	1	-	-
WHITE-----MALE----	-	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	1	-	-	-	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	2	-	2	3	7	3	3	3	-	1	-	-
WHITE-----MALE----	1	-	1	1	4	2	3	-	-	-	-	-
FEMALE--	1	-	1	2	2	1	-	3	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA -----	4	5	3	5	7	5	3	-	-	-	-	-
WHITE-----MALE----	3	4	1	2	3	3	1	-	-	-	-	-
FEMALE--	-	1	2	2	3	2	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 610

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 LIVER, NOT SPECIFIED AS PRIMARY OR SECONDARY (155.2)												
OHIO -----	3	3	14	22	29	25	26	20	4	-	-	-
WHITE-----MALE----	-	3	5	15	18	6	10	8	-	-	-	-
FEMALE--	1	-	7	4	8	14	14	11	4	-	-	-
ALL OTHER--MALE----	2	-	1	1	3	4	1	1	-	-	-	-
FEMALE--	-	-	1	2	-	1	1	-	-	-	-	-
BLACK---MALE----	2	-	1	1	3	4	1	1	-	-	-	-
FEMALE--	-	-	1	2	-	1	1	-	-	-	-	-
OKLAHOMA -----	5	-	5	7	11	12	8	5	4	-	1	-
WHITE-----MALE----	3	-	3	3	3	4	-	2	1	-	-	-
FEMALE--	1	-	1	3	6	7	5	3	3	-	1	-
ALL OTHER--MALE----	1	-	1	-	2	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	3	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	2	-	-	-	-	-
OREGON -----	1	1	1	2	4	5	3	2	-	-	-	-
WHITE-----MALE----	1	1	1	1	1	2	3	1	-	-	-	-
FEMALE--	-	-	-	1	3	3	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	9	13	12	27	30	37	31	27	6	3	-	-
WHITE-----MALE----	4	5	8	13	22	15	10	13	3	1	-	-
FEMALE--	4	5	4	13	4	18	19	14	2	2	-	-
ALL OTHER--MALE----	1	3	-	1	3	3	1	-	1	-	-	-
FEMALE--	-	-	-	-	1	1	1	-	-	-	-	-
BLACK---MALE----	1	2	-	1	3	2	1	-	1	-	-	-
FEMALE--	-	-	-	-	1	1	1	-	-	-	-	-
RHODE ISLAND -----	3	-	-	6	5	3	3	2	-	-	-	-
WHITE-----MALE----	2	-	-	6	4	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	2	3	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	2	5	7	6	9	11	6	2	2	2	-	-
WHITE-----MALE----	1	2	3	4	2	3	-	2	-	1	-	-
FEMALE--	-	-	2	1	5	3	4	-	2	-	-	-
ALL OTHER--MALE----	1	3	-	1	2	3	1	-	-	-	-	-
FEMALE--	-	-	2	-	-	2	1	-	-	1	-	-
BLACK---MALE----	1	3	-	1	2	3	1	-	-	-	-	-
FEMALE--	-	-	2	-	-	2	1	-	-	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 611

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 LIVER, NOT SPECIFIED AS PRIMARY OR SECONDARY (155.2)												
SOUTH DAKOTA -----	9	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	62	-	-	-	-	-	-	-	-	-	-	3
WHITE-----MALE----	23	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	32	-	-	-	-	-	-	-	-	-	-	2
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	1
TEXAS -----	112	-	-	-	-	-	-	1	-	1	3	4
WHITE-----MALE----	57	-	-	-	-	-	-	-	-	1	3	1
FEMALE--	40	-	-	-	-	-	-	1	-	-	-	2
ALL OTHER--MALE----	7	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	5	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
UTAH -----	25	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	11	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	13	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	7	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	86	-	-	-	-	-	2	-	1	1	-	2
WHITE-----MALE----	33	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	27	-	-	-	-	-	-	-	1	1	-	1
ALL OTHER--MALE----	15	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	11	-	-	-	-	-	2	-	-	-	-	-
BLACK---MALE----	10	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	10	-	-	-	-	-	2	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 611

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 LIVER, NOT SPECIFIED AS PRIMARY OR SECONDARY (155.2)												
SOUTH DAKOTA -----	-	-	1	-	3	1	1	1	2	-	-	-
WHITE-----MALE----	-	-	1	-	3	1	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	4	4	3	7	8	14	7	11	1	-	-	-
WHITE-----MALE----	1	2	2	2	4	5	1	6	-	-	-	-
FEMALE--	2	2	1	1	3	9	6	5	1	-	-	-
ALL OTHER--MALE----	-	-	-	3	1	-	-	-	-	-	-	-
FEMALE--	1	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	3	1	-	-	-	-	-	-	-
FEMALE--	1	-	-	1	-	-	-	-	-	-	-	-
TEXAS -----	6	10	11	12	15	14	20	7	5	3	-	-
WHITE-----MALE----	2	8	6	8	11	4	8	1	2	2	-	-
FEMALE--	2	2	3	3	4	9	8	3	2	1	-	-
ALL OTHER--MALE----	1	-	2	1	-	-	2	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	2	3	1	-	-	-
BLACK---MALE----	1	-	1	1	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	2	3	1	-	-	-
UTAH -----	1	4	-	3	5	3	4	5	-	-	-	-
WHITE-----MALE----	1	1	-	1	5	-	1	2	-	-	-	-
FEMALE--	-	3	-	2	-	3	3	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	1	-	1	1	-	-	2	2	-	-	-	-
WHITE-----MALE----	-	-	-	1	-	-	1	1	-	-	-	-
FEMALE--	1	-	1	-	-	-	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	5	3	6	10	13	20	13	6	4	-	-	-
WHITE-----MALE----	2	-	3	6	4	9	7	1	1	-	-	-
FEMALE--	1	1	-	2	4	6	5	3	2	-	-	-
ALL OTHER--MALE----	2	2	2	1	3	3	-	-	1	-	-	-
FEMALE--	-	-	1	1	2	2	1	2	-	-	-	-
BLACK---MALE----	2	2	1	1	1	2	-	-	1	-	-	-
FEMALE--	-	-	1	-	2	2	1	2	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 613

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 OF GALLBLADDER AND EXTRAHEPATIC BILE DUCTS (156)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 UNITED STATES --	130	202	270	391	615	604	606	429	217	44	4	-
WHITE-----MALE----	46	59	89	136	225	198	217	118	50	13	3	-
FEMALE--	69	103	143	199	323	338	346	268	155	26	1	-
ALL OTHER--MALE----	3	13	16	20	30	23	15	11	2	1	-	-
FEMALE--	12	27	22	36	37	45	28	32	10	4	-	-
BLACK---MALE----	2	8	11	17	20	18	11	8	1	1	-	-
FEMALE--	9	22	16	25	29	33	18	23	9	2	-	-
ALABAMA -----	1	2	3	5	5	10	5	3	3	1	-	-
WHITE-----MALE----	1	-	-	1	1	3	1	-	-	-	-	-
FEMALE--	-	1	2	2	1	4	4	3	3	1	-	-
ALL OTHER--MALE----	-	1	1	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	2	3	-	-	-	-	-	-
BLACK---MALE----	-	1	1	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	2	3	-	-	-	-	-	-
ALASKA -----	-	-	1	-	-	1	-	1	1	-	-	-
WHITE-----MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	3	2	3	9	11	10	10	11	2	-	-	-
WHITE-----MALE----	2	1	2	4	5	5	5	3	1	-	-	-
FEMALE--	1	1	1	5	5	5	3	7	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	2	-	1	4	4	3	5	2	-	-	-	-
WHITE-----MALE----	-	-	-	2	-	1	3	-	-	-	-	-
FEMALE--	2	-	1	2	4	2	2	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	11	20	32	30	62	69	55	37	12	3	-	-
WHITE-----MALE----	3	4	11	9	23	18	17	11	3	2	-	-
FEMALE--	6	10	15	15	28	37	30	21	9	-	-	-
ALL OTHER--MALE----	1	2	2	3	4	6	1	1	-	-	-	-
FEMALE--	1	4	4	3	7	8	7	4	-	1	-	-
BLACK---MALE----	-	-	-	1	1	4	-	1	-	-	-	-
FEMALE--	-	1	1	2	1	4	1	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 614

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 OF GALLBLADDER AND EXTRAHEPATIC BILE DUCTS (156)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
COLORADO -----	1	-	3	5	1	3	8	5	1	1	-	-
WHITE-----MALE----	-	-	2	2	-	2	4	2	-	-	-	-
FEMALE--	-	-	1	3	1	1	4	3	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	2	-	6	7	6	9	7	3	4	-	-	-
WHITE-----MALE----	-	-	2	3	4	5	4	2	2	-	-	-
FEMALE--	1	-	4	4	2	4	3	-	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	1	1	2	3	2	2	2	-	1	-	-
WHITE-----MALE----	-	-	-	-	2	-	-	1	-	-	-	-
FEMALE--	-	1	1	2	-	2	2	1	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	-	1	-	1	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	1	-	-	-	-	-	-	-	-
FLORIDA -----	11	7	16	21	45	30	44	32	14	5	-	-
WHITE-----MALE----	1	3	4	11	15	12	15	8	7	2	-	-
FEMALE--	7	4	7	8	26	16	28	22	7	2	-	-
ALL OTHER--MALE----	1	-	2	1	1	-	1	1	-	-	-	-
FEMALE--	2	-	3	1	3	2	-	1	-	1	-	-
BLACK---MALE----	1	-	2	1	1	-	1	1	-	-	-	-
FEMALE--	2	-	2	1	3	2	-	1	-	1	-	-
GEORGIA -----	5	4	7	7	9	18	5	4	3	-	-	-
WHITE-----MALE----	-	1	2	1	1	10	3	-	-	-	-	-
FEMALE--	3	2	2	2	2	8	2	2	3	-	-	-
ALL OTHER--MALE----	-	-	1	1	1	-	-	1	-	-	-	-
FEMALE--	2	1	2	3	5	-	-	1	-	-	-	-
BLACK---MALE----	-	-	1	1	1	-	-	1	-	-	-	-
FEMALE--	2	1	2	3	4	-	-	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 615

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 OF GALLBLADDER AND EXTRAHEPATIC BILE DUCTS (156)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
HAWAII -----	-	1	1	2	-	1	1	1	1	1	-	-
WHITE-----MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	1	1	-	-	-	-
FEMALE--	-	-	1	1	-	1	-	-	1	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	-	2	1	3	2	1	1	-	1	-	-	-
WHITE-----MALE----	-	1	1	1	-	1	-	-	-	-	-	-
FEMALE--	-	1	-	2	2	-	1	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	6	13	10	12	31	27	30	16	15	-	2	-
WHITE-----MALE----	2	3	2	4	15	11	9	6	6	-	1	-
FEMALE--	3	6	6	7	16	12	20	9	9	-	1	-
ALL OTHER--MALE----	1	2	1	-	-	2	-	-	-	-	-	-
FEMALE--	-	2	1	1	-	2	1	1	-	-	-	-
BLACK---MALE----	1	2	-	-	-	2	-	-	-	-	-	-
FEMALE--	-	2	1	1	-	1	1	1	-	-	-	-
INDIANA -----	1	7	2	5	13	8	13	13	8	-	-	-
WHITE-----MALE----	1	1	-	2	7	3	6	5	-	-	-	-
FEMALE--	-	6	2	3	6	5	7	7	8	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IOWA -----	2	4	3	7	8	10	12	13	2	-	-	-
WHITE-----MALE----	1	1	-	2	1	6	6	2	1	-	-	-
FEMALE--	1	3	3	5	7	4	6	11	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS -----	3	4	3	3	2	8	6	7	2	3	-	-
WHITE-----MALE----	1	1	2	1	-	2	2	1	2	-	-	-
FEMALE--	2	3	1	2	2	4	4	6	-	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	2	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	2	-	-	-	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 616

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 OF GALLBLADDER AND EXTRAHEPATIC BILE DUCTS (156)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
KENTUCKY -----	4	5	5	4	11	7	12	7	-	1	-	-
WHITE-----MALE----	2	-	3	2	6	2	6	2	-	-	-	-
FEMALE--	2	5	2	2	4	5	6	5	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	2	5	4	3	10	7	8	3	2	-	-	-
WHITE-----MALE----	1	-	2	1	6	2	1	1	1	-	-	-
FEMALE--	-	3	2	1	3	1	5	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	2	2	-	-	-	-	-
FEMALE--	1	2	-	1	-	2	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	1	2	2	-	-	-	-	-
FEMALE--	-	2	-	1	-	2	-	1	-	-	-	-
MAINE -----	1	1	3	1	2	7	7	2	3	-	-	-
WHITE-----MALE----	1	-	1	-	1	2	3	-	1	-	-	-
FEMALE--	-	1	2	1	1	5	4	2	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	3	1	4	12	9	17	10	12	3	-	-	-
WHITE-----MALE----	1	-	1	3	3	2	2	5	-	-	-	-
FEMALE--	1	-	1	2	4	10	5	6	3	-	-	-
ALL OTHER--MALE----	-	-	1	2	1	2	1	1	-	-	-	-
FEMALE--	1	1	1	5	1	3	2	-	-	-	-	-
BLACK---MALE----	-	-	1	2	1	2	1	1	-	-	-	-
FEMALE--	1	1	1	3	1	3	2	-	-	-	-	-
MASSACHUSETTS -----	3	3	6	8	17	18	17	7	8	-	-	-
WHITE-----MALE----	1	1	3	3	6	3	9	3	2	-	-	-
FEMALE--	2	2	3	3	11	12	7	4	6	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	2	-	3	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	2	1	-	-	-	-	-
MICHIGAN -----	5	11	10	20	29	29	24	14	7	-	-	-
WHITE-----MALE----	3	4	6	9	6	13	7	3	2	-	-	-
FEMALE--	2	6	4	11	22	14	16	10	4	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	1	-	-	1	1	1	1	1	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	1	1	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 619

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
 OF GALLBLADDER AND EXTRAHEPATIC BILE DUCTS (156)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
OHIO -----	162	-	-	-	-	-	-	-	-	-	3	2
WHITE-----MALE----	54	-	-	-	-	-	-	-	-	-	2	1
FEMALE--	97	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA -----	50	-	-	-	-	-	-	-	-	1	-	-
WHITE-----MALE----	15	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	28	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	42	-	-	-	-	-	-	-	-	-	-	1
WHITE-----MALE----	17	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	25	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	262	-	-	-	-	-	-	-	1	1	2	3
WHITE-----MALE----	75	-	-	-	-	-	-	-	1	-	1	-
FEMALE--	174	-	-	-	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	10	-	-	-	-	-	-	-	-	1	-	1
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	9	-	-	-	-	-	-	-	-	1	-	1
RHODE ISLAND -----	22	-	-	-	-	-	-	-	-	-	-	1
WHITE-----MALE----	9	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	13	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	44	-	-	-	-	-	-	-	1	2	1	1
WHITE-----MALE----	17	-	-	-	-	-	-	-	1	-	1	-
FEMALE--	18	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	5	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	5	-	-	-	-	-	-	-	-	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 619

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 OF GALLBLADDER AND EXTRAHEPATIC BILE DUCTS (156)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
OHIO -----	7	9	6	21	30	23	37	14	9	1	-	-
WHITE-----MALE----	2	1	2	9	8	8	15	4	2	-	-	-
FEMALE--	5	7	4	9	20	14	21	8	7	1	-	-
ALL OTHER--MALE----	-	1	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	2	2	-	1	2	-	-	-	-
BLACK---MALE----	-	1	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	2	2	-	1	2	-	-	-	-
OKLAHOMA -----	1	2	3	7	8	5	9	8	5	1	-	-
WHITE-----MALE----	-	2	-	3	3	2	2	2	1	-	-	-
FEMALE--	1	-	3	3	3	-	7	5	4	1	-	-
ALL OTHER--MALE----	-	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	2	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
OREGON -----	2	2	3	9	5	5	6	3	5	1	-	-
WHITE-----MALE----	2	-	1	4	3	4	2	-	1	-	-	-
FEMALE--	-	2	2	5	2	1	4	3	4	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	2	10	14	26	49	44	50	42	15	3	-	-
WHITE-----MALE----	2	2	2	6	20	9	19	8	4	1	-	-
FEMALE--	-	8	11	18	28	33	30	32	10	2	-	-
ALL OTHER--MALE----	-	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	2	1	2	1	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	1	1	2	1	-	-	-
RHODE ISLAND -----	1	-	4	1	3	5	3	3	1	-	-	-
WHITE-----MALE----	-	-	1	-	2	2	3	-	-	-	-	-
FEMALE--	1	-	3	1	1	3	-	3	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	-	4	6	2	5	7	6	6	2	1	-	-
WHITE-----MALE----	-	2	3	-	2	4	2	1	-	1	-	-
FEMALE--	-	1	1	2	2	3	4	3	2	-	-	-
ALL OTHER--MALE----	-	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	1	1	-	-	-	-	2	-	-	-	-
BLACK---MALE----	-	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	1	1	-	-	-	-	2	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 620

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 OF GALLBLADDER AND EXTRAHEPATIC BILE DUCTS (156)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
SOUTH DAKOTA -----	-	1	1	3	4	2	4	-	1	-	-	-
WHITE-----MALE----	-	1	1	2	2	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	1	3	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	4	2	6	11	8	11	7	9	3	2	-	-
WHITE-----MALE----	3	1	2	5	6	4	3	1	1	1	-	-
FEMALE--	1	-	4	6	2	5	4	7	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	1	-	1	1	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	1	-	1	1	-	-	-
TEXAS -----	12	17	23	22	38	29	34	29	9	4	-	-
WHITE-----MALE----	2	6	6	5	16	8	11	13	1	-	-	-
FEMALE--	10	8	13	12	17	17	20	12	8	3	-	-
ALL OTHER--MALE----	-	2	1	1	4	-	2	2	-	1	-	-
FEMALE--	-	1	3	4	1	4	1	2	-	-	-	-
BLACK---MALE----	-	2	1	1	4	-	2	1	-	1	-	-
FEMALE--	-	1	3	2	1	3	1	2	-	-	-	-
UTAH -----	-	1	1	3	3	4	1	-	1	-	-	-
WHITE-----MALE----	-	1	-	2	1	-	1	-	-	-	-	-
FEMALE--	-	-	1	1	2	4	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	1	-	1	1	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	1	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	2	6	9	13	14	7	13	4	2	1	-	-
WHITE-----MALE----	1	2	3	2	-	2	-	-	-	1	-	-
FEMALE--	1	3	4	6	11	5	12	4	-	-	-	-
ALL OTHER--MALE----	-	-	-	2	2	-	-	-	-	-	-	-
FEMALE--	-	1	2	3	1	-	1	-	2	-	-	-
BLACK---MALE----	-	-	-	2	1	-	-	-	-	-	-	-
FEMALE--	-	1	1	3	1	-	1	-	2	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 622

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX OF PANCREAS (157)	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
UNITED STATES --	27,675	2	-	-	-	1	5	9	50	160	394	750
WHITE-----MALE----	11,702	-	-	-	-	1	2	4	19	80	186	383
FEMALE--	12,162	-	-	-	-	-	2	2	20	41	130	210
ALL OTHER--MALE----	1,768	-	-	-	-	-	1	3	8	27	46	97
FEMALE--	2,043	2	-	-	-	-	-	-	3	12	32	60
BLACK---MALE----	1,511	-	-	-	-	-	1	3	7	25	39	80
FEMALE--	1,808	2	-	-	-	-	-	-	3	11	25	53
ALABAMA -----	476	-	-	-	-	-	-	-	-	2	5	8
WHITE-----MALE----	164	-	-	-	-	-	-	-	-	1	3	5
FEMALE--	193	-	-	-	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	53	-	-	-	-	-	-	-	-	1	1	1
FEMALE--	66	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	51	-	-	-	-	-	-	-	-	1	1	1
FEMALE--	66	-	-	-	-	-	-	-	-	-	-	1
ALASKA -----	37	-	-	-	-	-	-	-	-	1	1	1
WHITE-----MALE----	18	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	10	-	-	-	-	-	-	-	-	1	1	-
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	423	-	-	-	-	-	-	-	1	1	3	16
WHITE-----MALE----	210	-	-	-	-	-	-	-	1	1	1	11
FEMALE--	191	-	-	-	-	-	-	-	-	-	1	5
ALL OTHER--MALE----	13	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	8	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	302	-	-	-	-	-	-	-	-	2	2	6
WHITE-----MALE----	129	-	-	-	-	-	-	-	-	-	-	3
FEMALE--	130	-	-	-	-	-	-	-	-	2	2	2
ALL OTHER--MALE----	18	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	25	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	18	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	23	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	2,781	-	-	-	-	-	1	3	5	18	43	72
WHITE-----MALE----	1,192	-	-	-	-	-	1	2	2	10	19	34
FEMALE--	1,169	-	-	-	-	-	-	1	2	5	11	21
ALL OTHER--MALE----	189	-	-	-	-	-	-	-	1	2	7	12
FEMALE--	231	-	-	-	-	-	-	-	-	1	6	5
BLACK---MALE----	97	-	-	-	-	-	-	-	1	2	5	3
FEMALE--	132	-	-	-	-	-	-	-	-	1	2	4

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 622

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX OF PANCREAS (157)	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 UNITED STATES --	1,273	1,808	2,536	3,541	4,573	4,685	3,988	2,506	1,107	254	33	-
WHITE-----MALE----	658	897	1,251	1,681	2,082	1,890	1,474	765	284	40	5	-
FEMALE--	392	588	863	1,323	1,901	2,242	2,088	1,460	693	186	21	-
ALL OTHER--MALE----	129	188	223	261	277	233	158	85	25	5	2	-
FEMALE--	94	135	199	276	313	320	268	196	105	23	5	-
BLACK---MALE----	112	165	196	224	237	201	126	68	22	4	1	-
FEMALE--	80	120	184	240	266	281	239	180	98	21	5	-
ALABAMA -----	25	42	42	68	74	81	68	40	17	4	-	-
WHITE-----MALE----	14	17	18	22	26	24	16	15	2	1	-	-
FEMALE--	5	13	12	26	29	37	36	18	12	3	-	-
ALL OTHER--MALE----	5	9	5	9	11	5	4	1	1	-	-	-
FEMALE--	1	3	7	11	8	15	12	6	2	-	-	-
BLACK---MALE----	3	9	5	9	11	5	4	1	1	-	-	-
FEMALE--	1	3	7	11	8	15	12	6	2	-	-	-
ALASKA -----	8	2	2	6	6	4	5	-	1	-	-	-
WHITE-----MALE----	5	2	-	2	3	2	2	-	1	-	-	-
FEMALE--	3	-	1	1	1	1	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	2	2	-	1	-	-	-	-	-
FEMALE--	-	-	1	1	-	1	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	22	37	38	59	76	68	56	36	9	1	-	-
WHITE-----MALE----	14	21	24	27	36	33	28	11	2	-	-	-
FEMALE--	7	13	11	27	36	33	28	23	6	1	-	-
ALL OTHER--MALE----	-	3	2	3	2	1	-	-	1	-	-	-
FEMALE--	1	-	1	2	2	1	-	2	-	-	-	-
BLACK---MALE----	-	2	1	2	1	1	-	-	1	-	-	-
FEMALE--	1	-	-	1	1	-	-	2	-	-	-	-
ARKANSAS -----	14	16	37	32	56	50	42	29	14	2	-	-
WHITE-----MALE----	10	7	22	11	25	24	14	9	4	-	-	-
FEMALE--	3	6	11	18	22	22	17	18	6	1	-	-
ALL OTHER--MALE----	1	3	2	-	5	1	3	-	2	-	-	-
FEMALE--	-	-	2	3	4	3	8	2	2	1	-	-
BLACK---MALE----	1	3	2	-	5	1	3	-	2	-	-	-
FEMALE--	-	-	2	3	3	3	7	2	2	1	-	-
CALIFORNIA -----	161	185	261	348	438	473	396	237	106	29	5	-
WHITE-----MALE----	93	95	128	158	193	194	148	73	34	6	2	-
FEMALE--	47	54	87	117	181	224	200	131	67	19	2	-
ALL OTHER--MALE----	9	19	27	29	29	15	29	8	-	1	1	-
FEMALE--	12	17	19	44	35	40	19	25	5	3	-	-
BLACK---MALE----	6	9	15	16	15	11	11	3	-	-	-	-
FEMALE--	6	8	13	23	17	23	13	18	3	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 623

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX OF PANCREAS (157)	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
COLORADO -----	13	17	30	42	47	60	61	33	11	-	1	-
WHITE-----MALE----	9	10	16	26	29	28	24	10	4	-	-	-
FEMALE--	4	7	13	12	16	30	33	22	7	-	-	-
ALL OTHER--MALE----	-	-	-	2	1	1	1	-	-	-	-	-
FEMALE--	-	-	1	2	1	1	3	1	-	-	1	-
BLACK---MALE----	-	-	-	2	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	2	-	1	1	1	-	-	1	-
CONNECTICUT -----	17	24	31	57	63	76	67	25	16	3	1	-
WHITE-----MALE----	8	15	19	31	26	29	26	5	5	-	-	-
FEMALE--	9	8	8	22	33	42	36	18	10	3	1	-
ALL OTHER--MALE----	-	-	3	2	2	2	1	1	-	-	-	-
FEMALE--	-	1	1	2	2	3	4	1	1	-	-	-
BLACK---MALE----	-	-	3	2	2	2	1	1	-	-	-	-
FEMALE--	-	1	1	2	2	3	4	1	1	-	-	-
DELAWARE -----	5	4	11	17	7	10	11	6	5	-	-	-
WHITE-----MALE----	3	1	2	7	3	5	3	2	1	-	-	-
FEMALE--	1	2	7	7	2	4	6	2	3	-	-	-
ALL OTHER--MALE----	-	1	-	3	-	1	2	-	-	-	-	-
FEMALE--	1	-	2	-	2	-	-	2	1	-	-	-
BLACK---MALE----	-	1	-	2	-	1	2	-	-	-	-	-
FEMALE--	1	-	2	-	2	-	-	2	1	-	-	-
DISTRICT OF COLUMBIA -----	-	5	12	11	12	19	13	9	3	-	1	-
WHITE-----MALE----	-	-	1	1	2	2	3	-	1	-	-	-
FEMALE--	-	1	1	3	2	-	3	-	1	-	-	-
ALL OTHER--MALE----	-	4	5	6	5	7	1	2	-	-	-	-
FEMALE--	-	-	5	1	3	10	6	7	1	-	1	-
BLACK---MALE----	-	4	4	5	5	7	1	2	-	-	-	-
FEMALE--	-	-	5	1	3	10	6	7	1	-	1	-
FLORIDA -----	64	107	164	236	310	363	315	178	93	16	1	-
WHITE-----MALE----	31	60	94	119	160	156	137	61	28	3	1	-
FEMALE--	25	29	53	93	132	172	156	107	57	11	-	-
ALL OTHER--MALE----	5	7	7	15	8	10	10	4	2	1	-	-
FEMALE--	3	11	10	9	10	25	12	6	6	1	-	-
BLACK---MALE----	5	7	7	14	8	10	9	4	2	1	-	-
FEMALE--	3	11	10	9	10	24	12	6	6	1	-	-
GEORGIA -----	32	49	73	75	112	88	79	60	26	3	1	-
WHITE-----MALE----	11	21	31	20	44	24	31	13	4	1	-	-
FEMALE--	7	13	24	25	42	43	31	29	14	2	-	-
ALL OTHER--MALE----	9	11	10	13	11	8	6	5	2	-	-	-
FEMALE--	5	4	8	17	15	13	11	13	6	-	1	-
BLACK---MALE----	9	10	10	13	10	8	6	5	2	-	-	-
FEMALE--	5	4	8	17	15	13	11	13	6	-	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 624

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX OF PANCREAS (157)	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
HAWAII -----	6	11	8	11	26	21	16	14	3	-	-	-
WHITE-----MALE----	-	4	1	2	-	-	3	1	-	-	-	-
FEMALE--	-	3	1	3	3	2	2	-	-	-	-	-
ALL OTHER--MALE----	4	2	3	2	12	13	5	7	2	-	-	-
FEMALE--	2	2	3	4	11	6	6	6	1	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	3	10	5	10	21	13	15	6	4	-	-	-
WHITE-----MALE----	1	5	3	8	15	7	6	2	1	-	-	-
FEMALE--	2	5	2	2	6	6	9	4	3	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	67	79	129	165	180	221	183	122	47	13	1	-
WHITE-----MALE----	33	43	67	65	72	88	61	37	10	1	-	-
FEMALE--	18	19	35	70	71	105	110	76	31	11	1	-
ALL OTHER--MALE----	12	11	16	15	17	13	6	3	-	-	-	-
FEMALE--	4	6	11	15	20	15	6	6	6	1	-	-
BLACK---MALE----	11	11	16	13	15	13	5	1	-	-	-	-
FEMALE--	3	6	10	15	20	14	6	5	6	1	-	-
INDIANA -----	29	36	63	83	107	103	89	50	21	6	-	-
WHITE-----MALE----	16	20	39	44	48	54	28	17	9	2	-	-
FEMALE--	12	13	18	35	48	43	52	27	12	3	-	-
ALL OTHER--MALE----	1	3	4	2	5	1	5	5	-	-	-	-
FEMALE--	-	-	2	2	6	5	4	1	-	1	-	-
BLACK---MALE----	1	3	4	2	5	1	5	5	-	-	-	-
FEMALE--	-	-	2	2	6	4	4	1	-	1	-	-
IOWA -----	17	22	17	41	52	59	61	27	18	7	-	-
WHITE-----MALE----	17	16	12	25	31	25	22	10	7	1	-	-
FEMALE--	-	5	5	14	21	33	38	17	10	6	-	-
ALL OTHER--MALE----	-	1	-	1	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	1	-	-	-
BLACK---MALE----	-	1	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	1	-	-	-
KANSAS -----	14	24	24	29	41	60	36	27	10	1	-	-
WHITE-----MALE----	6	13	14	14	19	24	19	13	2	-	-	-
FEMALE--	7	8	7	12	19	35	17	14	7	1	-	-
ALL OTHER--MALE----	1	1	2	2	1	1	-	-	-	-	-	-
FEMALE--	-	2	1	1	2	-	-	-	1	-	-	-
BLACK---MALE----	1	1	2	2	1	1	-	-	-	-	-	-
FEMALE--	-	2	1	-	2	-	-	-	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 625

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX OF PANCREAS (157)	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
KENTUCKY -----	396	-	-	-	-	-	-	-	1	1	5	11
WHITE-----MALE----	174	-	-	-	-	-	-	-	1	-	3	8
FEMALE--	179	-	-	-	-	-	-	-	-	-	2	2
ALL OTHER--MALE----	19	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	24	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	19	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	24	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	523	-	-	-	-	-	-	1	2	6	7	17
WHITE-----MALE----	190	-	-	-	-	-	-	-	1	2	4	9
FEMALE--	180	-	-	-	-	-	-	-	-	3	1	2
ALL OTHER--MALE----	75	-	-	-	-	-	-	1	1	1	-	4
FEMALE--	78	-	-	-	-	-	-	-	-	-	2	2
BLACK---MALE----	74	-	-	-	-	-	-	1	1	1	-	4
FEMALE--	78	-	-	-	-	-	-	-	-	-	2	2
MAINE -----	152	-	-	-	-	-	-	-	-	1	2	5
WHITE-----MALE----	73	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	79	-	-	-	-	-	-	-	-	1	1	3
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	507	1	-	-	-	-	-	-	-	2	6	18
WHITE-----MALE----	181	-	-	-	-	-	-	-	-	1	3	8
FEMALE--	193	-	-	-	-	-	-	-	-	-	1	6
ALL OTHER--MALE----	68	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	65	1	-	-	-	-	-	-	-	1	2	2
BLACK---MALE----	66	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	58	1	-	-	-	-	-	-	-	1	2	2
MASSACHUSETTS -----	714	-	-	-	-	-	-	1	-	2	4	21
WHITE-----MALE----	311	-	-	-	-	-	-	1	-	1	3	11
FEMALE--	370	-	-	-	-	-	-	-	-	1	1	7
ALL OTHER--MALE----	17	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	16	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	14	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	16	-	-	-	-	-	-	-	-	-	-	1
MICHIGAN -----	1,030	-	-	-	-	-	1	-	-	5	18	22
WHITE-----MALE----	417	-	-	-	-	-	-	-	-	2	10	11
FEMALE--	451	-	-	-	-	-	1	-	-	1	5	7
ALL OTHER--MALE----	77	-	-	-	-	-	-	-	-	1	2	2
FEMALE--	85	-	-	-	-	-	-	-	-	1	1	2
BLACK---MALE----	74	-	-	-	-	-	-	-	-	1	2	2
FEMALE--	83	-	-	-	-	-	-	-	-	1	1	2

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 625

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX OF PANCREAS (157)	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
KENTUCKY -----	16	26	40	52	64	73	51	37	15	4	-	-
WHITE-----MALE----	9	11	18	26	35	29	16	9	9	-	-	-
FEMALE--	5	12	14	21	22	36	33	24	6	2	-	-
ALL OTHER--MALE----	1	2	3	2	2	3	1	2	-	1	-	-
FEMALE--	1	1	5	3	5	5	1	2	-	1	-	-
BLACK---MALE----	1	2	3	2	2	3	1	2	-	1	-	-
FEMALE--	1	1	5	3	5	5	1	2	-	1	-	-
LOUISIANA -----	23	38	59	54	96	84	62	46	24	4	-	-
WHITE-----MALE----	13	16	29	21	35	25	20	9	6	-	-	-
FEMALE--	5	5	12	15	35	35	27	25	11	4	-	-
ALL OTHER--MALE----	3	10	9	9	17	9	8	2	1	-	-	-
FEMALE--	2	7	9	9	9	15	7	10	6	-	-	-
BLACK---MALE----	3	10	9	9	16	9	8	2	1	-	-	-
FEMALE--	2	7	9	9	9	15	7	10	6	-	-	-
MAINE -----	3	7	12	24	36	24	13	13	10	2	-	-
WHITE-----MALE----	3	4	8	14	18	12	7	2	2	-	-	-
FEMALE--	-	3	4	10	18	12	6	11	8	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	27	45	52	59	91	79	77	30	14	6	-	-
WHITE-----MALE----	12	20	19	25	35	22	30	4	1	1	-	-
FEMALE--	6	13	15	20	31	32	38	17	10	4	-	-
ALL OTHER--MALE----	6	7	11	9	14	12	3	4	-	-	-	-
FEMALE--	3	5	7	5	11	13	6	5	3	1	-	-
BLACK---MALE----	6	7	11	8	13	12	3	4	-	-	-	-
FEMALE--	3	4	5	5	9	11	6	5	3	1	-	-
MASSACHUSETTS -----	29	46	49	111	118	119	105	71	28	7	3	-
WHITE-----MALE----	14	27	24	50	69	49	34	26	2	-	-	-
FEMALE--	14	15	19	57	46	66	68	40	26	7	3	-
ALL OTHER--MALE----	1	2	4	3	1	1	1	2	-	-	-	-
FEMALE--	-	2	2	1	2	3	2	3	-	-	-	-
BLACK---MALE----	1	2	4	2	-	1	-	2	-	-	-	-
FEMALE--	-	2	2	1	2	3	2	3	-	-	-	-
MICHIGAN -----	60	89	101	118	160	188	141	83	32	11	1	-
WHITE-----MALE----	25	41	47	61	65	75	48	22	8	2	-	-
FEMALE--	16	32	36	35	71	88	74	54	21	9	1	-
ALL OTHER--MALE----	9	10	9	14	7	13	10	-	-	-	-	-
FEMALE--	10	6	9	8	17	12	9	7	3	-	-	-
BLACK---MALE----	8	10	8	13	7	13	10	-	-	-	-	-
FEMALE--	10	6	9	7	16	12	9	7	3	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 626

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX OF PANCREAS (157)	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
MINNESOTA -----	21	25	36	61	86	70	75	51	20	9	1	-
WHITE-----MALE----	13	15	23	32	49	29	26	15	7	1	-	-
FEMALE--	7	10	11	26	34	41	47	36	13	7	1	-
ALL OTHER--MALE----	1	-	-	1	-	-	1	-	-	-	-	-
FEMALE--	-	-	2	2	3	-	1	-	-	1	-	-
BLACK---MALE----	-	-	-	1	-	-	1	-	-	-	-	-
FEMALE--	-	-	2	-	1	-	1	-	-	1	-	-
MISSISSIPPI -----	22	25	25	48	37	54	35	33	16	5	1	-
WHITE-----MALE----	5	6	8	20	10	20	11	6	2	1	-	-
FEMALE--	4	8	10	9	15	24	13	18	4	3	-	-
ALL OTHER--MALE----	7	9	3	7	7	7	2	5	3	1	1	-
FEMALE--	6	2	4	12	5	3	9	4	7	-	-	-
BLACK---MALE----	6	9	3	7	7	7	2	5	3	1	1	-
FEMALE--	6	2	4	12	5	3	9	4	6	-	-	-
MISSOURI -----	29	32	59	77	91	83	65	68	25	4	-	-
WHITE-----MALE----	10	21	28	41	36	34	30	14	8	2	-	-
FEMALE--	15	8	22	27	47	40	27	49	13	2	-	-
ALL OTHER--MALE----	2	-	4	4	5	3	3	2	-	-	-	-
FEMALE--	2	3	5	5	3	6	5	3	4	-	-	-
BLACK---MALE----	-	-	4	4	5	3	3	2	-	-	-	-
FEMALE--	2	3	5	5	2	6	4	3	4	-	-	-
MONTANA -----	2	5	10	11	13	17	11	8	3	-	-	-
WHITE-----MALE----	-	1	6	5	8	10	7	3	-	-	-	-
FEMALE--	2	2	4	6	4	7	3	5	3	-	-	-
ALL OTHER--MALE----	-	1	-	-	1	-	1	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	4	9	11	16	24	19	25	16	11	2	-	-
WHITE-----MALE----	2	7	5	9	9	8	14	5	4	-	-	-
FEMALE--	2	2	5	6	15	11	11	9	7	2	-	-
ALL OTHER--MALE----	-	-	1	1	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
NEVADA -----	9	15	14	23	28	22	18	8	2	3	-	-
WHITE-----MALE----	6	6	6	13	16	9	5	3	-	1	-	-
FEMALE--	3	8	7	8	10	13	12	4	2	2	-	-
ALL OTHER--MALE----	-	1	1	2	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	2	-	1	1	-	-	-	-
BLACK---MALE----	-	1	1	2	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	2	-	1	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 627

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
--------------------------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	------	------

OF PANCREAS (157)