





TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 628  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX OF PANCREAS (157)	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
OHIO -----	46	64	99	148	200	198	182	125	49	7	-	-
WHITE-----MALE----	25	30	45	71	83	87	70	26	7	2	-	-
FEMALE--	12	22	39	55	92	92	91	90	35	4	-	-
ALL OTHER--MALE----	6	8	6	9	12	13	7	2	1	-	-	-
FEMALE--	3	4	9	13	13	6	14	7	6	1	-	-
BLACK---MALE----	6	8	5	9	12	13	7	2	1	-	-	-
FEMALE--	3	4	9	13	12	6	14	6	6	1	-	-
OKLAHOMA -----	15	27	29	48	44	48	47	27	13	5	-	-
WHITE-----MALE----	9	9	18	29	15	20	16	7	3	2	-	-
FEMALE--	4	10	10	13	27	26	28	19	8	3	-	-
ALL OTHER--MALE----	1	4	1	2	-	2	2	-	-	-	-	-
FEMALE--	1	4	-	4	2	-	1	-	2	-	-	-
BLACK---MALE----	-	2	1	1	-	2	-	-	-	-	-	-
FEMALE--	1	2	-	3	1	-	1	-	-	-	-	-
OREGON -----	12	14	30	52	67	69	53	30	8	1	1	-
WHITE-----MALE----	11	7	7	32	25	33	16	13	3	-	-	-
FEMALE--	1	7	22	19	39	34	34	16	4	1	1	-
ALL OTHER--MALE----	-	-	-	1	-	-	1	1	-	-	-	-
FEMALE--	-	-	1	-	3	2	2	-	1	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	2	1	2	-	-	-	-	-
PENNSYLVANIA -----	58	95	110	172	263	302	237	131	46	9	2	-
WHITE-----MALE----	36	46	58	79	125	122	90	35	17	5	1	-
FEMALE--	15	29	42	70	109	147	132	84	26	4	1	-
ALL OTHER--MALE----	5	11	3	12	14	18	4	4	1	-	-	-
FEMALE--	2	9	7	11	15	15	11	8	2	-	-	-
BLACK---MALE----	5	11	3	12	14	17	3	3	1	-	-	-
FEMALE--	2	8	7	11	14	14	10	8	2	-	-	-
RHODE ISLAND -----	7	11	12	14	30	24	26	17	8	-	-	-
WHITE-----MALE----	1	6	10	4	13	9	13	8	1	-	-	-
FEMALE--	5	5	1	10	12	15	12	8	7	-	-	-
ALL OTHER--MALE----	-	-	1	-	2	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	3	-	1	1	-	-	-	-
BLACK---MALE----	-	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	3	-	1	1	-	-	-	-
SOUTH CAROLINA -----	31	36	32	59	60	83	61	32	20	3	3	-
WHITE-----MALE----	11	16	13	22	27	37	15	6	2	-	-	-
FEMALE--	7	5	9	16	16	26	30	15	10	2	1	-
ALL OTHER--MALE----	8	5	8	12	6	8	4	2	1	-	-	-
FEMALE--	5	10	2	9	11	12	12	9	7	1	2	-
BLACK---MALE----	7	5	8	11	6	8	4	1	1	-	-	-
FEMALE--	5	10	2	9	11	12	12	9	7	1	2	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 629

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX OF PANCREAS (157)	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
SOUTH DAKOTA -----	81	-	-	-	-	-	-	-	-	-	-	1
WHITE-----MALE----	36	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	42	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	638	-	-	-	-	-	-	1	1	6	4	22
WHITE-----MALE----	289	-	-	-	-	-	-	1	1	4	3	11
FEMALE--	239	-	-	-	-	-	-	-	-	1	1	6
ALL OTHER--MALE----	50	-	-	-	-	-	-	-	-	-	-	3
FEMALE--	60	-	-	-	-	-	-	-	-	1	-	2
BLACK---MALE----	48	-	-	-	-	-	-	-	-	-	-	3
FEMALE--	60	-	-	-	-	-	-	-	-	1	-	2
TEXAS -----	1,628	-	-	-	-	-	1	1	5	9	35	54
WHITE-----MALE----	699	-	-	-	-	-	1	-	3	2	18	33
FEMALE--	686	-	-	-	-	-	-	1	1	5	8	12
ALL OTHER--MALE----	115	-	-	-	-	-	-	-	1	1	7	6
FEMALE--	128	-	-	-	-	-	-	-	-	1	2	3
BLACK---MALE----	111	-	-	-	-	-	-	-	-	1	7	6
FEMALE--	118	-	-	-	-	-	-	-	-	1	2	3
UTAH -----	128	-	-	-	-	1	-	1	-	-	2	4
WHITE-----MALE----	66	-	-	-	-	1	-	-	-	-	2	3
FEMALE--	56	-	-	-	-	-	-	1	-	-	-	1
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	75	-	-	-	-	-	-	-	-	-	4	2
WHITE-----MALE----	44	-	-	-	-	-	-	-	-	-	2	1
FEMALE--	31	-	-	-	-	-	-	-	-	-	2	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	685	-	-	-	1	-	-	1	1	7	10	21
WHITE-----MALE----	277	-	-	-	1	-	-	1	1	2	5	6
FEMALE--	255	-	-	-	-	-	-	-	-	2	2	6
ALL OTHER--MALE----	61	-	-	-	-	-	-	-	-	1	2	6
FEMALE--	92	-	-	-	-	-	-	-	-	2	1	3
BLACK---MALE----	57	-	-	-	-	-	-	-	-	1	2	6
FEMALE--	84	-	-	-	-	-	-	-	-	2	1	3

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 629

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX OF PANCREAS (157)	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
SOUTH DAKOTA -----	2	3	6	12	9	15	10	14	6	3	-	-
WHITE-----MALE----	1	1	4	5	5	6	4	5	4	1	-	-
FEMALE--	1	2	2	7	2	9	5	9	2	2	-	-
ALL OTHER--MALE----	-	-	-	-	2	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	39	46	52	89	99	94	90	61	27	7	-	-
WHITE-----MALE----	19	22	29	46	53	40	37	18	4	1	-	-
FEMALE--	8	16	11	30	33	33	45	33	18	4	-	-
ALL OTHER--MALE----	9	4	6	7	7	7	3	3	1	-	-	-
FEMALE--	3	4	6	6	6	14	5	7	4	2	-	-
BLACK---MALE----	8	3	6	7	7	7	3	3	1	-	-	-
FEMALE--	3	4	6	6	6	14	5	7	4	2	-	-
TEXAS -----	83	115	166	216	273	234	209	146	61	17	3	-
WHITE-----MALE----	50	51	85	108	122	96	75	43	10	2	-	-
FEMALE--	18	39	51	75	115	106	105	92	42	13	3	-
ALL OTHER--MALE----	8	14	16	13	16	15	12	2	4	-	-	-
FEMALE--	7	11	14	20	20	17	17	9	5	2	-	-
BLACK---MALE----	7	12	16	13	16	15	12	2	4	-	-	-
FEMALE--	7	9	12	20	17	16	16	8	5	2	-	-
UTAH -----	7	8	15	22	20	16	16	12	4	-	-	-
WHITE-----MALE----	4	4	10	13	7	11	8	3	-	-	-	-
FEMALE--	2	3	4	8	12	5	8	8	4	-	-	-
ALL OTHER--MALE----	1	1	1	-	1	-	-	1	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	7	5	7	5	12	12	15	4	2	-	-	-
WHITE-----MALE----	4	4	5	3	5	6	11	3	-	-	-	-
FEMALE--	3	1	2	2	7	6	4	1	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	43	43	62	94	104	127	97	44	23	6	1	-
WHITE-----MALE----	17	22	36	44	39	47	42	10	3	1	-	-
FEMALE--	17	11	13	34	39	53	37	26	13	2	-	-
ALL OTHER--MALE----	2	7	6	8	13	7	5	2	1	1	-	-
FEMALE--	7	3	7	8	13	20	13	6	6	2	1	-
BLACK---MALE----	2	5	6	6	13	7	5	2	1	1	-	-
FEMALE--	6	2	6	8	12	18	12	5	6	2	1	-









TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 631

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OF RETROPERITONEUM, PERITONEUM, AND OTHER AND ILL-DEFINED SITES WITHIN THE DIGESTIVE ORGANS AND PERITONEUM (158-159)												
UNITED STATES --	80	120	166	199	286	270	303	207	119	37	3	-
WHITE-----MALE----	27	46	57	80	85	99	93	50	41	4	-	-
FEMALE--	38	60	90	93	172	149	190	142	74	30	3	-
ALL OTHER--MALE----	7	5	10	13	16	11	3	6	2	-	-	-
FEMALE--	8	9	9	13	13	11	17	9	2	3	-	-
BLACK---MALE----	5	4	9	10	15	10	3	4	2	-	-	-
FEMALE--	5	9	7	12	13	11	15	6	2	2	-	-
ALABAMA -----	3	-	1	3	3	1	5	1	1	1	-	-
WHITE-----MALE----	1	-	-	1	2	-	2	-	1	1	-	-
FEMALE--	1	-	1	-	-	1	3	1	-	-	-	-
ALL OTHER--MALE----	1	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	-	-	-	-	-	-
ALASKA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	1	2	1	2	3	7	6	6	1	-	-	-
WHITE-----MALE----	1	1	1	1	1	3	2	3	-	-	-	-
FEMALE--	-	-	-	1	1	3	4	3	1	-	-	-
ALL OTHER--MALE----	-	1	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	-	1	3	1	-	2	4	-	1	-	-	-
WHITE-----MALE----	-	1	-	1	-	1	1	-	-	-	-	-
FEMALE--	-	-	2	-	-	1	3	-	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
CALIFORNIA -----	9	10	14	17	23	32	30	23	8	6	-	-
WHITE-----MALE----	3	3	3	5	4	12	6	3	2	1	-	-
FEMALE--	4	7	9	9	17	17	23	15	6	4	-	-
ALL OTHER--MALE----	-	-	1	-	2	3	-	2	-	-	-	-
FEMALE--	2	-	1	3	-	-	1	3	-	1	-	-
BLACK---MALE----	-	-	-	-	2	3	-	1	-	-	-	-
FEMALE--	2	-	1	2	-	-	-	2	-	-	-	-



TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 632

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.  
 0 OF RETROPERITONEUM, PERITONEUM, AND OTHER AND ILL-DEFINED SITES WITHIN THE DIGESTIVE ORGANS AND PERITONEUM (158-159)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
COLORADO -----	1	-	3	7	6	1	4	1	-	2	-	-
WHITE-----MALE----	1	-	3	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	6	5	1	4	1	-	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	-	2	2	2	2	5	3	4	5	-	-	-
WHITE-----MALE----	-	1	2	1	-	3	1	1	2	-	-	-
FEMALE--	-	1	-	1	2	2	2	3	3	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	1	-	2	-	2	1	-	1	-	-	-
WHITE-----MALE----	-	-	-	1	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	2	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	1	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	-	1	-	-	-	-	2	-	-	-	-	-
WHITE-----MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
FLORIDA -----	4	7	11	10	23	24	17	16	9	2	-	-
WHITE-----MALE----	2	2	4	3	12	11	5	8	2	-	-	-
FEMALE--	1	3	6	6	10	11	10	8	6	2	-	-
ALL OTHER--MALE----	1	-	1	1	-	2	-	-	1	-	-	-
FEMALE--	-	2	-	-	1	-	2	-	-	-	-	-
BLACK---MALE----	1	-	1	1	-	2	-	-	1	-	-	-
FEMALE--	-	2	-	-	1	-	2	-	-	-	-	-
GEORGIA -----	3	7	4	4	6	3	6	3	-	-	-	-
WHITE-----MALE----	-	2	2	-	3	3	2	-	-	-	-	-
FEMALE--	3	3	-	4	1	-	1	3	-	-	-	-
ALL OTHER--MALE----	-	1	2	-	2	-	1	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	2	-	-	-	-	-
BLACK---MALE----	-	1	2	-	2	-	1	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	2	-	-	-	-	-



TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 633

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OF RETROPERITONEUM, PERITONEUM, AND OTHER AND ILL-DEFINED SITES WITHIN THE DIGESTIVE ORGANS AND PERITONEUM (158-159)												
HAWAII -----	2	-	-	2	-	-	-	2	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	2	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	-	2	1	-	-	2	1	3	1	-	-	-
WHITE-----MALE----	-	2	-	-	-	-	-	2	-	-	-	-
FEMALE--	-	-	1	-	-	2	1	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	3	4	7	9	5	15	9	6	3	3	-	-
WHITE-----MALE----	-	2	3	2	1	1	3	1	3	-	-	-
FEMALE--	1	2	2	7	4	14	4	5	-	2	-	-
ALL OTHER--MALE----	1	-	1	-	-	-	1	-	-	-	-	-
FEMALE--	1	-	1	-	-	-	1	-	-	1	-	-
BLACK---MALE----	1	-	1	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	1	-	-	1	-	-
INDIANA -----	1	1	2	4	13	8	8	4	3	-	-	-
WHITE-----MALE----	-	-	-	2	6	1	1	1	2	-	-	-
FEMALE--	1	1	2	2	5	6	6	3	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	2	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
IOWA -----	1	1	2	4	3	5	7	2	1	1	-	-
WHITE-----MALE----	1	-	-	2	2	3	2	1	-	1	-	-
FEMALE--	-	1	2	2	1	2	5	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS -----	-	4	2	3	3	5	5	1	1	-	-	-
WHITE-----MALE----	-	-	-	2	-	2	2	-	-	-	-	-
FEMALE--	-	4	2	1	3	2	3	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-



TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 634

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OF RETROPERITONEUM, PERITONEUM, AND OTHER AND ILL-DEFINED SITES WITHIN THE DIGESTIVE ORGANS AND PERITONEUM (158-159)												
KENTUCKY -----	-	1	3	3	5	2	7	3	2	-	-	-
WHITE-----MALE----	-	-	1	-	2	1	2	1	1	-	-	-
FEMALE--	-	1	2	3	2	1	5	2	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
LOUISIANA -----	2	2	-	5	2	2	2	3	2	-	-	-
WHITE-----MALE----	-	-	-	1	1	1	1	-	-	-	-	-
FEMALE--	1	2	-	1	-	1	1	3	1	-	-	-
ALL OTHER--MALE----	1	-	-	2	1	-	-	-	1	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	2	1	-	-	-	1	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
MAINE -----	-	-	1	1	2	-	7	3	2	1	1	-
WHITE-----MALE----	-	-	1	1	1	-	1	1	2	-	-	-
FEMALE--	-	-	-	-	1	-	6	2	-	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	1	1	5	4	2	7	2	1	3	-	-	-
WHITE-----MALE----	-	-	-	1	1	1	-	-	1	-	-	-
FEMALE--	-	-	2	1	1	3	2	1	2	-	-	-
ALL OTHER--MALE----	1	-	1	1	-	2	-	-	-	-	-	-
FEMALE--	-	1	2	1	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	1	1	-	1	-	-	-	-	-	-
FEMALE--	-	1	2	1	-	1	-	-	-	-	-	-
MASSACHUSETTS -----	1	4	2	10	4	10	9	8	5	-	1	-
WHITE-----MALE----	1	1	2	4	1	6	3	2	2	-	-	-
FEMALE--	-	3	-	5	3	4	6	6	3	-	1	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	3	5	9	9	15	8	13	4	3	1	-	-
WHITE-----MALE----	-	1	4	4	4	3	5	1	2	-	-	-
FEMALE--	1	4	5	4	11	5	7	2	1	1	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	1	-	-	1	1	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	1	-	-	1	1	-	-	-	-





TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 635

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.  
 0 OF RETROPERITONEUM, PERITONEUM, AND OTHER AND ILL-DEFINED SITES WITHIN THE DIGESTIVE ORGANS AND PERITONEUM (158-159)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
MINNESOTA -----	-	4	2	5	6	5	4	6	2	2	-	-
WHITE-----MALE----	-	3	-	3	1	2	-	-	1	-	-	-
FEMALE--	-	1	2	2	4	3	4	6	1	2	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI -----	-	2	5	1	2	1	3	1	-	-	-	-
WHITE-----MALE----	-	1	2	-	-	-	2	-	-	-	-	-
FEMALE--	-	1	3	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	1	-	-	-	-
BLACK---MALE----	-	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	1	-	-	-	-
MISSOURI -----	1	2	5	3	3	4	4	5	1	-	-	-
WHITE-----MALE----	-	-	-	1	1	-	-	3	-	-	-	-
FEMALE--	-	2	5	2	1	4	4	2	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-
MONTANA -----	-	-	-	1	-	2	-	1	-	-	-	-
WHITE-----MALE----	-	-	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	1	3	2	2	2	3	-	1	2	1	-	-
WHITE-----MALE----	-	1	2	-	1	3	-	-	1	-	-	-
FEMALE--	1	2	-	2	1	-	-	1	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA -----	1	1	-	2	1	1	3	-	-	1	-	-
WHITE-----MALE----	-	-	-	-	-	-	2	-	-	-	-	-
FEMALE--	1	1	-	-	-	1	1	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	-	-	-	-	-	-







TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 637

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OF RETROPERITONEUM, PERITONEUM, AND OTHER AND ILL-DEFINED SITES WITHIN THE DIGESTIVE ORGANS AND PERITONEUM (158-159)												
OHIO -----	3	6	8	11	12	14	11	15	5	-	-	-
WHITE-----MALE----	1	4	4	5	4	5	4	2	-	-	-	-
FEMALE--	2	2	4	6	5	9	5	11	5	-	-	-
ALL OTHER--MALE----	-	-	-	-	2	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	1	-	2	1	-	-	-	-
BLACK---MALE----	-	-	-	-	2	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	1	-	2	1	-	-	-	-
OKLAHOMA -----	2	-	2	2	5	1	3	3	-	-	-	-
WHITE-----MALE----	1	-	1	-	3	-	-	2	-	-	-	-
FEMALE--	-	-	1	2	2	1	3	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	3	2	4	1	3	4	3	2	1	1	-	-
WHITE-----MALE----	1	1	1	1	-	-	1	1	1	-	-	-
FEMALE--	2	1	3	-	3	4	2	1	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	5	7	8	15	17	19	27	16	14	3	-	-
WHITE-----MALE----	2	4	1	8	6	8	12	4	5	-	-	-
FEMALE--	3	3	5	7	11	10	14	12	9	2	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	1	1	-	-	1	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	1	1	-	-	1	-	-
RHODE ISLAND -----	-	-	-	1	1	2	-	3	1	1	-	-
WHITE-----MALE----	-	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	-	3	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	1	1	5	3	6	2	3	-	-	1	-	-
WHITE-----MALE----	-	-	1	-	1	1	1	-	-	1	-	-
FEMALE--	1	-	3	1	3	-	2	-	-	-	-	-
ALL OTHER--MALE----	-	1	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	2	1	1	-	-	-	-	-	-
BLACK---MALE----	-	1	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	2	1	1	-	-	-	-	-	-



TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 638

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.  
 0 OF RETROPERITONEUM, PERITONEUM, AND OTHER AND ILL-DEFINED SITES WITHIN THE DIGESTIVE ORGANS AND PERITONEUM (158-159)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
SOUTH DAKOTA -----	-	-	-	1	2	1	1	3	5	-	-	-
WHITE-----MALE----	-	-	-	-	1	1	1	1	1	-	-	-
FEMALE--	-	-	-	1	1	-	-	2	4	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	1	2	3	4	6	4	5	2	-	-	-	-
WHITE-----MALE----	-	-	-	2	2	1	2	1	-	-	-	-
FEMALE--	1	1	3	1	3	3	3	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	1	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	1	1	-	-	-	-	-	-	-
TEXAS -----	10	9	13	3	26	10	12	8	6	2	-	-
WHITE-----MALE----	4	3	6	1	7	2	6	1	1	-	-	-
FEMALE--	5	6	5	2	17	7	6	5	5	2	-	-
ALL OTHER--MALE----	-	-	1	-	1	-	-	2	-	-	-	-
FEMALE--	1	-	1	-	1	1	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	1	-	-	1	-	-	-	-
FEMALE--	1	-	-	-	1	1	-	-	-	-	-	-
UTAH -----	1	1	3	1	-	2	2	1	1	-	-	-
WHITE-----MALE----	-	1	-	1	-	-	1	-	-	-	-	-
FEMALE--	1	-	3	-	-	2	1	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	1	-	2	1	-	1	2	-	-	-
WHITE-----MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	1	1	-	1	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	2	1	2	3	8	6	8	5	3	-	-	-
WHITE-----MALE----	1	-	-	1	1	2	1	-	-	-	-	-
FEMALE--	1	-	2	1	5	1	7	4	3	-	-	-
ALL OTHER--MALE----	-	1	-	1	-	1	-	1	-	-	-	-
FEMALE--	-	-	-	-	2	2	-	-	-	-	-	-
BLACK---MALE----	-	1	-	1	-	1	-	1	-	-	-	-
FEMALE--	-	-	-	-	2	2	-	-	-	-	-	-







TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 640

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 MALIGNANT NEOPLASMS OF RESPIRATORY AND INTRATHORACIC ORGANS (160-165)												
UNITED STATES --	159,736	4	3	5	5	15	31	50	193	744	2,153	4,181
WHITE-----MALE----	82,739	2	-	2	1	2	22	23	85	309	961	1,906
FEMALE--	57,529	1	2	2	4	7	3	18	83	268	689	1,310
ALL OTHER--MALE----	12,522	-	1	-	-	2	2	7	11	88	302	632
FEMALE--	6,946	1	-	1	-	4	4	2	14	79	201	333
BLACK---MALE----	10,944	-	1	-	-	1	1	5	9	80	275	570
FEMALE--	6,004	-	-	1	-	3	2	1	11	69	170	294
ALABAMA -----	2,983	-	-	-	-	1	-	-	9	23	29	73
WHITE-----MALE----	1,592	-	-	-	-	-	-	-	5	13	12	32
FEMALE--	854	-	-	-	-	1	-	-	3	7	8	15
ALL OTHER--MALE----	356	-	-	-	-	-	-	-	-	1	6	20
FEMALE--	181	-	-	-	-	-	-	-	1	2	3	6
BLACK---MALE----	352	-	-	-	-	-	-	-	-	1	6	20
FEMALE--	176	-	-	-	-	-	-	-	1	1	3	6
ALASKA -----	205	-	-	-	-	-	-	1	-	1	6	11
WHITE-----MALE----	88	-	-	-	-	-	-	-	-	-	3	3
FEMALE--	72	-	-	-	-	-	-	1	-	1	2	5
ALL OTHER--MALE----	28	-	-	-	-	-	-	-	-	-	1	3
FEMALE--	17	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	2,441	-	-	-	-	1	2	-	1	7	30	49
WHITE-----MALE----	1,371	-	-	-	-	1	2	-	-	5	17	34
FEMALE--	991	-	-	-	-	-	-	-	1	2	13	12
ALL OTHER--MALE----	46	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	33	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	31	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	21	-	-	-	-	-	-	-	-	-	-	1
ARKANSAS -----	2,028	-	-	-	-	-	-	-	5	11	19	53
WHITE-----MALE----	1,142	-	-	-	-	-	-	-	2	3	9	22
FEMALE--	656	-	-	-	-	-	-	-	3	6	7	16
ALL OTHER--MALE----	162	-	-	-	-	-	-	-	-	2	2	12
FEMALE--	68	-	-	-	-	-	-	-	-	-	1	3
BLACK---MALE----	159	-	-	-	-	-	-	-	-	2	2	11
FEMALE--	65	-	-	-	-	-	-	-	-	-	1	3
CALIFORNIA -----	14,025	-	-	-	-	2	9	4	18	55	185	359
WHITE-----MALE----	6,652	-	-	-	-	-	7	2	11	21	78	162
FEMALE--	5,448	-	-	-	-	-	-	1	3	18	58	113
ALL OTHER--MALE----	1,205	-	-	-	-	1	1	1	1	7	24	53
FEMALE--	720	-	-	-	-	1	1	-	3	9	25	31
BLACK---MALE----	651	-	-	-	-	-	-	-	1	6	15	29
FEMALE--	410	-	-	-	-	-	-	-	1	5	14	18

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 640

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 MALIGNANT NEOPLASMS OF RESPIRATORY AND INTRATHORACIC ORGANS (160-165)												
UNITED STATES --	7,905	12,652	18,240	25,181	31,012	27,044	18,188	8,799	2,758	518	53	2
WHITE-----MALE----	3,840	6,476	9,465	13,528	16,663	14,368	9,357	4,326	1,206	177	19	1
FEMALE--	2,597	4,123	6,156	8,580	10,941	10,092	7,323	3,724	1,300	282	24	-
ALL OTHER--MALE----	991	1,372	1,744	1,997	2,164	1,683	930	429	142	23	1	1
FEMALE--	477	681	875	1,076	1,244	901	578	320	110	36	9	-
BLACK---MALE----	897	1,247	1,557	1,725	1,870	1,440	771	356	118	19	1	1
FEMALE--	420	599	769	940	1,073	769	489	266	89	30	9	-
ALABAMA -----	168	249	405	495	539	502	311	131	41	6	1	-
WHITE-----MALE----	90	149	198	272	297	278	170	62	14	-	-	-
FEMALE--	33	59	130	139	163	138	93	39	22	4	-	-
ALL OTHER--MALE----	31	26	51	56	49	66	28	17	4	1	-	-
FEMALE--	14	15	26	28	30	20	20	13	1	1	1	-
BLACK---MALE----	30	26	50	56	48	65	28	17	4	1	-	-
FEMALE--	14	15	25	27	30	18	20	13	1	1	1	-
ALASKA -----	13	26	26	28	48	29	10	4	2	-	-	-
WHITE-----MALE----	7	10	10	14	24	12	4	1	-	-	-	-
FEMALE--	3	10	11	9	11	12	4	2	1	-	-	-
ALL OTHER--MALE----	2	2	3	4	7	3	2	1	-	-	-	-
FEMALE--	1	4	2	1	6	2	-	-	1	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	1	1	-	2	-	-	-	-	-	-	-
ARIZONA -----	111	186	274	398	502	416	290	132	37	5	-	-
WHITE-----MALE----	59	94	160	233	295	228	150	75	17	1	-	-
FEMALE--	47	80	105	152	191	183	130	55	17	3	-	-
ALL OTHER--MALE----	2	9	7	5	6	4	6	2	2	1	-	-
FEMALE--	3	3	2	8	10	1	4	-	1	-	-	-
BLACK---MALE----	2	7	4	3	5	3	2	1	1	1	-	-
FEMALE--	2	3	2	3	7	-	3	-	-	-	-	-
ARKANSAS -----	111	173	235	332	398	324	223	104	31	8	1	-
WHITE-----MALE----	57	92	127	194	243	189	132	59	12	1	-	-
FEMALE--	32	54	87	104	116	108	73	30	15	4	1	-
ALL OTHER--MALE----	18	19	10	28	23	23	12	10	2	1	-	-
FEMALE--	4	8	11	6	16	4	6	5	2	2	-	-
BLACK---MALE----	18	19	9	27	23	23	12	10	2	1	-	-
FEMALE--	4	8	11	5	15	3	6	5	2	2	-	-
CALIFORNIA -----	629	1,039	1,528	2,103	2,664	2,540	1,716	853	267	52	2	-
WHITE-----MALE----	298	487	737	1,039	1,277	1,263	767	375	113	15	-	-
FEMALE--	203	362	549	772	1,063	992	768	387	131	26	2	-
ALL OTHER--MALE----	85	121	153	189	208	190	109	47	12	3	-	-
FEMALE--	43	69	89	103	116	95	72	44	11	8	-	-
BLACK---MALE----	50	80	103	99	114	89	41	17	6	1	-	-
FEMALE--	31	40	50	67	69	50	34	22	4	5	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 641

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 MALIGNANT NEOPLASMS OF RESPIRATORY AND INTRATHORACIC ORGANS (160-165)												
COLORADO -----	1,466	-	-	-	-	-	-	2	-	4	13	26
WHITE-----MALE----	782	-	-	-	-	-	-	1	-	2	4	10
FEMALE--	620	-	-	-	-	-	-	1	-	2	9	15
ALL OTHER--MALE----	38	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	26	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	25	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	20	-	-	-	-	-	-	-	-	-	-	1
CONNECTICUT -----	1,931	-	-	-	-	-	-	1	3	5	22	58
WHITE-----MALE----	1,007	-	-	-	-	-	-	-	2	4	9	32
FEMALE--	790	-	-	-	-	-	-	-	-	1	9	22
ALL OTHER--MALE----	91	-	-	-	-	-	-	1	-	-	1	1
FEMALE--	43	-	-	-	-	-	-	-	1	-	3	3
BLACK---MALE----	87	-	-	-	-	-	-	1	-	-	1	1
FEMALE--	41	-	-	-	-	-	-	-	1	-	3	3
DELAWARE -----	501	-	-	-	-	-	-	2	-	4	8	12
WHITE-----MALE----	271	-	-	-	-	-	-	1	-	1	4	6
FEMALE--	170	-	-	-	-	-	-	1	-	2	3	4
ALL OTHER--MALE----	31	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	29	-	-	-	-	-	-	-	-	-	1	1
BLACK---MALE----	29	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	29	-	-	-	-	-	-	-	-	-	1	1
DISTRICT OF COLUMBIA ----	356	-	-	-	-	-	-	1	-	3	10	10
WHITE-----MALE----	35	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	35	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	168	-	-	-	-	-	-	1	-	2	5	6
FEMALE--	118	-	-	-	-	-	-	-	-	1	4	4
BLACK---MALE----	167	-	-	-	-	-	-	-	-	2	5	6
FEMALE--	116	-	-	-	-	-	-	-	-	1	4	3
FLORIDA -----	11,915	-	1	-	-	-	2	-	12	58	144	268
WHITE-----MALE----	6,393	-	-	-	-	-	-	-	4	23	70	139
FEMALE--	4,593	-	1	-	-	-	-	-	8	24	47	85
ALL OTHER--MALE----	648	-	-	-	-	-	1	-	-	4	19	34
FEMALE--	281	-	-	-	-	-	1	-	-	7	8	10
BLACK---MALE----	615	-	-	-	-	-	1	-	-	4	19	30
FEMALE--	264	-	-	-	-	-	1	-	-	5	7	9
GEORGIA -----	4,109	-	-	1	1	-	1	2	5	33	75	140
WHITE-----MALE----	1,997	-	-	-	-	-	1	1	2	10	22	51
FEMALE--	1,243	-	-	-	1	-	-	1	2	10	20	36
ALL OTHER--MALE----	598	-	-	-	-	-	-	-	1	10	24	38
FEMALE--	271	-	-	1	-	-	-	-	-	3	9	15
BLACK---MALE----	583	-	-	-	-	-	-	-	1	9	24	38
FEMALE--	263	-	-	1	-	-	-	-	-	3	9	14

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 641  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 MALIGNANT NEOPLASMS OF RESPIRATORY AND INTRATHORACIC ORGANS (160-165)												
COLORADO -----	68	124	148	242	298	244	168	87	36	6	-	-
WHITE-----MALE----	27	66	86	122	163	143	96	45	13	4	-	-
FEMALE--	35	51	55	106	118	96	68	42	20	2	-	-
ALL OTHER--MALE----	3	5	5	6	13	2	2	-	2	-	-	-
FEMALE--	3	2	2	8	4	3	2	-	1	-	-	-
BLACK---MALE----	1	3	5	4	8	1	2	-	1	-	-	-
FEMALE--	3	1	2	6	2	2	2	-	1	-	-	-
CONNECTICUT -----	100	141	212	266	337	356	267	117	41	5	-	-
WHITE-----MALE----	48	72	107	146	187	176	136	68	18	2	-	-
FEMALE--	37	50	81	106	136	155	119	48	23	3	-	-
ALL OTHER--MALE----	11	10	19	10	11	17	10	-	-	-	-	-
FEMALE--	4	9	5	4	3	8	2	1	-	-	-	-
BLACK---MALE----	10	9	19	9	11	16	10	-	-	-	-	-
FEMALE--	3	8	5	4	3	8	2	1	-	-	-	-
DELAWARE -----	35	43	62	76	88	88	52	24	4	3	-	-
WHITE-----MALE----	14	19	35	41	46	48	36	17	2	1	-	-
FEMALE--	11	16	19	28	32	32	14	5	1	2	-	-
ALL OTHER--MALE----	6	3	5	1	6	4	1	2	1	-	-	-
FEMALE--	4	5	3	6	4	4	1	-	-	-	-	-
BLACK---MALE----	6	3	4	1	6	4	1	2	1	-	-	-
FEMALE--	4	5	3	6	4	4	1	-	-	-	-	-
DISTRICT OF COLUMBIA ----	23	28	41	53	70	64	35	12	3	2	-	1
WHITE-----MALE----	1	-	5	1	12	6	6	1	1	1	-	-
FEMALE--	1	1	3	5	3	10	7	5	-	-	-	-
ALL OTHER--MALE----	15	20	21	25	27	28	14	3	-	-	-	1
FEMALE--	6	7	12	22	28	20	8	3	2	1	-	-
BLACK---MALE----	15	20	21	25	27	28	14	3	-	-	-	1
FEMALE--	6	7	12	21	28	20	8	3	2	1	-	-
FLORIDA -----	526	817	1,180	1,812	2,350	2,165	1,475	769	271	62	3	-
WHITE-----MALE----	271	439	624	1,003	1,308	1,207	759	398	123	23	2	-
FEMALE--	180	263	436	666	878	852	649	329	137	37	1	-
ALL OTHER--MALE----	57	84	90	92	119	73	46	23	5	1	-	-
FEMALE--	18	31	30	51	45	33	21	19	6	1	-	-
BLACK---MALE----	54	78	85	90	114	71	44	20	4	1	-	-
FEMALE--	18	29	29	47	42	32	21	17	6	1	-	-
GEORGIA -----	280	408	505	716	766	586	360	169	49	11	1	-
WHITE-----MALE----	116	195	255	373	394	302	184	72	17	2	-	-
FEMALE--	86	121	142	193	241	190	116	64	18	2	-	-
ALL OTHER--MALE----	60	68	80	110	85	59	34	19	8	2	-	-
FEMALE--	18	24	28	40	46	35	26	14	6	5	1	-
BLACK---MALE----	58	67	79	107	80	58	33	19	8	2	-	-
FEMALE--	17	22	28	40	44	34	25	14	6	5	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 642

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 MALIGNANT NEOPLASMS OF RESPIRATORY AND INTRATHORACIC ORGANS (160-165)												
HAWAII -----	562	1	-	-	-	-	-	-	-	1	10	14
WHITE-----MALE----	93	-	-	-	-	-	-	-	-	-	2	4
FEMALE--	65	-	-	-	-	-	-	-	-	-	-	3
ALL OTHER--MALE----	262	-	-	-	-	-	-	-	-	1	4	5
FEMALE--	142	1	-	-	-	-	-	-	-	-	4	2
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	558	-	-	-	1	-	-	-	-	2	5	12
WHITE-----MALE----	340	-	-	-	1	-	-	-	-	-	3	6
FEMALE--	213	-	-	-	-	-	-	-	-	2	2	6
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	7,015	-	-	-	-	3	1	3	11	19	97	181
WHITE-----MALE----	3,435	-	-	-	-	-	1	3	4	6	38	67
FEMALE--	2,427	-	-	-	-	2	-	-	3	5	23	59
ALL OTHER--MALE----	696	-	-	-	-	1	-	-	1	6	27	30
FEMALE--	457	-	-	-	-	-	-	-	3	2	9	25
BLACK---MALE----	663	-	-	-	-	1	-	-	-	6	26	30
FEMALE--	436	-	-	-	-	-	-	-	2	2	9	24
INDIANA -----	3,991	-	-	-	-	-	-	1	6	18	50	112
WHITE-----MALE----	2,252	-	-	-	-	-	-	1	1	9	28	57
FEMALE--	1,423	-	-	-	-	-	-	-	5	6	18	36
ALL OTHER--MALE----	174	-	-	-	-	-	-	-	-	1	1	8
FEMALE--	142	-	-	-	-	-	-	-	-	2	3	11
BLACK---MALE----	167	-	-	-	-	-	-	-	-	1	1	8
FEMALE--	139	-	-	-	-	-	-	-	-	2	3	11
IOWA -----	1,778	-	-	-	-	-	-	-	2	9	26	34
WHITE-----MALE----	1,047	-	-	-	-	-	-	-	1	6	15	19
FEMALE--	691	-	-	-	-	-	-	-	1	2	9	14
ALL OTHER--MALE----	22	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	18	-	-	-	-	-	-	-	-	1	1	1
BLACK---MALE----	19	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	15	-	-	-	-	-	-	-	-	1	1	1
KANSAS -----	1,503	-	-	-	-	-	1	-	2	7	20	28
WHITE-----MALE----	848	-	-	-	-	-	-	-	2	3	12	14
FEMALE--	559	-	-	-	-	-	1	-	-	2	7	12
ALL OTHER--MALE----	63	-	-	-	-	-	-	-	-	1	1	2
FEMALE--	33	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	45	-	-	-	-	-	-	-	-	1	1	2
FEMALE--	21	-	-	-	-	-	-	-	-	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 642

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 MALIGNANT NEOPLASMS OF RESPIRATORY AND INTRATHORACIC ORGANS (160-165)												
HAWAII -----	20	46	47	86	131	92	53	38	19	4	-	-
WHITE-----MALE----	5	7	8	16	22	13	9	5	2	-	-	-
FEMALE--	3	5	4	11	17	6	9	5	2	-	-	-
ALL OTHER--MALE----	6	24	20	39	58	51	25	18	9	2	-	-
FEMALE--	6	10	15	20	34	22	10	10	6	2	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	-	-	-	-	-	-
IDAHO -----	25	34	57	96	117	91	82	26	9	1	-	-
WHITE-----MALE----	13	20	35	56	74	60	51	15	6	-	-	-
FEMALE--	11	14	22	38	42	31	30	11	3	1	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	1	1	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	367	587	827	1,058	1,346	1,177	791	386	131	28	2	-
WHITE-----MALE----	169	281	357	524	706	617	406	187	56	12	1	-
FEMALE--	99	172	266	359	445	436	319	168	60	10	1	-
ALL OTHER--MALE----	61	88	133	97	118	67	38	19	7	3	-	-
FEMALE--	38	46	71	78	77	57	28	12	8	3	-	-
BLACK---MALE----	61	85	123	91	110	66	37	18	6	3	-	-
FEMALE--	36	45	68	78	69	55	26	12	7	3	-	-
INDIANA -----	176	357	484	649	790	691	400	179	68	9	1	-
WHITE-----MALE----	93	212	288	370	473	385	213	88	30	3	1	-
FEMALE--	61	119	159	232	255	257	158	79	33	5	-	-
ALL OTHER--MALE----	11	18	22	30	36	24	15	5	3	-	-	-
FEMALE--	11	8	15	17	26	25	14	7	2	1	-	-
BLACK---MALE----	10	17	21	28	36	23	15	4	3	-	-	-
FEMALE--	10	8	15	17	26	24	13	7	2	1	-	-
IOWA -----	69	130	199	255	329	298	257	118	42	9	1	-
WHITE-----MALE----	43	76	123	156	193	179	146	69	18	2	1	-
FEMALE--	22	50	70	93	131	114	106	48	24	7	-	-
ALL OTHER--MALE----	4	4	4	2	3	2	2	-	-	-	-	-
FEMALE--	-	-	2	4	2	3	3	1	-	-	-	-
BLACK---MALE----	3	4	3	1	3	2	2	-	-	-	-	-
FEMALE--	-	-	-	4	2	3	2	1	-	-	-	-
KANSAS -----	53	112	161	211	314	263	188	98	39	6	-	-
WHITE-----MALE----	37	55	92	124	171	148	112	52	22	4	-	-
FEMALE--	14	41	60	71	121	103	67	42	16	2	-	-
ALL OTHER--MALE----	-	11	4	11	17	7	5	3	1	-	-	-
FEMALE--	2	5	5	5	5	5	4	1	-	-	-	-
BLACK---MALE----	-	9	2	7	15	2	3	2	1	-	-	-
FEMALE--	2	2	4	2	3	3	4	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 643

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 MALIGNANT NEOPLASMS OF RESPIRATORY AND INTRATHORACIC ORGANS (160-165)												
KENTUCKY -----	3,185	-	-	-	-	-	-	3	4	20	49	98
WHITE-----MALE----	1,837	-	-	-	-	-	-	2	2	12	27	53
FEMALE--	1,148	-	-	-	-	-	-	1	2	6	17	38
ALL OTHER--MALE----	115	-	-	-	-	-	-	-	-	-	3	6
FEMALE--	85	-	-	-	-	-	-	-	-	2	2	1
BLACK---MALE----	115	-	-	-	-	-	-	-	-	-	3	6
FEMALE--	83	-	-	-	-	-	-	-	-	1	2	1
LOUISIANA -----	2,926	-	-	-	-	1	-	1	9	13	44	98
WHITE-----MALE----	1,260	-	-	-	-	-	-	-	3	3	18	29
FEMALE--	815	-	-	-	-	-	-	-	3	8	5	23
ALL OTHER--MALE----	589	-	-	-	-	-	-	1	1	1	17	34
FEMALE--	262	-	-	-	-	1	-	-	2	1	4	12
BLACK---MALE----	582	-	-	-	-	-	-	1	1	1	17	34
FEMALE--	257	-	-	-	-	1	-	-	2	1	4	12
MAINE -----	881	-	-	-	-	-	-	-	3	5	12	20
WHITE-----MALE----	492	-	-	-	-	-	-	-	1	2	7	15
FEMALE--	383	-	-	-	-	-	-	-	2	3	5	5
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	3,068	-	-	-	-	-	1	1	2	18	46	82
WHITE-----MALE----	1,330	-	-	-	-	-	1	-	-	2	18	26
FEMALE--	1,024	-	-	-	-	-	-	1	1	3	8	22
ALL OTHER--MALE----	433	-	-	-	-	-	-	-	1	7	10	22
FEMALE--	281	-	-	-	-	-	-	-	-	6	10	12
BLACK---MALE----	417	-	-	-	-	-	-	-	1	7	10	22
FEMALE--	271	-	-	-	-	-	-	-	-	5	10	12
MASSACHUSETTS -----	3,818	-	-	1	-	1	-	1	3	20	49	94
WHITE-----MALE----	2,033	-	-	1	-	-	-	1	2	7	25	50
FEMALE--	1,634	-	-	-	-	1	-	-	1	13	21	34
ALL OTHER--MALE----	93	-	-	-	-	-	-	-	-	-	2	4
FEMALE--	58	-	-	-	-	-	-	-	-	-	1	6
BLACK---MALE----	78	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	45	-	-	-	-	-	-	-	-	-	1	4
MICHIGAN -----	5,700	-	1	-	-	-	-	1	6	40	64	146
WHITE-----MALE----	2,854	-	-	-	-	-	-	1	2	8	29	57
FEMALE--	2,070	-	-	-	-	-	-	-	3	17	16	53
ALL OTHER--MALE----	494	-	1	-	-	-	-	-	1	9	13	19
FEMALE--	282	-	-	-	-	-	-	-	-	6	6	17
BLACK---MALE----	466	-	1	-	-	-	-	-	1	7	13	18
FEMALE--	260	-	-	-	-	-	-	-	-	6	5	17



TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 643

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 MALIGNANT NEOPLASMS OF RESPIRATORY AND INTRATHORACIC ORGANS (160-165)												
KENTUCKY -----	180	323	418	519	631	447	312	132	42	6	1	-
WHITE-----MALE----	103	189	254	305	361	269	173	62	21	4	-	-
FEMALE--	66	120	138	179	222	155	123	60	18	2	1	-
ALL OTHER--MALE----	4	7	18	19	27	16	10	4	1	-	-	-
FEMALE--	7	7	8	16	21	7	6	6	2	-	-	-
BLACK---MALE----	4	7	18	19	27	16	10	4	1	-	-	-
FEMALE--	7	7	7	16	21	7	6	6	2	-	-	-
LOUISIANA -----	156	270	363	461	571	478	293	121	37	7	3	-
WHITE-----MALE----	60	109	153	214	251	233	130	44	10	2	1	-
FEMALE--	44	61	97	120	156	133	94	49	18	3	1	-
ALL OTHER--MALE----	40	72	74	83	126	77	42	13	6	1	1	-
FEMALE--	12	28	39	44	38	35	27	15	3	1	-	-
BLACK---MALE----	39	70	73	82	125	76	42	13	6	1	1	-
FEMALE--	12	27	38	43	37	34	27	15	3	1	-	-
MAINE -----	41	71	104	146	165	146	87	56	22	2	1	-
WHITE-----MALE----	20	48	59	75	91	86	49	27	10	1	1	-
FEMALE--	21	22	42	70	74	60	37	29	12	1	-	-
ALL OTHER--MALE----	-	1	2	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	1	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	169	262	359	476	568	538	344	149	45	6	2	-
WHITE-----MALE----	72	107	150	218	257	222	164	69	22	1	1	-
FEMALE--	38	79	111	157	188	213	132	54	14	3	-	-
ALL OTHER--MALE----	41	54	59	56	77	61	28	11	5	1	-	-
FEMALE--	18	22	39	45	46	42	20	15	4	1	1	-
BLACK---MALE----	39	52	58	52	75	59	27	10	4	1	-	-
FEMALE--	18	22	38	44	44	41	18	13	4	1	1	-
MASSACHUSETTS -----	179	290	416	566	713	652	510	218	90	13	2	-
WHITE-----MALE----	91	146	222	325	409	333	261	116	39	3	2	-
FEMALE--	72	128	171	214	284	306	233	99	47	10	-	-
ALL OTHER--MALE----	11	8	14	18	11	7	14	2	2	-	-	-
FEMALE--	5	8	9	9	9	6	2	1	2	-	-	-
BLACK---MALE----	10	8	12	16	10	5	10	2	2	-	-	-
FEMALE--	4	7	7	9	5	4	2	1	1	-	-	-
MICHIGAN -----	288	472	677	941	1,157	905	620	294	76	11	1	-
WHITE-----MALE----	120	249	326	486	611	456	321	147	36	5	-	-
FEMALE--	115	137	247	339	412	341	230	121	33	6	-	-
ALL OTHER--MALE----	37	63	65	73	88	75	35	14	1	-	-	-
FEMALE--	16	23	39	43	46	33	34	12	6	-	1	-
BLACK---MALE----	34	60	63	66	84	69	35	14	1	-	-	-
FEMALE--	14	21	37	39	43	32	30	10	5	-	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 644

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 MALIGNANT NEOPLASMS OF RESPIRATORY AND INTRATHORACIC ORGANS (160-165)												
MINNESOTA -----	2,260	-	-	-	-	-	-	1	-	13	28	58
WHITE-----MALE----	1,252	-	-	-	-	-	-	-	-	5	7	30
FEMALE--	919	-	-	-	-	-	-	1	-	7	16	21
ALL OTHER--MALE----	58	-	-	-	-	-	-	-	-	1	4	4
FEMALE--	31	-	-	-	-	-	-	-	-	-	1	3
BLACK---MALE----	29	-	-	-	-	-	-	-	-	1	3	2
FEMALE--	13	-	-	-	-	-	-	-	-	-	1	3
MISSISSIPPI -----	1,960	-	-	-	-	-	-	-	2	8	30	74
WHITE-----MALE----	959	-	-	-	-	-	-	-	-	2	10	24
FEMALE--	468	-	-	-	-	-	-	-	1	3	6	18
ALL OTHER--MALE----	380	-	-	-	-	-	-	-	1	2	7	21
FEMALE--	153	-	-	-	-	-	-	-	-	1	7	11
BLACK---MALE----	378	-	-	-	-	-	-	-	1	2	7	20
FEMALE--	150	-	-	-	-	-	-	-	-	1	7	11
MISSOURI -----	3,950	-	-	-	-	-	2	1	8	16	55	92
WHITE-----MALE----	2,132	-	-	-	-	-	1	1	5	7	28	45
FEMALE--	1,403	-	-	-	-	-	-	-	3	5	17	35
ALL OTHER--MALE----	272	-	-	-	-	-	-	-	-	1	7	8
FEMALE--	143	-	-	-	-	-	1	-	-	3	3	4
BLACK---MALE----	258	-	-	-	-	-	-	-	-	1	7	7
FEMALE--	135	-	-	-	-	-	-	-	-	3	3	4
MONTANA -----	544	-	-	-	-	-	-	-	-	2	6	6
WHITE-----MALE----	319	-	-	-	-	-	-	-	-	2	3	5
FEMALE--	201	-	-	-	-	-	-	-	-	-	3	1
ALL OTHER--MALE----	16	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	894	-	-	-	-	-	-	2	1	4	11	24
WHITE-----MALE----	536	-	-	-	-	-	-	1	1	3	5	12
FEMALE--	312	-	-	-	-	-	-	1	-	1	4	11
ALL OTHER--MALE----	31	-	-	-	-	-	-	-	-	-	2	-
FEMALE--	15	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	27	-	-	-	-	-	-	-	-	-	2	-
FEMALE--	12	-	-	-	-	-	-	-	-	-	-	-
NEVADA -----	1,160	-	-	-	-	-	-	-	1	6	13	25
WHITE-----MALE----	588	-	-	-	-	-	-	-	-	1	5	15
FEMALE--	486	-	-	-	-	-	-	-	1	2	6	7
ALL OTHER--MALE----	54	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	32	-	-	-	-	-	-	-	-	2	2	2
BLACK---MALE----	40	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	20	-	-	-	-	-	-	-	-	2	2	2

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 644  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 MALIGNANT NEOPLASMS OF RESPIRATORY AND INTRATHORACIC ORGANS (160-165)												
MINNESOTA -----	95	159	236	355	456	381	305	128	33	11	1	-
WHITE-----MALE----	45	86	129	205	268	218	172	66	17	4	-	-
FEMALE--	39	67	95	129	175	159	126	60	16	7	1	-
ALL OTHER--MALE----	7	4	8	13	9	2	4	2	-	-	-	-
FEMALE--	4	2	4	8	4	2	3	-	-	-	-	-
BLACK---MALE----	4	1	6	5	3	1	2	1	-	-	-	-
FEMALE--	-	-	3	2	2	-	2	-	-	-	-	-
MISSISSIPPI -----	110	174	245	327	373	307	167	99	37	5	2	-
WHITE-----MALE----	54	75	123	173	199	159	84	44	12	-	-	-
FEMALE--	22	38	53	70	87	88	39	27	13	3	-	-
ALL OTHER--MALE----	26	46	56	58	60	43	30	19	9	2	-	-
FEMALE--	8	15	13	26	27	17	14	9	3	-	2	-
BLACK---MALE----	26	46	56	58	59	43	30	19	9	2	-	-
FEMALE--	8	15	12	26	25	17	14	9	3	-	2	-
MISSOURI -----	200	298	469	624	754	703	454	201	62	11	-	-
WHITE-----MALE----	106	163	254	347	409	390	234	112	26	4	-	-
FEMALE--	58	93	159	208	268	254	193	74	30	6	-	-
ALL OTHER--MALE----	22	25	35	50	47	41	21	10	4	1	-	-
FEMALE--	14	17	21	19	30	18	6	5	2	-	-	-
BLACK---MALE----	21	25	34	45	47	39	18	9	4	1	-	-
FEMALE--	14	15	19	17	29	18	6	5	2	-	-	-
MONTANA -----	20	30	66	85	112	112	62	33	9	1	-	-
WHITE-----MALE----	10	18	31	49	64	71	37	23	6	-	-	-
FEMALE--	10	11	29	31	44	37	23	9	2	1	-	-
ALL OTHER--MALE----	-	1	5	3	3	1	2	1	-	-	-	-
FEMALE--	-	-	1	2	1	3	-	-	1	-	-	-
BLACK---MALE----	-	-	2	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	32	68	95	143	197	120	106	68	20	3	-	-
WHITE-----MALE----	15	40	49	94	122	71	72	38	11	2	-	-
FEMALE--	16	24	37	39	60	46	33	30	9	1	-	-
ALL OTHER--MALE----	-	3	4	9	9	3	1	-	-	-	-	-
FEMALE--	1	1	5	1	6	-	-	-	-	-	-	-
BLACK---MALE----	-	3	3	9	6	3	1	-	-	-	-	-
FEMALE--	1	1	4	1	5	-	-	-	-	-	-	-
NEVADA -----	61	96	142	216	223	196	117	47	15	2	-	-
WHITE-----MALE----	34	48	79	114	112	97	53	24	5	1	-	-
FEMALE--	19	37	54	86	98	85	58	23	9	1	-	-
ALL OTHER--MALE----	7	8	8	10	9	6	3	-	1	-	-	-
FEMALE--	1	3	1	6	4	8	3	-	-	-	-	-
BLACK---MALE----	6	8	6	4	7	6	1	-	1	-	-	-
FEMALE--	-	2	1	3	2	6	-	-	-	-	-	-





TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 646

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 MALIGNANT NEOPLASMS OF RESPIRATORY AND INTRATHORACIC ORGANS (160-165)												
OHIO -----	7,619	-	-	-	-	-	-	1	7	43	88	202
WHITE-----MALE----	4,033	-	-	-	-	-	-	-	4	19	44	108
FEMALE--	2,782	-	-	-	-	-	-	1	2	14	28	64
ALL OTHER--MALE----	492	-	-	-	-	-	-	-	1	9	8	18
FEMALE--	312	-	-	-	-	-	-	-	-	1	8	12
BLACK---MALE----	482	-	-	-	-	-	-	-	1	8	8	18
FEMALE--	302	-	-	-	-	-	-	-	-	1	8	10
OKLAHOMA -----	2,415	1	-	-	-	-	-	1	5	4	41	56
WHITE-----MALE----	1,366	-	-	-	-	-	-	-	1	3	19	26
FEMALE--	821	1	-	-	-	-	-	1	4	-	15	20
ALL OTHER--MALE----	141	-	-	-	-	-	-	-	-	1	2	7
FEMALE--	87	-	-	-	-	-	-	-	-	-	5	3
BLACK---MALE----	86	-	-	-	-	-	-	-	-	1	2	6
FEMALE--	52	-	-	-	-	-	-	-	-	-	4	1
OREGON -----	2,096	-	-	-	-	1	-	-	1	10	33	48
WHITE-----MALE----	1,137	-	-	-	-	-	-	-	1	5	18	24
FEMALE--	909	-	-	-	-	1	-	-	-	5	13	22
ALL OTHER--MALE----	39	-	-	-	-	-	-	-	-	-	2	2
FEMALE--	11	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	15	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	8,476	-	-	-	-	-	2	3	11	34	93	209
WHITE-----MALE----	4,535	-	-	-	-	-	1	3	3	15	43	99
FEMALE--	3,104	-	-	-	-	-	1	-	8	15	37	76
ALL OTHER--MALE----	480	-	-	-	-	-	-	-	-	1	8	20
FEMALE--	357	-	-	-	-	-	-	-	-	3	5	14
BLACK---MALE----	464	-	-	-	-	-	-	-	-	1	7	19
FEMALE--	348	-	-	-	-	-	-	-	-	3	5	14
RHODE ISLAND -----	732	-	-	-	-	-	-	-	-	4	8	20
WHITE-----MALE----	430	-	-	-	-	-	-	-	-	3	4	9
FEMALE--	279	-	-	-	-	-	-	-	-	1	4	6
ALL OTHER--MALE----	13	-	-	-	-	-	-	-	-	-	-	5
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	12	-	-	-	-	-	-	-	-	-	-	5
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	2,330	-	-	-	-	-	-	-	3	15	35	94
WHITE-----MALE----	1,114	-	-	-	-	-	-	-	1	6	12	32
FEMALE--	683	-	-	-	-	-	-	-	1	5	12	22
ALL OTHER--MALE----	371	-	-	-	-	-	-	-	1	1	8	26
FEMALE--	162	-	-	-	-	-	-	-	-	3	3	14
BLACK---MALE----	365	-	-	-	-	-	-	-	1	1	8	25
FEMALE--	160	-	-	-	-	-	-	-	-	3	3	14

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 646

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 MALIGNANT NEOPLASMS OF RESPIRATORY AND INTRATHORACIC ORGANS (160-165)												
OHIO -----	341	589	902	1,241	1,576	1,241	866	384	117	19	2	-
WHITE-----MALE----	168	304	496	670	834	672	470	188	49	7	-	-
FEMALE--	121	210	293	420	598	464	332	166	58	10	1	-
ALL OTHER--MALE----	31	46	78	100	86	57	36	15	6	1	-	-
FEMALE--	21	29	35	51	58	48	28	15	4	1	1	-
BLACK---MALE----	31	46	75	98	83	57	35	15	6	1	-	-
FEMALE--	21	28	34	51	56	47	25	15	4	1	1	-
OKLAHOMA -----	131	213	269	384	471	393	253	144	39	10	-	-
WHITE-----MALE----	73	127	157	225	259	232	143	78	20	3	-	-
FEMALE--	44	66	83	124	173	127	86	55	15	7	-	-
ALL OTHER--MALE----	10	9	17	25	25	19	15	8	3	-	-	-
FEMALE--	4	11	12	10	14	15	9	3	1	-	-	-
BLACK---MALE----	7	5	10	19	9	14	6	6	1	-	-	-
FEMALE--	1	7	9	6	8	9	4	2	1	-	-	-
OREGON -----	78	130	244	316	388	412	259	138	30	6	2	-
WHITE-----MALE----	44	68	146	179	202	223	141	70	15	1	-	-
FEMALE--	30	55	93	126	177	183	117	65	15	5	2	-
ALL OTHER--MALE----	3	5	3	7	8	5	1	3	-	-	-	-
FEMALE--	1	2	2	4	1	1	-	-	-	-	-	-
BLACK---MALE----	2	3	1	3	2	1	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	376	552	846	1,315	1,724	1,543	1,066	518	152	27	5	-
WHITE-----MALE----	186	307	450	710	976	840	556	260	72	11	3	-
FEMALE--	129	160	300	471	585	566	446	222	72	14	2	-
ALL OTHER--MALE----	35	49	56	76	96	73	37	24	4	1	-	-
FEMALE--	26	36	40	58	67	64	27	12	4	1	-	-
BLACK---MALE----	33	47	54	73	94	72	35	24	4	1	-	-
FEMALE--	25	34	40	54	65	64	27	12	4	1	-	-
RHODE ISLAND -----	33	42	68	110	143	127	102	58	14	3	-	-
WHITE-----MALE----	19	23	45	64	103	66	58	30	4	2	-	-
FEMALE--	12	17	20	44	37	61	40	26	10	1	-	-
ALL OTHER--MALE----	-	1	1	-	2	-	2	2	-	-	-	-
FEMALE--	2	1	2	2	1	-	2	-	-	-	-	-
BLACK---MALE----	-	1	1	-	2	-	1	2	-	-	-	-
FEMALE--	2	1	2	2	1	-	2	-	-	-	-	-
SOUTH CAROLINA -----	148	223	314	385	432	357	207	87	28	2	-	-
WHITE-----MALE----	62	93	158	195	228	178	99	37	13	-	-	-
FEMALE--	42	63	83	108	119	116	66	35	9	2	-	-
ALL OTHER--MALE----	27	49	54	57	54	48	30	12	4	-	-	-
FEMALE--	17	18	19	25	31	15	12	3	2	-	-	-
BLACK---MALE----	27	48	54	55	52	48	30	12	4	-	-	-
FEMALE--	17	18	19	24	30	15	12	3	2	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 647

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 MALIGNANT NEOPLASMS OF RESPIRATORY AND INTRATHORACIC ORGANS (160-165)												
SOUTH DAKOTA -----	392	-	-	-	1	-	-	-	-	3	4	13
WHITE-----MALE----	217	-	-	-	-	-	-	-	-	3	1	6
FEMALE--	156	-	-	-	1	-	-	-	-	-	2	5
ALL OTHER--MALE----	10	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	9	-	-	-	-	-	-	-	-	-	1	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	3,987	1	1	-	-	1	-	2	8	15	62	111
WHITE-----MALE----	2,248	1	-	-	-	-	-	-	6	10	35	47
FEMALE--	1,245	-	1	-	-	-	-	-	2	5	18	32
ALL OTHER--MALE----	322	-	-	-	-	-	1	-	-	-	4	21
FEMALE--	172	-	-	-	-	1	1	-	-	-	5	11
BLACK---MALE----	314	-	-	-	-	-	1	-	-	-	4	21
FEMALE--	170	-	-	-	-	1	1	-	-	-	5	11
TEXAS -----	9,879	1	-	-	2	1	3	4	10	52	142	262
WHITE-----MALE----	5,230	1	-	-	-	-	3	2	3	25	67	113
FEMALE--	3,371	-	-	-	2	1	-	2	4	16	42	80
ALL OTHER--MALE----	851	-	-	-	-	-	-	-	-	6	20	53
FEMALE--	427	-	-	-	-	-	-	-	3	5	13	16
BLACK---MALE----	815	-	-	-	-	-	-	-	-	6	20	50
FEMALE--	399	-	-	-	-	-	-	-	3	5	12	15
UTAH -----	417	-	-	-	-	-	-	-	-	3	4	12
WHITE-----MALE----	249	-	-	-	-	-	-	-	-	2	1	7
FEMALE--	155	-	-	-	-	-	-	-	-	1	3	5
ALL OTHER--MALE----	9	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	349	-	-	-	-	-	-	1	2	-	8	12
WHITE-----MALE----	203	-	-	-	-	-	-	1	1	-	4	6
FEMALE--	145	-	-	-	-	-	-	-	1	-	4	6
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	3,928	-	-	1	-	-	1	2	4	12	50	110
WHITE-----MALE----	1,916	-	-	1	-	-	1	-	2	4	17	43
FEMALE--	1,227	-	-	-	-	-	-	1	2	5	13	28
ALL OTHER--MALE----	504	-	-	-	-	-	-	1	-	1	9	28
FEMALE--	281	-	-	-	-	-	-	-	-	2	11	11
BLACK---MALE----	488	-	-	-	-	-	-	1	-	1	9	27
FEMALE--	263	-	-	-	-	-	-	-	-	2	8	10



TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 647

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 MALIGNANT NEOPLASMS OF RESPIRATORY AND INTRATHORACIC ORGANS (160-165)												
SOUTH DAKOTA -----	17	25	37	55	81	65	43	36	9	3	-	-
WHITE-----MALE----	9	11	17	29	54	36	26	21	3	1	-	-
FEMALE--	7	13	19	21	23	26	17	14	6	2	-	-
ALL OTHER--MALE----	1	-	1	4	2	1	-	-	-	-	-	-
FEMALE--	-	1	-	1	2	2	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	222	417	527	660	772	585	369	167	53	12	2	-
WHITE-----MALE----	111	244	301	399	447	329	202	93	19	4	-	-
FEMALE--	73	119	153	187	243	192	126	57	27	8	2	-
ALL OTHER--MALE----	29	41	55	41	49	39	27	10	5	-	-	-
FEMALE--	9	13	18	33	33	25	14	7	2	-	-	-
BLACK---MALE----	29	40	53	38	48	39	26	10	5	-	-	-
FEMALE--	9	13	17	33	33	24	14	7	2	-	-	-
TEXAS -----	527	803	1,170	1,602	1,954	1,602	1,029	512	162	34	7	-
WHITE-----MALE----	259	419	629	868	1,080	895	525	254	73	12	2	-
FEMALE--	166	253	355	525	656	551	418	206	71	19	4	-
ALL OTHER--MALE----	78	87	127	139	142	104	55	30	10	-	-	-
FEMALE--	24	44	59	70	76	52	31	22	8	3	1	-
BLACK---MALE----	78	84	120	135	137	94	52	30	9	-	-	-
FEMALE--	22	43	58	63	74	45	26	21	8	3	1	-
UTAH -----	22	33	42	66	80	64	61	23	4	2	-	1
WHITE-----MALE----	10	21	27	37	51	40	39	10	1	2	-	1
FEMALE--	12	11	11	25	28	24	21	11	3	-	-	-
ALL OTHER--MALE----	-	1	4	3	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	1	1	-	1	1	-	-	-	-
BLACK---MALE----	-	1	1	2	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
VERMONT -----	16	34	44	54	54	59	39	22	3	1	-	-
WHITE-----MALE----	6	24	26	33	33	32	24	12	1	-	-	-
FEMALE--	10	10	17	21	21	27	15	10	2	1	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	211	298	460	653	769	692	394	212	49	9	1	-
WHITE-----MALE----	100	148	230	340	375	342	192	95	22	4	-	-
FEMALE--	54	90	131	182	246	226	146	77	21	4	1	-
ALL OTHER--MALE----	37	34	61	88	91	86	37	27	4	-	-	-
FEMALE--	20	26	38	43	57	38	19	13	2	1	-	-
BLACK---MALE----	35	34	60	84	88	84	35	26	4	-	-	-
FEMALE--	18	24	35	42	54	36	19	12	2	1	-	-







TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 649  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OF LARYNX (161)												
UNITED STATES --	279	402	500	616	655	545	381	152	78	12	1	-
WHITE-----MALE----	165	227	299	388	419	344	252	105	53	6	1	-
FEMALE--	38	60	84	103	129	132	96	35	18	5	-	-
ALL OTHER--MALE----	64	101	95	98	86	60	22	11	4	-	-	-
FEMALE--	12	14	22	27	21	9	11	1	3	1	-	-
BLACK---MALE----	60	97	90	93	81	51	20	9	4	-	-	-
FEMALE--	10	14	21	26	20	8	9	1	3	1	-	-
ALABAMA -----	4	4	10	7	10	9	5	1	-	-	-	-
WHITE-----MALE----	2	3	7	6	6	7	2	1	-	-	-	-
FEMALE--	1	-	2	-	-	1	3	-	-	-	-	-
ALL OTHER--MALE----	1	1	1	1	4	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	1	1	1	4	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA -----	1	2	-	-	1	2	1	-	-	-	-	-
WHITE-----MALE----	-	1	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	1	1	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	2	4	9	8	12	5	8	1	1	-	-	-
WHITE-----MALE----	2	2	7	7	9	4	5	1	1	-	-	-
FEMALE--	-	2	2	1	2	1	2	-	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	3	-	4	5	5	6	5	3	-	-	-	-
WHITE-----MALE----	1	-	1	3	3	4	2	3	-	-	-	-
FEMALE--	1	-	1	-	1	1	2	-	-	-	-	-
ALL OTHER--MALE----	1	-	1	1	-	1	1	-	-	-	-	-
FEMALE--	-	-	1	1	1	-	-	-	-	-	-	-
BLACK---MALE----	1	-	1	1	-	1	1	-	-	-	-	-
FEMALE--	-	-	1	1	1	-	-	-	-	-	-	-
CALIFORNIA -----	17	30	43	65	59	43	29	16	11	1	-	-
WHITE-----MALE----	10	19	26	46	38	28	21	10	10	1	-	-
FEMALE--	4	7	11	13	19	7	5	4	1	-	-	-
ALL OTHER--MALE----	2	4	5	4	2	6	1	2	-	-	-	-
FEMALE--	1	-	1	2	-	2	2	-	-	-	-	-
BLACK---MALE----	-	4	5	3	2	1	1	1	-	-	-	-
FEMALE--	1	-	1	1	-	2	2	-	-	-	-	-



TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 650  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX OF LARYNX (161)	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
COLORADO -----	2	5	4	7	10	5	3	2	-	-	-	-
WHITE-----MALE----	2	3	2	4	6	3	2	2	-	-	-	-
FEMALE--	-	2	1	2	2	2	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	-	-	-	-	-	-
CONNECTICUT -----	7	5	7	8	8	6	5	4	1	-	-	-
WHITE-----MALE----	5	2	3	3	6	3	5	4	1	-	-	-
FEMALE--	-	1	2	1	1	3	-	-	-	-	-	-
ALL OTHER--MALE----	1	2	2	3	1	-	-	-	-	-	-	-
FEMALE--	1	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	1	2	2	3	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
DELAWARE -----	2	1	1	-	2	1	2	-	-	-	-	-
WHITE-----MALE----	2	1	-	-	1	1	2	-	-	-	-	-
FEMALE--	-	-	1	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	1	1	5	2	3	1	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	1	5	2	2	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	1	1	5	2	2	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
FLORIDA -----	23	38	42	55	49	40	31	17	10	2	-	-
WHITE-----MALE----	12	25	30	33	35	25	18	14	6	-	-	-
FEMALE--	4	2	9	8	6	12	12	2	2	2	-	-
ALL OTHER--MALE----	6	10	3	11	8	3	1	-	1	-	-	-
FEMALE--	1	1	-	3	-	-	-	1	1	-	-	-
BLACK---MALE----	6	10	3	11	8	2	1	-	1	-	-	-
FEMALE--	1	1	-	3	-	-	-	1	1	-	-	-
GEORGIA -----	13	13	15	15	18	7	11	1	1	-	-	-
WHITE-----MALE----	7	7	6	7	8	3	9	1	1	-	-	-
FEMALE--	1	1	2	2	5	3	1	-	-	-	-	-
ALL OTHER--MALE----	5	5	7	5	3	1	1	-	-	-	-	-
FEMALE--	-	-	-	1	2	-	-	-	-	-	-	-
BLACK---MALE----	5	5	7	5	3	1	1	-	-	-	-	-
FEMALE--	-	-	-	1	2	-	-	-	-	-	-	-





TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 651  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 0 OF LARYNX (161)	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
HAWAII -----	1	2	2	-	1	-	-	-	-	-	-	-
WHITE-----MALE----	-	1	2	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	1	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	1	-	2	1	3	1	1	-	-	-	-	-
WHITE-----MALE----	-	-	1	1	3	1	1	-	-	-	-	-
FEMALE--	1	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	21	23	24	25	28	22	20	5	6	2	-	-
WHITE-----MALE----	11	11	12	14	20	14	12	3	5	1	-	-
FEMALE--	2	3	1	6	4	4	5	1	1	1	-	-
ALL OTHER--MALE----	8	7	7	4	3	3	1	1	-	-	-	-
FEMALE--	-	2	4	1	1	1	2	-	-	-	-	-
BLACK---MALE----	8	7	7	3	3	3	1	1	-	-	-	-
FEMALE--	-	2	4	1	1	1	2	-	-	-	-	-
INDIANA -----	4	8	9	10	14	12	10	2	1	-	-	-
WHITE-----MALE----	3	6	6	5	8	9	8	2	1	-	-	-
FEMALE--	-	-	1	5	4	2	1	-	4	-	-	-
ALL OTHER--MALE----	1	1	2	-	2	1	1	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	1	2	-	2	1	1	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
IOWA -----	3	4	4	4	7	10	2	-	1	-	-	-
WHITE-----MALE----	3	2	2	1	5	7	2	-	1	-	-	-
FEMALE--	-	2	2	3	2	3	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS -----	3	1	4	2	8	7	2	1	1	1	-	-
WHITE-----MALE----	2	1	4	2	-	5	1	-	-	1	-	-
FEMALE--	-	-	-	-	4	2	1	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	3	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	3	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-



TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 652

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OF LARYNX (161)												
KENTUCKY -----	1	8	11	19	17	8	7	1	2	-	-	-
WHITE-----MALE----	-	7	8	11	11	5	5	-	1	-	-	-
FEMALE--	-	1	2	5	3	2	2	1	-	-	-	-
ALL OTHER--MALE----	1	-	1	1	3	1	-	-	1	-	-	-
FEMALE--	-	-	-	2	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	1	1	3	1	-	-	1	-	-	-
FEMALE--	-	-	-	2	-	-	-	-	-	-	-	-
LOUISIANA -----	5	14	7	15	15	15	4	2	4	-	-	-
WHITE-----MALE----	3	5	3	7	8	8	1	1	2	-	-	-
FEMALE--	-	3	1	-	2	1	2	1	1	-	-	-
ALL OTHER--MALE----	1	6	2	7	5	4	1	-	-	-	-	-
FEMALE--	1	-	1	1	2	-	-	-	1	-	-	-
BLACK---MALE----	1	6	2	7	5	4	1	-	-	-	-	-
FEMALE--	1	-	-	1	-	2	-	-	1	-	-	-
MAINE -----	1	5	2	1	4	2	1	-	-	-	-	-
WHITE-----MALE----	-	4	-	1	3	-	-	-	-	-	-	-
FEMALE--	1	1	1	-	1	2	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	4	12	11	12	14	11	2	6	2	1	-	-
WHITE-----MALE----	1	4	7	4	6	6	1	6	1	-	-	-
FEMALE--	1	2	1	4	3	3	1	-	3	-	-	-
ALL OTHER--MALE----	2	6	1	3	5	2	-	-	1	-	-	-
FEMALE--	-	-	2	1	-	-	-	-	-	1	-	-
BLACK---MALE----	2	6	1	3	5	2	-	-	1	-	-	-
FEMALE--	-	-	2	1	-	-	-	-	-	1	-	-
MASSACHUSETTS -----	10	7	8	11	23	17	14	-	2	1	-	-
WHITE-----MALE----	8	3	7	7	19	12	11	-	1	-	-	-
FEMALE--	1	1	-	3	4	5	3	-	1	1	-	-
ALL OTHER--MALE----	1	3	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	3	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	10	9	16	17	29	16	12	6	1	-	-	-
WHITE-----MALE----	3	4	7	13	22	10	10	4	-	-	-	-
FEMALE--	-	2	4	1	1	5	2	2	1	-	-	-
ALL OTHER--MALE----	7	3	4	2	5	1	-	-	-	-	-	-
FEMALE--	-	-	1	1	1	-	-	-	-	-	-	-
BLACK---MALE----	7	2	4	2	5	1	-	-	-	-	-	-
FEMALE--	-	-	1	1	1	-	-	-	-	-	-	-













TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 655

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OF LARYNX (161)												
OHIO -----	11	20	19	32	29	23	18	6	2	1	-	-
WHITE-----MALE----	8	10	11	16	19	12	12	5	1	1	-	-
FEMALE--	1	7	4	9	7	9	4	-	1	-	-	-
ALL OTHER--MALE----	2	2	4	5	3	2	-	1	-	-	-	-
FEMALE--	-	1	-	2	-	-	2	-	-	-	-	-
BLACK---MALE----	2	2	4	5	3	2	-	1	-	-	-	-
FEMALE--	-	1	-	2	-	-	2	-	-	-	-	-
OKLAHOMA -----	4	6	5	6	7	7	7	-	-	-	-	-
WHITE-----MALE----	3	5	2	2	3	4	3	-	-	-	-	-
FEMALE--	-	1	2	2	2	1	1	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	1	2	2	1	-	-	-	-	-
FEMALE--	-	-	1	1	-	-	2	-	-	-	-	-
BLACK---MALE----	1	-	-	1	1	1	1	-	-	-	-	-
FEMALE--	-	-	1	1	-	-	-	-	-	-	-	-
OREGON -----	1	3	4	2	2	9	4	2	2	-	-	-
WHITE-----MALE----	1	3	3	1	1	8	3	1	2	-	-	-
FEMALE--	-	-	1	1	1	1	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	11	21	24	30	39	23	16	11	4	2	-	-
WHITE-----MALE----	7	13	17	24	26	16	10	8	3	1	-	-
FEMALE--	3	1	3	3	8	6	5	3	1	1	-	-
ALL OTHER--MALE----	1	5	2	2	3	1	1	-	-	-	-	-
FEMALE--	-	2	2	1	2	-	-	-	-	-	-	-
BLACK---MALE----	1	5	2	2	3	1	1	-	-	-	-	-
FEMALE--	-	2	2	1	1	-	-	-	-	-	-	-
RHODE ISLAND -----	2	1	4	3	7	4	2	3	-	-	-	-
WHITE-----MALE----	1	-	4	3	5	3	1	2	-	-	-	-
FEMALE--	1	1	-	-	2	1	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	7	6	7	3	8	9	6	1	-	-	-	-
WHITE-----MALE----	3	2	2	1	5	6	2	1	-	-	-	-
FEMALE--	-	-	-	1	-	2	1	-	-	-	-	-
ALL OTHER--MALE----	2	4	5	-	3	1	2	-	-	-	-	-
FEMALE--	2	-	-	1	-	-	1	-	-	-	-	-
BLACK---MALE----	2	4	5	-	3	1	2	-	-	-	-	-
FEMALE--	2	-	-	1	-	-	1	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 656

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 OF LARYNX (161)												
SOUTH DAKOTA -----	10	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	7	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	104	-	-	-	-	1	-	-	1	-	2	5
WHITE-----MALE----	67	-	-	-	-	-	-	-	1	-	1	3
FEMALE--	17	-	-	-	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	13	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	7	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	13	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	6	-	-	-	-	1	-	-	-	-	-	-
TEXAS -----	263	-	-	-	-	-	-	-	-	2	3	12
WHITE-----MALE----	162	-	-	-	-	-	-	-	-	1	1	4
FEMALE--	45	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	43	-	-	-	-	-	-	-	-	1	1	7
FEMALE--	13	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	42	-	-	-	-	-	-	-	-	1	1	7
FEMALE--	13	-	-	-	-	-	-	-	-	-	-	1
UTAH -----	11	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	7	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	8	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	102	-	-	-	-	-	-	-	-	1	2	3
WHITE-----MALE----	49	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	21	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	25	-	-	-	-	-	-	-	-	-	2	1
FEMALE--	7	-	-	-	-	-	-	-	-	1	-	1
BLACK---MALE----	25	-	-	-	-	-	-	-	-	-	2	1
FEMALE--	7	-	-	-	-	-	-	-	-	1	-	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 656

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OF LARYNX (161)												
SOUTH DAKOTA -----	2	-	-	5	-	1	-	1	1	-	-	-
WHITE-----MALE----	2	-	-	4	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	1	-	1	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	8	10	18	12	14	17	10	5	1	-	-	-
WHITE-----MALE----	5	7	12	9	9	12	4	4	-	-	-	-
FEMALE--	2	-	2	-	2	4	3	1	1	-	-	-
ALL OTHER--MALE----	1	3	4	1	1	-	2	-	-	-	-	-
FEMALE--	-	-	-	2	2	1	1	-	-	-	-	-
BLACK---MALE----	1	3	4	1	1	-	2	-	-	-	-	-
FEMALE--	-	-	-	2	2	-	1	-	-	-	-	-
TEXAS -----	18	23	46	34	39	42	24	13	6	-	1	-
WHITE-----MALE----	10	12	28	25	21	27	20	8	4	-	1	-
FEMALE--	2	2	6	3	13	8	4	4	2	-	-	-
ALL OTHER--MALE----	5	7	8	4	4	5	-	1	-	-	-	-
FEMALE--	1	2	4	2	1	2	-	-	-	-	-	-
BLACK---MALE----	5	7	8	4	4	4	-	1	-	-	-	-
FEMALE--	1	2	4	2	1	2	-	-	-	-	-	-
UTAH -----	-	1	1	1	2	3	3	-	-	-	-	-
WHITE-----MALE----	-	-	-	1	2	2	2	-	-	-	-	-
FEMALE--	-	1	-	-	-	1	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	1	1	1	2	1	2	-	-	-	-	-
WHITE-----MALE----	-	1	1	1	2	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	6	7	12	26	17	15	10	3	-	-	-	-
WHITE-----MALE----	3	1	7	13	11	9	4	-	-	-	-	-
FEMALE--	2	2	2	4	3	4	3	1	-	-	-	-
ALL OTHER--MALE----	1	3	3	6	2	2	3	2	-	-	-	-
FEMALE--	-	1	-	3	1	-	-	-	-	-	-	-
BLACK---MALE----	1	3	3	6	2	2	3	2	-	-	-	-
FEMALE--	-	1	-	3	1	-	-	-	-	-	-	-





TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 658

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 OF TRACHEA, BRONCHUS, AND LUNG (162)												
UNITED STATES --	154,561	1	-	1	3	8	21	41	180	686	2,048	3,965
WHITE-----MALE----	79,649	1	-	-	-	1	17	18	78	278	903	1,799
FEMALE--	56,377	-	-	1	3	2	2	15	80	257	675	1,288
ALL OTHER--MALE----	11,798	-	-	-	-	2	1	6	9	78	277	563
FEMALE--	6,737	-	-	-	-	3	1	2	13	73	193	315
BLACK---MALE----	10,288	-	-	-	-	1	1	4	8	70	253	507
FEMALE--	5,817	-	-	-	-	2	1	1	10	65	163	278
ALABAMA -----	2,910	-	-	-	-	-	-	-	9	21	28	70
WHITE-----MALE----	1,548	-	-	-	-	-	-	-	5	11	11	30
FEMALE--	839	-	-	-	-	-	-	-	3	7	8	15
ALL OTHER--MALE----	342	-	-	-	-	-	-	-	-	1	6	19
FEMALE--	181	-	-	-	-	-	-	-	1	2	3	6
BLACK---MALE----	338	-	-	-	-	-	-	-	-	1	6	19
FEMALE--	176	-	-	-	-	-	-	-	1	1	3	6
ALASKA -----	197	-	-	-	-	-	-	-	-	1	6	11
WHITE-----MALE----	85	-	-	-	-	-	-	-	-	-	3	3
FEMALE--	70	-	-	-	-	-	-	-	-	1	2	5
ALL OTHER--MALE----	25	-	-	-	-	-	-	-	-	-	1	3
FEMALE--	17	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	2,369	-	-	-	-	-	1	-	1	7	29	46
WHITE-----MALE----	1,319	-	-	-	-	-	1	-	-	5	16	32
FEMALE--	973	-	-	-	-	-	-	-	1	2	13	11
ALL OTHER--MALE----	44	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	33	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	30	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	21	-	-	-	-	-	-	-	-	-	-	1
ARKANSAS -----	1,985	-	-	-	-	-	-	-	5	11	18	51
WHITE-----MALE----	1,119	-	-	-	-	-	-	-	2	3	9	21
FEMALE--	645	-	-	-	-	-	-	-	3	6	6	16
ALL OTHER--MALE----	156	-	-	-	-	-	-	-	-	2	2	11
FEMALE--	65	-	-	-	-	-	-	-	-	-	1	3
BLACK---MALE----	153	-	-	-	-	-	-	-	-	2	2	10
FEMALE--	62	-	-	-	-	-	-	-	-	-	1	3
CALIFORNIA -----	13,562	-	-	-	-	2	6	4	17	50	177	344
WHITE-----MALE----	6,365	-	-	-	-	-	6	2	10	17	76	154
FEMALE--	5,340	-	-	-	-	-	-	1	3	18	56	112
ALL OTHER--MALE----	1,155	-	-	-	-	1	-	1	1	6	21	48
FEMALE--	702	-	-	-	-	1	-	-	3	9	24	30
BLACK---MALE----	624	-	-	-	-	-	-	-	1	5	14	26
FEMALE--	399	-	-	-	-	-	-	-	1	5	14	17

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 658  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX OF TRACHEA, BRONCHUS, AND LUNG (162)	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
UNITED STATES --	7,535	12,152	17,635	24,424	30,153	26,289	17,664	8,557	2,646	498	52	2
WHITE-----MALE----	3,626	6,193	9,106	13,052	16,125	13,910	9,035	4,181	1,137	170	18	1
FEMALE--	2,536	4,035	6,044	8,436	10,744	9,881	7,169	3,648	1,267	270	24	-
ALL OTHER--MALE----	914	1,260	1,637	1,893	2,066	1,614	899	416	138	23	1	1
FEMALE--	459	664	848	1,043	1,218	884	561	312	104	35	9	-
BLACK---MALE----	830	1,141	1,456	1,628	1,781	1,385	743	345	114	19	1	1
FEMALE--	405	582	743	908	1,049	754	474	260	84	29	9	-
ALABAMA -----	164	244	393	483	528	492	303	128	40	6	1	-
WHITE-----MALE----	88	146	190	263	291	270	168	61	14	-	-	-
FEMALE--	32	58	128	138	162	137	88	38	21	4	-	-
ALL OTHER--MALE----	30	25	49	54	45	65	27	16	4	1	-	-
FEMALE--	14	15	26	28	30	20	20	13	1	1	1	-
BLACK---MALE----	29	25	48	54	44	64	27	16	4	1	-	-
FEMALE--	14	15	25	27	30	18	20	13	1	1	1	-
ALASKA -----	12	24	26	28	47	27	9	4	2	-	-	-
WHITE-----MALE----	7	9	10	14	24	11	3	1	-	-	-	-
FEMALE--	3	10	11	9	11	11	4	2	1	-	-	-
ALL OTHER--MALE----	1	1	3	4	6	3	2	1	-	-	-	-
FEMALE--	1	4	2	1	6	2	-	-	1	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	1	1	-	2	-	-	-	-	-	-	-
ARIZONA -----	105	182	264	389	488	406	281	130	35	5	-	-
WHITE-----MALE----	56	92	152	225	285	221	144	73	16	1	-	-
FEMALE--	44	78	103	151	188	180	128	55	16	3	-	-
ALL OTHER--MALE----	2	9	7	5	5	4	5	2	2	1	-	-
FEMALE--	3	3	2	8	10	1	4	-	1	-	-	-
BLACK---MALE----	2	7	4	3	4	3	2	1	1	1	-	-
FEMALE--	2	3	2	3	7	-	3	-	-	-	-	-
ARKANSAS -----	108	173	231	327	389	317	215	100	31	8	1	-
WHITE-----MALE----	56	92	126	191	237	184	130	55	12	1	-	-
FEMALE--	31	54	86	104	114	107	68	30	15	4	1	-
ALL OTHER--MALE----	17	19	9	27	23	22	11	10	2	1	-	-
FEMALE--	4	8	10	5	15	4	6	5	2	2	-	-
BLACK---MALE----	17	19	8	26	23	22	11	10	2	1	-	-
FEMALE--	4	8	10	4	14	3	6	5	2	2	-	-
CALIFORNIA -----	594	997	1,479	2,023	2,583	2,474	1,679	830	251	50	2	-
WHITE-----MALE----	280	458	707	985	1,228	1,223	741	363	101	14	-	-
FEMALE--	198	354	536	755	1,037	977	760	379	127	25	2	-
ALL OTHER--MALE----	76	116	148	183	204	182	108	45	12	3	-	-
FEMALE--	40	69	88	100	114	92	70	43	11	8	-	-
BLACK---MALE----	48	75	98	95	112	87	40	16	6	1	-	-
FEMALE--	29	40	49	65	68	48	32	22	4	5	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 659

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX OF TRACHEA, BRONCHUS, AND LUNG (162)	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
COLORADO -----	1,413	-	-	-	-	-	-	2	-	3	12	23
WHITE-----MALE----	750	-	-	-	-	-	-	1	-	2	4	8
FEMALE--	604	-	-	-	-	-	-	1	-	1	8	14
ALL OTHER--MALE----	35	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	24	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	23	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	18	-	-	-	-	-	-	-	-	-	-	1
CONNECTICUT -----	1,865	-	-	-	-	-	-	1	3	4	21	56
WHITE-----MALE----	966	-	-	-	-	-	-	-	2	3	9	31
FEMALE--	779	-	-	-	-	-	-	-	-	1	9	22
ALL OTHER--MALE----	82	-	-	-	-	-	-	1	-	-	1	1
FEMALE--	38	-	-	-	-	-	-	-	1	-	2	2
BLACK---MALE----	78	-	-	-	-	-	-	1	-	-	1	1
FEMALE--	37	-	-	-	-	-	-	-	1	-	2	2
DELAWARE -----	487	-	-	-	-	-	-	2	-	4	8	12
WHITE-----MALE----	262	-	-	-	-	-	-	1	-	1	4	6
FEMALE--	166	-	-	-	-	-	-	1	-	2	3	4
ALL OTHER--MALE----	31	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	28	-	-	-	-	-	-	-	-	-	1	1
BLACK---MALE----	29	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	28	-	-	-	-	-	-	-	-	-	1	1
DISTRICT OF COLUMBIA ----	340	-	-	-	-	-	-	1	-	3	9	10
WHITE-----MALE----	34	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	35	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	154	-	-	-	-	-	-	1	-	2	4	6
FEMALE--	117	-	-	-	-	-	-	-	-	1	4	4
BLACK---MALE----	153	-	-	-	-	-	-	-	-	2	4	6
FEMALE--	115	-	-	-	-	-	-	-	-	1	4	3
FLORIDA -----	11,465	-	-	-	-	-	1	-	12	52	139	253
WHITE-----MALE----	6,098	-	-	-	-	-	-	-	4	20	66	128
FEMALE--	4,503	-	-	-	-	-	-	-	8	23	47	85
ALL OTHER--MALE----	595	-	-	-	-	-	1	-	-	3	18	30
FEMALE--	269	-	-	-	-	-	-	-	-	6	8	10
BLACK---MALE----	563	-	-	-	-	-	1	-	-	3	18	26
FEMALE--	253	-	-	-	-	-	-	-	-	5	7	9
GEORGIA -----	3,978	-	-	-	1	-	1	2	5	32	72	130
WHITE-----MALE----	1,936	-	-	-	-	-	1	1	2	10	20	48
FEMALE--	1,217	-	-	-	1	-	-	1	2	10	19	36
ALL OTHER--MALE----	562	-	-	-	-	-	-	-	1	9	24	33
FEMALE--	263	-	-	-	-	-	-	-	-	3	9	13
BLACK---MALE----	547	-	-	-	-	-	-	-	1	8	24	33
FEMALE--	255	-	-	-	-	-	-	-	-	3	9	12



TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 659  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX OF TRACHEA, BRONCHUS, AND LUNG (162)	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
COLORADO -----	66	118	142	233	288	236	165	83	36	6	-	-
WHITE-----MALE----	25	63	82	116	157	140	94	41	13	4	-	-
FEMALE--	35	48	54	104	116	92	67	42	20	2	-	-
ALL OTHER--MALE----	3	5	4	6	12	1	2	-	2	-	-	-
FEMALE--	3	2	2	7	3	3	2	-	1	-	-	-
BLACK---MALE----	1	3	4	4	7	1	2	-	1	-	-	-
FEMALE--	3	1	2	5	1	2	2	-	1	-	-	-
CONNECTICUT -----	93	134	204	256	328	348	261	112	39	5	-	-
WHITE-----MALE----	43	69	103	141	180	172	131	63	17	2	-	-
FEMALE--	37	48	79	105	135	151	119	48	22	3	-	-
ALL OTHER--MALE----	10	8	17	7	10	17	10	-	-	-	-	-
FEMALE--	3	9	5	3	3	8	1	1	-	-	-	-
BLACK---MALE----	9	7	17	6	10	16	10	-	-	-	-	-
FEMALE--	3	8	5	3	3	8	1	1	-	-	-	-
DELAWARE -----	33	41	61	73	85	87	50	24	4	3	-	-
WHITE-----MALE----	12	18	35	40	44	47	34	17	2	1	-	-
FEMALE--	11	16	18	26	31	32	14	5	1	2	-	-
ALL OTHER--MALE----	6	3	5	1	6	4	1	2	1	-	-	-
FEMALE--	4	4	3	6	4	4	1	-	-	-	-	-
BLACK---MALE----	6	3	4	1	6	4	1	2	1	-	-	-
FEMALE--	4	4	3	6	4	4	1	-	-	-	-	-
DISTRICT OF COLUMBIA ----	22	27	36	51	66	63	34	12	3	2	-	1
WHITE-----MALE----	1	-	5	1	12	5	6	1	1	1	-	-
FEMALE--	1	1	3	5	3	10	7	5	-	-	-	-
ALL OTHER--MALE----	14	19	16	23	24	28	13	3	-	-	-	1
FEMALE--	6	7	12	22	27	20	8	3	2	1	-	-
BLACK---MALE----	14	19	16	23	24	28	13	3	-	-	-	1
FEMALE--	6	7	12	21	27	20	8	3	2	1	-	-
FLORIDA -----	492	773	1,130	1,747	2,280	2,100	1,427	742	255	59	3	-
WHITE-----MALE----	250	409	590	963	1,255	1,165	728	379	116	23	2	-
FEMALE--	174	261	426	655	869	833	633	323	131	34	1	-
ALL OTHER--MALE----	51	73	84	81	111	70	45	23	4	1	-	-
FEMALE--	17	30	30	48	45	32	21	17	4	1	-	-
BLACK---MALE----	48	67	79	79	106	69	43	20	3	1	-	-
FEMALE--	17	28	29	44	42	31	21	15	4	1	-	-
GEORGIA -----	264	392	485	699	745	576	346	168	48	11	1	-
WHITE-----MALE----	108	187	247	366	384	299	174	71	16	2	-	-
FEMALE--	83	119	139	189	236	185	113	64	18	2	-	-
ALL OTHER--MALE----	55	62	72	105	81	58	33	19	8	2	-	-
FEMALE--	18	24	27	39	44	34	26	14	6	5	1	-
BLACK---MALE----	53	61	71	102	76	57	32	19	8	2	-	-
FEMALE--	17	22	27	39	42	33	25	14	6	5	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 660

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 0 OF TRACHEA, BRONCHUS, AND LUNG (162)	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
HAWAII -----	545	-	-	-	-	-	-	-	-	1	9	12
WHITE-----MALE----	88	-	-	-	-	-	-	-	-	-	2	4
FEMALE--	63	-	-	-	-	-	-	-	-	-	-	3
ALL OTHER--MALE----	254	-	-	-	-	-	-	-	-	1	3	4
FEMALE--	140	-	-	-	-	-	-	-	-	-	4	1
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	543	-	-	-	-	-	-	-	-	2	3	12
WHITE-----MALE----	329	-	-	-	-	-	-	-	-	-	2	6
FEMALE--	209	-	-	-	-	-	-	-	-	2	1	6
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	6,779	-	-	-	-	2	1	2	9	17	91	172
WHITE-----MALE----	3,307	-	-	-	-	-	1	2	3	5	38	64
FEMALE--	2,377	-	-	-	-	1	-	2	5	5	21	56
ALL OTHER--MALE----	651	-	-	-	-	1	-	-	1	5	23	27
FEMALE--	444	-	-	-	-	-	-	-	3	2	9	25
BLACK---MALE----	619	-	-	-	-	1	-	-	-	5	22	27
FEMALE--	423	-	-	-	-	-	-	-	2	2	9	24
INDIANA -----	3,897	-	-	-	-	-	-	-	6	18	46	109
WHITE-----MALE----	2,192	-	-	-	-	-	-	-	1	9	26	55
FEMALE--	1,402	-	-	-	-	-	-	-	5	6	18	36
ALL OTHER--MALE----	166	-	-	-	-	-	-	-	-	1	1	8
FEMALE--	137	-	-	-	-	-	-	-	-	2	1	10
BLACK---MALE----	159	-	-	-	-	-	-	-	-	1	1	8
FEMALE--	134	-	-	-	-	-	-	-	-	2	1	10
IOWA -----	1,710	-	-	-	-	-	-	-	2	8	23	31
WHITE-----MALE----	998	-	-	-	-	-	-	-	1	5	13	17
FEMALE--	672	-	-	-	-	-	-	-	1	2	8	13
ALL OTHER--MALE----	22	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	18	-	-	-	-	-	-	-	-	1	1	1
BLACK---MALE----	19	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	15	-	-	-	-	-	-	-	-	1	1	1
KANSAS -----	1,464	-	-	-	-	-	1	-	1	7	20	26
WHITE-----MALE----	826	-	-	-	-	-	-	-	1	3	12	14
FEMALE--	549	-	-	-	-	-	1	-	-	2	7	12
ALL OTHER--MALE----	58	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	31	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	40	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	19	-	-	-	-	-	-	-	-	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 660

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX OF TRACHEA, BRONCHUS, AND LUNG (162)	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
HAWAII -----	19	44	44	83	130	90	52	38	19	4	-	-
WHITE-----MALE----	5	6	6	14	22	13	9	5	2	-	-	-
FEMALE--	3	5	3	11	17	5	9	5	2	-	-	-
ALL OTHER--MALE----	5	23	20	38	57	50	24	18	9	2	-	-
FEMALE--	6	10	15	20	34	22	10	10	6	2	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	-	-	-	-	-	-
IDAHO -----	24	34	55	95	114	89	81	25	8	1	-	-
WHITE-----MALE----	13	20	34	55	71	59	50	14	5	-	-	-
FEMALE--	10	14	21	38	42	30	30	11	3	1	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	1	1	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	346	559	799	1,024	1,308	1,151	767	379	124	26	2	-
WHITE-----MALE----	158	267	341	508	682	601	392	183	50	11	1	-
FEMALE--	97	167	265	349	437	430	312	166	59	9	1	-
ALL OTHER--MALE----	53	81	126	91	114	64	37	18	7	3	-	-
FEMALE--	38	44	67	76	75	56	26	12	8	3	-	-
BLACK---MALE----	53	78	116	86	106	63	36	17	6	3	-	-
FEMALE--	36	43	64	76	67	54	24	12	7	3	-	-
INDIANA -----	172	347	474	639	772	674	387	176	67	9	1	-
WHITE-----MALE----	90	205	282	365	464	373	203	86	29	3	1	-
FEMALE--	61	118	157	227	248	254	156	78	33	5	-	-
ALL OTHER--MALE----	10	17	20	30	34	23	14	5	3	-	-	-
FEMALE--	11	7	15	17	26	24	14	7	2	1	-	-
BLACK---MALE----	9	16	19	28	34	22	14	4	3	-	-	-
FEMALE--	10	7	15	17	26	23	13	7	2	1	-	-
IOWA -----	66	124	193	248	316	279	254	115	41	9	1	-
WHITE-----MALE----	40	72	119	153	182	165	144	67	17	2	1	-
FEMALE--	22	48	68	89	129	109	105	47	24	7	-	-
ALL OTHER--MALE----	4	4	4	2	3	2	2	-	-	-	-	-
FEMALE--	-	-	2	4	2	3	3	1	-	-	-	-
BLACK---MALE----	3	4	3	1	3	2	2	-	-	-	-	-
FEMALE--	-	-	-	4	2	3	2	1	-	-	-	-
KANSAS -----	50	111	156	209	305	253	185	97	38	5	-	-
WHITE-----MALE----	35	54	87	122	170	141	110	52	22	3	-	-
FEMALE--	14	41	60	71	117	100	66	41	15	2	-	-
ALL OTHER--MALE----	-	11	4	11	14	7	5	3	1	-	-	-
FEMALE--	1	5	5	5	4	5	4	1	-	-	-	-
BLACK---MALE----	-	9	2	7	12	2	3	2	1	-	-	-
FEMALE--	1	2	4	2	2	3	4	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 661

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 0 OF TRACHEA, BRONCHUS, AND LUNG (162)	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
KENTUCKY -----	3,083	-	-	-	-	-	-	2	4	19	47	95
WHITE-----MALE----	1,772	-	-	-	-	-	-	1	2	11	25	51
FEMALE--	1,121	-	-	-	-	-	-	1	2	6	17	37
ALL OTHER--MALE----	107	-	-	-	-	-	-	-	-	-	3	6
FEMALE--	83	-	-	-	-	-	-	-	-	2	2	1
BLACK---MALE----	107	-	-	-	-	-	-	-	-	-	3	6
FEMALE--	81	-	-	-	-	-	-	-	-	1	2	1
LOUISIANA -----	2,818	-	-	-	-	1	-	-	9	11	40	92
WHITE-----MALE----	1,207	-	-	-	-	-	-	-	3	3	15	26
FEMALE--	800	-	-	-	-	-	-	-	3	7	5	23
ALL OTHER--MALE----	556	-	-	-	-	-	-	-	1	-	16	32
FEMALE--	255	-	-	-	-	1	-	-	2	1	4	11
BLACK---MALE----	549	-	-	-	-	-	-	-	1	-	16	32
FEMALE--	251	-	-	-	-	1	-	-	2	1	4	11
MAINE -----	858	-	-	-	-	-	-	-	3	5	11	18
WHITE-----MALE----	480	-	-	-	-	-	-	-	1	2	6	13
FEMALE--	374	-	-	-	-	-	-	-	2	3	5	5
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	2,969	-	-	-	-	-	-	1	2	15	46	79
WHITE-----MALE----	1,283	-	-	-	-	-	-	-	-	2	18	25
FEMALE--	1,003	-	-	-	-	-	-	1	1	3	8	21
ALL OTHER--MALE----	411	-	-	-	-	-	-	-	1	6	10	21
FEMALE--	272	-	-	-	-	-	-	-	-	4	10	12
BLACK---MALE----	395	-	-	-	-	-	-	-	1	6	10	21
FEMALE--	263	-	-	-	-	-	-	-	-	4	10	12
MASSACHUSETTS -----	3,703	-	-	-	-	1	-	1	3	20	47	88
WHITE-----MALE----	1,951	-	-	-	-	-	-	1	2	7	23	45
FEMALE--	1,608	-	-	-	-	1	-	-	1	13	21	34
ALL OTHER--MALE----	86	-	-	-	-	-	-	-	-	-	2	3
FEMALE--	58	-	-	-	-	-	-	-	-	-	1	6
BLACK---MALE----	71	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	45	-	-	-	-	-	-	-	-	-	1	4
MICHIGAN -----	5,541	-	-	-	-	-	-	-	6	40	60	141
WHITE-----MALE----	2,759	-	-	-	-	-	-	-	2	8	28	53
FEMALE--	2,035	-	-	-	-	-	-	-	3	17	15	52
ALL OTHER--MALE----	469	-	-	-	-	-	-	-	1	9	11	19
FEMALE--	278	-	-	-	-	-	-	-	-	6	6	17
BLACK---MALE----	442	-	-	-	-	-	-	-	1	7	11	18
FEMALE--	256	-	-	-	-	-	-	-	-	6	5	17

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 661  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX OF TRACHEA, BRONCHUS, AND LUNG (162)	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
KENTUCKY -----	176	312	407	499	610	437	300	128	40	6	1	-
WHITE-----MALE----	101	180	246	293	349	263	166	60	20	4	-	-
FEMALE--	65	118	136	174	216	152	118	58	18	2	1	-
ALL OTHER--MALE----	3	7	17	18	24	15	10	4	-	-	-	-
FEMALE--	7	7	8	14	21	7	6	6	2	-	-	-
BLACK---MALE----	3	7	17	18	24	15	10	4	-	-	-	-
FEMALE--	7	7	7	14	21	7	6	6	2	-	-	-
LOUISIANA -----	149	255	355	445	553	461	287	118	32	7	3	-
WHITE-----MALE----	56	104	149	206	241	224	128	42	7	2	1	-
FEMALE--	43	58	96	120	154	131	91	48	17	3	1	-
ALL OTHER--MALE----	39	65	72	76	120	73	41	13	6	1	1	-
FEMALE--	11	28	38	43	38	33	27	15	2	1	-	-
BLACK---MALE----	38	63	71	75	119	72	41	13	6	1	1	-
FEMALE--	11	27	38	42	37	32	27	15	2	1	-	-
MAINE -----	39	66	101	144	160	144	86	56	22	2	1	-
WHITE-----MALE----	20	44	59	74	87	86	49	27	10	1	1	-
FEMALE--	19	21	41	69	73	58	36	29	12	1	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	1	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	165	248	346	461	552	523	340	141	43	5	2	-
WHITE-----MALE----	71	101	142	212	251	214	162	62	21	1	1	-
FEMALE--	37	77	110	153	183	209	130	53	14	3	-	-
ALL OTHER--MALE----	39	48	58	53	72	59	28	11	4	1	-	-
FEMALE--	18	22	36	43	46	41	20	15	4	-	1	-
BLACK---MALE----	37	46	57	49	70	57	27	10	3	1	-	-
FEMALE--	18	22	35	42	44	40	18	13	4	-	1	-
MASSACHUSETTS -----	168	282	407	553	688	633	493	217	88	12	2	-
WHITE-----MALE----	83	142	214	316	390	320	250	115	38	3	2	-
FEMALE--	70	127	171	211	278	300	227	99	46	9	-	-
ALL OTHER--MALE----	10	5	13	17	11	7	14	2	2	-	-	-
FEMALE--	5	8	9	9	9	6	2	1	2	-	-	-
BLACK---MALE----	9	5	11	15	10	5	10	2	2	-	-	-
FEMALE--	4	7	7	9	5	4	2	1	1	-	-	-
MICHIGAN -----	275	461	657	919	1,121	884	605	285	75	11	1	-
WHITE-----MALE----	115	244	317	469	587	444	310	141	36	5	-	-
FEMALE--	114	134	241	337	406	333	227	118	32	6	-	-
ALL OTHER--MALE----	30	60	61	71	83	74	35	14	1	-	-	-
FEMALE--	16	23	38	42	45	33	33	12	6	-	1	-
BLACK---MALE----	27	58	59	64	79	68	35	14	1	-	-	-
FEMALE--	14	21	36	38	42	32	29	10	5	-	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 662

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 OF TRACHEA, BRONCHUS, AND LUNG (162)												
MINNESOTA -----	2,178	-	-	-	-	-	-	1	-	12	27	51
WHITE-----MALE----	1,192	-	-	-	-	-	-	-	-	5	6	26
FEMALE--	900	-	-	-	-	-	-	1	-	6	16	20
ALL OTHER--MALE----	55	-	-	-	-	-	-	-	-	1	4	2
FEMALE--	31	-	-	-	-	-	-	-	-	-	1	3
BLACK---MALE----	28	-	-	-	-	-	-	-	-	1	3	1
FEMALE--	13	-	-	-	-	-	-	-	-	-	1	3
MISSISSIPPI -----	1,893	-	-	-	-	-	-	-	2	8	29	71
WHITE-----MALE----	925	-	-	-	-	-	-	-	-	2	9	24
FEMALE--	459	-	-	-	-	-	-	-	1	3	6	18
ALL OTHER--MALE----	360	-	-	-	-	-	-	-	1	2	7	18
FEMALE--	149	-	-	-	-	-	-	-	-	1	7	11
BLACK---MALE----	358	-	-	-	-	-	-	-	1	2	7	17
FEMALE--	146	-	-	-	-	-	-	-	-	1	7	11
MISSOURI -----	3,849	-	-	-	-	-	1	1	8	16	53	89
WHITE-----MALE----	2,064	-	-	-	-	-	1	1	5	7	28	43
FEMALE--	1,384	-	-	-	-	-	-	-	3	5	17	35
ALL OTHER--MALE----	260	-	-	-	-	-	-	-	-	1	5	7
FEMALE--	141	-	-	-	-	-	-	-	-	3	3	4
BLACK---MALE----	246	-	-	-	-	-	-	-	-	1	5	6
FEMALE--	134	-	-	-	-	-	-	-	-	3	3	4
MONTANA -----	528	-	-	-	-	-	-	-	-	1	6	6
WHITE-----MALE----	309	-	-	-	-	-	-	-	-	1	3	5
FEMALE--	197	-	-	-	-	-	-	-	-	-	3	1
ALL OTHER--MALE----	14	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	873	-	-	-	-	-	-	2	1	4	11	23
WHITE-----MALE----	524	-	-	-	-	-	-	1	1	3	5	12
FEMALE--	305	-	-	-	-	-	-	1	-	1	4	10
ALL OTHER--MALE----	29	-	-	-	-	-	-	-	-	-	2	-
FEMALE--	15	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	25	-	-	-	-	-	-	-	-	-	2	-
FEMALE--	12	-	-	-	-	-	-	-	-	-	-	-
NEVADA -----	1,129	-	-	-	-	-	-	-	1	6	13	23
WHITE-----MALE----	566	-	-	-	-	-	-	-	-	1	5	13
FEMALE--	480	-	-	-	-	-	-	-	1	2	6	7
ALL OTHER--MALE----	52	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	31	-	-	-	-	-	-	-	-	2	2	2
BLACK---MALE----	39	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	19	-	-	-	-	-	-	-	-	2	2	2

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 662  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OF TRACHEA, BRONCHUS, AND LUNG (162)												
MINNESOTA -----	91	150	230	344	445	368	295	124	30	9	1	-
WHITE-----MALE----	41	80	124	197	260	207	166	63	14	3	-	-
FEMALE--	39	65	94	126	172	157	122	59	16	6	1	-
ALL OTHER--MALE----	7	3	8	13	9	2	4	2	-	-	-	-
FEMALE--	4	2	4	8	4	2	3	-	-	-	-	-
BLACK---MALE----	4	1	6	5	3	1	2	1	-	-	-	-
FEMALE--	-	-	3	2	2	-	2	-	-	-	-	-
MISSISSIPPI -----	105	169	232	311	364	303	161	96	35	5	2	-
WHITE-----MALE----	51	71	117	166	193	156	80	44	12	-	-	-
FEMALE--	22	38	50	68	86	87	38	27	12	3	-	-
ALL OTHER--MALE----	25	45	52	51	59	43	29	17	9	2	-	-
FEMALE--	7	15	13	26	26	17	14	8	2	-	2	-
BLACK---MALE----	25	45	52	51	58	43	29	17	9	2	-	-
FEMALE--	7	15	12	26	24	17	14	8	2	-	2	-
MISSOURI -----	193	293	460	606	739	684	441	194	60	11	-	-
WHITE-----MALE----	101	159	247	335	399	375	225	108	26	4	-	-
FEMALE--	58	92	157	205	265	250	190	72	29	6	-	-
ALL OTHER--MALE----	20	25	35	47	45	41	20	10	3	1	-	-
FEMALE--	14	17	21	19	30	18	6	4	2	-	-	-
BLACK---MALE----	19	25	34	42	45	39	17	9	3	1	-	-
FEMALE--	14	15	19	17	29	18	6	4	2	-	-	-
MONTANA -----	18	29	64	83	110	108	61	33	8	1	-	-
WHITE-----MALE----	8	17	31	48	62	68	37	23	6	-	-	-
FEMALE--	10	11	28	30	44	36	23	9	1	1	-	-
ALL OTHER--MALE----	-	1	4	3	3	1	1	1	-	-	-	-
FEMALE--	-	-	1	2	1	3	-	-	1	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	30	65	94	137	194	118	105	67	19	3	-	-
WHITE-----MALE----	14	40	49	90	119	69	71	38	10	2	-	-
FEMALE--	15	22	36	38	60	46	33	29	9	1	-	-
ALL OTHER--MALE----	-	2	4	8	9	3	1	-	-	-	-	-
FEMALE--	1	1	5	1	6	-	-	-	-	-	-	-
BLACK---MALE----	-	2	3	8	6	3	1	-	-	-	-	-
FEMALE--	1	1	4	1	5	-	-	-	-	-	-	-
NEVADA -----	57	92	139	210	217	191	116	47	15	2	-	-
WHITE-----MALE----	30	47	77	110	107	93	53	24	5	1	-	-
FEMALE--	19	35	53	85	98	84	57	23	9	1	-	-
ALL OTHER--MALE----	7	8	8	9	8	6	3	-	1	-	-	-
FEMALE--	1	2	1	6	4	8	3	-	-	-	-	-
BLACK---MALE----	6	8	6	4	6	6	1	-	1	-	-	-
FEMALE--	-	1	1	3	2	6	-	-	-	-	-	-







TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 664

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 OF TRACHEA, BRONCHUS, AND LUNG (162)												
OHIO -----	7,397	-	-	-	-	-	-	1	6	38	84	188
WHITE-----MALE----	3,904	-	-	-	-	-	-	-	3	17	41	98
FEMALE--	2,722	-	-	-	-	-	-	1	2	13	28	63
ALL OTHER--MALE----	466	-	-	-	-	-	-	-	1	7	8	15
FEMALE--	305	-	-	-	-	-	-	-	-	1	7	12
BLACK---MALE----	456	-	-	-	-	-	-	-	1	6	8	15
FEMALE--	295	-	-	-	-	-	-	-	-	1	7	10
OKLAHOMA -----	2,353	-	-	-	-	-	-	-	5	3	38	53
WHITE-----MALE----	1,333	-	-	-	-	-	-	-	1	3	17	24
FEMALE--	807	-	-	-	-	-	-	-	4	-	15	20
ALL OTHER--MALE----	132	-	-	-	-	-	-	-	-	-	2	6
FEMALE--	81	-	-	-	-	-	-	-	-	-	4	3
BLACK---MALE----	79	-	-	-	-	-	-	-	-	-	2	5
FEMALE--	48	-	-	-	-	-	-	-	-	-	3	1
OREGON -----	2,048	-	-	-	-	-	-	-	1	8	31	46
WHITE-----MALE----	1,104	-	-	-	-	-	-	-	1	4	17	24
FEMALE--	896	-	-	-	-	-	-	-	-	4	13	21
ALL OTHER--MALE----	37	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	11	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	13	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	8,240	-	-	-	-	-	2	3	11	30	92	202
WHITE-----MALE----	4,385	-	-	-	-	-	1	3	3	13	43	96
FEMALE--	3,049	-	-	-	-	-	1	3	8	13	36	74
ALL OTHER--MALE----	459	-	-	-	-	-	-	-	-	1	8	18
FEMALE--	347	-	-	-	-	-	-	-	-	3	5	14
BLACK---MALE----	443	-	-	-	-	-	-	-	-	1	7	17
FEMALE--	339	-	-	-	-	-	-	-	-	3	5	14
RHODE ISLAND -----	694	-	-	-	-	-	-	-	-	3	8	18
WHITE-----MALE----	403	-	-	-	-	-	-	-	-	2	4	7
FEMALE--	268	-	-	-	-	-	-	-	-	1	4	6
ALL OTHER--MALE----	13	-	-	-	-	-	-	-	-	-	-	5
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	12	-	-	-	-	-	-	-	-	-	-	5
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	2,259	-	-	-	-	-	-	-	3	15	35	87
WHITE-----MALE----	1,085	-	-	-	-	-	-	-	1	6	12	31
FEMALE--	671	-	-	-	-	-	-	-	1	5	12	22
ALL OTHER--MALE----	350	-	-	-	-	-	-	-	1	1	8	23
FEMALE--	153	-	-	-	-	-	-	-	-	3	3	11
BLACK---MALE----	344	-	-	-	-	-	-	-	1	1	8	22
FEMALE--	151	-	-	-	-	-	-	-	-	3	3	11

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 664  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OF TRACHEA, BRONCHUS, AND LUNG (162)												
OHIO -----	329	560	879	1,204	1,542	1,209	846	376	115	18	2	-
WHITE-----MALE----	159	289	482	652	812	658	456	183	48	6	-	-
FEMALE--	120	200	288	408	590	449	328	164	57	10	1	-
ALL OTHER--MALE----	29	43	74	95	82	55	36	14	6	1	-	-
FEMALE--	21	28	35	49	58	47	26	15	4	1	1	-
BLACK---MALE----	29	43	71	93	79	55	35	14	6	1	-	-
FEMALE--	21	27	34	49	56	46	23	15	4	1	1	-
OKLAHOMA -----	127	205	263	376	462	384	245	143	39	10	-	-
WHITE-----MALE----	70	121	155	221	255	227	139	77	20	3	-	-
FEMALE--	44	64	81	122	170	125	85	55	15	7	-	-
ALL OTHER--MALE----	9	9	17	24	23	17	14	8	3	-	-	-
FEMALE--	4	11	10	9	14	15	7	3	1	-	-	-
BLACK---MALE----	6	5	10	18	8	13	5	6	1	-	-	-
FEMALE--	1	7	7	5	8	9	4	2	1	-	-	-
OREGON -----	76	127	238	314	384	398	255	135	27	6	2	-
WHITE-----MALE----	42	65	142	178	199	212	138	68	13	1	-	-
FEMALE--	30	55	91	125	176	180	116	64	14	5	2	-
ALL OTHER--MALE----	3	5	3	7	8	5	1	3	-	-	-	-
FEMALE--	1	2	2	4	1	1	-	-	-	-	-	-
BLACK---MALE----	2	3	1	3	2	1	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	358	529	819	1,281	1,680	1,512	1,042	502	147	25	5	-
WHITE-----MALE----	175	292	432	683	950	822	540	251	68	10	3	-
FEMALE--	125	159	295	467	573	556	440	216	71	13	2	-
ALL OTHER--MALE----	32	44	54	74	93	70	36	24	4	1	-	-
FEMALE--	26	34	38	57	64	64	26	11	4	1	-	-
BLACK---MALE----	30	42	52	71	91	69	34	24	4	1	-	-
FEMALE--	25	32	38	53	63	64	26	11	4	1	-	-
RHODE ISLAND -----	30	41	63	107	135	121	99	53	13	3	-	-
WHITE-----MALE----	17	23	41	61	97	62	56	27	4	2	-	-
FEMALE--	11	16	19	44	35	59	39	24	9	1	-	-
ALL OTHER--MALE----	-	1	1	-	2	-	2	2	-	-	-	-
FEMALE--	2	1	2	2	1	-	2	-	-	-	-	-
BLACK---MALE----	-	1	1	-	2	-	1	2	-	-	-	-
FEMALE--	2	1	2	2	1	-	2	-	-	-	-	-
SOUTH CAROLINA -----	141	215	304	381	419	345	199	86	27	2	-	-
WHITE-----MALE----	59	90	156	193	221	170	97	36	13	-	-	-
FEMALE--	42	62	81	107	116	114	64	35	8	2	-	-
ALL OTHER--MALE----	25	45	49	57	51	47	27	12	4	-	-	-
FEMALE--	15	18	18	24	31	14	11	3	2	-	-	-
BLACK---MALE----	25	44	49	55	49	47	27	12	4	-	-	-
FEMALE--	15	18	18	23	30	14	11	3	2	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 665

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 OF TRACHEA, BRONCHUS, AND LUNG (162)												
SOUTH DAKOTA -----	376	-	-	-	-	-	-	-	-	3	3	12
WHITE-----MALE----	206	-	-	-	-	-	-	-	-	3	-	5
FEMALE--	151	-	-	-	-	-	-	-	-	-	2	5
ALL OTHER--MALE----	10	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	9	-	-	-	-	-	-	-	-	-	1	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	3,848	1	-	-	-	-	-	2	5	13	59	106
WHITE-----MALE----	2,160	1	-	-	-	-	-	-	3	8	33	44
FEMALE--	1,215	-	-	-	-	-	-	-	2	5	17	31
ALL OTHER--MALE----	309	-	-	-	-	-	-	1	-	-	4	20
FEMALE--	164	-	-	-	-	-	-	1	-	-	5	11
BLACK---MALE----	301	-	-	-	-	-	-	1	-	-	4	20
FEMALE--	163	-	-	-	-	-	-	1	-	-	5	11
TEXAS -----	9,523	-	-	-	2	-	3	2	9	47	135	248
WHITE-----MALE----	5,016	-	-	-	-	-	3	1	3	21	62	109
FEMALE--	3,296	-	-	-	2	-	-	1	4	16	41	79
ALL OTHER--MALE----	801	-	-	-	-	-	-	-	-	5	19	45
FEMALE--	410	-	-	-	-	-	-	-	2	5	13	15
BLACK---MALE----	766	-	-	-	-	-	-	-	-	5	19	42
FEMALE--	382	-	-	-	-	-	-	-	2	5	12	14
UTAH -----	395	-	-	-	-	-	-	-	-	3	4	12
WHITE-----MALE----	234	-	-	-	-	-	-	-	-	2	1	7
FEMALE--	149	-	-	-	-	-	-	-	-	1	3	5
ALL OTHER--MALE----	8	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	337	-	-	-	-	-	-	1	2	-	7	12
WHITE-----MALE----	195	-	-	-	-	-	-	1	1	-	3	6
FEMALE--	141	-	-	-	-	-	-	-	1	-	4	6
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	3,795	-	-	-	-	-	-	2	4	11	47	106
WHITE-----MALE----	1,856	-	-	-	-	-	-	-	2	4	17	42
FEMALE--	1,194	-	-	-	-	-	-	1	2	5	13	28
ALL OTHER--MALE----	474	-	-	-	-	-	-	1	-	1	6	26
FEMALE--	271	-	-	-	-	-	-	-	-	1	11	10
BLACK---MALE----	458	-	-	-	-	-	-	1	-	1	6	25
FEMALE--	253	-	-	-	-	-	-	-	-	1	8	9

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 665

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OF TRACHEA, BRONCHUS, AND LUNG (162)												
SOUTH DAKOTA -----	15	25	37	48	81	64	42	35	8	3	-	-
WHITE-----MALE----	7	11	17	24	54	36	25	20	3	1	-	-
FEMALE--	7	13	19	19	23	25	17	14	5	2	-	-
ALL OTHER--MALE----	1	-	1	4	2	1	-	-	-	-	-	-
FEMALE--	-	1	-	1	2	2	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	209	403	509	645	751	563	358	160	51	11	2	-
WHITE-----MALE----	105	235	289	387	434	312	198	89	18	4	-	-
FEMALE--	68	117	151	187	238	188	122	54	26	7	2	-
ALL OTHER--MALE----	28	38	51	40	48	39	25	10	5	-	-	-
FEMALE--	8	13	18	31	31	24	13	7	2	-	-	-
BLACK---MALE----	28	37	49	37	47	39	24	10	5	-	-	-
FEMALE--	8	13	17	31	31	24	13	7	2	-	-	-
TEXAS -----	504	777	1,115	1,554	1,901	1,547	994	493	153	33	6	-
WHITE-----MALE----	246	405	598	835	1,050	859	500	245	66	12	1	-
FEMALE--	162	251	345	518	639	539	410	198	69	18	4	-
ALL OTHER--MALE----	73	79	117	135	137	99	54	28	10	-	-	-
FEMALE--	23	42	55	66	75	50	30	22	8	3	1	-
BLACK---MALE----	73	76	110	131	132	90	51	28	9	-	-	-
FEMALE--	21	41	54	59	73	43	25	21	8	3	1	-
UTAH -----	21	32	40	64	75	57	57	23	4	2	-	1
WHITE-----MALE----	9	21	26	36	46	35	37	10	1	2	-	1
FEMALE--	12	10	11	24	28	22	19	11	3	-	-	-
ALL OTHER--MALE----	-	1	3	3	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	1	1	-	1	1	-	-	-	-
BLACK---MALE----	-	1	1	2	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
VERMONT -----	15	33	43	52	52	58	37	21	3	1	-	-
WHITE-----MALE----	5	23	25	32	31	32	23	12	1	-	-	-
FEMALE--	10	10	17	20	21	26	14	9	2	1	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	203	286	443	626	745	674	382	207	49	9	1	-
WHITE-----MALE----	96	144	222	326	362	333	188	94	22	4	-	-
FEMALE--	52	86	127	178	240	219	142	75	21	4	1	-
ALL OTHER--MALE----	36	31	57	82	87	84	34	25	4	-	-	-
FEMALE--	19	25	37	40	56	38	18	13	2	1	-	-
BLACK---MALE----	34	31	56	78	84	82	32	24	4	-	-	-
FEMALE--	17	23	34	39	53	36	18	12	2	1	-	-









TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 667

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OF ALL OTHER AND ILL-DEFINED SITES WITHIN THE RESPIRATORY SYSTEM AND INTRATHORACIC ORGANS (160,163-165)												
UNITED STATES --	91	98	105	141	204	210	143	90	34	8	-	-
WHITE-----MALE----	49	56	60	88	119	114	70	40	16	1	-	-
FEMALE--	23	28	28	41	68	79	58	41	15	7	-	-
ALL OTHER--MALE----	13	11	12	6	12	9	9	2	-	-	-	-
FEMALE--	6	3	5	6	5	8	6	7	3	-	-	-
BLACK---MALE----	7	9	11	4	8	4	8	2	-	-	-	-
FEMALE--	5	3	5	6	4	7	6	5	2	-	-	-
ALABAMA -----	-	1	2	5	1	1	3	2	1	-	-	-
WHITE-----MALE----	-	-	1	3	-	1	-	-	-	-	-	-
FEMALE--	-	1	-	1	1	-	2	1	1	-	-	-
ALL OTHER--MALE----	-	-	1	1	-	-	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	1	-	-	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	4	-	1	1	2	5	1	1	1	-	-	-
WHITE-----MALE----	1	-	1	1	1	3	1	1	-	-	-	-
FEMALE--	3	-	-	-	1	2	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	-	-	-	-	4	1	3	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	3	1	-	1	-	-	-	-
FEMALE--	-	-	-	-	1	-	3	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	18	12	6	15	22	23	8	7	5	1	-	-
WHITE-----MALE----	8	10	4	8	11	12	5	2	2	-	-	-
FEMALE--	1	1	2	4	7	8	3	4	3	1	-	-
ALL OTHER--MALE----	7	1	-	2	2	2	-	-	-	-	-	-
FEMALE--	2	-	-	1	2	1	-	1	-	-	-	-
BLACK---MALE----	2	1	-	1	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	1	1	-	-	-	-	-	-	-



TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 668  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OF ALL OTHER AND ILL-DEFINED SITES WITHIN THE RESPIRATORY SYSTEM AND INTRATHORACIC ORGANS (160,163-165)												
COLORADO -----	-	1	2	2	-	3	-	2	-	-	-	-
WHITE-----MALE----	-	-	2	2	-	-	-	2	-	-	-	-
FEMALE--	-	1	-	-	-	2	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	-	2	1	2	1	2	1	1	1	-	-	-
WHITE-----MALE----	-	1	1	2	1	1	-	1	-	-	-	-
FEMALE--	-	1	-	-	-	1	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
DELAWARE -----	-	1	-	3	1	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	2	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	-	-	-	-	1	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	11	6	8	10	21	25	17	10	6	1	-	-
WHITE-----MALE----	9	5	4	7	18	17	13	5	1	-	-	-
FEMALE--	2	-	1	3	3	7	4	4	4	1	-	-
ALL OTHER--MALE----	-	1	3	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	1	1	-	-	-
BLACK---MALE----	-	1	3	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	1	1	-	-	-
GEORGIA -----	3	3	5	2	3	3	3	-	-	-	-	-
WHITE-----MALE----	1	1	2	-	2	-	1	-	-	-	-	-
FEMALE--	2	1	1	2	-	2	2	-	-	-	-	-
ALL OTHER--MALE----	-	1	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	1	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	1	-	-	-	-	-	-







TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 670

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OF ALL OTHER AND ILL-DEFINED SITES WITHIN THE RESPIRATORY SYSTEM AND INTRATHORACIC ORGANS (160,163-165)												
KENTUCKY -----	3	3	-	1	4	2	5	3	-	-	-	-
WHITE-----MALE----	2	2	-	1	1	1	2	2	-	-	-	-
FEMALE--	1	1	-	-	3	1	3	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	2	1	1	1	3	2	2	1	1	-	-	-
WHITE-----MALE----	1	-	1	1	2	1	1	1	1	-	-	-
FEMALE--	1	-	-	-	-	1	1	-	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MAINE -----	1	-	1	1	1	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	1	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	-	2	2	3	2	4	2	2	-	-	-	-
WHITE-----MALE----	-	2	1	2	-	2	1	1	-	-	-	-
FEMALE--	-	-	-	-	2	1	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	1	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	1	-	1	-	-	-	-	-	-
MASSACHUSETTS -----	1	1	1	2	2	2	3	1	-	-	-	-
WHITE-----MALE----	-	1	1	2	-	1	-	1	-	-	-	-
FEMALE--	1	-	-	-	2	1	3	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	3	2	4	5	7	5	3	3	-	-	-	-
WHITE-----MALE----	2	1	2	4	2	2	1	2	-	-	-	-
FEMALE--	1	1	2	1	5	3	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-













TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 673

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OF ALL OTHER AND ILL-DEFINED SITES WITHIN THE RESPIRATORY SYSTEM AND INTRATHORACIC ORGANS (160,163-165)												
OHIO -----	1	9	4	5	5	9	2	2	-	-	-	-
WHITE-----MALE----	1	5	3	2	3	2	2	-	-	-	-	-
FEMALE--	-	3	1	3	1	6	-	2	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
OKLAHOMA -----	-	2	1	2	2	2	1	1	-	-	-	-
WHITE-----MALE----	-	1	-	2	1	1	1	1	-	-	-	-
FEMALE--	-	1	-	-	1	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
OREGON -----	1	-	2	-	2	5	-	1	1	-	-	-
WHITE-----MALE----	1	-	1	-	2	3	-	1	-	-	-	-
FEMALE--	-	-	1	-	-	2	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	7	2	3	4	5	8	8	5	1	-	-	-
WHITE-----MALE----	4	2	1	3	-	2	6	1	1	-	-	-
FEMALE--	1	-	2	1	4	4	1	3	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	2	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	1	-	-	-	-
BLACK---MALE----	2	-	-	-	-	2	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	1	-	-	-	-
RHODE ISLAND -----	1	-	1	-	1	2	1	2	1	-	-	-
WHITE-----MALE----	1	-	-	-	1	1	1	1	-	-	-	-
FEMALE--	-	-	1	-	-	1	-	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	-	2	3	1	5	3	2	-	1	-	-	-
WHITE-----MALE----	-	1	-	1	2	2	-	-	-	-	-	-
FEMALE--	-	1	2	-	3	-	1	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	1	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	1	-	-	1	-	-	-	-	-	-



TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 674  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OF ALL OTHER AND ILL-DEFINED SITES WITHIN THE RESPIRATORY SYSTEM AND INTRATHORACIC ORGANS (160,163-165)												
SOUTH DAKOTA -----	-	-	-	2	-	-	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	1	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	5	4	-	3	7	5	1	2	1	1	-	-
WHITE-----MALE----	1	2	-	3	4	5	-	-	1	-	-	-
FEMALE--	3	2	-	-	3	-	1	2	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
TEXAS -----	5	3	9	14	14	13	11	6	3	1	-	-
WHITE-----MALE----	3	2	3	8	9	9	5	1	3	-	-	-
FEMALE--	2	-	4	4	4	4	4	4	-	1	-	-
ALL OTHER--MALE----	-	1	2	-	1	-	1	1	-	-	-	-
FEMALE--	-	-	-	2	-	-	1	-	-	-	-	-
BLACK---MALE----	-	1	2	-	1	-	1	1	-	-	-	-
FEMALE--	-	-	-	2	-	-	1	-	-	-	-	-
UTAH -----	1	-	1	1	3	4	1	-	-	-	-	-
WHITE-----MALE----	1	-	1	-	3	3	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	1	-	-	1	-	-	-	1	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	2	5	5	1	7	3	2	2	-	-	-	-
WHITE-----MALE----	1	3	1	1	2	-	-	1	-	-	-	-
FEMALE--	-	2	2	-	3	3	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	2	-	-	-	-	-	-	-
FEMALE--	1	-	1	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	1	-	2	-	-	-	-	-	-	-
FEMALE--	1	-	1	-	-	-	1	-	-	-	-	-







TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 676

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 MALIGNANT NEOPLASMS OF BONE, CONNECTIVE TISSUE, SKIN, AND BREAST (170-175)												
UNITED STATES --	56,751	4	23	47	85	185	180	284	732	1,560	2,590	3,668
WHITE-----MALE----	8,498	3	9	22	40	86	93	95	157	255	408	516
FEMALE--	41,120	1	9	13	24	65	55	135	409	959	1,653	2,425
ALL OTHER--MALE----	618	-	4	7	12	21	19	18	24	30	35	46
FEMALE--	6,515	-	1	5	9	13	13	36	142	316	494	681
BLACK---MALE----	506	-	4	5	11	16	17	14	18	21	32	40
FEMALE--	5,729	-	1	4	7	13	9	30	123	283	433	581
ALABAMA -----	880	-	1	1	1	3	-	4	11	27	50	57
WHITE-----MALE----	127	-	1	1	1	1	-	1	2	2	6	7
FEMALE--	565	-	-	-	-	1	-	3	3	16	27	34
ALL OTHER--MALE----	11	-	-	-	-	-	-	-	-	-	3	-
FEMALE--	177	-	-	-	-	1	-	-	6	9	14	16
BLACK---MALE----	11	-	-	-	-	-	-	-	-	-	3	-
FEMALE--	173	-	-	-	-	1	-	-	6	9	14	16
ALASKA -----	66	-	-	1	-	-	-	-	-	4	6	5
WHITE-----MALE----	8	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	43	-	-	1	-	-	-	-	-	3	2	2
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	14	-	-	-	-	-	-	-	-	-	4	2
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	1	-
ARIZONA -----	877	-	-	1	-	1	4	4	14	15	56	57
WHITE-----MALE----	151	-	-	1	-	-	3	1	1	6	10	7
FEMALE--	693	-	-	-	-	1	1	3	13	6	36	47
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	30	-	-	-	-	-	-	-	-	3	9	3
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	17	-	-	-	-	-	-	-	-	1	3	1
ARKANSAS -----	543	1	-	-	1	6	1	4	6	15	26	27
WHITE-----MALE----	86	1	-	-	1	2	-	2	2	1	4	3
FEMALE--	383	-	-	-	-	2	1	2	3	7	12	20
ALL OTHER--MALE----	4	-	-	-	-	1	-	-	-	1	-	-
FEMALE--	70	-	-	-	-	1	-	-	1	6	10	4
BLACK---MALE----	4	-	-	-	-	1	-	-	-	1	-	-
FEMALE--	69	-	-	-	-	1	-	-	1	6	10	4
CALIFORNIA -----	5,707	1	1	5	10	15	26	35	98	170	304	456
WHITE-----MALE----	904	1	-	4	6	6	14	11	21	31	50	60
FEMALE--	4,067	-	1	-	3	7	9	20	52	109	194	299
ALL OTHER--MALE----	71	-	-	1	1	2	-	1	4	5	1	5
FEMALE--	665	-	-	-	-	-	3	3	21	25	59	92
BLACK---MALE----	33	-	-	-	-	2	-	1	3	3	-	5
FEMALE--	368	-	-	-	-	-	-	1	15	13	34	46

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 676

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 MALIGNANT NEOPLASMS OF BONE, CONNECTIVE TISSUE, SKIN, AND BREAST (170-175)												
UNITED STATES --	4,622	4,771	5,011	5,855	7,044	6,933	5,889	4,227	2,209	699	132	1
WHITE-----MALE----	593	659	760	978	1,107	1,064	861	521	218	50	3	-
FEMALE--	3,247	3,343	3,560	4,200	5,254	5,277	4,558	3,400	1,829	596	107	1
ALL OTHER--MALE----	57	63	51	66	62	44	31	22	6	-	-	-
FEMALE--	725	706	640	611	621	548	439	284	156	53	22	-
BLACK---MALE----	45	54	40	59	49	33	24	19	5	-	-	-
FEMALE--	624	582	561	532	564	491	408	263	145	53	22	-
ALABAMA -----	89	64	92	107	90	107	79	62	29	4	2	-
WHITE-----MALE----	10	8	10	25	12	19	10	9	1	1	-	-
FEMALE--	51	40	64	67	60	74	57	44	22	2	-	-
ALL OTHER--MALE----	3	2	-	-	1	1	1	-	-	-	-	-
FEMALE--	25	14	18	15	17	13	11	9	6	1	2	-
BLACK---MALE----	3	2	-	-	1	1	1	-	-	-	-	-
FEMALE--	25	13	17	15	16	13	11	8	6	1	2	-
ALASKA -----	6	13	9	8	1	8	1	1	3	-	-	-
WHITE-----MALE----	1	3	-	1	-	2	-	-	-	-	-	-
FEMALE--	5	7	6	6	1	6	1	1	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	3	3	1	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
ARIZONA -----	81	68	90	103	107	107	88	49	24	7	1	-
WHITE-----MALE----	18	13	12	18	18	15	18	6	2	2	-	-
FEMALE--	58	51	74	84	87	92	70	43	21	5	1	-
ALL OTHER--MALE----	-	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	5	4	3	1	1	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	2	3	1	1	-	-	-	1	-	-	-
ARKANSAS -----	28	43	56	55	66	73	58	47	25	5	-	-
WHITE-----MALE----	3	6	9	10	12	10	8	9	2	1	-	-
FEMALE--	21	31	42	42	44	54	44	32	22	4	-	-
ALL OTHER--MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	3	6	5	3	10	8	6	6	1	-	-	-
BLACK---MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	3	6	5	3	10	7	6	6	1	-	-	-
CALIFORNIA -----	517	509	501	561	673	701	553	339	183	45	4	-
WHITE-----MALE----	68	65	86	82	109	121	87	52	25	4	1	-
FEMALE--	359	352	347	406	507	519	423	273	144	40	3	-
ALL OTHER--MALE----	8	7	8	8	11	4	4	-	1	-	-	-
FEMALE--	82	85	60	65	46	57	39	14	13	1	-	-
BLACK---MALE----	3	3	4	3	5	-	-	-	1	-	-	-
FEMALE--	39	40	30	42	27	35	27	10	8	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 677

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 MALIGNANT NEOPLASMS OF BONE, CONNECTIVE TISSUE, SKIN, AND BREAST (170-175)												
COLORADO -----	649	-	-	-	-	1	-	2	8	23	42	50
WHITE-----MALE----	131	-	-	-	-	-	-	1	5	3	7	5
FEMALE--	494	-	-	-	-	1	-	1	3	19	32	41
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	23	-	-	-	-	-	-	-	-	1	3	4
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	20	-	-	-	-	-	-	-	-	1	3	4
CONNECTICUT -----	781	-	2	-	-	2	4	2	8	17	24	38
WHITE-----MALE----	85	-	1	-	-	1	1	1	2	2	5	4
FEMALE--	629	-	-	-	-	1	2	1	5	14	17	32
ALL OTHER--MALE----	6	-	1	-	-	-	1	-	-	-	-	-
FEMALE--	61	-	-	-	-	-	-	-	1	1	2	2
BLACK---MALE----	6	-	1	-	-	-	1	-	-	-	-	-
FEMALE--	57	-	-	-	-	-	-	-	1	1	2	2
DELAWARE -----	195	-	-	-	-	-	-	2	2	3	6	13
WHITE-----MALE----	36	-	-	-	-	-	-	-	-	-	3	4
FEMALE--	129	-	-	-	-	-	-	-	1	3	3	5
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	26	-	-	-	-	-	-	2	1	-	-	3
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	26	-	-	-	-	-	-	2	1	-	-	3
DISTRICT OF COLUMBIA ----	157	-	-	1	-	1	1	-	3	4	14	15
WHITE-----MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	36	-	-	-	-	-	-	-	1	-	1	4
ALL OTHER--MALE----	9	-	-	1	-	1	-	-	-	-	-	-
FEMALE--	109	-	-	-	-	-	1	-	2	4	13	11
BLACK---MALE----	9	-	-	1	-	1	-	-	-	-	-	-
FEMALE--	107	-	-	-	-	-	1	-	2	4	13	10
FLORIDA -----	3,699	-	1	2	7	14	7	17	35	90	129	218
WHITE-----MALE----	658	-	-	1	2	6	3	5	10	21	24	37
FEMALE--	2,686	-	1	1	1	3	2	8	17	44	80	145
ALL OTHER--MALE----	38	-	-	-	2	3	1	1	1	3	2	2
FEMALE--	317	-	-	-	2	2	1	3	7	22	23	34
BLACK---MALE----	37	-	-	-	2	3	1	1	1	3	2	2
FEMALE--	302	-	-	-	2	2	1	3	7	21	23	32
GEORGIA -----	1,408	-	-	1	2	3	2	7	24	67	71	117
WHITE-----MALE----	195	-	-	1	2	1	-	2	5	13	9	14
FEMALE--	825	-	-	-	-	1	-	2	9	30	37	63
ALL OTHER--MALE----	24	-	-	-	-	-	2	1	1	-	2	3
FEMALE--	364	-	-	-	-	1	-	2	9	24	23	37
BLACK---MALE----	24	-	-	-	-	-	2	1	1	-	2	3
FEMALE--	356	-	-	-	-	1	-	2	9	23	23	35

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 677

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 MALIGNANT NEOPLASMS OF BONE, CONNECTIVE TISSUE, SKIN, AND BREAST (170-175)												
COLORADO -----	58	65	60	55	74	81	53	43	22	11	1	-
WHITE-----MALE----	12	8	11	18	16	21	11	9	3	1	-	-
FEMALE--	44	54	47	33	56	57	42	34	19	10	1	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	2	2	4	2	3	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	2	1	2	2	3	-	-	-	-	-	-
CONNECTICUT -----	70	54	62	78	114	87	94	76	28	19	2	-
WHITE-----MALE----	8	4	7	11	12	9	8	6	3	-	-	-
FEMALE--	50	38	49	58	97	74	78	69	23	19	2	-
ALL OTHER--MALE----	-	2	-	-	1	-	1	-	-	-	-	-
FEMALE--	12	10	6	9	4	4	7	1	2	-	-	-
BLACK---MALE----	-	2	-	-	1	-	1	-	-	-	-	-
FEMALE--	11	8	6	8	4	4	7	1	2	-	-	-
DELAWARE -----	19	14	15	19	30	25	14	20	10	3	-	-
WHITE-----MALE----	2	-	3	5	5	8	2	4	-	-	-	-
FEMALE--	14	10	8	13	20	15	9	15	10	3	-	-
ALL OTHER--MALE----	-	1	-	1	1	-	-	-	-	-	-	-
FEMALE--	3	3	4	-	4	2	3	1	-	-	-	-
BLACK---MALE----	-	1	-	1	1	-	-	-	-	-	-	-
FEMALE--	3	3	4	-	4	2	3	1	-	-	-	-
DISTRICT OF COLUMBIA ----	12	20	9	8	25	18	10	7	5	3	1	-
WHITE-----MALE----	-	-	-	1	-	1	-	1	-	-	-	-
FEMALE--	6	4	1	1	5	3	5	3	1	1	-	-
ALL OTHER--MALE----	-	2	1	-	2	2	-	-	-	-	-	-
FEMALE--	6	14	7	6	18	12	5	3	4	2	1	-
BLACK---MALE----	-	2	1	-	2	2	-	-	-	-	-	-
FEMALE--	5	14	7	6	18	12	5	3	4	2	1	-
FLORIDA -----	247	284	290	394	503	494	456	311	160	34	6	-
WHITE-----MALE----	35	44	60	76	85	87	88	52	20	2	-	-
FEMALE--	174	199	197	289	385	378	347	244	135	30	6	-
ALL OTHER--MALE----	4	2	4	2	2	2	5	2	-	-	-	-
FEMALE--	34	39	29	27	31	27	16	13	5	2	-	-
BLACK---MALE----	4	2	4	2	2	1	5	2	-	-	-	-
FEMALE--	32	36	29	27	28	26	15	11	5	2	-	-
GEORGIA -----	128	120	144	157	152	143	126	90	41	9	4	-
WHITE-----MALE----	8	18	18	28	26	15	19	12	3	1	-	-
FEMALE--	77	66	86	96	93	97	77	53	30	6	2	-
ALL OTHER--MALE----	1	3	1	3	2	1	2	1	1	-	-	-
FEMALE--	42	33	39	30	31	30	28	24	7	2	2	-
BLACK---MALE----	1	3	1	3	2	1	2	1	1	-	-	-
FEMALE--	40	31	39	30	31	30	28	24	6	2	2	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 678

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 MALIGNANT NEOPLASMS OF BONE, CONNECTIVE TISSUE, SKIN, AND BREAST (170-175)												
HAWAII -----	173	-	-	1	1	3	-	-	5	5	7	9
WHITE-----MALE----	7	-	-	-	1	-	-	-	-	1	1	-
FEMALE--	57	-	-	-	-	-	-	-	1	1	2	3
ALL OTHER--MALE----	14	-	-	-	-	3	-	-	1	-	-	2
FEMALE--	95	-	-	1	-	-	-	-	3	3	4	4
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	233	-	-	1	-	1	-	-	-	-	10	12
WHITE-----MALE----	39	-	-	-	-	1	-	-	-	-	4	2
FEMALE--	192	-	-	1	-	-	-	-	-	2	6	10
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	2,610	-	2	1	4	8	7	12	37	84	121	174
WHITE-----MALE----	349	-	-	1	1	4	3	2	7	13	16	18
FEMALE--	1,890	-	-	-	2	4	3	5	22	51	78	114
ALL OTHER--MALE----	33	-	1	-	1	-	1	1	1	3	2	3
FEMALE--	338	-	1	-	-	-	-	4	7	17	25	39
BLACK---MALE----	29	-	1	-	1	-	1	-	-	3	2	1
FEMALE--	312	-	1	-	-	-	-	4	5	17	22	37
INDIANA -----	1,293	-	-	2	2	5	2	5	13	34	57	90
WHITE-----MALE----	203	-	-	1	1	3	-	1	3	7	11	21
FEMALE--	979	-	-	-	-	2	2	4	6	20	38	59
ALL OTHER--MALE----	12	-	-	1	-	-	-	-	2	1	1	-
FEMALE--	99	-	-	-	1	-	-	-	2	6	7	10
BLACK---MALE----	12	-	-	1	-	-	-	-	2	1	1	-
FEMALE--	96	-	-	-	-	-	-	-	2	6	7	9
IOWA -----	693	-	-	-	4	3	2	3	7	14	28	28
WHITE-----MALE----	96	-	-	-	3	2	1	1	1	1	4	8
FEMALE--	588	-	-	-	1	1	1	1	6	13	23	19
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	8	-	-	-	-	-	-	1	-	-	1	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	6	-	-	-	-	-	-	-	-	-	1	-
KANSAS -----	567	-	-	-	-	4	2	2	10	19	11	35
WHITE-----MALE----	91	-	-	-	-	1	2	-	5	5	2	5
FEMALE--	438	-	-	-	-	2	-	2	3	12	8	28
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	37	-	-	-	-	1	-	-	2	2	1	2
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	32	-	-	-	-	1	-	-	1	2	1	2

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 678

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 MALIGNANT NEOPLASMS OF BONE, CONNECTIVE TISSUE, SKIN, AND BREAST (170-175)												
HAWAII -----	17	24	17	23	21	20	6	12	2	-	-	-
WHITE-----MALE----	-	-	1	-	2	-	-	1	-	-	-	-
FEMALE--	6	8	7	5	7	8	2	5	2	-	-	-
ALL OTHER--MALE----	1	-	1	-	1	1	2	2	-	-	-	-
FEMALE--	10	16	8	18	11	11	2	4	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	21	24	17	28	35	29	20	19	10	3	1	-
WHITE-----MALE----	4	4	1	6	4	5	3	3	2	-	-	-
FEMALE--	17	20	16	21	31	23	17	16	8	3	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
ILLINOIS -----	219	208	237	260	289	307	299	195	101	34	11	-
WHITE-----MALE----	28	24	35	43	50	37	35	18	11	3	-	-
FEMALE--	152	148	158	176	210	242	239	164	85	29	8	-
ALL OTHER--MALE----	2	3	4	3	-	6	-	2	-	-	-	-
FEMALE--	37	33	40	38	29	22	25	11	5	2	3	-
BLACK---MALE----	2	3	4	3	-	6	-	2	-	-	-	-
FEMALE--	33	30	36	33	29	20	24	11	5	2	3	-
INDIANA -----	102	117	101	132	162	151	147	90	56	21	4	-
WHITE-----MALE----	16	14	17	21	27	22	20	11	7	-	-	-
FEMALE--	78	92	78	102	122	121	115	69	48	19	4	-
ALL OTHER--MALE----	-	2	-	1	2	1	1	-	-	-	-	-
FEMALE--	8	9	6	8	11	7	11	10	1	2	-	-
BLACK---MALE----	-	2	-	1	2	1	1	-	-	-	-	-
FEMALE--	8	9	6	8	10	7	11	10	1	2	-	-
IOWA -----	43	50	64	61	92	90	76	63	47	15	3	-
WHITE-----MALE----	9	7	13	11	7	10	10	5	2	1	-	-
FEMALE--	34	42	50	49	84	78	66	58	45	14	3	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	1	1	1	2	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	1	1	2	-	-	-	-	-	-
KANSAS -----	36	46	52	56	65	90	58	45	27	7	2	-
WHITE-----MALE----	4	5	7	9	13	18	9	4	2	-	-	-
FEMALE--	28	32	42	40	50	70	47	40	25	7	2	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	8	3	7	2	2	2	1	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	6	3	7	1	2	2	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 679

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 MALIGNANT NEOPLASMS OF BONE, CONNECTIVE TISSUE, SKIN, AND BREAST (170-175)												
KENTUCKY -----	864	-	1	1	1	4	6	4	10	26	37	56
WHITE-----MALE----	163	-	1	-	1	2	3	1	3	7	4	7
FEMALE--	636	-	-	1	-	1	2	3	6	15	30	45
ALL OTHER--MALE----	5	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	60	-	-	-	-	-	-	-	1	4	3	4
BLACK---MALE----	5	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	58	-	-	-	-	-	-	-	1	4	3	4
LOUISIANA -----	865	-	-	1	1	4	3	6	17	25	52	66
WHITE-----MALE----	105	-	-	-	-	1	2	2	1	3	10	7
FEMALE--	504	-	-	-	-	1	1	2	5	11	22	28
ALL OTHER--MALE----	25	-	-	-	-	2	-	2	-	1	2	2
FEMALE--	231	-	-	1	1	-	-	-	11	10	18	29
BLACK---MALE----	24	-	-	-	-	2	-	2	-	1	2	2
FEMALE--	230	-	-	1	1	-	-	-	11	10	18	28
MAINE -----	271	-	-	-	-	1	-	1	5	4	11	19
WHITE-----MALE----	34	-	-	-	-	-	-	-	1	2	3	3
FEMALE--	235	-	-	-	-	1	-	1	3	2	8	15
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	1	-	-	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
MARYLAND -----	1,079	-	-	1	2	5	2	7	21	20	52	70
WHITE-----MALE----	123	-	-	1	1	1	-	2	6	-	3	4
FEMALE--	686	-	-	-	-	2	2	2	8	11	29	29
ALL OTHER--MALE----	14	-	-	-	-	1	-	1	2	1	1	2
FEMALE--	256	-	-	-	1	1	-	2	5	8	19	35
BLACK---MALE----	12	-	-	-	-	1	-	1	2	-	1	2
FEMALE--	248	-	-	-	1	1	-	2	4	8	19	34
MASSACHUSETTS -----	1,518	-	2	-	-	3	4	9	11	34	65	79
WHITE-----MALE----	242	-	2	-	-	3	3	3	3	7	10	12
FEMALE--	1,200	-	-	-	-	-	-	5	6	24	50	61
ALL OTHER--MALE----	9	-	-	-	-	-	1	-	1	-	1	-
FEMALE--	67	-	-	-	-	-	-	1	1	3	4	6
BLACK---MALE----	7	-	-	-	-	-	1	-	1	-	1	-
FEMALE--	51	-	-	-	-	-	-	1	1	3	2	6
MICHIGAN -----	1,944	-	1	1	1	3	6	12	23	57	99	140
WHITE-----MALE----	259	-	-	-	1	2	5	2	5	9	14	17
FEMALE--	1,413	-	1	-	-	1	-	7	15	34	71	84
ALL OTHER--MALE----	29	-	-	1	-	-	-	2	1	2	2	4
FEMALE--	243	-	-	-	-	-	1	1	2	12	12	35
BLACK---MALE----	25	-	-	1	-	-	-	1	1	2	2	4
FEMALE--	233	-	-	-	-	-	1	1	2	11	11	33



TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 679

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 MALIGNANT NEOPLASMS OF BONE, CONNECTIVE TISSUE, SKIN, AND BREAST (170-175)												
KENTUCKY -----	77	84	74	100	110	92	78	53	34	14	2	-
WHITE-----MALE----	10	13	16	22	24	22	12	8	6	1	-	-
FEMALE--	66	66	52	70	76	63	59	43	26	11	1	-
ALL OTHER--MALE----	-	1	1	-	-	1	-	-	-	-	-	-
FEMALE--	1	4	5	8	10	6	7	2	2	2	1	-
BLACK---MALE----	-	1	1	-	-	1	-	-	-	-	-	-
FEMALE--	1	4	5	7	9	6	7	2	2	2	1	-
LOUISIANA -----	80	81	65	92	108	101	67	54	31	10	1	-
WHITE-----MALE----	6	9	5	10	12	13	12	7	4	1	-	-
FEMALE--	46	45	46	57	72	67	37	41	17	6	-	-
ALL OTHER--MALE----	1	3	1	2	3	2	2	1	1	-	-	-
FEMALE--	27	24	13	23	21	19	16	5	9	3	1	-
BLACK---MALE----	1	3	1	2	2	2	2	1	1	-	-	-
FEMALE--	27	24	13	23	21	19	16	5	9	3	1	-
MAINE -----	25	23	22	23	37	21	33	24	17	4	1	-
WHITE-----MALE----	1	4	3	1	6	5	4	1	-	-	-	-
FEMALE--	24	19	19	22	31	16	29	23	17	4	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	83	101	95	110	132	138	99	82	41	14	4	-
WHITE-----MALE----	7	11	12	20	18	14	14	5	4	-	-	-
FEMALE--	48	59	61	68	81	98	75	68	31	11	3	-
ALL OTHER--MALE----	-	-	2	2	1	-	1	-	-	-	-	-
FEMALE--	28	31	20	20	32	26	9	9	6	3	1	-
BLACK---MALE----	-	-	2	2	-	-	1	-	-	-	-	-
FEMALE--	28	31	18	18	30	26	9	9	6	3	1	-
MASSACHUSETTS -----	129	112	110	160	184	203	169	136	82	22	4	-
WHITE-----MALE----	10	23	21	37	25	29	28	21	4	1	-	-
FEMALE--	107	82	85	111	153	165	139	112	76	21	3	-
ALL OTHER--MALE----	2	1	-	1	-	1	-	1	-	-	-	-
FEMALE--	10	6	4	11	6	8	2	2	2	-	1	-
BLACK---MALE----	1	1	-	1	-	1	-	-	-	-	-	-
FEMALE--	7	6	4	6	4	5	1	2	2	-	1	-
MICHIGAN -----	147	144	181	206	243	234	205	127	74	38	2	-
WHITE-----MALE----	18	16	19	25	38	42	24	11	9	2	-	-
FEMALE--	100	96	143	159	174	164	165	106	59	33	1	-
ALL OTHER--MALE----	3	2	-	2	5	2	2	1	-	-	-	-
FEMALE--	26	30	19	20	26	26	14	9	6	3	1	-
BLACK---MALE----	2	2	-	2	4	1	2	1	-	-	-	-
FEMALE--	24	29	19	19	26	26	14	8	5	3	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 680

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 MALIGNANT NEOPLASMS OF BONE, CONNECTIVE TISSUE, SKIN, AND BREAST (170-175)												
MINNESOTA -----	964	-	-	-	-	4	5	4	14	31	34	69
WHITE-----MALE----	140	-	-	-	-	2	2	3	3	7	7	16
FEMALE--	802	-	-	-	-	2	2	-	10	21	25	51
ALL OTHER--MALE----	5	-	-	-	-	-	1	1	-	1	1	1
FEMALE--	17	-	-	-	-	-	-	-	1	2	1	1
BLACK---MALE----	2	-	-	-	-	-	1	1	-	-	-	-
FEMALE--	12	-	-	-	-	-	-	-	1	2	-	1
MISSISSIPPI -----	562	-	-	1	-	5	1	4	3	26	30	42
WHITE-----MALE----	87	-	-	-	-	1	1	3	1	3	7	5
FEMALE--	292	-	-	1	-	1	-	-	1	12	10	15
ALL OTHER--MALE----	10	-	-	-	-	1	-	-	-	-	1	-
FEMALE--	173	-	-	-	-	2	-	1	1	11	12	22
BLACK---MALE----	10	-	-	-	-	1	-	-	-	-	1	-
FEMALE--	169	-	-	-	-	2	-	1	1	11	10	21
MISSOURI -----	1,245	-	-	1	2	7	1	6	12	41	53	83
WHITE-----MALE----	204	-	-	1	1	3	1	2	3	3	11	9
FEMALE--	907	-	-	-	1	2	-	4	7	30	33	60
ALL OTHER--MALE----	16	-	-	-	-	-	-	-	2	2	1	-
FEMALE--	118	-	-	-	-	2	-	-	-	6	8	14
BLACK---MALE----	15	-	-	-	-	-	-	-	2	1	1	-
FEMALE--	114	-	-	-	-	2	-	-	-	6	8	14
MONTANA -----	168	-	-	-	-	1	-	2	4	3	2	13
WHITE-----MALE----	33	-	-	-	-	1	-	1	-	1	-	2
FEMALE--	127	-	-	-	-	-	-	1	4	2	2	9
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	2
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
NEBRASKA -----	343	-	-	1	1	1	2	-	3	6	11	24
WHITE-----MALE----	63	-	-	1	1	1	2	-	1	1	3	6
FEMALE--	268	-	-	-	-	-	-	-	2	4	7	16
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	11	-	-	-	-	-	-	-	-	1	1	2
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	9	-	-	-	-	-	-	-	-	1	1	2
NEVADA -----	342	-	-	-	1	2	-	1	3	10	21	19
WHITE-----MALE----	75	-	-	-	-	-	-	-	2	3	5	2
FEMALE--	247	-	-	-	1	2	-	1	1	6	15	14
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	17	-	-	-	-	-	-	-	-	1	1	2
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	10	-	-	-	-	-	-	-	-	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 680

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 MALIGNANT NEOPLASMS OF BONE, CONNECTIVE TISSUE, SKIN, AND BREAST (170-175)												
MINNESOTA -----	65	69	76	80	108	103	130	106	43	17	6	-
WHITE-----MALE----	11	11	7	10	15	14	15	10	6	1	-	-
FEMALE--	54	56	63	70	92	89	113	95	37	16	6	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	2	6	-	1	-	2	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	2	4	-	1	-	-	1	-	-	-	-
MISSISSIPPI -----	49	42	46	57	60	62	62	42	18	10	2	-
WHITE-----MALE----	9	5	7	6	9	14	9	5	-	1	1	-
FEMALE--	26	25	23	36	35	25	37	26	14	5	-	-
ALL OTHER--MALE----	1	2	-	1	1	-	2	1	-	-	-	-
FEMALE--	13	10	16	14	15	23	14	10	4	4	1	-
BLACK---MALE----	1	2	-	1	1	-	2	1	-	-	-	-
FEMALE--	13	10	16	14	14	23	14	10	4	4	1	-
MISSOURI -----	98	101	104	143	162	148	114	90	56	21	2	-
WHITE-----MALE----	10	19	16	30	33	27	21	7	5	2	-	-
FEMALE--	78	73	73	97	113	107	88	74	48	17	2	-
ALL OTHER--MALE----	-	1	4	2	1	1	1	1	-	-	-	-
FEMALE--	10	8	11	14	15	13	4	8	3	2	-	-
BLACK---MALE----	-	1	4	2	1	1	1	1	-	-	-	-
FEMALE--	10	7	10	13	14	13	4	8	3	2	-	-
MONTANA -----	14	14	14	13	24	26	21	12	4	1	-	-
WHITE-----MALE----	3	1	2	2	5	5	6	1	3	-	-	-
FEMALE--	9	11	12	11	18	21	14	11	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	2	-	-	1	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	28	23	22	39	47	44	35	32	15	6	3	-
WHITE-----MALE----	5	3	3	6	8	13	1	6	2	-	-	-
FEMALE--	20	18	19	32	38	31	33	26	13	6	3	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	1	-	1	1	-	1	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	1	-	1	-	-	1	-	-	-	-	-
NEVADA -----	22	33	30	43	51	43	33	22	7	1	-	-
WHITE-----MALE----	5	7	5	10	12	7	11	4	2	-	-	-
FEMALE--	15	21	24	31	39	34	22	15	5	1	-	-
ALL OTHER--MALE----	-	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	3	1	2	-	2	-	3	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	2	1	2	-	1	-	2	-	-	-	-





TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 682

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 MALIGNANT NEOPLASMS OF BONE, CONNECTIVE TISSUE, SKIN, AND BREAST (170-175)												
OHIO -----	2,542	-	1	3	6	5	12	8	37	67	104	144
WHITE-----MALE----	352	-	1	1	2	3	6	4	7	12	16	17
FEMALE--	1,914	-	-	1	3	2	4	3	23	47	70	104
ALL OTHER--MALE----	18	-	-	1	1	-	1	-	1	-	1	-
FEMALE--	258	-	-	-	-	-	1	1	6	8	17	23
BLACK---MALE----	17	-	-	1	1	-	1	-	1	-	1	-
FEMALE--	251	-	-	-	-	-	1	1	6	8	17	21
OKLAHOMA -----	735	-	-	2	-	3	6	6	6	18	41	40
WHITE-----MALE----	145	-	-	2	-	-	4	3	2	1	12	4
FEMALE--	533	-	-	-	-	3	1	2	3	16	22	36
ALL OTHER--MALE----	4	-	-	-	-	-	1	-	1	-	-	-
FEMALE--	53	-	-	-	-	-	-	1	-	1	7	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	33	-	-	-	-	-	-	1	-	-	6	-
OREGON -----	720	-	-	-	-	1	3	1	9	16	37	47
WHITE-----MALE----	120	-	-	-	-	1	2	-	3	2	8	10
FEMALE--	576	-	-	-	-	-	1	1	5	13	27	35
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	22	-	-	-	-	-	-	-	1	1	1	1
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	9	-	-	-	-	-	-	-	1	-	1	-
PENNSYLVANIA -----	2,999	-	-	2	1	3	7	15	34	79	109	155
WHITE-----MALE----	423	-	-	-	1	1	4	3	7	10	10	27
FEMALE--	2,308	-	-	1	-	1	3	10	23	58	76	107
ALL OTHER--MALE----	25	-	-	-	-	1	-	1	2	1	1	1
FEMALE--	243	-	-	1	-	-	-	1	2	10	22	20
BLACK---MALE----	24	-	-	-	-	1	-	1	2	1	1	1
FEMALE--	230	-	-	1	-	-	-	1	1	9	21	18
RHODE ISLAND -----	270	-	-	-	-	1	1	-	3	8	7	13
WHITE-----MALE----	33	-	-	-	-	1	-	-	1	1	2	-
FEMALE--	233	-	-	-	-	-	1	-	1	7	5	13
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	1	-	-	-
SOUTH CAROLINA -----	801	-	-	-	2	1	4	7	7	24	44	55
WHITE-----MALE----	104	-	-	-	-	1	-	2	1	6	3	7
FEMALE--	459	-	-	-	-	-	1	3	2	8	13	31
ALL OTHER--MALE----	24	-	-	-	2	-	2	1	-	1	2	1
FEMALE--	214	-	-	-	-	-	1	1	4	9	26	16
BLACK---MALE----	23	-	-	-	2	-	2	1	-	1	2	1
FEMALE--	212	-	-	-	-	-	1	1	4	9	26	16

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 682

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 MALIGNANT NEOPLASMS OF BONE, CONNECTIVE TISSUE, SKIN, AND BREAST (170-175)												
OHIO -----	194	203	232	249	355	321	246	216	99	31	9	-
WHITE-----MALE----	27	33	30	41	48	41	34	20	7	1	1	-
FEMALE--	139	143	175	181	276	254	188	185	81	27	8	-
ALL OTHER--MALE----	1	1	2	2	2	4	1	-	-	-	-	-
FEMALE--	27	26	25	25	29	22	23	11	11	3	-	-
BLACK---MALE----	1	1	2	2	2	3	1	-	-	-	-	-
FEMALE--	24	25	25	25	29	21	23	11	11	3	-	-
OKLAHOMA -----	61	69	72	83	80	91	71	49	29	7	1	-
WHITE-----MALE----	13	17	12	23	10	22	8	7	5	-	-	-
FEMALE--	42	46	54	52	66	63	59	40	21	6	1	-
ALL OTHER--MALE----	-	-	1	-	-	1	-	-	-	-	-	-
FEMALE--	6	6	5	8	4	5	4	2	3	1	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	3	5	1	3	3	4	2	2	2	1	-	-
OREGON -----	73	56	63	80	81	74	85	53	22	16	3	-
WHITE-----MALE----	10	11	8	13	17	11	12	7	4	1	-	-
FEMALE--	57	39	52	65	64	63	72	46	18	15	3	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	6	3	2	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	2	1	1	-	-	1	-	-	-	-	-
PENNSYLVANIA -----	215	212	238	329	414	369	376	256	141	38	5	1
WHITE-----MALE----	35	34	39	45	59	51	52	34	9	2	-	-
FEMALE--	151	160	174	257	333	293	290	205	125	35	5	1
ALL OTHER--MALE----	2	1	1	5	7	-	1	1	-	-	-	-
FEMALE--	27	17	24	22	15	25	33	16	7	1	-	-
BLACK---MALE----	1	1	1	5	7	-	1	1	-	-	-	-
FEMALE--	25	15	23	21	15	25	32	16	6	1	-	-
RHODE ISLAND -----	16	17	17	34	31	35	33	32	16	6	-	-
WHITE-----MALE----	-	2	1	3	4	6	4	7	1	-	-	-
FEMALE--	16	14	16	30	26	29	29	25	15	6	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	1	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	1	1	-	-	-	-	-	-	-
SOUTH CAROLINA -----	84	83	88	72	102	85	82	38	15	6	2	-
WHITE-----MALE----	8	9	14	13	11	10	13	5	-	1	-	-
FEMALE--	46	47	51	42	66	59	49	24	14	3	-	-
ALL OTHER--MALE----	4	4	1	1	2	1	1	-	1	-	-	-
FEMALE--	26	23	22	16	23	15	19	9	-	2	2	-
BLACK---MALE----	4	4	-	1	2	1	1	-	1	-	-	-
FEMALE--	26	23	20	16	23	15	19	9	-	2	2	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 683

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 MALIGNANT NEOPLASMS OF BONE, CONNECTIVE TISSUE, SKIN, AND BREAST (170-175)												
SOUTH DAKOTA -----	171	-	-	1	-	-	-	1	-	5	8	10
WHITE-----MALE----	35	-	-	1	-	-	-	-	-	3	3	2
FEMALE--	129	-	-	-	-	-	-	-	-	2	5	7
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	1	-	-	-	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	1,274	-	-	1	3	5	2	7	18	38	52	75
WHITE-----MALE----	206	-	-	-	2	5	-	2	4	4	13	15
FEMALE--	885	-	-	-	1	-	1	3	9	26	31	47
ALL OTHER--MALE----	17	-	-	1	-	-	1	-	-	1	-	-
FEMALE--	166	-	-	-	-	-	-	2	5	7	8	13
BLACK---MALE----	15	-	-	-	-	-	1	-	-	1	-	-
FEMALE--	159	-	-	-	-	-	-	2	4	6	8	12
TEXAS -----	3,405	2	4	3	11	14	16	22	53	107	177	260
WHITE-----MALE----	514	1	1	-	6	8	9	8	7	12	20	40
FEMALE--	2,457	1	2	3	4	3	6	10	37	70	126	165
ALL OTHER--MALE----	38	-	1	-	-	3	1	1	1	1	2	7
FEMALE--	396	-	-	-	1	-	-	3	8	24	29	48
BLACK---MALE----	35	-	1	-	-	2	1	-	1	1	2	7
FEMALE--	373	-	-	-	1	-	-	2	8	24	27	43
UTAH -----	337	-	-	1	1	3	3	4	6	13	13	23
WHITE-----MALE----	79	-	-	-	-	3	1	1	1	4	6	5
FEMALE--	255	-	-	1	1	-	2	3	5	9	7	18
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	129	-	-	1	-	-	-	-	-	6	3	7
WHITE-----MALE----	21	-	-	1	-	-	-	-	-	2	-	-
FEMALE--	107	-	-	-	-	-	-	-	-	4	3	7
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	1,368	-	-	2	3	1	5	9	15	40	75	88
WHITE-----MALE----	202	-	-	-	-	-	3	4	3	5	11	15
FEMALE--	882	-	-	-	2	1	-	1	6	20	42	51
ALL OTHER--MALE----	30	-	-	1	-	-	-	2	-	2	-	1
FEMALE--	254	-	-	1	1	-	2	2	6	13	22	21
BLACK---MALE----	24	-	-	1	-	-	-	1	-	1	-	1
FEMALE--	243	-	-	1	1	-	2	1	5	13	22	20



TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 683

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 MALIGNANT NEOPLASMS OF BONE, CONNECTIVE TISSUE, SKIN, AND BREAST (170-175)												
SOUTH DAKOTA -----	10	13	20	14	17	15	20	20	10	6	1	-
WHITE-----MALE----	2	1	4	1	5	4	4	2	1	2	-	-
FEMALE--	8	10	15	13	12	10	16	17	9	4	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	2	1	-	-	1	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	110	126	119	135	157	140	126	91	46	18	5	-
WHITE-----MALE----	11	25	18	21	24	22	19	14	6	1	-	-
FEMALE--	83	81	83	97	113	105	91	67	32	13	2	-
ALL OTHER--MALE----	2	1	2	5	1	-	1	2	-	-	-	-
FEMALE--	14	19	16	12	19	13	15	8	8	4	3	-
BLACK---MALE----	2	1	2	5	1	-	-	2	-	-	-	-
FEMALE--	14	17	15	12	19	12	15	8	8	4	3	-
TEXAS -----	297	328	317	333	405	364	324	202	131	31	4	-
WHITE-----MALE----	35	37	50	58	72	60	48	28	10	4	-	-
FEMALE--	208	245	217	238	300	273	257	158	108	22	4	-
ALL OTHER--MALE----	1	3	5	5	1	3	-	2	1	-	-	-
FEMALE--	53	43	45	32	32	28	19	14	12	5	-	-
BLACK---MALE----	1	3	5	5	1	3	-	2	-	-	-	-
FEMALE--	51	40	43	30	30	25	18	14	12	5	-	-
UTAH -----	21	30	27	41	38	43	28	22	16	3	1	-
WHITE-----MALE----	5	5	5	8	7	10	9	5	4	-	-	-
FEMALE--	15	25	22	33	31	33	19	17	10	3	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	2	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	2	-	-	-
VERMONT -----	11	12	12	12	15	21	11	13	5	-	-	-
WHITE-----MALE----	1	1	4	2	5	3	2	-	-	-	-	-
FEMALE--	10	11	8	9	10	18	9	13	5	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	140	130	139	117	170	187	115	76	40	14	2	-
WHITE-----MALE----	21	21	20	19	21	28	16	8	4	3	-	-
FEMALE--	92	85	87	72	115	128	78	59	31	11	1	-
ALL OTHER--MALE----	4	1	1	5	7	4	1	1	-	-	-	-
FEMALE--	23	23	31	21	27	27	20	8	5	-	1	-
BLACK---MALE----	4	-	-	4	7	3	1	1	-	-	-	-
FEMALE--	21	21	31	21	25	27	18	8	5	-	1	-





TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 685

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 OF BONE AND ARTICULAR CARTILAGE (170)												
UNITED STATES --	1,238	-	3	16	56	103	78	42	35	41	43	65
WHITE-----MALE----	617	-	2	6	29	55	41	21	16	25	21	32
FEMALE--	457	-	-	5	14	29	23	12	11	11	15	21
ALL OTHER--MALE----	93	-	1	2	9	12	9	7	3	4	4	8
FEMALE--	71	-	-	3	4	7	5	2	5	1	3	4
BLACK---MALE----	76	-	1	1	8	10	8	5	2	1	4	8
FEMALE--	58	-	-	2	3	7	4	1	5	1	2	4
ALABAMA -----	35	-	-	-	-	2	-	1	-	1	1	3
WHITE-----MALE----	17	-	-	-	-	1	-	1	-	1	-	2
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	5	-	-	-	-	1	-	-	-	-	-	1
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	5	-	-	-	-	1	-	-	-	-	-	1
ALASKA -----	2	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	13	-	-	-	-	-	2	1	-	1	1	-
WHITE-----MALE----	8	-	-	-	-	-	1	-	-	1	1	-
FEMALE--	5	-	-	-	-	-	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	38	-	-	-	-	2	1	1	-	-	2	2
WHITE-----MALE----	20	-	-	-	-	1	-	1	-	-	1	-
FEMALE--	15	-	-	-	-	-	1	-	-	-	1	2
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	1	-	-	-	-	-	-
CALIFORNIA -----	130	-	-	2	8	9	9	5	4	10	3	9
WHITE-----MALE----	65	-	-	1	5	3	6	3	2	6	1	2
FEMALE--	46	-	-	-	2	5	3	1	-	3	2	5
ALL OTHER--MALE----	11	-	-	1	1	1	-	1	-	1	-	2
FEMALE--	8	-	-	-	-	-	-	-	2	-	-	-
BLACK---MALE----	6	-	-	-	-	1	-	1	-	-	-	2
FEMALE--	5	-	-	-	-	-	-	-	2	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 685

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OF BONE AND ARTICULAR CARTILAGE (170)												
UNITED STATES --	39	73	76	101	115	139	104	68	34	6	1	-
WHITE-----MALE----	19	41	37	57	60	57	44	36	17	1	-	-
FEMALE--	12	24	25	39	47	66	55	26	16	5	1	-
ALL OTHER--MALE----	4	4	8	2	5	4	2	4	1	-	-	-
FEMALE--	4	4	6	3	3	12	3	2	-	-	-	-
BLACK---MALE----	4	4	5	2	3	4	2	4	-	-	-	-
FEMALE--	3	2	6	2	3	10	2	1	-	-	-	-
ALABAMA -----	-	2	4	7	2	7	2	3	-	-	-	-
WHITE-----MALE----	-	1	1	5	1	3	-	1	-	-	-	-
FEMALE--	-	-	1	2	1	3	1	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	1	2	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	1	2	-	-	-	-	-	-	-	-	-
ALASKA -----	-	1	-	1	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	2	-	1	-	-	3	2	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	2	2	-	-	-	-	-
FEMALE--	1	-	1	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	3	1	2	5	7	5	4	3	-	-	-	-
WHITE-----MALE----	1	1	-	4	5	2	2	2	-	-	-	-
FEMALE--	1	-	2	1	2	2	2	1	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
CALIFORNIA -----	5	8	7	13	14	12	9	1	1	1	-	-
WHITE-----MALE----	3	4	5	7	7	3	5	1	1	-	-	-
FEMALE--	1	1	1	5	4	9	3	-	-	1	-	-
ALL OTHER--MALE----	1	1	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	2	-	1	2	-	1	-	-	-	-	-
BLACK---MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	2	-	-	-	-	-	-	-



TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 686

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OF BONE AND ARTICULAR CARTILAGE (170)												
COLORADO -----	1	1	1	1	1	2	-	-	1	-	-	-
WHITE-----MALE----	-	1	1	1	1	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	-	-	-	1	1	5	-	1	-	-	-	-
WHITE-----MALE----	-	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	5	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	-	-	1	-	3	-	1	-	-	-	-
WHITE-----MALE----	-	-	-	1	-	2	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	1	6	4	12	4	8	11	4	1	-	1	-
WHITE-----MALE----	1	5	4	7	3	3	3	3	-	-	-	-
FEMALE--	-	1	-	5	1	3	8	-	1	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	2	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	1	-	-	-	-
GEORGIA -----	-	1	2	5	3	3	1	1	-	-	-	-
WHITE-----MALE----	-	-	-	3	2	-	-	1	-	-	-	-
FEMALE--	-	1	2	2	1	1	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	2	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	2	-	-	-	-	-	-





TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 687  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OF BONE AND ARTICULAR CARTILAGE (170)												
HAWAII -----	-	-	-	-	-	1	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	-	-	1	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	1	3	7	5	2	5	3	3	2	-	-	-
WHITE-----MALE----	-	2	4	3	1	2	1	1	1	-	-	-
FEMALE--	-	1	2	2	1	2	2	2	1	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
INDIANA -----	-	4	1	1	2	7	2	-	-	-	-	-
WHITE-----MALE----	-	1	1	-	1	4	-	-	-	-	-	-
FEMALE--	-	3	-	1	1	3	2	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IOWA -----	1	-	-	-	2	1	2	-	2	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	1	-	1	-	-	-
FEMALE--	-	-	-	-	2	1	1	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS -----	-	1	1	-	-	3	2	1	1	-	-	-
WHITE-----MALE----	-	1	1	-	-	1	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 688

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 OF BONE AND ARTICULAR CARTILAGE (170)												
KENTUCKY -----	26	-	-	-	1	2	2	1	-	-	1	-
WHITE-----MALE----	18	-	-	-	1	2	2	-	-	-	-	-
FEMALE--	8	-	-	-	-	-	-	1	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	23	-	-	-	-	4	1	1	-	-	-	1
WHITE-----MALE----	10	-	-	-	-	1	1	-	-	-	-	1
FEMALE--	6	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	6	-	-	-	-	2	-	1	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	5	-	-	-	-	2	-	1	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
MAINE -----	2	-	-	-	-	1	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	19	-	-	1	1	2	-	-	3	-	-	-
WHITE-----MALE----	7	-	-	1	1	-	-	-	2	-	-	-
FEMALE--	11	-	-	-	-	1	-	-	1	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS -----	22	-	-	-	-	1	1	2	1	3	1	3
WHITE-----MALE----	15	-	-	-	-	1	1	1	1	2	-	3
FEMALE--	6	-	-	-	-	-	-	-	-	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
MICHIGAN -----	38	-	-	-	1	2	2	2	3	1	-	3
WHITE-----MALE----	20	-	-	-	1	1	1	-	1	-	-	1
FEMALE--	12	-	-	-	-	1	-	1	1	1	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	1	1	-	-	2
FEMALE--	2	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	1	-	-	2
FEMALE--	2	-	-	-	-	-	1	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 688

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OF BONE AND ARTICULAR CARTILAGE (170)												
KENTUCKY -----	-	2	3	1	3	5	2	2	1	-	-	-
WHITE-----MALE----	-	1	2	-	3	3	1	2	1	-	-	-
FEMALE--	-	1	1	1	-	2	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	1	-	1	3	4	3	1	2	1	-	-	-
WHITE-----MALE----	-	-	-	1	2	2	-	1	1	-	-	-
FEMALE--	1	-	-	2	-	-	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	2	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
MAINE -----	-	-	1	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	-	1	1	1	2	1	4	2	-	-	-	-
WHITE-----MALE----	-	-	-	-	1	-	2	-	-	-	-	-
FEMALE--	-	1	1	1	1	1	2	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS -----	1	-	1	2	2	-	2	2	-	-	-	-
WHITE-----MALE----	-	-	1	2	1	-	2	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	1	5	3	3	2	3	1	2	4	-	-	-
WHITE-----MALE----	-	4	2	-	1	2	1	1	4	-	-	-
FEMALE--	1	1	1	3	1	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-













TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 691

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OF BONE AND ARTICULAR CARTILAGE (170)												
OHIO -----	3	2	3	3	4	6	5	3	3	-	-	-
WHITE-----MALE----	3	1	1	1	1	3	2	1	-	-	-	-
FEMALE--	-	1	2	2	3	3	3	2	3	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA -----	-	-	1	-	2	3	1	1	2	-	-	-
WHITE-----MALE----	-	-	1	-	-	2	-	1	-	-	-	-
FEMALE--	-	-	-	-	2	1	1	-	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	-	-	1	-	-	-	2	-	-	2	-	-
WHITE-----MALE----	-	-	1	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	1	2	2	3	7	-	4	4	1	-	-	-
WHITE-----MALE----	1	1	1	3	3	-	2	2	1	-	-	-
FEMALE--	-	1	1	-	3	-	2	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND -----	-	-	-	-	-	1	-	2	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	-	2	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	3	-	2	1	2	3	1	-	-	-	-	-
WHITE-----MALE----	2	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	1	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	1	1	-	-	1	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	1	1	-	-	1	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 692  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 OF BONE AND ARTICULAR CARTILAGE (170)												
SOUTH DAKOTA -----	5	-	-	-	-	-	-	1	-	1	-	-
WHITE-----MALE----	4	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	40	-	-	-	3	2	1	-	1	1	1	-
WHITE-----MALE----	20	-	-	-	2	2	-	-	-	1	1	-
FEMALE--	14	-	-	-	1	-	-	-	1	-	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
TEXAS -----	93	-	1	-	6	7	7	2	2	3	2	9
WHITE-----MALE----	45	-	-	-	3	4	5	2	2	2	1	2
FEMALE--	35	-	-	-	3	1	2	-	-	1	1	2
ALL OTHER--MALE----	8	-	1	-	-	2	-	-	-	-	-	2
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	3
BLACK---MALE----	7	-	1	-	-	2	-	-	-	-	-	2
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	3
UTAH -----	10	-	-	-	-	3	2	1	1	-	1	-
WHITE-----MALE----	7	-	-	-	-	3	1	-	-	-	1	-
FEMALE--	3	-	-	-	-	-	1	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	2	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	26	-	-	2	2	1	3	2	-	-	-	1
WHITE-----MALE----	10	-	-	-	-	-	3	-	-	-	-	1
FEMALE--	9	-	-	-	1	1	-	-	-	-	-	-
ALL OTHER--MALE----	4	-	-	1	-	-	-	2	-	-	-	-
FEMALE--	3	-	-	1	1	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	1	1	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 692  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OF BONE AND ARTICULAR CARTILAGE (170)												
SOUTH DAKOTA -----	-	-	2	-	-	-	-	1	-	-	-	-
WHITE-----MALE----	-	-	2	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	4	2	6	-	6	5	4	2	2	-	-	-
WHITE-----MALE----	2	2	2	-	2	2	2	1	1	-	-	-
FEMALE--	1	-	2	-	3	3	1	1	1	-	-	-
ALL OTHER--MALE----	-	-	2	-	1	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	2	-	1	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
TEXAS -----	-	6	4	8	10	10	8	6	2	-	-	-
WHITE-----MALE----	-	3	2	5	5	4	2	3	-	-	-	-
FEMALE--	-	3	1	3	5	4	6	2	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	1	1	-	-	-
FEMALE--	-	-	1	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	1	-	-	-	-
FEMALE--	-	-	1	-	-	1	-	-	-	-	-	-
UTAH -----	-	-	-	-	1	-	-	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	1	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	-	-	-	2	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	-	4	1	1	2	3	3	-	1	-	-	-
WHITE-----MALE----	-	2	1	-	-	1	1	-	1	-	-	-
FEMALE--	-	2	-	1	1	2	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-





TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 694  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 0 OF CONNECTIVE AND OTHER SOFT TISSUE (171)	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
UNITED STATES --	3,937	4	19	30	28	70	60	82	98	133	203	257
WHITE-----MALE----	1,624	3	7	15	11	25	26	36	37	55	103	109
FEMALE--	1,718	1	8	8	10	30	20	28	37	49	59	102
ALL OTHER--MALE----	267	-	3	5	3	9	8	9	15	16	21	20
FEMALE--	328	-	1	2	4	6	6	9	9	13	20	26
BLACK---MALE----	208	-	3	4	3	6	7	7	11	11	19	15
FEMALE--	275	-	1	2	4	6	3	6	8	11	19	22
ALABAMA -----	52	-	1	1	1	1	-	-	1	2	2	3
WHITE-----MALE----	19	-	1	1	1	-	-	-	-	1	1	1
FEMALE--	23	-	-	-	-	1	-	-	-	1	-	1
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	6	-	-	-	-	-	-	-	1	-	-	1
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	5	-	-	-	-	-	-	-	1	-	-	1
ALASKA -----	4	-	-	1	-	-	-	-	-	-	-	-
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	52	-	-	1	-	-	1	1	1	1	8	4
WHITE-----MALE----	25	-	-	1	-	-	1	1	-	1	5	2
FEMALE--	23	-	-	-	-	-	-	-	1	-	1	2
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
ARKANSAS -----	32	1	-	-	1	2	-	1	-	1	2	-
WHITE-----MALE----	11	1	-	-	1	-	-	1	-	-	1	-
FEMALE--	16	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	1	1	-
BLACK---MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	1	1	-
CALIFORNIA -----	439	1	1	3	2	5	12	9	13	22	22	27
WHITE-----MALE----	188	1	-	3	1	2	5	5	7	12	15	12
FEMALE--	176	-	1	-	1	2	4	3	3	5	5	10
ALL OTHER--MALE----	35	-	-	-	-	1	-	-	3	3	1	2
FEMALE--	40	-	-	-	-	-	3	1	-	2	1	3
BLACK---MALE----	13	-	-	-	-	1	-	-	2	2	-	2
FEMALE--	21	-	-	-	-	-	-	-	-	1	1	2

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 694  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OF CONNECTIVE AND OTHER SOFT TISSUE (171)												
UNITED STATES --	287	315	324	383	500	465	348	212	94	22	3	-
WHITE-----MALE----	93	125	139	171	224	197	143	70	28	6	1	-
FEMALE--	135	127	140	157	220	215	172	124	60	14	2	-
ALL OTHER--MALE----	29	25	18	23	26	16	13	8	-	-	-	-
FEMALE--	30	38	27	32	30	37	20	10	6	2	-	-
BLACK---MALE----	19	21	13	21	20	12	9	7	-	-	-	-
FEMALE--	23	33	20	25	26	31	18	10	5	2	-	-
ALABAMA -----	4	3	5	6	9	8	-	3	2	-	-	-
WHITE-----MALE----	1	1	1	3	3	3	-	1	-	-	-	-
FEMALE--	1	1	3	2	5	5	-	2	1	-	-	-
ALL OTHER--MALE----	2	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	1	-	-	-	-	1	-	-	-
BLACK---MALE----	2	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	-	-	1	-	-	-
ALASKA -----	-	-	1	1	-	1	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	6	5	4	5	6	3	3	2	-	1	-	-
WHITE-----MALE----	2	2	-	3	3	2	1	1	-	-	-	-
FEMALE--	4	3	3	2	2	1	2	1	-	1	-	-
ALL OTHER--MALE----	-	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	1	3	4	5	2	4	1	4	-	-	-	-
WHITE-----MALE----	1	-	2	3	-	1	-	-	-	-	-	-
FEMALE--	-	3	1	2	2	3	1	3	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	1	-	-	-	-
CALIFORNIA -----	38	21	36	38	69	42	41	21	10	4	2	-
WHITE-----MALE----	14	10	14	11	31	14	19	6	5	-	1	-
FEMALE--	14	5	17	19	28	19	17	14	5	3	1	-
ALL OTHER--MALE----	5	4	3	3	5	2	3	-	-	-	-	-
FEMALE--	5	2	2	5	5	7	2	1	-	1	-	-
BLACK---MALE----	1	1	1	1	2	-	-	-	-	-	-	-
FEMALE--	1	2	1	2	3	4	2	1	-	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 695

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 OF CONNECTIVE AND OTHER SOFT TISSUE (171)												
COLORADO -----	47	-	-	-	-	1	-	-	-	2	2	3
WHITE-----MALE----	19	-	-	-	-	-	-	-	-	-	2	1
FEMALE--	28	-	-	-	-	1	-	-	-	2	-	2
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	49	-	2	-	-	-	2	1	2	2	4	1
WHITE-----MALE----	14	-	1	-	-	-	-	-	-	1	2	1
FEMALE--	29	-	-	-	-	-	1	1	2	1	2	-
ALL OTHER--MALE----	4	-	1	-	-	-	1	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	1	-	-	-	1	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	9	-	-	-	-	-	-	1	-	-	1	2
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
DISTRICT OF COLUMBIA ----	9	-	-	1	-	-	-	-	1	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	3	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	1	-	-	-
FLORIDA -----	189	-	1	2	2	6	1	4	5	6	3	11
WHITE-----MALE----	85	-	-	1	-	3	1	2	3	4	2	5
FEMALE--	80	-	1	1	1	1	-	1	1	-	-	4
ALL OTHER--MALE----	12	-	-	-	-	2	-	1	1	1	1	-
FEMALE--	12	-	-	-	1	-	-	-	-	1	-	2
BLACK---MALE----	12	-	-	-	-	2	-	1	1	1	1	-
FEMALE--	12	-	-	-	1	-	-	-	-	1	-	2
GEORGIA -----	96	-	-	1	-	3	-	-	2	4	4	9
WHITE-----MALE----	35	-	-	1	-	1	-	-	-	4	1	4
FEMALE--	36	-	-	-	-	1	-	-	1	-	1	2
ALL OTHER--MALE----	8	-	-	-	-	-	-	-	1	-	1	2
FEMALE--	17	-	-	-	-	1	-	-	-	-	1	1
BLACK---MALE----	8	-	-	-	-	-	-	-	1	-	1	2
FEMALE--	16	-	-	-	-	1	-	-	-	-	1	1



TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 695

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OF CONNECTIVE AND OTHER SOFT TISSUE (171)												
COLORADO -----	2	2	7	9	5	5	5	4	-	-	-	-
WHITE-----MALE----	-	-	3	6	3	2	2	-	-	-	-	-
FEMALE--	2	2	4	3	2	3	3	4	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	4	3	4	2	8	4	5	2	3	-	-	-
WHITE-----MALE----	1	-	1	-	4	-	2	-	1	-	-	-
FEMALE--	2	2	3	1	3	4	3	2	2	-	-	-
ALL OTHER--MALE----	-	1	-	-	1	-	-	-	-	-	-	-
FEMALE--	1	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	1	-	-	-	-	-	-	-
FEMALE--	1	-	-	1	-	-	-	-	-	-	-	-
DELAWARE -----	-	-	-	-	4	1	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	3	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	2	1	-	-	1	2	-	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	2	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	2	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	8	17	12	11	25	30	22	16	4	3	-	-
WHITE-----MALE----	3	7	6	5	10	14	12	7	-	-	-	-
FEMALE--	5	10	3	5	13	13	7	7	4	3	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	3	2	-	-	-	-
FEMALE--	-	-	2	1	2	3	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	3	2	-	-	-	-
FEMALE--	-	-	2	1	2	3	-	-	-	-	-	-
GEORGIA -----	6	8	5	15	12	11	7	8	1	-	-	-
WHITE-----MALE----	2	3	3	3	5	3	2	3	-	-	-	-
FEMALE--	2	1	2	8	5	5	4	3	1	-	-	-
ALL OTHER--MALE----	-	1	-	1	-	1	1	-	-	-	-	-
FEMALE--	2	3	-	3	2	2	-	2	-	-	-	-
BLACK---MALE----	-	1	-	1	-	1	1	-	-	-	-	-
FEMALE--	1	3	-	3	2	2	-	2	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 696

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 OF CONNECTIVE AND OTHER SOFT TISSUE (171)												
HAWAII -----	20	-	-	-	1	1	-	-	1	1	-	2
WHITE-----MALE----	1	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	8	-	-	-	-	1	-	-	1	-	-	2
FEMALE--	8	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	16	-	-	-	-	1	-	-	-	-	1	1
WHITE-----MALE----	5	-	-	-	-	1	-	-	-	-	1	-
FEMALE--	11	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	200	-	2	1	3	4	4	6	8	8	5	15
WHITE-----MALE----	86	-	-	1	1	3	1	2	3	4	2	3
FEMALE--	78	-	-	-	1	1	2	1	2	3	1	9
ALL OTHER--MALE----	18	-	1	-	1	-	1	1	1	1	2	2
FEMALE--	18	-	1	-	-	-	-	2	2	-	-	1
BLACK---MALE----	15	-	1	-	1	-	1	-	-	1	2	1
FEMALE--	15	-	1	-	-	-	-	2	1	-	-	1
INDIANA -----	88	-	-	1	-	2	1	2	2	2	6	5
WHITE-----MALE----	34	-	-	-	-	1	-	1	1	1	3	2
FEMALE--	47	-	-	-	-	1	1	1	-	1	2	3
ALL OTHER--MALE----	5	-	-	1	-	-	-	-	1	-	1	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	5	-	-	1	-	-	-	-	1	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
IOWA -----	36	-	-	-	1	-	-	-	-	-	2	3
WHITE-----MALE----	15	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	21	-	-	-	1	-	-	-	-	-	1	2
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS -----	46	-	-	-	-	1	2	1	1	3	1	2
WHITE-----MALE----	16	-	-	-	-	-	2	-	1	-	-	1
FEMALE--	23	-	-	-	-	-	-	1	-	3	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	1	-	-	-	-	1	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	1	-	-	-	-	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 696

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OF CONNECTIVE AND OTHER SOFT TISSUE (171)												
HAWAII -----	3	3	2	1	2	-	2	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	2	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	1	-	-	-	1	1	-	-	-	-
FEMALE--	1	3	1	1	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	3	3	-	1	1	1	1	2	1	-	-	-
WHITE-----MALE----	1	1	-	-	-	-	-	-	1	-	-	-
FEMALE--	2	2	-	1	1	1	1	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	17	17	9	23	24	22	20	8	2	2	-	-
WHITE-----MALE----	7	2	6	12	16	10	10	1	1	1	-	-
FEMALE--	8	9	1	8	8	7	9	6	1	1	-	-
ALL OTHER--MALE----	1	2	1	2	-	2	-	-	-	-	-	-
FEMALE--	1	4	1	1	-	3	1	1	-	-	-	-
BLACK---MALE----	1	2	1	2	-	2	-	-	-	-	-	-
FEMALE--	1	4	-	1	-	2	1	1	-	-	-	-
INDIANA -----	8	6	9	11	8	8	9	5	2	1	-	-
WHITE-----MALE----	3	2	5	5	2	2	3	1	2	-	-	-
FEMALE--	5	4	4	6	4	5	5	4	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
IOWA -----	2	1	5	3	3	4	5	3	4	-	-	-
WHITE-----MALE----	1	1	2	1	3	2	2	1	-	-	-	-
FEMALE--	1	-	3	2	-	2	3	2	4	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS -----	3	7	2	4	11	5	1	1	1	-	-	-
WHITE-----MALE----	-	2	-	2	6	2	-	-	-	-	-	-
FEMALE--	3	3	2	-	4	3	1	1	1	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	2	1	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	2	1	-	-	-	-	-	-	-



TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 697

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OF CONNECTIVE AND OTHER SOFT TISSUE (171)												
KENTUCKY -----	4	6	5	13	6	10	5	2	-	-	-	-
WHITE-----MALE----	1	4	3	7	2	5	1	1	-	-	-	-
FEMALE--	3	2	1	6	4	5	3	1	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
LOUISIANA -----	1	6	2	3	4	6	5	4	1	1	-	-
WHITE-----MALE----	-	2	-	1	-	5	1	1	-	-	-	-
FEMALE--	1	1	1	1	4	-	1	2	1	-	-	-
ALL OTHER--MALE----	-	1	-	1	-	1	-	1	-	-	-	-
FEMALE--	-	2	1	-	-	-	3	-	-	1	-	-
BLACK---MALE----	-	1	-	1	-	1	-	1	-	-	-	-
FEMALE--	-	2	1	-	-	-	3	-	-	1	-	-
MAINE -----	1	-	2	-	3	2	3	-	1	-	-	-
WHITE-----MALE----	-	-	1	-	1	1	2	-	-	-	-	-
FEMALE--	1	-	1	-	2	1	1	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	7	4	10	10	10	11	7	5	1	-	-	-
WHITE-----MALE----	1	1	6	5	7	4	3	1	-	-	-	-
FEMALE--	3	3	2	3	1	6	4	4	1	-	-	-
ALL OTHER--MALE----	-	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	3	-	2	1	1	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	3	-	1	1	1	1	-	-	-	-	-	-
MASSACHUSETTS -----	8	12	9	16	12	13	12	7	2	1	-	-
WHITE-----MALE----	1	6	1	8	5	7	6	1	-	-	-	-
FEMALE--	5	5	8	5	5	5	5	6	2	1	-	-
ALL OTHER--MALE----	2	1	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	3	2	-	1	-	-	-	-	-
BLACK---MALE----	1	1	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	2	2	-	1	-	-	-	-	-
MICHIGAN -----	12	14	14	11	18	28	9	4	1	1	-	-
WHITE-----MALE----	6	5	6	7	8	12	6	4	-	-	-	-
FEMALE--	5	4	6	4	9	11	3	-	1	1	-	-
ALL OTHER--MALE----	1	1	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	4	2	-	-	4	-	-	-	-	-	-
BLACK---MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	4	2	-	-	4	-	-	-	-	-	-











TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 700

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 OF CONNECTIVE AND OTHER SOFT TISSUE (171)												
OHIO -----	157	-	1	2	1	3	4	2	4	4	13	9
WHITE-----MALE----	66	-	1	1	-	2	2	2	-	1	7	5
FEMALE--	74	-	-	-	1	1	2	-	3	3	4	4
ALL OTHER--MALE----	9	-	-	1	-	-	-	-	1	-	1	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	9	-	-	1	-	-	-	-	1	-	1	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	1	-
OKLAHOMA -----	55	-	-	1	-	-	1	1	-	-	4	3
WHITE-----MALE----	30	-	-	1	-	-	1	-	-	-	4	1
FEMALE--	20	-	-	-	-	-	-	-	-	-	-	2
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	1	-	-	-	-
OREGON -----	57	-	-	-	-	-	-	1	3	1	5	1
WHITE-----MALE----	23	-	-	-	-	-	-	-	1	-	3	-
FEMALE--	31	-	-	-	-	-	-	1	2	1	1	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	185	-	-	1	-	1	2	6	7	10	5	17
WHITE-----MALE----	74	-	-	-	-	-	2	1	3	4	1	9
FEMALE--	87	-	-	-	-	1	-	3	2	4	2	6
ALL OTHER--MALE----	13	-	-	-	-	-	-	1	2	1	1	1
FEMALE--	11	-	-	1	-	-	-	1	-	1	1	1
BLACK---MALE----	12	-	-	-	-	-	-	1	2	1	1	1
FEMALE--	11	-	-	1	-	-	-	1	-	1	1	1
RHODE ISLAND -----	16	-	-	-	-	-	1	-	1	1	1	1
WHITE-----MALE----	8	-	-	-	-	-	-	-	1	1	1	-
FEMALE--	8	-	-	-	-	-	1	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	54	-	-	-	1	-	2	2	2	1	-	1
WHITE-----MALE----	15	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	21	-	-	-	-	-	1	1	-	1	-	1
ALL OTHER--MALE----	8	-	-	-	1	-	-	1	-	-	-	-
FEMALE--	10	-	-	-	-	-	1	-	1	-	-	-
BLACK---MALE----	8	-	-	-	1	-	-	1	-	-	-	-
FEMALE--	10	-	-	-	-	-	1	-	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 700

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OF CONNECTIVE AND OTHER SOFT TISSUE (171)												
OHIO -----	11	7	13	15	18	25	13	5	6	1	-	-
WHITE-----MALE----	5	4	5	5	5	12	6	2	1	-	-	-
FEMALE--	5	2	7	6	11	11	6	3	4	1	-	-
ALL OTHER--MALE----	1	1	1	1	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	3	2	1	-	-	1	-	-	-
BLACK---MALE----	1	1	1	1	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	3	2	1	-	-	1	-	-	-
OKLAHOMA -----	3	9	3	9	4	9	4	3	1	-	-	-
WHITE-----MALE----	1	5	3	6	1	4	1	1	1	-	-	-
FEMALE--	1	2	-	3	3	4	3	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	2	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	2	-	-	-	1	-	-	-	-	-	-
OREGON -----	4	6	2	5	10	6	8	3	2	-	-	-
WHITE-----MALE----	-	3	2	1	4	3	4	1	1	-	-	-
FEMALE--	4	3	-	4	6	3	3	2	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
PENNSYLVANIA -----	5	16	12	25	26	21	16	12	2	1	-	-
WHITE-----MALE----	2	6	3	11	10	9	6	7	-	-	-	-
FEMALE--	2	9	8	11	13	9	10	4	2	1	-	-
ALL OTHER--MALE----	1	1	-	2	3	-	-	-	-	-	-	-
FEMALE--	-	-	1	1	-	3	-	1	-	-	-	-
BLACK---MALE----	-	1	-	2	3	-	-	-	-	-	-	-
FEMALE--	-	-	1	1	-	3	-	1	-	-	-	-
RHODE ISLAND -----	1	1	-	1	2	4	2	-	-	-	-	-
WHITE-----MALE----	-	1	-	1	-	2	1	-	-	-	-	-
FEMALE--	1	-	-	-	2	2	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	7	4	8	6	9	4	3	3	1	-	-	-
WHITE-----MALE----	1	-	5	3	3	-	1	1	-	-	-	-
FEMALE--	1	3	3	1	3	2	1	2	1	-	-	-
ALL OTHER--MALE----	1	1	-	1	2	-	1	-	-	-	-	-
FEMALE--	4	-	-	1	1	2	-	-	-	-	-	-
BLACK---MALE----	1	1	-	1	2	-	1	-	-	-	-	-
FEMALE--	4	-	-	1	1	2	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 701

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 OF CONNECTIVE AND OTHER SOFT TISSUE (171)												
SOUTH DAKOTA -----	19	-	-	1	-	-	-	-	-	-	3	-
WHITE-----MALE----	10	-	-	1	-	-	-	-	-	-	2	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	88	-	-	1	-	3	1	2	1	2	7	9
WHITE-----MALE----	33	-	-	-	-	3	-	1	-	1	2	3
FEMALE--	43	-	-	-	-	-	1	1	1	-	4	4
ALL OTHER--MALE----	5	-	-	1	-	-	-	-	-	1	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	1	2
BLACK---MALE----	4	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	1	1
TEXAS -----	249	2	2	3	5	4	4	7	10	5	14	18
WHITE-----MALE----	101	1	1	-	3	1	2	4	1	1	5	9
FEMALE--	111	1	1	3	1	2	2	1	6	2	6	7
ALL OTHER--MALE----	18	-	-	-	-	1	-	1	1	1	2	1
FEMALE--	19	-	-	-	1	-	-	1	2	1	1	1
BLACK---MALE----	16	-	-	-	-	-	-	-	1	1	2	1
FEMALE--	18	-	-	-	1	-	-	-	2	1	1	1
UTAH -----	33	-	-	1	1	-	1	1	2	2	1	1
WHITE-----MALE----	18	-	-	-	-	-	-	1	1	2	1	1
FEMALE--	15	-	-	1	1	-	1	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	11	-	-	1	-	-	-	-	-	2	-	1
WHITE-----MALE----	6	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	2	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	99	-	-	-	1	-	1	4	1	4	3	9
WHITE-----MALE----	30	-	-	-	-	-	-	2	-	-	-	5
FEMALE--	35	-	-	-	1	-	-	-	1	1	2	2
ALL OTHER--MALE----	15	-	-	-	-	-	-	-	-	2	-	1
FEMALE--	19	-	-	-	-	-	1	2	-	1	1	1
BLACK---MALE----	12	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	17	-	-	-	-	-	1	1	-	1	1	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 701  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OF CONNECTIVE AND OTHER SOFT TISSUE (171)												
SOUTH DAKOTA -----	1	-	3	1	2	3	2	2	1	-	-	-
WHITE-----MALE----	1	-	2	-	2	1	1	-	-	-	-	-
FEMALE--	-	-	1	1	-	1	1	2	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	3	11	10	6	10	10	5	4	2	1	-	-
WHITE-----MALE----	-	5	4	2	5	2	3	1	-	1	-	-
FEMALE--	2	4	4	3	5	8	2	2	2	-	-	-
ALL OTHER--MALE----	1	-	-	1	-	-	-	1	-	-	-	-
FEMALE--	-	2	2	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	1	-	-	-	1	-	-	-	-
FEMALE--	-	2	2	-	-	-	-	-	-	-	-	-
TEXAS -----	20	27	19	21	33	20	20	10	5	-	-	-
WHITE-----MALE----	8	10	10	8	15	9	6	6	1	-	-	-
FEMALE--	9	11	6	7	15	10	14	3	4	-	-	-
ALL OTHER--MALE----	1	2	2	4	1	-	-	1	-	-	-	-
FEMALE--	2	4	1	2	2	1	-	-	-	-	-	-
BLACK---MALE----	1	2	2	4	1	-	-	1	-	-	-	-
FEMALE--	2	4	1	2	2	1	-	-	-	-	-	-
UTAH -----	1	3	3	3	2	4	6	-	1	-	-	-
WHITE-----MALE----	1	1	2	2	-	2	4	-	-	-	-	-
FEMALE--	-	2	1	1	2	2	2	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	3	1	1	1	1	-	-	-	-	-
WHITE-----MALE----	-	-	3	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	9	9	9	7	13	18	5	5	1	-	-	-
WHITE-----MALE----	1	5	3	3	3	7	-	1	-	-	-	-
FEMALE--	5	1	3	2	4	6	4	2	1	-	-	-
ALL OTHER--MALE----	1	1	-	1	5	3	-	1	-	-	-	-
FEMALE--	2	2	3	1	1	2	1	1	-	-	-	-
BLACK---MALE----	1	-	-	1	5	2	-	1	-	-	-	-
FEMALE--	2	2	3	1	1	2	-	1	-	-	-	-





TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 703

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 MELANOMA OF SKIN (172)												
UNITED STATES --	7,431	-	1	1	1	10	38	67	168	277	385	505
WHITE-----MALE----	4,685	-	-	1	-	6	25	35	96	166	254	324
FEMALE--	2,590	-	1	-	-	4	10	30	67	104	129	172
ALL OTHER--MALE----	62	-	-	-	-	-	2	1	4	5	2	3
FEMALE--	94	-	-	-	1	-	1	1	1	2	-	6
BLACK---MALE----	44	-	-	-	-	-	2	1	3	4	2	2
FEMALE--	77	-	-	-	-	-	1	1	1	1	-	6
ALABAMA -----	98	-	-	-	-	-	-	2	1	1	5	5
WHITE-----MALE----	62	-	-	-	-	-	-	-	1	-	5	3
FEMALE--	31	-	-	-	-	-	-	2	-	1	-	2
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
ALASKA -----	11	-	-	-	-	-	-	-	-	1	-	1
WHITE-----MALE----	5	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	138	-	-	-	-	1	1	-	2	4	7	9
WHITE-----MALE----	90	-	-	-	-	-	1	-	1	3	4	5
FEMALE--	47	-	-	-	-	1	-	-	1	-	3	4
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	73	-	-	-	-	2	-	2	3	2	5	3
WHITE-----MALE----	43	-	-	-	-	1	-	-	2	1	2	2
FEMALE--	29	-	-	-	-	1	-	2	1	1	3	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	821	-	-	-	-	1	5	8	19	27	47	67
WHITE-----MALE----	518	-	-	-	-	1	3	3	12	12	30	43
FEMALE--	285	-	-	-	-	-	2	5	7	13	17	24
ALL OTHER--MALE----	10	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	1	-	-



TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 703

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 MELANOMA OF SKIN (172)												
UNITED STATES --	586	586	668	824	936	906	739	482	200	44	7	-
WHITE-----MALE----	387	389	445	568	611	569	451	265	77	16	-	-
FEMALE--	189	187	207	241	305	320	268	209	114	26	7	-
ALL OTHER--MALE----	2	5	4	7	11	5	7	1	3	-	-	-
FEMALE--	8	5	12	8	9	12	13	7	6	2	-	-
BLACK---MALE----	1	3	3	4	7	2	6	1	3	-	-	-
FEMALE--	5	3	10	6	7	10	12	7	5	2	-	-
ALABAMA -----	9	7	9	17	8	13	12	7	1	1	-	-
WHITE-----MALE----	7	5	4	13	5	8	5	5	-	1	-	-
FEMALE--	2	2	4	4	2	4	5	2	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	1	1	2	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	1	1	2	-	-	-	-	-
ALASKA -----	2	4	1	-	-	2	-	-	-	-	-	-
WHITE-----MALE----	1	2	-	-	-	1	-	-	-	-	-	-
FEMALE--	1	2	1	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	14	13	10	16	17	16	20	7	1	-	-	-
WHITE-----MALE----	13	7	9	13	11	7	12	4	-	-	-	-
FEMALE--	1	6	1	3	6	9	8	3	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	3	6	8	3	8	9	6	7	4	2	-	-
WHITE-----MALE----	1	5	5	2	6	5	4	4	2	1	-	-
FEMALE--	2	1	3	1	1	4	2	3	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
CALIFORNIA -----	71	69	83	74	79	123	76	47	23	2	-	-
WHITE-----MALE----	44	43	55	50	50	85	47	29	10	1	-	-
FEMALE--	26	24	26	20	26	37	27	17	13	1	-	-
ALL OTHER--MALE----	1	1	2	1	3	-	1	-	-	-	-	-
FEMALE--	-	1	-	3	-	1	1	1	-	-	-	-
BLACK---MALE----	-	1	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	1	-	-	-	-



TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 704  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 MELANOMA OF SKIN (172)												
COLORADO -----	14	5	7	13	13	20	9	6	3	-	-	-
WHITE-----MALE----	11	3	6	10	9	12	6	5	3	-	-	-
FEMALE--	3	2	1	3	4	8	3	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	7	7	5	10	13	11	11	9	2	1	-	-
WHITE-----MALE----	5	3	3	8	7	6	3	4	1	-	-	-
FEMALE--	2	4	2	2	6	5	8	5	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	2	-	2	6	4	5	3	1	1	-	-	-
WHITE-----MALE----	1	-	2	4	3	5	2	1	-	-	-	-
FEMALE--	-	-	-	2	1	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
DISTRICT OF COLUMBIA ----	-	-	-	1	3	2	-	-	-	1	-	-
WHITE-----MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	2	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	2	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	2	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	1	-	-
FLORIDA -----	31	31	48	66	79	68	73	39	16	1	-	-
WHITE-----MALE----	22	18	36	47	51	46	49	30	6	1	-	-
FEMALE--	8	13	11	19	28	22	24	9	10	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
GEORGIA -----	8	19	24	23	18	17	18	11	6	2	-	-
WHITE-----MALE----	5	13	13	19	14	11	13	3	3	-	-	-
FEMALE--	2	5	8	4	4	6	5	6	2	1	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	1	-	-	-
FEMALE--	1	-	3	-	-	-	-	2	-	1	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	1	-	-	-
FEMALE--	1	-	3	-	-	-	-	2	-	1	-	-







TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 706

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 MELANOMA OF SKIN (172)												
KENTUCKY -----	8	9	13	14	15	10	10	3	4	1	-	-
WHITE-----MALE----	8	5	10	10	11	9	6	1	2	-	-	-
FEMALE--	-	4	3	4	4	-	4	2	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	5	9	6	11	15	7	9	5	2	-	-	-
WHITE-----MALE----	3	6	4	7	10	4	5	5	2	-	-	-
FEMALE--	2	3	2	3	5	3	2	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
MAINE -----	4	6	4	1	7	1	5	1	1	-	-	-
WHITE-----MALE----	1	4	2	-	5	1	2	-	-	-	-	-
FEMALE--	3	2	2	1	2	-	3	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	11	14	8	17	9	11	12	4	2	-	-	-
WHITE-----MALE----	5	10	5	12	8	6	6	2	2	-	-	-
FEMALE--	5	2	3	5	1	5	6	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	2	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	2	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS -----	14	16	22	27	23	24	22	16	7	2	-	-
WHITE-----MALE----	6	13	16	19	12	15	16	7	2	1	-	-
FEMALE--	8	3	6	8	11	9	6	9	5	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	13	7	12	28	40	33	32	7	9	3	-	-
WHITE-----MALE----	10	6	8	13	25	22	16	3	3	1	-	-
FEMALE--	3	1	4	13	12	10	14	4	6	2	-	-
ALL OTHER--MALE----	-	-	-	1	2	-	2	-	-	-	-	-
FEMALE--	-	-	-	1	1	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	2	-	2	-	-	-	-	-
FEMALE--	-	-	-	1	1	1	-	-	-	-	-	-













TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 709

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 MELANOMA OF SKIN (172)												
OHIO -----	28	28	29	36	42	31	27	25	5	-	-	-
WHITE-----MALE----	15	19	17	27	31	15	14	11	3	-	-	-
FEMALE--	11	9	12	9	10	14	12	14	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	1	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	1	-	-	-	-	-
OKLAHOMA -----	16	11	7	16	9	16	9	6	4	-	-	-
WHITE-----MALE----	12	9	5	10	4	10	5	2	1	-	-	-
FEMALE--	4	2	2	6	5	4	4	4	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	12	8	7	14	18	9	10	6	-	-	-	-
WHITE-----MALE----	8	7	5	8	12	7	6	4	-	-	-	-
FEMALE--	4	1	2	6	6	2	4	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	35	32	43	40	59	46	56	29	14	-	-	-
WHITE-----MALE----	26	25	26	24	37	30	36	15	4	-	-	-
FEMALE--	9	7	17	16	21	16	18	14	10	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
RHODE ISLAND -----	3	1	-	1	5	4	4	5	3	-	-	-
WHITE-----MALE----	-	1	-	1	3	1	2	2	-	-	-	-
FEMALE--	3	-	-	-	2	3	2	3	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	8	10	12	12	8	10	11	4	2	1	-	-
WHITE-----MALE----	5	7	8	9	6	5	7	4	-	1	-	-
FEMALE--	3	3	2	2	2	5	3	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	2	1	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	1	1	-	-	1	-	-	-	-	-



TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 710

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 MELANOMA OF SKIN (172)												
SOUTH DAKOTA -----	1	1	3	1	3	1	3	2	-	1	-	-
WHITE-----MALE----	1	1	-	-	3	1	1	1	-	1	-	-
FEMALE--	-	-	3	1	-	-	2	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	11	19	13	19	18	26	16	11	7	-	-	-
WHITE-----MALE----	6	15	10	12	11	14	9	8	1	-	-	-
FEMALE--	5	4	3	7	6	12	5	2	5	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	1	-	2	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	1	-	2	-	1	-	-	-
TEXAS -----	34	36	39	46	49	42	34	27	12	5	-	-
WHITE-----MALE----	21	16	26	32	32	31	20	12	4	2	-	-
FEMALE--	13	20	10	13	16	9	14	14	7	3	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	2	1	1	2	-	1	1	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	2	1	1	2	-	1	1	-	-	-
UTAH -----	4	3	3	11	7	7	6	4	-	-	-	-
WHITE-----MALE----	2	3	3	5	5	6	5	3	-	-	-	-
FEMALE--	2	-	-	6	2	1	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	1	2	3	2	4	2	2	1	-	-	-	-
WHITE-----MALE----	1	1	1	1	3	1	1	-	-	-	-	-
FEMALE--	-	1	2	1	1	1	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	23	16	16	18	21	21	20	9	2	4	-	-
WHITE-----MALE----	18	10	14	13	13	11	11	5	1	2	-	-
FEMALE--	5	6	2	4	8	8	9	4	1	2	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	2	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	2	-	-	-	-	-	-









TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 712

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OTHER MALIGNANT NEOPLASMS OF SKIN (173)												
UNITED STATES --	114	136	170	247	254	277	273	237	171	46	12	-
WHITE-----MALE----	75	84	116	149	181	184	171	126	86	21	2	-
FEMALE--	20	25	32	58	55	77	93	106	82	24	10	-
ALL OTHER--MALE----	19	23	17	30	13	12	4	3	1	-	-	-
FEMALE--	-	4	5	10	5	4	5	2	2	1	-	-
BLACK---MALE----	18	20	15	28	12	8	2	1	1	-	-	-
FEMALE--	-	4	5	9	4	2	5	1	2	1	-	-
ALABAMA -----	3	2	4	6	2	4	5	4	3	-	-	-
WHITE-----MALE----	2	1	4	3	1	3	4	2	1	-	-	-
FEMALE--	-	-	-	3	-	1	1	2	2	-	-	-
ALL OTHER--MALE----	1	1	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	1	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	3	4	3	3	6	5	4	4	3	2	1	-
WHITE-----MALE----	2	3	3	2	3	4	3	1	2	2	-	-
FEMALE--	1	1	-	1	3	1	1	3	1	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	-	-	3	1	1	3	-	6	3	-	-	-
WHITE-----MALE----	-	-	2	1	1	2	-	3	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	3	3	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	10	10	17	19	24	28	20	22	13	3	-	-
WHITE-----MALE----	6	6	9	11	18	16	10	15	8	1	-	-
FEMALE--	3	3	6	3	3	9	10	7	4	2	-	-
ALL OTHER--MALE----	1	1	2	4	1	2	-	-	-	-	-	-
FEMALE--	-	-	-	1	2	1	-	-	1	-	-	-
BLACK---MALE----	1	-	2	2	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	1	-	-	-





































TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 721

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 OF FEMALE BREAST (174)												
UNITED STATES --	41,737	-	-	-	-	2	3	87	421	1,093	1,915	2,765
WHITE-----FEMALE--	35,759	-	-	-	-	2	2	63	294	794	1,446	2,123
ALL OTHER--FEMALE--	5,978	-	-	-	-	-	1	24	127	299	469	642
BLACK---FEMALE--	5,281	-	-	-	-	-	1	22	109	269	410	547
ALABAMA -----	653	-	-	-	-	-	-	1	8	23	41	45
WHITE-----FEMALE--	492	-	-	-	-	-	-	1	3	14	27	31
ALL OTHER--FEMALE--	161	-	-	-	-	-	-	-	5	9	14	14
BLACK---FEMALE--	158	-	-	-	-	-	-	-	5	9	14	14
ALASKA -----	49	-	-	-	-	-	-	-	-	3	6	4
WHITE-----FEMALE--	36	-	-	-	-	-	-	-	-	3	2	2
ALL OTHER--FEMALE--	13	-	-	-	-	-	-	-	-	-	4	2
BLACK---FEMALE--	2	-	-	-	-	-	-	-	-	-	1	-
ARIZONA -----	632	-	-	-	-	-	-	2	11	8	40	43
WHITE-----FEMALE--	604	-	-	-	-	-	-	2	11	6	32	40
ALL OTHER--FEMALE--	28	-	-	-	-	-	-	-	-	2	8	3
BLACK---FEMALE--	16	-	-	-	-	-	-	-	-	1	2	1
ARKANSAS -----	379	-	-	-	-	-	-	-	3	11	17	21
WHITE-----FEMALE--	316	-	-	-	-	-	-	-	2	6	8	17
ALL OTHER--FEMALE--	63	-	-	-	-	-	-	-	1	5	9	4
BLACK---FEMALE--	62	-	-	-	-	-	-	-	1	5	9	4
CALIFORNIA -----	4,111	-	-	-	-	-	-	12	61	110	228	347
WHITE-----FEMALE--	3,507	-	-	-	-	-	-	10	42	88	170	258
ALL OTHER--FEMALE--	604	-	-	-	-	-	-	2	19	22	58	89
BLACK---FEMALE--	337	-	-	-	-	-	-	1	13	11	33	44

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 721  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OF FEMALE BREAST (174)												
UNITED STATES --	3,574	3,635	3,746	4,263	5,201	5,082	4,368	3,198	1,699	575	109	1
WHITE-----FEMALE--	2,891	2,980	3,156	3,705	4,627	4,599	3,970	2,935	1,557	527	87	1
ALL OTHER--FEMALE--	683	655	590	558	574	483	398	263	142	48	22	-
BLACK---FEMALE--	593	540	520	490	524	438	371	244	133	48	22	-
ALABAMA -----	73	50	70	70	67	73	59	45	23	3	2	-
WHITE-----FEMALE--	48	37	56	56	52	61	50	36	18	2	-	-
ALL OTHER--FEMALE--	25	13	14	14	15	12	9	9	5	1	2	-
BLACK---FEMALE--	25	12	14	14	14	12	9	8	5	1	2	-
ALASKA -----	4	8	7	6	1	5	1	1	3	-	-	-
WHITE-----FEMALE--	4	5	5	5	1	5	1	1	2	-	-	-
ALL OTHER--FEMALE--	-	3	2	1	-	-	-	-	1	-	-	-
BLACK---FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
ARIZONA -----	56	45	72	79	77	80	59	36	20	4	-	-
WHITE-----FEMALE--	51	41	69	78	76	80	59	36	19	4	-	-
ALL OTHER--FEMALE--	5	4	3	1	1	-	-	-	1	-	-	-
BLACK---FEMALE--	4	2	3	1	1	-	-	-	1	-	-	-
ARKANSAS -----	21	33	39	41	48	52	45	27	18	3	-	-
WHITE-----FEMALE--	18	27	35	38	39	45	39	22	17	3	-	-
ALL OTHER--FEMALE--	3	6	4	3	9	7	6	5	1	-	-	-
BLACK---FEMALE--	3	6	4	3	9	6	6	5	1	-	-	-
CALIFORNIA -----	392	399	355	414	483	493	401	247	134	33	2	-
WHITE-----FEMALE--	315	319	297	359	446	445	366	235	122	33	2	-
ALL OTHER--FEMALE--	77	80	58	55	37	48	35	12	12	-	-	-
BLACK---FEMALE--	38	37	29	39	21	31	25	8	7	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 722

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 OF FEMALE BREAST (174)												
COLORADO -----	449	-	-	-	-	-	-	1	3	14	31	41
WHITE-----FEMALE--	426	-	-	-	-	-	-	1	3	13	28	37
ALL OTHER--FEMALE--	23	-	-	-	-	-	-	-	-	1	3	4
BLACK---FEMALE--	20	-	-	-	-	-	-	-	-	1	3	4
CONNECTICUT -----	601	-	-	-	-	-	-	-	3	11	17	34
WHITE-----FEMALE--	542	-	-	-	-	-	-	-	2	10	15	32
ALL OTHER--FEMALE--	59	-	-	-	-	-	-	-	1	1	2	2
BLACK---FEMALE--	55	-	-	-	-	-	-	-	1	1	2	2
DELAWARE -----	140	-	-	-	-	-	-	1	2	2	3	8
WHITE-----FEMALE--	118	-	-	-	-	-	-	-	1	2	3	5
ALL OTHER--FEMALE--	22	-	-	-	-	-	-	1	1	-	-	3
BLACK---FEMALE--	22	-	-	-	-	-	-	1	1	-	-	3
DISTRICT OF COLUMBIA ----	134	-	-	-	-	-	-	-	2	4	14	15
WHITE-----FEMALE--	31	-	-	-	-	-	-	-	1	-	1	4
ALL OTHER--FEMALE--	103	-	-	-	-	-	-	-	1	4	13	11
BLACK---FEMALE--	101	-	-	-	-	-	-	-	1	4	13	10
FLORIDA -----	2,647	-	-	-	-	1	-	8	22	58	93	163
WHITE-----FEMALE--	2,358	-	-	-	-	1	-	5	15	38	71	132
ALL OTHER--FEMALE--	289	-	-	-	-	-	-	3	7	20	22	31
BLACK---FEMALE--	276	-	-	-	-	-	-	3	7	19	22	29
GEORGIA -----	1,035	-	-	-	-	-	-	3	14	50	53	84
WHITE-----FEMALE--	701	-	-	-	-	-	-	1	5	26	32	49
ALL OTHER--FEMALE--	334	-	-	-	-	-	-	2	9	24	21	35
BLACK---FEMALE--	328	-	-	-	-	-	-	2	9	23	21	34

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 722  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OF FEMALE BREAST (174)												
COLORADO -----	40	52	44	31	52	48	35	28	18	10	1	-
WHITE-----FEMALE--	38	50	42	27	50	45	35	28	18	10	1	-
ALL OTHER--FEMALE--	2	2	2	4	2	3	-	-	-	-	-	-
BLACK---FEMALE--	2	2	1	2	2	3	-	-	-	-	-	-
CONNECTICUT -----	57	42	49	63	92	61	72	62	21	15	2	-
WHITE-----FEMALE--	46	32	43	55	88	57	65	61	19	15	2	-
ALL OTHER--FEMALE--	11	10	6	8	4	4	7	1	2	-	-	-
BLACK---FEMALE--	10	8	6	7	4	4	7	1	2	-	-	-
DELAWARE -----	16	13	12	11	20	15	10	16	8	3	-	-
WHITE-----FEMALE--	14	10	8	11	16	13	9	15	8	3	-	-
ALL OTHER--FEMALE--	2	3	4	-	4	2	1	1	-	-	-	-
BLACK---FEMALE--	2	3	4	-	4	2	1	1	-	-	-	-
DISTRICT OF COLUMBIA ----	10	17	8	7	20	13	10	6	5	2	1	-
WHITE-----FEMALE--	5	4	1	1	3	1	5	3	1	1	-	-
ALL OTHER--FEMALE--	5	13	7	6	17	12	5	3	4	1	1	-
BLACK---FEMALE--	4	13	7	6	17	12	5	3	4	1	1	-
FLORIDA -----	193	211	205	282	365	354	315	226	119	27	5	-
WHITE-----FEMALE--	160	173	178	258	337	332	300	214	114	25	5	-
ALL OTHER--FEMALE--	33	38	27	24	28	22	15	12	5	2	-	-
BLACK---FEMALE--	32	35	27	24	25	22	14	10	5	2	-	-
GEORGIA -----	112	88	109	108	111	110	92	61	30	6	4	-
WHITE-----FEMALE--	73	59	74	81	82	84	64	41	23	5	2	-
ALL OTHER--FEMALE--	39	29	35	27	29	26	28	20	7	1	2	-
BLACK---FEMALE--	38	27	35	27	29	26	28	20	6	1	2	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 723

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 OF FEMALE BREAST (174)												
HAWAII -----	131	-	-	-	-	-	-	-	4	2	6	7
WHITE-----FEMALE--	49	-	-	-	-	-	-	-	1	-	2	3
ALL OTHER--FEMALE--	82	-	-	-	-	-	-	-	3	2	4	4
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	169	-	-	-	-	-	-	-	-	2	5	9
WHITE-----FEMALE--	167	-	-	-	-	-	-	-	-	2	5	9
ALL OTHER--FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	1,979	-	-	-	-	-	-	4	23	59	95	136
WHITE-----FEMALE--	1,667	-	-	-	-	-	-	2	19	42	70	98
ALL OTHER--FEMALE--	312	-	-	-	-	-	-	2	4	17	25	38
BLACK---FEMALE--	291	-	-	-	-	-	-	2	3	17	22	36
INDIANA -----	946	-	-	-	-	-	-	3	6	24	41	63
WHITE-----FEMALE--	850	-	-	-	-	-	-	3	4	18	34	53
ALL OTHER--FEMALE--	96	-	-	-	-	-	-	-	2	6	7	10
BLACK---FEMALE--	95	-	-	-	-	-	-	-	2	6	7	9
IOWA -----	533	-	-	-	-	-	-	2	2	13	19	16
WHITE-----FEMALE--	525	-	-	-	-	-	-	1	2	13	18	16
ALL OTHER--FEMALE--	8	-	-	-	-	-	-	1	-	-	1	-
BLACK---FEMALE--	6	-	-	-	-	-	-	-	-	-	1	-
KANSAS -----	398	-	-	-	-	-	-	1	3	9	8	24
WHITE-----FEMALE--	368	-	-	-	-	-	-	1	1	7	8	22
ALL OTHER--FEMALE--	30	-	-	-	-	-	-	-	2	2	-	2
BLACK---FEMALE--	26	-	-	-	-	-	-	-	1	2	-	2



TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 723  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OF FEMALE BREAST (174)												
HAWAII -----	14	21	13	21	14	17	3	7	2	-	-	-
WHITE-----FEMALE--	5	8	7	4	4	8	2	3	2	-	-	-
ALL OTHER--FEMALE--	9	13	6	17	10	9	1	4	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	14	18	15	21	29	21	16	13	4	2	-	-
WHITE-----FEMALE--	14	18	15	20	29	20	16	13	4	2	-	-
ALL OTHER--FEMALE--	-	-	-	1	-	1	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
ILLINOIS -----	163	159	179	190	219	235	238	155	86	27	11	-
WHITE-----FEMALE--	129	130	142	155	190	216	214	145	81	26	8	-
ALL OTHER--FEMALE--	34	29	37	35	29	19	24	10	5	1	3	-
BLACK---FEMALE--	32	26	34	30	29	18	23	10	5	1	3	-
INDIANA -----	76	90	75	96	116	111	110	68	46	18	3	-
WHITE-----FEMALE--	68	81	69	88	106	104	100	58	45	16	3	-
ALL OTHER--FEMALE--	8	9	6	8	10	7	10	10	1	2	-	-
BLACK---FEMALE--	8	9	6	8	10	7	10	10	1	2	-	-
IOWA -----	33	41	46	46	80	74	57	52	36	14	2	-
WHITE-----FEMALE--	33	40	45	45	79	72	57	52	36	14	2	-
ALL OTHER--FEMALE--	-	1	1	1	1	2	-	-	-	-	-	-
BLACK---FEMALE--	-	1	-	1	1	2	-	-	-	-	-	-
KANSAS -----	26	35	40	41	40	62	46	35	21	5	2	-
WHITE-----FEMALE--	22	28	37	36	39	61	44	34	21	5	2	-
ALL OTHER--FEMALE--	4	7	3	5	1	1	2	1	-	-	-	-
BLACK---FEMALE--	3	6	3	5	-	1	2	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 724

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 OF FEMALE BREAST (174)												
KENTUCKY -----	615	-	-	-	-	-	-	2	6	16	29	45
WHITE-----FEMALE--	556	-	-	-	-	-	-	2	5	12	26	41
ALL OTHER--FEMALE--	59	-	-	-	-	-	-	-	1	4	3	4
BLACK---FEMALE--	57	-	-	-	-	-	-	-	1	4	3	4
LOUISIANA -----	663	-	-	-	-	-	-	1	12	19	37	54
WHITE-----FEMALE--	450	-	-	-	-	-	-	1	3	10	20	26
ALL OTHER--FEMALE--	213	-	-	-	-	-	-	-	9	9	17	28
BLACK---FEMALE--	212	-	-	-	-	-	-	-	9	9	17	27
MAINE -----	205	-	-	-	-	-	-	1	4	2	7	13
WHITE-----FEMALE--	203	-	-	-	-	-	-	1	3	2	7	12
ALL OTHER--FEMALE--	2	-	-	-	-	-	-	-	1	-	-	1
BLACK---FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
MARYLAND -----	830	-	-	-	-	-	-	2	10	17	43	59
WHITE-----FEMALE--	593	-	-	-	-	-	-	-	5	11	25	25
ALL OTHER--FEMALE--	237	-	-	-	-	-	-	2	5	6	18	34
BLACK---FEMALE--	230	-	-	-	-	-	-	2	4	6	18	33
MASSACHUSETTS -----	1,099	-	-	-	-	-	-	2	6	21	45	55
WHITE-----FEMALE--	1,041	-	-	-	-	-	-	2	5	19	42	49
ALL OTHER--FEMALE--	58	-	-	-	-	-	-	-	1	2	3	6
BLACK---FEMALE--	43	-	-	-	-	-	-	-	1	2	1	6
MICHIGAN -----	1,462	-	-	-	-	-	-	4	13	40	73	108
WHITE-----FEMALE--	1,238	-	-	-	-	-	-	3	11	28	63	74
ALL OTHER--FEMALE--	224	-	-	-	-	-	-	1	2	12	10	34
BLACK---FEMALE--	215	-	-	-	-	-	-	1	2	11	9	32

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 724

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OF FEMALE BREAST (174)												
KENTUCKY -----	62	63	52	67	77	61	56	40	25	12	2	-
WHITE-----FEMALE--	61	59	47	59	67	55	50	38	23	10	1	-
ALL OTHER--FEMALE--	1	4	5	8	10	6	6	2	2	2	1	-
BLACK---FEMALE--	1	4	5	7	9	6	6	2	2	2	1	-
LOUISIANA -----	69	63	55	72	83	81	44	40	24	8	1	-
WHITE-----FEMALE--	42	41	43	50	63	63	32	35	15	6	-	-
ALL OTHER--FEMALE--	27	22	12	22	20	18	12	5	9	2	1	-
BLACK---FEMALE--	27	22	12	22	20	18	12	5	9	2	1	-
MAINE -----	20	17	15	20	27	14	25	21	14	4	1	-
WHITE-----FEMALE--	20	17	15	20	27	14	25	21	14	4	1	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	64	82	72	77	107	107	71	67	34	14	4	-
WHITE-----FEMALE--	40	53	55	58	77	82	62	58	28	11	3	-
ALL OTHER--FEMALE--	24	29	17	19	30	25	9	9	6	3	1	-
BLACK---FEMALE--	24	29	16	17	28	25	9	9	6	3	1	-
MASSACHUSETTS -----	102	79	75	106	139	157	125	95	69	19	4	-
WHITE-----FEMALE--	92	73	71	98	135	149	124	93	67	19	3	-
ALL OTHER--FEMALE--	10	6	4	8	4	8	1	2	2	-	1	-
BLACK---FEMALE--	7	6	4	4	2	5	-	2	2	-	1	-
MICHIGAN -----	116	115	146	156	175	161	159	106	55	33	2	-
WHITE-----FEMALE--	90	89	129	137	150	141	145	98	49	30	1	-
ALL OTHER--FEMALE--	26	26	17	19	25	20	14	8	6	3	1	-
BLACK---FEMALE--	24	25	17	18	25	20	14	8	5	3	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 725

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 OF FEMALE BREAST (174)												
MINNESOTA -----	719	-	-	-	-	-	-	-	10	21	23	43
WHITE-----FEMALE--	704	-	-	-	-	-	-	-	9	19	22	42
ALL OTHER--FEMALE--	15	-	-	-	-	-	-	-	1	2	1	1
BLACK---FEMALE--	10	-	-	-	-	-	-	-	1	2	-	1
MISSISSIPPI -----	397	-	-	-	-	1	-	1	2	22	22	32
WHITE-----FEMALE--	244	-	-	-	-	1	-	-	1	11	10	11
ALL OTHER--FEMALE--	153	-	-	-	-	-	-	1	1	11	12	21
BLACK---FEMALE--	150	-	-	-	-	-	-	1	1	11	10	20
MISSOURI -----	892	-	-	-	-	-	-	-	5	31	38	65
WHITE-----FEMALE--	787	-	-	-	-	-	-	-	5	25	30	52
ALL OTHER--FEMALE--	105	-	-	-	-	-	-	-	-	6	8	13
BLACK---FEMALE--	102	-	-	-	-	-	-	-	-	6	8	13
MONTANA -----	119	-	-	-	-	-	-	-	4	1	1	9
WHITE-----FEMALE--	112	-	-	-	-	-	-	-	4	1	1	8
ALL OTHER--FEMALE--	7	-	-	-	-	-	-	-	-	-	-	1
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	252	-	-	-	-	-	-	-	2	4	8	18
WHITE-----FEMALE--	241	-	-	-	-	-	-	-	2	3	7	16
ALL OTHER--FEMALE--	11	-	-	-	-	-	-	-	-	1	1	2
BLACK---FEMALE--	9	-	-	-	-	-	-	-	-	1	1	2
NEVADA -----	234	-	-	-	-	-	-	-	1	6	15	14
WHITE-----FEMALE--	220	-	-	-	-	-	-	-	1	5	14	12
ALL OTHER--FEMALE--	14	-	-	-	-	-	-	-	-	1	1	2
BLACK---FEMALE--	8	-	-	-	-	-	-	-	-	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 725

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OF FEMALE BREAST (174)												
MINNESOTA -----	46	52	61	61	85	80	103	83	31	14	6	-
WHITE-----FEMALE--	46	51	56	61	84	80	101	82	31	14	6	-
ALL OTHER--FEMALE--	-	1	5	-	1	-	2	1	-	-	-	-
BLACK---FEMALE--	-	1	3	-	1	-	-	1	-	-	-	-
MISSISSIPPI -----	33	33	34	48	41	35	42	29	13	8	1	-
WHITE-----FEMALE--	21	23	21	35	27	17	30	21	11	4	-	-
ALL OTHER--FEMALE--	12	10	13	13	14	18	12	8	2	4	1	-
BLACK---FEMALE--	12	10	13	13	14	18	12	8	2	4	1	-
MISSOURI -----	79	73	73	99	113	111	74	68	45	17	1	-
WHITE-----FEMALE--	70	65	62	87	100	98	73	61	43	15	1	-
ALL OTHER--FEMALE--	9	8	11	12	13	13	1	7	2	2	-	-
BLACK---FEMALE--	9	7	10	12	12	13	1	7	2	2	-	-
MONTANA -----	11	12	10	11	18	19	12	9	1	1	-	-
WHITE-----FEMALE--	9	10	10	11	17	19	11	9	1	1	-	-
ALL OTHER--FEMALE--	2	2	-	-	1	-	1	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	18	17	19	30	32	29	31	25	12	5	2	-
WHITE-----FEMALE--	15	16	19	29	31	29	30	25	12	5	2	-
ALL OTHER--FEMALE--	3	1	-	1	1	-	1	-	-	-	-	-
BLACK---FEMALE--	2	1	-	1	-	-	1	-	-	-	-	-
NEVADA -----	17	21	20	30	35	35	18	16	5	1	-	-
WHITE-----FEMALE--	15	19	20	28	35	33	18	14	5	1	-	-
ALL OTHER--FEMALE--	2	2	-	2	-	2	-	2	-	-	-	-
BLACK---FEMALE--	1	1	-	2	-	1	-	2	-	-	-	-





TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 727

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 OF FEMALE BREAST (174)												
OHIO -----	1,917	-	-	-	-	-	-	2	20	44	77	112
WHITE-----FEMALE--	1,675	-	-	-	-	-	-	1	15	36	61	90
ALL OTHER--FEMALE--	242	-	-	-	-	-	-	1	5	8	16	22
BLACK---FEMALE--	236	-	-	-	-	-	-	1	5	8	16	20
OKLAHOMA -----	497	-	-	-	-	-	-	1	1	14	27	32
WHITE-----FEMALE--	451	-	-	-	-	-	-	1	1	13	20	32
ALL OTHER--FEMALE--	46	-	-	-	-	-	-	-	-	1	7	-
BLACK---FEMALE--	29	-	-	-	-	-	-	-	-	-	6	-
OREGON -----	522	-	-	-	-	-	-	-	4	13	22	34
WHITE-----FEMALE--	501	-	-	-	-	-	-	-	3	12	21	33
ALL OTHER--FEMALE--	21	-	-	-	-	-	-	-	1	1	1	1
BLACK---FEMALE--	8	-	-	-	-	-	-	-	1	-	1	-
PENNSYLVANIA -----	2,250	-	-	-	-	-	-	6	20	58	86	114
WHITE-----FEMALE--	2,020	-	-	-	-	-	-	6	18	49	66	95
ALL OTHER--FEMALE--	230	-	-	-	-	-	-	-	2	9	20	19
BLACK---FEMALE--	217	-	-	-	-	-	-	-	1	8	19	17
RHODE ISLAND -----	207	-	-	-	-	-	-	-	-	6	5	12
WHITE-----FEMALE--	204	-	-	-	-	-	-	-	-	6	5	12
ALL OTHER--FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	587	-	-	-	-	-	-	1	5	13	35	41
WHITE-----FEMALE--	391	-	-	-	-	-	-	-	2	4	9	26
ALL OTHER--FEMALE--	196	-	-	-	-	-	-	1	3	9	26	15
BLACK---FEMALE--	195	-	-	-	-	-	-	1	3	9	26	15



TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 727

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OF FEMALE BREAST (174)												
OHIO -----	148	156	179	184	278	244	185	174	77	29	8	-
WHITE-----FEMALE--	123	131	154	162	251	224	163	163	67	26	8	-
ALL OTHER--FEMALE--	25	25	25	22	27	20	22	11	10	3	-	-
BLACK---FEMALE--	23	24	25	22	27	19	22	11	10	3	-	-
OKLAHOMA -----	42	46	56	49	58	57	54	34	18	7	1	-
WHITE-----FEMALE--	37	42	51	41	54	54	50	32	16	6	1	-
ALL OTHER--FEMALE--	5	4	5	8	4	3	4	2	2	1	-	-
BLACK---FEMALE--	3	3	1	3	3	2	2	2	2	1	-	-
OREGON -----	54	41	53	56	51	57	63	42	17	12	3	-
WHITE-----FEMALE--	48	35	50	54	51	57	63	42	17	12	3	-
ALL OTHER--FEMALE--	6	6	3	2	-	-	-	-	-	-	-	-
BLACK---FEMALE--	2	2	1	1	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	166	158	169	246	307	286	284	197	116	32	4	1
WHITE-----FEMALE--	139	141	146	225	292	264	252	182	109	31	4	1
ALL OTHER--FEMALE--	27	17	23	21	15	22	32	15	7	1	-	-
BLACK---FEMALE--	25	15	22	20	15	22	31	15	6	1	-	-
RHODE ISLAND -----	12	15	16	30	23	24	25	21	12	6	-	-
WHITE-----FEMALE--	12	14	16	29	22	24	25	21	12	6	-	-
ALL OTHER--FEMALE--	-	1	-	1	1	-	-	-	-	-	-	-
BLACK---FEMALE--	-	1	-	1	1	-	-	-	-	-	-	-
SOUTH CAROLINA -----	64	64	64	50	78	63	61	30	11	5	2	-
WHITE-----FEMALE--	42	41	45	37	56	50	44	21	11	3	-	-
ALL OTHER--FEMALE--	22	23	19	13	22	13	17	9	-	2	2	-
BLACK---FEMALE--	22	23	18	13	22	13	17	9	-	2	2	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 728

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 OF FEMALE BREAST (174)												
SOUTH DAKOTA -----	115	-	-	-	-	-	-	-	-	2	3	6
WHITE-----FEMALE--	110	-	-	-	-	-	-	-	-	2	3	5
ALL OTHER--FEMALE--	5	-	-	-	-	-	-	-	-	-	-	1
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	899	-	-	-	-	-	-	2	11	29	31	50
WHITE-----FEMALE--	748	-	-	-	-	-	-	1	6	22	24	39
ALL OTHER--FEMALE--	151	-	-	-	-	-	-	1	5	7	7	11
BLACK---FEMALE--	145	-	-	-	-	-	-	1	4	6	7	11
TEXAS -----	2,474	-	-	-	-	-	1	8	31	78	139	190
WHITE-----FEMALE--	2,113	-	-	-	-	-	1	6	25	56	111	146
ALL OTHER--FEMALE--	361	-	-	-	-	-	-	2	6	22	28	44
BLACK---FEMALE--	339	-	-	-	-	-	-	2	6	22	26	39
UTAH -----	220	-	-	-	-	-	-	2	2	9	7	15
WHITE-----FEMALE--	217	-	-	-	-	-	-	2	2	9	7	15
ALL OTHER--FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	93	-	-	-	-	-	-	-	-	2	3	6
WHITE-----FEMALE--	92	-	-	-	-	-	-	-	-	2	3	6
ALL OTHER--FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	1,000	-	-	-	-	-	1	-	10	31	58	65
WHITE-----FEMALE--	771	-	-	-	-	-	-	-	4	19	37	45
ALL OTHER--FEMALE--	229	-	-	-	-	-	1	-	6	12	21	20
BLACK---FEMALE--	220	-	-	-	-	-	1	-	5	12	21	19

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 728

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OF FEMALE BREAST (174)												
SOUTH DAKOTA -----	8	12	12	11	11	9	13	15	8	4	1	-
WHITE-----FEMALE--	8	10	11	11	11	9	13	14	8	4	1	-
ALL OTHER--FEMALE--	-	2	1	-	-	-	-	1	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	87	90	88	97	116	95	92	64	27	15	5	-
WHITE-----FEMALE--	74	73	74	86	98	82	80	56	20	11	2	-
ALL OTHER--FEMALE--	13	17	14	11	18	13	12	8	7	4	3	-
BLACK---FEMALE--	13	15	13	11	18	12	12	8	7	4	3	-
TEXAS -----	237	248	238	239	288	269	238	146	100	22	2	-
WHITE-----FEMALE--	186	209	197	211	259	245	219	133	90	17	2	-
ALL OTHER--FEMALE--	51	39	41	28	29	24	19	13	10	5	-	-
BLACK---FEMALE--	49	36	39	26	27	21	18	13	10	5	-	-
UTAH -----	14	23	21	25	27	30	16	16	9	3	1	-
WHITE-----FEMALE--	13	23	21	25	27	30	16	16	7	3	1	-
ALL OTHER--FEMALE--	1	-	-	-	-	-	-	-	2	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	2	-	-	-
VERMONT -----	10	10	6	9	9	15	7	11	5	-	-	-
WHITE-----FEMALE--	10	10	6	8	9	15	7	11	5	-	-	-
ALL OTHER--FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	102	96	110	85	127	133	82	59	31	8	2	-
WHITE-----FEMALE--	81	76	82	65	102	110	63	52	26	8	1	-
ALL OTHER--FEMALE--	21	20	28	20	25	23	19	7	5	-	1	-
BLACK---FEMALE--	19	18	28	20	23	23	18	7	5	-	1	-







TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 730

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OF MALE BREAST (175)												
UNITED STATES --	22	26	27	37	38	64	57	30	11	6	-	-
WHITE-----MALE----	19	20	23	33	31	57	52	24	10	6	-	-
ALL OTHER--MALE----	3	6	4	4	7	7	5	6	1	-	-	-
BLACK---MALE----	3	6	4	4	7	7	5	6	1	-	-	-
ALABAMA -----	-	-	-	1	2	2	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	1	2	2	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	-	1	-	-	1	-	-	-	-	-	-	-
WHITE-----MALE----	-	1	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	-	-	-	-	-	-	2	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	2	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	1	2	3	3	4	3	6	1	2	2	-	-
WHITE-----MALE----	1	2	3	3	3	3	6	1	1	2	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	1	-	-	-





TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 731

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OF MALE BREAST (175)												
COLORADO -----	-	1	-	-	1	-	1	1	-	-	-	-
WHITE-----MALE----	-	1	-	-	1	-	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	-	1	-	1	-	2	2	-	-	-	-	-
WHITE-----MALE----	-	1	-	1	-	2	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
DELAWARE -----	1	-	-	-	-	1	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	4	3	3	4	2	5	1	2	1	-	-	-
WHITE-----MALE----	4	3	3	4	2	4	1	2	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
GEORGIA -----	-	1	-	1	1	-	1	1	-	-	-	-
WHITE-----MALE----	-	1	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	1	1	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	1	1	-	-	-	-







TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 733

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OF MALE BREAST (175)												
KENTUCKY -----	-	-	-	1	1	2	-	1	1	-	-	-
WHITE-----MALE----	-	-	-	1	1	2	-	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	-	1	1	-	1	-	4	-	-	1	-	-
WHITE-----MALE----	-	-	1	-	-	-	3	-	-	1	-	-
ALL OTHER--MALE----	-	1	-	-	1	-	1	-	-	-	-	-
BLACK---MALE----	-	1	-	-	1	-	1	-	-	-	-	-
MAINE -----	-	-	-	-	-	2	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	2	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	-	-	2	2	1	-	1	-	-	-	-	-
WHITE-----MALE----	-	-	1	2	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	1	-	-	-	-	-
MASSACHUSETTS -----	1	-	-	2	1	-	-	2	-	-	-	-
WHITE-----MALE----	1	-	-	2	1	-	-	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	1	1	2	-	1	4	-	-	-	-	-	-
WHITE-----MALE----	1	-	2	-	-	3	-	-	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	1	1	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	1	1	-	-	-	-	-	-











TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 736

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 OF MALE BREAST (175)												
OHIO -----	29	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	27	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA -----	3	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	6	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	6	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	24	-	-	-	-	-	-	-	-	-	1	-
WHITE-----MALE----	22	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND -----	1	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	7	-	-	-	-	-	-	-	-	1	1	-
WHITE-----MALE----	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	1	1	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	1	1	-





TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 737

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OF MALE BREAST (175)												
SOUTH DAKOTA -----	-	-	-	-	-	1	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	-	2	-	1	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	2	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
TEXAS -----	-	2	-	1	2	4	2	2	1	-	-	-
WHITE-----MALE----	-	1	-	1	2	3	2	2	1	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	1	-	-	-	-	-	-
UTAH -----	1	-	-	-	-	-	-	1	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	-	-	-	-	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	1	-	-	-	1	6	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	5	1	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	1	1	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	1	1	-	-	-	-	-	-





TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 739

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 MALIGNANT NEOPLASMS OF GENITAL ORGANS (179-187)												
UNITED STATES --	58,367	-	-	-	4	13	68	154	341	643	957	1,386
WHITE-----MALE----	26,947	-	-	-	-	4	26	44	55	64	74	91
FEMALE--	21,973	-	-	-	4	4	25	80	215	440	685	1,015
ALL OTHER--MALE----	5,853	-	-	-	-	1	5	2	3	9	11	31
FEMALE--	3,594	-	-	-	-	4	12	28	68	130	187	249
BLACK---MALE----	5,491	-	-	-	-	1	2	1	2	9	10	30
FEMALE--	3,089	-	-	-	-	4	11	21	57	114	156	200
ALABAMA -----	1,091	-	-	-	1	-	-	4	10	10	9	27
WHITE-----MALE----	360	-	-	-	-	-	-	-	1	1	1	2
FEMALE--	328	-	-	-	1	-	-	3	3	7	8	19
ALL OTHER--MALE----	276	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	127	-	-	-	-	-	-	1	6	1	-	6
BLACK---MALE----	274	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	127	-	-	-	-	-	-	1	6	1	-	6
ALASKA -----	55	-	-	-	-	-	-	-	1	1	1	4
WHITE-----MALE----	27	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	21	-	-	-	-	-	-	-	1	1	1	2
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	880	-	-	-	-	-	3	1	3	12	20	16
WHITE-----MALE----	500	-	-	-	-	-	1	-	-	4	4	2
FEMALE--	321	-	-	-	-	-	1	1	3	7	10	14
ALL OTHER--MALE----	35	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	24	-	-	-	-	-	-	-	-	1	6	-
BLACK---MALE----	22	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	9	-	-	-	-	-	-	-	-	-	5	-
ARKANSAS -----	672	-	-	-	-	-	-	2	4	10	14	19
WHITE-----MALE----	308	-	-	-	-	-	-	-	-	-	-	3
FEMALE--	234	-	-	-	-	-	-	2	3	7	11	10
ALL OTHER--MALE----	91	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	39	-	-	-	-	-	-	-	1	3	2	6
BLACK---MALE----	90	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	38	-	-	-	-	-	-	-	1	3	2	6
CALIFORNIA -----	5,563	-	-	-	-	1	7	14	40	63	110	148
WHITE-----MALE----	2,585	-	-	-	-	-	2	4	8	10	7	9
FEMALE--	2,198	-	-	-	-	1	4	5	29	43	84	99
ALL OTHER--MALE----	431	-	-	-	-	-	-	1	1	2	1	3
FEMALE--	349	-	-	-	-	-	1	4	2	8	18	37
BLACK---MALE----	308	-	-	-	-	-	-	-	-	2	-	3
FEMALE--	174	-	-	-	-	-	1	2	-	5	7	21



TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 739

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 MALIGNANT NEOPLASMS OF GENITAL ORGANS (179-187)												
UNITED STATES --	1,995	2,629	3,711	5,755	8,435	10,482	10,136	7,337	3,361	854	105	1
WHITE-----MALE----	226	543	1,049	2,194	3,857	5,584	6,012	4,502	2,072	503	47	-
FEMALE--	1,412	1,609	1,872	2,478	3,131	3,272	2,760	1,865	851	221	33	1
ALL OTHER--MALE----	94	170	408	609	976	1,210	1,076	782	351	94	21	-
FEMALE--	263	307	382	474	471	416	288	188	87	36	4	-
BLACK---MALE----	89	160	383	584	928	1,127	1,010	730	321	84	20	-
FEMALE--	204	246	335	415	415	368	257	172	77	33	4	-
ALABAMA -----	30	51	94	117	170	193	164	141	50	18	2	-
WHITE-----MALE----	5	10	22	42	53	57	78	59	22	7	-	-
FEMALE--	16	23	41	38	52	55	32	23	6	1	-	-
ALL OTHER--MALE----	3	7	16	27	46	59	44	48	15	9	1	-
FEMALE--	6	11	15	10	19	22	10	11	7	1	1	-
BLACK---MALE----	3	7	15	27	46	58	44	48	15	9	1	-
FEMALE--	6	11	15	10	19	22	10	11	7	1	1	-
ALASKA -----	4	4	4	8	10	8	5	4	-	1	-	-
WHITE-----MALE----	-	2	3	4	4	7	3	2	-	-	-	-
FEMALE--	3	-	1	3	3	1	2	2	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	3	-	-	-	-	-	-	-
FEMALE--	1	2	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	28	37	55	86	126	171	157	104	48	12	1	-
WHITE-----MALE----	5	12	19	41	74	112	115	71	32	8	-	-
FEMALE--	19	23	31	33	50	51	38	27	10	2	1	-
ALL OTHER--MALE----	2	-	3	7	1	5	4	5	5	2	-	-
FEMALE--	2	2	2	5	1	3	-	1	1	-	-	-
BLACK---MALE----	2	-	1	5	1	2	3	3	4	1	-	-
FEMALE--	-	-	1	1	-	1	-	-	1	-	-	-
ARKANSAS -----	25	26	40	71	91	106	114	107	31	10	2	-
WHITE-----MALE----	1	9	13	28	43	61	67	61	17	4	1	-
FEMALE--	21	16	20	23	30	29	30	21	8	3	-	-
ALL OTHER--MALE----	-	-	3	14	13	11	16	24	6	2	1	-
FEMALE--	3	1	4	6	5	5	1	1	-	1	-	-
BLACK---MALE----	-	-	3	13	13	11	16	24	6	2	1	-
FEMALE--	3	1	4	6	5	4	1	1	-	1	-	-
CALIFORNIA -----	224	278	371	565	795	979	912	680	288	78	10	-
WHITE-----MALE----	22	49	120	226	368	536	551	432	192	44	5	-
FEMALE--	159	175	188	249	305	313	264	186	65	26	3	-
ALL OTHER--MALE----	10	21	29	44	68	100	70	48	24	7	2	-
FEMALE--	33	33	34	46	54	30	27	14	7	1	-	-
BLACK---MALE----	8	16	25	34	52	68	46	35	12	5	2	-
FEMALE--	13	9	25	24	27	14	15	6	4	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 740

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 MALIGNANT NEOPLASMS OF GENITAL ORGANS (179-187)												
COLORADO -----	628	-	-	-	-	-	1	-	3	9	15	11
WHITE-----MALE----	326	-	-	-	-	-	1	-	-	-	2	-
FEMALE--	274	-	-	-	-	-	-	-	3	9	12	10
ALL OTHER--MALE----	20	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	1	1
BLACK---MALE----	18	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	1	1
CONNECTICUT -----	746	-	-	-	-	-	-	-	3	6	7	17
WHITE-----MALE----	377	-	-	-	-	-	-	-	1	-	1	3
FEMALE--	315	-	-	-	-	-	-	-	1	6	4	12
ALL OTHER--MALE----	37	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	17	-	-	-	-	-	-	-	1	-	2	2
BLACK---MALE----	35	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	16	-	-	-	-	-	-	-	1	-	2	2
DELAWARE -----	176	-	-	-	-	-	-	1	1	3	6	5
WHITE-----MALE----	68	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	69	-	-	-	-	-	-	1	1	2	4	3
ALL OTHER--MALE----	25	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	14	-	-	-	-	-	-	-	-	1	-	2
BLACK---MALE----	25	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	14	-	-	-	-	-	-	-	-	1	-	2
DISTRICT OF COLUMBIA ----	155	-	-	-	-	-	-	-	1	2	2	2
WHITE-----MALE----	13	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	12	-	-	-	-	-	-	-	-	1	-	1
ALL OTHER--MALE----	76	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	54	-	-	-	-	-	-	-	1	1	2	1
BLACK---MALE----	74	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	54	-	-	-	-	-	-	-	1	1	2	1
FLORIDA -----	4,194	-	-	-	1	-	2	11	28	38	67	86
WHITE-----MALE----	2,106	-	-	-	-	-	-	6	2	-	5	3
FEMALE--	1,532	-	-	-	1	-	1	5	18	30	47	58
ALL OTHER--MALE----	335	-	-	-	-	-	1	-	-	-	3	2
FEMALE--	221	-	-	-	-	-	-	-	8	8	12	23
BLACK---MALE----	330	-	-	-	-	-	-	-	-	-	3	2
FEMALE--	211	-	-	-	-	-	-	-	7	7	12	21
GEORGIA -----	1,408	-	-	-	-	-	2	6	12	20	21	36
WHITE-----MALE----	491	-	-	-	-	-	-	-	-	1	-	2
FEMALE--	440	-	-	-	-	-	1	3	7	10	15	27
ALL OTHER--MALE----	321	-	-	-	-	-	-	-	1	-	-	2
FEMALE--	156	-	-	-	-	-	1	3	4	9	6	5
BLACK---MALE----	318	-	-	-	-	-	-	-	1	-	-	2
FEMALE--	155	-	-	-	-	-	1	3	4	9	6	4

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 740  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 MALIGNANT NEOPLASMS OF GENITAL ORGANS (179-187)												
COLORADO -----	27	30	47	76	78	122	105	70	30	3	1	-
WHITE-----MALE----	7	10	10	34	47	77	71	47	18	1	1	-
FEMALE--	18	20	35	40	27	38	29	20	12	1	-	-
ALL OTHER--MALE----	-	-	1	1	4	7	5	1	-	1	-	-
FEMALE--	2	-	1	1	-	-	-	2	-	-	-	-
BLACK---MALE----	-	-	1	1	4	5	5	1	-	1	-	-
FEMALE--	1	-	1	-	-	-	-	1	-	-	-	-
CONNECTICUT -----	28	28	38	72	89	134	147	117	49	9	2	-
WHITE-----MALE----	3	3	13	34	40	79	94	72	28	5	1	-
FEMALE--	24	22	22	35	39	42	45	39	19	4	1	-
ALL OTHER--MALE----	1	1	1	3	6	12	6	5	2	-	-	-
FEMALE--	-	2	2	-	4	1	2	1	-	-	-	-
BLACK---MALE----	1	1	1	3	6	11	5	5	2	-	-	-
FEMALE--	-	2	1	-	4	1	2	1	-	-	-	-
DELAWARE -----	10	11	11	21	21	39	17	19	10	1	-	-
WHITE-----MALE----	-	1	2	8	8	23	9	11	4	1	-	-
FEMALE--	8	7	9	7	10	9	1	4	3	-	-	-
ALL OTHER--MALE----	-	-	-	4	2	7	6	2	3	-	-	-
FEMALE--	2	3	-	2	1	-	1	2	-	-	-	-
BLACK---MALE----	-	-	-	4	2	7	6	2	3	-	-	-
FEMALE--	2	3	-	2	1	-	1	2	-	-	-	-
DISTRICT OF COLUMBIA ----	8	6	12	19	24	33	19	21	4	2	-	-
WHITE-----MALE----	-	1	1	1	3	2	3	1	1	-	-	-
FEMALE--	1	1	1	3	2	1	-	1	-	-	-	-
ALL OTHER--MALE----	1	1	2	6	13	24	14	12	2	1	-	-
FEMALE--	6	3	8	9	6	6	2	7	1	1	-	-
BLACK---MALE----	1	1	2	5	13	24	13	12	2	1	-	-
FEMALE--	6	3	8	9	6	6	2	7	1	1	-	-
FLORIDA -----	124	156	250	424	649	744	737	524	293	56	4	-
WHITE-----MALE----	14	33	81	168	323	429	461	350	191	40	-	-
FEMALE--	88	95	124	186	247	225	195	124	76	11	1	-
ALL OTHER--MALE----	5	7	25	41	51	69	65	38	22	3	3	-
FEMALE--	17	21	20	29	28	21	16	12	4	2	-	-
BLACK---MALE----	4	7	25	41	51	67	64	38	22	3	3	-
FEMALE--	15	19	20	27	28	21	16	12	4	2	-	-
GEORGIA -----	49	64	100	156	201	269	236	148	67	19	2	-
WHITE-----MALE----	4	16	21	49	72	118	99	72	26	10	1	-
FEMALE--	33	27	35	52	60	69	56	25	15	4	1	-
ALL OTHER--MALE----	2	8	20	37	45	66	65	49	22	4	-	-
FEMALE--	10	13	24	18	24	16	16	2	4	1	-	-
BLACK---MALE----	2	8	20	37	45	66	64	47	22	4	-	-
FEMALE--	10	13	24	18	24	16	16	2	4	1	-	-



TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 741

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 MALIGNANT NEOPLASMS OF GENITAL ORGANS (179-187)												
HAWAII -----	10	7	22	20	29	27	25	20	13	4	1	-
WHITE-----MALE----	-	-	2	4	7	4	8	8	4	1	-	-
FEMALE--	5	3	3	2	4	2	-	1	-	1	-	-
ALL OTHER--MALE----	-	-	6	4	8	15	11	11	6	2	1	-
FEMALE--	5	4	11	10	10	6	6	-	3	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	3	11	15	33	30	55	53	38	11	6	-	-
WHITE-----MALE----	2	4	7	13	11	40	35	28	7	5	-	-
FEMALE--	1	7	8	19	19	14	18	10	3	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	1	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	101	136	128	273	361	489	539	333	154	46	2	-
WHITE-----MALE----	6	30	31	102	151	229	320	205	95	27	2	-
FEMALE--	70	76	62	115	134	166	152	76	43	13	-	-
ALL OTHER--MALE----	3	20	17	32	56	68	49	39	14	2	-	-
FEMALE--	22	10	18	24	20	26	18	13	2	4	-	-
BLACK---MALE----	3	20	14	32	55	68	48	37	12	2	-	-
FEMALE--	16	8	17	24	19	25	17	13	1	2	-	-
INDIANA -----	44	68	99	143	177	249	227	157	66	15	2	-
WHITE-----MALE----	1	13	29	54	80	142	144	102	38	10	1	-
FEMALE--	40	44	55	69	71	80	62	35	21	3	-	-
ALL OTHER--MALE----	-	3	6	11	20	19	19	17	4	1	1	-
FEMALE--	3	8	9	9	6	8	2	3	3	1	-	-
BLACK---MALE----	-	3	6	11	20	18	19	16	4	1	1	-
FEMALE--	3	7	8	9	6	8	2	3	3	1	-	-
IOWA -----	20	25	29	54	116	155	137	122	54	7	-	-
WHITE-----MALE----	3	3	11	24	75	97	100	81	39	4	-	-
FEMALE--	17	22	17	30	40	57	37	40	15	3	-	-
ALL OTHER--MALE----	-	-	1	-	-	1	-	1	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	1	-	1	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
KANSAS -----	12	17	31	65	80	112	94	90	41	11	3	-
WHITE-----MALE----	1	3	12	24	45	60	64	52	32	6	2	-
FEMALE--	8	14	14	35	32	43	26	31	6	3	1	-
ALL OTHER--MALE----	2	-	3	2	2	9	3	4	3	2	-	-
FEMALE--	1	-	2	4	1	-	1	3	-	-	-	-
BLACK---MALE----	2	-	3	2	2	8	3	4	3	2	-	-
FEMALE--	1	-	2	2	1	-	1	3	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 742

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 MALIGNANT NEOPLASMS OF GENITAL ORGANS (179-187)												
KENTUCKY -----	801	-	-	-	-	-	2	1	7	9	8	26
WHITE-----MALE----	395	-	-	-	-	-	1	-	1	-	1	-
FEMALE--	339	-	-	-	-	-	1	1	6	8	6	24
ALL OTHER--MALE----	45	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	22	-	-	-	-	-	-	-	-	1	1	2
BLACK---MALE----	44	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	19	-	-	-	-	-	-	-	-	1	1	1
LOUISIANA -----	937	-	-	-	-	2	1	3	9	18	18	27
WHITE-----MALE----	325	-	-	-	-	1	-	-	1	-	1	3
FEMALE--	234	-	-	-	-	-	-	1	4	6	9	13
ALL OTHER--MALE----	227	-	-	-	-	-	1	-	-	1	1	2
FEMALE--	151	-	-	-	-	1	-	2	4	11	7	9
BLACK---MALE----	224	-	-	-	-	-	1	-	-	1	1	2
FEMALE--	147	-	-	-	-	1	-	2	4	11	7	9
MAINE -----	299	-	-	-	-	-	1	-	3	2	2	6
WHITE-----MALE----	157	-	-	-	-	-	-	-	1	-	-	1
FEMALE--	138	-	-	-	-	-	-	-	1	2	2	5
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	1	-	1	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
MARYLAND -----	1,084	-	-	-	-	1	2	2	13	14	19	30
WHITE-----MALE----	423	-	-	-	-	-	1	1	-	3	1	2
FEMALE--	338	-	-	-	-	-	-	-	7	6	12	16
ALL OTHER--MALE----	192	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	131	-	-	-	-	1	1	1	6	5	6	11
BLACK---MALE----	188	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	124	-	-	-	-	1	1	1	5	5	6	10
MASSACHUSETTS -----	1,374	-	-	-	-	-	1	3	3	15	16	25
WHITE-----MALE----	729	-	-	-	-	-	1	1	1	2	-	1
FEMALE--	575	-	-	-	-	-	-	2	1	13	12	21
ALL OTHER--MALE----	46	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	24	-	-	-	-	-	-	-	1	-	4	2
BLACK---MALE----	42	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	20	-	-	-	-	-	-	-	-	-	3	2
MICHIGAN -----	2,099	-	-	-	-	-	2	5	13	28	34	49
WHITE-----MALE----	920	-	-	-	-	-	1	2	2	4	5	2
FEMALE--	823	-	-	-	-	-	1	2	10	16	20	33
ALL OTHER--MALE----	232	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	124	-	-	-	-	-	-	1	1	7	9	13
BLACK---MALE----	230	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	116	-	-	-	-	-	-	1	1	6	9	11

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 742

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 MALIGNANT NEOPLASMS OF GENITAL ORGANS (179-187)												
KENTUCKY -----	23	34	45	79	117	158	121	104	53	14	-	-
WHITE-----MALE----	5	11	13	37	56	90	77	67	28	8	-	-
FEMALE--	16	22	26	37	50	57	36	27	18	4	-	-
ALL OTHER--MALE----	-	1	2	2	8	9	7	7	7	2	-	-
FEMALE--	2	-	4	3	3	2	1	3	-	-	-	-
BLACK---MALE----	-	-	2	2	8	9	7	7	7	2	-	-
FEMALE--	1	-	4	3	3	1	1	3	-	-	-	-
LOUISIANA -----	31	47	72	97	137	155	162	99	48	10	1	-
WHITE-----MALE----	1	9	19	27	48	68	69	48	25	4	1	-
FEMALE--	16	20	20	29	35	35	22	16	6	2	-	-
ALL OTHER--MALE----	6	3	21	24	37	35	53	29	11	3	-	-
FEMALE--	8	15	12	17	17	17	18	6	6	1	-	-
BLACK---MALE----	6	3	21	24	37	35	52	27	11	3	-	-
FEMALE--	8	15	11	16	16	16	18	6	6	1	-	-
MAINE -----	6	13	21	31	45	56	41	45	20	7	-	-
WHITE-----MALE----	1	2	7	9	17	37	29	33	15	5	-	-
FEMALE--	5	10	14	22	27	19	12	12	5	2	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	41	72	79	99	157	185	175	106	72	16	1	-
WHITE-----MALE----	5	10	18	35	71	83	98	55	35	5	-	-
FEMALE--	24	42	32	28	36	51	34	28	19	3	-	-
ALL OTHER--MALE----	3	8	11	23	37	36	34	18	13	7	1	-
FEMALE--	9	12	18	13	13	15	9	5	5	1	-	-
BLACK---MALE----	3	8	11	23	36	35	33	18	12	7	1	-
FEMALE--	9	11	17	12	12	14	9	5	5	1	-	-
MASSACHUSETTS -----	58	56	62	105	212	232	276	199	87	19	5	-
WHITE-----MALE----	10	14	19	43	111	138	185	133	55	12	3	-
FEMALE--	45	38	38	47	92	83	83	62	31	5	2	-
ALL OTHER--MALE----	2	1	4	7	7	10	7	4	1	2	-	-
FEMALE--	1	3	1	8	2	1	1	-	-	-	-	-
BLACK---MALE----	1	1	3	7	7	9	7	3	1	2	-	-
FEMALE--	-	3	1	7	2	1	1	-	-	-	-	-
MICHIGAN -----	73	99	158	192	330	354	377	230	119	36	-	-
WHITE-----MALE----	3	17	45	77	136	179	210	136	75	26	-	-
FEMALE--	55	69	80	83	130	121	109	63	23	8	-	-
ALL OTHER--MALE----	3	6	19	20	48	43	48	25	16	2	-	-
FEMALE--	12	7	14	12	16	11	10	6	5	-	-	-
BLACK---MALE----	3	6	19	20	48	42	47	25	16	2	-	-
FEMALE--	12	6	14	12	14	11	9	5	5	-	-	-





TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 743

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 MALIGNANT NEOPLASMS OF GENITAL ORGANS (179-187)												
MINNESOTA -----	21	51	50	85	159	162	195	165	81	17	4	-
WHITE-----MALE----	3	14	20	49	84	97	130	114	60	16	1	-
FEMALE--	14	36	28	33	67	64	62	50	21	1	3	-
ALL OTHER--MALE----	3	1	1	2	5	-	3	-	-	-	-	-
FEMALE--	1	-	1	1	3	1	-	1	-	-	-	-
BLACK---MALE----	3	1	-	1	4	-	2	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	-	-	-	-	-	-
MISSISSIPPI -----	20	28	43	49	103	104	123	109	55	12	2	-
WHITE-----MALE----	2	3	6	14	35	38	38	44	16	5	1	-
FEMALE--	8	7	14	12	27	25	21	15	4	2	-	-
ALL OTHER--MALE----	3	12	11	12	25	30	48	45	31	4	1	-
FEMALE--	7	6	12	11	16	11	16	5	4	1	-	-
BLACK---MALE----	3	12	11	12	25	30	48	45	31	4	1	-
FEMALE--	6	6	12	11	16	11	16	5	4	1	-	-
MISSOURI -----	41	43	96	115	193	207	217	174	63	23	2	-
WHITE-----MALE----	7	9	33	43	92	92	126	105	44	12	1	-
FEMALE--	33	31	51	50	73	83	65	48	12	5	1	-
ALL OTHER--MALE----	-	1	9	10	17	20	21	19	4	4	-	-
FEMALE--	1	2	3	12	11	12	5	2	3	2	-	-
BLACK---MALE----	-	1	9	10	16	20	19	19	4	4	-	-
FEMALE--	1	2	3	12	11	12	4	2	3	2	-	-
MONTANA -----	7	6	10	13	23	35	56	38	22	2	-	-
WHITE-----MALE----	1	3	2	5	14	21	33	28	16	1	-	-
FEMALE--	6	2	8	8	7	13	21	9	6	1	-	-
ALL OTHER--MALE----	-	-	-	-	2	-	1	-	-	-	-	-
FEMALE--	-	1	-	-	-	1	1	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	7	12	21	29	56	65	76	44	24	10	3	-
WHITE-----MALE----	3	3	8	6	36	39	53	26	20	7	1	-
FEMALE--	3	9	13	23	17	26	23	18	4	3	2	-
ALL OTHER--MALE----	-	-	-	-	2	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	2	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
NEVADA -----	12	12	20	39	59	56	57	23	15	6	1	-
WHITE-----MALE----	1	3	6	18	37	34	39	12	12	4	1	-
FEMALE--	9	7	12	16	17	16	14	9	3	2	-	-
ALL OTHER--MALE----	-	-	-	-	2	5	4	2	-	-	-	-
FEMALE--	2	2	2	5	3	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	4	2	1	-	-	-	-
FEMALE--	2	1	-	3	3	-	-	-	-	-	-	-





TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 745

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 MALIGNANT NEOPLASMS OF GENITAL ORGANS (179-187)												
OHIO -----	2,611	-	-	-	1	-	6	10	10	27	48	58
WHITE-----MALE----	1,205	-	-	-	-	-	5	1	3	3	4	7
FEMALE--	1,055	-	-	-	1	-	1	8	6	21	39	45
ALL OTHER--MALE----	224	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	127	-	-	-	-	-	-	1	1	3	5	5
BLACK---MALE----	219	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	123	-	-	-	-	-	-	1	1	3	5	4
OKLAHOMA -----	689	-	-	-	-	-	1	3	7	13	9	17
WHITE-----MALE----	327	-	-	-	-	-	1	2	1	1	-	-
FEMALE--	272	-	-	-	-	-	-	-	4	9	6	12
ALL OTHER--MALE----	49	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	41	-	-	-	-	-	-	1	2	3	3	4
BLACK---MALE----	35	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	18	-	-	-	-	-	-	-	1	1	1	1
OREGON -----	810	-	-	-	-	-	1	3	6	6	14	19
WHITE-----MALE----	453	-	-	-	-	-	-	-	2	1	1	5
FEMALE--	330	-	-	-	-	-	1	3	3	5	13	12
ALL OTHER--MALE----	14	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	13	-	-	-	-	-	-	-	1	-	-	2
BLACK---MALE----	8	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	1	-	-	1
PENNSYLVANIA -----	3,192	-	-	-	-	-	5	5	7	32	42	69
WHITE-----MALE----	1,575	-	-	-	-	-	4	4	2	3	4	4
FEMALE--	1,257	-	-	-	-	-	1	1	4	26	34	56
ALL OTHER--MALE----	235	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	125	-	-	-	-	-	-	-	1	3	4	9
BLACK---MALE----	232	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	122	-	-	-	-	-	-	-	1	3	4	9
RHODE ISLAND -----	267	-	-	-	-	-	-	-	-	2	3	4
WHITE-----MALE----	148	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	110	-	-	-	-	-	-	-	-	2	3	3
ALL OTHER--MALE----	7	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	7	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	863	-	-	-	-	1	-	4	6	16	14	24
WHITE-----MALE----	264	-	-	-	-	-	-	1	-	3	1	1
FEMALE--	237	-	-	-	-	-	-	-	4	8	6	16
ALL OTHER--MALE----	230	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	132	-	-	-	-	1	-	3	2	5	7	5
BLACK---MALE----	229	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	130	-	-	-	-	1	-	3	2	5	6	5

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 745

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 MALIGNANT NEOPLASMS OF GENITAL ORGANS (179-187)												
OHIO -----	74	115	151	258	394	487	497	294	137	35	9	-
WHITE-----MALE----	11	26	43	89	182	260	273	186	84	23	5	-
FEMALE--	55	77	74	125	156	155	158	81	43	6	4	-
ALL OTHER--MALE----	1	4	21	22	39	49	52	24	8	3	-	-
FEMALE--	7	8	13	22	17	23	14	3	2	3	-	-
BLACK---MALE----	1	3	21	22	39	49	49	24	7	3	-	-
FEMALE--	7	8	12	22	16	23	13	3	2	3	-	-
OKLAHOMA -----	25	28	40	53	106	141	105	82	41	14	4	-
WHITE-----MALE----	4	6	8	22	51	83	60	50	27	9	2	-
FEMALE--	15	19	22	25	43	41	34	22	13	5	2	-
ALL OTHER--MALE----	1	-	4	5	8	12	10	7	1	-	-	-
FEMALE--	5	3	6	1	4	5	1	3	-	-	-	-
BLACK---MALE----	1	-	3	4	6	9	7	4	1	-	-	-
FEMALE--	1	2	3	-	4	2	-	2	-	-	-	-
OREGON -----	25	40	47	75	112	139	160	108	47	8	-	-
WHITE-----MALE----	3	10	17	34	60	84	123	75	34	4	-	-
FEMALE--	22	28	28	36	48	50	33	31	13	4	-	-
ALL OTHER--MALE----	-	-	1	1	3	5	3	1	-	-	-	-
FEMALE--	-	2	1	4	1	-	1	1	-	-	-	-
BLACK---MALE----	-	-	1	1	2	2	2	-	-	-	-	-
FEMALE--	-	1	-	1	1	-	-	1	-	-	-	-
PENNSYLVANIA -----	108	127	203	321	465	601	581	392	185	46	3	-
WHITE-----MALE----	10	27	63	132	214	330	355	264	125	31	3	-
FEMALE--	86	79	114	139	194	194	181	95	41	12	-	-
ALL OTHER--MALE----	4	8	14	35	42	56	37	23	14	2	-	-
FEMALE--	8	13	12	15	15	21	8	10	5	1	-	-
BLACK---MALE----	4	8	14	35	42	55	37	21	14	2	-	-
FEMALE--	8	13	12	15	13	20	8	10	5	1	-	-
RHODE ISLAND -----	6	13	23	26	33	51	46	33	21	6	-	-
WHITE-----MALE----	2	2	6	12	16	36	31	22	16	4	-	-
FEMALE--	4	11	15	14	15	13	12	11	5	2	-	-
ALL OTHER--MALE----	-	-	-	-	2	2	3	-	-	-	-	-
FEMALE--	-	-	2	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	2	2	3	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	26	35	63	97	119	159	147	101	39	11	1	-
WHITE-----MALE----	2	3	10	17	31	64	67	41	20	3	-	-
FEMALE--	11	17	20	31	31	33	24	24	8	4	-	-
ALL OTHER--MALE----	6	8	13	26	39	50	46	27	10	2	1	-
FEMALE--	7	7	20	23	18	12	10	9	1	2	-	-
BLACK---MALE----	6	8	13	26	39	49	46	27	10	2	1	-
FEMALE--	7	7	20	23	18	12	10	8	1	2	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 746

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 MALIGNANT NEOPLASMS OF GENITAL ORGANS (179-187)												
SOUTH DAKOTA -----	170	-	-	-	-	-	-	-	1	1	3	4
WHITE-----MALE----	92	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	73	-	-	-	-	-	-	-	-	1	3	4
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	1,246	-	-	-	-	1	3	4	5	8	19	37
WHITE-----MALE----	532	-	-	-	-	-	-	2	2	-	2	3
FEMALE--	473	-	-	-	-	1	2	2	3	6	15	30
ALL OTHER--MALE----	148	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	93	-	-	-	-	-	1	-	-	2	2	4
BLACK---MALE----	148	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	88	-	-	-	-	-	1	-	-	1	2	4
TEXAS -----	3,409	-	-	-	-	1	4	15	28	47	67	92
WHITE-----MALE----	1,572	-	-	-	-	1	2	3	6	4	6	5
FEMALE--	1,271	-	-	-	-	-	2	9	16	37	44	75
ALL OTHER--MALE----	369	-	-	-	-	-	-	1	1	-	-	3
FEMALE--	197	-	-	-	-	-	-	2	5	6	17	9
BLACK---MALE----	366	-	-	-	-	-	-	1	1	-	-	3
FEMALE--	182	-	-	-	-	-	-	2	5	5	14	7
UTAH -----	344	-	-	-	-	1	-	1	1	1	3	5
WHITE-----MALE----	212	-	-	-	-	1	-	-	-	-	1	-
FEMALE--	128	-	-	-	-	-	-	1	1	1	2	5
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	120	-	-	-	-	-	-	-	2	4	3	4
WHITE-----MALE----	57	-	-	-	-	-	-	-	1	1	-	-
FEMALE--	61	-	-	-	-	-	-	-	1	3	3	4
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	1,396	-	-	-	1	-	3	3	9	20	30	34
WHITE-----MALE----	548	-	-	-	-	-	1	1	1	3	2	1
FEMALE--	461	-	-	-	1	-	1	1	5	10	17	24
ALL OTHER--MALE----	244	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	143	-	-	-	-	-	1	1	3	6	11	9
BLACK---MALE----	242	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	132	-	-	-	-	-	1	1	2	6	7	7

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 746

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 MALIGNANT NEOPLASMS OF GENITAL ORGANS (179-187)												
SOUTH DAKOTA -----	8	12	6	12	23	34	32	18	13	3	-	-
WHITE-----MALE----	1	-	2	7	14	19	25	14	8	1	-	-
FEMALE--	5	11	3	5	9	15	6	4	5	2	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	1	-	-	-	-	-
FEMALE--	2	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	46	46	87	132	199	218	189	169	64	16	3	-
WHITE-----MALE----	6	14	22	55	79	114	95	95	35	8	-	-
FEMALE--	30	25	46	54	78	66	54	40	16	3	2	-
ALL OTHER--MALE----	3	1	10	14	21	26	33	27	10	3	-	-
FEMALE--	7	6	9	9	21	12	7	7	3	2	1	-
BLACK---MALE----	3	1	10	14	21	26	33	27	10	3	-	-
FEMALE--	5	5	8	9	21	12	7	7	3	2	1	-
TEXAS -----	126	164	248	325	484	592	576	402	184	44	10	-
WHITE-----MALE----	11	34	71	129	230	342	348	247	100	31	2	-
FEMALE--	91	104	130	136	185	155	141	88	46	9	3	-
ALL OTHER--MALE----	9	10	29	33	48	70	67	57	34	3	4	-
FEMALE--	15	16	18	27	21	25	20	10	4	1	1	-
BLACK---MALE----	9	10	29	33	47	70	66	56	34	3	4	-
FEMALE--	13	14	16	26	20	25	19	10	4	1	1	-
UTAH -----	8	17	16	29	43	77	72	43	19	8	-	-
WHITE-----MALE----	2	6	4	18	26	52	49	33	14	6	-	-
FEMALE--	6	10	12	11	17	22	23	10	5	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	2	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	3	7	7	11	10	21	21	13	11	3	-	-
WHITE-----MALE----	1	2	1	5	5	12	16	5	6	2	-	-
FEMALE--	2	4	6	6	5	9	5	7	5	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	47	69	88	145	192	263	230	170	71	18	3	-
WHITE-----MALE----	4	20	23	51	81	113	120	78	37	10	2	-
FEMALE--	35	31	36	51	64	65	51	48	17	4	-	-
ALL OTHER--MALE----	1	8	19	24	31	63	47	35	13	1	1	-
FEMALE--	7	10	10	19	16	22	12	9	4	3	-	-
BLACK---MALE----	1	8	19	23	31	63	47	35	12	1	1	-
FEMALE--	6	9	10	17	16	22	12	9	4	3	-	-







TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 748

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 OF CERVIX UTERI (180)												
UNITED STATES --	4,340	-	-	-	-	2	19	76	186	353	435	504
WHITE-----FEMALE--	3,272	-	-	-	-	1	13	60	142	271	328	374
ALL OTHER--FEMALE--	1,068	-	-	-	-	1	6	16	44	82	107	130
BLACK---FEMALE--	906	-	-	-	-	1	5	12	38	73	91	111
ALABAMA -----	81	-	-	-	-	-	-	4	8	6	1	10
WHITE-----FEMALE--	47	-	-	-	-	-	-	3	2	5	1	7
ALL OTHER--FEMALE--	34	-	-	-	-	-	-	1	6	1	-	3
BLACK---FEMALE--	34	-	-	-	-	-	-	1	6	1	-	3
ALASKA -----	5	-	-	-	-	-	-	-	1	1	-	1
WHITE-----FEMALE--	5	-	-	-	-	-	-	-	1	1	-	1
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	47	-	-	-	-	-	1	-	2	5	4	5
WHITE-----FEMALE--	44	-	-	-	-	-	1	-	2	5	3	5
ALL OTHER--FEMALE--	3	-	-	-	-	-	-	-	-	-	1	-
BLACK---FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
ARKANSAS -----	61	-	-	-	-	-	-	2	2	8	6	8
WHITE-----FEMALE--	45	-	-	-	-	-	-	2	1	6	5	3
ALL OTHER--FEMALE--	16	-	-	-	-	-	-	-	1	2	1	5
BLACK---FEMALE--	16	-	-	-	-	-	-	-	1	2	1	5
CALIFORNIA -----	456	-	-	-	-	-	2	4	20	29	52	53
WHITE-----FEMALE--	351	-	-	-	-	-	1	3	19	25	41	36
ALL OTHER--FEMALE--	105	-	-	-	-	-	1	1	1	4	11	17
BLACK---FEMALE--	42	-	-	-	-	-	1	-	-	2	3	11

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 748

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OF CERVIX UTERI (180)												
UNITED STATES --	471	355	329	351	334	338	268	191	97	28	3	-
WHITE-----FEMALE--	365	271	245	245	258	262	200	142	73	21	1	-
ALL OTHER--FEMALE--	106	84	84	106	76	76	68	49	24	7	2	-
BLACK---FEMALE--	87	70	75	89	66	59	60	40	21	6	2	-
ALABAMA -----	5	9	8	2	8	9	2	5	4	-	-	-
WHITE-----FEMALE--	2	6	5	2	4	5	2	3	-	-	-	-
ALL OTHER--FEMALE--	3	3	3	-	4	4	-	2	4	-	-	-
BLACK---FEMALE--	3	3	3	-	4	4	-	2	4	-	-	-
ALASKA -----	1	-	1	-	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	1	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	4	4	3	2	4	7	1	4	-	1	-	-
WHITE-----FEMALE--	4	4	3	2	4	6	1	3	-	1	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	1	-	1	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	5	4	5	6	2	5	3	3	-	2	-	-
WHITE-----FEMALE--	4	4	3	4	2	4	2	3	-	2	-	-
ALL OTHER--FEMALE--	1	-	2	2	-	1	1	-	-	-	-	-
BLACK---FEMALE--	1	-	2	2	-	1	1	-	-	-	-	-
CALIFORNIA -----	53	43	36	44	42	28	25	13	10	2	-	-
WHITE-----FEMALE--	44	35	27	29	31	20	21	8	9	2	-	-
ALL OTHER--FEMALE--	9	8	9	15	11	8	4	5	1	-	-	-
BLACK---FEMALE--	3	1	8	4	5	-	2	1	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 749

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 OF CERVIX UTERI (180)												
COLORADO -----	40	-	-	-	-	-	-	-	2	5	5	3
WHITE-----FEMALE--	38	-	-	-	-	-	-	-	2	5	5	2
ALL OTHER--FEMALE--	2	-	-	-	-	-	-	-	-	-	-	1
BLACK---FEMALE--	2	-	-	-	-	-	-	-	-	-	-	1
CONNECTICUT -----	38	-	-	-	-	-	-	-	2	3	1	3
WHITE-----FEMALE--	31	-	-	-	-	-	-	-	1	3	-	2
ALL OTHER--FEMALE--	7	-	-	-	-	-	-	-	1	-	1	1
BLACK---FEMALE--	7	-	-	-	-	-	-	-	1	-	1	1
DELAWARE -----	21	-	-	-	-	-	-	-	1	3	3	1
WHITE-----FEMALE--	15	-	-	-	-	-	-	-	1	2	3	1
ALL OTHER--FEMALE--	6	-	-	-	-	-	-	-	-	1	-	-
BLACK---FEMALE--	6	-	-	-	-	-	-	-	-	1	-	-
DISTRICT OF COLUMBIA ----	11	-	-	-	-	-	-	-	-	2	-	-
WHITE-----FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--FEMALE--	10	-	-	-	-	-	-	-	-	1	-	-
BLACK---FEMALE--	10	-	-	-	-	-	-	-	-	1	-	-
FLORIDA -----	314	-	-	-	-	-	-	2	20	22	35	40
WHITE-----FEMALE--	233	-	-	-	-	-	-	2	13	17	27	26
ALL OTHER--FEMALE--	81	-	-	-	-	-	-	-	7	5	8	14
BLACK---FEMALE--	76	-	-	-	-	-	-	-	6	4	8	13
GEORGIA -----	123	-	-	-	-	-	1	5	6	14	10	9
WHITE-----FEMALE--	73	-	-	-	-	-	1	2	4	7	6	7
ALL OTHER--FEMALE--	50	-	-	-	-	-	-	3	2	7	4	2
BLACK---FEMALE--	50	-	-	-	-	-	-	3	2	7	4	2

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 749

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OF CERVIX UTERI (180)												
COLORADO -----	7	1	6	1	2	5	1	1	1	-	-	-
WHITE-----FEMALE--	6	1	6	1	2	5	1	1	1	-	-	-
ALL OTHER--FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	5	4	2	4	1	3	5	4	1	-	-	-
WHITE-----FEMALE--	5	2	2	4	1	2	4	4	1	-	-	-
ALL OTHER--FEMALE--	-	2	-	-	-	1	1	-	-	-	-	-
BLACK---FEMALE--	-	2	-	-	-	1	1	-	-	-	-	-
DELAWARE -----	2	3	2	1	2	2	1	-	-	-	-	-
WHITE-----FEMALE--	1	1	2	-	1	2	1	-	-	-	-	-
ALL OTHER--FEMALE--	1	2	-	1	1	-	-	-	-	-	-	-
BLACK---FEMALE--	1	2	-	1	1	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	3	-	1	2	-	-	-	2	-	1	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	3	-	1	2	-	-	-	2	-	1	-	-
BLACK---FEMALE--	3	-	1	2	-	-	-	2	-	1	-	-
FLORIDA -----	37	27	31	28	22	18	14	7	7	4	-	-
WHITE-----FEMALE--	31	20	20	18	17	16	10	6	7	3	-	-
ALL OTHER--FEMALE--	6	7	11	10	5	2	4	1	-	1	-	-
BLACK---FEMALE--	6	6	11	9	5	2	4	1	-	1	-	-
GEORGIA -----	13	13	8	9	14	9	7	2	3	-	-	-
WHITE-----FEMALE--	8	8	3	6	7	6	3	2	3	-	-	-
ALL OTHER--FEMALE--	5	5	5	3	7	3	4	-	-	-	-	-
BLACK---FEMALE--	5	5	5	3	7	3	4	-	-	-	-	-





TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 751

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 OF CERVIX UTERI (180)												
KENTUCKY -----	78	-	-	-	-	-	1	1	3	4	5	13
WHITE-----FEMALE--	74	-	-	-	-	-	1	1	3	4	4	12
ALL OTHER--FEMALE--	4	-	-	-	-	-	-	-	-	-	1	1
BLACK---FEMALE--	4	-	-	-	-	-	-	-	-	-	1	1
LOUISIANA -----	95	-	-	-	-	1	-	2	5	13	6	11
WHITE-----FEMALE--	47	-	-	-	-	-	-	1	2	5	3	7
ALL OTHER--FEMALE--	48	-	-	-	-	1	-	1	3	8	3	4
BLACK---FEMALE--	46	-	-	-	-	1	-	1	3	8	3	4
MAINE -----	19	-	-	-	-	-	-	-	2	1	-	3
WHITE-----FEMALE--	18	-	-	-	-	-	-	-	1	1	-	3
ALL OTHER--FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	74	-	-	-	-	-	-	1	6	6	6	9
WHITE-----FEMALE--	39	-	-	-	-	-	-	-	4	3	5	3
ALL OTHER--FEMALE--	35	-	-	-	-	-	-	1	2	3	1	6
BLACK---FEMALE--	32	-	-	-	-	-	-	1	1	3	1	5
MASSACHUSETTS -----	91	-	-	-	-	-	-	1	1	6	10	11
WHITE-----FEMALE--	82	-	-	-	-	-	-	1	1	6	7	9
ALL OTHER--FEMALE--	9	-	-	-	-	-	-	-	-	-	3	2
BLACK---FEMALE--	8	-	-	-	-	-	-	-	-	-	2	2
MICHIGAN -----	156	-	-	-	-	-	1	2	5	11	17	21
WHITE-----FEMALE--	118	-	-	-	-	-	1	2	5	9	10	14
ALL OTHER--FEMALE--	38	-	-	-	-	-	-	-	-	2	7	7
BLACK---FEMALE--	35	-	-	-	-	-	-	-	-	2	7	6



TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 751

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OF CERVIX UTERI (180)												
KENTUCKY -----	7	4	7	4	6	14	4	4	1	-	-	-
WHITE-----FEMALE--	7	4	5	4	6	14	4	4	1	-	-	-
ALL OTHER--FEMALE--	-	-	2	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	2	-	-	-	-	-	-	-	-	-
LOUISIANA -----	8	11	5	8	5	8	7	1	4	-	-	-
WHITE-----FEMALE--	3	5	2	4	2	6	4	1	2	-	-	-
ALL OTHER--FEMALE--	5	6	3	4	3	2	3	-	2	-	-	-
BLACK---FEMALE--	5	6	2	4	2	2	3	-	2	-	-	-
MAINE -----	-	1	3	1	5	2	-	1	-	-	-	-
WHITE-----FEMALE--	-	1	3	1	5	2	-	1	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	8	9	4	3	2	12	4	1	3	-	-	-
WHITE-----FEMALE--	4	3	-	2	1	9	2	1	2	-	-	-
ALL OTHER--FEMALE--	4	6	4	1	1	3	2	-	1	-	-	-
BLACK---FEMALE--	4	6	3	1	1	3	2	-	1	-	-	-
MASSACHUSETTS -----	13	7	3	10	9	8	5	5	2	-	-	-
WHITE-----FEMALE--	13	6	3	8	8	8	5	5	2	-	-	-
ALL OTHER--FEMALE--	-	1	-	2	1	-	-	-	-	-	-	-
BLACK---FEMALE--	-	1	-	2	1	-	-	-	-	-	-	-
MICHIGAN -----	19	12	11	9	14	15	9	4	5	1	-	-
WHITE-----FEMALE--	16	7	9	7	13	15	5	1	3	1	-	-
ALL OTHER--FEMALE--	3	5	2	2	1	-	4	3	2	-	-	-
BLACK---FEMALE--	3	5	2	2	1	-	3	2	2	-	-	-









TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 754

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 OF CERVIX UTERI (180)												
OHIO -----	194	-	-	-	-	-	1	7	5	12	29	17
WHITE-----FEMALE--	158	-	-	-	-	-	1	6	4	10	24	17
ALL OTHER--FEMALE--	36	-	-	-	-	-	-	1	1	2	5	-
BLACK---FEMALE--	34	-	-	-	-	-	-	1	1	2	5	-
OKLAHOMA -----	67	-	-	-	-	-	-	1	3	10	6	7
WHITE-----FEMALE--	49	-	-	-	-	-	-	-	2	7	6	5
ALL OTHER--FEMALE--	18	-	-	-	-	-	-	1	1	3	-	2
BLACK---FEMALE--	5	-	-	-	-	-	-	-	1	1	-	1
OREGON -----	34	-	-	-	-	-	-	2	2	2	3	3
WHITE-----FEMALE--	31	-	-	-	-	-	-	2	1	2	3	3
ALL OTHER--FEMALE--	3	-	-	-	-	-	-	-	1	-	-	-
BLACK---FEMALE--	2	-	-	-	-	-	-	-	1	-	-	-
PENNSYLVANIA -----	211	-	-	-	-	-	-	1	4	19	19	16
WHITE-----FEMALE--	170	-	-	-	-	-	-	1	3	17	17	12
ALL OTHER--FEMALE--	41	-	-	-	-	-	-	-	1	2	2	4
BLACK---FEMALE--	40	-	-	-	-	-	-	-	1	2	2	4
RHODE ISLAND -----	14	-	-	-	-	-	-	-	-	1	3	1
WHITE-----FEMALE--	13	-	-	-	-	-	-	-	-	1	3	1
ALL OTHER--FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	88	-	-	-	-	-	-	3	5	9	7	15
WHITE-----FEMALE--	45	-	-	-	-	-	-	-	3	6	3	11
ALL OTHER--FEMALE--	43	-	-	-	-	-	-	3	2	3	4	4
BLACK---FEMALE--	41	-	-	-	-	-	-	3	2	3	3	4

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 754

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OF CERVIX UTERI (180)												
OHIO -----	15	17	10	22	17	12	18	8	4	-	-	-
WHITE-----FEMALE--	11	15	9	20	11	6	14	7	3	-	-	-
ALL OTHER--FEMALE--	4	2	1	2	6	6	4	1	1	-	-	-
BLACK---FEMALE--	4	2	1	2	5	6	3	1	1	-	-	-
OKLAHOMA -----	7	6	3	6	6	6	3	3	-	-	-	-
WHITE-----FEMALE--	4	5	1	5	6	4	3	1	-	-	-	-
ALL OTHER--FEMALE--	3	1	2	1	-	2	-	2	-	-	-	-
BLACK---FEMALE--	-	-	1	-	-	-	-	1	-	-	-	-
OREGON -----	3	2	3	2	5	2	-	2	3	-	-	-
WHITE-----FEMALE--	3	2	2	2	4	2	-	2	3	-	-	-
ALL OTHER--FEMALE--	-	-	1	-	1	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
PENNSYLVANIA -----	23	15	17	21	19	21	13	15	6	2	-	-
WHITE-----FEMALE--	19	13	13	15	15	14	12	12	5	2	-	-
ALL OTHER--FEMALE--	4	2	4	6	4	7	1	3	1	-	-	-
BLACK---FEMALE--	4	2	4	6	4	6	1	3	1	-	-	-
RHODE ISLAND -----	2	-	2	1	1	1	2	-	-	-	-	-
WHITE-----FEMALE--	2	-	1	1	1	1	2	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	2	3	13	6	6	6	4	8	-	1	-	-
WHITE-----FEMALE--	-	1	6	3	1	3	3	5	-	-	-	-
ALL OTHER--FEMALE--	2	2	7	3	5	3	1	3	-	1	-	-
BLACK---FEMALE--	2	2	7	3	5	3	1	2	-	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 755

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 OF CERVIX UTERI (180)												
SOUTH DAKOTA -----	5	-	-	-	-	-	-	-	-	-	2	-
WHITE-----FEMALE--	5	-	-	-	-	-	-	-	-	-	2	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	105	-	-	-	-	-	-	2	2	5	8	17
WHITE-----FEMALE--	84	-	-	-	-	-	-	2	2	4	8	15
ALL OTHER--FEMALE--	21	-	-	-	-	-	-	-	-	1	-	2
BLACK---FEMALE--	19	-	-	-	-	-	-	-	-	-	-	2
TEXAS -----	315	-	-	-	-	-	1	8	12	36	34	41
WHITE-----FEMALE--	254	-	-	-	-	-	1	7	9	30	24	33
ALL OTHER--FEMALE--	61	-	-	-	-	-	-	1	3	6	10	8
BLACK---FEMALE--	54	-	-	-	-	-	-	1	3	5	8	6
UTAH -----	9	-	-	-	-	-	-	1	-	1	-	1
WHITE-----FEMALE--	9	-	-	-	-	-	-	1	-	1	-	1
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	9	-	-	-	-	-	-	-	1	1	1	-
WHITE-----FEMALE--	8	-	-	-	-	-	-	-	1	1	1	-
ALL OTHER--FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	103	-	-	-	-	-	2	1	5	12	14	9
WHITE-----FEMALE--	67	-	-	-	-	-	1	1	3	8	8	7
ALL OTHER--FEMALE--	36	-	-	-	-	-	1	-	2	4	6	2
BLACK---FEMALE--	33	-	-	-	-	-	1	-	1	4	4	2



TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 755

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OF CERVIX UTERI (180)												
SOUTH DAKOTA -----	1	1	-	-	-	1	-	-	-	-	-	-
WHITE-----FEMALE--	1	1	-	-	-	1	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	11	8	11	9	7	9	7	6	3	-	-	-
WHITE-----FEMALE--	8	5	10	8	5	5	4	5	3	-	-	-
ALL OTHER--FEMALE--	3	3	1	1	2	4	3	1	-	-	-	-
BLACK---FEMALE--	2	3	1	1	2	4	3	1	-	-	-	-
TEXAS -----	37	22	18	17	27	19	18	16	5	2	2	-
WHITE-----FEMALE--	29	18	16	13	24	16	16	12	3	2	1	-
ALL OTHER--FEMALE--	8	4	2	4	3	3	2	4	2	-	1	-
BLACK---FEMALE--	7	3	2	4	3	3	2	4	2	-	1	-
UTAH -----	3	1	-	-	-	2	-	-	-	-	-	-
WHITE-----FEMALE--	3	1	-	-	-	2	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	1	1	-	1	-	1	1	1	-	-	-	-
WHITE-----FEMALE--	1	-	-	1	-	1	1	1	-	-	-	-
ALL OTHER--FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	13	5	4	6	9	6	9	6	2	-	-	-
WHITE-----FEMALE--	11	5	3	3	5	5	4	2	1	-	-	-
ALL OTHER--FEMALE--	2	-	1	3	4	1	5	4	1	-	-	-
BLACK---FEMALE--	2	-	1	3	4	1	5	4	1	-	-	-





TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 757

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 OF OTHER PARTS OF UTERUS (179,181-182)												
UNITED STATES --	6,437	-	-	-	-	-	1	9	23	50	77	167
WHITE-----FEMALE--	5,351	-	-	-	-	-	1	4	17	35	60	130
ALL OTHER--FEMALE--	1,086	-	-	-	-	-	-	5	6	15	17	37
BLACK---FEMALE--	974	-	-	-	-	-	-	3	4	13	12	29
ALABAMA -----	93	-	-	-	-	-	-	-	-	1	2	3
WHITE-----FEMALE--	54	-	-	-	-	-	-	-	-	1	2	2
ALL OTHER--FEMALE--	39	-	-	-	-	-	-	-	-	-	-	1
BLACK---FEMALE--	39	-	-	-	-	-	-	-	-	-	-	1
ALASKA -----	5	-	-	-	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	66	-	-	-	-	-	-	-	-	2	1	-
WHITE-----FEMALE--	59	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--FEMALE--	7	-	-	-	-	-	-	-	-	1	1	-
BLACK---FEMALE--	3	-	-	-	-	-	-	-	-	-	1	-
ARKANSAS -----	63	-	-	-	-	-	-	-	-	2	3	2
WHITE-----FEMALE--	54	-	-	-	-	-	-	-	-	1	3	1
ALL OTHER--FEMALE--	9	-	-	-	-	-	-	-	-	1	-	1
BLACK---FEMALE--	9	-	-	-	-	-	-	-	-	1	-	1
CALIFORNIA -----	600	-	-	-	-	-	-	2	3	4	11	18
WHITE-----FEMALE--	511	-	-	-	-	-	-	1	2	3	10	11
ALL OTHER--FEMALE--	89	-	-	-	-	-	-	1	1	1	1	7
BLACK---FEMALE--	54	-	-	-	-	-	-	1	-	1	-	4

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 757

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OF OTHER PARTS OF UTERUS (179,181-182)												
UNITED STATES --	263	406	567	815	1,052	1,081	901	621	315	80	9	-
WHITE-----FEMALE--	211	325	435	644	865	913	797	557	289	59	9	-
ALL OTHER--FEMALE--	52	81	132	171	187	168	104	64	26	21	-	-
BLACK---FEMALE--	36	68	121	161	173	154	95	62	23	20	-	-
ALABAMA -----	2	9	11	12	16	17	9	9	2	-	-	-
WHITE-----FEMALE--	1	3	8	7	11	8	5	6	-	-	-	-
ALL OTHER--FEMALE--	1	6	3	5	5	9	4	3	2	-	-	-
BLACK---FEMALE--	1	6	3	5	5	9	4	3	2	-	-	-
ALASKA -----	-	-	-	-	2	-	1	1	-	1	-	-
WHITE-----FEMALE--	-	-	-	-	2	-	1	1	-	1	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	3	4	10	7	9	11	10	7	2	-	-	-
WHITE-----FEMALE--	2	4	9	6	9	9	10	7	2	-	-	-
ALL OTHER--FEMALE--	1	-	1	1	-	2	-	-	-	-	-	-
BLACK---FEMALE--	-	-	1	-	-	1	-	-	-	-	-	-
ARKANSAS -----	5	2	5	7	6	11	6	9	3	2	-	-
WHITE-----FEMALE--	5	2	3	6	4	10	6	9	3	1	-	-
ALL OTHER--FEMALE--	-	-	2	1	2	1	-	-	-	1	-	-
BLACK---FEMALE--	-	-	2	1	2	1	-	-	-	1	-	-
CALIFORNIA -----	35	42	44	65	91	109	84	59	26	7	-	-
WHITE-----FEMALE--	27	32	35	57	75	97	76	55	24	6	-	-
ALL OTHER--FEMALE--	8	10	9	8	16	12	8	4	2	1	-	-
BLACK---FEMALE--	2	3	6	7	11	8	7	2	1	1	-	-



TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 758

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OF OTHER PARTS OF UTERUS (179,181-182)												
COLORADO -----	-	3	9	7	8	7	10	6	4	1	-	-
WHITE-----FEMALE--	-	3	8	7	8	7	10	5	4	1	-	-
ALL OTHER--FEMALE--	-	-	1	-	-	-	-	1	-	-	-	-
BLACK---FEMALE--	-	-	1	-	-	-	-	1	-	-	-	-
CONNECTICUT -----	1	7	5	3	9	11	20	12	7	2	-	-
WHITE-----FEMALE--	1	7	5	3	8	11	19	11	7	2	-	-
ALL OTHER--FEMALE--	-	-	-	-	1	-	1	1	-	-	-	-
BLACK---FEMALE--	-	-	-	-	1	-	1	1	-	-	-	-
DELAWARE -----	-	2	-	3	3	4	1	3	1	-	-	-
WHITE-----FEMALE--	-	2	-	3	3	4	-	2	1	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	1	1	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	1	1	-	-	-	-
DISTRICT OF COLUMBIA ----	1	2	4	4	4	5	2	1	-	-	-	-
WHITE-----FEMALE--	-	1	-	1	1	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	1	1	4	3	3	5	2	1	-	-	-	-
BLACK---FEMALE--	1	1	4	3	3	5	2	1	-	-	-	-
FLORIDA -----	18	21	29	60	62	68	50	46	26	4	-	-
WHITE-----FEMALE--	14	17	27	47	53	60	45	41	25	3	-	-
ALL OTHER--FEMALE--	4	4	2	13	9	8	5	5	1	1	-	-
BLACK---FEMALE--	2	4	2	12	9	8	5	5	1	1	-	-
GEORGIA -----	7	10	13	19	27	21	23	12	6	2	1	-
WHITE-----FEMALE--	5	6	2	12	16	16	15	10	4	1	1	-
ALL OTHER--FEMALE--	2	4	11	7	11	5	8	2	2	1	-	-
BLACK---FEMALE--	2	4	11	7	11	5	8	2	2	1	-	-





TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 759

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OF OTHER PARTS OF UTERUS (179,181-182)												
HAWAII -----	1	3	3	4	7	3	1	-	1	-	-	-
WHITE-----FEMALE--	-	1	1	-	2	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	1	2	2	4	5	3	1	-	1	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	-	3	2	7	5	4	6	2	3	1	-	-
WHITE-----FEMALE--	-	3	2	6	5	3	6	2	3	1	-	-
ALL OTHER--FEMALE--	-	-	-	1	-	1	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	11	22	26	40	47	56	60	32	17	9	-	-
WHITE-----FEMALE--	10	19	14	31	39	43	53	25	17	7	-	-
ALL OTHER--FEMALE--	1	3	12	9	8	13	7	7	-	2	-	-
BLACK---FEMALE--	-	1	11	9	8	13	7	7	-	1	-	-
INDIANA -----	6	10	20	24	21	30	16	10	11	2	-	-
WHITE-----FEMALE--	6	9	18	21	18	29	15	10	9	1	-	-
ALL OTHER--FEMALE--	-	1	2	3	3	1	1	-	2	1	-	-
BLACK---FEMALE--	-	1	2	3	3	1	1	-	2	1	-	-
IOWA -----	1	4	5	10	17	18	11	12	3	-	-	-
WHITE-----FEMALE--	1	4	5	10	16	18	11	12	3	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
KANSAS -----	1	2	6	7	10	11	7	13	1	-	1	-
WHITE-----FEMALE--	1	2	6	5	9	11	6	12	1	-	1	-
ALL OTHER--FEMALE--	-	-	-	2	1	-	1	1	-	-	-	-
BLACK---FEMALE--	-	-	-	2	1	-	1	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 760

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 OF OTHER PARTS OF UTERUS (179,181-182)												
KENTUCKY -----	83	-	-	-	-	-	-	-	1	2	-	1
WHITE-----FEMALE--	75	-	-	-	-	-	-	-	1	2	-	1
ALL OTHER--FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	82	-	-	-	-	-	-	-	1	3	1	2
WHITE-----FEMALE--	42	-	-	-	-	-	-	-	1	1	1	-
ALL OTHER--FEMALE--	40	-	-	-	-	-	-	-	-	2	-	2
BLACK---FEMALE--	39	-	-	-	-	-	-	-	-	2	-	2
MAINE -----	33	-	-	-	-	-	-	-	-	-	-	1
WHITE-----FEMALE--	33	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	98	-	-	-	-	-	-	-	1	1	1	3
WHITE-----FEMALE--	70	-	-	-	-	-	-	-	-	1	1	2
ALL OTHER--FEMALE--	28	-	-	-	-	-	-	-	1	-	-	1
BLACK---FEMALE--	27	-	-	-	-	-	-	-	1	-	-	1
MASSACHUSETTS -----	156	-	-	-	-	-	-	1	-	1	2	1
WHITE-----FEMALE--	149	-	-	-	-	-	-	1	-	1	2	1
ALL OTHER--FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	263	-	-	-	-	-	-	1	1	4	2	10
WHITE-----FEMALE--	227	-	-	-	-	-	-	-	1	2	1	8
ALL OTHER--FEMALE--	36	-	-	-	-	-	-	1	-	2	1	2
BLACK---FEMALE--	36	-	-	-	-	-	-	1	-	2	1	2

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 760

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OF OTHER PARTS OF UTERUS (179,181-182)												
KENTUCKY -----	1	6	5	10	17	14	6	11	8	1	-	-
WHITE-----FEMALE--	1	6	4	9	15	12	6	9	8	1	-	-
ALL OTHER--FEMALE--	-	-	1	1	2	2	-	2	-	-	-	-
BLACK---FEMALE--	-	-	1	1	2	1	-	2	-	-	-	-
LOUISIANA -----	1	8	7	10	13	13	8	11	3	1	-	-
WHITE-----FEMALE--	1	5	4	7	7	7	2	5	1	-	-	-
ALL OTHER--FEMALE--	-	3	3	3	6	6	6	6	2	1	-	-
BLACK---FEMALE--	-	3	3	3	6	5	6	6	2	1	-	-
MAINE -----	1	2	4	5	6	7	4	2	1	-	-	-
WHITE-----FEMALE--	1	2	4	5	6	7	4	2	1	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	2	9	12	8	16	17	9	9	10	-	-	-
WHITE-----FEMALE--	1	7	11	5	9	11	7	7	8	-	-	-
ALL OTHER--FEMALE--	1	2	1	3	7	6	2	2	2	-	-	-
BLACK---FEMALE--	1	2	1	3	7	5	2	2	2	-	-	-
MASSACHUSETTS -----	6	10	9	17	28	25	24	15	15	1	1	-
WHITE-----FEMALE--	6	10	8	14	27	24	23	15	15	1	1	-
ALL OTHER--FEMALE--	-	-	1	3	1	1	1	-	-	-	-	-
BLACK---FEMALE--	-	-	1	3	1	1	1	-	-	-	-	-
MICHIGAN -----	10	9	24	33	52	40	37	28	11	1	-	-
WHITE-----FEMALE--	9	8	17	28	45	35	35	27	10	1	-	-
ALL OTHER--FEMALE--	1	1	7	5	7	5	2	1	1	-	-	-
BLACK---FEMALE--	1	1	7	5	7	5	2	1	1	-	-	-



TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 761

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OF OTHER PARTS OF UTERUS (179,181-182)												
MINNESOTA -----	3	11	10	9	15	19	17	16	7	1	-	-
WHITE-----FEMALE--	3	11	9	9	14	19	17	16	7	1	-	-
ALL OTHER--FEMALE--	-	-	1	-	1	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI -----	2	4	4	4	11	14	8	5	2	1	-	-
WHITE-----FEMALE--	-	2	1	-	6	9	5	3	1	-	-	-
ALL OTHER--FEMALE--	2	2	3	4	5	5	3	2	1	1	-	-
BLACK---FEMALE--	2	2	3	4	5	5	3	2	1	1	-	-
MISSOURI -----	10	6	12	15	20	25	28	18	3	2	-	-
WHITE-----FEMALE--	9	6	11	13	19	20	25	18	3	1	-	-
ALL OTHER--FEMALE--	1	-	1	2	1	5	3	-	-	1	-	-
BLACK---FEMALE--	1	-	1	2	1	5	2	-	-	1	-	-
MONTANA -----	-	2	1	1	1	4	10	3	3	1	-	-
WHITE-----FEMALE--	-	2	1	1	1	3	9	3	3	1	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	1	1	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	1	3	3	4	6	7	4	9	1	-	-	-
WHITE-----FEMALE--	-	3	3	4	6	7	4	9	1	-	-	-
ALL OTHER--FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA -----	-	2	4	3	6	4	4	-	1	2	-	-
WHITE-----FEMALE--	-	1	4	2	4	3	4	-	1	2	-	-
ALL OTHER--FEMALE--	-	1	-	1	2	1	-	-	-	-	-	-
BLACK---FEMALE--	-	1	-	-	2	-	-	-	-	-	-	-









TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 763

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OF OTHER PARTS OF UTERUS (179,181-182)												
OHIO -----	10	15	27	47	50	52	45	29	14	5	1	-
WHITE-----FEMALE--	9	12	22	37	45	44	41	29	14	3	1	-
ALL OTHER--FEMALE--	1	3	5	10	5	8	4	-	-	2	-	-
BLACK---FEMALE--	1	3	5	10	5	8	4	-	-	2	-	-
OKLAHOMA -----	6	1	7	7	15	15	7	7	2	1	2	-
WHITE-----FEMALE--	4	1	6	7	14	14	7	7	2	1	2	-
ALL OTHER--FEMALE--	2	-	1	-	1	1	-	-	-	-	-	-
BLACK---FEMALE--	1	-	1	-	1	1	-	-	-	-	-	-
OREGON -----	4	7	8	11	17	15	16	11	4	2	-	-
WHITE-----FEMALE--	4	7	8	10	17	15	15	10	4	2	-	-
ALL OTHER--FEMALE--	-	-	-	1	-	-	1	1	-	-	-	-
BLACK---FEMALE--	-	-	-	1	-	-	-	1	-	-	-	-
PENNSYLVANIA -----	16	14	32	45	65	67	64	34	13	1	-	-
WHITE-----FEMALE--	16	12	27	41	59	60	60	30	11	1	-	-
ALL OTHER--FEMALE--	-	2	5	4	6	7	4	4	2	-	-	-
BLACK---FEMALE--	-	2	5	4	6	7	4	4	2	-	-	-
RHODE ISLAND -----	1	1	5	6	3	5	5	3	2	-	-	-
WHITE-----FEMALE--	1	1	5	6	3	5	5	3	2	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	3	5	13	12	17	8	6	6	6	1	-	-
WHITE-----FEMALE--	1	2	5	2	10	4	3	3	6	-	-	-
ALL OTHER--FEMALE--	2	3	8	10	7	4	3	3	-	1	-	-
BLACK---FEMALE--	2	3	8	10	7	4	3	3	-	1	-	-



TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 764

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OF OTHER PARTS OF UTERUS (179,181-182)												
SOUTH DAKOTA -----	-	1	1	1	1	4	2	-	1	1	-	-
WHITE-----FEMALE--	-	1	1	1	1	4	2	-	1	1	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	7	3	10	16	28	16	15	12	6	1	-	-
WHITE-----FEMALE--	6	2	6	10	19	12	13	8	5	-	-	-
ALL OTHER--FEMALE--	1	1	4	6	9	4	2	4	1	1	-	-
BLACK---FEMALE--	1	1	4	6	9	4	2	4	1	1	-	-
TEXAS -----	19	29	37	48	58	51	46	23	15	5	1	-
WHITE-----FEMALE--	13	26	28	36	51	41	35	21	14	4	1	-
ALL OTHER--FEMALE--	6	3	9	12	7	10	11	2	1	1	-	-
BLACK---FEMALE--	5	3	7	12	6	10	10	2	1	1	-	-
UTAH -----	-	2	4	2	6	6	7	3	2	1	-	-
WHITE-----FEMALE--	-	2	4	2	6	6	7	3	2	1	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	1	2	1	3	3	-	2	-	-	-	-
WHITE-----FEMALE--	-	1	2	1	3	3	-	2	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	9	8	15	26	23	23	22	14	5	3	-	-
WHITE-----FEMALE--	6	4	12	18	17	12	19	11	5	1	-	-
ALL OTHER--FEMALE--	3	4	3	8	6	11	3	3	-	2	-	-
BLACK---FEMALE--	2	4	3	8	6	11	3	3	-	2	-	-





TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 766

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 OF OVARY AND OTHER UTERINE ADNEXA (183)												
UNITED STATES --	13,544	-	-	-	4	6	16	22	68	154	338	555
WHITE-----FEMALE--	12,242	-	-	-	4	3	11	15	51	125	280	479
ALL OTHER--FEMALE--	1,302	-	-	-	-	3	5	7	17	29	58	76
BLACK---FEMALE--	1,090	-	-	-	-	3	5	6	15	24	48	56
ALABAMA -----	255	-	-	-	1	-	-	-	1	1	5	11
WHITE-----FEMALE--	208	-	-	-	1	-	-	-	1	1	5	9
ALL OTHER--FEMALE--	47	-	-	-	-	-	-	-	-	-	-	2
BLACK---FEMALE--	47	-	-	-	-	-	-	-	-	-	-	2
ALASKA -----	15	-	-	-	-	-	-	-	-	-	1	1
WHITE-----FEMALE--	11	-	-	-	-	-	-	-	-	-	1	1
ALL OTHER--FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	216	-	-	-	-	-	-	1	1	1	10	8
WHITE-----FEMALE--	202	-	-	-	-	-	-	1	1	1	6	8
ALL OTHER--FEMALE--	14	-	-	-	-	-	-	-	-	-	4	-
BLACK---FEMALE--	5	-	-	-	-	-	-	-	-	-	3	-
ARKANSAS -----	138	-	-	-	-	-	-	-	2	-	4	6
WHITE-----FEMALE--	126	-	-	-	-	-	-	-	2	-	3	6
ALL OTHER--FEMALE--	12	-	-	-	-	-	-	-	-	-	1	-
BLACK---FEMALE--	11	-	-	-	-	-	-	-	-	-	1	-
CALIFORNIA -----	1,403	-	-	-	-	1	3	3	8	18	38	61
WHITE-----FEMALE--	1,255	-	-	-	-	1	3	1	8	15	32	48
ALL OTHER--FEMALE--	148	-	-	-	-	-	-	2	-	3	6	13
BLACK---FEMALE--	73	-	-	-	-	-	-	1	-	2	4	6

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 766

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OF OVARY AND OTHER UTERINE ADNEXA (183)												
UNITED STATES --	888	1,095	1,284	1,672	2,067	2,101	1,676	1,057	413	109	18	1
WHITE-----FEMALE--	793	967	1,133	1,491	1,881	1,940	1,570	997	381	104	16	1
ALL OTHER--FEMALE--	95	128	151	181	186	161	106	60	32	5	2	-
BLACK---FEMALE--	74	97	126	149	158	145	93	56	29	4	2	-
ALABAMA -----	14	15	36	32	41	44	29	16	7	1	1	-
WHITE-----FEMALE--	12	14	28	27	32	37	23	11	6	1	-	-
ALL OTHER--FEMALE--	2	1	8	5	9	7	6	5	1	-	1	-
BLACK---FEMALE--	2	1	8	5	9	7	6	5	1	-	1	-
ALASKA -----	3	2	-	4	1	1	1	1	-	-	-	-
WHITE-----FEMALE--	2	-	-	3	1	1	1	1	-	-	-	-
ALL OTHER--FEMALE--	1	2	-	1	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	12	17	18	29	38	33	27	12	7	1	1	-
WHITE-----FEMALE--	11	15	17	25	37	33	27	12	6	1	1	-
ALL OTHER--FEMALE--	1	2	1	4	1	-	-	-	1	-	-	-
BLACK---FEMALE--	-	-	-	1	-	-	-	-	1	-	-	-
ARKANSAS -----	14	10	14	14	26	15	20	9	4	-	-	-
WHITE-----FEMALE--	12	9	14	12	23	13	20	8	4	-	-	-
ALL OTHER--FEMALE--	2	1	-	2	3	2	-	1	-	-	-	-
BLACK---FEMALE--	2	1	-	2	3	1	-	1	-	-	-	-
CALIFORNIA -----	101	120	137	178	212	197	168	112	32	12	2	-
WHITE-----FEMALE--	86	105	121	157	187	187	154	108	28	12	2	-
ALL OTHER--FEMALE--	15	15	16	21	25	10	14	4	4	-	-	-
BLACK---FEMALE--	7	5	11	11	10	6	6	2	2	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 767

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 OF OVARY AND OTHER UTERINE ADNEXA (183)												
COLORADO -----	175	-	-	-	-	-	-	-	-	3	6	7
WHITE-----FEMALE--	172	-	-	-	-	-	-	-	-	3	5	7
ALL OTHER--FEMALE--	3	-	-	-	-	-	-	-	-	-	1	-
BLACK---FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
CONNECTICUT -----	198	-	-	-	-	-	-	-	-	2	4	6
WHITE-----FEMALE--	193	-	-	-	-	-	-	-	-	2	4	6
ALL OTHER--FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	43	-	-	-	-	-	-	1	-	-	1	3
WHITE-----FEMALE--	38	-	-	-	-	-	-	1	-	-	1	2
ALL OTHER--FEMALE--	5	-	-	-	-	-	-	-	-	-	-	1
BLACK---FEMALE--	5	-	-	-	-	-	-	-	-	-	-	1
DISTRICT OF COLUMBIA ----	25	-	-	-	-	-	-	-	-	-	1	1
WHITE-----FEMALE--	7	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--FEMALE--	18	-	-	-	-	-	-	-	-	-	1	-
BLACK---FEMALE--	18	-	-	-	-	-	-	-	-	-	1	-
FLORIDA -----	957	-	-	-	1	-	1	3	4	12	21	29
WHITE-----FEMALE--	879	-	-	-	1	-	1	3	3	11	18	24
ALL OTHER--FEMALE--	78	-	-	-	-	-	-	-	1	1	3	5
BLACK---FEMALE--	76	-	-	-	-	-	-	-	1	1	3	4
GEORGIA -----	303	-	-	-	-	-	1	1	3	5	7	16
WHITE-----FEMALE--	253	-	-	-	-	-	-	1	1	3	6	15
ALL OTHER--FEMALE--	50	-	-	-	-	-	1	-	2	2	1	1
BLACK---FEMALE--	49	-	-	-	-	-	1	-	2	2	1	-



TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 767

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OF OVARY AND OTHER UTERINE ADNEXA (183)												
COLORADO -----	11	16	21	31	17	26	17	13	7	-	-	-
WHITE-----FEMALE--	11	16	21	30	17	26	17	12	7	-	-	-
ALL OTHER--FEMALE--	-	-	-	1	-	-	-	1	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	17	13	17	28	32	26	21	22	8	1	1	-
WHITE-----FEMALE--	17	13	15	28	29	26	21	22	8	1	1	-
ALL OTHER--FEMALE--	-	-	2	-	3	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	1	-	3	-	-	-	-	-	-	-
DELAWARE -----	8	5	6	5	6	3	-	3	2	-	-	-
WHITE-----FEMALE--	7	4	6	4	6	3	-	2	2	-	-	-
ALL OTHER--FEMALE--	1	1	-	1	-	-	-	1	-	-	-	-
BLACK---FEMALE--	1	1	-	1	-	-	-	1	-	-	-	-
DISTRICT OF COLUMBIA ----	3	2	4	4	4	2	-	3	1	-	-	-
WHITE-----FEMALE--	1	-	1	1	1	1	-	1	-	-	-	-
ALL OTHER--FEMALE--	2	2	3	3	3	1	-	2	1	-	-	-
BLACK---FEMALE--	2	2	3	3	3	1	-	2	1	-	-	-
FLORIDA -----	50	65	77	119	179	150	132	72	36	5	1	-
WHITE-----FEMALE--	43	55	70	113	165	142	125	66	33	5	1	-
ALL OTHER--FEMALE--	7	10	7	6	14	8	7	6	3	-	-	-
BLACK---FEMALE--	7	9	7	6	14	8	7	6	3	-	-	-
GEORGIA -----	23	15	37	40	42	52	38	12	8	3	-	-
WHITE-----FEMALE--	20	11	29	32	36	44	34	12	6	3	-	-
ALL OTHER--FEMALE--	3	4	8	8	6	8	4	-	2	-	-	-
BLACK---FEMALE--	3	4	8	8	6	8	4	-	2	-	-	-



TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 768

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OF OVARY AND OTHER UTERINE ADNEXA (183)												
HAWAII -----	4	2	9	7	4	2	3	1	-	1	-	-
WHITE-----FEMALE--	3	1	2	2	1	-	-	1	-	1	-	-
ALL OTHER--FEMALE--	1	1	7	5	3	2	3	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	1	1	5	12	11	10	11	7	-	-	-	-
WHITE-----FEMALE--	1	1	5	12	11	10	11	7	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	52	38	39	76	88	110	87	39	21	6	-	-
WHITE-----FEMALE--	44	35	36	69	79	102	82	35	19	5	-	-
ALL OTHER--FEMALE--	8	3	3	7	9	8	5	4	2	1	-	-
BLACK---FEMALE--	6	3	3	7	8	8	5	4	1	-	-	-
INDIANA -----	19	32	35	46	50	43	36	20	7	1	-	-
WHITE-----FEMALE--	18	27	30	41	48	39	35	19	7	1	-	-
ALL OTHER--FEMALE--	1	5	5	5	2	4	1	1	-	-	-	-
BLACK---FEMALE--	1	4	4	5	2	4	1	1	-	-	-	-
IOWA -----	13	12	8	17	20	32	22	23	9	2	-	-
WHITE-----FEMALE--	13	12	8	17	20	32	22	23	9	2	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS -----	4	10	7	26	19	28	16	15	4	1	-	-
WHITE-----FEMALE--	3	10	6	24	19	28	16	14	4	1	-	-
ALL OTHER--FEMALE--	1	-	1	2	-	-	-	1	-	-	-	-
BLACK---FEMALE--	1	-	1	-	-	-	-	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 769

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 OF OVARY AND OTHER UTERINE ADNEXA (183)												
KENTUCKY -----	172	-	-	-	-	-	-	-	2	3	2	9
WHITE-----FEMALE--	162	-	-	-	-	-	-	-	2	2	2	8
ALL OTHER--FEMALE--	10	-	-	-	-	-	-	-	-	1	-	1
BLACK---FEMALE--	8	-	-	-	-	-	-	-	-	1	-	-
LOUISIANA -----	184	-	-	-	-	-	-	1	2	1	9	9
WHITE-----FEMALE--	129	-	-	-	-	-	-	-	1	-	5	6
ALL OTHER--FEMALE--	55	-	-	-	-	-	-	1	1	1	4	3
BLACK---FEMALE--	54	-	-	-	-	-	-	1	1	1	4	3
MAINE -----	79	-	-	-	-	-	1	-	-	1	2	1
WHITE-----FEMALE--	77	-	-	-	-	-	-	-	-	1	2	1
ALL OTHER--FEMALE--	2	-	-	-	-	-	1	-	-	-	-	-
BLACK---FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
MARYLAND -----	281	-	-	-	-	1	1	-	6	3	11	14
WHITE-----FEMALE--	219	-	-	-	-	-	-	-	3	1	6	11
ALL OTHER--FEMALE--	62	-	-	-	-	1	1	-	3	2	5	3
BLACK---FEMALE--	59	-	-	-	-	1	1	-	3	2	5	3
MASSACHUSETTS -----	308	-	-	-	-	-	-	-	-	6	4	10
WHITE-----FEMALE--	301	-	-	-	-	-	-	-	-	6	3	10
ALL OTHER--FEMALE--	7	-	-	-	-	-	-	-	-	-	1	-
BLACK---FEMALE--	5	-	-	-	-	-	-	-	-	-	1	-
MICHIGAN -----	489	-	-	-	-	-	-	-	5	7	10	15
WHITE-----FEMALE--	442	-	-	-	-	-	-	-	4	4	9	11
ALL OTHER--FEMALE--	47	-	-	-	-	-	-	-	1	3	1	4
BLACK---FEMALE--	42	-	-	-	-	-	-	-	1	2	1	3

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 769

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OF OVARY AND OTHER UTERINE ADNEXA (183)												
KENTUCKY -----	8	9	17	24	29	26	24	11	6	2	-	-
WHITE-----FEMALE--	6	9	16	22	28	26	23	10	6	2	-	-
ALL OTHER--FEMALE--	2	-	1	2	1	-	1	1	-	-	-	-
BLACK---FEMALE--	1	-	1	2	1	-	1	1	-	-	-	-
LOUISIANA -----	13	15	19	24	31	26	22	8	3	1	-	-
WHITE-----FEMALE--	12	9	13	16	24	18	15	8	1	1	-	-
ALL OTHER--FEMALE--	1	6	6	8	7	8	7	-	2	-	-	-
BLACK---FEMALE--	1	6	6	7	7	8	7	-	2	-	-	-
MAINE -----	3	8	7	14	16	8	7	7	3	1	-	-
WHITE-----FEMALE--	3	7	7	14	16	8	7	7	3	1	-	-
ALL OTHER--FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	20	34	32	30	30	36	28	22	9	4	-	-
WHITE-----FEMALE--	17	31	21	21	25	30	24	19	7	3	-	-
ALL OTHER--FEMALE--	3	3	11	9	5	6	4	3	2	1	-	-
BLACK---FEMALE--	3	2	11	8	4	6	4	3	2	1	-	-
MASSACHUSETTS -----	25	22	26	26	54	42	45	36	10	2	-	-
WHITE-----FEMALE--	24	20	26	23	54	42	45	36	10	2	-	-
ALL OTHER--FEMALE--	1	2	-	3	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	2	-	2	-	-	-	-	-	-	-	-
MICHIGAN -----	38	55	55	50	74	74	62	32	8	4	-	-
WHITE-----FEMALE--	30	54	52	45	66	68	59	30	6	4	-	-
ALL OTHER--FEMALE--	8	1	3	5	8	6	3	2	2	-	-	-
BLACK---FEMALE--	8	-	3	5	6	6	3	2	2	-	-	-



TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 770

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OF OVARY AND OTHER UTERINE ADNEXA (183)												
MINNESOTA -----	11	20	16	23	47	40	42	26	11	-	2	-
WHITE-----FEMALE--	10	20	16	23	46	39	42	25	11	-	2	-
ALL OTHER--FEMALE--	1	-	-	-	1	1	-	1	-	-	-	-
BLACK---FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
MISSISSIPPI -----	5	5	15	16	25	17	24	9	3	2	-	-
WHITE-----FEMALE--	4	5	7	11	17	14	14	8	3	2	-	-
ALL OTHER--FEMALE--	1	-	8	5	8	3	10	1	-	-	-	-
BLACK---FEMALE--	1	-	8	5	8	3	10	1	-	-	-	-
MISSOURI -----	19	21	28	38	49	56	33	25	6	-	1	-
WHITE-----FEMALE--	19	20	27	32	43	51	32	24	5	-	1	-
ALL OTHER--FEMALE--	-	1	1	6	6	5	1	1	1	-	-	-
BLACK---FEMALE--	-	1	1	6	6	5	1	1	1	-	-	-
MONTANA -----	5	1	7	6	4	6	10	4	-	-	-	-
WHITE-----FEMALE--	5	-	7	6	4	6	10	4	-	-	-	-
ALL OTHER--FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	2	4	8	13	11	15	15	7	3	2	-	-
WHITE-----FEMALE--	2	4	8	13	11	15	15	7	3	2	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA -----	7	6	8	14	11	10	7	5	1	-	-	-
WHITE-----FEMALE--	6	5	6	11	10	10	7	5	1	-	-	-
ALL OTHER--FEMALE--	1	1	2	3	1	-	-	-	-	-	-	-
BLACK---FEMALE--	1	-	-	3	1	-	-	-	-	-	-	-







TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 772

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 OF OVARY AND OTHER UTERINE ADNEXA (183)												
OHIO -----	612	-	-	-	1	-	-	2	1	7	9	26
WHITE-----FEMALE--	567	-	-	-	1	-	-	2	1	7	9	22
ALL OTHER--FEMALE--	45	-	-	-	-	-	-	-	-	-	-	4
BLACK---FEMALE--	45	-	-	-	-	-	-	-	-	-	-	4
OKLAHOMA -----	159	-	-	-	-	-	-	-	2	2	2	7
WHITE-----FEMALE--	145	-	-	-	-	-	-	-	2	2	-	6
ALL OTHER--FEMALE--	14	-	-	-	-	-	-	-	-	-	2	1
BLACK---FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	198	-	-	-	-	-	1	1	2	3	8	10
WHITE-----FEMALE--	191	-	-	-	-	-	1	1	2	3	8	8
ALL OTHER--FEMALE--	7	-	-	-	-	-	-	-	-	-	-	2
BLACK---FEMALE--	2	-	-	-	-	-	-	-	-	-	-	1
PENNSYLVANIA -----	730	-	-	-	-	-	1	-	1	6	18	37
WHITE-----FEMALE--	690	-	-	-	-	-	1	-	1	6	17	34
ALL OTHER--FEMALE--	40	-	-	-	-	-	-	-	-	-	1	3
BLACK---FEMALE--	38	-	-	-	-	-	-	-	-	-	1	3
RHODE ISLAND -----	64	-	-	-	-	-	-	-	-	1	-	2
WHITE-----FEMALE--	63	-	-	-	-	-	-	-	-	1	-	2
ALL OTHER--FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	186	-	-	-	-	1	-	-	1	4	5	4
WHITE-----FEMALE--	142	-	-	-	-	-	-	-	1	2	2	3
ALL OTHER--FEMALE--	44	-	-	-	-	1	-	-	-	2	3	1
BLACK---FEMALE--	44	-	-	-	-	1	-	-	-	2	3	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 772

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OF OVARY AND OTHER UTERINE ADNEXA (183)												
OHIO -----	35	51	48	70	95	105	96	38	23	4	1	-
WHITE-----FEMALE--	34	48	42	60	90	97	90	37	23	3	1	-
ALL OTHER--FEMALE--	1	3	6	10	5	8	6	1	-	1	-	-
BLACK---FEMALE--	1	3	6	10	5	8	6	1	-	1	-	-
OKLAHOMA -----	7	15	17	13	24	22	23	12	9	4	-	-
WHITE-----FEMALE--	7	13	14	13	21	20	22	12	9	4	-	-
ALL OTHER--FEMALE--	-	2	3	-	3	2	1	-	-	-	-	-
BLACK---FEMALE--	-	2	1	-	3	1	-	-	-	-	-	-
OREGON -----	14	20	17	22	27	32	17	19	5	-	-	-
WHITE-----FEMALE--	14	18	17	19	27	32	17	19	5	-	-	-
ALL OTHER--FEMALE--	-	2	-	3	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	52	59	75	84	113	116	89	46	25	8	-	-
WHITE-----FEMALE--	48	50	72	81	109	110	87	44	23	7	-	-
ALL OTHER--FEMALE--	4	9	3	3	4	6	2	2	2	1	-	-
BLACK---FEMALE--	4	9	3	3	2	6	2	2	2	1	-	-
RHODE ISLAND -----	1	10	10	6	11	7	5	6	3	2	-	-
WHITE-----FEMALE--	1	10	9	6	11	7	5	6	3	2	-	-
ALL OTHER--FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	11	16	12	31	24	31	22	18	3	3	-	-
WHITE-----FEMALE--	8	14	8	22	19	26	16	16	2	3	-	-
ALL OTHER--FEMALE--	3	2	4	9	5	5	6	2	1	-	-	-
BLACK---FEMALE--	3	2	4	9	5	5	6	2	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 773

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 OF OVARY AND OTHER UTERINE ADNEXA (183)												
SOUTH DAKOTA -----	52	-	-	-	-	-	-	-	-	1	1	3
WHITE-----FEMALE--	49	-	-	-	-	-	-	-	-	1	1	3
ALL OTHER--FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	304	-	-	-	-	1	2	-	1	-	6	12
WHITE-----FEMALE--	271	-	-	-	-	1	2	-	1	-	5	10
ALL OTHER--FEMALE--	33	-	-	-	-	-	-	-	-	-	1	2
BLACK---FEMALE--	30	-	-	-	-	-	-	-	-	-	1	2
TEXAS -----	742	-	-	-	-	-	-	3	7	6	24	30
WHITE-----FEMALE--	672	-	-	-	-	-	-	2	5	6	18	29
ALL OTHER--FEMALE--	70	-	-	-	-	-	-	1	2	-	6	1
BLACK---FEMALE--	67	-	-	-	-	-	-	1	2	-	5	1
UTAH -----	83	-	-	-	-	-	-	-	-	-	2	4
WHITE-----FEMALE--	81	-	-	-	-	-	-	-	-	-	2	4
ALL OTHER--FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	37	-	-	-	-	-	-	-	-	2	2	3
WHITE-----FEMALE--	37	-	-	-	-	-	-	-	-	2	2	3
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	300	-	-	-	1	-	-	1	2	4	8	18
WHITE-----FEMALE--	249	-	-	-	1	-	-	-	1	2	6	14
ALL OTHER--FEMALE--	51	-	-	-	-	-	-	1	1	2	2	4
BLACK---FEMALE--	46	-	-	-	-	-	-	1	1	2	1	3

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 773

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OF OVARY AND OTHER UTERINE ADNEXA (183)												
SOUTH DAKOTA -----	4	9	3	4	8	9	2	4	4	-	-	-
WHITE-----FEMALE--	2	9	2	4	8	9	2	4	4	-	-	-
ALL OTHER--FEMALE--	2	-	1	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	18	19	33	34	57	49	36	23	6	4	3	-
WHITE-----FEMALE--	16	17	29	32	49	45	34	21	4	3	2	-
ALL OTHER--FEMALE--	2	2	4	2	8	4	2	2	2	1	1	-
BLACK---FEMALE--	1	1	3	2	8	4	2	2	2	1	1	-
TEXAS -----	46	64	88	91	113	102	88	51	25	3	1	-
WHITE-----FEMALE--	45	56	81	81	102	91	81	47	24	3	1	-
ALL OTHER--FEMALE--	1	8	7	10	11	11	7	4	1	-	-	-
BLACK---FEMALE--	1	7	7	9	11	11	7	4	1	-	-	-
UTAH -----	3	8	8	8	10	14	16	6	3	1	-	-
WHITE-----FEMALE--	3	7	8	8	10	13	16	6	3	1	-	-
ALL OTHER--FEMALE--	-	1	-	-	-	1	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	1	2	4	4	2	5	4	3	4	1	-	-
WHITE-----FEMALE--	1	2	4	4	2	5	4	3	4	1	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	18	25	25	34	43	52	28	29	11	1	-	-
WHITE-----FEMALE--	16	20	19	28	38	42	25	28	8	1	-	-
ALL OTHER--FEMALE--	2	5	6	6	5	10	3	1	3	-	-	-
BLACK---FEMALE--	2	4	6	4	5	10	3	1	3	-	-	-









TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 775

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OF OTHER AND UNSPECIFIED FEMALE GENITAL ORGANS (184)												
UNITED STATES --	53	60	74	114	149	168	203	184	113	40	7	-
WHITE-----FEMALE--	43	46	59	98	127	157	193	169	108	37	7	-
ALL OTHER--FEMALE--	10	14	15	16	22	11	10	15	5	3	-	-
BLACK---FEMALE--	7	11	13	16	18	10	9	14	4	3	-	-
ALABAMA -----	1	1	1	2	6	7	2	4	-	1	-	-
WHITE-----FEMALE--	1	-	-	2	5	5	2	3	-	-	-	-
ALL OTHER--FEMALE--	-	1	1	-	1	2	-	1	-	1	-	-
BLACK---FEMALE--	-	1	1	-	1	2	-	1	-	1	-	-
ALASKA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	2	-	2	-	-	3	-	5	2	-	-	-
WHITE-----FEMALE--	2	-	2	-	-	3	-	5	2	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	-	1	-	2	1	3	2	1	1	-	-	-
WHITE-----FEMALE--	-	1	-	1	1	2	2	1	1	-	-	-
ALL OTHER--FEMALE--	-	-	-	1	-	1	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	1	-	1	-	-	-	-	-	-
CALIFORNIA -----	3	3	5	8	14	9	14	16	4	6	1	-
WHITE-----FEMALE--	2	3	5	6	12	9	13	15	4	6	1	-
ALL OTHER--FEMALE--	1	-	-	2	2	-	1	1	-	-	-	-
BLACK---FEMALE--	1	-	-	2	1	-	-	1	-	-	-	-







TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 777

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OF OTHER AND UNSPECIFIED FEMALE GENITAL ORGANS (184)												
HAWAII -----	-	1	1	-	2	1	-	-	1	-	-	-
WHITE-----FEMALE--	-	-	-	-	1	1	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	1	1	-	1	-	-	-	1	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	-	2	-	-	-	-	1	-	-	-	-	-
WHITE-----FEMALE--	-	2	-	-	-	-	1	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	3	2	3	7	5	6	8	11	2	1	-	-
WHITE-----FEMALE--	1	2	2	6	4	6	8	11	2	-	-	-
ALL OTHER--FEMALE--	2	-	1	1	1	-	-	-	-	1	-	-
BLACK---FEMALE--	1	-	1	1	1	-	-	-	-	1	-	-
INDIANA -----	4	-	3	1	3	4	6	1	4	1	-	-
WHITE-----FEMALE--	4	-	2	1	3	4	6	1	4	1	-	-
ALL OTHER--FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
IOWA -----	-	-	2	1	1	3	2	5	2	1	-	-
WHITE-----FEMALE--	-	-	2	1	1	3	2	5	2	1	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS -----	-	-	1	1	2	3	2	3	1	2	-	-
WHITE-----FEMALE--	-	-	1	1	2	3	2	2	1	2	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-



TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 778

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OF OTHER AND UNSPECIFIED FEMALE GENITAL ORGANS (184)												
KENTUCKY -----	2	3	1	2	1	5	3	4	3	1	-	-
WHITE-----FEMALE--	2	3	1	2	1	5	3	4	3	1	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	2	1	1	4	3	5	3	2	2	1	-	-
WHITE-----FEMALE--	-	1	1	2	2	4	1	2	2	1	-	-
ALL OTHER--FEMALE--	2	-	-	2	1	1	2	-	-	-	-	-
BLACK---FEMALE--	2	-	-	2	1	1	2	-	-	-	-	-
MAINE -----	1	-	-	2	-	2	1	2	1	1	-	-
WHITE-----FEMALE--	1	-	-	2	-	2	1	2	1	1	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	3	2	2	-	1	1	2	1	2	-	-	-
WHITE-----FEMALE--	2	1	-	-	1	1	1	1	2	-	-	-
ALL OTHER--FEMALE--	1	1	2	-	-	-	1	-	-	-	-	-
BLACK---FEMALE--	1	1	2	-	-	-	1	-	-	-	-	-
MASSACHUSETTS -----	2	2	1	2	3	9	10	6	4	2	1	-
WHITE-----FEMALE--	2	2	1	2	3	9	10	6	4	2	1	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	-	-	4	3	6	3	11	5	4	2	-	-
WHITE-----FEMALE--	-	-	2	3	6	3	10	5	4	2	-	-
ALL OTHER--FEMALE--	-	-	2	-	-	-	1	-	-	-	-	-
BLACK---FEMALE--	-	-	2	-	-	-	1	-	-	-	-	-













TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 781

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OF OTHER AND UNSPECIFIED FEMALE GENITAL ORGANS (184)												
OHIO -----	2	2	2	8	11	9	13	9	4	-	2	-
WHITE-----FEMALE--	1	2	1	8	10	8	13	8	3	-	2	-
ALL OTHER--FEMALE--	1	-	1	-	1	1	-	1	1	-	-	-
BLACK---FEMALE--	1	-	-	-	1	1	-	1	1	-	-	-
OKLAHOMA -----	-	-	1	-	2	3	2	3	2	-	-	-
WHITE-----FEMALE--	-	-	1	-	2	3	2	2	2	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
OREGON -----	1	1	1	5	-	1	1	-	1	2	-	-
WHITE-----FEMALE--	1	1	1	5	-	1	1	-	1	2	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	3	4	2	4	12	11	23	10	2	2	-	-
WHITE-----FEMALE--	3	4	2	2	11	10	22	9	2	2	-	-
ALL OTHER--FEMALE--	-	-	-	2	1	1	1	1	-	-	-	-
BLACK---FEMALE--	-	-	-	2	1	1	1	1	-	-	-	-
RHODE ISLAND -----	-	-	-	1	-	-	-	2	-	-	-	-
WHITE-----FEMALE--	-	-	-	1	-	-	-	2	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	2	-	2	5	2	-	2	1	-	1	-	-
WHITE-----FEMALE--	2	-	1	4	1	-	2	-	-	1	-	-
ALL OTHER--FEMALE--	-	-	1	1	1	-	-	1	-	-	-	-
BLACK---FEMALE--	-	-	1	1	1	-	-	1	-	-	-	-



TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 782

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OF OTHER AND UNSPECIFIED FEMALE GENITAL ORGANS (184)												
SOUTH DAKOTA -----	2	-	-	-	-	1	2	-	-	1	-	-
WHITE-----FEMALE--	2	-	-	-	-	1	2	-	-	1	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	1	1	1	4	7	4	3	6	4	-	-	-
WHITE-----FEMALE--	-	1	1	4	5	4	3	6	4	-	-	-
ALL OTHER--FEMALE--	1	-	-	-	2	-	-	-	-	-	-	-
BLACK---FEMALE--	1	-	-	-	2	-	-	-	-	-	-	-
TEXAS -----	4	5	5	7	8	8	9	8	5	-	-	-
WHITE-----FEMALE--	4	4	5	6	8	7	9	8	5	-	-	-
ALL OTHER--FEMALE--	-	1	-	1	-	1	-	-	-	-	-	-
BLACK---FEMALE--	-	1	-	1	-	1	-	-	-	-	-	-
UTAH -----	-	-	-	1	1	1	-	1	-	-	-	-
WHITE-----FEMALE--	-	-	-	1	1	1	-	1	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	1	-	-	-	-	-	1	1	-	-	-
WHITE-----FEMALE--	-	1	-	-	-	-	-	1	1	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	2	3	2	4	5	6	4	8	3	3	-	-
WHITE-----FEMALE--	2	2	2	2	4	6	3	7	3	2	-	-
ALL OTHER--FEMALE--	-	1	-	2	1	-	1	1	-	1	-	-
BLACK---FEMALE--	-	1	-	2	1	-	1	1	-	1	-	-









TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 784

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OF PROSTATE (185)												
UNITED STATES --	291	673	1,429	2,768	4,795	6,750	7,050	5,253	2,409	594	67	-
WHITE-----MALE----	200	507	1,030	2,162	3,822	5,544	5,980	4,475	2,061	500	47	-
ALL OTHER--MALE----	91	166	399	606	973	1,206	1,070	778	348	94	20	-
BLACK---MALE-----	87	158	375	581	925	1,124	1,004	726	319	84	19	-
ALABAMA -----	8	17	38	69	99	116	121	105	37	16	1	-
WHITE-----MALE----	5	10	22	42	53	57	78	58	22	7	-	-
ALL OTHER--MALE----	3	7	16	27	46	59	43	47	15	9	1	-
BLACK---MALE-----	3	7	15	27	46	58	43	47	15	9	1	-
ALASKA -----	-	2	3	4	7	7	3	2	-	-	-	-
WHITE-----MALE----	-	2	3	4	4	7	3	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	3	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	7	11	21	46	74	117	118	76	37	10	-	-
WHITE-----MALE----	5	11	18	39	73	112	114	71	32	8	-	-
ALL OTHER--MALE----	2	-	3	7	1	5	4	5	5	2	-	-
BLACK---MALE-----	2	-	1	5	1	2	3	3	4	1	-	-
ARKANSAS -----	1	7	16	40	56	72	81	84	23	6	2	-
WHITE-----MALE----	1	7	13	27	43	61	65	60	17	4	1	-
ALL OTHER--MALE----	-	-	3	13	13	11	16	24	6	2	1	-
BLACK---MALE-----	-	-	3	12	13	11	16	24	6	2	1	-
CALIFORNIA -----	31	66	146	267	434	630	619	477	216	50	7	-
WHITE-----MALE----	21	46	117	223	366	531	549	429	192	43	5	-
ALL OTHER--MALE----	10	20	29	44	68	99	70	48	24	7	2	-
BLACK---MALE-----	8	16	25	34	52	68	46	35	12	5	2	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 785

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 OF PROSTATE (185)												
COLORADO -----	342	-	-	-	-	-	-	-	-	-	1	-
WHITE-----MALE----	322	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	20	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	18	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	411	-	-	-	-	-	-	-	-	-	-	2
WHITE-----MALE----	374	-	-	-	-	-	-	-	-	-	-	2
ALL OTHER--MALE----	37	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	35	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	92	-	-	-	-	-	-	-	-	-	1	-
WHITE-----MALE----	68	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	24	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	24	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	87	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	13	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	74	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	72	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	2,400	-	-	-	-	-	-	-	-	-	4	2
WHITE-----MALE----	2,071	-	-	-	-	-	-	-	-	-	1	2
ALL OTHER--MALE----	329	-	-	-	-	-	-	-	-	-	3	-
BLACK---MALE----	325	-	-	-	-	-	-	-	-	-	3	-
GEORGIA -----	801	-	-	-	-	-	-	-	1	-	-	2
WHITE-----MALE----	483	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	318	-	-	-	-	-	-	-	1	-	-	2
BLACK---MALE----	315	-	-	-	-	-	-	-	1	-	-	2

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 785

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OF PROSTATE (185)												
COLORADO -----	7	10	11	34	51	84	75	48	18	2	1	-
WHITE-----MALE----	7	10	10	33	47	77	70	47	18	1	1	-
ALL OTHER--MALE----	-	-	1	1	4	7	5	1	-	1	-	-
BLACK---MALE----	-	-	1	1	4	5	5	1	-	1	-	-
CONNECTICUT -----	4	4	14	37	46	91	100	77	30	5	1	-
WHITE-----MALE----	3	3	13	34	40	79	94	72	28	5	1	-
ALL OTHER--MALE----	1	1	1	3	6	12	6	5	2	-	-	-
BLACK---MALE----	1	1	1	3	6	11	5	5	2	-	-	-
DELAWARE -----	-	1	2	12	10	30	15	13	7	1	-	-
WHITE-----MALE----	-	1	2	8	8	23	9	11	4	1	-	-
ALL OTHER--MALE----	-	-	-	4	2	7	6	2	3	-	-	-
BLACK---MALE----	-	-	-	4	2	7	6	2	3	-	-	-
DISTRICT OF COLUMBIA ----	1	2	3	7	14	26	17	13	3	1	-	-
WHITE-----MALE----	-	1	1	1	3	2	3	1	1	-	-	-
ALL OTHER--MALE----	1	1	2	6	11	24	14	12	2	1	-	-
BLACK---MALE----	1	1	2	5	11	24	13	12	2	1	-	-
FLORIDA -----	15	38	102	208	372	495	523	385	211	43	2	-
WHITE-----MALE----	10	31	78	167	321	426	459	347	189	40	-	-
ALL OTHER--MALE----	5	7	24	41	51	69	64	38	22	3	2	-
BLACK---MALE----	4	7	24	41	51	67	63	38	22	3	2	-
GEORGIA -----	6	22	39	86	115	184	163	120	48	14	1	-
WHITE-----MALE----	4	14	20	49	70	118	99	72	26	10	1	-
ALL OTHER--MALE----	2	8	19	37	45	66	64	48	22	4	-	-
BLACK---MALE----	2	8	19	37	45	66	63	46	22	4	-	-



TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 786

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OF PROSTATE (185)												
HAWAII -----	-	-	7	8	15	19	19	19	10	3	1	-
WHITE-----MALE----	-	-	2	4	7	4	8	8	4	1	-	-
ALL OTHER--MALE----	-	-	5	4	8	15	11	11	6	2	1	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
IDAHO -----	2	4	7	13	11	40	35	28	8	5	-	-
WHITE-----MALE----	2	4	7	13	11	40	35	28	7	5	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	8	49	47	134	204	295	366	244	108	29	2	-
WHITE-----MALE----	5	29	31	102	148	227	317	205	94	27	2	-
ALL OTHER--MALE----	3	20	16	32	56	68	49	39	14	2	-	-
BLACK---MALE----	3	20	13	32	55	68	48	37	12	2	-	-
INDIANA -----	1	16	35	62	98	161	161	118	42	11	2	-
WHITE-----MALE----	1	13	29	51	78	142	142	101	38	10	1	-
ALL OTHER--MALE----	-	3	6	11	20	19	19	17	4	1	1	-
BLACK---MALE----	-	3	6	11	20	18	19	16	4	1	1	-
IOWA -----	3	3	12	23	75	97	99	80	39	4	-	-
WHITE-----MALE----	3	3	11	23	75	96	99	79	39	4	-	-
ALL OTHER--MALE----	-	-	1	-	-	1	-	1	-	-	-	-
BLACK---MALE----	-	-	1	-	-	1	-	1	-	-	-	-
KANSAS -----	3	3	15	26	47	69	67	55	35	8	2	-
WHITE-----MALE----	1	3	12	24	45	60	64	51	32	6	2	-
ALL OTHER--MALE----	2	-	3	2	2	9	3	4	3	2	-	-
BLACK---MALE----	2	-	3	2	2	8	3	4	3	2	-	-





TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 787  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX OF PROSTATE (185)	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
KENTUCKY -----	4	9	14	39	64	99	84	73	35	10	-	-
WHITE-----MALE----	4	8	12	37	56	90	77	66	28	8	-	-
ALL OTHER--MALE----	-	1	2	2	8	9	7	7	7	2	-	-
BLACK---MALE----	-	-	2	2	8	9	7	7	7	2	-	-
LOUISIANA -----	7	12	40	51	84	103	122	77	35	7	1	-
WHITE-----MALE----	1	9	19	27	48	68	69	48	24	4	1	-
ALL OTHER--MALE----	6	3	21	24	36	35	53	29	11	3	-	-
BLACK---MALE----	6	3	21	24	36	35	52	27	11	3	-	-
MAINE -----	1	2	7	8	18	37	28	33	15	5	-	-
WHITE-----MALE----	1	2	7	8	17	37	28	33	15	5	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
MARYLAND -----	6	17	28	57	108	118	132	72	48	12	1	-
WHITE-----MALE----	3	9	17	34	71	82	98	54	35	5	-	-
ALL OTHER--MALE----	3	8	11	23	37	36	34	18	13	7	1	-
BLACK---MALE----	3	8	11	23	36	35	33	18	12	7	1	-
MASSACHUSETTS -----	12	14	23	50	117	148	191	136	56	14	3	-
WHITE-----MALE----	10	13	19	43	110	138	184	132	55	12	3	-
ALL OTHER--MALE----	2	1	4	7	7	10	7	4	1	2	-	-
BLACK---MALE----	1	1	3	7	7	9	7	3	1	2	-	-
MICHIGAN -----	5	22	63	97	181	220	257	161	91	28	-	-
WHITE-----MALE----	3	16	44	77	133	177	209	136	75	26	-	-
ALL OTHER--MALE----	2	6	19	20	48	43	48	25	16	2	-	-
BLACK---MALE----	2	6	19	20	48	42	47	25	16	2	-	-



TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 788

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OF PROSTATE (185)												
MINNESOTA -----	6	14	21	51	89	96	132	113	59	16	1	-
WHITE-----MALE----	3	13	20	49	84	96	129	113	59	16	1	-
ALL OTHER--MALE----	3	1	1	2	5	-	3	-	-	-	-	-
BLACK---MALE-----	3	1	-	1	4	-	2	-	-	-	-	-
MISSISSIPPI -----	5	15	16	26	60	67	85	88	47	9	2	-
WHITE-----MALE----	2	3	6	14	35	37	37	43	16	5	1	-
ALL OTHER--MALE----	3	12	10	12	25	30	48	45	31	4	1	-
BLACK---MALE-----	3	12	10	12	25	30	48	45	31	4	1	-
MISSOURI -----	7	10	42	51	109	111	146	124	48	16	1	-
WHITE-----MALE----	7	9	33	42	92	91	125	105	44	12	1	-
ALL OTHER--MALE----	-	1	9	9	17	20	21	19	4	4	-	-
BLACK---MALE-----	-	1	9	9	16	20	19	19	4	4	-	-
MONTANA -----	1	3	2	5	15	21	33	28	16	1	-	-
WHITE-----MALE----	1	3	2	5	13	21	32	28	16	1	-	-
ALL OTHER--MALE----	-	-	-	-	2	-	1	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	2	3	8	6	38	39	52	26	20	7	1	-
WHITE-----MALE----	2	3	8	6	36	39	52	26	20	7	1	-
ALL OTHER--MALE----	-	-	-	-	2	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	2	-	-	-	-	-	-	-
NEVADA -----	-	2	6	17	39	39	43	14	12	4	1	-
WHITE-----MALE----	-	2	6	17	37	34	39	12	12	4	1	-
ALL OTHER--MALE----	-	-	-	-	2	5	4	2	-	-	-	-
BLACK---MALE-----	-	-	-	-	1	4	2	1	-	-	-	-







TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 790

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OF PROSTATE (185)												
OHIO -----	9	28	63	109	218	305	323	210	92	26	5	-
WHITE-----MALE----	8	24	42	87	179	257	272	186	84	23	5	-
ALL OTHER--MALE----	1	4	21	22	39	48	51	24	8	3	-	-
BLACK---MALE----	1	3	21	22	39	48	48	24	7	3	-	-
OKLAHOMA -----	4	6	11	27	59	95	70	56	28	9	2	-
WHITE-----MALE----	3	6	7	22	51	83	60	50	27	9	2	-
ALL OTHER--MALE----	1	-	4	5	8	12	10	6	1	-	-	-
BLACK---MALE----	1	-	3	4	6	9	7	3	1	-	-	-
OREGON -----	3	10	18	35	62	87	126	76	34	4	-	-
WHITE-----MALE----	3	10	17	34	59	82	123	75	34	4	-	-
ALL OTHER--MALE----	-	-	1	1	3	5	3	1	-	-	-	-
BLACK---MALE----	-	-	1	1	2	2	2	-	-	-	-	-
PENNSYLVANIA -----	13	34	76	166	253	384	392	287	138	32	3	-
WHITE-----MALE----	9	27	62	131	211	328	355	264	124	30	3	-
ALL OTHER--MALE----	4	7	14	35	42	56	37	23	14	2	-	-
BLACK---MALE----	4	7	14	35	42	55	37	21	14	2	-	-
RHODE ISLAND -----	2	2	6	12	18	37	34	21	16	4	-	-
WHITE-----MALE----	2	2	6	12	16	35	31	21	16	4	-	-
ALL OTHER--MALE----	-	-	-	-	2	2	3	-	-	-	-	-
BLACK---MALE----	-	-	-	-	2	2	3	-	-	-	-	-
SOUTH CAROLINA -----	8	11	23	42	70	112	113	68	30	5	1	-
WHITE-----MALE----	2	3	10	16	31	63	67	41	20	3	-	-
ALL OTHER--MALE----	6	8	13	26	39	49	46	27	10	2	1	-
BLACK---MALE----	6	8	13	26	39	48	46	27	10	2	1	-





TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 791

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OF PROSTATE (185)												
SOUTH DAKOTA -----	1	1	2	7	14	19	26	14	8	1	-	-
WHITE-----MALE----	1	-	2	7	14	19	25	14	8	1	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	6	13	31	69	100	139	127	121	43	11	-	-
WHITE-----MALE----	3	12	22	55	79	113	94	94	33	8	-	-
ALL OTHER--MALE----	3	1	9	14	21	26	33	27	10	3	-	-
BLACK---MALE----	3	1	9	14	21	26	33	27	10	3	-	-
TEXAS -----	20	43	98	161	274	407	413	302	133	34	6	-
WHITE-----MALE----	11	33	69	128	226	338	346	245	100	31	2	-
ALL OTHER--MALE----	9	10	29	33	48	69	67	57	33	3	4	-
BLACK---MALE----	9	10	29	33	47	69	66	56	33	3	4	-
UTAH -----	2	5	4	18	25	54	49	33	14	6	-	-
WHITE-----MALE----	2	5	4	18	25	52	49	33	14	6	-	-
ALL OTHER--MALE----	-	-	-	-	-	2	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	1	2	1	5	5	12	16	6	6	2	-	-
WHITE-----MALE----	1	2	1	5	5	12	16	5	6	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	5	27	40	74	112	176	165	113	50	11	3	-
WHITE-----MALE----	4	19	22	50	81	113	120	78	37	10	2	-
ALL OTHER--MALE----	1	8	18	24	31	63	45	35	13	1	1	-
BLACK---MALE----	1	8	18	23	31	63	45	35	12	1	1	-



TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 792

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OF PROSTATE (185)												
WASHINGTON -----	4	6	25	52	80	130	124	104	35	10	3	-
WHITE-----MALE----	3	5	21	47	72	122	119	99	34	8	3	-
ALL OTHER--MALE----	1	1	4	5	8	8	5	5	1	2	-	-
BLACK---MALE----	1	1	3	5	6	6	5	2	1	2	-	-
WEST VIRGINIA -----	1	3	10	19	44	42	60	38	17	1	1	-
WHITE-----MALE----	1	3	9	19	39	41	58	38	17	1	1	-
ALL OTHER--MALE----	-	-	1	-	5	1	2	-	-	-	-	-
BLACK---MALE----	-	-	1	-	5	1	2	-	-	-	-	-
WISCONSIN -----	6	16	23	66	94	146	179	136	66	17	2	-
WHITE-----MALE----	4	16	17	63	90	138	171	133	63	17	2	-
ALL OTHER--MALE----	2	-	6	3	4	8	8	3	3	-	-	-
BLACK---MALE----	2	-	6	3	4	6	6	2	3	-	-	-
WYOMING -----	2	-	3	5	9	13	12	8	1	1	-	-
WHITE-----MALE----	2	-	3	5	9	13	11	7	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 793

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 OF TESTIS (186)												
UNITED STATES --	370	-	-	-	-	5	30	44	53	67	50	28
WHITE-----MALE----	340	-	-	-	-	4	25	42	51	60	49	25
ALL OTHER--MALE----	30	-	-	-	-	1	5	2	2	7	1	3
BLACK---MALE-----	24	-	-	-	-	1	2	1	1	7	1	3
ALABAMA -----	4	-	-	-	-	-	-	-	1	1	1	1
WHITE-----MALE----	4	-	-	-	-	-	-	-	1	1	1	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA -----	1	-	-	-	-	-	-	-	-	-	-	1
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	8	-	-	-	-	-	2	-	-	3	1	-
WHITE-----MALE----	7	-	-	-	-	-	1	-	-	3	1	-
ALL OTHER--MALE----	1	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	4	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	1	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	45	-	-	-	-	-	2	5	8	11	5	3
WHITE-----MALE----	41	-	-	-	-	-	2	4	7	9	5	3
ALL OTHER--MALE----	4	-	-	-	-	-	-	1	1	2	-	-
BLACK---MALE-----	2	-	-	-	-	-	-	-	-	2	-	-





TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 794

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OF TESTIS (186)												
COLORADO -----	-	-	-	-	-	-	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	-	-	-	-	1	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FLORIDA -----	3	2	1	1	-	2	1	-	1	-	1	-
WHITE-----MALE----	3	2	-	1	-	2	1	-	1	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	1	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	1	-
GEORGIA -----	-	-	-	-	-	-	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-







TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 796

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 OF TESTIS (186)												
KENTUCKY -----	5	-	-	-	-	-	1	-	1	-	1	-
WHITE-----MALE----	5	-	-	-	-	-	1	-	1	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	6	-	-	-	-	1	1	-	1	1	1	1
WHITE-----MALE----	4	-	-	-	-	1	-	-	1	-	1	1
ALL OTHER--MALE----	2	-	-	-	-	-	1	-	-	1	-	-
BLACK---MALE----	2	-	-	-	-	-	1	-	-	1	-	-
MAINE -----	2	-	-	-	-	-	-	-	1	-	-	-
WHITE-----MALE----	2	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	9	-	-	-	-	-	1	1	-	3	-	1
WHITE-----MALE----	9	-	-	-	-	-	1	1	-	3	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS -----	6	-	-	-	-	-	1	1	1	2	-	-
WHITE-----MALE----	6	-	-	-	-	-	1	1	1	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	17	-	-	-	-	-	1	2	2	5	2	-
WHITE-----MALE----	15	-	-	-	-	-	1	2	2	4	2	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	1	-	-

















TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 800

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 OF TESTIS (186)												
SOUTH DAKOTA -----	1	-	-	-	-	-	-	-	1	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	7	-	-	-	-	-	-	2	2	-	1	-
WHITE-----MALE----	7	-	-	-	-	-	-	2	2	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS -----	27	-	-	-	-	1	2	4	6	4	5	3
WHITE-----MALE----	24	-	-	-	-	1	2	3	5	4	5	2
ALL OTHER--MALE----	3	-	-	-	-	-	-	1	1	-	-	1
BLACK---MALE----	3	-	-	-	-	-	-	1	1	-	-	1
UTAH -----	1	-	-	-	-	1	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	2	-	-	-	-	-	-	-	1	1	-	-
WHITE-----MALE----	2	-	-	-	-	-	-	-	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	8	-	-	-	-	-	1	1	-	4	1	-
WHITE-----MALE----	6	-	-	-	-	-	1	1	-	3	1	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 800

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OF TESTIS (186)												
SOUTH DAKOTA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	1	1	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	1	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS -----	-	-	1	-	-	-	-	1	-	-	-	-
WHITE-----MALE----	-	-	1	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
UTAH -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	-	-	-	-	-	-	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	1	-	-	-	-	-













TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 803

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OF PENIS AND OTHER MALE GENITAL ORGANS (187)												
COLORADO -----	-	-	-	1	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	-	-	-	-	1	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FLORIDA -----	1	-	3	-	2	1	2	3	1	-	-	-
WHITE-----MALE----	1	-	3	-	2	1	1	3	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
GEORGIA -----	-	2	2	-	2	-	-	1	-	-	-	-
WHITE-----MALE----	-	2	1	-	2	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	1	-	-	-	-





















TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 808

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OF PENIS AND OTHER MALE GENITAL ORGANS (187)												
OHIO -----	2	1	1	1	2	3	1	-	-	-	-	-
WHITE-----MALE----	2	1	1	1	2	2	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	1	-	-	-	-	-
OKLAHOMA -----	1	-	1	-	-	-	-	1	-	-	-	-
WHITE-----MALE----	1	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	1	-	-	-	-
OREGON -----	-	-	-	-	-	1	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	1	1	-	1	3	2	-	-	1	1	-	-
WHITE-----MALE----	1	-	-	1	3	2	-	-	1	1	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND -----	-	-	-	-	-	-	-	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	-	-	-	1	-	1	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-



TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 809

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OF PENIS AND OTHER MALE GENITAL ORGANS (187)												
SOUTH DAKOTA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	2	1	1	-	-	1	1	1	2	-	-	-
WHITE-----MALE----	2	1	-	-	-	1	1	1	2	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
TEXAS -----	-	1	1	1	4	5	2	1	1	-	-	-
WHITE-----MALE----	-	1	1	1	4	4	2	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	1	-	-	-
UTAH -----	-	1	-	-	1	-	-	-	-	-	-	-
WHITE-----MALE----	-	1	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	-	1	2	1	-	-	1	-	-	-	-	-
WHITE-----MALE----	-	1	1	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	1	-	-	-	-	-





TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 811  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 MALIGNANT NEOPLASMS OF URINARY ORGANS (188-189)												
UNITED STATES --	23,768	3	21	25	9	12	13	29	46	143	335	619
WHITE-----MALE----	13,996	2	5	4	3	4	4	8	20	67	195	399
FEMALE--	7,519	1	10	15	4	3	2	6	14	40	76	128
ALL OTHER--MALE----	1,320	-	4	4	-	4	5	10	8	20	43	62
FEMALE--	933	-	2	2	2	1	2	5	4	16	21	30
BLACK---MALE----	1,099	-	3	4	-	4	4	10	8	18	39	56
FEMALE--	814	-	2	1	2	1	1	4	3	14	18	27
ALABAMA -----	351	-	1	-	-	1	-	1	2	2	6	10
WHITE-----MALE----	184	-	-	-	-	1	-	-	1	-	4	6
FEMALE--	91	-	1	-	-	-	-	1	-	1	-	3
ALL OTHER--MALE----	41	-	-	-	-	-	-	-	1	-	1	1
FEMALE--	35	-	-	-	-	-	-	-	-	1	1	-
BLACK---MALE----	41	-	-	-	-	-	-	-	1	-	1	1
FEMALE--	35	-	-	-	-	-	-	-	-	1	1	-
ALASKA -----	28	-	-	-	-	-	1	-	-	-	1	1
WHITE-----MALE----	18	-	-	-	-	-	1	-	-	-	1	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	393	1	1	1	-	-	1	1	3	2	9	8
WHITE-----MALE----	241	-	-	-	-	-	-	-	1	1	3	5
FEMALE--	130	1	1	1	-	-	-	1	1	-	5	1
ALL OTHER--MALE----	13	-	-	-	-	-	1	-	-	1	1	1
FEMALE--	9	-	-	-	-	-	-	-	1	-	-	1
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	1
ARKANSAS -----	261	-	1	-	-	-	-	-	-	-	8	4
WHITE-----MALE----	131	-	-	-	-	-	-	-	-	-	3	3
FEMALE--	102	-	-	-	-	-	-	-	-	-	2	-
ALL OTHER--MALE----	19	-	1	-	-	-	-	-	-	-	2	1
FEMALE--	9	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	19	-	1	-	-	-	-	-	-	-	2	1
FEMALE--	8	-	-	-	-	-	-	-	-	-	1	-
CALIFORNIA -----	2,267	-	1	3	3	-	3	1	6	19	28	62
WHITE-----MALE----	1,354	-	-	-	-	-	-	-	5	10	13	40
FEMALE--	675	-	1	2	3	-	1	-	1	6	9	12
ALL OTHER--MALE----	153	-	-	-	-	-	1	1	-	1	4	6
FEMALE--	85	-	-	1	-	-	1	-	-	2	2	4
BLACK---MALE----	69	-	-	-	-	-	1	1	-	1	3	3
FEMALE--	44	-	-	-	-	-	-	-	-	1	-	3



TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 811  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 MALIGNANT NEOPLASMS OF URINARY ORGANS (188-189)												
UNITED STATES --	1,048	1,449	1,909	2,646	3,657	4,036	3,610	2,543	1,238	337	40	-
WHITE-----MALE----	637	907	1,196	1,705	2,249	2,429	2,076	1,365	572	132	17	-
FEMALE--	249	366	503	689	1,078	1,265	1,300	999	577	176	18	-
ALL OTHER--MALE----	116	118	127	153	199	194	125	82	32	12	2	-
FEMALE--	46	58	83	99	131	148	109	97	57	17	3	-
BLACK---MALE----	94	100	105	124	158	162	108	65	24	12	1	-
FEMALE--	41	52	72	84	116	123	92	86	56	16	3	-
ALABAMA -----	17	19	32	41	42	64	46	43	14	10	-	-
WHITE-----MALE----	11	8	16	24	25	30	27	22	5	4	-	-
FEMALE--	-	3	7	11	7	24	12	11	9	1	-	-
ALL OTHER--MALE----	4	6	3	3	6	4	4	6	-	2	-	-
FEMALE--	2	2	6	3	4	6	3	4	-	3	-	-
BLACK---MALE----	4	6	3	3	6	4	4	6	-	2	-	-
FEMALE--	2	2	6	3	4	6	3	4	-	3	-	-
ALASKA -----	2	5	1	-	5	5	7	-	-	-	-	-
WHITE-----MALE----	2	3	1	-	3	2	5	-	-	-	-	-
FEMALE--	-	2	-	-	1	1	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	15	22	30	52	63	52	66	41	18	5	2	-
WHITE-----MALE----	8	13	21	38	44	32	37	27	7	3	1	-
FEMALE--	5	8	9	10	16	18	28	13	9	2	1	-
ALL OTHER--MALE----	2	1	-	3	1	-	-	1	1	-	-	-
FEMALE--	-	-	-	1	2	2	1	-	1	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	1	1	-	-	-
FEMALE--	-	-	-	-	1	-	1	-	1	-	-	-
ARKANSAS -----	9	19	19	31	29	56	34	26	22	3	-	-
WHITE-----MALE----	7	12	7	16	15	27	21	13	7	-	-	-
FEMALE--	2	5	8	11	12	27	10	11	11	3	-	-
ALL OTHER--MALE----	-	1	3	3	1	1	2	2	2	-	-	-
FEMALE--	-	1	1	1	1	1	1	-	2	-	-	-
BLACK---MALE----	-	1	3	3	1	1	2	2	2	-	-	-
FEMALE--	-	1	1	1	1	-	1	-	2	-	-	-
CALIFORNIA -----	98	124	231	251	344	407	329	229	102	21	5	-
WHITE-----MALE----	52	71	144	172	217	239	203	124	52	10	2	-
FEMALE--	30	36	59	56	92	128	96	89	42	10	2	-
ALL OTHER--MALE----	12	9	19	15	23	24	22	10	5	-	1	-
FEMALE--	4	8	9	8	12	16	8	6	3	1	-	-
BLACK---MALE----	7	3	11	7	6	11	11	3	1	-	-	-
FEMALE--	3	6	5	4	7	7	2	3	3	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 812

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 MALIGNANT NEOPLASMS OF URINARY ORGANS (188-189)												
COLORADO -----	256	-	1	-	-	-	-	-	-	-	3	7
WHITE-----MALE----	154	-	1	-	-	-	-	-	-	-	1	6
FEMALE--	96	-	-	-	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	339	-	1	-	-	-	-	-	-	2	3	7
WHITE-----MALE----	219	-	-	-	-	-	-	-	-	2	1	5
FEMALE--	114	-	-	-	-	-	-	-	-	-	2	2
ALL OTHER--MALE----	6	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	6	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	85	-	-	-	-	-	-	-	-	3	2	2
WHITE-----MALE----	52	-	-	-	-	-	-	-	-	1	2	1
FEMALE--	21	-	-	-	-	-	-	-	-	1	-	1
ALL OTHER--MALE----	7	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	49	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	7	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	15	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	19	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	15	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	19	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	1,696	-	-	1	-	-	-	4	2	6	17	31
WHITE-----MALE----	1,061	-	-	1	-	-	-	2	1	1	9	18
FEMALE--	509	-	-	-	-	-	-	1	1	3	4	10
ALL OTHER--MALE----	72	-	-	-	-	-	-	1	-	2	3	3
FEMALE--	54	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	70	-	-	-	-	-	-	1	-	2	3	3
FEMALE--	52	-	-	-	-	-	-	-	-	-	1	-
GEORGIA -----	508	-	1	-	1	1	-	1	1	7	6	19
WHITE-----MALE----	265	-	-	-	-	-	-	-	-	3	6	9
FEMALE--	142	-	-	-	-	-	-	-	-	1	-	4
ALL OTHER--MALE----	65	-	1	-	-	1	-	1	-	2	-	6
FEMALE--	36	-	-	-	1	-	-	-	1	1	-	-
BLACK---MALE----	63	-	-	-	-	1	-	1	-	2	-	6
FEMALE--	36	-	-	-	1	-	-	-	1	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 812  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 MALIGNANT NEOPLASMS OF URINARY ORGANS (188-189)												
COLORADO -----	13	11	22	31	47	41	35	24	18	3	-	-
WHITE-----MALE----	10	9	14	19	29	25	20	12	7	1	-	-
FEMALE--	3	2	8	11	16	14	15	12	11	2	-	-
ALL OTHER--MALE----	-	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
CONNECTICUT -----	16	21	21	33	46	69	56	29	26	7	2	-
WHITE-----MALE----	14	13	18	24	29	46	37	15	13	2	-	-
FEMALE--	2	6	3	8	17	23	18	14	12	5	2	-
ALL OTHER--MALE----	-	2	-	1	-	-	1	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	2	-	1	-	-	1	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	2	4	6	13	10	15	14	11	2	1	-	-
WHITE-----MALE----	-	4	4	9	7	7	7	7	2	1	-	-
FEMALE--	1	-	1	3	2	3	5	4	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	4	1	-	-	-	-	-
FEMALE--	1	-	1	1	1	1	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	4	1	-	-	-	-	-
FEMALE--	1	-	-	1	-	1	1	-	-	-	-	-
DISTRICT OF COLUMBIA ----	4	2	2	5	5	9	9	4	8	-	1	-
WHITE-----MALE----	-	-	-	1	-	2	2	1	1	-	-	-
FEMALE--	1	-	-	-	1	-	2	1	3	-	-	-
ALL OTHER--MALE----	3	1	1	1	3	5	1	-	-	-	-	-
FEMALE--	-	1	1	3	1	2	4	2	4	-	1	-
BLACK---MALE----	3	1	1	1	3	5	1	-	-	-	-	-
FEMALE--	-	1	1	3	1	2	4	2	4	-	1	-
FLORIDA -----	61	101	106	187	255	316	268	208	101	29	3	-
WHITE-----MALE----	30	71	60	122	175	211	168	131	49	10	2	-
FEMALE--	15	25	32	54	64	87	83	63	49	17	1	-
ALL OTHER--MALE----	10	3	9	6	9	10	9	5	1	1	-	-
FEMALE--	6	2	5	5	7	8	8	9	2	1	-	-
BLACK---MALE----	10	3	8	6	8	10	9	5	1	1	-	-
FEMALE--	6	2	4	5	6	8	8	9	2	1	-	-
GEORGIA -----	33	40	57	60	70	82	63	38	21	6	1	-
WHITE-----MALE----	22	26	31	31	38	44	31	17	5	2	-	-
FEMALE--	2	6	16	20	21	25	24	12	10	1	-	-
ALL OTHER--MALE----	8	8	6	5	7	7	4	4	4	1	-	-
FEMALE--	1	-	4	4	4	6	4	5	2	2	1	-
BLACK---MALE----	8	8	6	5	6	7	4	4	4	1	-	-
FEMALE--	1	-	4	4	4	6	4	5	2	2	1	-



TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 813

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 MALIGNANT NEOPLASMS OF URINARY ORGANS (188-189)												
HAWAII -----	9	5	7	10	13	13	10	7	7	-	-	-
WHITE-----MALE----	3	-	1	3	2	6	3	4	2	-	-	-
FEMALE--	-	1	1	-	1	-	-	1	1	-	-	-
ALL OTHER--MALE----	6	4	3	4	7	4	2	1	3	-	-	-
FEMALE--	-	-	2	3	3	3	5	1	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	2	11	7	10	14	22	16	7	9	2	1	-
WHITE-----MALE----	-	6	4	7	13	15	11	7	5	1	-	-
FEMALE--	2	5	3	3	1	7	5	-	4	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	49	71	89	101	162	173	185	118	62	17	1	-
WHITE-----MALE----	27	45	51	67	94	102	105	66	28	5	-	-
FEMALE--	14	16	22	24	43	55	71	46	31	12	1	-
ALL OTHER--MALE----	4	6	8	6	12	10	2	3	1	-	-	-
FEMALE--	4	4	8	4	13	6	7	3	2	-	-	-
BLACK---MALE----	4	6	7	5	11	9	2	3	1	-	-	-
FEMALE--	2	4	7	4	12	5	7	3	2	-	-	-
INDIANA -----	25	49	43	53	105	101	96	56	19	5	2	-
WHITE-----MALE----	20	31	28	40	60	53	60	26	8	2	2	-
FEMALE--	4	14	14	11	38	43	36	25	10	3	-	-
ALL OTHER--MALE----	-	4	1	2	6	2	-	3	-	-	-	-
FEMALE--	1	-	-	-	1	3	-	2	1	-	-	-
BLACK---MALE----	-	3	1	2	5	2	-	3	-	-	-	-
FEMALE--	1	-	-	-	3	-	-	2	1	-	-	-
IOWA -----	10	15	16	31	41	51	63	46	17	8	-	-
WHITE-----MALE----	5	11	10	22	24	36	39	27	13	4	-	-
FEMALE--	4	4	6	9	17	15	24	19	4	4	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS -----	12	10	16	19	35	41	44	25	17	3	-	-
WHITE-----MALE----	10	8	12	11	22	23	24	13	6	1	-	-
FEMALE--	1	2	2	6	12	16	17	12	9	2	-	-
ALL OTHER--MALE----	1	-	2	-	1	1	1	-	-	-	-	-
FEMALE--	-	-	-	2	-	1	2	-	2	-	-	-
BLACK---MALE----	1	-	2	-	1	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	2	-	2	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 814

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 MALIGNANT NEOPLASMS OF URINARY ORGANS (188-189)												
KENTUCKY -----	403	-	1	-	-	-	-	2	1	3	11	4
WHITE-----MALE----	259	-	-	-	-	-	-	2	-	2	9	2
FEMALE--	124	-	-	-	-	-	-	-	1	-	1	2
ALL OTHER--MALE----	13	-	1	-	-	-	-	-	-	1	1	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	13	-	1	-	-	-	-	-	-	1	1	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	365	-	-	1	1	-	2	1	1	6	10	11
WHITE-----MALE----	172	-	-	-	1	-	1	-	-	3	6	7
FEMALE--	100	-	-	-	-	-	-	-	1	1	-	1
ALL OTHER--MALE----	39	-	-	1	-	-	-	1	-	-	3	3
FEMALE--	54	-	-	-	-	-	1	-	-	2	1	-
BLACK---MALE----	39	-	-	1	-	-	-	1	-	-	3	3
FEMALE--	54	-	-	-	-	-	1	-	-	2	1	-
MAINE -----	150	-	-	-	-	-	-	-	1	-	-	8
WHITE-----MALE----	98	-	-	-	-	-	-	-	1	-	-	6
FEMALE--	50	-	-	-	-	-	-	-	-	-	-	2
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	429	-	-	-	-	1	-	-	-	2	7	20
WHITE-----MALE----	218	-	-	-	-	-	-	-	-	-	3	12
FEMALE--	128	-	-	-	-	-	-	-	-	-	2	2
ALL OTHER--MALE----	47	-	-	-	-	1	-	-	-	-	2	4
FEMALE--	36	-	-	-	-	-	-	-	-	2	-	2
BLACK---MALE----	47	-	-	-	-	1	-	-	-	-	2	4
FEMALE--	35	-	-	-	-	-	-	-	-	2	-	1
MASSACHUSETTS -----	599	-	-	-	-	-	-	-	1	1	6	7
WHITE-----MALE----	381	-	-	-	-	-	-	-	-	1	4	4
FEMALE--	208	-	-	-	-	-	-	-	1	-	2	2
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	1
MICHIGAN -----	899	-	-	1	-	-	-	-	-	3	16	24
WHITE-----MALE----	530	-	-	-	-	-	-	-	-	1	10	16
FEMALE--	287	-	-	1	-	-	-	-	-	1	4	4
ALL OTHER--MALE----	45	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	37	-	-	-	-	-	-	-	-	1	1	2
BLACK---MALE----	44	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	35	-	-	-	-	-	-	-	-	1	1	2

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 814  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 MALIGNANT NEOPLASMS OF URINARY ORGANS (188-189)												
KENTUCKY -----	18	22	42	54	75	57	51	37	20	5	-	-
WHITE-----MALE----	11	13	33	40	49	41	30	16	10	1	-	-
FEMALE--	6	7	7	14	25	12	18	18	9	4	-	-
ALL OTHER--MALE----	1	2	1	-	1	2	2	1	-	-	-	-
FEMALE--	-	-	1	-	-	2	1	2	1	-	-	-
BLACK---MALE----	1	2	1	-	1	2	2	1	-	-	-	-
FEMALE--	-	-	1	-	-	2	-	2	1	-	-	-
LOUISIANA -----	12	24	21	44	63	60	41	35	24	6	2	-
WHITE-----MALE----	5	13	11	26	26	32	18	15	5	3	-	-
FEMALE--	1	5	5	4	21	17	15	14	11	2	2	-
ALL OTHER--MALE----	4	1	1	7	7	7	2	2	-	-	-	-
FEMALE--	2	5	4	7	9	4	6	4	8	1	-	-
BLACK---MALE----	4	1	1	7	7	7	2	2	-	-	-	-
FEMALE--	2	5	4	7	9	4	6	4	8	1	-	-
MAINE -----	4	13	15	19	19	28	14	17	9	3	-	-
WHITE-----MALE----	3	12	13	14	11	16	7	9	4	2	-	-
FEMALE--	1	1	2	4	8	11	7	8	5	1	-	-
ALL OTHER--MALE----	-	-	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	24	20	33	49	62	68	61	51	26	4	1	-
WHITE-----MALE----	16	7	18	23	31	37	35	24	11	1	-	-
FEMALE--	1	5	10	16	18	20	19	22	11	2	-	-
ALL OTHER--MALE----	6	5	2	7	5	6	6	3	-	-	-	-
FEMALE--	1	3	3	3	8	5	1	2	4	1	1	-
BLACK---MALE----	6	5	2	7	5	6	6	3	-	-	-	-
FEMALE--	1	3	3	3	8	5	1	2	4	1	1	-
MASSACHUSETTS -----	24	33	37	61	93	107	98	80	36	14	1	-
WHITE-----MALE----	13	26	27	39	61	78	65	46	11	5	1	-
FEMALE--	10	7	9	20	30	28	33	33	24	9	-	-
ALL OTHER--MALE----	1	-	-	1	1	1	-	-	-	-	-	-
FEMALE--	-	-	1	1	1	-	-	1	1	-	-	-
BLACK---MALE----	1	-	-	1	1	1	-	-	-	-	-	-
FEMALE--	-	-	1	1	1	-	-	1	1	-	-	-
MICHIGAN -----	48	53	73	118	143	123	133	91	55	17	1	-
WHITE-----MALE----	19	40	46	68	90	75	76	55	28	5	1	-
FEMALE--	21	8	21	40	40	38	49	30	20	10	-	-
ALL OTHER--MALE----	5	3	4	7	10	4	4	3	2	-	-	-
FEMALE--	3	2	2	3	3	6	4	3	5	2	-	-
BLACK---MALE----	5	3	4	7	10	3	4	3	2	-	-	-
FEMALE--	3	2	2	3	3	4	4	3	5	2	-	-





TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 815

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 MALIGNANT NEOPLASMS OF URINARY ORGANS (188-189)												
MINNESOTA -----	13	18	31	35	57	63	70	55	28	8	1	-
WHITE-----MALE----	3	14	25	23	38	45	33	26	14	5	1	-
FEMALE--	9	3	5	11	18	17	36	29	14	3	-	-
ALL OTHER--MALE----	-	-	1	1	1	1	1	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI -----	12	17	15	21	39	28	30	17	11	5	-	-
WHITE-----MALE----	6	9	9	12	21	11	13	9	4	-	-	-
FEMALE--	2	3	3	5	9	9	11	4	7	1	-	-
ALL OTHER--MALE----	2	3	2	4	4	4	2	3	-	3	-	-
FEMALE--	2	2	1	-	5	4	4	1	-	1	-	-
BLACK---MALE----	2	3	2	4	4	4	2	3	-	3	-	-
FEMALE--	2	2	1	-	5	4	4	1	-	1	-	-
MISSOURI -----	27	29	38	57	86	100	70	78	26	7	-	-
WHITE-----MALE----	17	18	24	28	52	65	37	44	9	6	-	-
FEMALE--	8	8	11	23	29	29	30	29	17	1	-	-
ALL OTHER--MALE----	1	2	2	4	5	2	3	1	-	-	-	-
FEMALE--	1	1	1	2	-	4	-	4	-	-	-	-
BLACK---MALE----	1	2	2	4	5	2	3	1	-	-	-	-
FEMALE--	1	1	1	2	-	4	-	3	-	-	-	-
MONTANA -----	2	2	6	10	13	13	22	10	4	3	-	-
WHITE-----MALE----	2	1	3	5	7	6	17	9	2	2	-	-
FEMALE--	-	1	3	4	4	6	5	1	2	1	-	-
ALL OTHER--MALE----	-	-	-	1	2	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	5	7	16	16	27	26	23	15	8	5	2	-
WHITE-----MALE----	5	5	10	10	25	16	7	8	5	2	1	-
FEMALE--	-	2	5	5	2	10	16	7	3	3	1	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
NEVADA -----	2	7	16	25	21	37	16	12	2	1	-	-
WHITE-----MALE----	2	4	14	20	15	24	10	7	-	-	-	-
FEMALE--	-	3	2	5	5	10	5	5	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	3	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	3	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	-	-	-	-	-







TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 817  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 MALIGNANT NEOPLASMS OF URINARY ORGANS (188-189)												
OHIO -----	47	64	80	136	193	168	170	110	47	14	2	-
WHITE-----MALE----	23	37	50	85	109	107	93	57	24	4	1	-
FEMALE--	17	21	20	40	70	51	70	46	21	10	1	-
ALL OTHER--MALE----	5	4	5	6	10	5	6	4	1	-	-	-
FEMALE--	2	2	5	5	4	5	1	3	1	-	-	-
BLACK---MALE----	5	4	5	6	10	5	6	3	1	-	-	-
FEMALE--	2	2	5	5	4	5	1	3	1	-	-	-
OKLAHOMA -----	19	20	28	29	44	55	45	38	13	4	1	-
WHITE-----MALE----	12	12	19	20	28	32	32	19	8	2	1	-
FEMALE--	4	5	7	3	11	18	11	17	5	2	-	-
ALL OTHER--MALE----	3	3	2	3	4	4	-	1	-	-	-	-
FEMALE--	-	-	-	3	1	1	2	1	-	-	-	-
BLACK---MALE----	-	2	-	2	2	3	-	1	-	-	-	-
FEMALE--	-	-	-	1	-	1	2	1	-	-	-	-
OREGON -----	11	16	25	32	42	69	51	39	23	5	-	-
WHITE-----MALE----	8	9	17	26	27	44	31	22	14	3	-	-
FEMALE--	3	6	6	6	14	24	18	16	7	2	-	-
ALL OTHER--MALE----	-	-	1	-	1	1	1	1	2	-	-	-
FEMALE--	-	1	1	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	1	-	-	-	1	-	-	-	-	-
PENNSYLVANIA -----	46	91	107	170	195	242	225	146	70	16	1	-
WHITE-----MALE----	34	65	68	116	127	152	127	79	36	4	1	-
FEMALE--	9	16	29	40	55	77	84	59	31	10	-	-
ALL OTHER--MALE----	1	5	8	7	11	6	8	2	2	2	-	-
FEMALE--	2	5	2	7	2	7	6	6	1	-	-	-
BLACK---MALE----	1	5	8	7	10	6	7	2	2	2	-	-
FEMALE--	2	5	2	7	2	7	6	4	1	-	-	-
RHODE ISLAND -----	3	7	10	14	15	16	15	10	4	4	1	-
WHITE-----MALE----	3	6	6	6	8	11	9	3	2	2	-	-
FEMALE--	-	1	4	8	7	5	6	6	2	2	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
SOUTH CAROLINA -----	16	19	29	33	46	53	47	30	8	1	-	-
WHITE-----MALE----	9	10	14	16	27	24	20	17	2	-	-	-
FEMALE--	4	4	8	13	12	14	17	10	2	1	-	-
ALL OTHER--MALE----	1	4	4	2	3	6	8	1	1	-	-	-
FEMALE--	2	1	3	2	4	9	2	2	3	-	-	-
BLACK---MALE----	1	4	4	2	3	5	8	1	1	-	-	-
FEMALE--	2	1	3	2	4	8	2	2	3	-	-	-



TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 818

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 MALIGNANT NEOPLASMS OF URINARY ORGANS (188-189)												
SOUTH DAKOTA -----	3	4	5	8	17	12	8	8	1	3	-	-
WHITE-----MALE----	2	4	3	6	11	9	6	4	1	3	-	-
FEMALE--	1	-	2	-	5	2	2	4	-	-	-	-
ALL OTHER--MALE----	-	-	-	2	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	20	41	40	54	67	79	59	34	11	10	-	-
WHITE-----MALE----	14	23	25	40	35	54	37	19	4	3	-	-
FEMALE--	2	11	9	6	23	18	18	12	3	7	-	-
ALL OTHER--MALE----	4	5	3	3	4	5	2	1	2	-	-	-
FEMALE--	-	2	3	5	5	2	2	2	2	-	-	-
BLACK---MALE----	4	5	3	3	4	5	2	1	2	-	-	-
FEMALE--	-	2	3	4	5	2	2	2	2	-	-	-
TEXAS -----	76	107	132	172	202	218	194	125	61	17	1	-
WHITE-----MALE----	49	60	82	106	122	117	114	66	27	4	1	-
FEMALE--	17	33	37	46	59	82	69	44	30	10	-	-
ALL OTHER--MALE----	7	10	7	15	11	13	4	5	1	2	-	-
FEMALE--	3	4	6	5	10	6	7	10	3	1	-	-
BLACK---MALE----	6	9	7	14	10	13	4	4	1	2	-	-
FEMALE--	3	4	6	5	10	6	6	8	3	1	-	-
UTAH -----	3	6	15	10	21	14	20	12	7	1	-	-
WHITE-----MALE----	3	4	11	8	13	11	16	6	5	1	-	-
FEMALE--	-	2	4	1	8	3	4	6	2	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	4	3	3	4	5	7	10	11	5	1	-	-
WHITE-----MALE----	4	1	3	2	5	6	3	7	3	1	-	-
FEMALE--	-	2	-	2	-	1	7	4	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	31	33	45	62	86	91	76	49	20	4	2	-
WHITE-----MALE----	12	16	30	35	51	45	34	24	9	1	-	-
FEMALE--	11	12	8	15	23	32	28	20	9	2	1	-
ALL OTHER--MALE----	4	4	4	7	11	8	9	2	-	-	1	-
FEMALE--	4	1	3	5	1	6	5	3	2	1	-	-
BLACK---MALE----	3	4	3	7	11	8	9	2	-	-	1	-
FEMALE--	3	1	3	5	1	6	4	3	2	1	-	-









TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 820  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OF BLADDER (188)												
UNITED STATES --	272	445	718	1,096	1,790	2,223	2,138	1,645	862	264	31	-
WHITE-----MALE----	186	294	478	764	1,202	1,444	1,332	970	446	110	13	-
FEMALE--	44	96	151	240	438	601	666	563	353	134	13	-
ALL OTHER--MALE----	25	38	48	48	87	98	76	54	21	10	2	-
FEMALE--	17	17	41	44	63	80	64	58	42	10	3	-
BLACK---MALE----	21	34	37	37	68	87	64	46	16	10	1	-
FEMALE--	16	16	37	39	62	73	58	54	42	10	3	-
ALABAMA -----	3	2	13	16	18	31	27	26	10	7	-	-
WHITE-----MALE----	2	-	7	10	14	16	17	18	4	3	-	-
FEMALE--	-	2	3	2	2	8	5	5	6	1	-	-
ALL OTHER--MALE----	1	-	2	1	1	3	3	3	-	1	-	-
FEMALE--	-	-	1	3	1	4	2	-	-	2	-	-
BLACK---MALE----	1	-	2	1	1	3	3	3	-	1	-	-
FEMALE--	-	-	1	3	1	4	2	-	-	2	-	-
ALASKA -----	2	4	1	-	2	3	6	-	-	-	-	-
WHITE-----MALE----	2	2	1	-	1	1	4	-	-	-	-	-
FEMALE--	-	2	-	-	1	1	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	4	9	15	25	30	33	38	25	11	3	2	-
WHITE-----MALE----	4	8	9	20	24	23	23	17	6	3	1	-
FEMALE--	-	1	6	5	6	10	14	8	4	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	1	-	-	-
ARKANSAS -----	2	3	9	13	14	34	17	15	15	3	-	-
WHITE-----MALE----	2	2	3	10	7	18	10	8	5	-	-	-
FEMALE--	-	1	3	1	6	16	7	5	7	3	-	-
ALL OTHER--MALE----	-	-	2	1	-	-	-	2	2	-	-	-
FEMALE--	-	-	1	1	1	-	-	-	1	-	-	-
BLACK---MALE----	-	-	2	1	-	-	-	2	2	-	-	-
FEMALE--	-	-	1	1	1	-	-	-	1	-	-	-
CALIFORNIA -----	34	32	82	100	179	227	221	153	76	18	4	-
WHITE-----MALE----	18	18	53	72	124	135	142	90	46	9	1	-
FEMALE--	9	8	16	20	33	75	59	55	24	9	2	-
ALL OTHER--MALE----	3	2	8	6	16	11	15	6	3	-	1	-
FEMALE--	4	4	5	2	6	6	5	2	3	-	-	-
BLACK---MALE----	2	-	3	2	4	5	7	2	-	-	-	-
FEMALE--	3	4	2	1	5	4	2	1	3	-	-	-



TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 821  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 0 OF BLADDER (188)	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
COLORADO -----	1	4	6	12	15	17	22	17	10	3	-	-
WHITE-----MALE----	1	2	4	8	10	14	14	7	5	1	-	-
FEMALE--	-	2	2	4	5	3	8	10	5	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	4	5	8	17	25	44	38	17	19	5	1	-
WHITE-----MALE----	4	3	8	12	13	33	29	12	10	1	-	-
FEMALE--	-	-	-	4	12	11	9	5	8	4	1	-
ALL OTHER--MALE----	-	2	-	1	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	2	-	1	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	1	2	4	6	6	10	11	8	2	1	-	-
WHITE-----MALE----	-	2	3	4	4	6	5	4	2	1	-	-
FEMALE--	-	-	-	1	2	2	4	4	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	1	-	1	1	-	1	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	1	-	-	1	-	1	1	-	-	-	-	-
DISTRICT OF COLUMBIA ----	1	1	1	3	2	5	6	3	7	-	1	-
WHITE-----MALE----	-	-	-	1	-	2	2	1	1	-	-	-
FEMALE--	1	-	-	-	-	-	1	1	3	-	-	-
ALL OTHER--MALE----	-	1	-	-	1	3	1	-	-	-	-	-
FEMALE--	-	-	1	2	1	-	2	1	3	-	1	-
BLACK---MALE----	-	1	-	-	1	3	1	-	-	-	-	-
FEMALE--	-	-	1	2	1	-	2	1	3	-	1	-
FLORIDA -----	16	37	48	84	135	204	157	142	71	22	3	-
WHITE-----MALE----	7	27	24	59	100	143	105	95	40	7	2	-
FEMALE--	4	9	14	21	27	47	42	35	29	13	1	-
ALL OTHER--MALE----	1	-	6	3	6	8	4	4	1	1	-	-
FEMALE--	4	1	4	1	2	6	6	8	1	1	-	-
BLACK---MALE----	1	-	6	3	6	8	4	4	1	1	-	-
FEMALE--	4	1	4	1	2	6	6	8	1	1	-	-
GEORGIA -----	12	9	25	27	36	38	37	21	13	5	1	-
WHITE-----MALE----	9	7	14	14	22	20	18	7	5	2	-	-
FEMALE--	-	-	5	10	7	13	14	5	4	1	-	-
ALL OTHER--MALE----	2	2	2	2	3	3	2	4	3	1	-	-
FEMALE--	1	-	4	1	4	2	3	5	1	1	1	-
BLACK---MALE----	2	2	2	2	3	3	2	4	3	1	-	-
FEMALE--	1	-	4	1	4	2	3	5	1	1	1	-



TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 822  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX OF BLADDER (188)	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
HAWAII -----	3	-	3	2	1	5	6	6	4	-	-	-
WHITE-----MALE----	1	-	1	1	-	2	2	4	2	-	-	-
FEMALE--	-	-	1	-	1	-	-	1	-	-	-	-
ALL OTHER--MALE----	2	-	1	-	-	1	2	-	2	-	-	-
FEMALE--	-	-	-	1	-	2	2	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	-	2	1	4	8	15	7	6	8	2	-	-
WHITE-----MALE----	-	2	1	3	8	10	6	6	5	1	-	-
FEMALE--	-	-	-	1	-	5	1	-	3	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	15	19	28	42	82	85	102	72	43	11	1	-
WHITE-----MALE----	13	9	18	28	50	56	64	43	21	2	-	-
FEMALE--	1	7	4	11	18	21	34	25	19	9	1	-
ALL OTHER--MALE----	-	3	3	2	5	5	1	2	1	-	-	-
FEMALE--	1	-	3	1	9	3	3	2	2	-	-	-
BLACK---MALE----	-	3	3	2	5	5	1	2	1	-	-	-
FEMALE--	1	-	3	1	9	3	3	2	2	-	-	-
INDIANA -----	4	14	14	16	46	55	58	39	13	3	2	-
WHITE-----MALE----	4	10	11	14	28	32	40	18	5	2	2	-
FEMALE--	-	1	3	2	16	21	18	16	7	1	-	-
ALL OTHER--MALE----	-	3	-	-	2	1	-	3	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	2	1	-	-	-
BLACK---MALE----	-	2	-	-	1	1	-	3	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	2	1	-	-	-
IOWA -----	3	1	5	12	20	25	27	29	13	7	-	-
WHITE-----MALE----	1	1	5	7	17	22	18	18	11	4	-	-
FEMALE--	2	-	-	5	3	3	9	11	2	3	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS -----	5	2	5	7	14	21	33	17	13	1	-	-
WHITE-----MALE----	4	1	5	4	12	13	22	10	4	-	-	-
FEMALE--	-	1	-	2	2	7	11	7	8	1	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	-	-	1	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	1	-	-	-





TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 823

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OF BLADDER (188)												
KENTUCKY -----	6	6	20	27	31	29	24	25	13	4	-	-
WHITE-----MALE----	3	6	19	22	21	22	16	12	7	1	-	-
FEMALE--	3	-	1	5	10	4	6	11	6	3	-	-
ALL OTHER--MALE----	-	-	-	-	-	2	2	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	2	-	-	-	-
BLACK---MALE----	-	-	-	-	-	2	2	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	2	-	-	-	-
LOUISIANA -----	3	4	11	11	20	39	27	21	17	4	2	-
WHITE-----MALE----	1	4	5	6	12	23	13	10	4	2	-	-
FEMALE--	-	-	2	2	4	10	7	6	7	1	2	-
ALL OTHER--MALE----	2	-	-	1	2	4	2	2	-	-	-	-
FEMALE--	-	-	4	2	2	2	5	3	6	1	-	-
BLACK---MALE----	2	-	-	1	2	4	2	2	-	-	-	-
FEMALE--	-	-	4	2	2	2	5	3	6	1	-	-
MAINE -----	1	4	6	10	8	16	9	10	9	3	-	-
WHITE-----MALE----	1	4	6	7	5	13	4	6	4	2	-	-
FEMALE--	-	-	-	2	3	3	5	4	5	1	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	5	8	9	25	42	41	47	36	17	3	1	-
WHITE-----MALE----	4	3	5	15	20	25	29	20	9	1	-	-
FEMALE--	-	1	2	7	14	11	12	12	6	2	-	-
ALL OTHER--MALE----	1	3	-	3	3	2	5	3	-	-	-	-
FEMALE--	-	1	2	-	5	3	1	1	2	-	1	-
BLACK---MALE----	1	3	-	3	2	5	3	3	-	-	-	-
FEMALE--	-	1	2	-	5	3	1	1	2	-	1	-
MASSACHUSETTS -----	6	15	13	20	45	64	61	57	26	11	1	-
WHITE-----MALE----	3	14	11	14	33	46	40	35	9	5	1	-
FEMALE--	3	1	1	6	11	17	21	21	16	6	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	1	-	1	-	-	1	1	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	1	-	1	-	-	1	1	-	-	-
MICHIGAN -----	12	15	26	50	76	62	78	53	34	13	1	-
WHITE-----MALE----	8	9	15	34	53	44	50	37	19	5	1	-
FEMALE--	1	5	9	14	16	14	22	13	9	8	-	-
ALL OTHER--MALE----	2	1	1	2	5	2	4	2	2	-	-	-
FEMALE--	1	-	1	-	2	2	2	1	4	-	-	-
BLACK---MALE----	2	1	1	2	5	1	4	2	2	-	-	-
FEMALE--	1	-	1	-	2	2	2	1	4	-	-	-



TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 824  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX OF BLADDER (188)	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
MINNESOTA -----	2	4	13	17	26	30	36	36	20	7	-	-
WHITE-----MALE----	1	2	11	14	19	23	19	20	12	5	-	-
FEMALE--	1	2	1	3	6	6	17	16	8	2	-	-
ALL OTHER--MALE----	-	-	1	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI -----	6	7	6	7	19	19	13	9	9	4	-	-
WHITE-----MALE----	2	4	5	4	10	8	9	6	4	-	-	-
FEMALE--	2	1	1	2	4	5	3	-	5	-	-	-
ALL OTHER--MALE----	-	2	-	1	2	3	-	2	-	3	-	-
FEMALE--	2	-	-	-	3	3	1	1	-	1	-	-
BLACK---MALE----	-	2	-	1	2	3	-	2	-	3	-	-
FEMALE--	2	-	-	-	3	3	1	1	-	1	-	-
MISSOURI -----	1	8	15	19	41	49	41	49	18	7	-	-
WHITE-----MALE----	1	7	11	12	25	31	25	30	9	6	-	-
FEMALE--	-	-	3	5	13	14	13	16	9	1	-	-
ALL OTHER--MALE----	-	-	1	1	3	2	3	1	-	-	-	-
FEMALE--	-	1	-	1	-	2	-	2	-	-	-	-
BLACK---MALE----	-	-	1	1	3	2	3	1	-	-	-	-
FEMALE--	-	1	-	1	-	2	-	2	-	-	-	-
MONTANA -----	-	-	1	4	6	8	13	8	4	3	-	-
WHITE-----MALE----	-	-	-	1	4	5	11	7	2	2	-	-
FEMALE--	-	-	1	2	1	3	2	1	2	1	-	-
ALL OTHER--MALE----	-	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	3	2	4	5	12	9	9	8	5	4	2	-
WHITE-----MALE----	3	1	2	4	11	7	3	5	3	2	1	-
FEMALE--	-	1	1	1	1	2	6	3	2	2	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
NEVADA -----	-	2	7	11	12	21	9	9	2	1	-	-
WHITE-----MALE----	-	1	5	8	9	12	7	5	-	-	-	-
FEMALE--	-	1	2	3	3	7	1	4	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	2	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	2	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-







TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 826

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OF BLADDER (188)												
OHIO -----	13	17	29	50	93	92	97	78	30	12	1	-
WHITE-----MALE----	9	10	20	37	58	63	56	45	17	3	1	-
FEMALE--	1	5	7	11	29	23	35	29	11	9	-	-
ALL OTHER--MALE----	3	-	-	1	5	2	5	3	1	-	-	-
FEMALE--	-	2	2	1	1	4	1	1	1	-	-	-
BLACK---MALE----	3	-	-	1	5	2	5	3	1	-	-	-
FEMALE--	-	2	2	1	1	4	1	1	1	-	-	-
OKLAHOMA -----	2	6	8	8	15	23	26	18	10	2	1	-
WHITE-----MALE----	1	4	7	6	9	15	20	9	8	1	1	-
FEMALE--	1	1	1	1	3	5	4	9	2	1	-	-
ALL OTHER--MALE----	-	1	-	-	3	2	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	2	-	-	-	-	-
BLACK---MALE----	-	1	-	-	2	2	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	2	-	-	-	-	-
OREGON -----	2	4	11	8	21	36	28	25	18	4	-	-
WHITE-----MALE----	2	3	8	6	15	24	17	17	11	2	-	-
FEMALE--	-	1	2	2	5	12	10	8	6	2	-	-
ALL OTHER--MALE----	-	-	1	-	1	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
PENNSYLVANIA -----	12	39	46	70	98	138	129	104	49	14	1	-
WHITE-----MALE----	11	29	28	52	72	94	80	63	28	4	1	-
FEMALE--	1	5	13	11	21	36	42	35	19	8	-	-
ALL OTHER--MALE----	-	4	4	3	3	4	4	2	1	2	-	-
FEMALE--	-	1	1	4	2	4	3	4	1	-	-	-
BLACK---MALE----	-	4	4	3	2	4	3	2	1	2	-	-
FEMALE--	-	1	1	4	2	4	3	3	1	-	-	-
RHODE ISLAND -----	1	2	4	9	9	11	9	4	2	3	1	-
WHITE-----MALE----	1	2	3	4	6	8	6	1	1	2	-	-
FEMALE--	-	-	1	5	3	3	3	2	1	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
SOUTH CAROLINA -----	2	6	9	11	24	33	25	19	2	1	-	-
WHITE-----MALE----	-	4	5	5	14	19	10	9	-	-	-	-
FEMALE--	-	1	1	4	8	6	10	8	-	1	-	-
ALL OTHER--MALE----	1	1	2	-	-	2	4	1	-	-	-	-
FEMALE--	1	-	1	2	2	6	1	1	2	-	-	-
BLACK---MALE----	1	1	2	-	-	1	4	1	-	-	-	-
FEMALE--	1	-	1	2	2	5	1	1	2	-	-	-





TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 827  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OF BLADDER (188)												
SOUTH DAKOTA -----	-	1	2	2	7	7	7	7	-	2	-	-
WHITE-----MALE----	-	1	1	1	6	7	6	4	-	2	-	-
FEMALE--	-	-	1	-	1	-	1	3	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	7	12	12	24	33	37	33	21	8	6	-	-
WHITE-----MALE----	5	4	9	15	21	26	25	13	4	2	-	-
FEMALE--	2	4	1	2	7	7	7	7	1	4	-	-
ALL OTHER--MALE----	-	4	1	2	2	2	1	-	1	-	-	-
FEMALE--	-	-	1	5	3	2	-	1	2	-	-	-
BLACK---MALE----	-	4	1	2	2	2	1	-	1	-	-	-
FEMALE--	-	-	1	4	3	2	-	1	2	-	-	-
TEXAS -----	14	29	39	64	103	109	106	77	38	14	-	-
WHITE-----MALE----	10	15	30	45	68	65	66	45	14	4	-	-
FEMALE--	2	12	6	14	27	37	33	24	21	8	-	-
ALL OTHER--MALE----	2	1	2	2	4	5	2	3	1	1	-	-
FEMALE--	-	1	1	3	4	2	5	5	2	1	-	-
BLACK---MALE----	2	1	2	2	4	5	2	3	1	1	-	-
FEMALE--	-	1	1	3	4	2	5	5	2	1	-	-
UTAH -----	-	1	5	6	10	4	15	8	5	1	-	-
WHITE-----MALE----	-	1	5	5	7	3	12	5	3	1	-	-
FEMALE--	-	-	-	1	3	1	3	3	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	1	1	2	2	2	3	6	9	3	1	-	-
WHITE-----MALE----	1	-	2	1	2	3	2	6	2	1	-	-
FEMALE--	-	1	-	1	-	-	4	3	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	7	10	20	25	32	49	43	28	12	3	1	-
WHITE-----MALE----	3	8	14	15	24	28	20	15	6	-	-	-
FEMALE--	3	2	3	4	4	14	16	11	5	2	-	-
ALL OTHER--MALE----	-	-	2	2	3	3	4	-	-	-	1	-
FEMALE--	1	-	1	4	1	4	3	2	1	1	-	-
BLACK---MALE----	-	-	1	2	3	3	4	-	-	-	1	-
FEMALE--	1	-	1	4	1	4	3	2	1	1	-	-





TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 829

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 OF KIDNEY AND OTHER AND UNSPECIFIED URINARY ORGANS (189)												
UNITED STATES --	12,011	3	21	25	9	12	12	25	40	115	256	464
WHITE-----MALE----	6,599	2	5	4	3	4	4	7	18	56	150	300
FEMALE--	4,154	1	10	15	4	3	2	4	11	31	55	97
ALL OTHER--MALE----	778	-	4	4	-	4	4	10	7	16	33	43
FEMALE--	480	-	2	2	2	1	2	4	4	12	18	24
BLACK---MALE----	646	-	3	4	-	4	3	10	7	15	29	39
FEMALE--	392	-	2	1	2	1	1	3	3	11	16	21
ALABAMA -----	194	-	1	-	-	1	-	1	2	2	5	7
WHITE-----MALE----	90	-	-	-	-	1	-	-	1	-	4	3
FEMALE--	57	-	1	-	-	-	-	1	-	1	-	3
ALL OTHER--MALE----	26	-	-	-	-	-	-	-	1	-	1	1
FEMALE--	21	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	26	-	-	-	-	-	-	-	1	-	1	1
FEMALE--	21	-	-	-	-	-	-	-	-	1	-	-
ALASKA -----	10	-	-	-	-	-	1	-	-	-	1	1
WHITE-----MALE----	7	-	-	-	-	-	1	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	190	1	1	1	-	-	1	1	2	1	4	7
WHITE-----MALE----	98	-	-	-	-	-	-	-	1	-	-	4
FEMALE--	72	1	1	1	-	-	-	1	-	-	3	1
ALL OTHER--MALE----	13	-	-	-	-	-	1	-	-	1	1	1
FEMALE--	7	-	-	-	-	-	-	-	1	-	-	1
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	1
ARKANSAS -----	132	-	1	-	-	-	-	-	-	-	6	2
WHITE-----MALE----	65	-	-	-	-	-	-	-	-	-	3	2
FEMALE--	52	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	10	-	1	-	-	-	-	-	-	-	1	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	10	-	1	-	-	-	-	-	-	-	1	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	1	-
CALIFORNIA -----	1,116	-	1	3	3	-	3	1	6	16	20	48
WHITE-----MALE----	631	-	-	-	-	-	-	-	5	8	8	32
FEMALE--	360	-	1	2	3	-	1	-	1	5	8	9
ALL OTHER--MALE----	79	-	-	-	-	-	1	1	-	1	3	4
FEMALE--	46	-	-	1	-	-	1	-	-	2	1	3
BLACK---MALE----	43	-	-	-	-	-	1	1	-	1	2	3
FEMALE--	18	-	-	-	-	-	-	-	-	1	-	2

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 829

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OF KIDNEY AND OTHER AND UNSPECIFIED URINARY ORGANS (189)												
UNITED STATES --	776	1,004	1,191	1,550	1,867	1,813	1,472	898	376	73	9	-
WHITE-----MALE----	451	613	718	941	1,047	985	744	395	126	22	4	-
FEMALE--	205	270	352	449	640	664	634	436	224	42	5	-
ALL OTHER--MALE----	91	80	79	105	112	96	49	28	11	2	-	-
FEMALE--	29	41	42	55	68	68	45	39	15	7	-	-
BLACK---MALE----	73	66	68	87	90	75	44	19	8	2	-	-
FEMALE--	25	36	35	45	54	50	34	32	14	6	-	-
ALABAMA -----	14	17	19	25	24	33	19	17	4	3	-	-
WHITE-----MALE----	9	8	9	14	11	14	10	4	1	1	-	-
FEMALE--	-	1	4	9	5	16	7	6	3	-	-	-
ALL OTHER--MALE----	3	6	1	2	5	1	1	3	-	1	-	-
FEMALE--	2	2	5	-	3	2	1	4	-	1	-	-
BLACK---MALE----	3	6	1	2	5	1	1	3	-	1	-	-
FEMALE--	2	2	5	-	3	2	1	4	-	1	-	-
ALASKA -----	-	1	-	-	3	2	1	-	-	-	-	-
WHITE-----MALE----	-	1	-	-	2	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	11	13	15	27	33	19	28	16	7	2	-	-
WHITE-----MALE----	4	5	12	18	20	9	14	10	1	-	-	-
FEMALE--	5	7	3	5	10	8	14	5	5	2	-	-
ALL OTHER--MALE----	2	1	-	3	1	-	-	1	1	-	-	-
FEMALE--	-	-	-	1	2	2	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	1	1	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
ARKANSAS -----	7	16	10	18	15	22	17	11	7	-	-	-
WHITE-----MALE----	5	10	4	6	8	9	11	5	2	-	-	-
FEMALE--	2	4	5	10	6	11	3	6	4	-	-	-
ALL OTHER--MALE----	-	1	1	2	1	1	2	-	-	-	-	-
FEMALE--	-	1	-	-	-	1	1	-	1	-	-	-
BLACK---MALE----	-	1	1	2	1	1	2	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	1	-	1	-	-	-
CALIFORNIA -----	64	92	149	151	165	180	108	76	26	3	1	-
WHITE-----MALE----	34	53	91	100	93	104	61	34	6	1	1	-
FEMALE--	21	28	43	36	59	53	37	34	18	1	-	-
ALL OTHER--MALE----	9	7	11	9	7	13	7	4	2	-	-	-
FEMALE--	-	4	4	6	6	10	3	4	-	1	-	-
BLACK---MALE----	5	3	8	5	2	6	4	1	1	-	-	-
FEMALE--	-	2	3	3	2	3	-	2	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 830

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 OF KIDNEY AND OTHER AND UNSPECIFIED URINARY ORGANS (189)												
COLORADO -----	145	-	1	-	-	-	-	-	-	-	1	5
WHITE-----MALE----	85	-	1	-	-	-	-	-	-	-	-	4
FEMALE--	55	-	-	-	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	154	-	1	-	-	-	-	-	-	2	2	6
WHITE-----MALE----	93	-	-	-	-	-	-	-	-	2	1	4
FEMALE--	59	-	-	-	-	-	-	-	-	-	1	2
ALL OTHER--MALE----	2	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	33	-	-	-	-	-	-	-	-	2	2	2
WHITE-----MALE----	21	-	-	-	-	-	-	-	-	1	2	1
FEMALE--	8	-	-	-	-	-	-	-	-	1	-	1
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	19	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	9	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	9	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	759	-	-	1	-	-	-	3	1	5	12	21
WHITE-----MALE----	441	-	-	1	-	-	-	2	-	1	6	11
FEMALE--	262	-	-	-	-	-	-	-	1	2	3	8
ALL OTHER--MALE----	36	-	-	-	-	-	-	1	-	2	2	2
FEMALE--	20	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	34	-	-	-	-	-	-	1	-	2	2	2
FEMALE--	18	-	-	-	-	-	-	-	-	-	1	-
GEORGIA -----	277	-	1	-	1	1	-	1	1	5	4	16
WHITE-----MALE----	144	-	-	-	-	-	-	-	-	2	4	9
FEMALE--	82	-	-	-	-	-	-	-	-	1	-	3
ALL OTHER--MALE----	38	-	1	-	-	1	-	1	-	1	-	4
FEMALE--	13	-	-	-	1	-	-	-	1	1	-	-
BLACK---MALE----	36	-	-	-	-	1	-	1	-	1	-	4
FEMALE--	13	-	-	-	1	-	-	-	1	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 830

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OF KIDNEY AND OTHER AND UNSPECIFIED URINARY ORGANS (189)												
COLORADO -----	12	7	16	19	32	24	13	7	8	-	-	-
WHITE-----MALE----	9	7	10	11	19	11	6	5	2	-	-	-
FEMALE--	3	-	6	7	11	11	7	2	6	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
CONNECTICUT -----	12	16	13	16	21	25	18	12	7	2	1	-
WHITE-----MALE----	10	10	10	12	16	13	8	3	3	1	-	-
FEMALE--	2	6	3	4	5	12	9	9	4	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	1	2	2	7	4	5	3	3	-	-	-	-
WHITE-----MALE----	-	2	1	5	3	1	2	3	-	-	-	-
FEMALE--	1	-	1	2	-	1	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	3	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	3	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	3	1	1	2	3	4	3	1	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	-	-	-	-	-
ALL OTHER--MALE----	3	-	1	1	2	2	-	-	-	-	-	-
FEMALE--	-	1	-	1	-	2	2	1	1	-	-	-
BLACK---MALE----	3	-	1	1	2	2	-	-	-	-	-	-
FEMALE--	-	1	-	1	-	2	2	1	1	-	-	-
FLORIDA -----	45	64	58	103	120	112	111	66	30	7	-	-
WHITE-----MALE----	23	44	36	63	75	68	63	36	9	3	-	-
FEMALE--	11	16	18	33	37	40	41	28	20	4	-	-
ALL OTHER--MALE----	9	3	3	3	3	2	5	1	-	-	-	-
FEMALE--	2	1	1	4	5	2	2	1	1	-	-	-
BLACK---MALE----	9	3	2	3	2	2	5	1	-	-	-	-
FEMALE--	2	1	-	4	4	2	2	1	1	-	-	-
GEORGIA -----	21	31	32	33	34	44	26	17	8	1	-	-
WHITE-----MALE----	13	19	17	17	16	24	13	10	-	-	-	-
FEMALE--	2	6	11	10	14	12	10	7	6	-	-	-
ALL OTHER--MALE----	6	6	4	3	4	4	2	-	1	-	-	-
FEMALE--	-	-	-	3	-	4	1	-	1	1	-	-
BLACK---MALE----	6	6	4	3	3	4	2	-	1	-	-	-
FEMALE--	-	-	-	3	-	4	1	-	1	1	-	-





TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 831

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OF KIDNEY AND OTHER AND UNSPECIFIED URINARY ORGANS (189)												
HAWAII -----	6	5	4	8	12	8	4	1	3	-	-	-
WHITE-----MALE----	2	-	-	2	2	4	1	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	4	4	2	4	7	3	-	1	1	-	-	-
FEMALE--	-	-	2	2	3	1	3	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	2	9	6	6	6	7	9	1	1	-	1	-
WHITE-----MALE----	-	4	3	4	5	5	5	1	-	-	-	-
FEMALE--	2	5	3	2	1	2	4	-	1	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	34	52	61	59	80	88	83	46	19	6	-	-
WHITE-----MALE----	14	36	33	39	44	46	41	23	7	3	-	-
FEMALE--	13	9	18	13	25	34	37	21	12	3	-	-
ALL OTHER--MALE----	4	3	5	4	7	5	1	1	-	-	-	-
FEMALE--	3	4	5	3	4	3	4	1	-	-	-	-
BLACK---MALE----	4	3	4	3	6	4	1	1	-	-	-	-
FEMALE--	1	4	4	3	3	2	4	1	-	-	-	-
INDIANA -----	21	35	29	37	59	46	38	17	6	2	-	-
WHITE-----MALE----	16	21	17	26	32	21	20	8	3	-	-	-
FEMALE--	4	13	11	9	22	22	18	9	3	2	-	-
ALL OTHER--MALE----	-	1	1	2	4	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	2	-	-	-	-	-	-
BLACK---MALE----	-	1	1	2	4	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	2	-	-	-	-	-	-
IOWA -----	7	14	11	19	21	26	36	17	4	1	-	-
WHITE-----MALE----	4	10	5	15	7	14	21	9	2	-	-	-
FEMALE--	2	4	6	4	14	12	15	8	2	1	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS -----	7	8	11	12	21	20	11	8	4	2	-	-
WHITE-----MALE----	6	7	7	7	10	10	2	3	2	1	-	-
FEMALE--	1	1	2	4	10	9	6	5	1	1	-	-
ALL OTHER--MALE----	-	-	2	-	1	1	1	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	2	-	1	-	-	-
BLACK---MALE----	-	-	2	-	1	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	2	-	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 832

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 OF KIDNEY AND OTHER AND UNSPECIFIED URINARY ORGANS (189)												
KENTUCKY -----	215	-	1	-	-	-	-	2	1	2	11	2
WHITE-----MALE----	128	-	-	-	-	-	-	2	-	1	9	1
FEMALE--	74	-	-	-	-	-	-	-	1	-	1	1
ALL OTHER--MALE----	9	-	1	-	-	-	-	-	-	1	1	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	9	-	1	-	-	-	-	-	-	1	1	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	201	-	-	1	1	-	2	1	1	5	9	8
WHITE-----MALE----	90	-	-	-	1	-	1	-	-	3	5	6
FEMALE--	58	-	-	-	-	-	-	-	1	1	-	-
ALL OTHER--MALE----	25	-	-	1	-	-	-	1	-	-	3	2
FEMALE--	28	-	-	-	-	-	1	-	-	1	1	-
BLACK---MALE----	25	-	-	1	-	-	-	1	-	-	3	2
FEMALE--	28	-	-	-	-	-	1	-	-	1	1	-
MAINE -----	70	-	-	-	-	-	-	-	1	-	-	4
WHITE-----MALE----	43	-	-	-	-	-	-	-	1	-	-	3
FEMALE--	26	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	187	-	-	-	-	1	-	-	-	1	4	16
WHITE-----MALE----	84	-	-	-	-	-	-	-	-	-	2	10
FEMALE--	58	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	27	-	-	-	-	1	-	-	-	-	2	4
FEMALE--	18	-	-	-	-	-	-	-	-	1	-	1
BLACK---MALE----	27	-	-	-	-	1	-	-	-	-	2	4
FEMALE--	17	-	-	-	-	-	-	-	-	1	-	-
MASSACHUSETTS -----	278	-	-	-	-	-	-	-	1	1	6	5
WHITE-----MALE----	168	-	-	-	-	-	-	-	-	1	4	2
FEMALE--	105	-	-	-	-	-	-	-	1	-	2	2
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	1
MICHIGAN -----	468	-	-	1	-	-	-	-	-	2	13	17
WHITE-----MALE----	248	-	-	-	-	-	-	-	-	1	8	11
FEMALE--	173	-	-	1	-	-	-	-	-	-	3	3
ALL OTHER--MALE----	23	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	24	-	-	-	-	-	-	-	-	1	1	2
BLACK---MALE----	23	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	22	-	-	-	-	-	-	-	-	1	1	2

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 832

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OF KIDNEY AND OTHER AND UNSPECIFIED URINARY ORGANS (189)												
KENTUCKY -----	12	16	22	27	44	28	27	12	7	1	-	-
WHITE-----MALE----	8	7	14	18	28	19	14	4	3	-	-	-
FEMALE--	3	7	6	9	15	8	12	7	3	1	-	-
ALL OTHER--MALE----	1	2	1	-	1	-	-	1	-	-	-	-
FEMALE--	-	-	1	-	-	1	1	-	1	-	-	-
BLACK---MALE----	1	2	1	-	1	-	-	1	-	-	-	-
FEMALE--	-	-	1	-	-	1	-	-	1	-	-	-
LOUISIANA -----	9	20	10	33	43	21	14	14	7	2	-	-
WHITE-----MALE----	4	9	6	20	14	9	5	5	1	1	-	-
FEMALE--	1	5	3	2	17	7	8	8	4	1	-	-
ALL OTHER--MALE----	2	1	1	6	5	3	-	-	-	-	-	-
FEMALE--	2	5	-	5	7	2	1	1	2	-	-	-
BLACK---MALE----	2	1	1	6	5	3	-	-	-	-	-	-
FEMALE--	2	5	-	5	7	2	1	1	2	-	-	-
MAINE -----	3	9	9	9	11	12	5	7	-	-	-	-
WHITE-----MALE----	2	8	7	7	6	3	3	3	-	-	-	-
FEMALE--	1	1	2	2	5	8	2	4	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	19	12	24	24	20	27	14	15	9	1	-	-
WHITE-----MALE----	12	4	13	8	11	12	6	4	2	-	-	-
FEMALE--	1	4	8	9	4	9	7	10	5	-	-	-
ALL OTHER--MALE----	5	2	2	4	2	4	1	-	-	-	-	-
FEMALE--	1	2	1	3	3	2	-	1	2	1	-	-
BLACK---MALE----	5	2	2	4	2	4	1	-	-	-	-	-
FEMALE--	1	2	1	3	3	2	-	1	2	1	-	-
MASSACHUSETTS -----	18	18	24	41	48	43	37	23	10	3	-	-
WHITE-----MALE----	10	12	16	25	28	32	25	11	2	-	-	-
FEMALE--	7	6	8	14	19	11	12	12	8	3	-	-
ALL OTHER--MALE----	1	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
MICHIGAN -----	36	38	47	68	67	61	55	38	21	4	-	-
WHITE-----MALE----	11	31	31	34	37	31	26	18	9	-	-	-
FEMALE--	20	3	12	26	24	24	27	17	11	2	-	-
ALL OTHER--MALE----	3	2	3	5	5	2	-	1	-	-	-	-
FEMALE--	2	2	1	3	1	4	2	2	1	2	-	-
BLACK---MALE----	3	2	3	5	5	2	-	1	-	-	-	-
FEMALE--	2	2	1	3	1	2	2	2	1	2	-	-



TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 833

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OF KIDNEY AND OTHER AND UNSPECIFIED URINARY ORGANS (189)												
MINNESOTA -----	11	14	18	18	31	33	34	19	8	1	1	-
WHITE-----MALE----	2	12	14	9	19	22	14	6	2	-	1	-
FEMALE--	8	1	4	8	12	11	19	13	6	1	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	1	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI -----	6	10	9	14	20	9	17	8	2	1	-	-
WHITE-----MALE----	4	5	4	8	11	3	4	3	-	-	-	-
FEMALE--	-	2	2	3	5	4	8	4	2	1	-	-
ALL OTHER--MALE----	2	1	2	3	2	1	2	1	-	-	-	-
FEMALE--	-	2	1	-	2	1	3	-	-	-	-	-
BLACK---MALE----	2	1	2	3	2	1	2	1	-	-	-	-
FEMALE--	-	2	1	-	2	1	3	-	-	-	-	-
MISSOURI -----	26	21	23	38	45	51	29	29	8	-	-	-
WHITE-----MALE----	16	11	13	16	27	34	12	14	-	-	-	-
FEMALE--	8	8	8	18	16	15	17	13	8	-	-	-
ALL OTHER--MALE----	1	2	1	3	2	-	-	-	-	-	-	-
FEMALE--	1	-	1	1	-	2	-	2	-	-	-	-
BLACK---MALE----	1	2	1	3	2	-	-	-	-	-	-	-
FEMALE--	1	-	1	1	-	2	-	1	-	-	-	-
MONTANA -----	2	2	5	6	7	5	9	2	-	-	-	-
WHITE-----MALE----	2	1	3	4	3	1	6	2	-	-	-	-
FEMALE--	-	1	2	2	3	3	3	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	2	5	12	11	15	17	14	7	3	1	-	-
WHITE-----MALE----	2	4	8	6	14	9	4	3	2	-	-	-
FEMALE--	-	1	4	4	1	8	10	4	1	1	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA -----	2	5	9	14	9	16	7	3	-	-	-	-
WHITE-----MALE----	2	3	9	12	6	12	3	2	-	-	-	-
FEMALE--	-	2	-	2	2	3	4	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-









TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 835

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OF KIDNEY AND OTHER AND UNSPECIFIED URINARY ORGANS (189)												
OHIO -----	34	47	51	86	100	76	73	32	17	2	1	-
WHITE-----MALE----	14	27	30	48	51	44	37	12	7	1	-	-
FEMALE--	16	16	13	29	41	28	35	17	10	1	1	-
ALL OTHER--MALE----	2	4	5	5	5	3	1	1	-	-	-	-
FEMALE--	2	-	3	4	3	1	-	2	-	-	-	-
BLACK---MALE----	2	4	5	5	5	3	1	-	-	-	-	-
FEMALE--	2	-	3	4	3	1	-	2	-	-	-	-
OKLAHOMA -----	17	14	20	21	29	32	19	20	3	2	-	-
WHITE-----MALE----	11	8	12	14	19	17	12	10	-	1	-	-
FEMALE--	3	4	6	2	8	13	7	8	3	1	-	-
ALL OTHER--MALE----	3	2	2	3	1	2	-	1	-	-	-	-
FEMALE--	-	-	-	2	1	-	-	1	-	-	-	-
BLACK---MALE----	-	1	-	2	-	1	-	1	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	1	-	-	-	-
OREGON -----	9	12	14	24	21	33	23	14	5	1	-	-
WHITE-----MALE----	6	6	9	20	12	20	14	5	3	1	-	-
FEMALE--	3	5	4	4	9	12	8	8	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	1	1	1	-	-	-
FEMALE--	-	1	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	34	52	61	100	97	104	96	42	21	2	-	-
WHITE-----MALE----	23	36	40	64	55	58	47	16	8	-	-	-
FEMALE--	8	11	16	29	34	41	42	24	12	2	-	-
ALL OTHER--MALE----	1	1	4	4	8	2	4	-	1	-	-	-
FEMALE--	2	4	1	3	-	3	3	2	-	-	-	-
BLACK---MALE----	1	1	4	4	8	2	4	-	1	-	-	-
FEMALE--	2	4	1	3	-	3	3	1	-	-	-	-
RHODE ISLAND -----	2	5	6	5	6	5	6	6	2	1	-	-
WHITE-----MALE----	2	4	3	2	2	3	3	2	1	-	-	-
FEMALE--	-	1	3	3	4	2	3	4	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	14	13	20	22	22	20	22	11	6	-	-	-
WHITE-----MALE----	9	6	9	11	13	5	10	8	2	-	-	-
FEMALE--	4	3	7	9	4	8	7	2	2	-	-	-
ALL OTHER--MALE----	-	3	2	2	3	4	4	-	1	-	-	-
FEMALE--	1	1	2	-	2	3	1	1	1	-	-	-
BLACK---MALE----	-	3	2	2	3	4	4	-	1	-	-	-
FEMALE--	1	1	2	-	2	3	1	1	1	-	-	-



TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 836

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OF KIDNEY AND OTHER AND UNSPECIFIED URINARY ORGANS (189)												
SOUTH DAKOTA -----	3	3	3	6	10	5	1	1	1	1	-	-
WHITE-----MALE----	2	3	2	5	5	2	-	-	1	1	-	-
FEMALE--	1	-	1	-	4	2	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	13	29	28	30	34	42	26	13	3	4	-	-
WHITE-----MALE----	9	19	16	25	14	28	12	6	-	1	-	-
FEMALE--	-	7	8	4	16	11	11	5	2	3	-	-
ALL OTHER--MALE----	4	1	2	1	2	3	1	1	1	-	-	-
FEMALE--	-	2	2	-	2	-	2	1	-	-	-	-
BLACK---MALE----	4	1	2	1	2	3	1	1	1	-	-	-
FEMALE--	-	2	2	-	2	-	2	1	-	-	-	-
TEXAS -----	62	78	93	108	99	109	88	48	23	3	1	-
WHITE-----MALE----	39	45	52	61	54	52	48	21	13	-	1	-
FEMALE--	15	21	31	32	32	45	36	20	9	2	-	-
ALL OTHER--MALE----	5	9	5	13	7	8	2	2	-	1	-	-
FEMALE--	3	3	5	2	6	4	2	5	1	-	-	-
BLACK---MALE----	4	8	5	12	6	8	2	1	-	1	-	-
FEMALE--	3	3	5	2	6	4	1	3	1	-	-	-
UTAH -----	3	5	10	4	11	10	5	4	2	-	-	-
WHITE-----MALE----	3	3	6	3	6	8	4	1	2	-	-	-
FEMALE--	-	2	4	-	5	2	1	3	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	3	2	1	2	3	4	4	2	2	-	-	-
WHITE-----MALE----	3	1	1	1	3	3	1	1	1	-	-	-
FEMALE--	-	1	-	1	-	1	3	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	24	23	25	37	54	42	33	21	8	1	1	-
WHITE-----MALE----	9	8	16	20	27	17	14	9	3	1	-	-
FEMALE--	8	10	5	11	19	18	12	9	4	-	1	-
ALL OTHER--MALE----	4	4	2	5	8	5	5	2	-	-	-	-
FEMALE--	3	1	2	1	-	2	2	1	1	-	-	-
BLACK---MALE----	3	4	2	5	8	5	5	2	-	-	-	-
FEMALE--	2	1	2	1	-	2	1	1	1	-	-	-





TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 838

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 MALIGNANT NEOPLASMS OF OTHER AND UNSPECIFIED SITES (190-199)												
UNITED STATES --	50,724	38	168	240	183	164	175	270	474	885	1,376	2,058
WHITE-----MALE----	23,151	16	77	105	85	89	83	134	245	421	622	992
FEMALE--	21,560	16	57	86	65	53	52	87	161	323	510	673
ALL OTHER--MALE----	3,047	4	13	30	20	15	21	22	32	76	120	219
FEMALE--	2,966	2	21	19	13	7	19	27	36	65	124	174
BLACK---MALE----	2,567	4	9	26	15	8	14	12	23	52	102	182
FEMALE--	2,523	2	16	16	9	5	16	22	34	56	102	148
ALABAMA -----	1,212	1	2	4	3	1	2	3	10	19	24	37
WHITE-----MALE----	499	1	-	2	1	1	-	1	5	6	9	12
FEMALE--	453	-	2	1	1	-	-	-	4	7	7	9
ALL OTHER--MALE----	124	-	-	-	1	-	-	1	-	3	4	6
FEMALE--	136	-	-	1	-	-	2	1	1	3	4	10
BLACK---MALE----	123	-	-	-	1	-	-	1	-	3	4	6
FEMALE--	136	-	-	1	-	-	2	1	1	3	4	10
ALASKA -----	49	-	-	-	1	-	-	-	-	3	2	2
WHITE-----MALE----	21	-	-	-	1	-	-	-	-	1	1	2
FEMALE--	19	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	4	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	882	1	3	7	2	4	1	6	6	11	19	23
WHITE-----MALE----	439	-	1	3	1	2	-	3	5	7	7	12
FEMALE--	396	1	-	4	1	2	1	2	1	4	12	6
ALL OTHER--MALE----	17	-	1	-	-	-	-	1	-	-	-	3
FEMALE--	30	-	1	-	-	-	-	-	-	-	-	2
BLACK---MALE----	6	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	8	-	1	-	-	-	-	-	-	-	-	2
ARKANSAS -----	496	1	3	1	-	2	2	3	2	10	13	14
WHITE-----MALE----	233	-	2	-	-	2	1	1	2	4	5	5
FEMALE--	198	1	-	1	-	-	-	1	-	6	4	4
ALL OTHER--MALE----	34	-	1	-	-	-	-	-	-	-	2	1
FEMALE--	31	-	-	-	-	-	1	1	-	-	2	4
BLACK---MALE----	33	-	1	-	-	-	-	-	-	-	2	1
FEMALE--	29	-	-	-	-	-	1	1	-	-	2	3
CALIFORNIA -----	5,055	3	22	35	31	18	33	45	59	104	155	222
WHITE-----MALE----	2,347	2	10	14	13	10	17	23	32	52	76	100
FEMALE--	2,057	1	8	15	10	5	6	12	23	38	55	76
ALL OTHER--MALE----	348	-	1	3	5	1	5	7	1	11	9	29
FEMALE--	303	-	3	3	3	2	5	3	3	3	15	17
BLACK---MALE----	165	-	-	2	3	-	2	2	-	1	4	14
FEMALE--	153	-	1	2	-	1	4	2	2	1	8	11

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 838

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 MALIGNANT NEOPLASMS OF OTHER AND UNSPECIFIED SITES (190-199)												
UNITED STATES --	2,814	3,643	4,601	5,938	7,429	7,566	6,185	4,095	1,902	469	48	3
WHITE-----MALE----	1,402	1,863	2,316	3,015	3,583	3,478	2,594	1,365	558	102	4	2
FEMALE--	980	1,251	1,609	2,207	3,034	3,393	3,060	2,382	1,192	329	39	1
ALL OTHER--MALE----	257	303	364	409	409	341	216	125	40	9	2	-
FEMALE--	175	226	312	307	403	354	315	223	112	29	3	-
BLACK---MALE----	228	274	326	347	352	278	169	102	36	6	2	-
FEMALE--	145	195	254	265	337	296	269	200	107	26	3	-
ALABAMA -----	69	102	116	168	186	187	130	92	41	11	4	-
WHITE-----MALE----	26	48	56	80	77	78	52	30	11	3	-	-
FEMALE--	24	28	36	60	74	73	57	44	22	2	2	-
ALL OTHER--MALE----	9	12	13	18	18	20	6	5	5	2	1	-
FEMALE--	10	14	11	10	17	16	15	13	3	4	1	-
BLACK---MALE----	9	12	12	18	18	20	6	5	5	2	1	-
FEMALE--	10	14	11	10	17	16	15	13	3	4	1	-
ALASKA -----	6	6	2	7	6	10	2	1	1	-	-	-
WHITE-----MALE----	3	1	2	3	2	3	-	1	1	-	-	-
FEMALE--	2	4	-	3	4	4	2	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	2	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	43	67	78	109	152	147	119	55	24	5	-	-
WHITE-----MALE----	24	36	40	64	72	69	52	25	13	3	-	-
FEMALE--	15	30	34	35	76	72	62	25	11	2	-	-
ALL OTHER--MALE----	1	1	1	4	-	3	1	1	-	-	-	-
FEMALE--	3	-	3	6	4	3	4	4	-	-	-	-
BLACK---MALE----	-	-	-	2	-	2	-	-	-	-	-	-
FEMALE--	-	-	-	2	-	-	-	3	-	-	-	-
ARKANSAS -----	40	37	48	54	68	69	65	42	13	7	2	-
WHITE-----MALE----	19	19	27	30	37	26	26	19	5	3	-	-
FEMALE--	18	12	20	17	22	33	27	20	7	4	1	-
ALL OTHER--MALE----	2	4	1	2	7	4	8	1	1	-	-	-
FEMALE--	1	2	-	5	2	6	4	2	-	-	1	-
BLACK---MALE----	2	4	1	1	7	4	8	1	1	-	-	-
FEMALE--	1	2	-	5	2	5	4	2	-	-	1	-
CALIFORNIA -----	300	367	453	571	748	741	568	392	149	33	6	-
WHITE-----MALE----	155	188	218	279	358	352	239	151	48	7	3	-
FEMALE--	99	128	155	218	301	318	264	204	92	26	3	-
ALL OTHER--MALE----	31	33	33	43	50	31	35	17	3	-	-	-
FEMALE--	15	18	47	31	39	40	30	20	6	-	-	-
BLACK---MALE----	19	23	18	19	30	9	12	6	1	-	-	-
FEMALE--	6	9	25	14	20	20	13	10	4	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 839

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 MALIGNANT NEOPLASMS OF OTHER AND UNSPECIFIED SITES (190-199)												
COLORADO -----	627	-	1	4	1	1	3	4	4	13	20	29
WHITE-----MALE----	332	-	1	1	1	1	1	2	4	4	14	14
FEMALE--	275	-	-	3	-	-	2	2	-	8	5	14
ALL OTHER--MALE----	10	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	10	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	8	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	7	-	-	-	-	-	-	-	-	1	-	-
CONNECTICUT -----	694	-	2	3	3	-	2	2	4	11	15	23
WHITE-----MALE----	347	-	2	1	1	-	1	1	2	6	9	10
FEMALE--	305	-	-	2	1	-	-	-	2	4	2	11
ALL OTHER--MALE----	19	-	-	-	-	-	1	-	-	-	-	1
FEMALE--	23	-	-	-	1	-	-	1	-	1	4	1
BLACK---MALE----	17	-	-	-	-	-	1	-	-	-	-	1
FEMALE--	19	-	-	-	1	-	-	1	-	1	3	-
DELAWARE -----	155	-	1	-	-	-	-	2	2	1	5	5
WHITE-----MALE----	58	-	-	-	-	-	-	1	1	-	2	3
FEMALE--	73	-	-	-	-	-	-	1	1	1	3	1
ALL OTHER--MALE----	12	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	12	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	12	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	11	-	-	-	-	-	-	-	-	-	-	1
DISTRICT OF COLUMBIA ----	121	-	-	1	-	-	-	1	1	1	3	10
WHITE-----MALE----	10	-	-	-	-	-	-	1	-	-	-	1
FEMALE--	17	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	57	-	-	1	-	-	-	-	-	1	2	7
FEMALE--	37	-	-	-	-	-	-	-	1	-	1	1
BLACK---MALE----	56	-	-	1	-	-	-	-	-	1	2	7
FEMALE--	36	-	-	-	-	-	-	-	1	-	1	1
FLORIDA -----	3,122	2	10	15	11	12	4	14	33	47	79	123
WHITE-----MALE----	1,488	1	4	8	5	4	1	5	18	23	39	57
FEMALE--	1,345	-	1	1	4	6	1	7	7	16	26	43
ALL OTHER--MALE----	153	-	1	3	1	1	2	1	5	2	9	10
FEMALE--	136	1	4	3	1	1	-	1	3	6	5	13
BLACK---MALE----	142	-	1	3	1	-	2	-	5	2	8	9
FEMALE--	129	1	4	3	1	1	-	1	3	6	5	12
GEORGIA -----	1,404	1	6	5	5	3	5	6	20	24	41	62
WHITE-----MALE----	560	1	2	2	2	2	2	1	9	8	10	30
FEMALE--	532	-	4	2	-	-	-	3	7	6	12	15
ALL OTHER--MALE----	149	-	-	1	1	1	1	-	2	5	9	7
FEMALE--	163	-	-	-	2	-	2	2	2	5	10	10
BLACK---MALE----	139	-	-	1	1	-	1	-	2	4	9	7
FEMALE--	155	-	-	-	2	-	2	1	2	5	9	10



TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 839

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 MALIGNANT NEOPLASMS OF OTHER AND UNSPECIFIED SITES (190-199)												
COLORADO -----	43	44	54	83	86	104	57	47	22	6	1	-
WHITE-----MALE----	20	20	37	45	51	63	32	16	2	2	1	-
FEMALE--	20	22	17	35	33	38	23	29	20	4	-	-
ALL OTHER--MALE----	1	2	-	1	1	1	-	2	-	-	-	-
FEMALE--	2	-	-	2	1	2	2	-	-	-	-	-
BLACK---MALE----	1	2	-	1	1	-	-	2	-	-	-	-
FEMALE--	1	-	-	2	-	1	2	-	-	-	-	-
CONNECTICUT -----	37	46	63	73	105	118	86	67	27	7	-	-
WHITE-----MALE----	17	25	35	49	55	54	42	30	5	2	-	-
FEMALE--	17	17	20	22	47	56	40	37	22	5	-	-
ALL OTHER--MALE----	2	2	5	2	1	3	2	-	-	-	-	-
FEMALE--	1	2	3	-	2	5	2	-	-	-	-	-
BLACK---MALE----	1	2	5	1	1	3	2	-	-	-	-	-
FEMALE--	1	2	2	-	2	4	2	-	-	-	-	-
DELAWARE -----	9	10	11	21	23	23	24	13	5	-	-	-
WHITE-----MALE----	4	4	5	7	6	12	9	2	2	-	-	-
FEMALE--	3	5	4	9	10	10	12	10	3	-	-	-
ALL OTHER--MALE----	1	1	-	3	4	1	-	1	-	-	-	-
FEMALE--	1	-	2	2	3	-	3	-	-	-	-	-
BLACK---MALE----	1	1	-	3	4	1	-	1	-	-	-	-
FEMALE--	1	-	2	2	2	-	3	-	-	-	-	-
DISTRICT OF COLUMBIA ----	8	7	13	14	18	20	10	8	5	1	-	-
WHITE-----MALE----	-	-	3	1	-	1	2	-	1	-	-	-
FEMALE--	1	-	1	-	3	5	1	2	2	1	-	-
ALL OTHER--MALE----	4	5	5	12	9	8	1	2	-	-	-	-
FEMALE--	3	2	4	1	6	6	6	4	2	-	-	-
BLACK---MALE----	4	5	5	12	9	7	1	2	-	-	-	-
FEMALE--	3	2	4	1	5	6	6	4	2	-	-	-
FLORIDA -----	174	211	259	356	430	473	423	274	138	32	2	-
WHITE-----MALE----	105	112	134	195	215	217	197	90	45	13	-	-
FEMALE--	45	76	91	133	180	232	201	169	85	19	2	-
ALL OTHER--MALE----	18	13	23	18	13	17	10	3	3	-	-	-
FEMALE--	6	10	11	10	22	7	15	12	5	-	-	-
BLACK---MALE----	17	12	22	16	13	16	10	3	2	-	-	-
FEMALE--	6	10	10	9	20	7	14	11	5	-	-	-
GEORGIA -----	100	109	156	163	189	198	154	100	44	11	2	-
WHITE-----MALE----	43	56	68	73	81	86	52	25	5	2	-	-
FEMALE--	24	28	42	54	70	89	75	64	27	8	2	-
ALL OTHER--MALE----	19	12	27	17	21	9	12	4	1	-	-	-
FEMALE--	14	13	19	19	17	14	15	7	11	1	-	-
BLACK---MALE----	17	10	24	16	21	9	12	4	1	-	-	-
FEMALE--	14	13	17	18	16	13	14	7	11	1	-	-



TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 840

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 MALIGNANT NEOPLASMS OF OTHER AND UNSPECIFIED SITES (190-199)												
HAWAII -----	7	13	10	19	18	23	20	12	3	1	-	-
WHITE-----MALE----	4	1	1	5	3	3	7	4	2	-	-	-
FEMALE--	1	3	1	4	1	4	2	1	1	-	-	-
ALL OTHER--MALE----	-	4	3	6	10	6	7	4	-	-	-	-
FEMALE--	2	5	5	4	4	10	4	3	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	16	14	17	28	31	26	20	19	3	2	-	-
WHITE-----MALE----	7	9	10	15	11	10	13	10	1	-	-	-
FEMALE--	9	5	7	13	20	16	7	9	2	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	105	181	224	244	321	308	271	182	109	21	2	-
WHITE-----MALE----	47	84	115	109	153	123	118	63	24	3	-	-
FEMALE--	36	65	74	95	120	149	132	106	77	14	2	-
ALL OTHER--MALE----	9	15	21	27	29	23	5	3	-	-	-	-
FEMALE--	13	17	14	13	19	13	16	10	8	4	-	-
BLACK---MALE----	9	15	21	26	25	20	5	3	-	-	-	-
FEMALE--	13	17	14	12	17	11	16	10	8	3	-	-
INDIANA -----	44	81	114	128	182	145	150	87	44	11	1	-
WHITE-----MALE----	27	48	71	64	86	72	64	36	13	1	-	-
FEMALE--	15	22	35	54	88	65	81	50	30	10	1	-
ALL OTHER--MALE----	2	6	2	6	5	2	3	-	-	-	-	-
FEMALE--	-	5	6	4	3	6	2	1	1	-	-	-
BLACK---MALE----	2	6	2	6	5	2	3	-	-	-	-	-
FEMALE--	-	5	6	4	3	6	2	1	1	-	-	-
IOWA -----	16	43	44	47	83	98	71	51	24	5	-	-
WHITE-----MALE----	7	22	25	28	46	41	36	12	10	1	-	-
FEMALE--	9	20	17	19	36	57	32	39	14	4	-	-
ALL OTHER--MALE----	-	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	1	1	-	-	-	3	-	-	-	-	-
BLACK---MALE----	-	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	1	1	-	-	-	3	-	-	-	-	-
KANSAS -----	24	27	29	41	75	62	65	47	18	1	1	-
WHITE-----MALE----	12	10	20	28	39	32	33	13	5	-	-	-
FEMALE--	9	14	8	9	35	27	31	33	13	-	1	-
ALL OTHER--MALE----	2	2	-	2	-	2	1	-	-	-	-	-
FEMALE--	1	1	1	2	1	1	-	1	-	1	-	-
BLACK---MALE----	2	2	-	2	-	1	1	-	-	-	-	-
FEMALE--	1	-	-	2	-	1	-	1	-	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 841

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 MALIGNANT NEOPLASMS OF OTHER AND UNSPECIFIED SITES (190-199)												
KENTUCKY -----	752	1	1	-	2	-	2	4	10	13	25	27
WHITE-----MALE----	391	1	-	-	1	-	1	2	6	7	15	15
FEMALE--	312	-	-	-	1	-	1	1	3	4	8	8
ALL OTHER--MALE----	24	-	-	-	-	-	-	1	-	1	1	3
FEMALE--	25	-	1	-	-	-	-	-	1	1	1	1
BLACK---MALE----	23	-	-	-	-	-	-	1	-	1	1	3
FEMALE--	25	-	1	-	-	-	-	-	1	1	1	1
LOUISIANA -----	963	-	-	4	1	2	6	4	14	14	28	47
WHITE-----MALE----	383	-	-	1	-	1	3	-	7	6	11	18
FEMALE--	322	-	-	3	1	-	2	1	3	4	7	12
ALL OTHER--MALE----	123	-	-	-	-	1	-	1	3	3	6	8
FEMALE--	135	-	-	-	-	-	1	2	1	1	4	9
BLACK---MALE----	122	-	-	-	-	1	-	1	3	3	6	8
FEMALE--	134	-	-	-	-	-	1	2	1	1	4	9
MAINE -----	308	-	-	-	3	-	1	2	2	6	6	11
WHITE-----MALE----	164	-	-	-	3	-	-	2	2	4	4	11
FEMALE--	142	-	-	-	-	-	1	-	-	2	2	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	947	-	-	3	2	5	3	3	8	14	27	43
WHITE-----MALE----	388	-	-	-	1	-	-	2	2	8	11	18
FEMALE--	354	-	-	-	1	3	2	-	3	2	8	9
ALL OTHER--MALE----	100	-	-	3	-	2	1	-	2	2	4	8
FEMALE--	105	-	-	-	-	-	-	1	1	2	4	8
BLACK---MALE----	98	-	-	3	-	2	1	-	2	2	4	8
FEMALE--	96	-	-	-	-	-	-	1	1	1	3	6
MASSACHUSETTS -----	1,493	1	3	3	3	3	4	7	11	25	30	45
WHITE-----MALE----	723	-	1	3	1	2	4	6	5	10	14	20
FEMALE--	708	-	1	-	1	1	-	1	5	11	13	24
ALL OTHER--MALE----	32	1	1	-	1	-	-	-	-	1	1	1
FEMALE--	30	-	-	-	-	-	-	-	1	3	2	-
BLACK---MALE----	26	1	1	-	-	-	-	-	-	-	1	1
FEMALE--	24	-	-	-	-	-	-	-	1	2	-	-
MICHIGAN -----	1,757	2	5	10	6	8	9	12	23	36	61	77
WHITE-----MALE----	778	1	4	2	1	5	6	6	10	20	28	41
FEMALE--	747	1	1	4	2	2	-	5	9	11	22	23
ALL OTHER--MALE----	128	-	-	3	1	-	3	-	1	2	10	6
FEMALE--	104	-	-	1	2	1	-	1	3	3	1	7
BLACK---MALE----	113	-	-	3	1	-	3	-	1	2	9	6
FEMALE--	99	-	-	1	2	1	-	1	3	3	1	6

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 841

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 MALIGNANT NEOPLASMS OF OTHER AND UNSPECIFIED SITES (190-199)												
KENTUCKY -----	59	49	66	101	118	103	81	52	32	6	-	-
WHITE-----MALE----	31	34	44	54	65	52	30	18	13	2	-	-
FEMALE--	22	13	20	37	47	50	47	29	17	4	-	-
ALL OTHER--MALE----	3	2	1	6	2	-	-	3	1	-	-	-
FEMALE--	3	-	1	4	4	1	4	2	1	-	-	-
BLACK---MALE----	3	2	-	6	2	-	-	3	1	-	-	-
FEMALE--	3	-	1	4	4	1	4	2	1	-	-	-
LOUISIANA -----	53	81	103	106	133	131	116	78	36	6	-	-
WHITE-----MALE----	24	30	41	51	55	57	49	17	12	-	-	-
FEMALE--	15	29	27	31	39	42	47	40	15	4	-	-
ALL OTHER--MALE----	9	11	17	17	14	17	5	8	3	-	-	-
FEMALE--	5	11	18	7	25	15	15	13	6	2	-	-
BLACK---MALE----	9	11	17	16	14	17	5	8	3	-	-	-
FEMALE--	5	11	18	7	25	15	14	13	6	2	-	-
MAINE -----	20	12	29	29	56	48	31	28	16	8	-	-
WHITE-----MALE----	13	8	18	14	30	24	15	6	9	1	-	-
FEMALE--	6	3	11	15	26	24	16	22	7	7	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	50	79	101	106	127	150	106	85	25	9	1	-
WHITE-----MALE----	22	34	46	45	56	74	37	27	4	1	-	-
FEMALE--	18	20	28	37	42	57	52	48	17	6	1	-
ALL OTHER--MALE----	6	16	15	12	12	9	4	3	-	1	-	-
FEMALE--	4	9	12	12	17	10	13	7	4	1	-	-
BLACK---MALE----	5	16	15	12	12	8	4	3	-	1	-	-
FEMALE--	3	9	12	11	16	9	12	7	4	1	-	-
MASSACHUSETTS -----	65	87	123	169	210	272	213	126	66	25	2	-
WHITE-----MALE----	31	50	67	97	111	143	90	46	17	5	-	-
FEMALE--	27	32	47	68	87	123	120	78	48	19	2	-
ALL OTHER--MALE----	2	2	7	3	7	4	1	-	-	-	-	-
FEMALE--	5	3	2	1	5	2	2	2	1	1	-	-
BLACK---MALE----	1	2	7	2	5	4	1	-	-	-	-	-
FEMALE--	4	2	2	1	5	1	2	2	1	1	-	-
MICHIGAN -----	68	135	161	224	263	240	221	116	70	9	1	-
WHITE-----MALE----	26	67	65	123	122	107	87	38	18	1	-	-
FEMALE--	25	42	70	74	121	106	111	64	48	5	1	-
ALL OTHER--MALE----	9	19	17	12	11	16	11	4	2	1	-	-
FEMALE--	8	7	9	15	9	11	12	10	2	2	-	-
BLACK---MALE----	9	17	15	12	8	12	8	4	2	1	-	-
FEMALE--	6	7	8	15	8	11	12	10	2	2	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 842

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 MALIGNANT NEOPLASMS OF OTHER AND UNSPECIFIED SITES (190-199)												
MINNESOTA -----	879	1	3	3	7	3	-	2	6	21	25	26
WHITE-----MALE----	429	-	1	2	2	3	-	1	1	12	17	13
FEMALE--	422	1	2	1	4	-	-	-	4	8	7	11
ALL OTHER--MALE----	14	-	-	-	1	-	-	-	-	1	-	2
FEMALE--	14	-	-	-	-	-	-	1	1	-	1	-
BLACK---MALE----	10	-	-	-	-	-	-	-	-	1	-	2
FEMALE--	7	-	-	-	-	-	-	1	1	-	-	-
MISSISSIPPI -----	597	-	1	-	-	2	1	3	2	5	24	18
WHITE-----MALE----	243	-	1	-	-	-	-	1	-	2	9	6
FEMALE--	180	-	-	-	-	2	-	1	2	-	5	6
ALL OTHER--MALE----	88	-	-	-	-	-	1	1	-	3	5	4
FEMALE--	86	-	-	-	-	-	-	-	-	-	5	2
BLACK---MALE----	85	-	-	-	-	-	1	1	-	2	5	3
FEMALE--	86	-	-	-	-	-	-	-	-	-	5	2
MISSOURI -----	1,218	2	4	1	4	3	5	8	8	21	29	48
WHITE-----MALE----	584	2	1	-	2	2	2	4	6	14	15	28
FEMALE--	504	-	1	1	1	1	3	2	2	2	9	12
ALL OTHER--MALE----	68	-	1	-	1	-	-	1	-	3	1	4
FEMALE--	62	-	1	-	-	-	-	1	-	2	4	4
BLACK---MALE----	64	-	1	-	1	-	-	1	-	2	1	4
FEMALE--	61	-	1	-	-	-	-	1	-	2	4	4
MONTANA -----	188	-	-	-	-	1	-	-	2	1	5	3
WHITE-----MALE----	99	-	-	-	-	1	-	-	-	-	3	-
FEMALE--	80	-	-	-	-	-	-	-	1	-	2	2
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	1	1	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	323	-	2	3	2	-	1	2	2	3	5	15
WHITE-----MALE----	149	-	-	2	2	-	1	1	-	2	-	6
FEMALE--	168	-	2	1	-	-	-	1	2	1	5	9
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
NEVADA -----	340	-	2	1	1	1	-	3	7	9	6	9
WHITE-----MALE----	181	-	1	1	-	1	-	-	4	5	4	3
FEMALE--	127	-	-	-	1	-	-	2	2	2	2	5
ALL OTHER--MALE----	15	-	-	-	-	-	-	1	1	-	-	-
FEMALE--	17	-	1	-	-	-	-	-	-	2	-	1
BLACK---MALE----	13	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	11	-	1	-	-	-	-	-	-	1	-	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 842

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 MALIGNANT NEOPLASMS OF OTHER AND UNSPECIFIED SITES (190-199)												
MINNESOTA -----	52	64	60	94	125	123	114	86	49	13	2	-
WHITE-----MALE----	33	31	30	59	69	61	44	34	13	3	-	-
FEMALE--	14	30	26	35	55	59	67	50	36	10	2	-
ALL OTHER--MALE----	3	1	3	-	-	1	1	1	-	-	-	-
FEMALE--	2	2	1	-	1	2	2	1	-	-	-	-
BLACK---MALE----	2	1	2	-	-	1	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	2	2	-	-	-	-	-
MISSISSIPPI -----	41	53	55	83	78	98	69	41	20	2	1	-
WHITE-----MALE----	13	19	30	46	32	44	24	9	6	1	-	-
FEMALE--	12	14	9	17	26	29	30	17	9	-	1	-
ALL OTHER--MALE----	11	10	6	13	6	12	8	6	1	1	-	-
FEMALE--	5	10	10	7	14	13	7	9	4	-	-	-
BLACK---MALE----	11	9	6	13	6	12	8	6	1	1	-	-
FEMALE--	5	10	10	7	14	13	7	9	4	-	-	-
MISSOURI -----	54	88	122	153	170	177	154	104	52	10	1	-
WHITE-----MALE----	20	45	61	80	96	93	61	37	13	2	-	-
FEMALE--	22	31	46	56	61	69	83	60	33	8	1	-
ALL OTHER--MALE----	8	9	9	10	4	8	3	3	3	-	-	-
FEMALE--	4	3	6	7	9	7	7	4	3	-	-	-
BLACK---MALE----	8	8	9	10	4	7	3	2	3	-	-	-
FEMALE--	4	3	5	7	9	7	7	4	3	-	-	-
MONTANA -----	10	13	13	28	23	29	24	25	7	4	-	-
WHITE-----MALE----	6	9	8	19	15	16	10	10	2	-	-	-
FEMALE--	4	4	5	9	7	13	11	14	5	3	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	2	1	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	23	23	26	29	48	49	46	25	12	6	1	-
WHITE-----MALE----	14	12	16	14	27	22	20	6	4	-	-	-
FEMALE--	9	11	10	13	20	26	25	19	8	5	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	2	1	1	1	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	2	-	1	1	-	-	1	-	-
NEVADA -----	14	26	33	46	57	51	38	24	10	2	-	-
WHITE-----MALE----	9	16	17	23	34	27	23	9	4	-	-	-
FEMALE--	4	6	10	16	20	22	14	14	5	2	-	-
ALL OTHER--MALE----	1	3	4	1	2	1	1	-	-	-	-	-
FEMALE--	-	1	2	6	1	1	-	1	1	-	-	-
BLACK---MALE----	1	2	4	1	2	1	1	-	-	-	-	-
FEMALE--	-	-	-	5	1	1	-	1	-	-	-	-







TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 844

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 MALIGNANT NEOPLASMS OF OTHER AND UNSPECIFIED SITES (190-199)												
OHIO -----	2,439	1	8	11	6	10	7	13	23	37	56	105
WHITE-----MALE----	1,119	-	4	5	2	6	2	8	11	21	27	47
FEMALE--	1,074	-	3	4	4	3	5	5	5	13	22	43
ALL OTHER--MALE----	119	-	1	1	-	1	-	-	3	-	4	9
FEMALE--	127	1	-	1	-	-	-	-	4	3	3	6
BLACK---MALE----	111	-	1	1	-	1	-	-	2	-	4	8
FEMALE--	124	1	-	1	-	-	-	-	4	3	2	6
OKLAHOMA -----	617	-	2	3	2	2	1	1	9	11	20	23
WHITE-----MALE----	279	-	1	1	1	1	-	1	4	4	10	14
FEMALE--	275	-	1	2	1	-	1	-	4	5	10	5
ALL OTHER--MALE----	29	-	-	-	-	1	-	-	1	1	-	3
FEMALE--	34	-	-	-	-	-	-	-	-	1	-	1
BLACK---MALE----	19	-	-	-	-	1	-	-	-	-	-	3
FEMALE--	18	-	-	-	-	-	-	-	-	1	-	1
OREGON -----	685	-	3	3	3	3	4	3	5	12	15	31
WHITE-----MALE----	351	-	1	1	1	3	3	2	1	8	8	16
FEMALE--	315	-	2	2	2	-	-	1	3	4	7	12
ALL OTHER--MALE----	15	-	-	-	-	-	1	-	1	-	-	3
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	3,058	4	4	13	4	13	7	8	18	42	73	100
WHITE-----MALE----	1,374	2	3	6	1	10	3	5	5	19	35	56
FEMALE--	1,401	1	1	4	2	2	3	2	9	16	21	32
ALL OTHER--MALE----	143	1	-	2	1	1	1	-	2	4	8	9
FEMALE--	140	-	-	1	-	-	-	1	2	3	9	3
BLACK---MALE----	136	1	-	2	1	-	1	-	2	3	7	8
FEMALE--	132	-	-	1	-	-	-	1	2	3	8	3
RHODE ISLAND -----	197	-	1	1	-	-	1	-	2	1	3	5
WHITE-----MALE----	98	-	1	-	-	-	1	-	1	1	1	4
FEMALE--	95	-	-	1	-	-	-	-	1	-	2	1
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	661	-	1	2	3	-	2	5	9	20	14	30
WHITE-----MALE----	267	-	1	-	-	-	1	-	3	7	3	13
FEMALE--	245	-	-	1	1	-	1	1	5	7	5	6
ALL OTHER--MALE----	77	-	-	1	1	-	-	2	1	4	3	9
FEMALE--	72	-	-	-	1	-	-	2	-	2	3	2
BLACK---MALE----	77	-	-	1	1	-	-	2	1	4	3	9
FEMALE--	70	-	-	-	1	-	-	2	-	2	3	2

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 844

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 MALIGNANT NEOPLASMS OF OTHER AND UNSPECIFIED SITES (190-199)												
OHIO -----	122	157	247	278	355	378	300	206	95	22	2	-
WHITE-----MALE----	63	79	128	137	180	178	122	75	23	1	-	-
FEMALE--	46	62	86	116	136	172	154	114	60	19	2	-
ALL OTHER--MALE----	7	7	22	13	16	10	12	8	4	1	-	-
FEMALE--	6	9	11	12	23	18	12	9	8	1	-	-
BLACK---MALE----	7	7	22	12	15	9	11	7	4	-	-	-
FEMALE--	5	9	11	12	23	17	12	9	8	1	-	-
OKLAHOMA -----	35	41	48	78	88	96	73	56	24	4	-	-
WHITE-----MALE----	20	23	21	40	42	51	23	17	4	1	-	-
FEMALE--	14	13	18	26	38	39	42	34	19	3	-	-
ALL OTHER--MALE----	1	1	3	5	3	4	5	1	-	-	-	-
FEMALE--	-	4	6	7	5	2	3	4	1	-	-	-
BLACK---MALE----	1	1	3	4	3	-	2	1	-	-	-	-
FEMALE--	-	1	2	5	2	1	2	2	1	-	-	-
OREGON -----	45	51	49	83	119	114	72	46	18	5	1	-
WHITE-----MALE----	28	36	30	37	63	51	34	19	6	3	-	-
FEMALE--	14	13	19	43	52	61	38	27	12	2	1	-
ALL OTHER--MALE----	1	1	-	3	3	2	-	-	-	-	-	-
FEMALE--	2	1	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	1	1	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-
PENNSYLVANIA -----	122	187	255	360	457	551	435	266	112	25	2	-
WHITE-----MALE----	62	104	131	173	213	247	194	65	33	7	-	-
FEMALE--	49	63	96	144	203	265	212	184	72	18	2	-
ALL OTHER--MALE----	8	11	16	25	21	21	7	5	-	-	-	-
FEMALE--	3	9	12	18	20	18	22	12	7	-	-	-
BLACK---MALE----	8	11	16	24	21	20	6	5	-	-	-	-
FEMALE--	3	8	11	17	17	17	22	12	7	-	-	-
RHODE ISLAND -----	13	8	21	20	33	37	23	17	8	2	-	1
WHITE-----MALE----	10	3	14	12	17	21	5	5	2	-	-	-
FEMALE--	3	5	6	7	15	16	17	12	6	2	-	1
ALL OTHER--MALE----	-	-	1	1	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	44	52	61	78	92	89	78	54	24	3	-	-
WHITE-----MALE----	19	26	32	38	50	30	29	14	1	-	-	-
FEMALE--	19	11	17	22	23	44	39	26	16	1	-	-
ALL OTHER--MALE----	4	10	6	12	9	4	5	5	1	-	-	-
FEMALE--	2	5	6	6	10	11	5	9	6	2	-	-
BLACK---MALE----	4	10	6	12	9	4	5	5	1	-	-	-
FEMALE--	2	5	5	6	9	11	5	9	6	2	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 845

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 MALIGNANT NEOPLASMS OF OTHER AND UNSPECIFIED SITES (190-199)												
SOUTH DAKOTA -----	156	-	-	2	-	2	1	1	1	-	4	4
WHITE-----MALE----	68	-	-	1	-	2	-	1	-	-	1	3
FEMALE--	81	-	-	1	-	-	1	-	-	-	3	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	1,030	1	4	7	6	5	4	12	15	14	36	39
WHITE-----MALE----	455	-	1	5	3	2	2	5	12	7	15	15
FEMALE--	443	1	1	2	3	1	1	6	2	6	11	19
ALL OTHER--MALE----	67	-	-	-	-	1	-	-	1	1	5	2
FEMALE--	65	-	2	-	-	1	1	1	-	-	5	3
BLACK---MALE----	67	-	-	-	-	1	-	-	1	1	5	2
FEMALE--	62	-	2	-	-	1	1	1	-	-	5	3
TEXAS -----	2,617	3	15	17	13	10	18	15	16	57	95	129
WHITE-----MALE----	1,201	3	9	6	5	4	11	9	7	25	41	60
FEMALE--	1,106	-	6	6	6	6	4	4	7	23	43	41
ALL OTHER--MALE----	166	-	-	2	1	-	1	1	1	5	8	18
FEMALE--	144	-	-	3	1	-	2	1	1	4	3	10
BLACK---MALE----	149	-	-	2	1	-	-	1	1	4	7	15
FEMALE--	131	-	-	3	-	-	2	1	1	2	3	9
UTAH -----	266	-	1	2	1	4	1	2	6	2	10	13
WHITE-----MALE----	140	-	-	2	1	1	-	-	3	1	5	8
FEMALE--	117	-	1	-	-	3	1	2	2	1	5	4
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	5	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	133	-	-	-	-	1	-	1	1	3	4	12
WHITE-----MALE----	65	-	-	-	-	1	-	-	1	2	2	8
FEMALE--	65	-	-	-	-	-	-	1	-	1	1	4
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
VIRGINIA -----	1,240	-	5	2	7	1	-	7	8	29	35	63
WHITE-----MALE----	495	-	-	-	2	-	-	3	5	13	16	33
FEMALE--	509	-	3	1	4	1	-	4	2	10	13	20
ALL OTHER--MALE----	122	-	1	1	1	-	-	-	-	3	1	3
FEMALE--	114	-	1	-	-	-	-	-	1	3	5	7
BLACK---MALE----	108	-	-	-	1	-	-	-	-	2	1	2
FEMALE--	106	-	1	-	-	-	-	-	1	3	4	7

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 845

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 MALIGNANT NEOPLASMS OF OTHER AND UNSPECIFIED SITES (190-199)												
SOUTH DAKOTA -----	2	7	11	17	22	29	21	19	11	2	-	-
WHITE-----MALE----	1	4	6	12	12	13	7	3	1	1	-	-
FEMALE--	1	3	3	5	8	16	13	15	10	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	2	-	2	-	1	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	60	85	110	125	158	122	107	76	33	10	1	-
WHITE-----MALE----	35	42	55	68	70	47	42	22	6	1	-	-
FEMALE--	14	34	43	44	66	58	57	44	22	7	1	-
ALL OTHER--MALE----	7	7	4	8	13	11	1	2	3	1	-	-
FEMALE--	4	2	8	5	9	6	7	8	2	1	-	-
BLACK---MALE----	7	7	4	8	13	11	1	2	3	1	-	-
FEMALE--	3	2	7	5	8	6	7	8	2	1	-	-
TEXAS -----	150	187	229	344	385	345	288	183	91	25	2	-
WHITE-----MALE----	75	100	118	166	187	157	114	58	39	7	-	-
FEMALE--	47	66	80	127	162	154	154	111	43	15	1	-
ALL OTHER--MALE----	17	15	16	27	18	17	9	7	3	-	-	-
FEMALE--	11	6	15	24	18	17	11	7	6	3	1	-
BLACK---MALE----	16	13	15	24	16	16	9	6	3	-	-	-
FEMALE--	11	6	13	22	16	16	9	7	6	3	1	-
UTAH -----	19	23	24	32	40	28	30	18	6	4	-	-
WHITE-----MALE----	8	14	11	21	20	18	16	7	2	2	-	-
FEMALE--	11	9	12	10	18	8	14	11	3	2	-	-
ALL OTHER--MALE----	-	-	1	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	2	1	-	-	1	-	-	-
BLACK---MALE----	-	-	1	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	7	11	6	15	16	22	11	14	6	3	-	-
WHITE-----MALE----	6	4	1	8	9	12	5	4	1	1	-	-
FEMALE--	-	7	5	6	7	10	6	10	5	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	77	94	107	136	180	187	134	111	49	7	-	1
WHITE-----MALE----	34	43	43	60	68	83	42	35	14	-	-	1
FEMALE--	25	32	33	51	76	69	70	62	26	7	-	-
ALL OTHER--MALE----	12	14	17	14	21	16	10	6	2	-	-	-
FEMALE--	6	5	14	11	15	19	12	8	7	-	-	-
BLACK---MALE----	10	14	16	11	18	15	10	6	2	-	-	-
FEMALE--	6	5	11	11	13	19	11	8	6	-	-	-









TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 847  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OF EYE (190)												
UNITED STATES --	15	23	38	18	40	34	33	22	13	1	1	-
WHITE-----MALE----	8	12	25	9	23	19	12	6	9	-	-	-
FEMALE--	5	11	12	9	16	14	19	15	4	1	1	-
ALL OTHER--MALE----	1	-	-	-	1	-	1	-	-	-	-	-
FEMALE--	1	-	1	-	-	1	1	1	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	1	-	-	1	1	1	-	-	-	-
ALABAMA -----	1	1	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	-	-	-	1	-	-	3	-	-	-	-	-
WHITE-----MALE----	-	-	-	1	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	-	-	-	-	-	1	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	2	2	1	3	6	9	4	3	1	-	-	-
WHITE-----MALE----	1	2	1	1	4	5	4	1	-	-	-	-
FEMALE--	1	-	-	2	2	3	-	2	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-





































TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 856

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 OF BRAIN (191)												
UNITED STATES --	12,383	21	86	161	138	107	99	165	276	462	593	810
WHITE-----MALE----	6,282	7	36	65	65	63	50	83	162	251	313	445
FEMALE--	5,188	11	31	57	52	28	28	54	88	167	219	289
ALL OTHER--MALE----	502	2	7	25	11	11	11	13	14	29	40	51
FEMALE--	411	1	12	14	10	5	10	15	12	15	21	25
BLACK---MALE----	386	2	5	23	9	5	8	7	11	15	30	40
FEMALE--	333	1	10	11	7	3	8	12	10	13	15	19
ALABAMA -----	215	-	1	3	2	1	-	-	6	7	8	13
WHITE-----MALE----	90	-	-	2	-	1	-	-	4	5	3	4
FEMALE--	95	-	1	1	1	-	-	-	2	1	3	3
ALL OTHER--MALE----	10	-	-	-	1	-	-	-	-	1	1	2
FEMALE--	20	-	-	-	-	-	-	-	-	-	1	4
BLACK---MALE----	10	-	-	-	1	-	-	-	-	1	1	2
FEMALE--	20	-	-	-	-	-	-	-	-	-	1	4
ALASKA -----	17	-	-	-	1	-	-	-	-	2	1	-
WHITE-----MALE----	10	-	-	-	1	-	-	-	-	1	1	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	196	1	1	5	-	3	1	5	3	7	13	10
WHITE-----MALE----	95	-	-	1	-	1	-	3	2	5	4	6
FEMALE--	94	1	-	4	-	2	1	1	1	2	9	3
ALL OTHER--MALE----	2	-	-	-	-	-	-	1	-	-	-	1
FEMALE--	5	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	1	-	-	-	-	-	-	-	-	-
ARKANSAS -----	157	1	-	-	-	1	2	2	1	5	7	7
WHITE-----MALE----	82	-	-	-	-	1	1	1	1	3	3	4
FEMALE--	62	1	-	-	-	-	-	-	-	2	2	1
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	7	-	-	-	-	-	1	1	-	-	1	2
BLACK---MALE----	6	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	6	-	-	-	-	-	1	1	-	-	1	1
CALIFORNIA -----	1,383	3	11	26	23	16	19	20	34	55	69	101
WHITE-----MALE----	725	2	4	8	9	10	10	10	21	31	43	58
FEMALE--	522	1	4	13	8	3	3	6	11	16	22	31
ALL OTHER--MALE----	77	-	1	3	4	1	3	3	-	7	2	9
FEMALE--	59	-	2	2	2	2	3	1	2	1	2	3
BLACK---MALE----	34	-	-	2	3	-	1	1	-	1	-	6
FEMALE--	30	-	1	1	-	1	2	-	1	1	1	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 856

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OF BRAIN (191)												
UNITED STATES --	980	1,119	1,208	1,515	1,655	1,431	938	441	155	21	1	1
WHITE-----MALE----	546	627	638	810	815	680	413	151	54	7	-	1
FEMALE--	367	421	489	618	739	678	473	275	92	11	1	-
ALL OTHER--MALE----	40	40	46	45	52	37	20	8	-	-	-	-
FEMALE--	27	31	35	42	49	36	32	7	9	3	-	-
BLACK---MALE----	32	36	38	36	42	27	14	6	-	-	-	-
FEMALE--	20	29	26	36	42	30	23	6	9	3	-	-
ALABAMA -----	16	20	22	28	26	33	14	12	2	1	-	-
WHITE-----MALE----	6	10	9	12	11	13	7	3	-	-	-	-
FEMALE--	10	6	11	13	13	17	5	7	1	-	-	-
ALL OTHER--MALE----	-	-	1	2	2	-	-	-	-	-	-	-
FEMALE--	-	4	1	1	-	3	2	2	1	1	-	-
BLACK---MALE----	-	-	1	2	2	-	-	-	-	-	-	-
FEMALE--	-	4	1	1	-	3	2	2	1	1	-	-
ALASKA -----	3	2	2	2	3	-	1	-	-	-	-	-
WHITE-----MALE----	1	1	2	1	2	-	-	-	-	-	-	-
FEMALE--	1	1	-	1	1	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	10	21	14	23	27	32	10	8	2	-	-	-
WHITE-----MALE----	7	12	9	13	7	16	3	5	1	-	-	-
FEMALE--	3	9	5	9	18	16	6	3	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	2	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	19	17	22	21	17	14	12	5	2	2	-	-
WHITE-----MALE----	8	9	10	14	11	8	4	3	1	-	-	-
FEMALE--	10	7	12	6	4	5	7	2	1	2	-	-
ALL OTHER--MALE----	1	-	-	1	1	1	1	-	-	-	-	-
FEMALE--	-	1	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	1	1	1	1	-	-	-	-	-
FEMALE--	-	1	-	-	1	-	-	-	-	-	-	-
CALIFORNIA -----	110	123	132	152	167	169	93	48	11	1	-	-
WHITE-----MALE----	66	74	69	92	79	83	34	17	5	-	-	-
FEMALE--	34	41	50	50	74	73	49	28	4	1	-	-
ALL OTHER--MALE----	7	6	6	5	8	4	5	3	-	-	-	-
FEMALE--	3	2	7	5	6	9	5	-	2	-	-	-
BLACK---MALE----	5	5	1	2	5	-	1	1	-	-	-	-
FEMALE--	1	-	4	4	2	7	1	-	2	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 857

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 OF BRAIN (191)												
COLORADO -----	156	-	-	3	1	1	2	4	3	7	9	12
WHITE-----MALE----	81	-	-	1	1	1	1	2	3	3	7	4
FEMALE--	71	-	-	2	-	-	1	2	-	4	1	8
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	143	-	1	1	2	-	2	1	2	6	5	9
WHITE-----MALE----	80	-	1	1	1	-	1	1	1	4	5	6
FEMALE--	56	-	-	-	1	-	-	-	1	2	-	3
ALL OTHER--MALE----	3	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	21	-	-	-	-	-	-	2	1	-	1	-
WHITE-----MALE----	7	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	12	-	-	-	-	-	-	1	1	-	1	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	26	-	-	1	-	-	-	-	1	1	1	3
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	14	-	-	1	-	-	-	-	-	1	1	2
FEMALE--	6	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	13	-	-	1	-	-	-	-	-	1	1	2
FEMALE--	6	-	-	-	-	-	-	-	1	-	-	-
FLORIDA -----	856	1	5	11	9	8	3	9	16	27	42	57
WHITE-----MALE----	453	-	3	5	4	4	1	3	10	15	25	33
FEMALE--	333	-	-	-	3	2	-	5	3	7	11	17
ALL OTHER--MALE----	33	-	-	3	1	1	2	1	3	1	4	3
FEMALE--	37	1	2	3	1	1	-	-	-	4	2	4
BLACK---MALE----	29	-	-	3	1	-	2	-	3	1	3	2
FEMALE--	36	1	2	3	1	1	-	-	-	4	2	4
GEORGIA -----	248	1	2	2	3	3	1	4	8	11	8	14
WHITE-----MALE----	116	1	2	1	1	2	-	1	5	5	1	7
FEMALE--	105	-	-	-	-	-	-	1	2	2	6	7
ALL OTHER--MALE----	16	-	-	1	1	1	1	-	-	3	1	-
FEMALE--	11	-	-	-	1	-	-	2	1	1	-	-
BLACK---MALE----	12	-	-	1	1	-	1	-	-	2	1	-
FEMALE--	10	-	-	-	1	-	-	1	1	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 857

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OF BRAIN (191)												
COLORADO -----	17	12	11	20	15	22	11	4	2	-	-	-
WHITE-----MALE----	6	4	7	14	10	10	6	-	1	-	-	-
FEMALE--	11	8	4	6	5	11	4	3	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
CONNECTICUT -----	13	15	10	18	17	16	13	5	7	-	-	-
WHITE-----MALE----	7	8	8	13	2	9	6	2	4	-	-	-
FEMALE--	5	6	2	5	14	5	6	3	3	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	1	-	-	1	1	1	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	1	-	-	1	1	1	-	-	-	-	-
DELAWARE -----	3	2	-	5	2	3	2	-	-	-	-	-
WHITE-----MALE----	2	1	-	-	-	2	1	-	-	-	-	-
FEMALE--	1	1	-	4	1	1	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	1	1	5	2	2	5	2	-	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	1	-	1	2	-	-	-	-	-	-
ALL OTHER--MALE----	-	1	2	2	-	3	1	-	-	-	-	-
FEMALE--	1	-	2	-	1	-	1	-	-	-	-	-
BLACK---MALE----	-	1	2	2	-	2	1	-	-	-	-	-
FEMALE--	1	-	2	-	1	-	1	-	-	-	-	-
FLORIDA -----	72	70	84	94	104	115	76	33	16	4	-	-
WHITE-----MALE----	43	40	47	51	45	57	41	18	6	2	-	-
FEMALE--	23	26	32	39	52	54	33	14	10	2	-	-
ALL OTHER--MALE----	5	-	3	1	2	2	1	-	-	-	-	-
FEMALE--	1	4	2	3	5	2	1	1	-	-	-	-
BLACK---MALE----	5	-	3	1	2	2	1	-	-	-	-	-
FEMALE--	1	4	2	3	5	2	1	-	-	-	-	-
GEORGIA -----	22	27	31	27	31	22	20	8	3	-	-	-
WHITE-----MALE----	12	15	16	17	12	9	6	2	1	-	-	-
FEMALE--	10	10	10	10	14	13	13	6	1	-	-	-
ALL OTHER--MALE----	-	2	3	-	3	-	-	-	-	-	-	-
FEMALE--	-	-	2	-	2	-	1	-	1	-	-	-
BLACK---MALE----	-	1	2	-	3	-	-	-	-	-	-	-
FEMALE--	-	-	2	-	2	-	1	-	1	-	-	-





TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 859

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 OF BRAIN (191)												
KENTUCKY -----	205	1	1	-	1	-	-	2	6	9	14	11
WHITE-----MALE----	109	1	-	-	-	-	-	1	6	6	9	6
FEMALE--	83	-	-	-	1	-	-	1	-	3	4	3
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	7	-	1	-	-	-	-	-	-	-	-	1
BLACK---MALE----	6	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	7	-	1	-	-	-	-	-	-	-	-	1
LOUISIANA -----	221	-	-	2	1	1	3	3	10	8	12	14
WHITE-----MALE----	101	-	-	1	-	1	1	-	5	6	5	6
FEMALE--	78	-	-	1	1	-	1	1	2	2	5	3
ALL OTHER--MALE----	21	-	-	-	-	-	-	-	2	-	1	4
FEMALE--	21	-	-	-	-	-	1	2	1	-	1	1
BLACK---MALE----	21	-	-	-	-	-	-	-	2	-	1	4
FEMALE--	20	-	-	-	-	-	1	2	1	-	1	1
MAINE -----	75	-	-	-	2	-	-	1	2	5	2	6
WHITE-----MALE----	41	-	-	-	2	-	-	1	2	3	2	6
FEMALE--	33	-	-	-	-	-	-	-	-	2	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	211	-	-	2	1	4	1	2	3	5	8	13
WHITE-----MALE----	87	-	-	-	1	-	-	2	1	4	3	8
FEMALE--	94	-	-	-	-	3	1	-	1	1	3	5
ALL OTHER--MALE----	20	-	-	2	-	1	-	-	1	-	1	-
FEMALE--	10	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	19	-	-	2	-	1	-	-	1	-	1	-
FEMALE--	9	-	-	-	-	-	-	-	-	-	1	-
MASSACHUSETTS -----	307	-	2	1	2	1	1	5	5	11	12	20
WHITE-----MALE----	160	-	1	1	1	-	1	4	2	4	7	7
FEMALE--	138	-	-	-	1	1	-	1	3	6	5	12
ALL OTHER--MALE----	7	-	1	-	-	-	-	-	-	1	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	5	-	1	-	-	-	-	-	-	-	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	429	1	3	9	4	6	6	7	14	22	24	27
WHITE-----MALE----	215	-	2	2	1	4	5	2	8	14	16	19
FEMALE--	183	1	1	3	1	2	-	4	4	6	6	8
ALL OTHER--MALE----	21	-	-	3	-	-	1	-	1	1	2	-
FEMALE--	10	-	-	1	2	-	-	1	1	1	-	-
BLACK---MALE----	17	-	-	3	-	-	1	-	1	1	2	-
FEMALE--	9	-	-	1	2	-	-	1	1	1	-	-



TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 859

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OF BRAIN (191)												
KENTUCKY -----	22	15	23	27	28	19	19	4	3	-	-	-
WHITE-----MALE----	11	8	13	13	16	8	9	-	2	-	-	-
FEMALE--	9	7	10	9	10	11	10	4	1	-	-	-
ALL OTHER--MALE----	2	-	-	2	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	3	2	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	2	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	3	2	-	-	-	-	-	-	-
LOUISIANA -----	15	26	22	27	32	22	14	7	2	-	-	-
WHITE-----MALE----	10	11	8	13	17	11	5	1	-	-	-	-
FEMALE--	4	10	9	10	10	6	6	6	1	-	-	-
ALL OTHER--MALE----	1	2	1	2	3	4	1	-	-	-	-	-
FEMALE--	-	3	4	2	2	1	2	-	1	-	-	-
BLACK---MALE----	1	2	1	2	3	4	1	-	-	-	-	-
FEMALE--	-	3	4	2	2	1	1	-	1	-	-	-
MAINE -----	6	4	6	9	13	10	6	3	-	-	-	-
WHITE-----MALE----	3	4	2	3	5	5	3	-	-	-	-	-
FEMALE--	2	-	4	6	8	5	3	3	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	16	21	26	29	28	22	19	8	3	-	-	-
WHITE-----MALE----	6	11	12	10	12	9	5	3	-	-	-	-
FEMALE--	7	6	9	13	13	13	12	4	3	-	-	-
ALL OTHER--MALE----	2	3	4	4	1	-	-	1	-	-	-	-
FEMALE--	1	1	1	2	2	-	2	-	-	-	-	-
BLACK---MALE----	1	3	4	4	1	-	-	1	-	-	-	-
FEMALE--	1	1	1	2	2	-	1	-	2	-	-	-
MASSACHUSETTS -----	19	20	28	48	51	51	16	8	5	1	-	-
WHITE-----MALE----	11	14	16	28	25	29	8	1	-	-	-	-
FEMALE--	7	6	10	19	24	22	8	7	5	1	-	-
ALL OTHER--MALE----	-	-	1	1	2	-	-	-	-	-	-	-
FEMALE--	1	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	1	1	-	-	-	-	-	-	-
FEMALE--	1	-	1	-	-	-	-	-	-	-	-	-
MICHIGAN -----	17	42	39	57	65	42	27	13	4	-	-	-
WHITE-----MALE----	6	23	17	32	26	18	12	6	2	-	-	-
FEMALE--	10	16	20	22	36	20	14	7	2	-	-	-
ALL OTHER--MALE----	-	2	2	2	2	4	1	-	-	-	-	-
FEMALE--	1	1	-	1	1	-	-	-	-	-	-	-
BLACK---MALE----	-	2	1	2	1	2	1	-	-	-	-	-
FEMALE--	-	1	-	1	1	-	-	-	-	-	-	-



TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 860

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OF BRAIN (191)												
MINNESOTA -----	20	23	19	24	32	17	23	14	7	-	-	-
WHITE-----MALE----	9	13	14	15	20	8	8	6	3	-	-	-
FEMALE--	9	10	4	9	12	9	15	8	4	-	-	-
ALL OTHER--MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI -----	12	15	10	17	16	27	6	4	2	-	-	-
WHITE-----MALE----	4	8	6	12	7	11	3	1	-	-	-	-
FEMALE--	6	3	4	4	6	9	1	2	2	-	-	-
ALL OTHER--MALE----	1	2	-	1	1	3	1	-	-	-	-	-
FEMALE--	1	2	-	-	2	4	1	1	-	-	-	-
BLACK---MALE----	1	2	-	1	1	3	1	-	-	-	-	-
FEMALE--	1	2	-	-	2	4	1	1	-	-	-	-
MISSOURI -----	18	31	24	34	41	33	21	8	4	-	-	-
WHITE-----MALE----	12	16	8	21	25	16	9	2	1	-	-	-
FEMALE--	6	13	14	12	16	16	12	5	2	-	-	-
ALL OTHER--MALE----	-	1	1	-	-	1	-	1	-	-	-	-
FEMALE--	-	1	1	1	-	-	-	-	1	-	-	-
BLACK---MALE----	-	1	1	-	-	1	-	1	-	-	-	-
FEMALE--	-	1	-	1	-	-	-	-	1	-	-	-
MONTANA -----	5	5	6	8	3	3	4	3	1	-	-	-
WHITE-----MALE----	3	3	2	6	2	-	1	-	-	-	-	-
FEMALE--	2	2	4	2	1	3	3	3	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	9	5	7	9	12	8	12	1	2	1	-	-
WHITE-----MALE----	6	3	3	3	7	4	8	-	-	-	-	-
FEMALE--	3	2	4	5	5	4	4	1	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
NEVADA -----	2	5	6	4	8	4	5	-	1	-	-	-
WHITE-----MALE----	1	4	2	2	5	2	3	-	1	-	-	-
FEMALE--	1	1	3	1	2	2	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	-	-	-	-	-	-





TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 862  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 OF BRAIN (191)												
OHIO -----	540	-	5	9	5	4	5	4	14	20	19	49
WHITE-----MALE----	282	-	3	4	2	3	2	4	10	13	11	22
FEMALE--	225	-	2	3	3	-	3	-	2	7	6	22
ALL OTHER--MALE----	20	-	-	1	-	1	-	-	1	-	1	5
FEMALE--	13	-	-	1	-	-	-	-	1	-	1	-
BLACK---MALE----	18	-	-	1	-	1	-	-	1	-	1	4
FEMALE--	11	-	-	1	-	-	-	-	1	-	-	-
OKLAHOMA -----	139	-	-	1	2	1	1	1	6	5	4	11
WHITE-----MALE----	70	-	-	-	1	-	-	1	4	-	2	8
FEMALE--	59	-	-	1	1	-	1	-	2	3	2	2
ALL OTHER--MALE----	6	-	-	-	-	1	-	-	-	1	-	1
FEMALE--	4	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	5	-	-	-	-	1	-	-	-	-	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	1	-	-
OREGON -----	213	-	1	3	2	2	2	2	3	8	13	15
WHITE-----MALE----	113	-	-	1	-	2	2	1	-	6	6	8
FEMALE--	95	-	1	2	2	-	-	1	2	2	7	6
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	1	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	601	3	3	6	4	9	3	6	8	20	33	36
WHITE-----MALE----	300	1	2	2	1	7	1	4	4	11	20	20
FEMALE--	266	1	1	1	2	1	2	1	3	7	7	13
ALL OTHER--MALE----	19	1	-	2	1	1	-	-	-	1	3	3
FEMALE--	16	-	-	1	-	-	-	1	1	1	3	-
BLACK---MALE----	17	1	-	2	1	-	-	-	-	1	3	2
FEMALE--	15	-	-	1	-	-	-	1	1	1	2	-
RHODE ISLAND -----	65	-	1	1	-	-	1	-	2	-	2	3
WHITE-----MALE----	34	-	1	-	-	-	1	-	1	-	1	3
FEMALE--	31	-	-	1	-	-	-	-	1	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	189	-	-	1	3	-	2	3	5	9	8	10
WHITE-----MALE----	90	-	-	-	-	-	1	-	2	5	1	9
FEMALE--	76	-	-	-	1	-	1	1	3	3	3	-
ALL OTHER--MALE----	12	-	-	1	1	-	-	2	-	1	3	1
FEMALE--	11	-	-	-	1	-	-	-	-	-	1	-
BLACK---MALE----	12	-	-	1	1	-	-	2	-	1	3	1
FEMALE--	10	-	-	-	1	-	-	-	-	-	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 862

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OF BRAIN (191)												
OHIO -----	40	50	65	55	66	67	41	15	6	1	-	-
WHITE-----MALE----	24	25	35	28	37	38	16	3	2	-	-	-
FEMALE--	14	24	24	24	27	27	22	10	4	1	-	-
ALL OTHER--MALE----	1	-	5	1	-	-	2	2	-	-	-	-
FEMALE--	1	1	1	2	2	2	1	-	-	-	-	-
BLACK---MALE----	1	-	5	1	-	-	1	2	-	-	-	-
FEMALE--	1	1	1	2	2	1	1	-	-	-	-	-
OKLAHOMA -----	14	10	11	18	19	21	11	2	1	-	-	-
WHITE-----MALE----	10	8	6	10	9	7	4	-	-	-	-	-
FEMALE--	4	1	3	7	10	14	5	2	1	-	-	-
ALL OTHER--MALE----	-	1	1	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	1	1	-	-	1	-	-	-	-	-
BLACK---MALE----	-	1	1	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
OREGON -----	25	19	11	28	27	35	12	4	1	-	-	-
WHITE-----MALE----	15	14	6	12	16	17	5	2	-	-	-	-
FEMALE--	9	5	5	16	11	16	7	2	1	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	2	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	31	64	56	71	79	82	56	25	6	-	-	-
WHITE-----MALE----	17	38	30	38	31	41	22	6	4	-	-	-
FEMALE--	13	24	23	32	46	39	30	18	2	-	-	-
ALL OTHER--MALE----	1	1	2	-	2	1	-	-	-	-	-	-
FEMALE--	-	1	1	1	-	1	4	1	-	-	-	-
BLACK---MALE----	1	1	2	-	2	1	-	-	-	-	-	-
FEMALE--	-	1	1	1	-	1	4	1	-	-	-	-
RHODE ISLAND -----	3	4	7	7	9	13	6	2	4	-	-	-
WHITE-----MALE----	2	2	6	2	5	6	3	-	1	-	-	-
FEMALE--	1	2	1	5	4	7	3	2	3	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	16	17	16	29	23	23	15	5	3	1	-	-
WHITE-----MALE----	8	8	9	14	16	6	7	4	-	-	-	-
FEMALE--	8	7	6	12	4	16	7	1	3	-	-	-
ALL OTHER--MALE----	-	1	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	1	1	2	2	1	1	-	2	1	-	-
BLACK---MALE----	-	1	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	1	-	2	2	1	1	-	-	1	-	-





TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 863

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OF BRAIN (191)												
SOUTH DAKOTA -----	1	2	3	4	10	11	7	2	2	-	-	-
WHITE-----MALE----	1	2	1	3	5	5	3	-	-	-	-	-
FEMALE--	-	-	2	1	4	6	4	2	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	25	29	26	38	51	23	20	12	3	-	-	-
WHITE-----MALE----	15	13	15	25	24	10	7	3	-	-	-	-
FEMALE--	7	13	11	11	22	11	13	9	3	-	-	-
ALL OTHER--MALE----	2	3	-	1	3	1	-	-	-	-	-	-
FEMALE--	1	-	-	1	2	1	-	-	-	-	-	-
BLACK---MALE----	2	3	-	1	3	1	-	-	-	-	-	-
FEMALE--	1	-	-	1	2	1	-	-	-	-	-	-
TEXAS -----	67	67	64	109	119	83	65	30	5	2	-	-
WHITE-----MALE----	39	40	33	49	65	42	33	9	2	1	-	-
FEMALE--	24	24	29	53	46	35	31	20	2	1	-	-
ALL OTHER--MALE----	2	2	1	4	4	3	1	-	-	-	-	-
FEMALE--	2	1	1	3	4	3	-	1	1	-	-	-
BLACK---MALE----	1	2	1	4	4	3	1	-	-	-	-	-
FEMALE--	2	1	1	3	4	3	-	1	1	-	-	-
UTAH -----	8	7	10	11	7	2	3	3	-	1	-	-
WHITE-----MALE----	5	4	4	7	5	2	3	1	-	1	-	-
FEMALE--	3	3	6	4	2	-	-	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	2	3	2	5	2	2	2	2	-	-	-	-
WHITE-----MALE----	2	1	1	4	1	2	1	1	-	-	-	-
FEMALE--	-	2	1	1	1	-	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	21	17	21	30	34	27	17	8	1	-	-	-
WHITE-----MALE----	12	9	10	12	14	8	6	3	-	-	-	-
FEMALE--	8	8	10	12	18	18	9	5	-	-	-	-
ALL OTHER--MALE----	1	-	-	2	1	-	-	-	-	-	-	-
FEMALE--	-	-	1	4	1	1	2	-	1	-	-	-
BLACK---MALE----	-	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	4	1	1	2	-	1	-	-	-





TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 865

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 OF OTHER AND UNSPECIFIED PARTS OF NERVOUS SYSTEM (192)												
UNITED STATES --	284	1	4	7	7	8	6	6	6	8	10	13
WHITE-----MALE----	133	1	3	3	4	3	2	3	3	4	4	7
FEMALE--	115	-	1	2	2	5	-	-	3	3	6	5
ALL OTHER--MALE----	19	-	-	-	1	-	1	1	-	-	-	-
FEMALE--	17	-	-	2	-	-	3	2	-	1	-	1
BLACK---MALE----	13	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	15	-	-	2	-	-	3	1	-	1	-	1
ALABAMA -----	9	1	-	1	1	-	1	-	-	-	-	1
WHITE-----MALE----	5	1	-	-	1	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	1	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	1	-	-	1	-	-	-	-	-
ALASKA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	7	-	-	-	-	-	-	-	-	-	-	1
WHITE-----MALE----	6	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	1	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	43	-	2	2	1	-	1	-	-	-	4	-
WHITE-----MALE----	18	-	1	1	-	-	-	-	-	-	2	-
FEMALE--	17	-	1	-	1	-	-	-	-	-	2	-
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	1	-	-	1	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	1	-	-	1	-	-	-	-	-















TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 868

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OF OTHER AND UNSPECIFIED PARTS OF NERVOUS SYSTEM (192)												
KENTUCKY -----	-	-	1	-	-	-	-	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	-	-	1	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MAINE -----	1	-	-	-	-	-	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	-	-	-	-	1	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
MASSACHUSETTS -----	1	1	-	1	-	1	1	-	-	-	-	-
WHITE-----MALE----	1	1	-	1	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	1	-	-	2	1	2	2	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	2	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	-	-	-	-



























TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 875

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 OF THYROID GLAND AND OTHER ENDOCRINE GLANDS AND RELATED STRUCTURES (193-194)												
COLORADO -----	23	-	1	-	-	-	-	-	-	-	1	1
WHITE-----MALE----	10	-	1	-	-	-	-	-	-	-	1	-
FEMALE--	13	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	26	-	1	1	1	-	-	-	1	1	-	2
WHITE-----MALE----	12	-	1	-	-	-	-	-	1	-	-	1
FEMALE--	12	-	-	1	-	-	-	-	-	1	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-
DELAWARE -----	6	-	1	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	2	-	-	-	-	-	-	-	-	-	-	1
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	134	-	4	4	1	1	1	1	1	1	1	7
WHITE-----MALE----	50	-	1	3	1	-	-	-	1	1	-	1
FEMALE--	73	-	1	1	-	1	1	1	-	-	1	5
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	7	-	2	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	5	-	2	-	-	-	-	-	-	-	-	-
GEORGIA -----	55	-	4	1	2	-	1	-	3	-	3	3
WHITE-----MALE----	16	-	-	-	1	-	-	-	-	-	1	2
FEMALE--	28	-	4	1	-	-	-	-	2	-	-	1
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	1	-	1	-
FEMALE--	7	-	-	-	1	-	1	-	-	-	1	-
BLACK---MALE----	4	-	-	-	-	-	-	-	1	-	1	-
FEMALE--	5	-	-	-	1	-	1	-	-	-	1	-









TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 877

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 OF THYROID GLAND AND OTHER ENDOCRINE GLANDS AND RELATED STRUCTURES (193-194)												
KENTUCKY -----	38	-	-	-	1	-	1	-	1	-	2	3
WHITE-----MALE----	16	-	-	-	1	-	-	-	-	-	1	1
FEMALE--	18	-	-	-	-	-	1	-	1	-	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	3	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	3	-	-	-	-	-	-	-	-	-	1	-
LOUISIANA -----	27	-	-	1	-	1	-	-	2	-	-	-
WHITE-----MALE----	5	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	10	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	5	-	-	-	-	1	-	-	1	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	5	-	-	-	-	1	-	-	1	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
MAINE -----	9	-	-	-	1	-	1	-	-	-	1	2
WHITE-----MALE----	6	-	-	-	1	-	-	-	-	-	-	2
FEMALE--	3	-	-	-	-	-	1	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	37	-	-	1	-	-	1	-	1	1	1	2
WHITE-----MALE----	10	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	19	-	-	-	-	-	1	-	-	-	1	1
ALL OTHER--MALE----	3	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	3	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	1	-	-	-
MASSACHUSETTS -----	41	-	-	2	-	1	-	-	-	1	1	-
WHITE-----MALE----	14	-	-	2	-	1	-	-	-	1	-	-
FEMALE--	23	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	79	1	1	1	2	1	1	1	4	1	3	1
WHITE-----MALE----	23	1	1	-	-	-	-	-	1	-	1	1
FEMALE--	42	-	-	1	1	-	-	1	2	1	1	-
ALL OTHER--MALE----	5	-	-	-	1	-	1	-	-	-	-	-
FEMALE--	9	-	-	-	-	1	-	-	1	-	1	-
BLACK---MALE----	5	-	-	-	1	-	1	-	-	-	-	-
FEMALE--	8	-	-	-	-	1	-	-	1	-	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 877

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OF THYROID GLAND AND OTHER ENDOCRINE GLANDS AND RELATED STRUCTURES (193-194)												
KENTUCKY -----	2	1	1	5	1	8	5	6	1	-	-	-
WHITE-----MALE----	-	1	1	4	-	2	2	2	1	-	-	-
FEMALE--	-	-	-	1	1	6	3	4	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	2	5	-	5	2	5	1	2	1	-	-	-
WHITE-----MALE----	-	1	-	1	1	1	-	-	-	-	-	-
FEMALE--	-	2	-	3	-	1	1	1	1	-	-	-
ALL OTHER--MALE----	1	1	-	1	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	1	3	-	1	-	-	-	-
BLACK---MALE----	1	1	-	1	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	1	3	-	1	-	-	-	-
MAINE -----	1	-	-	-	1	1	-	-	1	-	-	-
WHITE-----MALE----	-	-	-	-	1	1	-	-	1	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	1	4	5	2	4	4	4	4	2	-	-	-
WHITE-----MALE----	-	2	1	1	1	2	-	1	-	-	-	-
FEMALE--	-	-	3	1	2	1	4	3	2	-	-	-
ALL OTHER--MALE----	-	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	1	2	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	1	2	-	-	-	1	-	-	-	-	-	-
MASSACHUSETTS -----	2	2	4	4	6	3	8	4	3	-	-	-
WHITE-----MALE----	1	-	-	3	2	3	1	-	-	-	-	-
FEMALE--	-	1	4	1	3	-	6	4	3	-	-	-
ALL OTHER--MALE----	1	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
MICHIGAN -----	5	5	2	9	6	9	14	7	5	-	-	-
WHITE-----MALE----	-	2	2	3	2	2	5	2	-	-	-	-
FEMALE--	2	-	-	5	4	6	9	4	5	-	-	-
ALL OTHER--MALE----	1	1	-	1	-	-	-	-	-	-	-	-
FEMALE--	2	2	-	-	-	1	-	1	-	-	-	-
BLACK---MALE----	1	1	-	1	-	-	-	-	-	-	-	-
FEMALE--	1	2	-	-	-	1	-	1	-	-	-	-



TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 878

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OF THYROID GLAND AND OTHER ENDOCRINE GLANDS AND RELATED STRUCTURES (193-194)												
MINNESOTA -----	-	2	-	1	1	6	2	2	1	-	-	-
WHITE-----MALE----	-	1	-	1	-	2	1	-	-	-	-	-
FEMALE--	-	1	-	-	1	4	1	2	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI -----	1	-	1	5	-	3	2	3	1	-	-	-
WHITE-----MALE----	1	-	1	2	-	-	1	1	1	-	-	-
FEMALE--	-	-	-	-	-	3	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	3	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	3	-	-	1	-	-	-	-	-
MISSOURI -----	3	1	5	3	3	7	2	6	1	-	-	-
WHITE-----MALE----	2	-	2	1	1	5	-	3	-	-	-	-
FEMALE--	1	1	3	2	2	2	2	2	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
MONTANA -----	1	-	-	-	-	2	-	1	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	1	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	-	-	4	-	3	3	2	-	-	1	-	-
WHITE-----MALE----	-	-	3	-	1	3	-	-	-	-	-	-
FEMALE--	-	-	1	-	2	-	2	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA -----	-	-	2	3	-	2	-	1	-	-	-	-
WHITE-----MALE----	-	-	1	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	1	2	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	-	-	-	-	-	-









TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 880

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OF THYROID GLAND AND OTHER ENDOCRINE GLANDS AND RELATED STRUCTURES (193-194)												
OHIO -----	2	6	4	7	10	13	10	7	2	-	-	-
WHITE-----MALE----	2	3	2	4	3	3	3	4	2	-	-	-
FEMALE--	-	2	2	3	6	10	6	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	1	-	1	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	1	-	1	1	-	-	-	-
OKLAHOMA -----	5	4	2	4	2	4	3	-	-	-	-	-
WHITE-----MALE----	2	1	1	1	1	1	1	-	-	-	-	-
FEMALE--	3	3	-	2	1	3	2	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
OREGON -----	2	-	3	4	6	2	2	1	-	-	-	-
WHITE-----MALE----	1	-	3	3	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	4	2	2	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	2	7	8	13	15	11	16	3	1	-	-	-
WHITE-----MALE----	1	3	5	6	5	2	5	1	-	-	-	-
FEMALE--	1	3	2	6	8	9	10	2	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	1	1	2	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	1	2	-	1	-	-	-	-	-
RHODE ISLAND -----	2	-	-	1	3	-	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	1	2	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	-	2	4	1	5	6	5	2	1	1	-	-
WHITE-----MALE----	-	2	3	1	2	-	3	-	-	-	-	-
FEMALE--	-	-	1	-	3	3	1	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	3	1	2	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	3	1	2	-	1	-	-



TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 881

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OF THYROID GLAND AND OTHER ENDOCRINE GLANDS AND RELATED STRUCTURES (193-194)												
SOUTH DAKOTA -----	-	-	1	1	1	-	1	-	-	-	-	-
WHITE-----MALE----	-	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	2	1	6	5	5	6	3	1	1	-	-	-
WHITE-----MALE----	1	1	4	3	1	3	2	-	-	-	-	-
FEMALE--	1	-	2	1	4	3	1	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
TEXAS -----	-	10	4	12	10	15	10	9	5	1	-	-
WHITE-----MALE----	-	6	1	2	1	4	2	-	3	-	-	-
FEMALE--	-	4	1	9	7	10	7	8	2	1	-	-
ALL OTHER--MALE----	-	-	1	-	2	-	-	1	-	-	-	-
FEMALE--	-	-	1	1	-	1	1	-	-	-	-	-
BLACK---MALE----	-	-	1	-	2	-	-	1	-	-	-	-
FEMALE--	-	-	1	1	-	1	-	-	-	-	-	-
UTAH -----	-	-	-	-	3	3	2	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	2	-	-	-	-	-	-
FEMALE--	-	-	-	-	3	-	2	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	-	1	-	3	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	2	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	4	-	2	2	5	9	7	3	1	1	-	-
WHITE-----MALE----	1	-	-	2	1	2	1	2	-	-	-	-
FEMALE--	2	-	2	-	2	2	6	1	1	1	-	-
ALL OTHER--MALE----	1	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	4	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	4	-	-	-	-	-	-





TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 883

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 OF ALL OTHER AND UNSPECIFIED SITES (195-199)												
UNITED STATES --	35,844	9	5	9	10	35	49	82	153	367	707	1,151
WHITE-----MALE----	15,867	4	3	2	2	21	26	41	66	145	280	507
FEMALE--	15,171	2	2	7	5	12	11	23	55	128	257	338
ALL OTHER--MALE----	2,438	2	-	-	3	2	7	8	14	46	76	161
FEMALE--	2,368	1	-	-	-	-	5	10	18	48	94	145
BLACK---MALE----	2,103	2	-	-	-	2	4	5	9	36	68	136
FEMALE--	2,046	1	-	-	-	-	4	9	18	41	79	125
ALABAMA -----	960	-	-	-	-	-	1	3	4	12	16	21
WHITE-----MALE----	391	-	-	-	-	-	-	1	1	1	6	7
FEMALE--	345	-	-	-	-	-	-	-	2	6	4	5
ALL OTHER--MALE----	114	-	-	-	-	-	-	1	-	2	3	4
FEMALE--	110	-	-	-	-	-	1	1	1	3	3	5
BLACK---MALE----	113	-	-	-	-	-	-	1	-	2	3	4
FEMALE--	110	-	-	-	-	-	1	1	1	3	3	5
ALASKA -----	31	-	-	-	-	-	-	-	-	1	1	2
WHITE-----MALE----	11	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	13	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	3	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	641	-	-	1	1	1	-	-	3	3	6	10
WHITE-----MALE----	316	-	-	1	-	1	-	-	3	1	3	4
FEMALE--	288	-	-	-	1	-	-	-	-	2	3	2
ALL OTHER--MALE----	13	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	24	-	-	-	-	-	-	-	-	-	-	2
BLACK---MALE----	5	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	2
ARKANSAS -----	320	-	-	1	-	1	-	1	1	4	4	7
WHITE-----MALE----	143	-	-	-	-	1	-	-	1	1	2	1
FEMALE--	129	-	-	1	-	-	-	1	-	3	1	3
ALL OTHER--MALE----	26	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	22	-	-	-	-	-	-	-	-	-	1	2
BLACK---MALE----	25	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	21	-	-	-	-	-	-	-	-	-	1	2
CALIFORNIA -----	3,376	-	-	-	1	1	9	21	21	40	73	111
WHITE-----MALE----	1,495	-	-	-	-	-	5	10	9	16	26	37
FEMALE--	1,411	-	-	-	-	1	2	5	10	18	29	40
ALL OTHER--MALE----	253	-	-	-	1	-	1	4	1	4	7	20
FEMALE--	217	-	-	-	-	-	1	2	1	2	11	14
BLACK---MALE----	126	-	-	-	-	-	-	1	-	-	4	8
FEMALE--	114	-	-	-	-	-	1	2	1	-	5	10



TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 883

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OF ALL OTHER AND UNSPECIFIED SITES (195-199)												
UNITED STATES --	1,713	2,374	3,180	4,172	5,471	5,789	4,950	3,474	1,663	433	46	2
WHITE-----MALE----	803	1,169	1,564	2,090	2,654	2,663	2,083	1,168	476	95	4	1
FEMALE--	569	767	1,044	1,485	2,138	2,542	2,410	1,989	1,045	304	37	1
ALL OTHER--MALE----	209	259	311	353	341	293	190	113	39	9	2	-
FEMALE--	132	179	261	244	338	291	267	204	103	25	3	-
BLACK---MALE----	190	234	281	302	298	245	155	93	35	6	2	-
FEMALE--	112	153	219	215	282	246	236	183	98	22	3	-
ALABAMA -----	50	77	91	137	154	151	112	79	38	10	4	-
WHITE-----MALE----	20	36	45	66	61	62	44	27	11	3	-	-
FEMALE--	12	20	24	46	60	56	49	37	20	2	2	-
ALL OTHER--MALE----	9	12	12	16	16	20	6	5	5	2	1	-
FEMALE--	9	9	10	9	17	13	13	10	2	3	1	-
BLACK---MALE----	9	12	11	16	16	20	6	5	5	2	1	-
FEMALE--	9	9	10	9	17	13	13	10	2	3	1	-
ALASKA -----	2	4	-	5	3	10	1	1	1	-	-	-
WHITE-----MALE----	2	-	-	2	-	3	-	1	1	-	-	-
FEMALE--	-	3	-	2	3	4	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	2	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	32	43	62	82	120	109	99	44	20	5	-	-
WHITE-----MALE----	16	24	30	47	62	49	44	18	10	3	-	-
FEMALE--	12	18	28	26	57	54	52	21	10	2	-	-
ALL OTHER--MALE----	1	1	1	4	-	3	-	1	-	-	-	-
FEMALE--	3	-	3	5	1	3	3	4	-	-	-	-
BLACK---MALE----	-	-	-	2	-	2	-	-	-	-	-	-
FEMALE--	-	-	-	2	-	-	-	3	-	-	-	-
ARKANSAS -----	20	19	25	31	50	53	48	37	11	5	2	-
WHITE-----MALE----	10	10	16	15	25	18	20	16	4	3	-	-
FEMALE--	8	4	8	10	18	26	19	18	6	2	1	-
ALL OTHER--MALE----	1	4	1	1	6	3	7	1	1	-	-	-
FEMALE--	1	1	-	5	1	6	2	2	-	-	1	-
BLACK---MALE----	1	4	1	-	6	3	7	1	1	-	-	-
FEMALE--	1	1	-	5	1	5	2	2	-	-	1	-
CALIFORNIA -----	178	227	302	381	542	533	441	328	129	32	6	-
WHITE-----MALE----	84	103	140	173	265	253	193	130	41	7	3	-
FEMALE--	61	82	100	150	207	230	201	165	82	25	3	-
ALL OTHER--MALE----	22	27	27	35	39	24	26	13	2	-	-	-
FEMALE--	11	15	35	23	31	26	21	20	4	-	-	-
BLACK---MALE----	13	18	17	16	24	9	11	5	-	-	-	-
FEMALE--	5	8	19	9	18	12	12	10	2	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 884

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 OF ALL OTHER AND UNSPECIFIED SITES (195-199)												
COLORADO -----	442	-	-	1	-	-	1	-	1	6	10	15
WHITE-----MALE----	239	-	-	-	-	-	-	-	1	1	6	10
FEMALE--	187	-	-	1	-	-	1	-	-	4	4	4
ALL OTHER--MALE----	8	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	8	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	7	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	6	-	-	-	-	-	-	-	-	1	-	-
CONNECTICUT -----	514	-	-	1	-	-	-	1	1	3	9	10
WHITE-----MALE----	253	-	-	-	-	-	-	-	-	2	4	3
FEMALE--	228	-	-	1	-	-	-	-	1	-	1	5
ALL OTHER--MALE----	16	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	17	-	-	-	-	-	-	1	-	1	4	1
BLACK---MALE----	14	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	14	-	-	-	-	-	-	1	-	1	3	-
DELAWARE -----	126	-	-	-	-	-	-	-	1	1	4	5
WHITE-----MALE----	48	-	-	-	-	-	-	-	1	-	2	3
FEMALE--	58	-	-	-	-	-	-	-	-	1	2	1
ALL OTHER--MALE----	10	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	10	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	1
DISTRICT OF COLUMBIA ----	92	-	-	-	-	-	-	1	-	-	2	6
WHITE-----MALE----	7	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	13	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	41	-	-	-	-	-	-	-	-	-	1	4
FEMALE--	31	-	-	-	-	-	-	-	-	-	1	1
BLACK---MALE----	41	-	-	-	-	-	-	-	-	-	1	4
FEMALE--	30	-	-	-	-	-	-	-	-	-	1	1
FLORIDA -----	2,073	1	-	-	1	3	-	2	14	17	36	59
WHITE-----MALE----	962	1	-	-	-	-	-	1	6	7	14	23
FEMALE--	908	-	-	-	1	3	-	1	4	7	14	21
ALL OTHER--MALE----	113	-	-	-	-	-	-	-	2	1	5	6
FEMALE--	90	-	-	-	-	-	-	-	2	2	3	9
BLACK---MALE----	106	-	-	-	-	-	-	-	2	1	5	6
FEMALE--	86	-	-	-	-	-	-	-	2	2	3	8
GEORGIA -----	1,088	-	-	-	-	-	3	2	9	13	30	45
WHITE-----MALE----	424	-	-	-	-	-	2	-	4	3	8	21
FEMALE--	392	-	-	-	-	-	-	2	3	4	6	7
ALL OTHER--MALE----	129	-	-	-	-	-	-	-	1	2	7	7
FEMALE--	143	-	-	-	-	-	1	-	1	4	9	10
BLACK---MALE----	123	-	-	-	-	-	-	-	1	2	7	7
FEMALE--	138	-	-	-	-	-	1	-	1	4	8	10

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 884  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OF ALL OTHER AND UNSPECIFIED SITES (195-199)												
COLORADO -----	24	27	40	61	65	79	46	42	17	6	1	-
WHITE-----MALE----	13	15	28	29	39	51	26	16	1	2	1	-
FEMALE--	8	10	12	29	24	26	19	25	16	4	-	-
ALL OTHER--MALE----	1	2	-	1	1	1	-	1	-	-	-	-
FEMALE--	2	-	-	2	1	1	1	-	-	-	-	-
BLACK---MALE----	1	2	-	1	1	-	-	1	-	-	-	-
FEMALE--	1	-	-	2	-	1	1	-	-	-	-	-
CONNECTICUT -----	22	31	50	51	84	96	68	61	20	6	-	-
WHITE-----MALE----	9	17	27	33	51	42	34	28	1	2	-	-
FEMALE--	11	11	15	16	31	49	31	33	19	4	-	-
ALL OTHER--MALE----	1	2	5	2	1	2	2	-	-	-	-	-
FEMALE--	1	1	3	-	1	3	1	-	-	-	-	-
BLACK---MALE----	-	2	5	1	1	2	2	-	-	-	-	-
FEMALE--	1	1	2	-	1	3	1	-	-	-	-	-
DELAWARE -----	4	8	10	15	20	20	21	12	5	-	-	-
WHITE-----MALE----	2	3	4	6	6	10	7	2	2	-	-	-
FEMALE--	1	4	4	5	8	9	11	9	3	-	-	-
ALL OTHER--MALE----	1	1	-	3	3	1	-	1	-	-	-	-
FEMALE--	-	-	2	1	3	-	3	-	-	-	-	-
BLACK---MALE----	1	1	-	3	3	1	-	1	-	-	-	-
FEMALE--	-	-	2	1	2	-	3	-	-	-	-	-
DISTRICT OF COLUMBIA ----	7	6	7	12	16	15	8	7	4	1	-	-
WHITE-----MALE----	-	-	2	1	-	1	2	-	-	-	-	-
FEMALE--	1	-	-	-	2	3	1	2	2	1	-	-
ALL OTHER--MALE----	4	4	3	10	9	5	-	1	-	-	-	-
FEMALE--	2	2	2	1	5	6	5	4	2	-	-	-
BLACK---MALE----	4	4	3	10	9	5	-	1	-	-	-	-
FEMALE--	2	2	2	1	4	6	5	4	2	-	-	-
FLORIDA -----	98	131	156	235	307	331	324	216	114	26	2	-
WHITE-----MALE----	59	67	76	133	163	152	148	65	36	11	-	-
FEMALE--	21	45	54	81	119	160	153	137	70	15	2	-
ALL OTHER--MALE----	13	13	19	15	10	14	9	3	3	-	-	-
FEMALE--	5	6	7	6	15	5	14	11	5	-	-	-
BLACK---MALE----	12	12	18	13	10	13	9	3	2	-	-	-
FEMALE--	5	6	7	6	13	5	13	11	5	-	-	-
GEORGIA -----	72	77	121	127	150	171	128	88	39	11	2	-
WHITE-----MALE----	27	39	52	54	65	75	45	23	4	2	-	-
FEMALE--	13	16	30	40	52	73	58	54	24	8	2	-
ALL OTHER--MALE----	19	10	23	16	18	9	12	4	1	-	-	-
FEMALE--	13	12	16	17	15	14	13	7	10	1	-	-
BLACK---MALE----	17	9	21	15	18	9	12	4	1	-	-	-
FEMALE--	13	12	14	17	14	13	13	7	10	1	-	-



TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 885

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OF ALL OTHER AND UNSPECIFIED SITES (195-199)												
HAWAII -----	4	8	5	12	15	15	18	11	3	1	-	-
WHITE-----MALE----	2	1	1	4	1	1	7	4	2	-	-	-
FEMALE--	1	1	-	3	1	2	-	1	1	-	-	-
ALL OTHER--MALE----	-	3	2	3	9	5	7	4	-	-	-	-
FEMALE--	1	3	2	2	4	7	4	2	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	5	10	10	16	24	22	16	16	3	2	-	-
WHITE-----MALE----	-	7	7	9	8	7	10	8	1	-	-	-
FEMALE--	5	3	3	7	16	15	6	8	2	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	71	130	168	186	240	232	230	161	97	20	1	-
WHITE-----MALE----	32	59	84	82	114	91	95	54	20	3	-	-
FEMALE--	21	44	51	71	85	110	115	96	69	13	1	-
ALL OTHER--MALE----	7	13	20	24	24	20	5	3	-	-	-	-
FEMALE--	11	14	13	9	17	11	15	8	8	4	-	-
BLACK---MALE----	7	13	20	24	21	18	5	3	-	-	-	-
FEMALE--	11	14	13	9	15	9	15	8	8	3	-	-
INDIANA -----	28	51	80	86	126	120	114	73	40	9	1	-
WHITE-----MALE----	16	32	50	45	56	54	45	30	13	1	-	-
FEMALE--	10	10	25	32	63	59	65	43	26	8	1	-
ALL OTHER--MALE----	2	5	1	5	5	2	3	-	-	-	-	-
FEMALE--	-	4	4	4	2	5	1	-	1	-	-	-
BLACK---MALE----	2	5	1	5	5	2	3	-	-	-	-	-
FEMALE--	-	4	4	4	2	5	1	-	1	-	-	-
IOWA -----	7	24	23	23	51	58	53	37	18	5	-	-
WHITE-----MALE----	2	12	11	12	25	20	30	9	7	1	-	-
FEMALE--	5	11	11	11	25	38	20	28	11	4	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	1	1	-	-	-	3	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	1	1	-	-	-	3	-	-	-	-	-
KANSAS -----	9	19	18	24	49	53	44	36	16	1	1	-
WHITE-----MALE----	4	6	12	16	23	29	23	9	4	-	-	-
FEMALE--	4	11	5	4	25	21	20	26	12	-	1	-
ALL OTHER--MALE----	1	1	-	2	-	2	1	-	-	-	-	-
FEMALE--	-	1	1	2	1	1	-	1	-	1	-	-
BLACK---MALE----	1	1	-	2	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	2	-	1	-	1	-	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 886

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 OF ALL OTHER AND UNSPECIFIED SITES (195-199)												
KENTUCKY -----	504	-	-	-	-	-	1	2	3	4	9	13
WHITE-----MALE----	264	-	-	-	-	-	1	1	-	1	5	8
FEMALE--	208	-	-	-	-	-	-	-	2	1	4	4
ALL OTHER--MALE----	17	-	-	-	-	-	-	1	-	1	-	1
FEMALE--	15	-	-	-	-	-	-	-	1	1	-	-
BLACK---MALE----	16	-	-	-	-	-	-	1	-	1	-	1
FEMALE--	15	-	-	-	-	-	-	-	1	1	-	-
LOUISIANA -----	711	-	-	1	-	-	3	1	2	6	16	32
WHITE-----MALE----	274	-	-	-	-	-	2	-	1	-	6	11
FEMALE--	234	-	-	1	-	-	1	-	1	2	2	9
ALL OTHER--MALE----	96	-	-	-	-	-	-	1	-	3	5	4
FEMALE--	107	-	-	-	-	-	-	-	-	1	3	8
BLACK---MALE----	95	-	-	-	-	-	-	1	-	3	5	4
FEMALE--	107	-	-	-	-	-	-	-	-	1	3	8
MAINE -----	220	-	-	-	-	-	-	1	-	1	3	3
WHITE-----MALE----	114	-	-	-	-	-	-	1	-	1	2	3
FEMALE--	105	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	690	-	-	-	-	1	1	1	3	8	18	28
WHITE-----MALE----	287	-	-	-	-	-	-	-	1	3	8	9
FEMALE--	237	-	-	-	-	-	-	-	1	1	4	3
ALL OTHER--MALE----	77	-	-	-	-	1	1	-	1	2	3	8
FEMALE--	89	-	-	-	-	-	-	1	-	2	3	8
BLACK---MALE----	76	-	-	-	-	1	1	-	1	2	3	8
FEMALE--	81	-	-	-	-	-	-	1	-	1	2	6
MASSACHUSETTS -----	1,137	1	1	-	1	1	3	2	6	13	17	25
WHITE-----MALE----	544	-	-	-	-	1	3	2	3	5	7	13
FEMALE--	544	-	1	-	-	-	-	-	2	5	7	12
ALL OTHER--MALE----	23	1	-	-	1	-	-	-	-	-	1	-
FEMALE--	26	-	-	-	-	-	-	-	1	3	2	-
BLACK---MALE----	20	1	-	-	-	-	-	-	-	-	1	-
FEMALE--	21	-	-	-	-	-	-	-	1	2	-	-
MICHIGAN -----	1,228	-	1	-	-	1	2	4	3	12	34	48
WHITE-----MALE----	531	-	1	-	-	1	1	4	1	6	11	20
FEMALE--	512	-	-	-	-	-	-	-	1	3	15	15
ALL OTHER--MALE----	102	-	-	-	-	-	1	-	-	1	8	6
FEMALE--	83	-	-	-	-	-	-	-	1	2	-	7
BLACK---MALE----	91	-	-	-	-	-	1	-	-	1	7	6
FEMALE--	80	-	-	-	-	-	-	-	1	2	-	6

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 886

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OF ALL OTHER AND UNSPECIFIED SITES (195-199)												
KENTUCKY -----	35	33	41	69	89	76	56	39	28	6	-	-
WHITE-----MALE----	20	25	30	37	49	42	18	15	10	2	-	-
FEMALE--	13	6	9	27	36	33	34	19	16	4	-	-
ALL OTHER--MALE----	1	2	1	4	2	-	-	3	1	-	-	-
FEMALE--	1	-	1	1	2	1	4	2	1	-	-	-
BLACK---MALE----	1	2	-	4	2	-	-	3	1	-	-	-
FEMALE--	1	-	1	1	2	1	4	2	1	-	-	-
LOUISIANA -----	36	50	80	74	98	103	101	69	33	6	-	-
WHITE-----MALE----	14	18	33	37	36	44	44	16	12	-	-	-
FEMALE--	11	17	18	18	29	35	40	33	13	4	-	-
ALL OTHER--MALE----	7	8	15	14	11	13	4	8	3	-	-	-
FEMALE--	4	7	14	5	22	11	13	12	5	2	-	-
BLACK---MALE----	7	8	15	13	11	13	4	8	3	-	-	-
FEMALE--	4	7	14	5	22	11	13	12	5	2	-	-
MAINE -----	12	8	23	20	40	37	24	25	15	8	-	-
WHITE-----MALE----	10	4	16	11	22	18	11	6	8	1	-	-
FEMALE--	2	3	7	9	18	19	13	19	7	7	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	33	53	68	75	92	123	83	73	20	9	1	-
WHITE-----MALE----	16	20	32	34	42	62	32	23	4	1	-	-
FEMALE--	11	14	15	23	26	43	36	41	12	6	1	-
ALL OTHER--MALE----	4	13	10	8	10	9	4	2	-	1	-	-
FEMALE--	2	6	11	10	14	9	11	7	4	1	-	-
BLACK---MALE----	4	13	10	8	10	8	4	2	-	1	-	-
FEMALE--	1	6	11	9	13	8	11	7	4	1	-	-
MASSACHUSETTS -----	43	63	91	115	153	216	188	114	58	24	2	-
WHITE-----MALE----	18	34	51	65	84	111	80	45	17	5	-	-
FEMALE--	20	25	33	47	60	99	106	67	40	18	2	-
ALL OTHER--MALE----	1	2	6	2	4	4	1	-	-	-	-	-
FEMALE--	4	2	1	1	5	2	1	2	1	1	-	-
BLACK---MALE----	1	2	6	1	3	4	1	-	-	-	-	-
FEMALE--	3	2	1	1	5	1	1	2	1	1	-	-
MICHIGAN -----	45	87	115	156	189	187	178	95	61	9	1	-
WHITE-----MALE----	19	41	43	88	93	86	69	30	16	1	-	-
FEMALE--	13	26	48	45	79	80	88	52	41	5	1	-
ALL OTHER--MALE----	8	16	15	9	9	12	10	4	2	1	-	-
FEMALE--	5	4	9	14	8	9	11	9	2	2	-	-
BLACK---MALE----	8	14	14	9	7	10	7	4	2	1	-	-
FEMALE--	5	4	8	14	7	9	11	9	2	2	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 887

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 OF ALL OTHER AND UNSPECIFIED SITES (195-199)												
MINNESOTA -----	619	-	-	-	-	1	-	-	3	6	13	15
WHITE-----MALE----	291	-	-	-	-	1	-	-	1	4	8	7
FEMALE--	308	-	-	-	-	-	-	-	2	2	4	7
ALL OTHER--MALE----	9	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	11	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	6	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI -----	437	-	1	-	-	1	-	1	-	3	13	5
WHITE-----MALE----	171	-	1	-	-	-	-	-	-	1	3	2
FEMALE--	125	-	-	-	-	1	-	1	-	-	2	-
ALL OTHER--MALE----	70	-	-	-	-	-	-	-	-	2	3	1
FEMALE--	71	-	-	-	-	-	-	-	-	-	5	2
BLACK---MALE----	69	-	-	-	-	-	-	-	-	2	3	1
FEMALE--	71	-	-	-	-	-	-	-	-	-	5	2
MISSOURI -----	894	1	-	-	-	-	4	2	-	11	17	30
WHITE-----MALE----	417	1	-	-	-	-	2	1	-	6	7	20
FEMALE--	369	-	-	-	-	-	2	-	-	1	7	5
ALL OTHER--MALE----	59	-	-	-	-	-	-	1	-	2	1	3
FEMALE--	49	-	-	-	-	-	-	-	-	2	2	2
BLACK---MALE----	55	-	-	-	-	-	-	1	-	1	1	3
FEMALE--	49	-	-	-	-	-	-	-	-	2	2	2
MONTANA -----	134	-	-	-	-	-	-	-	1	1	1	1
WHITE-----MALE----	72	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	54	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	219	-	-	-	-	-	-	1	1	1	1	10
WHITE-----MALE----	96	-	-	-	-	-	-	-	-	1	-	4
FEMALE--	118	-	-	-	-	-	-	1	1	-	1	6
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
NEVADA -----	276	-	-	-	1	-	-	-	4	4	3	7
WHITE-----MALE----	148	-	-	-	-	-	-	-	3	2	2	2
FEMALE--	106	-	-	-	1	-	-	-	1	1	1	4
ALL OTHER--MALE----	11	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	11	-	-	-	-	-	-	-	-	1	-	1
BLACK---MALE----	10	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	1	-	1



TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 887

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OF ALL OTHER AND UNSPECIFIED SITES (195-199)												
MINNESOTA -----	29	38	41	69	92	99	89	70	40	13	1	-
WHITE-----MALE----	21	16	16	43	49	50	35	28	9	3	-	-
FEMALE--	5	19	22	26	42	46	51	40	31	10	1	-
ALL OTHER--MALE----	2	1	2	-	-	1	1	1	-	-	-	-
FEMALE--	1	2	1	-	1	2	2	1	-	-	-	-
BLACK---MALE----	1	1	1	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	2	2	-	-	-	-	-
MISSISSIPPI -----	28	38	43	61	61	67	61	34	17	2	1	-
WHITE-----MALE----	8	11	22	32	25	33	20	7	5	1	-	-
FEMALE--	6	11	5	13	19	16	29	14	7	-	1	-
ALL OTHER--MALE----	10	8	6	12	5	9	7	5	1	1	-	-
FEMALE--	4	8	10	4	12	9	5	8	4	-	-	-
BLACK---MALE----	10	7	6	12	5	9	7	5	1	1	-	-
FEMALE--	4	8	10	4	12	9	5	8	4	-	-	-
MISSOURI -----	32	56	89	115	125	134	130	90	47	10	1	-
WHITE-----MALE----	6	29	49	58	70	71	51	32	12	2	-	-
FEMALE--	15	17	28	42	42	49	69	53	30	8	1	-
ALL OTHER--MALE----	8	8	7	10	4	7	3	2	3	-	-	-
FEMALE--	3	2	5	5	9	7	7	3	2	-	-	-
BLACK---MALE----	8	7	7	10	4	6	3	1	3	-	-	-
FEMALE--	3	2	5	5	9	7	7	3	2	-	-	-
MONTANA -----	4	8	6	19	20	23	19	21	6	4	-	-
WHITE-----MALE----	2	6	5	12	13	14	8	9	2	-	-	-
FEMALE--	2	2	1	7	6	9	8	11	4	3	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	2	1	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	14	17	15	20	32	38	31	24	9	4	1	-
WHITE-----MALE----	8	8	10	11	18	15	12	6	3	-	-	-
FEMALE--	6	9	5	8	13	22	18	18	6	3	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	1	1	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	1	-	-	1	-	-
NEVADA -----	12	21	24	39	49	45	33	23	9	2	-	-
WHITE-----MALE----	8	12	13	21	29	24	20	9	3	-	-	-
FEMALE--	3	5	6	13	18	20	13	13	5	2	-	-
ALL OTHER--MALE----	1	3	3	1	2	1	-	-	-	-	-	-
FEMALE--	-	1	2	4	-	-	-	1	1	-	-	-
BLACK---MALE----	1	2	3	1	2	1	-	-	-	-	-	-
FEMALE--	-	-	-	3	-	-	-	1	-	-	-	-





TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 889

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 OF ALL OTHER AND UNSPECIFIED SITES (195-199)												
OHIO -----	1,810	1	-	-	1	5	1	7	8	13	35	53
WHITE-----MALE----	800	-	-	-	-	3	-	3	1	7	15	25
FEMALE--	805	-	-	-	1	2	1	4	3	3	15	19
ALL OTHER--MALE----	97	-	-	-	-	-	-	-	2	-	3	4
FEMALE--	108	1	-	-	-	-	-	-	2	3	2	5
BLACK---MALE----	91	-	-	-	-	-	-	-	1	-	3	4
FEMALE--	107	1	-	-	-	-	-	-	2	3	2	5
OKLAHOMA -----	441	-	1	-	-	-	-	-	2	5	14	12
WHITE-----MALE----	192	-	-	-	-	-	-	-	-	4	6	6
FEMALE--	198	-	1	-	-	-	-	-	1	1	8	3
ALL OTHER--MALE----	23	-	-	-	-	-	-	-	1	-	-	2
FEMALE--	28	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	14	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	15	-	-	-	-	-	-	-	-	-	-	1
OREGON -----	438	-	1	-	1	1	1	-	-	4	2	15
WHITE-----MALE----	223	-	1	-	1	1	-	-	-	2	2	7
FEMALE--	203	-	-	-	-	-	-	-	-	2	-	6
ALL OTHER--MALE----	9	-	-	-	-	-	1	-	-	-	-	2
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	2,339	1	-	1	-	3	2	2	6	20	38	61
WHITE-----MALE----	1,025	1	-	-	-	3	1	1	-	7	13	35
FEMALE--	1,073	-	-	1	-	-	-	1	3	9	14	17
ALL OTHER--MALE----	123	-	-	-	-	-	1	-	2	2	5	6
FEMALE--	118	-	-	-	-	-	-	-	1	2	6	3
BLACK---MALE----	118	-	-	-	-	-	1	-	2	1	4	6
FEMALE--	112	-	-	-	-	-	-	-	1	2	6	3
RHODE ISLAND -----	125	-	-	-	-	-	-	-	-	1	1	2
WHITE-----MALE----	60	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	61	-	-	-	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	435	-	-	-	-	-	-	2	4	11	6	18
WHITE-----MALE----	164	-	-	-	-	-	-	-	1	2	2	4
FEMALE--	153	-	-	-	-	-	-	-	2	4	2	4
ALL OTHER--MALE----	64	-	-	-	-	-	-	-	1	3	-	8
FEMALE--	54	-	-	-	-	-	-	2	-	2	2	2
BLACK---MALE----	64	-	-	-	-	-	-	-	1	3	-	8
FEMALE--	53	-	-	-	-	-	-	2	-	2	2	2

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 889

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OF ALL OTHER AND UNSPECIFIED SITES (195-199)												
OHIO -----	80	100	174	216	278	298	248	183	86	21	2	-
WHITE-----MALE----	37	51	87	105	139	137	103	68	18	1	-	-
FEMALE--	32	36	60	89	103	135	125	101	56	18	2	-
ALL OTHER--MALE----	6	6	17	12	16	10	10	6	4	1	-	-
FEMALE--	5	7	10	10	20	16	10	8	8	1	-	-
BLACK---MALE----	6	6	17	11	15	9	10	5	4	-	-	-
FEMALE--	4	7	10	10	20	16	10	8	8	1	-	-
OKLAHOMA -----	16	27	34	54	67	71	58	54	22	4	-	-
WHITE-----MALE----	8	14	13	27	32	43	18	17	3	1	-	-
FEMALE--	7	9	15	17	27	22	34	32	18	3	-	-
ALL OTHER--MALE----	1	-	2	5	3	4	4	1	-	-	-	-
FEMALE--	-	4	4	5	5	2	2	4	1	-	-	-
BLACK---MALE----	1	-	2	4	3	-	1	1	-	-	-	-
FEMALE--	-	1	1	4	2	1	2	2	1	-	-	-
OREGON -----	16	32	33	51	83	76	58	41	17	5	1	-
WHITE-----MALE----	11	22	21	22	45	33	29	17	6	3	-	-
FEMALE--	4	8	12	26	35	43	29	24	11	2	1	-
ALL OTHER--MALE----	-	1	-	3	2	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
PENNSYLVANIA -----	88	115	187	273	362	454	360	235	104	25	2	-
WHITE-----MALE----	44	63	95	128	176	200	166	56	29	7	-	-
FEMALE--	34	35	68	104	149	217	170	163	68	18	2	-
ALL OTHER--MALE----	7	10	14	25	19	20	7	5	-	-	-	-
FEMALE--	3	7	10	16	18	17	17	11	7	-	-	-
BLACK---MALE----	7	10	14	24	19	19	6	5	-	-	-	-
FEMALE--	3	6	10	15	15	16	17	11	7	-	-	-
RHODE ISLAND -----	8	4	14	12	21	24	16	15	4	2	-	1
WHITE-----MALE----	7	1	8	9	10	15	2	5	1	-	-	-
FEMALE--	1	3	5	2	10	9	13	10	3	2	-	1
ALL OTHER--MALE----	-	-	1	1	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	28	33	40	47	62	59	58	46	20	1	-	-
WHITE-----MALE----	11	16	20	23	31	24	19	10	1	-	-	-
FEMALE--	11	4	9	9	16	24	31	24	12	1	-	-
ALL OTHER--MALE----	4	9	6	11	7	4	5	5	1	-	-	-
FEMALE--	2	4	5	4	8	7	3	7	6	-	-	-
BLACK---MALE----	4	9	6	11	7	4	5	5	1	-	-	-
FEMALE--	2	4	5	4	7	7	3	7	6	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 890

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 OF ALL OTHER AND UNSPECIFIED SITES (195-199)												
SOUTH DAKOTA -----	97	-	-	-	-	1	-	-	-	-	1	2
WHITE-----MALE----	39	-	-	-	-	1	-	-	-	-	-	2
FEMALE--	53	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	678	1	-	1	-	1	-	6	6	5	22	20
WHITE-----MALE----	283	-	-	-	-	1	-	3	4	4	8	10
FEMALE--	291	1	-	1	-	-	-	2	1	-	7	7
ALL OTHER--MALE----	50	-	-	-	-	-	-	-	1	1	3	-
FEMALE--	54	-	-	-	-	-	-	1	-	-	4	3
BLACK---MALE----	50	-	-	-	-	-	-	-	1	1	3	-
FEMALE--	51	-	-	-	-	-	-	1	-	-	4	3
TEXAS -----	1,661	-	-	1	-	2	5	3	4	26	42	66
WHITE-----MALE----	737	-	-	1	-	2	2	2	2	8	17	25
FEMALE--	679	-	-	-	-	-	1	1	2	9	18	18
ALL OTHER--MALE----	131	-	-	-	-	-	1	-	-	5	4	15
FEMALE--	114	-	-	-	-	-	1	-	-	4	3	8
BLACK---MALE----	118	-	-	-	-	-	-	-	-	4	4	13
FEMALE--	103	-	-	-	-	-	1	-	-	2	3	7
UTAH -----	171	-	-	-	-	1	-	-	1	-	3	7
WHITE-----MALE----	91	-	-	-	-	-	-	-	1	-	1	5
FEMALE--	73	-	-	-	-	1	-	-	-	-	2	1
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	96	-	-	-	-	-	-	-	-	2	3	5
WHITE-----MALE----	43	-	-	-	-	-	-	-	-	1	2	4
FEMALE--	51	-	-	-	-	-	-	-	-	1	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
VIRGINIA -----	935	-	-	-	-	-	-	3	4	13	25	30
WHITE-----MALE----	372	-	-	-	-	-	-	2	2	7	10	15
FEMALE--	359	-	-	-	-	-	-	1	1	2	9	8
ALL OTHER--MALE----	106	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	98	-	-	-	-	-	-	-	1	3	5	7
BLACK---MALE----	99	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	91	-	-	-	-	-	-	-	1	3	4	7

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 890

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OF ALL OTHER AND UNSPECIFIED SITES (195-199)												
SOUTH DAKOTA -----	1	5	6	11	11	18	13	17	9	2	-	-
WHITE-----MALE----	-	2	3	7	7	8	4	3	1	1	-	-
FEMALE--	1	3	1	4	3	10	8	13	8	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	2	-	1	-	1	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	32	53	72	82	100	91	84	62	29	10	1	-
WHITE-----MALE----	19	26	33	40	44	33	33	18	6	1	-	-
FEMALE--	6	21	27	32	39	44	43	34	18	7	1	-
ALL OTHER--MALE----	4	4	4	7	10	9	1	2	3	1	-	-
FEMALE--	3	2	8	3	7	5	7	8	2	1	-	-
BLACK---MALE----	4	4	4	7	10	9	1	2	3	1	-	-
FEMALE--	2	2	7	3	6	5	7	8	2	1	-	-
TEXAS -----	83	107	156	220	254	240	206	143	80	21	2	-
WHITE-----MALE----	36	54	81	112	120	110	78	48	33	6	-	-
FEMALE--	23	35	48	65	108	105	111	83	39	12	1	-
ALL OTHER--MALE----	15	13	14	23	12	12	8	6	3	-	-	-
FEMALE--	9	5	13	20	14	13	9	6	5	3	1	-
BLACK---MALE----	15	11	13	20	10	12	8	5	3	-	-	-
FEMALE--	9	5	11	18	12	12	8	6	5	3	1	-
UTAH -----	11	16	14	21	28	21	24	15	6	3	-	-
WHITE-----MALE----	3	10	7	14	15	13	13	6	2	1	-	-
FEMALE--	8	6	6	6	11	7	11	9	3	2	-	-
ALL OTHER--MALE----	-	-	1	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	2	-	-	-	1	-	-	-
BLACK---MALE----	-	-	1	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	5	8	4	9	14	17	8	12	6	3	-	-
WHITE-----MALE----	4	3	-	4	8	9	3	3	1	1	-	-
FEMALE--	-	5	4	5	6	8	5	9	5	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	51	77	84	101	137	149	110	99	45	6	-	1
WHITE-----MALE----	20	34	33	45	52	72	35	30	14	-	-	1
FEMALE--	15	24	21	37	54	48	55	55	23	6	-	-
ALL OTHER--MALE----	10	14	17	12	18	15	10	6	2	-	-	-
FEMALE--	6	5	13	7	13	14	10	8	6	-	-	-
BLACK---MALE----	9	14	16	10	16	14	10	6	2	-	-	-
FEMALE--	6	5	11	7	11	14	9	8	5	-	-	-







TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 892

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 MALIGNANT NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES (200-208)												
UNITED STATES --	55,538	24	132	163	219	290	406	476	631	930	1,290	1,740
WHITE-----MALE----	26,348	11	51	83	103	161	209	229	318	465	666	865
FEMALE--	23,017	10	55	49	71	83	135	129	188	264	368	540
ALL OTHER--MALE----	3,189	2	15	19	24	29	33	70	76	126	151	197
FEMALE--	2,984	1	11	12	21	17	29	48	49	75	105	138
BLACK---MALE----	2,677	1	12	17	14	21	28	66	65	106	125	173
FEMALE--	2,545	1	8	9	16	13	23	34	38	67	91	122
ALABAMA -----	940	-	1	5	2	6	6	10	17	11	21	28
WHITE-----MALE----	375	-	1	-	1	2	4	3	6	4	11	12
FEMALE--	364	-	-	1	-	3	1	2	5	5	3	5
ALL OTHER--MALE----	106	-	-	4	-	-	1	3	5	1	1	6
FEMALE--	95	-	-	-	1	1	-	2	1	1	6	5
BLACK---MALE----	106	-	-	4	-	-	1	3	5	1	1	6
FEMALE--	94	-	-	-	1	1	-	2	1	1	6	5
ALASKA -----	64	-	-	-	2	-	-	-	1	-	8	3
WHITE-----MALE----	34	-	-	-	2	-	-	-	1	-	3	1
FEMALE--	17	-	-	-	-	-	-	-	-	-	3	1
ALL OTHER--MALE----	8	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	5	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	900	-	2	5	2	5	7	13	9	14	26	31
WHITE-----MALE----	481	-	1	2	1	3	4	8	7	6	15	19
FEMALE--	375	-	1	2	-	2	2	3	2	5	8	9
ALL OTHER--MALE----	21	-	-	-	1	-	-	-	-	3	1	3
FEMALE--	23	-	-	1	-	-	1	2	-	-	2	-
BLACK---MALE----	9	-	-	-	-	-	-	-	-	1	1	2
FEMALE--	11	-	-	-	-	-	-	-	-	-	2	-
ARKANSAS -----	567	-	1	-	1	3	6	-	4	8	8	13
WHITE-----MALE----	285	-	-	-	1	1	2	-	4	4	6	9
FEMALE--	222	-	1	-	-	1	2	-	-	3	2	4
ALL OTHER--MALE----	29	-	-	-	-	1	-	-	-	1	-	-
FEMALE--	31	-	-	-	-	-	2	-	-	-	-	-
BLACK---MALE----	28	-	-	-	-	1	-	-	-	1	-	-
FEMALE--	31	-	-	-	-	-	2	-	-	-	-	-
CALIFORNIA -----	5,360	3	19	28	31	41	53	57	84	128	165	192
WHITE-----MALE----	2,576	1	6	17	14	24	28	31	50	71	96	96
FEMALE--	2,092	2	8	8	12	12	19	16	18	32	40	63
ALL OTHER--MALE----	372	-	3	1	3	4	4	-	9	20	19	24
FEMALE--	320	-	2	2	2	1	2	10	7	5	10	9
BLACK---MALE----	173	-	-	1	2	1	1	-	5	10	8	15
FEMALE--	158	-	1	1	1	-	-	4	5	5	6	7

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 892  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 MALIGNANT NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES (200-208)												
UNITED STATES --	2,332	3,048	4,184	5,949	8,449	9,493	8,045	5,140	2,098	440	57	2
WHITE-----MALE----	1,207	1,513	2,153	3,092	4,286	4,562	3,581	1,987	686	108	12	-
FEMALE--	734	1,032	1,447	2,178	3,356	4,161	3,862	2,774	1,258	288	34	1
ALL OTHER--MALE----	228	262	317	366	394	369	272	163	53	18	4	1
FEMALE--	163	241	267	313	413	401	330	216	101	26	7	-
BLACK---MALE----	199	227	275	309	324	292	234	129	39	18	2	1
FEMALE--	133	214	234	260	350	335	290	188	94	22	3	-
ALABAMA -----	46	55	78	109	155	138	122	86	32	12	-	-
WHITE-----MALE----	18	19	29	53	67	57	49	30	8	1	-	-
FEMALE--	13	23	23	31	63	61	61	39	18	7	-	-
ALL OTHER--MALE----	12	8	14	13	10	8	6	9	2	3	-	-
FEMALE--	3	5	12	12	15	12	6	8	4	1	-	-
BLACK---MALE----	12	8	14	13	10	8	6	9	2	3	-	-
FEMALE--	3	5	11	12	15	12	6	8	4	1	-	-
ALASKA -----	8	4	3	3	10	9	6	6	-	1	-	-
WHITE-----MALE----	6	1	1	1	4	5	4	4	-	1	-	-
FEMALE--	1	1	1	2	3	3	1	1	-	-	-	-
ALL OTHER--MALE----	1	2	-	-	1	-	1	1	-	-	-	-
FEMALE--	-	-	1	-	2	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	35	53	62	80	137	175	140	72	23	8	1	-
WHITE-----MALE----	20	31	33	48	77	96	71	32	6	1	-	-
FEMALE--	13	17	26	30	55	75	63	39	16	7	-	-
ALL OTHER--MALE----	-	1	1	1	2	3	4	-	-	-	1	-
FEMALE--	2	4	2	1	3	1	2	1	1	-	-	-
BLACK---MALE----	-	-	-	-	1	2	2	-	-	-	-	-
FEMALE--	1	1	1	1	2	-	2	-	1	-	-	-
ARKANSAS -----	27	30	42	65	83	103	85	65	20	3	-	-
WHITE-----MALE----	19	19	24	38	45	51	41	15	5	1	-	-
FEMALE--	4	6	14	19	29	44	40	38	14	1	-	-
ALL OTHER--MALE----	3	3	1	6	4	5	1	4	-	-	-	-
FEMALE--	1	2	3	2	5	3	3	8	1	1	-	-
BLACK---MALE----	3	3	1	6	4	4	1	4	-	-	-	-
FEMALE--	1	2	3	2	5	3	3	8	1	1	-	-
CALIFORNIA -----	220	281	374	545	794	903	720	458	212	45	7	-
WHITE-----MALE----	108	130	203	242	415	437	328	191	73	14	1	-
FEMALE--	71	98	121	212	283	372	324	229	122	27	3	-
ALL OTHER--MALE----	25	29	21	51	53	47	33	18	8	-	-	-
FEMALE--	16	24	29	40	43	47	35	20	9	4	3	-
BLACK---MALE----	13	20	13	18	25	16	16	5	4	-	-	-
FEMALE--	7	13	20	19	18	20	14	9	6	1	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 893

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 MALIGNANT NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES (200-208)												
COLORADO -----	674	1	2	1	3	4	6	11	12	14	14	20
WHITE-----MALE----	351	1	-	1	-	4	5	8	4	9	10	9
FEMALE--	302	-	1	-	3	-	1	3	7	5	3	10
ALL OTHER--MALE----	8	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	13	-	1	-	-	-	-	-	1	-	1	-
BLACK---MALE----	5	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	9	-	-	-	-	-	-	-	-	-	1	-
CONNECTICUT -----	737	-	2	5	2	-	5	4	10	14	22	19
WHITE-----MALE----	361	-	-	1	1	-	4	2	5	8	14	7
FEMALE--	331	-	2	4	-	-	-	2	5	4	7	9
ALL OTHER--MALE----	21	-	-	-	-	-	1	-	-	2	-	1
FEMALE--	24	-	-	-	1	-	-	-	-	-	1	2
BLACK---MALE----	20	-	-	-	-	-	-	-	-	2	-	1
FEMALE--	21	-	-	-	1	-	-	-	-	-	1	1
DELAWARE -----	147	-	1	1	2	2	1	1	2	5	2	8
WHITE-----MALE----	63	-	1	1	1	2	1	1	-	2	1	4
FEMALE--	62	-	-	-	-	-	-	-	1	2	1	2
ALL OTHER--MALE----	11	-	-	-	1	-	-	-	1	-	-	2
FEMALE--	11	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	11	-	-	-	1	-	-	-	1	-	-	2
FEMALE--	10	-	-	-	-	-	-	-	-	1	-	-
DISTRICT OF COLUMBIA ----	115	-	1	-	-	-	1	2	1	3	3	6
WHITE-----MALE----	22	-	-	-	-	-	-	1	-	-	2	1
FEMALE--	18	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	30	-	1	-	-	-	1	-	-	2	1	3
FEMALE--	45	-	-	-	-	-	-	-	1	1	-	2
BLACK---MALE----	30	-	1	-	-	-	1	-	-	2	1	3
FEMALE--	44	-	-	-	-	-	-	-	1	1	-	2
FLORIDA -----	3,847	-	4	8	12	12	20	21	42	61	69	105
WHITE-----MALE----	1,959	-	1	5	6	6	9	14	23	35	36	47
FEMALE--	1,574	-	2	1	4	4	9	3	12	11	20	34
ALL OTHER--MALE----	161	-	1	1	1	1	-	3	3	10	6	12
FEMALE--	153	-	-	1	1	1	2	1	4	5	7	12
BLACK---MALE----	157	-	1	1	1	1	-	3	3	9	6	12
FEMALE--	145	-	-	1	1	-	1	1	4	5	7	11
GEORGIA -----	1,270	1	3	5	10	10	10	13	24	31	44	35
WHITE-----MALE----	527	1	-	3	5	5	4	4	11	12	16	19
FEMALE--	467	-	2	2	1	3	2	3	4	8	9	8
ALL OTHER--MALE----	152	-	1	-	3	2	2	4	5	7	10	7
FEMALE--	124	-	-	-	1	-	2	2	4	4	9	1
BLACK---MALE----	150	-	1	-	3	2	2	4	5	7	10	6
FEMALE--	122	-	-	-	1	-	2	2	4	4	9	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 893

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 MALIGNANT NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES (200-208)												
COLORADO -----	39	42	57	79	86	103	87	63	25	5	-	-
WHITE-----MALE----	25	25	34	45	46	52	40	26	6	1	-	-
FEMALE--	13	15	20	34	35	49	46	36	17	4	-	-
ALL OTHER--MALE----	1	2	-	-	3	-	-	1	-	-	-	-
FEMALE--	-	-	3	-	2	2	1	-	2	-	-	-
BLACK---MALE----	1	1	-	-	2	-	-	-	-	-	-	-
FEMALE--	-	-	3	-	1	2	-	-	2	-	-	-
CONNECTICUT -----	33	41	41	65	117	155	101	75	20	6	-	-
WHITE-----MALE----	14	19	21	33	59	86	47	29	9	2	-	-
FEMALE--	16	14	18	26	53	63	49	45	10	4	-	-
ALL OTHER--MALE----	-	5	-	5	3	3	1	-	-	-	-	-
FEMALE--	3	3	2	1	2	3	4	1	1	-	-	-
BLACK---MALE----	-	5	-	5	3	3	1	-	-	-	-	-
FEMALE--	2	3	1	1	2	3	4	1	1	-	-	-
DELAWARE -----	6	7	12	22	20	22	14	12	6	1	-	-
WHITE-----MALE----	4	5	3	10	7	9	6	5	-	-	-	-
FEMALE--	2	1	8	9	10	11	5	4	5	1	-	-
ALL OTHER--MALE----	-	1	-	1	2	-	3	-	-	-	-	-
FEMALE--	-	-	1	2	1	2	-	3	1	-	-	-
BLACK---MALE----	-	1	-	1	2	-	3	-	-	-	-	-
FEMALE--	-	-	1	1	1	2	-	3	1	-	-	-
DISTRICT OF COLUMBIA ----	9	3	8	15	15	11	19	16	1	-	-	1
WHITE-----MALE----	1	-	3	3	2	3	4	1	1	-	-	-
FEMALE--	2	-	1	3	1	-	4	5	-	-	-	1
ALL OTHER--MALE----	2	2	1	3	6	4	2	2	-	-	-	-
FEMALE--	4	1	3	6	6	4	9	8	-	-	-	-
BLACK---MALE----	2	2	1	3	6	4	2	2	-	-	-	-
FEMALE--	4	1	3	6	5	4	9	8	-	-	-	-
FLORIDA -----	144	186	293	372	636	701	597	390	149	23	2	-
WHITE-----MALE----	73	92	164	217	344	364	294	166	56	6	1	-
FEMALE--	43	59	100	132	255	307	271	208	82	16	1	-
ALL OTHER--MALE----	16	17	16	14	17	15	17	5	5	1	-	-
FEMALE--	12	18	13	9	20	15	15	11	6	-	-	-
BLACK---MALE----	16	15	16	14	16	15	17	5	5	1	-	-
FEMALE--	12	18	12	8	19	13	15	11	6	-	-	-
GEORGIA -----	72	80	108	148	159	196	176	103	30	12	-	-
WHITE-----MALE----	33	33	50	71	63	89	66	33	7	2	-	-
FEMALE--	15	24	33	51	64	76	84	50	20	8	-	-
ALL OTHER--MALE----	12	16	18	11	17	13	12	11	-	1	-	-
FEMALE--	12	7	7	15	15	18	14	9	3	1	-	-
BLACK---MALE----	12	16	18	11	17	13	12	10	-	1	-	-
FEMALE--	11	7	7	15	14	18	14	9	3	1	-	-



TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 894

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 MALIGNANT NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES (200-208)												
HAWAII -----	11	13	18	22	36	27	18	22	7	-	-	-
WHITE-----MALE----	2	3	1	4	4	4	4	3	1	-	-	-
FEMALE--	1	2	3	3	4	3	3	7	1	-	-	-
ALL OTHER--MALE----	2	6	10	7	16	9	8	6	3	-	-	-
FEMALE--	6	2	4	8	12	11	3	6	2	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	11	10	17	18	29	45	34	23	15	2	-	-
WHITE-----MALE----	7	6	11	8	18	28	15	9	6	-	-	-
FEMALE--	4	4	6	9	11	17	19	14	9	2	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	84	150	191	287	373	401	384	248	95	25	-	-
WHITE-----MALE----	38	74	81	144	158	194	183	86	30	8	-	-
FEMALE--	26	45	66	108	152	168	166	138	57	13	-	-
ALL OTHER--MALE----	14	22	26	17	28	18	14	8	2	2	-	-
FEMALE--	6	9	18	18	35	21	21	16	6	2	-	-
BLACK---MALE----	13	21	24	15	26	16	11	7	2	2	-	-
FEMALE--	5	9	18	17	34	19	20	15	6	2	-	-
INDIANA -----	46	68	75	151	210	241	190	114	50	15	2	-
WHITE-----MALE----	29	39	31	84	112	104	86	49	22	6	-	-
FEMALE--	14	26	35	55	86	122	96	61	28	7	2	-
ALL OTHER--MALE----	1	1	5	5	4	8	3	3	-	2	-	-
FEMALE--	2	2	4	7	8	7	5	1	-	-	-	-
BLACK---MALE----	1	1	5	5	4	8	3	2	-	2	-	-
FEMALE--	2	1	3	7	8	7	5	1	-	-	-	-
IOWA -----	21	36	45	67	105	126	146	71	29	16	2	-
WHITE-----MALE----	15	21	26	39	68	69	71	28	12	1	1	-
FEMALE--	6	13	18	28	37	54	72	42	17	15	1	-
ALL OTHER--MALE----	-	2	-	-	-	2	2	-	-	-	-	-
FEMALE--	-	-	1	-	-	1	1	1	-	-	-	-
BLACK---MALE----	-	1	-	-	-	2	2	-	-	-	-	-
FEMALE--	-	-	1	-	-	1	1	1	-	-	-	-
KANSAS -----	21	28	33	63	81	105	76	69	18	7	2	-
WHITE-----MALE----	14	16	18	35	39	51	37	27	8	2	-	-
FEMALE--	7	8	14	26	39	49	34	39	10	5	2	-
ALL OTHER--MALE----	-	2	1	1	1	3	3	1	-	-	-	-
FEMALE--	-	2	-	1	2	2	2	2	-	-	-	-
BLACK---MALE----	-	1	1	1	1	3	3	-	-	-	-	-
FEMALE--	-	2	-	-	2	2	2	2	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 895

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 MALIGNANT NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES (200-208)												
KENTUCKY -----	833	-	1	2	6	-	7	7	5	12	14	30
WHITE-----MALE----	432	-	1	2	3	-	2	5	3	10	6	14
FEMALE--	349	-	-	-	3	-	4	1	2	-	6	14
ALL OTHER--MALE----	27	-	-	-	-	-	1	1	-	1	-	-
FEMALE--	25	-	-	-	-	-	-	-	-	1	2	2
BLACK---MALE----	27	-	-	-	-	-	1	1	-	1	-	-
FEMALE--	23	-	-	-	-	-	-	-	-	1	2	1
LOUISIANA -----	918	-	1	2	1	4	2	6	7	15	18	38
WHITE-----MALE----	368	-	-	1	-	2	1	3	3	1	7	12
FEMALE--	312	-	-	-	1	1	-	1	-	6	3	10
ALL OTHER--MALE----	123	-	1	1	-	1	1	2	4	6	5	11
FEMALE--	115	-	-	-	-	-	-	-	-	2	3	5
BLACK---MALE----	122	-	1	1	-	1	1	2	4	6	5	11
FEMALE--	115	-	-	-	-	-	-	-	-	2	3	5
MAINE -----	292	2	-	-	2	1	3	3	1	4	4	16
WHITE-----MALE----	162	1	-	-	-	1	2	2	1	2	2	13
FEMALE--	128	1	-	-	2	-	1	1	-	2	2	3
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	971	2	3	1	3	5	3	12	16	17	22	40
WHITE-----MALE----	414	1	1	-	2	2	2	3	9	6	6	15
FEMALE--	357	1	2	-	-	2	-	5	3	6	4	8
ALL OTHER--MALE----	108	-	-	1	-	1	1	2	1	2	8	10
FEMALE--	92	-	-	-	1	-	-	2	3	3	4	7
BLACK---MALE----	102	-	-	1	-	1	1	2	1	2	8	9
FEMALE--	88	-	-	-	1	-	-	2	1	3	4	7
MASSACHUSETTS -----	1,315	2	1	3	3	4	4	7	14	14	20	32
WHITE-----MALE----	654	-	-	3	1	2	2	4	8	8	12	19
FEMALE--	607	1	1	-	1	-	2	3	5	6	8	10
ALL OTHER--MALE----	25	1	-	-	-	-	-	-	-	-	-	2
FEMALE--	29	-	-	-	1	2	-	-	1	-	-	1
BLACK---MALE----	19	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	24	-	-	-	-	1	-	-	1	-	-	1
MICHIGAN -----	2,144	-	5	2	12	4	10	17	20	30	63	76
WHITE-----MALE----	945	-	3	1	7	2	5	9	8	13	25	41
FEMALE--	919	-	1	-	3	1	1	6	7	12	25	14
ALL OTHER--MALE----	159	-	1	1	2	1	2	1	4	4	7	13
FEMALE--	121	-	-	-	-	-	2	1	1	1	6	8
BLACK---MALE----	147	-	1	1	1	-	2	1	4	3	6	12
FEMALE--	113	-	-	-	-	-	2	1	1	1	5	8



TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 895

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 MALIGNANT NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES (200-208)												
KENTUCKY -----	38	60	73	103	127	126	105	82	31	4	-	-
WHITE-----MALE----	22	35	46	56	72	57	39	45	12	2	-	-
FEMALE--	13	22	23	39	44	62	60	35	19	2	-	-
ALL OTHER--MALE----	-	1	3	3	6	6	4	1	-	-	-	-
FEMALE--	3	2	1	5	5	1	2	1	-	-	-	-
BLACK---MALE----	-	1	3	3	6	6	4	1	-	-	-	-
FEMALE--	3	2	1	4	5	1	2	1	-	-	-	-
LOUISIANA -----	49	62	87	114	130	157	116	81	22	5	1	-
WHITE-----MALE----	20	27	41	64	55	69	35	23	3	1	-	-
FEMALE--	13	15	26	25	47	58	55	39	9	2	1	-
ALL OTHER--MALE----	11	13	11	14	10	12	7	7	5	1	-	-
FEMALE--	5	7	9	11	18	18	19	12	5	1	-	-
BLACK---MALE----	11	13	11	14	10	11	7	7	5	1	-	-
FEMALE--	5	7	9	11	18	18	19	12	5	1	-	-
MAINE -----	7	12	16	34	37	51	53	29	16	1	-	-
WHITE-----MALE----	7	8	11	20	22	29	21	14	6	-	-	-
FEMALE--	-	4	5	14	15	22	31	15	9	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
MARYLAND -----	37	59	78	100	152	179	135	71	25	9	2	-
WHITE-----MALE----	19	26	30	55	64	82	58	23	9	1	-	-
FEMALE--	7	19	24	29	62	69	55	41	14	4	2	-
ALL OTHER--MALE----	7	6	13	10	16	15	11	1	1	2	-	-
FEMALE--	4	8	11	6	10	13	11	6	1	2	-	-
BLACK---MALE----	7	6	13	9	15	12	11	1	1	2	-	-
FEMALE--	4	8	10	6	10	12	11	6	1	2	-	-
MASSACHUSETTS -----	52	63	95	136	193	251	214	135	59	12	1	-
WHITE-----MALE----	27	38	57	68	106	122	102	57	14	4	-	-
FEMALE--	18	22	34	62	84	123	105	72	42	7	1	-
ALL OTHER--MALE----	2	3	2	4	2	2	2	3	1	1	-	-
FEMALE--	5	-	2	2	1	4	5	3	2	-	-	-
BLACK---MALE----	2	2	1	4	2	2	2	1	-	1	-	-
FEMALE--	5	-	2	2	-	3	5	2	2	-	-	-
MICHIGAN -----	85	124	180	257	333	357	287	194	64	19	5	-
WHITE-----MALE----	32	56	91	120	159	168	120	68	13	3	1	-
FEMALE--	40	46	72	92	137	156	136	112	40	15	3	-
ALL OTHER--MALE----	7	8	9	29	26	17	12	10	4	1	-	-
FEMALE--	6	14	8	16	11	16	19	4	7	-	1	-
BLACK---MALE----	7	7	9	29	25	14	11	10	3	1	-	-
FEMALE--	5	14	8	15	10	14	18	3	7	-	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 896

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 MALIGNANT NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES (200-208)												
MINNESOTA -----	1,017	-	2	2	2	6	7	5	10	19	19	32
WHITE-----MALE----	536	-	1	2	-	2	4	4	7	12	7	19
FEMALE--	455	-	1	-	2	2	3	1	2	5	12	11
ALL OTHER--MALE----	11	-	-	-	-	2	-	-	1	1	-	1
FEMALE--	15	-	-	-	-	-	-	-	-	1	-	1
BLACK---MALE----	8	-	-	-	-	2	-	-	1	1	-	-
FEMALE--	11	-	-	-	-	-	-	-	-	-	-	1
MISSISSIPPI -----	582	-	1	1	3	3	3	3	11	14	16	18
WHITE-----MALE----	214	-	-	-	2	2	2	-	3	4	3	6
FEMALE--	220	-	-	-	1	-	1	-	4	3	4	4
ALL OTHER--MALE----	79	-	1	-	-	1	-	2	3	5	3	-
FEMALE--	69	-	-	1	-	-	-	1	1	2	6	8
BLACK---MALE----	79	-	1	-	-	1	-	2	3	5	3	-
FEMALE--	69	-	-	1	-	-	-	1	1	2	6	8
MISSOURI -----	1,266	1	3	3	1	4	13	11	21	16	18	43
WHITE-----MALE----	638	-	-	2	-	2	4	2	13	7	8	23
FEMALE--	514	1	3	1	1	1	7	4	7	5	6	16
ALL OTHER--MALE----	47	-	-	-	-	1	-	2	1	2	2	-
FEMALE--	67	-	-	-	-	-	2	3	-	2	2	4
BLACK---MALE----	46	-	-	-	-	1	-	2	1	2	2	-
FEMALE--	62	-	-	-	-	-	2	3	-	2	2	4
MONTANA -----	202	-	1	-	-	2	-	-	1	1	1	8
WHITE-----MALE----	105	-	-	-	-	2	-	-	-	-	1	3
FEMALE--	94	-	1	-	-	-	-	-	1	-	-	4
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	365	1	-	-	1	-	2	-	3	3	6	7
WHITE-----MALE----	177	-	-	-	1	-	1	-	2	2	3	2
FEMALE--	174	1	-	-	-	-	1	-	1	1	3	4
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	5	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
NEVADA -----	334	1	1	-	2	1	3	5	2	4	5	12
WHITE-----MALE----	196	-	-	-	-	-	2	4	-	3	3	9
FEMALE--	117	-	1	-	-	1	-	1	1	1	2	2
ALL OTHER--MALE----	14	-	-	-	2	-	-	-	1	-	-	1
FEMALE--	7	1	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	1	-	-	-	-	1	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 896

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 MALIGNANT NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES (200-208)												
MINNESOTA -----	29	45	70	90	141	174	171	116	59	16	2	-
WHITE-----MALE----	19	20	34	53	87	97	92	50	23	2	1	-
FEMALE--	8	22	32	35	50	76	79	64	36	13	1	-
ALL OTHER--MALE----	1	-	-	2	3	-	-	-	-	-	-	-
FEMALE--	1	3	4	-	1	1	-	2	-	1	-	-
BLACK---MALE----	1	-	-	1	2	-	-	-	-	-	-	-
FEMALE--	1	1	4	-	1	1	-	2	-	-	-	-
MISSISSIPPI -----	22	38	48	67	83	115	64	51	16	4	1	-
WHITE-----MALE----	13	14	17	30	32	45	21	12	7	1	-	-
FEMALE--	5	12	13	26	35	47	29	28	6	2	-	-
ALL OTHER--MALE----	3	7	11	7	6	13	8	6	1	1	1	-
FEMALE--	1	5	7	4	10	10	6	5	2	-	-	-
BLACK---MALE----	3	7	11	7	6	13	8	6	1	1	1	-
FEMALE--	1	5	7	4	10	10	6	5	2	-	-	-
MISSOURI -----	44	75	96	136	177	210	192	135	55	10	2	-
WHITE-----MALE----	26	34	59	77	103	113	88	57	18	2	-	-
FEMALE--	15	25	28	48	63	82	89	68	35	7	2	-
ALL OTHER--MALE----	2	6	6	8	4	5	3	4	1	-	-	-
FEMALE--	1	10	3	3	7	10	12	6	1	1	-	-
BLACK---MALE----	2	6	5	8	4	5	3	4	1	-	-	-
FEMALE--	1	10	3	3	7	7	11	5	1	1	-	-
MONTANA -----	4	11	17	24	30	28	36	24	11	3	-	-
WHITE-----MALE----	3	7	11	11	18	16	20	9	3	1	-	-
FEMALE--	1	4	6	12	12	12	16	15	8	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
NEBRASKA -----	18	17	22	35	53	63	64	42	20	8	-	-
WHITE-----MALE----	12	10	12	23	24	28	31	16	6	4	-	-
FEMALE--	5	5	7	12	27	34	32	24	13	4	-	-
ALL OTHER--MALE----	-	1	1	-	2	-	-	-	1	-	-	-
FEMALE--	1	1	2	-	-	1	1	2	-	-	-	-
BLACK---MALE----	-	-	1	-	2	-	-	-	1	-	-	-
FEMALE--	-	1	2	-	-	1	1	1	-	-	-	-
NEVADA -----	23	13	32	46	65	51	39	23	6	-	-	-
WHITE-----MALE----	15	10	18	34	38	26	20	10	4	-	-	-
FEMALE--	8	3	12	12	21	22	16	12	2	-	-	-
ALL OTHER--MALE----	-	-	2	-	4	2	2	-	-	-	-	-
FEMALE--	-	-	-	-	2	1	1	1	-	-	-	-
BLACK---MALE----	-	-	1	-	3	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	2	1	-	1	-	-	-	-





TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 898

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 MALIGNANT NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES (200-208)												
OHIO -----	2,576	-	11	10	12	10	20	18	18	34	55	67
WHITE-----MALE----	1,246	-	4	7	8	4	12	13	8	22	32	38
FEMALE--	1,107	-	4	3	3	4	6	2	6	6	17	23
ALL OTHER--MALE----	127	-	1	-	1	2	2	2	4	4	5	5
FEMALE--	96	-	2	-	-	-	-	1	-	2	1	1
BLACK---MALE----	123	-	1	-	-	2	2	2	4	4	5	4
FEMALE--	95	-	2	-	-	-	-	1	-	2	1	1
OKLAHOMA -----	718	-	-	1	4	5	6	6	9	15	11	17
WHITE-----MALE----	366	-	-	-	1	3	2	5	7	9	8	13
FEMALE--	293	-	-	1	1	2	2	1	-	6	2	2
ALL OTHER--MALE----	28	-	-	-	1	-	1	-	-	-	1	1
FEMALE--	31	-	-	-	1	-	1	-	2	-	-	1
BLACK---MALE----	17	-	-	-	1	-	1	-	-	-	-	1
FEMALE--	16	-	-	-	-	-	1	-	-	-	-	-
OREGON -----	733	-	2	1	3	4	10	3	6	8	12	24
WHITE-----MALE----	382	-	2	1	2	2	5	2	3	6	7	14
FEMALE--	336	-	-	-	1	2	5	-	2	1	5	9
ALL OTHER--MALE----	10	-	-	-	-	-	-	1	-	-	-	1
FEMALE--	5	-	-	-	-	-	-	-	1	1	-	-
BLACK---MALE----	5	-	-	-	-	-	-	1	-	-	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	1	-	-
PENNSYLVANIA -----	3,057	2	6	6	13	11	9	30	14	31	52	79
WHITE-----MALE----	1,461	2	3	3	4	7	7	12	7	17	31	36
FEMALE--	1,382	-	3	2	6	4	2	12	4	11	15	26
ALL OTHER--MALE----	114	-	-	-	1	-	-	5	2	3	3	13
FEMALE--	100	-	-	1	2	-	-	1	1	-	3	4
BLACK---MALE----	107	-	-	-	-	-	-	5	2	3	3	13
FEMALE--	92	-	-	1	2	-	-	1	1	-	2	4
RHODE ISLAND -----	246	1	1	-	-	1	3	1	1	5	5	11
WHITE-----MALE----	128	1	1	-	-	1	1	-	1	-	3	5
FEMALE--	104	-	-	-	-	-	-	1	-	4	2	4
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	9	-	-	-	-	-	2	-	-	-	-	1
BLACK---MALE----	5	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	5	-	-	-	-	-	1	-	-	-	-	1
SOUTH CAROLINA -----	800	-	-	6	7	4	12	10	11	13	13	21
WHITE-----MALE----	301	-	-	1	2	2	3	6	3	7	2	6
FEMALE--	293	-	-	2	1	1	4	2	2	2	3	7
ALL OTHER--MALE----	94	-	-	1	1	1	1	1	3	2	4	5
FEMALE--	112	-	-	2	3	-	4	1	3	2	4	3
BLACK---MALE----	93	-	-	1	1	1	1	1	3	2	4	5
FEMALE--	111	-	-	2	2	-	4	1	3	2	4	3

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 898

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 MALIGNANT NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES (200-208)												
OHIO -----	112	130	196	279	405	453	428	202	95	19	2	-
WHITE-----MALE----	66	69	103	150	205	213	178	73	36	4	1	-
FEMALE--	29	45	66	101	171	211	227	113	54	15	1	-
ALL OTHER--MALE----	9	5	17	20	13	19	8	8	2	-	-	-
FEMALE--	8	11	10	8	16	10	15	8	3	-	-	-
BLACK---MALE----	9	5	16	20	13	18	8	8	2	-	-	-
FEMALE--	8	10	10	8	16	10	15	8	3	-	-	-
OKLAHOMA -----	28	34	56	86	116	139	83	65	34	1	2	-
WHITE-----MALE----	11	16	28	52	67	68	39	26	10	1	-	-
FEMALE--	13	13	23	31	41	62	38	36	18	-	1	-
ALL OTHER--MALE----	1	4	4	1	4	7	1	1	1	-	-	-
FEMALE--	3	1	1	2	4	2	5	2	5	-	1	-
BLACK---MALE----	-	4	1	-	3	6	-	-	-	-	-	-
FEMALE--	-	1	-	-	2	2	3	2	5	-	-	-
OREGON -----	32	36	45	75	100	114	139	81	32	4	2	-
WHITE-----MALE----	21	19	30	50	54	54	61	33	15	1	-	-
FEMALE--	10	14	15	24	45	57	77	47	17	3	2	-
ALL OTHER--MALE----	-	3	-	1	-	2	1	1	-	-	-	-
FEMALE--	1	-	-	-	1	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	1	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	127	143	210	303	508	562	493	299	125	30	3	1
WHITE-----MALE----	65	66	105	153	259	282	223	127	40	10	2	-
FEMALE--	47	59	82	127	220	253	246	162	83	17	1	-
ALL OTHER--MALE----	8	9	11	10	14	18	12	4	-	-	-	1
FEMALE--	7	9	12	13	15	9	12	6	2	3	-	-
BLACK---MALE----	7	9	11	10	14	15	10	4	-	-	-	1
FEMALE--	6	7	11	13	15	9	10	5	2	3	-	-
RHODE ISLAND -----	9	8	12	19	43	53	33	33	7	-	-	-
WHITE-----MALE----	6	6	6	12	22	26	20	15	2	-	-	-
FEMALE--	3	2	4	5	19	26	12	18	4	-	-	-
ALL OTHER--MALE----	-	-	1	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	1	1	2	-	1	-	1	-	-	-
BLACK---MALE----	-	-	1	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	-	-	1	-	-	-
SOUTH CAROLINA -----	37	46	81	81	122	138	108	64	22	3	1	-
WHITE-----MALE----	16	21	34	32	46	52	35	26	7	-	-	-
FEMALE--	9	12	27	28	44	57	50	30	9	2	1	-
ALL OTHER--MALE----	5	6	9	12	15	10	13	3	1	1	-	-
FEMALE--	7	7	11	9	17	19	10	5	5	-	-	-
BLACK---MALE----	5	6	9	11	15	10	13	3	1	1	-	-
FEMALE--	7	7	11	9	17	19	10	5	5	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 899

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 MALIGNANT NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES (200-208)												
SOUTH DAKOTA -----	191	-	-	1	1	1	3	-	3	1	2	6
WHITE-----MALE----	96	-	-	1	-	-	3	-	1	1	1	3
FEMALE--	88	-	-	-	1	-	-	-	2	-	1	2
ALL OTHER--MALE----	4	-	-	-	-	1	-	-	-	-	-	1
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	1,227	-	2	4	4	3	9	10	14	13	25	30
WHITE-----MALE----	543	-	1	1	1	3	4	3	8	7	13	15
FEMALE--	530	-	1	2	1	-	3	3	5	2	9	12
ALL OTHER--MALE----	77	-	-	-	1	-	1	4	1	3	1	3
FEMALE--	77	-	-	1	1	-	1	-	-	1	2	-
BLACK---MALE----	76	-	-	-	1	-	1	4	1	3	1	3
FEMALE--	76	-	-	1	1	-	1	-	-	1	2	-
TEXAS -----	3,313	3	12	14	11	32	33	37	28	68	100	113
WHITE-----MALE----	1,596	-	6	8	7	20	15	13	12	38	52	55
FEMALE--	1,343	3	5	3	3	8	13	13	10	18	27	38
ALL OTHER--MALE----	200	-	-	3	1	2	1	7	3	9	15	8
FEMALE--	174	-	1	-	-	2	4	4	3	3	6	12
BLACK---MALE----	183	-	-	3	1	2	1	7	2	9	14	8
FEMALE--	164	-	1	-	-	2	3	3	3	3	6	10
UTAH -----	304	-	1	3	3	1	-	4	3	8	9	5
WHITE-----MALE----	162	-	1	-	-	-	-	2	2	5	7	4
FEMALE--	135	-	-	2	3	1	-	2	1	2	2	1
ALL OTHER--MALE----	4	-	-	1	-	-	-	-	-	1	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	115	-	-	-	-	1	-	-	2	-	1	4
WHITE-----MALE----	63	-	-	-	-	1	-	-	-	-	1	4
FEMALE--	52	-	-	-	-	-	-	-	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	1,203	-	3	1	2	8	6	12	17	23	37	38
WHITE-----MALE----	519	-	1	1	-	5	1	4	8	9	18	19
FEMALE--	467	-	1	-	1	2	4	1	8	8	11	11
ALL OTHER--MALE----	115	-	-	-	-	-	1	5	1	4	6	5
FEMALE--	102	-	1	-	1	1	-	2	-	2	2	3
BLACK---MALE----	106	-	-	-	-	-	1	5	1	4	4	5
FEMALE--	101	-	1	-	1	1	-	2	-	2	2	3



TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 899

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 MALIGNANT NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES (200-208)												
SOUTH DAKOTA -----	6	5	5	24	29	34	37	17	14	2	-	-
WHITE-----MALE----	4	3	3	10	17	20	15	4	8	2	-	-
FEMALE--	2	2	2	14	11	12	21	13	5	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	1	-	-	-
FEMALE--	-	-	-	-	1	1	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	60	91	105	179	171	186	149	118	46	7	1	-
WHITE-----MALE----	31	38	49	91	82	80	67	41	6	2	-	-
FEMALE--	24	35	39	56	70	88	71	72	34	3	-	-
ALL OTHER--MALE----	3	10	9	12	4	13	6	2	3	1	-	-
FEMALE--	2	8	8	20	15	5	5	3	3	1	1	-
BLACK---MALE----	3	9	9	12	4	13	6	2	3	1	-	-
FEMALE--	2	8	8	19	15	5	5	3	3	1	1	-
TEXAS -----	155	184	276	341	504	543	442	273	124	17	3	-
WHITE-----MALE----	78	94	150	173	274	275	186	100	39	1	-	-
FEMALE--	49	55	96	126	196	213	222	153	74	16	2	-
ALL OTHER--MALE----	18	17	19	25	15	26	20	7	3	-	1	-
FEMALE--	10	18	11	17	19	29	14	13	8	-	-	-
BLACK---MALE----	15	16	17	23	14	22	20	7	2	-	-	-
FEMALE--	10	18	10	16	18	26	14	13	8	-	-	-
UTAH -----	13	10	21	31	53	44	47	27	17	4	-	-
WHITE-----MALE----	9	7	15	15	33	21	22	11	7	1	-	-
FEMALE--	4	3	5	14	19	22	25	16	10	3	-	-
ALL OTHER--MALE----	-	-	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	1	1	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	2	6	7	20	13	25	18	10	5	1	-	-
WHITE-----MALE----	-	4	5	13	8	11	9	6	1	-	-	-
FEMALE--	2	2	2	7	5	14	9	4	4	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	58	78	101	124	182	206	149	112	41	5	-	-
WHITE-----MALE----	25	32	45	63	87	91	61	38	10	1	-	-
FEMALE--	18	30	30	38	64	90	64	58	25	3	-	-
ALL OTHER--MALE----	9	6	19	11	17	12	9	7	3	-	-	-
FEMALE--	6	10	7	12	14	13	15	9	3	1	-	-
BLACK---MALE----	9	5	18	10	15	11	9	6	3	-	-	-
FEMALE--	6	10	7	12	14	13	14	9	3	1	-	-







TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 901  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 LYMPHOSARCOMA AND RETICULOSARCOMA (200)												
UNITED STATES --	36	48	54	80	101	87	97	61	27	3	-	-
WHITE-----MALE----	23	25	31	48	59	37	34	25	5	-	-	-
FEMALE--	9	15	17	25	35	43	54	34	20	3	-	-
ALL OTHER--MALE----	2	6	5	1	4	4	3	-	1	-	-	-
FEMALE--	2	2	1	6	3	3	6	2	1	-	-	-
BLACK---MALE----	2	5	4	-	3	2	3	-	1	-	-	-
FEMALE--	2	2	1	5	1	3	6	-	1	-	-	-
ALABAMA -----	1	-	-	-	3	2	1	3	1	1	-	-
WHITE-----MALE----	1	-	-	-	1	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	1	1	2	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	3	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	3	-	-	1	-	-	-	-	-
ALASKA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	1	-	1	1	1	2	1	-	-	-	-	-
WHITE-----MALE----	1	-	1	1	1	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	-	-	-	-	2	1	1	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	-	4	4	4	8	12	11	8	2	-	-	-
WHITE-----MALE----	-	4	2	3	3	4	3	4	-	-	-	-
FEMALE--	-	-	-	1	3	6	6	3	2	-	-	-
ALL OTHER--MALE----	-	-	2	-	1	2	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	2	1	-	-	-	-
BLACK---MALE----	-	-	1	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	2	-	-	-	-	-













TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 904

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 LYMPHOSARCOMA AND RETICULOSARCOMA (200)												
KENTUCKY -----	-	1	-	1	1	-	1	1	-	-	-	-
WHITE-----MALE----	-	1	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	1	1	1	3	-	1	2	3	-	-	-	-
WHITE-----MALE----	1	1	-	2	-	-	1	1	-	-	-	-
FEMALE--	-	-	-	1	-	1	1	2	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MAINE -----	-	-	1	3	-	1	2	-	-	-	-	-
WHITE-----MALE----	-	-	1	2	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	1	2	1	1	1	-	2	3	1	-	-	-
WHITE-----MALE----	1	1	1	1	1	-	1	1	-	-	-	-
FEMALE--	-	1	-	-	-	-	1	2	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS -----	1	1	-	2	-	4	-	2	-	-	-	-
WHITE-----MALE----	1	1	-	1	-	3	-	1	-	-	-	-
FEMALE--	-	-	-	1	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	2	1	3	3	7	1	4	2	-	-	-	-
WHITE-----MALE----	2	-	2	-	4	1	1	2	-	-	-	-
FEMALE--	-	1	1	3	3	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	2	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	2	-	-	-	-	-























TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 910  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 HODGKIN'S DISEASE (201)												
UNITED STATES --	1,311	-	-	1	7	22	60	102	78	106	75	73
WHITE-----MALE----	668	-	-	-	3	12	33	47	40	62	41	40
FEMALE--	480	-	-	-	1	6	14	34	22	29	21	21
ALL OTHER--MALE----	99	-	-	1	-	2	7	16	10	6	11	10
FEMALE--	64	-	-	-	3	2	6	5	6	9	2	2
BLACK---MALE----	91	-	-	1	-	2	6	16	10	5	10	10
FEMALE--	56	-	-	-	3	1	6	4	6	9	2	2
ALABAMA -----	18	-	-	-	-	-	1	-	2	1	1	-
WHITE-----MALE----	6	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	1	-	1	1	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	-	-	-	1	-	1	1	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALASKA -----	1	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	25	-	-	-	-	-	3	4	2	1	-	1
WHITE-----MALE----	16	-	-	-	-	-	3	3	2	-	-	-
FEMALE--	8	-	-	-	-	-	-	1	-	1	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	9	-	-	-	-	-	2	-	1	-	-	1
WHITE-----MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	7	-	-	-	-	-	1	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
CALIFORNIA -----	149	-	-	-	3	1	4	14	10	18	5	8
WHITE-----MALE----	80	-	-	-	2	1	1	8	6	13	3	5
FEMALE--	47	-	-	-	-	-	3	5	2	1	1	2
ALL OTHER--MALE----	8	-	-	-	-	-	-	-	1	2	1	1
FEMALE--	14	-	-	-	1	-	-	1	1	2	-	-
BLACK---MALE----	6	-	-	-	-	-	-	-	1	1	1	1
FEMALE--	9	-	-	-	1	-	-	1	1	2	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 910  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 HODGKIN'S DISEASE (201)												
UNITED STATES --	85	74	71	102	146	128	113	51	15	1	1	-
WHITE-----MALE----	46	43	32	58	70	63	55	19	4	-	-	-
FEMALE--	30	23	25	39	65	56	51	31	11	-	1	-
ALL OTHER--MALE----	6	4	8	2	9	4	3	-	-	-	-	-
FEMALE--	3	4	6	3	2	5	4	1	-	1	-	-
BLACK---MALE----	5	4	7	2	6	4	3	-	-	-	-	-
FEMALE--	3	3	6	2	1	2	4	1	-	1	-	-
ALABAMA -----	1	2	-	1	3	1	4	-	-	1	-	-
WHITE-----MALE----	-	1	-	1	1	-	2	-	-	-	-	-
FEMALE--	1	1	-	-	2	1	2	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-
ALASKA -----	-	-	-	-	1	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	-	1	1	3	3	5	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	3	1	4	-	-	-	-	-	-
FEMALE--	-	1	1	-	1	1	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	-	-	1	-	-	2	-	1	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	2	-	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	10	9	11	9	14	14	9	8	2	-	-	-
WHITE-----MALE----	7	4	7	6	6	4	5	2	-	-	-	-
FEMALE--	3	3	3	-	6	7	3	6	2	-	-	-
ALL OTHER--MALE----	-	1	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	1	1	2	1	3	1	-	-	-	-	-
BLACK---MALE----	-	1	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	1	-	1	1	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 911

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 HODGKIN'S DISEASE (201)												
COLORADO -----	16	-	-	-	-	-	-	3	2	1	-	2
WHITE-----MALE----	11	-	-	-	-	-	-	3	-	1	-	2
FEMALE--	5	-	-	-	-	-	-	-	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	15	-	-	-	-	-	1	3	-	1	2	2
WHITE-----MALE----	9	-	-	-	-	-	-	2	-	-	1	2
FEMALE--	3	-	-	-	-	-	-	1	-	1	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	1	-
DELAWARE -----	4	-	-	-	-	-	-	-	-	1	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	8	-	-	-	-	-	-	1	-	1	1	1
WHITE-----MALE----	3	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	2	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	1	-	-
FLORIDA -----	66	-	-	1	-	-	3	10	5	3	2	1
WHITE-----MALE----	33	-	-	-	-	-	1	5	2	2	2	-
FEMALE--	21	-	-	-	-	-	1	2	2	1	-	1
ALL OTHER--MALE----	9	-	-	1	-	-	-	3	-	-	-	-
FEMALE--	3	-	-	-	-	-	1	-	1	-	-	-
BLACK---MALE----	9	-	-	1	-	-	-	3	-	-	-	-
FEMALE--	3	-	-	-	-	-	1	-	1	-	-	-
GEORGIA -----	27	-	-	-	-	1	1	2	2	4	1	2
WHITE-----MALE----	10	-	-	-	-	-	1	-	2	1	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	6	-	-	-	-	1	-	2	-	1	1	1
FEMALE--	3	-	-	-	-	-	-	-	-	1	-	1
BLACK---MALE----	6	-	-	-	-	1	-	2	-	1	1	1
FEMALE--	3	-	-	-	-	-	-	-	-	1	-	1



TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 911  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 HODGKIN'S DISEASE (201)												
COLORADO -----	2	1	-	3	1	-	1	-	-	-	-	-
WHITE-----MALE----	1	1	-	3	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	-	-	-	2	1	1	2	-	-	-	-	-
WHITE-----MALE----	-	-	-	2	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
DELAWARE -----	1	-	1	-	-	-	-	-	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	1	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	1	-	-	1	1	-	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	1	-	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
FLORIDA -----	5	3	4	9	3	6	9	1	1	-	-	-
WHITE-----MALE----	3	2	2	4	1	4	5	-	-	-	-	-
FEMALE--	1	-	1	4	1	2	3	1	1	-	-	-
ALL OTHER--MALE----	1	1	-	1	1	-	1	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	1	-	1	1	-	1	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
GEORGIA -----	1	4	-	1	2	2	-	4	-	-	-	-
WHITE-----MALE----	1	-	-	1	-	2	-	2	-	-	-	-
FEMALE--	-	4	-	-	1	-	-	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-





TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 913

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 HODGKIN'S DISEASE (201)												
KENTUCKY -----	16	-	-	-	-	-	-	1	2	1	-	-
WHITE-----MALE----	8	-	-	-	-	-	-	1	-	1	-	-
FEMALE--	8	-	-	-	-	-	-	-	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	22	-	-	-	1	1	-	1	1	-	1	2
WHITE-----MALE----	10	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	6	-	-	-	1	1	-	-	-	-	-	-
ALL OTHER--MALE----	5	-	-	-	-	-	-	1	1	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	5	-	-	-	-	-	-	1	1	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
MAINE -----	5	-	-	-	-	-	-	-	-	-	1	-
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	20	-	-	-	-	1	-	2	1	1	1	1
WHITE-----MALE----	8	-	-	-	-	-	-	1	-	-	-	1
FEMALE--	6	-	-	-	-	1	-	1	-	1	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	3	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	3	-	-	-	-	-	-	-	1	-	-	-
MASSACHUSETTS -----	36	-	-	-	-	-	1	1	3	2	1	1
WHITE-----MALE----	20	-	-	-	-	-	-	1	2	2	1	1
FEMALE--	16	-	-	-	-	-	1	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	54	-	-	-	-	-	5	4	4	5	2	4
WHITE-----MALE----	28	-	-	-	-	-	2	2	3	5	-	2
FEMALE--	17	-	-	-	-	-	-	1	-	-	1	-
ALL OTHER--MALE----	6	-	-	-	-	-	2	-	1	-	1	1
FEMALE--	3	-	-	-	-	-	1	1	-	-	-	1
BLACK---MALE----	6	-	-	-	-	-	2	-	1	-	1	1
FEMALE--	3	-	-	-	-	-	1	1	-	-	-	1













TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 916

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 HODGKIN'S DISEASE (201)												
OHIO -----	53	-	-	-	-	-	6	6	2	2	4	3
WHITE-----MALE----	27	-	-	-	-	-	4	4	-	1	3	2
FEMALE--	20	-	-	-	-	-	1	1	1	1	1	-
ALL OTHER--MALE----	5	-	-	-	-	-	1	1	1	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	5	-	-	-	-	-	1	1	1	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA -----	17	-	-	-	-	1	-	-	1	1	1	1
WHITE-----MALE----	12	-	-	-	-	1	-	-	1	-	-	1
FEMALE--	4	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	18	-	-	-	-	1	1	-	3	2	2	1
WHITE-----MALE----	9	-	-	-	-	1	-	-	2	1	1	-
FEMALE--	8	-	-	-	-	-	1	-	1	-	1	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
PENNSYLVANIA -----	72	-	-	-	-	2	3	6	1	4	4	5
WHITE-----MALE----	35	-	-	-	-	1	3	2	-	1	4	3
FEMALE--	36	-	-	-	-	1	-	3	1	3	-	2
ALL OTHER--MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND -----	4	-	-	-	-	-	-	1	-	-	-	1
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	2	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	16	-	-	-	-	-	2	2	2	2	1	-
WHITE-----MALE----	6	-	-	-	-	-	1	1	-	2	1	-
FEMALE--	8	-	-	-	-	-	-	1	2	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-





TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 917  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 HODGKIN'S DISEASE (201)												
SOUTH DAKOTA -----	-	-	-	-	-	-	-	-	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	3	1	1	4	1	4	1	-	-	-	-	-
WHITE-----MALE----	3	1	-	1	-	2	-	-	-	-	-	-
FEMALE--	-	-	1	3	1	2	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
TEXAS -----	8	7	2	11	12	12	7	5	-	-	-	-
WHITE-----MALE----	4	4	1	7	6	7	3	3	-	-	-	-
FEMALE--	3	2	1	4	6	2	4	2	-	-	-	-
ALL OTHER--MALE----	1	1	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	2	-	-	-	-	-	-
BLACK---MALE----	1	1	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
UTAH -----	1	-	1	-	1	1	2	-	1	-	-	-
WHITE-----MALE----	1	-	1	-	1	-	2	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	-	-	-	1	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	1	-	1	-	4	1	3	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	2	1	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	1	-	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-





TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 919

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 OTHER MALIGNANT NEOPLASMS OF LYMPHOID AND HISTIOCYTIC TISSUE (202)												
UNITED STATES --	22,806	4	11	17	18	46	97	142	261	361	523	770
WHITE-----MALE----	10,875	1	6	9	8	25	44	72	153	190	289	420
FEMALE--	10,063	1	4	4	7	12	37	32	57	92	128	218
ALL OTHER--MALE----	988	1	1	2	3	7	8	21	30	48	70	85
FEMALE--	880	1	-	2	-	2	8	17	21	31	36	47
BLACK---MALE----	772	-	-	2	2	4	6	20	22	40	57	78
FEMALE--	691	1	-	2	-	1	6	14	15	28	32	39
ALABAMA -----	330	-	-	1	-	-	3	5	5	5	6	9
WHITE-----MALE----	155	-	-	-	-	-	2	1	3	3	3	6
FEMALE--	137	-	-	-	-	-	1	2	-	2	1	1
ALL OTHER--MALE----	20	-	-	1	-	-	-	1	2	-	-	1
FEMALE--	18	-	-	-	-	-	-	1	-	-	2	1
BLACK---MALE----	20	-	-	1	-	-	-	1	2	-	-	1
FEMALE--	18	-	-	-	-	-	-	1	-	-	2	1
ALASKA -----	32	-	-	-	-	-	-	-	-	-	3	1
WHITE-----MALE----	18	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	2	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	402	-	-	-	-	2	1	2	3	5	12	15
WHITE-----MALE----	212	-	-	-	-	1	-	2	3	2	7	11
FEMALE--	176	-	-	-	-	1	1	-	-	2	4	3
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	10	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	6	-	-	-	-	-	-	-	-	-	1	-
ARKANSAS -----	247	-	-	-	-	-	1	-	-	4	6	4
WHITE-----MALE----	130	-	-	-	-	-	-	-	-	2	4	3
FEMALE--	99	-	-	-	-	-	-	-	-	1	2	1
ALL OTHER--MALE----	7	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	11	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	6	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	11	-	-	-	-	-	1	-	-	-	-	-
CALIFORNIA -----	2,202	-	2	3	2	8	14	17	42	51	70	85
WHITE-----MALE----	1,054	-	1	2	2	5	5	11	29	30	46	53
FEMALE--	904	-	-	1	-	2	5	3	5	13	11	19
ALL OTHER--MALE----	132	-	1	-	-	1	2	-	5	6	10	9
FEMALE--	112	-	-	-	-	-	2	3	3	2	3	4
BLACK---MALE----	46	-	-	-	-	-	-	-	2	3	3	6
FEMALE--	43	-	-	-	-	-	-	1	1	2	3	2



TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 919  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OTHER MALIGNANT NEOPLASMS OF LYMPHOID AND HISTIOCYTIC TISSUE (202)												
UNITED STATES --	1,050	1,320	1,798	2,477	3,441	3,965	3,406	2,127	813	143	15	1
WHITE-----MALE----	579	703	969	1,272	1,702	1,830	1,463	834	265	39	2	-
FEMALE--	326	464	665	998	1,512	1,912	1,779	1,188	520	95	11	1
ALL OTHER--MALE----	92	81	96	115	97	107	70	43	8	2	1	-
FEMALE--	53	72	68	92	130	116	94	62	20	7	1	-
BLACK---MALE----	81	68	80	86	75	68	48	27	6	2	-	-
FEMALE--	45	64	56	71	92	80	72	48	19	6	-	-
ALABAMA -----	17	23	27	35	55	52	39	34	11	3	-	-
WHITE-----MALE----	6	9	15	25	27	26	17	10	2	-	-	-
FEMALE--	6	11	7	7	22	23	20	22	9	3	-	-
ALL OTHER--MALE----	4	3	2	1	1	2	1	1	-	-	-	-
FEMALE--	1	-	3	2	5	1	1	1	-	-	-	-
BLACK---MALE----	4	3	2	1	1	2	1	1	-	-	-	-
FEMALE--	1	-	3	2	5	1	1	1	-	-	-	-
ALASKA -----	7	2	1	2	6	4	2	3	-	1	-	-
WHITE-----MALE----	5	1	1	-	4	2	2	1	-	1	-	-
FEMALE--	1	-	-	2	1	1	-	1	-	-	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	11	26	35	39	63	71	65	36	12	3	1	-
WHITE-----MALE----	7	14	20	21	33	39	32	16	4	-	-	-
FEMALE--	3	11	15	17	28	30	32	19	7	3	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	1	-
FEMALE--	1	1	-	1	2	1	1	1	1	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	1	1	-	1	-	1	-	-	-
ARKANSAS -----	9	12	22	31	43	43	30	31	10	1	-	-
WHITE-----MALE----	5	10	13	17	25	24	14	9	3	1	-	-
FEMALE--	2	1	7	13	14	17	16	18	7	-	-	-
ALL OTHER--MALE----	1	1	1	1	1	1	-	-	-	-	-	-
FEMALE--	1	-	1	-	3	1	-	4	-	-	-	-
BLACK---MALE----	1	1	1	1	1	-	-	-	-	-	-	-
FEMALE--	1	-	1	-	3	1	-	4	-	-	-	-
CALIFORNIA -----	111	113	149	249	302	362	316	201	88	15	2	-
WHITE-----MALE----	60	52	86	99	155	164	136	82	32	4	-	-
FEMALE--	35	47	53	115	118	163	149	102	52	9	2	-
ALL OTHER--MALE----	11	9	5	21	12	19	12	7	2	-	-	-
FEMALE--	5	5	5	14	17	16	19	10	2	2	-	-
BLACK---MALE----	7	6	2	3	6	4	2	1	1	-	-	-
FEMALE--	4	2	2	8	5	3	4	4	1	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 920

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 OTHER MALIGNANT NEOPLASMS OF LYMPHOID AND HISTIOCYTIC TISSUE (202)												
COLORADO -----	283	-	-	-	-	1	1	1	6	8	6	10
WHITE-----MALE----	143	-	-	-	-	1	1	1	4	5	5	3
FEMALE--	133	-	-	-	-	-	-	-	2	3	1	7
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	323	-	-	1	-	-	2	1	4	5	9	10
WHITE-----MALE----	156	-	-	1	-	-	2	-	2	3	8	5
FEMALE--	153	-	-	-	-	-	-	1	2	1	1	4
ALL OTHER--MALE----	7	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	7	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	60	-	-	1	1	-	-	-	-	2	2	4
WHITE-----MALE----	22	-	-	1	-	-	-	-	-	-	1	1
FEMALE--	27	-	-	-	-	-	-	-	-	2	1	2
ALL OTHER--MALE----	7	-	-	-	1	-	-	-	-	-	-	1
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	7	-	-	-	1	-	-	-	-	-	-	1
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	37	-	-	-	-	-	-	1	-	2	1	2
WHITE-----MALE----	9	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	11	-	-	-	-	-	-	-	-	2	1	2
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	11	-	-	-	-	-	-	-	-	2	1	2
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	1,645	-	-	-	-	2	7	7	20	24	33	51
WHITE-----MALE----	843	-	-	-	-	1	3	5	13	13	18	26
FEMALE--	695	-	-	-	-	1	4	1	4	4	8	16
ALL OTHER--MALE----	59	-	-	-	-	-	-	-	1	5	3	6
FEMALE--	48	-	-	-	-	-	-	1	2	2	4	3
BLACK---MALE----	57	-	-	-	-	-	-	-	1	5	3	6
FEMALE--	46	-	-	-	-	-	-	1	2	2	4	3
GEORGIA -----	491	-	-	2	1	2	4	6	10	12	22	14
WHITE-----MALE----	209	-	-	1	-	1	1	1	6	7	7	7
FEMALE--	212	-	-	1	1	-	1	1	3	2	8	4
ALL OTHER--MALE----	38	-	-	-	-	1	1	2	-	3	4	3
FEMALE--	32	-	-	-	-	-	1	2	1	-	3	-
BLACK---MALE----	37	-	-	-	-	1	1	2	-	3	4	2
FEMALE--	31	-	-	-	-	-	1	2	1	-	3	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 920  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OTHER MALIGNANT NEOPLASMS OF LYMPHOID AND HISTIOCYTIC TISSUE (202)												
COLORADO -----	17	20	22	34	36	43	42	22	13	1	-	-
WHITE-----MALE----	11	13	15	19	17	20	16	7	5	-	-	-
FEMALE--	5	6	6	15	17	22	26	15	7	1	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	2	1	-	-	1	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	1	1	-	-	1	-	-	-
CONNECTICUT -----	17	19	13	36	50	67	46	32	9	2	-	-
WHITE-----MALE----	7	10	6	16	18	34	27	12	4	1	-	-
FEMALE--	9	6	7	19	30	32	16	19	5	1	-	-
ALL OTHER--MALE----	-	1	-	1	2	-	1	-	-	-	-	-
FEMALE--	1	2	-	-	-	1	2	1	-	-	-	-
BLACK---MALE----	-	1	-	1	2	-	1	-	-	-	-	-
FEMALE--	1	2	-	-	-	1	2	1	-	-	-	-
DELAWARE -----	3	4	4	8	11	12	3	5	-	-	-	-
WHITE-----MALE----	2	2	2	2	3	6	-	2	-	-	-	-
FEMALE--	1	1	2	3	5	5	2	3	-	-	-	-
ALL OTHER--MALE----	-	1	-	1	2	-	1	-	-	-	-	-
FEMALE--	-	-	-	2	1	1	-	-	-	-	-	-
BLACK---MALE----	-	1	-	1	2	-	1	-	-	-	-	-
FEMALE--	-	-	-	1	1	1	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	2	1	3	5	5	4	6	4	-	-	-	1
WHITE-----MALE----	1	-	2	1	-	2	2	-	-	-	-	-
FEMALE--	-	-	-	2	1	-	2	2	-	-	-	1
ALL OTHER--MALE----	-	1	-	1	1	1	1	1	-	-	-	-
FEMALE--	1	-	1	1	3	1	1	1	-	-	-	-
BLACK---MALE----	-	1	-	1	1	1	1	1	-	-	-	-
FEMALE--	1	-	1	1	2	1	1	1	-	-	-	-
FLORIDA -----	64	86	135	144	275	297	252	178	61	9	-	-
WHITE-----MALE----	34	49	76	91	145	149	114	83	21	2	-	-
FEMALE--	19	20	48	47	119	142	129	90	36	7	-	-
ALL OTHER--MALE----	8	8	6	5	4	3	5	3	2	-	-	-
FEMALE--	3	9	5	1	7	3	4	2	2	-	-	-
BLACK---MALE----	8	6	6	5	4	3	5	3	2	-	-	-
FEMALE--	3	9	5	1	6	2	4	2	2	-	-	-
GEORGIA -----	28	32	42	64	55	80	74	31	9	3	-	-
WHITE-----MALE----	15	16	16	30	24	34	28	12	2	1	-	-
FEMALE--	7	11	16	26	24	40	42	16	7	2	-	-
ALL OTHER--MALE----	3	2	8	4	4	-	1	2	-	-	-	-
FEMALE--	3	3	2	4	3	6	3	1	-	-	-	-
BLACK---MALE----	3	2	8	4	4	-	1	2	-	-	-	-
FEMALE--	3	3	2	4	2	6	3	1	-	-	-	-



TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 921

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OTHER MALIGNANT NEOPLASMS OF LYMPHOID AND HISTIOCYTIC TISSUE (202)												
HAWAII -----	6	7	6	8	18	17	9	6	1	-	-	-
WHITE-----MALE----	1	2	1	-	2	4	3	-	-	-	-	-
FEMALE--	1	1	1	-	2	1	-	2	-	-	-	-
ALL OTHER--MALE----	1	2	1	3	7	7	6	2	1	-	-	-
FEMALE--	3	2	3	5	7	5	-	2	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	3	6	10	8	14	14	18	8	2	1	-	-
WHITE-----MALE----	2	3	5	2	8	8	6	2	-	-	-	-
FEMALE--	1	3	5	5	6	6	12	6	2	1	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	30	52	74	110	155	162	171	98	39	9	-	-
WHITE-----MALE----	14	30	37	58	72	85	75	39	16	5	-	-
FEMALE--	12	13	27	43	66	69	85	53	23	4	-	-
ALL OTHER--MALE----	3	6	8	6	6	4	4	2	-	-	-	-
FEMALE--	1	3	2	3	11	4	7	4	-	-	-	-
BLACK---MALE----	3	6	7	4	6	3	3	1	-	-	-	-
FEMALE--	1	3	2	3	10	4	7	3	-	-	-	-
INDIANA -----	21	35	31	59	91	99	94	38	22	7	-	-
WHITE-----MALE----	14	22	16	31	45	42	44	16	10	4	-	-
FEMALE--	7	12	11	26	43	51	48	21	12	3	-	-
ALL OTHER--MALE----	-	1	3	-	-	4	1	1	-	-	-	-
FEMALE--	-	-	1	2	3	2	1	-	-	-	-	-
BLACK---MALE----	-	1	3	-	-	4	1	-	-	-	-	-
FEMALE--	-	-	1	2	3	2	1	-	-	-	-	-
IOWA -----	10	14	22	36	40	47	56	30	13	6	1	-
WHITE-----MALE----	8	5	10	18	23	21	22	10	4	1	-	-
FEMALE--	2	7	12	18	17	26	34	20	9	5	1	-
ALL OTHER--MALE----	-	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS -----	9	12	13	28	29	45	38	28	8	4	1	-
WHITE-----MALE----	5	6	9	16	11	18	19	9	2	1	-	-
FEMALE--	4	4	4	12	16	25	18	18	6	3	1	-
ALL OTHER--MALE----	-	1	-	-	1	-	-	1	-	-	-	-
FEMALE--	-	1	-	-	1	2	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	1	2	1	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 922

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 OTHER MALIGNANT NEOPLASMS OF LYMPHOID AND HISTIOCYTIC TISSUE (202)												
KENTUCKY -----	372	-	-	-	2	-	1	2	2	7	8	14
WHITE-----MALE----	183	-	-	-	1	-	-	2	2	5	4	8
FEMALE--	173	-	-	-	1	-	1	-	-	-	4	5
ALL OTHER--MALE----	8	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	1	-	1
BLACK---MALE----	8	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	1	-	-
LOUISIANA -----	375	-	-	-	-	-	-	-	4	5	11	16
WHITE-----MALE----	168	-	-	-	-	-	-	-	1	-	4	5
FEMALE--	137	-	-	-	-	-	-	-	-	1	2	5
ALL OTHER--MALE----	35	-	-	-	-	-	-	-	3	2	3	4
FEMALE--	35	-	-	-	-	-	-	-	-	2	2	2
BLACK---MALE----	35	-	-	-	-	-	-	-	3	2	3	4
FEMALE--	35	-	-	-	-	-	-	-	-	2	2	2
MAINE -----	126	-	-	-	1	-	-	1	1	1	2	9
WHITE-----MALE----	74	-	-	-	-	-	-	1	1	-	2	8
FEMALE--	50	-	-	-	1	-	-	-	-	1	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	376	-	-	-	-	2	-	5	4	8	8	16
WHITE-----MALE----	171	-	-	-	-	2	-	1	4	4	5	5
FEMALE--	150	-	-	-	-	-	-	3	-	1	-	4
ALL OTHER--MALE----	31	-	-	-	-	-	-	-	-	1	1	6
FEMALE--	24	-	-	-	-	-	-	1	-	2	2	1
BLACK---MALE----	26	-	-	-	-	-	-	-	-	1	1	5
FEMALE--	23	-	-	-	-	-	-	1	-	2	2	1
MASSACHUSETTS -----	587	1	-	-	-	1	-	2	5	8	11	15
WHITE-----MALE----	294	-	-	-	-	-	-	1	4	4	7	8
FEMALE--	275	-	-	-	-	-	-	1	1	4	4	5
ALL OTHER--MALE----	9	1	-	-	-	-	-	-	-	-	-	2
FEMALE--	9	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	6	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	881	-	-	1	1	1	1	5	8	13	23	25
WHITE-----MALE----	394	-	-	1	-	-	1	2	2	4	13	18
FEMALE--	408	-	-	-	-	-	-	2	4	8	7	2
ALL OTHER--MALE----	44	-	-	-	1	1	-	1	1	-	2	4
FEMALE--	35	-	-	-	-	-	-	-	1	1	1	1
BLACK---MALE----	39	-	-	-	1	-	-	1	1	-	2	4
FEMALE--	28	-	-	-	-	-	-	-	1	1	1	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 922

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OTHER MALIGNANT NEOPLASMS OF LYMPHOID AND HISTIOCYTIC TISSUE (202)												
KENTUCKY -----	14	24	36	51	50	59	42	39	19	2	-	-
WHITE-----MALE----	10	14	21	26	27	20	14	22	6	1	-	-
FEMALE--	3	10	14	22	21	35	27	16	13	1	-	-
ALL OTHER--MALE----	-	-	1	-	1	4	1	-	-	-	-	-
FEMALE--	1	-	-	3	1	-	-	1	-	-	-	-
BLACK---MALE----	-	-	1	-	1	4	1	-	-	-	-	-
FEMALE--	1	-	-	2	1	-	-	1	-	-	-	-
LOUISIANA -----	26	33	42	53	51	58	43	26	6	1	-	-
WHITE-----MALE----	12	19	23	32	24	28	11	8	1	-	-	-
FEMALE--	4	7	15	13	24	22	26	14	3	1	-	-
ALL OTHER--MALE----	8	4	1	5	-	2	2	-	1	-	-	-
FEMALE--	2	3	3	3	3	6	4	4	1	-	-	-
BLACK---MALE----	8	4	1	5	-	2	2	-	1	-	-	-
FEMALE--	2	3	3	3	3	6	4	4	1	-	-	-
MAINE -----	2	7	8	15	9	25	26	14	4	1	-	-
WHITE-----MALE----	2	4	7	9	6	14	10	9	1	-	-	-
FEMALE--	-	3	1	6	3	11	15	5	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
MARYLAND -----	11	23	27	46	54	81	55	27	6	1	2	-
WHITE-----MALE----	6	10	10	29	19	38	24	10	3	1	-	-
FEMALE--	2	8	13	11	29	32	26	16	3	-	2	-
ALL OTHER--MALE----	2	3	3	2	5	6	2	-	-	-	-	-
FEMALE--	1	2	1	4	1	5	3	1	-	-	-	-
BLACK---MALE----	2	3	3	2	4	3	2	-	-	-	-	-
FEMALE--	1	2	1	4	1	4	3	1	-	-	-	-
MASSACHUSETTS -----	21	31	42	56	84	115	111	52	28	3	1	-
WHITE-----MALE----	15	22	24	30	43	52	53	23	7	1	-	-
FEMALE--	5	8	16	23	40	62	56	27	20	2	1	-
ALL OTHER--MALE----	-	1	2	1	-	-	1	1	-	-	-	-
FEMALE--	1	-	-	2	1	1	1	1	1	-	-	-
BLACK---MALE----	-	1	1	1	-	-	1	-	-	-	-	-
FEMALE--	1	-	-	2	-	-	1	1	1	-	-	-
MICHIGAN -----	42	53	84	106	145	152	127	67	22	4	1	-
WHITE-----MALE----	16	21	44	60	67	65	56	18	6	-	-	-
FEMALE--	19	24	37	37	68	73	64	44	14	4	1	-
ALL OTHER--MALE----	5	4	1	4	6	9	1	3	1	-	-	-
FEMALE--	2	4	2	5	4	5	6	2	1	-	-	-
BLACK---MALE----	5	4	1	4	6	6	-	3	1	-	-	-
FEMALE--	1	4	2	4	3	3	5	1	1	-	-	-





TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 923

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OTHER MALIGNANT NEOPLASMS OF LYMPHOID AND HISTIOCYTIC TISSUE (202)												
MINNESOTA -----	18	19	31	38	71	72	84	42	28	4	1	-
WHITE-----MALE----	13	9	18	23	45	36	49	20	7	-	1	-
FEMALE--	4	10	10	13	25	36	35	21	21	4	-	-
ALL OTHER--MALE----	1	-	-	2	1	-	-	-	-	-	-	-
FEMALE--	-	-	3	-	-	-	-	1	-	-	-	-
BLACK---MALE----	1	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	3	-	-	-	-	1	-	-	-	-
MISSISSIPPI -----	10	14	17	28	27	44	22	19	7	2	-	-
WHITE-----MALE----	7	5	5	13	8	15	8	6	3	1	-	-
FEMALE--	2	5	6	11	14	24	11	11	3	1	-	-
ALL OTHER--MALE----	1	2	3	4	-	4	3	1	1	-	-	-
FEMALE--	-	2	3	-	5	1	-	1	-	-	-	-
BLACK---MALE----	1	2	3	4	-	4	3	1	1	-	-	-
FEMALE--	-	2	3	-	5	1	-	1	-	-	-	-
MISSOURI -----	18	37	40	57	66	85	69	69	27	2	-	-
WHITE-----MALE----	13	23	30	32	42	40	31	30	8	-	-	-
FEMALE--	4	11	8	24	21	40	35	37	19	1	-	-
ALL OTHER--MALE----	-	1	2	-	1	1	1	-	-	-	-	-
FEMALE--	1	2	-	1	2	4	2	2	-	1	-	-
BLACK---MALE----	-	1	1	-	1	1	1	-	-	-	-	-
FEMALE--	1	2	-	1	2	3	2	2	-	1	-	-
MONTANA -----	1	6	5	12	4	15	15	9	3	-	-	-
WHITE-----MALE----	-	4	3	5	2	11	10	4	1	-	-	-
FEMALE--	1	2	2	7	2	4	5	5	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	8	8	10	14	18	23	25	20	10	3	-	-
WHITE-----MALE----	6	7	3	10	7	13	9	8	3	2	-	-
FEMALE--	1	1	4	4	11	10	15	11	7	1	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	2	-	-	-	1	1	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	2	-	-	-	1	1	-	-	-	-
NEVADA -----	10	3	16	16	19	25	16	14	2	-	-	-
WHITE-----MALE----	7	3	10	12	10	13	6	7	1	-	-	-
FEMALE--	3	-	6	4	6	11	8	7	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	2	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-





TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 925

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 OTHER MALIGNANT NEOPLASMS OF LYMPHOID AND HISTIOCYTIC TISSUE (202)												
OHIO -----	1,091	-	-	-	-	1	2	5	8	14	16	35
WHITE-----MALE----	532	-	-	-	-	-	2	4	5	10	8	20
FEMALE--	493	-	-	-	-	1	-	-	1	2	5	12
ALL OTHER--MALE----	38	-	-	-	-	-	-	-	2	1	3	2
FEMALE--	28	-	-	-	-	-	-	1	-	1	-	1
BLACK---MALE----	37	-	-	-	-	-	-	-	2	1	3	2
FEMALE--	27	-	-	-	-	-	-	1	-	1	-	1
OKLAHOMA -----	296	-	-	-	-	1	1	1	4	9	5	8
WHITE-----MALE----	142	-	-	-	-	-	-	1	4	7	5	7
FEMALE--	141	-	-	-	-	1	-	-	-	2	-	1
ALL OTHER--MALE----	7	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	318	-	-	-	-	-	4	2	3	1	3	15
WHITE-----MALE----	166	-	-	-	-	-	3	1	1	1	3	12
FEMALE--	144	-	-	-	-	-	1	-	1	-	-	2
ALL OTHER--MALE----	5	-	-	-	-	-	-	1	-	-	-	1
FEMALE--	3	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	1	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	1,265	-	2	-	-	1	1	12	6	10	11	30
WHITE-----MALE----	598	-	1	-	-	1	1	6	3	4	8	16
FEMALE--	614	-	1	-	-	-	-	5	1	5	3	8
ALL OTHER--MALE----	27	-	-	-	-	-	-	1	1	1	-	4
FEMALE--	26	-	-	-	-	-	-	-	1	-	-	2
BLACK---MALE----	24	-	-	-	-	-	-	1	1	1	-	4
FEMALE--	22	-	-	-	-	-	-	-	1	-	-	2
RHODE ISLAND -----	117	-	-	-	-	-	2	-	-	4	2	3
WHITE-----MALE----	62	-	-	-	-	-	1	-	-	-	1	1
FEMALE--	48	-	-	-	-	-	-	-	-	3	1	1
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	4	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	2	-	-	-	-	-	1	-	-	-	-	-
SOUTH CAROLINA -----	277	-	-	1	1	2	4	4	2	6	4	9
WHITE-----MALE----	114	-	-	-	1	1	-	3	-	2	-	3
FEMALE--	113	-	-	-	-	1	2	-	-	1	-	3
ALL OTHER--MALE----	24	-	-	-	-	-	1	1	-	1	3	1
FEMALE--	26	-	-	1	-	-	1	-	2	2	1	2
BLACK---MALE----	24	-	-	-	-	-	1	1	-	1	3	1
FEMALE--	26	-	-	1	-	-	1	-	2	2	1	2

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 925

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OTHER MALIGNANT NEOPLASMS OF LYMPHOID AND HISTIOCYTIC TISSUE (202)												
OHIO -----	49	58	89	116	184	204	169	92	40	8	1	-
WHITE-----MALE----	29	36	47	57	102	93	66	36	15	1	1	-
FEMALE--	13	17	34	50	74	104	96	52	25	7	-	-
ALL OTHER--MALE----	3	1	6	8	4	4	2	2	-	-	-	-
FEMALE--	4	4	2	1	4	3	5	2	-	-	-	-
BLACK---MALE----	3	1	5	8	4	4	2	2	-	-	-	-
FEMALE--	4	3	2	1	4	3	5	2	-	-	-	-
OKLAHOMA -----	16	16	30	30	52	48	33	31	10	1	-	-
WHITE-----MALE----	5	5	16	16	23	23	14	12	3	1	-	-
FEMALE--	10	9	13	13	26	24	19	18	5	-	-	-
ALL OTHER--MALE----	-	2	1	-	1	1	-	1	-	-	-	-
FEMALE--	1	-	-	1	2	-	-	-	2	-	-	-
BLACK---MALE----	-	2	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	2	-	-	-
OREGON -----	20	16	16	30	39	51	61	38	18	1	-	-
WHITE-----MALE----	15	7	10	21	20	20	28	16	8	-	-	-
FEMALE--	5	8	6	9	18	29	33	21	10	1	-	-
ALL OTHER--MALE----	-	1	-	-	-	1	-	1	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	59	63	91	117	207	243	210	145	48	9	-	-
WHITE-----MALE----	28	30	49	57	97	115	98	61	19	4	-	-
FEMALE--	28	29	37	53	104	122	105	81	28	4	-	-
ALL OTHER--MALE----	2	1	2	3	2	6	3	1	-	-	-	-
FEMALE--	1	3	3	4	4	-	4	2	1	1	-	-
BLACK---MALE----	2	1	2	3	2	5	1	1	-	-	-	-
FEMALE--	-	3	2	4	4	-	3	1	1	1	-	-
RHODE ISLAND -----	5	3	8	3	26	29	14	18	-	-	-	-
WHITE-----MALE----	2	2	4	1	16	16	9	9	-	-	-	-
FEMALE--	3	1	2	1	9	13	5	9	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	1	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	14	22	23	32	38	50	38	18	7	2	-	-
WHITE-----MALE----	8	10	11	16	20	22	8	7	2	-	-	-
FEMALE--	2	9	7	14	11	25	24	9	4	1	-	-
ALL OTHER--MALE----	2	1	2	2	5	1	2	1	-	1	-	-
FEMALE--	2	2	3	-	2	2	4	1	1	-	-	-
BLACK---MALE----	2	1	2	2	5	1	2	1	-	1	-	-
FEMALE--	2	2	3	-	2	2	4	1	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 926

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 OTHER MALIGNANT NEOPLASMS OF LYMPHOID AND HISTIOCYTIC TISSUE (202)												
SOUTH DAKOTA -----	80	-	-	-	-	1	-	-	3	1	-	4
WHITE-----MALE----	41	-	-	-	-	-	-	-	1	1	-	2
FEMALE--	36	-	-	-	-	-	-	-	2	-	-	1
ALL OTHER--MALE----	2	-	-	-	-	1	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	485	-	-	-	-	-	2	1	7	3	8	12
WHITE-----MALE----	214	-	-	-	-	-	1	-	5	1	5	9
FEMALE--	225	-	-	-	-	-	-	-	2	1	2	2
ALL OTHER--MALE----	21	-	-	-	-	-	-	1	-	1	1	1
FEMALE--	25	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	21	-	-	-	-	-	-	1	-	1	1	1
FEMALE--	24	-	-	-	-	-	1	-	-	-	-	-
TEXAS -----	1,258	1	1	1	1	3	6	12	7	25	40	41
WHITE-----MALE----	584	-	1	-	1	3	2	2	2	18	19	19
FEMALE--	573	1	-	-	-	-	4	6	2	4	12	12
ALL OTHER--MALE----	57	-	-	1	-	-	-	2	2	2	7	4
FEMALE--	44	-	-	-	-	-	-	2	1	1	2	6
BLACK---MALE----	52	-	-	1	-	-	-	2	2	2	7	4
FEMALE--	40	-	-	-	-	-	-	2	1	1	2	4
UTAH -----	123	-	-	-	-	-	-	2	1	2	5	3
WHITE-----MALE----	68	-	-	-	-	-	-	2	1	1	3	2
FEMALE--	55	-	-	-	-	-	-	-	-	1	2	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	45	-	-	-	-	-	-	-	1	-	-	2
WHITE-----MALE----	23	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	22	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	477	-	1	-	-	-	3	2	7	7	16	17
WHITE-----MALE----	215	-	1	-	-	-	1	1	5	2	10	8
FEMALE--	207	-	-	-	-	-	2	-	2	4	4	3
ALL OTHER--MALE----	28	-	-	-	-	-	-	1	-	-	1	3
FEMALE--	27	-	-	-	-	-	-	-	-	1	1	3
BLACK---MALE----	26	-	-	-	-	-	-	1	-	-	1	3
FEMALE--	26	-	-	-	-	-	-	-	-	1	1	3

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 926

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OTHER MALIGNANT NEOPLASMS OF LYMPHOID AND HISTIOCYTIC TISSUE (202)												
SOUTH DAKOTA -----	3	1	-	12	10	16	13	11	5	-	-	-
WHITE-----MALE----	2	1	-	6	7	9	6	3	3	-	-	-
FEMALE--	1	-	-	6	3	6	7	8	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	21	45	42	76	66	72	59	48	19	4	-	-
WHITE-----MALE----	8	18	19	39	31	29	27	18	3	1	-	-
FEMALE--	13	22	18	25	29	40	27	29	14	1	-	-
ALL OTHER--MALE----	-	2	2	5	1	1	4	1	-	1	-	-
FEMALE--	-	3	3	7	5	2	1	-	2	1	-	-
BLACK---MALE----	-	2	2	5	1	1	4	1	-	1	-	-
FEMALE--	-	3	3	6	5	2	1	-	2	1	-	-
TEXAS -----	68	80	124	122	198	213	164	96	48	6	1	-
WHITE-----MALE----	37	46	66	51	107	102	61	34	13	-	-	-
FEMALE--	20	25	48	59	83	98	99	59	34	6	1	-
ALL OTHER--MALE----	5	4	8	10	3	7	2	-	-	-	-	-
FEMALE--	6	5	2	2	5	6	2	3	1	-	-	-
BLACK---MALE----	4	4	8	9	2	5	2	-	-	-	-	-
FEMALE--	6	5	1	2	5	5	2	3	1	-	-	-
UTAH -----	9	4	12	12	15	18	21	11	7	1	-	-
WHITE-----MALE----	6	2	10	7	7	9	10	5	2	1	-	-
FEMALE--	3	2	2	5	8	9	11	6	5	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	1	4	3	5	7	8	8	5	1	-	-	-
WHITE-----MALE----	-	3	1	1	5	3	4	4	-	-	-	-
FEMALE--	1	1	2	4	2	5	4	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	27	36	40	54	68	92	65	30	10	2	-	-
WHITE-----MALE----	12	12	22	27	34	40	30	8	2	-	-	-
FEMALE--	8	18	14	18	27	45	32	20	8	2	-	-
ALL OTHER--MALE----	5	2	4	4	4	2	1	1	-	-	-	-
FEMALE--	2	4	-	5	3	5	2	1	-	-	-	-
BLACK---MALE----	5	2	4	3	3	2	1	1	-	-	-	-
FEMALE--	2	4	-	5	3	5	1	1	-	-	-	-









TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 928

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 MULTIPLE MYELOMA AND IMMUNOPROLIFERATIVE NEOPLASMS (203)												
UNITED STATES --	417	650	891	1,289	1,809	1,970	1,517	938	374	58	8	-
WHITE-----MALE----	187	257	400	579	804	838	616	347	112	13	4	-
FEMALE--	114	214	268	451	684	839	681	445	197	35	-	-
ALL OTHER--MALE----	66	89	110	133	152	130	102	65	22	5	2	-
FEMALE--	50	90	113	126	169	163	118	81	43	5	2	-
BLACK---MALE----	61	79	100	125	136	117	98	58	17	5	1	-
FEMALE--	44	86	105	113	159	153	107	78	40	5	1	-
ALABAMA -----	9	17	25	32	27	27	27	20	4	3	-	-
WHITE-----MALE----	1	4	6	13	6	10	11	5	1	-	-	-
FEMALE--	2	4	7	11	14	6	10	4	1	2	-	-
ALL OTHER--MALE----	4	4	7	4	2	3	4	5	1	1	-	-
FEMALE--	2	5	5	4	5	8	2	6	1	-	-	-
BLACK---MALE----	4	4	7	4	2	3	4	5	1	1	-	-
FEMALE--	2	5	4	4	5	8	2	6	1	-	-	-
ALASKA -----	-	-	2	-	1	2	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	2	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	9	10	7	16	19	30	26	8	2	2	-	-
WHITE-----MALE----	4	6	3	10	10	15	13	5	-	1	-	-
FEMALE--	4	2	2	5	9	14	11	3	2	1	-	-
ALL OTHER--MALE----	-	-	-	1	-	1	1	-	-	-	-	-
FEMALE--	1	2	2	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	1	1	-	-	-	1	-	-	-	-	-
ARKANSAS -----	4	4	4	8	14	20	9	15	2	1	-	-
WHITE-----MALE----	3	3	2	2	6	8	6	3	-	-	-	-
FEMALE--	1	1	2	3	5	8	2	6	1	-	-	-
ALL OTHER--MALE----	-	-	-	3	2	3	-	3	-	-	-	-
FEMALE--	-	-	-	-	1	1	1	3	1	1	-	-
BLACK---MALE----	-	-	-	3	2	3	-	3	-	-	-	-
FEMALE--	-	-	-	-	1	1	1	3	1	1	-	-
CALIFORNIA -----	34	58	88	106	180	175	131	75	35	3	1	-
WHITE-----MALE----	14	25	44	42	91	89	55	37	12	2	-	-
FEMALE--	10	18	25	39	52	65	60	28	16	1	-	-
ALL OTHER--MALE----	4	11	6	13	21	11	11	7	3	-	-	-
FEMALE--	6	4	13	12	16	10	5	3	4	-	1	-
BLACK---MALE----	3	8	4	8	12	7	9	3	1	-	-	-
FEMALE--	3	4	12	8	11	7	3	3	2	-	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 929

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 MULTIPLE MYELOMA AND IMMUNOPROLIFERATIVE NEOPLASMS (203)												
COLORADO -----	111	-	-	-	-	-	-	-	-	-	1	1
WHITE-----MALE----	57	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	48	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	123	-	-	-	-	-	-	-	-	-	1	2
WHITE-----MALE----	51	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	55	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	7	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	7	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	1
DELAWARE -----	28	-	-	-	-	-	-	-	1	1	-	-
WHITE-----MALE----	10	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	12	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	38	-	-	-	-	-	-	-	-	-	1	3
WHITE-----MALE----	4	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	11	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	20	-	-	-	-	-	-	-	-	-	-	2
BLACK---MALE----	11	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	20	-	-	-	-	-	-	-	-	-	-	2
FLORIDA -----	664	-	-	-	-	-	-	-	1	2	4	19
WHITE-----MALE----	299	-	-	-	-	-	-	-	1	-	1	8
FEMALE--	266	-	-	-	-	-	-	-	-	1	1	4
ALL OTHER--MALE----	47	-	-	-	-	-	-	-	-	1	1	1
FEMALE--	52	-	-	-	-	-	-	-	-	-	1	6
BLACK---MALE----	46	-	-	-	-	-	-	-	-	1	1	1
FEMALE--	51	-	-	-	-	-	-	-	-	-	1	6
GEORGIA -----	275	-	-	-	-	-	-	-	-	3	6	4
WHITE-----MALE----	95	-	-	-	-	-	-	-	-	1	3	2
FEMALE--	79	-	-	-	-	-	-	-	-	1	-	1
ALL OTHER--MALE----	55	-	-	-	-	-	-	-	-	-	2	1
FEMALE--	46	-	-	-	-	-	-	-	-	1	1	-
BLACK---MALE----	55	-	-	-	-	-	-	-	-	-	2	1
FEMALE--	46	-	-	-	-	-	-	-	-	1	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 929  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 MULTIPLE MYELOMA AND IMMUNOPROLIFERATIVE NEOPLASMS (203)												
COLORADO -----	4	5	15	18	19	19	13	12	4	-	-	-
WHITE-----MALE----	4	2	8	11	11	8	7	5	1	-	-	-
FEMALE--	-	2	5	7	8	10	5	7	3	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	2	-	-	1	1	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	2	-	-	1	-	-	-	-	-	-
CONNECTICUT -----	3	10	6	9	22	30	17	19	3	1	-	-
WHITE-----MALE----	1	3	4	4	12	13	4	7	2	-	-	-
FEMALE--	-	3	1	3	8	13	12	12	1	1	-	-
ALL OTHER--MALE----	-	3	-	1	-	3	-	-	-	-	-	-
FEMALE--	2	1	1	1	2	1	1	-	-	-	-	-
BLACK---MALE----	-	3	-	1	-	3	-	-	-	-	-	-
FEMALE--	1	1	-	1	2	1	1	-	-	-	-	-
DELAWARE -----	-	1	4	6	2	4	4	2	2	1	-	-
WHITE-----MALE----	-	1	-	2	2	1	2	1	-	-	-	-
FEMALE--	-	-	3	4	-	2	1	-	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	1	-	-	1	-	1	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	1	-	-	1	-	1	1	-	-	-
DISTRICT OF COLUMBIA ----	4	1	2	6	7	3	5	6	-	-	-	-
WHITE-----MALE----	-	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	2	-	-	-	-
ALL OTHER--MALE----	1	-	1	2	4	1	1	1	-	-	-	-
FEMALE--	2	1	1	4	2	1	4	3	-	-	-	-
BLACK---MALE----	1	-	1	2	4	1	1	1	-	-	-	-
FEMALE--	2	1	1	4	2	1	4	3	-	-	-	-
FLORIDA -----	27	32	62	79	127	139	88	62	22	-	-	-
WHITE-----MALE----	14	11	36	36	63	68	33	22	6	-	-	-
FEMALE--	5	15	17	33	51	55	41	34	9	-	-	-
ALL OTHER--MALE----	6	2	4	5	8	9	6	1	3	-	-	-
FEMALE--	2	4	5	5	5	7	8	5	4	-	-	-
BLACK---MALE----	6	2	4	5	7	9	6	1	3	-	-	-
FEMALE--	2	4	5	4	5	7	8	5	4	-	-	-
GEORGIA -----	16	22	33	35	41	48	43	15	6	3	-	-
WHITE-----MALE----	3	7	14	13	17	19	10	4	2	-	-	-
FEMALE--	2	2	11	9	11	12	20	5	3	2	-	-
ALL OTHER--MALE----	6	10	4	4	7	10	7	4	-	-	-	-
FEMALE--	5	3	4	9	6	7	6	2	1	1	-	-
BLACK---MALE----	6	10	4	4	7	10	7	4	-	-	-	-
FEMALE--	5	3	4	9	6	7	6	2	1	1	-	-



TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 930

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 MULTIPLE MYELOMA AND IMMUNOPROLIFERATIVE NEOPLASMS (203)												
HAWAII -----	-	2	3	4	6	4	2	6	2	-	-	-
WHITE-----MALE----	-	-	-	1	2	-	-	3	-	-	-	-
FEMALE--	-	-	-	1	1	2	-	1	1	-	-	-
ALL OTHER--MALE----	-	2	3	-	2	-	1	1	1	-	-	-
FEMALE--	-	-	-	2	1	2	1	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	1	1	2	2	6	7	4	3	3	-	-	-
WHITE-----MALE----	1	1	1	1	4	3	1	2	1	-	-	-
FEMALE--	-	-	1	1	2	4	3	1	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	17	37	41	66	88	86	70	47	20	5	-	-
WHITE-----MALE----	7	11	13	28	26	29	34	12	6	-	-	-
FEMALE--	4	14	10	24	35	42	25	23	8	2	-	-
ALL OTHER--MALE----	5	9	10	7	13	6	5	6	2	1	-	-
FEMALE--	1	3	8	7	14	9	6	6	4	2	-	-
BLACK---MALE----	5	8	10	7	12	6	5	6	2	1	-	-
FEMALE--	1	3	8	7	14	9	5	6	4	2	-	-
INDIANA -----	6	13	14	35	41	52	25	27	4	1	-	-
WHITE-----MALE----	5	6	6	16	20	21	11	14	1	-	-	-
FEMALE--	1	7	6	13	15	28	11	13	3	1	-	-
ALL OTHER--MALE----	-	-	1	2	3	-	1	-	-	-	-	-
FEMALE--	-	-	1	4	3	3	2	-	-	-	-	-
BLACK---MALE----	-	-	1	2	3	-	1	-	-	-	-	-
FEMALE--	-	-	1	4	3	3	2	-	-	-	-	-
IOWA -----	3	8	4	11	12	22	29	11	1	1	1	-
WHITE-----MALE----	-	4	3	6	7	12	17	4	-	-	1	-
FEMALE--	3	4	1	5	5	9	10	6	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	-	-	-	-
KANSAS -----	3	4	4	6	17	21	10	12	4	1	-	-
WHITE-----MALE----	1	3	3	3	9	10	4	6	4	1	-	-
FEMALE--	2	1	1	3	7	10	4	6	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	-	-	-	-	-





TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 931

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 MULTIPLE MYELOMA AND IMMUNOPROLIFERATIVE NEOPLASMS (203)												
KENTUCKY -----	7	15	14	20	30	30	23	16	2	-	-	-
WHITE-----MALE----	3	8	10	10	14	16	7	8	-	-	-	-
FEMALE--	3	5	4	8	10	12	15	7	2	-	-	-
ALL OTHER--MALE----	-	-	-	2	2	1	-	1	-	-	-	-
FEMALE--	1	2	-	-	4	1	1	-	-	-	-	-
BLACK---MALE----	-	-	-	2	2	1	-	1	-	-	-	-
FEMALE--	1	2	-	-	4	1	1	-	-	-	-	-
LOUISIANA -----	7	14	19	27	47	40	30	15	5	-	-	-
WHITE-----MALE----	2	4	8	10	14	12	6	-	1	-	-	-
FEMALE--	2	4	4	5	12	19	13	7	2	-	-	-
ALL OTHER--MALE----	2	3	4	7	7	5	4	4	1	-	-	-
FEMALE--	1	3	3	5	14	4	7	4	1	-	-	-
BLACK---MALE----	2	3	4	7	7	5	4	4	1	-	-	-
FEMALE--	1	3	3	5	14	4	7	4	1	-	-	-
MAINE -----	3	2	3	6	13	7	9	3	4	-	-	-
WHITE-----MALE----	3	2	1	5	6	4	2	-	4	-	-	-
FEMALE--	-	-	2	1	7	3	7	3	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	10	16	23	21	45	31	22	17	6	1	-	-
WHITE-----MALE----	3	7	6	12	19	9	6	4	2	-	-	-
FEMALE--	2	5	6	4	11	14	8	8	3	1	-	-
ALL OTHER--MALE----	4	2	6	3	7	2	5	1	-	-	-	-
FEMALE--	1	2	5	2	8	6	3	4	1	-	-	-
BLACK---MALE----	4	2	6	3	7	2	5	1	-	-	-	-
FEMALE--	1	2	4	2	8	6	3	4	1	-	-	-
MASSACHUSETTS -----	11	12	21	32	41	43	30	25	7	2	-	-
WHITE-----MALE----	3	3	15	10	22	16	15	9	1	-	-	-
FEMALE--	5	8	4	19	18	24	14	14	5	1	-	-
ALL OTHER--MALE----	-	1	-	3	1	1	-	1	-	1	-	-
FEMALE--	3	-	2	-	-	2	1	1	1	-	-	-
BLACK---MALE----	-	1	-	3	1	1	-	1	-	1	-	-
FEMALE--	3	-	2	-	-	2	1	1	1	-	-	-
MICHIGAN -----	17	28	25	61	78	68	48	47	11	5	1	-
WHITE-----MALE----	8	15	12	19	26	33	15	13	2	1	1	-
FEMALE--	7	8	7	15	34	26	22	28	7	3	-	-
ALL OTHER--MALE----	1	1	2	19	12	2	5	4	-	1	-	-
FEMALE--	1	4	4	8	6	7	6	2	2	-	-	-
BLACK---MALE----	1	1	2	19	12	2	5	4	-	1	-	-
FEMALE--	1	4	4	8	6	7	6	2	2	-	-	-



TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 932

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 MULTIPLE MYELOMA AND IMMUNOPROLIFERATIVE NEOPLASMS (203)												
MINNESOTA -----	5	11	11	19	21	30	37	21	8	-	-	-
WHITE-----MALE----	3	1	3	9	8	15	20	10	3	-	-	-
FEMALE--	1	8	7	10	12	14	17	10	5	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	2	1	-	1	1	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	1	-	1	1	-	1	-	-	-	-
MISSISSIPPI -----	3	12	13	17	25	32	12	9	2	-	-	-
WHITE-----MALE----	1	1	4	7	9	13	2	2	-	-	-	-
FEMALE--	2	4	3	5	8	8	4	2	-	-	-	-
ALL OTHER--MALE----	-	4	4	2	4	6	2	1	-	-	-	-
FEMALE--	-	3	2	3	4	5	4	4	2	-	-	-
BLACK---MALE----	-	4	4	2	4	6	2	1	-	-	-	-
FEMALE--	-	3	2	3	4	5	4	4	2	-	-	-
MISSOURI -----	7	13	19	22	36	44	42	23	9	2	-	-
WHITE-----MALE----	6	5	9	14	17	25	20	9	1	1	-	-
FEMALE--	1	2	7	6	15	14	15	9	6	1	-	-
ALL OTHER--MALE----	-	2	1	2	2	2	-	2	1	-	-	-
FEMALE--	-	4	2	-	2	3	7	3	1	-	-	-
BLACK---MALE----	-	2	1	2	2	2	-	2	1	-	-	-
FEMALE--	-	4	2	-	2	2	6	2	1	-	-	-
MONTANA -----	2	2	4	3	12	5	8	4	4	1	-	-
WHITE-----MALE----	2	2	3	3	7	2	2	1	1	1	-	-
FEMALE--	-	-	1	-	5	3	6	3	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	3	4	5	8	10	19	12	6	2	-	-	-
WHITE-----MALE----	2	2	5	4	3	7	7	5	-	-	-	-
FEMALE--	1	1	-	4	7	11	5	1	1	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
NEVADA -----	3	3	7	12	14	4	6	-	-	-	-	-
WHITE-----MALE----	2	1	2	9	10	2	4	-	-	-	-	-
FEMALE--	1	2	3	3	4	1	2	-	-	-	-	-
ALL OTHER--MALE----	-	-	2	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-







TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 934

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 MULTIPLE MYELOMA AND IMMUNOPROLIFERATIVE NEOPLASMS (203)												
OHIO -----	26	32	36	66	64	97	82	34	14	4	-	-
WHITE-----MALE----	15	14	16	33	31	44	35	9	5	1	-	-
FEMALE--	5	11	10	22	22	39	41	16	7	3	-	-
ALL OTHER--MALE----	2	3	6	7	4	8	2	4	-	-	-	-
FEMALE--	4	4	4	4	7	6	4	5	2	-	-	-
BLACK---MALE----	2	3	6	7	4	8	2	4	-	-	-	-
FEMALE--	4	4	4	4	7	6	4	5	2	-	-	-
OKLAHOMA -----	5	5	7	20	23	33	19	9	7	-	1	-
WHITE-----MALE----	2	2	4	14	14	18	6	4	1	-	-	-
FEMALE--	2	2	2	5	7	10	7	4	4	-	-	-
ALL OTHER--MALE----	1	-	1	-	1	4	1	-	-	-	-	-
FEMALE--	-	1	-	1	1	1	5	1	2	-	1	-
BLACK---MALE----	-	-	-	-	1	4	-	-	-	-	-	-
FEMALE--	-	1	-	-	1	1	3	1	2	-	-	-
OREGON -----	4	5	12	12	19	27	28	14	6	-	-	-
WHITE-----MALE----	2	3	7	4	7	13	12	5	3	-	-	-
FEMALE--	1	2	5	7	12	14	15	9	3	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	24	32	59	72	112	121	93	47	26	3	1	-
WHITE-----MALE----	10	12	23	32	55	54	42	20	6	1	1	-
FEMALE--	5	12	21	31	44	54	43	23	19	1	-	-
ALL OTHER--MALE----	5	5	7	2	5	6	4	2	-	-	-	-
FEMALE--	4	3	8	7	8	7	4	2	1	1	-	-
BLACK---MALE----	4	5	7	2	5	5	4	2	-	-	-	-
FEMALE--	4	2	8	7	8	7	3	2	1	1	-	-
RHODE ISLAND -----	1	1	2	3	8	7	6	5	1	-	-	-
WHITE-----MALE----	1	-	1	2	1	2	4	2	-	-	-	-
FEMALE--	-	1	1	-	6	4	2	3	1	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
SOUTH CAROLINA -----	7	12	25	28	37	34	24	13	3	-	-	-
WHITE-----MALE----	3	3	7	7	8	6	6	8	1	-	-	-
FEMALE--	3	1	7	8	14	14	9	2	1	-	-	-
ALL OTHER--MALE----	-	4	5	6	6	5	5	-	-	-	-	-
FEMALE--	1	4	6	7	9	9	4	3	1	-	-	-
BLACK---MALE----	-	4	5	6	6	5	5	-	-	-	-	-
FEMALE--	1	4	6	7	9	9	4	3	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 935

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 MULTIPLE MYELOMA AND IMMUNOPROLIFERATIVE NEOPLASMS (203)												
SOUTH DAKOTA -----	35	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	15	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	17	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	243	-	-	-	-	-	-	-	-	1	1	5
WHITE-----MALE----	98	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	100	-	-	-	-	-	-	-	-	-	1	3
ALL OTHER--MALE----	24	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	21	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	24	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	21	-	-	-	-	-	-	-	-	-	-	-
TEXAS -----	661	-	-	-	-	-	-	-	1	1	13	30
WHITE-----MALE----	297	-	-	-	-	-	-	-	-	1	6	15
FEMALE--	247	-	-	-	-	-	-	-	1	-	4	8
ALL OTHER--MALE----	61	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	56	-	-	-	-	-	-	-	-	-	2	5
BLACK---MALE----	55	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	54	-	-	-	-	-	-	-	-	-	2	5
UTAH -----	63	-	-	-	-	-	-	-	-	1	-	-
WHITE-----MALE----	28	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	31	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	27	-	-	-	-	-	-	-	-	-	-	1
WHITE-----MALE----	13	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	14	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	266	-	-	-	-	-	-	-	-	1	1	7
WHITE-----MALE----	98	-	-	-	-	-	-	-	-	-	-	5
FEMALE--	81	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	43	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	44	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	41	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	44	-	-	-	-	-	-	-	-	1	-	-



TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 935

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 MULTIPLE MYELOMA AND IMMUNOPROLIFERATIVE NEOPLASMS (203)												
SOUTH DAKOTA -----	1	3	1	5	9	4	8	1	3	-	-	-
WHITE-----MALE----	-	2	1	1	5	1	3	-	2	-	-	-
FEMALE--	1	1	-	4	3	3	4	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	1	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	13	17	25	36	38	39	36	21	10	1	-	-
WHITE-----MALE----	3	7	12	12	19	18	16	8	1	-	-	-
FEMALE--	7	3	5	14	15	14	19	12	6	1	-	-
ALL OTHER--MALE----	2	4	6	3	-	5	1	-	2	-	-	-
FEMALE--	1	3	2	7	4	2	-	1	1	-	-	-
BLACK---MALE----	2	4	6	3	-	5	1	-	2	-	-	-
FEMALE--	1	3	2	7	4	2	-	1	1	-	-	-
TEXAS -----	30	34	66	85	103	134	89	54	19	1	1	-
WHITE-----MALE----	12	13	34	45	56	52	39	18	6	-	-	-
FEMALE--	8	8	20	23	38	59	40	27	10	1	-	-
ALL OTHER--MALE----	9	5	7	9	4	11	7	4	1	-	1	-
FEMALE--	1	8	5	8	5	12	3	5	2	-	-	-
BLACK---MALE----	8	4	6	9	4	9	7	4	1	-	-	-
FEMALE--	1	8	5	7	5	11	3	5	2	-	-	-
UTAH -----	2	2	5	10	15	7	12	6	3	-	-	-
WHITE-----MALE----	1	1	1	5	9	-	6	3	2	-	-	-
FEMALE--	1	1	3	4	5	7	6	3	1	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	1	1	3	4	1	6	5	1	3	1	-	-
WHITE-----MALE----	-	-	3	3	1	3	2	-	-	-	-	-
FEMALE--	1	1	-	1	-	3	3	1	3	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	14	21	25	24	53	51	36	24	9	-	-	-
WHITE-----MALE----	8	9	5	10	19	20	9	10	3	-	-	-
FEMALE--	2	4	8	6	16	19	13	9	3	-	-	-
ALL OTHER--MALE----	2	3	7	5	11	4	5	3	1	-	-	-
FEMALE--	2	5	5	3	7	8	9	2	2	-	-	-
BLACK---MALE----	2	2	7	5	11	4	5	2	1	-	-	-
FEMALE--	2	5	5	3	7	8	9	2	2	-	-	-





TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 937  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 LEUKEMIA (204-208)												
UNITED STATES --	20,324	19	116	142	186	209	238	222	273	385	544	611
WHITE-----MALE----	10,070	10	42	71	85	113	123	108	115	173	262	273
FEMALE--	8,144	8	50	45	63	63	83	61	103	124	185	220
ALL OTHER--MALE----	1,131	1	13	16	21	20	17	29	34	63	53	67
FEMALE--	979	-	11	10	17	13	15	24	21	25	44	51
BLACK---MALE----	936	1	11	14	12	15	15	26	32	52	43	55
FEMALE--	816	-	8	7	13	11	11	14	16	22	35	44
ALABAMA -----	377	-	1	4	2	6	2	3	10	4	12	12
WHITE-----MALE----	151	-	1	-	1	2	2	2	2	1	7	4
FEMALE--	152	-	-	1	-	3	-	-	5	2	2	3
ALL OTHER--MALE----	45	-	-	3	-	-	-	1	2	-	-	4
FEMALE--	29	-	-	-	1	1	-	-	1	1	3	1
BLACK---MALE----	45	-	-	3	-	-	-	1	2	-	-	4
FEMALE--	29	-	-	-	1	1	-	-	1	1	3	1
ALASKA -----	24	-	-	-	2	-	-	-	1	-	3	2
WHITE-----MALE----	12	-	-	-	2	-	-	-	1	-	-	1
FEMALE--	7	-	-	-	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	329	-	2	5	1	3	3	6	4	8	11	12
WHITE-----MALE----	172	-	1	2	-	2	1	2	2	4	5	5
FEMALE--	137	-	1	2	-	1	1	2	2	2	4	5
ALL OTHER--MALE----	13	-	-	-	1	-	-	-	-	2	1	2
FEMALE--	7	-	-	1	-	-	1	2	-	-	1	-
BLACK---MALE----	6	-	-	-	-	-	-	-	-	1	1	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	1	-
ARKANSAS -----	219	-	1	-	1	3	3	-	2	4	1	4
WHITE-----MALE----	113	-	-	-	1	1	2	-	2	2	1	2
FEMALE--	84	-	1	-	-	1	1	-	-	2	-	2
ALL OTHER--MALE----	11	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	11	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	11	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	11	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	2,006	3	16	25	25	30	33	26	28	49	73	72
WHITE-----MALE----	976	1	4	15	9	16	21	12	14	21	38	28
FEMALE--	787	2	8	7	12	10	11	8	9	15	25	31
ALL OTHER--MALE----	133	-	2	1	3	3	1	-	2	12	7	10
FEMALE--	110	-	2	2	1	1	-	6	3	1	3	3
BLACK---MALE----	60	-	-	1	2	1	-	-	2	6	4	5
FEMALE--	45	-	1	1	-	-	-	2	3	1	-	3

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 937  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 LEUKEMIA (204-208)												
UNITED STATES --	744	956	1,370	2,001	2,952	3,343	2,912	1,963	869	235	33	1
WHITE-----MALE----	372	485	721	1,135	1,651	1,794	1,413	762	300	56	6	-
FEMALE--	255	316	472	665	1,060	1,311	1,297	1,076	510	155	22	-
ALL OTHER--MALE----	62	82	98	115	132	124	94	55	22	11	1	1
FEMALE--	55	73	79	86	109	114	108	70	37	13	4	-
BLACK---MALE----	50	71	84	96	104	101	82	44	15	11	1	1
FEMALE--	39	59	66	69	97	97	101	61	34	10	2	-
ALABAMA -----	18	13	26	38	68	57	49	31	16	5	-	-
WHITE-----MALE----	10	5	8	14	32	21	19	14	5	1	-	-
FEMALE--	4	7	9	13	24	30	27	13	7	2	-	-
ALL OTHER--MALE----	4	1	5	8	7	3	1	3	1	2	-	-
FEMALE--	-	-	4	3	5	3	2	1	3	-	-	-
BLACK---MALE----	4	1	5	8	7	3	1	3	1	2	-	-
FEMALE--	-	-	4	3	5	3	2	1	3	-	-	-
ALASKA -----	1	2	-	1	2	3	4	3	-	-	-	-
WHITE-----MALE----	1	-	-	1	-	1	2	3	-	-	-	-
FEMALE--	-	1	-	-	1	2	1	-	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	14	16	18	21	51	67	47	28	9	3	-	-
WHITE-----MALE----	8	11	9	13	32	37	25	11	2	-	-	-
FEMALE--	6	3	8	8	17	29	19	17	7	3	-	-
ALL OTHER--MALE----	-	1	1	-	1	1	3	-	-	-	-	-
FEMALE--	-	1	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
ARKANSAS -----	14	14	15	26	24	37	45	17	7	1	-	-
WHITE-----MALE----	11	6	9	19	13	19	20	3	2	-	-	-
FEMALE--	1	4	4	3	9	16	22	12	5	1	-	-
ALL OTHER--MALE----	2	2	-	2	1	1	1	1	-	-	-	-
FEMALE--	-	2	2	2	1	1	2	1	-	-	-	-
BLACK---MALE----	2	2	-	2	1	1	1	1	-	-	-	-
FEMALE--	-	2	2	2	1	1	2	1	-	-	-	-
CALIFORNIA -----	65	97	122	177	290	340	253	166	85	27	4	-
WHITE-----MALE----	27	45	64	92	160	176	129	66	29	8	1	-
FEMALE--	23	30	40	57	104	131	106	90	50	17	1	-
ALL OTHER--MALE----	10	8	8	16	18	15	10	4	3	-	-	-
FEMALE--	5	14	10	12	8	18	8	6	3	2	2	-
BLACK---MALE----	3	5	6	6	7	4	5	1	2	-	-	-
FEMALE--	-	7	5	2	2	9	4	2	3	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 938

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 LEUKEMIA (204-208)												
COLORADO -----	263	1	2	1	3	3	5	7	4	5	7	7
WHITE-----MALE----	139	1	-	1	-	3	4	4	-	3	5	4
FEMALE--	116	-	1	-	3	-	1	3	3	2	1	3
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	1	-	-	-	-	-	1	-	1	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	1	-
CONNECTICUT -----	266	-	2	4	2	-	2	-	6	7	9	5
WHITE-----MALE----	139	-	-	-	1	-	2	-	3	4	3	-
FEMALE--	116	-	2	4	-	-	-	-	3	2	6	4
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	5	-	-	-	1	-	-	-	-	-	-	1
BLACK---MALE----	6	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	4	-	-	-	1	-	-	-	-	-	-	-
DELAWARE -----	54	-	1	-	1	2	1	1	1	-	-	4
WHITE-----MALE----	30	-	1	-	1	2	1	1	-	-	-	3
FEMALE--	20	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	32	-	1	-	-	-	1	-	1	-	-	-
WHITE-----MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	7	-	1	-	-	-	1	-	-	-	-	-
FEMALE--	14	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	7	-	1	-	-	-	1	-	-	-	-	-
FEMALE--	14	-	-	-	-	-	-	-	1	-	-	-
FLORIDA -----	1,415	-	4	7	12	9	9	4	15	31	28	34
WHITE-----MALE----	752	-	1	5	6	4	4	4	7	19	15	13
FEMALE--	569	-	2	1	4	3	4	-	5	5	9	13
ALL OTHER--MALE----	45	-	1	-	1	1	-	-	2	4	2	5
FEMALE--	49	-	-	1	1	1	1	-	1	3	2	3
BLACK---MALE----	44	-	1	-	1	1	-	-	2	3	2	5
FEMALE--	44	-	-	1	1	-	-	-	1	3	2	2
GEORGIA -----	463	1	3	2	9	7	5	5	12	10	13	14
WHITE-----MALE----	205	1	-	1	5	4	2	3	3	2	4	9
FEMALE--	163	-	2	1	-	3	1	2	1	4	1	3
ALL OTHER--MALE----	52	-	1	-	3	-	1	-	5	2	3	2
FEMALE--	43	-	-	-	1	-	1	-	3	2	5	-
BLACK---MALE----	51	-	1	-	3	-	1	-	5	2	3	2
FEMALE--	42	-	-	-	1	-	1	-	3	2	5	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 938

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 LEUKEMIA (204-208)												
COLORADO -----	15	16	20	24	30	41	31	29	8	4	-	-
WHITE-----MALE----	8	9	11	12	18	24	17	14	-	1	-	-
FEMALE--	7	7	9	12	9	17	14	14	7	3	-	-
ALL OTHER--MALE----	-	-	-	-	3	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	2	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
CONNECTICUT -----	13	12	22	18	42	56	34	21	8	3	-	-
WHITE-----MALE----	6	6	11	11	27	38	15	8	3	1	-	-
FEMALE--	7	5	10	4	14	17	19	13	4	2	-	-
ALL OTHER--MALE----	-	1	-	3	1	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	1	-	-	1	-	-	-
BLACK---MALE----	-	1	-	3	1	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	1	-	-	1	-	-	-
DELAWARE -----	2	2	3	8	7	6	7	5	3	-	-	-
WHITE-----MALE----	2	2	1	6	2	2	4	2	-	-	-	-
FEMALE--	-	-	2	2	5	4	2	1	3	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	2	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	2	-	-	-	-
DISTRICT OF COLUMBIA ----	2	1	3	3	2	4	7	6	1	-	-	-
WHITE-----MALE----	-	-	1	2	-	-	1	1	1	-	-	-
FEMALE--	-	-	1	1	-	-	2	1	-	-	-	-
ALL OTHER--MALE----	1	1	-	-	1	2	-	-	-	-	-	-
FEMALE--	1	-	1	-	1	2	4	4	-	-	-	-
BLACK---MALE----	1	1	-	-	1	2	-	-	-	-	-	-
FEMALE--	1	-	1	-	1	2	4	4	-	-	-	-
FLORIDA -----	45	62	87	136	223	251	239	143	60	14	2	-
WHITE-----MALE----	21	29	46	83	129	138	138	57	28	4	1	-
FEMALE--	17	22	34	47	82	105	93	81	32	9	1	-
ALL OTHER--MALE----	1	6	5	3	4	3	5	1	-	1	-	-
FEMALE--	6	5	2	3	8	5	3	4	-	-	-	-
BLACK---MALE----	1	6	5	3	4	3	5	1	-	1	-	-
FEMALE--	6	5	1	3	8	4	3	4	-	-	-	-
GEORGIA -----	26	22	33	47	59	65	56	53	15	6	-	-
WHITE-----MALE----	13	10	20	27	21	33	28	15	3	1	-	-
FEMALE--	6	7	6	15	27	24	19	27	10	4	-	-
ALL OTHER--MALE----	3	4	6	3	6	3	4	5	-	1	-	-
FEMALE--	4	1	1	2	5	5	5	6	2	-	-	-
BLACK---MALE----	3	4	6	3	6	3	4	4	-	1	-	-
FEMALE--	3	1	1	2	5	5	5	6	2	-	-	-





TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 939  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 LEUKEMIA (204-208)												
HAWAII -----	5	3	9	8	11	6	7	10	4	-	-	-
WHITE-----MALE----	1	1	-	3	-	-	1	-	1	-	-	-
FEMALE--	-	1	2	1	1	-	3	4	-	-	-	-
ALL OTHER--MALE----	1	1	6	3	7	2	1	3	1	-	-	-
FEMALE--	3	-	1	1	3	4	2	3	2	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	6	3	5	7	9	24	11	10	8	1	-	-
WHITE-----MALE----	4	2	5	4	6	17	7	3	5	-	-	-
FEMALE--	2	1	-	3	3	7	4	7	3	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	28	52	70	99	119	141	139	97	34	11	-	-
WHITE-----MALE----	13	28	29	52	53	75	73	34	8	3	-	-
FEMALE--	8	15	27	36	48	52	54	57	24	7	-	-
ALL OTHER--MALE----	3	7	7	4	8	6	4	-	-	1	-	-
FEMALE--	4	2	7	7	10	8	8	6	2	-	-	-
BLACK---MALE----	3	7	6	4	7	5	2	-	-	1	-	-
FEMALE--	3	2	7	6	10	6	8	6	2	-	-	-
INDIANA -----	16	19	27	52	73	84	67	46	22	7	2	-
WHITE-----MALE----	9	10	9	33	42	39	30	17	10	2	-	-
FEMALE--	5	7	15	15	28	39	34	26	12	3	2	-
ALL OTHER--MALE----	1	-	1	3	1	4	1	2	-	2	-	-
FEMALE--	1	2	2	1	2	2	2	1	-	-	-	-
BLACK---MALE----	1	-	1	3	1	4	1	2	-	2	-	-
FEMALE--	1	1	1	1	2	2	2	1	-	-	-	-
IOWA -----	8	13	16	18	50	55	55	29	14	8	-	-
WHITE-----MALE----	7	11	11	14	36	35	29	14	7	-	-	-
FEMALE--	1	2	4	4	14	18	25	15	7	8	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	1	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	1	-	-	1	-	-	-	-	-	-
KANSAS -----	9	11	12	26	33	35	28	28	4	2	1	-
WHITE-----MALE----	8	7	3	15	18	21	14	11	1	-	-	-
FEMALE--	1	3	8	9	15	12	12	15	3	2	1	-
ALL OTHER--MALE----	-	-	1	1	-	2	2	-	-	-	-	-
FEMALE--	-	1	-	1	-	-	-	2	-	-	-	-
BLACK---MALE----	-	-	1	1	-	2	2	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	2	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 940

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 LEUKEMIA (204-208)												
KENTUCKY -----	272	-	1	2	4	-	6	4	1	3	1	11
WHITE-----MALE----	157	-	1	2	2	-	2	2	1	3	-	3
FEMALE--	96	-	-	-	2	-	3	1	-	-	1	7
ALL OTHER--MALE----	13	-	-	-	-	-	1	1	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	13	-	-	-	-	-	1	1	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	1
LOUISIANA -----	294	-	1	2	-	3	2	4	2	10	4	12
WHITE-----MALE----	120	-	-	1	-	2	1	2	2	1	1	1
FEMALE--	96	-	-	-	-	-	-	1	-	5	1	5
ALL OTHER--MALE----	43	-	1	1	-	1	1	1	-	4	1	5
FEMALE--	35	-	-	-	-	-	-	-	-	-	1	1
BLACK---MALE----	42	-	1	1	-	1	1	1	-	4	1	5
FEMALE--	35	-	-	-	-	-	-	-	-	-	1	1
MAINE -----	103	2	-	-	1	1	3	2	-	3	1	6
WHITE-----MALE----	53	1	-	-	-	1	2	1	-	2	-	4
FEMALE--	50	1	-	-	1	-	1	1	-	1	1	2
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	359	2	3	1	3	2	3	4	11	7	10	16
WHITE-----MALE----	156	1	1	-	2	-	2	1	5	1	1	6
FEMALE--	133	1	2	-	-	1	-	1	3	4	4	3
ALL OTHER--MALE----	40	-	-	1	-	1	1	1	1	1	4	3
FEMALE--	30	-	-	-	1	-	-	1	2	1	1	4
BLACK---MALE----	39	-	-	1	-	1	1	1	1	1	4	3
FEMALE--	28	-	-	-	1	-	-	1	-	1	1	4
MASSACHUSETTS -----	452	1	1	3	2	3	3	4	5	4	7	13
WHITE-----MALE----	237	-	-	3	1	2	2	2	2	2	3	9
FEMALE--	201	1	1	-	1	-	1	2	3	2	4	4
ALL OTHER--MALE----	8	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	1	-	-	-	-	-	-
MICHIGAN -----	762	-	4	1	11	3	3	7	8	8	27	30
WHITE-----MALE----	355	-	2	-	7	2	1	5	3	4	7	17
FEMALE--	314	-	1	-	3	1	1	2	3	2	13	5
ALL OTHER--MALE----	55	-	1	1	1	-	-	-	2	2	3	4
FEMALE--	38	-	-	-	-	-	1	-	-	-	4	4
BLACK---MALE----	49	-	1	1	-	-	-	-	2	1	3	3
FEMALE--	37	-	-	-	-	-	1	-	-	-	3	4

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 940

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 LEUKEMIA (204-208)												
KENTUCKY -----	14	19	22	31	46	32	38	25	10	2	-	-
WHITE-----MALE----	8	12	14	20	31	18	16	15	6	1	-	-
FEMALE--	5	6	5	8	12	13	18	10	4	1	-	-
ALL OTHER--MALE----	-	1	2	1	3	1	3	-	-	-	-	-
FEMALE--	1	-	1	2	-	-	1	-	-	-	-	-
BLACK---MALE----	-	1	2	1	3	1	3	-	-	-	-	-
FEMALE--	1	-	1	2	-	-	1	-	-	-	-	-
LOUISIANA -----	12	13	24	28	30	54	40	37	11	4	1	-
WHITE-----MALE----	4	3	10	17	15	27	17	14	1	1	-	-
FEMALE--	5	4	7	6	11	15	14	16	4	1	1	-
ALL OTHER--MALE----	1	5	5	2	3	4	1	3	3	1	-	-
FEMALE--	2	1	2	3	1	8	8	4	3	1	-	-
BLACK---MALE----	1	5	5	2	3	3	1	3	3	1	-	-
FEMALE--	2	1	2	3	1	8	8	4	3	1	-	-
MAINE -----	1	3	4	9	15	18	15	11	8	-	-	-
WHITE-----MALE----	1	2	2	4	10	10	7	5	1	-	-	-
FEMALE--	-	1	2	5	5	8	8	6	7	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	11	18	26	32	48	66	55	23	11	7	-	-
WHITE-----MALE----	6	8	13	13	24	34	27	8	3	-	-	-
FEMALE--	3	5	5	14	20	23	19	15	7	3	-	-
ALL OTHER--MALE----	1	1	3	5	3	7	4	-	1	2	-	-
FEMALE--	1	4	5	-	1	2	5	-	-	2	-	-
BLACK---MALE----	1	1	3	4	3	7	4	-	1	2	-	-
FEMALE--	1	4	5	-	1	2	5	-	-	2	-	-
MASSACHUSETTS -----	18	14	31	43	62	83	72	54	22	7	-	-
WHITE-----MALE----	8	9	17	26	38	50	33	22	5	3	-	-
FEMALE--	7	4	14	17	23	31	35	31	16	4	-	-
ALL OTHER--MALE----	2	1	-	-	1	1	1	1	1	-	-	-
FEMALE--	1	-	-	-	-	1	3	-	-	-	-	-
BLACK---MALE----	2	-	-	-	1	1	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	3	-	-	-	-	-
MICHIGAN -----	23	39	65	81	99	129	103	77	31	10	3	-
WHITE-----MALE----	6	18	32	39	60	64	46	35	5	2	-	-
FEMALE--	13	12	26	33	30	55	46	39	19	8	2	-
ALL OTHER--MALE----	1	3	5	6	8	6	6	3	3	-	-	-
FEMALE--	3	6	2	3	1	4	5	-	4	-	1	-
BLACK---MALE----	1	2	5	6	7	6	6	3	2	-	-	-
FEMALE--	3	6	2	3	1	4	5	-	4	-	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 941

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 LEUKEMIA (204-208)												
MINNESOTA -----	354	-	1	2	1	5	4	3	3	9	11	9
WHITE-----MALE----	188	-	-	2	-	2	2	3	2	5	3	6
FEMALE--	160	-	1	-	1	2	2	-	1	3	8	2
ALL OTHER--MALE----	3	-	-	-	-	1	-	-	-	-	-	1
FEMALE--	3	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	2	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI -----	222	-	1	1	3	3	3	2	6	7	6	10
WHITE-----MALE----	86	-	-	-	2	2	2	-	-	1	-	4
FEMALE--	83	-	-	-	1	-	1	-	3	1	3	1
ALL OTHER--MALE----	33	-	1	-	-	1	-	2	2	5	1	-
FEMALE--	20	-	-	1	-	-	-	-	1	-	2	5
BLACK---MALE----	33	-	1	-	-	1	-	2	2	5	1	-
FEMALE--	20	-	-	1	-	-	-	-	1	-	2	5
MISSOURI -----	474	1	1	2	-	2	8	3	12	12	9	18
WHITE-----MALE----	231	-	-	2	-	-	3	-	7	5	4	8
FEMALE--	196	1	1	-	-	1	4	2	4	5	3	7
ALL OTHER--MALE----	25	-	-	-	-	1	-	-	1	2	1	-
FEMALE--	22	-	-	-	-	-	1	1	-	-	1	3
BLACK---MALE----	25	-	-	-	-	1	-	-	1	2	1	-
FEMALE--	21	-	-	-	-	-	1	1	-	-	1	3
MONTANA -----	75	-	1	-	-	-	-	-	-	1	-	3
WHITE-----MALE----	37	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	36	-	1	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	135	1	-	-	-	-	2	-	1	1	3	2
WHITE-----MALE----	63	-	-	-	-	-	1	-	1	-	1	-
FEMALE--	68	1	-	-	-	-	1	-	-	1	2	1
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA -----	139	-	1	-	2	1	2	2	1	2	3	5
WHITE-----MALE----	82	-	-	-	-	-	1	1	-	2	2	4
FEMALE--	49	-	1	-	-	1	-	1	1	-	1	1
ALL OTHER--MALE----	5	-	-	-	2	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	1	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 941  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 LEUKEMIA (204-208)												
MINNESOTA -----	5	11	26	29	40	65	45	49	23	12	1	-
WHITE-----MALE----	2	7	11	18	27	43	21	19	13	2	-	-
FEMALE--	3	3	15	11	12	22	24	30	10	9	1	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI -----	8	12	16	19	28	38	27	22	7	2	1	-
WHITE-----MALE----	4	8	8	8	12	17	10	4	4	-	-	-
FEMALE--	1	3	2	9	13	14	13	14	3	1	-	-
ALL OTHER--MALE----	2	1	4	1	2	3	2	4	-	1	1	-
FEMALE--	1	-	2	1	1	4	2	-	-	-	-	-
BLACK---MALE----	2	1	4	1	2	3	2	4	-	1	1	-
FEMALE--	1	-	2	1	1	4	2	-	-	-	-	-
MISSOURI -----	17	21	31	52	66	77	75	42	17	6	2	-
WHITE-----MALE----	6	5	17	29	38	46	33	18	9	1	-	-
FEMALE--	9	9	11	15	24	26	38	21	8	5	2	-
ALL OTHER--MALE----	2	3	3	6	1	2	1	2	-	-	-	-
FEMALE--	-	4	-	2	3	3	3	1	-	-	-	-
BLACK---MALE----	2	3	3	6	1	2	1	2	-	-	-	-
FEMALE--	-	4	-	2	3	2	3	1	-	-	-	-
MONTANA -----	1	3	8	7	13	8	13	11	4	2	-	-
WHITE-----MALE----	1	1	5	3	9	3	8	4	1	-	-	-
FEMALE--	-	2	3	3	4	5	5	7	3	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
NEBRASKA -----	7	4	6	12	24	20	26	14	7	5	-	-
WHITE-----MALE----	4	1	3	9	14	7	14	3	3	2	-	-
FEMALE--	3	3	3	3	8	13	12	10	4	3	-	-
ALL OTHER--MALE----	-	-	-	-	2	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	2	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA -----	10	6	9	18	28	21	15	9	4	-	-	-
WHITE-----MALE----	6	5	6	13	16	11	9	3	3	-	-	-
FEMALE--	4	1	3	5	9	10	5	5	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	2	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	2	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	1	-	-	-	-





TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 943

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 LEUKEMIA (204-208)												
OHIO -----	924	-	11	10	11	9	11	7	8	14	31	15
WHITE-----MALE----	456	-	4	7	7	4	5	5	3	9	19	10
FEMALE--	397	-	4	3	3	3	5	1	4	1	10	5
ALL OTHER--MALE----	44	-	1	-	1	2	1	1	1	3	1	-
FEMALE--	27	-	2	-	-	-	-	-	-	1	1	-
BLACK---MALE----	42	-	1	-	-	2	1	1	1	3	1	-
FEMALE--	27	-	2	-	-	-	-	-	-	1	1	-
OKLAHOMA -----	266	-	-	1	4	3	5	4	4	4	4	8
WHITE-----MALE----	144	-	-	-	1	2	2	4	2	2	2	5
FEMALE--	98	-	-	1	1	1	2	-	-	2	2	1
ALL OTHER--MALE----	12	-	-	-	1	-	-	-	-	-	-	1
FEMALE--	12	-	-	-	1	-	1	-	2	-	-	1
BLACK---MALE----	8	-	-	-	1	-	-	-	-	-	-	1
FEMALE--	5	-	-	-	-	-	1	-	-	-	-	-
OREGON -----	250	-	2	1	2	3	5	1	-	5	5	2
WHITE-----MALE----	145	-	2	1	1	1	2	1	-	4	1	1
FEMALE--	102	-	-	-	1	2	3	-	-	1	4	1
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	1,083	2	4	6	12	8	4	11	6	16	32	29
WHITE-----MALE----	544	2	2	3	3	5	2	4	3	11	17	9
FEMALE--	469	-	2	2	6	3	2	4	2	3	9	14
ALL OTHER--MALE----	41	-	-	-	1	-	-	2	1	2	3	4
FEMALE--	29	-	-	1	2	-	-	1	-	-	3	2
BLACK---MALE----	39	-	-	-	-	-	-	2	1	2	3	4
FEMALE--	27	-	-	1	2	-	-	1	-	-	2	2
RHODE ISLAND -----	88	1	1	-	-	1	1	-	1	1	3	5
WHITE-----MALE----	49	1	1	-	-	1	-	-	1	-	2	2
FEMALE--	36	-	-	-	-	-	-	-	-	1	1	3
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	302	-	-	5	6	2	6	4	7	4	3	7
WHITE-----MALE----	124	-	-	1	1	1	2	2	3	2	1	2
FEMALE--	106	-	-	2	1	-	2	1	-	1	1	2
ALL OTHER--MALE----	35	-	-	1	1	1	-	-	3	1	1	2
FEMALE--	37	-	-	1	3	-	2	1	1	-	-	1
BLACK---MALE----	34	-	-	1	1	1	-	-	3	1	1	2
FEMALE--	36	-	-	1	2	-	2	1	1	-	-	1



TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 943

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 LEUKEMIA (204-208)												
OHIO -----	34	33	65	92	141	140	169	75	40	7	1	-
WHITE-----MALE----	21	15	35	56	67	71	74	27	15	2	-	-
FEMALE--	9	16	22	28	64	61	85	45	22	5	1	-
ALL OTHER--MALE----	4	-	4	5	5	7	4	2	2	-	-	-
FEMALE--	-	2	4	3	5	1	6	1	1	-	-	-
BLACK---MALE----	4	-	4	5	5	6	4	2	2	-	-	-
FEMALE--	-	2	4	3	5	1	6	1	1	-	-	-
OKLAHOMA -----	6	13	19	34	37	52	26	24	17	-	1	-
WHITE-----MALE----	3	9	8	21	27	25	15	10	6	-	-	-
FEMALE--	1	2	8	12	7	24	11	13	9	-	1	-
ALL OTHER--MALE----	-	2	2	1	2	2	-	-	1	-	-	-
FEMALE--	2	-	1	-	1	1	-	1	1	-	-	-
BLACK---MALE----	-	2	1	-	1	2	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	1	1	-	-	-
OREGON -----	4	14	17	32	42	30	46	26	8	3	2	-
WHITE-----MALE----	2	8	13	24	27	19	21	12	4	1	-	-
FEMALE--	2	4	4	8	15	10	25	14	4	2	2	-
ALL OTHER--MALE----	-	2	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	35	46	52	104	176	188	179	102	50	18	2	1
WHITE-----MALE----	23	22	31	55	101	107	79	45	14	5	1	-
FEMALE--	10	18	19	42	66	73	91	54	36	12	1	-
ALL OTHER--MALE----	-	3	1	5	6	6	5	1	-	-	-	1
FEMALE--	2	3	1	2	3	2	4	2	-	1	-	-
BLACK---MALE----	-	3	1	5	6	5	5	1	-	-	-	1
FEMALE--	2	2	1	2	3	2	4	2	-	1	-	-
RHODE ISLAND -----	3	4	2	12	9	16	12	10	6	-	-	-
WHITE-----MALE----	3	4	1	8	5	8	6	4	2	-	-	-
FEMALE--	-	-	1	4	4	8	5	6	3	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
SOUTH CAROLINA -----	15	12	29	20	39	53	44	32	12	1	1	-
WHITE-----MALE----	5	8	14	8	15	23	21	11	4	-	-	-
FEMALE--	4	2	11	6	15	18	16	18	4	1	1	-
ALL OTHER--MALE----	3	1	2	4	3	4	5	2	1	-	-	-
FEMALE--	3	1	2	2	6	8	2	1	3	-	-	-
BLACK---MALE----	3	1	2	3	3	4	5	2	1	-	-	-
FEMALE--	3	1	2	2	6	8	2	1	3	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 944  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 LEUKEMIA (204-208)												
SOUTH DAKOTA -----	71	-	-	1	1	-	2	-	-	-	1	1
WHITE-----MALE----	38	-	-	1	-	-	2	-	-	-	1	1
FEMALE--	32	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	460	-	2	4	4	3	5	6	6	6	14	9
WHITE-----MALE----	213	-	1	1	1	3	2	3	2	4	7	2
FEMALE--	188	-	1	2	1	-	2	1	3	-	5	6
ALL OTHER--MALE----	31	-	-	-	1	-	1	2	1	2	-	1
FEMALE--	28	-	-	1	1	-	-	-	-	-	2	-
BLACK---MALE----	30	-	-	-	1	-	1	2	1	2	-	1
FEMALE--	28	-	-	1	1	-	-	-	-	-	2	-
TEXAS -----	1,238	1	11	13	10	22	21	20	19	30	36	39
WHITE-----MALE----	629	-	5	8	6	11	9	8	10	11	19	19
FEMALE--	469	1	5	3	3	8	8	7	7	10	9	17
ALL OTHER--MALE----	73	-	-	2	1	2	-	3	1	7	6	2
FEMALE--	67	-	1	-	-	1	4	2	1	2	2	1
BLACK---MALE----	67	-	-	2	1	2	-	3	-	7	5	2
FEMALE--	64	-	1	-	-	1	3	1	1	2	2	1
UTAH -----	102	-	-	3	3	1	-	2	2	5	4	2
WHITE-----MALE----	55	-	-	-	-	-	-	-	1	4	4	2
FEMALE--	44	-	-	2	3	1	-	2	1	1	-	-
ALL OTHER--MALE----	2	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	41	-	-	-	-	1	-	-	1	-	1	1
WHITE-----MALE----	26	-	-	-	-	1	-	-	-	-	1	1
FEMALE--	15	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	423	-	2	1	2	7	3	8	8	10	16	14
WHITE-----MALE----	188	-	-	1	-	4	-	2	2	4	6	6
FEMALE--	166	-	1	-	1	2	2	-	5	3	5	7
ALL OTHER--MALE----	39	-	-	-	-	-	1	4	1	3	4	1
FEMALE--	30	-	1	-	1	1	-	2	-	-	1	-
BLACK---MALE----	34	-	-	-	-	-	1	4	1	3	2	1
FEMALE--	30	-	1	-	1	1	-	2	-	-	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 944

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 LEUKEMIA (204-208)												
SOUTH DAKOTA -----	2	1	4	6	10	14	16	5	5	2	-	-
WHITE-----MALE----	2	-	2	2	5	10	6	1	3	2	-	-
FEMALE--	-	1	2	4	5	3	10	4	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	23	28	36	63	63	70	51	47	17	2	1	-
WHITE-----MALE----	17	12	18	39	30	31	23	14	2	1	-	-
FEMALE--	4	10	14	14	24	31	25	30	14	1	-	-
ALL OTHER--MALE----	1	4	1	4	3	7	1	1	1	-	-	-
FEMALE--	1	2	3	6	6	1	2	2	-	-	1	-
BLACK---MALE----	1	3	1	4	3	7	1	1	1	-	-	-
FEMALE--	1	2	3	6	6	1	2	2	-	-	1	-
TEXAS -----	47	58	82	113	185	179	171	114	56	10	1	-
WHITE-----MALE----	24	28	48	65	103	112	78	44	20	1	-	-
FEMALE--	17	19	26	35	66	53	73	62	30	9	1	-
ALL OTHER--MALE----	3	6	4	6	8	6	11	3	2	-	-	-
FEMALE--	3	5	4	7	8	8	9	5	4	-	-	-
BLACK---MALE----	2	6	3	5	8	6	11	3	1	-	-	-
FEMALE--	3	5	4	7	7	8	9	5	4	-	-	-
UTAH -----	1	3	2	9	19	17	11	10	5	3	-	-
WHITE-----MALE----	1	3	2	3	13	12	4	3	3	-	-	-
FEMALE--	-	-	-	5	6	4	7	7	2	3	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	1	1	10	5	10	5	4	1	-	-	-
WHITE-----MALE----	-	1	1	8	2	5	3	2	1	-	-	-
FEMALE--	-	-	-	2	3	5	2	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	15	21	33	44	53	62	45	56	20	3	-	-
WHITE-----MALE----	4	11	16	24	30	31	22	19	5	1	-	-
FEMALE--	7	8	8	14	18	25	18	28	13	1	-	-
ALL OTHER--MALE----	2	1	7	2	1	6	2	3	1	-	-	-
FEMALE--	2	1	2	4	4	-	3	6	1	1	-	-
BLACK---MALE----	2	1	6	2	-	5	2	3	1	-	-	-
FEMALE--	2	1	2	4	4	-	3	6	1	1	-	-





TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 946

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 LYMPHOID LEUKEMIA (204)												
UNITED STATES --	5,882	8	39	78	99	92	95	51	67	70	103	119
WHITE-----MALE----	3,095	4	15	40	53	60	62	29	30	33	59	61
FEMALE--	2,225	3	17	28	34	22	27	12	27	19	25	43
ALL OTHER--MALE----	310	1	5	8	9	7	3	4	6	9	10	10
FEMALE--	252	-	2	2	3	3	3	6	4	9	9	5
BLACK---MALE----	279	1	4	8	4	6	3	3	6	7	8	8
FEMALE--	215	-	2	1	1	3	3	4	2	6	7	3
ALABAMA -----	102	-	1	4	1	-	-	-	6	-	1	2
WHITE-----MALE----	43	-	1	-	1	-	-	-	2	-	-	1
FEMALE--	34	-	-	1	-	-	-	-	2	-	-	1
ALL OTHER--MALE----	18	-	-	3	-	-	-	-	1	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	1	-	1	-
BLACK---MALE----	18	-	-	3	-	-	-	-	1	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	1	-	1	-
ALASKA -----	6	-	-	-	1	-	-	-	-	-	-	-
WHITE-----MALE----	5	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	94	-	1	5	-	2	-	1	-	3	2	3
WHITE-----MALE----	52	-	-	2	-	2	-	1	-	1	1	1
FEMALE--	37	-	1	2	-	-	-	-	-	1	1	1
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	2	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	62	-	1	-	1	-	2	-	-	1	-	-
WHITE-----MALE----	35	-	-	-	1	-	2	-	-	1	-	-
FEMALE--	19	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	549	1	5	11	19	11	21	6	9	11	19	15
WHITE-----MALE----	277	1	2	8	7	8	16	3	4	4	12	6
FEMALE--	211	-	2	3	8	2	5	2	3	5	4	8
ALL OTHER--MALE----	31	-	1	-	3	1	-	-	1	2	2	1
FEMALE--	30	-	-	-	1	-	-	1	1	-	1	-
BLACK---MALE----	21	-	-	-	2	1	-	-	1	1	1	1
FEMALE--	11	-	-	-	-	-	-	-	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 946

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 LYMPHOID LEUKEMIA (204)												
UNITED STATES --	157	241	359	573	777	914	885	676	351	111	16	1
WHITE-----MALE----	87	128	201	343	473	541	437	290	120	26	3	-
FEMALE--	47	72	102	170	237	312	384	353	205	75	11	-
ALL OTHER--MALE----	14	26	31	40	39	24	31	16	10	6	-	1
FEMALE--	9	15	25	20	28	37	33	17	16	4	2	-
BLACK---MALE----	14	24	31	34	39	21	30	14	7	6	-	1
FEMALE--	7	13	22	16	26	32	33	15	16	2	1	-
ALABAMA -----	2	2	10	10	23	14	8	8	8	2	-	-
WHITE-----MALE----	1	1	3	5	9	4	4	6	4	1	-	-
FEMALE--	1	-	2	2	10	9	4	1	1	-	-	-
ALL OTHER--MALE----	-	1	4	3	3	-	-	1	1	1	-	-
FEMALE--	-	-	1	-	1	1	-	-	2	-	-	-
BLACK---MALE----	-	1	4	3	3	-	-	1	1	1	-	-
FEMALE--	-	-	1	-	1	1	-	-	2	-	-	-
ALASKA -----	1	1	-	-	-	-	1	2	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	1	2	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	2	6	5	5	18	13	16	10	2	-	-	-
WHITE-----MALE----	-	4	3	5	11	9	8	4	-	-	-	-
FEMALE--	2	1	2	-	7	4	7	6	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	5	4	5	5	8	8	15	2	4	1	-	-
WHITE-----MALE----	3	1	4	4	6	6	6	-	1	-	-	-
FEMALE--	-	1	-	-	2	1	8	2	3	1	-	-
ALL OTHER--MALE----	2	1	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	1	1	1	-	-	1	-	-	-	-	-
BLACK---MALE----	2	1	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	1	1	1	-	-	1	-	-	-	-	-
CALIFORNIA -----	11	26	29	49	61	86	69	49	27	12	2	-
WHITE-----MALE----	7	12	16	30	33	48	32	20	6	2	-	-
FEMALE--	3	9	9	10	23	29	33	26	18	8	1	-
ALL OTHER--MALE----	-	3	2	6	4	2	2	-	1	-	-	-
FEMALE--	1	2	2	3	1	7	2	3	2	2	1	-
BLACK---MALE----	-	2	2	4	4	-	1	-	1	-	-	-
FEMALE--	-	1	1	-	-	3	2	1	2	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 947  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 LYMPHOID LEUKEMIA (204)												
COLORADO -----	82	1	-	1	1	1	4	3	1	2	-	1
WHITE-----MALE----	48	1	-	1	-	1	4	2	-	1	-	-
FEMALE--	31	-	-	-	1	-	-	1	1	1	-	1
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	60	-	1	2	-	-	-	-	1	1	1	1
WHITE-----MALE----	30	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	25	-	1	2	-	-	-	-	1	-	1	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	14	-	-	-	-	2	1	-	1	-	-	1
WHITE-----MALE----	8	-	-	-	-	2	1	-	-	-	-	1
FEMALE--	6	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	10	-	-	-	-	-	1	-	-	-	-	-
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	390	-	2	5	7	5	3	2	4	3	4	9
WHITE-----MALE----	221	-	-	3	4	3	1	2	3	3	3	5
FEMALE--	151	-	1	1	2	2	2	-	1	-	-	4
ALL OTHER--MALE----	10	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	1	1	-	-	-	-	-	1	-
BLACK---MALE----	10	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	1	1	-	-	-	-	-	1	-
GEORGIA -----	135	-	2	1	4	3	1	-	-	4	3	7
WHITE-----MALE----	57	-	-	-	3	2	1	-	-	1	2	3
FEMALE--	45	-	1	1	-	1	-	-	-	1	-	2
ALL OTHER--MALE----	21	-	1	-	1	-	-	-	-	1	1	2
FEMALE--	12	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	21	-	1	-	1	-	-	-	-	1	1	2
FEMALE--	12	-	-	-	-	-	-	-	-	1	-	-



TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 947  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 LYMPHOID LEUKEMIA (204)												
COLORADO -----	2	5	8	8	8	14	9	8	2	3	-	-
WHITE-----MALE----	1	3	6	5	5	8	5	4	-	1	-	-
FEMALE--	1	2	2	3	2	6	4	3	1	2	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
CONNECTICUT -----	5	1	4	3	11	14	8	6	1	-	-	-
WHITE-----MALE----	4	1	-	1	6	8	5	4	-	-	-	-
FEMALE--	1	-	3	1	4	5	3	2	1	-	-	-
ALL OTHER--MALE----	-	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	1	-	-	-	-	-	-
DELAWARE -----	-	-	1	2	2	2	1	1	-	-	-	-
WHITE-----MALE----	-	-	1	1	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	1	2	1	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	-	-	1	-	-	1	3	3	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	1	2	2	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	1	2	2	-	-	-	-
FLORIDA -----	9	9	18	51	57	66	69	40	18	8	1	-
WHITE-----MALE----	3	5	12	32	35	41	37	18	9	1	1	-
FEMALE--	5	3	4	17	18	24	29	22	9	7	-	-
ALL OTHER--MALE----	-	-	2	1	3	1	2	-	-	-	-	-
FEMALE--	1	1	-	1	1	-	1	-	-	-	-	-
BLACK---MALE----	-	-	2	1	3	1	2	-	-	-	-	-
FEMALE--	1	1	-	1	1	-	1	-	-	-	-	-
GEORGIA -----	4	6	11	12	17	14	15	22	6	3	-	-
WHITE-----MALE----	3	5	5	7	5	10	3	5	2	-	-	-
FEMALE--	-	-	1	4	6	4	7	11	4	2	-	-
ALL OTHER--MALE----	1	1	4	-	3	-	3	2	-	1	-	-
FEMALE--	-	-	1	1	3	-	2	4	-	-	-	-
BLACK---MALE----	1	1	4	-	3	-	3	2	-	1	-	-
FEMALE--	-	-	1	1	3	-	2	4	-	-	-	-



TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 948  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 LYMPHOID LEUKEMIA (204)												
HAWAII -----	1	1	1	2	2	-	1	2	-	-	-	-
WHITE-----MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	1	1	-	1	-	1	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	2	-	1	2	1	5	4	3	5	-	-	-
WHITE-----MALE----	2	-	1	2	1	4	3	1	3	-	-	-
FEMALE--	-	-	-	-	-	1	1	2	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	4	10	17	21	27	42	40	39	17	4	-	-
WHITE-----MALE----	1	4	10	10	12	23	22	17	5	1	-	-
FEMALE--	1	4	4	7	13	15	15	21	11	2	-	-
ALL OTHER--MALE----	1	1	3	1	-	2	1	-	-	1	-	-
FEMALE--	1	1	-	3	2	2	2	1	1	-	-	-
BLACK---MALE----	1	1	3	1	-	2	1	-	-	1	-	-
FEMALE--	1	1	-	3	2	1	2	1	1	-	-	-
INDIANA -----	7	3	4	17	18	23	24	13	7	2	2	-
WHITE-----MALE----	5	2	-	10	11	10	9	5	2	1	-	-
FEMALE--	1	1	4	6	5	12	14	8	5	1	2	-
ALL OTHER--MALE----	1	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	1	-	-	-	-	-
BLACK---MALE----	1	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	1	-	-	-	-	-
IOWA -----	2	5	7	6	12	19	20	7	11	5	-	-
WHITE-----MALE----	2	5	4	6	9	13	12	5	5	-	-	-
FEMALE--	-	-	2	-	3	6	8	2	6	5	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
KANSAS -----	1	7	2	5	7	11	8	15	1	-	-	-
WHITE-----MALE----	1	5	1	2	5	7	6	7	-	-	-	-
FEMALE--	-	1	1	2	2	4	1	6	1	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	1	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	2	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	1	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	2	-	-	-	-



TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 949  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 LYMPHOID LEUKEMIA (204)												
KENTUCKY -----	1	6	7	7	14	8	11	10	3	-	-	-
WHITE-----MALE----	1	3	4	5	10	5	4	6	3	-	-	-
FEMALE--	-	3	2	2	4	3	6	4	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	1	-	-	-	-	-
LOUISIANA -----	2	7	7	9	5	9	11	14	6	3	1	-
WHITE-----MALE----	-	-	2	7	3	4	7	3	1	-	-	-
FEMALE--	-	-	3	-	1	1	2	10	2	1	1	-
ALL OTHER--MALE----	1	2	2	1	1	2	-	-	1	1	-	-
FEMALE--	1	-	-	1	-	2	2	1	2	1	-	-
BLACK---MALE----	1	2	2	1	1	2	-	-	1	1	-	-
FEMALE--	1	-	-	1	-	2	2	1	2	1	-	-
MAINE -----	-	1	1	3	5	5	3	4	5	-	-	-
WHITE-----MALE----	-	-	-	2	2	2	3	2	-	-	-	-
FEMALE--	-	1	1	1	3	3	-	2	5	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	1	9	9	10	17	17	21	3	6	2	-	-
WHITE-----MALE----	-	5	5	4	7	13	12	1	1	-	-	-
FEMALE--	-	1	-	5	6	3	7	2	4	1	-	-
ALL OTHER--MALE----	-	-	2	1	3	1	1	-	1	1	-	-
FEMALE--	1	3	2	-	1	-	1	-	-	-	-	-
BLACK---MALE----	-	-	2	-	3	1	1	-	1	1	-	-
FEMALE--	1	3	2	-	1	-	1	-	-	-	-	-
MASSACHUSETTS -----	2	3	7	11	17	20	18	19	5	3	-	-
WHITE-----MALE----	1	1	2	7	13	12	6	9	-	1	-	-
FEMALE--	1	2	5	4	4	7	12	10	4	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	5	11	16	24	35	27	29	30	18	7	-	-
WHITE-----MALE----	1	6	7	12	23	11	15	16	4	1	-	-
FEMALE--	4	3	5	9	10	13	10	14	9	6	-	-
ALL OTHER--MALE----	-	1	2	2	2	1	2	-	2	-	-	-
FEMALE--	-	1	2	1	-	2	2	-	3	-	-	-
BLACK---MALE----	-	1	2	2	2	1	2	-	1	-	-	-
FEMALE--	-	1	2	1	-	2	2	-	3	-	-	-



TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 950

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 LYMPHOID LEUKEMIA (204)												
MINNESOTA -----	-	3	8	11	13	18	15	13	12	7	1	-
WHITE-----MALE----	-	2	4	8	11	16	6	9	6	1	-	-
FEMALE--	-	1	4	3	2	2	9	4	6	6	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI -----	2	3	3	7	4	9	9	7	3	1	-	-
WHITE-----MALE----	2	2	2	3	2	5	2	1	1	-	-	-
FEMALE--	-	1	-	4	1	2	5	4	2	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	1	1	2	-	1	-	-
FEMALE--	-	-	-	-	1	1	1	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	1	1	2	-	1	-	-
FEMALE--	-	-	-	-	1	1	1	-	-	-	-	-
MISSOURI -----	6	4	4	14	18	34	20	17	4	3	1	-
WHITE-----MALE----	3	1	3	6	11	24	11	6	3	1	-	-
FEMALE--	2	1	1	5	7	8	9	9	1	2	1	-
ALL OTHER--MALE----	1	1	-	3	-	1	-	2	-	-	-	-
FEMALE--	-	1	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	1	1	-	3	-	1	-	2	-	-	-	-
FEMALE--	-	1	-	-	-	1	-	-	-	-	-	-
MONTANA -----	1	-	-	-	3	2	1	5	2	1	-	-
WHITE-----MALE----	1	-	-	-	2	-	1	4	-	-	-	-
FEMALE--	-	-	-	-	1	2	-	1	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	1	2	1	3	8	7	11	3	3	3	-	-
WHITE-----MALE----	1	1	1	2	5	2	5	2	1	1	-	-
FEMALE--	-	1	-	1	3	5	6	1	2	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA -----	3	1	1	7	4	6	3	4	2	-	-	-
WHITE-----MALE----	2	1	1	6	2	3	1	1	2	-	-	-
FEMALE--	1	-	-	1	1	3	2	3	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-







TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 952  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 LYMPHOID LEUKEMIA (204)												
OHIO -----	266	-	2	7	7	3	6	2	-	1	4	4
WHITE-----MALE----	142	-	-	4	5	1	3	2	-	1	3	3
FEMALE--	105	-	2	3	2	1	2	-	-	-	1	1
ALL OTHER--MALE----	12	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	12	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA -----	65	-	-	1	2	1	2	-	1	-	2	1
WHITE-----MALE----	34	-	-	-	-	1	1	-	-	-	2	-
FEMALE--	23	-	-	1	1	-	1	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	1	-	-	-	1	-	-	1
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	88	-	-	1	2	3	1	-	-	-	1	-
WHITE-----MALE----	56	-	-	1	1	1	1	-	-	-	-	-
FEMALE--	32	-	-	-	1	2	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	318	-	2	3	7	3	1	5	2	4	7	6
WHITE-----MALE----	156	-	1	1	2	2	1	2	1	3	3	3
FEMALE--	146	-	1	2	4	1	-	2	1	-	3	3
ALL OTHER--MALE----	13	-	-	-	1	-	-	1	-	1	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	12	-	-	-	-	-	-	1	-	1	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	1	-
RHODE ISLAND -----	26	-	-	-	-	-	-	-	1	-	-	2
WHITE-----MALE----	13	-	-	-	-	-	-	-	1	-	-	1
FEMALE--	13	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	89	-	-	1	1	1	2	3	-	-	2	4
WHITE-----MALE----	33	-	-	-	1	-	1	1	-	-	1	1
FEMALE--	28	-	-	1	-	-	-	1	-	-	-	2
ALL OTHER--MALE----	12	-	-	-	-	1	-	-	-	-	1	1
FEMALE--	16	-	-	-	-	-	1	1	-	-	-	-
BLACK---MALE----	12	-	-	-	-	1	-	-	-	-	1	1
FEMALE--	16	-	-	-	-	-	1	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 952

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 LYMPHOID LEUKEMIA (204)												
OHIO -----	11	5	12	27	42	40	45	29	17	1	1	-
WHITE-----MALE----	6	3	5	22	24	22	20	11	7	-	-	-
FEMALE--	2	1	4	4	16	16	21	17	10	1	1	-
ALL OTHER--MALE----	3	-	1	-	1	2	2	1	-	-	-	-
FEMALE--	-	1	2	1	1	-	2	-	-	-	-	-
BLACK---MALE----	3	-	1	-	1	2	2	1	-	-	-	-
FEMALE--	-	1	2	1	1	-	2	-	-	-	-	-
OKLAHOMA -----	-	4	4	5	8	10	8	7	8	-	1	-
WHITE-----MALE----	-	1	2	2	6	6	5	3	5	-	-	-
FEMALE--	-	2	1	2	1	4	3	4	2	-	1	-
ALL OTHER--MALE----	-	1	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	1	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
OREGON -----	2	4	6	8	10	12	17	13	6	2	-	-
WHITE-----MALE----	1	3	4	6	8	10	9	7	3	1	-	-
FEMALE--	1	1	2	2	2	2	8	6	3	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	8	11	12	32	40	45	53	42	20	14	-	1
WHITE-----MALE----	5	3	7	16	22	30	25	19	5	5	-	-
FEMALE--	2	7	5	14	14	15	26	22	15	9	-	-
ALL OTHER--MALE----	-	1	-	2	3	-	2	1	-	-	-	1
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	2	3	-	2	1	-	-	-	1
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-
RHODE ISLAND -----	1	2	-	5	3	5	3	2	2	-	-	-
WHITE-----MALE----	1	2	-	3	1	2	-	2	-	-	-	-
FEMALE--	-	-	-	2	2	3	-	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	3	4	7	6	7	20	15	11	1	-	1	-
WHITE-----MALE----	2	3	2	1	2	9	5	4	-	-	-	-
FEMALE--	-	-	2	2	2	5	6	5	1	-	1	-
ALL OTHER--MALE----	1	1	1	2	1	-	2	1	-	-	-	-
FEMALE--	-	-	2	1	2	6	2	1	-	-	-	-
BLACK---MALE----	1	1	1	2	1	-	2	1	-	-	-	-
FEMALE--	-	-	2	1	2	6	2	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 953

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 LYMPHOID LEUKEMIA (204)												
SOUTH DAKOTA -----	29	-	-	-	-	-	1	-	-	-	-	-
WHITE-----MALE----	13	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	16	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	149	-	-	2	3	-	1	1	2	1	3	-
WHITE-----MALE----	72	-	-	-	1	-	1	1	-	1	2	-
FEMALE--	59	-	-	2	1	-	-	-	1	-	1	-
ALL OTHER--MALE----	13	-	-	-	1	-	-	-	1	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	12	-	-	-	1	-	-	-	1	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
TEXAS -----	393	-	4	6	7	11	12	2	3	4	6	8
WHITE-----MALE----	215	-	3	4	6	7	6	1	2	2	5	3
FEMALE--	132	-	1	1	1	3	5	1	1	1	-	4
ALL OTHER--MALE----	24	-	-	1	-	1	-	-	-	1	1	1
FEMALE--	22	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	23	-	-	1	-	1	-	-	-	1	1	1
FEMALE--	22	-	-	-	-	-	1	-	-	-	-	-
UTAH -----	35	-	-	2	1	1	-	2	-	1	-	1
WHITE-----MALE----	18	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	17	-	-	2	1	1	-	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	14	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	7	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	106	-	1	-	-	4	1	2	3	2	1	3
WHITE-----MALE----	55	-	-	-	-	3	-	-	2	-	1	1
FEMALE--	36	-	1	-	-	1	1	-	1	1	-	1
ALL OTHER--MALE----	10	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	5	-	-	-	-	-	-	2	-	-	-	-
BLACK---MALE----	10	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	5	-	-	-	-	-	-	2	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 953

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 LYMPHOID LEUKEMIA (204)												
SOUTH DAKOTA -----	1	1	1	-	6	3	9	4	2	1	-	-
WHITE-----MALE----	1	-	-	-	4	2	2	1	1	1	-	-
FEMALE--	-	1	1	-	2	1	7	3	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	6	9	10	19	20	26	13	21	10	1	1	-
WHITE-----MALE----	5	2	5	13	13	10	9	6	2	1	-	-
FEMALE--	1	3	5	4	3	12	3	15	8	-	-	-
ALL OTHER--MALE----	-	4	-	1	3	3	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	1	1	-	-	-	1	-
BLACK---MALE----	-	3	-	1	3	3	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	1	1	-	-	-	1	-
TEXAS -----	7	9	31	36	51	59	62	46	24	4	1	-
WHITE-----MALE----	3	5	21	23	33	35	29	21	6	-	-	-
FEMALE--	4	3	4	8	12	18	22	24	14	4	1	-
ALL OTHER--MALE----	-	1	3	2	3	2	6	-	2	-	-	-
FEMALE--	-	-	3	3	3	4	5	1	2	-	-	-
BLACK---MALE----	-	1	3	2	3	2	6	-	1	-	-	-
FEMALE--	-	-	3	3	3	4	5	1	2	-	-	-
UTAH -----	-	-	-	3	9	4	6	3	2	-	-	-
WHITE-----MALE----	-	-	-	1	7	3	2	2	1	-	-	-
FEMALE--	-	-	-	2	2	1	4	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	1	-	3	2	4	3	1	-	-	-	-
WHITE-----MALE----	-	1	-	2	1	2	1	-	-	-	-	-
FEMALE--	-	-	-	1	1	2	2	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	7	5	10	11	13	15	8	11	9	-	-	-
WHITE-----MALE----	2	3	4	7	11	10	4	5	2	-	-	-
FEMALE--	3	1	3	4	2	3	4	5	5	-	-	-
ALL OTHER--MALE----	1	1	2	-	-	2	-	1	1	-	-	-
FEMALE--	1	-	1	-	-	-	-	-	1	-	-	-
BLACK---MALE----	1	1	2	-	-	2	-	1	1	-	-	-
FEMALE--	1	-	1	-	-	-	-	-	1	-	-	-





TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 955

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 MYELOID LEUKEMIA (205)												
UNITED STATES --	9,074	8	47	45	55	78	109	122	156	223	326	365
WHITE-----MALE----	4,379	4	17	23	19	36	45	54	69	100	144	154
FEMALE--	3,698	4	22	13	21	29	43	34	54	72	127	141
ALL OTHER--MALE----	527	-	4	3	6	8	12	20	21	38	32	38
FEMALE--	470	-	4	6	9	5	9	14	12	13	23	32
BLACK---MALE----	418	-	4	3	3	6	11	18	20	33	26	31
FEMALE--	382	-	3	4	7	3	7	7	10	13	19	29
ALABAMA -----	137	-	-	-	1	4	-	1	4	1	9	6
WHITE-----MALE----	56	-	-	-	-	1	-	1	-	-	6	2
FEMALE--	59	-	-	-	-	3	-	-	3	1	1	-
ALL OTHER--MALE----	12	-	-	-	-	-	-	-	1	-	-	3
FEMALE--	10	-	-	-	1	-	-	-	-	-	2	1
BLACK---MALE----	12	-	-	-	-	-	-	-	1	-	-	3
FEMALE--	10	-	-	-	1	-	-	-	-	-	2	1
ALASKA -----	15	-	-	-	1	-	-	-	1	-	3	2
WHITE-----MALE----	6	-	-	-	1	-	-	-	1	-	-	1
FEMALE--	5	-	-	-	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	138	-	-	-	1	1	2	5	3	4	5	7
WHITE-----MALE----	71	-	-	-	-	-	1	1	2	3	2	3
FEMALE--	57	-	-	-	-	1	2	2	1	1	2	3
ALL OTHER--MALE----	6	-	-	-	1	-	-	-	-	-	-	1
FEMALE--	4	-	-	-	-	-	-	2	-	-	1	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	1	-
ARKANSAS -----	81	-	-	-	-	3	1	-	2	1	1	1
WHITE-----MALE----	47	-	-	-	-	1	-	-	2	1	1	-
FEMALE--	28	-	-	-	-	1	1	-	-	-	-	1
ALL OTHER--MALE----	2	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	974	2	6	11	5	13	8	15	15	22	39	47
WHITE-----MALE----	462	-	2	6	2	5	4	6	7	9	18	18
FEMALE--	374	2	3	3	3	6	3	4	5	6	15	19
ALL OTHER--MALE----	74	-	-	1	-	1	1	-	1	6	4	7
FEMALE--	64	-	1	1	-	1	-	5	2	1	2	3
BLACK---MALE----	28	-	-	1	-	-	-	-	1	3	2	4
FEMALE--	28	-	1	-	-	-	-	2	2	1	-	3



TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 955  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 MYELOID LEUKEMIA (205)												
UNITED STATES --	428	514	680	952	1,386	1,433	1,172	678	239	49	9	-
WHITE-----MALE----	205	253	337	532	737	730	570	257	79	12	2	-
FEMALE--	158	178	257	332	538	605	524	368	142	29	7	-
ALL OTHER--MALE----	35	40	45	44	58	56	35	24	7	1	-	-
FEMALE--	30	43	41	44	53	42	43	29	11	7	-	-
BLACK---MALE----	25	34	34	36	40	43	26	19	5	1	-	-
FEMALE--	20	32	33	34	45	35	39	25	10	7	-	-
ALABAMA -----	7	8	9	16	20	19	20	7	4	1	-	-
WHITE-----MALE----	3	2	5	6	11	8	10	1	-	-	-	-
FEMALE--	2	6	3	6	7	10	10	4	3	-	-	-
ALL OTHER--MALE----	2	-	-	2	1	1	-	1	-	1	-	-
FEMALE--	-	-	1	2	1	-	-	1	1	-	-	-
BLACK---MALE----	2	-	-	2	1	1	-	1	-	1	-	-
FEMALE--	-	-	1	2	1	-	-	1	1	-	-	-
ALASKA -----	-	1	-	-	-	3	3	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	2	1	-	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	10	7	8	10	18	25	18	8	6	-	-	-
WHITE-----MALE----	7	6	2	4	9	14	10	5	2	-	-	-
FEMALE--	3	1	5	6	7	11	6	3	4	-	-	-
ALL OTHER--MALE----	-	-	1	-	1	-	2	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
ARKANSAS -----	7	6	7	11	8	15	12	5	1	-	-	-
WHITE-----MALE----	6	2	4	9	4	10	5	1	1	-	-	-
FEMALE--	1	2	3	2	3	4	7	3	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	1	1	-	1	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	1	1	-	1	-	-	-	-
CALIFORNIA -----	43	61	69	90	139	161	117	75	29	6	1	-
WHITE-----MALE----	17	26	36	43	76	80	64	27	12	3	1	-
FEMALE--	16	19	21	32	49	65	43	43	14	3	-	-
ALL OTHER--MALE----	8	4	4	7	10	9	6	3	2	-	-	-
FEMALE--	2	12	8	8	4	7	4	2	1	-	-	-
BLACK---MALE----	2	2	2	2	2	2	3	1	1	-	-	-
FEMALE--	-	6	4	2	-	3	2	1	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 956

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 MYELOID LEUKEMIA (205)												
COLORADO -----	125	-	1	-	2	-	-	3	2	3	4	5
WHITE-----MALE----	59	-	-	-	-	-	-	1	-	2	2	3
FEMALE--	64	-	1	-	2	-	-	2	2	1	1	2
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
CONNECTICUT -----	121	-	1	1	1	-	2	-	4	3	8	3
WHITE-----MALE----	62	-	-	-	1	-	2	-	2	1	3	-
FEMALE--	56	-	1	1	-	-	-	-	2	1	5	3
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	22	-	-	-	1	-	-	1	-	-	-	2
WHITE-----MALE----	15	-	-	-	1	-	-	1	-	-	-	1
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	11	-	-	-	-	-	-	-	1	-	-	-
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	1	-	-	-
FLORIDA -----	642	-	-	1	2	3	3	2	9	21	14	17
WHITE-----MALE----	319	-	-	1	-	1	1	2	4	12	5	6
FEMALE--	273	-	-	-	2	1	2	-	3	4	8	6
ALL OTHER--MALE----	23	-	-	-	-	-	-	-	1	3	1	3
FEMALE--	27	-	-	-	-	1	-	-	1	2	-	2
BLACK---MALE----	22	-	-	-	-	-	-	-	1	2	1	3
FEMALE--	25	-	-	-	-	-	-	-	1	2	-	2
GEORGIA -----	202	1	1	1	4	4	3	3	7	5	8	6
WHITE-----MALE----	94	1	-	1	2	2	1	2	3	-	2	6
FEMALE--	75	-	1	-	-	2	1	1	1	3	-	-
ALL OTHER--MALE----	18	-	-	-	1	-	1	-	3	1	1	-
FEMALE--	15	-	-	-	1	-	-	-	-	1	5	-
BLACK---MALE----	17	-	-	-	1	-	1	-	3	1	1	-
FEMALE--	15	-	-	-	1	-	-	-	-	1	5	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 956

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 MYELOID LEUKEMIA (205)												
COLORADO -----	10	10	7	9	17	20	13	15	3	1	-	-
WHITE-----MALE----	6	5	1	3	11	12	6	7	-	-	-	-
FEMALE--	4	5	6	6	5	8	7	8	3	1	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	7	7	11	10	19	21	13	5	2	3	-	-
WHITE-----MALE----	2	3	7	7	12	15	3	1	2	1	-	-
FEMALE--	5	3	4	2	7	6	10	4	-	2	-	-
ALL OTHER--MALE----	-	1	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	2	2	2	3	3	1	2	3	-	-	-	-
WHITE-----MALE----	2	2	-	2	2	-	2	2	-	-	-	-
FEMALE--	-	-	2	1	1	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
DISTRICT OF COLUMBIA ----	1	1	-	3	-	3	1	1	-	-	-	-
WHITE-----MALE----	-	-	-	2	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	1	-	-	-	2	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	1	-	-	-	-
BLACK---MALE----	1	1	-	-	-	2	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	1	-	-	-	-
FLORIDA -----	28	40	52	53	103	113	99	65	16	1	-	-
WHITE-----MALE----	14	19	26	29	53	57	58	23	7	1	-	-
FEMALE--	8	17	21	21	43	52	37	39	9	-	-	-
ALL OTHER--MALE----	1	3	3	2	1	1	3	1	-	-	-	-
FEMALE--	5	1	2	1	6	3	1	2	-	-	-	-
BLACK---MALE----	1	3	3	2	1	1	3	1	-	-	-	-
FEMALE--	5	1	1	1	6	3	1	2	-	-	-	-
GEORGIA -----	12	12	16	24	24	25	23	15	5	3	-	-
WHITE-----MALE----	7	3	11	16	9	11	12	4	-	1	-	-
FEMALE--	4	6	4	6	13	10	9	8	4	2	-	-
ALL OTHER--MALE----	-	2	1	2	1	2	1	2	-	-	-	-
FEMALE--	1	1	-	-	1	2	1	1	1	-	-	-
BLACK---MALE----	-	2	1	2	1	2	1	1	-	-	-	-
FEMALE--	1	1	-	-	1	2	1	1	1	-	-	-





TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 958

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 MYELOID LEUKEMIA (205)												
KENTUCKY -----	122	-	-	-	1	-	4	2	1	-	1	6
WHITE-----MALE----	66	-	-	-	1	-	2	1	1	-	-	-
FEMALE--	45	-	-	-	-	-	2	1	-	-	1	5
ALL OTHER--MALE----	7	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	7	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	1
LOUISIANA -----	132	-	1	1	-	1	1	4	2	6	2	5
WHITE-----MALE----	57	-	-	1	-	1	1	2	2	1	1	-
FEMALE--	44	-	-	-	-	-	-	1	-	3	1	2
ALL OTHER--MALE----	19	-	1	-	-	-	-	1	-	2	-	2
FEMALE--	12	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	18	-	1	-	-	-	-	1	-	2	-	2
FEMALE--	12	-	-	-	-	-	-	-	-	-	-	1
MAINE -----	51	1	-	-	-	-	2	2	-	3	1	5
WHITE-----MALE----	30	-	-	-	-	-	2	1	-	2	-	3
FEMALE--	21	1	-	-	-	-	-	1	-	1	1	2
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	151	2	3	-	1	1	2	3	5	7	8	11
WHITE-----MALE----	57	1	1	-	1	-	1	-	2	1	1	3
FEMALE--	62	1	2	-	-	-	-	1	1	4	3	2
ALL OTHER--MALE----	17	-	-	-	-	1	1	1	1	1	4	2
FEMALE--	15	-	-	-	-	-	-	1	1	1	-	4
BLACK---MALE----	17	-	-	-	-	1	1	1	1	1	4	2
FEMALE--	14	-	-	-	-	-	-	1	-	1	-	4
MASSACHUSETTS -----	203	-	-	-	-	1	2	4	-	4	5	10
WHITE-----MALE----	111	-	-	-	-	1	1	2	-	2	1	6
FEMALE--	82	-	-	-	-	-	1	2	-	2	4	4
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	307	-	2	-	2	1	1	2	5	3	15	13
WHITE-----MALE----	140	-	1	-	2	1	-	1	3	-	4	5
FEMALE--	126	-	1	-	-	-	-	1	1	2	6	4
ALL OTHER--MALE----	25	-	-	-	-	-	-	-	1	1	3	2
FEMALE--	16	-	-	-	-	-	1	-	-	-	2	2
BLACK---MALE----	23	-	-	-	-	-	-	-	1	1	3	1
FEMALE--	16	-	-	-	-	-	1	-	-	-	2	2

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 958

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 MYELOID LEUKEMIA (205)												
KENTUCKY -----	5	12	8	17	22	15	17	5	4	2	-	-
WHITE-----MALE----	2	8	7	10	14	8	6	4	1	1	-	-
FEMALE--	2	3	1	4	5	7	9	1	3	1	-	-
ALL OTHER--MALE----	-	1	-	1	3	-	2	-	-	-	-	-
FEMALE--	1	-	-	2	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	1	3	-	2	-	-	-	-	-
FEMALE--	1	-	-	2	-	-	-	-	-	-	-	-
LOUISIANA -----	5	5	12	13	15	27	16	13	3	-	-	-
WHITE-----MALE----	2	2	3	5	9	13	7	7	-	-	-	-
FEMALE--	3	1	4	5	6	9	5	3	1	-	-	-
ALL OTHER--MALE----	-	2	3	1	-	2	1	2	2	-	-	-
FEMALE--	-	-	2	2	-	3	3	1	-	-	-	-
BLACK---MALE----	-	2	3	1	-	1	1	2	2	-	-	-
FEMALE--	-	-	2	2	-	3	3	1	-	-	-	-
MAINE -----	-	1	3	3	7	7	10	4	2	-	-	-
WHITE-----MALE----	-	1	2	1	7	5	3	2	1	-	-	-
FEMALE--	-	-	1	2	-	2	7	2	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	6	8	13	16	19	22	12	10	-	2	-	-
WHITE-----MALE----	3	3	5	8	9	10	5	3	-	-	-	-
FEMALE--	2	3	5	6	10	10	5	7	-	-	-	-
ALL OTHER--MALE----	1	1	1	2	-	1	-	-	-	-	-	-
FEMALE--	-	1	2	-	-	1	2	-	-	2	-	-
BLACK---MALE----	1	1	1	2	-	1	-	-	-	-	-	-
FEMALE--	-	1	2	-	-	1	2	-	-	2	-	-
MASSACHUSETTS -----	14	9	17	17	32	35	34	13	6	-	-	-
WHITE-----MALE----	6	6	12	10	18	22	17	6	1	-	-	-
FEMALE--	6	2	5	7	13	12	13	6	5	-	-	-
ALL OTHER--MALE----	1	1	-	-	1	-	1	1	-	-	-	-
FEMALE--	1	-	-	-	-	1	3	-	-	-	-	-
BLACK---MALE----	1	-	-	-	1	-	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	3	-	-	-	-	-
MICHIGAN -----	10	16	31	42	35	56	40	27	4	1	1	-
WHITE-----MALE----	1	7	13	21	21	29	17	13	-	1	-	-
FEMALE--	7	5	16	16	10	22	20	11	3	-	1	-
ALL OTHER--MALE----	-	2	2	3	3	3	2	3	-	-	-	-
FEMALE--	2	2	-	2	1	2	1	-	1	-	-	-
BLACK---MALE----	-	1	2	3	3	3	2	3	-	-	-	-
FEMALE--	2	2	-	2	1	2	1	-	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 959

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 MYELOID LEUKEMIA (205)												
MINNESOTA -----	171	-	1	1	-	2	1	3	2	8	7	7
WHITE-----MALE----	79	-	-	1	-	-	-	3	1	5	1	4
FEMALE--	88	-	1	-	-	1	1	-	1	3	6	2
ALL OTHER--MALE----	3	-	-	-	-	1	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI -----	83	-	-	1	1	1	1	1	3	5	3	6
WHITE-----MALE----	32	-	-	-	-	-	1	-	-	1	-	2
FEMALE--	27	-	-	-	1	-	-	-	1	-	3	1
ALL OTHER--MALE----	16	-	-	-	-	1	-	1	1	4	-	-
FEMALE--	8	-	-	1	-	-	-	-	1	-	-	3
BLACK---MALE----	16	-	-	-	-	1	-	1	1	4	-	-
FEMALE--	8	-	-	1	-	-	-	-	1	-	-	3
MISSOURI -----	237	-	1	-	-	1	6	1	6	8	6	12
WHITE-----MALE----	105	-	-	-	-	-	1	-	3	3	2	6
FEMALE--	105	-	1	-	-	-	4	1	2	3	3	5
ALL OTHER--MALE----	14	-	-	-	-	1	-	-	1	2	1	-
FEMALE--	13	-	-	-	-	-	1	-	-	-	-	1
BLACK---MALE----	14	-	-	-	-	1	-	-	1	2	1	-
FEMALE--	13	-	-	-	-	-	1	-	-	-	-	1
MONTANA -----	36	-	1	-	-	-	-	-	-	-	-	1
WHITE-----MALE----	18	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	17	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	60	-	-	-	-	-	1	-	1	1	1	2
WHITE-----MALE----	24	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	33	-	-	-	-	-	1	-	-	1	1	1
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA -----	73	-	1	-	1	1	2	2	-	1	2	4
WHITE-----MALE----	40	-	-	-	-	-	1	1	-	1	1	3
FEMALE--	28	-	1	-	-	1	-	1	-	-	1	1
ALL OTHER--MALE----	3	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	1	-	-	-	-	-



TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 959

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 MYELOID LEUKEMIA (205)												
MINNESOTA -----	4	7	12	11	20	32	19	23	8	3	-	-
WHITE-----MALE----	2	4	4	5	10	19	9	6	5	-	-	-
FEMALE--	2	2	8	6	9	13	10	17	3	3	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI -----	5	5	6	11	8	12	9	3	2	-	-	-
WHITE-----MALE----	2	3	3	4	5	3	5	1	2	-	-	-
FEMALE--	1	1	1	5	2	7	4	-	-	-	-	-
ALL OTHER--MALE----	2	1	1	1	1	1	-	2	-	-	-	-
FEMALE--	-	-	1	1	-	1	-	-	-	-	-	-
BLACK---MALE----	2	1	1	1	1	1	-	2	-	-	-	-
FEMALE--	-	-	1	1	-	1	-	-	-	-	-	-
MISSOURI -----	8	13	18	26	35	28	43	16	6	2	1	-
WHITE-----MALE----	2	3	8	18	18	14	16	9	2	-	-	-
FEMALE--	5	6	8	5	13	13	23	6	4	2	1	-
ALL OTHER--MALE----	1	1	2	2	1	1	1	-	-	-	-	-
FEMALE--	-	3	-	1	3	-	3	1	-	-	-	-
BLACK---MALE----	1	1	2	2	1	1	1	-	-	-	-	-
FEMALE--	-	3	-	1	3	-	3	1	-	-	-	-
MONTANA -----	-	1	5	6	8	4	5	4	1	-	-	-
WHITE-----MALE----	-	-	3	3	7	1	2	-	1	-	-	-
FEMALE--	-	1	2	2	1	3	3	4	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
NEBRASKA -----	4	1	3	7	12	8	9	7	3	-	-	-
WHITE-----MALE----	1	-	-	5	6	2	6	1	2	-	-	-
FEMALE--	3	1	3	2	4	6	3	6	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	2	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	2	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA -----	7	4	6	5	15	10	7	4	1	-	-	-
WHITE-----MALE----	4	3	3	3	8	5	5	2	-	-	-	-
FEMALE--	3	1	3	2	6	5	1	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-





TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 961

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 MYELOID LEUKEMIA (205)												
OHIO -----	411	-	7	2	2	5	3	1	4	8	21	8
WHITE-----MALE----	192	-	4	2	1	3	2	1	2	4	11	5
FEMALE--	183	-	-	-	1	1	1	-	1	1	8	3
ALL OTHER--MALE----	22	-	1	-	-	1	-	-	1	2	1	-
FEMALE--	14	-	2	-	-	-	-	-	-	1	1	-
BLACK---MALE----	22	-	1	-	-	1	-	-	1	2	1	-
FEMALE--	14	-	2	-	-	-	-	-	-	1	1	-
OKLAHOMA -----	134	-	-	-	1	1	2	4	3	2	2	6
WHITE-----MALE----	75	-	-	-	-	-	-	4	2	1	-	4
FEMALE--	48	-	-	-	-	1	1	-	-	1	2	1
ALL OTHER--MALE----	5	-	-	-	1	-	-	-	-	-	-	1
FEMALE--	6	-	-	-	-	-	1	-	1	-	-	-
BLACK---MALE----	3	-	-	-	1	-	-	-	-	-	-	1
FEMALE--	3	-	-	-	-	-	1	-	-	-	-	-
OREGON -----	118	-	1	-	-	-	3	1	-	3	3	2
WHITE-----MALE----	64	-	1	-	-	-	-	1	-	2	1	1
FEMALE--	53	-	-	-	-	-	3	-	-	1	2	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	472	1	1	3	3	4	3	3	2	12	21	17
WHITE-----MALE----	247	1	1	2	-	2	1	1	-	8	13	5
FEMALE--	191	-	-	-	1	2	2	1	1	3	6	9
ALL OTHER--MALE----	19	-	-	-	-	-	-	1	1	1	2	3
FEMALE--	15	-	-	1	2	-	-	-	-	-	-	-
BLACK---MALE----	18	-	-	-	-	-	-	1	1	1	2	3
FEMALE--	14	-	-	1	2	-	-	-	-	-	-	-
RHODE ISLAND -----	41	1	-	-	-	1	1	-	-	1	2	2
WHITE-----MALE----	25	1	-	-	-	1	-	-	-	-	1	1
FEMALE--	14	-	-	-	-	-	-	-	-	1	1	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	147	-	-	3	3	1	3	1	6	3	1	2
WHITE-----MALE----	65	-	-	1	-	1	1	1	3	1	-	1
FEMALE--	54	-	-	-	1	-	1	-	-	1	1	-
ALL OTHER--MALE----	15	-	-	1	1	-	-	-	2	1	-	1
FEMALE--	13	-	-	1	1	-	1	-	1	-	-	-
BLACK---MALE----	14	-	-	1	1	-	-	-	2	1	-	1
FEMALE--	12	-	-	1	-	-	1	-	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 961  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 MYELOID LEUKEMIA (205)												
OHIO -----	21	20	36	40	66	64	69	25	8	1	-	-
WHITE-----MALE----	13	8	19	20	25	32	30	8	2	-	-	-
FEMALE--	7	11	14	16	34	28	36	15	5	1	-	-
ALL OTHER--MALE----	1	-	2	3	4	4	1	1	-	-	-	-
FEMALE--	-	1	1	1	3	-	2	1	1	-	-	-
BLACK---MALE----	1	-	2	3	4	4	1	1	-	-	-	-
FEMALE--	-	1	1	1	3	-	2	1	1	-	-	-
OKLAHOMA -----	6	7	10	21	22	24	9	11	3	-	-	-
WHITE-----MALE----	3	7	4	12	15	14	5	4	-	-	-	-
FEMALE--	1	-	4	9	5	10	4	6	3	-	-	-
ALL OTHER--MALE----	-	-	2	-	1	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	1	-	-	1	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	1	-	-	-	-
OREGON -----	2	6	8	20	24	12	18	11	2	-	2	-
WHITE-----MALE----	1	4	6	15	14	4	8	5	1	-	-	-
FEMALE--	1	2	2	5	10	7	10	6	1	-	2	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	23	26	28	49	84	77	66	34	11	2	2	-
WHITE-----MALE----	16	13	16	26	46	38	38	16	3	-	1	-
FEMALE--	6	9	10	20	35	34	25	16	8	2	1	-
ALL OTHER--MALE----	-	2	1	1	2	5	-	-	-	-	-	-
FEMALE--	1	2	1	2	1	-	3	2	-	-	-	-
BLACK---MALE----	-	2	1	1	2	4	-	-	-	-	-	-
FEMALE--	1	1	1	2	1	-	3	2	-	-	-	-
RHODE ISLAND -----	2	2	1	4	4	6	8	5	1	-	-	-
WHITE-----MALE----	2	2	1	4	3	2	5	1	1	-	-	-
FEMALE--	-	-	-	-	1	4	2	4	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	10	5	17	10	26	20	21	8	6	1	-	-
WHITE-----MALE----	3	4	9	5	11	9	11	2	2	-	-	-
FEMALE--	2	1	7	2	11	9	9	6	2	1	-	-
ALL OTHER--MALE----	2	-	1	2	1	1	1	-	1	-	-	-
FEMALE--	3	-	-	1	3	1	-	-	1	-	-	-
BLACK---MALE----	2	-	1	1	1	1	1	-	1	-	-	-
FEMALE--	3	-	-	1	3	1	-	-	1	-	-	-



TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 962  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 MYELOID LEUKEMIA (205)												
SOUTH DAKOTA -----	1	-	2	5	3	6	4	1	1	-	-	-
WHITE-----MALE----	1	-	1	2	1	4	2	-	1	-	-	-
FEMALE--	-	-	1	3	2	2	2	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	13	11	17	25	26	20	23	14	3	1	-	-
WHITE-----MALE----	10	7	8	16	9	10	8	4	-	-	-	-
FEMALE--	2	3	6	3	14	9	14	8	2	1	-	-
ALL OTHER--MALE----	1	-	1	2	-	1	-	1	1	-	-	-
FEMALE--	-	1	2	4	3	-	1	1	-	-	-	-
BLACK---MALE----	1	-	1	2	-	1	-	1	1	-	-	-
FEMALE--	-	1	2	4	3	-	1	1	-	-	-	-
TEXAS -----	31	32	29	54	83	69	59	28	11	2	-	-
WHITE-----MALE----	18	16	12	30	46	44	27	8	3	1	-	-
FEMALE--	10	8	15	19	33	21	27	17	7	1	-	-
ALL OTHER--MALE----	2	4	1	3	1	1	3	-	-	-	-	-
FEMALE--	1	4	1	2	3	3	2	3	1	-	-	-
BLACK---MALE----	2	4	-	3	1	1	3	-	-	-	-	-
FEMALE--	1	4	1	2	2	3	2	3	1	-	-	-
UTAH -----	1	2	1	6	6	8	3	4	1	1	-	-
WHITE-----MALE----	1	2	1	2	5	6	1	1	-	-	-	-
FEMALE--	-	-	-	3	1	2	2	3	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	1	6	2	6	2	2	1	-	-	-
WHITE-----MALE----	-	-	1	6	1	3	2	2	1	-	-	-
FEMALE--	-	-	-	-	1	3	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	5	11	12	24	25	23	16	20	5	2	-	-
WHITE-----MALE----	1	6	6	15	10	11	9	8	1	1	-	-
FEMALE--	2	4	3	8	12	9	4	8	4	-	-	-
ALL OTHER--MALE----	1	-	2	-	-	3	1	1	-	-	-	-
FEMALE--	1	1	1	1	3	-	2	3	-	1	-	-
BLACK---MALE----	1	-	1	-	-	2	1	1	-	-	-	-
FEMALE--	1	1	1	1	3	-	2	3	-	1	-	-

































TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 970  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 MONOCYTIC LEUKEMIA (206)												
OHIO -----	6	-	-	1	-	-	-	-	-	-	-	-
WHITE-----MALE----	5	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA -----	4	-	-	-	-	-	-	-	-	1	-	-
WHITE-----MALE----	3	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	4	-	-	-	-	-	-	-	-	1	-	-
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	8	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND -----	1	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	4	-	-	-	1	-	-	-	-	-	-	-
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-



