

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 973

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OTHER AND UNSPECIFIED LEUKEMIA (207-208)												
UNITED STATES --	154	192	316	464	770	973	830	591	266	72	7	-
WHITE-----MALE----	77	97	175	253	431	510	389	205	97	17	1	-
FEMALE--	48	66	108	158	278	386	382	347	154	50	3	-
ALL OTHER--MALE----	13	15	20	31	33	43	27	15	5	4	1	-
FEMALE--	16	14	13	22	28	34	32	24	10	1	2	-
BLACK---MALE----	11	12	17	26	23	36	25	11	3	4	1	-
FEMALE--	12	13	11	19	26	29	29	21	8	1	1	-
ALABAMA -----	8	3	6	12	25	24	21	16	4	2	-	-
WHITE-----MALE----	5	2	-	3	12	9	5	7	1	-	-	-
FEMALE--	1	1	4	5	7	11	13	8	3	2	-	-
ALL OTHER--MALE----	2	-	-	3	3	2	1	1	-	-	-	-
FEMALE--	-	-	2	1	3	2	2	-	-	-	-	-
BLACK---MALE----	2	-	-	3	3	2	1	1	-	-	-	-
FEMALE--	-	-	2	1	3	2	2	-	-	-	-	-
ALASKA -----	-	-	-	1	2	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	2	3	5	6	15	29	13	10	1	3	-	-
WHITE-----MALE----	1	1	4	4	12	14	7	2	-	-	-	-
FEMALE--	1	1	1	2	3	14	6	8	1	3	-	-
ALL OTHER--MALE----	-	1	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	2	3	3	10	8	14	17	10	2	-	-	-
WHITE-----MALE----	2	2	1	6	3	3	8	2	-	-	-	-
FEMALE--	-	1	1	1	4	11	7	7	2	-	-	-
ALL OTHER--MALE----	-	-	-	2	1	-	1	1	-	-	-	-
FEMALE--	-	-	1	1	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	2	1	-	1	1	-	-	-	-
FEMALE--	-	-	1	1	-	-	1	-	-	-	-	-
CALIFORNIA -----	11	9	23	37	89	88	64	41	28	8	1	-
WHITE-----MALE----	3	6	11	18	50	45	31	18	11	3	-	-
FEMALE--	4	2	10	15	32	35	29	21	17	5	-	-
ALL OTHER--MALE----	2	1	2	3	4	4	2	1	-	-	-	-
FEMALE--	2	-	-	1	3	4	2	1	-	-	1	-
BLACK---MALE----	1	1	2	-	1	2	1	-	-	-	-	-
FEMALE--	-	-	-	-	2	3	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 974

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 OTHER AND UNSPECIFIED LEUKEMIA (207-208)												
COLORADO -----	54	-	1	-	-	2	1	1	1	-	3	1
WHITE-----MALE----	31	-	-	-	-	2	-	1	-	-	3	1
FEMALE--	20	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	1	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	81	-	-	1	-	-	-	-	1	3	-	1
WHITE-----MALE----	45	-	-	-	-	-	-	-	1	2	-	-
FEMALE--	34	-	-	1	-	-	-	-	-	1	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	17	-	-	-	-	-	-	-	-	-	-	1
WHITE-----MALE----	6	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	10	-	1	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	377	-	2	1	3	1	3	-	2	7	10	8
WHITE-----MALE----	208	-	1	1	2	-	2	-	-	4	7	2
FEMALE--	144	-	1	-	-	-	-	-	1	1	1	3
ALL OTHER--MALE----	11	-	-	-	1	1	-	-	1	1	1	2
FEMALE--	14	-	-	-	-	-	1	-	-	1	1	1
BLACK---MALE----	11	-	-	-	1	1	-	-	1	1	1	2
FEMALE--	11	-	-	-	-	-	-	-	-	1	1	-
GEORGIA -----	123	-	-	-	1	-	1	2	5	-	2	1
WHITE-----MALE----	51	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	43	-	-	-	-	-	-	1	-	-	1	1
ALL OTHER--MALE----	13	-	-	-	1	-	-	-	2	-	1	-
FEMALE--	16	-	-	-	-	-	1	-	3	-	-	-
BLACK---MALE----	13	-	-	-	1	-	-	-	2	-	1	-
FEMALE--	15	-	-	-	-	-	1	-	3	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 974
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OTHER AND UNSPECIFIED LEUKEMIA (207-208)												
COLORADO -----	3	1	4	7	5	7	8	6	3	-	-	-
WHITE-----MALE----	1	1	3	4	2	4	6	3	-	-	-	-
FEMALE--	2	-	1	3	2	3	2	3	3	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	1	4	7	5	12	20	13	9	4	-	-	-
WHITE-----MALE----	-	2	4	3	9	14	7	3	-	-	-	-
FEMALE--	1	2	3	1	3	6	6	6	3	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
DELAWARE -----	-	-	-	3	2	3	4	1	3	-	-	-
WHITE-----MALE----	-	-	-	3	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	2	2	2	-	3	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
DISTRICT OF COLUMBIA ----	1	-	1	-	2	-	3	2	-	-	-	-
WHITE-----MALE----	-	-	1	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	2	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	1	1	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	1	1	-	-	-	-
FLORIDA -----	8	12	16	32	63	71	71	37	25	4	1	-
WHITE-----MALE----	4	5	7	22	41	39	43	15	12	1	-	-
FEMALE--	4	2	9	9	21	29	27	20	13	2	1	-
ALL OTHER--MALE----	-	2	-	-	-	1	-	-	-	1	-	-
FEMALE--	-	3	-	1	1	2	1	2	-	-	-	-
BLACK---MALE----	-	2	-	-	-	1	-	-	-	1	-	-
FEMALE--	-	3	-	1	1	1	1	2	-	-	-	-
GEORGIA -----	9	4	6	11	18	26	17	16	4	-	-	-
WHITE-----MALE----	2	2	4	4	7	12	12	6	1	-	-	-
FEMALE--	2	1	1	5	8	10	3	8	2	-	-	-
ALL OTHER--MALE----	2	1	1	1	2	1	-	1	-	-	-	-
FEMALE--	3	-	-	1	1	3	2	1	1	-	-	-
BLACK---MALE----	2	1	1	1	2	1	-	1	-	-	-	-
FEMALE--	2	-	-	1	1	3	2	1	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 976

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OTHER AND UNSPECIFIED LEUKEMIA (207-208)												
KENTUCKY -----	7	1	6	7	10	9	10	10	3	-	-	-
WHITE-----MALE----	5	1	3	5	7	5	6	5	2	-	-	-
FEMALE--	2	-	1	2	3	3	3	5	1	-	-	-
ALL OTHER--MALE----	-	-	2	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	2	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	5	6	5	6	9	18	13	10	2	1	-	-
WHITE-----MALE----	2	1	5	5	3	10	3	4	-	1	-	-
FEMALE--	2	3	-	1	4	5	7	3	1	-	-	-
ALL OTHER--MALE----	-	1	-	-	1	-	-	1	-	-	-	-
FEMALE--	1	1	-	-	1	3	3	2	1	-	-	-
BLACK---MALE----	-	1	-	-	1	-	-	1	-	-	-	-
FEMALE--	1	1	-	-	1	3	3	2	1	-	-	-
MAINE -----	1	1	-	3	3	6	2	3	1	-	-	-
WHITE-----MALE----	1	1	-	1	1	3	1	1	-	-	-	-
FEMALE--	-	-	-	2	2	3	1	2	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	4	1	4	6	12	27	22	10	5	3	-	-
WHITE-----MALE----	3	-	3	1	8	11	10	4	2	-	-	-
FEMALE--	1	1	-	3	4	10	7	6	3	2	-	-
ALL OTHER--MALE----	-	-	-	2	-	5	3	-	-	1	-	-
FEMALE--	-	-	1	-	-	1	2	-	-	-	-	-
BLACK---MALE----	-	-	-	2	-	5	3	-	-	1	-	-
FEMALE--	-	-	1	-	-	1	2	-	-	-	-	-
MASSACHUSETTS -----	2	2	7	14	13	27	20	22	11	4	-	-
WHITE-----MALE----	1	2	3	9	7	15	10	7	4	2	-	-
FEMALE--	-	-	4	5	6	12	10	15	7	2	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	8	11	18	14	29	46	34	17	7	2	2	-
WHITE-----MALE----	4	5	12	5	16	24	14	5	1	-	-	-
FEMALE--	2	4	5	8	10	20	16	12	5	2	1	-
ALL OTHER--MALE----	1	-	1	1	3	2	2	-	1	-	-	-
FEMALE--	1	2	-	-	-	-	2	-	-	-	1	-
BLACK---MALE----	1	-	1	1	2	2	2	-	1	-	-	-
FEMALE--	1	2	-	-	-	-	2	-	-	-	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 979

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 OTHER AND UNSPECIFIED LEUKEMIA (207-208)												
OHIO -----	241	-	2	-	2	1	2	4	4	5	6	3
WHITE-----MALE----	117	-	-	-	1	-	-	2	1	4	5	2
FEMALE--	108	-	2	-	-	1	2	1	3	-	1	1
ALL OTHER--MALE----	10	-	-	-	1	-	-	1	-	1	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	8	-	-	-	-	-	-	1	-	1	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA -----	63	-	-	-	1	1	1	-	-	1	-	1
WHITE-----MALE----	32	-	-	-	1	1	1	-	-	-	-	1
FEMALE--	26	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	40	-	1	-	-	-	1	-	-	1	1	-
WHITE-----MALE----	23	-	1	-	-	-	1	-	-	1	-	-
FEMALE--	15	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	285	1	1	-	2	1	-	3	2	-	4	6
WHITE-----MALE----	137	1	-	-	1	1	-	1	2	-	1	1
FEMALE--	129	-	1	-	1	-	-	1	-	-	-	2
ALL OTHER--MALE----	8	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	11	-	-	-	-	-	-	1	-	-	2	2
BLACK---MALE----	8	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	10	-	-	-	-	-	-	1	-	-	1	2
RHODE ISLAND -----	20	-	1	-	-	-	-	-	-	-	1	1
WHITE-----MALE----	10	-	1	-	-	-	-	-	-	-	1	-
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	62	-	-	1	1	-	1	-	1	1	-	1
WHITE-----MALE----	24	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	23	-	-	1	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	8	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	7	-	-	-	1	-	-	-	-	-	-	1
BLACK---MALE----	8	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	7	-	-	-	1	-	-	-	-	-	-	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 979

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OTHER AND UNSPECIFIED LEUKEMIA (207-208)												
OHIO -----	2	8	16	25	33	35	54	20	14	5	-	-
WHITE-----MALE----	2	4	10	14	18	16	23	7	6	2	-	-
FEMALE--	-	4	4	8	14	17	28	13	6	3	-	-
ALL OTHER--MALE----	-	-	1	2	-	1	1	-	2	-	-	-
FEMALE--	-	-	1	1	1	1	2	-	-	-	-	-
BLACK---MALE----	-	-	1	2	-	-	1	-	2	-	-	-
FEMALE--	-	-	1	1	1	1	2	-	-	-	-	-
OKLAHOMA -----	-	2	5	7	7	18	9	5	5	-	-	-
WHITE-----MALE----	-	1	2	6	6	5	5	2	1	-	-	-
FEMALE--	-	-	3	1	1	10	4	3	3	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	2	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	2	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
OREGON -----	-	4	2	3	8	6	10	2	-	1	-	-
WHITE-----MALE----	-	1	2	3	5	5	4	-	-	-	-	-
FEMALE--	-	1	-	-	3	1	6	2	-	1	-	-
ALL OTHER--MALE----	-	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	4	9	12	23	48	65	58	25	19	2	-	-
WHITE-----MALE----	2	6	8	13	31	38	16	9	6	-	-	-
FEMALE--	2	2	4	8	15	24	39	16	13	1	-	-
ALL OTHER--MALE----	-	-	-	2	1	1	2	-	-	-	-	-
FEMALE--	-	1	-	-	1	2	1	-	-	1	-	-
BLACK---MALE----	-	-	-	2	1	1	2	-	-	-	-	-
FEMALE--	-	1	-	-	1	2	1	-	-	1	-	-
RHODE ISLAND -----	-	-	1	3	2	4	1	3	3	-	-	-
WHITE-----MALE----	-	-	-	1	1	3	1	1	1	-	-	-
FEMALE--	-	-	1	2	1	1	-	2	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
SOUTH CAROLINA -----	2	3	5	4	6	13	7	12	4	-	-	-
WHITE-----MALE----	-	1	3	2	2	5	4	4	2	-	-	-
FEMALE--	2	1	2	2	2	4	1	7	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	3	2	1	-	-	-	-
FEMALE--	-	1	-	-	1	1	-	-	2	-	-	-
BLACK---MALE----	-	-	-	-	1	3	2	1	-	-	-	-
FEMALE--	-	1	-	-	1	1	-	-	2	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 980

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 OTHER AND UNSPECIFIED LEUKEMIA (207-208)												
SOUTH DAKOTA -----	14	-	-	-	1	-	-	-	-	-	-	-
WHITE-----MALE----	9	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	122	-	1	-	-	2	1	2	1	1	5	3
WHITE-----MALE----	54	-	1	-	-	2	-	1	-	1	2	1
FEMALE--	54	-	-	-	-	-	1	1	1	-	2	1
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	8	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	6	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	8	-	-	-	-	-	-	-	-	-	1	-
TEXAS -----	320	1	2	3	2	4	1	4	5	7	4	11
WHITE-----MALE----	157	-	1	1	1	2	1	2	1	3	3	7
FEMALE--	129	1	-	1	1	2	-	2	2	2	1	3
ALL OTHER--MALE----	19	-	-	1	1	-	-	-	1	2	-	-
FEMALE--	15	-	1	-	-	-	-	-	1	-	-	1
BLACK---MALE----	16	-	-	1	1	-	-	-	-	2	-	-
FEMALE--	15	-	1	-	-	-	-	-	1	-	-	1
UTAH -----	25	-	-	1	1	-	-	-	-	1	2	-
WHITE-----MALE----	11	-	-	-	-	-	-	-	-	-	2	-
FEMALE--	12	-	-	-	1	-	-	-	-	1	-	-
ALL OTHER--MALE----	2	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	3	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	129	-	1	-	1	1	1	3	1	3	3	2
WHITE-----MALE----	50	-	-	-	-	-	-	2	-	2	1	1
FEMALE--	58	-	-	-	-	-	1	-	1	-	2	1
ALL OTHER--MALE----	10	-	-	-	-	-	-	1	-	1	-	-
FEMALE--	11	-	1	-	1	1	-	-	-	-	-	-
BLACK---MALE----	9	-	-	-	-	-	-	1	-	1	-	-
FEMALE--	11	-	1	-	1	1	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 980

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OTHER AND UNSPECIFIED LEUKEMIA (207-208)												
SOUTH DAKOTA -----	-	-	1	1	-	5	3	-	2	1	-	-
WHITE-----MALE----	-	-	1	-	-	4	2	-	1	1	-	-
FEMALE--	-	-	-	1	-	-	1	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	4	7	9	19	17	21	14	11	4	-	-	-
WHITE-----MALE----	2	2	5	10	8	11	5	3	-	-	-	-
FEMALE--	1	4	3	7	7	7	8	7	4	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	3	1	-	-	-	-	-
FEMALE--	1	1	1	1	2	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	1	-	3	1	-	-	-	-	-
FEMALE--	1	1	1	1	2	-	-	1	-	-	-	-
TEXAS -----	8	16	22	22	47	49	50	38	20	4	-	-
WHITE-----MALE----	2	6	15	12	22	33	22	14	10	-	-	-
FEMALE--	3	8	7	7	19	13	24	20	9	4	-	-
ALL OTHER--MALE----	1	1	-	1	4	2	2	3	-	-	-	-
FEMALE--	2	1	-	2	2	1	2	1	1	-	-	-
BLACK---MALE----	-	1	-	-	4	2	2	3	-	-	-	-
FEMALE--	2	1	-	2	2	1	2	1	1	-	-	-
UTAH -----	-	1	1	-	4	5	2	3	2	2	-	-
WHITE-----MALE----	-	1	1	-	1	3	1	-	2	-	-	-
FEMALE--	-	-	-	-	3	1	1	3	-	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	-	1	1	-	-	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	3	5	9	8	13	24	20	25	5	1	-	-
WHITE-----MALE----	1	2	5	2	8	10	8	6	2	-	-	-
FEMALE--	2	3	2	1	3	13	10	15	3	1	-	-
ALL OTHER--MALE----	-	-	2	2	1	1	1	1	-	-	-	-
FEMALE--	-	-	-	3	1	-	1	3	-	-	-	-
BLACK---MALE----	-	-	2	2	-	1	1	1	-	-	-	-
FEMALE--	-	-	-	3	1	-	1	3	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 982

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
 BENIGN NEOPLASMS, CARCINOMA IN SITU, AND NEOPLASMS OF UNCERTAIN BEHAVIOR AND OF UNSPECIFIED NATURE (210-239)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
UNITED STATES --	7,933	60	53	52	32	62	59	63	112	123	208	220
WHITE-----MALE----	3,079	20	22	20	13	25	32	33	50	56	81	89
FEMALE--	3,861	24	17	14	11	20	14	20	38	37	75	81
ALL OTHER--MALE----	437	9	6	10	3	10	5	9	13	12	25	27
FEMALE--	556	7	8	8	5	7	8	1	11	18	27	23
BLACK---MALE----	366	8	6	8	3	9	5	7	12	12	20	24
FEMALE--	489	6	5	8	5	7	6	1	9	15	25	21
ALABAMA -----	157	1	3	2	-	3	2	-	5	4	5	4
WHITE-----MALE----	51	-	2	2	-	2	2	-	-	1	2	1
FEMALE--	68	-	-	-	-	-	-	-	3	1	1	1
ALL OTHER--MALE----	18	-	-	-	-	1	-	-	2	1	1	1
FEMALE--	20	1	1	-	-	-	-	-	-	1	1	1
BLACK---MALE----	17	-	-	-	-	1	-	-	2	1	1	1
FEMALE--	20	1	1	-	-	-	-	-	-	1	1	1
ALASKA -----	12	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	146	-	1	-	1	-	-	3	2	5	6	6
WHITE-----MALE----	69	-	-	-	-	-	-	2	-	3	-	4
FEMALE--	71	-	1	-	-	-	-	1	2	1	4	2
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	2	-
FEMALE--	4	-	-	-	1	-	-	-	-	1	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-
ARKANSAS -----	68	-	2	2	-	1	1	-	1	-	1	4
WHITE-----MALE----	22	-	2	-	-	1	-	-	1	-	-	3
FEMALE--	40	-	-	1	-	-	1	-	-	-	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	5	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	5	-	-	1	-	-	-	-	-	-	-	-
CALIFORNIA -----	643	7	7	8	2	2	7	8	9	15	16	19
WHITE-----MALE----	250	2	3	2	1	-	3	4	4	10	7	7
FEMALE--	302	1	2	3	1	1	1	4	3	2	5	6
ALL OTHER--MALE----	45	2	1	3	-	-	2	-	1	-	2	4
FEMALE--	46	2	1	-	-	1	1	-	1	3	2	2
BLACK---MALE----	22	1	1	2	-	-	2	-	1	-	2	3
FEMALE--	22	1	1	-	-	1	-	-	1	2	2	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 982

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 BENIGN NEOPLASMS, CARCINOMA IN SITU, AND NEOPLASMS OF UNCERTAIN BEHAVIOR AND OF UNSPECIFIED NATURE (210-239)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
UNITED STATES --	297	342	431	587	933	1,097	1,261	1,118	624	175	24	-
WHITE-----MALE----	136	158	184	264	415	486	460	332	169	30	4	-
FEMALE--	104	129	181	245	390	503	703	700	410	131	14	-
ALL OTHER--MALE----	35	30	25	41	48	47	38	27	14	-	3	-
FEMALE--	22	25	41	37	80	61	60	59	31	14	3	-
BLACK---MALE----	28	26	21	33	41	39	32	20	9	-	3	-
FEMALE--	16	21	37	34	71	54	52	54	26	14	2	-
ALABAMA -----	9	10	16	17	14	17	15	23	7	-	-	-
WHITE-----MALE----	5	6	6	3	4	9	2	4	-	-	-	-
FEMALE--	2	2	8	10	7	4	11	14	4	-	-	-
ALL OTHER--MALE----	2	1	1	2	1	1	1	2	1	-	-	-
FEMALE--	-	1	1	2	2	3	1	3	2	-	-	-
BLACK---MALE----	2	1	1	2	1	1	1	1	1	-	-	-
FEMALE--	-	1	1	2	2	3	1	3	2	-	-	-
ALASKA -----	-	-	1	1	3	1	2	2	2	-	-	-
WHITE-----MALE----	-	-	-	1	2	-	1	-	1	-	-	-
FEMALE--	-	-	1	-	-	1	1	2	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	3	8	14	16	17	17	23	14	7	3	-	-
WHITE-----MALE----	-	5	10	10	9	12	10	2	2	-	-	-
FEMALE--	3	3	4	6	6	5	13	12	5	3	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	2	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	2	4	6	-	6	9	13	11	2	3	-	-
WHITE-----MALE----	1	2	3	-	1	4	3	1	-	-	-	-
FEMALE--	1	2	3	-	5	3	10	9	2	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	2	-	1	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	2	-	1	-	1	-	-
CALIFORNIA -----	24	24	33	39	64	92	112	95	45	14	1	-
WHITE-----MALE----	9	11	12	14	33	46	35	26	17	4	-	-
FEMALE--	9	9	15	19	20	40	63	62	25	10	1	-
ALL OTHER--MALE----	3	2	3	4	7	3	6	2	-	-	-	-
FEMALE--	3	2	3	2	4	3	8	5	3	-	-	-
BLACK---MALE----	1	2	1	-	3	-	2	1	-	-	-	-
FEMALE--	-	1	1	1	3	1	4	3	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 983

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
 BENIGN NEOPLASMS, CARCINOMA IN SITU, AND NEOPLASMS OF UNCERTAIN BEHAVIOR AND OF UNSPECIFIED NATURE (210-239)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
COLORADO -----	103	-	-	1	-	1	2	3	3	1	2	3
WHITE-----MALE----	45	-	-	-	-	1	1	1	3	1	2	2
FEMALE--	52	-	-	-	-	-	1	2	-	-	-	-
ALL OTHER--MALE----	3	-	-	1	-	-	-	-	-	-	-	1
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	96	1	1	-	-	1	-	1	1	1	2	5
WHITE-----MALE----	39	1	-	-	-	1	-	-	1	-	-	3
FEMALE--	49	-	1	-	-	-	-	1	-	1	2	1
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	26	-	-	-	-	1	-	1	1	-	1	-
WHITE-----MALE----	15	-	-	-	-	1	-	1	1	-	1	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	23	1	-	-	-	1	-	2	-	-	2	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	8	1	-	-	-	1	-	1	-	-	-	-
FEMALE--	9	-	-	-	-	-	-	1	-	-	1	-
BLACK---MALE----	8	1	-	-	-	1	-	1	-	-	-	-
FEMALE--	9	-	-	-	-	-	-	1	-	-	1	-
FLORIDA -----	426	1	1	3	-	2	4	3	2	6	11	14
WHITE-----MALE----	187	-	1	1	-	-	2	2	1	2	3	4
FEMALE--	198	-	-	1	-	1	-	1	-	1	4	6
ALL OTHER--MALE----	12	-	-	-	-	1	-	-	-	-	1	2
FEMALE--	29	1	-	1	-	-	2	-	1	3	3	2
BLACK---MALE----	10	-	-	-	-	1	-	-	-	-	-	1
FEMALE--	28	1	-	1	-	-	2	-	1	3	3	2
GEORGIA -----	212	-	3	4	-	3	3	3	2	7	12	7
WHITE-----MALE----	69	-	-	1	-	-	2	2	-	1	7	-
FEMALE--	88	-	3	-	-	-	-	-	-	1	3	3
ALL OTHER--MALE----	22	-	-	1	-	2	-	1	-	2	1	2
FEMALE--	33	-	-	2	-	1	1	-	2	3	1	2
BLACK---MALE----	22	-	-	1	-	2	-	1	-	2	1	2
FEMALE--	33	-	-	2	-	1	1	-	2	3	1	2

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 983

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 BENIGN NEOPLASMS, CARCINOMA IN SITU, AND NEOPLASMS OF UNCERTAIN BEHAVIOR AND OF UNSPECIFIED NATURE (210-239)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
COLORADO -----	2	6	5	9	14	13	16	11	10	1	-	-
WHITE-----MALE----	2	3	2	3	8	5	5	2	4	-	-	-
FEMALE--	-	2	3	5	5	7	11	9	6	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	1	-	1	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	1	-	1	-	-	-	-	-	-	-	-
CONNECTICUT -----	2	3	4	5	14	11	18	17	5	4	-	-
WHITE-----MALE----	1	2	3	1	6	6	6	6	2	-	-	-
FEMALE--	-	1	-	4	5	4	12	11	3	3	-	-
ALL OTHER--MALE----	1	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	2	1	-	-	-	1	-	-
BLACK---MALE----	1	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	2	1	-	-	-	1	-	-
DELAWARE -----	1	1	1	2	2	4	5	3	1	2	-	-
WHITE-----MALE----	1	1	1	2	1	2	2	-	1	-	-	-
FEMALE--	-	-	-	-	-	2	1	3	-	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	2	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	2	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	2	1	-	2	5	1	2	2	2	-	-	-
WHITE-----MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	1	-	1	-	-	-
ALL OTHER--MALE----	-	1	-	-	2	1	1	-	-	-	-	-
FEMALE--	1	-	-	2	1	-	-	2	1	-	-	-
BLACK---MALE----	-	1	-	-	2	1	1	-	-	-	-	-
FEMALE--	1	-	-	2	1	-	-	2	1	-	-	-
FLORIDA -----	16	10	17	33	36	68	67	83	38	11	-	-
WHITE-----MALE----	8	5	10	16	21	36	29	27	14	5	-	-
FEMALE--	7	4	6	14	11	28	33	52	23	6	-	-
ALL OTHER--MALE----	-	-	-	2	-	4	2	-	-	-	-	-
FEMALE--	1	1	1	1	4	-	3	4	1	-	-	-
BLACK---MALE----	-	-	-	2	-	4	2	-	-	-	-	-
FEMALE--	1	-	1	1	4	-	3	4	1	-	-	-
GEORGIA -----	11	11	14	11	34	24	31	18	11	3	-	-
WHITE-----MALE----	3	8	5	2	14	12	6	5	1	-	-	-
FEMALE--	6	1	4	5	14	10	18	10	7	3	-	-
ALL OTHER--MALE----	2	1	-	1	4	1	2	2	-	-	-	-
FEMALE--	-	1	5	3	2	1	5	1	3	-	-	-
BLACK---MALE----	2	1	-	1	4	1	2	2	-	-	-	-
FEMALE--	-	1	5	3	2	1	5	1	3	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 985

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
 BENIGN NEOPLASMS, CARCINOMA IN SITU, AND NEOPLASMS OF UNCERTAIN BEHAVIOR AND OF UNSPECIFIED NATURE (210-239)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
KENTUCKY -----	110	3	-	1	-	1	1	2	5	1	3	-
WHITE-----MALE----	50	-	-	-	-	1	1	2	5	-	2	-
FEMALE--	53	2	-	-	-	-	-	-	-	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	1	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	1	-	1	-	-	-	-	-	-	-	-
LOUISIANA -----	170	3	1	-	1	1	2	-	6	2	3	5
WHITE-----MALE----	58	1	1	-	-	-	1	-	1	-	2	2
FEMALE--	66	2	-	-	1	-	-	-	2	2	1	-
ALL OTHER--MALE----	20	-	-	-	-	1	-	-	2	-	-	2
FEMALE--	26	-	-	-	-	-	1	-	1	-	-	1
BLACK---MALE----	19	-	-	-	-	1	-	-	1	-	-	2
FEMALE--	26	-	-	-	-	-	1	-	1	-	-	1
MAINE -----	42	-	-	2	-	-	1	-	-	-	1	-
WHITE-----MALE----	23	-	-	1	-	-	1	-	-	-	-	-
FEMALE--	19	-	-	1	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	154	1	2	-	2	1	1	4	2	4	8	8
WHITE-----MALE----	45	-	-	-	1	-	-	1	-	1	2	1
FEMALE--	65	-	-	-	-	-	1	3	1	2	-	1
ALL OTHER--MALE----	18	1	2	-	-	-	-	-	1	1	-	3
FEMALE--	26	-	-	-	1	1	-	-	-	-	6	3
BLACK---MALE----	18	1	2	-	-	-	-	-	1	1	-	3
FEMALE--	25	-	-	-	1	1	-	-	-	-	6	3
MASSACHUSETTS -----	211	2	-	1	-	1	1	1	3	-	9	5
WHITE-----MALE----	84	-	-	1	-	1	-	1	1	-	2	1
FEMALE--	115	1	-	-	-	-	1	-	1	-	5	3
ALL OTHER--MALE----	4	1	-	-	-	-	-	-	-	-	2	-
FEMALE--	8	-	-	-	-	-	-	-	1	-	-	1
BLACK---MALE----	4	1	-	-	-	-	-	-	-	-	2	-
FEMALE--	7	-	-	-	-	-	-	-	1	-	-	1
MICHIGAN -----	322	1	4	3	1	3	5	4	3	6	9	7
WHITE-----MALE----	127	-	2	2	-	1	2	2	2	2	4	4
FEMALE--	155	1	2	-	1	2	2	2	1	3	4	3
ALL OTHER--MALE----	22	-	-	-	-	-	1	-	-	-	1	-
FEMALE--	18	-	-	1	-	-	-	-	-	1	-	-
BLACK---MALE----	21	-	-	-	-	-	1	-	-	-	1	-
FEMALE--	16	-	-	1	-	-	-	-	-	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 985

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 BENIGN NEOPLASMS, CARCINOMA IN SITU, AND NEOPLASMS OF UNCERTAIN BEHAVIOR AND OF UNSPECIFIED NATURE (210-239)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
KENTUCKY -----	3	4	6	9	14	18	15	15	5	4	-	-
WHITE-----MALE----	3	2	5	4	7	9	6	3	-	-	-	-
FEMALE--	-	2	1	5	7	8	8	10	4	4	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	2	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	2	1	-	-	-
LOUISIANA -----	9	10	11	15	24	23	29	9	13	2	1	-
WHITE-----MALE----	4	5	2	4	10	10	10	3	2	-	-	-
FEMALE--	3	3	6	4	12	6	11	3	8	1	1	-
ALL OTHER--MALE----	-	2	-	4	1	3	3	1	1	-	-	-
FEMALE--	2	-	3	3	1	4	5	2	2	1	-	-
BLACK---MALE----	-	2	-	4	1	3	3	1	1	-	-	-
FEMALE--	2	-	3	3	1	4	5	2	2	1	-	-
MAINE -----	-	2	2	4	5	6	11	5	2	-	1	-
WHITE-----MALE----	-	1	2	3	3	4	6	1	1	-	-	-
FEMALE--	-	1	-	1	2	2	5	4	1	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	11	7	7	9	16	22	20	17	10	2	-	-
WHITE-----MALE----	6	1	1	1	6	8	7	4	3	2	-	-
FEMALE--	3	3	5	6	4	11	10	9	6	-	-	-
ALL OTHER--MALE----	-	1	1	-	2	1	3	1	1	-	-	-
FEMALE--	2	2	-	2	4	2	-	3	-	-	-	-
BLACK---MALE----	-	1	1	-	2	1	3	1	1	-	-	-
FEMALE--	2	1	-	2	4	2	-	3	-	-	-	-
MASSACHUSETTS -----	6	7	11	16	22	30	31	34	22	9	-	-
WHITE-----MALE----	4	5	7	8	8	14	15	13	2	1	-	-
FEMALE--	2	2	4	8	11	16	13	20	20	8	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	2	-	3	1	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	2	-	2	1	-	-	-	-
MICHIGAN -----	20	12	17	31	42	37	52	42	18	4	1	-
WHITE-----MALE----	9	2	10	19	14	15	13	18	5	1	-	-
FEMALE--	5	6	5	9	19	18	36	21	11	3	1	-
ALL OTHER--MALE----	4	2	-	2	4	3	2	1	2	-	-	-
FEMALE--	2	2	2	1	5	1	1	2	-	-	-	-
BLACK---MALE----	3	2	-	2	4	3	2	1	2	-	-	-
FEMALE--	1	1	2	1	5	1	1	2	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 986

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 BENIGN NEOPLASMS, CARCINOMA IN SITU, AND NEOPLASMS OF UNCERTAIN BEHAVIOR AND OF UNSPECIFIED NATURE (210-239)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
MINNESOTA -----	4	7	9	8	14	28	37	27	20	8	1	-
WHITE-----MALE----	-	5	6	4	12	10	12	8	10	1	-	-
FEMALE--	2	2	3	4	2	18	25	19	10	7	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI -----	-	5	3	10	10	8	8	5	2	-	-	-
WHITE-----MALE----	-	3	-	1	2	3	2	1	-	-	-	-
FEMALE--	-	2	3	6	4	2	4	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	1	1	-	-	-
FEMALE--	-	-	-	2	4	3	2	1	1	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	1	1	-	-	-
FEMALE--	-	-	-	1	4	3	2	1	1	-	-	-
MISSOURI -----	10	8	11	19	25	20	17	20	21	8	-	-
WHITE-----MALE----	4	2	4	8	12	10	6	4	7	2	-	-
FEMALE--	5	3	6	8	11	9	10	16	13	5	-	-
ALL OTHER--MALE----	1	2	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	2	2	1	1	-	1	1	-	-
BLACK---MALE----	1	1	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	2	2	1	1	-	1	1	-	-
MONTANA -----	2	-	-	3	2	10	9	4	3	-	1	-
WHITE-----MALE----	1	-	-	-	-	5	3	1	1	-	1	-
FEMALE--	1	-	-	3	2	5	6	3	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	2	1	-	3	5	7	5	3	6	3	-	-
WHITE-----MALE----	2	1	-	1	5	2	1	2	3	-	-	-
FEMALE--	-	-	-	2	-	4	4	1	3	3	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
NEVADA -----	5	2	4	6	8	6	10	9	1	1	-	-
WHITE-----MALE----	2	1	1	3	4	3	6	3	1	-	-	-
FEMALE--	3	1	2	1	2	3	4	6	-	1	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	1	2	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	2	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 988

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
 BENIGN NEOPLASMS, CARCINOMA IN SITU, AND NEOPLASMS OF UNCERTAIN BEHAVIOR AND OF UNSPECIFIED NATURE (210-239)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
OHIO -----	392	3	3	5	2	3	2	1	5	3	8	19
WHITE-----MALE----	161	2	1	3	1	1	1	-	2	1	5	9
FEMALE--	200	1	1	1	1	1	1	-	3	1	2	10
ALL OTHER--MALE----	15	-	-	1	-	1	-	1	-	-	1	-
FEMALE--	16	-	1	-	-	-	-	-	-	1	-	-
BLACK---MALE----	14	-	-	1	-	1	-	1	-	-	1	-
FEMALE--	16	-	1	-	-	-	-	-	-	1	-	-
OKLAHOMA -----	108	2	1	2	-	1	-	-	3	2	4	2
WHITE-----MALE----	51	-	1	1	-	1	-	-	1	1	-	2
FEMALE--	49	2	-	1	-	-	-	-	2	1	2	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	2	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	2	-
OREGON -----	91	1	-	-	-	-	-	1	-	1	1	3
WHITE-----MALE----	45	-	-	-	-	-	-	1	-	1	1	1
FEMALE--	40	-	-	-	-	-	-	-	-	-	-	2
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	1	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	472	4	1	-	1	1	3	-	2	6	7	13
WHITE-----MALE----	180	-	1	-	1	-	2	-	1	1	4	8
FEMALE--	260	3	-	-	-	1	-	-	1	4	2	3
ALL OTHER--MALE----	17	1	-	-	-	-	-	-	-	1	-	1
FEMALE--	15	-	-	-	-	-	1	-	-	-	1	1
BLACK---MALE----	16	1	-	-	-	-	-	-	-	1	-	1
FEMALE--	15	-	-	-	-	-	1	-	-	-	1	1
RHODE ISLAND -----	30	-	-	-	-	-	-	-	1	1	-	1
WHITE-----MALE----	11	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	19	-	-	-	-	-	-	-	-	1	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	108	1	-	1	1	3	-	1	2	3	4	2
WHITE-----MALE----	33	-	-	1	-	-	-	-	1	1	1	-
FEMALE--	40	1	-	-	-	1	-	-	1	-	1	-
ALL OTHER--MALE----	15	-	-	-	-	-	-	1	-	1	1	1
FEMALE--	20	-	-	-	1	2	-	-	-	1	1	1
BLACK---MALE----	15	-	-	-	-	-	-	1	-	1	1	1
FEMALE--	20	-	-	-	1	2	-	-	-	1	1	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 988

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 BENIGN NEOPLASMS, CARCINOMA IN SITU, AND NEOPLASMS OF UNCERTAIN BEHAVIOR AND OF UNSPECIFIED NATURE (210-239)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
OHIO -----	9	19	29	29	51	51	65	47	30	6	2	-
WHITE-----MALE----	7	10	12	16	22	21	26	12	9	-	-	-
FEMALE--	2	7	13	10	24	26	37	31	20	6	2	-
ALL OTHER--MALE----	-	1	2	3	1	1	1	1	1	-	-	-
FEMALE--	-	1	2	-	4	3	1	3	-	-	-	-
BLACK---MALE----	-	-	2	3	1	1	1	1	1	-	-	-
FEMALE--	-	1	2	-	4	3	1	3	-	-	-	-
OKLAHOMA -----	4	4	6	8	14	13	18	9	10	5	-	-
WHITE-----MALE----	2	3	4	6	8	8	6	3	2	2	-	-
FEMALE--	2	1	1	2	4	5	11	4	8	3	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	2	-	1	2	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	1	-	-	-	-
OREGON -----	4	6	4	9	12	13	13	15	6	1	1	-
WHITE-----MALE----	2	4	1	7	9	7	5	4	2	-	-	-
FEMALE--	2	2	2	1	3	6	6	10	4	1	1	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	2	1	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	2	1	-	-	-	-
PENNSYLVANIA -----	14	19	27	39	56	71	87	71	42	7	1	-
WHITE-----MALE----	6	11	11	19	19	31	32	23	9	-	1	-
FEMALE--	5	5	12	19	32	36	50	48	33	6	-	-
ALL OTHER--MALE----	2	1	2	1	4	2	2	-	-	-	-	-
FEMALE--	1	2	2	-	1	2	3	-	-	1	-	-
BLACK---MALE----	2	1	2	1	4	1	2	-	-	-	-	-
FEMALE--	1	2	2	-	1	2	3	-	-	1	-	-
RHODE ISLAND -----	-	1	3	2	3	6	2	4	2	4	-	-
WHITE-----MALE----	-	1	-	1	2	3	1	-	1	1	-	-
FEMALE--	-	-	3	1	1	3	1	4	1	3	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	6	4	1	10	15	22	11	15	4	2	-	-
WHITE-----MALE----	4	1	-	2	7	7	4	2	2	-	-	-
FEMALE--	-	1	1	6	5	7	5	8	1	2	-	-
ALL OTHER--MALE----	1	2	-	2	1	3	-	1	1	-	-	-
FEMALE--	1	-	-	-	2	5	2	4	-	-	-	-
BLACK---MALE----	1	2	-	2	1	3	-	1	1	-	-	-
FEMALE--	1	-	-	-	2	5	2	4	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 989

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
 BENIGN NEOPLASMS, CARCINOMA IN SITU, AND NEOPLASMS OF UNCERTAIN BEHAVIOR AND OF UNSPECIFIED NATURE (210-239)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
SOUTH DAKOTA -----	22	1	-	-	-	-	-	-	-	-	1	-
WHITE-----MALE----	12	1	-	-	-	-	-	-	-	-	1	-
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	121	1	-	-	-	1	1	1	2	3	4	4
WHITE-----MALE----	37	-	-	-	-	-	1	1	-	2	3	1
FEMALE--	61	1	-	-	-	-	-	-	2	-	1	1
ALL OTHER--MALE----	6	-	-	-	-	1	-	-	-	1	-	-
FEMALE--	17	-	-	-	-	-	-	-	-	-	-	2
BLACK---MALE----	6	-	-	-	-	1	-	-	-	1	-	-
FEMALE--	17	-	-	-	-	-	-	-	-	-	-	2
TEXAS -----	386	7	1	2	-	4	4	1	4	7	8	9
WHITE-----MALE----	146	3	1	-	-	2	2	1	1	3	4	6
FEMALE--	185	2	-	2	-	2	2	-	3	2	2	2
ALL OTHER--MALE----	24	2	-	-	-	-	-	-	-	2	1	1
FEMALE--	31	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	21	2	-	-	-	-	-	-	-	2	1	1
FEMALE--	31	-	-	-	-	-	-	-	-	-	1	-
UTAH -----	63	1	1	-	-	2	-	1	3	2	1	2
WHITE-----MALE----	27	1	-	-	-	1	-	1	1	1	1	1
FEMALE--	35	-	1	-	-	1	-	-	2	1	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	24	-	-	-	-	-	-	-	1	-	-	2
WHITE-----MALE----	9	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	15	-	-	-	-	-	-	-	-	-	-	2
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	174	3	-	1	-	2	2	-	4	6	4	8
WHITE-----MALE----	48	1	-	-	-	-	2	-	1	2	-	3
FEMALE--	77	1	-	-	-	1	-	-	2	1	3	2
ALL OTHER--MALE----	22	-	-	1	-	-	-	-	-	3	1	1
FEMALE--	27	1	-	-	-	1	-	-	1	-	-	2
BLACK---MALE----	21	-	-	1	-	-	-	-	-	3	1	1
FEMALE--	26	1	-	-	-	1	-	-	1	-	-	2

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 989

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 BENIGN NEOPLASMS, CARCINOMA IN SITU, AND NEOPLASMS OF UNCERTAIN BEHAVIOR AND OF UNSPECIFIED NATURE (210-239)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
SOUTH DAKOTA -----	-	1	-	2	2	3	3	5	3	1	-	-
WHITE-----MALE----	-	1	-	2	1	2	-	3	1	-	-	-
FEMALE--	-	-	-	-	1	1	3	2	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	2	8	8	11	14	18	10	22	9	2	-	-
WHITE-----MALE----	-	2	3	5	3	6	2	5	3	-	-	-
FEMALE--	1	4	2	3	9	9	7	15	5	1	-	-
ALL OTHER--MALE----	1	-	-	1	-	-	1	1	-	-	-	-
FEMALE--	-	2	3	2	2	3	-	1	1	1	-	-
BLACK---MALE----	1	-	-	1	-	-	1	1	-	-	-	-
FEMALE--	-	2	3	2	2	3	-	1	1	1	-	-
TEXAS -----	10	12	19	27	40	50	61	70	37	9	4	-
WHITE-----MALE----	6	3	9	14	20	17	27	17	9	1	-	-
FEMALE--	3	3	4	8	14	29	25	48	26	7	1	-
ALL OTHER--MALE----	-	3	3	2	3	1	3	2	-	-	1	-
FEMALE--	1	3	3	3	3	3	6	3	2	1	2	-
BLACK---MALE----	-	1	3	1	3	1	3	2	-	-	1	-
FEMALE--	1	3	3	3	3	3	6	3	2	1	2	-
UTAH -----	-	4	5	4	6	9	4	13	5	-	-	-
WHITE-----MALE----	-	2	-	1	3	5	1	8	-	-	-	-
FEMALE--	-	2	4	3	3	4	3	5	5	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	3	1	-	-	2	1	3	5	4	2	-	-
WHITE-----MALE----	2	-	-	-	-	1	1	2	1	1	-	-
FEMALE--	1	1	-	-	2	-	2	3	3	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	10	12	12	13	18	18	22	24	11	3	1	-
WHITE-----MALE----	2	5	4	3	3	6	8	7	1	-	-	-
FEMALE--	5	4	4	6	7	10	9	12	9	1	-	-
ALL OTHER--MALE----	3	1	1	2	2	1	2	3	-	-	1	-
FEMALE--	-	2	3	2	6	1	3	2	1	2	-	-
BLACK---MALE----	3	1	-	2	2	1	2	3	-	-	1	-
FEMALE--	-	2	3	2	5	1	3	2	1	2	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 991
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 BENIGN NEOPLASMS (210-229)												
UNITED STATES --	1,618	20	11	5	2	16	12	14	30	31	44	51
WHITE-----MALE----	517	6	3	2	-	4	7	5	10	14	12	11
FEMALE--	823	6	5	3	1	10	4	8	12	11	18	24
ALL OTHER--MALE----	102	3	1	-	-	-	-	1	4	2	3	5
FEMALE--	176	5	2	-	1	2	1	-	4	4	11	11
BLACK---MALE----	81	3	1	-	-	-	-	1	4	2	3	3
FEMALE--	155	4	2	-	1	2	1	-	4	3	11	10
ALABAMA -----	31	1	-	-	-	-	1	-	-	-	1	-
WHITE-----MALE----	8	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	12	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	6	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	6	1	-	-	-	-	-	-	-	-	-	-
ALASKA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	28	-	1	-	-	-	-	-	1	1	1	1
WHITE-----MALE----	7	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	20	-	1	-	-	-	-	-	1	-	1	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	12	-	1	-	-	-	1	-	-	-	-	-
WHITE-----MALE----	3	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	191	2	-	1	-	1	1	3	5	7	6	7
WHITE-----MALE----	70	1	-	-	-	-	1	-	1	4	2	2
FEMALE--	88	-	-	1	-	1	-	3	2	1	2	3
ALL OTHER--MALE----	13	-	-	-	-	-	-	-	1	-	-	1
FEMALE--	20	1	-	-	-	-	-	-	1	2	2	1
BLACK---MALE----	5	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	1	1	2	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 991
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 BENIGN NEOPLASMS (210-229)												
UNITED STATES --	62	76	76	127	201	216	245	231	114	31	3	-
WHITE-----MALE----	26	24	22	40	88	72	79	62	26	4	-	-
FEMALE--	21	31	29	61	79	114	134	148	76	26	2	-
ALL OTHER--MALE----	6	12	9	15	14	10	9	5	3	-	-	-
FEMALE--	9	9	16	11	20	20	23	16	9	1	1	-
BLACK---MALE----	4	10	8	10	12	9	6	2	3	-	-	-
FEMALE--	6	8	15	11	17	16	19	15	8	1	1	-
ALABAMA -----	1	2	1	4	3	5	4	6	2	-	-	-
WHITE-----MALE----	1	2	1	-	1	-	2	-	-	-	-	-
FEMALE--	-	-	-	3	-	4	1	3	1	-	-	-
ALL OTHER--MALE----	-	-	-	1	1	-	1	1	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	2	1	-	-	-
BLACK---MALE----	-	-	-	1	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	2	1	-	-	-
ALASKA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	1	1	1	3	4	4	5	2	2	-	-	-
WHITE-----MALE----	-	-	-	1	1	1	2	-	1	-	-	-
FEMALE--	1	1	1	2	2	3	3	2	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	-	-	2	-	2	1	2	2	-	1	-	-
WHITE-----MALE----	-	-	1	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	1	-	2	-	1	2	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
CALIFORNIA -----	10	8	6	14	20	24	36	27	12	1	-	-
WHITE-----MALE----	4	2	1	6	14	9	11	9	3	-	-	-
FEMALE--	3	4	4	6	3	13	17	16	8	1	-	-
ALL OTHER--MALE----	1	2	1	2	2	-	3	-	-	-	-	-
FEMALE--	2	-	-	-	1	2	5	2	1	-	-	-
BLACK---MALE----	-	2	-	-	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	3	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 992

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 BENIGN NEOPLASMS (210-229)												
COLORADO -----	15	-	-	-	-	1	1	-	-	-	-	-
WHITE-----MALE----	6	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	8	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	22	1	-	-	-	-	-	1	-	-	-	1
WHITE-----MALE----	8	1	-	-	-	-	-	-	-	-	-	1
FEMALE--	11	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	3	-	-	-	-	1	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	6	1	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	104	-	-	1	-	1	1	1	1	2	2	6
WHITE-----MALE----	36	-	-	1	-	-	1	-	-	1	-	-
FEMALE--	55	-	-	-	-	1	-	1	-	-	-	3
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	8	-	-	-	-	-	-	-	1	1	2	2
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	1	1	2	2
GEORGIA -----	35	-	1	-	-	1	1	1	1	1	3	2
WHITE-----MALE----	10	-	-	-	-	-	1	-	-	-	1	-
FEMALE--	12	-	1	-	-	-	-	-	-	1	1	1
ALL OTHER--MALE----	2	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	11	-	-	-	-	1	-	-	1	-	1	1
BLACK---MALE----	2	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	11	-	-	-	-	1	-	-	1	-	1	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 992
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 BENIGN NEOPLASMS (210-229)												
COLORADO -----	-	-	1	3	3	2	1	3	-	-	-	-
WHITE-----MALE----	-	-	-	-	2	2	1	-	-	-	-	-
FEMALE--	-	-	1	3	-	-	-	3	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	-	1	-	2	3	3	5	4	1	-	-	-
WHITE-----MALE----	-	1	-	-	-	1	2	1	1	-	-	-
FEMALE--	-	-	-	2	1	1	3	3	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	-	-	-	-	-
DELAWARE -----	-	-	-	-	-	1	-	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	2	-	-	-	1	-	-	2	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	2	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	2	-	-	-	-
FLORIDA -----	3	2	3	9	12	14	17	18	7	4	-	-
WHITE-----MALE----	-	-	1	3	8	7	7	5	1	1	-	-
FEMALE--	3	2	2	5	3	5	8	13	6	3	-	-
ALL OTHER--MALE----	-	-	-	1	-	2	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	2	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	-	-	-	-	-
GEORGIA -----	1	2	3	2	6	4	2	2	2	-	-	-
WHITE-----MALE----	-	1	-	-	3	4	-	-	-	-	-	-
FEMALE--	1	-	-	-	2	-	2	2	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	1	3	2	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	1	3	2	-	-	-	-	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 994
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 BENIGN NEOPLASMS (210-229)												
KENTUCKY -----	-	-	1	1	1	4	3	2	-	1	-	-
WHITE-----MALE----	-	-	1	-	-	1	2	-	-	-	-	-
FEMALE--	-	-	-	1	1	2	1	2	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
LOUISIANA -----	1	4	-	2	4	9	5	2	3	1	-	-
WHITE-----MALE----	-	1	-	1	1	1	3	-	1	-	-	-
FEMALE--	-	1	-	-	2	3	1	2	2	-	-	-
ALL OTHER--MALE----	-	2	-	-	-	2	-	-	-	-	-	-
FEMALE--	1	-	-	1	1	3	1	-	-	1	-	-
BLACK---MALE----	-	2	-	-	-	2	-	-	-	-	-	-
FEMALE--	1	-	-	1	1	3	1	-	-	1	-	-
MAINE -----	-	2	1	-	1	-	2	1	-	-	-	-
WHITE-----MALE----	-	1	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	2	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	-	2	2	2	4	1	7	6	3	1	-	-
WHITE-----MALE----	-	-	-	-	2	-	2	1	-	1	-	-
FEMALE--	-	1	2	1	-	1	4	3	3	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	1	-	-	-	-	-
FEMALE--	-	1	-	1	1	-	-	2	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	-	2	-	-	-	-
MASSACHUSETTS -----	1	-	4	-	5	5	6	6	4	3	-	-
WHITE-----MALE----	1	-	2	-	2	1	3	3	1	-	-	-
FEMALE--	-	-	2	-	1	4	2	3	3	3	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
MICHIGAN -----	4	4	4	7	9	7	7	4	2	1	-	-
WHITE-----MALE----	1	1	1	4	2	1	-	1	1	-	-	-
FEMALE--	2	3	2	1	5	5	6	3	1	1	-	-
ALL OTHER--MALE----	-	-	-	1	1	1	1	-	-	-	-	-
FEMALE--	1	-	1	1	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	1	1	1	-	-	-	-	-
FEMALE--	1	-	1	1	1	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 995
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 BENIGN NEOPLASMS (210-229)												
MINNESOTA -----	-	1	-	2	5	5	6	3	1	1	-	-
WHITE-----MALE----	-	1	-	-	4	3	2	3	-	-	-	-
FEMALE--	-	-	-	2	1	2	4	-	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI -----	-	1	1	1	2	2	2	-	2	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	1	1	-	2	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	1	-	-	1	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	1	-	-	1	-	1	-	-	-
MISSOURI -----	-	3	4	4	2	7	5	4	2	2	-	-
WHITE-----MALE----	-	-	1	1	1	1	1	2	1	-	-	-
FEMALE--	-	1	2	3	1	5	4	2	1	2	-	-
ALL OTHER--MALE----	-	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	1	-	-	-	-	-	-
MONTANA -----	-	-	-	-	-	2	4	-	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	2	3	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	-	-	-	1	-	2	-	-	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA -----	3	-	-	2	1	-	4	2	1	1	-	-
WHITE-----MALE----	1	-	-	-	-	-	2	-	1	-	-	-
FEMALE--	2	-	-	1	-	-	2	2	-	1	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 997
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 BENIGN NEOPLASMS (210-229)												
OHIO -----	1	3	6	6	8	12	10	9	5	1	-	-
WHITE-----MALE----	1	2	1	1	4	4	3	1	2	-	-	-
FEMALE--	-	1	3	2	3	8	6	6	2	1	-	-
ALL OTHER--MALE----	-	-	1	3	1	-	-	1	1	-	-	-
FEMALE--	-	-	1	-	-	-	1	1	-	-	-	-
BLACK---MALE----	-	-	1	3	1	-	-	1	1	-	-	-
FEMALE--	-	-	1	-	-	-	1	1	-	-	-	-
OKLAHOMA -----	1	1	1	2	1	1	2	2	-	1	-	-
WHITE-----MALE----	1	-	1	1	-	1	1	1	-	1	-	-
FEMALE--	-	1	-	1	1	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
OREGON -----	2	-	-	-	3	2	4	3	-	-	-	-
WHITE-----MALE----	1	-	-	-	3	-	1	1	-	-	-	-
FEMALE--	1	-	-	-	-	2	1	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	2	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	2	-	-	-	-	-
PENNSYLVANIA -----	2	4	2	6	7	10	16	7	8	1	-	-
WHITE-----MALE----	1	2	1	3	3	3	4	1	-	-	-	-
FEMALE--	1	-	-	3	4	7	11	6	8	1	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	2	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	2	-	-	-	-	1	-	-	-	-	-
RHODE ISLAND -----	-	-	-	2	-	-	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	1	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	-	2	-	3	5	5	4	5	2	1	-	-
WHITE-----MALE----	-	-	-	1	4	1	1	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	1	3	1	1	-	-
ALL OTHER--MALE----	-	2	-	1	-	1	-	-	1	-	-	-
FEMALE--	-	-	-	-	1	2	2	2	-	-	-	-
BLACK---MALE----	-	2	-	1	-	1	-	-	1	-	-	-
FEMALE--	-	-	-	-	1	2	2	2	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 998
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 BENIGN NEOPLASMS (210-229)												
SOUTH DAKOTA -----	-	1	-	1	-	-	-	2	-	-	-	-
WHITE-----MALE----	-	1	-	1	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	-	1	2	3	6	3	3	10	3	-	-	-
WHITE-----MALE----	-	-	-	1	1	-	-	3	-	-	-	-
FEMALE--	-	-	-	-	4	2	2	7	2	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	1	-	-	-	-	-
FEMALE--	-	1	2	1	1	1	-	-	1	-	-	-
BLACK---MALE----	-	-	-	1	-	-	1	-	-	-	-	-
FEMALE--	-	1	2	1	1	1	-	-	1	-	-	-
TEXAS -----	5	4	6	9	17	14	11	17	3	2	1	-
WHITE-----MALE----	3	-	2	3	8	6	5	3	-	-	-	-
FEMALE--	1	1	1	4	6	7	4	14	3	2	-	-
ALL OTHER--MALE----	-	1	1	-	2	-	-	-	-	-	-	-
FEMALE--	1	2	2	2	1	1	2	-	-	-	1	-
BLACK---MALE----	-	-	1	-	2	-	-	-	-	-	-	-
FEMALE--	1	2	2	2	1	1	2	-	-	-	1	-
UTAH -----	-	1	-	1	-	3	-	2	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	-	2	-	-	-	-
FEMALE--	-	1	-	1	-	2	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	-	-	1	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	2	4	1	2	2	4	3	5	1	-	-	-
WHITE-----MALE----	1	1	-	-	-	-	-	1	-	-	-	-
FEMALE--	1	2	-	2	2	3	1	3	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	1	-	-	-	-
FEMALE--	-	1	1	-	-	-	2	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	1	-	-	-	-
FEMALE--	-	1	1	-	-	-	2	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 1,000

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 OF FEMALE GENITAL ORGANS (218-221)												
UNITED STATES --	52	-	-	-	-	1	1	-	1	2	6	7
WHITE-----FEMALE--	30	-	-	-	-	1	1	-	-	-	2	1
ALL OTHER--FEMALE--	22	-	-	-	-	-	-	-	1	2	4	6
BLACK---FEMALE--	20	-	-	-	-	-	-	-	1	2	4	5
ALABAMA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	1	-	-	-	-	-	1	-	-	-	-	-
WHITE-----FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	8	-	-	-	-	1	-	-	1	-	1	1
WHITE-----FEMALE--	4	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--FEMALE--	4	-	-	-	-	-	-	-	1	-	1	1
BLACK---FEMALE--	2	-	-	-	-	-	-	-	1	-	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,009

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OF EYE, BRAIN, AND OTHER PARTS OF NERVOUS SYSTEM (224-225)												
UNITED STATES --	30	41	47	76	120	143	179	162	82	21	2	-
WHITE-----MALE----	11	14	11	28	50	48	54	40	17	3	-	-
FEMALE--	10	21	17	37	47	79	102	106	56	17	1	-
ALL OTHER--MALE----	4	2	8	6	9	3	5	4	2	-	-	-
FEMALE--	5	4	11	5	14	13	18	12	7	1	1	-
BLACK---MALE----	3	2	7	4	8	3	4	1	2	-	-	-
FEMALE--	2	3	10	5	11	12	15	11	6	1	1	-
ALABAMA -----	-	1	1	1	2	4	3	4	1	-	-	-
WHITE-----MALE----	-	1	1	-	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	3	1	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	1	1	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	1	1	-	-	-
BLACK---MALE----	-	-	-	1	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	1	1	-	-	-
ALASKA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	1	1	1	2	3	2	3	1	2	-	-	-
WHITE-----MALE----	-	-	-	1	-	-	2	-	1	-	-	-
FEMALE--	1	1	1	1	2	2	1	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	-	-	1	-	1	-	1	1	-	-	-	-
WHITE-----MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	6	8	4	10	13	16	23	15	8	1	-	-
WHITE-----MALE----	-	2	1	4	8	7	6	4	1	-	-	-
FEMALE--	3	4	2	5	2	8	12	9	6	1	-	-
ALL OTHER--MALE----	1	2	1	1	2	-	1	-	-	-	-	-
FEMALE--	2	-	-	-	1	1	4	2	1	-	-	-
BLACK---MALE----	-	2	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	2	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 1,010

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 OF EYE, BRAIN, AND OTHER PARTS OF NERVOUS SYSTEM (224-225)												
COLORADO -----	8	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	12	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	3	-	-	-	-	1	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	1	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	62	-	-	-	-	-	1	-	-	-	-	1
WHITE-----MALE----	23	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	32	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	1
GEORGIA -----	17	-	-	-	-	1	-	-	1	-	1	1
WHITE-----MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	1	-	-	1	-	1	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	1	-	-	1	-	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,012

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OF EYE, BRAIN, AND OTHER PARTS OF NERVOUS SYSTEM (224-225)												
KENTUCKY -----	-	-	-	-	-	3	3	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	2	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
LOUISIANA -----	1	2	-	-	1	6	3	2	3	1	-	-
WHITE-----MALE----	-	1	-	-	-	1	1	-	1	-	-	-
FEMALE--	-	1	-	-	1	3	1	2	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	2	1	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	2	1	-	-	1	-	-
MAINE -----	-	1	1	-	-	-	1	1	-	-	-	-
WHITE-----MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	-	2	2	2	2	1	6	4	2	1	-	-
WHITE-----MALE----	-	-	-	-	1	-	2	1	-	1	-	-
FEMALE--	-	1	2	1	-	1	3	1	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	1	-	-	-	-	-
FEMALE--	-	1	-	1	-	-	-	2	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	2	-	-	-	-
MASSACHUSETTS -----	-	-	1	-	5	3	6	5	4	3	-	-
WHITE-----MALE----	-	-	-	-	2	-	3	2	1	-	-	-
FEMALE--	-	-	1	-	1	3	2	3	3	3	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
MICHIGAN -----	1	3	2	5	6	4	6	4	1	-	-	-
WHITE-----MALE----	-	1	1	3	1	-	-	1	-	-	-	-
FEMALE--	1	2	1	1	4	4	5	3	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,015

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OF EYE, BRAIN, AND OTHER PARTS OF NERVOUS SYSTEM (224-225)												
OHIO -----	1	2	1	3	7	9	10	7	1	1	-	-
WHITE-----MALE----	1	2	-	1	4	3	3	1	-	-	-	-
FEMALE--	-	-	1	1	2	6	6	4	1	1	-	-
ALL OTHER--MALE----	-	-	-	1	1	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	-	-	-	-
BLACK---MALE----	-	-	-	1	1	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	-	-	-	-
OKLAHOMA -----	1	-	1	1	1	1	1	2	-	1	-	-
WHITE-----MALE----	1	-	1	1	-	1	-	1	-	1	-	-
FEMALE--	-	-	-	-	1	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
OREGON -----	1	-	-	-	3	2	2	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	3	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	2	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	1	1	1	5	5	7	16	7	8	1	-	-
WHITE-----MALE----	1	1	-	3	3	2	4	1	-	-	-	-
FEMALE--	-	-	-	2	2	5	11	6	8	1	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
RHODE ISLAND -----	-	-	-	1	-	-	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	-	-	-	2	-	5	4	5	2	1	-	-
WHITE-----MALE----	-	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	1	3	1	1	-	-
ALL OTHER--MALE----	-	-	-	1	-	1	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	2	2	2	-	-	-	-
BLACK---MALE----	-	-	-	1	-	1	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	2	2	2	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,016
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OF EYE, BRAIN, AND OTHER PARTS OF NERVOUS SYSTEM (224-225)												
SOUTH DAKOTA -----	-	1	-	1	-	-	-	2	-	-	-	-
WHITE-----MALE----	-	1	-	1	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	-	1	2	1	5	2	2	8	3	-	-	-
WHITE-----MALE----	-	-	-	1	1	-	-	2	-	-	-	-
FEMALE--	-	-	-	-	3	2	2	6	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	2	-	1	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	2	-	1	-	-	-	1	-	-	-
TEXAS -----	1	1	4	8	9	10	8	9	-	1	1	-
WHITE-----MALE----	-	-	1	3	3	5	4	2	-	-	-	-
FEMALE--	-	1	1	4	4	4	3	7	-	1	-	-
ALL OTHER--MALE----	-	-	1	-	2	-	-	-	-	-	-	-
FEMALE--	1	-	1	1	-	1	1	-	-	-	1	-
BLACK---MALE----	-	-	1	-	2	-	-	-	-	-	-	-
FEMALE--	1	-	1	1	-	1	1	-	-	-	1	-
UTAH -----	-	-	-	-	-	1	-	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	-	-	1	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	1	2	1	1	2	3	2	3	1	-	-	-
WHITE-----MALE----	1	1	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	1	-	1	2	3	-	2	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	2	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	2	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 1,018

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 OF ALL OTHER AND UNSPECIFIED SITES (210-217,222-223,226-229)												
UNITED STATES --	586	18	10	5	2	11	8	11	18	18	19	21
WHITE-----MALE----	208	4	3	2	-	2	5	3	5	6	4	7
FEMALE--	275	6	5	3	1	8	3	7	9	9	11	10
ALL OTHER--MALE----	54	3	1	-	-	-	-	1	2	1	3	3
FEMALE--	49	5	1	-	1	1	-	-	2	2	1	1
BLACK---MALE----	43	3	1	-	-	-	-	1	2	1	3	2
FEMALE--	44	4	1	-	1	1	-	-	2	1	1	1
ALABAMA -----	14	1	-	-	-	-	1	-	-	-	1	-
WHITE-----MALE----	4	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	2	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	2	1	-	-	-	-	-	-	-	-	-	-
ALASKA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	10	-	1	-	-	-	-	-	1	-	1	-
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	1	-	-	-	-	-	1	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	7	-	1	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	2	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	64	2	-	1	-	-	-	2	2	3	2	2
WHITE-----MALE----	29	1	-	-	-	-	-	-	-	-	1	1
FEMALE--	28	-	-	1	-	-	-	2	2	1	1	1
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	1	-	-	-	-	-	-	-	2	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,018

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OF ALL OTHER AND UNSPECIFIED SITES (210-217,222-223,226-229)												
UNITED STATES --	29	32	22	44	79	69	64	65	30	10	1	-
WHITE-----MALE----	15	10	11	12	38	24	25	22	9	1	-	-
FEMALE--	10	8	7	18	30	32	31	39	18	9	1	-
ALL OTHER--MALE----	2	10	1	9	5	7	4	1	1	-	-	-
FEMALE--	2	4	3	5	6	6	4	3	2	-	-	-
BLACK---MALE----	1	8	1	6	4	6	2	1	1	-	-	-
FEMALE--	2	4	3	5	6	4	3	3	2	-	-	-
ALABAMA -----	1	1	-	3	1	1	1	2	1	-	-	-
WHITE-----MALE----	1	1	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	3	-	1	-	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ALASKA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	-	-	-	1	1	2	2	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	2	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	-	-	1	-	1	1	1	1	-	1	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	1	-	1	-	-	1	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
CALIFORNIA -----	4	-	-	3	7	7	13	12	4	-	-	-
WHITE-----MALE----	4	-	-	2	6	2	5	5	2	-	-	-
FEMALE--	-	-	-	-	1	5	5	7	2	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	2	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,019

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OF ALL OTHER AND UNSPECIFIED SITES (210-217,222-223,226-229)												
COLORADO -----	-	-	-	-	2	1	-	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	2	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	-	-	-	2	3	-	-	1	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	1	1	-	-	-
FEMALE--	-	-	-	2	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
DELAWARE -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	2	-	-	-	-	-	-	2	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	2	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	2	-	-	-	-
FLORIDA -----	1	2	-	2	4	3	6	5	2	2	-	-
WHITE-----MALE----	-	-	-	1	3	1	3	1	1	1	-	-
FEMALE--	1	2	-	1	1	2	3	4	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
GEORGIA -----	1	1	1	2	1	2	1	-	2	-	-	-
WHITE-----MALE----	-	1	-	-	-	2	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	1	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	2	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	2	-	-	-	-	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,022

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OF ALL OTHER AND UNSPECIFIED SITES (210-217,222-223,226-229)												
MINNESOTA -----	-	-	-	2	2	2	-	-	1	-	-	-
WHITE-----MALE----	-	-	-	-	1	2	-	-	-	-	-	-
FEMALE--	-	-	-	2	1	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI -----	-	-	1	1	1	2	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	1	-	1	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
MISSOURI -----	-	1	2	-	-	1	2	1	1	1	-	-
WHITE-----MALE----	-	-	1	-	-	-	1	-	1	-	-	-
FEMALE--	-	-	1	-	-	-	2	-	1	1	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MONTANA -----	-	-	-	-	-	-	3	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	2	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	-	-	-	-	-	-	-	-	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA -----	-	-	-	2	1	-	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,024

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OF ALL OTHER AND UNSPECIFIED SITES (210-217,222-223,226-229)												
OHIO -----	-	1	3	2	1	3	-	2	4	-	-	-
WHITE-----MALE----	-	-	1	-	-	1	-	-	2	-	-	-
FEMALE--	-	1	1	-	1	2	-	2	1	-	-	-
ALL OTHER--MALE----	-	-	1	2	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	2	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA -----	-	1	-	1	-	-	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	1	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	1	-	-	-	-	-	1	3	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
PENNSYLVANIA -----	1	3	1	1	2	3	-	-	-	-	-	-
WHITE-----MALE----	-	1	1	-	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	1	2	2	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	2	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	2	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND -----	-	-	-	1	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	-	2	-	1	5	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	1	4	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,054

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 NEOPLASMS OF UNCERTAIN BEHAVIOR (235-238)												
UNITED STATES --	47	60	85	139	237	288	321	293	133	37	3	-
WHITE-----MALE----	21	29	35	71	112	145	131	105	47	10	1	-
FEMALE--	19	20	42	56	98	126	171	175	77	25	1	-
ALL OTHER--MALE----	5	5	1	9	15	9	12	5	2	-	1	-
FEMALE--	2	6	7	3	12	8	7	8	7	2	-	-
BLACK---MALE----	5	4	1	7	14	9	12	3	1	-	1	-
FEMALE--	2	6	6	3	11	8	7	7	5	2	-	-
ALABAMA -----	1	4	-	3	1	2	3	5	2	-	-	-
WHITE-----MALE----	1	2	-	2	-	1	-	2	-	-	-	-
FEMALE--	-	1	-	-	1	-	3	3	1	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	-	-	1	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	-	-	1	-	-	-
ALASKA -----	-	-	-	-	1	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	1	2	3	4	4	5	3	4	2	-	-	-
WHITE-----MALE----	-	2	2	3	3	4	1	1	1	-	-	-
FEMALE--	1	-	1	1	1	1	2	3	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	1	1	1	-	2	4	3	5	-	2	-	-
WHITE-----MALE----	-	1	-	-	-	2	-	-	-	-	-	-
FEMALE--	1	-	1	-	2	2	3	4	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	1	-	-
CALIFORNIA -----	2	3	10	8	14	34	29	26	4	4	-	-
WHITE-----MALE----	1	1	5	1	8	24	14	7	4	1	-	-
FEMALE--	1	2	3	6	4	10	13	18	-	3	-	-
ALL OTHER--MALE----	-	-	-	1	1	-	1	-	-	-	-	-
FEMALE--	-	-	2	-	1	-	1	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	1	-	1	-	1	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 1,055

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 NEOPLASMS OF UNCERTAIN BEHAVIOR (235-238)												
COLORADO -----	23	-	-	-	-	-	-	1	-	-	1	-
WHITE-----MALE----	7	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	15	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	15	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	7	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	3	-	-	-	-	-	-	-	-	-	1	-
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	7	-	-	-	-	1	-	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	5	-	-	-	-	1	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	5	-	-	-	-	1	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	111	-	-	-	-	-	2	-	-	-	1	3
WHITE-----MALE----	60	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	46	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	2	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	2	-	-	-	-	-
GEORGIA -----	42	-	-	1	-	-	-	-	-	3	2	-
WHITE-----MALE----	15	-	-	1	-	-	-	-	-	1	2	-
FEMALE--	16	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	2	-	-
BLACK---MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	2	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,055

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 NEOPLASMS OF UNCERTAIN BEHAVIOR (235-238)												
COLORADO -----	-	3	-	-	3	3	8	1	2	1	-	-
WHITE-----MALE----	-	-	-	-	2	-	2	-	2	-	-	-
FEMALE--	-	2	-	-	1	3	6	1	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	-	-	1	1	2	2	4	2	3	-	-	-
WHITE-----MALE----	-	-	1	-	1	2	1	1	1	-	-	-
FEMALE--	-	-	-	1	1	-	3	1	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	-	-	-	-	-	2	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	-	1	-	-	2	-	1	-	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	1	-	-	-
ALL OTHER--MALE----	-	1	-	-	2	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	2	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	4	2	4	9	6	18	25	28	8	1	-	-
WHITE-----MALE----	2	2	3	5	3	13	11	12	6	-	-	-
FEMALE--	2	-	1	3	3	5	13	15	2	1	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
GEORGIA -----	-	2	3	2	8	5	9	4	3	-	-	-
WHITE-----MALE----	-	2	1	1	1	1	2	2	1	-	-	-
FEMALE--	-	-	1	-	3	3	6	2	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	3	1	1	-	-	-	-	-
FEMALE--	-	-	1	1	1	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	3	1	1	-	-	-	-	-
FEMALE--	-	-	1	1	1	-	-	-	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,057

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 NEOPLASMS OF UNCERTAIN BEHAVIOR (235-238)												
KENTUCKY -----	2	-	1	2	3	6	4	6	-	-	-	-
WHITE-----MALE----	2	-	1	-	1	3	-	3	-	-	-	-
FEMALE--	-	-	-	2	2	3	4	3	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	2	-	3	1	5	3	4	1	-	-	-	-
WHITE-----MALE----	1	-	-	-	4	1	-	-	-	-	-	-
FEMALE--	1	-	2	-	1	2	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	1	1	-	-	-	-
FEMALE--	-	-	1	-	-	-	2	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	1	1	-	-	-	-
FEMALE--	-	-	1	-	-	-	2	-	-	-	-	-
MAINE -----	-	-	-	-	1	2	5	1	-	-	1	-
WHITE-----MALE----	-	-	-	-	1	1	4	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	2	1	2	3	2	6	4	5	1	1	-	-
WHITE-----MALE----	1	-	1	1	-	2	2	2	1	1	-	-
FEMALE--	-	-	1	2	2	2	-	3	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	2	-	-	-	-	-
FEMALE--	1	1	-	-	-	2	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	2	-	-	-	-	-
FEMALE--	1	1	-	-	-	2	-	-	-	-	-	-
MASSACHUSETTS -----	-	-	1	4	4	8	6	9	2	1	-	-
WHITE-----MALE----	-	-	1	2	1	3	6	3	1	-	-	-
FEMALE--	-	-	-	2	3	5	-	5	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
MICHIGAN -----	2	1	1	7	9	10	13	15	5	-	-	-
WHITE-----MALE----	1	-	-	5	3	4	3	8	1	-	-	-
FEMALE--	1	1	-	2	4	5	9	6	4	-	-	-
ALL OTHER--MALE----	-	-	-	-	2	1	1	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	2	1	1	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 1,060

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 NEOPLASMS OF UNCERTAIN BEHAVIOR (235-238)												
OHIO -----	90	1	-	-	1	1	1	1	-	1	1	7
WHITE-----MALE----	44	-	-	-	1	-	1	-	-	-	1	4
FEMALE--	41	1	-	-	-	-	-	-	-	1	-	3
ALL OTHER--MALE----	2	-	-	-	-	1	-	1	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	1	-	1	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA -----	29	1	-	-	-	-	-	-	-	1	-	1
WHITE-----MALE----	13	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	15	1	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	24	-	-	-	-	-	-	1	-	-	-	-
WHITE-----MALE----	16	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	110	1	-	-	-	-	1	-	1	-	-	3
WHITE-----MALE----	42	-	-	-	-	-	1	-	-	-	-	2
FEMALE--	63	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	3	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	3	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	1
RHODE ISLAND -----	13	-	-	-	-	-	-	-	-	1	-	-
WHITE-----MALE----	7	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	34	-	-	-	1	2	-	-	-	1	2	1
WHITE-----MALE----	8	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	14	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	8	-	-	-	1	2	-	-	-	-	1	1
BLACK---MALE----	4	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	8	-	-	-	1	2	-	-	-	-	1	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,060

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 NEOPLASMS OF UNCERTAIN BEHAVIOR (235-238)												
OHIO -----	3	4	4	8	9	12	17	13	4	2	-	-
WHITE-----MALE----	1	1	3	5	6	7	9	5	-	-	-	-
FEMALE--	2	2	1	3	2	4	8	8	4	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	1	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	1	1	-	-	-	-	-	-
OKLAHOMA -----	1	-	1	3	5	5	3	5	2	1	-	-
WHITE-----MALE----	-	-	-	2	3	4	1	2	-	-	-	-
FEMALE--	1	-	1	1	2	1	2	2	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	1	-	1	4	5	4	3	2	3	-	-	-
WHITE-----MALE----	-	-	-	4	5	3	1	-	2	-	-	-
FEMALE--	1	-	1	-	-	1	2	2	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	2	3	5	8	20	17	18	19	10	2	-	-
WHITE-----MALE----	-	2	2	3	5	10	6	7	4	-	-	-
FEMALE--	2	1	3	5	13	7	11	12	6	2	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
RHODE ISLAND -----	-	1	2	-	2	4	-	1	-	2	-	-
WHITE-----MALE----	-	1	-	-	2	3	-	-	-	1	-	-
FEMALE--	-	-	2	-	-	1	-	1	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	3	1	-	4	5	6	4	3	1	-	-	-
WHITE-----MALE----	1	1	-	-	-	1	2	2	1	-	-	-
FEMALE--	-	-	-	4	4	3	2	1	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	1	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	1	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 1,061

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 NEOPLASMS OF UNCERTAIN BEHAVIOR (235-238)												
SOUTH DAKOTA -----	6	1	-	-	-	-	-	-	-	-	1	-
WHITE-----MALE----	5	1	-	-	-	-	-	-	-	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	34	-	-	-	-	-	-	-	1	-	1	-
WHITE-----MALE----	11	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	20	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
TEXAS -----	103	2	1	1	-	1	2	-	1	1	2	3
WHITE-----MALE----	45	1	1	-	-	-	2	-	-	-	2	3
FEMALE--	49	1	-	1	-	1	-	-	1	1	-	-
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
UTAH -----	5	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	3	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	35	1	-	-	-	1	-	-	1	-	1	1
WHITE-----MALE----	14	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	14	-	-	-	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	1	-	-	1	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	1	-	-	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,061

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 NEOPLASMS OF UNCERTAIN BEHAVIOR (235-238)												
SOUTH DAKOTA -----	-	-	-	-	-	-	1	2	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	2	1	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	1	4	3	3	5	5	3	6	1	1	-	-
WHITE-----MALE----	-	1	2	1	-	1	2	2	1	-	-	-
FEMALE--	1	2	-	2	5	4	1	4	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	1	-	-	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	1	-	-	-	-	-	-	1	-	-
TEXAS -----	3	4	6	4	10	16	19	15	10	2	-	-
WHITE-----MALE----	1	1	3	2	7	6	8	5	2	1	-	-
FEMALE--	2	1	2	1	2	10	8	9	8	1	-	-
ALL OTHER--MALE----	-	1	1	1	1	-	1	1	-	-	-	-
FEMALE--	-	1	-	-	-	-	2	-	-	-	-	-
BLACK---MALE----	-	-	1	-	1	-	1	1	-	-	-	-
FEMALE--	-	1	-	-	-	-	2	-	-	-	-	-
UTAH -----	-	1	-	-	-	1	-	1	2	-	-	-
WHITE-----MALE----	-	1	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	-	-	-	-	1	1	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	2	-	3	3	5	7	8	2	-	-	-	-
WHITE-----MALE----	-	-	1	2	1	3	5	1	-	-	-	-
FEMALE--	1	-	2	-	2	4	2	1	-	-	-	-
ALL OTHER--MALE----	1	-	-	1	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	2	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	1	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	2	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 1,063

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 NEOPLASMS OF UNSPECIFIED NATURE (239)												
UNITED STATES --	4,455	23	37	40	22	32	29	34	66	71	124	124
WHITE-----MALE----	1,762	10	15	14	10	18	15	20	36	37	52	54
FEMALE--	2,160	8	12	10	8	6	6	9	20	17	44	45
ALL OTHER--MALE----	237	3	4	9	2	7	3	4	4	7	15	18
FEMALE--	296	2	6	7	2	1	5	1	6	10	13	7
BLACK---MALE----	196	3	4	7	2	6	3	2	3	7	11	17
FEMALE--	256	2	3	7	2	1	3	1	4	8	11	7
ALABAMA -----	99	-	3	1	-	3	-	-	5	1	4	3
WHITE-----MALE----	33	-	2	1	-	2	-	-	-	1	2	1
FEMALE--	46	-	-	-	-	-	-	-	3	-	1	1
ALL OTHER--MALE----	10	-	-	-	-	1	-	-	2	-	-	-
FEMALE--	10	-	1	-	-	-	-	-	-	-	1	1
BLACK---MALE----	10	-	-	-	-	1	-	-	2	-	-	-
FEMALE--	10	-	1	-	-	-	-	-	-	-	1	1
ALASKA -----	11	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	87	-	-	-	1	-	-	2	1	4	5	4
WHITE-----MALE----	42	-	-	-	-	-	-	1	-	2	-	3
FEMALE--	40	-	-	-	-	-	-	1	1	1	3	1
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	2	-
FEMALE--	3	-	-	-	1	-	-	-	-	1	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-
ARKANSAS -----	34	-	-	2	-	-	-	-	1	-	-	4
WHITE-----MALE----	14	-	-	-	-	-	-	-	1	-	-	3
FEMALE--	18	-	-	1	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	1	-	-	-	-	-	-	-	-
CALIFORNIA -----	298	3	5	6	1	1	3	3	4	6	6	10
WHITE-----MALE----	103	1	2	1	-	-	1	2	3	5	3	4
FEMALE--	150	-	2	2	1	-	-	1	1	-	2	3
ALL OTHER--MALE----	25	1	-	3	-	-	1	-	-	-	1	3
FEMALE--	20	1	1	-	-	1	1	-	-	1	-	-
BLACK---MALE----	13	1	-	2	-	-	1	-	-	-	1	3
FEMALE--	10	1	1	-	-	1	-	-	-	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,063

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 NEOPLASMS OF UNSPECIFIED NATURE (239)												
UNITED STATES --	188	205	270	321	493	590	692	592	377	107	18	-
WHITE-----MALE----	89	104	127	153	213	267	248	165	96	16	3	-
FEMALE--	64	78	110	128	213	262	397	375	257	80	11	-
ALL OTHER--MALE----	24	13	15	17	19	28	17	17	9	-	2	-
FEMALE--	11	10	18	23	48	33	30	35	15	11	2	-
BLACK---MALE----	19	12	12	16	15	21	14	15	5	-	2	-
FEMALE--	8	7	16	20	43	30	26	32	13	11	1	-
ALABAMA -----	7	4	15	10	10	10	8	12	3	-	-	-
WHITE-----MALE----	3	2	5	1	3	8	-	2	-	-	-	-
FEMALE--	2	1	8	7	6	-	7	8	2	-	-	-
ALL OTHER--MALE----	2	-	1	1	-	1	-	1	1	-	-	-
FEMALE--	-	1	1	1	1	1	1	1	-	-	-	-
BLACK---MALE----	2	-	1	1	-	1	-	1	1	-	-	-
FEMALE--	-	1	1	1	1	1	1	1	-	-	-	-
ALASKA -----	-	-	1	1	2	1	2	2	2	-	-	-
WHITE-----MALE----	-	-	-	1	1	-	1	-	1	-	-	-
FEMALE--	-	-	1	-	-	1	1	2	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	1	5	10	9	9	8	14	8	3	3	-	-
WHITE-----MALE----	-	3	8	6	5	7	6	1	-	-	-	-
FEMALE--	1	2	2	3	3	1	8	7	3	3	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	1	3	3	-	2	4	8	4	2	-	-	-
WHITE-----MALE----	1	1	2	-	1	2	2	1	-	-	-	-
FEMALE--	-	2	1	-	1	1	6	3	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
CALIFORNIA -----	12	13	17	17	29	34	47	42	29	9	1	-
WHITE-----MALE----	4	8	6	7	10	13	10	10	10	3	-	-
FEMALE--	5	3	8	7	13	17	33	28	17	6	1	-
ALL OTHER--MALE----	2	-	2	1	4	3	2	2	-	-	-	-
FEMALE--	1	2	1	2	2	1	2	2	2	-	-	-
BLACK---MALE----	1	-	1	-	2	-	-	1	-	-	-	-
FEMALE--	-	1	-	1	2	1	-	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 1,064

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 NEOPLASMS OF UNSPECIFIED NATURE (239)												
COLORADO -----	65	-	-	1	-	-	1	2	3	1	1	3
WHITE-----MALE----	32	-	-	-	-	-	1	1	3	1	1	2
FEMALE--	29	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	3	-	-	1	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	59	-	1	-	-	1	-	-	1	1	2	4
WHITE-----MALE----	24	-	-	-	-	1	-	-	1	-	-	2
FEMALE--	30	-	1	-	-	-	-	-	-	1	2	1
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	20	-	-	-	-	-	-	1	1	-	-	-
WHITE-----MALE----	12	-	-	-	-	-	-	1	1	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	10	-	-	-	-	-	-	1	-	-	2	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	1	-	-	1	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	1	-	-	1	-
FLORIDA -----	210	1	1	2	-	1	1	2	1	4	8	5
WHITE-----MALE----	90	-	1	-	-	-	1	2	1	1	2	2
FEMALE--	97	-	-	1	-	-	-	-	-	1	4	2
ALL OTHER--MALE----	5	-	-	-	-	1	-	-	-	-	1	1
FEMALE--	18	1	-	1	-	-	-	-	-	2	1	-
BLACK---MALE----	4	-	-	-	-	1	-	-	-	-	-	1
FEMALE--	17	1	-	1	-	-	-	-	-	2	1	-
GEORGIA -----	134	-	2	3	-	2	2	2	1	3	7	5
WHITE-----MALE----	44	-	-	-	-	-	1	2	-	-	4	-
FEMALE--	59	-	2	-	-	-	-	-	-	-	2	2
ALL OTHER--MALE----	15	-	-	1	-	2	-	-	-	2	1	2
FEMALE--	16	-	-	2	-	-	1	-	1	1	-	1
BLACK---MALE----	15	-	-	1	-	2	-	-	-	2	1	2
FEMALE--	16	-	-	2	-	-	1	-	1	1	-	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,064

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 NEOPLASMS OF UNSPECIFIED NATURE (239)												
COLORADO -----	2	3	4	6	8	8	7	7	8	-	-	-
WHITE-----MALE----	2	3	2	3	4	3	2	2	2	-	-	-
FEMALE--	-	-	2	2	4	4	5	5	6	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
CONNECTICUT -----	2	2	3	2	9	6	9	11	1	4	-	-
WHITE-----MALE----	1	1	2	1	5	3	3	4	-	-	-	-
FEMALE--	-	1	-	1	3	3	6	7	1	3	-	-
ALL OTHER--MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	1	-	-
BLACK---MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	1	-	-
DELAWARE -----	1	1	1	2	2	3	3	2	1	2	-	-
WHITE-----MALE----	1	1	1	2	1	2	1	-	1	-	-	-
FEMALE--	-	-	-	-	-	1	1	2	-	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	-	-	-	2	2	1	1	-	1	-	-	-
WHITE-----MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	2	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	2	-	-	-	-	1	-	-	-
FLORIDA -----	9	6	10	15	17	36	25	37	23	6	-	-
WHITE-----MALE----	6	3	6	8	9	16	11	10	7	4	-	-
FEMALE--	2	2	3	6	5	18	12	24	15	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	2	-	-	-	-	-	-
FEMALE--	1	1	1	1	3	-	2	3	1	-	-	-
BLACK---MALE----	-	-	-	-	-	2	-	-	-	-	-	-
FEMALE--	1	-	1	1	3	-	2	3	1	-	-	-
GEORGIA -----	10	7	8	7	20	15	20	11	6	3	-	-
WHITE-----MALE----	3	5	4	1	10	7	4	3	-	-	-	-
FEMALE--	5	1	3	5	9	7	10	5	5	3	-	-
ALL OTHER--MALE----	2	1	-	1	-	-	1	2	-	-	-	-
FEMALE--	-	-	1	-	1	1	5	1	1	-	-	-
BLACK---MALE----	2	1	-	1	-	-	1	2	-	-	-	-
FEMALE--	-	-	1	-	1	1	5	1	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 1,066

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 NEOPLASMS OF UNSPECIFIED NATURE (239)												
KENTUCKY -----	66	1	-	-	-	1	1	1	4	1	1	-
WHITE-----MALE----	33	-	-	-	-	1	1	1	4	-	1	-
FEMALE--	29	1	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	113	1	1	-	-	1	2	-	5	2	3	3
WHITE-----MALE----	43	1	1	-	-	-	1	-	1	-	2	1
FEMALE--	44	-	-	-	-	-	-	-	2	2	1	-
ALL OTHER--MALE----	12	-	-	-	-	1	-	-	1	-	-	2
FEMALE--	14	-	-	-	-	-	1	-	1	-	-	-
BLACK---MALE----	11	-	-	-	-	1	-	-	-	-	-	2
FEMALE--	14	-	-	-	-	-	1	-	1	-	-	-
MAINE -----	24	-	-	2	-	-	1	-	-	-	-	-
WHITE-----MALE----	13	-	-	1	-	-	1	-	-	-	-	-
FEMALE--	11	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	82	-	2	-	1	-	-	3	2	1	3	4
WHITE-----MALE----	27	-	-	-	1	-	-	1	-	1	1	1
FEMALE--	36	-	-	-	-	-	-	2	1	-	-	1
ALL OTHER--MALE----	10	-	2	-	-	-	-	-	1	-	-	1
FEMALE--	9	-	-	-	-	-	-	-	-	-	2	1
BLACK---MALE----	10	-	2	-	-	-	-	-	1	-	-	1
FEMALE--	9	-	-	-	-	-	-	-	-	-	2	1
MASSACHUSETTS -----	133	-	-	1	-	1	1	1	2	-	6	2
WHITE-----MALE----	54	-	-	1	-	1	-	1	1	-	2	1
FEMALE--	74	-	-	-	-	-	1	-	1	-	2	1
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	2	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	2	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	193	-	3	3	1	-	2	2	2	4	6	6
WHITE-----MALE----	83	-	2	2	-	-	1	-	1	1	3	4
FEMALE--	85	-	1	-	1	-	1	2	1	2	2	2
ALL OTHER--MALE----	13	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	12	-	-	1	-	-	-	-	-	1	-	-
BLACK---MALE----	12	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	10	-	-	1	-	-	-	-	-	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,066

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 NEOPLASMS OF UNSPECIFIED NATURE (239)												
KENTUCKY -----	1	4	4	6	10	8	8	7	5	3	-	-
WHITE-----MALE----	1	2	3	4	6	5	4	-	-	-	-	-
FEMALE--	-	2	1	2	4	3	3	5	4	3	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	2	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	2	1	-	-	-
LOUISIANA -----	6	6	8	12	15	11	19	6	10	1	1	-
WHITE-----MALE----	3	4	2	3	5	8	7	3	1	-	-	-
FEMALE--	2	2	4	4	9	1	8	1	6	1	1	-
ALL OTHER--MALE----	-	-	-	3	1	1	2	-	1	-	-	-
FEMALE--	1	-	2	2	-	1	2	2	2	-	-	-
BLACK---MALE----	-	-	-	3	1	1	2	-	1	-	-	-
FEMALE--	1	-	2	2	-	1	2	2	2	-	-	-
MAINE -----	-	-	1	4	3	4	4	3	2	-	-	-
WHITE-----MALE----	-	-	1	3	1	3	2	-	1	-	-	-
FEMALE--	-	-	-	1	2	1	2	3	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	9	4	3	4	10	15	9	6	6	-	-	-
WHITE-----MALE----	5	1	-	-	4	6	3	1	2	-	-	-
FEMALE--	3	2	2	3	2	8	6	3	3	-	-	-
ALL OTHER--MALE----	-	1	1	-	1	1	-	1	1	-	-	-
FEMALE--	1	-	-	1	3	-	-	1	-	-	-	-
BLACK---MALE----	-	1	1	-	1	1	-	1	1	-	-	-
FEMALE--	1	-	-	1	3	-	-	1	-	-	-	-
MASSACHUSETTS -----	5	7	6	12	13	17	19	19	16	5	-	-
WHITE-----MALE----	3	5	4	6	5	10	6	7	-	1	-	-
FEMALE--	2	2	2	6	7	7	11	12	16	4	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	2	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	2	-	-	-	-	-
MICHIGAN -----	14	7	12	17	24	20	32	23	11	3	1	-
WHITE-----MALE----	7	1	9	10	9	10	10	9	3	1	-	-
FEMALE--	2	2	3	6	10	8	21	12	6	2	1	-
ALL OTHER--MALE----	4	2	-	1	1	1	-	1	2	-	-	-
FEMALE--	1	2	-	-	4	1	1	1	-	-	-	-
BLACK---MALE----	3	2	-	1	1	1	-	1	2	-	-	-
FEMALE--	-	1	-	-	4	1	1	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,067

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 NEOPLASMS OF UNSPECIFIED NATURE (239)												
MINNESOTA -----	4	4	6	3	7	15	17	15	10	3	-	-
WHITE-----MALE----	-	3	5	2	6	4	3	3	6	-	-	-
FEMALE--	2	1	1	1	1	11	14	12	4	3	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI -----	-	4	2	7	6	5	2	3	-	-	-	-
WHITE-----MALE----	-	3	-	1	1	2	1	-	-	-	-	-
FEMALE--	-	1	2	4	1	-	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	1	4	3	-	1	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	4	3	-	1	-	-	-	-
MISSOURI -----	7	4	4	8	14	9	9	9	12	5	-	-
WHITE-----MALE----	2	1	1	2	7	7	3	1	4	1	-	-
FEMALE--	5	2	3	3	7	2	5	8	8	3	-	-
ALL OTHER--MALE----	-	1	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	2	-	-	1	-	-	1	-	-
BLACK---MALE----	-	1	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	2	-	-	1	-	-	1	-	-
MONTANA -----	2	-	-	2	2	3	5	2	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	1	2	-	-	-	-	-
FEMALE--	1	-	-	2	2	2	3	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	1	1	-	1	1	2	2	1	5	2	-	-
WHITE-----MALE----	1	1	-	-	1	-	-	-	3	-	-	-
FEMALE--	-	-	-	1	-	2	2	1	2	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA -----	1	1	-	4	5	4	3	6	-	-	-	-
WHITE-----MALE----	1	-	1	3	4	2	2	2	-	-	-	-
FEMALE--	-	1	-	-	-	2	1	4	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	1	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	1	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 1,069

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 NEOPLASMS OF UNSPECIFIED NATURE (239)												
OHIO -----	233	1	2	3	1	2	1	-	5	2	6	9
WHITE-----MALE----	95	1	1	2	-	1	-	-	2	1	4	4
FEMALE--	124	-	1	-	1	1	1	-	3	-	2	5
ALL OTHER--MALE----	5	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	9	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	4	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	9	-	-	-	-	-	-	-	-	1	-	-
OKLAHOMA -----	65	1	1	2	-	1	-	-	2	1	4	-
WHITE-----MALE----	30	-	1	1	-	1	-	-	1	1	-	-
FEMALE--	29	1	-	1	-	-	-	-	1	-	2	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	2	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	2	-
OREGON -----	51	-	-	-	-	-	-	-	-	1	1	2
WHITE-----MALE----	23	-	-	-	-	-	-	-	-	1	1	1
FEMALE--	25	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	291	2	1	-	1	1	2	-	1	3	6	8
WHITE-----MALE----	119	-	1	-	1	-	1	-	1	1	3	6
FEMALE--	149	2	-	-	-	1	-	-	-	1	2	1
ALL OTHER--MALE----	13	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	10	-	-	-	-	-	1	-	-	-	1	-
BLACK---MALE----	12	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	10	-	-	-	-	-	1	-	-	-	1	-
RHODE ISLAND -----	13	-	-	-	-	-	-	-	1	-	-	-
WHITE-----MALE----	2	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	11	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	44	1	-	1	-	-	-	1	1	1	2	1
WHITE-----MALE----	17	-	-	1	-	-	-	-	1	-	1	-
FEMALE--	16	1	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	6	-	-	-	-	-	-	1	-	-	-	1
FEMALE--	5	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	6	-	-	-	-	-	-	1	-	-	-	1
FEMALE--	5	-	-	-	-	-	-	-	-	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,069

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 NEOPLASMS OF UNSPECIFIED NATURE (239)												
OHIO -----	5	12	19	15	34	27	38	25	21	3	2	-
WHITE-----MALE----	5	7	8	10	12	10	14	6	7	-	-	-
FEMALE--	-	4	9	5	19	14	23	17	14	3	2	-
ALL OTHER--MALE----	-	1	1	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	1	-	3	2	-	2	-	-	-	-
BLACK---MALE----	-	-	1	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	1	-	3	2	-	2	-	-	-	-
OKLAHOMA -----	2	3	4	3	8	7	13	2	8	3	-	-
WHITE-----MALE----	1	3	3	3	5	3	4	-	2	1	-	-
FEMALE--	1	-	-	-	1	4	9	1	6	2	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	2	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	1	-	-	-	-
OREGON -----	1	6	3	5	4	7	6	10	3	1	1	-
WHITE-----MALE----	1	4	1	3	1	4	3	3	-	-	-	-
FEMALE--	-	2	1	1	3	3	3	6	3	1	1	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	1	-	-	-	-
PENNSYLVANIA -----	10	12	20	25	29	44	53	44	24	4	1	-
WHITE-----MALE----	5	7	8	13	11	18	22	15	5	-	1	-
FEMALE--	2	4	9	11	15	22	28	29	19	3	-	-
ALL OTHER--MALE----	2	1	1	1	3	2	1	-	-	-	-	-
FEMALE--	1	-	2	-	-	2	2	-	-	1	-	-
BLACK---MALE----	2	1	1	1	3	1	1	-	-	-	-	-
FEMALE--	1	-	2	-	-	2	2	-	-	1	-	-
RHODE ISLAND -----	-	-	1	-	1	2	1	3	2	2	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	1	-	1	2	1	3	1	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	3	1	1	3	5	11	3	7	1	1	-	-
WHITE-----MALE----	3	-	-	1	3	5	1	-	1	-	-	-
FEMALE--	-	1	1	1	1	3	2	4	-	1	-	-
ALL OTHER--MALE----	-	-	-	1	1	1	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	2	-	2	-	-	-	-
BLACK---MALE----	-	-	-	1	1	1	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	2	-	2	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,070

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 NEOPLASMS OF UNSPECIFIED NATURE (239)												
SOUTH DAKOTA -----	-	-	-	1	2	3	2	1	2	1	-	-
WHITE-----MALE----	-	-	-	1	1	2	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	2	1	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	1	3	3	5	3	10	4	6	5	1	-	-
WHITE-----MALE----	-	1	1	3	2	5	-	-	2	-	-	-
FEMALE--	-	2	2	1	-	3	4	4	3	1	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	1	1	2	-	1	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	1	1	2	-	1	-	-	-	-
TEXAS -----	2	4	7	14	13	20	31	38	24	5	3	-
WHITE-----MALE----	2	2	4	9	5	5	14	9	7	-	-	-
FEMALE--	-	1	1	3	6	12	13	25	15	4	1	-
ALL OTHER--MALE----	-	1	1	1	-	1	2	1	-	-	1	-
FEMALE--	-	-	1	1	2	2	2	3	2	1	1	-
BLACK---MALE----	-	1	1	1	-	1	2	1	-	-	1	-
FEMALE--	-	-	1	1	2	2	2	3	2	1	1	-
UTAH -----	-	2	5	3	6	5	4	10	3	-	-	-
WHITE-----MALE----	-	1	-	1	3	3	1	6	-	-	-	-
FEMALE--	-	1	4	2	3	2	3	4	3	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	3	1	-	-	1	1	2	4	3	2	-	-
WHITE-----MALE----	2	-	-	-	-	1	1	2	-	1	-	-
FEMALE--	1	1	-	-	1	-	1	2	3	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	6	8	8	8	11	7	11	17	10	3	1	-
WHITE-----MALE----	1	4	3	1	2	3	3	5	1	-	-	-
FEMALE--	3	2	2	4	3	3	6	8	8	1	-	-
ALL OTHER--MALE----	2	1	1	1	2	-	1	2	-	-	1	-
FEMALE--	-	1	2	2	4	1	1	2	1	2	-	-
BLACK---MALE----	2	1	-	1	2	-	1	2	-	-	1	-
FEMALE--	-	1	2	2	3	1	1	2	1	2	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 1,072
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 III. ENDOCRINE, NUTRITIONAL, AND METABOLIC DISEASES AND IMMUNITY DISORDERS (240-279)												
UNITED STATES --	88,158	304	116	75	96	194	281	433	759	1,190	1,774	2,487
WHITE-----MALE----	32,162	108	35	31	40	76	108	159	311	504	773	1,101
FEMALE--	39,543	102	47	32	37	83	100	132	213	354	471	680
ALL OTHER--MALE----	6,811	53	16	4	12	17	35	75	125	180	309	384
FEMALE--	9,642	41	18	8	7	18	38	67	110	152	221	322
BLACK---MALE----	5,824	45	13	2	12	17	32	68	111	166	286	341
FEMALE--	8,612	36	14	6	6	15	36	62	103	146	206	299
ALABAMA -----	1,764	5	1	1	2	4	7	13	13	27	41	49
WHITE-----MALE----	472	1	1	-	-	-	2	5	4	7	15	14
FEMALE--	632	1	-	1	2	-	2	2	4	7	5	12
ALL OTHER--MALE----	237	2	-	-	-	3	1	1	1	6	14	11
FEMALE--	423	1	-	-	-	1	2	5	4	7	7	12
BLACK---MALE----	237	2	-	-	-	3	1	1	1	6	14	11
FEMALE--	421	1	-	-	-	1	2	5	4	6	7	12
ALASKA -----	89	-	1	-	-	-	-	1	1	1	2	1
WHITE-----MALE----	29	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	34	-	-	-	-	-	-	1	-	1	2	-
ALL OTHER--MALE----	12	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	14	-	1	-	-	-	-	-	-	-	-	1
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	1,390	6	2	2	-	6	6	7	11	22	35	40
WHITE-----MALE----	605	3	-	1	-	3	4	4	7	12	18	21
FEMALE--	609	1	2	1	-	3	2	3	2	7	9	12
ALL OTHER--MALE----	72	-	-	-	-	-	-	-	1	2	5	6
FEMALE--	104	2	-	-	-	-	-	-	1	1	3	1
BLACK---MALE----	10	-	-	-	-	-	-	-	-	2	1	-
FEMALE--	29	1	-	-	-	-	-	-	1	1	-	-
ARKANSAS -----	893	5	1	1	2	2	2	5	10	17	21	30
WHITE-----MALE----	290	2	-	1	1	1	-	3	2	9	6	8
FEMALE--	397	1	-	-	-	1	1	2	6	4	9	10
ALL OTHER--MALE----	79	2	1	-	1	-	1	-	2	2	4	7
FEMALE--	127	-	-	-	-	-	-	-	-	2	2	5
BLACK---MALE----	75	1	1	-	1	-	1	-	2	2	4	7
FEMALE--	123	-	-	-	-	-	-	-	-	2	2	5
CALIFORNIA -----	7,367	37	16	10	15	23	28	36	75	119	162	244
WHITE-----MALE----	2,913	15	6	6	5	11	11	17	33	50	82	122
FEMALE--	3,011	16	8	4	9	10	10	8	19	46	56	67
ALL OTHER--MALE----	676	3	-	-	1	1	4	7	17	15	10	32
FEMALE--	767	3	2	-	-	1	3	4	6	8	14	23
BLACK---MALE----	359	2	-	-	1	1	3	3	13	12	7	23
FEMALE--	457	2	-	-	-	-	3	3	4	7	12	16

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,072
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 III. ENDOCRINE, NUTRITIONAL, AND METABOLIC DISEASES AND IMMUNITY DISORDERS (240-279)												
UNITED STATES --	3,424	4,595	6,114	8,485	11,450	13,268	13,098	10,695	6,321	2,417	577	5
WHITE-----MALE----	1,453	1,916	2,577	3,552	4,595	5,179	4,626	3,148	1,398	409	60	3
FEMALE--	1,066	1,435	2,059	3,051	4,584	5,947	6,611	6,239	4,168	1,708	424	-
ALL OTHER--MALE----	472	603	685	815	924	803	619	403	205	55	16	1
FEMALE--	433	641	793	1,067	1,347	1,339	1,242	905	550	245	77	1
BLACK---MALE----	395	514	577	694	794	671	528	337	161	46	14	-
FEMALE--	372	579	704	954	1,191	1,186	1,091	818	496	224	67	1
ALABAMA -----	87	93	131	168	215	240	289	212	122	36	8	-
WHITE-----MALE----	27	37	45	51	61	71	69	44	15	3	-	-
FEMALE--	18	21	34	43	73	78	127	112	67	20	3	-
ALL OTHER--MALE----	19	14	20	20	32	27	32	21	10	2	1	-
FEMALE--	23	21	32	54	49	64	61	35	30	11	4	-
BLACK---MALE----	19	14	20	20	32	27	32	21	10	2	1	-
FEMALE--	23	21	32	54	48	64	61	35	30	11	4	-
ALASKA -----	8	7	14	10	14	7	8	11	2	1	-	-
WHITE-----MALE----	2	3	7	5	4	2	1	4	-	-	-	-
FEMALE--	1	3	4	2	6	2	6	4	1	1	-	-
ALL OTHER--MALE----	4	1	2	1	2	2	-	-	-	-	-	-
FEMALE--	1	-	1	2	2	1	1	3	1	-	-	-
BLACK---MALE----	3	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	1	-	-	-	-	-	-	-	-
ARIZONA -----	66	69	109	143	209	193	190	135	86	41	11	1
WHITE-----MALE----	27	29	60	69	85	87	74	50	37	12	1	1
FEMALE--	24	21	31	53	98	89	101	74	44	25	7	-
ALL OTHER--MALE----	6	9	8	10	11	5	2	5	1	-	1	-
FEMALE--	9	10	10	11	15	12	13	6	4	4	2	-
BLACK---MALE----	-	2	1	2	2	-	-	-	-	-	-	-
FEMALE--	1	2	2	2	3	3	5	3	3	2	-	-
ARKANSAS -----	30	41	59	91	104	120	127	133	66	21	5	-
WHITE-----MALE----	7	17	26	37	36	41	36	41	13	3	-	-
FEMALE--	11	15	17	34	39	59	61	67	43	12	5	-
ALL OTHER--MALE----	6	4	6	7	8	7	10	8	2	1	-	-
FEMALE--	6	5	10	13	21	13	20	17	8	5	-	-
BLACK---MALE----	6	4	6	7	7	7	10	7	1	1	-	-
FEMALE--	4	5	10	12	21	13	19	17	8	5	-	-
CALIFORNIA -----	330	439	550	826	1,043	1,189	1,009	710	362	120	23	1
WHITE-----MALE----	147	207	245	347	412	482	372	222	93	23	4	1
FEMALE--	103	134	185	297	407	492	446	393	206	80	15	-
ALL OTHER--MALE----	46	53	66	90	108	89	70	36	23	5	-	-
FEMALE--	34	45	54	92	116	126	121	59	40	12	4	-
BLACK---MALE----	25	28	41	55	60	41	28	11	4	1	-	-
FEMALE--	22	31	34	59	56	78	59	35	25	9	2	-

TABLE TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 1,073

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 III. ENDOCRINE, NUTRITIONAL, AND METABOLIC DISEASES AND IMMUNITY DISORDERS (240-279)												
COLORADO -----	851	2	2	3	-	3	4	8	7	11	24	28
WHITE-----MALE----	365	1	-	1	-	2	2	3	5	6	12	13
FEMALE--	428	-	1	2	-	1	1	4	2	4	9	14
ALL OTHER--MALE----	27	-	-	-	-	-	-	1	-	1	2	1
FEMALE--	31	1	1	-	-	-	1	-	-	-	1	-
BLACK---MALE----	20	-	-	-	-	-	-	1	-	1	2	1
FEMALE--	21	1	1	-	-	-	-	-	-	-	1	-
CONNECTICUT -----	901	2	2	-	-	1	4	3	5	6	10	18
WHITE-----MALE----	342	1	1	-	-	-	3	-	-	4	6	7
FEMALE--	458	-	-	-	-	1	1	2	4	1	4	9
ALL OTHER--MALE----	55	-	1	-	-	-	-	-	1	1	-	2
FEMALE--	46	1	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	55	-	1	-	-	-	-	-	1	1	-	2
FEMALE--	46	1	-	-	-	-	-	1	-	-	-	-
DELAWARE -----	313	2	-	-	-	-	1	1	3	5	5	4
WHITE-----MALE----	99	1	-	-	-	-	-	1	1	1	1	2
FEMALE--	144	1	-	-	-	-	1	-	1	2	1	1
ALL OTHER--MALE----	38	-	-	-	-	-	-	-	1	2	2	-
FEMALE--	32	-	-	-	-	-	-	-	-	-	1	1
BLACK---MALE----	36	-	-	-	-	-	-	-	1	2	2	-
FEMALE--	32	-	-	-	-	-	-	-	-	-	1	1
DISTRICT OF COLUMBIA ----	268	1	-	-	-	-	1	2	3	5	7	7
WHITE-----MALE----	24	-	-	-	-	-	-	-	-	1	-	2
FEMALE--	21	-	-	-	-	-	-	-	-	1	1	-
ALL OTHER--MALE----	91	1	-	-	-	-	1	2	1	2	2	3
FEMALE--	132	-	-	-	-	-	-	-	2	1	4	2
BLACK---MALE----	91	1	-	-	-	-	1	2	1	2	2	3
FEMALE--	131	-	-	-	-	-	-	-	2	1	4	2
FLORIDA -----	5,500	10	4	7	8	12	16	28	66	69	105	161
WHITE-----MALE----	2,271	4	-	1	3	4	2	7	24	37	46	58
FEMALE--	2,225	3	2	3	2	4	4	8	15	14	24	49
ALL OTHER--MALE----	396	-	1	2	1	1	5	7	14	10	13	27
FEMALE--	608	3	1	1	2	3	5	6	13	8	22	27
BLACK---MALE----	378	-	1	1	1	1	5	7	14	10	13	26
FEMALE--	594	3	1	1	2	2	5	6	13	8	21	27
GEORGIA -----	2,043	11	7	-	2	5	11	16	21	53	54	67
WHITE-----MALE----	568	3	4	-	2	1	1	4	7	15	19	21
FEMALE--	774	2	2	-	-	4	7	5	4	16	12	11
ALL OTHER--MALE----	260	4	1	-	-	-	-	3	3	6	16	16
FEMALE--	441	2	-	-	-	-	3	4	7	16	7	19
BLACK---MALE----	257	4	1	-	-	-	-	3	3	6	16	16
FEMALE--	433	2	-	-	-	-	3	4	7	16	7	19

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,073

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 0 III. ENDOCRINE, NUTRITIONAL, AND METABOLIC DISEASES AND IMMUNITY DISORDERS (240-279)

COLORADO -----	37	43	41	87	95	129	126	90	68	33	10	-
WHITE-----MALE----	18	21	21	49	44	52	56	28	20	9	2	-
FEMALE--	18	21	15	28	41	68	66	58	47	22	6	-
ALL OTHER--MALE----	1	-	1	6	7	5	1	1	-	-	-	-
FEMALE--	-	1	4	4	3	4	3	3	1	2	2	-
BLACK---MALE----	-	-	-	3	5	5	1	1	-	-	-	-
FEMALE--	-	1	2	2	3	2	2	3	1	1	1	-
CONNECTICUT -----	33	35	66	84	110	133	136	132	83	30	8	-
WHITE-----MALE----	16	19	22	43	48	57	53	41	15	5	1	-
FEMALE--	12	9	31	28	48	62	72	79	66	22	7	-
ALL OTHER--MALE----	4	4	6	6	8	11	6	5	-	-	-	-
FEMALE--	1	3	7	7	6	3	5	7	2	3	-	-
BLACK---MALE----	4	4	6	6	8	11	6	5	-	-	-	-
FEMALE--	1	3	7	7	6	3	5	7	2	3	-	-
DELAWARE -----	9	13	21	31	37	61	59	37	13	8	3	-
WHITE-----MALE----	2	5	9	9	12	22	19	8	4	1	1	-
FEMALE--	4	4	8	15	17	22	28	25	7	6	1	-
ALL OTHER--MALE----	1	2	3	4	4	9	6	3	-	1	-	-
FEMALE--	2	2	1	3	4	8	6	1	2	-	1	-
BLACK---MALE----	1	2	3	4	3	9	5	3	-	1	-	-
FEMALE--	2	2	1	3	4	8	6	1	2	-	1	-
DISTRICT OF COLUMBIA ----	11	15	28	26	36	46	37	23	11	6	3	-
WHITE-----MALE----	1	1	1	3	2	8	1	4	-	-	-	-
FEMALE--	-	1	1	-	4	5	4	-	2	1	1	-
ALL OTHER--MALE----	4	5	11	11	14	13	12	8	-	1	-	-
FEMALE--	6	8	15	12	16	20	20	11	9	4	2	-
BLACK---MALE----	4	5	11	11	14	13	12	8	-	1	-	-
FEMALE--	6	8	15	12	16	20	20	11	9	3	2	-
FLORIDA -----	189	266	376	539	770	857	813	663	376	137	27	1
WHITE-----MALE----	77	109	163	260	346	400	368	227	90	39	6	-
FEMALE--	48	80	115	160	283	336	353	366	254	84	18	-
ALL OTHER--MALE----	34	29	43	51	58	50	22	17	7	4	-	-
FEMALE--	30	48	55	68	83	71	70	53	25	10	3	1
BLACK---MALE----	31	28	39	49	56	48	21	16	7	4	-	-
FEMALE--	28	47	53	67	82	71	67	51	25	10	3	1
GEORGIA -----	101	131	147	187	248	286	257	246	140	41	12	-
WHITE-----MALE----	30	43	52	52	78	93	57	64	20	1	1	-
FEMALE--	29	35	40	57	75	109	129	125	76	31	5	-
ALL OTHER--MALE----	16	31	27	29	33	24	22	14	14	-	1	-
FEMALE--	26	22	28	49	62	60	49	43	30	9	5	-
BLACK---MALE----	14	31	26	29	33	24	22	14	14	-	1	-
FEMALE--	25	22	28	47	61	59	48	43	29	8	5	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 1,074

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
 0 III. ENDOCRINE, NUTRITIONAL, AND METABOLIC DISEASES AND IMMUNITY DISORDERS (240-279)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
HAWAII -----	300	2	1	-	-	-	-	1	5	3	6	6
WHITE-----MALE----	29	-	-	-	-	-	-	-	1	-	2	3
FEMALE--	33	-	-	-	-	-	-	-	2	-	-	-
ALL OTHER--MALE----	127	1	1	-	-	-	-	-	1	2	3	2
FEMALE--	111	1	-	-	-	-	-	1	1	1	1	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	337	2	-	-	-	1	2	2	1	7	2	4
WHITE-----MALE----	129	1	-	-	-	1	1	1	1	4	2	2
FEMALE--	194	1	-	-	-	-	1	1	-	3	-	2
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	3,718	7	-	2	6	6	12	27	28	50	79	97
WHITE-----MALE----	1,279	1	-	1	4	1	4	7	10	15	38	44
FEMALE--	1,710	3	-	1	-	4	3	6	5	14	16	16
ALL OTHER--MALE----	313	2	-	-	2	-	2	8	9	13	17	22
FEMALE--	416	1	-	-	-	1	3	6	4	8	8	15
BLACK---MALE----	290	1	-	-	2	-	2	8	9	13	17	22
FEMALE--	393	1	-	-	-	1	3	6	4	8	7	15
INDIANA -----	1,934	8	1	3	3	2	6	12	19	21	35	50
WHITE-----MALE----	741	3	1	1	-	1	3	7	8	7	20	26
FEMALE--	953	2	-	1	3	1	2	2	9	7	11	14
ALL OTHER--MALE----	95	1	-	-	-	-	-	1	1	1	2	6
FEMALE--	145	2	-	1	-	-	1	2	1	6	2	4
BLACK---MALE----	89	1	-	-	-	-	-	1	1	1	2	6
FEMALE--	144	2	-	1	-	-	1	2	1	6	2	4
IOWA -----	957	2	2	1	1	4	4	5	3	8	14	26
WHITE-----MALE----	408	2	-	-	-	2	2	4	-	5	10	11
FEMALE--	523	-	1	-	1	2	1	1	3	3	3	13
ALL OTHER--MALE----	13	-	1	-	-	-	-	-	-	-	-	2
FEMALE--	13	-	-	1	-	-	1	-	-	-	1	-
BLACK---MALE----	11	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	11	-	-	1	-	-	1	-	-	-	1	-
KANSAS -----	912	4	1	2	-	1	2	6	7	6	15	33
WHITE-----MALE----	362	-	-	1	-	1	1	-	3	3	6	18
FEMALE--	481	3	1	1	-	-	1	4	2	3	3	12
ALL OTHER--MALE----	28	1	-	-	-	-	-	1	1	-	3	2
FEMALE--	41	-	-	-	-	-	-	1	1	-	3	1
BLACK---MALE----	24	-	-	-	-	-	-	1	-	-	3	2
FEMALE--	38	-	-	-	-	-	-	1	1	-	3	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,074
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 0 III. ENDOCRINE, NUTRITIONAL, AND METABOLIC DISEASES AND IMMUNITY DISORDERS (240-279)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
HAWAII -----	17	25	25	24	33	42	31	43	27	6	3	-
WHITE-----MALE----	1	1	2	2	5	3	3	5	1	-	-	-
FEMALE--	2	3	4	1	4	2	4	9	-	1	1	-
ALL OTHER--MALE----	7	11	11	12	13	21	11	16	13	2	-	-
FEMALE--	7	10	8	9	11	16	13	13	13	3	2	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
IDAHO -----	11	15	34	31	34	58	51	35	33	10	4	-
WHITE-----MALE----	5	7	7	12	20	22	19	15	7	2	-	-
FEMALE--	4	8	24	19	14	30	30	20	25	8	4	-
ALL OTHER--MALE----	1	-	1	-	-	2	-	-	1	-	-	-
FEMALE--	1	-	2	-	-	4	2	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	137	175	240	306	479	558	626	462	294	102	25	-
WHITE-----MALE----	48	59	89	125	183	219	218	135	57	16	5	-
FEMALE--	42	53	84	107	192	258	326	277	210	77	16	-
ALL OTHER--MALE----	27	33	26	31	37	35	25	15	8	1	-	-
FEMALE--	20	30	41	43	67	46	57	35	19	8	4	-
BLACK---MALE----	25	29	23	31	35	31	20	14	7	1	-	-
FEMALE--	19	28	38	40	62	44	54	33	18	8	4	-
INDIANA -----	65	103	115	181	266	306	278	269	128	53	10	-
WHITE-----MALE----	35	51	43	75	111	132	106	75	27	9	-	-
FEMALE--	20	33	56	76	114	145	145	178	86	39	9	-
ALL OTHER--MALE----	8	13	7	15	19	7	9	4	1	-	-	-
FEMALE--	2	6	9	15	22	22	18	12	14	5	1	-
BLACK---MALE----	7	11	7	15	18	6	8	4	1	-	-	-
FEMALE--	2	6	9	15	22	21	18	12	14	5	1	-
IOWA -----	19	41	54	66	94	141	174	151	94	41	12	-
WHITE-----MALE----	8	20	26	37	55	67	74	51	23	10	1	-
FEMALE--	9	20	24	25	36	71	98	100	70	31	11	-
ALL OTHER--MALE----	1	1	3	1	2	1	1	-	-	-	-	-
FEMALE--	1	-	1	3	1	2	1	-	1	-	-	-
BLACK---MALE----	-	1	3	1	2	1	1	-	-	-	-	-
FEMALE--	1	-	1	2	1	1	1	-	1	-	-	-
KANSAS -----	24	37	50	78	107	117	135	147	94	36	10	-
WHITE-----MALE----	12	15	28	42	49	47	45	58	25	7	1	-
FEMALE--	7	17	16	34	50	61	80	85	64	28	9	-
ALL OTHER--MALE----	3	2	5	-	2	4	2	1	-	1	-	-
FEMALE--	2	3	1	2	6	5	8	3	5	-	-	-
BLACK---MALE----	1	2	5	-	2	4	2	1	-	1	-	-
FEMALE--	2	3	1	2	6	5	7	3	4	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 1,075

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
 0 III. ENDOCRINE, NUTRITIONAL, AND METABOLIC DISEASES AND IMMUNITY DISORDERS (240-279)

KENTUCKY -----	1,475	7	1	2	2	3	7	7	16	23	22	51
WHITE-----MALE----	535	4	-	-	1	2	3	3	7	10	10	27
FEMALE--	786	3	1	2	1	1	4	2	5	13	8	17
ALL OTHER--MALE----	74	-	-	-	-	-	-	2	2	-	4	3
FEMALE--	80	-	-	-	-	-	-	-	2	-	-	4
BLACK---MALE----	73	-	-	-	-	-	-	2	2	-	4	3
FEMALE--	76	-	-	-	-	-	-	-	2	-	-	4
LOUISIANA -----	2,260	4	6	1	-	3	7	11	23	44	46	69
WHITE-----MALE----	536	-	2	-	-	-	2	4	8	13	9	22
FEMALE--	736	1	1	-	-	1	2	-	3	6	6	5
ALL OTHER--MALE----	390	2	1	-	-	2	-	4	8	15	16	19
FEMALE--	598	1	2	1	-	-	3	3	4	10	15	23
BLACK---MALE----	386	2	1	-	-	2	-	4	8	15	15	19
FEMALE--	594	1	2	1	-	-	3	3	4	10	14	23
MAINE -----	482	-	2	-	-	-	1	3	5	4	8	11
WHITE-----MALE----	215	-	1	-	-	-	-	2	4	3	3	8
FEMALE--	262	-	1	-	-	-	1	1	1	1	4	2
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	1,978	8	1	-	1	2	6	7	22	31	40	56
WHITE-----MALE----	569	1	-	-	-	-	2	2	7	8	10	13
FEMALE--	749	2	-	-	1	1	-	2	2	4	6	15
ALL OTHER--MALE----	266	2	-	-	-	-	1	3	7	8	13	16
FEMALE--	394	3	1	-	-	1	3	-	6	11	11	12
BLACK---MALE----	253	2	-	-	-	-	1	3	7	7	13	16
FEMALE--	383	3	1	-	-	1	3	-	6	11	11	12
MASSACHUSETTS -----	2,001	5	1	-	1	2	5	7	17	23	42	54
WHITE-----MALE----	835	3	-	-	-	2	3	4	7	12	22	37
FEMALE--	1,037	1	1	-	1	-	1	3	8	8	16	10
ALL OTHER--MALE----	66	1	-	-	-	-	1	-	2	3	4	2
FEMALE--	63	-	-	-	-	-	-	-	-	-	-	5
BLACK---MALE----	57	1	-	-	-	-	1	-	2	3	4	2
FEMALE--	56	-	-	-	-	-	-	-	-	-	-	5
MICHIGAN -----	3,436	10	4	4	5	12	17	22	29	49	65	87
WHITE-----MALE----	1,216	4	1	1	3	7	5	9	9	22	22	38
FEMALE--	1,641	2	1	2	2	4	6	6	13	12	22	27
ALL OTHER--MALE----	256	3	-	-	-	-	4	4	4	11	12	14
FEMALE--	323	1	2	1	-	1	2	3	3	4	9	8
BLACK---MALE----	240	3	-	-	-	-	4	4	4	10	12	14
FEMALE--	303	1	2	1	-	1	2	3	3	4	9	8

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,075

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 0 III. ENDOCRINE, NUTRITIONAL, AND METABOLIC DISEASES AND IMMUNITY DISORDERS (240-279)

KENTUCKY -----	54	82	92	144	171	221	217	190	111	43	9	-
WHITE-----MALE----	24	42	43	73	68	72	68	57	14	7	-	-
FEMALE--	26	28	39	50	81	129	135	118	82	33	8	-
ALL OTHER--MALE----	2	6	6	14	9	6	7	5	8	-	-	-
FEMALE--	2	6	4	7	13	14	7	10	7	3	1	-
BLACK---MALE----	2	6	6	13	9	6	7	5	8	-	-	-
FEMALE--	2	6	4	6	13	13	7	9	7	2	1	-
LOUISIANA -----	88	151	189	228	290	320	323	245	144	61	7	-
WHITE-----MALE----	16	36	51	53	87	79	80	53	16	5	-	-
FEMALE--	17	31	52	62	78	112	133	110	80	32	4	-
ALL OTHER--MALE----	25	47	39	44	47	45	39	19	14	3	1	-
FEMALE--	30	37	47	69	78	84	71	63	34	21	2	-
BLACK---MALE----	25	47	39	44	46	44	38	19	14	3	1	-
FEMALE--	29	37	47	68	78	84	70	63	34	21	2	-
MAINE -----	19	17	37	58	60	70	60	66	39	15	7	-
WHITE-----MALE----	11	9	19	31	36	32	19	22	13	-	2	-
FEMALE--	8	7	18	26	24	38	41	43	26	15	5	-
ALL OTHER--MALE----	-	1	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	82	130	133	198	246	305	297	220	133	53	7	-
WHITE-----MALE----	32	39	37	68	82	97	92	55	20	4	-	-
FEMALE--	13	30	28	62	81	130	134	118	83	32	5	-
ALL OTHER--MALE----	23	24	31	32	34	28	23	9	9	3	-	-
FEMALE--	14	37	37	36	49	50	48	38	21	14	2	-
BLACK---MALE----	23	22	31	30	32	27	21	8	9	1	-	-
FEMALE--	14	35	37	33	48	48	47	37	20	14	2	-
MASSACHUSETTS -----	64	75	116	182	231	304	316	257	190	81	28	-
WHITE-----MALE----	32	40	64	92	110	129	133	85	47	13	-	-
FEMALE--	23	29	41	72	106	158	169	164	134	64	28	-
ALL OTHER--MALE----	6	2	5	6	8	9	9	4	4	-	-	-
FEMALE--	3	4	6	12	7	8	5	4	5	4	-	-
BLACK---MALE----	6	2	4	6	6	7	8	3	2	-	-	-
FEMALE--	3	4	5	10	5	7	5	3	5	4	-	-
MICHIGAN -----	148	157	195	301	472	543	519	436	243	98	20	-
WHITE-----MALE----	62	57	89	123	201	207	164	109	63	18	2	-
FEMALE--	45	75	67	122	182	253	282	278	156	67	17	-
ALL OTHER--MALE----	18	13	19	24	34	38	30	16	7	4	1	-
FEMALE--	23	12	20	32	55	45	43	33	17	9	-	-
BLACK---MALE----	17	12	14	20	32	37	30	15	7	4	1	-
FEMALE--	19	12	19	32	48	41	41	32	17	8	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 1,076

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
 0 III. ENDOCRINE, NUTRITIONAL, AND METABOLIC DISEASES AND IMMUNITY DISORDERS (240-279)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
MINNESOTA -----	1,481	8	2	1	1	1	1	2	11	19	23	41
WHITE-----MALE----	659	4	1	-	1	-	-	-	3	12	14	24
FEMALE--	761	4	1	1	-	1	1	1	7	6	8	9
ALL OTHER--MALE----	27	-	-	-	-	-	-	1	-	1	1	4
FEMALE--	34	-	-	-	-	-	-	-	1	-	-	4
BLACK---MALE----	13	-	-	-	-	-	-	-	-	1	1	2
FEMALE--	15	-	-	-	-	-	-	-	-	-	-	2
MISSISSIPPI -----	890	9	1	-	1	9	3	7	9	11	25	26
WHITE-----MALE----	214	1	-	-	-	3	1	3	4	6	8	5
FEMALE--	274	2	1	-	-	4	-	2	2	1	5	7
ALL OTHER--MALE----	134	2	-	-	1	1	1	1	1	3	7	8
FEMALE--	268	4	-	-	-	1	1	1	2	1	5	6
BLACK---MALE----	129	2	-	-	1	1	1	1	1	3	7	5
FEMALE--	267	4	-	-	-	1	1	1	2	1	5	6
MISSOURI -----	1,973	2	2	1	2	3	5	9	16	21	38	59
WHITE-----MALE----	715	1	1	-	-	2	3	3	6	8	10	30
FEMALE--	979	-	1	1	1	1	2	2	7	11	15	16
ALL OTHER--MALE----	118	1	-	-	-	-	-	1	3	-	9	5
FEMALE--	161	-	-	-	1	-	-	3	-	2	4	8
BLACK---MALE----	111	1	-	-	-	-	-	1	3	-	9	5
FEMALE--	156	-	-	-	1	-	-	3	-	2	4	8
MONTANA -----	274	1	-	1	-	-	-	-	2	1	4	3
WHITE-----MALE----	124	1	-	1	-	-	-	-	1	-	4	2
FEMALE--	127	-	-	-	-	-	-	-	1	-	-	1
ALL OTHER--MALE----	11	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	12	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	469	4	-	-	-	1	-	2	6	3	5	12
WHITE-----MALE----	191	2	-	-	-	-	-	1	4	1	3	6
FEMALE--	244	2	-	-	-	1	-	-	2	2	2	3
ALL OTHER--MALE----	14	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	20	-	-	-	-	-	-	1	-	-	-	2
BLACK---MALE----	11	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	15	-	-	-	-	-	-	1	-	-	-	2
NEVADA -----	357	3	1	-	1	1	1	4	8	5	9	16
WHITE-----MALE----	164	1	-	-	-	1	1	-	1	4	5	11
FEMALE--	155	1	1	-	-	-	-	3	3	1	4	4
ALL OTHER--MALE----	18	-	-	-	1	-	-	-	4	-	-	1
FEMALE--	20	1	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	10	-	-	-	1	-	-	-	3	-	-	1
FEMALE--	12	1	-	-	-	-	-	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,076

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 0 III. ENDOCRINE, NUTRITIONAL, AND METABOLIC DISEASES AND IMMUNITY DISORDERS (240-279)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
MINNESOTA -----	46	56	88	116	187	219	257	225	120	50	7	-
WHITE-----MALE----	27	33	43	61	100	113	93	84	32	12	2	-
FEMALE--	14	18	37	48	79	102	157	137	87	38	5	-
ALL OTHER--MALE----	3	2	4	3	3	-	2	3	-	-	-	-
FEMALE--	2	3	4	4	5	4	5	1	1	-	-	-
BLACK---MALE----	-	-	2	-	3	-	2	2	-	-	-	-
FEMALE--	-	2	3	-	4	1	3	-	-	-	-	-
MISSISSIPPI -----	42	60	70	89	97	120	118	89	62	32	10	-
WHITE-----MALE----	10	15	22	26	18	37	24	18	9	4	-	-
FEMALE--	9	10	13	23	30	37	43	36	27	19	3	-
ALL OTHER--MALE----	12	13	12	14	15	12	16	8	5	-	2	-
FEMALE--	11	22	23	26	34	34	35	27	21	9	5	-
BLACK---MALE----	11	12	12	14	15	12	16	8	5	-	2	-
FEMALE--	11	21	23	26	34	34	35	27	21	9	5	-
MISSOURI -----	70	92	138	169	235	275	322	278	162	60	14	-
WHITE-----MALE----	37	41	71	73	95	97	106	74	42	14	1	-
FEMALE--	20	38	43	60	102	142	182	177	106	39	13	-
ALL OTHER--MALE----	5	6	8	18	21	17	8	10	4	2	-	-
FEMALE--	8	7	16	18	17	19	26	17	10	5	-	-
BLACK---MALE----	5	5	7	18	18	16	7	10	4	2	-	-
FEMALE--	6	7	15	18	17	18	26	17	9	5	-	-
MONTANA -----	13	11	14	27	35	40	48	42	22	8	2	-
WHITE-----MALE----	8	8	9	11	14	21	20	14	6	3	1	-
FEMALE--	5	3	3	10	15	17	25	26	16	4	1	-
ALL OTHER--MALE----	-	-	1	2	3	1	2	1	-	-	-	-
FEMALE--	-	-	1	4	3	1	1	1	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	17	18	24	49	53	72	82	64	42	10	4	1
WHITE-----MALE----	8	6	9	25	29	31	35	18	11	2	-	-
FEMALE--	6	12	11	18	20	34	43	45	31	8	4	-
ALL OTHER--MALE----	1	-	2	5	3	1	-	-	-	-	-	1
FEMALE--	2	-	2	1	1	6	4	1	-	-	-	-
BLACK---MALE----	1	-	2	5	3	-	-	-	-	-	-	-
FEMALE--	-	-	2	1	-	6	2	1	-	-	-	-
NEVADA -----	21	17	20	19	53	64	53	38	16	6	-	1
WHITE-----MALE----	11	11	12	12	31	30	18	10	3	1	-	1
FEMALE--	6	3	3	4	19	28	31	26	13	5	-	-
ALL OTHER--MALE----	2	2	2	2	2	1	-	1	-	-	-	-
FEMALE--	2	1	3	1	1	5	4	1	-	-	-	-
BLACK---MALE----	2	1	2	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	1	1	2	3	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 1,078

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
 0 III. ENDOCRINE, NUTRITIONAL, AND METABOLIC DISEASES AND IMMUNITY DISORDERS (240-279)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
OHIO -----	4,758	14	4	3	1	10	15	17	30	56	86	121
WHITE-----MALE----	1,758	3	4	3	1	4	6	7	13	29	44	53
FEMALE--	2,376	8	-	-	-	4	8	7	10	15	26	42
ALL OTHER--MALE----	273	3	-	-	-	1	-	-	4	8	6	18
FEMALE--	351	-	-	-	-	1	1	3	3	4	10	8
BLACK---MALE----	267	3	-	-	-	1	-	-	3	8	6	17
FEMALE--	348	-	-	-	-	1	1	3	3	4	10	8
OKLAHOMA -----	1,231	4	-	1	3	2	5	5	15	20	28	34
WHITE-----MALE----	410	3	-	-	2	-	2	1	9	5	13	16
FEMALE--	586	1	-	1	1	1	1	-	1	10	8	8
ALL OTHER--MALE----	101	-	-	-	-	1	2	3	2	4	2	6
FEMALE--	134	-	-	-	-	-	-	1	3	1	5	4
BLACK---MALE----	51	-	-	-	-	1	1	2	1	4	1	2
FEMALE--	63	-	-	-	-	-	-	-	2	1	4	1
OREGON -----	1,153	6	1	-	4	3	5	5	8	12	23	23
WHITE-----MALE----	469	3	-	-	3	2	3	1	2	8	9	13
FEMALE--	629	3	1	-	1	-	2	3	4	3	12	9
ALL OTHER--MALE----	24	-	-	-	-	-	-	-	1	-	1	1
FEMALE--	31	-	-	-	-	1	-	1	1	1	1	-
BLACK---MALE----	7	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	15	-	-	-	-	1	-	1	1	1	-	-
PENNSYLVANIA -----	4,819	7	4	4	1	12	10	8	34	57	76	114
WHITE-----MALE----	1,839	3	2	1	1	6	5	3	15	27	40	61
FEMALE--	2,437	4	2	1	-	6	3	3	8	16	22	31
ALL OTHER--MALE----	222	-	-	1	-	-	1	1	7	6	7	12
FEMALE--	321	-	-	1	-	-	1	1	4	8	7	10
BLACK---MALE----	217	-	-	-	-	-	1	1	7	6	7	12
FEMALE--	313	-	-	-	-	-	1	1	4	7	7	10
RHODE ISLAND -----	370	-	1	-	-	-	1	1	2	2	3	7
WHITE-----MALE----	165	-	-	-	-	-	-	1	2	1	1	3
FEMALE--	183	-	1	-	-	-	1	-	-	1	1	4
ALL OTHER--MALE----	11	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	11	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	8	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	1,396	5	1	2	3	2	7	5	7	16	40	49
WHITE-----MALE----	358	-	-	1	-	-	2	-	4	5	11	19
FEMALE--	446	2	1	1	-	1	1	1	-	2	5	5
ALL OTHER--MALE----	226	3	-	-	2	-	2	1	2	7	13	10
FEMALE--	366	-	-	-	1	1	2	3	1	2	11	15
BLACK---MALE----	225	3	-	-	2	-	2	1	2	7	13	10
FEMALE--	366	-	-	-	1	1	2	3	1	2	11	15

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,078

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 0 III. ENDOCRINE, NUTRITIONAL, AND METABOLIC DISEASES AND IMMUNITY DISORDERS (240-279)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
OHIO -----	154	246	324	459	608	709	764	577	376	152	32	-
WHITE-----MALE----	71	107	152	184	242	275	285	168	82	23	2	-
FEMALE--	55	84	125	197	278	354	409	348	263	118	25	-
ALL OTHER--MALE----	15	39	16	40	42	35	26	14	6	-	-	-
FEMALE--	13	16	31	38	46	45	44	47	25	11	5	-
BLACK---MALE----	15	39	15	37	42	35	26	14	6	-	-	-
FEMALE--	13	16	31	38	45	44	44	46	25	11	5	-
OKLAHOMA -----	35	68	100	131	162	177	161	153	82	38	7	-
WHITE-----MALE----	16	25	38	52	44	67	51	43	15	8	-	-
FEMALE--	11	26	34	50	80	81	92	92	56	26	6	-
ALL OTHER--MALE----	4	9	13	17	15	9	5	7	2	-	-	-
FEMALE--	4	8	15	12	23	20	13	11	9	4	1	-
BLACK---MALE----	2	7	3	7	7	4	3	4	2	-	-	-
FEMALE--	1	2	4	7	11	9	5	6	6	4	-	-
OREGON -----	47	57	69	100	133	213	182	133	85	39	5	-
WHITE-----MALE----	27	29	32	44	57	93	69	46	21	7	-	-
FEMALE--	17	26	30	49	64	113	107	86	63	31	5	-
ALL OTHER--MALE----	1	1	4	5	4	2	2	1	-	1	-	-
FEMALE--	2	1	3	2	8	5	4	-	1	-	-	-
BLACK---MALE----	1	-	1	2	2	-	-	-	-	1	-	-
FEMALE--	1	1	2	-	3	3	-	-	1	-	-	-
PENNSYLVANIA -----	125	198	306	438	647	774	817	650	373	133	31	-
WHITE-----MALE----	63	90	124	195	291	309	323	180	82	17	1	-
FEMALE--	42	76	123	167	288	387	437	420	269	102	30	-
ALL OTHER--MALE----	8	16	25	34	28	32	19	15	8	2	-	-
FEMALE--	12	16	34	42	40	46	38	35	14	12	-	-
BLACK---MALE----	8	15	25	32	28	31	19	15	8	2	-	-
FEMALE--	12	16	32	42	40	44	38	34	13	12	-	-
RHODE ISLAND -----	9	14	27	39	44	69	55	55	26	13	2	-
WHITE-----MALE----	3	7	20	22	23	37	22	15	7	1	-	-
FEMALE--	6	6	6	11	18	30	31	38	16	11	2	-
ALL OTHER--MALE----	-	-	1	3	2	-	1	1	1	1	-	-
FEMALE--	-	1	-	3	1	2	1	1	2	-	-	-
BLACK---MALE----	-	-	-	2	2	-	1	1	-	1	-	-
FEMALE--	-	1	-	2	1	2	1	1	2	-	-	-
SOUTH CAROLINA -----	76	105	113	141	207	205	157	145	78	28	4	-
WHITE-----MALE----	20	34	35	40	45	60	36	29	12	4	1	-
FEMALE--	17	21	20	42	65	66	66	74	40	15	1	-
ALL OTHER--MALE----	18	26	29	24	35	24	11	14	3	1	1	-
FEMALE--	21	24	29	35	62	55	44	28	23	8	1	-
BLACK---MALE----	17	26	29	24	35	24	11	14	3	1	1	-
FEMALE--	21	24	29	35	62	55	44	28	23	8	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 1,079

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 III. ENDOCRINE, NUTRITIONAL, AND METABOLIC DISEASES AND IMMUNITY DISORDERS (240-279)												
SOUTH DAKOTA -----	274	5	-	-	-	-	2	3	5	4	4	6
WHITE-----MALE----	98	3	-	-	-	-	1	-	2	2	1	3
FEMALE--	135	2	-	-	-	-	1	3	1	1	1	-
ALL OTHER--MALE----	23	-	-	-	-	-	-	-	2	1	1	-
FEMALE--	18	-	-	-	-	-	-	-	-	-	1	3
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	1,902	10	2	-	1	1	4	16	25	28	53	62
WHITE-----MALE----	634	4	1	-	1	1	2	3	13	11	18	20
FEMALE--	842	-	-	-	-	-	1	7	7	8	13	24
ALL OTHER--MALE----	177	5	1	-	-	-	-	6	3	3	13	10
FEMALE--	249	1	-	-	-	-	1	-	2	6	9	8
BLACK---MALE----	176	5	1	-	-	-	-	6	3	3	13	10
FEMALE--	247	1	-	-	-	-	1	-	2	6	9	8
TEXAS -----	6,438	24	18	6	7	15	22	24	48	75	136	205
WHITE-----MALE----	2,442	8	5	2	3	5	9	8	21	28	60	85
FEMALE--	2,967	12	7	3	4	8	9	10	15	28	35	73
ALL OTHER--MALE----	412	2	4	-	-	2	3	3	6	7	24	21
FEMALE--	617	2	2	1	-	-	1	3	6	12	17	26
BLACK---MALE----	395	2	3	-	-	2	3	3	6	6	24	21
FEMALE--	591	1	2	1	-	-	1	3	6	12	16	26
UTAH -----	623	8	1	1	1	-	1	5	4	10	15	16
WHITE-----MALE----	267	2	-	1	-	-	1	1	4	8	11	11
FEMALE--	333	6	1	-	1	-	-	4	-	1	4	5
ALL OTHER--MALE----	7	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	16	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	199	1	-	-	-	1	-	1	-	2	3	5
WHITE-----MALE----	93	-	-	-	-	-	-	-	-	2	2	3
FEMALE--	106	1	-	-	-	1	-	1	-	-	1	2
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	1,937	10	2	3	1	7	6	13	20	30	36	49
WHITE-----MALE----	606	2	1	1	-	3	4	4	8	12	11	17
FEMALE--	767	1	-	-	-	3	2	3	6	6	6	13
ALL OTHER--MALE----	232	4	-	1	1	1	-	4	2	6	11	15
FEMALE--	332	3	1	1	-	-	-	2	4	6	8	4
BLACK---MALE----	225	4	-	1	1	1	-	4	2	6	11	15
FEMALE--	322	3	-	-	-	-	-	2	4	6	8	3

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,079

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 0 III. ENDOCRINE, NUTRITIONAL, AND METABOLIC DISEASES AND IMMUNITY DISORDERS (240-279)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
SOUTH DAKOTA -----	10	16	15	20	33	30	33	44	26	14	4	-
WHITE-----MALE----	4	6	6	7	13	17	7	17	4	4	1	-
FEMALE--	3	4	3	8	13	11	24	26	21	10	3	-
ALL OTHER--MALE----	2	4	6	2	4	-	1	-	-	-	-	-
FEMALE--	1	2	-	3	3	2	1	1	1	-	-	-
BLACK---MALE----	-	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	76	128	138	189	221	269	279	216	127	39	18	-
WHITE-----MALE----	27	54	56	79	80	94	94	52	21	3	-	-
FEMALE--	31	42	51	62	88	128	141	119	80	26	14	-
ALL OTHER--MALE----	9	12	11	24	16	17	15	21	9	-	2	-
FEMALE--	9	20	20	24	37	30	29	24	17	10	2	-
BLACK---MALE----	9	12	11	23	16	17	15	21	9	-	2	-
FEMALE--	9	20	20	24	37	30	28	24	16	10	2	-
TEXAS -----	308	372	484	670	923	968	830	712	422	141	28	-
WHITE-----MALE----	144	172	212	305	390	363	306	214	81	19	2	-
FEMALE--	110	127	173	259	384	464	411	421	296	99	19	-
ALL OTHER--MALE----	33	32	46	43	52	49	41	26	13	4	1	-
FEMALE--	21	41	53	63	97	92	72	51	32	19	6	-
BLACK---MALE----	31	30	43	42	52	46	37	26	13	4	1	-
FEMALE--	20	41	52	60	92	87	66	50	31	18	6	-
UTAH -----	21	22	41	53	67	90	89	88	61	24	5	-
WHITE-----MALE----	10	9	19	26	41	34	32	32	19	4	2	-
FEMALE--	11	10	18	25	24	51	54	55	42	19	2	-
ALL OTHER--MALE----	-	-	2	-	-	3	-	1	-	-	-	-
FEMALE--	-	3	2	2	2	2	3	-	-	1	1	-
BLACK---MALE----	-	-	-	-	-	1	-	1	-	-	-	-
FEMALE--	-	-	-	1	-	2	2	-	-	-	-	-
VERMONT -----	6	12	12	20	27	23	31	28	17	8	2	-
WHITE-----MALE----	4	11	7	11	10	17	13	8	5	-	-	-
FEMALE--	2	1	5	9	17	6	18	20	12	8	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	71	121	138	170	256	290	290	199	158	54	13	-
WHITE-----MALE----	30	41	51	60	86	94	84	55	32	9	1	-
FEMALE--	12	30	43	55	90	132	122	100	103	33	7	-
ALL OTHER--MALE----	17	25	20	22	39	22	24	8	7	2	1	-
FEMALE--	12	25	24	33	41	42	60	36	16	10	4	-
BLACK---MALE----	17	24	19	21	38	21	22	8	7	2	1	-
FEMALE--	12	24	23	33	41	41	58	35	15	10	4	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 1,081

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
ENDOCRINE AND METABOLIC DISEASES AND IMMUNITY DISORDERS (240-259,270-279)												
UNITED STATES --	84,081	293	111	75	93	190	278	427	753	1,172	1,749	2,464
WHITE-----MALE----	31,095	103	34	31	39	73	106	157	307	494	767	1,095
FEMALE--	37,071	100	46	32	36	82	99	128	211	350	461	668
ALL OTHER--MALE----	6,600	52	15	4	12	17	35	75	125	178	302	380
FEMALE--	9,315	38	16	8	6	18	38	67	110	150	219	321
BLACK---MALE----	5,636	44	12	2	12	17	32	68	111	164	279	337
FEMALE--	8,320	33	12	6	5	15	36	62	103	144	204	298
ALABAMA -----	1,675	5	1	1	2	4	6	13	11	27	41	48
WHITE-----MALE----	446	1	1	-	-	-	1	5	3	7	15	14
FEMALE--	590	1	-	1	2	-	2	2	3	7	5	11
ALL OTHER--MALE----	227	2	-	-	-	3	1	1	1	6	14	11
FEMALE--	412	1	-	-	-	1	2	5	4	7	7	12
BLACK---MALE----	227	2	-	-	-	3	1	1	1	6	14	11
FEMALE--	410	1	-	-	-	1	2	5	4	6	7	12
ALASKA -----	83	-	1	-	-	-	-	1	1	1	2	1
WHITE-----MALE----	28	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	30	-	-	-	-	-	-	1	-	1	2	-
ALL OTHER--MALE----	11	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	14	-	1	-	-	-	-	-	-	-	-	1
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	1,259	6	2	2	-	5	6	7	11	20	35	39
WHITE-----MALE----	566	3	-	1	-	2	4	4	7	11	18	21
FEMALE--	530	1	2	1	-	3	2	3	2	7	9	11
ALL OTHER--MALE----	68	-	-	-	-	-	-	-	1	1	5	6
FEMALE--	95	2	-	-	-	-	-	-	1	1	3	1
BLACK---MALE----	9	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	25	1	-	-	-	-	-	-	1	1	-	-
ARKANSAS -----	849	5	1	1	2	2	2	5	10	17	20	30
WHITE-----MALE----	278	2	-	1	1	1	-	3	2	9	6	8
FEMALE--	375	1	-	-	-	1	1	2	6	4	8	10
ALL OTHER--MALE----	76	2	1	-	1	-	1	-	2	2	4	7
FEMALE--	120	-	-	-	-	-	-	-	-	2	2	5
BLACK---MALE----	73	1	1	-	1	-	1	-	2	2	4	7
FEMALE--	116	-	-	-	-	-	-	-	-	2	2	5
CALIFORNIA -----	7,259	37	15	10	14	22	28	36	74	119	162	243
WHITE-----MALE----	2,881	15	5	6	5	10	11	17	32	50	82	122
FEMALE--	2,946	16	8	4	8	10	10	8	19	46	56	66
ALL OTHER--MALE----	670	3	-	-	1	1	4	7	17	15	10	32
FEMALE--	762	3	2	-	-	1	3	4	6	8	14	23
BLACK---MALE----	355	2	-	-	1	1	3	3	13	12	7	23
FEMALE--	455	2	-	-	-	-	3	3	4	7	12	16

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,081

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
ENDOCRINE AND METABOLIC DISEASES AND IMMUNITY DISORDERS (240-259,270-279)												
UNITED STATES --	3,391	4,546	6,044	8,349	11,242	12,816	12,384	9,788	5,503	1,979	429	5
WHITE-----MALE----	1,439	1,897	2,543	3,499	4,519	5,017	4,430	2,914	1,242	342	44	3
FEMALE--	1,050	1,413	2,036	2,998	4,489	5,713	6,196	5,661	3,606	1,375	321	-
ALL OTHER--MALE----	469	598	678	798	905	773	575	368	180	49	11	1
FEMALE--	433	638	787	1,054	1,329	1,313	1,183	845	475	213	53	1
BLACK---MALE----	392	509	570	677	776	644	490	309	142	40	9	-
FEMALE--	372	576	699	942	1,175	1,162	1,035	764	433	196	47	1
ALABAMA -----	85	91	128	167	210	222	273	198	104	34	4	-
WHITE-----MALE----	27	36	43	51	60	63	62	42	12	3	-	-
FEMALE--	18	20	33	43	70	71	121	102	58	19	1	-
ALL OTHER--MALE----	17	14	20	20	32	25	30	20	8	1	1	-
FEMALE--	23	21	32	53	48	63	60	34	26	11	2	-
BLACK---MALE----	17	14	20	20	32	25	30	20	8	1	1	-
FEMALE--	23	21	32	53	47	63	60	34	26	11	2	-
ALASKA -----	8	7	14	10	14	6	7	9	1	-	-	-
WHITE-----MALE----	2	3	7	5	4	2	1	3	-	-	-	-
FEMALE--	1	3	4	2	6	2	5	3	-	-	-	-
ALL OTHER--MALE----	4	1	2	1	2	1	-	-	-	-	-	-
FEMALE--	1	-	1	2	2	1	1	3	1	-	-	-
BLACK---MALE----	3	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	1	-	-	-	-	-	-	-	-
ARIZONA -----	66	67	108	137	206	179	160	111	63	24	4	1
WHITE-----MALE----	27	28	60	66	84	80	66	45	27	10	1	1
FEMALE--	24	20	30	50	96	83	81	59	33	11	2	-
ALL OTHER--MALE----	6	9	8	10	11	5	2	2	1	-	1	-
FEMALE--	9	10	10	11	15	11	11	5	2	3	-	-
BLACK---MALE----	-	2	1	2	2	-	-	-	-	-	-	-
FEMALE--	1	2	2	2	3	3	4	2	1	2	-	-
ARKANSAS -----	30	41	58	91	100	114	120	119	58	19	4	-
WHITE-----MALE----	7	17	25	37	36	40	32	36	13	2	-	-
FEMALE--	11	15	17	34	39	57	58	59	37	11	4	-
ALL OTHER--MALE----	6	4	6	7	6	7	10	8	1	1	-	-
FEMALE--	6	5	10	13	19	10	20	16	7	5	-	-
BLACK---MALE----	6	4	6	7	5	7	10	7	1	1	-	-
FEMALE--	4	5	10	12	19	10	19	16	7	5	-	-
CALIFORNIA -----	330	437	549	824	1,040	1,176	986	689	338	110	19	1
WHITE-----MALE----	147	207	245	347	410	475	365	216	89	21	3	1
FEMALE--	103	132	185	296	406	486	431	379	193	72	12	-
ALL OTHER--MALE----	46	53	65	89	108	89	69	36	20	5	-	-
FEMALE--	34	45	54	92	116	126	121	58	36	12	4	-
BLACK---MALE----	25	28	40	54	60	41	27	11	3	1	-	-
FEMALE--	22	31	34	59	56	78	59	35	23	9	2	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 1,082

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
ENDOCRINE AND METABOLIC DISEASES AND IMMUNITY DISORDERS (240-259,270-279)												
COLORADO -----	787	2	2	3	-	3	4	8	7	11	24	27
WHITE-----MALE----	347	1	-	1	-	2	2	3	5	6	12	13
FEMALE--	385	-	1	2	-	1	1	4	2	4	9	13
ALL OTHER--MALE----	26	-	-	-	-	-	-	1	-	1	2	1
FEMALE--	29	1	1	-	-	-	1	-	-	-	1	-
BLACK---MALE----	19	-	-	-	-	-	-	1	-	1	2	1
FEMALE--	19	1	1	-	-	-	-	-	-	-	1	-
CONNECTICUT -----	879	2	2	-	-	1	4	3	5	6	10	18
WHITE-----MALE----	339	1	1	-	-	-	3	-	-	4	6	7
FEMALE--	441	-	-	-	-	1	1	2	4	1	4	9
ALL OTHER--MALE----	54	-	1	-	-	-	-	-	1	1	-	2
FEMALE--	45	1	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	54	-	1	-	-	-	-	-	1	1	-	2
FEMALE--	45	1	-	-	-	-	-	1	-	-	-	-
DELAWARE -----	298	2	-	-	-	-	1	1	3	5	5	4
WHITE-----MALE----	96	1	-	-	-	-	-	1	1	1	1	2
FEMALE--	133	1	-	-	-	-	1	-	1	2	1	1
ALL OTHER--MALE----	37	-	-	-	-	-	-	-	1	2	2	-
FEMALE--	32	-	-	-	-	-	-	-	-	-	1	1
BLACK---MALE----	35	-	-	-	-	-	-	-	1	2	2	-
FEMALE--	32	-	-	-	-	-	-	-	-	-	1	1
DISTRICT OF COLUMBIA ----	262	1	-	-	-	-	1	2	3	5	7	7
WHITE-----MALE----	21	-	-	-	-	-	-	-	-	1	-	2
FEMALE--	21	-	-	-	-	-	-	-	-	1	1	-
ALL OTHER--MALE----	91	1	-	-	-	-	1	2	1	2	2	3
FEMALE--	129	-	-	-	-	-	-	-	2	1	4	2
BLACK---MALE----	91	1	-	-	-	-	1	2	1	2	2	3
FEMALE--	128	-	-	-	-	-	-	-	2	1	4	2
FLORIDA -----	5,280	10	4	7	8	12	16	28	65	67	104	159
WHITE-----MALE----	2,214	4	-	1	3	4	2	7	24	35	46	57
FEMALE--	2,085	3	2	3	2	4	4	8	14	14	23	49
ALL OTHER--MALE----	385	-	1	2	1	1	5	7	14	10	13	26
FEMALE--	596	3	1	1	2	3	5	6	13	8	22	27
BLACK---MALE----	367	-	1	1	1	1	5	7	14	10	13	25
FEMALE--	582	3	1	1	2	2	5	6	13	8	21	27
GEORGIA -----	1,872	10	7	-	2	5	11	16	21	51	51	65
WHITE-----MALE----	534	3	4	-	2	1	1	4	7	14	19	21
FEMALE--	685	2	2	-	-	4	7	5	4	16	9	9
ALL OTHER--MALE----	243	3	1	-	-	-	-	3	3	6	16	16
FEMALE--	410	2	-	-	-	-	3	4	7	15	7	19
BLACK---MALE----	240	3	1	-	-	-	-	3	3	6	16	16
FEMALE--	404	2	-	-	-	-	3	4	7	15	7	19

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,082
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
ENDOCRINE AND METABOLIC DISEASES AND IMMUNITY DISORDERS (240-259,270-279)												
COLORADO -----	36	40	41	85	92	122	118	78	52	24	8	-
WHITE-----MALE----	17	21	21	48	41	51	53	26	15	7	2	-
FEMALE--	18	18	15	27	41	63	61	50	36	15	4	-
ALL OTHER--MALE----	1	-	1	6	7	4	1	1	-	-	-	-
FEMALE--	-	1	4	4	3	4	3	1	1	2	2	-
BLACK---MALE----	-	-	-	3	5	4	1	1	-	-	-	-
FEMALE--	-	1	2	2	3	2	2	1	1	1	1	-
CONNECTICUT -----	32	35	66	83	109	133	133	128	77	24	8	-
WHITE-----MALE----	16	19	22	43	47	57	53	40	14	5	1	-
FEMALE--	11	9	31	27	48	62	70	76	61	17	7	-
ALL OTHER--MALE----	4	4	6	6	8	11	5	5	-	-	-	-
FEMALE--	1	3	7	7	6	3	5	7	2	2	-	-
BLACK---MALE----	4	4	6	6	8	11	5	5	-	-	-	-
FEMALE--	1	3	7	7	6	3	5	7	2	2	-	-
DELAWARE -----	9	13	20	31	36	58	56	33	13	6	2	-
WHITE-----MALE----	2	5	9	9	12	21	18	8	4	1	-	-
FEMALE--	4	4	7	15	16	20	27	21	7	4	1	-
ALL OTHER--MALE----	1	2	3	4	4	9	5	3	-	1	-	-
FEMALE--	2	2	1	3	4	8	6	1	2	-	1	-
BLACK---MALE----	1	2	3	4	3	9	4	3	-	1	-	-
FEMALE--	2	2	1	3	4	8	6	1	2	-	1	-
DISTRICT OF COLUMBIA ----	11	15	27	26	36	43	36	23	10	6	3	-
WHITE-----MALE----	1	1	1	3	2	5	1	4	-	-	-	-
FEMALE--	-	1	1	-	4	5	4	-	2	1	1	-
ALL OTHER--MALE----	4	5	11	11	14	13	12	8	-	1	-	-
FEMALE--	6	8	14	12	16	20	19	11	8	4	2	-
BLACK---MALE----	4	5	11	11	14	13	12	8	-	1	-	-
FEMALE--	6	8	14	12	16	20	19	11	8	3	2	-
FLORIDA -----	188	264	373	531	759	833	781	603	332	115	20	1
WHITE-----MALE----	77	107	162	257	342	393	361	215	80	32	5	-
FEMALE--	47	80	114	158	279	322	331	321	224	69	14	-
ALL OTHER--MALE----	34	29	42	50	55	47	22	17	5	4	-	-
FEMALE--	30	48	55	66	83	71	67	50	23	10	1	1
BLACK---MALE----	31	28	38	48	53	45	21	16	5	4	-	-
FEMALE--	28	47	53	65	82	71	64	48	23	10	1	1
GEORGIA -----	101	128	143	181	234	273	224	203	108	32	6	-
WHITE-----MALE----	30	42	51	51	72	90	52	54	16	-	-	-
FEMALE--	29	34	39	54	72	103	112	101	56	24	3	-
ALL OTHER--MALE----	16	31	26	28	30	23	20	10	11	-	-	-
FEMALE--	26	21	27	48	60	57	40	38	25	8	3	-
BLACK---MALE----	14	31	25	28	30	23	20	10	11	-	-	-
FEMALE--	25	21	27	46	59	56	40	38	25	7	3	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 1,083

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
ENDOCRINE AND METABOLIC DISEASES AND IMMUNITY DISORDERS (240-259,270-279)												
HAWAII -----	280	2	1	-	-	-	-	1	5	3	6	6
WHITE-----MALE----	26	-	-	-	-	-	-	-	1	-	2	3
FEMALE--	33	-	-	-	-	-	-	-	2	-	-	-
ALL OTHER--MALE----	118	1	1	-	-	-	-	-	1	2	3	2
FEMALE--	103	1	-	-	-	-	-	1	1	1	1	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	318	2	-	-	-	1	2	2	1	7	2	4
WHITE-----MALE----	124	1	-	-	-	1	1	1	1	4	2	2
FEMALE--	181	1	-	-	-	-	1	1	-	3	-	2
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	3,571	7	-	2	6	5	12	24	28	49	79	96
WHITE-----MALE----	1,244	1	-	1	4	1	4	6	10	15	38	44
FEMALE--	1,618	3	-	1	-	3	3	4	5	14	16	16
ALL OTHER--MALE----	303	2	-	-	2	-	2	8	9	12	17	22
FEMALE--	406	1	-	-	-	1	3	6	4	8	8	14
BLACK---MALE----	281	1	-	-	2	-	2	8	9	12	17	22
FEMALE--	383	1	-	-	-	1	3	6	4	8	7	14
INDIANA -----	1,853	7	1	3	3	2	6	12	19	20	33	50
WHITE-----MALE----	714	3	1	1	-	1	3	7	8	7	18	26
FEMALE--	905	2	-	1	3	1	2	2	9	6	11	14
ALL OTHER--MALE----	93	1	-	-	-	-	-	1	1	1	2	6
FEMALE--	141	1	-	1	-	-	1	2	1	6	2	4
BLACK---MALE----	87	1	-	-	-	-	-	1	1	1	2	6
FEMALE--	140	1	-	1	-	-	1	2	1	6	2	4
IOWA -----	903	2	2	1	1	4	4	5	3	8	14	25
WHITE-----MALE----	397	2	-	-	-	2	2	4	-	5	10	11
FEMALE--	480	-	1	-	1	2	1	1	3	3	3	12
ALL OTHER--MALE----	13	-	1	-	-	-	-	-	-	-	-	2
FEMALE--	13	-	-	1	-	-	1	-	-	-	1	-
BLACK---MALE----	11	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	11	-	-	1	-	-	1	-	-	-	1	-
KANSAS -----	846	4	1	2	-	1	2	6	7	6	14	31
WHITE-----MALE----	343	-	-	1	-	1	1	-	3	3	6	17
FEMALE--	438	3	1	1	-	-	1	4	2	3	2	11
ALL OTHER--MALE----	26	1	-	-	-	-	-	1	1	-	3	2
FEMALE--	39	-	-	-	-	-	-	1	1	-	3	1
BLACK---MALE----	22	-	-	-	-	-	-	1	-	-	3	2
FEMALE--	36	-	-	-	-	-	-	1	1	-	3	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,083

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
ENDOCRINE AND METABOLIC DISEASES AND IMMUNITY DISORDERS (240-259,270-279)												
HAWAII -----	17	25	25	23	31	39	29	36	23	6	2	-
WHITE-----MALE----	1	1	2	1	5	2	3	4	1	-	-	-
FEMALE--	2	3	4	1	4	2	4	9	-	1	1	-
ALL OTHER--MALE----	7	11	11	12	12	20	9	13	11	2	-	-
FEMALE--	7	10	8	9	10	15	13	10	11	3	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
IDAHO -----	11	15	34	31	34	55	48	34	26	6	3	-
WHITE-----MALE----	5	7	7	12	20	22	18	14	5	1	-	-
FEMALE--	4	8	24	19	14	27	28	20	21	5	3	-
ALL OTHER--MALE----	1	-	1	-	-	2	-	-	-	-	-	-
FEMALE--	1	-	2	-	-	4	2	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	137	175	235	301	474	539	590	434	270	86	22	-
WHITE-----MALE----	48	59	87	122	180	214	211	127	54	13	5	-
FEMALE--	42	53	82	106	191	245	304	259	190	67	14	-
ALL OTHER--MALE----	27	33	26	30	36	34	21	15	7	-	-	-
FEMALE--	20	30	40	43	67	46	54	33	19	6	3	-
BLACK---MALE----	25	29	23	30	34	30	17	14	6	-	-	-
FEMALE--	19	28	37	40	62	44	51	31	18	6	3	-
INDIANA -----	64	103	113	178	262	299	265	247	115	43	8	-
WHITE-----MALE----	34	51	42	73	109	128	101	68	25	8	-	-
FEMALE--	20	33	55	75	112	142	139	164	75	32	7	-
ALL OTHER--MALE----	8	13	7	15	19	7	7	4	1	-	-	-
FEMALE--	2	6	9	15	22	22	18	11	14	3	1	-
BLACK---MALE----	7	11	7	15	18	6	6	4	1	-	-	-
FEMALE--	2	6	9	15	22	21	18	11	14	3	1	-
IOWA -----	19	41	53	65	93	139	166	143	78	30	7	-
WHITE-----MALE----	8	20	25	37	55	66	71	48	21	9	1	-
FEMALE--	9	20	24	24	35	70	93	95	56	21	6	-
ALL OTHER--MALE----	1	1	3	1	2	1	1	-	-	-	-	-
FEMALE--	1	-	1	3	1	2	1	-	1	-	-	-
BLACK---MALE----	-	1	3	1	2	1	1	-	-	-	-	-
FEMALE--	1	-	1	2	1	1	1	-	1	-	-	-
KANSAS -----	24	37	50	76	104	111	131	128	80	23	8	-
WHITE-----MALE----	12	15	28	41	48	43	44	52	24	4	-	-
FEMALE--	7	17	16	33	48	60	78	73	52	18	8	-
ALL OTHER--MALE----	3	2	5	-	2	3	2	-	-	1	-	-
FEMALE--	2	3	1	2	6	5	7	3	4	-	-	-
BLACK---MALE----	1	2	5	-	2	3	2	-	-	1	-	-
FEMALE--	2	3	1	2	6	5	6	3	3	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 1,084

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
ENDOCRINE AND METABOLIC DISEASES AND IMMUNITY DISORDERS (240-259,270-279)												
KENTUCKY -----	1,403	7	1	2	2	3	7	7	16	23	22	51
WHITE-----MALE----	513	4	-	-	1	2	3	3	7	10	10	27
FEMALE--	739	3	1	2	1	1	4	2	5	13	8	17
ALL OTHER--MALE----	74	-	-	-	-	-	-	2	2	-	4	3
FEMALE--	77	-	-	-	-	-	-	-	2	-	-	4
BLACK---MALE----	73	-	-	-	-	-	-	2	2	-	4	3
FEMALE--	73	-	-	-	-	-	-	-	2	-	-	4
LOUISIANA -----	2,157	4	6	1	-	3	7	11	23	43	45	68
WHITE-----MALE----	520	-	2	-	-	-	2	4	8	13	9	22
FEMALE--	684	1	1	-	-	1	2	-	3	6	6	5
ALL OTHER--MALE----	370	2	1	-	-	2	-	4	8	15	15	18
FEMALE--	583	1	2	1	-	-	3	3	4	9	15	23
BLACK---MALE----	366	2	1	-	-	2	-	4	8	15	14	18
FEMALE--	579	1	2	1	-	-	3	3	4	9	14	23
MAINE -----	460	-	2	-	-	-	1	3	5	4	8	11
WHITE-----MALE----	208	-	1	-	-	-	-	2	4	3	3	8
FEMALE--	247	-	1	-	-	-	1	1	1	1	4	2
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	1,924	8	1	-	1	2	6	7	22	30	40	54
WHITE-----MALE----	560	1	-	-	-	-	2	2	7	8	10	12
FEMALE--	718	2	-	-	1	1	-	2	2	3	6	15
ALL OTHER--MALE----	259	2	-	-	-	-	1	3	7	8	13	15
FEMALE--	387	3	1	-	-	1	3	-	6	11	11	12
BLACK---MALE----	246	2	-	-	-	-	1	3	7	7	13	15
FEMALE--	377	3	1	-	-	1	3	-	6	11	11	12
MASSACHUSETTS -----	1,938	5	1	-	1	2	5	7	17	23	41	53
WHITE-----MALE----	819	3	-	-	-	2	3	4	7	12	21	37
FEMALE--	990	1	1	-	1	-	1	3	8	8	16	9
ALL OTHER--MALE----	66	1	-	-	-	-	1	-	2	3	4	2
FEMALE--	63	-	-	-	-	-	-	-	-	-	-	5
BLACK---MALE----	57	1	-	-	-	-	1	-	2	3	4	2
FEMALE--	56	-	-	-	-	-	-	-	-	-	-	5
MICHIGAN -----	3,227	9	2	4	5	11	17	20	29	49	62	87
WHITE-----MALE----	1,164	3	1	1	3	6	5	9	9	22	22	38
FEMALE--	1,515	2	1	2	2	4	6	4	13	12	22	27
ALL OTHER--MALE----	244	3	-	-	-	-	4	4	4	11	10	14
FEMALE--	304	1	-	1	-	1	2	3	3	4	8	8
BLACK---MALE----	228	3	-	-	-	-	4	4	4	10	10	14
FEMALE--	285	1	-	1	-	1	2	3	3	4	8	8

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,084

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
ENDOCRINE AND METABOLIC DISEASES AND IMMUNITY DISORDERS (240-259,270-279)												
KENTUCKY -----	53	81	92	142	163	213	209	173	93	35	8	-
WHITE-----MALE----	24	41	43	72	64	69	67	51	8	7	-	-
FEMALE--	25	28	39	49	77	124	129	107	72	25	7	-
ALL OTHER--MALE----	2	6	6	14	9	6	7	5	8	-	-	-
FEMALE--	2	6	4	7	13	14	6	10	5	3	1	-
BLACK---MALE----	2	6	6	13	9	6	7	5	8	-	-	-
FEMALE--	2	6	4	6	13	13	6	9	5	2	1	-
LOUISIANA -----	86	150	187	224	284	308	303	225	125	50	4	-
WHITE-----MALE----	14	36	50	52	86	77	78	50	15	2	-	-
FEMALE--	17	31	51	60	75	106	124	101	66	25	3	-
ALL OTHER--MALE----	25	46	39	44	45	43	34	14	12	3	-	-
FEMALE--	30	37	47	68	78	82	67	60	32	20	1	-
BLACK---MALE----	25	46	39	44	44	42	33	14	12	3	-	-
FEMALE--	29	37	47	67	78	82	66	60	32	20	1	-
MAINE -----	18	17	37	57	60	67	58	61	34	11	6	-
WHITE-----MALE----	10	9	19	30	36	31	19	20	12	-	1	-
FEMALE--	8	7	18	26	24	36	39	40	22	11	5	-
ALL OTHER--MALE----	-	1	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	82	129	133	194	245	301	284	210	123	47	5	-
WHITE-----MALE----	32	39	37	67	82	96	88	54	19	4	-	-
FEMALE--	13	29	28	61	80	127	128	111	76	29	4	-
ALL OTHER--MALE----	23	24	31	30	34	28	21	8	8	3	-	-
FEMALE--	14	37	37	36	49	50	47	37	20	11	1	-
BLACK---MALE----	23	22	31	28	32	27	19	7	8	1	-	-
FEMALE--	14	35	37	33	48	48	46	36	20	11	1	-
MASSACHUSETTS -----	64	74	114	182	229	298	303	247	172	73	27	-
WHITE-----MALE----	32	40	62	92	110	128	130	81	42	13	-	-
FEMALE--	23	28	41	72	104	153	159	158	121	56	27	-
ALL OTHER--MALE----	6	2	5	6	8	9	9	4	4	-	-	-
FEMALE--	3	4	6	12	7	8	5	4	5	4	-	-
BLACK---MALE----	6	2	4	6	6	7	8	3	2	-	-	-
FEMALE--	3	4	5	10	5	7	5	3	5	4	-	-
MICHIGAN -----	147	154	190	293	457	515	487	392	207	74	16	-
WHITE-----MALE----	62	54	86	120	194	201	157	99	55	15	2	-
FEMALE--	44	75	65	119	176	234	262	249	135	48	13	-
ALL OTHER--MALE----	18	13	19	23	33	37	28	13	5	4	1	-
FEMALE--	23	12	20	31	54	43	40	31	12	7	-	-
BLACK---MALE----	17	12	14	19	31	36	28	12	5	4	1	-
FEMALE--	19	12	19	31	47	39	39	30	12	6	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 1,085

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
ENDOCRINE AND METABOLIC DISEASES AND IMMUNITY DISORDERS (240-259,270-279)												
MINNESOTA -----	1,422	8	2	1	1	1	1	2	11	19	21	41
WHITE-----MALE----	641	4	1	-	1	-	-	-	3	12	12	24
FEMALE--	720	4	1	1	-	1	1	1	7	6	8	9
ALL OTHER--MALE----	27	-	-	-	-	-	-	1	-	1	1	4
FEMALE--	34	-	-	-	-	-	-	-	1	-	-	4
BLACK---MALE----	13	-	-	-	-	-	-	-	-	1	1	2
FEMALE--	15	-	-	-	-	-	-	-	-	-	-	2
MISSISSIPPI -----	837	9	1	-	1	9	3	7	9	11	25	25
WHITE-----MALE----	204	1	-	-	-	3	1	3	4	6	8	5
FEMALE--	251	2	1	-	-	4	-	2	2	1	5	6
ALL OTHER--MALE----	127	2	-	-	1	1	1	1	1	3	7	8
FEMALE--	255	4	-	-	-	1	1	1	2	1	5	6
BLACK---MALE----	122	2	-	-	1	1	1	1	1	3	7	5
FEMALE--	254	4	-	-	-	1	1	1	2	1	5	6
MISSOURI -----	1,807	2	2	1	2	3	4	9	16	20	37	59
WHITE-----MALE----	670	1	1	-	-	2	2	3	6	7	10	30
FEMALE--	875	-	1	1	1	1	2	2	7	11	14	16
ALL OTHER--MALE----	113	1	-	-	-	-	-	1	3	-	9	5
FEMALE--	149	-	-	-	1	-	-	3	-	2	4	8
BLACK---MALE----	106	1	-	-	-	-	-	1	3	-	9	5
FEMALE--	145	-	-	-	1	-	-	3	-	2	4	8
MONTANA -----	258	1	-	1	-	-	-	-	2	1	4	3
WHITE-----MALE----	116	1	-	1	-	-	-	-	1	-	4	2
FEMALE--	120	-	-	-	-	-	-	-	1	-	-	1
ALL OTHER--MALE----	11	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	11	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	449	4	-	-	-	1	-	2	6	3	5	12
WHITE-----MALE----	185	2	-	-	-	-	-	1	4	1	3	6
FEMALE--	230	2	-	-	-	1	-	-	2	2	2	3
ALL OTHER--MALE----	14	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	20	-	-	-	-	-	-	1	-	-	-	2
BLACK---MALE----	11	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	15	-	-	-	-	-	-	1	-	-	-	2
NEVADA -----	338	3	1	-	1	1	1	4	8	5	9	16
WHITE-----MALE----	162	1	-	-	-	1	1	-	1	4	5	11
FEMALE--	140	1	1	-	-	-	-	3	3	1	4	4
ALL OTHER--MALE----	17	-	-	-	1	-	-	-	4	-	-	1
FEMALE--	19	1	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	10	-	-	-	1	-	-	-	3	-	-	1
FEMALE--	11	1	-	-	-	-	-	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,085

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
ENDOCRINE AND METABOLIC DISEASES AND IMMUNITY DISORDERS (240-259,270-279)												
MINNESOTA -----	45	56	88	112	185	213	249	208	111	43	4	-
WHITE-----MALE----	26	33	43	61	100	110	89	79	30	11	2	-
FEMALE--	14	18	37	44	77	99	153	125	80	32	2	-
ALL OTHER--MALE----	3	2	4	3	3	-	2	3	-	-	-	-
FEMALE--	2	3	4	4	5	4	5	1	1	-	-	-
BLACK---MALE----	-	-	2	-	3	-	2	2	-	-	-	-
FEMALE--	-	2	3	-	4	1	3	-	-	-	-	-
MISSISSIPPI -----	40	58	69	88	94	117	104	80	56	25	6	-
WHITE-----MALE----	10	14	21	26	18	36	23	16	6	3	-	-
FEMALE--	8	10	13	22	30	36	37	32	25	14	1	-
ALL OTHER--MALE----	11	12	12	14	15	12	12	7	5	-	2	-
FEMALE--	11	22	23	26	31	33	32	25	20	8	3	-
BLACK---MALE----	10	11	12	14	15	12	12	7	5	-	2	-
FEMALE--	11	21	23	26	31	33	32	25	20	8	3	-
MISSOURI -----	69	91	137	163	230	260	289	236	124	43	10	-
WHITE-----MALE----	36	41	70	70	94	92	93	65	36	10	1	-
FEMALE--	20	37	43	58	99	135	167	146	79	26	9	-
ALL OTHER--MALE----	5	6	8	17	21	16	7	9	3	2	-	-
FEMALE--	8	7	16	18	16	17	22	16	6	5	-	-
BLACK---MALE----	5	5	7	17	18	15	6	9	3	2	-	-
FEMALE--	6	7	15	18	16	16	22	16	6	5	-	-
MONTANA -----	13	11	14	27	34	39	45	35	21	6	1	-
WHITE-----MALE----	8	8	9	11	14	20	18	11	6	2	-	-
FEMALE--	5	3	3	10	14	17	24	22	15	4	1	-
ALL OTHER--MALE----	-	-	1	2	3	1	2	1	-	-	-	-
FEMALE--	-	-	1	4	3	1	1	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	17	18	23	49	52	71	73	61	41	7	3	1
WHITE-----MALE----	8	6	9	25	29	30	32	17	10	2	-	-
FEMALE--	6	12	10	18	19	34	37	43	31	5	3	-
ALL OTHER--MALE----	1	-	2	5	3	1	-	-	-	-	-	1
FEMALE--	2	-	2	1	1	6	4	1	-	-	-	-
BLACK---MALE----	1	-	2	5	3	-	-	-	-	-	-	-
FEMALE--	-	-	2	1	-	6	2	1	-	-	-	-
NEVADA -----	21	17	20	19	51	62	47	31	15	5	-	1
WHITE-----MALE----	11	11	12	12	30	30	18	9	3	1	-	1
FEMALE--	6	3	3	4	18	27	25	21	12	4	-	-
ALL OTHER--MALE----	2	2	2	2	2	-	-	1	-	-	-	-
FEMALE--	2	1	3	1	1	5	4	-	-	-	-	-
BLACK---MALE----	2	1	2	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	1	1	2	3	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 1,087

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
ENDOCRINE AND METABOLIC DISEASES AND IMMUNITY DISORDERS (240-259,270-279)												
OHIO -----	4,509	14	4	3	1	10	15	17	30	55	86	120
WHITE-----MALE----	1,681	3	4	3	1	4	6	7	13	28	44	52
FEMALE--	2,220	8	-	-	-	4	8	7	10	15	26	42
ALL OTHER--MALE----	268	3	-	-	-	1	-	-	4	8	6	18
FEMALE--	340	-	-	-	-	1	1	3	3	4	10	8
BLACK---MALE----	262	3	-	-	-	1	-	-	3	8	6	17
FEMALE--	337	-	-	-	-	1	1	3	3	4	10	8
OKLAHOMA -----	1,153	4	-	1	3	2	5	5	15	19	27	34
WHITE-----MALE----	394	3	-	-	2	-	2	1	9	4	13	16
FEMALE--	534	1	-	1	1	1	1	-	1	10	7	8
ALL OTHER--MALE----	97	-	-	-	-	1	2	3	2	4	2	6
FEMALE--	128	-	-	-	-	-	-	1	3	1	5	4
BLACK---MALE----	49	-	-	-	-	1	1	2	1	4	1	2
FEMALE--	61	-	-	-	-	-	-	-	2	1	4	1
OREGON -----	1,106	6	1	-	4	3	5	5	8	12	23	23
WHITE-----MALE----	455	3	-	-	3	2	3	1	2	8	9	13
FEMALE--	598	3	1	-	1	-	2	3	4	3	12	9
ALL OTHER--MALE----	23	-	-	-	-	-	-	-	1	-	1	1
FEMALE--	30	-	-	-	-	1	-	1	1	1	1	-
BLACK---MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	14	-	-	-	-	1	-	1	1	1	-	-
PENNSYLVANIA -----	4,602	5	4	4	1	12	10	8	34	56	76	114
WHITE-----MALE----	1,780	1	2	1	1	6	5	3	15	26	40	61
FEMALE--	2,301	4	2	1	-	6	3	3	8	16	22	31
ALL OTHER--MALE----	216	-	-	1	-	-	1	1	7	6	7	12
FEMALE--	305	-	-	1	-	-	1	1	4	8	7	10
BLACK---MALE----	211	-	-	-	-	-	1	1	7	6	7	12
FEMALE--	298	-	-	-	-	-	1	1	4	7	7	10
RHODE ISLAND -----	355	-	1	-	-	-	1	1	2	2	3	7
WHITE-----MALE----	161	-	-	-	-	-	-	1	2	1	1	3
FEMALE--	172	-	1	-	-	-	1	-	-	1	1	4
ALL OTHER--MALE----	11	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	11	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	8	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	1,322	5	1	2	2	2	7	5	7	16	39	49
WHITE-----MALE----	342	-	-	1	-	-	2	-	4	5	11	19
FEMALE--	410	2	1	1	-	1	1	1	-	2	4	5
ALL OTHER--MALE----	216	3	-	-	2	-	2	1	2	7	13	10
FEMALE--	354	-	-	-	-	1	2	3	1	2	11	15
BLACK---MALE----	215	3	-	-	2	-	2	1	2	7	13	10
FEMALE--	354	-	-	-	-	1	2	3	1	2	11	15

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,087

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 ENDOCRINE AND METABOLIC DISEASES AND IMMUNITY DISORDERS (240-259,270-279)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
OHIO -----	151	244	317	454	599	676	718	525	321	125	24	-
WHITE-----MALE----	70	106	148	183	238	258	267	150	75	19	2	-
FEMALE--	53	83	123	193	274	340	384	318	217	97	18	-
ALL OTHER--MALE----	15	39	16	40	41	33	26	12	6	-	-	-
FEMALE--	13	16	30	38	46	45	41	45	23	9	4	-
BLACK---MALE----	15	39	15	37	41	33	26	12	6	-	-	-
FEMALE--	13	16	30	38	45	44	41	44	23	9	4	-
OKLAHOMA -----	34	66	99	128	159	166	152	135	68	27	4	-
WHITE-----MALE----	16	25	37	50	44	63	48	40	14	7	-	-
FEMALE--	10	25	34	50	78	76	87	78	45	16	4	-
ALL OTHER--MALE----	4	8	13	17	15	8	4	6	2	-	-	-
FEMALE--	4	8	15	11	22	19	13	11	7	4	-	-
BLACK---MALE----	2	6	3	7	7	3	3	4	2	-	-	-
FEMALE--	1	2	4	7	11	8	5	6	5	4	-	-
OREGON -----	47	57	68	99	131	208	174	125	72	31	4	-
WHITE-----MALE----	27	29	32	44	55	92	67	40	20	5	-	-
FEMALE--	17	26	30	49	64	109	101	84	51	25	4	-
ALL OTHER--MALE----	1	1	4	4	4	2	2	1	-	1	-	-
FEMALE--	2	1	2	2	8	5	4	-	1	-	-	-
BLACK---MALE----	1	-	1	1	2	-	-	-	-	1	-	-
FEMALE--	1	1	1	-	3	3	-	-	1	-	-	-
PENNSYLVANIA -----	124	196	305	431	636	756	767	594	332	111	26	-
WHITE-----MALE----	62	89	123	191	289	302	305	171	72	14	1	-
FEMALE--	42	75	123	166	282	379	407	379	242	85	25	-
ALL OTHER--MALE----	8	16	25	32	27	30	19	14	8	2	-	-
FEMALE--	12	16	34	42	38	45	36	30	10	10	-	-
BLACK---MALE----	8	15	25	30	27	29	19	14	8	2	-	-
FEMALE--	12	16	32	42	38	43	36	29	10	10	-	-
RHODE ISLAND -----	9	13	26	38	44	66	53	50	25	12	2	-
WHITE-----MALE----	3	7	19	21	23	37	21	14	7	1	-	-
FEMALE--	6	5	6	11	18	27	30	34	15	10	2	-
ALL OTHER--MALE----	-	-	1	3	2	-	1	1	1	1	-	-
FEMALE--	-	1	-	3	1	2	1	1	2	-	-	-
BLACK---MALE----	-	-	-	2	2	-	1	1	-	1	-	-
FEMALE--	-	1	-	2	1	2	1	1	2	-	-	-
SOUTH CAROLINA -----	74	103	112	138	204	193	147	126	63	23	4	-
WHITE-----MALE----	18	33	35	40	45	55	34	25	11	3	1	-
FEMALE--	17	21	19	41	63	63	62	63	30	12	1	-
ALL OTHER--MALE----	18	25	29	23	35	21	9	11	3	1	1	-
FEMALE--	21	24	29	34	61	54	42	27	19	7	1	-
BLACK---MALE----	17	25	29	23	35	21	9	11	3	1	1	-
FEMALE--	21	24	29	34	61	54	42	27	19	7	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 1,088

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
ENDOCRINE AND METABOLIC DISEASES AND IMMUNITY DISORDERS (240-259,270-279)												
SOUTH DAKOTA -----	262	5	-	-	-	-	2	3	5	4	4	6
WHITE-----MALE----	95	3	-	-	-	-	1	-	2	2	1	3
FEMALE--	126	2	-	-	-	-	1	3	1	1	1	-
ALL OTHER--MALE----	23	-	-	-	-	-	-	-	2	1	1	-
FEMALE--	18	-	-	-	-	-	-	-	-	-	1	3
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	1,779	10	2	-	1	1	4	16	25	28	51	62
WHITE-----MALE----	602	4	1	-	1	1	2	3	13	11	18	20
FEMALE--	767	-	-	-	-	-	1	7	7	8	13	24
ALL OTHER--MALE----	170	5	1	-	-	-	-	6	3	3	11	10
FEMALE--	240	1	-	-	-	-	1	-	2	6	9	8
BLACK---MALE----	169	5	1	-	-	-	-	6	3	3	11	10
FEMALE--	238	1	-	-	-	-	1	-	2	6	9	8
TEXAS -----	6,163	21	17	6	6	15	22	24	47	75	136	202
WHITE-----MALE----	2,362	7	5	2	2	5	9	8	20	28	60	84
FEMALE--	2,806	11	6	3	4	8	9	10	15	28	35	71
ALL OTHER--MALE----	403	2	4	-	-	2	3	3	6	7	24	21
FEMALE--	592	1	2	1	-	-	1	3	6	12	17	26
BLACK---MALE----	387	2	3	-	-	2	3	3	6	6	24	21
FEMALE--	566	-	2	1	-	-	1	3	6	12	16	26
UTAH -----	584	7	1	1	1	-	1	5	4	10	15	16
WHITE-----MALE----	255	2	-	1	-	-	1	1	4	8	11	11
FEMALE--	307	5	1	-	1	-	-	4	-	1	4	5
ALL OTHER--MALE----	7	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	15	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	186	1	-	-	-	1	-	1	-	2	3	5
WHITE-----MALE----	91	-	-	-	-	-	-	-	-	2	2	3
FEMALE--	95	1	-	-	-	1	-	1	-	-	1	2
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	1,807	10	2	3	1	7	6	13	19	30	34	49
WHITE-----MALE----	579	2	1	1	-	3	4	4	7	12	11	17
FEMALE--	700	1	-	-	-	3	2	3	6	6	6	13
ALL OTHER--MALE----	217	4	-	1	1	1	-	4	2	6	10	15
FEMALE--	311	3	1	1	-	-	-	2	4	6	7	4
BLACK---MALE----	210	4	-	1	1	1	-	4	2	6	10	15
FEMALE--	301	3	-	-	-	-	-	2	4	6	7	3

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,088

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
ENDOCRINE AND METABOLIC DISEASES AND IMMUNITY DISORDERS (240-259,270-279)												
SOUTH DAKOTA -----	10	16	15	20	32	30	32	41	22	12	3	-
WHITE-----MALE----	4	6	6	7	12	17	7	16	4	3	1	-
FEMALE--	3	4	3	8	13	11	23	24	17	9	2	-
ALL OTHER--MALE----	2	4	6	2	4	-	1	-	-	-	-	-
FEMALE--	1	2	-	3	3	2	1	1	1	-	-	-
BLACK---MALE----	-	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	75	124	136	182	214	257	257	188	101	31	14	-
WHITE-----MALE----	26	52	54	79	78	89	89	43	16	2	-	-
FEMALE--	31	40	51	56	85	122	124	103	62	22	11	-
ALL OTHER--MALE----	9	12	11	23	15	17	15	20	8	-	1	-
FEMALE--	9	20	20	24	36	29	29	22	15	7	2	-
BLACK---MALE----	9	12	11	22	15	17	15	20	8	-	1	-
FEMALE--	9	20	20	24	36	29	28	22	14	7	2	-
TEXAS -----	305	369	479	660	900	937	792	651	365	116	18	-
WHITE-----MALE----	142	172	210	300	380	350	297	191	71	17	2	-
FEMALE--	109	125	170	256	372	448	389	387	258	80	12	-
ALL OTHER--MALE----	33	32	46	42	52	48	37	26	11	3	1	-
FEMALE--	21	40	53	62	96	91	69	47	25	16	3	-
BLACK---MALE----	31	30	43	41	52	45	34	26	11	3	1	-
FEMALE--	20	40	52	59	91	86	63	46	24	15	3	-
UTAH -----	20	22	41	51	66	86	80	80	58	16	3	-
WHITE-----MALE----	10	9	19	25	40	32	30	30	18	3	-	-
FEMALE--	10	10	18	24	24	49	47	49	40	13	2	-
ALL OTHER--MALE----	-	-	2	-	-	3	-	1	-	-	-	-
FEMALE--	-	3	2	2	2	2	3	-	-	-	1	-
BLACK---MALE----	-	-	-	-	-	1	-	1	-	-	-	-
FEMALE--	-	-	-	1	-	2	2	-	-	-	-	-
VERMONT -----	6	11	12	19	24	23	30	25	15	7	1	-
WHITE-----MALE----	4	10	7	10	10	17	13	8	5	-	-	-
FEMALE--	2	1	5	9	14	6	17	17	10	7	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	69	119	136	166	254	273	268	174	126	42	6	-
WHITE-----MALE----	30	41	50	59	85	92	77	50	24	8	1	-
FEMALE--	10	29	43	54	89	123	113	86	83	26	4	-
ALL OTHER--MALE----	17	25	19	21	39	19	21	5	6	1	-	-
FEMALE--	12	24	24	32	41	39	57	33	13	7	1	-
BLACK---MALE----	17	24	18	20	38	18	19	5	6	1	-	-
FEMALE--	12	23	23	32	41	38	55	32	12	7	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 1,090

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 DISORDERS OF THYROID GLAND (240-246)												
UNITED STATES --	1,512	3	1	1	-	4	9	7	11	16	26	26
WHITE-----MALE----	265	-	-	-	-	1	2	1	3	1	5	10
FEMALE--	1,023	1	-	-	-	1	2	-	3	5	13	5
ALL OTHER--MALE----	50	-	-	-	-	1	1	4	2	5	3	2
FEMALE--	174	2	1	1	-	1	4	2	3	5	5	9
BLACK---MALE----	43	-	-	-	-	1	1	2	2	5	2	2
FEMALE--	161	2	1	1	-	1	4	2	3	4	5	9
ALABAMA -----	26	-	-	-	-	1	-	-	-	1	-	1
WHITE-----MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	11	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	-	-	-	-	1	-	-	-	1	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	4	-	-	-	-	1	-	-	-	1	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	1
ALASKA -----	1	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	11	-	-	-	-	-	-	-	2	-	-	-
WHITE-----MALE----	3	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	6	-	-	-	-	-	-	-	-	1	1	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	91	-	-	-	-	1	2	2	-	3	4	2
WHITE-----MALE----	12	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	61	-	-	-	-	1	-	-	-	2	3	1
ALL OTHER--MALE----	5	-	-	-	-	-	1	2	-	-	-	-
FEMALE--	13	-	-	-	-	-	1	-	-	1	-	-
BLACK---MALE----	3	-	-	-	-	-	1	1	-	-	-	-
FEMALE--	8	-	-	-	-	-	1	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,090

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 DISORDERS OF THYROID GLAND (240-246)												
UNITED STATES --	14	28	45	68	103	183	264	325	230	110	38	-
WHITE-----MALE----	4	5	11	22	29	31	49	46	32	8	5	-
FEMALE--	6	14	27	33	53	122	189	251	176	93	29	-
ALL OTHER--MALE----	-	-	3	4	4	4	6	6	3	1	1	-
FEMALE--	4	9	4	9	17	26	20	22	19	8	3	-
BLACK---MALE----	-	-	2	4	3	4	6	5	2	1	1	-
FEMALE--	3	9	3	8	17	21	19	22	17	7	3	-
ALABAMA -----	-	-	-	3	4	5	7	2	1	1	-	-
WHITE-----MALE----	-	-	-	-	1	-	2	-	-	-	-	-
FEMALE--	-	-	-	-	2	4	2	1	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	2	-	-	-	-	-
FEMALE--	-	-	-	3	1	1	1	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	2	-	-	-	-	-
FEMALE--	-	-	-	3	1	1	1	1	-	-	-	-
ALASKA -----	-	-	-	-	-	1	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	1	1	-	-	-	1	4	-	1	1	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	1	-	-	-	1	4	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	-	-	1	-	1	-	-	2	-	-	-	-
WHITE-----MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	1	1	7	5	9	16	11	14	9	4	-	-
WHITE-----MALE----	-	-	2	1	1	3	1	1	1	-	-	-
FEMALE--	-	1	5	4	5	8	9	12	6	4	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	1	-	-	-	-
FEMALE--	1	-	-	-	3	4	1	-	2	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	3	2	1	-	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 1,091

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 DISORDERS OF THYROID GLAND (240-246)												
COLORADO -----	14	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	13	-	-	-	-	-	-	-	-	-	-	1
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	11	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	7	-	-	-	-	-	-	-	1	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	2	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	112	-	-	-	-	-	3	-	-	1	5	2
WHITE-----MALE----	17	-	-	-	-	-	-	-	-	1	1	1
FEMALE--	82	-	-	-	-	-	1	-	-	-	-	1
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	9	-	-	-	-	-	2	-	-	-	3	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	9	-	-	-	-	-	2	-	-	-	3	-
GEORGIA -----	33	-	-	-	-	-	-	-	1	1	1	-
WHITE-----MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	18	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	1	1	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	1	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,091

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 DISORDERS OF THYROID GLAND (240-246)												
COLORADO -----	-	-	-	1	-	-	3	6	1	2	1	-
WHITE-----MALE----	-	-	-	-	-	-	-	3	1	-	1	-
FEMALE--	-	-	-	-	-	-	3	3	-	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	-	-	1	-	1	4	-	1	4	-	1	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	1	3	-	1	4	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	1	-	-	1	-	1	2	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	1	-	-	1	-	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
DISTRICT OF COLUMBIA ----	-	-	-	-	-	-	1	-	-	-	1	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	1	-
FLORIDA -----	-	4	2	8	4	13	13	22	23	11	1	-
WHITE-----MALE----	-	2	1	2	-	3	3	2	-	1	-	-
FEMALE--	-	1	-	5	3	9	10	20	22	9	1	-
ALL OTHER--MALE----	-	-	-	1	1	1	-	-	-	-	-	-
FEMALE--	-	1	1	-	-	-	-	-	1	1	-	-
BLACK---MALE----	-	-	-	1	1	1	-	-	-	-	-	-
FEMALE--	-	1	1	-	-	-	-	-	1	1	-	-
GEORGIA -----	-	2	-	2	3	2	3	11	5	1	1	-
WHITE-----MALE----	-	-	-	-	2	-	-	1	1	-	-	-
FEMALE--	-	1	-	-	-	1	2	10	2	1	-	-
ALL OTHER--MALE----	-	-	-	2	-	-	-	-	1	-	-	-
FEMALE--	-	1	-	-	1	1	1	-	1	-	1	-
BLACK---MALE----	-	-	-	2	-	-	-	-	1	-	-	-
FEMALE--	-	1	-	-	1	1	1	-	1	-	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,093

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 DISORDERS OF THYROID GLAND (240-246)												
KENTUCKY -----	-	-	2	1	2	4	3	5	3	1	2	-
WHITE-----MALE----	-	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	2	4	3	5	3	1	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	1	3	-	2	4	8	3	7	4	4	-	-
WHITE-----MALE----	-	1	-	-	1	1	-	2	-	-	-	-
FEMALE--	-	2	-	-	-	4	2	4	3	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	1	-	-	2	3	3	1	1	1	2	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	1	-	-	2	3	3	1	1	1	2	-	-
MAINE -----	-	-	-	-	-	3	2	2	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	3	2	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	-	-	1	2	-	4	8	7	3	2	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	3	-	-	-	-
FEMALE--	-	-	-	2	-	3	5	3	3	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	1	-	-	1	1	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	1	-	-	1	1	1	-	-	-	-
MASSACHUSETTS -----	1	1	1	2	4	4	7	8	4	5	1	-
WHITE-----MALE----	-	1	-	1	2	-	2	1	3	-	-	-
FEMALE--	1	-	1	1	2	4	4	7	1	5	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
MICHIGAN -----	-	1	2	3	7	8	13	14	15	3	1	-
WHITE-----MALE----	-	-	-	1	3	-	3	3	3	-	-	-
FEMALE--	-	-	2	2	2	8	9	9	9	3	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	2	-	1	2	3	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	2	-	1	2	3	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 1,096

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 DISORDERS OF THYROID GLAND (240-246)												
OHIO -----	92	-	-	-	-	-	-	1	1	1	1	1
WHITE-----MALE----	21	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	60	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	8	-	-	-	-	-	-	1	-	1	1	-
BLACK---MALE----	3	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	7	-	-	-	-	-	-	1	-	1	1	-
OKLAHOMA -----	11	-	-	-	-	-	-	-	1	-	1	-
WHITE-----MALE----	4	-	-	-	-	-	-	-	1	-	1	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	12	-	-	-	-	-	-	-	-	-	1	-
WHITE-----MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	9	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	105	1	-	-	-	1	-	1	1	-	2	-
WHITE-----MALE----	17	-	-	-	-	1	-	1	-	-	1	-
FEMALE--	79	1	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	1	-	-	-
RHODE ISLAND -----	2	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	20	-	-	-	-	-	-	1	-	-	-	2
WHITE-----MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	6	-	-	-	-	-	-	1	-	-	-	1
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	6	-	-	-	-	-	-	1	-	-	-	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,096

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 DISORDERS OF THYROID GLAND (240-246)												
OHIO -----	1	2	4	3	7	14	14	14	18	6	4	-
WHITE-----MALE----	1	1	2	1	2	4	2	2	4	-	1	-
FEMALE--	-	1	2	2	4	6	10	12	14	6	3	-
ALL OTHER--MALE----	-	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	3	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	2	1	-	-	-	-	-
OKLAHOMA -----	-	-	-	-	-	3	1	2	2	1	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	-	1	-	-	-
FEMALE--	-	-	-	-	-	2	-	2	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
OREGON -----	-	-	-	-	-	1	3	3	3	-	1	-
WHITE-----MALE----	-	-	-	-	-	-	-	1	2	-	-	-
FEMALE--	-	-	-	-	-	1	3	2	1	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	3	-	1	2	9	12	20	25	18	7	2	-
WHITE-----MALE----	1	-	1	-	4	1	3	1	3	-	-	-
FEMALE--	1	-	-	-	4	8	17	24	14	7	2	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	1	1	3	-	-	1	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	1	1	3	-	-	1	-	-	-
RHODE ISLAND -----	-	1	-	-	-	-	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	-	-	-	-	3	2	2	8	1	1	-	-
WHITE-----MALE----	-	-	-	-	1	-	-	2	-	-	-	-
FEMALE--	-	-	-	-	1	2	1	5	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	1	1	1	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	1	1	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 1,099

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 DIABETES MELLITUS (250)												
UNITED STATES --	64,751	2	6	9	11	43	94	197	439	707	1,178	1,784
WHITE-----MALE----	24,249	-	2	4	6	14	25	67	173	304	527	765
FEMALE--	27,457	2	3	4	3	16	31	61	126	201	309	486
ALL OTHER--MALE----	5,335	-	-	-	2	6	17	38	78	115	205	297
FEMALE--	7,710	-	1	1	-	7	21	31	62	87	137	236
BLACK---MALE----	4,511	-	-	-	2	6	16	37	66	104	190	256
FEMALE--	6,867	-	1	1	-	6	21	31	59	86	127	218
ALABAMA -----	1,312	-	-	1	-	2	3	6	6	13	30	32
WHITE-----MALE----	341	-	-	-	-	-	1	1	1	4	11	12
FEMALE--	445	-	-	1	-	-	-	1	1	2	4	7
ALL OTHER--MALE----	176	-	-	-	-	1	1	1	1	3	11	7
FEMALE--	350	-	-	-	-	1	1	3	3	4	4	6
BLACK---MALE----	176	-	-	-	-	1	1	1	1	3	11	7
FEMALE--	349	-	-	-	-	1	1	3	3	4	4	6
ALASKA -----	64	-	-	-	-	-	-	-	1	-	1	-
WHITE-----MALE----	22	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	24	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	8	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	1,010	-	-	-	-	-	1	3	5	11	28	36
WHITE-----MALE----	441	-	-	-	-	-	1	3	2	6	14	19
FEMALE--	421	-	-	-	-	-	-	-	1	4	8	10
ALL OTHER--MALE----	64	-	-	-	-	-	-	-	1	1	4	6
FEMALE--	84	-	-	-	-	-	-	-	1	-	2	1
BLACK---MALE----	9	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	20	-	-	-	-	-	-	-	1	-	-	-
ARKANSAS -----	648	-	-	1	-	1	-	4	8	11	14	22
WHITE-----MALE----	211	-	-	1	-	1	-	2	1	8	5	5
FEMALE--	284	-	-	-	-	-	-	2	5	2	6	8
ALL OTHER--MALE----	55	-	-	-	-	-	-	-	2	-	2	6
FEMALE--	98	-	-	-	-	-	-	-	-	1	1	3
BLACK---MALE----	53	-	-	-	-	-	-	-	2	-	2	6
FEMALE--	94	-	-	-	-	-	-	-	-	1	1	3
CALIFORNIA -----	5,846	-	1	1	2	4	9	18	48	75	118	181
WHITE-----MALE----	2,288	-	-	-	2	2	2	10	18	33	61	88
FEMALE--	2,306	-	1	1	-	1	3	5	10	26	39	50
ALL OTHER--MALE----	585	-	-	-	-	1	2	1	17	12	9	25
FEMALE--	667	-	-	-	-	-	2	2	3	4	9	18
BLACK---MALE----	307	-	-	-	-	1	1	1	13	10	7	17
FEMALE--	401	-	-	-	-	-	2	2	3	4	8	14

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,099
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 DIABETES MELLITUS (250)												
UNITED STATES --	2,602	3,687	5,018	7,042	9,448	10,644	9,885	7,156	3,539	1,087	173	-
WHITE-----MALE----	1,042	1,480	2,059	2,892	3,778	4,175	3,627	2,239	861	190	19	-
FEMALE--	811	1,119	1,676	2,529	3,686	4,641	4,769	3,949	2,196	717	122	-
ALL OTHER--MALE----	384	527	585	696	794	667	468	286	130	35	5	-
FEMALE--	365	561	698	925	1,190	1,161	1,021	682	352	145	27	-
BLACK---MALE----	318	446	487	587	679	550	395	238	102	28	4	-
FEMALE--	313	507	622	822	1,049	1,023	887	616	319	134	25	-
ALABAMA -----	68	74	116	137	169	194	215	151	70	22	3	-
WHITE-----MALE----	18	28	35	40	47	57	46	32	6	2	-	-
FEMALE--	14	15	32	37	55	58	94	74	39	10	1	-
ALL OTHER--MALE----	15	10	19	17	25	21	20	18	5	1	-	-
FEMALE--	21	21	30	43	42	58	55	27	20	9	2	-
BLACK---MALE----	15	10	19	17	25	21	20	18	5	1	-	-
FEMALE--	21	21	30	43	41	58	55	27	20	9	2	-
ALASKA -----	6	7	10	6	14	4	5	9	1	-	-	-
WHITE-----MALE----	2	3	5	1	4	2	1	3	-	-	-	-
FEMALE--	1	3	4	2	6	-	4	3	-	-	-	-
ALL OTHER--MALE----	3	1	-	1	2	1	-	-	-	-	-	-
FEMALE--	2	-	1	2	2	1	-	3	1	-	-	-
BLACK---MALE----	2	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	1	-	-	-	-	-	-	-	-
ARIZONA -----	49	60	94	120	181	151	131	81	43	13	3	-
WHITE-----MALE----	20	26	49	54	70	68	53	32	19	4	1	-
FEMALE--	17	16	28	45	85	68	67	42	21	7	2	-
ALL OTHER--MALE----	5	9	8	10	11	5	1	2	1	-	-	-
FEMALE--	7	9	9	11	15	10	10	5	2	2	-	-
BLACK---MALE----	-	2	1	2	2	-	-	-	-	-	-	-
FEMALE--	-	2	2	2	3	2	3	2	1	2	-	-
ARKANSAS -----	23	33	48	74	86	87	97	88	37	11	3	-
WHITE-----MALE----	4	13	22	30	29	29	28	24	9	-	-	-
FEMALE--	8	13	15	25	35	43	43	46	23	7	3	-
ALL OTHER--MALE----	5	3	6	7	5	6	8	5	-	-	-	-
FEMALE--	6	4	5	12	17	9	18	13	5	4	-	-
BLACK---MALE----	5	3	6	7	4	6	8	4	-	-	-	-
FEMALE--	4	4	5	11	17	9	17	13	5	4	-	-
CALIFORNIA -----	262	356	455	726	879	994	827	557	244	80	9	-
WHITE-----MALE----	117	159	199	295	347	386	307	182	64	15	1	-
FEMALE--	76	106	149	266	336	417	345	289	133	49	4	-
ALL OTHER--MALE----	39	50	59	82	94	77	63	32	17	5	-	-
FEMALE--	30	41	48	83	102	114	112	54	30	11	4	-
BLACK---MALE----	22	25	36	50	54	32	24	10	3	1	-	-
FEMALE--	19	28	32	54	50	71	53	33	18	8	2	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 1,100
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 DIABETES MELLITUS (250)												
COLORADO -----	566	-	-	1	-	-	1	3	4	9	14	22
WHITE-----MALE----	255	-	-	-	-	-	-	2	3	5	6	10
FEMALE--	272	-	-	1	-	-	1	-	1	3	7	11
ALL OTHER--MALE----	21	-	-	-	-	-	-	1	-	1	-	1
FEMALE--	18	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	15	-	-	-	-	-	-	1	-	1	-	1
FEMALE--	11	-	-	-	-	-	-	-	-	-	1	-
CONNECTICUT -----	664	-	-	-	-	-	-	-	2	2	7	10
WHITE-----MALE----	267	-	-	-	-	-	-	-	-	2	3	4
FEMALE--	318	-	-	-	-	-	-	-	1	-	4	5
ALL OTHER--MALE----	40	-	-	-	-	-	-	-	1	-	-	1
FEMALE--	39	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	40	-	-	-	-	-	-	-	1	-	-	1
FEMALE--	39	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	232	-	-	-	-	-	-	1	2	-	1	2
WHITE-----MALE----	79	-	-	-	-	-	-	1	1	-	-	1
FEMALE--	96	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	28	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	29	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	26	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	29	-	-	-	-	-	-	-	-	-	-	1
DISTRICT OF COLUMBIA ----	193	-	-	-	-	-	-	1	2	1	2	6
WHITE-----MALE----	16	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	11	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	65	-	-	-	-	-	-	1	-	-	-	2
FEMALE--	101	-	-	-	-	-	-	-	2	-	2	2
BLACK---MALE----	65	-	-	-	-	-	-	1	-	-	-	2
FEMALE--	101	-	-	-	-	-	-	-	2	-	2	2
FLORIDA -----	4,034	-	-	1	-	2	5	11	47	33	64	111
WHITE-----MALE----	1,759	-	-	-	-	1	1	3	20	18	32	40
FEMALE--	1,512	-	-	1	-	1	-	2	12	6	16	36
ALL OTHER--MALE----	292	-	-	-	-	-	3	4	8	7	7	18
FEMALE--	471	-	-	-	-	-	1	2	7	2	9	17
BLACK---MALE----	277	-	-	-	-	-	3	4	8	7	7	17
FEMALE--	462	-	-	-	-	-	1	2	7	2	9	17
GEORGIA -----	1,389	-	-	-	1	-	4	6	11	31	37	45
WHITE-----MALE----	405	-	-	-	1	-	-	2	6	8	14	15
FEMALE--	481	-	-	-	-	-	2	-	2	9	5	5
ALL OTHER--MALE----	186	-	-	-	-	-	-	3	-	4	14	14
FEMALE--	317	-	-	-	-	-	2	1	3	10	4	11
BLACK---MALE----	184	-	-	-	-	-	-	3	-	4	14	14
FEMALE--	313	-	-	-	-	-	2	1	3	10	4	11

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,100
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 DIABETES MELLITUS (250)												
COLORADO -----	23	33	32	78	80	89	93	45	28	10	1	-
WHITE-----MALE----	10	18	15	43	38	37	43	14	8	3	-	-
FEMALE--	12	14	13	26	34	46	47	29	20	6	1	-
ALL OTHER--MALE----	1	-	1	6	6	2	1	1	-	-	-	-
FEMALE--	-	1	3	3	2	4	2	1	-	1	-	-
BLACK---MALE----	-	-	-	3	5	2	1	1	-	-	-	-
FEMALE--	-	1	1	2	2	2	1	1	-	-	-	-
CONNECTICUT -----	22	27	54	72	92	108	108	94	46	16	4	-
WHITE-----MALE----	12	15	16	33	42	50	44	31	10	5	-	-
FEMALE--	7	8	26	27	36	47	55	54	34	10	4	-
ALL OTHER--MALE----	2	2	5	5	8	8	4	4	-	-	-	-
FEMALE--	1	2	7	7	6	3	5	5	2	1	-	-
BLACK---MALE----	2	2	5	5	8	8	4	4	-	-	-	-
FEMALE--	1	2	7	7	6	3	5	5	2	1	-	-
DELAWARE -----	9	11	18	28	28	50	44	24	9	4	1	-
WHITE-----MALE----	2	4	8	8	9	20	15	6	3	1	-	-
FEMALE--	4	3	6	13	13	15	19	14	6	2	-	-
ALL OTHER--MALE----	1	2	3	4	2	7	4	3	-	1	-	-
FEMALE--	2	2	1	3	4	8	6	1	-	-	1	-
BLACK---MALE----	1	2	3	4	1	7	3	3	-	1	-	-
FEMALE--	2	2	1	3	4	8	6	1	-	-	1	-
DISTRICT OF COLUMBIA ----	10	12	20	23	29	36	26	15	7	2	1	-
WHITE-----MALE----	1	1	-	3	2	4	-	3	-	-	-	-
FEMALE--	-	-	-	-	3	3	-	-	1	-	-	-
ALL OTHER--MALE----	4	4	7	9	11	11	10	6	-	-	-	-
FEMALE--	5	7	13	11	13	18	13	6	6	2	1	-
BLACK---MALE----	4	4	7	9	11	11	10	6	-	-	-	-
FEMALE--	5	7	13	11	13	18	13	6	6	2	1	-
FLORIDA -----	147	206	303	433	642	675	611	446	219	68	10	-
WHITE-----MALE----	56	77	125	209	297	329	294	173	62	19	3	-
FEMALE--	39	65	94	130	220	246	240	220	137	40	7	-
ALL OTHER--MALE----	28	21	34	38	48	39	18	12	4	3	-	-
FEMALE--	24	43	50	56	77	61	59	41	16	6	-	-
BLACK---MALE----	25	21	30	36	46	37	18	11	4	3	-	-
FEMALE--	22	42	48	56	76	61	57	40	16	6	-	-
GEORGIA -----	76	103	116	144	195	227	173	138	61	21	-	-
WHITE-----MALE----	20	32	41	38	58	75	45	41	9	-	-	-
FEMALE--	23	27	30	45	60	82	82	62	33	14	-	-
ALL OTHER--MALE----	11	29	23	21	24	19	12	7	5	-	-	-
FEMALE--	22	15	22	40	53	51	34	28	14	7	-	-
BLACK---MALE----	10	29	22	21	24	19	12	7	5	-	-	-
FEMALE--	21	15	22	39	53	50	34	28	14	6	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 1,101

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 DIABETES MELLITUS (250)												
HAWAII -----	202	-	-	-	-	-	-	-	3	2	2	5
WHITE-----MALE----	20	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	23	-	-	-	-	-	-	-	2	-	-	-
ALL OTHER--MALE----	86	-	-	-	-	-	-	-	1	1	-	2
FEMALE--	73	-	-	-	-	-	-	-	-	1	-	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	238	-	-	-	-	-	1	2	-	4	2	4
WHITE-----MALE----	95	-	-	-	-	-	-	1	-	2	2	2
FEMALE--	130	-	-	-	-	-	1	1	-	2	-	2
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	2,740	-	-	-	1	2	5	8	15	38	51	65
WHITE-----MALE----	982	-	-	-	-	-	2	2	6	12	26	29
FEMALE--	1,199	-	-	-	-	1	1	2	3	10	7	10
ALL OTHER--MALE----	240	-	-	-	1	-	1	3	4	9	13	17
FEMALE--	319	-	-	-	-	1	1	1	2	7	5	9
BLACK---MALE----	221	-	-	-	1	-	1	3	4	9	13	17
FEMALE--	301	-	-	-	-	1	1	1	2	7	5	9
INDIANA -----	1,426	-	-	1	-	1	1	8	11	10	21	40
WHITE-----MALE----	533	-	-	-	-	-	-	3	3	4	12	18
FEMALE--	700	-	-	-	-	1	1	2	7	2	5	14
ALL OTHER--MALE----	72	-	-	-	-	-	-	1	-	-	2	5
FEMALE--	121	-	-	1	-	-	-	2	1	4	2	3
BLACK---MALE----	67	-	-	-	-	-	-	1	-	-	2	5
FEMALE--	120	-	-	1	-	-	-	2	1	4	2	3
IOWA -----	657	-	-	-	-	-	1	2	2	6	7	16
WHITE-----MALE----	295	-	-	-	-	-	1	1	-	3	5	6
FEMALE--	341	-	-	-	-	-	-	1	2	3	1	8
ALL OTHER--MALE----	11	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	10	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	11	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	8	-	-	-	-	-	-	-	-	-	1	-
KANSAS -----	641	-	-	-	-	-	1	3	4	3	9	19
WHITE-----MALE----	266	-	-	-	-	-	-	-	2	2	4	10
FEMALE--	325	-	-	-	-	-	1	1	1	1	1	7
ALL OTHER--MALE----	17	-	-	-	-	-	-	1	-	-	2	1
FEMALE--	33	-	-	-	-	-	-	1	1	-	2	1
BLACK---MALE----	16	-	-	-	-	-	-	1	-	-	2	1
FEMALE--	30	-	-	-	-	-	-	1	1	-	2	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,101
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 DIABETES MELLITUS (250)												
HAWAII -----	12	18	23	18	25	32	24	22	13	3	-	-
WHITE-----MALE----	-	-	2	1	4	2	3	4	1	-	-	-
FEMALE--	2	2	4	1	2	2	3	4	-	1	-	-
ALL OTHER--MALE----	4	8	10	8	10	18	7	9	6	1	-	-
FEMALE--	6	8	7	8	9	10	11	5	6	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
IDAHO -----	7	12	27	29	27	43	44	21	12	3	-	-
WHITE-----MALE----	2	5	6	12	15	18	17	8	5	-	-	-
FEMALE--	3	7	18	17	12	19	25	13	7	3	-	-
ALL OTHER--MALE----	1	-	1	-	-	2	-	-	-	-	-	-
FEMALE--	1	-	2	-	-	4	2	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	112	140	187	248	404	461	481	304	169	41	8	-
WHITE-----MALE----	36	46	64	99	155	181	175	101	38	8	2	-
FEMALE--	35	43	70	88	159	209	242	172	113	29	5	-
ALL OTHER--MALE----	23	27	23	24	33	29	16	11	6	-	-	-
FEMALE--	18	24	30	37	57	42	48	20	12	4	1	-
BLACK---MALE----	21	23	20	24	31	25	14	10	5	-	-	-
FEMALE--	18	22	28	34	53	40	45	18	12	4	1	-
INDIANA -----	47	84	94	147	207	254	220	173	83	20	4	-
WHITE-----MALE----	24	39	33	57	80	107	83	48	19	3	-	-
FEMALE--	17	29	47	63	91	122	115	115	51	15	3	-
ALL OTHER--MALE----	4	10	6	13	15	6	6	3	1	-	-	-
FEMALE--	2	6	8	14	21	19	16	7	12	2	1	-
BLACK---MALE----	3	9	6	13	14	5	5	3	1	-	-	-
FEMALE--	2	6	8	14	21	18	16	7	12	2	1	-
IOWA -----	15	31	41	57	76	101	123	111	48	15	5	-
WHITE-----MALE----	7	13	19	33	44	47	59	35	18	3	1	-
FEMALE--	7	17	18	20	29	51	63	76	29	12	4	-
ALL OTHER--MALE----	-	1	3	1	2	1	1	-	-	-	-	-
FEMALE--	1	-	1	3	1	2	-	-	1	-	-	-
BLACK---MALE----	-	1	3	1	2	1	1	-	-	-	-	-
FEMALE--	1	-	1	2	1	1	-	-	1	-	-	-
KANSAS -----	18	32	40	65	91	90	101	91	62	6	6	-
WHITE-----MALE----	8	14	20	34	42	34	35	42	18	1	-	-
FEMALE--	7	13	14	29	42	49	60	47	41	5	6	-
ALL OTHER--MALE----	1	2	5	-	2	2	1	-	-	-	-	-
FEMALE--	2	3	1	2	5	5	5	2	3	-	-	-
BLACK---MALE----	-	2	5	-	2	2	1	-	-	-	-	-
FEMALE--	2	3	1	2	5	5	4	2	2	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 1,102

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 DIABETES MELLITUS (250)												
KENTUCKY -----	1,093	-	-	-	-	1	3	2	7	15	16	41
WHITE-----MALE----	394	-	-	-	-	1	1	1	3	7	7	20
FEMALE--	572	-	-	-	-	-	2	1	3	8	6	15
ALL OTHER--MALE----	61	-	-	-	-	-	-	-	-	-	3	3
FEMALE--	66	-	-	-	-	-	-	-	1	-	-	3
BLACK---MALE----	60	-	-	-	-	-	-	-	-	-	3	3
FEMALE--	63	-	-	-	-	-	-	-	1	-	-	3
LOUISIANA -----	1,826	-	-	-	-	1	3	2	12	25	31	47
WHITE-----MALE----	437	-	-	-	-	-	1	1	3	8	6	13
FEMALE--	576	-	-	-	-	-	-	-	2	2	4	4
ALL OTHER--MALE----	314	-	-	-	-	1	-	-	5	8	11	14
FEMALE--	499	-	-	-	-	-	2	1	2	7	10	16
BLACK---MALE----	310	-	-	-	-	1	-	-	5	8	10	14
FEMALE--	496	-	-	-	-	-	2	1	2	7	9	16
MAINE -----	333	-	-	-	-	-	1	2	3	2	4	7
WHITE-----MALE----	157	-	-	-	-	-	-	1	2	2	1	4
FEMALE--	172	-	-	-	-	-	1	1	1	-	2	2
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	1,444	-	-	-	-	-	2	4	11	18	20	36
WHITE-----MALE----	424	-	-	-	-	-	-	2	5	6	5	5
FEMALE--	508	-	-	-	-	-	-	1	-	2	2	12
ALL OTHER--MALE----	207	-	-	-	-	-	-	1	3	5	7	8
FEMALE--	305	-	-	-	-	-	2	-	3	5	6	11
BLACK---MALE----	196	-	-	-	-	-	-	1	3	4	7	8
FEMALE--	297	-	-	-	-	-	2	-	3	5	6	11
MASSACHUSETTS -----	1,402	-	-	-	-	-	1	3	10	12	24	37
WHITE-----MALE----	633	-	-	-	-	-	1	-	5	6	14	27
FEMALE--	672	-	-	-	-	-	-	3	4	5	9	4
ALL OTHER--MALE----	50	-	-	-	-	-	-	-	1	1	1	2
FEMALE--	47	-	-	-	-	-	-	-	-	-	-	4
BLACK---MALE----	42	-	-	-	-	-	-	-	1	1	1	2
FEMALE--	40	-	-	-	-	-	-	-	-	-	-	4
MICHIGAN -----	2,435	-	-	-	1	4	5	11	18	33	37	56
WHITE-----MALE----	893	-	-	-	-	2	-	3	6	14	13	24
FEMALE--	1,111	-	-	-	1	2	1	3	7	9	14	13
ALL OTHER--MALE----	192	-	-	-	-	-	2	3	3	6	5	12
FEMALE--	239	-	-	-	-	-	2	2	2	4	5	7
BLACK---MALE----	177	-	-	-	-	-	2	3	3	5	5	12
FEMALE--	223	-	-	-	-	-	2	2	2	4	5	7

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,102
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 DIABETES MELLITUS (250)												
KENTUCKY -----	42	66	74	124	134	181	174	126	66	20	1	-
WHITE-----MALE----	18	31	36	61	53	57	57	32	6	3	-	-
FEMALE--	21	23	29	43	63	105	105	81	51	15	1	-
ALL OTHER--MALE----	2	6	5	13	6	6	6	5	6	-	-	-
FEMALE--	1	6	4	7	12	13	6	8	3	2	-	-
BLACK---MALE----	2	6	5	12	6	6	6	5	6	-	-	-
FEMALE--	1	6	4	6	12	12	6	8	3	1	-	-
LOUISIANA -----	68	135	170	198	264	274	270	189	97	36	4	-
WHITE-----MALE----	8	32	44	48	79	66	70	43	13	2	-	-
FEMALE--	13	26	46	53	70	95	107	82	49	20	3	-
ALL OTHER--MALE----	23	44	36	37	45	39	29	13	8	1	-	-
FEMALE--	24	33	44	60	70	74	64	51	27	13	1	-
BLACK---MALE----	23	44	36	37	44	38	28	13	8	1	-	-
FEMALE--	24	33	44	59	70	74	63	51	27	13	1	-
MAINE -----	15	12	29	43	41	53	44	42	24	8	3	-
WHITE-----MALE----	10	5	16	22	26	26	16	18	8	-	-	-
FEMALE--	5	6	13	21	15	27	28	23	16	8	3	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	56	102	107	157	210	239	227	144	85	23	3	-
WHITE-----MALE----	21	26	32	54	72	73	67	41	12	3	-	-
FEMALE--	11	22	20	47	61	99	102	69	47	11	2	-
ALL OTHER--MALE----	17	20	27	28	34	24	19	5	7	2	-	-
FEMALE--	7	34	28	28	43	43	39	29	19	7	1	-
BLACK---MALE----	17	18	27	26	32	23	17	5	7	1	-	-
FEMALE--	7	32	28	26	42	41	38	29	19	7	1	-
MASSACHUSETTS -----	51	58	98	143	192	249	233	172	90	25	4	-
WHITE-----MALE----	25	29	52	79	94	108	105	59	26	3	-	-
FEMALE--	19	23	36	54	85	126	117	106	56	21	4	-
ALL OTHER--MALE----	4	2	5	3	6	8	9	4	4	-	-	-
FEMALE--	3	4	5	7	7	7	2	3	4	1	-	-
BLACK---MALE----	4	2	4	3	5	6	8	3	2	-	-	-
FEMALE--	3	4	4	5	5	6	2	2	4	1	-	-
MICHIGAN -----	118	127	160	239	391	425	371	278	117	37	7	-
WHITE-----MALE----	44	41	72	91	166	172	122	75	38	10	-	-
FEMALE--	39	62	55	102	151	189	196	171	68	22	6	-
ALL OTHER--MALE----	15	13	15	20	28	30	20	12	5	2	1	-
FEMALE--	20	11	18	26	46	34	33	20	6	3	-	-
BLACK---MALE----	14	12	11	16	26	29	20	11	5	2	1	-
FEMALE--	16	11	18	26	40	30	32	19	6	3	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,103

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 DIABETES MELLITUS (250)												
MINNESOTA -----	33	45	67	86	150	176	209	157	84	25	2	-
WHITE-----MALE----	18	28	30	46	78	94	82	60	22	5	1	-
FEMALE--	10	13	29	33	64	78	120	94	61	20	1	-
ALL OTHER--MALE----	3	1	4	3	3	-	2	2	-	-	-	-
FEMALE--	2	3	4	4	5	4	5	1	1	-	-	-
BLACK---MALE----	-	-	2	-	3	-	2	1	-	-	-	-
FEMALE--	-	2	3	-	4	1	3	-	-	-	-	-
MISSISSIPPI -----	35	46	58	76	82	99	80	51	33	15	1	-
WHITE-----MALE----	9	13	17	21	16	29	15	11	4	2	-	-
FEMALE--	7	7	10	19	25	30	31	17	14	8	-	-
ALL OTHER--MALE----	9	10	11	12	13	9	9	4	2	-	-	-
FEMALE--	10	16	20	24	28	31	25	19	13	5	1	-
BLACK---MALE----	8	9	11	12	13	9	9	4	2	-	-	-
FEMALE--	10	15	20	24	28	31	25	19	13	5	1	-
MISSOURI -----	52	75	111	134	203	220	226	173	83	22	3	-
WHITE-----MALE----	29	33	59	54	83	80	74	50	25	4	1	-
FEMALE--	13	29	31	49	84	113	125	103	51	12	2	-
ALL OTHER--MALE----	4	6	6	15	21	13	7	8	2	2	-	-
FEMALE--	6	7	15	16	15	14	20	12	5	4	-	-
BLACK---MALE----	4	5	5	15	18	13	6	8	2	2	-	-
FEMALE--	5	7	14	16	15	13	20	12	5	4	-	-
MONTANA -----	8	9	12	21	29	32	32	28	11	5	-	-
WHITE-----MALE----	5	6	7	7	9	18	15	9	3	2	-	-
FEMALE--	3	3	3	8	14	12	15	17	8	3	-	-
ALL OTHER--MALE----	-	-	1	2	3	1	1	1	-	-	-	-
FEMALE--	-	-	1	4	3	1	1	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	15	15	18	38	38	59	56	42	33	4	1	-
WHITE-----MALE----	6	5	7	19	21	27	21	13	8	2	-	-
FEMALE--	6	10	7	14	13	27	32	29	25	2	1	-
ALL OTHER--MALE----	1	-	2	5	3	-	-	-	-	-	-	-
FEMALE--	2	-	2	-	1	5	3	-	-	-	-	-
BLACK---MALE----	1	-	2	5	3	-	-	-	-	-	-	-
FEMALE--	-	-	2	-	-	5	2	-	-	-	-	-
NEVADA -----	17	15	16	12	39	42	35	20	7	2	-	-
WHITE-----MALE----	11	9	10	7	22	22	16	6	2	1	-	-
FEMALE--	3	3	1	2	15	17	15	14	5	1	-	-
ALL OTHER--MALE----	2	2	2	2	1	-	-	-	-	-	-	-
FEMALE--	1	1	3	1	1	3	4	-	-	-	-	-
BLACK---MALE----	2	1	2	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	1	1	-	3	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 1,105

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 DIABETES MELLITUS (250)												
OHIO -----	3,455	1	-	-	-	2	2	9	17	31	56	93
WHITE-----MALE----	1,309	-	-	-	-	1	-	4	7	13	25	41
FEMALE--	1,646	1	-	-	-	-	2	3	5	11	22	33
ALL OTHER--MALE----	225	-	-	-	-	1	-	-	2	5	5	13
FEMALE--	275	-	-	-	-	-	-	2	3	2	4	6
BLACK---MALE----	220	-	-	-	-	1	-	-	2	5	5	12
FEMALE--	273	-	-	-	-	-	-	2	3	2	4	6
OKLAHOMA -----	927	-	-	-	-	-	2	3	11	13	20	30
WHITE-----MALE----	326	-	-	-	-	-	1	-	7	4	10	13
FEMALE--	403	-	-	-	-	-	1	-	1	6	4	7
ALL OTHER--MALE----	83	-	-	-	-	-	-	3	1	2	1	6
FEMALE--	115	-	-	-	-	-	-	-	2	1	5	4
BLACK---MALE----	39	-	-	-	-	-	-	2	-	2	1	2
FEMALE--	53	-	-	-	-	-	-	-	1	1	4	1
OREGON -----	858	-	-	-	2	1	1	4	6	7	14	19
WHITE-----MALE----	356	-	-	-	2	-	1	1	1	4	7	11
FEMALE--	455	-	-	-	-	-	-	2	3	2	6	7
ALL OTHER--MALE----	19	-	-	-	-	-	-	-	1	-	-	1
FEMALE--	28	-	-	-	-	1	-	1	1	1	1	-
BLACK---MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	13	-	-	-	-	1	-	1	1	1	-	-
PENNSYLVANIA -----	3,507	1	1	-	-	2	4	3	18	33	49	76
WHITE-----MALE----	1,403	-	1	-	-	1	1	1	8	16	25	40
FEMALE--	1,687	1	-	-	-	1	1	-	5	9	13	19
ALL OTHER--MALE----	168	-	-	-	-	-	1	1	4	4	7	9
FEMALE--	249	-	-	-	-	-	1	1	1	4	4	8
BLACK---MALE----	164	-	-	-	-	-	1	1	4	4	7	9
FEMALE--	245	-	-	-	-	-	1	1	1	4	4	8
RHODE ISLAND -----	261	-	-	-	-	-	-	1	1	2	2	4
WHITE-----MALE----	124	-	-	-	-	-	-	1	1	1	-	2
FEMALE--	121	-	-	-	-	-	-	-	-	1	1	2
ALL OTHER--MALE----	9	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	6	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	990	-	-	-	-	1	2	2	2	11	26	36
WHITE-----MALE----	236	-	-	-	-	-	-	-	2	1	6	12
FEMALE--	295	-	-	-	-	-	-	-	-	1	4	3
ALL OTHER--MALE----	170	-	-	-	-	-	1	-	-	7	8	8
FEMALE--	289	-	-	-	-	1	1	2	-	2	8	13
BLACK---MALE----	169	-	-	-	-	-	1	-	-	7	8	8
FEMALE--	289	-	-	-	-	1	1	2	-	2	8	13

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,105
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 DIABETES MELLITUS (250)												
OHIO -----	119	202	265	378	496	557	572	394	182	70	9	-
WHITE-----MALE----	53	85	116	150	188	215	231	118	48	13	1	-
FEMALE--	41	66	105	158	232	275	289	226	119	52	6	-
ALL OTHER--MALE----	12	37	15	38	35	30	21	9	2	-	-	-
FEMALE--	13	14	29	32	41	37	31	41	13	5	2	-
BLACK---MALE----	12	37	14	35	35	30	21	9	2	-	-	-
FEMALE--	13	14	29	32	40	37	31	40	13	5	2	-
OKLAHOMA -----	24	56	88	113	136	140	122	101	48	17	3	-
WHITE-----MALE----	10	21	35	43	34	57	42	34	9	6	-	-
FEMALE--	7	22	25	43	67	60	65	52	32	8	3	-
ALL OTHER--MALE----	4	7	13	17	14	7	3	4	1	-	-	-
FEMALE--	3	6	15	10	21	16	12	11	6	3	-	-
BLACK---MALE----	2	5	3	7	6	3	3	2	1	-	-	-
FEMALE--	1	2	4	6	10	5	5	6	4	3	-	-
OREGON -----	35	44	59	81	108	176	137	92	51	19	2	-
WHITE-----MALE----	21	24	27	34	48	78	50	32	13	2	-	-
FEMALE--	11	18	26	43	49	93	81	59	37	16	2	-
ALL OTHER--MALE----	1	1	4	2	4	1	2	1	-	1	-	-
FEMALE--	2	1	2	2	7	4	4	-	1	-	-	-
BLACK---MALE----	1	-	1	1	2	-	-	-	-	1	-	-
FEMALE--	1	1	1	-	3	2	-	-	1	-	-	-
PENNSYLVANIA -----	92	155	247	365	536	613	613	427	211	51	10	-
WHITE-----MALE----	42	71	93	165	242	250	251	142	50	4	-	-
FEMALE--	35	56	106	140	239	295	317	253	150	37	10	-
ALL OTHER--MALE----	5	14	18	26	20	29	14	9	5	2	-	-
FEMALE--	10	14	30	34	35	39	31	23	6	8	-	-
BLACK---MALE----	5	13	18	24	20	28	14	9	5	2	-	-
FEMALE--	10	14	28	34	35	37	31	23	6	8	-	-
RHODE ISLAND -----	6	10	23	32	32	56	37	31	17	7	-	-
WHITE-----MALE----	2	5	16	17	15	31	15	11	6	1	-	-
FEMALE--	4	4	6	11	15	25	20	19	8	5	-	-
ALL OTHER--MALE----	-	-	1	3	1	-	1	-	1	1	-	-
FEMALE--	-	1	-	1	1	-	1	1	2	-	-	-
BLACK---MALE----	-	-	-	2	1	-	1	-	-	1	-	-
FEMALE--	-	1	-	-	1	-	1	1	2	-	-	-
SOUTH CAROLINA -----	56	81	95	113	163	154	111	83	40	11	3	-
WHITE-----MALE----	14	23	26	31	34	42	24	12	7	1	1	-
FEMALE--	11	16	18	34	49	47	47	41	17	6	1	-
ALL OTHER--MALE----	15	21	26	19	30	16	7	8	3	-	1	-
FEMALE--	16	21	25	29	50	49	33	22	13	4	-	-
BLACK---MALE----	14	21	26	19	30	16	7	8	3	-	1	-
FEMALE--	16	21	25	29	50	49	33	22	13	4	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 1,106

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 DIABETES MELLITUS (250)												
SOUTH DAKOTA -----	206	-	-	-	-	-	1	1	4	4	4	6
WHITE-----MALE----	71	-	-	-	-	-	-	-	1	2	1	3
FEMALE--	94	-	-	-	-	-	1	1	1	1	1	-
ALL OTHER--MALE----	23	-	-	-	-	-	-	-	2	1	1	-
FEMALE--	18	-	-	-	-	-	-	-	-	-	1	3
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	1,347	-	-	-	-	1	3	11	14	15	36	44
WHITE-----MALE----	448	-	-	-	-	1	1	1	6	4	15	14
FEMALE--	563	-	-	-	-	-	1	5	5	5	10	16
ALL OTHER--MALE----	134	-	-	-	-	-	-	5	2	3	6	8
FEMALE--	202	-	-	-	-	-	1	-	1	3	5	6
BLACK---MALE----	133	-	-	-	-	-	-	5	2	3	6	8
FEMALE--	201	-	-	-	-	-	1	-	1	3	5	6
TEXAS -----	4,894	-	2	-	-	3	10	12	28	52	97	149
WHITE-----MALE----	1,890	-	-	-	-	-	2	2	10	18	43	58
FEMALE--	2,164	-	1	-	-	3	4	7	11	22	23	54
ALL OTHER--MALE----	337	-	-	-	-	-	3	3	2	6	19	18
FEMALE--	503	-	1	-	-	-	1	-	5	6	12	19
BLACK---MALE----	325	-	-	-	-	-	3	3	2	5	19	18
FEMALE--	480	-	1	-	-	-	1	-	5	6	11	19
UTAH -----	469	-	-	1	-	-	1	2	2	5	13	9
WHITE-----MALE----	208	-	-	1	-	-	1	-	2	4	10	7
FEMALE--	243	-	-	-	-	-	-	2	-	-	3	2
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	13	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	133	-	-	-	-	-	-	-	-	1	2	5
WHITE-----MALE----	66	-	-	-	-	-	-	-	-	1	2	3
FEMALE--	67	-	-	-	-	-	-	-	-	-	-	2
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	1,332	-	-	-	-	1	-	2	10	19	27	33
WHITE-----MALE----	422	-	-	-	-	-	-	-	3	9	9	10
FEMALE--	486	-	-	-	-	-	-	1	3	3	6	10
ALL OTHER--MALE----	167	-	-	-	-	1	-	-	2	2	7	11
FEMALE--	257	-	-	-	-	-	-	1	2	5	5	2
BLACK---MALE----	161	-	-	-	-	1	-	-	2	2	7	11
FEMALE--	252	-	-	-	-	-	-	1	2	5	5	2

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,106

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 DIABETES MELLITUS (250)												
SOUTH DAKOTA -----	7	15	12	15	31	26	25	28	16	8	3	-
WHITE-----MALE----	2	6	3	4	12	13	5	11	4	3	1	-
FEMALE--	2	3	3	6	12	11	18	16	11	5	2	-
ALL OTHER--MALE----	2	4	6	2	4	-	1	-	-	-	-	-
FEMALE--	1	2	-	3	3	2	1	1	1	-	-	-
BLACK---MALE----	-	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	58	99	116	143	178	209	191	142	63	16	8	-
WHITE-----MALE----	20	40	46	61	63	75	66	26	9	-	-	-
FEMALE--	22	31	41	41	68	97	87	81	36	11	6	-
ALL OTHER--MALE----	8	11	9	20	15	12	12	16	7	-	-	-
FEMALE--	8	17	20	21	32	25	26	19	11	5	2	-
BLACK---MALE----	8	11	9	19	15	12	12	16	7	-	-	-
FEMALE--	8	17	20	21	32	25	25	19	11	5	2	-
TEXAS -----	234	296	407	584	777	797	654	473	235	77	7	-
WHITE-----MALE----	103	137	175	257	332	300	246	147	48	12	-	-
FEMALE--	86	98	143	229	310	373	320	265	159	50	6	-
ALL OTHER--MALE----	28	30	40	39	47	43	30	16	10	3	-	-
FEMALE--	17	31	49	59	88	81	58	45	18	12	1	-
BLACK---MALE----	26	28	38	38	47	41	28	16	10	3	-	-
FEMALE--	16	31	48	56	83	76	53	44	18	11	1	-
UTAH -----	14	19	37	48	59	77	65	62	42	13	-	-
WHITE-----MALE----	7	8	18	22	36	29	26	23	12	2	-	-
FEMALE--	7	8	16	24	21	44	36	39	30	11	-	-
ALL OTHER--MALE----	-	-	1	-	-	3	-	-	-	-	-	-
FEMALE--	-	3	2	2	2	1	3	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	2	-	-	-	-	-
VERMONT -----	5	6	8	16	18	17	21	20	11	3	-	-
WHITE-----MALE----	3	5	4	9	9	12	8	6	4	-	-	-
FEMALE--	2	1	4	7	9	5	13	14	7	3	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	51	98	107	147	209	222	202	112	69	21	2	-
WHITE-----MALE----	19	33	37	53	66	74	55	34	15	4	1	-
FEMALE--	6	22	33	49	75	94	83	49	40	11	1	-
ALL OTHER--MALE----	14	21	15	19	33	17	18	3	3	1	-	-
FEMALE--	12	22	22	26	35	37	46	26	11	5	-	-
BLACK---MALE----	14	21	14	18	32	16	16	3	3	1	-	-
FEMALE--	12	21	21	26	35	37	44	26	10	5	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,114

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 DISORDERS OF THE PITUITARY GLAND AND ITS HYPOTHALAMIC CONTROL (253)												
OHIO -----	-	1	-	-	3	2	2	1	1	1	-	-
WHITE-----MALE----	-	1	-	-	2	-	1	1	1	-	-	-
FEMALE--	-	-	-	-	1	2	1	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA -----	-	-	-	-	-	1	2	-	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	2	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	-	-	-	-	-	1	-	-	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	-	1	-	1	1	4	1	2	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	1	1	4	1	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND -----	-	-	-	-	1	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	-	-	-	-	-	3	-	1	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	2	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 1,127

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 DISORDERS OF ADRENAL GLANDS (255)												
COLORADO -----	5	-	-	-	-	-	-	1	-	-	1	-
WHITE-----MALE----	2	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	2	-	-	-	-	-	-	-	-	-	-	1
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	2	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	1	-	-	-	-	-	-	-	-	-	1	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	14	-	-	-	-	1	-	-	-	1	1	1
WHITE-----MALE----	5	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
GEORGIA -----	7	-	-	-	-	-	1	-	1	1	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	2	-	-	-	-	-	1	-	-	1	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	2	-	-	-	-	-	1	-	-	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,129

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 DISORDERS OF ADRENAL GLANDS (255)												
KENTUCKY -----	-	-	-	1	-	-	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	-	-	-	-	-	1	-	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MAINE -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	-	2	-	-	-	4	-	1	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	2	-	-	1	-	-	-
FEMALE--	-	2	-	-	-	2	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS -----	-	-	-	2	1	-	1	-	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	1	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	-	2	1	1	-	2	3	2	2	-	-	-
WHITE-----MALE----	-	-	1	-	-	1	1	1	-	-	-	-
FEMALE--	-	2	-	-	-	1	-	1	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	2	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	2	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 1,144

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 OBESITY (278.0)												
UNITED STATES --	2,274	-	1	1	-	17	27	66	118	173	232	253
WHITE-----MALE----	846	-	1	-	-	5	13	20	43	67	95	105
FEMALE--	897	-	-	-	-	4	4	13	31	54	66	81
ALL OTHER--MALE----	215	-	-	1	-	5	6	15	22	23	34	25
FEMALE--	316	-	-	-	-	3	4	18	22	29	37	42
BLACK---MALE----	200	-	-	-	-	5	6	14	21	22	33	25
FEMALE--	307	-	-	-	-	3	4	16	21	29	35	40
ALABAMA -----	46	-	-	-	-	-	1	1	2	4	4	4
WHITE-----MALE----	14	-	-	-	-	-	-	-	1	-	2	-
FEMALE--	16	-	-	-	-	-	-	-	1	2	-	1
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	1	1	1
FEMALE--	11	-	-	-	-	-	1	1	-	1	1	2
BLACK---MALE----	5	-	-	-	-	-	-	-	-	1	1	1
FEMALE--	11	-	-	-	-	-	1	1	-	1	1	2
ALASKA -----	5	-	-	-	-	-	-	1	-	-	1	1
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	1	-	-	1	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	24	-	-	-	-	-	1	1	2	4	3	2
WHITE-----MALE----	12	-	-	-	-	-	1	-	2	2	1	1
FEMALE--	9	-	-	-	-	-	-	1	-	1	1	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	1	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
ARKANSAS -----	21	-	-	-	-	-	-	-	1	2	1	5
WHITE-----MALE----	8	-	-	-	-	-	-	-	1	-	-	1
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	1	1	1
FEMALE--	5	-	-	-	-	-	-	-	-	1	-	2
BLACK---MALE----	5	-	-	-	-	-	-	-	-	1	1	1
FEMALE--	5	-	-	-	-	-	-	-	-	1	-	2
CALIFORNIA -----	210	-	-	-	-	3	3	9	12	21	16	26
WHITE-----MALE----	96	-	-	-	-	2	3	4	6	10	8	12
FEMALE--	84	-	-	-	-	1	-	1	4	9	5	9
ALL OTHER--MALE----	8	-	-	-	-	-	-	2	-	1	-	2
FEMALE--	22	-	-	-	-	-	-	2	2	1	3	3
BLACK---MALE----	7	-	-	-	-	-	-	1	-	1	-	2
FEMALE--	18	-	-	-	-	-	-	1	1	1	3	2

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,144
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OBESITY (278.0)												
UNITED STATES --	280	234	250	202	179	133	59	36	7	5	-	1
WHITE-----MALE----	137	91	98	76	46	28	14	5	1	1	-	-
FEMALE--	93	100	106	81	113	82	40	24	2	3	-	-
ALL OTHER--MALE----	22	12	15	19	4	8	-	3	-	-	-	1
FEMALE--	28	31	31	26	16	15	5	4	4	1	-	-
BLACK---MALE----	18	11	13	18	4	7	-	3	-	-	-	-
FEMALE--	28	31	30	26	16	15	5	3	4	1	-	-
ALABAMA -----	5	2	5	7	6	2	2	1	-	-	-	-
WHITE-----MALE----	2	1	3	3	2	-	-	-	-	-	-	-
FEMALE--	2	1	1	1	3	1	2	1	-	-	-	-
ALL OTHER--MALE----	1	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	2	1	1	-	-	-	-	-	-
BLACK---MALE----	1	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	2	1	1	-	-	-	-	-	-
ALASKA -----	-	-	1	-	-	1	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	4	-	2	2	1	1	1	-	-	-	-	-
WHITE-----MALE----	1	-	1	2	-	-	1	-	-	-	-	-
FEMALE--	2	-	1	-	1	1	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	3	4	2	2	-	-	-	1	-	-	-	-
WHITE-----MALE----	1	2	1	1	-	-	-	1	-	-	-	-
FEMALE--	1	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	1	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	23	26	22	15	10	14	5	4	1	-	-	-
WHITE-----MALE----	12	11	11	9	1	5	-	2	-	-	-	-
FEMALE--	9	12	8	5	9	6	4	2	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	2	-	-	-	-	-	-
FEMALE--	2	2	3	1	-	1	1	-	1	-	-	-
BLACK---MALE----	-	1	-	-	-	2	-	-	-	-	-	-
FEMALE--	2	2	2	1	-	1	1	-	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 1,145

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 OBESITY (278.0)												
COLORADO -----	23	-	-	-	-	-	1	2	-	1	3	3
WHITE-----MALE----	7	-	-	-	-	-	1	-	-	-	1	2
FEMALE--	15	-	-	-	-	-	-	2	-	1	1	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	13	-	-	-	-	-	1	2	1	1	-	2
WHITE-----MALE----	2	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	1	1	-	-	1
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	2	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	2	-	-	-	-	-	-	1	-	-	-	-
DELAWARE -----	8	-	-	-	-	-	-	-	-	2	3	1
WHITE-----MALE----	3	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
DISTRICT OF COLUMBIA ----	11	-	-	-	-	-	1	-	-	-	1	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	3	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	1	-
FLORIDA -----	151	-	-	1	-	2	2	6	6	7	19	21
WHITE-----MALE----	46	-	-	-	-	-	-	1	1	3	6	7
FEMALE--	53	-	-	-	-	1	1	-	-	2	4	8
ALL OTHER--MALE----	21	-	-	1	-	-	1	2	3	1	2	2
FEMALE--	31	-	-	-	-	1	-	3	2	1	7	4
BLACK---MALE----	19	-	-	-	-	-	1	2	3	1	2	2
FEMALE--	31	-	-	-	-	1	-	3	2	1	7	4
GEORGIA -----	71	-	1	-	-	-	-	4	3	11	8	8
WHITE-----MALE----	26	-	1	-	-	-	-	1	-	4	4	1
FEMALE--	21	-	-	-	-	-	-	1	1	5	1	2
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	1	-	-	1
FEMALE--	20	-	-	-	-	-	-	2	1	2	3	4
BLACK---MALE----	4	-	-	-	-	-	-	-	1	-	-	1
FEMALE--	20	-	-	-	-	-	-	2	1	2	3	4

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,145

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OBESITY (278.0)												
COLORADO -----	4	2	1	1	-	3	-	2	-	-	-	-
WHITE-----MALE----	1	-	-	1	-	1	-	-	-	-	-	-
FEMALE--	3	2	1	-	-	2	-	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	1	1	-	2	2	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	2	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	-	-	2	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	1	2	3	-	1	2	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	1	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	2	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	1	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	2	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	1	-	-	1	-	-	-	-	-	-
FLORIDA -----	16	14	15	10	11	11	6	4	-	-	-	-
WHITE-----MALE----	7	5	6	4	2	2	2	-	-	-	-	-
FEMALE--	5	6	3	-	9	8	3	3	-	-	-	-
ALL OTHER--MALE----	1	2	2	3	-	-	-	1	-	-	-	-
FEMALE--	3	1	4	3	-	1	1	-	-	-	-	-
BLACK---MALE----	1	1	2	3	-	-	-	1	-	-	-	-
FEMALE--	3	1	4	3	-	1	1	-	-	-	-	-
GEORGIA -----	8	7	9	6	3	2	-	-	1	-	-	-
WHITE-----MALE----	5	3	5	-	1	1	-	-	-	-	-	-
FEMALE--	1	2	3	4	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	2	-	-	-	-	-	-	-	-
FEMALE--	2	2	1	-	1	1	-	-	1	-	-	-
BLACK---MALE----	-	-	-	2	-	-	-	-	-	-	-	-
FEMALE--	2	2	1	-	1	1	-	-	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,146

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OBESITY (278.0)												
HAWAII -----	2	2	-	-	1	-	-	-	-	-	-	-
WHITE-----MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	1	1	2	1	-	-	-	-	-	-	-	-
WHITE-----MALE----	1	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	8	12	10	7	6	-	5	1	-	-	-	-
WHITE-----MALE----	6	4	4	3	3	-	-	-	-	-	-	-
FEMALE--	-	3	2	1	2	-	4	1	-	-	-	-
ALL OTHER--MALE----	1	2	1	1	-	-	-	-	-	-	-	-
FEMALE--	1	3	3	2	1	-	1	-	-	-	-	-
BLACK---MALE----	1	2	1	1	-	-	-	-	-	-	-	-
FEMALE--	1	3	3	2	1	-	1	-	-	-	-	-
INDIANA -----	4	5	5	6	5	4	2	-	-	-	-	-
WHITE-----MALE----	2	3	1	3	1	-	1	-	-	-	-	-
FEMALE--	1	2	3	3	3	3	1	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	1	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	1	-	-	-	-	-	-
IOWA -----	2	3	5	-	1	1	1	-	-	-	-	-
WHITE-----MALE----	-	1	1	-	1	-	-	-	-	-	-	-
FEMALE--	2	2	4	-	-	1	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS -----	4	-	2	1	1	1	1	1	1	-	-	-
WHITE-----MALE----	3	-	2	-	1	1	-	-	1	-	-	-
FEMALE--	-	-	-	1	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 1,147

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 OBESITY (278.0)												
KENTUCKY -----	33	-	-	-	-	-	2	4	6	4	2	4
WHITE-----MALE----	11	-	-	-	-	-	1	1	4	1	-	2
FEMALE--	15	-	-	-	-	-	1	1	-	3	1	1
ALL OTHER--MALE----	4	-	-	-	-	-	-	2	1	-	1	-
FEMALE--	3	-	-	-	-	-	-	-	1	-	-	1
BLACK---MALE----	4	-	-	-	-	-	-	2	1	-	1	-
FEMALE--	3	-	-	-	-	-	-	-	1	-	-	1
LOUISIANA -----	77	-	-	-	-	-	1	4	3	10	10	10
WHITE-----MALE----	15	-	-	-	-	-	1	1	-	1	1	3
FEMALE--	14	-	-	-	-	-	-	-	1	2	1	-
ALL OTHER--MALE----	19	-	-	-	-	-	-	2	-	5	3	3
FEMALE--	29	-	-	-	-	-	-	1	2	2	5	4
BLACK---MALE----	19	-	-	-	-	-	-	2	-	5	3	3
FEMALE--	29	-	-	-	-	-	-	1	2	2	5	4
MAINE -----	13	-	-	-	-	-	-	-	1	-	3	1
WHITE-----MALE----	4	-	-	-	-	-	-	-	1	-	1	1
FEMALE--	9	-	-	-	-	-	-	-	-	-	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	58	-	-	-	-	-	1	-	6	5	6	6
WHITE-----MALE----	15	-	-	-	-	-	-	-	1	1	2	1
FEMALE--	17	-	-	-	-	-	-	-	1	1	1	2
ALL OTHER--MALE----	13	-	-	-	-	-	1	-	4	1	1	2
FEMALE--	13	-	-	-	-	-	-	-	-	2	2	1
BLACK---MALE----	13	-	-	-	-	-	1	-	4	1	1	2
FEMALE--	13	-	-	-	-	-	-	-	-	2	2	1
MASSACHUSETTS -----	47	-	-	-	-	-	1	1	4	3	6	8
WHITE-----MALE----	26	-	-	-	-	-	-	1	2	1	3	5
FEMALE--	18	-	-	-	-	-	-	-	2	1	2	3
ALL OTHER--MALE----	3	-	-	-	-	-	1	-	-	1	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	1	-	-	1	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	73	-	-	-	-	1	1	2	3	5	13	10
WHITE-----MALE----	27	-	-	-	-	-	1	1	-	2	6	3
FEMALE--	33	-	-	-	-	-	-	-	3	-	5	7
ALL OTHER--MALE----	8	-	-	-	-	-	-	1	-	3	1	-
FEMALE--	5	-	-	-	-	1	-	-	-	-	1	-
BLACK---MALE----	8	-	-	-	-	-	-	1	-	3	1	-
FEMALE--	5	-	-	-	-	1	-	-	-	-	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,147

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OBESITY (278.0)												
KENTUCKY -----	3	2	3	1	2	-	-	-	-	-	-	-
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	2	3	1	2	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	9	6	8	8	3	2	-	1	1	1	-	-
WHITE-----MALE----	2	1	1	1	2	1	-	-	-	-	-	-
FEMALE--	3	1	4	1	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	1	1	1	3	-	-	-	-	-	-	-	-
FEMALE--	3	3	2	3	1	1	-	-	1	1	-	-
BLACK---MALE----	1	1	1	3	-	-	-	-	-	-	-	-
FEMALE--	3	3	2	3	1	1	-	-	1	1	-	-
MAINE -----	2	1	2	1	1	-	-	1	-	-	-	-
WHITE-----MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	2	1	1	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	11	7	7	3	3	2	-	1	-	-	-	-
WHITE-----MALE----	4	2	1	1	1	1	-	-	-	-	-	-
FEMALE--	1	3	3	1	2	1	-	1	-	-	-	-
ALL OTHER--MALE----	3	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	1	3	1	-	-	-	-	-	-	-	-
BLACK---MALE----	3	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	1	3	1	-	-	-	-	-	-	-	-
MASSACHUSETTS -----	3	7	3	4	2	2	3	-	-	-	-	-
WHITE-----MALE----	2	5	2	1	2	1	1	-	-	-	-	-
FEMALE--	1	2	1	3	-	1	2	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	8	8	6	3	6	6	1	-	-	-	-	-
WHITE-----MALE----	3	2	2	2	3	2	-	-	-	-	-	-
FEMALE--	4	6	2	-	2	3	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	1	1	1	-	-	-	-	-	-	-
FEMALE--	1	-	1	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	1	1	1	-	-	-	-	-	-	-
FEMALE--	1	-	1	-	-	1	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 1,150
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 OBESITY (278.0)												
OHIO -----	108	-	-	-	-	-	-	1	3	11	9	8
WHITE-----MALE----	48	-	-	-	-	-	-	-	1	8	8	1
FEMALE--	50	-	-	-	-	-	-	1	2	2	1	4
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	5	-	-	-	-	-	-	-	-	1	-	1
BLACK---MALE----	5	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	5	-	-	-	-	-	-	-	-	1	-	1
OKLAHOMA -----	25	-	-	-	-	-	-	-	1	5	2	1
WHITE-----MALE----	11	-	-	-	-	-	-	-	-	-	2	1
FEMALE--	12	-	-	-	-	-	-	-	-	4	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	1	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	1	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	25	-	-	-	-	-	-	-	-	1	4	1
WHITE-----MALE----	10	-	-	-	-	-	-	-	-	1	1	1
FEMALE--	14	-	-	-	-	-	-	-	-	-	3	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	122	-	-	-	-	1	-	1	6	10	12	13
WHITE-----MALE----	52	-	-	-	-	1	-	-	3	4	6	8
FEMALE--	55	-	-	-	-	-	-	1	-	3	5	4
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	3	1	-	-
FEMALE--	9	-	-	-	-	-	-	-	-	2	1	1
BLACK---MALE----	6	-	-	-	-	-	-	-	3	1	-	-
FEMALE--	9	-	-	-	-	-	-	-	-	2	1	1
RHODE ISLAND -----	6	-	-	-	-	-	-	-	-	-	1	-
WHITE-----MALE----	5	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	33	-	-	-	-	-	1	-	1	3	-	4
WHITE-----MALE----	12	-	-	-	-	-	-	-	1	3	-	2
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	-	-	-	1	-	-	-	-	1
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	-	-	-	1	-	-	-	-	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,150
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OBESITY (278.0)												
OHIO -----	14	11	17	19	9	4	2	-	-	-	-	-
WHITE-----MALE----	8	4	9	6	2	1	-	-	-	-	-	-
FEMALE--	5	5	8	12	5	3	2	-	-	-	-	-
ALL OTHER--MALE----	1	1	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	1	-	1	1	-	-	-	-	-	-	-
BLACK---MALE----	1	1	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	1	-	1	1	-	-	-	-	-	-	-
OKLAHOMA -----	5	1	1	3	4	-	-	2	-	-	-	-
WHITE-----MALE----	4	-	1	2	1	-	-	-	-	-	-	-
FEMALE--	1	1	-	1	3	-	-	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	3	3	1	4	4	2	1	1	-	-	-	-
WHITE-----MALE----	1	-	1	3	1	1	-	1	-	-	-	-
FEMALE--	2	3	-	-	4	1	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	16	16	9	12	12	11	3	-	-	-	-	-
WHITE-----MALE----	11	7	5	4	2	-	1	-	-	-	-	-
FEMALE--	5	7	3	5	9	11	2	-	-	-	-	-
ALL OTHER--MALE----	-	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	2	-	2	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	2	-	2	1	-	-	-	-	-	-	-
RHODE ISLAND -----	-	-	1	1	3	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	1	-	3	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	6	3	1	6	4	3	-	1	-	-	-	-
WHITE-----MALE----	1	2	1	2	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	1	2	1	-	1	-	-	-	-
ALL OTHER--MALE----	1	1	-	1	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	2	2	1	-	-	-	-	-	-
BLACK---MALE----	1	1	-	1	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	2	2	1	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 1,151

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 OBESITY (278.0)												
SOUTH DAKOTA -----	8	-	-	-	-	-	1	-	1	-	-	-
WHITE-----MALE----	6	-	-	-	-	-	1	-	1	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	59	-	-	-	-	-	-	-	4	7	5	8
WHITE-----MALE----	19	-	-	-	-	-	-	-	3	4	1	1
FEMALE--	25	-	-	-	-	-	-	-	1	1	1	5
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	-	2	-
FEMALE--	9	-	-	-	-	-	-	-	-	2	1	2
BLACK---MALE----	6	-	-	-	-	-	-	-	-	-	2	-
FEMALE--	9	-	-	-	-	-	-	-	-	2	1	2
TEXAS -----	168	-	-	-	-	2	2	3	7	8	20	19
WHITE-----MALE----	66	-	-	-	-	-	1	2	2	3	8	9
FEMALE--	71	-	-	-	-	-	1	-	2	2	7	6
ALL OTHER--MALE----	15	-	-	-	-	2	-	-	2	-	4	2
FEMALE--	16	-	-	-	-	-	-	1	1	3	1	2
BLACK---MALE----	15	-	-	-	-	2	-	-	2	-	4	2
FEMALE--	16	-	-	-	-	-	-	1	1	3	1	2
UTAH -----	16	-	-	-	-	-	-	1	-	3	2	2
WHITE-----MALE----	8	-	-	-	-	-	-	1	-	3	1	1
FEMALE--	8	-	-	-	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	5	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	56	-	-	-	-	2	-	4	5	2	5	6
WHITE-----MALE----	13	-	-	-	-	1	-	-	2	1	1	1
FEMALE--	23	-	-	-	-	1	-	-	2	1	-	2
ALL OTHER--MALE----	10	-	-	-	-	-	-	3	-	-	2	2
FEMALE--	10	-	-	-	-	-	-	1	1	-	2	1
BLACK---MALE----	10	-	-	-	-	-	-	3	-	-	2	2
FEMALE--	10	-	-	-	-	-	-	1	1	-	2	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,151

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OBESITY (278.0)												
SOUTH DAKOTA -----	2	-	1	-	1	1	-	1	-	-	-	-
WHITE-----MALE----	2	-	1	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	5	7	5	8	2	5	2	1	-	-	-	-
WHITE-----MALE----	2	2	1	3	-	2	-	-	-	-	-	-
FEMALE--	1	3	4	3	2	1	2	1	-	-	-	-
ALL OTHER--MALE----	1	-	-	1	-	2	-	-	-	-	-	-
FEMALE--	1	2	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	1	-	2	-	-	-	-	-	-
FEMALE--	1	2	-	1	-	-	-	-	-	-	-	-
TEXAS -----	24	25	17	11	15	10	2	2	1	-	-	-
WHITE-----MALE----	12	11	6	5	4	1	2	-	-	-	-	-
FEMALE--	9	10	9	5	10	8	-	2	-	-	-	-
ALL OTHER--MALE----	2	-	1	-	1	1	-	-	-	-	-	-
FEMALE--	1	4	1	1	-	-	-	-	1	-	-	-
BLACK---MALE----	2	-	1	-	1	1	-	-	-	-	-	-
FEMALE--	1	4	1	1	-	-	-	-	1	-	-	-
UTAH -----	5	1	1	-	-	1	-	-	-	-	-	-
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	1	1	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	1	1	1	1	-	-	-	-	1	-	-
WHITE-----MALE----	-	1	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	8	4	6	2	2	6	2	2	-	-	-	-
WHITE-----MALE----	4	1	-	-	1	-	-	1	-	-	-	-
FEMALE--	1	3	5	1	1	5	1	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	1	-	1	1	1	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	1	-	1	1	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 1,153

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ALL OTHER ENDOCRINE AND METABOLIC DISEASES AND IMMUNITY DISORDERS (251-252,256-259,270-276,277.1-277.9,278.1-279)												
UNITED STATES --	14,654	265	93	47	48	47	49	85	127	215	271	370
WHITE-----MALE----	5,368	91	29	22	19	19	18	31	55	93	119	200
FEMALE--	7,243	92	36	16	16	20	16	25	30	62	58	82
ALL OTHER--MALE----	965	48	14	3	10	4	9	15	20	34	56	55
FEMALE--	1,078	34	14	6	3	4	6	14	22	26	38	33
BLACK---MALE----	854	41	11	2	10	4	8	13	19	32	50	53
FEMALE--	954	29	10	4	3	2	4	13	19	22	36	30
ALABAMA -----	268	5	-	-	-	1	1	3	2	6	7	11
WHITE-----MALE----	79	1	-	-	-	-	-	2	1	3	2	2
FEMALE--	107	1	-	-	-	-	1	-	-	-	1	3
ALL OTHER--MALE----	40	2	-	-	-	1	-	-	-	1	2	3
FEMALE--	42	1	-	-	-	-	-	1	1	2	2	3
BLACK---MALE----	40	2	-	-	-	1	-	-	-	1	2	3
FEMALE--	41	1	-	-	-	-	-	1	1	1	2	3
ALASKA -----	13	-	1	-	-	-	-	-	-	1	-	-
WHITE-----MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	202	6	2	2	-	2	2	2	2	5	3	1
WHITE-----MALE----	105	3	-	1	-	1	1	1	2	3	2	1
FEMALE--	86	1	2	1	-	1	1	1	-	2	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	9	2	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	1	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	167	5	1	-	2	-	1	-	1	2	4	3
WHITE-----MALE----	55	2	-	-	1	-	-	-	-	1	1	2
FEMALE--	82	1	-	-	-	-	-	-	1	1	1	1
ALL OTHER--MALE----	14	2	1	-	1	-	1	-	-	-	1	-
FEMALE--	16	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	13	1	1	-	1	-	1	-	-	-	1	-
FEMALE--	16	-	-	-	-	-	-	-	-	-	1	-
CALIFORNIA -----	1,043	34	13	7	5	4	5	4	8	16	21	31
WHITE-----MALE----	459	14	5	5	2	2	2	1	4	6	11	19
FEMALE--	456	15	6	2	2	1	2	2	3	6	7	5
ALL OTHER--MALE----	69	3	-	-	1	-	1	1	-	2	1	5
FEMALE--	59	2	2	-	-	1	-	-	1	2	2	2
BLACK---MALE----	36	2	-	-	1	-	1	-	-	1	-	4
FEMALE--	27	1	-	-	-	-	-	-	-	2	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,153

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ALL OTHER ENDOCRINE AND METABOLIC DISEASES AND IMMUNITY DISORDERS (251-252,256-259,270-276,277.1-277.9,278.1-279)												
UNITED STATES --	478	565	713	1,004	1,466	1,789	2,117	2,226	1,692	768	215	4
WHITE-----MALE----	246	310	366	494	652	763	724	613	341	140	20	3
FEMALE--	133	163	220	344	607	828	1,158	1,406	1,206	556	169	-
ALL OTHER--MALE----	63	57	73	75	101	91	101	73	46	13	4	-
FEMALE--	36	35	54	91	106	107	134	134	99	59	22	1
BLACK---MALE----	56	50	66	66	88	81	89	63	37	11	4	-
FEMALE--	28	27	44	83	93	99	121	121	92	54	19	1
ALABAMA -----	11	10	7	20	31	19	48	42	32	11	1	-
WHITE-----MALE----	6	4	5	8	10	6	14	9	5	1	-	-
FEMALE--	2	3	-	5	10	7	22	26	18	8	-	-
ALL OTHER--MALE----	1	3	1	2	7	3	8	2	3	-	1	-
FEMALE--	2	-	1	5	4	3	4	5	6	2	-	-
BLACK---MALE----	1	3	1	2	7	3	8	2	3	-	1	-
FEMALE--	2	-	1	5	4	3	4	5	6	2	-	-
ALASKA -----	2	-	3	4	-	-	2	-	-	-	-	-
WHITE-----MALE----	-	-	2	4	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	12	6	12	15	22	26	23	29	19	10	-	1
WHITE-----MALE----	5	2	10	10	13	12	11	13	8	5	-	1
FEMALE--	5	3	1	5	9	13	10	16	11	4	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	2	1	1	-	-	1	1	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	1	-	-	-	-	-
ARKANSAS -----	4	4	6	15	13	27	22	28	21	7	1	-
WHITE-----MALE----	2	2	1	6	6	11	4	11	4	1	-	-
FEMALE--	2	2	2	8	4	14	14	12	14	4	1	-
ALL OTHER--MALE----	-	-	-	-	1	1	2	2	1	1	-	-
FEMALE--	-	-	3	1	2	1	2	3	2	1	-	-
BLACK---MALE----	-	-	-	-	1	1	2	2	1	1	-	-
FEMALE--	-	-	3	1	2	1	2	3	2	1	-	-
CALIFORNIA -----	44	51	62	78	137	145	143	114	84	26	10	1
WHITE-----MALE----	18	37	33	42	60	77	57	31	24	6	2	1
FEMALE--	18	10	22	21	52	52	73	76	54	19	8	-
ALL OTHER--MALE----	7	2	4	7	14	9	6	3	3	-	-	-
FEMALE--	1	2	3	8	11	7	7	4	3	1	-	-
BLACK---MALE----	3	2	2	4	6	6	3	1	-	-	-	-
FEMALE--	1	1	-	4	3	4	4	2	3	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 1,154

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ALL OTHER ENDOCRINE AND METABOLIC DISEASES AND IMMUNITY DISORDERS (251-252,256-259,270-276,277.1-277.9,278.1-279)												
COLORADO -----	169	2	1	2	-	2	1	1	3	-	5	2
WHITE-----MALE----	75	1	-	1	-	2	-	-	2	-	5	1
FEMALE--	81	-	-	1	-	-	-	1	1	-	-	1
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	10	1	1	-	-	-	1	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	1	1	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	180	2	2	-	-	-	-	-	2	3	3	3
WHITE-----MALE----	66	1	1	-	-	-	-	-	-	2	3	2
FEMALE--	100	-	-	-	-	-	-	-	2	1	-	1
ALL OTHER--MALE----	10	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	4	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	10	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	4	1	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	47	2	-	-	-	-	1	-	-	2	1	1
WHITE-----MALE----	13	1	-	-	-	-	-	-	-	-	-	1
FEMALE--	26	1	-	-	-	-	1	-	-	1	-	-
ALL OTHER--MALE----	7	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	7	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	54	1	-	-	-	-	-	1	1	4	3	1
WHITE-----MALE----	5	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	22	1	-	-	-	-	-	1	1	2	2	1
FEMALE--	21	-	-	-	-	-	-	-	-	1	1	-
BLACK---MALE----	22	1	-	-	-	-	-	1	1	2	2	1
FEMALE--	20	-	-	-	-	-	-	-	-	1	1	-
FLORIDA -----	939	9	4	5	6	3	5	8	8	21	14	24
WHITE-----MALE----	373	3	-	1	2	1	1	3	1	9	7	9
FEMALE--	417	3	2	2	2	-	1	3	1	5	2	3
ALL OTHER--MALE----	66	-	1	1	1	-	1	1	2	2	3	6
FEMALE--	83	3	1	1	1	2	2	1	4	5	2	6
BLACK---MALE----	65	-	1	1	1	-	1	1	2	2	3	6
FEMALE--	79	3	1	1	1	1	2	1	4	5	2	6
GEORGIA -----	358	9	5	-	-	2	3	4	4	7	5	12
WHITE-----MALE----	95	3	3	-	-	-	1	-	-	2	1	5
FEMALE--	156	2	2	-	-	2	2	3	1	2	2	2
ALL OTHER--MALE----	45	2	-	-	-	-	-	-	1	2	2	1
FEMALE--	62	2	-	-	-	-	-	1	2	1	-	4
BLACK---MALE----	44	2	-	-	-	-	-	-	1	2	2	1
FEMALE--	60	2	-	-	-	-	-	1	2	1	-	4

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,154

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ALL OTHER ENDOCRINE AND METABOLIC DISEASES AND IMMUNITY DISORDERS (251-252,256-259,270-276,277.1-277.9,278.1-279)												
COLORADO -----	8	5	8	5	10	28	22	25	21	12	6	-
WHITE-----MALE----	5	3	6	4	3	12	10	9	6	4	1	-
FEMALE--	3	2	1	1	5	14	11	16	14	7	3	-
ALL OTHER--MALE----	-	-	-	-	1	2	-	-	-	-	-	-
FEMALE--	-	-	1	-	1	-	1	-	1	1	2	-
BLACK---MALE----	-	-	-	-	-	2	-	-	-	-	-	-
FEMALE--	-	-	1	-	1	-	1	-	1	1	1	-
CONNECTICUT -----	9	7	11	8	14	21	24	33	27	8	3	-
WHITE-----MALE----	4	4	6	8	5	7	9	9	4	-	1	-
FEMALE--	3	1	4	-	9	12	14	21	23	7	2	-
ALL OTHER--MALE----	2	2	1	-	-	2	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	2	-	1	-	-
BLACK---MALE----	2	2	1	-	-	2	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	2	-	1	-	-
DELAWARE -----	-	1	2	1	7	5	11	7	3	2	1	-
WHITE-----MALE----	-	1	1	-	3	1	3	1	1	-	-	-
FEMALE--	-	-	1	1	2	2	7	6	1	2	1	-
ALL OTHER--MALE----	-	-	-	-	2	2	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	2	2	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
DISTRICT OF COLUMBIA ----	-	-	4	3	6	5	9	8	3	4	1	-
WHITE-----MALE----	-	-	1	-	-	1	1	1	-	-	-	-
FEMALE--	-	-	1	-	-	1	1	-	1	1	1	-
ALL OTHER--MALE----	-	-	2	2	3	2	2	2	-	1	-	-
FEMALE--	-	-	-	1	3	1	5	5	2	2	-	-
BLACK---MALE----	-	-	2	2	3	2	2	2	-	1	-	-
FEMALE--	-	-	-	1	3	1	5	5	2	1	-	-
FLORIDA -----	25	38	52	73	101	133	147	128	89	36	9	1
WHITE-----MALE----	14	22	29	38	43	58	61	39	18	12	2	-
FEMALE--	3	7	17	20	46	59	75	76	64	20	6	-
ALL OTHER--MALE----	5	6	6	8	6	7	4	4	1	1	-	-
FEMALE--	3	3	-	7	6	9	7	9	6	3	1	1
BLACK---MALE----	5	6	6	8	6	7	3	4	1	1	-	-
FEMALE--	3	3	-	6	6	9	6	8	6	3	1	1
GEORGIA -----	17	15	18	29	31	41	47	54	40	10	5	-
WHITE-----MALE----	5	7	5	13	11	14	7	12	6	-	-	-
FEMALE--	5	4	6	5	10	19	27	29	21	9	3	-
ALL OTHER--MALE----	5	2	3	3	5	4	8	3	4	-	-	-
FEMALE--	2	2	4	8	5	4	5	10	9	1	2	-
BLACK---MALE----	4	2	3	3	5	4	8	3	4	-	-	-
FEMALE--	2	2	4	7	4	4	5	10	9	1	2	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,155

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ALL OTHER ENDOCRINE AND METABOLIC DISEASES AND IMMUNITY DISORDERS (251-252,256-259,270-276,277.1-277.9,278.1-279)												
HAWAII -----	3	5	2	3	4	5	4	14	10	2	2	-
WHITE-----MALE----	1	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	5	-	-	1	-
ALL OTHER--MALE----	1	3	1	2	1	2	2	4	5	1	-	-
FEMALE--	1	2	1	1	1	3	2	5	5	1	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	3	1	5	1	7	10	4	12	9	3	2	-
WHITE-----MALE----	2	1	-	-	5	3	1	6	-	1	-	-
FEMALE--	1	-	5	1	2	7	3	6	9	2	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	14	20	33	42	61	67	87	108	85	40	12	-
WHITE-----MALE----	5	8	17	18	22	33	30	25	15	5	3	-
FEMALE--	5	6	8	16	28	26	48	73	63	34	7	-
ALL OTHER--MALE----	3	4	2	5	3	5	4	2	1	-	-	-
FEMALE--	1	2	6	3	8	3	5	8	6	1	2	-
BLACK---MALE----	3	4	2	5	3	5	2	2	1	-	-	-
FEMALE--	-	2	6	3	7	3	5	8	5	1	2	-
INDIANA -----	12	13	10	22	46	35	34	58	25	19	4	-
WHITE-----MALE----	7	9	8	11	27	20	14	19	6	5	-	-
FEMALE--	2	1	2	8	15	13	18	34	17	13	4	-
ALL OTHER--MALE----	3	3	-	2	3	1	1	1	-	-	-	-
FEMALE--	-	-	-	1	1	1	1	4	2	1	-	-
BLACK---MALE----	3	2	-	2	3	1	1	1	-	-	-	-
FEMALE--	-	-	-	1	1	1	1	4	2	1	-	-
IOWA -----	2	7	7	8	16	35	38	30	26	15	2	-
WHITE-----MALE----	1	6	5	4	10	19	12	13	3	6	-	-
FEMALE--	-	1	2	4	6	16	25	17	23	9	2	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
KANSAS -----	2	4	8	10	12	18	22	30	17	16	2	-
WHITE-----MALE----	1	1	6	7	5	7	8	10	5	3	-	-
FEMALE--	-	3	2	3	6	10	12	19	11	12	2	-
ALL OTHER--MALE----	1	-	-	-	-	1	1	-	-	1	-	-
FEMALE--	-	-	-	-	1	-	1	1	1	-	-	-
BLACK---MALE----	1	-	-	-	-	1	1	-	-	1	-	-
FEMALE--	-	-	-	-	1	-	1	1	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 1,156

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ALL OTHER ENDOCRINE AND METABOLIC DISEASES AND IMMUNITY DISORDERS (251-252,256-259,270-276,277.1-277.9,278.1-279)												
KENTUCKY -----	239	7	1	1	1	1	-	1	2	3	3	5
WHITE-----MALE----	100	4	-	-	-	1	-	1	-	2	2	4
FEMALE--	123	3	1	1	1	-	-	-	1	1	1	1
ALL OTHER--MALE----	9	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	9	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	200	4	4	1	-	2	-	5	5	7	3	9
WHITE-----MALE----	59	-	2	-	-	-	-	2	3	3	1	6
FEMALE--	70	1	-	-	-	1	-	-	-	2	1	1
ALL OTHER--MALE----	34	2	1	-	-	1	-	2	2	2	1	1
FEMALE--	37	1	1	1	-	-	-	1	-	-	-	1
BLACK---MALE----	34	2	1	-	-	1	-	2	2	2	1	1
FEMALE--	36	1	1	1	-	-	-	1	-	-	-	1
MAINE -----	102	-	-	-	-	-	-	1	-	2	-	3
WHITE-----MALE----	43	-	-	-	-	-	-	1	-	1	-	3
FEMALE--	58	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	367	5	1	-	-	-	-	2	4	6	11	12
WHITE-----MALE----	106	-	-	-	-	-	-	-	-	1	2	6
FEMALE--	167	2	-	-	-	-	-	1	1	-	3	1
ALL OTHER--MALE----	36	2	-	-	-	-	-	1	-	2	4	5
FEMALE--	58	1	1	-	-	-	-	-	3	3	2	-
BLACK---MALE----	34	2	-	-	-	-	-	1	-	2	4	5
FEMALE--	57	1	1	-	-	-	-	-	3	3	2	-
MASSACHUSETTS -----	425	5	1	-	1	-	2	-	2	5	11	8
WHITE-----MALE----	140	3	-	-	-	-	1	-	-	3	4	5
FEMALE--	258	1	1	-	1	-	1	-	1	1	5	2
ALL OTHER--MALE----	12	1	-	-	-	-	-	-	1	1	2	-
FEMALE--	15	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	11	1	-	-	-	-	-	-	1	1	2	-
FEMALE--	15	-	-	-	-	-	-	-	-	-	-	1
MICHIGAN -----	601	9	2	4	2	2	2	4	5	8	11	18
WHITE-----MALE----	211	3	1	1	2	1	1	3	2	4	3	10
FEMALE--	300	2	1	2	-	1	-	-	1	2	2	5
ALL OTHER--MALE----	42	3	-	-	-	-	1	-	1	2	4	2
FEMALE--	48	1	-	1	-	-	-	1	1	-	2	1
BLACK---MALE----	41	3	-	-	-	-	1	-	1	2	4	2
FEMALE--	45	1	-	1	-	-	-	1	1	-	2	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,156

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ALL OTHER ENDOCRINE AND METABOLIC DISEASES AND IMMUNITY DISORDERS (251-252,256-259,270-276,277.1-277.9,278.1-279)												
KENTUCKY -----	8	13	13	15	24	27	30	41	24	14	5	-
WHITE-----MALE----	4	10	6	10	10	12	10	18	2	4	-	-
FEMALE--	4	3	6	4	10	15	19	21	18	9	4	-
ALL OTHER--MALE----	-	-	1	1	3	-	1	-	2	-	-	-
FEMALE--	-	-	-	-	1	-	-	2	2	1	1	-
BLACK---MALE----	-	-	1	1	3	-	1	-	2	-	-	-
FEMALE--	-	-	-	-	1	-	-	1	2	1	1	-
LOUISIANA -----	7	6	9	15	13	23	29	26	23	9	-	-
WHITE-----MALE----	4	2	5	3	4	9	8	5	2	-	-	-
FEMALE--	-	2	1	5	5	7	14	12	14	4	-	-
ALL OTHER--MALE----	1	1	2	4	-	3	5	1	4	1	-	-
FEMALE--	2	1	1	3	4	4	2	8	3	4	-	-
BLACK---MALE----	1	1	2	4	-	3	5	1	4	1	-	-
FEMALE--	1	1	1	3	4	4	2	8	3	4	-	-
MAINE -----	1	4	6	13	17	11	12	16	10	3	3	-
WHITE-----MALE----	-	3	3	8	9	5	3	2	4	-	1	-
FEMALE--	1	1	3	4	8	6	9	14	6	3	2	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	15	17	17	32	31	52	48	57	33	22	2	-
WHITE-----MALE----	7	10	3	12	9	20	19	10	6	1	-	-
FEMALE--	1	2	5	11	16	22	21	38	25	16	2	-
ALL OTHER--MALE----	3	3	4	2	-	4	1	3	1	1	-	-
FEMALE--	4	2	5	7	6	6	7	6	1	4	-	-
BLACK---MALE----	3	3	4	2	-	4	1	2	1	-	-	-
FEMALE--	4	2	5	6	6	6	7	6	1	4	-	-
MASSACHUSETTS -----	9	8	12	29	29	42	56	64	76	43	22	-
WHITE-----MALE----	5	5	8	10	12	18	22	21	13	10	-	-
FEMALE--	2	3	3	12	15	22	32	42	62	30	22	-
ALL OTHER--MALE----	2	-	-	2	2	1	-	-	-	-	-	-
FEMALE--	-	-	1	5	-	1	2	1	1	3	-	-
BLACK---MALE----	2	-	-	2	1	1	-	-	-	-	-	-
FEMALE--	-	-	1	5	-	1	2	1	1	3	-	-
MICHIGAN -----	21	16	20	47	52	73	97	97	69	34	8	-
WHITE-----MALE----	15	11	10	26	22	25	30	20	14	5	2	-
FEMALE--	1	5	6	15	21	33	55	67	52	23	6	-
ALL OTHER--MALE----	3	-	3	2	3	7	8	1	-	2	-	-
FEMALE--	2	-	1	4	6	8	4	9	3	4	-	-
BLACK---MALE----	3	-	2	2	3	7	8	1	-	2	-	-
FEMALE--	2	-	-	4	5	8	4	9	3	3	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 1,157

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ALL OTHER ENDOCRINE AND METABOLIC DISEASES AND IMMUNITY DISORDERS (251-252,256-259,270-276,277.1-277.9,278.1-279)												
MINNESOTA -----	239	7	-	-	1	1	-	1	3	4	4	5
WHITE-----MALE----	103	3	-	-	1	-	-	-	-	2	2	2
FEMALE--	130	4	-	-	-	1	-	-	2	1	2	2
ALL OTHER--MALE----	5	-	-	-	-	-	-	1	-	1	-	1
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI -----	162	7	1	-	1	1	1	3	3	-	3	2
WHITE-----MALE----	42	1	-	-	-	-	-	2	2	-	2	1
FEMALE--	51	-	1	-	-	1	-	-	1	-	-	-
ALL OTHER--MALE----	27	2	-	-	1	-	1	1	-	-	-	1
FEMALE--	42	4	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	27	2	-	-	1	-	1	1	-	-	-	1
FEMALE--	42	4	-	-	-	-	-	-	-	-	1	-
MISSOURI -----	315	2	2	-	2	2	2	-	3	6	6	10
WHITE-----MALE----	107	1	1	-	-	2	1	-	2	1	3	6
FEMALE--	177	-	1	-	1	-	1	-	-	4	2	2
ALL OTHER--MALE----	11	1	-	-	-	-	-	-	1	-	1	-
FEMALE--	20	-	-	-	1	-	-	-	-	1	-	2
BLACK---MALE----	11	1	-	-	-	-	-	-	1	-	1	-
FEMALE--	19	-	-	-	1	-	-	-	-	1	-	2
MONTANA -----	52	1	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	21	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	30	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	89	4	-	-	-	-	-	-	1	-	-	2
WHITE-----MALE----	39	2	-	-	-	-	-	-	1	-	-	2
FEMALE--	46	2	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
NEVADA -----	84	3	1	-	-	-	-	1	3	1	-	5
WHITE-----MALE----	31	1	-	-	-	-	-	-	-	1	-	3
FEMALE--	44	1	1	-	-	-	-	-	1	-	-	2
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	2	-	-	-
FEMALE--	5	1	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	2	-	-	-
FEMALE--	4	1	-	-	-	-	-	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,157

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ALL OTHER ENDOCRINE AND METABOLIC DISEASES AND IMMUNITY DISORDERS (251-252,256-259,270-276,277.1-277.9,278.1-279)												
MINNESOTA -----	6	7	18	18	29	27	29	42	23	13	1	-
WHITE-----MALE----	4	2	11	12	19	12	6	18	7	2	-	-
FEMALE--	2	4	7	6	10	15	23	23	16	11	1	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI -----	3	10	9	12	6	16	24	28	18	9	5	-
WHITE-----MALE----	1	1	3	5	1	7	8	5	2	1	-	-
FEMALE--	-	2	2	3	3	4	6	15	7	5	1	-
ALL OTHER--MALE----	2	2	1	2	1	3	3	3	2	-	2	-
FEMALE--	-	5	3	2	1	2	7	5	7	3	2	-
BLACK---MALE----	2	2	1	2	1	3	3	3	2	-	2	-
FEMALE--	-	5	3	2	1	2	7	5	7	3	2	-
MISSOURI -----	11	9	17	23	25	37	53	48	32	19	6	-
WHITE-----MALE----	3	5	5	12	11	12	16	12	8	6	-	-
FEMALE--	5	4	9	8	13	20	35	32	22	12	6	-
ALL OTHER--MALE----	1	-	2	1	-	2	-	1	1	-	-	-
FEMALE--	2	-	1	2	1	3	2	3	1	1	-	-
BLACK---MALE----	1	-	2	1	-	2	-	1	1	-	-	-
FEMALE--	1	-	1	2	1	3	2	3	1	1	-	-
MONTANA -----	4	1	1	4	4	6	13	7	9	1	1	-
WHITE-----MALE----	3	1	1	2	4	1	3	2	3	-	-	-
FEMALE--	1	-	-	2	-	5	9	5	6	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	2	2	3	9	13	10	13	18	8	3	1	-
WHITE-----MALE----	2	1	-	4	8	3	10	4	2	-	-	-
FEMALE--	-	1	3	4	5	6	2	13	6	3	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	1	-	-	-	-
NEVADA -----	3	1	2	6	11	18	7	11	7	3	-	1
WHITE-----MALE----	-	1	1	4	7	8	1	3	-	-	-	1
FEMALE--	2	-	1	2	3	8	6	7	7	3	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	1	-	-	-	-
FEMALE--	1	-	-	-	-	2	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	2	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 1,159

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
 0 ALL OTHER ENDOCRINE AND METABOLIC DISEASES AND IMMUNITY DISORDERS (251-252,256-259,270-276,277.1-277.9,278.1-279)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
OHOHIO -----	806	13	4	3	-	5	5	1	4	9	17	18
WHITE-----MALE----	280	3	4	3	-	2	2	-	2	4	9	9
FEMALE--	440	7	-	-	-	2	2	1	1	2	3	5
ALL OTHER--MALE----	34	3	-	-	-	-	-	-	1	3	-	3
FEMALE--	52	-	-	-	-	1	1	-	-	-	5	1
BLACK---MALE----	33	3	-	-	-	-	-	-	-	3	-	3
FEMALE--	52	-	-	-	-	1	1	-	-	-	5	1
OKLAHOMA -----	173	3	-	-	2	1	1	-	2	1	4	3
WHITE-----MALE----	45	2	-	-	1	-	-	-	1	-	-	2
FEMALE--	107	1	-	-	1	-	-	-	-	-	3	1
ALL OTHER--MALE----	10	-	-	-	-	1	1	-	-	1	1	-
FEMALE--	11	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	8	-	-	-	-	1	1	-	-	1	-	-
FEMALE--	7	-	-	-	-	-	-	-	1	-	-	-
OREGON -----	198	5	1	-	-	-	1	1	1	4	4	2
WHITE-----MALE----	79	2	-	-	-	-	1	-	-	3	1	1
FEMALE--	114	3	1	-	-	-	-	1	1	1	2	1
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	818	3	3	2	-	3	2	-	4	11	11	20
WHITE-----MALE----	288	1	1	-	-	2	1	-	2	5	7	9
FEMALE--	452	2	2	-	-	1	1	-	1	3	2	7
ALL OTHER--MALE----	41	-	-	1	-	-	-	-	-	1	-	3
FEMALE--	37	-	-	1	-	-	-	-	1	2	2	1
BLACK---MALE----	40	-	-	-	-	-	-	-	-	1	-	3
FEMALE--	34	-	-	-	-	-	-	-	1	1	2	1
RHODE ISLAND -----	83	-	1	-	-	-	-	-	1	-	-	2
WHITE-----MALE----	31	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	47	-	1	-	-	-	-	-	-	-	-	2
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	266	5	1	2	2	-	1	2	4	2	13	7
WHITE-----MALE----	85	-	-	1	-	-	-	-	1	1	5	5
FEMALE--	91	2	1	1	-	-	-	1	-	1	-	1
ALL OTHER--MALE----	40	3	-	-	2	-	1	1	2	-	5	1
FEMALE--	50	-	-	-	-	-	-	-	1	-	3	-
BLACK---MALE----	40	3	-	-	2	-	1	1	2	-	5	1
FEMALE--	50	-	-	-	-	-	-	-	1	-	3	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,159

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ALL OTHER ENDOCRINE AND METABOLIC DISEASES AND IMMUNITY DISORDERS (251-252,256-259,270-276,277.1-277.9,278.1-279)												
OHIO -----	17	27	31	54	81	98	126	116	119	47	11	-
WHITE-----MALE----	8	15	21	26	44	38	33	29	22	6	-	-
FEMALE--	7	10	8	21	29	53	80	80	83	37	9	-
ALL OTHER--MALE----	2	1	1	2	5	2	4	3	4	-	-	-
FEMALE--	-	1	1	5	3	5	9	4	10	4	2	-
BLACK---MALE----	2	1	1	2	5	2	4	3	4	-	-	-
FEMALE--	-	1	1	5	3	5	9	4	10	4	2	-
OKLAHOMA -----	5	7	10	12	19	20	26	30	17	9	1	-
WHITE-----MALE----	2	2	1	5	9	6	4	6	3	1	-	-
FEMALE--	2	2	9	6	8	12	20	22	12	7	1	-
ALL OTHER--MALE----	-	1	-	-	1	-	1	2	1	-	-	-
FEMALE--	1	2	-	1	1	2	1	-	1	1	-	-
BLACK---MALE----	-	1	-	-	1	-	-	2	1	-	-	-
FEMALE--	-	-	-	1	1	2	-	-	1	1	-	-
OREGON -----	9	10	8	14	19	28	33	29	16	12	1	-
WHITE-----MALE----	5	5	4	7	7	12	17	6	5	3	-	-
FEMALE--	4	5	4	6	11	14	16	23	11	9	1	-
ALL OTHER--MALE----	-	-	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
PENNSYLVANIA -----	11	24	47	51	77	113	128	139	102	53	14	-
WHITE-----MALE----	6	11	23	22	41	50	49	28	19	10	1	-
FEMALE--	1	11	14	20	28	59	69	100	77	41	13	-
ALL OTHER--MALE----	3	2	6	4	7	1	5	5	3	-	-	-
FEMALE--	1	-	4	5	1	3	5	6	3	2	-	-
BLACK---MALE----	3	2	6	4	7	1	5	5	3	-	-	-
FEMALE--	1	-	4	5	1	3	5	5	3	2	-	-
RHODE ISLAND -----	3	2	2	5	8	10	15	19	8	5	2	-
WHITE-----MALE----	1	2	2	4	5	6	6	3	1	-	-	-
FEMALE--	2	-	-	-	2	2	9	15	7	5	2	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	1	-	-	-	-
FEMALE--	-	-	-	1	-	2	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	1	-	-	-	-
FEMALE--	-	-	-	1	-	2	-	-	-	-	-	-
SOUTH CAROLINA -----	11	18	16	18	33	31	34	33	21	11	1	-
WHITE-----MALE----	2	8	8	6	10	12	10	10	4	2	-	-
FEMALE--	3	4	1	6	10	11	14	16	13	6	-	-
ALL OTHER--MALE----	2	3	3	3	5	4	1	3	-	1	-	-
FEMALE--	4	3	4	3	8	4	9	4	4	2	1	-
BLACK---MALE----	2	3	3	3	5	4	1	3	-	1	-	-
FEMALE--	4	3	4	3	8	4	9	4	4	2	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 1,160

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ALL OTHER ENDOCRINE AND METABOLIC DISEASES AND IMMUNITY DISORDERS (251-252,256-259,270-276,277.1-277.9,278.1-279)												
SOUTH DAKOTA -----	44	5	-	-	-	-	-	1	-	-	-	-
WHITE-----MALE----	16	3	-	-	-	-	-	-	-	-	-	-
FEMALE--	28	2	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	330	10	2	-	-	-	-	3	6	5	9	9
WHITE-----MALE----	123	4	1	-	-	-	-	1	3	3	1	5
FEMALE--	157	-	-	-	-	-	-	1	1	2	2	2
ALL OTHER--MALE----	29	5	1	-	-	-	-	1	1	-	3	2
FEMALE--	21	1	-	-	-	-	-	-	1	-	3	-
BLACK---MALE----	29	5	1	-	-	-	-	1	1	-	3	2
FEMALE--	21	1	-	-	-	-	-	-	1	-	3	-
TEXAS -----	937	18	14	2	4	2	2	5	9	11	13	26
WHITE-----MALE----	356	6	5	1	1	1	1	2	7	3	6	14
FEMALE--	478	10	4	1	3	1	1	1	1	4	3	8
ALL OTHER--MALE----	48	1	4	-	-	-	-	-	1	1	1	1
FEMALE--	55	1	1	-	-	-	-	2	-	3	3	3
BLACK---MALE----	44	1	3	-	-	-	-	-	1	1	1	1
FEMALE--	52	-	1	-	-	-	-	2	-	3	3	3
UTAH -----	87	7	1	-	-	-	-	1	1	2	-	5
WHITE-----MALE----	35	2	-	-	-	-	-	-	1	1	-	3
FEMALE--	48	5	1	-	-	-	-	1	-	1	-	2
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	42	1	-	-	-	-	-	-	-	1	1	-
WHITE-----MALE----	21	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	21	1	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	363	8	2	3	1	1	2	3	2	7	1	8
WHITE-----MALE----	122	1	1	1	-	-	1	1	1	2	-	6
FEMALE--	164	1	-	-	-	1	1	1	-	2	-	-
ALL OTHER--MALE----	37	4	-	1	1	-	-	1	-	2	1	1
FEMALE--	40	2	1	1	-	-	-	-	1	1	-	1
BLACK---MALE----	36	4	-	1	1	-	-	1	-	2	1	1
FEMALE--	35	2	-	-	-	-	-	-	1	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,160

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ALL OTHER ENDOCRINE AND METABOLIC DISEASES AND IMMUNITY DISORDERS (251-252,256-259,270-276,277.1-277.9,278.1-279)												
SOUTH DAKOTA -----	1	1	2	4	-	3	6	11	6	4	-	-
WHITE-----MALE----	-	-	2	2	-	3	1	5	-	-	-	-
FEMALE--	1	1	-	2	-	-	5	6	6	4	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	12	17	14	27	29	38	58	40	33	13	5	-
WHITE-----MALE----	4	10	7	13	14	11	22	15	7	2	-	-
FEMALE--	8	6	5	11	12	20	31	18	23	10	5	-
ALL OTHER--MALE----	-	1	2	2	-	3	3	4	1	-	-	-
FEMALE--	-	-	-	1	3	4	2	3	2	1	-	-
BLACK---MALE----	-	1	2	2	-	3	3	4	1	-	-	-
FEMALE--	-	-	-	1	3	4	2	3	2	1	-	-
TEXAS -----	43	46	52	57	100	117	122	140	113	32	9	-
WHITE-----MALE----	27	24	29	35	42	44	46	37	20	4	1	-
FEMALE--	11	16	16	18	47	62	60	93	88	25	5	-
ALL OTHER--MALE----	3	2	4	3	4	4	7	10	1	-	1	-
FEMALE--	2	4	3	1	7	7	9	-	4	3	2	-
BLACK---MALE----	3	2	3	3	4	3	6	10	1	-	1	-
FEMALE--	2	4	3	1	7	7	8	-	3	3	2	-
UTAH -----	1	1	3	3	7	7	11	16	15	3	3	-
WHITE-----MALE----	1	1	1	3	4	2	3	6	6	1	-	-
FEMALE--	-	-	1	-	3	4	8	9	9	2	2	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
VERMONT -----	1	4	3	2	4	5	9	5	4	2	-	-
WHITE-----MALE----	1	4	2	-	1	4	5	2	1	-	-	-
FEMALE--	-	-	1	2	3	1	4	3	3	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	10	15	19	17	37	42	58	49	56	19	3	-
WHITE-----MALE----	7	7	11	6	15	17	20	13	8	4	-	-
FEMALE--	3	4	3	4	10	22	25	28	43	13	3	-
ALL OTHER--MALE----	-	4	4	2	6	2	3	2	3	-	-	-
FEMALE--	-	-	1	5	6	1	10	6	2	2	-	-
BLACK---MALE----	-	3	4	2	6	2	3	2	3	-	-	-
FEMALE--	-	-	1	5	6	-	10	5	2	2	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,162

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
NUTRITIONAL DEFICIENCIES (260-269)												
UNITED STATES --	33	49	70	136	208	452	714	907	818	438	148	-
WHITE-----MALE----	14	19	34	53	76	162	196	234	156	67	16	-
FEMALE--	16	22	23	53	95	234	415	578	562	333	103	-
ALL OTHER--MALE----	3	5	7	17	19	30	44	35	25	6	5	-
FEMALE--	-	3	6	13	18	26	59	60	75	32	24	-
BLACK---MALE----	3	5	7	17	18	27	38	28	19	6	5	-
FEMALE--	-	3	5	12	16	24	56	54	63	28	20	-
ALABAMA -----	2	2	3	1	5	18	16	14	18	2	4	-
WHITE-----MALE----	-	1	2	-	1	8	7	2	3	-	-	-
FEMALE--	-	1	1	-	3	7	6	10	9	1	2	-
ALL OTHER--MALE----	2	-	-	-	-	2	2	1	2	1	-	-
FEMALE--	-	-	-	1	1	1	1	1	4	-	2	-
BLACK---MALE----	2	-	-	-	-	2	2	1	2	1	-	-
FEMALE--	-	-	-	1	1	1	1	1	4	-	2	-
ALASKA -----	-	-	-	-	-	1	1	2	1	1	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	-	2	1	6	3	14	30	24	23	17	7	-
WHITE-----MALE----	-	1	-	3	1	7	8	5	10	2	-	-
FEMALE--	-	1	1	3	2	6	20	15	11	14	5	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	3	-	-	-	-
FEMALE--	-	-	-	-	-	1	2	1	2	1	2	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	2	-	-	-
ARKANSAS -----	-	-	1	-	4	6	7	14	8	2	1	-
WHITE-----MALE----	-	-	1	-	-	1	4	5	-	1	-	-
FEMALE--	-	-	-	-	-	2	3	8	6	1	1	-
ALL OTHER--MALE----	-	-	-	-	2	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	2	3	-	1	1	-	-	-
BLACK---MALE----	-	-	-	-	2	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	2	3	-	1	1	-	-	-
CALIFORNIA -----	-	2	1	2	3	13	23	21	24	10	4	-
WHITE-----MALE----	-	-	-	-	2	7	7	6	4	2	1	-
FEMALE--	-	2	-	1	1	6	15	14	13	8	3	-
ALL OTHER--MALE----	-	-	1	1	-	-	1	-	3	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	4	-	-	-
BLACK---MALE----	-	-	1	1	-	-	1	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	2	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 1,163

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
NUTRITIONAL DEFICIENCIES (260-269)												
COLORADO -----	64	-	-	-	-	-	-	-	-	-	-	1
WHITE-----MALE----	18	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	43	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	22	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	17	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	15	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	11	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	6	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	220	-	-	-	-	-	-	-	1	2	1	2
WHITE-----MALE----	57	-	-	-	-	-	-	-	-	2	-	1
FEMALE--	140	-	-	-	-	-	-	-	1	-	1	-
ALL OTHER--MALE----	11	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	12	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	11	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	12	-	-	-	-	-	-	-	-	-	-	-
GEORGIA -----	171	1	-	-	-	-	-	-	-	2	3	2
WHITE-----MALE----	34	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	89	-	-	-	-	-	-	-	-	-	3	2
ALL OTHER--MALE----	17	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	31	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	17	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	29	-	-	-	-	-	-	-	-	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,163

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
NUTRITIONAL DEFICIENCIES (260-269)												
COLORADO -----	1	3	-	2	3	7	8	12	16	9	2	-
WHITE-----MALE----	1	-	-	1	3	1	3	2	5	2	-	-
FEMALE--	-	3	-	1	-	5	5	8	11	7	2	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	2	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	2	-	-	-	-
CONNECTICUT -----	1	-	-	1	1	-	3	4	6	6	-	-
WHITE-----MALE----	-	-	-	-	1	-	-	1	1	-	-	-
FEMALE--	1	-	-	1	-	-	2	3	5	5	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-
DELAWARE -----	-	-	1	-	1	3	3	4	-	2	1	-
WHITE-----MALE----	-	-	-	-	-	1	1	-	-	-	1	-
FEMALE--	-	-	1	-	1	2	1	4	-	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	-	-	1	-	-	3	1	-	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	3	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	1	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	1	-	1	-	-	-
FLORIDA -----	1	2	3	8	11	24	32	60	44	22	7	-
WHITE-----MALE----	-	2	1	3	4	7	7	12	10	7	1	-
FEMALE--	1	-	1	2	4	14	22	45	30	15	4	-
ALL OTHER--MALE----	-	-	1	1	3	3	-	-	2	-	-	-
FEMALE--	-	-	-	2	-	-	3	3	2	-	2	-
BLACK---MALE----	-	-	1	1	3	3	-	-	2	-	-	-
FEMALE--	-	-	-	2	-	-	3	3	2	-	2	-
GEORGIA -----	-	3	4	6	14	13	33	43	32	9	6	-
WHITE-----MALE----	-	1	1	1	6	3	5	10	4	1	1	-
FEMALE--	-	1	1	3	3	6	17	24	20	7	2	-
ALL OTHER--MALE----	-	-	1	1	3	1	2	4	3	-	1	-
FEMALE--	-	1	1	1	2	3	9	5	5	1	2	-
BLACK---MALE----	-	-	1	1	3	1	2	4	3	-	1	-
FEMALE--	-	1	1	1	2	3	8	5	4	1	2	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,164

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
NUTRITIONAL DEFICIENCIES (260-269)												
HAWAII -----	-	-	-	1	2	3	2	7	4	-	1	-
WHITE-----MALE----	-	-	-	1	-	1	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	1	2	3	2	-	-	-
FEMALE--	-	-	-	-	1	1	-	3	2	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	-	-	-	-	-	3	3	1	7	4	1	-
WHITE-----MALE----	-	-	-	-	-	-	1	1	2	1	-	-
FEMALE--	-	-	-	-	-	3	2	-	4	3	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	-	-	5	5	5	19	36	28	24	16	3	-
WHITE-----MALE----	-	-	2	3	3	5	7	8	3	3	-	-
FEMALE--	-	-	2	1	1	13	22	18	20	10	2	-
ALL OTHER--MALE----	-	-	-	1	1	1	4	-	1	1	-	-
FEMALE--	-	-	1	-	-	-	3	2	-	2	1	-
BLACK---MALE----	-	-	-	1	1	1	3	-	1	1	-	-
FEMALE--	-	-	1	-	-	-	3	2	-	2	1	-
INDIANA -----	1	-	2	3	4	7	13	22	13	10	2	-
WHITE-----MALE----	1	-	1	2	2	4	5	7	2	1	-	-
FEMALE--	-	-	1	1	2	3	6	14	11	7	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	2	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	2	-	-
BLACK---MALE----	-	-	-	-	-	-	2	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	2	-	-
IOWA -----	-	-	1	1	1	2	8	8	16	11	5	-
WHITE-----MALE----	-	-	1	-	-	1	3	3	2	1	-	-
FEMALE--	-	-	-	1	1	1	5	5	14	10	5	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS -----	-	-	-	2	3	6	4	19	14	13	2	-
WHITE-----MALE----	-	-	-	1	1	4	1	6	1	3	1	-
FEMALE--	-	-	-	1	2	1	2	12	12	10	1	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,165

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
NUTRITIONAL DEFICIENCIES (260-269)												
KENTUCKY -----	1	1	-	2	8	8	8	17	18	8	1	-
WHITE-----MALE----	-	1	-	1	4	3	1	6	6	-	-	-
FEMALE--	1	-	-	1	4	5	6	11	10	8	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	2	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	2	-	-	-
LOUISIANA -----	2	1	-	4	6	12	20	20	19	11	3	-
WHITE-----MALE----	2	-	1	1	1	2	2	3	1	3	-	-
FEMALE--	-	-	1	2	3	6	9	9	14	7	1	-
ALL OTHER--MALE----	-	1	-	-	2	2	5	5	2	-	1	-
FEMALE--	-	-	-	1	-	2	4	3	2	1	1	-
BLACK---MALE----	-	1	-	-	2	2	5	5	2	-	1	-
FEMALE--	-	-	-	1	-	2	4	3	2	1	1	-
MAINE -----	1	-	-	1	-	3	2	5	5	4	1	-
WHITE-----MALE----	1	-	-	1	-	1	-	2	1	-	1	-
FEMALE--	-	-	-	-	-	2	2	3	4	4	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	-	1	-	4	1	4	13	10	10	6	2	-
WHITE-----MALE----	-	-	-	1	-	1	4	1	1	-	-	-
FEMALE--	-	1	-	1	1	3	6	7	7	3	1	-
ALL OTHER--MALE----	-	-	-	2	-	-	2	1	1	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	1	3	1	-
BLACK---MALE----	-	-	-	2	-	-	2	1	1	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	-	3	1	-
MASSACHUSETTS -----	-	1	2	-	2	6	13	10	18	8	1	-
WHITE-----MALE----	-	-	2	-	-	1	3	4	5	-	-	-
FEMALE--	-	1	-	-	2	5	10	6	13	8	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	1	3	5	8	15	28	32	44	36	24	4	-
WHITE-----MALE----	-	3	3	3	7	6	7	10	8	3	-	-
FEMALE--	1	-	2	3	6	19	20	29	21	19	4	-
ALL OTHER--MALE----	-	-	-	1	1	1	2	3	2	-	-	-
FEMALE--	-	-	-	1	1	2	3	2	5	2	-	-
BLACK---MALE----	-	-	-	1	1	1	2	3	2	-	-	-
FEMALE--	-	-	-	1	1	2	2	2	5	2	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,166

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
NUTRITIONAL DEFICIENCIES (260-269)												
MINNESOTA -----	1	-	-	4	2	6	8	17	9	7	3	-
WHITE-----MALE----	1	-	-	-	-	3	4	5	2	1	-	-
FEMALE--	-	-	-	4	2	3	4	12	7	6	3	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI -----	2	2	1	1	3	3	14	9	6	7	4	-
WHITE-----MALE----	-	1	1	-	-	1	1	2	3	1	-	-
FEMALE--	1	-	-	1	-	1	6	4	2	5	2	-
ALL OTHER--MALE----	1	1	-	-	-	-	4	1	-	-	-	-
FEMALE--	-	-	-	-	3	1	3	2	1	1	2	-
BLACK---MALE----	1	1	-	-	-	-	4	1	-	-	-	-
FEMALE--	-	-	-	-	3	1	3	2	1	1	2	-
MISSOURI -----	1	1	1	6	5	15	33	42	38	17	4	-
WHITE-----MALE----	1	-	1	3	1	5	13	9	6	4	-	-
FEMALE--	-	1	-	2	3	7	15	31	27	13	4	-
ALL OTHER--MALE----	-	-	-	1	-	1	1	1	1	-	-	-
FEMALE--	-	-	-	-	1	2	4	1	4	-	-	-
BLACK---MALE----	-	-	-	1	-	1	1	1	1	-	-	-
FEMALE--	-	-	-	-	1	2	4	1	3	-	-	-
MONTANA -----	-	-	-	-	1	1	3	7	1	2	1	-
WHITE-----MALE----	-	-	-	-	-	1	2	3	-	1	1	-
FEMALE--	-	-	-	-	1	-	1	4	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	-	-	1	-	1	1	9	3	1	3	1	-
WHITE-----MALE----	-	-	-	-	-	1	3	1	1	-	-	-
FEMALE--	-	-	1	-	1	-	6	2	-	3	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA -----	-	-	-	-	2	2	6	7	1	1	-	-
WHITE-----MALE----	-	-	-	-	1	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	1	1	6	5	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 1,168

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
NUTRITIONAL DEFICIENCIES (260-269)												
OHIO -----	249	-	-	-	-	-	-	-	-	1	-	1
WHITE-----MALE----	77	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	156	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	11	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	11	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA -----	78	-	-	-	-	-	-	-	-	1	1	-
WHITE-----MALE----	16	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	52	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	47	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	14	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	31	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	217	2	-	-	-	-	-	-	-	1	-	-
WHITE-----MALE----	59	2	-	-	-	-	-	-	-	1	-	-
FEMALE--	136	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	16	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	15	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND -----	15	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	11	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	74	-	-	-	1	-	-	-	-	-	1	-
WHITE-----MALE----	16	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	36	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	10	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	12	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	10	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	12	-	-	-	1	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,168

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
NUTRITIONAL DEFICIENCIES (260-269)												
OHIO -----	3	2	7	5	9	33	46	52	55	27	8	-
WHITE-----MALE----	1	1	4	1	4	17	18	18	7	4	-	-
FEMALE--	2	1	2	4	4	14	25	30	46	21	7	-
ALL OTHER--MALE----	-	-	-	-	1	2	-	2	-	-	-	-
FEMALE--	-	-	1	-	-	-	3	2	2	2	1	-
BLACK---MALE----	-	-	-	-	1	2	-	2	-	-	-	-
FEMALE--	-	-	1	-	-	-	3	2	2	2	1	-
OKLAHOMA -----	1	2	1	3	3	11	9	18	14	11	3	-
WHITE-----MALE----	-	-	1	2	-	4	3	3	1	1	-	-
FEMALE--	1	1	-	-	2	5	5	14	11	10	2	-
ALL OTHER--MALE----	-	1	-	-	-	1	1	1	-	-	-	-
FEMALE--	-	-	-	1	1	1	-	-	2	-	1	-
BLACK---MALE----	-	1	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	1	-	-	-
OREGON -----	-	-	1	1	2	5	8	8	13	8	1	-
WHITE-----MALE----	-	-	-	-	2	1	2	6	1	2	-	-
FEMALE--	-	-	-	-	-	4	6	2	12	6	1	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	1	2	1	7	11	18	50	56	41	22	5	-
WHITE-----MALE----	1	1	1	4	2	7	18	9	10	3	-	-
FEMALE--	-	1	-	1	6	8	30	41	27	17	5	-
ALL OTHER--MALE----	-	-	-	2	1	2	-	1	-	-	-	-
FEMALE--	-	-	-	-	2	1	2	5	4	2	-	-
BLACK---MALE----	-	-	-	2	1	2	-	1	-	-	-	-
FEMALE--	-	-	-	-	2	1	2	5	3	2	-	-
RHODE ISLAND -----	-	1	1	1	-	3	2	5	1	1	-	-
WHITE-----MALE----	-	-	1	1	-	-	1	1	-	-	-	-
FEMALE--	-	1	-	-	-	3	1	4	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	2	2	1	3	3	12	10	19	15	5	-	-
WHITE-----MALE----	2	1	-	-	-	5	2	4	1	1	-	-
FEMALE--	-	-	1	1	2	3	4	11	10	3	-	-
ALL OTHER--MALE----	-	1	-	1	-	3	2	3	-	-	-	-
FEMALE--	-	-	-	1	1	1	2	1	4	1	-	-
BLACK---MALE----	-	1	-	1	-	3	2	3	-	-	-	-
FEMALE--	-	-	-	1	1	1	2	1	4	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,169

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
NUTRITIONAL DEFICIENCIES (260-269)												
SOUTH DAKOTA -----	-	-	-	-	1	-	1	3	4	2	1	-
WHITE-----MALE----	-	-	-	-	1	-	-	1	-	1	-	-
FEMALE--	-	-	-	-	-	-	1	2	4	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	1	4	2	7	7	12	22	28	26	8	4	-
WHITE-----MALE----	1	2	2	-	2	5	5	9	5	1	-	-
FEMALE--	-	2	-	6	3	6	17	16	18	4	3	-
ALL OTHER--MALE----	-	-	-	1	1	-	-	1	1	-	1	-
FEMALE--	-	-	-	-	1	1	-	2	2	3	-	-
BLACK---MALE----	-	-	-	1	1	-	-	1	1	-	1	-
FEMALE--	-	-	-	-	1	1	-	2	2	3	-	-
TEXAS -----	3	3	5	10	23	31	38	61	57	25	10	-
WHITE-----MALE----	2	-	2	5	10	13	9	23	10	2	-	-
FEMALE--	1	2	3	3	12	16	22	34	38	19	7	-
ALL OTHER--MALE----	-	-	-	1	-	1	4	-	2	1	-	-
FEMALE--	-	1	-	1	1	1	3	4	7	3	3	-
BLACK---MALE----	-	-	-	1	-	1	3	-	2	1	-	-
FEMALE--	-	1	-	1	1	1	3	4	7	3	3	-
UTAH -----	1	-	-	2	1	4	9	8	3	8	2	-
WHITE-----MALE----	-	-	-	1	1	2	2	2	1	1	2	-
FEMALE--	1	-	-	1	-	2	7	6	2	6	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	1	-	1	3	-	1	3	2	1	1	-
WHITE-----MALE----	-	1	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	3	-	1	3	2	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	2	2	2	4	2	17	22	25	32	12	7	-
WHITE-----MALE----	-	-	1	1	1	2	7	5	8	1	-	-
FEMALE--	2	1	-	1	1	9	9	14	20	7	3	-
ALL OTHER--MALE----	-	-	1	1	-	3	3	3	1	1	1	-
FEMALE--	-	1	-	1	-	3	3	3	3	3	3	-
BLACK---MALE----	-	-	1	1	-	3	3	3	1	1	1	-
FEMALE--	-	1	-	1	-	3	3	3	3	3	3	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 1,172

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 NUTRITIONAL MARASMUS (261)												
COLORADO -----	1	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	2	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	1	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	2	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	16	-	-	-	-	-	-	-	-	1	-	1
WHITE-----MALE----	6	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
GEORGIA -----	9	-	-	-	-	-	-	-	-	1	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,172
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 NUTRITIONAL MARASMUS (261)												
COLORADO -----	-	-	-	-	-	-	-	-	-	1	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	-	-	-	-	-	-	-	-	2	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	-	-	-	-	-	-	-	-	1	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	-	-	-	-	-	1	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
FLORIDA -----	-	1	-	1	1	-	3	3	1	2	2	-
WHITE-----MALE----	-	1	-	1	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	2	3	1	2	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
GEORGIA -----	-	-	-	1	1	-	3	2	-	1	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	1	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	1	-	-	-	-
FEMALE--	-	-	-	-	1	-	2	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	1	-	-	-	-
FEMALE--	-	-	-	-	1	-	2	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,174

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 NUTRITIONAL MARASMUS (261)												
KENTUCKY -----	-	-	-	-	-	-	1	-	2	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	-	-	1	-	-	2	1	2	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MAINE -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	-	-	-	-	-	1	2	-	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	2	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS -----	-	-	1	-	-	-	1	-	-	-	-	-
WHITE-----MALE----	-	-	1	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	-	-	-	1	1	4	1	-	2	-	1	-
WHITE-----MALE----	-	-	-	-	1	-	-	-	1	-	-	-
FEMALE--	-	-	-	1	-	3	1	-	1	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,177

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 NUTRITIONAL MARASMUS (261)												
OHIO -----	-	-	1	-	2	1	1	6	1	2	-	-
WHITE-----MALE----	-	-	-	-	1	-	1	3	-	-	-	-
FEMALE--	-	-	1	-	-	1	-	3	1	2	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA -----	-	-	-	-	-	-	-	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	-	-	-	-	-	1	1	-	2	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	-	-	-	-	-	2	3	1	3	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	3	-	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	1	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
RHODE ISLAND -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	-	-	-	-	-	2	-	1	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,178

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 NUTRITIONAL MARASMUS (261)												
SOUTH DAKOTA -----	-	-	-	-	-	-	1	-	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	-	-	-	1	-	-	1	2	3	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	2	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS -----	1	-	2	1	1	3	2	1	4	-	2	-
WHITE-----MALE----	-	-	1	-	-	1	1	-	1	-	-	-
FEMALE--	1	-	1	1	1	2	-	1	3	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	1	-
UTAH -----	-	-	-	-	-	-	1	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	1	-	1	-	-	1	2	2	2	-	-	-
WHITE-----MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	1	2	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,180
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OTHER PROTEIN-CALORIE MALNUTRITION (262-263)												
UNITED STATES --	26	44	45	108	182	369	621	807	730	398	134	-
WHITE-----MALE----	13	17	25	47	66	137	175	214	141	60	14	-
FEMALE--	10	20	11	40	84	187	359	511	495	303	94	-
ALL OTHER--MALE----	3	4	3	12	15	24	38	30	22	6	5	-
FEMALE--	-	3	6	9	17	21	49	52	72	29	21	-
BLACK---MALE----	3	4	3	12	14	22	33	23	16	6	5	-
FEMALE--	-	3	5	9	15	20	46	48	61	25	18	-
ALABAMA -----	2	2	2	-	4	14	15	13	14	2	4	-
WHITE-----MALE----	-	1	2	-	1	7	7	2	1	-	-	-
FEMALE--	-	1	-	-	2	5	5	9	8	1	2	-
ALL OTHER--MALE----	2	-	-	-	-	1	2	1	1	1	-	-
FEMALE--	-	-	-	-	1	1	1	1	4	-	2	-
BLACK---MALE----	2	-	-	-	-	1	2	1	1	1	-	-
FEMALE--	-	-	-	-	1	1	1	1	4	-	2	-
ALASKA -----	-	-	-	-	-	-	1	2	1	1	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	-	2	-	6	3	12	28	23	21	16	6	-
WHITE-----MALE----	-	1	-	3	1	5	8	5	10	2	-	-
FEMALE--	-	1	-	3	2	6	18	15	9	13	5	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	3	-	-	-	-
FEMALE--	-	-	-	-	-	1	2	-	2	1	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	2	-	-	-
ARKANSAS -----	-	-	-	-	4	6	6	13	7	2	1	-
WHITE-----MALE----	-	-	-	-	-	1	3	5	-	1	-	-
FEMALE--	-	-	-	-	-	2	3	7	5	1	1	-
ALL OTHER--MALE----	-	-	-	-	2	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	2	3	-	1	1	-	-	-
BLACK---MALE----	-	-	-	-	2	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	2	3	-	1	1	-	-	-
CALIFORNIA -----	-	2	-	-	2	9	20	19	22	9	3	-
WHITE-----MALE----	-	-	-	-	2	5	6	6	4	2	1	-
FEMALE--	-	2	-	-	-	4	13	12	11	7	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	3	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	4	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	2	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,181
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OTHER PROTEIN-CALORIE MALNUTRITION (262-263)												
COLORADO -----	1	2	-	2	2	6	7	11	15	8	2	-
WHITE-----MALE----	1	-	-	1	2	1	3	2	5	2	-	-
FEMALE--	-	2	-	1	-	4	4	7	10	6	2	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	2	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	2	-	-	-	-
CONNECTICUT -----	1	-	-	1	1	-	3	4	4	6	-	-
WHITE-----MALE----	-	-	-	-	1	-	-	1	-	-	-	-
FEMALE--	1	-	-	1	-	-	2	3	4	5	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-
DELAWARE -----	-	-	1	-	1	2	2	4	-	1	1	-
WHITE-----MALE----	-	-	-	-	-	1	1	-	-	-	1	-
FEMALE--	-	-	1	-	1	1	-	4	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	-	-	1	-	-	2	-	-	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	2	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	1	-	-	-
FLORIDA -----	1	1	3	7	9	21	27	51	40	16	5	-
WHITE-----MALE----	-	1	1	2	2	7	6	12	9	5	1	-
FEMALE--	1	-	1	2	4	11	18	37	27	11	2	-
ALL OTHER--MALE----	-	-	1	1	3	3	-	-	2	-	-	-
FEMALE--	-	-	-	2	-	-	3	2	2	-	2	-
BLACK---MALE----	-	-	1	1	3	3	-	-	2	-	-	-
FEMALE--	-	-	-	2	-	-	3	2	2	-	2	-
GEORGIA -----	-	3	3	5	12	11	27	34	29	7	6	-
WHITE-----MALE----	-	1	1	1	5	2	5	7	4	1	1	-
FEMALE--	-	1	1	2	3	6	16	21	17	5	2	-
ALL OTHER--MALE----	-	-	-	1	3	-	1	2	3	-	1	-
FEMALE--	-	1	1	1	1	3	5	4	5	1	2	-
BLACK---MALE----	-	-	-	1	3	-	1	2	3	-	1	-
FEMALE--	-	1	1	1	1	3	4	4	4	1	2	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,182

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OTHER PROTEIN-CALORIE MALNUTRITION (262-263)												
HAWAII -----	-	-	-	1	2	2	1	5	4	-	1	-
WHITE-----MALE----	-	-	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	1	1	3	2	-	-	-
FEMALE--	-	-	-	-	1	-	-	2	2	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	-	-	-	-	-	2	3	-	7	4	1	-
WHITE-----MALE----	-	-	-	-	-	-	1	-	2	1	-	-
FEMALE--	-	-	-	-	-	2	2	-	4	3	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	-	-	2	5	3	15	31	24	20	14	1	-
WHITE-----MALE----	-	-	-	3	2	5	6	8	3	3	-	-
FEMALE--	-	-	1	1	1	9	19	14	16	8	-	-
ALL OTHER--MALE----	-	-	-	1	-	1	4	-	1	1	-	-
FEMALE--	-	-	1	-	-	-	2	2	-	2	1	-
BLACK---MALE----	-	-	-	1	-	1	3	-	1	1	-	-
FEMALE--	-	-	1	-	-	-	2	2	-	2	1	-
INDIANA -----	1	-	2	2	3	7	10	18	10	10	2	-
WHITE-----MALE----	1	-	1	1	2	4	4	7	2	1	-	-
FEMALE--	-	-	1	1	1	3	5	10	8	7	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	2	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	2	-	-
IOWA -----	-	-	1	1	1	1	7	8	16	11	5	-
WHITE-----MALE----	-	-	1	-	-	1	3	3	2	1	-	-
FEMALE--	-	-	-	1	1	-	4	5	14	10	5	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS -----	-	-	-	2	3	4	4	19	14	12	2	-
WHITE-----MALE----	-	-	-	1	1	3	1	6	1	3	1	-
FEMALE--	-	-	-	1	2	1	2	12	12	9	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,183

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OTHER PROTEIN-CALORIE MALNUTRITION (262-263)												
KENTUCKY -----	-	1	-	2	8	8	6	15	13	7	1	-
WHITE-----MALE----	-	1	-	1	4	3	1	5	5	-	-	-
FEMALE--	-	-	-	1	4	5	4	10	7	7	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	1	-	-	-
LOUISIANA -----	1	1	1	4	6	10	18	17	17	11	3	-
WHITE-----MALE----	1	-	1	1	1	1	2	3	1	3	-	-
FEMALE--	-	-	-	2	3	6	8	7	13	7	1	-
ALL OTHER--MALE----	-	1	-	-	2	1	4	4	1	-	1	-
FEMALE--	-	-	-	1	-	2	4	3	2	1	1	-
BLACK---MALE----	-	1	-	-	2	1	4	4	1	-	1	-
FEMALE--	-	-	-	1	-	2	4	3	2	1	1	-
MAINE -----	1	-	-	1	-	3	1	5	5	4	1	-
WHITE-----MALE----	1	-	-	1	-	1	-	2	1	-	1	-
FEMALE--	-	-	-	-	-	2	1	3	4	4	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	-	1	-	4	1	3	10	8	9	5	2	-
WHITE-----MALE----	-	-	-	1	-	1	2	1	1	-	-	-
FEMALE--	-	1	-	1	1	2	6	6	6	3	1	-
ALL OTHER--MALE----	-	-	-	2	-	-	2	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	1	2	1	-
BLACK---MALE----	-	-	-	2	-	-	2	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	2	1	-
MASSACHUSETTS -----	-	1	1	-	1	6	12	8	17	7	1	-
WHITE-----MALE----	-	-	1	-	-	1	2	4	5	-	-	-
FEMALE--	-	1	-	-	1	5	10	4	12	7	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	1	3	4	6	12	21	29	44	34	24	3	-
WHITE-----MALE----	-	3	3	3	5	5	7	10	7	3	-	-
FEMALE--	1	-	1	2	6	14	17	29	20	19	3	-
ALL OTHER--MALE----	-	-	-	-	-	1	2	3	2	-	-	-
FEMALE--	-	-	-	1	1	1	3	2	5	2	-	-
BLACK---MALE----	-	-	-	-	-	1	2	3	2	-	-	-
FEMALE--	-	-	-	1	1	1	2	2	5	2	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,184
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OTHER PROTEIN-CALORIE MALNUTRITION (262-263)												
MINNESOTA -----	1	-	-	4	2	4	8	14	8	5	3	-
WHITE-----MALE----	1	-	-	-	-	3	4	4	2	1	-	-
FEMALE--	-	-	-	4	2	1	4	10	6	4	3	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI -----	2	2	1	1	3	3	11	8	4	6	4	-
WHITE-----MALE----	-	1	1	-	-	1	1	2	2	1	-	-
FEMALE--	1	-	-	1	-	1	4	3	2	5	2	-
ALL OTHER--MALE----	1	1	-	-	-	-	4	1	-	-	-	-
FEMALE--	-	-	-	-	3	1	2	2	-	-	2	-
BLACK---MALE----	1	1	-	-	-	-	4	1	-	-	-	-
FEMALE--	-	-	-	-	3	1	2	2	-	-	2	-
MISSOURI -----	1	1	1	4	5	13	31	39	37	17	4	-
WHITE-----MALE----	1	-	1	2	1	5	13	8	6	4	-	-
FEMALE--	-	1	-	1	3	6	13	29	26	13	4	-
ALL OTHER--MALE----	-	-	-	1	-	1	1	1	1	-	-	-
FEMALE--	-	-	-	-	1	1	4	1	4	-	-	-
BLACK---MALE----	-	-	-	1	-	1	1	1	1	-	-	-
FEMALE--	-	-	-	-	1	1	4	1	3	-	-	-
MONTANA -----	-	-	-	-	1	-	2	7	1	2	1	-
WHITE-----MALE----	-	-	-	-	-	-	1	3	-	1	1	-
FEMALE--	-	-	-	-	1	-	1	4	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	-	-	-	-	1	1	8	3	1	3	1	-
WHITE-----MALE----	-	-	-	-	-	1	3	1	1	-	-	-
FEMALE--	-	-	-	-	1	-	5	2	-	3	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA -----	-	-	-	-	2	2	4	5	1	1	-	-
WHITE-----MALE----	-	-	-	-	1	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	1	1	4	3	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 1,186

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 OTHER PROTEIN-CALORIE MALNUTRITION (262-263)												
OHIO -----	216	-	-	-	-	-	-	-	-	1	-	1
WHITE-----MALE----	66	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	135	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	11	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	11	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA -----	67	-	-	-	-	-	-	-	-	1	-	-
WHITE-----MALE----	14	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	44	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	40	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	13	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	25	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	195	1	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	55	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	121	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	14	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	14	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND -----	13	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	63	-	-	-	1	-	-	-	-	-	-	-
WHITE-----MALE----	13	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	31	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	8	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	11	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	8	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	11	-	-	-	1	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,186

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OTHER PROTEIN-CALORIE MALNUTRITION (262-263)												
OHIO -----	2	2	4	5	7	30	41	44	48	23	8	-
WHITE-----MALE----	1	1	3	1	3	16	15	15	5	4	-	-
FEMALE--	1	1	-	4	4	12	23	25	41	17	7	-
ALL OTHER--MALE----	-	-	-	-	-	2	-	2	-	-	-	-
FEMALE--	-	-	1	-	-	-	3	2	2	2	1	-
BLACK---MALE----	-	-	-	-	-	2	-	2	-	-	-	-
FEMALE--	-	-	1	-	-	-	3	2	2	2	1	-
OKLAHOMA -----	-	2	1	2	3	10	7	16	14	8	3	-
WHITE-----MALE----	-	-	1	2	-	4	2	3	1	-	-	-
FEMALE--	-	1	-	-	2	4	4	12	11	8	2	-
ALL OTHER--MALE----	-	1	-	-	-	1	1	1	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	-	2	-	1	-
BLACK---MALE----	-	1	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	1	-	-	-
OREGON -----	-	-	1	1	2	3	6	8	11	7	1	-
WHITE-----MALE----	-	-	-	-	2	1	1	6	1	2	-	-
FEMALE--	-	-	-	-	-	2	5	2	10	5	1	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	1	2	1	7	11	15	45	50	35	22	5	-
WHITE-----MALE----	1	1	1	4	2	7	18	8	9	3	-	-
FEMALE--	-	1	-	1	6	6	25	37	23	17	5	-
ALL OTHER--MALE----	-	-	-	2	1	1	-	1	-	-	-	-
FEMALE--	-	-	-	-	2	1	2	4	3	2	-	-
BLACK---MALE----	-	-	-	2	1	1	-	1	-	-	-	-
FEMALE--	-	-	-	-	2	1	2	4	3	2	-	-
RHODE ISLAND -----	-	1	1	1	-	2	1	5	1	1	-	-
WHITE-----MALE----	-	-	1	1	-	-	1	1	-	-	-	-
FEMALE--	-	1	-	-	-	2	-	4	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	2	2	1	2	3	9	10	16	13	4	-	-
WHITE-----MALE----	2	1	-	-	-	3	2	4	1	-	-	-
FEMALE--	-	-	1	1	2	2	4	10	8	3	-	-
ALL OTHER--MALE----	-	1	-	-	-	3	2	2	-	-	-	-
FEMALE--	-	-	-	1	1	1	2	-	4	1	-	-
BLACK---MALE----	-	1	-	-	-	3	2	2	-	-	-	-
FEMALE--	-	-	-	1	1	1	2	-	4	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,187
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OTHER PROTEIN-CALORIE MALNUTRITION (262-263)												
SOUTH DAKOTA -----	-	-	-	-	-	-	-	3	2	1	1	-
WHITE-----MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	2	2	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	1	4	2	2	6	9	18	25	20	7	4	-
WHITE-----MALE----	1	2	2	-	2	4	3	7	5	-	-	-
FEMALE--	-	2	-	1	2	5	15	15	13	4	3	-
ALL OTHER--MALE----	-	-	-	1	1	-	-	1	-	-	1	-
FEMALE--	-	-	-	-	1	-	-	2	2	3	-	-
BLACK---MALE----	-	-	-	1	1	-	-	1	-	-	1	-
FEMALE--	-	-	-	-	1	-	-	2	2	3	-	-
TEXAS -----	2	3	1	7	18	25	35	55	50	23	8	-
WHITE-----MALE----	2	-	1	4	10	10	8	20	9	2	-	-
FEMALE--	-	2	-	1	7	13	21	31	32	17	6	-
ALL OTHER--MALE----	-	-	-	1	-	1	3	-	2	1	-	-
FEMALE--	-	1	-	1	1	1	3	4	7	3	2	-
BLACK---MALE----	-	-	-	1	-	1	2	-	2	1	-	-
FEMALE--	-	1	-	1	1	1	3	4	7	3	2	-
UTAH -----	1	-	-	2	1	3	7	7	3	8	-	-
WHITE-----MALE----	-	-	-	1	1	1	2	2	1	1	-	-
FEMALE--	1	-	-	1	-	2	5	5	2	6	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	-	1	3	-	1	1	1	1	-	-
WHITE-----MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	3	-	1	1	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	1	2	1	3	2	14	20	22	28	10	6	-
WHITE-----MALE----	-	-	-	1	1	2	7	5	7	1	-	-
FEMALE--	1	1	-	1	1	7	8	11	17	6	3	-
ALL OTHER--MALE----	-	-	1	1	-	3	3	3	1	1	1	-
FEMALE--	-	1	-	-	-	2	2	3	3	2	2	-
BLACK---MALE----	-	-	1	1	-	3	3	3	1	1	1	-
FEMALE--	-	1	-	-	-	2	2	3	3	2	2	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,190

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ALL OTHER NUTRITIONAL DEFICIENCIES (260,264-269)												
COLORADO -----	-	1	-	-	1	1	1	1	1	-	-	-
WHITE-----MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	1	1	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	-	-	-	-	1	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	-	-	-	-	1	3	2	6	3	4	-	-
WHITE-----MALE----	-	-	-	-	1	-	-	-	1	2	-	-
FEMALE--	-	-	-	-	-	3	2	5	2	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
GEORGIA -----	-	-	1	-	1	2	3	7	3	1	-	-
WHITE-----MALE----	-	-	-	-	1	1	-	3	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	2	3	1	-	-
ALL OTHER--MALE----	-	-	1	-	-	1	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	2	1	-	-	-	-
BLACK---MALE----	-	-	1	-	-	1	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	2	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,196

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ALL OTHER NUTRITIONAL DEFICIENCIES (260,264-269)												
SOUTH DAKOTA -----	-	-	-	-	1	-	-	-	1	1	-	-
WHITE-----MALE----	-	-	-	-	1	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	-	-	-	4	1	3	3	1	3	1	-	-
WHITE-----MALE----	-	-	-	-	-	1	1	-	-	1	-	-
FEMALE--	-	-	-	4	1	1	2	1	3	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
TEXAS -----	-	-	2	2	4	3	1	5	3	2	-	-
WHITE-----MALE----	-	-	-	1	-	2	-	3	-	-	-	-
FEMALE--	-	-	2	1	4	1	1	2	3	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
UTAH -----	-	-	-	-	-	1	1	-	-	-	2	-
WHITE-----MALE----	-	-	-	-	-	1	-	-	-	-	2	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	1	-	-	-	-	-	2	1	-	1	-
WHITE-----MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	2	1	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	-	-	-	1	-	2	-	1	2	2	1	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	1	-	1	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	-	-	-	1	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	-	-	-	1	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 1,198

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
 0 IV. DISEASES OF BLOOD AND BLOOD-FORMING ORGANS (280-289)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
UNITED STATES --	10,637	94	59	34	39	50	100	113	144	201	224	264
WHITE-----MALE----	4,138	28	15	8	12	13	27	18	34	42	60	91
FEMALE--	4,671	27	20	10	14	11	15	14	23	43	55	81
ALL OTHER--MALE----	863	25	13	8	8	12	33	43	47	54	52	44
FEMALE--	965	14	11	8	5	14	25	38	40	62	57	48
BLACK---MALE----	749	20	12	6	7	9	32	42	45	52	46	40
FEMALE--	870	11	10	8	4	12	25	37	39	58	55	45
ALABAMA -----	203	2	3	1	1	-	2	5	3	6	6	4
WHITE-----MALE----	60	-	-	-	-	-	-	-	1	-	2	1
FEMALE--	75	-	2	-	1	-	-	1	-	2	-	-
ALL OTHER--MALE----	34	2	-	-	-	-	1	3	2	1	2	2
FEMALE--	34	-	1	1	-	-	1	1	-	3	2	1
BLACK---MALE----	33	2	-	-	-	-	1	3	2	1	2	2
FEMALE--	34	-	1	1	-	-	1	1	-	3	2	1
ALASKA -----	11	1	-	-	-	-	-	-	-	-	1	-
WHITE-----MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	148	1	-	-	-	-	2	4	2	2	3	1
WHITE-----MALE----	78	1	-	-	-	-	1	2	1	1	1	-
FEMALE--	61	-	-	-	-	-	1	2	1	1	1	-
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	4	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
ARKANSAS -----	133	1	2	-	-	1	1	1	5	2	3	2
WHITE-----MALE----	47	-	2	-	-	1	-	-	-	-	-	-
FEMALE--	51	1	-	-	-	-	-	-	1	1	-	-
ALL OTHER--MALE----	13	-	-	-	-	-	1	-	2	-	2	-
FEMALE--	22	-	-	-	-	-	-	1	2	1	1	2
BLACK---MALE----	13	-	-	-	-	-	1	-	2	-	2	-
FEMALE--	22	-	-	-	-	-	-	1	2	1	1	2
CALIFORNIA -----	762	16	7	5	6	7	8	8	13	11	13	22
WHITE-----MALE----	315	4	-	2	3	2	3	2	4	1	3	9
FEMALE--	321	7	4	1	1	1	2	2	2	5	3	8
ALL OTHER--MALE----	61	4	1	2	1	2	2	1	2	1	6	3
FEMALE--	65	1	2	-	1	2	1	3	5	4	1	2
BLACK---MALE----	27	-	1	1	1	1	2	1	2	-	4	3
FEMALE--	35	1	2	-	-	-	1	2	4	3	-	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,198

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 0 IV. DISEASES OF BLOOD AND BLOOD-FORMING ORGANS (280-289)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
UNITED STATES --	285	345	450	708	1,143	1,617	1,753	1,567	974	379	94	-
WHITE-----MALE----	105	145	188	319	564	746	779	585	266	76	17	-
FEMALE--	81	110	164	270	431	685	825	846	615	268	63	-
ALL OTHER--MALE----	51	50	51	60	74	83	60	60	24	11	-	-
FEMALE--	48	40	47	59	74	103	89	76	69	24	14	-
BLACK---MALE----	47	43	46	48	60	70	47	48	19	10	-	-
FEMALE--	45	35	41	49	63	89	80	63	64	23	14	-
ALABAMA -----	6	12	12	17	19	27	23	24	21	7	2	-
WHITE-----MALE----	1	6	1	8	8	9	8	11	1	2	1	-
FEMALE--	-	1	5	4	6	15	8	11	15	3	1	-
ALL OTHER--MALE----	2	2	2	2	3	2	6	1	-	1	-	-
FEMALE--	3	3	4	3	2	1	1	1	5	1	-	-
BLACK---MALE----	2	2	2	1	3	2	6	1	-	1	-	-
FEMALE--	3	3	4	3	2	1	1	1	5	1	-	-
ALASKA -----	1	-	1	-	1	1	2	2	1	-	-	-
WHITE-----MALE----	1	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	1	-	1	-	1	2	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	2	6	7	13	14	19	27	27	13	3	2	-
WHITE-----MALE----	-	2	3	9	8	14	14	12	8	1	-	-
FEMALE--	1	3	4	4	5	5	12	12	5	2	2	-
ALL OTHER--MALE----	1	-	-	-	-	-	1	2	-	-	-	-
FEMALE--	-	1	-	-	1	-	-	1	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	6	2	7	7	13	23	17	20	14	3	3	-
WHITE-----MALE----	2	1	3	2	7	9	7	9	2	1	1	-
FEMALE--	2	-	3	2	4	8	7	8	11	1	2	-
ALL OTHER--MALE----	1	-	1	-	1	2	2	1	-	-	-	-
FEMALE--	1	1	-	3	1	4	1	2	1	1	-	-
BLACK---MALE----	1	-	1	-	1	2	2	1	-	-	-	-
FEMALE--	1	1	-	3	1	4	1	2	1	1	-	-
CALIFORNIA -----	16	31	35	49	96	126	104	105	60	18	6	-
WHITE-----MALE----	7	10	19	17	46	63	49	48	18	4	1	-
FEMALE--	5	12	11	24	33	44	47	53	38	13	5	-
ALL OTHER--MALE----	1	8	2	3	6	8	2	4	1	1	-	-
FEMALE--	3	1	3	5	11	11	6	-	3	-	-	-
BLACK---MALE----	-	4	1	1	1	2	1	1	-	-	-	-
FEMALE--	2	1	1	1	5	8	3	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 1,199

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 IV. DISEASES OF BLOOD AND BLOOD-FORMING ORGANS (280-289)												
COLORADO -----	114	2	-	1	-	-	1	1	1	3	2	3
WHITE-----MALE----	54	1	-	-	-	-	1	1	1	1	-	1
FEMALE--	57	1	-	1	-	-	-	-	-	1	2	2
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	152	4	1	-	-	1	1	4	2	3	3	4
WHITE-----MALE----	55	1	-	-	-	-	-	-	-	-	-	2
FEMALE--	70	1	1	-	-	-	1	-	1	-	2	1
ALL OTHER--MALE----	16	2	-	-	-	-	-	3	1	3	-	-
FEMALE--	11	-	-	-	-	1	-	1	-	-	1	1
BLACK---MALE----	16	2	-	-	-	-	-	3	1	3	-	-
FEMALE--	9	-	-	-	-	1	-	1	-	-	1	1
DELAWARE -----	23	1	-	-	-	-	-	-	1	-	-	1
WHITE-----MALE----	8	1	-	-	-	-	-	-	1	-	-	-
FEMALE--	11	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
DISTRICT OF COLUMBIA ----	32	1	-	-	-	-	-	-	-	4	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	17	-	-	-	-	-	-	-	-	3	-	-
FEMALE--	10	1	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	17	-	-	-	-	-	-	-	-	3	-	-
FEMALE--	10	1	-	-	-	-	-	-	-	1	-	-
FLORIDA -----	720	2	5	2	2	3	5	8	9	20	13	20
WHITE-----MALE----	308	1	1	-	-	-	2	-	2	3	3	10
FEMALE--	303	1	1	2	2	1	-	-	1	6	2	2
ALL OTHER--MALE----	60	-	2	-	-	2	3	6	4	6	2	5
FEMALE--	49	-	1	-	-	-	-	2	2	5	6	3
BLACK---MALE----	57	-	2	-	-	2	3	6	3	6	2	5
FEMALE--	48	-	1	-	-	-	-	2	2	5	6	3
GEORGIA -----	279	4	3	-	1	2	3	4	5	3	10	13
WHITE-----MALE----	86	-	1	-	1	-	-	1	1	-	3	-
FEMALE--	99	-	2	-	-	-	1	-	1	1	2	3
ALL OTHER--MALE----	42	1	-	-	-	-	-	2	2	-	3	5
FEMALE--	52	3	-	-	-	2	2	1	1	2	2	5
BLACK---MALE----	41	1	-	-	-	-	-	2	2	-	3	5
FEMALE--	52	3	-	-	-	2	2	1	1	2	2	5

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,199
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 IV. DISEASES OF BLOOD AND BLOOD-FORMING ORGANS (280-289)												
COLORADO -----	-	3	8	9	15	22	17	12	8	6	-	-
WHITE-----MALE----	-	2	3	7	8	11	9	2	3	3	-	-
FEMALE--	-	1	4	2	7	10	8	10	5	3	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	4	3	4	16	9	18	30	25	12	5	3	-
WHITE-----MALE----	-	1	3	4	6	11	12	11	4	-	-	-
FEMALE--	-	2	1	8	2	6	16	13	8	4	3	-
ALL OTHER--MALE----	4	-	-	2	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	2	1	1	1	1	-	1	-	-
BLACK---MALE----	4	-	-	2	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	1	1	1	-	1	-	1	-	-
DELAWARE -----	2	1	-	1	5	2	2	5	1	1	-	-
WHITE-----MALE----	1	1	-	1	1	1	-	1	-	-	-	-
FEMALE--	-	-	-	-	4	-	1	4	1	1	-	-
ALL OTHER--MALE----	1	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	1	-	1	3	1	6	8	3	2	2	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	2	1	-	1	-	-
ALL OTHER--MALE----	1	-	1	2	-	2	4	2	1	1	-	-
FEMALE--	-	-	-	1	1	3	2	-	1	-	-	-
BLACK---MALE----	1	-	1	2	-	2	4	2	1	1	-	-
FEMALE--	-	-	-	1	1	3	2	-	1	-	-	-
FLORIDA -----	18	15	24	46	66	111	134	108	74	28	7	-
WHITE-----MALE----	8	6	8	20	35	58	67	48	22	10	4	-
FEMALE--	3	3	10	19	25	43	60	56	49	15	2	-
ALL OTHER--MALE----	3	4	4	2	2	5	4	3	1	2	-	-
FEMALE--	4	2	2	5	4	5	3	1	2	1	1	-
BLACK---MALE----	3	3	4	1	2	5	4	3	1	2	-	-
FEMALE--	4	2	2	4	4	5	3	1	2	1	1	-
GEORGIA -----	7	15	11	20	32	44	40	32	19	10	1	-
WHITE-----MALE----	-	5	3	8	14	14	19	10	1	4	1	-
FEMALE--	1	3	4	3	10	22	14	15	13	4	-	-
ALL OTHER--MALE----	3	2	3	5	6	4	4	1	1	-	-	-
FEMALE--	3	5	1	4	2	4	3	6	4	2	-	-
BLACK---MALE----	3	2	3	5	6	3	4	1	1	-	-	-
FEMALE--	3	5	1	4	2	4	3	6	4	2	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,200

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.

0 IV. DISEASES OF BLOOD AND BLOOD-FORMING ORGANS (280-289)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
HAWAII -----	1	2	3	1	6	4	2	7	8	1	-	-
WHITE-----MALE----	-	-	1	-	2	2	-	2	-	1	-	-
FEMALE--	-	-	-	-	-	1	-	1	4	-	-	-
ALL OTHER--MALE----	1	-	2	1	3	1	1	1	3	-	-	-
FEMALE--	-	2	-	-	1	-	1	3	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	-	2	2	3	4	3	7	2	1	-	-	-
WHITE-----MALE----	-	2	2	1	2	1	3	-	1	-	-	-
FEMALE--	-	-	-	2	2	2	4	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	24	25	23	28	44	94	116	83	53	24	6	-
WHITE-----MALE----	5	10	12	14	20	47	49	26	16	4	-	-
FEMALE--	9	6	6	6	19	40	59	51	32	18	5	-
ALL OTHER--MALE----	7	5	1	5	1	4	5	2	1	-	-	-
FEMALE--	3	4	4	3	4	3	3	4	4	2	1	-
BLACK---MALE----	7	5	1	4	1	4	3	2	-	-	-	-
FEMALE--	3	4	4	3	4	3	3	4	4	2	1	-
INDIANA -----	9	15	8	17	31	27	46	37	30	6	2	-
WHITE-----MALE----	4	6	4	10	20	13	15	11	8	1	-	-
FEMALE--	3	8	2	5	9	13	31	26	20	4	2	-
ALL OTHER--MALE----	-	1	1	-	1	-	-	-	1	-	-	-
FEMALE--	2	-	1	2	1	1	-	-	1	1	-	-
BLACK---MALE----	-	1	1	-	1	-	-	-	1	-	-	-
FEMALE--	2	-	1	2	1	1	-	-	1	1	-	-
IOWA -----	1	3	5	11	10	23	22	27	11	8	2	-
WHITE-----MALE----	-	2	2	9	6	16	14	14	5	3	-	-
FEMALE--	1	1	2	2	4	7	8	13	6	5	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS -----	3	2	4	8	12	21	22	25	10	4	2	-
WHITE-----MALE----	1	2	1	5	6	12	12	10	5	-	-	-
FEMALE--	2	-	3	3	5	8	10	15	5	4	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 1,201

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
 0 IV. DISEASES OF BLOOD AND BLOOD-FORMING ORGANS (280-289)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
KENTUCKY -----	166	-	2	1	-	2	1	3	3	1	6	6
WHITE-----MALE----	64	-	1	-	-	1	1	1	1	-	1	2
FEMALE--	87	-	1	1	-	1	-	-	1	1	3	1
ALL OTHER--MALE----	8	-	-	-	-	-	-	2	-	-	1	1
FEMALE--	7	-	-	-	-	-	-	-	1	-	1	2
BLACK---MALE----	8	-	-	-	-	-	-	2	-	-	1	1
FEMALE--	7	-	-	-	-	-	-	-	1	-	1	2
LOUISIANA -----	182	2	2	-	-	-	3	3	2	6	4	3
WHITE-----MALE----	48	-	-	-	-	-	1	-	-	1	1	1
FEMALE--	66	-	1	-	-	-	-	-	1	-	-	1
ALL OTHER--MALE----	33	2	-	-	-	-	1	2	1	1	-	1
FEMALE--	35	-	1	-	-	-	1	1	-	4	3	-
BLACK---MALE----	33	2	-	-	-	-	1	2	1	1	-	1
FEMALE--	35	-	1	-	-	-	1	1	-	4	3	-
MAINE -----	64	-	-	1	1	-	-	1	-	-	-	-
WHITE-----MALE----	34	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	29	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	213	4	1	-	1	-	1	4	7	8	4	9
WHITE-----MALE----	69	2	-	-	-	-	-	-	-	-	-	3
FEMALE--	72	-	-	-	-	-	-	1	-	-	1	1
ALL OTHER--MALE----	28	1	1	-	1	-	1	1	4	6	1	1
FEMALE--	44	1	-	-	-	-	-	2	3	2	2	4
BLACK---MALE----	26	1	1	-	1	-	1	1	4	6	-	1
FEMALE--	39	1	-	-	-	-	-	2	3	2	2	4
MASSACHUSETTS -----	251	1	2	1	1	-	3	-	1	2	3	5
WHITE-----MALE----	86	1	1	-	-	-	1	-	1	-	-	1
FEMALE--	147	-	-	1	-	-	-	-	-	-	3	3
ALL OTHER--MALE----	8	-	-	-	-	-	2	-	-	1	-	-
FEMALE--	10	-	1	-	1	-	-	-	-	1	-	1
BLACK---MALE----	7	-	-	-	-	-	2	-	-	1	-	-
FEMALE--	8	-	1	-	1	-	-	-	-	1	-	1
MICHIGAN -----	451	2	2	2	1	2	-	6	2	6	12	8
WHITE-----MALE----	179	1	1	2	-	-	-	1	-	4	1	3
FEMALE--	192	-	1	-	1	1	-	1	1	1	4	2
ALL OTHER--MALE----	43	1	-	-	-	-	-	3	-	-	4	1
FEMALE--	37	-	-	-	-	1	-	1	1	1	3	2
BLACK---MALE----	41	1	-	-	-	-	-	3	-	-	4	1
FEMALE--	35	-	-	-	-	1	-	1	1	1	3	2

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,201

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 0 IV. DISEASES OF BLOOD AND BLOOD-FORMING ORGANS (280-289)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
KENTUCKY -----	3	7	7	13	19	30	21	19	17	3	2	-
WHITE-----MALE----	-	4	5	4	9	11	9	6	7	1	-	-
FEMALE--	3	3	2	9	10	17	11	11	8	2	2	-
ALL OTHER--MALE----	-	-	-	-	-	2	-	1	1	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	1	-	-	-
BLACK---MALE----	-	-	-	-	-	2	-	1	1	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	1	-	-	-
LOUISIANA -----	7	4	4	15	15	29	27	38	9	9	-	-
WHITE-----MALE----	1	1	1	5	5	8	11	8	2	2	-	-
FEMALE--	1	-	2	7	6	13	9	15	6	4	-	-
ALL OTHER--MALE----	4	2	1	1	-	5	1	9	1	1	-	-
FEMALE--	1	1	-	2	4	3	6	6	-	2	-	-
BLACK---MALE----	4	2	1	1	-	5	1	9	1	1	-	-
FEMALE--	1	1	-	2	4	3	6	6	-	2	-	-
MAINE -----	2	2	1	2	8	9	16	9	7	5	-	-
WHITE-----MALE----	1	2	1	1	6	7	9	3	1	2	-	-
FEMALE--	1	-	-	1	2	2	7	6	6	3	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	3	11	6	16	19	32	40	24	17	6	-	-
WHITE-----MALE----	2	3	2	9	8	14	20	6	-	-	-	-
FEMALE--	-	1	2	6	7	15	14	9	10	5	-	-
ALL OTHER--MALE----	-	2	1	1	2	-	2	3	-	-	-	-
FEMALE--	1	5	1	-	2	3	4	6	7	1	-	-
BLACK---MALE----	-	2	1	-	2	-	2	3	-	-	-	-
FEMALE--	-	5	1	-	2	3	3	4	6	1	-	-
MASSACHUSETTS -----	5	5	10	13	37	35	41	39	26	16	5	-
WHITE-----MALE----	1	3	4	6	16	15	19	10	3	4	-	-
FEMALE--	4	2	3	5	20	17	21	29	23	11	5	-
ALL OTHER--MALE----	-	-	2	1	1	1	-	-	-	-	-	-
FEMALE--	-	-	1	1	-	2	1	-	-	1	-	-
BLACK---MALE----	-	-	1	1	1	1	-	-	-	-	-	-
FEMALE--	-	-	1	1	-	-	1	-	-	1	-	-
MICHIGAN -----	14	8	16	31	57	69	89	59	45	17	3	-
WHITE-----MALE----	5	4	3	9	24	37	39	23	17	4	1	-
FEMALE--	2	1	9	16	23	22	40	31	23	11	2	-
ALL OTHER--MALE----	2	3	4	2	8	6	3	3	3	-	-	-
FEMALE--	5	-	-	4	2	4	7	2	2	2	-	-
BLACK---MALE----	2	3	4	1	7	6	3	3	3	-	-	-
FEMALE--	5	-	-	3	2	4	6	2	2	2	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 1,202

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 IV. DISEASES OF BLOOD AND BLOOD-FORMING ORGANS (280-289)												
MINNESOTA -----	227	5	1	-	1	1	1	2	1	4	4	2
WHITE-----MALE----	105	1	1	-	-	1	1	1	-	1	3	-
FEMALE--	106	1	-	-	1	-	-	-	-	1	-	1
ALL OTHER--MALE----	8	1	-	-	-	-	-	1	1	-	-	1
FEMALE--	8	2	-	-	-	-	-	-	-	2	1	-
BLACK---MALE----	4	1	-	-	-	-	-	-	1	-	-	1
FEMALE--	5	1	-	-	-	-	-	-	-	1	1	-
MISSISSIPPI -----	112	2	2	1	-	1	3	3	-	2	6	2
WHITE-----MALE----	25	-	-	-	-	-	-	1	-	1	-	1
FEMALE--	44	1	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	17	1	1	-	-	1	1	1	-	1	2	1
FEMALE--	26	-	1	-	-	-	2	1	-	-	4	-
BLACK---MALE----	17	1	1	-	-	1	1	1	-	1	2	1
FEMALE--	26	-	1	-	-	-	2	1	-	-	4	-
MISSOURI -----	251	1	-	1	4	2	1	3	2	5	5	6
WHITE-----MALE----	87	-	-	-	2	1	-	-	1	1	1	1
FEMALE--	130	1	-	-	1	-	-	-	-	-	2	3
ALL OTHER--MALE----	10	-	-	-	1	-	1	1	1	-	2	1
FEMALE--	24	-	-	1	-	1	-	2	-	4	-	1
BLACK---MALE----	10	-	-	-	1	-	1	1	1	-	2	1
FEMALE--	24	-	-	1	-	1	-	2	-	4	-	1
MONTANA -----	36	-	-	-	-	-	-	-	-	-	-	1
WHITE-----MALE----	21	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	11	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	75	-	-	-	-	-	2	-	-	-	2	1
WHITE-----MALE----	33	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	38	-	-	-	-	-	1	-	-	-	2	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
NEVADA -----	65	1	1	-	-	-	-	1	1	2	1	3
WHITE-----MALE----	30	-	1	-	-	-	-	1	-	1	1	1
FEMALE--	29	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	1	-	-	1
FEMALE--	2	1	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	1	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 1,204

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 IV. DISEASES OF BLOOD AND BLOOD-FORMING ORGANS (280-289)												
OHIO -----	491	3	-	1	3	1	6	1	5	9	9	8
WHITE-----MALE----	187	-	-	-	2	-	2	-	1	3	3	4
FEMALE--	236	1	-	1	1	-	-	-	-	2	1	2
ALL OTHER--MALE----	33	1	-	-	-	-	3	-	3	2	1	2
FEMALE--	35	1	-	-	-	1	1	1	1	2	4	-
BLACK---MALE----	30	1	-	-	-	-	3	-	2	2	1	2
FEMALE--	35	1	-	-	-	1	1	1	1	2	4	-
OKLAHOMA -----	141	2	-	-	-	1	2	2	3	-	1	6
WHITE-----MALE----	50	1	-	-	-	-	-	1	1	-	1	3
FEMALE--	61	-	-	-	-	-	-	-	-	-	-	2
ALL OTHER--MALE----	20	1	-	-	-	1	2	-	-	-	-	-
FEMALE--	10	-	-	-	-	-	-	1	2	-	-	1
BLACK---MALE----	11	1	-	-	-	-	2	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	1	2	-	-	-
OREGON -----	130	2	1	-	1	-	-	-	3	4	-	1
WHITE-----MALE----	71	2	1	-	1	-	-	-	1	2	-	-
FEMALE--	58	-	-	-	-	-	-	-	2	2	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	596	5	1	1	-	2	6	2	7	8	4	10
WHITE-----MALE----	246	-	-	-	-	-	1	-	2	1	1	2
FEMALE--	270	1	1	-	-	2	1	-	1	1	1	7
ALL OTHER--MALE----	31	4	-	-	-	-	2	1	4	1	-	1
FEMALE--	49	-	-	1	-	-	2	1	-	5	2	-
BLACK---MALE----	30	4	-	-	-	-	1	1	4	1	-	1
FEMALE--	45	-	-	1	-	-	2	1	-	5	2	-
RHODE ISLAND -----	43	-	-	-	-	-	-	-	-	1	-	1
WHITE-----MALE----	18	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	20	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	1	-	-
SOUTH CAROLINA -----	184	-	2	1	3	1	3	3	2	6	3	6
WHITE-----MALE----	57	-	-	-	-	-	1	1	-	-	1	-
FEMALE--	60	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	29	-	1	-	3	-	-	-	2	1	1	3
FEMALE--	38	-	-	1	-	1	2	2	-	5	1	3
BLACK---MALE----	29	-	1	-	3	-	-	-	2	1	1	3
FEMALE--	36	-	-	1	-	1	2	2	-	4	1	3

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,204

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.

IV. DISEASES OF BLOOD AND BLOOD-FORMING ORGANS (280-289)													
OHIO	-----	7	13	20	30	53	89	68	85	48	25	7	-
WHITE	-----MALE----	5	5	7	13	26	43	29	32	9	2	1	-
	FEMALE--	1	5	8	13	18	34	34	51	37	23	4	-
ALL OTHER	-----MALE----	-	2	4	2	5	4	3	1	-	-	-	-
	FEMALE--	1	1	1	2	4	8	2	1	2	-	2	-
BLACK	-----MALE----	-	1	4	2	5	4	2	1	-	-	-	-
	FEMALE--	1	1	1	2	4	8	2	1	2	-	2	-
OKLAHOMA	-----	7	6	4	7	13	16	19	30	19	3	-	-
WHITE	-----MALE----	3	1	1	3	4	8	7	10	6	-	-	-
	FEMALE--	3	-	3	2	4	8	9	16	11	3	-	-
ALL OTHER	-----MALE----	-	3	-	2	4	-	2	3	2	-	-	-
	FEMALE--	1	2	-	-	1	-	1	1	-	-	-	-
BLACK	-----MALE----	-	3	-	-	3	-	-	-	2	-	-	-
	FEMALE--	1	1	-	-	1	-	-	-	-	-	-	-
OREGON	-----	4	2	1	9	17	15	28	24	13	2	3	-
WHITE	-----MALE----	2	1	1	4	11	9	15	12	7	2	-	-
	FEMALE--	2	1	-	5	6	6	13	12	6	-	3	-
ALL OTHER	-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK	-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA	-----	8	17	28	31	63	106	120	99	55	19	4	-
WHITE	-----MALE----	5	5	13	15	35	47	64	36	14	4	1	-
	FEMALE--	2	11	9	12	22	51	48	52	35	11	2	-
ALL OTHER	-----MALE----	-	1	5	2	3	3	1	3	-	-	-	-
	FEMALE--	1	-	1	2	3	5	7	8	6	4	1	-
BLACK	-----MALE----	-	1	5	2	3	3	1	3	-	-	-	-
	FEMALE--	1	-	1	-	3	4	7	7	6	4	1	-
RHODE ISLAND	-----	2	2	2	3	10	7	7	3	3	1	1	-
WHITE	-----MALE----	1	-	-	1	5	4	2	1	2	1	-	-
	FEMALE--	-	2	1	1	5	2	5	2	1	-	1	-
ALL OTHER	-----MALE----	1	-	1	-	-	-	-	-	-	-	-	-
	FEMALE--	-	-	-	1	-	1	-	-	-	-	-	-
BLACK	-----MALE----	-	-	1	-	-	-	-	-	-	-	-	-
	FEMALE--	-	-	-	1	-	1	-	-	-	-	-	-
SOUTH CAROLINA	-----	10	8	10	11	29	30	28	13	8	6	1	-
WHITE	-----MALE----	4	2	3	2	13	13	7	7	-	3	-	-
	FEMALE--	2	4	1	3	9	11	14	5	6	3	1	-
ALL OTHER	-----MALE----	3	2	4	3	4	1	-	1	-	-	-	-
	FEMALE--	1	-	2	3	3	5	7	-	2	-	-	-
BLACK	-----MALE----	3	2	4	3	4	1	-	1	-	-	-	-
	FEMALE--	1	-	2	3	3	4	7	-	2	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 1,205

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 IV. DISEASES OF BLOOD AND BLOOD-FORMING ORGANS (280-289)												
SOUTH DAKOTA -----	28	-	-	-	-	-	-	-	-	1	1	1
WHITE-----MALE----	11	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	16	-	-	-	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
TENNESSEE -----	219	-	3	-	1	3	1	3	2	3	5	7
WHITE-----MALE----	80	-	1	-	-	-	-	1	-	1	-	4
FEMALE--	100	-	1	-	-	1	-	1	-	-	1	1
ALL OTHER--MALE----	15	-	1	-	-	1	-	-	-	2	3	-
FEMALE--	24	-	-	-	1	1	1	1	2	-	1	2
BLACK---MALE----	15	-	1	-	-	1	-	-	-	2	3	-
FEMALE--	24	-	-	-	1	1	1	1	2	-	1	2
TEXAS -----	643	7	4	2	1	2	11	6	7	15	20	19
WHITE-----MALE----	239	3	2	-	-	1	5	-	2	4	4	5
FEMALE--	287	2	1	1	1	-	1	3	-	3	6	9
ALL OTHER--MALE----	56	1	1	-	-	1	3	2	2	5	6	2
FEMALE--	61	1	-	1	-	-	2	1	3	3	4	3
BLACK---MALE----	51	1	1	-	-	-	3	2	2	5	6	2
FEMALE--	57	1	-	1	-	-	2	1	3	3	4	3
UTAH -----	65	-	-	-	-	1	-	-	-	1	1	3
WHITE-----MALE----	28	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	35	-	-	-	-	1	-	-	-	1	1	1
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	16	1	-	-	-	-	-	-	-	-	1	-
WHITE-----MALE----	8	1	-	-	-	-	-	-	-	-	1	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	251	2	1	-	-	3	1	5	2	7	6	4
WHITE-----MALE----	83	1	-	-	-	1	-	-	1	2	3	1
FEMALE--	109	1	-	-	-	1	-	-	1	1	1	2
ALL OTHER--MALE----	26	-	1	-	-	1	-	2	-	2	-	1
FEMALE--	33	-	-	-	-	-	1	3	-	2	2	-
BLACK---MALE----	26	-	1	-	-	1	-	2	-	2	-	1
FEMALE--	31	-	-	-	-	-	1	3	-	1	2	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,205

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.

0 IV. DISEASES OF BLOOD AND BLOOD-FORMING ORGANS (280-289)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
SOUTH DAKOTA -----	1	1	1	3	1	3	6	5	3	1	-	-
WHITE-----MALE----	-	1	-	2	1	2	2	2	1	-	-	-
FEMALE--	1	-	1	1	-	1	4	3	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	3	7	12	17	32	24	38	28	23	6	1	-
WHITE-----MALE----	-	5	6	8	19	5	16	6	6	2	-	-
FEMALE--	2	2	4	6	13	16	19	14	14	4	1	-
ALL OTHER--MALE----	1	-	1	2	-	1	1	1	1	-	-	-
FEMALE--	-	-	1	1	-	2	2	7	2	-	-	-
BLACK---MALE----	1	-	1	2	-	1	1	1	1	-	-	-
FEMALE--	-	-	1	1	-	2	2	7	2	-	-	-
TEXAS -----	18	13	39	49	80	93	90	87	57	16	7	-
WHITE-----MALE----	5	7	15	21	36	42	36	29	20	2	-	-
FEMALE--	6	5	17	23	34	39	47	46	28	12	3	-
ALL OTHER--MALE----	2	1	2	2	8	5	1	8	2	2	-	-
FEMALE--	5	-	5	3	2	7	6	4	7	-	4	-
BLACK---MALE----	2	1	2	2	7	5	-	6	2	2	-	-
FEMALE--	5	-	4	2	2	6	6	3	7	-	4	-
UTAH -----	-	2	4	6	2	17	10	10	4	3	1	-
WHITE-----MALE----	-	1	1	2	2	8	6	6	1	-	-	-
FEMALE--	-	1	3	4	-	9	4	4	2	3	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	-	-	2	3	4	4	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	2	3	-	-	-	-
FEMALE--	-	-	-	-	2	2	2	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	9	8	15	16	20	43	38	48	13	7	3	-
WHITE-----MALE----	5	3	5	7	9	17	7	16	3	-	2	-
FEMALE--	2	3	5	6	9	14	22	27	9	5	-	-
ALL OTHER--MALE----	1	1	2	1	1	7	3	2	-	1	-	-
FEMALE--	1	1	3	2	1	5	6	3	1	1	1	-
BLACK---MALE----	1	1	2	1	1	7	3	2	-	1	-	-
FEMALE--	1	1	3	2	1	4	6	3	1	1	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 1,207

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
ANEMIAS (280-285)												
UNITED STATES --	4,544	23	31	20	26	30	63	84	84	109	111	101
WHITE-----MALE----	1,391	5	5	5	9	5	9	6	9	11	16	30
FEMALE--	2,112	6	8	6	6	3	5	7	4	14	17	20
ALL OTHER--MALE----	482	8	10	4	7	10	28	37	39	40	33	22
FEMALE--	559	4	8	5	4	12	21	34	32	44	45	29
BLACK---MALE----	429	4	9	4	6	8	27	37	38	39	32	20
FEMALE--	524	2	8	5	3	12	21	33	31	44	44	29
ALABAMA -----	101	1	1	1	-	-	2	4	2	4	4	2
WHITE-----MALE----	19	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	38	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	20	1	-	-	-	-	1	3	2	-	1	2
FEMALE--	24	-	1	1	-	-	1	1	-	3	2	-
BLACK---MALE----	19	1	-	-	-	-	1	3	2	-	1	2
FEMALE--	24	-	1	1	-	-	1	1	-	3	2	-
ALASKA -----	4	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	56	-	-	-	-	-	2	2	-	1	2	-
WHITE-----MALE----	29	-	-	-	-	-	1	-	-	1	1	-
FEMALE--	25	-	-	-	-	-	1	2	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
ARKANSAS -----	66	-	1	-	-	-	1	1	3	2	2	2
WHITE-----MALE----	17	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	22	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	9	-	-	-	-	-	1	-	2	-	1	-
FEMALE--	18	-	-	-	-	-	-	1	1	1	1	2
BLACK---MALE----	9	-	-	-	-	-	1	-	2	-	1	-
FEMALE--	18	-	-	-	-	-	-	1	1	1	1	2
CALIFORNIA -----	258	7	3	2	5	2	4	5	8	5	8	8
WHITE-----MALE----	95	2	-	1	3	-	-	1	1	-	1	4
FEMALE--	95	1	2	-	-	-	1	-	1	2	2	1
ALL OTHER--MALE----	32	4	-	1	1	2	2	1	2	-	4	2
FEMALE--	36	-	1	-	1	-	1	3	4	3	1	1
BLACK---MALE----	18	-	-	1	1	1	2	1	2	-	4	2
FEMALE--	22	-	1	-	-	-	1	2	3	3	-	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,207

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
ANEMIAS (280-285)												
UNITED STATES --	101	91	144	214	358	555	706	763	578	274	78	-
WHITE-----MALE----	25	32	49	84	157	209	279	248	130	53	15	-
FEMALE--	24	23	52	79	139	270	356	445	382	191	55	-
ALL OTHER--MALE----	26	23	26	22	36	32	27	28	16	8	-	-
FEMALE--	26	13	17	29	26	44	44	42	50	22	8	-
BLACK---MALE----	25	21	24	15	26	28	22	23	14	7	-	-
FEMALE--	24	13	17	27	20	40	39	37	46	21	8	-
ALABAMA -----	2	4	8	8	8	10	9	12	13	5	1	-
WHITE-----MALE----	-	2	-	2	5	3	1	3	-	2	-	-
FEMALE--	-	-	4	2	2	6	3	8	10	1	1	-
ALL OTHER--MALE----	-	-	2	1	1	1	4	-	-	1	-	-
FEMALE--	2	2	2	3	-	-	1	1	3	1	-	-
BLACK---MALE----	-	-	2	-	1	1	4	-	-	1	-	-
FEMALE--	2	2	2	3	-	-	1	1	3	1	-	-
ALASKA -----	-	-	-	-	1	-	-	2	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	2	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	-	1	1	6	6	4	9	9	8	3	2	-
WHITE-----MALE----	-	-	-	4	4	4	5	3	5	1	-	-
FEMALE--	-	1	1	2	2	-	4	5	3	2	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	3	1	3	1	7	7	10	12	5	2	3	-
WHITE-----MALE----	1	-	-	-	3	-	5	5	1	-	1	-
FEMALE--	-	-	2	-	2	3	4	4	3	1	2	-
ALL OTHER--MALE----	1	-	1	-	1	1	-	1	-	-	-	-
FEMALE--	1	1	-	1	1	3	1	2	1	1	-	-
BLACK---MALE----	1	-	1	-	1	1	-	1	-	-	-	-
FEMALE--	1	1	-	1	1	3	1	2	1	1	-	-
CALIFORNIA -----	5	7	11	16	28	31	33	31	24	11	4	-
WHITE-----MALE----	2	2	6	8	11	15	16	14	6	1	1	-
FEMALE--	-	1	4	4	6	12	14	16	16	9	3	-
ALL OTHER--MALE----	-	3	1	2	3	2	-	1	-	1	-	-
FEMALE--	3	1	-	2	8	2	3	-	2	-	-	-
BLACK---MALE----	-	2	-	1	-	1	-	-	-	-	-	-
FEMALE--	2	1	-	1	3	2	2	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 1,208

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
ANEMIAS (280-285)												
COLORADO -----	41	-	-	1	-	-	1	1	-	-	1	-
WHITE-----MALE----	19	-	-	-	-	-	1	1	-	-	-	-
FEMALE--	20	-	-	1	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	57	-	-	-	-	1	-	4	-	1	2	1
WHITE-----MALE----	15	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	28	-	-	-	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	7	-	-	-	-	-	-	3	-	1	-	-
FEMALE--	7	-	-	-	-	1	-	1	-	-	1	-
BLACK---MALE----	7	-	-	-	-	-	-	3	-	1	-	-
FEMALE--	5	-	-	-	-	1	-	1	-	-	1	-
DELAWARE -----	6	-	-	-	-	-	-	-	-	-	-	1
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
DISTRICT OF COLUMBIA ----	11	-	-	-	-	-	-	-	-	3	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	7	-	-	-	-	-	-	-	-	2	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	7	-	-	-	-	-	-	-	-	2	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	1	-	-
FLORIDA -----	305	-	4	1	1	3	3	5	5	7	8	11
WHITE-----MALE----	96	-	-	-	-	-	-	-	1	-	-	4
FEMALE--	138	-	1	1	1	1	-	-	-	-	1	1
ALL OTHER--MALE----	34	-	2	-	-	2	3	4	2	4	1	3
FEMALE--	37	-	1	-	-	-	-	1	2	3	6	3
BLACK---MALE----	34	-	2	-	-	2	3	4	2	4	1	3
FEMALE--	37	-	1	-	-	-	-	1	2	3	6	3
GEORGIA -----	119	1	2	-	-	2	2	4	1	2	4	5
WHITE-----MALE----	23	-	-	-	-	-	-	1	-	-	1	-
FEMALE--	45	-	2	-	-	-	-	-	-	1	-	1
ALL OTHER--MALE----	23	-	-	-	-	-	-	2	1	-	2	2
FEMALE--	28	1	-	-	-	2	2	1	-	1	1	2
BLACK---MALE----	22	-	-	-	-	-	-	2	1	-	2	2
FEMALE--	28	1	-	-	-	2	2	1	-	1	1	2

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,208

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
ANEMIAS (280-285)												
COLORADO -----	-	-	1	2	6	10	6	6	2	4	-	-
WHITE-----MALE----	-	-	-	2	4	5	2	1	2	1	-	-
FEMALE--	-	-	-	-	2	4	4	5	-	3	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	1	1	-	2	2	9	7	12	7	5	2	-
WHITE-----MALE----	-	-	-	-	2	3	3	6	1	-	-	-
FEMALE--	-	1	-	-	-	5	2	6	6	4	2	-
ALL OTHER--MALE----	1	-	-	1	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	-	-	-	1	-	-
BLACK---MALE----	1	-	-	1	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	1	-	-
DELAWARE -----	1	-	-	-	2	-	-	1	-	1	-	-
WHITE-----MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	1	-	1	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	1	-	-	-	-	1	3	-	2	1	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	2	-	1	1	-	-
FEMALE--	-	-	-	-	-	1	-	-	1	-	-	-
BLACK---MALE----	1	-	-	-	-	-	2	-	1	1	-	-
FEMALE--	-	-	-	-	-	1	-	-	1	-	-	-
FLORIDA -----	8	5	10	12	20	40	48	51	36	21	6	-
WHITE-----MALE----	1	3	3	4	10	18	18	16	6	9	3	-
FEMALE--	2	1	3	5	7	16	27	32	28	9	2	-
ALL OTHER--MALE----	2	-	2	-	1	2	2	2	-	2	-	-
FEMALE--	3	1	2	3	2	4	1	1	2	1	1	-
BLACK---MALE----	2	-	2	-	1	2	2	2	-	2	-	-
FEMALE--	3	1	2	3	2	4	1	1	2	1	1	-
GEORGIA -----	2	3	3	9	10	22	11	14	12	9	1	-
WHITE-----MALE----	-	1	-	2	3	3	4	3	1	3	1	-
FEMALE--	1	-	1	1	3	14	3	7	7	4	-	-
ALL OTHER--MALE----	1	1	1	3	2	3	4	-	1	-	-	-
FEMALE--	-	1	1	3	2	2	-	4	3	2	-	-
BLACK---MALE----	1	1	1	3	2	2	4	-	1	-	-	-
FEMALE--	-	1	1	3	2	2	-	4	3	2	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,209

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
ANEMIAS (280-285)												
HAWAII -----	-	-	2	-	4	1	1	2	4	-	-	-
WHITE-----MALE----	-	-	1	-	1	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	2	-	-	-
ALL OTHER--MALE----	-	-	1	-	3	-	1	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	-	-	-	1	3	1	2	2	-	-	-	-
WHITE-----MALE----	-	-	-	1	2	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	2	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	6	8	6	5	16	32	49	38	36	21	6	-
WHITE-----MALE----	-	2	1	1	3	14	18	10	8	4	-	-
FEMALE--	2	1	3	2	11	15	27	25	24	15	5	-
ALL OTHER--MALE----	3	3	1	1	1	2	2	-	1	-	-	-
FEMALE--	1	2	1	1	1	1	2	3	3	2	1	-
BLACK---MALE----	3	3	1	-	1	2	2	-	-	-	-	-
FEMALE--	1	2	1	1	1	1	2	3	3	2	1	-
INDIANA -----	1	2	3	9	8	7	23	25	21	5	2	-
WHITE-----MALE----	1	1	3	6	6	3	9	6	7	1	-	-
FEMALE--	-	1	-	2	2	4	14	19	12	3	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	1	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	1	1	-	-
IOWA -----	-	-	2	1	2	6	10	13	5	5	2	-
WHITE-----MALE----	-	-	-	1	1	3	7	7	1	2	-	-
FEMALE--	-	-	2	-	1	3	6	4	3	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS -----	1	-	-	2	6	12	9	20	3	4	2	-
WHITE-----MALE----	-	-	-	2	2	5	4	6	2	-	-	-
FEMALE--	1	-	-	-	3	6	5	14	1	4	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 1,210

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
ANEMIAS (280-285)												
KENTUCKY -----	64	-	-	-	-	1	-	2	1	-	3	2
WHITE-----MALE----	22	-	-	-	-	1	-	-	-	-	-	1
FEMALE--	32	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	5	-	-	-	-	-	-	2	-	-	1	-
FEMALE--	5	-	-	-	-	-	-	-	1	-	1	1
BLACK---MALE----	5	-	-	-	-	-	-	2	-	-	1	-
FEMALE--	5	-	-	-	-	-	-	-	1	-	1	1
LOUISIANA -----	79	1	1	-	-	-	1	3	1	5	2	1
WHITE-----MALE----	13	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	25	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	18	1	-	-	-	-	-	2	1	-	-	1
FEMALE--	23	-	1	-	-	-	1	1	-	4	2	-
BLACK---MALE----	18	1	-	-	-	-	-	2	1	-	-	1
FEMALE--	23	-	1	-	-	-	1	1	-	4	2	-
MAINE -----	29	-	-	-	1	-	-	-	-	-	-	-
WHITE-----MALE----	12	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	17	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	105	1	1	-	1	-	1	3	5	6	2	6
WHITE-----MALE----	31	1	-	-	-	-	-	-	-	-	-	2
FEMALE--	27	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	20	-	1	-	1	-	1	1	3	5	-	-
FEMALE--	27	-	-	-	-	-	-	2	2	1	1	4
BLACK---MALE----	19	-	1	-	1	-	1	1	3	5	-	-
FEMALE--	22	-	-	-	-	-	-	2	2	1	1	4
MASSACHUSETTS -----	124	-	1	-	1	-	1	-	-	2	-	3
WHITE-----MALE----	29	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	86	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	3	-	-	-	-	-	1	-	-	1	-	-
FEMALE--	6	-	1	-	1	-	-	-	-	1	-	1
BLACK---MALE----	3	-	-	-	-	-	1	-	-	1	-	-
FEMALE--	5	-	1	-	1	-	-	-	-	1	-	1
MICHIGAN -----	185	-	2	1	-	2	-	5	-	3	7	4
WHITE-----MALE----	60	-	1	1	-	-	-	-	-	1	-	2
FEMALE--	82	-	1	-	-	1	-	1	-	1	1	1
ALL OTHER--MALE----	24	-	-	-	-	-	-	3	-	-	3	-
FEMALE--	19	-	-	-	-	1	-	1	-	1	3	1
BLACK---MALE----	24	-	-	-	-	-	-	3	-	-	3	-
FEMALE--	18	-	-	-	-	1	-	1	-	1	3	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,210

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
ANEMIAS (280-285)												
KENTUCKY -----	1	1	-	3	4	11	10	10	12	1	2	-
WHITE-----MALE----	-	-	-	-	2	4	5	4	5	-	-	-
FEMALE--	1	1	-	3	2	6	5	5	5	1	2	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	1	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	1	-	-	-
LOUISIANA -----	4	2	1	7	3	10	12	13	7	5	-	-
WHITE-----MALE----	-	-	-	1	1	2	4	2	1	1	-	-
FEMALE--	-	-	1	5	1	4	5	3	5	1	-	-
ALL OTHER--MALE----	3	1	-	-	-	1	1	5	1	1	-	-
FEMALE--	1	1	-	1	1	3	2	3	-	2	-	-
BLACK---MALE----	3	1	-	-	-	1	1	5	1	1	-	-
FEMALE--	1	1	-	1	1	3	2	3	-	2	-	-
MAINE -----	-	1	-	-	2	1	8	8	4	4	-	-
WHITE-----MALE----	-	1	-	-	1	-	4	3	1	2	-	-
FEMALE--	-	-	-	-	1	1	4	5	3	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	2	2	4	6	7	11	17	14	12	4	-	-
WHITE-----MALE----	1	1	2	3	3	7	7	4	-	-	-	-
FEMALE--	-	-	1	2	2	3	7	2	6	3	-	-
ALL OTHER--MALE----	-	1	-	1	2	-	2	2	-	-	-	-
FEMALE--	1	-	1	-	-	1	1	6	6	1	-	-
BLACK---MALE----	-	1	-	-	2	-	2	2	-	-	-	-
FEMALE--	-	-	1	-	-	1	-	4	5	1	-	-
MASSACHUSETTS -----	3	-	3	2	14	15	22	25	16	11	5	-
WHITE-----MALE----	-	-	-	-	6	4	7	8	-	3	-	-
FEMALE--	3	-	2	2	8	10	14	17	16	8	5	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
MICHIGAN -----	4	3	3	4	22	22	33	26	28	13	3	-
WHITE-----MALE----	-	1	-	1	9	10	15	7	7	4	1	-
FEMALE--	-	-	2	2	8	7	15	15	18	7	2	-
ALL OTHER--MALE----	1	2	1	1	5	3	-	3	2	-	-	-
FEMALE--	3	-	-	-	-	2	3	1	1	2	-	-
BLACK---MALE----	1	2	1	1	5	3	-	3	2	-	-	-
FEMALE--	3	-	-	-	-	2	2	1	1	2	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 1,211

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
ANEMIAS (280-285)												
MINNESOTA -----	92	2	-	-	1	-	-	1	1	2	1	1
WHITE-----MALE----	35	-	-	-	-	-	-	1	-	1	-	-
FEMALE--	48	-	-	-	1	-	-	-	-	-	-	1
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	5	2	-	-	-	-	-	-	-	1	1	-
BLACK---MALE----	2	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	4	1	-	-	-	-	-	-	-	1	1	-
MISSISSIPPI -----	55	2	1	1	-	1	2	1	-	2	6	1
WHITE-----MALE----	6	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	18	1	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	10	1	-	-	-	1	-	-	-	1	2	1
FEMALE--	21	-	1	-	-	-	2	1	-	-	4	-
BLACK---MALE----	10	1	-	-	-	1	-	-	-	1	2	1
FEMALE--	21	-	1	-	-	-	2	1	-	-	4	-
MISSOURI -----	114	-	-	-	3	2	1	3	2	4	2	3
WHITE-----MALE----	36	-	-	-	1	1	-	-	1	-	-	1
FEMALE--	59	-	-	-	1	-	-	-	-	-	-	1
ALL OTHER--MALE----	6	-	-	-	1	-	1	1	1	-	2	-
FEMALE--	13	-	-	-	-	1	-	2	-	4	-	1
BLACK---MALE----	6	-	-	-	1	-	1	1	1	-	2	-
FEMALE--	13	-	-	-	-	1	-	2	-	4	-	1
MONTANA -----	17	-	-	-	-	-	-	-	-	-	-	1
WHITE-----MALE----	7	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	23	-	-	-	-	-	-	-	-	-	1	1
WHITE-----MALE----	11	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	11	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA -----	19	1	-	-	-	-	-	-	1	1	1	2
WHITE-----MALE----	5	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	1	-	-	1
FEMALE--	2	1	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	1	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 1,213

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
ANEMIAS (280-285)												
OHIO -----	235	-	-	1	2	1	4	1	4	3	5	1
WHITE-----MALE----	81	-	-	-	2	-	1	-	-	-	2	-
FEMALE--	123	-	-	1	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	15	-	-	-	-	-	2	-	3	2	1	1
FEMALE--	16	-	-	-	-	1	1	1	1	-	2	-
BLACK---MALE----	14	-	-	-	-	-	2	-	2	2	1	1
FEMALE--	16	-	-	-	-	1	1	1	1	-	2	-
OKLAHOMA -----	68	-	-	-	-	1	2	1	2	-	1	3
WHITE-----MALE----	18	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	33	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	12	-	-	-	-	1	2	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	1	2	-	-	-
BLACK---MALE----	8	-	-	-	-	-	2	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	1	2	-	-	-
OREGON -----	51	-	-	-	1	-	-	-	1	1	-	-
WHITE-----MALE----	25	-	-	-	1	-	-	-	-	1	-	-
FEMALE--	26	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	269	2	-	1	-	-	4	2	5	3	1	3
WHITE-----MALE----	102	-	-	-	-	-	1	-	1	-	-	1
FEMALE--	129	1	-	-	-	-	-	-	-	-	-	2
ALL OTHER--MALE----	15	1	-	-	-	-	2	1	4	1	-	-
FEMALE--	23	-	-	1	-	-	1	1	-	2	1	-
BLACK---MALE----	14	1	-	-	-	-	1	1	4	1	-	-
FEMALE--	23	-	-	1	-	-	1	1	-	2	1	-
RHODE ISLAND -----	15	-	-	-	-	-	-	-	-	1	-	-
WHITE-----MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	1	-	-
SOUTH CAROLINA -----	84	-	1	1	2	1	2	2	1	4	1	4
WHITE-----MALE----	21	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	25	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	16	-	1	-	2	-	-	-	1	-	1	2
FEMALE--	22	-	-	1	-	1	2	1	-	4	-	2
BLACK---MALE----	16	-	1	-	2	-	-	-	1	-	1	2
FEMALE--	22	-	-	1	-	1	2	1	-	4	-	2

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,213

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
ANEMIAS (280-285)												
OHIO -----	1	6	11	10	14	34	32	47	34	18	6	-
WHITE-----MALE----	1	3	5	4	8	13	17	16	7	1	1	-
FEMALE--	-	2	2	4	5	18	14	30	25	17	4	-
ALL OTHER--MALE----	-	-	4	-	1	1	-	-	-	-	-	-
FEMALE--	-	1	-	2	-	2	1	1	2	-	1	-
BLACK---MALE----	-	-	4	-	1	1	-	-	-	-	-	-
FEMALE--	-	1	-	2	-	2	1	1	2	-	1	-
OKLAHOMA -----	3	3	-	2	2	2	12	19	13	2	-	-
WHITE-----MALE----	1	-	-	-	1	-	4	6	3	-	-	-
FEMALE--	2	-	-	1	-	2	6	11	8	2	-	-
ALL OTHER--MALE----	-	3	-	1	1	-	1	1	2	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	-	-	-	-
BLACK---MALE----	-	3	-	-	1	-	-	-	2	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	3	-	1	5	1	3	9	13	9	1	3	-
WHITE-----MALE----	2	-	1	2	-	2	4	7	4	1	-	-
FEMALE--	1	-	-	3	1	1	5	6	5	-	3	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	3	4	8	8	19	49	58	45	38	14	2	-
WHITE-----MALE----	2	1	4	7	8	22	29	13	9	3	1	-
FEMALE--	1	2	2	1	8	24	24	29	26	8	1	-
ALL OTHER--MALE----	-	1	2	-	1	2	-	-	-	-	-	-
FEMALE--	-	-	-	-	2	1	5	3	3	3	-	-
BLACK---MALE----	-	1	2	-	1	2	-	-	-	-	-	-
FEMALE--	-	-	-	-	2	1	5	3	3	3	-	-
RHODE ISLAND -----	-	-	2	1	3	1	2	2	1	1	1	-
WHITE-----MALE----	-	-	-	-	2	-	-	-	1	1	-	-
FEMALE--	-	-	1	-	1	-	2	2	-	-	1	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	-	-	-	-	-	-
SOUTH CAROLINA -----	5	3	2	5	9	10	14	7	7	2	1	-
WHITE-----MALE----	1	1	-	1	6	5	2	3	-	1	-	-
FEMALE--	1	2	-	-	1	3	8	3	5	1	1	-
ALL OTHER--MALE----	3	-	2	2	1	-	-	1	-	-	-	-
FEMALE--	-	-	-	2	1	2	4	-	2	-	-	-
BLACK---MALE----	3	-	2	2	1	-	-	1	-	-	-	-
FEMALE--	-	-	-	2	1	2	4	-	2	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 1,214

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
ANEMIAS (280-285)												
SOUTH DAKOTA -----	10	-	-	-	-	-	-	-	-	1	-	-
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
TENNESSEE -----	91	-	1	-	1	3	1	2	2	2	1	1
WHITE-----MALE----	18	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	46	-	1	-	-	1	-	1	-	-	-	-
ALL OTHER--MALE----	10	-	-	-	-	1	-	-	-	2	1	-
FEMALE--	17	-	-	-	1	1	1	1	2	-	-	1
BLACK---MALE----	10	-	-	-	-	1	-	-	-	2	1	-
FEMALE--	17	-	-	-	1	1	1	1	2	-	-	1
TEXAS -----	281	1	3	1	-	1	7	3	4	11	11	6
WHITE-----MALE----	88	1	1	-	-	-	1	-	-	2	1	2
FEMALE--	128	-	1	1	-	-	1	1	-	2	2	1
ALL OTHER--MALE----	31	-	1	-	-	-	3	1	2	4	4	1
FEMALE--	34	-	-	-	-	-	2	1	2	3	4	2
BLACK---MALE----	28	-	1	-	-	-	3	1	2	4	4	1
FEMALE--	34	-	-	-	-	-	2	1	2	3	4	2
UTAH -----	21	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	15	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	4	-	-	-	-	-	-	-	-	-	1	-
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	106	-	1	-	-	1	1	4	1	3	2	1
WHITE-----MALE----	27	-	-	-	-	1	-	-	1	-	-	-
FEMALE--	50	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	16	-	1	-	-	-	-	2	-	2	-	1
FEMALE--	13	-	-	-	-	-	1	2	-	1	2	-
BLACK---MALE----	16	-	1	-	-	-	-	2	-	2	-	1
FEMALE--	13	-	-	-	-	-	1	2	-	1	2	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,214

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
ANEMIAS (280-285)												
SOUTH DAKOTA -----	-	-	1	-	-	2	3	2	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	1	-	-	1	2	2	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	2	-	1	4	10	12	18	14	14	1	1	-
WHITE-----MALE----	-	-	1	1	6	1	6	2	1	-	-	-
FEMALE--	1	-	-	1	4	8	9	8	10	1	1	-
ALL OTHER--MALE----	1	-	-	1	-	1	1	1	1	-	-	-
FEMALE--	-	-	-	1	-	2	2	3	2	-	-	-
BLACK---MALE----	1	-	-	1	-	1	1	1	1	-	-	-
FEMALE--	-	-	-	1	-	2	2	3	2	-	-	-
TEXAS -----	7	-	12	18	26	31	36	47	41	10	5	-
WHITE-----MALE----	3	-	5	9	6	12	13	16	13	2	-	-
FEMALE--	-	-	5	9	15	16	19	24	21	7	3	-
ALL OTHER--MALE----	1	-	-	-	4	1	1	6	1	1	-	-
FEMALE--	3	-	2	-	1	2	3	1	6	-	2	-
BLACK---MALE----	1	-	-	-	3	1	-	5	1	1	-	-
FEMALE--	3	-	2	-	1	2	3	1	6	-	2	-
UTAH -----	-	-	1	4	1	4	3	4	1	2	1	-
WHITE-----MALE----	-	-	-	1	1	1	2	1	-	-	-	-
FEMALE--	-	-	1	3	-	3	1	3	1	2	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	-	-	-	1	1	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	1	5	5	6	6	14	17	24	6	6	2	-
WHITE-----MALE----	-	2	2	2	2	4	4	7	-	-	2	-
FEMALE--	1	2	2	2	4	4	12	14	5	4	-	-
ALL OTHER--MALE----	-	1	1	1	-	5	-	1	-	1	-	-
FEMALE--	-	-	-	1	-	1	1	2	1	1	-	-
BLACK---MALE----	-	1	1	1	-	5	-	1	-	1	-	-
FEMALE--	-	-	-	1	-	1	1	2	1	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,217

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 DEFICIENCY ANEMIAS (280-281)												
COLORADO -----	-	-	-	-	1	-	2	1	-	1	-	-
WHITE-----MALE----	-	-	-	-	1	-	2	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	-	-	-	1	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	-	-	-	-	-	-	-	-	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	-	-	-	-	-	3	5	7	2	1	1	-
WHITE-----MALE----	-	-	-	-	-	-	2	4	1	-	-	-
FEMALE--	-	-	-	-	-	3	3	3	1	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
GEORGIA -----	1	-	-	-	-	2	1	1	1	1	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	1	-	-	-	-
FEMALE--	1	-	-	-	-	1	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,219

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 DEFICIENCY ANEMIAS (280-281)												
KENTUCKY -----	-	-	-	-	-	-	1	-	4	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	-	2	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	-	-	-	-	-	-	1	4	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	2	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	2	1	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	2	1	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
MAINE -----	-	-	-	-	-	-	-	1	1	1	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	-	-	-	-	-	-	1	-	1	1	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
MASSACHUSETTS -----	-	-	-	-	-	1	-	3	4	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	3	4	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	-	-	-	-	3	-	3	2	3	1	-	-
WHITE-----MALE----	-	-	-	-	2	-	3	1	1	-	-	-
FEMALE--	-	-	-	-	1	-	-	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 1,225

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 HEMOLYTIC ANEMIAS (282-283)												
UNITED STATES --	865	19	24	10	12	20	50	69	73	88	74	57
WHITE-----MALE----	142	3	3	-	2	2	2	1	5	5	3	6
FEMALE--	200	4	3	2	2	-	3	4	2	7	7	8
ALL OTHER--MALE----	260	8	10	4	5	8	26	35	36	36	28	18
FEMALE--	263	4	8	4	3	10	19	29	30	40	36	25
BLACK---MALE----	249	4	9	4	4	7	26	35	35	35	28	17
FEMALE--	255	2	8	4	3	10	19	28	29	40	36	25
ALABAMA -----	25	1	1	-	-	-	1	4	2	3	2	1
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	10	1	-	-	-	-	1	3	2	-	-	1
FEMALE--	12	-	1	-	-	-	-	1	-	3	2	-
BLACK---MALE----	10	1	-	-	-	-	1	3	2	-	-	1
FEMALE--	12	-	1	-	-	-	-	1	-	3	2	-
ALASKA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	14	-	-	-	-	-	1	-	-	-	2	-
WHITE-----MALE----	9	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	4	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
ARKANSAS -----	20	-	1	-	-	-	-	1	3	1	2	2
WHITE-----MALE----	5	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	2	-	1	-
FEMALE--	11	-	-	-	-	-	-	1	1	1	1	2
BLACK---MALE----	4	-	-	-	-	-	-	-	2	-	1	-
FEMALE--	11	-	-	-	-	-	-	1	1	1	1	2
CALIFORNIA -----	78	7	1	1	1	2	3	4	6	3	7	4
WHITE-----MALE----	17	2	-	-	-	-	-	-	1	-	1	1
FEMALE--	19	1	-	-	-	-	-	-	-	-	2	-
ALL OTHER--MALE----	21	4	-	1	1	2	2	1	1	-	4	2
FEMALE--	21	-	1	-	-	-	1	3	4	3	-	1
BLACK---MALE----	16	-	-	1	1	1	2	1	1	-	4	2
FEMALE--	16	-	1	-	-	-	1	2	3	3	-	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,225

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 HEMOLYTIC ANEMIAS (282-283)												
UNITED STATES --	35	28	33	38	44	45	57	51	26	9	3	-
WHITE-----MALE----	4	5	5	10	19	17	27	17	4	1	1	-
FEMALE--	1	3	10	13	18	23	28	31	21	8	2	-
ALL OTHER--MALE----	15	12	10	4	2	2	-	1	-	-	-	-
FEMALE--	15	8	8	11	5	3	2	2	1	-	-	-
BLACK---MALE----	15	11	10	4	2	2	-	1	-	-	-	-
FEMALE--	14	8	8	10	4	2	2	2	1	-	-	-
ALABAMA -----	2	1	5	-	1	-	-	-	1	-	-	-
WHITE-----MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	2	-	-	-	-	-	-	-	-	-
FEMALE--	2	1	2	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	2	-	-	-	-	-	-	-	-	-
FEMALE--	2	1	2	-	-	-	-	-	-	-	-	-
ALASKA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	-	-	-	2	4	2	2	-	1	-	-	-
WHITE-----MALE----	-	-	-	2	2	2	2	-	-	-	-	-
FEMALE--	-	-	-	-	2	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	2	1	-	-	2	1	2	2	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	2	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	1	1	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	1	1	-	1	-	-	-	-
CALIFORNIA -----	3	4	1	5	7	3	7	4	3	2	-	-
WHITE-----MALE----	-	2	-	2	3	1	2	2	-	-	-	-
FEMALE--	-	-	1	1	2	1	4	2	3	2	-	-
ALL OTHER--MALE----	-	1	-	1	-	1	-	-	-	-	-	-
FEMALE--	3	1	-	1	2	-	1	-	-	-	-	-
BLACK---MALE----	-	1	-	1	-	1	-	-	-	-	-	-
FEMALE--	2	1	-	-	1	-	1	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 1,226

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 HEMOLYTIC ANEMIAS (282-283)												
COLORADO -----	3	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	14	-	-	-	-	-	-	4	-	1	1	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	5	-	-	-	-	-	-	3	-	1	-	-
FEMALE--	2	-	-	-	-	-	-	1	-	-	1	-
BLACK---MALE----	5	-	-	-	-	-	-	3	-	1	-	-
FEMALE--	2	-	-	-	-	-	-	1	-	-	1	-
DELAWARE -----	3	-	-	-	-	-	-	-	-	-	-	1
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
DISTRICT OF COLUMBIA ----	2	-	-	-	-	-	-	-	-	2	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	2	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	2	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	61	-	4	1	1	2	3	5	4	7	7	6
WHITE-----MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	12	-	1	1	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	24	-	2	-	-	2	3	4	2	4	1	3
FEMALE--	22	-	1	-	-	-	-	1	2	3	6	3
BLACK---MALE----	24	-	2	-	-	2	3	4	2	4	1	3
FEMALE--	22	-	1	-	-	-	-	1	2	3	6	3
GEORGIA -----	27	1	1	-	-	1	2	1	1	2	4	5
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	5	-	1	-	-	-	-	-	-	1	-	1
ALL OTHER--MALE----	9	-	-	-	-	-	-	1	1	-	2	2
FEMALE--	11	1	-	-	-	1	2	-	-	1	1	2
BLACK---MALE----	9	-	-	-	-	-	-	1	1	-	2	2
FEMALE--	11	1	-	-	-	1	2	-	-	1	1	2

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,226

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 HEMOLYTIC ANEMIAS (282-283)												
COLORADO -----	-	-	-	-	1	1	-	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	1	-	-	-	-	5	-	1	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	4	-	1	1	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	1	-	-	-	1	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	3	1	4	2	3	1	3	2	1	1	-	-
WHITE-----MALE----	-	-	-	-	1	-	1	-	-	1	-	-
FEMALE--	-	-	1	-	2	1	2	2	1	-	-	-
ALL OTHER--MALE----	2	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	2	2	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	2	2	-	-	-	-	-	-	-	-
GEORGIA -----	-	1	1	4	1	-	-	1	1	-	-	-
WHITE-----MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	1	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	2	-	-	-	1	-	-	-	-
BLACK---MALE----	-	1	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	2	-	-	-	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,227
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 HEMOLYTIC ANEMIAS (282-283)												
HAWAII -----	-	-	-	-	1	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	1	4	2	-	1	2	4	1	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	2	2	-	-	-	-	-
FEMALE--	-	-	2	-	1	-	2	1	1	-	-	-
ALL OTHER--MALE----	1	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	2	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	2	-	-	-	-	-	-	-	-	-	-
INDIANA -----	-	-	-	-	-	2	2	3	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	2	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IOWA -----	-	-	-	-	-	1	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS -----	-	-	-	-	2	-	2	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	2	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 1,228

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 HEMOLYTIC ANEMIAS (282-283)												
KENTUCKY -----	9	-	-	-	-	-	-	2	1	-	2	-
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	2	-	-	1	-
FEMALE--	2	-	-	-	-	-	-	-	1	-	1	-
BLACK---MALE----	3	-	-	-	-	-	-	2	-	-	1	-
FEMALE--	2	-	-	-	-	-	-	-	1	-	1	-
LOUISIANA -----	20	1	1	-	-	-	1	3	1	4	2	1
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	7	1	-	-	-	-	-	2	1	-	-	1
FEMALE--	9	-	1	-	-	-	1	1	-	3	2	-
BLACK---MALE----	7	1	-	-	-	-	-	2	1	-	-	1
FEMALE--	9	-	1	-	-	-	1	1	-	3	2	-
MAINE -----	2	-	-	-	1	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	20	-	1	-	-	-	1	2	4	4	1	4
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	9	-	1	-	-	-	1	1	3	3	-	-
FEMALE--	8	-	-	-	-	-	-	1	1	1	1	4
BLACK---MALE----	9	-	1	-	-	-	1	1	3	3	-	-
FEMALE--	8	-	-	-	-	-	-	1	1	1	1	4
MASSACHUSETTS -----	13	-	1	-	1	-	1	-	-	2	-	2
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	3	-	-	-	-	-	1	-	-	1	-	-
FEMALE--	4	-	1	-	1	-	-	-	-	1	-	1
BLACK---MALE----	3	-	-	-	-	-	1	-	-	1	-	-
FEMALE--	4	-	1	-	1	-	-	-	-	1	-	1
MICHIGAN -----	33	-	-	-	-	1	-	4	-	2	5	3
WHITE-----MALE----	5	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	12	-	-	-	-	-	-	-	-	1	1	1
ALL OTHER--MALE----	11	-	-	-	-	-	-	3	-	-	3	-
FEMALE--	5	-	-	-	-	1	-	1	-	1	1	1
BLACK---MALE----	11	-	-	-	-	-	-	3	-	-	3	-
FEMALE--	5	-	-	-	-	1	-	1	-	1	1	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 1,229

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 HEMOLYTIC ANEMIAS (282-283)												
MINNESOTA -----	16	2	-	-	-	-	-	-	1	1	1	1
WHITE-----MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	5	2	-	-	-	-	-	-	-	1	1	-
BLACK---MALE----	2	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	4	1	-	-	-	-	-	-	-	1	1	-
MISSISSIPPI -----	16	2	1	-	-	-	2	1	-	1	6	1
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	5	1	-	-	-	-	-	-	-	1	2	1
FEMALE--	10	-	1	-	-	-	2	1	-	-	4	-
BLACK---MALE----	5	1	-	-	-	-	-	-	-	1	2	1
FEMALE--	10	-	1	-	-	-	2	1	-	-	4	-
MISSOURI -----	21	-	-	-	-	2	1	3	2	4	1	2
WHITE-----MALE----	3	-	-	-	-	1	-	-	1	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	4	-	-	-	-	-	1	1	1	-	1	-
FEMALE--	9	-	-	-	-	1	-	2	-	4	-	1
BLACK---MALE----	4	-	-	-	-	-	1	1	1	-	1	-
FEMALE--	9	-	-	-	-	1	-	2	-	4	-	1
MONTANA -----	1	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	3	-	-	-	-	-	-	-	-	-	-	1
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA -----	4	1	-	-	-	-	-	-	1	1	-	1
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	1	-	-	1
FEMALE--	2	1	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	1	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 1,231

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 HEMOLYTIC ANEMIAS (282-283)												
OHIO -----	29	-	-	1	-	1	3	1	4	3	3	1
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	9	-	-	1	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	12	-	-	-	-	-	2	-	3	2	1	1
FEMALE--	6	-	-	-	-	1	1	1	1	-	2	-
BLACK---MALE----	11	-	-	-	-	-	2	-	2	2	1	1
FEMALE--	6	-	-	-	-	1	1	1	1	-	2	-
OKLAHOMA -----	9	-	-	-	-	-	2	1	2	-	-	1
WHITE-----MALE----	3	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	2	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	1	2	-	-	-
BLACK---MALE----	3	-	-	-	-	-	2	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	1	2	-	-	-
OREGON -----	4	-	-	-	-	-	-	-	-	1	-	-
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	37	1	-	1	-	-	2	2	5	3	1	1
WHITE-----MALE----	9	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	12	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	9	1	-	-	-	-	1	1	4	1	-	-
FEMALE--	7	-	-	1	-	-	1	1	-	2	1	-
BLACK---MALE----	9	1	-	-	-	-	1	1	4	1	-	-
FEMALE--	7	-	-	1	-	-	1	1	-	2	1	-
RHODE ISLAND -----	1	-	-	-	-	-	-	-	-	1	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
SOUTH CAROLINA -----	23	-	1	1	2	1	2	1	1	4	1	4
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	8	-	1	-	2	-	-	-	1	-	1	2
FEMALE--	12	-	-	1	-	1	2	1	-	4	-	2
BLACK---MALE----	8	-	1	-	2	-	-	-	1	-	1	2
FEMALE--	12	-	-	1	-	1	2	1	-	4	-	2

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 1,232
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 HEMOLYTIC ANEMIAS (282-283)												
SOUTH DAKOTA -----	2	-	-	-	-	-	-	-	-	1	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
TENNESSEE -----	24	-	-	-	1	2	1	2	2	2	1	1
WHITE-----MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	6	-	-	-	-	1	-	-	-	2	1	-
FEMALE--	9	-	-	-	1	1	1	1	2	-	-	1
BLACK---MALE----	6	-	-	-	-	1	-	-	-	2	1	-
FEMALE--	9	-	-	-	1	1	1	1	2	-	-	1
TEXAS -----	58	1	3	-	-	-	5	3	4	10	9	3
WHITE-----MALE----	9	1	1	-	-	-	-	-	-	1	-	-
FEMALE--	15	-	1	-	-	-	-	1	-	2	1	-
ALL OTHER--MALE----	18	-	1	-	-	-	3	1	2	4	4	1
FEMALE--	16	-	-	-	-	-	2	1	2	3	4	2
BLACK---MALE----	18	-	1	-	-	-	3	1	2	4	4	1
FEMALE--	16	-	-	-	-	-	2	1	2	3	4	2
UTAH -----	5	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	1	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	15	-	1	-	-	1	-	3	-	2	1	1
WHITE-----MALE----	3	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	-	1	-	-	-	-	1	-	1	-	1
FEMALE--	5	-	-	-	-	-	-	2	-	1	1	-
BLACK---MALE----	4	-	1	-	-	-	-	1	-	1	-	1
FEMALE--	5	-	-	-	-	-	-	2	-	1	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,234

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 APLASTIC ANEMIA (284)												
UNITED STATES --	35	30	59	93	151	217	227	221	125	44	11	-
WHITE-----MALE----	11	16	29	46	64	95	102	97	39	9	3	-
FEMALE--	15	10	23	32	67	105	108	107	80	32	7	-
ALL OTHER--MALE----	3	3	6	8	15	10	7	5	3	2	-	-
FEMALE--	6	1	1	7	5	7	10	12	3	1	1	-
BLACK---MALE----	2	2	5	2	7	10	5	1	2	2	-	-
FEMALE--	5	1	1	7	4	6	10	10	2	1	1	-
ALABAMA -----	-	2	3	4	2	3	3	3	2	1	-	-
WHITE-----MALE----	-	1	-	2	2	-	1	1	-	-	-	-
FEMALE--	-	-	3	-	-	2	1	2	2	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	1	-	1	-	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	1	-	1	-	-	-	-	-	1	-	-
ALASKA -----	-	-	-	-	-	-	-	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	-	1	1	1	1	2	1	1	3	-	-	-
WHITE-----MALE----	-	-	-	-	1	2	-	-	2	-	-	-
FEMALE--	-	1	1	1	-	-	1	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	-	-	1	-	2	1	-	-	1	-	1	-
WHITE-----MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	1	1	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
CALIFORNIA -----	1	2	6	9	10	14	18	15	9	2	-	-
WHITE-----MALE----	1	-	5	6	4	8	12	5	4	-	-	-
FEMALE--	-	-	1	2	3	6	5	9	4	2	-	-
ALL OTHER--MALE----	-	2	-	1	2	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	-	1	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 1,235

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 APLASTIC ANEMIA (284)												
COLORADO -----	18	-	-	1	-	-	1	1	-	-	-	-
WHITE-----MALE----	8	-	-	-	-	-	1	1	-	-	-	-
FEMALE--	9	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	15	-	-	-	-	1	-	-	-	-	1	-
WHITE-----MALE----	8	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	1	-	-	-	-	-	-
DELAWARE -----	2	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	3	-	-	-	-	-	-	-	-	1	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
FLORIDA -----	81	-	-	-	-	1	-	-	1	-	1	4
WHITE-----MALE----	41	-	-	-	-	-	-	-	1	-	-	4
FEMALE--	34	-	-	-	-	1	-	-	-	-	1	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
GEORGIA -----	35	-	-	-	-	1	-	3	-	-	-	-
WHITE-----MALE----	8	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	15	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	7	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	5	-	-	-	-	1	-	1	-	-	-	-
BLACK---MALE----	7	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	5	-	-	-	-	1	-	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,235

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 APLASTIC ANEMIA (284)												
COLORADO -----	-	-	1	2	2	5	1	1	1	2	-	-
WHITE-----MALE----	-	-	-	2	1	2	-	-	1	-	-	-
FEMALE--	-	-	-	-	1	3	1	1	-	2	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	-	-	-	-	1	2	2	7	-	1	-	-
WHITE-----MALE----	-	-	-	-	1	1	2	4	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	3	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
DELAWARE -----	-	-	-	-	1	-	-	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	-	-	-	-	-	-	1	-	-	1	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	4	4	3	5	8	14	11	12	9	2	2	-
WHITE-----MALE----	-	3	3	3	4	9	5	4	2	1	2	-
FEMALE--	2	1	-	1	3	5	5	7	7	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	1	-	-	-	-
FEMALE--	2	-	-	1	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	1	-	-	-	-
FEMALE--	2	-	-	1	1	-	-	-	-	-	-	-
GEORGIA -----	-	-	1	4	3	10	3	4	4	2	-	-
WHITE-----MALE----	-	-	-	1	2	1	-	-	1	2	-	-
FEMALE--	-	-	1	1	1	6	1	3	2	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	2	2	-	1	-	-	-
FEMALE--	-	-	-	1	-	1	-	1	-	-	-	-
BLACK---MALE----	-	-	-	1	-	2	2	-	1	-	-	-
FEMALE--	-	-	-	1	-	1	-	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,240

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 APLASTIC ANEMIA (284)												
OHIO -----	1	2	3	4	6	12	15	17	7	4	1	-
WHITE-----MALE----	1	2	1	1	4	6	7	8	3	-	-	-
FEMALE--	-	-	1	2	2	6	8	9	4	4	1	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
OKLAHOMA -----	2	-	-	1	1	-	5	7	2	-	-	-
WHITE-----MALE----	-	-	-	-	1	-	2	2	1	-	-	-
FEMALE--	2	-	-	-	-	-	3	4	1	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	2	-	1	4	-	2	2	4	-	-	-	-
WHITE-----MALE----	2	-	1	1	-	1	-	3	-	-	-	-
FEMALE--	-	-	-	3	-	1	2	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	1	-	4	3	7	10	22	12	6	5	-	-
WHITE-----MALE----	-	-	2	3	5	4	12	5	-	2	-	-
FEMALE--	1	-	1	-	2	4	7	5	6	3	-	-
ALL OTHER--MALE----	-	-	1	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	3	2	-	-	-	-
BLACK---MALE----	-	-	1	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	3	2	-	-	-	-
RHODE ISLAND -----	-	-	2	-	3	-	-	1	-	-	1	-
WHITE-----MALE----	-	-	-	-	2	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	1	-	-	1	-	-	1	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	4	1	-	2	3	7	2	3	-	-	-	-
WHITE-----MALE----	1	1	-	1	3	4	-	3	-	-	-	-
FEMALE--	1	-	-	-	-	3	1	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	2	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 1,241

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 APLASTIC ANEMIA (284)												
SOUTH DAKOTA -----	3	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	25	-	1	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	18	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
TEXAS -----	81	-	-	1	-	-	1	-	-	1	2	1
WHITE-----MALE----	38	-	-	-	-	-	1	-	-	1	1	1
FEMALE--	36	-	-	1	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
UTAH -----	6	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	1	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	33	-	-	-	-	-	1	1	1	-	-	-
WHITE-----MALE----	10	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	15	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	5	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	3	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	5	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	3	-	-	-	-	-	1	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,241

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 APLASTIC ANEMIA (284)												
SOUTH DAKOTA -----	-	-	1	-	-	2	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	1	-	-	3	3	4	6	1	6	-	-	-
WHITE-----MALE----	-	-	-	1	1	-	1	-	1	-	-	-
FEMALE--	1	-	-	1	2	3	4	1	5	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	-	-	-	-	-
TEXAS -----	3	-	7	7	12	11	7	18	9	1	-	-
WHITE-----MALE----	2	-	5	4	3	6	2	9	3	-	-	-
FEMALE--	-	-	1	3	7	4	4	8	6	1	-	-
ALL OTHER--MALE----	-	-	-	-	2	-	-	1	-	-	-	-
FEMALE--	1	-	1	-	-	1	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	1	-	1	-	-	1	1	-	-	-	-	-
UTAH -----	-	-	1	2	1	2	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	1	2	-	2	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	-	-	-	1	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	-	4	2	1	4	4	6	6	1	1	1	-
WHITE-----MALE----	-	2	1	1	1	1	1	1	-	-	1	-
FEMALE--	-	2	-	-	3	-	5	4	1	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	2	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	1	-	1	-	-	-	-
BLACK---MALE----	-	-	1	-	-	2	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	1	-	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,243

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OTHER AND UNSPECIFIED ANEMIAS (285)												
UNITED STATES --	29	31	47	76	147	263	375	426	365	189	55	-
WHITE-----MALE----	10	10	13	25	66	89	130	111	77	39	10	-
FEMALE--	6	10	18	32	49	125	197	270	238	128	38	-
ALL OTHER--MALE----	8	7	8	10	18	17	18	19	11	3	-	-
FEMALE--	5	4	8	9	14	32	30	26	39	19	7	-
BLACK---MALE----	8	7	7	9	17	14	15	18	10	3	-	-
FEMALE--	5	4	8	9	11	30	25	23	37	18	7	-
ALABAMA -----	-	1	-	3	4	6	5	9	7	3	-	-
WHITE-----MALE----	-	1	-	-	1	3	-	2	-	2	-	-
FEMALE--	-	-	-	1	2	3	2	6	5	1	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	2	-	-	-	-	-
FEMALE--	-	-	-	2	-	-	1	1	2	-	-	-
BLACK---MALE----	-	-	-	-	1	-	2	-	-	-	-	-
FEMALE--	-	-	-	2	-	-	1	1	2	-	-	-
ALASKA -----	-	-	-	-	1	-	-	1	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	-	-	-	3	1	-	6	6	3	3	1	-
WHITE-----MALE----	-	-	-	2	1	-	3	3	2	1	-	-
FEMALE--	-	-	-	1	-	-	3	3	1	2	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	1	-	2	1	3	4	8	9	4	2	2	-
WHITE-----MALE----	-	-	-	-	2	-	3	4	1	-	1	-
FEMALE--	-	-	1	-	1	2	4	3	3	1	1	-
ALL OTHER--MALE----	1	-	1	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	1	-	2	1	1	-	1	-	-
BLACK---MALE----	1	-	1	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	1	-	2	1	1	-	1	-	-
CALIFORNIA -----	1	1	4	2	8	11	6	8	8	2	3	-
WHITE-----MALE----	1	-	1	-	3	6	2	6	2	1	1	-
FEMALE--	-	1	2	1	-	2	3	2	6	1	2	-
ALL OTHER--MALE----	-	-	1	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	4	2	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	2	2	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,244

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OTHER AND UNSPECIFIED ANEMIAS (285)												
COLORADO -----	-	-	-	-	2	4	3	3	1	1	-	-
WHITE-----MALE----	-	-	-	-	1	3	-	1	1	-	-	-
FEMALE--	-	-	-	-	1	1	3	2	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	-	1	-	1	1	2	5	4	6	4	2	-
WHITE-----MALE----	-	-	-	-	1	1	1	2	1	-	-	-
FEMALE--	-	1	-	-	-	1	2	2	5	3	2	-
ALL OTHER--MALE----	-	-	-	1	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	1	-	-
BLACK---MALE----	-	-	-	1	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-
DELAWARE -----	-	-	-	-	-	-	-	-	-	1	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	1	-	-	-	-	1	2	-	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	1	-	-	-
BLACK---MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	1	-	-	-
FLORIDA -----	1	-	3	5	9	22	29	30	24	17	3	-
WHITE-----MALE----	1	-	-	1	5	9	10	8	3	7	1	-
FEMALE--	-	-	2	4	2	7	17	20	19	8	1	-
ALL OTHER--MALE----	-	-	1	-	1	2	1	1	-	1	-	-
FEMALE--	-	-	-	-	1	4	1	1	2	1	1	-
BLACK---MALE----	-	-	1	-	1	2	1	1	-	1	-	-
FEMALE--	-	-	-	-	1	4	1	1	2	1	1	-
GEORGIA -----	1	2	1	1	6	10	7	8	6	6	1	-
WHITE-----MALE----	-	1	-	-	1	2	3	2	-	1	1	-
FEMALE--	-	-	-	-	1	7	2	4	4	3	-	-
ALL OTHER--MALE----	1	-	-	1	2	1	2	-	-	-	-	-
FEMALE--	-	1	1	-	2	-	-	2	2	2	-	-
BLACK---MALE----	1	-	-	1	2	-	2	-	-	-	-	-
FEMALE--	-	1	1	-	2	-	-	2	2	2	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,245

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OTHER AND UNSPECIFIED ANEMIAS (285)												
HAWAII -----	-	-	-	-	-	1	-	1	4	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	-	-	-	1	3	-	1	1	-	-	-	-
WHITE-----MALE----	-	-	-	1	2	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	4	3	2	2	6	16	24	26	26	17	5	-
WHITE-----MALE----	-	1	-	1	1	7	7	3	5	4	-	-
FEMALE--	1	1	1	1	4	7	13	20	18	11	5	-
ALL OTHER--MALE----	2	1	-	-	1	1	2	-	-	-	-	-
FEMALE--	1	-	1	-	-	1	2	3	3	2	-	-
BLACK---MALE----	2	1	-	-	1	1	2	-	-	-	-	-
FEMALE--	1	-	1	-	-	1	2	3	3	2	-	-
INDIANA -----	1	-	2	4	3	1	10	18	14	5	2	-
WHITE-----MALE----	1	-	2	2	2	-	5	5	3	1	-	-
FEMALE--	-	-	-	1	1	1	5	13	9	3	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	1	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	1	1	-	-
IOWA -----	-	-	-	-	-	-	4	6	2	4	1	-
WHITE-----MALE----	-	-	-	-	-	-	2	2	-	2	-	-
FEMALE--	-	-	-	-	-	-	2	4	2	2	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS -----	-	-	-	-	1	6	5	10	2	2	1	-
WHITE-----MALE----	-	-	-	-	-	3	1	1	1	-	-	-
FEMALE--	-	-	-	-	1	2	4	9	1	2	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,246

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OTHER AND UNSPECIFIED ANEMIAS (285)												
KENTUCKY -----	-	-	-	2	2	7	6	6	8	1	1	-
WHITE-----MALE----	-	-	-	-	1	3	3	3	3	-	-	-
FEMALE--	-	-	-	2	1	3	3	3	3	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
LOUISIANA -----	1	2	1	4	1	7	6	6	5	4	-	-
WHITE-----MALE----	-	-	-	-	1	-	2	-	1	1	-	-
FEMALE--	-	-	1	3	-	3	2	2	4	-	-	-
ALL OTHER--MALE----	1	1	-	-	-	1	1	3	-	1	-	-
FEMALE--	-	1	-	1	-	3	1	1	-	2	-	-
BLACK---MALE----	1	1	-	-	-	1	1	3	-	1	-	-
FEMALE--	-	1	-	1	-	3	1	1	-	2	-	-
MAINE -----	-	1	-	-	2	1	4	3	2	2	-	-
WHITE-----MALE----	-	1	-	-	1	-	1	-	1	1	-	-
FEMALE--	-	-	-	-	1	1	3	3	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	1	-	1	-	2	4	13	11	10	3	-	-
WHITE-----MALE----	1	-	-	-	1	2	4	2	-	-	-	-
FEMALE--	-	-	-	-	-	2	6	2	6	2	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	2	2	-	-	-	-
FEMALE--	-	-	1	-	-	-	1	5	4	1	-	-
BLACK---MALE----	-	-	-	-	1	-	2	2	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	4	3	1	-	-
MASSACHUSETTS -----	3	-	1	-	5	7	16	17	9	9	3	-
WHITE-----MALE----	-	-	-	-	4	1	4	5	-	2	-	-
FEMALE--	3	-	1	-	1	5	11	12	9	7	3	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
MICHIGAN -----	1	-	1	2	5	11	17	13	19	12	3	-
WHITE-----MALE----	-	-	-	-	-	3	6	3	4	4	1	-
FEMALE--	-	-	1	1	1	4	8	6	13	7	2	-
ALL OTHER--MALE----	-	-	-	1	4	2	-	3	2	-	-	-
FEMALE--	1	-	-	-	-	2	3	1	-	-	-	-
BLACK---MALE----	-	-	-	1	4	2	-	3	2	-	-	-
FEMALE--	1	-	-	-	-	2	2	1	-	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,249

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OTHER AND UNSPECIFIED ANEMIAS (285)												
OHIO -----	-	3	5	3	5	18	16	26	24	10	5	-
WHITE-----MALE----	-	-	3	2	4	5	10	8	4	-	1	-
FEMALE--	-	2	1	1	1	10	5	18	18	10	3	-
ALL OTHER--MALE----	-	-	1	-	-	1	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	2	1	-	2	-	1	-
BLACK---MALE----	-	-	1	-	-	1	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	2	1	-	2	-	1	-
OKLAHOMA -----	1	1	-	1	1	1	6	10	8	2	-	-
WHITE-----MALE----	1	-	-	-	-	-	1	2	1	-	-	-
FEMALE--	-	-	-	1	-	1	3	7	5	2	-	-
ALL OTHER--MALE----	-	1	-	-	1	-	1	-	2	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	-	-	-	-
BLACK---MALE----	-	1	-	-	1	-	-	-	2	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	1	-	-	1	1	1	3	6	7	1	2	-
WHITE-----MALE----	-	-	-	1	-	1	1	2	3	1	-	-
FEMALE--	1	-	-	-	1	-	2	4	4	-	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	1	2	3	4	10	29	32	30	27	8	2	-
WHITE-----MALE----	1	1	2	3	3	16	14	8	8	-	1	-
FEMALE--	-	1	-	1	5	13	17	21	16	5	1	-
ALL OTHER--MALE----	-	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	1	3	3	-	-
BLACK---MALE----	-	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	1	3	3	-	-
RHODE ISLAND -----	-	-	-	1	-	1	2	1	1	1	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	1	1	-	-
FEMALE--	-	-	-	-	-	-	2	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	-	-	-	-	-	-
SOUTH CAROLINA -----	-	2	2	2	5	3	10	3	5	2	-	-
WHITE-----MALE----	-	-	-	-	3	1	2	-	-	1	-	-
FEMALE--	-	2	-	-	-	-	5	2	3	1	-	-
ALL OTHER--MALE----	-	-	2	1	1	-	-	1	-	-	-	-
FEMALE--	-	-	-	1	1	2	3	-	2	-	-	-
BLACK---MALE----	-	-	2	1	1	-	-	1	-	-	-	-
FEMALE--	-	-	-	1	1	2	3	-	2	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,250

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OTHER AND UNSPECIFIED ANEMIAS (285)												
SOUTH DAKOTA -----	-	-	-	-	-	-	2	2	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	2	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	-	-	-	-	5	5	6	10	5	1	1	-
WHITE-----MALE----	-	-	-	-	4	1	3	2	-	-	-	-
FEMALE--	-	-	-	-	1	4	2	4	3	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	1	-	-	-
FEMALE--	-	-	-	-	-	-	1	3	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	1	1	-	-	-
FEMALE--	-	-	-	-	-	-	1	3	1	-	-	-
TEXAS -----	1	-	3	6	12	17	23	20	26	8	4	-
WHITE-----MALE----	1	-	-	3	2	4	9	5	8	2	-	-
FEMALE--	-	-	2	3	7	11	11	11	12	5	2	-
ALL OTHER--MALE----	-	-	-	-	2	1	1	4	1	1	-	-
FEMALE--	-	-	1	-	1	1	2	-	5	-	2	-
BLACK---MALE----	-	-	-	-	2	1	-	4	1	1	-	-
FEMALE--	-	-	1	-	1	1	2	-	5	-	2	-
UTAH -----	-	-	-	1	-	-	3	2	1	1	1	-
WHITE-----MALE----	-	-	-	1	-	-	2	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	2	1	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	1	1	3	3	2	8	9	16	4	3	1	-
WHITE-----MALE----	-	-	1	1	1	2	2	5	-	-	1	-
FEMALE--	1	-	2	1	1	3	6	9	3	2	-	-
ALL OTHER--MALE----	-	1	-	1	-	3	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	1	1	-	-
BLACK---MALE----	-	1	-	1	-	3	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	1	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 1,252

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
PURPURA AND OTHER HEMORRHAGIC CONDITIONS (287)												
UNITED STATES --	966	14	4	3	1	2	7	8	14	25	23	39
WHITE-----MALE----	382	4	2	1	-	1	3	3	4	9	9	14
FEMALE--	447	3	2	1	1	1	4	2	3	8	7	15
ALL OTHER--MALE----	64	5	-	-	-	-	-	1	4	3	5	5
FEMALE--	73	2	-	1	-	-	-	2	3	5	2	5
BLACK---MALE----	54	5	-	-	-	-	-	-	3	3	4	5
FEMALE--	59	2	-	1	-	-	-	2	3	4	2	5
ALABAMA -----	19	-	-	-	-	-	-	-	-	1	-	1
WHITE-----MALE----	8	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALASKA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	11	-	-	-	-	-	-	-	1	-	-	-
WHITE-----MALE----	7	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	10	-	1	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	6	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	79	-	1	1	-	-	-	1	1	1	1	4
WHITE-----MALE----	25	-	-	-	-	-	-	-	-	1	-	2
FEMALE--	39	-	1	1	-	-	-	1	-	-	-	2
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	10	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,252

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
PURPURA AND OTHER HEMORRHAGIC CONDITIONS (287)												
UNITED STATES --	35	31	51	66	109	138	159	134	72	28	3	-
WHITE-----MALE----	15	9	14	27	53	61	76	55	17	4	1	-
FEMALE--	9	13	25	32	42	62	70	70	52	24	1	-
ALL OTHER--MALE----	6	4	5	2	4	6	8	5	1	-	-	-
FEMALE--	5	5	7	5	10	9	5	4	2	-	1	-
BLACK---MALE----	4	4	5	2	4	4	7	3	1	-	-	-
FEMALE--	5	4	4	4	6	6	5	3	2	-	1	-
ALABAMA -----	1	2	-	1	2	4	-	4	2	-	1	-
WHITE-----MALE----	-	-	-	1	1	-	-	3	1	-	1	-
FEMALE--	-	1	-	-	1	4	-	1	1	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
ALASKA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	-	-	-	1	1	1	2	3	2	-	-	-
WHITE-----MALE----	-	-	-	1	-	1	1	2	1	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	-	1	-	-	1	1	2	3	-	1	-	-
WHITE-----MALE----	-	1	-	-	1	-	-	2	-	1	-	-
FEMALE--	-	-	-	-	-	1	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	2	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	2	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	4	-	6	6	9	15	8	11	9	1	-	-
WHITE-----MALE----	2	-	1	1	4	5	4	2	2	1	-	-
FEMALE--	1	-	3	4	3	5	4	7	7	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	1	-	2	-	-	-	-
FEMALE--	-	-	2	1	2	4	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	1	-	1	3	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,255

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 PURPURA AND OTHER HEMORRHAGIC CONDITIONS (287)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
KENTUCKY -----	-	-	1	2	1	2	2	2	4	1	-	-
WHITE-----MALE----	-	-	-	1	1	1	1	-	1	-	-	-
FEMALE--	-	-	1	1	-	1	1	2	3	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	-	-	1	1	2	4	5	7	-	2	-	-
WHITE-----MALE----	-	-	-	-	-	3	2	1	-	-	-	-
FEMALE--	-	-	-	1	1	-	-	3	-	2	-	-
ALL OTHER--MALE----	-	-	1	-	-	1	-	1	-	-	-	-
FEMALE--	-	-	-	-	1	-	3	2	-	-	-	-
BLACK---MALE----	-	-	1	-	-	1	-	1	-	-	-	-
FEMALE--	-	-	-	-	1	-	3	2	-	-	-	-
MAINE -----	1	-	-	-	-	3	1	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	3	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	-	3	-	2	1	4	3	4	2	1	-	-
WHITE-----MALE----	-	-	-	1	1	2	2	-	-	-	-	-
FEMALE--	-	-	-	1	-	2	-	4	2	1	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	2	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	2	-	-	-	-	1	-	-	-	-	-
MASSACHUSETTS -----	-	1	2	-	4	2	2	3	2	-	-	-
WHITE-----MALE----	-	1	2	-	1	-	2	-	1	-	-	-
FEMALE--	-	-	-	-	3	2	-	3	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	1	1	2	7	2	3	6	8	3	2	-	-
WHITE-----MALE----	1	1	-	2	2	2	3	4	2	-	-	-
FEMALE--	-	-	1	4	-	1	1	4	1	2	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,261

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
ALL OTHER DISEASES OF BLOOD AND BLOOD-FORMING ORGANS (286,288-289)												
UNITED STATES --	149	223	255	428	676	924	888	670	324	77	13	-
WHITE-----MALE----	65	104	125	208	354	476	424	282	119	19	1	-
FEMALE--	48	74	87	159	250	353	399	331	181	53	7	-
ALL OTHER--MALE----	19	23	20	36	34	45	25	27	7	3	-	-
FEMALE--	17	22	23	25	38	50	40	30	17	2	5	-
BLACK---MALE----	18	18	17	31	30	38	18	22	4	3	-	-
FEMALE--	16	18	20	18	37	43	36	23	16	2	5	-
ALABAMA -----	3	6	4	8	9	13	14	8	6	2	-	-
WHITE-----MALE----	1	4	1	5	2	6	7	5	-	-	-	-
FEMALE--	-	-	1	2	3	5	5	2	4	2	-	-
ALL OTHER--MALE----	1	2	-	1	2	1	2	1	-	-	-	-
FEMALE--	1	-	2	-	2	1	-	-	2	-	-	-
BLACK---MALE----	1	2	-	1	2	1	2	1	-	-	-	-
FEMALE--	1	-	2	-	2	1	-	-	2	-	-	-
ALASKA -----	1	-	1	-	-	1	2	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	2	5	6	6	7	14	16	15	3	-	-	-
WHITE-----MALE----	-	2	3	4	4	9	8	7	2	-	-	-
FEMALE--	1	2	3	2	3	5	7	7	1	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	1	1	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	3	-	4	6	5	15	5	5	9	-	-	-
WHITE-----MALE----	1	-	3	2	3	9	2	2	1	-	-	-
FEMALE--	2	-	1	2	2	4	3	3	8	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	2	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	2	-	1	-	-	-	-	-	-
CALIFORNIA -----	7	24	18	27	59	80	63	63	27	6	2	-
WHITE-----MALE----	3	8	12	8	31	43	29	32	10	2	-	-
FEMALE--	4	11	4	16	24	27	29	30	15	4	2	-
ALL OTHER--MALE----	-	5	1	1	3	5	2	1	1	-	-	-
FEMALE--	-	-	1	2	1	5	3	-	1	-	-	-
BLACK---MALE----	-	2	1	-	1	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	3	1	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 1,262

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
ALL OTHER DISEASES OF BLOOD AND BLOOD-FORMING ORGANS (286,288-289)												
COLORADO -----	61	1	-	-	-	-	-	-	1	2	1	3
WHITE-----MALE----	30	-	-	-	-	-	-	-	1	-	-	1
FEMALE--	30	1	-	-	-	-	-	-	-	1	1	2
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	85	4	-	-	-	-	1	-	2	1	1	3
WHITE-----MALE----	38	1	-	-	-	-	-	-	-	-	-	2
FEMALE--	35	1	-	-	-	-	1	-	1	-	1	-
ALL OTHER--MALE----	8	2	-	-	-	-	-	-	1	1	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	8	2	-	-	-	-	-	-	1	1	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	1
DELAWARE -----	15	1	-	-	-	-	-	-	1	-	-	-
WHITE-----MALE----	6	1	-	-	-	-	-	-	1	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	13	-	-	-	-	-	-	-	-	1	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	6	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	334	2	1	1	1	-	2	2	2	11	3	6
WHITE-----MALE----	174	1	1	-	-	-	2	-	1	3	2	5
FEMALE--	134	1	-	1	1	-	-	-	1	5	1	-
ALL OTHER--MALE----	17	-	-	-	-	-	-	2	-	1	-	1
FEMALE--	9	-	-	-	-	-	-	-	-	2	-	-
BLACK---MALE----	15	-	-	-	-	-	-	2	-	1	-	1
FEMALE--	8	-	-	-	-	-	-	-	-	2	-	-
GEORGIA -----	135	2	1	-	1	-	1	-	2	1	6	7
WHITE-----MALE----	53	-	1	-	1	-	-	-	-	-	2	-
FEMALE--	43	-	-	-	-	-	1	-	1	-	2	2
ALL OTHER--MALE----	17	1	-	-	-	-	-	-	-	-	1	3
FEMALE--	22	1	-	-	-	-	-	-	1	1	1	2
BLACK---MALE----	17	1	-	-	-	-	-	-	-	-	1	3
FEMALE--	22	1	-	-	-	-	-	-	1	1	1	2

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,262

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 ALL OTHER DISEASES OF BLOOD AND BLOOD-FORMING ORGANS (286,288-289)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
COLORADO -----	-	3	6	6	7	10	9	6	4	2	-	-
WHITE-----MALE----	-	2	3	4	4	5	6	1	1	2	-	-
FEMALE--	-	1	3	2	3	5	3	5	3	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	3	1	3	11	7	8	22	12	5	-	1	-
WHITE-----MALE----	-	1	2	4	4	7	9	5	3	-	-	-
FEMALE--	-	-	1	5	2	1	13	6	2	-	1	-
ALL OTHER--MALE----	3	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	-	1	-	-	-	-
BLACK---MALE----	3	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	-	1	-	-	-	-
DELAWARE -----	1	1	-	-	3	2	2	3	1	-	-	-
WHITE-----MALE----	1	1	-	-	-	1	-	1	-	-	-	-
FEMALE--	-	-	-	-	3	-	1	2	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	-	-	-	2	1	4	4	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	2	1	1	-	-	-	-
FEMALE--	-	-	-	1	1	1	2	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	2	1	1	-	-	-	-
FEMALE--	-	-	-	1	1	1	2	-	-	-	-	-
FLORIDA -----	5	8	9	26	37	60	75	45	32	5	1	-
WHITE-----MALE----	3	3	3	13	20	33	41	27	14	1	1	-
FEMALE--	1	1	4	10	16	23	30	17	18	4	-	-
ALL OTHER--MALE----	-	3	2	2	-	3	2	1	-	-	-	-
FEMALE--	1	1	-	1	1	1	2	-	-	-	-	-
BLACK---MALE----	-	2	2	1	-	3	2	1	-	-	-	-
FEMALE--	1	1	-	-	1	1	2	-	-	-	-	-
GEORGIA -----	5	12	7	9	18	20	22	14	6	1	-	-
WHITE-----MALE----	-	4	3	5	9	9	12	6	-	1	-	-
FEMALE--	-	3	2	1	6	8	7	5	5	-	-	-
ALL OTHER--MALE----	2	1	2	2	3	1	-	1	-	-	-	-
FEMALE--	3	4	-	1	-	2	3	2	1	-	-	-
BLACK---MALE----	2	1	2	2	3	1	-	1	-	-	-	-
FEMALE--	3	4	-	1	-	2	3	2	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 1,264

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
ALL OTHER DISEASES OF BLOOD AND BLOOD-FORMING ORGANS (286,288-289)												
KENTUCKY -----	82	-	2	1	-	1	-	-	1	-	3	3
WHITE-----MALE----	35	-	1	-	-	-	-	-	1	-	1	1
FEMALE--	43	-	1	1	-	1	-	-	-	-	2	1
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	1
LOUISIANA -----	80	-	1	-	-	-	2	-	1	1	2	2
WHITE-----MALE----	29	-	-	-	-	-	1	-	-	-	1	1
FEMALE--	34	-	1	-	-	-	-	-	1	-	-	1
ALL OTHER--MALE----	11	-	-	-	-	-	1	-	-	1	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	11	-	-	-	-	-	1	-	-	1	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	1	-
MAINE -----	30	-	-	1	-	-	-	1	-	-	-	-
WHITE-----MALE----	18	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	11	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	85	2	-	-	-	-	-	1	2	2	1	2
WHITE-----MALE----	32	1	-	-	-	-	-	-	-	-	-	1
FEMALE--	34	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	1	1	1	1
FEMALE--	13	1	-	-	-	-	-	-	1	1	-	-
BLACK---MALE----	5	-	-	-	-	-	-	-	1	1	-	1
FEMALE--	13	1	-	-	-	-	-	-	1	1	-	-
MASSACHUSETTS -----	111	1	1	1	-	-	2	-	1	-	3	2
WHITE-----MALE----	50	1	1	-	-	-	1	-	1	-	-	-
FEMALE--	52	-	-	1	-	-	-	-	-	-	3	2
ALL OTHER--MALE----	5	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	228	2	-	-	1	-	-	1	2	3	3	4
WHITE-----MALE----	101	1	-	-	-	-	-	1	-	3	1	1
FEMALE--	95	-	-	-	1	-	-	-	1	-	2	1
ALL OTHER--MALE----	16	1	-	-	-	-	-	-	-	-	-	1
FEMALE--	16	-	-	-	-	-	-	-	1	-	-	1
BLACK---MALE----	14	1	-	-	-	-	-	-	-	-	-	1
FEMALE--	15	-	-	-	-	-	-	-	1	-	-	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,264

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 ALL OTHER DISEASES OF BLOOD AND BLOOD-FORMING ORGANS (286,288-289)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
KENTUCKY -----	2	6	6	8	14	17	9	7	1	1	-	-
WHITE-----MALE----	-	4	5	3	6	6	3	2	1	1	-	-
FEMALE--	2	2	1	5	8	10	5	4	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
LOUISIANA -----	3	2	2	7	10	15	10	18	2	2	-	-
WHITE-----MALE----	1	1	1	4	4	3	5	5	1	1	-	-
FEMALE--	1	-	1	1	4	9	4	9	1	1	-	-
ALL OTHER--MALE----	1	1	-	1	-	3	-	3	-	-	-	-
FEMALE--	-	-	-	1	2	-	1	1	-	-	-	-
BLACK---MALE----	1	1	-	1	-	3	-	3	-	-	-	-
FEMALE--	-	-	-	1	2	-	1	1	-	-	-	-
MAINE -----	1	1	1	2	6	5	7	1	3	1	-	-
WHITE-----MALE----	-	1	1	1	5	4	5	-	-	-	-	-
FEMALE--	1	-	-	1	1	1	2	1	3	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	1	6	2	8	11	17	20	6	3	1	-	-
WHITE-----MALE----	1	2	-	5	4	5	11	2	-	-	-	-
FEMALE--	-	1	1	3	5	10	7	3	2	1	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	1	-	-	-	-
FEMALE--	-	3	-	-	2	2	2	-	1	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	1	-	-	-	-
FEMALE--	-	3	-	-	2	2	2	-	1	-	-	-
MASSACHUSETTS -----	2	4	5	11	19	18	17	11	8	5	-	-
WHITE-----MALE----	1	2	2	6	9	11	10	2	2	1	-	-
FEMALE--	1	2	1	3	9	5	7	9	6	3	-	-
ALL OTHER--MALE----	-	-	1	1	1	1	-	-	-	-	-	-
FEMALE--	-	-	1	1	-	1	-	-	-	1	-	-
BLACK---MALE----	-	-	-	1	1	1	-	-	-	-	-	-
FEMALE--	-	-	1	1	-	-	-	-	-	1	-	-
MICHIGAN -----	9	4	11	20	33	44	50	25	14	2	-	-
WHITE-----MALE----	4	2	3	6	13	25	21	12	8	-	-	-
FEMALE--	2	1	6	10	15	14	24	12	4	2	-	-
ALL OTHER--MALE----	1	1	2	1	3	3	2	-	1	-	-	-
FEMALE--	2	-	-	3	2	2	3	1	1	-	-	-
BLACK---MALE----	1	1	2	-	2	3	2	-	1	-	-	-
FEMALE--	2	-	-	2	2	2	3	1	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 1,267

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
ALL OTHER DISEASES OF BLOOD AND BLOOD-FORMING ORGANS (286,288-289)												
OHIO -----	208	2	-	-	1	-	2	-	1	5	4	6
WHITE-----MALE----	81	-	-	-	-	-	1	-	1	2	1	3
FEMALE--	95	1	-	-	1	-	-	-	-	1	1	2
ALL OTHER--MALE----	14	-	-	-	-	-	1	-	-	-	-	1
FEMALE--	18	1	-	-	-	-	-	-	-	2	2	-
BLACK---MALE----	13	-	-	-	-	-	1	-	-	-	-	1
FEMALE--	18	1	-	-	-	-	-	-	-	2	2	-
OKLAHOMA -----	63	2	-	-	-	-	-	1	1	-	-	3
WHITE-----MALE----	30	1	-	-	-	-	-	1	1	-	-	1
FEMALE--	22	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	7	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	2	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	66	2	1	-	-	-	-	-	1	2	-	1
WHITE-----MALE----	43	2	1	-	-	-	-	-	-	1	-	-
FEMALE--	22	-	-	-	-	-	-	-	1	1	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	289	3	1	-	-	2	2	-	2	4	3	5
WHITE-----MALE----	132	-	-	-	-	-	-	-	1	1	1	1
FEMALE--	119	-	1	-	-	2	1	-	1	1	1	3
ALL OTHER--MALE----	15	3	-	-	-	-	-	-	-	-	-	1
FEMALE--	23	-	-	-	-	-	1	-	-	2	1	-
BLACK---MALE----	15	3	-	-	-	-	-	-	-	-	-	1
FEMALE--	20	-	-	-	-	-	1	-	-	2	1	-
RHODE ISLAND -----	23	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	11	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	12	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	91	-	1	-	1	-	1	1	1	2	2	1
WHITE-----MALE----	34	-	-	-	-	-	1	-	-	-	1	-
FEMALE--	31	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	11	-	-	-	1	-	-	-	1	1	-	-
FEMALE--	15	-	-	-	-	-	-	1	-	1	1	1
BLACK---MALE----	11	-	-	-	1	-	-	-	1	1	-	-
FEMALE--	13	-	-	-	-	-	-	1	-	-	1	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,267

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 ALL OTHER DISEASES OF BLOOD AND BLOOD-FORMING ORGANS (286,288-289)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
OHIO -----	5	5	9	17	33	46	28	28	11	4	1	-
WHITE-----MALE----	3	1	2	8	14	26	9	7	2	1	-	-
FEMALE--	1	2	6	7	12	12	17	20	9	3	-	-
ALL OTHER--MALE----	-	2	-	2	4	2	1	1	-	-	-	-
FEMALE--	1	-	1	-	3	6	1	-	-	-	1	-
BLACK---MALE----	-	1	-	2	4	2	1	1	-	-	-	-
FEMALE--	1	-	1	-	3	6	1	-	-	-	1	-
OKLAHOMA -----	3	3	4	5	8	12	7	9	5	-	-	-
WHITE-----MALE----	2	1	1	3	2	8	3	3	3	-	-	-
FEMALE--	1	-	3	1	3	4	3	4	2	-	-	-
ALL OTHER--MALE----	-	-	-	1	2	-	1	2	-	-	-	-
FEMALE--	-	2	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	1	-	-	-	-	-	-	-
OREGON -----	1	1	-	3	13	11	16	10	3	1	-	-
WHITE-----MALE----	-	1	-	2	11	7	9	5	3	1	-	-
FEMALE--	1	-	-	1	2	4	7	5	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	5	11	15	20	38	52	57	48	14	5	2	-
WHITE-----MALE----	3	4	8	5	24	23	34	21	5	1	-	-
FEMALE--	1	7	4	11	11	25	20	19	7	3	1	-
ALL OTHER--MALE----	-	-	2	2	2	1	1	3	-	-	-	-
FEMALE--	1	-	1	2	1	3	2	5	2	1	1	-
BLACK---MALE----	-	-	2	2	2	1	1	3	-	-	-	-
FEMALE--	1	-	1	-	1	3	2	4	2	1	1	-
RHODE ISLAND -----	1	2	-	2	4	6	5	1	2	-	-	-
WHITE-----MALE----	1	-	-	1	1	4	2	1	1	-	-	-
FEMALE--	-	2	-	1	3	2	3	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	5	5	7	6	19	17	12	6	1	3	-	-
WHITE-----MALE----	3	1	3	1	7	7	4	4	-	2	-	-
FEMALE--	1	2	1	3	8	6	5	2	1	1	-	-
ALL OTHER--MALE----	-	2	2	1	2	1	-	-	-	-	-	-
FEMALE--	1	-	1	1	2	3	3	-	-	-	-	-
BLACK---MALE----	-	2	2	1	2	1	-	-	-	-	-	-
FEMALE--	1	-	1	1	2	2	3	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 1,268

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
ALL OTHER DISEASES OF BLOOD AND BLOOD-FORMING ORGANS (286,288-289)												
SOUTH DAKOTA -----	17	-	-	-	-	-	-	-	-	-	1	1
WHITE-----MALE----	9	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	105	-	2	-	-	-	-	1	-	1	4	3
WHITE-----MALE----	51	-	1	-	-	-	-	1	-	1	-	3
FEMALE--	45	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	5	-	1	-	-	-	-	-	-	-	2	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	5	-	1	-	-	-	-	-	-	-	2	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	1	-
TEXAS -----	317	4	-	1	-	1	2	2	2	3	8	11
WHITE-----MALE----	133	1	-	-	-	-	2	-	2	1	2	3
FEMALE--	136	1	-	-	-	-	-	1	-	1	4	6
ALL OTHER--MALE----	24	1	-	-	-	1	-	1	-	1	2	1
FEMALE--	24	1	-	1	-	-	-	-	-	-	-	1
BLACK---MALE----	23	1	-	-	-	-	-	1	-	1	2	1
FEMALE--	20	1	-	1	-	-	-	-	-	-	-	1
UTAH -----	36	-	-	-	-	1	-	-	-	-	1	2
WHITE-----MALE----	18	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	16	-	-	-	-	1	-	-	-	-	1	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	12	1	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	6	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	127	2	-	-	-	2	-	1	1	3	4	2
WHITE-----MALE----	50	1	-	-	-	-	-	-	-	1	3	1
FEMALE--	50	1	-	-	-	1	-	-	1	1	1	1
ALL OTHER--MALE----	9	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	18	-	-	-	-	-	-	1	-	1	-	-
BLACK---MALE----	9	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	17	-	-	-	-	-	-	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,268

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
ALL OTHER DISEASES OF BLOOD AND BLOOD-FORMING ORGANS (286,288-289)												
SOUTH DAKOTA -----	1	1	-	3	1	1	2	3	2	1	-	-
WHITE-----MALE----	-	1	-	2	1	1	1	2	1	-	-	-
FEMALE--	1	-	-	1	-	-	1	1	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	1	6	10	12	18	10	16	9	8	4	-	-
WHITE-----MALE----	-	4	5	7	10	3	7	3	5	1	-	-
FEMALE--	1	2	4	4	8	7	9	3	3	3	-	-
ALL OTHER--MALE----	-	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	3	-	-	-	-
BLACK---MALE----	-	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	3	-	-	-	-
TEXAS -----	11	12	25	28	48	57	47	36	14	4	1	-
WHITE-----MALE----	2	6	10	10	28	28	20	11	7	-	-	-
FEMALE--	6	5	10	14	15	20	24	21	5	3	-	-
ALL OTHER--MALE----	1	1	2	2	4	4	-	1	1	1	-	-
FEMALE--	2	-	3	2	1	5	3	3	1	-	1	-
BLACK---MALE----	1	1	2	2	4	4	-	1	1	1	-	-
FEMALE--	2	-	2	1	1	4	3	2	1	-	1	-
UTAH -----	-	2	1	1	1	13	6	4	3	1	-	-
WHITE-----MALE----	-	1	-	1	1	7	3	3	1	-	-	-
FEMALE--	-	1	1	-	-	6	3	1	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	-	-	2	2	3	3	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	2	2	-	-	-	-
FEMALE--	-	-	-	-	2	1	1	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	6	2	10	9	13	25	17	22	6	1	1	-
WHITE-----MALE----	4	-	3	5	6	11	3	9	3	-	-	-
FEMALE--	1	1	3	3	5	9	7	11	3	1	-	-
ALL OTHER--MALE----	1	-	1	-	1	2	2	1	-	-	-	-
FEMALE--	-	1	3	1	1	3	5	1	-	-	1	-
BLACK---MALE----	1	-	1	-	1	2	2	1	-	-	-	-
FEMALE--	-	1	3	1	1	3	5	1	-	-	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 1,270

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
V. MENTAL DISORDERS (290-319)												
0 UNITED STATES --	52,819	7	10	15	21	67	134	206	471	916	1,278	1,415
WHITE-----MALE----	17,583	4	5	7	8	37	91	128	256	519	709	815
FEMALE--	30,183	1	1	5	8	20	23	46	89	187	254	217
ALL OTHER--MALE----	2,567	1	2	3	2	4	14	24	78	141	215	277
FEMALE--	2,486	1	2	-	3	6	6	8	48	69	100	106
BLACK---MALE----	2,220	1	2	3	1	1	10	19	66	115	194	245
FEMALE--	2,156	1	2	-	2	3	5	8	38	55	92	96
ALABAMA -----	785	-	-	-	-	1	3	2	4	12	15	24
WHITE-----MALE----	201	-	-	-	-	-	1	1	1	4	5	8
FEMALE--	402	-	-	-	-	1	1	-	-	4	2	4
ALL OTHER--MALE----	97	-	-	-	-	-	1	1	3	3	6	9
FEMALE--	85	-	-	-	-	-	-	-	-	1	2	3
BLACK---MALE----	96	-	-	-	-	-	1	1	3	3	6	9
FEMALE--	84	-	-	-	-	-	-	-	-	-	2	3
ALASKA -----	83	-	-	-	-	-	-	3	4	4	10	5
WHITE-----MALE----	25	-	-	-	-	-	-	2	1	1	5	3
FEMALE--	25	-	-	-	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	17	-	-	-	-	-	-	1	1	1	2	1
FEMALE--	16	-	-	-	-	-	-	-	2	2	2	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	1,168	-	-	2	1	2	3	6	7	15	23	36
WHITE-----MALE----	403	-	-	2	-	1	2	2	4	12	13	24
FEMALE--	696	-	-	-	1	1	-	3	1	3	8	3
ALL OTHER--MALE----	38	-	-	-	-	-	1	1	1	-	1	5
FEMALE--	31	-	-	-	-	-	-	-	1	-	1	4
BLACK---MALE----	11	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	11	-	-	-	-	-	-	-	1	-	1	2
ARKANSAS -----	434	-	1	-	-	-	2	1	6	3	5	10
WHITE-----MALE----	134	-	-	-	-	-	1	1	5	3	4	4
FEMALE--	257	-	1	-	-	-	1	-	1	-	-	-
ALL OTHER--MALE----	23	-	-	-	-	-	-	-	-	-	-	4
FEMALE--	20	-	-	-	-	-	-	-	-	-	1	2
BLACK---MALE----	23	-	-	-	-	-	-	-	-	-	-	4
FEMALE--	20	-	-	-	-	-	-	-	-	-	1	2
CALIFORNIA -----	4,409	-	1	2	4	12	30	39	78	140	184	212
WHITE-----MALE----	1,721	-	1	-	2	6	20	22	48	82	128	139
FEMALE--	2,282	-	-	2	-	2	7	12	21	40	36	39
ALL OTHER--MALE----	221	-	-	-	2	2	2	4	8	13	13	26
FEMALE--	185	-	-	-	-	2	1	1	1	5	7	8
BLACK---MALE----	154	-	-	-	1	-	1	2	8	10	11	18
FEMALE--	115	-	-	-	-	-	1	1	1	4	7	8

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,270
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 V. MENTAL DISORDERS (290-319)												
UNITED STATES --	1,201	1,022	1,035	1,411	2,611	5,112	9,073	11,703	9,795	4,335	981	-
WHITE-----MALE----	675	578	562	734	1,259	2,153	3,157	3,211	1,994	597	84	-
FEMALE--	238	210	240	468	1,046	2,525	5,272	7,774	7,269	3,486	804	-
ALL OTHER--MALE----	217	190	185	137	175	227	259	226	134	43	13	-
FEMALE--	71	44	48	72	131	207	385	492	398	209	80	-
BLACK---MALE----	198	161	163	124	151	202	228	181	105	37	13	-
FEMALE--	60	37	38	60	115	176	343	441	338	183	63	-
ALABAMA -----	30	13	19	30	48	81	158	153	115	72	5	-
WHITE-----MALE----	15	5	5	17	22	23	38	29	19	8	-	-
FEMALE--	4	2	8	10	11	43	82	102	77	48	3	-
ALL OTHER--MALE----	11	4	5	2	6	12	14	7	7	6	-	-
FEMALE--	-	2	1	1	9	3	24	15	12	10	2	-
BLACK---MALE----	10	4	5	2	6	12	14	7	7	6	-	-
FEMALE--	-	2	1	1	9	3	24	15	12	10	2	-
ALASKA -----	1	4	3	3	8	9	9	9	9	2	-	-
WHITE-----MALE----	-	-	2	1	-	4	2	4	-	-	-	-
FEMALE--	-	-	1	2	4	2	5	2	5	2	-	-
ALL OTHER--MALE----	-	2	-	-	3	2	-	2	2	-	-	-
FEMALE--	1	2	-	-	1	1	2	1	2	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	1	-	-	-
ARIZONA -----	19	29	16	39	46	113	210	290	200	91	20	-
WHITE-----MALE----	14	18	8	19	20	46	73	87	40	15	3	-
FEMALE--	2	5	2	13	24	60	133	192	156	73	16	-
ALL OTHER--MALE----	1	6	5	5	-	3	2	3	3	1	-	-
FEMALE--	2	-	1	2	2	4	2	8	1	2	1	-
BLACK---MALE----	-	-	1	2	-	1	2	1	3	-	-	-
FEMALE--	-	-	-	-	1	1	-	4	-	1	-	-
ARKANSAS -----	8	9	11	11	27	57	61	100	78	37	7	-
WHITE-----MALE----	6	4	8	3	12	18	17	23	16	8	1	-
FEMALE--	1	2	1	6	13	35	40	70	56	24	6	-
ALL OTHER--MALE----	1	2	-	2	1	2	3	5	1	2	-	-
FEMALE--	-	1	2	-	1	2	1	2	5	3	-	-
BLACK---MALE----	1	2	-	2	1	2	3	5	1	2	-	-
FEMALE--	-	1	2	-	1	2	1	2	5	3	-	-
CALIFORNIA -----	161	117	106	140	225	391	648	798	715	323	83	-
WHITE-----MALE----	106	70	70	84	113	163	222	234	154	45	12	-
FEMALE--	37	32	29	41	78	190	366	517	511	258	64	-
ALL OTHER--MALE----	14	14	5	6	19	23	26	20	20	4	-	-
FEMALE--	4	1	2	9	15	15	34	27	30	16	7	-
BLACK---MALE----	13	9	5	5	11	16	17	14	11	2	-	-
FEMALE--	2	1	2	5	11	9	21	16	14	8	4	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 1,271

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 V. MENTAL DISORDERS (290-319)												
COLORADO -----	896	-	-	-	-	3	2	-	5	24	30	24
WHITE-----MALE----	315	-	-	-	-	2	2	-	3	16	18	13
FEMALE--	528	-	-	-	-	1	-	-	2	4	10	7
ALL OTHER--MALE----	24	-	-	-	-	-	-	-	-	2	-	4
FEMALE--	29	-	-	-	-	-	-	-	-	2	2	-
BLACK---MALE----	17	-	-	-	-	-	-	-	-	-	-	3
FEMALE--	22	-	-	-	-	-	-	-	-	2	1	-
CONNECTICUT -----	589	-	1	-	-	1	-	1	2	8	11	15
WHITE-----MALE----	203	-	1	-	-	1	-	1	2	5	6	10
FEMALE--	358	-	-	-	-	-	-	-	-	-	4	1
ALL OTHER--MALE----	12	-	-	-	-	-	-	-	-	2	1	2
FEMALE--	16	-	-	-	-	-	-	-	-	1	-	2
BLACK---MALE----	12	-	-	-	-	-	-	-	-	2	1	2
FEMALE--	16	-	-	-	-	-	-	-	-	1	-	2
DELAWARE -----	122	-	-	-	-	-	-	-	1	-	6	5
WHITE-----MALE----	39	-	-	-	-	-	-	-	1	-	2	-
FEMALE--	62	-	-	-	-	-	-	-	-	-	2	1
ALL OTHER--MALE----	13	-	-	-	-	-	-	-	-	-	1	4
FEMALE--	8	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	13	-	-	-	-	-	-	-	-	-	1	4
FEMALE--	7	-	-	-	-	-	-	-	-	-	1	-
DISTRICT OF COLUMBIA ----	101	-	1	-	-	1	1	-	3	-	6	7
WHITE-----MALE----	17	-	-	-	-	-	1	-	-	-	2	1
FEMALE--	13	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	32	-	1	-	-	1	-	-	2	-	2	5
FEMALE--	39	-	-	-	-	-	-	-	1	-	2	1
BLACK---MALE----	31	-	1	-	-	1	-	-	1	-	2	5
FEMALE--	39	-	-	-	-	-	-	-	1	-	2	1
FLORIDA -----	3,698	-	-	-	1	4	4	6	18	45	74	79
WHITE-----MALE----	1,324	-	-	-	-	2	3	4	11	30	44	59
FEMALE--	2,142	-	-	-	1	2	-	2	4	7	21	11
ALL OTHER--MALE----	125	-	-	-	-	-	1	-	2	7	8	5
FEMALE--	107	-	-	-	-	-	-	-	1	1	1	4
BLACK---MALE----	121	-	-	-	-	-	1	-	2	6	7	5
FEMALE--	105	-	-	-	-	-	-	-	1	1	1	4
GEORGIA -----	1,302	-	-	1	1	-	1	8	14	27	47	51
WHITE-----MALE----	342	-	-	-	-	-	-	7	5	9	20	15
FEMALE--	627	-	-	-	1	-	-	1	1	5	5	2
ALL OTHER--MALE----	171	-	-	1	-	-	1	-	5	9	9	27
FEMALE--	162	-	-	-	-	-	-	-	3	4	13	7
BLACK---MALE----	167	-	-	1	-	-	-	-	5	9	8	27
FEMALE--	159	-	-	-	-	-	-	-	3	4	13	7

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,271

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 V. MENTAL DISORDERS (290-319)												
COLORADO -----	28	17	18	22	36	100	151	193	151	72	20	-
WHITE-----MALE----	18	10	12	13	18	42	53	48	34	9	4	-
FEMALE--	4	3	5	8	16	53	93	139	112	58	13	-
ALL OTHER--MALE----	4	4	1	1	2	3	1	2	-	-	-	-
FEMALE--	2	-	-	-	-	2	4	4	5	5	3	-
BLACK---MALE----	4	2	1	1	2	2	-	2	-	-	-	-
FEMALE--	1	-	-	-	-	2	3	3	4	5	1	-
CONNECTICUT -----	7	8	13	12	30	54	103	130	127	55	11	-
WHITE-----MALE----	3	3	10	7	18	23	34	40	32	5	2	-
FEMALE--	4	3	3	4	11	28	69	84	91	47	9	-
ALL OTHER--MALE----	-	2	-	1	-	1	-	2	1	-	-	-
FEMALE--	-	-	-	-	1	2	-	4	3	3	-	-
BLACK---MALE----	-	2	-	1	-	1	-	2	1	-	-	-
FEMALE--	-	-	-	-	1	2	-	4	3	3	-	-
DELAWARE -----	2	4	3	8	6	13	22	26	21	5	-	-
WHITE-----MALE----	2	1	2	2	2	5	9	8	4	1	-	-
FEMALE--	-	2	-	3	4	6	10	13	17	4	-	-
ALL OTHER--MALE----	-	1	1	2	-	1	2	1	-	-	-	-
FEMALE--	-	-	-	1	-	1	1	4	-	-	-	-
BLACK---MALE----	-	1	1	2	-	1	2	1	-	-	-	-
FEMALE--	-	-	-	1	-	1	1	3	-	-	-	-
DISTRICT OF COLUMBIA ----	10	3	7	3	7	5	12	15	14	5	1	-
WHITE-----MALE----	1	-	1	1	2	1	3	1	3	1	-	-
FEMALE--	-	-	-	1	2	-	1	4	4	1	-	-
ALL OTHER--MALE----	7	2	5	-	1	1	3	1	1	-	-	-
FEMALE--	2	1	1	1	2	3	5	9	6	4	1	-
BLACK---MALE----	7	2	5	-	1	1	3	1	1	-	-	-
FEMALE--	2	1	1	1	2	3	5	9	6	4	1	-
FLORIDA -----	81	70	68	85	188	360	675	833	719	321	67	-
WHITE-----MALE----	49	43	39	43	95	167	243	251	178	55	8	-
FEMALE--	18	11	13	29	81	172	390	550	519	256	55	-
ALL OTHER--MALE----	12	14	10	9	7	12	19	15	2	-	2	-
FEMALE--	2	2	6	4	5	9	23	17	20	10	2	-
BLACK---MALE----	12	14	10	9	7	12	18	14	2	-	2	-
FEMALE--	2	2	6	4	5	9	23	15	20	10	2	-
GEORGIA -----	48	39	52	52	66	118	231	249	195	73	29	-
WHITE-----MALE----	18	22	18	14	19	47	73	43	25	7	-	-
FEMALE--	7	7	12	19	26	48	116	169	135	54	19	-
ALL OTHER--MALE----	17	9	21	15	13	8	20	7	8	-	1	-
FEMALE--	6	1	1	4	8	15	22	30	27	12	9	-
BLACK---MALE----	17	9	20	15	13	8	20	7	7	-	1	-
FEMALE--	6	-	1	4	8	15	21	30	26	12	9	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 1,272
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
V. MENTAL DISORDERS (290-319)												
HAWAII -----	149	-	-	-	1	-	-	-	-	2	2	3
WHITE-----MALE----	19	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	36	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	39	-	-	-	-	-	-	-	-	2	1	-
FEMALE--	55	-	-	-	1	-	-	-	-	-	-	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	253	-	-	-	-	-	-	1	1	2	5	5
WHITE-----MALE----	106	-	-	-	-	-	-	1	1	1	3	4
FEMALE--	144	-	-	-	-	-	-	-	-	-	2	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	2,069	1	-	-	-	2	3	8	15	31	46	49
WHITE-----MALE----	628	-	-	-	-	1	3	4	8	13	21	30
FEMALE--	1,262	1	-	-	-	1	-	2	2	9	12	8
ALL OTHER--MALE----	76	-	-	-	-	-	-	1	3	8	6	10
FEMALE--	103	-	-	-	-	-	-	1	2	1	7	1
BLACK---MALE----	72	-	-	-	-	-	-	-	3	8	6	10
FEMALE--	94	-	-	-	-	-	-	1	1	1	7	1
INDIANA -----	1,103	-	-	-	-	3	3	4	9	24	26	41
WHITE-----MALE----	369	-	-	-	-	2	3	4	3	9	12	25
FEMALE--	639	-	-	-	-	1	-	-	1	10	8	8
ALL OTHER--MALE----	46	-	-	-	-	-	-	-	3	3	5	5
FEMALE--	49	-	-	-	-	-	-	-	2	2	1	3
BLACK---MALE----	46	-	-	-	-	-	-	-	3	3	5	5
FEMALE--	48	-	-	-	-	-	-	-	2	2	1	3
IOWA -----	734	-	-	-	-	-	1	1	6	4	2	3
WHITE-----MALE----	240	-	-	-	-	-	1	1	3	3	2	2
FEMALE--	484	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	8	-	-	-	-	-	-	-	2	1	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	5	-	-	-	-	-	-	-	1	1	-	-
KANSAS -----	714	-	-	-	-	-	1	1	5	6	12	9
WHITE-----MALE----	237	-	-	-	-	-	-	1	4	2	10	7
FEMALE--	443	-	-	-	-	-	1	-	-	2	1	2
ALL OTHER--MALE----	17	-	-	-	-	-	-	-	-	2	1	-
FEMALE--	17	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	15	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	13	-	-	-	-	-	-	-	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,272
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
V. MENTAL DISORDERS (290-319)												
HAWAII -----	2	1	-	3	5	11	27	33	34	14	11	-
WHITE-----MALE----	-	-	-	1	1	1	5	4	3	1	-	-
FEMALE--	2	-	-	1	-	4	2	11	9	4	3	-
ALL OTHER--MALE----	-	1	-	1	3	3	10	10	7	1	-	-
FEMALE--	-	-	-	-	1	3	10	8	15	8	8	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	1	-	-	-
IDAHO -----	4	5	4	4	12	24	53	62	44	25	2	-
WHITE-----MALE----	4	3	2	4	4	16	21	26	7	9	-	-
FEMALE--	-	2	2	-	8	8	32	35	37	16	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	28	38	28	37	83	195	366	473	424	203	39	-
WHITE-----MALE----	17	21	15	22	42	86	123	126	78	17	1	-
FEMALE--	7	7	5	9	33	91	226	319	325	170	35	-
ALL OTHER--MALE----	3	6	5	2	5	8	6	5	5	3	-	-
FEMALE--	1	4	3	4	3	10	11	23	16	13	3	-
BLACK---MALE----	3	4	5	2	5	8	6	4	5	3	-	-
FEMALE--	1	4	3	4	3	8	10	22	12	13	3	-
INDIANA -----	17	25	21	28	62	111	192	238	203	82	14	-
WHITE-----MALE----	11	17	11	19	33	39	68	64	37	11	1	-
FEMALE--	2	3	3	8	21	64	114	162	155	69	10	-
ALL OTHER--MALE----	3	3	7	-	4	2	3	3	4	-	1	-
FEMALE--	1	2	-	1	4	6	7	9	7	2	2	-
BLACK---MALE----	3	3	7	-	4	2	3	3	4	-	1	-
FEMALE--	1	1	-	1	4	6	7	9	7	2	2	-
IOWA -----	8	12	3	11	29	64	134	188	168	83	17	-
WHITE-----MALE----	5	9	3	7	15	31	55	54	34	13	2	-
FEMALE--	3	2	-	3	14	31	79	133	134	69	15	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	2	-	1	-	1	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	1	-	1	-	-
KANSAS -----	11	17	12	18	30	64	112	179	142	78	17	-
WHITE-----MALE----	8	13	7	9	20	21	42	52	25	14	2	-
FEMALE--	2	3	3	9	6	39	68	121	111	61	14	-
ALL OTHER--MALE----	1	-	1	-	2	3	2	2	2	1	-	-
FEMALE--	-	1	1	-	2	1	-	4	4	2	1	-
BLACK---MALE----	1	-	1	-	2	3	2	1	2	1	-	-
FEMALE--	-	-	1	-	1	-	-	4	3	2	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 1,273

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 V. MENTAL DISORDERS (290-319)												
KENTUCKY -----	752	-	-	-	1	2	-	1	3	8	13	14
WHITE-----MALE----	269	-	-	-	-	2	-	1	2	6	10	11
FEMALE--	445	-	-	-	1	-	-	-	-	2	2	2
ALL OTHER--MALE----	12	-	-	-	-	-	-	-	1	-	1	-
FEMALE--	26	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	12	-	-	-	-	-	-	-	1	-	1	-
FEMALE--	26	-	-	-	-	-	-	-	-	-	-	1
LOUISIANA -----	668	-	1	-	1	-	3	5	10	14	12	22
WHITE-----MALE----	179	-	-	-	-	-	-	1	4	3	-	11
FEMALE--	299	-	-	-	1	-	-	-	-	2	2	2
ALL OTHER--MALE----	110	-	1	-	-	-	3	4	2	8	8	6
FEMALE--	80	-	-	-	-	-	-	-	4	1	2	3
BLACK---MALE----	110	-	1	-	-	-	3	4	2	8	8	6
FEMALE--	78	-	-	-	-	-	-	-	4	1	2	3
MAINE -----	457	-	-	-	-	-	1	-	1	7	4	10
WHITE-----MALE----	172	-	-	-	-	-	1	-	-	6	4	9
FEMALE--	281	-	-	-	-	-	-	-	1	-	-	1
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	983	-	-	1	1	1	2	1	8	17	28	21
WHITE-----MALE----	267	-	-	-	-	-	1	-	3	6	6	7
FEMALE--	554	-	-	-	-	1	-	-	1	3	7	3
ALL OTHER--MALE----	71	-	-	1	-	-	1	1	3	5	10	9
FEMALE--	91	-	-	-	1	-	-	-	1	3	5	2
BLACK---MALE----	69	-	-	1	-	-	1	1	3	5	10	9
FEMALE--	90	-	-	-	1	-	-	-	1	3	5	2
MASSACHUSETTS -----	1,597	-	-	-	-	1	1	1	8	18	22	44
WHITE-----MALE----	505	-	-	-	-	1	-	-	5	12	12	33
FEMALE--	1,035	-	-	-	-	-	1	1	1	6	8	7
ALL OTHER--MALE----	24	-	-	-	-	-	-	-	1	-	2	3
FEMALE--	33	-	-	-	-	-	-	-	1	-	-	1
BLACK---MALE----	23	-	-	-	-	-	-	-	1	-	2	3
FEMALE--	27	-	-	-	-	-	-	-	1	-	-	1
MICHIGAN -----	1,795	1	-	-	-	4	16	18	39	62	96	91
WHITE-----MALE----	627	-	-	-	-	1	10	12	21	34	41	38
FEMALE--	931	-	-	-	-	-	5	5	4	8	18	11
ALL OTHER--MALE----	132	-	-	-	-	-	-	1	7	14	28	26
FEMALE--	105	1	-	-	-	3	1	-	7	6	9	16
BLACK---MALE----	125	-	-	-	-	-	-	1	6	14	28	26
FEMALE--	100	1	-	-	-	2	1	-	7	5	9	15

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,273

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 V. MENTAL DISORDERS (290-319)												
KENTUCKY -----	24	15	10	24	36	73	124	192	138	61	13	-
WHITE-----MALE----	15	10	8	16	21	29	39	55	31	12	1	-
FEMALE--	5	3	1	8	11	40	81	129	103	47	10	-
ALL OTHER--MALE----	1	2	1	-	2	1	1	1	1	-	-	-
FEMALE--	3	-	-	-	2	3	3	7	3	2	2	-
BLACK---MALE----	1	2	1	-	2	1	1	1	1	-	-	-
FEMALE--	3	-	-	-	2	3	3	7	3	2	2	-
LOUISIANA -----	23	18	17	24	40	74	107	138	112	38	9	-
WHITE-----MALE----	8	6	7	8	11	29	26	38	20	6	1	-
FEMALE--	4	3	6	4	13	28	60	79	68	21	6	-
ALL OTHER--MALE----	7	7	4	10	13	11	9	7	6	3	1	-
FEMALE--	4	2	-	2	3	6	12	14	18	8	1	-
BLACK---MALE----	7	7	4	10	13	11	9	7	6	3	1	-
FEMALE--	4	2	-	2	3	5	12	13	18	8	1	-
MAINE -----	8	8	7	11	22	44	87	109	92	34	12	-
WHITE-----MALE----	8	4	4	7	11	25	31	37	21	3	1	-
FEMALE--	-	4	3	4	10	19	56	72	70	30	11	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	24	13	17	22	40	103	191	202	180	91	20	-
WHITE-----MALE----	13	6	6	8	22	37	56	58	28	10	-	-
FEMALE--	3	5	4	7	10	53	112	124	133	73	15	-
ALL OTHER--MALE----	7	2	5	3	3	9	5	4	3	-	-	-
FEMALE--	1	-	2	4	5	4	18	16	16	8	5	-
BLACK---MALE----	7	2	5	2	3	9	5	3	3	-	-	-
FEMALE--	1	-	2	4	5	4	18	16	15	8	5	-
MASSACHUSETTS -----	29	19	21	31	64	142	269	360	363	167	37	-
WHITE-----MALE----	19	12	14	23	29	70	88	102	69	14	2	-
FEMALE--	5	2	4	6	33	67	175	250	285	151	33	-
ALL OTHER--MALE----	3	2	2	1	1	1	2	3	2	-	1	-
FEMALE--	2	3	1	1	1	4	4	5	7	2	1	-
BLACK---MALE----	2	2	2	1	1	1	2	3	2	-	1	-
FEMALE--	2	2	1	1	1	4	4	5	4	1	-	-
MICHIGAN -----	43	37	31	34	94	161	262	382	268	124	32	-
WHITE-----MALE----	18	25	12	20	40	76	97	108	53	19	2	-
FEMALE--	7	5	8	11	43	72	146	253	205	102	28	-
ALL OTHER--MALE----	11	5	9	1	10	7	8	3	-	2	-	-
FEMALE--	7	2	2	2	1	6	11	18	10	1	2	-
BLACK---MALE----	11	5	7	1	9	7	6	3	-	1	-	-
FEMALE--	7	2	2	2	1	5	11	17	10	1	2	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,274
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 V. MENTAL DISORDERS (290-319)												
MINNESOTA -----	26	17	32	40	75	147	310	388	361	191	46	-
WHITE-----MALE----	16	6	17	26	35	62	128	106	83	27	4	-
FEMALE--	7	7	11	11	37	83	180	281	274	162	40	-
ALL OTHER--MALE----	2	4	2	3	1	1	2	-	-	-	-	-
FEMALE--	1	-	2	-	2	1	-	1	4	2	2	-
BLACK---MALE----	-	3	-	2	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	1	1	1	1	-
MISSISSIPPI -----	9	12	8	12	21	36	55	63	47	14	6	-
WHITE-----MALE----	4	6	3	5	8	15	16	16	13	2	1	-
FEMALE--	1	1	1	4	5	13	27	33	21	10	4	-
ALL OTHER--MALE----	2	4	4	2	5	3	5	3	5	-	-	-
FEMALE--	2	1	-	1	3	5	7	11	8	2	1	-
BLACK---MALE----	2	4	4	2	5	3	5	3	5	-	-	-
FEMALE--	2	1	-	1	3	5	7	11	8	2	1	-
MISSOURI -----	29	23	27	36	50	118	185	282	244	114	17	-
WHITE-----MALE----	17	13	18	16	32	52	67	81	53	19	1	-
FEMALE--	4	6	4	12	14	58	99	193	182	90	14	-
ALL OTHER--MALE----	7	4	4	6	3	4	7	2	-	1	-	-
FEMALE--	1	-	1	2	1	4	12	6	9	4	2	-
BLACK---MALE----	6	4	4	6	3	4	7	2	-	1	-	-
FEMALE--	1	-	1	2	1	4	12	6	9	4	2	-
MONTANA -----	6	3	9	8	10	33	38	44	61	19	4	-
WHITE-----MALE----	4	3	5	3	6	17	18	16	16	3	-	-
FEMALE--	1	-	3	5	3	15	20	27	44	16	4	-
ALL OTHER--MALE----	1	-	1	-	1	1	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	3	2	1	5	8	28	56	83	78	34	7	-
WHITE-----MALE----	1	1	1	1	4	10	14	19	17	5	-	-
FEMALE--	2	-	-	4	4	16	41	63	61	29	7	-
ALL OTHER--MALE----	-	1	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	1	-	-	-	-
NEVADA -----	17	14	13	13	26	32	48	45	36	15	2	-
WHITE-----MALE----	11	10	9	5	19	7	20	10	8	2	-	-
FEMALE--	5	3	4	5	6	23	28	31	28	11	1	-
ALL OTHER--MALE----	1	1	-	2	1	1	-	1	-	1	-	-
FEMALE--	-	-	-	1	-	1	-	3	-	1	1	-
BLACK---MALE----	-	1	-	-	-	1	-	-	-	1	-	-
FEMALE--	-	-	-	1	-	-	-	1	-	-	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 1,276

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
V. MENTAL DISORDERS (290-319)												
OHIO -----	2,660	-	1	2	1	1	4	6	12	33	31	45
WHITE-----MALE----	829	-	1	1	-	1	3	5	7	21	18	23
FEMALE--	1,637	-	-	1	1	-	-	-	1	6	7	9
ALL OTHER--MALE----	96	-	-	-	-	-	-	1	3	3	3	11
FEMALE--	98	-	-	-	-	-	1	-	1	3	3	2
BLACK---MALE----	95	-	-	-	-	-	-	1	2	3	3	11
FEMALE--	96	-	-	-	-	-	1	-	1	3	3	2
OKLAHOMA -----	677	-	1	1	-	-	-	1	4	6	11	12
WHITE-----MALE----	213	-	1	-	-	-	-	1	1	5	6	9
FEMALE--	409	-	-	1	-	-	-	-	2	-	4	2
ALL OTHER--MALE----	28	-	-	-	-	-	-	-	1	1	1	1
FEMALE--	27	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	14	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	15	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	1,129	-	-	-	-	2	1	8	14	14	28	30
WHITE-----MALE----	402	-	-	-	-	1	-	5	10	9	17	19
FEMALE--	685	-	-	-	-	-	1	3	4	4	8	7
ALL OTHER--MALE----	17	-	-	-	-	1	-	-	-	-	1	2
FEMALE--	25	-	-	-	-	-	-	-	-	1	2	2
BLACK---MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	14	-	-	-	-	-	-	-	-	-	2	-
PENNSYLVANIA -----	2,336	-	1	3	1	-	4	5	7	19	19	24
WHITE-----MALE----	764	-	-	2	-	-	3	2	6	15	8	12
FEMALE--	1,435	-	-	-	1	-	1	2	1	2	2	7
ALL OTHER--MALE----	58	-	-	1	-	-	-	1	-	2	8	5
FEMALE--	79	-	1	-	-	-	-	-	-	-	1	-
BLACK---MALE----	57	-	-	1	-	-	-	1	-	2	8	5
FEMALE--	78	-	1	-	-	-	-	-	-	-	1	-
RHODE ISLAND -----	253	-	-	-	-	-	-	-	1	1	4	3
WHITE-----MALE----	76	-	-	-	-	-	-	-	1	-	1	1
FEMALE--	170	-	-	-	-	-	-	-	-	-	2	2
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	951	-	-	-	-	-	-	2	5	11	20	22
WHITE-----MALE----	281	-	-	-	-	-	-	1	2	1	11	8
FEMALE--	453	-	-	-	-	-	-	-	1	4	1	3
ALL OTHER--MALE----	111	-	-	-	-	-	-	1	1	4	5	7
FEMALE--	106	-	-	-	-	-	-	-	1	2	3	4
BLACK---MALE----	110	-	-	-	-	-	-	1	1	4	5	7
FEMALE--	104	-	-	-	-	-	-	-	1	2	3	4

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,276

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 V. MENTAL DISORDERS (290-319)												
OHIO -----	34	23	34	57	149	284	529	600	527	238	49	-
WHITE-----MALE----	20	13	19	29	74	119	197	154	95	25	4	-
FEMALE--	5	3	10	22	64	142	302	415	410	197	42	-
ALL OTHER--MALE----	6	6	4	4	5	15	12	16	3	3	1	-
FEMALE--	3	1	1	2	6	8	18	15	19	13	2	-
BLACK---MALE----	6	6	4	4	5	15	12	16	3	3	1	-
FEMALE--	3	1	1	2	6	8	18	13	19	13	2	-
OKLAHOMA -----	11	10	13	20	31	81	116	174	127	47	11	-
WHITE-----MALE----	6	5	5	10	12	35	43	44	24	6	-	-
FEMALE--	2	3	3	9	16	35	69	116	98	40	9	-
ALL OTHER--MALE----	2	2	4	1	3	7	1	3	1	-	-	-
FEMALE--	1	-	1	-	-	4	3	11	4	1	2	-
BLACK---MALE----	2	2	-	1	3	2	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	2	7	4	-	1	-
OREGON -----	20	18	17	26	63	108	205	254	213	97	11	-
WHITE-----MALE----	13	13	7	15	27	45	71	84	49	15	2	-
FEMALE--	6	4	9	11	33	60	130	159	159	78	9	-
ALL OTHER--MALE----	1	1	1	-	1	-	1	6	2	-	-	-
FEMALE--	-	-	-	-	2	3	3	5	3	4	-	-
BLACK---MALE----	-	1	1	-	-	-	1	2	-	-	-	-
FEMALE--	-	-	-	-	1	3	2	5	-	1	-	-
PENNSYLVANIA -----	27	30	28	48	123	229	461	579	466	215	47	-
WHITE-----MALE----	11	19	16	22	63	113	170	166	95	35	6	-
FEMALE--	9	5	9	22	51	105	274	391	350	165	38	-
ALL OTHER--MALE----	6	2	3	2	3	5	8	3	5	4	-	-
FEMALE--	1	4	-	2	6	6	9	19	16	11	3	-
BLACK---MALE----	5	2	3	2	3	5	8	3	5	4	-	-
FEMALE--	1	4	-	2	6	6	9	18	16	11	3	-
RHODE ISLAND -----	1	2	3	6	10	17	54	57	57	29	8	-
WHITE-----MALE----	1	1	2	4	6	7	24	16	8	2	2	-
FEMALE--	-	1	1	2	3	10	29	40	48	26	6	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	1	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	1	-	-
SOUTH CAROLINA -----	25	34	27	40	56	114	153	202	167	56	17	-
WHITE-----MALE----	13	15	9	23	23	45	46	47	33	3	1	-
FEMALE--	2	6	4	6	21	49	70	117	109	49	11	-
ALL OTHER--MALE----	7	9	12	9	7	10	20	10	7	1	1	-
FEMALE--	3	4	2	2	5	10	17	28	18	3	4	-
BLACK---MALE----	7	9	11	9	7	10	20	10	7	1	1	-
FEMALE--	3	4	2	2	5	10	16	28	17	3	4	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 1,277

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
V. MENTAL DISORDERS (290-319)												
SOUTH DAKOTA -----	175	-	-	-	-	-	-	-	2	1	3	2
WHITE-----MALE----	55	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	106	-	-	-	-	-	-	-	-	-	1	2
ALL OTHER--MALE----	7	-	-	-	-	-	-	-	-	1	2	-
FEMALE--	7	-	-	-	-	-	-	-	2	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	1,216	-	-	-	2	2	3	3	7	15	30	20
WHITE-----MALE----	424	-	-	-	2	-	3	1	4	12	14	8
FEMALE--	657	-	-	-	-	2	-	-	2	-	10	4
ALL OTHER--MALE----	69	-	-	-	-	-	-	1	-	2	5	5
FEMALE--	66	-	-	-	-	-	-	1	1	1	1	3
BLACK---MALE----	68	-	-	-	-	-	-	1	-	2	5	5
FEMALE--	65	-	-	-	-	-	-	1	1	1	1	3
TEXAS -----	2,892	2	-	-	-	5	11	16	26	66	63	60
WHITE-----MALE----	1,032	2	-	-	-	3	9	14	17	51	45	46
FEMALE--	1,629	-	-	-	-	2	-	2	7	9	9	10
ALL OTHER--MALE----	101	-	-	-	-	-	2	-	1	1	8	1
FEMALE--	130	-	-	-	-	-	-	-	1	5	1	3
BLACK---MALE----	95	-	-	-	-	-	2	-	1	1	8	1
FEMALE--	127	-	-	-	-	-	-	-	1	5	1	3
UTAH -----	379	-	-	-	-	-	1	-	6	11	13	9
WHITE-----MALE----	153	-	-	-	-	-	-	-	2	7	11	6
FEMALE--	218	-	-	-	-	-	1	-	3	2	2	2
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	6	-	-	-	-	-	-	-	1	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	164	-	-	-	-	-	-	-	1	1	-	3
WHITE-----MALE----	56	-	-	-	-	-	-	-	1	1	-	3
FEMALE--	108	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	1,274	-	-	-	-	-	2	4	6	15	28	23
WHITE-----MALE----	360	-	-	-	-	-	2	1	2	5	16	15
FEMALE--	707	-	-	-	-	-	-	1	1	5	2	2
ALL OTHER--MALE----	100	-	-	-	-	-	-	2	2	4	7	6
FEMALE--	107	-	-	-	-	-	-	-	1	1	3	-
BLACK---MALE----	100	-	-	-	-	-	-	2	2	4	7	6
FEMALE--	104	-	-	-	-	-	-	-	1	1	3	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,277

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 V. MENTAL DISORDERS (290-319)												
SOUTH DAKOTA -----	2	4	6	4	9	15	30	37	36	23	1	-
WHITE-----MALE----	1	2	4	1	6	6	14	11	9	1	-	-
FEMALE--	-	1	-	2	3	7	14	26	27	22	1	-
ALL OTHER--MALE----	1	1	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	1	1	-	1	2	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
TENNESSEE -----	29	22	22	26	58	136	240	305	196	78	22	-
WHITE-----MALE----	16	14	14	10	31	55	89	89	39	20	3	-
FEMALE--	7	5	3	9	21	66	133	185	140	53	17	-
ALL OTHER--MALE----	6	3	4	5	4	11	5	10	7	1	-	-
FEMALE--	-	-	1	2	2	4	13	21	10	4	2	-
BLACK---MALE----	6	3	4	5	4	11	5	9	7	1	-	-
FEMALE--	-	-	1	2	1	4	13	21	10	4	2	-
TEXAS -----	59	41	56	81	155	294	500	636	559	216	46	-
WHITE-----MALE----	35	29	38	39	75	129	169	181	119	31	-	-
FEMALE--	11	6	11	25	65	146	294	412	413	168	39	-
ALL OTHER--MALE----	8	6	6	12	9	8	14	12	5	5	3	-
FEMALE--	5	-	1	5	6	11	23	31	22	12	4	-
BLACK---MALE----	8	6	6	11	7	8	14	10	4	5	3	-
FEMALE--	5	-	1	4	6	11	23	29	22	12	4	-
UTAH -----	10	11	7	18	18	35	60	82	68	24	6	-
WHITE-----MALE----	8	6	6	9	11	14	22	32	14	4	1	-
FEMALE--	2	5	1	9	6	21	38	48	54	19	5	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	2	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-
VERMONT -----	2	-	5	5	4	18	27	45	35	18	-	-
WHITE-----MALE----	1	-	3	2	4	9	7	17	7	1	-	-
FEMALE--	1	-	2	3	-	9	20	28	28	17	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	25	23	34	47	58	134	228	314	231	82	20	-
WHITE-----MALE----	13	9	18	24	28	45	65	61	49	7	-	-
FEMALE--	5	8	4	14	19	64	128	205	163	68	18	-
ALL OTHER--MALE----	3	5	8	7	7	11	16	14	6	1	1	-
FEMALE--	4	1	4	2	4	14	19	34	13	6	1	-
BLACK---MALE----	3	5	8	7	7	11	16	14	6	1	1	-
FEMALE--	4	1	3	2	4	13	18	34	13	6	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,279

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
SENILE AND PRESENILE ORGANIC PSYCHOTIC CONDITIONS (290)												
UNITED STATES --	18	59	123	419	1,188	2,819	5,167	6,463	5,334	2,343	528	-
WHITE-----MALE----	11	19	55	194	535	1,148	1,767	1,696	1,062	315	43	-
FEMALE--	6	28	50	179	541	1,467	3,058	4,402	4,000	1,895	442	-
ALL OTHER--MALE----	-	6	11	26	62	104	135	110	70	18	6	-
FEMALE--	1	6	7	20	50	100	207	255	202	115	37	-
BLACK---MALE----	-	6	9	22	52	93	119	87	54	14	6	-
FEMALE--	1	2	7	16	40	89	184	226	170	96	30	-
ALABAMA -----	-	1	1	11	24	40	81	70	59	25	3	-
WHITE-----MALE----	-	-	-	6	11	12	21	12	9	1	-	-
FEMALE--	-	1	-	4	7	23	42	43	43	18	2	-
ALL OTHER--MALE----	-	-	1	-	4	4	5	3	1	1	-	-
FEMALE--	-	-	-	1	2	1	13	12	6	5	1	-
BLACK---MALE----	-	-	1	-	4	4	5	3	1	1	-	-
FEMALE--	-	-	-	1	2	1	13	12	6	5	1	-
ALASKA -----	-	-	-	-	3	6	4	6	3	1	-	-
WHITE-----MALE----	-	-	-	-	-	3	1	2	-	-	-	-
FEMALE--	-	-	-	-	3	2	2	2	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	1	2	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ARIZONA -----	-	-	1	13	25	59	117	155	105	41	11	-
WHITE-----MALE----	-	-	1	7	13	29	38	48	20	7	3	-
FEMALE--	-	-	-	5	12	29	78	101	83	33	8	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	2	1	-	-	-
FEMALE--	-	-	-	1	-	-	1	4	1	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	2	-	-	-	-
ARKANSAS -----	-	-	-	3	15	27	35	48	48	19	4	-
WHITE-----MALE----	-	-	-	-	6	7	12	12	8	6	-	-
FEMALE--	-	-	-	3	9	19	22	32	37	10	4	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	3	-	2	-	-
FEMALE--	-	-	-	-	-	1	-	1	3	1	-	-
BLACK---MALE----	-	-	-	-	-	-	1	3	-	2	-	-
FEMALE--	-	-	-	-	-	1	-	1	3	1	-	-
CALIFORNIA -----	1	7	10	39	127	263	495	622	518	239	59	-
WHITE-----MALE----	1	1	3	17	58	91	165	181	96	35	10	-
FEMALE--	-	4	5	15	50	143	284	407	383	189	43	-
ALL OTHER--MALE----	-	2	-	2	10	19	18	14	16	3	-	-
FEMALE--	-	-	2	5	9	10	28	20	23	12	6	-
BLACK---MALE----	-	2	-	1	6	13	13	11	10	1	-	-
FEMALE--	-	-	2	3	6	6	17	12	12	6	3	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,280

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 SENILE AND PRESENILE ORGANIC PSYCHOTIC CONDITIONS (290)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
COLORADO -----	-	1	-	7	14	55	90	113	93	39	11	-
WHITE-----MALE----	-	-	-	3	7	20	23	25	20	6	1	-
FEMALE--	-	1	-	4	6	32	65	85	72	31	8	-
ALL OTHER--MALE----	-	-	-	-	1	2	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	2	2	1	2	2	-
BLACK---MALE----	-	-	-	-	1	2	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	1	1	2	1	-
CONNECTICUT -----	-	-	1	3	10	23	54	56	52	30	3	-
WHITE-----MALE----	-	-	1	2	7	7	20	13	14	3	-	-
FEMALE--	-	-	-	1	3	15	34	41	36	25	3	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	2	2	2	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	2	2	2	-	-
DELAWARE -----	-	-	-	2	1	9	12	10	12	3	-	-
WHITE-----MALE----	-	-	-	-	1	4	5	4	3	-	-	-
FEMALE--	-	-	-	2	-	3	6	4	9	3	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	2	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	1	-	-	-	-
DISTRICT OF COLUMBIA ----	-	-	-	-	2	3	8	8	6	2	-	-
WHITE-----MALE----	-	-	-	-	1	-	2	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	2	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	2	1	1	-	-	-
FEMALE--	-	-	-	-	1	2	4	5	4	1	-	-
BLACK---MALE----	-	-	-	-	-	1	2	1	1	-	-	-
FEMALE--	-	-	-	-	1	2	4	5	4	1	-	-
FLORIDA -----	-	3	6	18	80	195	364	406	385	180	33	-
WHITE-----MALE----	-	1	1	9	37	90	132	119	93	26	1	-
FEMALE--	-	2	3	9	39	93	210	275	281	149	30	-
ALL OTHER--MALE----	-	-	-	-	3	6	11	8	1	-	1	-
FEMALE--	-	-	2	-	1	6	11	4	10	5	1	-
BLACK---MALE----	-	-	-	-	3	6	11	7	1	-	1	-
FEMALE--	-	-	2	-	1	6	11	4	10	5	1	-
GEORGIA -----	1	2	3	14	30	62	127	132	95	40	18	-
WHITE-----MALE----	1	1	1	3	10	28	38	27	12	3	-	-
FEMALE--	-	-	1	8	12	22	62	85	63	28	13	-
ALL OTHER--MALE----	-	-	1	3	4	4	12	3	5	-	-	-
FEMALE--	-	1	-	-	4	8	15	17	15	9	5	-
BLACK---MALE----	-	-	1	3	4	4	12	3	4	-	-	-
FEMALE--	-	-	-	-	4	8	14	17	15	9	5	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,281

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 SENILE AND PRESENILE ORGANIC PSYCHOTIC CONDITIONS (290)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
HAWAII -----	-	-	-	2	3	2	12	15	15	11	5	-
WHITE-----MALE----	-	-	-	-	-	-	2	3	2	1	-	-
FEMALE--	-	-	-	1	-	2	5	5	3	2	2	-
ALL OTHER--MALE----	-	-	-	1	2	-	5	3	3	1	-	-
FEMALE--	-	-	-	-	1	-	3	4	7	7	3	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
IDAHO -----	-	1	-	-	3	13	36	35	21	15	1	-
WHITE-----MALE----	-	-	-	-	-	7	13	14	5	7	-	-
FEMALE--	-	1	-	-	3	6	23	20	16	8	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	-	3	3	9	29	97	179	226	200	86	17	-
WHITE-----MALE----	-	2	2	4	16	39	57	57	37	10	-	-
FEMALE--	-	-	-	2	13	48	111	158	154	71	17	-
ALL OTHER--MALE----	-	-	1	1	-	4	3	1	1	-	-	-
FEMALE--	-	1	-	2	-	6	8	10	8	5	-	-
BLACK---MALE----	-	-	1	1	-	4	3	-	1	-	-	-
FEMALE--	-	1	-	2	-	5	8	9	6	5	-	-
INDIANA -----	-	-	1	8	29	57	102	136	98	35	3	-
WHITE-----MALE----	-	-	-	5	15	20	31	32	16	5	-	-
FEMALE--	-	-	-	3	11	34	64	98	73	28	3	-
ALL OTHER--MALE----	-	-	1	-	1	1	3	2	3	-	-	-
FEMALE--	-	-	-	-	2	2	4	4	6	2	-	-
BLACK---MALE----	-	-	1	-	1	1	3	2	3	-	-	-
FEMALE--	-	-	-	-	2	2	4	4	6	2	-	-
IOWA -----	-	2	-	4	13	40	85	133	101	55	13	-
WHITE-----MALE----	-	1	-	1	7	20	31	36	17	10	2	-
FEMALE--	-	1	-	3	6	20	54	97	84	44	11	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-
KANSAS -----	1	1	4	7	12	39	67	93	83	38	10	-
WHITE-----MALE----	-	-	2	4	7	12	23	21	13	7	1	-
FEMALE--	1	-	1	3	2	25	42	69	66	28	8	-
ALL OTHER--MALE----	-	-	-	-	2	2	2	1	2	1	-	-
FEMALE--	-	1	1	-	1	-	-	2	2	2	1	-
BLACK---MALE----	-	-	-	-	2	2	2	-	2	1	-	-
FEMALE--	-	-	1	-	1	-	-	2	2	2	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,282

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 SENILE AND PRESENILE ORGANIC PSYCHOTIC CONDITIONS (290)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
KENTUCKY -----	-	-	3	7	15	39	66	99	66	31	9	-
WHITE-----MALE----	-	-	3	3	9	14	21	27	15	9	1	-
FEMALE--	-	-	-	4	5	22	44	65	50	21	6	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	1	1	-	-	-
FEMALE--	-	-	-	-	1	2	1	6	-	1	2	-
BLACK---MALE----	-	-	-	-	-	1	-	1	1	-	-	-
FEMALE--	-	-	-	-	1	2	1	6	-	1	2	-
LOUISIANA -----	-	2	4	6	15	44	61	67	51	20	4	-
WHITE-----MALE----	-	1	1	3	6	17	18	18	10	3	-	-
FEMALE--	-	1	2	-	7	18	32	38	30	12	4	-
ALL OTHER--MALE----	-	-	1	2	2	5	4	5	3	-	-	-
FEMALE--	-	-	-	1	-	4	7	6	8	5	-	-
BLACK---MALE----	-	-	1	2	2	5	4	5	3	-	-	-
FEMALE--	-	-	-	1	-	4	7	5	8	5	-	-
MAINE -----	-	1	2	5	14	27	60	69	64	21	6	-
WHITE-----MALE----	-	-	-	3	8	15	22	23	15	1	1	-
FEMALE--	-	1	2	2	6	12	38	46	48	19	5	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	2	1	3	10	15	45	92	94	94	44	10	-
WHITE-----MALE----	2	1	-	4	8	19	32	27	12	3	-	-
FEMALE--	-	-	1	4	5	21	52	58	69	37	8	-
ALL OTHER--MALE----	-	-	1	2	1	2	2	3	2	-	-	-
FEMALE--	-	-	1	-	1	3	6	6	11	4	2	-
BLACK---MALE----	-	-	1	1	1	2	2	2	2	-	-	-
FEMALE--	-	-	1	-	1	3	6	6	10	4	2	-
MASSACHUSETTS -----	1	1	2	9	20	67	109	138	114	66	16	-
WHITE-----MALE----	1	-	2	7	6	31	36	35	19	6	2	-
FEMALE--	-	-	-	1	14	35	71	97	91	60	13	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	3	-	-	1	-
FEMALE--	-	1	-	-	-	1	2	3	4	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	3	-	-	1	-
FEMALE--	-	-	-	-	-	1	2	3	2	-	-	-
MICHIGAN -----	2	1	3	7	54	95	152	215	155	77	14	-
WHITE-----MALE----	1	1	1	3	24	42	54	43	29	14	2	-
FEMALE--	-	-	1	3	24	47	89	161	120	63	12	-
ALL OTHER--MALE----	-	-	1	1	6	2	3	2	-	-	-	-
FEMALE--	1	-	-	-	-	4	6	9	6	-	-	-
BLACK---MALE----	-	-	1	1	5	2	2	2	-	-	-	-
FEMALE--	1	-	-	-	-	4	6	9	6	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,285

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 SENILE AND PRESENILE ORGANIC PSYCHOTIC CONDITIONS (290)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
OHIO -----	-	4	7	23	87	148	293	320	283	132	29	-
WHITE-----MALE----	-	2	4	11	40	63	105	77	53	13	3	-
FEMALE--	-	1	3	9	42	72	175	232	222	113	26	-
ALL OTHER--MALE----	-	1	-	1	3	8	6	7	-	1	-	-
FEMALE--	-	-	-	2	2	5	7	4	8	5	-	-
BLACK---MALE----	-	1	-	1	3	8	6	7	-	1	-	-
FEMALE--	-	-	-	2	2	5	7	4	8	5	-	-
OKLAHOMA -----	-	1	4	8	22	40	63	86	64	28	3	-
WHITE-----MALE----	-	-	1	3	7	17	23	23	15	2	-	-
FEMALE--	-	1	2	5	14	19	37	59	47	26	2	-
ALL OTHER--MALE----	-	-	1	-	1	2	1	1	-	-	-	-
FEMALE--	-	-	-	-	2	2	2	3	2	-	1	-
BLACK---MALE----	-	-	-	-	1	1	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	2	-	1	-
OREGON -----	-	-	2	9	26	68	128	153	135	62	6	-
WHITE-----MALE----	-	-	1	4	16	27	42	52	29	10	2	-
FEMALE--	-	-	1	5	10	39	84	96	104	50	4	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	2	1	-	-	-
FEMALE--	-	-	-	-	-	2	2	3	1	2	-	-
BLACK---MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	2	1	3	-	-	-	-
PENNSYLVANIA -----	-	2	6	17	58	130	270	337	276	117	29	-
WHITE-----MALE----	-	-	2	8	25	68	99	100	54	14	3	-
FEMALE--	-	1	4	9	30	55	164	224	211	93	24	-
ALL OTHER--MALE----	-	1	-	-	1	3	3	1	4	3	-	-
FEMALE--	-	-	-	-	2	4	4	12	7	7	2	-
BLACK---MALE----	-	1	-	-	1	3	3	1	4	3	-	-
FEMALE--	-	-	-	-	2	4	4	11	7	7	2	-
RHODE ISLAND -----	-	1	-	2	5	13	26	30	27	12	4	-
WHITE-----MALE----	-	-	-	1	2	5	11	9	4	1	2	-
FEMALE--	-	1	-	1	3	8	14	21	23	10	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-
SOUTH CAROLINA -----	1	2	2	12	31	69	100	106	97	33	12	-
WHITE-----MALE----	-	1	1	8	12	27	32	27	18	2	1	-
FEMALE--	1	1	-	2	12	31	46	61	66	29	6	-
ALL OTHER--MALE----	-	-	1	2	4	7	14	6	3	-	1	-
FEMALE--	-	-	-	-	3	4	8	12	10	2	4	-
BLACK---MALE----	-	-	1	2	4	7	14	6	3	-	1	-
FEMALE--	-	-	-	-	3	4	8	12	9	2	4	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,286

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
SENILE AND PRESENILE ORGANIC PSYCHOTIC CONDITIONS (290)												
SOUTH DAKOTA -----	-	-	-	2	4	9	16	17	14	13	1	-
WHITE-----MALE----	-	-	-	1	2	4	7	5	2	-	-	-
FEMALE--	-	-	-	1	2	3	9	12	12	13	1	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	-	-	6	10	33	76	161	181	114	53	12	-
WHITE-----MALE----	-	-	3	3	14	30	53	51	22	13	1	-
FEMALE--	-	-	2	3	15	40	96	116	83	36	11	-
ALL OTHER--MALE----	-	-	1	3	2	4	3	4	3	1	-	-
FEMALE--	-	-	-	1	2	2	9	10	6	3	-	-
BLACK---MALE----	-	-	1	3	2	4	3	4	3	1	-	-
FEMALE--	-	-	-	1	1	2	9	10	6	3	-	-
TEXAS -----	-	4	10	26	69	155	283	354	278	110	24	-
WHITE-----MALE----	-	2	6	12	28	65	95	94	54	16	-	-
FEMALE--	-	1	4	11	36	82	171	236	214	88	19	-
ALL OTHER--MALE----	-	1	-	1	4	2	7	4	1	1	3	-
FEMALE--	-	-	-	2	1	6	10	20	9	5	2	-
BLACK---MALE----	-	1	-	1	2	2	7	3	1	1	3	-
FEMALE--	-	-	-	1	1	6	10	18	9	5	2	-
UTAH -----	-	1	1	7	7	13	27	45	39	10	4	-
WHITE-----MALE----	-	-	-	3	4	5	6	16	9	1	-	-
FEMALE--	-	1	1	4	2	8	21	28	30	9	4	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	2	2	-	7	17	23	22	9	-	-
WHITE-----MALE----	-	-	1	2	-	5	4	6	5	1	-	-
FEMALE--	-	-	1	-	-	2	13	17	17	8	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	-	3	5	9	26	86	116	162	126	41	7	-
WHITE-----MALE----	-	1	1	2	10	33	34	27	28	4	-	-
FEMALE--	-	2	3	6	11	42	67	109	90	33	7	-
ALL OTHER--MALE----	-	-	-	1	3	5	7	7	3	-	-	-
FEMALE--	-	-	1	-	2	6	8	19	5	4	-	-
BLACK---MALE----	-	-	-	1	3	5	7	7	3	-	-	-
FEMALE--	-	-	1	-	2	6	7	19	5	4	-	-

