

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 1,601

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 OLD MYOCARDIAL INFARCTION AND OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (412,414)												
TEXAS -----	12,774	-	-	-	-	2	4	6	15	80	131	244
WHITE-----MALE----	5,823	-	-	-	-	2	3	2	7	56	67	150
FEMALE--	5,533	-	-	-	-	-	1	2	5	8	26	35
ALL OTHER--MALE----	678	-	-	-	-	-	-	2	3	11	27	39
FEMALE--	740	-	-	-	-	-	-	-	-	5	11	20
BLACK---MALE----	634	-	-	-	-	-	-	2	3	10	26	35
FEMALE--	716	-	-	-	-	-	-	-	-	5	11	20
UTAH -----	866	-	-	-	-	-	-	1	4	13	8	10
WHITE-----MALE----	498	-	-	-	-	-	-	-	4	8	7	8
FEMALE--	360	-	-	-	-	-	-	1	-	5	1	1
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	477	-	-	-	-	-	-	1	1	1	3	8
WHITE-----MALE----	267	-	-	-	-	-	-	1	1	1	3	7
FEMALE--	209	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	4,404	-	-	-	-	1	2	2	10	31	49	83
WHITE-----MALE----	1,937	-	-	-	-	-	2	1	7	19	27	51
FEMALE--	1,674	-	-	-	-	-	-	-	-	4	9	9
ALL OTHER--MALE----	415	-	-	-	-	1	-	1	3	6	11	15
FEMALE--	378	-	-	-	-	-	-	-	-	2	2	8
BLACK---MALE----	398	-	-	-	-	1	-	1	3	6	10	15
FEMALE--	368	-	-	-	-	-	-	-	-	2	2	8

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,601

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OLD MYOCARDIAL INFARCTION AND OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (412,414)												
SOUTH DAKOTA -----	16	12	31	39	50	86	123	102	92	46	13	-
WHITE-----MALE----	10	9	20	33	35	53	62	39	31	13	2	-
FEMALE--	4	2	9	5	14	31	58	60	57	33	11	-
ALL OTHER--MALE----	1	1	1	1	1	1	1	2	-	-	-	-
FEMALE--	1	-	1	-	-	1	2	1	4	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	2	-	-	-
TENNESSEE -----	152	162	297	405	540	756	825	757	556	243	55	1
WHITE-----MALE----	88	102	175	240	285	377	354	234	141	44	8	-
FEMALE--	33	33	77	110	182	295	391	449	360	176	41	-
ALL OTHER--MALE----	21	15	33	24	45	41	30	34	17	7	-	1
FEMALE--	10	12	12	31	28	43	50	40	38	16	6	-
BLACK---MALE----	21	14	33	24	45	41	30	34	17	7	-	1
FEMALE--	10	12	12	31	28	42	49	40	37	16	6	-
TEXAS -----	353	454	657	1,043	1,529	1,866	2,148	2,040	1,421	632	149	-
WHITE-----MALE----	230	261	370	629	856	995	973	710	367	121	24	-
FEMALE--	61	116	186	281	478	690	1,001	1,161	927	449	106	-
ALL OTHER--MALE----	48	46	55	80	101	89	69	67	28	9	4	-
FEMALE--	14	31	46	53	94	92	105	102	99	53	15	-
BLACK---MALE----	47	40	53	75	91	81	66	65	27	9	4	-
FEMALE--	14	29	45	51	90	86	101	100	98	51	15	-
UTAH -----	27	33	33	50	101	123	165	154	97	43	4	-
WHITE-----MALE----	22	29	28	35	66	79	91	75	34	11	1	-
FEMALE--	5	4	5	14	33	41	73	79	63	32	3	-
ALL OTHER--MALE----	-	-	-	-	2	1	1	-	-	-	-	-
FEMALE--	-	-	-	1	-	2	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
VERMONT -----	14	7	21	27	56	87	72	96	52	26	5	-
WHITE-----MALE----	11	3	18	20	33	50	44	49	18	6	2	-
FEMALE--	3	3	3	7	23	37	28	47	34	20	3	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	114	179	239	381	541	682	755	665	460	172	37	1
WHITE-----MALE----	69	103	137	205	285	332	332	216	115	31	5	-
FEMALE--	28	31	50	85	153	220	302	363	272	121	27	-
ALL OTHER--MALE----	11	34	39	51	58	59	59	35	23	5	3	1
FEMALE--	6	11	13	40	45	71	62	51	50	15	2	-
BLACK---MALE----	11	31	38	46	56	57	58	35	21	5	3	1
FEMALE--	6	10	13	38	45	69	61	48	49	15	2	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,602

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OLD MYOCARDIAL INFARCTION AND OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (412,414)												
WASHINGTON -----	94	117	167	300	394	618	706	702	459	212	47	-
WHITE-----MALE----	70	82	116	203	250	358	382	290	148	66	7	-
FEMALE--	19	23	41	78	122	227	302	400	296	143	37	-
ALL OTHER--MALE----	4	8	6	11	13	22	13	8	5	-	1	-
FEMALE--	1	4	4	8	9	11	9	4	10	3	2	-
BLACK---MALE----	4	3	2	2	4	8	2	2	2	-	-	-
FEMALE--	-	3	2	4	2	5	4	-	6	1	2	-
WEST VIRGINIA -----	59	62	129	178	299	347	376	374	229	99	24	-
WHITE-----MALE----	42	49	84	116	183	200	168	133	55	20	3	-
FEMALE--	14	13	38	57	107	139	201	229	170	76	20	-
ALL OTHER--MALE----	2	-	4	3	2	5	1	5	-	2	-	-
FEMALE--	1	-	3	2	7	3	6	7	4	1	1	-
BLACK---MALE----	2	-	4	3	2	5	1	5	-	2	-	-
FEMALE--	1	-	3	2	7	3	5	7	4	1	1	-
WISCONSIN -----	70	113	165	305	455	669	830	755	624	264	77	-
WHITE-----MALE----	54	70	107	204	263	384	430	310	189	66	8	-
FEMALE--	10	29	43	79	169	269	377	435	424	194	68	-
ALL OTHER--MALE----	5	8	7	15	16	11	13	3	5	1	1	-
FEMALE--	1	6	8	7	7	5	10	7	6	3	-	-
BLACK---MALE----	5	7	5	13	14	10	11	3	4	1	-	-
FEMALE--	1	4	7	6	7	4	9	3	6	3	-	-
WYOMING -----	5	11	13	29	41	45	48	52	28	16	3	-
WHITE-----MALE----	5	7	11	20	27	21	25	16	8	6	1	-
FEMALE--	-	4	2	7	14	21	23	35	20	10	2	-
ALL OTHER--MALE----	-	-	-	2	-	2	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	1	-	-	-	-
BLACK---MALE----	-	-	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 1,603

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
DISEASES OF PULMONARY CIRCULATION (415-417)												
UNITED STATES --	12,622	183	21	15	26	52	70	132	206	311	402	535
WHITE-----MALE----	4,250	64	7	7	7	13	16	29	56	94	136	187
FEMALE--	6,087	66	11	4	14	16	33	65	77	102	131	204
ALL OTHER--MALE----	935	18	1	3	1	11	7	9	31	49	54	65
FEMALE--	1,350	35	2	1	4	12	14	29	42	66	81	79
BLACK---MALE----	877	16	1	3	1	10	7	9	29	47	51	62
FEMALE--	1,264	30	2	1	3	10	14	26	41	61	77	76
ALABAMA -----	266	2	-	-	-	1	3	2	6	8	4	12
WHITE-----MALE----	71	-	-	-	-	-	-	-	1	1	1	4
FEMALE--	94	1	-	-	-	-	1	1	2	1	1	1
ALL OTHER--MALE----	43	-	-	-	-	-	-	-	2	4	1	4
FEMALE--	58	1	-	-	-	1	2	1	1	2	1	3
BLACK---MALE----	43	-	-	-	-	-	-	-	2	4	1	4
FEMALE--	57	1	-	-	-	1	2	1	1	2	1	3
ALASKA -----	6	-	-	1	-	-	-	1	-	-	-	-
WHITE-----MALE----	3	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	170	2	1	-	-	-	3	4	5	3	5	12
WHITE-----MALE----	63	1	1	-	-	-	1	-	-	-	1	4
FEMALE--	95	-	-	-	-	-	2	3	3	2	4	7
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	1	-	-	1
FEMALE--	9	1	-	-	-	-	-	1	1	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	1	-	-	-	-	-	-	-	1	-	-
ARKANSAS -----	165	2	-	-	-	-	1	-	7	5	2	6
WHITE-----MALE----	61	-	-	-	-	-	-	-	2	3	1	1
FEMALE--	73	1	-	-	-	-	-	-	2	1	-	1
ALL OTHER--MALE----	8	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	23	1	-	-	-	-	1	-	2	1	1	4
BLACK---MALE----	8	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	23	1	-	-	-	-	1	-	2	1	1	4
CALIFORNIA -----	874	22	2	1	7	2	2	13	18	38	35	46
WHITE-----MALE----	254	8	-	-	3	-	-	1	8	12	9	13
FEMALE--	478	12	1	1	2	1	2	9	8	15	17	22
ALL OTHER--MALE----	59	2	1	-	1	1	-	1	1	4	5	6
FEMALE--	83	-	-	-	1	-	-	2	1	7	4	5
BLACK---MALE----	43	2	1	-	1	-	-	1	1	4	3	4
FEMALE--	60	-	-	-	1	-	-	1	1	6	3	5

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,603

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
DISEASES OF PULMONARY CIRCULATION (415-417)												
UNITED STATES --	576	700	856	1,139	1,516	1,830	1,693	1,392	704	213	49	1
WHITE-----MALE----	218	254	330	409	555	664	563	430	168	34	9	-
FEMALE--	230	283	345	502	716	895	917	812	474	155	34	1
ALL OTHER--MALE----	56	64	84	93	104	123	86	52	19	4	1	-
FEMALE--	72	99	97	135	141	148	127	98	43	20	5	-
BLACK---MALE----	51	60	75	84	100	120	81	48	17	4	1	-
FEMALE--	68	95	91	129	128	136	121	93	39	18	5	-
ALABAMA -----	9	22	14	37	33	37	36	27	9	2	2	-
WHITE-----MALE----	3	6	4	16	8	13	8	4	1	1	-	-
FEMALE--	-	4	4	12	13	17	13	15	5	1	2	-
ALL OTHER--MALE----	4	5	3	2	5	3	8	2	-	-	-	-
FEMALE--	2	7	3	7	7	4	7	6	3	-	-	-
BLACK---MALE----	4	5	3	2	5	3	8	2	-	-	-	-
FEMALE--	2	7	2	7	7	4	7	6	3	-	-	-
ALASKA -----	-	-	1	2	-	-	-	1	-	-	-	-
WHITE-----MALE----	-	-	-	2	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	11	16	12	20	18	17	19	12	7	3	-	-
WHITE-----MALE----	5	5	5	10	9	4	11	2	4	-	-	-
FEMALE--	4	10	7	10	7	12	8	10	3	3	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	2	1	-	-	1	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	5	10	18	20	18	26	20	13	11	1	-	-
WHITE-----MALE----	3	5	6	4	11	10	5	4	6	-	-	-
FEMALE--	1	4	8	11	4	14	14	6	5	1	-	-
ALL OTHER--MALE----	1	-	-	1	-	2	1	2	-	-	-	-
FEMALE--	-	1	4	4	3	-	-	1	-	-	-	-
BLACK---MALE----	1	-	-	1	-	2	1	2	-	-	-	-
FEMALE--	-	1	4	4	3	-	-	1	-	-	-	-
CALIFORNIA -----	48	49	57	67	96	124	88	93	46	18	2	-
WHITE-----MALE----	15	12	12	21	34	41	31	29	4	1	-	-
FEMALE--	24	25	27	39	44	66	49	58	40	14	2	-
ALL OTHER--MALE----	5	5	7	4	4	6	3	2	-	1	-	-
FEMALE--	4	7	11	3	14	11	5	4	2	2	-	-
BLACK---MALE----	2	3	6	2	3	5	3	1	-	1	-	-
FEMALE--	3	5	9	3	8	8	1	3	1	2	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 1,604

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
DISEASES OF PULMONARY CIRCULATION (415-417)												
COLORADO -----	173	1	-	-	-	-	-	-	3	2	6	9
WHITE-----MALE----	70	1	-	-	-	-	-	-	2	1	5	3
FEMALE--	86	-	-	-	-	-	-	-	1	1	-	5
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	12	-	-	-	-	-	-	-	-	-	1	1
BLACK---MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	12	-	-	-	-	-	-	-	-	-	1	1
CONNECTICUT -----	123	-	-	-	-	-	-	1	3	4	2	5
WHITE-----MALE----	52	-	-	-	-	-	-	-	2	1	-	2
FEMALE--	55	-	-	-	-	-	-	-	-	2	1	3
ALL OTHER--MALE----	7	-	-	-	-	-	-	1	1	-	-	-
FEMALE--	9	-	-	-	-	-	-	-	-	1	1	-
BLACK---MALE----	7	-	-	-	-	-	-	1	1	-	-	-
FEMALE--	9	-	-	-	-	-	-	-	-	1	1	-
DELAWARE -----	18	2	-	-	-	-	-	2	1	-	-	-
WHITE-----MALE----	5	1	-	-	-	-	-	1	-	-	-	-
FEMALE--	10	1	-	-	-	-	-	1	1	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	52	1	-	-	-	-	-	-	1	2	-	1
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	15	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	32	1	-	-	-	-	-	-	1	1	-	-
BLACK---MALE----	15	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	32	1	-	-	-	-	-	-	1	1	-	-
FLORIDA -----	709	17	1	-	1	1	1	9	12	12	16	27
WHITE-----MALE----	258	3	-	-	-	-	-	2	5	-	6	12
FEMALE--	318	6	-	-	-	-	-	3	3	4	4	8
ALL OTHER--MALE----	60	4	-	-	-	-	-	3	2	3	3	2
FEMALE--	73	4	1	-	1	1	1	1	2	5	3	5
BLACK---MALE----	59	3	-	-	-	-	-	3	2	3	3	2
FEMALE--	72	4	1	-	1	1	1	1	2	5	3	5
GEORGIA -----	349	1	1	-	2	2	2	9	7	6	10	22
WHITE-----MALE----	94	1	1	-	1	-	2	1	2	1	3	9
FEMALE--	145	-	-	-	1	-	-	5	3	1	1	4
ALL OTHER--MALE----	38	-	-	-	-	1	-	-	1	3	2	4
FEMALE--	72	-	-	-	-	1	-	3	1	1	4	5
BLACK---MALE----	38	-	-	-	-	1	-	-	1	3	2	4
FEMALE--	72	-	-	-	-	1	-	3	1	1	4	5

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,604

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
DISEASES OF PULMONARY CIRCULATION (415-417)												
COLORADO -----	6	11	15	11	21	27	22	21	13	4	1	-
WHITE-----MALE----	4	5	7	1	5	12	10	7	6	1	-	-
FEMALE--	1	4	6	8	14	12	11	13	6	3	1	-
ALL OTHER--MALE----	-	1	-	2	1	1	-	-	-	-	-	-
FEMALE--	1	1	2	-	1	2	1	1	1	-	-	-
BLACK---MALE----	-	1	-	2	1	1	-	-	-	-	-	-
FEMALE--	1	1	2	-	1	2	1	1	1	2	-	-
CONNECTICUT -----	6	4	5	8	19	15	22	22	5	2	-	-
WHITE-----MALE----	4	2	4	4	7	6	13	4	2	1	-	-
FEMALE--	-	1	1	3	8	6	9	17	3	1	-	-
ALL OTHER--MALE----	1	-	-	-	2	2	-	-	-	-	-	-
FEMALE--	1	1	-	1	2	1	-	1	-	-	-	-
BLACK---MALE----	1	-	-	-	2	2	-	-	-	-	-	-
FEMALE--	1	1	-	1	2	1	-	1	-	-	-	-
DELAWARE -----	3	2	1	1	2	1	1	-	1	-	1	-
WHITE-----MALE----	-	-	-	1	1	-	1	-	-	-	-	-
FEMALE--	1	2	-	-	1	1	-	-	1	-	1	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	2	-	2	8	4	6	9	6	7	1	2	-
WHITE-----MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	2	-	1	-
ALL OTHER--MALE----	1	-	1	2	2	1	1	3	2	-	-	-
FEMALE--	1	-	1	6	2	5	6	3	3	1	1	-
BLACK---MALE----	1	-	1	2	2	1	1	3	2	-	-	-
FEMALE--	1	-	1	6	2	5	6	3	3	1	1	-
FLORIDA -----	27	27	56	62	89	98	98	97	45	10	3	-
WHITE-----MALE----	8	8	23	20	37	36	41	38	16	1	2	-
FEMALE--	12	6	23	25	37	51	51	49	28	7	1	-
ALL OTHER--MALE----	4	5	5	5	7	8	2	6	1	-	-	-
FEMALE--	3	8	5	12	8	3	4	4	-	2	-	-
BLACK---MALE----	4	5	5	5	7	8	2	6	1	-	-	-
FEMALE--	3	8	5	11	8	3	4	4	-	2	-	-
GEORGIA -----	16	15	25	34	41	48	56	27	19	6	-	-
WHITE-----MALE----	4	6	8	8	11	13	14	5	2	2	-	-
FEMALE--	4	5	8	12	19	20	33	13	13	3	-	-
ALL OTHER--MALE----	4	2	3	5	5	4	2	1	1	-	-	-
FEMALE--	4	2	6	9	6	11	7	8	3	1	-	-
BLACK---MALE----	4	2	3	5	5	4	2	1	1	-	-	-
FEMALE--	4	2	6	9	6	11	7	8	3	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,605

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
DISEASES OF PULMONARY CIRCULATION (415-417)												
HAWAII -----	1	1	6	3	3	5	7	2	-	1	-	-
WHITE-----MALE----	-	-	2	-	-	1	3	1	-	-	-	-
FEMALE--	-	-	2	-	1	1	1	-	-	-	-	-
ALL OTHER--MALE----	-	1	2	2	-	1	1	1	-	-	-	-
FEMALE--	1	-	-	1	2	2	2	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	5	4	1	9	11	9	12	11	2	2	1	-
WHITE-----MALE----	2	1	1	4	6	3	4	2	-	-	-	-
FEMALE--	3	3	-	5	5	6	8	9	2	2	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	28	46	39	51	79	86	93	64	32	13	3	-
WHITE-----MALE----	10	13	16	22	32	36	27	19	6	3	1	-
FEMALE--	9	17	16	16	27	38	53	38	22	9	2	-
ALL OTHER--MALE----	3	5	3	5	11	7	5	4	1	1	-	-
FEMALE--	6	11	4	8	9	5	8	3	3	-	-	-
BLACK---MALE----	3	5	3	5	11	7	5	4	1	1	-	-
FEMALE--	6	11	2	8	8	3	8	2	3	-	-	-
INDIANA -----	16	16	20	29	49	33	48	32	15	12	-	-
WHITE-----MALE----	7	8	7	10	24	16	17	11	6	2	-	-
FEMALE--	3	5	9	12	21	15	27	20	8	9	-	-
ALL OTHER--MALE----	3	2	2	3	2	-	2	-	1	1	-	-
FEMALE--	3	1	2	4	2	2	2	1	-	-	-	-
BLACK---MALE----	3	2	2	3	2	-	2	-	1	1	-	-
FEMALE--	3	1	2	4	2	2	2	1	-	-	-	-
IOWA -----	4	12	7	20	21	20	28	18	15	4	-	-
WHITE-----MALE----	3	4	5	9	8	7	16	9	7	-	-	-
FEMALE--	1	8	2	11	13	12	12	9	8	4	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
KANSAS -----	6	11	12	16	19	24	19	24	15	1	1	-
WHITE-----MALE----	3	5	4	8	9	9	6	7	1	-	-	-
FEMALE--	3	5	6	8	10	15	12	16	14	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	2	-	-	-	1	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	2	-	-	-	1	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 1,606

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
DISEASES OF PULMONARY CIRCULATION (415-417)												
KENTUCKY -----	224	1	1	-	-	2	3	2	5	1	7	13
WHITE-----MALE----	83	-	-	-	-	1	2	-	3	1	4	6
FEMALE--	120	1	1	-	-	-	1	1	-	-	1	7
ALL OTHER--MALE----	7	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	14	-	-	-	-	-	-	1	2	-	2	-
BLACK---MALE----	7	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	14	-	-	-	-	-	-	1	2	-	2	-
LOUISIANA -----	261	4	-	-	1	2	2	3	5	10	8	13
WHITE-----MALE----	66	3	-	-	-	-	-	-	2	2	2	4
FEMALE--	90	-	-	-	1	-	-	3	1	3	2	1
ALL OTHER--MALE----	43	-	-	-	-	1	-	-	-	2	2	2
FEMALE--	62	1	-	-	-	1	2	-	2	3	2	6
BLACK---MALE----	43	-	-	-	-	1	-	-	-	2	2	2
FEMALE--	61	1	-	-	-	1	2	-	2	3	2	6
MAINE -----	66	1	-	-	-	-	1	3	-	-	2	-
WHITE-----MALE----	29	1	-	-	-	-	1	3	-	-	2	-
FEMALE--	36	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	279	2	-	-	-	-	2	4	10	8	9	16
WHITE-----MALE----	77	2	-	-	-	-	-	-	4	2	4	5
FEMALE--	110	-	-	-	-	-	-	1	2	3	1	2
ALL OTHER--MALE----	39	-	-	-	-	-	-	-	2	1	2	6
FEMALE--	53	-	-	-	-	-	2	3	2	2	2	3
BLACK---MALE----	39	-	-	-	-	-	-	-	2	1	2	6
FEMALE--	53	-	-	-	-	-	2	3	2	2	2	3
MASSACHUSETTS -----	273	2	-	-	-	2	1	1	2	4	7	11
WHITE-----MALE----	83	1	-	-	-	-	1	-	-	-	2	3
FEMALE--	166	-	-	-	-	1	-	1	1	2	5	7
ALL OTHER--MALE----	8	-	-	-	-	1	-	-	-	1	-	-
FEMALE--	16	1	-	-	-	-	-	-	1	1	-	1
BLACK---MALE----	8	-	-	-	-	1	-	-	-	1	-	-
FEMALE--	16	1	-	-	-	-	-	-	1	1	-	1
MICHIGAN -----	425	4	1	-	2	1	2	2	4	10	10	20
WHITE-----MALE----	159	1	-	-	-	1	-	1	1	5	5	5
FEMALE--	201	1	1	-	2	-	1	1	1	2	3	11
ALL OTHER--MALE----	24	1	-	-	-	-	1	-	-	-	1	1
FEMALE--	41	1	-	-	-	-	-	-	2	3	1	3
BLACK---MALE----	23	1	-	-	-	-	1	-	-	-	1	1
FEMALE--	39	-	-	-	-	-	-	-	2	3	1	3

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,606

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
DISEASES OF PULMONARY CIRCULATION (415-417)												
KENTUCKY -----	11	12	12	29	17	31	35	26	10	5	1	-
WHITE-----MALE----	6	5	5	12	8	10	10	7	2	1	-	-
FEMALE--	4	7	5	16	7	18	22	17	7	4	1	-
ALL OTHER--MALE----	-	-	1	-	1	2	1	1	-	-	-	-
FEMALE--	1	-	1	1	1	1	2	1	1	-	-	-
BLACK---MALE----	-	-	1	-	1	2	1	1	-	-	-	-
FEMALE--	1	-	1	1	1	1	2	1	1	1	-	-
LOUISIANA -----	15	16	22	26	30	34	35	24	9	1	1	-
WHITE-----MALE----	2	5	7	7	6	7	13	4	2	-	-	-
FEMALE--	7	3	6	3	14	15	12	15	4	-	-	-
ALL OTHER--MALE----	3	4	4	6	5	7	3	4	-	-	-	-
FEMALE--	3	4	5	10	5	5	7	1	3	1	1	-
BLACK---MALE----	3	4	4	6	5	7	3	4	-	-	-	-
FEMALE--	3	4	5	10	4	5	7	1	3	1	1	-
MAINE -----	5	3	4	5	9	6	10	11	5	1	-	-
WHITE-----MALE----	3	-	1	3	4	2	4	5	-	-	-	-
FEMALE--	2	3	2	2	5	4	6	6	5	1	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	13	15	16	29	29	40	38	29	16	3	-	-
WHITE-----MALE----	2	3	5	8	12	12	8	5	4	1	-	-
FEMALE--	4	4	8	11	9	15	19	18	11	2	-	-
ALL OTHER--MALE----	3	3	3	3	3	4	5	3	1	-	-	-
FEMALE--	4	5	-	7	5	9	6	3	-	-	-	-
BLACK---MALE----	3	3	3	3	3	4	5	3	1	-	-	-
FEMALE--	4	5	-	7	5	9	6	3	-	-	-	-
MASSACHUSETTS -----	11	15	21	20	29	43	36	34	28	6	-	-
WHITE-----MALE----	3	6	6	6	14	17	7	14	3	-	-	-
FEMALE--	6	8	12	13	10	23	28	20	23	6	-	-
ALL OTHER--MALE----	-	-	1	-	3	1	-	-	1	-	-	-
FEMALE--	2	1	2	1	2	2	1	-	1	-	-	-
BLACK---MALE----	-	-	1	-	3	1	-	-	1	-	-	-
FEMALE--	2	1	2	1	2	2	1	-	1	-	-	-
MICHIGAN -----	20	17	30	41	58	68	45	51	27	11	1	-
WHITE-----MALE----	8	9	20	8	23	25	15	23	7	2	-	-
FEMALE--	10	7	6	21	26	33	23	24	19	8	1	-
ALL OTHER--MALE----	-	1	1	6	3	6	2	1	-	-	-	-
FEMALE--	2	-	3	6	6	4	5	3	1	1	-	-
BLACK---MALE----	-	1	1	6	2	6	2	1	-	-	-	-
FEMALE--	2	-	3	6	6	4	5	3	-	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 1,609

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
DISEASES OF PULMONARY CIRCULATION (415-417)												
OHIO -----	580	2	1	-	-	1	3	7	7	8	18	22
WHITE-----MALE----	220	-	-	-	-	-	-	2	2	5	9	7
FEMALE--	282	1	1	-	-	-	3	2	5	2	5	8
ALL OTHER--MALE----	34	-	-	-	-	-	-	-	-	1	1	4
FEMALE--	44	1	-	-	-	1	-	3	-	-	3	3
BLACK---MALE----	34	-	-	-	-	-	-	-	-	1	1	4
FEMALE--	44	1	-	-	-	1	-	3	-	-	3	3
OKLAHOMA -----	174	3	1	-	-	3	-	-	1	6	5	8
WHITE-----MALE----	67	-	1	-	-	2	-	-	-	4	1	3
FEMALE--	81	3	-	-	-	1	-	-	1	1	3	4
ALL OTHER--MALE----	10	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	16	-	-	-	-	-	-	-	-	1	-	1
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	11	-	-	-	-	-	-	-	-	-	-	1
OREGON -----	132	3	-	-	-	1	-	-	1	-	4	3
WHITE-----MALE----	55	1	-	-	-	1	-	-	1	-	1	2
FEMALE--	73	2	-	-	-	-	-	-	-	-	3	1
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	806	6	-	3	1	4	3	5	11	14	20	29
WHITE-----MALE----	294	4	-	1	-	2	-	4	2	6	7	11
FEMALE--	406	2	-	1	1	1	3	-	5	5	7	12
ALL OTHER--MALE----	42	-	-	1	-	-	-	-	2	-	2	3
FEMALE--	64	-	-	-	-	1	-	1	2	3	4	3
BLACK---MALE----	40	-	-	1	-	-	-	-	2	-	2	3
FEMALE--	64	-	-	-	-	1	-	1	2	3	4	3
RHODE ISLAND -----	31	2	-	1	-	-	-	-	-	2	-	2
WHITE-----MALE----	11	1	-	-	-	-	-	-	-	1	-	-
FEMALE--	17	1	-	1	-	-	-	-	-	1	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	1
SOUTH CAROLINA -----	225	-	-	1	-	1	1	2	4	4	14	10
WHITE-----MALE----	68	-	-	1	-	-	-	-	-	1	3	2
FEMALE--	72	-	-	-	-	-	-	-	-	1	3	-
ALL OTHER--MALE----	27	-	-	-	-	-	1	-	2	-	4	4
FEMALE--	58	-	-	-	-	1	-	2	2	2	4	4
BLACK---MALE----	27	-	-	-	-	-	1	-	2	-	4	4
FEMALE--	58	-	-	-	-	1	-	2	2	2	4	4

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,609

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
DISEASES OF PULMONARY CIRCULATION (415-417)												
OHIO -----	30	37	48	42	77	94	75	68	27	11	2	-
WHITE-----MALE----	13	14	20	17	36	35	27	28	4	1	-	-
FEMALE--	12	17	22	19	33	49	41	34	18	8	2	-
ALL OTHER--MALE----	2	-	4	5	4	7	4	1	1	-	-	-
FEMALE--	3	6	2	1	4	3	3	5	4	2	-	-
BLACK---MALE----	2	-	4	5	4	7	4	1	1	-	-	-
FEMALE--	3	6	2	1	4	3	3	5	4	2	-	-
OKLAHOMA -----	13	12	14	10	19	24	25	20	8	1	1	-
WHITE-----MALE----	9	4	4	4	9	6	7	9	3	-	1	-
FEMALE--	4	6	7	4	8	13	11	10	4	1	-	-
ALL OTHER--MALE----	-	-	1	1	-	2	5	-	-	-	-	-
FEMALE--	-	2	2	1	2	3	2	1	1	-	-	-
BLACK---MALE----	-	-	1	-	-	1	2	-	-	-	-	-
FEMALE--	-	1	2	-	1	2	2	1	1	-	-	-
OREGON -----	6	10	8	9	14	24	26	15	6	2	-	-
WHITE-----MALE----	1	3	2	3	5	14	9	10	2	-	-	-
FEMALE--	5	7	6	6	8	10	14	5	4	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	2	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	-	-	-	-	-
PENNSYLVANIA -----	25	40	49	67	109	159	126	85	35	13	2	-
WHITE-----MALE----	9	17	20	28	40	66	39	27	10	1	-	-
FEMALE--	11	15	17	32	60	77	68	53	23	12	1	-
ALL OTHER--MALE----	1	2	7	4	3	5	10	1	1	-	-	-
FEMALE--	4	6	5	3	6	11	9	4	1	-	1	-
BLACK---MALE----	1	2	7	4	3	5	10	-	-	-	-	-
FEMALE--	4	6	5	3	6	11	9	4	1	-	1	-
RHODE ISLAND -----	-	2	2	2	3	3	5	3	4	-	-	-
WHITE-----MALE----	-	2	2	2	2	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	1	2	4	3	3	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
SOUTH CAROLINA -----	15	8	13	17	32	36	34	21	9	3	-	-
WHITE-----MALE----	4	2	5	6	11	15	13	3	2	-	-	-
FEMALE--	4	3	3	7	9	8	16	10	7	1	-	-
ALL OTHER--MALE----	2	2	1	2	4	3	1	1	-	-	-	-
FEMALE--	5	1	4	2	8	10	4	7	-	2	-	-
BLACK---MALE----	2	2	1	2	4	3	1	1	-	-	-	-
FEMALE--	5	1	4	2	8	10	4	7	-	2	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 1,610

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
DISEASES OF PULMONARY CIRCULATION (415-417)												
SOUTH DAKOTA -----	44	1	-	-	-	-	1	1	1	-	-	2
WHITE-----MALE----	12	-	-	-	-	-	-	1	-	-	-	1
FEMALE--	30	1	-	-	-	-	1	-	1	-	-	1
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	278	6	1	-	-	2	1	3	5	8	12	10
WHITE-----MALE----	77	-	1	-	-	-	1	1	1	1	7	4
FEMALE--	143	3	-	-	-	2	-	2	1	4	4	3
ALL OTHER--MALE----	24	1	-	-	-	-	-	-	3	1	-	1
FEMALE--	34	2	-	-	-	-	-	-	-	2	1	2
BLACK---MALE----	24	1	-	-	-	-	-	-	3	1	-	1
FEMALE--	32	2	-	-	-	-	-	-	-	2	1	1
TEXAS -----	808	8	1	3	4	4	11	14	11	24	23	41
WHITE-----MALE----	264	3	-	2	1	1	-	5	2	9	11	14
FEMALE--	397	2	-	-	3	2	8	7	5	9	6	18
ALL OTHER--MALE----	63	-	-	1	-	-	-	-	1	3	5	4
FEMALE--	84	3	1	-	-	1	3	2	3	3	1	5
BLACK---MALE----	63	-	-	1	-	-	-	-	1	3	5	4
FEMALE--	78	2	1	-	-	-	3	1	3	3	1	5
UTAH -----	85	2	-	-	-	1	1	1	-	2	2	6
WHITE-----MALE----	39	1	-	-	-	1	-	-	-	1	1	4
FEMALE--	46	1	-	-	-	-	1	1	-	1	1	2
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	20	-	-	-	-	-	-	-	-	-	1	-
WHITE-----MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	15	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	344	6	1	1	1	1	3	5	7	10	19	14
WHITE-----MALE----	99	1	-	1	-	-	1	-	1	3	7	3
FEMALE--	149	2	1	-	-	-	1	3	3	2	6	6
ALL OTHER--MALE----	40	-	-	-	-	-	1	1	-	1	5	2
FEMALE--	56	3	-	-	1	1	-	1	3	4	1	3
BLACK---MALE----	39	-	-	-	-	-	1	1	-	1	5	2
FEMALE--	56	3	-	-	1	1	-	1	3	4	1	3

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,610

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
DISEASES OF PULMONARY CIRCULATION (415-417)												
SOUTH DAKOTA -----	2	6	3	4	2	5	7	6	2	-	1	-
WHITE-----MALE----	-	2	1	1	1	1	3	-	1	-	-	-
FEMALE--	1	4	1	3	1	4	4	6	1	-	1	-
ALL OTHER--MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	18	12	21	21	30	41	29	46	8	3	1	-
WHITE-----MALE----	6	6	5	5	13	8	4	10	4	-	-	-
FEMALE--	11	4	10	8	13	23	21	29	3	1	1	-
ALL OTHER--MALE----	1	1	3	2	2	5	2	2	-	-	-	-
FEMALE--	-	1	3	6	2	5	2	5	1	2	-	-
BLACK---MALE----	1	1	3	2	2	5	2	2	-	-	-	-
FEMALE--	-	1	3	5	2	5	2	5	1	2	-	-
TEXAS -----	38	45	58	73	97	120	101	82	32	12	6	-
WHITE-----MALE----	12	17	25	22	27	39	33	29	8	2	2	-
FEMALE--	17	19	22	35	51	63	56	42	20	8	4	-
ALL OTHER--MALE----	4	6	4	8	9	7	6	4	1	-	-	-
FEMALE--	5	3	7	8	10	11	6	7	3	2	-	-
BLACK---MALE----	4	6	4	8	9	7	6	4	1	-	-	-
FEMALE--	5	2	7	7	10	11	6	7	2	2	-	-
UTAH -----	5	5	2	5	10	13	13	9	7	1	-	-
WHITE-----MALE----	2	3	-	3	3	6	6	5	3	-	-	-
FEMALE--	3	2	2	2	7	7	7	4	4	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	1	1	1	3	3	5	4	1	-	-
WHITE-----MALE----	-	-	1	-	-	1	1	-	2	-	-	-
FEMALE--	-	-	-	1	1	2	2	5	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	16	17	22	30	39	45	47	35	20	4	1	-
WHITE-----MALE----	8	7	10	11	7	13	13	6	5	1	1	-
FEMALE--	4	4	10	12	18	19	20	22	13	3	-	-
ALL OTHER--MALE----	1	3	-	2	7	7	6	3	1	-	-	-
FEMALE--	3	3	2	5	7	6	8	4	1	-	-	-
BLACK---MALE----	1	3	-	1	7	7	6	3	1	-	-	-
FEMALE--	3	3	2	5	7	6	8	4	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 1,612

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
OTHER FORMS OF HEART DISEASE (420-429)												
UNITED STATES --	217,477	404	184	131	127	308	455	608	1,016	1,886	3,206	4,630
WHITE-----MALE----	85,466	144	61	61	48	137	194	256	467	866	1,642	2,394
FEMALE--	101,366	120	51	29	34	64	105	125	198	405	549	827
ALL OTHER--MALE----	15,517	72	41	19	28	71	108	160	218	398	637	932
FEMALE--	15,128	68	31	22	17	36	48	67	133	217	378	477
BLACK---MALE----	13,621	59	36	16	24	66	91	141	201	350	584	846
FEMALE--	13,721	52	23	18	16	32	41	62	125	203	356	461
ALABAMA -----	6,181	13	5	2	5	9	15	23	29	57	96	133
WHITE-----MALE----	2,112	3	3	1	1	5	6	5	12	27	47	51
FEMALE--	2,594	3	-	-	-	2	2	4	2	11	17	24
ALL OTHER--MALE----	657	3	1	-	1	2	5	8	10	12	22	33
FEMALE--	818	4	1	1	3	-	2	6	5	7	10	25
BLACK---MALE----	647	3	1	-	1	2	5	7	10	12	21	33
FEMALE--	818	4	1	1	3	-	2	6	5	7	10	25
ALASKA -----	209	2	-	-	-	-	-	3	3	5	4	13
WHITE-----MALE----	94	-	-	-	-	-	-	1	1	1	-	11
FEMALE--	63	-	-	-	-	-	-	-	1	1	1	-
ALL OTHER--MALE----	25	1	-	-	-	-	-	1	-	-	3	2
FEMALE--	27	1	-	-	-	-	-	1	1	3	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	1	-	-	-	-
ARIZONA -----	3,468	8	7	2	-	6	9	11	28	43	56	65
WHITE-----MALE----	1,654	1	2	1	-	3	6	8	17	17	44	44
FEMALE--	1,553	3	1	1	-	1	2	1	5	13	4	10
ALL OTHER--MALE----	152	3	1	-	-	2	1	2	3	10	4	9
FEMALE--	109	1	3	-	-	-	-	-	3	3	4	2
BLACK---MALE----	61	-	-	-	-	1	-	2	2	4	2	5
FEMALE--	52	-	1	-	-	-	-	-	1	1	3	2
ARKANSAS -----	2,551	3	3	3	2	4	6	7	10	19	31	53
WHITE-----MALE----	936	-	1	1	1	2	3	1	5	12	15	31
FEMALE--	1,282	2	2	1	1	-	1	3	2	4	6	8
ALL OTHER--MALE----	167	-	-	-	-	1	1	2	3	2	6	9
FEMALE--	166	1	-	1	-	1	1	1	-	1	4	5
BLACK---MALE----	163	-	-	-	-	1	1	2	3	2	6	9
FEMALE--	164	1	-	1	-	1	1	1	-	1	4	5
CALIFORNIA -----	17,953	43	19	12	10	24	51	62	109	190	332	436
WHITE-----MALE----	7,540	15	8	5	5	15	18	34	59	86	191	246
FEMALE--	7,805	13	3	3	3	3	15	11	19	46	63	78
ALL OTHER--MALE----	1,486	9	2	1	2	5	11	15	24	48	45	80
FEMALE--	1,122	6	6	3	-	1	7	2	7	10	33	32
BLACK---MALE----	940	8	-	-	2	4	7	7	19	37	39	59
FEMALE--	743	3	3	2	-	-	3	1	6	9	24	30

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,612
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
OTHER FORMS OF HEART DISEASE (420-429)												
UNITED STATES --	6,353	7,874	10,622	15,002	21,636	28,896	35,058	36,911	27,419	11,750	2,970	31
WHITE-----MALE----	3,398	4,094	5,525	7,625	10,395	13,058	14,103	11,703	6,776	2,110	398	11
FEMALE--	1,285	1,832	2,603	4,460	7,663	12,092	17,383	21,968	18,597	8,709	2,262	5
ALL OTHER--MALE----	1,101	1,201	1,523	1,701	1,885	1,832	1,491	1,177	608	244	58	12
FEMALE--	569	747	971	1,216	1,693	1,914	2,081	2,063	1,438	687	252	3
BLACK---MALE----	984	1,087	1,344	1,546	1,670	1,584	1,282	985	465	194	55	11
FEMALE--	521	698	892	1,115	1,540	1,742	1,856	1,833	1,295	609	228	3
ALABAMA -----	201	252	329	476	641	825	971	999	719	306	75	-
WHITE-----MALE----	92	109	160	234	256	310	320	272	146	46	6	-
FEMALE--	48	60	64	117	219	325	485	522	451	197	41	-
ALL OTHER--MALE----	46	46	57	69	70	82	65	75	33	14	3	-
FEMALE--	15	37	48	56	96	108	101	130	89	49	25	-
BLACK---MALE----	45	45	56	68	69	81	65	74	32	14	3	-
FEMALE--	15	37	48	56	96	108	101	130	89	49	25	-
ALASKA -----	8	9	18	21	14	23	25	33	21	6	1	-
WHITE-----MALE----	4	7	10	11	9	11	10	9	6	3	-	-
FEMALE--	2	1	2	5	4	5	9	20	11	1	-	-
ALL OTHER--MALE----	1	-	3	4	-	4	2	1	2	1	-	-
FEMALE--	1	1	3	1	1	3	4	3	2	1	1	-
BLACK---MALE----	-	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ARIZONA -----	132	160	195	230	359	489	568	549	372	148	31	-
WHITE-----MALE----	95	98	118	126	187	262	263	215	113	30	4	-
FEMALE--	24	38	58	77	140	204	279	312	241	114	25	-
ALL OTHER--MALE----	7	15	13	18	17	9	16	14	5	3	-	-
FEMALE--	6	9	6	9	15	14	10	8	13	1	2	-
BLACK---MALE----	3	5	6	8	5	3	8	5	1	1	-	-
FEMALE--	4	4	2	4	9	8	5	4	3	-	1	-
ARKANSAS -----	66	66	112	161	233	336	429	468	349	155	35	-
WHITE-----MALE----	31	38	55	66	118	147	153	133	83	35	5	-
FEMALE--	15	13	30	71	82	152	221	298	242	107	21	-
ALL OTHER--MALE----	11	8	15	16	16	18	28	19	7	1	4	-
FEMALE--	9	7	12	8	17	19	27	18	17	12	5	-
BLACK---MALE----	11	8	15	15	14	18	27	19	7	1	4	-
FEMALE--	9	7	12	8	17	19	27	16	17	12	5	-
CALIFORNIA -----	730	788	950	1,311	1,812	2,301	2,642	2,871	2,084	926	246	4
WHITE-----MALE----	437	411	516	694	870	1,040	1,122	986	566	176	36	4
FEMALE--	122	183	223	361	661	938	1,237	1,610	1,354	673	186	-
ALL OTHER--MALE----	130	134	137	168	157	178	120	106	76	30	8	-
FEMALE--	41	60	74	88	124	145	163	169	88	47	16	-
BLACK---MALE----	94	97	96	117	95	94	63	47	31	18	6	-
FEMALE--	30	49	54	64	79	98	103	88	59	29	9	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 1,613

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
OTHER FORMS OF HEART DISEASE (420-429)												
COLORADO -----	2,326	8	5	3	3	5	3	5	13	22	34	41
WHITE-----MALE----	1,036	5	2	3	1	3	2	3	11	16	25	31
FEMALE--	1,188	3	2	-	1	-	-	1	2	5	7	10
ALL OTHER--MALE----	41	-	1	-	1	1	1	1	-	-	-	-
FEMALE--	61	-	-	-	-	1	-	-	-	1	2	-
BLACK---MALE----	32	-	1	-	-	1	-	1	-	-	-	-
FEMALE--	49	-	-	-	-	1	-	-	-	1	2	-
CONNECTICUT -----	3,710	4	3	2	4	2	5	6	9	22	33	57
WHITE-----MALE----	1,538	2	1	1	2	2	3	4	4	11	23	35
FEMALE--	1,920	1	1	1	2	-	2	1	4	5	3	11
ALL OTHER--MALE----	119	1	-	-	-	-	-	1	-	4	2	7
FEMALE--	133	-	1	-	-	-	-	-	1	2	5	4
BLACK---MALE----	110	1	-	-	-	-	-	1	-	4	2	6
FEMALE--	129	-	1	-	-	-	-	-	1	2	4	4
DELAWARE -----	702	2	2	1	-	1	1	-	3	8	20	20
WHITE-----MALE----	288	-	1	1	-	-	-	-	1	4	9	11
FEMALE--	301	1	1	-	-	-	-	-	1	1	7	3
ALL OTHER--MALE----	68	1	-	-	-	1	1	-	1	2	3	6
FEMALE--	45	-	-	-	-	-	-	-	-	1	1	-
BLACK---MALE----	66	1	-	-	-	1	1	-	1	2	3	6
FEMALE--	43	-	-	-	-	-	-	-	-	1	1	-
DISTRICT OF COLUMBIA ----	585	-	1	1	-	1	1	2	4	6	10	21
WHITE-----MALE----	61	-	-	1	-	1	-	-	-	1	-	1
FEMALE--	65	-	1	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	223	-	-	-	-	-	-	1	2	4	7	14
FEMALE--	236	-	-	-	-	-	1	1	2	1	3	5
BLACK---MALE----	219	-	-	-	-	-	-	1	2	4	7	14
FEMALE--	233	-	-	-	-	-	1	1	2	1	3	5
FLORIDA -----	11,994	18	8	10	5	15	17	38	52	96	172	223
WHITE-----MALE----	5,339	7	2	3	-	5	9	13	22	42	84	130
FEMALE--	5,488	4	3	3	3	1	3	9	11	19	31	42
ALL OTHER--MALE----	583	5	3	2	1	4	5	11	10	16	33	31
FEMALE--	584	2	-	2	1	5	-	5	9	19	24	20
BLACK---MALE----	568	5	3	2	1	4	4	11	9	16	33	29
FEMALE--	572	2	-	2	1	5	-	5	9	19	24	19
GEORGIA -----	7,427	17	6	2	7	13	18	22	50	68	148	223
WHITE-----MALE----	2,415	7	1	-	2	4	8	10	19	26	52	83
FEMALE--	2,972	3	-	-	1	2	-	2	9	5	27	28
ALL OTHER--MALE----	938	3	3	1	3	5	4	6	13	25	34	66
FEMALE--	1,102	4	2	1	1	2	6	4	9	12	35	46
BLACK---MALE----	921	3	3	1	3	5	4	6	13	25	33	65
FEMALE--	1,092	4	2	1	1	2	6	4	9	12	35	46

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,613

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
OTHER FORMS OF HEART DISEASE (420-429)												
COLORADO -----	52	72	103	154	223	291	395	391	335	133	35	-
WHITE-----MALE----	36	45	61	84	122	141	185	132	96	27	5	-
FEMALE--	13	21	33	60	93	132	193	246	231	105	30	-
ALL OTHER--MALE----	1	2	4	6	6	9	4	1	3	-	-	-
FEMALE--	2	4	5	4	2	9	13	12	5	1	-	-
BLACK---MALE----	1	-	4	5	5	9	3	1	1	-	-	-
FEMALE--	1	4	3	3	2	8	11	9	4	-	-	-
CONNECTICUT -----	86	122	162	231	338	497	645	617	532	273	60	-
WHITE-----MALE----	50	73	95	124	182	265	274	196	130	55	6	-
FEMALE--	15	29	42	78	123	206	347	393	388	214	54	-
ALL OTHER--MALE----	16	12	15	15	15	15	6	4	6	-	-	-
FEMALE--	5	8	10	14	18	11	18	24	8	4	-	-
BLACK---MALE----	15	12	14	15	15	14	5	3	3	-	-	-
FEMALE--	5	8	10	14	17	10	17	24	8	4	-	-
DELAWARE -----	22	31	44	58	80	82	119	92	63	39	14	-
WHITE-----MALE----	8	16	20	38	46	38	45	25	15	8	2	-
FEMALE--	5	5	8	12	26	33	56	60	44	27	11	-
ALL OTHER--MALE----	7	8	8	5	6	5	11	1	-	1	1	-
FEMALE--	2	2	8	3	2	6	7	6	4	3	-	-
BLACK---MALE----	7	8	8	5	5	5	10	1	-	1	1	-
FEMALE--	2	2	8	3	2	6	7	5	3	3	-	-
DISTRICT OF COLUMBIA ----	24	23	38	70	82	81	73	71	40	30	5	1
WHITE-----MALE----	2	2	1	6	11	12	10	8	4	1	-	-
FEMALE--	-	1	-	-	5	12	7	16	11	9	2	-
ALL OTHER--MALE----	12	14	23	38	40	19	21	21	4	2	-	1
FEMALE--	10	6	14	26	26	38	35	26	21	18	3	-
BLACK---MALE----	12	14	22	38	40	19	19	21	3	2	-	1
FEMALE--	10	6	14	26	26	38	35	25	20	17	3	-
FLORIDA -----	314	416	556	778	1,206	1,663	2,069	2,042	1,509	626	155	6
WHITE-----MALE----	167	245	317	443	660	849	973	772	415	151	26	4
FEMALE--	79	89	139	242	407	678	979	1,158	1,021	450	116	1
ALL OTHER--MALE----	40	50	71	47	73	74	41	40	17	6	3	-
FEMALE--	28	32	29	46	66	62	76	72	56	19	10	1
BLACK---MALE----	37	50	70	47	72	72	40	39	16	5	3	-
FEMALE--	27	32	29	45	65	61	73	68	56	19	10	1
GEORGIA -----	283	340	425	577	784	988	1,101	1,115	837	319	83	1
WHITE-----MALE----	120	143	202	197	301	356	382	276	167	54	5	-
FEMALE--	45	50	67	155	266	381	489	652	534	201	55	-
ALL OTHER--MALE----	74	88	88	122	93	112	90	68	30	8	1	1
FEMALE--	44	59	68	103	124	139	140	119	106	56	22	-
BLACK---MALE----	74	82	88	120	91	109	89	68	29	8	1	1
FEMALE--	44	59	68	102	122	135	138	119	105	56	22	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 1,614

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
OTHER FORMS OF HEART DISEASE (420-429)												
HAWAII -----	1,055	2	-	-	-	2	3	3	5	15	11	21
WHITE-----MALE----	151	-	-	-	-	-	-	-	-	2	3	5
FEMALE--	132	-	-	-	-	-	-	-	-	1	-	1
ALL OTHER--MALE----	426	2	-	-	-	1	2	1	2	8	5	12
FEMALE--	346	-	-	-	-	1	1	2	3	4	3	3
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	660	2	-	-	1	4	1	3	1	8	7	11
WHITE-----MALE----	284	-	-	-	1	2	-	2	1	5	6	6
FEMALE--	366	2	-	-	-	2	1	1	-	3	1	4
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	9,258	24	10	8	6	17	28	37	59	75	142	243
WHITE-----MALE----	3,516	8	1	6	3	7	12	17	22	32	55	110
FEMALE--	4,074	8	5	1	-	4	8	3	8	7	29	41
ALL OTHER--MALE----	937	5	3	1	2	3	5	14	16	19	43	68
FEMALE--	731	3	1	-	1	3	3	3	13	17	15	24
BLACK---MALE----	900	4	3	1	1	3	5	14	16	19	43	66
FEMALE--	706	3	1	-	1	3	3	2	13	17	15	24
INDIANA -----	4,790	7	6	1	2	6	8	7	17	32	71	82
WHITE-----MALE----	1,913	3	2	1	2	2	5	3	6	14	40	50
FEMALE--	2,466	1	2	-	-	2	2	2	3	12	10	17
ALL OTHER--MALE----	222	3	2	-	-	2	1	2	4	4	15	8
FEMALE--	189	-	-	-	-	-	-	-	4	2	6	7
BLACK---MALE----	218	3	2	-	-	2	1	2	4	4	15	8
FEMALE--	188	-	-	-	-	-	-	-	4	2	6	7
IOWA -----	2,483	1	-	1	1	5	6	2	6	9	24	36
WHITE-----MALE----	1,128	1	-	-	-	1	2	1	3	4	16	24
FEMALE--	1,305	-	-	1	1	3	2	1	3	3	6	10
ALL OTHER--MALE----	22	-	-	-	-	1	2	-	-	1	2	2
FEMALE--	28	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	19	-	-	-	-	1	2	-	-	-	2	2
FEMALE--	24	-	-	-	-	-	-	-	-	1	-	-
KANSAS -----	2,434	4	1	-	3	2	3	8	9	17	30	40
WHITE-----MALE----	965	3	-	-	2	1	-	2	4	6	21	23
FEMALE--	1,313	1	1	-	-	-	1	4	2	5	3	11
ALL OTHER--MALE----	70	-	-	-	1	-	1	2	2	4	4	2
FEMALE--	86	-	-	-	-	1	1	-	1	2	2	4
BLACK---MALE----	61	-	-	-	1	-	1	2	2	3	3	2
FEMALE--	77	-	-	-	-	1	1	-	-	2	2	4

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,614

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
OTHER FORMS OF HEART DISEASE (420-429)												
HAWAII -----	47	39	70	76	111	141	150	175	110	58	15	1
WHITE-----MALE----	11	4	11	16	14	23	26	20	12	1	3	-
FEMALE--	1	5	4	10	13	18	16	33	13	14	3	-
ALL OTHER--MALE----	24	17	42	27	46	55	54	69	41	17	-	1
FEMALE--	11	13	13	23	38	45	54	53	44	26	9	-
BLACK---MALE----	2	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	1	-	-	1	-	-	1	-	-	-	-	-
IDAHO -----	12	16	23	32	49	82	102	138	117	39	12	-
WHITE-----MALE----	6	6	15	20	27	46	41	53	36	8	3	-
FEMALE--	6	10	8	12	20	34	59	82	81	31	9	-
ALL OTHER--MALE----	-	-	-	-	2	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	2	3	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ILLINOIS -----	314	411	496	652	926	1,199	1,503	1,451	1,059	471	123	4
WHITE-----MALE----	158	173	220	316	396	579	593	456	251	83	18	-
FEMALE--	54	85	108	165	320	444	728	877	724	356	98	1
ALL OTHER--MALE----	76	90	111	103	118	98	85	44	24	7	1	1
FEMALE--	26	63	57	68	92	78	97	74	60	25	6	2
BLACK---MALE----	73	88	108	97	113	92	84	41	21	6	1	1
FEMALE--	25	62	56	66	91	75	90	71	55	25	6	2
INDIANA -----	106	133	222	318	502	642	824	806	631	299	68	-
WHITE-----MALE----	55	70	129	170	245	309	328	232	180	60	7	-
FEMALE--	35	39	56	117	197	275	449	536	426	227	58	-
ALL OTHER--MALE----	9	15	28	21	32	30	17	16	9	3	1	-
FEMALE--	7	9	9	10	28	28	30	22	16	9	2	-
BLACK---MALE----	9	15	27	21	32	29	16	15	9	3	1	-
FEMALE--	7	9	9	10	28	28	30	22	15	9	2	-
IOWA -----	56	79	103	160	243	295	408	416	387	191	54	-
WHITE-----MALE----	45	58	73	101	149	164	185	149	110	34	8	-
FEMALE--	10	20	26	53	87	127	216	262	272	157	45	-
ALL OTHER--MALE----	1	-	1	2	1	3	4	2	-	-	-	-
FEMALE--	-	1	3	4	6	1	3	3	5	-	1	-
BLACK---MALE----	1	-	1	2	-	3	3	2	-	-	-	-
FEMALE--	-	1	2	4	5	1	2	2	5	-	1	-
KANSAS -----	46	48	73	144	212	285	371	466	421	192	59	-
WHITE-----MALE----	26	26	37	72	117	138	175	162	107	32	11	-
FEMALE--	12	16	29	54	83	127	178	291	295	152	48	-
ALL OTHER--MALE----	4	3	5	9	6	10	8	4	3	2	-	-
FEMALE--	4	3	2	9	6	10	10	9	16	6	-	-
BLACK---MALE----	4	2	4	9	6	10	6	4	1	1	-	-
FEMALE--	4	3	2	7	6	10	7	8	14	6	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 1,615

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
OTHER FORMS OF HEART DISEASE (420-429)												
KENTUCKY -----	3,942	9	4	4	5	4	7	8	18	38	41	70
WHITE-----MALE----	1,579	5	-	1	3	2	1	3	9	20	26	44
FEMALE--	2,037	2	2	3	1	2	5	4	4	11	9	16
ALL OTHER--MALE----	135	1	2	-	-	-	-	1	2	4	3	5
FEMALE--	191	1	-	-	1	-	1	-	3	3	3	5
BLACK---MALE----	135	1	2	-	-	-	-	1	2	4	3	5
FEMALE--	190	1	-	-	1	-	1	-	3	3	3	5
LOUISIANA -----	4,083	9	3	3	2	4	19	12	14	38	64	85
WHITE-----MALE----	1,308	2	-	1	1	-	5	3	6	14	19	30
FEMALE--	1,616	2	1	-	-	-	3	2	2	4	10	14
ALL OTHER--MALE----	527	2	2	1	1	3	9	5	5	12	19	22
FEMALE--	632	3	-	1	-	1	2	2	1	8	16	19
BLACK---MALE----	519	2	2	1	1	3	9	5	5	12	19	22
FEMALE--	628	3	-	1	-	1	2	2	1	8	16	19
MAINE -----	1,138	-	-	-	-	-	-	-	1	9	11	16
WHITE-----MALE----	511	-	-	-	-	-	-	-	1	7	9	13
FEMALE--	622	-	-	-	-	-	-	-	-	2	2	3
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	4,337	6	6	2	2	4	8	17	31	67	103	152
WHITE-----MALE----	1,477	1	-	1	-	2	3	3	14	24	44	65
FEMALE--	1,642	1	1	1	-	-	1	1	2	6	15	17
ALL OTHER--MALE----	680	2	4	-	1	1	1	10	9	28	32	47
FEMALE--	538	2	1	-	1	1	3	3	6	9	12	23
BLACK---MALE----	657	1	4	-	1	1	1	10	8	27	31	46
FEMALE--	523	2	1	-	1	1	3	3	6	9	12	23
MASSACHUSETTS -----	5,513	7	2	2	3	7	8	14	23	41	53	94
WHITE-----MALE----	2,307	4	1	2	1	4	7	9	14	25	37	58
FEMALE--	2,980	3	1	-	2	2	-	2	5	14	8	24
ALL OTHER--MALE----	114	-	-	-	-	-	1	2	3	-	3	4
FEMALE--	112	-	-	-	-	1	-	1	1	2	5	8
BLACK---MALE----	96	-	-	-	-	-	1	2	3	-	2	3
FEMALE--	94	-	-	-	-	1	-	1	1	1	5	8
MICHIGAN -----	8,948	9	5	4	2	20	15	32	47	87	147	246
WHITE-----MALE----	3,390	3	3	1	2	8	7	11	26	38	74	104
FEMALE--	3,637	1	2	-	-	2	2	7	5	19	17	36
ALL OTHER--MALE----	995	1	-	1	-	5	6	8	12	18	34	71
FEMALE--	926	4	-	2	-	5	-	6	4	12	22	35
BLACK---MALE----	963	1	-	1	-	5	5	8	12	17	34	69
FEMALE--	894	3	-	2	-	5	-	6	4	12	21	34

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,615

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
OTHER FORMS OF HEART DISEASE (420-429)												
KENTUCKY -----	76	98	188	279	388	539	631	715	549	217	54	-
WHITE-----MALE----	44	57	117	152	193	257	251	221	135	30	8	-
FEMALE--	26	27	57	94	158	244	342	441	376	171	42	-
ALL OTHER--MALE----	3	8	13	14	18	18	15	16	7	3	2	-
FEMALE--	3	6	1	19	19	20	23	37	31	13	2	-
BLACK---MALE----	3	8	13	14	18	18	15	16	7	3	2	-
FEMALE--	3	6	1	19	19	20	23	37	30	13	2	-
LOUISIANA -----	98	153	192	299	417	525	662	718	495	218	53	-
WHITE-----MALE----	44	69	83	119	176	178	222	200	103	29	4	-
FEMALE--	18	28	40	80	117	183	284	355	297	150	26	-
ALL OTHER--MALE----	24	33	35	52	62	70	69	62	26	9	4	-
FEMALE--	12	23	34	48	62	94	87	101	69	30	19	-
BLACK---MALE----	23	33	35	51	60	66	69	62	26	9	4	-
FEMALE--	12	22	34	48	62	94	85	100	69	30	19	-
MAINE -----	19	28	52	85	103	151	186	206	173	75	23	-
WHITE-----MALE----	14	21	40	54	54	81	91	69	46	10	1	-
FEMALE--	5	6	11	30	49	69	95	137	126	65	22	-
ALL OTHER--MALE----	-	1	1	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	1	-	-	-
BLACK---MALE----	-	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	191	188	253	327	429	572	628	642	464	182	57	6
WHITE-----MALE----	84	78	99	144	164	219	226	174	99	27	3	3
FEMALE--	26	28	36	62	135	214	284	350	292	130	40	-
ALL OTHER--MALE----	56	46	68	87	79	87	55	39	17	6	2	3
FEMALE--	25	36	50	34	51	52	63	79	56	19	12	-
BLACK---MALE----	56	46	64	84	78	84	53	38	14	5	2	3
FEMALE--	25	36	48	32	49	50	61	76	56	17	12	-
MASSACHUSETTS -----	142	172	210	333	485	753	918	1,042	760	352	92	-
WHITE-----MALE----	98	109	118	186	267	379	395	336	184	65	8	-
FEMALE--	29	50	70	124	191	347	499	682	564	280	83	-
ALL OTHER--MALE----	8	5	12	15	16	15	11	12	5	2	-	-
FEMALE--	7	8	10	8	11	12	13	12	7	5	1	-
BLACK---MALE----	8	5	9	15	14	11	8	12	2	1	-	-
FEMALE--	4	7	8	8	8	10	13	10	6	2	1	-
MICHIGAN -----	333	386	502	699	968	1,224	1,439	1,367	928	398	89	1
WHITE-----MALE----	161	171	232	318	430	511	537	437	231	74	11	-
FEMALE--	52	84	98	171	288	455	685	771	600	277	65	-
ALL OTHER--MALE----	82	76	94	122	130	127	100	60	31	13	3	1
FEMALE--	38	55	78	88	120	131	117	99	66	34	10	-
BLACK---MALE----	79	76	89	119	126	123	96	58	29	12	3	1
FEMALE--	38	53	78	83	115	127	114	95	63	31	10	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,616

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
OTHER FORMS OF HEART DISEASE (420-429)												
MINNESOTA -----	45	68	97	135	244	357	529	591	504	221	52	-
WHITE-----MALE----	26	45	62	83	143	177	253	247	154	50	12	-
FEMALE--	15	17	32	50	94	177	272	341	348	171	40	-
ALL OTHER--MALE----	2	5	-	1	4	-	3	1	1	-	-	-
FEMALE--	2	1	3	1	3	3	1	2	1	-	-	-
BLACK---MALE----	1	2	-	1	3	-	1	1	-	-	-	-
FEMALE--	1	1	3	-	-	3	1	1	1	-	-	-
MISSISSIPPI -----	88	152	182	268	387	509	660	715	509	206	56	-
WHITE-----MALE----	39	53	59	114	140	184	178	165	101	29	9	-
FEMALE--	15	29	37	61	112	163	285	360	267	121	30	-
ALL OTHER--MALE----	19	36	53	52	67	73	79	70	46	18	2	-
FEMALE--	15	34	33	41	68	89	118	120	95	38	15	-
BLACK---MALE----	19	36	52	51	66	73	79	70	46	18	2	-
FEMALE--	15	33	32	41	68	88	116	120	95	38	15	-
MISSOURI -----	92	142	187	275	410	611	757	892	722	287	74	-
WHITE-----MALE----	40	77	97	147	214	285	317	263	181	44	13	-
FEMALE--	28	43	69	91	166	277	387	591	511	224	58	-
ALL OTHER--MALE----	13	13	11	22	14	23	21	10	2	3	-	-
FEMALE--	11	9	10	15	16	26	32	28	28	16	3	-
BLACK---MALE----	13	12	11	21	13	22	20	10	1	3	-	-
FEMALE--	10	9	10	15	15	25	32	28	27	16	3	-
MONTANA -----	11	22	36	55	70	102	153	132	92	57	15	-
WHITE-----MALE----	6	16	24	32	43	54	73	50	27	15	1	-
FEMALE--	4	5	10	21	23	47	73	82	65	41	14	-
ALL OTHER--MALE----	1	1	2	1	4	-	2	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	5	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	1	-	-
NEBRASKA -----	47	42	69	106	147	226	326	398	337	176	58	-
WHITE-----MALE----	26	29	41	67	79	111	152	142	82	32	3	-
FEMALE--	12	9	22	31	58	107	171	245	251	140	55	-
ALL OTHER--MALE----	5	1	5	6	6	4	-	3	2	-	-	-
FEMALE--	4	3	1	2	4	4	3	8	2	4	-	-
BLACK---MALE----	4	1	5	5	4	2	-	3	2	-	-	-
FEMALE--	3	2	1	1	4	3	1	6	1	4	-	-
NEVADA -----	64	81	128	200	257	257	304	221	155	44	9	-
WHITE-----MALE----	49	57	77	120	138	131	135	89	34	11	1	-
FEMALE--	10	14	37	63	93	112	154	121	119	31	7	-
ALL OTHER--MALE----	3	7	6	10	17	8	8	4	1	1	-	-
FEMALE--	2	3	8	7	9	6	7	7	1	1	1	-
BLACK---MALE----	3	5	5	7	13	7	5	4	-	1	-	-
FEMALE--	-	3	6	3	7	3	6	5	1	1	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 1,618

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
OTHER FORMS OF HEART DISEASE (420-429)												
OHIO -----	9,375	13	4	5	7	7	15	17	33	75	120	206
WHITE-----MALE----	3,712	5	1	2	2	4	5	3	18	38	63	115
FEMALE--	4,693	6	1	-	1	1	7	5	7	16	25	35
ALL OTHER--MALE----	503	1	1	2	3	2	2	3	4	12	22	34
FEMALE--	467	1	1	1	1	-	1	6	4	9	10	22
BLACK---MALE----	489	1	1	1	2	2	2	3	4	12	22	33
FEMALE--	463	1	1	1	1	-	1	6	4	9	10	22
OKLAHOMA -----	3,562	13	-	4	1	2	8	11	8	36	55	72
WHITE-----MALE----	1,393	6	-	1	-	2	3	4	4	15	25	42
FEMALE--	1,769	4	-	-	-	-	3	3	2	8	11	16
ALL OTHER--MALE----	190	1	-	1	-	-	1	3	-	9	12	12
FEMALE--	210	2	-	2	1	-	1	1	2	4	7	2
BLACK---MALE----	95	-	-	1	-	-	-	1	-	5	9	7
FEMALE--	131	2	-	1	-	-	-	1	2	3	7	1
OREGON -----	2,167	5	2	2	-	4	3	5	5	13	22	31
WHITE-----MALE----	946	1	1	2	-	3	3	3	3	10	15	16
FEMALE--	1,175	3	1	-	-	1	-	1	2	3	4	10
ALL OTHER--MALE----	23	-	-	-	-	-	-	1	-	-	2	4
FEMALE--	23	1	-	-	-	-	-	-	-	-	1	1
BLACK---MALE----	13	-	-	-	-	-	-	1	-	-	1	3
FEMALE--	15	-	-	-	-	-	-	-	-	-	1	1
PENNSYLVANIA -----	13,964	8	7	6	4	9	19	28	55	100	168	232
WHITE-----MALE----	5,579	1	2	4	2	7	5	17	27	54	95	136
FEMALE--	7,038	3	1	1	1	-	9	8	12	21	32	36
ALL OTHER--MALE----	725	2	2	1	1	-	4	3	8	15	22	38
FEMALE--	622	2	2	-	-	2	1	-	8	10	19	22
BLACK---MALE----	701	2	1	1	1	-	4	3	8	13	21	37
FEMALE--	604	1	2	-	-	2	1	-	8	10	19	21
RHODE ISLAND -----	688	1	-	1	-	1	1	1	1	5	10	14
WHITE-----MALE----	325	-	-	1	-	1	1	1	-	-	6	9
FEMALE--	342	-	-	-	-	-	-	-	1	4	3	2
ALL OTHER--MALE----	10	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	11	1	-	-	-	-	-	-	-	1	-	1
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	11	1	-	-	-	-	-	-	-	1	-	1
SOUTH CAROLINA -----	3,130	10	7	5	3	4	5	11	27	37	67	79
WHITE-----MALE----	979	2	1	2	1	-	1	4	14	14	18	25
FEMALE--	1,240	1	-	1	-	2	-	2	3	7	7	9
ALL OTHER--MALE----	456	4	3	2	1	1	1	2	6	11	36	30
FEMALE--	455	3	3	-	1	1	3	3	4	5	6	15
BLACK---MALE----	454	4	3	2	1	1	1	2	6	11	35	30
FEMALE--	452	3	3	-	1	1	3	3	4	5	6	15

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,618

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
OTHER FORMS OF HEART DISEASE (420-429)												
OHIO -----	251	318	465	626	961	1,381	1,542	1,637	1,083	484	125	-
WHITE-----MALE----	132	175	213	317	468	640	611	540	251	90	19	-
FEMALE--	58	89	161	212	374	623	832	1,000	780	364	96	-
ALL OTHER--MALE----	44	39	47	57	54	68	45	36	13	13	1	-
FEMALE--	17	15	44	40	65	50	54	61	39	17	9	-
BLACK---MALE----	42	37	44	57	54	66	44	36	13	12	1	-
FEMALE--	17	14	43	40	64	50	54	60	39	17	9	-
OKLAHOMA -----	104	101	177	223	347	433	545	651	496	221	53	1
WHITE-----MALE----	58	56	95	133	167	195	229	207	108	33	10	-
FEMALE--	25	31	53	62	140	193	266	384	357	172	39	-
ALL OTHER--MALE----	14	7	16	15	21	22	20	25	8	2	-	1
FEMALE--	7	7	13	13	19	23	30	35	23	14	4	-
BLACK---MALE----	4	2	7	7	14	10	9	11	6	1	-	1
FEMALE--	5	4	10	12	12	12	14	22	13	7	3	-
OREGON -----	42	44	82	111	174	285	379	421	334	160	43	-
WHITE-----MALE----	25	29	52	67	109	139	163	160	104	30	11	-
FEMALE--	14	14	26	41	59	141	210	257	228	128	32	-
ALL OTHER--MALE----	1	-	3	3	2	1	4	2	-	-	-	-
FEMALE--	2	1	1	-	4	4	2	2	2	2	-	-
BLACK---MALE----	1	-	2	3	-	1	-	1	-	-	-	-
FEMALE--	1	1	1	-	3	2	1	2	2	-	-	-
PENNSYLVANIA -----	304	445	591	889	1,429	2,020	2,362	2,530	1,834	738	186	-
WHITE-----MALE----	172	237	324	465	725	922	991	793	449	124	27	-
FEMALE--	65	113	147	271	523	915	1,219	1,615	1,317	580	149	-
ALL OTHER--MALE----	43	61	84	102	118	82	67	38	22	10	2	-
FEMALE--	24	34	36	51	63	101	85	84	46	24	8	-
BLACK---MALE----	42	59	82	100	115	80	64	35	22	9	2	-
FEMALE--	23	34	35	46	62	100	79	83	46	24	8	-
RHODE ISLAND -----	16	31	33	54	81	92	107	108	93	28	10	-
WHITE-----MALE----	10	23	20	34	48	51	52	46	17	3	2	-
FEMALE--	5	6	11	18	33	40	51	62	75	24	7	-
ALL OTHER--MALE----	-	2	1	1	-	-	1	-	1	1	-	-
FEMALE--	1	-	1	1	-	1	3	-	-	-	1	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	1	-	-
FEMALE--	1	-	1	1	-	1	3	-	-	-	1	-
SOUTH CAROLINA -----	102	149	186	254	333	432	472	474	324	118	31	-
WHITE-----MALE----	40	63	74	102	135	151	154	108	52	15	3	-
FEMALE--	17	34	41	66	96	172	201	269	212	83	17	-
ALL OTHER--MALE----	28	31	37	51	50	57	43	36	15	7	4	-
FEMALE--	17	21	34	35	52	52	74	61	45	13	7	-
BLACK---MALE----	28	31	37	51	49	57	43	36	15	7	4	-
FEMALE--	17	21	34	34	51	52	73	61	45	13	7	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 1,619

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
OTHER FORMS OF HEART DISEASE (420-429)												
SOUTH DAKOTA -----	662	2	3	-	1	1	1	-	1	2	7	9
WHITE-----MALE----	279	-	1	-	-	1	1	-	-	2	4	6
FEMALE--	345	1	-	-	1	-	-	-	1	-	-	-
ALL OTHER--MALE----	21	-	1	-	-	-	-	-	-	-	3	3
FEMALE--	17	1	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	4,714	10	4	4	1	8	8	8	25	51	87	123
WHITE-----MALE----	1,715	5	1	1	-	5	6	2	10	19	40	53
FEMALE--	2,088	2	1	1	-	2	-	1	8	9	12	23
ALL OTHER--MALE----	464	3	-	1	-	-	-	4	4	13	21	32
FEMALE--	447	-	2	1	1	1	2	1	3	10	14	15
BLACK---MALE----	457	3	-	1	-	-	-	4	4	12	21	32
FEMALE--	442	-	2	1	1	1	2	1	3	10	13	15
TEXAS -----	12,384	34	7	9	5	33	46	48	69	133	227	351
WHITE-----MALE----	5,017	13	2	4	2	14	21	25	31	60	124	202
FEMALE--	5,587	8	4	4	1	14	7	8	18	33	34	64
ALL OTHER--MALE----	927	8	-	-	1	5	15	10	17	28	43	59
FEMALE--	853	5	1	1	1	-	3	5	3	12	26	26
BLACK---MALE----	880	7	-	-	1	5	14	9	15	25	39	55
FEMALE--	818	3	1	1	1	-	3	5	3	12	26	24
UTAH -----	1,020	2	-	1	1	-	4	8	6	10	13	22
WHITE-----MALE----	465	2	-	1	1	-	1	3	4	6	7	12
FEMALE--	535	-	-	-	-	-	1	5	2	4	6	9
ALL OTHER--MALE----	12	-	-	-	-	-	2	-	-	-	-	1
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	528	-	1	-	1	-	1	-	-	2	7	2
WHITE-----MALE----	203	-	1	-	1	-	1	-	-	2	6	2
FEMALE--	323	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	5,859	6	8	4	4	11	13	11	29	56	94	118
WHITE-----MALE----	1,985	1	4	1	1	4	5	4	9	25	45	44
FEMALE--	2,664	2	2	1	2	1	5	4	7	10	16	31
ALL OTHER--MALE----	570	2	2	-	-	4	3	2	8	12	22	23
FEMALE--	640	1	-	2	1	2	-	1	5	9	11	20
BLACK---MALE----	548	2	2	-	-	4	3	2	8	11	22	22
FEMALE--	617	1	-	2	1	2	-	1	5	9	10	20

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,619

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
OTHER FORMS OF HEART DISEASE (420-429)												
SOUTH DAKOTA -----	7	12	22	34	67	74	96	138	115	51	19	-
WHITE-----MALE----	2	8	18	20	42	32	45	47	35	13	2	-
FEMALE--	4	4	3	12	21	31	47	86	79	38	17	-
ALL OTHER--MALE----	-	-	1	1	2	5	3	2	-	-	-	-
FEMALE--	1	-	-	1	2	6	1	3	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
TENNESSEE -----	170	192	297	374	510	625	711	764	507	188	46	1
WHITE-----MALE----	82	96	156	172	212	275	246	193	106	30	5	-
FEMALE--	31	48	67	125	187	262	370	459	327	121	32	-
ALL OTHER--MALE----	42	32	46	49	61	52	40	31	20	8	4	1
FEMALE--	15	16	28	28	50	36	55	81	54	29	5	-
BLACK---MALE----	40	32	45	49	58	52	40	31	20	8	4	1
FEMALE--	15	16	28	27	50	36	54	81	53	28	5	-
TEXAS -----	468	551	749	866	1,295	1,511	1,768	2,005	1,469	598	142	-
WHITE-----MALE----	266	305	417	459	621	702	678	609	359	87	16	-
FEMALE--	103	115	180	257	454	618	887	1,204	1,005	462	107	-
ALL OTHER--MALE----	59	91	95	86	113	88	83	70	41	13	2	-
FEMALE--	40	40	57	64	107	103	120	122	64	36	17	-
BLACK---MALE----	56	86	90	84	108	85	80	68	38	13	2	-
FEMALE--	39	39	54	64	102	100	110	119	62	33	17	-
UTAH -----	20	31	31	51	86	135	168	204	154	66	7	-
WHITE-----MALE----	16	17	21	32	47	74	76	80	42	21	2	-
FEMALE--	3	13	7	18	38	59	89	123	111	42	5	-
ALL OTHER--MALE----	1	-	-	-	-	2	2	-	1	3	-	-
FEMALE--	-	1	3	1	1	-	1	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	1	1	-	-	1	-	-	-	-	-
VERMONT -----	12	11	15	29	35	63	79	100	108	49	13	-
WHITE-----MALE----	8	6	11	18	20	26	31	28	30	10	2	-
FEMALE--	4	5	4	10	15	37	48	72	78	39	11	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	184	223	267	417	552	805	936	993	708	345	73	2
WHITE-----MALE----	78	104	131	186	231	294	334	272	152	52	8	-
FEMALE--	40	50	61	108	193	331	434	577	481	254	53	1
ALL OTHER--MALE----	45	51	49	67	64	83	53	46	21	10	2	1
FEMALE--	21	18	26	56	64	97	115	98	54	29	10	-
BLACK---MALE----	44	50	48	65	63	77	49	44	20	9	2	1
FEMALE--	21	18	26	54	60	93	110	96	49	29	10	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,620

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
OTHER FORMS OF HEART DISEASE (420-429)												
WASHINGTON -----	90	130	183	246	347	475	650	682	541	208	49	1
WHITE-----MALE----	62	86	123	166	201	247	289	250	172	42	6	-
FEMALE--	20	35	44	64	126	200	347	408	360	164	43	-
ALL OTHER--MALE----	6	9	8	8	12	14	8	11	4	1	-	1
FEMALE--	2	-	8	8	8	14	6	13	5	1	-	-
BLACK---MALE----	5	5	4	4	4	5	4	4	1	-	-	1
FEMALE--	1	-	1	4	4	7	3	1	1	-	-	-
WEST VIRGINIA -----	63	77	105	179	220	314	372	391	277	99	36	-
WHITE-----MALE----	47	41	60	109	120	127	141	126	62	14	8	-
FEMALE--	14	27	35	64	92	177	220	257	209	79	28	-
ALL OTHER--MALE----	-	5	6	4	2	3	4	3	3	1	-	-
FEMALE--	2	4	4	2	6	7	7	5	3	5	-	-
BLACK---MALE----	-	5	6	4	2	3	4	3	3	1	-	-
FEMALE--	2	4	3	2	6	7	7	5	3	5	-	-
WISCONSIN -----	65	79	139	218	316	486	678	749	637	298	82	-
WHITE-----MALE----	40	45	78	129	181	240	305	295	177	69	14	-
FEMALE--	15	25	46	75	126	234	358	444	451	225	67	-
ALL OTHER--MALE----	6	4	10	11	5	3	5	3	3	1	1	-
FEMALE--	4	5	5	3	4	9	10	7	6	3	-	-
BLACK---MALE----	6	4	8	9	4	2	4	3	1	-	1	-
FEMALE--	4	4	4	2	3	9	8	5	5	2	-	-
WYOMING -----	6	10	11	18	34	53	54	55	59	17	4	-
WHITE-----MALE----	4	6	6	7	23	26	26	17	16	3	-	-
FEMALE--	1	4	5	10	9	25	28	38	43	14	4	-
ALL OTHER--MALE----	1	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 1,621

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ACUTE AND SUBACUTE ENDOCARDITIS (421)												
UNITED STATES --	1,055	3	-	1	-	3	5	12	28	44	61	74
WHITE-----MALE----	467	-	-	1	-	1	3	5	10	20	31	28
FEMALE--	360	2	-	-	-	1	1	3	10	9	10	13
ALL OTHER--MALE----	137	-	-	-	-	1	1	4	5	10	15	20
FEMALE--	91	1	-	-	-	-	-	-	3	5	5	13
BLACK---MALE----	128	-	-	-	-	1	-	4	5	8	15	19
FEMALE--	86	1	-	-	-	-	-	-	3	5	5	13
ALABAMA -----	16	-	-	-	-	-	1	-	-	2	-	1
WHITE-----MALE----	9	-	-	-	-	-	1	-	-	2	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALASKA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	16	-	-	-	-	-	-	1	2	2	-	-
WHITE-----MALE----	10	-	-	-	-	-	-	1	1	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
ARKANSAS -----	9	-	-	-	-	-	-	-	1	-	2	-
WHITE-----MALE----	5	-	-	-	-	-	-	-	1	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	106	-	-	-	-	-	-	1	6	3	2	6
WHITE-----MALE----	41	-	-	-	-	-	-	1	3	-	2	2
FEMALE--	43	-	-	-	-	-	-	-	1	2	-	1
ALL OTHER--MALE----	15	-	-	-	-	-	-	-	1	1	-	3
FEMALE--	7	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	13	-	-	-	-	-	-	-	1	1	-	3
FEMALE--	6	-	-	-	-	-	-	-	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,621

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ACUTE AND SUBACUTE ENDOCARDITIS (421)												
UNITED STATES --	71	71	80	88	146	125	127	73	33	8	2	-
WHITE-----MALE----	31	29	32	41	73	58	62	25	15	2	-	-
FEMALE--	9	19	34	32	51	50	57	37	15	5	2	-
ALL OTHER--MALE----	24	12	9	11	10	8	4	2	1	-	-	-
FEMALE--	7	11	5	4	12	9	4	9	2	1	-	-
BLACK---MALE----	23	10	8	11	9	8	4	2	1	-	-	-
FEMALE--	7	11	5	3	9	9	3	9	2	1	-	-
ALABAMA -----	-	4	-	5	1	1	1	-	-	-	-	-
WHITE-----MALE----	-	3	-	2	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	2	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
ALASKA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	1	-	1	-	1	2	2	3	1	-	-	-
WHITE-----MALE----	1	-	-	-	-	2	2	2	1	-	-	-
FEMALE--	-	-	1	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	-	-	2	-	2	-	1	-	1	-	-	-
WHITE-----MALE----	-	-	-	-	2	-	-	-	1	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	1	-	-	-	-	-
CALIFORNIA -----	4	11	10	8	10	16	14	9	5	1	-	-
WHITE-----MALE----	1	3	5	2	4	6	3	5	3	1	-	-
FEMALE--	1	3	3	3	4	10	11	2	2	-	-	-
ALL OTHER--MALE----	2	4	1	2	1	-	-	-	-	-	-	-
FEMALE--	-	1	1	1	1	-	-	2	-	-	-	-
BLACK---MALE----	2	3	1	2	-	-	-	-	-	-	-	-
FEMALE--	-	1	1	1	-	-	-	2	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,624

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ACUTE AND SUBACUTE ENDOCARDITIS (421)												
KENTUCKY -----	-	-	2	-	1	4	1	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	2	1	-	-	-	-	-
FEMALE--	-	-	1	-	-	2	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	2	2	-	-	4	1	3	-	-	-	-	-
WHITE-----MALE----	1	1	-	-	2	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	1	1	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	1	1	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	1	-	-	-	-	-
MAINE -----	-	-	-	-	2	1	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	2	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	3	1	2	1	6	-	-	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	2	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	4	-	-	1	-	-	-	-
ALL OTHER--MALE----	2	1	1	1	-	-	-	-	-	-	-	-
FEMALE--	1	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	1	1	1	-	-	-	-	-	-	-	-
FEMALE--	1	-	1	-	-	-	-	-	-	-	-	-
MASSACHUSETTS -----	2	1	-	-	4	2	2	5	1	2	-	-
WHITE-----MALE----	2	1	-	-	1	2	2	1	-	-	-	-
FEMALE--	-	-	-	-	3	-	-	4	1	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	5	5	2	-	3	1	4	4	-	-	-	-
WHITE-----MALE----	-	3	-	-	2	1	1	1	-	-	-	-
FEMALE--	-	2	2	-	-	-	3	-	-	-	-	-
ALL OTHER--MALE----	4	-	-	-	1	-	-	1	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	2	-	-	-	-
BLACK---MALE----	4	-	-	-	1	-	-	1	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	2	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 1,627

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ACUTE AND SUBACUTE ENDOCARDITIS (421)												
OHIO -----	50	-	-	-	-	-	-	-	-	1	7	4
WHITE-----MALE----	21	-	-	-	-	-	-	-	-	1	4	2
FEMALE--	19	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	1	2
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	1	2
OKLAHOMA -----	19	-	-	-	-	-	-	-	-	2	1	3
WHITE-----MALE----	12	-	-	-	-	-	-	-	-	2	1	1
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	7	-	-	-	-	-	1	-	-	-	-	1
WHITE-----MALE----	4	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
PENNSYLVANIA -----	60	-	-	-	-	-	-	1	1	3	-	2
WHITE-----MALE----	29	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	20	-	-	-	-	-	-	1	1	1	-	-
ALL OTHER--MALE----	7	-	-	-	-	-	-	-	-	1	-	2
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	7	-	-	-	-	-	-	-	-	1	-	2
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND -----	5	-	-	-	-	-	-	-	-	-	-	1
WHITE-----MALE----	4	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	9	-	-	-	-	-	-	-	1	2	-	1
WHITE-----MALE----	3	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	2	-	-	-	-	-	-	-	1	-	-	1
BLACK---MALE----	3	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	2	-	-	-	-	-	-	-	1	-	-	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 1,628

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ACUTE AND SUBACUTE ENDOCARDITIS (421)												
SOUTH DAKOTA -----	1	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	21	-	-	-	-	-	-	1	-	1	1	4
WHITE-----MALE----	9	-	-	-	-	-	-	-	-	-	-	3
FEMALE--	8	-	-	-	-	-	-	-	-	1	1	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	2	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	1
TEXAS -----	81	-	-	-	-	1	-	4	3	7	8	6
WHITE-----MALE----	38	-	-	-	-	-	-	1	-	3	5	3
FEMALE--	30	-	-	-	-	1	-	1	1	1	2	2
ALL OTHER--MALE----	7	-	-	-	-	-	-	2	2	1	-	1
FEMALE--	6	-	-	-	-	-	-	-	-	2	1	-
BLACK---MALE----	6	-	-	-	-	-	-	2	2	-	-	1
FEMALE--	6	-	-	-	-	-	-	-	-	2	1	-
UTAH -----	7	-	-	-	-	-	-	-	-	1	1	2
WHITE-----MALE----	6	-	-	-	-	-	-	-	-	1	1	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	3	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	27	-	-	-	-	-	-	1	-	3	-	2
WHITE-----MALE----	9	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	1	-	1	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	1	-	2
BLACK---MALE----	4	-	-	-	-	-	-	1	-	1	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	1	-	2

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,628

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ACUTE AND SUBACUTE ENDOCARDITIS (421)												
SOUTH DAKOTA -----	-	-	-	-	-	1	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	3	-	3	4	-	1	2	-	1	-	-	-
WHITE-----MALE----	2	-	3	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	4	-	-	2	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
TEXAS -----	6	5	5	4	12	3	11	2	4	-	-	-
WHITE-----MALE----	3	4	1	4	6	2	6	-	-	-	-	-
FEMALE--	2	1	4	-	4	1	5	2	3	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	2	-	-	-	1	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	2	-	-	-	1	-	-	-
UTAH -----	-	1	-	-	1	-	1	-	-	-	-	-
WHITE-----MALE----	-	1	-	-	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	-	1	-	-	-	2	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	2	1	3	2	3	2	5	-	1	1	1	-
WHITE-----MALE----	2	-	3	-	-	-	3	-	1	-	-	-
FEMALE--	-	-	-	1	2	1	2	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	1	-	-	1	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	1	-	-	1	-	-	-	-	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 1,631

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ACUTE PERICARDITIS, ACUTE MYOCARDITIS, AND OTHER DISEASES OF PERICARDIUM (420,422-423)												
COLORADO -----	10	-	1	-	-	1	-	-	-	-	-	-
WHITE-----MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-
CONNECTICUT -----	4	-	-	-	-	-	-	-	1	-	-	-
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	3	1	1	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	2	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	5	-	-	-	-	-	-	-	-	-	-	1
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	55	3	5	1	-	1	1	-	2	2	3	4
WHITE-----MALE----	22	1	2	1	-	-	1	-	-	-	1	3
FEMALE--	23	1	2	-	-	-	-	-	1	-	1	-
ALL OTHER--MALE----	3	1	1	-	-	-	-	-	-	-	-	1
FEMALE--	7	-	-	-	-	1	-	-	1	2	1	-
BLACK---MALE----	3	1	1	-	-	-	-	-	-	-	-	1
FEMALE--	7	-	-	-	-	1	-	-	1	2	1	-
GEORGIA -----	30	-	1	-	-	3	2	-	1	-	1	2
WHITE-----MALE----	15	-	-	-	-	1	-	-	-	-	1	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	5	-	-	-	-	1	-	-	1	-	-	1
FEMALE--	6	-	1	-	-	1	2	-	-	-	-	-
BLACK---MALE----	5	-	-	-	-	1	-	-	1	-	-	1
FEMALE--	6	-	1	-	-	1	2	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,631

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 0 ACUTE PERICARDITIS, ACUTE MYOCARDITIS, AND OTHER DISEASES OF PERICARDIUM (420,422-423)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
COLORADO -----	1	1	-	3	-	3	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	2	-	2	-	-	-	-	-	-
FEMALE--	1	1	-	1	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	1	-	-	-	-	-	1	1	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	-	-	-	-	-	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	1	-	1	1	1	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	1	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	1	-	1	-	-	-	-	-	-	-	-	-
FLORIDA -----	2	5	2	3	7	4	4	5	1	-	-	-
WHITE-----MALE----	-	2	1	1	4	2	2	1	-	-	-	-
FEMALE--	2	3	1	2	2	1	2	4	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	-	-	-	-	-
GEORGIA -----	1	4	4	-	2	4	2	2	1	-	-	-
WHITE-----MALE----	1	2	4	-	1	3	1	-	1	-	-	-
FEMALE--	-	-	-	-	1	1	-	1	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 1,632

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ACUTE PERICARDITIS, ACUTE MYOCARDITIS, AND OTHER DISEASES OF PERICARDIUM (420,422-423)												
HAWAII -----	3	-	-	-	-	-	-	-	-	-	-	1
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	2	1	-	-	1	-	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	34	1	-	1	-	-	2	1	1	1	2	3
WHITE-----MALE----	11	1	-	-	-	-	1	1	1	-	-	1
FEMALE--	15	-	-	1	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	5	-	-	-	-	-	1	-	-	1	-	1
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	5	-	-	-	-	-	1	-	-	1	-	1
INDIANA -----	26	-	2	-	-	2	3	-	-	-	-	2
WHITE-----MALE----	10	-	-	-	-	1	1	-	-	-	-	2
FEMALE--	12	-	2	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
IOWA -----	8	-	-	-	-	1	1	-	-	-	-	3
WHITE-----MALE----	2	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	3
ALL OTHER--MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS -----	2	-	-	-	-	-	-	-	-	1	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 1,633

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ACUTE PERICARDITIS, ACUTE MYOCARDITIS, AND OTHER DISEASES OF PERICARDIUM (420,422-423)												
KENTUCKY -----	17	-	-	-	-	-	-	2	-	1	1	1
WHITE-----MALE----	9	-	-	-	-	-	-	1	-	1	1	1
FEMALE--	8	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	12	1	1	-	-	-	1	1	1	-	-	1
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	1	1	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	5	-	-	-	-	-	1	1	1	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	5	-	-	-	-	-	1	1	1	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
MAINE -----	3	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	14	1	1	-	-	-	-	-	1	-	-	1
WHITE-----MALE----	6	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	2	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	2	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	2	1	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS -----	18	1	-	-	-	-	-	2	2	1	1	-
WHITE-----MALE----	7	-	-	-	-	-	-	-	2	1	-	-
FEMALE--	7	1	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	1	-	-	1	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	1	-	-	1	-
MICHIGAN -----	40	1	-	-	-	5	3	1	1	2	3	2
WHITE-----MALE----	13	-	-	-	-	2	-	-	1	1	1	1
FEMALE--	18	-	-	-	-	-	2	1	-	1	1	1
ALL OTHER--MALE----	3	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	6	1	-	-	-	2	-	-	-	-	1	-
BLACK---MALE----	3	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	5	1	-	-	-	2	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,636

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 0 ACUTE PERICARDITIS, ACUTE MYOCARDITIS, AND OTHER DISEASES OF PERICARDIUM (420,422-423)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
OHIO -----	-	-	3	1	4	4	5	3	-	-	-	-
WHITE-----MALE----	-	-	1	-	1	2	4	-	-	-	-	-
FEMALE--	-	-	2	1	3	1	1	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA -----	1	-	-	1	1	1	-	1	-	-	-	-
WHITE-----MALE----	1	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	-	-	-	-	-	-	-	1	-	1	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	1	3	2	3	4	4	3	5	-	-	-	-
WHITE-----MALE----	1	1	2	2	4	2	2	-	-	-	-	-
FEMALE--	-	1	-	1	-	1	1	5	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
RHODE ISLAND -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	1	1	-	3	1	-	1	1	-	-	-	-
WHITE-----MALE----	-	-	-	3	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	1	1	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	1	1	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 1,637

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
 0 ACUTE PERICARDITIS, ACUTE MYOCARDITIS, AND OTHER DISEASES OF PERICARDIUM (420,422-423)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
SOUTH DAKOTA -----	1	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENTENNESSEE -----	15	1	-	-	-	-	-	-	2	-	1	1
WHITE-----MALE----	5	-	-	-	-	-	-	-	1	-	1	-
FEMALE--	6	1	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	1	-	-	-
TEXAS -----	49	6	-	2	1	1	-	4	2	4	4	2
WHITE-----MALE----	18	1	-	-	1	1	-	2	1	2	3	1
FEMALE--	21	2	-	1	-	-	-	2	1	1	-	1
ALL OTHER--MALE----	2	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	1	-	1	-	-	-	-	-	1	1	-
BLACK---MALE----	2	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	1	-	1	-	-	-	-	-	1	1	-
UTAH -----	4	-	-	-	-	-	-	-	-	-	1	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	1	-	-	-	-	-	-	-	-	-	1	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	17	1	-	-	2	-	1	-	-	-	2	1
WHITE-----MALE----	7	-	-	-	1	-	1	-	-	-	1	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	1	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	1	-	-	1	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,639

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OTHER DISEASES OF ENDOCARDIUM (424)												
UNITED STATES --	308	368	514	859	1,588	2,522	3,534	4,066	2,889	963	172	2
WHITE-----MALE----	146	158	266	392	718	1,099	1,408	1,240	753	184	23	1
FEMALE--	99	132	160	364	713	1,244	1,944	2,665	2,027	749	141	-
ALL OTHER--MALE----	34	33	48	52	80	74	55	54	31	6	2	1
FEMALE--	29	45	40	51	77	105	127	107	78	24	6	-
BLACK---MALE----	29	29	37	45	57	61	40	39	17	5	2	1
FEMALE--	28	42	32	41	67	92	99	87	67	18	5	-
ALABAMA -----	6	6	3	9	26	37	44	52	27	13	2	-
WHITE-----MALE----	2	2	2	3	12	18	19	18	6	2	-	-
FEMALE--	2	3	1	5	11	16	20	32	15	10	1	-
ALL OTHER--MALE----	2	-	-	-	1	1	1	-	1	-	-	-
FEMALE--	-	1	-	1	2	2	4	2	5	1	1	-
BLACK---MALE----	1	-	-	-	1	1	1	-	1	-	-	-
FEMALE--	-	1	-	1	2	2	4	2	5	1	1	-
ALASKA -----	-	-	1	4	4	6	3	7	-	1	-	-
WHITE-----MALE----	-	-	-	-	3	3	1	1	-	-	-	-
FEMALE--	-	-	-	2	-	1	1	5	-	1	-	-
ALL OTHER--MALE----	-	-	1	1	-	1	-	1	-	-	-	-
FEMALE--	-	-	-	1	1	1	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	4	10	8	10	22	52	63	51	49	17	-	-
WHITE-----MALE----	2	3	6	4	8	26	26	15	20	5	-	-
FEMALE--	-	6	1	5	13	26	36	34	29	12	-	-
ALL OTHER--MALE----	1	1	1	-	1	-	-	1	-	-	-	-
FEMALE--	1	-	-	1	-	-	1	1	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	2	1	3	12	15	18	29	23	26	6	1	-
WHITE-----MALE----	-	-	1	5	7	5	12	11	9	3	1	-
FEMALE--	1	1	-	7	4	13	17	11	15	3	-	-
ALL OTHER--MALE----	1	-	1	-	2	-	-	1	-	-	-	-
FEMALE--	-	-	1	-	2	-	-	-	2	-	-	-
BLACK---MALE----	1	-	1	-	1	-	-	1	-	-	-	-
FEMALE--	-	-	1	-	2	-	-	-	2	-	-	-
CALIFORNIA -----	28	37	67	75	149	239	340	419	306	104	22	1
WHITE-----MALE----	14	14	34	27	55	104	153	128	73	13	1	1
FEMALE--	10	21	20	35	74	110	168	271	215	85	21	-
ALL OTHER--MALE----	3	1	6	11	11	11	4	6	11	1	-	-
FEMALE--	1	1	7	2	9	14	15	14	7	5	-	-
BLACK---MALE----	1	1	5	6	2	4	-	1	5	-	-	-
FEMALE--	1	1	3	1	5	8	7	4	3	2	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 1,640

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 OTHER DISEASES OF ENDOCARDIUM (424)												
COLORADO -----	229	-	-	-	-	-	-	-	1	1	3	4
WHITE-----MALE----	92	-	-	-	-	-	-	-	1	-	3	4
FEMALE--	129	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	259	-	1	-	-	-	-	-	1	1	2	5
WHITE-----MALE----	88	-	1	-	-	-	-	-	-	1	2	1
FEMALE--	158	-	-	-	-	-	-	-	1	-	-	1
ALL OTHER--MALE----	8	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	7	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	1
DELAWARE -----	49	-	-	-	-	-	-	-	-	-	1	1
WHITE-----MALE----	16	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	24	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	5	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	30	-	-	-	-	-	-	2	-	-	1	1
WHITE-----MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	1	-	-	-	1
FEMALE--	12	-	-	-	-	-	-	1	-	-	1	-
BLACK---MALE----	4	-	-	-	-	-	-	1	-	-	-	1
FEMALE--	12	-	-	-	-	-	-	1	-	-	1	-
FLORIDA -----	1,364	2	-	-	-	1	-	2	4	12	11	13
WHITE-----MALE----	555	2	-	-	-	1	-	1	1	2	4	6
FEMALE--	745	-	-	-	-	-	-	1	3	3	2	6
ALL OTHER--MALE----	29	-	-	-	-	-	-	-	-	2	4	1
FEMALE--	35	-	-	-	-	-	-	-	-	5	1	-
BLACK---MALE----	28	-	-	-	-	-	-	-	-	2	4	1
FEMALE--	35	-	-	-	-	-	-	-	-	5	1	-
GEORGIA -----	348	1	-	-	-	-	-	2	2	2	6	7
WHITE-----MALE----	108	-	-	-	-	-	-	2	-	-	1	1
FEMALE--	176	-	-	-	-	-	-	-	1	-	1	1
ALL OTHER--MALE----	25	-	-	-	-	-	-	-	1	1	2	1
FEMALE--	39	1	-	-	-	-	-	-	-	1	2	4
BLACK---MALE----	25	-	-	-	-	-	-	-	1	1	2	1
FEMALE--	38	1	-	-	-	-	-	-	-	1	2	4

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,640

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OTHER DISEASES OF ENDOCARDIUM (424)												
COLORADO -----	3	5	7	12	21	31	53	37	38	9	4	-
WHITE-----MALE----	2	2	3	7	9	13	24	12	11	1	-	-
FEMALE--	-	2	1	5	12	18	26	25	27	8	4	-
ALL OTHER--MALE----	-	1	3	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	3	-	-	-	-	-
BLACK---MALE----	-	-	3	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
CONNECTICUT -----	2	3	2	11	20	33	54	52	48	24	-	-
WHITE-----MALE----	-	2	1	4	7	12	29	14	9	5	-	-
FEMALE--	-	1	1	5	11	20	24	37	38	19	-	-
ALL OTHER--MALE----	2	-	-	2	1	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	1	1	1	1	-	-	-	-
BLACK---MALE----	2	-	-	2	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	1	1	-	-	-	-
DELAWARE -----	1	1	-	4	8	9	8	8	5	2	1	-
WHITE-----MALE----	-	-	-	3	4	3	3	2	1	-	-	-
FEMALE--	-	1	-	-	3	6	2	5	4	2	1	-
ALL OTHER--MALE----	-	-	-	1	-	-	2	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	1	1	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	2	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	1	1	-	-	-	-
DISTRICT OF COLUMBIA -----	-	1	-	2	-	5	5	10	2	1	-	-
WHITE-----MALE----	-	-	-	-	-	-	2	2	-	1	-	-
FEMALE--	-	-	-	-	-	1	1	5	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	1	-	-	-	-
FEMALE--	-	1	-	2	-	4	1	2	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	1	-	-	-	-
FEMALE--	-	1	-	2	-	4	1	2	-	-	-	-
FLORIDA -----	21	19	29	69	114	209	282	302	203	62	9	-
WHITE-----MALE----	12	5	18	36	54	100	114	116	65	17	1	-
FEMALE--	5	4	9	28	51	105	160	179	136	45	8	-
ALL OTHER--MALE----	4	2	1	2	6	3	1	3	-	-	-	-
FEMALE--	-	8	1	3	3	1	7	4	2	-	-	-
BLACK---MALE----	3	2	1	2	6	3	1	3	-	-	-	-
FEMALE--	-	8	1	3	3	1	7	4	2	-	-	-
GEORGIA -----	13	14	17	32	31	44	59	57	39	20	2	-
WHITE-----MALE----	5	4	6	14	12	16	20	11	9	7	-	-
FEMALE--	4	4	5	12	13	23	30	41	29	10	2	-
ALL OTHER--MALE----	-	4	4	3	3	2	2	2	-	-	-	-
FEMALE--	4	2	2	3	3	3	7	3	1	3	-	-
BLACK---MALE----	-	4	4	3	3	2	2	2	-	-	-	-
FEMALE--	4	2	2	2	3	3	7	3	1	3	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,641

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OTHER DISEASES OF ENDOCARDIUM (424)												
HAWAII -----	1	5	3	5	9	7	16	18	6	1	1	-
WHITE-----MALE----	1	1	-	1	1	4	1	3	1	-	-	-
FEMALE--	-	1	-	1	1	-	3	3	2	-	-	-
ALL OTHER--MALE----	-	1	3	1	4	2	6	8	1	-	-	-
FEMALE--	-	2	-	2	3	1	6	4	2	1	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	1	1	1	6	9	12	12	19	24	3	2	-
WHITE-----MALE----	-	1	1	2	4	8	5	3	6	1	1	-
FEMALE--	1	-	-	4	5	4	7	16	18	2	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	12	16	18	30	60	83	135	161	110	39	7	-
WHITE-----MALE----	6	7	10	15	26	36	52	48	26	11	1	-
FEMALE--	4	6	6	8	29	37	76	111	80	26	6	-
ALL OTHER--MALE----	2	1	-	1	3	3	3	1	-	-	-	-
FEMALE--	-	2	2	6	2	7	4	1	4	2	-	-
BLACK---MALE----	2	1	-	1	3	3	3	1	-	-	-	-
FEMALE--	-	2	2	5	2	7	4	1	4	2	-	-
INDIANA -----	5	11	13	22	42	63	85	96	57	28	2	-
WHITE-----MALE----	2	4	11	9	17	27	35	26	16	6	-	-
FEMALE--	3	5	-	12	23	31	46	67	40	22	2	-
ALL OTHER--MALE----	-	-	2	-	1	1	1	-	-	-	-	-
FEMALE--	-	2	-	1	1	4	3	3	1	-	-	-
BLACK---MALE----	-	-	2	-	1	1	1	-	-	-	-	-
FEMALE--	-	2	-	1	1	4	3	3	1	-	-	-
IOWA -----	1	3	6	6	21	22	49	68	61	16	4	-
WHITE-----MALE----	-	2	2	4	10	13	15	19	15	2	1	-
FEMALE--	1	1	4	2	11	9	33	49	45	14	3	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
KANSAS -----	2	1	4	5	15	14	37	55	43	13	4	-
WHITE-----MALE----	1	-	4	2	10	7	23	15	12	2	1	-
FEMALE--	1	-	-	3	5	5	14	40	31	11	3	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	2	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	2	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 1,642

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 OTHER DISEASES OF ENDOCARDIUM (424)												
KENTUCKY -----	202	1	-	-	-	-	-	-	2	3	3	3
WHITE-----MALE----	80	-	-	-	-	-	-	-	-	-	3	1
FEMALE--	112	1	-	-	-	-	-	-	-	3	-	1
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	1	-	-	1
BLACK---MALE----	4	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	1	-	-	1
LOUISIANA -----	285	-	-	-	-	-	1	1	-	2	8	3
WHITE-----MALE----	91	-	-	-	-	-	-	1	-	1	2	1
FEMALE--	137	-	-	-	-	-	-	-	-	-	1	2
ALL OTHER--MALE----	19	-	-	-	-	-	1	-	-	1	3	-
FEMALE--	38	-	-	-	-	-	-	-	-	-	2	-
BLACK---MALE----	19	-	-	-	-	-	1	-	-	1	3	-
FEMALE--	37	-	-	-	-	-	-	-	-	-	2	-
MAINE -----	135	-	-	-	-	-	-	-	-	-	-	1
WHITE-----MALE----	53	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	82	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	293	-	-	-	-	1	-	1	5	4	9	6
WHITE-----MALE----	94	-	-	-	-	1	-	-	1	-	4	1
FEMALE--	145	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	35	-	-	-	-	-	-	1	2	3	4	3
FEMALE--	19	-	-	-	-	-	-	-	1	1	1	2
BLACK---MALE----	33	-	-	-	-	-	-	1	1	3	4	3
FEMALE--	18	-	-	-	-	-	-	-	1	1	1	2
MASSACHUSETTS -----	505	1	-	-	-	-	-	-	1	2	6	7
WHITE-----MALE----	168	-	-	-	-	-	-	-	-	-	4	4
FEMALE--	320	1	-	-	-	-	-	-	1	2	-	3
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	12	-	-	-	-	-	-	-	-	-	2	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	11	-	-	-	-	-	-	-	-	-	2	-
MICHIGAN -----	594	1	-	-	-	-	1	1	1	6	10	11
WHITE-----MALE----	210	-	-	-	-	-	1	-	1	2	3	5
FEMALE--	324	-	-	-	-	-	-	-	-	1	2	1
ALL OTHER--MALE----	30	1	-	-	-	-	-	1	-	2	1	3
FEMALE--	30	-	-	-	-	-	-	-	-	1	4	2
BLACK---MALE----	26	1	-	-	-	-	-	1	-	2	1	2
FEMALE--	29	-	-	-	-	-	-	-	-	1	4	2

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,642

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OTHER DISEASES OF ENDOCARDIUM (424)												
KENTUCKY -----	4	5	9	10	19	34	32	37	33	6	1	-
WHITE-----MALE----	2	3	5	9	8	17	14	9	8	1	-	-
FEMALE--	2	2	4	1	9	15	17	27	25	4	1	-
ALL OTHER--MALE----	-	-	-	-	-	2	-	-	-	1	-	-
FEMALE--	-	-	-	-	2	-	1	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	2	-	-	-	1	-	-
FEMALE--	-	-	-	-	2	-	1	1	-	-	-	-
LOUISIANA -----	8	6	10	26	21	44	53	58	34	10	-	-
WHITE-----MALE----	6	2	6	10	10	15	15	12	9	1	-	-
FEMALE--	1	1	2	13	4	20	31	32	22	8	-	-
ALL OTHER--MALE----	1	1	1	1	4	1	-	4	1	-	-	-
FEMALE--	-	2	1	2	3	8	7	10	2	1	-	-
BLACK---MALE----	1	1	1	1	4	1	-	4	1	-	-	-
FEMALE--	-	2	1	2	3	8	6	10	2	1	-	-
MAINE -----	1	1	4	7	6	25	24	34	20	8	4	-
WHITE-----MALE----	1	1	2	4	4	12	10	14	3	1	-	-
FEMALE--	-	-	2	3	2	13	14	20	17	7	4	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	12	5	7	16	32	33	44	61	42	11	4	-
WHITE-----MALE----	4	1	4	4	15	11	14	16	16	2	-	-
FEMALE--	6	-	2	6	15	15	26	38	24	9	3	-
ALL OTHER--MALE----	1	2	-	5	2	4	2	5	1	-	-	-
FEMALE--	1	2	1	1	-	3	2	2	1	-	1	-
BLACK---MALE----	1	2	-	5	2	4	2	5	-	-	-	-
FEMALE--	1	2	1	1	-	2	2	2	1	-	1	-
MASSACHUSETTS -----	6	3	12	24	32	59	100	115	94	40	3	-
WHITE-----MALE----	5	2	9	8	17	22	34	34	23	5	1	-
FEMALE--	1	-	1	14	13	35	65	79	69	34	2	-
ALL OTHER--MALE----	-	-	1	1	1	-	1	1	-	-	-	-
FEMALE--	-	1	1	1	1	2	-	1	2	1	-	-
BLACK---MALE----	-	-	-	1	1	-	1	1	-	-	-	-
FEMALE--	-	1	1	1	1	2	-	1	2	-	-	-
MICHIGAN -----	16	15	14	30	55	73	134	115	72	36	3	-
WHITE-----MALE----	7	6	9	17	25	26	45	29	23	11	-	-
FEMALE--	6	4	4	8	23	38	83	80	46	25	3	-
ALL OTHER--MALE----	2	4	-	3	5	4	3	1	-	-	-	-
FEMALE--	1	1	1	2	2	5	3	5	3	-	-	-
BLACK---MALE----	2	4	-	3	3	4	2	1	-	-	-	-
FEMALE--	1	1	1	2	2	4	3	5	3	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,645

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OTHER DISEASES OF ENDOCARDIUM (424)												
OHIO -----	19	9	26	38	100	112	163	171	131	30	7	-
WHITE-----MALE----	9	3	12	13	45	60	71	51	31	9	2	-
FEMALE--	4	3	10	21	48	48	85	118	93	21	4	-
ALL OTHER--MALE----	3	1	1	2	1	1	4	1	1	-	-	-
FEMALE--	3	2	3	2	6	3	3	1	6	-	1	-
BLACK---MALE----	3	1	1	2	1	1	4	1	1	-	-	-
FEMALE--	3	2	2	2	6	3	3	1	6	-	1	-
OKLAHOMA -----	7	4	10	12	22	27	41	50	21	9	-	-
WHITE-----MALE----	3	-	5	6	7	14	23	17	5	1	-	-
FEMALE--	4	3	2	6	11	12	15	33	13	6	-	-
ALL OTHER--MALE----	-	-	3	-	3	1	2	-	-	-	-	-
FEMALE--	-	1	-	-	1	-	1	-	3	2	-	-
BLACK---MALE----	-	-	1	-	1	1	1	-	-	-	-	-
FEMALE--	-	1	-	-	1	-	1	-	2	2	-	-
OREGON -----	4	3	10	11	23	49	72	90	62	23	3	-
WHITE-----MALE----	1	2	5	7	17	23	32	34	27	3	1	-
FEMALE--	2	1	5	3	6	24	39	56	35	20	2	-
ALL OTHER--MALE----	1	-	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	1	-	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
PENNSYLVANIA -----	12	25	23	46	114	184	276	338	213	63	15	-
WHITE-----MALE----	4	11	11	27	57	84	104	92	46	12	2	-
FEMALE--	5	9	10	16	51	91	169	236	163	50	13	-
ALL OTHER--MALE----	2	4	1	1	3	3	3	3	1	1	-	-
FEMALE--	1	1	1	2	3	6	-	7	3	-	-	-
BLACK---MALE----	2	4	1	1	2	3	3	3	1	1	-	-
FEMALE--	1	1	1	2	3	5	-	7	3	-	-	-
RHODE ISLAND -----	3	-	-	3	7	11	13	16	9	7	-	-
WHITE-----MALE----	2	-	-	2	5	6	5	5	2	2	-	-
FEMALE--	1	-	-	1	2	5	7	11	7	5	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
SOUTH CAROLINA -----	8	5	6	16	18	41	41	32	27	6	2	-
WHITE-----MALE----	3	3	2	4	8	15	12	7	5	1	-	-
FEMALE--	3	1	2	8	6	22	23	24	19	4	1	-
ALL OTHER--MALE----	1	-	1	3	3	2	1	1	1	1	1	-
FEMALE--	1	1	1	1	1	2	5	-	2	-	-	-
BLACK---MALE----	1	-	1	3	3	2	1	1	1	1	1	-
FEMALE--	1	1	1	1	1	2	5	-	2	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 1,646

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 OTHER DISEASES OF ENDOCARDIUM (424)												
SOUTH DAKOTA -----	38	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	7	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	30	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	312	-	-	-	-	1	1	1	1	3	2	9
WHITE-----MALE----	111	-	-	-	-	1	1	1	-	1	1	3
FEMALE--	177	-	-	-	-	-	-	-	1	2	-	3
ALL OTHER--MALE----	14	-	-	-	-	-	-	-	-	-	-	3
FEMALE--	10	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	14	-	-	-	-	-	-	-	-	-	-	3
FEMALE--	10	-	-	-	-	-	-	-	-	-	1	-
TEXAS -----	918	2	-	-	-	3	2	4	3	8	14	17
WHITE-----MALE----	355	1	-	-	-	1	2	2	-	1	6	11
FEMALE--	478	-	-	-	-	-	-	1	-	6	3	4
ALL OTHER--MALE----	38	-	-	-	-	2	-	-	3	1	4	1
FEMALE--	47	1	-	-	-	-	-	1	-	-	1	1
BLACK---MALE----	35	-	-	-	-	2	-	-	3	1	2	1
FEMALE--	45	1	-	-	-	-	-	1	-	-	1	1
UTAH -----	144	-	-	1	-	-	1	2	1	1	3	3
WHITE-----MALE----	69	-	-	1	-	-	-	-	-	1	1	2
FEMALE--	73	-	-	-	-	-	1	2	1	-	2	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	57	-	-	-	1	-	-	-	-	-	1	-
WHITE-----MALE----	22	-	-	-	1	-	-	-	-	-	1	-
FEMALE--	35	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	417	-	1	1	-	-	-	-	1	2	11	3
WHITE-----MALE----	130	-	1	-	-	-	-	-	1	1	7	1
FEMALE--	227	-	-	-	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	21	-	-	-	-	-	-	-	-	-	3	1
FEMALE--	39	-	-	1	-	-	-	-	-	1	-	-
BLACK---MALE----	21	-	-	-	-	-	-	-	-	-	3	1
FEMALE--	37	-	-	1	-	-	-	-	-	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,646

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OTHER DISEASES OF ENDOCARDIUM (424)												
SOUTH DAKOTA -----	-	-	1	2	3	3	3	12	7	6	1	-
WHITE-----MALE----	-	-	1	-	-	1	1	3	1	-	-	-
FEMALE--	-	-	-	2	3	2	1	9	6	6	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	5	10	17	11	27	43	79	49	39	11	3	-
WHITE-----MALE----	3	4	11	8	10	18	23	14	7	5	-	-
FEMALE--	2	5	5	1	12	23	54	32	28	6	3	-
ALL OTHER--MALE----	-	-	-	2	2	2	2	1	2	-	-	-
FEMALE--	-	1	1	-	3	-	-	2	2	-	-	-
BLACK---MALE----	-	-	-	2	2	2	2	1	2	-	-	-
FEMALE--	-	1	1	-	3	-	-	2	2	-	-	-
TEXAS -----	15	28	35	55	83	136	155	190	122	37	9	-
WHITE-----MALE----	8	16	16	25	43	61	66	60	28	5	3	-
FEMALE--	4	9	13	24	32	59	79	119	89	31	5	-
ALL OTHER--MALE----	1	1	3	1	3	6	4	4	2	1	1	-
FEMALE--	2	2	3	5	5	10	6	7	3	-	-	-
BLACK---MALE----	1	1	3	1	3	6	4	3	2	1	1	-
FEMALE--	2	2	2	5	5	10	5	7	3	-	-	-
UTAH -----	-	4	3	6	13	30	31	22	19	3	1	-
WHITE-----MALE----	-	3	1	3	7	19	19	5	6	1	-	-
FEMALE--	-	1	2	3	6	11	12	16	12	2	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	1	-	1	3	6	4	19	15	6	-	-
WHITE-----MALE----	-	1	-	-	1	3	1	7	5	2	-	-
FEMALE--	-	-	-	1	2	3	3	12	10	4	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	12	15	7	20	36	53	77	90	57	28	3	-
WHITE-----MALE----	6	5	5	6	14	12	30	28	9	3	1	-
FEMALE--	2	5	-	8	17	33	39	50	45	24	2	-
ALL OTHER--MALE----	-	4	-	2	4	3	1	3	-	-	-	-
FEMALE--	4	1	2	4	1	5	7	9	3	1	-	-
BLACK---MALE----	-	4	-	2	4	3	1	3	-	-	-	-
FEMALE--	4	1	2	4	1	5	6	8	3	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,648

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 MITRAL VALVE DISORDERS (424.0)												
UNITED STATES --	44	68	93	156	233	424	449	544	280	82	15	-
WHITE-----MALE----	18	22	38	57	81	159	134	137	66	16	2	-
FEMALE--	22	31	38	80	128	239	289	380	200	63	12	-
ALL OTHER--MALE----	-	3	6	9	9	9	6	6	4	1	1	-
FEMALE--	4	12	11	10	15	17	20	21	10	2	-	-
BLACK---MALE----	-	2	4	6	6	7	3	6	2	1	1	-
FEMALE--	4	11	6	10	11	14	12	17	7	1	-	-
ALABAMA -----	1	2	-	1	1	6	4	8	5	1	-	-
WHITE-----MALE----	-	-	-	-	-	3	1	2	-	-	-	-
FEMALE--	1	1	-	1	1	2	3	6	3	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	1	-	-	2	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	1	-	-	2	-	-	-
ALASKA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	1	3	-	3	4	4	4	4	2	2	-	-
WHITE-----MALE----	-	-	-	1	-	3	2	2	1	1	-	-
FEMALE--	-	2	-	2	4	1	1	2	1	1	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	-	-	-	2	2	3	6	5	2	-	-	-
WHITE-----MALE----	-	-	-	1	-	-	1	2	-	-	-	-
FEMALE--	-	-	-	1	2	3	5	3	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	4	10	16	11	26	45	50	58	31	11	3	-
WHITE-----MALE----	2	5	8	-	10	17	16	14	5	1	-	-
FEMALE--	2	5	4	7	13	22	30	37	21	9	3	-
ALL OTHER--MALE----	-	-	1	4	1	3	2	-	3	-	-	-
FEMALE--	-	-	3	-	2	3	2	7	2	1	-	-
BLACK---MALE----	-	-	-	1	-	1	-	-	2	-	-	-
FEMALE--	-	-	-	-	-	1	-	3	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,649

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 MITRAL VALVE DISORDERS (424.0)												
COLORADO -----	-	-	2	-	1	7	7	7	4	-	1	-
WHITE-----MALE----	-	-	1	-	-	-	3	3	1	-	-	-
FEMALE--	-	-	1	-	1	7	4	4	3	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	-	1	-	2	1	9	6	6	3	2	-	-
WHITE-----MALE----	-	-	-	-	-	3	1	1	-	-	-	-
FEMALE--	-	1	-	1	1	6	5	5	3	2	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	1	-	1	1	2	1	1	1	1	-	-
WHITE-----MALE----	-	-	-	1	-	-	-	1	1	-	-	-
FEMALE--	-	1	-	-	-	2	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA -----	-	1	-	-	-	-	-	2	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	4	4	7	18	16	40	41	49	18	4	-	-
WHITE-----MALE----	3	-	4	8	5	20	12	17	5	1	-	-
FEMALE--	1	-	3	8	10	20	29	31	12	3	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	1	-	-	-	-
FEMALE--	-	4	-	2	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	1	-	-	-	-
FEMALE--	-	4	-	2	-	-	-	-	1	-	-	-
GEORGIA -----	2	1	4	4	7	10	6	8	7	-	-	-
WHITE-----MALE----	-	-	2	2	2	2	1	2	1	-	-	-
FEMALE--	2	1	-	1	4	7	5	5	6	-	-	-
ALL OTHER--MALE----	-	-	2	-	-	1	-	1	-	-	-	-
FEMALE--	-	-	-	1	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	2	-	-	1	-	1	-	-	-	-
FEMALE--	-	-	-	1	1	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,654

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 MITRAL VALVE DISORDERS (424.0)												
OHIO -----	3	2	4	6	16	17	30	26	14	2	-	-
WHITE-----MALE----	1	-	1	3	4	7	9	9	1	-	-	-
FEMALE--	1	1	2	3	12	10	21	17	13	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
OKLAHOMA -----	1	1	3	2	2	4	2	1	1	1	-	-
WHITE-----MALE----	1	-	1	-	1	-	-	-	1	-	-	-
FEMALE--	-	1	1	2	1	3	2	1	-	1	-	-
ALL OTHER--MALE----	-	-	1	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	-	1	2	3	4	4	3	10	9	1	-	-
WHITE-----MALE----	-	1	-	1	3	2	1	2	4	-	-	-
FEMALE--	-	-	2	2	1	2	2	8	5	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	4	2	6	8	16	30	32	49	11	3	-	-
WHITE-----MALE----	1	1	2	3	7	14	11	6	5	1	-	-
FEMALE--	2	-	3	4	8	14	21	39	6	2	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	1	-	-	-	-
FEMALE--	1	-	1	1	1	2	-	3	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	1	-	-	-	-
FEMALE--	1	-	1	1	1	1	-	3	-	-	-	-
RHODE ISLAND -----	1	-	-	-	2	2	1	4	3	1	-	-
WHITE-----MALE----	-	-	-	-	2	1	-	2	-	1	-	-
FEMALE--	1	-	-	-	-	1	1	2	3	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	2	2	-	6	3	7	2	4	1	-	1	-
WHITE-----MALE----	2	1	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	3	3	7	1	4	1	-	-	-
ALL OTHER--MALE----	-	-	-	2	-	-	-	-	-	-	1	-
FEMALE--	-	1	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	2	-	-	-	-	-	-	1	-
FEMALE--	-	1	-	-	-	-	1	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,655

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 MITRAL VALVE DISORDERS (424.0)												
SOUTH DAKOTA -----	-	-	-	-	1	-	-	3	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	2	3	4	2	4	9	13	13	8	1	2	-
WHITE-----MALE----	1	1	3	1	1	2	3	5	1	1	-	-
FEMALE--	1	2	1	-	3	7	10	6	6	-	2	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	2	1	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	2	1	-	-	-
TEXAS -----	1	5	9	12	19	17	14	26	16	3	-	-
WHITE-----MALE----	1	3	3	8	9	8	5	8	5	-	-	-
FEMALE--	-	2	4	3	8	7	7	15	11	3	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	2	1	2	1	2	3	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	2	1	2	1	1	3	-	-	-	-
UTAH -----	-	-	1	2	1	6	3	2	3	-	-	-
WHITE-----MALE----	-	-	-	-	1	4	2	1	2	-	-	-
FEMALE--	-	-	1	2	-	2	1	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	-	-	1	1	-	3	1	1	-	-
WHITE-----MALE----	-	-	-	-	-	1	-	1	-	1	-	-
FEMALE--	-	-	-	-	1	-	-	2	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	1	1	-	2	6	3	8	12	10	4	-	-
WHITE-----MALE----	-	-	-	-	2	1	1	2	1	1	-	-
FEMALE--	-	1	-	1	4	1	6	9	9	3	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	1	-	1	1	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	1	-	1	1	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,657

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 AORTIC VALVE DISORDERS (424.1)												
UNITED STATES --	130	172	244	438	880	1,490	2,316	2,751	2,070	703	132	2
WHITE-----MALE----	82	81	147	219	442	712	997	909	555	137	17	1
FEMALE--	32	63	63	177	354	673	1,218	1,744	1,433	549	108	-
ALL OTHER--MALE----	9	14	23	26	49	47	37	36	24	4	1	1
FEMALE--	7	14	11	16	35	58	64	62	58	13	6	-
BLACK---MALE----	5	12	19	24	32	42	27	25	15	3	1	1
FEMALE--	6	13	10	13	33	50	54	52	51	11	5	-
ALABAMA -----	1	2	3	5	13	24	27	35	16	10	2	-
WHITE-----MALE----	1	2	2	2	7	13	15	12	4	2	-	-
FEMALE--	-	-	1	3	6	9	9	21	8	7	1	-
ALL OTHER--MALE----	-	-	-	-	-	1	1	-	1	-	-	-
FEMALE--	-	-	-	-	-	1	2	2	3	1	1	-
BLACK---MALE----	-	-	-	-	-	1	1	-	1	-	-	-
FEMALE--	-	-	-	-	-	1	2	2	3	1	1	-
ALASKA -----	-	-	1	1	4	2	-	4	-	1	-	-
WHITE-----MALE----	-	-	-	-	3	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	3	-	1	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	-	5	5	6	13	27	45	34	39	12	-	-
WHITE-----MALE----	-	2	5	2	6	15	19	12	15	3	-	-
FEMALE--	-	3	-	3	6	12	26	21	24	9	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	1	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	-	1	1	6	10	14	18	15	14	4	-	-
WHITE-----MALE----	-	-	1	4	6	5	11	8	5	2	-	-
FEMALE--	-	1	-	2	2	9	7	6	8	2	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	1	-	-	-
CALIFORNIA -----	14	16	32	43	83	149	230	287	220	76	16	1
WHITE-----MALE----	8	4	19	18	35	70	113	91	58	11	-	1
FEMALE--	4	11	9	19	38	68	106	186	152	63	16	-
ALL OTHER--MALE----	2	-	3	4	7	3	2	6	6	1	-	-
FEMALE--	-	1	1	2	3	8	9	4	4	1	-	-
BLACK---MALE----	-	-	3	3	2	1	-	1	3	-	-	-
FEMALE--	-	1	-	1	3	5	5	1	2	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 1,658

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 AORTIC VALVE DISORDERS (424.1)												
COLORADO -----	127	-	-	-	-	-	-	-	-	-	1	3
WHITE-----MALE----	61	-	-	-	-	-	-	-	-	-	1	3
FEMALE--	62	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	175	-	-	-	-	-	-	-	-	-	2	1
WHITE-----MALE----	62	-	-	-	-	-	-	-	-	-	2	-
FEMALE--	108	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	27	-	-	-	-	-	-	-	-	-	-	1
WHITE-----MALE----	10	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	14	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	17	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	871	-	-	-	-	1	-	1	1	2	3	8
WHITE-----MALE----	377	-	-	-	-	1	-	-	1	1	1	4
FEMALE--	462	-	-	-	-	-	-	1	-	1	1	3
ALL OTHER--MALE----	15	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	17	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	14	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	17	-	-	-	-	-	-	-	-	-	-	-
GEORGIA -----	200	1	-	-	-	-	-	2	-	1	3	2
WHITE-----MALE----	82	-	-	-	-	-	-	2	-	-	1	-
FEMALE--	89	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	10	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	19	1	-	-	-	-	-	-	-	1	1	1
BLACK---MALE----	10	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	19	1	-	-	-	-	-	-	-	1	1	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,658

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 AORTIC VALVE DISORDERS (424.1)												
COLORADO -----	3	2	4	5	10	16	29	20	23	9	2	-
WHITE-----MALE----	2	1	2	5	6	9	17	7	7	1	-	-
FEMALE--	-	1	-	-	4	7	11	13	16	8	2	-
ALL OTHER--MALE----	-	-	2	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	2	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
CONNECTICUT -----	-	-	-	6	11	20	38	39	38	20	-	-
WHITE-----MALE----	-	-	-	4	4	7	23	9	8	5	-	-
FEMALE--	-	-	-	2	5	13	15	29	29	15	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	1	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	1	-	-	-	-
DELAWARE -----	-	-	-	1	4	5	5	6	3	1	1	-
WHITE-----MALE----	-	-	-	1	2	3	3	1	-	-	-	-
FEMALE--	-	-	-	-	2	2	1	4	3	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
DISTRICT OF COLUMBIA ----	-	-	-	1	-	3	4	6	2	1	-	-
WHITE-----MALE----	-	-	-	-	-	-	2	1	-	1	-	-
FEMALE--	-	-	-	-	-	-	1	4	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	1	-	3	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	1	-	3	-	1	-	-	-	-
FLORIDA -----	11	12	11	37	61	128	183	202	153	49	8	-
WHITE-----MALE----	7	5	7	21	35	64	79	81	55	14	1	-
FEMALE--	2	2	2	14	22	60	98	117	97	35	7	-
ALL OTHER--MALE----	2	1	1	1	3	3	-	2	-	-	-	-
FEMALE--	-	4	1	1	1	1	6	2	1	-	-	-
BLACK---MALE----	1	1	1	1	3	3	-	2	-	-	-	-
FEMALE--	-	4	1	1	1	1	6	2	1	-	-	-
GEORGIA -----	7	7	9	16	17	21	40	34	25	13	2	-
WHITE-----MALE----	5	3	3	9	9	10	17	9	7	7	-	-
FEMALE--	-	2	3	6	6	8	18	22	17	4	2	-
ALL OTHER--MALE----	-	2	1	1	1	1	2	1	-	-	-	-
FEMALE--	2	-	2	-	1	2	3	2	1	2	-	-
BLACK---MALE----	-	2	1	1	1	1	2	1	-	-	-	-
FEMALE--	2	-	2	-	1	2	3	2	1	2	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,659

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 AORTIC VALVE DISORDERS (424.1)												
HAWAII -----	1	3	2	4	5	3	11	12	3	-	1	-
WHITE-----MALE----	1	-	-	1	1	2	1	2	-	-	-	-
FEMALE--	-	1	-	1	-	-	2	2	2	-	-	-
ALL OTHER--MALE----	-	1	2	1	4	1	5	5	1	-	-	-
FEMALE--	-	1	-	1	-	-	3	3	-	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	-	-	-	2	4	3	6	10	16	2	1	-
WHITE-----MALE----	-	-	-	1	1	3	2	3	2	1	-	-
FEMALE--	-	-	-	1	3	-	4	7	14	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	4	5	11	10	31	44	82	103	82	24	6	-
WHITE-----MALE----	4	3	6	5	15	20	33	29	22	8	1	-
FEMALE--	-	2	3	3	13	18	45	73	57	16	5	-
ALL OTHER--MALE----	-	-	-	-	2	2	1	-	-	-	-	-
FEMALE--	-	-	2	2	1	4	3	1	3	-	-	-
BLACK---MALE----	-	-	-	-	2	2	1	-	-	-	-	-
FEMALE--	-	-	2	2	1	4	3	1	3	-	-	-
INDIANA -----	1	6	7	7	25	27	56	61	35	20	2	-
WHITE-----MALE----	1	2	7	4	10	10	25	21	11	4	-	-
FEMALE--	-	3	-	3	14	16	30	38	23	16	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	1	1	1	2	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	1	1	1	2	1	-	-	-
IOWA -----	-	2	1	5	11	15	38	49	43	12	-	-
WHITE-----MALE----	-	1	1	4	8	11	10	16	10	1	-	-
FEMALE--	-	1	-	1	3	4	27	33	33	11	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS -----	-	-	2	3	8	10	25	34	31	6	2	-
WHITE-----MALE----	-	-	2	1	5	6	17	12	8	-	1	-
FEMALE--	-	-	-	2	3	3	8	22	23	6	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,660

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 AORTIC VALVE DISORDERS (424.1)												
KENTUCKY -----	2	3	3	5	11	22	18	26	21	4	-	-
WHITE-----MALE----	1	1	3	5	5	12	9	6	4	1	-	-
FEMALE--	1	2	-	-	5	8	8	19	17	3	-	-
ALL OTHER--MALE----	-	-	-	-	-	2	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	2	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	1	-	-	-	-
LOUISIANA -----	5	4	5	15	15	26	38	40	28	8	-	-
WHITE-----MALE----	4	1	2	5	7	7	10	9	8	-	-	-
FEMALE--	-	-	1	9	2	14	24	20	17	8	-	-
ALL OTHER--MALE----	1	1	1	1	4	1	-	2	1	-	-	-
FEMALE--	-	2	1	-	2	4	4	9	2	-	-	-
BLACK---MALE----	1	1	1	1	4	1	-	2	1	-	-	-
FEMALE--	-	2	1	-	2	4	3	9	2	-	-	-
MAINE -----	1	-	2	6	3	14	13	20	13	5	3	-
WHITE-----MALE----	1	-	2	3	2	8	5	10	2	1	-	-
FEMALE--	-	-	-	3	1	6	8	10	11	4	3	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	7	2	4	10	18	26	31	45	32	7	3	-
WHITE-----MALE----	2	1	2	1	10	11	9	14	11	2	-	-
FEMALE--	4	-	2	4	7	9	20	25	20	5	2	-
ALL OTHER--MALE----	1	-	-	4	1	3	1	4	-	-	-	-
FEMALE--	-	1	-	1	-	3	1	2	1	-	1	-
BLACK---MALE----	1	-	-	4	1	3	1	4	-	-	-	-
FEMALE--	-	1	-	1	-	2	1	2	1	-	1	-
MASSACHUSETTS -----	2	2	6	9	17	31	62	86	77	28	3	-
WHITE-----MALE----	2	1	4	2	10	13	22	25	20	3	1	-
FEMALE--	-	-	1	7	7	17	40	60	57	25	2	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	1	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	1	-	1	-	-	-	-
MICHIGAN -----	7	7	4	19	28	37	88	82	37	28	2	-
WHITE-----MALE----	5	5	2	14	15	13	29	24	13	10	-	-
FEMALE--	2	1	2	4	11	19	53	54	22	18	2	-
ALL OTHER--MALE----	-	1	-	1	1	2	3	1	-	-	-	-
FEMALE--	-	-	-	-	1	3	3	3	2	-	-	-
BLACK---MALE----	-	1	-	1	1	2	2	1	-	-	-	-
FEMALE--	-	-	-	-	1	2	3	3	2	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,663

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 AORTIC VALVE DISORDERS (424.1)												
OHIO -----	7	4	13	18	57	62	101	95	89	20	7	-
WHITE-----MALE----	5	3	5	6	30	36	50	34	23	6	2	-
FEMALE--	1	-	6	9	23	24	46	60	60	14	4	-
ALL OTHER--MALE----	-	1	1	2	1	1	3	-	1	-	-	-
FEMALE--	1	-	1	1	3	1	2	1	5	-	1	-
BLACK---MALE----	-	1	1	2	1	1	3	-	1	-	-	-
FEMALE--	1	-	1	1	3	1	2	1	5	-	1	-
OKLAHOMA -----	5	1	4	6	16	20	27	39	15	7	-	-
WHITE-----MALE----	2	-	3	5	4	13	18	14	4	1	-	-
FEMALE--	3	1	1	1	8	7	9	25	8	4	-	-
ALL OTHER--MALE----	-	-	-	-	3	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	3	2	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	2	2	-	-
OREGON -----	3	1	2	6	10	32	53	70	50	19	2	-
WHITE-----MALE----	1	1	1	5	8	13	24	28	21	3	1	-
FEMALE--	2	-	1	1	2	17	29	42	29	16	1	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	2	9	9	21	62	115	192	221	162	52	13	-
WHITE-----MALE----	1	3	6	13	28	59	76	70	32	10	2	-
FEMALE--	1	6	3	7	29	52	114	148	126	41	11	-
ALL OTHER--MALE----	-	-	-	1	3	2	2	2	1	1	-	-
FEMALE--	-	-	-	-	2	2	-	1	3	-	-	-
BLACK---MALE----	-	-	-	1	2	2	2	2	1	1	-	-
FEMALE--	-	-	-	-	2	2	-	1	3	-	-	-
RHODE ISLAND -----	1	-	-	1	4	6	9	8	5	5	-	-
WHITE-----MALE----	1	-	-	1	3	3	4	3	2	1	-	-
FEMALE--	-	-	-	-	1	3	5	5	3	4	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	1	2	3	7	12	30	33	19	21	6	1	-
WHITE-----MALE----	-	2	2	2	8	13	10	5	3	1	-	-
FEMALE--	1	-	1	3	2	13	18	14	15	4	1	-
ALL OTHER--MALE----	-	-	-	1	2	2	1	-	1	1	-	-
FEMALE--	-	-	-	1	-	2	4	-	2	-	-	-
BLACK---MALE----	-	-	-	1	2	2	1	-	1	1	-	-
FEMALE--	-	-	-	1	-	2	4	-	2	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,664

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 AORTIC VALVE DISORDERS (424.1)												
SOUTH DAKOTA -----	-	-	1	1	1	3	3	8	4	4	1	-
WHITE-----MALE----	-	-	1	-	-	1	1	2	1	-	-	-
FEMALE--	-	-	-	1	1	2	1	6	3	4	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	2	4	7	9	14	23	47	27	25	8	-	-
WHITE-----MALE----	2	3	6	7	5	13	16	6	6	3	-	-
FEMALE--	-	1	1	1	6	9	30	20	16	5	-	-
ALL OTHER--MALE----	-	-	-	1	2	1	1	1	2	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	1	2	1	1	1	2	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	1	-	-	-
TEXAS -----	6	13	15	30	43	80	115	131	93	26	9	-
WHITE-----MALE----	4	8	7	11	23	38	52	45	20	3	3	-
FEMALE--	1	5	6	15	18	33	55	81	68	22	5	-
ALL OTHER--MALE----	-	-	2	1	1	3	4	2	2	1	1	-
FEMALE--	1	-	-	3	1	6	4	3	3	-	-	-
BLACK---MALE----	-	-	2	1	1	3	4	2	2	1	1	-
FEMALE--	1	-	-	3	1	6	4	3	3	-	-	-
UTAH -----	-	1	1	4	4	11	18	15	11	2	1	-
WHITE-----MALE----	-	1	1	3	2	8	12	4	1	-	-	-
FEMALE--	-	-	-	1	2	3	6	11	9	2	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	1	-	1	2	5	4	13	13	3	-	-
WHITE-----MALE----	-	1	-	-	1	2	1	6	5	-	-	-
FEMALE--	-	-	-	1	1	3	3	7	8	3	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	6	9	2	10	15	38	56	64	36	20	3	-
WHITE-----MALE----	4	3	2	4	7	11	26	24	4	2	1	-
FEMALE--	1	3	-	4	6	23	25	33	29	17	2	-
ALL OTHER--MALE----	-	3	-	1	1	2	1	2	-	-	-	-
FEMALE--	1	-	-	1	1	2	4	5	3	1	-	-
BLACK---MALE----	-	3	-	1	1	2	1	2	-	-	-	-
FEMALE--	1	-	-	1	1	2	3	4	3	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,666

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ALL OTHER DISEASES OF ENDOCARDIUM (424.2-424.9)												
UNITED STATES --	134	128	177	265	475	608	769	771	539	178	25	-
WHITE-----MALE----	46	55	81	116	195	228	277	194	132	31	4	-
FEMALE--	45	38	59	107	231	332	437	541	394	137	21	-
ALL OTHER--MALE----	25	16	19	17	22	18	12	12	3	1	-	-
FEMALE--	18	19	18	25	27	30	43	24	10	9	-	-
BLACK---MALE----	24	15	14	15	19	12	10	8	-	1	-	-
FEMALE--	18	18	16	18	23	28	33	18	9	6	-	-
ALABAMA -----	4	2	-	3	12	7	13	9	6	2	-	-
WHITE-----MALE----	1	-	-	1	5	2	3	4	2	-	-	-
FEMALE--	1	2	-	1	4	5	8	5	4	2	-	-
ALL OTHER--MALE----	2	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	2	-	-	-	-	-
BLACK---MALE----	1	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	2	-	2	-	-	-	-	-
ALASKA -----	-	-	-	3	-	4	3	3	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	2	1	1	-	-	-	-
FEMALE--	-	-	-	1	-	1	1	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	3	2	3	1	5	21	14	13	8	3	-	-
WHITE-----MALE----	2	1	1	1	2	8	5	1	4	1	-	-
FEMALE--	-	1	1	-	3	13	9	11	4	2	-	-
ALL OTHER--MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	2	-	2	4	3	1	5	3	10	2	1	-
WHITE-----MALE----	-	-	-	-	1	-	-	1	4	1	1	-
FEMALE--	1	-	-	4	-	1	5	2	5	1	-	-
ALL OTHER--MALE----	1	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	1	-	-	-	1	-	-	-
BLACK---MALE----	1	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	1	-	-	-	1	-	-	-
CALIFORNIA -----	10	11	19	21	40	45	60	74	55	17	3	-
WHITE-----MALE----	4	5	7	9	10	17	24	23	10	1	1	-
FEMALE--	4	5	7	9	23	20	32	48	42	13	2	-
ALL OTHER--MALE----	1	1	2	3	3	5	-	-	2	-	-	-
FEMALE--	1	-	3	-	4	3	4	3	1	3	-	-
BLACK---MALE----	1	1	2	2	-	2	-	-	-	-	-	-
FEMALE--	1	-	3	-	2	2	2	-	1	2	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,667

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ALL OTHER DISEASES OF ENDOCARDIUM (424.2-424.9)												
COLORADO -----	-	3	1	7	10	8	17	10	11	-	1	-
WHITE-----MALE----	-	1	-	2	3	4	4	2	3	-	-	-
FEMALE--	-	1	-	5	7	4	11	8	8	-	1	-
ALL OTHER--MALE----	-	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	2	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	2	2	2	3	8	4	10	7	7	2	-	-
WHITE-----MALE----	-	2	1	-	3	2	5	4	1	-	-	-
FEMALE--	-	-	1	2	5	1	4	3	6	2	-	-
ALL OTHER--MALE----	2	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	-	-	-	-
BLACK---MALE----	2	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	-	-	-	-
DELAWARE -----	1	-	-	2	3	2	2	1	1	-	-	-
WHITE-----MALE----	-	-	-	1	2	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	2	1	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
DISTRICT OF COLUMBIA ----	-	-	-	1	-	2	1	2	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	1	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	1	1	-	-	-	-
FLORIDA -----	6	3	11	14	37	41	58	51	32	9	1	-
WHITE-----MALE----	2	-	7	7	14	16	23	18	5	2	-	-
FEMALE--	2	2	4	6	19	25	33	31	27	7	1	-
ALL OTHER--MALE----	2	1	-	1	2	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	2	-	1	2	-	-	-	-
BLACK---MALE----	2	1	-	1	2	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	2	-	1	2	-	-	-	-
GEORGIA -----	4	6	4	12	7	13	13	15	7	7	-	-
WHITE-----MALE----	-	1	1	3	1	4	2	-	1	-	-	-
FEMALE--	2	1	2	5	3	8	7	14	6	6	-	-
ALL OTHER--MALE----	-	2	1	2	2	-	-	-	-	-	-	-
FEMALE--	2	2	-	2	1	1	4	1	-	1	-	-
BLACK---MALE----	-	2	1	2	2	-	-	-	-	-	-	-
FEMALE--	2	2	-	1	1	1	4	1	-	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,668

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ALL OTHER DISEASES OF ENDOCARDIUM (424.2-424.9)												
HAWAII -----	-	1	1	1	2	3	4	4	2	1	-	-
WHITE-----MALE----	-	1	-	-	-	1	-	-	1	-	-	-
FEMALE--	-	-	-	-	1	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	1	-	3	-	-	-	-
FEMALE--	-	-	-	1	1	1	3	1	1	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	-	1	1	-	4	7	5	6	6	1	-	-
WHITE-----MALE----	-	1	1	-	3	3	3	-	3	-	-	-
FEMALE--	-	-	-	-	1	4	2	6	3	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	7	6	3	13	18	23	33	29	19	8	1	-
WHITE-----MALE----	2	2	1	7	6	10	15	9	2	1	-	-
FEMALE--	3	3	2	1	11	11	17	20	17	5	1	-
ALL OTHER--MALE----	2	1	-	1	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	4	-	2	-	-	-	2	-	-
BLACK---MALE----	2	1	-	1	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	3	-	2	-	-	-	2	-	-
INDIANA -----	3	3	5	9	11	27	21	23	15	8	-	-
WHITE-----MALE----	1	1	3	2	4	12	7	3	3	2	-	-
FEMALE--	2	1	-	6	6	12	13	20	12	6	-	-
ALL OTHER--MALE----	-	-	2	-	1	1	-	-	-	-	-	-
FEMALE--	-	1	-	1	-	2	1	-	-	-	-	-
BLACK---MALE----	-	-	2	-	1	1	-	-	-	-	-	-
FEMALE--	-	1	-	1	-	2	1	-	-	-	-	-
IOWA -----	1	1	4	-	8	3	4	4	10	2	1	-
WHITE-----MALE----	-	1	1	-	1	1	1	1	4	-	-	-
FEMALE--	1	-	3	-	7	2	3	3	6	2	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS -----	2	1	2	1	5	2	7	15	9	5	2	-
WHITE-----MALE----	1	-	2	1	3	-	4	2	3	1	-	-
FEMALE--	1	-	-	-	2	1	3	13	6	4	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	1	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 1,669

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ALL OTHER DISEASES OF ENDOCARDIUM (424.2-424.9)												
KENTUCKY -----	52	1	-	-	-	-	-	-	-	1	2	2
WHITE-----MALE----	25	-	-	-	-	-	-	-	-	-	2	1
FEMALE--	25	1	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
LOUISIANA -----	66	-	-	-	-	-	-	1	-	1	4	-
WHITE-----MALE----	25	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	29	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	1	2	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	5	-	-	-	-	-	-	-	-	1	2	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	1	-
MAINE -----	27	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	7	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	20	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	59	-	-	-	-	1	-	-	2	4	5	3
WHITE-----MALE----	13	-	-	-	-	1	-	-	-	-	1	-
FEMALE--	26	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	14	-	-	-	-	-	-	-	-	3	4	1
FEMALE--	6	-	-	-	-	-	-	-	1	1	-	2
BLACK---MALE----	14	-	-	-	-	-	-	-	-	3	4	1
FEMALE--	6	-	-	-	-	-	-	-	1	1	-	2
MASSACHUSETTS -----	107	1	-	-	-	-	-	-	1	-	3	4
WHITE-----MALE----	39	-	-	-	-	-	-	-	-	-	2	2
FEMALE--	58	1	-	-	-	-	-	-	1	-	-	2
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	1	-
MICHIGAN -----	178	-	-	-	-	-	-	1	-	6	5	6
WHITE-----MALE----	58	-	-	-	-	-	-	-	-	2	3	3
FEMALE--	92	-	-	-	-	-	-	-	-	1	-	1
ALL OTHER--MALE----	14	-	-	-	-	-	-	1	-	2	-	1
FEMALE--	14	-	-	-	-	-	-	-	-	1	2	1
BLACK---MALE----	14	-	-	-	-	-	-	1	-	2	-	1
FEMALE--	14	-	-	-	-	-	-	-	-	1	2	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,669

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ALL OTHER DISEASES OF ENDOCARDIUM (424.2-424.9)												
KENTUCKY -----	1	2	1	3	6	7	11	6	7	2	-	-
WHITE-----MALE----	1	2	1	3	3	3	5	3	1	-	-	-
FEMALE--	-	-	-	-	3	4	6	3	6	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	3	1	5	8	6	9	10	12	5	1	-	-
WHITE-----MALE----	2	-	4	5	3	4	2	3	1	-	-	-
FEMALE--	1	1	1	2	2	4	6	7	4	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	2	-	-	-	-
FEMALE--	-	-	-	1	1	1	2	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	2	-	-	-	-
FEMALE--	-	-	-	1	1	1	2	-	-	1	-	-
MAINE -----	-	-	2	-	1	4	6	6	5	2	1	-
WHITE-----MALE----	-	-	-	-	-	2	3	1	1	-	-	-
FEMALE--	-	-	2	-	1	2	3	5	4	2	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	4	2	3	4	9	1	4	11	3	3	-	-
WHITE-----MALE----	1	-	2	1	4	-	1	1	1	-	-	-
FEMALE--	2	-	-	2	4	-	2	10	2	3	-	-
ALL OTHER--MALE----	-	2	-	1	1	1	1	-	-	-	-	-
FEMALE--	1	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	2	-	1	1	1	1	-	-	-	-	-
FEMALE--	1	-	1	-	-	-	-	-	-	-	-	-
MASSACHUSETTS -----	3	1	3	10	13	14	23	14	9	8	-	-
WHITE-----MALE----	3	1	2	4	6	4	7	4	3	1	-	-
FEMALE--	-	-	-	4	6	9	15	9	5	6	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	1	1	-	-	-	-
FEMALE--	-	-	1	1	1	1	-	-	1	1	-	-
BLACK---MALE----	-	-	-	1	-	-	1	1	-	-	-	-
FEMALE--	-	-	1	1	1	1	-	-	1	-	-	-
MICHIGAN -----	7	5	8	8	19	22	34	23	27	6	1	-
WHITE-----MALE----	1	1	6	3	8	7	13	3	7	1	-	-
FEMALE--	3	1	1	2	8	11	21	18	19	5	1	-
ALL OTHER--MALE----	2	2	-	2	2	2	-	-	-	-	-	-
FEMALE--	1	1	1	1	1	2	-	2	1	-	-	-
BLACK---MALE----	2	2	-	2	2	2	-	-	-	-	-	-
FEMALE--	1	1	1	1	1	2	-	2	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,672

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ALL OTHER DISEASES OF ENDOCARDIUM (424.2-424.9)												
OHIO -----	9	3	9	14	27	33	32	50	28	8	-	-
WHITE-----MALE----	3	-	6	4	11	17	12	8	7	3	-	-
FEMALE--	2	2	2	9	13	14	18	41	20	5	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	1	1	-	-	-	-
FEMALE--	1	1	1	1	3	2	1	-	1	-	-	-
BLACK---MALE----	3	-	-	-	-	-	1	1	-	-	-	-
FEMALE--	1	1	1	1	3	2	1	-	1	-	-	-
OKLAHOMA -----	1	2	3	4	4	3	12	10	5	1	-	-
WHITE-----MALE----	-	-	1	1	2	1	5	3	-	-	-	-
FEMALE--	1	1	-	3	2	2	4	7	5	1	-	-
ALL OTHER--MALE----	-	-	2	-	-	-	2	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	1	-	-	-	-	-
OREGON -----	1	1	6	2	9	13	16	10	3	3	1	-
WHITE-----MALE----	-	-	4	1	6	8	7	4	2	-	-	-
FEMALE--	-	1	2	-	3	5	8	6	1	3	1	-
ALL OTHER--MALE----	1	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	1	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
PENNSYLVANIA -----	6	14	8	17	36	39	52	68	40	8	2	-
WHITE-----MALE----	2	7	3	11	22	11	17	16	9	1	-	-
FEMALE--	2	3	4	5	14	25	34	49	31	7	2	-
ALL OTHER--MALE----	2	3	1	-	-	1	1	-	-	-	-	-
FEMALE--	-	1	-	1	-	2	-	3	-	-	-	-
BLACK---MALE----	2	3	1	-	-	1	1	-	-	-	-	-
FEMALE--	-	1	-	1	-	2	-	3	-	-	-	-
RHODE ISLAND -----	1	-	-	2	1	3	3	4	1	1	-	-
WHITE-----MALE----	1	-	-	1	-	2	1	-	-	-	-	-
FEMALE--	-	-	-	1	1	1	1	4	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
SOUTH CAROLINA -----	5	1	3	3	3	4	6	9	5	-	-	-
WHITE-----MALE----	1	-	-	1	-	2	2	2	2	-	-	-
FEMALE--	2	1	1	2	1	2	4	6	3	-	-	-
ALL OTHER--MALE----	1	-	1	-	1	-	-	1	-	-	-	-
FEMALE--	1	-	1	-	1	-	-	-	-	-	-	-
BLACK---MALE----	1	-	1	-	1	-	-	1	-	-	-	-
FEMALE--	1	-	1	-	1	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 1,673

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ALL OTHER DISEASES OF ENDOCARDIUM (424.2-424.9)												
SOUTH DAKOTA -----	8	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	75	-	-	-	-	-	-	1	1	1	2	3
WHITE-----MALE----	19	-	-	-	-	-	-	1	-	-	1	-
FEMALE--	47	-	-	-	-	-	-	-	1	1	-	1
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	5	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	5	-	-	-	-	-	-	-	-	-	1	-
TEXAS -----	206	-	-	-	-	-	1	1	1	6	6	9
WHITE-----MALE----	77	-	-	-	-	-	1	-	-	1	2	6
FEMALE--	105	-	-	-	-	-	-	1	-	5	2	2
ALL OTHER--MALE----	11	-	-	-	-	-	-	-	1	-	1	-
FEMALE--	13	-	-	-	-	-	-	-	-	-	1	1
BLACK---MALE----	10	-	-	-	-	-	-	-	1	-	1	-
FEMALE--	12	-	-	-	-	-	-	-	-	-	1	1
UTAH -----	52	-	-	-	-	-	1	2	1	-	1	1
WHITE-----MALE----	24	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	27	-	-	-	-	-	1	2	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	6	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	101	-	-	-	-	-	-	-	-	1	5	3
WHITE-----MALE----	26	-	-	-	-	-	-	-	-	-	2	1
FEMALE--	49	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	11	-	-	-	-	-	-	-	-	-	3	1
FEMALE--	15	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	11	-	-	-	-	-	-	-	-	-	3	1
FEMALE--	15	-	-	-	-	-	-	-	-	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,673

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ALL OTHER DISEASES OF ENDOCARDIUM (424.2-424.9)												
SOUTH DAKOTA -----	-	-	-	1	1	-	-	1	3	2	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	-	1	3	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	1	3	6	-	9	11	19	9	6	2	1	-
WHITE-----MALE----	-	-	2	-	4	3	4	3	-	1	-	-
FEMALE--	1	2	3	-	3	7	14	6	6	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	1	1	-	2	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	1	1	-	2	-	-	-	-	-	-	-
TEXAS -----	8	10	11	13	21	39	26	33	13	8	-	-
WHITE-----MALE----	3	5	6	6	11	15	9	7	3	2	-	-
FEMALE--	3	2	3	6	6	19	17	23	10	6	-	-
ALL OTHER--MALE----	1	1	1	-	2	2	-	2	-	-	-	-
FEMALE--	1	2	1	1	2	3	-	1	-	-	-	-
BLACK---MALE----	1	1	1	-	2	2	-	1	-	-	-	-
FEMALE--	1	2	-	1	2	3	-	1	-	-	-	-
UTAH -----	-	3	1	-	8	13	10	5	5	1	-	-
WHITE-----MALE----	-	2	-	-	4	7	5	-	3	1	-	-
FEMALE--	-	1	1	-	4	6	5	4	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	-	-	-	-	-	3	1	2	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	3	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	5	5	5	8	15	12	13	14	11	4	-	-
WHITE-----MALE----	2	2	3	2	5	-	3	2	4	-	-	-
FEMALE--	1	1	-	3	7	9	8	8	7	4	-	-
ALL OTHER--MALE----	-	1	-	1	3	1	-	1	-	-	-	-
FEMALE--	2	1	2	2	-	2	2	3	-	-	-	-
BLACK---MALE----	-	1	-	1	3	1	-	1	-	-	-	-
FEMALE--	2	1	2	2	-	2	2	3	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,675

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 HEART FAILURE (428)												
UNITED STATES --	404	717	1,244	2,220	3,964	6,278	9,180	11,092	9,126	4,273	1,123	1
WHITE-----MALE----	179	310	584	1,058	1,802	2,680	3,561	3,437	2,238	787	161	-
FEMALE--	109	217	373	778	1,622	2,915	4,805	6,848	6,351	3,199	867	1
ALL OTHER--MALE----	66	92	154	198	248	290	313	292	147	88	14	-
FEMALE--	50	98	133	186	292	393	501	515	390	199	81	-
BLACK---MALE----	65	83	145	178	221	260	275	259	118	66	14	-
FEMALE--	48	91	124	174	273	353	468	451	352	182	73	-
ALABAMA -----	22	37	61	113	150	231	343	399	338	152	33	-
WHITE-----MALE----	9	13	31	60	61	85	124	118	65	20	3	-
FEMALE--	7	9	16	31	54	106	181	220	223	101	17	-
ALL OTHER--MALE----	5	8	5	10	11	13	15	23	16	10	2	-
FEMALE--	1	7	9	12	24	27	23	38	34	21	11	-
BLACK---MALE----	5	8	5	10	11	13	15	22	15	10	2	-
FEMALE--	1	7	9	12	24	27	23	38	34	21	11	-
ALASKA -----	1	-	1	2	1	5	8	13	9	3	1	-
WHITE-----MALE----	-	-	1	1	-	3	1	1	2	2	-	-
FEMALE--	1	-	-	1	1	2	4	9	6	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	1	1	-	-
FEMALE--	-	-	-	-	-	-	2	3	-	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	9	10	11	22	44	72	105	123	100	39	10	-
WHITE-----MALE----	6	5	5	9	25	37	44	54	28	11	2	-
FEMALE--	1	3	5	8	15	29	58	66	69	26	8	-
ALL OTHER--MALE----	1	1	1	4	1	1	2	2	-	1	-	-
FEMALE--	1	1	-	1	3	5	1	1	3	1	-	-
BLACK---MALE----	-	-	1	1	-	-	1	2	-	-	-	-
FEMALE--	-	-	-	-	2	2	-	-	2	-	-	-
ARKANSAS -----	15	16	32	57	104	154	221	268	206	104	20	-
WHITE-----MALE----	6	11	17	19	51	61	77	68	44	23	3	-
FEMALE--	5	3	8	32	36	74	112	184	152	73	13	-
ALL OTHER--MALE----	1	-	4	2	8	8	15	6	3	1	2	-
FEMALE--	3	2	3	4	9	11	17	10	7	7	2	-
BLACK---MALE----	1	-	4	2	8	8	14	6	3	1	2	-
FEMALE--	3	2	3	4	9	11	17	9	7	7	2	-
CALIFORNIA -----	23	24	57	123	216	313	424	581	471	276	66	-
WHITE-----MALE----	16	6	23	60	104	131	171	206	138	60	12	-
FEMALE--	3	12	22	38	84	139	216	325	299	189	51	-
ALL OTHER--MALE----	2	2	10	17	11	16	18	17	18	12	1	-
FEMALE--	2	4	2	8	17	27	19	33	16	15	2	-
BLACK---MALE----	2	1	8	11	8	8	9	7	7	7	1	-
FEMALE--	1	2	2	5	12	23	12	11	9	12	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 1,676

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 HEART FAILURE (428)												
COLORADO -----	709	1	1	-	-	-	-	-	2	3	6	2
WHITE-----MALE----	260	1	1	-	-	-	-	-	2	1	5	-
FEMALE--	429	-	-	-	-	-	-	-	-	2	1	2
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	14	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	659	-	-	-	-	-	1	-	1	1	-	2
WHITE-----MALE----	218	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	412	-	-	-	-	-	1	-	-	-	-	1
ALL OTHER--MALE----	7	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	22	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	7	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	21	-	-	-	-	-	-	-	1	-	-	-
DELAWARE -----	133	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	46	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	77	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	68	-	1	-	-	-	-	-	-	-	1	1
WHITE-----MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	9	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	24	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	32	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	24	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	29	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	1,041	-	-	1	-	1	-	-	-	1	3	4
WHITE-----MALE----	364	-	-	-	-	-	-	-	-	-	1	3
FEMALE--	589	-	-	1	-	1	-	-	-	1	-	1
ALL OTHER--MALE----	33	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	55	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	33	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	55	-	-	-	-	-	-	-	-	-	1	-
GEORGIA -----	1,659	1	-	-	-	-	-	2	4	6	15	22
WHITE-----MALE----	507	-	-	-	-	-	-	2	2	2	5	2
FEMALE--	788	1	-	-	-	-	-	-	-	-	4	3
ALL OTHER--MALE----	155	-	-	-	-	-	-	-	1	3	2	9
FEMALE--	209	-	-	-	-	-	-	-	1	1	4	8
BLACK---MALE----	153	-	-	-	-	-	-	-	1	3	2	9
FEMALE--	206	-	-	-	-	-	-	-	1	1	4	8

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,676

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 HEART FAILURE (428)												
COLORADO -----	8	7	17	31	40	69	109	179	152	66	16	-
WHITE-----MALE----	5	4	6	13	22	25	52	66	42	12	3	-
FEMALE--	2	2	10	18	18	40	54	108	106	53	13	-
ALL OTHER--MALE----	-	-	1	-	-	3	1	-	1	-	-	-
FEMALE--	1	1	-	-	-	1	2	5	3	1	-	-
BLACK---MALE----	-	-	1	-	-	3	1	-	1	-	-	-
FEMALE--	1	1	-	-	-	1	2	3	2	-	-	-
CONNECTICUT -----	4	10	12	23	47	68	132	121	140	80	17	-
WHITE-----MALE----	2	4	5	11	22	38	51	32	37	13	1	-
FEMALE--	2	4	6	7	21	28	75	85	100	66	16	-
ALL OTHER--MALE----	-	-	1	2	-	1	1	1	1	-	-	-
FEMALE--	-	2	-	3	4	1	5	3	2	1	-	-
BLACK---MALE----	-	-	1	2	-	1	1	1	1	-	-	-
FEMALE--	-	2	-	3	3	1	5	3	2	1	-	-
DELAWARE -----	1	1	3	5	12	18	26	25	21	14	7	-
WHITE-----MALE----	-	1	3	3	7	9	10	5	5	1	2	-
FEMALE--	-	-	-	2	4	8	14	18	14	13	4	-
ALL OTHER--MALE----	1	-	-	-	1	1	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	2	2	2	-	-	-
BLACK---MALE----	1	-	-	-	-	1	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	2	1	1	-	-	-
DISTRICT OF COLUMBIA ----	-	2	5	4	4	11	11	12	7	8	1	-
WHITE-----MALE----	-	-	-	-	-	2	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	1	3	3	-	-
ALL OTHER--MALE----	-	1	1	3	3	4	3	5	1	1	-	-
FEMALE--	-	1	4	1	-	5	7	6	3	4	1	-
BLACK---MALE----	-	1	1	3	3	4	3	5	1	1	-	-
FEMALE--	-	1	4	1	-	5	7	5	2	3	1	-
FLORIDA -----	9	11	24	44	88	136	185	227	192	92	23	-
WHITE-----MALE----	2	5	11	18	43	57	76	75	48	21	4	-
FEMALE--	4	4	10	17	29	67	99	139	132	68	16	-
ALL OTHER--MALE----	2	2	1	4	7	7	2	3	2	2	-	-
FEMALE--	1	-	2	5	9	5	8	10	10	1	3	-
BLACK---MALE----	2	2	1	4	7	7	2	3	2	2	-	-
FEMALE--	1	-	2	5	9	5	8	10	10	1	3	-
GEORGIA -----	17	56	56	78	159	210	301	339	265	97	31	-
WHITE-----MALE----	5	23	26	20	64	82	112	87	53	18	4	-
FEMALE--	3	10	7	22	52	84	136	202	177	66	21	-
ALL OTHER--MALE----	5	13	12	23	17	20	18	23	7	1	1	-
FEMALE--	4	10	11	13	26	24	35	27	28	12	5	-
BLACK---MALE----	5	12	12	23	17	19	18	23	7	1	1	-
FEMALE--	4	10	11	13	25	22	35	27	28	12	5	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,677

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 HEART FAILURE (428)												
HAWAII -----	-	2	-	7	10	16	16	26	19	11	4	-
WHITE-----MALE----	-	-	-	-	-	2	5	4	4	1	1	-
FEMALE--	-	-	-	1	3	3	3	4	4	3	-	-
ALL OTHER--MALE----	-	-	-	4	5	3	6	8	3	4	-	-
FEMALE--	-	2	-	2	2	8	2	10	8	3	3	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	-	1	-	5	13	20	26	45	47	12	6	-
WHITE-----MALE----	-	-	-	2	6	8	8	20	17	3	1	-
FEMALE--	-	1	-	3	5	12	17	24	30	9	5	-
ALL OTHER--MALE----	-	-	-	-	2	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	17	38	75	116	206	337	516	593	471	229	64	-
WHITE-----MALE----	7	12	31	56	79	163	201	178	124	33	12	-
FEMALE--	7	11	22	39	95	137	271	382	323	183	49	-
ALL OTHER--MALE----	1	7	12	10	16	15	13	13	9	4	1	-
FEMALE--	2	8	10	11	16	22	31	20	15	9	2	-
BLACK---MALE----	1	6	12	10	13	15	13	12	7	4	1	-
FEMALE--	2	8	10	10	15	20	28	19	13	9	2	-
INDIANA -----	12	18	49	72	140	223	323	335	311	139	36	-
WHITE-----MALE----	3	10	28	34	64	84	126	94	95	25	4	-
FEMALE--	7	7	11	30	64	116	178	227	203	108	31	-
ALL OTHER--MALE----	2	1	8	4	6	12	5	5	4	2	-	-
FEMALE--	-	-	2	4	6	11	14	9	9	4	1	-
BLACK---MALE----	2	1	7	4	6	11	5	5	4	2	-	-
FEMALE--	-	-	2	4	6	11	14	9	9	4	1	-
IOWA -----	1	2	5	12	19	29	44	37	48	39	11	-
WHITE-----MALE----	1	2	4	4	12	13	24	16	8	5	1	-
FEMALE--	-	-	1	8	6	16	20	21	39	34	9	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	1	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	1	-	1	-
KANSAS -----	4	8	9	26	55	77	134	191	186	88	32	-
WHITE-----MALE----	1	4	4	14	29	36	61	59	47	14	6	-
FEMALE--	3	1	4	10	22	37	66	127	132	72	26	-
ALL OTHER--MALE----	-	2	1	-	1	4	4	3	1	1	-	-
FEMALE--	-	1	-	2	3	-	3	2	6	1	-	-
BLACK---MALE----	-	2	1	-	1	4	2	3	1	1	-	-
FEMALE--	-	1	-	1	3	-	2	2	5	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 1,678

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 HEART FAILURE (428)												
KENTUCKY -----	1,311	-	-	-	-	-	2	-	-	1	1	10
WHITE-----MALE----	469	-	-	-	-	-	1	-	-	-	1	7
FEMALE--	773	-	-	-	-	-	1	-	-	-	-	2
ALL OTHER--MALE----	27	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	42	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	27	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	42	-	-	-	-	-	-	-	-	-	-	1
LOUISIANA -----	989	-	-	-	-	-	2	-	2	2	5	9
WHITE-----MALE----	295	-	-	-	-	-	-	-	-	1	1	3
FEMALE--	460	-	-	-	-	-	1	-	1	-	1	1
ALL OTHER--MALE----	98	-	-	-	-	-	1	-	1	1	2	2
FEMALE--	136	-	-	-	-	-	-	-	-	-	1	3
BLACK---MALE----	98	-	-	-	-	-	1	-	1	1	2	2
FEMALE--	135	-	-	-	-	-	-	-	-	-	1	3
MAINE -----	257	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	95	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	162	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	686	-	-	-	1	-	-	-	-	-	3	3
WHITE-----MALE----	219	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	338	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	46	-	-	-	-	-	-	-	-	-	2	-
FEMALE--	83	-	-	-	1	-	-	-	-	-	-	2
BLACK---MALE----	38	-	-	-	-	-	-	-	-	-	2	-
FEMALE--	80	-	-	-	1	-	-	-	-	-	-	2
MASSACHUSETTS -----	1,610	-	-	-	-	-	-	-	1	1	-	5
WHITE-----MALE----	543	-	-	-	-	-	-	-	-	1	-	2
FEMALE--	1,018	-	-	-	-	-	-	-	-	-	-	2
ALL OTHER--MALE----	21	-	-	-	-	-	-	-	1	-	-	1
FEMALE--	28	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	19	-	-	-	-	-	-	-	1	-	-	1
FEMALE--	25	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	2,219	1	-	-	-	1	-	-	1	2	1	10
WHITE-----MALE----	776	1	-	-	-	-	-	-	-	-	1	3
FEMALE--	1,242	-	-	-	-	-	-	-	-	-	-	3
ALL OTHER--MALE----	83	-	-	-	-	-	-	-	1	-	-	3
FEMALE--	118	-	-	-	-	1	-	-	-	2	-	1
BLACK---MALE----	78	-	-	-	-	-	-	-	1	-	-	3
FEMALE--	113	-	-	-	-	1	-	-	-	2	-	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,678

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 HEART FAILURE (428)												
KENTUCKY -----	12	18	38	70	118	194	238	263	221	98	27	-
WHITE-----MALE----	9	11	23	37	54	94	86	71	57	14	4	-
FEMALE--	1	4	14	29	54	88	143	176	158	81	22	-
ALL OTHER--MALE----	1	2	1	1	5	6	3	6	-	1	-	-
FEMALE--	1	1	-	3	5	6	6	10	6	2	1	-
BLACK---MALE----	1	2	1	1	5	6	3	6	-	1	-	-
FEMALE--	1	1	-	3	5	6	6	10	6	2	1	-
LOUISIANA -----	14	29	34	49	88	121	172	216	151	76	19	-
WHITE-----MALE----	4	8	14	19	36	40	62	61	37	9	-	-
FEMALE--	3	5	9	14	33	48	70	116	94	52	12	-
ALL OTHER--MALE----	2	8	4	7	9	14	23	18	1	4	1	-
FEMALE--	5	8	7	9	10	19	17	21	19	11	6	-
BLACK---MALE----	2	8	4	7	9	14	23	18	1	4	1	-
FEMALE--	5	7	7	9	10	19	17	21	19	11	6	-
MAINE -----	-	3	8	15	15	24	42	58	55	29	8	-
WHITE-----MALE----	-	3	6	9	11	13	20	20	8	5	-	-
FEMALE--	-	-	2	6	4	11	22	38	47	24	8	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	4	13	18	27	57	110	133	136	113	51	17	-
WHITE-----MALE----	2	3	6	10	28	42	53	41	22	9	2	-
FEMALE--	1	3	3	10	20	47	56	76	74	35	12	-
ALL OTHER--MALE----	-	2	3	4	5	12	9	4	3	1	1	-
FEMALE--	1	5	6	3	4	9	15	15	14	6	2	-
BLACK---MALE----	-	2	2	3	5	10	8	3	2	-	1	-
FEMALE--	1	5	4	3	4	8	15	15	14	6	2	-
MASSACHUSETTS -----	8	14	26	53	112	188	307	387	303	160	45	-
WHITE-----MALE----	5	6	11	30	56	83	128	113	73	32	3	-
FEMALE--	2	7	12	20	52	100	164	266	226	126	41	-
ALL OTHER--MALE----	-	-	3	1	1	4	5	3	2	-	-	-
FEMALE--	1	1	-	2	3	1	10	5	2	2	1	-
BLACK---MALE----	-	-	3	1	1	4	4	3	1	-	-	-
FEMALE--	1	1	-	2	3	1	10	4	1	1	1	-
MICHIGAN -----	11	23	49	93	174	295	441	516	378	176	47	-
WHITE-----MALE----	4	10	21	48	72	131	170	174	100	34	7	-
FEMALE--	2	8	14	31	79	135	234	314	253	133	36	-
ALL OTHER--MALE----	3	2	8	9	11	12	14	8	9	3	-	-
FEMALE--	2	3	6	5	12	17	23	20	16	6	4	-
BLACK---MALE----	3	2	7	9	10	12	13	8	8	2	-	-
FEMALE--	2	2	6	5	12	16	23	19	14	6	4	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,679

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 HEART FAILURE (428)												
MINNESOTA -----	1	12	13	17	65	114	200	246	243	104	26	-
WHITE-----MALE----	-	8	8	12	36	53	86	93	61	26	4	-
FEMALE--	1	3	4	4	27	60	113	151	182	78	22	-
ALL OTHER--MALE----	-	1	-	1	1	-	1	-	-	-	-	-
FEMALE--	-	-	1	-	1	1	-	2	-	-	-	-
BLACK---MALE----	-	-	-	1	1	-	1	-	-	-	-	-
FEMALE--	-	-	1	-	-	1	-	1	-	-	-	-
MISSISSIPPI -----	12	30	39	62	83	128	221	228	189	87	26	-
WHITE-----MALE----	5	9	11	33	29	45	58	59	34	12	4	-
FEMALE--	3	5	11	16	26	47	99	113	107	56	16	-
ALL OTHER--MALE----	2	7	13	5	15	9	26	12	15	7	-	-
FEMALE--	2	9	4	8	13	27	38	44	33	12	6	-
BLACK---MALE----	2	7	13	5	15	9	26	12	15	7	-	-
FEMALE--	2	9	3	8	13	27	37	44	33	12	6	-
MISSOURI -----	9	16	35	47	95	158	229	314	270	115	25	-
WHITE-----MALE----	6	6	18	27	46	71	96	80	70	20	4	-
FEMALE--	1	8	10	17	41	74	125	227	193	89	21	-
ALL OTHER--MALE----	1	1	5	1	4	4	3	2	-	1	-	-
FEMALE--	1	1	2	2	4	9	5	5	7	5	-	-
BLACK---MALE----	1	1	5	1	3	3	3	2	-	1	-	-
FEMALE--	1	1	2	2	4	8	5	5	7	5	-	-
MONTANA -----	1	3	6	12	16	26	47	55	41	26	6	-
WHITE-----MALE----	1	2	3	6	8	15	19	17	12	8	-	-
FEMALE--	-	1	2	6	8	10	27	38	29	18	6	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	6	7	11	20	42	55	94	135	108	68	18	-
WHITE-----MALE----	2	4	7	15	23	29	45	49	27	13	-	-
FEMALE--	3	2	4	4	19	25	48	83	81	54	18	-
ALL OTHER--MALE----	-	-	-	1	-	1	-	1	-	-	-	-
FEMALE--	1	1	-	-	-	-	1	2	-	1	-	-
BLACK---MALE----	-	-	-	1	-	-	-	1	-	-	-	-
FEMALE--	1	1	-	-	-	-	1	2	-	1	-	-
NEVADA -----	8	6	14	31	43	50	64	53	43	16	3	-
WHITE-----MALE----	6	3	5	14	22	32	24	22	12	3	1	-
FEMALE--	2	1	5	13	18	16	36	27	30	12	2	-
ALL OTHER--MALE----	-	1	1	3	1	-	3	1	1	1	-	-
FEMALE--	-	1	3	1	2	2	1	3	-	-	-	-
BLACK---MALE----	-	-	1	1	-	-	1	1	-	1	-	-
FEMALE--	-	1	2	-	2	-	-	3	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 1,681

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 HEART FAILURE (428)												
OHIO -----	2,264	1	-	-	-	-	1	1	3	3	4	5
WHITE-----MALE----	775	1	-	-	-	-	1	-	1	-	-	2
FEMALE--	1,341	-	-	-	-	-	-	-	2	-	3	1
ALL OTHER--MALE----	70	-	-	-	-	-	-	-	-	1	1	2
FEMALE--	78	-	-	-	-	-	-	1	-	2	-	-
BLACK---MALE----	68	-	-	-	-	-	-	-	-	1	1	2
FEMALE--	78	-	-	-	-	-	-	1	-	2	-	-
OKLAHOMA -----	1,127	3	-	-	-	-	-	1	-	-	5	5
WHITE-----MALE----	387	3	-	-	-	-	-	-	-	-	2	3
FEMALE--	653	-	-	-	-	-	-	1	-	-	1	1
ALL OTHER--MALE----	27	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	60	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	16	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	35	-	-	-	-	-	-	-	-	-	1	-
OREGON -----	673	1	-	-	-	-	-	-	-	-	2	-
WHITE-----MALE----	256	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	407	1	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	2,991	2	-	1	-	1	1	1	4	2	7	8
WHITE-----MALE----	1,069	-	-	1	-	-	1	-	2	1	4	3
FEMALE--	1,757	1	-	-	-	-	-	-	1	1	1	2
ALL OTHER--MALE----	82	1	-	-	-	-	-	1	-	-	1	2
FEMALE--	83	-	-	-	-	1	-	-	1	-	1	1
BLACK---MALE----	79	1	-	-	-	-	-	1	-	-	1	2
FEMALE--	82	-	-	-	-	1	-	-	1	-	1	1
RHODE ISLAND -----	67	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	28	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	36	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	835	-	1	-	-	-	2	-	3	4	7	12
WHITE-----MALE----	232	-	-	-	-	-	1	-	1	-	2	4
FEMALE--	385	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	96	-	1	-	-	-	1	-	1	2	5	5
FEMALE--	122	-	-	-	-	-	-	-	-	2	-	3
BLACK---MALE----	96	-	1	-	-	-	1	-	1	2	5	5
FEMALE--	121	-	-	-	-	-	-	-	-	2	-	3

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,681
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 HEART FAILURE (428)												
OHIO -----	16	22	55	107	192	329	430	516	354	181	44	-
WHITE-----MALE----	7	11	23	57	97	139	163	160	75	32	6	-
FEMALE--	7	10	19	34	79	170	240	339	260	141	36	-
ALL OTHER--MALE----	2	1	5	10	5	14	15	7	2	5	-	-
FEMALE--	-	-	8	6	11	6	12	10	17	3	2	-
BLACK---MALE----	2	1	5	10	5	13	14	7	2	5	-	-
FEMALE--	-	-	8	6	11	6	12	10	17	3	2	-
OKLAHOMA -----	12	6	32	45	102	116	187	253	227	107	26	-
WHITE-----MALE----	7	2	15	28	49	44	73	79	56	21	5	-
FEMALE--	4	3	13	13	42	61	98	152	163	80	21	-
ALL OTHER--MALE----	1	-	-	1	7	4	3	7	-	2	-	-
FEMALE--	-	1	4	3	4	7	13	15	8	4	-	-
BLACK---MALE----	1	-	-	1	5	2	-	4	-	1	-	-
FEMALE--	-	1	3	3	4	4	7	8	1	3	-	-
OREGON -----	5	7	13	27	50	74	112	142	142	70	28	-
WHITE-----MALE----	4	4	5	16	26	29	56	60	38	11	6	-
FEMALE--	1	3	6	11	21	44	55	81	103	58	22	-
ALL OTHER--MALE----	-	-	1	-	1	-	1	1	-	-	-	-
FEMALE--	-	-	1	-	2	1	-	-	1	1	-	-
BLACK---MALE----	-	-	1	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	1	-	2	1	-	-	1	-	-	-
PENNSYLVANIA -----	14	35	56	103	241	425	571	675	552	229	63	-
WHITE-----MALE----	9	14	31	49	107	190	241	228	141	36	11	-
FEMALE--	1	16	18	34	107	213	312	417	399	185	49	-
ALL OTHER--MALE----	4	3	5	12	18	12	6	11	3	3	-	-
FEMALE--	-	2	2	8	9	10	12	19	9	5	3	-
BLACK---MALE----	4	2	5	12	18	12	6	9	3	3	-	-
FEMALE--	-	2	2	8	9	10	11	19	9	5	3	-
RHODE ISLAND -----	1	2	3	3	5	12	14	14	9	2	2	-
WHITE-----MALE----	-	2	3	1	4	5	5	7	-	-	1	-
FEMALE--	1	-	-	1	1	7	8	7	9	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	-	-	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	-	-	-	1	-
SOUTH CAROLINA -----	13	32	33	47	87	116	148	161	115	44	10	-
WHITE-----MALE----	6	15	9	19	40	40	44	33	12	6	-	-
FEMALE--	1	6	10	11	25	52	66	93	82	32	6	-
ALL OTHER--MALE----	4	4	4	7	11	14	14	18	2	2	1	-
FEMALE--	2	7	10	10	11	10	24	17	19	4	3	-
BLACK---MALE----	4	4	4	7	11	14	14	18	2	2	1	-
FEMALE--	2	7	10	10	11	10	23	17	19	4	3	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 1,682

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 HEART FAILURE (428)												
SOUTH DAKOTA -----	208	-	-	-	-	-	-	-	-	1	-	1
WHITE-----MALE----	78	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	116	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	562	-	-	-	-	1	-	1	2	3	4	6
WHITE-----MALE----	168	-	-	-	-	-	-	-	1	1	-	1
FEMALE--	315	-	-	-	-	-	-	-	-	2	2	1
ALL OTHER--MALE----	26	-	-	-	-	-	-	1	1	-	1	3
FEMALE--	53	-	-	-	-	1	-	-	-	-	1	1
BLACK---MALE----	26	-	-	-	-	-	-	1	1	-	1	3
FEMALE--	52	-	-	-	-	1	-	-	-	-	1	1
TEXAS -----	3,200	2	1	1	-	1	-	1	-	6	13	22
WHITE-----MALE----	1,080	2	1	-	-	1	-	1	-	2	7	11
FEMALE--	1,739	-	-	1	-	-	-	-	-	2	3	5
ALL OTHER--MALE----	175	-	-	-	-	-	-	-	-	2	2	4
FEMALE--	206	-	-	-	-	-	-	-	-	-	1	2
BLACK---MALE----	172	-	-	-	-	-	-	-	-	2	2	4
FEMALE--	198	-	-	-	-	-	-	-	-	-	1	2
UTAH -----	351	-	-	-	-	-	1	2	-	1	1	-
WHITE-----MALE----	122	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	224	-	-	-	-	-	-	2	-	1	-	-
ALL OTHER--MALE----	5	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	100	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	24	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	75	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	1,408	-	-	1	1	3	1	-	2	4	9	7
WHITE-----MALE----	409	-	-	-	-	-	-	-	-	2	2	1
FEMALE--	738	-	-	1	1	1	1	-	-	-	2	1
ALL OTHER--MALE----	102	-	-	-	-	1	-	-	1	1	3	3
FEMALE--	159	-	-	-	-	1	-	-	1	1	2	2
BLACK---MALE----	94	-	-	-	-	1	-	-	1	1	3	3
FEMALE--	157	-	-	-	-	1	-	-	1	1	2	2

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,682

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 HEART FAILURE (428)												
SOUTH DAKOTA -----	1	2	3	5	13	18	33	60	43	19	9	-
WHITE-----MALE----	1	2	3	3	7	5	15	22	12	5	1	-
FEMALE--	-	-	-	1	3	8	17	34	31	14	8	-
ALL OTHER--MALE----	-	-	-	1	1	1	1	2	-	-	-	-
FEMALE--	-	-	-	-	2	4	-	2	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	5	9	24	45	51	63	89	133	88	29	9	-
WHITE-----MALE----	1	5	8	19	19	26	27	35	22	3	-	-
FEMALE--	2	3	8	22	24	35	51	80	56	20	9	-
ALL OTHER--MALE----	1	-	5	1	2	1	-	6	4	-	-	-
FEMALE--	1	1	3	3	6	1	11	12	6	6	-	-
BLACK---MALE----	1	-	5	1	2	1	-	6	4	-	-	-
FEMALE--	1	1	3	3	6	1	11	12	6	5	-	-
TEXAS -----	43	57	102	163	287	412	544	697	570	220	58	-
WHITE-----MALE----	16	28	46	82	120	173	201	201	136	44	8	-
FEMALE--	14	13	29	53	118	188	285	432	397	157	42	-
ALL OTHER--MALE----	8	10	16	14	24	20	30	27	14	4	-	-
FEMALE--	5	6	11	14	25	31	28	37	23	15	8	-
BLACK---MALE----	8	10	16	14	24	19	29	27	13	4	-	-
FEMALE--	5	6	11	14	23	30	28	35	22	13	8	-
UTAH -----	1	4	3	9	24	33	58	90	76	42	6	-
WHITE-----MALE----	-	1	3	2	12	11	22	33	22	13	2	-
FEMALE--	1	3	-	7	12	22	35	57	54	26	4	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	3	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	-	2	4	10	17	21	26	16	4	-
WHITE-----MALE----	-	-	-	1	1	3	7	5	5	2	-	-
FEMALE--	-	-	-	-	3	7	10	16	21	14	4	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	19	25	35	75	107	196	260	290	235	117	21	-
WHITE-----MALE----	3	10	20	29	34	67	85	85	53	17	1	-
FEMALE--	3	4	8	24	45	89	123	169	159	91	16	-
ALL OTHER--MALE----	8	7	3	12	7	20	14	13	5	3	1	-
FEMALE--	5	4	4	10	21	20	38	23	18	6	3	-
BLACK---MALE----	8	6	3	12	7	17	12	12	4	3	1	-
FEMALE--	5	4	4	10	20	19	38	23	18	6	3	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,684

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 MYOCARDITIS, UNSPECIFIED AND MYOCARDIAL DEGENERATION (429.0-429.1)												
UNITED STATES --	40	26	24	37	20	32	53	49	52	23	12	-
WHITE-----MALE----	17	9	8	17	12	16	25	17	15	3	3	-
FEMALE--	14	11	11	14	6	13	20	26	34	19	9	-
ALL OTHER--MALE----	3	3	4	5	1	2	5	3	1	1	-	-
FEMALE--	6	3	1	1	1	1	3	3	2	-	-	-
BLACK---MALE----	3	3	3	5	1	2	4	3	1	1	-	-
FEMALE--	3	2	1	1	1	1	3	3	1	-	-	-
ALABAMA -----	1	1	-	-	-	-	3	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
ALASKA -----	1	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	-	-	-	1	-	-	2	1	1	-	1	-
WHITE-----MALE----	-	-	-	1	-	-	2	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	-	-	-	-	-	-	2	-	-	1	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	2	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	2	4	2	3	2	2	4	5	7	-	1	-
WHITE-----MALE----	1	3	-	2	-	1	2	2	-	-	-	-
FEMALE--	-	1	1	1	2	1	1	3	6	-	1	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 1,685

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 MYOCARDITIS, UNSPECIFIED AND MYOCARDIAL DEGENERATION (429.0-429.1)												
COLORADO -----	15	-	-	-	-	3	-	-	1	3	-	1
WHITE-----MALE----	5	-	-	-	-	2	-	-	1	1	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	2	-	1
ALL OTHER--MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	8	1	-	-	-	-	1	-	-	-	1	-
WHITE-----MALE----	2	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	2	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	1	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	1	-	-	-	-	-	-	-	-	-	-	1
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	45	4	1	2	1	2	2	3	2	2	1	2
WHITE-----MALE----	18	1	-	-	-	2	1	1	1	-	-	1
FEMALE--	15	-	-	-	1	-	-	-	1	1	-	1
ALL OTHER--MALE----	8	2	1	-	-	-	1	2	-	1	1	-
FEMALE--	4	1	-	2	-	-	-	-	-	-	-	-
BLACK---MALE----	8	2	1	-	-	-	1	2	-	1	1	-
FEMALE--	4	1	-	2	-	-	-	-	-	-	-	-
GEORGIA -----	21	1	1	-	-	1	-	2	3	1	1	1
WHITE-----MALE----	7	-	-	-	-	1	-	1	2	-	-	-
FEMALE--	7	1	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	4	-	1	-	-	-	-	1	-	1	1	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	4	-	1	-	-	-	-	1	-	1	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 1,687

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 MYOCARDITIS, UNSPECIFIED AND MYOCARDIAL DEGENERATION (429.0-429.1)												
KENTUCKY -----	22	-	-	1	3	1	-	1	3	1	1	1
WHITE-----MALE----	10	-	-	1	2	1	-	-	2	1	-	-
FEMALE--	9	-	-	-	-	-	-	1	1	-	1	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	1	-	-	-	-	-	-	1
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	1	-	-	-	-	-	-	1
LOUISIANA -----	13	-	-	-	-	-	1	1	1	-	2	2
WHITE-----MALE----	4	-	-	-	-	-	-	-	1	-	1	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	1	-	-	-	1
FEMALE--	2	-	-	-	-	-	1	-	-	-	-	1
BLACK---MALE----	3	-	-	-	-	-	-	1	-	-	-	1
FEMALE--	2	-	-	-	-	-	1	-	-	-	-	1
MAINE -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	33	1	2	1	-	-	3	1	2	6	5	7
WHITE-----MALE----	11	-	-	-	-	-	2	-	-	2	3	2
FEMALE--	3	-	-	1	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	9	-	1	-	-	-	1	1	-	2	-	1
FEMALE--	10	1	1	-	-	-	-	-	2	2	1	3
BLACK---MALE----	9	-	1	-	-	-	1	1	-	2	-	1
FEMALE--	10	1	1	-	-	-	-	-	2	2	1	3
MASSACHUSETTS -----	17	-	-	-	-	-	2	1	3	1	4	-
WHITE-----MALE----	9	-	-	-	-	-	2	-	3	-	1	-
FEMALE--	5	-	-	-	-	-	-	-	-	1	2	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
MICHIGAN -----	20	-	-	1	-	1	-	-	-	1	-	1
WHITE-----MALE----	10	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	1	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	1	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 1,690

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 MYOCARDITIS, UNSPECIFIED AND MYOCARDIAL DEGENERATION (429.0-429.1)												
OHIO -----	31	1	2	2	-	1	-	-	-	1	1	1
WHITE-----MALE----	10	-	-	1	-	1	-	-	-	-	-	-
FEMALE--	15	1	-	-	-	-	-	-	-	1	1	1
ALL OTHER--MALE----	4	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	2	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	1	-	-	-	-	-	-	-	-	-
OKLAHOMA -----	3	-	-	1	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	5	-	1	-	-	-	-	1	-	-	-	-
WHITE-----MALE----	4	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	1	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	43	1	1	2	1	1	3	1	1	3	5	3
WHITE-----MALE----	15	-	-	1	1	1	-	1	1	1	3	1
FEMALE--	20	-	-	1	-	-	1	-	-	2	2	2
ALL OTHER--MALE----	3	1	-	-	-	-	2	-	-	-	-	-
FEMALE--	5	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	1	-	-	-	-	2	-	-	-	-	-
FEMALE--	5	-	1	-	-	-	-	-	-	-	-	-
RHODE ISLAND -----	2	-	-	-	-	-	-	-	-	-	2	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	16	1	1	-	-	1	-	-	-	-	3	1
WHITE-----MALE----	5	-	-	-	-	-	-	-	-	-	2	1
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	1	-	-	1	-	-	-	-	1	-
BLACK---MALE----	4	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	1	-	-	1	-	-	-	-	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 1,693

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ALL OTHER AND ILL-DEFINED FORMS OF HEART DISEASE (425-427,429.2-429.9)												
UNITED STATES --	146,125	297	118	93	100	232	352	488	810	1,566	2,688	3,951
WHITE-----MALE----	60,665	113	43	47	35	106	147	207	394	756	1,406	2,116
FEMALE--	61,755	88	37	16	29	50	76	92	133	307	441	657
ALL OTHER--MALE----	12,546	51	26	14	25	54	89	131	181	338	531	787
FEMALE--	11,159	45	12	16	11	22	40	58	102	165	310	391
BLACK---MALE----	11,034	43	22	13	22	52	76	115	167	298	486	707
FEMALE--	10,146	32	9	13	10	19	33	54	96	155	292	377
ALABAMA -----	4,000	11	4	1	4	8	13	21	21	52	90	113
WHITE-----MALE----	1,407	2	3	1	1	4	5	5	8	22	45	45
FEMALE--	1,505	3	-	-	-	2	2	4	2	11	16	22
ALL OTHER--MALE----	512	3	1	-	1	2	4	6	8	12	20	25
FEMALE--	576	3	-	-	2	-	2	6	3	7	9	21
BLACK---MALE----	506	3	1	-	1	2	4	6	8	12	19	25
FEMALE--	576	3	-	-	2	-	2	6	3	7	9	21
ALASKA -----	131	1	-	-	-	-	-	2	3	4	2	12
WHITE-----MALE----	73	-	-	-	-	-	-	1	1	1	-	10
FEMALE--	29	-	-	-	-	-	-	-	1	1	1	-
ALL OTHER--MALE----	16	1	-	-	-	-	-	1	-	-	1	2
FEMALE--	13	-	-	-	-	-	-	-	1	2	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	2,561	4	3	1	-	5	7	7	21	32	50	60
WHITE-----MALE----	1,274	1	1	-	-	3	4	4	13	16	41	41
FEMALE--	1,084	1	1	1	-	1	2	1	3	9	3	9
ALL OTHER--MALE----	122	1	-	-	-	1	1	2	3	6	3	8
FEMALE--	81	1	1	-	-	-	-	-	2	1	3	2
BLACK---MALE----	52	-	-	-	-	1	-	2	2	4	1	4
FEMALE--	42	-	-	-	-	-	-	-	1	-	2	2
ARKANSAS -----	1,170	3	3	3	2	3	3	6	6	17	24	41
WHITE-----MALE----	478	-	1	1	1	1	1	1	2	11	13	23
FEMALE--	504	2	2	1	1	-	1	2	1	4	4	6
ALL OTHER--MALE----	107	-	-	-	-	1	1	2	3	1	4	7
FEMALE--	81	1	-	1	-	1	-	1	-	1	3	5
BLACK---MALE----	105	-	-	-	-	1	1	2	3	1	4	7
FEMALE--	80	1	-	1	-	1	-	1	-	1	3	5
CALIFORNIA -----	13,249	31	15	4	9	20	42	55	88	164	289	385
WHITE-----MALE----	5,862	11	7	1	4	14	15	31	50	81	174	221
FEMALE--	5,258	10	3	1	3	2	11	8	11	33	48	61
ALL OTHER--MALE----	1,253	5	2	-	2	3	9	14	21	40	41	75
FEMALE--	876	5	3	2	-	1	7	2	6	10	26	28
BLACK---MALE----	815	5	-	-	2	2	6	7	17	32	35	54
FEMALE--	603	3	1	2	-	-	3	1	5	9	20	27

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,693

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ALL OTHER AND ILL-DEFINED FORMS OF HEART DISEASE (425-427,429.2-429.9)												
UNITED STATES --	5,483	6,650	8,705	11,733	15,850	19,856	22,092	21,586	15,310	6,477	1,660	28
WHITE-----MALE----	3,004	3,574	4,611	6,088	7,759	9,166	9,014	6,973	3,751	1,134	211	10
FEMALE--	1,040	1,433	2,003	3,248	5,240	7,833	10,529	12,361	10,165	4,731	1,242	4
ALL OTHER--MALE----	968	1,057	1,305	1,427	1,543	1,455	1,109	825	428	149	42	11
FEMALE--	471	586	786	970	1,308	1,402	1,440	1,427	966	463	165	3
BLACK---MALE----	859	958	1,149	1,302	1,379	1,251	955	681	328	122	39	10
FEMALE--	429	548	725	892	1,187	1,283	1,277	1,281	873	408	150	3
ALABAMA -----	171	202	262	348	462	556	578	548	354	141	40	-
WHITE-----MALE----	80	91	126	168	181	207	175	136	75	24	3	-
FEMALE--	39	48	45	79	154	203	283	270	213	86	23	-
ALL OTHER--MALE----	39	36	52	58	57	67	48	52	16	4	1	-
FEMALE--	13	27	39	43	70	79	72	90	50	27	13	-
BLACK---MALE----	39	35	51	57	56	66	48	52	16	4	1	-
FEMALE--	13	27	39	43	70	79	72	90	50	27	13	-
ALASKA -----	6	9	16	15	9	11	14	13	12	2	-	-
WHITE-----MALE----	4	7	9	10	6	4	8	7	4	1	-	-
FEMALE--	1	1	2	2	3	2	4	6	5	-	-	-
ALL OTHER--MALE----	1	-	2	3	-	3	1	-	1	-	-	-
FEMALE--	-	1	3	-	-	2	1	-	2	1	-	-
BLACK---MALE----	-	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ARIZONA -----	115	139	173	196	291	360	393	371	221	92	20	-
WHITE-----MALE----	85	89	106	111	153	195	188	143	64	14	2	-
FEMALE--	21	29	50	64	112	148	184	211	142	76	16	-
ALL OTHER--MALE----	5	13	11	14	15	8	13	11	5	2	-	-
FEMALE--	4	8	6	7	11	9	8	6	10	-	2	-
BLACK---MALE----	2	5	5	7	5	3	7	2	1	1	-	-
FEMALE--	3	4	2	4	7	6	5	4	1	-	1	-
ARKANSAS -----	48	48	75	90	111	163	173	177	116	44	14	-
WHITE-----MALE----	25	26	37	41	57	81	63	54	29	9	1	-
FEMALE--	9	9	21	31	42	64	88	103	75	30	8	-
ALL OTHER--MALE----	9	8	10	14	6	10	13	12	4	-	2	-
FEMALE--	5	5	7	4	6	8	9	8	8	5	3	-
BLACK---MALE----	9	8	10	13	5	10	13	12	4	-	2	-
FEMALE--	5	5	7	4	6	8	9	7	8	5	3	-
CALIFORNIA -----	668	709	811	1,095	1,432	1,723	1,857	1,852	1,295	545	157	3
WHITE-----MALE----	403	384	452	601	705	794	791	643	352	102	23	3
FEMALE--	106	144	176	281	496	674	840	1,006	832	399	113	-
ALL OTHER--MALE----	122	127	119	136	134	151	98	83	47	17	7	-
FEMALE--	37	54	64	77	97	104	128	120	64	27	14	-
BLACK---MALE----	88	92	82	98	85	82	54	39	19	11	5	-
FEMALE--	28	45	48	57	62	67	83	71	47	15	9	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 1,694

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ALL OTHER AND ILL-DEFINED FORMS OF HEART DISEASE (425-427,429.2-429.9)												
COLORADO -----	1,348	7	3	3	3	1	3	5	9	15	25	33
WHITE-----MALE----	663	4	1	3	1	1	2	3	7	14	17	26
FEMALE--	615	3	2	-	1	-	-	1	2	-	6	7
ALL OTHER--MALE----	29	-	-	-	1	-	1	1	-	-	-	-
FEMALE--	41	-	-	-	-	-	-	-	-	1	2	-
BLACK---MALE----	21	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	36	-	-	-	-	-	-	-	-	1	2	-
CONNECTICUT -----	2,768	3	2	2	4	2	3	6	5	20	30	49
WHITE-----MALE----	1,223	2	-	1	2	2	2	4	4	9	21	33
FEMALE--	1,338	1	1	1	2	-	1	1	1	5	2	8
ALL OTHER--MALE----	102	-	-	-	-	-	-	1	-	4	2	5
FEMALE--	105	-	1	-	-	-	-	-	-	2	5	3
BLACK---MALE----	94	-	-	-	-	-	-	1	-	4	2	4
FEMALE--	102	-	1	-	-	-	-	-	-	2	4	3
DELAWARE -----	513	1	1	1	-	1	1	-	3	8	19	18
WHITE-----MALE----	223	-	-	1	-	-	-	-	1	4	9	11
FEMALE--	198	1	1	-	-	-	-	-	1	1	7	3
ALL OTHER--MALE----	57	-	-	-	-	1	1	-	1	2	2	4
FEMALE--	35	-	-	-	-	-	-	-	-	1	1	-
BLACK---MALE----	56	-	-	-	-	1	1	-	1	2	2	4
FEMALE--	35	-	-	-	-	-	-	-	-	1	1	-
DISTRICT OF COLUMBIA ----	475	-	-	1	-	1	1	-	4	6	8	16
WHITE-----MALE----	51	-	-	1	-	1	-	-	-	1	-	1
FEMALE--	46	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	191	-	-	-	-	-	-	-	2	4	6	11
FEMALE--	187	-	-	-	-	-	1	-	2	1	2	4
BLACK---MALE----	187	-	-	-	-	-	-	-	2	4	6	11
FEMALE--	187	-	-	-	-	-	1	-	2	1	2	4
FLORIDA -----	9,401	9	2	6	4	10	13	33	42	78	149	196
WHITE-----MALE----	4,328	3	-	2	-	2	7	11	19	39	76	113
FEMALE--	4,091	3	1	2	2	-	3	8	6	14	26	34
ALL OTHER--MALE----	503	2	1	2	1	4	3	9	10	13	26	29
FEMALE--	479	1	-	-	1	4	-	5	7	12	21	20
BLACK---MALE----	490	2	1	2	1	4	3	9	9	13	26	27
FEMALE--	467	1	-	-	1	4	-	5	7	12	21	19
GEORGIA -----	5,346	13	4	2	7	9	16	16	40	59	124	188
WHITE-----MALE----	1,769	7	1	-	2	2	8	5	15	24	45	79
FEMALE--	1,989	-	-	-	1	2	-	2	7	5	22	23
ALL OTHER--MALE----	747	3	3	1	3	4	4	6	10	21	29	53
FEMALE--	841	3	-	1	1	1	4	3	8	9	28	33
BLACK---MALE----	732	3	3	1	3	4	4	6	10	21	28	52
FEMALE--	835	3	-	1	1	1	4	3	8	9	28	33

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,694

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ALL OTHER AND ILL-DEFINED FORMS OF HEART DISEASE (425-427,429.2-429.9)												
COLORADO -----	36	57	77	105	160	186	229	174	145	57	15	-
WHITE-----MALE----	26	38	51	61	89	99	107	54	43	14	2	-
FEMALE--	9	15	21	34	63	73	111	113	98	43	13	-
ALL OTHER--MALE----	1	1	-	6	6	6	3	1	2	-	-	-
FEMALE--	-	3	5	4	2	8	8	6	2	-	-	-
BLACK---MALE----	1	-	-	5	5	6	2	1	-	-	-	-
FEMALE--	-	3	3	3	2	7	8	5	2	-	-	-
CONNECTICUT -----	79	107	146	196	270	394	456	440	342	169	43	-
WHITE-----MALE----	47	65	89	108	153	214	191	150	84	37	5	-
FEMALE--	13	24	34	66	90	157	248	268	248	129	38	-
ALL OTHER--MALE----	14	12	13	11	14	14	5	3	4	-	-	-
FEMALE--	5	6	10	11	13	9	12	19	6	3	-	-
BLACK---MALE----	13	12	12	11	14	13	4	2	2	-	-	-
FEMALE--	5	6	10	11	13	8	11	19	6	3	-	-
DELAWARE -----	20	29	40	49	58	55	84	59	37	23	6	-
WHITE-----MALE----	8	15	17	32	34	26	31	18	9	7	-	-
FEMALE--	5	4	7	10	18	19	40	37	26	12	6	-
ALL OTHER--MALE----	6	8	8	4	5	4	9	1	-	1	-	-
FEMALE--	1	2	8	3	1	6	4	3	2	3	-	-
BLACK---MALE----	6	8	8	4	5	4	8	1	-	1	-	-
FEMALE--	1	2	8	3	1	6	4	3	2	3	-	-
DISTRICT OF COLUMBIA ----	22	20	32	62	76	65	56	49	30	21	4	1
WHITE-----MALE----	1	2	1	6	10	10	7	6	4	-	-	-
FEMALE--	-	1	-	-	4	11	6	10	6	6	2	-
ALL OTHER--MALE----	12	13	22	33	36	15	17	15	3	1	-	1
FEMALE--	9	4	9	23	26	29	26	18	17	14	2	-
BLACK---MALE----	12	13	21	33	36	15	15	15	2	1	-	1
FEMALE--	9	4	9	23	26	29	26	18	17	14	2	-
FLORIDA -----	273	375	493	651	982	1,306	1,579	1,494	1,110	472	118	6
WHITE-----MALE----	149	230	281	382	551	683	769	576	300	113	18	4
FEMALE--	66	77	117	190	320	504	712	827	751	337	90	1
ALL OTHER--MALE----	32	45	69	41	59	64	37	34	15	4	3	-
FEMALE--	26	23	26	38	52	55	61	57	44	18	7	1
BLACK---MALE----	30	45	68	41	58	62	36	33	14	3	3	-
FEMALE--	25	23	26	37	51	54	58	53	44	18	7	1
GEORGIA -----	249	261	346	466	591	725	734	715	529	201	50	1
WHITE-----MALE----	109	112	165	163	224	253	247	177	102	28	1	-
FEMALE--	36	35	54	121	199	270	321	407	327	125	32	-
ALL OTHER--MALE----	69	69	72	95	73	90	68	43	23	7	-	1
FEMALE--	35	45	55	87	95	112	98	88	77	41	17	-
BLACK---MALE----	69	64	72	93	71	88	67	43	22	7	-	1
FEMALE--	35	45	55	87	94	110	96	88	76	41	17	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 1,695

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ALL OTHER AND ILL-DEFINED FORMS OF HEART DISEASE (425-427,429.2-429.9)												
HAWAII -----	859	2	-	-	-	1	3	3	5	11	11	19
WHITE-----MALE----	118	-	-	-	-	-	-	-	-	1	3	5
FEMALE--	99	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	364	2	-	-	-	-	2	1	2	8	5	11
FEMALE--	278	-	-	-	-	1	1	2	3	2	3	2
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	377	1	-	-	-	3	1	3	1	5	4	6
WHITE-----MALE----	179	-	-	-	-	1	-	2	1	3	3	5
FEMALE--	193	1	-	-	-	2	1	1	-	2	1	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	5,742	14	6	6	4	11	22	35	49	63	114	212
WHITE-----MALE----	2,315	5	-	5	2	6	9	16	21	31	43	95
FEMALE--	2,110	5	3	-	-	2	6	3	5	4	24	38
ALL OTHER--MALE----	790	4	2	1	2	2	5	14	15	16	35	59
FEMALE--	527	-	1	-	-	1	2	2	8	12	12	20
BLACK---MALE----	761	4	2	1	1	2	5	14	15	16	35	57
FEMALE--	514	-	1	-	-	1	2	2	8	12	12	20
INDIANA -----	2,610	7	3	1	2	4	2	6	14	27	56	69
WHITE-----MALE----	1,149	3	2	1	2	1	2	3	5	13	33	42
FEMALE--	1,198	1	-	-	-	2	-	2	2	9	8	14
ALL OTHER--MALE----	155	3	1	-	-	1	-	1	3	3	10	7
FEMALE--	108	-	-	-	-	-	-	-	4	2	5	6
BLACK---MALE----	153	3	1	-	-	1	-	1	3	3	10	7
FEMALE--	107	-	-	-	-	-	-	-	4	2	5	6
IOWA -----	1,953	1	-	1	1	3	4	2	6	9	23	30
WHITE-----MALE----	944	1	-	-	-	-	1	1	3	4	16	23
FEMALE--	965	-	-	1	1	2	2	1	3	3	5	5
ALL OTHER--MALE----	20	-	-	-	-	1	1	-	-	1	2	2
FEMALE--	24	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	17	-	-	-	-	1	1	-	-	-	2	2
FEMALE--	20	-	-	-	-	-	-	-	-	1	-	-
KANSAS -----	1,405	4	1	-	3	2	3	7	7	15	26	35
WHITE-----MALE----	601	3	-	-	2	1	-	2	4	5	18	20
FEMALE--	691	1	1	-	-	-	1	3	2	5	2	10
ALL OTHER--MALE----	50	-	-	-	1	-	1	2	1	4	4	1
FEMALE--	63	-	-	-	-	1	1	-	-	1	2	4
BLACK---MALE----	43	-	-	-	1	-	1	2	1	3	3	1
FEMALE--	58	-	-	-	-	1	1	-	-	1	2	4

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,695

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ALL OTHER AND ILL-DEFINED FORMS OF HEART DISEASE (425-427,429.2-429.9)												
HAWAII -----	45	31	67	63	92	117	117	131	84	46	10	1
WHITE-----MALE----	9	3	11	15	13	17	20	13	6	-	2	-
FEMALE--	1	4	4	8	9	15	10	26	7	11	3	-
ALL OTHER--MALE----	24	16	39	22	37	49	42	53	37	13	-	1
FEMALE--	11	8	13	18	33	36	45	39	34	22	5	-
BLACK---MALE----	2	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	1	-	-	1	-	-	1	-	-	-	-	-
IDAHO -----	10	14	22	21	27	49	64	73	45	24	4	-
WHITE-----MALE----	6	5	14	16	17	30	28	30	13	4	1	-
FEMALE--	4	9	8	5	10	17	35	41	32	20	3	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	2	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ILLINOIS -----	279	352	397	495	650	771	840	689	476	203	50	4
WHITE-----MALE----	143	151	178	241	287	376	336	226	100	39	5	-
FEMALE--	41	67	77	114	190	268	374	380	320	147	41	1
ALL OTHER--MALE----	71	81	98	90	99	78	69	30	15	3	-	1
FEMALE--	24	53	44	50	74	49	61	53	41	14	4	2
BLACK---MALE----	68	80	95	84	97	72	68	28	14	2	-	1
FEMALE--	23	52	43	50	74	48	57	51	38	14	4	2
INDIANA -----	87	102	150	218	311	352	412	368	258	131	30	-
WHITE-----MALE----	50	56	87	124	159	194	163	109	68	29	3	-
FEMALE--	24	27	39	72	107	128	225	238	179	96	25	-
ALL OTHER--MALE----	7	14	18	17	24	17	11	11	5	1	1	-
FEMALE--	6	5	6	5	21	13	13	10	6	5	1	-
BLACK---MALE----	7	14	18	17	24	17	10	10	5	1	1	-
FEMALE--	6	5	6	5	21	13	13	10	5	5	1	-
IOWA -----	53	72	91	142	201	242	312	309	278	134	39	-
WHITE-----MALE----	43	53	66	93	126	136	146	113	87	26	6	-
FEMALE--	9	18	21	43	69	102	160	191	188	108	33	-
ALL OTHER--MALE----	1	-	1	2	1	3	3	2	-	-	-	-
FEMALE--	-	1	3	4	5	1	3	3	3	-	-	-
BLACK---MALE----	1	-	1	2	-	3	2	2	-	-	-	-
FEMALE--	-	1	2	4	4	1	2	2	3	-	-	-
KANSAS -----	37	37	60	113	141	193	196	220	192	90	23	-
WHITE-----MALE----	23	21	29	56	77	95	89	88	48	16	4	-
FEMALE--	7	14	25	41	56	84	96	124	132	68	19	-
ALL OTHER--MALE----	3	1	4	9	5	6	4	1	2	1	-	-
FEMALE--	4	1	2	7	3	8	7	10	5	8	-	-
BLACK---MALE----	3	-	3	9	5	6	4	1	-	-	-	-
FEMALE--	4	1	2	6	3	8	5	6	9	5	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 1,696

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ALL OTHER AND ILL-DEFINED FORMS OF HEART DISEASE (425-427,429.2-429.9)												
KENTUCKY -----	2,376	8	4	3	2	3	4	5	13	31	33	54
WHITE-----MALE----	1,006	5	-	-	1	1	-	2	7	17	21	34
FEMALE--	1,129	1	2	3	1	2	3	2	3	8	7	13
ALL OTHER--MALE----	100	1	2	-	-	-	-	1	1	3	2	5
FEMALE--	141	1	-	-	-	-	1	-	2	3	3	2
BLACK---MALE----	100	1	2	-	-	-	-	1	1	3	2	5
FEMALE--	140	1	-	-	-	-	1	-	2	3	3	2
LOUISIANA -----	2,772	8	2	3	2	4	14	9	10	34	49	70
WHITE-----MALE----	914	2	-	1	1	-	5	2	5	12	15	26
FEMALE--	1,007	1	-	-	-	-	2	2	1	4	7	10
ALL OTHER--MALE----	399	2	2	1	1	3	6	3	3	10	14	19
FEMALE--	452	3	-	1	-	1	1	2	1	8	13	15
BLACK---MALE----	391	2	2	1	1	3	6	3	3	10	14	19
FEMALE--	450	3	-	1	-	1	1	2	1	8	13	15
MAINE -----	738	-	-	-	-	-	-	-	1	8	10	15
WHITE-----MALE----	359	-	-	-	-	-	-	-	1	6	8	12
FEMALE--	374	-	-	-	-	-	-	-	-	2	2	3
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	3,288	4	3	1	1	3	5	15	21	55	83	133
WHITE-----MALE----	1,143	1	-	1	-	1	1	3	11	22	35	62
FEMALE--	1,145	1	1	-	-	-	1	1	1	6	14	12
ALL OTHER--MALE----	578	2	2	-	1	1	-	8	6	21	24	43
FEMALE--	422	-	-	-	-	1	3	3	3	6	10	16
BLACK---MALE----	565	1	2	-	1	1	-	8	6	20	23	42
FEMALE--	411	-	-	-	-	1	3	3	3	6	10	16
MASSACHUSETTS -----	3,343	5	2	2	3	6	6	11	16	36	42	82
WHITE-----MALE----	1,570	4	1	2	1	3	5	9	9	23	32	52
FEMALE--	1,620	1	1	-	2	2	-	1	4	11	6	19
ALL OTHER--MALE----	85	-	-	-	-	-	1	1	2	-	3	3
FEMALE--	68	-	-	-	-	1	-	-	1	2	1	8
BLACK---MALE----	70	-	-	-	-	-	1	1	2	-	2	2
FEMALE--	55	-	-	-	-	1	-	-	1	1	1	8
MICHIGAN -----	6,034	6	5	3	2	13	11	28	43	73	128	216
WHITE-----MALE----	2,364	2	3	1	2	5	6	9	23	33	66	94
FEMALE--	2,037	1	2	-	-	2	-	6	5	17	13	30
ALL OTHER--MALE----	867	-	-	-	-	4	5	7	11	15	32	62
FEMALE--	766	3	-	2	-	2	-	6	4	8	17	30
BLACK---MALE----	844	-	-	-	-	4	4	7	11	14	32	61
FEMALE--	741	2	-	2	-	2	-	6	4	8	17	29

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,696

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ALL OTHER AND ILL-DEFINED FORMS OF HEART DISEASE (425-427,429.2-429.9)												
KENTUCKY -----	58	74	135	196	248	306	354	412	294	113	26	-
WHITE-----MALE----	32	42	87	104	130	144	149	141	70	15	4	-
FEMALE--	22	21	36	63	94	138	177	236	192	86	19	-
ALL OTHER--MALE----	2	6	11	13	12	10	12	9	7	1	2	-
FEMALE--	2	5	1	16	12	14	16	26	25	11	1	-
BLACK---MALE----	2	6	11	13	12	10	12	9	7	1	2	-
FEMALE--	2	5	1	16	12	14	16	26	24	11	1	-
LOUISIANA -----	73	114	147	223	303	359	432	442	309	131	34	-
WHITE-----MALE----	33	57	63	90	128	123	144	127	57	19	4	-
FEMALE--	13	21	29	52	78	115	182	206	180	90	14	-
ALL OTHER--MALE----	21	24	29	44	48	54	44	40	24	4	3	-
FEMALE--	6	12	26	37	49	67	62	69	48	18	13	-
BLACK---MALE----	20	24	29	43	46	50	44	40	24	4	3	-
FEMALE--	6	12	26	37	49	67	61	68	48	18	13	-
MAINE -----	18	24	39	63	79	101	120	113	98	38	11	-
WHITE-----MALE----	13	17	31	41	38	56	61	35	35	4	1	-
FEMALE--	5	6	7	21	41	44	59	78	62	34	10	-
ALL OTHER--MALE----	-	1	1	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	1	-	-	-
BLACK---MALE----	-	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	169	167	225	283	333	424	449	443	309	120	36	6
WHITE-----MALE----	76	73	89	130	119	163	159	116	61	16	1	3
FEMALE--	19	25	31	46	96	150	201	235	194	86	25	-
ALL OTHER--MALE----	52	40	63	77	71	71	44	30	13	5	1	3
FEMALE--	22	29	42	30	47	40	45	62	41	13	9	-
BLACK---MALE----	52	40	60	75	70	70	43	30	12	5	1	3
FEMALE--	22	29	42	28	45	40	43	59	41	11	9	-
MASSACHUSETTS -----	124	152	171	253	335	502	506	534	362	149	44	-
WHITE-----MALE----	86	100	98	146	193	270	228	188	88	28	4	-
FEMALE--	26	41	56	90	121	212	270	332	268	117	40	-
ALL OTHER--MALE----	7	5	8	12	14	11	5	8	3	2	-	-
FEMALE--	5	6	9	5	7	9	3	6	3	2	-	-
BLACK---MALE----	7	5	6	12	12	7	3	8	1	1	-	-
FEMALE--	3	5	7	5	4	7	3	5	3	1	-	-
MICHIGAN -----	299	339	434	569	735	848	857	729	473	183	39	1
WHITE-----MALE----	148	152	201	251	330	349	319	231	106	29	4	-
FEMALE--	44	66	76	130	186	279	364	376	298	116	26	-
ALL OTHER--MALE----	73	70	86	109	113	111	83	50	22	10	3	1
FEMALE--	34	51	71	79	106	109	91	72	47	28	6	-
BLACK---MALE----	70	70	82	106	112	107	81	48	21	10	3	1
FEMALE--	34	50	71	74	101	107	88	69	46	25	6	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,697

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ALL OTHER AND ILL-DEFINED FORMS OF HEART DISEASE (425-427,429.2-429.9)												
MINNESOTA -----	39	53	74	107	155	196	262	257	194	85	22	-
WHITE-----MALE----	22	37	47	66	94	101	138	118	72	18	7	-
FEMALE--	13	11	26	40	56	94	121	139	122	67	15	-
ALL OTHER--MALE----	2	4	-	-	3	-	2	-	-	-	-	-
FEMALE--	2	1	1	1	2	1	1	-	-	-	-	-
BLACK---MALE----	1	2	-	-	2	-	-	-	-	-	-	-
FEMALE--	1	1	1	-	-	1	1	-	-	-	-	-
MISSISSIPPI -----	70	114	135	191	289	350	414	463	311	117	30	-
WHITE-----MALE----	33	39	46	72	107	124	111	102	63	17	5	-
FEMALE--	11	22	22	43	81	107	173	230	158	63	14	-
ALL OTHER--MALE----	16	29	39	44	49	62	53	57	29	11	2	-
FEMALE--	10	24	28	32	52	57	77	74	61	26	9	-
BLACK---MALE----	16	29	38	43	48	62	53	57	29	11	2	-
FEMALE--	10	23	28	32	52	56	76	74	61	26	9	-
MISSOURI -----	73	116	139	203	273	383	449	480	377	146	44	-
WHITE-----MALE----	30	65	74	110	148	189	190	163	94	22	9	-
FEMALE--	21	34	52	61	105	160	222	287	260	113	32	-
ALL OTHER--MALE----	12	11	6	20	10	18	16	8	2	1	-	-
FEMALE--	10	6	7	12	10	16	21	22	21	10	3	-
BLACK---MALE----	12	11	6	19	10	18	15	8	1	1	-	-
FEMALE--	9	6	7	12	10	16	21	22	20	10	3	-
MONTANA -----	9	18	29	40	46	64	85	60	35	22	7	-
WHITE-----MALE----	5	14	20	25	30	34	46	25	10	6	-	-
FEMALE--	3	4	8	13	13	30	34	35	25	16	7	-
ALL OTHER--MALE----	1	-	1	1	3	-	2	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	3	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	39	35	54	80	94	150	203	232	200	95	36	-
WHITE-----MALE----	23	25	32	49	49	74	94	83	49	16	2	-
FEMALE--	8	7	16	24	36	69	108	142	147	77	34	-
ALL OTHER--MALE----	5	1	5	5	5	3	-	2	2	-	-	-
FEMALE--	3	2	1	2	4	4	1	5	2	2	-	-
BLACK---MALE----	4	1	5	4	4	2	-	2	2	-	-	-
FEMALE--	2	1	1	1	4	3	-	3	1	2	-	-
NEVADA -----	52	74	106	162	192	194	220	150	97	27	6	-
WHITE-----MALE----	41	53	67	102	107	95	104	62	19	8	-	-
FEMALE--	6	13	29	48	65	87	105	81	77	18	5	-
ALL OTHER--MALE----	3	6	5	7	13	8	5	3	-	-	-	-
FEMALE--	2	2	5	5	7	4	6	4	1	1	1	-
BLACK---MALE----	3	5	4	6	11	7	4	3	-	-	-	-
FEMALE--	-	2	4	3	5	3	6	2	1	1	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 1,699

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ALL OTHER AND ILL-DEFINED FORMS OF HEART DISEASE (425-427,429.2-429.9)												
OHIO -----	6,159	10	1	3	6	6	10	13	28	62	97	182
WHITE-----MALE----	2,572	4	-	1	2	3	3	1	15	33	54	106
FEMALE--	2,841	4	1	-	1	1	5	4	5	13	16	31
ALL OTHER--MALE----	402	1	-	1	3	2	2	3	4	10	18	28
FEMALE--	344	1	-	1	-	-	-	5	4	6	9	17
BLACK---MALE----	391	1	-	1	2	2	2	3	4	10	18	27
FEMALE--	341	1	-	1	-	-	-	5	4	6	9	17
OKLAHOMA -----	2,195	9	-	3	1	2	8	9	7	31	47	62
WHITE-----MALE----	907	3	-	1	-	2	3	4	4	11	22	36
FEMALE--	1,002	4	-	-	-	-	3	1	1	8	10	14
ALL OTHER--MALE----	146	-	-	-	-	-	1	3	-	8	9	10
FEMALE--	140	2	-	2	1	-	1	1	2	4	6	2
BLACK---MALE----	70	-	-	-	-	-	-	1	-	4	7	5
FEMALE--	88	2	-	1	-	-	-	1	2	3	6	1
OREGON -----	1,113	2	1	2	-	4	2	2	4	11	16	24
WHITE-----MALE----	518	-	1	2	-	3	2	1	2	8	11	13
FEMALE--	568	1	-	-	-	1	-	1	2	3	3	8
ALL OTHER--MALE----	13	-	-	-	-	-	-	-	-	-	1	3
FEMALE--	14	1	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	6	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	8	-	-	-	-	-	-	-	-	-	1	-
PENNSYLVANIA -----	9,486	4	4	3	3	7	12	21	44	82	148	202
WHITE-----MALE----	3,981	1	1	2	1	6	3	15	22	48	84	123
FEMALE--	4,404	2	1	-	1	-	6	4	8	13	27	30
ALL OTHER--MALE----	601	-	2	1	1	-	2	2	8	12	19	29
FEMALE--	500	1	-	-	-	1	1	-	6	9	18	20
BLACK---MALE----	581	-	1	1	1	-	2	2	8	10	18	28
FEMALE--	485	1	-	-	-	1	1	-	6	9	18	19
RHODE ISLAND -----	540	1	-	1	-	1	1	1	1	4	6	11
WHITE-----MALE----	260	-	-	1	-	1	1	1	-	-	3	7
FEMALE--	265	-	-	-	-	-	-	-	1	4	2	2
ALL OTHER--MALE----	9	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	6	1	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	6	1	-	-	-	-	-	-	-	-	-	1
SOUTH CAROLINA -----	2,043	8	1	5	3	3	3	11	22	29	53	60
WHITE-----MALE----	671	2	1	2	1	-	-	4	13	11	12	19
FEMALE--	734	1	-	1	-	2	-	2	1	7	7	8
ALL OTHER--MALE----	330	3	-	2	1	1	-	2	5	8	29	24
FEMALE--	308	2	-	-	1	-	3	3	3	3	5	9
BLACK---MALE----	328	3	-	2	1	1	-	2	5	8	28	24
FEMALE--	306	2	-	-	1	-	3	3	3	3	5	9

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,699

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ALL OTHER AND ILL-DEFINED FORMS OF HEART DISEASE (425-427,429.2-429.9)												
OHIO -----	213	286	376	471	657	922	938	939	593	272	74	-
WHITE-----MALE----	114	161	175	242	321	436	370	327	144	49	11	-
FEMALE--	46	75	128	152	242	397	503	536	424	201	56	-
ALL OTHER--MALE----	39	37	41	45	47	50	26	27	9	8	1	-
FEMALE--	14	13	32	32	47	39	39	49	16	14	6	-
BLACK---MALE----	37	35	38	45	47	49	26	27	9	7	1	-
FEMALE--	14	12	32	32	46	39	39	48	16	14	6	-
OKLAHOMA -----	84	90	132	162	219	287	316	346	247	105	27	1
WHITE-----MALE----	47	54	73	96	109	137	133	110	46	11	5	-
FEMALE--	17	24	38	42	86	118	153	198	181	86	18	-
ALL OTHER--MALE----	13	7	12	14	11	17	14	18	8	-	-	1
FEMALE--	7	5	9	10	13	15	16	20	12	8	4	-
BLACK---MALE----	3	2	5	6	8	7	8	7	6	-	-	1
FEMALE--	5	2	7	9	7	7	6	14	10	2	3	-
OREGON -----	31	34	58	73	101	160	194	187	129	66	12	-
WHITE-----MALE----	18	23	41	44	66	85	75	64	39	16	4	-
FEMALE--	11	10	15	27	32	73	115	120	89	49	8	-
ALL OTHER--MALE----	-	-	2	2	1	-	3	1	-	-	-	-
FEMALE--	2	1	-	-	2	2	1	2	1	1	-	-
BLACK---MALE----	-	-	1	2	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	1	1	-	2	1	-	-	-
PENNSYLVANIA -----	269	376	507	723	1,056	1,394	1,503	1,507	1,067	446	108	-
WHITE-----MALE----	154	210	280	380	549	639	639	473	261	76	14	-
FEMALE--	58	84	117	215	360	604	734	954	754	345	87	-
ALL OTHER--MALE----	35	52	78	89	97	67	58	23	18	6	2	-
FEMALE--	22	30	32	39	50	84	72	57	34	19	5	-
BLACK---MALE----	34	51	76	87	95	65	55	22	18	5	2	-
FEMALE--	21	30	31	34	49	84	67	56	34	19	5	-
RHODE ISLAND -----	12	28	30	47	69	68	79	78	75	19	8	-
WHITE-----MALE----	8	21	17	30	39	39	41	34	15	1	1	-
FEMALE--	3	5	11	16	30	28	36	44	59	17	7	-
ALL OTHER--MALE----	-	2	1	1	-	-	1	-	1	1	-	-
FEMALE--	1	-	1	-	-	1	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	1	-	-
FEMALE--	1	-	1	-	-	1	1	-	-	-	-	-
SOUTH CAROLINA -----	79	110	145	186	225	275	280	278	181	68	18	-
WHITE-----MALE----	31	45	63	75	85	96	98	68	34	8	3	-
FEMALE--	12	26	28	47	65	98	112	150	111	47	9	-
ALL OTHER--MALE----	22	26	31	40	35	41	26	16	12	4	2	-
FEMALE--	14	13	23	24	40	40	44	44	24	9	4	-
BLACK---MALE----	22	26	31	40	34	41	26	16	12	4	2	-
FEMALE--	14	13	23	23	39	40	44	44	24	9	4	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 1,700

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ALL OTHER AND ILL-DEFINED FORMS OF HEART DISEASE (425-427,429.2-429.9)												
SOUTH DAKOTA -----	411	2	2	-	1	1	1	-	-	1	7	8
WHITE-----MALE----	193	-	1	-	-	1	1	-	-	1	4	5
FEMALE--	196	1	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	14	-	1	-	-	-	-	-	-	-	3	3
FEMALE--	8	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	3,790	9	3	4	1	5	6	5	18	43	79	103
WHITE-----MALE----	1,418	5	1	1	-	4	4	1	8	16	38	46
FEMALE--	1,575	1	1	1	-	1	-	1	6	4	9	18
ALL OTHER--MALE----	418	3	-	1	-	-	-	2	2	13	20	26
FEMALE--	379	-	1	1	1	-	2	1	2	10	12	13
BLACK---MALE----	412	3	-	1	-	-	-	2	2	12	20	26
FEMALE--	375	-	1	1	1	-	2	1	2	10	11	13
TEXAS -----	8,082	23	6	6	4	24	42	31	56	103	186	299
WHITE-----MALE----	3,501	9	1	4	1	9	17	17	27	51	102	174
FEMALE--	3,297	5	4	2	1	12	7	3	14	21	25	49
ALL OTHER--MALE----	701	6	-	-	1	3	15	8	12	23	37	53
FEMALE--	583	3	1	-	1	-	3	3	3	8	22	23
BLACK---MALE----	661	5	-	-	1	3	14	7	10	21	35	49
FEMALE--	558	1	1	-	1	-	3	3	3	8	22	21
UTAH -----	505	2	-	-	1	-	1	3	5	6	7	16
WHITE-----MALE----	263	2	-	-	1	-	-	3	4	4	4	8
FEMALE--	229	-	-	-	-	-	-	-	1	2	3	7
ALL OTHER--MALE----	6	-	-	-	-	-	1	-	-	-	-	1
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	367	-	1	-	-	-	1	-	-	2	5	2
WHITE-----MALE----	155	-	1	-	-	-	1	-	-	2	4	2
FEMALE--	211	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	3,984	5	7	2	1	8	11	9	26	47	71	105
WHITE-----MALE----	1,428	1	3	1	-	4	4	4	8	22	34	42
FEMALE--	1,681	2	2	-	1	-	4	3	7	9	12	28
ALL OTHER--MALE----	442	2	2	-	-	3	3	1	7	10	16	19
FEMALE--	433	-	-	1	-	1	-	1	4	6	9	16
BLACK---MALE----	428	2	2	-	-	3	3	1	7	9	16	18
FEMALE--	414	-	-	1	-	1	-	1	4	6	8	16

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,700

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ALL OTHER AND ILL-DEFINED FORMS OF HEART DISEASE (425-427,429.2-429.9)												
SOUTH DAKOTA -----	6	10	18	27	51	51	60	66	64	26	9	-
WHITE-----MALE----	1	6	14	17	35	25	29	22	22	8	1	-
FEMALE--	4	4	3	9	15	20	29	43	41	18	8	-
ALL OTHER--MALE----	-	-	1	-	1	4	1	-	-	-	-	-
FEMALE--	1	-	-	1	-	2	1	1	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
TENNESSEE -----	153	170	252	312	430	518	539	582	377	146	34	1
WHITE-----MALE----	75	87	134	144	182	230	195	144	76	22	5	-
FEMALE--	26	38	53	97	150	204	263	347	242	93	20	-
ALL OTHER--MALE----	39	32	41	46	57	49	37	24	13	8	4	1
FEMALE--	13	13	24	25	41	35	44	67	46	23	5	-
BLACK---MALE----	38	32	40	46	54	49	37	24	13	8	4	1
FEMALE--	13	13	24	24	41	35	43	67	45	23	5	-
TEXAS -----	398	461	602	639	906	953	1,054	1,109	767	338	75	-
WHITE-----MALE----	236	257	353	346	449	464	403	347	192	37	5	-
FEMALE--	83	92	131	178	298	366	516	645	513	272	60	-
ALL OTHER--MALE----	48	80	76	70	86	61	49	39	25	8	1	-
FEMALE--	31	32	42	45	73	62	86	78	37	21	9	-
BLACK---MALE----	45	75	71	68	81	59	47	38	23	8	1	-
FEMALE--	30	31	40	45	70	60	77	77	36	20	9	-
UTAH -----	17	20	25	36	48	72	77	91	58	20	-	-
WHITE-----MALE----	14	12	17	27	27	44	33	42	14	7	-	-
FEMALE--	2	7	5	8	20	26	42	49	44	13	-	-
ALL OTHER--MALE----	1	-	-	-	-	2	1	-	-	-	-	-
FEMALE--	-	1	3	1	1	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	1	1	-	-	1	-	-	-	-	-
VERMONT -----	12	10	15	25	28	47	58	58	67	27	9	-
WHITE-----MALE----	8	5	11	17	18	20	23	15	20	6	2	-
FEMALE--	4	5	4	8	10	27	35	43	47	21	7	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	150	182	221	318	406	551	590	611	415	198	48	2
WHITE-----MALE----	67	89	103	150	183	214	213	159	89	32	6	-
FEMALE--	35	41	52	74	129	206	269	357	277	138	34	1
ALL OTHER--MALE----	37	40	46	52	53	59	38	29	16	7	1	1
FEMALE--	11	12	20	42	41	72	70	66	33	21	7	-
BLACK---MALE----	36	40	45	50	52	56	36	28	16	6	1	1
FEMALE--	11	12	20	40	38	69	66	65	28	21	7	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,701

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ALL OTHER AND ILL-DEFINED FORMS OF HEART DISEASE (425-427,429.2-429.9)												
WASHINGTON -----	84	112	160	201	275	329	372	380	289	118	16	-
WHITE-----MALE----	60	79	114	138	169	179	168	143	94	22	1	-
FEMALE--	18	25	36	49	91	128	196	220	191	96	15	-
ALL OTHER--MALE----	4	8	6	6	10	12	4	9	3	-	-	-
FEMALE--	2	-	4	8	5	10	4	8	1	-	-	-
BLACK---MALE----	4	4	3	2	3	4	1	3	1	-	-	-
FEMALE--	1	-	-	4	3	5	2	1	1	-	-	-
WEST VIRGINIA -----	58	63	81	143	152	208	246	225	171	62	21	-
WHITE-----MALE----	46	35	47	89	86	82	94	75	41	9	3	-
FEMALE--	10	19	25	50	59	120	144	144	126	49	18	-
ALL OTHER--MALE----	-	5	5	2	2	1	3	2	3	1	-	-
FEMALE--	2	4	4	2	5	5	5	4	1	3	-	-
BLACK---MALE----	-	5	5	2	2	1	3	2	3	1	-	-
FEMALE--	2	4	3	2	5	5	5	4	1	3	-	-
WISCONSIN -----	52	71	106	143	208	290	363	331	257	107	43	-
WHITE-----MALE----	30	41	61	90	121	140	170	144	66	23	8	-
FEMALE--	13	22	32	42	80	138	183	184	188	82	34	-
ALL OTHER--MALE----	6	4	10	8	3	3	5	3	-	-	1	-
FEMALE--	3	4	3	3	4	9	5	-	3	2	-	-
BLACK---MALE----	6	4	8	7	2	2	4	3	-	-	1	-
FEMALE--	3	3	3	2	3	9	4	-	2	1	-	-
WYOMING -----	4	10	7	7	27	34	29	28	21	7	2	-
WHITE-----MALE----	4	6	4	2	17	17	14	10	3	2	-	-
FEMALE--	-	4	3	5	8	16	15	18	18	5	2	-
ALL OTHER--MALE----	-	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 1,702
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
CEREBROVASCULAR DISEASES (430-438)												
UNITED STATES --	158,448	296	57	35	47	65	113	233	437	979	1,671	2,439
WHITE-----MALE----	51,766	117	13	11	22	31	54	79	151	332	575	862
FEMALE--	85,089	81	21	13	12	16	27	82	133	332	459	648
ALL OTHER--MALE----	9,379	57	12	6	9	14	10	28	69	153	316	504
FEMALE--	12,214	41	11	5	4	4	22	44	84	162	321	425
BLACK---MALE----	7,765	51	10	6	8	13	9	26	55	134	283	449
FEMALE--	10,472	39	10	5	3	2	17	41	75	149	299	373
ALABAMA -----	2,929	8	-	1	-	-	1	8	12	24	46	55
WHITE-----MALE----	804	-	-	-	-	-	1	3	3	7	11	12
FEMALE--	1,330	3	-	1	-	-	-	-	-	2	11	14
ALL OTHER--MALE----	340	4	-	-	-	-	-	4	2	9	11	21
FEMALE--	455	1	-	-	-	-	-	1	7	6	13	8
BLACK---MALE----	336	4	-	-	-	-	-	4	2	9	11	21
FEMALE--	453	1	-	-	-	-	-	1	7	6	13	7
ALASKA -----	153	-	-	-	-	-	-	1	-	2	9	7
WHITE-----MALE----	46	-	-	-	-	-	-	-	-	-	4	5
FEMALE--	60	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	15	-	-	-	-	-	-	-	-	1	3	-
FEMALE--	32	-	-	-	-	-	-	1	-	1	2	1
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	1
ARIZONA -----	2,472	5	-	-	2	3	2	2	5	24	25	23
WHITE-----MALE----	935	3	-	-	1	2	-	1	2	9	15	13
FEMALE--	1,406	1	-	-	1	1	1	1	2	11	8	6
ALL OTHER--MALE----	65	-	-	-	-	-	-	-	1	1	1	3
FEMALE--	66	1	-	-	-	-	1	-	-	3	1	1
BLACK---MALE----	25	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	24	1	-	-	-	-	-	-	-	2	1	1
ARKANSAS -----	2,355	2	-	-	-	-	1	1	5	13	20	29
WHITE-----MALE----	737	-	-	-	-	-	-	-	4	3	7	12
FEMALE--	1,197	1	-	-	-	-	1	1	-	6	2	7
ALL OTHER--MALE----	167	-	-	-	-	-	-	-	-	1	4	7
FEMALE--	254	1	-	-	-	-	-	-	1	3	7	3
BLACK---MALE----	164	-	-	-	-	-	-	-	-	1	4	7
FEMALE--	247	1	-	-	-	-	-	-	1	3	7	3
CALIFORNIA -----	16,512	39	8	4	3	7	14	43	51	93	183	275
WHITE-----MALE----	5,442	16	5	2	1	4	5	22	20	31	74	90
FEMALE--	8,508	16	1	2	1	-	8	16	16	34	55	87
ALL OTHER--MALE----	1,174	6	1	-	-	2	-	1	6	10	34	48
FEMALE--	1,388	1	1	-	1	1	1	4	9	18	20	50
BLACK---MALE----	492	5	-	-	-	2	-	1	3	7	24	30
FEMALE--	696	1	1	-	-	-	-	3	5	13	13	29

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,702
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
CEREBROVASCULAR DISEASES (430-438)												
UNITED STATES --	3,270	4,063	5,590	8,786	15,126	23,708	30,720	30,887	20,863	7,610	1,444	9
WHITE-----MALE----	1,191	1,577	2,267	3,595	6,266	9,355	10,709	8,622	4,594	1,185	156	2
FEMALE--	1,020	1,308	1,855	3,255	6,357	11,260	16,878	19,666	14,764	5,775	1,125	2
ALL OTHER--MALE----	564	657	844	973	1,183	1,361	1,176	857	427	130	27	2
FEMALE--	495	521	624	963	1,320	1,732	1,957	1,742	1,078	520	136	3
BLACK---MALE----	496	555	720	809	980	1,099	943	668	320	103	26	2
FEMALE--	444	455	533	799	1,108	1,463	1,629	1,492	944	462	127	3
ALABAMA -----	81	86	157	204	264	478	547	500	318	108	31	-
WHITE-----MALE----	23	24	64	75	93	149	163	113	48	13	2	-
FEMALE--	21	28	34	52	102	203	275	293	208	66	17	-
ALL OTHER--MALE----	21	16	37	45	31	50	45	24	15	2	3	-
FEMALE--	16	18	22	32	38	76	64	70	47	27	9	-
BLACK---MALE----	21	16	36	45	31	48	45	24	14	2	3	-
FEMALE--	16	18	22	32	38	76	64	69	47	27	9	-
ALASKA -----	6	8	9	8	17	27	21	17	13	8	-	-
WHITE-----MALE----	3	4	5	3	4	6	4	4	2	2	-	-
FEMALE--	1	3	-	3	4	15	13	9	7	4	-	-
ALL OTHER--MALE----	-	1	-	2	2	3	1	-	2	-	-	-
FEMALE--	2	-	4	-	7	3	3	4	2	2	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	1	1	-	-	-	-	-	-
ARIZONA -----	45	64	89	145	232	436	445	488	320	103	14	-
WHITE-----MALE----	22	34	40	56	107	167	183	159	99	21	1	-
FEMALE--	17	25	38	78	114	244	241	312	212	81	12	-
ALL OTHER--MALE----	1	3	7	3	8	13	13	8	3	-	-	-
FEMALE--	5	2	4	8	3	12	8	9	6	1	1	-
BLACK---MALE----	-	2	2	2	4	7	3	3	1	-	-	-
FEMALE--	1	1	1	3	-	5	3	3	-	1	1	-
ARKANSAS -----	35	72	97	141	209	359	452	447	319	133	20	-
WHITE-----MALE----	12	23	34	53	88	142	143	122	70	23	1	-
FEMALE--	11	29	34	57	82	153	240	270	198	89	16	-
ALL OTHER--MALE----	8	13	17	14	11	27	21	21	17	4	2	-
FEMALE--	4	7	12	17	28	37	48	34	34	17	1	-
BLACK---MALE----	8	13	16	13	11	26	21	21	17	4	2	-
FEMALE--	4	5	12	17	26	36	48	32	34	17	1	-
CALIFORNIA -----	364	483	610	931	1,567	2,442	3,199	3,146	2,111	783	156	-
WHITE-----MALE----	138	201	258	366	613	956	1,133	903	452	143	9	-
FEMALE--	112	152	193	337	653	1,111	1,626	1,926	1,465	566	131	-
ALL OTHER--MALE----	59	77	83	118	159	180	172	128	73	16	1	-
FEMALE--	55	53	76	110	142	195	268	189	121	58	15	-
BLACK---MALE----	31	40	38	52	61	70	58	45	21	3	1	-
FEMALE--	41	30	39	47	63	92	129	91	57	31	11	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 1,703

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
CEREBROVASCULAR DISEASES (430-438)												
COLORADO -----	1,740	5	-	-	-	1	1	2	5	13	26	24
WHITE-----MALE----	595	1	-	-	-	1	-	1	4	2	10	18
FEMALE--	1,063	3	-	-	-	-	-	1	1	9	11	3
ALL OTHER--MALE----	32	1	-	-	-	-	1	-	-	1	1	2
FEMALE--	50	-	-	-	-	-	-	-	-	1	4	1
BLACK---MALE----	21	1	-	-	-	-	1	-	-	1	1	2
FEMALE--	36	-	-	-	-	-	-	-	-	1	4	-
CONNECTICUT -----	1,947	1	-	-	1	1	1	2	5	13	14	19
WHITE-----MALE----	681	-	-	-	-	1	-	-	1	8	3	7
FEMALE--	1,166	-	-	-	-	-	1	2	3	4	6	9
ALL OTHER--MALE----	34	1	-	-	1	-	-	-	-	-	4	2
FEMALE--	66	-	-	-	-	-	-	-	1	1	1	1
BLACK---MALE----	31	1	-	-	1	-	-	-	-	-	4	2
FEMALE--	59	-	-	-	-	-	-	-	1	1	-	1
DELAWARE -----	367	3	-	-	1	1	1	-	2	1	3	7
WHITE-----MALE----	127	3	-	-	-	-	1	-	-	1	-	2
FEMALE--	174	-	-	-	1	-	-	-	1	-	1	2
ALL OTHER--MALE----	32	-	-	-	-	1	-	-	1	-	1	2
FEMALE--	34	-	-	-	-	-	-	-	-	-	1	1
BLACK---MALE----	32	-	-	-	-	1	-	-	1	-	1	2
FEMALE--	33	-	-	-	-	-	-	-	-	-	1	1
DISTRICT OF COLUMBIA ----	315	-	2	-	-	-	1	1	3	6	3	8
WHITE-----MALE----	33	-	-	-	-	-	1	-	1	1	-	-
FEMALE--	64	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	77	-	1	-	-	-	-	-	1	2	-	4
FEMALE--	141	-	-	-	-	-	-	1	1	3	3	4
BLACK---MALE----	76	-	1	-	-	-	-	-	1	2	-	4
FEMALE--	140	-	-	-	-	-	-	1	1	2	3	4
FLORIDA -----	10,085	11	2	2	2	1	9	12	23	66	104	139
WHITE-----MALE----	3,675	5	-	-	-	-	5	3	8	18	42	52
FEMALE--	5,223	1	-	-	1	1	1	5	10	23	24	30
ALL OTHER--MALE----	519	5	2	2	-	-	1	3	2	13	17	28
FEMALE--	668	-	-	-	1	-	2	1	3	12	21	29
BLACK---MALE----	504	5	2	2	-	-	1	3	2	13	17	25
FEMALE--	640	-	-	-	1	-	2	1	2	12	20	29
GEORGIA -----	4,158	14	4	2	2	3	6	9	18	29	80	120
WHITE-----MALE----	1,093	2	-	-	-	1	3	3	4	4	16	32
FEMALE--	1,867	7	2	1	1	-	1	3	5	7	16	24
ALL OTHER--MALE----	515	2	1	1	1	1	1	2	3	9	25	29
FEMALE--	683	3	1	-	-	1	1	1	6	9	23	35
BLACK---MALE----	498	2	1	1	1	1	1	2	3	8	24	29
FEMALE--	671	3	1	-	-	1	1	1	6	9	21	35

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,703

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
CEREBROVASCULAR DISEASES (430-438)												
COLORADO -----	27	37	64	93	150	258	334	359	238	87	16	-
WHITE-----MALE----	9	16	26	38	66	98	126	105	54	17	3	-
FEMALE--	15	15	32	47	80	143	196	250	177	68	12	-
ALL OTHER--MALE----	2	3	2	5	3	6	4	-	1	-	-	-
FEMALE--	1	3	4	3	1	11	8	4	6	2	1	-
BLACK---MALE----	2	2	1	3	2	2	2	-	1	-	-	-
FEMALE--	1	3	4	2	1	5	4	3	5	2	1	-
CONNECTICUT -----	25	50	43	83	171	286	421	378	290	119	24	-
WHITE-----MALE----	7	29	22	47	72	125	162	105	73	14	5	-
FEMALE--	13	15	15	26	81	147	243	267	215	101	18	-
ALL OTHER--MALE----	1	3	3	4	7	4	3	-	-	1	-	-
FEMALE--	4	3	3	6	11	10	13	6	2	3	1	-
BLACK---MALE----	1	2	3	4	6	3	3	-	-	1	-	-
FEMALE--	4	3	3	6	10	7	11	6	2	3	1	-
DELAWARE -----	3	13	18	25	41	71	57	64	39	13	4	-
WHITE-----MALE----	-	4	6	16	17	31	21	11	9	4	1	-
FEMALE--	2	2	5	6	15	30	27	45	26	8	3	-
ALL OTHER--MALE----	1	4	3	3	5	5	4	2	-	-	-	-
FEMALE--	-	3	4	-	4	5	5	6	4	1	-	-
BLACK---MALE----	1	4	3	3	5	5	4	2	-	-	-	-
FEMALE--	-	3	3	-	4	5	5	6	4	1	-	-
DISTRICT OF COLUMBIA ----	11	12	22	24	29	48	53	50	28	12	2	-
WHITE-----MALE----	-	-	-	4	3	6	4	9	4	-	-	-
FEMALE--	1	1	3	2	2	9	9	16	12	7	1	-
ALL OTHER--MALE----	3	7	9	7	9	14	10	3	6	1	-	-
FEMALE--	7	4	10	11	15	19	30	22	6	4	1	-
BLACK---MALE----	3	7	9	7	9	14	10	3	5	1	-	-
FEMALE--	7	4	10	11	15	19	30	22	6	4	1	-
FLORIDA -----	212	263	315	559	956	1,520	2,021	2,055	1,304	444	62	3
WHITE-----MALE----	84	97	130	239	431	670	762	674	367	81	7	-
FEMALE--	75	85	106	213	392	699	1,090	1,230	866	322	48	1
ALL OTHER--MALE----	34	37	53	53	60	61	65	48	19	13	2	1
FEMALE--	19	44	26	54	73	90	104	103	52	28	5	1
BLACK---MALE----	33	33	52	52	60	59	63	47	19	13	2	1
FEMALE--	18	43	24	47	71	86	99	100	51	28	5	1
GEORGIA -----	138	148	202	290	426	588	745	739	444	126	25	-
WHITE-----MALE----	43	50	57	96	153	178	196	155	82	15	3	-
FEMALE--	31	31	56	83	147	254	385	423	294	78	18	-
ALL OTHER--MALE----	33	40	51	62	58	61	60	51	15	9	-	-
FEMALE--	31	27	38	49	68	95	104	110	53	24	4	-
BLACK---MALE----	31	39	48	59	56	58	59	51	15	9	-	-
FEMALE--	31	26	38	49	63	93	104	109	52	24	4	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 1,704

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
CEREBROVASCULAR DISEASES (430-438)												
HAWAII -----	658	1	2	-	-	-	1	-	2	3	2	7
WHITE-----MALE----	62	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	69	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	270	1	1	-	-	-	-	-	2	2	2	5
FEMALE--	257	-	1	-	-	-	1	-	-	1	-	1
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	704	2	-	1	-	-	1	-	1	2	8	10
WHITE-----MALE----	282	1	-	-	-	-	-	-	-	1	5	7
FEMALE--	406	1	-	1	-	-	1	-	1	1	3	3
ALL OTHER--MALE----	7	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	7,172	10	3	1	2	2	10	12	16	42	78	109
WHITE-----MALE----	2,254	1	-	-	2	1	5	5	4	13	27	30
FEMALE--	3,942	4	1	-	-	-	2	2	9	19	10	20
ALL OTHER--MALE----	439	2	-	1	-	1	-	2	3	5	22	38
FEMALE--	537	3	2	-	-	-	3	3	-	5	19	21
BLACK---MALE----	400	2	-	1	-	1	-	2	3	5	21	33
FEMALE--	510	3	2	-	-	-	3	3	-	5	18	19
INDIANA -----	3,892	8	-	1	-	-	1	5	12	21	49	48
WHITE-----MALE----	1,323	2	-	-	-	-	-	1	1	8	18	20
FEMALE--	2,275	1	-	1	-	-	-	3	8	8	17	17
ALL OTHER--MALE----	109	1	-	-	-	-	-	-	-	3	5	8
FEMALE--	185	4	-	-	-	-	1	1	3	2	9	3
BLACK---MALE----	105	1	-	-	-	-	-	-	-	3	5	8
FEMALE--	182	4	-	-	-	-	1	1	3	2	8	3
IOWA -----	2,208	3	3	-	1	1	-	1	3	8	11	16
WHITE-----MALE----	757	1	-	-	1	1	-	1	2	3	5	4
FEMALE--	1,423	2	2	-	-	-	-	-	1	4	6	11
ALL OTHER--MALE----	14	-	1	-	-	-	-	-	-	-	-	1
FEMALE--	14	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	12	-	1	-	-	-	-	-	-	-	-	1
FEMALE--	13	-	-	-	-	-	-	-	-	-	-	-
KANSAS -----	1,831	-	-	-	2	-	1	1	4	3	16	13
WHITE-----MALE----	636	-	-	-	1	-	-	-	1	1	10	8
FEMALE--	1,092	-	-	-	1	-	-	1	1	1	4	2
ALL OTHER--MALE----	45	-	-	-	-	-	1	-	-	-	1	-
FEMALE--	58	-	-	-	-	-	-	-	2	1	1	3
BLACK---MALE----	39	-	-	-	-	-	1	-	-	-	1	-
FEMALE--	53	-	-	-	-	-	-	-	2	1	1	3

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,704
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
CEREBROVASCULAR DISEASES (430-438)												
HAWAII -----	18	21	22	55	58	119	129	119	70	26	3	-
WHITE-----MALE----	3	2	1	6	5	11	15	8	10	-	-	-
FEMALE--	2	1	-	3	4	9	12	20	12	6	-	-
ALL OTHER--MALE----	7	12	12	18	29	55	47	48	22	7	-	-
FEMALE--	6	6	9	28	20	44	55	43	26	13	3	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	11	14	18	34	61	97	133	167	103	34	7	-
WHITE-----MALE----	8	3	8	21	26	35	65	68	24	9	1	-
FEMALE--	2	9	10	11	31	59	66	97	79	25	6	-
ALL OTHER--MALE----	1	1	-	-	1	2	1	1	-	-	-	-
FEMALE--	-	1	-	2	3	1	1	1	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	153	192	244	350	631	1,080	1,444	1,405	949	368	70	1
WHITE-----MALE----	58	60	83	133	245	449	495	384	191	59	9	-
FEMALE--	40	63	74	136	271	498	827	919	707	288	51	1
ALL OTHER--MALE----	30	36	47	42	62	58	41	31	12	5	1	-
FEMALE--	25	33	40	39	53	75	81	71	39	16	9	-
BLACK---MALE----	28	32	44	39	53	56	35	29	12	4	-	-
FEMALE--	24	30	39	36	52	71	74	70	37	16	8	-
INDIANA -----	81	90	130	202	382	584	776	750	523	187	42	-
WHITE-----MALE----	30	41	65	90	175	230	290	215	105	27	5	-
FEMALE--	33	41	51	86	176	314	445	492	392	156	34	-
ALL OTHER--MALE----	9	5	11	11	11	17	11	13	4	-	-	-
FEMALE--	9	3	3	15	20	23	30	30	22	4	3	-
BLACK---MALE----	9	5	11	11	10	17	9	12	4	-	-	-
FEMALE--	8	3	3	15	20	23	29	30	22	4	3	-
IOWA -----	17	33	42	84	170	283	443	514	366	173	36	-
WHITE-----MALE----	9	16	19	49	89	136	174	140	81	20	6	-
FEMALE--	8	14	22	34	76	142	263	371	285	152	30	-
ALL OTHER--MALE----	-	2	1	-	3	3	3	-	-	-	-	-
FEMALE--	-	1	-	1	2	2	3	3	-	1	-	-
BLACK---MALE----	-	1	1	-	3	2	3	-	-	-	-	-
FEMALE--	-	1	-	1	2	2	3	3	-	1	-	-
KANSAS -----	19	42	47	71	152	251	365	400	307	114	23	-
WHITE-----MALE----	9	17	24	31	73	107	144	114	77	17	2	-
FEMALE--	4	19	12	35	66	131	207	276	221	92	19	-
ALL OTHER--MALE----	3	2	9	3	7	6	5	4	2	2	-	-
FEMALE--	3	4	2	2	6	7	9	6	7	3	2	-
BLACK---MALE----	3	1	7	3	5	5	5	4	2	2	-	-
FEMALE--	2	4	1	2	4	6	9	6	7	3	2	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 1,705

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
CEREBROVASCULAR DISEASES (430-438)												
KENTUCKY -----	2,488	2	1	1	-	-	2	3	9	20	21	36
WHITE-----MALE----	837	2	-	1	-	-	1	1	4	10	9	18
FEMALE--	1,484	-	1	-	-	-	1	2	4	6	5	11
ALL OTHER--MALE----	65	-	-	-	-	-	-	-	1	1	1	3
FEMALE--	102	-	-	-	-	-	-	-	-	3	6	4
BLACK---MALE----	63	-	-	-	-	-	-	-	1	1	1	3
FEMALE--	100	-	-	-	-	-	-	-	-	3	6	4
LOUISIANA -----	2,526	8	-	-	2	1	5	7	14	46	56	
WHITE-----MALE----	621	-	-	-	1	1	-	3	2	4	7	9
FEMALE--	1,049	2	-	-	1	-	-	-	2	2	8	8
ALL OTHER--MALE----	372	5	-	-	-	-	-	1	-	3	16	22
FEMALE--	484	1	-	-	-	-	-	1	3	5	15	17
BLACK---MALE----	364	5	-	-	-	-	-	1	-	3	16	22
FEMALE--	479	1	-	-	-	-	-	1	3	5	15	17
MAINE -----	788	1	-	-	-	-	-	2	1	2	5	6
WHITE-----MALE----	307	-	-	-	-	-	-	-	1	-	3	5
FEMALE--	477	1	-	-	-	-	-	2	-	2	2	1
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	2,636	8	-	2	-	2	2	5	4	20	35	53
WHITE-----MALE----	740	2	-	-	-	1	-	-	2	3	6	15
FEMALE--	1,262	-	-	1	-	1	1	3	-	2	8	8
ALL OTHER--MALE----	283	4	-	-	-	-	-	1	2	8	9	18
FEMALE--	351	2	-	1	-	-	1	1	-	7	12	12
BLACK---MALE----	259	4	-	-	-	-	-	1	2	6	9	18
FEMALE--	328	2	-	1	-	-	1	1	-	6	11	12
MASSACHUSETTS -----	3,322	3	1	-	1	1	-	1	5	13	16	25
WHITE-----MALE----	1,117	3	-	-	-	1	-	1	2	5	4	14
FEMALE--	2,072	-	1	-	-	-	-	-	2	7	10	8
ALL OTHER--MALE----	63	-	-	-	1	-	-	-	-	1	2	2
FEMALE--	70	-	-	-	-	-	-	-	1	-	-	1
BLACK---MALE----	47	-	-	-	-	-	-	-	-	1	2	1
FEMALE--	54	-	-	-	-	-	-	-	1	-	-	1
MICHIGAN -----	5,768	13	1	2	1	1	5	9	16	36	72	109
WHITE-----MALE----	1,878	7	1	1	-	1	4	3	6	13	21	34
FEMALE--	3,119	2	-	1	-	-	-	4	3	13	16	29
ALL OTHER--MALE----	339	2	-	-	1	-	-	1	3	4	15	26
FEMALE--	432	2	-	-	-	-	1	1	4	6	20	20
BLACK---MALE----	318	2	-	-	1	-	-	1	3	4	14	25
FEMALE--	405	1	-	-	-	-	-	1	4	5	19	20

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,705

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
CEREBROVASCULAR DISEASES (430-438)												
KENTUCKY -----	54	59	119	136	247	367	471	503	300	106	31	-
WHITE-----MALE----	25	25	60	58	108	140	164	132	60	14	5	-
FEMALE--	23	29	46	66	122	205	281	349	224	84	25	-
ALL OTHER--MALE----	3	4	6	5	6	11	12	4	7	-	1	-
FEMALE--	3	1	7	7	11	11	14	18	9	8	-	-
BLACK---MALE----	2	4	6	5	5	11	12	4	7	-	1	-
FEMALE--	3	1	7	7	11	11	14	17	9	7	-	-
LOUISIANA -----	90	97	124	174	305	338	434	430	279	94	22	-
WHITE-----MALE----	19	25	40	60	87	98	111	106	42	5	1	-
FEMALE--	17	20	24	38	106	133	198	227	184	67	12	-
ALL OTHER--MALE----	27	26	31	40	59	42	42	37	15	4	2	-
FEMALE--	27	26	29	36	53	65	83	60	38	18	7	-
BLACK---MALE----	26	25	31	40	57	40	42	36	14	4	2	-
FEMALE--	26	25	29	36	53	65	81	59	38	18	7	-
MAINE -----	12	7	23	30	76	139	159	152	114	46	13	-
WHITE-----MALE----	3	4	11	14	48	66	65	59	24	4	-	-
FEMALE--	8	3	10	16	28	72	94	93	90	42	13	-
ALL OTHER--MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	1	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	64	87	100	144	286	396	515	469	316	112	14	2
WHITE-----MALE----	12	30	25	39	98	130	165	131	64	16	1	-
FEMALE--	14	16	27	52	109	174	272	276	215	74	9	-
ALL OTHER--MALE----	20	21	29	31	35	38	30	22	10	4	-	1
FEMALE--	18	20	19	22	44	54	48	40	27	18	4	1
BLACK---MALE----	17	20	27	29	32	36	26	19	9	3	-	1
FEMALE--	17	20	18	20	41	48	43	38	26	18	4	1
MASSACHUSETTS -----	50	56	75	143	276	449	713	731	508	218	37	-
WHITE-----MALE----	28	23	39	71	126	193	259	201	121	25	1	-
FEMALE--	14	25	27	61	137	232	433	515	376	189	35	-
ALL OTHER--MALE----	4	5	5	8	4	11	10	8	2	-	-	-
FEMALE--	4	3	4	3	9	13	11	7	9	4	1	-
BLACK---MALE----	3	4	5	7	4	8	9	3	-	-	-	-
FEMALE--	2	-	4	3	7	11	7	6	7	4	1	-
MICHIGAN -----	110	121	206	356	555	872	1,165	1,081	735	262	40	-
WHITE-----MALE----	34	58	82	166	215	360	394	305	139	33	1	-
FEMALE--	35	34	78	116	241	395	666	690	550	209	37	-
ALL OTHER--MALE----	17	19	27	36	54	47	43	27	12	5	-	-
FEMALE--	24	10	19	38	45	70	62	59	34	15	2	-
BLACK---MALE----	17	18	21	35	52	42	41	26	11	5	-	-
FEMALE--	23	9	16	37	42	68	57	54	32	15	2	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,706

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
CEREBROVASCULAR DISEASES (430-438)												
MINNESOTA -----	40	34	54	117	204	386	551	648	516	194	37	-
WHITE-----MALE----	16	19	32	69	98	174	227	199	123	37	5	-
FEMALE--	21	14	18	43	96	198	314	443	389	156	32	-
ALL OTHER--MALE----	1	1	-	4	6	5	4	2	3	-	-	-
FEMALE--	2	-	4	1	4	9	6	4	1	1	-	-
BLACK---MALE----	-	-	-	1	5	2	2	-	-	-	-	-
FEMALE--	2	-	3	-	1	4	3	1	1	1	-	-
MISSISSIPPI -----	57	76	80	149	186	277	301	295	190	65	18	-
WHITE-----MALE----	10	22	23	42	63	92	76	42	28	6	4	-
FEMALE--	9	16	22	48	54	102	134	154	112	34	4	-
ALL OTHER--MALE----	25	23	19	35	34	36	34	33	18	10	2	-
FEMALE--	13	15	16	24	35	47	57	66	32	15	8	-
BLACK---MALE----	25	23	19	35	34	35	34	33	18	10	2	-
FEMALE--	13	15	16	23	34	47	56	66	32	15	8	-
MISSOURI -----	73	86	130	207	341	551	747	849	555	196	35	-
WHITE-----MALE----	35	37	51	82	151	247	262	246	113	33	7	-
FEMALE--	20	27	56	96	140	263	440	558	411	153	25	-
ALL OTHER--MALE----	8	10	13	15	24	18	22	18	10	4	2	-
FEMALE--	10	12	10	14	26	23	23	27	21	6	1	-
BLACK---MALE----	8	10	10	13	23	18	22	18	7	4	2	-
FEMALE--	9	12	9	14	25	23	23	24	20	6	1	-
MONTANA -----	11	10	11	19	51	87	107	150	90	22	6	-
WHITE-----MALE----	4	5	4	8	23	41	36	58	31	3	1	-
FEMALE--	7	4	6	9	28	42	71	90	58	18	5	-
ALL OTHER--MALE----	-	-	-	1	-	1	-	2	-	-	-	-
FEMALE--	-	1	1	1	-	3	-	-	1	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	21	24	32	48	109	166	217	247	180	71	14	-
WHITE-----MALE----	15	10	19	24	58	86	97	62	45	12	1	-
FEMALE--	5	9	10	18	43	72	113	181	131	59	13	-
ALL OTHER--MALE----	1	2	3	3	5	4	3	-	2	-	-	-
FEMALE--	-	3	-	3	3	4	4	4	2	-	-	-
BLACK---MALE----	1	1	2	3	4	3	3	-	1	-	-	-
FEMALE--	-	1	-	3	3	3	3	4	2	-	-	-
NEVADA -----	26	21	37	60	95	138	171	121	73	21	3	-
WHITE-----MALE----	11	9	19	28	42	61	70	38	18	8	1	-
FEMALE--	9	8	13	22	39	60	94	77	49	13	2	-
ALL OTHER--MALE----	-	3	1	5	7	10	3	2	2	-	-	-
FEMALE--	6	1	4	5	7	7	4	4	4	-	-	-
BLACK---MALE----	-	2	-	2	3	9	2	-	2	-	-	-
FEMALE--	4	1	2	2	5	6	2	3	3	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 1,708

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
CEREBROVASCULAR DISEASES (430-438)												
OHIO -----	6,719	12	-	1	2	2	1	3	15	36	55	84
WHITE-----MALE----	2,246	7	-	-	-	-	-	-	5	13	18	29
FEMALE--	3,761	-	-	1	1	1	1	1	3	16	20	28
ALL OTHER--MALE----	308	3	-	-	1	1	-	1	4	3	10	19
FEMALE--	404	2	-	-	-	-	-	1	3	4	7	8
BLACK---MALE----	297	2	-	-	1	1	-	1	4	3	9	19
FEMALE--	397	2	-	-	-	-	-	1	3	4	7	8
OKLAHOMA -----	2,290	3	1	-	1	1	3	3	9	21	17	28
WHITE-----MALE----	764	1	-	-	-	1	3	1	1	10	9	8
FEMALE--	1,307	1	1	-	-	-	-	1	3	6	5	11
ALL OTHER--MALE----	91	1	-	-	-	-	-	1	3	3	1	6
FEMALE--	128	-	-	-	1	-	-	-	2	2	2	3
BLACK---MALE----	56	-	-	-	-	-	-	-	2	1	1	4
FEMALE--	75	-	-	-	1	-	-	-	1	2	2	3
OREGON -----	2,621	3	-	-	-	-	1	2	5	9	15	21
WHITE-----MALE----	988	2	-	-	-	-	1	-	3	3	7	9
FEMALE--	1,563	-	-	-	-	-	-	2	1	5	7	10
ALL OTHER--MALE----	29	1	-	-	-	-	-	-	-	1	-	1
FEMALE--	41	-	-	-	-	-	-	-	1	-	1	1
BLACK---MALE----	15	1	-	-	-	-	-	-	-	1	-	1
FEMALE--	17	-	-	-	-	-	-	-	1	-	1	-
PENNSYLVANIA -----	8,224	5	3	1	2	3	4	11	18	44	74	83
WHITE-----MALE----	2,788	3	1	1	2	1	4	3	10	21	25	26
FEMALE--	4,723	1	-	-	-	1	-	6	5	12	32	27
ALL OTHER--MALE----	297	1	1	-	-	1	-	-	1	4	8	17
FEMALE--	416	-	1	-	-	-	-	2	2	7	9	13
BLACK---MALE----	283	1	1	-	-	1	-	-	1	4	8	17
FEMALE--	398	-	1	-	-	-	-	2	1	7	9	12
RHODE ISLAND -----	591	3	-	-	-	-	-	-	-	3	7	7
WHITE-----MALE----	198	1	-	-	-	-	-	-	-	3	4	4
FEMALE--	370	1	-	-	-	-	-	-	-	-	1	2
ALL OTHER--MALE----	15	1	-	-	-	-	-	-	-	-	1	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	1	1
BLACK---MALE----	11	1	-	-	-	-	-	-	-	-	1	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	1	-
SOUTH CAROLINA -----	2,900	5	-	2	-	-	-	4	13	20	44	68
WHITE-----MALE----	736	-	-	-	-	-	-	-	6	4	10	23
FEMALE--	1,214	1	-	-	-	-	-	1	1	2	8	11
ALL OTHER--MALE----	408	3	-	1	-	-	-	-	5	8	18	16
FEMALE--	542	1	-	1	-	-	-	3	1	6	8	18
BLACK---MALE----	405	3	-	1	-	-	-	-	5	8	18	15
FEMALE--	537	1	-	1	-	-	-	3	1	6	8	18

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,708

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
CEREBROVASCULAR DISEASES (430-438)												
OHIO -----	129	146	226	398	661	1,078	1,316	1,328	871	295	60	-
WHITE-----MALE----	51	52	97	176	295	432	440	392	185	47	7	-
FEMALE--	44	59	81	156	282	523	778	855	631	232	48	-
ALL OTHER--MALE----	22	20	23	30	39	59	42	18	10	2	1	-
FEMALE--	12	15	25	36	45	64	56	63	45	14	4	-
BLACK---MALE----	22	19	23	30	39	56	38	17	10	2	1	-
FEMALE--	12	15	23	35	44	64	56	61	44	14	4	-
OKLAHOMA -----	44	56	84	133	222	346	425	439	332	110	12	-
WHITE-----MALE----	15	19	40	50	101	139	134	122	85	22	3	-
FEMALE--	18	24	28	64	102	178	260	293	224	81	7	-
ALL OTHER--MALE----	5	7	12	8	9	11	11	5	7	1	-	-
FEMALE--	6	6	4	11	10	18	20	19	16	6	2	-
BLACK---MALE----	4	5	7	4	7	8	5	2	6	-	-	-
FEMALE--	5	2	3	6	4	8	9	14	10	3	2	-
OREGON -----	35	46	71	102	229	362	556	576	412	149	27	-
WHITE-----MALE----	18	23	33	60	116	144	227	200	109	27	6	-
FEMALE--	13	19	35	37	103	207	314	369	300	120	21	-
ALL OTHER--MALE----	1	2	3	2	2	5	8	1	1	1	-	-
FEMALE--	3	2	-	3	8	6	7	6	2	1	-	-
BLACK---MALE----	-	2	1	1	1	2	5	-	-	-	-	-
FEMALE--	3	1	-	2	1	2	4	1	1	-	-	-
PENNSYLVANIA -----	115	167	232	420	827	1,312	1,692	1,679	1,094	370	68	-
WHITE-----MALE----	40	80	102	172	356	546	633	465	235	55	7	-
FEMALE--	48	46	86	175	366	656	962	1,134	813	295	58	-
ALL OTHER--MALE----	19	22	26	40	47	46	35	17	10	2	-	-
FEMALE--	8	19	18	33	58	64	62	63	36	18	3	-
BLACK---MALE----	18	19	24	38	45	45	33	16	10	2	-	-
FEMALE--	8	19	18	32	52	61	59	61	36	17	3	-
RHODE ISLAND -----	7	6	19	33	44	86	134	116	84	38	4	-
WHITE-----MALE----	2	4	8	13	25	43	44	23	18	6	-	-
FEMALE--	3	1	9	12	18	42	87	92	66	32	4	-
ALL OTHER--MALE----	1	1	1	7	1	1	1	-	-	-	-	-
FEMALE--	1	-	1	1	-	-	2	1	-	-	-	-
BLACK---MALE----	1	1	1	4	1	1	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	1	-	-	-	-
SOUTH CAROLINA -----	85	89	133	203	323	447	530	493	290	117	33	1
WHITE-----MALE----	21	23	40	61	118	142	128	97	48	12	3	-
FEMALE--	10	17	30	59	101	166	251	287	180	74	15	-
ALL OTHER--MALE----	38	23	39	47	39	67	55	27	16	4	2	-
FEMALE--	16	26	24	36	65	72	96	82	46	27	13	1
BLACK---MALE----	38	23	39	45	39	67	55	27	16	4	2	-
FEMALE--	16	26	24	35	63	72	96	80	46	27	13	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 1,709

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
CEREBROVASCULAR DISEASES (430-438)												
SOUTH DAKOTA -----	538	1	-	1	-	-	-	-	2	2	3	6
WHITE-----MALE----	213	-	-	1	-	-	-	-	-	1	3	2
FEMALE--	304	1	-	-	-	-	-	-	1	1	-	1
ALL OTHER--MALE----	11	-	-	-	-	-	-	-	1	-	-	2
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	3,958	4	2	-	1	2	3	5	12	25	39	64
WHITE-----MALE----	1,247	2	1	-	-	1	-	3	4	7	13	21
FEMALE--	2,070	-	1	-	1	-	1	1	4	14	13	19
ALL OTHER--MALE----	285	-	-	-	-	-	1	-	2	1	8	11
FEMALE--	356	2	-	-	-	1	1	1	2	3	5	13
BLACK---MALE----	282	-	-	-	-	-	1	-	2	1	8	10
FEMALE--	348	2	-	-	-	1	1	1	2	3	5	13
TEXAS -----	9,827	33	2	1	3	10	7	14	33	69	131	204
WHITE-----MALE----	3,189	20	1	1	2	5	5	5	12	22	50	84
FEMALE--	5,271	9	1	-	-	4	-	6	10	23	40	53
ALL OTHER--MALE----	577	1	-	-	1	1	-	2	6	10	23	39
FEMALE--	790	3	-	-	-	-	2	1	5	14	18	28
BLACK---MALE----	537	1	-	-	1	1	-	2	5	9	21	37
FEMALE--	752	3	-	-	-	-	2	1	5	14	18	27
UTAH -----	796	2	-	1	-	1	1	-	4	4	5	11
WHITE-----MALE----	313	2	-	1	-	1	1	-	2	3	3	6
FEMALE--	458	-	-	-	-	-	-	-	2	-	2	5
ALL OTHER--MALE----	12	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	13	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	330	1	1	-	-	-	1	-	1	-	7	2
WHITE-----MALE----	130	-	-	-	-	-	1	-	1	-	-	1
FEMALE--	199	1	1	-	-	-	-	-	-	-	7	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	3,820	9	2	-	3	1	-	8	11	27	45	59
WHITE-----MALE----	1,093	3	-	-	2	-	-	2	2	8	12	19
FEMALE--	1,855	2	-	-	-	-	-	4	1	11	8	11
ALL OTHER--MALE----	370	2	2	-	1	1	-	1	2	3	16	16
FEMALE--	502	2	-	-	-	-	-	1	6	5	9	13
BLACK---MALE----	348	2	2	-	1	-	-	1	1	2	14	16
FEMALE--	477	2	-	-	-	-	-	1	4	5	8	12

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,709

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
CEREBROVASCULAR DISEASES (430-438)												
SOUTH DAKOTA -----	11	12	13	17	39	80	85	129	87	40	10	-
WHITE-----MALE----	9	5	8	10	21	42	33	45	25	8	-	-
FEMALE--	1	6	3	4	16	36	50	81	62	31	10	-
ALL OTHER--MALE----	1	1	1	2	-	2	1	-	-	-	-	-
FEMALE--	-	-	1	1	2	-	1	3	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	98	118	162	234	381	662	792	694	442	188	30	-
WHITE-----MALE----	36	40	62	99	162	245	253	185	85	23	5	-
FEMALE--	29	39	56	81	143	320	443	434	309	142	20	-
ALL OTHER--MALE----	19	28	22	25	38	50	35	28	11	4	2	-
FEMALE--	14	11	22	29	38	47	61	47	37	19	3	-
BLACK---MALE----	19	28	22	24	38	49	35	28	11	4	2	-
FEMALE--	14	10	22	28	37	45	60	46	36	19	3	-
TEXAS -----	255	290	364	549	975	1,381	1,732	1,895	1,309	468	101	1
WHITE-----MALE----	110	125	156	210	379	511	605	518	286	73	8	1
FEMALE--	80	93	134	211	430	694	953	1,196	911	346	77	-
ALL OTHER--MALE----	28	35	44	54	82	86	66	61	28	7	3	-
FEMALE--	37	37	30	74	84	90	108	120	84	42	13	-
BLACK---MALE----	26	32	39	51	73	80	64	58	27	7	3	-
FEMALE--	37	37	28	67	79	88	98	113	82	41	12	-
UTAH -----	9	21	19	43	67	137	167	158	107	35	4	-
WHITE-----MALE----	4	9	13	20	42	55	75	47	25	4	-	-
FEMALE--	4	10	4	22	24	76	89	104	81	31	4	-
ALL OTHER--MALE----	-	2	2	-	-	4	-	3	-	-	-	-
FEMALE--	1	-	-	1	1	2	3	4	1	-	-	-
BLACK---MALE----	-	-	1	-	-	2	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	1	-	-	-
VERMONT -----	3	6	8	14	33	51	72	60	47	17	6	-
WHITE-----MALE----	2	2	6	8	20	28	25	17	16	2	1	-
FEMALE--	1	4	2	6	13	23	46	43	31	15	5	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
VIRGINIA -----	74	98	157	236	389	584	688	721	522	158	28	-
WHITE-----MALE----	20	28	62	66	130	213	219	183	95	26	3	-
FEMALE--	25	34	40	74	150	239	339	435	357	105	20	-
ALL OTHER--MALE----	15	19	33	45	54	54	48	33	17	7	1	-
FEMALE--	14	17	22	51	55	78	82	70	53	20	4	-
BLACK---MALE----	15	18	32	42	51	50	48	29	16	7	1	-
FEMALE--	13	15	20	48	52	75	77	68	53	20	4	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 1,711

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 SUBARACHNOID HEMORRHAGE (430)												
UNITED STATES --	6,858	3	4	3	13	13	50	87	175	379	566	638
WHITE-----MALE----	1,978	1	1	-	6	9	28	27	62	129	183	218
FEMALE--	3,638	-	3	3	3	1	14	39	69	162	205	265
ALL OTHER--MALE----	385	2	-	-	3	3	5	7	13	37	52	53
FEMALE--	857	-	-	-	1	-	3	14	31	51	126	102
BLACK---MALE----	303	2	-	-	3	3	4	6	11	34	44	45
FEMALE--	673	-	-	-	1	-	3	13	25	47	113	87
ALABAMA -----	135	1	-	-	-	-	-	3	2	7	16	6
WHITE-----MALE----	32	-	-	-	-	-	-	-	-	5	5	1
FEMALE--	61	-	-	-	-	-	-	-	-	-	5	3
ALL OTHER--MALE----	13	1	-	-	-	-	-	2	-	1	1	1
FEMALE--	29	-	-	-	-	-	-	1	2	1	5	1
BLACK---MALE----	13	1	-	-	-	-	-	2	-	1	1	1
FEMALE--	29	-	-	-	-	-	-	1	2	1	5	1
ALASKA -----	18	-	-	-	-	-	-	-	-	-	4	3
WHITE-----MALE----	9	-	-	-	-	-	-	-	-	-	2	2
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	1	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
ARIZONA -----	112	-	-	-	-	-	1	-	4	13	11	8
WHITE-----MALE----	39	-	-	-	-	-	-	-	2	6	6	6
FEMALE--	65	-	-	-	-	-	1	-	2	5	4	1
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	5	-	-	-	-	-	-	-	-	2	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
ARKANSAS -----	70	-	-	-	-	-	-	1	3	3	5	9
WHITE-----MALE----	19	-	-	-	-	-	-	-	2	1	1	3
FEMALE--	35	-	-	-	-	-	-	1	-	2	-	2
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	-	2	2
FEMALE--	10	-	-	-	-	-	-	-	1	-	2	2
BLACK---MALE----	6	-	-	-	-	-	-	-	-	-	2	2
FEMALE--	10	-	-	-	-	-	-	-	1	-	2	2
CALIFORNIA -----	744	-	1	-	-	2	10	19	19	41	63	65
WHITE-----MALE----	219	-	1	-	-	1	4	8	9	13	30	16
FEMALE--	373	-	-	-	-	-	6	9	5	16	22	33
ALL OTHER--MALE----	48	-	-	-	-	1	-	-	-	5	3	7
FEMALE--	104	-	-	-	-	-	-	2	5	7	8	9
BLACK---MALE----	17	-	-	-	-	1	-	-	-	4	2	5
FEMALE--	42	-	-	-	-	-	-	1	2	5	4	5

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,711

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 SUBARACHNOID HEMORRHAGE (430)												
UNITED STATES --	677	681	551	583	657	696	515	362	168	29	5	3
WHITE-----MALE----	206	210	165	150	190	171	116	70	29	7	-	-
FEMALE--	349	357	290	332	384	437	342	244	118	18	3	-
ALL OTHER--MALE----	42	37	31	32	17	18	14	9	7	-	1	2
FEMALE--	80	77	65	69	66	70	43	39	14	4	1	1
BLACK---MALE----	31	28	22	23	10	14	10	6	4	-	1	2
FEMALE--	69	56	50	51	41	42	29	30	10	4	1	1
ALABAMA -----	15	7	11	9	14	20	8	12	2	2	-	-
WHITE-----MALE----	4	2	4	4	-	2	2	2	-	1	-	-
FEMALE--	4	4	6	3	9	14	5	5	2	1	-	-
ALL OTHER--MALE----	2	1	-	1	-	2	1	-	-	-	-	-
FEMALE--	5	-	1	1	5	2	-	5	-	-	-	-
BLACK---MALE----	2	1	-	1	-	2	1	-	-	-	-	-
FEMALE--	5	-	1	1	5	2	-	5	-	-	-	-
ALASKA -----	3	3	1	1	1	1	-	1	-	-	-	-
WHITE-----MALE----	2	1	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	2	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	11	15	6	14	7	9	7	3	3	-	-	-
WHITE-----MALE----	5	5	2	3	1	-	3	-	-	-	-	-
FEMALE--	5	9	4	11	6	8	4	2	3	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	-	1	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	7	11	3	3	9	8	4	3	1	-	-	-
WHITE-----MALE----	1	2	-	2	4	2	-	1	-	-	-	-
FEMALE--	4	8	2	1	3	6	3	2	1	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	1	1	1	-	2	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	1	1	1	-	2	-	-	-	-	-	-	-
CALIFORNIA -----	66	78	63	59	76	72	59	40	9	2	-	-
WHITE-----MALE----	19	21	19	14	18	20	13	9	3	1	-	-
FEMALE--	31	43	28	32	44	37	36	26	4	1	-	-
ALL OTHER--MALE----	7	3	5	3	6	2	4	-	2	-	-	-
FEMALE--	9	11	11	10	8	13	6	5	-	-	-	-
BLACK---MALE----	2	-	1	-	2	-	-	-	-	-	-	-
FEMALE--	6	2	6	4	1	3	1	2	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 1,712

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 SUBARACHNOID HEMORRHAGE (430)												
COLORADO -----	91	-	-	-	-	-	-	1	2	7	10	6
WHITE-----MALE----	19	-	-	-	-	-	-	-	1	1	2	2
FEMALE--	60	-	-	-	-	-	-	1	1	5	6	2
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	8	-	-	-	-	-	-	-	-	1	2	1
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	7	-	-	-	-	-	-	-	-	1	2	-
CONNECTICUT -----	66	-	-	-	-	1	-	-	2	3	4	9
WHITE-----MALE----	20	-	-	-	-	1	-	-	-	-	1	4
FEMALE--	40	-	-	-	-	-	-	-	1	2	2	4
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	4	-	-	-	-	-	-	-	1	1	1	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	3	-	-	-	-	-	-	-	1	1	-	-
DELAWARE -----	17	-	-	-	-	-	-	-	-	-	1	1
WHITE-----MALE----	5	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	11	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	14	-	-	-	-	-	1	1	2	-	1	2
WHITE-----MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	1	-	-	1
FEMALE--	8	-	-	-	-	-	-	1	1	-	1	1
BLACK---MALE----	2	-	-	-	-	-	-	-	1	-	-	1
FEMALE--	8	-	-	-	-	-	-	1	1	-	1	1
FLORIDA -----	411	-	-	-	-	-	2	5	11	24	36	37
WHITE-----MALE----	125	-	-	-	-	-	2	3	3	6	9	15
FEMALE--	221	-	-	-	-	-	-	2	7	10	12	11
ALL OTHER--MALE----	23	-	-	-	-	-	-	-	-	3	4	5
FEMALE--	42	-	-	-	-	-	-	-	1	5	11	6
BLACK---MALE----	21	-	-	-	-	-	-	-	-	3	4	4
FEMALE--	38	-	-	-	-	-	-	-	-	5	10	6
GEORGIA -----	189	-	-	-	1	1	2	4	6	11	19	19
WHITE-----MALE----	41	-	-	-	-	-	1	2	1	2	3	7
FEMALE--	87	-	-	-	-	-	-	2	2	4	6	7
ALL OTHER--MALE----	18	-	-	-	1	1	1	-	1	1	2	-
FEMALE--	43	-	-	-	-	-	-	-	2	4	8	5
BLACK---MALE----	16	-	-	-	1	1	1	-	1	1	2	-
FEMALE--	40	-	-	-	-	-	-	-	2	4	7	5

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,712

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 SUBARACHNOID HEMORRHAGE (430)												
COLORADO -----	10	10	13	9	7	6	3	6	1	-	-	-
WHITE-----MALE----	1	3	5	2	1	-	-	1	-	-	-	-
FEMALE--	8	6	5	5	6	6	3	5	1	-	-	-
ALL OTHER--MALE----	1	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	1	2	1	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	1	2	1	-	-	-	-	-	-	-	-
CONNECTICUT -----	4	5	4	8	6	5	6	3	6	-	-	-
WHITE-----MALE----	-	3	1	4	2	2	2	-	-	-	-	-
FEMALE--	4	2	2	4	4	2	4	3	6	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
DELAWARE -----	2	1	1	3	1	2	1	3	1	-	-	-
WHITE-----MALE----	-	1	-	2	-	-	1	-	-	-	-	-
FEMALE--	2	-	-	1	1	2	-	3	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	2	1	2	-	-	-	2	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	2	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	2	-	-	-	1	-	-	-	-	-
FLORIDA -----	44	41	33	33	34	38	41	21	10	-	-	1
WHITE-----MALE----	16	16	8	9	11	9	8	8	2	-	-	-
FEMALE--	23	20	21	20	21	28	29	10	7	-	-	-
ALL OTHER--MALE----	3	1	3	2	-	-	1	-	-	-	-	1
FEMALE--	2	4	1	2	2	1	3	3	1	-	-	-
BLACK---MALE----	3	1	3	1	-	-	1	-	-	-	-	1
FEMALE--	2	3	1	2	2	1	3	3	-	-	-	-
GEORGIA -----	30	23	19	9	7	15	6	8	7	2	-	-
WHITE-----MALE----	11	7	1	1	-	2	1	2	-	-	-	-
FEMALE--	15	6	12	7	5	8	3	4	4	2	-	-
ALL OTHER--MALE----	-	3	4	1	-	1	1	-	1	-	-	-
FEMALE--	4	7	2	-	2	4	1	2	2	-	-	-
BLACK---MALE----	-	2	3	1	-	1	1	-	1	-	-	-
FEMALE--	4	6	2	-	1	4	1	2	2	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 1,713

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 SUBARACHNOID HEMORRHAGE (430)												
HAWAII -----	42	-	-	-	-	-	-	-	1	-	1	2
WHITE-----MALE----	3	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	13	-	-	-	-	-	-	-	1	-	1	1
FEMALE--	24	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	25	-	-	-	-	-	-	-	-	-	4	-
WHITE-----MALE----	11	-	-	-	-	-	-	-	-	-	3	-
FEMALE--	13	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	277	-	-	-	1	1	4	4	4	12	27	21
WHITE-----MALE----	74	-	-	-	1	-	2	2	2	3	12	10
FEMALE--	156	-	-	-	-	-	1	1	2	8	6	4
ALL OTHER--MALE----	17	-	-	-	-	1	-	-	-	-	3	3
FEMALE--	30	-	-	-	-	-	1	1	-	1	6	4
BLACK---MALE----	16	-	-	-	-	1	-	-	-	-	3	3
FEMALE--	30	-	-	-	-	-	1	1	-	1	6	4
INDIANA -----	117	-	-	-	-	-	-	2	7	4	12	6
WHITE-----MALE----	33	-	-	-	-	-	-	-	-	-	2	2
FEMALE--	71	-	-	-	-	-	-	2	6	4	4	3
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	11	-	-	-	-	-	-	-	1	-	5	1
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	9	-	-	-	-	-	-	-	1	-	4	1
IOWA -----	73	-	1	-	-	1	-	-	1	3	4	8
WHITE-----MALE----	26	-	-	-	-	1	-	-	1	1	1	2
FEMALE--	47	-	1	-	-	-	-	-	-	2	3	6
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS -----	57	-	-	-	2	-	1	-	2	1	7	3
WHITE-----MALE----	29	-	-	-	1	-	-	-	1	1	4	2
FEMALE--	23	-	-	-	1	-	-	-	-	-	2	1
ALL OTHER--MALE----	2	-	-	-	-	-	1	-	-	-	1	-
FEMALE--	3	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	2	-	-	-	-	-	1	-	-	-	1	-
FEMALE--	3	-	-	-	-	-	-	-	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,713

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 SUBARACHNOID HEMORRHAGE (430)												
HAWAII -----	4	6	3	6	6	3	2	4	4	-	-	-
WHITE-----MALE----	1	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	3	2	1	1	-	-	2	1	-	-	-
FEMALE--	2	3	1	4	5	3	2	2	2	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	3	5	-	2	-	5	4	2	-	-	-	-
WHITE-----MALE----	1	-	-	1	-	2	3	1	-	-	-	-
FEMALE--	1	5	-	1	-	3	1	1	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	31	28	20	20	27	37	18	11	11	-	-	-
WHITE-----MALE----	6	5	4	3	7	12	3	-	2	-	-	-
FEMALE--	17	17	12	13	19	23	14	10	9	-	-	-
ALL OTHER--MALE----	5	-	2	1	1	1	-	-	-	-	-	-
FEMALE--	3	6	2	3	-	1	1	1	-	-	-	-
BLACK---MALE----	5	-	2	1	-	1	-	-	-	-	-	-
FEMALE--	3	6	2	3	-	1	1	1	-	-	-	-
INDIANA -----	11	13	8	10	7	15	12	4	6	-	-	-
WHITE-----MALE----	5	3	5	2	3	8	2	-	1	-	-	-
FEMALE--	6	10	3	7	4	5	9	3	5	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	2	1	1	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	2	-	1	-	-	-	-
IOWA -----	6	3	6	5	7	11	10	6	-	-	1	-
WHITE-----MALE----	3	1	4	1	4	2	3	2	-	-	-	-
FEMALE--	3	2	2	4	3	9	7	4	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS -----	5	5	3	6	5	9	3	4	1	-	-	-
WHITE-----MALE----	4	4	3	3	1	2	2	1	-	-	-	-
FEMALE--	1	1	-	3	3	6	1	3	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 1,714

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 SUBARACHNOID HEMORRHAGE (430)												
KENTUCKY -----	123	-	-	-	-	-	2	2	4	10	4	12
WHITE-----MALE----	45	-	-	-	-	-	1	1	1	5	-	4
FEMALE--	66	-	-	-	-	-	1	1	2	3	2	5
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	1	-	-	1
FEMALE--	9	-	-	-	-	-	-	-	-	2	2	2
BLACK---MALE----	3	-	-	-	-	-	-	-	1	-	-	1
FEMALE--	9	-	-	-	-	-	-	-	-	2	2	2
LOUISIANA -----	106	-	-	-	1	-	-	2	2	3	15	5
WHITE-----MALE----	22	-	-	-	1	-	-	1	-	2	2	-
FEMALE--	46	-	-	-	-	-	-	-	2	1	3	2
ALL OTHER--MALE----	12	-	-	-	-	-	-	1	-	-	5	1
FEMALE--	26	-	-	-	-	-	-	-	-	-	5	2
BLACK---MALE----	12	-	-	-	-	-	-	1	-	-	5	1
FEMALE--	26	-	-	-	-	-	-	-	-	-	5	2
MAINE -----	34	-	-	-	-	-	-	2	1	1	4	2
WHITE-----MALE----	14	-	-	-	-	-	-	-	1	-	2	1
FEMALE--	20	-	-	-	-	-	-	2	-	1	2	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	115	-	-	-	-	-	1	3	2	6	15	17
WHITE-----MALE----	27	-	-	-	-	-	-	-	2	1	3	6
FEMALE--	53	-	-	-	-	-	1	1	-	2	6	3
ALL OTHER--MALE----	13	-	-	-	-	-	-	1	-	1	1	3
FEMALE--	22	-	-	-	-	-	-	1	-	2	5	5
BLACK---MALE----	11	-	-	-	-	-	-	1	-	-	1	3
FEMALE--	19	-	-	-	-	-	-	1	-	1	5	5
MASSACHUSETTS -----	131	1	-	-	-	1	-	-	1	6	9	6
WHITE-----MALE----	44	1	-	-	-	1	-	-	1	3	1	3
FEMALE--	74	-	-	-	-	-	-	-	-	2	8	2
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	3	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	1
MICHIGAN -----	251	-	-	1	-	-	4	3	8	12	21	23
WHITE-----MALE----	67	-	-	-	-	-	4	1	3	4	4	5
FEMALE--	125	-	-	1	-	-	-	2	3	4	6	8
ALL OTHER--MALE----	17	-	-	-	-	-	-	-	-	2	2	6
FEMALE--	42	-	-	-	-	-	-	-	2	2	9	4
BLACK---MALE----	16	-	-	-	-	-	-	-	-	2	2	5
FEMALE--	41	-	-	-	-	-	-	-	2	2	9	4

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,714

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 SUBARACHNOID HEMORRHAGE (430)												
KENTUCKY -----	13	14	10	14	21	5	7	5	-	-	-	-
WHITE-----MALE----	3	6	1	4	13	2	2	2	-	-	-	-
FEMALE--	10	7	8	8	8	3	5	3	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	2	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	2	-	-	-	-	-	-	-	-
LOUISIANA -----	15	9	12	11	10	7	7	3	3	1	-	-
WHITE-----MALE----	3	1	4	3	2	2	1	-	-	-	-	-
FEMALE--	6	4	5	4	6	3	5	2	2	1	-	-
ALL OTHER--MALE----	-	3	1	1	-	-	-	-	-	-	-	-
FEMALE--	6	1	2	3	2	2	1	1	1	-	-	-
BLACK---MALE----	-	3	1	1	-	-	-	-	-	-	-	-
FEMALE--	6	1	2	3	2	2	1	1	1	-	-	-
MAINE -----	4	1	2	5	3	7	-	2	-	-	-	-
WHITE-----MALE----	1	1	-	2	2	3	-	1	-	-	-	-
FEMALE--	3	-	2	3	1	4	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	7	12	7	7	13	10	8	2	4	-	-	1
WHITE-----MALE----	-	4	2	2	1	2	3	-	1	-	-	-
FEMALE--	4	7	3	2	10	6	4	2	2	-	-	-
ALL OTHER--MALE----	2	1	-	2	-	1	-	-	-	-	-	1
FEMALE--	1	-	2	1	2	1	1	-	1	-	-	-
BLACK---MALE----	1	1	-	2	-	1	-	-	-	-	-	1
FEMALE--	1	-	1	1	1	1	1	-	1	-	-	-
MASSACHUSETTS -----	12	12	7	13	21	15	14	10	3	-	-	-
WHITE-----MALE----	6	4	3	2	8	2	5	3	1	-	-	-
FEMALE--	4	6	4	10	11	12	8	5	2	-	-	-
ALL OTHER--MALE----	1	1	-	1	-	-	-	1	-	-	-	-
FEMALE--	1	1	-	-	2	1	1	1	-	-	-	-
BLACK---MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
MICHIGAN -----	31	12	24	28	24	21	22	9	6	2	-	-
WHITE-----MALE----	11	3	6	8	7	5	3	2	1	-	-	-
FEMALE--	11	6	14	12	16	13	17	6	4	2	-	-
ALL OTHER--MALE----	2	-	1	3	-	-	-	-	1	-	-	-
FEMALE--	7	3	3	5	1	3	2	1	-	-	-	-
BLACK---MALE----	2	-	1	3	-	-	-	-	1	-	-	-
FEMALE--	7	3	2	5	1	3	2	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 1,717

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 SUBARACHNOID HEMORRHAGE (430)												
OHIO -----	305	1	-	1	1	-	-	1	5	21	21	35
WHITE-----MALE----	86	-	-	-	-	-	-	-	2	9	5	10
FEMALE--	176	-	-	1	-	-	-	-	2	7	10	20
ALL OTHER--MALE----	17	1	-	-	1	-	-	-	1	3	2	2
FEMALE--	26	-	-	-	-	-	-	1	-	2	4	3
BLACK---MALE----	17	1	-	-	1	-	-	-	1	3	2	2
FEMALE--	26	-	-	-	-	-	-	1	-	2	4	3
OKLAHOMA -----	103	-	-	-	1	-	2	1	5	10	6	6
WHITE-----MALE----	24	-	-	-	-	-	2	-	-	4	5	1
FEMALE--	66	-	-	-	-	-	-	-	3	6	1	4
ALL OTHER--MALE----	2	-	-	-	-	-	-	1	1	-	-	-
FEMALE--	11	-	-	-	1	-	-	-	1	-	-	1
BLACK---MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	7	-	-	-	1	-	-	-	1	-	-	1
OREGON -----	79	-	-	-	-	-	1	1	2	4	7	6
WHITE-----MALE----	28	-	-	-	-	-	1	-	1	1	1	4
FEMALE--	48	-	-	-	-	-	-	1	-	3	6	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	1	-	-	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
PENNSYLVANIA -----	337	-	-	-	-	-	1	7	9	15	26	26
WHITE-----MALE----	117	-	-	-	-	-	1	3	5	8	6	6
FEMALE--	189	-	-	-	-	-	-	3	3	6	14	13
ALL OTHER--MALE----	10	-	-	-	-	-	-	-	-	1	3	1
FEMALE--	21	-	-	-	-	-	-	1	1	-	3	6
BLACK---MALE----	10	-	-	-	-	-	-	-	-	1	3	1
FEMALE--	19	-	-	-	-	-	-	1	-	-	3	5
RHODE ISLAND -----	22	-	-	-	-	-	-	-	-	2	1	4
WHITE-----MALE----	6	-	-	-	-	-	-	-	-	2	-	3
FEMALE--	14	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
SOUTH CAROLINA -----	125	-	-	-	-	-	-	2	6	7	13	15
WHITE-----MALE----	41	-	-	-	-	-	-	-	5	3	5	8
FEMALE--	47	-	-	-	-	-	-	1	-	1	5	5
ALL OTHER--MALE----	12	-	-	-	-	-	-	-	1	-	1	1
FEMALE--	25	-	-	-	-	-	-	1	-	3	2	1
BLACK---MALE----	12	-	-	-	-	-	-	-	1	-	1	1
FEMALE--	24	-	-	-	-	-	-	1	-	3	2	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,717

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 SUBARACHNOID HEMORRHAGE (430)												
OHIO -----	29	28	24	29	26	34	24	14	9	2	-	-
WHITE-----MALE----	13	5	6	5	9	12	7	1	2	-	-	-
FEMALE--	14	21	14	18	16	17	17	11	6	2	-	-
ALL OTHER--MALE----	2	1	1	-	-	2	-	1	-	-	-	-
FEMALE--	-	1	3	6	1	3	-	1	1	-	-	-
BLACK---MALE----	2	1	1	-	-	2	-	1	-	-	-	-
FEMALE--	-	1	3	6	1	3	-	1	1	-	-	-
OKLAHOMA -----	8	14	10	3	8	13	3	10	3	-	-	-
WHITE-----MALE----	2	2	2	2	1	1	-	2	-	-	-	-
FEMALE--	4	10	7	1	5	11	3	8	3	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	2	1	-	2	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	1	1	-	-	-	-	-	-	-	-	-
OREGON -----	5	12	7	7	8	4	9	3	2	1	-	-
WHITE-----MALE----	3	6	3	1	3	1	3	-	-	-	-	-
FEMALE--	2	6	4	5	5	3	6	3	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	26	28	22	35	37	39	30	26	8	2	-	-
WHITE-----MALE----	9	15	9	9	14	16	6	8	1	1	-	-
FEMALE--	15	11	11	21	22	23	22	18	6	1	-	-
ALL OTHER--MALE----	1	-	-	2	-	-	1	-	1	-	-	-
FEMALE--	1	2	2	3	1	-	1	-	-	-	-	-
BLACK---MALE----	1	-	-	2	-	-	1	-	1	-	-	-
FEMALE--	1	2	2	3	1	-	1	-	-	-	-	-
RHODE ISLAND -----	1	2	1	3	1	2	3	1	-	1	-	-
WHITE-----MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	1	3	1	2	2	1	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	10	12	3	16	15	5	8	10	1	-	1	1
WHITE-----MALE----	3	4	2	4	4	-	1	1	1	-	-	-
FEMALE--	3	5	1	5	8	4	2	7	-	-	-	-
ALL OTHER--MALE----	2	-	-	3	2	-	1	1	-	-	-	-
FEMALE--	2	3	-	4	1	1	4	1	-	-	1	1
BLACK---MALE----	2	-	-	3	2	-	1	1	-	-	-	-
FEMALE--	2	3	-	4	1	1	4	-	-	-	1	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 1,718

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 SUBARACHNOID HEMORRHAGE (430)												
SOUTH DAKOTA -----	20	-	-	-	-	-	-	-	-	1	2	-
WHITE-----MALE----	10	-	-	-	-	-	-	-	-	-	2	-
FEMALE--	10	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	169	-	1	-	-	-	2	4	7	11	12	17
WHITE-----MALE----	41	-	-	-	-	-	-	2	1	2	2	6
FEMALE--	100	-	1	-	-	-	1	1	4	8	7	10
ALL OTHER--MALE----	10	-	-	-	-	-	1	-	1	-	2	-
FEMALE--	18	-	-	-	-	-	-	1	1	1	1	1
BLACK---MALE----	10	-	-	-	-	-	1	-	1	-	2	-
FEMALE--	17	-	-	-	-	-	-	1	1	1	1	1
TEXAS -----	431	-	-	-	1	2	4	3	6	26	33	46
WHITE-----MALE----	121	-	-	-	-	2	4	-	1	7	11	15
FEMALE--	229	-	-	-	-	-	-	2	2	13	14	22
ALL OTHER--MALE----	19	-	-	-	1	-	-	1	1	3	1	-
FEMALE--	62	-	-	-	-	-	-	-	2	3	7	9
BLACK---MALE----	16	-	-	-	1	-	-	1	1	3	1	-
FEMALE--	56	-	-	-	-	-	-	-	2	3	7	8
UTAH -----	34	-	-	-	-	1	-	-	1	1	1	6
WHITE-----MALE----	10	-	-	-	-	1	-	-	-	1	-	2
FEMALE--	21	-	-	-	-	-	-	-	1	-	1	4
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	15	-	-	-	-	-	-	-	-	-	3	1
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	15	-	-	-	-	-	-	-	-	-	3	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	158	-	-	-	-	-	-	4	5	10	10	15
WHITE-----MALE----	42	-	-	-	-	-	-	1	2	4	3	5
FEMALE--	79	-	-	-	-	-	-	2	1	3	2	5
ALL OTHER--MALE----	9	-	-	-	-	-	-	-	-	-	4	1
FEMALE--	28	-	-	-	-	-	-	1	2	3	1	4
BLACK---MALE----	8	-	-	-	-	-	-	-	-	-	3	1
FEMALE--	23	-	-	-	-	-	-	1	1	3	-	4

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,718

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 SUBARACHNOID HEMORRHAGE (430)												
SOUTH DAKOTA -----	1	4	2	-	2	3	2	2	1	-	-	-
WHITE-----MALE----	1	2	2	-	-	1	1	1	-	-	-	-
FEMALE--	-	2	-	-	2	2	1	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	20	16	16	12	17	19	5	8	1	1	-	-
WHITE-----MALE----	6	5	4	3	6	2	1	-	-	1	-	-
FEMALE--	9	6	10	9	8	16	4	5	1	-	-	-
ALL OTHER--MALE----	1	2	2	-	-	1	-	-	-	-	-	-
FEMALE--	4	3	-	-	3	-	-	3	-	-	-	-
BLACK---MALE----	1	2	2	-	-	1	-	-	-	-	-	-
FEMALE--	4	2	-	-	3	-	-	3	-	-	-	-
TEXAS -----	57	46	43	35	35	39	25	19	11	-	-	-
WHITE-----MALE----	17	13	12	8	13	11	4	1	2	-	-	-
FEMALE--	30	25	24	17	21	23	18	10	8	-	-	-
ALL OTHER--MALE----	1	2	3	2	1	1	1	1	-	-	-	-
FEMALE--	9	6	4	8	-	4	2	7	1	-	-	-
BLACK---MALE----	-	2	1	2	1	1	1	1	-	-	-	-
FEMALE--	9	6	3	6	-	4	1	6	1	-	-	-
UTAH -----	2	3	3	-	1	7	3	5	-	-	-	-
WHITE-----MALE----	-	-	2	-	1	-	1	2	-	-	-	-
FEMALE--	2	2	1	-	-	5	2	3	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	2	1	1	3	2	1	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	2	1	1	3	2	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	13	17	13	11	16	11	18	9	4	1	1	-
WHITE-----MALE----	1	4	4	3	6	3	5	-	1	-	-	-
FEMALE--	9	10	7	7	7	7	10	7	1	1	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	1	-	-	1	-
FEMALE--	2	2	2	1	3	1	3	1	2	-	-	-
BLACK---MALE----	1	1	-	-	-	-	-	1	-	-	1	-
FEMALE--	2	1	2	1	2	-	3	1	2	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 1,720

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 INTRACEREBRAL AND OTHER INTRACRANIAL HEMORRHAGE (431-432)												
UNITED STATES --	26,230	37	15	13	15	27	41	89	159	362	694	1,052
WHITE-----MALE----	9,694	12	2	8	9	11	18	32	59	126	249	345
FEMALE--	11,859	4	5	2	3	6	9	24	34	88	140	218
ALL OTHER--MALE----	2,350	14	3	2	2	8	3	15	32	74	176	305
FEMALE--	2,327	7	5	1	1	2	11	18	34	74	129	184
BLACK---MALE----	1,862	11	3	2	1	7	3	14	24	62	162	272
FEMALE--	1,832	7	4	1	-	2	8	16	31	69	125	155
ALABAMA -----	514	1	-	-	-	-	1	3	7	12	19	19
WHITE-----MALE----	157	-	-	-	-	-	1	1	1	1	5	2
FEMALE--	195	-	-	-	-	-	-	-	-	1	5	5
ALL OTHER--MALE----	69	1	-	-	-	-	-	2	2	5	4	8
FEMALE--	93	-	-	-	-	-	-	-	4	5	5	4
BLACK---MALE----	68	1	-	-	-	-	-	2	2	5	4	8
FEMALE--	92	-	-	-	-	-	-	-	4	5	5	3
ALASKA -----	30	-	-	-	-	-	-	1	-	1	2	2
WHITE-----MALE----	9	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	7	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	421	-	-	-	-	2	1	2	1	8	9	6
WHITE-----MALE----	171	-	-	-	-	1	-	1	-	3	7	5
FEMALE--	214	-	-	-	-	1	-	1	-	3	2	-
ALL OTHER--MALE----	16	-	-	-	-	-	-	-	1	1	-	1
FEMALE--	20	-	-	-	-	-	1	-	-	1	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	1	-	-
ARKANSAS -----	337	-	-	-	-	-	1	-	1	4	7	6
WHITE-----MALE----	107	-	-	-	-	-	-	-	1	-	1	4
FEMALE--	174	-	-	-	-	-	1	-	-	2	1	1
ALL OTHER--MALE----	28	-	-	-	-	-	-	-	-	1	2	1
FEMALE--	28	-	-	-	-	-	-	-	-	1	3	-
BLACK---MALE----	27	-	-	-	-	-	-	-	-	1	2	1
FEMALE--	26	-	-	-	-	-	-	-	-	1	3	-
CALIFORNIA -----	2,844	6	-	1	1	2	2	12	19	33	73	133
WHITE-----MALE----	1,034	3	-	1	-	1	-	8	10	10	28	43
FEMALE--	1,163	1	-	-	-	-	2	3	3	12	19	31
ALL OTHER--MALE----	335	2	-	-	-	1	-	-	4	3	22	30
FEMALE--	312	-	-	-	1	-	-	1	2	8	4	29
BLACK---MALE----	122	2	-	-	-	1	-	-	1	1	14	17
FEMALE--	125	-	-	-	-	-	-	1	1	6	2	16

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,720

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 INTRACEREBRAL AND OTHER INTRACRANIAL HEMORRHAGE (431-432)												
UNITED STATES --	1,235	1,369	1,673	2,242	3,343	4,461	4,463	3,168	1,416	322	30	4
WHITE-----MALE----	448	524	709	945	1,437	1,827	1,590	910	373	56	3	1
FEMALE--	305	396	509	853	1,412	2,163	2,469	2,008	944	241	24	2
ALL OTHER--MALE----	265	250	278	228	225	196	152	83	30	8	1	-
FEMALE--	217	199	177	216	269	275	252	167	69	17	2	1
BLACK---MALE----	232	202	221	171	168	128	104	55	15	4	1	-
FEMALE--	187	174	140	163	192	196	172	118	55	14	2	1
ALABAMA -----	29	32	44	55	50	84	82	43	29	4	-	-
WHITE-----MALE----	6	7	22	23	22	25	25	10	6	-	-	-
FEMALE--	10	15	6	15	16	37	41	21	21	2	-	-
ALL OTHER--MALE----	7	1	9	8	3	8	5	6	-	-	-	-
FEMALE--	6	9	7	9	9	14	11	6	2	2	-	-
BLACK---MALE----	7	1	9	8	3	7	5	6	-	-	-	-
FEMALE--	6	9	7	9	9	14	11	6	2	2	-	-
ALASKA -----	2	2	5	1	4	4	3	3	-	-	-	-
WHITE-----MALE----	-	1	4	-	-	-	-	1	-	-	-	-
FEMALE--	1	1	-	-	2	3	2	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	1	-	-	-	-	-	-
FEMALE--	1	-	1	-	2	-	1	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	14	18	36	30	55	88	71	58	20	2	-	-
WHITE-----MALE----	6	8	16	10	24	38	31	20	1	-	-	-
FEMALE--	4	7	11	16	29	45	37	37	19	2	-	-
ALL OTHER--MALE----	1	2	5	-	2	1	2	-	-	-	-	-
FEMALE--	3	1	4	4	-	4	1	1	-	-	-	-
BLACK---MALE----	-	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	1	1	-	2	-	-	-	-	-	-
ARKANSAS -----	11	18	27	26	45	59	54	49	22	5	2	-
WHITE-----MALE----	2	7	8	12	19	23	15	8	6	1	-	-
FEMALE--	2	6	13	12	19	32	34	35	11	3	2	-
ALL OTHER--MALE----	6	3	5	-	2	1	2	2	3	-	-	-
FEMALE--	1	2	1	2	5	3	3	4	2	1	-	-
BLACK---MALE----	6	3	4	-	2	1	2	2	3	-	-	-
FEMALE--	1	1	1	2	5	3	3	3	2	1	-	-
CALIFORNIA -----	150	179	208	231	351	458	476	319	146	39	5	-
WHITE-----MALE----	55	81	88	94	143	161	168	84	48	8	-	-
FEMALE--	40	40	55	81	129	212	228	193	83	26	5	-
ALL OTHER--MALE----	30	34	37	34	39	41	28	19	8	3	-	-
FEMALE--	25	24	28	22	40	44	52	23	7	2	-	-
BLACK---MALE----	16	19	13	9	8	12	6	3	-	-	-	-
FEMALE--	17	15	11	9	12	16	12	5	1	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 1,721

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 INTRACEREBRAL AND OTHER INTRACRANIAL HEMORRHAGE (431-432)												
COLORADO -----	300	-	-	-	-	1	1	1	3	3	9	11
WHITE-----MALE----	126	-	-	-	-	1	-	1	3	1	5	10
FEMALE--	156	-	-	-	-	-	-	-	-	1	2	1
ALL OTHER--MALE----	8	-	-	-	-	-	1	-	-	1	-	-
FEMALE--	10	-	-	-	-	-	-	-	-	-	2	-
BLACK---MALE----	5	-	-	-	-	-	1	-	-	1	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	2	-
CONNECTICUT -----	319	-	-	-	-	-	-	-	2	6	4	6
WHITE-----MALE----	142	-	-	-	-	-	-	-	1	4	-	1
FEMALE--	158	-	-	-	-	-	-	-	1	2	3	5
ALL OTHER--MALE----	8	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	11	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	8	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	82	-	-	-	-	1	1	-	1	1	2	5
WHITE-----MALE----	30	-	-	-	-	-	1	-	-	1	-	-
FEMALE--	35	-	-	-	-	-	-	-	-	-	-	2
ALL OTHER--MALE----	8	-	-	-	-	1	-	-	1	-	1	2
FEMALE--	9	-	-	-	-	-	-	-	-	-	1	1
BLACK---MALE----	8	-	-	-	-	1	-	-	1	-	1	2
FEMALE--	9	-	-	-	-	-	-	-	-	-	1	1
DISTRICT OF COLUMBIA ----	60	-	-	-	-	-	-	-	-	4	-	4
WHITE-----MALE----	9	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	15	-	-	-	-	-	-	-	-	1	-	2
FEMALE--	27	-	-	-	-	-	-	-	-	2	-	2
BLACK---MALE----	15	-	-	-	-	-	-	-	-	1	-	2
FEMALE--	26	-	-	-	-	-	-	-	-	1	-	2
FLORIDA -----	1,746	1	1	1	1	1	5	4	9	26	40	59
WHITE-----MALE----	678	-	-	-	-	-	2	-	3	9	23	18
FEMALE--	814	-	-	-	1	1	1	2	3	7	3	11
ALL OTHER--MALE----	120	1	1	1	-	-	-	2	2	5	6	14
FEMALE--	134	-	-	-	-	-	2	-	1	5	8	16
BLACK---MALE----	113	1	1	1	-	-	-	2	2	5	6	13
FEMALE--	126	-	-	-	-	-	2	-	1	5	8	16
GEORGIA -----	769	1	2	1	-	2	4	4	7	9	37	60
WHITE-----MALE----	225	-	-	-	-	1	2	1	2	1	8	14
FEMALE--	276	-	1	-	-	-	1	-	1	1	3	8
ALL OTHER--MALE----	130	-	1	1	-	-	-	2	2	3	16	22
FEMALE--	138	1	-	-	-	1	1	1	2	4	10	16
BLACK---MALE----	123	-	1	1	-	-	-	2	2	2	15	22
FEMALE--	137	1	-	-	-	1	1	1	2	4	10	16

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,721

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 INTRACEREBRAL AND OTHER INTRACRANIAL HEMORRHAGE (431-432)												
COLORADO -----	7	13	17	27	36	57	49	44	17	4	-	-
WHITE-----MALE----	3	6	6	11	22	21	19	10	6	1	-	-
FEMALE--	2	5	10	15	14	34	27	33	10	2	-	-
ALL OTHER--MALE----	1	1	-	1	-	1	2	-	-	-	-	-
FEMALE--	1	1	1	-	-	1	1	1	1	1	-	-
BLACK---MALE----	1	1	-	1	-	-	-	-	-	-	-	-
FEMALE--	1	1	1	-	-	-	-	-	1	1	-	-
CONNECTICUT -----	10	18	15	21	36	64	70	48	15	4	-	-
WHITE-----MALE----	3	11	10	13	13	27	36	17	6	-	-	-
FEMALE--	3	3	4	6	21	35	32	30	9	4	-	-
ALL OTHER--MALE----	1	2	1	1	2	-	-	-	-	-	-	-
FEMALE--	3	2	-	1	2	2	2	1	-	-	-	-
BLACK---MALE----	1	2	1	1	2	-	-	-	-	-	-	-
FEMALE--	3	2	-	1	-	-	2	1	-	-	-	-
DELAWARE -----	-	6	6	7	8	19	9	10	3	3	-	-
WHITE-----MALE----	-	2	1	5	4	7	4	2	1	2	-	-
FEMALE--	-	1	3	1	2	11	4	8	2	1	-	-
ALL OTHER--MALE----	-	-	1	1	1	-	-	-	-	-	-	-
FEMALE--	-	3	1	-	1	1	1	-	-	-	-	-
BLACK---MALE----	-	-	1	1	1	-	-	-	-	-	-	-
FEMALE--	-	3	1	-	1	1	1	-	-	-	-	-
DISTRICT OF COLUMBIA ----	5	2	9	6	5	7	5	10	3	-	-	-
WHITE-----MALE----	-	-	-	1	2	2	-	3	-	-	-	-
FEMALE--	-	-	2	2	-	-	2	2	1	-	-	-
ALL OTHER--MALE----	2	1	4	1	1	-	1	1	1	-	-	-
FEMALE--	3	1	3	2	2	5	2	4	1	-	-	-
BLACK---MALE----	2	1	4	1	1	-	1	1	1	-	-	-
FEMALE--	3	1	3	2	2	5	2	4	1	-	-	-
FLORIDA -----	83	94	95	134	198	324	300	238	109	21	1	1
WHITE-----MALE----	33	31	41	50	94	150	106	78	32	8	-	-
FEMALE--	27	27	25	62	86	147	175	150	71	13	1	1
ALL OTHER--MALE----	17	15	19	10	4	9	7	5	2	-	-	-
FEMALE--	6	21	10	12	14	18	12	5	4	-	-	-
BLACK---MALE----	16	12	18	10	4	8	7	5	2	-	-	-
FEMALE--	5	21	9	9	13	16	12	5	4	-	-	-
GEORGIA -----	56	43	55	88	98	100	99	68	28	6	1	-
WHITE-----MALE----	13	16	21	28	44	34	26	12	2	-	-	-
FEMALE--	5	9	11	29	33	49	58	40	22	4	1	-
ALL OTHER--MALE----	18	12	11	18	8	6	4	5	1	-	-	-
FEMALE--	20	6	12	13	13	11	11	11	3	2	-	-
BLACK---MALE----	16	12	9	17	8	6	4	5	1	-	-	-
FEMALE--	20	6	12	13	12	11	11	11	3	2	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 1,722

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 INTRACEREBRAL AND OTHER INTRACRANIAL HEMORRHAGE (431-432)												
HAWAII -----	150	-	1	-	-	-	-	-	-	1	1	4
WHITE-----MALE----	17	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	62	-	-	-	-	-	-	-	-	1	1	3
FEMALE--	64	-	1	-	-	-	-	-	-	-	-	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	95	-	-	1	-	-	-	-	-	1	3	7
WHITE-----MALE----	48	-	-	-	-	-	-	-	-	1	1	5
FEMALE--	43	-	-	1	-	-	-	-	-	-	2	2
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	1,216	1	1	-	-	-	3	5	6	20	36	60
WHITE-----MALE----	426	-	-	-	-	-	1	2	-	9	13	10
FEMALE--	543	-	-	-	-	-	1	1	3	6	2	10
ALL OTHER--MALE----	127	-	-	-	-	-	-	1	3	3	12	28
FEMALE--	120	1	1	-	-	-	1	1	-	2	9	12
BLACK---MALE----	114	-	-	-	-	-	-	1	3	3	12	24
FEMALE--	107	1	1	-	-	-	1	1	-	2	8	11
INDIANA -----	580	1	-	-	-	-	-	2	3	9	18	24
WHITE-----MALE----	209	1	-	-	-	-	-	1	-	4	5	5
FEMALE--	300	-	-	-	-	-	-	-	2	1	7	10
ALL OTHER--MALE----	39	-	-	-	-	-	-	-	-	2	3	8
FEMALE--	32	-	-	-	-	-	-	1	1	2	3	1
BLACK---MALE----	38	-	-	-	-	-	-	-	-	2	3	8
FEMALE--	31	-	-	-	-	-	-	1	1	2	3	1
IOWA -----	296	-	1	-	1	-	-	1	-	5	4	4
WHITE-----MALE----	126	-	-	-	1	-	-	1	-	2	2	-
FEMALE--	165	-	1	-	-	-	-	-	-	2	2	3
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
KANSAS -----	284	-	-	-	-	-	-	1	1	1	5	3
WHITE-----MALE----	120	-	-	-	-	-	-	-	-	-	4	2
FEMALE--	140	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	10	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	14	-	-	-	-	-	-	-	1	1	1	1
BLACK---MALE----	7	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	9	-	-	-	-	-	-	-	1	1	1	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,722

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 INTRACEREBRAL AND OTHER INTRACRANIAL HEMORRHAGE (431-432)												
HAWAII -----	7	9	6	17	17	39	25	14	8	1	-	-
WHITE-----MALE----	2	2	-	1	2	4	3	-	3	-	-	-
FEMALE--	-	-	-	1	1	1	1	2	1	-	-	-
ALL OTHER--MALE----	2	5	4	5	9	17	9	5	1	-	-	-
FEMALE--	3	2	2	10	5	17	12	7	3	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	4	1	5	10	9	15	15	15	7	2	-	-
WHITE-----MALE----	3	-	3	5	7	8	6	5	4	-	-	-
FEMALE--	1	1	2	3	2	6	8	10	3	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	2	-	1	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	63	65	67	107	133	197	232	146	63	8	2	1
WHITE-----MALE----	31	24	23	38	52	92	71	39	19	2	-	-
FEMALE--	10	19	21	44	57	88	140	97	38	4	1	1
ALL OTHER--MALE----	12	9	14	14	13	7	6	2	3	-	-	-
FEMALE--	10	13	9	11	11	10	15	8	3	2	1	-
BLACK---MALE----	12	7	14	12	12	6	3	2	3	-	-	-
FEMALE--	9	11	8	9	10	10	12	8	2	2	1	-
INDIANA -----	33	32	48	47	77	99	92	51	40	4	-	-
WHITE-----MALE----	11	11	22	26	30	30	35	16	12	-	-	-
FEMALE--	10	17	19	19	38	62	52	32	27	4	-	-
ALL OTHER--MALE----	6	2	5	1	3	5	2	2	-	-	-	-
FEMALE--	6	2	2	1	6	2	3	1	1	-	-	-
BLACK---MALE----	6	2	5	1	3	5	1	2	-	-	-	-
FEMALE--	5	2	2	1	6	2	3	1	1	-	-	-
IOWA -----	4	14	17	16	44	44	59	57	18	7	-	-
WHITE-----MALE----	3	4	8	11	21	23	23	18	7	2	-	-
FEMALE--	1	9	9	5	22	21	35	39	11	5	-	-
ALL OTHER--MALE----	-	1	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
KANSAS -----	8	14	21	22	44	46	53	39	17	9	-	-
WHITE-----MALE----	2	4	10	12	25	25	20	10	5	1	-	-
FEMALE--	2	7	4	9	16	20	32	29	12	8	-	-
ALL OTHER--MALE----	2	1	6	-	1	-	-	-	-	-	-	-
FEMALE--	2	2	1	1	2	1	1	-	-	-	-	-
BLACK---MALE----	2	-	5	-	-	-	-	-	-	-	-	-
FEMALE--	1	2	-	1	-	-	1	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 1,723

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 INTRACEREBRAL AND OTHER INTRACRANIAL HEMORRHAGE (431-432)												
KENTUCKY -----	384	-	1	-	-	-	-	-	3	3	12	14
WHITE-----MALE----	151	-	-	-	-	-	-	-	1	2	5	7
FEMALE--	204	-	1	-	-	-	-	-	2	-	3	3
ALL OTHER--MALE----	12	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	17	-	-	-	-	-	-	-	-	1	3	2
BLACK---MALE----	12	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	17	-	-	-	-	-	-	-	-	1	3	2
LOUISIANA -----	423	3	-	-	1	-	-	1	3	8	15	30
WHITE-----MALE----	125	-	-	-	-	-	-	1	2	1	2	6
FEMALE--	130	2	-	-	1	-	-	-	-	1	2	3
ALL OTHER--MALE----	93	1	-	-	-	-	-	-	-	3	6	13
FEMALE--	75	-	-	-	-	-	-	-	1	3	5	8
BLACK---MALE----	92	1	-	-	-	-	-	-	-	3	6	13
FEMALE--	72	-	-	-	-	-	-	-	1	3	5	8
MAINE -----	119	-	-	-	-	-	-	-	-	1	1	2
WHITE-----MALE----	49	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	68	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	482	1	-	1	-	1	-	1	2	10	12	21
WHITE-----MALE----	144	-	-	-	-	-	-	-	-	1	1	3
FEMALE--	180	-	-	-	-	1	-	1	-	-	-	4
ALL OTHER--MALE----	83	1	-	-	-	-	-	-	2	5	5	11
FEMALE--	75	-	-	1	-	-	-	-	-	4	6	3
BLACK---MALE----	75	1	-	-	-	-	-	-	2	5	5	11
FEMALE--	68	-	-	1	-	-	-	-	-	4	5	3
MASSACHUSETTS -----	531	-	-	-	1	-	-	-	3	4	4	12
WHITE-----MALE----	205	-	-	-	-	-	-	-	1	1	3	6
FEMALE--	295	-	-	-	-	-	-	-	1	3	-	4
ALL OTHER--MALE----	15	-	-	-	1	-	-	-	-	-	1	2
FEMALE--	16	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	11	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	11	-	-	-	-	-	-	-	1	-	-	-
MICHIGAN -----	876	2	-	1	-	-	1	4	4	14	33	46
WHITE-----MALE----	353	-	-	1	-	-	-	2	3	6	11	15
FEMALE--	365	-	-	-	-	-	-	1	-	4	4	10
ALL OTHER--MALE----	77	1	-	-	-	-	-	-	-	1	10	15
FEMALE--	81	1	-	-	-	-	1	1	1	3	8	6
BLACK---MALE----	69	1	-	-	-	-	-	-	-	1	10	15
FEMALE--	74	1	-	-	-	-	1	1	1	3	8	6

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,723

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 INTRACEREBRAL AND OTHER INTRACRANIAL HEMORRHAGE (431-432)												
KENTUCKY -----	16	12	37	31	44	65	86	36	19	4	1	-
WHITE-----MALE----	12	4	19	11	19	25	32	10	3	1	-	-
FEMALE--	3	6	16	19	23	36	49	25	14	3	1	-
ALL OTHER--MALE----	-	2	1	-	1	1	3	-	1	-	-	-
FEMALE--	1	-	1	1	1	3	2	1	1	-	-	-
BLACK---MALE----	-	2	1	-	1	1	3	-	1	-	-	-
FEMALE--	1	-	1	1	1	3	2	1	1	-	-	-
LOUISIANA -----	41	35	30	39	56	49	54	45	8	5	-	-
WHITE-----MALE----	10	9	12	14	22	15	20	10	1	-	-	-
FEMALE--	6	8	3	11	14	23	21	28	4	3	-	-
ALL OTHER--MALE----	15	7	10	10	14	4	4	3	2	1	-	-
FEMALE--	10	11	5	4	6	7	9	4	1	1	-	-
BLACK---MALE----	15	7	10	10	14	4	4	3	1	1	-	-
FEMALE--	9	10	5	4	6	7	8	4	1	1	-	-
MAINE -----	7	2	6	5	17	27	27	13	8	3	-	-
WHITE-----MALE----	2	1	3	2	11	10	13	4	-	-	-	-
FEMALE--	4	1	2	3	6	17	14	9	8	3	-	-
ALL OTHER--MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	29	30	36	37	69	77	80	52	21	-	1	1
WHITE-----MALE----	4	10	9	10	20	29	33	16	7	-	1	-
FEMALE--	4	4	10	13	31	32	36	31	13	-	-	-
ALL OTHER--MALE----	13	9	9	9	6	9	2	2	-	-	-	-
FEMALE--	8	7	8	5	12	7	9	3	1	-	-	1
BLACK---MALE----	11	8	7	8	5	8	2	2	-	-	-	-
FEMALE--	7	7	8	5	11	5	8	2	1	-	-	1
MASSACHUSETTS -----	19	20	23	43	79	92	103	82	37	9	-	-
WHITE-----MALE----	11	5	14	23	31	36	40	21	12	1	-	-
FEMALE--	4	11	6	17	44	50	62	60	25	8	-	-
ALL OTHER--MALE----	2	2	3	2	-	1	1	-	-	-	-	-
FEMALE--	2	2	-	1	4	5	-	1	-	-	-	-
BLACK---MALE----	1	1	3	2	-	1	1	-	-	-	-	-
FEMALE--	1	-	-	1	3	4	-	1	-	-	-	-
MICHIGAN -----	39	42	51	78	123	142	150	88	46	10	2	-
WHITE-----MALE----	10	20	20	39	58	72	56	28	11	1	-	-
FEMALE--	11	12	14	25	48	52	84	56	34	8	2	-
ALL OTHER--MALE----	7	8	12	7	7	7	1	1	-	-	-	-
FEMALE--	11	2	5	7	10	11	9	3	1	1	-	-
BLACK---MALE----	7	8	8	6	6	5	1	1	-	-	-	-
FEMALE--	10	1	5	7	8	10	8	3	1	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,724

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 INTRACEREBRAL AND OTHER INTRACRANIAL HEMORRHAGE (431-432)												
MINNESOTA -----	16	10	19	32	43	76	68	63	40	8	1	-
WHITE-----MALE----	8	7	11	19	18	35	32	15	14	-	-	-
FEMALE--	5	2	8	12	23	38	35	45	24	8	1	-
ALL OTHER--MALE----	1	1	-	1	2	2	1	2	2	-	-	-
FEMALE--	2	-	-	-	-	1	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	1	1	1	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI -----	21	25	18	32	33	40	46	32	6	4	-	-
WHITE-----MALE----	3	6	5	12	8	20	14	6	1	-	-	-
FEMALE--	3	5	4	8	10	14	25	18	3	2	-	-
ALL OTHER--MALE----	9	7	7	6	7	2	4	4	-	2	-	-
FEMALE--	6	7	2	6	8	4	3	4	2	-	-	-
BLACK---MALE----	9	7	7	6	7	2	4	4	-	2	-	-
FEMALE--	6	7	2	6	7	4	3	4	2	-	-	-
MISSOURI -----	25	16	42	53	91	128	114	80	34	9	-	-
WHITE-----MALE----	11	3	16	19	44	57	45	28	5	2	-	-
FEMALE--	7	7	20	27	37	67	65	49	25	7	-	-
ALL OTHER--MALE----	4	3	4	4	4	1	2	2	1	-	-	-
FEMALE--	3	3	2	3	6	3	2	1	3	-	-	-
BLACK---MALE----	4	3	4	3	3	1	2	2	-	-	-	-
FEMALE--	3	3	1	3	6	3	2	-	3	-	-	-
MONTANA -----	5	3	4	7	5	11	11	8	12	1	-	-
WHITE-----MALE----	2	1	1	3	1	7	3	5	5	1	-	-
FEMALE--	3	2	2	3	4	4	8	3	7	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	4	7	11	15	23	29	27	21	5	3	-	-
WHITE-----MALE----	3	3	5	9	11	16	6	11	1	-	-	-
FEMALE--	1	1	6	4	10	13	20	10	4	3	-	-
ALL OTHER--MALE----	-	2	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	1	-	1	1	-	1	-	-	-	-	-
BLACK---MALE----	-	1	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	1	-	1	1	-	1	-	-	-	-	-
NEVADA -----	8	8	10	18	14	29	16	12	5	3	-	-
WHITE-----MALE----	3	3	6	7	5	7	6	5	2	1	-	-
FEMALE--	3	4	2	9	9	18	10	6	3	2	-	-
ALL OTHER--MALE----	-	1	-	1	-	2	-	1	-	-	-	-
FEMALE--	2	-	2	1	-	2	-	-	-	-	-	-
BLACK---MALE----	-	1	-	1	-	1	-	-	-	-	-	-
FEMALE--	1	-	1	-	-	2	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 1,726

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 INTRACEREBRAL AND OTHER INTRACRANIAL HEMORRHAGE (431-432)												
OHIO -----	1,116	2	-	-	1	1	1	1	8	4	24	30
WHITE-----MALE----	423	1	-	-	-	-	-	-	1	1	8	8
FEMALE--	545	-	-	-	1	-	1	1	1	3	8	5
ALL OTHER--MALE----	85	1	-	-	-	1	-	-	3	-	5	15
FEMALE--	63	-	-	-	-	-	-	-	3	-	3	2
BLACK---MALE----	80	-	-	-	-	1	-	-	3	-	5	15
FEMALE--	60	-	-	-	-	-	-	-	3	-	3	2
OKLAHOMA -----	306	-	-	-	-	-	1	1	2	8	7	14
WHITE-----MALE----	108	-	-	-	-	-	1	1	1	5	2	5
FEMALE--	158	-	-	-	-	-	-	-	-	-	2	5
ALL OTHER--MALE----	21	-	-	-	-	-	-	-	-	2	1	3
FEMALE--	19	-	-	-	-	-	-	-	1	1	2	1
BLACK---MALE----	13	-	-	-	-	-	-	-	-	1	1	2
FEMALE--	11	-	-	-	-	-	-	-	-	1	2	1
OREGON -----	333	-	-	-	-	-	-	1	3	3	5	7
WHITE-----MALE----	140	-	-	-	-	-	-	-	2	1	4	2
FEMALE--	177	-	-	-	-	-	-	1	1	1	1	5
ALL OTHER--MALE----	7	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	1,408	-	1	1	1	2	3	2	6	19	27	35
WHITE-----MALE----	544	-	-	1	1	1	3	-	4	10	9	14
FEMALE--	686	-	-	-	-	-	-	2	2	3	10	6
ALL OTHER--MALE----	90	-	-	-	-	1	-	-	-	2	5	9
FEMALE--	88	-	1	-	-	-	-	-	-	4	3	6
BLACK---MALE----	81	-	-	-	-	1	-	-	-	2	5	9
FEMALE--	81	-	1	-	-	-	-	-	-	4	3	6
RHODE ISLAND -----	103	-	-	-	-	-	-	-	-	-	4	2
WHITE-----MALE----	37	-	-	-	-	-	-	-	-	-	3	-
FEMALE--	56	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	463	1	-	-	-	-	-	1	1	9	23	27
WHITE-----MALE----	141	-	-	-	-	-	-	-	-	1	4	7
FEMALE--	155	-	-	-	-	-	-	-	-	-	1	3
ALL OTHER--MALE----	85	-	-	-	-	-	-	-	-	5	13	9
FEMALE--	82	1	-	-	-	-	-	1	1	3	5	8
BLACK---MALE----	84	-	-	-	-	-	-	-	-	5	13	9
FEMALE--	81	1	-	-	-	-	-	1	1	3	5	8

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,726

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 INTRACEREBRAL AND OTHER INTRACRANIAL HEMORRHAGE (431-432)												
OHIO -----	42	55	65	100	168	199	185	154	56	18	2	-
WHITE-----MALE----	13	22	30	53	82	90	53	48	11	1	1	-
FEMALE--	14	18	21	33	66	98	115	101	41	17	1	-
ALL OTHER--MALE----	12	11	7	7	8	4	10	1	-	-	-	-
FEMALE--	3	4	7	7	12	7	7	4	4	-	-	-
BLACK---MALE----	12	10	7	7	8	3	8	1	-	-	-	-
FEMALE--	3	4	6	7	11	7	7	3	4	-	-	-
OKLAHOMA -----	14	11	19	30	38	51	57	32	20	1	-	-
WHITE-----MALE----	6	3	9	6	14	21	20	6	7	1	-	-
FEMALE--	4	5	6	17	20	28	34	24	13	-	-	-
ALL OTHER--MALE----	1	3	3	3	2	1	2	-	-	-	-	-
FEMALE--	3	-	1	4	2	1	1	2	-	-	-	-
BLACK---MALE----	1	2	1	1	2	1	1	-	-	-	-	-
FEMALE--	2	-	-	2	-	-	1	2	-	-	-	-
OREGON -----	16	13	14	20	57	58	63	41	24	7	1	-
WHITE-----MALE----	7	7	7	14	28	21	25	15	6	1	-	-
FEMALE--	7	6	6	6	22	36	36	25	17	6	1	-
ALL OTHER--MALE----	1	-	1	-	1	1	1	-	1	-	-	-
FEMALE--	1	-	-	-	6	-	1	1	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	1	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-
PENNSYLVANIA -----	44	67	78	109	195	271	265	193	72	16	1	-
WHITE-----MALE----	17	30	32	42	89	115	94	64	14	3	1	-
FEMALE--	12	17	24	45	82	138	156	122	55	12	-	-
ALL OTHER--MALE----	11	13	14	11	11	7	5	1	-	-	-	-
FEMALE--	4	7	8	11	13	11	10	6	3	1	-	-
BLACK---MALE----	10	11	12	10	10	7	3	1	-	-	-	-
FEMALE--	4	7	8	10	9	9	10	6	3	1	-	-
RHODE ISLAND -----	1	1	7	12	13	16	21	16	8	2	-	-
WHITE-----MALE----	-	1	3	3	9	7	5	4	1	1	-	-
FEMALE--	-	-	4	4	4	9	15	11	7	1	-	-
ALL OTHER--MALE----	-	-	-	4	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	1	-	-	1	1	-	-	-	-
BLACK---MALE----	-	-	-	2	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
SOUTH CAROLINA -----	27	26	45	41	58	72	69	46	12	2	3	-
WHITE-----MALE----	5	3	15	15	30	28	21	10	2	-	-	-
FEMALE--	3	4	9	17	20	29	34	26	6	2	1	-
ALL OTHER--MALE----	13	8	14	7	4	4	6	1	-	-	1	-
FEMALE--	6	11	7	2	4	11	8	9	4	-	1	-
BLACK---MALE----	13	8	14	6	4	4	6	1	-	-	1	-
FEMALE--	6	11	7	1	4	11	8	9	4	-	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 1,727

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 INTRACEREBRAL AND OTHER INTRACRANIAL HEMORRHAGE (431-432)												
SOUTH DAKOTA -----	82	-	-	1	-	-	-	-	1	-	1	6
WHITE-----MALE----	40	-	-	1	-	-	-	-	-	-	1	2
FEMALE--	36	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	1	-	-	2
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	581	-	1	-	-	2	-	1	3	8	20	25
WHITE-----MALE----	216	-	1	-	-	1	-	1	2	2	9	7
FEMALE--	253	-	-	-	-	-	-	-	-	3	4	5
ALL OTHER--MALE----	59	-	-	-	-	-	-	-	-	1	5	7
FEMALE--	53	-	-	-	-	1	-	-	1	2	2	6
BLACK---MALE----	56	-	-	-	-	-	-	-	-	1	5	6
FEMALE--	51	-	-	-	-	1	-	-	1	2	2	6
TEXAS -----	1,658	8	1	-	2	4	1	7	17	26	61	98
WHITE-----MALE----	630	5	1	-	2	2	-	4	7	12	23	45
FEMALE--	777	1	-	-	-	2	-	3	4	4	16	19
ALL OTHER--MALE----	140	-	-	-	-	-	-	-	4	3	13	28
FEMALE--	111	2	-	-	-	-	1	-	2	7	9	6
BLACK---MALE----	125	-	-	-	-	-	-	-	3	2	12	27
FEMALE--	96	2	-	-	-	-	1	-	2	7	9	6
UTAH -----	127	-	-	1	-	-	1	-	2	2	4	3
WHITE-----MALE----	63	-	-	1	-	-	1	-	2	1	3	3
FEMALE--	58	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	65	-	1	-	-	-	1	-	-	-	2	1
WHITE-----MALE----	30	-	-	-	-	-	1	-	-	-	-	1
FEMALE--	35	-	1	-	-	-	-	-	-	-	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	646	-	-	-	1	1	-	2	5	7	24	28
WHITE-----MALE----	206	-	-	-	1	-	-	-	-	2	5	8
FEMALE--	277	-	-	-	-	-	-	1	-	1	2	5
ALL OTHER--MALE----	82	-	-	-	-	1	-	1	2	3	11	9
FEMALE--	81	-	-	-	-	-	-	-	3	1	6	6
BLACK---MALE----	75	-	-	-	-	-	-	1	1	2	10	9
FEMALE--	72	-	-	-	-	-	-	-	2	1	6	5

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,727

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 INTRACEREBRAL AND OTHER INTRACRANIAL HEMORRHAGE (431-432)												
SOUTH DAKOTA -----	5	3	3	7	9	14	11	14	5	2	-	-
WHITE-----MALE----	3	1	2	4	6	9	5	3	3	-	-	-
FEMALE--	1	2	1	3	3	5	6	10	2	2	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	33	39	34	55	71	93	100	56	32	6	2	-
WHITE-----MALE----	11	13	17	20	32	36	37	18	9	-	-	-
FEMALE--	10	12	10	19	28	47	52	36	19	6	2	-
ALL OTHER--MALE----	8	9	5	4	8	7	4	1	-	-	-	-
FEMALE--	4	5	2	12	3	3	7	1	4	-	-	-
BLACK---MALE----	8	9	5	3	8	6	4	1	-	-	-	-
FEMALE--	4	5	2	12	3	3	6	1	3	-	-	-
TEXAS -----	104	89	96	141	207	257	240	190	89	18	2	-
WHITE-----MALE----	44	45	39	57	77	105	79	57	25	1	-	-
FEMALE--	31	27	38	60	101	130	139	124	60	16	2	-
ALL OTHER--MALE----	17	8	13	10	16	16	8	3	-	1	-	-
FEMALE--	12	9	6	14	13	6	14	6	4	-	-	-
BLACK---MALE----	16	7	11	10	13	13	7	3	-	1	-	-
FEMALE--	12	9	5	12	9	5	10	3	4	-	-	-
UTAH -----	6	6	5	16	13	29	19	14	4	2	-	-
WHITE-----MALE----	3	3	4	9	9	12	9	3	-	-	-	-
FEMALE--	2	3	-	7	3	17	10	9	4	2	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	2	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
VERMONT -----	1	2	4	6	14	7	13	8	5	-	-	-
WHITE-----MALE----	1	1	3	2	8	5	3	3	2	-	-	-
FEMALE--	-	1	1	4	6	2	10	5	3	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	32	34	50	60	71	104	108	77	38	4	-	-
WHITE-----MALE----	7	10	21	15	26	43	44	15	8	1	-	-
FEMALE--	10	7	11	25	32	45	55	53	27	3	-	-
ALL OTHER--MALE----	7	7	10	6	7	10	5	3	-	-	-	-
FEMALE--	8	10	8	14	6	6	4	6	3	-	-	-
BLACK---MALE----	7	6	9	6	7	9	5	3	-	-	-	-
FEMALE--	8	9	6	11	6	5	4	6	3	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,729

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OCCLUSION AND STENOSIS OF PRECEREBRAL ARTERIES (433)												
UNITED STATES --	43	78	81	133	160	218	259	180	93	30	4	-
WHITE-----MALE----	22	53	44	66	83	112	127	66	26	4	-	-
FEMALE--	11	15	24	50	58	82	124	99	59	25	4	-
ALL OTHER--MALE----	9	10	9	9	13	14	2	5	1	-	-	-
FEMALE--	1	-	4	8	6	10	6	10	7	1	-	-
BLACK---MALE----	9	10	7	9	10	11	1	2	-	-	-	-
FEMALE--	1	-	4	7	6	8	5	8	7	1	-	-
ALABAMA -----	2	4	-	5	2	2	6	2	1	-	-	-
WHITE-----MALE----	-	3	-	2	1	-	2	-	-	-	-	-
FEMALE--	1	-	-	2	-	-	4	2	1	-	-	-
ALL OTHER--MALE----	1	1	-	1	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	1	1	-	1	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALASKA -----	-	-	-	-	-	1	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	1	3	-	4	1	2	-	1	-	-	-	-
WHITE-----MALE----	1	2	-	2	-	1	-	-	-	-	-	-
FEMALE--	-	1	-	2	1	1	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	-	2	-	1	-	2	2	-	1	-	-	-
WHITE-----MALE----	-	-	-	1	-	-	2	-	-	-	-	-
FEMALE--	-	1	-	-	-	2	-	-	1	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	3	3	5	9	16	19	23	15	6	3	-	-
WHITE-----MALE----	2	2	4	4	9	11	7	6	1	1	-	-
FEMALE--	1	1	1	3	7	6	16	7	4	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	1	-	-	-
FEMALE--	-	-	-	2	-	1	-	2	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,730

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OCCLUSION AND STENOSIS OF PRECEREBRAL ARTERIES (433)												
COLORADO -----	-	-	-	1	-	1	2	2	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	1	-	-	-	-
FEMALE--	-	-	-	1	-	1	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	-	-	1	1	1	1	2	1	3	-	1	-
WHITE-----MALE----	-	-	-	1	-	1	1	-	1	-	-	-
FEMALE--	-	-	1	-	1	-	1	1	2	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	-	-	4	-	1	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	2	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	-	-	1	-	1	-	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	1	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	1	-	1	-	-	-	-	-
FLORIDA -----	2	7	8	7	10	20	33	19	10	4	-	-
WHITE-----MALE----	1	3	2	4	4	11	17	9	2	-	-	-
FEMALE--	-	4	6	2	6	7	15	9	7	4	-	-
ALL OTHER--MALE----	1	-	-	-	-	2	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	1	1	-	-	-
BLACK---MALE----	1	-	-	-	-	2	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	1	1	-	-	-
GEORGIA -----	2	1	7	5	4	4	6	3	1	-	1	-
WHITE-----MALE----	-	1	-	2	-	3	2	1	1	-	-	-
FEMALE--	-	-	3	-	2	-	3	2	-	-	1	-
ALL OTHER--MALE----	2	-	3	1	2	1	-	-	-	-	-	-
FEMALE--	-	-	1	2	-	-	1	-	-	-	-	-
BLACK---MALE----	2	-	3	1	1	1	-	-	-	-	-	-
FEMALE--	-	-	1	2	-	-	1	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,732

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OCCLUSION AND STENOSIS OF PRECEREBRAL ARTERIES (433)												
KENTUCKY -----	1	1	2	-	1	2	2	4	1	1	-	-
WHITE-----MALE----	1	1	2	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	2	3	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
LOUISIANA -----	2	2	1	-	2	1	1	1	1	1	-	-
WHITE-----MALE----	1	-	-	-	-	1	1	1	-	-	-	-
FEMALE--	-	1	1	-	2	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	1	-	-
BLACK---MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	1	-	-
MAINE -----	-	-	1	-	1	1	1	-	-	-	-	-
WHITE-----MALE----	-	-	1	-	1	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	2	1	1	4	2	3	6	2	1	1	-	-
WHITE-----MALE----	2	-	-	1	1	1	2	1	-	-	-	-
FEMALE--	-	-	-	3	1	2	3	1	1	1	-	-
ALL OTHER--MALE----	-	1	1	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	1	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS -----	1	-	-	5	1	6	6	3	3	1	-	-
WHITE-----MALE----	1	-	-	2	1	4	2	-	-	1	-	-
FEMALE--	-	-	-	3	-	2	4	3	3	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	2	3	1	5	10	13	9	6	1	1	-	-
WHITE-----MALE----	1	2	1	1	4	7	8	4	-	-	-	-
FEMALE--	1	1	-	3	4	4	1	1	1	1	-	-
ALL OTHER--MALE----	-	-	-	1	2	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	2	-	1	-	-	-	-
BLACK---MALE----	-	-	-	1	2	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	2	-	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,736

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OCCLUSION AND STENOSIS OF PRECEREBRAL ARTERIES (433)												
SOUTH DAKOTA -----	1	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	-	3	7	4	5	6	5	5	2	-	-	-
WHITE-----MALE----	-	3	4	2	3	2	1	2	-	-	-	-
FEMALE--	-	-	2	1	1	3	3	3	2	-	-	-
ALL OTHER--MALE----	-	-	1	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	1	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	-	-	-	-	-
TEXAS -----	5	10	3	7	15	18	18	17	9	2	-	-
WHITE-----MALE----	2	9	2	4	11	6	10	7	5	1	-	-
FEMALE--	2	-	-	3	4	9	8	10	2	1	-	-
ALL OTHER--MALE----	-	1	1	-	-	2	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	-	-	2	-	-	-
BLACK---MALE----	-	1	-	-	-	2	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	-	-	2	-	-	-
UTAH -----	-	2	-	-	-	-	1	-	-	-	-	-
WHITE-----MALE----	-	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	1	-	-	-	-	-	1	-	-	1	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	1	4	-	1	2	6	7	2	3	-	-	-
WHITE-----MALE----	-	2	-	-	1	2	2	1	-	-	-	-
FEMALE--	1	2	-	-	-	2	5	-	3	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	1	2	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	1	2	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 1,738

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 CEREBRAL THROMBOSIS AND UNSPECIFIED OCCLUSION OF CEREBRAL ARTERIES (434.0,434.9)												
UNITED STATES --	10,958	25	1	4	6	6	6	14	18	48	87	108
WHITE-----MALE----	3,544	10	-	-	2	2	3	7	6	17	35	50
FEMALE--	5,967	10	-	2	3	3	1	3	5	17	27	14
ALL OTHER--MALE----	616	3	1	-	1	1	-	2	3	4	14	23
FEMALE--	831	2	-	2	-	-	2	2	4	10	11	21
BLACK---MALE----	528	3	-	-	1	1	-	2	2	4	14	21
FEMALE--	731	1	-	2	-	-	2	2	4	9	10	21
ALABAMA -----	171	2	-	-	-	-	-	-	-	1	1	3
WHITE-----MALE----	47	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	79	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	29	1	-	-	-	-	-	-	-	-	-	3
FEMALE--	16	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	28	1	-	-	-	-	-	-	-	-	-	3
FEMALE--	16	-	-	-	-	-	-	-	-	-	1	-
ALASKA -----	17	-	-	-	-	-	-	-	-	1	1	-
WHITE-----MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	1	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	95	1	-	-	-	-	-	-	-	-	1	1
WHITE-----MALE----	44	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	50	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	138	-	-	-	-	-	-	-	-	-	2	-
WHITE-----MALE----	39	-	-	-	-	-	-	-	-	-	2	-
FEMALE--	61	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	13	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	25	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	13	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	25	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	1,111	6	-	-	1	-	-	3	1	6	8	11
WHITE-----MALE----	356	5	-	-	1	-	-	2	-	4	3	7
FEMALE--	583	1	-	-	-	-	-	-	1	1	3	1
ALL OTHER--MALE----	76	-	-	-	-	-	-	1	-	-	1	2
FEMALE--	96	-	-	-	-	-	-	-	-	1	1	1
BLACK---MALE----	31	-	-	-	-	-	-	1	-	-	1	1
FEMALE--	53	-	-	-	-	-	-	-	-	1	1	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,738

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 CEREBRAL THROMBOSIS AND UNSPECIFIED OCCLUSION OF CEREBRAL ARTERIES (434.0,434.9)												
UNITED STATES --	185	220	378	549	1,005	1,620	2,096	2,215	1,628	614	125	-
WHITE-----MALE----	78	92	159	219	432	629	705	632	346	105	15	-
FEMALE--	48	66	124	206	392	783	1,155	1,403	1,149	457	99	-
ALL OTHER--MALE----	36	41	59	61	88	92	80	55	36	12	4	-
FEMALE--	23	21	36	63	93	116	156	125	97	40	7	-
BLACK---MALE----	32	36	54	54	77	80	64	43	28	8	4	-
FEMALE--	22	20	29	51	85	106	135	103	84	39	6	-
ALABAMA -----	4	5	11	10	16	29	27	30	23	7	2	-
WHITE-----MALE----	1	3	2	2	8	11	7	6	4	2	-	-
FEMALE--	-	2	2	4	3	13	16	20	13	4	1	-
ALL OTHER--MALE----	2	-	6	4	4	2	2	2	2	-	1	-
FEMALE--	1	-	1	-	1	3	2	2	4	-	-	-
BLACK---MALE----	2	-	5	4	4	2	2	2	2	-	1	-
FEMALE--	1	-	1	-	1	3	2	2	4	1	-	-
ALASKA -----	-	-	2	-	3	2	2	2	3	1	-	-
WHITE-----MALE----	-	-	-	-	1	1	-	-	1	1	-	-
FEMALE--	-	-	-	-	1	1	2	2	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	2	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	3	3	3	8	6	28	17	11	9	3	1	-
WHITE-----MALE----	2	1	1	5	4	15	6	5	3	1	-	-
FEMALE--	1	2	2	3	2	13	11	6	6	2	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	-	5	5	9	12	16	21	38	16	11	3	-
WHITE-----MALE----	-	1	1	3	5	6	2	13	4	2	-	-
FEMALE--	-	2	1	4	3	2	12	20	9	7	1	-
ALL OTHER--MALE----	-	2	2	2	-	4	1	1	-	-	1	-
FEMALE--	-	-	1	-	4	4	6	4	3	2	1	-
BLACK---MALE----	-	2	2	2	-	4	1	1	-	-	1	-
FEMALE--	-	-	1	-	4	4	6	4	3	2	1	-
CALIFORNIA -----	15	30	41	52	92	155	210	229	181	56	14	-
WHITE-----MALE----	5	14	20	14	38	57	66	63	45	10	2	-
FEMALE--	5	9	10	21	35	83	105	135	122	41	10	-
ALL OTHER--MALE----	2	5	5	6	15	7	14	10	5	3	-	-
FEMALE--	3	2	6	11	4	8	25	21	9	2	2	-
BLACK---MALE----	2	3	3	2	8	1	3	4	2	-	-	-
FEMALE--	2	2	3	4	2	3	17	11	3	2	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 1,739

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 CEREBRAL THROMBOSIS AND UNSPECIFIED OCCLUSION OF CEREBRAL ARTERIES (434.0,434.9)												
COLORADO -----	63	-	-	-	-	-	-	-	-	1	2	2
WHITE-----MALE----	20	-	-	-	-	-	-	-	-	-	2	2
FEMALE--	40	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	163	-	-	-	-	-	-	1	-	-	4	-
WHITE-----MALE----	49	-	-	-	-	-	-	-	-	-	2	-
FEMALE--	103	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	2	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	2	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	24	-	-	-	1	-	-	-	-	-	-	-
WHITE-----MALE----	8	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	15	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	31	-	-	-	-	-	-	-	-	-	-	1
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	9	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	16	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	9	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	16	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	767	1	-	-	-	-	-	1	-	3	4	5
WHITE-----MALE----	267	1	-	-	-	-	-	-	-	1	3	2
FEMALE--	420	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	38	-	-	-	-	-	-	-	-	2	-	1
FEMALE--	42	-	-	-	-	-	-	1	-	-	-	2
BLACK---MALE----	36	-	-	-	-	-	-	-	-	2	-	1
FEMALE--	38	-	-	-	-	-	-	1	-	-	-	2
GEORGIA -----	201	1	-	-	1	-	-	-	2	2	2	4
WHITE-----MALE----	53	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	89	1	-	-	1	-	-	-	1	1	1	-
ALL OTHER--MALE----	23	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	36	-	-	-	-	-	-	-	1	1	-	2
BLACK---MALE----	22	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	36	-	-	-	-	-	-	-	1	1	-	2

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,739

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 0 CEREBRAL THROMBOSIS AND UNSPECIFIED OCCLUSION OF CEREBRAL ARTERIES (434.0,434.9)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
COLORADO -----	1	3	2	3	2	7	17	12	6	3	2	-
WHITE-----MALE----	-	2	-	1	1	2	3	4	1	2	-	-
FEMALE--	1	1	2	2	-	5	12	8	5	1	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
CONNECTICUT -----	2	4	4	4	8	18	38	34	30	12	4	-
WHITE-----MALE----	1	2	1	3	2	8	14	10	6	-	-	-
FEMALE--	1	1	1	-	5	9	22	24	24	11	4	-
ALL OTHER--MALE----	-	1	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	2	1	1	1	1	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	2	1	1	1	1	-	-	1	-	-
DELAWARE -----	-	-	-	3	3	5	1	6	5	-	-	-
WHITE-----MALE----	-	-	-	2	2	2	-	1	1	-	-	-
FEMALE--	-	-	-	1	1	2	1	5	4	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	-	1	2	1	5	5	8	3	1	4	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	2	1	-	-	2	-	-
ALL OTHER--MALE----	-	1	1	-	2	2	1	-	1	-	-	-
FEMALE--	-	-	1	1	3	1	5	3	-	2	-	-
BLACK---MALE----	-	1	1	-	2	2	1	-	1	-	-	-
FEMALE--	-	-	1	1	3	1	5	3	-	2	-	-
FLORIDA -----	14	19	24	37	72	103	141	157	129	50	7	-
WHITE-----MALE----	6	9	10	16	31	45	55	42	33	12	1	-
FEMALE--	6	4	5	16	32	48	75	104	90	33	6	-
ALL OTHER--MALE----	2	1	6	3	6	5	4	6	1	1	-	-
FEMALE--	-	5	3	2	3	5	7	5	5	4	-	-
BLACK---MALE----	2	1	6	3	6	4	3	6	1	1	-	-
FEMALE--	-	5	3	-	3	5	6	4	5	4	-	-
GEORGIA -----	6	6	9	19	25	23	39	31	17	11	3	-
WHITE-----MALE----	2	2	5	7	10	5	9	5	3	1	2	-
FEMALE--	1	3	1	3	4	15	16	22	10	8	1	-
ALL OTHER--MALE----	-	1	1	5	6	-	5	1	1	2	-	-
FEMALE--	3	-	2	4	5	3	9	3	3	-	-	-
BLACK---MALE----	-	1	1	5	5	-	5	1	1	2	-	-
FEMALE--	3	-	2	4	5	3	9	3	3	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,740

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 0 CEREBRAL THROMBOSIS AND UNSPECIFIED OCCLUSION OF CEREBRAL ARTERIES (434.0,434.9)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
HAWAII -----	1	-	1	2	3	3	5	9	7	2	-	-
WHITE-----MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	1	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	1	1	3	4	4	1	-	-
FEMALE--	-	-	1	-	1	1	2	5	3	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	-	-	1	3	2	6	8	4	5	2	1	-
WHITE-----MALE----	-	-	-	1	-	-	7	2	2	1	-	-
FEMALE--	-	-	1	2	2	6	1	2	3	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	6	12	23	25	46	98	114	113	82	31	9	-
WHITE-----MALE----	2	4	10	11	16	42	38	36	21	5	3	-
FEMALE--	1	4	5	8	22	45	68	68	56	26	5	-
ALL OTHER--MALE----	2	2	5	5	5	7	3	4	1	-	-	-
FEMALE--	1	2	3	1	3	4	5	5	4	-	1	-
BLACK---MALE----	1	2	5	5	4	7	3	4	1	-	-	-
FEMALE--	1	2	3	1	3	4	5	5	4	-	1	-
INDIANA -----	4	4	13	9	23	39	41	48	26	9	2	-
WHITE-----MALE----	2	1	6	3	15	20	14	15	4	1	-	-
FEMALE--	1	2	7	5	6	17	24	32	20	6	2	-
ALL OTHER--MALE----	1	1	-	1	1	-	2	1	-	-	-	-
FEMALE--	-	-	-	-	1	2	1	-	2	2	-	-
BLACK---MALE----	1	1	-	1	1	-	2	1	-	-	-	-
FEMALE--	-	-	-	-	1	2	1	-	2	2	-	-
IOWA -----	-	-	3	3	6	10	24	20	29	8	-	-
WHITE-----MALE----	-	-	1	2	2	7	8	8	6	-	-	-
FEMALE--	-	-	2	1	4	3	16	12	23	8	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS -----	1	2	3	5	3	18	19	22	19	8	2	-
WHITE-----MALE----	-	1	2	3	2	9	7	6	2	2	-	-
FEMALE--	-	1	-	2	1	7	12	14	17	5	2	-
ALL OTHER--MALE----	1	-	1	-	-	2	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	2	-	1	-	-
BLACK---MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	2	-	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,741

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 0 CEREBRAL THROMBOSIS AND UNSPECIFIED OCCLUSION OF CEREBRAL ARTERIES (434.0,434.9)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
KENTUCKY -----	1	5	10	11	10	19	34	31	13	5	2	-
WHITE-----MALE----	1	3	9	3	4	8	12	10	2	-	1	-
FEMALE--	-	2	1	7	5	10	20	21	11	4	1	-
ALL OTHER--MALE----	-	-	-	1	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	2	-	-	1	-	-
BLACK---MALE----	-	-	-	1	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	2	-	-	1	-	-
LOUISIANA -----	4	5	4	6	31	28	26	35	21	8	5	-
WHITE-----MALE----	1	2	3	4	7	6	7	10	3	-	-	-
FEMALE--	-	-	1	-	13	13	8	22	14	6	2	-
ALL OTHER--MALE----	2	2	-	1	7	4	2	-	1	-	1	-
FEMALE--	1	1	-	1	4	5	9	3	3	2	2	-
BLACK---MALE----	2	2	-	1	7	4	2	-	1	-	1	-
FEMALE--	1	1	-	1	4	5	9	3	3	2	2	-
MAINE -----	-	1	-	2	7	8	8	7	7	2	-	-
WHITE-----MALE----	-	-	-	1	5	4	1	2	2	-	-	-
FEMALE--	-	1	-	1	2	4	7	5	5	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	2	4	5	5	14	28	37	36	28	9	2	-
WHITE-----MALE----	-	2	2	-	6	8	15	11	4	3	-	-
FEMALE--	1	-	1	2	6	14	17	23	20	4	2	-
ALL OTHER--MALE----	-	2	2	1	-	3	-	1	-	1	-	-
FEMALE--	1	-	-	2	2	3	5	1	4	1	-	-
BLACK---MALE----	-	2	2	1	-	3	-	1	-	1	-	-
FEMALE--	1	-	-	1	2	2	4	1	3	1	-	-
MASSACHUSETTS -----	5	2	4	12	16	30	48	59	39	19	5	-
WHITE-----MALE----	3	1	2	9	7	8	11	15	8	3	-	-
FEMALE--	2	1	2	2	9	22	35	42	29	16	5	-
ALL OTHER--MALE----	-	-	-	1	-	-	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	2	-	-	-
BLACK---MALE----	-	-	-	1	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	2	-	-	-
MICHIGAN -----	6	12	21	38	60	85	116	104	88	37	4	-
WHITE-----MALE----	2	6	6	15	22	20	48	24	14	5	-	-
FEMALE--	-	2	9	11	21	46	57	61	63	24	4	-
ALL OTHER--MALE----	4	2	4	7	12	7	3	6	4	2	-	-
FEMALE--	-	2	2	5	5	12	8	13	7	6	-	-
BLACK---MALE----	4	2	4	7	12	6	3	6	4	2	-	-
FEMALE--	-	2	1	5	5	12	7	11	7	6	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,742

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 0 CEREBRAL THROMBOSIS AND UNSPECIFIED OCCLUSION OF CEREBRAL ARTERIES (434.0,434.9)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
MINNESOTA -----	2	3	5	8	14	18	22	39	24	10	3	-
WHITE-----MALE----	1	1	3	6	7	6	8	17	2	3	-	-
FEMALE--	1	2	2	1	6	12	14	21	22	7	3	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI -----	5	5	6	10	12	17	19	14	17	2	2	-
WHITE-----MALE----	2	1	2	3	4	5	4	2	1	-	1	-
FEMALE--	-	-	1	7	2	5	7	8	11	1	1	-
ALL OTHER--MALE----	1	3	1	-	1	4	3	1	1	-	-	-
FEMALE--	2	1	2	-	5	3	5	3	4	1	-	-
BLACK---MALE----	1	3	1	-	1	4	3	1	1	-	-	-
FEMALE--	2	1	2	-	5	3	5	3	4	1	-	-
MISSOURI -----	3	7	8	14	19	43	63	59	39	10	1	-
WHITE-----MALE----	1	4	4	5	10	23	18	19	4	2	-	-
FEMALE--	-	1	4	8	7	18	42	35	31	6	1	-
ALL OTHER--MALE----	1	1	-	-	-	2	1	2	2	-	-	-
FEMALE--	1	1	-	1	2	-	2	3	2	2	-	-
BLACK---MALE----	1	1	-	-	-	2	1	2	2	-	-	-
FEMALE--	1	1	-	1	2	-	2	3	2	2	-	-
MONTANA -----	1	-	-	1	1	6	2	5	9	1	-	-
WHITE-----MALE----	1	-	-	-	1	4	1	3	3	-	-	-
FEMALE--	-	-	-	1	-	2	1	2	6	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	2	-	1	4	5	8	14	26	14	10	2	-
WHITE-----MALE----	2	-	-	1	2	3	6	8	5	1	-	-
FEMALE--	-	-	1	1	2	5	8	17	9	9	2	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	-	1	-	-	-	-
NEVADA -----	-	-	-	4	3	6	4	4	3	-	-	-
WHITE-----MALE----	-	-	-	3	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	1	3	3	2	3	3	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,744

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 CEREBRAL THROMBOSIS AND UNSPECIFIED OCCLUSION OF CEREBRAL ARTERIES (434.0,434.9)												
OHIO -----	16	8	14	28	47	79	97	100	74	17	5	-
WHITE-----MALE----	7	1	8	16	21	24	30	33	11	3	1	-
FEMALE--	6	3	3	9	22	39	58	58	55	14	3	-
ALL OTHER--MALE----	-	3	1	-	3	5	4	1	-	-	-	-
FEMALE--	3	1	2	3	1	11	5	8	8	-	1	-
BLACK---MALE----	-	3	1	-	3	5	3	1	-	-	-	-
FEMALE--	3	1	2	3	1	11	5	8	7	-	1	-
OKLAHOMA -----	2	3	2	2	11	23	15	29	30	6	1	-
WHITE-----MALE----	1	1	1	1	3	13	6	6	6	2	-	-
FEMALE--	1	1	-	1	7	9	7	23	22	4	1	-
ALL OTHER--MALE----	-	-	1	-	-	-	1	-	-	-	-	-
FEMALE--	-	1	-	-	1	1	1	-	2	-	-	-
BLACK---MALE----	-	-	1	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	1	-	-	-
OREGON -----	1	2	8	6	27	36	59	76	56	33	9	-
WHITE-----MALE----	-	2	4	4	15	19	24	26	16	5	1	-
FEMALE--	1	-	4	2	12	16	33	49	40	28	8	-
ALL OTHER--MALE----	-	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
PENNSYLVANIA -----	6	11	17	27	77	119	165	151	108	33	8	-
WHITE-----MALE----	2	6	7	7	40	47	65	39	25	5	1	-
FEMALE--	4	4	8	17	27	64	88	107	80	27	7	-
ALL OTHER--MALE----	-	-	1	1	5	1	3	-	-	-	-	-
FEMALE--	-	1	1	2	5	7	9	5	3	1	-	-
BLACK---MALE----	-	-	1	1	5	1	3	-	-	-	-	-
FEMALE--	-	1	1	2	5	7	9	5	3	1	-	-
RHODE ISLAND -----	3	-	1	4	3	4	7	2	4	3	-	-
WHITE-----MALE----	2	-	1	4	2	3	1	-	2	-	-	-
FEMALE--	1	-	-	-	1	1	6	2	2	3	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	6	6	8	15	21	31	44	42	27	8	1	-
WHITE-----MALE----	4	2	1	1	4	9	7	7	6	1	-	-
FEMALE--	-	1	4	5	5	16	24	25	14	7	1	-
ALL OTHER--MALE----	1	2	1	4	4	2	7	5	3	-	-	-
FEMALE--	1	1	2	5	8	4	6	5	4	-	-	-
BLACK---MALE----	1	2	1	4	4	2	7	5	3	-	-	-
FEMALE--	1	1	2	5	6	4	6	5	4	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 1,745

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 CEREBRAL THROMBOSIS AND UNSPECIFIED OCCLUSION OF CEREBRAL ARTERIES (434.0,434.9)												
SOUTH DAKOTA -----	24	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	10	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	14	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	270	1	-	-	1	-	-	-	-	-	-	5
WHITE-----MALE----	82	1	-	-	-	-	-	-	-	-	-	2
FEMALE--	153	-	-	-	1	-	-	-	-	-	-	2
ALL OTHER--MALE----	18	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	17	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	18	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	17	-	-	-	-	-	-	-	-	-	-	1
TEXAS -----	680	3	-	-	-	-	2	3	4	11	7	
WHITE-----MALE----	219	1	-	-	-	-	1	3	-	5	3	
FEMALE--	370	2	-	-	-	-	1	-	4	3	1	
ALL OTHER--MALE----	40	-	-	-	-	-	-	-	-	2	1	
FEMALE--	51	-	-	-	-	-	-	-	-	1	2	
BLACK---MALE----	37	-	-	-	-	-	-	-	-	2	1	
FEMALE--	49	-	-	-	-	-	-	-	-	1	2	
UTAH -----	26	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	10	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	14	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	42	-	-	-	-	-	-	1	-	1	-	-
WHITE-----MALE----	20	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	21	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	191	2	-	-	2	-	-	-	-	2	4	1
WHITE-----MALE----	65	1	-	-	1	-	-	-	-	-	2	1
FEMALE--	80	-	-	-	-	-	-	-	-	1	2	-
ALL OTHER--MALE----	21	1	-	-	1	-	-	-	-	-	-	-
FEMALE--	25	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	21	1	-	-	1	-	-	-	-	-	-	-
FEMALE--	24	-	-	-	-	-	-	-	-	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,745

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 CEREBRAL THROMBOSIS AND UNSPECIFIED OCCLUSION OF CEREBRAL ARTERIES (434.0,434.9)												
SOUTH DAKOTA -----	1	-	3	-	3	4	4	6	1	2	-	-
WHITE-----MALE----	1	-	1	-	2	3	1	2	-	-	-	-
FEMALE--	-	-	2	-	1	1	3	4	1	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	4	3	9	16	23	46	56	49	35	20	2	-
WHITE-----MALE----	2	1	6	8	8	17	16	11	8	2	-	-
FEMALE--	2	2	1	3	13	22	35	33	21	17	1	-
ALL OTHER--MALE----	-	-	-	4	1	6	2	2	2	-	1	-
FEMALE--	-	-	2	1	1	1	3	3	4	1	-	-
BLACK---MALE----	-	-	-	4	1	6	2	2	2	-	1	-
FEMALE--	-	-	2	1	1	1	3	3	4	1	-	-
TEXAS -----	16	17	29	39	63	101	121	141	95	25	3	-
WHITE-----MALE----	7	6	9	12	25	35	44	42	22	4	-	-
FEMALE--	4	6	15	12	31	49	65	88	66	20	3	-
ALL OTHER--MALE----	2	3	4	7	3	9	4	3	2	-	-	-
FEMALE--	3	2	1	8	4	8	8	8	5	1	-	-
BLACK---MALE----	2	3	4	5	3	8	4	3	2	-	-	-
FEMALE--	3	2	1	7	4	8	8	7	5	1	-	-
UTAH -----	1	1	1	2	3	4	4	7	2	1	-	-
WHITE-----MALE----	1	-	1	1	2	1	1	2	1	-	-	-
FEMALE--	-	-	-	1	1	2	3	5	1	1	-	-
ALL OTHER--MALE----	-	1	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	-	1	3	6	10	5	9	4	2	-
WHITE-----MALE----	-	-	-	1	3	4	4	2	5	-	-	-
FEMALE--	-	-	-	-	-	2	5	3	4	4	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
VIRGINIA -----	3	3	9	9	24	30	35	32	28	6	1	-
WHITE-----MALE----	1	1	3	4	15	9	9	11	7	-	-	-
FEMALE--	-	-	1	2	2	14	19	18	15	5	1	-
ALL OTHER--MALE----	2	2	4	2	1	3	3	-	1	1	-	-
FEMALE--	-	-	1	1	6	4	4	3	5	-	-	-
BLACK---MALE----	2	2	4	2	1	3	3	-	1	1	-	-
FEMALE--	-	-	1	1	6	4	3	3	5	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,747

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 CEREBRAL EMBOLISM (434.1)												
UNITED STATES --	5	14	24	47	58	104	123	93	53	23	2	-
WHITE-----MALE----	3	7	12	21	33	42	40	26	12	1	1	-
FEMALE--	1	5	10	21	22	52	73	64	37	20	1	-
ALL OTHER--MALE----	-	2	2	2	1	5	2	2	-	1	-	-
FEMALE--	1	-	-	3	2	5	8	1	4	1	-	-
BLACK---MALE----	-	2	2	1	1	4	1	1	-	1	-	-
FEMALE--	1	-	-	3	2	4	4	1	3	1	-	-
ALABAMA -----	-	-	-	1	-	-	-	2	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	2	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA -----	-	-	-	-	-	-	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	-	1	2	1	2	-	2	-	2	1	-	-
WHITE-----MALE----	-	1	2	1	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	2	-	1	-	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	1	-	-	1	1	2	-	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	-	-	-	-	-	-
CALIFORNIA -----	-	3	2	3	11	9	18	7	3	2	-	-
WHITE-----MALE----	-	1	1	2	5	4	5	1	-	-	-	-
FEMALE--	-	1	1	-	6	5	12	6	3	2	-	-
ALL OTHER--MALE----	-	1	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,750

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 CEREBRAL EMBOLISM (434.1)												
KENTUCKY -----	-	1	-	2	2	1	1	1	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	-	1	-	-	-	-
FEMALE--	-	1	-	1	2	-	1	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
LOUISIANA -----	-	-	-	1	-	2	-	1	-	1	-	-
WHITE-----MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	-	1	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MAINE -----	-	-	1	-	-	1	2	-	-	-	-	-
WHITE-----MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	2	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	-	-	1	-	2	4	1	-	-	1	-	-
WHITE-----MALE----	-	-	-	-	2	3	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
MASSACHUSETTS -----	-	-	-	1	-	3	1	1	1	1	1	-
WHITE-----MALE----	-	-	-	1	-	1	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	2	-	-	1	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	-	-	-	2	3	8	6	2	3	1	-	-
WHITE-----MALE----	-	-	-	2	2	2	2	-	-	-	-	-
FEMALE--	-	-	-	-	1	4	3	2	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,753

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 CEREBRAL EMBOLISM (434.1)												
OHIO -----	-	-	1	2	2	2	5	4	-	-	-	-
WHITE-----MALE----	-	-	-	1	1	2	2	-	-	-	-	-
FEMALE--	-	-	1	1	-	-	3	4	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA -----	-	-	-	-	3	1	1	-	1	-	-	-
WHITE-----MALE----	-	-	-	-	3	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	-	-	1	-	1	4	5	3	2	-	-	-
WHITE-----MALE----	-	-	-	-	-	2	2	1	-	-	-	-
FEMALE--	-	-	1	-	1	2	2	2	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	-	1	-	5	3	7	8	5	3	1	-	-
WHITE-----MALE----	-	1	-	2	3	3	6	1	-	-	-	-
FEMALE--	-	-	-	2	-	4	2	4	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	1	-	-	-
RHODE ISLAND -----	-	-	-	-	1	-	2	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	2	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	1	-	-	-	-	2	2	1	1	-	-	-
WHITE-----MALE----	1	-	-	-	-	1	2	-	1	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 1,756

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ACUTE BUT ILL-DEFINED CEREBROVASCULAR DISEASE (436)												
UNITED STATES --	90,090	3	2	-	2	9	8	27	60	115	221	472
WHITE-----MALE----	28,401	1	-	-	2	5	2	7	15	33	72	188
FEMALE--	50,515	-	2	-	-	2	2	12	15	42	54	99
ALL OTHER--MALE----	4,688	1	-	-	-	2	-	2	17	25	56	96
FEMALE--	6,486	1	-	-	-	-	4	6	13	15	39	89
BLACK---MALE----	3,941	1	-	-	-	2	-	2	15	23	49	85
FEMALE--	5,735	1	-	-	-	-	3	6	13	14	36	83
ALABAMA -----	1,748	-	-	-	-	-	-	1	2	2	6	19
WHITE-----MALE----	470	-	-	-	-	-	-	1	1	-	-	6
FEMALE--	829	-	-	-	-	-	-	-	-	1	1	4
ALL OTHER--MALE----	182	-	-	-	-	-	-	-	-	1	4	6
FEMALE--	267	-	-	-	-	-	-	-	1	-	1	3
BLACK---MALE----	180	-	-	-	-	-	-	-	-	1	4	6
FEMALE--	266	-	-	-	-	-	-	-	1	-	1	3
ALASKA -----	68	-	-	-	-	-	-	-	-	-	2	-
WHITE-----MALE----	18	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	30	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	7	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	13	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	1,516	-	-	-	-	-	-	-	-	3	2	4
WHITE-----MALE----	551	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	891	-	-	-	-	-	-	-	-	3	-	1
ALL OTHER--MALE----	38	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	36	-	-	-	-	-	-	-	-	-	1	1
BLACK---MALE----	17	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	15	-	-	-	-	-	-	-	-	-	1	1
ARKANSAS -----	1,463	-	-	-	-	-	-	-	1	3	3	12
WHITE-----MALE----	471	-	-	-	-	-	-	-	1	1	2	5
FEMALE--	746	-	-	-	-	-	-	-	-	-	1	3
ALL OTHER--MALE----	96	-	-	-	-	-	-	-	-	-	-	3
FEMALE--	150	-	-	-	-	-	-	-	-	2	-	1
BLACK---MALE----	95	-	-	-	-	-	-	-	-	-	-	3
FEMALE--	147	-	-	-	-	-	-	-	-	2	-	1
CALIFORNIA -----	8,925	1	-	-	-	1	1	8	6	6	15	36
WHITE-----MALE----	2,871	1	-	-	-	1	1	3	-	1	5	12
FEMALE--	4,880	-	-	-	-	-	-	4	4	4	3	11
ALL OTHER--MALE----	513	-	-	-	-	-	-	-	1	-	2	5
FEMALE--	661	-	-	-	-	-	-	1	1	1	5	8
BLACK---MALE----	218	-	-	-	-	-	-	-	1	-	2	3
FEMALE--	360	-	-	-	-	-	-	1	1	1	5	6

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,756

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ACUTE BUT ILL-DEFINED CEREBROVASCULAR DISEASE (436)												
UNITED STATES --	936	1,432	2,403	4,351	8,120	13,414	18,766	19,873	13,795	5,137	943	1
WHITE-----MALE----	368	573	996	1,810	3,372	5,248	6,519	5,419	2,915	752	103	1
FEMALE--	255	397	744	1,500	3,357	6,331	10,321	12,795	9,907	3,944	736	-
ALL OTHER--MALE----	174	277	379	524	670	815	732	540	280	82	16	-
FEMALE--	139	185	284	517	721	1,020	1,194	1,119	693	359	88	-
BLACK---MALE----	155	241	341	447	569	679	603	431	215	67	16	-
FEMALE--	131	169	257	448	642	897	1,028	988	619	317	83	-
ALABAMA -----	25	31	77	112	148	287	358	349	223	81	27	-
WHITE-----MALE----	11	8	34	40	51	94	106	78	31	7	2	-
FEMALE--	3	5	17	22	57	118	181	209	144	53	14	-
ALL OTHER--MALE----	8	11	15	28	19	29	29	15	13	2	2	-
FEMALE--	3	7	11	22	21	46	42	47	35	19	9	-
BLACK---MALE----	8	11	15	28	19	28	29	15	12	2	2	-
FEMALE--	3	7	11	22	21	46	42	46	35	19	9	-
ALASKA -----	1	3	1	5	8	15	12	9	7	5	-	-
WHITE-----MALE----	1	2	-	1	3	4	3	2	-	1	-	-
FEMALE--	-	-	-	3	1	8	7	5	4	2	-	-
ALL OTHER--MALE----	-	1	-	1	2	1	-	-	1	-	-	-
FEMALE--	-	-	1	-	2	2	2	2	2	2	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ARIZONA -----	14	15	37	74	135	251	304	345	246	76	10	-
WHITE-----MALE----	8	10	16	30	69	87	121	114	81	11	1	-
FEMALE--	5	4	19	39	59	147	167	217	158	64	8	-
ALL OTHER--MALE----	-	-	2	2	5	10	9	8	2	-	-	-
FEMALE--	1	1	-	3	2	7	7	6	5	1	1	-
BLACK---MALE----	-	-	1	1	3	6	2	3	1	-	-	-
FEMALE--	-	1	-	1	-	3	3	3	-	1	1	-
ARKANSAS -----	16	29	51	82	119	220	302	294	224	97	10	-
WHITE-----MALE----	9	10	18	28	51	90	105	86	47	18	-	-
FEMALE--	4	9	17	33	49	89	153	173	142	64	9	-
ALL OTHER--MALE----	1	7	9	9	8	17	12	14	12	3	1	-
FEMALE--	2	3	7	12	11	24	32	21	23	12	-	-
BLACK---MALE----	1	7	9	8	8	17	12	14	12	3	1	-
FEMALE--	2	3	7	12	10	23	32	20	23	12	-	-
CALIFORNIA -----	108	154	235	457	810	1,335	1,899	1,908	1,342	508	95	-
WHITE-----MALE----	48	66	105	189	311	544	684	552	251	91	6	-
FEMALE--	30	47	78	161	358	598	978	1,188	964	371	81	-
ALL OTHER--MALE----	16	30	26	53	72	96	94	63	47	7	1	-
FEMALE--	14	11	26	54	69	97	143	105	80	39	7	-
BLACK---MALE----	7	14	16	26	28	45	36	22	15	2	1	-
FEMALE--	12	7	17	24	34	54	77	54	40	22	5	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 1,757

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ACUTE BUT ILL-DEFINED CEREBROVASCULAR DISEASE (436)												
COLORADO -----	1,076	1	-	-	-	-	-	-	-	1	5	4
WHITE-----MALE----	350	-	-	-	-	-	-	-	-	-	1	3
FEMALE--	684	-	-	-	-	-	-	-	-	1	3	-
ALL OTHER--MALE----	16	1	-	-	-	-	-	-	-	-	1	1
FEMALE--	26	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	9	1	-	-	-	-	-	-	-	-	1	1
FEMALE--	18	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	1,101	-	-	-	-	-	1	-	-	1	2	3
WHITE-----MALE----	360	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	695	-	-	-	-	-	1	-	-	-	1	-
ALL OTHER--MALE----	12	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	34	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	10	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	32	-	-	-	-	-	-	-	-	-	-	1
DELAWARE -----	198	-	-	-	-	-	-	-	1	-	-	1
WHITE-----MALE----	70	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	87	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	21	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	20	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	21	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	19	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	160	-	1	-	-	-	-	-	1	2	1	1
WHITE-----MALE----	19	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	34	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	38	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	69	-	-	-	-	-	-	-	-	1	1	1
BLACK---MALE----	37	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	69	-	-	-	-	-	-	-	-	1	1	1
FLORIDA -----	5,647	-	-	-	-	-	-	1	3	8	15	31
WHITE-----MALE----	2,062	-	-	-	-	-	-	-	2	2	4	14
FEMALE--	2,967	-	-	-	-	-	1	-	-	4	6	7
ALL OTHER--MALE----	257	-	-	-	-	-	-	-	-	2	4	6
FEMALE--	361	-	-	-	-	-	-	-	1	-	1	4
BLACK---MALE----	253	-	-	-	-	-	-	-	-	2	4	5
FEMALE--	351	-	-	-	-	-	-	-	1	-	1	4
GEORGIA -----	2,416	-	-	-	-	-	-	1	3	4	18	26
WHITE-----MALE----	621	-	-	-	-	-	-	-	1	-	4	5
FEMALE--	1,139	-	-	-	-	-	1	1	1	1	3	7
ALL OTHER--MALE----	278	-	-	-	-	-	-	-	-	3	6	6
FEMALE--	378	-	-	-	-	-	-	-	1	-	5	8
BLACK---MALE----	273	-	-	-	-	-	-	-	-	3	6	6
FEMALE--	372	-	-	-	-	-	-	-	1	-	4	8

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,757

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ACUTE BUT ILL-DEFINED CEREBROVASCULAR DISEASE (436)												
COLORADO -----	8	11	26	42	87	160	218	254	182	66	11	-
WHITE-----MALE----	4	5	13	18	34	59	89	74	36	11	3	-
FEMALE--	4	3	11	19	52	89	122	177	142	54	7	-
ALL OTHER--MALE----	-	2	1	3	1	4	1	-	1	-	-	-
FEMALE--	-	1	1	2	-	8	6	3	3	1	1	-
BLACK---MALE----	-	1	-	1	1	1	1	-	1	-	-	-
FEMALE--	-	1	1	1	-	3	4	3	3	1	1	-
CONNECTICUT -----	9	17	16	42	94	160	241	240	179	83	13	-
WHITE-----MALE----	3	9	9	23	45	68	79	65	44	9	4	-
FEMALE--	5	8	5	12	41	84	154	170	134	71	9	-
ALL OTHER--MALE----	-	-	1	3	2	3	-	-	-	1	-	-
FEMALE--	1	-	1	4	6	5	8	5	1	2	-	-
BLACK---MALE----	-	-	1	3	1	2	-	-	-	1	-	-
FEMALE--	1	-	1	4	6	4	7	5	1	2	-	-
DELAWARE -----	1	6	10	7	25	39	39	37	24	7	1	-
WHITE-----MALE----	-	1	4	4	11	19	14	7	6	2	1	-
FEMALE--	-	1	2	2	8	12	19	22	15	5	-	-
ALL OTHER--MALE----	1	4	2	1	4	4	3	2	-	-	-	-
FEMALE--	-	-	2	-	2	4	3	6	3	-	-	-
BLACK---MALE----	1	4	2	1	4	4	3	2	-	-	-	-
FEMALE--	-	-	1	-	2	4	3	6	3	-	-	-
DISTRICT OF COLUMBIA ----	3	6	7	14	15	27	31	28	15	6	2	-
WHITE-----MALE----	-	-	-	2	1	4	3	5	3	-	-	-
FEMALE--	-	-	1	-	2	6	3	11	6	3	1	-
ALL OTHER--MALE----	-	4	3	5	5	8	7	2	2	1	-	-
FEMALE--	3	2	3	7	7	9	18	10	4	2	1	-
BLACK---MALE----	-	4	3	5	5	8	7	2	1	1	-	-
FEMALE--	3	2	3	7	7	9	18	10	4	2	1	-
FLORIDA -----	58	95	129	282	551	859	1,182	1,298	817	279	39	-
WHITE-----MALE----	24	36	58	129	260	380	467	414	228	41	3	-
FEMALE--	16	28	40	93	200	388	617	782	543	212	30	-
ALL OTHER--MALE----	8	19	20	30	44	36	37	28	13	8	2	-
FEMALE--	10	12	11	30	47	55	61	74	33	18	4	-
BLACK---MALE----	8	18	20	30	44	36	36	27	13	8	2	-
FEMALE--	10	12	10	28	47	53	58	72	33	18	4	-
GEORGIA -----	32	62	90	133	256	377	496	493	329	81	15	-
WHITE-----MALE----	14	20	26	47	80	109	131	108	65	10	1	-
FEMALE--	7	10	22	31	93	155	262	272	214	49	11	-
ALL OTHER--MALE----	9	20	26	27	39	47	42	38	9	6	-	-
FEMALE--	2	12	16	28	44	66	61	75	41	16	3	-
BLACK---MALE----	9	20	26	25	39	44	42	38	9	6	-	-
FEMALE--	2	12	16	28	42	65	61	74	40	16	3	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,758

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ACUTE BUT ILL-DEFINED CEREBROVASCULAR DISEASE (436)												
HAWAII -----	5	6	10	27	28	58	80	75	40	20	2	-
WHITE-----MALE----	-	-	-	3	3	7	8	6	6	-	-	-
FEMALE--	1	1	-	1	1	6	9	15	9	6	-	-
ALL OTHER--MALE----	3	4	5	12	16	27	30	29	12	4	-	-
FEMALE--	1	1	5	11	8	18	33	25	13	10	2	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	3	7	9	11	44	54	77	106	66	27	4	-
WHITE-----MALE----	3	2	3	7	17	17	36	40	14	7	1	-
FEMALE--	-	3	6	4	24	35	41	65	52	20	3	-
ALL OTHER--MALE----	-	1	-	-	1	2	-	1	-	-	-	-
FEMALE--	-	1	-	-	2	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	44	74	110	153	346	598	849	887	612	257	48	-
WHITE-----MALE----	15	24	36	60	137	236	298	239	114	39	5	-
FEMALE--	10	20	28	56	142	278	473	587	465	204	37	-
ALL OTHER--MALE----	9	20	24	18	36	34	27	18	8	3	-	-
FEMALE--	10	10	22	19	31	50	51	43	25	11	6	-
BLACK---MALE----	8	18	21	17	31	33	26	16	8	2	-	-
FEMALE--	10	9	22	18	31	46	49	42	25	11	5	-
INDIANA -----	21	33	47	118	224	343	514	502	365	131	31	-
WHITE-----MALE----	8	21	25	51	104	140	204	143	70	18	3	-
FEMALE--	9	10	16	47	104	180	287	327	276	112	26	-
ALL OTHER--MALE----	2	2	5	7	6	10	5	8	3	-	-	-
FEMALE--	2	-	1	13	10	13	18	24	16	1	2	-
BLACK---MALE----	2	2	5	7	5	10	4	7	3	-	-	-
FEMALE--	2	-	1	13	10	13	18	24	16	1	2	-
IOWA -----	6	12	14	44	90	178	289	372	267	136	26	-
WHITE-----MALE----	3	7	5	26	51	82	111	93	55	14	4	-
FEMALE--	3	3	8	18	36	91	173	276	212	121	22	-
ALL OTHER--MALE----	-	1	1	-	1	3	3	-	-	-	-	-
FEMALE--	-	1	-	-	2	2	2	3	-	1	-	-
BLACK---MALE----	-	1	1	-	1	2	3	-	-	-	-	-
FEMALE--	-	1	-	-	2	2	2	3	-	1	-	-
KANSAS -----	4	20	13	30	76	139	230	251	220	70	11	-
WHITE-----MALE----	3	8	5	12	33	52	93	72	54	9	1	-
FEMALE--	1	10	6	15	38	79	126	174	159	60	10	-
ALL OTHER--MALE----	-	-	1	3	3	4	3	2	1	1	-	-
FEMALE--	-	2	1	-	2	4	8	3	6	-	-	-
BLACK---MALE----	-	-	1	3	3	4	3	2	1	1	-	-
FEMALE--	-	2	1	-	2	4	8	3	6	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,759

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ACUTE BUT ILL-DEFINED CEREBROVASCULAR DISEASE (436)												
KENTUCKY -----	20	23	55	66	147	222	293	354	219	73	24	-
WHITE-----MALE----	7	11	26	34	60	79	102	92	42	7	2	-
FEMALE--	9	10	21	25	75	132	174	248	165	61	21	-
ALL OTHER--MALE----	2	1	3	4	4	6	8	3	5	-	1	-
FEMALE--	2	1	5	3	8	5	9	11	7	5	-	-
BLACK---MALE----	1	1	3	4	3	6	8	3	5	-	1	-
FEMALE--	2	1	5	3	8	5	9	10	7	5	-	-
LOUISIANA -----	25	39	64	92	174	199	273	261	187	55	14	-
WHITE-----MALE----	3	11	16	29	42	60	63	66	32	3	1	-
FEMALE--	5	7	11	16	65	66	129	130	119	40	9	-
ALL OTHER--MALE----	8	11	18	23	32	26	30	21	9	1	1	-
FEMALE--	9	10	19	24	35	47	51	44	27	11	3	-
BLACK---MALE----	7	10	18	23	30	24	30	20	9	1	1	-
FEMALE--	9	10	19	24	35	47	50	43	27	11	3	-
MAINE -----	-	3	12	17	38	76	106	110	84	34	12	-
WHITE-----MALE----	-	2	6	9	24	37	43	41	16	3	-	-
FEMALE--	-	1	5	8	14	38	63	69	68	31	12	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	16	31	42	71	133	215	281	284	190	76	8	-
WHITE-----MALE----	4	11	10	19	44	66	83	76	39	8	-	-
FEMALE--	3	2	12	26	49	95	154	170	133	52	6	-
ALL OTHER--MALE----	5	7	13	15	22	20	24	14	6	3	-	-
FEMALE--	4	11	7	11	18	34	20	24	12	13	2	-
BLACK---MALE----	5	7	13	14	20	19	20	12	6	2	-	-
FEMALE--	4	11	7	11	17	32	18	24	12	13	2	-
MASSACHUSETTS -----	12	15	33	50	123	217	392	419	299	124	22	-
WHITE-----MALE----	7	11	16	26	59	106	138	109	64	10	-	-
FEMALE--	3	3	11	21	57	101	237	304	229	111	21	-
ALL OTHER--MALE----	1	1	2	2	4	5	8	3	1	-	-	-
FEMALE--	1	-	4	1	3	5	9	3	5	3	1	-
BLACK---MALE----	1	1	2	2	4	3	7	1	-	-	-	-
FEMALE--	1	-	4	1	3	5	6	3	5	3	1	-
MICHIGAN -----	23	42	86	167	240	450	655	662	435	156	26	-
WHITE-----MALE----	6	22	41	83	89	193	210	182	84	21	1	-
FEMALE--	11	10	32	57	114	209	391	436	331	129	23	-
ALL OTHER--MALE----	2	8	8	12	16	22	23	14	6	-	-	-
FEMALE--	4	2	5	15	21	26	31	30	14	6	2	-
BLACK---MALE----	2	7	8	12	15	20	23	13	5	-	-	-
FEMALE--	4	2	4	14	21	26	29	27	13	6	2	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,760

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ACUTE BUT ILL-DEFINED CEREBROVASCULAR DISEASE (436)												
MINNESOTA -----	3	12	19	52	103	221	327	420	335	145	21	-
WHITE-----MALE----	1	8	10	34	51	104	131	123	68	27	1	-
FEMALE--	2	4	6	17	46	108	190	296	266	118	20	-
ALL OTHER--MALE----	-	-	-	1	4	3	3	-	1	-	-	-
FEMALE--	-	-	3	-	2	6	3	1	-	-	-	-
BLACK---MALE----	-	-	-	1	4	1	1	-	-	-	-	-
FEMALE--	-	-	3	-	1	2	2	-	-	-	-	-
MISSISSIPPI -----	17	32	44	87	113	179	207	212	138	49	12	-
WHITE-----MALE----	2	8	13	21	42	54	49	31	18	5	3	-
FEMALE--	3	8	10	25	31	66	88	111	84	26	2	-
ALL OTHER--MALE----	10	11	11	25	21	26	26	22	13	6	1	-
FEMALE--	2	5	10	16	19	33	44	48	23	12	6	-
BLACK---MALE----	10	11	11	25	21	25	26	22	13	6	1	-
FEMALE--	2	5	10	15	19	33	43	48	23	12	6	-
MISSOURI -----	26	36	53	101	172	288	441	557	375	137	25	-
WHITE-----MALE----	12	17	19	42	75	133	157	152	81	20	5	-
FEMALE--	7	12	20	45	68	128	256	372	276	109	17	-
ALL OTHER--MALE----	3	5	8	8	15	12	12	13	6	4	2	-
FEMALE--	4	2	6	6	14	15	16	20	12	4	1	-
BLACK---MALE----	3	5	5	7	15	12	12	13	4	4	2	-
FEMALE--	3	2	6	6	13	15	16	20	12	4	1	-
MONTANA -----	1	3	2	5	32	56	75	118	55	17	4	-
WHITE-----MALE----	-	2	2	3	16	23	27	43	18	1	1	-
FEMALE--	1	-	-	2	16	29	48	74	36	15	3	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	1	-	-	-	-
FEMALE--	-	1	-	-	-	3	-	-	1	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	11	9	14	20	61	94	139	166	126	45	10	-
WHITE-----MALE----	8	5	10	8	36	48	64	33	29	9	1	-
FEMALE--	2	3	1	10	23	40	71	130	95	36	9	-
ALL OTHER--MALE----	1	-	3	1	2	3	2	-	1	-	-	-
FEMALE--	-	1	-	1	-	3	2	3	1	-	-	-
BLACK---MALE----	1	-	2	1	2	3	2	-	-	-	-	-
FEMALE--	-	-	-	1	-	2	1	3	1	-	-	-
NEVADA -----	10	9	21	33	56	82	131	84	50	15	3	-
WHITE-----MALE----	4	3	11	17	27	41	52	27	15	6	1	-
FEMALE--	2	3	8	10	18	31	73	53	31	9	2	-
ALL OTHER--MALE----	-	2	1	3	5	7	3	1	1	-	-	-
FEMALE--	4	1	1	3	6	3	3	3	3	-	-	-
BLACK---MALE----	-	1	-	1	1	7	2	-	1	-	-	-
FEMALE--	3	1	-	1	4	2	2	2	2	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 1,762

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ACUTE BUT ILL-DEFINED CEREBROVASCULAR DISEASE (436)												
OHIO -----	3,783	-	-	-	-	-	-	1	-	5	4	10
WHITE-----MALE----	1,209	-	-	-	-	-	-	-	-	1	-	7
FEMALE--	2,213	-	-	-	-	-	-	-	-	4	1	1
ALL OTHER--MALE----	154	-	-	-	-	-	-	1	-	-	3	1
FEMALE--	207	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	149	-	-	-	-	-	-	1	-	-	2	1
FEMALE--	204	-	-	-	-	-	-	-	-	-	-	1
OKLAHOMA -----	1,519	-	-	-	-	1	-	1	1	1	3	7
WHITE-----MALE----	507	-	-	-	-	1	-	-	-	1	2	2
FEMALE--	882	-	-	-	-	-	-	1	-	-	1	1
ALL OTHER--MALE----	55	-	-	-	-	-	-	-	1	-	-	3
FEMALE--	75	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	34	-	-	-	-	-	-	-	1	-	-	2
FEMALE--	41	-	-	-	-	-	-	-	-	-	-	1
OREGON -----	1,452	-	-	-	-	-	-	-	-	-	3	4
WHITE-----MALE----	537	-	-	-	-	-	-	-	-	-	2	3
FEMALE--	883	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	14	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	18	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	9	-	-	-	-	-	-	-	-	-	1	-
PENNSYLVANIA -----	4,654	-	-	-	-	-	-	2	2	4	10	10
WHITE-----MALE----	1,503	-	-	-	-	-	-	-	1	1	6	1
FEMALE--	2,805	-	-	-	-	-	-	1	-	-	4	6
ALL OTHER--MALE----	138	-	-	-	-	-	-	-	1	1	-	3
FEMALE--	208	-	-	-	-	-	-	1	-	2	-	-
BLACK---MALE----	134	-	-	-	-	-	-	-	1	1	-	3
FEMALE--	204	-	-	-	-	-	-	1	-	2	-	-
RHODE ISLAND -----	323	-	-	-	-	-	-	-	-	1	1	1
WHITE-----MALE----	101	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	215	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	1,734	-	-	-	-	-	-	1	3	3	7	20
WHITE-----MALE----	413	-	-	-	-	-	-	-	-	-	1	5
FEMALE--	750	-	-	-	-	-	-	-	-	-	1	2
ALL OTHER--MALE----	234	-	-	-	-	-	-	-	3	3	4	6
FEMALE--	337	-	-	-	-	-	-	1	-	-	1	7
BLACK---MALE----	233	-	-	-	-	-	-	-	3	3	4	5
FEMALE--	337	-	-	-	-	-	-	1	-	-	1	7

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,762

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ACUTE BUT ILL-DEFINED CEREBROVASCULAR DISEASE (436)												
OHIO -----	36	41	93	192	337	613	818	851	555	194	33	-
WHITE-----MALE----	15	18	38	82	144	228	276	239	125	32	4	-
FEMALE--	9	10	33	77	144	311	482	565	400	150	26	-
ALL OTHER--MALE----	7	5	12	17	22	39	24	12	9	2	-	-
FEMALE--	5	8	10	16	27	35	36	35	21	10	3	-
BLACK---MALE----	7	5	12	17	22	37	23	11	9	2	-	-
FEMALE--	5	8	9	15	27	35	36	34	21	10	3	-
OKLAHOMA -----	15	25	41	82	146	222	310	323	245	89	7	-
WHITE-----MALE----	3	13	21	36	75	88	92	92	64	15	2	-
FEMALE--	8	7	10	35	60	117	193	215	162	68	4	-
ALL OTHER--MALE----	3	2	8	4	7	8	8	4	6	1	-	-
FEMALE--	1	3	2	7	4	9	17	12	13	5	1	-
BLACK---MALE----	2	2	5	2	5	6	3	1	5	-	-	-
FEMALE--	1	1	2	4	2	3	7	9	8	2	1	-
OREGON -----	10	12	31	53	107	197	337	351	244	88	15	-
WHITE-----MALE----	7	4	14	30	60	69	143	116	69	15	5	-
FEMALE--	2	6	16	19	46	121	187	231	173	71	10	-
ALL OTHER--MALE----	-	1	1	2	1	2	5	1	-	1	-	-
FEMALE--	1	1	-	2	-	5	2	3	2	1	-	-
BLACK---MALE----	-	1	-	1	-	1	3	-	-	-	-	-
FEMALE--	1	-	-	2	-	1	2	1	1	-	-	-
PENNSYLVANIA -----	27	55	93	207	408	704	1,015	1,096	709	263	49	-
WHITE-----MALE----	7	24	44	89	175	297	377	298	142	36	5	-
FEMALE--	13	14	35	81	184	346	584	745	539	211	42	-
ALL OTHER--MALE----	4	9	8	22	22	31	18	11	6	2	-	-
FEMALE--	3	8	6	15	27	30	36	42	22	14	2	-
BLACK---MALE----	4	8	8	21	21	31	18	10	6	2	-	-
FEMALE--	3	8	6	15	26	30	34	42	22	13	2	-
RHODE ISLAND -----	2	2	7	10	24	51	78	70	51	23	2	-
WHITE-----MALE----	-	2	3	4	12	24	30	12	9	3	-	-
FEMALE--	1	-	2	5	11	26	47	58	42	20	2	-
ALL OTHER--MALE----	1	-	1	1	1	1	1	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	1	1	1	1	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	34	39	63	112	197	282	326	330	206	89	22	-
WHITE-----MALE----	7	11	18	35	70	82	81	65	29	7	2	-
FEMALE--	3	6	14	25	58	102	148	189	138	54	10	-
ALL OTHER--MALE----	17	11	21	29	26	49	34	19	8	3	1	-
FEMALE--	7	11	10	23	43	49	63	57	31	25	9	-
BLACK---MALE----	17	11	21	29	26	49	34	19	8	3	1	-
FEMALE--	7	11	10	23	43	49	63	57	31	25	9	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 1,763

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ACUTE BUT ILL-DEFINED CEREBROVASCULAR DISEASE (436)												
SOUTH DAKOTA -----	352	-	-	-	-	-	-	-	1	-	-	-
WHITE-----MALE----	131	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	208	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	2,495	1	-	-	-	-	1	-	1	3	4	14
WHITE-----MALE----	746	-	-	-	-	-	-	-	1	1	1	4
FEMALE--	1,348	-	-	-	-	-	-	-	-	2	1	2
ALL OTHER--MALE----	171	-	-	-	-	-	-	-	-	-	1	3
FEMALE--	230	1	-	-	-	-	1	-	-	-	1	5
BLACK---MALE----	171	-	-	-	-	-	-	-	-	-	1	3
FEMALE--	226	1	-	-	-	-	1	-	-	-	1	5
TEXAS -----	5,283	-	-	-	-	2	1	-	5	10	22	37
WHITE-----MALE----	1,641	-	-	-	-	1	1	-	1	1	9	19
FEMALE--	2,925	-	-	-	-	-	-	-	2	2	7	5
ALL OTHER--MALE----	292	-	-	-	-	1	-	-	1	4	5	6
FEMALE--	425	-	-	-	-	-	-	-	1	3	1	7
BLACK---MALE----	279	-	-	-	-	1	-	-	1	4	4	5
FEMALE--	414	-	-	-	-	-	-	-	1	3	1	7
UTAH -----	446	-	-	-	-	-	-	-	1	-	-	1
WHITE-----MALE----	166	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	269	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	156	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	57	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	99	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	2,195	-	-	-	-	-	-	-	1	5	7	13
WHITE-----MALE----	622	-	-	-	-	-	-	-	-	2	2	5
FEMALE--	1,072	-	-	-	-	-	-	-	-	3	2	1
ALL OTHER--MALE----	208	-	-	-	-	-	-	-	-	-	1	6
FEMALE--	293	-	-	-	-	-	-	-	1	-	2	1
BLACK---MALE----	196	-	-	-	-	-	-	-	-	-	1	6
FEMALE--	283	-	-	-	-	-	-	-	1	-	2	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,763

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ACUTE BUT ILL-DEFINED CEREBROVASCULAR DISEASE (436)												
SOUTH DAKOTA -----	3	4	4	8	22	51	58	92	71	31	7	-
WHITE-----MALE----	3	2	3	5	12	25	21	33	19	8	-	-
FEMALE--	-	1	-	1	8	24	35	57	52	22	7	-
ALL OTHER--MALE----	-	1	-	2	-	2	1	-	-	-	-	-
FEMALE--	-	-	1	-	2	-	1	2	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	33	56	83	135	227	432	543	493	316	134	19	-
WHITE-----MALE----	15	17	27	58	93	163	170	119	55	18	4	-
FEMALE--	6	19	27	48	84	199	305	312	229	100	14	-
ALL OTHER--MALE----	9	17	11	14	24	31	25	25	9	2	-	-
FEMALE--	3	3	18	15	26	39	43	37	23	14	1	-
BLACK---MALE----	9	17	11	14	24	31	25	25	9	2	-	-
FEMALE--	3	3	18	14	26	37	43	36	23	14	1	-
TEXAS -----	62	100	158	261	509	746	1,002	1,154	837	308	68	1
WHITE-----MALE----	34	38	78	105	203	271	345	318	166	44	6	1
FEMALE--	11	30	47	93	203	384	550	714	598	228	51	-
ALL OTHER--MALE----	7	17	20	30	46	39	43	44	21	5	3	-
FEMALE--	10	15	13	33	57	52	64	78	52	31	8	-
BLACK---MALE----	7	15	20	30	43	37	42	42	20	5	3	-
FEMALE--	10	15	13	31	57	51	61	76	50	30	8	-
UTAH -----	-	4	8	18	38	71	94	102	82	24	3	-
WHITE-----MALE----	-	3	6	7	25	30	43	29	19	3	-	-
FEMALE--	-	1	2	10	13	38	50	68	62	21	3	-
ALL OTHER--MALE----	-	-	-	-	-	2	-	3	-	-	-	-
FEMALE--	-	-	-	1	-	1	1	2	1	-	-	-
BLACK---MALE----	-	-	-	-	-	2	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
VERMONT -----	1	1	3	5	8	23	40	33	28	10	4	-
WHITE-----MALE----	1	1	3	4	7	12	15	7	5	1	1	-
FEMALE--	-	-	-	1	1	11	25	26	23	9	3	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	19	32	72	127	223	362	400	460	349	108	17	-
WHITE-----MALE----	7	8	29	34	64	134	128	127	62	19	1	-
FEMALE--	4	12	16	30	92	135	187	266	240	71	13	-
ALL OTHER--MALE----	4	8	18	32	38	32	31	21	13	4	-	-
FEMALE--	4	4	9	31	29	61	54	46	34	14	3	-
BLACK---MALE----	4	8	18	30	35	29	31	18	12	4	-	-
FEMALE--	3	4	9	31	27	60	50	44	34	14	3	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 1,765

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 OTHER AND LATE EFFECTS OF CEREBROVASCULAR DISEASES (435,437-438)												
UNITED STATES --	22,395	228	35	15	11	10	7	14	19	59	80	125
WHITE-----MALE----	7,306	93	10	3	3	4	3	4	7	17	25	44
FEMALE--	12,228	67	11	6	3	4	1	4	6	20	26	41
ALL OTHER--MALE----	1,239	37	8	4	3	-	2	2	4	10	16	20
FEMALE--	1,622	31	6	2	2	2	1	4	2	12	13	20
BLACK---MALE----	1,050	34	7	4	3	-	2	2	3	9	13	20
FEMALE--	1,423	30	6	2	2	-	1	4	2	10	12	18
ALABAMA -----	333	4	-	1	-	-	-	1	1	2	4	8
WHITE-----MALE----	90	-	-	-	-	-	-	1	1	-	1	3
FEMALE--	152	2	-	1	-	-	-	-	-	-	-	2
ALL OTHER--MALE----	42	1	-	-	-	-	-	-	-	2	2	3
FEMALE--	49	1	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	42	1	-	-	-	-	-	-	-	2	2	3
FEMALE--	49	1	-	-	-	-	-	-	-	-	1	-
ALASKA -----	16	-	-	-	-	-	-	-	-	-	-	1
WHITE-----MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	303	4	-	-	2	1	-	-	-	-	1	3
WHITE-----MALE----	119	3	-	-	1	1	-	-	-	-	-	-
FEMALE--	174	1	-	-	1	-	-	-	-	-	1	3
ALL OTHER--MALE----	7	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	329	2	-	-	-	-	-	-	-	3	-	1
WHITE-----MALE----	96	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	174	1	-	-	-	-	-	-	-	2	-	1
ALL OTHER--MALE----	22	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	37	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	21	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	35	1	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	2,712	26	7	3	1	2	-	1	5	3	19	25
WHITE-----MALE----	887	7	4	1	-	1	-	1	1	-	5	9
FEMALE--	1,421	14	1	2	1	-	-	-	2	1	6	10
ALL OTHER--MALE----	196	4	1	-	-	-	-	-	1	1	6	3
FEMALE--	208	1	1	-	-	1	-	-	1	1	2	3
BLACK---MALE----	101	3	-	-	-	-	-	-	1	1	5	3
FEMALE--	113	1	1	-	-	-	-	-	1	-	1	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,765

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OTHER AND LATE EFFECTS OF CEREBROVASCULAR DISEASES (435,437-438)												
UNITED STATES --	189	269	480	881	1,783	3,195	4,498	4,996	3,710	1,455	335	1
WHITE-----MALE----	66	118	182	384	719	1,326	1,612	1,499	893	260	34	-
FEMALE--	51	72	154	293	732	1,412	2,394	3,053	2,550	1,070	258	-
ALL OTHER--MALE----	38	40	86	117	169	221	194	163	73	27	5	-
FEMALE--	34	39	58	87	163	236	298	281	194	98	38	1
BLACK---MALE----	37	36	73	104	145	183	160	130	58	23	4	-
FEMALE--	33	36	53	76	140	210	256	244	166	86	35	1
ALABAMA -----	6	7	14	12	34	56	66	62	39	14	2	-
WHITE-----MALE----	1	1	2	4	11	17	21	17	7	3	-	-
FEMALE--	3	2	3	5	17	21	28	34	26	6	2	-
ALL OTHER--MALE----	1	2	7	3	4	8	8	1	-	-	-	-
FEMALE--	1	2	2	-	2	10	9	10	6	5	-	-
BLACK---MALE----	1	2	7	3	4	8	8	1	-	-	-	-
FEMALE--	1	2	2	-	2	10	9	10	6	5	-	-
ALASKA -----	-	-	-	1	1	4	2	2	3	2	-	-
WHITE-----MALE----	-	-	-	1	-	1	-	1	1	-	-	-
FEMALE--	-	-	-	-	-	3	2	-	1	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	1	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
ARIZONA -----	2	9	5	14	26	58	44	70	40	21	3	-
WHITE-----MALE----	-	7	3	5	9	26	21	20	14	9	-	-
FEMALE--	2	2	2	7	15	30	21	49	25	12	3	-
ALL OTHER--MALE----	-	-	-	1	1	2	2	-	1	-	-	-
FEMALE--	-	-	-	1	1	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	1	1	1	1	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
ARKANSAS -----	-	7	11	19	23	52	69	62	55	20	5	-
WHITE-----MALE----	-	3	7	7	9	20	19	14	13	2	1	-
FEMALE--	-	3	1	7	8	21	38	39	34	15	4	-
ALL OTHER--MALE----	-	-	1	3	1	5	5	4	2	1	-	-
FEMALE--	-	1	2	2	5	6	7	5	6	2	-	-
BLACK---MALE----	-	-	1	3	1	4	5	4	2	1	-	-
FEMALE--	-	-	2	2	4	6	7	5	6	2	-	-
CALIFORNIA -----	22	36	56	120	211	394	514	628	424	173	42	-
WHITE-----MALE----	9	16	21	49	89	159	190	188	104	32	1	-
FEMALE--	5	11	20	39	74	170	251	371	285	123	35	-
ALL OTHER--MALE----	4	4	10	21	27	33	32	36	10	3	-	-
FEMALE--	4	5	5	11	21	32	41	33	25	15	6	-
BLACK---MALE----	4	3	5	15	15	12	13	16	4	1	-	-
FEMALE--	4	4	2	5	14	16	21	18	13	6	5	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,766

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OTHER AND LATE EFFECTS OF CEREBROVASCULAR DISEASES (435,437-438)												
COLORADO -----	1	-	4	9	16	26	41	40	32	14	3	-
WHITE-----MALE----	1	-	2	5	7	16	14	14	11	3	-	-
FEMALE--	-	-	2	4	7	8	27	26	19	11	3	-
ALL OTHER--MALE----	-	-	-	-	2	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	2	-	-	-
BLACK---MALE----	-	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	1	-	-	-
CONNECTICUT -----	-	6	3	6	25	37	62	52	57	19	6	-
WHITE-----MALE----	-	4	1	2	10	19	29	13	16	5	1	-
FEMALE--	-	1	2	4	8	16	29	39	40	14	4	-
ALL OTHER--MALE----	-	-	-	-	3	1	2	-	-	-	-	-
FEMALE--	-	1	-	-	4	1	2	-	1	-	1	-
BLACK---MALE----	-	-	-	-	3	1	2	-	-	-	-	-
FEMALE--	-	1	-	-	3	1	1	-	1	-	1	-
DELAWARE -----	-	-	-	1	4	5	6	8	6	3	3	-
WHITE-----MALE----	-	-	-	1	-	3	2	1	1	-	-	-
FEMALE--	-	-	-	-	3	2	3	7	4	2	3	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	1	1	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	1	1	-	-
DISTRICT OF COLUMBIA ----	1	2	1	3	3	9	6	9	9	2	-	-
WHITE-----MALE----	-	-	-	1	-	-	-	1	1	-	-	-
FEMALE--	-	-	-	-	-	1	2	3	5	2	-	-
ALL OTHER--MALE----	1	1	1	1	1	4	1	-	2	-	-	-
FEMALE--	-	1	-	1	2	4	3	5	1	-	-	-
BLACK---MALE----	1	1	1	1	1	4	1	-	2	-	-	-
FEMALE--	-	1	-	1	2	4	3	5	1	-	-	-
FLORIDA -----	10	6	25	63	87	168	318	314	229	85	14	1
WHITE-----MALE----	3	1	10	29	29	72	107	118	70	20	2	-
FEMALE--	3	2	9	19	45	76	175	172	148	56	11	-
ALL OTHER--MALE----	3	1	5	8	6	9	16	9	3	3	-	-
FEMALE--	1	2	1	7	7	11	20	15	8	6	1	1
BLACK---MALE----	3	1	5	8	6	9	16	9	3	3	-	-
FEMALE--	1	2	1	7	6	11	19	15	8	6	1	1
GEORGIA -----	12	13	20	34	36	68	97	134	62	26	5	-
WHITE-----MALE----	3	4	4	11	19	25	27	27	11	4	-	-
FEMALE--	3	3	6	12	10	26	41	82	44	15	4	-
ALL OTHER--MALE----	4	4	5	9	3	6	8	6	3	1	-	-
FEMALE--	2	2	5	2	4	11	21	19	4	6	1	-
BLACK---MALE----	4	4	5	9	3	6	7	6	3	1	-	-
FEMALE--	2	2	5	2	3	10	21	19	4	6	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,767

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OTHER AND LATE EFFECTS OF CEREBROVASCULAR DISEASES (435,437-438)												
HAWAII -----	1	-	2	3	3	15	14	14	10	3	1	-
WHITE-----MALE----	-	-	1	-	-	-	4	2	1	-	-	-
FEMALE--	-	-	-	-	1	1	1	2	-	-	-	-
ALL OTHER--MALE----	1	-	1	-	1	9	5	6	4	2	-	-
FEMALE--	-	-	-	3	1	5	4	4	5	1	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	-	1	2	6	6	14	29	37	22	3	2	-
WHITE-----MALE----	-	1	1	5	2	7	13	18	4	1	-	-
FEMALE--	-	-	1	1	3	7	15	18	18	2	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	6	10	17	36	71	130	215	238	179	71	11	-
WHITE-----MALE----	2	2	5	17	28	60	77	64	35	12	1	-
FEMALE--	1	2	6	11	29	55	124	153	138	54	8	-
ALL OTHER--MALE----	2	4	2	3	7	8	5	7	-	2	1	-
FEMALE--	1	2	4	5	7	7	9	14	6	3	1	-
BLACK---MALE----	2	4	2	3	6	8	3	7	-	2	-	-
FEMALE--	1	2	4	5	7	7	7	14	5	3	1	-
INDIANA -----	10	7	12	17	49	84	111	140	82	43	9	-
WHITE-----MALE----	4	4	6	8	22	29	35	41	18	8	2	-
FEMALE--	5	2	5	7	23	49	67	93	61	34	6	-
ALL OTHER--MALE----	-	-	1	1	1	2	2	2	1	-	-	-
FEMALE--	1	1	-	1	3	4	7	4	2	1	1	-
BLACK---MALE----	-	-	1	1	1	2	2	2	1	-	-	-
FEMALE--	1	1	-	1	3	4	7	4	2	1	1	-
IOWA -----	1	4	2	13	19	35	54	56	48	22	9	-
WHITE-----MALE----	-	4	1	7	9	19	25	18	12	4	2	-
FEMALE--	1	-	1	5	9	16	29	38	36	18	7	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
KANSAS -----	1	1	5	5	23	30	54	76	43	25	9	-
WHITE-----MALE----	-	-	2	1	12	13	18	25	14	5	1	-
FEMALE--	-	-	2	3	7	16	34	48	27	17	6	-
ALL OTHER--MALE----	-	1	1	-	3	-	2	2	1	1	-	-
FEMALE--	1	-	-	1	1	1	-	1	1	2	2	-
BLACK---MALE----	-	1	1	-	2	-	2	2	1	1	-	-
FEMALE--	1	-	-	1	1	1	-	1	1	2	2	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 1,768

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 OTHER AND LATE EFFECTS OF CEREBROVASCULAR DISEASES (435,437-438)												
KENTUCKY -----	299	2	-	1	-	-	-	-	1	2	-	1
WHITE-----MALE----	107	2	-	1	-	-	-	-	1	2	-	1
FEMALE--	170	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	8	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	14	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	8	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	13	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	386	5	-	-	-	-	-	1	-	-	5	1
WHITE-----MALE----	92	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	184	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	54	4	-	-	-	-	-	-	-	-	1	1
FEMALE--	56	1	-	-	-	-	-	1	-	-	2	-
BLACK---MALE----	54	4	-	-	-	-	-	-	-	-	1	1
FEMALE--	56	1	-	-	-	-	-	1	-	-	2	-
MAINE -----	92	1	-	-	-	-	-	-	-	-	-	1
WHITE-----MALE----	42	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	50	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	460	6	-	-	-	-	-	-	-	-	-	2
WHITE-----MALE----	137	2	-	-	-	-	-	-	-	-	-	2
FEMALE--	218	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	34	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	71	2	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	32	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	67	2	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS -----	668	2	1	-	-	-	-	-	-	1	-	2
WHITE-----MALE----	234	2	-	-	-	-	-	-	-	-	-	1
FEMALE--	415	-	1	-	-	-	-	-	-	1	-	1
ALL OTHER--MALE----	12	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	9	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	992	11	1	-	1	1	-	-	1	2	5	6
WHITE-----MALE----	309	7	1	-	-	1	-	-	-	-	2	2
FEMALE--	539	2	-	-	-	-	-	-	-	1	2	1
ALL OTHER--MALE----	69	1	-	-	1	-	-	-	-	-	1	2
FEMALE--	75	1	-	-	-	-	-	-	1	1	-	1
BLACK---MALE----	64	1	-	-	1	-	-	-	-	-	-	2
FEMALE--	71	-	-	-	-	-	-	-	1	-	-	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,768

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OTHER AND LATE EFFECTS OF CEREBROVASCULAR DISEASES (435,437-438)												
KENTUCKY -----	3	3	5	12	22	53	48	72	47	23	4	-
WHITE-----MALE----	1	-	3	6	12	24	16	17	13	6	2	-
FEMALE--	1	3	-	6	8	24	30	49	32	15	2	-
ALL OTHER--MALE----	1	-	2	-	-	2	1	1	1	-	-	-
FEMALE--	-	-	-	-	2	3	1	5	1	2	-	-
BLACK---MALE----	1	-	2	-	-	2	1	1	1	-	-	-
FEMALE--	-	-	-	-	2	3	1	5	1	1	-	-
LOUISIANA -----	3	7	13	25	32	52	73	84	59	23	3	-
WHITE-----MALE----	1	2	5	10	14	13	19	19	6	2	-	-
FEMALE--	-	-	3	6	6	27	35	44	45	16	1	-
ALL OTHER--MALE----	1	2	2	5	6	8	6	13	3	2	-	-
FEMALE--	1	3	3	4	6	4	13	8	5	3	2	-
BLACK---MALE----	1	2	2	5	6	8	6	13	3	2	-	-
FEMALE--	1	3	3	4	6	4	13	8	5	3	2	-
MAINE -----	1	-	1	1	10	19	15	20	15	7	1	-
WHITE-----MALE----	-	-	-	-	5	11	7	11	6	1	-	-
FEMALE--	1	-	1	1	5	8	8	9	9	6	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	8	9	8	20	53	59	102	93	72	25	3	-
WHITE-----MALE----	2	3	2	7	24	21	29	27	13	5	-	-
FEMALE--	2	3	1	6	12	24	58	49	46	16	1	-
ALL OTHER--MALE----	-	1	3	4	7	5	3	5	4	-	-	-
FEMALE--	4	2	2	3	10	9	12	12	9	4	2	-
BLACK---MALE----	-	1	3	4	7	5	3	4	3	-	-	-
FEMALE--	4	2	2	2	10	8	11	11	9	4	2	-
MASSACHUSETTS -----	1	7	8	19	36	86	149	157	126	64	9	-
WHITE-----MALE----	-	2	4	8	20	36	62	52	36	10	1	-
FEMALE--	1	4	4	8	16	43	87	101	87	53	8	-
ALL OTHER--MALE----	-	1	-	2	-	5	-	3	1	-	-	-
FEMALE--	-	-	-	1	-	2	-	1	2	1	-	-
BLACK---MALE----	-	1	-	2	-	4	-	2	-	-	-	-
FEMALE--	-	-	-	1	-	2	-	1	-	1	-	-
MICHIGAN -----	9	10	23	38	95	153	207	210	156	55	8	-
WHITE-----MALE----	4	5	8	18	33	61	67	65	29	6	-	-
FEMALE--	1	3	9	8	37	67	113	128	115	44	8	-
ALL OTHER--MALE----	2	1	2	6	17	10	16	6	1	3	-	-
FEMALE--	2	1	4	6	8	15	11	11	11	2	-	-
BLACK---MALE----	2	1	-	6	17	10	14	6	1	3	-	-
FEMALE--	2	1	4	6	7	15	11	11	10	2	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,769

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OTHER AND LATE EFFECTS OF CEREBROVASCULAR DISEASES (435,437-438)												
MINNESOTA -----	3	1	4	12	29	57	109	114	105	30	12	-
WHITE-----MALE----	2	1	4	6	14	25	50	38	33	7	4	-
FEMALE--	1	-	-	4	15	30	56	75	71	22	8	-
ALL OTHER--MALE----	-	-	-	2	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	2	3	1	1	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	2	1	1	1	1	-	-
MISSISSIPPI -----	2	3	5	13	11	28	23	32	26	9	4	-
WHITE-----MALE----	-	1	1	4	2	9	9	2	7	1	-	-
FEMALE--	-	1	4	4	4	10	9	14	13	5	1	-
ALL OTHER--MALE----	2	-	-	3	2	2	1	6	4	2	1	-
FEMALE--	-	1	-	2	3	7	4	10	2	1	2	-
BLACK---MALE----	2	-	-	3	2	2	1	6	4	2	1	-
FEMALE--	-	1	-	2	3	7	4	10	2	1	2	-
MISSOURI -----	6	12	8	25	40	71	105	133	97	37	9	-
WHITE-----MALE----	5	5	3	11	18	26	37	40	22	9	2	-
FEMALE--	-	3	4	9	16	40	61	89	71	28	7	-
ALL OTHER--MALE----	-	1	1	2	3	3	6	1	1	-	-	-
FEMALE--	1	3	-	3	3	2	1	3	3	-	-	-
BLACK---MALE----	-	1	1	2	3	3	6	1	1	-	-	-
FEMALE--	1	3	-	3	3	2	1	1	2	-	-	-
MONTANA -----	-	-	2	1	5	13	15	18	13	3	1	-
WHITE-----MALE----	-	-	1	1	1	7	5	7	5	1	-	-
FEMALE--	-	-	1	-	4	6	10	10	8	2	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	-	1	1	2	11	27	33	30	32	13	1	-
WHITE-----MALE----	-	1	1	2	4	17	18	9	9	2	-	-
FEMALE--	-	-	-	-	6	9	13	21	21	11	1	-
ALL OTHER--MALE----	-	-	-	-	1	-	1	-	1	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	1	-	-	-
BLACK---MALE----	-	-	-	-	1	-	1	-	1	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	1	-	-	-
NEVADA -----	1	1	-	3	18	16	18	18	14	3	-	-
WHITE-----MALE----	-	-	-	1	6	9	10	5	1	1	-	-
FEMALE--	1	1	-	-	9	6	8	13	11	2	-	-
ALL OTHER--MALE----	-	-	-	1	2	-	-	-	1	-	-	-
FEMALE--	-	-	-	1	1	1	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	2	-	-	-	1	-	-	-
FEMALE--	-	-	-	1	1	1	-	-	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,771

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OTHER AND LATE EFFECTS OF CEREBROVASCULAR DISEASES (435,437-438)												
OHIO -----	6	11	27	40	77	142	177	197	173	63	20	-
WHITE-----MALE----	3	3	14	16	34	72	67	69	35	11	1	-
FEMALE--	1	7	8	14	34	53	98	110	126	48	18	-
ALL OTHER--MALE----	1	-	2	6	5	9	4	3	1	-	1	-
FEMALE--	1	1	3	4	4	8	8	15	11	4	-	-
BLACK---MALE----	1	-	2	6	5	9	4	3	1	-	1	-
FEMALE--	1	1	3	4	4	8	8	15	11	4	-	-
OKLAHOMA -----	5	2	8	15	14	34	38	42	31	12	4	-
WHITE-----MALE----	3	-	4	5	4	14	15	14	7	4	1	-
FEMALE--	1	-	4	9	9	12	22	23	22	7	2	-
ALL OTHER--MALE----	1	2	-	1	-	2	-	1	1	-	-	-
FEMALE--	-	-	-	-	1	6	1	4	1	1	1	-
BLACK---MALE----	1	1	-	1	-	1	-	1	1	-	-	-
FEMALE--	-	-	-	-	1	5	1	2	1	1	1	-
OREGON -----	3	4	9	13	29	61	81	100	80	20	2	-
WHITE-----MALE----	1	1	5	9	10	30	29	42	17	6	-	-
FEMALE--	1	1	3	4	17	29	49	57	63	14	2	-
ALL OTHER--MALE----	-	1	1	-	-	1	-	-	-	-	-	-
FEMALE--	1	1	-	-	2	1	3	1	-	-	-	-
BLACK---MALE----	-	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	1	1	-	-	-	-	-
PENNSYLVANIA -----	11	5	18	32	93	158	194	196	190	54	10	-
WHITE-----MALE----	4	4	7	20	29	64	75	49	49	10	-	-
FEMALE--	4	-	7	7	43	71	105	133	131	42	9	-
ALL OTHER--MALE----	3	-	3	4	9	7	8	4	3	-	-	-
FEMALE--	-	1	1	1	12	16	6	10	7	2	1	-
BLACK---MALE----	3	-	3	4	9	6	8	4	3	-	-	-
FEMALE--	-	1	1	1	11	15	5	8	7	2	1	-
RHODE ISLAND -----	-	1	3	4	2	12	21	24	21	9	2	-
WHITE-----MALE----	-	-	1	2	1	8	8	7	6	2	-	-
FEMALE--	-	-	2	-	1	4	13	17	15	7	2	-
ALL OTHER--MALE----	-	1	-	2	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	5	5	12	12	27	54	76	61	43	18	6	-
WHITE-----MALE----	1	2	2	4	6	21	13	13	9	4	1	-
FEMALE--	1	1	2	3	10	14	41	38	22	11	3	-
ALL OTHER--MALE----	3	2	3	3	2	12	7	1	5	1	-	-
FEMALE--	-	-	5	2	9	7	15	9	7	2	2	-
BLACK---MALE----	3	2	3	2	2	12	7	1	5	1	-	-
FEMALE--	-	-	5	2	9	7	15	8	7	2	2	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,772

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OTHER AND LATE EFFECTS OF CEREBROVASCULAR DISEASES (435,437-438)												
SOUTH DAKOTA -----	-	1	1	1	2	8	10	15	9	5	3	-
WHITE-----MALE----	-	-	-	-	-	4	5	6	3	-	-	-
FEMALE--	-	1	-	-	2	4	5	9	6	5	3	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	8	1	11	11	36	59	78	80	53	27	7	-
WHITE-----MALE----	2	1	3	7	18	23	25	34	12	2	1	-
FEMALE--	2	-	5	1	9	29	42	43	35	19	3	-
ALL OTHER--MALE----	1	-	3	3	4	4	4	-	-	2	1	-
FEMALE--	3	-	-	-	5	3	7	3	6	4	2	-
BLACK---MALE----	1	-	3	3	4	4	4	-	-	2	1	-
FEMALE--	3	-	-	-	4	3	7	3	6	4	2	-
TEXAS -----	10	28	34	62	143	216	323	370	266	112	28	-
WHITE-----MALE----	5	14	15	23	48	82	121	92	66	23	2	-
FEMALE--	2	5	10	23	69	97	173	247	175	79	21	-
ALL OTHER--MALE----	1	4	3	5	16	18	10	10	5	1	-	-
FEMALE--	2	5	6	11	10	19	19	21	20	9	5	-
BLACK---MALE----	1	4	3	4	13	18	10	9	5	1	-	-
FEMALE--	2	5	6	11	9	19	17	21	20	9	4	-
UTAH -----	-	5	2	7	12	24	46	30	18	8	1	-
WHITE-----MALE----	-	1	-	3	5	11	21	11	5	1	-	-
FEMALE--	-	4	1	4	7	13	23	19	13	7	1	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	2	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
VERMONT -----	-	1	-	1	5	12	7	13	4	2	-	-
WHITE-----MALE----	-	-	-	1	2	6	3	5	3	-	-	-
FEMALE--	-	1	-	-	3	6	4	8	1	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	6	6	13	28	53	71	117	140	99	39	9	-
WHITE-----MALE----	4	3	5	10	18	22	30	29	17	6	2	-
FEMALE--	1	2	5	10	17	36	62	90	70	25	6	-
ALL OTHER--MALE----	1	-	1	4	8	9	8	7	3	2	-	-
FEMALE--	-	1	2	4	10	4	17	14	9	6	1	-
BLACK---MALE----	1	-	1	3	8	9	8	6	3	2	-	-
FEMALE--	-	1	2	4	10	4	17	14	9	6	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 1,774

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES (440-448)												
UNITED STATES --	42,950	15	6	5	12	18	48	88	141	248	347	534
WHITE-----MALE----	18,697	6	3	3	5	7	12	37	63	117	168	264
FEMALE--	19,917	5	1	-	6	8	16	29	35	64	81	116
ALL OTHER--MALE----	2,013	2	-	-	1	2	8	10	26	42	55	94
FEMALE--	2,323	2	2	2	-	1	12	12	17	25	43	60
BLACK---MALE----	1,688	2	-	-	1	1	7	10	21	38	49	89
FEMALE--	2,060	2	1	2	-	1	11	12	14	24	40	55
ALABAMA -----	672	1	-	-	-	-	-	1	2	3	4	13
WHITE-----MALE----	265	1	-	-	-	-	-	-	-	2	1	4
FEMALE--	241	-	-	-	-	-	-	-	1	1	2	2
ALL OTHER--MALE----	80	-	-	-	-	-	-	-	-	-	-	5
FEMALE--	86	-	-	-	-	-	-	1	1	-	1	2
BLACK---MALE----	80	-	-	-	-	-	-	-	-	-	-	5
FEMALE--	84	-	-	-	-	-	-	1	1	-	1	2
ALASKA -----	36	-	-	-	-	-	-	-	1	3	-	-
WHITE-----MALE----	13	-	-	-	-	-	-	-	-	2	-	-
FEMALE--	20	-	-	-	-	-	-	-	1	1	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	776	2	-	-	-	-	2	1	-	7	5	8
WHITE-----MALE----	389	1	-	-	-	-	-	1	-	3	2	4
FEMALE--	352	-	-	-	-	-	1	-	-	4	3	4
ALL OTHER--MALE----	22	1	-	-	-	-	1	-	-	-	-	-
FEMALE--	13	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	17	1	-	-	-	-	1	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	434	-	-	1	-	-	1	1	-	2	1	5
WHITE-----MALE----	182	-	-	-	-	-	-	-	-	2	-	3
FEMALE--	193	-	-	-	-	-	-	1	-	-	1	-
ALL OTHER--MALE----	25	-	-	-	-	-	1	-	-	-	-	2
FEMALE--	34	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	25	-	-	-	-	-	1	-	-	-	-	2
FEMALE--	34	-	-	1	-	-	-	-	-	-	-	-
CALIFORNIA -----	4,507	-	2	1	1	1	7	6	20	25	42	57
WHITE-----MALE----	1,897	-	1	1	1	1	3	2	5	11	23	31
FEMALE--	2,113	-	-	-	-	-	2	2	8	11	8	12
ALL OTHER--MALE----	252	-	-	-	-	-	1	2	5	2	7	9
FEMALE--	245	-	1	-	-	-	1	-	2	1	4	5
BLACK---MALE----	111	-	-	-	-	-	-	2	2	1	4	6
FEMALE--	137	-	-	-	-	-	1	-	1	1	3	4

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,774

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES (440-448)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
UNITED STATES --	697	1,095	1,862	3,219	5,089	6,850	7,442	7,123	5,141	2,325	645	-
WHITE-----MALE----	366	586	1,087	1,832	2,800	3,525	3,302	2,589	1,375	463	87	-
FEMALE--	174	292	488	1,014	1,776	2,710	3,538	3,982	3,396	1,690	496	-
ALL OTHER--MALE----	97	133	156	205	255	297	268	193	110	45	14	-
FEMALE--	60	84	131	168	258	318	334	359	260	127	48	-
BLACK---MALE----	82	118	136	176	213	243	211	153	89	38	11	-
FEMALE--	52	76	112	150	217	279	293	331	229	113	46	-
ALABAMA -----	18	18	45	61	83	118	96	110	63	29	7	-
WHITE-----MALE----	8	10	24	32	45	52	44	28	10	4	-	-
FEMALE--	4	3	8	19	20	42	26	55	40	15	3	-
ALL OTHER--MALE----	3	4	7	2	8	13	13	13	7	5	-	-
FEMALE--	3	1	6	8	10	11	13	14	6	5	4	-
BLACK---MALE----	3	4	7	2	8	13	13	13	7	5	-	-
FEMALE--	3	1	6	8	9	10	13	14	6	5	4	-
ALASKA -----	2	1	1	5	9	4	3	5	2	-	-	-
WHITE-----MALE----	-	1	1	4	3	1	-	-	1	-	-	-
FEMALE--	1	-	-	-	5	3	3	5	1	-	-	-
ALL OTHER--MALE----	1	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
ARIZONA -----	12	19	36	72	84	122	152	124	88	32	10	-
WHITE-----MALE----	6	14	22	47	47	74	76	57	27	7	1	-
FEMALE--	4	2	13	18	34	47	73	62	54	24	9	-
ALL OTHER--MALE----	2	2	-	6	2	1	2	2	3	-	-	-
FEMALE--	-	1	1	1	1	-	1	3	4	1	-	-
BLACK---MALE----	1	2	-	5	2	1	1	1	2	-	-	-
FEMALE--	-	-	-	-	-	-	-	3	2	1	-	-
ARKANSAS -----	6	10	19	33	54	60	80	66	68	21	6	-
WHITE-----MALE----	4	5	9	19	29	31	32	25	19	3	1	-
FEMALE--	-	2	6	11	18	21	40	34	42	14	3	-
ALL OTHER--MALE----	1	3	3	1	4	3	4	2	-	1	-	-
FEMALE--	1	-	1	2	3	5	4	5	7	3	2	-
BLACK---MALE----	1	3	3	1	4	3	4	2	-	1	-	-
FEMALE--	1	-	1	2	3	5	4	5	7	3	2	-
CALIFORNIA -----	81	119	181	295	519	702	771	764	572	256	85	-
WHITE-----MALE----	43	62	97	175	260	346	318	291	172	45	9	-
FEMALE--	23	41	50	86	192	287	370	401	359	195	66	-
ALL OTHER--MALE----	12	10	20	20	31	34	47	31	14	4	3	-
FEMALE--	3	6	14	14	36	35	36	41	27	12	7	-
BLACK---MALE----	10	5	12	7	14	13	15	11	5	3	1	-
FEMALE--	2	3	8	6	16	15	21	26	16	8	6	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 1,775

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
 DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES (440-448)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
COLORADO -----	730	-	-	-	1	-	-	1	1	3	3	9
WHITE-----MALE----	292	-	-	-	1	-	-	-	1	2	1	5
FEMALE--	406	-	-	-	-	-	-	-	-	1	2	3
ALL OTHER--MALE----	13	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	19	-	-	-	-	-	-	1	-	-	-	1
BLACK---MALE----	9	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	11	-	-	-	-	-	-	1	-	-	-	1
CONNECTICUT -----	566	-	-	-	-	-	-	1	2	4	-	10
WHITE-----MALE----	237	-	-	-	-	-	-	-	1	2	-	3
FEMALE--	294	-	-	-	-	-	-	1	-	2	-	6
ALL OTHER--MALE----	21	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	14	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	20	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	13	-	-	-	-	-	-	-	-	-	-	1
DELAWARE -----	99	-	-	-	-	-	-	-	1	-	-	1
WHITE-----MALE----	48	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	36	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	11	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	10	-	-	-	-	-	-	-	1	-	-	-
DISTRICT OF COLUMBIA ----	88	-	1	-	-	-	-	1	1	1	-	5
WHITE-----MALE----	9	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	15	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	26	-	-	-	-	-	-	-	1	1	-	4
FEMALE--	38	-	1	-	-	-	-	-	-	-	-	1
BLACK---MALE----	26	-	-	-	-	-	-	-	1	1	-	4
FEMALE--	37	-	1	-	-	-	-	-	-	-	-	1
FLORIDA -----	3,133	1	1	-	-	1	4	6	7	19	13	29
WHITE-----MALE----	1,483	-	1	-	-	-	3	4	2	11	7	21
FEMALE--	1,410	-	-	-	-	1	-	-	1	3	1	2
ALL OTHER--MALE----	117	-	-	-	-	-	1	1	2	4	4	4
FEMALE--	123	1	-	-	-	-	-	1	2	1	1	2
BLACK---MALE----	115	-	-	-	-	-	1	1	2	4	4	4
FEMALE--	122	1	-	-	-	-	-	1	2	1	1	2
GEORGIA -----	1,103	1	-	-	-	-	3	2	7	6	12	17
WHITE-----MALE----	402	1	-	-	-	-	1	1	2	3	6	7
FEMALE--	482	-	-	-	-	-	-	1	-	1	2	-
ALL OTHER--MALE----	96	-	-	-	-	-	1	-	4	1	2	5
FEMALE--	123	-	-	-	-	-	1	-	1	1	2	5
BLACK---MALE----	95	-	-	-	-	-	1	-	4	1	2	5
FEMALE--	122	-	-	-	-	-	1	-	1	1	2	5

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,775

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES (440-448)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
COLORADO -----	4	13	15	39	61	116	146	134	107	63	14	-
WHITE-----MALE----	3	7	10	24	38	58	66	40	26	10	-	-
FEMALE--	1	4	4	10	19	54	77	89	78	50	14	-
ALL OTHER--MALE----	-	1	1	4	3	1	-	1	1	1	-	-
FEMALE--	-	1	-	1	1	3	3	4	2	2	-	-
BLACK---MALE----	-	1	1	3	1	1	-	-	1	1	-	-
FEMALE--	-	-	-	-	1	2	1	2	1	2	-	-
CONNECTICUT -----	5	7	15	45	63	99	113	96	65	31	10	-
WHITE-----MALE----	2	2	5	30	39	48	40	35	18	10	2	-
FEMALE--	3	2	7	12	20	45	68	56	45	20	7	-
ALL OTHER--MALE----	-	3	1	3	3	3	4	2	-	-	1	-
FEMALE--	-	-	2	-	1	3	1	3	2	1	-	-
BLACK---MALE----	-	3	1	3	3	3	3	2	-	-	1	-
FEMALE--	-	-	2	-	1	2	1	3	2	1	-	-
DELAWARE -----	4	6	7	5	16	17	24	9	8	1	-	-
WHITE-----MALE----	3	2	4	2	10	9	13	2	3	-	-	-
FEMALE--	-	1	2	2	3	7	11	6	4	-	-	-
ALL OTHER--MALE----	-	1	-	1	-	-	-	-	-	1	-	-
FEMALE--	1	2	1	-	3	1	-	1	1	-	-	-
BLACK---MALE----	-	1	-	1	-	-	-	-	-	-	-	-
FEMALE--	1	2	1	-	2	1	-	1	1	-	-	-
DISTRICT OF COLUMBIA ----	2	3	2	9	11	5	15	16	9	6	1	-
WHITE-----MALE----	-	-	-	-	4	1	-	2	-	2	-	-
FEMALE--	-	-	-	1	1	2	4	3	2	1	-	-
ALL OTHER--MALE----	-	1	1	4	3	1	6	3	-	1	-	-
FEMALE--	2	2	1	4	3	1	5	8	7	2	1	-
BLACK---MALE----	-	1	1	4	3	1	6	3	-	1	-	-
FEMALE--	1	2	1	4	3	1	5	8	7	2	1	-
FLORIDA -----	48	78	120	219	380	509	601	550	352	152	43	-
WHITE-----MALE----	27	45	79	132	206	288	281	208	129	33	6	-
FEMALE--	9	19	25	64	136	195	285	311	210	114	34	-
ALL OTHER--MALE----	7	9	9	17	15	13	15	10	3	2	1	-
FEMALE--	5	5	7	6	23	13	20	21	10	3	2	-
BLACK---MALE----	6	9	9	17	15	13	14	10	3	2	1	-
FEMALE--	5	5	7	6	23	13	20	21	10	2	2	-
GEORGIA -----	29	34	68	84	140	186	177	169	121	38	9	-
WHITE-----MALE----	9	22	37	43	68	78	62	40	19	3	-	-
FEMALE--	10	6	17	22	50	75	84	97	82	27	8	-
ALL OTHER--MALE----	3	2	4	13	12	17	14	12	5	1	-	-
FEMALE--	7	4	10	6	10	16	17	20	15	7	1	-
BLACK---MALE----	3	2	4	13	12	16	14	12	5	1	-	-
FEMALE--	7	4	9	6	10	16	17	20	15	7	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,776

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES (440-448)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
HAWAII -----	6	2	4	7	13	23	27	13	13	6	1	-
WHITE-----MALE----	1	-	1	3	1	5	9	1	-	-	-	-
FEMALE--	1	1	1	3	2	2	4	3	2	-	-	-
ALL OTHER--MALE----	3	1	-	-	6	11	7	7	4	3	1	-
FEMALE--	1	-	2	1	4	5	7	2	7	3	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	3	2	4	14	22	25	35	37	22	13	1	-
WHITE-----MALE----	2	2	1	10	12	11	21	21	5	3	-	-
FEMALE--	-	-	3	4	9	14	14	16	16	10	1	-
ALL OTHER--MALE----	1	-	-	-	1	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	23	48	89	139	201	288	315	313	196	105	21	-
WHITE-----MALE----	11	20	50	83	116	155	143	129	45	20	6	-
FEMALE--	6	10	21	37	70	115	147	165	138	77	13	-
ALL OTHER--MALE----	5	12	7	12	9	7	12	6	3	3	1	-
FEMALE--	1	6	11	7	6	11	13	13	10	5	1	-
BLACK---MALE----	5	12	6	9	8	7	11	5	3	3	1	-
FEMALE--	1	6	10	7	5	10	13	13	10	5	1	-
INDIANA -----	13	32	51	71	132	166	182	162	133	56	18	-
WHITE-----MALE----	6	20	34	42	80	86	79	54	32	8	3	-
FEMALE--	6	10	15	27	45	73	93	99	92	45	14	-
ALL OTHER--MALE----	1	-	-	1	2	3	2	3	2	-	-	-
FEMALE--	-	2	2	1	5	4	8	6	7	3	1	-
BLACK---MALE----	1	-	-	1	2	3	2	3	2	-	-	-
FEMALE--	-	2	2	1	5	4	8	6	7	2	1	-
IOWA -----	6	10	23	43	63	92	109	157	120	55	21	-
WHITE-----MALE----	4	9	12	22	37	62	48	71	31	9	1	-
FEMALE--	2	1	10	20	26	30	60	85	89	46	19	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	1	-	-	1	1	-	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	1	-	-	1	1	-	-	1	-
KANSAS -----	2	8	16	32	54	60	82	119	111	40	20	-
WHITE-----MALE----	2	4	10	23	38	33	38	39	23	9	2	-
FEMALE--	-	3	6	8	14	24	40	76	85	30	16	-
ALL OTHER--MALE----	-	1	-	1	2	2	3	-	2	-	2	-
FEMALE--	-	-	-	-	-	1	1	4	1	1	-	-
BLACK---MALE----	-	1	-	1	2	1	3	-	2	-	2	-
FEMALE--	-	-	-	-	-	1	-	4	1	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 1,777

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES (440-448)												
KENTUCKY -----	609	-	-	-	-	-	-	3	2	3	14	4
WHITE-----MALE----	291	-	-	-	-	-	-	2	1	1	5	3
FEMALE--	278	-	-	-	-	-	-	1	1	1	9	1
ALL OTHER--MALE----	13	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	27	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	13	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	26	-	-	-	-	-	-	-	-	1	-	-
LOUISIANA -----	638	-	-	-	1	1	2	-	2	7	8	6
WHITE-----MALE----	227	-	-	-	-	-	-	-	-	-	2	2
FEMALE--	249	-	-	-	1	-	1	-	2	1	1	2
ALL OTHER--MALE----	63	-	-	-	-	1	-	-	-	3	1	1
FEMALE--	99	-	-	-	-	-	1	-	-	3	4	1
BLACK---MALE----	62	-	-	-	-	-	-	-	-	3	1	1
FEMALE--	97	-	-	-	-	-	1	-	-	3	4	1
MAINE -----	265	1	-	-	-	-	-	-	-	1	3	2
WHITE-----MALE----	134	-	-	-	-	-	-	-	-	-	3	2
FEMALE--	130	1	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	633	-	-	-	-	-	-	1	3	6	5	11
WHITE-----MALE----	236	-	-	-	-	-	-	-	2	-	2	5
FEMALE--	254	-	-	-	-	-	-	1	1	1	2	2
ALL OTHER--MALE----	69	-	-	-	-	-	-	-	-	4	-	3
FEMALE--	74	-	-	-	-	-	-	-	-	1	1	1
BLACK---MALE----	65	-	-	-	-	-	-	-	-	4	-	3
FEMALE--	70	-	-	-	-	-	-	-	-	1	1	1
MASSACHUSETTS -----	1,034	-	-	-	-	-	1	-	2	3	5	3
WHITE-----MALE----	433	-	-	-	-	-	-	-	2	2	4	2
FEMALE--	568	-	-	-	-	-	-	-	-	1	1	1
ALL OTHER--MALE----	11	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	22	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	10	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	21	-	-	-	-	-	1	-	-	-	-	-
MICHIGAN -----	1,725	-	-	-	-	1	-	4	8	13	20	25
WHITE-----MALE----	730	-	-	-	-	1	-	3	6	5	7	11
FEMALE--	832	-	-	-	-	-	-	-	1	5	5	4
ALL OTHER--MALE----	78	-	-	-	-	-	-	-	-	2	4	7
FEMALE--	85	-	-	-	-	-	-	1	1	1	4	3
BLACK---MALE----	73	-	-	-	-	-	-	-	-	2	4	7
FEMALE--	81	-	-	-	-	-	-	1	1	1	4	3

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,777

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES (440-448)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
KENTUCKY -----	9	15	28	55	78	118	99	90	62	22	7	-
WHITE-----MALE----	6	10	16	31	49	57	52	29	19	9	1	-
FEMALE--	2	4	10	23	25	51	42	53	38	11	6	-
ALL OTHER--MALE----	-	1	2	1	1	2	1	3	1	1	-	-
FEMALE--	1	-	-	-	3	8	4	5	4	1	-	-
BLACK---MALE----	-	1	2	1	1	2	1	3	1	1	-	-
FEMALE--	1	-	-	-	3	8	3	5	4	1	-	-
LOUISIANA -----	15	20	30	56	89	89	106	88	76	37	5	-
WHITE-----MALE----	8	8	15	27	40	32	43	28	17	5	-	-
FEMALE--	2	5	7	13	30	31	41	46	41	22	3	-
ALL OTHER--MALE----	3	3	5	5	11	12	6	1	8	3	-	-
FEMALE--	2	4	3	11	8	14	16	13	10	7	2	-
BLACK---MALE----	3	3	5	5	11	12	6	1	8	3	-	-
FEMALE--	2	4	3	11	8	14	15	13	9	7	2	-
MAINE -----	-	7	9	15	35	43	63	39	30	15	2	-
WHITE-----MALE----	-	4	7	12	24	26	31	14	8	3	-	-
FEMALE--	-	3	2	3	11	17	32	25	21	12	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	13	27	38	40	80	107	119	88	62	25	8	-
WHITE-----MALE----	3	12	19	20	36	45	44	28	13	5	2	-
FEMALE--	1	3	6	9	27	43	57	45	38	13	5	-
ALL OTHER--MALE----	7	10	5	6	8	7	8	4	5	2	-	-
FEMALE--	2	2	8	5	9	12	10	11	6	5	1	-
BLACK---MALE----	7	10	5	5	8	5	8	4	5	1	-	-
FEMALE--	2	1	6	5	8	12	10	11	6	5	1	-
MASSACHUSETTS -----	10	13	30	78	106	154	198	189	138	79	25	-
WHITE-----MALE----	7	3	20	46	55	72	92	71	39	14	4	-
FEMALE--	3	9	9	28	50	74	101	109	96	65	21	-
ALL OTHER--MALE----	-	-	-	1	-	4	2	3	1	-	-	-
FEMALE--	-	1	1	3	1	4	3	6	2	-	-	-
BLACK---MALE----	-	-	-	1	-	4	2	2	1	-	-	-
FEMALE--	-	1	1	3	1	4	3	5	2	-	-	-
MICHIGAN -----	24	48	68	128	224	257	288	283	212	89	33	-
WHITE-----MALE----	15	24	38	73	117	135	125	87	57	22	4	-
FEMALE--	5	16	20	39	85	99	142	178	141	64	28	-
ALL OTHER--MALE----	3	6	4	7	10	15	8	4	6	2	-	-
FEMALE--	1	2	6	9	12	8	13	14	8	1	1	-
BLACK---MALE----	3	6	4	6	8	14	8	3	6	2	-	-
FEMALE--	1	2	4	8	11	8	13	14	8	1	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,778

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES (440-448)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
MINNESOTA -----	11	21	18	48	104	129	131	151	102	45	19	-
WHITE-----MALE----	6	16	12	30	66	71	74	59	33	14	3	-
FEMALE--	4	3	5	17	37	56	56	91	69	31	16	-
ALL OTHER--MALE----	-	1	1	-	-	1	1	1	-	-	-	-
FEMALE--	1	1	-	1	1	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	1	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	-	-	-	-	-
MISSISSIPPI -----	9	17	23	39	46	57	45	35	26	11	1	-
WHITE-----MALE----	3	10	12	19	22	27	22	11	3	1	-	-
FEMALE--	4	4	5	16	14	22	17	11	14	5	-	-
ALL OTHER--MALE----	2	2	4	1	5	3	3	5	2	1	1	-
FEMALE--	-	1	2	3	5	5	3	8	7	4	-	-
BLACK---MALE----	2	2	4	1	4	3	3	5	2	1	1	-
FEMALE--	-	1	2	3	5	5	3	8	7	4	-	-
MISSOURI -----	13	23	43	76	104	155	166	152	95	56	11	-
WHITE-----MALE----	10	13	30	38	59	84	73	55	29	9	1	-
FEMALE--	1	5	6	30	41	61	85	86	61	44	8	-
ALL OTHER--MALE----	2	3	5	3	2	4	3	5	1	-	1	-
FEMALE--	-	2	2	5	2	6	5	6	4	3	1	-
BLACK---MALE----	1	3	4	3	1	3	3	5	1	-	1	-
FEMALE--	-	2	2	5	2	6	5	6	4	3	1	-
MONTANA -----	2	4	9	16	19	29	38	29	19	6	2	-
WHITE-----MALE----	2	1	5	11	14	18	22	17	5	2	1	-
FEMALE--	-	3	4	5	5	10	16	11	14	4	1	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	3	6	15	16	37	43	64	65	76	37	17	-
WHITE-----MALE----	1	4	8	8	25	19	29	24	16	7	3	-
FEMALE--	1	2	7	7	12	19	33	40	58	30	14	-
ALL OTHER--MALE----	-	-	-	-	-	2	2	1	-	-	-	-
FEMALE--	1	-	-	1	-	3	-	-	2	-	-	-
BLACK---MALE----	-	-	-	-	-	2	2	-	-	-	-	-
FEMALE--	1	-	-	1	-	3	-	-	1	-	-	-
NEVADA -----	6	8	16	27	44	39	40	38	23	5	-	-
WHITE-----MALE----	4	5	11	18	28	18	24	18	6	1	-	-
FEMALE--	-	2	3	7	14	20	13	19	17	4	-	-
ALL OTHER--MALE----	-	-	1	-	2	1	-	-	-	-	-	-
FEMALE--	2	1	1	2	-	-	3	1	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	2	1	1	2	-	-	2	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 1,780

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES (440-448)												
OHIO -----	1,948	1	-	-	1	1	1	6	7	11	24	33
WHITE-----MALE----	836	1	-	-	-	-	-	2	3	7	12	16
FEMALE--	939	-	-	-	1	-	1	3	1	3	4	9
ALL OTHER--MALE----	86	-	-	-	-	1	-	1	2	-	4	7
FEMALE--	87	-	-	-	-	-	-	-	1	1	4	1
BLACK---MALE----	83	-	-	-	-	1	-	1	2	-	4	7
FEMALE--	86	-	-	-	-	-	-	-	1	1	4	1
OKLAHOMA -----	661	-	-	-	-	-	-	4	2	3	-	10
WHITE-----MALE----	282	-	-	-	-	-	-	1	1	3	-	7
FEMALE--	318	-	-	-	-	-	-	1	-	-	-	2
ALL OTHER--MALE----	23	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	38	-	-	-	-	-	-	2	1	-	-	-
BLACK---MALE----	13	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	24	-	-	-	-	-	-	2	1	-	-	-
OREGON -----	617	-	-	-	-	-	-	1	1	3	3	6
WHITE-----MALE----	311	-	-	-	-	-	-	-	1	3	3	3
FEMALE--	288	-	-	-	-	-	-	1	-	-	-	2
ALL OTHER--MALE----	8	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	2,328	-	-	-	-	-	4	1	5	9	16	22
WHITE-----MALE----	1,029	-	-	-	-	-	-	-	3	6	8	12
FEMALE--	1,143	-	-	-	-	-	3	-	2	-	4	5
ALL OTHER--MALE----	57	-	-	-	-	-	-	-	-	3	3	4
FEMALE--	99	-	-	-	-	-	1	1	-	-	1	1
BLACK---MALE----	54	-	-	-	-	-	-	-	-	3	3	4
FEMALE--	93	-	-	-	-	-	1	1	-	-	1	1
RHODE ISLAND -----	170	-	-	-	-	-	-	-	-	1	-	1
WHITE-----MALE----	70	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	98	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	581	-	-	-	-	1	-	1	3	5	8	10
WHITE-----MALE----	224	-	-	-	-	-	-	-	-	-	6	3
FEMALE--	217	-	-	-	-	-	-	-	3	2	1	-
ALL OTHER--MALE----	62	-	-	-	-	-	-	-	-	-	1	4
FEMALE--	78	-	-	-	-	1	-	1	-	3	-	3
BLACK---MALE----	61	-	-	-	-	-	-	-	-	-	1	4
FEMALE--	78	-	-	-	-	1	-	1	-	3	-	3

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,780

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES (440-448)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
OHIO -----	28	44	77	140	239	334	335	310	235	91	30	-
WHITE-----MALE----	14	23	43	78	121	174	151	110	55	19	7	-
FEMALE--	8	14	26	48	94	132	155	184	166	69	21	-
ALL OTHER--MALE----	4	6	6	9	9	14	13	7	3	-	-	-
FEMALE--	2	1	2	5	15	14	16	9	11	3	2	-
BLACK---MALE----	4	5	6	9	9	12	13	7	3	-	-	-
FEMALE--	2	1	2	5	15	14	15	9	11	3	2	-
OKLAHOMA -----	14	20	35	48	85	104	95	109	94	34	4	-
WHITE-----MALE----	9	10	20	30	52	61	31	33	16	7	1	-
FEMALE--	5	6	8	14	27	35	58	66	69	24	3	-
ALL OTHER--MALE----	-	4	-	1	4	3	4	5	1	-	-	-
FEMALE--	-	-	7	3	2	5	2	5	8	3	-	-
BLACK---MALE----	-	2	-	1	2	2	2	4	-	-	-	-
FEMALE--	-	-	4	3	1	2	1	3	4	3	-	-
OREGON -----	10	13	22	32	69	116	105	107	81	38	10	-
WHITE-----MALE----	7	5	13	23	53	61	54	45	36	4	-	-
FEMALE--	2	6	9	8	13	49	49	60	45	34	10	-
ALL OTHER--MALE----	-	2	-	-	-	2	2	2	-	-	-	-
FEMALE--	1	-	-	1	3	4	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	2	1	2	-	-	-	-
FEMALE--	-	-	-	-	1	2	-	-	-	-	-	-
PENNSYLVANIA -----	29	46	74	189	283	379	460	416	250	120	25	-
WHITE-----MALE----	18	28	50	102	161	201	204	147	65	22	2	-
FEMALE--	6	8	16	70	102	153	234	251	177	91	21	-
ALL OTHER--MALE----	2	6	4	8	6	12	5	2	1	-	1	-
FEMALE--	3	4	4	9	14	13	17	16	7	7	1	-
BLACK---MALE----	2	4	4	7	6	12	5	2	1	-	1	-
FEMALE--	2	4	4	9	13	12	17	14	7	6	1	-
RHODE ISLAND -----	4	2	4	7	14	33	23	32	28	17	4	-
WHITE-----MALE----	1	1	4	4	10	19	7	12	8	2	-	-
FEMALE--	3	1	-	3	4	14	16	19	19	15	4	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	1	-	-	-
SOUTH CAROLINA -----	20	8	45	66	82	101	94	79	34	21	3	-
WHITE-----MALE----	6	2	25	30	34	45	38	29	6	-	-	-
FEMALE--	5	2	7	16	27	39	42	36	21	16	-	-
ALL OTHER--MALE----	3	2	8	9	8	11	5	6	3	1	1	-
FEMALE--	6	2	5	11	13	6	9	8	4	4	2	-
BLACK---MALE----	3	2	8	9	8	11	5	6	2	1	1	-
FEMALE--	6	2	5	11	13	6	9	8	4	4	2	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 1,781

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES (440-448)												
SOUTH DAKOTA -----	124	-	-	-	-	-	-	-	-	-	-	1
WHITE-----MALE----	66	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	56	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	979	1	1	1	1	-	1	5	4	9	11	12
WHITE-----MALE----	421	-	-	-	-	-	-	2	1	7	4	5
FEMALE--	422	-	1	-	1	-	-	1	1	1	4	4
ALL OTHER--MALE----	53	-	-	-	-	-	1	-	1	-	2	-
FEMALE--	83	1	-	1	-	-	-	2	1	1	1	3
BLACK---MALE----	50	-	-	-	-	-	1	-	1	-	2	-
FEMALE--	83	1	-	1	-	-	-	2	1	1	1	3
TEXAS -----	2,485	-	-	1	2	4	4	10	8	13	32	44
WHITE-----MALE----	1,077	-	-	1	2	1	-	5	1	5	14	19
FEMALE--	1,116	-	-	-	-	3	3	4	4	5	9	15
ALL OTHER--MALE----	138	-	-	-	-	-	1	1	-	1	4	6
FEMALE--	154	-	-	-	-	-	-	-	3	2	5	4
BLACK---MALE----	131	-	-	-	-	-	1	1	-	1	4	6
FEMALE--	148	-	-	-	-	-	-	-	3	2	5	4
UTAH -----	187	-	-	-	-	-	-	1	1	1	1	2
WHITE-----MALE----	95	-	-	-	-	-	-	1	1	1	1	1
FEMALE--	89	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	88	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	53	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	35	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	863	-	-	-	-	1	1	1	2	4	8	13
WHITE-----MALE----	338	-	-	-	-	-	-	-	2	1	2	5
FEMALE--	365	-	-	-	-	1	1	-	-	1	-	3
ALL OTHER--MALE----	71	-	-	-	-	-	-	-	-	1	2	1
FEMALE--	89	-	-	-	-	-	-	1	-	1	4	4
BLACK---MALE----	66	-	-	-	-	-	-	-	-	-	2	1
FEMALE--	86	-	-	-	-	-	-	1	-	1	4	3

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,781

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES (440-448)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
SOUTH DAKOTA -----	2	2	3	9	11	22	19	21	17	11	6	-
WHITE-----MALE----	2	1	2	4	10	17	14	8	4	2	2	-
FEMALE--	-	1	-	5	1	4	5	13	13	9	4	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	20	26	58	83	105	158	146	148	125	54	10	-
WHITE-----MALE----	8	16	36	52	61	84	61	43	27	14	-	-
FEMALE--	5	6	14	22	36	57	70	82	77	33	7	-
ALL OTHER--MALE----	6	2	5	6	4	4	9	5	6	2	-	-
FEMALE--	1	2	3	3	4	13	6	18	15	5	3	-
BLACK---MALE----	4	2	5	5	4	4	9	5	6	2	-	-
FEMALE--	1	2	3	3	4	13	6	18	15	5	3	-
TEXAS -----	50	87	111	218	302	370	381	392	294	133	29	-
WHITE-----MALE----	27	46	63	122	158	192	175	146	71	24	5	-
FEMALE--	8	23	37	63	114	145	166	210	191	97	19	-
ALL OTHER--MALE----	12	8	7	18	18	16	14	16	12	4	-	-
FEMALE--	3	10	4	15	12	17	26	20	20	8	5	-
BLACK---MALE----	10	8	7	15	17	16	14	16	11	4	-	-
FEMALE--	3	10	4	14	10	16	25	20	20	7	5	-
UTAH -----	5	3	9	13	22	20	40	25	30	12	2	-
WHITE-----MALE----	3	3	6	8	16	12	17	12	10	3	-	-
FEMALE--	1	-	3	5	6	8	22	13	20	9	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
VERMONT -----	1	1	2	12	13	13	22	10	8	6	-	-
WHITE-----MALE----	1	1	1	8	10	9	12	5	5	1	-	-
FEMALE--	-	-	1	4	3	4	10	5	3	5	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	18	19	41	68	107	165	144	131	89	42	9	-
WHITE-----MALE----	8	5	20	34	60	75	51	47	23	5	-	-
FEMALE--	4	7	12	22	35	55	69	65	57	26	7	-
ALL OTHER--MALE----	5	3	5	7	9	18	8	6	2	4	-	-
FEMALE--	1	4	4	5	3	17	16	13	7	7	2	-
BLACK---MALE----	5	3	4	7	9	16	8	5	2	4	-	-
FEMALE--	1	4	4	5	3	17	16	12	6	7	2	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,783

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ATHEROSCLEROSIS (440)												
UNITED STATES --	108	200	360	597	1,090	1,781	2,626	3,333	2,976	1,599	490	-
WHITE-----MALE----	61	110	203	310	552	804	1,005	1,057	700	288	63	-
FEMALE--	25	55	102	207	419	816	1,424	2,056	2,112	1,205	384	-
ALL OTHER--MALE----	15	23	27	48	73	73	88	63	45	27	8	-
FEMALE--	7	12	28	32	46	88	109	157	119	79	35	-
BLACK---MALE----	14	22	27	44	67	60	75	51	35	21	7	-
FEMALE--	6	11	27	27	42	76	98	142	105	69	33	-
ALABAMA -----	7	5	15	10	24	31	43	45	31	16	6	-
WHITE-----MALE----	2	2	4	3	13	9	17	13	3	2	-	-
FEMALE--	1	2	4	4	4	11	10	24	24	9	3	-
ALL OTHER--MALE----	1	1	2	2	5	6	6	3	2	3	-	-
FEMALE--	3	-	5	1	2	5	10	5	2	2	3	-
BLACK---MALE----	1	1	2	2	5	6	6	3	2	3	-	-
FEMALE--	3	-	5	1	2	5	10	5	2	2	3	-
ALASKA -----	1	-	1	2	2	2	1	2	-	-	-	-
WHITE-----MALE----	-	-	1	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	2	1	2	-	-	-	-
ALL OTHER--MALE----	1	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	2	4	7	14	17	44	56	64	56	23	7	-
WHITE-----MALE----	2	4	3	11	11	25	29	28	19	4	1	-
FEMALE--	-	-	4	2	5	18	27	33	34	19	6	-
ALL OTHER--MALE----	-	-	-	1	1	1	-	2	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	2	-	-	-
BLACK---MALE----	-	-	-	1	1	1	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	2	-	-	-
ARKANSAS -----	1	-	2	6	10	15	30	29	39	13	3	-
WHITE-----MALE----	1	-	-	2	3	4	7	7	8	2	-	-
FEMALE--	-	-	-	4	4	6	19	18	25	9	2	-
ALL OTHER--MALE----	-	-	1	-	2	2	2	1	-	-	-	-
FEMALE--	-	-	1	-	1	3	2	3	6	2	1	-
BLACK---MALE----	-	-	1	-	2	2	2	1	-	-	-	-
FEMALE--	-	-	1	-	1	3	2	3	6	2	1	-
CALIFORNIA -----	15	25	38	59	127	233	345	450	385	194	67	-
WHITE-----MALE----	9	11	18	28	61	97	135	165	103	33	7	-
FEMALE--	3	11	14	19	55	113	184	253	263	150	54	-
ALL OTHER--MALE----	2	2	4	5	5	11	15	11	6	1	1	-
FEMALE--	1	1	2	7	6	12	11	21	13	10	5	-
BLACK---MALE----	2	2	4	2	4	4	6	3	2	-	-	-
FEMALE--	1	1	1	4	3	6	6	14	7	6	4	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,784

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ATHEROSCLEROSIS (440)												
COLORADO -----	2	4	1	14	14	53	87	91	85	48	13	-
WHITE-----MALE----	2	1	1	9	8	21	35	21	17	7	-	-
FEMALE--	-	1	-	4	6	30	50	66	66	39	13	-
ALL OTHER--MALE----	-	1	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	2	2	4	2	2	-	-
BLACK---MALE----	-	1	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	2	1	2	-	-
CONNECTICUT -----	-	1	3	11	10	16	35	39	37	23	9	-
WHITE-----MALE----	-	1	-	4	6	7	12	13	8	9	2	-
FEMALE--	-	-	2	5	3	9	21	25	29	14	6	-
ALL OTHER--MALE----	-	-	-	2	1	-	1	1	-	-	1	-
FEMALE--	-	-	1	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	2	1	-	1	1	-	-	1	-
FEMALE--	-	-	1	-	-	-	1	-	-	-	-	-
DELAWARE -----	-	-	2	2	2	1	7	3	2	1	-	-
WHITE-----MALE----	-	-	2	-	2	1	5	1	-	-	-	-
FEMALE--	-	-	-	1	-	-	2	2	2	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	-	1	-	-	2	3	7	7	3	6	1	-
WHITE-----MALE----	-	-	-	-	-	1	-	1	-	2	-	-
FEMALE--	-	-	-	-	-	1	2	3	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	2	-	2	2	-	1	-	-
FEMALE--	-	1	-	-	-	1	3	1	2	2	1	-
BLACK---MALE----	-	-	-	-	2	-	2	2	-	1	-	-
FEMALE--	-	1	-	-	-	1	3	1	2	2	1	-
FLORIDA -----	6	11	25	34	81	135	224	258	195	112	26	-
WHITE-----MALE----	5	2	14	16	44	70	87	91	56	17	5	-
FEMALE--	1	4	7	12	27	58	123	158	132	92	20	-
ALL OTHER--MALE----	-	4	2	5	7	4	7	2	1	2	1	-
FEMALE--	-	1	2	1	3	3	7	7	6	1	-	-
BLACK---MALE----	-	4	2	5	7	4	7	2	1	2	1	-
FEMALE--	-	1	2	1	3	3	7	7	6	1	-	-
GEORGIA -----	5	13	19	21	46	70	83	98	85	33	9	-
WHITE-----MALE----	-	9	13	13	24	26	21	17	13	3	-	-
FEMALE--	3	3	3	4	13	33	48	65	61	23	8	-
ALL OTHER--MALE----	1	-	1	3	6	4	6	5	2	1	-	-
FEMALE--	1	1	2	1	3	7	8	11	9	6	1	-
BLACK---MALE----	1	-	1	3	6	3	6	5	2	1	-	-
FEMALE--	1	1	2	1	3	7	8	11	9	6	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,785

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ATHEROSCLEROSIS (440)												
HAWAII -----	-	-	1	-	2	4	2	3	4	3	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	1	-	2	2	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	2	2	2	-	-
FEMALE--	-	-	-	-	-	1	-	1	2	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	-	-	-	1	5	5	7	14	13	8	1	-
WHITE-----MALE----	-	-	-	1	2	3	3	7	4	1	-	-
FEMALE--	-	-	-	-	3	2	4	7	8	7	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	4	6	18	27	33	64	101	121	110	70	16	-
WHITE-----MALE----	2	3	10	15	18	27	42	45	28	17	5	-
FEMALE--	-	2	5	8	12	31	54	74	78	49	9	-
ALL OTHER--MALE----	2	1	2	3	3	1	3	-	1	2	1	-
FEMALE--	-	-	1	1	-	5	2	2	3	2	1	-
BLACK---MALE----	2	1	2	3	2	1	3	-	1	2	1	-
FEMALE--	-	-	1	1	-	5	2	2	3	2	1	-
INDIANA -----	4	6	4	11	30	54	68	75	73	43	13	-
WHITE-----MALE----	1	3	1	7	15	28	23	19	19	6	3	-
FEMALE--	3	3	3	4	12	25	40	51	50	35	9	-
ALL OTHER--MALE----	-	-	-	-	1	-	1	1	-	-	-	-
FEMALE--	-	-	-	-	2	1	4	4	4	2	1	-
BLACK---MALE----	-	-	-	-	1	-	1	1	-	-	-	-
FEMALE--	-	-	-	-	2	1	4	4	4	1	1	-
IOWA -----	1	2	3	11	14	29	53	78	84	44	16	-
WHITE-----MALE----	1	2	2	7	8	21	22	29	20	6	1	-
FEMALE--	-	-	1	4	6	8	31	48	64	38	14	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	1	-
KANSAS -----	-	1	1	9	12	23	37	70	69	30	17	-
WHITE-----MALE----	-	-	-	6	8	10	9	16	11	5	2	-
FEMALE--	-	-	1	2	4	12	28	51	57	24	13	-
ALL OTHER--MALE----	-	1	-	1	-	-	-	-	1	-	2	-
FEMALE--	-	-	-	-	-	1	-	3	-	1	-	-
BLACK---MALE----	-	1	-	1	-	-	-	-	1	-	2	-
FEMALE--	-	-	-	-	-	1	-	3	-	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 1,786

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ATHEROSCLEROSIS (440)												
KENTUCKY -----	167	-	-	-	-	-	-	1	-	-	1	-
WHITE-----MALE----	60	-	-	-	-	-	-	1	-	-	1	-
FEMALE--	92	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	12	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	12	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	224	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	67	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	105	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	20	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	32	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	20	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	30	-	-	-	-	-	-	-	-	-	-	-
MAINE -----	65	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	24	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	41	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	132	-	-	-	-	-	-	-	-	-	2	-
WHITE-----MALE----	35	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	74	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	17	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	17	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS -----	344	-	-	-	-	-	-	-	-	1	1	-
WHITE-----MALE----	125	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	214	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	655	-	-	-	-	-	-	-	1	1	1	4
WHITE-----MALE----	219	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	392	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	16	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	28	-	-	-	-	-	-	-	1	-	-	1
BLACK---MALE----	15	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	28	-	-	-	-	-	-	-	1	-	-	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,786

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ATHEROSCLEROSIS (440)												
KENTUCKY -----	1	3	1	4	10	24	29	33	40	14	6	-
WHITE-----MALE----	1	3	1	1	5	8	11	11	12	4	1	-
FEMALE--	-	-	-	3	4	13	15	19	25	8	5	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	1	1	-	-
FEMALE--	-	-	-	-	1	3	2	3	2	1	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	1	1	-	-
FEMALE--	-	-	-	-	1	3	2	3	2	1	-	-
LOUISIANA -----	3	2	3	8	22	26	51	37	44	23	5	-
WHITE-----MALE----	2	1	2	3	9	9	20	11	9	1	-	-
FEMALE--	-	-	-	2	8	11	22	21	24	14	3	-
ALL OTHER--MALE----	1	1	-	2	3	3	1	1	6	2	-	-
FEMALE--	-	-	1	1	2	3	8	4	5	6	2	-
BLACK---MALE----	1	1	-	2	3	3	1	1	6	2	-	-
FEMALE--	-	-	1	1	2	3	7	4	4	6	2	-
MAINE -----	-	3	3	2	10	3	18	11	7	8	-	-
WHITE-----MALE----	-	1	3	1	7	2	6	2	2	-	-	-
FEMALE--	-	2	-	1	3	1	12	9	5	8	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	-	1	2	2	4	10	24	31	33	17	6	-
WHITE-----MALE----	-	1	2	1	3	4	7	7	4	4	1	-
FEMALE--	-	-	-	-	1	4	15	18	24	7	4	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	1	2	2	-	-
FEMALE--	-	-	-	1	-	2	1	5	3	4	1	-
BLACK---MALE----	-	-	-	-	-	-	1	1	2	1	-	-
FEMALE--	-	-	-	1	-	2	1	5	3	4	1	-
MASSACHUSETTS -----	1	2	6	17	16	35	58	75	61	54	17	-
WHITE-----MALE----	-	1	4	10	6	15	31	27	17	12	1	-
FEMALE--	1	1	2	7	10	18	27	45	44	42	16	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	3	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	2	-	-	-	-
MICHIGAN -----	3	10	18	31	59	56	112	143	132	64	20	-
WHITE-----MALE----	2	8	10	16	21	28	43	37	34	17	1	-
FEMALE--	1	2	6	10	29	24	63	101	92	45	18	-
ALL OTHER--MALE----	-	-	1	2	4	4	1	-	1	1	-	-
FEMALE--	-	-	1	3	5	-	5	5	5	1	1	-
BLACK---MALE----	-	-	1	2	3	4	1	-	1	1	-	-
FEMALE--	-	-	1	3	5	-	5	5	5	1	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,787

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ATHEROSCLEROSIS (440)												
MINNESOTA -----	1	2	3	10	23	27	35	51	57	23	14	-
WHITE-----MALE----	1	2	3	6	13	16	16	18	17	4	1	-
FEMALE--	-	-	-	4	10	11	18	32	40	19	13	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI -----	2	3	5	10	12	12	9	11	13	4	1	-
WHITE-----MALE----	1	1	1	5	7	5	2	3	2	-	-	-
FEMALE--	-	2	1	4	3	5	3	5	6	2	-	-
ALL OTHER--MALE----	1	-	2	1	1	1	2	1	2	-	1	-
FEMALE--	-	-	1	-	1	1	2	2	3	2	-	-
BLACK---MALE----	1	-	2	1	1	1	2	1	2	-	1	-
FEMALE--	-	-	1	-	1	1	2	2	3	2	-	-
MISSOURI -----	-	3	5	12	11	28	50	68	49	40	9	-
WHITE-----MALE----	-	2	5	3	5	12	18	20	14	3	1	-
FEMALE--	-	-	-	8	6	16	31	45	34	36	7	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	2	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	1	1	1	1	-
BLACK---MALE----	-	1	-	-	-	-	-	2	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	1	1	1	1	-
MONTANA -----	1	2	2	2	9	9	12	13	11	3	2	-
WHITE-----MALE----	1	-	2	2	7	4	7	5	3	1	1	-
FEMALE--	-	2	-	-	2	5	5	8	8	2	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	-	-	9	4	15	12	28	43	54	28	14	-
WHITE-----MALE----	-	-	5	2	8	6	13	14	12	6	3	-
FEMALE--	-	-	4	2	7	5	13	29	42	22	11	-
ALL OTHER--MALE----	-	-	-	-	-	-	2	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	2	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
NEVADA -----	1	-	3	7	8	11	14	22	16	4	-	-
WHITE-----MALE----	1	-	2	3	5	7	8	8	4	-	-	-
FEMALE--	-	-	1	3	3	4	5	13	12	4	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,789

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ATHEROSCLEROSIS (440)												
OHIO -----	1	5	14	22	39	77	97	129	133	60	22	-
WHITE-----MALE----	1	4	9	9	15	38	34	39	27	11	6	-
FEMALE--	-	-	4	11	19	32	55	84	101	47	15	-
ALL OTHER--MALE----	-	1	1	2	2	4	6	2	1	-	-	-
FEMALE--	-	-	-	-	3	3	2	4	4	2	1	-
BLACK---MALE----	-	1	1	2	2	3	6	2	1	-	-	-
FEMALE--	-	-	-	-	3	3	1	4	4	2	1	-
OKLAHOMA -----	9	7	13	11	32	43	44	71	71	29	3	-
WHITE-----MALE----	5	3	9	8	17	24	11	18	12	6	1	-
FEMALE--	4	3	4	1	10	16	31	46	53	21	2	-
ALL OTHER--MALE----	-	1	-	-	4	1	-	3	1	-	-	-
FEMALE--	-	-	-	2	1	2	2	4	5	2	-	-
BLACK---MALE----	-	-	-	-	2	1	-	3	-	-	-	-
FEMALE--	-	-	-	2	-	-	1	2	2	2	-	-
OREGON -----	3	6	9	5	20	34	32	42	44	23	6	-
WHITE-----MALE----	2	3	7	4	15	17	11	13	19	1	-	-
FEMALE--	-	2	2	-	5	17	21	29	25	22	6	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	1	6	10	29	47	85	127	175	127	67	22	-
WHITE-----MALE----	1	6	8	16	26	40	45	52	25	10	1	-
FEMALE--	-	-	1	11	19	43	78	118	98	53	21	-
ALL OTHER--MALE----	-	-	-	2	2	1	2	-	-	-	-	-
FEMALE--	-	-	1	-	-	1	2	5	4	4	-	-
BLACK---MALE----	-	-	-	2	2	1	2	-	-	-	-	-
FEMALE--	-	-	1	-	-	1	2	5	4	3	-	-
RHODE ISLAND -----	-	1	-	2	3	8	10	13	15	11	4	-
WHITE-----MALE----	-	1	-	1	1	3	1	4	3	1	-	-
FEMALE--	-	-	-	1	2	5	9	9	12	10	4	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	2	-	4	5	13	11	25	25	15	11	1	-
WHITE-----MALE----	1	-	3	1	4	2	6	11	-	-	-	-
FEMALE--	-	-	-	3	3	9	16	10	13	10	-	-
ALL OTHER--MALE----	1	-	-	1	1	-	1	2	1	-	1	-
FEMALE--	-	-	1	-	5	-	2	2	1	1	-	-
BLACK---MALE----	1	-	-	1	1	-	1	2	1	-	1	-
FEMALE--	-	-	1	-	5	-	2	2	1	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,790

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ATHEROSCLEROSIS (440)												
SOUTH DAKOTA -----	1	-	-	-	1	5	6	6	9	9	6	-
WHITE-----MALE----	1	-	-	-	1	4	4	1	2	2	2	-
FEMALE--	-	-	-	-	-	-	2	5	7	7	4	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	3	4	11	17	21	54	53	66	74	35	7	-
WHITE-----MALE----	-	4	5	8	10	24	20	16	15	7	-	-
FEMALE--	1	-	4	7	10	23	28	42	49	23	5	-
ALL OTHER--MALE----	2	-	1	1	-	2	3	-	3	1	-	-
FEMALE--	-	-	1	1	1	5	2	8	7	4	2	-
BLACK---MALE----	2	-	1	1	-	2	3	-	3	1	-	-
FEMALE--	-	-	1	1	1	5	2	8	7	4	2	-
TEXAS -----	7	22	18	40	80	104	136	198	155	97	26	-
WHITE-----MALE----	4	9	10	22	39	47	60	63	32	17	3	-
FEMALE--	1	7	5	12	35	48	65	117	111	73	19	-
ALL OTHER--MALE----	1	1	2	3	5	5	3	8	4	2	-	-
FEMALE--	1	5	1	3	1	4	8	10	8	5	4	-
BLACK---MALE----	1	1	2	3	5	5	3	8	4	2	-	-
FEMALE--	1	5	1	3	1	3	8	10	8	4	4	-
UTAH -----	-	2	1	4	7	5	18	12	14	9	1	-
WHITE-----MALE----	-	2	1	4	4	2	7	3	4	3	-	-
FEMALE--	-	-	-	-	3	3	10	9	10	6	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
VERMONT -----	1	1	1	2	3	-	1	1	3	3	-	-
WHITE-----MALE----	1	1	1	1	2	-	1	-	3	1	-	-
FEMALE--	-	-	-	1	1	-	-	1	-	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	3	4	7	14	16	37	54	61	46	26	7	-
WHITE-----MALE----	-	1	3	8	8	17	18	21	9	2	-	-
FEMALE--	1	2	3	3	6	11	25	35	36	20	6	-
ALL OTHER--MALE----	2	-	-	3	2	6	4	1	-	2	-	-
FEMALE--	-	1	1	-	-	3	7	4	1	2	1	-
BLACK---MALE----	2	-	-	3	2	5	4	1	-	2	-	-
FEMALE--	-	1	1	-	-	3	7	4	1	2	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,792
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 AORTIC ANEURYSM (441)												
UNITED STATES --	330	506	954	1,717	2,613	3,234	2,925	2,035	938	230	32	-
WHITE-----MALE----	205	316	625	1,121	1,628	1,927	1,525	951	393	78	6	-
FEMALE--	40	102	201	440	798	1,082	1,214	931	485	140	24	-
ALL OTHER--MALE----	57	60	83	79	101	119	86	65	21	3	2	-
FEMALE--	28	28	45	77	86	106	100	88	39	9	-	-
BLACK---MALE----	47	49	67	63	70	88	58	46	13	2	1	-
FEMALE--	22	23	37	69	68	94	85	81	33	8	-	-
ALABAMA -----	5	6	20	34	41	54	36	37	10	3	-	-
WHITE-----MALE----	4	4	16	24	24	32	19	8	5	1	-	-
FEMALE--	-	-	1	8	11	17	11	19	4	1	-	-
ALL OTHER--MALE----	1	2	3	-	1	2	3	6	1	1	-	-
FEMALE--	-	-	-	2	5	3	3	4	-	-	-	-
BLACK---MALE----	1	2	3	-	1	2	3	6	1	1	-	-
FEMALE--	-	-	-	2	5	3	3	4	-	-	-	-
ALASKA -----	1	1	-	3	5	2	2	1	2	-	-	-
WHITE-----MALE----	-	1	-	3	2	1	-	-	1	-	-	-
FEMALE--	1	-	-	-	3	1	2	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	5	7	18	41	38	58	54	32	15	4	-	-
WHITE-----MALE----	2	3	13	28	19	42	30	20	3	2	-	-
FEMALE--	1	2	5	9	17	16	23	12	10	2	-	-
ALL OTHER--MALE----	2	1	-	4	1	-	-	-	1	-	-	-
FEMALE--	-	1	-	-	1	-	1	-	1	-	-	-
BLACK---MALE----	1	1	-	3	1	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	4	6	10	18	24	29	27	17	12	3	-	-
WHITE-----MALE----	2	4	6	14	15	20	14	13	3	1	-	-
FEMALE--	-	1	4	4	7	8	11	3	8	1	-	-
ALL OTHER--MALE----	1	1	-	-	2	-	2	1	-	-	-	-
FEMALE--	1	-	-	-	-	1	-	-	1	1	-	-
BLACK---MALE----	1	1	-	-	2	-	2	1	-	-	-	-
FEMALE--	1	-	-	-	-	1	-	-	1	1	-	-
CALIFORNIA -----	33	60	94	153	274	300	257	170	95	22	2	-
WHITE-----MALE----	22	37	56	104	156	183	125	82	46	8	-	-
FEMALE--	4	13	18	34	80	91	104	67	37	12	1	-
ALL OTHER--MALE----	6	6	15	9	23	16	18	13	7	1	1	-
FEMALE--	1	4	5	6	15	10	10	8	5	1	-	-
BLACK---MALE----	4	2	7	1	7	5	2	5	3	1	-	-
FEMALE--	-	1	3	2	5	2	5	3	4	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,793

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 AORTIC ANEURYSM (441)												
COLORADO -----	1	7	7	22	37	47	42	24	13	7	-	-
WHITE-----MALE----	1	5	5	14	25	29	24	13	6	1	-	-
FEMALE--	-	2	1	4	8	16	17	11	7	6	-	-
ALL OTHER--MALE----	-	-	1	3	3	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	1	1	-	-	-	-	-
BLACK---MALE----	-	-	1	2	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	-	-	-	-	-
CONNECTICUT -----	2	2	5	24	35	51	41	33	16	1	1	-
WHITE-----MALE----	1	1	3	19	22	28	17	15	6	-	-	-
FEMALE--	1	-	2	4	12	21	23	16	10	1	1	-
ALL OTHER--MALE----	-	1	-	1	-	1	1	1	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	1	-	-	-	-
BLACK---MALE----	-	1	-	1	-	1	1	1	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	1	-	-	-	-
DELAWARE -----	3	4	3	2	6	9	8	2	3	-	-	-
WHITE-----MALE----	3	2	2	1	5	5	5	1	2	-	-	-
FEMALE--	-	1	-	1	1	3	3	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	1	-	-	1	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	1	-	-	1	-	-	1	-	-	-
DISTRICT OF COLUMBIA ----	2	1	2	3	7	1	3	6	3	-	-	-
WHITE-----MALE----	-	-	-	-	3	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	1	-	1	-	2	-	-	-	-	-
FEMALE--	2	1	1	3	2	-	1	5	2	-	-	-
BLACK---MALE----	-	-	1	-	1	-	2	-	-	-	-	-
FEMALE--	1	1	1	3	2	-	1	5	2	-	-	-
FLORIDA -----	23	40	65	128	199	249	228	167	76	13	5	-
WHITE-----MALE----	17	26	50	86	124	165	126	73	44	8	-	-
FEMALE--	-	8	10	34	65	76	95	84	31	5	5	-
ALL OTHER--MALE----	5	4	4	5	3	5	5	4	-	-	-	-
FEMALE--	1	2	1	3	7	3	2	6	1	-	-	-
BLACK---MALE----	5	4	4	5	3	5	4	4	-	-	-	-
FEMALE--	1	2	1	3	7	3	2	6	1	-	-	-
GEORGIA -----	15	16	28	39	65	60	45	31	16	2	-	-
WHITE-----MALE----	7	12	16	23	35	36	27	10	5	-	-	-
FEMALE--	2	-	8	12	25	16	15	13	9	2	-	-
ALL OTHER--MALE----	2	2	-	3	2	5	2	3	1	-	-	-
FEMALE--	4	2	4	1	3	3	1	5	1	-	-	-
BLACK---MALE----	2	2	-	3	2	5	2	3	1	-	-	-
FEMALE--	4	2	3	1	3	3	1	5	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,794
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 AORTIC ANEURYSM (441)												
HAWAII -----	4	1	1	5	10	13	12	7	6	2	-	-
WHITE-----MALE----	-	-	1	3	-	4	3	1	-	-	-	-
FEMALE--	-	-	-	1	-	-	3	1	1	-	-	-
ALL OTHER--MALE----	3	1	-	-	6	7	3	4	1	1	-	-
FEMALE--	1	-	-	1	4	2	3	1	4	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	2	2	-	8	12	11	23	12	5	3	-	-
WHITE-----MALE----	2	2	-	6	9	6	13	8	1	2	-	-
FEMALE--	-	-	-	2	2	5	10	4	4	1	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	9	18	46	79	120	147	137	95	30	10	2	-
WHITE-----MALE----	6	11	29	52	75	85	73	48	9	1	-	-
FEMALE--	1	4	8	15	37	55	53	39	19	8	2	-
ALL OTHER--MALE----	1	2	2	7	5	3	4	3	-	-	-	-
FEMALE--	1	1	7	5	3	4	7	5	2	1	-	-
BLACK---MALE----	1	2	2	5	5	3	3	2	-	-	-	-
FEMALE--	1	1	6	5	2	4	7	5	2	1	-	-
INDIANA -----	4	19	31	42	67	69	68	47	19	4	2	-
WHITE-----MALE----	3	15	22	28	51	44	36	25	7	1	-	-
FEMALE--	1	4	9	13	16	21	31	20	12	3	2	-
ALL OTHER--MALE----	-	-	-	1	-	1	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	3	1	1	-	-	-	-
BLACK---MALE----	-	-	-	1	-	1	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	3	1	1	-	-	-	-
IOWA -----	3	6	15	23	27	40	32	43	12	3	2	-
WHITE-----MALE----	2	6	8	11	19	30	15	26	4	2	-	-
FEMALE--	1	-	7	11	8	10	17	17	8	1	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
KANSAS -----	2	3	10	17	31	27	25	29	17	3	1	-
WHITE-----MALE----	2	2	8	14	26	16	19	17	7	2	-	-
FEMALE--	-	1	2	3	5	9	5	11	9	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	2	1	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	1	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 1,795

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 AORTIC ANEURYSM (441)												
KENTUCKY -----	270	-	-	-	-	-	-	-	2	1	7	3
WHITE-----MALE----	164	-	-	-	-	-	-	-	1	1	2	3
FEMALE--	96	-	-	-	-	-	-	-	1	-	5	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	210	-	-	-	-	-	-	-	1	4	4	2
WHITE-----MALE----	94	-	-	-	-	-	-	-	-	-	2	1
FEMALE--	69	-	-	-	-	-	-	-	1	1	-	-
ALL OTHER--MALE----	15	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	32	-	-	-	-	-	-	-	-	2	1	1
BLACK---MALE----	15	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	32	-	-	-	-	-	-	-	-	2	1	1
MAINE -----	133	1	-	-	-	-	-	-	-	-	2	1
WHITE-----MALE----	81	-	-	-	-	-	-	-	-	-	2	1
FEMALE--	51	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	286	-	-	-	-	-	-	1	2	4	1	5
WHITE-----MALE----	129	-	-	-	-	-	-	-	2	-	1	3
FEMALE--	101	-	-	-	-	-	-	1	-	1	-	1
ALL OTHER--MALE----	33	-	-	-	-	-	-	-	-	3	-	1
FEMALE--	23	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	31	-	-	-	-	-	-	-	-	3	-	1
FEMALE--	20	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS -----	395	-	-	-	-	-	1	-	2	2	3	3
WHITE-----MALE----	203	-	-	-	-	-	-	-	2	2	2	2
FEMALE--	177	-	-	-	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	9	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	9	-	-	-	-	-	1	-	-	-	-	-
MICHIGAN -----	655	-	-	-	-	1	-	3	4	4	11	14
WHITE-----MALE----	352	-	-	-	-	1	-	2	3	2	4	8
FEMALE--	244	-	-	-	-	-	-	-	1	2	2	2
ALL OTHER--MALE----	32	-	-	-	-	-	-	-	-	-	2	3
FEMALE--	27	-	-	-	-	-	-	1	-	-	3	1
BLACK---MALE----	29	-	-	-	-	-	-	-	-	-	2	3
FEMALE--	26	-	-	-	-	-	-	1	-	-	3	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,795

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 AORTIC ANEURYSM (441)												
KENTUCKY -----	4	8	18	30	49	59	40	38	7	3	1	-
WHITE-----MALE----	2	6	11	19	34	38	29	14	3	1	-	-
FEMALE--	1	2	6	11	14	17	10	22	4	2	1	-
ALL OTHER--MALE----	-	-	1	-	1	1	-	1	-	-	-	-
FEMALE--	1	-	-	-	-	3	1	1	-	-	-	-
BLACK---MALE----	-	-	1	-	1	1	-	1	-	-	-	-
FEMALE--	1	-	-	-	-	3	-	1	-	-	-	-
LOUISIANA -----	5	8	19	27	40	34	26	23	10	7	-	-
WHITE-----MALE----	3	5	10	15	19	16	9	8	5	1	-	-
FEMALE--	-	1	5	7	14	10	12	8	4	6	-	-
ALL OTHER--MALE----	1	-	2	1	4	4	1	-	-	-	-	-
FEMALE--	1	2	2	4	3	4	4	7	1	-	-	-
BLACK---MALE----	1	-	2	1	4	4	1	-	-	-	-	-
FEMALE--	1	2	2	4	3	4	4	7	1	-	-	-
MAINE -----	-	1	3	7	17	31	37	17	13	3	-	-
WHITE-----MALE----	-	1	3	6	12	20	23	9	4	-	-	-
FEMALE--	-	-	-	1	5	11	14	8	8	3	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	8	11	24	25	52	62	52	27	10	2	-	-
WHITE-----MALE----	2	7	15	15	23	28	21	7	5	-	-	-
FEMALE--	-	-	3	4	19	25	26	16	3	2	-	-
ALL OTHER--MALE----	6	3	3	4	5	5	2	1	-	-	-	-
FEMALE--	-	1	3	2	5	4	3	3	2	-	-	-
BLACK---MALE----	6	3	3	4	5	3	2	1	-	-	-	-
FEMALE--	-	-	1	2	5	4	3	3	2	-	-	-
MASSACHUSETTS -----	5	6	14	35	59	66	93	63	32	10	1	-
WHITE-----MALE----	5	2	10	24	39	34	40	26	13	2	-	-
FEMALE--	-	3	4	8	20	28	51	33	19	8	1	-
ALL OTHER--MALE----	-	-	-	1	-	2	-	3	-	-	-	-
FEMALE--	-	1	-	2	-	2	2	1	-	-	-	-
BLACK---MALE----	-	-	-	1	-	2	-	2	-	-	-	-
FEMALE--	-	1	-	2	-	2	2	1	-	-	-	-
MICHIGAN -----	9	23	31	63	110	136	114	83	35	10	4	-
WHITE-----MALE----	7	11	18	38	70	75	59	35	15	3	1	-
FEMALE--	-	5	8	17	34	51	51	42	19	7	3	-
ALL OTHER--MALE----	1	6	2	4	4	6	2	2	-	-	-	-
FEMALE--	1	1	3	4	2	4	2	4	1	-	-	-
BLACK---MALE----	1	6	2	3	4	5	2	1	-	-	-	-
FEMALE--	1	1	2	4	2	4	2	4	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,798

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 AORTIC ANEURYSM (441)												
OHIO -----	12	20	36	71	130	156	157	84	52	8	1	-
WHITE-----MALE----	6	11	23	47	78	91	83	39	17	4	1	-
FEMALE--	3	6	10	20	44	54	61	42	31	4	-	-
ALL OTHER--MALE----	2	3	3	2	4	5	6	1	1	-	-	-
FEMALE--	1	-	-	2	4	6	7	2	3	-	-	-
BLACK---MALE----	2	2	3	2	4	4	6	1	1	-	-	-
FEMALE--	1	-	-	2	4	6	7	2	3	-	-	-
OKLAHOMA -----	3	7	13	20	39	41	33	16	9	2	-	-
WHITE-----MALE----	3	5	8	14	27	27	16	7	4	-	-	-
FEMALE--	-	-	3	5	11	13	14	7	5	1	-	-
ALL OTHER--MALE----	-	2	-	-	-	1	3	2	-	-	-	-
FEMALE--	-	-	2	1	1	-	-	-	-	1	-	-
BLACK---MALE----	-	2	-	-	-	1	1	1	-	-	-	-
FEMALE--	-	-	1	1	1	-	-	-	-	1	-	-
OREGON -----	5	6	6	20	35	56	39	42	20	8	-	-
WHITE-----MALE----	5	2	3	13	27	30	24	25	12	-	-	-
FEMALE--	-	3	3	7	7	23	14	16	8	8	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	1	1	-	-	-	-
FEMALE--	-	-	-	-	1	3	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	1	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	-	-	-	-	-
PENNSYLVANIA -----	15	24	47	102	162	179	210	124	54	15	1	-
WHITE-----MALE----	8	13	33	59	103	105	117	55	20	4	-	-
FEMALE--	4	5	10	32	54	61	81	63	32	10	-	-
ALL OTHER--MALE----	1	4	3	4	1	8	2	-	1	-	1	-
FEMALE--	2	2	1	7	4	5	10	6	1	1	-	-
BLACK---MALE----	1	2	3	4	1	8	2	-	1	-	1	-
FEMALE--	1	2	1	7	4	5	10	5	1	1	-	-
RHODE ISLAND -----	3	-	3	5	9	15	9	12	3	4	-	-
WHITE-----MALE----	1	-	3	3	8	11	5	5	1	1	-	-
FEMALE--	2	-	-	2	1	4	4	6	2	3	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
SOUTH CAROLINA -----	12	2	26	41	41	52	43	29	4	2	-	-
WHITE-----MALE----	4	-	14	22	23	30	20	10	2	-	-	-
FEMALE--	4	1	6	10	14	13	20	13	1	1	-	-
ALL OTHER--MALE----	1	1	3	4	3	6	1	3	-	-	-	-
FEMALE--	3	-	3	5	1	3	2	3	1	1	-	-
BLACK---MALE----	1	1	3	4	3	6	1	3	-	-	-	-
FEMALE--	3	-	3	5	1	3	2	3	1	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,799

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 AORTIC ANEURYSM (441)												
SOUTH DAKOTA -----	1	1	2	7	7	8	9	8	6	-	-	-
WHITE-----MALE----	1	1	1	4	7	6	8	3	2	-	-	-
FEMALE--	-	-	-	3	-	2	1	5	4	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	9	10	27	40	51	70	52	38	19	3	-	-
WHITE-----MALE----	6	8	22	31	38	45	27	16	6	2	-	-
FEMALE--	-	1	3	6	11	20	21	18	10	1	-	-
ALL OTHER--MALE----	3	-	1	2	1	1	2	2	-	-	-	-
FEMALE--	-	1	1	1	1	4	2	2	3	-	-	-
BLACK---MALE----	2	-	1	1	1	1	2	2	-	-	-	-
FEMALE--	-	1	1	1	1	4	2	2	3	-	-	-
TEXAS -----	28	36	45	117	113	159	127	95	56	4	-	-
WHITE-----MALE----	16	23	31	76	63	99	63	52	22	-	-	-
FEMALE--	2	8	12	26	39	52	51	39	29	4	-	-
ALL OTHER--MALE----	8	3	1	9	7	4	4	1	3	-	-	-
FEMALE--	2	2	1	6	4	4	9	3	2	-	-	-
BLACK---MALE----	7	3	1	7	6	4	4	1	2	-	-	-
FEMALE--	2	2	1	6	4	4	9	3	2	-	-	-
UTAH -----	3	-	5	5	8	8	12	11	9	2	-	-
WHITE-----MALE----	2	-	4	4	8	6	7	7	4	-	-	-
FEMALE--	-	-	1	1	-	2	5	4	5	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	-	5	7	9	13	8	1	1	-	-
WHITE-----MALE----	-	-	-	5	6	5	8	5	1	-	-	-
FEMALE--	-	-	-	-	1	4	5	3	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	8	8	21	31	61	78	51	28	22	3	-	-
WHITE-----MALE----	5	3	12	18	40	40	20	11	10	2	-	-
FEMALE--	1	3	4	8	17	25	26	13	10	1	-	-
ALL OTHER--MALE----	2	2	4	2	2	8	2	2	-	-	-	-
FEMALE--	-	-	1	3	2	5	3	2	2	-	-	-
BLACK---MALE----	2	2	3	2	2	7	2	1	-	-	-	-
FEMALE--	-	-	1	3	2	5	3	2	2	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 1,801

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ALL OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES (442-448)												
UNITED STATES --	11,434	12	5	5	7	8	29	41	61	110	144	198
WHITE-----MALE----	4,276	6	3	3	1	1	2	10	19	32	43	72
FEMALE--	5,513	3	1	-	5	5	11	19	19	43	48	65
ALL OTHER--MALE----	702	2	-	-	1	1	7	3	9	19	22	31
FEMALE--	943	1	1	2	-	1	9	9	14	16	31	30
BLACK---MALE----	632	2	-	-	1	-	6	3	9	19	19	30
FEMALE--	850	1	-	2	-	1	9	9	12	16	29	29
ALABAMA -----	182	1	-	-	-	-	-	-	2	2	3	5
WHITE-----MALE----	56	1	-	-	-	-	-	-	-	1	1	1
FEMALE--	72	-	-	-	-	-	-	-	1	1	1	2
ALL OTHER--MALE----	25	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	29	-	-	-	-	-	-	-	1	-	1	1
BLACK---MALE----	25	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	27	-	-	-	-	-	-	-	1	-	1	1
ALASKA -----	5	-	-	-	-	-	-	-	-	1	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	203	2	-	-	-	-	1	1	-	6	4	4
WHITE-----MALE----	85	1	-	-	-	-	-	1	-	2	1	1
FEMALE--	105	-	-	-	-	-	-	-	-	4	3	3
ALL OTHER--MALE----	7	1	-	-	-	-	1	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	6	1	-	-	-	-	1	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	128	-	-	1	-	-	1	1	-	-	-	-
WHITE-----MALE----	51	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	58	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	8	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	11	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	8	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	11	-	-	1	-	-	-	-	-	-	-	-
CALIFORNIA -----	1,010	-	2	1	-	-	3	3	8	11	16	19
WHITE-----MALE----	352	-	1	1	-	-	-	1	3	3	5	6
FEMALE--	516	-	-	-	-	-	1	1	4	7	5	8
ALL OTHER--MALE----	56	-	-	-	-	-	1	1	-	-	3	3
FEMALE--	86	-	1	-	-	-	1	-	1	1	3	2
BLACK---MALE----	36	-	-	-	-	-	-	1	-	-	2	3
FEMALE--	54	-	-	-	-	-	1	-	1	1	2	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,801

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ALL OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES (442-448)												
UNITED STATES --	259	389	548	905	1,386	1,835	1,891	1,755	1,227	496	123	-
WHITE-----MALE----	100	160	259	401	620	794	772	581	282	97	18	-
FEMALE--	109	135	185	367	559	812	900	995	799	345	88	-
ALL OTHER--MALE----	25	50	46	78	81	105	94	65	44	15	4	-
FEMALE--	25	44	58	59	126	124	125	114	102	39	13	-
BLACK---MALE----	21	47	42	69	76	95	78	56	41	15	3	-
FEMALE--	24	42	48	54	107	109	110	108	91	36	13	-
ALABAMA -----	6	7	10	17	18	33	17	28	22	10	1	-
WHITE-----MALE----	2	4	4	5	8	11	8	7	2	1	-	-
FEMALE--	3	1	3	7	5	14	5	12	12	5	-	-
ALL OTHER--MALE----	1	1	2	-	2	5	4	4	4	1	-	-
FEMALE--	-	1	1	5	3	3	-	5	4	3	1	-
BLACK---MALE----	1	1	2	-	2	5	4	4	4	1	-	-
FEMALE--	-	1	1	5	2	2	-	5	4	3	1	-
ALASKA -----	-	-	-	-	2	-	-	2	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
ARIZONA -----	5	8	11	17	29	20	42	28	17	5	3	-
WHITE-----MALE----	2	7	6	8	17	7	17	9	5	1	-	-
FEMALE--	3	-	4	7	12	13	23	17	10	3	3	-
ALL OTHER--MALE----	-	1	-	1	-	-	2	-	1	-	-	-
FEMALE--	-	-	1	1	-	-	-	2	1	1	-	-
BLACK---MALE----	-	1	-	1	-	-	1	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	2	-	1	-	-
ARKANSAS -----	1	4	7	9	20	16	23	20	17	5	3	-
WHITE-----MALE----	1	1	3	3	11	7	11	5	8	-	1	-
FEMALE--	-	1	2	3	7	7	10	13	9	4	1	-
ALL OTHER--MALE----	-	2	2	1	-	1	-	-	-	1	-	-
FEMALE--	-	-	-	2	2	1	2	2	-	-	1	-
BLACK---MALE----	-	2	2	1	-	1	-	-	-	1	-	-
FEMALE--	-	-	-	2	2	1	2	2	-	-	1	-
CALIFORNIA -----	33	34	49	83	118	169	169	144	92	40	16	-
WHITE-----MALE----	12	14	23	43	43	66	58	44	23	4	2	-
FEMALE--	16	17	18	33	57	83	82	81	59	33	11	-
ALL OTHER--MALE----	4	2	1	6	3	7	14	7	1	2	1	-
FEMALE--	1	1	7	1	15	13	15	12	9	1	2	-
BLACK---MALE----	4	1	1	4	3	4	7	3	-	2	1	-
FEMALE--	1	1	4	-	8	7	10	9	5	1	2	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 1,802

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ALL OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES (442-448)												
COLORADO -----	100	-	-	-	-	-	-	1	-	2	1	3
WHITE-----MALE----	39	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	56	-	-	-	-	-	-	-	-	1	1	1
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	1	-	-	-	1
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	1	-	-	-	1
CONNECTICUT -----	162	-	-	-	-	-	-	1	1	1	-	5
WHITE-----MALE----	59	-	-	-	-	-	-	-	1	-	-	1
FEMALE--	85	-	-	-	-	-	-	1	-	1	-	3
ALL OTHER--MALE----	9	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	8	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	1
DELAWARE -----	39	-	-	-	-	-	-	-	1	-	-	1
WHITE-----MALE----	11	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	19	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	7	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	6	-	-	-	-	-	-	-	1	-	-	-
DISTRICT OF COLUMBIA ----	23	-	-	-	-	-	-	-	1	-	-	1
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	10	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	10	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	1
FLORIDA -----	798	1	1	-	-	1	2	2	4	10	7	18
WHITE-----MALE----	330	-	1	-	-	-	1	-	1	4	2	13
FEMALE--	360	-	-	-	-	1	-	-	-	2	1	1
ALL OTHER--MALE----	43	-	-	-	-	-	1	1	1	4	3	2
FEMALE--	65	1	-	-	-	-	-	1	2	-	1	2
BLACK---MALE----	42	-	-	-	-	-	1	1	1	4	3	2
FEMALE--	64	1	-	-	-	-	-	1	2	-	1	2
GEORGIA -----	277	1	-	-	-	-	2	1	4	3	7	3
WHITE-----MALE----	77	1	-	-	-	-	-	-	-	1	3	1
FEMALE--	114	-	-	-	-	-	-	1	-	1	-	-
ALL OTHER--MALE----	41	-	-	-	-	-	1	-	3	-	2	1
FEMALE--	45	-	-	-	-	-	1	-	1	1	2	1
BLACK---MALE----	41	-	-	-	-	-	1	-	3	-	2	1
FEMALE--	45	-	-	-	-	-	1	-	1	1	2	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,802

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ALL OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES (442-448)												
COLORADO -----	1	2	7	3	10	16	17	19	9	8	1	-
WHITE-----MALE----	-	1	4	1	5	8	7	6	3	2	-	-
FEMALE--	1	1	3	2	5	8	10	12	5	5	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	1	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	1	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	3	4	7	10	18	32	37	24	12	7	-	-
WHITE-----MALE----	1	-	2	7	11	13	11	7	4	1	-	-
FEMALE--	2	2	3	3	5	15	24	15	6	5	-	-
ALL OTHER--MALE----	-	2	1	-	2	2	2	-	-	-	-	-
FEMALE--	-	-	1	-	-	2	-	2	2	1	-	-
BLACK---MALE----	-	2	1	-	2	2	1	-	-	-	-	-
FEMALE--	-	-	1	-	-	1	-	2	2	1	-	-
DELAWARE -----	1	2	2	1	8	7	9	4	3	-	-	-
WHITE-----MALE----	-	-	-	1	3	3	3	-	1	-	-	-
FEMALE--	-	-	2	-	2	4	6	3	2	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	3	-	-	1	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	2	-	-	1	-	-	-	-
DISTRICT OF COLUMBIA ----	-	1	-	6	2	1	5	3	3	-	-	-
WHITE-----MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	2	-	-	-	-	-
ALL OTHER--MALE----	-	1	-	4	-	1	2	1	-	-	-	-
FEMALE--	-	-	-	1	1	-	1	2	3	-	-	-
BLACK---MALE----	-	1	-	4	-	1	2	1	-	-	-	-
FEMALE--	-	-	-	1	1	-	1	2	3	-	-	-
FLORIDA -----	19	27	30	57	100	125	149	125	81	27	12	-
WHITE-----MALE----	5	17	15	30	38	53	68	44	29	8	1	-
FEMALE--	8	7	8	18	44	61	67	69	47	17	9	-
ALL OTHER--MALE----	2	1	3	7	5	4	3	4	2	-	-	-
FEMALE--	4	2	4	2	13	7	11	8	3	2	2	-
BLACK---MALE----	1	1	3	7	5	4	3	4	2	-	-	-
FEMALE--	4	2	4	2	13	7	11	8	3	1	2	-
GEORGIA -----	9	5	21	24	29	56	49	40	20	3	-	-
WHITE-----MALE----	2	1	8	7	9	16	14	13	1	-	-	-
FEMALE--	5	3	6	6	12	26	21	19	12	2	-	-
ALL OTHER--MALE----	-	-	3	7	4	8	6	4	2	-	-	-
FEMALE--	2	1	4	4	4	6	8	4	5	1	-	-
BLACK---MALE----	-	-	3	7	4	8	6	4	2	-	-	-
FEMALE--	2	1	4	4	4	6	8	4	5	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,803

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ALL OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES (442-448)												
HAWAII -----	2	1	2	2	1	6	13	3	3	1	1	-
WHITE-----MALE----	1	-	-	-	1	1	5	-	-	-	-	-
FEMALE--	1	1	-	2	-	-	-	2	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	3	4	1	1	-	1	-
FEMALE--	-	-	2	-	-	2	4	-	1	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	1	-	4	5	5	9	5	11	4	2	-	-
WHITE-----MALE----	-	-	1	3	1	2	5	6	-	-	-	-
FEMALE--	-	-	3	2	4	7	-	5	4	2	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	10	24	25	33	48	77	77	97	56	25	3	-
WHITE-----MALE----	3	6	11	16	23	43	28	36	8	2	1	-
FEMALE--	5	4	8	14	21	29	40	52	41	20	2	-
ALL OTHER--MALE----	2	9	3	2	1	3	5	3	2	1	-	-
FEMALE--	-	5	3	1	3	2	4	6	5	2	-	-
BLACK---MALE----	2	9	2	1	1	3	5	3	2	1	-	-
FEMALE--	-	5	3	1	3	1	4	6	5	2	-	-
INDIANA -----	5	7	16	18	35	43	46	40	41	9	3	-
WHITE-----MALE----	2	2	11	7	14	14	20	10	6	1	-	-
FEMALE--	2	3	3	10	17	27	22	28	30	7	3	-
ALL OTHER--MALE----	1	-	-	-	1	2	1	1	2	-	-	-
FEMALE--	-	2	2	1	3	-	3	1	3	1	-	-
BLACK---MALE----	1	-	-	-	1	2	1	1	2	-	-	-
FEMALE--	-	2	2	1	3	-	3	1	3	1	-	-
IOWA -----	2	2	5	9	22	23	24	36	24	8	3	-
WHITE-----MALE----	1	1	2	4	10	11	11	16	7	1	-	-
FEMALE--	1	1	2	5	12	12	12	20	17	7	3	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	1	-	-	-	-	-
KANSAS -----	-	4	5	6	11	10	20	20	25	7	2	-
WHITE-----MALE----	-	2	2	3	4	7	10	6	5	2	-	-
FEMALE--	-	2	3	3	5	3	7	14	19	5	2	-
ALL OTHER--MALE----	-	-	-	-	2	-	2	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	1	-	-	-
BLACK---MALE----	-	-	-	-	2	-	2	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 1,804

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ALL OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES (442-448)												
KENTUCKY -----	172	-	-	-	-	-	-	2	-	2	6	1
WHITE-----MALE----	67	-	-	-	-	-	-	1	-	-	2	-
FEMALE--	90	-	-	-	-	-	-	1	-	1	4	1
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	9	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	9	-	-	-	-	-	-	-	-	1	-	-
LOUISIANA -----	204	-	-	-	1	1	2	-	1	3	4	4
WHITE-----MALE----	66	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	75	-	-	-	1	-	1	-	1	-	1	2
ALL OTHER--MALE----	28	-	-	-	-	1	-	-	-	2	-	1
FEMALE--	35	-	-	-	-	-	1	-	-	1	3	-
BLACK---MALE----	27	-	-	-	-	-	-	-	-	2	-	1
FEMALE--	35	-	-	-	-	-	1	-	-	1	3	-
MAINE -----	67	-	-	-	-	-	-	-	-	1	1	1
WHITE-----MALE----	29	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	38	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	215	-	-	-	-	-	-	-	1	2	2	6
WHITE-----MALE----	72	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	79	-	-	-	-	-	-	-	1	-	1	1
ALL OTHER--MALE----	30	-	-	-	-	-	-	-	-	1	-	2
FEMALE--	34	-	-	-	-	-	-	-	-	1	1	1
BLACK---MALE----	29	-	-	-	-	-	-	-	-	1	-	2
FEMALE--	33	-	-	-	-	-	-	-	-	1	1	1
MASSACHUSETTS -----	295	-	-	-	-	-	-	-	-	-	1	-
WHITE-----MALE----	105	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	177	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	415	-	-	-	-	-	-	1	3	8	8	7
WHITE-----MALE----	159	-	-	-	-	-	-	1	3	2	2	3
FEMALE--	196	-	-	-	-	-	-	-	-	3	3	1
ALL OTHER--MALE----	30	-	-	-	-	-	-	-	-	2	2	2
FEMALE--	30	-	-	-	-	-	-	-	-	1	1	1
BLACK---MALE----	29	-	-	-	-	-	-	-	-	2	2	2
FEMALE--	27	-	-	-	-	-	-	-	-	1	1	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,804

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ALL OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES (442-448)												
KENTUCKY -----	4	4	9	21	19	35	30	19	15	5	-	-
WHITE-----MALE----	3	1	4	11	10	11	12	4	4	4	-	-
FEMALE--	1	2	4	9	7	21	17	12	9	1	-	-
ALL OTHER--MALE----	-	1	1	1	-	1	-	2	-	-	-	-
FEMALE--	-	-	-	-	2	2	1	1	2	-	-	-
BLACK---MALE----	-	1	1	1	-	1	-	2	-	-	-	-
FEMALE--	-	-	-	-	2	2	1	1	2	-	-	-
LOUISIANA -----	7	10	8	21	27	29	29	28	22	7	-	-
WHITE-----MALE----	3	2	3	9	12	7	14	9	3	3	-	-
FEMALE--	2	4	2	4	8	10	7	17	13	2	-	-
ALL OTHER--MALE----	1	2	3	2	4	5	4	-	2	1	-	-
FEMALE--	1	2	-	6	3	7	4	2	4	1	-	-
BLACK---MALE----	1	2	3	2	4	5	4	-	2	1	-	-
FEMALE--	1	2	-	6	3	7	4	2	4	1	-	-
MAINE -----	-	3	3	6	8	9	8	11	10	4	2	-
WHITE-----MALE----	-	2	1	5	5	4	2	3	2	3	-	-
FEMALE--	-	1	2	1	3	5	6	8	8	1	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	5	15	12	13	24	35	43	30	19	6	2	-
WHITE-----MALE----	1	4	2	4	10	13	16	14	4	1	1	-
FEMALE--	1	3	3	5	7	14	16	11	11	4	1	-
ALL OTHER--MALE----	1	7	2	2	3	2	5	2	3	-	-	-
FEMALE--	2	1	5	2	4	6	6	3	1	1	-	-
BLACK---MALE----	1	7	2	1	3	2	5	2	3	-	-	-
FEMALE--	2	1	5	2	3	6	6	3	1	1	-	-
MASSACHUSETTS -----	4	5	10	26	31	53	47	51	45	15	7	-
WHITE-----MALE----	2	-	6	12	10	23	21	18	9	-	3	-
FEMALE--	2	5	3	13	20	28	23	31	33	15	4	-
ALL OTHER--MALE----	-	-	-	-	-	1	2	-	1	-	-	-
FEMALE--	-	-	1	1	1	1	1	2	2	-	-	-
BLACK---MALE----	-	-	-	-	-	1	2	-	1	-	-	-
FEMALE--	-	-	1	1	1	1	2	-	2	-	-	-
MICHIGAN -----	12	15	19	34	55	65	62	57	45	15	9	-
WHITE-----MALE----	6	5	10	19	26	32	23	15	8	2	2	-
FEMALE--	4	9	6	12	22	24	28	35	30	12	7	-
ALL OTHER--MALE----	2	-	1	1	2	5	5	2	5	1	-	-
FEMALE--	-	1	2	2	5	4	6	5	2	-	-	-
BLACK---MALE----	2	-	1	1	1	5	5	2	5	1	-	-
FEMALE--	-	1	1	1	4	4	6	5	2	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,805

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ALL OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES (442-448)												
MINNESOTA -----	4	7	5	11	22	34	41	42	27	18	3	-
WHITE-----MALE----	-	4	2	8	14	18	26	15	7	8	1	-
FEMALE--	4	2	3	3	7	15	15	27	20	10	2	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	1	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
MISSISSIPPI -----	4	4	7	13	20	14	9	9	8	6	-	-
WHITE-----MALE----	1	1	2	5	7	4	4	1	-	1	-	-
FEMALE--	3	1	4	6	7	8	5	2	5	2	-	-
ALL OTHER--MALE----	-	1	-	-	3	1	-	3	-	1	-	-
FEMALE--	-	1	1	2	3	1	-	3	3	2	-	-
BLACK---MALE----	-	1	-	-	2	1	-	3	-	1	-	-
FEMALE--	-	1	1	2	3	1	-	3	3	2	-	-
MISSOURI -----	2	7	9	26	37	42	51	48	25	10	2	-
WHITE-----MALE----	2	6	7	12	22	19	23	15	7	3	-	-
FEMALE--	-	1	1	11	12	17	26	28	15	6	1	-
ALL OTHER--MALE----	-	-	-	2	2	2	1	1	-	-	1	-
FEMALE--	-	-	1	1	1	4	1	4	3	1	-	-
BLACK---MALE----	-	-	-	2	1	2	1	1	-	-	1	-
FEMALE--	-	-	1	1	1	4	1	4	3	1	-	-
MONTANA -----	-	1	3	3	2	7	6	7	4	3	-	-
WHITE-----MALE----	-	1	1	1	2	4	1	5	2	1	-	-
FEMALE--	-	-	2	2	-	3	5	2	2	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	2	3	2	6	8	11	15	11	15	8	3	-
WHITE-----MALE----	1	3	1	1	6	3	5	5	1	-	-	-
FEMALE--	-	-	1	4	2	5	10	5	12	8	3	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	1	-	-	-	-
FEMALE--	1	-	-	1	-	2	-	-	2	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	1	-	2	-	-	1	-	-	-
NEVADA -----	2	4	1	9	11	7	13	11	3	-	-	-
WHITE-----MALE----	-	2	-	5	7	2	8	6	2	-	-	-
FEMALE--	-	1	1	3	4	5	3	5	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	1	-	1	-	-	2	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	1	-	1	-	-	2	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 1,807

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ALL OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES (442-448)												
OHIO -----	575	1	-	-	1	-	1	4	3	4	11	13
WHITE-----MALE----	214	1	-	-	-	-	-	2	-	1	4	4
FEMALE--	292	-	-	-	1	-	1	2	1	3	3	7
ALL OTHER--MALE----	27	-	-	-	-	-	-	-	1	-	-	1
FEMALE--	42	-	-	-	-	-	-	-	1	-	4	1
BLACK---MALE----	27	-	-	-	-	-	-	-	1	-	-	1
FEMALE--	42	-	-	-	-	-	-	-	1	-	4	1
OKLAHOMA -----	133	-	-	-	-	-	-	2	1	-	-	4
WHITE-----MALE----	47	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	67	-	-	-	-	-	-	1	-	-	-	1
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	14	-	-	-	-	-	-	1	1	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	10	-	-	-	-	-	-	1	1	-	-	-
OREGON -----	146	-	-	-	-	-	-	1	-	1	1	1
WHITE-----MALE----	70	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	69	-	-	-	-	-	-	1	-	-	-	1
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	660	-	-	-	-	-	3	1	1	1	4	8
WHITE-----MALE----	255	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	343	-	-	-	-	-	2	-	1	-	2	3
ALL OTHER--MALE----	19	-	-	-	-	-	-	-	-	1	1	2
FEMALE--	43	-	-	-	-	-	1	1	-	-	1	1
BLACK---MALE----	18	-	-	-	-	-	-	-	-	1	1	2
FEMALE--	40	-	-	-	-	-	1	1	-	-	1	1
RHODE ISLAND -----	38	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	15	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	22	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	206	-	-	-	-	1	-	1	3	5	3	4
WHITE-----MALE----	64	-	-	-	-	-	-	-	-	-	2	-
FEMALE--	69	-	-	-	-	-	-	-	3	2	-	-
ALL OTHER--MALE----	30	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	43	-	-	-	-	1	-	1	-	3	-	2
BLACK---MALE----	29	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	43	-	-	-	-	1	-	1	-	3	-	2

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,807

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ALL OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES (442-448)												
OHIO -----	15	19	27	47	70	101	81	97	50	23	7	-
WHITE-----MALE----	7	8	11	22	28	45	34	32	11	4	-	-
FEMALE--	5	8	12	17	31	46	39	58	34	18	6	-
ALL OTHER--MALE----	2	2	2	5	3	5	1	4	1	-	-	-
FEMALE--	1	1	2	3	8	5	7	3	4	1	1	-
BLACK---MALE----	2	2	2	5	3	5	1	4	1	-	-	-
FEMALE--	1	1	2	3	8	5	7	3	4	1	1	-
OKLAHOMA -----	2	6	9	17	14	20	18	22	14	3	1	-
WHITE-----MALE----	1	2	3	8	8	10	4	8	-	1	-	-
FEMALE--	1	3	1	8	6	6	13	13	11	2	1	-
ALL OTHER--MALE----	-	1	-	1	-	1	1	-	-	-	-	-
FEMALE--	-	-	5	-	-	3	-	1	3	-	-	-
BLACK---MALE----	-	-	-	1	-	-	1	-	-	-	-	-
FEMALE--	-	-	3	-	-	2	-	1	2	-	-	-
OREGON -----	2	1	7	7	14	26	34	23	17	7	4	-
WHITE-----MALE----	-	-	3	6	11	14	19	7	5	3	-	-
FEMALE--	2	1	4	1	1	9	14	15	12	4	4	-
ALL OTHER--MALE----	-	-	-	-	-	2	1	1	-	-	-	-
FEMALE--	-	-	-	-	2	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	2	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
PENNSYLVANIA -----	13	16	17	58	74	115	123	117	69	38	2	-
WHITE-----MALE----	9	9	9	27	32	56	42	40	20	8	1	-
FEMALE--	2	3	5	27	29	49	75	70	47	28	-	-
ALL OTHER--MALE----	1	2	1	2	3	3	1	2	-	-	-	-
FEMALE--	1	2	2	2	10	7	5	5	2	2	1	-
BLACK---MALE----	1	2	1	1	3	3	1	2	-	-	-	-
FEMALE--	1	2	2	2	9	6	5	4	2	2	1	-
RHODE ISLAND -----	1	1	1	-	2	10	4	7	10	2	-	-
WHITE-----MALE----	-	-	1	-	1	5	1	3	4	-	-	-
FEMALE--	1	1	-	-	1	5	3	4	5	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
SOUTH CAROLINA -----	6	6	15	20	28	38	26	25	15	8	2	-
WHITE-----MALE----	1	2	8	7	7	13	12	8	4	-	-	-
FEMALE--	1	1	1	3	10	17	6	13	7	5	-	-
ALL OTHER--MALE----	1	1	5	4	4	5	3	1	2	1	-	-
FEMALE--	3	2	1	6	7	3	5	3	2	2	2	-
BLACK---MALE----	1	1	5	4	4	5	3	1	1	1	-	-
FEMALE--	3	2	1	6	7	3	5	3	2	2	2	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 1,808

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ALL OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES (442-448)												
SOUTH DAKOTA -----	32	-	-	-	-	-	-	-	-	-	-	1
WHITE-----MALE----	16	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	16	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	291	-	1	1	1	-	-	4	1	4	5	5
WHITE-----MALE----	96	-	-	-	-	-	-	1	-	2	-	1
FEMALE--	137	-	1	-	1	-	-	1	1	1	3	3
ALL OTHER--MALE----	25	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	33	-	-	1	-	-	-	2	-	1	1	1
BLACK---MALE----	24	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	33	-	-	1	-	-	-	2	-	1	1	1
TEXAS -----	757	-	-	1	1	2	3	3	6	7	12	18
WHITE-----MALE----	291	-	-	1	1	1	-	-	1	1	2	6
FEMALE--	340	-	-	-	-	1	2	3	2	4	4	6
ALL OTHER--MALE----	59	-	-	-	-	-	1	-	-	1	3	3
FEMALE--	67	-	-	-	-	-	-	-	3	1	3	3
BLACK---MALE----	57	-	-	-	-	-	1	-	-	1	3	3
FEMALE--	63	-	-	-	-	-	-	-	3	1	3	3
UTAH -----	45	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	18	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	27	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	28	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	12	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	16	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	261	-	-	-	-	1	1	1	1	1	4	5
WHITE-----MALE----	82	-	-	-	-	-	-	-	1	-	-	1
FEMALE--	106	-	-	-	-	1	1	-	-	-	-	1
ALL OTHER--MALE----	24	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	49	-	-	-	-	-	-	1	-	1	4	2
BLACK---MALE----	24	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	47	-	-	-	-	-	-	1	-	1	4	2

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,808

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ALL OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES (442-448)												
SOUTH DAKOTA -----	-	1	1	2	3	9	4	7	2	2	-	-
WHITE-----MALE----	-	-	1	-	2	7	2	4	-	-	-	-
FEMALE--	-	1	-	2	1	2	2	3	2	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	8	12	20	26	33	34	41	44	32	16	3	-
WHITE-----MALE----	2	4	9	13	13	15	14	11	6	5	-	-
FEMALE--	4	5	7	9	15	14	21	22	18	9	2	-
ALL OTHER--MALE----	1	2	3	3	3	1	4	3	3	1	-	-
FEMALE--	1	1	1	1	2	4	2	8	5	1	1	-
BLACK---MALE----	-	2	3	3	3	1	4	3	3	1	-	-
FEMALE--	1	1	1	1	2	4	2	8	5	1	1	-
TEXAS -----	15	29	48	61	109	107	118	99	83	32	3	-
WHITE-----MALE----	7	14	22	24	56	46	52	31	17	7	2	-
FEMALE--	5	8	20	25	40	45	50	54	51	20	-	-
ALL OTHER--MALE----	3	4	4	6	6	7	7	7	5	2	-	-
FEMALE--	-	3	2	6	7	9	9	7	10	3	1	-
BLACK---MALE----	2	4	4	5	6	7	7	7	5	2	-	-
FEMALE--	-	3	2	5	5	9	8	7	10	3	1	-
UTAH -----	2	1	3	4	7	7	10	2	7	1	1	-
WHITE-----MALE----	1	1	1	-	4	4	3	2	2	-	-	-
FEMALE--	1	-	2	4	3	3	7	-	5	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	1	5	3	4	8	1	4	2	-	-
WHITE-----MALE----	-	-	-	2	2	4	3	-	1	-	-	-
FEMALE--	-	-	1	3	1	-	5	1	3	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	7	7	13	23	30	50	39	42	21	13	2	-
WHITE-----MALE----	3	1	5	8	12	18	13	15	4	1	-	-
FEMALE--	2	2	5	11	12	19	18	17	11	5	1	-
ALL OTHER--MALE----	1	1	1	2	5	4	2	3	2	2	-	-
FEMALE--	1	3	2	2	1	9	6	7	4	5	1	-
BLACK---MALE----	1	1	1	2	5	4	2	3	2	2	-	-
FEMALE--	1	3	2	2	1	9	6	6	3	5	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 1,810

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
DISEASES OF VEINS AND LYMPHATICS, AND OTHER DISEASES OF CIRCULATORY SYSTEM (451-459)												
UNITED STATES --	4,397	61	6	3	2	9	16	33	57	110	128	170
WHITE-----MALE----	1,599	24	1	1	1	3	4	10	19	45	43	73
FEMALE--	1,986	18	2	1	-	2	4	8	13	22	33	43
ALL OTHER--MALE----	344	10	3	-	-	2	3	9	11	19	24	31
FEMALE--	468	9	-	1	1	2	5	6	14	24	28	23
BLACK---MALE----	317	10	3	-	-	-	3	8	11	18	22	30
FEMALE--	428	9	-	1	1	2	4	5	14	23	28	21
ALABAMA -----	92	4	-	-	-	-	-	-	-	-	7	5
WHITE-----MALE----	31	3	-	-	-	-	-	-	-	-	1	3
FEMALE--	30	-	-	-	-	-	-	-	-	-	3	-
ALL OTHER--MALE----	10	1	-	-	-	-	-	-	-	-	-	2
FEMALE--	21	-	-	-	-	-	-	-	-	-	3	-
BLACK---MALE----	10	1	-	-	-	-	-	-	-	-	-	2
FEMALE--	21	-	-	-	-	-	-	-	-	-	3	-
ALASKA -----	4	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	71	-	-	-	-	-	-	-	1	1	3	3
WHITE-----MALE----	30	-	-	-	-	-	-	-	-	-	2	3
FEMALE--	38	-	-	-	-	-	-	-	1	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	51	1	-	-	-	-	-	-	-	1	1	1
WHITE-----MALE----	25	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	20	1	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	1	-
CALIFORNIA -----	316	7	-	1	-	1	1	5	6	9	12	19
WHITE-----MALE----	117	5	-	-	-	-	1	-	1	4	4	8
FEMALE--	151	2	-	-	-	-	-	2	1	3	3	7
ALL OTHER--MALE----	17	-	-	-	-	1	-	1	2	1	4	1
FEMALE--	31	-	-	1	-	-	-	2	2	1	1	3
BLACK---MALE----	14	-	-	-	-	-	-	1	2	1	3	1
FEMALE--	25	-	-	1	-	-	-	2	2	1	1	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,810

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 DISEASES OF VEINS AND LYMPHATICS, AND OTHER DISEASES OF CIRCULATORY SYSTEM (451-459)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
UNITED STATES --	183	226	265	355	486	609	612	571	331	134	30	-
WHITE-----MALE----	79	103	113	146	225	235	208	163	74	25	4	-
FEMALE--	59	67	91	141	187	286	326	340	228	94	21	-
ALL OTHER--MALE----	23	24	34	29	36	24	32	20	7	3	-	-
FEMALE--	22	32	27	39	38	64	46	48	22	12	5	-
BLACK---MALE----	22	24	28	28	34	23	29	15	6	3	-	-
FEMALE--	21	26	26	35	34	58	44	40	19	12	5	-
ALABAMA -----	5	6	7	10	10	12	14	5	5	1	1	-
WHITE-----MALE----	1	3	4	4	5	4	1	1	1	-	-	-
FEMALE--	-	1	2	2	3	6	8	2	3	-	-	-
ALL OTHER--MALE----	3	2	-	1	-	-	1	-	-	-	-	-
FEMALE--	1	-	1	3	2	2	4	2	1	1	1	-
BLACK---MALE----	3	2	-	1	-	-	1	-	-	-	-	-
FEMALE--	1	-	1	3	2	2	4	2	1	1	1	-
ALASKA -----	-	-	3	-	-	1	-	-	-	-	-	-
WHITE-----MALE----	-	-	2	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	1	5	4	3	9	14	10	7	8	1	1	-
WHITE-----MALE----	-	2	3	1	5	6	6	1	1	-	-	-
FEMALE--	1	2	-	2	4	7	4	6	7	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	1	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	1	-	-	-	-	-	-
ARKANSAS -----	-	7	3	4	6	9	6	8	2	2	-	-
WHITE-----MALE----	-	5	2	2	5	3	4	2	1	-	-	-
FEMALE--	-	-	1	2	1	4	2	6	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	1	-	-
FEMALE--	-	2	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	1	-	-
FEMALE--	-	2	-	-	-	1	-	-	-	-	-	-
CALIFORNIA -----	16	17	17	22	38	49	34	36	19	5	2	-
WHITE-----MALE----	7	8	7	11	16	19	10	9	4	2	1	-
FEMALE--	6	7	7	7	20	28	19	23	13	2	1	-
ALL OTHER--MALE----	1	-	2	1	1	-	1	1	-	-	-	-
FEMALE--	2	2	1	3	1	2	4	3	2	1	-	-
BLACK---MALE----	1	-	1	1	1	-	1	1	-	-	-	-
FEMALE--	2	-	1	1	1	2	4	3	2	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 1,811

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
 DISEASES OF VEINS AND LYMPHATICS, AND OTHER DISEASES OF CIRCULATORY SYSTEM (451-459)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
COLORADO -----	63	1	-	-	-	-	-	1	-	-	4	5
WHITE-----MALE----	28	1	-	-	-	-	-	1	-	-	2	3
FEMALE--	31	-	-	-	-	-	-	-	-	-	2	2
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	62	-	-	-	-	-	-	1	-	2	-	2
WHITE-----MALE----	23	-	-	-	-	-	-	-	-	2	-	1
FEMALE--	35	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	15	-	-	-	-	-	-	-	-	1	1	2
WHITE-----MALE----	7	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	26	1	-	-	-	-	1	-	1	2	1	2
WHITE-----MALE----	4	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	12	1	-	-	-	-	-	-	-	2	1	1
FEMALE--	9	-	-	-	-	-	1	-	-	-	-	1
BLACK---MALE----	12	1	-	-	-	-	-	-	-	2	1	1
FEMALE--	9	-	-	-	-	-	1	-	-	-	-	1
FLORIDA -----	276	1	1	-	-	1	3	-	2	5	9	5
WHITE-----MALE----	105	-	-	-	-	-	1	-	2	3	-	2
FEMALE--	129	-	-	-	-	-	1	-	-	-	4	2
ALL OTHER--MALE----	15	-	1	-	-	-	1	-	-	-	1	-
FEMALE--	27	1	-	-	-	1	-	-	-	2	4	1
BLACK---MALE----	15	-	1	-	-	-	1	-	-	-	1	-
FEMALE--	26	1	-	-	-	1	-	-	-	2	4	1
GEORGIA -----	135	4	-	-	-	-	-	-	5	8	8	4
WHITE-----MALE----	36	1	-	-	-	-	-	-	1	3	1	3
FEMALE--	47	1	-	-	-	-	-	-	-	2	2	-
ALL OTHER--MALE----	21	2	-	-	-	-	-	-	2	-	3	-
FEMALE--	31	-	-	-	-	-	-	-	2	3	2	1
BLACK---MALE----	20	2	-	-	-	-	-	-	2	-	3	-
FEMALE--	30	-	-	-	-	-	-	-	2	3	2	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,811

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 DISEASES OF VEINS AND LYMPHATICS, AND OTHER DISEASES OF CIRCULATORY SYSTEM (451-459)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
COLORADO -----	6	1	4	2	4	11	6	7	8	3	-	-
WHITE-----MALE----	2	1	3	-	2	6	2	2	1	2	-	-
FEMALE--	4	-	1	1	1	4	3	5	7	1	-	-
ALL OTHER--MALE----	-	-	-	1	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
CONNECTICUT -----	1	3	6	7	4	6	9	14	5	2	-	-
WHITE-----MALE----	-	1	3	4	2	3	5	2	-	-	-	-
FEMALE--	1	1	2	3	2	3	4	11	5	2	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	1	1	3	1	2	2	1	-	-	-	-
WHITE-----MALE----	-	-	1	1	-	1	1	1	-	-	-	-
FEMALE--	-	-	-	1	1	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	1	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	1	-	1	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	-	2	3	3	1	3	2	3	-	1	-	-
WHITE-----MALE----	-	-	-	1	-	-	1	1	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	1	2	1	-	1	1	1	-	-	-	-
FEMALE--	-	1	1	1	-	2	-	1	-	1	-	-
BLACK---MALE----	-	1	2	1	-	1	1	1	-	-	-	-
FEMALE--	-	1	1	1	-	2	-	1	-	1	-	-
FLORIDA -----	13	11	20	19	28	38	39	41	27	11	2	-
WHITE-----MALE----	5	6	14	13	8	13	14	15	6	3	-	-
FEMALE--	6	3	3	5	16	18	22	23	19	6	1	-
ALL OTHER--MALE----	-	-	2	1	1	2	2	2	1	1	-	-
FEMALE--	2	2	1	-	3	5	1	1	1	1	1	-
BLACK---MALE----	-	-	2	1	1	2	2	2	1	1	-	-
FEMALE--	2	2	1	-	3	5	-	1	1	1	1	-
GEORGIA -----	5	11	9	11	11	18	15	10	10	3	3	-
WHITE-----MALE----	2	3	1	2	2	9	3	2	2	1	-	-
FEMALE--	1	3	5	5	4	5	7	4	4	2	2	-
ALL OTHER--MALE----	1	1	2	4	3	-	1	1	1	-	-	-
FEMALE--	1	4	1	-	2	4	4	3	3	-	1	-
BLACK---MALE----	1	1	1	4	3	-	1	1	1	-	-	-
FEMALE--	1	4	1	-	2	4	4	2	3	-	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 1,813

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
 DISEASES OF VEINS AND LYMPHATICS, AND OTHER DISEASES OF CIRCULATORY SYSTEM (451-459)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
KENTUCKY -----	68	1	-	-	-	-	-	-	-	5	-	3
WHITE-----MALE----	24	-	-	-	-	-	-	-	-	4	-	2
FEMALE--	34	1	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	67	3	-	-	1	-	1	1	-	3	2	3
WHITE-----MALE----	18	2	-	-	-	-	1	-	-	-	1	-
FEMALE--	25	1	-	-	-	-	-	1	-	1	-	-
ALL OTHER--MALE----	12	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	12	-	-	-	1	-	-	-	-	2	1	1
BLACK---MALE----	12	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	11	-	-	-	1	-	-	-	-	2	1	1
MAINE -----	22	-	-	-	-	-	-	-	2	-	1	2
WHITE-----MALE----	9	-	-	-	-	-	-	-	1	-	1	2
FEMALE--	12	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	79	-	-	-	-	1	-	2	1	-	-	2
WHITE-----MALE----	22	-	-	-	-	-	-	-	1	-	-	1
FEMALE--	35	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	15	-	-	-	-	-	-	2	-	-	-	1
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	15	-	-	-	-	-	-	2	-	-	-	1
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS -----	137	-	-	-	-	-	1	1	2	4	2	-
WHITE-----MALE----	58	-	-	-	-	-	-	1	1	1	1	-
FEMALE--	70	-	-	-	-	-	-	-	1	2	-	-
ALL OTHER--MALE----	6	-	-	-	-	-	1	-	-	1	1	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	6	-	-	-	-	-	1	-	-	1	1	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	220	5	1	-	-	-	1	2	13	4	8	11
WHITE-----MALE----	82	1	-	-	-	-	-	1	2	1	2	3
FEMALE--	92	2	-	-	-	-	-	-	4	1	2	5
ALL OTHER--MALE----	22	2	1	-	-	-	-	1	3	2	1	2
FEMALE--	24	-	-	-	-	-	1	-	4	-	3	1
BLACK---MALE----	21	2	1	-	-	-	-	1	3	2	1	2
FEMALE--	23	-	-	-	-	-	1	-	4	-	3	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,813

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 DISEASES OF VEINS AND LYMPHATICS, AND OTHER DISEASES OF CIRCULATORY SYSTEM (451-459)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
KENTUCKY -----	3	2	4	8	8	9	8	7	5	5	-	-
WHITE-----MALE----	2	1	2	-	2	4	2	2	1	2	-	-
FEMALE--	1	-	1	5	5	4	6	4	3	3	-	-
ALL OTHER--MALE----	-	-	-	2	-	-	-	-	-	-	-	-
FEMALE--	-	1	1	1	1	1	-	1	1	-	-	-
BLACK---MALE----	-	-	-	2	-	-	-	-	-	-	-	-
FEMALE--	-	1	1	1	1	1	-	1	1	-	-	-
LOUISIANA -----	-	4	4	7	6	7	16	4	4	1	-	-
WHITE-----MALE----	-	1	2	3	-	3	3	-	2	-	-	-
FEMALE--	-	1	1	2	3	4	7	2	1	1	-	-
ALL OTHER--MALE----	-	1	-	1	1	-	5	1	1	-	-	-
FEMALE--	-	1	1	1	2	-	1	1	-	-	-	-
BLACK---MALE----	-	1	-	1	1	-	5	1	1	-	-	-
FEMALE--	-	1	1	1	1	-	1	1	-	-	-	-
MAINE -----	1	1	-	1	2	1	4	5	2	-	-	-
WHITE-----MALE----	-	-	-	-	2	-	3	-	-	-	-	-
FEMALE--	-	1	-	1	-	1	1	5	2	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	3	3	8	9	13	8	11	8	7	1	2	-
WHITE-----MALE----	-	1	-	3	7	1	3	3	1	1	-	-
FEMALE--	-	1	4	4	2	3	8	4	6	-	2	-
ALL OTHER--MALE----	3	1	4	-	2	1	-	1	-	-	-	-
FEMALE--	-	-	-	2	2	3	-	-	-	-	-	-
BLACK---MALE----	3	1	4	-	2	1	-	1	-	-	-	-
FEMALE--	-	-	-	2	2	3	-	-	-	-	-	-
MASSACHUSETTS -----	8	2	6	9	25	15	26	18	11	6	1	-
WHITE-----MALE----	7	2	4	3	14	7	7	6	3	-	1	-
FEMALE--	-	-	2	6	8	8	18	11	8	6	-	-
ALL OTHER--MALE----	1	-	-	-	2	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	1	-	-	-	-
BLACK---MALE----	1	-	-	-	2	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	-	-	-	-	-
MICHIGAN -----	13	13	13	14	28	30	20	24	12	6	2	-
WHITE-----MALE----	5	5	5	6	14	15	8	7	4	2	1	-
FEMALE--	6	3	6	6	9	11	10	14	8	4	1	-
ALL OTHER--MALE----	1	3	2	-	1	1	1	1	-	-	-	-
FEMALE--	1	2	-	2	4	3	1	2	-	-	-	-
BLACK---MALE----	1	3	1	-	1	1	1	1	-	-	-	-
FEMALE--	1	2	-	2	4	2	1	2	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 1,814

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
 DISEASES OF VEINS AND LYMPHATICS, AND OTHER DISEASES OF CIRCULATORY SYSTEM (451-459)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
MINNESOTA -----	67	-	-	-	-	-	-	-	1	1	1	1
WHITE-----MALE----	28	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	38	-	-	-	-	-	-	-	1	-	1	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI -----	55	-	1	-	-	-	-	-	-	1	-	4
WHITE-----MALE----	14	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	21	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	6	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	14	-	-	-	-	-	-	-	-	1	-	1
BLACK---MALE----	6	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	14	-	-	-	-	-	-	-	-	1	-	1
MISSOURI -----	109	1	1	-	-	-	-	-	-	3	1	2
WHITE-----MALE----	31	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	54	-	1	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	18	1	-	-	-	-	-	-	-	2	1	-
BLACK---MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	17	1	-	-	-	-	-	-	-	2	1	-
MONTANA -----	15	-	-	-	-	-	-	1	-	1	1	-
WHITE-----MALE----	8	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	30	-	-	-	-	-	-	-	1	-	-	-
WHITE-----MALE----	7	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	21	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	1	-	-	-
NEVADA -----	22	-	-	-	-	-	1	-	-	-	-	-
WHITE-----MALE----	9	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	11	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 1,816

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
 DISEASES OF VEINS AND LYMPHATICS, AND OTHER DISEASES OF CIRCULATORY SYSTEM (451-459)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
OHIO -----	242	1	-	-	-	1	-	1	3	4	8	7
WHITE-----MALE----	91	-	-	-	-	-	-	-	-	1	4	3
FEMALE--	114	-	-	-	-	1	-	1	2	1	3	3
ALL OTHER--MALE----	18	1	-	-	-	-	-	-	-	1	1	1
FEMALE--	19	-	-	-	-	-	-	-	1	1	-	-
BLACK---MALE----	16	1	-	-	-	-	-	-	-	1	1	1
FEMALE--	19	-	-	-	-	-	-	-	1	1	-	-
OKLAHOMA -----	53	-	-	-	-	-	2	1	-	2	2	2
WHITE-----MALE----	20	-	-	-	-	-	-	1	-	-	-	1
FEMALE--	29	-	-	-	-	-	-	-	-	1	2	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	2	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	1	-	-	1	-	-
OREGON -----	47	-	-	-	-	-	-	-	-	1	1	4
WHITE-----MALE----	19	-	-	-	-	-	-	-	-	1	1	2
FEMALE--	27	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	249	1	-	-	-	-	1	1	-	3	4	13
WHITE-----MALE----	94	1	-	-	-	-	-	-	-	2	1	3
FEMALE--	129	-	-	-	-	-	-	1	-	1	1	5
ALL OTHER--MALE----	11	-	-	-	-	-	1	-	-	-	1	1
FEMALE--	15	-	-	-	-	-	-	-	-	-	1	4
BLACK---MALE----	11	-	-	-	-	-	1	-	-	-	1	1
FEMALE--	15	-	-	-	-	-	-	-	-	-	1	4
RHODE ISLAND -----	21	-	-	-	-	-	-	-	-	-	2	-
WHITE-----MALE----	10	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	98	1	1	-	-	-	-	1	1	6	2	6
WHITE-----MALE----	30	-	1	-	-	-	-	-	-	2	1	3
FEMALE--	29	-	-	-	-	-	-	-	-	2	-	-
ALL OTHER--MALE----	16	1	-	-	-	-	-	-	-	1	1	-
FEMALE--	23	-	-	-	-	-	-	1	1	1	-	3
BLACK---MALE----	16	1	-	-	-	-	-	-	-	1	1	-
FEMALE--	23	-	-	-	-	-	-	1	1	1	-	3

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,816

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 DISEASES OF VEINS AND LYMPHATICS, AND OTHER DISEASES OF CIRCULATORY SYSTEM (451-459)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
OHIO -----	5	15	18	21	37	26	34	38	13	9	1	-
WHITE-----MALE----	2	9	7	8	13	14	12	11	5	2	-	-
FEMALE--	1	4	6	8	17	9	21	23	7	6	1	-
ALL OTHER--MALE----	2	-	1	3	5	1	1	-	1	-	-	-
FEMALE--	-	2	4	2	2	2	-	4	-	1	-	-
BLACK---MALE----	2	-	-	3	4	1	1	-	1	-	-	-
FEMALE--	-	2	4	2	2	2	-	4	-	1	-	-
OKLAHOMA -----	3	3	3	5	5	6	5	8	4	2	-	-
WHITE-----MALE----	1	2	2	3	5	2	1	1	1	-	-	-
FEMALE--	2	1	1	2	-	3	4	7	3	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
OREGON -----	-	4	3	2	6	4	11	7	4	-	-	-
WHITE-----MALE----	-	3	2	-	4	1	4	1	-	-	-	-
FEMALE--	-	1	1	2	2	3	7	6	4	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	10	9	14	18	28	52	46	27	12	8	2	-
WHITE-----MALE----	4	3	8	7	13	21	14	13	4	-	-	-
FEMALE--	5	5	3	9	13	27	30	13	8	6	2	-
ALL OTHER--MALE----	-	-	3	2	1	1	1	-	-	-	-	-
FEMALE--	1	1	-	-	1	3	1	1	-	2	-	-
BLACK---MALE----	-	-	3	2	1	1	1	-	-	-	-	-
FEMALE--	1	1	-	-	1	3	1	1	-	2	-	-
RHODE ISLAND -----	-	1	1	1	2	1	7	3	2	1	-	-
WHITE-----MALE----	-	1	-	1	1	1	3	2	-	-	-	-
FEMALE--	-	-	-	-	1	-	3	1	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	1	-	-	-	-	-
SOUTH CAROLINA -----	4	9	5	7	8	22	13	5	5	2	-	-
WHITE-----MALE----	2	3	2	3	4	5	3	-	1	-	-	-
FEMALE--	1	2	-	2	2	9	6	3	1	1	-	-
ALL OTHER--MALE----	-	1	2	1	1	6	2	-	-	-	-	-
FEMALE--	1	3	1	1	1	2	2	2	3	1	-	-
BLACK---MALE----	-	1	2	1	1	6	2	-	-	-	-	-
FEMALE--	1	3	1	1	1	2	2	2	3	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 1,817

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
 DISEASES OF VEINS AND LYMPHATICS, AND OTHER DISEASES OF CIRCULATORY SYSTEM (451-459)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
SOUTH DAKOTA -----	11	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	118	1	-	-	-	-	-	-	2	5	1	4
WHITE-----MALE----	39	-	-	-	-	-	-	-	-	1	1	2
FEMALE--	56	-	-	-	-	-	-	-	-	2	-	1
ALL OTHER--MALE----	10	1	-	-	-	-	-	-	1	-	-	1
FEMALE--	13	-	-	-	-	-	-	-	1	2	-	-
BLACK---MALE----	10	1	-	-	-	-	-	-	1	-	-	1
FEMALE--	13	-	-	-	-	-	-	-	1	2	-	-
TEXAS -----	234	3	-	1	-	-	3	1	2	8	7	8
WHITE-----MALE----	91	1	-	-	-	-	1	-	1	3	3	6
FEMALE--	99	2	-	1	-	-	2	-	-	1	3	1
ALL OTHER--MALE----	23	-	-	-	-	-	-	1	1	2	-	1
FEMALE--	21	-	-	-	-	-	-	-	-	2	1	-
BLACK---MALE----	21	-	-	-	-	-	-	1	1	2	-	1
FEMALE--	21	-	-	-	-	-	-	-	-	2	1	-
UTAH -----	24	3	-	-	-	-	-	1	-	-	2	-
WHITE-----MALE----	13	2	-	-	-	-	-	1	-	-	1	-
FEMALE--	11	1	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	8	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	106	5	-	-	-	1	-	2	-	1	2	7
WHITE-----MALE----	34	1	-	-	-	1	-	-	-	1	-	3
FEMALE--	40	1	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	12	-	-	-	-	-	-	1	-	-	1	3
FEMALE--	20	3	-	-	-	-	-	1	-	-	1	-
BLACK---MALE----	12	-	-	-	-	-	-	1	-	-	1	3
FEMALE--	19	3	-	-	-	-	-	1	-	-	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,817

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 DISEASES OF VEINS AND LYMPHATICS, AND OTHER DISEASES OF CIRCULATORY SYSTEM (451-459)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
SOUTH DAKOTA -----	-	-	2	-	1	3	2	1	1	1	-	-
WHITE-----MALE----	-	-	-	-	-	1	1	1	1	-	-	-
FEMALE--	-	-	2	-	1	1	1	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	2	9	8	4	18	18	14	18	9	4	1	-
WHITE-----MALE----	-	5	4	1	9	6	3	4	1	2	-	-
FEMALE--	-	3	3	2	5	10	6	14	7	2	1	-
ALL OTHER--MALE----	1	1	1	-	3	-	1	-	-	-	-	-
FEMALE--	1	-	-	1	1	2	4	-	1	-	-	-
BLACK---MALE----	1	1	1	-	3	-	1	-	-	-	-	-
FEMALE--	1	-	-	1	1	2	4	-	1	-	-	-
TEXAS -----	12	12	13	21	23	25	34	31	21	6	3	-
WHITE-----MALE----	5	6	5	11	11	9	14	10	5	-	-	-
FEMALE--	3	3	6	5	9	12	15	17	11	5	3	-
ALL OTHER--MALE----	3	1	1	4	3	1	2	1	2	-	-	-
FEMALE--	1	2	1	1	-	3	3	3	3	1	-	-
BLACK---MALE----	2	1	1	4	3	1	2	1	1	-	-	-
FEMALE--	1	2	1	1	-	3	3	3	3	1	-	-
UTAH -----	-	1	1	1	1	3	4	2	4	1	-	-
WHITE-----MALE----	-	1	1	1	1	2	2	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	2	1	4	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	1	1	-	1	-	3	1	-	-	1	-	-
WHITE-----MALE----	1	-	-	1	-	3	1	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	7	4	4	10	11	16	16	12	4	3	1	-
WHITE-----MALE----	3	1	1	6	7	6	-	3	1	-	-	-
FEMALE--	2	1	2	2	2	8	9	7	3	2	-	-
ALL OTHER--MALE----	1	-	1	1	1	-	3	-	-	-	-	-
FEMALE--	1	2	-	1	1	2	4	2	-	1	1	-
BLACK---MALE----	1	-	1	1	1	-	3	-	-	-	-	-
FEMALE--	1	1	-	1	1	2	4	2	-	1	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 1,819

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 PHLEBITIS, THROMBOPHLEBITIS, AND VENOUS EMBOLISM AND THROMBOSIS (451-453)												
UNITED STATES --	1,565	5	2	1	-	5	11	16	39	61	67	83
WHITE-----MALE----	497	-	-	-	-	1	3	5	13	21	24	28
FEMALE--	766	4	1	1	-	2	2	5	9	14	14	28
ALL OTHER--MALE----	124	-	1	-	-	1	2	4	9	10	13	12
FEMALE--	178	1	-	-	-	1	4	2	8	16	16	15
BLACK---MALE----	119	-	1	-	-	-	2	4	9	10	13	12
FEMALE--	167	1	-	-	-	1	3	2	8	16	16	13
ALABAMA -----	17	-	-	-	-	-	-	-	-	-	-	2
WHITE-----MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALASKA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	25	-	-	-	-	-	-	-	1	1	1	2
WHITE-----MALE----	12	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	11	-	-	-	-	-	-	-	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	10	-	-	-	-	-	-	-	-	-	1	1
WHITE-----MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
CALIFORNIA -----	208	-	-	-	-	1	1	4	6	8	8	18
WHITE-----MALE----	64	-	-	-	-	-	1	-	1	3	3	8
FEMALE--	112	-	-	-	-	-	-	2	1	3	2	6
ALL OTHER--MALE----	13	-	-	-	-	1	-	1	2	1	2	1
FEMALE--	19	-	-	-	-	-	-	1	2	1	1	3
BLACK---MALE----	12	-	-	-	-	-	-	1	2	1	2	1
FEMALE--	16	-	-	-	-	-	-	1	2	1	1	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,819

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 PHLEBITIS, THROMBOPHLEBITIS, AND VENOUS EMBOLISM AND THROMBOSIS (451-453)												
UNITED STATES --	77	88	99	108	170	206	194	172	112	41	8	-
WHITE-----MALE----	29	37	36	40	62	75	57	42	17	5	2	-
FEMALE--	31	31	43	47	83	103	110	114	89	30	5	-
ALL OTHER--MALE----	6	7	9	9	13	8	12	4	3	1	-	-
FEMALE--	11	13	11	12	12	20	15	12	3	5	1	-
BLACK---MALE----	6	7	8	8	12	8	12	4	2	1	-	-
FEMALE--	10	10	11	11	11	20	14	11	3	5	1	-
ALABAMA -----	1	1	1	2	-	4	2	1	3	-	-	-
WHITE-----MALE----	-	-	-	1	-	1	-	-	1	-	-	-
FEMALE--	-	-	1	-	-	2	2	1	2	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	1	-	1	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	1	-	1	-	-	-	-	-	-
ALASKA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	-	3	3	-	2	5	2	2	3	-	-	-
WHITE-----MALE----	-	2	2	-	1	2	1	-	1	-	-	-
FEMALE--	-	-	-	-	1	3	1	2	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
ARKANSAS -----	-	1	-	-	-	3	2	2	-	-	-	-
WHITE-----MALE----	-	1	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	2	1	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	14	10	10	12	27	34	23	17	12	2	1	-
WHITE-----MALE----	7	4	5	5	7	11	4	2	2	1	-	-
FEMALE--	5	5	4	6	18	21	15	12	10	1	1	-
ALL OTHER--MALE----	-	-	1	1	1	-	1	1	-	-	-	-
FEMALE--	2	1	-	-	1	2	3	2	-	-	-	-
BLACK---MALE----	-	-	1	1	1	-	1	1	-	-	-	-
FEMALE--	2	-	-	-	1	2	3	2	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 1,820

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 PHLEBITIS, THROMBOPHLEBITIS, AND VENOUS EMBOLISM AND THROMBOSIS (451-453)												
COLORADO -----	23	-	-	-	-	-	-	-	-	-	2	1
WHITE-----MALE----	10	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	11	-	-	-	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	13	-	-	-	-	-	-	-	-	1	-	-
WHITE-----MALE----	3	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	6	-	-	-	-	-	-	-	-	1	1	-
WHITE-----MALE----	3	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	6	-	-	-	-	-	-	-	-	-	1	1
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	1
FLORIDA -----	108	-	-	-	-	1	3	-	1	4	6	2
WHITE-----MALE----	33	-	-	-	-	-	1	-	1	2	-	-
FEMALE--	49	-	-	-	-	-	1	-	-	-	1	1
ALL OTHER--MALE----	6	-	-	-	-	-	1	-	-	-	1	-
FEMALE--	20	-	-	-	-	1	-	-	-	2	4	1
BLACK---MALE----	6	-	-	-	-	-	1	-	-	-	1	-
FEMALE--	19	-	-	-	-	1	-	-	-	2	4	1
GEORGIA -----	32	1	-	-	-	-	-	-	3	3	2	-
WHITE-----MALE----	5	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	16	1	-	-	-	-	-	-	-	1	2	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	2	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	1	1	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	2	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	1	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,820

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 0 PHLEBITIS, THROMBOPHLEBITIS, AND VENOUS EMBOLISM AND THROMBOSIS (451-453)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
COLORADO -----	1	-	4	-	2	8	1	2	2	-	-	-
WHITE-----MALE----	1	-	3	-	-	5	-	-	-	-	-	-
FEMALE--	-	-	1	-	1	2	1	2	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
CONNECTICUT -----	1	1	2	-	-	1	2	3	2	-	-	-
WHITE-----MALE----	-	-	1	-	-	-	1	-	-	-	-	-
FEMALE--	1	1	1	-	-	1	1	3	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	1	1	-	-	1	1	-	-	-	-	-
WHITE-----MALE----	-	-	1	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	1	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	-	-	1	1	-	-	-	2	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	1	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	1	-	-	-	1	-	-	-	-
FLORIDA -----	10	2	10	7	11	14	13	12	8	4	-	-
WHITE-----MALE----	3	-	6	4	4	2	4	4	1	1	-	-
FEMALE--	6	-	2	3	6	7	7	8	6	1	-	-
ALL OTHER--MALE----	-	-	1	-	-	1	1	-	-	1	-	-
FEMALE--	1	2	1	-	1	4	1	-	1	1	-	-
BLACK---MALE----	-	-	1	-	-	1	1	-	-	1	-	-
FEMALE--	1	2	1	-	1	4	-	-	1	1	-	-
GEORGIA -----	1	5	1	1	4	5	4	-	1	-	1	-
WHITE-----MALE----	-	1	-	-	-	3	-	-	-	-	-	-
FEMALE--	-	3	1	-	2	1	3	-	1	-	1	-
ALL OTHER--MALE----	-	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	1	1	1	-	-	-	-	-
BLACK---MALE----	-	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	1	1	1	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 1,822

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 PHLEBITIS, THROMBOPHLEBITIS, AND VENOUS EMBOLISM AND THROMBOSIS (451-453)												
KENTUCKY -----	17	-	-	-	-	-	-	-	-	1	-	1
WHITE-----MALE----	8	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	24	-	-	-	-	-	-	1	-	2	2	-
WHITE-----MALE----	7	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	9	-	-	-	-	-	-	1	-	1	-	-
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	1	1	-
BLACK---MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	1	1	-
MAINE -----	9	-	-	-	-	-	-	-	1	-	1	2
WHITE-----MALE----	5	-	-	-	-	-	-	-	1	-	1	2
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	21	-	-	-	-	1	-	-	-	-	-	2
WHITE-----MALE----	4	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	9	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	5	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS -----	25	-	-	-	-	-	1	1	2	2	1	-
WHITE-----MALE----	7	-	-	-	-	-	-	1	1	-	1	-
FEMALE--	15	-	-	-	-	-	-	-	1	1	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	1	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	1	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	89	-	-	-	-	-	1	1	8	3	4	8
WHITE-----MALE----	28	-	-	-	-	-	-	-	2	-	1	2
FEMALE--	42	-	-	-	-	-	-	-	3	1	1	5
ALL OTHER--MALE----	10	-	-	-	-	-	-	1	2	2	1	-
FEMALE--	9	-	-	-	-	-	1	-	1	-	1	1
BLACK---MALE----	10	-	-	-	-	-	-	1	2	2	1	-
FEMALE--	9	-	-	-	-	-	1	-	1	-	1	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,822

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 0 PHLEBITIS, THROMBOPHLEBITIS, AND VENOUS EMBOLISM AND THROMBOSIS (451-453)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
KENTUCKY -----	-	-	-	-	3	4	1	4	2	1	-	-
WHITE-----MALE----	-	-	-	-	-	3	1	2	-	-	-	-
FEMALE--	-	-	-	-	2	1	-	2	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
LOUISIANA -----	-	2	1	3	2	4	5	-	2	-	-	-
WHITE-----MALE----	-	-	1	3	-	2	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	2	3	-	1	-	-	-
ALL OTHER--MALE----	-	1	-	-	1	-	2	-	1	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	1	-	2	-	1	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
MAINE -----	-	1	-	1	1	-	1	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	1	-	1	-	-	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	1	-	2	2	2	2	4	4	-	-	1	-
WHITE-----MALE----	-	-	-	-	1	-	1	1	-	-	-	-
FEMALE--	-	-	1	1	-	-	3	2	-	-	1	-
ALL OTHER--MALE----	1	-	1	-	1	-	-	1	-	-	-	-
FEMALE--	-	-	-	1	-	2	-	-	-	-	-	-
BLACK---MALE----	1	-	1	-	1	-	-	1	-	-	-	-
FEMALE--	-	-	-	1	-	2	-	-	-	-	-	-
MASSACHUSETTS -----	2	-	1	-	2	4	2	1	3	2	1	-
WHITE-----MALE----	1	-	1	-	1	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	1	4	2	1	3	2	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	8	7	4	4	13	6	7	8	5	1	1	-
WHITE-----MALE----	4	3	1	1	5	4	3	1	1	-	-	-
FEMALE--	3	1	3	3	6	2	4	4	4	1	1	-
ALL OTHER--MALE----	1	2	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	1	-	-	2	-	-	2	-	-	-	-
BLACK---MALE----	1	2	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	1	-	-	2	-	2	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 1,823

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 PHLEBITIS, THROMBOPHLEBITIS, AND VENOUS EMBOLISM AND THROMBOSIS (451-453)												
MINNESOTA -----	20	-	-	-	-	-	-	-	-	-	-	1
WHITE-----MALE----	8	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	12	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI -----	15	-	1	-	-	-	-	-	-	-	-	1
WHITE-----MALE----	3	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
MISSOURI -----	39	-	1	-	-	-	-	-	-	2	-	1
WHITE-----MALE----	8	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	24	-	1	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	2	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	2	-	-
MONTANA -----	7	-	-	-	-	-	-	-	-	1	-	-
WHITE-----MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	12	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA -----	6	-	-	-	-	-	1	-	-	-	-	-
WHITE-----MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 1,825

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 PHLEBITIS, THROMBOPHLEBITIS, AND VENOUS EMBOLISM AND THROMBOSIS (451-453)												
OHIO -----	92	-	-	-	-	1	-	-	3	2	6	4
WHITE-----MALE----	31	-	-	-	-	-	-	-	-	-	3	3
FEMALE--	43	-	-	-	-	1	-	-	2	1	2	1
ALL OTHER--MALE----	11	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	7	-	-	-	-	-	-	-	1	1	-	-
BLACK---MALE----	10	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	7	-	-	-	-	-	-	-	1	1	-	-
OKLAHOMA -----	26	-	-	-	-	-	2	1	-	2	2	1
WHITE-----MALE----	8	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	14	-	-	-	-	-	-	-	-	1	2	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	2	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	1	-	-	1	-	-
OREGON -----	17	-	-	-	-	-	-	-	-	1	1	-
WHITE-----MALE----	9	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	72	-	-	-	-	-	-	-	-	-	3	6
WHITE-----MALE----	22	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	42	-	-	-	-	-	-	-	-	-	-	2
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	1	3
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	1	3
RHODE ISLAND -----	6	-	-	-	-	-	-	-	-	-	1	-
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	26	-	-	-	-	-	-	-	1	2	2	2
WHITE-----MALE----	10	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	5	-	-	-	-	-	-	-	1	1	-	2
BLACK---MALE----	6	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	5	-	-	-	-	-	-	-	1	1	-	2

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,826

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 0 PHLEBITIS, THROMBOPHLEBITIS, AND VENOUS EMBOLISM AND THROMBOSIS (451-453)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
SOUTH DAKOTA -----	-	-	1	-	-	1	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	1	3	3	1	8	6	8	3	3	2	-	-
WHITE-----MALE----	-	3	1	1	4	2	1	-	-	-	-	-
FEMALE--	-	-	2	-	4	4	4	3	3	2	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	3	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	3	-	-	-	-	-
TEXAS -----	3	4	5	4	8	8	11	12	9	2	-	-
WHITE-----MALE----	-	-	1	2	4	2	4	2	2	-	-	-
FEMALE--	2	2	3	1	4	5	6	9	5	1	-	-
ALL OTHER--MALE----	1	-	1	1	-	1	1	-	1	-	-	-
FEMALE--	-	2	-	-	-	-	-	1	1	1	-	-
BLACK---MALE----	1	-	1	1	-	1	1	-	-	-	-	-
FEMALE--	-	2	-	-	-	-	-	1	1	1	-	-
UTAH -----	-	-	-	1	-	3	1	1	2	-	-	-
WHITE-----MALE----	-	-	-	1	-	2	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	1	-	-	-	2	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	2	1	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	1	3	-	1	1	5	6	4	2	2	-	-
WHITE-----MALE----	1	1	-	-	1	1	-	1	1	-	-	-
FEMALE--	-	1	-	-	-	4	3	3	1	2	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	2	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	2	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 1,828

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 OTHER DISEASES OF VEINS AND LYMPHATICS AND ALL OTHER DISEASES OF CIRCULATORY SYSTEM (454-459)												
UNITED STATES --	2,832	56	4	2	2	4	5	17	18	49	61	87
WHITE-----MALE----	1,102	24	1	1	1	2	1	5	6	24	19	45
FEMALE--	1,220	14	1	-	-	-	2	3	4	8	19	15
ALL OTHER--MALE----	220	10	2	-	-	1	1	5	2	9	11	19
FEMALE--	290	8	-	1	1	1	1	4	6	8	12	8
BLACK---MALE----	198	10	2	-	-	-	1	4	2	8	9	18
FEMALE--	261	8	-	1	1	1	1	3	6	7	12	8
ALABAMA -----	75	4	-	-	-	-	-	-	-	-	7	3
WHITE-----MALE----	28	3	-	-	-	-	-	-	-	-	1	3
FEMALE--	22	-	-	-	-	-	-	-	-	-	3	-
ALL OTHER--MALE----	7	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	18	-	-	-	-	-	-	-	-	-	3	-
BLACK---MALE----	7	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	18	-	-	-	-	-	-	-	-	-	3	-
ALASKA -----	4	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	46	-	-	-	-	-	-	-	-	-	2	1
WHITE-----MALE----	18	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	27	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	41	1	-	-	-	-	-	-	-	1	-	-
WHITE-----MALE----	22	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	14	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	108	7	-	1	-	-	-	1	-	1	4	1
WHITE-----MALE----	53	5	-	-	-	-	-	-	-	1	1	-
FEMALE--	39	2	-	-	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	2	-
FEMALE--	12	-	-	1	-	-	-	1	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	9	-	-	1	-	-	-	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,828

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OTHER DISEASES OF VEINS AND LYMPHATICS AND ALL OTHER DISEASES OF CIRCULATORY SYSTEM (454-459)												
UNITED STATES --	106	138	166	247	316	403	418	399	219	93	22	-
WHITE-----MALE----	50	66	77	106	163	160	151	121	57	20	2	-
FEMALE--	28	36	48	94	104	183	216	226	139	64	16	-
ALL OTHER--MALE----	17	17	25	20	23	16	20	16	4	2	-	-
FEMALE--	11	19	16	27	26	44	31	36	19	7	4	-
BLACK---MALE----	16	17	20	20	22	15	17	11	4	2	-	-
FEMALE--	11	16	15	24	23	38	30	29	16	7	4	-
ALABAMA -----	4	5	6	8	10	8	12	4	2	1	1	-
WHITE-----MALE----	1	3	4	3	5	3	1	1	-	-	-	-
FEMALE--	-	1	1	2	3	4	6	1	1	-	-	-
ALL OTHER--MALE----	3	1	-	1	-	-	1	-	-	-	-	-
FEMALE--	-	-	1	2	2	1	4	2	1	1	1	-
BLACK---MALE----	3	1	-	1	-	-	1	-	-	-	-	-
FEMALE--	-	-	1	2	2	1	4	2	1	1	1	-
ALASKA -----	-	-	3	-	-	1	-	-	-	-	-	-
WHITE-----MALE----	-	-	2	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	1	2	1	3	7	9	8	5	5	1	1	-
WHITE-----MALE----	-	-	1	1	4	4	5	1	-	-	-	-
FEMALE--	1	2	-	2	3	4	3	4	5	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ARKANSAS -----	-	6	3	4	6	6	4	6	2	2	-	-
WHITE-----MALE----	-	4	2	2	5	2	3	2	1	-	-	-
FEMALE--	-	-	1	2	1	2	1	4	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	1	-	-
FEMALE--	-	2	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	1	-	-
FEMALE--	-	2	-	-	-	1	-	-	-	-	-	-
CALIFORNIA -----	2	7	7	10	11	15	11	19	7	3	1	-
WHITE-----MALE----	-	4	2	6	9	8	6	7	2	1	1	-
FEMALE--	1	2	3	1	2	7	4	11	3	1	-	-
ALL OTHER--MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	1	3	-	-	1	1	2	1	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	1	-	-	1	1	2	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 1,829

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 OTHER DISEASES OF VEINS AND LYMPHATICS AND ALL OTHER DISEASES OF CIRCULATORY SYSTEM (454-459)												
COLORADO -----	40	1	-	-	-	-	-	1	-	-	2	4
WHITE-----MALE----	18	1	-	-	-	-	-	1	-	-	1	3
FEMALE--	20	-	-	-	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	49	-	-	-	-	-	-	1	-	1	-	2
WHITE-----MALE----	20	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	25	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	9	-	-	-	-	-	-	-	-	-	-	2
WHITE-----MALE----	4	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	20	1	-	-	-	-	1	-	1	2	-	1
WHITE-----MALE----	3	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	11	1	-	-	-	-	-	-	-	2	-	1
FEMALE--	5	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	11	1	-	-	-	-	-	-	-	2	-	1
FEMALE--	5	-	-	-	-	-	1	-	-	-	-	-
FLORIDA -----	168	1	1	-	-	-	-	-	1	1	3	3
WHITE-----MALE----	72	-	-	-	-	-	-	-	1	1	-	2
FEMALE--	80	-	-	-	-	-	-	-	-	-	3	1
ALL OTHER--MALE----	9	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	7	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	9	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	7	1	-	-	-	-	-	-	-	-	-	-
GEORGIA -----	103	3	-	-	-	-	-	-	2	5	6	4
WHITE-----MALE----	31	1	-	-	-	-	-	-	1	2	1	3
FEMALE--	31	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	17	2	-	-	-	-	-	-	-	-	3	-
FEMALE--	24	-	-	-	-	-	-	-	1	2	2	1
BLACK---MALE----	16	2	-	-	-	-	-	-	-	-	3	-
FEMALE--	23	-	-	-	-	-	-	-	1	2	2	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,829

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 0 OTHER DISEASES OF VEINS AND LYMPHATICS AND ALL OTHER DISEASES OF CIRCULATORY SYSTEM (454-459)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
COLORADO -----	5	1	-	2	2	3	5	5	6	3	-	-
WHITE-----MALE----	1	1	-	-	2	1	2	2	1	2	-	-
FEMALE--	4	-	-	1	-	2	2	3	5	1	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	-	2	4	7	4	5	7	11	3	2	-	-
WHITE-----MALE----	-	1	2	4	2	3	4	2	-	-	-	-
FEMALE--	-	-	1	3	2	2	3	8	3	2	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	-	-	3	1	1	1	1	-	-	-	-
WHITE-----MALE----	-	-	-	1	-	1	-	1	-	-	-	-
FEMALE--	-	-	-	1	1	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	-	2	2	2	1	3	2	1	-	1	-	-
WHITE-----MALE----	-	-	-	1	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	1	2	1	-	1	1	1	-	-	-	-
FEMALE--	-	1	-	-	-	2	-	-	-	1	-	-
BLACK---MALE----	-	1	2	1	-	1	1	1	-	-	-	-
FEMALE--	-	1	-	-	-	2	-	-	-	1	-	-
FLORIDA -----	3	9	10	12	17	24	26	29	19	7	2	-
WHITE-----MALE----	2	6	8	9	4	11	10	11	5	2	-	-
FEMALE--	-	3	1	2	10	11	15	15	13	5	1	-
ALL OTHER--MALE----	-	-	1	1	1	1	1	2	1	-	-	-
FEMALE--	1	-	-	-	2	1	-	1	-	-	1	-
BLACK---MALE----	-	-	1	1	1	1	1	2	1	-	-	-
FEMALE--	1	-	-	-	2	1	-	1	-	-	1	-
GEORGIA -----	4	6	8	10	7	13	11	10	9	3	2	-
WHITE-----MALE----	2	2	1	2	2	6	3	2	2	1	-	-
FEMALE--	1	-	4	5	2	4	4	4	3	2	1	-
ALL OTHER--MALE----	1	1	2	3	2	-	1	1	1	-	-	-
FEMALE--	-	3	1	-	1	3	3	3	3	-	1	-
BLACK---MALE----	1	1	1	3	2	-	1	1	1	-	-	-
FEMALE--	-	3	1	-	1	3	3	2	3	-	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 1,831

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 OTHER DISEASES OF VEINS AND LYMPHATICS AND ALL OTHER DISEASES OF CIRCULATORY SYSTEM (454-459)												
KENTUCKY -----	51	1	-	-	-	-	-	-	-	4	-	2
WHITE-----MALE----	16	-	-	-	-	-	-	-	-	3	-	1
FEMALE--	26	1	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	43	3	-	-	1	-	1	-	-	1	-	3
WHITE-----MALE----	11	2	-	-	-	-	1	-	-	-	-	-
FEMALE--	16	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	7	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	9	-	-	-	1	-	-	-	-	1	-	1
BLACK---MALE----	7	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	8	-	-	-	1	-	-	-	-	1	-	1
MAINE -----	13	-	-	-	-	-	-	-	1	-	-	-
WHITE-----MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	58	-	-	-	-	-	-	2	1	-	-	-
WHITE-----MALE----	18	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	26	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	10	-	-	-	-	-	-	2	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	10	-	-	-	-	-	-	2	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS -----	112	-	-	-	-	-	-	-	-	2	1	-
WHITE-----MALE----	51	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	55	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	131	5	1	-	-	-	1	5	1	4	3	-
WHITE-----MALE----	54	1	-	-	-	-	1	-	1	1	1	1
FEMALE--	50	2	-	-	-	-	-	1	-	1	-	-
ALL OTHER--MALE----	12	2	1	-	-	-	-	1	-	-	2	-
FEMALE--	15	-	-	-	-	-	-	3	-	2	-	-
BLACK---MALE----	11	2	1	-	-	-	-	1	-	-	2	-
FEMALE--	14	-	-	-	-	-	-	3	-	2	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,831

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OTHER DISEASES OF VEINS AND LYMPHATICS AND ALL OTHER DISEASES OF CIRCULATORY SYSTEM (454-459)												
KENTUCKY -----	3	2	4	8	5	5	7	3	3	4	-	-
WHITE-----MALE----	2	1	2	-	2	1	1	-	1	2	-	-
FEMALE--	1	-	1	5	3	3	6	2	1	2	-	-
ALL OTHER--MALE----	-	-	-	2	-	-	-	-	-	-	-	-
FEMALE--	-	1	1	1	-	1	-	1	1	-	-	-
BLACK---MALE----	-	-	-	2	-	-	-	-	-	-	-	-
FEMALE--	-	1	1	1	-	1	-	1	1	-	-	-
LOUISIANA -----	-	2	3	4	4	3	11	4	2	1	-	-
WHITE-----MALE----	-	1	1	-	-	1	3	-	2	-	-	-
FEMALE--	-	-	1	2	3	2	4	2	-	1	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	3	1	-	-	-	-
FEMALE--	-	1	1	1	1	-	1	1	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	3	1	-	-	-	-
FEMALE--	-	1	1	1	-	-	1	1	-	-	-	-
MAINE -----	1	-	-	-	1	1	3	4	2	-	-	-
WHITE-----MALE----	-	-	-	-	1	-	3	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	4	2	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	2	3	6	7	11	6	7	4	7	1	1	-
WHITE-----MALE----	-	1	-	3	6	1	2	2	1	1	-	-
FEMALE--	-	1	3	3	2	3	5	2	6	-	1	-
ALL OTHER--MALE----	2	1	3	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	2	1	-	-	-	-	-	-
BLACK---MALE----	2	1	3	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	2	1	-	-	-	-	-	-
MASSACHUSETTS -----	6	2	5	9	23	11	24	17	8	4	-	-
WHITE-----MALE----	6	2	3	3	13	7	7	6	3	-	-	-
FEMALE--	-	-	2	6	7	4	16	10	5	4	-	-
ALL OTHER--MALE----	-	-	-	-	2	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	1	-	-	-	-
BLACK---MALE----	-	-	-	-	2	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	-	-	-	-	-
MICHIGAN -----	5	6	9	10	15	24	13	16	7	5	1	-
WHITE-----MALE----	1	2	4	5	9	11	5	6	3	2	1	-
FEMALE--	3	2	3	3	3	9	6	10	4	3	-	-
ALL OTHER--MALE----	-	1	2	-	1	1	1	-	-	-	-	-
FEMALE--	1	1	-	2	2	3	1	-	-	-	-	-
BLACK---MALE----	-	1	1	-	1	1	1	-	-	-	-	-
FEMALE--	1	1	-	2	2	2	1	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 1,834

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 OTHER DISEASES OF VEINS AND LYMPHATICS AND ALL OTHER DISEASES OF CIRCULATORY SYSTEM (454-459)												
OHIO -----	150	1	-	-	-	-	-	1	-	2	2	3
WHITE-----MALE----	60	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	71	-	-	-	-	-	-	1	-	-	1	2
ALL OTHER--MALE----	7	1	-	-	-	-	-	-	-	1	-	1
FEMALE--	12	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	6	1	-	-	-	-	-	-	-	1	-	1
FEMALE--	12	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA -----	27	-	-	-	-	-	-	-	-	-	-	1
WHITE-----MALE----	12	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	15	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	30	-	-	-	-	-	-	-	-	-	-	4
WHITE-----MALE----	10	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	19	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	177	1	-	-	-	-	1	1	-	3	1	7
WHITE-----MALE----	72	1	-	-	-	-	-	-	-	2	-	2
FEMALE--	87	-	-	-	-	-	-	1	-	1	1	3
ALL OTHER--MALE----	8	-	-	-	-	-	1	-	-	-	-	1
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	8	-	-	-	-	-	1	-	-	-	-	1
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	1
RHODE ISLAND -----	15	-	-	-	-	-	-	-	-	-	1	-
WHITE-----MALE----	8	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	72	1	1	-	-	-	-	1	-	4	-	4
WHITE-----MALE----	20	-	1	-	-	-	-	-	-	1	-	3
FEMALE--	24	-	-	-	-	-	-	-	-	2	-	-
ALL OTHER--MALE----	10	1	-	-	-	-	-	-	-	1	-	-
FEMALE--	18	-	-	-	-	-	-	1	-	-	-	1
BLACK---MALE----	10	1	-	-	-	-	-	-	-	1	-	-
FEMALE--	18	-	-	-	-	-	-	1	-	-	-	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,834

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OTHER DISEASES OF VEINS AND LYMPHATICS AND ALL OTHER DISEASES OF CIRCULATORY SYSTEM (454-459)												
OHIO -----	3	10	9	15	24	18	21	25	8	7	1	-
WHITE-----MALE----	2	6	5	7	10	10	6	6	4	2	-	-
FEMALE--	-	2	1	7	10	6	15	17	4	4	1	-
ALL OTHER--MALE----	1	-	-	1	2	-	-	-	-	-	-	-
FEMALE--	-	2	3	-	2	2	-	2	-	1	-	-
BLACK---MALE----	1	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	2	3	-	2	2	-	2	-	1	-	-
OKLAHOMA -----	-	2	2	2	4	2	5	5	3	1	-	-
WHITE-----MALE----	-	1	2	1	4	-	1	1	1	-	-	-
FEMALE--	-	1	-	1	-	2	4	4	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	-	2	1	1	5	3	5	6	3	-	-	-
WHITE-----MALE----	-	2	-	-	3	1	2	-	-	-	-	-
FEMALE--	-	-	1	1	2	2	3	6	3	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	7	5	12	14	22	35	34	19	9	4	2	-
WHITE-----MALE----	2	2	8	7	11	13	13	8	3	-	-	-
FEMALE--	4	2	2	6	9	18	19	10	6	3	2	-
ALL OTHER--MALE----	-	-	2	1	1	1	1	-	-	-	-	-
FEMALE--	1	1	-	-	1	3	1	1	-	1	-	-
BLACK---MALE----	-	-	2	1	1	1	1	-	-	-	-	-
FEMALE--	1	1	-	-	1	3	1	1	-	1	-	-
RHODE ISLAND -----	-	1	1	1	-	1	6	3	-	1	-	-
WHITE-----MALE----	-	1	-	1	-	1	2	2	-	-	-	-
FEMALE--	-	-	-	-	-	-	3	1	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	1	-	-	-	-	-
SOUTH CAROLINA -----	3	7	3	5	4	19	9	5	5	1	-	-
WHITE-----MALE----	2	1	2	1	1	4	3	-	1	-	-	-
FEMALE--	-	2	-	2	1	9	4	3	1	-	-	-
ALL OTHER--MALE----	-	1	1	1	1	4	-	-	-	-	-	-
FEMALE--	1	3	-	1	1	2	2	2	3	1	-	-
BLACK---MALE----	-	1	1	1	1	4	-	-	-	-	-	-
FEMALE--	1	3	-	1	1	2	2	2	3	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 1,835

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 OTHER DISEASES OF VEINS AND LYMPHATICS AND ALL OTHER DISEASES OF CIRCULATORY SYSTEM (454-459)												
SOUTH DAKOTA -----	9	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	73	1	-	-	-	-	-	-	1	-	1	3
WHITE-----MALE----	26	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	31	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	8	1	-	-	-	-	-	-	-	-	-	1
FEMALE--	8	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	8	1	-	-	-	-	-	-	-	-	-	1
FEMALE--	8	-	-	-	-	-	-	-	1	-	-	-
TEXAS -----	156	2	-	-	-	-	2	1	-	4	5	7
WHITE-----MALE----	71	1	-	-	-	-	-	-	-	2	3	6
FEMALE--	56	1	-	-	-	-	2	-	-	-	2	-
ALL OTHER--MALE----	15	-	-	-	-	-	-	1	-	1	-	1
FEMALE--	14	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	14	-	-	-	-	-	-	1	-	1	-	1
FEMALE--	14	-	-	-	-	-	-	-	-	1	-	-
UTAH -----	13	2	-	-	-	-	-	-	-	-	1	-
WHITE-----MALE----	6	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	4	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	73	4	-	-	-	-	-	1	-	-	1	4
WHITE-----MALE----	25	1	-	-	-	-	-	-	-	-	-	2
FEMALE--	26	1	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	16	2	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	6	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	16	2	-	-	-	-	-	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,835

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OTHER DISEASES OF VEINS AND LYMPHATICS AND ALL OTHER DISEASES OF CIRCULATORY SYSTEM (454-459)												
SOUTH DAKOTA -----	-	-	1	-	1	2	2	1	1	1	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	1	1	-	-	-
FEMALE--	-	-	1	-	1	1	1	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	1	6	5	3	10	12	6	15	6	2	1	-
WHITE-----MALE----	-	2	3	-	5	4	2	4	1	2	-	-
FEMALE--	-	3	1	2	1	6	2	11	4	-	1	-
ALL OTHER--MALE----	-	1	1	-	3	-	1	-	-	-	-	-
FEMALE--	1	-	-	1	1	2	1	-	1	-	-	-
BLACK---MALE----	-	1	1	-	3	-	1	-	-	-	-	-
FEMALE--	1	-	-	1	1	2	1	-	1	-	-	-
TEXAS -----	9	8	8	17	15	17	23	19	12	4	3	-
WHITE-----MALE----	5	6	4	9	7	7	10	8	3	-	-	-
FEMALE--	1	1	3	4	5	7	9	8	6	4	3	-
ALL OTHER--MALE----	2	1	-	3	3	-	1	1	1	-	-	-
FEMALE--	1	-	1	1	-	3	3	2	2	-	-	-
BLACK---MALE----	1	1	-	3	3	-	1	1	1	-	-	-
FEMALE--	1	-	1	1	-	3	3	2	2	-	-	-
UTAH -----	-	1	1	-	1	-	3	1	2	1	-	-
WHITE-----MALE----	-	1	1	-	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	2	1	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	1	-	-	1	-	1	-	-	-	1	-	-
WHITE-----MALE----	1	-	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	6	1	4	9	10	11	10	8	2	1	1	-
WHITE-----MALE----	2	-	1	6	6	5	-	2	-	-	-	-
FEMALE--	2	-	2	2	2	4	6	4	2	-	-	-
ALL OTHER--MALE----	1	-	1	-	1	-	1	-	-	-	-	-
FEMALE--	1	1	-	1	1	2	3	2	-	1	1	-
BLACK---MALE----	1	-	1	-	1	-	1	-	-	-	-	-
FEMALE--	1	1	-	1	1	2	3	2	-	1	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 1,837
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
VIII. DISEASES OF THE RESPIRATORY SYSTEM (460-519)												
0 UNITED STATES --	238,999	818	313	181	193	227	360	445	666	1,134	1,816	2,426
WHITE-----MALE----	103,588	284	113	53	70	74	140	155	238	409	658	957
FEMALE--	112,758	218	81	64	49	64	90	116	177	341	567	781
ALL OTHER--MALE----	12,018	183	64	29	48	46	67	98	142	208	321	378
FEMALE--	10,635	133	55	35	26	43	63	76	109	176	270	310
BLACK---MALE----	9,886	154	56	26	40	41	63	85	122	192	294	339
FEMALE--	8,962	105	50	30	21	39	53	67	94	164	249	280
ALABAMA -----	4,165	13	10	2	2	6	6	9	9	21	34	57
WHITE-----MALE----	1,752	-	3	-	-	2	2	1	3	-	12	26
FEMALE--	1,738	3	-	1	-	-	2	1	1	5	8	12
ALL OTHER--MALE----	372	7	4	1	1	3	-	3	2	12	10	13
FEMALE--	303	3	3	-	1	1	2	4	3	4	4	6
BLACK---MALE----	365	7	4	1	1	3	-	3	2	12	10	12
FEMALE--	298	3	3	-	1	1	2	4	3	4	4	6
ALASKA -----	194	2	1	-	-	1	1	-	1	6	-	7
WHITE-----MALE----	59	-	-	-	-	-	1	-	-	2	-	-
FEMALE--	68	-	-	-	-	1	-	-	-	-	-	5
ALL OTHER--MALE----	32	1	-	-	-	-	-	-	1	1	-	1
FEMALE--	35	1	1	-	-	-	-	-	-	3	-	1
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	4,410	56	13	3	4	5	6	7	17	21	33	53
WHITE-----MALE----	2,109	20	8	1	2	2	2	-	5	8	15	33
FEMALE--	2,094	21	5	2	1	2	3	2	5	9	16	14
ALL OTHER--MALE----	120	7	-	-	1	1	-	3	4	3	1	6
FEMALE--	87	8	-	-	-	-	1	2	3	1	1	-
BLACK---MALE----	36	1	-	-	-	-	-	1	1	1	-	-
FEMALE--	29	1	-	-	-	-	-	-	1	-	1	-
ARKANSAS -----	2,767	11	-	4	3	1	6	6	9	16	25	24
WHITE-----MALE----	1,232	2	-	1	2	-	3	3	3	5	8	6
FEMALE--	1,282	2	-	3	1	1	2	-	4	6	11	10
ALL OTHER--MALE----	151	6	-	-	-	-	-	1	2	4	3	6
FEMALE--	102	1	-	-	-	-	1	2	-	1	3	2
BLACK---MALE----	148	6	-	-	-	-	-	1	2	3	3	6
FEMALE--	95	1	-	-	-	-	1	2	-	1	3	2
CALIFORNIA -----	28,153	78	32	14	37	25	24	46	63	130	200	290
WHITE-----MALE----	11,417	36	17	4	12	8	10	26	24	56	74	121
FEMALE--	13,633	26	8	6	8	6	5	11	21	44	69	92
ALL OTHER--MALE----	1,719	8	2	1	12	6	5	5	10	17	35	42
FEMALE--	1,384	8	5	3	5	5	4	4	8	13	22	35
BLACK---MALE----	844	3	1	1	6	5	3	2	4	11	27	31
FEMALE--	761	4	4	2	2	2	1	4	5	9	17	26

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,837
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
VIII. DISEASES OF THE RESPIRATORY SYSTEM (460-519)												
0 UNITED STATES --	3,760	6,058	10,391	18,331	30,116	39,874	44,573	39,575	25,404	9,952	2,371	15
WHITE-----MALE----	1,600	2,757	4,898	9,003	14,998	19,362	20,391	16,125	8,331	2,518	445	9
FEMALE--	1,374	2,283	4,106	7,338	12,343	17,215	21,046	20,761	15,391	6,671	1,682	-
ALL OTHER--MALE----	435	605	822	1,172	1,621	1,868	1,660	1,242	702	242	60	5
FEMALE--	351	413	565	818	1,154	1,429	1,476	1,447	980	521	184	1
BLACK---MALE----	389	535	718	992	1,355	1,517	1,313	934	496	176	44	5
FEMALE--	323	366	491	696	969	1,182	1,214	1,154	828	436	150	1
ALABAMA -----	77	127	212	379	548	711	732	625	410	139	36	-
WHITE-----MALE----	29	60	93	177	246	354	339	247	124	30	4	-
FEMALE--	26	40	73	142	219	262	313	294	233	83	20	-
ALL OTHER--MALE----	6	16	29	31	54	55	47	46	19	7	6	-
FEMALE--	16	11	17	29	29	40	33	38	34	19	6	-
BLACK---MALE----	6	16	27	30	52	54	47	46	19	7	6	-
FEMALE--	16	11	17	28	28	39	32	38	33	19	6	-
ALASKA -----	6	5	13	20	33	32	28	27	10	-	1	-
WHITE-----MALE----	3	3	3	8	13	10	6	9	1	-	-	-
FEMALE--	3	1	4	6	12	9	12	10	4	-	1	-
ALL OTHER--MALE----	-	1	4	4	2	7	6	2	2	-	-	-
FEMALE--	-	-	2	2	6	6	4	6	3	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ARIZONA -----	67	96	215	379	602	797	822	688	362	135	29	-
WHITE-----MALE----	29	45	119	196	312	413	398	327	128	39	7	-
FEMALE--	32	37	84	165	274	367	394	332	217	94	18	-
ALL OTHER--MALE----	4	8	5	9	12	11	18	12	12	1	2	-
FEMALE--	2	6	7	9	4	6	12	17	5	1	2	-
BLACK---MALE----	2	2	5	4	3	4	9	2	1	-	-	-
FEMALE--	2	4	3	4	1	2	2	5	3	-	-	-
ARKANSAS -----	50	90	129	228	347	459	502	461	288	92	16	-
WHITE-----MALE----	21	43	75	125	169	218	230	204	83	28	3	-
FEMALE--	21	36	42	91	148	208	235	223	177	51	10	-
ALL OTHER--MALE----	4	7	9	8	19	24	17	17	16	6	2	-
FEMALE--	4	4	3	4	11	9	20	17	12	7	1	-
BLACK---MALE----	4	7	9	8	19	24	16	17	15	6	2	-
FEMALE--	3	4	3	2	10	9	18	16	12	7	1	-
CALIFORNIA -----	393	660	1,075	1,940	3,285	4,654	5,536	4,867	3,206	1,313	282	3
WHITE-----MALE----	171	285	475	878	1,455	2,053	2,375	1,947	972	357	59	2
FEMALE--	144	258	441	824	1,433	2,102	2,676	2,477	1,952	842	188	-
ALL OTHER--MALE----	49	66	99	142	243	289	279	220	144	38	7	-
FEMALE--	29	51	60	96	154	210	206	223	138	76	28	1
BLACK---MALE----	38	52	58	88	122	138	128	72	45	9	-	-
FEMALE--	26	33	49	55	93	105	95	96	77	41	14	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 1,838

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 VIII. DISEASES OF THE RESPIRATORY SYSTEM (460-519)												
COLORADO -----	3,291	10	6	3	1	3	8	3	8	10	33	40
WHITE-----MALE----	1,560	6	2	1	-	2	4	2	3	7	18	21
FEMALE--	1,636	1	3	1	-	1	3	1	4	2	8	16
ALL OTHER--MALE----	52	1	-	-	-	-	1	-	1	1	6	2
FEMALE--	43	2	1	1	1	-	-	-	-	-	1	1
BLACK---MALE----	36	-	-	-	-	-	1	-	-	1	5	-
FEMALE--	30	2	1	1	1	-	-	-	-	-	1	1
CONNECTICUT -----	3,001	5	3	1	-	2	4	2	4	12	19	22
WHITE-----MALE----	1,292	2	-	-	1	-	2	2	2	3	9	7
FEMALE--	1,583	2	-	1	-	1	-	-	2	4	6	11
ALL OTHER--MALE----	64	-	2	-	-	1	1	-	-	3	3	1
FEMALE--	62	1	1	-	-	-	1	-	-	2	1	3
BLACK---MALE----	58	-	2	-	-	1	1	-	-	3	3	1
FEMALE--	61	1	1	-	-	-	1	-	-	2	1	3
DELAWARE -----	690	2	1	1	1	1	2	-	1	-	5	6
WHITE-----MALE----	310	1	-	-	-	-	1	-	1	-	2	3
FEMALE--	301	-	-	1	-	1	-	-	-	-	2	2
ALL OTHER--MALE----	34	1	1	-	-	-	1	-	-	-	1	-
FEMALE--	45	-	-	-	1	-	-	-	-	-	-	1
BLACK---MALE----	32	1	1	-	-	-	1	-	-	-	1	-
FEMALE--	42	-	-	-	1	-	-	-	-	-	-	1
DISTRICT OF COLUMBIA ----	463	1	3	3	-	1	1	4	2	6	12	8
WHITE-----MALE----	56	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	83	-	2	-	-	-	-	-	-	1	-	3
ALL OTHER--MALE----	153	1	1	1	-	-	1	3	2	3	4	3
FEMALE--	171	-	-	2	-	1	-	1	-	2	7	-
BLACK---MALE----	152	1	1	1	-	-	1	3	2	3	4	3
FEMALE--	171	-	-	2	-	1	-	1	-	2	7	-
FLORIDA -----	14,613	47	10	13	7	7	14	19	41	57	103	134
WHITE-----MALE----	6,675	13	5	2	3	-	4	7	13	21	42	50
FEMALE--	6,914	11	2	6	1	2	3	8	12	16	31	42
ALL OTHER--MALE----	581	11	1	5	1	4	5	2	12	12	15	21
FEMALE--	443	12	2	-	2	1	2	2	4	8	15	21
BLACK---MALE----	556	11	1	5	1	4	5	2	12	12	15	20
FEMALE--	422	11	2	-	2	1	2	1	4	8	14	21
GEORGIA -----	5,963	33	7	8	6	5	12	18	26	43	79	96
WHITE-----MALE----	2,435	8	2	3	3	-	3	7	5	12	18	30
FEMALE--	2,457	7	3	-	1	2	4	4	6	9	13	19
ALL OTHER--MALE----	568	10	1	3	-	1	-	2	10	10	25	20
FEMALE--	503	8	1	2	2	2	5	5	5	12	23	27
BLACK---MALE----	558	10	1	3	-	1	-	2	10	10	25	20
FEMALE--	489	7	1	2	2	2	5	5	4	12	22	26

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,838

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
VIII. DISEASES OF THE RESPIRATORY SYSTEM (460-519)												
COLORADO -----	57	60	166	283	444	580	590	505	313	125	43	-
WHITE-----MALE----	21	29	92	160	225	299	286	220	113	43	6	-
FEMALE--	30	29	65	114	208	269	290	281	196	78	36	-
ALL OTHER--MALE----	4	1	5	6	10	5	5	1	3	-	-	-
FEMALE--	2	1	4	3	1	7	9	3	1	4	1	-
BLACK---MALE----	2	1	4	3	9	4	2	1	3	-	-	-
FEMALE--	1	-	2	2	1	5	7	2	1	2	-	-
CONNECTICUT -----	30	48	88	179	305	501	633	560	378	162	42	-
WHITE-----MALE----	16	21	37	84	143	245	286	232	140	48	12	-
FEMALE--	11	23	40	84	146	240	330	311	232	111	28	-
ALL OTHER--MALE----	3	3	6	7	10	5	8	7	2	1	1	-
FEMALE--	-	1	5	4	6	11	9	10	4	2	1	-
BLACK---MALE----	3	2	6	6	9	4	8	5	2	1	1	-
FEMALE--	-	1	5	4	6	11	8	10	4	2	1	-
DELAWARE -----	10	16	28	58	78	123	152	104	67	29	5	-
WHITE-----MALE----	4	7	12	31	38	55	73	52	23	5	2	-
FEMALE--	3	6	10	20	29	50	66	49	38	22	2	-
ALL OTHER--MALE----	3	2	3	1	5	10	5	1	-	-	-	-
FEMALE--	-	1	3	6	6	8	8	2	6	2	1	-
BLACK---MALE----	3	2	2	1	5	10	5	-	-	-	-	-
FEMALE--	-	1	3	6	5	7	8	1	6	2	1	-
DISTRICT OF COLUMBIA ----	10	17	26	29	48	63	76	67	49	27	10	-
WHITE-----MALE----	1	1	2	5	3	9	11	6	8	4	3	-
FEMALE--	1	-	1	2	6	7	12	17	15	12	4	-
ALL OTHER--MALE----	3	9	16	12	23	23	22	15	7	3	1	-
FEMALE--	5	7	7	10	16	24	31	29	19	8	2	-
BLACK---MALE----	3	9	15	12	23	23	22	15	7	3	1	-
FEMALE--	5	7	7	10	16	24	31	29	19	8	2	-
FLORIDA -----	249	342	632	1,136	1,902	2,588	2,786	2,439	1,453	524	108	2
WHITE-----MALE----	113	181	303	574	967	1,265	1,313	1,037	567	164	30	1
FEMALE--	89	108	248	451	809	1,168	1,356	1,307	842	335	67	-
ALL OTHER--MALE----	23	35	55	62	82	86	67	48	23	8	2	1
FEMALE--	24	18	26	49	44	69	50	47	21	17	9	-
BLACK---MALE----	22	32	53	61	78	82	63	44	22	8	2	1
FEMALE--	24	18	25	45	41	65	48	45	21	16	8	-
GEORGIA -----	159	216	313	498	787	1,056	1,003	882	479	208	29	-
WHITE-----MALE----	49	91	147	263	403	499	419	298	123	47	5	-
FEMALE--	49	78	109	164	259	410	442	447	283	126	22	-
ALL OTHER--MALE----	41	29	38	46	73	88	73	61	28	9	-	-
FEMALE--	20	18	19	25	52	59	69	76	45	26	2	-
BLACK---MALE----	41	28	38	46	73	84	71	59	27	9	-	-
FEMALE--	19	18	19	24	52	55	67	75	44	26	2	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,839

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
VIII. DISEASES OF THE RESPIRATORY SYSTEM (460-519)												
HAWAII -----	15	22	28	55	82	146	126	131	95	52	11	-
WHITE-----MALE----	7	-	3	14	14	32	20	12	9	3	1	-
FEMALE--	1	3	5	7	5	19	16	26	12	7	1	-
ALL OTHER--MALE----	5	15	13	27	31	59	57	52	41	20	1	-
FEMALE--	2	4	7	7	32	36	33	41	33	22	8	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	1	-	-	-
IDAHO -----	20	29	39	105	119	166	198	192	102	46	8	-
WHITE-----MALE----	10	16	20	54	64	97	112	84	40	19	2	-
FEMALE--	9	13	19	50	54	66	84	108	62	27	6	-
ALL OTHER--MALE----	1	-	-	-	-	3	1	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	172	280	410	756	1,244	1,574	1,887	1,644	1,084	434	107	1
WHITE-----MALE----	59	114	210	367	608	756	841	653	315	106	17	1
FEMALE--	48	94	141	266	497	653	921	869	686	299	78	-
ALL OTHER--MALE----	36	48	32	69	89	90	62	44	36	6	3	-
FEMALE--	29	24	27	54	50	75	63	78	47	23	9	-
BLACK---MALE----	36	47	31	63	81	81	55	39	33	5	3	-
FEMALE--	27	22	27	50	49	71	59	70	46	20	8	-
INDIANA -----	75	148	249	471	747	915	989	852	557	206	54	-
WHITE-----MALE----	36	73	124	276	375	461	459	360	187	52	10	-
FEMALE--	34	57	108	184	333	408	492	466	354	146	39	-
ALL OTHER--MALE----	4	9	10	6	26	24	17	7	7	4	-	-
FEMALE--	1	9	7	5	13	22	21	19	9	4	5	-
BLACK---MALE----	4	9	10	6	26	24	17	7	6	4	-	-
FEMALE--	1	9	7	5	13	22	20	19	8	4	5	-
IOWA -----	30	51	116	211	335	510	597	609	396	228	63	-
WHITE-----MALE----	20	26	56	113	204	299	333	285	146	62	8	-
FEMALE--	9	25	58	95	127	202	259	317	246	164	55	-
ALL OTHER--MALE----	1	-	1	3	4	6	3	4	1	-	-	-
FEMALE--	-	-	1	-	-	3	2	3	3	2	-	-
BLACK---MALE----	1	-	1	2	3	4	2	4	1	-	-	-
FEMALE--	-	-	1	-	-	3	2	2	3	2	-	-
KANSAS -----	28	60	118	178	297	401	439	481	316	138	34	-
WHITE-----MALE----	14	38	59	101	168	198	222	220	133	36	5	-
FEMALE--	12	16	45	65	122	194	206	254	180	100	28	-
ALL OTHER--MALE----	1	4	8	7	2	4	5	3	-	2	-	-
FEMALE--	1	2	6	5	5	5	6	4	3	-	1	-
BLACK---MALE----	1	4	8	4	2	4	2	3	-	2	-	-
FEMALE--	1	2	4	3	4	3	3	3	2	-	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 1,840
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
VIII. DISEASES OF THE RESPIRATORY SYSTEM (460-519)												
KENTUCKY -----	4,059	10	5	1	2	6	7	11	8	13	29	48
WHITE-----MALE----	1,873	5	-	-	1	2	2	3	3	6	10	23
FEMALE--	1,981	3	4	1	1	1	5	5	3	5	10	18
ALL OTHER--MALE----	92	1	-	-	-	2	-	-	2	-	7	5
FEMALE--	113	1	1	-	-	1	-	3	-	2	2	2
BLACK---MALE----	90	1	-	-	-	2	-	-	1	-	7	5
FEMALE--	110	1	1	-	-	1	-	3	-	2	2	2
LOUISIANA -----	3,203	16	5	3	3	6	10	10	18	26	36	45
WHITE-----MALE----	1,171	4	2	-	-	2	2	2	4	7	12	12
FEMALE--	1,278	3	-	1	-	1	2	2	4	6	7	4
ALL OTHER--MALE----	400	5	1	1	2	2	2	2	4	7	10	18
FEMALE--	354	4	2	1	1	1	4	4	6	6	7	11
BLACK---MALE----	394	4	1	1	2	2	2	2	3	7	10	18
FEMALE--	347	4	2	1	1	1	4	4	6	6	7	10
MAINE -----	1,417	5	2	-	-	1	1	3	-	5	6	6
WHITE-----MALE----	684	5	1	-	-	-	1	2	-	3	4	3
FEMALE--	726	-	1	-	-	1	-	1	-	2	2	3
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	4,033	11	6	3	3	10	4	12	17	28	36	49
WHITE-----MALE----	1,467	6	4	2	-	1	2	3	4	5	6	13
FEMALE--	1,799	1	-	-	-	3	-	1	3	6	10	9
ALL OTHER--MALE----	383	3	2	-	3	2	1	5	6	7	13	11
FEMALE--	384	1	-	1	-	4	1	3	4	10	7	16
BLACK---MALE----	365	3	2	-	3	2	1	5	6	7	13	11
FEMALE--	361	1	-	1	-	4	1	3	4	9	7	15
MASSACHUSETTS -----	6,518	12	4	2	2	3	6	5	11	32	32	41
WHITE-----MALE----	2,743	7	1	1	-	1	3	1	4	16	11	22
FEMALE--	3,569	2	1	-	2	2	1	1	6	11	17	18
ALL OTHER--MALE----	102	1	2	-	-	-	2	2	1	-	-	-
FEMALE--	104	2	-	1	-	-	-	1	-	5	4	1
BLACK---MALE----	78	1	2	-	-	-	2	-	1	-	-	-
FEMALE--	74	2	-	1	-	-	-	1	-	5	4	1
MICHIGAN -----	8,099	19	9	6	8	12	16	10	24	43	67	120
WHITE-----MALE----	3,491	6	3	2	1	6	5	2	3	15	17	33
FEMALE--	3,685	4	4	1	2	3	3	2	8	14	19	44
ALL OTHER--MALE----	509	5	2	1	3	1	8	1	7	8	21	26
FEMALE--	414	4	-	2	2	2	-	5	6	6	10	17
BLACK---MALE----	477	5	2	1	3	1	8	1	7	8	19	25
FEMALE--	390	4	-	2	1	2	-	5	6	6	10	17

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,840

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
VIII. DISEASES OF THE RESPIRATORY SYSTEM (460-519)												
KENTUCKY -----	67	133	194	366	563	681	687	628	406	159	35	-
WHITE-----MALE----	28	77	111	203	286	352	335	265	122	35	4	-
FEMALE--	34	52	74	145	249	299	327	339	265	115	26	-
ALL OTHER--MALE----	3	1	2	7	15	20	12	10	5	-	-	-
FEMALE--	2	3	7	11	13	10	13	14	14	9	5	-
BLACK---MALE----	3	1	1	7	15	20	12	10	5	-	-	-
FEMALE--	2	3	7	11	13	9	13	14	12	9	5	-
LOUISIANA -----	62	109	188	260	440	505	574	488	277	96	26	-
WHITE-----MALE----	27	39	68	117	189	196	237	149	75	22	5	-
FEMALE--	13	30	63	82	161	211	225	248	154	48	13	-
ALL OTHER--MALE----	13	24	31	38	47	51	60	45	25	10	2	-
FEMALE--	9	16	26	23	43	47	52	46	23	16	6	-
BLACK---MALE----	13	24	30	37	46	51	59	45	25	10	2	-
FEMALE--	9	16	23	23	42	46	52	45	23	16	6	-
MAINE -----	18	23	44	104	203	233	259	251	163	67	23	-
WHITE-----MALE----	9	9	20	59	120	125	129	119	58	14	3	-
FEMALE--	8	13	24	44	82	107	128	132	105	53	20	-
ALL OTHER--MALE----	-	-	-	1	1	-	2	-	-	-	-	-
FEMALE--	1	1	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	61	113	157	284	476	738	766	665	407	152	32	3
WHITE-----MALE----	10	45	69	114	198	324	287	223	120	27	4	-
FEMALE--	22	29	44	104	192	311	351	352	239	98	24	-
ALL OTHER--MALE----	12	21	23	42	45	57	68	41	12	5	1	3
FEMALE--	17	18	21	24	41	46	60	49	36	22	3	-
BLACK---MALE----	12	21	21	39	44	54	63	39	12	3	1	3
FEMALE--	16	17	20	23	39	44	51	47	35	21	3	-
MASSACHUSETTS -----	80	107	197	413	690	1,010	1,181	1,247	908	428	107	-
WHITE-----MALE----	34	50	89	203	357	511	555	481	298	82	16	-
FEMALE--	41	52	99	187	301	467	601	738	595	339	88	-
ALL OTHER--MALE----	3	3	7	10	20	17	13	12	6	1	2	-
FEMALE--	2	2	2	13	12	15	12	16	9	6	1	-
BLACK---MALE----	3	3	4	8	16	14	11	9	3	1	-	-
FEMALE--	2	1	2	10	8	11	7	9	5	4	1	-
MICHIGAN -----	125	212	370	640	1,120	1,380	1,501	1,205	826	322	64	-
WHITE-----MALE----	40	107	162	313	556	669	683	485	295	76	12	-
FEMALE--	43	64	150	250	443	578	678	628	486	215	46	-
ALL OTHER--MALE----	28	26	38	52	72	70	70	37	22	8	3	-
FEMALE--	14	15	20	25	49	63	70	55	23	23	3	-
BLACK---MALE----	28	25	37	48	66	65	62	34	21	8	3	-
FEMALE--	13	12	17	22	45	58	68	54	22	23	3	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 1,841

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 VIII. DISEASES OF THE RESPIRATORY SYSTEM (460-519)												
MINNESOTA -----	3,715	6	3	1	3	-	6	3	3	9	16	19
WHITE-----MALE----	1,704	3	1	1	-	-	3	1	1	4	3	14
FEMALE--	1,928	2	2	-	2	-	2	2	-	4	10	2
ALL OTHER--MALE----	41	-	-	-	-	-	1	-	-	1	2	3
FEMALE--	42	1	-	-	1	-	-	-	2	-	1	-
BLACK---MALE----	19	-	-	-	-	-	1	-	-	1	1	3
FEMALE--	23	1	-	-	1	-	-	-	1	-	-	-
MISSISSIPPI -----	2,645	18	7	5	5	2	3	6	16	17	23	37
WHITE-----MALE----	1,015	4	-	2	1	1	1	2	3	2	3	10
FEMALE--	1,017	4	3	1	-	-	-	2	2	4	5	9
ALL OTHER--MALE----	345	5	1	-	3	1	1	-	8	5	7	13
FEMALE--	268	5	3	2	1	-	1	2	3	6	8	5
BLACK---MALE----	341	5	1	-	3	1	1	-	7	4	7	12
FEMALE--	264	4	3	2	1	-	1	2	3	6	8	5
MISSOURI -----	5,950	15	6	3	1	7	7	19	14	23	42	39
WHITE-----MALE----	2,608	5	-	1	1	1	2	6	3	12	18	13
FEMALE--	2,923	6	3	1	-	2	3	6	7	8	15	17
ALL OTHER--MALE----	209	3	1	-	-	2	2	4	3	1	5	5
FEMALE--	210	1	2	1	-	2	-	3	1	2	4	4
BLACK---MALE----	203	2	1	-	-	2	2	4	3	1	5	5
FEMALE--	199	1	2	1	-	2	-	3	1	2	3	3
MONTANA -----	998	3	1	-	1	-	2	1	1	1	4	3
WHITE-----MALE----	469	2	1	-	1	-	1	1	1	1	2	2
FEMALE--	496	-	-	-	-	-	1	-	-	-	1	1
ALL OTHER--MALE----	13	1	-	-	-	-	-	-	-	-	1	-
FEMALE--	20	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	1,634	3	1	2	1	1	-	4	3	7	11	9
WHITE-----MALE----	765	1	-	-	1	1	-	-	2	3	3	4
FEMALE--	825	1	1	1	-	-	-	2	-	2	6	2
ALL OTHER--MALE----	26	1	-	1	-	-	-	2	-	2	1	1
FEMALE--	18	-	-	-	-	-	-	-	1	-	1	2
BLACK---MALE----	18	1	-	1	-	-	-	1	-	1	1	1
FEMALE--	13	-	-	-	-	-	-	-	1	-	1	1
NEVADA -----	1,565	17	5	6	1	3	4	3	6	16	15	18
WHITE-----MALE----	750	6	4	2	1	-	1	1	2	6	8	10
FEMALE--	729	7	1	3	-	3	2	1	1	8	5	6
ALL OTHER--MALE----	50	3	-	1	-	-	-	1	1	1	1	-
FEMALE--	36	1	-	-	-	-	1	-	2	1	1	2
BLACK---MALE----	33	3	-	-	-	-	-	-	-	1	1	-
FEMALE--	26	1	-	-	-	-	1	-	1	1	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,841
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
VIII. DISEASES OF THE RESPIRATORY SYSTEM (460-519)												
MINNESOTA -----	33	70	127	208	403	580	715	723	511	219	57	-
WHITE-----MALE----	18	23	58	112	210	298	355	338	194	53	14	-
FEMALE--	11	41	63	86	182	267	354	380	312	163	43	-
ALL OTHER--MALE----	2	4	3	5	6	5	1	4	3	1	-	-
FEMALE--	2	2	3	5	5	10	5	1	2	2	-	-
BLACK---MALE----	1	1	1	1	2	3	-	2	2	-	-	-
FEMALE--	-	2	1	4	2	5	3	1	1	1	-	-
MISSISSIPPI -----	51	94	149	233	352	385	418	405	273	121	25	-
WHITE-----MALE----	28	33	61	108	182	164	156	145	80	25	4	-
FEMALE--	11	30	56	65	93	153	176	185	139	69	10	-
ALL OTHER--MALE----	4	16	19	39	45	48	50	38	28	11	3	-
FEMALE--	8	15	13	21	32	20	36	37	26	16	8	-
BLACK---MALE----	4	16	19	39	45	48	49	38	28	11	3	-
FEMALE--	8	15	11	21	32	20	35	37	26	16	8	-
MISSOURI -----	81	161	260	461	709	941	1,073	1,034	716	264	74	-
WHITE-----MALE----	32	79	124	229	392	465	477	442	236	62	8	-
FEMALE--	32	63	107	189	274	417	535	544	441	192	61	-
ALL OTHER--MALE----	9	12	16	21	22	31	33	21	15	3	-	-
FEMALE--	8	7	13	22	21	28	28	27	24	7	5	-
BLACK---MALE----	9	12	16	20	21	29	33	20	15	3	-	-
FEMALE--	6	7	12	18	21	28	27	26	24	7	5	-
MONTANA -----	9	22	50	76	96	190	204	160	123	38	13	-
WHITE-----MALE----	4	8	24	42	51	109	93	71	46	8	1	-
FEMALE--	5	12	22	29	42	74	108	85	74	30	12	-
ALL OTHER--MALE----	-	1	2	3	-	2	2	-	1	-	-	-
FEMALE--	-	1	2	2	3	5	1	4	2	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	17	30	59	103	193	255	332	297	215	76	15	-
WHITE-----MALE----	9	12	31	52	106	137	180	124	77	18	4	-
FEMALE--	6	15	27	45	85	112	145	171	135	58	11	-
ALL OTHER--MALE----	-	3	1	2	2	5	3	1	1	-	-	-
FEMALE--	2	-	-	4	-	1	4	1	2	-	-	-
BLACK---MALE----	-	3	-	2	2	2	2	-	1	-	-	-
FEMALE--	-	-	-	3	-	1	4	-	2	-	-	-
NEVADA -----	32	58	95	171	246	294	290	172	88	19	6	-
WHITE-----MALE----	14	26	54	89	120	134	145	85	33	9	-	-
FEMALE--	12	26	36	70	117	149	133	82	52	9	6	-
ALL OTHER--MALE----	4	2	3	7	7	6	9	1	3	-	-	-
FEMALE--	2	4	2	5	2	5	3	4	-	1	-	-
BLACK---MALE----	3	1	3	4	4	6	4	1	2	-	-	-
FEMALE--	1	3	1	4	1	4	3	3	-	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 1,842

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
VIII. DISEASES OF THE RESPIRATORY SYSTEM (460-519)												
NEW HAMPSHIRE -----	1,008	-	-	-	-	-	1	-	1	1	4	5
WHITE-----MALE----	476	-	-	-	-	-	1	-	1	-	1	2
FEMALE--	529	-	-	-	-	-	-	-	-	1	3	2
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY -----	6,107	22	5	4	4	7	12	12	19	31	53	77
WHITE-----MALE----	2,507	7	-	1	2	1	4	4	7	8	12	25
FEMALE--	3,000	3	-	1	2	1	2	2	3	6	19	29
ALL OTHER--MALE----	289	7	4	-	-	2	3	3	3	11	12	14
FEMALE--	311	5	1	2	-	3	3	3	6	6	10	9
BLACK---MALE----	269	7	4	-	-	1	2	3	3	11	11	14
FEMALE--	284	5	1	2	-	3	3	3	5	6	10	8
NEW MEXICO -----	1,421	7	2	4	2	1	-	4	1	4	16	12
WHITE-----MALE----	650	3	-	1	-	-	-	2	-	-	12	4
FEMALE--	659	1	1	1	1	1	-	2	-	2	3	7
ALL OTHER--MALE----	66	2	-	-	1	-	-	-	1	1	-	-
FEMALE--	46	1	1	2	-	-	-	-	-	1	1	1
BLACK---MALE----	8	-	-	-	1	-	-	-	-	1	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
NEW YORK -----	14,999	62	24	8	9	14	21	40	49	83	139	184
WHITE-----MALE----	6,044	11	8	3	3	5	13	13	23	29	41	67
FEMALE--	7,254	17	6	3	3	5	1	11	7	21	48	64
ALL OTHER--MALE----	824	18	6	-	3	1	3	11	9	15	28	31
FEMALE--	877	16	4	2	-	3	4	5	10	18	22	22
BLACK---MALE----	708	16	6	-	3	-	3	10	7	14	27	30
FEMALE--	798	14	4	2	-	3	4	4	10	18	22	21
NORTH CAROLINA -----	7,059	21	7	7	7	9	13	11	25	34	48	79
WHITE-----MALE----	2,986	6	1	2	5	4	3	-	5	8	16	28
FEMALE--	2,960	4	1	3	-	1	2	5	6	10	12	26
ALL OTHER--MALE----	592	7	3	1	1	4	4	4	4	11	10	13
FEMALE--	521	4	2	1	1	-	4	2	10	5	10	12
BLACK---MALE----	568	7	2	1	1	4	4	4	4	10	8	12
FEMALE--	485	4	1	1	1	-	4	2	10	5	9	9
NORTH DAKOTA -----	617	-	1	2	-	-	1	-	3	1	4	4
WHITE-----MALE----	311	-	-	1	-	-	-	-	1	1	2	2
FEMALE--	288	-	1	-	-	-	1	-	1	-	2	2
ALL OTHER--MALE----	11	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 1,843

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
VIII. DISEASES OF THE RESPIRATORY SYSTEM (460-519)												
OHIO -----	10,801	30	15	5	9	5	17	11	30	33	72	111
WHITE-----MALE----	4,815	6	7	2	3	3	6	5	14	13	33	52
FEMALE--	5,206	12	2	3	3	2	3	3	9	14	26	40
ALL OTHER--MALE----	403	7	3	-	2	-	3	3	6	4	2	8
FEMALE--	377	5	3	-	1	-	5	-	1	2	11	11
BLACK---MALE----	397	7	3	-	2	-	3	3	6	4	2	8
FEMALE--	371	5	3	-	1	-	5	-	1	2	11	11
OKLAHOMA -----	3,574	9	2	3	4	6	7	4	8	18	26	33
WHITE-----MALE----	1,656	1	1	1	3	2	1	1	4	8	13	20
FEMALE--	1,654	5	-	1	-	2	4	2	4	6	7	11
ALL OTHER--MALE----	142	2	1	1	1	1	1	-	-	4	3	1
FEMALE--	122	1	-	-	-	1	1	1	-	-	3	1
BLACK---MALE----	80	2	-	-	1	1	1	-	-	4	1	1
FEMALE--	71	-	-	-	-	1	1	1	-	-	2	1
OREGON -----	3,027	3	1	-	3	-	4	2	4	10	18	26
WHITE-----MALE----	1,459	2	-	-	3	-	2	-	4	6	10	11
FEMALE--	1,504	1	-	-	-	-	2	1	-	3	6	11
ALL OTHER--MALE----	39	-	1	-	-	-	-	1	-	1	1	2
FEMALE--	25	-	-	-	-	-	-	-	-	-	1	2
BLACK---MALE----	19	-	-	-	-	-	-	1	-	1	1	1
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	1
PENNSYLVANIA -----	12,459	22	9	9	7	6	14	18	32	48	71	93
WHITE-----MALE----	5,593	9	3	2	3	5	4	11	17	14	24	39
FEMALE--	5,982	7	2	5	3	-	6	3	4	13	21	18
ALL OTHER--MALE----	408	4	1	2	1	1	3	4	5	12	10	16
FEMALE--	476	2	3	-	-	-	1	-	6	9	16	20
BLACK---MALE----	396	4	1	2	1	1	3	4	4	12	10	16
FEMALE--	462	1	3	-	-	-	1	-	5	9	14	20
RHODE ISLAND -----	950	2	1	-	1	-	-	2	2	2	4	9
WHITE-----MALE----	426	-	1	-	-	-	-	1	1	1	2	5
FEMALE--	504	-	-	-	1	-	-	-	1	-	2	4
ALL OTHER--MALE----	10	1	-	-	-	-	-	1	-	1	-	-
FEMALE--	10	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	8	1	-	-	-	-	-	-	-	1	-	-
FEMALE--	9	1	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	3,244	11	10	3	1	8	7	9	10	23	42	36
WHITE-----MALE----	1,329	2	3	1	-	2	2	2	3	5	11	13
FEMALE--	1,302	5	-	-	-	3	-	4	1	4	9	10
ALL OTHER--MALE----	323	2	4	-	1	1	2	1	3	9	11	4
FEMALE--	290	2	3	2	-	2	3	2	3	5	11	9
BLACK---MALE----	322	2	4	-	1	1	2	1	3	9	11	4
FEMALE--	286	2	3	2	-	2	3	2	2	5	11	9

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,843

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
VIII. DISEASES OF THE RESPIRATORY SYSTEM (460-519)												
OHIO -----	168	266	477	862	1,441	1,864	2,076	1,754	1,102	360	93	-
WHITE-----MALE----	76	109	227	414	750	922	976	722	354	104	17	-
FEMALE--	67	117	202	371	583	820	979	943	704	234	69	-
ALL OTHER--MALE----	13	18	28	44	67	72	63	40	16	3	1	-
FEMALE--	12	22	20	33	41	50	58	49	28	19	6	-
BLACK---MALE----	12	18	28	44	67	70	62	38	16	3	1	-
FEMALE--	12	22	20	30	41	50	58	48	26	19	6	-
OKLAHOMA -----	64	109	176	280	485	628	603	598	351	130	29	1
WHITE-----MALE----	36	61	101	137	246	301	295	261	124	33	5	1
FEMALE--	18	39	62	114	201	290	270	310	205	86	17	-
ALL OTHER--MALE----	6	4	6	15	22	22	25	11	7	7	2	-
FEMALE--	4	5	7	14	16	15	13	16	15	4	5	-
BLACK---MALE----	4	1	4	7	13	13	14	6	4	3	-	-
FEMALE--	2	4	2	10	9	9	6	5	12	1	5	-
OREGON -----	40	73	130	221	383	599	560	508	299	107	36	-
WHITE-----MALE----	25	38	64	104	209	303	288	234	117	33	6	-
FEMALE--	13	33	62	112	161	288	267	265	176	73	30	-
ALL OTHER--MALE----	1	1	2	4	8	5	3	4	5	-	-	-
FEMALE--	1	1	2	1	5	3	2	5	1	1	-	-
BLACK---MALE----	1	1	1	1	5	2	-	2	2	-	-	-
FEMALE--	-	1	1	-	1	2	2	-	-	1	-	-
PENNSYLVANIA -----	137	260	457	816	1,670	2,109	2,567	2,211	1,331	473	99	-
WHITE-----MALE----	54	125	231	411	861	1,075	1,191	912	456	124	22	-
FEMALE--	51	96	180	321	705	892	1,255	1,210	807	312	71	-
ALL OTHER--MALE----	17	22	22	45	48	69	50	43	21	10	2	-
FEMALE--	15	17	24	39	56	73	71	46	47	27	4	-
BLACK---MALE----	16	21	21	44	46	66	48	43	21	10	2	-
FEMALE--	15	16	23	38	55	72	68	45	46	27	4	-
RHODE ISLAND -----	9	26	37	71	97	136	195	176	121	42	17	-
WHITE-----MALE----	7	13	16	36	51	74	97	76	34	9	2	-
FEMALE--	1	13	18	33	43	62	94	98	86	33	15	-
ALL OTHER--MALE----	1	-	1	-	3	-	2	-	-	-	-	-
FEMALE--	-	-	2	2	-	-	2	2	1	-	-	-
BLACK---MALE----	1	-	1	-	2	-	2	-	-	-	-	-
FEMALE--	-	-	2	1	-	-	2	2	1	-	-	-
SOUTH CAROLINA -----	81	119	206	313	492	524	514	444	264	100	26	1
WHITE-----MALE----	24	49	95	134	235	239	228	176	75	24	6	-
FEMALE--	20	45	66	126	180	190	196	218	156	57	12	-
ALL OTHER--MALE----	18	13	33	31	48	55	49	21	9	4	3	1
FEMALE--	19	12	12	22	29	40	41	29	24	15	5	-
BLACK---MALE----	18	13	33	31	47	55	49	21	9	4	3	1
FEMALE--	19	12	12	21	29	40	39	29	24	15	5	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 1,844
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
VIII. DISEASES OF THE RESPIRATORY SYSTEM (460-519)												
SOUTH DAKOTA -----	675	4	-	-	3	1	1	-	-	2	1	2
WHITE-----MALE----	313	-	-	-	-	1	-	-	-	-	1	-
FEMALE--	331	-	-	-	3	-	1	-	-	1	-	2
ALL OTHER--MALE----	13	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	18	2	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	5,689	16	6	5	3	1	6	9	10	31	47	55
WHITE-----MALE----	2,559	6	1	-	2	-	4	4	3	13	22	23
FEMALE--	2,542	4	2	3	1	-	2	3	3	10	15	16
ALL OTHER--MALE----	305	5	2	1	-	-	-	2	2	3	5	9
FEMALE--	283	1	1	1	-	1	-	-	2	5	5	7
BLACK---MALE----	303	4	2	1	-	-	-	2	2	3	5	9
FEMALE--	279	1	1	1	-	1	-	-	2	5	5	7
TEXAS -----	13,304	76	30	12	13	26	24	26	48	94	114	158
WHITE-----MALE----	5,815	37	12	5	5	12	11	10	21	36	50	69
FEMALE--	6,282	17	11	6	3	8	7	3	16	36	31	51
ALL OTHER--MALE----	694	14	2	1	4	3	2	7	4	12	21	25
FEMALE--	513	8	5	-	1	3	4	6	7	10	12	13
BLACK---MALE----	645	14	2	1	4	3	2	7	4	12	21	24
FEMALE--	483	8	5	-	1	3	4	5	6	10	11	12
UTAH -----	1,177	4	2	1	1	-	3	5	1	5	8	10
WHITE-----MALE----	610	2	1	1	1	-	1	4	-	5	2	6
FEMALE--	542	2	1	-	-	-	2	1	1	-	5	4
ALL OTHER--MALE----	14	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	11	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	1	-
VERMONT -----	560	1	-	-	-	-	-	-	-	3	6	3
WHITE-----MALE----	264	1	-	-	-	-	-	-	-	-	5	1
FEMALE--	295	-	-	-	-	-	-	-	-	3	1	2
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	5,564	12	6	6	4	7	14	12	17	23	34	58
WHITE-----MALE----	2,288	5	1	2	2	2	5	4	4	6	12	17
FEMALE--	2,452	4	-	1	1	2	3	1	5	7	7	19
ALL OTHER--MALE----	440	-	5	1	1	-	4	4	6	6	7	12
FEMALE--	384	3	-	2	-	3	2	3	2	4	8	10
BLACK---MALE----	408	-	4	1	1	-	4	4	6	6	7	10
FEMALE--	368	3	-	2	-	3	2	2	2	4	8	10

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,844

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
VIII. DISEASES OF THE RESPIRATORY SYSTEM (460-519)												
SOUTH DAKOTA -----	10	11	24	45	65	103	136	119	100	33	15	-
WHITE-----MALE----	4	5	15	23	35	51	72	56	37	9	4	-
FEMALE--	6	5	8	16	25	47	61	60	62	23	11	-
ALL OTHER--MALE----	-	-	-	3	4	3	-	1	-	-	-	-
FEMALE--	-	1	1	3	1	2	3	2	1	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	106	190	311	506	734	986	978	901	548	205	35	-
WHITE-----MALE----	52	94	152	272	392	480	480	357	157	40	5	-
FEMALE--	44	63	119	185	281	408	425	457	334	141	26	-
ALL OTHER--MALE----	5	23	19	30	37	53	38	33	26	11	1	-
FEMALE--	5	10	21	19	24	45	35	54	31	13	3	-
BLACK---MALE----	5	22	19	30	37	53	38	33	26	11	1	-
FEMALE--	5	10	21	19	23	45	35	53	30	13	2	-
TEXAS -----	269	372	682	1,173	1,702	2,210	2,402	1,996	1,277	506	93	1
WHITE-----MALE----	119	169	332	580	844	1,068	1,089	772	430	126	17	1
FEMALE--	110	146	256	484	721	998	1,145	1,072	760	336	65	-
ALL OTHER--MALE----	19	39	70	63	82	85	87	84	48	18	4	-
FEMALE--	21	18	24	46	55	59	81	68	39	26	7	-
BLACK---MALE----	18	35	63	60	74	76	82	78	45	16	4	-
FEMALE--	21	16	23	44	52	53	75	65	38	24	7	-
UTAH -----	16	25	61	81	151	208	224	195	122	42	12	-
WHITE-----MALE----	8	17	36	38	93	108	124	92	49	17	5	-
FEMALE--	8	8	25	41	55	95	98	94	72	23	7	-
ALL OTHER--MALE----	-	-	-	1	1	3	1	5	1	2	-	-
FEMALE--	-	-	-	1	2	2	1	4	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	1	2	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	-	-	-	-	-
VERMONT -----	7	10	25	46	61	78	108	109	68	26	9	-
WHITE-----MALE----	2	7	16	27	33	44	56	51	17	4	-	-
FEMALE--	5	3	9	18	28	34	52	58	51	22	9	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	80	154	259	454	724	943	1,039	925	531	206	55	1
WHITE-----MALE----	32	54	115	191	358	449	453	359	160	47	9	1
FEMALE--	29	63	97	179	265	373	447	462	310	138	39	-
ALL OTHER--MALE----	10	20	30	55	59	60	70	56	24	9	1	-
FEMALE--	9	17	17	29	42	61	69	48	37	12	6	-
BLACK---MALE----	10	20	29	53	56	54	64	48	22	8	1	-
FEMALE--	9	16	17	28	39	57	68	44	36	12	6	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,845

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
VIII. DISEASES OF THE RESPIRATORY SYSTEM (460-519)												
WASHINGTON -----	89	97	190	322	594	780	947	829	484	222	55	1
WHITE-----MALE----	40	52	86	173	308	388	459	353	180	56	10	1
FEMALE--	36	40	91	139	256	370	463	460	290	163	41	-
ALL OTHER--MALE----	9	4	6	6	13	13	11	9	8	2	1	-
FEMALE--	4	1	7	4	17	9	14	7	6	1	3	-
BLACK---MALE----	3	2	3	3	3	5	4	1	2	1	-	-
FEMALE--	4	1	2	-	5	1	1	3	2	-	-	-
WEST VIRGINIA -----	28	73	106	220	318	414	398	365	196	63	19	-
WHITE-----MALE----	18	42	51	105	179	235	212	175	82	19	7	-
FEMALE--	8	30	51	110	128	166	177	181	106	43	12	-
ALL OTHER--MALE----	1	1	3	4	6	6	5	6	4	1	-	-
FEMALE--	1	-	1	1	5	7	4	3	4	-	-	-
BLACK---MALE----	1	1	3	4	6	6	5	6	4	1	-	-
FEMALE--	1	-	1	1	5	7	4	3	4	-	-	-
WISCONSIN -----	60	80	160	294	500	738	947	826	592	238	59	-
WHITE-----MALE----	30	42	74	157	297	401	476	370	211	63	13	-
FEMALE--	26	34	75	123	190	306	459	444	368	169	45	-
ALL OTHER--MALE----	2	2	6	8	6	21	6	9	3	2	-	-
FEMALE--	2	2	5	6	7	10	6	3	10	4	1	-
BLACK---MALE----	2	1	6	7	6	19	5	6	2	1	-	-
FEMALE--	1	2	4	4	4	8	6	-	9	3	1	-
WYOMING -----	7	17	20	34	61	76	78	63	50	19	6	-
WHITE-----MALE----	5	10	7	18	28	36	36	37	16	4	-	-
FEMALE--	2	7	12	16	33	38	41	26	34	14	5	-
ALL OTHER--MALE----	-	-	1	-	-	2	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	1	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,846

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 DISEASES OF THE UPPER RESPIRATORY TRACT (460-465,470-478)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
UNITED STATES --	21	19	29	26	52	60	78	73	61	32	9	-
WHITE-----MALE----	11	7	9	13	26	21	41	30	12	3	-	-
FEMALE--	3	6	10	7	17	33	32	40	44	25	8	-
ALL OTHER--MALE----	4	4	7	2	6	2	4	-	4	3	-	-
FEMALE--	3	2	3	4	3	4	1	3	1	1	1	-
BLACK---MALE----	3	2	6	2	5	1	3	-	2	1	-	-
FEMALE--	2	2	2	3	3	4	1	3	1	1	1	-
ALABAMA -----	-	1	2	-	3	2	1	1	1	-	-	-
WHITE-----MALE----	-	-	1	-	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	2	-	-	1	-	-	-
ALL OTHER--MALE----	-	1	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	1	-	-	-	-
BLACK---MALE----	-	1	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	1	-	-	-	-
ALASKA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	1	1	-	-	-	-	1	-	2	1	-	-
WHITE-----MALE----	1	-	-	-	-	-	1	-	1	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	-	-	1	-	-	1	-	-	2	1	1	-
WHITE-----MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	2	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
CALIFORNIA -----	4	4	3	4	5	8	6	2	4	3	-	-
WHITE-----MALE----	1	1	1	2	3	3	4	1	1	1	-	-
FEMALE--	1	1	1	2	2	3	2	1	1	1	-	-
ALL OTHER--MALE----	1	2	-	-	-	1	-	-	2	1	-	-
FEMALE--	1	-	1	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	1	-	1	-	-	1	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 1,847

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
 DISEASES OF THE UPPER RESPIRATORY TRACT (460-465,470-478)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
COLORADO -----	5	-	-	-	-	-	-	-	-	2	-	-
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	2	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	14	-	-	-	-	-	-	-	1	-	-	-
WHITE-----MALE----	7	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	3	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	1	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	32	-	1	-	-	1	-	-	2	-	2	1
WHITE-----MALE----	12	-	1	-	-	-	-	-	2	-	1	-
FEMALE--	16	-	-	-	-	1	-	-	-	-	1	1
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
GEORGIA -----	22	1	2	-	-	-	1	-	2	-	1	2
WHITE-----MALE----	6	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	8	-	2	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	5	1	-	-	-	-	-	-	1	-	1	-
BLACK---MALE----	3	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	5	1	-	-	-	-	-	-	1	-	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,847

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 DISEASES OF THE UPPER RESPIRATORY TRACT (460-465,470-478)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
COLORADO -----	-	-	-	-	1	1	-	-	-	1	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	1	-	1	-	2	2	3	2	1	1	-	-
WHITE-----MALE----	-	-	-	-	2	2	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	1	1	-	-
ALL OTHER--MALE----	1	-	1	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	1	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	-	-	1	-	-	2	-	-	-	-	-
WHITE-----MALE----	-	-	-	1	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	-	-	1	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	1	1	3	1	2	4	4	5	3	1	-	-
WHITE-----MALE----	1	-	1	-	2	-	2	1	-	1	-	-
FEMALE--	-	1	-	-	-	4	1	4	3	-	-	-
ALL OTHER--MALE----	-	-	2	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	2	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
GEORGIA -----	-	2	-	3	1	1	2	-	4	-	-	-
WHITE-----MALE----	-	-	-	1	1	-	1	-	1	-	-	-
FEMALE--	-	1	-	-	-	1	1	-	2	-	-	-
ALL OTHER--MALE----	-	-	-	2	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	2	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 1,856

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ACUTE UPPER RESPIRATORY INFECTIONS (460-465)												
COLORADO -----	4	-	-	-	-	-	-	-	-	1	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	4	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	1	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	10	-	1	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	3	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
GEORGIA -----	11	1	1	-	-	-	1	-	2	-	1	1
WHITE-----MALE----	3	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	4	-	1	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	3	1	-	-	-	-	-	-	1	-	1	-
BLACK---MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	3	1	-	-	-	-	-	-	1	-	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,864

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OTHER DISEASES OF UPPER RESPIRATORY TRACT (470-478)												
UNITED STATES --	16	11	21	22	41	37	53	43	28	7	1	-
WHITE-----MALE----	7	2	5	10	23	11	30	21	6	2	-	-
FEMALE--	2	4	9	6	10	22	20	21	18	3	1	-
ALL OTHER--MALE----	4	3	4	2	5	2	2	-	3	1	-	-
FEMALE--	3	2	3	4	3	2	1	1	1	1	-	-
BLACK---MALE----	3	2	3	2	4	1	1	-	2	1	-	-
FEMALE--	2	2	2	3	3	2	1	1	1	1	-	-
ALABAMA -----	-	1	2	-	3	2	1	-	1	-	-	-
WHITE-----MALE----	-	-	1	-	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	2	-	-	1	-	-	-
ALL OTHER--MALE----	-	1	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	1	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
ALASKA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	1	-	-	-	-	-	1	-	2	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	1	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	-	-	-	-	-	-	-	-	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	3	2	3	2	5	6	4	1	3	1	-	-
WHITE-----MALE----	-	-	1	1	3	2	2	1	-	1	-	-
FEMALE--	1	1	1	1	2	2	2	-	1	-	-	-
ALL OTHER--MALE----	1	1	-	-	-	1	-	-	2	-	-	-
FEMALE--	1	-	1	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	1	-	1	-	-	1	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,865

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OTHER DISEASES OF UPPER RESPIRATORY TRACT (470-478)												
COLORADO -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	1	-	1	-	2	2	1	2	-	-	-	-
WHITE-----MALE----	-	-	-	-	2	2	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	-	-	1	-	-	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	1	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA -----	-	-	1	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	1	1	1	1	2	4	2	2	1	1	-	-
WHITE-----MALE----	1	-	1	-	2	-	1	-	-	1	-	-
FEMALE--	-	1	-	-	-	4	-	2	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
GEORGIA -----	-	2	-	2	1	-	1	-	3	-	-	-
WHITE-----MALE----	-	-	-	-	1	-	1	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	2	-	-	-
ALL OTHER--MALE----	-	-	-	2	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	2	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 1,873

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
OTHER DISEASES OF THE RESPIRATORY SYSTEM (466,480-519)												
UNITED STATES --	238,402	803	291	174	187	217	351	437	649	1,124	1,801	2,408
WHITE-----MALE----	103,353	278	107	51	68	71	136	152	228	401	652	945
FEMALE--	112,496	211	73	61	49	58	89	114	175	341	563	777
ALL OTHER--MALE----	11,961	182	61	29	46	45	65	96	139	207	317	376
FEMALE--	10,592	132	50	33	24	43	61	75	107	175	269	310
BLACK---MALE----	9,842	153	54	26	38	40	61	84	119	191	290	337
FEMALE--	8,926	104	47	28	20	39	52	66	92	163	248	280
ALABAMA -----	4,150	13	10	1	2	6	6	9	9	21	34	54
WHITE-----MALE----	1,747	-	3	-	-	2	2	1	3	-	12	24
FEMALE--	1,734	3	-	-	-	-	2	1	1	5	8	12
ALL OTHER--MALE----	368	7	4	1	1	3	-	3	2	12	10	12
FEMALE--	301	3	3	-	1	1	2	4	3	4	4	6
BLACK---MALE----	361	7	4	1	1	3	-	3	2	12	10	11
FEMALE--	296	3	3	-	1	1	2	4	3	4	4	6
ALASKA -----	193	2	-	-	-	1	1	-	1	6	-	7
WHITE-----MALE----	59	-	-	-	-	-	1	-	-	2	-	-
FEMALE--	68	-	-	-	-	1	-	-	-	-	-	5
ALL OTHER--MALE----	32	1	-	-	-	-	-	-	1	1	-	1
FEMALE--	34	1	-	-	-	-	-	-	-	3	-	1
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	4,403	56	13	3	3	5	6	7	17	21	33	53
WHITE-----MALE----	2,105	20	8	1	1	2	2	-	5	8	15	33
FEMALE--	2,091	21	5	2	1	2	3	2	5	9	16	14
ALL OTHER--MALE----	120	7	-	-	1	1	-	3	4	3	1	6
FEMALE--	87	8	-	-	-	-	1	2	3	1	1	-
BLACK---MALE----	36	1	-	-	-	-	-	1	1	1	-	-
FEMALE--	29	1	-	-	-	-	-	-	1	-	1	-
ARKANSAS -----	2,760	11	-	3	3	1	6	6	9	16	25	24
WHITE-----MALE----	1,231	2	-	1	2	-	3	3	3	5	8	6
FEMALE--	1,277	2	-	2	1	1	2	-	4	6	11	10
ALL OTHER--MALE----	151	6	-	-	-	-	-	1	2	4	3	6
FEMALE--	101	1	-	-	-	-	1	2	-	1	3	2
BLACK---MALE----	148	6	-	-	-	-	-	1	2	3	3	6
FEMALE--	94	1	-	-	-	-	1	2	-	1	3	2
CALIFORNIA -----	28,091	75	26	12	37	23	22	45	63	128	200	289
WHITE-----MALE----	11,388	34	15	3	12	7	9	25	24	54	74	120
FEMALE--	13,613	25	6	5	8	5	5	11	21	44	69	92
ALL OTHER--MALE----	1,711	8	1	1	12	6	5	5	10	17	35	42
FEMALE--	1,379	8	4	3	5	5	3	4	8	13	22	35
BLACK---MALE----	843	3	1	1	6	5	3	2	4	11	27	31
FEMALE--	758	4	4	2	2	2	1	4	5	9	17	26

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,873

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
OTHER DISEASES OF THE RESPIRATORY SYSTEM (466,480-519)												
UNITED STATES --	3,739	6,039	10,362	18,305	30,064	39,814	44,495	39,502	25,343	9,920	2,362	15
WHITE-----MALE----	1,589	2,750	4,889	8,990	14,972	19,341	20,350	16,095	8,319	2,515	445	9
FEMALE--	1,371	2,277	4,096	7,331	12,326	17,182	21,014	20,721	15,347	6,646	1,674	-
ALL OTHER--MALE----	431	601	815	1,170	1,615	1,866	1,656	1,242	698	239	60	5
FEMALE--	348	411	562	814	1,151	1,425	1,475	1,444	979	520	183	1
BLACK---MALE----	386	533	712	990	1,350	1,516	1,310	934	494	175	44	5
FEMALE--	321	364	489	693	966	1,178	1,213	1,151	827	435	149	1
ALABAMA -----	77	126	210	379	545	709	731	624	409	139	36	-
WHITE-----MALE----	29	60	92	177	245	354	338	247	124	30	4	-
FEMALE--	26	40	73	142	219	260	313	294	232	83	20	-
ALL OTHER--MALE----	6	15	28	31	53	55	47	46	19	7	6	-
FEMALE--	16	11	17	29	28	40	33	37	34	19	6	-
BLACK---MALE----	6	15	26	30	51	54	47	46	19	7	6	-
FEMALE--	16	11	17	28	27	39	32	37	33	19	6	-
ALASKA -----	6	5	13	20	33	32	28	27	10	-	1	-
WHITE-----MALE----	3	3	3	8	13	10	6	9	1	-	-	-
FEMALE--	3	1	4	6	12	9	12	10	4	-	1	-
ALL OTHER--MALE----	-	1	4	4	2	7	6	2	2	-	-	-
FEMALE--	-	-	2	2	6	6	4	6	3	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ARIZONA -----	66	95	215	379	602	797	821	688	360	134	29	-
WHITE-----MALE----	28	45	119	196	312	413	397	327	127	39	7	-
FEMALE--	32	36	84	165	274	367	394	332	216	93	18	-
ALL OTHER--MALE----	4	8	5	9	12	11	18	12	12	1	2	-
FEMALE--	2	6	7	9	4	6	12	17	5	1	2	-
BLACK---MALE----	2	2	5	4	3	4	9	2	1	-	-	-
FEMALE--	2	4	3	4	1	2	2	5	3	-	-	-
ARKANSAS -----	50	90	128	228	347	458	502	461	286	91	15	-
WHITE-----MALE----	21	43	74	125	169	218	230	204	83	28	3	-
FEMALE--	21	36	42	91	148	208	235	223	175	50	9	-
ALL OTHER--MALE----	4	7	9	8	19	24	17	17	16	6	2	-
FEMALE--	4	4	3	4	11	8	20	17	12	7	1	-
BLACK---MALE----	4	7	9	8	19	24	16	17	15	6	2	-
FEMALE--	3	4	3	2	10	8	18	16	12	7	1	-
CALIFORNIA -----	389	656	1,072	1,936	3,280	4,646	5,530	4,865	3,202	1,310	282	3
WHITE-----MALE----	170	284	474	876	1,452	2,050	2,371	1,946	971	356	59	2
FEMALE--	143	257	440	822	1,431	2,099	2,674	2,476	1,951	841	188	-
ALL OTHER--MALE----	48	64	99	142	243	288	279	220	142	37	7	-
FEMALE--	28	51	59	96	154	209	206	223	138	76	28	1
BLACK---MALE----	38	52	58	88	122	138	128	72	44	9	-	-
FEMALE--	25	33	48	55	93	104	95	96	77	41	14	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 1,874

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
OTHER DISEASES OF THE RESPIRATORY SYSTEM (466,480-519)												
COLORADO -----	3,286	10	6	3	1	3	8	3	8	8	33	40
WHITE-----MALE----	1,558	6	2	1	-	2	4	2	3	5	18	21
FEMALE--	1,633	1	3	1	-	1	3	1	4	2	8	16
ALL OTHER--MALE----	52	1	-	-	-	-	1	-	1	1	6	2
FEMALE--	43	2	1	1	1	-	-	-	-	-	1	1
BLACK---MALE----	36	-	-	-	-	-	1	-	-	1	5	-
FEMALE--	30	2	1	1	1	-	-	-	-	-	1	1
CONNECTICUT -----	2,987	5	3	1	1	2	4	2	3	12	19	22
WHITE-----MALE----	1,285	2	-	-	1	-	2	2	1	3	9	7
FEMALE--	1,579	2	-	1	-	1	-	-	2	4	6	11
ALL OTHER--MALE----	61	-	2	-	-	1	1	-	-	3	3	1
FEMALE--	62	1	1	-	-	-	1	-	-	2	1	3
BLACK---MALE----	55	-	2	-	-	1	1	-	-	3	3	1
FEMALE--	61	1	1	-	-	-	1	-	-	2	1	3
DELAWARE -----	687	2	1	1	1	1	2	-	1	-	5	6
WHITE-----MALE----	308	1	-	-	-	-	1	-	1	-	2	3
FEMALE--	300	-	-	1	-	1	-	-	-	-	2	2
ALL OTHER--MALE----	34	1	1	-	-	-	1	-	-	-	1	-
FEMALE--	45	-	-	-	1	-	-	-	-	-	-	1
BLACK---MALE----	32	1	1	-	-	-	1	-	-	-	1	-
FEMALE--	42	-	-	-	1	-	-	-	-	-	-	1
DISTRICT OF COLUMBIA ----	462	1	3	3	-	1	1	4	2	6	12	8
WHITE-----MALE----	56	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	83	-	2	-	-	-	-	-	-	1	-	3
ALL OTHER--MALE----	152	1	1	1	-	-	1	3	2	3	4	3
FEMALE--	171	-	-	2	-	1	-	1	-	2	7	-
BLACK---MALE----	151	1	1	1	-	-	1	3	2	3	4	3
FEMALE--	171	-	-	2	-	1	-	1	-	2	7	-
FLORIDA -----	14,581	47	9	13	7	6	14	19	39	57	101	133
WHITE-----MALE----	6,663	13	4	2	3	-	4	7	11	21	41	50
FEMALE--	6,898	11	2	6	1	1	3	8	12	16	30	41
ALL OTHER--MALE----	578	11	1	5	1	4	5	2	12	12	15	21
FEMALE--	442	12	2	-	2	1	2	2	4	8	15	21
BLACK---MALE----	553	11	1	5	1	4	5	2	12	12	15	20
FEMALE--	421	11	2	-	2	1	2	1	4	8	14	21
GEORGIA -----	5,941	32	5	8	6	5	11	18	24	43	78	94
WHITE-----MALE----	2,429	8	2	3	3	-	3	7	5	12	18	28
FEMALE--	2,449	7	1	-	1	2	3	4	6	9	13	19
ALL OTHER--MALE----	565	10	1	3	-	1	-	2	9	10	25	20
FEMALE--	498	7	1	2	2	2	5	5	4	12	22	27
BLACK---MALE----	555	10	1	3	-	1	-	2	9	10	25	20
FEMALE--	484	6	1	2	2	2	5	5	3	12	21	26

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,874

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
OTHER DISEASES OF THE RESPIRATORY SYSTEM (466,480-519)												
COLORADO -----	57	60	166	283	443	579	590	505	313	124	43	-
WHITE-----MALE----	21	29	92	160	225	299	286	220	113	43	6	-
FEMALE--	30	29	65	114	207	268	290	281	196	77	36	-
ALL OTHER--MALE----	4	1	5	6	10	5	5	1	3	-	-	-
FEMALE--	2	1	4	3	1	7	9	3	1	4	1	-
BLACK---MALE----	2	1	4	3	9	4	2	1	3	-	-	-
FEMALE--	1	-	2	2	1	5	7	2	1	2	-	-
CONNECTICUT -----	29	48	87	179	303	499	630	558	377	161	42	-
WHITE-----MALE----	16	21	37	84	141	243	285	231	140	48	12	-
FEMALE--	11	23	40	84	146	240	329	310	231	110	28	-
ALL OTHER--MALE----	2	3	5	7	10	5	7	7	2	1	1	-
FEMALE--	-	1	5	4	6	11	9	10	4	2	1	-
BLACK---MALE----	2	2	5	6	9	4	7	5	2	1	1	-
FEMALE--	-	1	5	4	6	11	8	10	4	2	1	-
DELAWARE -----	10	16	28	57	78	123	150	104	67	29	5	-
WHITE-----MALE----	4	7	12	30	38	55	72	52	23	5	2	-
FEMALE--	3	6	10	20	29	50	65	49	38	22	2	-
ALL OTHER--MALE----	3	2	3	1	5	10	5	1	-	-	-	-
FEMALE--	-	1	3	6	6	8	8	2	6	2	1	-
BLACK---MALE----	3	2	2	1	5	10	5	-	-	-	-	-
FEMALE--	-	1	3	6	5	7	8	1	6	2	1	-
DISTRICT OF COLUMBIA ----	10	17	25	29	48	63	76	67	49	27	10	-
WHITE-----MALE----	1	1	2	5	3	9	11	6	8	4	3	-
FEMALE--	1	-	1	2	6	7	12	17	15	12	4	-
ALL OTHER--MALE----	3	9	15	12	23	23	22	15	7	3	1	-
FEMALE--	5	7	7	10	16	24	31	29	19	8	2	-
BLACK---MALE----	3	9	14	12	23	23	22	15	7	3	1	-
FEMALE--	5	7	7	10	16	24	31	29	19	8	2	-
FLORIDA -----	248	341	629	1,135	1,900	2,584	2,782	2,434	1,450	523	108	2
WHITE-----MALE----	112	181	302	574	965	1,265	1,311	1,036	567	163	30	1
FEMALE--	89	107	248	451	809	1,164	1,355	1,303	839	335	67	-
ALL OTHER--MALE----	23	35	53	62	82	86	66	48	23	8	2	1
FEMALE--	24	18	26	48	44	69	50	47	21	17	9	-
BLACK---MALE----	22	32	51	61	78	82	62	44	22	8	2	1
FEMALE--	24	18	25	44	41	65	48	45	21	16	8	-
GEORGIA -----	159	214	313	495	786	1,055	1,001	882	475	208	29	-
WHITE-----MALE----	49	91	147	262	402	499	418	298	122	47	5	-
FEMALE--	49	77	109	164	259	409	441	447	281	126	22	-
ALL OTHER--MALE----	41	29	38	44	73	88	73	61	28	9	-	-
FEMALE--	20	17	19	25	52	59	69	76	44	26	2	-
BLACK---MALE----	41	28	38	44	73	84	71	59	27	9	-	-
FEMALE--	19	17	19	24	52	55	67	75	43	26	2	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,875

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 OTHER DISEASES OF THE RESPIRATORY SYSTEM (466,480-519)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
HAWAII -----	15	22	28	54	82	146	126	131	94	51	11	-
WHITE-----MALE----	7	-	3	14	14	32	20	12	9	3	1	-
FEMALE--	1	3	5	7	5	19	16	26	12	7	1	-
ALL OTHER--MALE----	5	15	13	27	31	59	57	52	40	19	1	-
FEMALE--	2	4	7	6	32	36	33	41	33	22	8	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	1	-	-	-
IDAHO -----	20	29	39	105	118	166	197	192	102	45	8	-
WHITE-----MALE----	10	16	20	54	63	97	111	84	40	18	2	-
FEMALE--	9	13	19	50	54	66	84	108	62	27	6	-
ALL OTHER--MALE----	1	-	-	-	-	3	1	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	171	280	410	755	1,242	1,572	1,885	1,638	1,080	431	107	1
WHITE-----MALE----	59	114	210	366	606	756	839	652	313	106	17	1
FEMALE--	48	94	141	266	497	651	921	864	684	297	78	-
ALL OTHER--MALE----	35	48	32	69	89	90	62	44	36	6	3	-
FEMALE--	29	24	27	54	50	75	63	78	47	22	9	-
BLACK---MALE----	35	47	31	63	81	81	55	39	33	5	3	-
FEMALE--	27	22	27	50	49	71	59	70	46	19	8	-
INDIANA -----	75	147	249	471	746	915	987	851	554	206	53	-
WHITE-----MALE----	36	73	124	276	374	461	459	359	187	52	10	-
FEMALE--	34	57	108	184	333	408	490	466	352	146	38	-
ALL OTHER--MALE----	4	9	10	6	26	24	17	7	6	4	-	-
FEMALE--	1	8	7	5	13	22	21	19	9	4	5	-
BLACK---MALE----	4	9	10	6	26	24	17	7	5	4	-	-
FEMALE--	1	8	7	5	13	22	20	19	8	4	5	-
IOWA -----	30	50	115	211	335	510	594	607	394	227	62	-
WHITE-----MALE----	20	25	55	113	204	299	333	283	145	62	8	-
FEMALE--	9	25	58	95	127	202	256	317	245	163	54	-
ALL OTHER--MALE----	1	-	1	3	4	6	3	4	1	-	-	-
FEMALE--	-	-	1	-	-	3	2	3	3	2	-	-
BLACK---MALE----	1	-	1	2	3	4	2	4	1	-	-	-
FEMALE--	-	-	1	-	-	3	2	2	3	2	-	-
KANSAS -----	28	60	116	176	297	401	438	479	316	138	34	-
WHITE-----MALE----	14	38	59	100	168	198	221	219	133	36	5	-
FEMALE--	12	16	43	64	122	194	206	253	180	100	28	-
ALL OTHER--MALE----	1	4	8	7	2	4	5	3	-	2	-	-
FEMALE--	1	2	6	5	5	5	6	4	3	-	1	-
BLACK---MALE----	1	4	8	4	2	4	2	3	-	2	-	-
FEMALE--	1	2	4	3	4	3	3	3	2	-	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 1,876

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
OTHER DISEASES OF THE RESPIRATORY SYSTEM (466,480-519)												
KENTUCKY -----	4,048	10	4	1	1	6	7	10	8	12	29	48
WHITE-----MALE----	1,871	5	-	-	-	2	2	3	3	5	10	23
FEMALE--	1,974	3	4	1	1	1	5	5	3	5	10	18
ALL OTHER--MALE----	92	1	-	-	-	2	-	-	2	-	7	5
FEMALE--	111	1	-	-	-	1	-	2	-	2	2	2
BLACK---MALE----	90	1	-	-	-	2	-	-	1	-	7	5
FEMALE--	108	1	-	-	-	1	-	2	-	2	2	2
LOUISIANA -----	3,196	16	5	3	3	6	10	10	18	26	35	45
WHITE-----MALE----	1,169	4	2	-	-	2	2	2	4	7	12	12
FEMALE--	1,277	3	-	1	-	1	2	2	4	6	7	4
ALL OTHER--MALE----	397	5	1	1	2	2	2	2	4	7	9	18
FEMALE--	353	4	2	1	1	1	4	4	6	6	7	11
BLACK---MALE----	392	4	1	1	2	2	2	2	3	7	9	18
FEMALE--	346	4	2	1	1	1	4	4	6	6	7	10
MAINE -----	1,411	5	2	-	-	-	1	3	-	5	6	5
WHITE-----MALE----	682	5	1	-	-	-	1	2	-	3	4	2
FEMALE--	722	-	1	-	-	-	-	1	-	2	2	3
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	4,016	10	6	2	2	10	4	12	17	28	36	49
WHITE-----MALE----	1,462	5	4	2	-	1	2	3	4	5	6	13
FEMALE--	1,789	1	-	-	-	3	-	1	3	6	10	9
ALL OTHER--MALE----	382	3	2	-	2	2	1	5	6	7	13	11
FEMALE--	383	1	-	-	-	4	1	3	4	10	7	16
BLACK---MALE----	364	3	2	-	2	2	1	5	6	7	13	11
FEMALE--	360	1	-	-	-	4	1	3	4	9	7	15
MASSACHUSETTS -----	6,506	11	4	2	2	3	6	5	11	31	32	40
WHITE-----MALE----	2,741	7	1	1	-	1	3	1	4	16	11	21
FEMALE--	3,561	2	1	-	2	2	1	1	6	11	17	18
ALL OTHER--MALE----	101	-	2	-	-	-	2	2	1	-	-	-
FEMALE--	103	2	-	1	-	-	-	1	-	4	4	1
BLACK---MALE----	77	-	2	-	-	-	2	-	1	-	-	-
FEMALE--	73	2	-	1	-	-	-	1	-	4	4	1
MICHIGAN -----	8,084	19	8	6	8	11	15	10	24	43	66	120
WHITE-----MALE----	3,485	6	3	2	1	5	5	2	3	15	17	33
FEMALE--	3,679	4	3	1	2	3	3	2	8	14	19	44
ALL OTHER--MALE----	506	5	2	1	3	1	7	1	7	8	20	26
FEMALE--	414	4	-	2	2	2	-	5	6	6	10	17
BLACK---MALE----	474	5	2	1	3	1	7	1	7	8	18	25
FEMALE--	390	4	-	2	1	2	-	5	6	6	10	17

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,876

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 OTHER DISEASES OF THE RESPIRATORY SYSTEM (466,480-519)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
KENTUCKY -----	67	133	194	366	561	681	685	627	404	159	35	-
WHITE-----MALE----	28	77	111	203	286	352	335	265	122	35	4	-
FEMALE--	34	52	74	145	247	299	325	338	263	115	26	-
ALL OTHER--MALE----	3	1	2	7	15	20	12	10	5	-	-	-
FEMALE--	2	3	7	11	13	10	13	14	14	9	5	-
BLACK---MALE----	3	1	1	7	15	20	12	10	5	-	-	-
FEMALE--	2	3	7	11	13	9	13	14	12	9	5	-
LOUISIANA -----	62	109	187	260	439	505	574	485	277	95	26	-
WHITE-----MALE----	27	39	68	117	188	196	237	148	75	22	5	-
FEMALE--	13	30	63	82	161	211	225	247	154	48	13	-
ALL OTHER--MALE----	13	24	30	38	47	51	60	45	25	9	2	-
FEMALE--	9	16	26	23	43	47	52	45	23	16	6	-
BLACK---MALE----	13	24	30	37	46	51	59	45	25	9	2	-
FEMALE--	9	16	23	23	42	46	52	44	23	16	6	-
MAINE -----	18	23	44	104	203	233	257	250	162	67	23	-
WHITE-----MALE----	9	9	20	59	120	125	128	119	58	14	3	-
FEMALE--	8	13	24	44	82	107	127	131	104	53	20	-
ALL OTHER--MALE----	-	-	-	1	1	-	2	-	-	-	-	-
FEMALE--	1	1	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	61	112	157	284	476	734	763	662	405	151	32	3
WHITE-----MALE----	10	44	69	114	198	324	286	221	120	27	4	-
FEMALE--	22	29	44	104	192	307	349	351	237	97	24	-
ALL OTHER--MALE----	12	21	23	42	45	57	68	41	12	5	1	3
FEMALE--	17	18	21	24	41	46	60	49	36	22	3	-
BLACK---MALE----	12	21	21	39	44	54	63	39	12	3	1	3
FEMALE--	16	17	20	23	39	44	51	47	35	21	3	-
MASSACHUSETTS -----	80	107	197	413	689	1,010	1,181	1,244	906	426	106	-
WHITE-----MALE----	34	50	89	203	356	511	555	481	298	82	16	-
FEMALE--	41	52	99	187	301	467	601	735	593	337	87	-
ALL OTHER--MALE----	3	3	7	10	20	17	13	12	6	1	2	-
FEMALE--	2	2	2	13	12	15	12	16	9	6	1	-
BLACK---MALE----	3	3	4	8	16	14	11	9	3	1	-	-
FEMALE--	2	1	2	10	8	11	7	9	5	4	1	-
MICHIGAN -----	124	212	368	640	1,120	1,377	1,500	1,203	825	321	64	-
WHITE-----MALE----	40	107	161	313	556	668	682	483	295	76	12	-
FEMALE--	43	64	149	250	443	576	678	628	485	214	46	-
ALL OTHER--MALE----	27	26	38	52	72	70	70	37	22	8	3	-
FEMALE--	14	15	20	25	49	63	70	55	23	23	3	-
BLACK---MALE----	27	25	37	48	66	65	62	34	21	8	3	-
FEMALE--	13	12	17	22	45	58	68	54	22	23	3	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 1,877

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
OTHER DISEASES OF THE RESPIRATORY SYSTEM (466,480-519)												
MINNESOTA -----	3,709	6	3	1	3	-	6	3	3	9	16	19
WHITE-----MALE----	1,701	3	1	1	-	-	3	1	1	4	3	14
FEMALE--	1,925	2	2	-	2	-	2	2	-	4	10	2
ALL OTHER--MALE----	41	-	-	-	-	-	1	-	-	1	2	3
FEMALE--	42	1	-	-	1	-	-	-	2	-	1	-
BLACK---MALE----	19	-	-	-	-	-	1	-	-	1	1	3
FEMALE--	23	1	-	-	1	-	-	-	1	-	-	-
MISSISSIPPI -----	2,639	18	5	5	5	2	3	5	15	17	23	37
WHITE-----MALE----	1,014	4	-	2	1	1	1	2	3	2	3	10
FEMALE--	1,016	4	3	1	-	-	-	1	2	4	5	9
ALL OTHER--MALE----	343	5	-	-	3	1	1	-	7	5	7	13
FEMALE--	266	5	2	2	1	-	1	2	3	6	8	5
BLACK---MALE----	339	5	-	-	3	1	1	-	6	4	7	12
FEMALE--	262	4	2	2	1	-	1	2	3	6	8	5
MISSOURI -----	5,945	15	6	2	1	7	7	19	14	23	41	38
WHITE-----MALE----	2,605	5	-	1	1	1	2	6	3	12	17	13
FEMALE--	2,923	6	3	1	-	2	3	6	7	8	15	17
ALL OTHER--MALE----	208	3	1	-	-	2	2	4	3	1	5	4
FEMALE--	209	1	2	-	-	2	-	3	1	2	4	4
BLACK---MALE----	202	2	1	-	-	2	2	4	3	1	5	4
FEMALE--	198	1	2	-	-	2	-	3	1	2	3	3
MONTANA -----	994	3	1	-	1	-	2	1	1	1	4	3
WHITE-----MALE----	466	2	1	-	1	-	1	1	1	1	2	2
FEMALE--	495	-	-	-	-	-	1	-	-	-	1	1
ALL OTHER--MALE----	13	1	-	-	-	-	-	-	-	-	1	-
FEMALE--	20	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	1,631	3	1	2	1	1	-	4	3	7	11	9
WHITE-----MALE----	765	1	-	-	1	1	-	-	2	3	3	4
FEMALE--	823	1	1	1	-	-	-	2	-	2	6	2
ALL OTHER--MALE----	26	1	-	1	-	-	-	2	-	2	1	1
FEMALE--	17	-	-	-	-	-	-	-	1	-	1	2
BLACK---MALE----	18	1	-	1	-	-	-	1	-	1	1	1
FEMALE--	13	-	-	-	-	-	-	-	1	-	1	1
NEVADA -----	1,564	17	5	6	1	3	4	3	6	16	15	18
WHITE-----MALE----	750	6	4	2	1	-	1	1	2	6	8	10
FEMALE--	728	7	1	3	-	3	2	1	1	8	5	6
ALL OTHER--MALE----	50	3	-	1	-	-	-	1	1	1	1	-
FEMALE--	36	1	-	-	-	-	1	-	2	1	1	2
BLACK---MALE----	33	3	-	-	-	-	-	-	-	1	1	-
FEMALE--	26	1	-	-	-	-	1	-	1	1	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,877

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 OTHER DISEASES OF THE RESPIRATORY SYSTEM (466,480-519)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
MINNESOTA -----	33	70	127	207	403	579	715	721	510	218	57	-
WHITE-----MALE----	18	23	58	112	210	297	355	336	194	53	14	-
FEMALE--	11	41	63	85	182	267	354	380	311	162	43	-
ALL OTHER--MALE----	2	4	3	5	6	5	1	4	3	1	-	-
FEMALE--	2	2	3	5	5	10	5	1	2	2	-	-
BLACK---MALE----	1	1	1	1	2	3	-	2	2	-	-	-
FEMALE--	-	2	1	4	2	5	3	1	1	1	-	-
MISSISSIPPI -----	51	94	149	233	352	384	418	405	273	121	24	-
WHITE-----MALE----	28	33	61	108	182	163	156	145	80	25	4	-
FEMALE--	11	30	56	65	93	153	176	185	139	69	10	-
ALL OTHER--MALE----	4	16	19	39	45	48	50	38	28	11	3	-
FEMALE--	8	15	13	21	32	20	36	37	26	16	7	-
BLACK---MALE----	4	16	19	39	45	48	49	38	28	11	3	-
FEMALE--	8	15	11	21	32	20	35	37	26	16	7	-
MISSOURI -----	81	161	260	461	708	941	1,073	1,034	715	264	74	-
WHITE-----MALE----	32	79	124	229	391	465	477	442	235	62	8	-
FEMALE--	32	63	107	189	274	417	535	544	441	192	61	-
ALL OTHER--MALE----	9	12	16	21	22	31	33	21	15	3	-	-
FEMALE--	8	7	13	22	21	28	28	27	24	7	5	-
BLACK---MALE----	9	12	16	20	21	29	33	20	15	3	-	-
FEMALE--	6	7	12	18	21	28	27	26	24	7	5	-
MONTANA -----	9	22	50	76	96	190	202	159	122	38	13	-
WHITE-----MALE----	4	8	24	42	51	109	92	70	45	8	1	-
FEMALE--	5	12	22	29	42	74	107	85	74	30	12	-
ALL OTHER--MALE----	-	1	2	3	-	2	2	-	1	-	-	-
FEMALE--	-	1	2	2	3	5	1	4	2	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	16	30	59	102	193	255	332	297	215	75	15	-
WHITE-----MALE----	9	12	31	52	106	137	180	124	77	18	4	-
FEMALE--	6	15	27	44	85	112	145	171	135	57	11	-
ALL OTHER--MALE----	-	3	1	2	2	5	3	1	1	-	-	-
FEMALE--	1	-	-	4	-	1	4	1	2	-	-	-
BLACK---MALE----	-	3	-	2	2	2	2	-	1	-	-	-
FEMALE--	-	-	-	3	-	1	4	-	2	-	-	-
NEVADA -----	32	58	95	171	246	294	290	171	88	19	6	-
WHITE-----MALE----	14	26	54	89	120	134	145	85	33	9	-	-
FEMALE--	12	26	36	70	117	149	133	81	52	9	6	-
ALL OTHER--MALE----	4	2	3	7	7	6	9	1	3	-	-	-
FEMALE--	2	4	2	5	2	5	3	4	-	1	-	-
BLACK---MALE----	3	1	3	4	4	6	4	1	2	-	-	-
FEMALE--	1	3	1	4	1	4	3	3	-	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 1,878

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
OTHER DISEASES OF THE RESPIRATORY SYSTEM (466,480-519)												
NEW HAMPSHIRE -----	1,006	-	-	-	-	-	1	-	1	1	4	5
WHITE-----MALE----	475	-	-	-	-	-	1	-	1	-	1	2
FEMALE--	528	-	-	-	-	-	-	-	-	1	3	2
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY -----	6,093	22	5	4	4	7	11	12	19	31	52	77
WHITE-----MALE----	2,502	7	-	1	2	1	4	4	7	8	12	25
FEMALE--	2,994	3	-	1	2	1	2	2	3	6	18	29
ALL OTHER--MALE----	287	7	4	-	-	2	2	3	3	11	12	14
FEMALE--	310	5	1	2	-	3	3	3	6	6	10	9
BLACK---MALE----	267	7	4	-	-	1	1	3	3	11	11	14
FEMALE--	283	5	1	2	-	3	3	3	5	6	10	8
NEW MEXICO -----	1,419	7	2	4	2	1	-	3	1	4	16	12
WHITE-----MALE----	649	3	-	1	-	-	-	2	-	-	12	4
FEMALE--	658	1	1	1	1	1	-	1	-	2	3	7
ALL OTHER--MALE----	66	2	-	-	1	-	-	-	1	1	-	-
FEMALE--	46	1	1	2	-	-	-	-	-	1	1	1
BLACK---MALE----	8	-	-	-	1	-	-	-	-	1	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
NEW YORK -----	14,971	61	23	8	9	13	20	40	49	83	139	182
WHITE-----MALE----	6,038	11	8	3	3	5	12	13	23	29	41	66
FEMALE--	7,234	16	5	3	3	4	1	11	7	21	48	63
ALL OTHER--MALE----	824	18	6	-	3	1	3	11	9	15	28	31
FEMALE--	875	16	4	2	-	3	4	5	10	18	22	22
BLACK---MALE----	708	16	6	-	3	-	3	10	7	14	27	30
FEMALE--	796	14	4	2	-	3	4	4	10	18	22	21
NORTH CAROLINA -----	7,035	21	7	7	7	9	13	11	23	34	48	79
WHITE-----MALE----	2,971	6	1	2	5	4	3	-	4	8	16	28
FEMALE--	2,955	4	1	3	-	1	2	5	5	10	12	26
ALL OTHER--MALE----	591	7	3	1	1	4	4	4	4	11	10	13
FEMALE--	518	4	2	1	1	-	4	2	10	5	10	12
BLACK---MALE----	567	7	2	1	1	4	4	4	4	10	8	12
FEMALE--	483	4	1	1	1	-	4	2	10	5	9	9
NORTH DAKOTA -----	613	-	-	2	-	-	1	-	3	1	4	4
WHITE-----MALE----	311	-	-	1	-	-	-	-	1	1	2	2
FEMALE--	284	-	-	-	-	-	1	-	1	-	2	2
ALL OTHER--MALE----	11	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 1,879

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
OTHER DISEASES OF THE RESPIRATORY SYSTEM (466,480-519)												
OHIO -----	10,770	30	13	5	8	4	17	11	28	33	72	111
WHITE-----MALE----	4,805	6	6	2	3	2	6	5	13	13	33	52
FEMALE--	5,187	12	1	3	3	2	3	3	8	14	26	40
ALL OTHER--MALE----	402	7	3	-	1	-	3	3	6	4	2	8
FEMALE--	376	5	3	-	1	-	5	-	1	2	11	11
BLACK---MALE----	396	7	3	-	1	-	3	3	6	4	2	8
FEMALE--	370	5	3	-	1	-	5	-	1	2	11	11
OKLAHOMA -----	3,568	9	2	3	4	6	7	4	8	18	26	33
WHITE-----MALE----	1,653	1	1	1	3	2	1	1	4	8	13	20
FEMALE--	1,653	5	-	1	-	2	4	2	4	6	7	11
ALL OTHER--MALE----	140	2	1	1	1	1	1	-	-	4	3	1
FEMALE--	122	1	-	-	-	1	1	1	-	-	3	1
BLACK---MALE----	80	2	-	-	1	1	1	-	-	4	1	1
FEMALE--	71	-	-	-	-	1	1	1	-	-	2	1
OREGON -----	3,020	3	1	-	3	-	3	2	4	10	17	26
WHITE-----MALE----	1,455	2	-	-	3	-	1	-	4	6	9	11
FEMALE--	1,502	1	-	-	-	-	2	1	-	3	6	11
ALL OTHER--MALE----	38	-	1	-	-	-	-	1	-	1	1	2
FEMALE--	25	-	-	-	-	-	-	-	-	-	1	2
BLACK---MALE----	18	-	-	-	-	-	-	1	-	1	1	1
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	1
PENNSYLVANIA -----	12,434	21	8	9	7	6	14	18	31	48	71	92
WHITE-----MALE----	5,584	9	3	2	3	5	4	11	16	14	24	38
FEMALE--	5,970	6	2	5	3	-	6	3	4	13	21	18
ALL OTHER--MALE----	407	4	1	2	1	1	3	4	5	12	10	16
FEMALE--	473	2	2	-	-	-	1	-	6	9	16	20
BLACK---MALE----	395	4	1	2	1	1	3	4	4	12	10	16
FEMALE--	459	1	2	-	-	-	1	-	5	9	14	20
RHODE ISLAND -----	948	2	1	-	1	-	-	2	2	2	4	7
WHITE-----MALE----	425	-	1	-	-	-	-	1	1	1	2	4
FEMALE--	503	-	-	-	1	-	-	-	1	-	2	3
ALL OTHER--MALE----	10	1	-	-	-	-	-	1	-	1	-	-
FEMALE--	10	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	8	1	-	-	-	-	-	-	-	1	-	-
FEMALE--	9	1	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	3,238	11	10	3	1	8	7	9	9	23	41	36
WHITE-----MALE----	1,327	2	3	1	-	2	2	2	2	5	11	13
FEMALE--	1,301	5	-	-	-	3	-	4	1	4	9	10
ALL OTHER--MALE----	321	2	4	-	1	1	2	1	3	9	10	4
FEMALE--	289	2	3	2	-	2	3	2	3	5	11	9
BLACK---MALE----	320	2	4	-	1	1	2	1	3	9	10	4
FEMALE--	285	2	3	2	-	2	3	2	2	5	11	9

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,879

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
OTHER DISEASES OF THE RESPIRATORY SYSTEM (466,480-519)												
OHIO -----	167	266	476	862	1,438	1,859	2,070	1,751	1,099	358	92	-
WHITE-----MALE----	75	109	227	414	749	921	973	721	354	104	17	-
FEMALE--	67	117	201	371	581	817	976	941	701	232	68	-
ALL OTHER--MALE----	13	18	28	44	67	72	63	40	16	3	1	-
FEMALE--	12	22	20	33	41	49	58	49	28	19	6	-
BLACK---MALE----	12	18	28	44	67	70	62	38	16	3	1	-
FEMALE--	12	22	20	30	41	49	58	48	26	19	6	-
OKLAHOMA -----	63	109	176	280	484	628	600	597	351	130	29	1
WHITE-----MALE----	35	61	101	137	246	301	294	260	124	33	5	1
FEMALE--	18	39	62	114	201	290	269	310	205	86	17	-
ALL OTHER--MALE----	6	4	6	15	21	22	24	11	7	7	2	-
FEMALE--	4	5	7	14	16	15	13	16	15	4	5	-
BLACK---MALE----	4	1	4	7	13	13	14	6	4	3	-	-
FEMALE--	2	4	2	10	9	9	6	5	12	1	5	-
OREGON -----	40	72	129	221	382	599	560	507	298	107	36	-
WHITE-----MALE----	25	37	63	104	209	303	288	234	117	33	6	-
FEMALE--	13	33	62	112	161	288	267	264	175	73	30	-
ALL OTHER--MALE----	1	1	2	4	7	5	3	4	5	-	-	-
FEMALE--	1	1	2	1	5	3	2	5	1	1	-	-
BLACK---MALE----	1	1	1	1	4	2	-	2	2	-	-	-
FEMALE--	-	1	1	-	1	2	2	-	-	1	-	-
PENNSYLVANIA -----	136	258	457	816	1,669	2,104	2,563	2,207	1,328	472	99	-
WHITE-----MALE----	53	125	231	411	861	1,073	1,189	910	456	124	22	-
FEMALE--	51	95	180	321	704	890	1,254	1,208	804	311	71	-
ALL OTHER--MALE----	17	21	22	45	48	69	50	43	21	10	2	-
FEMALE--	15	17	24	39	56	72	70	46	47	27	4	-
BLACK---MALE----	16	20	21	44	46	66	48	43	21	10	2	-
FEMALE--	15	16	23	38	55	71	67	45	46	27	4	-
RHODE ISLAND -----	9	26	37	71	97	136	195	176	121	42	17	-
WHITE-----MALE----	7	13	16	36	51	74	97	76	34	9	2	-
FEMALE--	1	13	18	33	43	62	94	98	86	33	15	-
ALL OTHER--MALE----	1	-	1	-	3	-	2	-	-	-	-	-
FEMALE--	-	-	2	2	-	-	2	2	1	-	-	-
BLACK---MALE----	1	-	1	-	2	-	2	-	-	-	-	-
FEMALE--	-	-	2	1	-	-	2	2	1	-	-	-
SOUTH CAROLINA -----	81	119	206	311	492	523	514	443	264	100	26	1
WHITE-----MALE----	24	49	95	133	235	239	228	176	75	24	6	-
FEMALE--	20	45	66	126	180	190	196	217	156	57	12	-
ALL OTHER--MALE----	18	13	33	31	48	54	49	21	9	4	3	1
FEMALE--	19	12	12	21	29	40	41	29	24	15	5	-
BLACK---MALE----	18	13	33	31	47	54	49	21	9	4	3	1
FEMALE--	19	12	12	20	29	40	39	29	24	15	5	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 1,880

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
OTHER DISEASES OF THE RESPIRATORY SYSTEM (466,480-519)												
SOUTH DAKOTA -----	672	4	-	-	3	1	1	-	-	2	1	2
WHITE-----MALE----	313	-	-	-	-	1	-	-	-	-	1	-
FEMALE--	328	-	-	-	3	-	1	-	-	1	-	2
ALL OTHER--MALE----	13	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	18	2	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	5,679	15	6	5	3	1	6	9	10	30	47	55
WHITE-----MALE----	2,556	6	1	-	2	-	4	4	3	12	22	23
FEMALE--	2,536	3	2	3	1	-	2	3	3	10	15	16
ALL OTHER--MALE----	304	5	2	1	-	-	-	2	2	3	5	9
FEMALE--	283	1	1	1	-	1	-	-	2	5	5	7
BLACK---MALE----	302	4	2	1	-	-	-	2	2	3	5	9
FEMALE--	279	1	1	1	-	1	-	-	2	5	5	7
TEXAS -----	13,261	75	29	12	12	24	24	25	45	94	114	158
WHITE-----MALE----	5,800	37	12	5	5	12	11	10	19	36	50	69
FEMALE--	6,259	16	11	6	3	6	7	3	16	36	31	51
ALL OTHER--MALE----	692	14	1	1	4	3	2	6	4	12	21	25
FEMALE--	510	8	5	-	-	3	4	6	6	10	12	13
BLACK---MALE----	643	14	1	1	4	3	2	6	4	12	21	24
FEMALE--	480	8	5	-	-	3	4	5	5	10	11	12
UTAH -----	1,165	4	2	1	1	-	3	4	1	5	7	10
WHITE-----MALE----	603	2	1	1	1	-	1	3	-	5	2	6
FEMALE--	537	2	1	-	-	-	2	1	1	-	4	4
ALL OTHER--MALE----	14	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	11	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	1	-
VERMONT -----	558	1	-	-	-	-	-	-	-	3	6	3
WHITE-----MALE----	263	1	-	-	-	-	-	-	-	-	5	1
FEMALE--	294	-	-	-	-	-	-	-	-	3	1	2
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	5,552	12	6	6	4	7	14	12	17	23	32	58
WHITE-----MALE----	2,284	5	1	2	2	2	5	4	4	6	11	17
FEMALE--	2,447	4	-	1	1	2	3	1	5	7	7	19
ALL OTHER--MALE----	437	-	5	1	1	-	4	4	6	6	6	12
FEMALE--	384	3	-	2	-	3	2	3	2	4	8	10
BLACK---MALE----	405	-	4	1	1	-	4	4	6	6	6	10
FEMALE--	368	3	-	2	-	3	2	2	2	4	8	10

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,880

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
OTHER DISEASES OF THE RESPIRATORY SYSTEM (466,480-519)												
SOUTH DAKOTA -----	10	11	24	45	65	103	135	119	99	32	15	-
WHITE-----MALE----	4	5	15	23	35	51	72	56	37	9	4	-
FEMALE--	6	5	8	16	25	47	60	60	61	22	11	-
ALL OTHER--MALE----	-	-	-	3	4	3	-	1	-	-	-	-
FEMALE--	-	1	1	3	1	2	3	2	1	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	106	190	310	506	732	985	977	899	547	205	35	-
WHITE-----MALE----	52	94	152	272	392	479	479	357	157	40	5	-
FEMALE--	44	63	118	185	280	408	425	455	333	141	26	-
ALL OTHER--MALE----	5	23	19	30	36	53	38	33	26	11	1	-
FEMALE--	5	10	21	19	24	45	35	54	31	13	3	-
BLACK---MALE----	5	22	19	30	36	53	38	33	26	11	1	-
FEMALE--	5	10	21	19	23	45	35	53	30	13	2	-
TEXAS -----	266	372	678	1,173	1,698	2,208	2,397	1,988	1,270	505	93	1
WHITE-----MALE----	117	169	331	580	843	1,068	1,085	769	428	126	17	1
FEMALE--	109	146	254	484	718	996	1,144	1,067	755	335	65	-
ALL OTHER--MALE----	19	39	70	63	82	85	87	84	48	18	4	-
FEMALE--	21	18	23	46	55	59	81	68	39	26	7	-
BLACK---MALE----	18	35	63	60	74	76	82	78	45	16	4	-
FEMALE--	21	16	22	44	52	53	75	65	38	24	7	-
UTAH -----	16	25	60	80	150	205	222	195	120	42	12	-
WHITE-----MALE----	8	17	36	38	93	106	122	92	47	17	5	-
FEMALE--	8	8	24	40	54	94	98	94	72	23	7	-
ALL OTHER--MALE----	-	-	-	1	1	3	1	5	1	2	-	-
FEMALE--	-	-	-	1	2	2	1	4	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	1	2	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	-	-	-	-	-
VERMONT -----	7	10	25	46	61	77	107	109	68	26	9	-
WHITE-----MALE----	2	7	16	27	33	43	56	51	17	4	-	-
FEMALE--	5	3	9	18	28	34	51	58	51	22	9	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	80	154	257	452	722	941	1,038	924	531	206	55	1
WHITE-----MALE----	32	54	115	189	358	449	453	358	160	47	9	1
FEMALE--	29	63	96	179	264	371	446	462	310	138	39	-
ALL OTHER--MALE----	10	20	29	55	58	60	70	56	24	9	1	-
FEMALE--	9	17	17	29	42	61	69	48	37	12	6	-
BLACK---MALE----	10	20	28	53	55	54	64	48	22	8	1	-
FEMALE--	9	16	17	28	39	57	68	44	36	12	6	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,881

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
OTHER DISEASES OF THE RESPIRATORY SYSTEM (466,480-519)												
WASHINGTON -----	87	96	190	321	592	780	945	828	483	221	55	1
WHITE-----MALE----	38	51	86	172	307	388	458	352	180	56	10	1
FEMALE--	36	40	91	139	255	370	462	460	289	162	41	-
ALL OTHER--MALE----	9	4	6	6	13	13	11	9	8	2	1	-
FEMALE--	4	1	7	4	17	9	14	7	6	1	3	-
BLACK---MALE----	3	2	3	3	3	5	4	1	2	1	-	-
FEMALE--	4	1	2	-	5	1	1	3	2	-	-	-
WEST VIRGINIA -----	28	73	106	220	317	413	397	364	195	63	19	-
WHITE-----MALE----	18	42	51	105	178	235	211	174	82	19	7	-
FEMALE--	8	30	51	110	128	165	177	181	105	43	12	-
ALL OTHER--MALE----	1	1	3	4	6	6	5	6	4	1	-	-
FEMALE--	1	-	1	1	5	7	4	3	4	-	-	-
BLACK---MALE----	1	1	3	4	6	6	5	6	4	1	-	-
FEMALE--	1	-	1	1	5	7	4	3	4	-	-	-
WISCONSIN -----	60	80	160	294	499	736	946	824	592	238	59	-
WHITE-----MALE----	30	42	74	157	296	399	476	369	211	63	13	-
FEMALE--	26	34	75	123	190	306	458	443	368	169	45	-
ALL OTHER--MALE----	2	2	6	8	6	21	6	9	3	2	-	-
FEMALE--	2	2	5	6	7	10	6	3	10	4	1	-
BLACK---MALE----	2	1	6	7	6	19	5	6	2	1	-	-
FEMALE--	1	2	4	4	4	8	6	-	9	3	1	-
WYOMING -----	7	16	20	34	61	76	78	63	50	19	6	-
WHITE-----MALE----	5	9	7	18	28	36	36	37	16	4	-	-
FEMALE--	2	7	12	16	33	38	41	26	34	14	5	-
ALL OTHER--MALE----	-	-	1	-	-	2	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	1	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,883

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ACUTE BRONCHITIS AND BRONCHIOLITIS (466)												
COLORADO -----	-	-	-	-	-	1	-	-	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	-	-	-	-	-	-	-	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	-	-	-	-	2	-	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	-	-	1	3	3	2	2	5	5	2	1	-
WHITE-----MALE----	-	-	1	2	-	1	-	-	2	1	-	-
FEMALE--	-	-	-	1	3	1	2	5	3	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
GEORGIA -----	-	-	-	-	1	-	1	-	2	-	-	-
WHITE-----MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 1,889

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ACUTE BRONCHITIS AND BRONCHIOLITIS (466)												
SOUTH DAKOTA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	12	2	-	-	-	-	-	-	-	1	-	-
WHITE-----MALE----	4	1	-	-	-	-	-	-	-	1	-	-
FEMALE--	6	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS -----	20	4	2	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	6	3	1	-	-	-	-	-	-	-	-	-
FEMALE--	12	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
UTAH -----	2	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	1	-	-	-	-	-	-	-	-	-	1	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	14	1	-	-	-	-	-	1	1	-	-	1
WHITE-----MALE----	6	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	7	1	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 1,891

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 PNEUMONIA (480-486)												
UNITED STATES --	90,147	435	143	66	41	69	136	182	348	530	853	970
WHITE-----MALE----	35,235	137	51	18	19	23	53	68	130	197	323	411
FEMALE--	44,757	114	45	27	13	18	37	49	93	154	239	266
ALL OTHER--MALE----	5,160	100	20	8	6	13	16	36	74	107	178	182
FEMALE--	4,995	84	27	13	3	15	30	29	51	72	113	111
BLACK---MALE----	4,165	82	19	8	6	9	13	29	61	98	165	166
FEMALE--	4,128	65	24	10	3	13	25	26	45	65	103	100
ALABAMA -----	1,503	4	6	-	-	1	2	5	5	11	14	19
WHITE-----MALE----	530	-	3	-	-	-	1	1	1	-	4	7
FEMALE--	665	1	-	-	-	-	1	-	1	3	4	4
ALL OTHER--MALE----	157	2	2	-	-	1	-	2	2	6	4	7
FEMALE--	151	1	1	-	-	-	-	2	1	2	2	1
BLACK---MALE----	155	2	2	-	-	1	-	2	2	6	4	6
FEMALE--	150	1	1	-	-	-	-	2	1	2	2	1
ALASKA -----	50	-	-	-	-	-	-	-	1	3	-	1
WHITE-----MALE----	14	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	16	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	7	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	13	-	-	-	-	-	-	-	-	2	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	1,432	28	6	1	-	3	4	5	10	10	18	19
WHITE-----MALE----	632	11	3	-	-	1	1	-	2	3	9	11
FEMALE--	689	10	3	1	-	1	2	1	4	5	7	3
ALL OTHER--MALE----	60	3	-	-	-	1	-	2	3	2	1	5
FEMALE--	51	4	-	-	-	-	1	2	1	-	1	-
BLACK---MALE----	12	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	11	1	-	-	-	-	-	-	-	-	1	-
ARKANSAS -----	1,072	5	-	1	-	-	2	2	5	9	12	13
WHITE-----MALE----	433	2	-	-	-	-	-	1	-	3	4	4
FEMALE--	525	-	-	1	-	-	1	-	4	2	4	6
ALL OTHER--MALE----	64	2	-	-	-	-	-	-	1	4	3	2
FEMALE--	50	1	-	-	-	-	1	1	-	-	1	1
BLACK---MALE----	62	2	-	-	-	-	-	-	1	3	3	2
FEMALE--	48	1	-	-	-	-	1	1	-	-	1	1
CALIFORNIA -----	13,165	40	15	5	5	7	15	16	26	56	90	130
WHITE-----MALE----	5,068	17	7	1	4	3	6	8	10	26	37	64
FEMALE--	6,460	15	5	2	1	1	4	5	10	16	27	37
ALL OTHER--MALE----	847	5	-	1	-	2	4	1	5	9	20	14
FEMALE--	790	3	3	1	-	1	1	2	1	5	6	15
BLACK---MALE----	403	1	-	1	-	1	2	-	1	5	15	13
FEMALE--	412	1	3	1	-	-	-	2	1	2	5	11

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,891

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 PNEUMONIA (480-486)												
UNITED STATES --	1,176	1,524	2,271	3,759	7,094	11,519	16,825	19,048	14,908	6,540	1,705	5
WHITE-----MALE----	505	715	1,040	1,796	3,510	5,450	7,351	7,117	4,528	1,490	302	1
FEMALE--	369	467	756	1,315	2,596	4,723	7,903	10,445	9,354	4,547	1,227	-
ALL OTHER--MALE----	191	215	292	406	593	748	767	616	399	147	43	3
FEMALE--	111	127	183	242	395	598	804	870	627	356	133	1
BLACK---MALE----	172	191	266	343	481	598	594	445	277	108	31	3
FEMALE--	99	107	161	203	321	483	663	685	530	293	103	1
ALABAMA -----	28	31	36	72	123	202	285	305	227	101	26	-
WHITE-----MALE----	11	11	13	35	53	90	110	107	62	19	2	-
FEMALE--	6	7	5	22	41	70	129	157	135	62	17	-
ALL OTHER--MALE----	3	8	11	8	17	25	24	20	8	3	4	-
FEMALE--	8	5	7	7	12	17	22	21	22	17	3	-
BLACK---MALE----	3	8	11	8	16	25	24	20	8	3	4	-
FEMALE--	8	5	7	7	12	17	22	21	21	17	3	-
ALASKA -----	1	1	3	3	5	4	10	11	6	-	1	-
WHITE-----MALE----	1	1	1	1	3	1	1	4	-	-	-	-
FEMALE--	-	-	2	-	-	2	4	3	3	-	1	-
ALL OTHER--MALE----	-	-	-	1	1	-	3	-	1	-	-	-
FEMALE--	-	-	-	1	1	1	2	4	2	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	22	20	44	61	119	200	281	280	194	84	23	-
WHITE-----MALE----	10	7	22	39	65	110	137	113	62	22	4	-
FEMALE--	9	8	15	16	45	83	128	149	122	61	16	-
ALL OTHER--MALE----	2	2	2	3	7	3	8	9	6	-	1	-
FEMALE--	1	3	5	3	2	4	8	9	4	1	2	-
BLACK---MALE----	-	1	2	1	1	-	5	1	-	-	-	-
FEMALE--	1	1	1	-	-	1	1	2	2	-	-	-
ARKANSAS -----	20	18	26	53	65	152	210	236	168	63	12	-
WHITE-----MALE----	9	9	15	31	32	69	90	101	43	18	2	-
FEMALE--	8	6	8	20	26	68	96	122	109	36	8	-
ALL OTHER--MALE----	2	2	2	2	4	10	12	5	7	4	2	-
FEMALE--	1	1	1	-	3	5	12	8	9	5	-	-
BLACK---MALE----	2	2	2	2	4	10	11	5	7	4	2	-
FEMALE--	1	1	1	-	3	5	10	8	9	5	-	-
CALIFORNIA -----	121	199	298	527	1,068	1,721	2,652	2,795	2,173	963	241	2
WHITE-----MALE----	58	94	126	243	470	748	1,144	1,071	639	241	50	1
FEMALE--	37	72	107	188	417	718	1,208	1,452	1,338	642	158	-
ALL OTHER--MALE----	16	15	38	55	109	147	166	120	91	23	6	-
FEMALE--	10	18	27	41	72	108	134	152	105	57	27	1
BLACK---MALE----	13	14	22	33	52	70	82	41	30	7	-	-
FEMALE--	8	10	21	24	43	48	65	67	56	30	13	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 1,892

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 PNEUMONIA (480-486)												
COLORADO -----	1,016	2	5	1	1	-	1	1	1	4	19	17
WHITE-----MALE----	405	2	2	-	-	-	-	1	-	4	9	9
FEMALE--	574	-	3	1	-	-	1	-	-	-	4	6
ALL OTHER--MALE----	21	-	-	-	-	-	-	-	1	-	6	1
FEMALE--	16	-	-	-	1	-	-	-	-	-	-	1
BLACK---MALE----	15	-	-	-	-	-	-	-	-	-	5	-
FEMALE--	9	-	-	-	1	-	-	-	-	-	-	1
CONNECTICUT -----	1,202	3	1	1	-	-	1	1	1	6	5	9
WHITE-----MALE----	499	2	-	-	-	-	-	1	1	2	3	3
FEMALE--	646	1	-	1	-	-	-	-	-	1	1	6
ALL OTHER--MALE----	29	-	1	-	-	-	1	-	-	2	1	-
FEMALE--	28	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	26	-	1	-	-	-	1	-	-	2	1	-
FEMALE--	28	-	-	-	-	-	-	-	-	1	-	-
DELAWARE -----	247	1	-	1	-	-	-	-	-	-	4	2
WHITE-----MALE----	108	1	-	-	-	-	-	-	-	-	2	1
FEMALE--	112	-	-	1	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	11	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	16	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	11	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	14	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	204	-	1	-	-	-	-	1	2	2	7	4
WHITE-----MALE----	24	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	36	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	64	-	-	-	-	-	-	1	2	1	4	2
FEMALE--	80	-	-	-	-	-	-	-	-	1	3	-
BLACK---MALE----	64	-	-	-	-	-	-	1	2	1	4	2
FEMALE--	80	-	-	-	-	-	-	-	-	1	3	-
FLORIDA -----	4,091	24	4	3	-	2	8	9	26	32	39	56
WHITE-----MALE----	1,804	8	1	-	-	-	3	5	9	9	14	21
FEMALE--	1,923	4	1	2	-	-	2	4	7	10	9	12
ALL OTHER--MALE----	191	4	1	1	-	1	1	-	7	8	8	11
FEMALE--	173	8	1	-	-	1	2	-	3	5	8	12
BLACK---MALE----	186	4	1	1	-	1	1	-	7	8	8	11
FEMALE--	163	7	1	-	-	1	2	-	3	5	7	12
GEORGIA -----	2,252	24	2	3	3	2	7	12	13	17	49	39
WHITE-----MALE----	783	5	1	1	1	-	3	5	3	6	10	11
FEMALE--	975	5	1	-	1	1	2	1	4	5	5	5
ALL OTHER--MALE----	249	7	-	1	-	-	-	1	3	3	18	12
FEMALE--	245	7	-	1	1	1	2	5	3	3	16	11
BLACK---MALE----	246	7	-	1	-	-	-	1	3	3	18	12
FEMALE--	236	6	-	1	1	1	2	5	2	3	15	10

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,892

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 PNEUMONIA (480-486)												
COLORADO -----	16	12	35	39	71	113	188	210	175	80	25	-
WHITE-----MALE----	8	5	21	21	39	56	73	75	53	23	4	-
FEMALE--	7	5	13	15	29	53	110	133	120	54	20	-
ALL OTHER--MALE----	1	1	-	2	3	2	1	1	2	-	-	-
FEMALE--	-	1	1	1	-	2	4	1	-	3	1	-
BLACK---MALE----	-	1	-	1	3	2	-	1	2	-	-	-
FEMALE--	-	-	-	1	-	2	2	-	-	2	-	-
CONNECTICUT -----	8	12	21	41	74	162	240	283	211	88	34	-
WHITE-----MALE----	7	7	10	20	38	76	115	111	75	19	9	-
FEMALE--	1	4	6	15	31	81	116	156	134	67	25	-
ALL OTHER--MALE----	-	1	2	3	5	1	4	6	1	1	-	-
FEMALE--	-	-	3	3	-	4	5	10	1	1	-	-
BLACK---MALE----	-	1	2	3	4	1	4	4	1	1	-	-
FEMALE--	-	-	3	3	-	4	5	10	1	1	-	-
DELAWARE -----	5	6	11	16	17	31	55	41	35	20	2	-
WHITE-----MALE----	2	2	5	9	6	17	26	22	11	4	-	-
FEMALE--	1	3	5	7	7	6	25	17	21	15	2	-
ALL OTHER--MALE----	2	1	-	-	2	4	1	-	-	-	-	-
FEMALE--	-	-	1	-	2	4	3	2	3	1	-	-
BLACK---MALE----	2	1	-	-	2	4	1	-	-	-	-	-
FEMALE--	-	-	1	-	1	4	3	1	3	1	-	-
DISTRICT OF COLUMBIA ----	6	6	8	6	14	20	40	39	28	15	5	-
WHITE-----MALE----	1	-	1	1	1	3	5	3	5	1	1	-
FEMALE--	1	-	-	-	1	2	5	9	8	8	1	-
ALL OTHER--MALE----	3	3	6	3	10	6	10	8	2	2	1	-
FEMALE--	1	3	1	2	2	9	20	19	13	4	2	-
BLACK---MALE----	3	3	6	3	10	6	10	8	2	2	1	-
FEMALE--	1	3	1	2	2	9	20	19	13	4	2	-
FLORIDA -----	81	76	97	181	341	504	784	887	605	265	66	1
WHITE-----MALE----	35	49	49	87	167	266	383	374	232	76	16	-
FEMALE--	25	18	30	70	134	193	357	469	355	178	43	-
ALL OTHER--MALE----	11	4	13	15	25	24	20	26	6	3	1	1
FEMALE--	10	5	5	9	15	21	24	18	12	8	6	-
BLACK---MALE----	10	4	13	14	23	24	20	26	5	3	1	1
FEMALE--	10	5	5	7	13	20	23	18	12	7	5	-
GEORGIA -----	49	53	75	103	197	330	395	434	292	131	22	-
WHITE-----MALE----	16	21	33	49	99	143	155	118	72	26	5	-
FEMALE--	15	16	20	30	47	121	179	244	179	79	15	-
ALL OTHER--MALE----	14	10	19	17	27	36	30	29	14	8	-	-
FEMALE--	4	6	3	7	24	30	31	43	27	18	2	-
BLACK---MALE----	14	10	19	17	27	34	30	28	14	8	-	-
FEMALE--	3	6	3	7	24	27	31	43	26	18	2	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,893

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 PNEUMONIA (480-486)												
HAWAII -----	9	12	4	19	35	54	58	72	61	34	8	-
WHITE-----MALE----	3	-	1	2	4	10	10	5	8	3	-	-
FEMALE--	1	-	-	3	2	4	5	11	8	4	-	-
ALL OTHER--MALE----	4	10	3	13	13	25	26	31	25	10	1	-
FEMALE--	1	2	-	1	16	15	17	25	20	17	7	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
IDAHO -----	4	2	6	16	16	34	76	96	58	28	7	-
WHITE-----MALE----	3	1	4	10	7	19	36	35	21	9	2	-
FEMALE--	1	1	2	6	9	15	39	61	37	19	5	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	70	82	91	177	318	463	682	791	653	290	78	-
WHITE-----MALE----	23	31	39	79	151	206	280	280	174	61	12	-
FEMALE--	22	14	24	54	112	188	337	450	419	212	58	-
ALL OTHER--MALE----	16	27	19	23	33	32	33	21	24	5	1	-
FEMALE--	9	10	9	21	22	37	32	40	36	12	7	-
BLACK---MALE----	16	26	18	22	32	28	30	16	22	4	1	-
FEMALE--	8	8	9	19	22	35	31	37	35	9	6	-
INDIANA -----	21	37	41	77	151	225	339	361	304	134	32	-
WHITE-----MALE----	4	22	25	49	78	103	163	145	101	30	6	-
FEMALE--	14	10	9	28	60	110	162	203	195	100	24	-
ALL OTHER--MALE----	2	2	4	-	9	7	4	1	4	2	-	-
FEMALE--	1	3	3	-	4	5	10	12	4	2	2	-
BLACK---MALE----	2	2	4	-	9	7	4	1	3	2	-	-
FEMALE--	1	3	3	-	4	5	9	12	4	2	2	-
IOWA -----	5	12	32	34	67	136	216	308	237	165	46	-
WHITE-----MALE----	4	5	17	20	35	79	111	126	81	42	3	-
FEMALE--	1	7	14	14	29	55	102	181	154	121	43	-
ALL OTHER--MALE----	-	-	1	-	3	1	1	1	1	-	-	-
FEMALE--	-	-	-	-	-	1	2	-	1	2	-	-
BLACK---MALE----	-	-	1	-	2	1	-	1	1	-	-	-
FEMALE--	-	-	-	-	-	1	2	-	1	2	-	-
KANSAS -----	10	15	16	27	60	110	160	241	184	100	28	-
WHITE-----MALE----	6	11	8	14	36	45	71	98	71	23	3	-
FEMALE--	3	4	5	11	23	60	86	141	111	76	24	-
ALL OTHER--MALE----	1	-	1	2	-	2	2	1	-	1	-	-
FEMALE--	-	-	2	-	1	3	1	1	2	-	1	-
BLACK---MALE----	1	-	1	-	-	2	2	1	-	1	-	-
FEMALE--	-	-	2	-	1	1	1	1	2	-	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 1,894

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 PNEUMONIA (480-486)												
KENTUCKY -----	1,463	3	2	1	-	2	3	2	-	5	8	11
WHITE-----MALE----	565	2	-	-	-	-	1	-	-	2	3	6
FEMALE--	821	1	2	1	-	-	2	2	-	2	2	2
ALL OTHER--MALE----	36	-	-	-	-	1	-	-	-	-	2	3
FEMALE--	41	-	-	-	-	1	-	-	-	1	1	-
BLACK---MALE----	36	-	-	-	-	1	-	-	-	-	2	3
FEMALE--	40	-	-	-	-	1	-	-	-	1	1	-
LOUISIANA -----	1,088	9	2	1	1	5	5	2	11	10	14	16
WHITE-----MALE----	337	1	-	-	-	2	1	1	2	3	6	4
FEMALE--	456	1	-	-	-	1	1	1	3	3	2	2
ALL OTHER--MALE----	146	4	1	-	1	1	1	-	3	1	3	9
FEMALE--	149	3	1	1	-	1	2	-	3	3	3	1
BLACK---MALE----	143	3	1	-	1	1	1	-	2	1	3	9
FEMALE--	148	3	1	1	-	1	2	-	3	3	3	1
MAINE -----	420	3	2	-	-	-	-	1	-	-	3	2
WHITE-----MALE----	191	3	1	-	-	-	-	1	-	-	1	1
FEMALE--	227	-	1	-	-	-	-	-	-	-	2	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	1,624	4	3	1	-	2	2	6	8	11	16	25
WHITE-----MALE----	603	1	2	1	-	-	1	1	2	1	4	7
FEMALE--	679	1	-	-	-	1	-	1	2	4	4	6
ALL OTHER--MALE----	182	2	1	-	-	1	1	2	2	3	6	7
FEMALE--	160	-	-	-	-	-	-	2	2	3	2	5
BLACK---MALE----	169	2	1	-	-	1	1	2	2	3	6	7
FEMALE--	152	-	-	-	-	-	-	2	2	3	2	5
MASSACHUSETTS -----	2,858	6	-	1	-	-	1	2	3	14	17	13
WHITE-----MALE----	1,129	3	-	-	-	-	1	1	2	5	6	8
FEMALE--	1,653	2	-	-	-	-	-	-	1	6	10	5
ALL OTHER--MALE----	33	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	43	1	-	1	-	-	-	-	-	3	1	-
BLACK---MALE----	27	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	30	1	-	1	-	-	-	-	-	3	1	-
MICHIGAN -----	2,973	8	2	1	2	4	1	1	14	24	33	58
WHITE-----MALE----	1,170	3	1	-	1	2	1	-	2	8	8	16
FEMALE--	1,386	-	-	-	1	1	-	1	3	6	10	20
ALL OTHER--MALE----	230	2	1	1	-	-	-	-	7	5	13	15
FEMALE--	187	3	-	-	-	1	-	-	2	5	2	7
BLACK---MALE----	222	2	1	1	-	-	-	-	7	5	12	15
FEMALE--	184	3	-	-	-	1	-	-	2	5	2	7

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,894

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 PNEUMONIA (480-486)												
KENTUCKY -----	15	30	41	69	138	198	261	304	239	108	23	-
WHITE-----MALE----	3	19	28	40	62	87	114	107	69	20	2	-
FEMALE--	10	10	12	25	66	102	136	186	162	80	18	-
ALL OTHER--MALE----	1	1	-	2	9	7	5	4	1	-	-	-
FEMALE--	1	-	1	2	1	2	6	7	7	8	3	-
BLACK---MALE----	1	1	-	2	9	7	5	4	1	-	-	-
FEMALE--	1	-	1	2	1	2	6	7	6	8	3	-
LOUISIANA -----	16	19	35	54	86	130	181	243	178	50	20	-
WHITE-----MALE----	8	10	11	20	33	47	63	63	43	16	3	-
FEMALE--	3	5	7	17	29	50	70	127	102	22	10	-
ALL OTHER--MALE----	4	2	8	9	13	18	21	25	18	3	1	-
FEMALE--	1	2	9	8	11	15	27	28	15	9	6	-
BLACK---MALE----	4	2	8	8	13	18	21	25	18	3	1	-
FEMALE--	1	2	8	8	11	15	27	28	15	9	6	-
MAINE -----	5	3	9	11	34	51	76	93	79	33	15	-
WHITE-----MALE----	3	2	4	7	22	25	42	44	24	8	3	-
FEMALE--	1	1	5	4	12	26	33	49	55	25	12	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	23	26	44	85	135	260	308	323	233	88	19	2
WHITE-----MALE----	3	12	23	31	63	122	126	109	74	19	1	-
FEMALE--	7	3	7	27	38	86	118	164	137	57	16	-
ALL OTHER--MALE----	6	8	9	20	21	30	30	22	5	3	1	2
FEMALE--	7	3	5	7	13	22	34	28	17	9	1	-
BLACK---MALE----	6	8	9	19	20	28	25	20	5	1	1	2
FEMALE--	7	3	5	6	13	21	31	26	16	9	1	-
MASSACHUSETTS -----	25	19	46	97	188	341	496	666	568	276	79	-
WHITE-----MALE----	14	10	27	51	105	178	234	248	177	45	14	-
FEMALE--	10	9	16	40	76	152	251	403	383	225	64	-
ALL OTHER--MALE----	1	-	1	2	5	8	4	7	2	1	1	-
FEMALE--	-	-	2	4	2	3	7	8	6	5	-	-
BLACK---MALE----	1	-	1	2	5	7	4	5	1	1	-	-
FEMALE--	-	-	2	4	2	2	4	3	4	3	-	-
MICHIGAN -----	42	59	82	136	268	389	565	561	471	208	44	-
WHITE-----MALE----	14	30	37	65	129	199	234	204	164	44	8	-
FEMALE--	12	11	24	41	98	142	257	305	280	142	32	-
ALL OTHER--MALE----	14	11	16	25	28	24	31	16	14	4	3	-
FEMALE--	2	7	5	5	13	24	43	36	13	18	1	-
BLACK---MALE----	14	11	16	24	28	23	27	16	13	4	3	-
FEMALE--	2	5	5	5	13	23	43	36	13	18	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 1,895

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 PNEUMONIA (480-486)												
MINNESOTA -----	1,313	3	1	-	-	-	1	-	1	1	8	8
WHITE-----MALE----	517	1	1	-	-	-	1	-	-	-	3	7
FEMALE--	772	2	-	-	-	-	-	-	-	-	5	1
ALL OTHER--MALE----	11	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	13	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	6	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	9	-	-	-	-	-	-	-	1	-	-	-
MISSISSIPPI -----	1,064	13	3	1	1	-	2	2	12	8	11	17
WHITE-----MALE----	334	1	-	-	-	-	1	-	1	2	1	5
FEMALE--	442	4	2	1	-	-	-	1	2	1	2	3
ALL OTHER--MALE----	156	4	-	-	1	-	1	-	6	4	5	5
FEMALE--	132	4	1	-	-	-	-	1	3	1	3	4
BLACK---MALE----	154	4	-	-	1	-	1	-	5	4	5	5
FEMALE--	128	3	1	-	-	-	-	1	3	1	3	4
MISSOURI -----	2,344	5	4	1	-	2	1	7	4	9	14	13
WHITE-----MALE----	850	-	-	1	-	-	-	2	1	5	7	5
FEMALE--	1,316	3	3	-	-	-	1	1	2	3	5	6
ALL OTHER--MALE----	82	1	-	-	-	1	-	3	1	1	1	2
FEMALE--	96	1	1	-	-	1	-	1	-	-	1	-
BLACK---MALE----	80	1	-	-	-	1	-	3	1	1	1	2
FEMALE--	94	1	1	-	-	1	-	1	-	-	1	-
MONTANA -----	312	2	-	-	-	-	1	-	1	-	2	-
WHITE-----MALE----	135	1	-	-	-	-	-	-	1	-	1	-
FEMALE--	166	-	-	-	-	-	1	-	-	-	1	-
ALL OTHER--MALE----	5	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	594	2	1	1	1	-	-	3	2	4	2	2
WHITE-----MALE----	234	1	-	-	1	-	-	-	2	1	-	1
FEMALE--	342	1	1	1	-	-	-	1	-	1	1	-
ALL OTHER--MALE----	11	-	-	-	-	-	-	2	-	2	1	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	6	-	-	-	-	-	-	1	-	1	1	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	1
NEVADA -----	402	7	2	3	-	1	1	2	4	9	4	5
WHITE-----MALE----	199	3	2	1	-	-	1	-	2	4	3	2
FEMALE--	166	3	-	2	-	1	-	1	1	4	1	1
ALL OTHER--MALE----	24	1	-	-	-	-	-	1	1	-	-	-
FEMALE--	13	-	-	-	-	-	-	-	-	1	-	2
BLACK---MALE----	16	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	9	-	-	-	-	-	-	-	-	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,895

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 PNEUMONIA (480-486)												
MINNESOTA -----	13	9	18	31	73	129	220	323	287	150	37	-
WHITE-----MALE----	7	3	7	15	41	66	102	132	87	36	8	-
FEMALE--	4	6	10	14	28	59	115	189	197	113	29	-
ALL OTHER--MALE----	1	-	-	-	3	2	-	2	2	-	-	-
FEMALE--	1	-	1	2	1	2	3	-	1	1	-	-
BLACK---MALE----	-	-	-	-	1	2	-	1	1	-	-	-
FEMALE--	-	-	1	2	-	1	2	-	1	1	-	-
MISSISSIPPI -----	18	31	38	50	85	134	165	224	157	75	17	-
WHITE-----MALE----	7	7	16	20	38	53	51	73	43	13	2	-
FEMALE--	4	9	11	11	17	58	72	111	79	46	8	-
ALL OTHER--MALE----	4	7	5	13	18	17	20	18	19	7	2	-
FEMALE--	3	8	6	6	12	6	22	22	16	9	5	-
BLACK---MALE----	4	7	5	13	18	17	19	18	19	7	2	-
FEMALE--	3	8	4	6	12	6	21	22	16	9	5	-
MISSOURI -----	25	39	56	98	169	241	424	537	450	185	60	-
WHITE-----MALE----	9	22	24	51	92	103	168	195	125	32	8	-
FEMALE--	8	12	22	33	65	114	228	317	301	144	48	-
ALL OTHER--MALE----	4	4	5	8	7	11	14	9	8	2	-	-
FEMALE--	4	1	5	6	5	13	14	16	16	7	4	-
BLACK---MALE----	4	4	5	7	6	11	14	9	8	2	-	-
FEMALE--	3	1	5	5	5	13	14	16	16	7	4	-
MONTANA -----	-	2	4	12	15	51	52	67	69	27	7	-
WHITE-----MALE----	-	2	1	8	6	33	26	28	22	5	1	-
FEMALE--	-	-	3	4	9	15	23	36	46	22	6	-
ALL OTHER--MALE----	-	-	-	-	-	2	2	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	3	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	5	7	9	17	32	56	112	149	124	52	13	-
WHITE-----MALE----	3	3	4	12	19	28	51	54	37	14	3	-
FEMALE--	1	4	5	5	12	27	56	94	84	38	10	-
ALL OTHER--MALE----	-	-	-	-	1	1	2	1	1	-	-	-
FEMALE--	1	-	-	-	-	-	3	-	2	-	-	-
BLACK---MALE----	-	-	-	-	1	-	1	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	3	-	2	-	-	-
NEVADA -----	7	10	18	22	44	75	79	56	40	8	5	-
WHITE-----MALE----	3	7	9	13	22	34	40	30	18	5	-	-
FEMALE--	2	3	7	7	17	34	31	25	19	2	5	-
ALL OTHER--MALE----	2	-	2	1	3	4	5	1	3	-	-	-
FEMALE--	-	-	-	1	2	3	3	-	-	1	-	-
BLACK---MALE----	2	-	2	1	1	4	2	1	2	-	-	-
FEMALE--	-	-	-	1	1	2	3	-	-	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 1,896

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 PNEUMONIA (480-486)												
NEW HAMPSHIRE -----	254	-	-	-	-	-	-	-	1	-	1	1
WHITE-----MALE----	116	-	-	-	-	-	-	-	1	-	1	1
FEMALE--	137	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY -----	2,349	13	-	2	1	2	5	6	9	19	24	35
WHITE-----MALE----	928	5	-	-	-	-	2	3	5	4	7	15
FEMALE--	1,179	1	-	1	1	1	1	-	-	4	8	10
ALL OTHER--MALE----	117	5	-	-	-	-	1	-	2	9	7	8
FEMALE--	125	2	-	1	-	1	1	3	2	2	2	2
BLACK---MALE----	111	5	-	-	-	-	1	-	2	9	6	8
FEMALE--	115	2	-	1	-	1	1	3	2	2	2	2
NEW MEXICO -----	442	4	2	1	-	-	-	1	1	3	8	5
WHITE-----MALE----	175	1	-	-	-	-	-	1	-	-	6	3
FEMALE--	212	-	1	-	-	-	-	-	-	1	1	2
ALL OTHER--MALE----	34	2	-	-	-	-	-	-	1	1	-	-
FEMALE--	21	1	1	1	-	-	-	-	-	1	1	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK -----	6,725	35	14	4	1	7	8	15	24	39	63	84
WHITE-----MALE----	2,588	5	5	2	1	1	6	8	11	16	20	32
FEMALE--	3,243	9	4	2	3	4	-	5	5	8	18	28
ALL OTHER--MALE----	408	10	4	-	-	1	-	2	3	8	14	15
FEMALE--	486	11	1	-	-	1	2	-	5	7	11	9
BLACK---MALE----	347	8	4	-	-	-	-	1	3	7	13	15
FEMALE--	433	10	1	-	-	1	2	-	5	7	11	8
NORTH CAROLINA -----	2,665	10	3	3	1	5	5	4	18	18	29	26
WHITE-----MALE----	937	3	1	1	-	3	2	-	2	3	11	9
FEMALE--	1,211	3	-	1	-	-	1	2	5	5	8	7
ALL OTHER--MALE----	253	1	-	-	-	2	1	1	3	8	6	5
FEMALE--	264	3	2	1	1	-	1	1	8	2	4	5
BLACK---MALE----	247	1	-	-	-	2	1	1	3	8	6	4
FEMALE--	252	3	1	1	1	-	1	1	8	2	3	5
NORTH DAKOTA -----	239	-	-	1	-	-	-	-	2	-	2	1
WHITE-----MALE----	107	-	-	1	-	-	-	-	-	-	1	-
FEMALE--	127	-	-	-	-	-	-	-	1	-	1	1
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 1,897
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 PNEUMONIA (480-486)												
OHIO -----	3,713	14	4	4	2	-	5	3	16	20	42	38
WHITE-----MALE----	1,480	2	2	2	1	-	3	1	9	7	19	21
FEMALE--	1,943	7	-	2	1	-	1	2	3	8	15	11
ALL OTHER--MALE----	154	3	1	-	-	-	-	-	3	3	1	4
FEMALE--	136	2	1	-	-	-	1	-	1	2	7	2
BLACK---MALE----	150	3	1	-	-	-	-	-	3	3	1	4
FEMALE--	134	2	1	-	-	-	1	-	1	2	7	2
OKLAHOMA -----	1,335	5	-	1	-	1	1	2	6	10	10	20
WHITE-----MALE----	522	1	-	-	-	-	-	-	2	3	4	14
FEMALE--	696	1	-	1	-	-	1	2	4	5	3	4
ALL OTHER--MALE----	60	2	-	-	-	-	-	-	-	2	1	1
FEMALE--	57	1	-	-	-	1	-	-	-	-	2	1
BLACK---MALE----	39	2	-	-	-	-	-	-	-	2	1	1
FEMALE--	33	-	-	-	-	1	-	-	-	-	1	1
OREGON -----	1,009	-	-	-	1	-	1	2	2	6	8	13
WHITE-----MALE----	451	-	-	-	1	-	-	-	2	3	4	7
FEMALE--	537	-	-	-	-	-	1	1	-	2	3	6
ALL OTHER--MALE----	12	-	-	-	-	-	-	1	-	1	-	-
FEMALE--	9	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	8	-	-	-	-	-	-	1	-	1	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	4,480	13	4	7	4	2	2	11	22	18	36	29
WHITE-----MALE----	1,831	4	2	2	1	2	-	6	13	9	12	13
FEMALE--	2,303	5	2	3	3	-	1	3	3	2	12	3
ALL OTHER--MALE----	161	2	-	2	-	-	1	2	2	5	5	7
FEMALE--	185	2	-	-	-	-	-	-	4	2	7	6
BLACK---MALE----	158	2	-	2	-	-	1	2	1	5	5	7
FEMALE--	179	1	-	-	-	-	-	-	3	2	6	6
RHODE ISLAND -----	379	2	-	-	-	-	-	1	2	1	2	4
WHITE-----MALE----	157	-	-	-	-	-	-	1	1	-	-	3
FEMALE--	214	-	-	-	-	-	-	-	1	-	2	1
ALL OTHER--MALE----	4	1	-	-	-	-	-	-	-	1	-	-
FEMALE--	4	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	1	-	-	-	-	-	-	-	1	-	-
FEMALE--	3	1	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	1,090	7	8	-	1	2	5	5	5	8	21	11
WHITE-----MALE----	381	1	3	-	-	-	1	1	2	2	5	3
FEMALE--	447	4	-	-	-	1	-	2	-	2	4	2
ALL OTHER--MALE----	128	1	2	-	1	-	1	1	1	2	5	3
FEMALE--	134	1	3	-	-	1	3	1	2	2	7	3
BLACK---MALE----	128	1	2	-	1	-	1	1	1	2	5	3
FEMALE--	132	1	3	-	-	1	3	1	2	2	7	3

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,897
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 PNEUMONIA (480-486)												
OHIO -----	44	49	101	150	281	519	758	769	619	219	56	-
WHITE-----MALE----	26	21	43	60	152	246	337	277	187	55	9	-
FEMALE--	11	22	39	64	106	227	366	450	414	151	43	-
ALL OTHER--MALE----	3	2	14	16	15	30	33	18	6	2	-	-
FEMALE--	4	4	5	10	8	16	22	24	12	11	4	-
BLACK---MALE----	3	2	14	16	15	28	32	17	6	2	-	-
FEMALE--	4	4	5	9	8	16	22	24	11	11	4	-
OKLAHOMA -----	21	23	31	57	110	180	231	306	221	79	20	-
WHITE-----MALE----	12	13	22	21	65	70	97	115	69	13	1	-
FEMALE--	5	9	7	26	37	92	120	173	137	57	12	-
ALL OTHER--MALE----	3	-	-	4	5	12	11	7	4	6	2	-
FEMALE--	1	1	2	6	3	6	3	11	11	3	5	-
BLACK---MALE----	3	-	-	3	2	7	8	4	3	3	-	-
FEMALE--	-	1	1	4	-	4	2	3	9	1	5	-
OREGON -----	9	19	24	27	63	145	167	231	184	77	30	-
WHITE-----MALE----	5	13	11	9	32	74	91	100	73	22	4	-
FEMALE--	4	6	11	17	30	69	74	124	109	54	26	-
ALL OTHER--MALE----	-	-	1	-	1	1	1	4	2	-	-	-
FEMALE--	-	-	1	1	1	1	1	3	-	1	-	-
BLACK---MALE----	-	-	1	-	1	1	-	2	1	-	-	-
FEMALE--	-	-	1	-	-	1	1	-	-	1	-	-
PENNSYLVANIA -----	46	71	96	173	385	600	917	994	687	296	67	-
WHITE-----MALE----	20	37	49	86	201	286	407	386	211	68	16	-
FEMALE--	13	25	32	56	151	257	462	570	446	207	47	-
ALL OTHER--MALE----	6	6	8	22	15	24	22	16	10	5	1	-
FEMALE--	7	3	7	9	18	33	26	22	20	16	3	-
BLACK---MALE----	6	6	8	21	15	24	21	16	10	5	1	-
FEMALE--	7	3	7	9	17	32	25	22	20	16	3	-
RHODE ISLAND -----	4	8	5	11	25	34	83	84	72	27	14	-
WHITE-----MALE----	2	5	3	6	17	20	43	33	19	3	1	-
FEMALE--	1	3	1	4	8	14	40	50	52	24	13	-
ALL OTHER--MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	1	1	-	-	-
BLACK---MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	1	-	-	-
SOUTH CAROLINA -----	21	21	46	52	103	157	170	203	160	64	20	-
WHITE-----MALE----	4	5	20	23	54	64	60	73	40	14	6	-
FEMALE--	6	7	7	13	28	55	65	105	102	37	7	-
ALL OTHER--MALE----	6	6	14	9	15	20	22	9	5	2	3	-
FEMALE--	5	3	5	7	6	18	23	16	13	11	4	-
BLACK---MALE----	6	6	14	9	15	20	22	9	5	2	3	-
FEMALE--	5	3	5	6	6	18	22	16	13	11	4	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 1,898

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 PNEUMONIA (480-486)												
SOUTH DAKOTA -----	260	4	-	-	-	-	1	-	-	-	-	-
WHITE-----MALE----	104	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	137	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	8	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	11	2	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	2,198	8	5	2	1	-	3	2	4	15	26	23
WHITE-----MALE----	828	3	1	-	-	-	1	-	-	6	11	12
FEMALE--	1,077	1	2	-	1	-	2	1	2	5	10	6
ALL OTHER--MALE----	139	3	2	1	-	-	-	1	1	1	3	3
FEMALE--	154	1	-	1	-	-	-	-	1	3	2	2
BLACK---MALE----	138	3	2	1	-	-	-	1	1	1	3	3
FEMALE--	152	1	-	1	-	-	-	-	1	3	2	2
TEXAS -----	4,563	45	14	4	5	6	12	14	24	46	61	70
WHITE-----MALE----	1,826	20	4	2	2	4	5	5	14	18	31	35
FEMALE--	2,234	11	5	1	2	2	3	2	5	18	12	18
ALL OTHER--MALE----	281	9	1	1	1	-	-	4	3	5	15	11
FEMALE--	222	5	4	-	-	-	4	3	2	5	3	6
BLACK---MALE----	261	9	1	1	1	-	-	4	3	5	15	11
FEMALE--	214	5	4	-	-	-	4	3	2	5	3	5
UTAH -----	484	2	1	-	1	-	1	2	-	3	6	4
WHITE-----MALE----	219	1	-	-	1	-	-	1	-	3	2	3
FEMALE--	249	1	1	-	-	-	1	1	-	-	3	1
ALL OTHER--MALE----	9	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
VERMONT -----	226	1	-	-	-	-	-	-	-	1	3	-
WHITE-----MALE----	92	1	-	-	-	-	-	-	-	-	3	-
FEMALE--	133	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	2,028	4	-	2	1	1	5	6	11	8	14	15
WHITE-----MALE----	767	2	-	-	-	1	1	4	3	2	4	4
FEMALE--	934	1	-	1	1	-	2	-	3	3	2	3
ALL OTHER--MALE----	162	-	-	-	-	-	-	1	4	2	4	5
FEMALE--	165	1	-	1	-	-	2	1	1	1	4	3
BLACK---MALE----	152	-	-	-	-	-	-	1	4	2	4	4
FEMALE--	157	1	-	1	-	-	2	-	1	1	4	3

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,898

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 PNEUMONIA (480-486)												
SOUTH DAKOTA -----	1	2	7	14	15	25	54	52	60	17	8	-
WHITE-----MALE----	-	-	4	7	9	14	24	21	19	4	2	-
FEMALE--	1	1	3	3	3	9	29	28	41	12	6	-
ALL OTHER--MALE----	-	-	-	2	2	1	-	1	-	-	-	-
FEMALE--	-	1	-	2	1	1	1	2	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	31	50	64	106	188	306	403	458	344	140	19	-
WHITE-----MALE----	15	24	23	53	90	137	168	162	93	27	2	-
FEMALE--	11	13	30	35	76	129	187	241	218	93	14	-
ALL OTHER--MALE----	3	12	6	9	11	24	18	17	15	8	1	-
FEMALE--	2	1	5	9	11	16	30	38	18	12	2	-
BLACK---MALE----	3	11	6	9	11	24	18	17	15	8	1	-
FEMALE--	2	1	5	9	11	16	30	37	18	12	1	-
TEXAS -----	83	88	141	226	361	572	807	887	705	333	59	-
WHITE-----MALE----	41	44	66	113	188	290	347	307	204	76	10	-
FEMALE--	27	26	49	87	133	240	387	497	442	227	40	-
ALL OTHER--MALE----	9	15	23	18	25	25	31	41	27	13	4	-
FEMALE--	6	3	3	8	15	17	42	42	32	17	5	-
BLACK---MALE----	9	13	22	18	21	21	29	37	26	11	4	-
FEMALE--	6	3	3	8	14	14	39	42	32	17	5	-
UTAH -----	4	4	12	18	38	63	87	115	81	31	11	-
WHITE-----MALE----	1	4	5	8	23	31	43	48	29	11	5	-
FEMALE--	3	-	7	9	15	31	43	58	51	18	6	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	5	1	2	-	-
FEMALE--	-	-	-	1	-	-	1	4	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	2	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	3	3	2	8	11	23	45	55	44	19	8	-
WHITE-----MALE----	1	2	1	4	5	13	22	24	13	3	-	-
FEMALE--	2	1	1	3	6	10	23	31	31	16	8	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	19	37	52	103	183	256	415	406	321	128	41	-
WHITE-----MALE----	7	11	24	48	92	122	177	146	91	22	6	-
FEMALE--	6	13	17	36	58	96	179	202	188	93	30	-
ALL OTHER--MALE----	3	6	7	17	16	20	25	27	18	6	1	-
FEMALE--	3	7	4	2	17	18	34	31	24	7	4	-
BLACK---MALE----	3	6	7	16	16	19	24	24	16	5	1	-
FEMALE--	3	7	4	2	15	17	34	27	24	7	4	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,899

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 PNEUMONIA (480-486)												
WASHINGTON -----	24	21	29	61	117	190	315	379	295	161	45	-
WHITE-----MALE----	8	9	14	32	67	108	152	153	105	40	9	-
FEMALE--	10	10	14	26	43	75	154	214	181	120	34	-
ALL OTHER--MALE----	5	2	1	3	5	4	3	7	6	1	-	-
FEMALE--	1	-	-	-	2	3	6	5	3	-	2	-
BLACK---MALE----	1	1	1	2	1	1	1	-	1	-	-	-
FEMALE--	1	-	-	-	1	-	1	2	1	-	-	-
WEST VIRGINIA -----	7	14	21	28	59	99	126	145	97	37	14	-
WHITE-----MALE----	4	9	9	19	33	54	67	57	30	12	5	-
FEMALE--	2	4	10	8	24	41	58	86	63	24	9	-
ALL OTHER--MALE----	-	1	1	-	1	3	1	1	1	1	-	-
FEMALE--	1	-	1	1	1	1	1	1	3	-	-	-
BLACK---MALE----	-	1	1	-	1	3	1	1	1	1	-	-
FEMALE--	1	-	1	1	1	1	-	1	3	-	-	-
WISCONSIN -----	12	21	29	58	101	205	348	403	366	165	43	-
WHITE-----MALE----	8	10	16	30	61	114	171	163	124	42	8	-
FEMALE--	3	11	10	26	34	84	174	234	234	120	34	-
ALL OTHER--MALE----	1	-	-	2	2	4	2	4	1	1	-	-
FEMALE--	-	-	3	-	4	3	1	2	7	2	1	-
BLACK---MALE----	1	-	-	1	2	4	2	3	1	-	-	-
FEMALE--	-	-	2	-	2	2	1	-	6	1	1	-
WYOMING -----	-	1	6	3	9	12	22	30	31	14	2	-
WHITE-----MALE----	-	1	2	1	3	6	6	18	8	2	-	-
FEMALE--	-	-	4	2	6	5	16	12	23	11	1	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 1,900
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 VIRAL PNEUMONIA (480)												
UNITED STATES --	527	88	27	5	2	2	1	6	3	8	10	12
WHITE-----MALE----	183	24	11	2	1	-	-	1	2	5	2	3
FEMALE--	272	30	9	1	1	2	1	1	-	-	6	6
ALL OTHER--MALE----	33	16	3	-	-	-	-	3	-	-	2	1
FEMALE--	39	18	4	2	-	-	-	1	1	3	-	2
BLACK---MALE----	22	12	3	-	-	-	-	1	-	-	1	1
FEMALE--	26	12	4	1	-	-	-	1	1	3	-	1
ALABAMA -----	9	1	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALASKA -----	2	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	15	6	1	-	-	-	-	-	-	-	-	1
WHITE-----MALE----	6	2	1	-	-	-	-	-	-	-	-	1
FEMALE--	6	2	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	5	-	-	-	-	-	-	-	-	-	-	1
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	99	10	6	-	1	-	-	2	2	-	3	1
WHITE-----MALE----	34	2	4	-	1	-	-	-	2	-	1	-
FEMALE--	56	8	1	-	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	5	-	-	-	-	-	-	1	-	-	1	-
FEMALE--	4	-	1	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	1	-	-	-	-	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 1,909

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 PNEUMOCOCCAL AND OTHER BACTERIAL PNEUMONIA (481-482)												
UNITED STATES --	5,933	55	22	9	3	5	12	32	65	126	183	175
WHITE-----MALE----	2,591	23	9	2	-	-	5	11	24	51	68	73
FEMALE--	2,409	15	6	3	1	4	4	10	25	38	47	38
ALL OTHER--MALE----	517	10	3	1	2	-	-	7	8	24	47	40
FEMALE--	416	7	4	3	-	1	3	4	8	13	21	24
BLACK---MALE----	415	8	2	1	2	-	-	6	4	19	42	34
FEMALE--	372	5	4	3	-	1	3	2	7	12	21	21
ALABAMA -----	77	-	-	-	-	-	-	-	-	2	2	3
WHITE-----MALE----	36	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	25	-	-	-	-	-	-	-	-	1	-	1
ALL OTHER--MALE----	11	-	-	-	-	-	-	-	-	1	1	2
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	10	-	-	-	-	-	-	-	-	1	1	1
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
ALASKA -----	3	-	-	-	-	-	-	-	1	1	-	-
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	94	3	1	-	-	-	-	2	-	3	1	5
WHITE-----MALE----	42	1	-	-	-	-	-	-	-	-	1	1
FEMALE--	39	2	1	-	-	-	-	-	-	2	-	-
ALL OTHER--MALE----	7	-	-	-	-	-	-	1	-	1	-	4
FEMALE--	6	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	67	1	-	-	-	-	-	-	1	1	1	-
WHITE-----MALE----	32	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	29	-	-	-	-	-	-	-	1	1	-	-
ALL OTHER--MALE----	5	1	-	-	-	-	-	-	-	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	5	1	-	-	-	-	-	-	-	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	879	4	1	1	-	-	4	3	4	19	25	30
WHITE-----MALE----	384	3	1	-	-	-	2	1	1	8	8	16
FEMALE--	370	1	-	-	-	-	2	1	1	6	8	5
ALL OTHER--MALE----	76	-	-	-	-	-	-	-	1	5	6	4
FEMALE--	49	-	-	1	-	-	-	1	1	-	3	5
BLACK---MALE----	36	-	-	-	-	-	-	-	-	2	4	4
FEMALE--	38	-	-	1	-	-	-	1	1	-	3	4

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,909

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 PNEUMOCOCCAL AND OTHER BACTERIAL PNEUMONIA (481-482)												
UNITED STATES --	154	185	246	340	557	740	977	1,000	701	282	64	-
WHITE-----MALE----	53	84	117	169	274	380	483	438	237	75	15	-
FEMALE--	56	56	78	110	181	253	394	477	402	169	42	-
ALL OTHER--MALE----	27	29	26	37	65	59	56	36	28	11	1	-
FEMALE--	18	16	25	24	37	48	44	49	34	27	6	-
BLACK---MALE----	23	25	21	31	53	40	42	31	21	9	1	-
FEMALE--	15	14	23	21	28	44	42	45	31	24	6	-
ALABAMA -----	4	4	5	4	7	10	16	7	9	4	-	-
WHITE-----MALE----	2	3	1	3	5	5	7	4	4	1	-	-
FEMALE--	1	1	-	1	1	2	8	3	4	2	-	-
ALL OTHER--MALE----	1	-	2	-	-	2	1	-	-	1	-	-
FEMALE--	-	-	2	-	1	1	-	-	1	-	-	-
BLACK---MALE----	1	-	2	-	-	2	1	-	-	1	-	-
FEMALE--	-	-	2	-	1	1	-	-	1	-	-	-
ALASKA -----	-	-	-	-	1	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	1	4	6	3	8	10	18	14	11	4	-	-
WHITE-----MALE----	-	2	4	2	4	6	11	3	6	1	-	-
FEMALE--	-	2	1	1	3	3	7	9	5	3	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	1	-	1	-	1	1	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	1	-	-	-	-	1	-	1	-	-	-	-
ARKANSAS -----	-	2	-	5	5	10	10	12	15	2	2	-
WHITE-----MALE----	-	-	-	4	4	4	5	10	4	1	-	-
FEMALE--	-	1	-	1	1	5	5	2	10	1	1	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	1	-	1	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	1	-	1	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
CALIFORNIA -----	22	25	40	56	88	111	157	142	90	45	12	-
WHITE-----MALE----	6	11	17	25	44	46	80	72	31	6	6	-
FEMALE--	11	9	14	20	32	45	62	62	50	36	5	-
ALL OTHER--MALE----	2	3	5	7	11	11	11	5	5	-	-	-
FEMALE--	3	2	4	4	1	9	4	3	4	3	1	-
BLACK---MALE----	2	3	2	5	6	1	3	3	1	-	-	-
FEMALE--	2	2	3	2	1	8	3	1	3	2	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,910

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 PNEUMOCOCCAL AND OTHER BACTERIAL PNEUMONIA (481-482)												
COLORADO -----	6	1	2	3	7	8	8	15	6	2	-	-
WHITE-----MALE----	4	-	2	1	5	5	4	8	-	2	-	-
FEMALE--	2	-	-	2	2	3	4	7	6	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	1	3	4	3	9	8	6	7	6	1	-	-
WHITE-----MALE----	1	2	2	1	4	3	3	2	1	-	-	-
FEMALE--	-	-	2	2	4	5	2	4	5	1	-	-
ALL OTHER--MALE----	-	1	-	-	1	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	1	-	-	1	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
DELAWARE -----	1	1	-	1	1	3	5	1	1	1	-	-
WHITE-----MALE----	-	1	-	-	-	3	-	-	-	1	-	-
FEMALE--	1	-	-	1	1	-	5	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
DISTRICT OF COLUMBIA ----	-	1	1	1	-	-	2	3	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	2	-	-	-	-
ALL OTHER--MALE----	-	1	1	1	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	1	-	-	-
BLACK---MALE----	-	1	1	1	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	1	-	-	-
FLORIDA -----	8	7	12	22	42	58	78	85	59	16	4	-
WHITE-----MALE----	4	2	8	11	17	33	45	32	23	6	-	-
FEMALE--	2	4	2	8	19	22	32	49	35	10	4	-
ALL OTHER--MALE----	2	-	1	1	4	2	-	2	-	-	-	-
FEMALE--	-	1	1	2	2	1	1	2	1	-	-	-
BLACK---MALE----	2	-	1	1	3	2	-	2	-	-	-	-
FEMALE--	-	1	1	1	2	1	1	2	1	-	-	-
GEORGIA -----	3	4	3	4	9	11	14	9	8	3	1	-
WHITE-----MALE----	-	1	2	2	4	8	8	-	2	1	-	-
FEMALE--	-	1	-	1	1	3	3	6	5	1	1	-
ALL OTHER--MALE----	1	-	-	1	2	-	2	1	-	-	-	-
FEMALE--	2	2	1	-	2	-	1	2	1	1	-	-
BLACK---MALE----	1	-	-	1	2	-	2	1	-	-	-	-
FEMALE--	1	2	1	-	2	-	1	2	-	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,912

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 PNEUMOCOCCAL AND OTHER BACTERIAL PNEUMONIA (481-482)												
KENTUCKY -----	3	2	3	3	6	8	10	13	6	5	-	-
WHITE-----MALE----	-	-	-	1	3	5	4	7	2	2	-	-
FEMALE--	2	2	3	-	3	3	5	4	3	2	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	1	-	-	-	-
FEMALE--	1	-	-	1	-	-	1	1	1	1	-	-
BLACK---MALE----	-	-	-	1	-	-	-	1	-	-	-	-
FEMALE--	1	-	-	1	-	-	1	1	1	1	-	-
LOUISIANA -----	-	2	2	3	3	4	12	10	11	4	-	-
WHITE-----MALE----	-	1	-	2	-	2	5	4	3	2	-	-
FEMALE--	-	-	-	-	2	1	4	2	5	1	-	-
ALL OTHER--MALE----	-	-	-	1	1	1	2	2	3	-	-	-
FEMALE--	-	1	2	-	-	-	1	2	-	1	-	-
BLACK---MALE----	-	-	-	1	1	1	2	2	3	-	-	-
FEMALE--	-	1	2	-	-	-	1	2	-	1	-	-
MAINE -----	-	1	-	1	1	5	8	6	2	-	-	-
WHITE-----MALE----	-	1	-	-	-	2	4	5	-	-	-	-
FEMALE--	-	-	-	1	1	3	3	1	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	2	2	5	5	4	12	13	8	3	5	1	-
WHITE-----MALE----	-	1	3	1	2	4	6	3	2	3	-	-
FEMALE--	1	-	-	4	1	3	4	3	-	1	1	-
ALL OTHER--MALE----	-	1	1	-	1	2	1	1	-	-	-	-
FEMALE--	1	-	1	-	-	3	2	1	1	1	-	-
BLACK---MALE----	-	1	1	-	1	1	1	1	-	-	-	-
FEMALE--	1	-	1	-	-	3	2	1	1	1	-	-
MASSACHUSETTS -----	1	2	4	11	8	15	26	34	22	6	1	-
WHITE-----MALE----	-	1	-	7	5	6	13	20	10	1	-	-
FEMALE--	1	1	4	3	3	7	12	14	12	4	1	-
ALL OTHER--MALE----	-	-	-	-	-	2	1	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	1	-	-
MICHIGAN -----	4	4	6	14	15	16	23	12	17	4	3	-
WHITE-----MALE----	-	3	2	9	9	12	12	4	5	1	-	-
FEMALE--	2	-	4	3	3	1	10	6	8	2	3	-
ALL OTHER--MALE----	2	1	-	2	2	3	1	-	3	1	-	-
FEMALE--	-	-	-	-	1	-	-	2	1	-	-	-
BLACK---MALE----	2	1	-	2	2	3	1	-	3	1	-	-
FEMALE--	-	-	-	-	1	-	-	2	1	-	-	-

