

POPULATION: UNITED STATES, 1960-67

(RATES PER 100,000 U.S. STANDARD YEAR 2000 POPULATION. NUMBERS AFTER CAUSES OF DEATH ARE CATEGORY NUMBERS OF THE SEVENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1955)

CAUSE OF DEATH, AND YEAR	-- ALL RACES --			-- WHITE --			-- ALL OTHER --		
	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE
ALL CAUSES									
1967.....	1,274.0	1,591.8	1,020.5	1,246.4	1,566.9	992.9	1,466.9	1,767.2	1,209.7
1966.....	1,309.0	1,624.2	1,055.3	1,278.7	1,595.7	1,024.7	1,529.7	1,832.4	1,274.6
1965.....	1,306.5	1,614.3	1,056.1	1,278.3	1,589.9	1,026.7	1,508.9	1,791.0	1,266.0
1964.....	1,303.8	1,597.0	1,061.5	1,275.2	1,572.0	1,030.9	1,507.1	1,768.1	1,284.1
1963.....	1,346.3	1,644.0	1,098.5	1,312.5	1,614.7	1,062.6	1,581.5	1,859.0	1,347.8
1962.....	1,323.6	1,604.4	1,087.1	1,292.4	1,579.1	1,052.6	1,532.0	1,775.4	1,324.5
1961.....	1,298.8	1,567.6	1,068.5	1,272.2	1,547.3	1,038.8	1,492.2	1,713.3	1,295.9
1960.....	1,339.2	1,609.0	1,105.3	1,311.3	1,586.0	1,074.4	1,549.0	1,777.6	1,340.5
TUBERCULOSIS, ALL FORMS (001-019)									
1967.....	4.4	7.1	2.2	3.5	5.7	1.7	13.1	20.4	6.9
1966.....	4.9	8.0	2.4	3.9	6.6	1.9	14.1	21.7	7.7
1965.....	5.2	8.3	2.7	4.2	7.0	2.0	14.2	21.4	8.1
1964.....	5.5	8.7	2.8	4.5	7.3	2.2	14.9	22.4	8.5
1963.....	6.2	9.9	3.1	5.1	8.2	2.4	17.0	25.9	9.3
1962.....	6.4	10.0	3.3	5.2	8.4	2.6	17.5	25.9	10.1
1961.....	6.8	10.5	3.5	5.6	9.0	2.8	17.9	26.0	10.5
1960.....	7.5	11.7	4.0	6.3	9.9	3.2	19.5	28.6	11.2

FOOTNOTES: * FIGURE DOES NOT MEET STANDARD OF RELIABILITY OR PRECISION, ESTIMATION IS BASED ON FEWER THAN 20 EVENTS IN THE NUMERATOR OR DENOMINATOR.
 0.0 QUANTITY MORE THAN ZERO BUT LESS THAN 0.05.
 ... CATEGORY NOT APPLICABLE.

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished table NEWSTAN 60-67S created on 00/02/10.

POPULATION: UNITED STATES, 1960-67

(RATES PER 100,000 U.S. STANDARD YEAR 2000 POPULATION. NUMBERS AFTER CAUSES OF DEATH ARE CATEGORY NUMBERS OF THE SEVENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1955)

CAUSE OF DEATH, AND YEAR	- - ALL RACES - -			- - - WHITE - - -			- - - ALL OTHER - - -		
	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE
TUBERCULOSIS OF RESPIRATORY SYSTEM (001-008)									
1967.....	4.0	6.7	2.0	3.2	5.4	1.6	11.5	18.4	5.8
1966.....	4.5	7.5	2.2	3.7	6.2	1.7	12.6	19.9	6.5
1965.....	4.8	7.9	2.4	4.0	6.6	1.9	12.8	19.6	6.9
1964.....	5.1	8.1	2.5	4.2	6.9	2.0	13.2	20.3	7.0
1963.....	5.8	9.4	2.8	4.8	7.9	2.2	15.2	23.7	7.8
1962.....	5.9	9.5	3.0	4.9	8.0	2.3	15.8	23.9	8.5
1961.....	6.3	10.0	3.1	5.3	8.6	2.5	15.9	23.9	8.7
1960.....	7.0	11.0	3.6	5.9	9.5	2.9	17.6	26.2	9.7
TUBERCULOSIS, OTHER FORMS (010-019)									
1967.....	0.3	0.4	0.2	0.2	0.2	0.1	1.6	2.0	1.2
1966.....	0.4	0.4	0.3	0.2	0.3	0.2	1.5	1.8	1.3
1965.....	0.3	0.5	0.2	0.2	0.3	0.1	1.4	1.8	1.1
1964.....	0.4	0.5	0.3	0.3	0.4	0.2	1.7	2.1	1.4
1963.....	0.4	0.5	0.3	0.3	0.4	0.2	1.8	2.1	1.4
1962.....	0.4	0.5	0.4	0.3	0.4	0.2	1.7	2.0	1.5
1961.....	0.5	0.5	0.4	0.3	0.4	0.3	1.9	2.1	1.7
1960.....	0.5	0.6	0.4	0.3	0.4	0.3	1.9	2.5	1.4

FOOTNOTES: * FIGURE DOES NOT MEET STANDARD OF RELIABILITY OR PRECISION, ESTIMATION IS BASED ON FEWER THAN 20 EVENTS IN THE NUMERATOR OR DENOMINATOR.
 0.0 QUANTITY MORE THAN ZERO BUT LESS THAN 0.05.
 ... CATEGORY NOT APPLICABLE.

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished table NEWSTAN 60-67S created on 00/02/10.

POPULATION: UNITED STATES, 1960-67

(RATES PER 100,000 U.S. STANDARD YEAR 2000 POPULATION. NUMBERS AFTER CAUSES OF DEATH ARE CATEGORY NUMBERS OF THE SEVENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1955)

CAUSE OF DEATH, AND YEAR	-- ALL RACES --			-- WHITE --			-- ALL OTHER --		
	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE
SYPHILIS AND ITS SEQUELAE (020-029)									
1967.....	1.5	2.4	0.8	1.3	2.2	0.7	3.5	4.9	2.2
1966.....	1.4	2.2	0.8	1.2	2.0	0.6	3.5	4.8	2.4
1965.....	1.5	2.4	0.8	1.3	2.0	0.7	4.3	6.5	2.5
1964.....	1.7	2.6	1.0	1.4	2.1	0.8	5.0	7.2	3.2
1963.....	1.8	2.6	1.0	1.4	2.1	0.7	5.7	8.1	3.6
1962.....	1.9	2.9	1.0	1.5	2.3	0.8	6.1	8.8	3.8
1961.....	1.9	2.9	1.0	1.4	2.2	0.7	7.0	9.6	4.6
1960.....	2.0	3.1	1.1	1.5	2.4	0.8	6.9	10.2	3.9
DYSENTERY, ALL FORMS (045-048)									
1967.....	0.1	0.1	0.0	0.0	0.1	0.0	0.2	0.3	0.2
1966.....	0.1	0.1	0.1	0.1	0.1	0.0	0.3	0.3	0.3
1965.....	0.1	0.2	0.1	0.1	0.1	0.0	0.5	0.5	0.4
1964.....	0.1	0.2	0.1	0.1	0.1	0.1	0.5	0.5	0.5
1963.....	0.2	0.2	0.1	0.1	0.1	0.1	0.6	0.7	0.5
1962.....	0.2	0.2	0.1	0.1	0.1	0.1	0.5	0.6	0.5
1961.....	0.2	0.2	0.1	0.1	0.1	0.1	0.5	0.5	0.5
1960.....	0.2	0.2	0.2	0.1	0.1	0.1	0.6	0.6	0.6

FOOTNOTES: * FIGURE DOES NOT MEET STANDARD OF RELIABILITY OR PRECISION, ESTIMATION IS BASED ON FEWER THAN 20 EVENTS IN THE NUMERATOR OR DENOMINATOR.
 0.0 QUANTITY MORE THAN ZERO BUT LESS THAN 0.05.
 ... CATEGORY NOT APPLICABLE.

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished table NEWSTAN 60-67S created on 00/02/10.

POPULATION: UNITED STATES, 1960-67

(RATES PER 100,000 U.S. STANDARD YEAR 2000 POPULATION. NUMBERS AFTER CAUSES OF DEATH ARE CATEGORY NUMBERS OF THE SEVENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1955)

CAUSE OF DEATH, AND YEAR	- - ALL RACES - -			- - - WHITE - - -			- - - ALL OTHER - - -		
	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE
SCARLET FEVER AND STREPTOCOCCAL SORE THROAT (050,051)									
1967.....	0.0	0.0	0.0	0.0	*	*	*	*	*
1966.....	0.0	0.0	0.0	0.0	0.0	0.0	*	*	*
1965.....	0.0	0.0	0.0	0.0	0.0	0.0	*	*	*
1964.....	0.0	0.0	0.0	0.0	0.0	0.0	*	*	*
1963.....	0.1	0.1	0.0	0.0	0.0	0.0	0.1	*	*
1962.....	0.1	0.1	0.0	0.0	0.0	0.0	0.1	*	*
1961.....	0.0	0.1	0.1	0.1	0.1	0.1	*	*	*
1960.....	0.1	0.1	0.1	0.1	0.1	0.1	*	*	*
DIPHTHERIA (055)									
1967.....	0.0	*	*	*	*	*	*	*	*
1966.....	0.0	*	*	*	*	*	*	*	*
1965.....	*	*	*	*	*	*	*	*	*
1964.....	0.0	*	0.0	0.0	*	*	*	*	*
1963.....	0.0	0.0	0.0	0.0	*	*	0.1	*	*
1962.....	0.0	0.0	*	0.0	*	*	*	*	*
1961.....	0.0	0.0	0.0	0.0	0.0	0.0	0.1	*	*
1960.....	0.0	0.0	0.0	0.0	0.0	0.0	0.1	*	*

FOOTNOTES: * FIGURE DOES NOT MEET STANDARD OF RELIABILITY OR PRECISION, ESTIMATION IS BASED ON FEWER THAN 20 EVENTS IN THE NUMERATOR OR DENOMINATOR.
 0.0 QUANTITY MORE THAN ZERO BUT LESS THAN 0.05.
 ... CATEGORY NOT APPLICABLE.

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished table NEWSTAN 60-67S created on 00/02/10.

POPULATION: UNITED STATES, 1960-67

(RATES PER 100,000 U.S. STANDARD YEAR 2000 POPULATION. NUMBERS AFTER CAUSES OF DEATH ARE CATEGORY NUMBERS OF THE SEVENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1955)

CAUSE OF DEATH, AND YEAR	-- ALL RACES --			-- WHITE --			-- ALL OTHER --		
	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE
WHOOPING COUGH (056)									
1967.....	0.0	*	*	*	*	*	0.1	*	*
1966.....	0.0	0.0	0.0	0.0	*	*	0.1	*	*
1965.....	0.0	0.0	0.0	0.0	*	*	0.1	0.1	*
1964.....	0.0	0.0	0.0	0.0	*	*	0.1	0.1	0.2
1963.....	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.1	0.2
1962.....	0.0	0.0	0.0	0.0	0.0	*	0.1	0.1	0.1
1961.....	0.0	0.0	0.0	0.0	*	*	0.1	0.1	0.1
1960.....	0.0	0.0	0.0	0.0	*	0.0	0.2	0.2	0.2
MENINGOCOCCAL INFECTIONS (057)									
1967.....	0.3	0.3	0.2	0.2	0.3	0.2	0.5	0.5	0.5
1966.....	0.4	0.4	0.3	0.3	0.4	0.3	0.6	0.7	0.5
1965.....	0.4	0.4	0.3	0.4	0.4	0.3	0.5	0.6	0.5
1964.....	0.3	0.4	0.2	0.3	0.3	0.2	0.6	0.7	0.4
1963.....	0.3	0.3	0.3	0.3	0.3	0.2	0.4	0.4	0.4
1962.....	0.3	0.3	0.2	0.3	0.3	0.2	0.3	0.3	0.2
1961.....	0.2	0.3	0.2	0.2	0.2	0.2	0.3	0.4	0.3
1960.....	0.3	0.3	0.2	0.2	0.3	0.2	0.4	0.6	0.3

FOOTNOTES: * FIGURE DOES NOT MEET STANDARD OF RELIABILITY OR PRECISION, ESTIMATION IS BASED ON FEWER THAN 20 EVENTS IN THE NUMERATOR OR DENOMINATOR.
 0.0 QUANTITY MORE THAN ZERO BUT LESS THAN 0.05.
 ... CATEGORY NOT APPLICABLE.

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished table NEWSTAN 60-67S created on 00/02/10.

POPULATION: UNITED STATES, 1960-67

(RATES PER 100,000 U.S. STANDARD YEAR 2000 POPULATION. NUMBERS AFTER CAUSES OF DEATH ARE CATEGORY NUMBERS OF THE SEVENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1955)

CAUSE OF DEATH, AND YEAR	-- ALL RACES --			-- WHITE --			-- ALL OTHER --		
	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE
ACUTE POLIOMYELITIS (080)									
1967.....	*	*	*	*	*	*	*	*	*
1966.....	*	*	*	*	*	*	*	*	*
1965.....	*	*	*	*	*	*	*	*	*
1964.....	*	*	*	*	*	*	*	*	*
1963.....	0.0	0.0	*	0.0	0.0	*	*	*	*
1962.....	0.0	0.0	0.0	0.0	0.0	*	*	*	*
1961.....	0.0	0.0	0.0	0.0	0.0	0.1	*	*	*
1960.....	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.2	*
MEASLES (085)									
1967.....	0.0	0.0	0.0	0.0	0.0	0.0	0.1	*	*
1966.....	0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.2	0.2
1965.....	0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.2	0.2
1964.....	0.1	0.1	0.2	0.1	0.1	0.2	0.2	0.2	0.3
1963.....	0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.2	0.3
1962.....	0.1	0.1	0.2	0.1	0.1	0.1	0.3	0.2	0.3
1961.....	0.1	0.1	0.2	0.1	0.1	0.1	0.3	0.3	0.3
1960.....	0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.2	0.3

FOOTNOTES: * FIGURE DOES NOT MEET STANDARD OF RELIABILITY OR PRECISION, ESTIMATION IS BASED ON FEWER THAN 20 EVENTS IN THE NUMERATOR OR DENOMINATOR.
 0.0 QUANTITY MORE THAN ZERO BUT LESS THAN 0.05.
 ... CATEGORY NOT APPLICABLE.

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished table NEWSTAN 60-67S created on 00/02/10.

POPULATION: UNITED STATES, 1960-67

(RATES PER 100,000 U.S. STANDARD YEAR 2000 POPULATION. NUMBERS AFTER CAUSES OF DEATH ARE CATEGORY NUMBERS OF THE SEVENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1955)

CAUSE OF DEATH, AND YEAR	- - ALL RACES - -			- - - WHITE - - -			- - - ALL OTHER - - -		
	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE
OTHER INFECTIVE AND PARASITIC DISEASES (030-044, 049, 052-054, 058-074, 081-084, 086-138)									
1967.....	3.5	3.9	3.1	3.1	3.5	2.8	6.6	7.5	5.8
1966.....	3.6	4.1	3.2	3.2	3.7	2.8	6.8	7.9	5.9
1965.....	3.5	3.9	3.1	3.1	3.5	2.8	6.7	7.5	6.1
1964.....	3.4	4.0	3.0	3.1	3.6	2.7	6.1	6.8	5.5
1963.....	3.6	4.2	3.2	3.3	3.8	2.8	6.5	7.3	5.7
1962.....	3.5	3.9	3.2	3.2	3.5	2.9	6.3	7.1	5.6
1961.....	3.4	3.8	3.0	3.0	3.4	2.7	5.9	6.6	5.3
1960.....	3.4	3.9	3.1	3.1	3.5	2.8	6.1	6.8	5.4
MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES (140-205)									
1967.....	197.3	242.6	163.9	195.4	240.3	162.8	211.6	262.3	169.5
1966.....	196.5	239.6	164.3	194.6	237.3	163.1	210.3	258.7	170.7
1965.....	195.6	237.1	164.4	194.3	235.9	163.4	204.3	246.5	168.8
1964.....	193.6	232.5	163.7	192.3	231.1	162.8	201.5	242.4	167.2
1963.....	194.7	232.5	165.5	192.2	229.5	163.5	201.6	242.4	167.2
1962.....	193.3	228.7	165.7	191.0	226.5	163.6	197.3	230.2	169.4
1961.....	193.4	227.2	166.6	192.3	226.5	165.5	198.4	230.5	170.4
1960.....	193.9	225.1	168.7	193.1	224.7	167.7	196.7	224.9	171.3

FOOTNOTES: * FIGURE DOES NOT MEET STANDARD OF RELIABILITY OR PRECISION, ESTIMATION IS BASED ON FEWER THAN 20 EVENTS IN THE NUMERATOR OR DENOMINATOR.
 0.0 QUANTITY MORE THAN ZERO BUT LESS THAN 0.05.
 ... CATEGORY NOT APPLICABLE.

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished table NEWSTAN 60-67S created on 00/02/10.

POPULATION: UNITED STATES, 1960-67

(RATES PER 100,000 U.S. STANDARD YEAR 2000 POPULATION. NUMBERS AFTER CAUSES OF DEATH ARE CATEGORY NUMBERS OF THE SEVENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1955)

CAUSE OF DEATH, AND YEAR	- - ALL RACES - -			- - - WHITE - - -			- - - ALL OTHER - - -		
	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE
MALIGNANT NEOPLASMS OF BUCCAL CAVITY AND PHARYNX(140-148)									
1967.....	4.1	6.9	2.0	4.1	6.7	1.9	5.0	8.1	2.4
1966.....	4.4	7.1	2.1	4.3	7.0	2.1	4.7	7.5	2.3
1965.....	4.2	7.0	1.9	4.1	6.9	1.9	4.6	7.4	2.2
1964.....	4.4	7.3	2.1	4.3	7.2	2.0	5.0	8.4	2.2
1963.....	4.4	7.3	2.0	4.4	7.2	2.0	4.5	7.1	2.1
1962.....	4.5	7.5	2.1	4.5	7.4	2.1	4.5	7.0	2.1
1961.....	4.5	7.4	2.0	4.5	7.4	2.0	4.1	6.7	1.8
1960.....	4.5	7.3	2.1	4.5	7.4	2.1	4.2	6.3	2.3
MALIGNANT NEOPLASM OF DIGESTIVE ORGANS AND PERITONEUM, NOT SPECIFIED AS SECONDARY (150-156A, 157-159)									
1967.....	62.9	76.2	52.6	62.1	74.8	52.4	69.7	89.2	53.3
1966.....	64.1	77.1	53.8	63.0	75.3	53.5	72.4	93.3	54.9
1965.....	64.7	78.2	54.0	63.9	76.9	53.8	70.9	90.6	53.9
1964.....	64.9	77.8	54.6	64.2	76.5	54.4	70.2	89.3	53.6
1963.....	66.4	78.9	56.3	65.1	76.8	55.7	70.0	89.4	53.3
1962.....	66.8	79.0	56.8	65.6	77.3	56.2	68.5	85.3	53.9
1961.....	67.9	80.3	57.6	67.3	79.3	57.5	71.1	88.7	55.3
1960.....	69.0	80.8	59.0	68.6	80.0	59.1	70.8	87.2	55.8

FOOTNOTES: * FIGURE DOES NOT MEET STANDARD OF RELIABILITY OR PRECISION, ESTIMATION IS BASED ON FEWER THAN 20 EVENTS IN THE NUMERATOR OR DENOMINATOR.
 0.0 QUANTITY MORE THAN ZERO BUT LESS THAN 0.05.
 ... CATEGORY NOT APPLICABLE.

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished table NEWSTAN 60-67S created on 00/02/10.

POPULATION: UNITED STATES, 1960-67

(RATES PER 100,000 U.S. STANDARD YEAR 2000 POPULATION. NUMBERS AFTER CAUSES OF DEATH ARE CATEGORY NUMBERS OF THE SEVENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1955)

CAUSE OF DEATH, AND YEAR	-- ALL RACES --			-- WHITE --			-- ALL OTHER --		
	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE
MALIGNANT NEOPLASM OF RESPIRATORY SYSTEM, NOT SPECIFIED AS SECONDARY (160-164)									
1967.....	34.5	63.6	10.9	34.2	63.3	10.9	36.2	66.0	10.7
1966.....	33.1	60.8	10.3	32.8	60.4	10.2	34.8	63.0	10.4
1965.....	31.7	58.4	9.7	31.7	58.4	9.7	31.5	56.7	9.4
1964.....	30.4	55.9	9.0	30.4	56.0	9.0	29.7	53.1	9.0
1963.....	29.6	54.0	8.8	29.2	53.5	8.7	30.3	54.0	9.2
1962.....	28.5	52.0	8.3	28.3	51.7	8.3	27.1	48.4	7.9
1961.....	27.4	49.7	8.1	27.5	49.9	8.1	26.1	46.7	7.3
1960.....	26.4	47.7	7.6	26.3	47.7	7.5	26.7	46.9	7.9
MALIGNANT NEOPLASM OF BREAST (170)									
1967.....	17.7	0.3	32.1	17.9	0.3	32.3	15.7	0.3	28.8
1966.....	17.6	0.3	31.9	17.8	0.3	32.3	14.7	0.5	26.9
1965.....	17.6	0.4	32.0	17.8	0.4	32.3	15.1	0.4	27.9
1964.....	17.3	0.3	31.6	17.5	0.3	31.9	14.8	0.5	27.4
1963.....	17.0	0.4	31.2	17.0	0.4	31.1	14.9	0.5	27.6
1962.....	17.1	0.3	31.4	17.1	0.3	31.4	14.3	0.3	26.9
1961.....	17.1	0.4	31.6	17.3	0.4	31.9	14.5	*	27.4
1960.....	17.1	0.3	31.7	17.3	0.3	32.0	14.4	0.5	27.2

FOOTNOTES: * FIGURE DOES NOT MEET STANDARD OF RELIABILITY OR PRECISION, ESTIMATION IS BASED ON FEWER THAN 20 EVENTS IN THE NUMERATOR OR DENOMINATOR.
 0.0 QUANTITY MORE THAN ZERO BUT LESS THAN 0.05.
 ... CATEGORY NOT APPLICABLE.

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished table NEWSTAN 60-67S created on 00/02/10.

POPULATION: UNITED STATES, 1960-67

(RATES PER 100,000 U.S. STANDARD YEAR 2000 POPULATION. NUMBERS AFTER CAUSES OF DEATH ARE CATEGORY NUMBERS OF THE SEVENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1955)

CAUSE OF DEATH, AND YEAR	- - ALL RACES - -			- - - WHITE - - -			- - - ALL OTHER - - -		
	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE
MALIGNANT NEOPLASM OF GENITAL ORGANS (171-179)									
1967.....	26.9	30.6	26.1	25.6	29.3	24.8	39.9	44.2	37.4
1966.....	27.4	30.4	27.0	26.1	29.3	25.6	40.2	41.8	40.1
1965.....	27.9	30.7	27.7	26.7	29.7	26.3	40.1	41.1	40.3
1964.....	28.0	30.4	28.0	26.7	29.2	26.6	41.3	42.8	41.2
1963.....	28.6	30.7	28.7	27.3	29.7	27.2	40.8	41.3	41.7
1962.....	28.7	30.5	29.1	27.4	29.4	27.6	42.7	43.1	43.5
1961.....	29.0	30.6	29.5	27.7	29.7	27.9	42.9	41.4	45.0
1960.....	29.2	30.0	30.3	28.0	29.1	28.8	41.8	40.1	44.0
MALIGNANT NEOPLASM OF URINARY ORGANS (180,181)									
1967.....	9.7	14.5	5.9	9.7	14.9	5.9	8.3	10.9	6.2
1966.....	9.6	14.5	5.7	9.7	14.9	5.7	7.9	10.6	5.6
1965.....	9.5	13.8	6.1	9.6	14.1	6.1	7.6	9.7	5.7
1964.....	9.4	13.9	5.8	9.5	14.3	5.8	7.3	9.3	5.5
1963.....	9.7	14.3	5.9	9.7	14.5	5.9	7.3	9.8	5.2
1962.....	9.6	14.0	6.1	9.6	14.2	5.9	7.7	9.6	6.1
1961.....	9.6	13.8	6.1	9.7	14.2	6.1	7.4	9.7	5.3
1960.....	9.6	13.9	6.1	9.8	14.3	6.0	7.6	9.3	6.0

FOOTNOTES: * FIGURE DOES NOT MEET STANDARD OF RELIABILITY OR PRECISION, ESTIMATION IS BASED ON FEWER THAN 20 EVENTS IN THE NUMERATOR OR DENOMINATOR.
 0.0 QUANTITY MORE THAN ZERO BUT LESS THAN 0.05.
 ... CATEGORY NOT APPLICABLE.

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished table NEWSTAN 60-67S created on 00/02/10.

POPULATION: UNITED STATES, 1960-67

(RATES PER 100,000 U.S. STANDARD YEAR 2000 POPULATION. NUMBERS AFTER CAUSES OF DEATH ARE CATEGORY NUMBERS OF THE SEVENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1955)

CAUSE OF DEATH, AND YEAR	- - ALL RACES - -			- - - WHITE - - -			- - - ALL OTHER - - -		
	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE
MALIGNANT NEOPLASM OF OTHER AND UNSPECIFIED SITES (156B, 165, 190-199)									
1967.....	22.7	26.9	19.4	22.8	27.0	19.3	22.2	25.0	19.7
1966.....	22.1	26.1	18.8	22.0	26.2	18.6	22.5	25.7	19.8
1965.....	22.2	26.3	18.9	22.3	26.5	18.9	21.3	23.7	19.2
1964.....	21.4	24.9	18.4	21.5	25.2	18.4	20.1	22.2	18.3
1963.....	21.3	24.7	18.4	21.4	24.9	18.4	19.9	22.3	17.8
1962.....	20.8	24.0	18.1	20.9	24.3	18.1	19.3	20.3	18.5
1961.....	20.6	23.3	18.2	20.7	23.6	18.1	19.5	20.5	18.7
1960.....	20.9	23.7	18.4	21.0	24.0	18.3	19.4	20.5	18.6
LEUKEMIA AND ALEUKEMIA (204)									
1967.....	8.7	11.3	6.8	9.0	11.6	7.0	6.2	8.1	4.7
1966.....	8.7	11.1	6.8	9.0	11.6	7.0	5.6	6.5	4.8
1965.....	8.5	10.8	6.7	8.8	11.2	6.9	5.7	7.4	4.3
1964.....	8.5	10.8	6.7	8.8	11.1	6.9	5.6	7.1	4.4
1963.....	8.6	10.9	6.7	8.8	11.2	6.9	6.1	7.5	4.9
1962.....	8.4	10.6	6.7	8.7	11.0	6.8	5.6	6.6	4.8
1961.....	8.4	10.8	6.5	8.7	11.2	6.7	5.4	6.8	4.2
1960.....	8.4	10.4	6.7	8.7	10.9	6.9	5.2	5.9	4.5

FOOTNOTES: * FIGURE DOES NOT MEET STANDARD OF RELIABILITY OR PRECISION, ESTIMATION IS BASED ON FEWER THAN 20 EVENTS IN THE NUMERATOR OR DENOMINATOR.
 0.0 QUANTITY MORE THAN ZERO BUT LESS THAN 0.05.
 ... CATEGORY NOT APPLICABLE.

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished table NEWSTAN 60-67S created on 00/02/10.

POPULATION: UNITED STATES, 1960-67

(RATES PER 100,000 U.S. STANDARD YEAR 2000 POPULATION. NUMBERS AFTER CAUSES OF DEATH ARE CATEGORY NUMBERS OF THE SEVENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1955)

CAUSE OF DEATH, AND YEAR	- - ALL RACES - -			- - - WHITE - - -			- - - ALL OTHER - - -		
	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE
LYMPHOSARCOMA AND OTHER NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES (200-203, 205)									
1967.....	10.0	12.3	8.1	10.1	12.4	8.2	8.4	10.8	6.4
1966.....	9.7	12.0	7.8	9.9	12.2	8.0	7.6	9.9	5.7
1965.....	9.4	11.5	7.5	9.5	11.7	7.6	7.6	9.4	6.0
1964.....	9.3	11.2	7.6	9.4	11.4	7.8	7.4	9.7	5.5
1963.....	9.2	11.3	7.4	9.3	11.3	7.6	7.8	10.5	5.4
1962.....	8.8	10.8	7.2	9.0	10.9	7.2	7.5	9.6	5.7
1961.....	8.8	10.8	7.0	8.9	10.9	7.2	7.4	9.6	5.3
1960.....	8.7	10.7	6.9	8.9	11.0	7.1	6.6	8.3	5.1
BENIGN NEOPLASMS AND NEOPLASMS OF UNSPECIFIED NATURE(210-239)									
1967.....	3.1	3.2	2.9	2.9	3.2	2.7	4.3	4.0	4.6
1966.....	3.1	3.1	3.1	2.9	3.1	2.8	4.0	3.5	4.4
1965.....	3.2	3.2	3.1	3.0	3.1	2.9	4.2	3.7	4.7
1964.....	3.1	3.1	3.1	3.0	3.1	2.9	4.4	3.7	5.1
1963.....	3.1	3.1	3.2	3.0	3.1	2.9	4.5	3.4	5.5
1962.....	3.0	2.9	3.1	2.9	2.9	2.9	4.3	3.4	5.0
1961.....	3.1	2.9	3.3	2.9	2.8	3.0	4.4	3.3	5.5
1960.....	3.3	3.1	3.5	3.1	3.0	3.2	4.8	3.5	5.8

FOOTNOTES: * FIGURE DOES NOT MEET STANDARD OF RELIABILITY OR PRECISION, ESTIMATION IS BASED ON FEWER THAN 20 EVENTS IN THE NUMERATOR OR DENOMINATOR.
 0.0 QUANTITY MORE THAN ZERO BUT LESS THAN 0.05.
 ... CATEGORY NOT APPLICABLE.

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished table NEWSTAN 60-67S created on 00/02/10.

POPULATION: UNITED STATES, 1960-67

(RATES PER 100,000 U.S. STANDARD YEAR 2000 POPULATION. NUMBERS AFTER CAUSES OF DEATH ARE CATEGORY NUMBERS OF THE SEVENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1955)

CAUSE OF DEATH, AND YEAR	- - ALL RACES - -			- - - WHITE - - -			- - - ALL OTHER - - -		
	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE
ASTHMA (241)									
1967.....	2.5	3.1	2.1	2.3	2.9	1.9	4.3	4.8	3.9
1966.....	2.6	3.4	2.1	2.5	3.2	1.9	4.2	5.1	3.4
1965.....	2.8	3.7	2.1	2.6	3.5	2.0	4.5	5.5	3.6
1964.....	2.8	3.7	2.2	2.7	3.5	2.0	4.4	5.1	3.7
1963.....	3.3	4.5	2.3	3.1	4.4	2.1	4.8	5.6	4.2
1962.....	3.2	4.5	2.2	3.1	4.4	2.0	4.4	5.1	3.7
1961.....	3.3	4.6	2.3	3.1	4.4	2.1	4.7	5.7	3.8
1960.....	3.7	5.1	2.6	3.6	5.0	2.3	5.0	5.7	4.3
DIABETES MELLITUS (260)									
1967.....	23.4	22.0	24.5	22.4	21.5	22.8	33.8	25.6	40.6
1966.....	23.6	22.0	24.8	22.4	21.5	23.1	34.6	26.5	41.7
1965.....	22.9	21.2	24.3	21.9	20.7	22.7	32.9	25.8	39.2
1964.....	22.5	20.6	24.1	21.5	20.2	22.4	32.9	24.9	40.0
1963.....	23.1	21.0	24.8	21.9	20.5	23.0	32.2	24.3	39.5
1962.....	22.6	20.8	24.1	21.6	20.4	22.5	31.0	23.6	37.8
1961.....	22.1	19.5	24.3	21.3	19.3	22.9	29.5	21.3	37.2
1960.....	22.5	19.9	24.7	21.7	19.6	23.3	30.6	23.2	37.4

FOOTNOTES: * FIGURE DOES NOT MEET STANDARD OF RELIABILITY OR PRECISION, ESTIMATION IS BASED ON FEWER THAN 20 EVENTS IN THE NUMERATOR OR DENOMINATOR.
 0.0 QUANTITY MORE THAN ZERO BUT LESS THAN 0.05.
 ... CATEGORY NOT APPLICABLE.

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished table NEWSTAN 60-67S created on 00/02/10.

POPULATION: UNITED STATES, 1960-67

(RATES PER 100,000 U.S. STANDARD YEAR 2000 POPULATION. NUMBERS AFTER CAUSES OF DEATH ARE CATEGORY NUMBERS OF THE SEVENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1955)

CAUSE OF DEATH, AND YEAR	- - ALL RACES - -			- - - WHITE - - -			- - - ALL OTHER - - -		
	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE
ANEMIAS (290-293)									
1967.....	2.3	2.7	2.1	2.1	2.5	1.9	3.5	3.7	3.4
1966.....	2.4	2.6	2.2	2.2	2.4	2.1	3.6	3.6	3.5
1965.....	2.5	2.8	2.3	2.3	2.6	2.1	3.6	3.6	3.6
1964.....	2.5	2.8	2.4	2.3	2.6	2.2	3.7	4.0	3.5
1963.....	2.5	2.6	2.4	2.3	2.5	2.2	3.6	3.8	3.5
1962.....	2.5	2.6	2.4	2.4	2.5	2.3	3.2	3.2	3.3
1961.....	2.4	2.6	2.3	2.3	2.5	2.2	3.4	3.6	3.2
1960.....	2.5	2.6	2.5	2.4	2.4	2.3	3.3	3.1	3.5
MENINGITIS, EXCEPT MENINGOCOCCAL AND TUBERCULOUS (340)									
1967.....	1.0	1.2	0.8	0.8	1.0	0.6	2.5	3.0	2.1
1966.....	1.1	1.3	1.0	0.9	1.0	0.8	3.0	3.4	2.6
1965.....	1.1	1.3	1.0	0.9	1.0	0.7	2.8	3.2	2.5
1964.....	1.1	1.4	0.9	0.9	1.0	0.7	2.9	3.4	2.4
1963.....	1.1	1.3	0.9	0.9	1.1	0.7	2.6	2.8	2.4
1962.....	1.1	1.2	0.9	0.9	1.0	0.7	2.7	3.0	2.3
1961.....	1.0	1.2	0.9	0.8	1.0	0.7	2.4	2.7	2.1
1960.....	1.1	1.3	0.9	0.9	1.0	0.7	2.8	3.2	2.4

FOOTNOTES: * FIGURE DOES NOT MEET STANDARD OF RELIABILITY OR PRECISION, ESTIMATION IS BASED ON FEWER THAN 20 EVENTS IN THE NUMERATOR OR DENOMINATOR.
 0.0 QUANTITY MORE THAN ZERO BUT LESS THAN 0.05.
 ... CATEGORY NOT APPLICABLE.

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished table NEWSTAN 60-67S created on 00/02/10.

POPULATION: UNITED STATES, 1960-67

(RATES PER 100,000 U.S. STANDARD YEAR 2000 POPULATION. NUMBERS AFTER CAUSES OF DEATH ARE CATEGORY NUMBERS OF THE SEVENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1955)

CAUSE OF DEATH, AND YEAR	- - ALL RACES - -			- - - WHITE - - -			- - - ALL OTHER - - -		
	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE
MAJOR CARDIOVASCULAR-RENAL DISEASES (330-334, 400-468, 592-594)									
1967.....	754.9	923.9	620.5	749.1	925.7	609.4	783.2	887.9	693.2
1966.....	780.6	949.3	645.1	772.9	948.2	632.3	828.1	938.7	736.3
1965.....	783.1	949.3	648.0	775.7	949.5	635.4	827.8	931.0	739.9
1964.....	785.1	943.4	654.2	777.3	942.8	640.6	830.7	922.9	754.0
1963.....	813.7	976.0	678.4	801.7	971.5	661.2	874.5	981.5	787.8
1962.....	807.1	961.2	677.2	795.4	957.2	660.0	864.5	956.9	789.1
1961.....	792.7	940.7	665.6	784.9	941.5	651.9	840.3	914.9	774.9
1960.....	813.7	961.4	685.7	806.6	961.9	672.5	857.8	936.7	786.3
DISEASES OF CARDIOVASCULAR SYSTEM (330-334, 400-468)									
1967.....	748.3	915.5	615.1	743.4	918.4	605.0	766.7	868.5	679.1
1966.....	773.4	940.3	639.4	766.8	940.4	627.5	810.8	917.9	721.8
1965.....	775.6	940.0	642.0	769.3	941.4	630.2	810.1	909.8	725.0
1964.....	777.1	933.6	647.6	770.4	934.2	635.0	812.1	901.5	737.7
1963.....	805.4	965.9	671.6	794.6	962.5	655.5	855.3	958.6	771.5
1962.....	798.5	950.7	670.2	788.0	947.9	654.0	844.4	933.7	771.5
1961.....	783.8	930.1	658.1	777.0	932.0	645.4	820.3	892.1	757.2
1960.....	804.3	950.1	677.7	798.3	951.9	665.7	835.4	911.5	766.4

FOOTNOTES: * FIGURE DOES NOT MEET STANDARD OF RELIABILITY OR PRECISION, ESTIMATION IS BASED ON FEWER THAN 20 EVENTS IN THE NUMERATOR OR DENOMINATOR.
 0.0 QUANTITY MORE THAN ZERO BUT LESS THAN 0.05.
 ... CATEGORY NOT APPLICABLE.

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished table NEWSTAN 60-67S created on 00/02/10.

POPULATION: UNITED STATES, 1960-67

(RATES PER 100,000 U.S. STANDARD YEAR 2000 POPULATION. NUMBERS AFTER CAUSES OF DEATH ARE CATEGORY NUMBERS OF THE SEVENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1955)

CAUSE OF DEATH, AND YEAR	-- ALL RACES --			-- WHITE --			-- ALL OTHER --		
	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE
VASCULAR LESIONS AFFECTING CENTRAL NERVOUS SYSTEM (330-334)									
1967.....	159.3	170.5	150.6	154.9	166.6	145.9	198.2	206.5	190.6
1966.....	165.8	176.2	157.4	160.6	171.2	152.0	212.7	222.0	205.0
1965.....	166.4	176.7	158.0	160.9	171.8	152.3	216.1	222.9	210.1
1964.....	167.0	176.6	159.1	161.8	171.9	153.5	214.2	220.5	209.6
1963.....	173.9	183.2	166.0	169.0	179.1	160.7	226.8	234.1	222.1
1962.....	174.0	182.3	167.0	169.3	178.7	161.6	226.4	229.0	225.5
1961.....	173.1	180.8	166.3	168.0	176.7	160.6	219.2	219.7	219.5
1960.....	177.9	186.1	170.7	172.7	181.6	165.0	227.5	230.4	225.2
DISEASES OF HEART (400-402, 410-443)									
1967.....	524.7	670.1	408.2	524.9	677.0	403.7	502.2	588.6	428.2
1966.....	541.2	687.1	423.4	540.4	692.4	417.9	528.7	618.4	453.9
1965.....	542.5	685.8	425.3	542.3	692.4	420.2	524.0	607.8	452.7
1964.....	543.3	680.2	429.4	542.6	686.0	423.5	527.3	602.9	463.6
1963.....	563.4	704.8	445.2	558.2	706.1	435.2	554.5	640.4	483.5
1962.....	556.9	692.0	442.7	551.8	693.2	432.7	545.2	623.2	480.0
1961.....	545.3	675.4	433.5	544.4	681.9	427.3	531.3	595.1	474.6
1960.....	559.0	687.6	447.0	559.0	694.5	441.7	535.9	601.0	476.3

FOOTNOTES: * FIGURE DOES NOT MEET STANDARD OF RELIABILITY OR PRECISION, ESTIMATION IS BASED ON FEWER THAN 20 EVENTS IN THE NUMERATOR OR DENOMINATOR.
 0.0 QUANTITY MORE THAN ZERO BUT LESS THAN 0.05.
 ... CATEGORY NOT APPLICABLE.

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished table NEWSTAN 60-67S created on 00/02/10.

POPULATION: UNITED STATES, 1960-67

(RATES PER 100,000 U.S. STANDARD YEAR 2000 POPULATION. NUMBERS AFTER CAUSES OF DEATH ARE CATEGORY NUMBERS OF THE SEVENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1955)

CAUSE OF DEATH, AND YEAR	- - ALL RACES - -			- - - WHITE - - -			- - - ALL OTHER - - -		
	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE
RHEUMATIC FEVER AND CHRONIC RHEUMATIC HEART DISEASE (400-402, 410-416)									
1967.....	8.5	7.7	9.2	8.6	7.8	9.2	7.4	7.2	7.6
1966.....	9.2	8.4	9.8	9.3	8.5	9.9	7.7	7.4	8.0
1965.....	9.5	8.9	10.1	9.7	9.0	10.2	7.8	7.4	8.2
1964.....	9.9	9.4	10.4	10.0	9.5	10.5	8.3	8.1	8.4
1963.....	10.6	10.3	10.8	10.6	10.4	10.8	8.7	8.8	8.6
1962.....	11.5	11.1	11.8	11.5	11.2	11.7	9.0	8.7	9.3
1961.....	11.7	11.4	12.0	11.9	11.6	12.1	9.7	9.5	9.9
1960.....	12.4	12.3	12.4	12.5	12.4	12.6	10.3	10.8	9.9
ARTERIOSCLEROTIC HEART DISEASE, INCLUDING CORONARY DISEASE (420)									
1967.....	413.0	549.5	304.1	420.3	564.0	306.2	322.6	394.9	261.0
1966.....	422.0	559.8	311.1	428.7	573.2	312.7	336.8	412.6	273.6
1965.....	421.1	556.6	310.7	428.1	570.7	312.6	331.3	404.2	269.5
1964.....	417.8	548.5	309.7	424.8	562.4	311.4	325.2	391.9	268.7
1963.....	429.1	562.9	317.6	433.3	574.0	316.8	333.2	407.3	271.2
1962.....	421.0	550.2	312.3	425.4	561.2	311.8	323.2	390.6	265.7
1961.....	406.7	530.8	300.6	414.1	545.5	302.6	308.5	365.4	257.9
1960.....	410.7	533.3	304.5	419.0	548.7	307.2	302.3	358.6	250.8

FOOTNOTES: * FIGURE DOES NOT MEET STANDARD OF RELIABILITY OR PRECISION, ESTIMATION IS BASED ON FEWER THAN 20 EVENTS IN THE NUMERATOR OR DENOMINATOR.
 0.0 QUANTITY MORE THAN ZERO BUT LESS THAN 0.05.
 ... CATEGORY NOT APPLICABLE.

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished table NEWSTAN 60-67S created on 00/02/10.

POPULATION: UNITED STATES, 1960-67

(RATES PER 100,000 U.S. STANDARD YEAR 2000 POPULATION. NUMBERS AFTER CAUSES OF DEATH ARE CATEGORY NUMBERS OF THE SEVENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1955)

CAUSE OF DEATH, AND YEAR	- - ALL RACES - -			- - - WHITE - - -			- - - ALL OTHER - - -		
	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE
NONRHEUMATIC CHRONIC ENDOCARDITIS AND OTHER MYOCARDIAL DEGENERATION (421,422)									
1967.....	43.4	49.0	39.0	42.8	48.3	38.4	48.7	54.5	43.7
1966.....	45.9	51.1	41.8	45.4	50.4	41.3	49.9	56.8	44.4
1965.....	47.1	52.4	42.8	46.7	52.1	42.3	50.3	55.1	46.0
1964.....	48.4	53.2	44.4	47.8	52.7	43.7	52.9	57.4	49.2
1963.....	52.5	58.1	47.9	50.9	56.4	46.5	59.4	66.1	54.1
1962.....	52.1	57.2	47.9	50.3	55.3	46.3	59.1	64.3	55.2
1961.....	53.1	58.0	48.9	52.4	57.3	48.3	58.1	64.1	52.8
1960.....	57.3	62.2	53.0	56.7	61.7	52.5	61.6	66.7	57.1
OTHER DISEASES OF HEART (430-434)									
1967.....	22.7	28.3	18.5	21.2	26.6	17.1	37.1	44.2	31.1
1966.....	23.2	28.5	19.0	21.6	26.8	17.6	37.8	45.0	31.8
1965.....	22.2	27.3	18.1	20.7	25.6	16.8	36.1	43.5	29.8
1964.....	21.6	26.4	17.7	20.0	24.7	16.3	35.6	42.3	30.0
1963.....	21.5	26.4	17.6	20.1	24.8	16.3	37.4	44.9	31.3
1962.....	20.8	25.6	16.8	19.4	24.1	15.5	36.4	43.8	30.0
1961.....	20.5	25.4	16.4	19.0	23.9	15.0	35.2	40.9	30.0
1960.....	21.5	26.3	17.3	20.1	24.8	16.1	35.5	42.3	29.4

FOOTNOTES: * FIGURE DOES NOT MEET STANDARD OF RELIABILITY OR PRECISION, ESTIMATION IS BASED ON FEWER THAN 20 EVENTS IN THE NUMERATOR OR DENOMINATOR.
 0.0 QUANTITY MORE THAN ZERO BUT LESS THAN 0.05.
 ... CATEGORY NOT APPLICABLE.

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished table NEWSTAN 60-67S created on 00/02/10.

POPULATION: UNITED STATES, 1960-67

(RATES PER 100,000 U.S. STANDARD YEAR 2000 POPULATION. NUMBERS AFTER CAUSES OF DEATH ARE CATEGORY NUMBERS OF THE SEVENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1955)

CAUSE OF DEATH, AND YEAR	- - ALL RACES - -			- - - WHITE - - -			- - - ALL OTHER - - -		
	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE
HYPERTENSIVE HEART DISEASE (440-443)									
1967.....	37.0	35.5	37.5	32.1	30.2	32.8	86.4	88.0	84.8
1966.....	41.0	39.3	41.7	35.5	33.6	36.3	96.4	96.6	96.0
1965.....	42.6	40.6	43.6	37.1	34.9	38.2	98.6	97.7	99.1
1964.....	45.7	42.7	47.3	39.9	36.8	41.6	105.3	103.1	107.3
1963.....	49.7	47.0	51.3	43.2	40.5	44.8	115.9	113.3	118.4
1962.....	51.6	48.0	53.8	45.1	41.5	47.4	117.5	115.7	119.8
1961.....	53.3	49.8	55.7	47.0	43.5	49.3	119.8	115.2	124.0
1960.....	57.2	53.5	59.7	50.7	46.9	53.2	126.1	122.7	129.1
OTHER HYPERTENSIVE DISEASE (444-447)									
1967.....	8.7	10.2	7.6	7.9	9.3	6.9	16.0	17.8	14.3
1966.....	9.1	10.7	8.0	8.3	9.8	7.2	16.6	18.6	14.9
1965.....	9.5	11.2	8.3	8.7	10.2	7.6	17.7	21.1	14.7
1964.....	10.2	11.8	9.0	9.2	10.7	8.1	19.0	21.4	17.1
1963.....	10.8	12.3	9.6	9.8	11.2	8.8	19.7	22.5	17.3
1962.....	10.8	12.1	9.8	9.8	10.9	8.9	20.9	23.3	18.9
1961.....	10.7	11.8	9.8	9.6	10.7	8.8	20.6	22.8	18.8
1960.....	11.3	12.6	10.3	10.3	11.5	9.3	21.7	23.7	19.9

FOOTNOTES: * FIGURE DOES NOT MEET STANDARD OF RELIABILITY OR PRECISION, ESTIMATION IS BASED ON FEWER THAN 20 EVENTS IN THE NUMERATOR OR DENOMINATOR.
 0.0 QUANTITY MORE THAN ZERO BUT LESS THAN 0.05.
 ... CATEGORY NOT APPLICABLE.

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished table NEWSTAN 60-67S created on 00/02/10.

POPULATION: UNITED STATES, 1960-67

(RATES PER 100,000 U.S. STANDARD YEAR 2000 POPULATION. NUMBERS AFTER CAUSES OF DEATH ARE CATEGORY NUMBERS OF THE SEVENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1955)

CAUSE OF DEATH, AND YEAR	- - ALL RACES - -			- - - WHITE - - -			- - - ALL OTHER - - -		
	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE
GENERAL ARTERIOSCLEROSIS (450)									
1967.....	35.4	38.2	33.4	36.2	39.0	34.1	26.3	28.5	24.3
1966.....	37.7	40.8	35.5	38.4	41.6	36.1	29.5	32.5	27.2
1965.....	38.3	41.5	35.9	38.9	42.3	36.5	30.3	33.1	28.2
1964.....	38.4	40.9	36.6	39.0	41.5	37.0	30.7	32.6	29.4
1963.....	39.7	42.7	37.4	40.3	43.4	38.0	33.1	37.0	30.4
1962.....	40.1	42.6	38.2	40.7	43.3	38.8	33.8	37.5	31.1
1961.....	39.2	41.9	37.1	39.8	42.6	37.7	31.1	34.0	28.7
1960.....	40.9	44.0	38.3	41.4	44.7	38.9	33.2	36.9	30.0
OTHER DISEASES OF CIRCULATORY SYSTEM (451-468)									
1967.....	20.1	26.6	15.2	19.6	26.4	14.4	24.1	27.0	21.6
1966.....	19.6	25.5	15.0	19.1	25.4	14.3	23.3	26.4	20.7
1965.....	19.0	24.8	14.4	18.6	24.7	13.8	22.0	25.0	19.4
1964.....	18.2	24.1	13.5	17.9	24.0	12.9	20.8	24.2	18.1
1963.....	17.7	23.0	13.3	17.3	22.8	12.8	21.2	24.6	18.3
1962.....	16.6	21.7	12.5	16.3	21.7	12.0	18.2	20.6	16.1
1961.....	15.4	20.2	11.5	15.1	20.1	11.0	17.9	20.6	15.6
1960.....	15.2	19.7	11.3	14.9	19.7	10.9	17.1	19.5	14.9

FOOTNOTES: * FIGURE DOES NOT MEET STANDARD OF RELIABILITY OR PRECISION, ESTIMATION IS BASED ON FEWER THAN 20 EVENTS IN THE NUMERATOR OR DENOMINATOR.
 0.0 QUANTITY MORE THAN ZERO BUT LESS THAN 0.05.
 ... CATEGORY NOT APPLICABLE.

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished table NEWSTAN 60-67S created on 00/02/10.

POPULATION: UNITED STATES, 1960-67

(RATES PER 100,000 U.S. STANDARD YEAR 2000 POPULATION. NUMBERS AFTER CAUSES OF DEATH ARE CATEGORY NUMBERS OF THE SEVENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1955)

CAUSE OF DEATH, AND YEAR	-- ALL RACES --			-- WHITE --			-- ALL OTHER --		
	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE
CHRONIC AND UNSPECIFIED NEPHRITIS AND OTHER RENAL SCLEROSIS (592-594)									
1967.....	6.7	8.4	5.4	5.7	7.3	4.4	16.5	19.4	14.2
1966.....	7.1	9.0	5.7	6.1	7.8	4.8	17.3	20.8	14.5
1965.....	7.5	9.3	6.0	6.5	8.1	5.1	17.7	21.2	14.8
1964.....	8.0	9.8	6.6	6.9	8.6	5.6	18.6	21.4	16.4
1963.....	8.2	10.1	6.8	7.1	8.9	5.8	19.3	22.9	16.4
1962.....	8.5	10.5	7.0	7.4	9.3	6.0	20.0	23.3	17.5
1961.....	8.9	10.7	7.5	7.8	9.5	6.5	20.1	22.8	17.7
1960.....	9.5	11.3	8.0	8.2	10.0	6.8	22.4	25.2	19.8
INFLUENZA AND PNEUMONIA, EXCEPT PNEUMONIA OF NEWBORN (480-493)									
1967.....	42.2	54.0	33.6	40.4	51.7	32.3	54.1	70.7	40.0
1966.....	47.9	60.5	38.4	45.5	57.6	36.6	64.5	83.5	48.9
1965.....	46.8	59.4	37.3	44.7	57.0	35.6	61.2	77.1	47.5
1964.....	45.4	57.1	36.5	43.2	54.5	34.8	60.3	76.6	46.6
1963.....	55.6	68.7	45.3	52.3	65.0	42.6	85.5	103.3	70.5
1962.....	47.1	57.5	38.8	44.9	55.1	36.9	64.5	77.9	53.1
1961.....	43.4	53.1	35.5	41.3	50.5	33.9	58.6	74.0	45.0
1960.....	53.7	65.8	43.8	50.4	61.9	41.2	80.4	98.9	63.3

FOOTNOTES: * FIGURE DOES NOT MEET STANDARD OF RELIABILITY OR PRECISION, ESTIMATION IS BASED ON FEWER THAN 20 EVENTS IN THE NUMERATOR OR DENOMINATOR.
 0.0 QUANTITY MORE THAN ZERO BUT LESS THAN 0.05.
 ... CATEGORY NOT APPLICABLE.

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished table NEWSTAN 60-67S created on 00/02/10.

POPULATION: UNITED STATES, 1960-67

(RATES PER 100,000 U.S. STANDARD YEAR 2000 POPULATION. NUMBERS AFTER CAUSES OF DEATH ARE CATEGORY NUMBERS OF THE SEVENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1955)

CAUSE OF DEATH, AND YEAR	- - ALL RACES - -			- - - WHITE - - -			- - - ALL OTHER - - -		
	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE
INFLUENZA (480-483)									
1967.....	1.2	1.2	1.1	1.1	1.2	1.1	1.6	1.3	1.8
1966.....	2.4	2.6	2.2	2.3	2.6	2.1	2.5	2.6	2.5
1965.....	1.9	2.0	1.8	1.8	1.9	1.7	2.4	2.3	2.5
1964.....	1.4	1.6	1.3	1.4	1.6	1.2	1.8	1.8	1.8
1963.....	6.0	6.9	5.3	5.4	6.3	4.7	14.3	15.0	13.9
1962.....	2.9	3.2	2.7	2.8	3.2	2.6	4.7	4.6	4.8
1961.....	1.8	1.9	1.7	1.7	1.7	1.6	3.0	3.5	2.5
1960.....	6.9	7.8	6.1	6.3	7.2	5.5	12.7	13.7	11.7
PNEUMONIA, EXCEPT PNEUMONIA OF NEWBORN (490-493)									
1967.....	41.1	52.8	32.4	39.3	50.6	31.2	52.5	69.4	38.3
1966.....	45.5	57.9	36.3	43.1	55.0	34.5	62.0	80.8	46.3
1965.....	44.9	57.4	35.5	42.8	55.1	33.8	58.7	74.8	45.0
1964.....	44.0	55.5	35.2	41.8	52.9	33.5	58.5	74.8	44.8
1963.....	49.6	61.8	40.0	46.9	58.7	37.9	71.2	88.3	56.7
1962.....	44.1	54.3	36.1	42.0	52.0	34.4	59.8	73.3	48.2
1961.....	41.6	51.2	33.8	39.6	48.8	32.3	55.6	70.5	42.4
1960.....	46.9	58.0	37.7	44.2	54.7	35.6	67.7	85.2	51.6

FOOTNOTES: * FIGURE DOES NOT MEET STANDARD OF RELIABILITY OR PRECISION, ESTIMATION IS BASED ON FEWER THAN 20 EVENTS IN THE NUMERATOR OR DENOMINATOR.
 0.0 QUANTITY MORE THAN ZERO BUT LESS THAN 0.05.
 ... CATEGORY NOT APPLICABLE.

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished table NEWSTAN 60-67S created on 00/02/10.

POPULATION: UNITED STATES, 1960-67

(RATES PER 100,000 U.S. STANDARD YEAR 2000 POPULATION. NUMBERS AFTER CAUSES OF DEATH ARE CATEGORY NUMBERS OF THE SEVENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1955)

CAUSE OF DEATH, AND YEAR	-- ALL RACES --			-- WHITE --			-- ALL OTHER --		
	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE
BRONCHITIS (500-502)									
1967.....	4.0	6.8	2.0	4.1	6.9	2.0	2.9	4.6	1.5
1966.....	4.0	6.8	2.0	4.1	7.0	2.0	2.7	4.0	1.6
1965.....	3.8	6.3	1.8	3.8	6.4	1.9	2.8	4.5	1.3
1964.....	3.6	5.8	1.8	3.6	6.0	1.8	2.6	3.9	1.5
1963.....	3.7	5.8	2.0	3.8	6.0	2.0	3.0	4.3	1.9
1962.....	3.1	4.9	1.7	3.1	5.0	1.7	2.7	3.9	1.5
1961.....	2.7	4.1	1.5	2.7	4.2	1.4	2.4	3.2	1.6
1960.....	2.9	4.4	1.7	2.9	4.5	1.7	2.6	3.5	1.8
OTHER BRONCHOPULMONIC DISEASES (525-527)									
1967.....	18.5	34.3	6.7	18.9	35.3	6.7	13.5	22.8	5.7
1966.....	18.1	33.3	6.5	18.5	34.3	6.5	12.6	21.0	5.6
1965.....	17.2	31.1	6.4	17.6	31.9	6.5	12.0	20.5	4.9
1964.....	15.3	27.5	5.7	15.7	28.4	5.7	10.5	17.3	4.6
1963.....	15.4	27.4	5.8	15.8	28.4	5.8	11.6	18.6	5.5
1962.....	13.5	23.4	5.4	13.8	24.3	5.4	9.6	15.0	4.9
1961.....	12.1	20.8	4.9	12.3	21.3	4.9	9.1	14.7	4.2
1960.....	11.9	20.2	4.9	12.1	20.7	4.8	8.5	13.3	4.1

FOOTNOTES: * FIGURE DOES NOT MEET STANDARD OF RELIABILITY OR PRECISION, ESTIMATION IS BASED ON FEWER THAN 20 EVENTS IN THE NUMERATOR OR DENOMINATOR.
 0.0 QUANTITY MORE THAN ZERO BUT LESS THAN 0.05.
 ... CATEGORY NOT APPLICABLE.

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished table NEWSTAN 60-67S created on 00/02/10.

POPULATION: UNITED STATES, 1960-67

(RATES PER 100,000 U.S. STANDARD YEAR 2000 POPULATION. NUMBERS AFTER CAUSES OF DEATH ARE CATEGORY NUMBERS OF THE SEVENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1955)

CAUSE OF DEATH, AND YEAR	- - ALL RACES - -			- - - WHITE - - -			- - - ALL OTHER - - -		
	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE
ULCER OF STOMACH AND DUODENUM (540,541)									
1967.....	6.6	10.2	3.8	6.6	10.3	3.8	6.1	9.2	3.6
1966.....	7.1	11.0	4.0	7.1	11.0	4.0	6.6	10.2	3.5
1965.....	7.3	11.3	4.0	7.3	11.5	4.1	6.2	9.3	3.5
1964.....	7.8	12.2	4.3	7.8	12.3	4.2	7.0	10.2	4.1
1963.....	8.7	13.7	4.7	8.8	14.0	4.7	7.1	10.7	3.9
1962.....	8.9	14.0	4.8	9.0	14.1	4.9	7.3	11.2	3.7
1961.....	8.5	13.4	4.4	8.6	13.6	4.4	7.4	10.9	4.2
1960.....	8.5	13.6	4.2	8.6	13.8	4.2	6.9	10.7	3.4
APPENDICITIS (550-553)									
1967.....	1.0	1.3	0.7	0.9	1.2	0.7	1.5	2.1	1.1
1966.....	1.0	1.4	0.8	1.0	1.3	0.7	1.7	2.0	1.4
1965.....	1.1	1.5	0.8	1.0	1.4	0.7	1.8	2.5	1.3
1964.....	1.2	1.6	0.8	1.1	1.5	0.8	2.0	2.5	1.5
1963.....	1.2	1.6	0.9	1.1	1.5	0.8	2.0	2.6	1.4
1962.....	1.2	1.6	0.9	1.1	1.5	0.8	1.8	2.1	1.6
1961.....	1.3	1.6	1.0	1.2	1.5	0.9	2.1	2.7	1.6
1960.....	1.3	1.7	0.9	1.2	1.6	0.8	2.1	2.6	1.6

FOOTNOTES: * FIGURE DOES NOT MEET STANDARD OF RELIABILITY OR PRECISION, ESTIMATION IS BASED ON FEWER THAN 20 EVENTS IN THE NUMERATOR OR DENOMINATOR.
 0.0 QUANTITY MORE THAN ZERO BUT LESS THAN 0.05.
 ... CATEGORY NOT APPLICABLE.

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished table NEWSTAN 60-67S created on 00/02/10.

POPULATION: UNITED STATES, 1960-67

(RATES PER 100,000 U.S. STANDARD YEAR 2000 POPULATION. NUMBERS AFTER CAUSES OF DEATH ARE CATEGORY NUMBERS OF THE SEVENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1955)

CAUSE OF DEATH, AND YEAR	- - ALL RACES - -			- - - WHITE - - -			- - - ALL OTHER - - -		
	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE
HERNIA AND INTESTINAL OBSTRUCTION (560, 561, 570)									
1967.....	6.9	7.0	6.8	6.8	6.8	6.8	7.5	8.6	6.5
1966.....	7.3	7.5	7.0	7.2	7.3	7.0	7.6	8.7	6.7
1965.....	7.2	7.5	7.1	7.1	7.3	7.0	7.8	8.4	7.4
1964.....	7.4	7.5	7.2	7.2	7.3	7.2	8.1	9.2	7.2
1963.....	7.4	7.6	7.3	7.3	7.4	7.2	8.2	9.2	7.5
1962.....	7.4	7.8	7.0	7.2	7.6	6.9	8.4	9.7	7.3
1961.....	7.0	7.5	6.6	6.9	7.3	6.6	8.0	9.2	7.0
1960.....	7.1	7.4	6.9	7.0	7.2	6.7	8.4	9.3	7.6
GASTRITIS, DUODENITIS, ENTERITIS, AND COLITIS, EXCEPT DIARRHEA OF NEWBORN (543, 571, 572)									
1967.....	5.0	4.9	4.9	4.8	4.8	4.8	5.2	5.8	4.6
1966.....	4.9	4.9	4.8	4.7	4.7	4.6	5.7	5.7	5.8
1965.....	5.0	5.0	4.9	4.8	4.8	4.7	5.7	5.8	5.6
1964.....	5.1	5.1	5.1	4.8	4.8	4.8	6.3	6.8	5.9
1963.....	5.2	5.3	5.1	4.9	4.9	4.8	6.6	6.9	6.4
1962.....	5.1	5.1	5.0	4.7	4.7	4.6	6.7	6.7	6.6
1961.....	4.8	5.1	4.6	4.5	4.7	4.3	6.4	6.9	5.9
1960.....	4.9	5.1	4.7	4.5	4.7	4.3	7.0	7.3	6.6

FOOTNOTES: * FIGURE DOES NOT MEET STANDARD OF RELIABILITY OR PRECISION, ESTIMATION IS BASED ON FEWER THAN 20 EVENTS IN THE NUMERATOR OR DENOMINATOR.
 0.0 QUANTITY MORE THAN ZERO BUT LESS THAN 0.05.
 ... CATEGORY NOT APPLICABLE.

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished table NEWSTAN 60-67S created on 00/02/10.

POPULATION: UNITED STATES, 1960-67

(RATES PER 100,000 U.S. STANDARD YEAR 2000 POPULATION. NUMBERS AFTER CAUSES OF DEATH ARE CATEGORY NUMBERS OF THE SEVENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1955)

CAUSE OF DEATH, AND YEAR	- - ALL RACES - -			- - - WHITE - - -			- - - ALL OTHER - - -		
	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE
CIRRHOSIS OF LIVER (581)									
1967.....	16.3	22.4	11.0	15.4	21.4	10.3	23.0	30.8	16.2
1966.....	15.9	22.0	10.6	15.0	21.0	9.8	22.9	30.0	16.6
1965.....	14.9	20.5	10.1	14.2	19.7	9.4	20.4	26.6	14.9
1964.....	14.2	19.4	9.6	13.8	19.0	9.2	17.3	22.5	12.6
1963.....	14.0	19.0	9.5	13.5	18.7	9.0	15.9	19.8	12.3
1962.....	13.8	19.0	9.1	13.3	18.6	8.5	15.9	19.8	12.4
1961.....	13.3	18.3	8.8	13.1	18.2	8.5	14.7	18.4	11.2
1960.....	13.3	18.5	8.7	13.2	18.5	8.4	13.9	17.6	10.6
CHOLELITHIASIS, CHOLECYSTITIS, AND CHOLANGITIS (584,585)									
1967.....	3.2	3.4	3.1	3.3	3.6	3.2	2.2	1.7	2.6
1966.....	3.5	3.5	3.5	3.6	3.6	3.6	2.1	1.8	2.3
1965.....	3.6	3.5	3.7	3.7	3.7	3.8	2.0	1.4	2.5
1964.....	3.6	3.4	3.8	3.8	3.6	3.9	1.9	1.4	2.3
1963.....	3.7	3.4	4.0	3.9	3.6	4.0	2.1	1.6	2.6
1962.....	3.9	3.6	4.2	4.0	3.7	4.2	2.6	1.9	3.2
1961.....	3.9	3.6	4.1	4.0	3.8	4.2	2.3	1.8	2.7
1960.....	3.9	3.5	4.2	4.0	3.6	4.3	2.2	1.7	2.7

FOOTNOTES: * FIGURE DOES NOT MEET STANDARD OF RELIABILITY OR PRECISION, ESTIMATION IS BASED ON FEWER THAN 20 EVENTS IN THE NUMERATOR OR DENOMINATOR.
 0.0 QUANTITY MORE THAN ZERO BUT LESS THAN 0.05.
 ... CATEGORY NOT APPLICABLE.

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished table NEWSTAN 60-67S created on 00/02/10.

POPULATION: UNITED STATES, 1960-67

(RATES PER 100,000 U.S. STANDARD YEAR 2000 POPULATION. NUMBERS AFTER CAUSES OF DEATH ARE CATEGORY NUMBERS OF THE SEVENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1955)

CAUSE OF DEATH, AND YEAR	- - ALL RACES - -			- - - WHITE - - -			- - - ALL OTHER - - -		
	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE
ACUTE NEPHRITIS, AND NEPHRITIS WITH EDEMA INCLUDING NEPHROSIS (590,591)									
1967.....	0.6	0.8	0.5	0.5	0.7	0.4	1.4	1.4	1.4
1966.....	0.8	0.9	0.6	0.7	0.8	0.5	1.6	1.9	1.4
1965.....	0.8	1.0	0.7	0.7	0.8	0.6	2.0	2.5	1.6
1964.....	0.9	1.0	0.7	0.8	0.9	0.6	1.8	1.9	1.8
1963.....	1.0	1.1	0.8	0.8	1.0	0.7	2.2	2.7	1.8
1962.....	1.0	1.3	0.8	0.9	1.2	0.7	2.3	2.6	1.9
1961.....	1.1	1.3	0.9	0.9	1.1	0.8	2.5	2.9	2.2
1960.....	1.1	1.4	0.9	1.0	1.2	0.8	2.5	2.9	2.1
INFECTIONS OF KIDNEY (600)									
1967.....	6.6	7.5	6.1	6.1	7.1	5.5	11.5	11.6	11.6
1966.....	7.1	8.1	6.5	6.5	7.4	5.9	12.8	14.4	11.5
1965.....	7.4	8.3	6.9	6.8	7.6	6.3	13.4	14.7	12.5
1964.....	7.6	8.6	6.9	6.9	7.9	6.3	13.8	15.4	12.5
1963.....	6.9	7.8	6.3	6.3	7.1	5.8	13.4	15.1	12.1
1962.....	6.9	7.9	6.2	6.3	7.3	5.7	13.1	15.0	11.7
1961.....	6.4	7.3	5.7	5.8	6.8	5.1	11.9	13.0	11.0
1960.....	6.2	7.0	5.6	5.6	6.4	5.0	12.0	12.9	11.2

FOOTNOTES: * FIGURE DOES NOT MEET STANDARD OF RELIABILITY OR PRECISION, ESTIMATION IS BASED ON FEWER THAN 20 EVENTS IN THE NUMERATOR OR DENOMINATOR.
 0.0 QUANTITY MORE THAN ZERO BUT LESS THAN 0.05.
 ... CATEGORY NOT APPLICABLE.

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished table NEWSTAN 60-67S created on 00/02/10.

POPULATION: UNITED STATES, 1960-67

(RATES PER 100,000 U.S. STANDARD YEAR 2000 POPULATION. NUMBERS AFTER CAUSES OF DEATH ARE CATEGORY NUMBERS OF THE SEVENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1955)

CAUSE OF DEATH, AND YEAR	- - ALL RACES - -			- - - WHITE - - -			- - - ALL OTHER - - -		
	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE
HYPERPLASIA OF PROSTATE (610)									
1967.....	2.6	6.6	...	2.5	6.5	...	3.5	8.0	...
1966.....	2.7	6.9	...	2.7	6.7	...	3.8	8.6	...
1965.....	2.9	7.2	...	2.8	7.0	...	4.3	9.7	...
1964.....	3.4	8.4	...	3.3	8.1	...	5.4	12.1	...
1963.....	3.9	9.4	...	3.7	9.0	...	6.1	13.6	...
1962.....	4.0	9.5	...	3.7	9.1	...	6.5	14.4	...
1961.....	4.0	9.4	...	3.8	9.1	...	5.8	12.7	...
1960.....	4.4	10.3	...	4.2	9.9	...	6.5	14.0	...
DELIVERIES AND COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM (640-689)									
1967.....	0.6	...	1.1	0.4	...	0.7	1.9	...	3.5
1966.....	0.6	...	1.2	0.4	...	0.8	2.1	...	3.9
1965.....	0.7	...	1.4	0.4	...	0.9	2.6	...	4.9
1964.....	0.8	...	1.6	0.5	...	1.0	3.0	...	5.6
1963.....	0.9	...	1.7	0.6	...	1.1	3.2	...	6.2
1962.....	0.9	...	1.7	0.6	...	1.1	3.3	...	6.2
1961.....	1.0	...	1.9	0.6	...	1.2	3.6	...	6.7
1960.....	1.0	...	1.9	0.6	...	1.3	3.4	...	6.5

FOOTNOTES: * FIGURE DOES NOT MEET STANDARD OF RELIABILITY OR PRECISION, ESTIMATION IS BASED ON FEWER THAN 20 EVENTS IN THE NUMERATOR OR DENOMINATOR.
 0.0 QUANTITY MORE THAN ZERO BUT LESS THAN 0.05.
 ... CATEGORY NOT APPLICABLE.

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished table NEWSTAN 60-67S created on 00/02/10.

POPULATION: UNITED STATES, 1960-67

(RATES PER 100,000 U.S. STANDARD YEAR 2000 POPULATION. NUMBERS AFTER CAUSES OF DEATH ARE CATEGORY NUMBERS OF THE SEVENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1955)

CAUSE OF DEATH, AND YEAR	- - ALL RACES - -			- - - - WHITE - - - -			- - - ALL OTHER - - -		
	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE
ABORTION (650-652)									
1967.....	0.1	...	0.2	0.0	...	0.1	0.4	...	0.7
1966.....	0.1	...	0.2	0.1	...	0.1	0.4	...	0.8
1965.....	0.1	...	0.3	0.1	...	0.1	0.6	...	1.1
1964.....	0.1	...	0.3	0.1	...	0.1	0.6	...	1.2
1963.....	0.2	...	0.3	0.1	...	0.2	0.6	...	1.1
1962.....	0.2	...	0.4	0.1	...	0.2	0.7	...	1.4
1961.....	0.2	...	0.4	0.1	...	0.2	0.8	...	1.5
1960.....	0.2	...	0.4	0.1	...	0.2	0.7	...	1.4
OTHER COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM (640-649, 660-689)									
1967.....	0.5	...	0.9	0.3	...	0.6	1.5	...	2.9
1966.....	0.5	...	1.0	0.3	...	0.6	1.7	...	3.1
1965.....	0.6	...	1.1	0.3	...	0.7	2.0	...	3.8
1964.....	0.7	...	1.3	0.4	...	0.8	2.3	...	4.4
1963.....	0.7	...	1.4	0.4	...	0.9	2.7	...	5.1
1962.....	0.7	...	1.4	0.5	...	0.9	2.5	...	4.8
1961.....	0.8	...	1.5	0.5	...	1.0	2.8	...	5.2
1960.....	0.8	...	1.6	0.5	...	1.1	2.7	...	5.2

FOOTNOTES: * FIGURE DOES NOT MEET STANDARD OF RELIABILITY OR PRECISION, ESTIMATION IS BASED ON FEWER THAN 20 EVENTS IN THE NUMERATOR OR DENOMINATOR.
 0.0 QUANTITY MORE THAN ZERO BUT LESS THAN 0.05.
 ... CATEGORY NOT APPLICABLE.

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished table NEWSTAN 60-67S created on 00/02/10.

POPULATION: UNITED STATES, 1960-67

(RATES PER 100,000 U.S. STANDARD YEAR 2000 POPULATION. NUMBERS AFTER CAUSES OF DEATH ARE CATEGORY NUMBERS OF THE SEVENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1955)

CAUSE OF DEATH, AND YEAR	- - ALL RACES - -			- - - WHITE - - -			- - - ALL OTHER - - -		
	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE
CONGENITAL MALFORMATIONS (750-759)									
1967.....	7.4	8.0	6.8	7.4	7.9	6.8	7.6	8.3	6.8
1966.....	7.5	8.0	7.1	7.6	8.0	7.1	7.6	8.4	7.0
1965.....	7.8	8.3	7.4	7.8	8.2	7.4	7.9	8.7	7.2
1964.....	7.9	8.4	7.4	7.9	8.4	7.5	7.7	8.7	6.9
1963.....	8.1	8.7	7.5	8.1	8.7	7.5	7.8	8.4	7.3
1962.....	8.1	8.8	7.4	8.2	8.9	7.6	7.5	8.5	6.5
1961.....	8.3	9.0	7.6	8.4	9.1	7.7	7.6	8.4	6.8
1960.....	8.4	9.2	7.6	8.5	9.2	7.8	7.8	8.9	6.7
CERTAIN DISEASES OF EARLY INFANCY (760-776)									
1967.....	19.3	22.2	16.4	16.9	19.7	14.0	32.4	36.1	28.8
1966.....	20.1	23.0	17.0	17.6	20.5	14.6	33.1	36.8	29.3
1965.....	20.3	23.4	17.1	17.7	20.7	14.7	34.3	38.7	29.7
1964.....	21.1	24.3	17.8	18.4	21.4	15.3	36.0	40.5	31.6
1963.....	21.6	25.0	18.1	19.1	22.3	15.8	34.8	39.7	29.9
1962.....	21.7	25.1	18.2	19.4	22.7	16.0	34.6	39.1	30.2
1961.....	21.7	25.0	18.4	19.5	22.6	16.2	34.6	39.1	30.3
1960.....	22.5	25.9	19.1	20.3	23.4	17.0	35.6	40.2	31.1

FOOTNOTES: * FIGURE DOES NOT MEET STANDARD OF RELIABILITY OR PRECISION, ESTIMATION IS BASED ON FEWER THAN 20 EVENTS IN THE NUMERATOR OR DENOMINATOR.
 0.0 QUANTITY MORE THAN ZERO BUT LESS THAN 0.05.
 ... CATEGORY NOT APPLICABLE.

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished table NEWSTAN 60-67S created on 00/02/10.

POPULATION: UNITED STATES, 1960-67

(RATES PER 100,000 U.S. STANDARD YEAR 2000 POPULATION. NUMBERS AFTER CAUSES OF DEATH ARE CATEGORY NUMBERS OF THE SEVENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1955)

CAUSE OF DEATH, AND YEAR	-- ALL RACES --			-- WHITE --			-- ALL OTHER --		
	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE
BIRTH INJURIES, POSTNATAL ASPHYXIA, AND ATELECTASIS (760-762)									
1967.....	7.7	9.1	6.4	7.0	8.3	5.6	11.9	13.4	10.4
1966.....	8.2	9.5	6.8	7.4	8.7	6.0	12.2	13.6	10.9
1965.....	8.5	10.0	6.9	7.7	9.2	6.1	12.8	14.5	11.0
1964.....	8.8	10.3	7.3	8.1	9.5	6.6	13.0	14.8	11.1
1963.....	9.3	10.9	7.5	8.6	10.2	6.9	12.5	14.3	10.8
1962.....	9.5	11.2	7.8	8.9	10.5	7.2	13.0	14.9	11.1
1961.....	9.6	11.2	7.9	8.9	10.6	7.3	13.2	15.2	11.2
1960.....	10.0	11.7	8.2	9.3	11.0	7.6	13.8	15.6	12.0
INFECTIONS OF NEWBORN (763-768)									
1967.....	1.3	1.5	1.1	1.0	1.2	0.9	2.9	3.1	2.6
1966.....	1.4	1.5	1.2	1.0	1.1	0.9	3.2	3.5	2.9
1965.....	1.4	1.7	1.2	1.0	1.2	0.9	3.6	4.1	3.0
1964.....	1.5	1.7	1.3	1.1	1.2	0.9	3.9	4.4	3.5
1963.....	1.5	1.7	1.3	1.1	1.3	1.0	3.6	4.2	3.0
1962.....	1.5	1.8	1.3	1.1	1.4	0.9	3.8	4.3	3.3
1961.....	1.6	1.8	1.3	1.2	1.4	0.9	3.8	4.4	3.2
1960.....	1.6	1.9	1.4	1.2	1.4	1.0	3.7	4.3	3.2

FOOTNOTES: * FIGURE DOES NOT MEET STANDARD OF RELIABILITY OR PRECISION, ESTIMATION IS BASED ON FEWER THAN 20 EVENTS IN THE NUMERATOR OR DENOMINATOR.
 0.0 QUANTITY MORE THAN ZERO BUT LESS THAN 0.05.
 ... CATEGORY NOT APPLICABLE.

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished table NEWSTAN 60-67S created on 00/02/10.

POPULATION: UNITED STATES, 1960-67

(RATES PER 100,000 U.S. STANDARD YEAR 2000 POPULATION. NUMBERS AFTER CAUSES OF DEATH ARE CATEGORY NUMBERS OF THE SEVENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1955)

CAUSE OF DEATH, AND YEAR	- - ALL RACES - -			- - - WHITE - - -			- - - ALL OTHER - - -		
	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE
OTHER DISEASES PECULIAR TO EARLY INFANCY, AND IMMATURITY UNQUALIFIED (769-776)									
1967.....	10.3	11.7	8.9	8.9	10.2	7.6	17.7	19.6	15.8
1966.....	10.5	12.0	9.0	9.2	10.6	7.7	17.6	19.7	15.5
1965.....	10.4	11.8	8.9	9.0	10.3	7.7	17.9	20.0	15.7
1964.....	10.7	12.2	9.2	9.2	10.6	7.8	19.1	21.3	16.9
1963.....	10.8	12.3	9.2	9.4	10.8	8.0	18.6	21.2	16.1
1962.....	10.6	12.1	9.1	9.4	10.8	7.9	17.8	19.8	15.8
1961.....	10.6	12.0	9.2	9.4	10.7	8.0	17.6	19.5	15.8
1960.....	11.0	12.3	9.5	9.7	11.0	8.4	18.1	20.3	15.9
SYMPTOMS, SENILITY, AND ILL-DEFINED CONDITIONS (780-795)									
1967.....	15.8	20.6	11.9	11.9	15.8	8.8	52.5	65.1	41.8
1966.....	16.2	20.7	12.5	12.2	15.9	9.1	54.5	66.0	45.0
1965.....	16.2	20.8	12.4	12.3	16.2	9.1	54.4	65.1	45.2
1964.....	17.4	22.1	13.4	13.3	17.3	10.0	57.6	68.4	48.3
1963.....	16.3	20.4	12.8	12.5	16.0	9.6	58.2	69.5	48.9
1962.....	14.8	18.3	11.8	11.5	14.5	9.0	51.5	60.4	44.0
1961.....	14.6	17.9	11.7	11.1	13.9	8.6	51.3	58.4	45.0
1960.....	15.9	19.7	12.7	12.0	15.1	9.3	57.0	65.8	48.9

FOOTNOTES: * FIGURE DOES NOT MEET STANDARD OF RELIABILITY OR PRECISION, ESTIMATION IS BASED ON FEWER THAN 20 EVENTS IN THE NUMERATOR OR DENOMINATOR.
 0.0 QUANTITY MORE THAN ZERO BUT LESS THAN 0.05.
 ... CATEGORY NOT APPLICABLE.

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished table NEWSTAN 60-67S created on 00/02/10.

POPULATION: UNITED STATES, 1960-67

(RATES PER 100,000 U.S. STANDARD YEAR 2000 POPULATION. NUMBERS AFTER CAUSES OF DEATH ARE CATEGORY NUMBERS OF THE SEVENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1955)

CAUSE OF DEATH, AND YEAR	-- ALL RACES --			-- WHITE --			-- ALL OTHER --		
	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE
ALL OTHER DISEASES (RESIDUAL)									
1967.....	36.7	44.3	30.6	34.9	42.2	29.1	50.8	62.1	41.1
1966.....	37.2	44.3	31.4	35.3	42.1	29.9	52.0	63.8	42.1
1965.....	36.4	43.6	30.6	34.9	41.7	29.4	48.5	59.6	38.9
1964.....	36.4	43.3	30.8	34.9	41.5	29.5	48.1	57.1	40.4
1963.....	36.8	43.3	31.3	35.5	41.9	30.1	49.0	57.9	41.5
1962.....	35.9	42.1	30.7	34.6	40.8	29.6	47.6	55.2	41.0
1961.....	35.9	42.2	30.5	34.5	40.6	29.4	46.6	55.8	38.5
ACCIDENTS (E800-E962)									
1967.....	66.2	93.8	40.9	64.2	90.1	40.1	80.4	122.5	43.2
1966.....	67.6	95.1	42.1	65.2	91.2	41.1	84.6	126.7	47.4
1965.....	65.8	92.0	41.3	63.8	88.5	40.6	78.8	120.0	42.4
1964.....	64.1	88.9	40.8	62.3	85.7	40.0	76.6	113.6	43.4
1963.....	64.0	88.5	41.0	62.6	86.2	40.3	77.4	113.3	45.0
1962.....	62.9	86.5	40.6	61.5	84.3	39.9	75.6	110.0	44.4
1961.....	60.6	83.7	38.7	59.0	81.0	37.9	71.3	104.3	41.2
1960.....	63.1	86.3	40.7	61.2	83.3	39.8	76.5	111.0	44.7

FOOTNOTES: * FIGURE DOES NOT MEET STANDARD OF RELIABILITY OR PRECISION, ESTIMATION IS BASED ON FEWER THAN 20 EVENTS IN THE NUMERATOR OR DENOMINATOR.
 0.0 QUANTITY MORE THAN ZERO BUT LESS THAN 0.05.
 ... CATEGORY NOT APPLICABLE.

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished table NEWSTAN 60-67S created on 00/02/10.

POPULATION: UNITED STATES, 1960-67

(RATES PER 100,000 U.S. STANDARD YEAR 2000 POPULATION. NUMBERS AFTER CAUSES OF DEATH ARE CATEGORY NUMBERS OF THE SEVENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1955)

CAUSE OF DEATH, AND YEAR	- - ALL RACES - -			- - - WHITE - - -			- - - ALL OTHER - - -		
	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE
MOTOR VEHICLE ACCIDENTS (E810-E835)									
1967.....	28.1	42.4	15.0	27.7	41.6	15.0	31.1	49.7	14.8
1966.....	28.7	43.3	15.2	28.2	42.5	15.2	32.0	51.1	15.1
1965.....	27.1	41.0	14.3	26.8	40.3	14.4	29.5	47.2	13.8
1964.....	26.3	39.5	14.1	26.1	38.9	14.3	28.2	45.4	12.8
1963.....	25.0	38.0	12.9	25.0	37.8	13.2	27.1	43.8	12.1
1962.....	23.8	36.0	12.4	23.8	35.9	12.7	25.6	41.0	11.7
1961.....	22.7	34.7	11.5	22.5	34.2	11.5	24.6	39.4	11.3
1960.....	23.1	35.4	11.7	22.9	34.8	11.7	25.3	41.0	11.0
OTHER ACCIDENTS (E800-E802, E840-E962)									
1967.....	38.1	51.3	25.8	36.4	48.5	25.1	49.3	72.8	28.4
1966.....	39.0	51.8	26.9	37.0	48.7	25.9	52.6	75.5	32.3
1965.....	38.7	51.1	26.9	37.0	48.3	26.3	49.4	72.9	28.6
1964.....	37.8	49.4	26.6	36.2	46.9	25.7	48.5	68.1	30.6
1963.....	39.0	50.6	28.0	37.6	48.4	27.1	50.3	69.5	32.9
1962.....	39.1	50.4	28.2	37.7	48.4	27.2	49.9	68.9	32.7
1961.....	38.0	48.9	27.2	36.6	46.8	26.4	46.6	64.9	29.9
1960.....	40.0	51.0	29.0	38.3	48.5	28.0	51.2	69.9	33.8

FOOTNOTES: * FIGURE DOES NOT MEET STANDARD OF RELIABILITY OR PRECISION, ESTIMATION IS BASED ON FEWER THAN 20 EVENTS IN THE NUMERATOR OR DENOMINATOR.
 0.0 QUANTITY MORE THAN ZERO BUT LESS THAN 0.05.
 ... CATEGORY NOT APPLICABLE.

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished table NEWSTAN 60-67S created on 00/02/10.

POPULATION: UNITED STATES, 1960-67

(RATES PER 100,000 U.S. STANDARD YEAR 2000 POPULATION. NUMBERS AFTER CAUSES OF DEATH ARE CATEGORY NUMBERS OF THE SEVENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1955)

CAUSE OF DEATH, AND YEAR	- - ALL RACES - -			- - - WHITE - - -			- - - ALL OTHER - - -		
	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE	BOTH	MALE	FEMALE
SUICIDE (E963, E970-E979)									
1967.....	12.5	19.1	6.9	13.2	20.1	7.3	6.3	10.0	3.1
1966.....	12.7	19.7	6.7	13.4	20.7	7.1	6.5	10.6	2.9
1965.....	13.0	20.0	7.0	13.7	21.0	7.4	6.5	10.4	3.2
1964.....	12.7	19.8	6.4	13.4	20.8	6.9	5.9	9.4	2.7
1963.....	13.0	20.2	6.6	13.8	21.4	7.0	6.5	10.8	2.7
1962.....	12.8	20.3	6.2	13.6	21.5	6.6	6.0	9.7	2.7
1961.....	12.2	19.7	5.5	12.8	20.6	5.9	6.0	10.1	2.3
1960.....	12.5	20.0	5.6	13.1	21.1	5.9	5.9	9.5	2.5
HOMICIDE (E964, E980-E985)									
1967.....	7.5	11.9	3.4	3.9	5.9	2.1	35.3	60.5	13.3
1966.....	6.5	10.2	3.1	3.4	5.0	1.9	31.4	53.3	12.0
1965.....	6.1	9.6	2.8	3.2	4.8	1.7	29.3	49.5	11.3
1964.....	5.7	8.8	2.7	3.0	4.3	1.7	27.3	46.3	10.3
1963.....	5.4	8.4	2.6	2.9	4.3	1.6	26.3	44.2	10.2
1962.....	5.4	8.2	2.6	2.9	4.2	1.7	26.0	43.6	10.1
1961.....	5.2	7.9	2.6	2.8	4.0	1.7	24.7	41.1	9.9
1960.....	5.2	7.9	2.6	2.7	3.9	1.5	25.4	41.4	10.9

FOOTNOTES: * FIGURE DOES NOT MEET STANDARD OF RELIABILITY OR PRECISION, ESTIMATION IS BASED ON FEWER THAN 20 EVENTS IN THE NUMERATOR OR DENOMINATOR.
 0.0 QUANTITY MORE THAN ZERO BUT LESS THAN 0.05.
 ... CATEGORY NOT APPLICABLE.

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished table NEWSTAN 60-67S created on 00/02/10.