

Number of all-listed procedures for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region:
 United States, 2006

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants.

Code numbers are from the International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM).

See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North- east	Midwest	South	West
Number of procedures in thousands											
All codes	45,963	18,482	27,482	2,159	15,012	12,555	16,238	10,025	9,584	16,909	9,445
00	2,001	1,222	780	*7	114	807	1,074	396	481	716	408
00.1	69	38	31	*	*6	18	43	21	11	26	11
00.11	*7	*	*	-	*	*	*	*	*	*	*
00.13	10	*8	*	-	*	*	*8	*	*	*5	*
00.14	*9	*	*	-	*	*	*6	*	*	*	*
00.17	36	20	16	*	*	*8	25	11	*5	12	*8
00.2	14	*6	*8	-	*	*7	*8	*	*	*	*
00.24	12	*	*7	-	*	*6	*5	*	*	*	*
00.3	28	15	13	*	*	11	14	*7	*	*9	*9
00.34	*6	*	*	-	*	*	*	*	*	*	*
00.39	16	11	*	*	*	*7	*7	*	*	*	*6
00.4	929	577	352	*	43	375	508	171	231	340	187
00.40	433	265	169	*	20	165	246	77	106	164	86
00.41	96	63	33	*	*	39	51	18	26	32	20
00.42	16	10	*6	*	*	*7	*8	*5	*	*	*
00.45	238	145	92	*	12	100	126	48	55	86	48
00.46	97	60	37	-	*	42	52	15	24	37	21
00.47	34	24	*9	*	*	16	16	*5	13	10	*6
00.48	11	*7	*	-	*	*	*6	*	*	*	*
00.5	45	30	15	-	*	12	31	*8	*9	18	10
00.51	36	25	11	-	*	*8	26	*6	*8	13	*8
00.6	702	456	246	*	34	310	357	132	178	255	137
00.61	21	13	*8	-	*	*	17	*	*5	*8	*
00.63	16	10	*6	-	*	*	12	*	*	*5	*
00.66	661	429	232	*	33	301	327	123	168	239	130
00.7	153	69	84	*	13	48	91	38	35	40	40
00.70	16	*7	10	-	*	*5	*9	*	*	*7	*
00.71	*7	*	*	-	*	*	*	*	*	*	*
00.74	76	31	45	-	*5	18	52	20	18	18	21
00.75	32	16	16	*	*	14	16	*8	*7	*8	*9
00.76	13	*7	*6	-	*	*6	*6	*	*	*	*
00.8	34	13	21	-	*	13	19	*7	*8	12	*7
00.80	14	*5	*9	-	*	*7	*7	*	*	*	*
00.84	*6	*	*	-	*	*	*	*	*	*	*
00.9	27	17	*9	*	11	12	*	*8	*	12	*5
00.91	*8	*6	*	*	*	*	*	*	*	*	*
00.93	16	*9	*6	*	*6	*7	*	*	*	*7	*
01-05	1,155	534	621	184	343	304	324	253	239	381	282
01	139	82	57	14	38	44	43	31	19	50	40
01.0	*9	*6	*	*	*	*	*	*	*	*	*
01.02	*7	*	*	*	*	*	*	*	*	*	*
01.1	22	13	10	*	*8	*6	*7	*5	*6	*	*6
01.13	*8	*	*	*	*	*	*	*	*	*	*
01.18	10	*7	*	*	*	*	*	*	*	*	*
01.2	19	13	*6	*	*7	*	*	*	*	*9	*
01.24	*9	*6	*	*	*	*	*	*	*	*	*
01.25	*5	*	*	*	*	*	*	*	*	*	*
01.3	38	26	11	*	*8	11	18	*7	*5	15	10
01.31	29	19	10	*	*5	*7	16	*6	*	11	*8
01.39	*8	*7	*	*	*	*	*	*	*	*	*
01.5	48	23	26	*	13	19	12	12	*	17	16
01.51	13	*	*9	*	*	*7	*	*	*	*	*
01.59	33	18	15	*	*9	12	*9	*7	*	12	11
02	121	68	52	24	40	29	28	29	14	49	29
02.0	26	15	10	*5	*8	*6	*6	*6	*	10	*8

Number of all-listed procedures for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region:
United States, 2006

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants.

Code numbers are from the International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM).

See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North- east	Midwest	South	West
Number of procedures in thousands											
02.06	11	*7	*	*	*	*	*	*	*	*5	*
02.1	15	*9	*5	*	*	*	*	*	*	*6	*
02.12	11	*7	*	*	*	*	*	*	*	*	*
02.2	24	14	10	*	*9	*8	*5	*6	*	*	*6
02.3	20	10	10	*7	*	*	*6	*5	*	*6	*
02.34	16	*8	*8	*	*	*	*5	*	*	*5	*
02.4	20	12	*8	*7	*9	*	*	*	*	10	*
02.42	13	*8	*5	*	*6	*	*	*	*	*6	*
02.43	*5	*	*	*	*	*	*	*	*	*	*
02.9	16	*7	*9	*	*	*5	*5	*	*	*6	*
02.94	*9	*	*5	*	*	*	*	*	*	*	*
03	809	342	467	143	247	200	219	163	188	259	198
03.0	209	104	105	*	25	71	112	44	39	75	51
03.09	203	102	102	*	24	68	111	42	38	74	50
03.3	315	159	156	124	77	64	50	64	46	118	86
03.31	315	158	156	124	77	64	50	64	46	118	86
03.4	14	*6	*8	*	*	*8	*	*	*	*6	*
03.5	35	17	18	*	11	11	*9	*	*8	13	10
03.53	13	*8	*	*	*6	*	*	*	*	*6	*
03.59	20	*9	11	*	*	*6	*6	*	*	*6	*7
03.6	*5	*	*	-	*	*	*	*	*	*	*
03.9	227	49	178	12	130	44	42	47	93	43	45
03.90	77	13	64	*	51	12	12	20	29	11	17
03.91	77	11	66	*	54	13	10	14	42	11	11
03.92	49	21	28	*9	10	14	16	10	15	13	10
03.93	*6	*	*	-	*	*	*	*	*	*	*
03.95	14	*	14	*	12	*	*	*	*6	*	*
04	81	40	41	*	17	29	31	29	15	22	15
04.3	*6	*6	*	*	*	*	*	*	*	*	*
04.4	17	*9	*8	*	*	*8	*	*	*	*5	*
04.43	*7	*5	*	*	*	*	*	*	*	*	*
04.49	*5	*	*	*	*	*	*	*	*	*	*
04.8	45	17	27	*	*5	15	24	19	10	*8	*7
04.81	41	16	25	*	*	14	22	18	*9	*7	*6
05	*5	*	*	-	*	*	*	*	*	*	*
06-07	101	29	72	*	33	37	29	24	14	42	21
06	81	21	60	*	25	31	23	19	12	33	17
06.1	*6	*	*	-	*	*	*	*	*	*	*
06.2	17	*	14	*	*7	*7	*	*	*	*8	*
06.3	*8	*	*6	*	*	*	*	*	*	*	*
06.39	*6	*	*	-	*	*	*	*	*	*	*
06.4	23	*	19	*	*9	11	*	*5	*	*8	*6
06.8	14	*	10	-	*	*5	*5	*	*	*6	*
06.89	13	*	*9	-	*	*	*5	*	*	*5	*
07	20	*8	12	*	*8	*6	*7	*	*	*9	*
07.2	*8	*	*	*	*	*	*	*	*	*	*
07.22	*8	*	*	*	*	*	*	*	*	*	*
07.6	*7	*	*	*	*	*	*	*	*	*	*
08-16	76	45	31	12	19	19	26	16	18	31	11
08	34	19	15	*7	11	*7	*9	*	*	18	*6
08.8	21	12	*9	*	*8	*	*7	*	*	*8	*6
08.81	19	10	*8	*	*7	*	*7	*	*	*7	*

Number of all-listed procedures for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region:
United States, 2006

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants.

Code numbers are from the International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM).

See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North- east	Midwest	South	West
Number of procedures in thousands											
13	*7	*	*	*	*	*	*	*	*	*	*
14	20	12	*8	*	*	*6	10	*5	*8	*	*
14.7	*6	*	*	*	*	*	*	*	*	*	*
16	*7	*	*	*	*	*	*	*	*	*	*
18-20	53	36	17	27	11	*8	*8	11	*6	25	12
18	29	23	*6	13	*8	*	*	*	*	16	*7
18.2	*6	*5	*	*	*	-	*	*	*	*	*
18.29	*6	*5	*	*	*	-	*	*	*	*	*
18.4	*6	*	*	*	*	*	*	*	*	*	*
18.7	14	10	*	*9	*	*	*	*	*	10	*
18.79	12	*9	*	*8	*	*	*	*	*	*9	*
20	23	13	10	13	*	*	*	*7	*	*8	*5
20.0	14	*9	*	11	*	*	*	*6	*	*	*
20.01	13	*9	*	11	*	*	*	*5	*	*	*
21-29	298	183	115	67	89	74	67	65	55	100	78
21	83	53	29	10	20	18	35	13	22	26	21
21.0	30	18	12	*	*	*6	21	*	12	*7	*7
21.01	13	*7	*5	*	*	*	10	*	*5	*	*
21.02	*7	*6	*	-	*	*	*	*	*	*	*
21.03	*9	*	*	*	*	*	*6	*	*	*	*
21.2	*5	*	*	*	*	*	*	*	*	*	*
21.6	*8	*5	*	*	*	*	*	*	*	*	*
21.69	*6	*	*	*	*	*	*	*	*	*	*
21.7	*5	*	*	*	*	*	*	*	*	*	*
21.8	26	18	*8	*5	*8	*	*8	*	*6	*9	*8
21.81	*7	*6	*	*	*	*	*	*	*	*	*
21.88	*9	*6	*	*	*	*	*	*	*	*	*
22	27	16	11	*	*9	*8	*6	*	*	*7	12
22.6	12	*7	*5	*	*	*	*	*	*	*	*6
22.63	*9	*	*	*	*	*	*	*	*	*	*
23	26	16	10	*5	12	*5	*	*7	*6	*7	*5
23.0	10	*6	*	*	*6	*	*	*	*	*	*
23.09	*9	*6	*	*	*6	*	*	*	*	*	*
23.1	13	*7	*6	*	*6	*	*	*	*	*	*
23.19	12	*7	*5	*	*6	*	*	*	*	*	*
24	*6	*	*	*	*	*	*	*	*	*	*
25	15	*8	*7	*	*	*7	*	*	*	*	*6
25.2	*8	*	*	-	*	*5	*	*	*	*	*
26	11	*6	*5	*	*	*	*	*	*	*	*
26.3	*8	*	*	*	*	*	*	*	*	*	*
27	67	43	24	24	20	14	*9	15	*7	25	20
27.0	13	*9	*	*	*7	*	*	*	*	*	*
27.4	*6	*	*	*	*	*	*	*	*	*	*
27.5	27	19	*8	*9	*9	*	*	*5	*	11	*8
27.51	13	10	*	*	*6	*	*	*	*	*6	*
27.54	*7	*6	*	*6	*	-	-	*	*	*	*

Number of all-listed procedures for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region:
United States, 2006

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants.

Code numbers are from the International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM).

See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North- east	Midwest	South	West
Number of procedures in thousands											
27.6	16	*9	*7	10	*	*	*	*5	*	*6	*
27.62	*8	*	*	*8	-	*	-	*	*	*	*
27.69	*6	*	*	*	*	*	*	*	*	*	*
28	42	24	18	17	18	*7	*	11	*7	18	*6
28.0	11	*5	*6	*	*6	*	*	*	*	*	*
28.2	14	*8	*5	*	*9	*	*	*	*	*7	*
28.3	11	*6	*	10	*	-	-	*	*	*5	*
29	22	13	*8	*	*	10	*	*7	*	*7	*
29.1	*8	*	*	*	*	*	*	*	*	*	*
29.11	*6	*	*	*	*	*	*	*	*	*	*
29.3	*5	*	*	*	*	*	*	*	*	*	*
29.4	*7	*5	*	*	*	*	*	*	*	*	*
30-34	1,167	641	526	73	188	362	544	263	247	431	226
30	*9	*7	*	*	*	*	*	*	*	*	*
31	177	100	77	20	32	59	66	39	34	75	29
31.1	97	57	40	*	19	37	36	19	16	46	17
31.2	11	*5	*5	*	*	*	*6	*	*	*	*
31.29	11	*5	*5	*	*	*	*6	*	*	*	*
31.4	54	29	25	12	*9	14	18	13	11	19	11
31.42	49	25	23	11	*8	12	17	12	10	16	10
31.7	*6	*	*	*	*	*	*	*	*	*	*
32	82	41	41	*	11	26	43	21	15	28	17
32.2	35	18	17	*	*8	12	15	11	*7	11	*7
32.29	31	15	16	*	*7	11	13	10	*6	10	*
32.3	*8	*	*	*	*	*	*	*	*	*	*
32.4	34	17	17	*	*	10	21	*7	*6	14	*8
33	365	196	168	24	56	113	172	81	85	124	75
33.1	13	*6	*7	*	*	*	*5	*	*8	*	*
33.2	333	178	155	20	51	102	161	75	75	115	69
33.21	*7	*	*	*	*	*	*	*	*	*	*
33.22	38	19	19	*	*7	13	16	*9	11	*9	*9
33.23	39	23	16	*7	*7	10	15	12	*7	13	*6
33.24	154	84	70	*9	24	45	77	31	29	56	38
33.26	31	17	15	*	*	*9	20	*8	*9	*9	*5
33.27	44	24	20	*	*6	16	22	*9	13	17	*
33.28	19	*8	11	*	*	*5	*8	*	*	*6	*5
33.3	*9	*6	*	*	*	*	*	*	*	*	*
33.39	*5	*	*	*	*	*	*	*	*	*	*
33.9	*6	*	*	*	*	*	*	*	*	*	*
34	535	297	238	25	89	159	262	122	112	200	102
34.0	187	121	66	15	45	52	75	38	38	73	38
34.03	11	*9	*	*	*	*	*8	*	*	*	*
34.04	133	86	47	10	34	38	51	29	26	52	26
34.09	37	23	14	*	*9	10	14	*6	*8	16	*8
34.2	57	27	29	*	*7	19	29	18	11	17	11
34.21	24	11	13	*	*	*8	10	*9	*	*6	*6
34.22	*9	*	*	-	*	*	*	*	*	*	*
34.24	14	*7	*7	*	*	*	10	*	*	*5	*
34.5	28	20	*9	*	*	12	*8	*7	*	13	*
34.51	24	17	*7	*	*	11	*6	*	*	12	*
34.6	*9	*5	*	*	*	*	*	*	*	*	*
34.7	11	*7	*	*	*	*	*	*	*	*	*

Number of all-listed procedures for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region:
United States, 2006

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants.

Code numbers are from the International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM).

See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North- east	Midwest	South	West
Number of procedures in thousands											
34.79	*6	*	*	*	*	*	*	*	*	*	*
34.9	229	109	121	*	21	65	141	51	50	86	43
34.91	205	100	105	*	19	59	124	46	45	78	36
34.92	24	*9	15	*	*	*5	17	*	*5	*8	*6
35-39	6,491	3,632	2,859	209	699	2,312	3,270	1,228	1,434	2,544	1,285
35	157	86	71	32	13	39	74	43	30	39	46
35.1	21	14	*7	*	*	*7	*9	*6	*	*5	*6
35.12	16	12	*	*	*	*5	*8	*	*	*	*
35.2	82	46	36	*	*5	23	53	18	19	24	21
35.21	31	17	13	*	*	*5	25	*7	*9	*9	*6
35.22	26	18	*9	-	*	10	15	*5	*7	*8	*5
35.23	11	*	*7	*	*	*	*8	*	*	*	*
35.24	13	*7	*6	-	*	*6	*	*	*	*6	*
35.3	11	*5	*6	*	*	*	*6	*	*	*	*
35.33	*9	*	*	*	*	*	*6	*	*	*	*
35.5	10	*5	*	*	*	*	*	*	*	*	*
35.52	*8	*	*	*	*	*	*	*	*	*	*
35.6	*9	*	*6	*7	*	*	*	*	*	*	*
35.7	*9	*	*5	*	*	*	*	*	*	*	*
35.71	*8	*	*	*	*	*	*	*	*	*	*
35.9	*9	*	*	*6	*	*	*	*	*	*	*
36	1,104	750	353	*	50	487	566	174	328	404	197
36.0	653	425	228	*	33	295	325	109	203	221	119
36.06	107	69	39	*	*	47	55	19	37	30	21
36.07	545	356	189	-	28	247	269	89	166	191	98
36.1	444	320	123	*	15	191	237	64	122	181	76
36.11	44	25	19	*	*	15	27	*8	14	16	*6
36.12	86	62	24	-	*	35	48	14	23	38	12
36.13	73	55	19	-	*	36	34	10	21	28	14
36.14	36	28	*8	-	*	13	23	*	*9	15	10
36.15	189	139	51	*	*6	85	98	27	53	77	32
36.16	*9	*8	*	-	*	*	*	*	*	*	*
37	1,883	1,089	794	21	147	661	1,054	380	437	726	339
37.0	11	*6	*5	*	*	*5	*	*	*	*	*
37.1	18	*9	*9	*	*	*6	*7	*	*	*7	*
37.12	17	*8	*9	*	*	*6	*7	*	*	*6	*
37.2	1,232	740	492	15	107	527	583	227	286	495	224
37.21	29	17	12	*	*	13	11	10	*	10	*
37.22	957	576	381	*	74	434	449	160	224	407	166
37.23	129	73	56	10	10	40	69	31	29	41	28
37.24	*6	*	*	-	*	*	*	*	*	*	*
37.26	66	43	23	*	10	21	33	16	18	19	13
37.27	30	19	11	*	*	11	13	*5	*6	12	*7
37.29	*6	*	*	*	*	*	*	*	*	*	*
37.3	67	41	26	*	*9	25	31	15	15	21	16
37.33	17	11	*6	*	*	*5	10	*	*	*	*6
37.34	47	28	19	*	*7	18	20	11	12	15	*9
37.4	*5	*	*	*	*	*	*	*	*	*	*
37.6	53	36	17	*	*	20	29	*7	15	25	*6
37.61	50	34	16	-	*	18	28	*7	15	22	*6
37.7	219	105	114	*	*5	27	186	54	50	77	38
37.71	28	14	14	-	*	*	26	*9	*	*9	*
37.72	141	64	77	*	*	14	124	32	33	51	25
37.75	*8	*	*	*	*	*	*	*	*	*	*
37.76	*7	*	*	*	*	*	*6	*	*	*	*
37.77	*7	*	*	-	*	*	*	*	*	*	*

Number of all-listed procedures for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region:
United States, 2006

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants.

Code numbers are from the International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM).

See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North- east	Midwest	South	West
Number of procedures in thousands											
37.78	18	*8	10	*	*	*	14	*5	*	*7	*
37.79	*6	*	*	*	*	*	*	*	*	*	*
37.8	195	92	103	*	*	20	171	49	44	67	35
37.81	15	*8	*7	-	-	*	14	*	*	*	*
37.82	13	*6	*7	-	*	*	13	*	*	*	*
37.83	140	63	77	*	*	14	122	33	32	50	24
37.87	14	*7	*8	*	*	*	12	*	*	*	*
37.89	*6	*	*	*	-	*	*	*	*	*	*
37.9	80	56	24	*	10	28	42	17	20	27	16
37.94	67	48	20	*	*8	23	36	15	18	22	12
38	1,923	931	992	120	308	616	879	359	355	820	389
38.0	33	17	16	*	*	11	18	*5	*6	15	*7
38.03	*6	*	*	*	*	*	*	*	*	*	*
38.08	18	*9	*9	*	*	*7	10	*	*	*8	*
38.1	125	71	54	-	*	29	95	18	29	54	25
38.12	99	55	44	-	*	22	77	13	25	44	18
38.18	20	12	*8	-	*	*5	14	*	*	*9	*
38.2	*8	*	*5	*	*	*	*6	*	*	*	*
38.21	*7	*	*5	-	*	*	*6	*	*	*	*
38.4	31	20	12	*	*	10	18	*5	*7	11	*8
38.44	14	*9	*6	*	*	*	10	*	*	*5	*
38.45	10	*7	*	*	*	*	*5	*	*	*	*
38.6	*6	*5	*	*	*	*	*	*	*	*	*
38.7	92	45	47	-	15	25	51	26	19	36	10
38.8	28	15	13	11	*5	*7	*6	*6	*	*9	*9
38.85	12	*7	*5	11	*	*	*	*	*	*	*5
38.9	1,594	753	842	106	282	525	682	295	287	688	325
38.91	103	58	46	20	13	28	42	19	19	41	24
38.92	15	*9	*6	14	*	*	-	*	*	*5	*8
38.93	1,245	560	684	67	231	411	536	234	230	538	243
38.94	*6	*	*	*	*	*	*	*	*	*	*
38.95	183	107	76	*	28	72	82	28	35	76	44
38.98	31	14	17	*	*7	*9	15	10	*	20	*
38.99	11	*	*7	*	*	*	*	*	*	*5	*
39	1,424	775	649	36	181	509	698	272	283	556	314
39.0	13	*	10	*	10	*	*	*	*	10	*
39.1	*6	*	*	*	*	*	*	*	*	*	*
39.2	110	63	48	*	*6	43	58	20	22	46	23
39.25	13	*7	*6	-	*	*6	*7	*	*	*	*
39.27	32	16	16	-	*	13	15	*	*	17	*7
39.29	55	36	19	-	*	22	31	11	14	21	*8
39.3	25	17	*8	*	*9	*9	*6	*	*6	10	*5
39.31	17	11	*6	*	*8	*	*	*	*	*7	*
39.32	*7	*6	*	*	*	*	*	*	*	*	*
39.4	58	33	25	*	*5	25	28	*9	*9	25	15
39.42	13	*7	*6	*	*	*6	*	*	*	*	*6
39.49	40	23	17	*	*	17	20	*5	*8	18	*9
39.5	188	101	87	*	16	56	111	39	42	71	36
39.50	153	81	72	*	10	46	94	30	35	57	30
39.51	*9	*	*7	-	*	*	*	*	*	*	*
39.52	*7	*6	*	*	*	*	*6	*	*	*	*
39.59	*6	*	*	*	*	*	*	*	*	*	*
39.6	241	157	84	17	16	87	120	41	58	81	60
39.61	221	146	75	15	15	82	110	39	56	76	51
39.62	*5	*	*	*	-	*	*	-	*	*	*
39.63	*6	*	*	*	*	*	*	*	*	*	*
39.64	*6	*	*	*	-	*	*	*	*	*	*
39.7	56	36	21	*	*8	15	30	14	12	19	11
39.71	21	18	*	-	*	*	19	*	*7	*7	*

Number of all-listed procedures for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region:
United States, 2006

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants.

Code numbers are from the International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM).

See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North- east	Midwest	South	West
Number of procedures in thousands											
39.72	16	*5	11	*	*	*9	*	*	*	*6	*
39.79	17	12	*6	*	*	*	*7	*	*	*6	*5
39.9	725	365	360	*	109	270	342	142	131	292	160
39.90	63	32	31	*	*	18	42	13	13	24	12
39.95	645	325	320	*	102	244	295	127	113	262	143
39.98	11	*5	*6	*	*	*5	*	*	*	*	*
40-41	371	186	185	21	57	147	146	76	73	130	91
40	239	118	121	*5	35	104	95	46	48	80	65
40.1	56	20	35	*	10	20	22	12	15	20	*9
40.11	53	20	33	*	10	19	21	11	14	20	*8
40.2	64	20	44	*	10	27	27	12	14	24	15
40.23	17	*	17	*	*	*6	*9	*	*	*6	*
40.24	*5	*	*	-	*	*	*	*	*	*	*
40.29	37	13	24	*	*7	14	15	*7	*8	13	*9
40.3	79	50	29	*	*6	42	31	16	15	23	26
40.4	16	10	*5	*	*	*5	*6	*	*	*6	*6
40.41	13	*9	*	*	*	*	*	*	*	*	*6
40.5	23	16	*7	*	*	10	*9	*	*	*6	10
40.59	13	*8	*	-	*	*5	*5	*	*	*	*
41	132	67	64	16	22	43	51	30	25	51	26
41.0	12	*8	*	*	*	*6	*	*	*	*7	*
41.04	*7	*	*	*	*	*	*	*	*	*	*
41.3	92	47	45	13	11	27	42	21	19	36	16
41.31	92	47	45	13	11	27	41	21	19	36	16
41.5	18	*9	*9	*	*7	*5	*5	*	*	*5	*6
41.9	*7	*	*	*	*	*	*	*	*	*	*
42-54	5,571	2,431	3,140	243	1,267	1,743	2,319	1,168	1,207	2,058	1,139
42	111	62	49	*5	18	39	48	25	22	39	26
42.2	34	17	17	*	*5	11	14	10	*	14	*5
42.23	30	16	14	*	*	*9	12	*9	*	12	*
42.3	29	22	*8	*	*6	15	*8	*5	*6	*8	*9
42.33	27	20	*7	*	*6	13	*8	*	*5	*8	*9
42.8	*6	*	*	*	*	*	*	*	*	*	*
42.9	32	13	19	*	*	*7	22	*7	*8	13	*
42.92	32	12	19	*	*	*7	22	*7	*8	13	*
43	222	114	109	32	21	43	126	49	35	85	53
43.1	167	84	83	16	13	30	107	36	27	66	38
43.11	138	70	68	*6	*9	23	100	29	23	55	30
43.19	29	15	14	10	*	*7	*7	*7	*	11	*8
43.3	15	14	*	15	*	*	*	*	*	*5	*6
43.4	16	*	11	*	*	*5	*9	*5	*	*6	*
43.41	14	*	10	*	*	*	*8	*	*	*5	*
43.7	*9	*	*	-	*	*	*	*	*	*	*
43.8	*8	*	*6	-	*	*	*	*	*	*	*
43.89	*8	*	*6	-	*	*	*	*	*	*	*
44	267	97	170	12	78	104	72	63	46	98	60
44.1	17	*	13	*	*	*8	*5	*	*	10	*
44.13	10	*	*9	*	*	*	*	*	*	*7	*
44.2	13	*7	*6	*	*	*	*	*	*	*6	*
44.22	*6	*	*	-	*	*	*	*	*	*	*
44.29	*7	*	*	*	*	*	*	*	*	*	*
44.3	81	14	68	*	39	37	*	27	15	25	14
44.38	48	*7	42	-	25	23	*	12	*9	19	*9

Number of all-listed procedures for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region:
United States, 2006

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants.

Code numbers are from the International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM).

See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North- east	Midwest	South	West
Number of procedures in thousands											
44.39	26	*5	21	*	11	12	*	12	*	*	*
44.4	75	43	32	*	*7	25	43	12	16	27	21
44.41	*6	*	*	-	*	*	*	*	*	*	*
44.42	*8	*	*	-	*	*	*	*	*	*	*
44.43	61	36	25	*	*	18	39	11	13	20	17
44.5	*6	*	*	*	*	*	*	*	*	*	*
44.6	50	20	29	*9	12	16	12	*9	*6	20	15
44.66	12	*7	*5	*	*	*	*	*	*	*5	*
44.67	25	10	15	*	*7	*7	*7	*	*	10	*8
44.9	21	*6	15	*	*9	11	*	*9	*	*8	*
44.95	18	*6	13	-	*8	10	*	*8	*	*8	*
45	2,146	943	1,203	35	286	631	1,194	452	497	776	421
45.0	*9	*	*5	*	*	*	*	*	*	*	*
45.1	1,049	459	590	17	152	308	572	217	251	382	199
45.12	*7	*	*	*	*	*	*	*	*	*	*
45.13	411	188	223	*	56	119	232	92	110	134	76
45.14	*7	*	*	*	*	*	*	*	*	*	*
45.16	618	262	356	12	92	182	332	123	137	241	117
45.2	524	213	311	*8	68	151	297	115	117	182	110
45.23	265	112	153	*	25	75	165	60	55	95	55
45.24	39	15	23	*	*8	*8	23	*9	*9	11	10
45.25	215	82	132	*6	35	67	107	45	52	73	45
45.3	14	*7	*7	*	*	*	*8	*	*	*5	*
45.33	*6	*	*	*	*	*	*	*	*	*	*
45.4	139	72	67	*	*6	34	99	30	36	50	23
45.42	116	61	56	*	*5	31	80	24	30	44	18
45.43	21	11	11	*	*	*	18	*6	*6	*	*5
45.6	81	37	44	*	12	24	41	16	15	34	16
45.62	77	35	42	*	12	23	39	15	14	33	16
45.7	252	115	137	*	30	83	135	49	61	93	49
45.72	13	*	*8	*	*	*6	*	*	*	*	*
45.73	91	39	52	*	*9	25	56	18	21	30	22
45.74	12	*5	*6	*	*	*	*8	*	*	*5	*
45.75	28	13	16	*	*	*8	18	*6	*6	12	*
45.76	82	39	43	*	12	33	36	16	23	28	14
45.79	25	13	12	*	*	*9	12	*	*5	12	*
45.8	10	*	*	*	*	*	*	*	*	*	*
45.9	67	31	36	*	*9	23	34	16	12	22	17
45.91	17	*7	10	*	*	*6	*7	*6	*	*6	*
45.93	28	14	14	*	*	*8	16	*5	*	*8	11
45.94	13	*6	*7	*	*	*5	*7	*	*	*	*
46	229	120	109	16	46	69	98	59	45	87	38
46.0	22	*9	13	*	*	*6	11	*7	*5	*8	*
46.01	10	*	*6	*	*	*	*	*	*	*	*
46.03	12	*	*7	*	*	*	*7	*	*	*	*
46.1	48	23	24	*	*	15	27	13	11	18	*6
46.10	24	13	11	*	*	*8	13	*	*5	11	*
46.11	12	*8	*	*	*	*	*6	*	*	*	*
46.13	10	*	*7	*	*	*	*7	*	*	*	*
46.2	17	10	*7	*	*	*5	*6	*	*	*7	*
46.20	*8	*	*	*	*	*	*	*	*	*	*
46.3	21	14	*8	*	*	*	11	*	*5	*5	*6
46.39	17	10	*7	*	*	*	*9	*	*	*	*6
46.4	16	*8	*8	*	*	*	*9	*	*	*7	*
46.41	*6	*	*	*	*	*	*	*	*	*	*
46.5	41	24	16	*6	10	14	11	12	*7	15	*6
46.51	16	*9	*7	*	*	*6	*	*6	*	*6	*
46.52	24	15	*9	*	*6	*8	*8	*6	*	*9	*
46.7	44	22	22	*	11	16	14	*7	*8	20	*9

Number of all-listed procedures for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region:
United States, 2006

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants.

Code numbers are from the International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM).

See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North- east	Midwest	South	West
Number of procedures in thousands											
46.73	19	10	*9	*	*	*8	*6	*	*	*9	*
46.74	*6	*	*	*	*	*	*	*	*	*	*
46.75	11	*7	*	*	*	*	*	*	*	*5	*
46.79	*6	*	*	*	*	*	*	*	*	*	*
46.8	15	*8	*7	*	*	*	*8	*5	*	*	*
46.85	11	*6	*5	-	*	*	*8	*	*	*	*
47	383	205	178	78	194	81	30	71	89	126	98
47.0	341	192	150	74	178	66	24	62	80	110	89
47.01	186	100	87	42	105	31	*8	33	31	63	59
47.09	155	92	63	32	72	35	16	29	49	47	30
47.1	37	12	25	*	15	13	*6	*8	*8	14	*7
47.11	*5	*	*	*	*	*	*	*	*	*	*
47.19	32	10	22	*	13	11	*5	*7	*6	13	*6
48	181	88	94	*8	33	57	84	41	43	66	31
48.2	68	27	41	*	14	19	32	16	16	26	11
48.23	26	11	15	*	*6	*8	11	*7	*6	10	*
48.24	40	15	25	*	*7	10	19	*8	10	15	*7
48.3	28	15	12	*	*	*8	17	*5	*8	10	*
48.36	24	13	11	*	*	*7	15	*	*7	*9	*
48.5	10	*	*6	*	*	*	*6	*	*	*	*
48.6	42	20	21	-	*	16	21	10	*7	16	*8
48.63	26	13	13	-	*	10	12	*6	*	10	*6
48.69	11	*	*7	-	*	*	*7	*	*	*	*
48.7	*7	*	*6	*	*	*	*	*	*	*	*
48.8	21	17	*	*	*8	10	*	*	*6	*8	*
48.81	21	17	*	*	*7	10	*	*	*5	*8	*
49	51	25	26	*	23	20	*7	*8	*8	24	10
49.0	11	*6	*	*	*5	*	*	*	*	*	*
49.01	*8	*6	*	*	*	*	*	*	*	*	*
49.3	*6	*	*	-	*	*	*	*	*	*	*
49.39	*6	*	*	-	*	*	*	*	*	*	*
49.4	17	*8	*8	*	*7	*8	*	*	*	*7	*
49.46	12	*6	*6	-	*5	*5	*	*	*	*6	*
49.7	*7	*	*6	*	*	*	*	*	*	*	*
49.79	*5	*	*	*	*	*	*	*	*	*	*
50	117	59	58	*	25	47	41	31	23	44	19
50.1	83	39	44	*	19	32	29	24	17	31	12
50.11	53	26	28	*	10	21	18	13	11	20	10
50.12	18	10	*9	*	*	*7	*6	*6	*	*5	*
50.19	12	*	*8	-	*	*	*5	*	*	*6	*
50.2	12	*5	*6	*	*	*	*	*	*	*5	*
50.29	*7	*	*	*	*	*	*	*	*	*	*
50.9	*9	*	*	*	*	*	*	*	*	*	*
50.91	*6	*	*	*	*	*	*	*	*	*	*
51	676	245	431	*	219	209	244	136	140	268	133
51.0	*9	*	*5	-	*	*	*5	*	*	*	*
51.01	*5	*	*	-	*	*	*	*	*	*	*
51.1	48	23	25	*	10	18	20	10	*9	18	11
51.10	32	14	18	*	*7	11	14	*6	*7	11	*7
51.14	10	*5	*5	-	*	*	*	*	*	*	*
51.2	414	134	280	*	155	128	129	76	79	181	78
51.22	92	38	54	*	21	33	39	18	18	35	22
51.23	322	96	226	*	134	96	90	57	62	146	56
51.3	11	*6	*5	*	*	*	*	*	*	*	*
51.36	*8	*5	*	*	*	*	*	*	*	*	*
51.4	*9	*	*5	*	*	*	*5	*	*	*	*

Number of all-listed procedures for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region:
United States, 2006

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants.

Code numbers are from the International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM).

See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North- east	Midwest	South	West
Number of procedures in thousands											
51.41	*6	*	*	-	*	*	*	*	*	*	*
51.8	167	66	101	*	46	48	73	38	41	54	34
51.84	*7	*	*	*	*	*	*	*	*	*	*
51.85	77	29	48	*	23	22	32	18	19	26	14
51.87	35	16	19	*	*7	12	15	*9	*9	10	*6
51.88	47	17	30	*	14	10	22	*9	11	16	11
51.9	*9	*	*	*	*	*	*	*	*	*	*
51.98	*9	*	*	*	*	*	*	*	*	*	*
52	44	21	22	*	11	15	17	*8	*6	15	14
52.1	*9	*5	*	*	*	*	*6	*	*	*	*
52.7	*8	*	*	-	*	*	*	*	*	*	*
52.9	10	*	*6	*	*	*	*	*	*	*	*
52.93	*7	*	*	-	*	*	*	*	*	*	*
53	252	128	124	12	50	85	106	54	63	81	55
53.0	42	36	*5	*	*	*9	24	*8	11	12	10
53.00	*6	*	*	*	*	*	*	*	*	*	*
53.03	11	10	*	*	*	*	*7	*	*	*	*
53.04	11	11	*	-	*	*	*7	*	*	*	*
53.05	*7	*6	*	-	*	*	*	*	*	*	*
53.1	10	*9	*	*	*	*	*5	*	*	*	*
53.4	47	21	26	*	*9	17	18	10	12	16	*9
53.41	*9	*5	*	*	*	*	*	*	*	*	*
53.49	38	16	22	*	*8	14	14	*8	10	13	*7
53.5	46	20	27	*	12	19	14	10	*8	17	11
53.51	26	13	13	*	*7	11	*8	*5	*	*9	*8
53.59	20	*7	13	*	*	*9	*6	*5	*	*8	*
53.6	81	31	50	*	17	31	33	17	24	26	14
53.61	59	24	36	*	14	22	23	13	16	20	10
53.69	22	*8	14	-	*	*9	*9	*	*8	*7	*
53.7	11	*	*7	*	*	*	*6	*	*	*	*
53.9	*7	*	*5	*	*	*	*	*	*	*	*
54	892	325	567	35	262	343	252	173	191	349	180
54.0	19	*8	11	*	*5	*8	*5	*	*5	*8	*
54.1	64	29	35	*	24	21	16	15	12	24	12
54.11	28	13	15	*	11	*8	*7	*6	*5	11	*
54.12	19	*7	11	*	*6	*7	*5	*	*	*8	*
54.19	17	*8	*9	*	*6	*7	*	*5	*	*5	*
54.2	110	43	67	*	33	42	33	23	31	41	16
54.21	67	29	38	*	23	27	15	14	21	24	*8
54.23	14	*5	*9	*	*	*	*7	*	*	*6	*
54.24	10	*	*7	-	*	*	*6	*	*	*	*
54.25	16	*5	11	*	*	*7	*	*	*	*7	*
54.3	*9	*	*6	*	*	*	*	*	*	*	*
54.4	67	15	52	*	16	25	22	11	14	28	14
54.5	344	80	264	*7	120	117	101	66	76	133	70
54.51	73	17	56	*	25	29	17	16	15	28	14
54.59	271	63	208	*5	95	88	84	50	60	105	56
54.6	16	*9	*6	*	*	*	*5	*	*	*6	*
54.61	*5	*	*	*	*	*	*	*	*	*	*
54.7	10	*	*5	*	*	*	*	*	*	*	*
54.9	253	133	120	14	54	121	64	49	46	103	56
54.91	185	101	84	*6	31	96	52	37	33	70	44
54.92	*8	*	*	*	*	*	*	*	*	*	*
54.95	16	10	*7	*	*6	*	*	*	*	*9	*
54.98	39	16	23	*	14	16	*6	*6	*7	18	*8
55-59	1,025	491	534	26	203	355	442	243	202	385	195

Number of all-listed procedures for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region:
United States, 2006

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants.

Code numbers are from the International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM).

See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North- east	Midwest	South	West
Number of procedures in thousands											
55	177	105	72	*6	47	75	49	43	27	72	35
55.0	38	22	16	*	*7	16	14	10	*8	13	*7
55.03	26	15	11	*	*	10	11	*7	*	*9	*5
55.04	*6	*	*	-	*	*	*	*	*	*	*
55.2	32	18	14	*	13	11	*8	*8	*	15	*5
55.23	30	17	13	*	12	10	*7	*7	*	14	*5
55.4	10	*6	*	*	*	*6	*	*	*	*6	*
55.5	55	33	22	*	12	26	17	11	*8	23	13
55.51	51	31	20	*	*9	24	16	11	*7	21	12
55.6	21	13	*9	*	10	*8	*	*7	*	*8	*
55.69	21	13	*8	*	10	*8	*	*7	*	*8	*
55.8	*6	*	*	*	*	*	*	*	*	*	*
55.87	*5	*	*	*	*	*	*	*	*	*	*
55.9	*9	*5	*	*	*	*	*	*	*	*	*
55.93	*6	*	*	-	*	*	*	*	*	*	*
56	103	52	51	*9	25	40	29	22	24	38	19
56.0	46	22	25	*	15	21	10	*9	11	18	*7
56.3	23	11	12	*	*6	*7	10	*	*7	*9	*
56.31	19	*9	10	*	*6	*6	*7	*	*7	*7	*
56.5	13	11	*	-	*	*7	*7	*	*	*	*
56.51	13	10	*	-	*	*7	*6	*	*	*	*
56.7	13	*	*8	*7	*	*	*	*6	*	*	*
56.74	*9	*	*6	*5	*	*	*	*	*	*	*
57	413	228	185	*6	54	101	252	107	77	154	76
57.0	27	23	*	*	*	*6	20	*6	*6	11	*
57.1	19	12	*8	*	*	*6	10	*	*	10	*
57.17	*6	*	*	*	*	*	*	*	*	*	*
57.18	*8	*	*	*	*	*	*	*	*	*	*
57.3	147	70	77	*	29	43	72	39	32	55	21
57.32	133	60	73	*	28	39	64	35	30	48	19
57.33	13	*9	*	*	*	*	*8	*	*	*6	*
57.4	48	35	13	*	*	*9	37	11	*9	17	11
57.49	48	35	13	*	*	*9	37	11	*9	17	11
57.7	11	*9	*	-	*	*5	*6	*	*	*	*
57.71	11	*9	*	-	*	*5	*5	*	*	*	*
57.8	16	*6	11	*	*	*6	*6	*	*	*8	*
57.81	*6	*	*5	*	*	*	*	*	*	*	*
57.9	137	69	68	*	14	24	97	42	21	47	27
57.94	125	59	66	*	13	20	90	40	19	41	25
57.95	*5	*	*	*	*	*	*	*	*	*	*
58	32	26	*6	*	*	11	17	*7	*6	11	*7
58.6	17	14	*	*	*	*5	10	*	*	*5	*
59	300	80	220	*	75	128	94	64	69	110	57
59.0	*9	*	*8	-	*	*	*	*	*	*	*
59.02	*7	*	*6	-	*	*	*	*	*	*	*
59.4	*6	-	*6	-	*	*	*	*	*	*	*
59.5	16	*	15	-	*5	*9	*	*	*5	*	*
59.7	94	*	94	*	21	43	31	16	21	32	25
59.79	93	*	93	*	21	42	31	16	21	31	25
59.8	168	74	94	*	42	68	54	40	38	67	22
60-64	250	250	-	28	16	82	123	49	53	86	63
60	178	178	-	-	*	66	111	35	40	58	45
60.1	*5	*5	-	-	-	*	*	*	*	*	*

Number of all-listed procedures for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region:
United States, 2006

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants.

Code numbers are from the International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM).

See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North- east	Midwest	South	West
Number of procedures in thousands											
60.11	*5	*5	-	-	-	*	*	*	*	*	*
60.2	90	90	-	-	*	14	76	17	21	28	23
60.21	11	11	-	-	-	*	10	*	*	*6	*
60.29	79	79	-	-	*	13	66	15	20	23	21
60.5	64	64	-	-	*	44	19	13	15	20	16
60.6	*6	*6	-	-	*	*	*	*	*	*	*
61	15	15	-	*	*	*5	*	*	*	*7	*
61.0	*7	*7	-	*	*	*	*	*	*	*	*
62	12	12	-	*	*	*	*	*	*	*	*5
62.3	*6	*6	-	*	*	*	*	*	*	*	*
63	*5	*5	-	*	*	*	*	*	*	*	*
64	40	40	-	21	*6	*6	*6	*9	*7	17	*7
64.0	23	23	-	21	*	*	*	*5	*	10	*
64.9	*8	*8	-	*	*	*	*	*	*	*	*
65-71	1,957	-	1,957	*9	1,073	638	237	295	441	826	395
65	502	-	502	*	207	224	66	73	124	207	98
65.1	*5	-	*5	*	*	*	*	*	*	*	*
65.2	43	-	43	*	33	*7	*	10	*7	16	11
65.25	10	-	10	*	*7	*	*	*	*	*	*
65.29	32	-	32	*	24	*	*	*7	*	12	*8
65.3	18	-	18	*	10	*	*	*	*	*5	*
65.39	15	-	15	*	*8	*	*	*	*	*5	*
65.4	90	-	90	*	60	23	*5	14	24	34	18
65.41	18	-	18	*	13	*	*	*	*	*7	*
65.49	72	-	72	*	47	20	*	11	19	27	15
65.5	*9	-	*9	-	*	*	*	*	*	*	*
65.6	302	-	302	-	75	177	50	39	79	134	50
65.61	248	-	248	-	58	146	44	34	64	108	42
65.62	*9	-	*9	-	*	*	*	*	*	*	*
65.63	43	-	43	-	13	27	*	*	11	21	*7
65.8	19	-	19	-	11	*7	*	*	*	*7	*6
65.89	15	-	15	-	*9	*6	*	*	*	*5	*5
65.9	11	-	11	*	*8	*	*	*	*	*5	*
65.91	*8	-	*8	*	*6	*	*	*	*	*	*
66	408	-	408	*	398	*8	*	51	72	199	87
66.2	13	-	13	-	13	*	-	*	*	*8	*
66.29	*9	-	*9	-	*8	*	-	*	*	*6	*
66.3	338	-	338	-	336	*	-	41	62	163	72
66.32	224	-	224	-	223	*	-	29	34	110	52
66.39	113	-	113	-	113	*	-	13	28	53	20
66.4	*9	-	*9	-	*7	*	*	*	*	*5	*
66.5	*9	-	*9	-	*6	*	*	*	*	*	*
66.51	*8	-	*8	-	*5	*	*	*	*	*	*
66.6	29	-	29	*	27	*	*	*	*	12	*8
66.61	*7	-	*7	*	*6	*	*	*	*	*	*
66.62	16	-	16	-	15	*	-	*	*	*6	*
66.69	*5	-	*5	-	*5	*	*	*	*	*	*
67	22	-	22	-	13	*9	*	*	*5	12	*
67.1	*5	-	*5	-	*	*	*	*	*	*	*
67.3	*8	-	*8	-	*	*	*	*	*	*	*
67.32	*5	-	*5	-	*	*	*	*	*	*	*
67.5	*6	-	*6	-	*6	*	-	*	*	*	*

Number of all-listed procedures for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region:
United States, 2006

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants.

Code numbers are from the International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM).

See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North- east	Midwest	South	West
Number of procedures in thousands											
67.59	*5	-	*5	-	*5	*	-	*	*	*	*
68	641	-	641	*	313	265	62	101	155	257	127
68.1	20	-	20	-	10	*8	*	*	*	*8	*
68.12	10	-	10	-	*6	*	*	*	*	*	*
68.16	*8	-	*8	-	*	*	*	*	*	*	*
68.2	51	-	51	-	43	*7	*	13	*7	22	*8
68.23	*8	-	*8	-	*6	*	-	*	*	*	*
68.29	43	-	43	-	36	*6	*	12	*5	17	*8
68.3	57	-	57	-	32	24	*	11	16	17	14
68.31	20	-	20	-	14	*5	*	*	*7	*	*
68.39	37	-	37	-	17	18	*	*8	*9	12	*9
68.4	317	-	317	*	136	146	35	48	80	137	52
68.5	186	-	186	-	91	76	19	23	46	70	47
68.51	67	-	67	-	34	30	*	*7	18	31	12
68.59	119	-	119	-	57	46	17	16	28	40	35
68.6	*8	-	*8	-	*	*	*	*	*	*	*
69	85	-	85	*	69	11	*	18	14	36	16
69.0	41	-	41	-	30	*8	*	10	*7	18	*7
69.02	21	-	21	-	20	*	-	*	*	10	*5
69.09	20	-	20	-	10	*7	*	*6	*	*8	*
69.1	*8	-	*8	*	*7	*	*	*	*	*	*
69.19	*8	-	*8	*	*7	*	*	*	*	*	*
69.5	22	-	22	*	21	*	*	*	*	10	*
69.52	17	-	17	*	16	*	-	*	*	*8	*
69.9	*9	-	*9	-	*9	*	*	*	*	*	*
69.96	*8	-	*8	-	*8	*	-	*	*	*	*
70	257	-	257	*	51	112	93	39	62	98	59
70.3	*8	-	*8	-	*6	*	*	*	*	*	*
70.5	132	-	132	-	19	65	49	23	27	49	34
70.50	62	-	62	-	*9	30	22	*9	12	23	18
70.51	41	-	41	-	*	20	16	*7	10	16	*8
70.52	29	-	29	-	*5	14	10	*6	*	10	*8
70.7	56	-	56	*	10	23	23	*7	18	21	10
70.77	40	-	40	-	*5	18	17	*	14	16	*6
70.79	10	-	10	*	*	*	*	*	*	*	*
70.9	47	-	47	-	12	21	14	*7	11	19	10
70.92	46	-	46	-	12	20	14	*7	11	19	10
71	42	-	42	*	21	10	*9	*8	*9	17	*7
71.0	*9	-	*9	*	*	*	*	*	*	*5	*
71.09	*8	-	*8	*	*	*	*	*	*	*5	*
71.3	*8	-	*8	-	*6	*	*	*	*	*	*
71.7	15	-	15	*	*	*6	*	*	*	*	*
71.71	*5	-	*5	*	*	*	*	*	*	*	*
71.79	*9	-	*9	*	*	*	*	*	*	*	*
72-75	7,076	-	7,076	*9	7,049	17	-	1,080	1,590	2,558	1,848
72	286	-	286	*	286	*	-	29	58	120	78
72.0	19	-	19	*	19	-	-	*	*5	10	*
72.1	21	-	21	-	21	*	-	*	*6	12	*
72.2	*7	-	*7	-	*7	-	-	*	*	*	*
72.7	229	-	229	*	229	*	-	25	45	88	72
72.71	83	-	83	*	83	*	-	12	17	29	25
72.79	146	-	146	*	146	-	-	13	27	59	46
73	3,188	-	3,188	*	3,177	*9	-	445	739	1,176	829

Number of all-listed procedures for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region:
United States, 2006

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants.

Code numbers are from the International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM).

See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North- east	Midwest	South	West
Number of procedures in thousands											
73.0	960	-	960	*	956	*	-	120	267	322	251
73.01	167	-	167	*	166	*	-	17	47	61	42
73.09	792	-	792	*	791	*	-	103	220	261	209
73.1	17	-	17	-	17	-	-	*	*	*	*
73.4	653	-	653	*	650	*	-	98	160	217	178
73.5	1,207	-	1,207	*	1,202	*	-	160	235	497	314
73.51	*6	-	*6	-	*6	-	-	*	*	*	*
73.59	1,201	-	1,201	*	1,196	*	-	160	234	495	313
73.6	347	-	347	*	346	*	-	61	70	136	80
74	1,296	-	1,296	*	1,291	*	-	206	236	536	318
74.0	20	-	20	-	20	-	-	*	*	*9	*
74.1	1,269	-	1,269	*	1,264	*	-	203	231	524	311
75	2,305	-	2,305	*	2,295	*6	-	399	557	726	623
75.1	*8	-	*8	-	*8	-	-	*	*	*	*
75.3	914	-	914	*	909	*	-	179	228	252	255
75.32	150	-	150	*	149	*	-	23	42	46	40
75.34	647	-	647	*	643	*	-	142	160	173	172
75.35	76	-	76	*	76	*	-	11	20	20	25
75.37	39	-	39	*	39	-	-	*	*6	13	17
75.4	40	-	40	-	40	*	-	*	11	10	13
75.5	*9	-	*9	-	*9	-	-	*	*	*	*
75.51	*7	-	*7	-	*7	-	-	*	*	*	*
75.6	1,299	-	1,299	*	1,295	*	-	203	300	447	349
75.61	29	-	29	-	29	-	-	*	*9	10	*7
75.62	90	-	90	*	90	-	-	13	22	36	19
75.69	1,181	-	1,181	*	1,177	*	-	187	269	401	324
75.7	30	-	30	-	30	*	-	*7	11	*9	*
76-84	4,188	1,977	2,210	165	902	1,490	1,630	814	990	1,506	879
76	81	54	27	*	55	16	*	*9	14	39	19
76.6	17	*7	*9	*	15	*	-	*	*	*8	*
76.65	*6	*	*	*	*6	*	-	*	*	*	*
76.7	42	34	*8	*	30	*9	*	*	*7	21	*9
76.72	*7	*	*	-	*	*	*	*	*	*	*
76.74	*7	*5	*	*	*	*	*	*	*	*	*
76.76	15	13	*	*	11	*	*	*	*	*8	*
76.79	*7	*6	*	*	*6	*	*	*	*	*	*
76.9	12	*9	*	*	*6	*	*	*	*	*6	*
76.92	*6	*	*	*	*	*	*	*	*	*	*
77	248	129	119	21	56	88	83	62	56	88	42
77.1	*7	*	*	*	*	*	*	*	*	*	*
77.2	*7	*5	*	*	*	*	*	*	*	*	*
77.3	15	*6	*9	*	*	*	*	*	*	*	*
77.37	*5	*	*	*	*	*	*	*	*	*	*
77.4	42	16	26	*	*	12	25	11	*8	16	*7
77.49	30	11	19	*	*	*9	19	*8	*6	11	*
77.5	*6	*	*	*	*	*	*	*	*	*	*
77.6	53	34	19	*	12	19	18	12	14	18	*8
77.65	*9	*6	*	*	*	*	*	*	*	*	*
77.67	*7	*	*	*	*	*	*	*	*	*	*
77.68	*9	*7	*	*	*	*	*	*	*	*	*
77.69	17	11	*6	*	*	*6	*7	*	*	*6	*
77.7	80	39	40	*	21	34	20	19	19	33	10
77.79	70	34	36	*	16	32	18	18	16	29	*8
77.8	33	20	13	*	*8	12	12	10	*6	*9	*8
77.81	*7	*	*	-	*	*	*	*	*	*	*

Number of all-listed procedures for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region:
United States, 2006

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants.

Code numbers are from the International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM).

See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North- east	Midwest	South	West
Number of procedures in thousands											
77.88	*8	*6	*	*	*	*	*	*	*	*	*
77.89	*8	*5	*	*	*	*	*	*	*	*	*
78	246	130	116	26	65	76	79	47	58	94	47
78.0	28	16	12	*	12	*7	*7	*5	*8	*8	*6
78.05	*8	*	*	*	*	*	*	*	*	*	*
78.07	12	*9	*	*	*7	*	*	*	*	*	*
78.1	38	25	13	*	14	15	*7	*8	11	12	*7
78.13	10	*	*5	*	*	*6	*	*	*	*	*
78.17	17	12	*	*	*8	*6	*	*	*7	*	*
78.4	12	*7	*	*	*	*	*	*	*	*6	*
78.5	62	31	31	*8	11	12	30	14	14	23	12
78.55	38	17	21	*	*	*	25	*8	10	14	*6
78.57	11	*7	*	*	*5	*	*	*	*	*	*
78.59	*8	*	*	*	*	*	*	*	*	*	*
78.6	98	46	52	*7	23	36	32	16	21	42	19
78.65	23	*9	14	*	*	*7	13	*	*7	*7	*6
78.67	21	12	10	*	*9	*7	*6	*	*	10	*
78.69	38	16	22	*	*8	18	10	*6	*6	19	*7
79	739	361	377	51	212	181	294	144	180	261	153
79.0	70	36	34	12	16	19	22	16	17	24	12
79.01	*8	*	*	*	*	*	*	*	*	*	*
79.02	23	10	13	*	*5	*7	*7	*	*6	10	*
79.05	*9	*7	*	*6	*	*	*	*	*	*	*
79.06	23	12	11	*	*6	*7	*8	*7	*6	*6	*
79.1	114	48	66	15	17	17	66	22	28	36	28
79.11	15	*7	*8	11	*	*	*	*	*	*6	*5
79.12	10	*	*6	*	*	*	*	*	*	*	*
79.15	72	26	46	*	*6	*7	57	15	20	22	16
79.16	10	*6	*	*	*5	*	*	*	*	*	*
79.2	*7	*6	*	*	*	*	*	*	*	*	*
79.3	439	203	237	14	130	113	183	85	107	159	89
79.31	33	15	18	*	*8	*8	13	10	*8	*9	*6
79.32	58	33	25	*	26	16	13	10	11	23	14
79.34	*7	*6	*	-	*	*	*	*	*	*	*
79.35	158	51	107	*	16	20	119	31	39	62	26
79.36	146	71	75	*	58	51	34	26	39	47	34
79.37	12	*8	*	*	*	*6	*	*	*	*5	*
79.39	19	15	*	*	10	*8	*	*	*	*9	*
79.6	61	44	17	*	33	16	*7	*7	15	25	14
79.62	12	*8	*	*	*	*	*	*	*	*5	*
79.65	*5	*	*	*	*	*	*	*	*	*	*
79.66	26	17	*9	*	14	*7	*	*	*8	*9	*6
79.7	34	17	17	*	*6	10	15	10	*8	12	*
79.71	*6	*	*	*	*	*	*	*	*	*	*
79.75	23	10	12	*	*	*7	12	*6	*6	*8	*
79.8	*9	*	*	*	*	*	*	*	*	*	*
80	435	212	223	*8	127	193	107	85	93	151	105
80.0	16	*7	*9	-	*	*6	*8	*	*	*7	*
80.06	*8	*	*	-	*	*	*6	*	*	*	*
80.1	26	14	12	*	*9	*6	*7	*	*	10	*7
80.16	11	*8	*	*	*	*	*	*	*	*	*
80.2	23	12	11	*	*9	*6	*7	*	*7	*6	*7
80.21	*6	*	*	-	*	*	*	*	*	*	*
80.26	16	*8	*7	*	*8	*	*	*	*	*5	*
80.3	*6	*	*	*	*	*	*	*	*	*	*
80.4	16	*5	10	*	*	*5	*	*	*	*	*5
80.46	*9	*	*6	*	*	*	*	*	*	*	*
80.5	280	135	145	*	85	137	55	48	59	105	69

Number of all-listed procedures for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region:
United States, 2006

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants.

Code numbers are from the International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM).

See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North- east	Midwest	South	West
Number of procedures in thousands											
80.51	277	134	143	*	84	137	54	47	59	104	67
80.6	*9	*	*	-	*	*	*	*	*	*	*
80.7	18	*7	11	*	*	*8	*7	*8	*	*	*
80.76	15	*6	*9	*	*	*6	*7	*6	*	*	*
80.8	35	20	15	*	*8	16	10	*9	*9	10	*7
80.81	*8	*	*	-	*	*	*	*	*	*	*
80.85	*5	*	*	*	*	*	*	*	*	*	*
80.86	15	*9	*6	*	*	*6	*	*	*	*	*
80.9	*6	*	*	*	*	*	*	*	*	*	*
81	1,819	741	1,078	18	238	702	860	350	458	626	385
81.0	349	161	188	*7	90	169	83	59	76	134	81
81.02	126	58	68	*	31	76	17	17	27	51	31
81.03	20	13	*6	*	*5	*9	*5	*	*	*8	*
81.05	22	11	11	*	*7	*6	*	*6	*	*8	*6
81.06	26	*9	17	*	*9	13	*	*	*9	*8	*5
81.07	18	*8	10	*	*	*7	*7	*	*	*9	*
81.08	130	58	73	*	30	56	43	24	26	48	32
81.1	20	*9	11	*	*5	*8	*6	*	*	*7	*
81.2	*6	*	*	*	*	*	*	*	*	*	*
81.3	22	*8	14	*	*	14	*	*	*	10	*6
81.38	12	*	*8	*	*	*8	*	*	*	*6	*
81.4	29	10	19	*	15	*6	*6	*	*6	*7	11
81.45	*7	*	*	*	*5	*	-	*	*	*	*
81.47	*9	*	*6	*	*	*	*	*	*	*	*
81.5	1,033	391	642	*	61	372	597	210	295	334	195
81.51	231	102	129	-	13	92	126	57	57	69	48
81.52	251	86	165	*	36	71	140	48	73	82	47
81.54	542	199	344	*	11	204	328	103	163	178	98
81.55	*5	*	*	-	*	*	*	*	*	*	*
81.6	203	81	122	*	38	86	77	27	31	87	57
81.62	122	56	66	*	30	64	27	14	15	57	35
81.63	28	12	16	*	*	14	*9	*	*	12	*8
81.65	14	*	12	-	*	*	13	*	*5	*	*
81.66	36	10	26	-	*	*6	28	*8	*6	14	*8
81.8	40	16	25	*	*	11	25	12	*8	11	10
81.80	15	*5	10	-	*	*	11	*5	*	*	*
81.81	15	*6	10	-	*	*	11	*	*	*	*
81.83	*6	*	*	*	*	*	*	*	*	*	*
81.9	114	60	54	*	17	33	61	29	34	33	19
81.91	61	38	23	*	10	20	28	14	16	19	11
81.92	46	18	28	*	*	10	31	12	16	12	*6
82	31	19	12	*	15	11	*	*6	*5	14	*6
82.0	*8	*	*	*	*	*	*	*	*	*	*
82.4	13	10	*	*	*6	*5	*	*	*	*6	*
82.45	*7	*7	*	-	*	*	*	*	*	*	*
83	277	155	122	31	74	88	84	61	56	100	60
83.0	28	21	*7	*	*9	10	*5	*	*7	11	*7
83.09	19	14	*	*	*6	*5	*	*	*5	*7	*
83.1	25	13	11	*	*6	*7	*7	*	*	*7	*9
83.13	*6	*	*	*	*	*	*	*	*	*	*
83.14	11	*8	*	*	*	*	*	*	*	*	*
83.2	28	18	10	*9	*5	*	*8	*	*	18	*
83.21	28	18	10	*9	*5	*	*8	*	*	18	*
83.3	38	17	20	*	*8	15	13	11	*	16	*7
83.39	32	15	17	*	*7	12	12	10	*	13	*
83.4	32	19	13	*	*8	12	11	*8	*8	*9	*7
83.45	23	14	*8	*	*7	*7	*8	*6	*6	*6	*
83.5	15	10	*5	*	*7	*	*	*	*	*7	*

Number of all-listed procedures for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region:
United States, 2006

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants.

Code numbers are from the International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM).

See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North- east	Midwest	South	West
Number of procedures in thousands											
83.6	45	27	18	*	14	14	15	12	11	12	10
83.63	20	11	10	*	*	*9	11	*5	*5	*5	*
83.64	11	*8	*	*	*6	*	*	*	*	*	*
83.65	11	*7	*	*	*5	*	*	*	*	*	*
83.7	*9	*	*	*	*	*	*	*	*	*	*
83.8	37	19	18	*6	10	12	*9	11	*5	13	*8
83.82	*8	*	*	*	*	*	*	*	*	*	*
83.85	12	*7	*5	*	*	*	*	*	*	*	*
83.88	11	*5	*6	*	*	*	*	*	*	*	*
83.9	21	*6	15	*	*	*6	10	*	*7	*7	*
83.98	*8	*	*7	-	*	*	*	*	*	*	*
84	313	176	137	*	60	135	114	50	70	132	61
84.0	*8	*5	*	*	*	*	*	*	*	*	*
84.01	*7	*	*	*	*	*	*	*	*	*	*
84.1	120	81	39	*	13	45	61	22	27	53	19
84.11	55	39	16	*	*8	21	25	11	14	19	11
84.12	12	*8	*	*	*	*6	*	*	*	*	*
84.15	28	18	10	*	*	*9	16	*	*	14	*
84.17	22	14	*8	-	*	*7	15	*	*	14	*
84.3	13	*7	*6	*	*	*	*7	*	*	*6	*
84.5	163	76	86	*	38	80	43	23	38	66	36
84.51	96	45	51	*	27	50	18	15	21	34	25
84.52	36	17	19	*	*9	17	10	*	10	16	*8
84.55	*6	*	*	*	*	*	*	*	*	*6	*
84.56	10	*6	*	-	*	*	*5	*	*	*	*
84.57	11	*6	*5	-	*	*5	*	*	*	*	*
85-86	1,598	806	792	197	510	473	417	289	271	794	244
85	159	*6	153	*	50	69	39	32	26	66	35
85.0	*6	*	*5	*	*	*	*	*	*	*	*
85.1	*6	*	*6	*	*	*	*	*	*	*	*
85.2	19	*	19	*	*5	*7	*6	*	*	11	*
85.21	14	*	14	*	*	*6	*	*	*	*9	*
85.3	10	*	*9	-	*7	*	*	*	*	*	*
85.32	*7	*	*6	-	*5	*	*	*	*	*	*
85.4	60	*	59	-	13	25	23	11	12	25	13
85.41	20	*	20	-	*	*8	*8	*	*	*9	*
85.42	*6	-	*6	-	*	*	*	*	*	*	*
85.43	30	*	29	-	*6	12	13	*6	*	14	*6
85.5	*7	-	*7	-	*	*	*	*	*	*	*
85.7	*8	*	*7	*	*	*	*	*	*	*	*
85.8	14	*	14	*	*5	*6	*	*	*	*6	*
85.89	*7	-	*7	*	*	*	*	*	*	*	*
85.9	25	*	24	-	*9	13	*	*	*	*9	10
85.95	15	*	15	-	*6	*8	*	*	*	*	*7
86	1,438	800	638	196	459	404	379	256	245	728	209
86.0	407	219	188	44	126	132	106	80	73	183	72
86.01	13	*6	*7	*	*	*	*5	*	*	*	*
86.04	232	132	100	27	89	74	42	45	40	104	42
86.05	60	30	29	*	15	22	18	11	12	27	*9
86.06	10	*	*	*	*	*	*	*	*	*	*
86.07	76	38	39	*9	12	24	32	16	14	37	10
86.09	15	*8	*7	*	*	*	*5	*	*	*7	*
86.1	25	11	13	*	*	*9	*9	*7	*	10	*
86.11	25	11	13	*	*	*9	*9	*7	*	10	*
86.2	451	256	194	36	129	130	155	89	92	217	53
86.22	306	178	128	16	97	94	98	55	57	161	33

Number of all-listed procedures for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region:
United States, 2006

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants.

Code numbers are from the International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM).

See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North- east	Midwest	South	West
Number of procedures in thousands											
86.23	*7	*	*	*	*	*	*	*	*	*	*
86.27	38	14	24	-	*	*7	30	17	15	*	*
86.28	96	58	38	19	27	26	24	14	17	48	16
86.3	104	45	58	31	41	19	13	12	14	63	14
86.4	*9	*6	*	*	*	*	*5	*	*	*	*
86.5	154	99	56	*8	61	40	46	23	38	57	37
86.59	154	99	56	*8	61	40	46	23	38	57	37
86.6	155	103	51	38	51	40	25	18	13	112	12
86.62	13	*9	*	*	*	*	*	*	*	*8	*
86.63	*8	*	*	*	*	*	*	*	*	*6	*
86.65	14	11	*	*	*8	*	*	*	*	14	-
86.66	22	14	*7	*	*8	*6	*	*	*	20	-
86.67	15	11	*	*	*5	*	*6	*	*	*9	*
86.69	78	51	27	22	23	22	11	12	*7	50	*9
86.7	50	30	21	11	11	16	12	*7	*	33	*8
86.73	*6	*	*	*	*	*	*	-	*	*	*
86.74	30	17	14	*7	*7	*8	*9	*	*	20	*
86.8	70	24	46	23	31	13	*	14	*6	44	*5
86.83	28	*	27	*	18	*9	*	10	*	10	*
86.84	32	17	15	21	*9	*	*	*	*	29	*
86.89	*8	*	*	*	*	*	*	*	*	*	*
86.9	13	*6	*7	*	*	*	*5	*	*	*	*
87-99	12,584	6,019	6,566	878	2,439	3,687	5,579	3,756	2,264	4,296	2,269
87	805	377	428	40	194	239	332	284	126	252	143
87.0	293	150	143	13	63	82	135	150	33	71	38
87.02	*6	*	*	*	*	*	*	*	*	*5	*
87.03	284	145	139	13	60	78	134	148	32	66	38
87.2	14	*6	*7	*	*	*5	*	*	*	*7	*
87.21	*8	*	*	*	*	*	*	*	*	*	*
87.3	*6	*	*	*	*	*	*	*	*	*	*
87.4	204	102	102	11	41	61	91	79	31	45	49
87.41	133	64	69	*	27	38	65	69	17	29	18
87.44	62	34	28	*7	12	20	22	*9	13	13	27
87.49	*8	*	*	*	*	*	*	*	*	*	*
87.5	145	48	97	*	56	43	45	17	29	72	27
87.53	136	45	92	*	54	40	41	15	28	68	26
87.6	13	*6	*7	*	*	*	*	*5	*	*	*
87.7	129	62	67	11	26	43	49	30	28	51	19
87.73	*9	*	*6	*	*	*	*	*	*	*	*
87.74	89	43	46	*	20	32	36	21	23	35	10
87.75	*6	*	*	*	*	*	*	*	*	*	*
87.76	11	*5	*6	*8	*	*	*	*	*	*5	*
87.77	*6	*	*	*	*	*	*	*	*	*	*
88	3,278	1,672	1,606	111	502	1,184	1,480	963	663	1,098	554
88.0	235	108	127	13	59	79	84	117	46	32	40
88.01	232	107	125	13	59	77	83	117	44	32	39
88.1	21	11	10	*	*	*9	*7	*	*	16	*
88.11	14	*7	*7	-	*	*6	*	-	-	14	-
88.19	*6	*	*	*	*	*	*	*	*	*	*
88.2	15	*9	*7	*	*8	*	*	*	*	*	*6
88.3	92	51	41	*6	30	25	31	43	22	19	*8
88.38	87	49	38	*6	28	24	29	42	21	17	*7
88.4	468	247	220	12	65	155	237	98	116	170	84
88.41	147	68	79	*	28	51	65	40	27	49	32
88.42	107	61	46	*	10	34	59	14	36	43	14
88.43	21	11	11	*	*	*7	10	*6	*5	*	*6
88.44	24	13	11	*	*5	*5	11	*8	*	*7	*6

Number of all-listed procedures for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region:
United States, 2006

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants.

Code numbers are from the International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM).

See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North- east	Midwest	South	West
Number of procedures in thousands											
88.45	27	12	15	*	*	10	14	*	*8	13	*
88.47	30	15	15	*	*	10	17	*6	*8	13	*
88.48	88	54	34	*	*8	29	51	17	22	33	16
88.49	21	12	*9	*	*	*8	*9	*	*6	*8	*
88.5	1,230	691	540	*7	123	547	554	230	289	504	206
88.51	26	12	14	*	*6	*7	12	*6	*5	*9	*
88.53	462	251	211	*	50	212	199	87	105	200	70
88.54	18	10	*8	*	*	*7	*8	*	*5	*5	*
88.55	*8	*	*	-	*	*	*	*	*	*	*
88.56	681	391	290	*	61	297	320	121	165	272	123
88.57	30	20	10	*	*	17	10	*7	*7	14	*
88.6	24	14	10	*	*	10	10	*6	*5	10	*
88.67	13	*8	*5	-	*	*	*7	*	*	*6	*
88.7	874	405	469	34	148	266	425	314	128	275	157
88.71	40	22	19	*	*	11	25	13	*9	10	*8
88.72	595	287	308	20	71	192	312	201	78	213	103
88.73	*6	*	*	-	*	*	*	*	*	*	*
88.74	13	*7	*7	*	*	*	*5	*	*	*	*
88.75	20	*9	11	*	*	*5	*8	13	*	*	*
88.76	86	38	48	*8	27	27	24	35	13	18	21
88.77	77	31	46	*	13	23	40	34	15	18	*9
88.78	17	-	17	*	17	*	-	*5	*	*	*5
88.79	18	*8	10	*	*9	*	*6	*8	*	*	*
88.9	319	136	183	37	61	91	130	150	53	69	48
88.91	191	85	106	24	34	56	78	85	34	42	30
88.93	55	22	32	*7	13	13	22	27	10	*9	*8
88.94	19	*8	11	*	*	*6	*7	*9	*	*6	*
88.97	47	18	30	*	*9	14	21	26	*6	10	*6
89	664	321	342	49	121	215	279	238	80	178	167
89.0	32	15	17	*	12	11	*7	*	*8	*7	14
89.06	*7	*	*	-	*	*	*	-	-	-	*7
89.08	*6	*	*	*	*	*	*	*	-	*5	-
89.1	90	43	47	25	22	19	23	44	*	21	23
89.14	53	27	25	11	10	13	18	23	*	12	17
89.19	31	12	19	12	11	*	*	19	*	*7	*
89.2	*9	*	*6	*	*	*	*	*	*	*	*
89.3	27	13	14	*9	*6	*	*7	*7	*	12	*
89.37	*7	*	*5	*	*	*	*	*	*	*	*
89.39	13	*8	*	*	*	*	*	*	*	*7	*
89.4	179	94	85	*	18	72	88	57	27	52	42
89.41	35	19	16	*	*	21	10	*7	*	12	12
89.44	99	47	52	*	10	41	48	33	13	26	27
89.45	20	11	*9	*	*	*	16	*6	*	*8	*
89.49	24	17	*7	*	*	*7	14	10	*6	*6	*
89.5	220	100	120	*9	39	75	96	100	22	42	56
89.52	104	50	54	*7	21	39	37	33	14	22	34
89.54	97	42	55	*	16	32	47	62	*	14	18
89.59	16	*7	*9	-	*	*	10	*	*	*6	*
89.6	106	53	53	*	20	29	53	23	16	40	27
89.61	*8	*	*	*	*	*	*	*	*	*	*
89.62	*6	*	*	*	*	*	*	*	*	*	*
89.64	24	13	11	*	*	*9	12	*	*7	10	*
89.65	45	22	23	*	11	10	23	12	*	15	16
89.68	17	10	*6	*	*	*6	10	*	*	*9	*
90	24	11	13	*9	*	*6	*	*	*	12	*9
90.5	17	*8	*9	*6	*	*	*	*	*	*8	*8
90.59	12	*5	*6	*	*	*	*	*	*	*5	*5
91	12	*5	*6	*	*	*	*	*	*	*	*5

Number of all-listed procedures for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region:
United States, 2006

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants.

Code numbers are from the International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM).

See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North- east	Midwest	South	West
Number of procedures in thousands											
91.3	*5	*	*	*	*	*	*	*	-	*	*
92	197	95	102	*	25	75	93	76	17	61	43
92.0	74	37	37	*	12	25	36	31	*6	21	17
92.02	*9	*	*	*	*	*	*	*	*	*	*
92.04	11	*	*7	*	*	*	*7	*5	*	*	*
92.05	48	25	23	-	*	18	25	18	*	15	12
92.1	44	19	24	*	*	15	23	24	*	11	*8
92.14	15	*8	*7	*	*	*6	*8	*7	*	*	*
92.15	19	*7	12	*	*	*7	11	12	*	*	*
92.2	75	38	37	*	*9	33	32	21	10	29	16
92.24	11	*5	*5	*	*	*	*5	*	*	*	*
92.27	*9	*	*7	-	*	*	*	*	*	*	*
92.29	48	26	22	*	*	21	21	12	*6	21	10
93	1,429	638	792	143	181	340	765	418	214	549	249
93.0	34	17	17	*	*	10	17	14	*	*	14
93.01	26	14	12	*	*	*7	14	12	*	*	11
93.08	*6	*	*	*	*	*	*	*	*	*	*
93.1	19	*8	12	*	*	*7	11	12	*	*	*
93.12	*9	*	*6	*	*	*	*7	*7	-	*	-
93.2	32	13	18	*	*	*9	18	19	*	10	*
93.22	22	*7	15	*	*	*	15	14	*	*8	*
93.3	335	133	201	*8	27	79	220	82	49	153	51
93.38	21	*7	14	*	*	*7	13	*	*	10	*8
93.39	309	123	186	*8	25	71	206	77	48	141	43
93.4	16	11	*5	*	*	*	*5	*	*	*8	*
93.44	*7	*6	*	*	*	*	*	*	*	*	*
93.5	126	72	54	23	38	30	36	26	25	56	19
93.53	13	*7	*6	*	*	*	*	*	*	*	*
93.54	34	19	15	*	14	*8	*8	*6	10	10	*8
93.57	37	24	13	16	11	*	*5	*8	*	24	*
93.59	29	13	17	*	*5	*9	15	*7	*6	11	*6
93.7	37	16	21	*	*	*9	22	10	*8	14	*6
93.75	36	14	21	*	*	*8	22	10	*8	14	*
93.8	400	155	244	11	46	88	255	86	61	173	79
93.81	42	18	23	*	14	12	13	*7	*5	23	*6
93.83	216	78	138	*7	20	48	141	59	42	97	18
93.89	137	57	80	*	10	26	100	20	13	50	54
93.9	429	212	217	91	53	105	180	165	63	128	72
93.90	159	80	79	12	13	48	87	53	32	48	26
93.94	128	59	68	40	19	27	41	68	17	32	11
93.96	122	60	63	33	15	26	48	37	13	39	33
93.99	14	*8	*6	*	*	*	*	*	*	*8	*
94	711	405	306	42	400	219	50	345	165	169	32
94.0	13	*7	*6	*	*7	*	*	*	-	*9	-
94.08	*8	*	*	*	*	*	*	*	-	*	-
94.1	16	*8	*8	*	11	*	*	13	*	*	-
94.11	*5	*	*	-	*	*	-	*	*	*	-
94.19	10	*6	*	*	*6	*	*	*9	-	*	-
94.2	177	85	92	18	93	46	20	132	16	27	*
94.22	*6	*	*	*	*	*	*	*5	*	*	-
94.23	45	25	20	*8	29	*8	*	45	-	*	-
94.25	92	50	43	*8	53	25	*6	66	10	16	*
94.27	34	*8	26	*	*8	12	13	16	*6	10	*
94.3	67	35	32	*8	39	14	*6	21	23	23	-
94.38	17	*9	*8	*	11	*	*	17	-	*	-
94.39	49	25	24	*6	28	*9	*	*	23	22	-
94.4	98	50	48	10	59	23	*5	27	26	44	*
94.42	*6	*	*	*	*	*	*	*	*	*	-

Number of all-listed procedures for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region:
United States, 2006

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants.

Code numbers are from the International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM).

See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North- east	Midwest	South	West
Number of procedures in thousands											
94.44	78	39	39	*7	47	19	*	17	24	37	-
94.49	*6	*	*	*	*	*	*	*	-	*	*
94.6	340	220	121	*	190	131	18	149	100	63	29
94.61	*6	*	*	*	*	*	*	*	*	*	-
94.62	172	117	55	*	73	82	16	65	61	27	19
94.63	15	*9	*6	-	*9	*6	*	*	11	*	*
94.64	*8	*	*	*	*6	*	-	*	*	*	*
94.65	64	37	27	*	49	14	*	35	11	14	*
94.66	*7	*	*	*	*6	*	*	*	*	*	*
94.67	*5	*	*	*	*	*	-	*	*	*	-
94.68	55	39	16	-	35	21	*	43	*	*7	*
94.69	*7	*	*	*	*	*	*	*	*	*	*
95	*9	*	*	*8	*	*	*	*	*	*6	*
95.4	*8	*	*	*7	-	*	*	*	*	*5	*
95.47	*6	*	*	*6	-	-	-	*	*	*	*
96	1,555	756	799	154	313	397	692	383	293	553	326
96.0	592	306	285	53	93	167	279	134	110	221	127
96.04	476	247	229	49	74	132	221	102	90	180	104
96.05	11	*6	*	*	*	*	*	*	*	*6	*
96.07	92	48	44	*	17	28	45	28	17	28	19
96.08	*9	*	*6	*	*	*	*6	*	*	*	*
96.2	*9	*5	*	*	*	*	*	*	*	*	*
96.3	21	*8	13	*	*	*5	*9	*7	*	*7	*
96.33	*8	*	*6	*	*	*	*	*	*	*	*
96.38	*6	*	*	*	*	*	*	*	*	*	*
96.4	97	*8	89	*	88	*	*6	11	30	32	23
96.49	92	*	88	*	87	*	*	*9	30	30	22
96.5	28	12	15	*	*7	*8	11	*5	*7	10	*5
96.56	10	*5	*5	*	*	*	*6	*	*	*	*
96.59	11	*	*7	*	*	*	*	*	*	*6	*
96.6	150	69	81	21	14	29	86	76	20	35	20
96.7	658	349	309	73	105	183	296	145	120	245	147
96.70	*9	*	*	*	*	*	*	*	*	*	*
96.71	408	211	197	41	77	108	182	87	84	146	91
96.72	241	134	107	31	27	73	110	55	36	94	55
97	119	59	60	13	22	41	44	26	19	45	29
97.0	39	16	22	*	*	10	21	10	*5	12	11
97.02	28	11	17	*	*	*6	16	*7	*	*9	*8
97.05	*6	*	*	*	*	*	*	*	*	*	*
97.2	14	*8	*6	*	*	*	*	*	*	*5	*
97.23	12	*7	*	*	*	*	*	*	*	*	*
97.3	*8	*	*	*	*	*	*	*	*	*	*
97.4	13	*7	*6	*	*	*	*	*	*	*7	*
97.49	*9	*	*	*	*	*	*	*	*	*5	*
97.5	*9	*	*	*	*	*	*	*	*	*	*
97.6	17	*9	*8	*	*	*8	*	*	*	*7	*
97.62	12	*6	*6	*	*	*7	*	*	*	*	*
97.8	14	*8	*6	*	*	*7	*	*	*	*	*
97.89	*6	*	*	*	*	*	*	*	*	*	*
98	29	16	13	*7	*6	*8	*9	*8	*6	11	*5
98.0	13	*7	*6	*	*	*	*	*	*	*5	*
98.02	*9	*	*	*	*	*	*	*	*	*	*
98.5	10	*	*5	*	*	*	*	*	*	*	*
98.51	10	*	*5	*	*	*	*	*	*	*	*
99	3,753	1,659	2,094	295	669	963	1,826	1,011	680	1,357	705
99.0	1,968	851	1,117	66	224	487	1,191	357	399	800	412

Number of all-listed procedures for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region:
United States, 2006

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants.

Code numbers are from the International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM).

See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North- east	Midwest	South	West
Number of procedures in thousands											
99.00	27	14	13	*	*	11	14	*6	*9	*7	*
99.02	51	17	34	*	*	17	31	*8	10	18	14
99.04	1,612	672	940	45	184	383	1,001	298	328	666	321
99.05	95	52	43	14	16	27	38	15	14	43	22
99.07	166	87	79	*6	16	44	100	25	33	60	47
99.1	383	142	241	44	136	81	122	142	54	112	76
99.10	37	19	18	*	*5	12	19	*9	*8	12	*9
99.11	87	*	87	*	84	*	*	18	17	28	23
99.14	17	*9	*9	*8	*	*	*	*	*	*6	*6
99.15	137	66	71	27	23	33	54	38	22	47	29
99.17	21	10	11	*	*	*7	*8	15	*	*	*
99.18	33	16	18	*6	*6	*7	14	29	*	*	-
99.19	51	24	27	*	*9	18	23	28	*	10	*8
99.2	959	464	495	110	226	289	334	420	143	287	109
99.20	26	18	*8	-	*	12	12	*7	*	*9	*6
99.21	296	143	153	34	85	77	100	161	44	74	16
99.23	115	43	72	*	19	34	57	43	37	25	10
99.25	220	130	90	42	36	87	55	57	20	92	50
99.28	*7	*	*	*	*	*	*	*	*	*	*
99.29	289	125	164	28	81	74	107	147	37	80	25
99.3	16	11	*	*	*	*7	*	*	*	*6	*5
99.36	*5	*	*	*	*	*	*	*	*	*	*
99.38	*9	*7	*	*	*	*	*	*	*	*	*
99.4	31	*	31	*	31	*	-	*	*	15	11
99.47	22	-	22	-	22	*	-	*	*	13	*6
99.48	*8	*	*8	*	*8	-	-	*	*	*	*
99.5	148	67	80	16	21	40	71	34	31	53	30
99.52	53	21	31	*	10	16	23	15	11	19	*8
99.55	92	45	48	11	10	24	47	19	20	32	22
99.6	137	74	62	*	10	42	82	33	36	41	26
99.60	51	26	25	*	*5	14	30	10	12	18	11
99.61	24	15	*9	*	*	*9	13	*7	*7	*5	*
99.62	53	29	24	*	*	17	33	13	16	16	*8
99.69	*7	*	*	*	*	*	*	*	*	*	*
99.7	35	12	23	*	12	11	11	*8	*	16	*6
99.71	*6	*	*	*	*	*	*	*	*	*	*
99.74	*6	*	*	*	*	*	*	*	*	*	*
99.77	15	*	11	*	*7	*	*	*	*	*6	*
99.79	*6	*	*	*	*	*	*	*	*	*	*
99.8	63	29	34	55	*	*	*	11	*7	19	27
99.83	53	24	29	52	*	*	*	*8	*	17	24
99.84	*5	*	*	-	*	*	*	*	*	*	*
99.9	14	*7	*7	*	*	*	*8	*	*	*8	*
99.99	13	*6	*7	*	*	*	*7	*	*	*8	*

* Figure does not meet standard of reliability or precision.

- Quantity zero.

NOTE: Estimates are rounded to the nearest thousand, and totals may include data from categories that are not shown individually in this table. For these reasons, figures may not always add to totals. Because of low reliability, estimates less than 5,000 are suppressed and an asterisk (*) is inserted. These estimates generally are based on a sample size of less than 30 records and usually have a relative standard error (RSE) of more than 30 percent. Estimates between 5,000 and 9,999 are preceded by an asterisk (*) because they are generally based on fewer than 60 records and may have low reliability. These criteria for minimum sample size and maximum acceptable RSE are consistent with NCHS guidelines for reporting statistical results. More information can be found in the Methods section of National Hospital Discharge Survey:

2005 Annual Summary With Detailed Diagnosis and Procedure Data, Series 13, No. 165.

http://www.cdc.gov/nchs/data/series/sr_13/sr13_165.pdf