

Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region:
United States, 2006

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants.
Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM).
See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North- east	Midwest	South	West
Number of all-listed diagnoses in thousands											
All codes	174,522	71,673	102,849	7,103	43,409	45,764	78,246	36,561	42,612	63,874	31,476
001-139	4,364	2,003	2,361	439	979	1,223	1,724	937	869	1,679	880
003	10	*	*6	*	*	*	*	*	*	*6	*
003.0	*8	*	*5	*	*	*	*	*	*	*5	*
005	*8	*	*	*	*	*	*	*	*	*	*
005.9	*7	*	*	*	*	*	*	*	*	*	*
008	412	180	232	84	51	72	205	103	94	137	78
008.4	238	104	133	14	22	43	159	67	56	73	41
008.45	231	101	130	12	20	42	158	66	55	71	40
008.6	45	24	21	39	*	*	*	*	*6	23	11
008.61	43	23	20	38	*	*	*	*	*5	22	11
008.8	125	49	76	29	27	26	43	31	31	39	24
009	30	14	16	*6	*8	*8	*9	*6	*7	*7	10
009.0	19	*9	10	*	*	*5	*5	*	*	*	*6
009.1	*6	*	*	*	*	*	*	*	*	*	*
011	16	12	*	*	*7	*6	*	*	*	*9	*
011.9	14	11	*	*	*6	*5	*	*	*	*8	*
011.90	*9	*7	*	*	*	*	*	*	*	*7	*
031	11	*5	*6	*	*	*	*	*	*	*6	*
031.0	*6	*	*	*	*	*	*	*	*	*	*
034	31	12	19	14	13	*	*	*	*8	11	*8
034.0	31	11	19	13	13	*	*	*	*8	11	*8
038	910	452	458	25	95	250	541	183	209	345	172
038.0	54	27	28	*	*7	15	30	12	16	16	10
038.1	145	83	62	*	16	48	77	29	31	59	26
038.10	17	*9	*7	*	*	*	12	*	*	*6	*
038.11	96	58	38	*	12	31	50	20	21	37	17
038.19	32	16	16	*	*	13	15	*6	*	15	*6
038.2	16	10	*7	*	*	*6	*5	*	*	*6	*
038.3	*8	*	*	-	*	*	*6	*	*	*	*
038.4	162	73	89	*	15	44	99	38	35	61	28
038.40	14	*6	*8	*	*	*	*9	*	*	*6	*
038.42	77	30	47	*	*8	20	46	17	17	28	14
038.43	18	*9	*9	*	*	*6	11	*	*	*6	*
038.49	49	25	24	*	*	12	31	13	10	18	*7
038.8	27	13	14	*	*	*7	16	*8	*7	11	*
038.9	498	243	255	10	51	128	309	92	112	191	103
040	*5	*	*	*	*	*	*	*	*	*	*
041	1,297	520	776	127	268	302	600	243	258	515	281
041.0	173	71	102	13	40	43	77	37	37	61	38
041.00	13	*6	*7	*	*	*	*7	*	*	*	*
041.01	14	*8	*6	*	*	*	*	*	*	*	*
041.02	32	*8	24	*	13	*9	*7	*	12	12	*
041.04	86	34	52	*	12	20	50	20	15	33	18

Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region:
United States, 2006

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants.
Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM).
See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North- east	Midwest	South	West
Number of all-listed diagnoses in thousands											
041.09	26	14	12	*	*9	*6	*9	*7	*	*7	*8
041.1	391	210	181	46	114	112	119	68	69	175	78
041.10	16	*8	*8	*	*	*5	*	*	*	*7	*
041.11	329	176	153	38	103	93	95	55	60	147	66
041.19	46	26	20	*6	*8	14	18	*9	*7	21	*9
041.2	*6	*	*	*	*	*	*	*	*	*	*
041.3	84	30	54	*	*9	14	57	18	16	32	17
041.4	345	78	268	38	53	59	196	65	72	127	80
041.5	*6	*	*	*	*	*	*	*	*	*	*
041.6	53	19	34	*	*5	*8	39	*9	*9	23	13
041.7	83	44	39	*7	11	17	48	17	15	35	16
041.8	145	62	83	15	29	43	58	23	35	52	35
041.84	*8	*	*5	*	*	*	*	*	*	*	*
041.85	54	21	33	*7	*6	17	24	*7	14	19	13
041.86	40	22	17	*	10	14	15	*6	*9	16	*9
041.89	35	12	23	*	*8	*9	14	*7	*9	12	*8
041.9	12	*	*8	*	*5	*	*	*	*	*5	*
042	166	111	56	*	95	68	*	48	16	78	25
047	40	20	20	13	18	*7	*	*6	*7	13	13
047.8	*5	*	*	*	*	*	*	*	*	*	*
047.9	35	17	18	10	16	*7	*	*6	*7	11	11
053	67	23	44	*	*5	14	48	13	17	26	10
053.1	23	*7	16	*	*	*	19	*	*5	10	*
053.19	20	*7	13	*	*	*	16	*	*	*8	*
053.2	*6	*	*	-	*	*	*	*	*	*	*
053.9	33	14	19	*	*	*7	22	*7	*9	12	*5
054	70	15	56	*8	48	*7	*7	13	11	32	15
054.1	17	*	15	*	15	*	*	*	*	*9	*
054.10	12	*	11	*	11	*	*	*	*	*7	*
054.9	39	*7	32	*	29	*	*	*7	*6	19	*7
057	*5	*	*	*	*	*	*	*	*	*	*
070	435	267	169	*	127	265	43	114	55	164	102
070.3	56	33	22	*	17	28	10	11	*6	20	18
070.30	32	16	15	-	12	15	*	*7	*	13	*7
070.32	24	17	*6	*	*5	13	*6	*	*	*8	11
070.5	164	103	61	*	49	101	14	46	20	54	45
070.51	11	*6	*	-	*	*	*	*	*5	*	*
070.54	152	97	55	*	44	96	13	43	15	51	44
070.7	201	122	79	*	57	126	18	53	27	85	36
070.70	195	118	77	*	56	121	17	52	26	83	34
070.71	*6	*	*	-	*	*	*	*	*	*	*
075	16	*7	*9	*6	*8	*	*	*	*	*	*
078	26	*8	18	*	15	*	*	*	*8	10	*
078.1	16	*	13	*	12	*	*	*	*6	*6	*
078.10	10	*	*9	-	*8	*	*	*	*	*	*
078.5	*6	*	*	*	*	*	*	*	*	*	*

Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region:
United States, 2006

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants.
Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM).
See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North- east	Midwest	South	West
Number of all-listed diagnoses in thousands											
079	163	78	85	89	35	17	22	38	21	60	44
079.4	*9	*	*9	-	*9	*	-	*	*	*	*
079.6	10	*	*5	10	*	*	*	*	*	*	*
079.8	*7	*	*	*6	*	*	*	*	*	*	*
079.89	*7	*	*	*6	*	*	*	*	*	*	*
079.9	133	66	66	70	25	16	22	29	17	50	36
079.99	130	66	64	70	22	16	22	28	16	49	36
088	*6	*	*	*	*	*	*	*	*	*	*
088.8	*6	*	*	*	*	*	*	*	*	*	*
088.81	*6	*	*	*	*	*	*	*	*	*	*
094	11	*5	*6	*	*	*	*	*	*	*	*
094.0	*7	*	*5	*	*	*	*	*	*	*	*
097	*6	*	*	-	*	*	*	*	*	*	*
098	*7	*	*6	*	*7	*	-	*	*	*	*
099	*6	*	*5	*	*5	*	*	*	*	*	*
110	62	38	24	*	16	19	25	17	13	22	10
110.1	24	11	12	-	*	*7	14	10	*	*6	*
110.3	*6	*	*	*	*	*	*	*	*	*	*
110.4	21	15	*5	*	*8	*7	*5	*	*5	*7	*
110.5	*6	*	*	*	*	*	*	*	*	*	*
112	319	115	204	32	72	84	131	68	76	125	50
112.0	176	69	107	19	39	49	69	38	42	70	27
112.1	26	-	26	*	13	*	*7	*	*9	11	*
112.2	28	12	16	*	*	*8	15	*6	*	13	*
112.3	16	*5	11	*	*	*	*8	*	*	*	*
112.4	*6	*	*	*	*	*	*	*	*	*	*
112.5	13	*6	*7	*	*	*	*6	*	*	*5	*
112.8	48	19	28	*	12	14	20	13	13	16	*5
112.84	37	14	23	*	10	11	16	10	10	12	*
112.89	10	*5	*	*	*	*	*	*	*	*	*
112.9	*6	*	*5	*	*	*	*	*	*	*	*
117	21	11	10	*	*	*6	10	*	*5	*7	*5
117.3	*6	*	*	*	*	*	*	*	*	*	*
117.9	11	*	*7	*	*	*	*7	*	*	*	*
131	10	*	*9	*	*7	*	-	*	*	*7	*
131.0	*7	*	*6	*	*	*	-	*	*	*	*
133	*6	*	*	*	*	*	*	*	*	*	*
133.0	*6	*	*	*	*	*	*	*	*	*	*
135	57	18	38	*	12	32	12	18	14	21	*
136	24	15	10	*	14	*6	*	*5	*5	11	*
136.3	15	11	*	*	11	*	*	*	*	*9	*
136.9	*6	*	*	*	*	*	*	*	*	*	*

Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region:
United States, 2006

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants.
Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM).
See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North- east	Midwest	South	West
Number of all-listed diagnoses in thousands											
138	28	11	16	-	*	11	16	*	*7	11	*
140-239	4,495	1,978	2,517	115	600	1,591	2,188	968	1,055	1,624	848
141	14	*8	*6	-	*	*9	*	*	*	*	*5
145	*5	*	*	*	*	*	*	*	*	*	-
146	*6	*	*	*	*	*	*	*	*	*	*
147	*6	*	*	*	*	*	*	*	*	*	*
150	26	20	*6	-	*	*9	16	*6	*5	10	*
150.9	15	11	*	-	*	*5	10	*	*	*7	*
151	34	23	11	-	*	11	21	10	*8	*9	*7
151.0	*8	*7	*	-	*	*	*	*	*	*	*
151.8	*5	*	*	-	*	*	*	*	*	*	*
151.9	13	*8	*5	-	*	*	*9	*	*	*5	*
152	*8	*	*	-	*	*	*5	*	*	*	*
153	176	80	96	*	*7	55	114	32	48	63	32
153.1	*8	*	*5	-	*	*	*6	*	*	*	*
153.2	*7	*	*5	-	*	*	*	*	*	*	*
153.3	28	17	12	-	*	*9	18	*	10	10	*5
153.4	32	13	19	-	*	*7	24	*5	*7	11	*9
153.6	25	*9	16	*	*	*6	19	*6	*	*8	*6
153.7	*5	*	*	-	*	*	*	*	*	*	*
153.8	*8	*	*	-	*	*	*	*	*	*	*
153.9	56	27	29	-	*	22	31	*8	18	22	*9
154	81	45	36	-	*6	27	48	19	19	29	14
154.0	29	17	12	-	*	*9	18	*8	*	11	*
154.1	44	24	21	-	*	15	26	*8	14	14	*8
155	45	29	16	*	*	20	21	11	*	19	10
155.0	31	22	*9	*	*	16	13	*9	*	10	*9
155.1	10	*5	*5	-	*	*	*6	*	*	*7	*
156	17	*8	*9	-	*	*	12	*	*	*7	*
156.0	*9	*	*	-	*	*	*7	*	*	*	*
157	59	28	31	*	*	21	37	14	14	22	*9
157.0	20	*9	11	*	*	*5	13	*	*	*7	*
157.8	*7	*	*	-	*	*	*	*	*	*	*
157.9	26	12	14	-	*	10	16	*6	*6	11	*
158	*9	*	*7	*	*	*	*	*	*	*	*
161	17	12	*	-	*	*6	*9	*	*	*8	*
161.9	*8	*6	*	-	*	*	*6	*	*	*	*
162	367	199	168	*	12	114	240	75	98	141	52
162.2	20	13	*7	-	*	*7	13	*	*	*8	*

Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region:
United States, 2006

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants.
Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM).
See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North- east	Midwest	South	West
Number of all-listed diagnoses in thousands											
162.3	79	44	35	-	*	22	55	18	22	28	12
162.4	*8	*5	*	-	*	*	*5	*	*	*	*
162.5	36	17	19	-	*	11	25	*9	*9	12	*6
162.8	28	13	14	*	*	10	16	13	*5	*7	*
162.9	196	106	90	*	*9	61	126	29	55	83	28
170	16	*8	*7	*6	*7	*	*	*6	*	*5	*
170.7	*7	*	*	*	*	*	*	*	*	*	*
171	23	14	*9	*5	*7	*	*6	*8	*	*8	*
171.3	*7	*	*	*	*	*	*	*	*	*	*
172	16	12	*	-	*	*6	*9	*	*	*6	*
173	17	10	*7	-	*	*	14	*6	*	*7	*
174	141	-	141	-	17	64	60	31	31	55	24
174.4	*9	-	*9	-	*	*	*	*	*	*	*
174.8	31	-	31	-	*	15	12	10	*	*9	*9
174.9	90	-	90	-	10	40	39	18	22	38	12
179	*5	-	*5	-	*	*	*	*	*	*	*
180	36	-	36	-	10	18	*8	*6	*6	10	14
180.8	*8	-	*8	-	*	*	*	*	*	*	*
180.9	23	-	23	-	*7	11	*	*	*	*6	10
182	46	-	46	*	*	22	22	10	12	15	*9
182.0	46	-	46	*	*	22	21	10	12	15	*9
183	56	-	56	*	*	25	27	12	13	18	13
183.0	54	-	54	*	*	23	27	11	12	17	13
184	*7	-	*7	-	*	*	*	*	*	*	*
184.4	*6	-	*6	-	*	*	*	*	*	*	*
185	195	195	-	*	*	66	128	51	51	53	39
186	*6	*6	-	*	*	*	*	*	*	*	*
186.9	*6	*6	-	*	*	*	*	*	*	*	*
188	69	55	15	*	*	17	51	16	17	23	14
188.2	*6	*5	*	-	*	*	*	*	*	*	*
188.8	19	15	*	*	*	*	14	*7	*	*	*5
188.9	32	25	*7	*	*	*9	22	*5	*9	15	*
189	81	47	33	*	*	32	43	14	15	37	15
189.0	73	41	32	*	*	28	39	13	13	34	12
190	*6	*5	*	*	*	*	*	*	*	*	*
191	51	26	25	14	10	14	13	11	*9	15	16
191.1	*6	*	*	*	*	*	*	*	*	*	*
191.2	*6	*	*	*	*	*	*	*	*	*	*
191.3	*6	*	*	*	*	*	*	*	*	*	*

Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region:
United States, 2006

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants.
Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM).
See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region				
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North- east	Midwest	South	West	
Number of all-listed diagnoses in thousands												
191.9	16	10	*6	*	*	*7	*	*	*	*7	*	
192	*6	*	*	*	*	*	*	*	*	*	*	
193	26	*7	18	*	10	11	*	*5	*	10	*8	
194	10	*7	*	*8	*	*	*	*	*	*6	*	
194.0	*9	*7	*	*8	*	*	*	*	*	*6	*	
195	10	*7	*	*	*	*6	*	*	*	*	*	
195.0	*7	*6	*	-	*	*	*	*	*	*	*	
196	152	71	80	*	20	54	76	33	31	51	37	
196.0	22	13	*9	*	*	*9	*8	*	*	*7	*7	
196.1	23	12	11	*	*	*9	13	*8	*	*8	*	
196.2	50	29	21	*	*	15	30	*9	13	15	12	
196.3	26	*	23	*	*	11	11	*7	*	*8	*7	
196.6	11	*5	*6	*	*	*	*5	*	*	*	*	
196.9	14	*	*9	*	*	*	*8	*	*	*8	*	
197	501	226	275	*	38	188	274	123	124	159	95	
197.0	120	57	62	*	12	44	63	28	30	37	24	
197.1	11	*	*6	*	*	*	*6	*	*	*	*	
197.2	59	21	38	*	*	15	40	15	13	20	12	
197.4	*9	*	*6	-	*	*	*7	*	*	*	*	
197.5	10	*	*7	*	*	*6	*	*	*	*	*	
197.6	64	21	43	*	*7	27	30	17	15	22	10	
197.7	208	104	104	*	12	84	111	51	53	65	40	
197.8	19	10	*9	*	*	*7	11	*	*6	*6	*	
198	399	196	203	*	28	151	215	97	104	131	67	
198.1	10	*6	*	-	*	*	*5	*	*	*	*	
198.2	*6	*	*	-	*	*	*	*	*	*	*	
198.3	94	43	51	*	*8	41	45	20	27	30	17	
198.5	186	97	89	*	12	63	108	48	47	61	30	
198.7	14	*7	*8	*	*	*	*9	*	*	*6	*	
198.8	75	36	39	*	*6	31	39	18	21	22	14	
198.82	12	*	*7	-	*	*5	*5	*	*	*	*	
198.89	62	31	31	*	*	25	33	15	19	19	10	
199	141	58	82	*	10	55	74	20	35	58	27	
199.0	62	18	43	*	*7	27	28	*6	10	29	16	
199.1	79	40	39	*	*	28	46	13	25	29	11	
200	24	15	*9	*	*	*7	12	*7	*	11	*	
200.0	15	*8	*6	*	*	*5	*7	*	*	*8	*	
200.00	*8	*6	*	*	*	*	*	*	*	*	*	
201	22	11	11	*	*9	*7	*	*7	*6	*6	*	
201.9	17	*8	*9	*	*6	*6	*	*6	*5	*	*	
201.90	13	*6	*7	*	*	*	*	*	*	*	*	
202	155	93	62	*	16	46	92	30	37	65	23	
202.0	*8	*6	*	*	*	*	*	*	*	*5	*	
202.1	*7	*5	*	*	*	*	*	*	*	*	*	

Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region:
United States, 2006

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants.
Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM).
See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North- east	Midwest	South	West
Number of all-listed diagnoses in thousands											
202.8	136	79	57	*	13	38	84	27	33	57	19
202.80	96	53	43	*	*8	25	63	20	23	42	11
202.81	11	*8	*	*	*	*	*5	*	*	*	*
202.82	*5	*	*	*	*	*	*	*	*	*	*
202.83	*8	*	*	-	*	*	*	*	*	*	*
202.88	11	*9	*	*	*	*	*6	*	*	*5	*
203	84	40	44	-	*	29	53	13	25	40	*7
203.0	81	38	43	-	*	28	52	12	24	38	*7
203.00	77	37	40	-	*	26	49	12	22	37	*6
204	122	72	50	27	*8	19	68	26	36	35	25
204.0	42	25	17	27	*8	*6	*	12	*7	10	14
204.00	30	17	13	17	*6	*5	*	10	*5	*8	*7
204.01	12	*8	*	10	*	*	*	*	*	*	*7
204.1	78	46	32	*	*	13	65	14	28	25	11
204.10	73	42	31	*	*	11	61	13	26	24	10
205	72	38	34	*	11	20	39	17	16	26	12
205.0	52	29	24	*	*8	18	24	13	12	19	*8
205.00	45	25	20	*	*6	16	22	*9	11	18	*7
205.01	*8	*	*	*	*	*	*	*	*	*	*
205.1	19	*9	10	*	*	*	14	*	*	*7	*
205.10	17	*8	*9	*	*	*	13	*	*	*7	*
208	19	14	*6	*	*	*	12	*	*6	*7	*
208.9	*8	*5	*	-	*	*	*5	*	*	*	*
208.90	*6	*	*	-	*	*	*5	*	*	*	*
210	*8	*	*	*	*	*	*	*	*	*	*
210.2	*6	*	*	-	*	*	*	*	*	*	*
211	187	88	99	*	12	54	119	37	42	74	33
211.1	20	*7	13	*	*	*6	12	*5	*	*7	*
211.3	137	69	68	*	*6	39	92	27	31	55	24
211.4	17	*8	*9	-	*	*	11	*	*	*7	*
211.5	*5	*	*	*	*	*	*	*	*	*	*
212	*6	*	*	*	*	*	*	*	*	*	*
213	*8	*	*	*	*	*	*	*	*	*	*
214	20	12	*8	*	*	*6	*9	*	*	*6	*6
214.8	*6	*	*	*	*	*	*	*	*	*	*
215	*8	*	*5	*	*	*5	*	*	*	*	*
216	13	*	10	*	*7	*	*	*	*	*	*
216.5	*7	*	*6	*	*	*	*	*	*	*	*
218	442	-	442	*	214	214	13	83	92	176	91
218.0	41	-	41	-	18	23	*	12	*8	13	*8
218.1	109	-	109	-	47	58	*	25	19	41	24
218.2	67	-	67	-	32	32	*	13	13	28	13
218.9	226	-	226	*	117	100	*8	34	52	94	46

Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region:
United States, 2006

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants.
Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM).
See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North- east	Midwest	South	West
Number of all-listed diagnoses in thousands											
220	60	-	60	*	21	25	13	12	12	27	10
225	43	14	29	*	*	17	20	11	*7	16	10
225.2	33	10	23	*	*	12	18	*8	*6	12	*7
226	11	*	*8	-	*	*	*	*	*	*5	*
227	30	11	20	*	*8	11	11	*	*8	10	*7
227.0	12	*	*8	*	*	*	*	*	*	*	*
227.1	*5	*	*	-	*	*	*	*	*	*	*
227.3	14	*6	*8	-	*	*	*6	*	*	*	*
228	26	12	14	*8	*	*9	*5	*6	*	10	*5
228.0	24	10	13	*6	*	*9	*5	*6	*	10	*
228.04	*7	*	*	*	*	*	*	*	*	*	*
228.09	*7	*	*	*	*	*	*	*	*	*	*
233	30	*	26	-	12	12	*7	*5	*	13	*8
233.0	11	*	11	-	*	*5	*	*	*	*	*
233.1	12	-	12	-	*7	*	*	*	*	*5	*
235	18	10	*8	*	*	*5	11	*	*	*	*7
235.2	*9	*6	*	-	*	*	*5	*	*	*	*
236	*8	*	*7	*	*	*	*	*	*	*	*
237	17	*8	*8	*	*6	*6	*	*	*	*7	*
237.7	*8	*	*	*	*	*	*	*	*	*	*
238	97	48	49	*	*5	17	73	23	27	35	12
238.4	20	*8	12	*	*	*6	11	*	*5	*8	*
238.7	70	36	34	*	*	*9	59	17	19	25	*8
239	27	16	12	*	*	*9	13	*	*9	*8	*5
239.1	*5	*	*	*	*	*	*	*	*	*	*
239.6	*8	*	*	*	*	*	*	*	*	*	*
240-279	20,812	8,700	12,112	590	2,810	6,564	10,848	4,380	5,248	7,658	3,526
240	15	*	13	*	*	*5	*5	*	*	*	*
240.9	13	*	11	*	*	*	*5	*	*	*	*
241	36	*7	29	*	*8	13	15	*7	*5	18	*5
241.0	16	*	14	*	*	*7	*5	*	*	*8	*
241.1	17	*	14	-	*	*6	*7	*	*	*8	*
242	107	25	82	*	30	34	43	26	24	35	22
242.0	27	*	22	*	10	11	*5	*	*6	*9	*7
242.00	26	*	21	*	*9	11	*5	*	*5	*9	*7
242.8	*6	*	*	-	*	*	*	*	*	*	*
242.80	*5	*	*	-	*	*	*	*	*	*	*
242.9	69	18	50	*	17	19	32	16	16	23	13
242.90	67	18	49	*	17	19	31	16	16	22	13

Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region:
United States, 2006

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants.
Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM).
See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North- east	Midwest	South	West
Number of all-listed diagnoses in thousands											
244	1,731	350	1,381	11	213	448	1,060	378	508	559	287
244.0	44	*6	38	*	*6	17	21	*8	*9	18	*9
244.1	12	*	*9	*	*	*	*5	*	*	*	*
244.8	12	*	10	*	*	*	*6	*	*	*	*
244.9	1,661	338	1,323	10	200	424	1,027	365	491	534	271
245	19	*	17	*	*6	*9	*	*	*5	*7	*
245.2	17	*	15	*	*5	*8	*	*	*	*6	*
246	21	*	18	*	*7	*6	*7	*	*	10	*
246.9	15	*	13	*	*6	*	*5	*	*	*8	*
250	5,501	2,492	3,009	36	653	1,937	2,876	1,227	1,306	2,098	871
250.0	4,084	1,805	2,279	18	385	1,410	2,272	908	1,000	1,577	599
250.00	3,579	1,593	1,985	*8	300	1,210	2,061	803	896	1,352	528
250.01	133	54	79	*9	36	40	48	34	34	49	16
250.02	353	150	203	*	41	153	158	67	67	168	51
250.03	20	*7	12	*	*7	*7	*	*	*	*9	*
250.1	166	80	86	13	96	39	18	31	28	69	38
250.10	30	18	12	*	12	12	*5	*6	*	12	*8
250.11	53	25	28	*7	35	*8	*	*9	11	20	13
250.12	32	14	18	*	14	11	*8	*6	*5	14	*7
250.13	51	23	28	*5	36	*9	*	10	*8	23	10
250.2	17	10	*7	*	*	*7	*6	*6	*	*8	*
250.20	*8	*	*	-	*	*	*	*	*	*	*
250.22	*7	*	*	-	*	*	*	*	*	*	*
250.3	11	*6	*6	*	*	*	*	*	*	*	*
250.4	276	135	141	*	33	107	136	53	52	96	75
250.40	193	96	97	-	13	77	103	35	35	69	54
250.41	29	12	17	*	12	*9	*7	*5	*6	*9	*8
250.42	45	21	24	-	*	18	24	12	*9	14	11
250.43	*9	*6	*	-	*6	*	*	*	*	*	*
250.5	117	56	61	*	18	51	47	29	28	35	24
250.50	68	33	35	*	*5	29	33	15	17	20	15
250.51	16	*7	*9	*	*	*8	*	*	*	*	*
250.52	26	12	14	-	*	11	11	*8	*6	*7	*
250.53	*7	*	*	-	*	*	*	*	*	*	*
250.6	413	193	220	*	63	172	178	93	107	142	71
250.60	280	131	150	*	25	113	142	63	78	90	49
250.61	40	16	24	-	16	17	*6	*9	10	14	*7
250.62	76	37	39	-	11	36	29	20	16	28	12
250.63	17	*9	*7	-	11	*	*	*	*	*9	*
250.7	77	47	31	-	*9	28	40	19	13	32	13
250.70	50	29	21	-	*	16	32	11	*8	23	*8
250.71	10	*6	*	-	*	*	*	*	*	*	*
250.72	14	*9	*5	-	*	*7	*6	*5	*	*	*
250.8	306	143	163	*	35	106	163	81	65	122	38
250.80	222	101	121	*	17	69	136	60	47	88	27
250.81	26	11	16	*	*8	11	*6	*7	*	10	*
250.82	45	24	21	*	*	23	18	11	10	18	*5
250.83	13	*8	*5	*	*5	*	*	*	*	*	*
250.9	33	18	16	*	*6	14	12	*	*8	13	*8
250.92	27	14	13	-	*	12	11	*	*7	10	*7
251	103	44	59	15	19	29	40	25	26	32	20

Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region:
United States, 2006

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants.
Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM)*.
See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North- east	Midwest	South	West
Number of all-listed diagnoses in thousands											
251.1	10	*	*6	*	*	*	*	*	*	*	*
251.2	36	15	21	10	*6	*8	12	*6	*7	13	*9
251.8	54	24	29	*	11	19	23	16	17	16	*5
252	51	16	35	*	*8	15	27	10	10	22	*9
252.0	31	10	21	*	*5	*9	17	*6	*6	13	*6
252.00	20	*7	13	*	*	*5	10	*	*	*9	*
252.01	*9	*	*7	*	*	*	*5	*	*	*	*
252.1	17	*5	12	*	*	*6	*8	*	*	*7	*
253	91	44	47	*5	17	21	47	25	18	30	18
253.2	14	*8	*6	*	*	*	*5	*	*	*	*
253.5	16	*8	*7	*	*5	*	*	*	*	*6	*
253.6	51	22	28	*	*	*9	36	15	10	15	11
255	93	33	60	*	15	32	41	18	27	33	14
255.0	*9	*	*7	*	*	*	*	*	*	*	*
255.4	62	24	38	*	*9	22	30	12	18	23	10
255.9	10	*	*6	*	*	*	*	*	*	*	*
256	19	-	19	*	18	*	*	*	*	*6	*
256.4	17	-	17	*	16	*	*	*	*	*	*
259	*7	*	*	*	*	*	*	*	*	*	*
260	14	*7	*7	*	*	*	*9	*	*	11	*
261	26	13	13	*	*	*7	15	*	*	11	*7
262	10	*	*5	*	*	*	*5	*	*	*	*
263	419	185	234	*7	41	90	280	78	102	179	59
263.1	*7	*	*	*	*	*	*	*6	*	*	-
263.8	15	*7	*8	*	*	*	11	*	*	*8	*
263.9	391	172	219	*6	37	85	264	67	99	169	57
266	53	17	36	*	*	13	35	15	15	18	*
266.2	51	17	34	*	*	12	35	15	15	17	*
268	*6	*	*	*	*	*	*	*	*	*	*
269	12	*	*7	*	*	*	*7	*	*	*	*
269.9	*8	*	*5	*	*	*	*5	*	*	*	*
270	19	11	*7	*6	*5	*	*	*8	*	*	*
270.4	*5	*	*	-	*	*	*	*	*	*	*
270.6	*7	*6	*	*	*	*	*	*	*	*	*
271	24	*9	15	*	*6	10	*6	*7	*6	*8	*
271.3	20	*8	13	*	*5	*9	*6	*6	*	*7	*
272	4,094	2,027	2,067	*7	298	1,523	2,266	980	1,084	1,356	674
272.0	1,263	602	662	*	99	474	688	419	287	365	193
272.1	55	31	23	*	17	26	12	*9	17	18	11
272.2	10	*6	*	-	*	*	*	*	*	*	*

Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region:
United States, 2006

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants.
Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM).
See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North- east	Midwest	South	West
Number of all-listed diagnoses in thousands											
272.4	2,716	1,359	1,357	*	174	1,002	1,537	540	763	951	462
272.8	*6	*	*	*	*	*	*	*	*	*	*
272.9	34	22	12	-	*	11	20	*7	*9	13	*
273	66	31	35	*	11	22	29	11	16	28	11
273.1	*7	*	*	-	*	*	*5	*	*	*	*
273.8	49	24	25	*	11	17	18	*8	12	23	*6
274	270	182	88	*	15	87	168	56	67	96	51
274.0	57	38	19	-	*	17	36	12	16	21	*8
274.9	210	141	69	*	11	68	131	43	50	73	43
275	307	129	178	12	61	102	132	46	87	124	49
275.0	11	*6	*	*	*	*	*	*	*	*	*
275.2	128	49	79	*	24	44	56	17	39	53	18
275.3	43	20	24	*	13	15	12	*5	11	20	*7
275.4	123	54	69	*	20	38	61	21	35	46	21
275.41	56	28	28	*	13	20	20	*8	16	21	10
275.42	55	19	36	*	*6	15	34	10	14	21	*9
275.49	11	*6	*	*	*	*	*7	*	*	*	*
276	6,247	2,542	3,705	430	869	1,530	3,418	1,119	1,596	2,403	1,129
276.0	184	86	97	*7	10	34	132	37	50	71	25
276.1	1,081	436	646	40	106	273	662	182	299	369	231
276.2	370	177	192	45	58	103	164	50	86	156	77
276.3	72	35	37	*	*8	21	39	11	18	30	13
276.4	25	13	12	*	*	*9	13	*	*6	11	*
276.5	2,596	1,075	1,521	299	359	519	1,419	487	643	1,012	453
276.50	149	65	83	*5	23	38	83	15	18	93	23
276.51	2,359	969	1,390	293	322	459	1,286	459	605	886	409
276.52	88	40	47	*	14	22	50	13	20	33	21
276.6	116	57	59	*	17	49	47	16	27	52	21
276.7	531	233	299	*9	54	140	329	105	123	199	104
276.8	1,149	380	770	20	236	347	546	211	306	461	172
276.9	124	51	73	*	18	36	66	16	37	42	29
277	85	45	39	15	37	21	12	22	15	35	12
277.0	22	12	10	*8	13	*	*	10	*	*7	*
277.00	*6	*	*	*	*	*	*	*	*	*	*
277.02	13	*7	*6	*	*8	*	*	*7	*	*	*
277.1	14	11	*	-	11	*	*	*	*	11	*
277.3	*7	*	*	*	*	*	*	*	*	*	*
277.4	*5	*	*	*	*	*	*	*	*	*	*
277.7	24	11	13	*	*5	12	*6	*5	*6	10	*
277.8	*8	*	*7	*	*	*	*	*	*	*	*
278	1,327	450	876	20	449	582	275	288	291	499	250
278.0	1,306	444	862	20	439	575	271	281	286	492	246
278.00	779	272	507	17	249	333	180	153	179	287	161
278.01	507	163	343	*	184	234	87	125	103	200	79
278.02	20	*8	12	*	*6	*9	*	*	*	*6	*6
278.1	14	*	13	-	*8	*	*	*6	*	*	*
278.8	*6	*	*	-	*	*	*	*	*	*	*
279	30	12	18	*6	*6	*7	11	*5	*6	14	*5

Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region:
United States, 2006

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants.
Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM).
See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North- east	Midwest	South	West
Number of all-listed diagnoses in thousands											
279.0	13	*6	*7	*	*	*	*6	*	*	*6	*
279.03	*6	*	*	*	*	*	*	*	*	*	*
279.1	*6	*	*	*	*	*	*	*	*	*	*
280-289	5,189	2,040	3,149	186	1,113	1,324	2,565	1,001	1,276	1,944	969
280	791	271	520	14	151	202	423	154	194	302	142
280.0	441	167	274	*	71	115	251	81	111	172	77
280.8	*6	*	*	*	*	*	*	*	*	*	*
280.9	342	101	242	10	79	85	169	72	81	127	63
281	82	32	50	*	10	18	53	13	28	23	18
281.0	22	*9	13	*	*	*	15	*5	*8	*5	*
281.1	13	*6	*6	-	*	*	*8	*	*	*	*
281.9	45	16	28	*	*5	11	28	*5	15	12	12
282	146	58	88	26	84	24	11	41	20	74	10
282.4	28	11	16	*6	10	*	*7	11	*	12	*
282.42	*7	*	*	*	*6	*	-	*	*	*	*
282.49	20	*7	13	*	*	*	*7	*6	*	*9	*
282.5	26	*5	21	*	18	*	*	*5	*	14	*
282.6	82	36	46	16	52	13	*	23	10	46	*
282.60	13	*	*9	*	*7	*	*	*	*	*7	*
282.61	*7	*	*	*	*	*	*	*	*	*	*
282.62	56	26	31	*9	41	*7	*	15	*6	33	*
283	28	13	15	*	*5	*7	14	*6	*7	*9	*7
283.0	10	*	*5	*	*	*	*6	*	*	*	*
283.9	13	*7	*7	*	*	*	*7	*	*	*5	*
284	199	111	88	14	25	71	89	38	41	84	36
284.8	189	106	82	13	24	68	84	37	39	80	33
284.9	*9	*	*5	*	*	*	*	*	*	*	*
285	2,639	925	1,714	41	562	606	1,430	483	687	963	507
285.1	639	236	403	*	99	150	387	109	199	203	128
285.2	332	144	188	*6	41	96	190	60	76	133	64
285.21	115	55	59	*	14	37	62	18	23	48	25
285.22	62	29	33	*	*6	17	34	12	15	26	*9
285.29	156	60	96	*	20	42	93	29	38	58	30
285.8	35	16	19	*	*7	11	16	*8	*8	*7	11
285.9	1,633	529	1,104	31	416	350	836	306	402	620	304
286	174	85	89	*6	35	52	81	37	31	66	40
286.3	13	*	*9	*	*6	*	*	*	*	*	*
286.4	11	*	*8	*	*5	*	*	*	*	*	*
286.5	*8	*	*	*	*	*	*	*	*	*	*
286.6	17	*9	*8	*	*	*	*8	*	*	*8	*
286.7	29	13	15	*	*	13	12	*8	*	10	*6
286.9	89	47	42	*	13	25	49	16	15	34	24
287	545	300	245	16	96	171	261	123	133	193	97
287.3	51	25	26	*	14	14	18	15	10	17	*9
287.31	45	22	22	*	13	13	15	12	*9	16	*8
287.4	89	48	41	*	19	32	37	22	20	29	18

Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region:
United States, 2006

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants.
Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM).
See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North- east	Midwest	South	West
Number of all-listed diagnoses in thousands											
287.5	391	220	171	*8	60	121	201	84	99	143	65
288	426	186	241	45	99	126	157	72	102	170	82
288.0	167	75	92	27	26	52	61	36	38	62	31
288.3	*9	*6	*	*	*	*	*	*	*	*	*
288.8	244	101	143	17	70	66	91	33	61	100	49
289	159	59	100	20	46	47	45	34	33	61	30
289.0	12	*6	*5	*	*	*	*	*	*	*	*
289.2	*9	*6	*	*6	*	*	*	*	*	*	*
289.3	13	*5	*8	*8	*	*	*	*	*	*8	*
289.5	*9	*	*	*	*	*	*	*	*	*	*
289.59	*5	*	*	*	*	*	*	*	*	*	*
289.8	86	26	60	*	30	30	25	19	20	33	14
289.81	68	21	48	*	27	25	15	15	15	25	13
289.89	15	*5	10	*	*	*	*9	*	*	*7	*
289.9	26	10	16	*	*	*7	12	*6	*5	10	*6
290-319	13,115	6,296	6,820	372	5,536	4,203	3,004	3,209	3,323	4,734	1,850
290	161	54	107	-	*	*5	155	52	42	47	21
290.0	71	19	52	-	-	*	71	30	15	16	*9
290.2	*8	*	*	-	-	*	*7	*	*	*	*
290.3	13	*	10	-	-	*	13	*	*	*	*
290.4	65	27	38	-	*	*	61	15	19	21	10
290.40	50	20	29	-	*	*	46	11	13	17	*8
290.41	*9	*	*	-	-	*	*8	*	*	*	*
291	336	250	86	*	135	164	37	91	103	83	60
291.0	61	50	11	-	17	33	11	13	12	22	13
291.2	13	11	*	-	*	*5	*6	*	*	*	*
291.3	*5	*	*	-	*	*	*	*	*	*	*
291.8	252	181	71	*	115	118	20	74	84	55	40
291.81	245	176	69	*	110	116	20	71	81	54	39
291.89	*7	*	*	-	*	*	*	*	*	*	*
292	271	144	126	*	137	68	64	82	76	75	39
292.0	136	80	56	*	93	38	*	47	46	32	12
292.1	17	*7	*9	*	*6	*	*8	*	*	*6	*
292.12	14	*7	*7	*	*	*	*7	*	*	*	*
292.8	104	49	55	*	33	23	47	28	26	32	19
292.81	72	27	44	*	*9	16	46	13	19	24	16
292.84	27	19	*9	*	21	*6	*	12	*6	*7	*
292.9	14	*7	*6	-	*6	*	*	*	*	*	*
293	94	49	45	*	12	16	66	25	32	24	13
293.0	61	31	30	*	*5	*9	47	13	21	18	*9
293.8	20	11	10	*	*6	*6	*8	*9	*6	*	*
293.83	15	*9	*6	*	*6	*	*	*8	*	*	*
293.9	11	*7	*	-	*	*	10	*	*	*	*
294	895	317	578	*	15	41	837	215	221	324	135
294.1	338	118	220	*	*	12	322	81	82	115	61
294.10	282	94	188	*	*	10	268	65	71	93	53
294.11	56	24	32	-	*	*	54	16	11	22	*7

Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region:
United States, 2006

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants.
Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM).
See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region				
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North- east	Midwest	South	West	
Number of all-listed diagnoses in thousands												
294.8	526	182	344	*	*	23	501	129	134	197	66	
294.9	29	16	12	*	*9	*6	13	*	*	12	*8	
295	592	319	273	*	251	243	97	168	107	246	72	
295.1	*6	*	*	*	*	*	*	*	*	*	*	
295.3	166	101	65	*	76	72	17	46	21	78	20	
295.30	92	57	35	*	42	40	10	22	13	47	10	
295.32	31	20	12	*	13	15	*	*9	*	12	*7	
295.34	41	24	17	-	21	17	*	14	*	19	*	
295.6	23	12	11	-	*7	*9	*8	*7	*5	10	*	
295.60	*7	*	*	-	*	*	*	*	*	*	*	
295.62	11	*	*7	-	*	*	*6	*	*	*	*	
295.7	223	108	115	*	111	90	21	66	44	91	21	
295.70	184	88	96	*	91	75	17	46	39	83	16	
295.72	*6	*	*	-	*	*	*	*	*	*	*	
295.74	29	15	15	-	16	12	*	18	*	*7	*	
295.8	*6	*	*	-	*	*	*	*	*	*	*	
295.9	165	89	76	*	47	68	50	46	34	59	27	
295.90	151	80	71	*	41	60	49	38	33	56	24	
295.92	*7	*	*	-	*	*	*	*	*	*	*	
295.94	*7	*5	*	-	*	*	*	*5	*	*	-	
296	1,524	593	930	91	847	443	143	327	366	680	152	
296.0	*8	*	*	-	*	*	*	*	*	*	*	
296.2	305	122	183	19	163	82	40	48	71	157	29	
296.20	193	77	117	13	98	56	27	30	45	100	18	
296.22	19	*7	12	*	15	*	*	*	*	13	*	
296.23	48	21	28	*	31	12	*	*9	16	19	*5	
296.24	38	15	24	*	17	10	*8	*6	*6	24	*	
296.3	326	116	211	*6	171	115	35	78	88	132	28	
296.30	84	26	58	*	41	33	*8	17	28	33	*6	
296.32	32	12	20	*	18	*9	*	*5	*8	14	*	
296.33	145	53	92	*	79	50	14	35	37	60	12	
296.34	58	21	37	*	29	20	*9	18	13	22	*5	
296.35	*5	*	*	-	*	*	*	*	*	*	*	
296.4	76	34	42	*	40	27	*7	20	15	33	*8	
296.40	35	17	18	*	17	13	*	*8	*6	18	*	
296.43	*6	*	*	*	*	*	*	*	*	*	*	
296.44	32	12	20	-	17	11	*	10	*6	12	*	
296.5	141	50	92	*	86	42	10	31	43	54	13	
296.50	90	32	58	*	59	26	*	17	33	32	*8	
296.53	25	*8	17	*	16	*7	*	*8	*6	*7	*	
296.54	21	*9	12	*	10	*8	*	*6	*	11	*	
296.6	90	35	55	10	55	22	*	19	16	47	*9	
296.60	41	16	26	*	25	11	*	*6	*9	21	*	
296.63	21	*8	13	*	12	*	*	*	*	12	*	
296.64	26	11	15	*	15	*7	*	*9	*	13	*	
296.7	37	15	21	*	18	13	*	12	11	11	*	
296.8	439	172	268	32	247	123	38	77	96	213	53	
296.80	385	152	233	31	211	109	35	63	87	192	43	
296.89	54	19	35	*	36	14	*	13	*9	21	10	
296.9	101	47	54	16	62	16	*6	39	24	29	*8	
296.90	95	45	51	16	60	14	*5	38	23	26	*8	
296.99	*5	*	*	*	*	*	*	*	*	*	*	

Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region:
United States, 2006

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants.
Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM).
See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region				
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North- east	Midwest	South	West	
Number of all-listed diagnoses in thousands												
297	34	12	23	*	*5	*8	20	10	*9	12	*	
297.1	23	*7	16	-	*	*6	14	*8	*6	*8	*	
297.9	*8	*	*	*	*	*	*	*	*	*	*	
298	211	108	103	*7	77	49	78	43	53	78	36	
298.9	205	105	100	*7	75	47	76	43	51	76	35	
299	31	23	*7	17	12	*	*	12	*5	*	*9	
299.0	20	16	*	11	*8	*	*	*6	*	*	*8	
299.00	20	16	*	11	*8	*	*	*6	*	*	*8	
299.8	*5	*	*	*	*	*	-	*	*	*	*	
299.80	*5	*	*	*	*	*	-	*	*	*	*	
299.9	*5	*	*	*	*	*	-	*	*	*	-	
299.90	*5	*	*	*	*	*	-	*	*	*	-	
300	1,313	395	918	23	444	451	395	323	351	478	161	
300.0	728	224	504	*8	231	247	242	175	203	258	92	
300.00	593	181	412	*5	167	201	219	143	162	207	81	
300.01	83	25	58	*	45	26	11	20	27	28	*8	
300.02	44	14	30	*	16	16	10	*9	11	21	*	
300.09	*8	*	*	*	*	*	*	*	*	*	*	
300.1	31	*	27	*	18	11	*	*5	12	10	*	
300.11	13	*	10	*	*8	*	*	*	*	*	*	
300.14	12	*	11	-	*7	*	*	*	*5	*	*	
300.2	29	*6	22	*	16	10	*	*6	*6	11	*5	
300.21	13	*	10	-	*7	*	*	*	*	*	*	
300.29	*7	*	*6	-	*	*	*	*	*	*	*	
300.3	32	13	19	*	21	*8	*	11	*7	*9	*5	
300.4	423	116	307	*6	117	160	139	112	109	156	46	
300.9	66	31	35	*5	40	15	*6	13	13	33	*7	
301	225	87	137	*	152	57	11	58	71	67	28	
301.5	*8	*	*5	*	*	*	*	*	*	*6	*	
301.50	*7	*	*	*	*	*	*	*	*	*5	*	
301.6	19	*7	12	*	*9	*7	*	*	*	10	*	
301.7	24	20	*	-	20	*	*	*8	*8	*5	*	
301.8	102	23	79	*	75	22	*	25	42	22	14	
301.81	*7	*	*	*	*	*	*	*	*	*	*	
301.83	80	12	68	*	62	16	*	22	31	16	11	
301.89	13	*5	*7	*	*9	*	*	*	*8	*	*	
301.9	57	28	30	*	36	18	*	17	14	20	*6	
302	*6	*	*	*	*	*	*	*	*	*	*	
303	753	536	217	*	305	370	77	215	199	218	121	
303.0	159	112	47	*	74	74	10	53	58	23	25	
303.00	55	39	16	*	25	25	*	*8	24	10	14	
303.01	100	71	29	*	46	48	*6	44	33	13	11	
303.9	594	424	170	*	231	295	67	163	140	196	95	
303.90	273	194	79	*	105	131	37	49	60	117	47	
303.91	257	189	67	*	104	129	23	96	59	65	37	
303.92	10	*7	*	*	*	*	*	*	*	*	*	
303.93	53	34	19	-	17	30	*6	15	18	11	*9	
304	625	359	266	*7	405	198	15	233	117	193	83	

Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region:
United States, 2006

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants.
Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM).
See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North- east	Midwest	South	West
Number of all-listed diagnoses in thousands											
304.0	221	128	93	*	126	87	*7	92	37	53	39
304.00	78	45	33	*	45	30	*	12	18	30	17
304.01	134	79	56	*	75	55	*	77	17	21	19
304.03	*7	*	*	*	*	*	*	*	*	*	*
304.1	43	20	22	*	24	15	*	18	*6	16	*
304.10	18	*8	10	*	*9	*7	*	*	*	11	*
304.11	23	11	12	-	16	*6	*	14	*	*	*
304.2	153	95	58	*	104	49	*	67	21	50	14
304.20	61	36	25	*	42	18	*	*7	12	30	12
304.21	84	56	29	-	57	27	*	57	*8	18	*
304.23	*6	*	*	-	*	*	-	*	*	*	*
304.3	60	38	22	*	52	*7	*	15	25	14	*
304.30	26	16	11	*	24	*	*	*	11	*8	*
304.31	28	19	*8	*	23	*	*	10	11	*	*
304.33	*5	*	*	-	*	*	-	*	*	*	-
304.4	22	11	11	-	18	*	*	*	*5	*6	*9
304.40	13	*7	*6	-	11	*	*	*	*	*	*6
304.6	12	*	*8	-	*6	*6	*	*	*	*	*
304.60	*6	*	*	-	*	*	*	*	*	*	*
304.61	*5	*	*	-	*	*	*	*	*	*	*
304.7	40	23	17	*	30	10	*	21	*5	10	*
304.70	15	*8	*7	*	10	*	*	*5	*	*6	*
304.71	24	15	*9	-	19	*5	*	15	*	*	*
304.8	38	21	17	*	25	*9	*	*8	*	23	*
304.80	29	18	11	*	20	*	*	*	*	21	*
304.81	*6	*	*	-	*	*	-	*	*	*	*
304.9	36	16	19	*	20	12	*	*6	*8	16	*6
304.90	26	12	14	*	15	*8	*	*	*6	11	*
304.91	*8	*	*	*	*	*	*	*	*	*	*
305	3,844	2,149	1,696	19	1,857	1,479	488	759	953	1,517	616
305.0	600	422	179	*	272	235	90	129	151	210	110
305.00	432	307	126	*	206	166	58	80	114	162	77
305.01	115	82	32	*	44	48	21	34	24	33	24
305.02	13	*8	*	-	*7	*	*	*	*	*	*
305.03	41	25	16	-	15	17	*9	13	*9	11	*7
305.1	2,383	1,214	1,169	*	1,004	995	382	438	611	968	366
305.2	192	115	77	*5	155	29	*	47	46	75	25
305.20	147	87	60	*	118	22	*	26	39	61	20
305.21	35	21	13	*	29	*	*	17	*	10	*
305.23	*6	*	*	*	*	*	*	*	*	*	*
305.4	28	16	12	*	19	*7	*	*7	*6	11	*
305.40	20	10	10	*	13	*6	*	*	*5	10	*
305.41	*6	*	*	*	*5	*	*	*	*	*	*
305.5	90	51	38	*	52	35	*	24	23	28	15
305.50	61	36	25	*	35	24	*	15	19	19	*8
305.51	19	10	*8	-	12	*6	*	*7	*	*6	*
305.53	*9	*	*	-	*	*	-	*	*	*	*
305.6	318	193	124	*	195	117	*	75	70	134	39
305.60	248	149	99	*	150	93	*	44	62	110	32
305.61	49	32	16	*	31	17	*	24	*5	16	*
305.63	16	*9	*7	*	11	*5	-	*	*	*6	*
305.7	51	26	25	*	42	*8	*	*	*	14	32
305.70	37	19	18	-	30	*7	*	*	*	12	22
305.71	*6	*	*	*	*	*	-	*	*	*	*

Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region:
United States, 2006

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants.
Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM).
See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North- east	Midwest	South	West
Number of all-listed diagnoses in thousands											
305.73	*6	*	*	-	*6	*	-	*	*	*	*
305.9	178	108	70	*6	116	51	*5	36	41	75	26
305.90	136	81	55	*6	90	36	*	21	31	63	20
305.91	22	16	*6	*	14	*6	*	*9	*	*6	*
305.93	18	11	*8	-	10	*8	*	*	*6	*5	*
306	12	*	*7	*	*5	*	*	*	*	*	*
307	84	28	56	*7	42	14	22	19	22	28	14
307.1	*9	*	*9	*	*6	*	*	*	*	*	*
307.2	*9	*5	*	*	*6	*	*	*	*	*	*
307.23	*8	*	*	*	*5	*	*	*	*	*	*
307.5	18	*	16	*	15	*	*	*	*6	*6	*
307.50	10	*	*9	*	*9	*	*	*	*	*	*
307.51	*6	*	*6	*	*5	*	*	*	*	*	*
307.8	17	*	13	*	*9	*6	*	*	*	*6	*
307.81	12	*	11	*	*6	*	*	*	*	*	*
307.9	26	14	12	*	*	*	16	*	*7	*9	*5
308	19	*7	12	*	*7	*5	*6	*	*6	*8	*
308.0	*6	*	*	*	*	*	*	*	*	*	*
308.9	*7	*	*	*	*	*	*	*	*	*	*
309	300	117	183	20	180	74	26	98	81	73	48
309.0	60	28	32	*	34	13	11	21	11	17	11
309.2	34	15	19	*	19	*8	*5	*8	14	*8	*
309.28	28	11	17	*	16	*7	*	*6	14	*6	*
309.4	14	*8	*6	*	10	*	*	*	*	*	*
309.8	174	59	115	14	107	46	*7	56	47	42	29
309.81	171	58	114	14	105	46	*6	55	47	42	28
309.9	16	*7	*9	*	*9	*	*	*6	*5	*	*
310	45	26	19	*	12	*9	22	*8	*9	16	12
310.1	13	*8	*5	*	*	*	*	*	*	*	*8
310.2	13	*8	*	*	*7	*	*	*	*	*5	*
310.9	16	*8	*8	-	*	*	13	*	*	*9	*
311	1,287	434	852	13	432	432	411	335	383	397	171
312	75	52	23	22	45	*6	*	28	15	27	*6
312.3	43	29	14	*9	29	*	*	20	10	13	*
312.30	27	19	*9	*	19	*	*	14	*	*8	*
312.34	14	*9	*	*	*9	*	*	*6	*	*	-
312.8	11	*8	*	*	*6	*	*	*	*	*7	*
312.89	*6	*	*	*	*	*	*	*	*	*	*
312.9	20	14	*6	*9	*8	*	*	*6	*	*7	*
313	33	17	16	19	14	*	*	*9	*6	17	*
313.8	31	16	15	18	13	-	*	*8	*	16	*
313.81	26	14	12	14	11	-	-	*	*	16	*
313.89	*5	*	*	*	*	-	-	*	*	*	*
314	137	78	60	52	69	13	*	30	44	54	10
314.0	129	74	54	48	65	12	*	30	43	46	10
314.00	30	13	17	*	19	*6	*	*7	11	*9	*

Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region:
United States, 2006

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants.
Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM).
See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region				
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North- east	Midwest	South	West	
Number of all-listed diagnoses in thousands												
314.01	98	61	37	44	46	*6	*	23	32	37	*6	
314.9	*9	*	*5	*	*	*	*	*	*	*8	-	
315	65	45	20	48	11	*	*	18	*9	16	21	
315.3	*8	*6	*	*8	*	-	*	*	*	*	*	
315.39	*5	*	*	*	*	-	-	*	*	*	*	
315.8	29	23	*6	26	*	*	*	*5	*	*9	12	
315.9	19	13	*7	11	*5	*	*	*6	*	*	*7	
317	34	21	13	*	18	12	*	12	*9	12	*	
318	26	16	10	*	10	11	*	10	*6	*9	*	
318.1	14	*8	*6	*	*5	*6	*	*7	*	*	*	
318.2	*8	*6	*	*	*	*	*	*	*	*	*	
319	84	50	34	11	32	27	15	24	26	24	10	
320-389	4,337	1,910	2,427	366	751	1,151	2,068	953	1,080	1,517	786	
320	11	*6	*5	*	*	*	*	*	*	*	*	
322	13	*8	*	*	*	*	*	*	*	*	*	
322.9	11	*7	*	*	*	*	*	*	*	*	*	
323	12	*	*8	*	*	*	*	*	*	*6	*	
323.9	*8	*	*6	*	*	*	*	*	*	*	*	
324	12	*8	*	*	*	*6	*	*	*	*	*	
324.1	*7	*	*	*	*	*	*	*	*	*	*	
327	277	157	120	12	56	140	70	57	63	111	45	
327.2	274	156	118	12	55	139	69	57	62	111	44	
327.23	269	153	115	11	54	136	67	56	61	109	43	
331	541	218	323	20	19	33	469	131	121	204	85	
331.0	387	132	255	-	*	*9	378	93	89	149	55	
331.3	30	20	10	*	*	*	25	*9	*6	12	*	
331.4	68	37	31	20	17	15	16	15	11	25	16	
331.8	40	22	19	*	*	*	38	*9	*9	13	*9	
331.82	39	22	17	-	-	*	37	*9	*9	12	*9	
331.9	11	*	*7	*	*	*	*8	*	*	*	*	
332	232	120	113	*	*	19	210	57	80	64	31	
332.0	230	119	111	*	*	19	209	56	80	63	31	
333	159	61	99	*	25	54	76	29	46	63	21	
333.0	*8	*	*5	*	*	*	*6	*	*	*	*	
333.1	31	15	17	*	*	*7	22	*6	*9	11	*	
333.2	*8	*	*	*	*	*	*	*	*	*	*	
333.8	*9	*	*7	*	*	*	*	*	*	*	*	
333.82	*8	*	*6	*	*	*	*	*	*	*	*	
333.9	94	35	59	*	17	37	39	14	29	39	12	
333.90	*7	*	*	*	*	*	*	*	*	*	*	
333.99	84	30	54	*	15	34	35	12	27	35	10	

Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region:
United States, 2006

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants.
Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM).
See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North- east	Midwest	South	West
Number of all-listed diagnoses in thousands											
334	*7	*	*	*	*	*	*	*	*	*	*
335	13	*8	*5	*	*	*	*8	*	*	*5	*
335.2	11	*6	*	-	*	*	*8	*	*	*	*
335.20	*8	*	*	-	*	*	*6	*	*	*	*
336	18	10	*7	*	*	*8	*6	*	*	*7	*
336.3	*6	*	*	*	*	*	*	*	*	*	*
336.9	*6	*	*	*	*	*	*	*	*	*	*
337	42	15	27	*	12	16	14	10	11	13	*7
337.1	15	*7	*8	-	*	*6	*5	*	*	*5	*
337.2	16	*	13	*	*7	*7	*	*	*	*	*
337.22	*7	*	*6	*	*	*	*	*	*	*	*
337.9	*8	*	*	*	*	*	*5	*	*	*	*
340	136	34	102	*	27	68	40	29	48	31	28
342	149	70	79	*5	17	48	78	22	33	60	35
342.0	*6	*	*	-	*	*	*5	*	*	*	*
342.8	10	*	*5	*	*	*	*6	*	*	*	*
342.80	*6	*	*	*	*	*	*	*	*	*	*
342.9	132	62	69	*	17	44	67	20	30	53	29
342.90	114	55	58	*	15	37	58	18	26	47	23
342.91	*8	*	*	*	*	*	*	*	*	*	*
342.92	10	*	*7	*	*	*	*	*	*	*	*
343	84	47	37	30	33	16	*5	20	17	29	18
343.2	15	*7	*8	*7	*	*	*	*6	*	*	*
343.9	57	34	24	17	24	12	*	10	12	23	13
344	148	95	53	*9	53	53	34	23	31	61	34
344.0	55	38	17	*	23	19	*9	*8	10	24	13
344.00	41	28	13	*	15	16	*8	*7	*7	19	*9
344.09	*7	*	*	*	*	*	*	*	*	*	*
344.1	59	39	19	*	21	20	14	*9	14	23	12
344.6	10	*7	*	*	*	*	*	*	*	*	*
344.60	*8	*5	*	*	*	*	*	*	*	*	*
344.8	*6	*	*	*	*	*	*	*	*	*	*
344.89	*6	*	*	*	*	*	*	*	*	*	*
344.9	12	*5	*6	*	*	*	*	*	*	*	*
345	157	72	85	34	52	37	33	48	30	49	30
345.1	19	10	*9	*	*7	*	*	*7	*	*5	*
345.10	15	*7	*8	*	*5	*	*	*6	*	*	*
345.3	33	16	16	11	*6	*8	*7	*9	*	13	*6
345.4	*6	*	*	*	*	*	*	*	*	*	*
345.5	10	*	*	*	*	*	*	*	*	*	*
345.50	*7	*	*	*	*	*	*	*	*	*	*
345.8	*5	*	*	*	*	*	*	*	*	*	*
345.9	75	33	42	10	29	20	16	22	17	25	12
345.90	67	30	36	*9	25	17	15	18	14	24	10
345.91	*9	*	*6	*	*	*	*	*	*	*	*
346	265	50	216	*8	132	104	21	57	73	89	46

Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region:
United States, 2006

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants.
Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM).
See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North- east	Midwest	South	West
Number of all-listed diagnoses in thousands											
346.2	*5	*	*	*	*	*	*	*	*	*	*
346.8	19	*	14	*	10	*	*	*	*	*8	*
346.80	16	*	12	*	*9	*	*	*	*	*7	*
346.9	233	40	193	*5	117	94	17	49	66	76	42
346.90	221	38	183	*5	107	92	17	47	62	73	39
346.91	12	*	10	*	10	*	*	*	*	*	*
347	*9	*	*5	-	*	*	*	*	*	*	*
347.0	*8	*	*5	-	*	*	*	*	*	*	*
347.00	*8	*	*5	-	*	*	*	*	*	*	*
348	238	121	118	26	57	62	94	50	47	90	51
348.0	*7	*	*	*	*	*	*	*	*	*	*
348.1	75	44	31	*7	20	22	25	14	17	28	16
348.2	10	*	*9	*	*9	*	*	*	*	*	*
348.3	100	47	53	*8	10	25	57	23	20	38	20
348.30	42	19	23	*	*	13	22	10	*9	16	*7
348.31	32	15	17	*	*	*7	23	*8	*7	14	*
348.39	25	12	13	*	*	*	12	*	*	*7	10
348.4	*7	*	*	*	*	*	*	*	*	*	*
348.5	*9	*5	*	*	*	*	*	*	*	*	*
348.8	25	14	11	*	10	*6	*	*	*	11	*
349	67	26	41	*	22	17	25	15	16	25	11
349.0	25	*	21	*	18	*	*	*	*6	*9	*
349.2	*7	*	*	*	*	*	*	*	*	*	*
349.8	33	17	16	*	*	*9	20	*8	*8	12	*
349.82	27	13	14	*	*	*7	18	*6	*7	11	*
350	24	*7	16	*	*	*8	14	*6	*	*8	*5
350.1	23	*7	16	*	*	*7	14	*6	*	*7	*
351	26	*8	17	*	*5	*8	11	*6	*6	*9	*
351.0	23	*7	16	*	*5	*7	10	*5	*6	*8	*
353	13	*5	*8	*	*	*	*	*	*	*	*
353.0	*7	*	*	*	*	*	*	*	*	*	*
354	36	16	19	*	10	17	*9	*8	*9	16	*
354.0	22	*9	13	*	*8	*9	*5	*5	*5	*8	*
355	76	29	47	*	10	22	43	14	21	27	14
355.8	42	18	23	*	*	10	26	*7	12	13	*9
355.9	28	*9	19	*	*	10	14	*6	*6	12	*
356	127	51	76	*	13	31	82	20	34	54	19
356.1	*6	*	*	*	*	*	*	*	*	*	*
356.9	116	47	69	*	10	29	76	18	31	49	18
357	277	129	148	*	28	116	132	60	77	89	51
357.0	18	*8	10	*	*	*6	*7	*	*	*7	*
357.2	247	115	132	*	21	105	121	55	71	77	45
358	22	12	10	*	*	*8	11	*6	*5	*9	*
358.0	19	10	*9	*	*	*7	11	*	*	*8	*

Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region:
United States, 2006

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants.
Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM).
See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North- east	Midwest	South	West
Number of all-listed diagnoses in thousands											
358.00	16	*8	*7	*	*	*5	10	*	*	*6	*
359	33	19	14	*	10	*8	14	10	*7	*9	*8
359.1	11	*8	*	*	*	*	*	*5	*	*	*
359.4	*8	*5	*	*	*	*	*6	*	*	*	*
360	*5	*	*	*	*	*	*	*	*	*	*
361	*5	*	*	*	*	*	*	*	*	*	*
362	161	63	98	*	14	46	97	35	44	49	33
362.0	76	35	42	*	11	36	30	19	16	24	18
362.01	72	32	40	*	10	33	29	18	14	23	18
362.3	*9	*	*	*	*	*	*6	*	*	*	*
362.5	59	16	43	*	*	*	56	13	21	16	*9
362.50	58	15	43	*	*	*	55	12	21	16	*9
365	172	64	108	*	*	28	141	51	44	47	30
365.9	166	62	104	*	*	25	138	50	41	46	29
366	24	10	15	*	*	*7	17	*7	*7	*6	*
366.9	21	*9	13	*	*	*5	15	*6	*6	*6	*
368	73	34	40	*	18	25	27	12	21	22	17
368.1	15	*6	*9	*	*6	*	*6	*	*7	*	*
368.13	*5	*	*	*	*	*	*	*	*	*	*
368.16	*8	*	*	*	*	*	*	*	*	*	*
368.2	16	*9	*7	*	*	*6	*	*	*	*	*
368.4	17	*8	*9	*	*	*5	11	*	*	*6	*6
368.46	12	*6	*7	*	*	*	*8	*	*	*	*
368.8	17	*7	10	*	*	10	*	*	*	*6	*
368.9	*8	*	*	*	*	*	*	*	*	*	*
369	105	56	49	*	21	25	54	24	22	37	22
369.0	32	19	13	*	*9	*6	15	*5	*7	11	*9
369.00	31	18	13	*	*8	*6	14	*5	*7	11	*8
369.4	28	10	18	*	*	*7	17	10	*7	*7	*5
369.6	31	20	10	*	*	*9	16	*6	*8	11	*6
369.60	29	19	*9	*	*	*8	15	*5	*8	10	*6
369.9	*6	*	*	*	*	*	*	*	*	*	*
370	*5	*	*	*	*	*	*	*	*	*	*
372	45	27	18	12	*8	12	14	11	*9	17	*9
372.0	*6	*	*	*	*	*	*	*	*	*	*
372.00	*5	*	*	*	*	*	*	*	*	*	*
372.3	30	18	12	*8	*	*9	*9	*7	*6	12	*6
372.30	28	17	11	*6	*	*9	*9	*6	*6	10	*5
372.7	*7	*	*	*	*	*	*	*	*	*	*
372.72	*5	*	*	*	*	*	*	*	*	*	*
373	11	*6	*	*	*	*	*	*	*	*	*
373.1	*8	*	*	*	*	*	*	*	*	*	*
373.13	*6	*	*	*	*	*	*	*	*	*	*

Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region:
United States, 2006

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants.
Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM).
See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North- east	Midwest	South	West
Number of all-listed diagnoses in thousands											
374	*7	*	*	*	*	*	*	*	*	*	*
375	*7	*	*	*	*	*	*	*	*	*	*
376	13	*7	*6	*	*	*	*	*	*	*	*
376.0	*9	*	*	*	*	*	*	*	*	*	*
376.01	*8	*	*	*	*	*	*	*	*	*	*
377	13	*6	*7	*	*	*	*	*	*	*	*
378	16	10	*6	*	*	*7	*	*6	*	*	*
378.5	*9	*6	*	*	*	*	*	*	*	*	*
379	20	10	10	*	*	*	*8	*	*6	*6	*
379.9	*7	*	*	*	*	*	*	*	*	*	*
380	28	12	16	*7	*9	*5	*7	*8	*5	11	*
380.1	17	*8	*9	*	*6	*	*	*	*	*8	*
380.10	16	*8	*8	*	*6	*	*	*	*	*7	*
380.4	*8	*	*5	*	*	*	*	*	*	*	*
381	13	*8	*	10	*	*	*	*	*	*	*
382	124	60	64	105	*8	*	*7	22	19	60	23
382.9	121	58	62	103	*7	*	*7	22	18	59	23
383	*8	*	*	*	*	*	*	*	*	*	*
386	90	29	61	*	*	25	61	22	33	24	12
386.0	21	*7	14	-	*	*5	14	*	*9	*	*
386.00	19	*7	12	-	*	*5	13	*	*8	*	*
386.1	38	12	26	-	*	11	26	10	10	12	*
386.11	28	*7	21	-	*	*9	18	*6	*8	10	*
386.3	26	*8	18	*	*	*9	16	*5	11	*6	*
386.30	22	*7	15	*	*	*6	15	*	10	*5	*
388	18	*6	11	*	*	*5	*7	*	*6	*6	*
388.3	*9	*	*7	-	*	*	*	*	*	*	*
388.30	*9	*	*7	-	*	*	*	*	*	*	*
389	111	55	56	*6	13	16	77	21	31	39	19
389.1	*8	*	*	*	*	*	*	*	*5	*	*
389.10	*6	*	*	*	*	*	*	*	*	*	*
389.8	*5	*	*	*	*	*	*	*	*	*	*
389.9	91	44	47	*	*9	11	67	17	25	33	16
390-459	35,396	16,992	18,405	163	2,229	9,560	23,445	7,807	9,164	12,744	5,682
394	37	*7	30	*	*	*8	25	11	11	*7	*9
394.0	13	*	*9	*	*	*	*7	*	*	*	*
394.1	11	*	*9	*	*	*	*8	*5	*	*	*
394.2	*7	*	*6	-	*	*	*5	*	*	*	*
394.9	*6	*	*5	*	*	*	*	*	*	*	*
396	186	74	112	*	*	19	164	52	43	65	25

Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region:
United States, 2006

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants.
Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM).
See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North- east	Midwest	South	West
Number of all-listed diagnoses in thousands											
396.0	*8	*	*6	*	*	*	*7	*	*	*	*
396.2	57	23	34	*	*	*	53	15	14	18	11
396.3	90	39	51	*	*	11	78	29	18	35	*8
396.8	22	*8	14	-	*	*	19	*5	*7	*6	*
396.9	*7	*	*5	-	*	*	*6	*	*	*	*
397	220	77	144	*	10	39	169	66	48	77	28
397.0	219	76	142	*	10	39	168	66	48	77	28
398	98	38	59	*	*	13	82	29	20	33	15
398.9	98	38	59	*	*	13	82	29	20	33	15
398.90	*7	*	*	*	*	*	*	*	*	*	*
398.91	90	35	55	-	*	10	78	28	17	31	14
401	9,058	3,841	5,217	18	759	2,999	5,281	1,999	2,293	3,346	1,420
401.0	76	25	51	*	*9	26	40	16	15	34	10
401.1	89	37	52	*	11	29	49	69	*6	11	*
401.9	8,893	3,779	5,114	18	739	2,944	5,192	1,914	2,272	3,301	1,407
402	252	102	150	*	*9	64	179	59	64	105	24
402.0	10	*	*6	-	*	*	*6	*	*	*	*
402.01	*5	*	*	-	*	*	*	*	*	*	*
402.9	240	98	141	*	*8	60	171	57	61	100	22
402.90	135	58	77	*	*	36	94	32	35	58	*9
402.91	105	41	65	-	*	25	77	24	27	41	13
403	1,763	903	861	*	140	471	1,148	369	389	668	338
403.0	34	15	19	-	*7	12	16	*5	*7	18	*
403.01	31	13	18	-	*7	11	14	*	*6	17	*
403.1	14	*8	*7	*	*	*	*9	10	*	*	*
403.11	13	*6	*6	*	*	*	*8	*9	*	*	*
403.9	1,715	880	835	*	132	456	1,123	354	381	649	331
403.90	80	42	39	*	*	15	60	24	24	21	11
403.91	1,635	839	796	*	127	441	1,063	330	357	628	320
404	107	52	55	-	*8	31	67	20	28	41	18
404.0	*7	*	*	-	*	*	*	*	*	*	*
404.9	97	48	49	-	*7	26	64	18	26	37	17
404.91	*7	*	*	-	*	*	*6	*	*	*	*
404.92	23	12	11	-	*	*7	14	*	*	12	*
404.93	64	30	34	-	*	17	42	12	19	22	11
405	*9	*	*5	*	*	*	*	*	*	*	*
405.9	*8	*	*	*	*	*	*	*	*	*	*
410	838	457	381	*	43	269	524	188	210	282	157
410.0	18	11	*7	-	*	*7	*9	*	*5	*6	*
410.01	17	10	*6	-	*	*6	*9	*	*	*6	*
410.1	80	47	32	*	*7	31	41	19	20	26	15
410.11	72	43	29	-	*6	28	38	18	17	24	13
410.12	*6	*	*	-	*	*	*	*	*	*	*
410.2	17	*7	10	-	*	*5	*9	*	*	*7	*
410.21	14	*6	*8	-	*	*	*8	*	*	*6	*
410.3	11	*6	*	-	*	*6	*	*	*	*	*
410.31	10	*6	*	-	*	*5	*	*	*	*	*

Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region:
United States, 2006

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants.
Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM).
See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North- east	Midwest	South	West
Number of all-listed diagnoses in thousands											
410.4	86	57	29	*	*7	41	38	15	23	27	21
410.41	78	51	27	-	*6	36	36	14	20	25	20
410.42	*6	*	*	*	*	*	*	*	*	*	*
410.5	11	*8	*	-	*	*	*5	*	*	*	*
410.51	10	*6	*	-	*	*	*	*	*	*	*
410.7	477	247	230	-	18	142	317	116	112	164	86
410.71	449	230	219	-	16	134	300	106	106	155	81
410.72	26	16	10	-	*	*7	17	*9	*	*8	*
410.8	17	*9	*8	*	*	*	12	*	*	*6	*
410.81	16	*8	*8	*	*	*	11	*	*	*5	*
410.9	119	63	56	*	*5	27	87	22	34	41	22
410.91	99	51	47	-	*	21	73	18	30	35	16
410.92	15	*9	*6	-	*	*	12	*	*	*	*
411	556	326	230	*	31	237	286	112	130	220	93
411.1	528	311	217	*	27	229	270	103	124	214	88
411.8	23	12	11	*	*	*6	14	*9	*	*	*
411.89	20	10	*9	-	*	*	14	*8	*	*	*
412	681	414	268	*	32	235	414	164	166	250	102
413	373	196	177	*	20	130	223	82	113	128	50
413.1	*7	*	*	*	*	*	*	*	*	*	*
413.9	366	192	174	-	16	128	222	81	110	125	49
414	4,538	2,665	1,873	*	130	1,334	3,069	1,025	1,229	1,626	657
414.0	4,213	2,456	1,757	*	119	1,247	2,843	960	1,138	1,508	607
414.00	1,115	686	429	*	20	253	840	259	325	403	129
414.01	2,973	1,679	1,293	*	97	951	1,924	679	775	1,058	460
414.02	90	64	25	-	*	31	57	14	30	32	14
414.04	16	13	*	-	*	*5	*9	*5	*	*	*
414.05	19	13	*6	-	*	*6	12	*	*	12	*
414.1	17	*8	*9	*	*	*5	10	*	*	*6	*
414.10	10	*	*6	*	*	*	*6	*	*	*	*
414.8	264	177	87	*	*7	72	185	53	79	89	43
414.9	44	23	21	-	*	10	32	*8	*8	23	*
415	248	108	140	*	43	68	137	44	64	95	46
415.1	246	107	139	*	43	67	136	43	63	94	46
415.11	19	*7	12	*	*	*5	*9	*	*	*6	*
415.19	228	100	128	*	39	62	127	39	59	88	42
416	295	113	182	*7	27	69	192	64	63	107	61
416.0	20	*7	13	*	*	*5	11	*7	*	*5	*
416.8	219	83	136	*6	22	49	142	40	51	84	44
416.9	57	23	33	-	*	15	39	16	10	18	13
420	26	16	10	*	*8	*9	*9	*7	*5	*7	*7
420.9	25	16	*9	*	*7	*9	*9	*7	*	*7	*7
420.90	15	11	*	*	*	*5	*7	*	*	*	*
420.91	*6	*	*	*	*	*	*	*	*	*	*
421	37	24	13	*	*9	11	16	10	*7	11	*8
421.0	35	22	13	*	*8	11	15	*9	*7	10	*8

Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region:
United States, 2006

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants.
Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM).
See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North- east	Midwest	South	West
Number of all-listed diagnoses in thousands											
423	64	34	30	*	15	20	26	15	12	26	10
423.8	*5	*	*	*	*	*	*	*	*	*	*
423.9	52	27	25	*	13	18	19	12	10	22	*8
424	1,148	458	690	*8	93	220	828	295	290	382	181
424.0	662	243	419	*	78	157	423	168	166	236	93
424.1	402	185	218	*	*8	46	347	107	110	110	75
424.2	30	12	18	*	*	*7	20	*9	*	10	*7
424.3	*9	*	*6	*	*	*	*	*	*	*	*
424.9	45	15	30	*	*	*9	32	*9	*9	22	*6
424.90	42	14	28	*	*	*8	31	*9	*9	20	*6
425	733	410	323	*7	81	233	411	150	171	302	110
425.1	19	*7	13	*	*	*	12	*	*6	*7	*
425.4	656	370	286	*	69	206	376	133	154	274	94
425.5	13	12	*	-	*	*8	*	*	*	*	*
425.8	28	11	17	*	*	*9	14	*	*6	13	*
425.9	*9	*6	*	*	*	*	*	*	*	*	*
426	464	241	223	*7	26	87	343	100	121	147	96
426.0	76	38	38	*	*	12	61	18	19	27	12
426.1	114	63	52	*	*	18	91	26	34	35	19
426.10	*8	*	*	*	*	*	*	*	*	*	*
426.11	60	34	25	*	*	*9	49	14	19	17	10
426.12	10	*	*5	*	*	*	*8	*	*	*	*
426.13	37	19	18	*	*	*6	30	*7	10	12	*7
426.2	14	*8	*6	-	*	*	10	*	*	*	*
426.3	94	39	55	*	*	18	72	22	23	28	21
426.4	89	51	38	*	*5	24	59	15	26	28	20
426.5	31	21	10	*	*	*	28	*5	*6	12	*9
426.52	*9	*6	*	-	*	*	*8	*	*	*	*
426.53	15	11	*	-	*	*	13	*	*	*6	*
426.6	*6	*	*	-	*	*	*	*	*	*	*
426.7	16	*9	*7	*	*6	*	*	*	*	*	*
426.8	12	*6	*6	*	*	*	*	*	*	*	*
426.82	*5	*	*	*	*	*	*	*	*	*	*
426.89	*6	*	*	*	*	*	*	*	*	*	*
426.9	12	*5	*7	*	*	*	10	*	*	*	*
427	4,520	2,227	2,293	33	203	817	3,468	1,014	1,244	1,506	757
427.0	90	36	54	*	*9	30	50	19	23	32	16
427.1	275	175	100	*	24	79	171	63	73	96	42
427.3	3,082	1,507	1,576	*	57	458	2,563	716	851	998	517
427.31	2,860	1,377	1,483	*	49	409	2,398	671	782	922	485
427.32	222	129	93	*	*8	49	164	45	70	75	32
427.4	40	23	17	*	*	15	21	*5	10	15	10
427.41	38	22	16	*	*	13	21	*5	10	14	*9
427.5	101	56	45	*	*9	33	57	15	24	39	23
427.6	81	41	40	*	*6	21	50	16	25	30	10
427.61	17	*7	10	*	*	*5	*9	*	*5	*6	*
427.69	63	33	30	*	*6	16	40	12	19	24	*8
427.8	793	366	426	20	89	170	515	172	220	269	132
427.81	184	85	99	*	*6	14	165	45	42	66	32
427.89	609	282	327	19	83	156	350	127	178	203	100
427.9	56	24	33	*	*5	11	40	*8	16	26	*6

Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region:
United States, 2006

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants.
Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM).
See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North- east	Midwest	South	West
Number of all-listed diagnoses in thousands											
428	4,238	1,867	2,372	15	141	847	3,236	910	1,178	1,538	613
428.0	3,882	1,720	2,162	13	128	769	2,972	837	1,073	1,412	560
428.1	10	*	*7	*	*	*	*7	*	*	*	*
428.2	91	55	36	*	*7	28	56	15	35	34	*7
428.20	54	29	25	*	*	18	32	11	20	19	*
428.21	10	*6	*	*	*	*	*	*	*	*	*
428.22	19	15	*	-	*	*	14	*	*9	*6	*
428.23	*9	*6	*	-	*	*	*6	*	*	*	*
428.3	223	69	153	*	*	41	177	53	54	75	41
428.30	162	51	111	*	*	33	125	39	39	54	30
428.31	15	*5	10	-	*	*	14	*	*	*6	*
428.32	26	*7	19	-	-	*	23	*7	*6	*7	*6
428.33	19	*6	13	*	*	*	15	*	*6	*8	*
428.4	18	10	*7	*	*	*	13	*	*7	*6	*
428.40	11	*7	*	-	*	*	*7	*	*	*	*
428.9	14	*9	*6	*	*	*	11	*	*	*8	*
429	172	81	91	*6	16	44	107	43	47	61	21
429.2	46	21	25	-	*	*8	38	17	13	15	*
429.3	77	35	42	*	11	21	40	12	23	28	13
429.7	*6	*	*	*	*	*	*	*	*	*	*
429.8	*7	*	*	*	*	*	*	*	*	*	*
429.89	*6	*	*	*	*	*	*	*	*	*	*
429.9	28	15	13	*	*	*8	18	*9	*7	*9	*
430	33	14	19	*	*9	13	11	*9	*5	11	*7
431	76	36	41	*	*	22	47	16	14	26	21
432	40	23	18	*	*	10	26	*7	*6	16	10
432.1	31	20	11	*	*	*6	23	*7	*	12	*8
432.9	*9	*	*6	*	*	*	*	*	*	*	*
433	306	162	144	*	*	62	240	54	83	118	52
433.1	239	125	114	*	*	47	190	41	63	97	38
433.10	214	114	100	*	*	40	172	36	57	87	34
433.11	25	11	14	*	*	*7	18	*5	*6	*9	*
433.2	*8	*5	*	-	*	*	*5	*	*	*	*
433.20	*6	*	*	-	*	*	*	*	*	*	*
433.3	54	29	25	*	*	12	41	11	16	16	10
433.30	48	27	21	*	*	10	37	*9	14	16	*9
433.31	*6	*	*	-	*	*	*	*	*	*	*
434	501	217	285	*	25	123	352	92	124	197	88
434.0	18	*7	11	*	*	*	11	*	*	*6	*
434.01	15	*6	*9	*	*	*	10	*	*	*5	*
434.1	55	26	29	*	*	11	40	13	12	18	12
434.11	54	26	28	*	*	11	39	13	12	17	12
434.9	429	183	246	*	19	108	300	75	108	174	73
434.90	13	*7	*6	*	*	*	*7	*	*	*6	*
434.91	416	177	239	*	17	104	293	72	106	167	71
435	241	105	135	*	13	58	169	57	58	84	41
435.2	*6	*	*	-	-	*	*	*	*	*	*

Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region:
United States, 2006

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants.
Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM).
See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North- east	Midwest	South	West
Number of all-listed diagnoses in thousands											
435.8	12	*	*8	-	*	*	*8	*	*	*	*
435.9	216	96	120	*	13	52	151	54	50	75	36
436	*7	*	*	-	*	*	*	*	*	*	*
437	152	60	93	*	*8	33	110	30	42	53	27
437.0	58	23	35	*	*	*	52	10	16	21	10
437.1	15	*7	*7	-	*	*	13	*	*	*7	*
437.2	12	*	*8	*	*	*	*6	*	*	*	*
437.3	24	*8	16	*	*	12	*9	*5	*	*9	*7
437.7	11	*	*8	*	*	*5	*6	*	*	*	*
437.9	27	12	14	-	*	*	23	*5	11	*9	*
438	539	233	305	*	22	148	366	112	148	156	123
438.0	12	*5	*7	-	*	*6	*6	*	*	*	*5
438.1	91	42	50	-	*	28	60	17	29	27	18
438.10	*6	*	*	-	*	*	*	*	*	*	*
438.11	60	26	33	-	*	20	38	13	18	19	10
438.12	*9	*	*6	-	*	*	*8	*	*	*	*
438.19	17	10	*7	-	*	*6	10	*	*6	*	*
438.2	223	94	129	*	*7	61	154	52	56	69	46
438.20	191	81	110	*	*7	51	132	43	51	59	38
438.21	16	*7	*9	*	*	*	11	*	*	*	*
438.22	17	*7	10	*	*	*6	10	*	*	*	*
438.7	*9	*	*6	-	*	*	*7	*	*	*	*
438.8	182	80	102	*	*8	46	126	34	52	48	49
438.82	44	17	27	-	*	11	31	*6	14	11	13
438.83	11	*	*8	-	*	*	*6	*	*	*	*
438.84	13	*6	*7	-	*	*	10	*	*	*	*
438.89	109	53	56	*	*	27	77	22	30	31	26
438.9	11	*	*6	-	*	*	*8	*	*	*	*
440	327	168	159	*	10	90	228	60	96	126	46
440.0	20	*9	11	-	*	*	15	*	*5	*7	*
440.1	48	20	28	*	*	10	36	10	12	20	*
440.2	213	119	94	-	*8	63	141	36	64	84	29
440.20	46	27	19	-	*	11	33	*5	18	17	*6
440.21	51	30	21	-	*	19	30	10	15	19	*8
440.22	21	12	*9	-	*	10	11	*	*6	10	*
440.23	21	10	11	-	*	*	16	*6	*5	*7	*
440.24	60	34	27	-	*	14	43	11	14	27	*8
440.29	13	*6	*7	-	*	*	*9	*	*6	*	*
440.3	13	*6	*7	-	*	*	*8	*	*	*6	*
440.30	*5	*	*	-	-	*	*	*	*	*	*
440.31	*5	*	*	-	*	*	*	*	*	*	*
440.8	*6	*	*	-	-	*	*	*	*	*	*
440.9	29	12	17	-	*	*5	24	10	*9	*8	*
441	180	115	65	*	*	32	145	42	49	56	33
441.0	16	*8	*8	-	*	*	11	*	*	*	*
441.01	*7	*	*	-	*	*	*5	*	*	*	*
441.2	20	12	*7	*	*	*5	13	*6	*6	*	*
441.3	*5	*	*	-	-	*	*	*	*	*	*
441.4	123	82	41	*	*	21	102	27	33	41	22
441.7	*7	*	*	-	*	*	*6	*	*	*	*

Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region:
United States, 2006

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants.
Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM).
See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region				
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North- east	Midwest	South	West	
Number of all-listed diagnoses in thousands												
441.9	*8	*6	*	-	*	*	*8	*	*	*	*	
442	35	26	*9	*	*	11	21	*8	*8	12	*8	
442.2	12	11	*	-	*	*	10	*	*	*	*	
442.3	14	11	*	*	*	*5	*8	*	*	*	*	
443	474	239	235	*	16	122	336	94	125	180	74	
443.0	17	*	14	*	*	*8	*6	*	*6	*	*	
443.2	*7	*	*	*	*	*	*	*	*	*	*	
443.8	38	19	18	*	*	11	25	*9	*6	13	10	
443.81	15	10	*	-	*	*6	*8	*	*	*6	*	
443.89	23	*9	13	-	*	*6	16	*	*	*7	*7	
443.9	412	211	200	-	10	99	302	81	111	161	59	
444	89	47	42	*	*	33	49	15	25	33	16	
444.0	10	*6	*	*	*	*5	*	*	*	*	*	
444.2	55	28	27	*	*	19	31	10	14	19	12	
444.21	*8	*	*	*	*	*	*	*	*	*	*	
444.22	47	24	23	*	*	15	28	*7	13	17	10	
444.8	18	10	*7	*	*	*7	*9	*	*	*8	*	
444.81	10	*7	*	*	*	*	*6	*	*	*	*	
444.89	*7	*	*	*	*	*	*	*	*	*	*	
446	52	19	34	*6	*6	11	30	12	14	17	*9	
446.1	*5	*	*	*5	*	-	-	*	*	*	*	
446.4	10	*8	*	*	*	*	*	*	*	*	*	
446.5	22	*	18	-	*	*	22	*	*9	*6	*	
447	68	35	33	*	*6	20	42	12	14	29	13	
447.1	39	23	15	*	*	12	26	*7	*7	17	*8	
447.6	*9	*	*6	*	*	*	*	*	*	*	*	
447.9	*7	*	*	*	*	*	*6	*	*	*	*	
451	58	28	30	*	14	16	27	14	14	21	10	
451.0	*8	*	*	*	*	*	*	*	*	*	*	
451.1	14	*6	*8	*	*	*	*9	*	*	*	*5	
451.11	*8	*	*	*	*	*	*5	*	*	*	*	
451.19	*6	*	*	-	*	*	*	*	*	*	*	
451.2	*6	*	*	-	*	*	*	*	*	*	*	
451.8	27	14	13	*	*9	*7	11	*6	*5	12	*	
451.82	10	*6	*	*	*	*	*	*	*	*	*	
451.84	10	*	*6	*	*	*	*5	*	*	*	*	
452	*7	*	*	*	*	*	*	*	*	*	*	
453	453	204	249	*	69	140	240	103	118	174	58	
453.2	*9	*5	*	*	*	*	*	*	*	*	*	
453.4	332	145	187	*	40	99	192	78	94	123	37	
453.40	86	38	48	*	*8	25	52	22	20	36	*8	
453.41	143	65	79	*	19	41	83	35	41	54	14	
453.42	103	43	60	*	12	33	57	22	32	33	16	
453.8	96	44	52	*	20	32	42	20	20	43	12	
453.9	*8	*	*	*	*	*	*	*	*	*	*	
454	26	10	15	-	*6	*7	12	*6	*8	*9	*	

Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region:
United States, 2006

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants.
Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM).
See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North- east	Midwest	South	West
Number of all-listed diagnoses in thousands											
454.9	15	*	10	-	*	*	*7	*	*	*6	*
455	193	83	109	*	47	60	85	51	37	66	39
455.0	66	26	40	*	12	22	33	18	10	23	15
455.2	38	19	19	-	*7	14	17	12	*8	12	*7
455.3	17	*9	*8	-	*	*	*9	*	*	*7	*
455.5	11	*	*6	-	*	*6	*	*	*	*	*
455.6	35	14	22	*	16	*8	11	*9	*5	16	*6
455.8	16	*8	*8	-	*	*	*9	*	*	*	*5
456	67	43	24	*	12	37	17	15	14	23	16
456.0	*5	*	*	-	*	*	*	*	*	*	*
456.1	*7	*	*	*	*	*	*	*	*	*	*
456.2	40	29	11	*	*6	25	*8	*9	*8	13	*9
456.20	21	16	*6	*	*	13	*	*	*	*7	*7
456.21	19	13	*6	*	*	12	*	*	*5	*6	*
456.8	12	*6	*6	*	*	*5	*	*	*	*	*
457	43	17	26	*	*7	14	20	*9	12	17	*6
457.1	30	12	17	*	*	11	14	*5	*9	10	*
457.2	*8	*	*5	*	*	*	*	*	*	*5	*
458	585	279	306	11	64	158	352	109	154	223	100
458.0	138	62	76	*	11	25	100	33	35	51	20
458.2	73	35	38	*	*9	25	39	17	21	22	14
458.29	70	33	37	*	*9	23	37	16	21	21	13
458.8	40	20	20	*	*	14	21	*8	10	10	12
458.9	333	161	172	*8	40	93	192	52	88	140	53
459	161	77	84	*	13	50	96	39	39	57	26
459.0	20	*8	12	*	*	*6	13	*	*	10	*
459.2	10	*	*5	*	*	*	*	*	*	*	*
459.8	120	59	61	*	10	36	72	33	30	38	19
459.81	110	55	55	*	*8	35	67	32	28	33	17
459.89	10	*	*6	*	*	*	*5	*	*	*5	*
459.9	*9	*	*	*	*	*	*5	*	*	*5	*
460-519	12,209	5,715	6,494	1,118	1,503	3,111	6,477	2,610	3,024	4,501	2,074
461	48	19	28	*7	12	14	15	*7	13	21	*6
461.0	12	*	*9	*	*	*	*6	*	*	*5	*
461.2	*6	*	*	*	*	*	*	*	*	*	*
461.9	22	*8	14	*	*7	*9	*	*	*5	10	*
462	60	27	33	15	25	11	10	11	12	28	*9
463	21	11	10	*7	12	*	-	*7	*	10	*
464	33	17	16	21	*	*	*5	*7	*5	11	10
464.0	*5	*	*	*	*	*	*	*	*	*	*
464.00	*5	*	*	*	*	*	*	*	*	*	*
464.1	*7	*	*	*6	*	*	*	*	*	*	*
464.10	*6	*	*	*6	*	*	*	*	*	*	*
464.4	15	*9	*6	15	*	-	*	*	*	*7	*

Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region:
United States, 2006

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants.
Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM).
See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region				
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North- east	Midwest	South	West	
Number of all-listed diagnoses in thousands												
465	160	70	90	59	39	29	33	40	32	53	35	
465.9	158	69	89	59	38	28	33	39	32	52	35	
466	355	166	189	190	26	51	88	64	74	142	74	
466.0	164	62	103	*9	24	47	85	35	51	60	20	
466.1	190	104	86	181	*	*	*	30	24	82	54	
466.11	107	61	46	104	*	*	*	17	12	42	36	
466.19	83	44	40	78	*	*	*	13	12	41	18	
470	*9	*	*	*	*	*	*	*	*	*	*	
472	12	*	*8	*	*	*	*	*	*	*6	*	
472.0	12	*	*8	*	*	*	*	*	*	*6	*	
473	157	71	86	23	44	44	46	29	36	69	24	
473.0	21	12	*9	*	*7	*	*6	*	*	11	*	
473.2	13	*7	*6	*	*	*	*5	*	*	*7	*	
473.8	10	*	*5	*	*	*	*	*	*	*5	*	
473.9	106	44	63	14	26	34	32	20	24	44	17	
474	25	15	*9	16	*6	*	*	*7	*	12	*	
474.0	*9	*	*	*	*	*	*	*	*	*5	*	
474.00	*5	*	*	*	*	*	*	*	*	*	*	
474.1	16	11	*	12	*	*	*	*5	*	*7	*	
474.10	*8	*6	*	*8	*	-	-	*	*	*	*	
474.11	*7	*	*	*	*	*	*	*	*	*	*	
475	23	10	12	*	14	*	*	*6	*6	*6	*	
477	88	31	57	*8	20	27	32	13	28	37	10	
477.9	83	29	54	*7	19	26	31	11	27	35	10	
478	93	50	43	24	20	22	28	21	14	38	20	
478.0	*7	*	*	*	*	*	*	*	*	*	*	
478.1	28	15	13	11	*6	*5	*6	*5	*	13	*7	
478.2	15	*8	*7	*	*	*	*	*	*	*	*	
478.29	*6	*	*	*	*	*	*	*	*	*	*	
478.3	18	*9	*9	*	*	*6	*7	*5	*	*5	*	
478.30	*6	*	*	*	*	*	*	*	*	*	*	
478.31	*8	*	*	*	*	*	*	*	*	*	*	
478.5	*6	*	*	*	*	*	*	*	*	*	*	
478.7	12	*7	*5	*	*	*	*	*	*	*5	*	
478.74	*5	*	*	*	*	*	*	*	*	*	*	
480	39	21	17	25	*	*	*6	*6	12	13	*8	
480.1	15	*8	*7	14	*	*	*	*	*	*6	*	
480.9	19	10	10	10	*	*	*6	*	*8	*5	*	
481	54	27	26	*5	*7	16	25	*8	16	20	10	
482	229	127	102	19	30	53	126	44	51	73	62	
482.0	14	*9	*5	*	*	*	*7	*	*	*	*6	
482.1	42	26	16	*	*7	13	20	*8	*5	15	14	
482.2	15	*9	*6	*	*	*	*8	*	*	*	*	
482.3	14	*7	*8	*	*	*	*7	*	*	*5	*	

Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region:
United States, 2006

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants.
Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM).
See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North- east	Midwest	South	West
Number of all-listed diagnoses in thousands											
482.30	*7	*	*	*	*	*	*	*	*	*	*
482.4	81	45	35	*	10	15	52	14	21	25	21
482.41	72	39	33	*	*9	13	47	13	18	22	19
482.8	35	19	15	*	*	*8	19	*5	*9	13	*7
482.82	*5	*	*	*	*	*	*	*	*	*	*
482.83	25	13	12	*	*	*6	14	*	*6	10	*5
482.9	28	12	16	*7	*	*	14	*7	*6	*6	*9
483	11	*	*6	*6	*	*	*	*	*	*	*
483.0	*9	*	*	*5	*	*	*	*	*	*	*
484	*6	*	*	*	*	*	*	*	*	*	*
485	19	*9	*9	*7	*	*	*7	*	*	*8	*5
486	1,896	898	998	178	174	396	1,149	379	525	686	307
487	55	21	34	17	*6	*8	24	*8	17	20	10
487.0	15	*6	*8	*	*	*	*8	*	*6	*	*
487.1	36	12	24	11	*	*5	16	*6	11	15	*
490	104	44	59	*8	20	27	49	16	26	45	17
491	1,147	549	598	*	38	323	785	244	276	478	149
491.2	1,108	537	571	*	28	312	767	239	265	460	145
491.20	80	37	43	-	*	22	54	16	16	33	15
491.21	877	428	449	*	18	241	617	194	219	354	110
491.22	151	73	78	*	*6	49	96	29	30	73	19
491.9	31	10	22	*	*7	*9	15	*	*8	16	*
492	238	131	107	*	10	72	156	57	61	84	36
492.0	17	12	*5	-	*	*	*9	*	*	*5	*5
492.8	221	119	102	*	*6	67	148	54	58	79	30
493	1,911	657	1,254	317	513	568	514	499	439	640	333
493.0	107	58	49	72	17	12	*7	22	10	16	60
493.00	51	23	28	25	11	*9	*6	12	*7	*8	24
493.01	10	*6	*	*8	*	*	-	*	*	*	*
493.02	46	29	18	38	*	*	*	*7	*	*6	31
493.2	471	151	320	*	37	180	252	119	127	155	70
493.20	284	99	185	*	21	95	167	67	73	96	48
493.21	*7	*	*5	*	*	*	*	*	*	*	*
493.22	180	50	130	*	14	82	83	51	52	57	20
493.9	1,327	447	881	241	456	375	254	356	301	467	203
493.90	1,020	321	699	123	369	306	222	276	238	351	155
493.91	60	32	27	34	13	*9	*	17	10	24	*9
493.92	248	94	154	84	75	60	29	63	53	92	39
494	48	17	31	*	*5	11	29	13	*7	19	*8
494.0	31	11	20	*	*	*7	19	*7	*6	12	*5
494.1	17	*6	10	*	*	*	10	*6	*	*7	*
496	2,193	1,121	1,073	*	66	557	1,567	475	617	791	311
501	14	13	*	-	-	*	12	*	*	*6	*

Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region:
United States, 2006

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants.
Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM).
See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North- east	Midwest	South	West
Number of all-listed diagnoses in thousands											
507	395	222	173	15	40	66	275	100	92	117	87
507.0	392	221	172	14	40	65	273	99	91	116	86
508	*8	*	*	*	*	*	*	*	*	*	*
510	31	22	*9	*6	*	13	*7	*6	*5	14	*6
510.9	28	20	*8	*5	*	12	*6	*	*	13	*6
511	502	243	258	15	53	140	294	109	133	180	79
511.0	31	20	11	*	*8	13	10	*6	10	*9	*7
511.8	35	18	16	*	*6	10	18	*8	*7	12	*8
511.9	433	204	230	14	38	117	264	96	116	158	64
512	112	65	47	*6	25	31	50	24	25	42	20
512.0	*5	*	*	*	*	*	*	*	*	*	*
512.1	49	25	24	*	*	15	27	13	13	14	*8
512.8	58	36	21	*	18	14	22	10	11	25	11
513	13	*7	*6	*	*	*	*	*	*	*	*
513.0	12	*6	*6	*	*	*	*	*	*	*	*
514	32	13	19	*	*7	*7	17	*	*8	15	*5
515	225	97	128	*	18	43	162	45	69	71	39
516	23	12	11	*	*	*5	13	*5	*	*7	*6
516.3	*9	*	*	-	*	*	*6	*	*	*	*
516.8	12	*6	*6	*	*	*	*7	*	*	*	*
517	24	*7	17	*	*9	10	*	*6	*7	*9	*
517.8	18	*	13	-	*6	*8	*	*	*6	*5	*
518	1,695	826	870	88	212	505	890	312	367	675	341
518.0	426	194	232	29	63	129	204	76	102	158	89
518.1	12	*6	*6	*	*	*	*	*	*	*5	*
518.3	18	10	*8	*	*	*6	*9	*	*	*8	*
518.4	21	*6	15	*	*6	*	10	*	*6	*7	*5
518.5	121	66	55	*7	22	39	52	24	25	47	25
518.8	1,096	543	553	49	114	321	611	203	226	449	217
518.81	761	382	378	23	80	225	433	143	151	314	153
518.82	71	36	35	14	10	12	35	13	15	33	10
518.83	56	25	31	*	*	21	27	*8	12	26	11
518.84	80	37	43	*	*	25	50	11	18	35	16
518.89	129	63	66	*8	16	38	67	29	31	42	28
519	83	41	42	18	14	23	28	15	19	31	17
519.0	18	*9	*9	*	*	*8	*	*	*	*8	*
519.02	*7	*	*	*	*	*	*	*	*	*	*
519.09	*9	*	*	*	*	*	*	*	*	*	*
519.1	28	12	15	*6	*5	*7	*9	*5	*9	10	*
519.8	28	15	13	*7	*5	*	12	*	*6	11	*8
520-579	11,233	4,870	6,363	533	2,312	3,613	4,775	2,331	2,726	4,136	2,040

Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region:
United States, 2006

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants.
Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM).
See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North- east	Midwest	South	West
Number of all-listed diagnoses in thousands											
521	17	11	*6	*	*8	*6	*	*	*	*5	*
521.0	17	11	*6	*	*8	*6	*	*	*	*5	*
521.00	14	10	*	*	*7	*	*	*	*	*	*
522	28	13	15	*	13	*6	*	*5	*7	*9	*7
522.5	23	11	12	*	11	*	*	*	*6	*9	*
523	*8	*	*	*	*	*	*	*	*	*	*
524	29	11	18	*	23	*	*	*	*6	13	*6
524.0	12	*	*8	*	10	*	*	*	*	*6	*
524.6	*8	*	*6	*	*	*	*	*	*	*	*
525	12	*6	*6	*	*7	*	*	*	*	*	*
525.9	*8	*	*	*	*	*	*	*	*	*	*
526	*8	*	*	*	*	*	*	*	*	*	*
527	24	12	12	*	*	*6	11	*	*5	*6	*9
527.2	15	*8	*7	*	*	*	*9	*	*	*	*6
528	49	25	24	10	14	14	11	*9	*9	20	10
528.0	21	12	*9	*7	*	*6	*	*	*	*9	*6
528.3	*8	*	*	*	*	*	*	*	*	*	*
528.9	12	*7	*6	*	*	*	*	*	*	*	*
529	*7	*	*	*	*	*	*	*	*	*	*
530	2,587	1,066	1,521	119	410	863	1,196	580	659	943	405
530.0	13	*6	*6	*	*	*	*7	*	*	*	*
530.1	184	87	96	*	40	59	80	41	48	65	30
530.10	62	30	32	*	16	18	27	13	12	27	10
530.11	59	30	29	*	12	22	25	16	19	14	11
530.12	*6	*	*	-	*	*	*	*	*	*	*
530.19	56	25	31	*	11	19	25	11	16	21	*8
530.2	30	15	15	*	*	*7	19	*6	*9	*7	*8
530.20	15	*7	*9	*	*	*	*9	*	*	*	*
530.21	15	*9	*6	*	*	*	10	*	*	*	*
530.3	49	23	26	*	*	14	29	*9	11	20	*9
530.5	23	*9	14	*	*	*6	13	*	*7	*6	*5
530.6	*9	*	*	-	-	*	*6	*	*	*	*
530.7	32	19	13	*	*9	10	13	*5	*6	12	*9
530.8	2,244	901	1,343	111	345	760	1,028	508	573	825	338
530.81	2,172	858	1,314	111	336	737	988	494	551	805	322
530.82	14	*9	*	*	*	*	*9	*	*	*5	*
530.85	43	26	17	-	*	14	24	11	14	11	*7
530.89	12	*6	*7	*	*	*	*6	*	*	*	*
531	159	70	89	*	20	50	87	29	44	54	32
531.0	14	*7	*7	-	*	*	*9	*	*	*6	*
531.00	13	*6	*7	-	*	*	*9	*	*	*5	*
531.4	80	36	43	*	*6	24	49	13	21	28	18
531.40	79	36	43	*	*6	24	49	12	21	28	18
531.5	*6	*	*	*	*	*	*	*	*	*	*
531.50	*5	*	*	*	*	*	*	*	*	*	*

Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region:
United States, 2006

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants.
Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM).
See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region				
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North- east	Midwest	South	West	
Number of all-listed diagnoses in thousands												
531.9	50	20	29	*	*9	15	24	12	16	15	*7	
531.90	49	20	29	*	*8	15	24	12	16	14	*7	
532	82	47	34	*	10	27	45	17	18	30	17	
532.0	*9	*7	*	-	*	*	*6	*	*	*5	*	
532.00	*9	*7	*	-	*	*	*6	*	*	*5	*	
532.4	41	23	18	*	*	11	26	*8	10	12	11	
532.40	41	23	17	*	*	11	25	*8	10	12	10	
532.5	*7	*	*	-	*	*	*	*	*	*	*	
532.50	*6	*	*	-	*	*	*	*	*	*	*	
532.9	21	12	*9	*	*	*8	*9	*6	*	*7	*	
532.90	20	11	*9	*	*	*7	*9	*5	*	*7	*	
533	103	49	54	*	13	35	54	24	25	37	16	
533.4	14	*6	*8	-	*	*	*8	*	*	*6	*	
533.40	14	*6	*8	-	*	*	*8	*	*	*5	*	
533.9	84	40	44	*	11	28	44	21	21	30	12	
533.90	84	40	44	*	11	28	44	21	21	29	12	
534	10	*	*7	-	*	*6	*	*	*	*	*	
535	528	223	305	10	114	157	247	108	125	202	92	
535.0	46	20	26	*	*8	15	21	*9	13	18	*6	
535.00	36	13	23	*	*7	13	14	*8	10	14	*	
535.01	10	*6	*	*	*	*	*7	*	*	*	*	
535.1	64	26	38	*	*8	20	35	18	13	20	13	
535.10	52	20	32	*	*7	15	29	16	12	15	*9	
535.11	12	*7	*6	-	*	*	*6	*	*	*	*	
535.3	15	*9	*6	-	*8	*5	*	*	*	*	*	
535.30	12	*7	*	-	*7	*	*	*	*	*	*	
535.4	138	50	88	*	25	47	65	28	31	51	29	
535.40	103	34	68	*	19	38	44	22	26	37	18	
535.41	35	16	19	*	*6	*9	21	*6	*	14	11	
535.5	207	86	121	*	47	56	99	39	50	88	31	
535.50	173	69	104	*	43	48	77	35	43	70	24	
535.51	34	17	17	*	*	*8	22	*	*6	17	*7	
535.6	58	33	26	*	17	15	26	11	15	23	10	
535.60	46	25	21	*	14	11	20	*9	13	17	*7	
535.61	13	*8	*	*	*	*	*6	*	*	*6	*	
536	271	104	167	21	72	87	90	42	63	110	55	
536.2	45	17	28	11	13	10	10	*	*8	21	11	
536.3	107	40	67	*	44	40	23	15	20	50	22	
536.4	48	20	28	*6	*	11	29	13	*8	17	10	
536.41	15	*7	*8	*	*	*	*8	*	*	*	*	
536.42	19	*9	11	*	*	*	12	*5	*	*9	*	
536.49	13	*	*9	*	*	*	*8	*	*	*	*	
536.8	61	23	38	*	11	23	23	*9	23	18	11	
536.9	*9	*	*	-	*	*	*	*	*	*	*	
537	87	44	43	*	10	23	51	24	14	30	20	
537.0	16	*8	*8	*	*	*	*8	*	*	*6	*	
537.8	55	29	26	*	*6	11	37	18	*7	15	16	
537.82	*6	*	*	*	*	*	*5	*	*	*	*	
537.83	26	14	12	-	*	*	21	*9	*	*6	*8	

Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region:
United States, 2006

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants.
Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM).
See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North- east	Midwest	South	West
Number of all-listed diagnoses in thousands											
537.89	18	*9	*9	*	*5	*	*7	*6	*	*	*
537.9	*8	*	*	*	*	*	*	*	*	*	*
540	318	186	132	71	163	63	21	60	72	96	91
540.0	58	37	22	16	20	15	*8	10	14	16	19
540.1	40	22	18	11	15	10	*	*6	11	13	10
540.9	220	127	93	43	129	39	*9	44	48	68	61
541	14	*6	*8	*	*9	*	*	*	*	*7	*
543	16	*7	*9	*	*8	*	*	*	*	*6	*
543.9	11	*	*6	*	*	*	*	*	*	*6	*
550	86	75	11	*9	*8	20	48	17	20	29	20
550.1	30	27	*	*	*	*7	18	*	10	*9	*6
550.10	21	19	*	*	*	*	12	*	*7	*6	*
550.9	55	48	*8	*8	*	13	29	11	10	19	14
550.90	40	34	*6	*	*	10	21	*8	*8	15	*9
550.91	*5	*5	*	*	*	*	*	*	*	*	*
550.92	*9	*8	*	*	*	*	*	*	*	*	*
552	85	34	51	*	16	30	38	19	21	30	14
552.1	15	*9	*6	*	*	*6	*7	*	*	*	*
552.2	54	18	36	*	11	20	23	13	14	19	*7
552.20	14	*	10	*	*	*	*8	*	*	*5	*
552.21	33	11	22	*	*8	14	11	*8	*8	12	*5
552.29	*7	*	*	-	*	*	*	*	*	*	*
552.3	*7	*	*	-	*	*	*	*	*	*	*
553	519	185	334	*9	77	162	271	104	133	191	91
553.1	54	22	31	*5	11	21	17	12	14	17	11
553.2	101	38	62	*	22	41	38	22	22	36	20
553.20	29	11	18	*	*	14	11	*6	*6	12	*
553.21	63	27	36	*	15	23	25	15	15	19	15
553.29	*9	*	*8	*	*	*	*	*	*	*	*
553.3	354	121	233	*	39	99	214	69	94	135	57
553.8	*7	*	*	*	*	*	*	*	*	*	*
555	129	53	76	*	55	46	24	30	34	45	20
555.0	17	*8	*9	*	*9	*5	*	*	*	*	*6
555.1	18	*7	11	*	*9	*	*	*	*5	*6	*
555.2	*8	*	*	*	*	*	*	*	*	*	*
555.9	87	35	52	*	33	34	18	20	24	32	11
556	70	37	33	*	31	19	18	17	20	21	13
556.6	10	*7	*	*	*6	*	*	*	*	*	*
556.8	*5	*	*	*	*	*	*	*	*	*	*
556.9	45	24	21	*	19	13	12	10	15	12	*8
557	90	30	60	*	*6	27	56	18	23	28	22
557.0	37	13	24	*	*	10	23	*7	10	12	*8
557.1	*8	*	*6	*	*	*	*	*	*	*	*
557.9	45	15	30	-	*	14	29	*9	10	14	12
558	430	162	268	93	93	94	150	86	111	166	68

Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region:
United States, 2006

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants.
Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM).
See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North- east	Midwest	South	West
Number of all-listed diagnoses in thousands											
558.9	421	158	263	90	93	92	146	83	109	162	66
560	792	352	440	33	117	241	401	143	200	299	151
560.0	*9	*	*	*	*	*	*	*	*	*	*
560.1	353	165	187	13	61	109	170	56	91	136	69
560.2	15	*9	*6	*	*	*	10	*	*	*7	*
560.3	80	31	49	*6	*5	12	56	15	20	32	12
560.39	77	30	47	*6	*5	12	54	15	19	31	12
560.8	171	71	100	*7	24	64	76	35	40	60	36
560.81	103	41	62	*	13	37	48	20	24	37	21
560.89	68	31	37	*	10	27	28	15	15	23	15
560.9	165	73	92	*	22	52	89	30	47	60	29
562	642	244	398	*	60	177	405	140	183	217	102
562.0	*9	*	*6	-	*	*	*6	*	*	*	*
562.00	*6	*	*	-	*	*	*	*	*	*	*
562.1	633	240	393	*	59	175	399	139	181	212	101
562.10	255	92	163	*	15	60	180	56	73	79	47
562.11	261	101	160	-	43	98	121	61	76	91	32
562.12	94	39	55	-	*	14	79	17	22	34	21
562.13	23	*8	15	-	*	*	19	*	*9	*8	*
564	690	229	460	51	143	193	303	132	180	264	114
564.0	488	187	302	47	85	126	231	90	122	193	84
564.00	424	166	259	38	70	109	207	74	112	172	67
564.09	62	21	41	*8	15	17	22	16	10	20	16
564.1	166	30	136	*	50	57	59	33	51	60	22
564.8	19	*8	10	*	*5	*6	*5	*5	*	*6	*
564.89	14	*6	*8	*	*	*	*	*	*	*	*
564.9	*5	*	*	-	*	*	*	*	*	*	*
565	15	*9	*6	*	*7	*	*	*	*	*6	*
565.0	10	*6	*	*	*	*	*	*	*	*	*
566	42	32	*9	*	13	19	*8	*8	*8	19	*7
567	119	63	55	*6	27	45	40	23	27	44	25
567.2	80	42	38	*5	21	31	23	17	17	29	17
567.21	10	*6	*	*	*	*	*	*	*	*	*
567.22	43	23	20	*	13	13	12	*8	10	16	*9
567.23	*9	*5	*	*	*	*5	*	*	*	*	*
567.29	18	*8	11	*	*	*8	*	*	*	*7	*
567.3	*9	*6	*	*	*	*	*	*	*	*	*
567.31	*7	*	*	*	*	*	*	*	*	*	*
567.8	13	*8	*5	*	*	*	*6	*	*	*	*
567.89	*9	*6	*	*	*	*	*	*	*	*	*
567.9	16	*8	*8	*	*	*6	*7	*	*	*7	*
568	183	53	130	*	57	66	56	37	39	69	39
568.0	149	43	106	*	42	58	46	32	31	55	31
568.8	32	*8	24	*	15	*8	*8	*	*7	14	*7
568.81	18	*	14	*	11	*	*	*	*	*8	*
568.89	13	*	*8	*	*	*	*	*	*	*5	*
569	316	141	176	*6	46	97	167	76	78	117	45

Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region:
United States, 2006

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants.
Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM).
See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North- east	Midwest	South	West
Number of all-listed diagnoses in thousands											
569.0	13	*7	*6	*	*	*	*5	*	*	*	*
569.1	13	*	12	*	*	*	10	*	*	*	*
569.3	80	39	41	*	*9	24	46	20	16	32	11
569.4	32	14	18	*	*	*8	20	*6	11	*9	*6
569.41	*8	*	*	*	*	*	*6	*	*	*	*
569.42	*5	*	*	*	*	*	*	*	*	*	*
569.49	19	*9	11	*	*	*	11	*	*8	*	*
569.5	30	13	17	*	*5	13	11	*6	*8	13	*
569.6	35	14	20	*	*	12	17	10	*7	13	*
569.62	*8	*	*	*	*	*	*	*	*	*	*
569.69	23	10	13	*	*	*6	12	*	*5	10	*
569.8	102	47	55	*	16	30	53	24	26	36	16
569.81	15	*6	*9	*	*	*8	*	*	*	*6	*
569.82	10	*	*6	*	*	*	*6	*	*	*	*
569.83	26	12	14	*	*6	*8	12	*	*7	*9	*
569.84	*7	*	*	-	*	*	*6	*	*	*	*
569.85	25	14	12	*	*	*	20	*9	*7	*6	*
569.89	18	*8	11	*	*	*6	*7	*	*5	*8	*
569.9	*8	*	*	*	*	*	*	*	*	*	*
570	35	19	16	*	*8	10	14	*7	*6	15	*7
571	527	307	221	*	109	280	134	119	99	187	122
571.0	*5	*	*	*	*	*	*	*	*	*	*
571.1	52	39	13	-	20	28	*	*9	12	17	14
571.2	173	126	46	-	27	112	33	42	33	52	45
571.3	22	16	*6	*	*7	13	*	*	*8	*	*
571.4	15	*	11	*	*	*6	*	*5	*	*5	*
571.49	13	*	10	*	*	*6	*	*	*	*	*
571.5	181	90	91	*	16	90	74	41	28	75	36
571.6	*8	*	*6	*	*	*	*	*	*	*	*
571.8	66	22	44	*	30	24	10	14	11	27	15
572	188	110	78	*	26	108	51	45	35	57	50
572.0	11	*7	*	-	*	*	*	*	*	*	*
572.2	98	59	39	*	11	59	27	26	17	31	23
572.3	47	27	20	*	*6	29	11	10	*8	16	13
572.4	13	*7	*6	*	*	*6	*	*	*	*	*
572.8	19	11	*8	*	*	10	*	*	*	*	*8
573	98	54	44	*	22	38	35	19	25	38	17
573.0	*6	*	*	-	*	*	*	*	*	*	*
573.3	47	22	24	*	13	17	15	*9	*9	20	*9
573.8	29	18	11	*	*	10	12	*6	*8	10	*6
573.9	16	10	*7	*	*	*8	*	*	*6	*6	*
574	570	184	386	*	179	165	221	116	123	229	102
574.0	147	49	97	*	53	46	47	27	30	62	28
574.00	137	45	92	*	51	44	42	26	28	57	26
574.01	*9	*	*6	-	*	*	*	*	*	*	*
574.1	182	52	130	*	58	61	62	40	34	77	32
574.10	175	50	125	*	57	57	60	39	31	74	31
574.11	*8	*	*6	*	*	*	*	*	*	*	*
574.2	124	41	83	*	36	28	58	26	33	48	17
574.20	123	41	82	*	36	27	57	25	33	48	17

Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region:
United States, 2006

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants.
Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM).
See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North- east	Midwest	South	West
Number of all-listed diagnoses in thousands											
574.3	*6	*	*	*	*	*	*	*	*	*	*
574.4	10	*	*5	*	*	*	*7	*	*	*	*
574.40	*7	*	*	*	*	*	*	*	*	*	*
574.5	42	14	27	*	*8	14	19	*8	11	16	*6
574.50	27	*7	20	-	*5	10	11	*6	*6	11	*
574.51	15	*7	*8	*	*	*	*8	*	*	*5	*
574.6	12	*	*8	*	*	*	*6	*	*	*6	*
574.60	*8	*	*	*	*	*	*	*	*	*	*
574.7	20	*7	12	*	*8	*	*7	*	*	*6	*
574.70	12	*	*8	-	*5	*	*	*	*	*	*
574.71	*8	*	*	*	*	*	*	*	*	*	*
574.8	15	*	11	-	*	*	*7	*	*	*	*
574.80	10	*	*8	-	*	*	*	*	*	*	*
574.9	12	*	*7	*	*	*	*6	*	*	*	*
574.90	*9	*	*6	*	*	*	*	*	*	*	*
575	170	62	108	*	62	57	49	31	40	71	28
575.0	42	20	23	*	14	13	16	*9	10	16	*7
575.1	70	26	44	*	24	25	20	12	17	31	10
575.10	12	*	*8	*	*	*	*5	*	*	*	*
575.11	46	15	30	*	18	17	10	*6	11	22	*6
575.12	12	*6	*6	*	*	*	*	*	*	*	*
575.3	10	*	*9	*	*	*	*	*	*	*5	*
575.8	33	*9	23	*	14	13	*5	*	*9	15	*
576	115	51	63	*	25	42	44	25	28	41	21
576.1	35	18	17	*	*6	11	17	*8	10	12	*5
576.2	33	17	16	*	*	15	13	*8	*7	10	*7
576.8	43	15	28	*	14	14	12	*9	10	17	*8
577	482	255	227	*7	151	196	127	88	106	197	91
577.0	333	168	165	*	110	128	91	60	76	135	62
577.1	86	51	35	*	24	44	17	16	17	39	14
577.2	35	20	15	*	*8	17	10	*6	*5	14	10
577.8	17	*9	*8	*	*6	*	*5	*	*	*5	*
577.9	10	*7	*	*	*	*	*	*	*	*	*
578	427	209	218	13	48	99	267	90	110	153	73
578.0	58	29	29	*	13	15	26	13	12	23	11
578.1	114	55	59	*8	14	24	69	23	31	39	21
578.9	254	125	129	*	21	59	172	54	68	91	41
579	46	17	29	10	11	13	11	*9	*8	15	13
579.0	11	*	*8	*	*	*	*	*	*	*	*
579.3	22	*7	15	*	*	*8	*5	*5	*	*8	*
579.8	*7	*5	*	*	*	*	*	*	*	*	*
580-629	10,007	3,815	6,193	167	2,023	2,640	5,177	2,002	2,392	3,786	1,827
581	39	18	21	*	11	12	13	*7	11	15	*6
581.1	*6	*	*	*	*	*	*	*	*	*	*
581.8	18	10	*8	*	*	*6	*8	*	*5	*6	*
581.81	17	*9	*8	-	*	*6	*7	*	*5	*5	*
581.9	15	*6	*9	*	*	*	*	*	*6	*	*

Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region:
United States, 2006

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants.
Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM).
See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North- east	Midwest	South	West
Number of all-listed diagnoses in thousands											
582	16	*6	10	*	*9	*	*	*	*	*6	*
582.8	*8	*	*6	*	*	*	*	*	*	*	*
582.81	*7	*	*5	*	*	*	*	*	*	*	*
583	132	65	67	*	28	48	54	24	24	48	36
583.8	119	58	61	*	23	45	51	21	21	43	34
583.81	113	56	58	*	20	43	50	20	20	41	33
583.89	*6	*	*	*	*	*	*	*	*	*	*
583.9	11	*6	*5	*	*	*	*	*	*	*	*
584	1,289	668	620	*9	110	331	839	275	297	497	220
584.5	102	56	46	*	10	34	57	27	17	37	21
584.8	*8	*	*	*	*	*	*	*	*	*	*
584.9	1,176	607	568	*6	99	293	778	244	278	457	197
585	1,466	760	706	*6	134	411	915	328	371	516	251
585.1	*6	*	*	-	*	*	*	*	*	*	*
585.2	27	12	15	*	*	*7	18	*8	*	10	*6
585.3	111	62	49	*	*	22	84	26	27	38	19
585.4	83	37	46	*	*	17	64	20	27	27	*9
585.5	41	20	21	*	*	12	25	*7	13	15	*5
585.6	651	335	316	*5	107	243	296	136	121	257	137
585.9	547	289	258	*	16	107	424	128	178	166	75
586	30	13	17	*	*	*6	23	*7	10	*7	*6
588	32	14	17	*	10	*9	12	*6	*8	12	*6
588.8	25	11	14	*	*8	*7	*9	*	*	11	*
588.81	17	*8	*9	*	*5	*6	*6	*	*	*9	*
588.89	*8	*	*	*	*	*	*	*	*	*	*
590	251	45	206	25	104	59	63	40	50	101	60
590.1	105	15	90	*9	45	26	25	17	27	35	27
590.10	105	15	90	*9	45	26	25	17	27	35	27
590.2	*6	*	*5	*	*	*	*	*	*	*	*
590.8	136	27	109	16	55	30	35	20	22	63	31
590.80	136	27	109	16	55	30	35	20	22	63	31
591	233	101	133	*9	58	74	92	55	54	82	42
592	299	138	162	*	106	113	78	67	79	113	40
592.0	145	59	86	*	51	53	40	32	34	57	21
592.1	152	78	74	*	54	59	37	34	45	55	17
593	509	244	266	22	53	126	308	84	139	187	100
593.2	23	12	11	*	*	*7	13	*	*7	*7	*
593.3	10	*	*5	*	*	*	*	*	*	*	*
593.4	29	13	17	*	*6	10	10	*6	*7	*7	*9
593.5	19	*8	11	*	*6	*5	*6	*6	*5	*	*
593.7	18	*6	11	14	*	*	*	*5	*	*6	*6
593.70	13	*	10	12	*	*	*	*	*	*6	*
593.8	20	*8	12	*	*	*8	*7	*	*5	*6	*6
593.81	*7	*	*	*	*	*	*	*	*	*	*
593.89	13	*	*9	*	*	*	*	*	*	*5	*
593.9	390	193	198	*	30	90	268	58	111	153	69

Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region:
United States, 2006

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants.
Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM).
See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North- east	Midwest	South	West
Number of all-listed diagnoses in thousands											
594	15	12	*	*	*	*	11	*	*	*5	*
594.1	13	10	*	*	*	*	*9	*	*	*	*
595	72	27	45	*	15	16	40	12	18	33	*9
595.0	16	*6	10	*	*	*	11	*	*6	*6	*
595.1	12	*	11	*	*	*6	*	*	*	*7	*
595.2	*9	*	*5	*	*	*	*5	*	*	*	*
595.8	*8	*6	*	*	*	*	*6	*	*	*	*
595.82	*5	*	*	-	-	*	*5	*	*	*	*
595.9	26	10	16	*	*	*6	15	*	*8	12	*
596	186	100	85	*	26	47	109	36	41	64	44
596.0	42	39	*	*	*	*8	33	*7	*6	13	16
596.1	13	*6	*7	-	*	*	*8	*	*	*7	*
596.4	11	*	*6	-	*	*	*8	*	*	*	*
596.5	76	28	48	*	12	24	38	17	22	22	15
596.51	14	*	13	*	*	*	*9	*	*6	*	*
596.54	56	25	31	*	11	18	25	11	16	18	12
596.59	*5	*	*	*	*	*	*	*	*	*	*
596.7	*6	*	*	*	*	*	*	*	*	*	*
596.8	28	12	16	*	10	*6	12	*	*6	12	*6
598	22	19	*	*	*	*7	13	*5	*7	*6	*
598.8	*6	*6	*	*	*	*	*	*	*	*	*
598.9	16	13	*	*	*	*	*9	*	*6	*	*
599	2,745	905	1,840	57	288	532	1,867	560	665	1,037	483
599.0	2,350	660	1,690	52	238	434	1,627	483	569	882	416
599.6	33	23	*9	*	*	*7	22	*6	*9	13	*
599.60	26	18	*8	*	*	*6	18	*6	*8	11	*
599.69	*6	*5	*	-	*	*	*	*	*	*	*
599.7	335	215	120	*	45	80	207	66	83	134	53
599.8	19	*	16	*	*	10	*7	*	*	*6	*8
599.81	*8	-	*8	-	*	*	*	*	*	*	*
599.82	*9	*	*7	-	-	*5	*	*	*	*	*
600	520	520	-	-	*	83	433	136	121	167	96
600.0	489	489	-	-	*	74	412	131	113	155	90
600.00	374	374	-	-	*	57	314	104	87	122	62
600.01	115	115	-	-	*	17	98	28	26	33	28
600.9	25	25	-	-	*	*7	17	*	*6	11	*
600.90	18	18	-	-	*	*6	12	*	*	*8	*
600.91	*6	*6	-	-	*	*	*5	*	*	*	*
601	39	39	-	-	*5	11	23	*9	*8	16	*7
601.0	12	12	-	-	*	*	*6	*	*	*7	*
601.1	12	12	-	-	*	*	*8	*	*	*	*
601.9	15	15	-	-	*	*	*8	*	*	*	*
602	*8	*8	-	-	-	*	*7	*	*	*	*
603	12	12	-	*	*	*	*	*	*	*5	*
603.9	10	10	-	*	*	*	*	*	*	*5	*

Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region:
United States, 2006

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants.
Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM).
See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North- east	Midwest	South	West
Number of all-listed diagnoses in thousands											
604	19	19	-	*	*	*7	*7	*	*	*7	*5
604.9	16	16	-	*	*	*6	*6	*	*	*6	*
604.90	10	10	-	*	*	*	*	*	*	*	*
604.99	*5	*5	-	*	*	*	*	*	*	*	*
605	10	10	-	*	*	*	*	*	*	*	*
607	26	26	-	*	*5	11	*9	*6	*5	11	*
607.8	18	18	-	*	*	*9	*6	*	*	*8	*
607.84	11	11	-	-	*	*7	*	*	*	*	*
608	36	36	-	*	11	11	11	*	11	13	*7
608.4	14	14	-	*	*	*6	*	*	*	*6	*
608.8	13	13	-	*	*	*	*6	*	*	*5	*
608.86	*6	*6	-	*	*	*	*	*	*	*	*
610	14	*	14	-	*	*6	*	*	*	*7	*
610.1	*9	-	*9	-	*	*	*	*	*	*	*
611	49	*5	44	*	21	18	*9	12	*9	19	10
611.0	17	*	16	*	*8	*5	*	*	*	*9	*
611.1	*9	*	*7	-	*6	*	*	*	*	*	*
611.7	14	*	12	-	*	*	*5	*	*	*5	*
611.72	13	*	11	-	*	*	*5	*	*	*	*
611.8	*6	-	*6	-	*	*	*	*	*	*	*
614	214	-	214	*	141	60	12	35	40	97	41
614.0	*5	-	*5	-	*	*	*	*	*	*	*
614.1	19	-	19	-	12	*7	*	*	*	10	*
614.2	15	-	15	*	11	*	*	*	*	*9	*
614.3	*6	-	*6	*	*	*	*	*	*	*	*
614.4	*9	-	*9	*	*	*	*	*	*	*	*
614.6	143	-	143	*	90	43	10	23	30	62	28
614.9	17	-	17	*	16	*	*	*	*	*6	*
615	21	-	21	-	21	*	*	*	*	10	*
615.0	*6	-	*6	-	*5	*	*	*	*	*	*
615.9	14	-	14	-	14	*	*	*	*	*7	*
616	90	-	90	*	51	29	*7	22	18	37	13
616.0	57	-	57	-	30	25	*	15	11	24	*8
616.1	17	-	17	*	13	*	*	*	*5	*6	*
616.10	17	-	17	*	13	*	*	*	*5	*6	*
616.4	*7	-	*7	*	*	*	*	*	*	*	*
617	214	-	214	*	131	78	*5	39	49	87	39
617.0	115	-	115	-	62	51	*	21	26	47	22
617.1	28	-	28	-	18	*8	*	*6	*7	10	*
617.3	32	-	32	-	25	*7	*	*	*8	14	*6
617.9	24	-	24	*	17	*8	*	*	*6	10	*
618	277	-	277	*	57	124	96	43	67	104	63
618.0	104	-	104	*	22	45	37	18	24	37	26
618.00	*6	-	*6	-	*	*	*	*	*	*	*
618.01	48	-	48	-	10	21	18	*8	11	17	12

Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region:
United States, 2006

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants.
Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM).
See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North- east	Midwest	South	West
Number of all-listed diagnoses in thousands											
618.04	36	-	36	-	*8	16	11	*7	*8	11	10
618.09	*7	-	*7	*	*	*	*	*	*	*	*
618.1	21	-	21	*	12	*	*	*	*	*9	*
618.2	26	-	26	-	*	14	*8	*6	*7	*6	*7
618.3	15	-	15	-	*	*6	*6	*	*	*6	*
618.4	27	-	27	-	*6	13	*8	*	*9	10	*
618.5	36	-	36	-	*	18	17	*	*8	17	*8
618.6	30	-	30	-	*	15	10	*	10	12	*
618.8	18	-	18	-	*	*8	*5	*	*	*8	*7
618.89	16	-	16	-	*	*7	*5	*	*	*6	*7
619	14	-	14	*	*	*	*7	*	*	*6	*
619.1	10	-	10	*	*	*	*6	*	*	*	*
620	271	-	271	*5	159	94	13	43	65	114	50
620.0	36	-	36	*	20	15	*	*	*9	17	*
620.1	39	-	39	*	29	10	-	*7	12	15	*
620.2	139	-	139	*	82	47	*8	22	34	55	28
620.3	*5	-	*5	-	*	*	*	*	*	*	*
620.5	11	-	11	*	*7	*	*	*	*	*	*
620.8	36	-	36	*	18	15	*	*5	*5	16	*9
621	67	-	67	-	25	32	10	12	15	28	12
621.0	25	-	25	-	*5	15	*	*6	*	*8	*6
621.2	10	-	10	-	*7	*	*	*	*	*5	*
621.3	16	-	16	-	*	*7	*	*	*6	*6	*
621.30	*6	-	*6	-	*	*	*	*	*	*	*
621.8	*9	-	*9	-	*	*	*	*	*	*5	*
622	32	-	32	-	18	12	*	*	*7	15	*6
622.1	23	-	23	-	14	*8	*	*	*	11	*5
622.10	12	-	12	-	*7	*	*	*	*	*5	*
622.11	*6	-	*6	-	*	*	*	*	*	*	*
623	24	-	24	*	11	*7	*6	*6	*6	*9	*
623.8	17	-	17	*	*7	*5	*	*	*	*7	*
624	*6	-	*6	*	*	*	*	*	*	*	*
625	342	-	342	*	189	108	44	41	80	152	69
625.0	29	-	29	-	22	*6	*	*	*6	15	*5
625.3	85	-	85	*	66	19	-	*8	18	40	19
625.4	*5	-	*5	*	*	*	*	*	*	*	*
625.6	134	-	134	*	34	61	40	20	35	54	26
625.8	15	-	15	-	*9	*	*	*	*	*8	*
625.9	71	-	71	*	53	17	*	*8	16	33	15
626	300	-	300	*	186	112	*	45	76	117	62
626.2	224	-	224	*	137	86	-	34	60	88	43
626.4	*5	-	*5	-	*	*	-	*	*	*	*
626.6	*7	-	*7	-	*	*	*	*	*	*	*
626.8	54	-	54	*	33	20	*	*7	10	21	15
626.9	*7	-	*7	-	*	*	*	*	*	*	*
627	48	-	48	-	*	25	19	*7	15	18	*8

Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region:
United States, 2006

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants.
Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM).
See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North- east	Midwest	South	West
Number of all-listed diagnoses in thousands											
627.0	*5	-	*5	-	*	*	-	*	*	*	*
627.1	25	-	25	-	*	12	12	*	*8	*9	*
627.2	*8	-	*8	-	*	*	*	*	*	*	*
628	*5	-	*5	-	*5	*	-	*	*	*	*
630-677	10,602	-	10,602	22	10,547	32	-	1,671	2,227	4,081	2,622
632	22	-	22	-	22	*	-	*	*	12	*
633	25	-	25	-	25	*	-	*	*	*9	*7
633.1	21	-	21	-	21	*	-	*	*	*9	*
633.10	20	-	20	-	20	*	-	*	*	*8	*
634	19	-	19	*	18	*	-	*	*	*8	*
634.9	11	-	11	-	10	*	-	*	*	*	*
634.91	*6	-	*6	-	*6	*	-	*	*	*	*
635	*5	-	*5	-	*5	-	-	*	*	*	*
639	*8	-	*8	-	*8	-	-	*	*	*	*
640	*9	-	*9	-	*9	-	-	*	*	*6	*
640.0	*5	-	*5	-	*5	-	-	*	*	*	*
640.03	*5	-	*5	-	*5	-	-	*	*	*	*
641	96	-	96	-	96	*	-	14	18	34	30
641.0	10	-	10	-	10	-	-	*	*	*	*
641.01	*9	-	*9	-	*9	-	-	*	*	*	*
641.1	22	-	22	-	22	-	-	*	*	*8	*6
641.11	16	-	16	-	16	-	-	*	*	*	*
641.13	*7	-	*7	-	*7	-	-	*	*	*	*
641.2	42	-	42	-	42	*	-	*6	10	12	13
641.21	38	-	38	-	38	*	-	*5	10	11	12
641.9	15	-	15	-	15	-	-	*	*	*8	*
641.91	*6	-	*6	-	*6	-	-	*	*	*	*
641.93	*9	-	*9	-	*9	-	-	*	*	*5	*
642	384	-	384	*	382	*	-	67	71	176	69
642.0	48	-	48	*	47	*	-	*9	11	21	*7
642.01	37	-	37	*	36	*	-	*7	10	16	*
642.03	*9	-	*9	-	*9	-	-	*	*	*5	*
642.3	144	-	144	*	144	*	-	21	26	69	28
642.31	133	-	133	*	133	*	-	19	24	63	27
642.33	*9	-	*9	*	*8	*	-	*	*	*5	*
642.4	98	-	98	-	97	*	-	23	19	36	19
642.41	86	-	86	-	85	*	-	22	16	32	16
642.43	*6	-	*6	-	*6	-	-	*	*	*	*
642.5	45	-	45	*	45	*	-	*7	*	24	*9
642.51	41	-	41	*	41	*	-	*6	*	22	*9
642.7	14	-	14	-	14	*	-	*	*	*7	*
642.71	13	-	13	-	13	*	-	*	*	*6	*
642.9	27	-	27	-	27	*	-	*	*6	15	*
642.91	21	-	21	-	21	*	-	*	*	12	*

Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region:
United States, 2006

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants.
Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM).
See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North- east	Midwest	South	West
Number of all-listed diagnoses in thousands											
643	48	-	48	*	48	-	-	*9	*7	26	*6
643.0	20	-	20	*	20	-	-	*5	*	10	*
643.03	20	-	20	*	19	-	-	*5	*	10	*
643.1	18	-	18	-	18	-	-	*	*	10	*
643.13	18	-	18	-	18	-	-	*	*	10	*
643.2	*7	-	*7	-	*7	-	-	*	*	*	*
643.23	*5	-	*5	-	*5	-	-	*	*	*	*
644	436	-	436	*	432	*	-	62	77	183	114
644.0	112	-	112	*	112	*	-	12	21	55	24
644.03	112	-	112	*	112	*	-	12	21	55	24
644.1	13	-	13	*	13	-	-	*	*	*6	*
644.13	13	-	13	*	13	-	-	*	*	*6	*
644.2	311	-	311	*	308	*	-	48	55	122	86
644.21	311	-	311	*	308	*	-	48	55	122	86
645	393	-	393	*	392	*	-	80	85	112	116
645.1	390	-	390	*	389	*	-	80	85	111	115
645.11	388	-	388	*	387	*	-	79	84	110	114
646	251	-	251	*	250	*	-	31	46	118	56
646.1	35	-	35	-	35	*	-	*	*5	16	11
646.11	30	-	30	-	30	*	-	*	*5	13	*9
646.2	15	-	15	-	15	-	-	*	*	*8	*
646.21	*5	-	*5	-	*5	-	-	*	*	*	*
646.23	*9	-	*9	-	*9	-	-	*	*	*	*
646.3	10	-	10	-	10	-	-	*	*	*	*
646.31	*8	-	*8	-	*8	-	-	*	*	*	*
646.6	111	-	111	*	111	*	-	16	18	52	25
646.61	37	-	37	-	37	-	-	*5	*7	15	*9
646.62	*5	-	*5	-	*5	-	-	*	*	*	*
646.63	62	-	62	*	62	*	-	*7	*9	33	13
646.64	*7	-	*7	-	*7	-	-	*	*	*	*
646.7	*6	-	*6	-	*6	-	-	*	*	*	*
646.8	71	-	71	*	71	-	-	*7	15	35	14
646.81	43	-	43	-	43	-	-	*	11	18	10
646.83	24	-	24	*	24	-	-	*	*	15	*
647	108	-	108	*	107	*	-	17	23	48	20
647.6	70	-	70	-	70	*	-	12	15	29	14
647.61	64	-	64	-	64	*	-	11	14	27	12
647.63	*6	-	*6	-	*6	-	-	*	*	*	*
647.8	31	-	31	*	30	*	-	*	*8	14	*
647.81	17	-	17	*	17	*	-	*	*	*8	*
647.83	11	-	11	*	11	-	-	*	*	*	*
648	2,002	-	2,002	*	1,995	*	-	327	455	798	421
648.0	49	-	49	-	48	*	-	10	*7	23	10
648.01	34	-	34	-	33	*	-	*7	*	17	*7
648.03	14	-	14	-	14	*	-	*	*	*6	*
648.1	81	-	81	-	81	*	-	16	21	27	16
648.11	69	-	69	-	69	*	-	15	19	20	15
648.13	11	-	11	-	11	*	-	*	*	*7	*
648.2	344	-	344	*	342	*	-	53	70	141	80
648.21	206	-	206	*	204	*	-	33	38	89	46

Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region:
United States, 2006

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants.
Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM).
See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North- east	Midwest	South	West
Number of all-listed diagnoses in thousands											
648.22	105	-	105	*	105	*	-	16	27	37	26
648.23	26	-	26	*	25	*	-	*	*	11	*6
648.24	*8	-	*8	-	*8	-	-	*	*	*	*
648.3	10	-	10	-	10	-	-	*	*	*	*
648.31	*8	-	*8	-	*8	-	-	*	*	*	*
648.4	271	-	271	*	270	*	-	38	80	104	49
648.41	214	-	214	*	214	*	-	30	67	76	41
648.42	*6	-	*6	-	*6	-	-	*	*	*	*
648.43	41	-	41	*	41	-	-	*	10	22	*
648.44	*9	-	*9	-	*9	-	-	*	*	*	*
648.6	40	-	40	-	40	*	-	10	*7	17	*7
648.61	32	-	32	-	32	-	-	*8	*6	13	*
648.7	16	-	16	-	16	-	-	*	*	*8	*
648.71	*8	-	*8	-	*8	-	-	*	*	*	*
648.73	*7	-	*7	-	*7	-	-	*	*	*	*
648.8	210	-	210	-	209	*	-	36	42	78	54
648.81	197	-	197	-	195	*	-	34	38	74	51
648.83	13	-	13	-	13	*	-	*	*	*	*
648.9	978	-	978	*	975	*	-	157	223	397	201
648.91	832	-	832	*	831	*	-	138	191	333	170
648.92	19	-	19	-	19	-	-	*	*6	*7	*
648.93	119	-	119	*	118	*	-	15	25	55	24
648.94	*7	-	*7	-	*7	*	-	*	*	*	*
650	303	-	303	-	303	-	-	31	52	133	87
651	64	-	64	*	63	*	-	12	14	26	12
651.0	57	-	57	*	57	*	-	11	12	22	12
651.01	41	-	41	-	41	*	-	*8	*8	16	*9
651.03	17	-	17	*	17	*	-	*	*	*6	*
652	310	-	310	*	308	*	-	52	63	122	72
652.1	*6	-	*6	-	*6	-	-	*	*	*	*
652.11	*6	-	*6	-	*6	-	-	*	*	*	*
652.2	129	-	129	-	129	*	-	22	25	50	32
652.21	124	-	124	-	124	*	-	21	24	48	31
652.23	*5	-	*5	-	*5	-	-	*	*	*	*
652.3	31	-	31	*	31	-	-	*	*	13	10
652.31	31	-	31	*	31	-	-	*	*	13	10
652.5	52	-	52	*	52	*	-	*8	12	22	11
652.51	52	-	52	*	51	*	-	*8	12	22	11
652.6	26	-	26	-	26	*	-	*	*6	12	*
652.61	25	-	25	-	24	*	-	*	*6	11	*
652.8	52	-	52	-	52	*	-	12	12	17	11
652.81	52	-	52	-	52	*	-	12	11	17	11
653	86	-	86	*	85	*	-	11	19	36	21
653.4	69	-	69	-	69	*	-	*7	16	31	16
653.41	69	-	69	-	69	*	-	*7	16	31	16
653.5	*8	-	*8	-	*8	-	-	*	*	*	*
653.51	*8	-	*8	-	*8	-	-	*	*	*	*
654	786	-	786	-	784	*	-	118	147	334	186
654.0	14	-	14	-	14	-	-	*	*	*5	*5
654.01	13	-	13	-	13	-	-	*	*	*5	*

Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region:
United States, 2006

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants.
Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM).
See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North- east	Midwest	South	West
Number of all-listed diagnoses in thousands											
654.1	35	-	35	-	35	*	-	*8	*	14	*9
654.11	32	-	32	-	32	*	-	*8	*	12	*8
654.2	632	-	632	-	631	*	-	91	124	266	152
654.21	614	-	614	-	613	*	-	89	123	256	147
654.23	18	-	18	-	18	-	-	*	*	10	*
654.4	35	-	35	-	34	*	-	*6	*	13	12
654.41	29	-	29	-	29	*	-	*5	*	10	10
654.5	37	-	37	-	37	*	-	*7	*6	20	*
654.51	18	-	18	-	18	*	-	*	*	*9	*
654.53	18	-	18	-	18	-	-	*	*	10	*
654.6	19	-	19	-	19	*	-	*	*	11	*
654.61	15	-	15	-	15	-	-	*	*	*8	*
654.9	*8	-	*8	-	*8	-	-	*	*	*	*
654.91	*8	-	*8	-	*8	-	-	*	*	*	*
655	49	-	49	*	49	*	-	*8	10	20	11
655.7	18	-	18	-	18	*	-	*	*6	*6	*
655.71	15	-	15	-	15	*	-	*	*6	*	*
655.8	23	-	23	*	23	*	-	*6	*	10	*
655.81	20	-	20	*	20	*	-	*5	*	*9	*
656	367	-	367	*	364	*	-	61	71	148	87
656.1	80	-	80	*	79	*	-	11	18	35	16
656.11	79	-	79	*	78	*	-	11	17	34	16
656.3	*9	-	*9	-	*9	*	-	*	*	*	*
656.31	*9	-	*9	-	*9	*	-	*	*	*	*
656.4	21	-	21	*	21	-	-	*	*	12	*
656.41	21	-	21	*	21	-	-	*	*	12	*
656.5	75	-	75	*	73	*	-	14	14	28	19
656.51	73	-	73	*	72	*	-	14	14	27	18
656.6	94	-	94	-	94	*	-	14	16	42	23
656.61	93	-	93	-	93	*	-	14	16	41	22
656.7	12	-	12	-	12	*	-	*	*	*	*
656.71	12	-	12	-	12	*	-	*	*	*	*
656.8	72	-	72	-	72	-	-	13	13	24	22
656.81	71	-	71	-	71	-	-	13	13	24	22
657	28	-	28	-	28	-	-	*5	*6	11	*5
657.0	28	-	28	-	28	-	-	*5	*6	11	*5
657.01	26	-	26	-	26	-	-	*	*6	11	*
658	357	-	357	*	356	*	-	69	53	139	96
658.0	104	-	104	*	102	*	-	24	14	39	26
658.01	98	-	98	*	97	*	-	24	14	36	25
658.03	*5	-	*5	-	*5	-	-	*	*	*	*
658.1	143	-	143	*	142	*	-	27	23	50	42
658.11	135	-	135	-	135	*	-	26	22	48	40
658.13	*8	-	*8	*	*7	-	-	*	*	*	*
658.2	43	-	43	*	43	-	-	*8	*8	20	*8
658.21	40	-	40	*	40	-	-	*7	*7	17	*8
658.4	63	-	63	*	63	-	-	*9	*7	28	18
658.41	61	-	61	*	61	-	-	*9	*7	27	18
659	1,075	-	1,075	*6	1,059	10	-	178	214	378	306
659.1	48	-	48	-	48	*	-	*8	*8	18	14

Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region:
United States, 2006

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants.
Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM).
See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North- east	Midwest	South	West
Number of all-listed diagnoses in thousands											
659.11	42	-	42	-	42	*	-	*7	*6	16	12
659.13	*5	-	*5	-	*5	-	-	*	*	*	*
659.2	39	-	39	*	39	*	-	*6	*8	15	11
659.21	39	-	39	*	39	*	-	*5	*8	14	11
659.4	22	-	22	-	21	*	-	*	*	*8	*7
659.41	22	-	22	-	21	*	-	*	*	*7	*7
659.5	54	-	54	-	53	*	-	10	10	17	17
659.51	52	-	52	-	51	*	-	10	*9	16	16
659.6	337	-	337	-	330	*7	-	64	62	115	97
659.61	322	-	322	-	316	*7	-	61	60	108	94
659.63	15	-	15	-	15	*	-	*	*	*7	*
659.7	521	-	521	*	520	*	-	81	110	185	145
659.71	515	-	515	*	514	*	-	80	109	183	144
659.73	*6	-	*6	-	*6	-	-	*	*	*	*
659.8	45	-	45	*6	39	-	-	*	11	18	12
659.81	43	-	43	*	38	-	-	*	10	17	12
660	182	-	182	*	181	*	-	23	45	67	48
660.0	37	-	37	-	37	*	-	*6	*7	13	11
660.01	37	-	37	-	37	*	-	*6	*7	13	11
660.1	27	-	27	-	27	-	-	*	*7	10	*7
660.11	27	-	27	-	27	-	-	*	*7	10	*7
660.2	*6	-	*6	-	*6	-	-	*	*	*	*
660.21	*6	-	*6	-	*6	-	-	*	*	*	*
660.3	42	-	42	*	42	-	-	*5	*6	19	11
660.31	42	-	42	*	42	-	-	*5	*6	19	11
660.4	50	-	50	-	49	*	-	*6	15	19	10
660.41	50	-	50	-	49	*	-	*6	15	19	10
660.6	*6	-	*6	-	*6	-	-	*	*	*	*
660.61	*6	-	*6	-	*6	-	-	*	*	*	*
660.7	10	-	10	-	10	-	-	*	*	*	*
660.71	10	-	10	-	10	-	-	*	*	*	*
661	361	-	361	*	359	*	-	61	72	134	93
661.0	97	-	97	*	97	*	-	17	23	34	24
661.01	97	-	97	*	97	*	-	16	22	34	24
661.1	85	-	85	*	84	*	-	18	14	31	21
661.11	85	-	85	*	84	*	-	18	14	31	21
661.2	80	-	80	*	80	*	-	14	13	36	17
661.21	80	-	80	*	80	*	-	14	13	36	17
661.3	85	-	85	*	85	*	-	11	20	24	29
661.31	85	-	85	*	85	*	-	11	20	24	29
661.9	10	-	10	-	10	-	-	*	*	*7	*
661.91	*8	-	*8	-	*8	-	-	*	*	*6	*
662	22	-	22	-	22	-	-	*	*7	*	*7
662.2	16	-	16	-	16	-	-	*	*	*	*5
662.21	16	-	16	-	16	-	-	*	*	*	*5
663	859	-	859	*	857	*	-	129	197	306	227
663.0	10	-	10	-	10	-	-	*	*	*	*
663.01	10	-	10	-	10	-	-	*	*	*	*
663.1	149	-	149	*	148	*	-	16	41	43	48
663.11	148	-	148	*	148	*	-	16	41	43	48
663.2	44	-	44	-	44	-	-	*8	11	14	11

Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region:
United States, 2006

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants.
Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM).
See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North- east	Midwest	South	West
Number of all-listed diagnoses in thousands											
663.21	44	-	44	-	44	-	-	*8	11	14	11
663.3	617	-	617	*	615	*	-	96	137	228	156
663.31	617	-	617	*	615	*	-	96	137	228	156
663.4	15	-	15	-	15	-	-	*	*	*8	*
663.41	15	-	15	-	15	-	-	*	*	*8	*
663.8	22	-	22	-	22	*	-	*	*	*9	*
663.81	21	-	21	-	21	*	-	*	*	*9	*
664	1,329	-	1,329	*	1,325	*	-	206	301	456	366
664.0	591	-	591	*	591	*	-	93	130	205	164
664.01	591	-	591	*	590	*	-	93	130	205	163
664.1	613	-	613	*	610	*	-	96	141	201	175
664.11	612	-	612	*	608	*	-	96	141	201	174
664.2	77	-	77	*	77	-	-	10	20	31	16
664.21	77	-	77	*	77	-	-	10	20	31	16
664.3	22	-	22	*	22	-	-	*	*	10	*
664.31	22	-	22	*	22	-	-	*	*	10	*
664.4	11	-	11	-	11	-	-	*	*	*	*
664.41	11	-	11	-	11	-	-	*	*	*	*
664.8	*8	-	*8	-	*8	-	-	*	*	*	*
664.81	*8	-	*8	-	*8	-	-	*	*	*	*
665	176	-	176	*	176	*	-	16	55	70	34
665.3	*6	-	*6	-	*6	-	-	*	*	*	*
665.31	*6	-	*6	-	*6	-	-	*	*	*	*
665.4	58	-	58	*	58	-	-	*	14	27	12
665.41	58	-	58	*	58	-	-	*	14	27	12
665.5	98	-	98	-	98	*	-	10	33	36	19
665.51	97	-	97	-	97	*	-	10	33	36	19
665.8	*5	-	*5	-	*5	-	-	*	*	*	*
665.81	*5	-	*5	-	*5	-	-	*	*	*	*
666	124	-	124	-	124	*	-	18	38	37	31
666.0	10	-	10	-	10	-	-	*	*	*	*
666.02	*9	-	*9	-	*9	-	-	*	*	*	*
666.1	95	-	95	-	95	*	-	14	30	26	26
666.12	95	-	95	-	95	*	-	14	30	26	25
666.2	13	-	13	-	13	*	-	*	*	*6	*
666.22	*9	-	*9	-	*9	*	-	*	*	*	*
666.3	*6	-	*6	-	*6	-	-	*	*	*	*
666.32	*6	-	*6	-	*6	-	-	*	*	*	*
667	30	-	30	-	30	-	-	*	*9	*8	*9
667.0	22	-	22	-	22	-	-	*	*7	*7	*6
667.02	22	-	22	-	22	-	-	*	*7	*7	*6
667.1	*7	-	*7	-	*7	-	-	*	*	*	*
667.12	*7	-	*7	-	*7	-	-	*	*	*	*
668	17	-	17	-	17	*	-	*	*	*6	*
668.8	16	-	16	-	16	*	-	*	*	*6	*
668.81	*8	-	*8	-	*7	*	-	*	*	*	*
668.82	*7	-	*7	-	*7	-	-	*	*	*	*
669	133	-	133	*	133	*	-	16	24	54	38
669.2	*6	-	*6	-	*6	-	-	*	*	*	*

Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region:
United States, 2006

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants.
Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM).
See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North- east	Midwest	South	West
Number of all-listed diagnoses in thousands											
669.5	51	-	51	*	51	*	-	*	*6	31	*9
669.51	51	-	51	*	51	*	-	*	*6	31	*9
669.7	*8	-	*8	*	*8	-	-	*	*	*	*
669.71	*8	-	*8	*	*8	-	-	*	*	*	*
669.8	61	-	61	*	61	-	-	*8	15	15	23
669.81	55	-	55	*	55	-	-	*7	13	14	21
669.82	*6	-	*6	-	*6	-	-	*	*	*	*
670	22	-	22	-	22	*	-	*	*	10	*
670.0	22	-	22	-	22	*	-	*	*	10	*
670.02	15	-	15	-	15	-	-	*	*	*6	*
670.04	*7	-	*7	-	*7	*	-	*	*	*	*
671	29	-	29	-	29	-	-	*6	*7	*9	*8
671.8	14	-	14	-	14	-	-	*	*	*	*
671.81	*8	-	*8	-	*8	-	-	*	*	*	*
672	15	-	15	*	14	-	-	*	*	*	*
672.0	15	-	15	*	14	-	-	*	*	*	*
672.02	14	-	14	*	13	-	-	*	*	*	*
674	51	-	51	-	51	*	-	*7	*9	24	11
674.3	18	-	18	-	18	*	-	*	*	*7	*
674.32	12	-	12	-	12	-	-	*	*	*	*
674.34	*6	-	*6	-	*6	*	-	*	*	*	*
674.8	24	-	24	-	23	*	-	*	*	11	*6
674.82	15	-	15	-	15	-	-	*	*	*7	*
674.84	*9	-	*9	-	*9	*	-	*	*	*	*
676	*6	-	*6	-	*6	-	-	*	*	*	*
680-709	2,725	1,376	1,349	207	584	806	1,128	609	621	1,046	449
680	12	*6	*6	*	*6	*5	*	*	*	*6	*
681	70	41	29	*7	20	26	17	16	13	27	15
681.0	34	19	15	*7	15	*8	*	*7	*	14	*8
681.00	30	17	13	*6	13	*7	*	*5	*	13	*7
681.1	36	22	14	*	*	18	13	*9	*8	12	*7
681.10	35	21	14	*	*	18	13	*9	*8	12	*6
682	1,187	619	568	69	300	389	428	256	272	458	201
682.0	64	29	35	11	29	15	10	12	11	27	15
682.1	22	16	*6	*	*5	*6	*8	*	*7	*8	*
682.2	169	73	96	13	54	58	44	31	35	78	25
682.3	124	70	54	*	42	34	44	22	26	54	22
682.4	54	35	19	*	23	21	*8	13	11	21	*9
682.5	45	17	28	13	11	11	*9	*6	*8	19	11
682.6	530	275	254	15	102	175	238	124	135	183	88
682.7	152	88	64	*	28	60	59	40	30	58	24
682.8	13	*7	*5	*	*	*	*	*	*	*5	*
682.9	14	*7	*7	*	*	*	*6	*	*	*	*
683	10	*	*5	*5	*	*	*	*	*	*	*

Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region:
United States, 2006

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants.
Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM).
See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North- east	Midwest	South	West
Number of all-listed diagnoses in thousands											
684	*7	*	*	*	*	*	*	*	*	*	*
686	21	*9	12	*	*6	*8	*5	*	*5	*8	*
686.9	12	*	*7	*	*	*	*	*	*	*	*
690	*5	*	*	*	*	*	*	*	*	*	*
691	37	20	18	32	*	*	*	*6	*	13	14
691.0	30	15	15	29	*	*	*	*	*	11	13
691.8	*8	*	*	*	*	*	*	*	*	*	*
692	70	34	36	22	17	13	17	23	14	22	12
692.9	63	31	32	22	15	10	15	20	12	20	11
693	41	18	24	*	*9	13	16	*9	*6	17	*9
693.0	40	17	23	*	*8	13	15	*9	*6	16	*9
694	10	*	*6	*	*	*	*7	*	*	*	*
694.5	*7	*	*	-	*	*	*6	*	*	*	*
695	41	18	23	*8	*8	15	10	*6	12	13	10
695.1	12	*7	*6	*	*	*	*	*	*	*	*
695.3	*7	*	*	-	*	*	*	*	*	*	*
695.4	*7	*	*	-	*	*	*	*	*	*	*
695.9	*9	*	*	*	*	*	*	*	*	*	*
696	59	31	28	*	12	27	20	17	17	15	10
696.0	15	*7	*8	*	*	*8	*5	*	*6	*	*
696.1	42	24	18	*	10	18	14	12	11	11	*8
698	44	12	32	*	20	12	11	*8	17	14	*6
698.8	*8	*	*6	*	*5	*	*	*	*	*	*
698.9	32	*9	24	*	14	*9	*8	*6	13	*9	*
700	*5	*	*	-	*	*	*	*	*	*	*
701	41	15	25	11	17	*8	*	*9	*	24	*
701.4	20	11	*9	10	*8	*	*	*	*	17	*
701.9	*7	*	*6	*	*	*	*	*	*	*	*
702	*7	*	*	*	*	*	*	*	*	*	*
703	10	*	*6	*	*	*	*	*	*	*	*
703.0	*7	*	*	*	*	*	*	*	*	*	*
704	17	*7	*9	*	*9	*	*	*	*	*6	*
704.0	*6	*	*	*	*	*	*	*	*	*	*
704.8	*8	*	*	*	*5	*	*	*	*	*	*
705	17	*5	12	*	10	*	*	*	*	*9	*
705.8	14	*	10	*	*9	*	*	*	*	*6	*
705.83	13	*	*9	*	*9	*	*	*	*	*6	*
706	21	12	10	*	11	*	*5	*	*7	*6	*
706.1	12	*	*7	*	*9	*	-	*	*	*	*

Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region:
United States, 2006

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants.
Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM).
See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North- east	Midwest	South	West
Number of all-listed diagnoses in thousands											
706.2	*7	*	*	*	*	*	*	*	*	*	*
707	886	451	434	*	90	243	548	208	206	339	132
707.0	490	240	251	*	49	109	329	113	107	194	76
707.00	21	*9	11	-	*	*8	11	*	*7	*7	*
707.02	*6	*	*	-	*	*	*	*	*	*	*
707.03	209	98	111	*	18	45	144	52	35	91	31
707.04	40	22	18	*	11	10	19	*5	*6	20	*8
707.05	73	35	38	*	*7	17	48	16	18	23	17
707.06	13	*9	*	*	*	*	*8	*	*	*8	*
707.07	73	36	36	*	*	13	55	18	19	25	10
707.09	53	26	27	*	*	12	37	14	17	17	*5
707.1	373	203	170	*	35	128	210	89	92	138	54
707.10	44	21	22	*	*	13	27	13	12	16	*
707.12	24	10	14	*	*	*8	15	*7	*6	*6	*
707.13	23	12	11	-	*	*7	13	*	*6	*9	*
707.14	64	35	29	*	*	21	38	15	15	23	12
707.15	160	93	67	*	18	61	81	36	39	65	20
707.19	54	30	24	*	*	17	34	13	12	18	11
707.8	19	*7	12	*	*6	*	*9	*	*6	*7	*
708	25	*8	17	*	*8	*6	*7	*6	*8	*7	*
708.0	*9	*	*	*	*	*	*	*	*	*	*
708.9	11	*	*9	*	*	*	*	*	*	*	*
709	77	42	35	25	25	15	12	13	10	42	12
709.2	40	22	18	21	14	*	*	*	*	31	*
709.8	16	*9	*7	*	*5	*5	*	*	*	*	*
709.9	11	*5	*6	*	*	*	*	*	*	*	*
710-739	7,090	2,496	4,593	94	1,047	2,212	3,736	1,451	1,917	2,422	1,300
710	212	24	188	*	72	80	58	43	41	92	35
710.0	147	16	131	*	60	55	30	31	25	65	25
710.1	23	*	22	*	*	*8	11	*	*7	*9	*
710.2	19	*	18	-	*	10	*7	*	*	*9	*
710.3	*5	*	*	*	*	*	*	*	*	*	*
710.4	*9	*	*6	-	*	*	*6	*	*	*	*
711	53	30	23	*	12	17	21	13	14	17	10
711.0	48	28	20	*	11	16	19	12	12	16	*9
711.05	*8	*	*	*	*	*	*	*	*	*	*
711.06	27	16	11	*	*6	*7	13	*7	*6	*9	*
712	*7	*	*	-	*	*	*6	*	*	*	*
712.3	*6	*	*	-	*	*	*5	*	*	*	*
713	13	*5	*8	*	*	*6	*	*	*	*6	*
713.5	10	*	*6	*	*	*	*	*	*	*	*
714	262	62	199	*	23	85	153	53	71	86	52
714.0	246	57	190	-	19	83	144	51	66	82	47
714.8	*6	*	*	-	*	*	*	*	*	*	*
715	1,774	630	1,144	*	68	513	1,192	372	520	597	284

Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region:
United States, 2006

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants.
Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM).
See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North- east	Midwest	South	West
Number of all-listed diagnoses in thousands											
715.0	19	*7	13	-	*	*	16	*8	*	*5	*
715.09	15	*	10	-	*	*	12	*7	*	*	*
715.1	57	21	36	-	*	21	35	15	*9	19	15
715.15	19	*9	10	-	*	*7	11	*	*	*5	*7
715.16	32	*9	22	-	*	11	20	*8	*6	12	*6
715.2	12	*7	*5	*	*	*6	*	*	*	*	*
715.26	*8	*	*	-	*	*	*	*	*	*	*
715.3	603	221	382	-	25	207	370	133	165	186	119
715.31	24	*7	16	-	*	*6	18	*5	*	*8	*7
715.35	153	62	90	*	*8	60	85	39	41	41	32
715.36	403	142	261	*	15	135	253	83	117	128	75
715.37	*7	*	*	-	*	*	*	*	*	*	*
715.8	56	18	39	-	*	12	44	*9	21	17	*9
715.89	56	18	38	-	*	12	43	*9	21	17	*9
715.9	1,026	357	669	*	39	263	723	203	320	369	135
715.90	692	227	465	*	28	146	517	142	207	259	84
715.91	22	*9	12	-	*	*	16	*	*7	*7	*
715.95	81	34	46	*	*	29	48	15	30	25	11
715.96	200	75	125	*	*	74	122	31	71	69	30
715.97	*6	*	*	-	*	*	*	*	*	*	*
715.98	21	*6	14	-	*	*5	14	*8	*	*	*
716	313	111	203	*	30	108	174	54	84	133	43
716.1	10	*6	*	*	*	*6	*	*	*	*	*
716.5	10	*5	*5	*	*	*6	*	*	*	*	*
716.8	*6	*	*	*	*	*	*	*	*	*	*
716.9	285	97	188	*	27	95	163	49	78	122	37
716.90	222	71	151	*	18	70	133	35	65	96	27
716.91	*7	*	*	-	*	*	*	*	*	*	*
716.94	*5	*	*	-	*	*	*	*	*	*	*
716.95	*7	*	*	*	*	*	*	*	*	*	*
716.96	20	*9	11	*	*	*8	*9	*	*7	*6	*
716.98	10	*	*6	*	*	*	*5	*	*	*	*
716.99	10	*	*6	-	*	*	*5	*	*	*7	*
717	23	*9	14	*	*9	*8	*	*5	*	*	*8
717.7	*8	*	*	*	*	*	*	*	*	*	*
718	56	26	30	*5	17	14	19	*9	12	18	16
718.3	*6	*	*	*	*	*	*	*	*	*	*
718.4	22	10	12	*	*	*	11	*	*5	*8	*
718.46	*8	*	*	*	*	*	*6	*	*	*	*
718.5	*6	*	*	*	*	*	*	*	*	*	*
718.8	*9	*	*	*	*	*	*	*	*	*	*
718.9	*7	*	*	*	*	*	*	*	*	*	*
719	271	109	162	11	56	68	136	57	74	89	51
719.0	23	11	13	*	*	*5	12	*	*6	*9	*
719.06	15	*8	*7	*	*	*	*8	*	*	*6	*
719.1	*8	*	*	*	*	*	*	*	*	*	*
719.16	*7	*	*	*	*	*	*	*	*	*	*
719.4	197	75	123	*8	47	50	92	31	55	70	42
719.40	*7	*	*5	*	*5	*	*	*	*	*	*
719.41	58	18	40	*	13	17	28	*8	19	18	12
719.43	*8	*	*	*	*	*	*	*	*	*	*

Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region:
United States, 2006

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants.
Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM).
See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North- east	Midwest	South	West
Number of all-listed diagnoses in thousands											
719.45	59	20	38	*	10	10	35	*9	15	23	11
719.46	38	16	22	*	*9	12	14	*6	*9	14	*8
719.47	15	*9	*6	*	*	*	*6	*	*	*6	*
719.49	*6	*	*	*	*	*	*	*	*	*	*
719.5	*7	*	*	*	*	*	*	*	*	*	*
719.7	29	13	16	*	*	*5	22	17	*6	*	*
720	22	15	*7	*	*	14	*	*	*	11	*
720.0	13	11	*	-	*	11	*	*	*	*7	*
720.2	*8	*	*	*	*	*	*	*	*	*	*
721	296	124	173	*	34	113	150	47	82	102	66
721.0	85	36	49	-	13	34	38	12	20	33	21
721.1	25	15	11	-	*	14	*9	*	*6	10	*5
721.2	*8	*	*6	-	*	*	*6	*	*	*	*
721.3	121	48	72	*	12	46	63	20	33	42	26
721.4	*7	*	*	-	*	*	*	*	*	*	*
721.42	*6	*	*	-	*	*	*	*	*	*	*
721.8	10	*	*6	-	*	*7	*	*	*	*	*
721.9	39	14	25	-	*	*7	28	*6	15	11	*6
721.90	38	13	25	-	*	*7	27	*6	15	11	*6
722	605	273	332	*	161	264	178	106	155	219	125
722.0	72	31	41	*	24	42	*	16	16	25	15
722.1	189	99	90	*	63	75	50	38	48	65	39
722.10	183	95	88	*	61	72	49	36	46	64	37
722.11	*6	*	*	-	*	*	*	*	*	*	*
722.2	10	*	*6	-	*	*	*	*	*	*	*
722.4	43	17	26	*	*8	21	13	*	*8	16	14
722.5	168	68	100	*	39	61	68	27	50	52	39
722.51	*7	*	*5	*	*	*	*	*	*	*	*
722.52	161	66	95	-	37	59	65	26	48	49	38
722.6	26	14	13	-	*	16	*7	*	*8	13	*
722.7	32	15	17	*	*6	16	10	*	*8	15	*
722.71	21	11	11	*	*	12	*5	*	*	10	*
722.73	*9	*	*6	-	*	*	*	*	*	*	*
722.8	24	10	14	-	*	*9	*9	*	*	15	*
722.83	22	*9	13	-	*	*8	*9	*	*	13	*
722.9	41	16	25	*	*8	20	14	*8	10	15	*7
722.91	11	*5	*6	-	*	*8	*	*	*	*5	*
722.93	25	*9	16	*	*6	*8	10	*6	*6	*8	*5
723	116	49	67	*	29	47	35	19	29	42	26
723.0	28	13	15	*	*	14	11	*5	*6	10	*7
723.1	59	23	36	*	21	20	16	*9	18	19	13
723.4	21	10	11	*	*	12	*6	*	*	10	*
724	715	277	438	*	171	236	306	142	205	238	130
724.0	176	68	108	*	*9	46	122	44	47	51	34
724.00	34	10	24	-	*	*7	27	*8	11	*9	*6
724.02	138	56	82	*	*8	39	91	34	35	41	27
724.2	229	86	143	*	70	80	78	41	67	76	44
724.3	27	10	17	-	*	*9	13	*6	*6	*8	*7
724.4	43	19	25	*	*9	18	16	11	12	14	*5
724.5	215	84	132	*	72	75	67	35	64	82	34

Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region:
United States, 2006

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants.
Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM).
See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region				
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North- east	Midwest	South	West	
Number of all-listed diagnoses in thousands												
724.8	11	*	*6	*	*	*	*	*	*	*	*	*
725	52	13	40	-	*	*	47	11	18	11	12	
726	107	55	52	*	16	39	51	26	27	32	22	
726.0	*9	*	*5	-	*	*5	*	*	*	*	*	
726.1	26	10	16	*	*	*8	16	*9	*5	*7	*	
726.10	23	*8	15	*	*	*6	15	*8	*	*6	*	
726.2	14	*7	*7	-	*	*7	*6	*	*	*	*	
726.3	12	*9	*	*	*	*6	*	*	*	*	*	
726.33	11	*9	*	*	*	*5	*	*	*	*	*	
726.5	16	*5	10	*	*	*	10	*	*6	*	*	
726.6	17	14	*	*	*7	*5	*	*	*5	*6	*	
726.65	13	11	*	*	*	*	*	*	*	*	*	
726.7	*6	*	*	*	*	*	*	*	*	*	*	
726.9	*7	*	*	*	*	*	*	*	*	*	*	
727	68	28	40	*	15	26	24	18	15	18	17	
727.0	28	12	15	*	*7	11	*7	*8	*5	*8	*6	
727.00	13	*6	*7	*	*	*	*	*	*	*	*	
727.05	10	*	*5	*	*	*	*	*	*	*	*	
727.4	11	*	*7	*	*	*	*5	*	*	*	*	
727.40	*8	*	*6	*	*	*	*5	*	*	*	*	
727.5	*8	*	*6	*	*	*	*5	*	*	*	*	
727.51	*8	*	*6	*	*	*	*5	*	*	*	*	
727.6	*6	*	*	-	*	*	*	*	*	*	*	
727.8	*9	*	*6	*	*	*	*	*	*	*	*	
728	230	120	111	*8	57	69	96	46	49	89	46	
728.0	*5	*	*	*	*	*	*	*	*	*	*	
728.1	*9	*	*7	*	*	*7	*	*	*8	*	*	
728.10	*6	*	*5	-	-	*6	*	-	*5	*	*	
728.2	*9	*	*	*	*	*	*	*	*	*	*	
728.3	*9	*	*7	*	*	*	*6	*	*	*8	*	
728.8	190	105	85	*	51	53	81	40	37	73	40	
728.85	25	12	14	*	*8	10	*	*	*5	*9	*7	
728.86	*9	*6	*	-	*	*	*	*	*	*5	*	
728.87	18	*6	12	*	*	*	*9	*5	*	*	*	
728.88	123	75	48	*	30	31	60	26	23	50	25	
728.89	10	*	*5	*	*	*	*	*	*	*	*	
729	436	138	298	*8	97	159	172	66	137	149	84	
729.1	163	24	140	*	47	71	44	29	50	56	28	
729.2	*9	*	*7	*	*	*	*	*	*	*	*	
729.5	99	38	60	*	26	33	37	16	31	32	21	
729.8	150	66	84	*	17	45	84	16	50	52	32	
729.81	34	15	20	*	*	14	15	*	*9	17	*6	
729.82	12	*6	*7	*	*	*	*7	*	*	*	*	
729.89	103	45	58	*	11	28	62	11	36	33	23	
729.9	*5	*	*	*	*	*	*	*	*	*	*	
730	154	92	62	*8	33	56	58	37	36	57	25	
730.0	33	20	13	*	*6	11	15	10	*6	13	*	
730.07	19	12	*7	*	*	*7	*9	*7	*	*6	*	
730.08	*6	*	*	*	*	*	*	*	*	*	*	

Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region:
United States, 2006

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants.
Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM).
See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North- east	Midwest	South	West
Number of all-listed diagnoses in thousands											
730.1	29	16	13	*	*5	12	11	*9	*7	*9	*
730.17	14	*8	*6	*	*	*7	*6	*5	*	*	*
730.2	89	55	33	*6	21	31	30	18	23	33	15
730.25	*8	*5	*	*	*	*	*	*	*	*	*
730.26	*7	*5	*	*	*	*	*	*	*	*	*
730.27	47	31	16	*	11	17	17	*9	14	17	*7
730.28	16	*9	*7	*	*	*7	*6	*	*	*	*
731	42	26	16	*	*9	17	16	15	*8	14	*5
731.0	*6	*	*	-	*	*	*5	*	*	*	*
731.8	36	23	12	*	*9	16	11	12	*6	12	*5
732	10	*8	*	*	*	*	*	*	*	*	*
733	984	179	805	*8	63	190	724	233	266	315	170
733.0	621	64	557	*	*9	98	511	147	182	190	102
733.00	593	58	536	*	*7	91	493	136	177	183	97
733.01	*8	*	*6	-	*	*	*7	*6	*	*	*
733.09	19	*	15	*	*	*7	11	*6	*	*5	*
733.1	145	42	103	*	*	26	116	37	31	52	25
733.13	116	33	83	*	*	21	94	31	27	37	21
733.14	*7	*	*	*	*	*	*6	*	*	*	*
733.15	*5	*	*	*	*	*	*	*	*	*	*
733.19	*8	*	*6	*	*	*	*6	*	*	*	*
733.4	45	23	23	*	15	16	14	11	10	16	*9
733.42	34	18	16	*	11	13	10	*7	*8	12	*7
733.49	*6	*	*	*	*	*	*	*	*	*	*
733.6	32	*6	27	*	*9	13	11	*9	*6	13	*
733.8	42	19	23	*	13	11	17	*9	11	16	*7
733.81	10	*	*5	*	*	*	*	*	*	*	*
733.82	32	15	18	*	10	*9	13	*6	*9	12	*6
733.9	94	24	70	*	13	25	52	19	26	28	20
733.90	73	14	59	*	*7	18	46	17	20	23	14
733.99	13	*8	*	*	*6	*	*	*	*	*	*
735	*6	*	*	*	*	*	*	*	*	*	*
736	57	26	32	*	*9	18	26	11	15	16	16
736.4	*9	*	*6	*	*	*	*5	*	*	*	*
736.42	*6	*	*	*	-	*	*	*	*	*	*
736.6	10	*	*6	-	*	*	*6	*	*	*	*
736.7	27	14	14	*	*5	10	11	*7	*8	*7	*6
736.79	23	12	11	*	*	*9	*9	*6	*7	*6	*
736.8	*7	*	*	*	*	*	*	*	*	*	*
736.89	*5	*	*	*	*	*	*	*	*	*	*
737	103	31	72	11	29	22	42	23	26	32	22
737.1	19	*5	14	*	*	*5	12	*	*6	*	*
737.10	16	*	12	*	*	*	11	*	*5	*	*
737.3	78	23	55	10	25	16	27	18	17	27	17
737.30	66	18	49	*7	21	14	25	14	15	24	13
737.39	*8	*	*	*	*	*	*	*	*	*	*
738	76	29	47	*	15	29	31	13	12	28	23
738.1	11	*8	*	*	*	*	*	*	*	*	*

Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region:
United States, 2006

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants.
Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM).
See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North- east	Midwest	South	West
Number of all-listed diagnoses in thousands											
738.19	11	*8	*	*	*	*	*	*	*	*	*
738.4	56	19	37	*	*7	23	27	10	11	20	16
739	23	*	19	*	15	*	*	18	*	*	*
739.3	14	*	13	*	12	*	*	13	*	*	-
740-759	758	388	370	429	138	112	78	179	102	238	239
741	28	15	13	12	12	*	*	*6	*6	12	*
741.0	12	*8	*	*7	*	*	*	*	*	*7	*
741.00	*9	*6	*	*	*	*	*	*	*	*	*
741.9	16	*7	*9	*	*8	*	*	*	*	*6	*
741.90	13	*6	*7	*	*8	*	*	*	*	*5	*
742	39	21	18	31	*5	*	*	10	*	12	15
742.1	*5	*	*	*	*	*	*	*	*	*	*
742.2	*5	*	*	*	*	*	-	*	*	*	*
742.3	15	11	*	13	*	*	*	*	*	*6	*5
742.4	*5	*	*	*	*	*	*	*	*	*	*
742.5	*6	*	*	*	*	*	*	*	*	*	*
742.59	*6	*	*	*	*	*	*	*	*	*	*
744	*9	*6	*	*7	*	*	*	*	*	*	*
745	129	59	70	85	16	14	14	31	11	35	53
745.1	*7	*	*	*6	*	*	*	*	*	*	*
745.2	*9	*	*6	*7	*	*	*	*	*	*	*
745.4	37	16	20	28	*6	*	*	*8	*	*9	18
745.5	65	31	34	34	*8	13	10	16	*8	17	24
745.6	*7	*	*	*7	*	-	-	*	*	*	*
745.69	*6	*	*	*6	*	-	-	*	*	*	*
746	64	35	29	36	11	13	*	19	10	19	17
746.0	*9	*	*5	*8	*	*	-	*	*	*	*
746.02	*6	*	*	*5	*	*	-	*	*	*	*
746.4	10	*7	*	*	*	*	*	*	*	*	*
746.7	*5	*	*	*5	-	-	-	*	-	*	*
746.8	22	13	*9	10	*	*7	*	*5	*	*8	*
746.85	*6	*	*	*	*	*	*	*	*	*	*
746.89	10	*6	*	*6	*	*	*	*	*	*	*
746.9	*6	*	*	*	*	*	*	*	*	*	*
747	81	41	40	48	*9	14	11	19	13	25	24
747.0	27	20	*7	25	*	*	*	*6	*	*9	11
747.1	*6	*	*	*5	*	*	*	*	*	*	*
747.10	*6	*	*	*	*	*	*	*	*	*	*
747.2	*6	*	*	*	*	*	*	*	*	*	*
747.3	*8	*	*5	*7	*	*	*	*	*	*	*
747.6	*9	*	*5	*	*	*	*	*	*	*	*
747.8	21	*6	15	*	*	*9	*	*	*7	*7	*5
747.81	17	*	13	*	*	*9	*	*	*7	*6	*
748	20	14	*6	18	*	*	*	*6	*	*	*9
748.3	10	*7	*	*9	*	*	*	*	*	*	*

Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region:
United States, 2006

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants.
Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM).
See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North- east	Midwest	South	West
Number of all-listed diagnoses in thousands											
749	23	13	10	20	*	*	-	*5	*	*6	12
749.0	*8	*	*	*7	*	*	-	*	*	*	*
749.00	*5	*	*	*	*	*	-	*	*	*	*
749.2	13	*9	*	10	*	*	-	*	*	*	*6
750	25	18	*7	20	*	*	*	*	*	*8	*9
750.5	15	14	*	15	*	-	*	*	*	*	*6
751	36	17	19	17	11	*	*	*7	*6	14	*8
751.3	*6	*	*	*5	*	*	*	*	*	*	*
751.4	*5	*	*	*	*	-	*	*	*	*	*
751.5	*8	*	*6	*	*	*	*	*	*	*	*
751.6	*6	*	*	*	*	*	*	*	*	*	*
752	26	14	12	12	*9	*	*	*	*	*8	*9
752.1	*8	-	*8	*	*6	*	*	*	*	*	*
752.11	*7	-	*7	*	*	*	*	*	*	*	*
752.5	*9	*9	-	*8	*	*	*	*	*	*	*
752.51	*8	*8	-	*7	*	*	*	*	*	*	*
753	76	36	39	23	16	18	19	15	16	27	18
753.0	12	*	*8	*	*	*	*	*	*	*5	*
753.1	40	20	20	*	*8	13	14	*7	10	14	*8
753.10	14	*7	*7	*	*	*	*9	*	*	*	*
753.12	12	*7	*5	*	*	*6	*	*	*	*	*
753.13	*7	*	*	*	*	*	*	*	*	*	*
753.2	*8	*6	*	*6	*	*	*	*	*	*	*
753.29	*5	*	*	*	*	*	*	*	*	*	*
753.3	*8	*	*5	*	*	*	*	*	*	*	*
754	23	12	11	16	*	*	*	*	*	*7	*9
754.8	*7	*	*	*5	*	*	*	*	*	*	*
755	24	*8	16	*9	*7	*	*	*5	*	*7	*8
755.6	16	*5	11	*	*5	*	*	*	*	*	*6
755.63	11	*	*8	*	*	*	*	*	*	*	*
756	55	27	28	18	12	13	12	14	*8	21	12
756.0	*9	*5	*	*7	*	*	*	*	*	*	*
756.1	29	13	16	*	*	11	10	*6	*6	11	*6
756.12	21	*8	13	*	*	10	*8	*	*5	*7	*
757	11	*	*7	*7	*	*	*	*	*	*6	*
757.3	*9	*	*5	*7	*	*	*	*	*	*5	*
757.32	*6	*	*	*5	*	-	*	*	*	*	*
758	46	25	21	28	*6	12	*	12	*6	14	14
758.0	33	18	16	19	*	10	*	*9	*6	11	*8
759	37	20	17	20	10	*	*	11	*5	*8	13
759.8	26	15	12	15	*7	*	*	*7	*	*6	10
759.89	17	*9	*9	11	*	*	*	*	*	*	*7
760-779	646	355	291	642	*	*	*	92	56	225	273

Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region:
United States, 2006

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants.
Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM).
See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North- east	Midwest	South	West
Number of all-listed diagnoses in thousands											
760	*6	*	*	*5	*	*	-	*	*	*	*
765	112	66	46	112	-	*	-	14	*7	45	47
765.0	*9	*	*	*9	-	-	-	*	*	*	*5
765.1	52	32	21	52	-	*	-	*6	*	21	22
765.16	*8	*	*	*8	-	-	-	*	*	*	*
765.17	*7	*	*	*7	-	-	-	*	*	*	*
765.18	15	*9	*6	15	-	*	-	*	*	*	*8
765.19	13	*8	*5	13	-	-	-	*	*	*6	*
765.2	51	30	21	51	-	*	-	*7	*	21	20
765.25	*5	*	*	*5	-	-	-	*	*	*	*
765.26	*8	*	*	*8	-	-	-	*	*	*	*
765.27	11	*8	*	11	-	-	-	*	*	*	*6
765.28	18	*9	*9	18	-	*	-	*	*	*8	*7
767	*7	*	*	*7	*	*	-	*	*	*	*
768	*5	*	*	*	*	-	-	*	*	*	*
769	35	22	13	35	-	-	-	*	*	12	18
770	114	65	50	113	*	-	*	15	10	36	53
770.2	*7	*	*	*7	*	-	-	*	*	*	*
770.6	15	10	*	15	*	-	*	*	*	*6	*6
770.7	22	13	*9	21	*	-	*	*	*	*	14
770.8	57	29	28	57	*	-	*	*7	*5	20	25
770.81	21	10	10	21	*	-	-	*	*	*7	11
770.82	*5	*	*	*	*	-	-	*	*	*	*
770.89	22	10	12	22	-	-	*	*	*	*9	*9
771	50	28	23	50	*	*	*	*7	*5	19	19
771.8	42	23	20	42	-	-	-	*6	*	16	16
771.81	28	14	15	28	-	-	-	*	*	10	12
771.82	*8	*	*	*8	-	-	-	*	*	*	*
772	12	*7	*6	12	*	*	-	*	*	*	*6
772.1	10	*5	*	10	*	-	-	*	*	*	*6
773	*8	*	*	*8	-	-	*	*	*	*	*
774	110	55	55	110	-	*	*	15	13	36	45
774.2	36	19	17	36	-	-	-	*	*	13	16
774.6	69	34	35	69	-	-	*	10	10	22	27
775	42	22	20	42	*	*	-	*6	*5	13	17
775.4	*5	*	*	*5	-	-	-	*	*	*	*
775.5	21	10	11	21	*	*	-	*	*	*6	*9
775.6	*6	*	*	*6	-	-	-	*	*	*	*
776	18	11	*8	18	*	-	*	*	*	*9	*6
776.6	*8	*5	*	*8	-	-	*	*	*	*	*
777	10	*6	*	10	-	-	-	*	*	*	*6
777.8	*5	*	*	*5	-	-	-	*	-	*	*

Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region:
United States, 2006

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants.
Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM).
See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North- east	Midwest	South	West
Number of all-listed diagnoses in thousands											
778	18	11	*8	18	*	-	*	*	*	*7	*7
778.4	11	*5	*5	11	-	-	-	*	*	*	*
779	86	45	40	86	*	-	*	14	*9	29	35
779.0	*5	*	*	*5	-	-	-	*	*	*	*
779.3	39	20	18	39	-	-	-	*	*	12	17
779.8	39	21	18	39	*	-	-	*7	*	14	14
779.81	*6	*	*	*6	-	-	-	*	*	*	*
779.89	31	17	13	31	*	-	*	*5	*	11	11
780-799	8,918	3,984	4,934	729	1,958	2,620	3,611	1,885	2,359	3,143	1,531
780	2,514	1,169	1,345	217	533	710	1,054	571	666	862	414
780.0	117	50	67	*	27	29	58	18	32	37	30
780.01	18	*8	10	*	*	*6	*9	*	*	*6	*6
780.02	*8	*	*	*	*	*	*	*	*	*	*
780.09	89	37	52	*	22	21	45	15	26	27	21
780.1	27	15	12	*	11	*6	10	*8	*	10	*6
780.2	412	183	229	*	50	103	256	117	103	134	59
780.3	871	427	445	96	243	272	261	211	209	309	142
780.31	18	11	*7	17	*	*	*	*	*	*9	*
780.39	853	416	438	78	243	272	261	208	209	300	137
780.4	149	56	93	*	18	44	87	37	56	40	16
780.5	254	127	127	*	58	113	80	50	79	85	40
780.50	*7	*	*	*	*	*	*	*	*	*	*
780.52	67	24	43	*	20	22	25	12	24	22	*9
780.57	175	99	76	*	33	88	52	36	49	59	30
780.6	302	149	153	94	67	65	76	62	65	118	57
780.7	223	91	133	*7	24	42	150	36	81	71	36
780.71	*5	*	*	-	*	*	*	*	*	*	*
780.79	218	90	128	*7	22	39	150	35	79	71	34
780.8	11	*7	*	*	*	*	*6	*	*	*	*
780.9	147	65	82	*9	32	34	72	31	36	54	26
780.93	18	*9	*8	*	*5	*5	*7	*	*6	*6	*
780.99	125	54	71	*5	27	28	64	27	29	47	21
781	256	104	152	17	23	62	153	75	64	74	43
781.0	31	13	18	*5	*8	*8	10	*6	12	*7	*6
781.2	146	58	88	*	*5	30	108	52	30	45	19
781.3	43	19	24	*9	*	12	18	11	*9	12	11
781.9	28	11	17	*	*	10	14	*	10	*8	*6
781.94	21	*7	14	*	*	*9	11	*	*9	*	*
781.99	*7	*	*	*	*	*	*	*	*	*	*
782	224	102	121	22	52	72	78	49	66	74	35
782.0	58	21	37	*	18	23	15	11	16	20	10
782.1	40	23	17	11	12	*8	*9	10	*9	12	*9
782.3	87	35	52	*	11	29	45	19	33	24	11
782.4	22	15	*7	*	*6	*6	*6	*5	*	10	*
782.7	*7	*	*	*	*	*	*	*	*	*	*
783	234	102	132	76	29	36	94	60	38	90	46
783.0	37	13	23	*	*6	*8	20	*6	*7	19	*
783.2	59	28	31	*8	12	17	23	11	15	25	*9
783.21	58	27	31	*7	12	16	23	11	15	24	*9

Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region:
United States, 2006

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants.
Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM).
See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North- east	Midwest	South	West
Number of all-listed diagnoses in thousands											
783.3	18	*8	10	14	*	*	*	*	*	*5	*6
783.4	56	27	28	50	*5	*	*	18	*	20	14
783.40	22	11	11	18	*	*	*	10	*	*7	*
783.41	30	15	15	29	*	*	*	*8	*	12	*8
783.7	55	21	34	-	*	*7	47	17	*9	17	12
784	406	161	245	21	129	118	139	78	111	151	66
784.0	216	71	144	11	102	63	40	44	55	84	33
784.1	*5	*	*	*	*	*	*	*	*	*	*
784.2	16	*7	*8	*	*6	*	*	*	*6	*8	*
784.3	56	26	30	*	*6	14	36	10	14	20	12
784.4	*6	*	*	*	*	*	*	*	*	*	*
784.5	60	26	33	*	*6	22	30	*9	21	19	11
784.7	43	22	21	*	*5	11	24	10	13	13	*7
785	469	220	248	37	109	137	187	102	119	165	83
785.0	129	54	75	15	48	32	34	26	32	46	24
785.1	51	15	35	*	13	21	16	14	13	16	*7
785.2	44	19	25	10	14	10	*9	*6	*8	20	*9
785.4	58	34	23	*	*5	20	32	13	13	23	*9
785.5	129	70	59	*6	13	37	73	29	32	42	25
785.50	*9	*	*	*	*	*	*5	*	*	*	*
785.51	30	18	12	*	*	*8	20	*7	*7	*9	*7
785.52	72	37	35	*	*7	23	39	17	18	24	13
785.59	17	10	*7	*	*	*	*8	*	*	*	*
785.6	52	25	27	*	14	15	19	13	17	15	*8
785.9	*6	*	*	*	*	*	*	*	*	*	*
786	1,524	717	807	77	295	590	562	338	371	573	243
786.0	246	123	123	54	34	58	100	42	79	87	38
786.03	22	12	*9	17	*	*	*	*5	*	*8	*6
786.05	81	35	46	*	13	25	43	13	28	30	10
786.06	11	*6	*	*7	*	*	*	*	*	*6	*
786.07	11	*7	*	*	*	*	*	*	*	*	*
786.09	114	60	54	24	14	29	47	18	42	36	17
786.1	*9	*5	*	*6	*	*	*	*	*	*	*
786.2	44	20	24	10	11	10	13	*8	14	15	*8
786.3	55	33	22	*	11	20	23	11	14	19	11
786.5	1,124	512	612	*	233	492	397	266	250	434	174
786.50	430	200	230	*	84	190	155	85	97	183	66
786.51	31	16	15	-	*7	16	*8	*9	*	13	*
786.52	41	16	26	*	13	14	15	11	12	13	*6
786.59	621	280	341	*	129	272	219	162	136	226	98
786.6	37	18	19	*	*	*8	25	*6	11	13	*7
787	850	335	515	107	199	227	318	153	227	311	159
787.0	445	162	283	65	129	117	134	72	117	171	85
787.01	267	91	176	16	84	75	91	41	71	111	44
787.02	96	32	65	*	30	32	30	16	28	32	20
787.03	82	40	42	44	15	*9	14	15	18	28	21
787.1	*8	*	*5	*	*	*	*	*	*	*	*
787.2	140	66	74	*7	15	33	85	30	34	50	27
787.3	13	*7	*7	*	*	*	*5	*	*6	*	*
787.6	17	*6	11	*	*6	*	*6	*	*	*	*5
787.9	227	92	135	29	43	69	86	46	63	80	38

Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region:
United States, 2006

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants.
Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM).
See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region				
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North- east	Midwest	South	West	
Number of all-listed diagnoses in thousands												
787.91	224	91	133	28	43	68	85	45	62	79	38	
788	435	204	232	11	66	106	253	92	142	132	69	
788.0	*9	*	*	-	*	*	*	*	*	*	*	
788.1	12	*	*8	*	*7	*	*	*	*	*6	*	
788.2	234	137	97	*	32	53	146	53	78	68	36	
788.20	199	115	84	*	27	43	126	45	68	60	26	
788.29	31	19	12	*	*	*9	18	*6	*9	*7	*9	
788.3	115	30	84	*	12	31	68	27	36	32	20	
788.30	77	23	55	*	*8	20	47	18	25	22	12	
788.31	11	*	*9	-	*	*	*8	*	*5	*	*	
788.33	13	-	13	-	*	*6	*5	*	*	*5	*	
788.39	*7	*	*	*	*	*	*	*	*	*	*	
788.4	25	11	14	*	*6	*7	12	*	*9	*9	*	
788.41	19	*7	12	*	*	*	*9	*	*7	*7	*	
788.5	*7	*	*	*	*	*	*	*	*	*	*	
788.6	10	*	*6	*	*	*	*	*	*	*	*	
788.9	23	*9	14	*	*	*5	16	*	*9	10	*	
789	645	264	381	34	207	217	187	114	161	247	124	
789.0	439	158	281	27	168	122	122	75	114	173	77	
789.00	148	58	90	13	53	41	41	20	35	71	23	
789.01	42	15	28	*	13	13	15	*7	13	15	*7	
789.02	13	*6	*6	*	*	*	*6	*	*	*	*	
789.03	47	13	34	*	24	11	*7	*8	13	17	*8	
789.04	24	*7	17	*	11	*6	*7	*	*6	*9	*	
789.05	*5	*	*	*	*	*	*	*	*	*	*	
789.06	68	25	43	*	20	24	23	11	18	26	13	
789.07	16	*6	10	*	*6	*	*	*	*	*7	*	
789.09	76	25	51	*	33	20	18	16	21	23	15	
789.1	*8	*	*	*	*	*	*	*	*	*	*	
789.2	10	*6	*	*	*	*	*	*	*	*	*	
789.3	24	*	20	*	*5	*6	10	*	*5	12	*	
789.30	12	*	*9	*	*	*	*	*	*	*8	*	
789.39	*6	*	*5	-	*	*	*	*	*	*	*	
789.5	162	92	69	*	28	82	50	32	37	56	36	
790	514	242	272	25	114	152	224	108	161	169	77	
790.2	75	29	45	*	25	22	27	11	23	30	11	
790.29	68	25	43	*	24	20	23	*9	20	28	11	
790.4	24	12	12	*	11	*9	*	*	*7	*7	*5	
790.5	46	20	25	*	*9	16	20	10	19	11	*7	
790.6	142	68	73	*7	34	44	57	25	40	54	22	
790.7	127	61	66	12	23	38	53	37	27	45	18	
790.9	91	48	44	*	*9	20	60	20	40	20	11	
790.92	66	30	35	*	*5	15	45	16	28	14	*8	
790.93	12	11	*	-	*	*	10	*	*7	*	*	
790.99	10	*	*6	*	*	*	*	*	*	*	*	
791	24	11	14	*	*8	*8	*6	*	*9	*8	*	
791.0	14	*8	*6	*	*	*	*	*	*5	*	*	
791.9	*7	*	*5	*	*	*	*	*	*	*	*	
792	55	*8	47	*	39	*	10	10	15	18	12	
792.1	16	*6	*9	*	*	*	*9	*6	*	*	*	

Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region:
United States, 2006

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants.
Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM).
See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North- east	Midwest	South	West
Number of all-listed diagnoses in thousands											
792.3	37	-	37	*	37	*	-	*	10	12	11
793	28	11	18	*	*8	*6	13	*6	11	*6	*6
793.1	13	*6	*6	*	*	*	*7	*	*7	*	*
794	136	72	64	*	35	51	45	31	34	52	20
794.3	79	42	36	*	15	30	33	18	22	32	*7
794.31	45	21	23	*	10	14	19	11	12	18	*
794.39	30	18	12	-	*	14	13	*6	*9	11	*
794.5	*5	*	*	*	*	*	*	*	*	*	*
794.8	47	24	23	*	18	18	*9	11	*8	16	12
795	49	11	38	*	32	10	*5	12	*9	18	11
795.0	12	-	12	*	11	*	*	*	*	*8	*
795.5	23	*7	16	*	14	*5	*	*8	*	*5	*6
795.7	10	*	*7	*	*6	*	*	*	*	*	*
795.79	10	*	*7	*	*6	*	*	*	*	*	*
796	61	21	40	*	24	16	19	*8	20	24	10
796.0	*5	*	*	*	*	*	*	*	*	*	*
796.2	43	17	26	*	18	12	11	*6	14	17	*6
799	489	228	261	73	57	98	261	74	136	169	109
799.0	324	153	171	64	35	68	157	43	94	112	74
799.02	321	151	170	64	35	67	156	41	94	111	74
799.1	10	*6	*	*	*	*	*	*	*	*	*
799.3	75	30	45	*	*	*9	63	14	22	23	15
799.4	42	21	21	*	*7	*9	26	*9	*7	16	*9
799.9	32	14	18	*5	10	*6	11	*6	*7	13	*6
800-999	7,416	4,006	3,411	431	2,205	1,981	2,800	1,459	1,717	2,742	1,498
800	19	12	*6	*9	*	*	*	*6	*	*6	*
800.0	*5	*	*	*	*	*	*	*	*	*	*
800.2	*8	*5	*	*	*	*	*	*	*	*	*
801	52	38	14	*9	24	10	*9	*9	12	17	14
801.0	22	16	*6	*	11	*	*	*	*6	*7	*5
801.01	11	*8	*	*	*	*	*	*	*	*	*
801.06	*5	*	*	*	*	*	*	*	*	*	*
801.1	*6	*	*	*	*	*	*	*	*	*	*
801.2	18	12	*6	*	*8	*	*	*	*	*7	*
802	135	100	35	*	76	30	24	19	32	58	27
802.0	27	18	*9	*	15	*6	*6	*5	*8	*9	*
802.2	30	25	*6	*	20	*6	*	*	*8	16	*
802.3	*5	*	*	*	*	*	*	*	*	*	*
802.4	25	20	*5	*	15	*	*	*	*	11	*7
802.6	18	14	*	*	*7	*5	*5	*	*	*5	*
802.8	22	14	*8	*	10	*5	*5	*	*	10	*
803	*9	*7	*	*	*	*	*	*	*	*	*
805	223	109	113	*	70	52	98	32	63	79	49
805.0	52	34	18	*	19	15	17	*7	14	19	12

Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region:
United States, 2006

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants.
Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM).
See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North- east	Midwest	South	West
Number of all-listed diagnoses in thousands											
805.01	*5	*	*	-	*	*	*	*	*	*	*
805.02	15	*8	*7	*	*	*	*7	*	*	*5	*
805.06	*8	*5	*	*	*	*	*	*	*	*	*
805.07	*9	*7	*	*	*	*	*	*	*	*	*
805.2	61	26	35	*	17	12	31	*7	22	20	12
805.4	80	39	41	*	21	17	41	13	18	29	20
805.6	27	*9	18	*	11	*7	*8	*	*7	11	*5
806	13	*7	*6	*	*6	*	*	*	*	*	*
806.0	*5	*	*	*	*	*	*	*	*	*	*
807	135	90	46	*	38	40	54	23	38	43	32
807.0	121	81	40	*	32	36	50	20	35	38	28
807.00	*9	*	*	*	*	*	*5	*	*	*	*
807.01	26	17	*9	*	*7	*6	12	*5	*9	*6	*6
807.02	20	11	*9	-	*	*	10	*	*7	*6	*
807.03	18	13	*5	*	*	*5	*7	*	*5	*7	*
807.04	*9	*7	*	*	*	*	*5	*	*	*	*
807.05	*5	*	*	*	*	*	*	*	*	*	*
807.06	*6	*	*	-	*	*	*	*	*	*	*
807.08	*6	*	*	*	*	*	*	*	*	*	*
807.09	21	16	*5	*	*	10	*7	*	*	*8	*
807.2	*9	*	*	-	*	*	*	*	*	*	*
808	106	41	65	*	23	24	57	21	26	41	19
808.0	23	16	*7	*	*9	*7	*7	*	*6	10	*
808.2	62	14	49	*	*8	10	44	13	17	21	12
808.4	11	*7	*	*	*	*	*	*	*	*5	*
808.41	*5	*	*	*	*	*	*	*	*	*	*
808.8	*7	*	*	*	*	*	*	*	*	*	*
810	32	20	12	*	13	*8	*8	*	*7	12	*9
810.0	32	19	12	*	13	*8	*8	*	*7	12	*9
810.00	15	*7	*8	*	*6	*	*6	*	*	*6	*
810.02	12	*9	*	*	*	*	*	*	*	*	*
811	13	11	*	*	*9	*	*	*	*	*	*
811.0	12	10	*	*	*8	*	*	*	*	*	*
812	113	41	72	19	17	20	58	28	26	37	22
812.0	62	18	44	*	*5	14	43	17	16	19	10
812.00	16	*6	10	*	*	*	11	*	*	*6	*
812.01	21	*6	14	*	*	*	15	*6	*6	*6	*
812.03	*7	*	*5	-	*	*	*	*	*	*	*
812.09	18	*	14	*	*	*	12	*	*6	*	*
812.2	15	*	11	*	*	*	*9	*	*	*6	*
812.20	*5	*	*	*	*	*	*	*	*	*	*
812.21	10	*	*6	*	*	*	*	*	*	*	*
812.4	30	14	16	17	*	*	*5	*6	*6	*9	*9
812.41	17	*8	*9	13	*	*	*	*	*	*5	*6
813	117	63	54	10	43	31	33	22	23	46	26
813.0	22	11	11	*	*7	*7	*8	*6	*	*8	*6
813.01	10	*	*7	*	*	*	*5	*	*	*	*
813.2	11	*8	*	*	*8	*	*	*	*	*	*

Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region:
United States, 2006

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants.
Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM).
See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North- east	Midwest	South	West
Number of all-listed diagnoses in thousands											
813.23	*5	*	*	*	*	*	*	*	*	*	*
813.4	61	30	31	*	19	17	21	12	15	22	12
813.41	14	*6	*8	*	*	*	*6	*	*	*6	*
813.42	27	12	14	*	*7	*7	11	*7	*6	*9	*
813.44	16	*8	*8	*	*6	*	*	*	*6	*	*
813.5	11	*7	*	*	*	*	*	*	*	*	*
813.54	*8	*6	*	*	*	*	*	*	*	*	*
814	*7	*	*	*	*	*	*	*	*	*	*
814.0	*6	*	*	*	*	*	*	*	*	*	*
815	15	11	*	*	*	*6	*	*	*	*5	*
815.0	11	*7	*	*	*	*	*	*	*	*	*
816	23	17	*6	*	11	*8	*	*	*7	*9	*5
816.0	12	*8	*	*	*	*6	*	*	*	*	*
816.01	*7	*	*	*	*	*	*	*	*	*	*
816.1	11	*9	*	*	*7	*	*	*	*	*	*
816.11	*6	*6	*	*	*	*	*	*	*	*	*
820	368	103	265	*	*9	32	324	74	100	135	59
820.0	102	30	72	*	*	10	88	23	29	32	18
820.02	*7	*	*	*	*	*	*5	*	*	*	*
820.03	10	*	*7	*	*	*	*9	*	*	*	*
820.09	79	21	58	*	*	*6	71	17	24	25	13
820.2	185	51	134	*	*	16	163	38	51	68	29
820.20	15	*5	10	-	*	*	14	*	*	*6	*
820.21	149	39	109	*	*	13	132	28	40	55	25
820.22	21	*6	14	*	*	*	17	*6	*6	*6	*
820.8	79	21	58	*	*	*6	72	13	20	33	13
821	71	39	32	12	20	13	27	12	15	29	15
821.0	39	22	17	*8	11	*5	14	*7	*8	15	*9
821.00	*7	*	*	*	*	*	*	*	*	*	*
821.01	32	18	14	*7	*9	*	12	*6	*8	11	*8
821.2	26	11	15	*	*	*7	13	*	*5	11	*6
821.20	*8	*	*	*	*	*	*	*	*	*	*
821.23	10	*	*7	*	*	*	*7	*	*	*	*
822	18	*7	11	*	*	*	*9	*	*	*6	*
822.0	16	*6	10	*	*	*	*9	*	*	*6	*
823	87	53	34	*	40	25	18	19	20	32	16
823.0	41	20	21	*	13	12	14	10	*7	15	*8
823.00	32	15	17	*	11	*9	11	*8	*5	12	*6
823.02	*7	*	*	*	*	*	*	*	*	*	*
823.2	20	14	*6	*	11	*6	*	*	*5	*6	*
823.22	14	10	*	*	*7	*	*	*	*	*	*
823.3	*9	*7	*	*	*6	*	*	*	*	*	*
823.32	*6	*	*	*	*	*	*	*	*	*	*
823.8	10	*8	*	*	*	*	*	*	*	*	*
823.82	*7	*6	*	*	*	*	*	*	*	*	*
824	130	56	74	*	46	45	37	23	37	39	31
824.0	10	*	*6	*	*	*	*	*	*	*	*

Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region:
United States, 2006

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants.
Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM).
See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North- east	Midwest	South	West
Number of all-listed diagnoses in thousands											
824.2	11	*5	*6	*	*	*	*	*	*	*	*
824.4	34	15	19	*	12	12	11	*5	12	11	*6
824.6	26	*7	19	-	*8	*9	*9	*5	*6	*6	*9
824.8	34	16	18	*	12	13	*8	*6	*9	13	*6
824.9	*8	*5	*	*	*	*	*	*	*	*	*
825	36	23	13	*	15	13	*8	*8	10	13	*6
825.0	11	*6	*	-	*	*	*	*	*	*	*
825.2	20	12	*8	*	*8	*6	*	*5	*6	*7	*
825.25	12	*6	*6	*	*	*	*	*	*	*	*
826	*6	*	*	*	*	*	*	*	*	*	*
831	12	*8	*	*	*5	*	*	*	*	*	*
831.0	12	*8	*	*	*5	*	*	*	*	*	*
831.04	*5	*	*	-	*	*	*	*	*	*	*
835	*7	*	*	*	*	*	*	*	*	*	*
835.0	*7	*	*	*	*	*	*	*	*	*	*
836	17	*8	*8	*	*7	*	*7	*	*	*7	*
836.0	*5	*	*	*	*	*	*	*	*	*	*
839	*8	*	*	*	*	*	*	*	*	*	*
840	31	15	15	*	*	*9	17	*7	*6	11	*6
840.4	16	*8	*8	*	*	*	11	*	*	*6	*
840.9	*7	*	*	*	*	*	*	*	*	*	*
842	*5	*	*	*	*	*	*	*	*	*	*
844	22	12	10	*	*9	*	*8	*6	*7	*	*
844.8	*7	*	*	*	*	*	*	*	*	*	*
844.9	*7	*	*	*	*	*	*	*	*	*	*
845	18	*8	10	*	*8	*	*5	*	*6	*6	*
845.0	17	*8	10	*	*8	*	*5	*	*6	*6	*
845.00	*8	*	*5	*	*	*	*	*	*	*	*
845.03	*6	*	*	*	*	*	*	*	*	*	*
847	31	16	15	*	15	*7	*9	*6	*9	*7	10
847.0	19	10	*8	*	10	*	*	*	*	*	*6
847.2	*9	*	*	-	*	*	*	*	*	*	*
848	*7	*	*	-	*	*	*	*	*	*	*
848.8	*6	*	*	-	*	*	*	*	*	*	*
850	87	54	33	*9	42	18	17	19	21	25	22
850.0	19	10	*9	*	*7	*	*8	*5	*	*	*5
850.1	28	18	11	*	15	*7	*	*6	*8	*7	*8
850.11	28	17	11	*	15	*6	*	*6	*8	*6	*8
850.5	31	21	10	*	16	*8	*	*6	*7	11	*6
850.9	*8	*	*	*	*	*	*	*	*	*	*
851	35	22	13	*	12	*9	13	*7	*6	13	*8

Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region:
United States, 2006

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants.
Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM).
See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North- east	Midwest	South	West
Number of all-listed diagnoses in thousands											
851.4	*7	*	*	*	*	*	*	*	*	*	*
851.8	24	13	10	*	*7	*7	*9	*	*	10	*5
851.81	*7	*	*	*	*	*	*	*	*	*	*
851.86	*7	*	*	*	*	*	*	*	*	*	*
852	90	52	38	*	19	22	46	14	19	32	25
852.0	24	14	*9	*	*5	*9	*9	*	*	*6	*8
852.01	*7	*	*	*	*	*	*	*	*	*	*
852.02	*5	*	*	*	*	*	*	*	*	*	*
852.06	*6	*	*	*	*	*	*	*	*	*	*
852.2	62	35	27	*	12	13	35	*9	13	23	16
852.20	17	11	*6	*	*	*	10	*	*	*9	*
852.21	27	12	15	*	*	*6	17	*	*7	*8	*8
852.26	*7	*5	*	-	*	*	*	*	*	*	*
853	14	*9	*5	*	*	*	*9	*	*	*6	*
853.0	14	*9	*5	*	*	*	*9	*	*	*6	*
853.01	*5	*	*	*	-	*	*	*	*	*	*
854	*8	*5	*	*	*	*	*	*	*	*	*
854.0	*8	*5	*	*	*	*	*	*	*	*	*
860	75	58	17	*	34	22	15	10	16	31	18
860.0	44	33	11	*	22	12	*8	*	*8	20	11
860.2	11	*8	*	-	*	*	*	*	*	*	*
860.4	10	*8	*	*	*	*	*	*	*	*	*
861	42	31	10	*	23	10	*5	*6	*7	18	10
861.2	35	27	*8	*	18	*9	*	*	*6	15	*9
861.21	33	25	*8	*	18	*8	*	*	*6	14	*9
862	11	*9	*	*	*6	*	*	*	*	*	*
862.2	*5	*	*	*	*	*	*	*	*	*	*
863	25	21	*	*	17	*	*	*	*	11	*8
863.3	*6	*5	*	*	*	*	*	*	*	*	*
864	21	16	*5	*	14	*	*	*	*	*9	*5
864.0	17	12	*	*	11	*	*	*	*	*8	*
865	27	20	*7	*	18	*	*	*	*	10	*9
865.0	25	18	*7	*	17	*	*	*	*	10	*8
865.00	*9	*6	*	*	*7	*	*	*	*	*	*
865.03	*6	*	*	*	*	*	*	*	*	*	*
866	12	10	*	*	*7	*	*	*	*	*	*
866.0	*9	*8	*	*	*	*	*	*	*	*	*
867	29	25	*	*	*	*5	20	*7	*6	11	*
867.0	25	22	*	*	*	*	18	*7	*5	*9	*
868	20	17	*	*	12	*6	*	*	*	*7	*7
868.0	14	11	*	*	*7	*5	*	*	*	*6	*
868.03	*5	*	*	*	*	*	*	*	*	*	*
868.1	*6	*5	*	*	*	*	*	*	*	*	*

Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region:
United States, 2006

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants.
Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM).
See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North- east	Midwest	South	West
Number of all-listed diagnoses in thousands											
870	15	*9	*5	*	*7	*	*	*	*	*8	*
870.8	*8	*	*	*	*	*	*	*	*	*	*
872	10	*8	*	*	*	*	*	*	*	*	*
872.0	*7	*6	*	*	*	*	*	*	*	*	*
873	181	124	56	13	73	43	52	29	44	66	42
873.0	55	37	18	*	22	11	21	10	14	17	13
873.2	10	*8	*	*	*	*	*	*	*6	*	*
873.20	10	*8	*	*	*	*	*	*	*6	*	*
873.4	88	60	28	*6	36	22	24	14	18	36	20
873.40	*6	*	*	*	*	*	*	*	*	*	*
873.41	*6	*	*	*	*	*	*	*	*	*	*
873.42	43	28	14	*	16	*9	15	*7	10	16	10
873.43	19	13	*6	*	*9	*5	*	*	*	*9	*
873.44	*8	*5	*	*	*	*	*	*	*	*	*
873.49	*7	*5	*	*	*	*	*	*	*	*	*
873.5	*6	*	*	*	*	*	*	*	*	*	*
873.6	14	*9	*	*	*	*5	*	*	*	*5	*
873.63	*7	*5	*	*	*	*	*	*	*	*	*
874	*8	*8	*	*	*6	*	*	*	*	*	*
874.8	*6	*6	*	*	*	*	*	*	*	*	*
875	*7	*7	*	*	*6	*	*	*	*	*	*
875.0	*6	*6	*	*	*5	*	*	*	*	*	*
876	*6	*5	*	*	*	*	*	*	*	*	*
879	20	14	*6	*	10	*	*	*	*	10	*
879.2	*7	*	*	*	*	*	*	*	*	*	*
880	11	*8	*	*	*5	*	*	*	*	*	*
880.0	*8	*	*	*	*	*	*	*	*	*	*
881	49	31	18	*	27	*8	11	*8	12	17	12
881.0	35	23	13	*	19	*7	*9	*7	*9	13	*7
881.00	14	*9	*	*	*8	*	*	*	*	*6	*
881.01	10	*7	*	*	*	*	*	*	*	*	*
881.02	11	*6	*5	*	*8	*	*	*	*	*	*
881.1	*8	*	*	*	*	*	*	*	*	*	*
881.10	*6	*	*	*	*	*	*	*	*	*	*
881.2	*6	*	*	*	*	*	*	*	*	*	*
882	27	18	*9	*	15	*6	*	*5	*	10	*6
882.0	12	*9	*	*	*6	*	*	*	*	*	*
882.1	11	*7	*	*	*7	*	*	*	*	*	*
883	24	18	*5	*	12	*7	*	*	*7	*9	*
883.0	*8	*6	*	*	*	*	*	*	*	*	*
883.1	*6	*	*	*	*	*	*	*	*	*	*
883.2	10	*8	*	*	*5	*	*	*	*	*	*
886	*5	*	*	*	*	*	*	*	*	*	*

Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region:
United States, 2006

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants.
Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM).
See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region				
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North- east	Midwest	South	West	
Number of all-listed diagnoses in thousands												
890	11	*7	*	*	*7	*	*	*	*	*	*	*
890.0	*7	*	*	*	*5	*	*	*	*	*	*	*
891	38	23	15	*	13	15	*7	*8	*9	17	*	*
891.0	20	13	*7	*	*8	*6	*	*	*6	*8	*	*
891.1	17	*9	*7	*	*	*9	*	*	*	*8	*	*
892	15	10	*5	*	*6	*6	*	*	*	*9	*	*
892.1	10	*6	*	*	*	*	*	*	*	*5	*	*
903	10	*7	*	*	*5	*	*	*	*	*	*	*
905	53	30	23	*	20	15	16	12	11	18	13	13
905.1	*5	*	*	*	*	*	*	*	*	*	*	*
905.2	*8	*	*	*	*	*	*	*	*	*	*	*
905.3	*6	*	*	-	*	*	*	*	*	*	*	*
905.4	24	14	10	*	11	*6	*6	*	*7	*9	*	*
906	12	*8	*	*	*5	*	*	*	*	*	*	*
907	61	48	14	*5	32	16	*8	10	13	22	17	17
907.0	32	24	*8	*	18	*7	*	*6	*6	10	11	11
907.2	27	22	*	*	13	*8	*	*	*7	11	*5	*5
908	20	13	*7	*	11	*6	*	*6	*5	*	*	*
908.9	14	*9	*	*	*7	*5	*	*	*	*	*	*
909	14	*7	*8	*	*	*6	*5	*	*6	*	*	*
909.2	*6	*	*	*	*	*	*	*	*	*	*	*
910	40	29	11	*7	17	*7	*9	*7	*9	12	12	12
910.0	35	25	10	*5	15	*6	*9	*7	*9	10	10	10
911	18	10	*8	*	10	*	*	*	*	*7	*	*
911.0	13	*8	*	*	*8	*	*	*	*	*	*	*
912	10	*7	*	*	*6	*	*	*	*	*	*	*
912.0	*8	*7	*	*	*5	*	*	*	*	*	*	*
913	30	16	15	*	11	*6	11	*5	10	*9	*6	*6
913.0	23	12	11	*	*7	*	10	*	*8	*6	*5	*5
914	*7	*5	*	*	*	*	*	*	*	*	*	*
914.0	*6	*	*	*	*	*	*	*	*	*	*	*
916	31	20	10	*6	13	*6	*7	*	*9	10	*7	*7
916.0	23	15	*7	*	10	*	*	*	*8	*7	*	*
917	*9	*	*	*	*	*	*	*	*	*	*	*
918	*6	*	*	*	*	*	*	*	*	*	*	*
919	19	13	*5	*	10	*	*	*	*5	*6	*5	*5
919.0	16	12	*	*	*9	*	*	*	*	*	*	*5

Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region:
United States, 2006

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants.
Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM).
See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North- east	Midwest	South	West
Number of all-listed diagnoses in thousands											
920	83	35	48	*8	18	13	44	17	24	25	17
921	23	12	10	*	*6	*	10	*	*8	*5	*5
921.1	*6	*	*	*	*	*	*	*	*	*	*
921.2	*7	*	*	*	*	*	*	*	*	*	*
922	68	33	35	*	22	12	32	11	20	22	16
922.1	35	20	16	*	12	*6	17	*6	11	11	*7
922.2	15	*6	*9	*	*7	*	*	*	*	*6	*
922.3	15	*7	*8	*	*	*	*8	*	*6	*	*
922.31	11	*6	*	*	*	*	*5	*	*	*	*
923	37	20	18	*	11	*6	19	*6	14	12	*
923.0	15	*9	*6	*	*5	*	*7	*	*6	*	*
923.00	11	*7	*	*	*	*	*	*	*	*	*
923.1	12	*	*7	*	*	*	*8	*	*	*6	*
923.11	*8	*	*	*	*	*	*6	*	*	*	*
923.2	*6	*	*	*	*	*	*	*	*	*	*
924	85	37	48	*	21	18	45	19	23	26	17
924.0	25	*8	17	*	*	*5	17	*8	*7	*6	*
924.00	*6	*	*	*	*	*	*	*	*	*	*
924.01	20	*6	14	*	*	*	14	*6	*	*6	*
924.1	31	13	17	*	*9	*5	15	*5	*8	10	*7
924.10	13	*7	*6	*	*	*	*6	*	*	*5	*
924.11	18	*6	12	*	*5	*	10	*	*5	*5	*
924.2	*6	*	*	*	*	*	*	*	*	*	*
924.20	*5	*	*	-	*	*	*	*	*	*	*
924.8	15	*7	*8	*	*6	*	*5	*	*	*	*6
933	11	*	*7	*	*	*	*	*	*	*	*
933.1	*9	*	*5	*	*	*	*	*	*	*	*
934	16	10	*6	*	*	*	*6	*	*	*8	*
934.8	*7	*	*	*	*	*	*	*	*	*	*
935	15	*8	*7	*5	*	*	*	*	*	*6	*
935.1	11	*6	*	*	*	*	*	*	*	*	*
941	42	34	*8	11	19	*9	*	*6	*6	28	*
941.2	33	27	*6	*9	16	*6	*	*6	*	22	*
941.29	13	10	*	*	*5	*	*	*	*	11	*
941.3	*5	*	*	*	*	*	*	*	*	*	*
942	45	32	13	14	16	10	*6	*7	*5	31	*
942.2	31	23	*9	11	12	*	*	*6	*	21	*
942.22	10	*8	*	*6	*	*	*	*	*	*7	*
942.23	*6	*	*	*	*	*	*	*	*	*	*
942.24	*9	*6	*	*	*	*	*	*	*	*6	*
942.3	11	*7	*	*	*	*	*	*	*	*8	*
943	39	28	11	*6	20	*9	*	*	*	28	*
943.2	26	20	*6	*	16	*	*	*	*	20	*
943.21	10	*7	*	*	*6	*	*	*	*	*6	*

Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region:
United States, 2006

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants.
Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM).
See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region				
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North- east	Midwest	South	West	
Number of all-listed diagnoses in thousands												
943.29	*7	*7	*	*	*	*	*	*	*	*7	-	
943.3	11	*7	*	*	*	*	*	*	*	*8	*	
943.39	*6	*	*	*	*	*	*	*	*	*6	-	
944	32	25	*7	*	17	10	*	*5	*	20	*	
944.2	21	17	*	*	13	*	*	*	*	14	*	
944.28	*7	*6	*	*	*	*	*	*	*	*6	-	
944.3	*7	*6	*	*	*	*	*	*	*	*5	*	
945	47	33	14	*9	21	13	*	*6	*7	29	*5	
945.2	29	19	10	*6	14	*7	*	*	*	18	*	
945.22	*7	*	*	*	*	*	*	*	*	*	*	
945.26	*9	*6	*	*	*	*	*	*	*	*	*	
945.29	*6	*	*	*	*	*	*	*	*	*5	*	
945.3	12	10	*	*	*	*	*	*	*	*8	*	
946	*7	*5	*	*	*	*	-	*	-	*7	*	
946.3	*6	*	*	*	*	*	-	*	-	*6	-	
948	68	51	17	14	29	20	*6	11	*8	44	*	
948.0	47	37	10	12	20	11	*	10	*6	29	*	
948.00	47	37	10	12	20	11	*	10	*6	29	*	
948.1	13	10	*	*	*5	*6	*	*	*	*9	*	
948.10	10	*9	*	*	*	*	*	*	*	*7	*	
948.2	*5	*	*	*	*	*	*	*	*	*	*	
952	*9	*5	*	*	*	*	*	*	*	*	*	
952.0	*6	*	*	*	*	*	*	*	*	*	*	
955	14	10	*	*	*6	*	*	*	*6	*	*	
958	39	31	*7	*	17	13	*6	*	*9	16	*9	
958.3	*9	*7	*	*	*	*	*	*	*	*	*	
958.4	10	*9	*	*	*	*	*	*	*	*	*	
958.7	*9	*8	*	*	*	*	*	*	*	*	*	
958.8	*8	*6	*	*	*	*	*	*	*	*	*	
959	90	51	39	*7	31	23	29	17	18	25	29	
959.0	43	24	19	*	15	10	15	*7	10	12	14	
959.01	38	21	17	*	12	*9	14	*6	*9	10	12	
959.09	*5	*	*	*	*	*	*	*	*	*	*	
959.1	16	11	*6	*	*7	*6	*	*	*	*	*8	
959.11	*6	*	*	*	*	*	*	*	*	*	*	
959.12	*7	*	*	*	*	*	*	*	*	*	*	
959.7	11	*7	*	*	*	*	*	*	*	*5	*	
962	12	*7	*	*	*	*	*	*	*	*	*	
962.3	10	*6	*	*	*	*	*	*	*	*	*	
963	15	*8	*7	*	11	*	*	*	*	*5	*	
963.0	12	*6	*6	*	10	*	*	*	*	*	*	
964	*7	*	*	*	*	*	*	*	*	*	*	
964.2	*6	*	*	-	*	*	*	*	*	*	*	

Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region:
United States, 2006

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants.
Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM).
See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North- east	Midwest	South	West
Number of all-listed diagnoses in thousands											
965	108	48	60	*	73	20	12	24	31	31	22
965.0	43	25	19	*	26	12	*	10	11	15	*8
965.00	10	*6	*	*	*7	*	*	*	*	*	*
965.01	*6	*	*	-	*	*	-	*	*	*	*
965.02	*6	*	*	*	*	*	*	*	*	*	*
965.09	22	11	11	*	12	*6	*	*	*6	*8	*
965.1	12	*	*7	*	*7	*	*	*	*	*	*
965.4	38	15	22	*	29	*	*	*8	13	*9	*7
965.6	*7	*	*	*	*6	*	-	*	*	*	*
965.61	*7	*	*	*	*6	*	-	*	*	*	*
965.8	*8	*	*7	*	*	*	*	*	*	*	*
966	18	*5	12	*	13	*	*	*	*	*6	*6
966.3	13	*	*9	*	*9	*	*	*	*	*	*
967	22	*9	13	*	12	*6	*	*	*5	*7	*6
967.8	12	*	*8	-	*7	*	*	*	*	*	*
967.9	*7	*	*	*	*	*	*	*	*	*	*
968	*9	*	*	*	*5	*	*	*	*	*	*
968.0	*5	*	*	*	*	*	*	*	*	*	*
969	133	53	79	*5	87	34	*7	24	36	46	27
969.0	42	15	27	*	27	11	*	*7	12	15	*9
969.3	21	10	11	*	15	*5	*	*	*7	*	*6
969.4	51	17	34	*	32	15	*	*9	14	22	*7
969.7	*7	*5	*	*	*6	*	*	*	*	*	*
970	31	22	*8	*	17	13	*	12	*	10	*
970.8	30	22	*8	*	17	13	*	12	*	*9	*
972	14	*6	*7	*	*	*6	*	*	*	*	*
975	*8	*	*	*	*6	*	*	*	*	*	*
975.2	*6	*	*	*	*	*	-	*	*	*	*
977	16	*7	*9	*	12	*	*	*	*6	*	*
977.8	*6	*	*	*	*	*	*	*	*	*	*
977.9	10	*	*7	*	*7	*	*	*	*	*	*
980	30	16	14	*	17	10	*	*7	*9	*6	*8
980.0	20	11	*9	*	13	*6	*	*	*	*5	*
980.9	*5	*	*	-	*	*	-	*	*	*	*
986	*5	*	*	*	*	*	*	*	*	*	*
987	*9	*7	*	*	*	*	*	*	*	*	*
989	16	10	*6	*	*7	*	*	*	*	11	*
989.5	11	*8	*	*	*	*	*	*	*	*7	*
991	13	*8	*5	*	*	*	*	*	*	*5	*
991.6	11	*6	*	*	*	*	*	*	*	*5	*
992	*9	*5	*	*	*	*	*	*	*	*	*

Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region:
United States, 2006

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants.
Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM).
See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North- east	Midwest	South	West
Number of all-listed diagnoses in thousands											
995	690	327	363	28	85	193	385	136	168	253	133
995.0	*7	*	*	*	*	*	*	*	*	*	*
995.1	14	*6	*9	*	*	*	*5	*	*	*5	*
995.2	23	*7	15	*	*	*7	13	*	*8	10	*
995.3	*9	*	*	*	*	*	*	*	*	*	*
995.5	*6	*	*	*	*	*	*	*	*	*	*
995.8	*6	*	*	-	*	*	*	*	*	*	*
995.9	622	301	321	21	67	174	359	123	150	227	123
995.90	*6	*	*	*	*	*	*	*	*	*	*
995.91	418	195	223	16	48	113	242	77	117	148	76
995.92	194	101	93	*	18	58	113	44	31	74	45
996	858	444	415	36	150	296	377	195	179	329	155
996.0	35	17	18	*	*	*9	23	10	*9	12	*
996.01	17	*8	*9	*	*	*	12	*	*	*6	*
996.02	*5	*	*	-	*	*	*	*	*	*	*
996.04	*8	*5	*	*	*	*	*	*	*	*	*
996.1	29	13	16	*	*7	*8	11	*	*7	13	*
996.2	25	14	11	*7	11	*	*	*6	*	11	*
996.3	*8	*	*	*	*	*	*	*	*	*	*
996.39	*6	*	*	*	*	*	*	*	*	*	*
996.4	127	52	75	*	15	46	66	26	27	47	27
996.41	18	*9	*9	-	*	*6	*9	*	*	*	*6
996.42	27	10	17	-	*	*8	17	*7	*8	*8	*
996.43	10	*	*6	-	*	*	*5	*	*	*	*
996.44	*9	*	*7	-	-	*	*7	*	*	*	*
996.47	10	*	*8	-	*	*	*5	*	*	*	*
996.49	41	18	23	*	*7	17	16	*5	*8	18	10
996.5	24	*9	15	*	*7	*8	*8	*6	*	10	*
996.52	*5	*	*	*	*	*	*	*	*	*	*
996.59	13	*	*8	*	*	*	*6	*	*	*5	*
996.6	290	158	132	14	49	100	127	68	60	111	51
996.61	17	13	*	*	*	*	14	*	*	*6	*
996.62	138	74	64	11	26	54	47	33	26	60	20
996.63	*7	*	*	*	*	*	*	*	*	*	*
996.64	35	20	14	*	*	*8	24	*8	*8	*9	11
996.65	*7	*	*	-	*	*	*	*	*	*	*
996.66	34	18	16	-	*	13	19	*8	*9	12	*
996.67	16	*9	*7	*	*5	*	*6	*	*	*6	*
996.68	*8	*	*5	*	*	*6	*	*	*	*	*
996.69	25	11	15	*	*	10	10	*6	*5	*9	*5
996.7	252	135	117	*6	34	91	121	54	57	90	51
996.72	55	37	19	*	*	21	31	15	15	18	*8
996.73	64	32	32	*	*9	26	30	11	*9	25	19
996.74	55	29	26	*	*8	21	24	11	13	18	13
996.76	12	*9	*	*	*	*	*8	*	*	*	*
996.77	21	*9	11	-	*	*8	11	*5	*6	*6	*
996.78	22	*8	14	*	*7	*7	*8	*	*6	*9	*
996.79	13	*7	*6	*	*	*	*5	*	*	*6	*
996.8	68	42	26	*	23	30	12	19	*9	33	*8
996.81	44	27	17	*	17	19	*8	11	*6	23	*5
996.82	*7	*	*	*	*	*	*	*	*	*	*
996.83	*5	*	*	*	*	*	*	*	*	*	*

Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region:
United States, 2006

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants.
Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM).
See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North- east	Midwest	South	West
Number of all-listed diagnoses in thousands											
997	566	291	274	15	96	180	275	128	121	197	119
997.0	36	17	19	*	*8	*9	17	*7	*7	13	10
997.01	*6	*	*	*	*	*	*	*	*	*	*
997.02	14	*6	*8	*	*	*	*9	*	*	*5	*
997.09	15	*9	*6	*	*	*6	*	*	*	*5	*
997.1	111	62	50	*	11	34	65	30	25	33	24
997.2	24	12	12	*	*	10	*9	*6	*6	*8	*
997.3	92	45	47	*5	14	28	45	20	22	32	17
997.4	189	88	101	*	44	64	76	36	39	70	44
997.5	60	38	22	*	*8	17	35	20	12	18	10
997.6	34	20	14	*	*	13	18	*5	*6	17	*5
997.62	18	10	*8	*	*	*8	*8	*	*	*7	*
997.69	15	*9	*6	-	*	*	10	*	*	10	*
997.7	*7	*	*	*	*	*	*	*	*	*	*
997.79	*7	*	*	*	*	*	*	*	*	*	*
997.9	14	*7	*7	*	*	*	*9	*	*	*	*
997.99	*9	*	*	*	*	*	*6	*	*	*	*
998	734	345	389	24	159	254	297	169	158	270	138
998.0	*5	*	*	*	*	*	*	*	*	*	*
998.1	244	127	117	*6	44	83	111	56	52	83	53
998.11	123	70	52	*	20	38	59	30	26	45	22
998.12	103	49	54	*	19	37	47	23	23	32	25
998.13	18	*7	11	-	*	*8	*6	*	*	*6	*6
998.2	90	33	57	*	16	30	41	19	16	36	18
998.3	61	34	27	*	14	18	27	12	13	25	11
998.31	11	*8	*	*	*	*	*	*	*	*	*
998.32	50	27	23	*	10	16	23	*9	10	22	*8
998.5	210	96	114	*7	56	72	75	51	47	76	36
998.51	*6	*	*	-	*	*	*	*	*	*	*
998.59	204	93	111	*7	55	69	73	50	45	74	34
998.6	19	*9	10	*	*	*9	*	*6	*	*8	*
998.8	99	42	57	*	23	37	35	21	25	36	16
998.83	22	10	12	*	*	10	*7	*	*6	*9	*
998.89	73	30	43	*	16	26	26	15	18	26	13
999	50	24	26	*	11	14	22	15	11	15	*9
999.2	17	*9	*8	*	*6	*	*7	*6	*	*5	*
999.3	10	*	*6	*	*	*	*	*	*	*	*
999.8	12	*6	*6	*	*	*	*8	*	*5	*	*
999.9	*8	*	*	*	*	*	*	*	*	*	*
V01-V85	15,209	4,750	10,459	499	7,069	3,019	4,622	3,018	3,456	5,653	3,083
V02	565	22	544	*	544	17	*	106	122	220	116
V02.5	536	*6	530	*	528	*6	*	90	119	212	115
V02.51	520	*	520	*	519	*	-	86	118	207	108
V02.52	*6	*	*6	*	*6	*	*	*	*	*	*
V02.59	11	*6	*	*	*	*5	*	*	*	*	*
V02.6	26	15	11	*	14	11	*	17	*	*7	*
V02.61	*6	*	*	*	*	*	*	*	*	*	*
V02.62	20	13	*7	-	*9	10	*	14	*	*	*
V03	46	22	24	*	*8	12	24	*6	11	10	19
V03.8	43	20	23	*	*7	12	24	*6	10	10	18

Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region:
United States, 2006

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants.
Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM).
See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region				
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North- east	Midwest	South	West	
Number of all-listed diagnoses in thousands												
V03.82	41	19	23	*	*6	11	23	*5	*9	*9	17	
V04	48	13	35	*	25	10	10	15	*	16	13	
V04.3	16	*	16	*	16	*	-	*	*	*8	*6	
V04.8	32	13	19	*	*8	*9	10	13	*	*7	*8	
V04.81	31	12	19	*	*8	*9	10	13	*	*7	*7	
V05	15	*9	*6	12	*	*	*	*	*	*7	*5	
V05.3	12	*8	*	11	*	-	*	*	*	*6	*	
V06	29	12	17	*	13	*7	*8	*	*6	*7	11	
V06.4	*8	*	*8	*	*8	-	-	*	*	*	*	
V06.6	16	*8	*8	-	*	*6	*7	*	*	*	*	
V07	60	*6	54	*	46	*6	*8	15	10	18	16	
V07.2	39	*	39	*	38	*	*	*8	*7	10	14	
V07.4	*8	-	*8	-	*	*	*	*	*	*	*	
V07.8	*8	*	*	-	*	*	*	*	*	*	*	
V08	57	35	22	*	28	27	*	22	*	29	*	
V09	178	92	86	25	64	44	44	33	40	77	28	
V09.0	170	90	80	24	64	42	41	29	39	74	27	
V09.8	*5	*	*	*	*	*	*	*	*	*	*	
V10	960	427	533	*	69	268	619	236	229	319	177	
V10.0	202	116	86	*	10	56	135	54	42	62	44	
V10.01	*6	*	*	-	*	*	*	*	*	*	*	
V10.02	11	*6	*6	*	*	*5	*	*	*	*	*	
V10.03	*7	*6	*	-	*	*	*	*	*	*	*	
V10.04	*7	*	*	-	*	*	*	*	*	*	*	
V10.05	138	76	62	-	*	32	104	32	31	46	28	
V10.06	19	13	*7	*	*	*9	*9	*	*	*6	*5	
V10.09	10	*7	*	*	*	*	*6	*	*	*	*	
V10.1	66	38	28	*	*	19	46	12	21	24	*9	
V10.11	65	38	28	*	*	18	46	12	21	24	*9	
V10.2	16	14	*	-	*	*6	10	*	*	*5	*	
V10.21	13	11	*	-	-	*	*9	*	*	*	*	
V10.3	239	*	236	*	14	76	149	63	53	85	38	
V10.4	218	134	84	*	18	51	148	50	54	71	43	
V10.41	27	-	27	-	*7	11	*8	*	*6	10	*6	
V10.42	26	-	26	-	*	*9	16	*7	*7	*8	*5	
V10.43	24	-	24	*	*	*8	13	*	*	10	*6	
V10.44	*6	-	*6	-	*	*	*	*	*	*	*	
V10.46	125	125	-	*	*	19	106	30	34	40	21	
V10.47	*8	*8	-	-	*5	*	*	*	*	*	*	
V10.5	85	56	29	*	*	21	63	19	25	28	14	
V10.51	43	32	12	-	*	*7	37	*9	14	12	*8	
V10.52	34	20	14	*	*	13	19	*7	*8	14	*	
V10.7	18	*8	*9	*	*	*5	*9	*5	*	*	*	
V10.79	14	*6	*8	*	*	*	*8	*	*	*	*	
V10.8	108	54	54	*	20	33	54	27	25	36	19	
V10.81	*5	*	*	*	*	*	*	*	*	*	*	
V10.82	23	13	10	*	*	*9	12	*7	*5	*8	*	
V10.83	38	19	20	-	*	10	26	*7	12	14	*6	

Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region:
United States, 2006

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants.
Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM).
See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North- east	Midwest	South	West
Number of all-listed diagnoses in thousands											
V10.85	11	*6	*	*	*	*	*	*	*	*	*
V10.87	17	*	13	-	*	*6	*7	*	*	*6	*
V10.89	12	*7	*5	*	*	*	*6	*	*	*	*
V11	24	14	11	*	*7	11	*6	*6	*	*7	*6
V11.3	14	*9	*	-	*	*6	*	*	*	*	*
V12	859	396	463	20	116	253	470	191	220	305	143
V12.0	58	28	30	*	18	24	13	13	11	21	12
V12.01	17	*9	*8	-	*	*7	*7	*	*	*6	*5
V12.02	*5	*	*	-	*	*	*	*	*	*	*
V12.09	34	15	19	*	13	14	*	*7	*8	14	*6
V12.2	*7	*	*	*	*	*	*	*	*	*	*
V12.4	16	*7	*9	*	*	*6	*	*	*	*6	*
V12.41	*6	*	*	*	*	*	*	*	*	*	*
V12.49	*7	*	*	*	*	*	*	*	*	*	*
V12.5	621	279	342	*	68	175	374	139	166	224	92
V12.50	*7	*	*	*	*	*	*	*	*	*	*
V12.51	215	88	127	*	40	71	103	48	64	63	39
V12.59	395	188	207	*	27	100	264	87	100	157	52
V12.6	25	12	13	*6	*	*6	*9	*5	*6	*7	*6
V12.61	18	*9	*8	*	*	*	*8	*	*5	*5	*
V12.69	*7	*	*	*	*	*	*	*	*	*	*
V12.7	127	67	61	*	20	41	63	25	32	43	28
V12.71	61	32	28	*	*9	20	31	*8	16	23	14
V12.72	31	16	15	*	*	12	16	*7	*9	11	*
V12.79	35	17	17	*	*9	*9	14	*9	*6	*9	10
V13	138	59	79	16	55	38	30	26	40	46	26
V13.0	102	44	58	*5	42	30	25	15	34	36	17
V13.01	69	35	34	*	28	25	15	*9	27	23	*9
V13.02	28	*8	20	*	11	*	*9	*	*6	11	*6
V13.09	*5	*	*	*	*	*	*	*	*	*	*
V13.2	*7	-	*7	*	*	*	*	*	*	*	*
V13.29	*6	-	*6	*	*	*	*	*	*	*	*
V13.6	*9	*5	*	*	*	*	*	*	*	*	*
V13.69	*9	*5	*	*	*	*	*	*	*	*	*
V13.7	*6	*	*	*	*	*	-	*	*	*	*
V13.8	*7	*	*	*	*	*	*	*	*	*	*
V14	253	73	180	15	104	71	64	28	33	156	36
V14.0	114	37	77	*6	45	34	29	11	18	63	22
V14.1	14	*	10	*	*6	*	*	*	*	*8	*
V14.2	36	*7	29	*	14	11	10	*	*	24	*6
V14.3	10	*	*7	*	*	*	*	*	*	*7	*
V14.5	22	*	17	*	*9	*6	*6	*	*	15	*
V14.6	22	*6	15	*	10	*8	*	*	*	16	*
V14.8	32	10	22	*	14	*7	*9	*5	*	21	*
V15	1,115	603	513	50	287	391	387	247	253	400	216
V15.0	45	18	27	15	15	*9	*6	13	*7	19	*6
V15.05	*7	*	*	*	*	*	*	*	*	*	*
V15.07	*6	*	*5	*	*	*	*	*	*	*	*
V15.08	*5	*	*	-	*	*	*	*	*	*	*
V15.09	11	*	*7	*	*	*	*	*	*	*	*

Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region:
United States, 2006

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants.
Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM).
See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North- east	Midwest	South	West
Number of all-listed diagnoses in thousands											
V15.1	30	16	14	17	*	*	*	*9	*	10	*8
V15.2	*6	*	*	*	*	*	*	*	*	*	*
V15.3	31	14	17	*	*	13	14	*6	*8	10	*7
V15.4	26	*9	18	*7	15	*	*	*	*6	11	*
V15.41	22	*7	16	*6	13	*	*	*	*	*9	*
V15.5	38	25	12	*	17	12	*	*9	*7	13	*7
V15.8	938	518	421	*5	230	349	353	204	223	332	180
V15.81	267	143	124	*	128	96	39	64	64	99	39
V15.82	629	355	274	*	100	244	283	129	147	219	135
V15.84	*6	*6	*	-	*	*	*	*	*	*	*
V15.88	26	10	16	*	*	*	20	*	*5	10	*5
V15.89	11	*	*6	*	*	*	*6	*5	*	*	*
V16	89	29	60	*	28	36	20	14	19	36	20
V16.0	22	*9	13	*	*6	*9	*6	*	*	*9	*
V16.1	*9	*	*	*	*	*	*	*	*	*	*
V16.3	24	*	20	*	11	*9	*	*	*5	*9	*6
V16.4	13	*	10	*	*	*	*	*	*	*	*
V16.41	*7	-	*7	-	*	*	*	*	*	*	*
V16.8	*5	*	*	*	*	*	*	*	*	*	*
V16.9	10	*	*5	*	*	*	*	*	*	*	*
V17	258	136	122	39	70	107	43	65	49	99	46
V17.0	11	*	*7	*	*7	*	*	*	*	*	*
V17.1	12	*	*7	*	*	*5	*	*	*	*5	*
V17.3	145	84	60	*	36	78	29	28	29	58	30
V17.4	56	24	32	*8	19	20	10	13	12	22	*8
V17.5	26	15	12	23	*	*	*	15	*	*6	*
V18	64	29	36	20	24	16	*	20	10	22	12
V18.0	52	23	29	14	19	15	*	13	10	19	11
V19	*9	*5	*	*6	*	*	*	*6	*	*	*
V19.8	*5	*	*	*	*	*	*	*	*	*	*
V21	26	15	11	25	*	*	-	*	*	*	18
V21.3	26	15	11	25	*	*	-	*	*	*	18
V21.30	18	12	*6	18	*	*	-	*	*	*	12
V22	23	-	23	-	23	-	-	*6	*	14	*
V22.1	10	-	10	-	10	-	-	*	*	*9	*
V22.2	*9	-	*9	-	*9	-	-	*	*	*	*
V23	144	-	144	*	143	*	-	15	27	68	34
V23.2	20	-	20	-	20	*	-	*	*	12	*
V23.4	21	-	21	-	21	*	-	*	*	*9	*
V23.41	11	-	11	-	11	*	-	*	*	*	*
V23.49	11	-	11	-	11	*	-	*	*	*5	*
V23.5	*7	-	*7	-	*7	-	-	*	*	*	*
V23.7	85	-	85	*	84	-	-	*7	17	39	21
V23.8	*6	-	*6	*	*6	-	-	*	*	*	*
V24	*5	-	*5	-	*5	*	-	*	*	*	*
V25	312	*	311	*	309	*	-	37	54	155	65

Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region:
United States, 2006

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants.
Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM).
See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North- east	Midwest	South	West
Number of all-listed diagnoses in thousands											
V25.2	306	*	306	-	304	*	-	37	54	151	64
V26	14	*	14	-	*9	*	*	*	*	*9	*
V26.5	13	*	12	-	*8	*	*	*	*	*8	*
V26.51	12	-	12	-	*8	*	*	*	*	*8	*
V27	4,127	-	4,127	*7	4,112	*9	-	618	849	1,613	1,047
V27.0	3,800	-	3,800	*7	3,787	*6	-	561	778	1,501	961
V27.1	22	-	22	*	22	-	-	*	*	12	*
V27.2	58	-	58	-	57	*	-	10	11	24	12
V27.9	241	-	241	*	240	*	-	44	57	73	68
V28	*6	-	*6	-	*6	-	-	*	*	*	*
V29	16	10	*7	16	-	-	-	*	*	*9	*
V29.0	16	*9	*6	16	-	-	-	*	*	*9	*
V30	*8	*	*	*8	-	-	-	*	*	*	*
V30.1	*8	*	*	*8	-	-	-	*	*	*	*
V42	149	84	65	12	35	55	47	39	28	52	31
V42.0	56	32	24	*	18	25	10	11	11	21	12
V42.1	10	*7	*	*	*	*	*	*	*	*6	*
V42.2	27	12	15	*	*	*	24	*9	*7	*	*7
V42.7	26	13	13	*	*	12	*5	*7	*	*8	*6
V42.8	23	16	*8	*5	*7	*9	*	*7	*	*9	*
V42.81	*9	*6	*	*	*	*	*	*	*	*	*
V42.82	*7	*	*	*	*	*	*	*	*	*	*
V43	508	195	312	*	28	140	339	128	153	139	88
V43.3	107	55	51	*	12	32	62	31	27	33	16
V43.6	396	137	258	*	16	106	274	95	124	106	71
V43.61	*8	*	*	*	*	*	*	*	*	*	*
V43.64	177	66	111	*	11	41	124	43	55	45	35
V43.65	207	67	139	-	*	60	143	49	66	59	32
V44	179	98	81	38	28	47	66	43	45	61	29
V44.0	31	20	12	10	*7	*7	*8	*9	*	13	*6
V44.1	70	38	33	25	*9	15	22	18	12	25	14
V44.2	19	11	*9	*	*	*9	*7	*	*9	*6	*
V44.3	44	23	20	*	*7	13	24	*9	16	14	*5
V44.6	*6	*	*	*	*	*	*	*	*	*	*
V45	1,877	1,007	870	49	220	575	1,033	419	493	666	299
V45.0	306	165	141	*	18	54	230	85	89	98	34
V45.01	232	111	121	*	*7	30	191	68	67	71	27
V45.02	68	50	18	*	10	21	36	17	20	25	*6
V45.09	*6	*	*	-	*	*	*	*	*	*	*
V45.1	135	68	68	*	23	51	60	22	42	45	27
V45.2	43	23	20	17	15	*	*7	*8	*6	22	*6
V45.3	54	11	43	*	22	22	10	11	12	20	11
V45.4	61	27	34	*	12	31	17	*9	14	19	20
V45.6	13	*6	*7	*	*	*	12	*	*	*6	*
V45.61	12	*6	*7	-	*	*	11	*	*	*5	*
V45.7	217	58	158	*	49	79	85	39	59	86	32

Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region:
United States, 2006

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants.
Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM).
See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North- east	Midwest	South	West
Number of all-listed diagnoses in thousands											
V45.71	38	*	38	-	*	14	20	*6	*9	17	*6
V45.72	25	11	14	*	*6	*9	*9	*	*7	*9	*
V45.73	28	15	12	*	*	*9	13	*7	*6	10	*
V45.76	11	*6	*5	*	*	*	*6	*	*5	*	*
V45.77	60	*	57	*	15	24	20	*9	16	28	*7
V45.79	49	20	29	*	18	17	13	10	15	17	*7
V45.8	1,045	649	397	22	78	333	612	244	266	370	165
V45.81	484	332	152	*	*7	115	360	125	123	173	63
V45.82	364	232	132	*	16	147	201	75	97	134	58
V45.85	*5	*	*	*	*	*	*	*	*	*	*
V45.89	192	81	110	19	52	69	51	43	46	62	41
V46	91	42	50	*7	*5	24	54	22	21	32	16
V46.1	22	13	*8	*	*	*7	*8	*7	*	*9	*
V46.11	21	13	*8	*	*	*6	*8	*6	*	*9	*
V46.2	70	28	41	*	*	18	46	15	18	23	14
V49	83	49	34	*	12	34	37	21	17	34	11
V49.7	62	39	23	*	*8	23	31	17	11	27	*7
V49.72	*6	*	*	-	*	*	*	*	*	*	*
V49.75	29	19	10	*	*	*9	16	*6	*6	13	*
V49.76	20	11	*9	*	*	*7	11	*7	*	*8	*
V49.8	17	*7	10	*	*	*9	*	*	*	*6	*
V49.83	*7	*	*	*	*	*	*	*	*	*	*
V50	15	*	10	*	*	*7	*	*	*	*	*
V50.4	*8	*	*8	*	*	*6	*	*	*	*	*
V53	17	*9	*8	*	*	*	11	*	*	*6	*5
V53.3	14	*8	*6	*	*	*	10	*	*	*	*
V53.31	*9	*	*5	*	*	*	*8	*	*	*	*
V54	184	63	120	*	16	32	134	31	64	47	41
V54.0	11	*	*8	*	*	*	*7	*	*	*5	*
V54.01	*7	*	*	*	*	*	*	*	*	*	*
V54.1	89	34	54	*	11	15	62	12	31	24	22
V54.11	*8	*	*6	-	*	*	*7	*	*	*	*
V54.13	33	11	22	-	*	*	30	*	10	11	*7
V54.16	10	*	*5	*	*	*	*	*	*	*	*
V54.17	*9	*	*	*	*	*	*	*	*	*	*
V54.19	22	10	13	*	*	*	14	*	*8	*5	*6
V54.8	79	25	54	*	*	14	61	17	30	18	15
V54.81	58	16	42	-	*	11	47	12	21	13	12
V54.89	20	*9	12	*	*	*	13	*	*9	*5	*
V55	47	28	19	*7	10	16	15	13	*9	16	*9
V55.1	*6	*	*	*	*	*	*	*	*	*	*
V55.2	12	*7	*5	*	*	*	*	*	*	*	*
V55.3	23	14	*9	*	*	*8	*8	*6	*5	*8	*
V56	83	43	40	*	23	31	28	14	*5	37	26
V56.0	76	39	37	*	20	28	27	13	*	35	24
V56.8	*5	*	*	*	*	*	*	*	*	*	*
V57	529	204	325	*5	38	113	373	106	135	170	119

Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region:
United States, 2006

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants.
Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM).
See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North- east	Midwest	South	West
Number of all-listed diagnoses in thousands											
V57.1	100	44	56	*	*7	23	70	22	*9	39	30
V57.2	20	*8	12	*	*	*	14	*	*	*	*7
V57.21	20	*8	12	*	*	*	14	*	*	*	*7
V57.8	406	150	256	*	29	86	288	78	122	125	81
V57.89	406	150	256	*	29	86	288	78	122	125	81
V58	1,273	595	678	62	218	388	604	263	307	469	235
V58.0	23	10	12	*	*	12	*	*5	*	*9	*6
V58.1	164	96	68	38	27	68	31	47	12	64	41
V58.11	157	93	64	38	27	63	30	43	12	62	41
V58.12	*7	*	*	*	*	*5	*	*	*	*	*
V58.4	21	11	10	*	*5	*6	*8	*	*	*8	*7
V58.49	*9	*	*6	*	*	*	*	*	*	*	*
V58.6	1,025	462	563	22	175	292	536	200	276	379	170
V58.61	288	136	152	*	27	62	199	62	88	90	49
V58.62	21	10	12	*	*	*	16	*	16	*	*
V58.63	26	15	12	*	*	*8	16	*	*8	11	*
V58.64	*5	*	*	-	*	*	*	*	*	*	*
V58.65	57	20	37	*	10	15	28	*7	19	19	12
V58.66	167	93	74	*	12	51	103	33	38	63	34
V58.67	351	142	208	*8	101	115	127	79	93	129	50
V58.69	110	44	65	*7	19	38	45	14	13	62	20
V58.7	20	*7	12	*	*	*	13	*	*	*	*8
V58.78	*8	*	*6	*	*	*	*6	*	*	*	*
V58.8	17	*7	10	*	*	*	11	*	10	*	*
V58.89	11	*	*7	*	*	*	*9	*	*8	*	*
V59	10	*	*6	*	*6	*	*	*	*	*	*
V59.4	*8	*	*	-	*	*	*	*	*	*	-
V60	78	49	28	*	39	31	*8	20	16	28	13
V60.0	51	39	12	*	26	25	*	15	*7	18	11
V60.2	17	*6	11	*	11	*5	*	*	*	*9	*
V61	55	14	42	*6	43	*6	*	11	20	20	*
V61.0	*9	*	*	*	*7	*	*	*	*	*	*
V61.1	11	*	*8	-	*8	*	*	*	*5	*	*
V61.10	11	*	*8	-	*8	*	*	*	*5	*	*
V61.2	12	*	*8	*	*8	*	-	*6	*	*	*
V61.20	10	*	*6	*	*7	*	-	*5	*	*	*
V61.5	17	-	17	-	17	*	-	*	*6	*8	*
V62	182	89	93	*	121	51	*5	38	56	71	17
V62.0	15	10	*	-	11	*	-	*	*	*	*
V62.4	*6	*	*	*	*	*	*	*	*	*	*
V62.5	*6	*	*	*	*	*	*	*	*	*	-
V62.8	144	68	77	*	95	42	*	28	48	55	13
V62.81	*8	*	*	-	*5	*	*	*	*	*	-
V62.82	*6	*	*	*	*	*	*	*	*	*	*
V62.84	115	55	60	*	75	33	*	21	34	48	11
V62.89	16	*7	*9	*	11	*	*	*7	*	*	*
V64	142	59	83	*	46	55	37	42	34	41	25
V64.0	27	13	14	*	10	10	*7	10	10	*6	*
V64.06	14	*7	*7	-	*	*6	*	*8	*	*	*

Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region:
United States, 2006

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants.
Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM).
See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region				
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North- east	Midwest	South	West	
Number of all-listed diagnoses in thousands												
V64.09	*9	*	*	-	*	*	*	-	*	*	-	
V64.1	22	10	13	*	*	*8	10	10	*5	*	*	
V64.2	13	*8	*6	*	*6	*	*	*5	*	*	*	
V64.3	15	*	10	*	*6	*	*	*	*	*6	*	
V64.4	65	25	40	*	21	29	13	12	15	22	15	
V64.41	63	23	40	*	21	28	13	12	15	22	14	
V65	34	16	18	*7	17	*8	*	*7	*7	15	*6	
V65.2	*7	*6	*	-	*6	*	-	*	*	*	*	
V65.3	21	*8	13	*6	*7	*	*	*	*	12	*	
V65.4	*6	*	*	*	*	*	*	*	*	*	*	
V66	61	27	34	*	*	13	44	*6	21	24	10	
V66.7	59	27	33	-	*	13	43	*	21	24	10	
V67	*6	*	*	*	*	*	*	*	*	*	*	
V69	*7	*	*	-	*	*	*	*	*	*	*	
V70	33	19	13	*	*9	14	*8	15	*	14	*	
V70.7	29	18	11	*	*8	12	*8	15	*	11	*	
V71	10	*	*5	*	*	*	*	*	*	*	*	
V72	18	*6	12	*	*5	*	*7	10	*	*6	*	
V72.8	14	*5	*9	*	*	*	*7	*7	*	*	-	
V72.83	*8	*	*6	*	*	*	*	*6	*	*	-	
V85	61	13	48	-	30	23	*8	21	*7	21	12	
V85.3	12	*	*9	-	*5	*	*	*	*	*	*	
V85.4	46	*8	38	-	23	18	*5	17	*6	16	*8	

* Figure does not meet standard of reliability or precision.
- Quantity zero.

NOTE: Estimates are rounded to the nearest thousand, and totals may include data from categories that are not shown individually in this table. For these reasons, figures may not always add to totals. Because of low reliability, estimates less than 5,000 are suppressed and an asterisk (*) is inserted. These estimates generally are based on a sample size of less than 30 records and usually have a relative standard error (RSE) of more than 30 percent. Estimates between 5,000 and 9,999 are preceded by an asterisk (*) because they are generally based on fewer than 60 records and may have low reliability. These criteria for minimum sample size and maximum acceptable RSE are consistent with NCHS guidelines for reporting statistical results. More information can be found in the Methods section of National Hospital Discharge Survey:

2005 Annual Summary With Detailed Diagnosis and Procedure Data, Series 13, No. 165.

http://www.cdc.gov/nchs/data/series/sr_13/sr13_165.pdf