

Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region:  
United States, 2007

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification*<sup>8</sup> (ICD-9-CM). See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North- east	Midwest	South	West
Number of all-listed diagnoses in thousands											
All codes	176,159	72,816	103,343	6,998	43,680	47,168	78,313	38,347	42,037	64,098	31,677
001-139	4,301	1,997	2,304	400	963	1,241	1,697	994	901	1,621	785
003	11	*	*7	*	*	*	*	*	*	*6	*
003.0	*8	*	*	*	*	*	*	*	*	*	*
005	*5	*	*	*	*	*	*	*	*	*	*
005.9	*5	*	*	*	*	*	*	*	*	*	*
008	411	165	245	60	53	84	214	112	87	143	69
008.4	247	103	144	*7	25	51	164	76	55	79	37
008.45	238	97	141	*5	24	50	159	74	53	75	36
008.6	32	15	17	28	*	*	*	*	*5	15	*7
008.61	28	14	14	27	*	*	*	*	*	14	*7
008.8	129	46	82	25	25	32	47	31	26	48	24
009	27	10	17	*	*9	*8	*9	*6	*7	*8	*6
009.0	19	*6	13	*	*7	*	*7	*	*	*	*
009.1	*5	*	*	*	*	*	*	*	*	*	*
011	14	10	*	*	*	*7	*	*	*	*8	*
011.9	12	*9	*	*	*	*7	*	*	*	*7	*
011.90	*9	*8	*	*	*	*6	*	*	*	*7	*
031	15	*	10	*	*5	*	*7	*	*	*7	*
031.0	11	*	*7	*	*	*	*6	*	*	*6	*
034	33	13	21	19	11	*	*	*8	*7	16	*
034.0	31	12	19	18	10	*	*	*8	*7	14	*
038	957	454	503	23	100	254	579	178	230	371	177
038.0	53	30	24	*	*6	16	29	12	14	17	10
038.1	125	64	61	*	18	40	65	23	27	53	22
038.10	12	*	*7	*	*	*	*5	*	*	*7	*
038.11	82	48	35	*	13	26	41	18	18	30	17
038.19	31	12	19	*	*	10	18	*	*8	16	*
038.2	*9	*	*5	*	*	*	*	*	*	*	*
038.3	*6	*	*	-	*	*	*	*	*	*	*
038.4	152	72	80	*	15	39	93	28	42	56	26
038.40	14	*6	*8	*	*	*	*7	*	*	*7	*
038.42	73	29	44	*	*6	16	49	13	23	26	12
038.43	12	*7	*5	*	*	*	*8	*	*	*5	*
038.49	48	27	21	*	*	14	28	10	11	16	11
038.8	26	15	11	*	*	*7	14	*7	*5	*9	*
038.9	586	266	320	13	57	146	370	105	139	230	112
041	1,162	479	682	129	251	269	513	256	281	414	212
041.0	150	73	77	15	37	37	61	36	41	44	28
041.00	12	*7	*	*	*	*	*	*	*	*	*
041.01	*8	*6	*	*	*	*	*	*	*	*	*
041.02	31	*8	23	*	16	*8	*6	*6	11	11	*
041.04	71	34	36	*	*6	16	44	19	20	19	12
041.09	25	15	10	*	*8	*6	*5	*6	*6	*8	*5
041.1	372	197	175	53	109	103	107	70	82	150	70
041.10	16	*9	*7	*	*	*5	*5	*	*5	*6	*
041.11	316	167	149	45	98	87	85	59	67	129	61
041.19	40	20	20	*6	*7	11	17	*9	10	15	*7
041.3	69	18	51	*5	*8	14	42	20	15	23	11
041.4	316	81	235	33	52	51	179	63	79	113	61
041.6	48	18	30	*	*	*9	35	10	18	15	*
041.7	67	32	35	*6	*8	18	36	18	14	22	13
041.8	121	55	66	12	26	34	49	34	27	39	21
041.84	*8	*	*	*	*	*	*	*	*	*	*
041.85	48	19	29	*6	11	12	19	11	14	17	*6
041.86	27	15	12	*	*7	*9	10	*6	*6	10	*6
041.89	32	14	18	*	*	*9	18	15	*6	*6	*
041.9	12	*	10	*	*8	*	*	*	*	*	*

Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region:  
United States, 2007

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification*<sup>8</sup> (ICD-9-CM). See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North- east	Midwest	South	West
Number of all-listed diagnoses in thousands											
042	155	108	48	*	83	69	*	56	11	70	19
047	32	15	16	*8	17	*6	*	*5	*6	11	*9
047.9	29	14	15	*6	16	*5	*	*5	*6	10	*9
053	63	20	43	*	*7	12	44	14	20	19	11
053.1	25	*9	17	*	*	*	21	*6	10	*7	*
053.19	24	*9	15	*	*	*	19	*6	*9	*6	*
053.9	29	*9	20	*	*	*7	17	*7	*7	*9	*6
054	89	24	65	*6	58	17	*8	23	15	36	15
054.1	32	*7	25	*	25	*5	*	*8	*6	14	*
054.10	24	*6	19	*	19	*	*	*5	*	12	*
054.9	42	*9	33	*	30	*7	*	*9	*7	19	*7
057	*6	*	*	*	*	*	*	*	*	*	*
070	465	293	172	*	125	286	52	128	53	180	103
070.3	55	36	19	*	20	27	*9	15	*6	27	*7
070.30	32	19	12	*	11	16	*	*7	*	17	*
070.32	23	16	*7	-	*9	11	*	*8	*	11	*
070.5	173	112	61	*	33	115	24	61	16	48	48
070.51	*8	*6	*	-	*	*6	*	*	*	*	*
070.54	165	106	58	*	32	109	24	59	15	44	47
070.7	223	137	86	*	69	136	17	48	30	100	44
070.70	218	133	84	*	69	131	17	48	29	98	42
070.71	*5	*	*	-	*	*	*	*	*	*	*
075	17	*8	*9	*	13	*	*	*	*6	*6	*
078	25	10	15	*	13	*7	*	*	*	10	*8
078.1	*9	*	*8	*	*8	*	*	*	*	*	*
078.5	13	*8	*6	*	*5	*6	*	*	*	*	*
079	157	64	93	84	36	14	22	39	29	56	32
079.4	10	*	10	-	*9	*	-	*	*	*5	*
079.6	*9	*	*	*8	*	-	*	*	*	*5	*
079.8	*6	*	*	*	*	-	*	*	*	*	*
079.9	124	53	71	66	24	12	22	28	26	42	28
079.99	121	53	68	66	21	12	22	28	26	40	28
088	*9	*	*	*	*	*	*	*	*	*	-
088.8	*9	*	*	*	*	*	*	*	*	*	-
088.81	*9	*	*	*	*	*	*	*	*	*	-
094	13	*6	*7	-	*	*6	*6	*	*	*6	*
094.0	*8	*	*5	-	*	*	*	*	*	*	*
099	*7	*	*	*	*6	*	*	*	*	*	*
099.5	*5	*	*	*	*	*	-	*	*	*	*
110	57	36	21	*	11	17	24	15	19	14	*9
110.1	23	14	*9	-	*	*8	14	*6	10	*5	*
110.3	*5	*	*	*	*	*	*	*	*	*	*
110.4	18	14	*	*	*	*6	*5	*	*	*	*6
112	330	137	193	30	67	95	139	70	70	143	47
112.0	182	84	98	16	38	57	71	39	43	79	21
112.1	20	-	20	*	11	*6	*	*	*	*8	*
112.2	36	14	22	*	*	*5	27	*8	*7	16	*
112.3	18	*6	12	*8	*	*	*5	*	*	*7	*
112.4	*8	*	*	*	*	*	*	*	*	*	*
112.5	*9	*	*5	*	*	*	*	*	*	*	*
112.8	51	24	27	*	*8	17	24	11	*7	24	*9
112.84	40	19	21	*	*6	13	21	*9	*5	18	*8
112.89	10	*	*5	*	*	*	*	*	*	*	*
112.9	*7	*	*6	*	*	*	*	*	*	*	*
114	*6	*	*	-	*	*	*	*	*	*	*5

Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region:  
United States, 2007

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification*<sup>8</sup> (ICD-9-CM). See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North- east	Midwest	South	West
Number of all-listed diagnoses in thousands											
117	26	15	11	*	*8	*9	*8	*6	*	14	*
117.3	11	*6	*	*	*	*6	*	*	*	*6	*
117.9	10	*5	*	*	*	*	*	*	*	*5	*
131	*8	*	*8	-	*7	*	*	*	*	*	*
131.0	*7	*	*7	-	*5	*	*	*	*	*	*
132	*6	*	*6	*	*	*	*	*	*	*	*
132.0	*6	*	*6	*	*	*	*	*	*	*	*
135	57	24	33	*	13	26	18	20	14	16	*7
136	28	20	*8	*	13	11	*	*7	*	14	*
136.3	18	15	*	*	10	*7	*	*5	*	10	*
136.9	*9	*5	*	*	*	*	*	*	*	*	*
138	18	*8	10	-	*	*5	12	*	*	*5	*
140-239	4,443	1,894	2,550	109	577	1,625	2,133	1,039	985	1,629	791
141	11	*8	*	*	*	*	*	*	*	*5	*
145	*5	*	*	*	*	*	*	*	*	*	*
146	*6	*	*	*	*	*	*	*	*	*	*
148	*5	*	*	-	*	*	*	*	*	*	*
150	25	21	*	*	*	*8	15	*8	*	*7	*6
150.9	15	12	*	*	*	*	*8	*	*	*	*
151	33	21	11	-	*	11	20	*7	*5	10	11
151.0	10	*8	*	-	*	*6	*	*	*	*	*
151.9	*9	*5	*	-	*	*	*6	*	*	*	*
152	*9	*	*	*	*	*	*5	*	*	*	*
153	177	80	97	*	*8	55	112	40	46	64	27
153.0	*7	*5	*	-	*	*	*	*	*	*	*
153.1	12	*6	*7	-	*	*	*8	*	*	*6	*
153.2	12	*	*8	*	*	*6	*6	*	*	*	*
153.3	27	16	11	-	*	11	14	*6	*7	10	*
153.4	25	*8	18	-	*	*	20	*	*8	*9	*
153.5	*6	*	*	*	*	*	*	*	*	*	*
153.6	24	12	13	-	*	*6	18	*7	*8	*8	*
153.8	*8	*	*5	-	*	*	*	*	*	*	*
153.9	53	25	27	*	*	16	33	13	11	19	*9
154	64	35	28	-	*9	18	37	13	15	27	*9
154.0	22	12	10	-	*	*7	12	*	*	*9	*
154.1	36	20	16	-	*	*9	21	*8	*9	14	*5
155	48	32	16	*	*	22	23	13	*6	20	*9
155.0	37	25	12	*	*	19	15	10	*	14	*9
155.1	*7	*	*	-	*	*	*	*	*	*	*
156	17	*8	*9	*	*	*	13	*	*	*	*6
156.1	*6	*	*	*	*	*	*	*	*	*	*
157	73	35	38	*	*7	26	41	16	13	27	17
157.0	19	*8	11	-	*	*8	11	*	*	*5	*5
157.8	*9	*	*	*	*	*	*	*	*	*	*
157.9	37	19	18	*	*	11	21	*6	*7	17	*8
158	10	*	*8	*	*	*	*6	*	*	*	*
161	13	*8	*5	-	*	*7	*	*	*	*	*
161.1	*5	*	*	-	*	*	*	*	*	*	*
161.9	*6	*	*	-	*	*	*	*	*	*	*

Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region:  
United States, 2007

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification*<sup>8</sup> (ICD-9-CM). See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of all-listed diagnoses in thousands											
162	370	191	179	*	11	113	245	94	93	128	56
162.2	17	*8	*9	*	*	*	13	*	*6	*5	*
162.3	79	38	41	-	*	24	52	22	17	32	*9
162.4	*9	*	*	-	*	*	*5	*	*	*	*
162.5	31	15	16	-	*	*7	23	11	*6	10	*
162.8	32	16	16	*	*	14	17	14	*6	*6	*
162.9	201	108	93	*	*6	61	133	41	56	71	32
170	15	*9	*7	*5	*6	*	*	*6	*	*6	*
170.7	*7	*	*	*	*	*	*	*	*	*	*
171	26	14	12	*9	*	*6	*8	12	*	*8	*
171.3	*5	*	*	*	*	*	*	*	*	*	*
171.9	*6	*	*	*	*	*	*	*	*	*	*
172	*8	*6	*	-	*	*	*	*	*	*	*
173	18	10	*8	*	*	*	14	*	*	*7	*
173.3	*6	*	*	-	-	*	*5	*	*	*	*
174	145	-	145	*	18	71	55	28	34	60	23
174.2	*5	-	*5	-	*	*	*	*	*	*	*
174.4	11	-	11	-	*	*5	*	*	*	*	*
174.8	35	-	35	-	*	17	14	11	*7	12	*
174.9	85	-	85	*	12	43	29	14	21	37	13
180	22	-	22	-	*6	12	*	*	*	11	*6
180.9	16	-	16	-	*	*8	*	*	*	*8	*
182	35	-	35	-	*	19	16	10	*9	14	*
182.0	34	-	34	-	*	18	15	*9	*8	14	*
183	53	-	53	*	*6	22	25	*9	10	24	11
183.0	52	-	52	*	*6	21	24	*9	*9	23	11
184	*8	-	*8	*	*	*	*	*	*	*	*
184.4	*6	-	*6	-	*	*	*	*	*	*	*
185	186	186	-	*	*	61	123	45	46	57	38
186	*6	*6	-	*	*	*	*	*	*	*	*
186.9	*6	*6	-	*	*	*	*	*	*	*	*
188	59	45	14	*	*	18	41	14	12	23	*9
188.8	19	16	*	*	*	*	14	*7	*	*	*
188.9	26	19	*6	*	*	*8	17	*	*5	11	*
189	76	42	34	*	*	29	41	14	19	26	17
189.0	69	39	30	*	*	28	36	13	16	24	16
190	*9	*	*7	*6	*	*	*	*	*	*8	-
190.5	*5	*	*5	*5	*	-	*	*	-	*5	-
191	44	26	18	*6	10	14	13	12	*7	17	*9
191.1	*9	*6	*	*	*	*	*	*	*	*	*
191.3	*6	*	*	*	*	*	*	*	*	*	*
191.9	11	*7	*	*	*	*	*	*	*	*6	*
192	*5	*	*	*	*	*	*	*	*	*	*
193	29	*	25	*	11	11	*7	*6	*5	10	*9
194	10	*7	*	*7	*	*	*	*	*	*6	*
194.0	*8	*6	*	*6	*	*	*	*	*	*	*
195	*9	*6	*	*	*	*	*	*	*	*	*
196	169	71	98	*	16	74	79	43	37	53	36
196.0	23	16	*7	*	*	*8	11	*6	*5	*6	*6

Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region:  
United States, 2007

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification*<sup>8</sup> (ICD-9-CM). See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North- east	Midwest	South	West
Number of all-listed diagnoses in thousands											
196.1	22	11	11	*	*	*8	13	*6	*6	*7	*
196.2	61	27	34	*	*	25	31	18	13	17	13
196.3	29	*	26	*	*	17	*9	*7	*6	10	*7
196.5	*7	*	*5	*	*	*	*	*	*	*	*
196.6	13	*6	*7	-	*	*	*7	*	*	*	*
196.9	11	*5	*6	*	*	*7	*	*	*	*	*
197	563	232	331	*	40	225	294	133	129	200	102
197.0	147	69	78	*	13	60	71	34	35	53	25
197.1	18	*7	11	*	*	*9	*8	*	*	*	*8
197.2	57	18	39	*	*	20	34	14	12	22	10
197.4	10	*5	*5	-	*	*6	*	*	*	*	*
197.5	15	*	10	*	*	*6	*8	*	*5	*	*
197.6	77	22	55	*	*7	31	38	18	14	32	14
197.7	214	97	117	*	14	85	114	52	50	74	38
197.8	24	10	14	-	*	*7	16	*7	*8	*7	*
198	472	226	247	*6	41	190	235	115	120	154	83
198.0	10	*	*7	-	*	*	*	*	*	*6	*
198.1	15	10	*	*	*	*5	*9	*	*	*	*6
198.2	12	*7	*	-	*	*	*6	*	*	*	*
198.3	112	58	54	*	10	51	51	31	29	35	17
198.4	*7	*	*	-	*	*	*	*	*	*	*
198.5	200	98	103	*	13	72	112	49	53	64	33
198.6	*7	-	*7	-	*	*	*	*	*	*	*
198.7	22	*9	12	*	*	11	11	*	*6	*8	*
198.8	87	36	51	*	10	36	39	19	18	30	19
198.82	11	*	*8	-	*	*5	*5	*	*	*	*
198.89	73	33	41	*	10	30	33	16	16	25	17
199	101	41	59	*	*8	36	55	21	24	41	15
199.0	28	*8	20	-	*	12	12	*	*7	14	*6
199.1	73	33	39	*	*	24	42	19	17	28	*9
200	17	11	*7	*	*	*	*9	*5	*	*6	*
200.0	*7	*	*	*	*	*	*	*	*	*	*
200.1	*5	*	*	*	*	*	*	*	*	*	*
201	31	13	17	*	11	13	*6	*8	*	15	*
201.9	27	11	16	*	*8	12	*6	*8	*	12	*
201.90	21	*8	13	*	*	11	*5	*7	*	*9	*
202	149	80	69	*	12	51	85	38	32	56	22
202.0	*7	*	*	*	*	*	*	*	*	*	*
202.1	*9	*5	*	*	*	*	*	*	*	*7	*
202.8	128	69	59	*	10	45	73	34	30	45	20
202.80	93	50	43	*	*7	29	57	25	22	33	12
202.81	*7	*	*	-	*	*	*	*	*	*	*
202.83	12	*7	*	-	*	*	*5	*	*	*	*
202.88	*8	*6	*	*	*	*	*	*	*	*	*
203	92	37	55	-	*	27	63	21	13	47	10
203.0	90	36	54	-	*	26	63	21	13	46	10
203.00	87	35	52	-	*	25	60	20	12	44	10
204	120	71	49	30	*6	23	62	27	25	46	22
204.0	48	31	17	29	*6	*7	*6	12	*	22	10
204.00	32	20	12	17	*	*7	*	*9	*	16	*
204.01	16	10	*6	13	*	*	*	*	*	*6	*7
204.1	71	40	31	-	*	16	55	15	20	24	12
204.10	67	37	30	-	*	14	54	14	20	23	11
205	58	34	24	*	*9	19	29	21	11	21	*5
205.0	43	27	17	*	*8	16	18	18	*7	14	*
205.00	38	24	13	*	*6	14	17	15	*7	12	*
205.01	*5	*	*	*	*	*	*	*	*	*	*
205.1	14	*7	*7	*	*	*	11	*	*	*6	*
205.10	12	*7	*5	*	*	*	*9	*	*	*	*
208	12	*6	*6	-	*	*	*7	*	*	*	*

Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region:  
United States, 2007

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification*<sup>8</sup> (ICD-9-CM). See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of all-listed diagnoses in thousands											
208.0	*5	*	*	-	*	*	*	*	*	*	*
208.00	*5	*	*	-	*	*	*	*	*	*	*
208.9	*6	*	*	-	*	*	*	*	*	*	*
211	178	76	102	*	13	56	109	38	48	60	31
211.1	20	*5	15	-	*	*6	12	*5	*	*7	*
211.3	136	62	74	*	*8	41	86	27	39	45	25
211.4	12	*	*7	-	*	*	*8	*	*	*	*
212	*7	*	*	*	*	*	*	*	*	*	*
214	17	10	*7	*	*	*7	*6	*	*	*6	*
214.1	*6	*	*	-	*	*	*	*	*	*	*
214.8	*6	*	*	*	*	*	*	*	*	*	*
215	*6	*	*	*	*	*	*	*	*	*	*
216	10	*	*7	*	*	*	*	*	*	*	*
218	365	-	365	-	185	168	12	70	77	149	70
218.0	31	-	31	-	15	16	*	10	*6	10	*5
218.1	95	-	95	-	44	48	*	26	11	41	18
218.2	56	-	56	-	29	25	*	11	14	22	*9
218.9	183	-	183	-	97	79	*7	24	46	76	38
219	*6	-	*6	-	*	*	*	*	*	*	*
220	56	-	56	*	23	24	*7	10	15	23	*9
221	*6	-	*6	-	*	*	*	*	*	*	*
223	*7	*	*	*	*	*	*	*	*	*	*
223.0	*6	*	*	*	*	*	*	*	*	*	*
225	44	11	33	*	*	17	23	12	*6	17	10
225.1	*6	*	*	-	*	*	*	*	*	*	*
225.2	32	*6	26	*	*	10	19	*9	*	12	*7
226	10	*	*8	*	*	*	*	*	*	*	*
227	33	13	20	*	*8	14	10	*7	*	14	*7
227.0	11	*6	*5	*	*	*	*5	*	*	*6	*
227.1	*8	*	*7	-	*	*	*	*	*	*	*
227.3	14	*7	*7	*	*	*6	*	*	*	*6	*
228	23	*9	14	*	*6	*8	*5	*6	*	*8	*5
228.0	20	*8	12	*	*5	*7	*5	*	*	*8	*
228.04	*9	*	*	*	*	*	*	*	*	*	*
228.09	*5	*	*	*	*	*	*	*	*	*	*
233	26	*	25	-	10	11	*5	*	*	10	*6
233.0	14	-	14	-	*	*8	*	*	*	*5	*
233.1	*9	-	*9	-	*8	*	*	*	*	*	*
235	16	*8	*8	*	*	*	*9	*	*	*7	*
235.2	*9	*5	*	*	*	*	*6	*	*	*	*
236	*7	*	*6	*	*	*	*	*	*	*	*
237	16	*7	*9	*	*7	*	*	*	*	*6	*
237.7	*8	*	*	*	*	*	*	*	*	*	*
237.70	*6	*	*	*	*	*	*	*	*	*	*
238	117	58	59	*	*8	30	76	30	33	37	17
238.4	21	13	*8	*	*	10	*9	*	*6	*7	*
238.7	93	44	49	*	*6	19	65	24	27	28	14
238.71	26	*8	18	*	*	10	11	*6	*7	*7	*5
238.75	54	28	26	*	*	*7	46	14	17	16	*7
238.79	11	*8	*	*	*	*	*6	*	*	*	*

Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region:  
United States, 2007

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification*<sup>8</sup> (ICD-9-CM). See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of all-listed diagnoses in thousands											
239	25	12	13	*	*	*8	14	*7	*	10	*
239.0	*6	*	*	-	*	*	*	*	*	*	*
240-279	20,749	8,728	12,021	537	2,846	6,630	10,736	4,503	5,166	7,387	3,693
240	17	*	14	*	*5	*6	*6	*	*	*6	*
240.9	17	*	14	*	*5	*6	*6	*	*	*6	*
241	48	*8	39	*	*9	22	16	13	*7	16	11
241.0	25	*5	20	*	*6	12	*7	*5	*	*8	*7
241.1	20	*	18	*	*	*9	*9	*7	*	*7	*
242	101	22	79	*	31	26	43	23	23	36	19
242.0	25	*	21	*	12	*7	*6	*	*8	*7	*6
242.00	24	*	20	*	11	*7	*6	*	*8	*6	*6
242.8	*6	*	*	*	*	*	*	*	*	*	*
242.80	*6	*	*	*	*	*	*	*	*	*	*
242.9	66	16	50	*	18	17	30	16	12	27	10
242.90	65	15	50	*	18	17	30	16	12	27	10
244	1,719	331	1,388	10	231	433	1,044	370	508	532	307
244.0	40	*8	33	*	*	13	22	11	11	*8	11
244.1	11	*	11	*	*	*	*7	*	*5	*	*
244.8	10	*	*7	*	*	*	*	*	*	*	*
244.9	1,654	318	1,336	*9	222	412	1,011	356	489	519	291
245	22	*	21	*	*9	*8	*6	*6	*	*9	*5
245.2	18	*	17	*	*6	*6	*6	*	*	*7	*
246	29	*	25	*	*6	12	11	*	*	16	*7
246.8	*8	*	*8	-	*	*	*	*	*	*	*
246.9	18	*	16	*	*	*7	*7	*	*	11	*
250	5,384	2,508	2,876	32	625	1,945	2,782	1,251	1,228	2,016	888
250.0	4,040	1,831	2,208	15	385	1,445	2,194	936	935	1,533	636
250.00	3,546	1,606	1,939	*6	298	1,249	1,992	834	822	1,322	568
250.01	106	48	58	*8	30	38	31	23	36	33	15
250.02	370	169	201	*	48	154	168	76	73	170	51
250.03	18	*8	10	*	*9	*	*	*	*	*8	*
250.1	155	80	75	12	84	42	17	33	30	60	32
250.10	*7	*	*	*	*	*	*	*	*	*	*
250.11	*8	*	*	*	*5	*	-	*	*	*	*
250.12	48	25	24	*	15	21	13	12	*9	14	12
250.13	92	47	45	10	60	17	*	15	20	41	16
250.2	22	14	*9	*	*	11	*6	*	*	11	*
250.20	*7	*	*	-	*	*	*	*	*	*	*
250.22	13	*8	*5	-	*	*8	*	*	*	*7	*
250.3	*8	*	*	*	*	*	*	*	*	*	*
250.4	235	122	113	*	30	92	113	46	42	83	64
250.40	161	84	76	-	11	63	86	29	26	56	49
250.41	18	10	*8	-	*8	*6	*	*5	*	*5	*
250.42	47	24	24	-	*5	20	22	11	10	18	*8
250.43	*9	*	*	*	*6	*	*	*	*	*	*
250.5	100	48	52	-	16	43	42	25	26	31	19
250.50	57	28	29	-	*5	24	28	10	16	20	11
250.51	13	*5	*7	-	*	*7	*	*	*	*	*
250.52	24	11	12	-	*	10	11	*9	*	*5	*
250.53	*7	*	*	-	*	*	*	*	*	*	*
250.6	414	199	215	*	62	168	184	100	102	144	69
250.60	280	131	148	*	22	112	145	68	68	98	46
250.61	31	13	18	-	13	12	*5	*7	*9	*8	*7
250.62	81	44	37	-	13	37	31	22	20	27	12
250.63	22	11	11	-	13	*6	*	*	*	10	*
250.7	80	45	35	-	*	30	46	24	14	28	14
250.70	51	28	23	-	*	17	34	12	*9	20	10
250.72	23	15	*8	-	*	*9	12	*7	*5	*7	*
250.8	279	142	137	*	28	95	155	71	60	108	40
250.80	201	100	101	*	14	64	121	51	38	82	28
250.81	14	*7	*7	*	*6	*	*	*	*	*5	*

Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region:  
United States, 2007

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification*<sup>8</sup> (ICD-9-CM). See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North- east	Midwest	South	West
Number of all-listed diagnoses in thousands											
250.82	55	30	26	*	*5	22	28	14	13	18	*9
250.83	10	*6	*	*	*	*	*	*	*	*	*
250.9	49	23	26	*	*9	18	23	*8	13	17	12
250.92	40	19	20	*	*	15	20	*6	11	12	10
251	81	33	48	12	19	22	29	21	22	28	*9
251.1	*7	*	*	*	*	*	*	*	*	*	*
251.2	27	11	16	*8	*8	*5	*6	*7	*7	10	*
251.8	46	19	27	*	*9	16	20	12	14	16	*
252	45	12	33	*	*7	15	23	*9	10	19	*8
252.0	29	*7	22	*	*5	10	14	*6	*5	11	*6
252.00	20	*7	13	*	*	*6	10	*	*	*9	*
252.01	*8	*	*8	-	*	*	*	*	*	*	*
252.1	16	*	11	*	*	*	*9	*	*	*8	*
253	101	44	57	*8	18	24	51	21	28	35	17
253.2	14	*5	*9	*	*	*	*	*	*	*7	*
253.5	16	*9	*7	*6	*6	*	*	*	*	*8	*5
253.6	59	23	36	*	*	13	42	13	20	18	*9
255	108	35	73	*	20	37	46	22	29	43	14
255.0	13	*	10	*	*	*7	*	*	*	*6	*
255.4	68	24	44	*	12	23	30	16	17	28	*7
255.9	10	*	*8	-	*	*	*7	*	*	*	*
256	22	-	22	*	20	*	*	*	*6	*8	*
256.4	19	-	19	*	17	*	*	*	*6	*6	*
257	*8	*8	-	-	*	*	*	*	*	*	*
257.2	*8	*8	-	-	*	*	*	*	*	*	*
259	*8	*	*	*	*	*	*	*	*	*	*
260	17	*6	12	*	*	*	12	*	*	12	*
261	31	13	18	*	*	12	15	*7	*6	13	*
262	13	*7	*6	*	*	*	*9	*	*	*7	*
263	474	191	283	*7	48	112	307	83	120	186	85
263.1	*6	*	*8	*	*	*	*	*	*	*	*
263.8	16	*7	*9	*	*	*6	*7	*	*	*8	*
263.9	448	179	268	*6	45	103	294	75	114	176	83
266	66	29	37	-	*7	18	41	23	12	21	*9
266.2	64	28	36	-	*6	17	41	23	12	21	*9
268	*9	*	*6	*	*	*	*	*	*	*	*
268.9	*7	*	*6	*	*	*	*	*	*	*	*
269	*7	*	*	*	*	*	*	*	*	*	*
270	16	*5	11	*	*	*	*	*	*	*7	*
270.4	*5	*	*	*	*	*	*	*	*	*	*
271	20	*9	11	*	*	*	*9	*7	*	*	*
271.3	16	*7	*8	*	*	*	*7	*	*	*	*
272	4,081	2,039	2,042	*7	291	1,528	2,255	998	1,079	1,289	714
272.0	1,173	569	605	*	89	449	632	386	268	329	190
272.1	55	36	19	*	18	26	11	*6	18	19	12
272.2	21	12	*9	-	*	*9	*8	*	*	13	*
272.4	2,799	1,406	1,393	*	175	1,032	1,589	595	783	914	507
272.9	21	10	11	-	*	*9	10	*5	*6	*8	*
273	72	31	41	*	*9	23	37	16	23	24	*9
273.1	*9	*	*	-	*	*	*6	*	*	*	*
273.3	*8	*	*	*	*	*	*	*	*	*	*
273.8	50	21	29	*	*9	15	24	*6	17	20	*6



Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region:  
United States, 2007

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification*<sup>8</sup> (ICD-9-CM). See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North- east	Midwest	South	West
Number of all-listed diagnoses in thousands											
274	296	194	103	*	13	88	195	68	72	104	52
274.0	49	32	17	-	*	17	29	14	11	19	*5
274.9	243	159	84	*	*9	70	164	53	60	84	46
275	317	129	187	*9	69	103	135	55	76	131	55
275.0	10	*7	*	*	*	*	*	*	*	*	*
275.2	141	56	85	*	30	47	61	20	35	62	23
275.3	43	22	21	*	15	14	11	*9	*8	17	*8
275.4	119	43	76	*	21	37	57	25	28	44	21
275.41	61	23	38	*	16	20	22	*9	15	23	13
275.42	49	16	33	*	*	16	28	13	11	18	*7
275.49	*7	*	*	*	*	*	*5	*	*	*	*
276	6,118	2,518	3,601	389	862	1,525	3,341	1,143	1,553	2,256	1,165
276.0	199	87	112	10	13	34	142	39	50	75	34
276.1	1,100	460	640	34	108	289	669	193	299	370	239
276.2	401	194	207	44	57	109	191	57	88	156	100
276.3	72	30	42	*	*8	22	37	12	22	26	12
276.4	28	13	15	*	*	11	12	*	*9	11	*
276.5	2,396	981	1,415	259	330	478	1,329	473	606	880	437
276.50	154	64	90	*	21	45	84	17	21	94	22
276.51	2,170	886	1,284	255	299	414	1,202	445	565	761	398
276.52	72	31	41	*	10	19	43	12	19	25	16
276.6	124	57	67	*	19	45	58	21	33	51	18
276.7	508	241	267	*7	50	142	309	96	122	186	104
276.8	1,171	407	764	22	261	360	528	227	291	462	192
276.9	119	48	71	*5	13	34	67	21	34	38	26
277	84	43	41	12	35	21	16	17	19	34	13
277.0	21	*9	12	*8	11	*	*	*6	*	10	*
277.00	*8	*	*	*	*	*	*	*	*	*	*
277.02	10	*	*6	*	*6	*	*	*	*	*	*
277.1	11	*9	*	-	10	*	*	*	*	*9	*
277.3	*8	*	*	*	*	*	*5	*	*	*	*
277.39	*5	*	*	-	*	*	*	*	*	*	*
277.4	*8	*6	*	*	*	*	*	*	*	*	*
277.7	25	12	13	*	*7	12	*6	*	*9	*7	*6
277.8	*7	*	*	*	*	*	*	*	*	*	*
278	1,396	480	915	21	482	614	279	317	304	505	270
278.0	1,376	473	903	21	474	606	275	314	299	497	266
278.00	785	289	496	18	264	336	167	164	177	289	154
278.01	565	175	390	*	198	262	103	145	111	200	108
278.02	26	*8	17	*	12	*9	*	*	10	*8	*
278.1	11	*	*9	-	*6	*	*	*	*	*6	*
278.8	*8	*5	*	-	*	*	*	*	*	*	*
279	35	14	20	*8	*7	10	*9	*6	*8	15	*6
279.0	15	*6	*8	*	*	*	*	*	*	*7	*
279.00	*6	*	*	*	*	*	*	*	*	*	*
279.4	*6	*	*	*	*	*	*	*	*	*	*
280-289	5,193	2,073	3,120	201	1,125	1,364	2,504	1,118	1,235	1,867	973
280	713	256	457	15	144	182	373	141	189	250	134
280.0	399	162	237	*	63	109	224	76	106	144	74
280.8	*6	*	*5	*	*	*	*	*	*	*	*
280.9	306	91	215	10	80	70	146	64	81	103	58
281	94	40	54	*	*8	20	64	17	29	30	18
281.0	21	*6	15	*	*	*	16	*	*8	*6	*
281.1	17	*6	11	-	*	*	12	*	*	*7	*
281.9	50	26	24	*	*	11	34	10	15	14	11
282	158	69	89	30	97	21	10	51	15	78	14
282.4	29	16	13	*6	10	*6	*7	11	*	10	*
282.49	23	11	12	*	*6	*6	*7	*7	*	*8	*
282.5	27	*6	21	*	19	*	*	*8	*	14	*

Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region:  
United States, 2007

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification*<sup>8</sup> (ICD-9-CM). See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of all-listed diagnoses in thousands											
282.6	96	44	52	19	65	10	*	28	*8	52	*6
282.60	15	*5	*9	*	*8	*	*	*	*	10	*
282.61	*6	*	*	*	*	*	*	*	*	*	*
282.62	66	30	36	*9	50	*7	*	20	*7	36	*
283	25	10	15	*	*7	*6	11	*6	*6	*9	*
283.0	*9	*	*6	*	*	*	*	*	*	*	*
283.9	10	*5	*5	*	*	*	*6	*	*	*	*
284	175	96	79	*9	29	63	74	38	35	73	29
284.1	124	71	53	*5	21	47	50	26	25	53	20
284.8	43	20	22	*	*6	13	20	11	*9	16	*7
284.9	*9	*	*	*	*	*	*	*	*	*	*
285	2,686	951	1,734	44	552	663	1,426	585	676	917	507
285.1	773	292	481	*	110	205	455	210	209	200	154
285.2	380	170	211	*6	41	115	218	74	101	138	67
285.21	126	68	58	*	16	39	71	19	30	50	27
285.22	80	37	42	*	*6	31	40	20	19	28	12
285.29	174	64	110	*	20	45	107	35	53	60	27
285.8	38	14	24	*	10	*7	17	*6	*7	11	14
285.9	1,492	474	1,019	31	390	337	735	294	358	569	272
286	196	92	104	*7	36	63	90	42	36	78	41
286.0	*6	*5	*	*	*	*	*	*	*	*	*
286.3	18	*	14	*	*6	*6	*5	*	*6	*6	*
286.4	14	*	10	*	*5	*	*	*	*	*6	*
286.5	*6	*	*	-	*	*	*	*	*	*	*
286.6	25	12	13	*	*6	*7	11	*8	*	*9	*
286.7	22	10	12	*	*	*9	11	*5	*	*9	*
286.9	102	53	49	*	13	35	51	16	19	41	27
287	586	316	270	24	106	186	270	136	129	215	106
287.1	*5	*	*	*	*	*	*	*	*	*	*
287.3	61	24	36	*5	14	16	25	16	14	21	10
287.30	*5	*	*	*	*	*	*	*	*	*	*
287.31	53	22	31	*	12	13	23	14	12	18	*9
287.4	94	56	38	*	14	41	38	25	19	31	19
287.5	418	229	189	14	74	126	204	91	95	159	74
288	405	184	221	53	100	114	138	67	87	161	90
288.0	112	53	59	25	14	32	40	31	20	38	23
288.00	76	36	39	17	*9	22	27	19	15	27	15
288.03	24	11	13	*	*	*8	10	10	*	*7	*
288.3	*8	*	*	*	*	*	*	*	*	*	*
288.5	34	17	17	*	*9	*9	12	*6	*7	13	*8
288.50	32	15	16	*	*9	*9	12	*6	*7	13	*7
288.6	238	103	135	21	70	66	81	27	56	100	56
288.60	231	101	131	20	68	65	78	26	54	97	54
288.8	12	*6	*6	*	*	*5	*	*	*	*7	*
289	156	59	97	16	46	46	47	37	33	56	30
289.0	*6	*	*	*	*	*	*	*	*	*	*
289.2	*8	*	*	*	*	*	*	*	*	*	*
289.3	13	*8	*5	*8	*	*	*	*	*	*	*
289.5	12	*7	*6	*	*	*	*	*	*	*	*
289.59	*9	*	*	*	*	*	*	*	*	*	*
289.8	109	32	78	*	36	33	38	27	23	40	19
289.81	89	23	66	*	31	26	29	22	17	35	15
289.89	13	*	*8	*	*	*5	*	*	*	*	*
290-319	12,888	6,372	6,516	438	5,194	4,315	2,940	3,337	3,102	4,639	1,809
290	162	61	101	-	*	*8	154	45	41	58	19
290.0	67	23	44	-	-	*	66	25	15	19	*9
290.1	*6	*	*	-	*	*	*	*	*	*	*
290.2	*8	*	*6	-	-	*	*8	*	*	*	*
290.21	*5	*	*	-	-	*	*5	*	*	*	*
290.3	16	*	11	-	-	*	14	*	*7	*	*

Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region:  
United States, 2007

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification*<sup>8</sup> (ICD-9-CM). See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of all-listed diagnoses in thousands											
290.4	64	29	35	-	*	*	60	11	14	31	*9
290.40	45	22	24	-	*	*	43	*7	11	21	*7
290.41	*9	*	*5	-	*	*	*9	*	*	*	*
290.43	*5	*	*	-	-	*	*	*	*	*	*
291	362	268	94	*	144	181	36	111	79	114	58
291.0	59	48	11	-	18	33	*8	16	14	21	*9
291.2	18	15	*	*	*	*8	10	*	*	*8	*
291.8	275	197	78	*	122	134	18	91	58	82	44
291.81	265	192	74	*	117	130	17	89	55	79	43
291.89	*9	*6	*	-	*5	*	*	*	*	*	*
292	266	144	122	*	128	78	58	88	62	85	31
292.0	141	81	60	*	87	47	*7	55	29	46	12
292.1	15	*7	*8	*	*5	*	*7	*	*	*5	*
292.12	13	*6	*7	*	*	*	*6	*	*	*	*
292.8	100	52	48	*	31	27	41	28	27	31	13
292.81	58	27	31	*	*	14	39	12	18	18	10
292.84	35	21	14	*	23	11	*	16	*7	10	*
292.9	11	*	*6	-	*5	*	*	*	*	*	*
293	95	44	50	*	13	17	64	19	36	24	16
293.0	66	31	35	*	*	12	50	14	27	15	11
293.8	21	*9	12	*	*9	*	*7	*	*7	*7	*
293.83	12	*6	*6	*	*7	*	*	*	*	*	*
293.9	*7	*	*	-	*	*	*6	*	*	*	*
294	923	329	594	*	14	51	854	208	259	297	159
294.1	349	126	222	*	*	16	329	78	107	103	61
294.10	278	94	184	*	*	10	266	62	88	81	48
294.11	70	32	38	-	*	*7	63	15	19	22	13
294.8	544	187	357	*	*	28	513	124	146	186	88
294.9	28	14	14	*	*9	*5	11	*6	*5	*8	*9
295	566	302	264	*	237	245	81	169	106	225	66
295.3	150	91	59	*	69	61	19	41	24	69	15
295.30	74	44	30	*	32	29	12	16	15	34	*9
295.32	39	24	15	-	20	16	*	12	*	18	*
295.34	34	21	12	-	15	15	*	13	*	16	*
295.6	21	12	*9	-	*6	*9	*6	*6	*6	*5	*
295.60	*6	*	*	-	*	*	*	*	*	*	*
295.62	11	*6	*	-	*	*5	*	*	*	*	*
295.7	228	111	117	*	113	92	20	67	45	93	23
295.70	191	94	97	*	99	73	16	49	39	83	20
295.74	29	12	16	*	10	16	*	17	*	*8	*
295.8	*6	*	*	-	*	*	*	*	*	*	*
295.9	149	77	72	*	43	72	33	50	28	49	22
295.90	136	71	65	-	38	66	32	42	27	47	20
295.92	*7	*	*	-	*	*	*	*	*	*	*
295.94	*5	*	*	*	*	*	*	*	*	*	*
296	1,538	655	882	90	829	469	149	347	357	677	156
296.0	*7	*	*	*	*	*	*	*	*	*	*
296.2	295	135	160	17	146	88	44	46	73	151	25
296.20	189	85	104	11	94	55	29	26	48	95	20
296.22	*9	*	*	*	*	*	*	*	*	*	*
296.23	54	23	32	*	32	14	*5	*7	15	30	*
296.24	36	17	18	*	13	14	*6	*6	*7	21	*
296.3	337	137	200	*7	170	119	41	66	85	143	44
296.30	97	41	56	*	48	35	12	18	32	31	16
296.32	32	11	21	*	19	10	*	16	*8	*5	*
296.33	140	54	86	*	71	51	14	25	26	74	14
296.34	62	29	33	*	30	21	*9	18	10	26	*7
296.4	86	38	48	*	44	30	*7	21	13	42	*9
296.40	34	17	18	*	15	12	*	*	*6	19	*
296.43	*6	*	*	*	*	*	*	*	*	*	*
296.44	42	18	24	*	23	15	*	14	*	19	*
296.5	158	66	92	*	92	54	*9	30	41	74	13
296.50	100	40	60	*	57	36	*5	16	29	47	*8
296.53	30	12	18	*	18	10	*	*8	*8	11	*

Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region:  
United States, 2007

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification*<sup>8</sup> (ICD-9-CM). See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of all-listed diagnoses in thousands											
296.54	24	12	13	*	14	*8	*	*5	*	15	*
296.6	92	39	54	11	54	22	*	16	17	54	*6
296.60	45	20	25	*7	26	10	*	*7	*8	25	*
296.63	17	*8	*9	*	10	*	*	*	*	*9	*
296.64	26	*9	17	*	16	*6	*	*	*	19	*
296.7	36	15	21	*	19	11	*	11	*5	16	*
296.8	402	160	242	22	226	122	33	95	101	156	50
296.80	345	138	207	20	192	103	30	81	90	134	40
296.89	57	22	35	*	34	18	*	13	11	22	11
296.9	125	63	61	24	75	20	*5	61	20	38	*5
296.90	119	61	58	23	72	19	*5	60	19	35	*
296.99	*6	*	*	*	*	*	*	*	*	*	*
297	23	10	13	*	*5	*6	12	*7	*6	*7	*
297.1	18	*8	10	*	*	*	*9	*6	*5	*	*
298	199	92	107	*8	63	45	83	51	50	69	29
298.9	191	89	102	*7	61	44	79	48	49	66	28
299	33	26	*7	21	*9	*	*	18	*	*5	*6
299.0	19	15	*	12	*	*	*	*6	*	*	*6
299.00	19	15	*	12	*	*	*	*6	*	*	*6
299.8	11	*9	*	*7	*	*	-	*9	*	*	*
299.80	11	*9	*	*7	*	*	-	*9	*	*	*
300	1,283	401	882	18	428	462	375	300	346	453	185
300.0	759	255	503	*9	248	259	243	176	216	262	104
300.00	629	207	421	*7	186	215	221	150	177	219	83
300.01	77	28	49	*	37	27	12	17	24	26	10
300.02	49	19	30	*	24	15	*8	*8	14	16	11
300.1	23	*	20	*	13	*7	*	*	*7	*8	*
300.11	10	*	*9	*	*5	*	*	*	*	*	*
300.14	*8	*	*7	-	*6	*	*	*	*	*	*
300.2	23	*8	15	*	11	*7	*	*6	*	*8	*5
300.21	12	*	10	*	*7	*	*	*	*	*	*
300.29	*7	*	*	*	*	*	*	*	*	*	*
300.3	33	13	20	*	19	*9	*	*8	*6	12	*6
300.4	405	104	301	*	112	172	119	99	105	146	54
300.9	33	16	18	*	22	*5	*	*5	*7	12	10
301	224	95	129	*5	152	58	*9	59	70	64	31
301.5	10	*	*7	*	*	*	*	*	*	*	*
301.50	*7	*	*5	*	*	*	*	*	*	*	*
301.6	15	*7	*8	-	*7	*6	*	*	*	*6	*
301.7	25	22	*	*	19	*6	*	*5	12	*5	*
301.8	104	29	74	*	76	25	*	26	38	24	16
301.81	*8	*7	*	-	*	*	*	*	*	*	*
301.83	80	14	66	*	62	17	*	21	28	18	13
301.89	14	*7	*7	*	*9	*	*	*	*7	*	*
301.9	56	26	30	*	37	14	*	21	10	19	*6
303	755	538	217	*	304	376	73	222	186	225	122
303.0	138	97	41	*	57	71	*9	39	47	23	28
303.00	52	33	19	*	22	27	*	*7	20	*9	16
303.01	81	61	21	*	33	41	*6	30	25	13	12
303.9	617	441	175	*	247	305	63	182	139	202	94
303.90	267	196	71	*	100	132	34	46	67	109	46
303.91	288	212	75	*	123	139	25	122	52	78	36
303.92	10	*6	*	-	*	*	*	*	*	*	*
303.93	52	27	25	*	19	28	*	12	19	13	*9
304	580	332	248	*8	369	183	20	216	98	200	66
304.0	220	122	98	*	130	81	10	93	32	69	26
304.00	86	46	40	*	50	31	*5	18	14	41	13
304.01	124	70	54	*	75	45	*	71	17	25	11
304.03	*9	*5	*	-	*	*	*	*	*	*	*
304.1	43	21	22	*	26	12	*	19	*	18	*
304.10	21	11	10	*	11	*5	*	*	*	13	*
304.11	21	10	12	*	14	*7	*	15	*	*	*
304.2	131	84	47	*	83	46	*	57	18	46	11

Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region:  
United States, 2007

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification*<sup>8</sup> (ICD-9-CM). See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of all-listed diagnoses in thousands											
304.20	47	29	19	*	29	17	*	*8	10	24	*6
304.21	73	50	23	-	46	26	*	46	*	18	*
304.23	*8	*	*	*	*6	*	*	*	*	*	*
304.3	56	34	22	*	48	*5	*	14	19	18	*
304.30	22	12	10	*	19	*	-	*	*6	10	*
304.31	28	19	*9	*	24	*	*	11	*9	*7	*
304.33	*5	*	*	*	*	*	-	*	*	*	*
304.4	12	*7	*6	*	10	*	*	*	*	*	*5
304.40	*6	*	*	-	*5	*	-	*	*	*	*
304.6	12	*6	*6	*	*8	*	*	*	*	*	*
304.60	*7	*	*	*	*	*	*	*	*	*	*
304.7	35	20	15	-	23	12	*	16	*5	10	*
304.70	15	*7	*8	-	*8	*7	*	*	*	*6	*
304.71	18	11	*7	-	13	*	-	10	*	*	*
304.8	31	19	11	*	24	*6	*	10	*6	13	*
304.80	21	13	*8	*	17	*	*	*6	*	11	*
304.81	*7	*	*	-	*7	*	*	*	*	*	*
304.9	38	19	20	*	17	16	*	*5	*7	18	*8
304.90	29	16	13	*	13	12	*	*	*6	14	*6
304.91	*7	*	*5	-	*	*	*	*	*	*	*
305	3,642	2,101	1,541	26	1,675	1,507	435	716	877	1,485	564
305.0	535	377	159	*	239	220	74	113	136	198	88
305.00	387	271	116	*	177	162	46	71	103	148	64
305.01	100	73	27	*	41	38	21	29	22	33	16
305.02	14	10	*	-	10	*	*	*5	*	*	*
305.03	34	23	11	-	12	16	*6	*8	*7	15	*5
305.1	2,276	1,238	1,039	*9	900	1,017	351	423	559	938	356
305.2	196	118	78	*6	152	37	*	44	56	77	20
305.20	151	92	59	*6	115	28	*	27	47	63	14
305.21	31	19	12	*	25	*	*	12	*6	10	*
305.22	*6	*	*	-	*	*	-	*	*	*	*
305.23	*9	*	*	-	*7	*	*	*	*	*	*
305.4	29	15	14	*	20	*7	*	*7	*7	13	*
305.40	25	13	13	*	18	*6	*	*6	*6	12	*
305.5	88	52	36	*	54	33	*	24	18	32	15
305.50	67	38	29	*	41	25	*	15	16	25	11
305.51	13	*9	*	*	*7	*5	*	*	*	*5	*
305.53	*8	*	*	-	*5	*	*	*	*	*	*
305.6	291	179	112	*	161	126	*	76	57	134	24
305.60	218	132	86	*	120	95	*	45	49	106	19
305.61	44	29	15	-	25	18	*	21	*	16	*
305.62	11	*7	*	-	*6	*	-	*5	*	*	*
305.63	18	11	*7	-	10	*8	*	*5	*	*9	*
305.7	50	28	22	*	39	11	*	*	*7	*9	32
305.70	38	20	18	*	30	*7	*	*	*6	*8	24
305.71	*5	*	*	-	*	*	-	*	*	*	*
305.73	*6	*	*	-	*	*	-	*	*	*	*
305.9	172	92	80	*5	108	56	*	26	37	82	28
305.90	138	74	64	*5	87	43	*	18	29	70	21
305.91	12	*6	*7	*	*8	*	*	*	*	*	*
305.93	20	12	*8	*	11	*9	-	*	*	*8	*5
306	*9	*	*6	*	*	*	*	*	*	*	*
307	82	32	50	10	40	16	16	23	20	26	14
307.1	*6	*	*6	*	*	*	*	*	*	*	*
307.2	*8	*	*	*	*	*	*	*	*	*	*
307.23	*5	*	*	*	*	*	*	*	*	*	*
307.4	*7	*	*	*	*	*	*	*	*	*	*
307.42	*5	*	*	*	*	*	*	*	*	*	*
307.5	18	*	14	*	14	*	*	*6	*5	*6	*
307.50	10	*	*8	*	*8	*	*	*	*	*	*
307.51	*5	*	*	*	*	*	-	*	*	*	*
307.8	12	*	*7	*	*	*6	*	*	*	*5	*
307.81	*9	*	*6	*	*	*	*	*	*	*	*
307.9	25	13	12	*	*8	*	12	*	*8	*6	*8
308	19	*8	11	*	*9	*5	*	*	10	*5	*
308.0	*7	*	*5	*	*	*	*	*	*	*	*

Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region:  
United States, 2007

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification*<sup>8</sup> (ICD-9-CM). See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of all-listed diagnoses in thousands											
308.3	*5	*	*	*	*	*	*	*	*	*	*
309	237	95	143	18	135	67	17	75	62	64	36
309.0	38	18	20	*	22	*8	*8	14	*7	10	*7
309.2	32	13	18	*	18	*9	*	*	16	*7	*
309.28	26	10	16	*	16	*7	*	*	15	*6	*
309.4	11	*6	*5	*	*8	*	*	*	*	*	*
309.8	141	51	90	14	78	45	*	47	33	39	22
309.81	138	50	88	14	76	44	*	46	32	39	22
309.9	13	*5	*8	*	*8	*	*	*	*	*	*
310	111	67	43	*	11	25	73	84	10	*8	*9
310.1	83	56	27	*	*6	21	56	78	*	*	*
310.2	*8	*5	*	*	*	*	*	*	*	*	*
310.9	18	*6	12	-	*	*	15	*	*7	*	*
311	1,228	423	805	16	375	438	399	339	326	387	176
312	120	81	39	46	63	*7	*	80	12	24	*5
312.3	83	56	27	32	44	*6	*	64	*6	11	*
312.30	49	30	19	15	29	*	*	38	*	*7	*
312.34	33	25	*8	16	15	*	*	26	*	*	*
312.8	13	10	*	*	10	*	*	*8	*	*	*
312.81	*5	*5	*	*	*	-	-	*	-	*	*
312.9	22	14	*8	11	*8	*	*	*8	*	10	*
313	61	34	28	36	25	*	*	39	*	16	*
313.8	60	32	27	35	25	*	*	38	*	16	*
313.81	58	31	27	33	25	*	*	37	*	15	*
314	152	94	58	60	79	11	*	55	35	51	11
314.0	150	93	57	60	78	11	*	55	35	50	11
314.00	26	13	13	*5	17	*	*	*5	*8	10	*
314.01	124	81	44	55	61	*7	*	50	26	40	*8
315	64	46	19	41	14	*5	*	18	11	12	22
315.3	12	*9	*	*9	*	*	*	*5	*	*	*
315.39	*8	*6	*	*7	*	-	*	*	*	*	*
315.8	20	13	*7	15	*	*	*	*5	*	*	*9
315.9	26	20	*6	13	*8	*	*	*6	*5	*5	*9
317	35	19	17	*	21	*7	*	14	*6	13	*
318	36	20	15	*	15	13	*	*7	13	13	*
318.0	*9	*6	*	*	*	*	*	*	*	*	*
318.1	17	*8	*9	*	*8	*5	*	*	*6	*6	*
318.2	*9	*6	*	*	*	*	*	*	*	*	*
319	79	48	31	12	30	28	*9	20	17	30	13
320-389	5,126	2,250	2,876	398	982	1,483	2,263	1,221	1,223	1,712	970
320	12	*5	*7	*	*	*	*	*	*	*	*
322	11	*	*7	*	*	*	*	*	*	*	*
322.9	10	*	*6	*	*	*	*	*	*	*	*
323	13	*7	*6	*	*	*5	*	*	*	*	*
323.8	*7	*	*	*	*	*	*	*	*	*	*
324	16	*9	*7	*	*	*6	*8	*	*	*6	*6
324.0	*6	*	*	*	*	*	*	*	*	*	*
324.1	*9	*	*	*	*	*	*	*	*	*	*
327	354	198	156	13	63	175	102	72	86	126	71
327.2	352	197	155	13	62	174	102	71	85	125	71
327.23	345	194	151	12	61	171	100	70	84	123	68
331	539	211	328	16	21	39	462	128	136	182	92

Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region:  
United States, 2007

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification*<sup>8</sup> (ICD-9-CM). See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North- east	Midwest	South	West
Number of all-listed diagnoses in thousands											
331.0	372	122	250	*	*	11	359	82	102	130	58
331.3	26	14	12	*	*	*	21	*8	*	*9	*
331.4	74	40	34	15	17	18	24	22	12	22	18
331.8	46	23	23	*	*	*	43	14	10	15	*8
331.82	41	21	19	-	*	*	39	13	10	13	*
331.9	15	10	*6	*	*	*	13	*	*	*6	*
332	216	120	95	-	*	21	194	52	65	63	35
332.0	213	119	94	-	*	21	192	51	65	62	35
333	158	46	112	*	20	45	89	34	47	51	27
333.0	*9	*	*6	-	*	*	*8	*	*	*	*
333.1	32	11	21	*	*	*8	21	10	*6	*9	*6
333.2	12	*	*9	*	*	*	*6	*	*5	*	*
333.8	*6	*	*	*	*	*	*	*	*	*	*
333.9	91	25	66	*	12	29	49	14	28	34	15
333.94	77	19	58	*	*9	24	44	13	23	29	13
333.99	*7	*	*	-	*	*	*	*	*	*	*
335	13	*6	*7	*	*	*5	*6	*	*	*	*
335.2	11	*6	*6	*	*	*	*6	*	*	*	*
335.20	*8	*	*5	-	*	*	*	*	*	*	*
336	28	15	13	*	*	13	10	11	*	*9	*
336.0	*6	*	*	*	*	*	*	*	*	*	*
336.8	*5	*	*	*	*	*	*	*	*	*	*
336.9	*9	*	*	*	*	*	*	*6	*	*	*
337	43	14	29	*	11	18	13	*9	11	15	*8
337.1	16	*6	10	-	*	*7	*6	*	*5	*	*
337.2	17	*	14	*	*5	*8	*	*	*	*7	*
337.20	*7	*	*6	-	*	*	*	*	*	*	*
337.22	*6	*	*5	*	*	*	*	*	*	*	*
337.9	*6	*	*	*	*	*	*	*	*	*	*
338	329	136	193	*	99	147	79	53	87	118	70
338.1	58	20	38	*	19	20	16	13	19	15	12
338.18	42	14	29	*	14	15	10	*9	15	10	*8
338.19	11	*	*6	*	*	*	*	*	*	*	*
338.2	173	76	97	*	54	79	40	23	47	59	43
338.21	*9	*	*	-	*5	*	*	*	*	*	*
338.29	162	70	92	*	48	76	38	21	42	58	41
338.3	25	14	11	*	*6	11	*9	*7	*5	10	*
338.4	72	26	46	*	20	38	14	11	16	33	13
340	124	38	86	*	29	67	27	26	37	35	25
341	*6	*	*	*	*	*	*	*	*	*	*
342	190	93	97	*	18	52	115	69	30	59	31
342.0	*6	*	*	-	-	*	*5	*	*	*	*
342.8	*9	*	*	*	*	*	*	*	*	*	*
342.80	*5	*	*	*	*	*	*	*	*	*	*
342.9	174	84	90	*	16	48	106	67	26	56	25
342.90	158	77	81	*	14	43	97	63	25	50	21
342.91	*8	*	*5	*	*	*	*5	*	*	*	*
342.92	*8	*	*	*	*	*	*	*	*	*	*
343	82	50	32	33	34	13	*	16	20	26	21
343.2	14	*6	*8	*8	*	*	*	*	*	*	*5
343.9	59	38	21	21	27	*9	*	10	15	21	12
344	165	98	67	*7	47	58	53	35	38	57	36
344.0	69	50	19	*	23	27	18	12	19	24	14
344.00	59	42	17	*	19	25	14	10	15	22	11
344.1	64	32	32	*	17	23	21	17	12	21	14
344.6	10	*7	*	*	*	*	*	*	*	*	*
344.60	*6	*	*	*	*	*	*	*	*	*	*
344.8	*7	*	*	*	*	*	*	*	*	*	*
344.89	*7	*	*	*	*	*	*	*	*	*	*

Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region:  
United States, 2007

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification*<sup>8</sup> (ICD-9-CM). See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North- east	Midwest	South	West
Number of all-listed diagnoses in thousands											
344.9	*9	*	*6	-	*	*	*	*	*	*	*
345	444	208	236	58	138	142	106	130	90	149	75
345.0	*7	*	*	*	*	*	*	*	*	*	*
345.00	*6	*	*	*	*	*	*	*	*	*	*
345.1	30	16	14	*	10	12	*	*8	*6	*8	*8
345.10	28	15	13	*	*9	12	*	*7	*6	*7	*7
345.3	28	16	12	*8	*8	*7	*5	*7	*	*8	*8
345.4	13	*5	*8	*	*	*	*	*6	*	*	*
345.40	*9	*	*6	*	*	*	*	*	*	*	*
345.5	16	*8	*8	*	*	*	*	*6	*	*	*
345.50	15	*7	*8	*	*	*	*	*	*	*	*
345.8	15	*7	*7	*	*7	*	*	*	*	*	*
345.80	11	*	*6	*	*	*	*	*	*	*	*
345.9	330	152	178	30	103	110	88	95	72	118	45
345.90	322	149	173	28	98	108	88	92	71	115	44
345.91	*8	*	*5	*	*	*	*	*	*	*	*
346	310	54	256	*7	161	121	22	64	78	111	58
346.0	*6	*	*	*	*	*	*	*	*	*	*
346.1	*7	*	*	*	*	*	*	*	*	*	*
346.10	*6	*	*	*	*	*	*	*	*	*	*
346.8	19	*	15	*	11	*6	*	*	*5	*6	*
346.80	16	*	13	*	*9	*	*	*	*	*	*
346.9	274	45	228	*5	143	106	19	54	68	101	50
346.90	260	44	215	*5	134	102	19	53	63	94	49
346.91	14	*	13	*	*9	*	*	*	*	*7	*
347	11	*8	*	-	*	*7	*	*	*	*	*
347.0	11	*8	*	-	*	*7	*	*	*	*	*
347.00	10	*7	*	-	*	*6	*	*	*	*	*
348	318	154	164	31	58	79	150	63	64	124	67
348.0	14	*	*9	*7	*	*	*	*	*	*	*6
348.1	78	45	33	*6	15	23	33	13	14	34	17
348.2	11	*	*9	*	*9	*	*	*	*	*	*
348.3	148	71	77	*8	12	34	93	29	35	57	26
348.30	65	34	31	*	*5	15	41	11	16	26	12
348.31	45	18	27	*	*	10	32	12	10	17	*
348.39	39	19	20	*	*5	*8	20	*7	*9	14	*9
348.4	16	*6	11	*	*6	*	*	*	*	*7	*
348.5	18	*9	*9	*	*	*5	*7	*	*	*6	*
348.8	27	15	12	*5	*7	*6	*8	*6	*	11	*6
348.9	*5	*	*	*	*	*	*	*	*	*	*
349	76	25	51	*	28	15	31	15	22	28	11
349.0	25	*	23	*	21	*	*	*	11	*7	*
349.2	*8	*	*	*	*	*	*	*	*	*	*
349.8	41	19	23	*	*	*8	28	11	*8	17	*5
349.82	37	16	21	*	*	*8	27	10	*8	16	*
350	17	*	12	-	*	*6	*9	*	*	*6	*
350.1	15	*	12	-	*	*5	*9	*	*	*5	*
351	36	14	22	*	*7	14	11	10	*7	*7	12
351.0	34	13	21	*	*7	13	11	*9	*7	*6	12
353	12	*6	*6	*	*	*	*	*	*	*	*
353.0	*6	*	*	*	*	*	*	*	*	*	*
354	43	18	25	*	13	17	13	11	*7	19	*7
354.0	23	*6	17	*	*5	10	*8	*5	*	*8	*
354.3	*6	*	*	*	*	*	*	*	*	*	*
354.9	*7	*	*	*	*	*	*	*	*	*	*
355	72	30	42	*	*7	27	37	15	21	25	10
355.8	32	11	21	*	*	14	15	*8	*9	10	*6
355.9	34	16	18	-	*	12	20	*7	11	13	*
356	113	43	70	*	*9	37	66	20	24	51	19



Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region:  
United States, 2007

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification*<sup>8</sup> (ICD-9-CM). See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North- east	Midwest	South	West
Number of all-listed diagnoses in thousands											
356.9	103	38	65	*	*8	34	60	18	22	47	15
357	248	120	128	*	28	102	116	68	63	74	43
357.0	12	*7	*6	*	*	*	*	*	*	*	*
357.2	211	100	111	*	22	90	99	59	53	64	36
357.8	15	*8	*7	*	*	*6	*9	*	*	*5	*
357.81	*6	*	*	*	*	*	*	*	*	*	*
357.82	*8	*	*	-	*	*	*5	*	*	*	*
358	31	15	15	*	*	*8	17	*7	*8	11	*
358.0	24	12	12	*	*	*7	14	*5	*6	*9	*
358.00	20	11	*9	*	*	*	13	*	*5	*7	*
359	29	13	16	*	*	*8	14	*7	*9	*9	*
359.1	11	*6	*5	*	*	*	*	*	*	*	*
359.9	*5	*	*	*	*	*	*	*	*	*	*
362	138	53	85	*	13	32	88	35	41	34	27
362.0	53	26	27	-	*9	22	22	12	15	16	10
362.01	50	24	26	-	*9	20	21	11	14	15	*9
362.3	11	*8	*	-	*	*	*7	*	*5	*	*
362.34	*7	*5	*	-	*	*	*	*	*	*	*
362.5	59	15	44	-	*	*	56	17	18	12	12
362.50	58	14	44	-	*	*	55	16	18	12	12
365	169	58	111	*	*	27	137	42	45	56	26
365.9	165	57	109	*	*	27	134	41	44	56	25
366	34	16	19	*	*	*7	26	12	*6	*	12
366.9	29	12	16	*	*	*6	21	*9	*5	*	11
368	67	27	39	*	16	23	25	17	18	20	12
368.1	10	*	*6	*	*	*	*6	*	*	*	*
368.16	*6	*	*	*	*	*	*	*	*	*	*
368.2	19	*9	10	*	*5	*8	*	*	*8	*	*
368.4	17	*	13	*	*	*7	*8	*7	*	*	*
368.46	13	*	10	*	*	*	*6	*	*	*	*
368.8	15	*7	*9	*	*5	*	*	*	*	*6	*
369	90	40	50	*	13	21	52	26	19	28	17
369.0	19	*8	12	*	*	*	11	*	*	*7	*
369.00	19	*7	12	*	*	*	11	*	*	*6	*
369.4	24	11	13	*	*	*6	14	*8	*	*6	*6
369.6	33	17	16	*	*6	*8	18	12	*8	*9	*
369.60	33	16	16	*	*6	*8	18	11	*8	*9	*
369.9	*7	*	*	*	*	*	*	*	*	*	*
370	*6	*	*	*	*	*	*	*	*	*	*
372	44	26	18	13	10	*9	11	10	*7	15	12
372.0	*8	*	*	*	*	*	*	*	*	*	*
372.00	*5	*	*	*	*	*	*	*	*	*	*
372.3	21	11	10	*8	*	*	*7	*6	*	*8	*
372.30	20	11	*9	*8	*	*	*7	*5	*	*7	*
372.7	10	*8	*	*	*	*	*	*	*	*	*
372.72	*8	*6	*	*	*	*	*	*	*	*	*
373	11	*6	*5	*	*	*	*	*	*	*	*
373.1	*8	*	*	*	*	*	*	*	*	*	*
373.13	*5	*	*	*	*	*	*	*	*	*	*
374	14	*8	*6	*	*	*	*	*	*	*	*
374.3	10	*6	*	*	*	*	*	*	*	*	*
374.30	10	*6	*	*	*	*	*	*	*	*	*
376	16	*8	*8	*	*	*	*	*	*	*6	*
376.0	11	*6	*	*	*	*	*	*	*	*	*
376.01	10	*5	*	*	*	*	*	*	*	*	*
377	15	*7	*8	*	*6	*	*	*	*	*	*

Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region:  
United States, 2007

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification*<sup>8</sup> (ICD-9-CM). See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North- east	Midwest	South	West
Number of all-listed diagnoses in thousands											
377.3	*6	*	*	*	*	*	*	*	*	*	*
378	19	11	*8	*7	*	*	*	*6	*	*	*
378.5	*9	*5	*	*	*	*	*	*	*	*	*
379	22	12	10	*6	*6	*6	*	*5	*	*9	*
379.5	*7	*	*	*	*	*	*	*	*	*	*
379.9	*9	*6	*	*	*	*	*	*	*	*	*
380	29	12	17	*9	*9	*6	*5	*8	*	10	*6
380.1	17	*6	10	*	*6	*	*	*5	*	*6	*
380.10	16	*6	10	*	*6	*	*	*5	*	*5	*
380.4	*8	*	*	*	*	*	*	*	*	*	*
381	18	12	*6	13	*	*	*	*5	*	*5	*
381.4	*7	*	*	*5	*	*	*	*	*	*	*
382	119	68	51	91	13	10	*	20	23	46	31
382.9	114	65	49	89	11	*9	*	20	22	43	29
383	14	*7	*7	*	*	*	*	*	*	*	*
383.9	*7	*	*	*	*	*	*	*	*	*	*
386	65	18	47	*	*6	20	39	19	19	18	10
386.0	12	*	*9	-	*	*	*7	*	*	*	*
386.00	12	*	*9	-	*	*	*7	*	*	*	*
386.1	32	10	21	*	*	*9	20	11	*8	*9	*
386.11	21	*7	14	*	*	*6	13	*7	*	*6	*
386.3	17	*	14	*	*	*6	*9	*	*6	*	*
386.30	15	*	12	*	*	*	*8	*	*6	*	*
388	25	*8	17	*	*6	*7	*9	*8	*	*8	*
388.3	10	*	*7	*	*	*	*	*	*	*	*
388.30	10	*	*7	*	*	*	*	*	*	*	*
388.7	*7	*	*7	*	*	*	*	*	*	*	*
388.70	*7	*	*6	*	*	*	*	*	*	*	*
389	105	60	45	*8	15	23	59	32	27	28	19
389.1	*9	*	*	*	*	*	*6	*	*	*	*
389.9	85	50	35	*6	13	18	49	27	21	23	14
390-459	33,337	16,259	17,079	155	2,181	9,196	21,805	7,551	8,480	11,848	5,458
394	20	*7	13	*	*	*	11	*7	*	*5	*
394.0	*8	*	*5	*	*	*	*	*	*	*	*
396	180	75	105	*	*	19	158	57	41	57	25
396.0	*5	*	*	*	*	*	*	*	*	*	*
396.2	54	21	33	*	*	*	51	17	13	15	10
396.3	93	40	53	*	*	12	79	27	21	33	12
396.8	18	*7	11	-	*	*	15	*7	*	*	*
396.9	*6	*	*	-	*	*	*6	*	*	*	-
397	218	79	139	*	10	42	164	58	47	73	40
397.0	218	79	138	*	10	42	163	58	47	73	40
398	95	34	62	-	*	12	80	30	21	30	15
398.9	95	34	62	-	*	12	80	30	21	30	15
398.91	90	32	58	-	*	10	79	28	20	28	14
401	8,784	3,780	5,005	23	776	2,995	4,989	1,958	2,160	3,241	1,426
401.0	90	38	52	*	16	30	44	12	17	46	15
401.1	79	35	43	-	*9	26	44	49	*9	16	*
401.9	8,615	3,706	4,909	23	752	2,940	4,901	1,898	2,133	3,178	1,407
402	209	86	123	*	*7	53	149	51	51	79	28
402.0	*9	*	*5	-	*	*	*	*	*	*	*
402.9	199	82	117	*	*6	49	144	50	49	74	26
402.90	110	49	60	*	*	28	78	32	25	40	12

Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region:  
United States, 2007

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification*<sup>8</sup> (ICD-9-CM). See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North- east	Midwest	South	West
Number of all-listed diagnoses in thousands											
402.91	89	33	56	-	*	21	65	18	24	34	14
403	1,522	791	730	*6	145	443	927	332	313	591	286
403.0	48	23	25	*	10	17	20	*8	*7	22	11
403.00	23	*9	14	-	*	*9	12	*	*	10	*
403.01	24	13	11	*	*8	*9	*8	*	*	12	*6
403.1	10	*	*6	*	*	*	*6	*7	*	*	*
403.10	*6	*	*	-	*	*	*	*	*	*	*
403.9	1,464	764	700	*6	133	423	901	317	305	567	274
403.90	750	400	351	*	32	151	565	159	186	279	126
403.91	713	364	349	*	101	272	336	158	119	288	148
404	130	70	60	*	*9	36	85	19	31	56	25
404.0	13	*8	*5	-	*	*6	*5	*	*	*8	*
404.01	*5	*	*	-	*	*	*	*	*	*	*
404.9	116	62	54	*	*6	30	79	17	28	48	23
404.90	22	*9	13	*	*	*	17	*	*	11	*
404.91	61	33	28	-	*	12	48	*7	17	25	13
404.92	11	*7	*	-	*	*	*	*	*	*	*
404.93	22	13	*9	*	*	*9	10	*	*5	*8	*
405	*8	*	*	*	*	*	*5	*	*	*	*
405.9	*7	*	*	*	*	*	*	*	*	*	*
410	748	431	317	*	39	238	469	178	179	258	133
410.0	14	*9	*5	-	*	*8	*6	*	*	*5	*
410.01	14	*9	*5	-	*	*7	*6	*	*	*5	*
410.1	60	38	22	-	*7	30	24	10	13	26	10
410.11	57	37	21	-	*6	29	22	10	13	25	10
410.2	14	*7	*7	-	*	*	*9	*	*	*	*
410.21	13	*7	*6	-	*	*	*8	*	*	*	*
410.3	*7	*	*	-	*	*	*	*	*	*	*
410.31	*7	*	*	-	*	*	*	*	*	*	*
410.4	76	50	26	-	*	35	36	16	21	21	18
410.41	68	45	23	-	*	31	33	14	18	20	16
410.42	*7	*	*	-	*	*	*	*	*	*	*
410.5	10	*6	*	-	*	*	*6	*	*	*	*
410.51	*8	*	*	-	*	*	*5	*	*	*	*
410.7	463	258	204	*	21	130	311	120	98	165	79
410.71	442	247	195	*	21	125	295	115	93	158	75
410.72	17	10	*7	-	*	*	12	*	*	*	*
410.8	13	*8	*	-	*	*	11	*	*	*	*
410.81	11	*7	*	-	*	*	10	*	*	*	*
410.9	88	47	42	-	*	22	62	19	28	28	13
410.90	*6	*	*	-	*	*	*	*	*	*	*
410.91	68	34	33	-	*	15	50	10	24	22	11
410.92	14	*9	*5	-	*	*	10	*8	*	*	*
411	443	246	197	-	23	178	242	101	107	156	79
411.1	426	238	188	-	22	173	231	94	104	153	75
411.8	14	*6	*7	-	*	*	*9	*6	*	*	*
411.89	11	*	*7	-	*	*	*8	*6	*	*	*
412	656	396	260	*	33	221	400	153	166	223	114
413	316	177	139	*	13	109	193	70	92	111	43
413.1	*7	*	*	-	*	*	*	*	*	*	*
413.9	309	174	134	*	12	105	192	69	89	108	42
414	4,166	2,468	1,697	*	113	1,196	2,853	980	1,124	1,415	646
414.0	3,864	2,268	1,595	*	104	1,113	2,645	910	1,041	1,315	597
414.00	1,089	682	407	*	15	251	822	254	337	367	131
414.01	2,662	1,512	1,150	*	88	825	1,748	634	672	912	443
414.02	81	55	26	-	*	27	54	16	24	25	17
414.04	12	*7	*5	-	*	*	*8	*	*	*	*
414.05	19	12	*7	-	*	*5	13	*5	*	*7	*
414.1	13	*8	*6	*	*	*6	*7	*	*	*	*
414.10	*5	*	*	*	*	*	*	*	*	*	*
414.12	*5	*	*	-	*	*	*	*	*	*	*
414.8	258	179	79	*	*8	71	179	58	72	82	46

Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region:  
United States, 2007

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification*<sup>8</sup> (ICD-9-CM). See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of all-listed diagnoses in thousands											
414.9	31	14	17	*	*	*7	23	*8	*8	14	*
415	254	105	149	*	47	81	126	57	67	86	44
415.1	250	102	148	*	46	80	123	56	65	86	43
415.11	18	*9	*9	-	*	*8	*7	*	*	*7	*
415.19	232	93	138	*	43	72	116	52	61	79	39
416	305	125	180	*	29	74	198	66	76	107	55
416.0	15	*8	*7	*	*	*	*6	*	*	*5	*
416.8	247	93	154	*	24	59	160	51	65	87	44
416.9	44	24	20	*	*	11	31	11	*9	15	*9
420	19	10	10	*	*7	*5	*7	*	*5	*6	*
420.9	17	*9	*8	*	*6	*	*6	*	*	*	*
420.90	11	*5	*5	*	*	*	*	*	*	*	*
421	28	16	12	*	*	12	11	*8	*8	*8	*
421.0	27	16	11	*	*	11	11	*8	*8	*8	*
423	73	38	36	*	13	25	33	13	21	29	10
423.8	*7	*	*	-	*	*	*	*	*	*	*
423.9	58	29	29	*	11	19	26	10	19	22	*7
424	1,025	408	617	*7	85	211	721	264	247	345	169
424.0	568	198	370	*	72	147	346	143	128	206	91
424.1	384	179	204	*	*5	52	324	103	106	106	69
424.2	27	*9	18	*	*	*	20	*8	*	11	*
424.3	*7	*	*	*	*	*	*	*	*	*	*
424.9	39	17	21	*	*	*7	28	*9	*6	20	*
424.90	37	17	21	*	*	*7	27	*9	*6	20	*
425	756	445	311	*	74	217	461	162	189	289	116
425.1	26	10	16	*	*	*6	15	*	*8	*9	*5
425.4	680	405	275	*	61	190	425	144	170	261	105
425.5	17	15	*	-	*	10	*6	*6	*	*6	*
425.8	22	11	11	*	*5	*6	10	*	*	11	*
425.9	*6	*	*	*	*	*	*	*	*	*	*
426	414	224	190	*	28	90	294	85	116	140	73
426.0	57	29	28	*	*	10	45	11	15	20	11
426.1	106	63	43	*	*	21	80	26	31	35	15
426.10	*6	*	*	-	*	*	*	*	*	*	*
426.11	52	30	22	*	*	10	39	14	16	16	*7
426.12	12	*	*7	*	*	*	*8	*	*5	*	*
426.13	36	24	11	*	*	*6	28	*8	10	12	*6
426.2	11	*7	*	-	*	*	*6	*	*	*	*
426.3	85	36	49	*	*	17	64	20	22	25	19
426.4	86	50	35	*	*6	23	56	15	29	29	12
426.5	33	23	10	-	*	*	28	*6	10	11	*6
426.52	*6	*5	*	-	*	*	*6	*	*	*	*
426.53	18	11	*7	-	*	*	15	*	*6	*7	*
426.6	*7	*	*5	-	*	*	*	*	*	*	*
426.7	14	*5	*8	*	*8	*	*	*	*	*	*
426.8	*7	*	*	*	*	*	*	*	*	*	*
426.9	*9	*6	*	-	*	*	*7	*	*	*	*
427	4,319	2,186	2,133	29	190	817	3,284	1,003	1,149	1,416	751
427.0	97	42	55	*	10	27	60	21	24	35	17
427.1	256	172	84	*	20	74	161	54	64	100	39
427.3	2,975	1,475	1,500	*	54	468	2,449	737	785	939	513
427.31	2,724	1,329	1,395	*	44	413	2,265	680	729	856	459
427.32	251	146	105	*	10	56	184	57	56	83	54
427.4	43	29	14	*	*	16	23	*8	14	13	*8
427.41	43	29	14	*	*	16	23	*8	13	13	*8
427.5	99	52	47	*	*8	28	58	17	23	36	24
427.6	77	41	36	*	*8	20	48	13	28	25	10
427.61	18	*9	*9	*	*	*	13	*	*8	*6	*
427.69	59	32	27	*	*7	16	35	11	20	19	*9
427.8	724	355	369	17	82	171	454	143	198	251	132
427.81	167	86	80	*	*	20	144	32	44	62	29

Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region:  
United States, 2007

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification*<sup>8</sup> (ICD-9-CM). See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of all-listed diagnoses in thousands											
427.89	558	269	289	17	80	151	310	111	154	189	103
427.9	44	19	25	*	*5	10	28	10	11	16	*7
428	3,912	1,767	2,145	17	150	831	2,915	861	1,059	1,403	589
428.0	3,407	1,550	1,856	15	124	723	2,545	734	912	1,248	513
428.1	13	*7	*6	-	*	*	11	*	*	*	*
428.2	171	91	80	*	14	37	120	46	56	50	19
428.20	61	33	28	*	*	14	42	16	23	16	*6
428.21	27	14	13	-	*	*6	20	*7	*7	*9	*
428.22	46	24	22	-	*	10	31	15	14	13	*
428.23	37	20	17	-	*	*7	26	*8	12	13	*
428.3	270	93	176	*	*7	56	205	66	70	84	49
428.30	172	58	115	*	*	42	126	42	45	54	31
428.31	24	*9	16	-	*	*	21	*7	*	10	*
428.32	37	15	23	*	*	*7	29	*9	12	*9	*7
428.33	36	13	23	*	*	*5	29	*8	*8	11	*9
428.4	35	16	19	*	*	*9	25	11	10	10	*
428.40	13	*5	*7	-	*	*	*8	*	*	*	*
428.41	*7	*	*	*	*	*	*	*	*	*	*
428.42	*5	*	*	*	*	*	*	*	*	*	*
428.43	10	*	*5	-	*	*	*8	*	*	*	*
428.9	17	10	*7	*	*	*	10	*	*6	*7	*
429	176	84	93	*	17	49	107	36	49	68	23
429.2	40	21	19	-	*	*7	33	*9	12	17	*
429.3	75	34	41	*	11	21	40	13	19	29	13
429.8	16	*6	10	*	*	*8	*6	*	*	*7	*
429.89	*8	*	*	*	*	*	*	*	*	*	*
429.9	36	17	19	-	*	10	24	*7	13	11	*
430	26	10	16	*	*	11	11	*6	*6	10	*
431	78	37	41	*	*7	26	44	19	17	28	15
432	47	28	19	*	*	11	31	*9	10	17	11
432.1	36	24	12	*	*	*8	23	*6	*8	12	*9
432.9	11	*	*7	*	*	*	*8	*	*	*5	*
433	301	151	150	*	*5	74	222	62	82	112	46
433.1	239	124	116	*	*	59	177	46	68	90	36
433.10	210	109	101	*	*	51	156	40	60	81	29
433.11	29	15	14	-	*	*8	20	*6	*8	*9	*6
433.2	*9	*5	*	-	*	*	*5	*	*	*	*
433.20	*5	*	*	-	*	*	*	*	*	*	*
433.3	47	21	27	*	*	*9	37	13	11	16	*7
433.30	41	18	23	*	*	*8	33	12	10	14	*6
433.31	*6	*	*	-	*	*	*	*	*	*	*
434	452	192	260	*	20	115	313	95	111	181	65
434.0	*9	*	*6	*	*	*	*6	*	*	*	*
434.01	*9	*	*6	*	*	*	*6	*	*	*	*
434.1	61	24	37	*	*	13	46	16	14	20	12
434.11	59	24	35	*	*	13	44	14	14	19	12
434.9	381	164	218	*	17	100	261	76	95	159	52
434.90	11	*7	*	*	*	*	*6	*	*	*6	*
434.91	371	157	214	*	15	97	255	74	94	152	51
435	209	79	131	*	13	45	151	47	46	83	34
435.8	*9	*	*6	-	*	*	*6	*	*	*	*
435.9	192	72	119	*	13	41	137	43	42	77	30
437	147	62	85	*	12	28	105	34	32	59	22
437.0	48	23	26	-	*	*	45	*8	10	25	*
437.1	10	*	*8	-	*	*	*8	*	*	*	*
437.2	20	*7	14	*	*	*7	10	*	*	*8	*
437.3	28	11	17	*	*	10	14	*8	*6	*8	*6
437.7	*8	*	*5	*	*	*	*5	*	*	*	*
437.9	24	14	10	-	-	*	22	*5	*9	*7	*
438	582	268	314	*6	29	155	393	131	165	165	121

Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region:  
United States, 2007

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification*<sup>8</sup> (ICD-9-CM). See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of all-listed diagnoses in thousands											
438.0	16	10	*5	*	*	*	*9	*	*	*	*9
438.1	99	47	52	*	*	28	65	21	34	23	22
438.11	72	31	42	*	*	24	44	16	26	16	15
438.12	*9	*	*	-	*	*	*7	*	*	*	*
438.19	15	10	*5	-	*	*	12	*	*5	*	*
438.2	255	116	139	*	15	65	172	67	60	79	49
438.20	212	91	121	*	13	52	145	59	49	71	33
438.21	20	10	10	*	*	*	15	*	*	*5	*9
438.22	22	14	*8	-	*	*9	12	*	*8	*	*7
438.5	*9	*	*	*	*	*	*6	*	*	*	*
438.50	*6	*	*	*	*	*	*	*	*	*	*
438.7	*6	*	*	-	*	*	*	*	*	*	*
438.8	184	82	103	*	*6	50	127	36	60	51	37
438.82	43	13	30	-	*	14	29	*5	19	10	*9
438.83	16	*8	*7	*	*	*	*9	*	*	*	*
438.84	*7	*	*	-	*	*	*	*	*	*	*
438.89	116	55	61	*	*	29	82	25	33	37	21
438.9	*9	*5	*	-	*	*	*6	*	*	*	*
440	314	163	151	-	*9	77	228	53	91	119	50
440.0	16	*8	*8	-	*	*	11	*	*	*6	*
440.1	45	18	27	-	*	*8	35	*8	13	17	*7
440.2	219	117	102	-	*6	56	157	37	61	85	36
440.20	57	31	26	-	*	11	45	*7	23	16	10
440.21	52	27	24	-	*	19	32	*8	12	22	*9
440.22	27	15	12	-	*	*8	19	*	*7	12	*
440.23	24	12	12	-	*	*7	15	*	*6	11	*
440.24	52	27	24	-	*	10	40	13	10	20	*8
440.29	*9	*	*	-	*	*	*6	*	*	*	*
440.3	*9	*6	*	-	*9	*	*5	*	*	*	*
440.9	22	12	10	-	*	*	18	*	*9	*8	*
441	179	124	55	*	*	33	140	47	46	61	24
441.0	22	13	*9	*	*	*8	12	*7	*	*7	*
441.01	10	*6	*	*	*	*	*6	*	*	*	*
441.02	*6	*	*	*	*	*	*	*	*	*	*
441.2	27	20	*8	-	*	*7	19	*7	11	*5	*
441.4	113	78	35	*	*	16	95	30	26	42	15
441.7	*7	*	*	-	*	*	*6	*	*	*	*
442	29	21	*8	*	*	*8	18	*7	*7	*8	*7
442.2	10	*9	*	-	*	*	*8	*	*	*	*
442.3	12	*9	*	-	*	*	*7	*	*	*	*
443	429	234	196	*	14	115	299	104	117	152	57
443.0	18	*	15	*	*	*6	*8	*	*	*6	*
443.2	*7	*	*	*	*	*	*	*	*	*	*
443.8	31	18	13	-	*	*9	21	*6	*8	*8	*9
443.81	14	*8	*6	-	*	*	*9	*	*	*	*
443.89	17	10	*8	-	*	*	12	*	*5	*	*
443.9	372	209	163	*	*8	96	267	91	102	136	43
444	82	40	42	*	*6	23	51	18	16	37	11
444.0	*8	*	*	*	*	*	*	*	*	*	*
444.2	56	28	28	*	*	15	36	12	11	24	*9
444.21	10	*	*7	*	*	*	*8	*	*	*	*
444.22	46	24	22	*	*	13	29	10	*9	20	*7
444.8	15	*8	*7	*	*	*	*9	*	*	*9	*
444.81	*8	*	*	*	*	*	*5	*	*	*	*
444.89	*7	*	*	*	*	*	*	*	*	*	*
446	50	20	30	*5	*	11	29	13	13	12	12
446.1	*5	*	*	*5	*	-	*	*	*	*	*
446.2	*7	*	*	-	*	*	*	*	*	*	*
446.4	10	*	*6	*	*	*	*5	*	*	*	*
446.5	19	*	15	-	-	*	18	*	*6	*	*5
446.6	*7	*	*	-	*	*	*	*	*	*	*
447	48	23	25	*	*6	17	25	13	*7	21	*7
447.1	24	13	11	*	*	*9	15	*6	*	10	*

Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region:  
United States, 2007

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification*<sup>8</sup> (ICD-9-CM). See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North- east	Midwest	South	West
Number of all-listed diagnoses in thousands											
447.6	11	*	*8	*	*	*	*	*	*	*5	*
451	45	20	25	*	*9	13	22	12	10	17	*7
451.0	11	*	*7	*	*	*	*	*	*	*	*
451.1	*9	*	*6	*	*	*	*5	*	*	*	*
451.11	*5	*	*	-	*	*	*	*	*	*	*
451.8	20	*9	11	*	*	*6	*9	*5	*	*7	*
451.82	*7	*	*	*	*	*	*	*	*	*	*
451.84	*8	*	*	*	*	*	*	*	*	*	*
452	12	*7	*5	*	*	*7	*	*	*	*5	*
453	454	212	242	*	67	146	238	106	104	170	75
453.2	*6	*	*	*	*	*	*	*	*	*	*
453.4	330	158	173	*	44	96	188	81	78	123	49
453.40	85	35	50	*	10	25	50	21	17	33	13
453.41	157	81	77	*	21	46	89	40	39	61	18
453.42	88	42	47	*	13	25	49	19	22	29	18
453.8	101	42	59	*	19	42	40	22	23	37	19
453.9	12	*7	*6	*	*	*	*6	*	*	*6	*
454	26	12	14	*	*	11	12	*6	*7	*9	*
454.0	*6	*	*	-	*	*	*	*	*	*	*
454.9	12	*	*7	*	*	*	*6	*	*	*	*
455	157	68	90	*	38	46	73	43	33	46	35
455.0	65	30	35	-	12	19	33	16	14	15	20
455.2	24	11	13	-	*5	*	14	*7	*6	*8	*
455.3	18	*8	10	*	*	*7	*7	*	*	*6	*
455.5	*7	*	*	-	*	*	*	*	*	*	*
455.6	25	*8	17	-	11	*7	*7	*8	*	*8	*
455.8	13	*5	*7	-	*	*	*7	*	*	*	*
456	70	50	19	*	11	42	16	*9	13	26	21
456.0	*6	*	*	*	*	*	*	*	*	*	*
456.1	*6	*	*	*	*	*	*	*	*	*	*
456.2	48	36	11	*	*6	30	11	*6	*8	16	17
456.20	25	21	*	*	*	16	*	*	*	*7	11
456.21	23	16	*7	*	*	14	*6	*	*	*9	*6
456.8	*8	*5	*	*	*	*	*	*	*	*	*
457	39	16	23	*	*5	13	19	*8	13	11	*7
457.1	26	11	15	*	*	10	11	*6	*7	*8	*
458	596	280	317	*6	67	151	372	108	159	239	91
458.0	122	58	64	*	10	26	85	26	35	48	12
458.2	72	34	39	*	*8	22	42	16	16	20	21
458.29	69	33	36	*	*8	20	41	15	15	19	20
458.8	32	17	15	*	*	10	17	*	*7	12	*8
458.9	368	170	198	*	44	92	227	60	101	157	49
459	162	81	81	*	16	48	95	40	45	57	21
459.0	18	*9	10	*	*	*5	11	*	*	*8	*
459.2	11	*5	*6	*	*	*	*	*	*	*	*
459.8	121	62	59	*	11	34	74	28	36	41	16
459.81	109	57	52	*	10	30	68	26	32	38	13
459.89	12	*6	*7	*	*	*	*6	*	*	*	*
459.9	*7	*	*	*	*	*	*	*	*	*	*
460-519	11,740	5,389	6,352	1,074	1,495	3,042	6,130	2,555	2,865	4,308	2,013
461	49	22	27	*7	13	18	11	*9	14	17	*9
461.0	*9	*	*5	*	*	*	*	*	*	*	*
461.9	28	12	16	*	*8	12	*6	*5	*9	10	*
462	51	20	31	14	19	*8	10	10	11	22	*8
463	15	*8	*7	*	10	*	*	*	*5	*5	*

Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region:  
United States, 2007

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification*<sup>8</sup> (ICD-9-CM). See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of all-listed diagnoses in thousands											
464	39	21	17	26	*	*6	*	*7	10	12	10
464.0	*5	*	*	*	*	*	*	*	*	*	*
464.00	*5	*	*	*	*	*	*	*	*	*	*
464.3	*5	*	*	*	*	*	*	*	*	*	*
464.4	21	14	*7	21	*	-	-	*	*	*6	*7
465	149	68	80	67	30	25	28	30	30	49	39
465.9	145	66	79	66	27	25	27	30	29	49	38
466	315	156	158	173	25	46	71	58	51	127	78
466.0	144	57	88	11	23	43	66	31	30	63	20
466.1	170	100	71	162	*	*	*	28	20	64	58
466.11	93	55	38	92	*	*	*	14	12	34	33
466.19	77	44	33	70	*	*	*	14	*8	30	25
470	*7	*6	*	*	*	*	*	*	*	*	*
471	*5	*	*	*	*	*	*	*	*	*	*
472	10	*	*6	*	*	*	*	*	*	*	*
472.0	*9	*	*6	*	*	*	*	*	*	*	*
473	164	68	96	29	41	46	47	31	43	64	26
473.0	21	*7	14	*5	*	*	*9	*	*	*8	*6
473.2	12	*5	*7	*	*	*	*	*	*	*6	*
473.3	*9	*	*6	*	*	*	*	*	*	*	*
473.8	*9	*	*	*	*	*	*	*	*	*	*
473.9	109	46	62	17	30	36	25	21	32	43	13
474	26	13	12	17	*8	*	*	*6	*	10	*7
474.0	*7	*	*	*	*	*	-	*	*	*	*
474.1	18	10	*8	13	*	*	*	*	*	*	*6
474.10	*9	*6	*	*9	*	*	-	*	*	*	*
474.11	*6	*	*	*	*	*	*	*	*	*	*
475	18	11	*7	*	10	*	*	*	*5	*6	*
477	87	33	55	*7	21	32	27	14	27	35	11
477.9	83	31	51	*6	19	31	26	14	25	33	10
478	83	46	37	19	22	17	25	23	17	31	13
478.1	29	15	14	10	11	*	*	*5	*5	14	*
478.19	29	15	14	10	11	*	*	*5	*5	14	*
478.2	11	*7	*	*	*	*	*	*	*	*	*
478.3	21	13	*8	*	*	*	13	*9	*	*	*
478.30	11	*8	*	*	*	*	*7	*5	*	*	*
478.31	*7	*	*	*	*	*	*	*	*	*	*
478.7	10	*	*5	*	*	*	*	*	*	*	*
480	35	17	18	26	*	*	*5	*	11	10	*9
480.1	10	*6	*	10	*	-	-	*	*	*	*
480.9	22	10	12	15	*	*	*	*	*7	*6	*7
481	41	24	17	*	*	12	23	*6	14	16	*5
482	203	110	93	10	24	55	114	45	44	66	48
482.0	13	*8	*	*	*	*	*8	*	*	*	*
482.1	38	20	18	*	*5	*9	22	10	*6	14	*8
482.2	10	*	*5	*	*	*	*6	*	*	*	*
482.3	*9	*6	*	*	*	*	*	*	*	*	*
482.4	76	41	35	*	*8	18	47	14	14	28	21
482.41	68	39	29	*	*7	17	41	13	13	23	18
482.8	33	19	14	*	*	14	15	*6	10	10	*7
482.82	*6	*	*	*	*	*	*	*	*	*	*
482.83	23	13	10	*	*	10	10	*	*8	*7	*
482.9	24	11	13	*	*	*	12	*9	*5	*5	*
483	11	*	*6	*7	*	*	*	*	*	*6	*
483.0	*9	*	*5	*6	*	*	*	*	*	*6	*



Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region:  
United States, 2007

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification*<sup>8</sup> (ICD-9-CM). See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of all-listed diagnoses in thousands											
484	*9	*	*6	*	*	*	*	*	*	*6	*
485	25	*9	16	*7	*	*7	10	*	*	14	*
486	1,835	855	979	171	163	399	1,101	373	497	660	305
487	41	20	22	15	*	*7	15	*8	*8	18	*7
487.0	12	*6	*7	*	*	*	*6	*	*6	*	*
487.1	27	13	14	12	*	*	*9	*6	*	13	*6
490	93	36	57	*	16	30	44	16	24	40	13
491	1,054	487	567	*	31	293	727	220	283	398	153
491.2	1,022	473	549	*	28	283	710	217	276	383	146
491.20	82	33	48	-	*	24	55	18	17	32	15
491.21	811	380	431	*	21	224	565	173	228	294	117
491.22	129	59	70	-	*	35	90	26	31	58	14
491.9	26	12	14	*	*	*8	14	*	*6	12	*7
492	197	104	93	*	*9	63	125	48	49	72	28
492.0	12	*9	*	*	*	*5	*	*	*	*	*
492.8	185	95	90	*	*6	58	121	43	48	69	26
493	1,926	660	1,266	297	580	565	484	527	393	659	346
493.0	88	45	43	59	14	*8	*7	15	11	15	48
493.00	46	22	24	23	*9	*6	*7	*7	*9	10	21
493.01	*8	*	*	*6	*	*	*	*	*	*	*
493.02	34	19	15	29	*	*	*	*5	*	*	25
493.2	463	146	317	*	46	180	236	117	108	166	72
493.20	271	87	184	*	23	99	148	71	64	93	43
493.21	*8	*	*	*	*	*	*	*	*	*	*
493.22	183	54	129	*	21	76	86	44	41	70	28
493.8	*9	*	*6	*	*	*	*	*	*	*	*
493.81	*8	*	*6	*	*	*	*	*	*	*	*
493.9	1,363	465	898	234	515	375	240	392	271	476	224
493.90	1,066	344	722	120	436	309	201	299	220	363	184
493.91	57	29	28	37	10	*8	*	21	*6	23	*6
493.92	240	93	148	77	69	58	36	72	46	90	33
494	38	11	27	*	*	*8	26	12	*7	15	*
494.0	25	*8	17	*	*	*	18	*8	*6	*9	*
494.1	13	*	10	*	*	*	*8	*	*	*6	*
496	1,941	990	951	*5	57	518	1,361	416	530	700	295
501	15	14	*	-	-	*	13	*	*	*	*
507	373	197	176	10	41	68	255	81	92	135	66
507.0	369	195	174	10	40	67	253	81	91	134	63
508	*9	*6	*	*	*	*	*7	*	*6	*	*
510	31	21	10	*	*5	12	10	*	*7	14	*6
510.9	26	17	*9	*	*	10	*8	*	*7	11	*6
511	527	247	281	14	56	133	324	119	138	191	79
511.0	27	11	16	*	*5	*8	14	*	*9	*8	*6
511.8	38	24	14	*	*	13	20	*7	*8	14	*9
511.9	461	210	251	12	47	112	289	107	121	169	64
512	99	52	47	*	19	29	46	23	23	35	19
512.0	*6	*	*	*	*	*	*	*	*	*	*
512.1	45	22	23	*	*5	15	23	12	*9	16	*9
512.8	48	26	22	*	13	12	20	10	11	19	*8
513	14	*7	*7	*	*	*	*8	*	*	*6	*
513.0	14	*7	*7	*	*	*	*8	*	*	*6	*
514	34	16	18	*	*	10	18	*	*8	16	*5

Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region:  
United States, 2007

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification*<sup>8</sup> (ICD-9-CM). See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of all-listed diagnoses in thousands											
515	207	85	122	*	16	36	154	43	56	73	35
516	24	10	14	*	*	*6	13	*5	*7	*8	*
516.3	11	*6	*	-	*	*	*8	*	*	*	*
516.8	11	*	*7	*	*	*	*	*	*	*	*
517	35	14	21	*	13	12	*8	10	*7	12	*6
517.3	10	*6	*	*	*8	*	-	*	*	*	*
517.8	22	*7	15	*	*	10	*8	*6	*5	*6	*5
518	1,812	863	949	97	213	533	969	350	401	716	345
518.0	467	215	251	33	59	137	237	93	101	178	95
518.1	10	*5	*5	*	*	*	*	*	*	*	*
518.3	16	*6	10	*	*	*6	*7	*	*	*8	*
518.4	19	10	*9	*	*	*5	*9	*6	*	*6	*
518.5	131	80	51	*7	23	44	57	25	34	45	28
518.8	1,165	545	620	54	119	338	654	220	257	474	215
518.81	816	390	426	34	86	236	459	160	166	332	158
518.82	55	28	27	*8	*5	10	32	*9	13	22	10
518.83	81	31	50	*	*	25	48	10	24	33	13
518.84	97	44	53	*	*6	32	58	15	25	43	13
518.89	117	53	64	*7	18	35	57	25	29	43	20
519	80	37	43	20	*9	21	29	19	27	24	10
519.0	16	*7	*9	*	*	*8	*	*5	*	*	*
519.02	*5	*	*	*	*	*	*	*	*	*	*
519.09	*9	*	*5	*	*	*	*	*	*	*	*
519.1	34	16	19	*8	*	*9	15	*6	12	13	*
519.11	21	10	10	*5	*	*	*9	*	10	*6	*
519.19	14	*5	*8	*	*	*	*6	*	*	*7	*
519.8	17	*8	*9	*6	*	*	*6	*	*5	*	*
520-579	10,978	4,829	6,149	474	2,308	3,630	4,566	2,271	2,685	3,972	2,051
520	*7	*	*	*	*	*	*	*	*	*	*
521	27	14	12	*	16	*6	*	*	*	13	*5
521.0	26	14	12	*	16	*5	*	*	*	13	*5
521.00	21	12	*9	*	14	*	*	*	*	*9	*
522	24	11	12	*	12	*7	*	*5	*6	*9	*
522.5	20	10	*9	*	10	*	*	*	*	*8	*
523	12	*7	*5	*	*	*	*	*	*	*7	*
524	25	*9	16	*	17	*5	*	*5	*6	12	*
524.0	11	*	*7	*	*9	*	*	*	*	*6	*
524.6	*8	*	*5	*	*	*	*	*	*	*	*
524.60	*5	*	*	*	*	*	*	*	*	*	*
525	17	11	*6	*	*9	*	*	*	*	*8	*
525.9	*9	*5	*	*	*5	*	*	*	*	*	*
526	14	10	*	*	*6	*	*	*	*	*	*
526.4	*8	*6	*	*	*	*	*	*	*	*	*
527	18	*6	12	*	*	*	*9	*5	*	*8	*
527.2	12	*	*9	*	*	*	*7	*	*	*	*
528	50	30	20	*8	18	14	11	15	*7	22	*6
528.0	20	12	*8	*	*6	*6	*	*6	*	10	*
528.00	11	*7	*	*	*	*	*	*	*	*	*
528.3	12	*9	*	*	*6	*	*	*	*	*	*
528.5	*5	*	*	*	*	*	*	*	*	*	*
528.9	11	*6	*6	*	*	*	*	*5	*	*	*
529	*6	*	*	*	*	*	*	*	*	*	*
530	2,601	1,076	1,525	106	427	930	1,137	559	677	940	425

Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region:  
United States, 2007

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification*<sup>8</sup> (ICD-9-CM). See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of all-listed diagnoses in thousands											
530.0	13	*6	*7	*	*	*	*5	*	*	*	*
530.1	161	80	81	*	33	56	68	31	42	57	31
530.10	56	28	28	*	*8	22	24	11	16	19	10
530.11	49	19	30	*	12	15	21	11	14	19	*6
530.12	*7	*	*	*	*	*	*	*	*	*	*
530.19	50	29	21	*	11	18	21	*8	12	16	13
530.2	32	22	10	*	*	10	17	*5	*7	10	*9
530.20	19	11	*7	-	*	*7	*8	*	*	*7	*
530.21	13	10	*	*	*	*	*9	*	*	*	*5
530.3	45	20	25	*	*	10	30	*8	13	19	*6
530.5	19	*8	11	*	*	*	13	*	*7	*6	*
530.6	*7	*	*	*	*	*	*	*	*	*	*
530.7	29	17	12	*	*5	12	11	*6	*6	*8	*9
530.8	2,292	919	1,373	101	374	831	986	502	597	833	360
530.81	2,208	871	1,337	99	363	804	942	485	575	806	341
530.82	16	*9	*7	-	*	*	*9	*	*5	*5	*5
530.85	44	28	16	*	*	15	24	12	13	12	*8
530.89	23	10	12	*	*	*8	10	*	*	*9	*6
531	135	57	78	*	17	35	82	24	37	44	30
531.0	10	*	*5	*	*	*	*7	*	*	*	*
531.00	10	*	*5	*	*	*	*7	*	*	*	*
531.3	*5	*	*	-	*	*	*	*	*	*	*
531.4	60	27	33	*	*6	15	39	11	16	20	14
531.40	60	27	33	*	*6	14	39	11	16	19	13
531.9	51	20	31	*	*7	14	29	*8	15	17	11
531.90	49	19	30	*	*7	14	27	*8	15	16	10
532	86	51	35	*	14	26	46	19	21	28	18
532.0	*7	*	*	*	*	*	*	*	*	*	*
532.00	*7	*	*	*	*	*	*	*	*	*	*
532.4	41	27	13	-	*	13	23	*9	11	12	*9
532.40	40	27	13	-	*	13	22	*9	10	12	*9
532.9	27	13	14	*	*6	*8	13	*7	*6	11	*
532.90	26	13	13	*	*6	*8	12	*6	*5	10	*
533	86	35	51	*	10	32	43	17	23	28	18
533.4	10	*	*8	-	*	*	*6	*	*	*	*
533.40	10	*	*8	-	*	*	*6	*	*	*	*
533.9	71	31	40	*	*9	27	36	14	19	23	15
533.90	71	31	40	*	*9	27	36	14	19	23	15
534	10	*	*8	-	*	*5	*	*	*	*	*
535	471	192	280	*8	98	156	210	90	115	173	93
535.0	37	13	25	*	*7	11	16	11	*9	13	*
535.00	31	10	21	*	*7	*9	12	10	*7	10	*
535.01	*7	*	*	-	*	*	*	*	*	*	*
535.1	59	21	38	*	13	16	30	12	11	24	12
535.10	52	18	34	*	12	14	25	11	*8	22	11
535.11	*7	*	*	-	*	*	*5	*	*	*	*
535.3	19	14	*5	-	*9	*8	*	*	*5	*5	*6
535.30	14	10	*	-	*6	*5	*	*	*	*	*
535.31	*6	*	*	-	*	*	*	*	*	*	*
535.4	115	47	68	*	19	40	56	23	26	40	26
535.40	88	34	55	*	16	33	38	17	21	33	18
535.41	27	14	13	*	*	*6	17	*5	*	*8	*9
535.5	194	73	121	*	41	67	83	33	51	73	37
535.50	173	63	111	*	40	60	70	29	45	63	36
535.51	21	10	11	*	*	*7	13	*	*6	10	*
535.6	47	24	23	*	*8	15	23	*9	13	17	*8
535.60	40	20	21	*	*8	13	18	*9	11	14	*6
535.61	*6	*	*	-	*	*	*	*	*	*	*
536	264	101	163	18	69	85	92	40	60	112	52
536.2	44	17	27	10	13	12	*9	*	*8	23	10
536.3	110	42	68	*	42	43	24	18	18	53	21
536.4	37	12	25	*	*	*7	24	*9	*8	11	*8
536.41	11	*	*7	*	*	*	*7	*	*	*	*
536.42	16	*	12	*	*	*	12	*	*	*5	*

Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region:  
United States, 2007

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification*<sup>8</sup> (ICD-9-CM). See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North- east	Midwest	South	West
Number of all-listed diagnoses in thousands											
536.49	*8	*	*	*	*	*	*5	*	*	*	*
536.8	68	26	42	*	11	19	34	*9	24	22	12
537	87	41	47	*	12	25	49	20	20	24	23
537.0	21	*9	12	*	*	*6	*9	*	*	*7	*
537.8	51	26	25	*	*	14	32	13	10	13	14
537.83	26	15	12	-	*	*6	20	*7	*	*7	*8
537.89	16	*8	*7	*	*	*7	*5	*	*	*	*
537.9	*9	*	*6	-	*	*	*	*	*	*	*
540	297	174	123	69	148	51	29	55	66	93	84
540.0	54	34	20	15	19	10	10	*8	13	17	15
540.1	42	25	17	12	14	10	*6	*7	10	15	10
540.9	202	115	86	42	116	32	13	39	43	61	58
541	12	*6	*6	*	*8	*	*	*	*	*7	*
543	14	*7	*7	*	*7	*	*	*	*	*5	*
543.9	13	*7	*6	*	*6	*	*	*	*	*5	*
550	85	75	10	10	10	24	40	17	24	25	18
550.1	24	22	*	*	*	*6	13	*5	*	11	*
550.10	20	19	*	*	*	*5	10	*	*	10	*
550.9	59	52	*8	*8	*7	18	26	11	19	15	15
550.90	47	40	*7	*6	*6	15	21	*9	14	13	12
550.92	*8	*7	*	*	*	*	*	*	*	*	*
552	87	36	51	*	15	35	37	19	19	37	12
552.1	16	*7	*9	*	*	*7	*6	*	*	*5	*
552.2	56	24	32	*	*9	23	23	11	12	24	*8
552.20	13	*	*8	-	*	*	*6	*	*	*5	*
552.21	31	14	16	*	*	15	12	*7	*6	14	*
552.29	13	*	*8	*	*	*	*5	*	*	*5	*
552.8	*6	*	*	-	*	*	*	*	*	*	*
553	491	189	302	11	78	171	232	91	134	174	92
553.1	58	30	28	*7	11	22	18	12	15	19	12
553.2	124	55	69	*	26	53	44	26	31	39	28
553.20	41	19	22	*	10	15	16	*9	*9	16	*7
553.21	72	29	43	*	15	35	22	13	19	21	20
553.29	11	*7	*	*	*	*	*	*	*	*	*
553.3	291	98	193	*	39	84	167	49	80	112	49
553.8	*9	*	*6	*	*	*5	*	*	*5	*	*
553.9	*6	*	*	*	*	*	*	*	*	*	*
555	135	55	79	*	62	41	28	28	35	51	21
555.0	18	*6	12	*	11	*	*	*	*6	*5	*
555.1	11	*6	*	*	*6	*	*	*	*	*	*
555.2	10	*	*6	*	*6	*	*	*	*	*	*
555.9	96	39	57	*	39	33	21	20	24	40	12
556	79	40	39	*	30	27	20	23	15	23	19
556.6	11	*7	*	*	*5	*	*	*	*	*	*
556.8	*6	*	*	*	*	*	*	*	*	*	*
556.9	52	25	27	*	19	18	13	13	12	13	13
557	82	26	56	*	*9	22	50	20	25	28	10
557.0	37	15	22	*	*6	*9	21	*7	12	13	*
557.1	*7	*	*6	*	*	*	*5	*	*	*	*
557.9	38	10	29	*	*	12	24	11	10	13	*
558	385	162	223	79	78	88	141	84	86	155	60
558.1	10	*	*6	-	*	*	*7	*	*	*	*
558.9	371	155	215	77	77	83	134	80	84	151	55
560	784	361	423	25	128	238	392	142	211	283	147
560.0	*9	*	*	*	*	*	*	*	*	*	*
560.1	344	161	183	11	62	102	168	54	93	137	60
560.2	12	*6	*7	*	*	*	*6	*	*	*	*
560.3	71	31	40	*	11	12	44	14	18	27	12

Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region:  
United States, 2007

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification*<sup>8</sup> (ICD-9-CM). See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North- east	Midwest	South	West
Number of all-listed diagnoses in thousands											
560.39	69	30	39	*	11	12	43	14	18	26	12
560.8	171	79	92	*	26	58	84	35	43	54	39
560.81	106	48	58	*	15	38	51	20	29	34	24
560.89	65	31	34	*	11	20	33	16	14	20	15
560.9	177	79	97	*	26	61	89	34	54	57	32
562	604	252	352	*	56	176	371	138	163	195	107
562.0	*9	*	*	-	*	*	*6	*	*	*	*
562.00	*6	*	*	-	*	*	*	*	*	*	*
562.1	595	247	347	*	55	175	365	137	162	192	104
562.10	256	105	151	*	12	66	177	61	63	84	48
562.11	265	107	158	*	42	95	127	58	80	83	44
562.12	62	30	32	-	*	*8	54	16	14	22	10
562.13	12	*6	*6	*	*	*	*7	*	*	*	*
564	655	220	436	41	149	186	279	141	172	243	99
564.0	481	184	298	35	94	127	225	99	132	183	67
564.00	413	155	259	27	77	110	199	82	118	162	52
564.09	68	29	38	*8	16	17	26	17	14	21	16
564.1	147	24	122	*	49	51	45	34	36	54	23
564.8	19	10	*9	*	*	*6	*	*7	*	*	*7
564.81	11	*7	*	*	*	*	*	*	*	*	*5
564.89	*8	*	*5	*	*	*	*	*	*	*	*
565	15	*8	*7	*	*	*	*	*	*	*6	*
565.0	*7	*	*	*	*	*	*	*	*	*	*
565.1	*8	*	*	*	*	*	*	*	*	*	*
566	35	23	12	*	15	14	*5	*8	*8	14	*5
567	133	66	67	*5	35	50	43	27	31	44	30
567.2	95	46	49	*	28	36	27	19	21	31	24
567.21	11	*6	*6	*	*	*	*5	*	*	*	*
567.22	57	25	31	*	18	20	16	11	15	17	14
567.23	*9	*7	*	-	*	*6	*	*	*	*	*
567.29	18	*8	*9	*	*6	*7	*	*	*	*9	*
567.3	*6	*	*	*	*	*	*	*	*	*	*
567.8	14	*6	*8	*	*	*6	*	*	*	*	*
567.89	*9	*	*	*	*	*	*	*	*	*	*
567.9	18	10	*8	*	*	*6	*8	*	*6	*6	*
568	197	62	135	*	62	75	55	36	42	74	44
568.0	163	52	112	*	45	68	45	31	34	63	36
568.8	33	10	23	*	17	*6	*9	*5	*8	11	*8
568.81	21	*7	14	*	13	*	*5	*	*	*7	*7
568.89	11	*	*8	*	*	*	*	*	*	*	*
569	299	139	160	*5	51	86	157	69	70	107	53
569.0	11	*6	*5	-	*	*	*7	*	*	*	*
569.1	10	*	*8	*	*	*	*7	*	*	*	*
569.3	68	31	36	*	10	19	38	15	15	26	11
569.4	29	12	16	*	*7	11	10	*5	*6	14	*
569.41	*8	*	*	*	*	*	*	*	*	*	*
569.49	17	*7	10	*	*	*8	*5	*	*	*9	*
569.5	36	18	18	*	*7	13	15	*8	10	10	*8
569.6	31	13	18	*	*6	*9	15	*6	*6	11	*7
569.62	*7	*	*	*	*	*	*	*	*	*	*
569.69	20	*9	11	*	*	*5	11	*	*5	*7	*
569.8	108	54	54	*	18	28	60	26	28	36	18
569.81	15	*8	*7	*	*	*	*7	*	*	*	*
569.82	15	*5	10	*	*	*	*8	*	*	*6	*
569.83	30	16	14	*	*7	*9	14	*7	*7	12	*
569.85	26	15	11	-	*	*6	20	*7	*7	*8	*
569.89	17	*8	*9	*	*	*	*7	*	*	*6	*
569.9	*5	*	*	*	*	*	*	*	*	*	*
570	38	19	19	*	*8	15	14	*9	*6	18	*6
571	497	293	204	*	97	280	118	111	100	171	115
571.0	*7	*	*	-	*	*5	*	*	*	*	*

Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region:  
United States, 2007

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification*<sup>8</sup> (ICD-9-CM). See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North- east	Midwest	South	West
Number of all-listed diagnoses in thousands											
571.1	47	34	13	-	19	25	*	11	10	14	12
571.2	158	117	41	-	24	109	25	36	29	54	39
571.3	22	16	*6	-	*7	14	*	*	*8	*	*6
571.4	18	*7	12	*	*	*6	*7	*	*	*	*7
571.49	14	*	10	*	*	*	*6	*	*	*	*6
571.5	170	89	81	*	20	86	64	41	27	67	36
571.6	*9	*	*8	*	*	*	*5	*	*	*	*
571.8	63	26	37	*	20	31	10	12	14	25	12
572	176	108	68	*	24	97	52	38	33	61	45
572.0	12	*9	*	*	*	*	*	*	*	*	*
572.2	83	50	34	*	*9	48	25	18	15	33	17
572.3	55	33	21	*	*8	30	15	10	12	16	16
572.4	11	*7	*	*	*	*7	*	*	*	*	*
572.8	15	*9	*6	*	*	*8	*	*	*	*	*5
573	91	43	48	*6	20	28	38	18	21	35	17
573.3	36	19	18	*	*8	11	16	*8	*8	12	*8
573.8	31	14	16	*	*5	10	13	*6	*7	11	*6
573.9	19	*8	11	*	*5	*	*7	*	*	*9	*
574	562	200	361	*	178	164	216	108	130	204	119
574.0	149	58	91	*	48	48	53	30	33	53	34
574.00	139	53	86	*	45	45	48	29	30	49	31
574.01	10	*5	*5	-	*	*	*5	*	*	*	*
574.1	182	60	123	*	62	59	61	38	39	67	38
574.10	177	58	119	*	60	57	60	38	38	64	36
574.11	*6	*	*	-	*	*	*	*	*	*	*
574.2	126	48	78	*	38	34	53	23	36	45	22
574.20	124	47	77	*	38	33	52	22	36	44	22
574.3	*7	*	*	*	*	*	*	*	*	*	*
574.4	*8	*	*	-	*	*	*	*	*	*	*
574.5	40	12	29	*	10	*8	22	*8	*9	15	*8
574.50	24	*6	18	*	*5	*	14	*	*6	*9	*5
574.51	16	*6	11	*	*	*	*8	*	*	*7	*
574.6	12	*	*8	-	*	*	*7	*	*	*	*
574.60	*8	*	*6	-	*	*	*	*	*	*	*
574.7	17	*6	11	*	*6	*	*7	*	*	*7	*
574.70	11	*	*8	*	*	*	*	*	*	*	*
574.71	*5	*	*	-	*	*	*	*	*	*	*
574.8	*9	*	*6	-	*	*	*	*	*	*	*
574.9	12	*	*8	*	*	*	*	*	*	*5	*
574.90	*9	*	*5	*	*	*	*	*	*	*	*
575	151	54	96	*	50	46	51	25	40	57	29
575.0	47	21	26	-	12	14	21	*9	14	15	10
575.1	46	13	32	*	15	13	16	*6	13	18	*8
575.10	10	*	*8	*	*	*	*	*	*	*	*
575.11	26	*7	18	*	*8	*8	*9	*	*6	12	*
575.12	10	*	*6	*	*	*	*	*	*	*	*
575.3	*9	*	*7	*	*	*	*	*	*	*	*
575.8	36	12	24	*	15	11	*8	*6	*8	14	*8
576	121	51	70	*	23	38	57	26	25	41	29
576.1	39	19	20	*	*	11	24	*8	*8	12	12
576.2	35	15	19	*	*	13	18	*9	*7	12	*7
576.8	45	16	29	*	14	14	14	*9	10	15	11
577	486	246	240	*8	158	194	127	86	105	200	95
577.0	344	170	174	*	114	137	89	58	80	136	69
577.1	85	51	34	*	30	37	16	15	13	42	15
577.2	32	15	17	*	*9	12	11	*7	*7	10	*8
577.8	17	*7	10	*	*	*	*7	*	*	*9	*
577.9	*8	*	*6	*	*	*	*	*	*	*	*
578	467	229	238	10	52	110	295	112	115	163	77
578.0	65	39	26	*	16	17	28	16	16	21	12
578.1	118	56	63	*	15	30	70	30	27	43	18
578.9	284	135	149	*	21	64	197	66	73	99	47

Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region:  
United States, 2007

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification*<sup>8</sup> (ICD-9-CM). See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of all-listed diagnoses in thousands											
579	54	23	31	10	*9	17	18	12	11	17	14
579.0	12	*	*8	*	*	*	*5	*	*	*	*
579.3	30	13	17	*6	*	*9	11	*8	*6	*9	*8
579.9	*6	*	*	*	*	*	*	*	*	*	*
580-629	10,932	4,434	6,498	174	2,074	2,805	5,879	2,240	2,584	4,127	1,982
580	*8	*	*	*	*	*	*	*	*	*	*
581	30	15	15	*	*7	13	*7	*6	*	12	*8
581.8	15	*6	*9	*	*	*6	*	*	*	*6	*
581.81	14	*5	*9	-	*	*6	*	*	*	*6	*
581.9	13	*8	*5	*	*	*6	*	*	*	*5	*
582	11	*6	*5	*	*5	*	*	*	*	*	*
583	86	45	42	*	21	28	36	21	17	29	20
583.8	71	38	33	*	14	24	33	17	14	22	18
583.81	67	36	31	*	12	23	32	16	13	21	17
583.9	13	*6	*7	*	*7	*	*	*	*	*5	*
584	1,492	771	721	10	127	375	980	329	329	563	271
584.5	114	62	52	*	14	41	57	27	23	40	24
584.8	*7	*	*	*	*	*	*	*	*	*	*
584.9	1,371	704	667	*7	112	331	920	299	305	521	246
585	2,363	1,264	1,099	*9	179	640	1,535	532	536	862	433
585.1	*9	*	*	*	*	*	*5	*	*	*	*
585.2	34	18	16	*	*	*8	25	*9	*8	10	*7
585.3	167	87	81	*	*	30	133	46	45	44	32
585.4	126	64	61	*	*6	26	94	30	31	41	23
585.5	64	38	26	*	*8	26	29	*7	12	27	17
585.6	733	383	349	*7	113	289	324	171	120	291	151
585.9	1,229	669	560	*	46	258	924	266	317	446	201
586	39	21	18	*	*7	*7	25	*	17	14	*
588	45	23	22	*	*7	19	19	10	13	19	*
588.0	*6	*	*	-	*	*	*	*	*	*	*
588.8	38	18	20	*	*6	17	15	*6	12	17	*
588.81	31	16	15	*	*	14	12	*	11	14	*
588.89	*7	*	*	*	*	*	*	*	*	*	*
590	236	44	192	25	108	48	55	40	52	93	52
590.1	88	16	72	*6	44	14	24	16	25	31	15
590.10	88	16	72	*6	44	14	24	16	25	31	15
590.2	*8	*	*6	*	*	*	*	*	*	*	*
590.8	138	26	112	19	58	31	30	20	24	59	34
590.80	138	26	112	19	58	31	30	20	24	59	34
591	226	101	126	11	59	64	93	53	52	80	42
592	274	129	145	*	97	98	78	61	73	101	39
592.0	138	60	78	*	48	51	38	33	36	48	20
592.1	133	69	64	*	47	46	40	28	35	52	19
593	495	259	237	21	54	123	298	88	141	179	87
593.2	20	12	*8	*	*	*9	*8	*5	*	*6	*
593.3	*9	*5	*	*	*	*	*	*	*	*	*
593.4	24	*9	16	*	*5	10	*8	*5	*5	10	*
593.5	11	*5	*6	*	*	*	*	*	*	*	*
593.7	17	*7	*9	13	*	*	*	*	*	*6	*6
593.70	15	*6	*9	13	*	*	*	*	*	*5	*5
593.8	26	11	14	*	*7	*9	*8	*7	*7	*8	*
593.81	10	*6	*	*	*	*6	*	*	*	*	*
593.89	15	*5	10	*	*5	*	*	*	*	*5	*
593.9	386	209	177	*	30	87	266	61	117	141	67
594	15	11	*	*	*	*	11	*	*	*7	*

Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region:  
United States, 2007

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification*<sup>8</sup> (ICD-9-CM). See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North- east	Midwest	South	West
Number of all-listed diagnoses in thousands											
594.1	12	*9	*	*	*	*	*9	*	*	*6	*
595	76	26	50	*	13	16	45	15	19	30	11
595.0	15	*	10	*	*	*	11	*	*	*	*
595.1	17	*	14	*	*7	*	*6	*	*	*7	*
595.2	*6	*	*	-	*	*	*	*	*	*	*
595.8	10	*8	*	*	*	*	*8	*	*	*	*
595.82	*7	*6	*	-	*	*	*6	*	*	*	*
595.9	28	*8	20	*	*	*6	18	*6	*6	12	*
596	175	108	67	*6	19	48	102	47	38	53	36
596.0	35	33	*	*	*	*7	27	*9	*6	12	*8
596.1	10	*6	*	-	*	*	*8	*	*	*	*
596.3	*8	*7	*	*	*	*	*	*	*	*	*
596.4	*7	*	*	-	*	*	*	*	*	*	*
596.5	76	31	44	*	13	23	35	24	18	17	17
596.51	11	*	10	*	*	*	*9	*	*	*	*
596.54	59	28	31	*	11	19	25	20	13	12	14
596.7	*8	*7	*	-	*	*	*6	*	*	*	*
596.8	26	16	*9	*	*	*7	13	*5	*	13	*
598	22	20	*	*	*	*6	12	*	*5	*8	*
598.8	15	14	*	*	*	*	*7	*	*	*7	*
598.9	*6	*6	*	*	*	*	*	*	*	*	*
599	2,802	927	1,874	51	303	535	1,913	567	703	1,045	486
599.0	2,447	701	1,745	44	253	451	1,698	497	607	917	426
599.6	51	44	*7	*	*	*8	41	10	15	15	12
599.60	29	23	*6	*	*	*5	23	*7	*9	*9	*
599.69	22	21	*	-	*	*	18	*	*6	*6	*7
599.7	281	175	106	*6	44	66	165	58	75	103	45
599.8	17	*	13	*	*	*8	*7	*	*	*8	*
599.81	*7	-	*7	-	*	*	*	*	*	*	*
600	519	519	-	*	*	103	411	151	116	166	86
600.0	494	494	-	*	*	96	394	145	110	159	80
600.00	392	392	-	*	*	76	312	121	86	122	63
600.01	102	102	-	-	*	20	82	24	24	37	18
600.9	18	18	-	-	*	*	14	*	*	*6	*
600.90	*9	*9	-	-	*	*	*6	*	*	*	*
600.91	*9	*9	-	-	-	*	*8	*	*	*	*
601	31	31	-	-	*	14	13	*6	*9	11	*5
601.0	*6	*6	-	-	*	*	*	*	*	*	*
601.1	*8	*8	-	-	*	*	*	*	*	*	*
601.9	14	14	-	-	*	*7	*	*	*	*6	*
603	*9	*9	-	*	*	*	*	*	*	*	*
603.9	*8	*8	-	*	*	*	*	*	*	*	*
604	13	13	-	*	*	*5	*	*	*	*	*
604.9	10	10	-	*	*	*	*	*	*	*	*
604.90	*5	*5	-	*	*	*	*	*	*	*	*
605	12	12	-	*5	*	*	*	*	*	*	*
607	27	27	-	*	*9	10	*6	*	*	14	*
607.1	*5	*5	-	*	*	*	*	*	*	*	*
607.2	*5	*5	-	*	*	*	*	*	*	*	-
607.8	15	15	-	*	*	*8	*	*	*	*7	*
607.84	10	10	-	-	*	*7	*	*	*	*5	*
608	35	35	-	*	10	15	*7	*7	*7	16	*
608.4	14	14	-	*	*	*8	*	*	*	*6	*
608.8	15	15	-	*	*	*5	*	*	*	*7	*
608.86	*7	*7	-	*	*	*	*	*	*	*	*
610	12	*	12	-	*5	*	*	*	*	*	*
610.1	*8	-	*8	-	*	*	*	*	*	*	*



Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region:  
United States, 2007

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification*<sup>8</sup> (ICD-9-CM). See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North- east	Midwest	South	West
Number of all-listed diagnoses in thousands											
611	55	*7	49	*	20	21	14	12	10	24	10
611.0	18	*	16	*	*5	*8	*	*	*	*8	*
611.1	11	*	*9	*	*7	*	*	*	*	*	*
611.7	15	*	13	*	*	*	*7	*	*	*6	*
611.72	12	*	10	-	*	*	*6	*	*	*	*
611.8	*6	*	*6	-	*	*	*	*	*	*	*
614	197	-	197	*	135	48	12	32	38	90	38
614.1	15	-	15	*	10	*	*	*	*	*6	*
614.2	10	-	10	-	*7	*	*	*	*	*5	*
614.3	*6	-	*6	*	*	*	*	*	*	*	*
614.4	*8	-	*8	*	*	*	*	*	*	*5	*
614.6	138	-	138	*	93	38	*6	21	28	64	25
614.9	17	-	17	*	15	*	*	*	*	*8	*
615	22	-	22	-	21	*	*	*	*	11	*
615.9	18	-	18	-	17	*	*	*	*	10	*
616	89	-	89	*	45	35	*6	17	24	36	12
616.0	49	-	49	-	23	23	*	10	15	18	*6
616.1	23	-	23	*	16	*	*	*	*6	*9	*
616.10	23	-	23	*	16	*	*	*	*6	*9	*
616.4	12	-	12	*	*	*7	*	*	*	*6	*
617	190	-	190	-	126	58	*6	31	44	84	30
617.0	101	-	101	-	61	35	*	16	22	50	14
617.1	30	-	30	-	19	10	-	*5	*6	12	*7
617.2	*7	-	*7	-	*5	*	*	*	*	*	*
617.3	27	-	27	-	20	*7	-	*	*6	12	*5
617.9	18	-	18	-	17	*	*	*	*7	*6	*
618	267	-	267	-	57	117	93	38	65	114	50
618.0	108	-	108	-	24	46	38	15	21	51	20
618.01	51	-	51	-	10	23	18	*7	10	24	10
618.04	45	-	45	-	11	18	16	*6	*8	25	*7
618.1	17	-	17	-	*9	*	*	*	*	*8	*
618.2	22	-	22	-	*	12	*5	*	*7	*	*6
618.3	13	-	13	-	*	*	*9	*	*	*	*
618.4	25	-	25	-	*6	13	*6	*	*8	10	*
618.5	31	-	31	-	*	15	15	*	*7	14	*6
618.6	29	-	29	-	*8	13	*8	*	10	11	*
618.8	21	-	21	-	*	*9	*8	*	*	14	*
618.89	20	-	20	-	*	*8	*8	*	*	13	*
619	10	-	10	*	*	*	*	*	*	*	*
619.1	*7	-	*7	*	*	*	*	*	*	*	*
620	247	-	247	*6	164	66	11	39	52	103	53
620.0	26	-	26	*	16	10	*	*5	*6	10	*
620.1	36	-	36	*	26	10	*	*	*7	16	*8
620.2	138	-	138	*	99	29	*7	21	27	58	31
620.5	*9	-	*9	*	*6	*	*	*	*	*	*
620.8	31	-	31	*	16	12	*	*5	*7	12	*7
621	73	-	73	*	29	35	*9	14	18	29	12
621.0	27	-	27	*	*9	14	*	*7	*7	*9	*
621.2	13	-	13	-	*9	*	*	*	*	*6	*
621.3	20	-	20	*	*	12	*	*	*	*9	*
621.30	*6	-	*6	*	*	*	*	*	*	*	*
621.33	*8	-	*8	*	*	*	*	*	*	*	*
621.8	*8	-	*8	-	*	*	*	*	*	*	*
622	30	-	30	-	17	11	*	*	10	13	*
622.1	21	-	21	-	13	*7	*	*	*8	*9	*
622.10	14	-	14	-	*8	*	*	*	*6	*6	*
623	25	-	25	*	10	*7	*6	*	*7	10	*
623.8	19	-	19	*	*8	*7	*	*	*6	*8	*
624	*9	-	*9	*	*5	*	*	*	*	*6	*

Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region:  
United States, 2007

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification*<sup>8</sup> (ICD-9-CM). See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of all-listed diagnoses in thousands											
624.8	*6	-	*6	*	*	*	*	*	*	*	*
625	329	-	329	*	191	101	36	34	80	142	74
625.0	30	-	30	-	24	*6	*	*	*	17	*7
625.3	84	-	84	*	65	18	-	*6	16	43	18
625.6	128	-	128	-	35	59	34	18	39	45	27
625.8	*6	-	*6	*	*	*	*	*	*	*	*
625.9	76	-	76	*	60	14	*	*6	19	32	19
626	281	-	281	*	184	95	*	38	69	117	57
626.2	205	-	205	*	133	72	-	27	51	85	41
626.4	*7	-	*7	*	*5	*	-	*	*	*	*
626.6	*7	-	*7	*	*	*	*	*	*	*	*
626.8	50	-	50	*	34	15	*	*7	12	21	10
627	31	-	31	-	*	17	11	*	*6	12	*8
627.1	19	-	19	-	*	12	*8	*	*	*9	*
628	*8	-	*8	-	*7	*	-	*	*	*	*
630-677	10,729	-	10,729	29	10,670	30	-	1,693	2,331	4,221	2,484
632	17	-	17	*	15	*	-	*	*	*9	*
633	29	-	29	-	29	-	-	*6	*	14	*
633.1	26	-	26	-	26	-	-	*5	*	13	*
633.10	25	-	25	-	25	-	-	*	*	13	*
634	23	-	23	*	23	*	-	*6	*	*8	*7
634.9	12	-	12	*	12	*	-	*	*	*	*
634.91	*9	-	*9	-	*9	*	-	*	*	*	*
639	*9	-	*9	-	*9	*	-	*	*	*	*
640	*9	-	*9	-	*9	-	-	*	*	*5	*
640.0	*6	-	*6	-	*6	-	-	*	*	*	*
640.03	*6	-	*6	-	*6	-	-	*	*	*	*
641	97	-	97	*	97	*	-	12	23	43	20
641.0	12	-	12	-	12	*	-	*	*	*	*
641.01	11	-	11	-	11	*	-	*	*	*	*
641.1	17	-	17	-	17	*	-	*	*	*8	*
641.11	13	-	13	-	13	*	-	*	*	*6	*
641.2	54	-	54	*	54	*	-	*	18	22	10
641.21	49	-	49	*	49	*	-	*	16	21	*8
641.9	12	-	12	*	11	*	-	*	*	*6	*
641.91	*6	-	*6	-	*6	-	-	*	*	*	*
641.93	*6	-	*6	*	*5	*	-	*	*	*	*
642	401	-	401	*	398	*	-	58	71	191	80
642.0	56	-	56	-	55	*	-	*9	*9	29	*9
642.01	43	-	43	-	43	*	-	*6	*8	21	*8
642.03	11	-	11	-	11	-	-	*	*	*7	*
642.3	143	-	143	*	142	*	-	18	25	68	31
642.31	124	-	124	*	124	*	-	17	22	58	27
642.33	15	-	15	-	15	*	-	*	*	*9	*
642.4	92	-	92	-	92	*	-	13	17	40	23
642.41	79	-	79	-	79	*	-	11	15	32	21
642.43	*9	-	*9	-	*9	-	-	*	*	*	*
642.5	50	-	50	*	49	*	-	*7	*8	26	*9
642.51	45	-	45	*	45	*	-	*6	*8	24	*8
642.6	*7	-	*7	-	*7	-	-	*	*	*	*
642.61	*6	-	*6	-	*6	-	-	*	*	*	*
642.7	20	-	20	-	20	*	-	*	*	12	*
642.71	18	-	18	-	18	*	-	*	*	10	*
642.9	29	-	29	-	29	*	-	*5	*7	11	*6
642.91	22	-	22	-	22	-	-	*	*6	*8	*
643	42	-	42	-	42	-	-	*	*7	25	*5

Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region:  
United States, 2007

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification*<sup>8</sup> (ICD-9-CM). See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North- east	Midwest	South	West
Number of all-listed diagnoses in thousands											
643.0	17	-	17	-	17	-	-	*	*	11	*
643.03	17	-	17	-	17	-	-	*	*	11	*
643.1	12	-	12	-	12	-	-	*	*	*8	*
643.13	12	-	12	-	12	-	-	*	*	*8	*
643.2	*9	-	*9	-	*9	-	-	*	*	*5	*
643.23	*7	-	*7	-	*7	-	-	*	*	*	*
644	412	-	412	*	409	*	-	64	83	180	85
644.0	96	-	96	*	95	*	-	11	20	44	21
644.03	96	-	96	*	95	*	-	11	20	44	21
644.1	11	-	11	*	10	-	-	*	*	*6	*
644.13	10	-	10	*	10	-	-	*	*	*6	*
644.2	306	-	306	*	304	*	-	51	62	130	62
644.21	306	-	306	*	304	*	-	51	62	130	62
645	399	-	399	*	398	*	-	75	87	124	112
645.1	394	-	394	*	393	*	-	74	86	123	110
645.11	390	-	390	*	389	*	-	74	85	122	109
646	219	-	219	*	217	*	-	26	50	94	48
646.1	*8	-	*8	-	*8	-	-	*	*	*	*
646.11	*7	-	*7	-	*7	-	-	*	*	*	*
646.2	10	-	10	-	10	-	-	*	*	*	*
646.21	*5	-	*5	-	*5	-	-	*	*	*	*
646.3	*8	-	*8	-	*8	-	-	*	*	*	*
646.31	*7	-	*7	-	*7	-	-	*	*	*	*
646.6	113	-	113	*	111	*	-	18	26	48	21
646.61	46	-	46	*	46	*	-	*9	13	16	*8
646.63	57	-	57	*	55	*	-	*8	10	27	12
646.64	*6	-	*6	*	*6	-	-	*	*	*	*
646.8	74	-	74	*	73	*	-	*5	18	34	16
646.81	46	-	46	-	46	*	-	*	15	17	12
646.83	23	-	23	*	22	-	-	*	*	16	*
647	108	-	108	*	106	*	-	19	19	51	18
647.6	75	-	75	*	75	*	-	15	10	36	14
647.61	67	-	67	*	66	*	-	14	*9	31	13
647.63	*8	-	*8	-	*8	*	-	*	*	*	*
647.8	25	-	25	*	24	-	-	*	*6	12	*
647.81	14	-	14	-	14	-	-	*	*	*7	*
647.83	*9	-	*9	*	*8	-	-	*	*	*	*
648	1,870	-	1,870	*	1,864	*	-	326	407	740	397
648.0	54	-	54	-	54	*	-	*9	*9	24	12
648.01	39	-	39	-	39	*	-	*7	*8	16	*8
648.03	15	-	15	-	15	*	-	*	*	*7	*
648.1	89	-	89	-	89	*	-	22	19	31	17
648.11	78	-	78	-	78	*	-	20	18	26	16
648.13	10	-	10	-	10	*	-	*	*	*5	*
648.2	354	-	354	*	352	*	-	56	69	156	72
648.21	212	-	212	*	211	*	-	34	37	97	44
648.22	108	-	108	*	107	*	-	16	28	42	23
648.23	27	-	27	*	27	-	-	*6	*	13	*
648.24	*7	-	*7	-	*7	-	-	*	*	*	*
648.3	*9	-	*9	-	*9	*	-	*	*	*	*
648.31	*7	-	*7	-	*7	*	-	*	*	*	*
648.4	175	-	175	*	174	*	-	30	48	64	34
648.41	132	-	132	*	131	*	-	22	38	47	25
648.43	32	-	32	*	31	-	-	*	*7	12	*8
648.44	*7	-	*7	-	*7	-	-	*	*	*	*
648.5	*6	-	*6	-	*6	-	-	*	*	*	*
648.6	40	-	40	-	40	*	-	11	*7	17	*
648.61	31	-	31	-	31	*	-	10	*5	13	*
648.7	12	-	12	-	12	-	-	*	*	*	*
648.71	*9	-	*9	-	*9	-	-	*	*	*	*
648.8	231	-	231	-	230	*	-	39	48	88	56
648.81	212	-	212	-	212	*	-	36	44	77	55
648.83	18	-	18	-	18	*	-	*	*	11	*
648.9	900	-	900	*	897	*	-	154	202	348	197
648.91	770	-	770	*	767	*	-	132	176	291	171

Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region:  
United States, 2007

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification*<sup>8</sup> (ICD-9-CM). See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North- east	Midwest	South	West
Number of all-listed diagnoses in thousands											
648.92	20	-	20	-	20	-	-	*	*	*6	*
648.93	105	-	105	*	105	*	-	18	19	47	21
648.94	*5	-	*5	-	*5	-	-	*	*	*	*
649	351	-	351	*	350	*	-	38	91	158	64
649.0	210	-	210	*	209	*	-	23	65	97	25
649.01	187	-	187	*	187	*	-	20	59	86	23
649.03	18	-	18	-	18	*	-	*	*	*9	*
649.1	95	-	95	-	94	*	-	*8	15	39	33
649.11	86	-	86	-	86	*	-	*6	14	33	33
649.13	*6	-	*6	-	*6	-	-	*	*	*	*
649.3	25	-	25	-	25	-	-	*	*	14	*
649.31	23	-	23	-	23	-	-	*	*	12	*
649.4	15	-	15	-	15	-	-	*	*	*6	*
649.41	12	-	12	-	12	-	-	*	*	*5	*
650	305	-	305	*	305	*	-	39	56	112	97
651	73	-	73	-	73	*	-	16	16	31	11
651.0	68	-	68	-	68	*	-	14	16	29	10
651.01	51	-	51	-	51	*	-	10	11	22	*8
651.03	17	-	17	-	17	*	-	*	*	*7	*
652	316	-	316	*	315	*	-	53	72	127	63
652.2	120	-	120	*	120	*	-	21	23	49	27
652.21	116	-	116	*	116	*	-	20	23	48	26
652.3	25	-	25	-	25	*	-	*	*5	10	*5
652.31	25	-	25	-	25	*	-	*	*5	10	*5
652.4	*5	-	*5	-	*5	-	-	*	*	*	*
652.5	54	-	54	*	54	*	-	*9	12	23	10
652.51	54	-	54	*	54	*	-	*9	12	23	10
652.6	31	-	31	-	31	*	-	*	*8	13	*6
652.61	30	-	30	-	30	*	-	*	*8	12	*6
652.8	64	-	64	*	64	*	-	12	19	21	12
652.81	63	-	63	*	63	*	-	12	19	21	12
652.9	*6	-	*6	-	*6	-	-	*	*	*	*
652.91	*6	-	*6	-	*6	-	-	*	*	*	*
653	98	-	98	*	97	*	-	*9	18	48	22
653.4	81	-	81	*	80	*	-	*5	14	43	19
653.41	81	-	81	*	80	*	-	*5	14	43	19
653.5	*9	-	*9	-	*9	-	-	*	*	*	*
653.51	*9	-	*9	-	*9	-	-	*	*	*	*
654	747	-	747	-	744	*	-	122	145	318	162
654.0	10	-	10	-	10	-	-	*	*	*	*
654.01	*9	-	*9	-	*9	-	-	*	*	*	*
654.1	41	-	41	-	40	*	-	*7	*7	15	11
654.11	36	-	36	-	36	*	-	*6	*7	14	*9
654.2	598	-	598	-	596	*	-	93	110	265	130
654.21	581	-	581	-	579	*	-	91	108	255	127
654.23	17	-	17	-	17	-	-	*	*	10	*
654.4	33	-	33	-	33	*	-	*8	*6	12	*8
654.41	30	-	30	-	30	*	-	*7	*	10	*8
654.5	29	-	29	-	29	*	-	*8	*6	10	*5
654.51	16	-	16	-	16	*	-	*5	*	*6	*
654.53	13	-	13	-	12	*	-	*	*	*	*
654.6	26	-	26	-	26	-	-	*	12	*7	*
654.61	18	-	18	-	18	-	-	*	10	*	*
654.63	*7	-	*7	-	*7	-	-	*	*	*	*
655	50	-	50	*	49	*	-	*	*6	28	10
655.7	19	-	19	-	19	-	-	*	*	10	*
655.71	17	-	17	-	17	-	-	*	*	*9	*
655.8	24	-	24	*	24	-	-	*	*	14	*6
655.81	20	-	20	-	20	-	-	*	*	11	*
656	396	-	396	*	393	*	-	59	90	157	90
656.1	85	-	85	-	85	*	-	13	13	35	23
656.11	83	-	83	-	83	*	-	12	13	35	22

Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region:  
United States, 2007

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification*<sup>8</sup> (ICD-9-CM). See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of all-listed diagnoses in thousands											
656.3	11	-	11	-	11	-	-	*	*	*	*
656.31	11	-	11	-	11	-	-	*	*	*	*
656.4	16	-	16	*	15	*	-	*	*	*8	*
656.41	16	-	16	*	15	*	-	*	*	*8	*
656.5	78	-	78	*	76	*	-	12	19	35	12
656.51	72	-	72	*	71	*	-	12	18	31	11
656.53	*5	-	*5	*	*5	*	-	*	*	*	*
656.6	111	-	111	-	111	*	-	16	27	42	25
656.61	110	-	110	-	110	*	-	16	27	42	24
656.7	18	-	18	-	18	*	-	*	10	*	*
656.71	17	-	17	-	17	*	-	*	10	*	*
656.8	71	-	71	-	71	*	-	13	14	28	17
656.81	71	-	71	-	71	*	-	13	14	28	17
657	34	-	34	-	33	*	-	*6	*8	14	*6
657.0	34	-	34	-	33	*	-	*6	*8	14	*6
657.01	31	-	31	-	31	*	-	*5	*7	13	*6
658	330	-	330	*	329	*	-	73	59	117	80
658.0	101	-	101	-	101	*	-	26	14	41	20
658.01	96	-	96	-	96	*	-	25	13	38	19
658.03	*6	-	*6	-	*5	*	-	*	*	*	*
658.1	125	-	125	*	125	*	-	24	23	40	38
658.11	120	-	120	*	120	*	-	23	23	38	37
658.2	45	-	45	*	45	*	-	*8	13	13	11
658.21	41	-	41	*	41	*	-	*8	11	12	11
658.4	56	-	56	-	56	*	-	14	*8	23	11
658.41	55	-	55	-	55	*	-	13	*8	22	11
659	1,097	-	1,097	*7	1,082	*8	-	161	227	415	294
659.1	43	-	43	*	43	*	-	*8	*7	17	10
659.11	38	-	38	*	38	*	-	*7	*6	16	*8
659.2	39	-	39	*	39	-	-	*	*6	17	12
659.21	39	-	39	*	39	-	-	*	*6	17	12
659.4	19	-	19	-	19	-	-	*	*	*	*9
659.41	18	-	18	-	18	-	-	*	*	*	*8
659.5	61	-	61	-	60	*	-	12	12	19	17
659.51	58	-	58	-	58	*	-	11	12	18	16
659.6	331	-	331	-	326	*	-	57	65	114	95
659.61	316	-	316	-	312	*	-	55	64	107	91
659.63	15	-	15	-	15	*	-	*	*	*8	*
659.7	534	-	534	*	531	*	-	68	119	214	132
659.71	526	-	526	*	524	*	-	67	116	212	131
659.73	*7	-	*7	-	*7	-	-	*	*	*	*
659.8	43	-	43	*7	37	*	-	*6	*8	16	14
659.81	39	-	39	*5	34	*	-	*5	*8	14	13
659.9	24	-	24	-	24	-	-	*	*7	11	*5
659.91	24	-	24	-	24	-	-	*	*7	11	*5
660	188	-	188	*	187	*	-	19	43	73	53
660.0	36	-	36	-	36	*	-	*	*8	16	*9
660.01	36	-	36	-	36	*	-	*	*8	16	*9
660.1	33	-	33	*	32	*	-	*	*5	16	10
660.11	33	-	33	*	32	*	-	*	*5	16	10
660.3	39	-	39	-	39	-	-	*5	*8	11	15
660.31	39	-	39	-	39	-	-	*5	*8	11	15
660.4	59	-	59	*	59	*	-	*6	18	21	14
660.41	59	-	59	*	59	*	-	*6	18	21	14
660.7	*9	-	*9	-	*9	-	-	*	*	*	*
660.71	*9	-	*9	-	*9	-	-	*	*	*	*
661	348	-	348	*	348	*	-	65	77	131	75
661.0	84	-	84	-	83	*	-	17	20	30	17
661.01	83	-	83	-	83	*	-	17	20	29	17
661.1	95	-	95	*	94	*	-	22	13	39	20
661.11	95	-	95	*	94	*	-	22	13	39	20
661.2	81	-	81	-	81	*	-	15	16	35	14
661.21	81	-	81	-	81	*	-	15	16	35	14
661.3	82	-	82	-	82	*	-	*9	26	25	23
661.31	82	-	82	-	82	*	-	*9	26	25	23

Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region:  
United States, 2007

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification*<sup>8</sup> (ICD-9-CM). See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North- east	Midwest	South	West
Number of all-listed diagnoses in thousands											
662	30	-	30	-	30	-	-	*6	*6	*7	11
662.1	*6	-	*6	-	*6	-	-	*	*	*	*
662.11	*6	-	*6	-	*6	-	-	*	*	*	*
662.2	21	-	21	-	21	-	-	*	*	*	*9
662.21	21	-	21	-	21	-	-	*	*	*	*9
663	835	-	835	*	832	*	-	119	213	305	199
663.0	10	-	10	*	*8	*	-	*	*	*	*
663.01	10	-	10	*	*8	*	-	*	*	*	*
663.1	152	-	152	-	151	*	-	18	57	41	35
663.11	152	-	152	-	151	*	-	18	57	41	35
663.2	44	-	44	-	44	-	-	*	11	15	14
663.21	44	-	44	-	44	-	-	*	11	15	14
663.3	584	-	584	*	582	*	-	89	128	228	139
663.31	584	-	584	*	582	*	-	89	128	228	138
663.4	17	-	17	-	17	-	-	*	*5	*6	*
663.41	17	-	17	-	17	-	-	*	*5	*6	*
663.8	26	-	26	-	26	*	-	*	*9	*9	*6
663.81	26	-	26	-	26	*	-	*	*9	*9	*6
664	1,291	-	1,291	*	1,287	*	-	217	299	450	324
664.0	575	-	575	*	573	*	-	99	123	199	155
664.01	574	-	574	*	572	*	-	99	123	198	154
664.1	583	-	583	*	582	*	-	98	144	201	141
664.11	583	-	583	*	581	*	-	98	144	200	141
664.2	66	-	66	*	66	-	-	14	14	24	14
664.21	66	-	66	*	66	-	-	14	14	24	14
664.3	19	-	19	-	19	-	-	*	*	10	*
664.31	19	-	19	-	19	-	-	*	*	10	*
664.4	22	-	22	-	22	-	-	*	*9	*5	*6
664.41	22	-	22	-	22	-	-	*	*9	*	*6
664.8	19	-	19	-	19	-	-	*	*	10	*
664.81	19	-	19	-	19	-	-	*	*	10	*
665	165	-	165	*	165	-	-	18	43	73	31
665.3	*7	-	*7	-	*7	-	-	*	*	*	*
665.31	*7	-	*7	-	*7	-	-	*	*	*	*
665.4	47	-	47	*	47	-	-	*6	*9	22	10
665.41	46	-	46	*	46	-	-	*6	*9	22	10
665.5	96	-	96	*	96	-	-	*9	26	43	18
665.51	96	-	96	*	96	-	-	*9	25	43	18
666	111	-	111	*	110	*	-	16	34	37	24
666.0	13	-	13	-	13	-	-	*	*	*	*
666.02	12	-	12	-	12	-	-	*	*	*	*
666.1	80	-	80	*	79	*	-	12	25	25	18
666.12	79	-	79	*	79	*	-	12	25	24	18
666.2	12	-	12	-	12	-	-	*	*	*5	*
666.22	*7	-	*7	-	*7	-	-	*	*	*	*
666.3	*6	-	*6	-	*6	-	-	*	*	*	*
666.32	*6	-	*6	-	*6	-	-	*	*	*	*
667	18	-	18	-	18	*	-	*	*6	*6	*
667.0	11	-	11	-	11	*	-	*	*	*	*
667.02	11	-	11	-	11	*	-	*	*	*	*
667.1	*7	-	*7	-	*7	*	-	*	*	*	*
667.12	*6	-	*6	-	*6	*	-	*	*	*	*
668	18	-	18	-	18	-	-	*	*7	*7	*
668.8	16	-	16	-	16	-	-	*	*6	*5	*
668.81	*7	-	*7	-	*7	-	-	*	*	*	*
668.82	*9	-	*9	-	*9	-	-	*	*	*	*
669	158	-	158	*	158	*	-	21	30	62	44
669.2	*6	-	*6	-	*6	-	-	*	*	*	*
669.4	*6	-	*6	-	*6	-	-	*	*	*	*
669.5	48	-	48	*	48	*	-	*5	*6	25	12
669.51	48	-	48	*	48	*	-	*5	*6	25	12
669.7	29	-	29	-	29	-	-	*	*	*8	15

Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region:  
United States, 2007

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification*<sup>8</sup> (ICD-9-CM). See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North- east	Midwest	South	West
Number of all-listed diagnoses in thousands											
669.71	29	-	29	-	29	-	-	*	*	*8	15
669.8	66	-	66	*	66	*	-	*7	19	25	15
669.81	46	-	46	*	46	-	-	*5	12	18	11
669.82	20	-	20	-	20	*	-	*	*8	*7	*
670	24	-	24	-	24	-	-	*	*	11	*5
670.0	24	-	24	-	24	-	-	*	*	11	*5
670.02	14	-	14	-	14	-	-	*	*	*6	*
670.04	10	-	10	-	10	-	-	*	*	*	*
671	28	-	28	*	27	*	-	*6	*	12	*6
671.8	14	-	14	-	14	*	-	*	*	*6	*
671.81	*9	-	*9	-	*9	*	-	*	*	*	*
672	13	-	13	*	13	-	-	*	*	*	*
672.0	13	-	13	*	13	-	-	*	*	*	*
672.02	12	-	12	*	12	-	-	*	*	*	*
674	53	-	53	*	52	*	-	*8	11	22	11
674.1	*6	-	*6	-	*	*	-	*	*	*	*
674.3	20	-	20	-	20	-	-	*	*	*8	*
674.32	13	-	13	-	13	-	-	*	*	*	*
674.34	*7	-	*7	-	*7	-	-	*	*	*	*
674.5	*5	-	*5	-	*5	*	-	*	*	*	*
674.8	20	-	20	*	20	-	-	*	*	*9	*
674.82	14	-	14	*	13	-	-	*	*	*5	*
674.84	*7	-	*7	*	*7	-	-	*	*	*	*
680-709	2,793	1,368	1,424	202	556	830	1,205	674	626	1,011	482
680	14	*	*9	*	*8	*	*	*	*	*6	*
681	69	45	24	*	21	25	19	13	16	26	13
681.0	29	18	10	*	11	11	*5	*6	*7	11	*
681.00	24	16	*8	*	10	*9	*	*	*6	10	*
681.1	40	26	13	*	10	14	14	*8	*9	14	*9
681.10	38	26	12	*	10	14	13	*7	*8	13	*9
682	1,158	596	563	69	271	395	424	268	261	436	192
682.0	68	34	34	12	22	21	14	11	10	33	13
682.1	20	13	*7	*	*7	*5	*	*6	*	*7	*
682.2	156	68	88	13	44	56	42	31	32	60	33
682.3	125	66	59	*	40	37	45	34	28	42	21
682.4	47	27	20	*	18	18	*9	11	12	16	*8
682.5	50	16	34	11	15	15	*9	11	*8	23	*9
682.6	517	271	246	19	92	177	230	119	135	184	80
682.7	144	84	60	*	25	58	58	41	29	54	20
682.8	17	*8	*9	*	*5	*	*6	*	*	10	*
682.9	14	*9	*	*	*	*	*5	*	*	*7	*
683	*6	*	*	*	*	*	*	*	*	*	*
684	*6	*	*	*	*	*	*	*	*	*	*
685	*6	*	*	*	*	*	*	*	*	*	*
686	20	*8	11	*	*6	*7	*	*	*	*7	*
686.9	12	*6	*6	*	*	*	*	*	*	*	*
690	*6	*	*	*	*	*	*	*	*	*	*
690.1	*5	*	*	*	*	*	*	*	*	*	*
691	42	24	18	39	*	*	*	*5	*	14	19
691.0	35	21	14	34	*	*	*	*	*	13	16
691.8	*7	*	*	*5	*	*	*	*	*	*	*
692	73	36	37	25	17	14	17	25	16	23	*9
692.9	64	32	32	23	13	12	15	22	13	21	*9

Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region:  
United States, 2007

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification*<sup>8</sup> (ICD-9-CM). See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region				
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West	
Number of all-listed diagnoses in thousands												
693	48	18	31	*6	13	13	16	13	12	15	*8	
693.0	48	17	30	*6	13	13	16	13	12	15	*8	
694	12	*	*7	*	*	*	*9	*	*	*	*	
694.5	*8	*	*5	-	*	*	*7	*	*	*	*	
695	39	19	21	*8	*8	13	*9	*8	12	10	*9	
695.1	12	*8	*	*	*	*5	*	*	*	*	*	
695.3	*7	*	*	-	*	*	*	*	*	*	*	
695.8	*7	*	*	*	*	*	*	*	*	*	*	
695.89	*7	*	*	*	*	*	*	*	*	*	*	
696	57	28	30	*	12	24	21	14	14	21	*9	
696.0	13	*5	*8	*	*	*6	*	*	*	*	*	
696.1	43	22	21	*	*9	18	15	11	*9	16	*7	
698	41	10	30	*	22	*9	*7	*5	15	14	*6	
698.8	*6	*	*	*	*	*	*	*	*	*	*	
698.9	29	*7	22	*	16	*7	*	*	11	*9	*5	
701	38	10	28	*6	18	*9	*	*7	*6	17	*7	
701.4	12	*6	*6	*	*	*	*	*	*	*9	*	
701.9	11	*	11	*	*8	*	*	*	*	*	*	
702	*6	*	*	*	*	*	*	*	*	*	*	
703	*7	*5	*	*	*	*	*	*	*	*	*	
704	25	12	13	*7	10	*	*	*7	*6	11	*	
704.0	13	*7	*6	*6	*	*	*	*	*	*7	*	
704.00	11	*5	*6	*6	*	*	*	*	*	*6	*	
704.8	*9	*5	*	*	*	*	*	*	*	*	*	
705	11	*	*7	*	*6	*	*	*	*	*	*	
705.8	*8	*	*6	*	*6	*	*	*	*	*	*	
705.83	*7	*	*	*	*	*	*	*	*	*	*	
706	22	10	11	*	12	*6	*	*7	*6	*5	*	
706.1	10	*	*6	*	*8	*	-	*	*	*	*	
706.2	*9	*	*	*	*	*	*	*	*	*	*	
707	982	468	514	*	92	259	626	265	222	332	163	
707.0	559	252	307	*	48	107	402	140	117	192	109	
707.00	17	*9	*8	*	*	*	10	*	*	10	*	
707.03	254	119	135	*	22	49	183	73	44	87	50	
707.04	36	18	18	*	*8	10	19	*7	*7	15	*7	
707.05	82	29	52	*	*6	16	58	17	25	24	16	
707.06	12	*6	*6	-	*	*	*8	*	*	*	*	
707.07	83	39	44	*	*	11	68	22	14	27	19	
707.09	70	29	41	*	*7	12	51	15	19	23	13	
707.1	399	205	195	*	39	142	217	121	98	131	50	
707.10	51	24	27	-	*	17	30	15	18	14	*	
707.12	22	10	12	-	*	*7	12	*6	*6	*6	*	
707.13	26	10	15	*	*	*8	15	*	*7	11	*	
707.14	70	31	38	*	*7	19	42	21	16	24	*9	
707.15	166	99	67	*	20	68	78	54	36	56	21	
707.19	62	29	33	*	*	20	38	21	14	18	*9	
707.8	22	10	12	*	*	10	*7	*	*6	*8	*	
708	25	*8	17	*	*8	*7	*	*	*8	*7	*	
708.0	14	*	*9	*	*	*	*	*	*	*	*	
708.9	*7	*	*5	*	*	*	*	*	*	*	*	
709	77	41	36	10	19	25	23	*7	10	46	15	
709.0	*9	*	*	*	*	*	*	*	*	*	*	
709.2	46	24	21	*7	*8	17	14	*	*	31	*9	
709.8	14	*9	*	*	*	*	*	*	*	*7	*	
709.9	*8	*	*	*	*	*	*	*	*	*	*	



Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region:  
United States, 2007

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification*<sup>8</sup> (ICD-9-CM). See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North- east	Midwest	South	West
Number of all-listed diagnoses in thousands											
710-739	6,818	2,439	4,379	94	973	2,218	3,533	1,477	1,810	2,302	1,229
710	197	25	172	*	74	73	50	33	45	87	33
710.0	137	16	121	*	62	48	27	22	31	64	20
710.1	21	*	18	*	*	10	*7	*	*5	*8	*6
710.2	19	*	19	*	*	*8	*7	*	*	*9	*
710.4	*7	*	*	-	*	*	*	*	*	*	*
710.9	*6	*	*5	-	*	*	*	*	*	*	*
711	53	27	26	*	13	14	23	10	13	20	*9
711.0	48	25	23	*	11	13	22	*9	13	18	*9
711.06	24	12	12	*	*5	*6	12	*	*6	*9	*
711.07	*8	*	*	*	*	*	*	*	*	*	*
712	*6	*	*	-	*	*	*	*	*	*	*
713	12	*7	*5	*	*	*7	*	*	*	*	*
713.5	10	*6	*	-	*	*6	*	*	*	*	*
714	259	61	198	*	26	85	145	61	73	81	44
714.0	243	57	186	*	21	82	140	56	69	76	42
714.3	*9	*	*6	*	*	*	*	*	*	*	*
714.30	*8	*	*6	*	*	*	*	*	*	*	*
715	1,639	584	1,055	*	54	512	1,072	346	489	550	255
715.0	18	*7	11	-	-	*	15	*6	*	*	*
715.09	14	*6	*8	-	-	*	12	*5	*	*	*
715.1	55	20	34	-	*	21	32	11	*8	21	15
715.15	16	*7	*9	-	*	*6	10	*	*	*5	*
715.16	35	11	24	-	*	14	21	*6	*	15	10
715.2	*9	*	*5	-	*	*6	*	*	*	*	*
715.3	590	235	355	*	14	218	358	112	170	198	110
715.30	*7	*	*	-	*	*	*	*	*	*	*
715.31	27	17	10	-	*	*8	18	*	*8	*8	*7
715.34	*8	*	*6	-	*	*	*5	*	*	*	*
715.35	153	71	83	*	*5	62	86	30	46	45	32
715.36	379	136	243	-	*6	138	234	74	105	137	64
715.37	*6	*	*	*	*	*	*	*	*	*	*
715.38	*7	*	*5	-	*	*	*6	*	*5	*	*
715.8	43	12	31	-	*	*7	33	*7	22	*8	*
715.89	43	12	31	-	*	*7	33	*7	22	*8	*
715.9	926	306	620	*	36	257	632	206	284	318	118
715.90	637	197	440	*	22	164	451	141	198	227	72
715.91	14	*6	*9	-	*	*	*9	*	*	*	*
715.95	73	29	44	-	*	21	49	14	26	21	12
715.96	170	62	108	-	*9	60	102	32	49	60	29
715.98	22	*9	12	-	*	*	17	15	*	*	*
716	287	94	193	*	29	95	162	48	92	104	44
716.1	*9	*5	*	*	*	*	*	*	*	*	*
716.5	*7	*	*	*	*	*	*	*	*	*	*
716.9	264	83	181	*	25	89	149	43	88	97	37
716.90	201	57	145	*	17	67	118	31	74	71	25
716.91	*6	*	*	-	*	*	*	*	*	*	*
716.95	*7	*	*	-	*	*	*	*	*	*	*
716.96	22	*8	13	*	*	*8	*9	*	*	*9	*
716.98	*7	*	*	-	*	*	*	*	*	*	*
716.99	11	*	*7	*	*	*	*6	*	*	*	*
717	21	*8	13	*	10	*7	*	*	*	*	*9
717.7	*5	*	*	-	*	*	*	*	*	*	*
717.8	*6	*	*	-	*	*	*	*	*	*	*
718	48	21	28	*	11	15	19	11	12	15	11
718.3	*6	*	*	*	*	*	*	*	*	*	*
718.4	17	*7	10	*	*	*7	*7	*	*5	*5	*
718.5	*7	*	*	*	*	*	*	*	*	*	*
718.56	*5	*	*	*	*	*	*	*	*	*	*
718.8	*7	*	*	*	*	*	*	*	*	*	*

Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region:  
United States, 2007

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification*<sup>8</sup> (ICD-9-CM). See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North- east	Midwest	South	West
Number of all-listed diagnoses in thousands											
718.9	*6	*	*	*	*	*	*	*	*	*	*
719	321	140	180	12	57	90	162	116	69	88	48
719.0	26	13	13	*	*	*7	11	*	*7	11	*
719.06	20	10	10	*	*	*7	*9	*	*6	*8	*
719.1	*5	*	*	*	*	*	*	*	*	*	*
719.4	188	77	111	*8	41	57	82	35	54	66	33
719.40	*6	*	*	*	*	*	*	*	*	*	*
719.41	56	27	29	*	11	21	23	12	17	17	*9
719.45	55	16	39	*	*9	12	33	11	14	23	*8
719.46	39	17	22	*	10	11	16	*5	13	15	*6
719.47	12	*	*7	*	*	*	*	*	*	*	*
719.49	12	*	*8	*	*	*	*	*	*	*	*
719.7	90	44	46	*	*8	19	63	74	*	*6	*
720	16	*6	*9	*	*	*	*6	*	*6	*5	*
720.0	*6	*	*	-	*	*	*	*	*	*	*
720.2	*8	*	*6	*	*	*	*	*	*	*	*
721	278	119	159	*	34	110	133	55	71	87	65
721.0	76	37	39	-	11	39	26	16	15	30	15
721.1	26	15	11	-	*	13	12	*5	*5	10	*6
721.2	*5	*	*	-	*	*	*	*	*	*	*
721.3	115	45	70	*	15	41	60	23	30	31	31
721.4	10	*6	*	*	*	*	*6	*	*	*	*
721.42	*6	*	*	-	*	*	*	*	*	*	*
721.9	39	11	27	*	*	10	26	*7	16	*9	*8
721.90	39	11	27	*	*	10	26	*7	16	*9	*8
722	598	284	314	*	160	262	172	104	140	236	118
722.0	69	34	35	-	24	35	10	11	11	34	13
722.1	190	99	90	*	67	78	45	35	43	74	38
722.10	186	98	88	*	65	77	44	34	43	73	37
722.2	*7	*	*	-	*	*	*	*	*	*	*
722.4	46	21	25	-	*7	24	16	*7	13	16	10
722.5	162	72	90	-	34	65	63	25	45	56	37
722.51	*5	*	*	-	*	*	*	*	*	*	*
722.52	157	68	89	-	33	62	62	25	43	54	36
722.6	28	10	19	-	*6	13	*9	*	*9	12	*
722.7	30	13	17	-	*	16	*9	*5	*6	13	*6
722.71	21	*9	12	-	*	11	*7	*	*	*8	*
722.73	*7	*	*	-	*	*	*	*	*	*	*
722.8	26	12	14	-	*6	12	*8	*8	*	12	*
722.80	*5	*	*	-	*	*	*	*	*	*	*
722.83	18	*6	11	-	*	*9	*	*	*	11	*
722.9	39	18	20	*	*9	16	11	*8	*8	16	*7
722.91	*7	*	*	*	*	*	*	*	*	*	*
722.93	24	10	14	*	*6	11	*7	*5	*6	*8	*
723	111	47	64	*	26	46	36	20	25	40	26
723.0	26	14	12	*	*	13	11	*7	*5	*9	*
723.1	57	22	35	*	17	23	15	*7	13	20	18
723.4	20	*9	12	-	*5	*8	*7	*	*5	*8	*
724	719	289	429	*6	153	253	307	143	184	243	149
724.0	191	75	116	-	*9	51	131	51	50	52	37
724.00	43	12	31	-	*	*9	33	16	13	*8	*5
724.02	144	62	82	-	*8	41	95	35	36	43	30
724.1	*5	*	*	*	*	*	*	*	*	*	*
724.2	204	76	128	*	59	81	62	36	56	68	44
724.3	31	13	18	-	*8	11	12	*7	*6	*9	*8
724.4	47	19	27	*	*7	17	23	12	10	18	*6
724.5	220	98	123	*	63	84	71	32	56	86	47
724.8	*7	*	*	*	*	*	*	*	*	*	*
725	46	10	36	-	*	*	42	11	15	13	*6
726	86	41	45	*	13	34	38	18	23	27	18
726.0	*5	*	*	-	*	*	*	*	*	*	*
726.1	26	14	13	-	*	11	14	*6	*5	*9	*7

Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region:  
United States, 2007

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification*<sup>8</sup> (ICD-9-CM). See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of all-listed diagnoses in thousands											
726.10	23	12	11	-	*	*9	12	*	*	*8	*5
726.2	10	*	*6	-	*	*	*6	*	*	*	*
726.3	11	*7	*	*	*	*	*	*	*	*	*
726.33	10	*7	*	*	*	*	*	*	*	*	*
726.5	12	*	*9	*	*	*	*8	*	*	*	*
726.6	10	*7	*	*	*	*	*	*	*	*	*
726.65	*7	*5	*	*	*	*	*	*	*	*	*
726.9	*6	*	*	*	*	*	*	*	*	*	*
727	60	26	34	*	13	24	21	13	15	20	12
727.0	25	11	13	*	*7	10	*6	*5	*6	*9	*
727.00	13	*6	*8	*	*	*5	*	*	*	*	*
727.05	*6	*	*	*	*	*	*	*	*	*	*
727.4	11	*5	*5	*	*	*6	*	*	*	*	*
727.40	*9	*	*	-	*	*	*	*	*	*	*
727.5	*6	*	*5	*	*	*	*	*	*	*	*
727.51	*6	*	*5	*	*	*	*	*	*	*	*
727.6	*7	*	*	-	*	*	*	*	*	*	*
727.8	*8	*	*	*	*	*	*	*	*	*	*
728	233	120	113	*7	54	69	103	56	50	86	41
728.2	*7	*5	*	*	*	*	*	*	*	*	*
728.3	*6	*	*	*	*	*	*	*	*	*	*
728.7	*5	*	*	*	*	*	*	*	*	*	*
728.8	204	102	102	*	47	62	91	49	43	74	38
728.84	*6	*	*6	*	*	*	*	*	*	*	*
728.85	24	10	14	*	*9	*7	*6	*7	*	*8	*
728.86	14	*6	*8	*	*	*8	*	*	*	*7	*
728.87	27	13	14	*	*	*8	16	*9	*9	*	*6
728.88	123	67	56	*	26	35	61	28	22	49	23
728.89	11	*6	*	*	*	*	*5	*	*	*	*
729	407	131	276	*9	88	151	158	75	120	144	67
729.1	158	20	138	*	42	73	41	33	49	50	26
729.2	13	*	*8	-	*	*7	*	*	*	*5	*
729.3	*6	*	*	*	*	*	*	*	*	*	*
729.39	*5	*	*	*	*	*	*	*	*	*	*
729.5	93	37	56	*	27	31	31	19	25	40	*9
729.7	*5	*	*	*	*	*	*	*	*	*	*
729.8	125	60	66	*	12	35	77	18	40	43	25
729.81	16	*7	*9	*	*	*5	*8	*	*6	*6	*
729.82	10	*	*8	-	*	*	*6	*	*	*	*
729.89	99	50	49	*	*9	27	63	14	31	34	20
730	157	98	59	*7	32	63	55	38	29	55	34
730.0	29	18	10	*	*	13	11	10	*	*7	*6
730.07	18	12	*6	*	*	10	*7	*7	*	*	*
730.08	*5	*	*	*	*	*	*	*	*	*	*
730.1	34	19	15	*	*9	13	11	*9	*8	*9	*9
730.16	*6	*	*	*	*	*	*	*	*	*	*
730.17	14	*8	*6	*	*	*6	*6	*6	*	*	*
730.2	90	58	32	*	19	36	31	19	16	37	18
730.25	*7	*	*	*	*	*	*	*	*	*	*
730.26	*7	*	*	*	*	*	*	*	*	*	*
730.27	53	34	18	*	10	21	19	11	10	22	10
730.28	13	*8	*	*	*	*	*6	*	*	*6	*
731	39	26	13	*	*5	16	17	10	10	13	*7
731.0	*5	*	*	-	*	*	*	*	*	*	*
731.8	32	22	10	-	*	15	12	*8	*7	11	*6
732	*9	*6	*	*	*	*	*	*	*	*	*
733	963	169	794	*7	52	201	703	230	266	288	178
733.0	605	62	543	*	10	99	494	149	176	166	114
733.00	585	59	525	*	10	94	479	146	171	162	106
733.09	16	*	14	*	*	*	11	*	*	*	*7
733.1	152	41	111	*	*	25	121	37	41	46	28
733.13	119	26	93	*	*	15	101	31	32	36	20
733.14	13	*6	*7	*	*	*	*8	*	*	*	*

Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region:  
United States, 2007

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification*<sup>8</sup> (ICD-9-CM). See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North- east	Midwest	South	West
Number of all-listed diagnoses in thousands											
733.15	*6	*	*	*	*	*	*	*	*	*	*
733.19	*7	*	*	*	*	*	*5	*	*	*	*
733.2	*5	*	*	*	*	*	*	*	*	*	*
733.4	42	17	25	*	*8	18	14	11	*7	18	*7
733.42	28	13	15	*	*6	13	*8	*6	*	12	*5
733.49	*7	*	*6	*	*	*	*	*	*	*	*
733.6	28	*9	19	*	*8	11	*8	*8	*7	10	*
733.8	45	22	23	*	12	18	14	*6	11	20	*7
733.81	*6	*	*	*	*	*	*	*	*	*	*
733.82	39	20	19	*	10	17	11	*5	10	17	*7
733.9	85	16	69	*	*8	25	49	18	23	27	17
733.90	72	10	62	*	*	22	44	15	19	23	15
733.99	*6	*	*	*	*	*	*	*	*	*	*
735	*8	*	*	-	*	*5	*	*	*	*	*
735.4	*5	*	*	-	*	*	*	*	*	*	*
736	61	32	29	*	*9	20	30	18	14	20	10
736.4	10	*5	*	*	*	*	*6	*	*	*6	*
736.42	*6	*	*	*	*	*	*	*	*	*	*
736.6	*7	*	*	*	*	*	*	*	*	*	*
736.7	32	17	15	*	*6	10	15	12	*8	*9	*
736.79	28	16	12	*	*	*9	14	11	*5	*8	*
736.8	*9	*	*6	*	*	*	*	*	*	*	*
736.81	*6	*	*	*	*	*	*	*	*	*	*
737	103	32	71	13	30	23	37	22	20	41	21
737.1	17	*8	10	*	*	*5	*8	*	*	*8	*
737.10	15	*6	*9	*	*	*5	*8	*	*	*7	*
737.3	79	23	56	12	26	16	25	18	16	30	15
737.30	66	21	46	10	23	13	21	14	13	26	13
737.39	11	*	*8	*	*	*	*	*	*	*	*
737.4	*6	*	*	*	*	*	*	*	*	*	*
738	64	28	36	*	*9	28	25	14	13	21	15
738.1	*6	*	*	*	*6	*	*	*	*	*	*
738.19	*6	*	*	*	*	*	*	*	*	*	*
738.4	52	20	32	-	*7	23	23	11	11	17	13
739	15	*	13	*	*9	*	*	10	*	*	*
739.3	*8	*	*8	*	*7	*	*	*7	*	*	*
740-759	731	378	353	373	148	130	80	191	102	225	213
741	27	12	15	11	12	*	*	*6	*	*9	*8
741.0	13	*6	*7	*8	*	*	*	*	*	*	*5
741.00	11	*5	*6	*7	*5	*	*	*	*	*	*5
741.9	14	*6	*8	*	*8	*	*	*	*	*	*
741.90	13	*6	*7	*	*7	*	*	*	*	*	*
742	39	22	18	30	*5	*	*	10	*	10	17
742.1	10	*6	*	*9	*	*	-	*	*	*	*7
742.2	*8	*5	*	*7	*	*	*	*	*	*	*
742.3	11	*	*6	*8	*	*	*	*	*	*	*
744	*8	*6	*	*5	*	*	*	*	*	*	*
745	118	61	57	72	14	16	16	37	11	33	37
745.1	*7	*5	*	*5	*	*	-	*	*	*	*
745.2	*6	*	*	*	*	*	-	*	*	*	*
745.4	26	11	15	20	*	*	*	*6	*	*9	10
745.5	73	38	35	38	*8	13	15	26	*8	17	22
746	65	34	32	28	20	12	*5	17	10	19	20
746.0	*9	*6	*	*8	*	*	-	*	*	*	*
746.02	*7	*	*	*5	*	*	-	*	*	*	*
746.3	*5	*	*	*	*	*	-	*	*	*	*
746.4	17	*8	*9	*	*6	*5	*	*	*	*	*6
746.8	19	*8	10	*8	*6	*	*	*	*	*7	*

Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region:  
United States, 2007

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification*<sup>9</sup> (ICD-9-CM). See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of all-listed diagnoses in thousands											
746.89	*9	*	*7	*	*	*	*	*	*	*	*
747	63	30	33	35	*6	14	*8	18	14	16	15
747.0	21	12	*9	19	*	*	*	*5	*	*8	*6
747.3	*8	*	*	*7	*	*	*	*	*	*	*
747.6	*5	*	*	*	*	*	*	*	*	*	*
747.8	18	*	13	*	*	11	*	*	*9	*	*
747.81	14	*	11	*	*	11	*	*	*9	*	*
748	16	10	*7	13	*	*	*	*6	*	*	*6
748.3	*7	*	*	*6	*	*	*	*	*	*	*
749	17	11	*6	14	*	*	*	*	*	*5	*7
749.0	*6	*	*	*	*	*	*	*	*	*	*
749.2	10	*7	*	*8	*	-	-	*	*	*	*
750	24	17	*7	19	*	*	*	*	*	*8	*9
750.5	15	12	*	15	-	-	-	*	*	*5	*7
751	33	16	17	12	*7	*8	*5	*8	*7	10	*8
751.0	*8	*6	*	*	*	*	*	*	*	*	*
751.5	*7	*	*	*	*	*	*	*	*	*	*
752	19	11	*8	10	*7	*	*	*	*	*5	*6
752.5	*6	*6	-	*	*	-	*	*	*	*	*
752.51	*5	*5	-	*	*	-	*	*	*	*	*
753	88	44	44	19	28	26	15	23	13	36	16
753.0	11	*5	*6	*	*5	*	*	*	*	*	*
753.1	48	25	23	*	17	17	13	14	*8	20	*7
753.10	21	12	10	*	*5	*6	10	*	*	*9	*
753.12	15	*8	*7	*	*7	*7	*	*	*	*5	*
753.13	*6	*	*	*	*	*	*	*	*	*	*
753.2	11	*	*6	*6	*	*	*	*	*	*7	*
753.29	*8	*	*	*	*	*	*	*	*	*6	*
753.3	*6	*	*	*	*	*	*	*	*	*	*
754	26	16	10	18	*6	*	*	*6	*	*9	*9
754.2	*5	*	*	*	*	*	-	*	*	*	*
755	18	*7	11	*9	*	*5	*	*6	*	*7	*
755.6	11	*	*7	*	*	*	*	*	*	*	*
755.63	*9	*	*6	*	*	*	*	*	*	*	*
756	71	32	39	24	12	20	15	16	16	20	18
756.0	14	*7	*6	12	*	*	-	*	*	*6	*
756.1	34	12	22	*	*6	14	13	*8	*9	*9	*8
756.12	25	*9	16	*	*	11	10	*	*9	*7	*6
756.8	*9	*6	*	*	*	*	*	*	*	*	*
756.83	*6	*	*	*	*	*	*	*	*	*	*
757	*7	*	*	*	*	*	*	*	*	*	*
758	51	27	24	30	*6	14	*	10	*8	17	16
758.0	36	19	17	18	*	14	*	*6	*6	15	10
759	33	19	14	15	10	*5	*	10	*	*9	10
759.8	22	14	*8	11	*7	*	*	*6	*	*6	*8
759.89	16	10	*5	10	*	*	*	*5	*	*	*6
760-779	494	268	226	488	*	*	*	91	56	194	154
760	*5	*	*	*	*	*	-	*	*	*	*
765	74	36	38	73	*	*	-	12	10	33	19
765.1	33	17	16	33	*	*	-	*5	*	15	*8
765.16	*6	*	*	*6	-	-	-	*	*	*	*
765.18	11	*6	*	11	-	-	-	*	*	*5	*
765.19	*8	*	*	*8	-	*	-	*	*	*	*

Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region:  
United States, 2007

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification*<sup>8</sup> (ICD-9-CM). See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North- east	Midwest	South	West
Number of all-listed diagnoses in thousands											
765.2	35	18	18	35	*	*	-	*6	*	15	10
765.27	*8	*5	*	*8	-	-	-	*	*	*	*
765.28	11	*5	*6	11	*	-	-	*	*	*	*
767	12	*8	*	11	*	-	-	*	*	*	*
767.1	*6	*	*	*6	*	-	-	*	*	*	*
767.19	*5	*	*	*5	*	-	-	*	*	*	*
769	18	10	*8	18	*	-	-	*	*	*9	*
770	82	42	40	81	*	*	*	16	*9	32	26
770.2	*7	*	*	*7	-	-	-	*	*	*	*
770.6	*9	*	*	*9	-	-	-	*	*	*	*
770.7	19	10	*9	18	*	-	*	*	*	*	*9
770.8	37	21	16	36	*	*	*	*7	*	17	*8
770.81	14	*9	*5	14	*	-	*	*	*	*5	*
770.89	12	*7	*6	12	*	*	-	*	*	*8	*
771	41	23	18	41	*	-	*	*7	*5	14	14
771.8	33	20	14	33	*	-	*	*6	*	10	14
771.81	18	10	*8	18	*	-	*	*	*	*7	*
771.82	*6	*	*	*6	-	-	-	*	*	*	*
771.89	*8	*	*	*8	-	-	-	*	*	*	*5
772	*9	*	*	*9	*	-	*	*	*	*	*
772.1	*5	*	*	*5	-	-	-	*	*	*	*
773	*6	*	*	*6	-	-	-	*	*	*	*
774	84	47	37	82	*	-	-	14	11	28	30
774.2	25	13	12	25	*	-	-	*	*	10	*9
774.3	*7	*	*	*7	-	-	-	*	*	*	*
774.39	*7	*	*	*7	-	-	-	*	*	*	*
774.6	50	29	21	49	*	-	-	10	*6	18	17
775	32	18	14	32	*	-	*	*7	*	13	*8
775.5	15	*9	*6	15	-	-	-	*	*	*	*
775.6	*6	*	*	*6	-	-	-	*	*	*	*
776	15	*9	*6	15	-	-	*	*	*	*7	*
776.6	*7	*	*	*7	-	-	-	*	*	*	*
777	*8	*	*	*8	-	-	-	*	*	*	*
778	20	15	*6	20	-	*	-	*	*	*6	*8
778.4	11	*7	*	11	-	-	-	*	*	*	*
778.8	*5	*	*	*5	-	-	-	*	*	*	*
779	79	41	38	78	*	*	*	15	*7	30	27
779.3	27	13	14	27	*	*	-	*	*	*9	10
779.8	45	24	21	44	*	*	-	*8	*	19	15
779.81	*5	*	*	*5	-	-	-	*	*	*	*
779.89	34	17	17	34	*	*	-	*6	*	14	12
780-799	10,567	4,743	5,824	801	2,020	3,029	4,718	2,284	2,561	3,781	1,942
780	2,607	1,214	1,393	210	485	725	1,186	574	636	924	473
780.0	133	67	67	*	27	30	72	20	37	46	30
780.01	26	12	14	-	*	*7	15	*	*7	10	*7
780.03	*6	*	*	*	*	*	*	*	*	*	*
780.09	97	50	48	*	21	20	53	16	28	32	22
780.1	23	*9	14	*	*5	*6	12	*	*5	11	*
780.2	458	194	265	*6	57	108	287	122	108	154	75
780.3	675	330	345	69	167	222	217	138	153	258	126
780.31	17	10	*6	15	*	*	*	*	*	*6	*
780.32	*5	*	*	*5	-	*	-	*	*	*	*
780.39	653	316	337	48	166	221	217	132	149	251	120
780.4	165	59	106	*	20	40	105	46	41	52	26
780.5	298	166	133	*	72	135	88	63	76	104	56

Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region:  
United States, 2007

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification*<sup>8</sup> (ICD-9-CM). See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North- east	Midwest	South	West
Number of all-listed diagnoses in thousands											
780.50	*7	*	*	*	*	*	*	*	*	*	*
780.52	97	43	54	*	29	32	36	20	26	40	11
780.57	189	115	74	*	39	100	49	41	47	58	43
780.6	351	179	172	111	76	77	87	73	78	131	69
780.7	290	110	180	*8	31	57	195	51	94	93	51
780.79	288	110	178	*8	30	56	194	51	94	92	51
780.8	*7	*	*	*	*	*	*	*	*	*	*
780.9	206	100	106	10	27	48	122	55	39	74	37
780.91	*5	*	*	*	-	-	*	*	*	*	*
780.93	16	*8	*8	*	*	*5	*6	*	*6	*	*
780.96	*9	*6	*	*	*	*	*	*	*	*	*
780.97	141	59	82	*	16	33	88	24	29	59	29
780.99	34	22	12	*	*	*7	24	27	*	*5	*
781	378	180	198	18	36	89	236	140	61	112	64
781.0	36	16	20	*	*7	11	14	*8	*9	10	*9
781.2	222	99	122	*	15	48	156	97	27	66	32
781.3	58	33	25	10	*5	17	26	14	14	20	11
781.9	56	29	28	*	*7	10	37	21	11	14	11
781.94	45	21	24	*	*6	*8	32	20	*8	10	*7
781.99	11	*8	*	*	*	*	*6	*	*	*	*
782	296	133	163	27	62	86	121	58	85	99	54
782.0	69	31	38	*	20	29	19	13	18	24	13
782.1	56	24	32	14	16	11	15	14	13	20	*9
782.3	122	51	71	*	14	34	71	21	41	39	21
782.4	29	18	11	*	*8	*9	10	*5	*8	10	*6
782.5	*6	*	*	*	*	*	*	*	*	*	*
782.7	*7	*	*	*	*	*	*	*	*	*	*
783	322	151	171	90	39	49	145	72	67	119	65
783.0	61	25	36	*	*9	11	38	10	17	25	*9
783.2	85	42	43	*7	18	25	35	15	22	35	12
783.21	82	40	42	*7	17	24	35	15	22	33	12
783.3	20	*9	10	17	*	*	*	*	*	*	*8
783.4	70	41	29	62	*5	*	*	23	*9	22	17
783.40	28	15	13	22	*	*	*	13	*	*7	*
783.41	40	25	15	38	*	*	*	*9	*	13	12
783.5	*6	*	*	*	*	*	*	*	*	*	*
783.7	78	31	47	-	*	*8	67	17	15	27	19
784	521	215	306	31	125	157	209	131	133	173	83
784.0	235	77	158	16	90	83	46	45	68	86	36
784.1	*6	*	*	*	*	*	*	*	*	*	*
784.2	22	12	10	*	*7	*5	*7	*	*5	*9	*6
784.3	108	46	61	*	12	22	71	40	20	30	18
784.4	*5	*	*	*	*	*	*	*	*	*	*
784.49	*5	*	*	*	*	*	*	*	*	*	*
784.5	90	47	43	*	*7	25	57	29	19	30	13
784.7	45	23	21	*	*6	13	21	10	13	13	*9
784.9	*5	*	*	*	*	*	*	*	*	*	*
785	666	315	352	52	132	197	285	143	135	263	125
785.0	175	70	105	19	58	45	53	30	43	74	29
785.1	50	19	31	*	16	15	18	12	*9	22	*7
785.2	56	23	33	15	10	12	18	11	13	25	*7
785.4	76	43	32	*	*8	28	40	22	10	28	15
785.5	244	130	114	*9	27	75	133	56	42	92	54
785.50	18	*7	11	*	*	*	10	*	*	*9	*
785.51	42	27	15	*	*	15	23	*9	*8	18	*7
785.52	161	84	77	*6	17	48	91	38	27	58	39
785.59	22	11	11	*	*	*9	*9	*5	*	*7	*6
785.6	56	25	31	*6	13	20	17	12	15	18	11
785.9	10	*	*5	*	*	*	*7	*	*	*	*
786	1,539	674	865	74	274	589	602	333	351	592	262
786.0	252	102	151	49	41	56	105	44	67	99	42
786.03	18	*9	10	14	*	*	*	*	*	*7	*5
786.05	82	33	49	*	18	27	35	14	26	27	14
786.06	12	*	*7	*6	*	*	*	*	*	*	*

Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region:  
United States, 2007

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification*<sup>8</sup> (ICD-9-CM). See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North- east	Midwest	South	West
Number of all-listed diagnoses in thousands											
786.07	10	*	*7	*5	*	*	*	*	*	*5	*
786.09	122	49	73	21	18	24	58	21	31	51	18
786.1	13	*7	*5	*8	*	*	*	*	*	*6	*
786.2	49	21	28	11	*8	12	18	*8	15	18	*9
786.3	80	42	37	*	11	27	40	14	15	36	14
786.5	1,091	473	618	*	208	477	404	250	241	410	190
786.50	399	181	218	*	71	166	160	79	92	165	64
786.51	24	11	13	*	*7	10	*7	*6	*6	*8	*
786.52	53	21	31	*	11	20	22	10	15	16	12
786.59	616	260	356	*	118	281	215	156	128	221	110
786.6	42	19	23	*	*	12	26	*9	11	17	*
786.8	*7	*7	*	-	*	*	*	*	*	*	*
787	1,059	403	656	106	225	276	451	237	259	377	186
787.0	461	152	309	69	131	131	131	74	114	182	91
787.01	280	91	188	20	84	88	88	41	70	122	47
787.02	106	29	77	*9	30	34	33	16	28	37	25
787.03	75	31	44	41	16	*9	*9	17	16	24	19
787.1	13	*	*9	*	*	*	*	*	*	*	*
787.2	267	129	138	*8	26	59	173	99	56	74	39
787.3	14	*	*9	*	*	*	*5	*	*	*5	*
787.6	19	*7	12	*	*	*6	*8	*	*	10	*
787.9	285	107	178	25	57	73	130	56	76	103	50
787.91	281	106	175	24	56	72	128	55	75	101	49
788	611	337	273	11	71	147	382	138	157	203	112
788.0	*6	*	*	-	*	*	*	*	*	*	*
788.1	16	*6	10	*	*6	*	*	*	*	*7	*
788.2	357	241	116	*	39	78	237	85	94	118	60
788.20	306	208	98	*	36	66	201	72	80	104	49
788.21	12	*5	*7	*	*	*	10	*	*5	*	*
788.29	38	28	11	*	*	10	26	10	*8	10	10
788.3	153	51	102	*	10	41	97	32	39	46	35
788.30	115	41	74	*	*7	29	77	26	30	34	25
788.31	11	*	*9	*	*	*	*8	*	*	*	*
788.33	14	*	14	-	*	*7	*6	*	*	*6	*
788.39	*6	*	*	*	*	*	*	*	*	*	*
788.4	36	16	19	*	*6	10	20	*8	*9	11	*6
788.41	25	10	16	*	*	*7	14	*6	*8	*7	*
788.43	*7	*5	*	-	*	*	*	*	*	*	*
788.6	17	11	*5	*	*	*	*8	*	*	*7	*5
788.63	*6	*	*	-	*	*	*	*	*	*	*
788.64	*7	*6	*	*	*	*	*	*	*	*	*
788.9	21	*8	13	*	*	*	15	*	*5	10	*
789	700	287	413	35	215	241	209	133	166	275	126
789.0	435	156	279	28	165	120	122	79	116	168	72
789.00	162	66	96	15	55	43	50	28	41	66	27
789.01	38	16	22	*	15	13	*9	*7	11	15	*
789.02	12	*	*9	*	*5	*	*	*	*	*	*
789.03	45	12	33	*5	20	12	*8	*9	10	17	*8
789.04	24	*7	18	*7	*8	*8	*8	*5	*9	*6	*
789.06	70	26	44	*	26	19	22	10	21	26	12
789.07	18	*6	12	*	*7	*	*	*	*	*8	*
789.09	63	19	43	*	27	16	18	12	16	24	10
789.1	10	*	*7	*	*	*	*	*	*	*5	*
789.2	17	*9	*8	*	*6	*	*	*	*	*7	*
789.3	20	*	16	*	*6	*8	*7	*	*6	*6	*
789.30	11	*	*9	-	*	*	*	*	*	*	*
789.39	*5	*	*	*	*	*	*	*	*	*	*
789.5	216	114	102	*	33	105	75	45	38	89	44
790	609	286	323	29	114	182	285	127	166	207	108
790.2	154	75	79	*7	40	54	54	25	47	50	31
790.29	147	71	76	*7	39	51	51	24	44	48	30
790.4	23	10	14	*	*9	*8	*5	*6	*	*6	*7
790.5	60	26	34	*	12	20	27	10	19	16	15
790.6	88	40	48	*	17	24	45	16	28	28	17
790.7	164	79	85	17	25	50	73	40	31	68	24
790.9	112	54	58	*	10	25	77	27	37	36	12



Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region:  
United States, 2007

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification*<sup>8</sup> (ICD-9-CM). See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North- east	Midwest	South	West
Number of all-listed diagnoses in thousands											
790.92	83	35	48	*	*5	19	59	22	29	24	*8
790.93	13	13	-	-	-	*	10	*	*	*	*
790.99	12	*	*8	*	*	*	*6	*	*	*7	*
791	38	19	18	*6	10	*9	13	*6	14	11	*6
791.0	13	*7	*6	*	*	*5	*	*	*	*5	*
791.9	19	*8	11	*	*	*	10	*	10	*	*
792	61	12	49	*	39	*6	14	15	15	21	10
792.1	25	12	14	*	*	*5	14	*8	*	11	*
792.3	35	-	35	-	35	-	-	*7	11	10	*9
793	29	12	16	*	*5	*8	14	*	11	*9	*
793.1	16	*8	*8	*	*	*	*8	*	*7	*	*
794	176	85	91	*	47	64	61	29	57	63	27
794.3	102	50	52	*	21	39	41	17	36	39	10
794.31	62	25	37	*	14	23	25	12	17	25	*9
794.39	36	22	14	-	*6	15	15	*	19	13	*
794.5	*6	*	*	*	*	*	*	*	*	*	*
794.8	57	27	30	*	22	19	15	10	14	19	13
795	45	*9	36	*	30	10	*	16	*8	14	*8
795.0	11	-	11	-	*9	*	*	*	*	*6	*
795.5	22	*6	16	*	15	*5	*	10	*	*	*6
795.7	10	*	*7	*	*5	*	*	*	*	*	*
795.79	10	*	*7	*	*5	*	*	*	*	*	*
796	70	29	41	*	27	16	25	*7	15	36	12
796.0	*8	*	*	-	*	*	*6	*	*	*	*
796.2	50	20	30	*	23	12	14	*	11	26	*8
797	*6	*	*	-	-	-	*6	*	*	*	*
799	836	380	456	102	84	180	469	119	224	279	213
799.0	571	259	313	91	49	125	306	79	151	181	160
799.02	571	258	313	91	49	125	306	79	151	181	160
799.1	13	*6	*7	*	*	*	*7	*	*	*	*
799.2	*6	*	*	*	*	*	*	*	*	*	*
799.3	92	34	58	*	*	11	76	14	27	37	14
799.4	81	44	38	*	*9	21	50	17	16	32	17
799.8	26	12	14	*	*6	*7	*9	*	*	14	*7
799.89	26	12	14	*	*6	*7	*9	*	*	14	*7
799.9	46	23	23	*5	12	12	17	*	21	*8	13
800-999	7,153	3,711	3,442	443	2,089	1,924	2,697	1,450	1,632	2,725	1,347
800	18	13	*6	*6	*8	*	*	*	*	*6	*
800.2	*8	*6	*	*	*	*	*	*	*	*	*
801	52	38	14	*7	23	14	*8	11	10	19	12
801.0	22	16	*6	*	10	*	*	*5	*	*9	*
801.01	10	*7	*	*	*	*	*	*	*	*	*
801.2	16	11	*5	*	*6	*	*	*	*	*	*
802	122	92	30	*7	62	26	27	27	26	45	23
802.0	25	16	*9	*	12	*6	*7	*	*7	*8	*6
802.2	25	19	*5	*	16	*	*	*6	*	10	*5
802.25	*6	*	*	*	*	*	*	*	*	*	*
802.3	*7	*7	*	*	*6	*	*	*	*	*	*
802.4	23	17	*5	*	12	*	*6	*6	*	*7	*5
802.6	17	13	*	*	*6	*	*7	*7	*	*6	*
802.8	22	16	*6	*	10	*6	*	*	*7	*9	*
805	229	108	121	*	70	44	112	47	61	75	46
805.0	54	33	21	*	20	10	22	14	10	18	12
805.01	*9	*	*5	*	*	*	*5	*	*	*	*
805.02	16	*8	*8	*	*	*	*8	*	*	*6	*
805.06	*6	*	*	*	*	*	*	*	*	*	*

Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region:  
United States, 2007

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification*<sup>8</sup> (ICD-9-CM). See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North- east	Midwest	South	West
Number of all-listed diagnoses in thousands											
805.07	11	*9	*	*	*7	*	*	*	*	*	*
805.2	61	27	34	*	20	10	31	13	19	19	11
805.4	83	38	45	*	21	19	42	16	22	30	15
805.6	25	*7	18	*	*8	*	13	*	*8	*6	*7
806	*9	*7	*	-	*5	*	*	*	*	*	*
807	132	83	50	*	40	41	50	29	35	43	26
807.0	117	72	45	*	32	36	47	27	30	37	23
807.00	11	*6	*5	*	*	*	*5	*	*	*	*
807.01	25	12	14	*	*8	*7	10	*8	*	*8	*5
807.02	16	10	*5	*	*	*	*7	*	*	*6	*
807.03	15	*9	*6	*	*	*	*7	*	*	*6	*
807.04	12	*7	*	*	*	*	*	*	*5	*	*
807.06	*5	*	*	*	*	*	*	*	*	*	*
807.09	20	13	*7	*	*	*7	*9	*	*6	*8	*
807.2	11	*7	*	-	*5	*	*	*	*	*	*
808	127	51	76	*	30	22	74	24	38	45	21
808.0	34	21	13	*	12	*7	14	*6	*6	15	*7
808.2	70	21	50	*	13	*9	48	14	25	21	10
808.4	13	*6	*7	*	*	*	*6	*	*	*	*
808.41	*6	*	*	*	*	*	*	*	*	*	*
808.8	*9	*	*6	-	*	*	*6	*	*	*	*
810	29	16	12	*	12	*	10	*5	*6	11	*6
810.0	28	16	12	*	12	*	10	*	*6	11	*6
810.00	15	*9	*6	*	*6	*	*6	*	*	*7	*
810.02	*7	*	*	*	*	*	*	*	*	*	*
810.03	*5	*	*	*	*	*	*	*	*	*	*
811	12	10	*	*	*7	*	*	*	*	*	*
811.0	11	*9	*	*	*6	*	*	*	*	*	*
812	106	36	70	15	13	25	52	18	26	40	21
812.0	57	13	44	*	*	16	38	11	15	24	*8
812.00	15	*	12	*	*	*	10	*	*	*6	*
812.01	17	*5	12	*	*	*	12	*	*5	*6	*
812.03	*9	*	*7	-	*	*	*	*	*	*	*
812.09	15	*	12	*	*	*	11	*	*	*7	*
812.2	18	*6	12	*	*	*5	*8	*	*6	*8	*
812.20	*5	*	*	*	*	*	*	*	*	*	*
812.21	13	*	*8	*	*	*	*6	*	*	*	*
812.4	25	11	14	14	*	*	*5	*	*	*7	*8
812.40	*5	*	*	*	*	*	*	*	*	*	*
812.41	15	*	10	11	*	*	*	*	*	*6	*5
813	104	47	56	12	30	24	37	22	24	42	16
813.0	22	11	11	*	*	*7	*8	*5	*6	*7	*
813.01	*8	*	*	*	*	*	*	*	*	*	*
813.05	*6	*	*	-	*	*	*	*	*	*	*
813.2	*8	*	*	*	*	*	*	*	*	*	*
813.4	55	20	35	*6	13	13	23	12	13	22	*8
813.41	13	*	*9	*	*	*	*5	*	*	*	*
813.42	26	*8	18	*	*	*7	13	*6	*6	10	*
813.44	14	*7	*7	*	*	*	*	*	*	*6	*
813.5	*6	*	*	*	*	*	*	*	*	*	*
813.8	*6	*	*	*	*	*	*	*	*	*	*
814	*8	*	*	*	*	*	*	*	*	*	*
814.0	*7	*	*	*	*	*	*	*	*	*	*
815	15	10	*	*	*9	*	*	*	*	*7	*
815.0	11	*8	*	*	*6	*	*	*	*	*	*
816	19	13	*6	*	12	*	*	*	*	*8	*
816.0	*9	*	*	*	*	*	*	*	*	*	*
816.01	*5	*	*	-	*	*	*	*	*	*	*
816.1	10	*8	*	*	*7	*	*	*	*	*	*

Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region:  
 United States, 2007

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification*<sup>8</sup> (ICD-9-CM). See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of all-listed diagnoses in thousands											
820	323	98	225	*	10	26	286	63	93	112	54
820.0	80	21	59	*	*	*6	72	17	25	24	14
820.02	*5	*	*	-	*	*	*	*	*	*	*
820.03	*8	*	*5	-	*	*	*6	*	*	*	*
820.09	65	17	48	*	*	*	60	15	22	17	10
820.2	167	48	119	*	*6	13	148	34	50	56	27
820.20	*9	*	*5	-	*	*	*7	*	*	*	*
820.21	140	41	100	-	*	11	127	29	44	46	21
820.22	18	*	14	*	*	*	14	*	*5	*5	*
820.8	74	28	46	*	*	*7	65	11	17	33	13
821	78	37	41	12	22	14	29	15	13	36	14
821.0	45	23	22	10	13	*7	16	*9	*6	22	*9
821.00	11	*	*7	*	*	*	*8	*	*	*5	*
821.01	34	19	15	10	11	*6	*8	*6	*	17	*7
821.2	25	*8	17	*	*	*7	13	*	*6	*9	*
821.20	*5	*	*	*	*	*	*	*	*	*	*
821.21	*5	*	*	*	*	*	*	*	*	*	*
821.23	11	*	*9	*	*	*	*7	*	*	*	*
822	19	*7	12	*	*6	*6	*8	*	*	*8	*
822.0	18	*6	12	*	*	*6	*8	*	*	*8	*
823	100	62	38	*5	49	29	16	18	22	40	20
823.0	43	24	19	*	17	15	10	*8	*8	19	*8
823.00	30	17	13	*	12	10	*7	*	*	15	*6
823.01	*5	*	*	-	*	*	*	*	*	*	*
823.02	*8	*	*	*	*	*	*	*	*	*	*
823.2	22	15	*7	*	10	*7	*	*	*6	*5	*6
823.20	*8	*5	*	*	*	*	*	*	*	*	*
823.22	12	*8	*	*	*7	*	*	*	*	*	*
823.3	12	*9	*	*	*8	*	*	*	*	*6	*
823.32	*8	*5	*	*	*	*	*	*	*	*	*
823.8	15	*7	*8	*	*7	*6	*	*	*	*5	*
823.80	*5	*	*	-	*	*	*	*	*	*	*
823.82	*9	*	*	*	*	*	*	*	*	*	*
823.9	*5	*	*	*	*	*	*	*	*	*	*
823.92	*5	*	*	-	*	*	*	*	*	*	*
824	126	60	66	*	46	42	33	26	35	43	23
824.0	11	*8	*	*	*7	*	*	*	*	*6	*
824.2	10	*5	*	*	*	*	*	*	*	*	*
824.4	34	14	19	*	*9	14	10	*8	*8	11	*7
824.6	26	*7	19	*	10	*8	*8	*5	*8	11	*
824.8	31	17	14	*	12	*9	*7	*7	12	*6	*6
824.9	*7	*	*	*	*	*	*	*	*	*	*
825	49	35	14	*	27	16	*6	*8	12	21	*9
825.0	11	*8	*	-	*7	*	*	*	*	*	*
825.2	29	19	10	*	14	*9	*5	*	*8	11	*5
825.21	*5	*	*	*	*	*	*	*	*	*	*
825.25	13	*7	*6	*	*	*5	*	*	*	*	*
825.3	*5	*5	*	-	*	*	*	*	*	*	*
826	*8	*6	*	*	*	*	*	*	*	*	*
831	*9	*	*5	*	*	*	*5	*	*	*	*
831.0	*9	*	*5	*	*	*	*5	*	*	*	*
835	*5	*	*	*	*	*	*	*	*	*	*
835.0	*5	*	*	*	*	*	*	*	*	*	*
836	12	*8	*	*	*6	*	*	*	*	*	*
839	*8	*5	*	*	*	*	*	*	*	*	*
840	18	*9	*9	*	*	*6	10	*	*	*6	*
840.4	11	*5	*5	-	*	*	*6	*	*	*5	*
842	*8	*6	*	*	*	*	*	*	*	*	*

Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region:  
United States, 2007

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification*<sup>8</sup> (ICD-9-CM). See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of all-listed diagnoses in thousands											
843	*5	*	*	*	*	*	*	*	*	*	*
844	19	10	*8	*	*7	*5	*6	*	*5	*7	*
844.8	*6	*	*	-	*	*	*	*	*	*	*
844.9	*5	*	*	*	*	*	*	*	*	*	*
845	18	*6	12	*	*5	*	*8	*	*7	*	*
845.0	18	*6	11	*	*5	*	*8	*	*7	*	*
845.00	12	*	10	*	*	*	*6	*	*	*	*
847	28	15	13	*	12	*8	*8	*	*6	*8	10
847.0	16	*8	*8	*	*7	*	*	*	*	*	*5
847.2	*8	*5	*	*	*	*	*	*	*	*	*
848	*7	*	*	*	*	*	*	*	*	*	*
848.8	*6	*	*	*	*	*	*	*	*	*	*
850	71	47	24	*8	34	16	13	16	13	24	18
850.0	14	*7	*7	*	*	*	*	*	*	*	*
850.1	23	16	*7	*	10	*6	*	*6	*	*	*7
850.11	23	16	*7	*	10	*6	*	*6	*	*	*7
850.5	26	20	*6	*	16	*6	*	*	*	11	*7
850.9	*7	*	*	*	*	*	*	*	*	*	*
851	29	17	11	*	10	*6	10	*	*5	12	*8
851.8	18	10	*8	*	*6	*	*7	*	*	*9	*
851.81	*5	*	*	*	*	*	*	*	*	*	*
852	81	46	35	*	20	17	42	15	19	25	22
852.0	30	19	12	*	10	*8	12	*	*6	11	*8
852.00	*7	*	*	*	*	*	*	*	*	*	*
852.01	*8	*	*	*	*	*	*	*	*	*	*
852.02	*8	*5	*	*	*	*	*	*	*	*	*
852.06	*7	*	*	*	*	*	*	*	*	*	*
852.2	47	25	22	*	*8	*9	30	10	11	13	13
852.20	13	*7	*5	*	*	*	*9	*	*	*	*
852.21	20	*9	11	*	*	*	13	*	*5	*5	*6
852.22	*6	*	*	*	*	*	*	*	*	*	*
852.26	*5	*	*	*	*	*	*	*	*	*	*
853	18	10	*8	*	*6	*	*8	*	*	*	*6
853.0	18	10	*8	*	*6	*	*8	*	*	*	*6
854	*7	*	*	*	*	*	*	*	*	*	*
854.0	*7	*	*	*	*	*	*	*	*	*	*
860	70	51	19	*	33	19	17	18	14	23	16
860.0	43	28	14	*	20	10	11	13	*8	13	*9
860.2	*8	*6	*	-	*	*	*	*	*	*	*
860.4	14	11	*	*	*7	*	*	*	*	*	*
861	45	32	12	*	25	11	*7	11	*7	18	*8
861.2	42	29	12	*	23	10	*7	11	*6	16	*8
861.21	40	28	12	*	22	10	*6	10	*6	16	*8
862	13	*8	*	-	*6	*	*	*6	*	*	*
862.2	*8	*	*	-	*	*	*	*	*	*	*
862.29	*7	*	*	-	*7	*	*	*	*	*	*
863	27	21	*6	*	19	*	*	*	*	12	*8
863.3	*5	*5	*	*	*5	*	*	*	*	*	*
864	27	15	12	*	14	*7	*	*5	*	15	*
864.0	23	12	11	*	10	*6	*	*	*	12	*
864.01	*6	*	*	*	*	*	*	*	*	*	*
864.05	*7	*	*	*	*	*	*	*	*	*	*
865	31	19	12	*	16	*7	*5	*	*5	16	*
865.0	28	16	11	*	15	*6	*5	*	*	14	*

Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region:  
United States, 2007

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification*<sup>8</sup> (ICD-9-CM). See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of all-listed diagnoses in thousands											
865.00	*7	*	*	*	*	*	*	*	*	*	*
866	10	*7	*	*	*	*	*	*	*	*	*
866.0	*8	*6	*	*	*	*	*	*	*	*	*
867	27	23	*	*	*	*7	17	*	*6	12	*
867.0	25	21	*	*	*	*7	16	*	*5	11	*
868	16	13	*	*	11	*	*	*	*	*9	*
868.0	10	*7	*	*	*6	*	*	*	*	*	*
868.1	*6	*6	*	*	*	*	-	*	*	*	*
870	13	*8	*6	*	*7	*	*	*	*	*6	*
870.0	*6	*	*	*	*	*	*	*	*	*	*
870.8	*7	*6	*	*	*	*	*	*	*	*	*
872	11	10	*	*	*6	*	*	*	*	*	*
872.0	*8	*7	*	*	*	*	*	*	*	*	*
873	176	109	67	14	74	38	50	38	37	60	42
873.0	51	31	20	*	21	10	17	12	13	15	11
873.2	*7	*6	*	*	*	*	*	*	*	*	*
873.20	*7	*6	*	*	*	*	*	*	*	*	*
873.4	88	54	34	*9	32	19	27	17	19	30	22
873.41	*7	*	*	*	*	*	*	*	*	*	*
873.42	49	28	21	*	14	12	20	10	12	15	13
873.43	12	*7	*5	*	*	*	*	*	*	*	*
873.44	10	*7	*	*	*5	*	*	*	*	*	*
873.49	*5	*5	*	*	*	*	*	*	*	*	*
873.5	*6	*	*	*	*	*	*	*	*	*	*
873.6	14	10	*	*	*9	*	*	*	*	*	*
873.64	*6	*	*	*	*	*	*	*	*	*	*
874	*9	*7	*	*	*6	*	*	*	*	*	*
874.8	*7	*	*	*	*	*	*	*	*	*	*
875	*8	*7	*	*	*6	*	*	*	*	*	*
875.0	*6	*6	*	*	*	*	*	*	*	*	*
878	*5	*	*	*	*	*	*	*	*	*	*
879	17	13	*	*	11	*	*	*	*	10	*
879.2	*6	*	*	*	*	*	*	*	*	*	*
880	11	10	*	*	*9	*	*	*	*	*6	*
880.0	*9	*8	*	*	*7	*	*	*	*	*5	*
880.00	*5	*	*	*	*	*	*	*	*	*	*
881	47	25	22	*	27	*8	10	*7	12	18	10
881.0	34	17	17	*	20	*	*8	*	*8	12	*8
881.00	14	*8	*6	*	*9	*	*	*	*	*5	*
881.01	10	*6	*	*	*	*	*	*	*	*	*
881.02	10	*	*7	*	*6	*	*	*	*	*	*
881.1	*9	*6	*	*	*	*	*	*	*	*	*
882	20	12	*8	*	10	*7	*	*	*6	*8	*
882.0	10	*6	*	*	*5	*	*	*	*	*	*
882.1	*9	*5	*	*	*	*	*	*	*	*	*
883	17	12	*5	*	12	*	*	*	*	*8	*
883.0	*6	*	*	*	*	*	*	*	*	*	*
883.2	*7	*	*	*	*	*	*	*	*	*	*
886	*6	*6	*	*	*	*	*	*	*	*	*
886.0	*5	*	*	*	*	*	*	*	*	*	*
890	*9	*7	*	*	*7	*	*	*	*	*	*
890.0	*7	*5	*	*	*5	*	*	*	*	*	*
891	45	28	17	*	22	*8	11	*6	*9	21	*9

Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region:  
United States, 2007

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification*<sup>8</sup> (ICD-9-CM). See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of all-listed diagnoses in thousands											
891.0	23	12	11	*	11	*	*7	*	*6	*8	*6
891.1	18	12	*6	*	*8	*	*	*	*	11	*
892	10	*7	*	*	*7	*	*	*	*	*5	*
902	*8	*7	*	*	*6	*	*	*	*	*	*
903	*7	*5	*	*	*5	*	*	*	*	*	*
905	40	25	15	*	16	14	*8	*9	10	13	*8
905.0	*5	*	*	*	*	*	*	*	*	*	*
905.1	*6	*	*	*	*	*	*	*	*	*	*
905.2	*7	*	*	*	*	*	*	*	*	*	*
905.4	15	10	*5	*	*8	*6	*	*	*	*6	*
906	40	25	15	*9	*	*8	17	*	*	32	*
906.5	*9	*6	*	*	*	*	*6	*	*	*9	-
906.6	*6	*	*	*	*	*	*	*	*	*	*
906.7	*8	*5	*	*	*	*	*	*	*	*8	*
906.8	10	*6	*	*	*	*	*	*	*	*9	-
907	60	45	16	*	31	19	*9	13	11	22	14
907.0	34	24	*9	*	16	11	*6	*9	*6	13	*7
907.2	25	19	*6	*	13	*8	*	*	*5	10	*7
908	20	12	*8	*	*8	10	*	*	*6	*7	*
908.9	14	*8	*7	*	*5	*8	*	*	*	*5	*
909	12	*5	*7	*	*	*	*	*	*	*	*
909.2	*6	*	*	-	*	*	*	*	*	*	*
910	34	23	10	*7	13	*7	*7	*8	*7	11	*7
910.0	31	21	10	*5	13	*7	*6	*8	*7	10	*7
911	14	*8	*6	*	*8	*	*	*	*	*	*
911.0	11	*6	*	*	*7	*	*	*	*	*	*
912	*9	*6	*	*	*	*	*	*	*	*	*
912.0	*8	*6	*	*	*	*	*	*	*	*	*
913	26	16	10	*	13	*	*5	*7	*7	*7	*
913.0	21	14	*7	*	10	*	*	*6	*	*6	*
914	*6	*	*	*	*	*	*	*	*	*	*
916	34	20	14	*6	12	*7	*8	*7	13	*8	*6
916.0	25	16	*8	*	11	*	*6	*	11	*5	*
917	*6	*	*	*	*	*	*	*	*	*	*
918	*7	*	*	*	*	*	*	*	*	*	*
918.1	*5	*	*	*	*	*	*	*	*	*	*
919	19	14	*	*	10	*	*	*	*6	*6	*6
919.0	16	12	*	*	*9	*	*	*	*	*5	*5
920	84	31	52	*9	14	15	45	17	21	33	13
921	20	10	*9	*	*	*	*8	*	*	*7	*
921.9	*6	*	*	*	*	*	*	*	*	*	*
922	65	31	33	*	20	13	30	10	18	22	15
922.1	29	16	12	*	*8	*	15	*	*7	*9	*8
922.2	16	*8	*8	*	*8	*	*6	*	*	*6	*
922.3	15	*	10	*	*	*	*7	*	*7	*	*
922.31	*9	*	*5	*	*	*	*	*	*	*	*
922.32	*6	*	*	*	*	*	*	*	*	*	*
923	39	16	23	*	*9	*8	19	*7	*9	13	10
923.0	20	*7	13	*	*	*	11	*	*	*7	*

Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region:  
United States, 2007

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification*<sup>8</sup> (ICD-9-CM). See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North- east	Midwest	South	West
Number of all-listed diagnoses in thousands											
923.00	17	*6	11	*	*	*	10	*	*	*5	*
923.1	12	*5	*7	*	*	*	*	*	*	*	*
923.11	*8	*	*	*	*	*	*	*	*	*	*
924	80	30	50	*	14	16	48	12	27	25	15
924.0	30	10	20	*	*	*	21	*5	10	*9	*6
924.00	*6	*	*	*	*	*	*	*	*	*	*
924.01	24	*7	17	*	*	*	19	*	*8	*7	*5
924.1	27	*9	17	*	*	*5	17	*	*8	11	*
924.10	10	*	*6	*	*	*	*5	*	*	*	*
924.11	17	*5	12	*	*	*	12	*	*6	*6	*
924.8	15	*7	*8	*	*	*	*6	*	*6	*	*
933	13	*6	*7	*	*	*	*6	*	*	*6	*
933.1	12	*	*7	*	*	*	*6	*	*	*5	*
934	12	*6	*6	*	*	*	*5	*	*	*	*
935	14	*7	*7	*	*	*	*6	*	*	*	*
935.1	10	*6	*	*	*	*	*	*	*	*	*
941	41	26	15	14	13	*9	*	*	*	28	*
941.2	27	17	*9	11	10	*	*	*	*	19	*
941.20	*6	*	*	*	*	*	*	*	*	*	*
941.29	12	*8	*	*	*	*	*	*	*	11	-
941.3	*7	*	*	*	*	*	*	*	*	*	*
942	37	23	15	17	11	*7	*	*	*	27	*
942.2	24	16	*8	11	*8	*	*	*	*	17	*
942.22	*6	*	*	*	*	*	*	*	*	*	*
942.24	*6	*	*	*	*	*	-	*	*	*	-
942.29	*7	*5	*	*	*	*	*	*	*	*7	-
942.3	11	*5	*5	*5	*	*	*	*	*	*9	-
943	42	28	13	14	17	*8	*	*	*	30	*
943.2	25	18	*7	*9	10	*	*	*	*	17	*
943.21	*6	*	*	*	*	*	*	*	*	*	-
943.29	10	*8	*	*	*	*	*	*	-	10	-
943.3	14	*9	*	*	*6	*	*	*	*	11	*
943.39	*8	*5	*	*	*	*	*	*	*	*8	-
944	31	22	*8	*7	16	*7	*	*	*	23	*
944.2	17	12	*	*	*8	*	*	*	*	13	*
944.28	*8	*7	*	*	*	*	*	*	*	*8	-
944.3	11	*8	*	*	*7	*	*	*	*	*9	*
945	36	23	13	11	12	10	*	*5	*	26	*
945.2	17	13	*	*	*6	*5	*	*	*	12	-
945.3	17	*8	*8	*6	*	*	*	*	*	13	*
948	64	45	19	20	24	14	*6	*9	*	49	*
948.0	43	31	13	10	17	11	*5	*7	*	32	*
948.00	43	31	13	10	17	11	*5	*7	*	32	*
948.1	12	*8	*	*5	*	*	*	*	*	10	-
948.10	11	*7	*	*	*	*	*	*	*	*9	-
952	*7	*	*	*	*	*	*	*	*	*	*
955	*8	*6	*	*	*5	*	*	*	*	*	*
956	*8	*6	*	-	*	*	*	*	*	*	*
956.3	*6	*5	*	-	*	*	*	*	*	*	*
958	34	22	12	*	16	11	*6	*9	*8	12	*6
958.3	*8	*5	*	*	*	*	*	*	*	*	*
958.4	*6	*	*	*	*	*	*	*	*	*	*
958.7	10	*7	*	*	*6	*	*	*	*	*	*
958.9	*7	*5	*	*	*	*	*	*	*	*	*
959	87	45	42	10	31	19	27	13	21	31	22

Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region:  
United States, 2007

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification*<sup>8</sup> (ICD-9-CM). See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North- east	Midwest	South	West
Number of all-listed diagnoses in thousands											
959.0	43	22	21	*	15	10	13	*5	10	16	11
959.01	38	18	19	*	13	*9	12	*	10	14	10
959.09	*5	*	*	*	*	*	*	*	*	*	*
959.1	15	*7	*8	*	*7	*	*	*	*	*	*6
959.11	*5	*	*	*	*	*	*	*	*	*	*
959.12	*6	*	*	*	*	*	*	*	*	*	*
959.7	10	*	*6	*	*	*	*	*	*	*	*
959.8	*6	*	*	-	*	*	*	*	*	*	*
962	*8	*	*	*	*	*	*	*	*	*	*
962.3	*6	*	*	*	*	*	*	*	*	*	*
963	14	*7	*7	*	11	*	*	*	*	*6	*
963.0	13	*7	*6	*	11	*	*	*	*	*6	*
964	*6	*	*	*	*	*	*	*	*	*	*
965	102	40	62	*	64	24	10	17	29	35	21
965.0	41	19	22	*	20	13	*6	*7	11	15	*7
965.00	*9	*	*5	*	*	*	*	*	*	*	*
965.02	*7	*	*	*	*	*	*	*	*	*	*
965.09	21	*9	12	*	10	*6	*	*	*8	*8	*
965.1	*7	*	*	*	*	*	*	*	*	*	*
965.4	39	14	25	*	29	*5	*	*5	11	14	*8
965.6	*9	*	*6	*	*7	*	*	*	*	*	*
965.61	*9	*	*6	*	*7	*	*	*	*	*	*
966	17	*8	*9	*	*9	*7	*	*	*6	*	*
966.3	12	*6	*6	*	*6	*5	*	*	*	*	*
967	16	*5	11	*	*8	*6	*	*	*	*7	*
967.8	11	*	*8	*	*6	*	*	*	*	*	*
968	*7	*	*	*	*	*	*	*	*	*	*
968.0	*5	*	*	-	*	*	*	*	*	*	*
969	138	55	83	*5	82	44	*7	22	38	47	30
969.0	38	15	23	*	25	*9	*	*6	13	12	*7
969.3	19	*8	11	*	13	*6	*	*	*	*6	*6
969.4	58	22	36	*	32	21	*	10	16	22	10
969.7	*7	*	*	*	*	*	*	*	*	*	*
970	24	15	*9	*	13	11	*	10	*	*9	*
970.8	23	15	*8	*	13	10	*	10	*	*8	*
972	13	*6	*7	*	*	*	*	*	*	*	*
972.6	*6	*	*	*	*	*	*	*	*	*	*
975	*6	*	*	*	*	*	*	*	*	*	*
977	19	*9	10	*	*6	*8	*	*	*	*7	*
977.8	10	*	*6	*	*	*	*	*	*	*	*
977.9	*8	*	*	*	*	*	*	*	*	*	*
980	22	14	*7	*	14	*7	*	*	*5	*8	*
980.0	16	10	*6	*	12	*	*	*	*	*	*
989	14	*7	*7	*	*	*7	*	*	*	*5	*
989.5	10	*	*6	*	*	*5	*	*	*	*	*
991	13	*8	*6	*	*	*	*7	*	*	*5	*
991.6	10	*6	*	*	*	*	*6	*	*	*	*
992	*9	*6	*	*	*	*	*	*	*	*	*
994	*7	*	*	*	*	*	*	*	*	*	*
995	650	298	351	28	85	176	360	125	169	229	127
995.0	*8	*	*6	*	*	*	*	*	*	*	*
995.1	20	*9	11	*	*	*7	10	*	*6	*6	*



Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region:  
United States, 2007

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification*<sup>8</sup> (ICD-9-CM). See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of all-listed diagnoses in thousands											
995.2	15	*9	*6	*	*	*6	*6	*	*8	*	*
995.29	*8	*	*	-	*	*	*	*	*	*	*
995.3	*8	*	*5	*	*	*	*	*	*	*	*
995.5	*7	*5	*	*	*	-	*	*	*	*	*
995.8	*6	*	*6	*	*	*	*	*	*	*	*
995.9	581	268	313	20	68	154	340	111	148	208	115
995.90	*7	*	*	*	*	*	*	*	*	*	*
995.91	399	174	225	13	49	99	238	70	114	142	74
995.92	166	85	81	*7	15	48	96	37	30	61	39
996	835	430	404	34	140	303	358	189	173	326	147
996.0	31	17	14	*	*	*6	22	*8	*7	12	*
996.01	13	*	*9	*	*	*	12	*	*	*	*
996.04	12	*9	*	*	*	*	*7	*	*	*6	*
996.1	27	17	10	*	*6	*8	12	*7	*	12	*6
996.2	31	17	13	11	*9	*	*7	*7	*	10	*9
996.3	14	*8	*6	*	*	*	*7	*	*	*7	*
996.39	10	*6	*	-	*	*	*	*	*	*	*
996.4	120	48	72	*	14	41	63	22	30	51	18
996.40	*5	*	*	-	*	*	*	*	*	*	*
996.41	12	*6	*6	-	*	*	*7	*	*5	*	*
996.42	29	11	18	-	*	10	18	*6	*7	13	*
996.43	10	*	*8	-	*	*	*5	*	*	*	*
996.44	*8	*	*	-	*	*	*5	*	*	*	*
996.46	*5	*	*	-	*	*	*	*	*	*	*
996.47	*7	*	*	-	*	*	*	*	*	*	*
996.49	40	16	24	*	*7	15	15	*6	*6	20	*8
996.5	28	11	16	*	*	13	*8	*9	*	11	*
996.59	16	*6	*9	*	*	*7	*	*	*	*6	*
996.6	272	139	134	12	49	100	112	59	63	101	49
996.61	13	*9	*	*	*	*	*8	*	*	*6	*
996.62	131	67	65	10	26	52	44	30	25	51	25
996.63	*6	*	*	*	*	*	*	*	*	*	*
996.64	33	18	15	*	*	*7	24	*9	10	*8	*6
996.65	*6	*	*	*	*	*	*	*	*	*	*
996.66	33	14	20	*	*	12	20	*5	12	12	*
996.67	19	12	*7	*	*6	*7	*6	*	*	*6	*6
996.68	*8	*	*6	*	*	*	*	*	*	*	*
996.69	18	*8	10	*	*	10	*	*	*6	*8	*
996.7	249	132	116	*	27	101	118	56	51	91	51
996.72	61	41	20	*	*	24	34	17	13	20	11
996.73	60	30	30	-	*6	26	28	14	10	23	14
996.74	46	24	22	*	*6	16	23	12	11	16	*7
996.76	17	11	*6	*	*	*6	*8	*	*6	*5	*
996.77	20	*6	14	*	*	11	*8	*	*	10	*
996.78	26	11	15	*	*6	11	*9	*	*	10	10
996.79	*9	*	*	*	*	*	*	*	*	*	*
996.8	63	41	22	*	25	25	10	17	*9	32	*
996.81	40	25	15	*	18	15	*7	*9	*5	22	*
996.82	*6	*	*	*	*	*	*	*	-	*	*
996.85	*7	*	*	*	*	*	*	*	*	*	*
997	550	258	292	17	95	184	254	135	126	186	102
997.0	37	15	21	*	*6	12	17	10	*8	14	*6
997.01	*6	*	*	*	*	*	*	*	*	*	*
997.02	16	*7	*9	*	*	*	11	*6	*	*	*
997.09	15	*6	*8	*	*	*7	*	*	*	*8	*
997.1	101	56	45	*	*	34	60	33	27	25	17
997.2	23	10	13	*	*	*7	13	*	*	*9	*5
997.3	83	36	47	*	13	27	39	23	19	24	17
997.4	196	80	116	*6	48	64	79	37	46	72	41
997.5	59	32	27	*	*9	19	28	14	13	23	*9
997.6	37	22	16	*	*7	16	14	10	*7	17	*
997.62	24	14	10	*	*	11	*9	*5	*5	12	*
997.69	13	*7	*6	-	*	*5	*5	*	*	*5	*
997.9	10	*	*	*	*	*	*	*	*	*	*
997.99	*9	*	*	*	*	*	*	*	*	*	*
998	747	330	417	24	158	258	307	173	164	278	133
998.0	*6	*	*	*	*	*	*	*	*	*	*

Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region:  
United States, 2007

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification*<sup>8</sup> (ICD-9-CM). See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of all-listed diagnoses in thousands											
998.1	242	112	130	*	48	75	115	57	55	85	45
998.11	117	59	59	*	22	36	56	28	23	39	27
998.12	105	46	59	*	18	33	52	27	25	37	16
998.13	20	*8	12	*	*7	*6	*7	*	*7	*9	*
998.2	94	39	55	*	20	32	40	18	21	37	17
998.3	61	26	35	*	12	25	22	10	12	30	*9
998.31	*7	*	*	*	*	*	*	*	*	*	*
998.32	54	23	31	*	11	22	19	*8	*9	28	*8
998.5	224	99	125	12	51	80	81	56	49	81	38
998.51	*7	*	*5	*	*	*	*	*	*	*	*
998.59	217	97	120	12	49	78	78	55	47	78	37
998.6	15	*7	*8	*	*	*8	*5	*	*	*5	*
998.8	93	40	53	*	23	31	36	21	22	35	15
998.83	20	10	11	*	*	*8	*9	*	*	*8	*
998.89	71	30	41	*	18	23	27	16	17	26	12
998.9	*9	*	*7	*	*	*	*	*	*	*	*
999	52	24	28	*	12	16	21	14	*8	22	*7
999.2	14	*7	*7	*	*	*	*7	*6	*	*	*
999.3	11	*7	*	*	*	*	*	*	*	*6	*
999.8	14	*5	*9	*	*	*	*7	*	*	*	*
999.9	11	*	*7	*	*	*6	*	*	*	*8	*
V01-V86	17,185	5,685	11,500	608	7,474	3,676	5,427	3,658	3,694	6,532	3,301
V01	*5	*	*	*	*	*	*	*	*	*	*
V02	520	14	506	*	500	11	*	91	113	192	124
V02.5	500	*6	495	*	489	*	*	80	111	188	121
V02.51	484	*	484	*	481	*	*	77	107	185	115
V02.59	12	*5	*7	*	*	*	*	*	*	*	*
V02.6	16	*8	*8	-	*8	*8	*	10	*	*	*
V02.62	12	*7	*5	-	*	*6	*	*8	*	*	*
V03	74	36	38	*	12	23	37	10	27	20	18
V03.8	71	34	37	*	11	23	37	*9	25	19	18
V03.82	68	33	36	*	10	21	36	*8	25	18	18
V04	68	19	50	*5	34	15	14	14	12	26	16
V04.3	17	-	17	-	17	-	-	*	*	*8	*7
V04.8	51	18	32	*	17	15	14	13	11	18	*9
V04.81	50	18	32	*	17	15	14	13	11	18	*9
V05	16	*9	*8	11	*	*	*	*	*	*7	*
V05.3	11	*6	*	*9	*	-	*	*	*	*	*
V06	45	19	25	*	16	10	16	*6	11	16	11
V06.4	*7	*	*7	*	*7	-	-	*	*	*	*
V06.6	30	15	15	*	*	10	15	*	*6	12	*8
V07	63	*5	58	*	48	*8	*5	10	11	25	16
V07.0	*5	*	*	*	*	*	*	*	*	*	*
V07.2	41	*	40	*	40	*	*	*8	*8	13	11
V07.4	*7	-	*7	-	*	*	*	*	*	*	*
V07.8	*5	*	*	-	*	*	*	*	*	*	*
V08	64	39	26	*	28	32	*	28	*	30	*
V09	225	117	107	31	70	57	67	43	47	97	38
V09.0	214	114	99	31	68	55	61	38	45	94	37
V09.8	*7	*	*6	*	*	*	*	*	*	*	*
V10	928	404	523	*	64	276	584	242	227	306	153
V10.0	181	101	80	*	*8	54	118	50	47	51	32
V10.02	*7	*5	*	*	*	*	*	*	*	*	*
V10.03	*8	*7	*	-	-	*	*6	*	*	*	*
V10.04	11	*7	*	-	*	*	*8	*	*	*	*
V10.05	118	61	57	*	*	31	85	32	34	35	18
V10.06	24	14	10	*	*	12	10	*6	*6	*	*7

Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region:  
United States, 2007

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification*<sup>8</sup> (ICD-9-CM). See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of all-listed diagnoses in thousands											
V10.09	*6	*	*	-	*	*	*	*	*	*	*
V10.1	59	28	31	*	*	16	42	16	17	19	*7
V10.11	59	28	31	*	*	16	42	16	17	19	*7
V10.2	15	*9	*6	-	*	*6	*9	*6	*	*	*
V10.21	12	*8	*	-	*	*	*7	*5	*	*	*
V10.3	238	*	236	*	14	76	147	66	56	74	43
V10.4	219	139	80	*	21	51	146	52	57	76	35
V10.41	29	-	29	-	10	13	*6	*7	*6	13	*
V10.42	24	-	24	-	*	*8	13	*6	*7	*5	*5
V10.43	22	-	22	*	*	*6	14	*6	*7	*7	*
V10.46	127	127	-	-	*	16	108	28	34	44	21
V10.47	10	10	-	*	*	*6	*	*	*	*	*
V10.5	73	52	21	*	*	20	52	19	14	29	11
V10.51	42	31	11	-	*	*9	33	12	*8	15	*6
V10.52	25	16	*9	*	*	*9	15	*	*	12	*
V10.7	16	*9	*6	*	*	*	*8	*	*	*	*
V10.79	13	*7	*5	*	*	*	*7	*	*	*	*
V10.8	117	59	58	*	13	45	57	25	27	44	20
V10.82	32	18	14	*	*	16	13	*7	*7	11	*8
V10.83	48	25	22	-	*	18	29	*7	13	20	*8
V10.85	*6	*	*	*	*	*	*	*	*	*	*
V10.87	14	*	12	*	*	*	*6	*	*	*6	*
V10.89	10	*6	*	*	*	*	*	*	*	*	*
V10.9	*7	*	*	*	*	*	*	*	*	*	*
V11	30	18	12	*	11	10	*7	*9	*6	*9	*6
V11.3	14	12	*	-	*	*6	*	*	*	*	*
V11.8	*7	*	*	*	*	*	*	*	*	*	*
V12	992	424	568	29	133	287	544	231	242	362	158
V12.0	88	43	46	*	33	29	23	19	21	33	16
V12.01	21	12	*9	*	*5	*6	10	*	*6	*7	*
V12.09	61	27	33	*	27	20	*9	12	14	23	11
V12.2	10	*	*7	*	*	*	*	*	*	*	*
V12.4	12	*	*8	*	*	*	*	*	*	*	*
V12.5	700	292	408	*8	68	192	432	160	173	259	109
V12.50	11	*6	*5	*	*	*	*8	*	*	*6	*
V12.51	244	98	146	*	37	84	120	56	67	82	39
V12.59	440	187	253	*	29	105	302	100	104	169	67
V12.6	41	19	21	12	*7	*7	15	16	*9	*9	*6
V12.61	21	*8	13	*	*	*	11	*	*7	*5	*
V12.69	20	11	*9	*8	*	*	*	12	*	*	*
V12.7	138	64	74	*	19	47	68	26	36	53	24
V12.71	68	32	35	*	11	24	33	*6	16	32	14
V12.72	37	17	20	-	*	11	24	*9	11	11	*6
V12.79	33	13	19	*	*5	12	12	11	*9	*9	*
V13	127	50	77	17	44	32	33	31	29	42	24
V13.0	91	36	56	*5	31	25	29	19	25	31	16
V13.01	55	28	27	*	21	18	14	*9	17	20	*9
V13.02	31	*6	25	*	*9	*6	12	*7	*7	10	*7
V13.2	*7	*	*7	*	*6	*	*	*	*	*	*
V13.29	*6	*	*5	*	*	*	*	*	*	*	*
V13.7	*5	*	*	*5	*	-	-	*	*	*	*
V13.8	11	*	*6	*	*	*	*	*	*	*	*
V14	407	110	296	20	172	112	103	59	57	231	60
V14.0	176	52	123	*6	73	49	48	28	29	93	26
V14.1	32	*8	24	*5	15	*6	*6	*8	*	14	*7
V14.2	52	*9	43	*	19	15	16	*7	*9	30	*6
V14.3	11	*	*7	*	*	*	*	*	*	10	*
V14.5	39	13	26	*	17	12	*8	*	*	24	*7
V14.6	42	*8	34	*	18	12	11	*	*	27	*7
V14.8	52	15	37	*	24	13	11	*7	*7	32	*6
V15	1,320	697	622	86	326	470	438	306	271	511	231
V15.0	78	28	50	32	22	13	11	27	12	28	11
V15.01	*6	*	*	*	*	*	*	*	*	*	*
V15.04	*8	*	*	*	*	*	*	*	*	*	*
V15.05	11	*	*7	*6	*	*	*	*	*	*	*

Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region:  
United States, 2007

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification*<sup>8</sup> (ICD-9-CM). See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North- east	Midwest	South	West
Number of all-listed diagnoses in thousands											
V15.07	13	*	10	*	*7	*	*	*	*	*7	*
V15.08	*8	*	*6	-	*	*	*	*	*	*	*
V15.09	22	*7	15	12	*	*	*	*8	*	*	*
V15.1	27	15	12	10	*	*	*8	*6	*5	11	*5
V15.2	*6	*	*	*	*	*	*	*	*	*	*
V15.3	36	19	17	*	*	16	15	*8	*6	13	*9
V15.4	62	21	41	18	37	*7	*	*7	*	49	*
V15.41	44	14	30	12	27	*	*	*	*	35	*
V15.42	17	*7	11	*6	*9	*	-	*	*	15	*
V15.5	36	23	13	*	19	*9	*	*9	*8	13	*7
V15.8	1,074	589	484	20	238	420	397	249	236	393	196
V15.81	342	196	146	13	145	142	41	82	63	151	46
V15.82	662	359	303	*	88	264	309	147	157	220	139
V15.88	41	16	25	*	*	*6	34	*9	12	13	*6
V15.89	24	14	10	*	*	*7	11	*9	*	*8	*
V16	113	33	80	*8	41	42	23	19	22	55	17
V16.0	30	*9	21	*	*9	12	*7	*6	*6	12	*6
V16.1	13	*6	*7	*	*	*	*	*	*	*7	*
V16.3	24	*	21	*	*9	*8	*5	*	*	14	*
V16.4	16	*	12	*	*8	*7	*	*	*	*6	*
V16.41	*7	-	*7	*	*	*	*	*	*	*	*
V16.49	*5	*	*5	*	*	*	*	*	*	*	*
V16.9	15	*	11	*	*7	*	*	*	*	10	*
V17	296	150	146	58	83	111	44	72	65	106	53
V17.0	18	*8	10	*	12	*	*	*8	*	*6	*
V17.1	15	*8	*7	*	*	*8	*	*	*5	*6	*
V17.2	*6	*	*	*	*	*	*	*	*	*	*
V17.3	135	75	61	*	33	69	29	23	38	50	24
V17.4	77	31	46	12	28	26	12	16	16	31	15
V17.5	39	22	17	34	*	*	*	19	*	11	*8
V18	99	44	55	29	40	21	*9	30	17	35	17
V18.0	76	34	42	18	32	19	*8	19	14	29	14
V18.5	*5	*	*	*	*	*	*	*	*	*	*
V18.6	*5	*	*	*	*	*	*	*	*	*	*
V18.69	*5	*	*	*	*	*	*	*	*	*	*
V19	16	*7	*9	10	*	*	*	10	*	*	*
V19.8	*9	*	*5	*	*	*	*	*	*	*	*
V21	23	13	10	23	*	-	*	*	*	*	17
V21.3	23	13	10	23	*	-	*	*	*	*	17
V21.30	11	*7	*	11	*	-	*	*	*	*	*8
V22	13	-	13	*	13	*	-	*	*	*7	*
V22.1	*5	-	*5	-	*5	-	-	*	*	*	*
V22.2	*6	-	*6	*	*6	*	-	*	*	*	*
V23	168	-	168	*	167	*	-	20	36	73	38
V23.2	19	-	19	-	19	*	-	*	*	12	*
V23.4	20	-	20	-	20	*	-	*	*	*7	*5
V23.41	13	-	13	-	12	*	-	*	*	*	*
V23.49	*7	-	*7	-	*7	-	-	*	*	*	*
V23.5	*8	-	*8	-	*8	-	-	*	*	*	*
V23.7	108	-	108	*	107	*	-	*9	26	44	28
V23.8	*8	-	*8	*	*8	*	-	*	*	*	*
V25	297	*	297	-	295	*	-	35	53	146	63
V25.0	*7	-	*7	-	*7	-	-	-	*	*5	*
V25.2	288	-	288	-	286	*	-	35	52	140	61
V26	23	*	22	-	11	*9	*	*	*	14	*
V26.5	22	*	21	-	10	*9	*	*	*	14	*
V26.51	21	-	21	-	10	*8	*	*	*	13	*
V27	4,136	-	4,136	*7	4,121	*8	-	632	870	1,612	1,023
V27.0	3,671	-	3,671	*	3,660	*7	-	551	779	1,441	900
V27.1	19	-	19	*	18	*	-	*	*	*9	*

Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region:  
United States, 2007

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification*<sup>8</sup> (ICD-9-CM). See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of all-listed diagnoses in thousands											
V27.2	68	-	68	-	68	*	-	12	14	32	11
V27.9	375	-	375	*	372	*	-	66	72	130	106
V28	*5	-	*5	-	*5	-	-	*	*	*	-
V29	15	*9	*6	15	-	-	-	*	*	*9	*
V29.0	13	*7	*6	13	-	-	-	*	*	*8	*
V42	201	116	85	17	37	81	67	51	39	71	40
V42.0	71	44	27	*	18	38	14	17	16	23	15
V42.1	16	11	*	*	*	*7	*5	*7	*	*8	*
V42.2	42	23	19	*	*	*5	35	12	10	10	11
V42.6	*6	*	*	*	*	*	*	*	*	*	*
V42.7	30	14	17	*7	*	15	*	*7	*	10	*9
V42.8	31	19	12	*6	*9	12	*	*8	*	16	*
V42.81	11	*7	*	*	*	*	*	*	*	*7	*
V42.82	11	*7	*	*	*	*6	*	*	*	*5	*
V42.83	*6	*	*	*	*	*	*	*	*	*	*
V43	615	262	353	*	26	169	419	195	143	180	98
V43.3	120	68	52	*	*6	33	80	42	25	34	18
V43.6	488	191	298	*	19	134	335	151	116	142	79
V43.61	*7	*	*5	-	*	*	*	*	*	*	*
V43.64	207	89	118	*	11	49	147	61	54	62	31
V43.65	265	97	169	*	*8	78	180	88	60	73	45
V44	193	103	91	31	25	63	74	62	43	62	26
V44.0	30	19	11	*8	*	11	*9	12	*	10	*5
V44.1	82	41	41	21	*9	22	30	29	18	24	11
V44.2	21	*9	12	*	*	12	*6	*6	*6	*7	*
V44.3	48	27	21	*	*8	14	25	11	13	18	*6
V44.6	*7	*	*	*	*	*	*	*	*	*	*
V45	2,306	1,222	1,084	43	247	678	1,337	611	540	779	376
V45.0	353	196	157	*	18	53	281	103	95	111	45
V45.01	256	130	126	*	*9	26	221	72	70	79	35
V45.02	84	60	24	*	*8	24	52	26	23	26	*9
V45.09	*9	*5	*	-	*	*	*7	*	*	*	*
V45.1	159	87	72	*	19	60	78	40	30	55	34
V45.2	45	25	20	12	11	*7	15	13	*6	19	*7
V45.3	19	*7	12	*	*6	*8	*	*	*	*8	*
V45.4	70	29	41	*	12	33	24	*9	14	30	17
V45.6	16	*	12	*	*	*	12	*	*7	*5	*
V45.61	14	*	10	*	*	*	11	*	*6	*	*
V45.7	267	64	203	*6	54	97	110	45	64	116	41
V45.71	37	*	37	-	*	13	20	*	*8	17	*7
V45.72	33	14	19	*	*7	13	12	*8	*9	12	*
V45.73	33	16	17	*	*6	11	15	*	*7	17	*
V45.75	*5	*	*	-	*	*	*	*	*	*	*
V45.76	10	*	*5	-	*	*	*5	*	*	*	*
V45.77	89	*5	84	*	15	37	36	11	21	43	14
V45.79	57	19	38	*	20	17	17	12	16	22	*7
V45.8	1,373	809	564	21	123	415	813	396	318	433	226
V45.81	603	398	205	*	*9	138	455	156	147	210	90
V45.82	423	275	149	*	16	157	249	100	109	132	83
V45.85	*5	*	*	*	*	*	*	*	*	*	*
V45.86	89	18	71	-	41	44	*	23	22	25	19
V45.89	252	116	136	19	55	75	103	116	38	65	33
V46	154	65	89	*7	11	47	89	34	35	60	25
V46.1	43	24	20	*5	*6	14	18	14	*9	15	*6
V46.11	43	24	19	*5	*6	14	18	14	*9	15	*6
V46.2	110	41	69	*	*	33	71	19	26	45	19
V49	128	75	53	*	19	47	61	40	24	45	18
V49.6	*7	*6	*	*	*	*	*	*	*	*	*
V49.7	96	60	35	*	13	33	50	33	21	30	12
V49.72	*6	*	*	-	*	*	*	*	*	*	*
V49.73	*5	*	*	*	*	*	*	*	*	*	*
V49.75	50	31	19	*	*	15	31	19	11	14	*7

Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region:  
United States, 2007

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification*<sup>9</sup> (ICD-9-CM). See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of all-listed diagnoses in thousands											
V49.76	30	20	*9	*	*6	10	13	*9	*9	*9	*
V49.8	25	*9	16	*	*	11	*9	*6	*	11	*6
V49.81	*8	-	*8	-	*	*	*	*	*	*	*
V49.83	10	*7	*	*	*	*6	*	*	*	*	*
V49.84	*6	*	*	-	*	*	*	*	*	*	*
V50	11	*	*8	*	*	*	*	*	*	*	*
V50.4	*7	-	*7	-	*	*	*	*	*	*	*
V52	*5	*	*	*	*	*	*	*	*	*	*
V53	20	10	10	*	*	*	14	*	*5	*7	*
V53.3	16	*8	*8	*	*	*	13	*	*5	*6	*
V53.31	11	*	*7	*	*	*	*9	*	*	*5	*
V53.32	*5	*	*	-	*	*	*	*	*	*	*
V54	226	80	147	*	36	57	130	65	57	55	49
V54.0	13	*	*9	*	*	*	*9	*	*	*	*
V54.01	*9	*	*6	*	*	*	*5	*	*	*	*
V54.1	141	53	88	*	27	38	74	45	36	35	26
V54.11	*6	*	*	*	*	*	*	*	*	*	*
V54.12	*6	*	*	*	*	*	*	*	*	*	*
V54.13	30	*9	22	-	*	*	25	*	*8	14	*6
V54.15	*7	*	*	*	*	*	*	*	*	*	*
V54.16	14	*6	*8	*	*	*6	*6	*	*	*	*
V54.17	23	12	12	*	*	*8	11	12	*	*	*
V54.19	53	18	35	*	15	15	22	21	14	10	*8
V54.2	*9	*	*7	-	*	*	*	*5	*	*	*
V54.8	63	20	42	*	*	14	44	11	19	14	19
V54.81	45	12	34	-	*	10	35	*9	13	*9	14
V54.89	17	*9	*9	*	*	*	*9	*	*6	*	*
V55	60	37	23	*6	11	20	23	11	10	27	11
V55.0	*7	*	*	*	*	*	*	*	*	*	*
V55.1	*9	*6	*	*	*	*	*	*	*	*	*
V55.2	12	*7	*6	*	*	*	*	*	*	*	*
V55.3	25	15	10	*	*6	*9	10	*	*	11	*
V56	182	99	83	*	36	76	69	31	12	82	58
V56.0	177	95	82	*	34	75	68	29	12	81	55
V57	468	205	263	*	45	109	309	97	106	165	101
V57.1	88	41	47	*	*8	23	56	25	*7	37	19
V57.2	23	10	13	-	*	*6	14	*6	*	*7	*6
V57.21	23	10	13	-	*	*6	13	*6	*	*7	*6
V57.8	357	154	203	*	35	79	239	66	95	120	76
V57.89	352	150	202	*	34	78	237	61	95	120	76
V58	1,566	759	807	64	281	494	727	311	328	652	274
V58.0	27	10	17	*	*7	10	*9	*9	*	12	*
V58.1	142	76	66	33	25	54	30	46	13	61	21
V58.11	136	72	64	33	24	51	28	46	12	60	18
V58.12	*6	*	*	*	*	*	*	*	*	*	*
V58.3	*6	*	*	*	*	*	*	*	*	*	*
V58.4	19	*9	10	*	*	*5	*8	*6	*	*6	*
V58.43	*8	*	*6	*	*	*	*	*	*	*	*
V58.49	*7	*	*	*	*	*	*	*	*	*	*
V58.6	1,335	645	690	27	235	415	656	245	296	562	231
V58.61	340	173	166	*	30	80	229	73	88	118	60
V58.62	25	12	13	*	*	*	18	*	16	*	*
V58.63	44	23	22	*	*	17	24	*9	*7	18	11
V58.64	*7	*	*	-	*	*	*	*	*	*	*
V58.65	78	32	46	10	14	21	33	13	18	25	21
V58.66	223	121	102	*	19	82	121	44	46	94	39
V58.67	417	181	235	*5	125	134	152	78	82	181	75
V58.69	201	101	101	*9	42	75	76	25	37	120	20
V58.7	21	*9	12	*	*	*	15	*	*5	*	10
V58.78	11	*	*9	*	*	*	*9	*	*	*	*6
V58.8	15	*7	*8	*	*	*5	*9	*	*7	*	*
V58.89	*8	*	*5	*	*	*	*7	*	*6	*	*

Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region:  
United States, 2007

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification*<sup>8</sup> (ICD-9-CM). See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under	15-44	45-64	65 years	North-	Midwest	South	West
				15 years	years	years	and over				
Number of all-listed diagnoses in thousands											
V60	82	52	30	*	43	32	*7	27	14	29	11
V60.0	57	40	17	*	30	26	*	22	*8	19	*8
V60.2	15	*8	*7	*	10	*	*	*	*	*7	*
V61	52	17	34	*7	37	*8	*	12	14	21	*5
V61.0	*5	*	*	*	*	*	*	*	*	*	*
V61.1	10	*5	*5	-	*8	*	*	*	*	*	*
V61.10	10	*5	*5	-	*8	*	*	*	*	*	*

Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region:  
United States, 2007

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification*<sup>§</sup> (ICD-9-CM). See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of all-listed diagnoses in thousands											
V61.2	15	*7	*8	*	10	*	*	*6	*	*7	*
V61.20	12	*	*7	*	*7	*	*	*6	*	*	*
V61.5	11	-	11	-	11	*	-	*	*	*	*
V61.8	*6	*	*	*	*	*	-	*	*	*	*
V62	327	165	162	19	215	83	10	68	72	168	18
V62.0	11	*7	*	-	*9	*	*	*5	*	*	*
V62.4	*5	*	*	*	*	*	-	*	*	*	*
V62.8	296	147	148	18	194	75	*9	61	65	153	17
V62.81	*8	*	*	*	*6	*	*	*	*	*	-
V62.84	258	129	129	16	169	67	*7	51	49	144	15
V62.89	26	13	13	*	17	*5	*	*9	11	*6	*
V64	117	47	70	*6	34	43	35	25	28	44	20
V64.0	13	*5	*8	*	*	*	*	*	*	*6	-
V64.06	*8	*	*5	*	*	*	*	*	*	*	-
V64.1	18	*9	*9	*	*5	*8	*	*	*	*7	*
V64.2	15	*7	*8	*	*	*6	*	*	*	*5	*
V64.3	16	*5	10	*	*	*6	*5	*	*	*6	*
V64.4	56	20	36	*	19	22	13	*8	15	20	12
V64.41	55	19	35	*	18	21	13	*8	15	20	11
V65	54	28	26	*8	24	18	*	13	14	18	*9
V65.2	*6	*	*	-	*	*	-	*	*	*	*
V65.3	20	*9	11	*8	*5	*5	*	*	*6	11	*
V65.4	27	15	12	*	14	11	*	10	*7	*	*6
V65.49	24	13	11	*	12	10	*	*9	*6	*	*6
V66	79	35	44	*	*	13	61	*8	30	34	*7
V66.7	77	34	43	*	*	13	60	*7	30	34	*6
V70	37	20	17	*	12	*9	11	13	*	19	*
V70.7	32	17	15	*	10	*8	10	11	*	17	*
V71	11	*	*7	*	*6	*	*	*	*	*7	*
V72	10	*	*7	*	*	*	*	*	*	*	*
V72.8	*7	*	*	*	*	*	*	*	*	*	*
V85	146	41	104	*	55	66	23	41	27	38	39
V85.0	*6	*	*	-	*	*	*	*	*	*	*
V85.3	29	*6	22	-	11	13	*5	*6	*5	*5	12
V85.30	*5	*	*	-	*	*	*	*	-	*	*
V85.38	*5	*	*	-	*	*	*	*	*	*	*
V85.4	103	29	74	-	41	50	12	32	19	28	24
V86	*8	*	*8	-	*	*	*	*	*	*	*
V86.0	*7	*	*6	-	*	*	*	*	*	*	*

\* Figure does not meet standards of reliability or precision.

- Quantity zero.

§ U.S. Department of Health and Human Services. Centers for Disease Control and Prevention, Centers for Medicare and Medicaid Services. Official version International Classification of Diseases, Ninth Revision, Clinical Modification, Sixth Edition.

DHHS Pub No. (PHS) 06-1260. available at: <http://www.cdc.gov/nchs/icd/icd9cm.htm>

NOTE: Estimates are rounded to the nearest thousand, and totals may include data from categories that are not shown individually in this table. For these reasons, figures may not always add to totals. Because of low reliability, estimates less than 5,000 are suppressed and an asterisk (\*) is inserted. These estimates generally are based on a sample size of less than 30 records and usually have a relative standard error (RSE) of more than 30 percent. Estimates between 5,000 and 9,000 are preceded by an asterisk (\*) because they are generally based on fewer than 60 records and may have low reliability. These criteria for minimum sample size and maximum acceptable RSE are consistent with NCHS guidelines for reporting statistical results. More information can be found in the Methods section of National Hospital Discharge Survey:

2005 Annual Summary With Detailed Diagnosis and Procedure Data, Series 13, No. 165.

[http://www.cdc.gov/nchs/data/series/sr\\_13/sr13\\_165.pdf](http://www.cdc.gov/nchs/data/series/sr_13/sr13_165.pdf)