

Number of days of care for discharges from short-stay hospitals, by ICD-9-CM code of first-listed diagnosis, sex, age, and geographic region: United States, 2008

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification*⁵ (ICD-9-CM). See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of days of care in thousands											
All codes	174,884	77,085	97,799	8,778	37,832	49,013	79,260	42,274	36,069	64,828	31,713
001-139	9,030	4,249	4,781	370	1,078	2,676	4,906	2,384	1,819	3,199	1,627
003	*24	*	*	*	*	*	*	*	*	*	*
003.0	*19	*	*	*	*	*	*	*	*	*	*
008	1,034	419	614	57	131	204	643	324	230	307	173
008.4	827	331	496	*	*86	153	578	280	167	250	130
008.45	812	326	486	*	*85	149	571	276	161	248	128
008.6	*19	*	*	*	*	*	*	*	*	*	*
008.8	178	76	102	33	41	44	60	40	54	47	38
009	91	*24	66	*	33	*19	*35	*	*	34	*26
009.0	62	*19	43	*	*29	*	*	*	*	*21	*
009.1	*13	*	*	*	*	*	*	*	*	*	*
011	*74	*25	*	-	*	*	*	*	*	*	*
011.9	*37	*24	*	-	*	*	*	*	*	*	*
033	*21	*	*	*	-	*	-	*	*	*	*
034	34	*	*17	*20	*	*	*	*	*	*9	*
034.0	24	*	*17	*9	*	*	*	*	*	*	*
038	6,017	2,827	3,189	76	315	1,830	3,795	1,504	1,323	2,210	980
038.0	426	204	223	*	*	169	232	*88	*78	102	158
038.1	816	533	284	*	*47	331	429	328	145	263	*81
038.10	67	*	*25	-	-	*	*51	*	*	*	*
038.11	634	451	184	*	*44	300	281	253	109	194	*78
038.19	115	*	*75	-	*	*	*98	*	*	*	*
038.2	189	*85	104	*	*	*72	100	*	*	103	*
038.4	1,002	461	541	*	*52	327	604	278	224	413	87
038.40	*81	*	*49	*	*	*	*44	*	*	*	*
038.42	505	198	307	*	*27	147	327	138	109	199	59
038.43	81	*57	*	*	*	*	*42	*	*	*	*
038.49	327	172	156	*	*	112	190	77	77	149	*
038.8	244	*91	153	*	*	*	130	*87	*39	*	*
038.9	3,276	1,436	1,841	29	176	823	2,248	668	779	1,286	543
041	136	55	82	33	*	*	70	*	*	*36	40
041.0	*26	*	*	*	*	*	*	*	*	*	*
041.1	42	*	*15	*16	*	*	*	*	*	*	*20
041.11	*26	*	*	*14	*	*	*	*	*	*	*19
041.4	*49	*	*	*	-	-	*	*	*	*	*
042	521	346	175	-	291	217	*	186	*29	205	102
047	106	53	52	46	42	*17	*	*19	*16	32	39
047.9	93	46	47	36	40	*	*	*	*	30	36
053	65	*	48	*	*	*	*44	*	*	*	*
053.9	*36	*	*27	*	*	*	*	*	*	*	*
054	*62	*	*46	*	*	*	*	*	*	*	*
070	173	105	68	*	*43	97	*33	*65	*	61	*
070.4	*41	*36	*	-	*	*34	*	*	*	*	*
070.44	*41	*36	*	-	*	*	*	*	*	*	*
070.5	*50	*	*26	-	*	*30	*	*	*	*	*
070.54	*31	*	*	-	*	*29	-	*	*	*	*
070.7	*36	*	*	-	*	*23	*	*	*	*24	*
079	127	72	55	50	*23	*20	35	24	31	36	37
079.9	114	69	45	42	*18	*20	34	23	29	30	31
079.99	114	69	45	42	*18	*20	34	23	29	30	31
112	176	59	116	*	*43	*45	80	*34	*	83	34
112.0	*33	*	*	*	*	*	*	*	*	*	*
112.2	*48	*	*30	*	*	*	*37	*	*	*	*
112.8	66	*22	*45	-	*	*29	*	*	*	*44	*
112.84	46	*20	*26	-	*	*18	*	*	*	*25	*
117	*47	*	*	-	*	*	*	*	*	*	*
135	*38	*	*36	*	*	*	*	*	*	*	-
140-239	9,823	4,738	5,086	77	1,112	3,815	4,820	2,493	2,070	3,835	1,425

Number of days of care for discharges from short-stay hospitals, by ICD-9-CM code of first-listed diagnosis, sex, age, and geographic region: United States, 2008

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification*⁵ (ICD-9-CM). See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of days of care in thousands											
141	*28	*	*	-	*	*	*	*	*	*23	*
150	94	*70	*	-	*	*	*79	*	*	*	-
151	229	189	*	-	*	*80	141	*48	*51	105	*
151.0	*61	*59	*	-	*	*	*	*	*	*	*
152	*75	*	*	-	-	*	*	*	*	*	*
153	822	358	464	*	*31	207	583	195	215	277	136
153.1	124	*65	*59	-	*	*	98	*	*	*	*
153.3	144	*69	75	-	*	*	98	*	*	*	*37
153.4	152	*	110	-	*	*53	*99	*	*	*35	*
153.6	164	*83	81	-	-	*	131	*59	*	*61	*
153.8	*48	*	*	-	-	*	*	*	*	*	*
153.9	81	*35	46	*	*	*25	*48	*	*28	46	*
154	272	180	93	-	*	105	159	*	*58	126	*37
154.0	102	*61	*	-	*	*	*48	*	*	*	*
154.1	152	106	*47	-	*	*39	107	*	*29	*89	*
155	137	94	*43	*	*	*57	74	*35	*	*48	*
155.0	113	78	*34	*	*	*55	54	*27	*	*46	*
156	*84	*	*	-	-	*	*	*	*	*	*
157	315	139	175	-	*	132	179	69	70	133	*43
157.0	156	*66	*89	-	*	*	91	*	*	*96	*
157.2	*36	*	*	-	-	*	*	*	*	*	*
157.8	*31	*	*	-	-	*	*	*22	*	*	-
157.9	64	*18	*45	-	*	*	*42	*	*33	*	*
161	*65	*52	*	-	*	*	*	*	*	*48	*
162	1,275	669	606	-	*	480	775	326	264	497	188
162.2	*31	*	*	-	*	*	*	*	*	*	-
162.3	469	259	211	-	*	95	363	117	84	173	95
162.4	*52	*	*	-	*	*	*	*	*	*	*
162.5	289	130	159	-	*	187	99	*97	*62	107	*
162.8	78	*58	*	-	*	*55	*	*	*	*	*
162.9	355	183	172	-	*	111	243	*52	85	172	*
171	*57	*	*	-	*	*	*	*	*	*	*
174	234	-	234	-	34	92	109	52	45	79	57
174.4	*16	-	*16	-	*	*	*	*	*	*	*
174.8	77	-	77	-	*9	22	*46	*32	*	*14	*
174.9	99	-	99	-	*18	45	36	*	*26	40	*
180	60	-	60	-	*28	*	*	*	*	*28	-
180.9	*49	-	*49	-	*26	*	*	*	*	*25	-
182	173	-	173	-	*	77	90	52	36	49	37
182.0	173	-	173	-	*	76	90	52	35	49	37
183	177	-	177	-	*	102	67	*47	*53	*64	*
183.0	167	-	167	-	*	99	*60	*45	*48	*61	*
184	*16	-	*16	*	-	*	*	*	*	*	*
185	245	245	-	-	*	98	146	38	53	102	52
188	249	201	*48	-	*	*50	196	102	*53	61	*
188.8	80	*67	*	-	-	*	*67	*	*	*	-
188.9	*55	*	*	-	*	*	*	*	*	*	*
189	239	148	91	*	*	96	120	66	*49	96	*29
189.0	207	134	73	*	*	92	92	58	*32	89	*28
190	81	41	*40	*	*	*33	39	-	-	81	-
190.6	77	41	*36	-	*	*30	39	-	-	77	-
191	243	196	47	*	*68	109	63	*25	*53	119	*
191.1	*49	*	*	-	*	*	*	*	*	*	*
191.2	*68	*52	*	-	*	*	*	*	*	*	*
191.3	*16	*	*	-	*	*	*	*	*	*	*
191.8	*60	*	*	*	*	*	*	*	*	*	-
191.9	*20	*	*	*	*	*	*	*	*	*	*
193	37	*8	29	-	*15	*14	*8	*9	*	*12	*

Number of days of care for discharges from short-stay hospitals, by ICD-9-CM code of first-listed diagnosis, sex, age, and geographic region: United States, 2008

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification*⁵ (ICD-9-CM). See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of days of care in thousands											
196	112	66	46	*	*	47	*37	*	*	53	*25
196.0	*41	*28	*	-	*	*	*	*	*	*	*
196.2	*42	*	*	*	*	*	*	*	*	*	*
197	817	348	469	*	95	359	363	204	183	308	122
197.0	145	73	72	*	*	77	*41	*49	*26	54	*
197.2	175	84	91	-	*	*53	105	*	*48	*54	*
197.6	220	*83	137	-	*	113	*87	*38	*39	115	*
197.7	160	66	95	-	*	65	71	*37	*40	51	*
197.8	*51	*	*36	-	*	*	*	*	*	*	*
198	799	348	451	*	*38	359	402	175	210	259	154
198.3	264	94	171	*	*	109	136	*49	69	99	49
198.4	*51	*	*	-	-	*	*	*	*	*	*
198.5	340	191	149	-	*	154	177	84	*69	112	*75
198.8	105	*39	66	*	*	*38	63	*21	*	*	*
198.89	104	*38	*65	*	*	*36	*63	*21	*	*	*
199	*41	*	*27	-	*	*20	*	*	*	*	*
200	59	*44	*	-	*	*	*	*	*	*	*
201	*39	*	*	*	*	*	*	*	*	*	-
202	278	171	107	*	*	109	125	*61	*43	128	46
202.8	210	143	*67	-	*	75	108	*	*	108	45
202.80	110	73	*	-	*	*42	*51	*	*	*55	*25
202.83	*48	*	*	-	*	*	*	*	*	*	*
203	146	*58	88	-	*	*77	*61	*	*	*54	*
203.0	137	*57	79	-	*	*68	*61	*	*	*54	*
203.00	133	*54	79	-	*	*68	*57	*	*	*54	*
204	178	143	*34	*	*	*	*42	*97	*	*59	*
204.0	139	118	*	*	*	*	*	*	*	*	*
204.00	129	113	*	*	*	*	*	*	*	*	*
204.1	*39	*	*	-	-	*	*29	*	*	*	*
204.10	*39	*	*	-	-	*	*29	*	*	*	*
205	378	212	166	*	*	153	124	137	*	170	*
205.0	357	197	160	*	*	150	107	*	*	158	*
205.00	338	179	159	*	*	*	106	*	*	145	*
211	253	106	147	*	*	93	139	67	57	100	*29
211.3	210	86	124	*	*	76	117	64	43	80	*24
212	*27	*	*	-	*	*	*	*	*	*	-
218	480	-	480	-	236	240	*	107	121	190	62
218.0	58	-	58	-	36	*22	*	*15	*18	22	*
218.1	126	-	126	-	48	78	-	38	27	44	*17
218.2	35	-	35	-	*18	*18	-	*	*	*11	*
218.9	261	-	261	-	135	123	*	41	68	114	39
220	98	-	98	*	33	52	*	*23	*23	45	*
225	114	*41	73	*	*	74	*28	*28	*28	*37	*22
225.2	95	*36	60	-	*	66	*	*24	*28	*26	*
226	*12	*	*12	-	*	*	*	*	*	*	*
227	60	*35	25	-	*	*28	*27	*	*	*33	*
227.1	*17	*	*13	-	*	*	*	*	*	*	*
233	34	*	31	-	*	16	*11	*	*	*14	*
233.0	19	-	19	-	*	*11	*7	*	*	*	*
233.1	*10	-	*10	-	*	*	*	*	*	*	*
235	*55	*	*29	-	*	*	*	*	*	*	*
237	*26	*	*	*	*	*	*	*	*	*	*
238	150	99	*51	*	*	*47	92	*55	*23	59	*
238.7	116	77	*39	*	*	*	73	*33	*	53	*
238.75	75	51	*	-	-	*	60	*	*	*36	*
239	35	*18	*17	*	*	*	*23	*14	*	*	*

Number of days of care for discharges from short-stay hospitals, by ICD-9-CM code of first-listed diagnosis, sex, age, and geographic region: United States, 2008

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification*⁵ (ICD-9-CM). See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of days of care in thousands											
240-279	7,074	3,114	3,960	414	1,227	2,209	3,224	1,923	1,277	2,672	1,202
241	35	*	31	*	*10	*	20	*	*	*14	*12
241.0	*8	*	*8	-	*	*	*	*	*	*	*
241.1	24	*	22	*	*	*	17	*	*	*13	*
242	60	*	*26	*	*	*	*	*	*	*	*
244	126	*67	58	*	*	38	72	*23	*22	*27	*54
244.9	119	*67	52	*	*	36	70	*22	*	*27	*52
250	2,912	1,517	1,395	60	598	1,122	1,133	860	505	1,182	365
250.0	488	219	269	*18	81	198	191	171	79	152	86
250.00	266	124	142	*	25	97	143	105	39	69	53
250.01	*24	*	*17	*	*	*	*	*	*	*	*
250.02	189	83	105	*	46	93	47	58	*29	70	32
250.1	465	209	256	37	254	118	*56	79	100	212	73
250.10	*18	*	*	-	*13	*	-	*	*	*	*
250.11	*20	*	*	*	*	*	-	*	*	*	*
250.12	121	61	60	*	37	48	*35	*	*27	47	*
250.13	306	127	179	33	189	63	*	47	64	159	36
250.2	51	*26	*25	-	*	*28	*	*	*	*	*
250.22	*38	*21	*	-	*	*	*	*	*	*	*
250.3	*59	*	*	-	*	*	*	*	*	*	*
250.4	139	86	53	-	*39	65	*36	*29	*22	*66	*22
250.40	80	41	*39	-	*	*37	*26	*	*	*41	*17
250.42	*35	*	*	-	*	*	*	*	*	*	-
250.6	396	204	192	-	115	155	126	144	57	164	*30
250.60	197	101	96	-	*43	74	79	62	*32	78	*25
250.61	*49	*	*	-	*	*	*	*	*	*	*
250.62	127	*76	51	-	*40	*44	*43	*59	*	*46	*
250.7	404	247	157	-	*	113	262	118	*49	202	*35
250.70	256	172	84	-	*	55	185	71	*	129	*35
250.72	129	*63	*	-	*	*	*70	*	*	*66	*
250.8	836	450	386	*	66	377	390	305	175	279	76
250.80	610	325	285	*	*33	262	313	224	126	191	69
250.82	180	119	61	-	*	101	63	66	*33	73	*
250.9	68	57	*	*	*	*40	*	*	*	*49	*
250.92	*50	*40	*	-	*	*	*	*	*	*36	-
251	*32	*	*	*	*	*	*	*	*	*	*
252	56	*	*40	-	*	*	*	*	*	*	*
252.0	*26	*	*	-	*	*	*	*	*	*	*
253	127	54	73	-	*	*21	103	*42	*	*44	*25
253.6	116	47	70	-	*	*16	99	*39	*	*39	*24
255	75	*51	*24	*	*	*20	*	*	*	*	*
255.4	*62	*	*18	*	*	*14	*	*	*	*	*
255.41	*61	*	*17	*	*	*14	*	*	*	*	*
263	62	*31	*31	*	*	*	*34	*	*	*21	*14
263.9	52	*23	*29	*	*	*	*25	*	*	*	*14
272	140	37	103	*	*10	50	73	45	*11	35	50
272.0	21	*12	*9	-	*	*13	*	*	*	*	*
272.4	108	23	85	-	*8	35	65	39	*8	28	32
273	*31	*	*	*	*	*	*	-	*	*	*
273.8	*28	*	*	*	*	*	*	-	*	*	*
274	94	*30	64	-	*	*55	*34	*45	*	*23	*
274.0	40	*	*25	-	*	*	*28	*	*	*	*
274.9	*49	*	*	-	-	*43	*	*	*	*	*
275	110	61	49	*	*	*21	38	*31	*25	43	*
275.4	85	43	42	*	*	*21	*34	*	*19	*42	*
275.41	*31	*	*	*	*	*	*	*	*	*	*
275.42	47	*20	*28	-	*	*19	*23	*	*	*20	*
276	2,416	921	1,495	213	248	529	1,426	551	444	989	432
276.0	92	*55	37	*	*	*	72	*	*	*30	*
276.1	609	213	396	*	47	156	393	106	118	229	157
276.2	127	39	89	42	*	28	*	*	*	*24	79
276.5	1,249	482	767	148	124	235	742	338	228	557	126
276.50	60	*	48	*	*	*	47	*	*	45	-
276.51	1,178	462	716	146	123	217	692	330	215	508	125
276.6	71	*32	*39	-	*	*16	*37	*	*22	*33	*

Number of days of care for discharges from short-stay hospitals, by ICD-9-CM code of first-listed diagnosis, sex, age, and geographic region: United States, 2008

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification*⁵ (ICD-9-CM). See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of days of care in thousands											
276.7	86	37	49	-	*	30	46	*14	*12	32	*28
276.8	164	55	109	*	33	51	79	36	31	81	*17
277	161	73	89	*41	85	*	*	*	98	*30	*
277.0	113	*57	*56	*	*81	*	-	*	*74	*	-
277.02	100	*55	*	*	*79	*	-	*	*72	*	-
278	418	99	319	*	146	191	80	174	61	117	67
278.0	396	99	297	*	142	187	66	173	57	112	54
278.00	17	*	*13	-	*	*	*	*	*	*	*
278.01	377	94	284	*	133	180	64	165	55	107	50
280-289	2,528	1,178	1,351	136	609	784	1,000	628	487	967	447
280	307	67	240	*	47	64	196	86	74	109	38
280.0	142	*28	114	*	27	31	84	39	34	43	*25
280.9	162	38	124	*	*19	33	110	46	39	64	*12
282	501	225	275	65	369	*62	*	112	109	223	*57
282.4	*36	*28	*	*	*29	*	*	*27	*	*	-
282.42	*33	*27	*	*	*29	-	-	*25	*	*	-
282.6	456	195	261	59	334	*62	*	79	104	217	*56
282.62	404	183	221	*41	308	*53	*	74	95	190	*46
282.69	*32	*	*	*	*	-	-	-	-	*	*
283	43	*	*24	*	*	*	*	*	*	*	*
283.0	*27	*	*17	*	*	*	*	*	*	*	*
284	209	117	91	*	*	103	82	*	*64	103	*22
284.1	111	71	*40	*	*	*60	*37	*	*52	*39	*
284.8	83	*	*	*	*	*33	*	*	*	*59	*
284.89	83	*	*	*	*	*	*	*	*	*59	*
285	682	266	416	*	55	175	448	237	105	214	127
285.1	317	146	171	-	*	95	199	157	35	88	38
285.2	128	63	66	*	*	*18	103	34	*22	*28	43
285.21	31	*22	*	*	*	*	*22	*17	*	*	*
285.22	28	*	*10	-	*	*	*25	*	*	*	*
285.29	69	*23	46	-	*	*	56	*	*	*17	*29
285.9	222	54	168	*	*23	54	142	44	44	95	39
286	87	43	*44	*	*	*	54	*	*	*	*24
286.9	*28	*	*	*	*	*	*	*	*	*	*
287	202	112	89	*9	27	101	65	55	36	67	44
287.3	102	50	51	*	*14	*50	*	*29	*20	*33	*
287.31	91	44	47	*	*14	*46	*	*26	*20	*25	*
287.4	*27	*	*	-	*	*	*	*	*	*	*
287.5	67	39	*28	*	*	*34	*24	*	*	*26	*20
288	405	284	121	*22	*28	227	127	53	57	178	117
288.0	333	259	74	*19	*	216	82	44	42	139	108
288.00	185	139	46	*16	*	*99	58	*25	*24	117	*19
288.03	62	*35	*	*	*	*32	*	*	*	*	*
288.6	56	*20	*36	*	*	*	*43	*	*13	*28	*
288.60	46	*19	*27	*	*	*	*34	*	*13	*27	*
289	80	*37	43	*	44	*	*	*	*	*29	*
289.2	*24	*	*	*	*	*	-	*	*	*	*
289.8	*26	*	*	-	*	*	*	*	*	*	*
289.81	*25	*	*	-	*	*	*	*	*	*	*
290-319	14,578	7,236	7,342	1,100	5,875	5,231	2,373	4,013	3,101	5,147	2,317
290	139	*43	96	-	-	*	127	*	*	*47	*
290.4	83	*	*62	-	-	*	*75	*	*	*	*
290.40	*43	*	*	-	-	*	*40	*	*	*	*
291	784	608	176	*	270	428	75	254	181	228	121
291.0	216	188	*29	-	47	160	*	85	*	62	*49
291.8	515	372	143	*	210	256	*36	157	150	140	68
291.81	495	364	130	*	194	253	*36	146	145	138	66
291.89	*21	*	*	-	*17	*	*	*	*	*	*
292	363	197	166	*	184	124	54	135	91	102	35
292.0	195	106	89	*	127	64	*	52	60	57	*26
292.8	133	65	68	*	49	*49	*34	64	*28	*37	*
292.81	57	*30	*	-	*	*	*	*	*	*23	*
292.84	72	*35	*37	*	*41	*	*	*40	*	*	*

Number of days of care for discharges from short-stay hospitals, by ICD-9-CM code of first-listed diagnosis, sex, age, and geographic region: United States, 2008

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification*⁵ (ICD-9-CM). See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of days of care in thousands											
293	*30	*	*	-	*	*	*23	*	*	*	*
293.0	*25	*	*	-	*	*	*21	*	*	*	*
294	390	252	138	-	*	*	381	84	*40	94	172
294.1	*36	*	*28	-	-	-	*36	*	*	*	*
294.8	351	243	109	-	*	*	344	82	*39	68	163
295	4,032	2,015	2,017	*	1,517	2,150	327	956	725	1,172	1,179
295.3	1,119	657	462	*	548	451	118	348	241	429	101
295.30	542	292	250	*	279	233	*	137	122	234	*49
295.32	261	150	111	-	110	122	*	*84	*	101	*47
295.34	283	186	*97	-	154	*68	*	125	*	*89	*
295.6	*54	*30	*	-	*	*	*	*	*	*	*
295.7	2,110	1,195	915	*	760	1,126	187	511	389	643	566
295.70	1,779	986	794	*	610	974	159	319	324	588	549
295.74	254	155	100	-	129	*99	*	141	*	*46	*
295.9	676	96	580	-	143	521	*	*	*42	*55	505
295.90	172	*77	*95	-	130	*31	*	*	*	*55	*
296	5,855	2,438	3,418	486	2,739	1,828	803	1,292	1,513	2,658	392
296.2	894	389	505	106	421	218	149	165	313	389	*28
296.20	442	174	268	*49	240	124	*29	72	145	213	*
296.22	*25	*	*	*	*	*	*	*	*	*	*
296.23	248	104	145	*46	113	*47	*	*	102	88	*
296.24	174	91	84	*	*57	*	*69	*	*	76	*
296.3	1,767	731	1,035	*46	654	701	366	390	394	825	158
296.30	222	96	126	*	103	90	*24	49	100	58	*
296.32	173	*83	91	*	*34	*48	*85	*	*29	*89	*
296.33	776	298	478	*	349	323	*81	185	195	306	90
296.34	557	240	317	*	164	239	144	112	*67	342	*
296.4	526	185	341	*	253	192	*77	122	116	192	*95
296.40	242	*96	145	*	103	112	*	*72	*	105	*
296.44	230	*68	162	*	126	*62	*	*	*	*73	*
296.5	717	277	440	*	373	223	*90	174	184	295	*63
296.50	394	155	239	*	227	111	*	111	98	166	*
296.53	93	*33	60	*	54	*33	*	*	*50	*	*
296.54	183	*70	113	-	*63	*73	*	*	*34	108	*
296.6	587	303	284	75	276	183	*53	69	142	368	*
296.60	332	200	132	*50	140	*96	*	*	64	230	*
296.63	78	*37	*41	*	*51	*	*	*	*45	*	*
296.64	158	*54	105	*	*73	*56	*	*	*	106	*
296.7	117	*37	*79	*	*61	*	*	*	*38	*40	*
296.8	826	297	529	88	502	192	*46	155	226	420	*26
296.80	582	219	363	*85	340	134	*	113	144	315	*
296.89	244	78	166	*	161	*58	*	*42	82	104	*
296.9	409	216	192	120	194	77	*	186	98	122	*
296.90	394	211	183	116	189	73	*	184	95	113	*
297	*76	*	*	-	*	*	*	*	*	*	*
298	370	175	195	*	210	77	74	94	123	94	*59
298.9	359	171	188	*	210	69	71	87	121	93	*59
299	*18	*	*	*	*	-	-	*	*	*	*
299.0	*13	*	*	*	*	-	-	*	*	*	*
299.00	*13	*	*	*	*	-	-	*	*	*	*
300	298	137	162	*	74	140	69	83	33	84	99
300.0	150	87	63	*	42	73	*23	*25	*12	38	74
300.00	115	72	43	*	*22	66	*19	*15	*8	30	62
300.01	*24	*	*13	*	*	*	*	*	*	*	*11
300.1	61	*24	*37	*	*14	*45	*	*	*	*27	*
300.11	*36	*	*	*	*	*29	-	*	*	*	*
300.4	65	*	*49	*	*	*	*	*	*	*15	*
301	62	*38	*24	*	*31	*	*	*	*	*35	*
301.9	*23	*	*	-	*	*	-	*	-	*	-
303	273	191	83	*	121	124	*25	66	75	85	47
303.0	83	57	26	-	22	45	*	*	30	*20	*16
303.00	34	24	*	-	*	*19	*	*	*16	*	*
303.01	47	32	*14	-	*14	*24	*	*	*14	*15	*
303.9	190	134	57	*	99	80	*	50	*45	65	*31
303.90	*28	*19	*	-	*	*	*	*	*	*	*
303.91	161	114	*47	*	83	67	*	*39	*36	56	*
304	182	114	69	*	116	50	*	65	*	*40	*47
304.0	92	49	*43	*	*41	*39	*	42	*	*	*
304.01	73	*35	*38	*	*31	*33	*	*37	*	*	*

Number of days of care for discharges from short-stay hospitals, by ICD-9-CM code of first-listed diagnosis, sex, age, and geographic region: United States, 2008

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification*⁵ (ICD-9-CM). See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of days of care in thousands											
305	128	66	62	*	55	60	*13	31	27	53	16
305.0	47	25	22	*	19	23	*	*	*13	*21	*
305.00	39	20	*19	*	*13	20	*	*	*11	*19	*
305.1	42	21	22	-	20	19	*	*	*7	*23	*
305.6	*21	*16	*	-	*	*	*	*	*	*	*
305.60	*15	*12	*	-	*	*	-	*	*	*	*
305.9	*9	*	*	-	*	*	-	*	*	*	*
305.90	*9	*	*	-	*	*	-	*	*	*	*
307	98	*	83	*	*60	*	*29	*40	*	*	*
307.8	*19	*	*15	*	*	*	*	*	*	*	*
307.81	*11	*	*	*	*	*	*	*	*	*	*
309	363	158	205	192	111	49	*	206	36	85	37
309.0	33	*16	*17	*	*21	*	-	*	*	*	*
309.2	*14	*	*	*	*	*	*	*	*	*	*
309.28	*13	*	*	*	*	*	*	*	*	*	*
309.4	26	*18	*	*	*19	*	-	*	*	*	*
309.8	272	118	154	188	*53	*30	*	189	*	*	*
309.81	271	118	153	188	*53	*30	*	189	*	*	*
310	220	156	*63	-	*30	*	188	200	*	*	*
310.1	198	144	*53	-	*	-	172	196	*	*	-
311	525	287	238	*94	244	135	52	245	100	155	25
312	120	*76	*	*79	*33	*	*	*	*	*58	*
312.3	*60	*	*	*	*	*	*	*	*	*	-
312.9	*46	*	*	*	*	-	*	*	*	*	*
313	100	*	*	*80	*	-	-	*54	*	*	*
313.8	*87	*	*	*77	*	-	-	*54	*	*	*
313.81	*86	*	*	*76	*	-	-	*54	*	*	*
314	97	85	*	65	*29	*	*	*	*	*	*29
314.0	97	85	*	65	*29	*	*	*	*	*	*29
314.01	94	85	*	64	*28	-	*	*	*	*	*29
320-389	6,848	3,359	3,489	421	1,036	1,915	3,475	2,658	799	1,433	1,957
320	*85	*74	*	*	*	*	*	*	*	*	*
324	*67	*	*	*	*	*	*	*	*	*	*
327	66	31	*35	*12	*10	*19	*	*	*	*18	37
327.2	66	31	*35	*12	*10	*19	*	*	*	*18	37
327.23	64	31	*33	*12	*10	*19	*	*	*	*18	35
331	1,205	462	743	*	*	177	988	313	140	185	567
331.0	785	210	575	-	-	*	765	105	95	140	445
331.4	264	175	*88	*	*	121	105	127	*	*	105
331.5	*42	*	*	-	-	*	*	*	*	*	*
331.8	77	*42	*36	-	-	*	70	*41	*	*15	*
331.82	76	*41	*36	-	-	*	69	*41	*	*15	*
332	95	58	*37	-	*	*	85	*31	*	*49	*
332.0	90	53	*37	-	*	*	80	*31	*	*44	*
333	102	*30	71	*	*	*	69	*	*	*	*29
333.0	*49	*	*34	-	-	*	*44	*	*	*	*
333.9	*23	*	*	*	*	*	*	*	*	*	*
337	*21	*	*	*	*	*	*	*	*	*	*
338	331	137	194	*	64	150	112	73	103	71	84
338.1	92	26	66	*	*23	27	38	*	28	*23	29
338.11	*26	*	*	-	*	*	*	*	*	*	*
338.18	50	*18	32	*	*19	*19	*	*	*16	*	*16
338.2	102	*45	57	-	*18	54	*31	*10	*26	*	*46
338.29	78	*	56	-	*17	*30	*31	*10	*	*	*25
338.3	126	64	*63	-	*	63	*42	*49	*46	*	*
340	131	*	123	-	63	57	*	*43	42	*38	*
342	1,273	652	621	*	*50	416	800	1,095	*	*37	138
342.9	1,264	644	620	*	*50	412	800	1,095	*	*33	133
342.90	1,263	644	619	*	*50	411	800	1,095	*	*32	133

Number of days of care for discharges from short-stay hospitals, by ICD-9-CM code of first-listed diagnosis, sex, age, and geographic region: United States, 2008

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification*⁵ (ICD-9-CM). See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of days of care in thousands											
343	*33	*19	*	*	*	*	-	*	*	*	*
344	647	553	93	*	171	204	264	297	*	*	323
344.0	387	376	*	*	131	*	*	117	*	*	264
344.00	355	343	*	*	114	*	*	101	*	*	247
344.1	188	140	*48	*	*	*	165	144	*	*	*32
345	903	445	458	116	262	268	257	227	141	338	197
345.1	112	61	50	*18	*42	*	*25	*35	*23	*32	*
345.10	97	*59	38	*	*30	*	*25	*32	*22	*	*
345.3	162	85	77	*23	*	*	*	*	*	*81	*
345.4	42	*	*22	*	*	*	*	*	*	*	*
345.40	37	*	*17	*	*	*	*	*	*	*	*
345.5	68	*21	47	*	*	*	*35	*	*	*22	*
345.50	52	*19	*33	*	*	*	*	*	*	*	*
345.9	458	207	251	42	140	179	97	124	67	195	73
345.90	405	198	207	39	108	164	94	120	57	167	61
345.91	*53	*	*	*	*	*	*	*	*	*	*
346	158	30	128	*	83	58	*	28	41	58	31
346.2	*16	*	*	*	*	*	*	*	*	*	*
346.20	*15	*	*	*	*	*	*	*	*	*	*
346.8	*29	*	*20	*	*20	*	*	*	*	*	*
346.80	*18	*	*	*	*	*	*	*	*	*	*
346.9	103	*	89	*	55	36	*	*23	*31	39	*
346.90	74	*	64	*	39	*24	*	*21	*18	28	*
346.91	*29	*	*25	*	*	*	-	*	*	*	*
348	589	322	268	*45	75	127	342	152	81	167	188
348.1	62	*48	*	*	-	*	*27	*	*	*36	*
348.2	*32	*	*30	*	*26	*	*	*	*	*	*
348.3	324	148	176	*	*	*70	213	127	*50	104	*43
348.30	124	73	*51	*	*	*	67	*	*33	47	*
348.31	99	*	*63	-	*	*	*69	*36	*	*45	*
348.39	101	*40	*	*	*	*	*77	*	*	*	*
348.9	*86	*85	*	-	*	*	*	-	*	*	*
349	85	*	66	*	*17	*	*54	*	*46	*22	*
349.8	72	*	*56	*	*	*	*54	*	*41	*	-
349.82	61	*	*45	-	*	*	*48	*	*	*	-
350	*26	*	*24	-	*	*	*	*	*	*	*
350.1	*25	*	*	-	*	*	*	*	*	*	*
351	19	*7	*12	*	*	*	*11	*8	*	*	*
351.0	18	*	*12	*	*	*	*11	*7	*	*	*
355	*45	*	*16	-	*	*	*38	*	*	*	*
355.8	*36	*	*	-	-	*	*35	*	*	*	*
356	*44	*31	*	-	*	*	*	*	*	*	*
356.9	*39	*	*	-	-	*	*	*	*	*	*
357	*56	*	*	*	*	*	*	*	*	*	*
358	*51	*	*	*	*	*	*	*	*	*	*
358.0	*50	*	*	*	*	*	*	*	*	*	*
358.00	*35	*	*	*	*	*	*	*	*	*	*
359	137	*	100	*	*	*	*	*	*	*	*
368	*21	*	*	-	*	*	*	*	*	*	*
376	*33	*	*	*	*	*	*	*	*	*	*
376.0	*30	*	*	*	*	*	*	*	*	*	*
376.01	*30	*	*	*	*	*	*	*	*	*	*
378	*28	*	*22	*	-	*	*	*	*	*	*
380	*22	*	*	*	*	*	*	*	*	*	*
382	30	*9	*21	21	*	*	*	*	*	*	*14
382.9	27	*	*20	*18	*	*	*	*	*	*	*14
386	123	26	98	-	*	*26	91	31	34	36	*22
386.1	71	*14	57	-	*	*	58	*24	*18	*22	*
386.11	52	*	46	-	*	*	44	*	*11	*	*
386.3	34	*	*27	-	*	*	*19	*	*	*	*
386.30	29	*	*25	-	*	*	*19	*	*	*	*

Number of days of care for discharges from short-stay hospitals, by ICD-9-CM code of first-listed diagnosis, sex, age, and geographic region: United States, 2008

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification*⁵ (ICD-9-CM). See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of days of care in thousands											
420.9	42	*18	*25	*	*	*	*	*	*	*	*
420.90	*31	*	*	-	*	*	*	*	*	*	*
421	137	*67	*70	*	*	*	*66	*57	*	*	*
421.0	132	*67	*	*	*	*	*66	*57	*	*	*
423	110	56	54	*	*	58	*38	*	*30	*46	*
423.9	66	*24	42	*	*	*28	*32	*	*24	*15	*
424	543	301	242	*	*	135	382	150	121	169	102
424.0	163	*80	83	-	*	59	86	*45	*43	*49	*
424.1	376	220	156	-	*	*73	295	104	76	119	*
425	191	94	97	*	36	67	81	54	*26	76	34
425.4	165	83	82	*	*33	53	73	42	*24	66	33
426	198	92	106	*	*17	31	142	42	38	73	46
426.0	113	45	69	*	*	*11	85	*	*20	47	*28
426.1	58	34	*24	-	*	*	43	*	*	*24	*
426.13	39	*22	*	-	*	*	*33	*	*	*	*
427	3,093	1,504	1,589	*	141	759	2,187	915	611	1,031	537
427.0	97	23	74	*	*	19	70	*	*11	25	*50
427.1	305	238	67	-	*19	116	171	57	93	94	62
427.3	1,895	925	970	*	68	481	1,346	644	359	603	289
427.31	1,661	783	879	-	65	393	1,203	584	316	537	225
427.32	234	142	91	-	*	89	142	60	43	67	64
427.4	*24	*	*	-	*	*	*	*	*	*	*
427.41	*24	*	*	-	*	*	*	*	*	*	*
427.5	*14	*	*	-	*	*	*	*	*	*	*
427.6	26	*18	*	-	*	*15	*	*	*	*19	*
427.69	24	*18	*	-	*	*15	*	*	*	*19	*
427.8	716	271	445	*	38	115	559	193	134	272	118
427.81	303	116	186	*	*	*27	271	97	57	99	50
427.89	414	155	259	*	33	88	288	96	77	173	68
427.9	*15	*	*12	*	*	*	*	*	*	*	*
428	5,349	2,609	2,740	*	209	1,139	3,924	1,427	1,093	2,148	681
428.0	2,656	1,398	1,257	*	124	620	1,842	686	595	1,016	358
428.1	*36	*	*	-	-	*	*28	*	*	*	*
428.2	1,178	625	553	*	46	285	838	313	230	482	153
428.20	189	77	112	*	*	*31	144	*53	*41	66	*
428.21	318	165	153	*	*	98	203	80	72	111	*55
428.22	88	50	38	-	*	*18	64	*24	*18	35	*
428.23	583	333	249	-	*	137	427	156	100	270	57
428.3	1,018	333	685	-	*25	134	859	319	177	397	125
428.30	285	117	169	-	*	*41	231	58	61	124	42
428.31	254	56	198	-	*	*22	228	83	*38	123	*
428.32	86	*30	56	-	*	*	68	48	*	*	*
428.33	392	130	262	-	*	55	331	130	69	130	*63
428.4	450	230	220	-	*	89	348	99	87	219	45
428.40	*54	*	*	-	*	*	*37	*	*	*	*
428.41	105	*24	*80	-	*	*	93	*	*	*74	*
428.42	*35	*	*	-	*	*	*22	*	*	*	*
428.43	257	157	100	-	*	*51	195	*57	*55	123	*22
428.9	*12	*	*	-	*	*	*	*	*	*	-
429	107	*	*91	-	*	*	*89	*	*	*	*
429.8	*85	*	*82	-	*	*	*	*	*	*	*
430	281	128	153	-	*51	156	*74	*57	*66	135	*
431	492	290	203	*	*	158	305	*60	124	212	96
432	185	77	108	*	*	*61	115	*	*37	97	*34
432.1	149	62	87	*	*	*	96	*	*	*72	*34
432.9	*36	*	*	-	*	*	*	*	*	*	*
433	596	344	252	*	*	136	454	182	130	204	80
433.1	526	299	226	*	*	126	397	160	114	177	74
433.10	279	168	111	-	*	66	212	60	84	103	32
433.11	246	131	115	*	*	59	185	100	*	73	*42
433.3	*38	*	*	-	-	*	*30	*	*	*	*
434	1,956	876	1,080	-	97	444	1,414	430	477	852	196
434.0	54	*28	*	-	*	*	*38	*	*	*	*
434.01	*53	*27	*	-	*	*	*36	*	*	*	*
434.1	298	132	167	-	*	71	221	84	63	117	*34
434.11	284	126	158	-	*	68	210	82	60	108	*34
434.9	1,603	716	887	-	88	359	1,156	331	403	727	143

Number of days of care for discharges from short-stay hospitals, by ICD-9-CM code of first-listed diagnosis, sex, age, and geographic region: United States, 2008

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification*⁵ (ICD-9-CM). See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of days of care in thousands											
434.90	*33	*	*30	-	-	*	*31	*	*	*	*
434.91	1,571	714	857	-	88	358	1,125	324	402	712	133
435	563	249	314	-	40	142	381	177	98	228	61
435.8	*27	*	*15	-	*	*	*18	*	*	*	*
435.9	527	234	293	-	39	133	355	168	88	211	60
437	187	38	149	*	*66	32	86	78	47	43	*
437.2	108	*	*97	-	*	*	*48	*63	*	*	*
437.3	40	*	*28	*	*	*	*	*	*	*	*
437.7	*11	*	*	-	-	*	*	*	*	*	-
438	467	248	219	-	*	*49	418	*72	*25	181	189
438.2	349	167	182	-	-	*24	325	*	*	127	175
438.20	279	110	170	-	-	*	272	*	*	*95	137
438.8	114	80	*34	-	*	*	89	*	*	*53	*
438.89	84	*51	*33	-	*	*	59	*	*	*52	*
440	753	421	332	-	*	259	479	120	205	345	82
440.1	*12	*	*	-	*	*	*10	*	*	*	*
440.2	684	375	309	-	*	237	433	110	185	312	76
440.20	29	*15	*14	-	*	*	*22	*	*	*16	-
440.21	99	43	56	-	*	50	47	*18	28	38	*
440.22	92	57	*35	-	*	*37	53	*	*	*47	*
440.23	117	58	59	-	-	*	87	*	*40	57	*
440.24	331	191	140	-	*	108	215	*52	*86	146	*
440.3	*47	*	*	-	*	*	*26	*	*	*	*
441	403	236	167	-	*	99	296	114	76	115	98
441.0	67	*42	*	-	*	*36	*	*	*	*	*
441.01	*37	*	*	-	*	*	*	*	*	*	*
441.2	61	*43	*	-	*	*	*38	*	*	*	*
441.4	228	110	118	-	*	*30	198	57	46	50	*75
442	59	54	*	-	*	*	42	*	*	*33	*
442.3	*27	*26	*	-	*	*	*	*	*	*	*
443	202	101	101	*	*	*80	104	*91	*	74	*
443.9	169	88	81	-	*	*77	89	*81	*	69	*
444	230	93	137	-	*	*49	165	*45	*55	101	*30
444.2	187	73	114	-	*	*	144	*	*51	84	*
444.21	*33	*	*	-	*	*	*	*	*	*	*
444.22	154	*67	87	-	*	*	116	*	*51	*59	*
444.8	*21	*	*	-	*	*	*	*	*	*	*
446	90	*	*72	*	*	*	*	*	*	*	*
447	45	*	*27	*	*	*	*27	*	*	*	*
451	97	*36	*61	-	*	*54	*38	*	*	62	*
451.0	*41	*	*	-	-	*	*	*	*	*	-
452	*20	*	*19	-	*	*	*	*	*	*	*
453	712	328	384	*	126	178	408	188	154	277	93
453.4	595	258	337	-	106	124	365	162	133	241	59
453.40	158	58	100	-	*	*21	120	*50	*	84	*
453.41	302	149	153	-	39	65	198	91	65	119	*27
453.42	135	51	84	-	*50	38	47	*21	*49	*38	*26
453.8	111	66	44	*	*18	*52	*41	*26	*	*34	*33
455	104	53	51	-	*15	42	48	*44	*17	29	*15
455.2	70	35	35	-	*	*23	*34	*29	*	*20	*
456	47	*23	*24	-	*	*28	*	*	*	*	*25
456.0	*38	*16	*	-	*	*26	*	*	*	*	*
458	522	263	259	*	*12	110	399	94	124	171	133
458.0	256	115	141	*	*	65	185	46	87	85	39
458.2	48	*21	*28	-	*	*	35	*	*	*20	*
458.29	42	*19	*23	-	*	*	*33	*	*	*	*
458.8	19	*	*13	-	*	*	*17	*	-	*	*9
458.9	197	121	76	-	*	30	162	*27	29	59	82
459	104	56	48	-	*	*24	74	*	40	*26	*
459.8	85	*50	*34	-	*	*20	63	*	*31	*	*
459.81	83	*49	*34	-	*	*	62	*	*31	*	*

Number of days of care for discharges from short-stay hospitals, by ICD-9-CM code of first-listed diagnosis, sex, age, and geographic region: United States, 2008

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification*⁵ (ICD-9-CM). See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of days of care in thousands											
460-519	19,280	8,956	10,323	1,679	1,459	5,000	11,141	4,322	4,056	7,353	3,549
461	*29	*15	*	*	*	*	*	*	*	*17	*
462	*27	*	*	*	*	*	*	*	*	*	*
463	22	*	*16	*	20	*	-	*	*	*12	*
464	26	*21	*	*19	*	*	*	*	*	*	*
464.4	*11	*8	*	*11	-	-	-	*	*	*	*
465	94	40	53	55	*	*	*22	*12	*19	33	30
465.9	92	40	52	55	*	*	*21	*11	*19	32	30
466	536	276	261	347	*27	47	115	70	90	201	175
466.0	178	55	122	*	*27	36	110	27	40	76	*34
466.1	359	220	138	342	*	*	*	43	50	124	141
466.11	208	125	83	205	*	*	*	*26	37	66	78
466.19	151	95	56	137	*	*	*	*17	*13	58	62
473	30	*17	*13	*	*10	*	*	*	*	*	*16
473.9	*18	*	*	*	*	*	*	*	*	*	*
474	*10	*	*	*8	*	*	*	*	*	*	*
474.1	*8	*	*	*	-	*	-	*	*	*	*
475	25	*	*13	*	*14	*	-	*	*	*	*
478	83	38	45	*26	*25	*	*	*23	*16	*31	*
478.2	45	*31	*	*	*20	*	*	*	*	*	*
478.24	*17	*	*	*	*	-	-	*	*	*	*
480	84	33	52	44	*	*	*	*	*20	*32	*21
480.1	*15	*	*	*	*	-	-	*	*	*	*
480.9	63	*25	*39	30	*	*	*	*	*	*21	*18
481	175	75	100	*	*	65	81	*28	*63	61	*
482	979	575	404	113	*62	256	548	210	238	364	167
482.1	196	138	*58	*	*	*	82	*	*60	103	*
482.3	*29	*	*24	*	*	*	*	*	*	*	*
482.4	456	299	157	*	*	114	266	*95	104	152	106
482.41	411	262	149	*	*	110	224	*91	101	114	106
482.8	149	*78	71	*	*	*	113	*	*39	72	-
482.83	120	*61	*58	*	*	*	95	*	*	*56	-
482.9	63	*	40	*	*	*	*39	*24	*	*	*
483	*59	*	*	*	*	*	*	*	*	*	*
483.0	*18	*	*	*	*	*	*	*	*	*	*
485	100	*54	*46	*	*	*	53	*	*23	*64	*
486	5,025	2,389	2,636	353	348	1,036	3,288	1,041	1,196	1,932	857
487	211	127	84	89	*10	*	104	*77	70	47	*16
487.0	139	*89	50	*67	*	*	65	*	48	*	*
487.1	66	33	33	21	*	*	35	*	*22	30	*10
490	88	29	60	*	*19	*25	40	*	*23	41	*
491	2,982	1,205	1,777	*	43	793	2,144	700	707	1,207	367
491.2	2,977	1,203	1,774	*	42	792	2,141	699	706	1,205	367
491.20	72	*36	*36	-	-	*	50	*	*	59	*
491.21	2,406	1,012	1,394	*	*26	637	1,741	573	591	898	343
491.22	500	155	344	-	*	133	351	123	106	248	*
492	77	*44	*34	-	*	*	67	*	*	49	*
492.8	66	*36	*30	-	*	*	61	*	*	*46	*
493	1,550	506	1,044	284	259	535	472	421	252	659	217
493.0	84	57	28	70	*	*	*	*	*	*	61
493.00	*15	*	*	*11	*	-	-	*	-	*	*14
493.02	58	42	*16	51	*	*	*	*	*	*	45
493.2	692	199	493	*	60	331	300	225	125	282	60
493.20	95	*24	71	-	*	*50	*40	*39	*	*46	*
493.21	*25	*	*	-	*	*	*	*	*	*	-
493.22	572	165	406	*	54	268	249	176	109	228	59
493.9	765	245	519	212	183	199	171	186	123	365	91
493.90	172	41	131	35	29	29	78	37	*17	93	*25

Number of days of care for discharges from short-stay hospitals, by ICD-9-CM code of first-listed diagnosis, sex, age, and geographic region: United States, 2008

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification*⁵ (ICD-9-CM). See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of days of care in thousands											
493.91	127	63	63	73	30	*	*	*20	*19	74	*
493.92	466	141	325	104	123	156	83	130	87	197	52
494	86	*	70	*	*	*	*54	*	*	*53	-
494.1	*58	*	*47	-	*	*	*38	*	*	*	-
496	341	71	270	-	*	250	87	230	28	46	37
507	1,740	845	895	*41	*46	324	1,329	456	335	562	387
507.0	1,738	844	894	*40	*46	324	1,328	456	334	561	387
510	133	113	*	*	*	*	*57	*	*	*	*
510.9	127	108	*	*	*	*	*56	*	*	*	*
511	416	226	190	*	*37	94	277	94	65	176	81
511.8	*57	*39	*	-	*	*	*41	*	*	*	*
511.9	350	184	166	*	*30	78	233	87	54	147	*61
512	317	242	75	*	50	105	161	*40	111	120	*46
512.1	60	*	38	-	*	*32	*25	*	*	*	*18
512.8	223	189	*34	*	*41	*60	121	*	*91	81	*
513	100	*64	*	*	*	*	*	*	*	*	*
513.0	100	*64	*	*	*	*	*	*	*	*	*
514	29	*	*18	*	*	*	*20	*	*	*15	*
515	147	56	92	*	*	*43	96	*50	*	*56	*18
516	*55	*	*	*	*	*	*	*	*	*	*
518	3,553	1,677	1,877	143	365	1,133	1,912	671	618	1,348	917
518.0	161	94	67	*	*	116	*32	*	*	*52	83
518.3	*26	*	*	-	*	*	*	*	*	*	*
518.4	*68	*	*63	-	*	*	*	-	*	*	*63
518.5	150	*68	*82	*	*75	*	*	*	*	*	110
518.8	3,144	1,501	1,643	131	277	964	1,772	646	584	1,256	658
518.81	2,395	1,145	1,249	93	196	721	1,384	584	410	939	462
518.83	*54	*	*	*	*	*	*	*	*	*	*
518.84	610	273	336	*	*	197	324	*47	141	259	162
518.89	50	*36	*14	*	*	*25	*17	*	*	*28	*
519	100	49	*51	*	*	*25	*55	*	*23	*38	*
519.0	*39	*33	*	*	*	*	*	*	*	*	*
519.09	*32	*	*	*	-	*	*	*	*	*	*
519.1	*42	*	*	*	*	*	*	*	*	*	*
520-579	16,125	7,524	8,602	630	3,163	5,212	7,120	3,612	3,432	6,170	2,911
522	*22	*	*	*	*	*	*	*	*	*	*
522.5	*15	*	*	*	*	*	*	*	*	*	*
523	*15	*	*	*	*	*	*	*	*	*	*
524	24	*	*12	*	*11	*	*	*	*	*	*
524.0	*17	*	*	*	*10	*	-	*	*	*	-
527	*36	*	*30	*	*	*	*	*	*	*	*
527.2	*26	*	*	*	*	*	*	*	*	*	*
528	52	*33	*19	*	*24	*	*	*	*	*	*
528.3	*27	*	*	*	*	*	-	*	*	*	*
530	631	330	301	81	78	205	267	139	141	215	135
530.1	107	57	51	*	*14	*25	57	*31	*14	*32	*31
530.11	*24	*	*16	-	*	*	*	*	*	*	*
530.19	62	41	*	*	*	*	*35	*19	*	*	*
530.2	*39	*23	*	-	*	*	*24	*	*	*	*
530.21	*27	*	*	-	*	*	*	*	*	*	*
530.3	*31	*	*	-	*	*	*	*	*	*	*
530.5	*14	*	*	-	*	*	*	*	*	*	*
530.7	41	25	*16	*	*10	*14	*	*	*	*	*10
530.8	326	159	167	68	41	120	98	56	84	113	74
530.81	266	112	154	68	36	97	64	48	43	103	72
531	419	203	216	*	59	134	225	80	104	129	105
531.0	*30	*	*	-	*	*	*	*	*	*	*
531.00	*30	*	*	-	*	*	*	*	*	*	*
531.4	266	126	139	*	*	91	164	38	77	80	71

Number of days of care for discharges from short-stay hospitals, by ICD-9-CM code of first-listed diagnosis, sex, age, and geographic region: United States, 2008

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification*⁵ (ICD-9-CM). See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of days of care in thousands											
556.9	50	*28	*22	*	*	*20	*	*	*	*24	*
557	496	163	333	*	*	59	384	177	110	181	29
557.0	210	*91	119	*	*	*	178	*66	*59	*73	*
557.1	101	*	*	-	*	*	*	*	*	*	*
557.9	185	*54	130	-	*	*42	113	*30	41	97	*17
558	477	140	337	41	80	125	231	126	96	205	50
558.1	*32	*	*	-	*	*	*	*	*	*	*
558.9	440	131	309	37	79	114	209	118	86	191	44
560	2,074	930	1,144	89	197	595	1,192	448	481	656	489
560.0	*12	*	*	*10	*	*	*	*	*	*	*
560.1	358	157	201	*	61	98	196	80	60	121	98
560.2	102	*	*51	*	*	*	*	*	*	*	*
560.3	132	73	59	*	*	*24	105	51	*	*28	*
560.39	119	73	46	*	*	*	97	*44	*	*25	*
560.8	902	434	468	*	*81	238	538	190	208	241	262
560.81	711	324	387	*	*64	158	447	113	163	187	248
560.89	191	110	81	*	*	80	92	77	*46	*54	*
560.9	567	210	357	*	45	211	291	98	160	226	83
562	1,388	604	784	*	221	510	654	303	353	522	210
562.1	1,367	601	766	*	221	496	648	300	350	507	210
562.10	103	60	43	-	*	49	46	*	*	59	*
562.11	980	430	550	*	205	416	356	215	275	325	165
562.12	206	105	101	-	*	*29	176	67	36	83	*20
562.13	77	*	*71	-	*	*	*70	*	*	*	*
564	267	119	149	22	30	90	125	64	49	90	65
564.0	150	86	64	21	*11	43	74	47	31	46	26
564.00	116	67	49	17	*	37	53	34	*23	*36	24
564.09	*33	*	*	*	*	*	*	*	*	*	*
564.1	64	*	51	*	*	*26	*	*	*	*28	*
564.8	*43	*	*	-	*	*	*	*	*	*	*
564.89	*43	*	*	-	*	*	*	*	*	*	*
566	90	67	*23	*	30	*32	*	*	*	36	*20
567	252	123	129	*	*48	103	98	*46	*50	117	*
567.2	176	91	85	*	*	77	*59	*35	*	*79	*
567.22	126	*58	*68	*	*	*52	*39	*	*	*58	*
568	85	*39	46	-	*	*25	*40	*	*	*31	*
568.0	*37	*	*31	-	*	*	*	-	*	*	*
568.8	*48	*	*	-	*	*	*	*	*	*	*
569	773	354	420	*	114	230	425	162	145	302	164
569.1	*26	*	*26	*	*	*	*	*	*	*	*
569.3	93	51	42	*	*	30	57	*37	*19	35	*
569.4	50	*27	*24	-	*	*	*34	*	*	*	*
569.49	*31	*	*	-	*	*	*21	*	*	*	-
569.5	*44	*	*	-	*	*	*	*	*	*	*
569.6	185	*75	110	*	*	*54	120	*33	*43	*74	*
569.62	*38	*	*	-	*	*	*	*	*	*	*
569.69	115	*55	60	*	*	*	70	*26	*	*58	*
569.8	351	151	200	*	*	123	154	*43	*65	145	*97
569.81	*91	*	*	-	*	*	*	*	*	*	*
569.83	144	*39	106	*	*	*53	*	*	*	*	*
569.85	*59	*27	*	-	*	*	*55	*	*	*	*
569.89	*30	*	*	*	*	*	*	*	*	*	*
570	*50	*	*18	*	*	*	*	*	*	*	*
571	559	360	199	-	120	294	145	116	113	226	104
571.1	94	53	*41	-	*43	*37	*	*	*	*	*40
571.2	251	207	44	-	*45	161	45	*41	52	104	54
571.5	159	85	74	-	*	80	*57	*	*34	81	*
572	350	213	136	-	*	208	108	67	47	156	80
572.2	241	148	93	-	*	147	69	*36	*36	131	*38
572.3	*24	*	*	-	*	*	*	*	*	*	*
572.8	*27	*	*	-	*	*	*	*	*	*	*
573	62	*25	*36	*	*	*	*	*	*	*36	*
574	1,341	492	849	*	252	420	666	301	258	587	196
574.0	563	233	330	*	89	184	289	128	94	269	72
574.00	530	221	310	*	81	171	278	121	92	256	62
574.01	33	*	*20	-	*	*	*	*	*	*14	*

Number of days of care for discharges from short-stay hospitals, by ICD-9-CM code of first-listed diagnosis, sex, age, and geographic region: United States, 2008

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification*⁵ (ICD-9-CM). See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of days of care in thousands											
574.1	320	90	230	*	64	95	161	81	62	146	31
574.10	310	84	226	*	60	91	159	75	60	145	30
574.2	80	24	55	*	29	28	*21	*	*19	38	*11
574.20	78	24	55	*	28	28	*20	*	*18	38	*11
574.3	62	*	*35	-	*	*	*41	*	*	*	*
574.30	*44	*	*25	-	*	*	*	*	*	*	*
574.5	117	47	71	-	*	*39	69	*33	*	*50	*17
574.50	55	*24	*30	-	*	*	46	*20	*	*	*
574.51	63	*22	*	-	*	*	*23	*	*	*	*
574.6	55	*17	*38	-	*16	*	*	*	*	*	*
574.60	*37	*	*29	-	*	*	*	*	*	*	*
574.7	59	*	40	-	*14	*	*	*	*	*26	*
574.70	45	*	*32	-	*	*	*	*	*	*	*
574.8	*36	*	*	-	*	*	*	*	*	*	*
574.80	*27	*	*	-	*	*	*	*	*	*	*
574.9	*25	*	*16	-	*	*	*	*	*	*	*
574.90	*14	*	*	-	*	*	*	*	*	*	*
575	388	183	204	*	137	90	154	57	81	175	74
575.0	161	99	62	*	46	42	72	*30	*27	72	*31
575.1	150	65	85	*	41	*37	68	*	*34	71	*
575.10	*24	*	*9	-	*	*	*	-	*	*18	*
575.11	105	*42	62	*	*28	*31	*42	*	*	43	*
575.8	76	*	56	*	49	*	*	*	*20	*32	*
576	303	147	157	*	*	*72	194	88	*26	*88	101
576.1	148	102	*46	*	*	*	*99	*	*	*	*
576.2	100	*	*75	*	*	*	*81	*	*	*72	*
576.8	53	*	*34	*	*	*	*	*	*	*	*30
577	1,637	890	748	*	588	666	366	371	335	693	238
577.0	1,430	782	647	*	524	582	308	352	285	580	212
577.1	142	63	79	*	53	61	*27	*	*34	78	*19
577.2	*39	*	*	-	*	*	*	*	*	*	*
578	850	420	430	*	93	232	512	164	180	356	150
578.0	111	66	45	*	33	*41	*33	*36	*16	45	*14
578.1	139	68	71	*	*	*33	95	*23	45	47	*24
578.9	600	287	313	*	50	158	384	105	119	264	112
579	70	*	66	*28	*19	*	*	*	*	*	*17
579.0	*28	*	*27	*	*	*	*	*	*	*	*
579.3	*32	*	*	*	*	*	*	-	*	*	*
580-629	8,744	3,367	5,377	200	1,314	2,578	4,654	1,882	1,639	3,609	1,614
584	3,001	1,519	1,482	*	212	953	1,826	739	561	1,273	428
584.5	208	102	106	-	*	*59	125	*76	*38	*47	*
584.9	2,774	1,399	1,375	*	188	876	1,701	649	520	1,225	380
585	442	194	248	*	*26	190	226	82	55	176	130
585.4	*25	*	*	-	-	*	*	*	*	*	*
585.6	378	179	199	*	*	167	187	*58	47	145	128
590	500	128	372	54	193	117	136	94	111	187	108
590.1	218	56	162	*16	91	36	74	55	57	60	46
590.10	218	56	162	*16	91	36	74	55	57	60	46
590.8	262	66	196	37	91	73	60	37	51	114	60
590.80	262	66	196	37	91	73	60	37	51	114	60
591	58	*40	*18	*	*	*	*20	*	*	*22	*
592	356	189	168	*	120	131	105	85	78	151	42
592.0	120	54	67	*	34	51	36	33	23	51	*
592.1	236	135	101	*	86	80	69	52	55	100	29
593	150	69	81	*11	*	63	65	*50	22	64	*
593.4	*51	*	*35	*	*	*	*	*	*	*	*
593.9	40	*	*28	-	*	*	*	*	*	*16	-
594	*17	*	*	-	*	*	*	*	*	*	*
594.1	*13	*	*	-	*	*	*	*	*	*	*
595	119	45	74	*	*	*31	83	*27	*	71	*
595.0	*28	*20	*	*	*	*	*	*	*	*23	-
595.8	*31	*	*22	-	-	*	*29	*	*	*	-
595.82	*18	*	*	-	-	*	*17	*	*	*	-
595.9	*47	*	*31	-	*	*	*35	*	*	*26	*

Number of days of care for discharges from short-stay hospitals, by ICD-9-CM code of first-listed diagnosis, sex, age, and geographic region: United States, 2008

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification*⁵ (ICD-9-CM). See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of days of care in thousands											
596	218	101	*	*	*	146	*52	*	*	*49	*
596.0	105	*	*	-	*	*	*	-	*	*	*
596.1	*66	*	*	-	*	*	*	*	*	*	-
598	25	*11	*14	-	*	*15	*	*	*	*16	*
598.9	*20	*	*	-	*	*	*	*	*	*	-
599	2,284	664	1,620	69	122	401	1,693	454	428	963	439
599.0	2,166	582	1,584	66	113	377	1,610	436	411	912	407
599.7	87	67	*21	*	*	*	67	*15	*	*30	*30
600	149	149	-	-	*	13	134	46	37	51	15
600.0	133	133	-	-	*	*10	122	45	33	45	*9
600.00	21	21	-	-	*	*	*18	*	*	*	*
600.01	112	112	-	-	-	*8	104	34	29	41	*
601	*27	*27	-	-	*	*	*18	*	*	*	*
604	51	51	-	*	*	*	*	*	*	*	*
604.9	33	33	-	*	*	*	*	*	*	*	*
604.90	*24	*24	-	*	*	*	*	*	*	*	*
607	*10	*10	-	*	*	*	*	*	*	*	*
608	67	67	-	*	*	*	*	*	*	*	*
611	65	*	56	*	*19	31	*	*	*	41	*
611.0	50	*	40	*	*	*22	*	*	*	*34	*
611.1	*6	*	*	-	*	*	*	*	*	*	*
614	111	-	111	*	77	*22	*	*	24	53	*26
614.2	*29	-	*29	-	*	*	-	*	*	*	*
614.6	*20	-	*20	-	*12	*	*	*	*	*	*
614.9	*17	-	*17	*	*16	-	-	*	*	*	*
616	35	-	35	*	*19	*	*	*	*	*20	*
617	146	-	146	-	101	40	*	32	*26	60	28
617.0	74	-	74	-	45	25	*	*19	*	22	19
617.1	33	-	33	-	*22	*	*	*	*	*23	*
617.3	23	-	23	-	*22	*	-	*	*	*	*
617.9	*14	-	*14	-	*12	*	-	*	*	*	*
618	209	-	209	-	26	100	83	43	55	65	46
618.0	38	-	38	-	*	16	20	*9	*9	*12	*7
618.01	21	-	21	-	*	*6	*14	*	*	*8	*
618.04	*8	-	*8	-	*	*	*	*	*	*	*
618.1	16	-	16	-	*	*	*	*	*	*	*
618.2	32	-	32	-	*	23	*	*	*	*	*14
618.3	18	-	18	-	*	*9	*	*	*	*	*
618.4	53	-	53	-	*10	26	17	*10	*20	19	*
618.5	40	-	40	-	*	*11	28	*8	*	*12	*12
620	118	-	118	*	68	38	*	*15	24	54	24
620.2	80	-	80	*	46	*25	*	*10	*16	39	*15
621	40	-	40	-	*13	*21	*	*10	*	*19	*
621.3	*23	-	*23	-	*	*13	*	*	*	*	*
621.33	*15	-	*15	-	*	*	*	*	*	*	-
622	*14	-	*14	-	*	*	-	*	*	*	*
623	*8	-	*8	-	*	*	*	*	*	*	*
625	96	-	96	-	63	21	*12	*11	23	53	*10
625.3	28	-	28	-	26	*	-	*	*10	*15	*
625.6	29	-	29	-	*10	*11	*	*	*	17	*
625.9	28	-	28	-	22	*	*	*	*	*14	*
626	249	-	249	*	155	93	*	29	61	94	66
626.2	191	-	191	*	115	76	-	25	51	76	39
626.8	51	-	51	*	33	16	*	*	*	*13	27
627	*21	-	*21	-	*	*14	*	*	*	*11	*
627.1	*15	-	*15	-	-	*	*	*	*	*	-
630-677	1,341	-	1,341	*	1,335	*	-	240	278	630	192
632	25	-	25	-	25	-	-	*	*	*15	*

Number of days of care for discharges from short-stay hospitals, by ICD-9-CM code of first-listed diagnosis, sex, age, and geographic region: United States, 2008

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification*⁵ (ICD-9-CM). See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of days of care in thousands											
633	55	-	55	-	54	*	-	*10	*	*18	*19
633.1	42	-	42	-	42	-	-	*8	*	*15	*14
633.10	41	-	41	-	41	-	-	*	*	*15	*14
634	32	-	32	-	32	*	-	*8	*	*17	*
634.9	23	-	23	-	23	*	-	*	*	*12	*
634.91	19	-	19	-	19	*	-	*	*	*	*
639	*34	-	*34	-	*34	-	-	*	*	*	*
641	40	-	40	*	40	-	-	*	*	*17	*
641.1	*15	-	*15	-	*15	-	-	*	*	*	*
641.13	*15	-	*15	-	*15	-	-	*	*	*	*
642	99	-	99	-	96	*	-	*14	*22	48	*14
642.0	*15	-	*15	-	*12	*	-	*	*	*	*
642.03	*14	-	*14	-	*11	*	-	*	*	*	*
642.3	*16	-	*16	-	*16	-	-	*	*	*	*
642.33	*15	-	*15	-	*15	-	-	*	*	*	*
642.4	27	-	27	-	27	-	-	*	*	*	*
642.43	*25	-	*25	-	*25	-	-	*	*	*	*
642.7	*25	-	*25	-	*25	-	-	*	*	*	*
643	74	-	74	-	74	-	-	*	*	58	*
643.0	*15	-	*15	-	*15	-	-	*	*	*	-
643.03	*15	-	*15	-	*15	-	-	*	*	*	-
643.1	53	-	53	-	53	-	-	*	*	*42	*
643.13	53	-	53	-	53	-	-	*	*	*42	*
644	272	-	272	-	272	-	-	*38	72	146	*16
644.0	264	-	264	-	264	-	-	*37	70	141	*16
644.03	264	-	264	-	264	-	-	*37	70	141	*16
644.1	*8	-	*8	-	*8	-	-	*	*	*	-
644.13	*8	-	*8	-	*8	-	-	*	*	*	-
646	133	-	133	-	133	*	-	*23	26	50	34
646.2	*16	-	*16	-	*16	-	-	*	*	*	*
646.23	*16	-	*16	-	*16	-	-	*	*	*	*
646.6	93	-	93	-	93	*	-	*17	*16	33	27
646.63	83	-	83	-	83	*	-	*	*15	30	26
646.8	21	-	21	-	21	-	-	*	*	*11	*
646.83	20	-	20	-	20	-	-	*	*	*10	*
647	*15	-	*15	-	*15	-	-	*	*	*	*
648	260	-	260	-	259	*	-	52	58	107	43
648.4	44	-	44	-	44	-	-	*	*	*	*
648.43	26	-	26	-	26	-	-	*	*	*	*
648.9	160	-	160	-	160	-	-	28	38	58	35
648.93	149	-	149	-	149	-	-	25	36	56	33
649	*24	-	*24	-	*24	-	-	-	*	*17	-
649.4	*18	-	*18	-	*18	-	-	-	*	*	-
649.43	*18	-	*18	-	*18	-	-	-	*	*	-
654	54	-	54	-	54	-	-	*	*	*26	*
654.5	*29	-	*29	-	*29	-	-	*	*	*	*
654.53	*29	-	*29	-	*29	-	-	*	*	*	*
658	*17	-	*17	-	*16	*	-	*	*	*	*
659	50	-	50	-	50	-	-	*	*	*	*
659.7	*36	-	*36	-	*36	-	-	*	*	*	*
659.73	*36	-	*36	-	*36	-	-	*	*	*	*
670	30	-	30	*	29	-	-	*	*	*	*
670.0	30	-	30	*	29	-	-	*	*	*	*
670.04	30	-	30	*	29	-	-	*	*	*	*
674	49	-	49	-	49	*	-	*	*	*30	*
674.3	*25	-	*25	-	*24	*	-	*	*	*	*
674.34	*25	-	*25	-	*24	*	-	*	*	*	*
680-709	4,015	2,125	1,890	223	856	1,247	1,690	923	627	1,608	857
681	114	60	54	*	*28	58	*25	*	*16	66	*
681.0	44	*23	*21	*	*22	*	*	*	*	*17	*
681.00	40	*21	*20	*	*22	*	*	*	*	*	*

Number of days of care for discharges from short-stay hospitals, by ICD-9-CM code of first-listed diagnosis, sex, age, and geographic region: United States, 2008

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification*⁵ (ICD-9-CM). See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of days of care in thousands											
681.1	70	*37	*33	*	*	*47	*	*	*	*49	*
681.10	69	*37	*33	*	*	*46	*	*	*	*48	*
682	2,504	1,260	1,244	150	665	756	933	535	489	1,010	469
682.0	171	55	116	*24	77	42	*28	*28	43	77	*24
682.1	53	34	*18	*17	*	*16	*	*	*	*	*28
682.2	225	98	127	*18	53	110	*44	40	48	101	35
682.3	210	128	82	*14	89	53	55	50	41	96	*23
682.4	98	65	33	*	48	*26	*	*32	*19	*33	*14
682.5	96	*24	72	39	*24	*	*	*	*	51	*
682.6	1,424	741	683	33	313	425	653	295	281	553	295
682.7	204	109	95	*	34	63	103	64	*39	71	*29
693	*26	*	*	*	*	*	*	*	*	*	*
693.0	*26	*	*	*	*	*	*	*	*	*	*
695	*28	*	*	*	*	*	*	*	*	*	*
707	1,201	719	482	*	121	382	671	332	88	458	324
707.0	805	472	333	*	*98	188	511	221	*46	356	182
707.03	395	249	146	*	*	*	313	*58	*	252	*
707.05	209	*49	160	-	*	*	134	*68	*	*	101
707.07	100	*	*	-	*	*	*	*	*	*	*
707.1	347	218	129	*	*	193	144	108	*39	73	128
707.10	*28	*	*	-	*	*	*	*	*	*	*
707.14	128	*	*	-	*	*	*	*	*	*	*
707.15	*74	*	*	-	*	*	*31	*	*	*	*
707.19	*76	*	*58	-	*	*	*60	*	*	*	*
710-739	8,385	3,432	4,953	110	1,097	2,939	4,240	1,935	2,015	2,857	1,578
710	161	*	152	*	112	*37	*	*58	*	54	*32
710.0	139	*	135	*	107	*27	*	*53	*	45	*30
711	133	88	*45	*	*28	*67	*	*	*30	52	*
711.0	128	87	*42	*	*24	*66	*	*	*26	50	*
711.06	56	*35	*	*	*	*	*	*	*	*	*
714	71	*15	55	*	*	*16	43	*	*	*	*16
714.0	51	*	41	-	*	*14	*37	*	*	*	*9
715	3,034	1,129	1,906	-	44	1,148	1,842	595	787	1,143	509
715.1	234	114	120	-	*	62	166	42	33	132	*27
715.15	56	*20	37	-	*	*17	*36	*	*	*20	*
715.16	168	88	80	-	*	42	124	*24	*21	109	*
715.3	2,049	741	1,308	-	*30	810	1,209	429	546	694	380
715.30	*24	*	*	-	-	*	*22	-	-	*24	-
715.31	33	*14	*19	-	-	*8	*25	*	*	*	*
715.35	596	209	386	-	*	224	359	154	187	175	79
715.36	1,390	507	883	-	*	574	799	263	352	482	293
715.8	*29	*	*	-	-	*	*	*	*	*	*
715.89	*29	*	*	-	-	*	*	*	*	*	*
715.9	708	252	456	-	*	250	451	122	189	313	84
715.90	*10	*	*	-	-	*	*	*	*	*	*
715.91	*12	*	*	-	-	*8	*	*	*	*	*
715.95	158	78	80	-	*	62	93	40	46	58	*
715.96	503	165	338	-	*	175	326	55	139	246	63
716	84	34	50	*	*	*27	46	*	*20	*25	*22
716.1	*21	*	*	-	*	*	*	*	*	*	*
716.9	54	*22	32	-	*	*	35	*	*16	*	*
716.96	*21	*	*	-	*	*	*	*	*	*	*
717	*16	*	*	-	*	*	*	*	*	*	*
718	*18	*	*	*	*	*	*	*	*	*	*
719	150	39	111	*	*	*14	116	*57	40	31	*22
719.0	*33	*	*	*	*	*	*20	*	*	*	*
719.06	*28	*	*	*	*	*	*	*	*	*	*
719.4	69	*20	49	*	*	*	51	*	*25	*25	*
719.45	49	*	*34	*	*	*	46	*	*	*	*
721	416	220	196	-	24	172	220	102	112	132	70
721.0	60	29	31	-	*	29	*29	*	*13	32	*
721.1	189	120	69	-	*	84	98	*	*36	*62	*16
721.3	150	67	84	-	*	51	86	*	60	*32	46
722	1,147	576	571	*	324	465	355	185	292	439	231

Number of days of care for discharges from short-stay hospitals, by ICD-9-CM code of first-listed diagnosis, sex, age, and geographic region: United States, 2008

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification*⁵ (ICD-9-CM). See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of days of care in thousands											
738	153	52	101	*	*22	81	49	*	60	34	50
738.1	*37	*	*	-	*	*	-	*	*	*	*
738.19	*37	*	*	-	*	*	-	*	*	*	*
738.4	116	34	82	*	*	53	49	*	47	*30	31
740-759	1,095	535	560	624	128	286	57	147	294	407	248
741	*41	*	*	*	*	*	-	-	*	*	*
741.0	*41	*	*	*	*	*	-	-	*	*	*
742	67	*	*41	*41	*	*	-	*	*	*40	*
742.5	*20	*	*	*	*	-	-	-	*	*	*
742.59	*19	*	*	*	*	-	-	-	*	*	*
745	142	104	38	118	*	*	*	*	*	97	*26
745.4	*38	*	*	*36	*	-	-	*	*	*	*
745.5	42	*30	*	*	*	*	*	*	*	*	*
746	61	*45	*	*	*	*	*	*	*	*	*
747	259	*	210	*62	*	171	*	*	197	*	*
747.8	208	*	180	*	*	171	*	*	197	*	*
747.81	195	*	177	*	*	170	*	*	192	*	*
749	40	*	*15	40	*	-	-	*	*	*	*8
749.2	*12	*	*	*12	*	-	-	*	-	*	*5
750	75	33	*	73	*	*	*	*	*	*53	*
750.5	27	22	*	27	-	-	-	*	*	*	*
751	117	*53	*64	*97	*	*	*	*	*	*	*57
753	60	39	*22	33	*	*	*	*	*	*	*28
753.1	*24	*	*	*	*	*	*	*	*	*	*
753.2	*20	*	*	*	*	-	*	*	*	*	*
754	*30	*22	*	*21	*	*	-	*	*	*	*
755	*14	*	*	*	*	*	-	*	*	*	*
756	121	*57	64	*32	*	*40	*	*50	*24	*35	*13
756.0	*24	*	*	*	*	*	-	*	*	*	*
756.1	80	*	*40	*	*	*27	*	*	*	*	*
756.12	73	*	*34	*	*	*27	*	*	*	*	*
759	49	*34	*	*37	*	*	*	*	*	*	*25
759.8	*34	*	*	*30	*	*	*	*	*	*	*24
759.89	*25	*	*	*	-	*	*	-	*	*	*
760-779	1,691	1,102	588	1,691	*	-	-	73	312	737	569
765	513	321	192	513	-	-	-	*	106	165	231
765.1	478	294	184	478	-	-	-	*	105	141	221
765.18	*66	*	*	*66	-	-	-	-	*	*	*
769	378	251	127	378	-	-	-	*	110	226	*
770	245	168	78	245	-	-	-	*	*	100	90
770.6	*47	*	*	*47	-	-	-	*	*	*	*
770.7	*35	*33	*	*35	-	-	-	-	*	*	*32
770.8	106	72	*34	106	-	-	-	-	*	*71	*27
770.81	*33	*30	*	*33	-	-	-	-	*	*	*
770.89	*61	*	*	*61	-	-	-	-	*	*	-
771	111	*70	*41	111	-	-	-	*	*	*46	*52
771.8	109	*70	*39	109	-	-	-	*	*	*45	*52
771.81	95	*62	*34	95	-	-	-	*	*	*	*49
774	58	36	22	58	-	-	-	*	*12	18	25
774.2	*15	*	*	*15	-	-	-	*	*	*	*
774.6	41	23	18	41	-	-	-	*	*11	*13	15
775	*16	*	*	*16	-	-	-	-	*	*	*
778	29	*19	*	29	-	-	-	*	*	*23	*
778.4	*25	*16	*	*25	-	-	-	*	*	*20	*
779	192	164	28	192	-	-	-	*	*16	131	43

Number of days of care for discharges from short-stay hospitals, by ICD-9-CM code of first-listed diagnosis, sex, age, and geographic region: United States, 2008

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification*⁵ (ICD-9-CM). See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North- east	Midwest	South	West
Number of days of care in thousands											
779.8	70	50	*20	70	-	-	-	*	*	*42	*18
779.89	69	50	*20	69	-	-	-	*	*	*41	*18
780-799	613	269	344	118	137	267	90	181	35	242	155
780	83	33	51	36	*11	*22	*	*16	*	31	29
780.2	*16	*8	*	*	*	*	*	*	*	*	*
780.3	21	*	*13	*	*	*	*	*	*	*	*
780.39	*16	*	*12	*	*	*	*	*	*	*	*
780.6	27	*15	*	22	*	*	*	*	*	*	*
784	*15	*	*	*	*	*	*	*	*	*	*
786	63	33	29	*	14	36	*9	*11	*	26	23
786.5	51	29	22	*	14	33	*	*9	*	19	19
786.50	16	*	*9	-	*6	*8	*	*	*	*6	*
786.59	34	22	13	*	*7	24	*	*	*	*14	14
787	*14	*	*	*	*	*	*	*	*	*	*
789	42	17	25	*	27	*	*	*11	*	*17	*9
789.0	40	17	23	*	27	*	*	*11	*	*15	*9
789.00	*19	*	*	-	*17	*	*	*	*	*	*
799	362	149	213	60	76	184	41	137	*	139	75
799.9	350	141	209	51	75	184	39	136	*	138	65
800-999	16,193	8,202	7,991	485	3,650	4,755	7,302	3,993	3,401	5,693	3,105
800	114	56	*58	21	*67	*	*	*	*	*26	60
800.0	*14	*	*	*7	*	-	*	*	*	*	*
800.2	*27	*21	*	*	*	*	*	*	*	*	*
801	259	191	*68	*18	123	92	*	*64	*86	55	54
801.0	30	*23	*	*	*17	*	*	*	*	*	*
801.1	*15	*	*	*	*	*	*	*	*	*	*
801.2	143	115	*	*	*56	*	*	*	*	*	*38
802	182	133	49	*	105	*	60	42	*29	38	74
802.0	*13	*	*	*	*	*	*	*	*	*	*
802.2	48	30	*	*	35	*	*	*	*	*12	*
802.3	*33	*32	*	-	*32	-	*	*	*	*	*30
802.4	*56	*44	*	*	*	*	*	*	*	*	*
805	711	367	344	*	142	169	399	195	176	218	123
805.0	185	139	46	-	85	*40	60	*30	77	*48	*29
805.01	*23	*	*	-	*	*	*	*	*	*	*
805.02	68	*49	*18	-	*37	*	*24	*	*42	*	*
805.2	172	56	117	*	*24	47	101	*33	*38	72	29
805.4	304	143	161	*	*30	81	193	109	54	89	53
805.6	*40	*	*	*	*	*	*37	*	*	*	*
806	198	171	*	-	*	*	*	*	*	*	*
806.0	179	162	*	-	*	*	*	*	*	*	*
807	230	115	115	-	*20	101	109	51	*50	52	77
807.0	212	108	104	-	*	89	105	*41	*46	49	75
807.01	*27	*	*23	-	*	*	*	*	*	*	*
807.02	*30	*	*	-	*	*	*	*	*	*	*
807.03	56	*26	*30	-	*	*	*28	*	*	*	*
808	325	130	195	-	70	*50	204	85	53	120	67
808.0	76	63	*	-	*34	*	*	*	*	*	*23
808.2	203	*44	159	-	*	*26	163	49	*33	79	41
810	*16	*	*	-	*	*	*	*	*	*	*
810.0	*16	*	*	-	*	*	*	*	*	*	*
812	313	126	187	16	62	76	159	53	65	128	67
812.0	187	58	129	*	*13	55	118	46	38	81	22
812.00	56	*	49	-	*	*	*42	*	*	*	*
812.01	43	*	*29	*	*	*	35	*	*	*	*
812.03	36	*20	*	-	*	*	*	*	*	*20	*
812.09	49	*	*32	*	*	*	*23	*	*	*20	*
812.2	56	*32	*24	-	*	*	*	*	*	*	*
812.21	51	*32	*	-	*	*	*	*	*	*	*
812.4	50	*17	33	16	*	*	*20	*	*	*22	*18
812.41	30	*	*21	*12	*	*	*	*	*	*	*9

Number of days of care for discharges from short-stay hospitals, by ICD-9-CM code of first-listed diagnosis, sex, age, and geographic region: United States, 2008

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification*⁵ (ICD-9-CM). See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of days of care in thousands											
852.02	*23	*	*	*	*	*	*	*	*	*	*
852.06	*21	*	*	*	*	*	*	*	*	*	-
852.2	358	282	76	*	*63	92	196	94	56	55	153
852.20	126	99	*	*	*	*	*90	*26	*	*	*
852.21	107	89	*	*	*	*52	*49	*	*31	*	*24
852.26	*62	*	*	-	*	*	*44	*	*	*	*
853	172	*97	*	*	*	*	*47	*	*	*	*
853.0	172	*97	*	*	*	*	*47	*	*	*	*
853.01	*34	*	*	*	*	*	*	*	*	*	*
860	243	207	*36	*	136	40	*63	105	*40	*52	45
860.0	86	62	*24	-	*	*32	*	*	*	*	*
860.4	*46	*44	*	-	*	*	*	*	*	*	*
861	*28	*	*	*	*	*	*	*	*	*	*
861.2	*23	*	*	*	*	*	*	-	*	*	*
861.21	*23	*	*	*	*	*	*	-	*	*	*
863	111	89	*	*	103	*	-	*	*	*	*41
864	47	*33	*	*	*31	*	*	*	*	*	*
864.0	*33	*	*	*	*17	*	*	*	*	*	*
865	116	95	*	*	66	*	*	*33	*	*58	*
865.0	104	83	*	*	*58	*	*	*32	*	*54	*
865.03	*18	*	*	*	*	*	-	*	*	*	-
867	109	*	*	-	*	*	*	*	*	*	*
867.0	*70	*	*	-	*	*	*	*	*	*	*
868	*20	*	*	*	*	*	*	*	*	*	*
873	43	16	*28	*	*9	*	*28	*	*13	*	*12
873.0	*25	*	*20	-	*	*	*20	*	*	*	*
873.4	*13	*	*	*	*	*	*	*	*	*	*
873.42	*9	*	*	*	*	*	*	*	*	*	*
879	*13	*	*	*	*	*	*	*	*	*	*
881	*16	*	*	*	*	*	*	*	*	*	*
882	*20	*18	*	*	*	*	*	*	*	*	*
891	63	*27	*	*	*	*	*	*	*	*43	*
892	*17	*17	*	*	*	*	*	*	*	*	*
920	*25	*	*	*	*	*	*	*	*	*	*
922	38	*	32	*	*	*	*28	*	*	*14	*
922.1	*20	*	*15	-	*	*	*	*	*	*	*
923	*45	*	*42	*	*	*	*43	*	*	*	*
924	106	*34	72	*	*	*	70	*39	*	*33	*
924.0	63	*	42	*	*	*	48	*	*	*22	*
924.00	*43	*	*	*	*	*	*	*	*	*	*
924.01	*21	*	*18	-	-	*	*19	*	*	*	*
924.1	*33	*	*	*	*	*	*	*	*	*	*
934	37	*	*18	*	*	*	*	*	*	*	*
935	23	*	*11	*9	*	*	*	*	*	*	*
935.1	*17	*	*7	*6	*	*	*	*	*	*	*
941	*53	*37	*	*	*	*	*	*	*	*	*
941.2	*27	*	*	*	*	*	*	*	*	*	*
942	*53	*	*	*	*	*	*	*	*	*45	*
943	*26	*	*	*	*	*	*	*	*	*	*
945	*32	*22	*	*	*	*	*	*	*	*	*
952	*75	*43	*	*	*	*	*	*	*	*	*
952.0	*69	*42	*	*	*	*	*	*	*	*	*
958	*49	*35	*	-	*	*	*	*	*	*	*

Number of days of care for discharges from short-stay hospitals, by ICD-9-CM code of first-listed diagnosis, sex, age, and geographic region: United States, 2008

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification*⁵ (ICD-9-CM). See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of days of care in thousands											
959	57	37	*20	*	*23	*	*29	*	*18	*	*
959.0	30	*18	*	*	*	*	*22	*	*	*	*
959.01	*29	*18	*	*	*	*	*22	*	*	*	*
959.1	*22	*	*	*	*	*	*	*	*	*	*
962	*16	*	*11	*	*	*	*	*	*	*	*
962.3	*15	*	*	*	*	*	*	*	*	*	*
963	*12	*	*	*	*	*	-	*	*	*	*
965	310	146	164	*	170	106	*	98	55	83	74
965.0	178	112	66	*	78	71	*	*77	25	*35	*42
965.00	*48	*	*	-	*	*	*	*	*	*	*
965.01	*30	*29	*	*	*	*	*	*	*	*	*
965.09	57	32	*25	-	*19	31	*	*	*	*27	*16
965.1	*11	*	*	-	*	*	*	*	*	*	*
965.4	88	*19	69	*	73	*11	*	*18	*28	30	*
966	*27	*	*	*	*	*	*	*	*	*	*
967	53	*13	*40	-	*	*20	*	*	*12	*36	*
967.8	*39	*	*	-	*	*	*	*	*	*	-
969	234	116	118	*	130	82	*	65	50	93	26
969.0	62	32	30	*	28	*29	*	*32	*12	*	*8
969.3	29	*13	*16	*	*18	*	*	*	*	*	*
969.4	109	48	61	*	57	38	*	*29	*19	52	*10
970	54	26	*28	-	*27	*26	*	*19	*	*	*
970.8	53	26	*27	-	*27	*26	*	*19	*	*	*
972	*23	*	*	*	*	*	*	*	*	*	*
972.6	*13	*	*	*	*	*	*	*	*	*	-
977	34	*17	*17	*	*	*15	*	*	*	*16	*
977.9	*22	*	*	*	*	*	*	*	*	*	*
980	*13	*	*	*	*	*	*	*	*	*	*
980.0	*9	*	*	*	*	*	*	*	*	*	*
989	22	*11	*	*	*12	*	*	*	*	*	*
989.5	*13	*	*	*	*	*	*	*	*	*	-
995	188	122	66	*	*23	119	*31	*70	*41	63	*
995.1	24	*10	*13	*	*	*10	*	*	*	*11	*
995.9	106	*	*	*	*	*	*	*	*	*	*
996	3,254	1,638	1,616	73	357	1,144	1,680	875	655	1,311	414
996.0	104	68	36	*	*	*24	70	*26	*	59	*
996.01	39	23	*16	*	*	*	33	*12	*	*19	*
996.04	39	*26	*	-	*	*	*20	*	*	*23	*
996.1	65	*34	*30	-	*	*	*41	*	*	*	*
996.2	56	*28	*28	*17	*	*	*	*	*	*23	*
996.3	*25	*	*	-	*	*	*21	*	*	*	*
996.4	485	133	351	*	*39	166	276	96	104	231	54
996.41	62	*24	*39	-	*	*	43	*	*	*22	*
996.42	93	*19	74	-	*	*27	65	*24	*	*31	*21
996.43	65	*	49	-	*	*18	*41	*	*21	*23	*
996.44	*48	*	*41	-	*	*	*44	*	*	*	*
996.46	*17	*	*	-	*	*	*	-	*	*	*
996.49	131	54	77	*	*26	44	56	*31	*28	60	*
996.5	76	*31	*44	*	*	*49	*	*	*	*29	*
996.59	54	*	*39	*	*	*31	*	*	*	*	*
996.6	1,621	888	733	*	163	531	894	459	292	653	217
996.61	141	*77	*	-	*	*	*90	*	*	*	*
996.62	604	351	253	*	97	145	356	215	109	209	*71
996.63	*98	*	*	*	*	*	*	*	*	*	*
996.64	192	88	105	-	*	*42	147	*41	*31	99	*
996.65	*21	*	*	-	*	*	*	*	*	*	*
996.66	248	132	116	-	*	102	138	*61	*48	120	*
996.67	172	*88	83	*	*	*74	86	*	*	*74	*43
996.68	*56	*43	*	*	*	*	*	*	*	*	*
996.69	87	*42	*45	*	*	*	*45	*	*	*42	*
996.7	569	277	292	*	51	207	298	152	134	210	73
996.72	72	48	*24	*	*	34	*36	*32	*	*	*
996.73	185	79	106	-	*	70	101	*45	51	50	*39
996.74	150	89	*61	*	*	*30	105	*	*48	*52	*
996.76	*26	*	*	-	*	*	*	*	*	*	*
996.77	34	*	*18	-	*	*	*	*	*	*	*
996.78	44	*	30	-	*	*25	*	*	*	*19	*

Number of days of care for discharges from short-stay hospitals, by ICD-9-CM code of first-listed diagnosis, sex, age, and geographic region: United States, 2008

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification*⁵ (ICD-9-CM). See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of days of care in thousands											
996.79	*41	*	*	-	*	*	*	*	*	*	-
996.8	254	164	91	*	60	140	*	85	65	75	*29
996.81	142	73	68	*	51	64	*	*31	53	*30	*
996.82	*76	*72	*	-	*	*	*	*	*	*	-
997	761	377	383	*	119	264	374	173	184	250	155
997.0	58	*28	*	-	*	*	*	*	*	*	*
997.09	*41	*	*	-	*	*	*	*	*	*	*
997.1	59	*39	*19	-	*	*	*46	*	*	*	*
997.2	46	*	*28	-	*	*	*30	*	*	*	*
997.3	*38	*26	*	*	*	*	*	*	*	*	-
997.4	327	116	210	*	60	139	126	56	80	106	85
997.5	39	34	*	-	*	*	30	*17	*	*	*
997.6	182	109	*72	*	*	*66	93	*	*42	*69	*
997.62	150	101	*49	*	*	*57	86	*	*	*54	*
998	1,762	708	1,054	64	232	815	651	412	375	669	305
998.1	241	115	127	*	37	69	131	53	67	81	41
998.11	119	71	48	*	*16	*32	69	31	*47	31	*
998.12	92	*29	63	*	*18	*24	*47	*15	*17	*29	*31
998.13	*31	*	*	-	*	*	*	*	*	*	*
998.2	62	*36	*26	-	*	*17	*	*	*	*	*
998.3	257	*70	187	*	*16	125	112	*40	100	101	*
998.31	*56	*	*30	-	*	*	*31	*	*	*	*
998.32	201	*45	157	*	*	106	*82	*	*	87	*
998.5	902	397	505	*52	146	422	283	277	141	369	115
998.51	*72	*	*55	*	*	*	*	*	*	*	*
998.59	830	379	450	*52	142	362	274	274	113	341	102
998.6	*52	*	*	-	*	*	*	*	*	*	*
998.8	152	60	92	*	*27	*56	*64	*	*	79	*
998.83	76	*37	*39	*	*	*48	*	*	*	*40	*
998.89	61	*22	*39	*	*	*	*	*	*	*24	*
999	268	91	177	*	*42	138	68	*61	66	*66	*
999.3	260	86	173	*	*39	137	*65	*60	62	*63	*
999.31	232	*72	160	*	*	125	*56	*43	*57	*58	*
999.39	*28	*	*	-	*	*	*	*	*	*	-
V01-V86	19,670	3,863	15,808	355	12,009	2,378	4,928	3,869	4,479	7,445	3,878
V10	45	*	30	-	*	*18	*26	*	*	*27	*
V12	69	*18	51	*	*32	*	34	*	*	*53	*7
V12.5	44	*	*28	-	*	*	*13	*	*	*37	*
V12.54	*22	*	*	-	*	*	*	*	*	*	*
V12.7	*10	*	*	-	*	*	*	*	-	*	*
V14	*14	*	*13	*	*	*	*	*	*	*	*
V15	73	45	*28	*	*25	*33	*10	*	*	61	*
V15.8	73	45	*28	*	*25	*33	*	*	*	61	*
V15.81	38	*27	*	*	*24	*	*	*	*	*30	*
V15.82	*32	*	*	-	*	*	*	*	*	*30	*
V17	*11	*	*	*	*	*	*	*	*	*	*
V24	*9	-	*9	-	*9	-	-	*	*	*	*
V24.0	*9	-	*9	-	*9	-	-	*	*	*	*
V27	11,112	-	11,112	*17	11,042	*53	-	1,861	2,674	4,447	2,131
V27.0	9,461	-	9,461	*17	9,414	*	-	1,592	2,191	3,878	1,800
V27.1	26	-	26	-	26	-	-	*	*	*11	*
V27.2	276	-	276	-	261	*	-	*35	75	128	*37
V27.9	1,338	-	1,338	*	1,329	*	-	228	397	421	292
V30	*72	*	*	*72	-	-	-	*	*	*	*
V30.1	*72	*	*	*72	-	-	-	*	*	*	*
V42	*88	*	*	*	*	*67	*	*	*	*	*
V45	446	324	122	*	*18	57	368	405	*	*18	*
V45.7	*16	-	*16	-	*	*	*	*	*	*	*
V45.71	*12	-	*12	-	*	*	*	*	*	*	*
V45.8	419	319	100	*	*12	*44	361	401	*	*	*
V45.81	128	*	*	-	-	*	128	*	*	*	-
V45.82	160	157	*	-	-	*	155	155	-	*	*
V45.89	126	*	91	*	*	*	*79	116	*	*	*
V50	*15	*	*11	*	*7	*	*	*	*	*	*

Number of days of care for discharges from short-stay hospitals, by ICD-9-CM code of first-listed diagnosis, sex, age, and geographic region: United States, 2008

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification*⁵ (ICD-9-CM). See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of days of care in thousands											
V50.4	*11	-	*11	-	*7	*	*	*	*	*	*
V50.42	*6	-	*6	-	*	*	*	*	*	*	*
V52	*15	*	*	*15	-	-	-	-	-	*15	-
V52.8	*15	*	*	*15	-	-	-	-	-	*15	-
V53	27	*16	*	-	*	*	*18	*	*	*	*
V53.3	27	*16	*	-	*	*	*18	*	*	*	*
V53.31	*17	*	*	-	*	*	*13	*	*	*	*
V54	257	*60	197	-	*77	*64	116	206	*	*	*31
V54.0	*30	*	*	-	*	*	*	*	-	*	*
V54.1	202	*	168	-	*	*	*72	179	*	*	*
V54.19	174	*	150	-	*	*	*60	152	-	*	*
V55	247	117	131	*	*44	74	102	*47	*53	84	64
V55.1	*32	*	*	*	*	*	*	*	*	*	*
V55.2	79	*36	*43	*	*	*34	*	*	*	*	*
V55.3	125	72	*53	-	*35	*	*60	*	*	*55	*
V56	91	47	*44	-	*	*36	*45	*	*	85	*
V56.0	87	42	*44	-	*	*34	*44	*	*	82	*
V57	5,473	2,453	3,020	*	486	1,307	3,591	861	1,445	1,845	1,322
V57.1	518	*96	422	*	*	154	248	257	*33	137	*
V57.8	4,829	2,282	2,546	*	369	1,144	3,292	503	1,412	1,682	1,231
V57.89	4,829	2,282	2,546	*	369	1,144	3,292	503	1,412	1,682	1,231
V58	1,304	574	729	56	179	574	495	273	242	594	194
V58.0	190	*76	114	*	*	*	150	146	*	*34	*
V58.1	854	386	468	48	139	453	215	115	183	437	119
V58.11	840	374	466	48	137	442	213	115	180	425	119
V58.4	*45	*	*	*	*	*	*	*	*	*	*
V58.6	127	*50	77	*	*22	*47	*53	*	*	98	*24
V58.61	*39	*	*	-	*	*	*	*	*	*	-
V58.69	*60	*	*47	-	*	*	*	-	-	*60	-
V58.8	67	*	43	*	*	*	51	*	46	*	*
V58.89	64	*	*39	*	*	*	*49	-	46	*	*
V59	*23	*	*17	-	*	*	*	*	*	*	*
V59.4	*21	*	*17	-	*	*	-	*	*	*	*
V70	65	*	*38	*	*	*	*	*	-	*	*
V70.7	*14	*	*12	*	*	*	*	*	-	*	*
V71	*14	*	*10	*	*	*	*	*	*	*	*
V71.4	*9	*	*	*	*	-	*	*	*	*	-
V85	31	*	28	-	*	*	*	*	*	*	*
V85.4	*20	*	*19	-	*	*	*	*	*	*	*

* Figure does not meet standards of reliability or precision.

- Quantity zero.

§ U.S. Department of Health and Human Services. Centers for Disease Control and Prevention, Centers for Medicare and Medicaid Services. Official version International Classification of Diseases, Ninth Revision, Clinical Modification, Sixth Edition. DHHS Pub No. (PHS) 06-1260. available at: <http://www.cdc.gov/nchs/icd/icd9cm.htm>

NOTE: Estimates are rounded to the nearest thousand, and totals may include data from categories that are not shown individually in this table. For these reasons, figures may not always add to totals. Because of low reliability, estimates of days of care that correspond to estimated discharges less than 5,000 are suppressed and an asterisk (*) is inserted. These estimates generally are based on a sample size of less than 30 records and usually have a relative standard error (RSE) of more than 30 percent. Estimates of days of care that correspond to estimated discharges between 5,000 and 9,000 are preceded by an asterisk (*) because they are generally based on fewer than 60 records and may have low reliability. These criteria for minimum sample size and maximum acceptable RSE are consistent with NCHS guidelines for reporting statistical results. More information can be found in the Methods section of National Hospital Discharge Survey: 2005 Annual Summary With Detailed Diagnosis and Procedure Data, Series 13, No. 165. http://www.cdc.gov/nchs/data/series/sr_13/sr13_165.pdf