

Number of days of care for discharges from short-stay hospitals, by ICD-9-CM code of first-listed diagnosis, sex, age, and geographic region: United States, 2010

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of days of care in thousands											
All codes	167,774	74,470	93,303	8,883	36,067	47,685	75,139	40,811	34,535	64,084	28,343
001-139	9,715	4,762	4,953	312	1,199	2,778	5,425	2,069	1,753	3,865	2,028
003	*34	*	*21	*	*	*	*	*	*	*23	-
003.0	*29	*	*	*	*	*	*	*	*	*20	-
005	*18	*	*13	-	*	*	*	*	*	*	*
005.9	*15	*	*	-	*	*	*	*	*	*	*
008	921	331	590	45	137	154	585	180	174	378	189
008.4	660	208	452	*	99	101	459	142	133	290	95
008.45	645	198	447	*	91	97	457	140	128	283	95
008.6	*37	*	*	*	*	*	*	*	*	*	*
008.8	212	83	128	37	37	42	95	29	30	84	69
009	99	*19	80	*	*21	*18	57	*16	*	64	*
009.0	72	*	63	*	*16	*	*40	*	*	51	*
009.1	*19	*	*	-	*	*	*	*	*	*	*
034	*19	*	*	*	*	-	-	*	*	*	*
034.0	*19	*	*	*	*	-	-	*	*	*	*
038	7,111	3,523	3,588	*40	628	1,974	4,468	1,579	1,367	2,756	1,408
038.0	368	195	173	*	*51	118	187	*70	*78	140	80
038.1	539	267	272	-	*85	173	281	108	104	250	77
038.10	*38	*	*	-	*	*	*	*	*	*	*
038.11	197	127	*70	-	*	86	*89	*	*	92	*
038.12	229	*87	142	-	*	*	127	*	*	109	*
038.19	*74	*	*45	-	*	*	*47	*	*	*	*
038.2	172	117	*	*	*	*68	*86	*	*	*76	*
038.3	317	*	*	-	*	*	*	*	*	*	*
038.4	1,126	496	630	*	109	288	720	209	202	477	237
038.40	71	*49	*	-	*	*	*47	*	*	*34	*
038.42	604	203	401	*	*97	174	328	76	83	290	156
038.43	123	92	*	-	*	*	103	*	*	*43	*
038.49	300	136	164	*	*	*71	219	*79	*83	95	*
038.8	214	117	*97	*	*	*	152	117	*	*	*
038.9	4,374	2,076	2,299	*	337	1,223	2,800	1,061	878	1,757	679
041	99	46	53	*28	*	*48	*17	*	*	*	72
041.1	*35	*	*	*15	*	*	*	*	*	*	*25
041.11	*27	*	*	*	-	*	*	*	*	-	*
041.8	*14	*	*	-	*	*	*	*	*	*	*
042	319	253	66	-	185	132	*	*	*55	195	*
047	118	75	43	40	43	*22	*	*	*14	56	36
047.8	*19	*	*	*	*	-	-	*	*	*	*
047.9	98	61	37	24	40	*22	*	*	*	44	34
053	48	*	40	-	*	*	*32	*	*	*16	*
053.9	*26	*	*23	-	*	*	*	*	*	*	*
070	232	181	51	*	*25	191	*	*35	*	81	102
070.4	*46	*	*	-	*	*39	*	*	*	*	*
070.44	*46	*	*	-	*	*39	*	*	*	*	*
070.5	54	*45	*	-	*	*53	-	*	*	*	*
070.54	*51	*42	*	-	-	*51	-	*	-	*	*
070.7	101	76	*25	-	*	80	*	*	*	*29	*50
070.70	70	*55	*	-	*	*54	*	*	*	*	*
070.71	*32	*	*	-	*	*26	*	*	*	*	*
079	133	57	76	78	*16	*17	*22	31	20	49	33
079.9	126	53	73	73	*16	*17	*20	31	*17	45	33
079.99	126	53	73	73	*16	*17	*20	31	*17	45	33
112	129	*27	102	*21	*	*42	62	*33	*	*55	*21
112.0	*19	*	*16	*15	*	*	-	*	*	*	*
112.2	*43	*	*37	*	*	*	*30	*	*	*	*

Number of days of care for discharges from short-stay hospitals, by ICD-9-CM code of first-listed diagnosis, sex, age, and geographic region: United States, 2010

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM)*. Totals include data for categories not listed in table.]

ICD-9-CM code	Total	Sex		Age				Region				
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West	
Number of days of care in thousands												
112.8	*28	*	*	-	*	*	*	*	*	*	*	*
135	*30	*	*21	-	*	*	*	*	*	*	*	*
140-239	8,965	4,398	4,567	167	1,072	3,568	4,158	2,133	1,725	3,331	1,776	
141	*28	*20	*	-	*	*	*19	*	*	*	*	*
146	*55	*52	*	-	-	*14	*	*	*	*	*	*
150	136	133	*	-	-	*	*	*	*	*	*	*
150.9	*58	*	*	-	-	*	*	*	*	*	*	*
151	266	153	113	-	*	97	140	*	*	152	*	*
151.0	106	*81	*	-	*	*	*63	*	*	*	*	*
153	697	302	395	-	*	204	470	138	132	313	114	
153.0	*37	*	*	-	*	*	*34	*	*	*	*	*
153.1	*78	*	*	-	*	*	*	*	*	*	*	*
153.2	*55	*	*	-	-	*	*	*	*	*	*	*
153.3	98	*59	*39	-	*	*30	*63	*	*	*	*	*
153.4	132	*44	88	-	-	*34	98	*31	*36	*50	*	*
153.6	105	*42	*63	-	*	*	78	*	*32	*	*	*
153.9	112	*46	*66	-	*	*	81	*	*	86	*	*
154	330	218	112	-	*	186	127	95	*60	155	*	*
154.0	90	*56	*34	-	*	*36	*50	*	*	*	*	*
154.1	214	151	*63	-	*	130	*77	*	*46	111	*	*
155	142	100	*41	*	*	92	*40	*40	*	65	*	*
155.0	117	83	*	*	*	84	*28	*28	*	*57	*	*
156	98	*	*57	*	-	*	*81	*	*	*	*	*
156.0	*64	*	*	-	-	*	*	*	*	*	*	*
157	315	203	112	-	*	134	175	*64	*35	151	*65	
157.0	165	108	*57	-	*	*77	87	*	*	81	*49	
157.9	69	*41	*	-	*	*27	*38	*	*	*46	*	
158	*47	*	*31	-	*	*33	*	*	*	*	*	*
161	*62	*47	*	-	*	*	*56	*	*	*	*	*
162	957	518	439	-	*	362	580	230	232	356	139	
162.2	*36	*	*	-	*	*	*	*	*	*	*	*
162.3	369	198	171	-	-	165	204	103	94	129	*44	
162.5	175	91	84	-	*	*59	115	*39	*	*63	*39	
162.8	*78	*49	*	-	*	*	*37	*	*	*	*	*
162.9	279	165	114	-	*	77	199	58	*46	130	46	
171	63	*34	*	*23	*	*	*	*	*	*	*	*
171.0	*15	*	*	*	-	*	*	-	*	*	*	*
174	177	-	177	-	29	85	63	39	44	69	26	
174.4	*17	-	*17	-	*	*	*	*	*	*	*	*
174.8	35	-	35	-	*	*16	*17	*	*9	*13	*	
174.9	85	-	85	-	*19	41	24	*15	*20	36	*14	
180	*76	-	*76	-	*	*	*	*	*	*	*	*
180.9	*69	-	*69	-	*	*	*	*	*	*	*	*
182	151	-	151	-	*	77	70	41	*20	51	*39	
182.0	151	-	151	-	*	77	70	41	*20	51	*39	
183	199	-	199	*	*	64	116	*72	*32	*79	*	
183.0	197	-	197	*	*	63	115	*72	*31	*79	*	
185	221	221	-	-	*	95	125	*22	54	78	67	
188	212	150	*62	-	*	*51	160	*41	*38	80	*54	

Number of days of care for discharges from short-stay hospitals, by ICD-9-CM code of first-listed diagnosis, sex, age, and geographic region: United States, 2010

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM)*. Totals include data for categories not listed in table.]

ICD-9-CM code	Total	Sex		Age				Region				
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West	
Number of days of care in thousands												
188.8	*34	*	*	-	*	*	*27	*	*	*	*	
188.9	126	97	*	-	*	*	95	*	*	*	*	
189	229	127	102	*	*	85	127	35	*37	85	73	
189.0	173	105	68	*	*	67	89	*26	*33	73	42	
189.1	*33	*	*	-	-	*	*	*	*	*	*	
191	257	138	119	*	71	84	76	*37	*51	131	*37	
191.1	*58	*46	*	*	*	*	*	*	*	*	*	
191.2	*57	*	*	*	*	*	*38	*	*	*37	*	
191.3	*46	*	*37	-	*	*	*	*	*	*	*	
191.9	*28	*	*	*	*	*	*	*	*	*	*	
192	*17	*	*	*	*	-	*	-	*	*	*	
193	48	*16	32	-	*14	23	*	*	*10	*18	*	
196	59	*40	*19	-	*27	*20	*	*	*	*16	*	
196.0	*17	*	*	-	*	*	*	*	*	*	*	
197	576	186	390	*	*58	269	249	187	93	169	127	
197.0	120	53	67	*	*	42	65	52	*26	*31	*	
197.6	152	*43	109	-	*	105	*37	*	*	*	*	
197.7	159	48	110	-	*	41	106	*44	*	53	*40	
198	625	343	282	*	*59	273	278	115	152	205	152	
198.3	248	164	84	*	*41	127	80	*45	*49	96	*58	
198.5	274	114	161	*	*	107	151	*51	*76	56	*91	
198.8	61	*32	*29	*	*	*21	*27	*	*15	*27	*	
198.89	58	*31	*27	*	*	*20	*26	*	*	*27	*	
199	*29	*	*	-	*	*	*	-	*	*	*	
200	109	*	*	-	*	*	*	*	*	*	*	
201	*73	*	*	-	*	*	*	*	*	*	*	
202	317	200	117	*	*39	151	126	*92	*57	134	*34	
202.8	271	172	100	*	*37	139	95	*89	*30	119	*33	
202.80	168	108	*60	*	*	96	*66	*74	*	*69	*	
202.83	*36	*	*	-	*	*	*	*	*	*	*	
203	200	107	93	-	*	75	124	*64	*40	*82	*	
203.0	197	107	90	-	*	74	122	*64	*39	*82	*	
203.00	186	98	88	-	*	73	113	*64	*	*81	*	
204	176	*72	104	*60	*	*	*	*	*	*	*67	
204.0	140	*51	*89	*60	*	*	*	*	*	*	*65	
204.00	113	*45	*	*33	*	*	*	*	*	*	*50	
205	242	104	138	*	*	*	*69	*	*	*98	*	
205.0	210	*73	137	*	*	*	*65	*	*	*82	*	
205.00	159	*68	*	*	*	*	*64	*	*	*	*	
209	112	*52	*61	-	*	*72	*37	*	*	*	*53	
211	183	102	81	*	*	73	94	*38	41	61	43	
211.3	121	76	45	-	*	49	68	*22	*36	40	*24	
214	*19	*	*	-	*	*	*	*	*	*	*	
218	406	-	406	-	180	218	*	101	83	154	69	
218.0	35	-	35	-	*18	*17	*	*10	*	*	*10	
218.1	82	-	82	-	30	52	*	24	*14	31	*14	
218.2	27	-	27	-	*14	*	*	*	*	*	*	
218.9	262	-	262	-	119	137	*	62	63	95	42	
220	73	-	73	*	30	*23	*	*	*13	*32	*	
225	157	93	64	*	*67	*44	*46	*77	*	*	*32	



Number of days of care for discharges from short-stay hospitals, by ICD-9-CM code of first-listed diagnosis, sex, age, and geographic region: United States, 2010

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of days of care in thousands											
251.2	*18	*	*	*	*	*	*	*	*	*	*
252	33	*	*26	-	*	*	*20	*	*	*	*
252.0	31	*	*24	-	*	*	*20	*	*	*	*
252.01	*18	*	*	-	*	*	*	*	*	*	*
253	224	91	133	*	*	69	118	60	53	95	*
253.6	174	71	104	-	*	*46	117	*40	52	67	*
255	52	*	*33	*	*	*	*	*	*	*	*
255.4	*38	*	*24	*	*	*	*	*	*	*	*
255.41	*38	*	*23	-	*	*	*	*	*	*	*
261	*51	*	*44	*	*	*	*	*	*	*	*
263	77	*32	*45	*	*	*	48	*	*28	*	*
263.9	71	*31	*40	*	*	*	45	*	*	*	*
270	*18	*	*	*	*	*	*	*	-	*	*
272	189	86	103	-	*10	86	94	85	*8	40	56
272.0	51	*	43	-	*	*33	*16	*35	*	*	*10
272.4	135	76	60	-	*6	51	78	50	*	32	47
273	*28	*	*	*	*	*	*	*	*	*	*
274	75	*36	39	-	*	*24	47	*20	*17	*33	*
274.0	61	*29	*32	-	*	*20	*39	*19	*	*	*
274.01	49	*21	*28	-	*	*	*27	*19	*	*	*
275	111	42	70	*	*	*33	65	*33	*27	*30	*
275.4	92	*33	58	*	*	*26	58	*28	*20	*24	*
275.42	70	*29	*41	*	*	*	46	*	*	*	*
276	2,154	945	1,209	158	209	614	1,173	495	435	666	558
276.0	92	*39	52	*	*	*23	59	*	*29	*28	*
276.1	618	242	376	*	52	185	368	117	105	184	211
276.2	140	89	51	*21	*14	*65	*40	*	*	*21	89
276.5	779	317	462	99	82	132	467	171	173	301	134
276.50	32	*	*23	*	*	*	*24	*	*	*17	*
276.51	738	302	436	97	79	126	437	165	168	283	122
276.6	92	62	*31	*	*	*28	*56	*	*	*27	*
276.7	250	130	120	*	*29	105	112	121	35	46	48
276.8	174	61	113	*	*23	71	70	*21	45	55	52
277	157	95	*62	*	*84	*	*	*	*87	*46	*
277.0	129	*75	*54	*	*80	*	-	*	*81	*	-
277.02	112	*66	*	*	*73	*	-	*	*75	*	-
278	386	108	278	*	184	144	51	136	59	105	86
278.0	375	106	270	*	182	138	48	132	57	102	85
278.00	30	*11	*19	*	*16	*	*	*	*	*9	*19
278.01	346	95	251	-	166	131	48	132	54	94	66
278.1	*8	*	*	-	*	*	*	*	*	*	*
280-289	2,226	1,013	1,213	227	565	505	930	582	411	905	328
280	276	97	179	*	28	87	150	91	54	113	*20
280.0	119	50	69	-	*9	31	78	*29	34	43	*
280.9	146	47	100	*	*12	52	71	53	*19	67	*
281	*27	*	*	-	*	*	*	*	*	*	*
281.9	*17	*	*	-	-	*	*	-	*	*	*
282	423	154	269	36	366	*21	*	131	58	164	71
282.4	*26	*	*16	*	*24	*	*	*	*	*	*
282.6	396	144	252	34	342	*20	-	122	54	157	62
282.62	370	131	239	*28	323	*19	-	120	54	140	*56
283	104	*78	*26	*	*	*	*37	*	*	*42	*

Number of days of care for discharges from short-stay hospitals, by ICD-9-CM code of first-listed diagnosis, sex, age, and geographic region: United States, 2010

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of days of care in thousands											
283.0	*49	*	*	*	*	*	*	*	*	*	*
283.9	*31	*	*	-	*	*	*	*	*	*	-
284	187	101	85	*	*	*59	91	*	46	72	*36
284.1	100	60	*40	*	*	*	38	*	*17	*34	*
284.8	79	*37	*43	*	*	*	*52	*	*	*34	*
284.89	79	*37	*42	*	*	*	*52	*	*	*34	*
285	600	278	322	*	47	130	421	159	116	241	84
285.1	245	96	149	*	*11	44	190	74	47	64	59
285.2	171	106	65	-	*	*62	93	*48	*24	85	*
285.21	91	*62	*29	-	*	*57	*21	*	*	*55	*
285.22	*33	*	*	-	*	*	*30	*	*	*	-
285.29	47	*22	*25	-	*	*	*41	*	*	*	*
285.9	158	61	96	*	*15	*17	125	32	40	78	*
286	*41	*	*	*	*	*	*	*	*	*	*
287	161	52	109	*17	*34	57	54	45	*23	56	37
287.3	88	*30	58	*	*	*	*39	*26	*	*25	*20
287.31	83	*30	53	*	*	*	*35	*	*	*24	*
287.5	55	*16	38	*	*	*28	*	*18	*	*19	*
288	352	190	162	97	36	89	130	81	62	158	51
288.0	316	183	132	89	*30	75	121	70	57	140	*48
288.00	226	138	89	73	*	*34	96	54	*44	101	*27
288.03	85	46	*39	*	*	*38	*	*	*	*39	*
288.6	28	*	*21	*	*	*	*	*	*	*17	*
288.60	27	*	*21	*	*	*	*	*	*	*17	*
289	54	*30	*24	*	*	*	*	*	*	*	*
290-319	13,326	6,613	6,713	1,132	5,615	4,141	2,437	3,724	3,412	5,089	1,100
290	129	*56	73	-	-	*	125	*	*	*75	*
290.4	81	*	*49	-	-	*	80	*	*	*57	*
291	732	503	229	-	210	435	87	307	175	143	108
291.0	188	97	91	-	*33	119	*	*74	*	*43	*51
291.8	497	369	127	-	174	287	*	205	139	97	56
291.81	471	354	117	-	157	279	*	203	119	93	56
291.89	*26	*	*	-	*18	*	-	*	*20	*	-
292	375	235	140	*	204	126	45	94	106	139	36
292.0	233	149	84	-	136	87	*	71	64	88	*
292.1	*31	*	*	*	*	*	*	*	*	*	*
292.8	102	58	45	*	46	*25	*31	*	*37	*30	*19
292.81	*39	*	*23	-	*	*	*27	*	*	*	*
292.84	55	*38	*	*	40	*	*	*	*	*	*
293	*29	*	*	*	*	*	*	*	*	*	*
294	534	246	288	*	*	*38	475	213	70	189	*62
294.8	511	230	281	*	*	*	467	207	62	182	*60
295	2,822	1,322	1,500	*	1,183	1,168	448	923	662	1,128	109
295.3	1,059	528	531	*	398	426	226	334	264	417	*44
295.30	366	233	133	-	204	137	*	130	81	140	*
295.32	272	142	130	*	105	105	*	*	*70	106	*
295.34	371	147	224	-	*83	160	128	118	*78	163	*
295.6	*96	*86	*	-	*	*	*	*	*	*	-
295.7	1,380	529	851	*	613	605	149	449	324	566	41
295.70	1,063	408	654	*	493	487	*	338	246	443	*35
295.72	*34	*	*	-	*	*	*	*	*	*	*
295.74	275	106	169	-	102	*96	*	*	*	118	*
295.9	200	111	89	*	113	*73	*	*	*40	120	*
295.90	159	91	*68	*	91	*64	*	*	*34	101	*
296	5,792	2,433	3,358	616	2,717	1,617	842	1,012	1,660	2,698	422
296.2	1,014	429	585	138	461	219	196	119	264	548	83

Number of days of care for discharges from short-stay hospitals, by ICD-9-CM code of first-listed diagnosis, sex, age, and geographic region: United States, 2010

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM)*. Totals include data for categories not listed in table.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of days of care in thousands											
296.20	428	212	217	*55	247	94	*33	*44	129	226	*30
296.22	*49	*	*30	*	*	*	*	*	*20	*	*
296.23	242	96	146	*48	125	*51	*	*	69	119	*
296.24	287	100	187	*	*71	*66	136	*	*	182	*
296.3	1,569	596	973	*33	621	572	344	339	511	626	93
296.30	277	130	148	*	127	103	*	*29	143	*75	*29
296.32	160	42	117	*	76	*38	*	*	72	63	*
296.33	669	270	399	*	316	254	88	168	219	239	43
296.34	458	152	305	*	101	174	182	126	75	247	*
296.4	441	170	271	*	186	137	108	107	177	113	*43
296.40	187	*63	124	*	*62	*53	*	*	*68	*51	*
296.44	211	*89	121	*	98	*73	*	*	*79	*59	*
296.5	567	207	360	*	271	209	*76	104	214	220	*29
296.50	273	119	155	*	160	98	*	*	103	124	*
296.53	151	*47	105	*	54	70	*	*45	73	*	*
296.54	121	*	*88	*	*	*	*	*	*	*	*
296.6	521	204	317	*62	288	123	*	*43	103	356	*
296.60	297	127	169	*54	176	*54	*	*	*42	216	*
296.63	*66	*	*41	*	*40	*	-	*	*	*	*
296.64	150	*49	101	*	69	*	*	*	*	95	*
296.7	86	*39	*47	*	59	*	*	*	*	*	*
296.8	938	409	529	146	504	247	*	121	213	503	101
296.80	777	353	424	141	398	210	*	90	169	444	*73
296.89	161	57	104	*	105	*37	*	*	*44	*58	*27
296.9	646	373	272	210	324	85	*	162	158	294	*
296.90	629	365	263	209	319	77	*	161	144	293	*
298	588	329	260	*41	238	150	159	186	178	178	*47
298.9	572	327	244	*41	227	145	159	180	170	177	*44
299	105	103	*	*	*	-	-	*	*	*	*
300	240	96	143	*	111	61	47	63	66	51	60
300.0	120	46	74	*	44	31	30	37	*25	29	29
300.00	85	34	52	*	34	*15	*21	*26	*12	25	*21
300.01	*23	*	*	-	*	*	*	*	*	*	*
300.1	*35	*	*22	*	*	*	*	*	*	*	*
300.11	*28	*	*	*	*	*	*	*	*	*	*
300.4	65	*24	41	*	40	*17	*	*	*22	*	*12
301	*20	*	*	*	*	*	*	*	*	*	*
303	374	313	62	-	213	132	*29	183	84	81	*26
303.0	90	68	22	-	30	40	*	*19	35	28	*
303.00	33	26	*	-	*11	*	*	*	*14	*	*
303.01	55	39	*15	-	19	26	*	*	21	*15	*
303.9	284	245	*39	-	182	92	*	163	49	53	*
303.90	188	164	*24	-	140	43	*	128	*	*33	*
303.91	95	80	*	-	*41	49	*	*35	*34	*20	*
304	231	184	47	-	110	113	*	82	*38	63	*48
304.0	81	59	*22	-	53	*23	*	*23	*	*29	*
304.00	37	*28	*	-	*27	*	-	*17	*	*	*
304.01	*44	*	*	-	*	*	*	*	*	*	*
304.2	67	59	*	-	*	*50	-	*48	*	*	*
304.20	*52	*47	*	-	*	*47	-	*47	*	*	-
304.7	*25	*	*	-	*	*	-	*	*	*	*
304.9	*27	*25	*	-	*	*26	-	*	*	*	*
304.91	*25	*	*	-	*	*	-	*	*	*	*
305	229	138	91	*	112	98	*16	88	35	72	33
305.0	73	50	23	*	28	33	*	*15	*14	26	18
305.00	47	30	*18	*	19	*20	*	*	*10	*22	*
305.01	24	*19	*	-	*	*	*	*	*	*	*
305.1	41	*18	22	-	*19	17	*	*	*13	*16	*
305.5	*30	*	*27	-	*30	*	-	*	*	*	*
305.6	*19	*	*	-	*	*	-	*	*	*	*
305.60	*15	*	*	-	*	*	-	*	*	*	*
305.9	*46	*43	*	-	*	*	-	*	*	*	*
305.90	*43	*43	*	-	*	*	-	*	*	*	*

Number of days of care for discharges from short-stay hospitals, by ICD-9-CM code of first-listed diagnosis, sex, age, and geographic region: United States, 2010

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM)*. Totals include data for categories not listed in table.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of days of care in thousands											
307	67	*31	36	*	*21	*	*29	*30	*	*	*24
307.9	*37	*24	*	-	*	*	*29	*23	*	*	*
309	221	100	121	*41	133	43	*	*49	82	44	47
309.0	31	*14	*17	*	*19	*	*	*	*16	*	*
309.2	46	*17	*30	*	33	*	*	*	*17	*	*
309.28	42	*16	*26	*	*30	*	*	*	*17	*	*
309.4	27	*	*14	*	*16	*	*	*	*16	*	*
309.8	110	54	56	*	61	*	*	*	*30	*	*30
309.81	105	*53	52	*	60	*	*	*	*26	*	*30
310	*35	*	*	*	*	*	*	*	*	*	*
311	408	206	202	*	222	89	62	194	90	101	*23
312	136	109	*27	88	*40	*	*	*47	*	*65	*
312.3	85	*65	*20	*39	*39	*	*	*42	*	*	-
312.30	*39	*	*	*	*	*	*	*	*	*	-
312.34	*46	*42	*	*	*	*	*	*	*	*	-
313	*54	*	*	*	*	-	-	*40	*	*	-
313.8	*54	*	*	*	*	-	-	*	*	*	-
313.81	*39	*	*	*	*	-	-	*	*	*	-
314	123	112	*	108	*	*	-	*62	55	*	*
314.0	123	112	*	108	*	*	-	*62	55	*	*
314.01	119	110	*	108	*	*	-	*	55	*	*
320-389	5,680	2,958	2,722	345	813	2,032	2,490	1,944	944	1,647	1,146
320	*49	*	*	*	*	*	*	*	*	*	*
324	129	*	*	*	*	103	*	*	*	*	*
324.1	*94	*	*	-	*	*	*	*	*	*	*
327	40	*24	*16	*	*	*17	*	*	*	*	*
327.2	39	*24	*16	*	*	*17	*	*	*	*	*
327.23	38	*24	*15	*	*	*17	*	*	*	*	*
331	806	438	368	*30	*	*84	654	208	168	360	70
331.0	497	233	264	-	-	*	462	107	*70	277	*43
331.4	99	87	*	*30	*	*	*28	*	*	*24	*
331.5	70	*44	*27	-	-	*	69	*	*	*21	*
331.8	78	*56	*	-	-	*	74	*	*	*	*
331.82	77	*56	*	-	-	*	74	*	*	*	*
332	184	106	78	-	*	*	162	112	*	*38	*
332.0	175	106	69	-	*	*	155	112	*	*38	*
333	96	*36	60	*	*	*	*49	*	*31	*23	*
333.9	*35	*	*	-	*	*	*	*	*	*	*
337	*16	*	*	*	*	*	*	*	*	*	*
338	490	100	390	*	85	284	119	214	67	91	119
338.1	265	46	218	*	31	160	71	187	28	*17	33
338.11	*15	*	*	-	*	*	*	*	*	*	*
338.18	43	*16	28	*	*13	*19	*	*	*	*	*18
338.19	206	*22	183	-	*	137	*53	178	*	*	*
338.2	50	*	45	-	*13	*24	*13	*	*	*	*19
338.29	48	*	44	-	*12	*23	*13	*	*	*	*19
338.3	150	39	111	*	*	81	*32	*	*	54	*56
338.4	*26	*	*	-	*	*	*	*	*	*	*
340	191	*62	128	*	43	140	*	*81	*31	*36	*
341	*52	*	*	-	*	*	*	*	*	*	*
342	265	151	114	*	*	102	149	222	*	*	*

Number of days of care for discharges from short-stay hospitals, by ICD-9-CM code of first-listed diagnosis, sex, age, and geographic region: United States, 2010

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of days of care in thousands											
342.9	253	139	114	*	*	102	149	222	*	*	*
342.90	250	137	114	*	*	102	147	222	*	*	*
343	50	*36	*	*44	*	*	-	*	*	*	*29
343.2	*35	*	*	*31	-	*	-	-	*	*	*27
344	549	508	*	*	*65	445	*	158	*	*	368
344.1	148	119	*	-	*	103	*	110	*	*	*
344.8	266	*	*	*	*	*	*	*	*	*	*
344.89	266	*	*	*	*	*	*	*	*	*	*
345	763	346	417	71	200	251	240	205	167	276	115
345.1	83	27	55	*	27	*22	*27	*18	33	*26	*
345.10	71	25	46	*	*23	*18	*27	*16	*25	*25	*
345.3	130	66	64	*	*	*	*66	*	*	60	*
345.4	45	*20	*25	*	*21	*	*	*	*19	*	*
345.40	31	*	*21	*	*	*	*	*	*	*	*
345.5	40	*20	*19	*	*	*	*12	*18	*	*	*
345.50	31	*18	*	*	*	*	*11	*16	*	*	*
345.8	*22	*	*	*	*	*	*	*	*	*	-
345.80	*12	*	*	*	*	*	*	*	*	*	-
345.9	428	195	233	26	93	187	122	128	62	155	83
345.90	391	183	208	*19	75	176	122	117	55	145	75
345.91	36	*	*25	*	*18	*	-	*	*	*	*
346	177	28	150	*	97	66	*	39	51	78	*10
346.0	*13	*	*12	-	*	*	-	*	*	*	-
346.00	*13	*	*	-	*	*	-	*	*	*	-
346.8	22	*	*18	*	*13	*	*	*	*	*	*
346.80	*19	*	*15	*	*12	*	*	*	*	*	*
346.9	122	19	103	*	73	42	*	*25	38	50	*9
346.90	78	*15	63	*	49	*24	*	*18	*24	32	*
346.91	*18	*	*17	-	*	*	*	*	*	*	*
346.92	*17	*	*	-	*	*	*	*	*	*	*
348	494	240	253	*23	85	131	255	86	132	185	91
348.0	*22	*	*10	*	*	*	*	*	*	*	*
348.2	*16	-	*16	-	*	*	-	*	*	*	*
348.3	337	163	173	*	*	99	218	65	100	112	*60
348.30	130	59	71	*	*	*	114	*	*48	53	*
348.31	137	*81	*56	-	*	*69	*57	*	*	*34	*
348.39	70	*24	*47	*	*	*	*47	*	*	*24	*
348.4	*30	*	*19	*	*26	*	*	*	*	*	-
348.5	*21	*	*	-	*	*	*	*	*	*	*
348.8	*30	*18	*	*	*	*	*	*	*	*	*
348.89	*30	*18	*	*	*	*	*	*	*	*	*
349	144	*34	111	*	*	*	108	*	*43	75	*
349.8	111	*	82	-	*	*	93	*	*	*54	*
349.82	108	*	*79	-	*	*	93	*	*	*53	*
350	*15	*	*	-	*	*	*	*	*	*	*
350.1	*15	*	*	-	*	*	*	*	*	*	*
351	*16	*	*	-	*	*	*	*	*	*	*
351.0	*16	*	*	-	*	*	*	*	*	*	*
355	*34	*	*	-	*	*	*	*	*	*	*
356	*34	*27	*	*	*	*	*	*	*	*	*
356.9	*32	*27	*	-	*	*	*	*	*	*	*
357	339	303	*36	*	*	*73	244	287	*	*	*
357.0	295	278	*	*	*	*	*	265	*	*	*
357.8	*40	*	*	*	*	*	*	*	*	*	*
357.81	*38	*	*	*	*	*	*	*	*	*	*
358	*36	*	*	*	*	*	*	*	*	*	*
358.0	*34	*	*	-	*	*	*	*	*	*	*

Number of days of care for discharges from short-stay hospitals, by ICD-9-CM code of first-listed diagnosis, sex, age, and geographic region: United States, 2010

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of days of care in thousands											
359	172	*91	81	*42	*	*	111	*	*	*73	*24
359.8	*97	*	*	-	*	*	*	*	-	*	-
362	*18	*	*	*	*	*	*	*	*	*	*
368	50	46	*	*	*	*	*40	*	*	*	*
376	*29	*17	*	*	*	*	*	*	*	*	*
376.0	*27	*	*	*	*	*	*	*	*	*	*
376.01	*26	*	*	*	*	*	*	*	*	*	*
377	*12	*	*	*	*	*	*	*	*	*	*
380	36	*10	*27	*	*	*19	*	*	*	*	*
380.1	28	*	*20	*	*	*	*	*	*	*	*
380.10	*24	*	*19	*	*	*	*	*	*	*	*
382	29	*	*13	*21	*	*	*	*	*	*13	*
382.9	*27	*	*12	*21	*	*	*	*	*	*	*
383	*21	*	*	*	*	*	*	*	*	*	-
386	94	29	64	-	*	31	61	*22	26	35	*10
386.1	69	22	47	-	*	*22	45	*	*14	*29	*
386.11	42	*14	27	-	*	*	36	*	*	*18	*
386.12	*20	*	*	-	*	*	*	*	*	*	-
386.3	*15	*	*	-	*	*	*	*	*	*	*
386.30	*13	*	*	-	*	*	*	*	*	*	-
390-459	27,566	13,859	13,708	112	1,797	8,012	17,646	7,342	5,682	10,431	4,111
396	149	*	123	-	*	*	*68	*	*	*	*
396.2	*52	*	*	-	-	*	*51	*	*	*	*
401	630	270	360	*	111	296	222	212	103	250	64
401.0	99	36	63	-	*21	43	35	*23	*	49	*
401.1	*25	*	*24	-	*	*	*	*25	*	-	-
401.9	506	233	274	*	88	232	185	165	86	201	54
402	194	75	119	-	*28	55	111	54	*36	90	*13
402.0	*25	*	*	-	*	*	*	*	*	*	-
402.9	168	71	98	-	*	49	102	50	*23	82	*13
402.90	33	*	*23	-	*	*	*21	*	*	*	*
402.91	136	61	75	-	*	40	81	*40	*21	69	*
403	452	241	211	*	93	174	184	92	97	173	90
403.0	83	46	*37	-	*	*42	*22	*	*	*47	*
403.00	44	*26	*	-	*	*	*17	*	*	*	*
403.01	*39	*20	*	-	*	*	*	*	*	*	*
403.9	364	192	172	*	73	128	160	73	86	126	80
403.90	110	71	39	-	*	*21	65	*20	*31	*32	*26
403.91	254	121	132	*	49	107	95	53	54	93	53
404	374	207	167	-	*19	69	286	78	62	212	*
404.0	60	*19	*41	-	*	*	*30	*	*	49	*
404.01	*39	*	*26	-	*	*	*	*	*	*32	*
404.9	311	187	124	-	*	*46	253	76	*53	163	*
404.91	230	127	103	-	*	*33	192	*42	*38	139	*
404.93	*59	*43	*	-	*	*	*	*	*	*	*
410	3,224	1,752	1,472	*	111	1,074	2,038	886	654	1,269	416
410.0	72	*57	*	-	*	*49	*	*	*	*	*
410.01	72	*57	*	-	*	*49	*	*	*	*	*
410.1	257	126	131	-	*	128	117	40	73	63	83
410.11	239	114	125	-	*	128	99	40	55	62	82
410.2	42	*25	*	-	*	*22	*20	*	*	*22	*
410.21	38	*24	*	-	*	*21	*16	*	*	*19	*
410.3	40	*29	*	-	*	*16	*19	*	*13	*	*
410.31	40	*29	*	-	*	*16	*19	*	*13	*	*
410.4	214	147	66	-	*	101	89	82	38	81	*

Number of days of care for discharges from short-stay hospitals, by ICD-9-CM code of first-listed diagnosis, sex, age, and geographic region: United States, 2010

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM)*. Totals include data for categories not listed in table.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of days of care in thousands											
410.41	207	141	66	-	*	96	88	81	*38	77	*
410.5	*24	*20	*	-	-	*	*	*	*	*	*
410.51	*24	*20	*	-	-	*	*	*	*	*	*
410.7	2,327	1,266	1,061	*	58	695	1,574	609	443	1,006	269
410.71	2,316	1,261	1,055	*	58	692	1,566	603	441	1,004	269
410.8	*26	*	*	-	*	*	*	*	*	*	*
410.81	*26	*	*	-	*	*	*	*	*	*	*
410.9	217	59	158	-	*	36	177	90	57	47	*
410.91	130	46	85	-	*	*24	102	*	56	42	*
410.92	*74	*	*73	-	-	-	*74	*	-	*	-
411	58	29	29	-	*	30	22	*18	*	*16	*16
411.1	50	23	27	-	*	25	20	*18	*	*13	*12
412	83	40	44	-	*	38	39	*	*7	50	*
413	56	41	15	-	*	37	17	*28	*	*9	*12
413.9	50	36	15	-	*	*32	16	*	*	*	*9
414	2,485	1,668	817	-	65	950	1,470	544	655	1,053	233
414.0	2,366	1,559	807	-	61	863	1,441	540	639	981	207
414.00	182	121	61	-	*	57	117	53	48	66	*14
414.01	2,101	1,383	719	-	51	783	1,267	474	560	885	182
414.02	65	43	*22	-	*	*	48	*	*27	*25	*
414.8	109	101	*	-	*	*82	27	*	*16	*69	*
415	1,013	458	556	-	131	260	621	181	184	407	241
415.1	984	441	543	-	131	259	594	181	179	384	240
415.11	*66	*	*	-	*	*	*	*	*	*	*
415.19	914	400	514	-	124	248	543	151	174	374	215
416	147	34	113	*	*16	*30	98	61	*23	40	*23
416.8	112	*21	91	*	*	*22	82	51	*	*28	*17
420	59	*14	*45	*	*	*	*42	*31	*	*	*
420.9	59	*14	*45	*	*	*	*42	*31	*	*	*
420.90	*36	*	*	*	*	*	*	*	*	*	*
421	162	*76	*	-	*	*62	*	*	*	*	*
421.0	162	*76	*	-	*	*62	*	*	*	*	*
423	104	*55	49	*	*	*25	*60	*	*	*23	*
423.9	47	*18	*29	*	*	*18	*22	*	*	*18	*
424	599	351	248	*	*	131	456	139	166	221	73
424.0	146	87	*58	*	*	73	*67	*	*37	75	*
424.1	399	254	145	-	*	51	347	100	92	145	62
425	102	57	45	-	*	57	37	*	26	39	*25
425.4	92	52	40	-	*	54	35	*	25	35	*22
426	226	136	90	*	*	*29	187	70	52	61	44
426.0	125	67	58	*	*	*	113	*25	*29	43	*28
426.1	56	36	*19	*	*	*	48	*	*19	*	*
426.13	*31	*19	*	*	*	*	*26	*	*	*	*
427	2,895	1,369	1,525	*33	114	740	2,007	778	601	1,093	424
427.0	63	*18	45	*	*	*12	32	*	*15	*19	*20
427.1	247	198	49	*	*	63	173	64	*67	79	*38
427.3	1,789	820	969	*	56	519	1,211	491	390	705	203
427.31	1,569	693	876	*	49	450	1,067	436	341	624	168
427.32	220	127	93	*	*	69	144	54	49	81	36
427.4	164	*66	*	*	*	*	103	*	*	*	*81
427.41	164	*66	*	*	*	*	103	*	*	*	*81
427.5	*45	*	*32	*	*	*	*14	*	*	*	*
427.6	*10	*	*	-	*	*	*	*	*	*	*
427.69	*9	*	*	-	*	*	*	*	*	*	*
427.8	567	243	324	*	24	76	463	195	94	202	76
427.81	245	99	146	-	*	*	222	106	*31	83	25
427.89	322	144	178	*	22	54	241	89	63	120	51

Number of days of care for discharges from short-stay hospitals, by ICD-9-CM code of first-listed diagnosis, sex, age, and geographic region: United States, 2010

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of days of care in thousands											
428	5,088	2,551	2,537	*	207	1,204	3,652	1,318	1,065	2,027	679
428.0	1,855	821	1,034	*	83	473	1,274	465	384	729	277
428.1	39	*18	*21	-	*	*	*31	-	-	38	*
428.2	1,549	1,003	545	-	91	411	1,047	375	335	619	220
428.20	91	51	*40	-	*	*22	62	*	*28	*34	*
428.21	296	210	86	-	*39	91	166	71	54	138	*33
428.22	99	71	28	-	*	*16	79	*30	*15	*29	*
428.23	1,063	671	392	-	*40	282	740	267	239	418	139
428.3	1,253	481	772	-	*	237	1,004	391	249	467	146
428.30	151	85	67	-	*	*	128	*67	*22	51	*
428.31	251	62	189	-	*	60	187	70	42	125	*
428.32	56	*25	*31	-	-	*	37	*	*	*	*
428.33	795	309	486	-	*	140	651	241	167	280	107
428.4	384	224	160	-	*	74	291	85	96	171	*32
428.41	89	53	*37	-	*	*	73	*	*	62	*
428.43	266	147	119	-	*	*59	194	73	75	89	*29
429	45	*	*37	-	*	*	*32	*	*	*	*
429.8	*24	*	*21	-	-	*	*19	*	*	*	*
429.83	*20	*	*20	-	-	*	*19	*	*	*	*
430	424	165	259	*	*	250	127	123	105	154	*
431	633	373	259	*	*45	350	234	190	125	202	115
432	221	121	101	*	*	*37	157	*82	*46	76	*
432.1	135	59	*76	*	*	*	90	*	*	*54	*
432.9	*44	*	*	-	*	*	*	*	*	*	*
433	656	206	451	*	*	129	518	297	126	180	54
433.1	614	181	433	*	*	111	496	290	116	157	51
433.10	246	107	139	*	*	68	178	42	69	105	31
433.11	368	73	294	-	*	*44	319	248	*48	52	*
434	3,039	1,397	1,642	*	113	677	2,248	952	476	1,064	547
434.0	*40	*	*	-	*	*	*22	*	*	*26	*
434.01	*33	*	*	-	*	*	*22	*	*	*	*
434.1	423	181	241	-	*	77	323	79	71	147	126
434.11	414	174	240	-	*	77	316	79	69	139	126
434.9	2,576	1,196	1,381	*	89	584	1,903	870	398	890	419
434.91	2,565	1,189	1,376	*	89	582	1,893	869	398	879	419
435	439	177	261	*	*13	119	304	138	90	148	63
435.8	*17	*	*	-	*	*	*	*	*	*	-
435.9	399	165	234	-	*12	114	273	129	79	137	54
437	259	46	213	-	165	40	54	*24	36	48	151
437.2	173	*	154	-	*	*	*	*	*	*	*
437.3	47	*16	*31	-	*	*26	*11	*	*	*	*
437.7	*16	*	*	-	-	*	*11	*	*	*	*
438	477	198	278	-	*	118	353	122	*	113	224
438.2	331	109	222	-	*	99	232	106	*	*70	151
438.20	328	106	222	-	*	99	229	106	*	*68	151
438.8	70	*	*51	-	*	*	*52	*	*	*37	*
438.89	61	*	*43	-	*	*	*44	*	*	*30	*
440	666	356	310	-	*	210	446	131	149	350	37
440.1	*13	*	*	-	-	*	*	*	*	*	-
440.2	606	328	278	-	*	183	413	122	141	316	*27
440.20	*33	*15	*	-	*	*	*25	*	*	*	*
440.21	99	73	26	-	*	37	59	*15	30	46	*
440.22	80	38	42	-	-	*23	57	*	*	49	*
440.23	104	63	*41	-	*	*	84	*	*22	*57	*
440.24	279	134	145	-	*	94	182	*65	*58	142	*
440.3	*31	*	*	-	*	*	*	*	*	*	*
441	345	242	103	-	*	52	279	*62	102	133	48
441.0	82	*62	*	-	*	*	*66	*	*	*	*



Number of days of care for discharges from short-stay hospitals, by ICD-9-CM code of first-listed diagnosis, sex, age, and geographic region: United States, 2010

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of days of care in thousands											
474	16	*6	*10	14	*	-	-	*	*	*	*
474.1	*11	*	*	*11	-	-	-	*	*	*	*
474.10	*10	*	*	*10	-	-	-	*	*	*	*
475	*17	*	*	*	*10	*	*	*	*	*	*
478	71	49	22	35	*13	*14	*	*9	*18	28	*16
478.1	23	*13	*	*	*	*	*	*	*	*	*
478.19	23	*13	*	*	*	*	*	*	*	*	*
478.2	36	*29	*	*22	*	*	*	*	*	*	*
480	104	46	58	72	*	*	*	*28	*17	*	39
480.1	*29	*	*	*27	-	*	*	*	*	*	*
480.9	49	*19	*31	27	*	*	*	*	*	*	*24
481	121	67	53	*	*	*40	*56	*27	*	*	*46
482	788	412	376	*74	*56	192	467	98	164	455	71
482.0	*57	*	*	-	-	*	*	*	*	*	*
482.1	99	*63	*	*	*	*	*53	*	*	*52	*
482.3	*48	*	*	*	*	*	*	*	*	*	*
482.4	305	140	165	*	*	*	196	*	*75	176	*
482.42	255	121	133	*	*	*	170	*	*	157	*
482.8	121	*	80	*	*	*	81	*	*	*69	*
482.83	59	*	*46	*	*	*	*56	*	*	*	*
482.9	125	85	*40	*	*	*	84	*	*	90	*
483	*27	*	*	*	*	*	*	*	*	*	*
485	32	*	*26	*	*	*	*	*	*	*	*
486	4,776	2,172	2,603	380	337	1,167	2,892	1,010	998	1,955	812
487	*27	*	*18	*	*	*	*	*	*	*	*
490	59	*29	31	*	*	*	39	*	*	*30	*
491	2,760	1,165	1,595	-	48	796	1,915	570	589	1,258	343
491.2	2,752	1,164	1,589	-	48	795	1,909	570	587	1,255	341
491.20	72	*	*50	-	*	*	*66	*	*	*36	-
491.21	2,178	945	1,233	-	*29	623	1,527	423	507	957	291
491.22	503	197	305	-	*	168	317	113	78	262	*50
492	132	*38	*93	-	*	*86	*34	*	*	*22	*
492.0	*32	*	*	-	*	*	*	*	*	*	*
492.8	100	*	*87	-	*	*	*22	*	*	*	*
493	1,576	448	1,128	322	256	482	517	453	263	591	269
493.0	102	49	53	73	*	*	*	*	*	*25	66
493.00	*8	*	*	*8	*	*	*	*	-	*	*
493.01	33	*16	*16	30	*	*	*	*	*	*	*14
493.02	61	30	*31	36	*	*	*	*	*	*	46
493.1	*11	*	*	*5	*	*	*	*	*	*	*5
493.12	*6	*	*	*5	*	*	*	*	*	*	*5
493.2	747	189	558	*	49	321	378	232	154	235	127
493.20	50	*29	*21	-	*	*10	*38	*	*	*22	*
493.22	676	159	517	*	42	305	328	208	141	203	124
493.9	715	205	510	243	190	152	130	213	104	327	72
493.90	149	31	118	17	57	20	*55	61	*11	65	*13
493.91	177	74	103	117	37	*23	*	39	*20	99	*19
493.92	390	100	290	109	97	108	75	113	73	164	40
494	54	*	*45	*	*	*	*43	*	*	*	*
494.1	*43	*	*39	*	*	*	*37	*	*	*	*
496	189	84	106	*	*	41	143	69	42	46	33
507	1,465	884	581	*	76	215	1,152	417	301	495	253
507.0	1,464	883	581	*	75	215	1,152	417	301	495	253

Number of days of care for discharges from short-stay hospitals, by ICD-9-CM code of first-listed diagnosis, sex, age, and geographic region: United States, 2010

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM)*. Totals include data for categories not listed in table.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of days of care in thousands											
508	*36	*	*	-	-	*	*	*	*	*	*
508.0	*36	*	*	-	-	*	*	*	*	*	*
510	162	*95	*67	*	*	*80	*44	*	*	*	*90
510.9	143	*85	*58	*	*	*	*43	*	*	*	*86
511	520	235	285	*	*39	140	328	153	103	201	63
511.8	239	79	160	*	*	68	144	*53	*46	107	*
511.81	141	*29	112	-	*	*42	76	*29	*43	*38	*
511.89	*98	*	*	*	*	*	*68	*	*	*	*
511.9	270	150	120	*	*14	67	179	94	55	92	*29
512	157	105	53	*	33	55	55	*29	35	51	*42
512.1	34	*	*13	-	*	*	*20	*	*	*22	*
512.8	107	69	*39	*	*31	*28	*36	*27	*23	*	*
514	*23	*	*	*	*	*	*	*	*	*	*
515	107	35	72	*	*	*28	76	*	*28	*43	*
518	3,023	1,533	1,490	233	178	878	1,734	744	543	1,223	513
518.0	91	53	*38	*33	*	*18	*26	*	*	*	64
518.3	*33	*24	*	-	*	*	*	*	*	*	*
518.5	69	*36	*33	*	*	*	*42	*	*	*	*29
518.8	2,804	1,406	1,398	185	141	829	1,649	711	522	1,170	401
518.81	1,818	933	885	142	122	544	1,010	484	320	722	292
518.82	*20	*	*	*	*	*	*	*	*	*	*
518.83	*33	*	*24	*	*	*	*	*	*	*	*
518.84	878	433	445	*	*	248	601	214	189	397	78
518.89	56	*	*34	*	*	*21	*	*	*	*31	*
519	100	*27	72	*8	*	*46	*42	*	*21	53	*
519.0	*71	*	*57	*	*	*	*	*	*	*39	*
519.09	*38	*	*	*	-	*	*	*	*	*	*
519.1	*16	*	*	*	*	*	*	*	*	*	*
520-579	16,128	7,070	9,057	661	2,954	5,481	7,032	3,455	3,289	6,729	2,654
522	32	*	*24	*	*15	*	*	*	*	*18	*
522.5	31	*	*23	*	*15	*	*	*	*	*18	*
524	*29	*	*	*	*	*	*	*	*	*	*
527	50	*28	*22	*	*	*	*27	*	*	*18	*
527.2	*36	*20	*	*	*	*	*26	*	*	*	*
528	*46	*	*	*	*	*	*	*	*	*	*
530	697	280	417	172	99	190	237	140	110	308	140
530.1	137	62	75	*	*21	57	50	*25	34	52	*26
530.10	48	*24	*24	*	*	*	*	*	*	*	*
530.11	32	*	*26	*	*	*	*	*	*	*16	*
530.19	53	*30	*23	*	*	*30	*	*	*21	*	*
530.2	70	*36	*34	-	*	*29	*35	*	*	*	*18
530.20	*28	*	*	-	*	*	*	*	*	*	*
530.21	*43	*	*	-	*	*	*	*	*	*	*
530.3	*38	*	*26	*	*	*	*	*	*	*25	*
530.5	*18	*	*	-	*	*	*	*	*	*	*
530.7	46	38	*	-	*	*	*21	*	*	*	*
530.8	330	96	234	162	34	74	60	45	40	178	67
530.81	304	86	217	160	32	63	48	43	26	170	65
531	277	127	150	-	*23	96	158	*36	67	120	54
531.4	153	70	83	-	*	46	94	*	*28	72	30
531.40	152	69	83	-	*	45	94	*	*28	71	29
531.9	36	*	*25	-	*	*18	*	*	*	*	*
531.90	36	*	*25	-	*	*18	*	*	*	*	*
532	262	180	82	*	*30	70	162	52	62	109	*39

Number of days of care for discharges from short-stay hospitals, by ICD-9-CM code of first-listed diagnosis, sex, age, and geographic region: United States, 2010

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM)*. Totals include data for categories not listed in table.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of days of care in thousands											
532.4	143	93	50	*	*	*35	100	*24	*23	65	*30
532.40	136	86	50	*	*	*35	93	*24	*23	65	*24
532.5	*48	*	*	-	*	*	*	*	*	*	*
532.9	*25	*	*	-	*	*	*	*	*	*	*
532.90	*21	*	*	-	*	*	*	*	*	*	*
533	42	*	*34	-	*	*	*35	*	*	*	*
533.4	*20	*	*	-	*	*	*	*	*	*	*
533.40	*20	*	*	-	*	*	*	*	*	*	*
534	*30	*	*26	-	*	*	*	*	*	*	*
535	414	140	273	*	87	155	165	100	78	179	56
535.0	64	*	49	*	*	*28	*	*	*	*29	*
535.00	57	*	47	*	*	*27	*	*	*	*27	*
535.1	40	*	*33	-	*	*21	*	*	*	*	*
535.10	*24	*	*20	-	*	*	*	*	*	*	*
535.3	*15	*	*	-	*	*	*	*	*	*	*
535.4	137	55	82	*	33	45	58	*28	*22	55	*32
535.40	87	*30	57	*	32	*35	*19	*	*	37	*
535.41	50	*25	*25	*	*	*	39	*	*	*18	*
535.5	131	43	89	*	27	47	57	29	*20	69	*13
535.50	96	26	70	*	26	40	*29	*17	*13	53	*13
535.51	*35	*	*	-	*	*	*28	*	*	*	*
535.6	*26	*	*	*	*	*	*	*	*	*	*
535.61	*18	*	*	-	*	*	*	*	*	*	*
536	302	80	222	*	77	64	153	65	44	121	73
536.2	45	*19	*26	*	*18	*10	*	*	*	*18	*
536.3	88	*	74	*	*36	*25	*	*	*	*39	*
536.4	134	*43	91	*	*	*	83	*	*	*36	*37
536.41	79	*	*56	*	*	*	*49	*	*	*	*
536.42	*41	*	*24	*	*	*	*29	*	*	*	*
537	168	103	65	*	*	*35	116	*33	*34	72	*29
537.0	*43	*	*	*	*	*	*	*	*	*	*
537.8	91	57	*34	*	*	*	77	*26	*	*32	*
537.83	66	*45	*21	-	-	*	61	*	*	*	*
540	766	451	315	184	274	205	103	131	148	281	207
540.0	262	162	100	64	67	79	53	41	53	99	69
540.1	206	136	70	*62	55	62	*	*28	*52	71	*55
540.9	299	153	146	58	152	65	23	62	43	111	83
541	*12	*	*	*	*	*	*	*	*	*	*
550	130	117	*	*	*	31	70	*23	*	53	21
550.1	93	81	*	*	*	*18	53	*20	*	*40	*
550.10	61	51	*	*	*	*13	*47	*	*	*35	*
550.9	36	36	*	*	*	*13	*16	*	*	*13	*11
550.90	27	27	-	*	*	*	*	*	*	*	*9
552	590	225	365	*	37	330	216	139	91	288	73
552.1	*42	*31	*	*	*	*	*	*13	*	*	*
552.2	278	106	172	*	*27	120	131	45	70	121	*41
552.20	50	*	33	-	*	*24	*	*	*	*20	*
552.21	168	56	112	*	*	84	66	*36	*26	73	*33
552.29	*59	*	*	-	*	*	*	*	*	*	*
552.3	*35	*	*	-	*	*	*	*	*	*	*
553	264	92	172	*	*29	158	75	46	84	102	32
553.1	*18	*	*	*	*	*	*	*	*	*	*
553.2	160	68	91	*	*20	92	47	*16	53	75	*15
553.20	*16	*	*	-	*	*	*	*	*	*	*
553.21	140	61	79	*	*17	83	39	*15	48	64	*14
553.3	65	*	53	-	*	*41	*23	*	*	*19	*
555	354	136	217	*	181	114	52	49	67	181	56
555.0	76	*	50	*	*31	*27	*	*	*	*39	*
555.1	83	*28	*56	-	*36	*36	*	*	*	*28	*

Number of days of care for discharges from short-stay hospitals, by ICD-9-CM code of first-listed diagnosis, sex, age, and geographic region: United States, 2010

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of days of care in thousands											
555.2	*46	*	*38	*	*33	*	*	*	*	*	*
555.9	149	75	73	*	82	48	*	*25	*23	95	*
556	198	126	72	*	74	*74	*	65	*39	*70	*24
556.6	*25	*	*	-	*	*	*	*	*	*	*
556.8	*29	*	*	*	*	*	*	*	*	*	*
556.9	84	*41	*43	*	*32	*	*	*	*	*	*
557	402	120	283	*	*38	128	235	104	74	141	83
557.0	155	*71	84	-	*	*	112	*63	*	*36	*
557.1	56	*	*45	*	*	*	*37	*	*	*	*38
557.9	191	*38	154	-	*	96	86	*36	*39	98	*19
558	455	144	310	43	107	103	202	106	72	227	51
558.9	428	141	287	36	106	101	185	94	70	213	51
560	2,285	935	1,350	*37	263	610	1,374	551	513	867	355
560.0	*32	*	*	*	*	*	*	*	*	*	*
560.1	289	125	164	*	*22	102	163	51	49	136	53
560.2	74	*	*38	*	*	*	*43	*	*	*	*
560.3	129	58	71	*	*	*24	101	60	*	41	*
560.39	118	50	68	*	*	*	98	58	*	41	*
560.8	1,013	358	655	*	119	248	638	202	217	432	163
560.81	827	276	551	*	105	204	513	165	154	377	132
560.89	186	82	104	*	*	*44	126	*38	63	*55	*
560.9	746	340	406	*	98	210	426	211	200	219	116
562	1,472	587	885	-	147	523	802	361	298	595	219
562.1	1,459	582	877	-	147	517	796	358	297	590	215
562.10	98	47	51	-	*28	*34	*36	*	*	*48	*
562.11	1,035	387	647	-	114	436	485	245	202	434	154
562.12	254	122	131	-	-	*23	230	74	56	85	38
562.13	73	*	48	-	*	*	*44	*	*	*	*
564	346	103	243	*18	70	126	132	122	57	107	60
564.0	186	48	138	*16	*23	61	87	78	33	53	22
564.00	167	41	126	*14	*18	54	81	*68	29	49	22
564.09	*19	*	*	*	*	*	*	*	*	*	*
564.1	83	*	68	*	*41	*26	*	*	*	*29	*
564.8	*38	*	*	-	*	*	*26	*	*	*	*
564.89	*38	*	*	-	*	*	*26	*	*	*	*
566	99	57	42	*	46	33	*	*20	*17	38	*23
567	145	63	82	*	*	64	*48	*	*	*44	*22
567.2	102	*42	*60	-	*	*40	*	*	*	*	*
567.22	*42	*	*	-	*	*	*	*	*	*	*
567.23	*35	*	*	-	*	*	*	*	*	*	*
568	166	*30	136	*	*59	*54	*52	*58	*48	*42	*
568.0	*38	*	*35	-	*	*	*	*	*	*	*
568.8	128	*28	101	*	*	*51	*46	*	*	*34	*
568.81	*79	*	*70	-	*	*	*	*	*	*	*
568.89	*47	*	*31	*	*	*	*27	-	*	*23	*
569	810	421	389	*	94	341	370	151	169	355	136
569.1	*39	*	*38	-	*	*	*	*	*	*	*
569.3	106	48	58	*	*	*22	61	*35	*	52	*
569.4	*51	*	*	-	*	*	*44	*	*	*	*
569.6	272	204	*68	*	*	137	96	*29	*76	142	*
569.62	108	*95	*	-	*	*	*	*	*	*	-
569.69	162	108	*54	*	*	*71	*76	*	*	*64	*
569.8	320	141	179	*	*	153	141	*66	60	129	65
569.81	117	*	*70	-	*	*	*50	*	*	*	*21
569.83	104	*47	*57	*	*	*61	*	*	*	*	*
569.85	64	*31	*33	-	*	*	51	*	*	*25	*
571	516	293	222	*	77	330	108	87	159	167	103
571.1	106	*47	*60	-	*23	*56	*	*	*	*	*
571.2	268	185	83	-	*42	202	*25	*49	76	85	57

Number of days of care for discharges from short-stay hospitals, by ICD-9-CM code of first-listed diagnosis, sex, age, and geographic region: United States, 2010

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM)*. Totals include data for categories not listed in table.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of days of care in thousands											
571.5	88	50	*38	-	*	43	*39	*17	*	*34	*
571.8	*29	*	*	*	*	*	*	*	*	*	*
572	303	204	99	*	*	137	148	68	53	107	75
572.0	*38	*	*	*	*	*	*	*	*	*	*
572.2	232	147	85	-	*	105	115	47	*36	84	65
573	79	*21	58	*	*12	*	*51	*	*35	*	*
573.3	*44	*	*37	*	*	*	*	*	*	*	*
573.8	*31	*	*	*	*	*	*	*	*	*	*
574	1,336	508	828	*	331	358	643	258	241	582	256
574.0	577	245	333	*	126	153	297	125	112	218	123
574.00	554	229	324	*	122	143	288	121	107	208	118
574.01	*24	*	*	-	*	*	*	*	*	*	*
574.1	279	108	171	-	71	90	118	42	40	148	48
574.10	269	108	162	-	65	89	116	38	38	146	47
574.2	113	36	77	*	49	35	*27	*14	*22	55	*21
574.20	101	36	65	*	40	35	*25	*14	*22	43	*21
574.3	*43	*	*24	-	*	*	*	*	*	*	*
574.4	*29	*	*27	-	*	*	*	*	*	*	*
574.5	91	*33	58	*	*13	*20	57	*31	*24	*21	*
574.50	50	*	38	*	*	*	*29	*	*	*	*
574.51	41	*	*20	-	*	*	*29	*21	*	*	*
574.6	61	*	*43	-	*	*	*29	*	*	*39	*
574.60	*43	*	*31	-	*	*	*	*	*	*	*
574.7	68	*	52	-	*19	*21	*27	*	*	*33	*15
574.70	34	*	*26	-	*	*	*	*	*	*22	*
574.71	*34	*	*26	-	*	*	*	*	*	*	*
574.8	*33	*	*29	-	*	*	*	*	*	*	*
574.9	*43	*	*	-	*	*	*	*	*	*36	*
574.90	*34	*	*	-	*	*	*	*	*	*	*
575	330	136	194	*	97	119	111	39	75	179	37
575.0	174	90	83	-	33	66	74	*23	*34	87	*30
575.1	115	36	79	-	51	35	*29	*	*31	65	*
575.10	*10	*	*	-	*	*	*	*	*	*	*
575.11	74	*18	56	-	*42	*	*	*	*21	*39	*
575.12	*32	*	*	-	*	*	*	*	*	*21	*
575.8	36	*	*29	*	*	*	*	*	*	*25	*
576	155	87	68	-	*	81	68	*	*	98	*
576.1	*34	*	*	-	*	*	*	*	*	*	*
576.2	51	*31	*	-	*	*	*	*	*	*	*
576.8	*69	*	*28	-	*	*	*	*	*	*64	*
577	1,455	657	798	*	479	565	383	292	315	626	223
577.0	1,262	576	686	*	423	487	333	251	277	555	179
577.1	105	*34	71	*	*32	51	*	*	*26	*47	*
577.2	*74	*	*	-	*	*	*	*	*	*	*
578	995	495	501	*	77	282	630	219	196	499	82
578.0	128	57	71	*	*21	41	66	46	*35	35	*11
578.1	178	96	82	*	*	60	107	57	*31	69	*21
578.9	689	341	348	*	48	181	458	116	130	395	49
580-629	8,323	3,257	5,066	195	1,251	2,096	4,781	1,747	1,614	3,655	1,308
584	2,953	1,402	1,551	*	175	797	1,968	575	541	1,425	413
584.5	279	107	173	*	*	*86	168	*	*52	159	*
584.9	2,669	1,293	1,376	*	150	708	1,800	531	486	1,264	388
585	326	192	134	*	*16	169	140	61	55	150	60
585.4	*16	*	*	-	*	*	*	*	*	*	*
585.6	282	167	115	*	*	154	116	49	46	128	60
585.9	*15	*	*	-	*	*	*	*	*	*	-
590	463	109	354	47	187	90	139	83	95	193	91
590.1	213	21	191	*	92	49	58	43	41	75	54
590.10	213	21	191	*	92	49	58	43	41	75	54

Number of days of care for discharges from short-stay hospitals, by ICD-9-CM code of first-listed diagnosis, sex, age, and geographic region: United States, 2010

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of days of care in thousands											
590.8	243	87	156	33	94	39	78	38	53	116	37
590.80	243	87	156	33	94	39	78	38	53	116	37
591	44	*	29	*	*	*18	*17	*	*	*	*12
592	418	226	192	*	144	162	106	71	73	213	61
592.0	128	53	75	*	28	69	31	*21	28	67	*12
592.1	286	170	116	*	116	94	75	50	45	146	45
593	121	59	61	*20	*27	43	*30	*16	29	44	31
593.4	32	*	*15	*	*	*	*	*	*	*	*
593.7	*15	*	*	*15	*	-	-	*	*	*	*
593.70	*14	*	*	*14	*	-	-	*	*	*	*
593.8	*20	*	*	-	*	*	*	*	*	*	*
593.9	39	*21	*18	-	*	*22	*13	*	*	*	*
594	*26	*	*	-	*	*	*	*	*	*	*
595	104	*44	61	-	*	*	88	*	*	*34	*
595.0	*35	*	*	-	*	*	*26	*	*	*	*
595.9	*54	*	*	-	*	*	*50	*	*	*	*
596	77	*55	*	*	*	*	*44	*	*	*51	*
599	2,368	714	1,655	65	138	321	1,846	581	476	978	334
599.0	2,254	628	1,626	63	134	300	1,757	550	454	928	322
599.7	91	70	*	*	*	*13	76	*	*16	40	*
599.70	*21	*15	*	-	*	*	*	*	*	*	*
599.71	70	54	*	*	*	*	61	*	*	*32	*
600	178	178	-	-	-	37	141	85	28	43	22
600.0	168	168	-	-	-	36	133	84	27	38	19
600.00	58	58	-	-	-	*	*55	*	*	*	*
600.01	110	110	-	-	-	33	77	35	25	34	*17
601	*26	*26	-	-	*	*	*	*	*	*	*
604	59	59	-	*	*	*22	*33	*	*	41	*
604.9	48	48	-	*	*	*20	*	*	*	*38	*
604.90	*35	*35	-	*	*	*	*	*	*	*	*
608	83	83	-	*	*23	*40	*	*	*	*43	*
608.4	51	51	-	-	*20	*17	*	*	*	*	*
611	65	*	64	*	25	*35	*	*14	*	*18	*22
611.0	50	*	50	*	17	*33	*	*	*	*16	*22
614	134	-	134	*	91	*41	*	*30	*16	50	*37
614.2	57	-	57	-	*42	*	*	*	*	*29	*
614.9	30	-	30	*	*24	*	-	*	*	*	*
616	32	-	32	*	*	*	*	*	*	*16	-
616.4	*27	-	*27	*	*	*	*	*	*	*	-
617	107	-	107	-	93	*13	*	*16	*26	22	43
617.0	46	-	46	-	40	*	*	*	*	*	27
617.1	*25	-	*25	-	*21	*	-	*	*	*	*
617.3	*14	-	*14	-	*12	*	-	*	*	*	*
618	195	-	195	-	23	93	79	35	55	63	41
618.0	51	-	51	-	*	26	23	*	*9	23	*10
618.01	31	-	31	-	*	*10	*19	*	*	*9	*
618.04	*12	-	*12	-	*	*	*	*	*	*	*
618.2	23	-	23	-	*	*10	*	*	*	*10	*
618.3	19	-	19	-	*	*	*11	*	*	*	*
618.4	55	-	55	-	*	28	22	*11	20	*11	*12
618.5	29	-	29	-	*	*15	*13	*	*18	*	*
618.8	*8	-	*8	-	*	*	*	*	*	*	*
618.89	*8	-	*8	-	*	*	*	*	*	*	*

Number of days of care for discharges from short-stay hospitals, by ICD-9-CM code of first-listed diagnosis, sex, age, and geographic region: United States, 2010

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM)*. Totals include data for categories not listed in table.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of days of care in thousands											
619	*19	-	*19	-	*	*	*	*	*	*	-
620	99	-	99	*	64	25	*	*15	*12	37	34
620.0	*16	-	*16	-	*	*	-	*	*	*	*
620.2	56	-	56	*	35	*17	*	*	*	21	*18
621	40	-	40	-	*14	25	*	*18	*	*15	*
621.0	*13	-	*13	-	*	*	*	*	*	*	-
621.3	20	-	20	-	*	*13	*	*	*	*	*
621.33	*12	-	*12	-	*	*11	*	*	*	*	*
623	*12	-	*12	-	*	*	*	*	*	*	*
623.8	*11	-	*11	-	*	*	*	*	*	*	*
625	65	-	65	-	39	*14	*12	*	*13	27	*13
625.3	*10	-	*10	-	*	*	-	-	*	*	*
625.6	16	-	16	-	*	*8	*6	*	*	*7	*
625.9	27	-	27	-	17	*	*	*	*	*11	*
626	174	-	174	*	122	50	-	*14	45	91	24
626.2	128	-	128	*	94	33	-	*	41	63	17
626.8	37	-	37	*	22	*15	-	*	*	24	*
627	*12	-	*12	-	*	*	*	*	*	*	-
630-679	1,611	-	1,611	*	1,605	*	-	400	363	626	222
632	*12	-	*12	-	*12	-	-	*	*	*	*
633	36	-	36	-	36	-	-	*7	*8	*18	*
633.1	29	-	29	-	29	-	-	*	*	*16	*
633.10	29	-	29	-	29	-	-	*	*	*16	*
634	17	-	17	-	17	*	-	*	*	*	*
635	*8	-	*8	-	*8	-	-	*	*	*	*
641	75	-	75	-	75	-	-	*	*	*26	*21
641.1	*38	-	*38	-	*38	-	-	*	*	*	*
641.13	*38	-	*38	-	*38	-	-	*	*	*	*
641.2	*25	-	*25	-	*25	-	-	*	*	*	*
641.23	*25	-	*25	-	*25	-	-	*	*	*	*
642	98	-	98	*	96	-	-	*	27	48	*
642.3	21	-	21	-	21	-	-	*	*	*11	*
642.33	*20	-	*20	-	*20	-	-	*	*	*10	*
642.4	26	-	26	-	26	-	-	*	*	*18	-
642.43	*16	-	*16	-	*16	-	-	-	*	*	-
642.7	*18	-	*18	-	*18	-	-	*	*	*	-
643	71	-	71	-	71	-	-	*	*	30	*
643.0	34	-	34	-	34	-	-	*	*	*15	*
643.03	34	-	34	-	34	-	-	*	*	*15	*
643.1	26	-	26	-	26	-	-	*	*	*11	*
643.13	26	-	26	-	26	-	-	*	*	*11	*
644	288	-	288	*	287	-	-	49	82	121	*37
644.0	275	-	275	*	274	-	-	39	80	119	*36
644.03	275	-	275	*	274	-	-	39	80	119	*36
646	160	-	160	-	158	*	-	*20	27	89	24
646.6	79	-	79	-	79	-	-	*17	*21	33	*
646.63	70	-	70	-	70	-	-	*14	*18	31	*
646.8	72	-	72	-	70	*	-	*	*	*52	*15
646.83	70	-	70	-	67	*	-	*	*	*50	*15
647	*26	-	*26	-	*26	-	-	*	*	*	*
648	405	-	405	*	404	-	-	97	127	142	39
648.0	40	-	40	-	40	-	-	*	*	*25	-

Number of days of care for discharges from short-stay hospitals, by ICD-9-CM code of first-listed diagnosis, sex, age, and geographic region: United States, 2010

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of days of care in thousands											
648.03	39	-	39	-	39	-	-	*	*	*25	-
648.2	*15	-	*15	-	*15	-	-	*	*	*	-
648.23	*14	-	*14	-	*14	-	-	*	*	*	-
648.4	153	-	153	*	151	-	-	*49	*31	*57	*
648.43	108	-	108	-	108	-	-	*	*	*54	*
648.6	*15	-	*15	-	*15	-	-	*	*	*	*
648.8	23	-	23	-	23	-	-	*	*	*14	*
648.83	20	-	20	-	20	-	-	*	*	*14	*
648.9	149	-	149	-	149	-	-	23	80	34	*
648.93	145	-	145	-	145	-	-	22	78	33	*
649	*23	-	*23	-	*23	-	-	*	*	*	*
654	48	-	48	-	48	-	-	*	*	*	*
654.5	*43	-	*43	-	*43	-	-	*	*	*	*
654.53	*43	-	*43	-	*43	-	-	*	*	*	*
658	49	-	49	-	49	-	-	30	*	*	*
658.0	37	-	37	-	37	-	-	*29	*	*	*
658.03	*22	-	*22	-	*22	-	-	*	*	*	*
659	56	-	56	-	56	*	-	40	*	*9	*
659.1	21	-	21	-	21	-	-	*	*	*	*
659.13	*9	-	*9	-	*9	-	-	*	*	*	*
666	*15	-	*15	-	*15	-	-	*	*	*	*
666.2	*13	-	*13	-	*13	-	-	*	*	*	*
666.24	*13	-	*13	-	*13	-	-	*	*	*	*
670	*27	-	*27	-	*27	-	-	*	*	*	*
670.1	*15	-	*15	-	*15	-	-	*	*	*	*
670.14	*15	-	*15	-	*15	-	-	*	*	*	*
674	126	-	126	-	126	-	-	*	*	*28	*
674.3	*28	-	*28	-	*28	-	-	*	*	*	*
674.34	*28	-	*28	-	*28	-	-	*	*	*	*
680-709	3,488	1,753	1,735	189	735	1,173	1,391	860	706	1,296	625
681	181	97	84	*	51	63	*59	*62	*27	51	40
681.0	100	62	37	*	42	38	*	*	*22	44	*17
681.00	85	60	*25	*	40	*36	*	*	*19	*32	*17
681.1	81	*34	*46	*	*	*	*	*	*	*	*
681.10	80	*	*46	*	*	*	*	*	*	*	*
682	2,460	1,198	1,262	121	529	859	951	552	558	955	395
682.0	135	53	82	*12	52	43	*28	29	33	48	*25
682.1	39	*22	*	*	*	*	*	*	*	*	*
682.2	310	141	169	*	70	143	82	45	83	125	57
682.3	243	144	98	*	76	84	75	38	44	102	58
682.4	121	64	57	*	*29	46	*44	*	*31	52	*
682.5	126	*39	87	35	*32	*30	*28	*	*32	68	*11
682.6	1,298	637	661	37	229	444	588	368	270	451	210
682.7	177	91	86	*	*25	55	92	*29	48	87	*
692	86	76	*	*22	*	*	*	63	*	*	*13
692.9	35	28	*	*22	*	*	*	*18	-	*	*13
693	39	*	35	*	*	*	*	*	*	*	*
693.0	39	*	35	*	*	*	*	*	*	*	*
695	*35	*	*22	*	*	*	*	*	*	*	*
695.1	*20	*	*	*	*	*	*	*	*	*	*
707	565	338	228	-	*51	193	321	156	92	227	*89
707.0	353	210	143	-	*	120	201	*74	*74	151	*
707.03	169	*85	83	-	*	*82	80	*	*	*59	*
707.04	*90	*66	*	-	*	*	*	*	*	*	*
707.1	157	95	62	-	*	65	73	65	*	67	*
707.10	*38	*	*	-	*	*	*	*	*	*	*

Number of days of care for discharges from short-stay hospitals, by ICD-9-CM code of first-listed diagnosis, sex, age, and geographic region: United States, 2010

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of days of care in thousands											
707.15	*26	*	*	-	*	*	*	*	*	*	*
707.19	*26	*	*	-	*	*	*	*	*	*	*
710-739	8,856	3,822	5,035	129	1,050	3,271	4,406	2,476	1,919	3,099	1,363
710	110	*	100	*	61	*38	*	*	*29	*56	*
710.0	78	*	70	*	*47	*	*	*	*	*47	*
711	345	230	114	*	175	*67	*82	*60	*40	210	*35
711.0	325	230	95	*	175	*66	*63	*41	*40	209	*35
711.01	181	*	*	*	*	*	*	*	*	*	*
711.06	84	*35	*49	*	*	*	*	*	*	*46	*
714	52	*20	32	-	*	*19	*28	*	*	*	*
714.0	44	*	*27	-	*	*	*25	*	*	*	*
715	3,598	1,374	2,223	*	101	1,447	2,038	974	792	1,200	632
715.1	352	117	236	-	*	172	176	*26	62	127	137
715.11	*20	*	*	-	*	*	*15	-	*	*	*15
715.15	95	40	55	-	*	54	39	*	*17	*31	37
715.16	233	65	168	-	*	113	118	*16	44	89	84
715.3	2,384	924	1,460	*	69	949	1,360	814	559	654	357
715.31	61	29	32	-	*	22	34	*16	*	26	*13
715.35	701	314	387	-	30	282	388	282	153	175	91
715.36	1,615	577	1,038	*	32	643	935	515	398	452	250
715.9	831	320	511	*	*26	312	487	131	151	413	135
715.91	33	*20	*12	-	-	*11	*22	*	*	*12	*
715.95	212	86	126	-	*	75	130	*26	38	113	34
715.96	552	188	364	*	*	222	305	67	110	283	92
716	86	38	49	*	*	39	32	*22	*28	*32	*
716.1	33	*16	*	-	*	*16	*	*15	*	*	*
716.15	*15	*	*	-	*	*	*	*	*	*	-
716.9	45	*19	*26	-	*	*22	*19	*	*15	*	*
716.96	*20	*	*	-	*	*	*	*	*	*	*
717	*17	*	*	-	*	*	*	*	*	*	*
718	*25	*	*15	*	*	*	*	*	*	*	*
719	152	53	99	*	*11	*23	114	88	22	32	*
719.0	*34	*	*	*	*	*	*	*	*	*	*
719.06	*33	*	*	*	*	*	*	*	*	*	*
719.4	86	*30	56	*	*	*	65	*51	*15	*15	*
719.41	*10	*	*	-	*	*	*	-	*	*	*
719.45	37	*	*31	-	*	*	*35	*	*	*	*
721	487	235	252	-	48	158	280	127	143	124	93
721.0	55	26	28	-	*	26	*21	*	*21	24	*
721.1	147	98	49	-	*	49	89	63	*	46	21
721.3	248	95	154	-	*28	74	146	53	90	48	57
721.4	*24	*	*	-	*	*	*18	*	*	*	*
722	1,020	458	561	*	203	477	339	238	268	339	174
722.0	55	28	27	-	20	31	*	*10	15	19	*10
722.1	358	142	216	*	105	149	104	81	94	125	59
722.10	349	140	209	*	104	146	98	79	90	124	55
722.4	38	*10	29	-	*	30	*	*	*	*22	*7
722.5	341	161	180	-	51	159	131	*40	114	115	73
722.52	339	159	180	-	49	159	130	*40	114	113	72
722.7	166	96	70	-	*20	89	*57	95	*17	40	*
722.71	138	86	52	-	*11	84	*43	86	*	*30	*
722.8	*16	*	*	-	*	*	*	*	*	*	-
722.83	*15	*	*	-	*	*	*	*	*	*	-
722.9	*34	*	*	-	*	*	*	*	*	*	*
722.93	*32	*	*	-	*	*	*	*	*	*	*
723	89	42	47	-	*	43	40	*27	*17	29	*15
723.0	45	*20	26	-	*	19	*26	*	*	*23	*
723.1	*26	*	*	-	*	*	*	*	*	*	*

Number of days of care for discharges from short-stay hospitals, by ICD-9-CM code of first-listed diagnosis, sex, age, and geographic region: United States, 2010

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM)*. Totals include data for categories not listed in table.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of days of care in thousands											
724	648	341	307	-	42	195	411	313	104	178	53
724.0	348	139	209	-	*	100	240	123	68	117	39
724.02	341	136	205	-	*	97	237	119	67	116	39
724.2	200	152	49	-	*21	*29	150	147	*19	*26	*9
724.4	22	*	*14	-	*	*	*	*	*	*	*
724.5	70	*40	*30	-	*	*50	*	*37	*	*	*
726	118	68	50	*	*	62	46	*38	*25	46	*
726.3	*39	*33	*	*	*	*	*	*	*	*	*
726.33	*39	*33	*	*	*	*	*	*	*	*	*
726.6	*27	*24	*	*	*	*	*	*	*	*	*
726.65	*24	*23	*	*	*	*	*	*	*	*	*
727	54	*34	*20	*	*	*	*	*	*26	*	*
727.0	*23	*	*	*	*	*	*	*	*	*	*
728	347	196	152	*	84	84	172	103	61	130	54
728.8	324	192	132	*	81	75	167	101	58	117	49
728.88	255	153	102	*	60	*41	153	88	*54	84	*29
729	139	49	90	*	36	37	60	*27	26	63	22
729.1	26	*	*19	*	*	*	*14	*	*	*	*
729.5	28	*18	*10	*	*9	*10	*	*	*	*	*
729.8	29	*	*19	-	*	*	*15	*	*	*	*9
729.89	26	*	*17	-	*	*	*13	*	*	*	*9
729.9	*32	*	*27	-	*	*	*	*	*	*	*
730	496	293	203	*	109	149	221	120	64	246	*67
730.0	129	*71	*57	*	*	*57	*	*	*	*	*
730.07	*40	*	*	-	*	*	*	*	*	*	-
730.1	*69	*	*	-	*	*	*	*	*	*	*
730.2	299	185	114	*	*	*70	141	*47	*	168	*56
730.27	108	65	*43	*	*	*35	*57	*	*	*63	*
730.28	150	*87	*63	*	*	*	*70	*	*	*71	*
733	733	256	476	*	60	269	400	200	153	272	109
733.1	428	100	328	*	*	104	306	84	105	142	96
733.13	244	55	189	-	*	*36	199	47	*74	90	34
733.14	109	*	90	*	*	*	68	*	*	*	*57
733.4	98	55	43	*	*28	42	*27	*20	*	61	*
733.42	69	41	*28	*	*	35	*25	*20	*	36	*
733.6	31	*	23	-	*	21	*	*	*	*17	*
733.8	87	31	56	*	*	34	45	*16	*23	46	*
733.81	*12	*	*	*	*	*	*	*	*	*	-
733.82	74	*25	50	*	*	*29	*40	*	*18	41	*
733.9	79	*	*20	-	*	*67	*	*68	*	*	*
733.90	*67	*	*	-	*	*	*	*	*	*	*
736	58	*22	*36	*	*	*39	*	*	*	*	*
737	117	*	91	*	*27	*	*33	*46	*35	*35	*
737.3	100	*	78	*	*27	*	*28	*41	*	*35	*
737.30	66	*	*48	*	*	*	*	*34	*	*	*
738	142	50	92	*	*23	73	44	*	48	37	33
738.4	133	43	90	*	*20	68	42	*	45	*35	*32
740-759	836	477	359	505	95	148	88	88	164	389	195
742	46	*26	*20	*36	*	*	-	*	*	*22	*
742.5	*19	*	*	*18	*	-	-	*	*	*	*
742.59	*19	*	*	*18	*	-	-	*	*	*	*
745	163	114	50	111	*	*17	*	*	*	83	43
745.5	79	60	*19	*30	*	*17	*	*	*	*22	*30
746	85	*44	*42	*66	*	*	*	*	*	*	*
746.8	*30	*	*	*	*	*	*	*	-	*	-



Number of days of care for discharges from short-stay hospitals, by ICD-9-CM code of first-listed diagnosis, sex, age, and geographic region: United States, 2010

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM)*. Totals include data for categories not listed in table.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of days of care in thousands											
789	59	*31	27	*	*22	*30	*	*28	*	*	*
789.0	51	*31	*20	*	*22	*24	*	*28	*	*	*
789.09	*28	*	*	*	*	*	-	*	*	-	*
799	184	83	101	*8	44	86	46	*	49	110	*9
799.9	179	83	97	*	40	86	46	*	48	110	*
800-999	16,374	8,284	8,090	587	3,053	5,357	7,377	4,451	3,228	5,475	3,221
800	60	*40	*	*22	*	*	*	*	*	*	*
801	1,012	903	109	*16	176	786	*35	*44	*47	81	841
801.0	23	*14	*	*	*	*	*	*	*	*	*
801.01	*14	*	*	*	*	-	*	*	*	*	*
801.2	903	844	*	*	137	*	*	*	*	*	791
801.20	*69	*33	*	*	*39	*	*	*	*	*	*
801.26	729	*	*	*	*	*	*	-	*	*	*
802	156	119	38	*	48	*77	*28	*79	*20	35	*22
802.2	29	*22	*	*	*21	*	*	*	*	*	*
802.4	*23	*14	*	-	*	*	*	*	*	*	*
803	*43	*37	*	*	*	*	*	*	*	*	*
803.2	*34	*	*	*	*	*	*	*	*	*	*
805	644	293	351	*	106	158	373	187	152	194	111
805.0	244	156	88	*	*43	*65	134	126	*30	*51	*37
805.02	82	*	*67	*	*	-	*75	*	*	*	*
805.06	*32	*	*	-	*	*	*	-	*	*	*
805.2	131	48	83	*	*	*25	90	*27	*33	*47	*24
805.4	232	84	148	*	*38	63	128	*31	73	79	*49
805.6	*36	*	*31	-	*	*	*	*	*	*	*
806	111	104	*	-	*	*	*	*	*	*	*
807	335	162	173	*	*37	100	198	78	51	100	106
807.0	287	123	164	*	*35	78	174	72	*45	78	91
807.02	52	*	*43	-	*	*	*39	*	*	*	*
807.03	60	*	*47	-	*	*	*49	*	*	*	*
807.04	*30	*	*	-	*	*	*	*	*	*	*
807.05	*39	*	*	-	*	*	*	*	*	*	*
808	472	204	268	*	131	120	217	141	119	170	42
808.0	125	*94	*	*	*	*	*	*	*	*47	*
808.2	277	*88	189	*	*	*	166	87	60	101	*30
808.4	*45	*	*33	*	*	*	*	*	*	*	*
810	*34	*27	*	*	*	*	*	*	*	*	*
810.0	*32	*24	*	*	*	*	*	*	*	*	*
812	326	136	190	27	37	83	179	86	42	132	66
812.0	201	70	131	*	*	*61	133	69	*28	70	34
812.00	78	*	33	-	*	*	39	*44	*	*	*
812.01	72	*	59	-	*	*	54	*	*	*	*
812.09	39	*	*29	*	*	*	*32	*	*	*	*
812.2	63	*28	*34	*	*	*	*29	*	*	*37	*
812.21	51	*	*28	*	*	*	*	*	*	*	*
812.4	44	19	25	18	*	*	*	*	*	*	18
812.41	23	*12	*11	13	*	*	*	*	*	*	*10
813	163	57	106	11	42	34	76	*28	41	68	26
813.0	32	*	27	*	*	*	*	*	*	*	*9
813.01	*20	*	*16	*	*	*	*	*	*	*	*
813.4	81	30	51	*	*13	*19	45	*16	*	42	*12
813.41	*17	*	*	-	*	*	*	*	*	*	*
813.42	30	*	*21	*	*	*	*16	*	*	*13	*
813.44	28	*11	*17	*	*	*	*	*	*	*16	*
819	135	114	*	-	*	*	*	134	-	*	-
819.0	135	114	*	-	*	*	*	134	-	*	-

Number of days of care for discharges from short-stay hospitals, by ICD-9-CM code of first-listed diagnosis, sex, age, and geographic region: United States, 2010

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM)*. Totals include data for categories not listed in table.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of days of care in thousands											
820	1,776	548	1,228	*	*31	213	1,524	409	412	691	264
820.0	412	179	234	*	*	*43	360	79	102	163	68
820.03	*22	*	*	*	-	*	*	*	*	*	*
820.09	333	137	196	*	*	*41	288	72	66	136	59
820.2	945	267	678	*	*	97	822	201	238	348	158
820.20	67	*47	*	-	*	*	64	*	*	*23	*
820.21	760	209	551	-	*	80	671	152	189	297	122
820.22	117	*	107	*	*	*	87	*40	*	*27	*
820.8	413	102	312	-	*	68	341	123	71	180	*39
821	498	200	298	*80	60	132	226	182	71	127	118
821.0	250	129	121	*68	*31	*	122	*78	*27	61	*84
821.00	*34	*	*	*	*	*	*	-	*	*	-
821.01	216	104	112	*67	*26	*	112	*78	*23	*31	*84
821.2	212	*48	164	*	*	95	94	*93	*34	*61	*
821.20	*82	*	*79	*	*	*	*	*	*	*	-
821.23	*58	*	*51	-	*	*	*	*	*	*	*
821.29	*54	*	*	*	*	*	*	*	*	*	*
822	63	*	45	*	*	*27	*32	*	*	*34	*11
822.0	62	*	44	-	*	*27	*32	*	*	*33	*11
823	337	182	155	*17	118	118	83	76	83	107	71
823.0	152	72	80	-	38	69	44	*30	*37	62	*23
823.00	98	49	49	-	*32	38	*28	*	*	43	*
823.02	*51	*	*29	-	*	*	*	*	*	*	*
823.2	78	38	40	*	38	*	*	*35	*	*	*24
823.20	*25	*20	*	*	*20	*	*	*8	*	*	*
823.22	52	*18	*34	*	*19	*	*	*	*	*	*
823.3	*40	*29	*	*	*	*	*	*	*	*	*
823.32	*36	*	*	*	*	*	*	*	*	*	*
823.8	*31	*12	*	*	*	*	*	*	*	*	*
823.82	*25	*	*	*	*	*	*	*	*	*	*
824	363	130	233	*	81	134	140	75	93	146	50
824.2	*12	*	*	-	*	*	*	*	*	*	*
824.4	106	*17	89	*	*23	31	49	*26	*20	47	*
824.5	*25	*	*	-	*	*	*	*	*	*	*
824.6	80	*14	66	*	*	37	*32	*17	*31	*26	*
824.8	100	67	33	*	*16	*47	*34	*	*	*50	*11
825	70	*21	*49	*	*16	*19	*	*	*	*14	*
825.2	*39	*	*	*	*	*	*	*	*	*	*
828	86	*	*50	-	*	*	*27	*75	-	*	-
828.0	86	*	*50	-	*	*	*27	*75	-	*	-
836	*21	*17	*	-	*15	*	*	*	*	*	*
840	*13	*	*	-	-	*	*	*	*	*	*
840.4	*12	*	*	-	-	*	*	*	*	*	*
844	*29	*24	*	-	*	*	*	*	*	*	*
844.8	*25	*	*	-	*	*	*	*	*	*	*
845	*10	*	*	-	*	*	*	*	*	*	-
845.0	*10	*	*	-	*	*	*	*	*	*	-
847	*12	*	*	*	*	*	*	*	*	*	*
850	114	38	77	*	63	*13	*35	*54	*17	*28	*15
850.0	*62	*	*49	*	*	*	*	*	*	*	*
850.1	*16	*	*	*	*	*	*	*	*	*	*
850.11	*16	*	*	*	*	*	*	*	*	*	*
850.5	29	*13	*	*	*14	*	*	*	*	*	*
851	92	65	*26	*	*37	*	*30	*	*	*29	*
851.8	79	*56	*23	*	*	*	*	*	*	*26	*
851.86	*43	*	*	-	*	*	*	*	*	*	*

Number of days of care for discharges from short-stay hospitals, by ICD-9-CM code of first-listed diagnosis, sex, age, and geographic region: United States, 2010

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of days of care in thousands											
852	879	508	371	*82	115	89	593	385	119	274	100
852.0	266	97	168	*	*	*24	193	137	*58	*58	*
852.00	*99	*	*79	*	*	*	*71	*	*	*	*
852.01	73	*	68	*	*	*	*67	*	*	*	*
852.06	*63	*48	*	*	*	*	*31	*	*	*	*
852.2	571	371	199	*	*92	*32	396	243	59	183	86
852.20	233	142	90	*	*	*	220	134	*	*52	*
852.21	206	141	64	*	*	*	121	101	*31	*52	*21
852.26	*75	*68	*	-	*	*	*	*	*	*	*
853	75	*43	*32	*	*	*	*46	*	*	*	*
853.0	75	*43	*32	*	*	*	*46	*	*	*	*
853.01	*50	*	*	*	*	*	*34	*	*	*	*
860	178	121	57	*	67	63	*42	*	*41	68	*38
860.0	100	60	*40	*	*28	*37	*	*	*19	*46	*29
861	*26	*	*	*	*	*	*	*	*	*	*
861.2	*16	*	*	*	*	*	*	*	*	*	*
863	*50	*50	*	-	*46	*	*	*	*	*	*
864	*29	*17	*	*	*20	*	*	*	*	*	*
864.0	*17	*	*	*	*	*	*	*	*	*	*
865	*32	*23	*	*	*	*	*	*	*	*	*
865.0	*30	*	*	*	*	*	*	*	*	*	*
868	*25	*	*	*	*	-	*	*	*	*	*
873	44	*19	*25	*	*16	*	*	*	*	*	*
873.0	*25	*12	*	-	*	*	*	*	*	*	*
873.4	*9	*	*	*	*	*	*	*	*	*	*
881	34	*15	*	*	*26	*	*	*	*	*	*
881.0	*22	*	*	-	*	*	*	*	*	*	*
891	*30	*20	*	*	*	*	*	*	*	*	*
920	29	*10	*19	*	*	-	*19	*	*	*	*
922	27	*	*17	*	*	*	*17	*	*	*	*
922.1	*17	*	*12	-	*	*	*12	*	*	*	*
924	66	*36	*30	*	*	*	61	*	*14	*26	*
924.0	34	*	*22	*	*	*	*33	*	*	*	*
924.01	*29	*	*19	-	*	*	*28	*	*	*	*
934	*22	*	*	*	*	*	*	*	*	*	*
935	*17	*	*	*	*	*	*	*	*	*	*
941	*31	*	*	*	*	*	*	*	*	*	*
952	*78	*	*	-	*	*	*50	*64	*	*	*
952.9	*20	*	*	-	*	*	*	*	*	*	*
959	96	31	65	*	*26	*	57	*62	*	*16	*
959.0	73	*28	*46	*	*	*	*52	*45	*	*	*
959.01	43	*27	*16	*	*	*	*22	*	*	*	*
962	*19	*10	*	*	*	*	*	*	*	*13	*
962.3	*18	*	*	-	*	*	*	*	*	*13	*
963	*23	*	*	*	*21	*	*	*	*	*	*
963.0	*23	*	*	*	*21	*	*	*	*	*	*
965	202	87	116	*	83	91	*25	47	41	83	32
965.0	120	59	62	*	38	72	*	*28	23	51	*18

Number of days of care for discharges from short-stay hospitals, by ICD-9-CM code of first-listed diagnosis, sex, age, and geographic region: United States, 2010

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of days of care in thousands											
965.00	*43	*	*32	*	*	*32	*	*	*	*27	*
965.02	*20	*14	*	-	*	*13	*	*	*	*	*
965.09	46	*26	*20	*	*	*25	*	*	*	*	*
965.1	*9	*	*	*	*	*	*	*	*	*	*
965.4	62	*22	40	*	33	*	*	*	*	*25	*
966	26	*8	*18	*	*16	*	*	*	*	*14	*
966.3	*16	*	*	*	*	*	*	*	*	*	*
967	42	*	*24	*	*	*20	*	*	*	*	*
967.8	*20	*	*	*	*	*	*	*	*	*	*
968	*16	*	*	-	*	*	*	*	*	*	*
969	262	151	111	*	146	93	*22	35	40	127	59
969.0	33	*	24	-	21	*	*	*	*	*14	*
969.09	*19	*	*14	-	*11	*	*	*	*	*	*
969.3	24	*	*	*	*19	*	*	*	*	*	*
969.4	166	111	56	*	94	56	*	*20	*17	96	33
970	39	*15	*	*	*16	*21	*	*	*	*16	*
970.8	28	*14	*	-	*16	*	*	*	*	*16	*
972	32	*20	*12	*	*	*	*	*	*	*	*
977	29	*	23	*	*12	*	*	*	*	*15	*
977.9	23	*	*20	*	*	*	*	*	*	*14	*
980	*19	*	*	-	*	*	*	*	*	*	*
992	*21	*13	*	-	*	*	*	*	*	*	-
992.5	*10	*7	*	-	*	*	*	*	*	*	-
995	221	69	152	*	20	74	112	90	75	31	25
995.0	*15	*	*	*	*	*	*	*	*	*	*
995.1	43	25	*17	*	*	27	*	*18	*	*	*
995.9	132	*	101	*	*	*	*97	*	*58	*	*
995.90	*71	*	*71	-	*	*	*	*	*	*	*
995.91	*48	*	*	*	*	*	*	-	*45	*	*
996	3,185	1,603	1,582	78	393	1,114	1,600	946	657	1,136	446
996.0	68	38	*31	-	*	*31	35	*	*	*19	*14
996.01	*24	*	*	-	*	*	*20	*	*	*	*
996.04	*31	*	*	-	*	*	*	*	*	*	*
996.1	67	*54	*	*	*	*	*18	*	*	*56	*
996.2	60	*	37	*21	*	*	*	*	*	*29	*
996.3	58	*49	*	-	*	*	*46	*	*	*	*
996.31	*32	*	*	-	-	*	*	*	*	*	*
996.4	571	210	361	*	38	158	368	197	130	164	80
996.41	122	*30	92	-	*	49	71	73	*	*18	*
996.42	81	*27	54	*	*	*	64	*	*21	*34	*
996.44	*76	*	*65	-	*	*	*72	*	*	*	*
996.46	*18	*	*	-	*	*	*	*	*	*	*
996.47	93	*27	66	-	*	34	53	*32	*28	*24	*
996.49	122	75	47	*	*28	48	*44	*	44	*37	*16
996.5	45	*	*26	*	*	*20	*	*	*	*	*
996.59	*33	*	*16	*	*	*	*	*	*	*	*
996.6	1,386	735	651	*	162	437	768	415	320	480	170
996.61	96	79	*	-	*	*	*73	*	*	*	*
996.62	359	232	127	*	*53	175	130	73	118	131	*
996.64	244	157	87	-	*	*69	162	*40	*47	102	*56
996.65	38	*23	*	-	*	*	*29	*18	*	*	*
996.66	333	103	230	-	*	83	248	152	81	74	*26
996.67	102	*51	*51	*	*	*42	*16	*45	*	*	*
996.69	146	*67	79	*	*	*	*99	*	*	*55	*
996.7	646	308	338	*	75	264	303	181	98	239	128
996.72	72	32	*40	*	*	*38	32	*39	*13	*14	*
996.73	231	114	117	-	*43	68	121	54	*21	84	*73
996.74	172	97	75	-	*	86	81	*64	*32	*51	*24
996.76	*32	*28	*	-	*	*	*	*	*	*	*

Number of days of care for discharges from short-stay hospitals, by ICD-9-CM code of first-listed diagnosis, sex, age, and geographic region: United States, 2010

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM)*. Totals include data for categories not listed in table.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of days of care in thousands											
996.77	66	*	56	-	*	*23	40	*	*	39	*
996.78	31	*	*21	*	*	*	*	*	*	*19	*
996.8	284	170	114	*	75	152	*	87	66	116	*
996.81	170	107	64	*	54	68	*	*60	53	*48	*
996.82	*57	*50	*	*	*	*44	*	*	*	*43	*
997	845	486	359	*	144	315	361	299	183	264	99
997.0	104	*64	*39	-	*39	*	*	*	*39	*	*
997.09	*53	*	*37	-	*	*	*	*	*	*	*
997.1	*34	*19	*	-	*	*	*21	*	*	*	*
997.2	61	*25	*36	*	*	*30	*25	*24	*	*21	*
997.3	58	*	*35	*	*	*	*	*	*	*	*
997.39	55	*	*34	*	*	*	*	*	*	*	*
997.4	339	196	143	*	73	128	126	142	78	81	*39
997.5	60	*38	*22	-	*	*	*45	*	*	*	*
997.6	185	117	*69	*	*	101	74	*40	*	118	*
997.62	128	85	*43	*	*	*66	*59	*	*	95	*
997.69	*54	*	*	-	*	*	*	*	*	*	*
998	1,642	723	918	*17	270	736	618	355	364	688	234
998.1	239	149	90	*	35	79	123	45	57	99	38
998.11	105	75	30	*	*9	44	51	28	*15	41	*22
998.12	105	58	47	-	*25	*27	*53	*	*36	*49	*
998.13	*29	*	*	-	*	*	*	*	*	*	*
998.2	*50	*	*40	-	*	*	*	*	*	*	*
998.3	108	*29	79	-	*	*54	*45	*	*	*49	*
998.31	*38	*	*	-	*	*	*	*	*	*	*
998.32	*64	*	*55	-	*	*	*	*	*	*	*
998.5	1,107	470	637	*	193	539	364	249	238	475	146
998.59	1,085	461	623	*	190	525	358	241	236	465	144
998.6	77	*	*42	-	*	*	*46	*27	*	*	*
998.8	53	*24	*29	*	*	*26	*19	*	*	*25	*
998.83	*30	*	*	-	*	*	*	*	*	*	-
998.89	*22	*	*	*	*	*	*	*	*	*	*
999	345	148	197	*	*96	130	91	*45	96	171	*
999.3	337	143	194	*	*93	129	88	*	94	169	*
999.31	320	137	183	*	*91	127	*76	*	87	163	*
V01-V89	18,182	3,867	14,314	306	11,785	2,009	4,081	3,650	4,228	7,047	3,258
V07	69	*11	*58	-	*	*21	-	69	*	-	-
V07.9	*57	*	*	-	*	*	-	*57	-	-	-
V10	*31	*25	*	-	*	*	*	*	*	*	*
V12	49	*34	*	-	*	*	*	*	*	*41	*
V12.5	*40	*	*	-	*	*	*	*	*	*	*
V14	*9	*	*	*	*	*	*	*	*	*	*
V15	22	*	*9	*	*	*15	*	*	*	*15	*
V15.8	19	*	*8	*	*	*15	*	*	*	*14	-
V15.81	*6	*	*	-	*	*	*	*	*	*	-
V27	10,762	-	10,762	*17	10,735	*	-	1,863	2,643	4,147	2,109
V27.0	9,599	-	9,599	*16	9,577	*	-	1,595	2,386	3,689	1,928
V27.1	29	-	29	-	29	-	-	*	*	*11	*
V27.2	355	-	355	-	354	*	-	80	86	154	35
V27.9	768	-	768	*	763	*	-	182	159	291	136
V30	*20	*	*	*20	-	-	-	*	*	*	*
V30.1	*20	*	*	*20	-	-	-	*	*	*	*
V42	*26	*	*	*	*	*	*	*	*	*	*
V42.0	*19	*	*	-	*	*	*	*	*	*	*
V45	110	*33	77	*	*	41	*58	85	*	*9	*11
V45.7	*11	-	*11	-	*	*	*	*	*	*	*
V45.8	93	*30	*63	*	*	*36	*	*81	*	*	*

Number of days of care for discharges from short-stay hospitals, by ICD-9-CM code of first-listed diagnosis, sex, age, and geographic region: United States, 2010

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of days of care in thousands											
V45.89	84	*	*60	*	*	*	*	*78	*	*	*
V46	*80	*79	*	*	*	*	*	*	*	*	*
V46.1	*57	*	*	*	-	*	-	-	*	*	*
V50	*10	*	*9	*	*	*	*	*	*	*	*
V50.4	*9	*	*	*	*	*	*	*	*	*	*
V52	*36	*	*	*35	*	-	-	*	*	*35	-
V52.8	*36	*	*	*35	*	-	-	*	*	*35	-
V53	23	*	*11	*	*	*	*9	*	*	*	*
V53.3	19	*	*10	*	*	*	*8	*	*	*	*
V53.32	*12	*	*	-	*	*	*	*	*	*	*
V54	*59	*	*51	*	*	*	*51	*	*	*	*
V55	263	127	136	*	61	90	90	39	*35	109	80
V55.1	*21	*	*	*	-	*	*	*	*	*	*
V55.2	99	41	57	*	*	40	*32	*15	*	*	*47
V55.3	136	71	65	*	*39	*44	*41	*	*	76	*
V56	*45	*	*33	-	*	*	*34	*	*	*22	*
V56.0	*41	*	*29	-	*	*	*30	*	*	*21	*
V57	5,167	2,819	2,348	*	611	1,246	3,288	1,066	1,368	1,937	795
V57.1	730	434	296	-	258	196	276	615	*75	*	-
V57.8	4,423	2,373	2,050	*	342	1,049	3,011	440	1,292	1,897	795
V57.89	4,412	2,361	2,050	*	342	1,037	3,011	428	1,292	1,897	795
V58	965	501	464	122	177	332	335	279	104	466	116
V58.0	147	*	115	-	*	105	*	*	*	*	*
V58.1	602	390	212	112	131	173	186	175	94	251	82
V58.11	579	374	204	112	129	157	181	169	86	244	80
V58.6	170	74	96	*	*	*49	93	*	*	154	*
V58.69	125	*48	77	-	*	*48	*64	-	*	124	*
V58.7	*25	*	*25	-	*	*	*	-	-	*	*
V59	*24	*	*19	-	*	*	*	*	*	*	*
V59.4	*24	*	*19	-	*	*	*	*	*	*	*
V62	86	36	50	*	*30	27	*	*	*	53	*13
V62.8	86	36	50	*	*30	27	*	*	*	53	*13
V62.84	86	36	50	*	*30	27	*	*	*	53	*13
V67	*45	*40	*	*	*	*	*	*45	*	*	-
V70	*11	*10	*	-	*	*	*	*	*	*	*
V70.7	*9	*9	*	-	*	*	*	*	*	*	*
V71	*11	*	*	*	*	-	*	*	*	*	*
V85	86	*16	69	-	*20	60	*	*	*	*64	*
V85.4	77	*12	66	-	*16	59	*	*	*	*60	*

\*Figure does not meet standards of reliability or precision. Estimates preceded by the asterisk should be used with caution.

- Quantity zero.

SOURCE: CDC/NCHS National Hospital Discharge Survey, 2010.

More information about survey methodology can be found at:

[ftp://ftp.cdc.gov/pub/Health\\_Statistics/NCHS/Dataset\\_Documentation/NHDS/NHDS\\_2010\\_Documentation.pdf](ftp://ftp.cdc.gov/pub/Health_Statistics/NCHS/Dataset_Documentation/NHDS/NHDS_2010_Documentation.pdf).