

Number and rate of discharges from short-stay hospitals and of days of care, with average length of stay, and *standard error*, by selected first-listed diagnostic categories: United States, 2007

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Diagnostic groupings and code numbers are based on the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM)]

Category of first-listed diagnosis and ICD-9-CM code	Discharges		Days of care		Average length of stay in days
	Number in thousands	Rate per 10,000 population \1	Number in thousands	Rate per 10,000 population \1	
All conditions \2	34,369	1,143.9	166,441	5,539.4	4.8
Females with deliveries V27	4,136	137.7	10,821	360.1	2.6
Heart disease 391-392.0,393-398,402,404,410-416,420-429	3,965	131.9	17,384	578.6	4.4
Acute myocardial infarction 410	577	19.2	2,959	98.5	5.1
Coronary atherosclerosis 414.0,414.2	812	27.0	2,755	91.7	3.4
Other ischemic heart disease 411-413,414.1,414.3-414.9	182	6.1	441	14.7	2.4
Cardiac dysrhythmias 427	827	27.5	2,992	99.6	3.6
Congestive heart failure 428.0,428.2-428.4	982	32.7	4,981	165.8	5.1
Psychoses 290-299	1,690	56.3	12,708	422.9	7.5
Schizophrenic disorders 295	324	10.8	3,598	119.7	11.1
Major depressive disorder 296.2-296.3	430	14.3	2,712	90.3	6.3
Malignant neoplasms 140-208,230-234	1,225	40.8	7,949	264.6	6.5
Malignant neoplasm of large intestine and rectum 153-154,197.5	146	4.9	1,235	41.1	8.5
Malignant neoplasm of trachea, bronchus, and lung 162,176.4,197.0,197.3	179	6.0	1,219	40.6	6.8
Pneumonia 480-486	1,056	35.2	5,283	175.8	5.0
Fractures, all sites \3 800-829	1,045	34.8	5,380	179.0	5.1
Fracture of neck of femur 820	297	9.9	1,804	60.0	6.1
Certain complications of surgical and medical care 996-999	908	30.2	5,614	186.8	6.2
Cerebrovascular disease 430-438	829	27.6	4,405	146.6	5.3
Osteoarthritis and allied disorders 715	718	23.9	2,639	87.8	3.7
Diabetes mellitus 250	626	20.8	3,215	107.0	5.1
Septicemia 038	592	19.7	5,545	184.5	9.4
Cellulitis and abscess 681-682	554	18.4	2,476	82.4	4.5
Urinary tract infection 599.0	517	17.2	2,388	79.5	4.6
Chronic bronchitis 491	476	15.8	2,225	74.1	4.7
Volume depletion 276.5	469	15.6	1,588	52.8	3.4
Asthma 493	456	15.2	1,562	52.0	3.4
Anemias 280-285	382	12.7	1,934	64.4	5.1
Essential hypertension 401	349	11.6	923	30.7	2.6
Benign neoplasms 210-229	332	11.1	1,117	37.2	3.4
Benign neoplasm of uterus 218-219	174	5.8	420	14.0	2.4
Intervertebral disc disorders 722	320	10.6	989	32.9	3.1
Intestinal obstruction 560	315	10.5	1,878	62.5	6.0
Cholelithiasis 574	310	10.3	1,217	40.5	3.9
Noninfectious enteritis and colitis 555-558	304	10.1	1,333	44.4	4.4
Appendicitis 540-543	300	10.0	929	30.9	3.1
Diverticula of intestine 562	276	9.2	1,316	43.8	4.8
Poisonings 960-989	239	8.0	711	23.7	3.0
Acute pancreatitis 577.0	235	7.8	1,431	47.6	6.1
Acute bronchitis and bronchiolitis 466	196	6.5	606	20.2	3.1
Calculus of kidney and ureter 592	135	4.5	339	11.3	2.5

Number and rate of discharges from short-stay hospitals and of days of care, with average length of stay, and *standard error*, by selected first-listed diagnostic categories: United States, 2007

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Diagnostic groupings and code numbers are based on the *International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM)*]

Category of first-listed diagnosis and ICD-9-CM code	Discharges		Days of care		Average length of stay in days	
	Number in thousands	Rate per 10,000 population \1	Number in thousands	Rate per 10,000 population \1		
	<i>Standard error</i>					
All conditions \2	1,378	45.8	8,103	269.7	0.10	
Females with deliveries	V27	206	6.9	551	18.3	0.03
Heart disease	391-392.0,393-398,402,404,410-416,420-429	165	5.5	737	24.5	0.06
Acute myocardial infarction	410	33	1.1	185	6.2	0.10
Coronary atherosclerosis	414.0,414.2	54	1.8	192	6.4	0.08
Other ischemic heart disease	411-413,414.1,414.3-414.9	13	0.4	38	1.3	0.11
Cardiac dysrhythmias	427	39	1.3	168	5.6	0.10
Congestive heart failure	428.0,428.2-428.4	43	1.4	238	7.9	0.10
Psychoses	290-299	253	8.4	1,783	59.4	0.25
Schizophrenic disorders	295	40	1.3	474	15.8	0.47
Major depressive disorder	296.2-296.3	77	2.6	463	15.4	0.19
Malignant neoplasms	140-208,230-234	64	2.1	437	14.6	0.14
Malignant neoplasm of large intestine and rectum	153-154,197.5	9	0.3	93	3.1	0.41
Malignant neoplasm of trachea, bronchus, and lung	162,176.4,197.0,197.3	16	0.5	126	4.2	0.26
Pneumonia	480-486	56	1.9	315	10.5	0.10
Fractures, all sites \3	800-829	68	2.3	415	13.8	0.17
Fracture of neck of femur	820	22	0.7	134	4.5	0.18
Certain complications of surgical and medical care	996-999	54	1.8	374	12.5	0.15
Cerebrovascular disease	430-438	42	1.4	270	9.0	0.18
Osteoarthritis and allied disorders	715	56	1.9	207	6.9	0.09
Diabetes mellitus	250	32	1.1	276	9.2	0.26
Septicemia	038	37	1.2	390	13.0	0.32
Cellulitis and abscess	681-682	28	0.9	128	4.3	0.10
Urinary tract infection	599.0	34	1.1	188	6.3	0.14
Chronic bronchitis	491	27	0.9	141	4.7	0.11
Volume depletion	276.5	31	1.0	100	3.3	0.11
Asthma	493	39	1.3	124	4.1	0.10
Anemias	280-285	43	1.4	425	14.1	0.59
Essential hypertension	401	20	0.7	73	2.4	0.11
Benign neoplasms	210-229	18	0.6	69	2.3	0.14
Benign neoplasm of uterus	218-219	13	0.4	33	1.1	0.07
Intervertebral disc disorders	722	22	0.7	78	2.6	0.14
Intestinal obstruction	560	18	0.6	124	4.1	0.18
Cholelithiasis	574	16	0.5	65	2.1	0.11
Noninfectious enteritis and colitis	555-558	19	0.6	96	3.2	0.20
Appendicitis	540-543	22	0.7	100	3.3	0.18
Diverticula of intestine	562	17	0.6	95	3.2	0.13
Poisonings	960-989	16	0.5	59	2.0	0.18

Number and rate of discharges from short-stay hospitals and of days of care, with average length of stay, and *standard error*, by selected first-listed diagnostic categories: United States, 2007

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Diagnostic groupings and code numbers are based on the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM)]

Category of first-listed diagnosis and ICD-9-CM code	Discharges		Days of care		Average length of stay in days	
	Number in thousands	Rate per 10,000 population \1	Number in thousands	Rate per 10,000 population \1		
<i>Acute pancreatitis</i>	577.0	13	0.4	146	4.8	0.52
<i>Acute bronchitis and bronchiolitis</i>	466	24	0.8	70	2.3	0.10
<i>Calculus of kidney and ureter</i>	592	8	0.3	25	0.8	0.11

\1 Rates were calculated using U.S. Census Bureau 2000-based postcensal estimates of the civilian population as July 1, 2007.

\2 Includes data for diagnostic conditions not shown in table.

\3 Excludes fractures coded as 733.1, pathologic fracture.