

Number, percent distribution, and rate of discharges and days of care, with average length of stay and standard error for females with deliveries discharged from short-stay hospitals, by type of delivery, age, and geographic region: United States, 2007

[Discharges of inpatients from nonfederal hospitals. Data are for discharges 10-54 years of age with International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) code V27, females with deliveries]

Age and region	Discharges			Days of care			Average length of stay in days
	Number in thousands	Percent distribution	Rate per 1,000 population \1	Number in thousands	Percent distribution	Rate per 1,000 population \1	
			\1			\1	
<b>All deliveries</b>							
10-54 years	4,136	100.0	43.9	10,821	100.0	115.0	2.6
10-19 years	429	10.4	21.0	1,111	10.3	54.5	2.6
20-24 years	1,052	25.4	104.0	2,668	24.7	263.5	2.5
25-29 years	1,130	27.3	110.3	2,870	26.5	280.3	2.5
30-34 years	939	22.7	97.8	2,501	23.1	260.4	2.7
35-39 years	473	11.4	45.1	1,317	12.2	125.4	2.8
40-54 years	113	2.7	3.4	355	3.3	10.7	3.1
All regions	4,136	100.0	43.9	10,821	100.0	115.0	2.6
Northeast	632	15.3	36.8	1,836	17.0	106.9	2.9
Midwest	870	21.0	42.1	2,209	20.4	107.0	2.5
South	1,612	39.0	47.0	4,279	39.5	124.6	2.7
West	1,023	24.7	46.6	2,497	23.1	113.7	2.4
<b>Vaginal deliveries \2</b>							
10-54 years	2,798	100.0	29.7	6,141	100.0	65.2	2.2
10-19 years	340	12.2	16.7	791	12.9	38.8	2.3
20-24 years	754	27.0	74.5	1,639	26.7	161.9	2.2
25-29 years	774	27.7	75.6	1,658	27.0	161.9	2.1
30-34 years	599	21.4	62.4	1,306	21.3	136.0	2.2
35-39 years	279	10.0	26.6	615	10.0	58.6	2.2
40-54 years	51	1.8	1.5	132	2.1	4.0	2.6
All regions	2,798	100.0	29.7	6,141	100.0	65.2	2.2
Northeast	418	14.9	24.3	986	16.1	57.4	2.4
Midwest	631	22.5	30.5	1,377	22.4	66.7	2.2
South	1,041	37.2	30.3	2,341	38.1	68.2	2.2
West	708	25.3	32.2	1,437	23.4	65.5	2.0
<b>Cesarean deliveries \3</b>							
10-54 years	1,338	100.0	14.2	4,681	100.0	49.7	3.5
10-19 years	89	6.6	4.3	320	6.8	15.7	3.6
20-24 years	298	22.3	29.5	1,029	22.0	101.6	3.4
25-29 years	355	26.5	34.7	1,212	25.9	118.4	3.4
30-34 years	340	25.4	35.4	1,195	25.5	124.4	3.5
35-39 years	194	14.5	18.5	702	15.0	66.8	3.6
40-54 years	62	4.7	1.9	223	4.8	6.7	3.6
All regions	1,338	100.0	14.2	4,681	100.0	49.7	3.5
Northeast	214	16.0	12.4	850	18.2	49.5	4.0
Midwest	239	17.8	11.6	833	17.8	40.3	3.5
South	571	42.7	16.6	1,938	41.4	56.4	3.4
West	315	23.5	14.3	1,060	22.7	48.3	3.4

Number, percent distribution, and rate of discharges and days of care, with average length of stay and standard error for females with deliveries discharged from short-stay hospitals, by type of delivery, age, and geographic region: United States, 2007

[Discharges of inpatients from nonfederal hospitals. Data are for discharges 10-54 years of age with *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM) code V27, females with deliveries]

Age and region	Discharges			Days of care			Average length of stay in days					
	Number in thousands	Percent distribution	Rate per 1,000 population \1	Number in thousands	Percent distribution	Rate per 1,000 population \1						
<i>Standard error</i>												
<i>All deliveries</i>												
10-54 years	206	0.0	2.2	551	0.0	5.9	0.03					
10-19 years	27	0.5	1.3	70	0.5	3.5	0.06					
20-24 years	67	0.7	6.6	186	0.8	18.4	0.05					
25-29 years	64	0.5	6.2	164	0.5	16.0	0.03					
30-34 years	49	0.7	5.1	141	0.8	14.7	0.05					
35-39 years	26	0.4	2.5	75	0.5	7.1	0.04					
40-54 years	8	0.2	0.2	31	0.2	0.9	0.19					
All regions	206	0.0	2.2	551	0.0	5.9	0.03					
Northeast	53	1.3	3.1	149	1.4	8.7	0.06					
Midwest	117	2.4	5.7	292	2.3	14.1	0.06					
South	138	2.5	4.0	389	2.6	11.3	0.05					
West	84	1.9	3.8	211	1.9	9.6	0.05					
<i>Vaginal deliveries \2</i>												
10-54 years	142	0.0	1.5	315	0.0	3.3	0.02					
10-19 years	23	0.6	1.1	55	0.7	2.7	0.06					
20-24 years	47	0.7	4.7	105	0.8	10.4	0.03					
25-29 years	45	0.5	4.4	96	0.6	9.4	0.02					
30-34 years	32	0.6	3.3	79	0.8	8.2	0.05					
35-39 years	16	0.5	1.5	36	0.5	3.4	0.03					
40-54 years	5	0.1	0.1	21	0.3	0.6	0.35					
All regions	142	0.0	1.5	315	0.0	3.3	0.02					
Northeast	37	1.3	2.2	82	1.4	4.8	0.04					
Midwest	88	2.6	4.2	190	2.6	9.2	0.04					
South	88	2.5	2.6	204	2.5	5.9	0.04					
West	58	1.9	2.6	123	1.9	5.6	0.05					
<i>Cesarean deliveries \3</i>												
10-54 years	73	0.0	0.8	264	0.0	2.8	0.05					
10-19 years	7	0.4	0.3	28	0.5	1.4	0.13					
20-24 years	23	1.0	2.3	91	1.1	9.0	0.10					
25-29 years	23	0.8	2.3	80	0.8	7.8	0.05					
30-34 years	21	0.9	2.1	75	1.0	7.8	0.07					
35-39 years	13	0.6	1.3	48	0.7	4.6	0.07					
40-54 years	5	0.4	0.2	21	0.4	0.6	0.15					

Number, percent distribution, and rate of discharges and days of care, with average length of stay and standard error for females with deliveries discharged from short-stay hospitals, by type of delivery, age, and geographic region: United States, 2007

[Discharges of inpatients from nonfederal hospitals. Data are for discharges 10-54 years of age with *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM) code V27, females with deliveries]

Age and region	Discharges			Days of care			Average length of stay in days
	Number in thousands	Percent distribution	Rate per 1,000 population \1	Number in thousands	Percent distribution	Rate per 1,000 population \1	
All regions	73	0.0	0.8	264	0.0	2.8	0.05
Northeast	19	1.5	1.1	79	1.7	4.6	0.10
Midwest	33	2.2	1.6	115	2.2	5.6	0.10
South	54	2.8	1.6	197	2.9	5.7	0.08
West	31	2.1	1.4	105	2.1	4.8	0.08

\1 Rates were calculated using U.S. Census Bureau 2000-based postcensal estimates of the civilian population as of July 1, 2007.

\2 Discharges of females with deliveries except those with cesarean deliveries.

\3 Discharges of females with deliveries with ICD-9-CM procedure codes 74.0-74.2, 74.4, or 74.99.