

Female Respondent File Codebook :: SECTION R: Recode Variables and Imputation Flags :: Section A Recodes

AGER(3751-3752)

Variable Type : recode

Description : R's age at interview (RECODE)

value	label	Total
15	15 YEARS	180
16	16 YEARS	204
17	17 YEARS	207
18	18 YEARS	224
19	19 YEARS	222
20	20 YEARS	184
21	21 YEARS	201
22	22 YEARS	180
23	23 YEARS	193
24	24 YEARS	202
25	25 YEARS	204
26	26 YEARS	220
27	27 YEARS	222
28	28 YEARS	194
29	29 YEARS	230
30	30 YEARS	205
31	31 YEARS	217
32	32 YEARS	200
33	33 YEARS	182
34	34 YEARS	172
35	35 YEARS	172
36	36 YEARS	187
37	37 YEARS	148
38	38 YEARS	150
39	39 YEARS	156
40	40 YEARS	143
41	41 YEARS	148
42	42 YEARS	153
43	43 YEARS	164
44-45	44 YEARS	137
Total		5601

Universe : Applicable for all respondents

Notes : Respondents age 45 were 44 at screener

FMARITAL(3753-3753)

Variable Type : recode

Description : Formal (legal) marital status (RECODE)

value	label	Total
1	MARRIED TO A PERSON OF THE OPPOSITE SEX	1711
2	WIDOWED	25
3	DIVORCED OR ANNULLED	465
4	SEPARATED	251
5	NEVER MARRIED	3149
Total		5601

Universe : Applicable for all respondents

RMARITAL(3754-3754)

Variable Type : recode

Description : Informal marital status (RECODE)

value	label	Total
1	CURRENTLY MARRIED TO A PERSON OF THE OPPOSITE SEX	1711
2	NOT MARRIED BUT LIVING WITH OPP SEX PARTNER	763
3	WIDOWED	21
4	DIVORCED OR ANNULLED	355
5	SEPARATED FOR REASONS OF MARITAL DISCORD	218
6	NEVER BEEN MARRIED	2533
Total		5601

Universe : Applicable for all respondents

EDUCAT(3755-3756)

Variable Type : recode

Description : Education (number of years of schooling) (RECODE)

value	label	Total
9	9TH GRADE OR LESS	689
10	10TH GRADE	386
11	11TH GRADE	390
12	12TH GRADE	1294
13	1 YEAR OF COLLEGE/GRAD SCHOOL	720
14	2 YEARS OF COLLEGE/GRAD SCHOOL	618
15	3 YEARS OF COLLEGE/GRAD SCHOOL	268
16	4 YEARS OF COLLEGE/GRAD SCHOOL	607
17	5 YEARS OF COLLEGE/GRAD SCHOOL	179
18	6 YEARS OF COLLEGE/GRAD SCHOOL	224
19	7+ YEARS OF COLLEGE/GRAD SCHOOL	226
Total		5601

Universe : Applicable for all respondents. (This variable was bottomcoded for public use.)

HIEDUC(3757-3758)

Variable Type : recode

Description : Highest completed year of school or highest degree received (RECODE)

value	label	Total
5	9TH GRADE OR LESS	580
6	10TH GRADE	327
7	11TH GRADE	328
8	12TH GRADE, NO DIPLOMA (NOR GED)	34
9	HIGH SCHOOL GRADUATE (DIPLOMA OR GED)	1488
10	SOME COLLEGE BUT NO DEGREE	1245
11	ASSOCIATE DEGREE IN COLLEGE/UNIVERSITY	434
12	BACHELOR'S DEGREE	776
13	MASTER'S DEGREE	314
14	DOCTORATE DEGREE	39
15	PROFESSIONAL DEGREE	36
Total		5601

Universe : Applicable for all respondents. (This variable was recoded for public use.)

HISPANIC(3759-3759)

Variable Type : recode

Description : Hispanic origin of respondent (RECODE)

value	label	Total
1	HISPANIC	1459
2	NON-HISPANIC	4142
Total		5601

Universe : Applicable for all respondents

NUMRACE(3760-3760)

Variable Type : intermediate

Description : Intermediate variable for multiple race reporting (used for HISPRACE2)

value	label	Total
1	SINGLE RACE REPORTED	5364
2	2 OR MORE RACES REPORTED	237
Total		5601

Universe : Applicable for all respondents

RACE(3761-3761)

Variable Type : recode

Description : Race of respondent (RECODE)

value	label	Total
1	BLACK	1331
2	WHITE	3549
3	OTHER	721
Total		5601

Universe : Applicable for all respondents

HISPRACE(3762-3762)

Variable Type : recode

Description : Race & Hispanic origin of respondent - 1977 OMB standards (RECODE)

value	label	Total
1	Hispanic	1458
2	Non-Hispanic White	2584
3	Non-Hispanic Black	1227
4	Non-Hispanic Other	332
Total		5601

Universe : Applicable for all respondents

HISPRACE2(3763-3763)

Variable Type : recode

Description : Race & Hispanic origin of respondent - 1997 OMB standards (RECODE)

value	label	Total
1	Hispanic	1458
2	Non-Hispanic White, Single Race	2493
3	Non-Hispanic Black, Single Race	1171
4	Non-Hispanic Other or Multiple Race	479

Total**5601**

Universe : Applicable for all respondents

NUMKDHH(3764-3764)

Variable Type : recode

Description : Number of bio/adopt/related/legal children under age 18 in household (RECODE)

value	label	Total
0	NO CHILDREN	2604
1	1 CHILD	1161
2	2 CHILDREN	1061
3	3 CHILDREN	538
4	4 CHILDREN	177
5	5 CHILDREN OR MORE	60
	Total	5601

Universe : Applicable for all respondents. (This variable was topcoded for public use.)

NUMFMHH(3765-3765)

Variable Type : recode

Description : Number of family members in household (RECODE)

value	label	Total
0	NO FAMILY MEMBERS	525
1	1 FAMILY MEMBER	1178
2	2 FAMILY MEMBERS	1365
3	3 FAMILY MEMBERS	1355
4	4 FAMILY MEMBERS	668
5	5 FAMILY MEMBERS	314
6	6 FAMILY MEMBERS	112
7	7 FAMILY MEMBERS OR MORE	84
	Total	5601

Universe : Applicable for all respondents. (This variable was topcoded for public use.)

HHFAMTYP(3766-3766)

Variable Type : recode

Description : Type of household/family structure (RECODE)

value	label	Total
1	No spouse/partner and no child(ren) (of R) 18 or younger	2036
2	Spouse/partner, but no child(ren) (of R) 18 or younger	655
3	Spouse and R's child(ren) 18 or younger	1312
4	Cohabiting partner and R's child(ren) 18 or younger	434
5	No spouse/partner, but child(ren) of R, 18 or younger	1164
	Total	5601

Universe : Applicable for all respondents

HHPARTYP(3767-3767)

Variable Type : recode

Description : Type of parental situation in household (RECODE)

value	label	Total
1	Both biological or both adoptive parents	717

2	Biological and step-or adoptive parent	207
3	Single parent (biological, adoptive, or stepparent)	831
4	Other	3846
	Total	5601

Universe : Applicable for all respondents

NCHILDHH(3768-3768)

Variable Type : recode

Description : Number of R's bio or non-bio children (18 or younger) living in household (RECODE)

value	label	Total
0	No children of respondent age 18 or younger in the household	2691
1	1 of respondent's children 18 or younger in the household	1112
2	2 of respondent's children 18 or younger in the household	1052
3	3 or more of respondent's children 18 or younger in the household	746
	Total	5601

Universe : Applicable for all respondents

HHKIDTYP(3769-3769)

Variable Type : recode

Description : Whether R has children (18 or younger), and whether bio or non-bio, living in the household (RECODE)

value	label	Total
0	No child(ren) 18 or younger in HH or only older child(ren)	2691
1	At least one biological child (of R's) under 18 in HH, no nonbiological child(ren)	2783
2	Any non-biological child (of R's) 18 or younger in HH	127
	Total	5601

Universe : Applicable for all respondents

CSPBBHH(3770-3770)

Variable Type : recode

Description : Number of R's biological children (18 or younger) with current spouse/cohabiting partner who live in household (RECODE)

value	label	Total
.	INAPPLICABLE	3127
0	No joint biological children	939
1	1 joint biological child	636
2	2 joint biological children	581
3	3 or more joint biological children	318
	Total	5601

Universe : Applicable if R is currently married or cohabiting with a male partner AB-1 MARSTAT = 1 or 2. (This variable was topcoded for public use.)

CSPBSHH(3771-3771)

Variable Type : recode

Description : Number of R's biological children (18 or younger) in household who are the not the biological children of her current husband/cohabiting partner (RECODE)

value	label	Total
--------------	--------------	--------------

.	INAPPLICABLE	3127
0	No such child	2166
1	1 or more such children	308
Total		5601

Universe : Applicable if R is currently married or cohabiting with a male partner AB-1 MARSTAT = 1 or 2.
(This variable was topcoded for public use.)

CSPOKDHH(3772-3772)

Variable Type : recode

Description : Number of all other children (18 or younger) living in household with R and current spouse/cohabiting partner (RECODE)

value	label	Total
.	INAPPLICABLE	3127
0	No such child	2251
1	1 or more such children	223
Total		5601

Universe : Applicable if R is currently married or cohabiting with a male partner AB-1 MARSTAT = 1 or 2.
(This variable was topcoded for public use.)

INTCTFAM(3773-3773)

Variable Type : recode

Description : Intact status of childhood family (RECODE)

value	label	Total
1	TWO BIOLOGICAL OR ADOPTIVE PARENTS FROM BIRTH	2924
2	ANYTHING OTHER THAN 2 BIOLOGICAL OR ADOPTIVE PARENTS FROM BIRTH	2677
Total		5601

Universe : Applicable for all respondents

PARAGE14(3774-3774)

Variable Type : recode

Description : Parental living situation at age 14 (RECODE)

value	label	Total
1	R LIVED WITH BOTH BIOLOGICAL OR BOTH ADOPTIVE PARENTS AT AGE 14	3281
2	R LIVED WITH BIOLOGICAL MOTHER AND STEPFATHER AT AGE 14	604
3	R LIVED IN ANY OTHER PARENTAL SITUATION OR A NONPARENTAL SITUATION AT AGE 14	1716
Total		5601

Universe : Applicable for all respondents. (This variable was recoded for public use.)

EDUCMOM(3775-3776)

Variable Type : recode

Description : Mother's (or mother-figure's) education (RECODE)

value	label	Total
1	Less than high school	1352
2	High school graduate or GED	1677
3	Some college, including 2-year degrees	1425
4	Bachelor's degree or higher	1096
95	No mother-figure identified	51

Total **5601**

Universe : Applicable for all respondents. (This variable was recoded for public use.)

AGEMOMB1(3777-3778)

Variable Type : recode

Description : Age of mother (or mother-figure) at first birth (RECODE)

value	label	Total
1	LESS THAN 18 YEARS	1035
2	18-19 YEARS	1003
3	20-24 YEARS	2076
4	25-29 YEARS	980
5	30 OR OLDER	396
95	NO MOTHER OR MOTHER-FIGURE	51
96	MOTHER-FIGURE HAD NO CHILDREN	60
Total		5601

Universe : Applicable for all respondents. (This variable was recoded for public use.)

AGER_I(3779-3779)

Variable Type : imputation flag

Description : AGER Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5601
Total		5601

Universe : Applicable for all respondents

FMARITAL_I(3780-3780)

Variable Type : imputation flag

Description : FMARITAL Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5600
2	LOGICAL IMPUTATION	1
Total		5601

Universe : Applicable for all respondents

RMARITAL_I(3781-3781)

Variable Type : imputation flag

Description : RMARITAL Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5600
2	LOGICAL IMPUTATION	1
Total		5601

Universe : Applicable for all respondents

EDUCAT_I(3782-3782)

Variable Type : imputation flag

Description : EDUCAT Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5596
1	MULTIPLE REGRESSION IMPUTATION	5
Total		5601

Universe : Applicable for all respondents

HIEDUC_I(3783-3783)

Variable Type : imputation flag

Description : HIEDUC Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5592
2	LOGICAL IMPUTATION	9
Total		5601

Universe : Applicable for all respondents

HISPANIC_I(3784-3784)

Variable Type : imputation flag

Description : HISPANIC Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5598
1	MULTIPLE REGRESSION IMPUTATION	3
Total		5601

Universe : Applicable for all respondents

RACE_I(3785-3785)

Variable Type : imputation flag

Description : RACE Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5598
1	MULTIPLE REGRESSION IMPUTATION	3
Total		5601

Universe : Applicable for all respondents

HISPRACE_I(3786-3786)

Variable Type : imputation flag

Description : HISPRACE Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5598
2	LOGICAL IMPUTATION	3
Total		5601

Universe : Applicable for all respondents

HISPRACE2_I(3787-3787)

Variable Type : imputation flag

Description : HISPRACE2 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5599
2	LOGICAL IMPUTATION	2
Total		5601

Universe : Applicable for all respondents

NUMKDHH_I(3788-3788)

Variable Type : imputation flag

Description : NUMKDHH Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5601
Total		5601

Universe : Applicable for all respondents

NUMFMHH_I(3789-3789)

Variable Type : imputation flag

Description : NUMFMHH Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5600
2	LOGICAL IMPUTATION	1
Total		5601

Universe : Applicable for all respondents

HHFAMTYP_I(3790-3790)

Variable Type : imputation flag

Description : HHFAMTYP Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5600
2	LOGICAL IMPUTATION	1
Total		5601

Universe : Applicable for all respondents

HHPARTYP_I(3791-3791)

Variable Type : imputation flag

Description : HHPARTYP Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5600
2	LOGICAL IMPUTATION	1
Total		5601

Universe : Applicable for all respondents

NCHILDHH_I(3792-3792)

Variable Type : imputation flag

Description : NCHILDHH Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5601
	Total	5601

Universe : Applicable for all respondents

HHKIDTYP_I(3793-3793)

Variable Type : imputation flag

Description : HHKIDTYP Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5601
	Total	5601

Universe : Applicable for all respondents

CSPBBHH_I(3794-3794)

Variable Type : imputation flag

Description : CSPBBHH Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5601
	Total	5601

Universe : Applicable for all respondents

CSPBSHH_I(3795-3795)

Variable Type : imputation flag

Description : CSPBSHH Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5601
	Total	5601

Universe : Applicable for all respondents

CSPOKDHH_I(3796-3796)

Variable Type : imputation flag

Description : CSPOKHH Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5601
	Total	5601

Universe : Applicable for all respondents

INTCTFAM_I(3797-3797)

Variable Type : imputation flag

Description : INTCTFAM Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5598
1	MULTIPLE REGRESSION IMPUTATION	2
2	LOGICAL IMPUTATION	1

Total **5601**

Universe : Applicable for all respondents

PARAGE14_I(3798-3798)

Variable Type : imputation flag

Description : PARAGE14 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5596
1	MULTIPLE REGRESSION IMPUTATION	4
2	LOGICAL IMPUTATION	1
Total		5601

Universe : Applicable for all respondents

EDUCMOM_I(3799-3799)

Variable Type : imputation flag

Description : EDUCMOM Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5509
1	MULTIPLE REGRESSION IMPUTATION	92
Total		5601

Universe : Applicable for all respondents

AGEMOMB1_I(3800-3800)

Variable Type : imputation flag

Description : AGEMOMB1 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5558
1	MULTIPLE REGRESSION IMPUTATION	43
Total		5601

Universe : Applicable for all respondents

Female Respondent File Codebook :: SECTION R: Recode Variables and Imputation Flags :: Section B Recodes

RCURPREG(3801-3801)

Variable Type : recode

Description : Whether R is currently pregnant (RECODE)

value	label	Total
1	YES (CURRENTLY PREGNANT)	238
2	NO (NOT CURRENTLY PREGNANT)	5363
Total		5601

Universe : Applicable for all respondents

PREGNUM(3802-3803)

Variable Type : recode

Description : CAPI-based total number of pregnancies (RECODE)

value	label	Total
0	NONE	2098
1	1 PREGNANCY	872
2	2 PREGNANCIES	979
3	3 PREGNANCIES	769
4	4 PREGNANCIES	443
5	5 PREGNANCIES	229
6	6 PREGNANCIES	105
7-95	7 OR MORE PREGNANCIES	106
	Total	5601

Universe : Applicable for all respondents

COMPREG(3804-3805)

Variable Type : recode

Description : CAPI-based total number of completed pregnancies (RECODE)

value	label	Total
0	NONE	2172
1	1 PREGNANCY	858
2	2 PREGNANCIES	964
3	3 PREGNANCIES	750
4	4 PREGNANCIES	427
5	5 PREGNANCIES	233
6	6 PREGNANCIES	95
7-95	7 OR MORE PREGNANCIES	102
	Total	5601

Universe : Applicable for all respondents

LOSSNUM(3806-3806)

Variable Type : recode

Description : CAPI-based total number of spontaneous pregnancy losses (RECODE)

value	label	Total
.	INAPPLICABLE	2172
0	NONE	2307
1	1 PREGNANCY	795
2	2 PREGNANCIES	213
3-95	3 OR MORE PREGNANCIES	114
	Total	5601

Universe : Applicable if R has ever had a completed pregnancy (COMPREG > 0)

ABORTION(3807-3808)

Variable Type : recode

Description : CAPI-based total number of induced abortions (RECODE)

value	label	Total
.	INAPPLICABLE	2172
0	NONE	2730
1	1 PREGNANCY	492
2	2 PREGNANCIES	153
3-95	3 OR MORE PREGNANCIES	54
	Total	5601

Universe : Applicable if R has ever had a completed pregnancy (COMPREG > 0)

LBPREGS(3809-3809)

Variable Type : recode

Description : CAPI-based total number of pregs ending in live birth (RECODE)

value	label	Total
.	INAPPLICABLE	2172
0	NONE	288
1	1 PREGNANCY	1065
2	2 PREGNANCIES	1119
3	3 PREGNANCIES	630
4-95	4 OR MORE PREGNANCIES	327
	Total	5601

Universe : Applicable if R has ever had a completed pregnancy (COMPREG > 0)

PARITY(3810-3811)

Variable Type : recode

Description : CAPI-based total number of live births (accounting for mult birth) (RECODE)

value	label	Total
0	0 BABIES	2460
1	1 BABY	1043
2	2 BABIES	1100
3	3 BABIES	640
4	4 BABIES	232
5-95	5 OR MORE BABIES	126
	Total	5601

Universe : Applicable for all respondents

BIRTHS5(3812-3812)

Variable Type : recode

Description : Number of live births in last 5 years (RECODE)

value	label	Total
.	INAPPLICABLE	2172
0	0 BIRTHS	1791
1	1 BIRTH	1244
2	2 BIRTHS	349
3-6	3 OR MORE BIRTHS	45
	Total	5601

Universe : Applicable if R has ever had a completed pregnancy (COMPREG > 0)

OUTCOM01(3813-3813)

Variable Type : recode

Description : Outcome of pregnancy - 1st (RECODE)

value	label	Total
.	INAPPLICABLE	2098
1	LIVE BIRTH	2467
2	INDUCED ABORTION	409
3	STILLBIRTH	32
4	MISCARRIAGE	489
5	ECTOPIC PREGNANCY	32
6	CURRENT PREGNANCY	74

Total **5601**

Universe : Applicable if R has ever been pregnant (PREGNUM > 0)

OUTCOM02(3814-3814)

Variable Type : recode

Description : Outcome of pregnancy - 2nd (RECODE)

value	label	Total
.	INAPPLICABLE	2970
1	LIVE BIRTH	1946
2	INDUCED ABORTION	227
3	STILLBIRTH	14
4	MISCARRIAGE	350
5	ECTOPIC PREGNANCY	34
6	CURRENT PREGNANCY	60
	Total	5601

Universe : Applicable if R has been pregnant at least 2 times (PREGNUM > 1)

OUTCOM03(3815-3815)

Variable Type : recode

Description : Outcome of pregnancy - 3rd (RECODE)

value	label	Total
.	INAPPLICABLE	3949
1	LIVE BIRTH	1148
2	INDUCED ABORTION	162
3	STILLBIRTH	12
4	MISCARRIAGE	260
5	ECTOPIC PREGNANCY	25
6	CURRENT PREGNANCY	45
	Total	5601

Universe : Applicable if R has been pregnant at least 3 times (PREGNUM > 2)

OUTCOM04(3816-3816)

Variable Type : recode

Description : Outcome of pregnancy - 4th (RECODE)

value	label	Total
.	INAPPLICABLE	4718
1	LIVE BIRTH	598
2	INDUCED ABORTION	81
3	STILLBIRTH	5
4	MISCARRIAGE	161
5	ECTOPIC PREGNANCY	12
6	CURRENT PREGNANCY	26
	Total	5601

Universe : Applicable if R has been pregnant at least 4 times (PREGNUM > 3)

OUTCOM05(3817-3817)

Variable Type : recode

Description : Outcome of pregnancy - 5th (RECODE)

value	label	Total
.	INAPPLICABLE	5161
1	LIVE BIRTH	290
2	INDUCED ABORTION	46
3	STILLBIRTH	4
4	MISCARRIAGE	81
5	ECTOPIC PREGNANCY	9
6	CURRENT PREGNANCY	10
	Total	5601

Universe : Applicable if R has been pregnant at least 5 times (PREGNUM > 4)

OUTCOM06(3818-3818)

Variable Type : recode

Description : Outcome of pregnancy - 6th (RECODE)

value	label	Total
.	INAPPLICABLE	5390
1	LIVE BIRTH	114
2	INDUCED ABORTION	24
3	STILLBIRTH	4
4	MISCARRIAGE	48
5	ECTOPIC PREGNANCY	7
6	CURRENT PREGNANCY	14
	Total	5601

Universe : Applicable if R has been pregnant at least 6 times (PREGNUM > 5)

OUTCOM07(3819-3819)

Variable Type : recode

Description : Outcome of pregnancy - 7th (RECODE)

value	label	Total
.	INAPPLICABLE	5495
1	LIVE BIRTH	61
2	INDUCED ABORTION	13
4	MISCARRIAGE	27
5	ECTOPIC PREGNANCY	1
6	CURRENT PREGNANCY	4
	Total	5601

Universe : Applicable if R has been pregnant at least 7 times (PREGNUM > 6)

OUTCOM08(3820-3820)

Variable Type : recode

Description : Outcome of pregnancy - 8th (RECODE)

value	label	Total
.	INAPPLICABLE	5550
1	LIVE BIRTH	21
2	INDUCED ABORTION	9
4	MISCARRIAGE	19
6	CURRENT PREGNANCY	2
	Total	5601

Universe : Applicable if R has been pregnant at least 8 times (PREGNUM > 7)

OUTCOM09(3821-3821)

Variable Type : recode

Description : Outcome of pregnancy - 9th (RECODE)

value	label	Total
.	INAPPLICABLE	5573
1	LIVE BIRTH	14
2	INDUCED ABORTION	4
4	MISCARRIAGE	7
6	CURRENT PREGNANCY	3
Total		5601

Universe : Applicable if R has been pregnant at least 9 times (PREGNUM > 8)

OUTCOM10(3822-3822)

Variable Type : recode

Description : Outcome of pregnancy - 10th (RECODE)

value	label	Total
.	INAPPLICABLE	5585
1	LIVE BIRTH	5
2	INDUCED ABORTION	6
4	MISCARRIAGE	5
Total		5601

Universe : Applicable if R has been pregnant at least 10 times (PREGNUM > 9)

OUTCOM11(3823-3823)

Variable Type : recode

Description : Outcome of pregnancy - 11th (RECODE)

value	label	Total
.	INAPPLICABLE	5592
1	LIVE BIRTH	4
2	INDUCED ABORTION	3
4	MISCARRIAGE	2
Total		5601

Universe : Applicable if R has been pregnant at least 11 times (PREGNUM > 10)

OUTCOM12(3824-3824)

Variable Type : recode

Description : Outcome of pregnancy - 12th (RECODE)

value	label	Total
.	INAPPLICABLE	5595
1	LIVE BIRTH	2
2	INDUCED ABORTION	2
4	MISCARRIAGE	2
Total		5601

Universe : Applicable if R has been pregnant at least 12 times (PREGNUM > 11)

OUTCOM13(3825-3825)

Variable Type : recode

Description : Outcome of pregnancy - 13th (RECODE)

value	label	Total
.	INAPPLICABLE	5598
2	INDUCED ABORTION	3
Total		5601

Universe : Applicable if R has been pregnant at least 13 times (PREGNUM > 12)

OUTCOM14(3826-3826)

Variable Type : recode

Description : Outcome of pregnancy - 14th (RECODE)

value	label	Total
.	INAPPLICABLE	5599
2	INDUCED ABORTION	2
Total		5601

Universe : Applicable if R has been pregnant at least 14 times (PREGNUM > 13)

OUTCOM15(3827-3827)

Variable Type : recode

Description : Outcome of pregnancy - 15th (RECODE)

value	label	Total
.	INAPPLICABLE	5600
2	INDUCED ABORTION	1
Total		5601

Universe : Applicable if R has been pregnant at least 15 times (PREGNUM > 14)

OUTCOM16(3828-3828)

Variable Type : recode

Description : Outcome of pregnancy - 16th (RECODE)

value	label	Total
.	INAPPLICABLE	5600
2	INDUCED ABORTION	1
Total		5601

Universe : Applicable if R has been pregnant at least 16 times (PREGNUM > 15)

DATEND01(3829-3832)

Variable Type : recode

Description : CM date when pregnancy ended - 1st (RECODE)

value	label	Total
.	INAPPLICABLE	2172
380-1340	Before Sept 2011	3276
1341-1352	Sept 2011-Aug 2012	121
1353-1365	Sept 2012-Sept 2013	32
Total		5601

Universe : Applicable if R has had at least 1 completed pregnancy (COMPREG > 0)

DATEND02(3833-3836)

Variable Type : recode

Description : CM date when pregnancy ended - 2nd (RECODE)

value	label	Total
.	INAPPLICABLE	3030
380-1340	Before Sept 2011	2406
1341-1352	Sept 2011-Aug 2012	125
1353-1365	Sept 2012-Sept 2013	40
Total		5601

Universe : Applicable if R has had at least 2 completed pregnancies (COMPREG > 1)

DATEND03(3837-3840)

Variable Type : recode

Description : CM date when pregnancy ended - 3rd (RECODE)

value	label	Total
.	INAPPLICABLE	3994
380-1340	Before Sept 2011	1491
1341-1352	Sept 2011-Aug 2012	87
1353-1365	Sept 2012-Sept 2013	29
Total		5601

Universe : Applicable if R has had at least 3 completed pregnancies (COMPREG > 2)

DATEND04(3841-3844)

Variable Type : recode

Description : CM date when pregnancy ended - 4th (RECODE)

value	label	Total
.	INAPPLICABLE	4744
380-1340	Before Sept 2011	787
1341-1352	Sept 2011-Aug 2012	47
1353-1365	Sept 2012-Sept 2013	23
Total		5601

Universe : Applicable if R has had at least 4 completed pregnancies (COMPREG > 3)

DATEND05(3845-3848)

Variable Type : recode

Description : CM date when pregnancy ended - 5th (RECODE)

value	label	Total
.	INAPPLICABLE	5171
380-1340	Before Sept 2011	380
1341-1352	Sept 2011-Aug 2012	41
1353-1365	Sept 2012-Sept 2013	9
Total		5601

Universe : Applicable if R has had at least 5 completed pregnancies (COMPREG > 4)

DATEND06(3849-3852)

Variable Type : recode

Description : CM date when pregnancy ended - 6th (RECODE)

value	label	Total
.	INAPPLICABLE	5404
380-1340	Before Sept 2011	175
1341-1352	Sept 2011-Aug 2012	15
1353-1365	Sept 2012-Sept 2013	7
	Total	5601

Universe : Applicable if R has had at least 6 completed pregnancies (COMPREG > 5)

DATEND07(3853-3856)

Variable Type : recode

Description : CM date when pregnancy ended - 7th (RECODE)

value	label	Total
.	INAPPLICABLE	5499
380-1340	Before Sept 2011	90
1341-1352	Sept 2011-Aug 2012	9
1353-1365	Sept 2012-Sept 2013	3
	Total	5601

Universe : Applicable if R has had at least 7 completed pregnancies (COMPREG > 6)

DATEND08(3857-3860)

Variable Type : recode

Description : CM date when pregnancy ended - 8th (RECODE)

value	label	Total
.	INAPPLICABLE	5552
380-1340	Before Sept 2011	40
1341-1352	Sept 2011-Aug 2012	6
1353-1365	Sept 2012-Sept 2013	3
	Total	5601

Universe : Applicable if R has had at least 8 completed pregnancies (COMPREG > 7)

DATEND09(3861-3864)

Variable Type : recode

Description : CM date when pregnancy ended - 9th (RECODE)

value	label	Total
.	INAPPLICABLE	5576
380-1340	Before Sept 2011	22
1341-1352	Sept 2011-Aug 2012	2
1353-1365	Sept 2012-Sept 2013	1
	Total	5601

Universe : Applicable if R has had at least 9 completed pregnancies (COMPREG > 8)

DATEND10(3865-3868)

Variable Type : recode

Description : CM date when pregnancy ended - 10th (RECODE)

value	label	Total
.	INAPPLICABLE	5585
380-1340	Before Sept 2011	15

1341-1352	Sept 2011-Aug 2012	1
Total		5601

Universe : Applicable if R has had at least 10 completed pregnancies (COMPREG > 9)

DATEND11(3869-3872)

Variable Type : recode

Description : CM date when pregnancy ended - 11th (RECODE)

value	label	Total
.	INAPPLICABLE	5592
380-1340	Before Sept 2011	8
1353-1365	Sept 2012-Sept 2013	1
Total		5601

Universe : Applicable if R has had at least 11 completed pregnancies (COMPREG > 10)

DATEND12(3873-3876)

Variable Type : recode

Description : CM date when pregnancy ended - 12th (RECODE)

value	label	Total
.	INAPPLICABLE	5595
380-1340	Before Sept 2011	5
1341-1352	Sept 2011-Aug 2012	1
Total		5601

Universe : Applicable if R has had at least 12 completed pregnancies (COMPREG > 11)

DATEND13(3877-3880)

Variable Type : recode

Description : CM date when pregnancy ended - 13th (RECODE)

value	label	Total
.	INAPPLICABLE	5598
380-1340	Before Sept 2011	3
Total		5601

Universe : Applicable if R has had at least 13 completed pregnancies (COMPREG > 12)

DATEND14(3881-3884)

Variable Type : recode

Description : CM date when pregnancy ended - 14th (RECODE)

value	label	Total
.	INAPPLICABLE	5599
380-1340	Before Sept 2011	1
1341-1352	Sept 2011-Aug 2012	1
Total		5601

Universe : Applicable if R has had at least 14 completed pregnancies (COMPREG > 13)

DATEND15(3885-3888)

Variable Type : recode

Description : CM date when pregnancy ended - 15th (RECODE)

value	label	Total
.	INAPPLICABLE	5600
380-1340	Before Sept 2011	1
Total		5601

Universe : Applicable if R has had at least 15 completed pregnancies (COMPREG > 14)

DATEND16(3889-3892)

Variable Type : recode

Description : CM date when pregnancy ended - 16th (RECODE)

value	label	Total
.	INAPPLICABLE	5600
380-1340	Before Sept 2011	1
Total		5601

Universe : Applicable if R has had at least 16 completed pregnancies (COMPREG > 15)

AGEPRG01(3893-3896)

Variable Type : recode

Description : Age when pregnancy ended - 1st (RECODE)

value	label	Total
.	INAPPLICABLE	2172
0-1999	UNDER 20 YEARS	1484
2000-2499	20-24 YEARS	1117
2500-2999	25-29 YEARS	540
3000-4499	30-44 YEARS	288
Total		5601

Universe : Applicable if R has had at least 1 completed pregnancy (COMPREG > 0)

AGEPRG02(3897-3900)

Variable Type : recode

Description : Age when pregnancy ended - 2nd (RECODE)

value	label	Total
.	INAPPLICABLE	3030
0-1999	UNDER 20 YEARS	458
2000-2499	20-24 YEARS	1037
2500-2999	25-29 YEARS	608
3000-4499	30-44 YEARS	468
Total		5601

Universe : Applicable if R has had at least 2 completed pregnancies (COMPREG > 1)

AGEPRG03(3901-3904)

Variable Type : recode

Description : Age when pregnancy ended - 3rd (RECODE)

value	label	Total
.	INAPPLICABLE	3994
0-1999	UNDER 20 YEARS	116
2000-2499	20-24 YEARS	589

2500-2999	25-29 YEARS	519
3000-4499	30-44 YEARS	383
Total		5601

Universe : Applicable if R has had at least 3 completed pregnancies (COMPREG > 2)

AGEPRG04(3905-3908)

Variable Type : recode

Description : Age when pregnancy ended - 4th (RECODE)

value	label	Total
.	INAPPLICABLE	4744
0-1999	UNDER 20 YEARS	29
2000-2499	20-24 YEARS	256
2500-2999	25-29 YEARS	313
3000-4499	30-44 YEARS	259
Total		5601

Universe : Applicable if R has had at least 4 completed pregnancies (COMPREG > 3)

AGEPRG05(3909-3912)

Variable Type : recode

Description : Age when pregnancy ended - 5th (RECODE)

value	label	Total
.	INAPPLICABLE	5171
0-1999	UNDER 20 YEARS	7
2000-2499	20-24 YEARS	98
2500-2999	25-29 YEARS	158
3000-4499	30-44 YEARS	167
Total		5601

Universe : Applicable if R has had at least 5 completed pregnancies (COMPREG > 4)

AGEPRG06(3913-3916)

Variable Type : recode

Description : Age when pregnancy ended - 6th (RECODE)

value	label	Total
.	INAPPLICABLE	5404
2000-2499	20-24 YEARS	43
2500-2999	25-29 YEARS	62
3000-4499	30-44 YEARS	92
Total		5601

Universe : Applicable if R has had at least 6 completed pregnancies (COMPREG > 5)

AGEPRG07(3917-3920)

Variable Type : recode

Description : Age when pregnancy ended - 7th (RECODE)

value	label	Total
.	INAPPLICABLE	5499
2000-2499	20-24 YEARS	12
2500-2999	25-29 YEARS	32

3000-4499	30-44 YEARS	58
Total		5601

Universe : Applicable if R has had at least 7 completed pregnancies (COMPREG > 6)

AGEPRG08(3921-3924)

Variable Type : recode

Description : Age when pregnancy ended - 8th (RECODE)

value	label	Total
.	INAPPLICABLE	5552
2000-2499	20-24 YEARS	3
2500-2999	25-29 YEARS	21
3000-4499	30-44 YEARS	25
Total		5601

Universe : Applicable if R has had at least 8 completed pregnancies (COMPREG > 7)

AGEPRG09(3925-3928)

Variable Type : recode

Description : Age when pregnancy ended - 9th (RECODE)

value	label	Total
.	INAPPLICABLE	5576
2000-2499	20-24 YEARS	1
2500-2999	25-29 YEARS	8
3000-4499	30-44 YEARS	16
Total		5601

Universe : Applicable if R has had at least 9 completed pregnancies (COMPREG > 8)

AGEPRG10(3929-3932)

Variable Type : recode

Description : Age when pregnancy ended - 10th (RECODE)

value	label	Total
.	INAPPLICABLE	5585
2000-2499	20-24 YEARS	1
2500-2999	25-29 YEARS	3
3000-4499	30-44 YEARS	12
Total		5601

Universe : Applicable if R has had at least 10 completed pregnancies (COMPREG > 9)

AGEPRG11(3933-3936)

Variable Type : recode

Description : Age when pregnancy ended - 11th (RECODE)

value	label	Total
.	INAPPLICABLE	5592
2500-2999	25-29 YEARS	1
3000-4499	30-44 YEARS	8
Total		5601

Universe : Applicable if R has had at least 11 completed pregnancies (COMPREG > 10)

AGEPRG12(3937-3940)

Variable Type : recode

Description : Age when pregnancy ended - 12th (RECODE)

value	label	Total
.	INAPPLICABLE	5595
2500-2999	25-29 YEARS	1
3000-4499	30-44 YEARS	5
Total		5601

Universe : Applicable if R has had at least 12 completed pregnancies (COMPREG > 11)

AGEPRG13(3941-3944)

Variable Type : recode

Description : Age when pregnancy ended - 13th (RECODE)

value	label	Total
.	INAPPLICABLE	5598
3000-4499	30-44 YEARS	3
Total		5601

Universe : Applicable if R has had at least 13 completed pregnancies (COMPREG > 12)

AGEPRG14(3945-3948)

Variable Type : recode

Description : Age when pregnancy ended - 14th (RECODE)

value	label	Total
.	INAPPLICABLE	5599
3000-4499	30-44 YEARS	2
Total		5601

Universe : Applicable if R has had at least 14 completed pregnancies (COMPREG > 13)

AGEPRG15(3949-3952)

Variable Type : recode

Description : Age when pregnancy ended - 15th (RECODE)

value	label	Total
.	INAPPLICABLE	5600
3000-4499	30-44 YEARS	1
Total		5601

Universe : Applicable if R has had at least 15 completed pregnancies (COMPREG > 14)

AGEPRG16(3953-3956)

Variable Type : recode

Description : Age when pregnancy ended - 16th (RECODE)

value	label	Total
.	INAPPLICABLE	5600
3000-4499	30-44 YEARS	1
Total		5601

Universe : Applicable if R has had at least 16 completed pregnancies (COMPREG > 15)

DATCON01(3957-3960)

Variable Type : recode

Description : CM date when pregnancy began - 1st (RECODE)

value	label	Total
.	INAPPLICABLE	2098
380-1340	Before Sept 2011	3366
1341-1352	Sept 2011-Aug 2012	113
1353-1365	Sept 2012-Sept 2013	24
Total		5601

Universe : Applicable if R has ever been pregnant (PREGNUM > 0)

DATCON02(3961-3964)

Variable Type : recode

Description : CM date when pregnancy began - 2nd (RECODE)

value	label	Total
.	INAPPLICABLE	2970
380-1340	Before Sept 2011	2486
1341-1352	Sept 2011-Aug 2012	113
1353-1365	Sept 2012-Sept 2013	32
Total		5601

Universe : Applicable if R has been pregnant at least 2 times (PREGNUM > 1)

DATCON03(3965-3968)

Variable Type : recode

Description : CM date when pregnancy began - 3rd (RECODE)

value	label	Total
.	INAPPLICABLE	3949
380-1340	Before Sept 2011	1551
1341-1352	Sept 2011-Aug 2012	80
1353-1365	Sept 2012-Sept 2013	21
Total		5601

Universe : Applicable if R has been pregnant at least 3 times (PREGNUM > 2)

DATCON04(3969-3972)

Variable Type : recode

Description : CM date when pregnancy began - 4th (RECODE)

value	label	Total
.	INAPPLICABLE	4718
380-1340	Before Sept 2011	821
1341-1352	Sept 2011-Aug 2012	47
1353-1365	Sept 2012-Sept 2013	15
Total		5601

Universe : Applicable if R has been pregnant at least 4 times (PREGNUM > 3)

DATCON05(3973-3976)

Variable Type : recode

Description : CM date when pregnancy began - 5th (RECODE)

value	label	Total
.	INAPPLICABLE	5161
380-1340	Before Sept 2011	413
1341-1352	Sept 2011-Aug 2012	22
1353-1365	Sept 2012-Sept 2013	5
Total		5601

Universe : Applicable if R has been pregnant at least 5 times (PREGNUM > 4)

DATCON06(3977-3980)

Variable Type : recode

Description : CM date when pregnancy began - 6th (RECODE)

value	label	Total
.	INAPPLICABLE	5390
380-1340	Before Sept 2011	184
1341-1352	Sept 2011-Aug 2012	21
1353-1365	Sept 2012-Sept 2013	6
Total		5601

Universe : Applicable if R has been pregnant at least 6 times (PREGNUM > 5)

DATCON07(3981-3984)

Variable Type : recode

Description : CM date when pregnancy began - 7th (RECODE)

value	label	Total
.	INAPPLICABLE	5495
380-1340	Before Sept 2011	94
1341-1352	Sept 2011-Aug 2012	9
1353-1365	Sept 2012-Sept 2013	3
Total		5601

Universe : Applicable if R has been pregnant at least 7 times (PREGNUM > 6)

DATCON08(3985-3988)

Variable Type : recode

Description : CM date when pregnancy began - 8th (RECODE)

value	label	Total
.	INAPPLICABLE	5550
380-1340	Before Sept 2011	45
1341-1352	Sept 2011-Aug 2012	3
1353-1365	Sept 2012-Sept 2013	3
Total		5601

Universe : Applicable if R has been pregnant at least 8 times (PREGNUM > 7)

DATCON09(3989-3992)

Variable Type : recode

Description : CM date when pregnancy began - 9th (RECODE)

value	label	Total
.	INAPPLICABLE	5573
380-1340	Before Sept 2011	23
1341-1352	Sept 2011-Aug 2012	3
1353-1365	Sept 2012-Sept 2013	2
Total		5601

Universe : Applicable if R has been pregnant at least 9 times (PREGNUM > 8)

DATCON10(3993-3996)

Variable Type : recode

Description : CM date when pregnancy began - 10th (RECODE)

value	label	Total
.	INAPPLICABLE	5585
380-1340	Before Sept 2011	15
1341-1352	Sept 2011-Aug 2012	1
Total		5601

Universe : Applicable if R has been pregnant at least 10 times (PREGNUM > 9)

DATCON11(3997-4000)

Variable Type : recode

Description : CM date when pregnancy began - 11th (RECODE)

value	label	Total
.	INAPPLICABLE	5592
380-1340	Before Sept 2011	8
1341-1352	Sept 2011-Aug 2012	1
Total		5601

Universe : Applicable if R has been pregnant at least 11 times (PREGNUM > 10)

DATCON12(4001-4004)

Variable Type : recode

Description : CM date when pregnancy began - 12th (RECODE)

value	label	Total
.	INAPPLICABLE	5595
380-1340	Before Sept 2011	5
1341-1352	Sept 2011-Aug 2012	1
Total		5601

Universe : Applicable if R has been pregnant at least 12 times (PREGNUM > 11)

DATCON13(4005-4008)

Variable Type : recode

Description : CM date when pregnancy began - 13th (RECODE)

value	label	Total
.	INAPPLICABLE	5598
380-1340	Before Sept 2011	3
Total		5601

Universe : Applicable if R has been pregnant at least 13 times (PREGNUM > 12)

DATCON14(4009-4012)

Variable Type : recode

Description : CM date when pregnancy began - 14th (RECODE)

value	label	Total
.	INAPPLICABLE	5599
380-1340	Before Sept 2011	1
1341-1352	Sept 2011-Aug 2012	1
Total		5601

Universe : Applicable if R has been pregnant at least 14 times (PREGNUM > 13)

DATCON15(4013-4016)

Variable Type : recode

Description : CM date when pregnancy began - 15th (RECODE)

value	label	Total
.	INAPPLICABLE	5600
380-1340	Before Sept 2011	1
Total		5601

Universe : Applicable if R has been pregnant at least 15 times (PREGNUM > 14)

DATCON16(4017-4020)

Variable Type : recode

Description : CM date when pregnancy began - 16th (RECODE)

value	label	Total
.	INAPPLICABLE	5600
380-1340	Before Sept 2011	1
Total		5601

Universe : Applicable if R has been pregnant at least 16 times (PREGNUM > 15)

AGECON01(4021-4024)

Variable Type : recode

Description : Age when pregnancy began - 1st (RECODE)

value	label	Total
.	INAPPLICABLE	2098
0-1999	UNDER 20 YEARS	1696
2000-2499	20-24 YEARS	1017
2500-2999	25-29 YEARS	525
3000-4499	30-44 YEARS	265
Total		5601

Universe : Applicable if R has ever been pregnant (PREGNUM > 0)

AGECON02(4025-4028)

Variable Type : recode

Description : Age when pregnancy began - 2nd (RECODE)

value	label	Total
-------	-------	-------

.	INAPPLICABLE	2970
0-1999	UNDER 20 YEARS	598
2000-2499	20-24 YEARS	1028
2500-2999	25-29 YEARS	579
3000-4499	30-44 YEARS	426
	Total	5601

Universe : Applicable if R has been pregnant at least 2 times (PREGNUM > 1)

AGECON03(4029-4032)

Variable Type : recode

Description : Age when pregnancy began - 3rd (RECODE)

value	label	Total
.	INAPPLICABLE	3949
0-1999	UNDER 20 YEARS	158
2000-2499	20-24 YEARS	639
2500-2999	25-29 YEARS	496
3000-4499	30-44 YEARS	359
	Total	5601

Universe : Applicable if R has been pregnant at least 3 times (PREGNUM > 2)

AGECON04(4033-4036)

Variable Type : recode

Description : Age when pregnancy began - 4th (RECODE)

value	label	Total
.	INAPPLICABLE	4718
0-1999	UNDER 20 YEARS	43
2000-2499	20-24 YEARS	285
2500-2999	25-29 YEARS	311
3000-4499	30-44 YEARS	244
	Total	5601

Universe : Applicable if R has been pregnant at least 4 times (PREGNUM > 3)

AGECON05(4037-4040)

Variable Type : recode

Description : Age when pregnancy began - 5th (RECODE)

value	label	Total
.	INAPPLICABLE	5161
0-1999	UNDER 20 YEARS	11
2000-2499	20-24 YEARS	111
2500-2999	25-29 YEARS	166
3000-4499	30-44 YEARS	152
	Total	5601

Universe : Applicable if R has been pregnant at least 5 times (PREGNUM > 4)

AGECON06(4041-4044)

Variable Type : recode

Description : Age when pregnancy began - 6th (RECODE)

value	label	Total
.	INAPPLICABLE	5390
0-1999	UNDER 20 YEARS	1
2000-2499	20-24 YEARS	49
2500-2999	25-29 YEARS	69
3000-4499	30-44 YEARS	92
	Total	5601

Universe : Applicable if R has been pregnant at least 6 times (PREGNUM > 5)

AGECON07(4045-4048)

Variable Type : recode

Description : Age when pregnancy began - 7th (RECODE)

value	label	Total
.	INAPPLICABLE	5495
2000-2499	20-24 YEARS	17
2500-2999	25-29 YEARS	34
3000-4499	30-44 YEARS	55
	Total	5601

Universe : Applicable if R has been pregnant at least 7 times (PREGNUM > 6)

AGECON08(4049-4052)

Variable Type : recode

Description : Age when pregnancy began - 8th (RECODE)

value	label	Total
.	INAPPLICABLE	5550
2000-2499	20-24 YEARS	5
2500-2999	25-29 YEARS	21
3000-4499	30-44 YEARS	25
	Total	5601

Universe : Applicable if R has been pregnant at least 8 times (PREGNUM > 7)

AGECON09(4053-4056)

Variable Type : recode

Description : Age when pregnancy began - 9th (RECODE)

value	label	Total
.	INAPPLICABLE	5573
2000-2499	20-24 YEARS	1
2500-2999	25-29 YEARS	9
3000-4499	30-44 YEARS	18
	Total	5601

Universe : Applicable if R has been pregnant at least 9 times (PREGNUM > 8)

AGECON10(4057-4060)

Variable Type : recode

Description : Age when pregnancy began - 10th (RECODE)

value	label	Total
-------	-------	-------

.	INAPPLICABLE	5585
2000-2499	20-24 YEARS	1
2500-2999	25-29 YEARS	3
3000-4499	30-44 YEARS	12
Total		5601

Universe : Applicable if R has been pregnant at least 10 times (PREGNUM > 9)

AGECON11(4061-4064)

Variable Type : recode

Description : Age when pregnancy began - 11th (RECODE)

value	label	Total
.	INAPPLICABLE	5592
2500-2999	25-29 YEARS	1
3000-4499	30-44 YEARS	8
Total		5601

Universe : Applicable if R has been pregnant at least 11 times (PREGNUM > 10)

AGECON12(4065-4068)

Variable Type : recode

Description : Age when pregnancy began - 12th (RECODE)

value	label	Total
.	INAPPLICABLE	5595
2500-2999	25-29 YEARS	1
3000-4499	30-44 YEARS	5
Total		5601

Universe : Applicable if R has been pregnant at least 12 times (PREGNUM > 11)

AGECON13(4069-4072)

Variable Type : recode

Description : Age when pregnancy began - 13th (RECODE)

value	label	Total
.	INAPPLICABLE	5598
3000-4499	30-44 YEARS	3
Total		5601

Universe : Applicable if R has been pregnant at least 13 times (PREGNUM > 12)

AGECON14(4073-4076)

Variable Type : recode

Description : Age when pregnancy began - 14th (RECODE)

value	label	Total
.	INAPPLICABLE	5599
3000-4499	30-44 YEARS	2
Total		5601

Universe : Applicable if R has been pregnant at least 14 times (PREGNUM > 13)

AGECON15(4077-4080)

Variable Type : recode

Description : Age when pregnancy began - 15th (RECODE)

value	label	Total
.	INAPPLICABLE	5600
3000-4499	30-44 YEARS	1
Total		5601

Universe : Applicable if R has been pregnant at least 15 times (PREGNUM > 14)

AGECON16(4081-4084)

Variable Type : recode

Description : Age when pregnancy began - 16th (RECODE)

value	label	Total
.	INAPPLICABLE	5600
3000-4499	30-44 YEARS	1
Total		5601

Universe : Applicable if R has been pregnant at least 16 times (PREGNUM > 15)

MAROUT01(4085-4085)

Variable Type : recode

Description : Formal marital status when pregnancy ended - 1st (RECODE)

value	label	Total
.	INAPPLICABLE	2172
1	Married	1131
2	Divorced	76
4	Separated	3
5	Never married	2219
Total		5601

Universe : Applicable if R has had at least 1 completed pregnancy (COMPREG > 0)

MAROUT02(4086-4086)

Variable Type : recode

Description : Formal marital status when pregnancy ended - 2nd (RECODE)

value	label	Total
.	INAPPLICABLE	3030
1	Married	1150
2	Divorced	109
3	Widowed	2
4	Separated	19
5	Never married	1291
Total		5601

Universe : Applicable if R has had at least 2 completed pregnancies (COMPREG > 1)

MAROUT03(4087-4087)

Variable Type : recode

Description : Formal marital status when pregnancy ended - 3rd (RECODE)

value	label	Total
.	INAPPLICABLE	3994
1	Married	731
2	Divorced	131
3	Widowed	4
4	Separated	25
5	Never married	716
Total		5601

Universe : Applicable if R has had at least 3 completed pregnancies (COMPREG > 2)

MAROUT04(4088-4088)

Variable Type : recode

Description : Formal marital status when pregnancy ended - 4th (RECODE)

value	label	Total
.	INAPPLICABLE	4744
1	Married	402
2	Divorced	83
3	Widowed	2
4	Separated	24
5	Never married	346
Total		5601

Universe : Applicable if R has had at least 4 completed pregnancies (COMPREG > 3)

MAROUT05(4089-4089)

Variable Type : recode

Description : Formal marital status when pregnancy ended - 5th (RECODE)

value	label	Total
.	INAPPLICABLE	5171
1	Married	191
2	Divorced	48
3	Widowed	2
4	Separated	16
5	Never married	173
Total		5601

Universe : Applicable if R has had at least 5 completed pregnancies (COMPREG > 4)

MAROUT06(4090-4090)

Variable Type : recode

Description : Formal marital status when pregnancy ended - 6th (RECODE)

value	label	Total
.	INAPPLICABLE	5404
1	Married	83
2	Divorced	24
3	Widowed	2
4	Separated	8
5	Never married	80
Total		5601

Universe : Applicable if R has had at least 6 completed pregnancies (COMPREG > 5)

MAROUT07(4091-4091)

Variable Type : recode

Description : Formal marital status when pregnancy ended - 7th (RECODE)

value	label	Total
.	INAPPLICABLE	5499
1	Married	41
2	Divorced	12
3	Widowed	1
4	Separated	4
5	Never married	44
Total		5601

Universe : Applicable if R has had at least 7 completed pregnancies (COMPREG > 6)

MAROUT08(4092-4092)

Variable Type : recode

Description : Formal marital status when pregnancy ended - 8th (RECODE)

value	label	Total
.	INAPPLICABLE	5552
1	Married	15
2	Divorced	10
4	Separated	3
5	Never married	21
Total		5601

Universe : Applicable if R has had at least 8 completed pregnancies (COMPREG > 7)

MAROUT09(4093-4093)

Variable Type : recode

Description : Formal marital status when pregnancy ended - 9th (RECODE)

value	label	Total
.	INAPPLICABLE	5576
1	Married	9
2	Divorced	4
3	Widowed	1
5	Never married	11
Total		5601

Universe : Applicable if R has had at least 9 completed pregnancies (COMPREG > 8)

MAROUT10(4094-4094)

Variable Type : recode

Description : Formal marital status when pregnancy ended - 10th (RECODE)

value	label	Total
.	INAPPLICABLE	5585
1	Married	5
2	Divorced	2
5	Never married	9
Total		5601

Universe : Applicable if R has had at least 10 completed pregnancies (COMPREG > 9)

MAROUT11(4095-4095)

Variable Type : recode

Description : Formal marital status when pregnancy ended - 11th (RECODE)

value	label	Total
.	INAPPLICABLE	5592
1	Married	2
2	Divorced	1
5	Never married	6
Total		5601

Universe : Applicable if R has had at least 11 completed pregnancies (COMPREG > 10)

MAROUT12(4096-4096)

Variable Type : recode

Description : Formal marital status when pregnancy ended - 12th (RECODE)

value	label	Total
.	INAPPLICABLE	5595
1	Married	1
2	Divorced	1
5	Never married	4
Total		5601

Universe : Applicable if R has had at least 12 completed pregnancies (COMPREG > 11)

MAROUT13(4097-4097)

Variable Type : recode

Description : Formal marital status when pregnancy ended - 13th (RECODE)

value	label	Total
.	INAPPLICABLE	5598
5	Never married	3
Total		5601

Universe : Applicable if R has had at least 13 completed pregnancies (COMPREG > 12)

MAROUT14(4098-4098)

Variable Type : recode

Description : Formal marital status when pregnancy ended - 14th (RECODE)

value	label	Total
.	INAPPLICABLE	5599
5	Never married	2
Total		5601

Universe : Applicable if R has had at least 14 completed pregnancies (COMPREG > 13)

MAROUT15(4099-4099)

Variable Type : recode

Description : Formal marital status when pregnancy ended - 15th (RECODE)

value	label	Total
.	INAPPLICABLE	5600
5	Never married	1
Total		5601

Universe : Applicable if R has had at least 15 completed pregnancies (COMPREG > 14)

MAROUT16(4100-4100)

Variable Type : recode

Description : Formal marital status when pregnancy ended - 16th (RECODE)

value	label	Total
.	INAPPLICABLE	5600
5	Never married	1
Total		5601

Universe : Applicable if R has had at least 16 completed pregnancies (COMPREG > 15)

RMAROUT01(4101-4101)

Variable Type : recode

Description : Informal marital status when pregnancy ended - 1st (RECODE)

value	label	Total
.	INAPPLICABLE	2172
1	Married	1131
2	Divorced	46
4	Separated	3
5	Cohabiting	868
6	Never married, not cohabiting	1381
Total		5601

Universe : Applicable if R has had at least 1 completed pregnancy (COMPREG > 0)

RMAROUT02(4102-4102)

Variable Type : recode

Description : Informal marital status when pregnancy ended - 2nd (RECODE)

value	label	Total
.	INAPPLICABLE	3030
1	Married	1150
2	Divorced	58
3	Widowed	1
4	Separated	19
5	Cohabiting	734
6	Never married, not cohabiting	609
Total		5601

Universe : Applicable if R has had at least 2 completed pregnancies (COMPREG > 1)

RMAROUT03(4103-4103)

Variable Type : recode

Description : Informal marital status when pregnancy ended - 3rd (RECODE)

value	label	Total
.	INAPPLICABLE	3994
1	Married	730
2	Divorced	72
3	Widowed	3
4	Separated	25
5	Cohabiting	467
6	Never married, not cohabiting	310

Total **5601**

Universe : Applicable if R has had at least 3 completed pregnancies (COMPREG > 2)

RMAROUT04(4104-4104)

Variable Type : recode

Description : Informal marital status when pregnancy ended - 4th (RECODE)

value	label	Total
.	INAPPLICABLE	4744
1	Married	402
2	Divorced	54
3	Widowed	2
4	Separated	24
5	Cohabiting	228
6	Never married, not cohabiting	147
	Total	5601

Universe : Applicable if R has had at least 4 completed pregnancies (COMPREG > 3)

RMAROUT05(4105-4105)

Variable Type : recode

Description : Informal marital status when pregnancy ended - 5th (RECODE)

value	label	Total
.	INAPPLICABLE	5170
1	Married	192
2	Divorced	29
3	Widowed	1
4	Separated	16
5	Cohabiting	126
6	Never married, not cohabiting	67
	Total	5601

Universe : Applicable if R has had at least 5 completed pregnancies (COMPREG > 4)

RMAROUT06(4106-4106)

Variable Type : recode

Description : Informal marital status when pregnancy ended - 6th (RECODE)

value	label	Total
.	INAPPLICABLE	5404
1	Married	83
2	Divorced	10
3	Widowed	1
4	Separated	8
5	Cohabiting	59
6	Never married, not cohabiting	36
	Total	5601

Universe : Applicable if R has had at least 6 completed pregnancies (COMPREG > 5)

RMAROUT07(4107-4107)

Variable Type : recode

Description : Informal marital status when pregnancy ended - 7th (RECODE)

value	label	Total
.	INAPPLICABLE	5499
1	Married	41
2	Divorced	7
3	Widowed	1
4	Separated	4
5	Cohabiting	32
6	Never married, not cohabiting	17
	Total	5601

Universe : Applicable if R has had at least 7 completed pregnancies (COMPREG > 6)

RMAROUT08(4108-4108)

Variable Type : recode

Description : Informal marital status when pregnancy ended - 8th (RECODE)

value	label	Total
.	INAPPLICABLE	5552
1	Married	15
2	Divorced	5
4	Separated	3
5	Cohabiting	18
6	Never married, not cohabiting	8
	Total	5601

Universe : Applicable if R has had at least 8 completed pregnancies (COMPREG > 7)

RMAROUT09(4109-4109)

Variable Type : recode

Description : Informal marital status when pregnancy ended - 9th (RECODE)

value	label	Total
.	INAPPLICABLE	5576
1	Married	9
2	Divorced	2
3	Widowed	1
5	Cohabiting	9
6	Never married, not cohabiting	4
	Total	5601

Universe : Applicable if R has had at least 9 completed pregnancies (COMPREG > 8)

RMAROUT10(4110-4110)

Variable Type : recode

Description : Informal marital status when pregnancy ended - 10th (RECODE)

value	label	Total
.	INAPPLICABLE	5585
1	Married	5
2	Divorced	1
5	Cohabiting	6
6	Never married, not cohabiting	4
	Total	5601

Universe : Applicable if R has had at least 10 completed pregnancies (COMPREG > 9)

RMAROUT11(4111-4111)

Variable Type : recode

Description : Informal marital status when pregnancy ended - 11th (RECODE)

value	label	Total
.	INAPPLICABLE	5592
1	Married	2
2	Divorced	1
5	Cohabiting	3
6	Never married, not cohabiting	3
Total		5601

Universe : Applicable if R has had at least 11 completed pregnancies (COMPREG > 10)

RMAROUT12(4112-4112)

Variable Type : recode

Description : Informal marital status when pregnancy ended - 12th (RECODE)

value	label	Total
.	INAPPLICABLE	5595
1	Married	1
2	Divorced	1
5	Cohabiting	1
6	Never married, not cohabiting	3
Total		5601

Universe : Applicable if R has had at least 12 completed pregnancies (COMPREG > 11)

RMAROUT13(4113-4113)

Variable Type : recode

Description : Informal marital status when pregnancy ended - 13th (RECODE)

value	label	Total
.	INAPPLICABLE	5598
6	Never married, not cohabiting	3
Total		5601

Universe : Applicable if R has had at least 13 completed pregnancies (COMPREG > 12)

RMAROUT14(4114-4114)

Variable Type : recode

Description : Informal marital status when pregnancy ended - 14th (RECODE)

value	label	Total
.	INAPPLICABLE	5599
6	Never married, not cohabiting	2
Total		5601

Universe : Applicable if R has had at least 14 completed pregnancies (COMPREG > 13)

RMAROUT15(4115-4115)

Variable Type : recode

Description : Informal marital status when pregnancy ended - 15th (RECODE)

value	label	Total
.	INAPPLICABLE	5600

6	Never married, not cohabiting	1
Total		5601

Universe : Applicable if R has had at least 15 completed pregnancies (COMPREG > 14)

RMAROUT16(4116-4116)

Variable Type : recode

Description : Informal marital status when pregnancy ended - 16th (RECODE)

value	label	Total
.	INAPPLICABLE	5600
6	Never married, not cohabiting	1
Total		5601

Universe : Applicable if R has had at least 16 completed pregnancies (COMPREG > 15)

MARCON01(4117-4117)

Variable Type : recode

Description : Formal marital status when pregnancy began - 1st (RECODE)

value	label	Total
.	INAPPLICABLE	2098
1	Married	952
2	Divorced	72
4	Separated	2
5	Never married	2477
Total		5601

Universe : Applicable if R has ever been pregnant (PREGNUM > 0)

MARCON02(4118-4118)

Variable Type : recode

Description : Formal marital status when pregnancy began - 2nd (RECODE)

value	label	Total
.	INAPPLICABLE	2970
1	Married	1084
2	Divorced	114
3	Widowed	2
4	Separated	16
5	Never married	1415
Total		5601

Universe : Applicable if R has been pregnant at least 2 times (PREGNUM > 1)

MARCON03(4119-4119)

Variable Type : recode

Description : Formal marital status when pregnancy began - 3rd (RECODE)

value	label	Total
.	INAPPLICABLE	3949
1	Married	720
2	Divorced	127
3	Widowed	4
4	Separated	24

5	Never married	777
Total		5601

Universe : Applicable if R has been pregnant at least 3 times (PREGNUM > 2)

MARCON04(4120-4120)

Variable Type : recode

Description : Formal marital status when pregnancy began - 4th (RECODE)

value	label	Total
.	INAPPLICABLE	4718
1	Married	395
2	Divorced	90
3	Widowed	1
4	Separated	24
5	Never married	373
Total		5601

Universe : Applicable if R has been pregnant at least 4 times (PREGNUM > 3)

MARCON05(4121-4121)

Variable Type : recode

Description : Formal marital status when pregnancy began - 5th (RECODE)

value	label	Total
.	INAPPLICABLE	5161
1	Married	184
2	Divorced	55
3	Widowed	1
4	Separated	16
5	Never married	184
Total		5601

Universe : Applicable if R has been pregnant at least 5 times (PREGNUM > 4)

MARCON06(4122-4122)

Variable Type : recode

Description : Formal marital status when pregnancy began - 6th (RECODE)

value	label	Total
.	INAPPLICABLE	5390
1	Married	90
2	Divorced	23
3	Widowed	2
4	Separated	7
5	Never married	89
Total		5601

Universe : Applicable if R has been pregnant at least 6 times (PREGNUM > 5)

MARCON07(4123-4123)

Variable Type : recode

Description : Formal marital status when pregnancy began - 7th (RECODE)

value	label	Total
.	INAPPLICABLE	5495

1	Married	41
2	Divorced	13
3	Widowed	1
4	Separated	4
5	Never married	47
Total		5601

Universe : Applicable if R has been pregnant at least 7 times (PREGNUM > 6)

MARCON08(4124-4124)

Variable Type : recode

Description : Formal marital status when pregnancy began - 8th (RECODE)

value	label	Total
.	INAPPLICABLE	5550
1	Married	18
2	Divorced	9
4	Separated	2
5	Never married	22
Total		5601

Universe : Applicable if R has been pregnant at least 8 times (PREGNUM > 7)

MARCON09(4125-4125)

Variable Type : recode

Description : Formal marital status when pregnancy began - 9th (RECODE)

value	label	Total
.	INAPPLICABLE	5573
1	Married	10
2	Divorced	5
3	Widowed	1
5	Never married	12
Total		5601

Universe : Applicable if R has been pregnant at least 9 times (PREGNUM > 8)

MARCON10(4126-4126)

Variable Type : recode

Description : Formal marital status when pregnancy began - 10th (RECODE)

value	label	Total
.	INAPPLICABLE	5585
1	Married	5
2	Divorced	2
5	Never married	9
Total		5601

Universe : Applicable if R has been pregnant at least 10 times (PREGNUM > 9)

MARCON11(4127-4127)

Variable Type : recode

Description : Formal marital status when pregnancy began - 11th (RECODE)

value	label	Total
.	INAPPLICABLE	5592

1	Married	2
2	Divorced	1
5	Never married	6
Total		5601

Universe : Applicable if R has been pregnant at least 11 times (PREGNUM > 10)

MARCON12(4128-4128)

Variable Type : recode

Description : Formal marital status when pregnancy began - 12th (RECODE)

value	label	Total
.	INAPPLICABLE	5595
1	Married	1
2	Divorced	1
5	Never married	4
Total		5601

Universe : Applicable if R has been pregnant at least 12 times (PREGNUM > 11)

MARCON13(4129-4129)

Variable Type : recode

Description : Formal marital status when pregnancy began - 13th (RECODE)

value	label	Total
.	INAPPLICABLE	5598
5	Never married	3
Total		5601

Universe : Applicable if R has been pregnant at least 13 times (PREGNUM > 12)

MARCON14(4130-4130)

Variable Type : recode

Description : Formal marital status when pregnancy began - 14th (RECODE)

value	label	Total
.	INAPPLICABLE	5599
5	Never married	2
Total		5601

Universe : Applicable if R has been pregnant at least 14 times (PREGNUM > 13)

MARCON15(4131-4131)

Variable Type : recode

Description : Formal marital status when pregnancy began - 15th (RECODE)

value	label	Total
.	INAPPLICABLE	5600
5	Never married	1
Total		5601

Universe : Applicable if R has been pregnant at least 15 times (PREGNUM > 14)

MARCON16(4132-4132)

Variable Type : recode

Description : Formal marital status when pregnancy began - 16th (RECODE)

value	label	Total
.	INAPPLICABLE	5600
5	Never married	1
Total		5601

Universe : Applicable if R has been pregnant at least 16 times (PREGNUM > 15)

RMARCON01(4133-4133)

Variable Type : recode

Description : Informal marital status when pregnancy began - 1st (RECODE)

value	label	Total
.	INAPPLICABLE	2098
1	Married	952
2	Divorced	41
4	Separated	2
5	Cohabiting	836
6	Never married, not cohabiting	1672
Total		5601

Universe : Applicable if R has ever been pregnant (PREGNUM > 0)

RMARCON02(4134-4134)

Variable Type : recode

Description : Informal marital status when pregnancy began - 2nd (RECODE)

value	label	Total
.	INAPPLICABLE	2970
1	Married	1084
2	Divorced	57
3	Widowed	2
4	Separated	16
5	Cohabiting	792
6	Never married, not cohabiting	680
Total		5601

Universe : Applicable if R has been pregnant at least 2 times (PREGNUM > 1)

RMARCON03(4135-4135)

Variable Type : recode

Description : Informal marital status when pregnancy began - 3rd (RECODE)

value	label	Total
.	INAPPLICABLE	3949
1	Married	719
2	Divorced	72
3	Widowed	3
4	Separated	24
5	Cohabiting	492
6	Never married, not cohabiting	342
Total		5601

Universe : Applicable if R has been pregnant at least 3 times (PREGNUM > 2)

RMARCON04(4136-4136)

Variable Type : recode

Description : Informal marital status when pregnancy began - 4th (RECODE)

value	label	Total
.	INAPPLICABLE	4718
1	Married	395
2	Divorced	53
3	Widowed	1
4	Separated	24
5	Cohabiting	254
6	Never married, not cohabiting	156
	Total	5601

Universe : Applicable if R has been pregnant at least 4 times (PREGNUM > 3)

RMARCON05(4137-4137)

Variable Type : recode

Description : Informal marital status when pregnancy began - 5th (RECODE)

value	label	Total
.	INAPPLICABLE	5160
1	Married	185
2	Divorced	29
4	Separated	16
5	Cohabiting	142
6	Never married, not cohabiting	69
	Total	5601

Universe : Applicable if R has been pregnant at least 5 times (PREGNUM > 4)

RMARCON06(4138-4138)

Variable Type : recode

Description : Informal marital status when pregnancy began - 6th (RECODE)

value	label	Total
.	INAPPLICABLE	5390
1	Married	90
2	Divorced	10
3	Widowed	1
4	Separated	7
5	Cohabiting	58
6	Never married, not cohabiting	45
	Total	5601

Universe : Applicable if R has been pregnant at least 6 times (PREGNUM > 5)

RMARCON07(4139-4139)

Variable Type : recode

Description : Informal marital status when pregnancy began - 7th (RECODE)

value	label	Total
.	INAPPLICABLE	5495
1	Married	41
2	Divorced	10
3	Widowed	1
4	Separated	4

5	Cohabiting	34
6	Never married, not cohabiting	16
Total		5601

Universe : Applicable if R has been pregnant at least 7 times (PREGNUM > 6)

RMARCON08(4140-4140)

Variable Type : recode

Description : Informal marital status when pregnancy began - 8th (RECODE)

value	label	Total
.	INAPPLICABLE	5550
1	Married	18
2	Divorced	4
4	Separated	2
5	Cohabiting	19
6	Never married, not cohabiting	8
Total		5601

Universe : Applicable if R has been pregnant at least 8 times (PREGNUM > 7)

RMARCON09(4141-4141)

Variable Type : recode

Description : Informal marital status when pregnancy began - 9th (RECODE)

value	label	Total
.	INAPPLICABLE	5573
1	Married	10
2	Divorced	2
3	Widowed	1
5	Cohabiting	11
6	Never married, not cohabiting	4
Total		5601

Universe : Applicable if R has been pregnant at least 9 times (PREGNUM > 8)

RMARCON10(4142-4142)

Variable Type : recode

Description : Informal marital status when pregnancy began - 10th (RECODE)

value	label	Total
.	INAPPLICABLE	5585
1	Married	5
2	Divorced	1
5	Cohabiting	5
6	Never married, not cohabiting	5
Total		5601

Universe : Applicable if R has been pregnant at least 10 times (PREGNUM > 9)

RMARCON11(4143-4143)

Variable Type : recode

Description : Informal marital status when pregnancy began - 11th (RECODE)

value	label	Total
--------------	--------------	--------------

.	INAPPLICABLE	5592
1	Married	2
2	Divorced	1
5	Cohabiting	3
6	Never married, not cohabiting	3
Total		5601

Universe : Applicable if R has been pregnant at least 11 times (PREGNUM > 10)

RMARCON12(4144-4144)

Variable Type : recode

Description : Informal marital status when pregnancy began - 12th (RECODE)

value	label	Total
.	INAPPLICABLE	5595
1	Married	1
2	Divorced	1
5	Cohabiting	1
6	Never married, not cohabiting	3
Total		5601

Universe : Applicable if R has been pregnant at least 12 times (PREGNUM > 11)

RMARCON13(4145-4145)

Variable Type : recode

Description : Informal marital status when pregnancy began - 13th (RECODE)

value	label	Total
.	INAPPLICABLE	5598
6	Never married, not cohabiting	3
Total		5601

Universe : Applicable if R has been pregnant at least 13 times (PREGNUM > 12)

RMARCON14(4146-4146)

Variable Type : recode

Description : Informal marital status when pregnancy began - 14th (RECODE)

value	label	Total
.	INAPPLICABLE	5599
6	Never married, not cohabiting	2
Total		5601

Universe : Applicable if R has been pregnant at least 14 times (PREGNUM > 13)

RMARCON15(4147-4147)

Variable Type : recode

Description : Informal marital status when pregnancy began - 15th (RECODE)

value	label	Total
.	INAPPLICABLE	5600
6	Never married, not cohabiting	1
Total		5601

Universe : Applicable if R has been pregnant at least 15 times (PREGNUM > 14)

RMARCON16(4148-4148)

Variable Type : recode

Description : Informal marital status when pregnancy began - 16th (RECODE)

value	label	Total
.	INAPPLICABLE	5600
6	Never married, not cohabiting	1
Total		5601

Universe : Applicable if R has been pregnant at least 16 times (PREGNUM > 15)

CEBOW(4149-4150)

Variable Type : recode

Description : Number of children born out of wedlock (RECODE)

value	label	Total
.	INAPPLICABLE	2460
0	NONE	1166
1	1 CHILD	988
2	2 CHILDREN	556
3-95	3 OR MORE CHILDREN	431
Total		5601

Universe : Applicable if R has ever had a live birth (PARITY > 0)

CEBOWC(4151-4151)

Variable Type : recode

Description : Number of children born in cohabiting unions (RECODE)

value	label	Total
.	INAPPLICABLE	2460
0	NONE	1908
1	1 CHILD	773
2	2 CHILDREN	301
3-95	3 OR MORE CHILDREN	159
Total		5601

Universe : Applicable if R has ever had a live birth (PARITY > 0)

DATBABY1(4152-4155)

Variable Type : recode

Description : CM date of 1st live birth (RECODE)

value	label	Total
.	INAPPLICABLE	2460
380-1340	Before Sept 2011	2984
1341-1352	Sept 2011-Aug 2012	122
1353-1365	Sept 2012-Sept 2013	35
Total		5601

Universe : Applicable if R has ever had a live birth (PARITY > 0)

AGEBABY1(4156-4159)

Variable Type : recode

Description : Age at 1st live birth (RECODE)

value	label	Total
.	INAPPLICABLE	2460
0-1999	UNDER 20 YEARS	1117
2000-2499	20-24 YEARS	1111
2500-2999	25-29 YEARS	565
3000-4499	30-44 YEARS	348
Total		5601

Universe : Applicable if R has ever had a live birth (PARITY > 0)

LIVCHILD01(4160-4160)

Variable Type : recode

Description : Living arrangements of 1st liveborn child from 1st pregnancy (RECODE)

value	label	Total
.	INAPPLICABLE	3134
1	Child lives with R	2306
2	Child is dead	18
3	Child lives with adoptive parents/family	20
4	Child lives with biological father	48
5	Child lives with other relatives	58
6	Child's living arrangements are other or unknown	17
Total		5601

Universe : Applicable if R's 1st pregnancy resulted in live birth (OUTCOM01 = 1)

LIVCHILD02(4161-4161)

Variable Type : recode

Description : Living arrangements of 1st liveborn child from 2nd pregnancy (RECODE)

value	label	Total
.	INAPPLICABLE	3655
1	Child lives with R	1830
2	Child is dead	20
3	Child lives with adoptive parents/family	13
4	Child lives with biological father	39
5	Child lives with other relatives	35
6	Child's living arrangements are other or unknown	9
Total		5601

Universe : Applicable if R's 2nd pregnancy resulted in live birth (OUTCOM02 = 1)

LIVCHILD03(4162-4162)

Variable Type : recode

Description : Living arrangements of 1st liveborn child from 3rd pregnancy (RECODE)

value	label	Total
.	INAPPLICABLE	4453
1	Child lives with R	1075
2	Child is dead	10
3	Child lives with adoptive parents/family	8
4	Child lives with biological father	24
5	Child lives with other relatives	20
6	Child's living arrangements are other or unknown	11
Total		5601

Universe : Applicable if R's 3rd pregnancy resulted in live birth (OUTCOM03 = 1)

LIVCHILD04(4163-4163)

Variable Type : recode

Description : Living arrangements of 1st liveborn child from 4th pregnancy (RECODE)

value	label	Total
.	INAPPLICABLE	5003
1	Child lives with R	550
2	Child is dead	9
3	Child lives with adoptive parents/family	8
4	Child lives with biological father	16
5	Child lives with other relatives	13
6	Child's living arrangements are other or unknown	2
Total		5601

Universe : Applicable if R's 4th pregnancy resulted in live birth (OUTCOM04 = 1)

LIVCHILD05(4164-4164)

Variable Type : recode

Description : Living arrangements of 1st liveborn child from 5th pregnancy (RECODE)

value	label	Total
.	INAPPLICABLE	5311
1	Child lives with R	257
2	Child is dead	3
3	Child lives with adoptive parents/family	9
4	Child lives with biological father	7
5	Child lives with other relatives	10
6	Child's living arrangements are other or unknown	4
Total		5601

Universe : Applicable if R's 5th pregnancy resulted in live birth (OUTCOM05 = 1)

LIVCHILD06(4165-4165)

Variable Type : recode

Description : Living arrangements of 1st liveborn child from 6th pregnancy (RECODE)

value	label	Total
.	INAPPLICABLE	5487
1	Child lives with R	103
2	Child is dead	3
3	Child lives with adoptive parents/family	2
4	Child lives with biological father	2
5	Child lives with other relatives	3
6	Child's living arrangements are other or unknown	1
Total		5601

Universe : Applicable if R's 6th pregnancy resulted in live birth (OUTCOM06 = 1)

LIVCHILD07(4166-4166)

Variable Type : recode

Description : Living arrangements of 1st liveborn child from 7th pregnancy (RECODE)

value	label	Total
.	INAPPLICABLE	5540

1	Child lives with R	56
2	Child is dead	1
3	Child lives with adoptive parents/family	1
5	Child lives with other relatives	3
Total		5601

Universe : Applicable if R's 7th pregnancy resulted in live birth (OUTCOM07 = 1)

LIVCHILD08(4167-4167)

Variable Type : recode

Description : Living arrangements of 1st liveborn child from 8th pregnancy (RECODE)

value	label	Total
.	INAPPLICABLE	5580
1	Child lives with R	18
5	Child lives with other relatives	3
Total		5601

Universe : Applicable if R's 8th pregnancy resulted in live birth (OUTCOM08 = 1)

LIVCHILD09(4168-4168)

Variable Type : recode

Description : Living arrangements of 1st liveborn child from 9th pregnancy (RECODE)

value	label	Total
.	INAPPLICABLE	5587
1	Child lives with R	11
3	Child lives with adoptive parents/family	1
4	Child lives with biological father	1
5	Child lives with other relatives	1
Total		5601

Universe : Applicable if R's 9th pregnancy resulted in live birth (OUTCOM09 = 1)

LIVCHILD10(4169-4169)

Variable Type : recode

Description : Living arrangements of 1st liveborn child from 10th pregnancy (RECODE)

value	label	Total
.	INAPPLICABLE	5596
1	Child lives with R	5
Total		5601

Universe : Applicable if R's 10th pregnancy resulted in live birth (OUTCOM10 = 1)

LIVCHILD11(4170-4170)

Variable Type : recode

Description : Living arrangements of 1st liveborn child from 11th pregnancy (RECODE)

value	label	Total
.	INAPPLICABLE	5597
1	Child lives with R	3
5	Child lives with other relatives	1
Total		5601

Universe : Applicable if R's 11th pregnancy resulted in live birth (OUTCOM11 = 1)

LIVCHILD12(4171-4171)

Variable Type : recode

Description : Living arrangements of 1st liveborn child from 12th pregnancy (RECODE)

value	label	Total
.	INAPPLICABLE	5599
1	Child lives with R	2
Total		5601

Universe : Applicable if R's 12th pregnancy resulted in live birth (OUTCOM12 = 1)

LIVCHILD13(4172-4172)

Variable Type : recode

Description : Living arrangements of 1st liveborn child from 13th pregnancy (RECODE)

value	label	Total
.	INAPPLICABLE	5601
Total		5601

Universe : Applicable if R's 13th pregnancy resulted in live birth (OUTCOM13 = 1)

LIVCHILD14(4173-4173)

Variable Type : recode

Description : Living arrangements of 1st liveborn child from 14th pregnancy (RECODE)

value	label	Total
.	INAPPLICABLE	5601
Total		5601

Universe : Applicable if R's 14th pregnancy resulted in live birth (OUTCOM14 = 1)

LIVCHILD15(4174-4174)

Variable Type : recode

Description : Living arrangements of 1st liveborn child from 15th pregnancy (RECODE)

value	label	Total
.	INAPPLICABLE	5601
Total		5601

Universe : Applicable if R's 15th pregnancy resulted in live birth (OUTCOM15 = 1)

LIVCHILD16(4175-4175)

Variable Type : recode

Description : Living arrangements of 1st liveborn child from 16th pregnancy (RECODE)

value	label	Total
.	INAPPLICABLE	5601
Total		5601

Universe : Applicable if R's 16th pregnancy resulted in live birth (OUTCOM16 = 1)

RCURPREG_I(4176-4176)

Variable Type : imputation flag

Description : RCURPREG Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5598
2	LOGICAL IMPUTATION	3
Total		5601

Universe : Applicable for all respondents

PREGNUM_I(4177-4177)

Variable Type : imputation flag

Description : PREGNUM Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5596
2	LOGICAL IMPUTATION	5
Total		5601

Universe : Applicable for all respondents

COMPREG_I(4178-4178)

Variable Type : imputation flag

Description : COMPREG Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5591
2	LOGICAL IMPUTATION	10
Total		5601

Universe : Applicable for all respondents

LOSSNUM_I(4179-4179)

Variable Type : imputation flag

Description : LOSSNUM Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5595
2	LOGICAL IMPUTATION	6
Total		5601

Universe : Applicable for all respondents

ABORTION_I(4180-4180)

Variable Type : imputation flag

Description : ABORTION Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5592
2	LOGICAL IMPUTATION	9
Total		5601

Universe : Applicable for all respondents

LBPREGS_I(4181-4181)

Variable Type : imputation flag

Description : LBPREGS Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5600
2	LOGICAL IMPUTATION	1
Total		5601

Universe : Applicable for all respondents

PARITY_I(4182-4182)

Variable Type : imputation flag

Description : PARITY Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5598
2	LOGICAL IMPUTATION	3
Total		5601

Universe : Applicable for all respondents

BIRTHS5_I(4183-4183)

Variable Type : imputation flag

Description : BIRTHS5 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5598
2	LOGICAL IMPUTATION	3
Total		5601

Universe : Applicable for all respondents

OUTCOM01_I(4184-4184)

Variable Type : imputation flag

Description : OUTCOM01 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5600
2	LOGICAL IMPUTATION	1
Total		5601

Universe : Applicable for all respondents

OUTCOM02_I(4185-4185)

Variable Type : imputation flag

Description : OUTCOM02 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5598
1	MULTIPLE REGRESSION IMPUTATION	2
2	LOGICAL IMPUTATION	1
Total		5601

Universe : Applicable for all respondents

OUTCOM03_I(4186-4186)

Variable Type : imputation flag

Description : OUTCOM03 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5600
2	LOGICAL IMPUTATION	1
Total		5601

Universe : Applicable for all respondents

OUTCOM04_I(4187-4187)

Variable Type : imputation flag

Description : OUTCOM04 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5600
2	LOGICAL IMPUTATION	1
Total		5601

Universe : Applicable for all respondents

OUTCOM05_I(4188-4188)

Variable Type : imputation flag

Description : OUTCOM05 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5597
1	MULTIPLE REGRESSION IMPUTATION	1
2	LOGICAL IMPUTATION	3
Total		5601

Universe : Applicable for all respondents

OUTCOM06_I(4189-4189)

Variable Type : imputation flag

Description : OUTCOM06 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5596
1	MULTIPLE REGRESSION IMPUTATION	3
2	LOGICAL IMPUTATION	2
Total		5601

Universe : Applicable for all respondents

OUTCOM07_I(4190-4190)

Variable Type : imputation flag

Description : OUTCOM07 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5601
Total		5601

Universe : Applicable for all respondents

OUTCOM08_I(4191-4191)

Variable Type : imputation flag

Description : OUTCOM08 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5598
1	MULTIPLE REGRESSION IMPUTATION	1
2	LOGICAL IMPUTATION	2
Total		5601

Universe : Applicable for all respondents

OUTCOM09_I(4192-4192)

Variable Type : imputation flag

Description : OUTCOM09 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5600
2	LOGICAL IMPUTATION	1
Total		5601

Universe : Applicable for all respondents

OUTCOM10_I(4193-4193)

Variable Type : imputation flag

Description : OUTCOM10 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5601
Total		5601

Universe : Applicable for all respondents

OUTCOM11_I(4194-4194)

Variable Type : imputation flag

Description : OUTCOM11 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5600
2	LOGICAL IMPUTATION	1
Total		5601

Universe : Applicable for all respondents

OUTCOM12_I(4195-4195)

Variable Type : imputation flag

Description : OUTCOM12 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5601
Total		5601

Universe : Applicable for all respondents

OUTCOM13_I(4196-4196)

Variable Type : imputation flag

Description : OUTCOM13 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5600
1	MULTIPLE REGRESSION IMPUTATION	1
Total		5601

Universe : Applicable for all respondents

OUTCOM14_I(4197-4197)

Variable Type : imputation flag

Description : OUTCOM14 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5600
1	MULTIPLE REGRESSION IMPUTATION	1
Total		5601

Universe : Applicable for all respondents

OUTCOM15_I(4198-4198)

Variable Type : imputation flag

Description : OUTCOM15 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5601
Total		5601

Universe : Applicable for all respondents

OUTCOM16_I(4199-4199)

Variable Type : imputation flag

Description : OUTCOM16 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5601
Total		5601

Universe : Applicable for all respondents

DATEND01_I(4200-4200)

Variable Type : imputation flag

Description : DATEND01 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5565
1	MULTIPLE REGRESSION IMPUTATION	20
2	LOGICAL IMPUTATION	16
Total		5601

Universe : Applicable for all respondents

DATEND02_I(4201-4201)

Variable Type : imputation flag

Description : DATEND02 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5584
1	MULTIPLE REGRESSION IMPUTATION	13
2	LOGICAL IMPUTATION	4
	Total	5601

Universe : Applicable for all respondents

DATEND03_I(4202-4202)

Variable Type : imputation flag

Description : DATEND03 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5593
1	MULTIPLE REGRESSION IMPUTATION	5
2	LOGICAL IMPUTATION	3
	Total	5601

Universe : Applicable for all respondents

DATEND04_I(4203-4203)

Variable Type : imputation flag

Description : DATEND04 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5593
1	MULTIPLE REGRESSION IMPUTATION	5
2	LOGICAL IMPUTATION	3
	Total	5601

Universe : Applicable for all respondents

DATEND05_I(4204-4204)

Variable Type : imputation flag

Description : DATEND05 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5592
1	MULTIPLE REGRESSION IMPUTATION	4
2	LOGICAL IMPUTATION	5
	Total	5601

Universe : Applicable for all respondents

DATEND06_I(4205-4205)

Variable Type : imputation flag

Description : DATEND06 Imputation Flag

value	label	Total
-------	-------	-------

0	QUESTIONNAIRE DATA (NOT IMPUTED)	5592
1	MULTIPLE REGRESSION IMPUTATION	4
2	LOGICAL IMPUTATION	5
Total		5601

Universe : Applicable for all respondents

DATEND07_I(4206-4206)

Variable Type : imputation flag

Description : DATEND07 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5597
1	MULTIPLE REGRESSION IMPUTATION	2
2	LOGICAL IMPUTATION	2
Total		5601

Universe : Applicable for all respondents

DATEND08_I(4207-4207)

Variable Type : imputation flag

Description : DATEND08 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5596
1	MULTIPLE REGRESSION IMPUTATION	3
2	LOGICAL IMPUTATION	2
Total		5601

Universe : Applicable for all respondents

DATEND09_I(4208-4208)

Variable Type : imputation flag

Description : DATEND09 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5599
1	MULTIPLE REGRESSION IMPUTATION	1
2	LOGICAL IMPUTATION	1
Total		5601

Universe : Applicable for all respondents

DATEND10_I(4209-4209)

Variable Type : imputation flag

Description : DATEND10 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5600
2	LOGICAL IMPUTATION	1
Total		5601

Universe : Applicable for all respondents

DATEND11_I(4210-4210)

Variable Type : imputation flag

Description : DATEND11 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5599
1	MULTIPLE REGRESSION IMPUTATION	1
2	LOGICAL IMPUTATION	1
Total		5601

Universe : Applicable for all respondents

DATEND12_I(4211-4211)

Variable Type : imputation flag

Description : DATEND12 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5600
2	LOGICAL IMPUTATION	1
Total		5601

Universe : Applicable for all respondents

DATEND13_I(4212-4212)

Variable Type : imputation flag

Description : DATEND13 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5599
1	MULTIPLE REGRESSION IMPUTATION	1
2	LOGICAL IMPUTATION	1
Total		5601

Universe : Applicable for all respondents

DATEND14_I(4213-4213)

Variable Type : imputation flag

Description : DATEND14 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5599
2	LOGICAL IMPUTATION	2
Total		5601

Universe : Applicable for all respondents

DATEND15_I(4214-4214)

Variable Type : imputation flag

Description : DATEND15 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5600
2	LOGICAL IMPUTATION	1
Total		5601

Universe : Applicable for all respondents

DATEND16_I(4215-4215)

Variable Type : imputation flag

Description : DATEND16 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5600
2	LOGICAL IMPUTATION	1
Total		5601

Universe : Applicable for all respondents

AGEPRG01_I(4216-4216)

Variable Type : imputation flag

Description : AGEPRG01 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5581
1	MULTIPLE REGRESSION IMPUTATION	20
Total		5601

Universe : Applicable for all respondents

AGEPRG02_I(4217-4217)

Variable Type : imputation flag

Description : AGEPRG02 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5585
1	MULTIPLE REGRESSION IMPUTATION	13
2	LOGICAL IMPUTATION	3
Total		5601

Universe : Applicable for all respondents

AGEPRG03_I(4218-4218)

Variable Type : imputation flag

Description : AGEPRG03 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5593
1	MULTIPLE REGRESSION IMPUTATION	5
2	LOGICAL IMPUTATION	3
Total		5601

Universe : Applicable for all respondents

AGEPRG04_I(4219-4219)

Variable Type : imputation flag

Description : AGEPRG04 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5593
1	MULTIPLE REGRESSION IMPUTATION	5
2	LOGICAL IMPUTATION	3

Total **5601**

Universe : Applicable for all respondents

AGEPRG05_I(4220-4220)

Variable Type : imputation flag

Description : AGEPRG05 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5592
1	MULTIPLE REGRESSION IMPUTATION	4
2	LOGICAL IMPUTATION	5
Total		5601

Universe : Applicable for all respondents

AGEPRG06_I(4221-4221)

Variable Type : imputation flag

Description : AGEPRG06 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5592
1	MULTIPLE REGRESSION IMPUTATION	4
2	LOGICAL IMPUTATION	5
Total		5601

Universe : Applicable for all respondents

AGEPRG07_I(4222-4222)

Variable Type : imputation flag

Description : AGEPRG07 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5597
1	MULTIPLE REGRESSION IMPUTATION	2
2	LOGICAL IMPUTATION	2
Total		5601

Universe : Applicable for all respondents

AGEPRG08_I(4223-4223)

Variable Type : imputation flag

Description : AGEPRG08 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5596
1	MULTIPLE REGRESSION IMPUTATION	3
2	LOGICAL IMPUTATION	2
Total		5601

Universe : Applicable for all respondents

AGEPRG09_I(4224-4224)

Variable Type : imputation flag

Description : AGEPRG09 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5599
1	MULTIPLE REGRESSION IMPUTATION	1
2	LOGICAL IMPUTATION	1
Total		5601

Universe : Applicable for all respondents

AGEPRG10_I(4225-4225)

Variable Type : imputation flag

Description : AGEPRG10 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5600
2	LOGICAL IMPUTATION	1
Total		5601

Universe : Applicable for all respondents

AGEPRG11_I(4226-4226)

Variable Type : imputation flag

Description : AGEPRG11 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5599
1	MULTIPLE REGRESSION IMPUTATION	1
2	LOGICAL IMPUTATION	1
Total		5601

Universe : Applicable for all respondents

AGEPRG12_I(4227-4227)

Variable Type : imputation flag

Description : AGEPRG12 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5600
2	LOGICAL IMPUTATION	1
Total		5601

Universe : Applicable for all respondents

AGEPRG13_I(4228-4228)

Variable Type : imputation flag

Description : AGEPRG13 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5599
1	MULTIPLE REGRESSION IMPUTATION	1
2	LOGICAL IMPUTATION	1
Total		5601

Universe : Applicable for all respondents

AGEPRG14_I(4229-4229)

Variable Type : imputation flag

Description : AGEPRG14 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5599
2	LOGICAL IMPUTATION	2
Total		5601

Universe : Applicable for all respondents

AGEPRG15_I(4230-4230)

Variable Type : imputation flag

Description : AGEPRG15 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5600
2	LOGICAL IMPUTATION	1
Total		5601

Universe : Applicable for all respondents

AGEPRG16_I(4231-4231)

Variable Type : imputation flag

Description : AGEPRG16 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5600
2	LOGICAL IMPUTATION	1
Total		5601

Universe : Applicable for all respondents

DATCON01_I(4232-4232)

Variable Type : imputation flag

Description : DATCON01 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5580
1	MULTIPLE REGRESSION IMPUTATION	21
Total		5601

Universe : Applicable for all respondents

DATCON02_I(4233-4233)

Variable Type : imputation flag

Description : DATCON02 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5585
1	MULTIPLE REGRESSION IMPUTATION	13
2	LOGICAL IMPUTATION	3
Total		5601

Universe : Applicable for all respondents

DATCON03_I(4234-4234)

Variable Type : imputation flag

Description : DATCON03 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5590
1	MULTIPLE REGRESSION IMPUTATION	8
2	LOGICAL IMPUTATION	3
	Total	5601

Universe : Applicable for all respondents

DATCON04_I(4235-4235)

Variable Type : imputation flag

Description : DATCON04 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5592
1	MULTIPLE REGRESSION IMPUTATION	6
2	LOGICAL IMPUTATION	3
	Total	5601

Universe : Applicable for all respondents

DATCON05_I(4236-4236)

Variable Type : imputation flag

Description : DATCON05 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5591
1	MULTIPLE REGRESSION IMPUTATION	4
2	LOGICAL IMPUTATION	6
	Total	5601

Universe : Applicable for all respondents

DATCON06_I(4237-4237)

Variable Type : imputation flag

Description : DATCON06 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5591
1	MULTIPLE REGRESSION IMPUTATION	5
2	LOGICAL IMPUTATION	5
	Total	5601

Universe : Applicable for all respondents

DATCON07_I(4238-4238)

Variable Type : imputation flag

Description : DATCON07 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5597

1	MULTIPLE REGRESSION IMPUTATION	2
2	LOGICAL IMPUTATION	2
Total		5601

Universe : Applicable for all respondents

DATCON08_I(4239-4239)

Variable Type : imputation flag

Description : DATCON08 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5596
1	MULTIPLE REGRESSION IMPUTATION	3
2	LOGICAL IMPUTATION	2
Total		5601

Universe : Applicable for all respondents

DATCON09_I(4240-4240)

Variable Type : imputation flag

Description : DATCON09 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5599
1	MULTIPLE REGRESSION IMPUTATION	1
2	LOGICAL IMPUTATION	1
Total		5601

Universe : Applicable for all respondents

DATCON10_I(4241-4241)

Variable Type : imputation flag

Description : DATCON10 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5600
2	LOGICAL IMPUTATION	1
Total		5601

Universe : Applicable for all respondents

DATCON11_I(4242-4242)

Variable Type : imputation flag

Description : DATCON11 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5599
1	MULTIPLE REGRESSION IMPUTATION	1
2	LOGICAL IMPUTATION	1
Total		5601

Universe : Applicable for all respondents

DATCON12_I(4243-4243)

Variable Type : imputation flag

Description : DATCON12 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5600
2	LOGICAL IMPUTATION	1
Total		5601

Universe : Applicable for all respondents

DATCON13_I(4244-4244)

Variable Type : imputation flag

Description : DATCON13 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5599
1	MULTIPLE REGRESSION IMPUTATION	1
2	LOGICAL IMPUTATION	1
Total		5601

Universe : Applicable for all respondents

DATCON14_I(4245-4245)

Variable Type : imputation flag

Description : DATCON14 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5599
2	LOGICAL IMPUTATION	2
Total		5601

Universe : Applicable for all respondents

DATCON15_I(4246-4246)

Variable Type : imputation flag

Description : DATCON15 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5600
2	LOGICAL IMPUTATION	1
Total		5601

Universe : Applicable for all respondents

DATCON16_I(4247-4247)

Variable Type : imputation flag

Description : DATCON16 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5600
2	LOGICAL IMPUTATION	1
Total		5601

Universe : Applicable for all respondents

AGECON01_I(4248-4248)

Variable Type : imputation flag

Description : AGECON01 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5580
1	MULTIPLE REGRESSION IMPUTATION	21
Total		5601

Universe : Applicable for all respondents

AGECON02_I(4249-4249)

Variable Type : imputation flag

Description : AGECON02 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5585
1	MULTIPLE REGRESSION IMPUTATION	13
2	LOGICAL IMPUTATION	3
Total		5601

Universe : Applicable for all respondents

AGECON03_I(4250-4250)

Variable Type : imputation flag

Description : AGECON03 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5590
1	MULTIPLE REGRESSION IMPUTATION	8
2	LOGICAL IMPUTATION	3
Total		5601

Universe : Applicable for all respondents

AGECON04_I(4251-4251)

Variable Type : imputation flag

Description : AGECON04 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5592
1	MULTIPLE REGRESSION IMPUTATION	6
2	LOGICAL IMPUTATION	3
Total		5601

Universe : Applicable for all respondents

AGECON05_I(4252-4252)

Variable Type : imputation flag

Description : AGECON05 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5592
1	MULTIPLE REGRESSION IMPUTATION	4
2	LOGICAL IMPUTATION	5
Total		5601

Universe : Applicable for all respondents

AGECON06_I(4253-4253)

Variable Type : imputation flag

Description : AGECON06 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5591
1	MULTIPLE REGRESSION IMPUTATION	5
2	LOGICAL IMPUTATION	5
	Total	5601

Universe : Applicable for all respondents

AGECON07_I(4254-4254)

Variable Type : imputation flag

Description : AGECON07 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5597
1	MULTIPLE REGRESSION IMPUTATION	2
2	LOGICAL IMPUTATION	2
	Total	5601

Universe : Applicable for all respondents

AGECON08_I(4255-4255)

Variable Type : imputation flag

Description : AGECON08 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5596
1	MULTIPLE REGRESSION IMPUTATION	3
2	LOGICAL IMPUTATION	2
	Total	5601

Universe : Applicable for all respondents

AGECON09_I(4256-4256)

Variable Type : imputation flag

Description : AGECON09 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5599
1	MULTIPLE REGRESSION IMPUTATION	1
2	LOGICAL IMPUTATION	1
	Total	5601

Universe : Applicable for all respondents

AGECON10_I(4257-4257)

Variable Type : imputation flag

Description : AGECON10 Imputation Flag

value	label	Total
-------	-------	-------

0	QUESTIONNAIRE DATA (NOT IMPUTED)	5600
2	LOGICAL IMPUTATION	1
Total		5601

Universe : Applicable for all respondents

AGECON11_I(4258-4258)

Variable Type : imputation flag

Description : AGECON11 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5599
1	MULTIPLE REGRESSION IMPUTATION	1
2	LOGICAL IMPUTATION	1
Total		5601

Universe : Applicable for all respondents

AGECON12_I(4259-4259)

Variable Type : imputation flag

Description : AGECON12 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5600
2	LOGICAL IMPUTATION	1
Total		5601

Universe : Applicable for all respondents

AGECON13_I(4260-4260)

Variable Type : imputation flag

Description : AGECON13 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5599
1	MULTIPLE REGRESSION IMPUTATION	1
2	LOGICAL IMPUTATION	1
Total		5601

Universe : Applicable for all respondents

AGECON14_I(4261-4261)

Variable Type : imputation flag

Description : AGECON14 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5599
2	LOGICAL IMPUTATION	2
Total		5601

Universe : Applicable for all respondents

AGECON15_I(4262-4262)

Variable Type : imputation flag

Description : AGECON15 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5600
2	LOGICAL IMPUTATION	1
Total		5601

Universe : Applicable for all respondents

AGECON16_I(4263-4263)

Variable Type : imputation flag

Description : AGECON16 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5600
2	LOGICAL IMPUTATION	1
Total		5601

Universe : Applicable for all respondents

MAROUT01_I(4264-4264)

Variable Type : imputation flag

Description : MAROUT01 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5574
1	MULTIPLE REGRESSION IMPUTATION	27
Total		5601

Universe : Applicable for all respondents

MAROUT02_I(4265-4265)

Variable Type : imputation flag

Description : MAROUT02 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5578
1	MULTIPLE REGRESSION IMPUTATION	22
2	LOGICAL IMPUTATION	1
Total		5601

Universe : Applicable for all respondents

MAROUT03_I(4266-4266)

Variable Type : imputation flag

Description : MAROUT03 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5581
1	MULTIPLE REGRESSION IMPUTATION	19
2	LOGICAL IMPUTATION	1
Total		5601

Universe : Applicable for all respondents

MAROUT04_I(4267-4267)

Variable Type : imputation flag

Description : MAROUT04 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5586
1	MULTIPLE REGRESSION IMPUTATION	15
Total		5601

Universe : Applicable for all respondents

MAROUT05_I(4268-4268)

Variable Type : imputation flag

Description : MAROUT05 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5590
1	MULTIPLE REGRESSION IMPUTATION	10
2	LOGICAL IMPUTATION	1
Total		5601

Universe : Applicable for all respondents

MAROUT06_I(4269-4269)

Variable Type : imputation flag

Description : MAROUT06 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5594
1	MULTIPLE REGRESSION IMPUTATION	6
2	LOGICAL IMPUTATION	1
Total		5601

Universe : Applicable for all respondents

MAROUT07_I(4270-4270)

Variable Type : imputation flag

Description : MAROUT07 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5600
1	MULTIPLE REGRESSION IMPUTATION	1
Total		5601

Universe : Applicable for all respondents

MAROUT08_I(4271-4271)

Variable Type : imputation flag

Description : MAROUT08 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5598
1	MULTIPLE REGRESSION IMPUTATION	2
2	LOGICAL IMPUTATION	1
Total		5601

Universe : Applicable for all respondents

MAROUT09_I(4272-4272)

Variable Type : imputation flag

Description : MAROUT09 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5600
1	MULTIPLE REGRESSION IMPUTATION	1
Total		5601

Universe : Applicable for all respondents

MAROUT10_I(4273-4273)

Variable Type : imputation flag

Description : MAROUT10 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5601
Total		5601

Universe : Applicable for all respondents

MAROUT11_I(4274-4274)

Variable Type : imputation flag

Description : MAROUT11 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5601
Total		5601

Universe : Applicable for all respondents

MAROUT12_I(4275-4275)

Variable Type : imputation flag

Description : MAROUT12 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5601
Total		5601

Universe : Applicable for all respondents

MAROUT13_I(4276-4276)

Variable Type : imputation flag

Description : MAROUT13 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5601
Total		5601

Universe : Applicable for all respondents

MAROUT14_I(4277-4277)

Variable Type : imputation flag

Description : MAROUT14 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5601
Total		5601

Universe : Applicable for all respondents

MAROUT15_I(4278-4278)

Variable Type : imputation flag

Description : MAROUT15 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5601
Total		5601

Universe : Applicable for all respondents

MAROUT16_I(4279-4279)

Variable Type : imputation flag

Description : MAROUT16 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5601
Total		5601

Universe : Applicable for all respondents

RMAROUT01_I(4280-4280)

Variable Type : imputation flag

Description : RMAROUT01 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5574
1	MULTIPLE REGRESSION IMPUTATION	27
Total		5601

Universe : Applicable for all respondents

RMAROUT02_I(4281-4281)

Variable Type : imputation flag

Description : RMAROUT02 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5578
1	MULTIPLE REGRESSION IMPUTATION	22
2	LOGICAL IMPUTATION	1
Total		5601

Universe : Applicable for all respondents

RMAROUT03_I(4282-4282)

Variable Type : imputation flag

Description : RMAROUT03 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5581
1	MULTIPLE REGRESSION IMPUTATION	19
2	LOGICAL IMPUTATION	1
Total		5601

Universe : Applicable for all respondents

RMAROUT04_I(4283-4283)

Variable Type : imputation flag

Description : RMAROUT04 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5586
1	MULTIPLE REGRESSION IMPUTATION	12
2	LOGICAL IMPUTATION	3
Total		5601

Universe : Applicable for all respondents

RMAROUT05_I(4284-4284)

Variable Type : imputation flag

Description : RMAROUT05 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5589
1	MULTIPLE REGRESSION IMPUTATION	8
2	LOGICAL IMPUTATION	4
Total		5601

Universe : Applicable for all respondents

RMAROUT06_I(4285-4285)

Variable Type : imputation flag

Description : RMAROUT06 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5594
1	MULTIPLE REGRESSION IMPUTATION	6
2	LOGICAL IMPUTATION	1
Total		5601

Universe : Applicable for all respondents

RMAROUT07_I(4286-4286)

Variable Type : imputation flag

Description : RMAROUT07 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5600
2	LOGICAL IMPUTATION	1
Total		5601

Universe : Applicable for all respondents

RMAROUT08_I(4287-4287)

Variable Type : imputation flag

Description : RMAROUT08 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5598
1	MULTIPLE REGRESSION IMPUTATION	1
2	LOGICAL IMPUTATION	2
Total		5601

Universe : Applicable for all respondents

RMAROUT09_I(4288-4288)

Variable Type : imputation flag

Description : RMAROUT09 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5600
1	MULTIPLE REGRESSION IMPUTATION	1
Total		5601

Universe : Applicable for all respondents

RMAROUT10_I(4289-4289)

Variable Type : imputation flag

Description : RMAROUT10 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5601
Total		5601

Universe : Applicable for all respondents

RMAROUT11_I(4290-4290)

Variable Type : imputation flag

Description : RMAROUT11 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5601
Total		5601

Universe : Applicable for all respondents

RMAROUT12_I(4291-4291)

Variable Type : imputation flag

Description : RMAROUT12 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5601
Total		5601

Universe : Applicable for all respondents

RMAROUT13_I(4292-4292)

Variable Type : imputation flag

Description : RMAROUT13 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5601
Total		5601

Universe : Applicable for all respondents

RMAROUT14_I(4293-4293)

Variable Type : imputation flag

Description : RMAROUT14 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5601
Total		5601

Universe : Applicable for all respondents

RMAROUT15_I(4294-4294)

Variable Type : imputation flag

Description : RMAROUT15 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5601
Total		5601

Universe : Applicable for all respondents

RMAROUT16_I(4295-4295)

Variable Type : imputation flag

Description : RMAROUT16 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5601
Total		5601

Universe : Applicable for all respondents

MARCON01_I(4296-4296)

Variable Type : imputation flag

Description : MARCON01 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5572
1	MULTIPLE REGRESSION IMPUTATION	29
Total		5601

Universe : Applicable for all respondents

MARCON02_I(4297-4297)

Variable Type : imputation flag

Description : MARCON02 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5579
1	MULTIPLE REGRESSION IMPUTATION	21
2	LOGICAL IMPUTATION	1
Total		5601

Universe : Applicable for all respondents

MARCON03_I(4298-4298)

Variable Type : imputation flag

Description : MARCON03 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5580
1	MULTIPLE REGRESSION IMPUTATION	20
2	LOGICAL IMPUTATION	1
Total		5601

Universe : Applicable for all respondents

MARCON04_I(4299-4299)

Variable Type : imputation flag

Description : MARCON04 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5585
1	MULTIPLE REGRESSION IMPUTATION	16
Total		5601

Universe : Applicable for all respondents

MARCON05_I(4300-4300)

Variable Type : imputation flag

Description : MARCON05 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5590
1	MULTIPLE REGRESSION IMPUTATION	10
2	LOGICAL IMPUTATION	1
Total		5601

Universe : Applicable for all respondents

MARCON06_I(4301-4301)

Variable Type : imputation flag

Description : MARCON06 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5594
1	MULTIPLE REGRESSION IMPUTATION	6
2	LOGICAL IMPUTATION	1
Total		5601

Universe : Applicable for all respondents

MARCON07_I(4302-4302)

Variable Type : imputation flag

Description : MARCON07 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5600
1	MULTIPLE REGRESSION IMPUTATION	1
Total		5601

Universe : Applicable for all respondents

MARCON08_I(4303-4303)

Variable Type : imputation flag

Description : MARCON08 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5598
1	MULTIPLE REGRESSION IMPUTATION	2
2	LOGICAL IMPUTATION	1
Total		5601

Universe : Applicable for all respondents

MARCON09_I(4304-4304)

Variable Type : imputation flag

Description : MARCON09 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5600
1	MULTIPLE REGRESSION IMPUTATION	1
Total		5601

Universe : Applicable for all respondents

MARCON10_I(4305-4305)

Variable Type : imputation flag

Description : MARCON10 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5601
Total		5601

Universe : Applicable for all respondents

MARCON11_I(4306-4306)

Variable Type : imputation flag

Description : MARCON11 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5601
Total		5601

Universe : Applicable for all respondents

MARCON12_I(4307-4307)

Variable Type : imputation flag

Description : MARCON12 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5601
Total		5601

Universe : Applicable for all respondents

MARCON13_I(4308-4308)

Variable Type : imputation flag

Description : MARCON13 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5601
Total		5601

Universe : Applicable for all respondents

MARCON14_I(4309-4309)

Variable Type : imputation flag

Description : MARCON14 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5601
Total		5601

Universe : Applicable for all respondents

MARCON15_I(4310-4310)

Variable Type : imputation flag

Description : MARCON15 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5601
Total		5601

Universe : Applicable for all respondents

MARCON16_I(4311-4311)

Variable Type : imputation flag

Description : MARCON16 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5601
Total		5601

Universe : Applicable for all respondents

RMARCON01_I(4312-4312)

Variable Type : imputation flag

Description : RMARCON01 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5573
1	MULTIPLE REGRESSION IMPUTATION	28
Total		5601

Universe : Applicable for all respondents

RMARCON02_I(4313-4313)

Variable Type : imputation flag

Description : RMARCON02 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5579
1	MULTIPLE REGRESSION IMPUTATION	21
2	LOGICAL IMPUTATION	1
Total		5601

Universe : Applicable for all respondents

RMARCON03_I(4314-4314)

Variable Type : imputation flag

Description : RMARCON03 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5580
1	MULTIPLE REGRESSION IMPUTATION	20
2	LOGICAL IMPUTATION	1
Total		5601

Universe : Applicable for all respondents

RMARCON04_I(4315-4315)

Variable Type : imputation flag

Description : RMARCON04 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5587
1	MULTIPLE REGRESSION IMPUTATION	12
2	LOGICAL IMPUTATION	2
Total		5601

Universe : Applicable for all respondents

RMARCON05_I(4316-4316)

Variable Type : imputation flag

Description : RMARCON05 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5589
1	MULTIPLE REGRESSION IMPUTATION	8
2	LOGICAL IMPUTATION	4
Total		5601

Universe : Applicable for all respondents

RMARCON06_I(4317-4317)

Variable Type : imputation flag

Description : RMARCON06 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5594
1	MULTIPLE REGRESSION IMPUTATION	6
2	LOGICAL IMPUTATION	1
Total		5601

Universe : Applicable for all respondents

RMARCON07_I(4318-4318)

Variable Type : imputation flag

Description : RMARCON07 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5600
2	LOGICAL IMPUTATION	1
Total		5601

Universe : Applicable for all respondents

RMARCON08_I(4319-4319)

Variable Type : imputation flag

Description : RMARCON08 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5598
1	MULTIPLE REGRESSION IMPUTATION	1
2	LOGICAL IMPUTATION	2
Total		5601

Universe : Applicable for all respondents

RMARCON09_I(4320-4320)

Variable Type : imputation flag

Description : RMARCON09 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5600
1	MULTIPLE REGRESSION IMPUTATION	1
Total		5601

Universe : Applicable for all respondents

RMARCON10_I(4321-4321)

Variable Type : imputation flag

Description : RMARCON10 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5601
Total		5601

Universe : Applicable for all respondents

RMARCON11_I(4322-4322)

Variable Type : imputation flag

Description : RMARCON11 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5601
	Total	5601

Universe : Applicable for all respondents

RMARCON12_I(4323-4323)

Variable Type : imputation flag

Description : RMARCON12 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5601
	Total	5601

Universe : Applicable for all respondents

RMARCON13_I(4324-4324)

Variable Type : imputation flag

Description : RMARCON13 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5601
	Total	5601

Universe : Applicable for all respondents

RMARCON14_I(4325-4325)

Variable Type : imputation flag

Description : RMARCON14 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5601
	Total	5601

Universe : Applicable for all respondents

RMARCON15_I(4326-4326)

Variable Type : imputation flag

Description : RMARCON15 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5601
	Total	5601

Universe : Applicable for all respondents

RMARCON16_I(4327-4327)

Variable Type : imputation flag

Description : RMARCON16 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5601
Total		5601

Universe : Applicable for all respondents

CEBOW_I(4328-4328)

Variable Type : imputation flag

Description : CEBOW Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5600
2	LOGICAL IMPUTATION	1
Total		5601

Universe : Applicable for all respondents

CEBOWC_I(4329-4329)

Variable Type : imputation flag

Description : CEBOWC Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5600
2	LOGICAL IMPUTATION	1
Total		5601

Universe : Applicable for all respondents

DATBABY1_I(4330-4330)

Variable Type : imputation flag

Description : DATBABY1 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5594
1	MULTIPLE REGRESSION IMPUTATION	7
Total		5601

Universe : Applicable for all respondents

AGEBABY1_I(4331-4331)

Variable Type : imputation flag

Description : AGEBABY1 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5594
1	MULTIPLE REGRESSION IMPUTATION	7
Total		5601

Universe : Applicable for all respondents

LIVCHILD01_I(4332-4332)

Variable Type : imputation flag

Description : LIVCHILD01 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5600
2	LOGICAL IMPUTATION	1
Total		5601

Universe : Applicable for all respondents

LIVCHILD02_I(4333-4333)

Variable Type : imputation flag

Description : LIVCHILD02 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5598
2	LOGICAL IMPUTATION	3
Total		5601

Universe : Applicable for all respondents

LIVCHILD03_I(4334-4334)

Variable Type : imputation flag

Description : LIVCHILD03 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5600
2	LOGICAL IMPUTATION	1
Total		5601

Universe : Applicable for all respondents

LIVCHILD04_I(4335-4335)

Variable Type : imputation flag

Description : LIVCHILD04 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5600
2	LOGICAL IMPUTATION	1
Total		5601

Universe : Applicable for all respondents

LIVCHILD05_I(4336-4336)

Variable Type : imputation flag

Description : LIVCHILD05 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5597
2	LOGICAL IMPUTATION	4
Total		5601

Universe : Applicable for all respondents

LIVCHILD06_I(4337-4337)

Variable Type : imputation flag

Description : LIVCHILD06 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5596
2	LOGICAL IMPUTATION	5
Total		5601

Universe : Applicable for all respondents

LIVCHILD07_I(4338-4338)

Variable Type : imputation flag

Description : LIVCHILD07 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5601
Total		5601

Universe : Applicable for all respondents

LIVCHILD08_I(4339-4339)

Variable Type : imputation flag

Description : LIVCHILD08 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5598
2	LOGICAL IMPUTATION	3
Total		5601

Universe : Applicable for all respondents

LIVCHILD09_I(4340-4340)

Variable Type : imputation flag

Description : LIVCHILD09 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5600
2	LOGICAL IMPUTATION	1
Total		5601

Universe : Applicable for all respondents

LIVCHILD10_I(4341-4341)

Variable Type : imputation flag

Description : LIVCHILD10 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5601
Total		5601

Universe : Applicable for all respondents

LIVCHILD11_I(4342-4342)

Variable Type : imputation flag

Description : LIVCHILD11 Imputation Flag

value	label	Total
--------------	--------------	--------------

0	QUESTIONNAIRE DATA (NOT IMPUTED)	5600
2	LOGICAL IMPUTATION	1
	Total	5601

Universe : Applicable for all respondents

LIVCHILD12_I(4343-4343)

Variable Type : imputation flag

Description : LIVCHILD12 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5601
	Total	5601

Universe : Applicable for all respondents

LIVCHILD13_I(4344-4344)

Variable Type : imputation flag

Description : LIVCHILD13 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5600
2	LOGICAL IMPUTATION	1
	Total	5601

Universe : Applicable for all respondents

LIVCHILD14_I(4345-4345)

Variable Type : imputation flag

Description : LIVCHILD14 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5600
2	LOGICAL IMPUTATION	1
	Total	5601

Universe : Applicable for all respondents

LIVCHILD15_I(4346-4346)

Variable Type : imputation flag

Description : LIVCHILD15 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5601
	Total	5601

Universe : Applicable for all respondents

LIVCHILD16_I(4347-4347)

Variable Type : imputation flag

Description : LIVCHILD16 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5601

Total**5601**

Universe : Applicable for all respondents

Female Respondent File Codebook :: SECTION R: Recode Variables and Imputation Flags :: Section C Recodes

FMARNO(4348-4348)

Variable Type : recode

Description : Number of times R has been married (RECODE)

value	label	Total
0	NEVER BEEN MARRIED	3149
1	1 TIME	2076
2	2 TIMES	332
3	3 TIMES	34
4-95	4 OR MORE TIMES	10
Total		5601

Universe : Applicable for all respondents

CSPBIOKD(4349-4349)

Variable Type : recode

Description : Total number of biological children R has had with current spouse or cohabiting partner (RECODE)

value	label	Total
.	INAPPLICABLE	3127
0-10	Number of biological children R has had with her current husband or cohabiting partner	2474
Total		5601

Universe : Applicable if R is currently married or cohabiting (RMARITAL = 1 or 2)

MARDAT01(4350-4353)

Variable Type : recode

Description : CM date of R's 1st marriage (RECODE)

value	label	Total
.	INAPPLICABLE	3149
380-1340	Before Sept 2011	2339
1341-1352	Sept 2011-Aug 2012	92
1353-1365	Sept 2012-Sept 2013	21
Total		5601

Universe : Applicable if R has been married at least once (FMARNO > 0)

MARDAT02(4354-4357)

Variable Type : recode

Description : CM date of R's 2nd marriage (RECODE)

value	label	Total
.	INAPPLICABLE	5225
380-1340	Before Sept 2011	345
1341-1352	Sept 2011-Aug 2012	23
1353-1365	Sept 2012-Sept 2013	8
Total		5601

Universe : Applicable if R has been married at least 2 times (FMARNO > 1)

MARDAT03(4358-4361)

Variable Type : recode

Description : CM date of R's 3rd marriage (RECODE)

value	label	Total
.	INAPPLICABLE	5557
380-1340	Before Sept 2011	40
1341-1352	Sept 2011-Aug 2012	3
1353-1365	Sept 2012-Sept 2013	1
Total		5601

Universe : Applicable if R has been married at least 3 times (FMARNO > 2)

MARDAT04(4362-4365)

Variable Type : recode

Description : CM date of R's 4th marriage (RECODE)

value	label	Total
.	INAPPLICABLE	5591
380-1340	Before Sept 2011	10
Total		5601

Universe : Applicable if R has been married at least 4 times (FMARNO > 3)

MARDAT05(4366-4369)

Variable Type : recode

Description : CM date of R's 5th marriage (RECODE)

value	label	Total
.	INAPPLICABLE	5600
1341-1352	Sept 2011-Aug 2012	1
Total		5601

Universe : Applicable if R has been married at least 5 times (FMARNO > 4)

MARDIS01(4370-4373)

Variable Type : recode

Description : CM date when R's 1st marriage ended (RECODE)

value	label	Total
.	INAPPLICABLE	4606
380-1340	Before Sept 2011	913
1341-1352	Sept 2011-Aug 2012	57
1353-1365	Sept 2012-Sept 2013	25
Total		5601

Universe : Applicable if R has been married more than once (FMARNO > 1) or R's 1st marriage is not intact (FMARNO = 1 and FMARITAL NE 1)

MARDIS02(4374-4377)

Variable Type : recode

Description : CM date when R's 2nd marriage ended (RECODE)

value	label	Total
.	INAPPLICABLE	5448
380-1340	Before Sept 2011	135
1341-1352	Sept 2011-Aug 2012	15
1353-1365	Sept 2012-Sept 2013	3
	Total	5601

Universe : Applicable if R has been married more than 2 times (FMARNO > 2) or R's 2nd marriage is not intact (FMARNO = 2 and FMARITAL NE 1)

MARDIS03(4378-4381)

Variable Type : recode

Description : CM date when R's 3rd marriage ended (RECODE)

value	label	Total
.	INAPPLICABLE	5582
380-1340	Before Sept 2011	19
	Total	5601

Universe : Applicable if R has been married more than 3 times (FMARNO > 3) or R's 3rd marriage is not intact (FMARNO =3 and FMARITAL NE 1)

MARDIS04(4382-4385)

Variable Type : recode

Description : CM date when R's 4th marriage ended (RECODE)

value	label	Total
.	INAPPLICABLE	5597
380-1340	Before Sept 2011	4
	Total	5601

Universe : Applicable if R has been married more than 4 times (FMARNO > 4) or R's 4th marriage is not intact (FMARNO = 4 and FMARITAL NE 1)

MARDIS05(4386-4389)

Variable Type : recode

Description : CM date when R's 5th marriage ended (RECODE)

value	label	Total
.	INAPPLICABLE	5600
1341-1352	Sept 2011-Aug 2012	1
	Total	5601

Universe : Applicable if R has been married more than 5 times (FMARNO > 5) or R's 5th marriage is not intact (FMARNO = 5 and FMARITAL NE 1)

MAREND01(4390-4390)

Variable Type : recode

Description : How R's 1st marriage ended (RECODE)

value	label	Total
.	INAPPLICABLE	4606
1	DIVORCED OR ANNULLED	755
2	SEPARATED	214
3	WIDOWED	26

Total **5601**

Universe : Applicable if R has been married more than once (FMARNO > 1) or R's 1st marriage is not intact (FMARNO = 1 and FMARITAL NE 1)

MAREND02(4391-4391)

Variable Type : recode

Description : How R's 2nd marriage ended (RECODE)

value	label	Total
.	INAPPLICABLE	5448
1	DIVORCED OR ANNULLED	110
2	SEPARATED	36
3	WIDOWED	7
Total		5601

Universe : Applicable if R has been married more than 2 times (FMARNO > 2) or R's 2nd marriage is not intact (FMARNO = 2 and FMARITAL NE 1)

MAREND03(4392-4392)

Variable Type : recode

Description : How R's 3rd marriage ended (RECODE)

value	label	Total
.	INAPPLICABLE	5582
1	DIVORCED OR ANNULLED	18
2	SEPARATED	1
Total		5601

Universe : Applicable if R has been married more than 3 times (FMARNO >3) or R's 3rd marriage is not intact (FMARNO = 3 and FMARITAL NE 1)

MAREND04(4393-4393)

Variable Type : recode

Description : How R's 4th marriage ended (RECODE)

value	label	Total
.	INAPPLICABLE	5597
1	DIVORCED OR ANNULLED	2
3	WIDOWED	2
Total		5601

Universe : Applicable if R has been married more than 4 times (FMARNO > 4) or R's 4th marriage is not intact (FMARNO = 4 and FMARITAL NE 1)

MAREND05(4394-4394)

Variable Type : recode

Description : How R's 5th marriage ended (RECODE)

value	label	Total
.	INAPPLICABLE	5600
1	DIVORCED OR ANNULLED	1
Total		5601

Universe : Applicable if R has been married more than 5 times (FMARNO > 5) or R's 5th marriage is not intact (FMARNO = 5 and FMARITAL NE 1)

FMAR1AGE(4395-4396)

Variable Type : recode

Description : Age at first marriage (RECODE)

value	label	Total
.	INAPPLICABLE	3149
0-19	UNDER 20 YEARS	496
20-24	20-24 YEARS	1066
25-29	25-29 YEARS	632
30-34	30-34 YEARS	207
35-44	35-44 YEARS	51
	Total	5601

Universe : Applicable if R has ever been married (FMARITAL NE 5)

AGEDISS1(4397-4398)

Variable Type : recode

Description : Age at dissolution of first marriage (RECODE)

value	label	Total
.	INAPPLICABLE	4606
0-19	UNDER 20 YEARS	75
20-24	20-24 YEARS	307
25-29	25-29 YEARS	321
30-34	30-34 YEARS	179
35-44	35-44 YEARS	113
	Total	5601

Universe : Applicable if R's first marriage dissolved (FMARNO > 1 or (FMARNO = 1 and MARDIS01 NE blank))

AGEDD1(4399-4400)

Variable Type : recode

Description : Age at divorce or death: 1st marriage (RECODE)

value	label	Total
.	INAPPLICABLE	4820
0-19	UNDER 20 YEARS	35
20-24	20-24 YEARS	209
25-29	25-29 YEARS	270
30-34	30-34 YEARS	168
35-44	35-44 YEARS	99
	Total	5601

Universe : Applicable if R's first marriage dissolved (FMARNO > 1 or (FMARNO = 1 and MARDIS01 NE inapp), but only in divorce or death and not in separation (MAREND01 = 1 or 3))

MAR1DISS(4401-4403)

Variable Type : recode

Description : Months btw/1st marriage & dissolution (or interview) (RECODE)

value	label	Total
.	INAPPLICABLE	3149
0-12	1 YEAR OR LESS	297
13-24	13-24 MONTHS	235
25-36	25-36 MONTHS	218
37-48	37-48 MONTHS	190

49-60	49-60 MONTHS	152
61-995	MORE THAN 5 YEARS	1360
Total		5601

Universe : Applicable if R has ever been married (FMARITAL NE 5)

DD1REMAR(4404-4406)

Variable Type : recode

Description : Months btw/divorce or death (1st marriage) and remarriage (or interview) (RECODE)

value	label	Total
.	INAPPLICABLE	4821
0-12	1 YEAR OR LESS	157
13-24	13-24 MONTHS	103
25-36	25-36 MONTHS	123
37-48	37-48 MONTHS	85
49-60	49-60 MONTHS	63
61-995	MORE THAN 5 YEARS	249
Total		5601

Universe : Applicable if R's first marriage dissolved (FMARNO > 1 or (FMARNO = 1 and MARDIS01 NE inapp), but only in divorce or death and not in separation (MAREND01 = 1 or 3))

MAR1BIR1(4407-4409)

Variable Type : recode

Description : Months btw/1st marriage & 1st birth (or interview) (RECODE)

value	label	Total
.	INAPPLICABLE	2042
0	LESS THAN 1 MONTH	17
1-12	1-12 MONTHS	442
13-24	13-24 MONTHS	345
25-36	25-36 MONTHS	238
37-887	MORE THAN 3 YEARS	700
888	FIRST BIRTH OCCURRED BEFORE FIRST MARRIAGE	1817
Total		5601

Universe : Applicable if R has ever been married (FMARITAL NE 5) or ever had a live birth (PARITY > 0)

MAR1CON1(4410-4412)

Variable Type : recode

Description : Months btw/1st marriage & 1st conception (or interview) (RECODE)

value	label	Total
.	INAPPLICABLE	1809
0	LESS THAN 1 MONTH	37
1-12	1-12 MONTHS	397
13-24	13-24 MONTHS	233
25-36	25-36 MONTHS	178
37-994	MORE THAN 3 YEARS	470
995	FIRST CONCEPTION BEFORE FIRST MARRIAGE	1137
996	HAS BEEN PREGNANT, BUT HAS NEVER BEEN MARRIED	1340
Total		5601

Universe : Applicable if R has ever been pregnant (PREGNUM > 0) or ever been married (FMARITAL NE 5)

CON1MAR1(4413-4415)

Variable Type : recode

Description : Months btw/1st conception & 1st marriage (or interview) (RECODE)

value	label	Total
.	INAPPLICABLE	1809
0	LESS THAN 1 MONTH	1
1-12	1-12 MONTHS	368
13-24	13-24 MONTHS	220
25-36	25-36 MONTHS	198
37-994	MORE THAN 3 YEARS	1690
995	FIRST CONCEPTION AFTER OR IN SAME MONTH AS FIRST MARRIAGE	1026
996	HAS BEEN MARRIED, BUT HAS NEVER BEEN PREGNANT	289
Total		5601

Universe : Applicable if R has ever been pregnant (PREGNUM > 0) or ever been married (FMARITAL NE 5)

B1PREMAR(4416-4416)

Variable Type : recode

Description : Whether R's first birth was premarital (RECODE)

value	label	Total
.	INAPPLICABLE	2460
1	YES	1820
2	NO	1321
Total		5601

Universe : Applicable if R has ever had a live birth (PARITY > 0)

COHEVER(4417-4417)

Variable Type : recode

Description : Whether R ever cohabited outside of marriage (RECODE)

value	label	Total
1	YES, EVER COHABITED (LIVED WITH A MAN OUTSIDE OF MARRIAGE)	3135
2	NO, NEVER COHABITED (LIVED WITH A MAN OUTSIDE OF MARRIAGE)	2466
Total		5601

Universe : Applicable for all respondents

EVMARCOH(4418-4418)

Variable Type : recode

Description : Whether R ever married or cohabited (RECODE)

value	label	Total
1	YES, EVER MARRIED OR COHABITED	3843
2	NO, NEVER MARRIED OR COHABITED	1758
Total		5601

Universe : Applicable for all respondents

PMARRNO(4419-4419)

Variable Type : recode

Description : Number of premarital cohabitations (RECODE)

value	label	Total
0	None	3988
1	One	1427
2	Two	170
3-HIGH	Three or more	16
Total		5601

Universe : Applicable for all respondents

NONMARR(4420-4420)

Variable Type : recode

Description : Number of nonmarital cohabitations (RECODE)

value	label	Total
0	None	3542
1	One	1389
2	Two	509
3-HIGH	Three or more	161
Total		5601

Universe : Applicable for all respondents

TIMESCOH(4421-4421)

Variable Type : recode

Description : Total number of cohabitations (RECODE)

value	label	Total
0	None	2466
1	One	1956
2	Two	843
3-HIGH	Three or more	336
Total		5601

Universe : Applicable for all respondents

COHAB1(4422-4425)

Variable Type : recode

Description : Date of 1st cohabitation (incl. premarital cohabitation) (RECODE)

value	label	Total
.	INAPPLICABLE	2466
380-1340	Before Sept 2011	2971
1341-1352	Sept 2011-Aug 2012	122
1353-1365	Sept 2012-Sept 2013	42
Total		5601

Universe : Applicable if R ever cohabited outside of marriage (COHEVER = 1)

COHSTAT(4426-4426)

Variable Type : recode

Description : Cohabitation experience relative to 1st marriage (RECODE)

value	label	Total
1	NEVER COHABITED OUTSIDE OF MARRIAGE	2466
2	FIRST COHABITED BEFORE FIRST MARRIAGE	2934
3	FIRST COHABITED AFTER FIRST MARRIAGE	201

Total**5601**

Universe : Applicable for all respondents

COHOUT(4427-4427)

Variable Type : recode

Description : Outcome of 1st cohabitation (RECODE)

value	label	Total
.	INAPPLICABLE	2466
1	INTACT COHABITATION	437
2	INTACT MARRIAGE	733
3	DISSOLVED MARRIAGE	541
4	DISSOLVED COHABITATION	1424
	Total	5601

Universe : Applicable if R ever cohabited outside of marriage (COHEVER = 1)

COH1DUR(4428-4430)

Variable Type : recode

Description : Duration (in months) of R's first cohabitation (RECODE)

value	label	Total
.	INAPPLICABLE	2466
0-12	1 YEAR OR LESS	1071
13-24	13-24 MONTHS	629
25-36	25-36 MONTHS	452
37-48	37-48 MONTHS	273
49-60	49-60 MONTHS	206
61-995	MORE THAN 5 YEARS	504
	Total	5601

Universe : Applicable if R ever cohabited outside of marriage (COHEVER = 1)

HADSEX(4431-4431)

Variable Type : recode

Description : Whether R has ever had sexual intercourse with a male (RECODE)

value	label	Total
1	YES, R EVER HAD INTERCOURSE	4858
2	NO, R NEVER HAD INTERCOURSE	743
	Total	5601

Universe : Applicable for all respondents

SEXONCE(4432-4432)

Variable Type : recode

Description : Whether R has had sex only once (RECODE)

value	label	Total
.	INAPPLICABLE	743
1	YES (R HAS HAD SEX ONLY ONCE)	69
2	NO (R HAS HAD SEX MORE THAN ONCE)	4789
	Total	5601

Universe : Applicable if R has ever had sexual intercourse with a male (HADSEX = 1)

SEXEVER(4433-4433)

Variable Type : recode

Description : Whether R has ever had sexual intercourse with a male since menarche (RECODE)

value	label	Total
1	YES (R HAS HAD SEX AFTER 1ST PERIOD)	4854
2	NO (NO PERIOD, NO SEX AT ALL, OR NO SEX SINCE 1ST PERIOD)	747
Total		5601

Universe : Applicable for all respondents

VRY1STAG(4434-4435)

Variable Type : recode

Description : Age at first intercourse (even if before menarche) (RECODE)

value	label	Total
.	INAPPLICABLE	743
0-14	UNDER 15 YEARS	856
15-17	15-17 YEARS	2354
18-19	18-19 YEARS	901
20-44	20 YEARS OR OLDER	747
Total		5601

Universe : Applicable if R has ever had sexual intercourse with a male (HADSEX = 1)

SEX1AGE(4436-4437)

Variable Type : recode

Description : Age at first intercourse since menarche (RECODE)

value	label	Total
.	INAPPLICABLE	760
0-14	UNDER 15 YEARS	799
15-17	15-17 YEARS	2386
18-19	18-19 YEARS	908
20-44	20 YEARS OR OLDER	748
Total		5601

Universe : Applicable if R has ever had sexual intercourse with a male since menarche (SEXEVER = 1)

VRY1STSX(4438-4441)

Variable Type : recode

Description : CM date of first intercourse (even if before menarche) (RECODE)

value	label	Total
.	INAPPLICABLE	734
380-1340	Before Sept 2011	4729
1341-1352	Sept 2011-Aug 2012	95
1353-1365	Sept 2012-Sept 2013	34
9996	RESPONDED SHE NEVER HAD INTERCOURSE	9
Total		5601

Universe : Applicable if R has ever had sexual intercourse with a male (HADSEX = 1)

DATESEX1(4442-4445)

Variable Type : recode

Description : CM date of first intercourse since menarche (RECODE)

value	label	Total
.	INAPPLICABLE	760
380-1340	Before Sept 2011	4711
1341-1352	Sept 2011-Aug 2012	96
1353-1365	Sept 2012-Sept 2013	34
	Total	5601

Universe : Applicable if R has ever had sexual intercourse with a male since menarche (SEXEVER = 1)

FSEXPAGE(4446-4448)

Variable Type : recode

Description : Age of R's first sexual partner at time of first sex (RECODE)

value	label	Total
.	INAPPLICABLE	743
0-14	UNDER 15 YEARS	220
15-17	15-17 YEARS	1740
18-19	18-19 YEARS	1157
20-95	20 YEARS OR OLDER	1660
900-995	ESTIMATED AGE	81
	Total	5601

Universe : Applicable if R has ever had sexual intercourse with a male (HADSEX = 1)

SEXMAR(4449-4451)

Variable Type : recode

Description : Mos btw/1st intercourse (even if before menarche) & 1st marriage (or interview) (RECODE)

value	label	Total
.	INAPPLICABLE	743
0	FIRST INTERCOURSE IN SAME MONTH AS MARRIAGE	237
1-12	1-12 MONTHS	273
13-24	13-24 MONTHS	330
25-36	25-36 MONTHS	364
37-995	MORE THAN 3 YEARS AFTER FIRST INTERCOURSE	3631
996	FIRST INTERCOURSE AFTER FIRST MARRIAGE	23
	Total	5601

Universe : Applicable if R has ever had sexual intercourse with a male (HADSEX = 1)

SEX1FOR(4452-4454)

Variable Type : recode

Description : Mos btw/1st intercourse since menarche & 1st marriage (or interview) (RECODE)

value	label	Total
.	INAPPLICABLE	747
0	SAME MONTH AS MARRIAGE	238
1-12	1-12 MONTHS	278
13-24	13-24 MONTHS	329
25-36	25-36 MONTHS	374
37-995	MORE THAN 3 YEARS AFTER FIRST INTERCOURSE AFTER MENARCHE	3611
996	AFTER FIRST MARRIAGE	24
	Total	5601

Universe : Applicable if R has ever had sexual intercourse with a male since menarche (SEXEVER = 1)

SEXUNION(4455-4457)

Variable Type : recode

Description : Months between 1st intercourse and 1st coresidential union (marriage or cohabitation) (RECODE)

value	label	Total
.	INAPPLICABLE	743
0	First intercourse in same month as marriage or cohabitation	323
1-995	1 or more months after first intercourse	4378
996	First intercourse after first marriage or cohabitation	157
	Total	5601

Universe : Applicable if R has ever had sexual intercourse with a male (HADSEX = 1)

SEXOUT(4458-4458)

Variable Type : recode

Description : Outcome of 1st sexual intercourse (RECODE)

value	label	Total
.	INAPPLICABLE	743
1	Intact cohabitation	114
2	Intact marriage	568
3	Dissolved marriage	258
4	Dissolved cohabitation	328
5	Never married or cohabited with 1st sexual partner	3590
	Total	5601

Universe : Applicable if R has ever had sexual intercourse with a male (HADSEX = 1)

FPDUR(4459-4461)

Variable Type : recode

Description : Months between 1st and last/most recent intercourse with 1st partner ever (RECODE)

value	label	Total
.	INAPPLICABLE	743
0-995	Number of months between first and most recent sex with 1st partner	4314
997	Only had sex once with first partner	544
	Total	5601

Universe : Applicable if R has ever had sexual intercourse with a male (HADSEX = 1)

PARTS1YR(4462-4462)

Variable Type : recode

Description : Number of opposite-sex partners in last 12 mos (RECODE)

value	label	Total
.	INAPPLICABLE	743
0	NONE	539
1	1 PARTNER	3569
2	2 PARTNERS	466
3	3 PARTNERS	134
4	4 PARTNERS	56
5	5 PARTNERS	41
6	6 PARTNERS	14
7-95	7 OR MORE PARTNERS	39
	Total	5601

Universe : Applicable if R has ever had sexual intercourse with a male (HADSEX = 1).

LSEXDATE(4463-4466)

Variable Type : recode

Description : CM date of last or most recent sexual intercourse (RECODE)

value	label	Total
.	INAPPLICABLE	743
380-1340	Before Sept 2011	583
1341-1352	Sept 2011-Aug 2012	2213
1353-1365	Sept 2012-Sept 2013	2062
Total		5601

Universe : Applicable if R has ever had sexual intercourse with a male (HADSEX = 1)

SEX3MO(4467-4467)

Variable Type : recode

Description : Whether R had sex in past 3 months (from sexual partner dates) (RECODE)

value	label	Total
.	INAPPLICABLE	743
1	YES	3775
2	NO	1083
Total		5601

Universe : Applicable if R has ever had sexual intercourse with a male (HADSEX = 1)

NUMP3MOS(4468-4468)

Variable Type : recode

Description : Number of male partners in last 3 mos (RECODE)

value	label	Total
.	INAPPLICABLE	743
0	NONE	1086
1	1 PARTNER	3563
2-95	2 OR MORE PARTNERS	209
Total		5601

Universe : Applicable if R has ever had sexual intercourse with a male (HADSEX = 1)

LSEXRAGE(4469-4470)

Variable Type : recode

Description : R's age at last or most recent sexual intercourse (RECODE)

value	label	Total
.	INAPPLICABLE	743
0-17	UNDER 18 YEARS	240
18-19	18-19 YEARS	299
20-24	20-24 YEARS	905
25-34	25-34 YEARS	2002
35-45	35-44 YEARS	1412
Total		5601

Universe : Applicable if R has ever had sexual intercourse with a male (HADSEX = 1)

Isexpage(4471-4473)

Variable Type : computed

Description : R's partner's age at last sexual intercourse (for partners in last 12 mos)

value	label	Total
.	INAPPLICABLE	743
0-14	UNDER 15 YEARS	3
15-17	15-17 YEARS	47
18-19	18-19 YEARS	31
20-95	20 YEARS OR OLDER	60
900-995	ESTIMATED AGE	4546
997	Not ascertained	171
Total		5601

Universe : Applicable if R has ever had sexual intercourse with a male (HADSEX = 1)

Notes : See FEMALE RESPONDENT FILE NOTES in Part 2 of User's Guide

PARTDUR1(4474-4476)

Variable Type : recode

Description : Months between 1st and most recent intercourse with last/most recent partner (RECODE)

value	label	Total
.	INAPPLICABLE	743
0-995	Number of months between first and most recent sex with this partner	4756
997	Only had sex once with partner	102
Total		5601

Universe : Applicable if R has ever had sexual intercourse with a male (HADSEX = 1)

PARTDUR2(4477-4479)

Variable Type : recode

Description : Months between 1st and most recent intercourse with 2nd-to-last partner within past 12 mos (RECODE)

value	label	Total
.	INAPPLICABLE	4851
0-995	Number of months between first and most recent sex with this partner	707
997	Only had sex once with partner	43
Total		5601

Universe : Applicable if R has ever had sexual intercourse with a male (HADSEX = 1)

PARTDUR3(4480-4482)

Variable Type : recode

Description : Months between 1st and most recent intercourse with 3rd-to-last partner within past 12 mos (RECODE)

value	label	Total
.	INAPPLICABLE	5317
0-995	Number of months between first and most recent sex with this partner	274
997	Only had sex once with partner	10
Total		5601

Universe : Applicable if R has ever had sexual intercourse with a male (HADSEX = 1)

RELATP1(4483-4483)

Variable Type : recode

Description : Relationship at time of 1st sex with last/most recent partner (RECODE)

value	label	Total
.	INAPPLICABLE	1284
1	Married to him	235
2	Engaged to him	169
3	Living together in a sexual relationship, but not engaged	200
4	Going out with him or going steady	2459
5	Going out with him once in a while	481
6	Just friends	530
7	Had just met him	188
8	Something else	55
	Total	5601

Universe : Applicable if R has ever had sexual intercourse with a male (HADSEX = 1)

RELATP2(4484-4484)

Variable Type : recode

Description : Relationship at time of 1st sex with 2nd-to-last partner within past 12 mos (RECODE)

value	label	Total
.	INAPPLICABLE	4851
1	Married to him	1
2	Engaged to him	9
3	Living together in a sexual relationship, but not engaged	12
4	Going out with him or going steady	265
5	Going out with him once in a while	134
6	Just friends	239
7	Had just met him	62
8	Something else	28
	Total	5601

Universe : Applicable if R has ever had sexual intercourse with a male (HADSEX = 1)

RELATP3(4485-4485)

Variable Type : recode

Description : Relationship at time of 1st sex with 3rd-to-last partner within past 12 mos (RECODE)

value	label	Total
.	INAPPLICABLE	5319
2	Engaged to him	4
3	Living together in a sexual relationship, but not engaged	2
4	Going out with him or going steady	83
5	Going out with him once in a while	48
6	Just friends	111
7	Had just met him	23
8	Something else	11
	Total	5601

Universe : Applicable if R has ever had sexual intercourse with a male (HADSEX = 1)

LIFPRTNR(4486-4487)

Variable Type : recode

Description : Number of opposite-sex partners in lifetime (RECODE)

value	label	Total
0	NONE	743
1	1 PARTNER	936
2	2 PARTNERS	528
3	3 PARTNERS	519
4	4 PARTNERS	485
5	5 PARTNERS	495
6	6 PARTNERS	299
7	7 PARTNERS	253
8	8 PARTNERS	214
9	9 PARTNERS	100
10-19	10-19 PARTNERS	640
20-49	20-49 PARTNERS	313
50	50 OR MORE PARTNERS	76
	Total	5601

Universe : Applicable for all respondents. (This variable was topcoded for public use.)

FMARNO_I(4488-4488)

Variable Type : imputation flag

Description : FMARNO Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5598
2	LOGICAL IMPUTATION	3
	Total	5601

Universe : Applicable for all respondents

CSPBIOKD_I(4489-4489)

Variable Type : imputation flag

Description : CSPBIOKD Impuation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5600
2	LOGICAL IMPUTATION	1
	Total	5601

Universe : Applicable for all respondents

MARDAT01_I(4490-4490)

Variable Type : imputation flag

Description : MARDAT01 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5583
1	MULTIPLE REGRESSION IMPUTATION	18
	Total	5601

Universe : Applicable for all respondents

MARDAT02_I(4491-4491)

Variable Type : imputation flag

Description : MARDAT02 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5599
1	MULTIPLE REGRESSION IMPUTATION	1
2	LOGICAL IMPUTATION	1
Total		5601

Universe : Applicable for all respondents

MARDAT03_I(4492-4492)

Variable Type : imputation flag

Description : MARDAT03 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5592
2	LOGICAL IMPUTATION	9
Total		5601

Universe : Applicable for all respondents

MARDAT04_I(4493-4493)

Variable Type : imputation flag

Description : MARDAT04 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5600
2	LOGICAL IMPUTATION	1
Total		5601

Universe : Applicable for all respondents

MARDAT05_I(4494-4494)

Variable Type : imputation flag

Description : MARDAT05 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5601
Total		5601

Universe : Applicable for all respondents

MARDIS01_I(4495-4495)

Variable Type : imputation flag

Description : MARDIS01 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5581
1	MULTIPLE REGRESSION IMPUTATION	19
2	LOGICAL IMPUTATION	1
Total		5601

Universe : Applicable for all respondents

MARDIS02_I(4496-4496)

Variable Type : imputation flag

Description : MARDIS02 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5598
1	MULTIPLE REGRESSION IMPUTATION	2
2	LOGICAL IMPUTATION	1
Total		5601

Universe : Applicable for all respondents

MARDIS03_I(4497-4497)

Variable Type : imputation flag

Description : MARDIS03 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5601
Total		5601

Universe : Applicable for all respondents

MARDIS04_I(4498-4498)

Variable Type : imputation flag

Description : MARDIS04 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5601
Total		5601

Universe : Applicable for all respondents

MARDIS05_I(4499-4499)

Variable Type : imputation flag

Description : MARDIS05 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5601
Total		5601

Universe : Applicable for all respondents

MAREND01_I(4500-4500)

Variable Type : imputation flag

Description : MAREND1 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5597
1	MULTIPLE REGRESSION IMPUTATION	4
Total		5601

Universe : Applicable for all respondents

MAREND02_I(4501-4501)

Variable Type : imputation flag

Description : MAREND2 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5601
Total		5601

Universe : Applicable for all respondents

MAREND03_I(4502-4502)

Variable Type : imputation flag

Description : MAREND3 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5601
Total		5601

Universe : Applicable for all respondents

MAREND04_I(4503-4503)

Variable Type : imputation flag

Description : MAREND4 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5601
Total		5601

Universe : Applicable for all respondents

MAREND05_I(4504-4504)

Variable Type : imputation flag

Description : MAREND5 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5601
Total		5601

Universe : Applicable for all respondents

FMAR1AGE_I(4505-4505)

Variable Type : imputation flag

Description : FMAR1AGE Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5583
1	MULTIPLE REGRESSION IMPUTATION	18
Total		5601

Universe : Applicable for all respondents

AGEDISS1_I(4506-4506)

Variable Type : imputation flag

Description : AGEDISS1 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5582
1	MULTIPLE REGRESSION IMPUTATION	19

Total **5601**

Universe : Applicable for all respondents

AGEDD1_I(4507-4507)

Variable Type : imputation flag

Description : AGEDD1 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5563
1	MULTIPLE REGRESSION IMPUTATION	38
Total		5601

Universe : Applicable for all respondents

MAR1DISS_I(4508-4508)

Variable Type : imputation flag

Description : MAR1DISS Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5575
1	MULTIPLE REGRESSION IMPUTATION	26
Total		5601

Universe : Applicable for all respondents

DD1REMAR_I(4509-4509)

Variable Type : imputation flag

Description : DD1REMAR Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5566
1	MULTIPLE REGRESSION IMPUTATION	34
2	LOGICAL IMPUTATION	1
Total		5601

Universe : Applicable for all respondents

MAR1BIR1_I(4510-4510)

Variable Type : imputation flag

Description : MAR1BIR1 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5577
2	LOGICAL IMPUTATION	24
Total		5601

Universe : Applicable for all respondents

MAR1CON1_I(4511-4511)

Variable Type : imputation flag

Description : MAR1CON1 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5570

2	LOGICAL IMPUTATION	31
	Total	5601

Universe : Applicable for all respondents

CON1MAR1_I(4512-4512)

Variable Type : imputation flag

Description : CON1MAR1 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5569
1	MULTIPLE REGRESSION IMPUTATION	32
	Total	5601

Universe : Applicable for all respondents

B1PREMAR_I(4513-4513)

Variable Type : imputation flag

Description : B1PREMAR Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5581
2	LOGICAL IMPUTATION	20
	Total	5601

Universe : Applicable for all respondents

COHEVER_I(4514-4514)

Variable Type : imputation flag

Description : COHEVER Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5601
	Total	5601

Universe : Applicable for all respondents

EVMARCOH_I(4515-4515)

Variable Type : imputation flag

Description : EVMARCOH Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5601
	Total	5601

Universe : Applicable for all respondents

PMARRNO_I(4516-4516)

Variable Type : imputation flag

Description : PMARRNO Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5590
1	MULTIPLE REGRESSION IMPUTATION	11
	Total	5601

Universe : Applicable for all respondents

NONMARR_I(4517-4517)

Variable Type : imputation flag

Description : NONMARR Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5595
1	MULTIPLE REGRESSION IMPUTATION	5
2	LOGICAL IMPUTATION	1
Total		5601

Universe : Applicable for all respondents

TIMESCOH_I(4518-4518)

Variable Type : imputation flag

Description : TIMESCOH Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5587
1	MULTIPLE REGRESSION IMPUTATION	13
2	LOGICAL IMPUTATION	1
Total		5601

Universe : Applicable for all respondents

COHAB1_I(4519-4519)

Variable Type : imputation flag

Description : COHAB1 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5588
1	MULTIPLE REGRESSION IMPUTATION	13
Total		5601

Universe : Applicable for all respondents

COHSTAT_I(4520-4520)

Variable Type : imputation flag

Description : COHSTAT Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5584
2	LOGICAL IMPUTATION	17
Total		5601

Universe : Applicable for all respondents

COHOUT_I(4521-4521)

Variable Type : imputation flag

Description : COHOUT Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5588

1	MULTIPLE REGRESSION IMPUTATION	13
	Total	5601

Universe : Applicable for all respondents

COH1DUR_I(4522-4522)

Variable Type : imputation flag

Description : COH1DUR Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5561
1	MULTIPLE REGRESSION IMPUTATION	40
	Total	5601

Universe : Applicable for all respondents

HADSEX_I(4523-4523)

Variable Type : imputation flag

Description : HADSEX Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5601
	Total	5601

Universe : Applicable for all respondents

SEXEVER_I(4524-4524)

Variable Type : imputation flag

Description : SEXEVER Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5573
1	MULTIPLE REGRESSION IMPUTATION	27
2	LOGICAL IMPUTATION	1
	Total	5601

Universe : Applicable for all respondents

VRY1STAG_I(4525-4525)

Variable Type : imputation flag

Description : VRY1STAG Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5576
1	MULTIPLE REGRESSION IMPUTATION	23
2	LOGICAL IMPUTATION	2
	Total	5601

Universe : Applicable for all respondents

SEX1AGE_I(4526-4526)

Variable Type : imputation flag

Description : SEX1AGE Imputation Flag

value	label	Total
--------------	--------------	--------------

0	QUESTIONNAIRE DATA (NOT IMPUTED)	5556
1	MULTIPLE REGRESSION IMPUTATION	44
2	LOGICAL IMPUTATION	1
Total		5601

Universe : Applicable for all respondents

VRY1STX_I(4527-4527)

Variable Type : imputation flag

Description : VRY1STX Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5516
1	MULTIPLE REGRESSION IMPUTATION	23
2	LOGICAL IMPUTATION	62
Total		5601

Universe : Applicable for all respondents

DATESEX1_I(4528-4528)

Variable Type : imputation flag

Description : DATESEX1 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5493
1	MULTIPLE REGRESSION IMPUTATION	27
2	LOGICAL IMPUTATION	81
Total		5601

Universe : Applicable for all respondents

SEXONCE_I(4529-4529)

Variable Type : imputation flag

Description : SEXONCE Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5599
1	MULTIPLE REGRESSION IMPUTATION	1
2	LOGICAL IMPUTATION	1
Total		5601

Universe : Applicable for all respondents

FSEXPAGE_I(4530-4530)

Variable Type : imputation flag

Description : FSEXPAGE Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5563
1	MULTIPLE REGRESSION IMPUTATION	38
Total		5601

Universe : Applicable for all respondents

SEXMAR_I(4531-4531)

Variable Type : imputation flag

Description : SEXMAR Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5515
1	MULTIPLE REGRESSION IMPUTATION	86
Total		5601

Universe : Applicable for all respondents

SEX1FOR_I(4532-4532)

Variable Type : imputation flag

Description : SEX1FOR Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5500
1	MULTIPLE REGRESSION IMPUTATION	101
Total		5601

Universe : Applicable for all respondents

SEXUNION_I(4533-4533)

Variable Type : imputation flag

Description : SEXUNION Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5507
1	MULTIPLE REGRESSION IMPUTATION	94
Total		5601

Universe : Applicable for all respondents

SEXOUT_I(4534-4534)

Variable Type : imputation flag

Description : SEXOUT Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5601
Total		5601

Universe : Applicable for all respondents

FPDUR_I(4535-4535)

Variable Type : imputation flag

Description : FPDUR Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5444
1	MULTIPLE REGRESSION IMPUTATION	157
Total		5601

Universe : Applicable for all respondents

PARTS1YR_I(4536-4536)

Variable Type : imputation flag

Description : PARTS1YR Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5596
1	MULTIPLE REGRESSION IMPUTATION	5
Total		5601

Universe : Applicable for all respondents

LSEXDATE_I(4537-4537)

Variable Type : imputation flag

Description : LSEXDATE Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5571
1	MULTIPLE REGRESSION IMPUTATION	22
2	LOGICAL IMPUTATION	8
Total		5601

Universe : Applicable for all respondents

SEXP3MO_I(4538-4538)

Variable Type : imputation flag

Description : SEXP3MO Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5584
1	MULTIPLE REGRESSION IMPUTATION	17
Total		5601

Universe : Applicable for all respondents

NUMP3MOS_I(4539-4539)

Variable Type : imputation flag

Description : NUMP3MOS Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5577
1	MULTIPLE REGRESSION IMPUTATION	18
2	LOGICAL IMPUTATION	6
Total		5601

Universe : Applicable for all respondents

LSEXRAGE_I(4540-4540)

Variable Type : imputation flag

Description : LSEXRAGE Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5571
1	MULTIPLE REGRESSION IMPUTATION	30
Total		5601

Universe : Applicable for all respondents

PARTDUR1_I(4541-4541)

Variable Type : imputation flag

Description : PARTDUR1 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5488
1	MULTIPLE REGRESSION IMPUTATION	113
Total		5601

Universe : Applicable for all respondents

PARTDUR2_I(4542-4542)

Variable Type : imputation flag

Description : PARTDUR2 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5577
1	MULTIPLE REGRESSION IMPUTATION	24
Total		5601

Universe : Applicable for all respondents

PARTDUR3_I(4543-4543)

Variable Type : imputation flag

Description : PARTDUR3 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5585
1	MULTIPLE REGRESSION IMPUTATION	16
Total		5601

Universe : Applicable for all respondents

RELATP1_I(4544-4544)

Variable Type : imputation flag

Description : RELATP1 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5585
1	MULTIPLE REGRESSION IMPUTATION	16
Total		5601

Universe : Applicable for all respondents

RELATP2_I(4545-4545)

Variable Type : imputation flag

Description : RELATP2 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5596
1	MULTIPLE REGRESSION IMPUTATION	5
Total		5601

Universe : Applicable for all respondents

RELATP3_I(4546-4546)

Variable Type : imputation flag

Description : RELATP3 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5594
1	MULTIPLE REGRESSION IMPUTATION	7
Total		5601

Universe : Applicable for all respondents

LIFPRTNR_I(4547-4547)

Variable Type : imputation flag

Description : LIFPRTNR Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5527
1	MULTIPLE REGRESSION IMPUTATION	74
Total		5601

Universe : Applicable for all respondents

Female Respondent File Codebook :: SECTION R: Recode Variables and Imputation Flags :: Section D and E Recodes

STRLOPER(4548-4548)

Variable Type : recode

Description : Type of sterilization operation "in effect" (RECODE)

value	label	Total
1	TUBAL LIGATION OR STERILIZATION	733
2	HYSTERECTOMY	93
3	VASECTOMY	182
4	OTHER OPERATION OR TYPE UNKNOWN	17
5	NOT SURGICALLY STERILE	4576
Total		5601

Universe : Applicable for all respondents

FECUND(4549-4549)

Variable Type : recode

Description : Fecundity status (RECODE)

value	label	Total
1	SURGICALLY STERILE, CONTRACEPTIVE	979
2	SURGICALLY STERILE, NONCONTRACEPTIVE	46
3	STERILE, NONSURGICAL	117
4	SUBFECUND	539
5	LONG INTERVAL (INFERTILE FOR 36+ MONTHS)	30
6	FECUND	3890
Total		5601

Universe : Applicable for all respondents

ANYBC36(4550-4550)

Variable Type : intermediate

Description : Any method use in 36 months before interview

value	label	Total
1	yes, at least one month of method use	4504
2	no, no months of method use	1097
Total		5601

Universe : Applicable for all respondents

Notes : see recode FECUND for definition of this variable

NOSEX36(4551-4551)

Variable Type : intermediate

Description : Any months of NONintercourse in 36 months before interview

value	label	Total
1	no months of non-intercourse (intercourse in all months)	1750
2	one or more months of nonintercourse	3851
Total		5601

Universe : Applicable for all respondents

Notes : see recode FECUND for definition of this variable

INFERT(4552-4552)

Variable Type : recode

Description : Infertility status (RECODE)

value	label	Total
.	INAPPLICABLE	3127
1	SURGICALLY STERILE	651
2	INFERTILE	158
3	FECUND	1665
Total		5601

Universe : Applicable if R is currently married or cohabiting (RMARITAL = 1 or 2)

ANYBC12(4553-4553)

Variable Type : intermediate

Description : Any method use in 12 months before interview

value	label	Total
1	yes, at least one month of method use	4130
2	no, no months of method use	1471
Total		5601

Universe : Applicable for all respondents

Notes : see recode INFERT for definition of this variable

ANYMTHD(4554-4554)

Variable Type : recode

Description : Ever used any method for any reason (RECODE)

value label Total

1	YES	4978
2	NO	623
Total		5601

Universe : Applicable for all respondents

NOSEX12(4555-4556)

Variable Type : recode

Description : Number of months of nonintercourse in the 12 months prior to interview (RECODE)

value	label	Total
0	NONE	2466
1	1 MONTH	282
2	2 MONTHS	245
3	3 MONTHS	184
4	4 MONTHS	186
5	5 MONTHS	165
6	6 MONTHS	135
7	7 MONTHS	133
8	8 MONTHS	167
9	9 MONTHS	160
10	10 MONTHS	134
11	11 MONTHS	159
12	12 MONTHS	442
95	NEVER HAD INTERCOURSE	743
Total		5601

Universe : Applicable for all respondents

SEXP3MO(4557-4557)

Variable Type : recode

Description : Whether R had sex in past 3 months (from months of nonintercourse series) (RECODE)

value	label	Total
.	INAPPLICABLE	743
1	YES	3947
2	NO	911
Total		5601

Universe : Applicable if R has ever had sexual intercourse with a male (HADSEX = 1)

CONSTAT1(4558-4559)

Variable Type : recode

Description : Current contraceptive status (1st priority code) (RECODE)

value	label	Total
1	Female sterilization	807
2	Male sterilization	196
3	Norplant or Implanon implant	73
5	Depo-Provera (injectable)	189
6	Pill	821
7	Contraceptive Patch	17
8	Contraceptive Ring	66
9	Morning-after pill	6
10	IUD	371
11	Diaphragm (with or w/out jelly or cream)	1
12	(Male) Condom	516

14	Foam	1
16	Today(TM) Sponge	1
17	Suppository or insert	2
18	Jelly or cream (not with diaphragm)	4
19	Periodic abstinence: NFP, cervical mucus test or temperature rhythm	6
20	Periodic abstinence: calendar rhythm	42
21	Withdrawal	184
22	Other method	5
30	Pregnant	238
31	Seeking Pregnancy	239
32	Postpartum	46
33	Sterile--nonsurgical--female	106
34	Sterile--nonsurgical--male	11
35	Sterile--surgical--female (noncontraceptive)	36
36	Sterile--surgical--male (noncontraceptive)	1
38	Sterile--unknown reasons-male	1
40	Other nonuser--never had intercourse since first period	654
41	Other nonuser--has had intercourse, but not in the 3 months prior to interview	515
42	Other nonuser--had intercourse in the 3 months prior to interview	446
	Total	5601

Universe : Applicable for all respondents

CONSTAT2(4560-4561)

Variable Type : recode

Description : 2nd priority code for current contraceptive status (RECODE)

value	label	Total
2	Male sterilization	21
5	Depo-Provera (injectable)	6
6	Pill	35
8	Contraceptive Ring	2
9	Morning-after pill	5
10	IUD	15
12	(Male) Condom	272
13	Female condom/vaginal pouch	2
17	Suppository or insert	1
18	Jelly or cream (not with diaphragm)	2
19	Periodic abstinence: NFP, cervical mucus test or temperature rhythm	7
20	Periodic abstinence: calendar rhythm	31
21	Withdrawal	186
22	Other method	2
33	Sterile--nonsurgical--female	1
34	Sterile--nonsurgical--male	4
88	Inapplicable (no 2nd, 3rd, or 4th method reported)	5009
	Total	5601

Universe : Applicable for all respondents

CONSTAT3(4562-4563)

Variable Type : recode

Description : 3rd priority code for current contraceptive status (RECODE)

value	label	Total
10	IUD	1
12	(Male) Condom	4
18	Jelly or cream (not with diaphragm)	2
19	Periodic abstinence: NFP, cervical mucus test or temperature rhythm	1

20	Periodic abstinence: calendar rhythm	10
21	Withdrawal	52
88	Inapplicable (no 2nd, 3rd, or 4th method reported)	5531
	Total	5601

Universe : Applicable for all respondents

CONSTAT4(4564-4565)

Variable Type : recode

Description : 4th priority code for current contraceptive status (RECODE)

value	label	Total
10	IUD	1
21	Withdrawal	4
88	Inapplicable (no 2nd, 3rd, or 4th method reported)	5596
	Total	5601

Universe : Applicable for all respondents

PILLR(4566-4566)

Variable Type : recode

Description : Ever used the pill for any reason (RECODE)

value	label	Total
1	YES	3906
2	NO	1695
	Total	5601

Universe : Applicable for all respondents

CONDOMR(4567-4567)

Variable Type : recode

Description : Ever used condom (RECODE)

value	label	Total
.	INAPPLICABLE	743
1	YES	4601
2	NO	257
	Total	5601

Universe : Applicable if R has ever had sexual intercourse with a male (HADSEX = 1)

SEX1MTHD1(4568-4569)

Variable Type : recode

Description : Contraceptive method used at first sex, if any: 1st mentioned (RECODE)

value	label	Total
.	INAPPLICABLE	743
1	Pill	957
2	Condom	2111
3	Partner's vasectomy	4
5	Withdrawal	148
6	Depo-Provera, injectables	55
7	Implant (Norplant or Implanon)	1
8	Rhythm or safe period by calendar	11
9	Safe period by temperature or cervical mucus test, natural family planning	1

10	Diaphragm	2
11	Female condom, vaginal pouch	1
12	Foam	2
13	Jelly or cream	1
15	Suppository, insert	1
16	Today sponge	2
18	Emergency contraception	8
19	Other method	1
20	Respondent sterile (aside from sterilizing operation above)	1
23	Contraceptive patch	19
24	Contraceptive ring	3
95	Never used a method	36
96	Did not use a method at 1st intercourse	1493
	Total	5601

Universe : Applicable if R has ever had sexual intercourse with a male (HADSEX = 1)

SEX1MTHD2(4570-4571)

Variable Type : recode

Description : Contraceptive method used at first sex, if any: 2nd mentioned (RECODE)

value	label	Total
.	INAPPLICABLE	3396
1	Pill	50
2	Condom	511
5	Withdrawal	48
6	Depo-Provera, injectables	20
8	Rhythm or safe period by calendar	6
9	Safe period by temperature or cervical mucus test, natural family planning	1
11	Female condom, vaginal pouch	1
12	Foam	6
13	Jelly or cream	4
15	Suppository, insert	2
16	Today sponge	1
17	IUD, coil, loop	1
18	Emergency contraception	2
19	Other method	2
23	Contraceptive patch	7
24	Contraceptive ring	1
95	Never used a method	36
96	Did not use a method at 1st intercourse	1506
	Total	5601

Universe : Applicable if R has ever had sexual intercourse with a male (HADSEX = 1) and R used a second method at first sex (mthfstx2 not blank)

SEX1MTHD3(4572-4573)

Variable Type : recode

Description : Contraceptive method used at first sex, if any: 3rd mentioned (RECODE)

value	label	Total
.	INAPPLICABLE	4029
2	Condom	2
5	Withdrawal	19
6	Depo-Provera, injectables	2
8	Rhythm or safe period by calendar	2
9	Safe period by temperature or cervical mucus test, natural family planning	1
13	Jelly or cream	2

16	Today sponge	1
24	Contraceptive ring	1
95	Never used a method	36
96	Did not use a method at 1st intercourse	1506
	Total	5601

Universe : Applicable if R has ever had sexual intercourse with a male (HADSEX = 1) and R used a third method at first sex (mthfstx3 not blank)

SEX1MTHD4(4574-4575)

Variable Type : recode

Description : Contraceptive method used at first sex, if any: 4th mentioned (RECODE)

value	label	Total
.	INAPPLICABLE	4056
8	Rhythm or safe period by calendar	2
15	Suppository, insert	1
95	Never used a method	36
96	Did not use a method at 1st intercourse	1506
	Total	5601

Universe : Applicable if R has ever had sexual intercourse with a male (HADSEX = 1) and R used a fourth method at first sex (mthfstx4 not blank)

MTHUSE12(4576-4577)

Variable Type : recode

Description : Whether used any contraceptive method at last sex in past 12 months (RECODE)

value	label	Total
.	INAPPLICABLE	1282
1	USED A METHOD	3392
2	DID NOT USE A METHOD	903
95	NEVER USED A METHOD	24
	Total	5601

Universe : Applicable if R has had sexual intercourse with an opposite-sex partner in the last 12 months (PARTS1YR > 0)

METH12M1(4578-4579)

Variable Type : recode

Description : Contraceptive method used at last sex past 12 mos: 1st mentioned (RECODE)

value	label	Total
.	INAPPLICABLE	2209
1	Pill	726
2	Condom	891
3	Partner's vasectomy	204
4	Female sterilizing operation/tubal ligation	595
5	Withdrawal	340
6	Depo-Provera injectable	140
7	Implant (Norplant or Implanon)	56
8	Rhythm or safe period by calendar	25
9	Safe period by temperature or cervical mucus test, natural family planning	6
10	Diaphragm	1
11	Female condom, vaginal pouch	1
13	Jelly or cream	4
15	Suppository, insert	2

17	IUD, coil, loop	323
18	Emergency contraception	8
19	Other method	3
20	Respondent sterile (aside from sterilizing operation above)	3
21	Respondent's partner sterile (aside from vasectomy above)	1
22	Lunelle injectable	1
23	Contraceptive patch	13
24	Contraceptive ring	49
	Total	5601

Universe : Applicable if R has had sexual intercourse with an opposite-sex partner in the last 12 mons (PARTS1YR > 0) and used a method at last sex in the past 12 mons (MTHUSE12 = 1)

METH12M2(4580-4581)

Variable Type : recode

Description : Contraceptive method used at last sex past 12 mos: 2nd mentioned (RECODE)

value	label	Total
.	INAPPLICABLE	4972
1	Pill	21
2	Condom	229
3	Partner's vasectomy	22
4	Female sterilizing operation/tubal ligation	69
5	Withdrawal	144
6	Depo-Provera injectable	28
7	Implant (Norplant or Implanon)	10
8	Rhythm or safe period by calendar	42
9	Safe period by temperature or cervical mucus test, natural family planning	4
11	Female condom, vaginal pouch	1
12	Foam	1
13	Jelly or cream	2
15	Suppository, insert	2
17	IUD, coil, loop	33
18	Emergency contraception	6
19	Other method	2
20	Respondent sterile (aside from sterilizing operation above)	2
23	Contraceptive patch	1
24	Contraceptive ring	10
	Total	5601

Universe : Applicable if R has had sexual intercourse with an opposite-sex partner in the last 12 mons (PARTS1YR > 0) and used more than one method at last sex in the past 12 mons (mthfstx2 not blank or EF-2 LSTMHP2 not blank)

METH12M3(4582-4583)

Variable Type : recode

Description : Contraceptive method used at last sex past 12 mos: 3rd mentioned (RECODE)

value	label	Total
.	INAPPLICABLE	5563
1	Pill	1
2	Condom	2
3	Partner's vasectomy	1
4	Female sterilizing operation/tubal ligation	2
5	Withdrawal	14
6	Depo-Provera injectable	1
8	Rhythm or safe period by calendar	8
9	Safe period by temperature or cervical mucus test, natural family planning	3

15	Suppository, insert	1
18	Emergency contraception	3
23	Contraceptive patch	1
24	Contraceptive ring	1
Total		5601

Universe : Applicable if R has had sexual intercourse with an opposite-sex partner in the last 12 mons (PARTS1YR > 0) and used more than two methods at last sex in the past 12 mons (mthfstsx3 not blank or EF-2 LSTMTHP3 not blank)

METH12M4(4584-4585)

Variable Type : recode

Description : Contraceptive method used at last sex past 12 mos: 4th mentioned (RECODE)

value	label	Total
.	INAPPLICABLE	5600
18	Emergency contraception	1
Total		5601

Universe : Applicable if R has had sexual intercourse with an opposite-sex partner in the last 12 mons (PARTS1YR > 0) and used more than three methods at last sex in the past 12 mons (mthfstsx4 not blank or EF-2 LSTMTHP4 not blank)

MTHUSE3(4586-4587)

Variable Type : recode

Description : Whether used any contraceptive method at last sex in past 3 mos (RECODE)

value	label	Total
.	INAPPLICABLE	1819
1	USED A METHOD AT LAST INTERCOURSE IN PAST 3 MONTHS	2982
2	DID NOT USE A METHOD AT LAST INTERCOURSE IN PAST 3 MONTHS	778
95	NEVER USED A METHOD	22
Total		5601

Universe : Applicable if R has had sexual intercourse with an opposite-sex partner in the last 3 months (SEX3MO = 1)

METH3M1(4588-4589)

Variable Type : recode

Description : Contraceptive method used last sex past 3 mos: 1st mentioned (RECODE)

value	label	Total
.	INAPPLICABLE	2619
1	Pill	640
2	Condom	714
3	Partner's vasectomy	198
4	Female sterilizing operation/tubal ligation	553
5	Withdrawal	299
6	Depo-Provera, injectables	123
7	Implant (Norplant or Implanon)	49
8	Rhythm or safe period by calendar	23
9	Safe period by temperature or cervical mucus test, natural family planning	6
10	Diaphragm	1
11	Female condom, vaginal pouch	1
13	Jelly or cream	4
15	Suppository, insert	2
17	IUD, coil, loop	300

18	Emergency contraception	5
19	Other method	2
20	Respondent sterile (aside from sterilizing operation above)	3
21	Respondent's partner sterile (aside from vasectomy above)	1
23	Contraceptive patch	13
24	Contraceptive ring	45
	Total	5601

Universe : Applicable if R has had sexual intercourse with an opposite-sex partner in the last 3 mons (SEX3MO = 1) and used a method at last sex in the past 3 mons (MTHUSE3 = 1)

METH3M2(4590-4591)

Variable Type : recode

Description : Contraceptive method used last sex past 3 mos: 2nd mentioned (RECODE)

value	label	Total
.	INAPPLICABLE	5079
1	Pill	18
2	Condom	184
3	Partner's vasectomy	18
4	Female sterilizing operation/tubal ligation	61
5	Withdrawal	126
6	Depo-Provera, injectables	20
7	Implant (Norplant or Implanon)	7
8	Rhythm or safe period by calendar	36
9	Safe period by temperature or cervical mucus test, natural family planning	4
12	Foam	1
13	Jelly or cream	2
15	Suppository, insert	1
17	IUD, coil, loop	27
18	Emergency contraception	3
19	Other method	1
20	Respondent sterile (aside from sterilizing operation above)	2
23	Contraceptive patch	1
24	Contraceptive ring	10
	Total	5601

Universe : Applicable if R has had sexual intercourse with an opposite-sex partner in the last 3 mons (SEX3MO = 1) and used a second method at last sex in the past 3 mons (mthfstx2 not blank or EF-2 LSTMTHP2 not blank)

METH3M3(4592-4593)

Variable Type : recode

Description : Contraceptive method used last sex past 3 mos: 3rd mentioned (RECODE)

value	label	Total
.	INAPPLICABLE	5567
1	Pill	1
2	Condom	2
3	Partner's vasectomy	1
4	Female sterilizing operation/tubal ligation	2
5	Withdrawal	12
6	Depo-Provera, injectables	1
8	Rhythm or safe period by calendar	7
9	Safe period by temperature or cervical mucus test, natural family planning	3
18	Emergency contraception	3
23	Contraceptive patch	1
24	Contraceptive ring	1

Total**5601**

Universe : Applicable if R has had sexual intercourse with an opposite-sex partner in the last 3 mons (SEX3MO = 1) and used a third method at last sex in the past 3 mons (mthfstx3 not blank or EF-2 LSTMTHP3 not blank)

METH3M4(4594-4595)

Variable Type : recode

Description : Contraceptive method used last sex past 3 mos: 4th mentioned (RECODE)

value	label	Total
.	INAPPLICABLE	5600
18	Emergency contraception	1
	Total	5601

Universe : Applicable if R has had sexual intercourse with an opposite-sex partner in the last 3 mons (SEX3MO = 1) and used a fourth method at last sex in the past 3 mons (mthfstx4 not blank or EF-2 LSTMTHP4 not blank)

FMETHOD1(4596-4597)

Variable Type : recode

Description : First method ever used: 1st mentioned (RECODE)

value	label	Total
.	INAPPLICABLE	623
1	Pill	1975
2	Condom	2347
3	Partner's vasectomy	6
4	Female sterilizing operation/tubal ligation	17
5	Withdrawal	189
6	Depo-Provera, injectables	278
7	Implant (Norplant or Implanon)	10
8	Rhythm or safe period by calendar	19
9	Safe period by temperature or cervical mucus test, natural family Planning	4
10	Diaphragm	4
11	Female condom, vaginal pouch	1
12	Foam	4
13	Jelly or cream	2
15	Suppository, insert	3
16	Todaytm sponge	5
17	IUD, coil, loop	25
18	Emergency contraception	16
19	Other method	6
20	Respondent sterile (aside from sterilizing operation above)	1
22	Lunelle injectable	2
23	Contraceptive patch	49
24	Contraceptive ring	15
	Total	5601

Universe : Applicable if R has ever used a contraceptive method (ANYMTHD = 1)

FMETHOD2(4598-4599)

Variable Type : recode

Description : First method ever used: 2nd mentioned (RECODE)

value	label	Total
.	INAPPLICABLE	5233

1	Pill	40
2	Condom	218
5	Withdrawal	53
6	Depo-Provera, injectables	20
7	Implant (Norplant or Implanon)	4
8	Rhythm or safe period by calendar	7
9	Safe period by temperature or cervical mucus test, natural family Planning	2
11	Female condom, vaginal pouch	1
12	Foam	5
13	Jelly or cream	3
15	Suppository, insert	2
16	Todaytm sponge	1
17	IUD, coil, loop	4
18	Emergency contraception	2
19	Other method	2
23	Contraceptive patch	3
24	Contraceptive ring	1
	Total	5601

Universe : Applicable if R has ever used a contraceptive method (ANYMTHD = 1) and used a 2nd method the first time (EB-1 FIRSMETH2 not blank)

FMETHOD3(4600-4601)

Variable Type : recode

Description : First method ever used: 3rd mentioned (RECODE)

value	label	Total
.	INAPPLICABLE	5561
2	Condom	3
3	Partner's vasectomy	1
5	Withdrawal	22
6	Depo-Provera, injectables	5
8	Rhythm or safe period by calendar	3
9	Safe period by temperature or cervical mucus test, natural family Planning	1
11	Female condom, vaginal pouch	1
12	Foam	2
13	Jelly or cream	1
24	Contraceptive ring	1
	Total	5601

Universe : Applicable if R has ever used a contraceptive method (ANYMTHD = 1) and used a 3rd method the first time (EB-1 FIRSMETH3 not blank)

FMETHOD4(4602-4603)

Variable Type : recode

Description : First method ever used: 4th mentioned (RECODE)

value	label	Total
.	INAPPLICABLE	5595
6	Depo-Provera, injectables	1
8	Rhythm or safe period by calendar	1
12	Foam	1
13	Jelly or cream	2
24	Contraceptive ring	1
	Total	5601

Universe : Applicable if R has ever used a contraceptive method (ANYMTHD = 1) and used a 4th method the first time (EB-1 FIRSMETH4 not blank)

DATEUSE1(4604-4608)

Variable Type : recode

Description : Date R used first method for the first time (RECODE)

value	label	Total
.	INAPPLICABLE	779
380-1340	Before Sept 2011	4629
1341-1352	Sept 2011-Aug 2012	102
1353-1365	Sept 2012-Sept 2013	29
90000-99999	Date estimated	62
Total		5601

Universe : Applicable if R has ever had sexual intercourse with a male (HADSEX = 1) and has ever used a contraceptive method (ANYMTHD = 1)

OLDWP01(4609-4609)

Variable Type : recode

Description : Wantedness of 1st pregnancy--R's partner--cycle 4 version (RECODE)

value	label	Total
.	INAPPLICABLE	2098
1	LATER, OVERDUE	223
2	RIGHT TIME	1428
3	TOO SOON, MISTIMED	803
4	DIDN'T CARE, INDIFFERENT	48
5	UNWANTED	731
6	DON'T KNOW, NOT SURE	270
Total		5601

Universe : Applicable if R has ever been pregnant (PREGNUM > 0)

OLDWP02(4610-4610)

Variable Type : recode

Description : Wantedness of 2nd pregnancy--R's partner--cycle 4 version (RECODE)

value	label	Total
.	INAPPLICABLE	2970
1	LATER, OVERDUE	142
2	RIGHT TIME	1399
3	TOO SOON, MISTIMED	462
4	DIDN'T CARE, INDIFFERENT	29
5	UNWANTED	455
6	DON'T KNOW, NOT SURE	144
Total		5601

Universe : Applicable if R has been pregnant at least 2 times (PREGNUM > 1)

OLDWP03(4611-4611)

Variable Type : recode

Description : Wantedness of 3rd pregnancy--R's partner--cycle 4 version (RECODE)

value	label	Total
.	INAPPLICABLE	3949
1	LATER, OVERDUE	81
2	RIGHT TIME	848
3	TOO SOON, MISTIMED	254

4	DIDN'T CARE, INDIFFERENT	14
5	UNWANTED	348
6	DON'T KNOW, NOT SURE	107
	Total	5601

Universe : Applicable if R has been pregnant at least 3 times (PREGNUM > 2)

OLDWP04(4612-4612)

Variable Type : recode

Description : Wantedness of 4th pregnancy--R's partner--cycle 4 version (RECODE)

value	label	Total
.	INAPPLICABLE	4718
1	LATER, OVERDUE	53
2	RIGHT TIME	444
3	TOO SOON, MISTIMED	113
4	DIDN'T CARE, INDIFFERENT	13
5	UNWANTED	211
6	DON'T KNOW, NOT SURE	49
	Total	5601

Universe : Applicable if R has been pregnant at least 4 times (PREGNUM > 3)

OLDWP05(4613-4613)

Variable Type : recode

Description : Wantedness of 5th pregnancy--R's partner--cycle 4 version (RECODE)

value	label	Total
.	INAPPLICABLE	5161
1	LATER, OVERDUE	21
2	RIGHT TIME	217
3	TOO SOON, MISTIMED	61
4	DIDN'T CARE, INDIFFERENT	4
5	UNWANTED	108
6	DON'T KNOW, NOT SURE	29
	Total	5601

Universe : Applicable if R has been pregnant at least 5 times (PREGNUM > 4)

OLDWP06(4614-4614)

Variable Type : recode

Description : Wantedness of 6th pregnancy--R's partner--cycle 4 version (RECODE)

value	label	Total
.	INAPPLICABLE	5390
1	LATER, OVERDUE	10
2	RIGHT TIME	101
3	TOO SOON, MISTIMED	29
4	DIDN'T CARE, INDIFFERENT	2
5	UNWANTED	57
6	DON'T KNOW, NOT SURE	12
	Total	5601

Universe : Applicable if R has been pregnant at least 6 times (PREGNUM > 5)

OLDWP07(4615-4615)

Variable Type : recode

Description : Wantedness of 7th pregnancy--R's partner--cycle 4 version (RECODE)

value	label	Total
.	INAPPLICABLE	5495
1	LATER, OVERDUE	4
2	RIGHT TIME	52
3	TOO SOON, MISTIMED	17
4	DIDN'T CARE, INDIFFERENT	1
5	UNWANTED	27
6	DON'T KNOW, NOT SURE	5
Total		5601

Universe : Applicable if R has been pregnant at least 7 times (PREGNUM > 6)

OLDWP08(4616-4616)

Variable Type : recode

Description : Wantedness of 8th pregnancy--R's partner--cycle 4 version (RECODE)

value	label	Total
.	INAPPLICABLE	5550
1	LATER, OVERDUE	2
2	RIGHT TIME	24
3	TOO SOON, MISTIMED	6
4	DIDN'T CARE, INDIFFERENT	2
5	UNWANTED	12
6	DON'T KNOW, NOT SURE	5
Total		5601

Universe : Applicable if R has been pregnant at least 8 times (PREGNUM > 7)

OLDWP09(4617-4617)

Variable Type : recode

Description : Wantedness of 9th pregnancy--R's partner--cycle 4 version (RECODE)

value	label	Total
.	INAPPLICABLE	5573
1	LATER, OVERDUE	1
2	RIGHT TIME	17
3	TOO SOON, MISTIMED	3
5	UNWANTED	4
6	DON'T KNOW, NOT SURE	3
Total		5601

Universe : Applicable if R has been pregnant at least 9 times (PREGNUM > 8)

OLDWP10(4618-4618)

Variable Type : recode

Description : Wantedness of 10th pregnancy--R's partner--cycle 4 version (RECODE)

value	label	Total
.	INAPPLICABLE	5585
1	LATER, OVERDUE	1
2	RIGHT TIME	7
3	TOO SOON, MISTIMED	3
5	UNWANTED	4

6	DON'T KNOW, NOT SURE	1
Total		5601

Universe : Applicable if R has been pregnant at least 10 times (PREGNUM > 9)

OLDWP11(4619-4619)

Variable Type : recode

Description : Wantedness of 11th pregnancy--R's partner--cycle 4 version (RECODE)

value	label	Total
.	INAPPLICABLE	5592
1	LATER, OVERDUE	1
2	RIGHT TIME	5
3	TOO SOON, MISTIMED	2
5	UNWANTED	1
Total		5601

Universe : Applicable if R has been pregnant at least 11 times (PREGNUM > 10)

OLDWP12(4620-4620)

Variable Type : recode

Description : Wantedness of 12th pregnancy--R's partner--cycle 4 version (RECODE)

value	label	Total
.	INAPPLICABLE	5595
2	RIGHT TIME	2
3	TOO SOON, MISTIMED	2
5	UNWANTED	2
Total		5601

Universe : Applicable if R has been pregnant at least 12 times (PREGNUM > 11)

OLDWP13(4621-4621)

Variable Type : recode

Description : Wantedness of 13th pregnancy--R's partner--cycle 4 version (RECODE)

value	label	Total
.	INAPPLICABLE	5598
2	RIGHT TIME	2
6	DON'T KNOW, NOT SURE	1
Total		5601

Universe : Applicable if R has been pregnant at least 13 times (PREGNUM > 12)

OLDWP14(4622-4622)

Variable Type : recode

Description : Wantedness of 14th pregnancy--R's partner--cycle 4 version (RECODE)

value	label	Total
.	INAPPLICABLE	5599
3	TOO SOON, MISTIMED	1
6	DON'T KNOW, NOT SURE	1
Total		5601

Universe : Applicable if R has been pregnant at least 14 times (PREGNUM > 13)

OLDWP15(4623-4623)

Variable Type : recode

Description : Wantedness of 15th pregnancy--R's partner--cycle 4 version (RECODE)

value	label	Total
.	INAPPLICABLE	5600
3	TOO SOON, MISTIMED	1
Total		5601

Universe : Applicable if R has been pregnant at least 15 times (PREGNUM > 14)

OLDWP16(4624-4624)

Variable Type : recode

Description : Wantedness of 16th pregnancy--R's partner--cycle 4 version (RECODE)

value	label	Total
.	INAPPLICABLE	5600
3	TOO SOON, MISTIMED	1
Total		5601

Universe : Applicable if R has been pregnant at least 16 times (PREGNUM > 15)

OLDWR01(4625-4625)

Variable Type : recode

Description : Wantedness of 1st pregnancy--Respondent--cycle 4 version (RECODE)

value	label	Total
.	INAPPLICABLE	2098
1	LATER, OVERDUE	233
2	RIGHT TIME	1196
3	TOO SOON, MISTIMED	1498
4	DIDN'T CARE, INDIFFERENT	28
5	UNWANTED	541
6	DON'T KNOW, NOT SURE	7
Total		5601

Universe : Applicable if R has ever been pregnant (PREGNUM > 0)

OLDWR02(4626-4626)

Variable Type : recode

Description : Wantedness of 2nd pregnancy--Respondent--cycle 4 version (RECODE)

value	label	Total
.	INAPPLICABLE	2970
1	LATER, OVERDUE	158
2	RIGHT TIME	1281
3	TOO SOON, MISTIMED	722
4	DIDN'T CARE, INDIFFERENT	25
5	UNWANTED	441
6	DON'T KNOW, NOT SURE	4
Total		5601

Universe : Applicable if R has been pregnant at least 2 times (PREGNUM > 1)

OLDWR03(4627-4627)

Variable Type : recode

Description : Wantedness of 3rd pregnancy--Respondent--cycle 4 version (RECODE)

value	label	Total
.	INAPPLICABLE	3949
1	LATER, OVERDUE	83
2	RIGHT TIME	762
3	TOO SOON, MISTIMED	405
4	DIDN'T CARE, INDIFFERENT	12
5	UNWANTED	386
6	DON'T KNOW, NOT SURE	4
	Total	5601

Universe : Applicable if R has been pregnant at least 3 times (PREGNUM > 2)

OLDWR04(4628-4628)

Variable Type : recode

Description : Wantedness of 4th pregnancy--Respondent--cycle 4 version (RECODE)

value	label	Total
.	INAPPLICABLE	4718
1	LATER, OVERDUE	55
2	RIGHT TIME	395
3	TOO SOON, MISTIMED	148
4	DIDN'T CARE, INDIFFERENT	12
5	UNWANTED	268
6	DON'T KNOW, NOT SURE	5
	Total	5601

Universe : Applicable if R has been pregnant at least 4 times (PREGNUM > 3)

OLDWR05(4629-4629)

Variable Type : recode

Description : Wantedness of 5th pregnancy--Respondent--cycle 4 version (RECODE)

value	label	Total
.	INAPPLICABLE	5161
1	LATER, OVERDUE	21
2	RIGHT TIME	193
3	TOO SOON, MISTIMED	63
4	DIDN'T CARE, INDIFFERENT	4
5	UNWANTED	153
6	DON'T KNOW, NOT SURE	6
	Total	5601

Universe : Applicable if R has been pregnant at least 5 times (PREGNUM > 4)

OLDWR06(4630-4630)

Variable Type : recode

Description : Wantedness of 6th pregnancy--Respondent--cycle 4 version (RECODE)

value	label	Total
.	INAPPLICABLE	5390
1	LATER, OVERDUE	7
2	RIGHT TIME	87
3	TOO SOON, MISTIMED	37

4	DIDN'T CARE, INDIFFERENT	4
5	UNWANTED	73
6	DON'T KNOW, NOT SURE	3
Total		5601

Universe : Applicable if R has been pregnant at least 6 times (PREGNUM > 5)

OLDWR07(4631-4631)

Variable Type : recode

Description : Wantedness of 7th pregnancy--Respondent--cycle 4 version (RECODE)

value	label	Total
.	INAPPLICABLE	5495
1	LATER, OVERDUE	3
2	RIGHT TIME	46
3	TOO SOON, MISTIMED	16
4	DIDN'T CARE, INDIFFERENT	4
5	UNWANTED	36
6	DON'T KNOW, NOT SURE	1
Total		5601

Universe : Applicable if R has been pregnant at least 7 times (PREGNUM > 6)

OLDWR08(4632-4632)

Variable Type : recode

Description : Wantedness of 8th pregnancy--Respondent--cycle 4 version (RECODE)

value	label	Total
.	INAPPLICABLE	5550
1	LATER, OVERDUE	3
2	RIGHT TIME	24
3	TOO SOON, MISTIMED	10
4	DIDN'T CARE, INDIFFERENT	1
5	UNWANTED	11
6	DON'T KNOW, NOT SURE	2
Total		5601

Universe : Applicable if R has been pregnant at least 8 times (PREGNUM > 7)

OLDWR09(4633-4633)

Variable Type : recode

Description : Wantedness of 9th pregnancy--Respondent--cycle 4 version (RECODE)

value	label	Total
.	INAPPLICABLE	5573
1	LATER, OVERDUE	2
2	RIGHT TIME	16
3	TOO SOON, MISTIMED	2
4	DIDN'T CARE, INDIFFERENT	1
5	UNWANTED	6
6	DON'T KNOW, NOT SURE	1
Total		5601

Universe : Applicable if R has been pregnant at least 9 times (PREGNUM > 8)

OLDWR10(4634-4634)

Variable Type : recode

Description : Wantedness of 10th pregnancy--Respondent--cycle 4 version (RECODE)

value	label	Total
.	INAPPLICABLE	5585
1	LATER, OVERDUE	1
2	RIGHT TIME	7
3	TOO SOON, MISTIMED	3
5	UNWANTED	5
Total		5601

Universe : Applicable if R has been pregnant at least 10 times (PREGNUM > 9)

OLDWR11(4635-4635)

Variable Type : recode

Description : Wantedness of 11th pregnancy--Respondent--cycle 4 version (RECODE)

value	label	Total
.	INAPPLICABLE	5592
2	RIGHT TIME	3
3	TOO SOON, MISTIMED	2
4	DIDN'T CARE, INDIFFERENT	1
5	UNWANTED	3
Total		5601

Universe : Applicable if R has been pregnant at least 11 times (PREGNUM > 10)

OLDWR12(4636-4636)

Variable Type : recode

Description : Wantedness of 12th pregnancy--Respondent--cycle 4 version (RECODE)

value	label	Total
.	INAPPLICABLE	5595
2	RIGHT TIME	2
3	TOO SOON, MISTIMED	2
5	UNWANTED	2
Total		5601

Universe : Applicable if R has been pregnant at least 12 times (PREGNUM > 11)

OLDWR13(4637-4637)

Variable Type : recode

Description : Wantedness of 13th pregnancy--Respondent--cycle 4 version (RECODE)

value	label	Total
.	INAPPLICABLE	5598
5	UNWANTED	2
6	DON'T KNOW, NOT SURE	1
Total		5601

Universe : Applicable if R has been pregnant at least 13 times (PREGNUM > 12)

OLDWR14(4638-4638)

Variable Type : recode

Description : Wantedness of 14th pregnancy--Respondent--cycle 4 version (RECODE)

value	label	Total
.	INAPPLICABLE	5599
6	DON'T KNOW, NOT SURE	2
Total		5601

Universe : Applicable if R has been pregnant at least 14 times (PREGNUM > 13)

OLDWR15(4639-4639)

Variable Type : recode

Description : Wantedness of 15th pregnancy--Respondent--cycle 4 version (RECODE)

value	label	Total
.	INAPPLICABLE	5600
3	TOO SOON, MISTIMED	1
Total		5601

Universe : Applicable if R has been pregnant at least 15 times (PREGNUM > 14)

OLDWR16(4640-4640)

Variable Type : recode

Description : Wantedness of 16th pregnancy--Respondent--cycle 4 version (RECODE)

value	label	Total
.	INAPPLICABLE	5600
3	TOO SOON, MISTIMED	1
Total		5601

Universe : Applicable if R has been pregnant at least 16 times (PREGNUM > 15)

WANTRP01(4641-4641)

Variable Type : recode

Description : Wantedness of 1st pregnancy--Respondent (RECODE)

value	label	Total
.	INAPPLICABLE	2098
1	LATER, OVERDUE	233
2	RIGHT TIME	1196
3	TOO SOON, MISTIMED	1501
4	DIDN'T CARE, INDIFFERENT	28
5	UNWANTED	538
6	DON'T KNOW, NOT SURE	7
Total		5601

Universe : Applicable if R has ever been pregnant (PREGNUM > 0)

WANTRP02(4642-4642)

Variable Type : recode

Description : Wantedness of 2nd pregnancy--Respondent (RECODE)

value	label	Total
.	INAPPLICABLE	2970
1	LATER, OVERDUE	158
2	RIGHT TIME	1281
3	TOO SOON, MISTIMED	722
4	DIDN'T CARE, INDIFFERENT	25
5	UNWANTED	441

6	DON'T KNOW, NOT SURE	4
Total		5601

Universe : Applicable if R has been pregnant at least 2 times (PREGNUM > 1)

WANTRP03(4643-4643)

Variable Type : recode

Description : Wantedness of 3rd pregnancy--Respondent (RECODE)

value	label	Total
.	INAPPLICABLE	3949
1	LATER, OVERDUE	83
2	RIGHT TIME	762
3	TOO SOON, MISTIMED	405
4	DIDN'T CARE, INDIFFERENT	12
5	UNWANTED	386
6	DON'T KNOW, NOT SURE	4
Total		5601

Universe : Applicable if R has been pregnant at least 3 times (PREGNUM > 2)

WANTRP04(4644-4644)

Variable Type : recode

Description : Wantedness of 4th pregnancy--Respondent (RECODE)

value	label	Total
.	INAPPLICABLE	4718
1	LATER, OVERDUE	55
2	RIGHT TIME	395
3	TOO SOON, MISTIMED	148
4	DIDN'T CARE, INDIFFERENT	12
5	UNWANTED	268
6	DON'T KNOW, NOT SURE	5
Total		5601

Universe : Applicable if R has been pregnant at least 4 times (PREGNUM > 3)

WANTRP05(4645-4645)

Variable Type : recode

Description : Wantedness of 5th pregnancy--Respondent (RECODE)

value	label	Total
.	INAPPLICABLE	5161
1	LATER, OVERDUE	21
2	RIGHT TIME	193
3	TOO SOON, MISTIMED	63
4	DIDN'T CARE, INDIFFERENT	4
5	UNWANTED	153
6	DON'T KNOW, NOT SURE	6
Total		5601

Universe : Applicable if R has been pregnant at least 5 times (PREGNUM > 4)

WANTRP06(4646-4646)

Variable Type : recode

Description : Wantedness of 6th pregnancy--Respondent (RECODE)

value	label	Total
.	INAPPLICABLE	5390
1	LATER, OVERDUE	7
2	RIGHT TIME	87
3	TOO SOON, MISTIMED	37
4	DIDN'T CARE, INDIFFERENT	4
5	UNWANTED	73
6	DON'T KNOW, NOT SURE	3
	Total	5601

Universe : Applicable if R has been pregnant at least 6 times (PREGNUM > 5)

WANTRP07(4647-4647)

Variable Type : recode

Description : Wantedness of 7th pregnancy--Respondent (RECODE)

value	label	Total
.	INAPPLICABLE	5495
1	LATER, OVERDUE	3
2	RIGHT TIME	46
3	TOO SOON, MISTIMED	16
4	DIDN'T CARE, INDIFFERENT	4
5	UNWANTED	36
6	DON'T KNOW, NOT SURE	1
	Total	5601

Universe : Applicable if R has been pregnant at least 7 times (PREGNUM > 6)

WANTRP08(4648-4648)

Variable Type : recode

Description : Wantedness of 8th pregnancy--Respondent (RECODE)

value	label	Total
.	INAPPLICABLE	5550
1	LATER, OVERDUE	3
2	RIGHT TIME	24
3	TOO SOON, MISTIMED	10
4	DIDN'T CARE, INDIFFERENT	1
5	UNWANTED	11
6	DON'T KNOW, NOT SURE	2
	Total	5601

Universe : Applicable if R has been pregnant at least 8 times (PREGNUM > 7)

WANTRP09(4649-4649)

Variable Type : recode

Description : Wantedness of 9th pregnancy--Respondent (RECODE)

value	label	Total
.	INAPPLICABLE	5573
1	LATER, OVERDUE	2
2	RIGHT TIME	16
3	TOO SOON, MISTIMED	2
4	DIDN'T CARE, INDIFFERENT	1
5	UNWANTED	6
6	DON'T KNOW, NOT SURE	1
	Total	5601

Universe : Applicable if R has been pregnant at least 9 times (PREGNUM > 8)

WANTRP10(4650-4650)

Variable Type : recode

Description : Wantedness of 10th pregnancy--Respondent (RECODE)

value	label	Total
.	INAPPLICABLE	5585
1	LATER, OVERDUE	1
2	RIGHT TIME	7
3	TOO SOON, MISTIMED	3
5	UNWANTED	5
Total		5601

Universe : Applicable if R has been pregnant at least 10 times (PREGNUM > 9)

WANTRP11(4651-4651)

Variable Type : recode

Description : Wantedness of 11th pregnancy--Respondent (RECODE)

value	label	Total
.	INAPPLICABLE	5592
2	RIGHT TIME	3
3	TOO SOON, MISTIMED	2
4	DIDN'T CARE, INDIFFERENT	1
5	UNWANTED	3
Total		5601

Universe : Applicable if R has been pregnant at least 11 times (PREGNUM > 10)

WANTRP12(4652-4652)

Variable Type : recode

Description : Wantedness of 12th pregnancy--Respondent (RECODE)

value	label	Total
.	INAPPLICABLE	5595
2	RIGHT TIME	2
3	TOO SOON, MISTIMED	2
5	UNWANTED	2
Total		5601

Universe : Applicable if R has been pregnant at least 12 times (PREGNUM > 11)

WANTRP13(4653-4653)

Variable Type : recode

Description : Wantedness of 13th pregnancy--Respondent (RECODE)

value	label	Total
.	INAPPLICABLE	5598
5	UNWANTED	2
6	DON'T KNOW, NOT SURE	1
Total		5601

Universe : Applicable if R has been pregnant at least 13 times (PREGNUM > 12)

WANTRP14(4654-4654)

Variable Type : recode

Description : Wantedness of 14th pregnancy--Respondent (RECODE)

value	label	Total
.	INAPPLICABLE	5599
6	DON'T KNOW, NOT SURE	2
Total		5601

Universe : Applicable if R has been pregnant at least 14 times (PREGNUM > 13)

WANTRP15(4655-4655)

Variable Type : recode

Description : Wantedness of 15th pregnancy--Respondent (RECODE)

value	label	Total
.	INAPPLICABLE	5600
3	TOO SOON, MISTIMED	1
Total		5601

Universe : Applicable if R has been pregnant at least 15 times (PREGNUM > 14)

WANTRP16(4656-4656)

Variable Type : recode

Description : Wantedness of 16th pregnancy--Respondent (RECODE)

value	label	Total
.	INAPPLICABLE	5600
3	TOO SOON, MISTIMED	1
Total		5601

Universe : Applicable if R has been pregnant at least 16 times (PREGNUM > 15)

WANTP01(4657-4657)

Variable Type : recode

Description : Wantedness of 1st pregnancy--R's partner (RECODE)

value	label	Total
.	INAPPLICABLE	2098
1	LATER, OVERDUE	224
2	RIGHT TIME	1430
3	TOO SOON, MISTIMED	804
4	DIDN'T CARE, INDIFFERENT	50
5	UNWANTED	731
6	DON'T KNOW, NOT SURE	264
Total		5601

Universe : Applicable if R has ever been pregnant (PREGNUM > 0)

WANTP02(4658-4658)

Variable Type : recode

Description : Wantedness of 2nd pregnancy--R's partner (RECODE)

value	label	Total
-------	-------	-------

.	INAPPLICABLE	2970
1	LATER, OVERDUE	142
2	RIGHT TIME	1399
3	TOO SOON, MISTIMED	462
4	DIDN'T CARE, INDIFFERENT	29
5	UNWANTED	456
6	DON'T KNOW, NOT SURE	143
	Total	5601

Universe : Applicable if R has been pregnant at least 2 times (PREGNUM > 1)

WANTP03(4659-4659)

Variable Type : recode

Description : Wantedness of 3rd pregnancy--R's partner (RECODE)

value	label	Total
.	INAPPLICABLE	3949
1	LATER, OVERDUE	82
2	RIGHT TIME	848
3	TOO SOON, MISTIMED	254
4	DIDN'T CARE, INDIFFERENT	15
5	UNWANTED	348
6	DON'T KNOW, NOT SURE	105
	Total	5601

Universe : Applicable if R has been pregnant at least 3 times (PREGNUM > 2)

WANTP04(4660-4660)

Variable Type : recode

Description : Wantedness of 4th pregnancy--R's partner (RECODE)

value	label	Total
.	INAPPLICABLE	4718
1	LATER, OVERDUE	53
2	RIGHT TIME	444
3	TOO SOON, MISTIMED	115
4	DIDN'T CARE, INDIFFERENT	13
5	UNWANTED	211
6	DON'T KNOW, NOT SURE	47
	Total	5601

Universe : Applicable if R has been pregnant at least 4 times (PREGNUM > 3)

WANTP05(4661-4661)

Variable Type : recode

Description : Wantedness of 5th pregnancy--R's partner (RECODE)

value	label	Total
.	INAPPLICABLE	5161
1	LATER, OVERDUE	21
2	RIGHT TIME	218
3	TOO SOON, MISTIMED	61
4	DIDN'T CARE, INDIFFERENT	5
5	UNWANTED	108
6	DON'T KNOW, NOT SURE	27
	Total	5601

Universe : Applicable if R has been pregnant at least 5 times (PREGNUM > 4)

WANTP06(4662-4662)

Variable Type : recode

Description : Wantedness of 6th pregnancy--R's partner (RECODE)

value	label	Total
.	INAPPLICABLE	5390
1	LATER, OVERDUE	11
2	RIGHT TIME	101
3	TOO SOON, MISTIMED	29
4	DIDN'T CARE, INDIFFERENT	3
5	UNWANTED	57
6	DON'T KNOW, NOT SURE	10
Total		5601

Universe : Applicable if R has been pregnant at least 6 times (PREGNUM > 5)

WANTP07(4663-4663)

Variable Type : recode

Description : Wantedness of 7th pregnancy--R's partner (RECODE)

value	label	Total
.	INAPPLICABLE	5495
1	LATER, OVERDUE	4
2	RIGHT TIME	52
3	TOO SOON, MISTIMED	17
4	DIDN'T CARE, INDIFFERENT	1
5	UNWANTED	27
6	DON'T KNOW, NOT SURE	5
Total		5601

Universe : Applicable if R has been pregnant at least 7 times (PREGNUM > 6)

WANTP08(4664-4664)

Variable Type : recode

Description : Wantedness of 8th pregnancy--R's partner (RECODE)

value	label	Total
.	INAPPLICABLE	5550
1	LATER, OVERDUE	2
2	RIGHT TIME	24
3	TOO SOON, MISTIMED	7
4	DIDN'T CARE, INDIFFERENT	3
5	UNWANTED	12
6	DON'T KNOW, NOT SURE	3
Total		5601

Universe : Applicable if R has been pregnant at least 8 times (PREGNUM > 7)

WANTP09(4665-4665)

Variable Type : recode

Description : Wantedness of 9th pregnancy--R's partner (RECODE)

value	label	Total
.	INAPPLICABLE	5573

1	LATER, OVERDUE	1
2	RIGHT TIME	18
3	TOO SOON, MISTIMED	3
5	UNWANTED	4
6	DON'T KNOW, NOT SURE	2
	Total	5601

Universe : Applicable if R has been pregnant at least 9 times (PREGNUM > 8)

WANTP10(4666-4666)

Variable Type : recode

Description : Wantedness of 10th pregnancy--R's partner (RECODE)

value	label	Total
.	INAPPLICABLE	5585
1	LATER, OVERDUE	1
2	RIGHT TIME	7
3	TOO SOON, MISTIMED	3
5	UNWANTED	4
6	DON'T KNOW, NOT SURE	1
	Total	5601

Universe : Applicable if R has been pregnant at least 10 times (PREGNUM > 9)

WANTP11(4667-4667)

Variable Type : recode

Description : Wantedness of 11th pregnancy--R's partner (RECODE)

value	label	Total
.	INAPPLICABLE	5592
1	LATER, OVERDUE	1
2	RIGHT TIME	5
3	TOO SOON, MISTIMED	2
5	UNWANTED	1
	Total	5601

Universe : Applicable if R has been pregnant at least 11 times (PREGNUM > 10)

WANTP12(4668-4668)

Variable Type : recode

Description : Wantedness of 12th pregnancy--R's partner (RECODE)

value	label	Total
.	INAPPLICABLE	5595
2	RIGHT TIME	2
3	TOO SOON, MISTIMED	2
5	UNWANTED	2
	Total	5601

Universe : Applicable if R has been pregnant at least 12 times (PREGNUM > 11)

WANTP13(4669-4669)

Variable Type : recode

Description : Wantedness of 13th pregnancy--R's partner (RECODE)

value	label	Total
.	INAPPLICABLE	5598
2	RIGHT TIME	3
Total		5601

Universe : Applicable if R has been pregnant at least 13 times (PREGNUM > 12)

WANTP14(4670-4670)

Variable Type : recode

Description : Wantedness of 14th pregnancy--R's partner (RECODE)

value	label	Total
.	INAPPLICABLE	5601
Total		5601

Universe : Applicable if R has been pregnant at least 14 times (PREGNUM > 13)

WANTP15(4671-4671)

Variable Type : recode

Description : Wantedness of 15th pregnancy--R's partner (RECODE)

value	label	Total
.	INAPPLICABLE	5601
Total		5601

Universe : Applicable if R has been pregnant at least 15 times (PREGNUM > 14)

WANTP16(4672-4672)

Variable Type : recode

Description : Wantedness of 16th pregnancy--R's partner (RECODE)

value	label	Total
.	INAPPLICABLE	5601
Total		5601

Universe : Applicable if R has been pregnant at least 16 times (PREGNUM > 15)

NWWANTRP01(4673-4673)

Variable Type : recode

Description : Detailed wantedness of 1st pregnancy--Respondent (RECODE)

value	label	Total
.	INAPPLICABLE	2098
1	Later, overdue	233
2	Right time	1196
3	Too soon: by less than 2 years	225
4	Too soon: by 2 years or more	1276
5	Didn't care, indifferent	28
6	Unwanted	538
7	Don't know, not sure	7
Total		5601

Universe : Applicable if R has ever been pregnant (PREGNUM > 0)

NWWANTRP02(4674-4674)

Variable Type : recode

Description : Detailed wantedness of 2nd pregnancy--Respondent (RECODE)

value	label	Total
.	INAPPLICABLE	2970
1	Later, overdue	158
2	Right time	1281
3	Too soon: by less than 2 years	217
4	Too soon: by 2 years or more	505
5	Didn't care, indifferent	25
6	Unwanted	441
7	Don't know, not sure	4
	Total	5601

Universe : Applicable if R has been pregnant at least 2 times (PREGNUM > 1)

NWWANTRP03(4675-4675)

Variable Type : recode

Description : Detailed wantedness of 3rd pregnancy--Respondent (RECODE)

value	label	Total
.	INAPPLICABLE	3949
1	Later, overdue	83
2	Right time	762
3	Too soon: by less than 2 years	155
4	Too soon: by 2 years or more	250
5	Didn't care, indifferent	12
6	Unwanted	386
7	Don't know, not sure	4
	Total	5601

Universe : Applicable if R has been pregnant at least 3 times (PREGNUM > 2)

NWWANTRP04(4676-4676)

Variable Type : recode

Description : Detailed wantedness of 4th pregnancy--Respondent (RECODE)

value	label	Total
.	INAPPLICABLE	4718
1	Later, overdue	55
2	Right time	395
3	Too soon: by less than 2 years	61
4	Too soon: by 2 years or more	87
5	Didn't care, indifferent	12
6	Unwanted	268
7	Don't know, not sure	5
	Total	5601

Universe : Applicable if R has been pregnant at least 4 times (PREGNUM > 3)

NWWANTRP05(4677-4677)

Variable Type : recode

Description : Detailed wantedness of 5th pregnancy--Respondent (RECODE)

value	label	Total
.	INAPPLICABLE	5161

1	Later, overdue	21
2	Right time	193
3	Too soon: by less than 2 years	27
4	Too soon: by 2 years or more	36
5	Didn't care, indifferent	4
6	Unwanted	153
7	Don't know, not sure	6
	Total	5601

Universe : Applicable if R has been pregnant at least 5 times (PREGNUM > 4)

NWWANTRP06(4678-4678)

Variable Type : recode

Description : Detailed wantedness of 6th pregnancy--Respondent (RECODE)

value	label	Total
.	INAPPLICABLE	5390
1	Later, overdue	7
2	Right time	87
3	Too soon: by less than 2 years	18
4	Too soon: by 2 years or more	19
5	Didn't care, indifferent	4
6	Unwanted	73
7	Don't know, not sure	3
	Total	5601

Universe : Applicable if R has been pregnant at least 6 times (PREGNUM > 5)

NWWANTRP07(4679-4679)

Variable Type : recode

Description : Detailed wantedness of 7th pregnancy--Respondent (RECODE)

value	label	Total
.	INAPPLICABLE	5495
1	Later, overdue	3
2	Right time	46
3	Too soon: by less than 2 years	7
4	Too soon: by 2 years or more	9
5	Didn't care, indifferent	4
6	Unwanted	36
7	Don't know, not sure	1
	Total	5601

Universe : Applicable if R has been pregnant at least 7 times (PREGNUM > 6)

NWWANTRP08(4680-4680)

Variable Type : recode

Description : Detailed wantedness of 8th pregnancy--Respondent (RECODE)

value	label	Total
.	INAPPLICABLE	5550
1	Later, overdue	3
2	Right time	24
3	Too soon: by less than 2 years	4
4	Too soon: by 2 years or more	6
5	Didn't care, indifferent	1

6	Unwanted	11
7	Don't know, not sure	2
Total		5601

Universe : Applicable if R has been pregnant at least 8 times (PREGNUM > 7)

NWWANTRP09(4681-4681)

Variable Type : recode

Description : Detailed wantedness of 9th pregnancy--Respondent (RECODE)

value	label	Total
.	INAPPLICABLE	5573
1	Later, overdue	2
2	Right time	16
3	Too soon: by less than 2 years	1
4	Too soon: by 2 years or more	1
5	Didn't care, indifferent	1
6	Unwanted	6
7	Don't know, not sure	1
Total		5601

Universe : Applicable if R has been pregnant at least 9 times (PREGNUM > 8)

NWWANTRP10(4682-4682)

Variable Type : recode

Description : Detailed wantedness of 10th pregnancy--Respondent (RECODE)

value	label	Total
.	INAPPLICABLE	5585
1	Later, overdue	1
2	Right time	7
3	Too soon: by less than 2 years	2
4	Too soon: by 2 years or more	1
6	Unwanted	5
Total		5601

Universe : Applicable if R has been pregnant at least 10 times (PREGNUM > 9)

NWWANTRP11(4683-4683)

Variable Type : recode

Description : Detailed wantedness of 11th pregnancy--Respondent (RECODE)

value	label	Total
.	INAPPLICABLE	5592
2	Right time	3
4	Too soon: by 2 years or more	2
5	Didn't care, indifferent	1
6	Unwanted	3
Total		5601

Universe : Applicable if R has been pregnant at least 11 times (PREGNUM > 10)

NWWANTRP12(4684-4684)

Variable Type : recode

Description : Detailed wantedness of 12th pregnancy--Respondent (RECODE)

value	label	Total
.	INAPPLICABLE	5595
2	Right time	2
3	Too soon: by less than 2 years	1
4	Too soon: by 2 years or more	1
6	Unwanted	2
Total		5601

Universe : Applicable if R has been pregnant at least 12 times (PREGNUM > 11)

NWWANTRP13(4685-4685)

Variable Type : recode

Description : Detailed wantedness of 13th pregnancy--Respondent (RECODE)

value	label	Total
.	INAPPLICABLE	5598
6	Unwanted	2
7	Don't know, not sure	1
Total		5601

Universe : Applicable if R has been pregnant at least 13 times (PREGNUM > 12)

NWWANTRP14(4686-4686)

Variable Type : recode

Description : Detailed wantedness of 14th pregnancy--Respondent (RECODE)

value	label	Total
.	INAPPLICABLE	5599
7	Don't know, not sure	2
Total		5601

Universe : Applicable if R has been pregnant at least 14 times (PREGNUM > 13)

NWWANTRP15(4687-4687)

Variable Type : recode

Description : Detailed wantedness of 15th pregnancy--Respondent (RECODE)

value	label	Total
.	INAPPLICABLE	5600
4	Too soon: by 2 years or more	1
Total		5601

Universe : Applicable if R has been pregnant at least 15 times (PREGNUM > 14)

NWWANTRP16(4688-4688)

Variable Type : recode

Description : Detailed wantedness of 16th pregnancy--Respondent (RECODE)

value	label	Total
.	INAPPLICABLE	5600
4	Too soon: by 2 years or more	1
Total		5601

Universe : Applicable if R has been pregnant at least 16 times (PREGNUM > 15)

WANTP5(4689-4689)

Variable Type : recode

Description : Number of wanted pregnancies in the last 5 years (RECODE)

value	label	Total
.	INAPPLICABLE	3575
0	No wanted pregnancies in last 5 years	283
1-20	1-20 wanted pregnancies in last 5 years	1743
Total		5601

Universe : Applicable if R is currently pregnant (RCURPREG recode = 1) or she has had at least 1 pregnancy within the past 5 years (DATENDnn for R's last completed pregnancy is within 60 months of cmintvw)

STRLOPER_I(4690-4690)

Variable Type : imputation flag

Description : STRLOPER Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5599
2	LOGICAL IMPUTATION	2
Total		5601

Universe : Applicable for all respondents

FECUND_I(4691-4691)

Variable Type : imputation flag

Description : FECUND Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5601
Total		5601

Universe : Applicable for all respondents

INFERT_I(4692-4692)

Variable Type : imputation flag

Description : INFERT Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5588
1	MULTIPLE REGRESSION IMPUTATION	9
2	LOGICAL IMPUTATION	4
Total		5601

Universe : Applicable for all respondents

ANYMTHD_I(4693-4693)

Variable Type : imputation flag

Description : ANYMTHD Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5598
1	MULTIPLE REGRESSION IMPUTATION	3
Total		5601

Universe : Applicable for all respondents

NOSEX12_I(4694-4694)

Variable Type : imputation flag

Description : NOSEX12 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5577
1	MULTIPLE REGRESSION IMPUTATION	21
2	LOGICAL IMPUTATION	3
	Total	5601

Universe : Applicable for all respondents

SEX3MO_I(4695-4695)

Variable Type : imputation flag

Description : SEX3MO Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5571
1	MULTIPLE REGRESSION IMPUTATION	30
	Total	5601

Universe : Applicable for all respondents

CONSTAT1_I(4696-4696)

Variable Type : imputation flag

Description : CONSTAT1 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5551
1	MULTIPLE REGRESSION IMPUTATION	1
2	LOGICAL IMPUTATION	49
	Total	5601

Universe : Applicable for all respondents

CONSTAT2_I(4697-4697)

Variable Type : imputation flag

Description : CONSTAT2 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5576
1	MULTIPLE REGRESSION IMPUTATION	14
2	LOGICAL IMPUTATION	11
	Total	5601

Universe : Applicable for all respondents

CONSTAT3_I(4698-4698)

Variable Type : imputation flag

Description : CONSTAT3 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5580

1	MULTIPLE REGRESSION IMPUTATION	14
2	LOGICAL IMPUTATION	7
Total		5601

Universe : Applicable for all respondents

CONSTAT4_I(4699-4699)

Variable Type : imputation flag

Description : CONSTAT4 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5581
1	MULTIPLE REGRESSION IMPUTATION	14
2	LOGICAL IMPUTATION	6
Total		5601

Universe : Applicable for all respondents

PILLR_I(4700-4700)

Variable Type : imputation flag

Description : PILLR Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5597
1	MULTIPLE REGRESSION IMPUTATION	4
Total		5601

Universe : Applicable for all respondents

CONDOMR_I(4701-4701)

Variable Type : imputation flag

Description : CONDOMR Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5598
1	MULTIPLE REGRESSION IMPUTATION	3
Total		5601

Universe : Applicable for all respondents

SEX1MTHD1_I(4702-4702)

Variable Type : imputation flag

Description : SEX1MTHD1 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5584
1	MULTIPLE REGRESSION IMPUTATION	4
2	LOGICAL IMPUTATION	13
Total		5601

Universe : Applicable for all respondents

SEX1MTHD2_I(4703-4703)

Variable Type : imputation flag

Description : SEX1MTHD2 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5584
1	MULTIPLE REGRESSION IMPUTATION	17
Total		5601

Universe : Applicable for all respondents

SEX1MTHD3_I(4704-4704)

Variable Type : imputation flag

Description : SEX1MTHD3 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5584
1	MULTIPLE REGRESSION IMPUTATION	17
Total		5601

Universe : Applicable for all respondents

SEX1MTHD4_I(4705-4705)

Variable Type : imputation flag

Description : SEX1MTHD4 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5584
1	MULTIPLE REGRESSION IMPUTATION	17
Total		5601

Universe : Applicable for all respondents

MTHUSE12_I(4706-4706)

Variable Type : imputation flag

Description : MTHUSE12 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5595
1	MULTIPLE REGRESSION IMPUTATION	4
2	LOGICAL IMPUTATION	2
Total		5601

Universe : Applicable for all respondents

METH12M1_I(4707-4707)

Variable Type : imputation flag

Description : METH12M1 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5593
1	MULTIPLE REGRESSION IMPUTATION	5
2	LOGICAL IMPUTATION	3
Total		5601

Universe : Applicable for all respondents

METH12M2_I(4708-4708)

Variable Type : imputation flag

Description : METH12M2 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5593
1	MULTIPLE REGRESSION IMPUTATION	8
Total		5601

Universe : Applicable for all respondents

METH12M3_I(4709-4709)

Variable Type : imputation flag

Description : METH12M3 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5593
1	MULTIPLE REGRESSION IMPUTATION	8
Total		5601

Universe : Applicable for all respondents

METH12M4_I(4710-4710)

Variable Type : imputation flag

Description : METH12M4 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5593
1	MULTIPLE REGRESSION IMPUTATION	8
Total		5601

Universe : Applicable for all respondents

MTHUSE3_I(4711-4711)

Variable Type : imputation flag

Description : MTHUSE3 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5586
1	MULTIPLE REGRESSION IMPUTATION	7
2	LOGICAL IMPUTATION	8
Total		5601

Universe : Applicable for all respondents

METH3M1_I(4712-4712)

Variable Type : imputation flag

Description : METH3M1 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5585
1	MULTIPLE REGRESSION IMPUTATION	15
2	LOGICAL IMPUTATION	1
Total		5601

Universe : Applicable for all respondents

METH3M2_I(4713-4713)

Variable Type : imputation flag

Description : METH3M2 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5585
1	MULTIPLE REGRESSION IMPUTATION	16
Total		5601

Universe : Applicable for all respondents

METH3M3_I(4714-4714)

Variable Type : imputation flag

Description : METH3M3 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5585
1	MULTIPLE REGRESSION IMPUTATION	16
Total		5601

Universe : Applicable for all respondents

METH3M4_I(4715-4715)

Variable Type : imputation flag

Description : METH3M4 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5585
1	MULTIPLE REGRESSION IMPUTATION	16
Total		5601

Universe : Applicable for all respondents

FMETHOD1_I(4716-4716)

Variable Type : imputation flag

Description : FMETHOD1 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5593
1	MULTIPLE REGRESSION IMPUTATION	3
2	LOGICAL IMPUTATION	5
Total		5601

Universe : Applicable for all respondents

FMETHOD2_I(4717-4717)

Variable Type : imputation flag

Description : FMETHOD2 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5593
1	MULTIPLE REGRESSION IMPUTATION	8
Total		5601

Universe : Applicable for all respondents

FMETHOD3_I(4718-4718)

Variable Type : imputation flag

Description : FMETHOD3 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5593
1	MULTIPLE REGRESSION IMPUTATION	8
Total		5601

Universe : Applicable for all respondents

FMETHOD4_I(4719-4719)

Variable Type : imputation flag

Description : FMETHOD4 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5593
1	MULTIPLE REGRESSION IMPUTATION	8
Total		5601

Universe : Applicable for all respondents

DATEUSE1_I(4720-4720)

Variable Type : imputation flag

Description : DATEUSE1 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5529
1	MULTIPLE REGRESSION IMPUTATION	58
2	LOGICAL IMPUTATION	14
Total		5601

Universe : Applicable for all respondents

OLDWP01_I(4721-4721)

Variable Type : imputation flag

Description : OLDWP01 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5591
1	MULTIPLE REGRESSION IMPUTATION	10
Total		5601

Universe : Applicable for all respondents

OLDWP02_I(4722-4722)

Variable Type : imputation flag

Description : OLDWP02 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5595
1	MULTIPLE REGRESSION IMPUTATION	5
2	LOGICAL IMPUTATION	1

Total **5601**

Universe : Applicable for all respondents

OLDWP03_I(4723-4723)

Variable Type : imputation flag

Description : OLDWP03 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5594
1	MULTIPLE REGRESSION IMPUTATION	6
2	LOGICAL IMPUTATION	1
Total		5601

Universe : Applicable for all respondents

OLDWP04_I(4724-4724)

Variable Type : imputation flag

Description : OLDWP04 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5599
1	MULTIPLE REGRESSION IMPUTATION	2
Total		5601

Universe : Applicable for all respondents

OLDWP05_I(4725-4725)

Variable Type : imputation flag

Description : OLDWP05 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5598
1	MULTIPLE REGRESSION IMPUTATION	2
2	LOGICAL IMPUTATION	1
Total		5601

Universe : Applicable for all respondents

OLDWP06_I(4726-4726)

Variable Type : imputation flag

Description : OLDWP06 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5596
1	MULTIPLE REGRESSION IMPUTATION	4
2	LOGICAL IMPUTATION	1
Total		5601

Universe : Applicable for all respondents

OLDWP07_I(4727-4727)

Variable Type : imputation flag

Description : OLDWP07 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5599
1	MULTIPLE REGRESSION IMPUTATION	2
Total		5601

Universe : Applicable for all respondents

OLDWP08_I(4728-4728)

Variable Type : imputation flag

Description : OLDWP08 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5598
1	MULTIPLE REGRESSION IMPUTATION	2
2	LOGICAL IMPUTATION	1
Total		5601

Universe : Applicable for all respondents

OLDWP09_I(4729-4729)

Variable Type : imputation flag

Description : OLDWP09 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5600
1	MULTIPLE REGRESSION IMPUTATION	1
Total		5601

Universe : Applicable for all respondents

OLDWP10_I(4730-4730)

Variable Type : imputation flag

Description : OLDWP10 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5600
1	MULTIPLE REGRESSION IMPUTATION	1
Total		5601

Universe : Applicable for all respondents

OLDWP11_I(4731-4731)

Variable Type : imputation flag

Description : OLDWP11 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5600
1	MULTIPLE REGRESSION IMPUTATION	1
Total		5601

Universe : Applicable for all respondents

OLDWP12_I(4732-4732)

Variable Type : imputation flag

Description : OLDWP12 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5600
1	MULTIPLE REGRESSION IMPUTATION	1
Total		5601

Universe : Applicable for all respondents

OLDWP13_I(4733-4733)

Variable Type : imputation flag

Description : OLDWP13 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5600
1	MULTIPLE REGRESSION IMPUTATION	1
Total		5601

Universe : Applicable for all respondents

OLDWP14_I(4734-4734)

Variable Type : imputation flag

Description : OLDWP14 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5600
2	LOGICAL IMPUTATION	1
Total		5601

Universe : Applicable for all respondents

OLDWP15_I(4735-4735)

Variable Type : imputation flag

Description : OLDWP15 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5600
2	LOGICAL IMPUTATION	1
Total		5601

Universe : Applicable for all respondents

OLDWP16_I(4736-4736)

Variable Type : imputation flag

Description : OLDWP16 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5600
2	LOGICAL IMPUTATION	1
Total		5601

Universe : Applicable for all respondents

OLDWR01_I(4737-4737)

Variable Type : imputation flag

Description : OLDWR01 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5598
1	MULTIPLE REGRESSION IMPUTATION	3
Total		5601

Universe : Applicable for all respondents

OLDWR02_I(4738-4738)

Variable Type : imputation flag

Description : OLDWR02 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5597
1	MULTIPLE REGRESSION IMPUTATION	3
2	LOGICAL IMPUTATION	1
Total		5601

Universe : Applicable for all respondents

OLDWR03_I(4739-4739)

Variable Type : imputation flag

Description : OLDWR03 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5594
1	MULTIPLE REGRESSION IMPUTATION	6
2	LOGICAL IMPUTATION	1
Total		5601

Universe : Applicable for all respondents

OLDWR04_I(4740-4740)

Variable Type : imputation flag

Description : OLDWR04 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5599
1	MULTIPLE REGRESSION IMPUTATION	2
Total		5601

Universe : Applicable for all respondents

OLDWR05_I(4741-4741)

Variable Type : imputation flag

Description : OLDWR05 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5597
1	MULTIPLE REGRESSION IMPUTATION	3
2	LOGICAL IMPUTATION	1
Total		5601

Universe : Applicable for all respondents

OLDWR06_I(4742-4742)

Variable Type : imputation flag

Description : OLDWR06 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5597
1	MULTIPLE REGRESSION IMPUTATION	3
2	LOGICAL IMPUTATION	1
Total		5601

Universe : Applicable for all respondents

OLDWR07_I(4743-4743)

Variable Type : imputation flag

Description : OLDWR07 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5598
1	MULTIPLE REGRESSION IMPUTATION	3
Total		5601

Universe : Applicable for all respondents

OLDWR08_I(4744-4744)

Variable Type : imputation flag

Description : OLDWR08 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5598
1	MULTIPLE REGRESSION IMPUTATION	2
2	LOGICAL IMPUTATION	1
Total		5601

Universe : Applicable for all respondents

OLDWR09_I(4745-4745)

Variable Type : imputation flag

Description : OLDWR09 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5600
1	MULTIPLE REGRESSION IMPUTATION	1
Total		5601

Universe : Applicable for all respondents

OLDWR10_I(4746-4746)

Variable Type : imputation flag

Description : OLDWR10 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5600
1	MULTIPLE REGRESSION IMPUTATION	1
Total		5601

Universe : Applicable for all respondents

OLDWR11_I(4747-4747)

Variable Type : imputation flag

Description : OLDWR11 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5600
1	MULTIPLE REGRESSION IMPUTATION	1
Total		5601

Universe : Applicable for all respondents

OLDWR12_I(4748-4748)

Variable Type : imputation flag

Description : OLDWR12 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5600
1	MULTIPLE REGRESSION IMPUTATION	1
Total		5601

Universe : Applicable for all respondents

OLDWR13_I(4749-4749)

Variable Type : imputation flag

Description : OLDWR13 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5600
1	MULTIPLE REGRESSION IMPUTATION	1
Total		5601

Universe : Applicable for all respondents

OLDWR14_I(4750-4750)

Variable Type : imputation flag

Description : OLDWR14 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5600
1	MULTIPLE REGRESSION IMPUTATION	1
Total		5601

Universe : Applicable for all respondents

OLDWR15_I(4751-4751)

Variable Type : imputation flag

Description : OLDWR15 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5600
2	LOGICAL IMPUTATION	1
Total		5601

Universe : Applicable for all respondents

OLDWR16_I(4752-4752)

Variable Type : imputation flag

Description : OLDWR16 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5600
2	LOGICAL IMPUTATION	1
Total		5601

Universe : Applicable for all respondents

WANTRP01_I(4753-4753)

Variable Type : imputation flag

Description : WANTRP01 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5598
1	MULTIPLE REGRESSION IMPUTATION	3
Total		5601

Universe : Applicable for all respondents

WANTRP02_I(4754-4754)

Variable Type : imputation flag

Description : WANTRP02 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5597
1	MULTIPLE REGRESSION IMPUTATION	3
2	LOGICAL IMPUTATION	1
Total		5601

Universe : Applicable for all respondents

WANTRP03_I(4755-4755)

Variable Type : imputation flag

Description : WANTRP03 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5594
1	MULTIPLE REGRESSION IMPUTATION	6
2	LOGICAL IMPUTATION	1
Total		5601

Universe : Applicable for all respondents

WANTRP04_I(4756-4756)

Variable Type : imputation flag

Description : WANTRP04 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5599
1	MULTIPLE REGRESSION IMPUTATION	2

Total **5601**

Universe : Applicable for all respondents

WANTRP05_I(4757-4757)

Variable Type : imputation flag

Description : WANTRP05 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5597
1	MULTIPLE REGRESSION IMPUTATION	3
2	LOGICAL IMPUTATION	1
Total		5601

Universe : Applicable for all respondents

WANTRP06_I(4758-4758)

Variable Type : imputation flag

Description : WANTRP06 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5597
1	MULTIPLE REGRESSION IMPUTATION	3
2	LOGICAL IMPUTATION	1
Total		5601

Universe : Applicable for all respondents

WANTRP07_I(4759-4759)

Variable Type : imputation flag

Description : WANTRP07 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5598
1	MULTIPLE REGRESSION IMPUTATION	3
Total		5601

Universe : Applicable for all respondents

WANTRP08_I(4760-4760)

Variable Type : imputation flag

Description : WANTRP08 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5598
1	MULTIPLE REGRESSION IMPUTATION	2
2	LOGICAL IMPUTATION	1
Total		5601

Universe : Applicable for all respondents

WANTRP09_I(4761-4761)

Variable Type : imputation flag

Description : WANTRP09Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5600
1	MULTIPLE REGRESSION IMPUTATION	1
Total		5601

Universe : Applicable for all respondents

WANTRP10_I(4762-4762)

Variable Type : imputation flag

Description : WANTRP10 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5600
1	MULTIPLE REGRESSION IMPUTATION	1
Total		5601

Universe : Applicable for all respondents

WANTRP11_I(4763-4763)

Variable Type : imputation flag

Description : WANTRP11 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5600
1	MULTIPLE REGRESSION IMPUTATION	1
Total		5601

Universe : Applicable for all respondents

WANTRP12_I(4764-4764)

Variable Type : imputation flag

Description : WANTRP12 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5600
1	MULTIPLE REGRESSION IMPUTATION	1
Total		5601

Universe : Applicable for all respondents

WANTRP13_I(4765-4765)

Variable Type : imputation flag

Description : WANTRP13 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5600
1	MULTIPLE REGRESSION IMPUTATION	1
Total		5601

Universe : Applicable for all respondents

WANTRP14_I(4766-4766)

Variable Type : imputation flag

Description : WANTRP14 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5600
1	MULTIPLE REGRESSION IMPUTATION	1
Total		5601

Universe : Applicable for all respondents

WANTRP15_I(4767-4767)

Variable Type : imputation flag

Description : WANTRP15 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5600
2	LOGICAL IMPUTATION	1
Total		5601

Universe : Applicable for all respondents

WANTRP16_I(4768-4768)

Variable Type : imputation flag

Description : WANTRP16 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5600
2	LOGICAL IMPUTATION	1
Total		5601

Universe : Applicable for all respondents

WANTP01_I(4769-4769)

Variable Type : imputation flag

Description : WANTP01 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5585
1	MULTIPLE REGRESSION IMPUTATION	16
Total		5601

Universe : Applicable for all respondents

WANTP02_I(4770-4770)

Variable Type : imputation flag

Description : WANTP02 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5594
1	MULTIPLE REGRESSION IMPUTATION	6
2	LOGICAL IMPUTATION	1
Total		5601

Universe : Applicable for all respondents

WANTP03_I(4771-4771)

Variable Type : imputation flag

Description : WANTP03 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5592
1	MULTIPLE REGRESSION IMPUTATION	8
2	LOGICAL IMPUTATION	1
Total		5601

Universe : Applicable for all respondents

WANTP04_I(4772-4772)

Variable Type : imputation flag

Description : WANTP04 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5597
1	MULTIPLE REGRESSION IMPUTATION	4
Total		5601

Universe : Applicable for all respondents

WANTP05_I(4773-4773)

Variable Type : imputation flag

Description : WANTP05 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5596
1	MULTIPLE REGRESSION IMPUTATION	4
2	LOGICAL IMPUTATION	1
Total		5601

Universe : Applicable for all respondents

WANTP06_I(4774-4774)

Variable Type : imputation flag

Description : WANTP06 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5594
1	MULTIPLE REGRESSION IMPUTATION	6
2	LOGICAL IMPUTATION	1
Total		5601

Universe : Applicable for all respondents

WANTP07_I(4775-4775)

Variable Type : imputation flag

Description : WANTP07 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5599
1	MULTIPLE REGRESSION IMPUTATION	2
Total		5601

Universe : Applicable for all respondents

WANTP08_I(4776-4776)

Variable Type : imputation flag

Description : WANTP08 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5596
1	MULTIPLE REGRESSION IMPUTATION	4
2	LOGICAL IMPUTATION	1
Total		5601

Universe : Applicable for all respondents

WANTP09_I(4777-4777)

Variable Type : imputation flag

Description : WANTP09 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5599
1	MULTIPLE REGRESSION IMPUTATION	2
Total		5601

Universe : Applicable for all respondents

WANTP10_I(4778-4778)

Variable Type : imputation flag

Description : WANTP10 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5600
1	MULTIPLE REGRESSION IMPUTATION	1
Total		5601

Universe : Applicable for all respondents

WANTP11_I(4779-4779)

Variable Type : imputation flag

Description : WANTP11 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5600
1	MULTIPLE REGRESSION IMPUTATION	1
Total		5601

Universe : Applicable for all respondents

WANTP12_I(4780-4780)

Variable Type : imputation flag

Description : WANTP12 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5600
1	MULTIPLE REGRESSION IMPUTATION	1
Total		5601

Universe : Applicable for all respondents

WANTP13_I(4781-4781)

Variable Type : imputation flag

Description : WANTP13 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5599
1	MULTIPLE REGRESSION IMPUTATION	2
Total		5601

Universe : Applicable for all respondents

WANTP14_I(4782-4782)

Variable Type : imputation flag

Description : WANTP14 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5599
1	MULTIPLE REGRESSION IMPUTATION	2
Total		5601

Universe : Applicable for all respondents

WANTP15_I(4783-4783)

Variable Type : imputation flag

Description : WANTP15 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5600
1	MULTIPLE REGRESSION IMPUTATION	1
Total		5601

Universe : Applicable for all respondents

WANTP16_I(4784-4784)

Variable Type : imputation flag

Description : WANTP16 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5600
1	MULTIPLE REGRESSION IMPUTATION	1
Total		5601

Universe : Applicable for all respondents

NWWANTRP01_I(4785-4785)

Variable Type : imputation flag

Description : NWWANTRP01 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5581
1	MULTIPLE REGRESSION IMPUTATION	18
2	LOGICAL IMPUTATION	2
Total		5601

Universe : Applicable for all respondents

NWWANTRP02_I(4786-4786)

Variable Type : imputation flag

Description : NWWANTRP02 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5581
1	MULTIPLE REGRESSION IMPUTATION	18
2	LOGICAL IMPUTATION	2
Total		5601

Universe : Applicable for all respondents

NWWANTRP03_I(4787-4787)

Variable Type : imputation flag

Description : NWWANTRP03 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5580
1	MULTIPLE REGRESSION IMPUTATION	18
2	LOGICAL IMPUTATION	3
Total		5601

Universe : Applicable for all respondents

NWWANTRP04_I(4788-4788)

Variable Type : imputation flag

Description : NWWANTRP04 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5597
1	MULTIPLE REGRESSION IMPUTATION	4
Total		5601

Universe : Applicable for all respondents

NWWANTRP05_I(4789-4789)

Variable Type : imputation flag

Description : NWWANTRP05 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5596
1	MULTIPLE REGRESSION IMPUTATION	3
2	LOGICAL IMPUTATION	2
Total		5601

Universe : Applicable for all respondents

NWWANTRP06_I(4790-4790)

Variable Type : imputation flag

Description : NWWANTRP06 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5595
1	MULTIPLE REGRESSION IMPUTATION	3
2	LOGICAL IMPUTATION	3
Total		5601

Universe : Applicable for all respondents

NWWANTRP07_I(4791-4791)

Variable Type : imputation flag

Description : NWWANTRP07 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5596
1	MULTIPLE REGRESSION IMPUTATION	4
2	LOGICAL IMPUTATION	1
Total		5601

Universe : Applicable for all respondents

NWWANTRP08_I(4792-4792)

Variable Type : imputation flag

Description : NWWANTRP08 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5598
1	MULTIPLE REGRESSION IMPUTATION	2
2	LOGICAL IMPUTATION	1
Total		5601

Universe : Applicable for all respondents

NWWANTRP09_I(4793-4793)

Variable Type : imputation flag

Description : NWWANTRP09 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5600
2	LOGICAL IMPUTATION	1
Total		5601

Universe : Applicable for all respondents

NWWANTRP10_I(4794-4794)

Variable Type : imputation flag

Description : NWWANTRP10 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5600
1	MULTIPLE REGRESSION IMPUTATION	1
Total		5601

Universe : Applicable for all respondents

NWWANTRP11_I(4795-4795)

Variable Type : imputation flag

Description : NWWANTRP11 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5600
2	LOGICAL IMPUTATION	1
Total		5601

Universe : Applicable for all respondents

NWWANTRP12_I(4796-4796)

Variable Type : imputation flag

Description : NWWANTRP12 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5600
1	MULTIPLE REGRESSION IMPUTATION	1
Total		5601

Universe : Applicable for all respondents

NWWANTRP13_I(4797-4797)

Variable Type : imputation flag

Description : NWWANTRP13 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5600
1	MULTIPLE REGRESSION IMPUTATION	1
Total		5601

Universe : Applicable for all respondents

NWWANTRP14_I(4798-4798)

Variable Type : imputation flag

Description : NWWANTRP14 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5600
1	MULTIPLE REGRESSION IMPUTATION	1
Total		5601

Universe : Applicable for all respondents

NWWANTRP15_I(4799-4799)

Variable Type : imputation flag

Description : NWWANTRP15 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5600
2	LOGICAL IMPUTATION	1
Total		5601

Universe : Applicable for all respondents

NWWANTRP16_I(4800-4800)

Variable Type : imputation flag

Description : NWWANTRP16 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5600
2	LOGICAL IMPUTATION	1
Total		5601

Universe : Applicable for all respondents

WANTP5_I(4801-4801)

Variable Type : imputation flag

Description : WANTP5 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5554
1	MULTIPLE REGRESSION IMPUTATION	44
2	LOGICAL IMPUTATION	3
Total		5601

Universe : Applicable for all respondents

Female Respondent File Codebook :: SECTION R: Recode Variables and Imputation Flags :: Section F Recodes

FPTIT12(4802-4802)

Variable Type : recode

Description : Type of clinic used for fp services in last 12 months (RECODE)

value	label	Total
.	INAPPLICABLE	4895
1	TITLE X CLINIC	349
2	NON-TITLE X CLINIC	357
Total		5601

Universe : Applicable if R received any family planning service from a medical care provider in the last 12 months at a clinic (FA-BC12PLCX2-BC12PLCX8=3,4,6,7)

FPTITMED(4803-4803)

Variable Type : recode

Description : Type of clinic used for medical services in last 12 months (RECODE)

value	label	Total
.	INAPPLICABLE	4587
1	TITLE X CLINIC	445
2	NON-TITLE X CLINIC	569
Total		5601

Universe : Applicable if R received any family planning service from a medical care provider in the last 12 months at a clinic (FA-BC12PLCX9-BC12PLCX15=3,4,6,7)

FPTITSTE(4804-4805)

Variable Type : recode

Description : Source of services in last 12 months: Sterlization operation (RECODE)

value	label	Total
.	INAPPLICABLE	5514
1	CLINIC: TITLE X=YES; HEALTH DEPT=YES	5
2	CLINIC: TITLE X=YES; HEALTH DEPT=NO	2
4	CLINIC: TITLE X=NO; HEALTH DEPT=NO	8
5	CLINIC: TITLE X=YES; AGENCY UNKNOWN	1
6	CLINIC: TITLE X=NO; AGENCY UNKNOWN	1
8	PRIVATE DOCTOR'S OFFICE OR HMO	26
9	HOSPITAL EMERGENCY REGULAR ROOM/REGULAR ROOM/URGENT CARE	42
10	SOME OTHER PLACE	2
	Total	5601

Universe : Applicable if R received a sterilizing operation from a medical care provider in the last 12 months (FA-1e STEROP12 = 1)

FPTITBC(4806-4807)

Variable Type : recode

Description : Source of services last 12 mos: Method of BC or prescription (RECODE)

value	label	Total
.	INAPPLICABLE	3780
1	CLINIC: TITLE X=YES HEALTH DEPT=YES	121
2	CLINIC: TITLE X=YES HEALTH DEPT=NO	157
3	CLINIC: TITLE X=NO HEALTH DEPT=YES	5
4	CLINIC: TITLE X=NO HEALTH DEPT=NO	152
6	CLINIC: TITLE X=NO AGENCY UNKNOWN	2
7	EMPLOYER OR COMPANY CLINIC	6
8	PRIVATE DOCTOR'S OFFICE OR HMO	1309
9	HOSPITAL EMERGENCY REGULAR ROOM/REGULAR ROOM/URGENT CARE	39
10	SOME OTHER PLACE	30
	Total	5601

Universe : Applicable if R received a method of birth control or a prescription for birth control from a medical care provider in the last 12 months (FA-1b BTHCON12 = 1)

FPTITCHK(4808-4809)

Variable Type : recode

Description : Source of services in last 12 mos: Check-up or test re: BC (RECODE)

value	label	Total
.	INAPPLICABLE	4220
1	CLINIC: TITLE X=YES HEALTH DEPT=YES	84
2	CLINIC: TITLE X=YES HEALTH DEPT=NO	123
3	CLINIC: TITLE X=NO HEALTH DEPT=YES	6
4	CLINIC: TITLE X=NO HEALTH DEPT=NO	128
5	CLINIC: TITLE X=YES AGENCY UNKNOWN	3
6	CLINIC: TITLE X=NO AGENCY UNKNOWN	7
7	EMPLOYER OR COMPANY CLINIC	2
8	PRIVATE DOCTOR'S OFFICE OR HMO	983
9	HOSPITAL EMERGENCY REGULAR ROOM/REGULAR ROOM/URGENT CARE	26
10	SOME OTHER PLACE	19
	Total	5601

Universe : Applicable if R received a check-up or medical test related to using birth control from a medical care provider in the last 12 months (FA-1c MEDTST12 = 1)

FPTITCBC(4810-4811)

Variable Type : recode

Description : Source of services in last 12 mos: Counseling re BC (RECODE)

value	label	Total
.	INAPPLICABLE	4531
1	CLINIC: TITLE X=YES; HEALTH DEPT=YES	79
2	CLINIC: TITLE X=YES; HEALTH DEPT=NO	89
3	CLINIC: TITLE X=NO; HEALTH DEPT=YES	4
4	CLINIC: TITLE X=NO; HEALTH DEPT=NO	121
5	CLINIC: TITLE X=YES; AGENCY TYPE IS UNKNOWN	3
6	CLINIC: TITLEX=NO; AGENCY TYPE IS UNKNOWN	1
7	EMPLOYER OR COMPANY CLINIC	5
8	PRIVATE DOCTOR'S OFFICE OR HMO	725
9	HOSPITAL EMERGENCY REGULAR ROOM/REGULAR ROOM/URGENT CARE	23
10	SOME OTHER PLACE	20
	Total	5601

Universe : Applicable if R received counseling about birth control from a medical care provider in the last 12 months (Fa-1d BCCNS12 = 1)

FPTITCST(4812-4813)

Variable Type : recode

Description : Source of services in last 12 mos: Counseling re sterilization (RECODE)

value	label	Total
.	INAPPLICABLE	5402
1	CLINIC: TITLE X=YES HEALTH DEPT=YES	10
2	CLINIC: TITLE X=YES HEALTH DEPT=NO	9
3	CLINIC: TITLE X=NO HEALTH DEPT=YES	1
4	CLINIC: TITLE X=NO HEALTH DEPT=NO	17
8	PRIVATE DOCTOR'S OFFICE OR HMO	143
9	HOSPITAL EMERGENCY REGULAR ROOM/REGULAR ROOM/URGENT CARE	15
10	SOME OTHER PLACE	4
	Total	5601

Universe : Applicable if R received counseling about getting sterilized from a medical care provider in the last 12 months (FA-1f STCNS12 = 1)

FPTITEC(4814-4815)

Variable Type : recode

Description : Source of service in last 12 months: EC or prescription (RECODE)

value	label	Total
.	INAPPLICABLE	5465
1	CLINIC: TITLE X=YES HEALTH DEPT=YES	6
2	CLINIC: TITLE X=YES HEALTH DEPT=NO	36
3	CLINIC: TITLE X=NO HEALTH DEPT=YES	3
4	CLINIC: TITLE X=NO HEALTH DEPT=NO	15
8	PRIVATE DOCTOR'S OFFICE OR HMO	32
9	HOSPITAL EMERGENCY REGULAR ROOM/REGULAR ROOM/URGENT CARE	3
10	SOME OTHER PLACE	41
	Total	5601

Universe : Applicable if R received emergency contraception from a medical care provider in the last 12 months (FA-1g EMCON12 = 1)

FPTITCEC(4816-4817)

Variable Type : recode

Description : Source of service in last 12 mos: Counseling or info on EC (RECODE)

value	label	Total
.	INAPPLICABLE	5420
1	CLINIC: TITLE X=YES HEALTH DEPT=YES	22
2	CLINIC: TITLE X=YES HEALTH DEPT=NO	36
4	CLINIC: TITLE X=NO HEALTH DEPT=NO	31
5	CLINIC: TITLE X=YES AGENCY UNKNOWN	1
6	CLINIC: TITLE X=NO AGENCY UNKNOWN	1
8	PRIVATE DOCTOR'S OFFICE OR HMO	72
9	HOSPITAL EMERGENCY REGULAR ROOM/REGULAR ROOM/URGENT CARE	6
10	SOME OTHER PLACE	12
	Total	5601

Universe : Applicable if R received counseling about emergency contraception from a medical care provider in the last 12 months (FA-1h ECCNS12 = 1)

FPTITPRE(4818-4819)

Variable Type : recode

Description : Source of service in last 12 mos: Pregnancy test (RECODE)

value	label	Total
.	INAPPLICABLE	4302
1	CLINIC: TITLE X=YES HEALTH DEPT=YES	71
2	CLINIC: TITLE X=YES HEALTH DEPT=NO	108
3	CLINIC: TITLE X=NO HEALTH DEPT=YES	9
4	CLINIC: TITLE X=NO HEALTH DEPT=NO	165
7	EMPLOYER OR COMPANY CLINIC	6
8	PRIVATE DOCTOR'S OFFICE OR HMO	758
9	HOSPITAL EMERGENCY REGULAR ROOM/REGULAR ROOM/URGENT CARE	117
10	SOME OTHER PLACE	65
	Total	5601

Universe : Applicable if R received a pregnancy test from a medical provider in the last 12 months (FA-3a PRGTST12 = 1)

FPTITABO(4820-4821)

Variable Type : recode

Description : Source of service in last 12 mos: Abortion (RECODE)

value	label	Total
.	INAPPLICABLE	5544
1	CLINIC: TITLE X=YES HEALTH DEPT=YES	1
2	CLINIC: TITLE X=YES HEALTH DEPT=NO	13
3	CLINIC: TITLE X=NO HEALTH DEPT=YES	1
4	CLINIC: TITLE X=NO HEALTH DEPT=NO	23
6	CLINIC: TITLE X=NO AGENCY UNKNOWN	1
8	PRIVATE DOCTOR'S OFFICE OR HMO	12
9	HOSPITAL EMERGENCY REGULAR ROOM/REGULAR ROOM/URGENT CARE	3
10	SOME OTHER PLACE	3
	Total	5601

Universe : Applicable if R received an abortion from a medical care provider in the last 12 months (FA-3b ABORT12 = 1)

FPTITPAP(4822-4823)

Variable Type : recode

Description : Source of service in last 12 mos: Pap smear (RECODE)

value	label	Total
.	INAPPLICABLE	2461
1	CLINIC: TITLE X=YES HEALTH DEPT=YES	142
2	CLINIC: TITLE X=YES HEALTH DEPT=NO	171
3	CLINIC: TITLE X=NO HEALTH DEPT=YES	15
4	CLINIC: TITLE X=NO HEALTH DEPT=NO	289
6	CLINIC: TITLE X=NO AGENCY UNKNOWN	3
7	EMPLOYER OR COMPANY CLINIC	9
8	PRIVATE DOCTOR'S OFFICE OR HMO	2375
9	HOSPITAL EMERGENCY REGULAR ROOM/REGULAR ROOM/URGENT CARE	102
10	SOME OTHER PLACE	34
	Total	5601

Universe : Applicable if R received a pap smear from a medical care provider in the last 12 months (FA-3c PAP12 = 1)

FPTITPEL(4824-4825)

Variable Type : recode

Description : Source of service in last 12 mos: Pelvic exam (RECODE)

value	label	Total
.	INAPPLICABLE	2618
1	CLINIC: TITLE X=YES HEALTH DEPT=YES	135
2	CLINIC: TITLE X=YES HEALTH DEPT=NO	162
3	CLINIC: TITLE X=NO HEALTH DEPT=YES	15
4	CLINIC: TITLE X=NO HEALTH DEPT=NO	244
5	CLINIC: TITLE X=YES AGENCY UNKNOWN	2
7	EMPLOYER OR COMPANY CLINIC	8
8	PRIVATE DOCTOR'S OFFICE OR HMO	2272
9	HOSPITAL EMERGENCY REGULAR ROOM/REGULAR ROOM/URGENT CARE	117
10	SOME OTHER PLACE	28
	Total	5601

Universe : Applicable if R received a pelvic exam from a medical care provider in the last 12 months (FA-3d PELVIC12 = 1)

FPTITPRN(4826-4827)

Variable Type : recode

Description : Source of service in last 12 mos: Prenatal care (RECODE)

value	label	Total
.	INAPPLICABLE	5170
1	CLINIC: TITLE X=YES HEALTH DEPT=YES	13
2	CLINIC: TITLE X=YES HEALTH DEPT=NO	25
3	CLINIC: TITLE X=NO HEALTH DEPT=YES	1
4	CLINIC: TITLE X=NO HEALTH DEPT=NO	55
8	PRIVATE DOCTOR'S OFFICE OR HMO	318
9	HOSPITAL EMERGENCY REGULAR ROOM/REGULAR ROOM/URGENT CARE	16
10	SOME OTHER PLACE	3
	Total	5601

Universe : Applicable if R received prenatal care from a medical care provider in the last 12 months (FA-3e PRENAT12 = 1)

FPTITPPR(4828-4829)

Variable Type : recode

Description : Source of service in last 12 mos: Post-pregnancy care (RECODE)

value	label	Total
.	INAPPLICABLE	5241
1	CLINIC: TITLE X=YES HEALTH DEPT=YES	8
2	CLINIC: TITLE X=YES HEALTH DEPT=NO	21
3	CLINIC: TITLE X=NO HEALTH DEPT=YES	1
4	CLINIC: TITLE X=NO HEALTH DEPT=NO	39
8	PRIVATE DOCTOR'S OFFICE OR HMO	270
9	HOSPITAL EMERGENCY REGULAR ROOM/REGULAR ROOM/URGENT CARE	19
10	SOME OTHER PLACE	2
	Total	5601

Universe : Applicable if R received post-pregnancy care from a medical care provider in the last 12 months (FA-3f PARTUM12 = 1)

FPTITSTD(4830-4831)

Variable Type : recode

Description : Source of service in last 12 mos: Counseling/ test/treat STD (RECODE)

value	label	Total
.	INAPPLICABLE	4549
1	CLINIC: TITLE X=YES; HEALTH DEPT=YES	78
2	CLINIC: TITLE X=YES; HEALTH DEPT=NO	85
3	CLINIC: TITLE X=NO; HEALTH DEPT=YES	5
4	CLINIC: TITLE X=NO; HEALTH DEPT=NO	125
5	CLINIC: TITLE X=YES; AGENCY TYPE UNKNOWN	3
6	CLINIC: TITLE X=NO; AGENCY UNKNOWN	4
7	EMPLOYER OR COMPANY CLINIC	9
8	PRIVATE DOCTOR'S OFFICE OR HMO	659
9	HOSPITAL EMERGENCY REGULAR ROOM/REGULAR ROOM/URGENT CARE	67
10	SOME OTHER PLACE	17
	Total	5601

Universe : Applicable if R received counseling for, or been tested or treated for a sexually transmitted disease by a medical care provider in the last 12 months (FA-3g STDSVC12 = 1)

FPREGFP(4832-4832)

Variable Type : recode

Description : Title X clinic used for FP svcs: Regular place for care (RECODE)

value	label	Total
.	INAPPLICABLE	5252
1	YES	245
2	NO	104
	Total	5601

Universe : Applicable if R received any family planning service at a Title X clinic in the last 12 months (FPTITBC = 1,2,5 or FPTITCHK = 1,2,5 or FPTITCBC = 1,2,5 or FPTITSTE = 1,2,5 or FPTITCST = 1, 2,5 or FPTITEC = 1,2,5 or FPTITCEC = 1, 2,5).

FPREGMED(4833-4833)

Variable Type : recode

Description : Title X clinic used for med svcs: Regular place for care (RECODE)

value	label	Total
.	INAPPLICABLE	5156
1	YES	307
2	NO	138
	Total	5601

Universe : Applicable if R received any medical service at a Title X clinic in the last 12 months (FPTITPRE = 1,2,5 or FPTITABO = 1,2,5 or FPTITPAP = 1, 2,5 or FPTITPEL = 1, 2,5 or FPTITPRN = 1,2,5 or FPTITPPR = 1, 2,5 or FPTITSTD = 1,2,5).

FPTIT12_I(4834-4834)

Variable Type : imputation flag

Description : FPTIT12 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5601
	Total	5601

Universe : Applicable for all respondents

FPTITMED_I(4835-4835)

Variable Type : imputation flag

Description : FPTITMED Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5601
	Total	5601

Universe : Applicable for all respondents

FPTITSTE_I(4836-4836)

Variable Type : imputation flag

Description : FPTITSTE Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5595
1	MULTIPLE REGRESSION IMPUTATION	1
2	LOGICAL IMPUTATION	5
	Total	5601

Universe : Applicable for all respondents

FPTITBC_I(4837-4837)

Variable Type : imputation flag

Description : FPTITBC Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5530
1	MULTIPLE REGRESSION IMPUTATION	4
2	LOGICAL IMPUTATION	67
	Total	5601

Universe : Applicable for all respondents

FPTITCHK_I(4838-4838)

Variable Type : imputation flag

Description : FPTITCHK Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5538
1	MULTIPLE REGRESSION IMPUTATION	13
2	LOGICAL IMPUTATION	50
Total		5601

Universe : Applicable for all respondents

FPTITCBC_I(4839-4839)

Variable Type : imputation flag

Description : FPTITCBC Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5540
1	MULTIPLE REGRESSION IMPUTATION	6
2	LOGICAL IMPUTATION	55
Total		5601

Universe : Applicable for all respondents

FPTITCST_I(4840-4840)

Variable Type : imputation flag

Description : FPTITCST Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5588
1	MULTIPLE REGRESSION IMPUTATION	2
2	LOGICAL IMPUTATION	11
Total		5601

Universe : Applicable for all respondents

FPTITEC_I(4841-4841)

Variable Type : imputation flag

Description : FPTITEC Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5595
1	MULTIPLE REGRESSION IMPUTATION	1
2	LOGICAL IMPUTATION	5
Total		5601

Universe : Applicable for all respondents

FPTITCEC_I(4842-4842)

Variable Type : imputation flag

Description : FPTITCEC Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5585
1	MULTIPLE REGRESSION IMPUTATION	3
2	LOGICAL IMPUTATION	13

Total **5601**

Universe : Applicable for all respondents

FPTITPRE_I(4843-4843)

Variable Type : imputation flag

Description : FPTITPRE Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5530
1	MULTIPLE REGRESSION IMPUTATION	12
2	LOGICAL IMPUTATION	59
Total		5601

Universe : Applicable for all respondents

FPTITABO_I(4844-4844)

Variable Type : imputation flag

Description : FPTITABO Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5596
1	MULTIPLE REGRESSION IMPUTATION	2
2	LOGICAL IMPUTATION	3
Total		5601

Universe : Applicable for all respondents

FPTITPAP_I(4845-4845)

Variable Type : imputation flag

Description : FPTITPAP Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5472
1	MULTIPLE REGRESSION IMPUTATION	23
2	LOGICAL IMPUTATION	106
Total		5601

Universe : Applicable for all respondents

FPTITPEL_I(4846-4846)

Variable Type : imputation flag

Description : FPTITPEL Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5478
1	MULTIPLE REGRESSION IMPUTATION	19
2	LOGICAL IMPUTATION	104
Total		5601

Universe : Applicable for all respondents

FPTITPRN_I(4847-4847)

Variable Type : imputation flag

Description : FPTITPRN Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5579
1	MULTIPLE REGRESSION IMPUTATION	1
2	LOGICAL IMPUTATION	21
Total		5601

Universe : Applicable for all respondents

FPTITPPR_I(4848-4848)

Variable Type : imputation flag

Description : FPTITPPR Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5579
1	MULTIPLE REGRESSION IMPUTATION	2
2	LOGICAL IMPUTATION	20
Total		5601

Universe : Applicable for all respondents

FPTITSTD_I(4849-4849)

Variable Type : imputation flag

Description : FPTITSTD Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5555
1	MULTIPLE REGRESSION IMPUTATION	5
2	LOGICAL IMPUTATION	41
Total		5601

Universe : Applicable for all respondents

FPREGFP_I(4850-4850)

Variable Type : imputation flag

Description : FPREGFP Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5601
Total		5601

Universe : Applicable for all respondents

FPREGMED_I(4851-4851)

Variable Type : imputation flag

Description : FPREGMED Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5601
Total		5601

Universe : Applicable for all respondents

Female Respondent File Codebook :: SECTION R: Recode Variables and Imputation Flags :: Section G Recodes

INTENT(4852-4852)

Variable Type : recode

Description : Intentions for additional births (RECODE)

value	label	Total
1	R INTENDS TO HAVE (MORE) CHILDREN	2928
2	R DOES NOT INTEND TO HAVE (MORE) CHILDREN	2605
3	R DOES NOT KNOW HER INTENT	68
Total		5601

Universe : Applicable for all respondents

ADDEXP(4853-4855)

Variable Type : recode

Description : Central number of additional births expected (RECODE)

value	label	Total
0	NO ADDITIONAL BIRTHS	2494
5	.5 ADDITIONAL BIRTHS	21
10	1 ADDITIONAL BIRTH	1131
15	1.5 ADDITIONAL BIRTHS	22
20	2 ADDITIONAL BIRTHS	1257
25	2.5 ADDITIONAL BIRTHS	5
30	3 ADDITIONAL BIRTHS	443
35	3.5 ADDITIONAL BIRTHS	2
40	4 ADDITIONAL BIRTHS	161
50	5 ADDITIONAL BIRTHS	43
60	6 ADDITIONAL BIRTHS	17
70	7 ADDITIONAL BIRTHS	2
80	8 ADDITIONAL BIRTHS	1
100-995	10 OR MORE ADDITIONAL BIRTHS	2
Total		5601

Universe : Applicable for all respondents

INTENT_I(4856-4856)

Variable Type : imputation flag

Description : INTENT Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5599
1	MULTIPLE REGRESSION IMPUTATION	2
Total		5601

Universe : Applicable for all respondents

ADDEXP_I(4857-4857)

Variable Type : imputation flag

Description : ADDEXP Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5589
1	MULTIPLE REGRESSION IMPUTATION	12
Total		5601

Universe : Applicable for all respondents

Female Respondent File Codebook :: SECTION R: Recode Variables and Imputation Flags :: Section H Recodes

ANYPRGHP(4858-4858)

Variable Type : recode

Description : Any medical help to become pregnant (RECODE)

value	label	Total
.	INAPPLICABLE	409
1	YES	381
2	NO	4811
Total		5601

Universe : Applicable if R has ever had sexual intercourse with a male (rhadsex = 1) or is 18 years or older (age_r GT 18)

ANYMSCHP(4859-4859)

Variable Type : recode

Description : Any medical help to prevent miscarriage (RECODE)

value	label	Total
.	INAPPLICABLE	409
1	YES	262
2	NO	4930
Total		5601

Universe : Applicable if R has ever had sexual intercourse with a male (rhadsex = 1) or is 18 years or older (age_r GT 18)

INFEVER(4860-4860)

Variable Type : recode

Description : Ever used infertility services of any kind (RECODE)

value	label	Total
.	INAPPLICABLE	409
1	YES	572
2	NO	4620
Total		5601

Universe : Applicable if R has ever had sexual intercourse with a male (rhadsex = 1) or is 18 years or older (age_r GT 18)

OVULATE(4861-4861)

Variable Type : recode

Description : Infertility services: drugs to improve ovulation (RECODE)

value	label	Total
.	INAPPLICABLE	5220
1	REPORTED	168
2	NOT REPORTED	213
Total		5601

Universe : Applicable if R reported seeking any medical help to become pregnant (HA-1 HLPPRG = 1)

TUBES(4862-4862)

Variable Type : recode

Description : Infertility services: surgery to correct blocked tubes (RECODE)

value	label	Total
.	INAPPLICABLE	5220
1	REPORTED	33
2	NOT REPORTED	348
Total		5601

Universe : Applicable if R reported seeking any medical help to become pregnant (HA-1 HLPPRG = 1)

INFETR(4863-4863)

Variable Type : recode

Description : Infertility services: Infertility testing on R (RECODE)

value	label	Total
.	INAPPLICABLE	5220
1	REPORTED	220
2	NOT REPORTED	161
Total		5601

Universe : Applicable if R reported seeking any medical help to become pregnant (HA-1 HLPPRG = 1)

INFERTH(4864-4864)

Variable Type : recode

Description : Infertility services: Infertility testing on H/P (RECODE)

value	label	Total
.	INAPPLICABLE	5220
1	REPORTED	164
2	NOT REPORTED	217
Total		5601

Universe : Applicable if R reported seeking any medical help to become pregnant (HA-1 HLPPRG = 1)

ADVICE(4865-4865)

Variable Type : recode

Description : Infertility services: Advice (RECODE)

value	label	Total
.	INAPPLICABLE	5220
1	REPORTED	280
2	NOT REPORTED	101
Total		5601

Universe : Applicable if R reported seeking any medical help to become pregnant (HA-1 HLPPRG = 1)

INSEM(4866-4866)

Variable Type : recode

Description : Infertility services: Artificial insemination (RECODE)

value	label	Total
.	INAPPLICABLE	5220
1	REPORTED	52
2	NOT REPORTED	329

Total **5601**

Universe : Applicable if R reported seeking any medical help to become pregnant (HA-1 HLPPRG = 1)

INVITRO(4867-4867)

Variable Type : recode

Description : Infertility services: In vitro fertilization or other assisted reproduction (RECODE)

value	label	Total
.	INAPPLICABLE	5220
1	REPORTED	28
2	NOT REPORTED	353
Total		5601

Universe : Applicable if R reported seeking any medical help to become pregnant (HA-1 HLPPRG = 1)

ENDOMET(4868-4868)

Variable Type : recode

Description : Infertility services: Surgery or drug treatment for endometriosis (RECODE)

value	label	Total
.	INAPPLICABLE	5220
1	REPORTED	15
2	NOT REPORTED	366
Total		5601

Universe : Applicable if R reported seeking any medical help to become pregnant (HA-1 HLPPRG = 1)

FIBROIDS(4869-4869)

Variable Type : recode

Description : Infertility services: Surgery for uterine fibroids (RECODE)

value	label	Total
.	INAPPLICABLE	5220
1	REPORTED	12
2	NOT REPORTED	369
Total		5601

Universe : Applicable if R reported seeking any medical help to become pregnant (HA-1 HLPPRG = 1)

PIDTREAT(4870-4870)

Variable Type : recode

Description : Ever been treated for PID (RECODE)

value	label	Total
1	YES	236
2	NO	5365
Total		5601

Universe : Applicable for all respondents

EVHIVTST(4871-4871)

Variable Type : recode

Description : Ever had an HIV test

value	label	Total
0	NO HIV TEST REPORTED	1421
1	YES, ONLY AS PART OF BLOOD DONATION	616
2	YES, ONLY OUTSIDE OF BLOOD DONATION	2280
3	YES, IN BOTH CONTEXTS	1284
	Total	5601

Universe : Applicable for all respondents

FPTITHIV(4872-4873)

Variable Type : recode

Description : Source of service in the last 12 mos: HIV test (RECODE)

value	label	Total
.	INAPPLICABLE	4282
1	Clinic: Title X=yes; health department=yes	111
2	Clinic: Title X=yes; health department=no	118
3	Clinic: Title X=no; health department=yes	10
4	Clinic: Title X=no; health department=no	171
6	Clinic: Title X=no; agency unknown	1
7	Employer or company clinic/worksites	19
8	Private Doctor's office or HMO	680
9	Hospital emergency room/regular room/urgent care	116
10	Home	13
11	Military site	21
12	Lab or blood bank	35
13	Some other place	24
	Total	5601

Universe : Applicable if R received an HIV test (outside of blood donation) in the last 12 months (HE-2 HIVTEST = 1 and cmhivtst GT CMLSTYR)

ANYPRGHP_I(4874-4874)

Variable Type : imputation flag

Description : ANYPRGHP Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5599
1	MULTIPLE REGRESSION IMPUTATION	2
	Total	5601

Universe : Applicable for all respondents

ANYMSCHP_I(4875-4875)

Variable Type : imputation flag

Description : ANYMSCHP Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5597
1	MULTIPLE REGRESSION IMPUTATION	4
	Total	5601

Universe : Applicable for all respondents

INFEVER_I(4876-4876)

Variable Type : imputation flag

Description : INFEVER Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5597
1	MULTIPLE REGRESSION IMPUTATION	4
Total		5601

Universe : Applicable for all respondents

OVULATE_I(4877-4877)

Variable Type : imputation flag

Description : OVULATE Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5599
1	MULTIPLE REGRESSION IMPUTATION	2
Total		5601

Universe : Applicable for all respondents

TUBES_I(4878-4878)

Variable Type : imputation flag

Description : TUBES Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5599
1	MULTIPLE REGRESSION IMPUTATION	2
Total		5601

Universe : Applicable for all respondents

INFERTR_I(4879-4879)

Variable Type : imputation flag

Description : INFERTR Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5599
1	MULTIPLE REGRESSION IMPUTATION	2
Total		5601

Universe : Applicable for all respondents

INFERTH_I(4880-4880)

Variable Type : imputation flag

Description : INFERTH Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5599
1	MULTIPLE REGRESSION IMPUTATION	2
Total		5601

Universe : Applicable for all respondents

ADVICE_I(4881-4881)

Variable Type : imputation flag

Description : ADVICE Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5599
1	MULTIPLE REGRESSION IMPUTATION	2
Total		5601

Universe : Applicable for all respondents

INSEM_I(4882-4882)

Variable Type : imputation flag

Description : INSEM Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5599
1	MULTIPLE REGRESSION IMPUTATION	2
Total		5601

Universe : Applicable for all respondents

INVITRO_I(4883-4883)

Variable Type : imputation flag

Description : INVITRO Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5599
1	MULTIPLE REGRESSION IMPUTATION	2
Total		5601

Universe : Applicable for all respondents

ENDOMET_I(4884-4884)

Variable Type : imputation flag

Description : ENDOMET Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5599
1	MULTIPLE REGRESSION IMPUTATION	2
Total		5601

Universe : Applicable for all respondents

FIBROIDS_I(4885-4885)

Variable Type : imputation flag

Description : FIBROIDS Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5599
1	MULTIPLE REGRESSION IMPUTATION	2
Total		5601

Universe : Applicable for all respondents

PIDTREAT_I(4886-4886)

Variable Type : imputation flag

Description : PIDTREAT Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5591
1	MULTIPLE REGRESSION IMPUTATION	8
2	LOGICAL IMPUTATION	2
Total		5601

Universe : Applicable for all respondents

EVHIVTST_I(4887-4887)

Variable Type : imputation flag

Description : EVHIVTST Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5558
1	MULTIPLE REGRESSION IMPUTATION	43
Total		5601

Universe : Applicable for all respondents

FPTITHIV_I(4888-4888)

Variable Type : imputation flag

Description : FPTITHIV Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5536
1	MULTIPLE REGRESSION IMPUTATION	9
2	LOGICAL IMPUTATION	56
Total		5601

Universe : Applicable for all respondents

Female Respondent File Codebook :: SECTION R: Recode Variables and Imputation Flags :: Section I Recodes

CURR_INS(4889-4889)

Variable Type : recode

Description : Current health insurance status

value	label	Total
1	Currently covered by private health insurance or Medi-Gap	2716
2	Currently covered by Medicaid, CHIP, or a state-sponsored health plan	1323
3	Currently covered by Medicare, military health care, or other government health care	341
4	Currently covered only by a single-service plan, only by the Indian Health Service, or currently not covered by health insurance	1221
Total		5601

Universe : Applicable for all respondents

METRO(4890-4890)

Variable Type : recode

Description : Place of residence (metropolitan-non-metropolitan) (RECODE)

value	label	Total
1	Principal city of MSA	2299

2	Other MSA	2521
3	Not MSA	781
	Total	5601

Universe : Applicable for all respondents

RELIGION(4891-4891)

Variable Type : recode

Description : Current religious affiliation (RECODE)

value	label	Total
1	NO RELIGION	1109
2	CATHOLIC	1285
3	PROTESTANT	2771
4	OTHER RELIGIONS	436
	Total	5601

Universe : Applicable for all respondents

LABORFOR(4892-4892)

Variable Type : recode

Description : Labor force status (RECODE)

value	label	Total
1	Working full-time	2080
2	Working part-time	1090
3	Working, but on vacation, strike, or had temporary illness	186
4	Working - maternity or family leave	35
5	Not working but looking for work	379
6	In school	680
7	Keeping house	888
8	Caring for family	85
9	Other	178
	Total	5601

Universe : Applicable for all respondents. (This variable was recoded for public use.)

CURR_INS_I(4893-4893)

Variable Type : imputation flag

Description : CURR_INS Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5561
1	MULTIPLE REGRESSION IMPUTATION	40
	Total	5601

Universe : Applicable for all respondents

METRO_I(4894-4894)

Variable Type : imputation flag

Description : METRO Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5601
	Total	5601

Universe : Applicable for all respondents

RELIGION_I(4895-4895)

Variable Type : imputation flag

Description : RELIGION Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5585
1	MULTIPLE REGRESSION IMPUTATION	16
Total		5601

Universe : Applicable for all respondents

LABORFOR_I(4896-4896)

Variable Type : imputation flag

Description : LABORFOR Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5599
1	MULTIPLE REGRESSION IMPUTATION	2
Total		5601

Universe : Applicable for all respondents

Female Respondent File Codebook :: SECTION R: Recode Variables and Imputation Flags :: Section J Recodes

POVERTY(4897-4899)

Variable Type : recode

Description : Poverty level income (RECODE)

value	label	Total
0-99	0-99 percent of poverty level	1953
100-199	100-199 percent of poverty level	1289
200-299	200-299 percent of poverty level	842
300-399	300-399 percent of poverty level	600
400-499	400-499 percent of poverty level	307
500-HIGH	500 percent of poverty level or greater	610
Total		5601

Universe : Applicable for all respondents. (This variable was recoded for public use.)

TOTINCR(4900-4901)

Variable Type : recode

Description : Total income of R's family (RECODE)

value	label	Total
1	Under \$5000	351
2	\$5000-\$7499	250
3	\$7500-\$9999	234
4	\$10,000-\$12,499	332
5	\$12,500-\$14,999	314
6	\$15,000-\$19,999	382
7	\$20,000-\$24,999	425
8	\$25,000-\$29,999	390
9	\$30,000-\$34,999	329
10	\$35,000-\$39,999	340

11	\$40,000-\$49,999	410
12	\$50,000-\$59,999	446
13	\$60,000-\$74,999	430
14	\$75,000-\$99,999	369
15	\$100,000 or more	599
Total		5601

Universe : Applicable for all respondents

PUBASSIS(4902-4902)

Variable Type : recode

Description : Whether R or any members of her family received public assistance in the calendar year before the interview (RECODE)

value	label	Total
1	Yes (received public assistance in [INTERVIEW YEAR-1])	2503
2	No (did not receive public assistance in [INTERVIEW YEAR-1])	3098
Total		5601

Universe : Applicable for all respondents

POVERTY_I(4903-4903)

Variable Type : imputation flag

Description : POVERTY Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5036
1	MULTIPLE REGRESSION IMPUTATION	565
Total		5601

Universe : Applicable for all respondents

TOTINCR_I(4904-4904)

Variable Type : imputation flag

Description : TOTINCR Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5036
1	MULTIPLE REGRESSION IMPUTATION	565
Total		5601

Universe : Applicable for all respondents

PUBASSIS_I(4905-4905)

Variable Type : imputation flag

Description : PUBASSIS Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5427
1	MULTIPLE REGRESSION IMPUTATION	174
Total		5601

Universe : Applicable for all respondents