

Female Respondent File Codebook :: SECTION R: Recode Variables and Imputation Flags :: Section A Recodes

AGER(3227-3228)

Variable Type : recode

Description : R's age at interview (RECODE)

value	label	Total
15	15 YEARS	166
16	16 YEARS	196
17	17 YEARS	178
18	18 YEARS	210
19	19 YEARS	174
20	20 YEARS	101
21	21 YEARS	136
22	22 YEARS	157
23	23 YEARS	177
24	24 YEARS	173
25	25 YEARS	192
26	26 YEARS	186
27	27 YEARS	170
28	28 YEARS	198
29	29 YEARS	188
30	30 YEARS	186
31	31 YEARS	173
32	32 YEARS	181
33	33 YEARS	165
34	34 YEARS	174
35	35 YEARS	159
36	36 YEARS	173
37	37 YEARS	143
38	38 YEARS	148
39	39 YEARS	129
40	40 YEARS	131
41	41 YEARS	120
42	42 YEARS	130
43	43 YEARS	129
44	44 YEARS	136
45	45 YEARS	128
46	46 YEARS	134
47	47 YEARS	121
48	48 YEARS	153
49-50	49 YEARS	139
Total		5554

Universe : Applicable for all respondents

Notes : Respondents age 50 were 49 at screener. The century-month variable for respondent's birth has been suppressed for public use, but is accessible by application to the NCHS Research Data Center. See Appendix 7 of the User's Guide for further information.

FMARITAL(3229-3229)

Variable Type : recode

Description : Formal (legal) marital status (RECODE)

value	label	Total
1	MARRIED TO A PERSON OF THE OPPOSITE SEX	1828
2	WIDOWED	44

3	DIVORCED OR ANNULLED	509
4	SEPARATED	201
5	NEVER MARRIED	2972
	Total	5554

Universe : Applicable for all respondents

RMARITAL(3230-3230)

Variable Type : recode

Description : Informal marital status (RECODE)

value	label	Total
1	CURRENTLY MARRIED TO A PERSON OF THE OPPOSITE SEX	1828
2	NOT MARRIED BUT LIVING WITH OPP SEX PARTNER	631
3	WIDOWED	37
4	DIVORCED OR ANNULLED	397
5	SEPARATED FOR REASONS OF MARITAL DISCORD	187
6	NEVER BEEN MARRIED	2474
	Total	5554

Universe : Applicable for all respondents

EDUCAT(3231-3232)

Variable Type : recode

Description : Education (number of years of schooling) (RECODE)

value	label	Total
9	9TH GRADE OR LESS	566
10	10TH GRADE	344
11	11TH GRADE	405
12	12TH GRADE	1256
13	1 YEAR OF COLLEGE/GRAD SCHOOL	573
14	2 YEARS OF COLLEGE/GRAD SCHOOL	608
15	3 YEARS OF COLLEGE/GRAD SCHOOL	283
16	4 YEARS OF COLLEGE/GRAD SCHOOL	744
17	5 YEARS OF COLLEGE/GRAD SCHOOL	218
18	6 YEARS OF COLLEGE/GRAD SCHOOL	276
19	7+ YEARS OF COLLEGE/GRAD SCHOOL	281
	Total	5554

Universe : Applicable for all respondents

Notes : This variable has been modified for public use, and the original variable is accessible by application to the NCHS Research Data Center. See Appendix 7 of the User's Guide for further information.

HIEDUC(3233-3234)

Variable Type : recode

Description : Highest completed year of school or highest degree received (RECODE)

value	label	Total
5	9TH GRADE OR LESS	487
6	10TH GRADE	302
7	11TH GRADE	334
8	12TH GRADE, NO DIPLOMA (NOR GED)	25
9	HIGH SCHOOL GRADUATE (DIPLOMA OR GED)	1419
10	SOME COLLEGE BUT NO DEGREE	1102
11	ASSOCIATE DEGREE IN COLLEGE/UNIVERSITY	432

12	BACHELOR'S DEGREE	943
13	MASTER'S DEGREE	409
14	DOCTORATE DEGREE	52
15	PROFESSIONAL DEGREE	49
	Total	5554

Universe : Applicable for all respondents

Notes : This variable has been modified for public use, and the original variable is accessible by application to the NCHS Research Data Center. See Appendix 7 of the User's Guide for further information.

HISPANIC(3235-3235)

Variable Type : recode

Description : Hispanic origin of respondent (RECODE)

value	label	Total
1	HISPANIC	1218
2	NON-HISPANIC	4336
	Total	5554

Universe : Applicable for all respondents

RACE(3236-3236)

Variable Type : recode

Description : Race of respondent (RECODE)

value	label	Total
1	BLACK	1414
2	WHITE	3671
3	OTHER	469
	Total	5554

Universe : Applicable for all respondents

HISPRACE(3237-3237)

Variable Type : recode

Description : Race & Hispanic origin of respondent - 1977 OMB standards (RECODE)

value	label	Total
1	Hispanic	1218
2	Non-Hispanic White	2670
3	Non-Hispanic Black	1341
4	Non-Hispanic Other	325
	Total	5554

Universe : Applicable for all respondents

HISPRACE2(3238-3238)

Variable Type : recode

Description : Race & Hispanic origin of respondent - 1997 OMB standards (RECODE)

value	label	Total
1	Hispanic	1218
2	Non-Hispanic White, Single Race	2561
3	Non-Hispanic Black, Single Race	1245
4	Non-Hispanic Other or Multiple Race	530

Total**5554**

Universe : Applicable for all respondents

NUMKDHH(3239-3239)

Variable Type : recode

Description : Number of bio/adopt/related/legal children under age 18 in household (RECODE)

value	label	Total
0	NO CHILDREN	2791
1	1 CHILD	1100
2	2 CHILDREN	1045
3	3 CHILDREN	417
4	4 CHILDREN OR MORE	201
	Total	5554

Universe : Applicable for all respondents

Notes : This variable has been modified for public use, and the original variable is accessible by application to the NCHS Research Data Center. See Appendix 7 of the User's Guide for further information.

NUMFMHH(3240-3240)

Variable Type : recode

Description : Number of family members in household (RECODE)

value	label	Total
0	NO FAMILY MEMBERS	694
1	1 FAMILY MEMBER	1291
2	2 FAMILY MEMBERS	1287
3	3 FAMILY MEMBERS	1236
4	4 FAMILY MEMBERS	605
5	5 FAMILY MEMBERS	291
6	6 FAMILY MEMBERS	88
7	7 FAMILY MEMBERS OR MORE	62
	Total	5554

Universe : Applicable for all respondents

Notes : This variable has been modified for public use, and the original variable is accessible by application to the NCHS Research Data Center. See Appendix 7 of the User's Guide for further information.

HHFAMTYP(3241-3241)

Variable Type : recode

Description : Type of household/family structure (RECODE)

value	label	Total
1	No spouse/partner and no child(ren) (of R) 18 or younger	2081
2	Spouse/partner, but no child(ren) (of R) 18 or younger	776
3	Spouse and R's child(ren) 18 or younger	1315
4	Cohabiting partner and R's child(ren) 18 or younger	339
5	No spouse/partner, but child(ren) of R, 18 or younger	1043
	Total	5554

Universe : Applicable for all respondents

HHPARTYP(3242-3242)

Variable Type : recode

Description : Type of parental situation in household (RECODE)

value	label	Total
1	Both biological or both adoptive parents	652
2	Biological and step- or adoptive parent	160
3	Single parent (biological, adoptive, or stepparent)	659
4	Other	4083
	Total	5554

Universe : Applicable for all respondents

NCHILDHH(3243-3243)

Variable Type : recode

Description : Number of R's bio or non-bio children (18 or younger) living in household (RECODE)

value	label	Total
0	No children of respondent age 18 or younger in the household	2857
1	1 of respondent's children 18 or younger in the household	1080
2	2 of respondent's children 18 or younger in the household	1018
3	3 or more of respondent's children 18 or younger in the household	599
	Total	5554

Universe : Applicable for all respondents

HHKIDTYP(3244-3244)

Variable Type : recode

Description : Whether R has children (18 or younger), and whether bio or non-bio, living in the household (RECODE)

value	label	Total
0	No child(ren) 18 or younger in HH or only older child(ren)	2857
1	At least one biological child (of R's) under 18 in HH, no nonbiological child(ren)	2562
2	Any non-biological child (of R's) 18 or younger in HH	135
	Total	5554

Universe : Applicable for all respondents

CSPBBHH(3245-3245)

Variable Type : recode

Description : Number of R's biological children (18 or younger) with current spouse/cohabiting partner who live in household (RECODE)

value	label	Total
.	INAPPLICABLE	3095
0	No joint biological children	1012
1	1 joint biological child	604
2	2 joint biological children	543
3	3 or more joint biological children	300
	Total	5554

Universe : Applicable if R is currently married or cohabiting with a male partner (AD-7b MARSTAT = 1 or 2)

Notes : This variable has been modified for public use, and the original variable is accessible by application to the NCHS Research Data Center. See Appendix 7 of the User's Guide for further information.

CSPBSSH(3246-3246)

Variable Type : recode

Description : Number of R's biological children (18 or younger) in household who are the not the biological children of her current husband/cohabiting partner (RECODE)

value	label	Total
.	INAPPLICABLE	3095
0	No such child	2208
1	1 or more such children	251
Total		5554

Universe : Applicable if R is currently married or cohabiting with a male partner (AD-7b MARSTAT = 1 or 2)

Notes : This variable has been modified for public use, and the original variable is accessible by application to the NCHS Research Data Center. See Appendix 7 of the User's Guide for further information.

CSPOKDHH(3247-3247)

Variable Type : recode

Description : Number of all other children (18 or younger) living in household with R and current spouse/cohabiting partner (RECODE)

value	label	Total
.	INAPPLICABLE	3095
0	No such child	2258
1	1 or more such children	201
Total		5554

Universe : Applicable if R is currently married or cohabiting with a male partner (AD-7b MARSTAT = 1 or 2)

Notes : This variable has been modified for public use, and the original variable is accessible by application to the NCHS Research Data Center. See Appendix 7 of the User's Guide for further information.

INTCTFAM(3248-3248)

Variable Type : recode

Description : Intact status of childhood family (RECODE)

value	label	Total
1	TWO BIOLOGICAL OR ADOPTIVE PARENTS FROM BIRTH	2989
2	ANYTHING OTHER THAN 2 BIOLOGICAL OR ADOPTIVE PARENTS FROM BIRTH	2565
Total		5554

Universe : Applicable for all respondents

PARAGE14(3249-3249)

Variable Type : recode

Description : Parental living situation at age 14 (RECODE)

value	label	Total
1	R LIVED WITH BOTH BIOLOGICAL OR BOTH ADOPTIVE PARENTS AT AGE 14	3372
2	R LIVED WITH BIOLOGICAL MOTHER AND STEPFATHER AT AGE 14	579
3	R LIVED IN ANY OTHER PARENTAL SITUATION OR A NONPARENTAL SITUATION AT AGE 14	1603
Total		5554

Universe : Applicable for all respondents

Notes : This variable has been modified for public use, and the original variable is accessible by application to the NCHS Research Data Center. See Appendix 7 of the User's Guide for further information.

EDUCMOM(3250-3251)

Variable Type : recode

Description : Mother's (or mother-figure's) education (RECODE)

value	label	Total
1	Less than high school	1287
2	High school graduate or GED	1642
3	Some college, including 2-year degrees	1323
4	Bachelor's degree or higher	1242
95	No mother-figure identified	60
Total		5554

Universe : Applicable for all respondents

Notes : This variable has been modified for public use, and the original variable is accessible by application to the NCHS Research Data Center. See Appendix 7 of the User's Guide for further information.

AGEMOMB1(3252-3253)

Variable Type : recode

Description : Age of mother (or mother-figure) at first birth (RECODE)

value	label	Total
1	LESS THAN 18 YEARS	977
2	18-19 YEARS	928
3	20-24 YEARS	2005
4	25-29 YEARS	1050
5	30 OR OLDER	473
95	NO MOTHER OR MOTHER-FIGURE	60
96	MOTHER-FIGURE HAD NO CHILDREN	61
Total		5554

Universe : Applicable for all respondents

Notes : This variable has been modified for public use, and the original variable is accessible by application to the NCHS Research Data Center. See Appendix 7 of the User's Guide for further information.

AGER_I(3254-3254)

Variable Type : imputation flag

Description : AGER Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5554
Total		5554

Universe : Applicable for all respondents

FMARITAL_I(3255-3255)

Variable Type : imputation flag

Description : FMARITAL Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5550
2	LOGICAL IMPUTATION	4
Total		5554

Universe : Applicable for all respondents

RMARITAL_I(3256-3256)

Variable Type : imputation flag

Description : RMARITAL Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5550
2	LOGICAL IMPUTATION	4
Total		5554

Universe : Applicable for all respondents

EDUCAT_I(3257-3257)

Variable Type : imputation flag

Description : EDUCAT Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5552
1	MULTIPLE REGRESSION IMPUTATION	2
Total		5554

Universe : Applicable for all respondents

HIEDUC_I(3258-3258)

Variable Type : imputation flag

Description : HIEDUC Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5551
1	MULTIPLE REGRESSION IMPUTATION	3
Total		5554

Universe : Applicable for all respondents

HISPANIC_I(3259-3259)

Variable Type : imputation flag

Description : HISPANIC Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5552
2	LOGICAL IMPUTATION	2
Total		5554

Universe : Applicable for all respondents

RACE_I(3260-3260)

Variable Type : imputation flag

Description : RACE Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5554
Total		5554

Universe : Applicable for all respondents

HISPRACE_I(3261-3261)

Variable Type : imputation flag

Description : HISPRACE Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5552
2	LOGICAL IMPUTATION	2
Total		5554

Universe : Applicable for all respondents

HISPRACE2_I(3262-3262)

Variable Type : imputation flag

Description : HISPRACE2 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5552
2	LOGICAL IMPUTATION	2
Total		5554

Universe : Applicable for all respondents

NUMKDHH_I(3263-3263)

Variable Type : imputation flag

Description : NUMKDHH Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5554
Total		5554

Universe : Applicable for all respondents

NUMFMHH_I(3264-3264)

Variable Type : imputation flag

Description : NUMFMHH Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5554
Total		5554

Universe : Applicable for all respondents

HHFAMTYP_I(3265-3265)

Variable Type : imputation flag

Description : HHFAMTYP Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5554
Total		5554

Universe : Applicable for all respondents

HHPARTYP_I(3266-3266)

Variable Type : imputation flag

Description : HHPARTYP Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5554
	Total	5554

Universe : Applicable for all respondents

NCHILDHH_I(3267-3267)

Variable Type : imputation flag

Description : NCHILDHH Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5554
	Total	5554

Universe : Applicable for all respondents

HHKIDTYP_I(3268-3268)

Variable Type : imputation flag

Description : HHKIDTYP Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5554
	Total	5554

Universe : Applicable for all respondents

CSPBBHH_I(3269-3269)

Variable Type : imputation flag

Description : CSPBBHH Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5554
	Total	5554

Universe : Applicable for all respondents

CSPBSHH_I(3270-3270)

Variable Type : imputation flag

Description : CSPBSHH Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5554
	Total	5554

Universe : Applicable for all respondents

CSPOKDHH_I(3271-3271)

Variable Type : imputation flag

Description : CSPOKHH Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5554
	Total	5554

Universe : Applicable for all respondents

INTCTFAM_I(3272-3272)

Variable Type : imputation flag

Description : INTCTFAM Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5554
Total		5554

Universe : Applicable for all respondents

PARAGE14_I(3273-3273)

Variable Type : imputation flag

Description : PARAGE14 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5550
2	LOGICAL IMPUTATION	4
Total		5554

Universe : Applicable for all respondents

EDUCMOM_I(3274-3274)

Variable Type : imputation flag

Description : EDUCMOM Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5488
1	MULTIPLE REGRESSION IMPUTATION	66
Total		5554

Universe : Applicable for all respondents

AGEMOMB1_I(3275-3275)

Variable Type : imputation flag

Description : AGEMOMB1 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5529
1	MULTIPLE REGRESSION IMPUTATION	25
Total		5554

Universe : Applicable for all respondents

Female Respondent File Codebook :: SECTION R: Recode Variables and Imputation Flags :: Section B Recodes

RCURPREG(3276-3276)

Variable Type : recode

Description : Whether R is currently pregnant (RECODE)

value	label	Total
1	YES (CURRENTLY PREGNANT)	201
2	NO (NOT CURRENTLY PREGNANT)	5353

Total **5554**

Universe : Applicable for all respondents

PREGNUM(3277-3278)

Variable Type : recode

Description : CAPI-based total number of pregnancies (RECODE)

value	label	Total
0	NONE	2043
1	1 PREGNANCY	822
2	2 PREGNANCIES	1016
3	3 PREGNANCIES	798
4	4 PREGNANCIES	465
5	5 PREGNANCIES	218
6	6 PREGNANCIES	95
7-95	7 OR MORE PREGNANCIES	97
Total		5554

Universe : Applicable for all respondents

COMPREG(3279-3280)

Variable Type : recode

Description : CAPI-based total number of completed pregnancies (RECODE)

value	label	Total
0	NONE	2102
1	1 PREGNANCY	816
2	2 PREGNANCIES	1001
3	3 PREGNANCIES	789
4	4 PREGNANCIES	450
5	5 PREGNANCIES	209
6	6 PREGNANCIES	92
7-95	7 OR MORE PREGNANCIES	95
Total		5554

Universe : Applicable for all respondents

LOSSNUM(3281-3282)

Variable Type : recode

Description : CAPI-based total number of spontaneous pregnancy losses (RECODE)

value	label	Total
.	INAPPLICABLE	2102
0	NONE	2218
1	1 PREGNANCY	888
2	2 PREGNANCIES	242
3-95	3 OR MORE PREGNANCIES	104
Total		5554

Universe : Applicable if R has ever had a completed pregnancy (COMPREG > 0)

ABORTION(3283-3283)

Variable Type : recode

Description : CAPI-based total number of induced abortions (RECODE)

value	label	Total
.	INAPPLICABLE	2102
0	NONE	2793
1	1 PREGNANCY	482
2	2 PREGNANCIES	130
3-95	3 OR MORE PREGNANCIES	47
	Total	5554

Universe : Applicable if R has ever had a completed pregnancy (COMPREG > 0)

LBPREGS(3284-3285)

Variable Type : recode

Description : CAPI-based total number of pregs ending in live birth (RECODE)

value	label	Total
.	INAPPLICABLE	2102
0	NONE	302
1	1 PREGNANCY	1041
2	2 PREGNANCIES	1169
3	3 PREGNANCIES	615
4-95	4 OR MORE PREGNANCIES	325
	Total	5554

Universe : Applicable if R has ever had a completed pregnancy (COMPREG > 0)

PARITY(3286-3287)

Variable Type : recode

Description : CAPI-based total number of live births (accounting for mult birth) (RECODE)

value	label	Total
0	0 BABIES	2404
1	1 BABY	1011
2	2 BABIES	1159
3	3 BABIES	626
4	4 BABIES	243
5-95	5 OR MORE BABIES	111
	Total	5554

Universe : Applicable for all respondents

BIRTHS5(3288-3288)

Variable Type : recode

Description : Number of live births in last 5 years (RECODE)

value	label	Total
.	INAPPLICABLE	2102
0	0 BIRTHS	2085
1	1 BIRTH	1001
2	2 BIRTHS	327
3-6	3 OR MORE BIRTHS	39
	Total	5554

Universe : Applicable if R has ever had a completed pregnancy (COMPREG > 0)

birth1(3289-3289)

Variable Type : computed

Description : Whether R had a live birth in the last 12 months (computed in post-processing)

value	label	Total
.	INAPPLICABLE	2102
1	YES	385
2	NO	3067
Total		5554

Universe : Applicable if R has ever had a live birth (PARITY > 0)

Notes : This variable has been created for public use, with specifications provided in Part 2 of the User's Guide. The source century-month variables on which this variable is based are accessible by application to the NCHS Research Data Center. See Appendix 7 of the User's Guide for further information.

OUTCOM01(3290-3290)

Variable Type : recode

Description : Outcome of pregnancy - 1st (RECODE)

value	label	Total
.	INAPPLICABLE	2043
1	LIVE BIRTH	2438
2	INDUCED ABORTION	401
3	STILLBIRTH	39
4	MISCARRIAGE	539
5	ECTOPIC PREGNANCY	35
6	CURRENT PREGNANCY	59
Total		5554

Universe : Applicable if R has ever been pregnant (PREGNUM > 0)

OUTCOM02(3291-3291)

Variable Type : recode

Description : Outcome of pregnancy - 2nd (RECODE)

value	label	Total
.	INAPPLICABLE	2865
1	LIVE BIRTH	1967
2	INDUCED ABORTION	221
3	STILLBIRTH	25
4	MISCARRIAGE	397
5	ECTOPIC PREGNANCY	26
6	CURRENT PREGNANCY	53
Total		5554

Universe : Applicable if R has been pregnant at least 2 times (PREGNUM > 1)

OUTCOM03(3292-3292)

Variable Type : recode

Description : Outcome of pregnancy - 3rd (RECODE)

value	label	Total
.	INAPPLICABLE	3881
1	LIVE BIRTH	1210
2	INDUCED ABORTION	132
3	STILLBIRTH	18
4	MISCARRIAGE	244
5	ECTOPIC PREGNANCY	31

6	CURRENT PREGNANCY	38
	Total	5554

Universe : Applicable if R has been pregnant at least 3 times (PREGNUM > 2)

OUTCOM04(3293-3293)

Variable Type : recode

Description : Outcome of pregnancy - 4th (RECODE)

value	label	Total
.	INAPPLICABLE	4679
1	LIVE BIRTH	582
2	INDUCED ABORTION	76
3	STILLBIRTH	18
4	MISCARRIAGE	159
5	ECTOPIC PREGNANCY	11
6	CURRENT PREGNANCY	29
	Total	5554

Universe : Applicable if R has been pregnant at least 4 times (PREGNUM > 3)

OUTCOM05(3294-3294)

Variable Type : recode

Description : Outcome of pregnancy - 5th (RECODE)

value	label	Total
.	INAPPLICABLE	5144
1	LIVE BIRTH	267
2	INDUCED ABORTION	41
3	STILLBIRTH	9
4	MISCARRIAGE	70
5	ECTOPIC PREGNANCY	9
6	CURRENT PREGNANCY	14
	Total	5554

Universe : Applicable if R has been pregnant at least 5 times (PREGNUM > 4)

OUTCOM06(3295-3295)

Variable Type : recode

Description : Outcome of pregnancy - 6th (RECODE)

value	label	Total
.	INAPPLICABLE	5362
1	LIVE BIRTH	117
2	INDUCED ABORTION	16
3	STILLBIRTH	2
4	MISCARRIAGE	45
5	ECTOPIC PREGNANCY	7
6	CURRENT PREGNANCY	5
	Total	5554

Universe : Applicable if R has been pregnant at least 6 times (PREGNUM > 5)

OUTCOM07(3296-3296)

Variable Type : recode

Description : Outcome of pregnancy - 7th (RECODE)

value	label	Total
.	INAPPLICABLE	5457
1	LIVE BIRTH	62
2	INDUCED ABORTION	8
3	STILLBIRTH	3
4	MISCARRIAGE	21
5	ECTOPIC PREGNANCY	2
6	CURRENT PREGNANCY	1
Total		5554

Universe : Applicable if R has been pregnant at least 7 times (PREGNUM > 6)

OUTCOM08(3297-3297)

Variable Type : recode

Description : Outcome of pregnancy - 8th (RECODE)

value	label	Total
.	INAPPLICABLE	5506
1	LIVE BIRTH	27
2	INDUCED ABORTION	3
3	STILLBIRTH	5
4	MISCARRIAGE	11
5	ECTOPIC PREGNANCY	2
Total		5554

Universe : Applicable if R has been pregnant at least 8 times (PREGNUM > 7)

OUTCOM09(3298-3298)

Variable Type : recode

Description : Outcome of pregnancy - 9th (RECODE)

value	label	Total
.	INAPPLICABLE	5536
1	LIVE BIRTH	7
2	INDUCED ABORTION	3
4	MISCARRIAGE	7
6	CURRENT PREGNANCY	1
Total		5554

Universe : Applicable if R has been pregnant at least 9 times (PREGNUM > 8)

OUTCOM10(3299-3299)

Variable Type : recode

Description : Outcome of pregnancy - 10th (RECODE)

value	label	Total
.	INAPPLICABLE	5541
1	LIVE BIRTH	7
3	STILLBIRTH	1
4	MISCARRIAGE	5
Total		5554

Universe : Applicable if R has been pregnant at least 10 times (PREGNUM > 9)

OUTCOM11(3300-3300)

Variable Type : recode

Description : Outcome of pregnancy - 11th (RECODE)

value	label	Total
.	INAPPLICABLE	5546
1	LIVE BIRTH	3
4	MISCARRIAGE	4
6	CURRENT PREGNANCY	1
Total		5554

Universe : Applicable if R has been pregnant at least 11 times (PREGNUM > 10)

OUTCOM12(3301-3301)

Variable Type : recode

Description : Outcome of pregnancy - 12th (RECODE)

value	label	Total
.	INAPPLICABLE	5549
1	LIVE BIRTH	2
4	MISCARRIAGE	3
Total		5554

Universe : Applicable if R has been pregnant at least 12 times (PREGNUM > 11)

OUTCOM13(3302-3302)

Variable Type : recode

Description : Outcome of pregnancy - 13th (RECODE)

value	label	Total
.	INAPPLICABLE	5549
1	LIVE BIRTH	2
4	MISCARRIAGE	3
Total		5554

Universe : Applicable if R has been pregnant at least 13 times (PREGNUM > 12)

OUTCOM14(3303-3303)

Variable Type : recode

Description : Outcome of pregnancy - 14th (RECODE)

value	label	Total
.	INAPPLICABLE	5550
1	LIVE BIRTH	2
4	MISCARRIAGE	2
Total		5554

Universe : Applicable if R has been pregnant at least 14 times (PREGNUM > 13)

OUTCOM15(3304-3304)

Variable Type : recode

Description : Outcome of pregnancy - 15th (RECODE)

value	label	Total
.	INAPPLICABLE	5553
4	MISCARRIAGE	1

Total **5554**

Universe : Applicable if R has been pregnant at least 15 times (PREGNUM > 14)

OUTCOM16(3305-3305)

Variable Type : recode

Description : Outcome of pregnancy - 16th (RECODE)

value	label	Total
.	INAPPLICABLE	5553
4	MISCARRIAGE	1
Total		5554

Universe : Applicable if R has been pregnant at least 16 times (PREGNUM > 15)

OUTCOM17(3306-3306)

Variable Type : recode

Description : Outcome of pregnancy - 17th (RECODE)

value	label	Total
.	INAPPLICABLE	5553
4	MISCARRIAGE	1
Total		5554

Universe : Applicable if R has been pregnant at least 17 times (PREGNUM > 16)

OUTCOM18(3307-3307)

Variable Type : recode

Description : Outcome of pregnancy - 18th (RECODE)

value	label	Total
.	INAPPLICABLE	5553
4	MISCARRIAGE	1
Total		5554

Universe : Applicable if R has been pregnant at least 18 times (PREGNUM > 17)

OUTCOM19(3308-3308)

Variable Type : recode

Description : Outcome of pregnancy - 19th (RECODE)

value	label	Total
.	INAPPLICABLE	5553
4	MISCARRIAGE	1
Total		5554

Universe : Applicable if R has been pregnant at least 19 times (PREGNUM > 18)

OUTCOM20(3309-3309)

Variable Type : recode

Description : Outcome of pregnancy - 20th (RECODE)

value	label	Total
.	INAPPLICABLE	5553
4	MISCARRIAGE	1

Total **5554**

Universe : Applicable if R has been pregnant at least 20 times (PREGNUM > 19)

DATEND01(3310-3313)

Variable Type : recode

Description : Year when pregnancy ended - 1st (RECODE)

value	label	Total
.	INAPPLICABLE	2102
1931-2017	1931-2017	3452
Total		5554

Universe : Applicable if R has had at least 1 completed pregnancy (COMPREG > 0)

Notes : The year of this event is available for public use, and the original century-month variable is accessible by application to the NCHS Research Data Center. See Appendix 7 of the User's Guide for further information.

DATEND02(3314-3317)

Variable Type : recode

Description : Year when pregnancy ended - 2nd (RECODE)

value	label	Total
.	INAPPLICABLE	2918
1931-2017	1931-2017	2636
Total		5554

Universe : Applicable if R has had at least 2 completed pregnancies (COMPREG > 1)

Notes : The year of this event is available for public use, and the original century-month variable is accessible by application to the NCHS Research Data Center. See Appendix 7 of the User's Guide for further information.

DATEND03(3318-3321)

Variable Type : recode

Description : Year when pregnancy ended - 3rd (RECODE)

value	label	Total
.	INAPPLICABLE	3919
1931-2017	1931-2017	1635
Total		5554

Universe : Applicable if R has had at least 3 completed pregnancies (COMPREG > 2)

Notes : The year of this event is available for public use, and the original century-month variable is accessible by application to the NCHS Research Data Center. See Appendix 7 of the User's Guide for further information.

DATEND04(3322-3325)

Variable Type : recode

Description : Year when pregnancy ended - 4th (RECODE)

value	label	Total
.	INAPPLICABLE	4708
1931-2017	1931-2017	846
Total		5554

Universe : Applicable if R has had at least 4 completed pregnancies (COMPREG > 3)

Notes : The year of this event is available for public use, and the original century-month variable is accessible by application to the NCHS Research Data Center. See Appendix 7 of the User's Guide for further information.

DATEND05(3326-3329)

Variable Type : recode

Description : Year when pregnancy ended - 5th (RECODE)

value	label	Total
.	INAPPLICABLE	5158
1931-2017	1931-2017	396
Total		5554

Universe : Applicable if R has had at least 5 completed pregnancies (COMPREG > 4)

Notes : The year of this event is available for public use, and the original century-month variable is accessible by application to the NCHS Research Data Center. See Appendix 7 of the User's Guide for further information.

DATEND06(3330-3333)

Variable Type : recode

Description : Year when pregnancy ended - 6th (RECODE)

value	label	Total
.	INAPPLICABLE	5367
1931-2017	1931-2017	187
Total		5554

Universe : Applicable if R has had at least 6 completed pregnancies (COMPREG > 5)

Notes : The year of this event is available for public use, and the original century-month variable is accessible by application to the NCHS Research Data Center. See Appendix 7 of the User's Guide for further information.

DATEND07(3334-3337)

Variable Type : recode

Description : Year when pregnancy ended - 7th (RECODE)

value	label	Total
.	INAPPLICABLE	5458
1931-2017	1931-2017	96
Total		5554

Universe : Applicable if R has had at least 7 completed pregnancies (COMPREG > 6)

Notes : The year of this event is available for public use, and the original century-month variable is accessible by application to the NCHS Research Data Center. See Appendix 7 of the User's Guide for further information.

DATEND08(3338-3341)

Variable Type : recode

Description : Year when pregnancy ended - 8th (RECODE)

value	label	Total
.	INAPPLICABLE	5506
1931-2017	1931-2017	48
Total		5554

Universe : Applicable if R has had at least 8 completed pregnancies (COMPREG > 7)

Notes : The year of this event is available for public use, and the original century-month variable is accessible by application to the NCHS Research Data Center. See Appendix 7 of the User's Guide for further information.

DATEND09(3342-3345)

Variable Type : recode

Description : Year when pregnancy ended - 9th (RECODE)

value	label	Total
.	INAPPLICABLE	5537
1931-2017	1931-2017	17
Total		5554

Universe : Applicable if R has had at least 9 completed pregnancies (COMPREG > 8)

Notes : The year of this event is available for public use, and the original century-month variable is accessible by application to the NCHS Research Data Center. See Appendix 7 of the User's Guide for further information.

DATEND10(3346-3349)

Variable Type : recode

Description : Year when pregnancy ended - 10th (RECODE)

value	label	Total
.	INAPPLICABLE	5542
1931-2017	1931-2017	12
Total		5554

Universe : Applicable if R has had at least 10 completed pregnancies (COMPREG > 9)

Notes : The year of this event is available for public use, and the original century-month variable is accessible by application to the NCHS Research Data Center. See Appendix 7 of the User's Guide for further information.

DATEND11(3350-3353)

Variable Type : recode

Description : Year when pregnancy ended - 11th (RECODE)

value	label	Total
.	INAPPLICABLE	5547
1931-2017	1931-2017	7
Total		5554

Universe : Applicable if R has had at least 11 completed pregnancies (COMPREG > 10)

Notes : The year of this event is available for public use, and the original century-month variable is accessible by application to the NCHS Research Data Center. See Appendix 7 of the User's Guide for further information.

DATEND12(3354-3357)

Variable Type : recode

Description : Year when pregnancy ended - 12th (RECODE)

value	label	Total
.	INAPPLICABLE	5549
1931-2017	1931-2017	5
Total		5554

Universe : Applicable if R has had at least 12 completed pregnancies (COMPREG > 11)

Notes : The year of this event is available for public use, and the original century-month variable is accessible by application to the NCHS Research Data Center. See Appendix 7 of the User's Guide for further information.

DATEND13(3358-3361)

Variable Type : recode

Description : Year when pregnancy ended - 13th (RECODE)

value	label	Total
.	INAPPLICABLE	5549
1931-2017	1931-2017	5
Total		5554

Universe : Applicable if R has had at least 13 completed pregnancies (COMPREG > 12)

Notes : The year of this event is available for public use, and the original century-month variable is accessible by application to the NCHS Research Data Center. See Appendix 7 of the User's Guide for further information.

DATEND14(3362-3365)

Variable Type : recode

Description : Year when pregnancy ended - 14th (RECODE)

value	label	Total
.	INAPPLICABLE	5550
1931-2017	1931-2017	4
Total		5554

Universe : Applicable if R has had at least 14 completed pregnancies (COMPREG > 13)

Notes : The year of this event is available for public use, and the original century-month variable is accessible by application to the NCHS Research Data Center. See Appendix 7 of the User's Guide for further information.

DATEND15(3366-3369)

Variable Type : recode

Description : Year when pregnancy ended - 15th (RECODE)

value	label	Total
.	INAPPLICABLE	5553
1931-2017	1931-2017	1
Total		5554

Universe : Applicable if R has had at least 15 completed pregnancies (COMPREG > 14)

Notes : The year of this event is available for public use, and the original century-month variable is accessible by application to the NCHS Research Data Center. See Appendix 7 of the User's Guide for further information.

DATEND16(3370-3373)

Variable Type : recode

Description : Year when pregnancy ended - 16th (RECODE)

value	label	Total
.	INAPPLICABLE	5553
1931-2017	1931-2017	1
Total		5554

Universe : Applicable if R has had at least 16 completed pregnancies (COMPREG > 15)

Notes : The year of this event is available for public use, and the original century-month variable is accessible by application to the NCHS Research Data Center. See Appendix 7 of the User's Guide for further information.

DATEND17(3374-3377)

Variable Type : recode

Description : Year when pregnancy ended - 17th (RECODE)

value	label	Total
.	INAPPLICABLE	5553
1931-2017	1931-2017	1
Total		5554

Universe : Applicable if R has had at least 17 completed pregnancies (COMPREG > 16)

Notes : The year of this event is available for public use, and the original century-month variable is accessible by application to the NCHS Research Data Center. See Appendix 7 of the User's Guide for further information.

DATEND18(3378-3381)

Variable Type : recode

Description : Year when pregnancy ended - 18th (RECODE)

value	label	Total
.	INAPPLICABLE	5553
1931-2017	1931-2017	1
Total		5554

Universe : Applicable if R has had at least 18 completed pregnancies (COMPREG > 17)

Notes : The year of this event is available for public use, and the original century-month variable is accessible by application to the NCHS Research Data Center. See Appendix 7 of the User's Guide for further information.

DATEND19(3382-3385)

Variable Type : recode

Description : Year when pregnancy ended - 19th (RECODE)

value	label	Total
.	INAPPLICABLE	5553
1931-2017	1931-2017	1
Total		5554

Universe : Applicable if R has had at least 19 completed pregnancies (COMPREG > 18)

Notes : The year of this event is available for public use, and the original century-month variable is accessible by application to the NCHS Research Data Center. See Appendix 7 of the User's Guide for further information.

DATEND20(3386-3389)

Variable Type : recode

Description : Year when pregnancy ended - 20th (RECODE)

value	label	Total
.	INAPPLICABLE	5553
1931-2017	1931-2017	1
Total		5554

Universe : Applicable if R has had at least 20 completed pregnancies (COMPREG > 19)

Notes : The year of this event is available for public use, and the original century-month variable is accessible by application to the NCHS Research Data Center. See Appendix 7 of the User's Guide for further information.

AGEPRG01(3390-3391)

Variable Type : recode

Description : Age when pregnancy ended - 1st (RECODE)

value	label	Total
.	INAPPLICABLE	2102
0-19	Under 20 years	1363
20-24	20-24 years	1067
25-29	25-29 years	611
30-34	30-34 years	305
35-39	35-39 years	93
40-49	40-49 years	13
	Total	5554

Universe : Applicable if R has had at least 1 completed pregnancy (COMPREG > 0)

AGEPRG02(3392-3393)

Variable Type : recode

Description : Age when pregnancy ended - 2nd (RECODE)

value	label	Total
.	INAPPLICABLE	2918
0-19	Under 20 years	403
20-24	20-24 years	985
25-29	25-29 years	667
30-34	30-34 years	404
35-39	35-39 years	153
40-49	40-49 years	24
	Total	5554

Universe : Applicable if R has had at least 2 completed pregnancies (COMPREG > 1)

AGEPRG03(3394-3395)

Variable Type : recode

Description : Age when pregnancy ended - 3rd (RECODE)

value	label	Total
.	INAPPLICABLE	3919
0-19	Under 20 years	106
20-24	20-24 years	552
25-29	25-29 years	473
30-34	30-34 years	326
35-39	35-39 years	152
40-49	40-49 years	26
	Total	5554

Universe : Applicable if R has had at least 3 completed pregnancies (COMPREG > 2)

AGEPRG04(3396-3397)

Variable Type : recode

Description : Age when pregnancy ended - 4th (RECODE)

value	label	Total
--------------	--------------	--------------

.	INAPPLICABLE	4708
0-19	Under 20 years	23
20-24	20-24 years	234
25-29	25-29 years	251
30-34	30-34 years	212
35-39	35-39 years	93
40-49	40-49 years	33
	Total	5554

Universe : Applicable if R has had at least 4 completed pregnancies (COMPREG > 3)

AGEPRG05(3398-3399)

Variable Type : recode

Description : Age when pregnancy ended - 5th (RECODE)

value	label	Total
.	INAPPLICABLE	5158
0-19	Under 20 years	5
20-24	20-24 years	88
25-29	25-29 years	142
30-34	30-34 years	101
35-39	35-39 years	45
40-49	40-49 years	15
	Total	5554

Universe : Applicable if R has had at least 5 completed pregnancies (COMPREG > 4)

AGEPRG06(3400-3401)

Variable Type : recode

Description : Age when pregnancy ended - 6th (RECODE)

value	label	Total
.	INAPPLICABLE	5367
0-19	Under 20 years	1
20-24	20-24 years	31
25-29	25-29 years	61
30-34	30-34 years	60
35-39	35-39 years	25
40-49	40-49 years	9
	Total	5554

Universe : Applicable if R has had at least 6 completed pregnancies (COMPREG > 5)

AGEPRG07(3402-3403)

Variable Type : recode

Description : Age when pregnancy ended - 7th (RECODE)

value	label	Total
.	INAPPLICABLE	5458
20-24	20-24 years	8
25-29	25-29 years	32
30-34	30-34 years	26
35-39	35-39 years	23
40-49	40-49 years	7
	Total	5554

Universe : Applicable if R has had at least 7 completed pregnancies (COMPREG > 6)

AGEPRG08(3404-3405)

Variable Type : recode

Description : Age when pregnancy ended - 8th (RECODE)

value	label	Total
.	INAPPLICABLE	5506
20-24	20-24 years	3
25-29	25-29 years	16
30-34	30-34 years	13
35-39	35-39 years	11
40-49	40-49 years	5
	Total	5554

Universe : Applicable if R has had at least 8 completed pregnancies (COMPREG > 7)

AGEPRG09(3406-3407)

Variable Type : recode

Description : Age when pregnancy ended - 9th (RECODE)

value	label	Total
.	INAPPLICABLE	5537
20-24	20-24 years	1
25-29	25-29 years	5
30-34	30-34 years	4
35-39	35-39 years	2
40-49	40-49 years	5
	Total	5554

Universe : Applicable if R has had at least 9 completed pregnancies (COMPREG > 8)

AGEPRG10(3408-3409)

Variable Type : recode

Description : Age when pregnancy ended - 10th (RECODE)

value	label	Total
.	INAPPLICABLE	5542
20-24	20-24 years	1
25-29	25-29 years	3
30-34	30-34 years	3
35-39	35-39 years	3
40-49	40-49 years	2
	Total	5554

Universe : Applicable if R has had at least 10 completed pregnancies (COMPREG > 9)

AGEPRG11(3410-3411)

Variable Type : recode

Description : Age when pregnancy ended - 11th (RECODE)

value	label	Total
.	INAPPLICABLE	5547
25-29	25-29 years	3
30-34	30-34 years	1
40-49	40-49 years	3

Total **5554**

Universe : Applicable if R has had at least 11 completed pregnancies (COMPREG > 10)

AGEPRG12(3412-3413)

Variable Type : recode

Description : Age when pregnancy ended - 12th (RECODE)

value	label	Total
.	INAPPLICABLE	5549
25-29	25-29 years	3
30-34	30-34 years	1
40-49	40-49 years	1
Total		5554

Universe : Applicable if R has had at least 12 completed pregnancies (COMPREG > 11)

AGEPRG13(3414-3415)

Variable Type : recode

Description : Age when pregnancy ended - 13th (RECODE)

value	label	Total
.	INAPPLICABLE	5549
25-29	25-29 years	3
30-34	30-34 years	1
40-49	40-49 years	1
Total		5554

Universe : Applicable if R has had at least 13 completed pregnancies (COMPREG > 12)

AGEPRG14(3416-3417)

Variable Type : recode

Description : Age when pregnancy ended - 14th (RECODE)

value	label	Total
.	INAPPLICABLE	5550
25-29	25-29 years	2
30-34	30-34 years	1
35-39	35-39 years	1
Total		5554

Universe : Applicable if R has had at least 14 completed pregnancies (COMPREG > 13)

AGEPRG15(3418-3419)

Variable Type : recode

Description : Age when pregnancy ended - 15th (RECODE)

value	label	Total
.	INAPPLICABLE	5553
25-29	25-29 years	1
Total		5554

Universe : Applicable if R has had at least 15 completed pregnancies (COMPREG > 14)

AGEPRG16(3420-3421)

Variable Type : recode

Description : Age when pregnancy ended - 16th (RECODE)

value	label	Total
.	INAPPLICABLE	5553
25-29	25-29 years	1
Total		5554

Universe : Applicable if R has had at least 16 completed pregnancies (COMPREG > 15)

AGEPRG17(3422-3423)

Variable Type : recode

Description : Age when pregnancy ended - 17th (RECODE)

value	label	Total
.	INAPPLICABLE	5553
25-29	25-29 years	1
Total		5554

Universe : Applicable if R has had at least 17 completed pregnancies (COMPREG > 16)

AGEPRG18(3424-3425)

Variable Type : recode

Description : Age when pregnancy ended - 18th (RECODE)

value	label	Total
.	INAPPLICABLE	5553
30-34	30-34 years	1
Total		5554

Universe : Applicable if R has had at least 18 completed pregnancies (COMPREG > 17)

AGEPRG19(3426-3427)

Variable Type : recode

Description : Age when pregnancy ended - 19th (RECODE)

value	label	Total
.	INAPPLICABLE	5553
30-34	30-34 years	1
Total		5554

Universe : Applicable if R has had at least 19 completed pregnancies (COMPREG > 18)

AGEPRG20(3428-3429)

Variable Type : recode

Description : Age when pregnancy ended - 20th (RECODE)

value	label	Total
.	INAPPLICABLE	5553
30-34	30-34 years	1
Total		5554

Universe : Applicable if R has had at least 20 completed pregnancies (COMPREG > 19)

DATCON01(3430-3433)

Variable Type : recode

Description : Year when pregnancy began - 1st (RECODE)

value	label	Total
.	INAPPLICABLE	2043
1931-2017	1931-2017	3511
	Total	5554

Universe : Applicable if R has ever been pregnant (PREGNUM > 0)

Notes : The year of this event is available for public use, and the original century-month variable is accessible by application to the NCHS Research Data Center. See Appendix 7 of the User's Guide for further information.

DATCON02(3434-3437)

Variable Type : recode

Description : Year when pregnancy began - 2nd (RECODE)

value	label	Total
.	INAPPLICABLE	2865
1931-2017	1931-2017	2689
	Total	5554

Universe : Applicable if R has been pregnant at least 2 times (PREGNUM > 1)

Notes : The year of this event is available for public use, and the original century-month variable is accessible by application to the NCHS Research Data Center. See Appendix 7 of the User's Guide for further information.

DATCON03(3438-3441)

Variable Type : recode

Description : Year when pregnancy began - 3rd (RECODE)

value	label	Total
.	INAPPLICABLE	3881
1931-2017	1931-2017	1673
	Total	5554

Universe : Applicable if R has been pregnant at least 3 times (PREGNUM > 2)

Notes : The year of this event is available for public use, and the original century-month variable is accessible by application to the NCHS Research Data Center. See Appendix 7 of the User's Guide for further information.

DATCON04(3442-3445)

Variable Type : recode

Description : Year when pregnancy began - 4th (RECODE)

value	label	Total
.	INAPPLICABLE	4679
1931-2017	1931-2017	875
	Total	5554

Universe : Applicable if R has been pregnant at least 4 times (PREGNUM > 3)

Notes : The year of this event is available for public use, and the original century-month variable is accessible by application to the NCHS Research Data Center. See Appendix 7 of the User's Guide for further information.

DATCON05(3446-3449)

Variable Type : recode

Description : Year when pregnancy began - 5th (RECODE)

value	label	Total
.	INAPPLICABLE	5144
1931-2017	1931-2017	410
Total		5554

Universe : Applicable if R has been pregnant at least 5 times (PREGNUM > 4)

Notes : The year of this event is available for public use, and the original century-month variable is accessible by application to the NCHS Research Data Center. See Appendix 7 of the User's Guide for further information.

DATCON06(3450-3453)

Variable Type : recode

Description : Year when pregnancy began - 6th (RECODE)

value	label	Total
.	INAPPLICABLE	5362
1931-2017	1931-2017	192
Total		5554

Universe : Applicable if R has been pregnant at least 6 times (PREGNUM > 5)

Notes : The year of this event is available for public use, and the original century-month variable is accessible by application to the NCHS Research Data Center. See Appendix 7 of the User's Guide for further information.

DATCON07(3454-3457)

Variable Type : recode

Description : Year when pregnancy began - 7th (RECODE)

value	label	Total
.	INAPPLICABLE	5457
1931-2017	1931-2017	97
Total		5554

Universe : Applicable if R has been pregnant at least 7 times (PREGNUM > 6)

Notes : The year of this event is available for public use, and the original century-month variable is accessible by application to the NCHS Research Data Center. See Appendix 7 of the User's Guide for further information.

DATCON08(3458-3461)

Variable Type : recode

Description : Year when pregnancy began - 8th (RECODE)

value	label	Total
.	INAPPLICABLE	5506
1931-2017	1931-2017	48
Total		5554

Universe : Applicable if R has been pregnant at least 8 times (PREGNUM > 7)

Notes : The year of this event is available for public use, and the original century-month variable is accessible by application to the NCHS Research Data Center. See Appendix 7 of the User's Guide for further information.

DATCON09(3462-3465)

Variable Type : recode

Description : Year when pregnancy began - 9th (RECODE)

value	label	Total
.	INAPPLICABLE	5536
1931-2017	1931-2017	18
	Total	5554

Universe : Applicable if R has been pregnant at least 9 times (PREGNUM > 8)

Notes : The year of this event is available for public use, and the original century-month variable is accessible by application to the NCHS Research Data Center. See Appendix 7 of the User's Guide for further information.

DATCON10(3466-3469)

Variable Type : recode

Description : Year when pregnancy began - 10th (RECODE)

value	label	Total
.	INAPPLICABLE	5542
1931-2017	1931-2017	12
	Total	5554

Universe : Applicable if R has been pregnant at least 10 times (PREGNUM > 9)

Notes : The year of this event is available for public use, and the original century-month variable is accessible by application to the NCHS Research Data Center. See Appendix 7 of the User's Guide for further information.

DATCON11(3470-3473)

Variable Type : recode

Description : Year when pregnancy began - 11th (RECODE)

value	label	Total
.	INAPPLICABLE	5546
1931-2017	1931-2017	8
	Total	5554

Universe : Applicable if R has been pregnant at least 11 times (PREGNUM > 10)

Notes : The year of this event is available for public use, and the original century-month variable is accessible by application to the NCHS Research Data Center. See Appendix 7 of the User's Guide for further information.

DATCON12(3474-3477)

Variable Type : recode

Description : Year when pregnancy began - 12th (RECODE)

value	label	Total
.	INAPPLICABLE	5549
1931-2017	1931-2017	5
	Total	5554

Universe : Applicable if R has been pregnant at least 12 times (PREGNUM > 11)

Notes : The year of this event is available for public use, and the original century-month variable is accessible by application to the NCHS Research Data Center. See Appendix 7 of the User's Guide for further information.

DATCON13(3478-3481)

Variable Type : recode

Description : Year when pregnancy began - 13th (RECODE)

value	label	Total
-------	-------	-------

.	INAPPLICABLE	5549
1931-2017	1931-2017	5
	Total	5554

Universe : Applicable if R has been pregnant at least 13 times (PREGNUM > 12)

Notes : The year of this event is available for public use, and the original century-month variable is accessible by application to the NCHS Research Data Center. See Appendix 7 of the User's Guide for further information.

DATCON14(3482-3485)

Variable Type : recode

Description : Year when pregnancy began - 14th (RECODE)

value	label	Total
.	INAPPLICABLE	5550
1931-2017	1931-2017	4
	Total	5554

Universe : Applicable if R has been pregnant at least 14 times (PREGNUM > 13)

Notes : The year of this event is available for public use, and the original century-month variable is accessible by application to the NCHS Research Data Center. See Appendix 7 of the User's Guide for further information.

DATCON15(3486-3489)

Variable Type : recode

Description : Year when pregnancy began - 15th (RECODE)

value	label	Total
.	INAPPLICABLE	5553
1931-2017	1931-2017	1
	Total	5554

Universe : Applicable if R has been pregnant at least 15 times (PREGNUM > 14)

Notes : The year of this event is available for public use, and the original century-month variable is accessible by application to the NCHS Research Data Center. See Appendix 7 of the User's Guide for further information.

DATCON16(3490-3493)

Variable Type : recode

Description : Year when pregnancy began - 16th (RECODE)

value	label	Total
.	INAPPLICABLE	5553
1931-2017	1931-2017	1
	Total	5554

Universe : Applicable if R has been pregnant at least 16 times (PREGNUM > 15)

Notes : The year of this event is available for public use, and the original century-month variable is accessible by application to the NCHS Research Data Center. See Appendix 7 of the User's Guide for further information.

DATCON17(3494-3497)

Variable Type : recode

Description : Year when pregnancy began - 17th (RECODE)

<u>value</u>	<u>label</u>	<u>Total</u>
--------------	--------------	--------------

.	INAPPLICABLE	5553
1931-2017	1931-2017	1
	Total	5554

Universe : Applicable if R has been pregnant at least 17 times (PREGNUM > 16)

Notes : The year of this event is available for public use, and the original century-month variable is accessible by application to the NCHS Research Data Center. See Appendix 7 of the User's Guide for further information.

DATCON18(3498-3501)

Variable Type : recode

Description : Year when pregnancy began - 18th (RECODE)

value	label	Total
.	INAPPLICABLE	5553
1931-2017	1931-2017	1
	Total	5554

Universe : Applicable if R has been pregnant at least 18 times (PREGNUM > 17)

Notes : The year of this event is available for public use, and the original century-month variable is accessible by application to the NCHS Research Data Center. See Appendix 7 of the User's Guide for further information.

DATCON19(3502-3505)

Variable Type : recode

Description : Year when pregnancy began - 19th (RECODE)

value	label	Total
.	INAPPLICABLE	5553
1931-2017	1931-2017	1
	Total	5554

Universe : Applicable if R has been pregnant at least 19 times (PREGNUM > 18)

Notes : The year of this event is available for public use, and the original century-month variable is accessible by application to the NCHS Research Data Center. See Appendix 7 of the User's Guide for further information.

DATCON20(3506-3509)

Variable Type : recode

Description : Year when pregnancy began - 20th (RECODE)

value	label	Total
.	INAPPLICABLE	5553
1931-2017	1931-2017	1
	Total	5554

Universe : Applicable if R has been pregnant at least 20 times (PREGNUM > 19)

Notes : The year of this event is available for public use, and the original century-month variable is accessible by application to the NCHS Research Data Center. See Appendix 7 of the User's Guide for further information.

AGECON01(3510-3511)

Variable Type : recode

Description : Age when pregnancy began - 1st (RECODE)

<u>value</u>	<u>label</u>	<u>Total</u>
--------------	--------------	--------------

.	INAPPLICABLE	2043
0-19	Under 20 years	1541
20-24	20-24 years	984
25-29	25-29 years	617
30-34	30-34 years	278
35-39	35-39 years	83
40-49	40-49 years	8
	Total	5554

Universe : Applicable if R has ever been pregnant (PREGNUM > 0)

AGECON02(3512-3513)

Variable Type : recode

Description : Age when pregnancy began - 2nd (RECODE)

value	label	Total
.	INAPPLICABLE	2865
0-19	Under 20 years	513
20-24	20-24 years	1005
25-29	25-29 years	636
30-34	30-34 years	391
35-39	35-39 years	124
40-49	40-49 years	20
	Total	5554

Universe : Applicable if R has been pregnant at least 2 times (PREGNUM > 1)

AGECON03(3514-3515)

Variable Type : recode

Description : Age when pregnancy began - 3rd (RECODE)

value	label	Total
.	INAPPLICABLE	3881
0-19	Under 20 years	144
20-24	20-24 years	596
25-29	25-29 years	451
30-34	30-34 years	338
35-39	35-39 years	126
40-49	40-49 years	18
	Total	5554

Universe : Applicable if R has been pregnant at least 3 times (PREGNUM > 2)

AGECON04(3516-3517)

Variable Type : recode

Description : Age when pregnancy began - 4th (RECODE)

value	label	Total
.	INAPPLICABLE	4679
0-19	Under 20 years	31
20-24	20-24 years	265
25-29	25-29 years	258
30-34	30-34 years	206
35-39	35-39 years	90
40-49	40-49 years	25
	Total	5554

Universe : Applicable if R has been pregnant at least 4 times (PREGNUM > 3)

AGECON05(3518-3519)

Variable Type : recode

Description : Age when pregnancy began - 5th (RECODE)

value	label	Total
.	INAPPLICABLE	5144
0-19	Under 20 years	7
20-24	20-24 years	98
25-29	25-29 years	147
30-34	30-34 years	106
35-39	35-39 years	37
40-49	40-49 years	15
Total		5554

Universe : Applicable if R has been pregnant at least 5 times (PREGNUM > 4)

AGECON06(3520-3521)

Variable Type : recode

Description : Age when pregnancy began - 6th (RECODE)

value	label	Total
.	INAPPLICABLE	5362
0-19	Under 20 years	2
20-24	20-24 years	37
25-29	25-29 years	63
30-34	30-34 years	55
35-39	35-39 years	27
40-49	40-49 years	8
Total		5554

Universe : Applicable if R has been pregnant at least 6 times (PREGNUM > 5)

AGECON07(3522-3523)

Variable Type : recode

Description : Age when pregnancy began - 7th (RECODE)

value	label	Total
.	INAPPLICABLE	5457
20-24	20-24 years	10
25-29	25-29 years	31
30-34	30-34 years	30
35-39	35-39 years	20
40-49	40-49 years	6
Total		5554

Universe : Applicable if R has been pregnant at least 7 times (PREGNUM > 6)

AGECON08(3524-3525)

Variable Type : recode

Description : Age when pregnancy began - 8th (RECODE)

value	label	Total
.	INAPPLICABLE	5506
20-24	20-24 years	3

25-29	25-29 years	18
30-34	30-34 years	14
35-39	35-39 years	8
40-49	40-49 years	5
Total		5554

Universe : Applicable if R has been pregnant at least 8 times (PREGNUM > 7)

AGECON09(3526-3527)

Variable Type : recode

Description : Age when pregnancy began - 9th (RECODE)

value	label	Total
.	INAPPLICABLE	5536
20-24	20-24 years	1
25-29	25-29 years	6
30-34	30-34 years	4
35-39	35-39 years	3
40-49	40-49 years	4
Total		5554

Universe : Applicable if R has been pregnant at least 9 times (PREGNUM > 8)

AGECON10(3528-3529)

Variable Type : recode

Description : Age when pregnancy began - 10th (RECODE)

value	label	Total
.	INAPPLICABLE	5542
20-24	20-24 years	1
25-29	25-29 years	3
30-34	30-34 years	3
35-39	35-39 years	3
40-49	40-49 years	2
Total		5554

Universe : Applicable if R has been pregnant at least 10 times (PREGNUM > 9)

AGECON11(3530-3531)

Variable Type : recode

Description : Age when pregnancy began - 11th (RECODE)

value	label	Total
.	INAPPLICABLE	5546
25-29	25-29 years	4
35-39	35-39 years	1
40-49	40-49 years	3
Total		5554

Universe : Applicable if R has been pregnant at least 11 times (PREGNUM > 10)

AGECON12(3532-3533)

Variable Type : recode

Description : Age when pregnancy began - 12th (RECODE)

value	label	Total
-------	-------	-------

.	INAPPLICABLE	5549
25-29	25-29 years	3
30-34	30-34 years	1
40-49	40-49 years	1
Total		5554

Universe : Applicable if R has been pregnant at least 12 times (PREGNUM > 11)

AGECON13(3534-3535)

Variable Type : recode

Description : Age when pregnancy began - 13th (RECODE)

value	label	Total
.	INAPPLICABLE	5549
25-29	25-29 years	3
30-34	30-34 years	1
40-49	40-49 years	1
Total		5554

Universe : Applicable if R has been pregnant at least 13 times (PREGNUM > 12)

AGECON14(3536-3537)

Variable Type : recode

Description : Age when pregnancy began - 14th (RECODE)

value	label	Total
.	INAPPLICABLE	5550
25-29	25-29 years	3
30-34	30-34 years	1
Total		5554

Universe : Applicable if R has been pregnant at least 14 times (PREGNUM > 13)

AGECON15(3538-3539)

Variable Type : recode

Description : Age when pregnancy began - 15th (RECODE)

value	label	Total
.	INAPPLICABLE	5553
25-29	25-29 years	1
Total		5554

Universe : Applicable if R has been pregnant at least 15 times (PREGNUM > 14)

AGECON16(3540-3541)

Variable Type : recode

Description : Age when pregnancy began - 16th (RECODE)

value	label	Total
.	INAPPLICABLE	5553
25-29	25-29 years	1
Total		5554

Universe : Applicable if R has been pregnant at least 16 times (PREGNUM > 15)

AGECON17(3542-3543)

Variable Type : recode

Description : Age when pregnancy began - 17th (RECODE)

value	label	Total
.	INAPPLICABLE	5553
25-29	25-29 years	1
Total		5554

Universe : Applicable if R has been pregnant at least 17 times (PREGNUM > 16)

AGECON18(3544-3545)

Variable Type : recode

Description : Age when pregnancy began - 18th (RECODE)

value	label	Total
.	INAPPLICABLE	5553
30-34	30-34 years	1
Total		5554

Universe : Applicable if R has been pregnant at least 18 times (PREGNUM > 17)

AGECON19(3546-3547)

Variable Type : recode

Description : Age when pregnancy began - 19th (RECODE)

value	label	Total
.	INAPPLICABLE	5553
30-34	30-34 years	1
Total		5554

Universe : Applicable if R has been pregnant at least 19 times (PREGNUM > 18)

AGECON20(3548-3549)

Variable Type : recode

Description : Age when pregnancy began - 20th (RECODE)

value	label	Total
.	INAPPLICABLE	5553
30-34	30-34 years	1
Total		5554

Universe : Applicable if R has been pregnant at least 20 times (PREGNUM > 19)

MAROUT01(3550-3550)

Variable Type : recode

Description : Formal marital status when pregnancy ended - 1st (RECODE)

value	label	Total
.	INAPPLICABLE	2102
1	Married	1271
2	Divorced	73
3	Widowed	1
4	Separated	4
5	Never married	2103
Total		5554

Universe : Applicable if R has had at least 1 completed pregnancy (COMPREG > 0)

MAROUT02(3551-3551)

Variable Type : recode

Description : Formal marital status when pregnancy ended - 2nd (RECODE)

value	label	Total
.	INAPPLICABLE	2918
1	Married	1292
2	Divorced	124
3	Widowed	3
4	Separated	9
5	Never married	1208
Total		5554

Universe : Applicable if R has had at least 2 completed pregnancies (COMPREG > 1)

MAROUT03(3552-3552)

Variable Type : recode

Description : Formal marital status when pregnancy ended - 3rd (RECODE)

value	label	Total
.	INAPPLICABLE	3919
1	Married	820
2	Divorced	124
3	Widowed	7
4	Separated	17
5	Never married	667
Total		5554

Universe : Applicable if R has had at least 3 completed pregnancies (COMPREG > 2)

MAROUT04(3553-3553)

Variable Type : recode

Description : Formal marital status when pregnancy ended - 4th (RECODE)

value	label	Total
.	INAPPLICABLE	4708
1	Married	425
2	Divorced	86
3	Widowed	3
4	Separated	15
5	Never married	317
Total		5554

Universe : Applicable if R has had at least 4 completed pregnancies (COMPREG > 3)

MAROUT05(3554-3554)

Variable Type : recode

Description : Formal marital status when pregnancy ended - 5th (RECODE)

value	label	Total
.	INAPPLICABLE	5158
1	Married	183
2	Divorced	54
3	Widowed	2

4	Separated	7
5	Never married	150
	Total	5554

Universe : Applicable if R has had at least 5 completed pregnancies (COMPREG > 4)

MAROUT06(3555-3555)

Variable Type : recode

Description : Formal marital status when pregnancy ended - 6th (RECODE)

value	label	Total
.	INAPPLICABLE	5367
1	Married	81
2	Divorced	27
4	Separated	4
5	Never married	75
	Total	5554

Universe : Applicable if R has had at least 6 completed pregnancies (COMPREG > 5)

MAROUT07(3556-3556)

Variable Type : recode

Description : Formal marital status when pregnancy ended - 7th (RECODE)

value	label	Total
.	INAPPLICABLE	5458
1	Married	47
2	Divorced	13
4	Separated	5
5	Never married	31
	Total	5554

Universe : Applicable if R has had at least 7 completed pregnancies (COMPREG > 6)

MAROUT08(3557-3557)

Variable Type : recode

Description : Formal marital status when pregnancy ended - 8th (RECODE)

value	label	Total
.	INAPPLICABLE	5506
1	Married	23
2	Divorced	5
3	Widowed	1
4	Separated	1
5	Never married	18
	Total	5554

Universe : Applicable if R has had at least 8 completed pregnancies (COMPREG > 7)

MAROUT09(3558-3558)

Variable Type : recode

Description : Formal marital status when pregnancy ended - 9th (RECODE)

value	label	Total
.	INAPPLICABLE	5537
1	Married	11

2	Divorced	2
5	Never married	4
Total		5554

Universe : Applicable if R has had at least 9 completed pregnancies (COMPREG > 8)

MAROUT10(3559-3559)

Variable Type : recode

Description : Formal marital status when pregnancy ended - 10th (RECODE)

value	label	Total
.	INAPPLICABLE	5542
1	Married	7
2	Divorced	3
5	Never married	2
Total		5554

Universe : Applicable if R has had at least 10 completed pregnancies (COMPREG > 9)

MAROUT11(3560-3560)

Variable Type : recode

Description : Formal marital status when pregnancy ended - 11th (RECODE)

value	label	Total
.	INAPPLICABLE	5547
1	Married	2
2	Divorced	3
5	Never married	2
Total		5554

Universe : Applicable if R has had at least 11 completed pregnancies (COMPREG > 10)

MAROUT12(3561-3561)

Variable Type : recode

Description : Formal marital status when pregnancy ended - 12th (RECODE)

value	label	Total
.	INAPPLICABLE	5549
1	Married	2
2	Divorced	1
5	Never married	2
Total		5554

Universe : Applicable if R has had at least 12 completed pregnancies (COMPREG > 11)

MAROUT13(3562-3562)

Variable Type : recode

Description : Formal marital status when pregnancy ended - 13th (RECODE)

value	label	Total
.	INAPPLICABLE	5549
1	Married	2
2	Divorced	1
5	Never married	2
Total		5554

Universe : Applicable if R has had at least 13 completed pregnancies (COMPREG > 12)

MAROUT14(3563-3563)

Variable Type : recode

Description : Formal marital status when pregnancy ended - 14th (RECODE)

value	label	Total
.	INAPPLICABLE	5550
1	Married	1
2	Divorced	1
5	Never married	2
Total		5554

Universe : Applicable if R has had at least 14 completed pregnancies (COMPREG > 13)

MAROUT15(3564-3564)

Variable Type : recode

Description : Formal marital status when pregnancy ended - 15th (RECODE)

value	label	Total
.	INAPPLICABLE	5553
1	Married	1
Total		5554

Universe : Applicable if R has had at least 15 completed pregnancies (COMPREG > 14)

MAROUT16(3565-3565)

Variable Type : recode

Description : Formal marital status when pregnancy ended - 16th (RECODE)

value	label	Total
.	INAPPLICABLE	5553
1	Married	1
Total		5554

Universe : Applicable if R has had at least 16 completed pregnancies (COMPREG > 15)

MAROUT17(3566-3566)

Variable Type : recode

Description : Formal marital status when pregnancy ended - 17th (RECODE)

value	label	Total
.	INAPPLICABLE	5553
1	Married	1
Total		5554

Universe : Applicable if R has had at least 17 completed pregnancies (COMPREG > 16)

MAROUT18(3567-3567)

Variable Type : recode

Description : Formal marital status when pregnancy ended - 18th (RECODE)

value	label	Total
.	INAPPLICABLE	5553
1	Married	1

Total **5554**

Universe : Applicable if R has had at least 18 completed pregnancies (COMPREG > 17)

MAROUT19(3568-3568)

Variable Type : recode

Description : Formal marital status when pregnancy ended - 19th (RECODE)

value	label	Total
.	INAPPLICABLE	5553
1	Married	1
Total		5554

Universe : Applicable if R has had at least 19 completed pregnancies (COMPREG > 18)

MAROUT20(3569-3569)

Variable Type : recode

Description : Formal marital status when pregnancy ended - 20th (RECODE)

value	label	Total
.	INAPPLICABLE	5553
1	Married	1
Total		5554

Universe : Applicable if R has had at least 20 completed pregnancies (COMPREG > 19)

RMAROUT01(3570-3570)

Variable Type : recode

Description : Informal marital status when pregnancy ended - 1st (RECODE)

value	label	Total
.	INAPPLICABLE	2102
1	Married	1271
2	Divorced	41
3	Widowed	1
4	Separated	4
5	Cohabiting	748
6	Never married, not cohabiting	1387
Total		5554

Universe : Applicable if R has had at least 1 completed pregnancy (COMPREG > 0)

RMAROUT02(3571-3571)

Variable Type : recode

Description : Informal marital status when pregnancy ended - 2nd (RECODE)

value	label	Total
.	INAPPLICABLE	2918
1	Married	1292
2	Divorced	78
3	Widowed	3
4	Separated	9
5	Cohabiting	679
6	Never married, not cohabiting	575
Total		5554

Universe : Applicable if R has had at least 2 completed pregnancies (COMPREG > 1)

RMAROUT03(3572-3572)

Variable Type : recode

Description : Informal marital status when pregnancy ended - 3rd (RECODE)

value	label	Total
.	INAPPLICABLE	3919
1	Married	820
2	Divorced	63
3	Widowed	6
4	Separated	17
5	Cohabiting	422
6	Never married, not cohabiting	307
Total		5554

Universe : Applicable if R has had at least 3 completed pregnancies (COMPREG > 2)

RMAROUT04(3573-3573)

Variable Type : recode

Description : Informal marital status when pregnancy ended - 4th (RECODE)

value	label	Total
.	INAPPLICABLE	4708
1	Married	425
2	Divorced	47
3	Widowed	2
4	Separated	15
5	Cohabiting	212
6	Never married, not cohabiting	145
Total		5554

Universe : Applicable if R has had at least 4 completed pregnancies (COMPREG > 3)

RMAROUT05(3574-3574)

Variable Type : recode

Description : Informal marital status when pregnancy ended - 5th (RECODE)

value	label	Total
.	INAPPLICABLE	5158
1	Married	183
2	Divorced	26
4	Separated	7
5	Cohabiting	110
6	Never married, not cohabiting	70
Total		5554

Universe : Applicable if R has had at least 5 completed pregnancies (COMPREG > 4)

RMAROUT06(3575-3575)

Variable Type : recode

Description : Informal marital status when pregnancy ended - 6th (RECODE)

value	label	Total
.	INAPPLICABLE	5367
1	Married	81

2	Divorced	12
4	Separated	4
5	Cohabiting	61
6	Never married, not cohabiting	29
	Total	5554

Universe : Applicable if R has had at least 6 completed pregnancies (COMPREG > 5)

RMAROUT07(3576-3576)

Variable Type : recode

Description : Informal marital status when pregnancy ended - 7th (RECODE)

value	label	Total
.	INAPPLICABLE	5458
1	Married	47
2	Divorced	7
4	Separated	5
5	Cohabiting	22
6	Never married, not cohabiting	15
	Total	5554

Universe : Applicable if R has had at least 7 completed pregnancies (COMPREG > 6)

RMAROUT08(3577-3577)

Variable Type : recode

Description : Informal marital status when pregnancy ended - 8th (RECODE)

value	label	Total
.	INAPPLICABLE	5506
1	Married	23
2	Divorced	3
3	Widowed	1
4	Separated	1
5	Cohabiting	11
6	Never married, not cohabiting	9
	Total	5554

Universe : Applicable if R has had at least 8 completed pregnancies (COMPREG > 7)

RMAROUT09(3578-3578)

Variable Type : recode

Description : Informal marital status when pregnancy ended - 9th (RECODE)

value	label	Total
.	INAPPLICABLE	5537
1	Married	11
2	Divorced	1
5	Cohabiting	2
6	Never married, not cohabiting	3
	Total	5554

Universe : Applicable if R has had at least 9 completed pregnancies (COMPREG > 8)

RMAROUT10(3579-3579)

Variable Type : recode

Description : Informal marital status when pregnancy ended - 10th (RECODE)

value	label	Total
.	INAPPLICABLE	5542
1	Married	7
2	Divorced	1
5	Cohabiting	2
6	Never married, not cohabiting	2
Total		5554

Universe : Applicable if R has had at least 10 completed pregnancies (COMPREG > 9)

RMAROUT11(3580-3580)

Variable Type : recode

Description : Informal marital status when pregnancy ended - 11th (RECODE)

value	label	Total
.	INAPPLICABLE	5547
1	Married	2
2	Divorced	1
5	Cohabiting	2
6	Never married, not cohabiting	2
Total		5554

Universe : Applicable if R has had at least 11 completed pregnancies (COMPREG > 10)

RMAROUT12(3581-3581)

Variable Type : recode

Description : Informal marital status when pregnancy ended - 12th (RECODE)

value	label	Total
.	INAPPLICABLE	5549
1	Married	2
2	Divorced	1
6	Never married, not cohabiting	2
Total		5554

Universe : Applicable if R has had at least 12 completed pregnancies (COMPREG > 11)

RMAROUT13(3582-3582)

Variable Type : recode

Description : Informal marital status when pregnancy ended - 13th (RECODE)

value	label	Total
.	INAPPLICABLE	5549
1	Married	2
2	Divorced	1
5	Cohabiting	2
Total		5554

Universe : Applicable if R has had at least 13 completed pregnancies (COMPREG > 12)

RMAROUT14(3583-3583)

Variable Type : recode

Description : Informal marital status when pregnancy ended - 14th (RECODE)

value	label	Total
.	INAPPLICABLE	5550
1	Married	1
2	Divorced	1
5	Cohabiting	2
Total		5554

Universe : Applicable if R has had at least 14 completed pregnancies (COMPREG > 13)

RMAROUT15(3584-3584)

Variable Type : recode

Description : Informal marital status when pregnancy ended - 15th (RECODE)

value	label	Total
.	INAPPLICABLE	5553
1	Married	1
Total		5554

Universe : Applicable if R has had at least 15 completed pregnancies (COMPREG > 14)

RMAROUT16(3585-3585)

Variable Type : recode

Description : Informal marital status when pregnancy ended - 16th (RECODE)

value	label	Total
.	INAPPLICABLE	5553
1	Married	1
Total		5554

Universe : Applicable if R has had at least 16 completed pregnancies (COMPREG > 15)

RMAROUT17(3586-3586)

Variable Type : recode

Description : Informal marital status when pregnancy ended - 17th (RECODE)

value	label	Total
.	INAPPLICABLE	5553
1	Married	1
Total		5554

Universe : Applicable if R has had at least 17 completed pregnancies (COMPREG > 16)

RMAROUT18(3587-3587)

Variable Type : recode

Description : Informal marital status when pregnancy ended - 18th (RECODE)

value	label	Total
.	INAPPLICABLE	5553
1	Married	1
Total		5554

Universe : Applicable if R has had at least 18 completed pregnancies (COMPREG > 17)

RMAROUT19(3588-3588)

Variable Type : recode

Description : Informal marital status when pregnancy ended - 19th (RECODE)

value	label	Total
.	INAPPLICABLE	5553
1	Married	1
Total		5554

Universe : Applicable if R has had at least 19 completed pregnancies (COMPREG > 18)

RMAROUT20(3589-3589)

Variable Type : recode

Description : Informal marital status when pregnancy ended - 20th (RECODE)

value	label	Total
.	INAPPLICABLE	5553
1	Married	1
Total		5554

Universe : Applicable if R has had at least 20 completed pregnancies (COMPREG > 19)

MARCON01(3590-3590)

Variable Type : recode

Description : Formal marital status when pregnancy began - 1st (RECODE)

value	label	Total
.	INAPPLICABLE	2043
1	Married	1080
2	Divorced	68
3	Widowed	1
4	Separated	3
5	Never married	2359
Total		5554

Universe : Applicable if R has ever been pregnant (PREGNUM > 0)

MARCON02(3591-3591)

Variable Type : recode

Description : Formal marital status when pregnancy began - 2nd (RECODE)

value	label	Total
.	INAPPLICABLE	2865
1	Married	1236
2	Divorced	134
3	Widowed	2
4	Separated	7
5	Never married	1310
Total		5554

Universe : Applicable if R has been pregnant at least 2 times (PREGNUM > 1)

MARCON03(3592-3592)

Variable Type : recode

Description : Formal marital status when pregnancy began - 3rd (RECODE)

value	label	Total
.	INAPPLICABLE	3881

1	Married	818
2	Divorced	127
3	Widowed	6
4	Separated	14
5	Never married	708
	Total	5554

Universe : Applicable if R has been pregnant at least 3 times (PREGNUM > 2)

MARCON04(3593-3593)

Variable Type : recode

Description : Formal marital status when pregnancy began - 4th (RECODE)

value	label	Total
.	INAPPLICABLE	4679
1	Married	427
2	Divorced	91
3	Widowed	3
4	Separated	15
5	Never married	339
	Total	5554

Universe : Applicable if R has been pregnant at least 4 times (PREGNUM > 3)

MARCON05(3594-3594)

Variable Type : recode

Description : Formal marital status when pregnancy began - 5th (RECODE)

value	label	Total
.	INAPPLICABLE	5144
1	Married	185
2	Divorced	55
3	Widowed	4
4	Separated	5
5	Never married	161
	Total	5554

Universe : Applicable if R has been pregnant at least 5 times (PREGNUM > 4)

MARCON06(3595-3595)

Variable Type : recode

Description : Formal marital status when pregnancy began - 6th (RECODE)

value	label	Total
.	INAPPLICABLE	5362
1	Married	79
2	Divorced	29
4	Separated	4
5	Never married	80
	Total	5554

Universe : Applicable if R has been pregnant at least 6 times (PREGNUM > 5)

MARCON07(3596-3596)

Variable Type : recode

Description : Formal marital status when pregnancy began - 7th (RECODE)

value	label	Total
.	INAPPLICABLE	5457
1	Married	46
2	Divorced	13
4	Separated	4
5	Never married	34
	Total	5554

Universe : Applicable if R has been pregnant at least 7 times (PREGNUM > 6)

MARCON08(3597-3597)

Variable Type : recode

Description : Formal marital status when pregnancy began - 8th (RECODE)

value	label	Total
.	INAPPLICABLE	5506
1	Married	25
2	Divorced	4
3	Widowed	1
5	Never married	18
	Total	5554

Universe : Applicable if R has been pregnant at least 8 times (PREGNUM > 7)

MARCON09(3598-3598)

Variable Type : recode

Description : Formal marital status when pregnancy began - 9th (RECODE)

value	label	Total
.	INAPPLICABLE	5536
1	Married	12
2	Divorced	2
5	Never married	4
	Total	5554

Universe : Applicable if R has been pregnant at least 9 times (PREGNUM > 8)

MARCON10(3599-3599)

Variable Type : recode

Description : Formal marital status when pregnancy began - 10th (RECODE)

value	label	Total
.	INAPPLICABLE	5542
1	Married	8
2	Divorced	2
5	Never married	2
	Total	5554

Universe : Applicable if R has been pregnant at least 10 times (PREGNUM > 9)

MARCON11(3600-3600)

Variable Type : recode

Description : Formal marital status when pregnancy began - 11th (RECODE)

value	label	Total
.	INAPPLICABLE	5546

1	Married	4
2	Divorced	2
5	Never married	2
Total		5554

Universe : Applicable if R has been pregnant at least 11 times (PREGNUM > 10)

MARCON12(3601-3601)

Variable Type : recode

Description : Formal marital status when pregnancy began - 12th (RECODE)

value	label	Total
.	INAPPLICABLE	5549
1	Married	2
2	Divorced	1
5	Never married	2
Total		5554

Universe : Applicable if R has been pregnant at least 12 times (PREGNUM > 11)

MARCON13(3602-3602)

Variable Type : recode

Description : Formal marital status when pregnancy began - 13th (RECODE)

value	label	Total
.	INAPPLICABLE	5549
1	Married	2
2	Divorced	1
5	Never married	2
Total		5554

Universe : Applicable if R has been pregnant at least 13 times (PREGNUM > 12)

MARCON14(3603-3603)

Variable Type : recode

Description : Formal marital status when pregnancy began - 14th (RECODE)

value	label	Total
.	INAPPLICABLE	5550
1	Married	1
2	Divorced	1
5	Never married	2
Total		5554

Universe : Applicable if R has been pregnant at least 14 times (PREGNUM > 13)

MARCON15(3604-3604)

Variable Type : recode

Description : Formal marital status when pregnancy began - 15th (RECODE)

value	label	Total
.	INAPPLICABLE	5553
1	Married	1
Total		5554

Universe : Applicable if R has been pregnant at least 15 times (PREGNUM > 14)

MARCON16(3605-3605)

Variable Type : recode

Description : Formal marital status when pregnancy began - 16th (RECODE)

value	label	Total
.	INAPPLICABLE	5553
1	Married	1
Total		5554

Universe : Applicable if R has been pregnant at least 16 times (PREGNUM > 15)

MARCON17(3606-3606)

Variable Type : recode

Description : Formal marital status when pregnancy began - 17th (RECODE)

value	label	Total
.	INAPPLICABLE	5553
1	Married	1
Total		5554

Universe : Applicable if R has been pregnant at least 17 times (PREGNUM > 16)

MARCON18(3607-3607)

Variable Type : recode

Description : Formal marital status when pregnancy began - 18th (RECODE)

value	label	Total
.	INAPPLICABLE	5553
1	Married	1
Total		5554

Universe : Applicable if R has been pregnant at least 18 times (PREGNUM > 17)

MARCON19(3608-3608)

Variable Type : recode

Description : Formal marital status when pregnancy began - 19th (RECODE)

value	label	Total
.	INAPPLICABLE	5553
1	Married	1
Total		5554

Universe : Applicable if R has been pregnant at least 19 times (PREGNUM > 18)

MARCON20(3609-3609)

Variable Type : recode

Description : Formal marital status when pregnancy began - 20th (RECODE)

value	label	Total
.	INAPPLICABLE	5553
1	Married	1
Total		5554

Universe : Applicable if R has been pregnant at least 20 times (PREGNUM > 19)

RMARCON01(3610-3610)

Variable Type : recode

Description : Informal marital status when pregnancy began - 1st (RECODE)

value	label	Total
.	INAPPLICABLE	2043
1	Married	1080
2	Divorced	37
3	Widowed	1
4	Separated	3
5	Cohabiting	720
6	Never married, not cohabiting	1670
	Total	5554

Universe : Applicable if R has ever been pregnant (PREGNUM > 0)

RMARCON02(3611-3611)

Variable Type : recode

Description : Informal marital status when pregnancy began - 2nd (RECODE)

value	label	Total
.	INAPPLICABLE	2865
1	Married	1236
2	Divorced	83
3	Widowed	2
4	Separated	7
5	Cohabiting	697
6	Never married, not cohabiting	664
	Total	5554

Universe : Applicable if R has been pregnant at least 2 times (PREGNUM > 1)

RMARCON03(3612-3612)

Variable Type : recode

Description : Informal marital status when pregnancy began - 3rd (RECODE)

value	label	Total
.	INAPPLICABLE	3881
1	Married	818
2	Divorced	64
3	Widowed	5
4	Separated	14
5	Cohabiting	457
6	Never married, not cohabiting	315
	Total	5554

Universe : Applicable if R has been pregnant at least 3 times (PREGNUM > 2)

RMARCON04(3613-3613)

Variable Type : recode

Description : Informal marital status when pregnancy began - 4th (RECODE)

value	label	Total
.	INAPPLICABLE	4679
1	Married	427
2	Divorced	46

3	Widowed	2
4	Separated	15
5	Cohabiting	229
6	Never married, not cohabiting	156
	Total	5554

Universe : Applicable if R has been pregnant at least 4 times (PREGNUM > 3)

RMARCON05(3614-3614)

Variable Type : recode

Description : Informal marital status when pregnancy began - 5th (RECODE)

value	label	Total
.	INAPPLICABLE	5144
1	Married	185
2	Divorced	27
4	Separated	5
5	Cohabiting	118
6	Never married, not cohabiting	75
	Total	5554

Universe : Applicable if R has been pregnant at least 5 times (PREGNUM > 4)

RMARCON06(3615-3615)

Variable Type : recode

Description : Informal marital status when pregnancy began - 6th (RECODE)

value	label	Total
.	INAPPLICABLE	5362
1	Married	79
2	Divorced	13
4	Separated	4
5	Cohabiting	65
6	Never married, not cohabiting	31
	Total	5554

Universe : Applicable if R has been pregnant at least 6 times (PREGNUM > 5)

RMARCON07(3616-3616)

Variable Type : recode

Description : Informal marital status when pregnancy began - 7th (RECODE)

value	label	Total
.	INAPPLICABLE	5457
1	Married	46
2	Divorced	6
4	Separated	4
5	Cohabiting	25
6	Never married, not cohabiting	16
	Total	5554

Universe : Applicable if R has been pregnant at least 7 times (PREGNUM > 6)

RMARCON08(3617-3617)

Variable Type : recode

Description : Informal marital status when pregnancy began - 8th (RECODE)

value	label	Total
.	INAPPLICABLE	5506
1	Married	25
2	Divorced	2
3	Widowed	1
5	Cohabiting	10
6	Never married, not cohabiting	10
Total		5554

Universe : Applicable if R has been pregnant at least 8 times (PREGNUM > 7)

RMARCON09(3618-3618)

Variable Type : recode

Description : Informal marital status when pregnancy began - 9th (RECODE)

value	label	Total
.	INAPPLICABLE	5536
1	Married	12
2	Divorced	1
5	Cohabiting	2
6	Never married, not cohabiting	3
Total		5554

Universe : Applicable if R has been pregnant at least 9 times (PREGNUM > 8)

RMARCON10(3619-3619)

Variable Type : recode

Description : Informal marital status when pregnancy began - 10th (RECODE)

value	label	Total
.	INAPPLICABLE	5542
1	Married	8
2	Divorced	1
5	Cohabiting	1
6	Never married, not cohabiting	2
Total		5554

Universe : Applicable if R has been pregnant at least 10 times (PREGNUM > 9)

RMARCON11(3620-3620)

Variable Type : recode

Description : Informal marital status when pregnancy began - 11th (RECODE)

value	label	Total
.	INAPPLICABLE	5546
1	Married	4
5	Cohabiting	2
6	Never married, not cohabiting	2
Total		5554

Universe : Applicable if R has been pregnant at least 11 times (PREGNUM > 10)

RMARCON12(3621-3621)

Variable Type : recode

Description : Informal marital status when pregnancy began - 12th (RECODE)

value	label	Total
.	INAPPLICABLE	5549
1	Married	2
2	Divorced	1
6	Never married, not cohabiting	2
	Total	5554

Universe : Applicable if R has been pregnant at least 12 times (PREGNUM > 11)

RMARCON13(3622-3622)

Variable Type : recode

Description : Informal marital status when pregnancy began - 13th (RECODE)

value	label	Total
.	INAPPLICABLE	5549
1	Married	2
2	Divorced	1
5	Cohabiting	1
6	Never married, not cohabiting	1
	Total	5554

Universe : Applicable if R has been pregnant at least 13 times (PREGNUM > 12)

RMARCON14(3623-3623)

Variable Type : recode

Description : Informal marital status when pregnancy began - 14th (RECODE)

value	label	Total
.	INAPPLICABLE	5550
1	Married	1
2	Divorced	1
5	Cohabiting	2
	Total	5554

Universe : Applicable if R has been pregnant at least 14 times (PREGNUM > 13)

RMARCON15(3624-3624)

Variable Type : recode

Description : Informal marital status when pregnancy began - 15th (RECODE)

value	label	Total
.	INAPPLICABLE	5553
1	Married	1
	Total	5554

Universe : Applicable if R has been pregnant at least 15 times (PREGNUM > 14)

RMARCON16(3625-3625)

Variable Type : recode

Description : Informal marital status when pregnancy began - 16th (RECODE)

value	label	Total
.	INAPPLICABLE	5553
1	Married	1

Total **5554**

Universe : Applicable if R has been pregnant at least 16 times (PREGNUM > 15)

RMARCON17(3626-3626)

Variable Type : recode

Description : Informal marital status when pregnancy began - 17th (RECODE)

value	label	Total
.	INAPPLICABLE	5553
1	Married	1
Total		5554

Universe : Applicable if R has been pregnant at least 17 times (PREGNUM > 16)

RMARCON18(3627-3627)

Variable Type : recode

Description : Informal marital status when pregnancy began - 18th (RECODE)

value	label	Total
.	INAPPLICABLE	5553
1	Married	1
Total		5554

Universe : Applicable if R has been pregnant at least 18 times (PREGNUM > 17)

RMARCON19(3628-3628)

Variable Type : recode

Description : Informal marital status when pregnancy ended - 19th (RECODE)

value	label	Total
.	INAPPLICABLE	5553
1	Married	1
Total		5554

Universe : Applicable if R has been pregnant at least 19 times (PREGNUM > 18)

RMARCON20(3629-3629)

Variable Type : recode

Description : Informal marital status when pregnancy ended - 20th (RECODE)

value	label	Total
.	INAPPLICABLE	5553
1	Married	1
Total		5554

Universe : Applicable if R has been pregnant at least 20 times (PREGNUM > 19)

CEBOW(3630-3631)

Variable Type : recode

Description : Number of children born out of wedlock (RECODE)

value	label	Total
.	INAPPLICABLE	2404
0	NONE	1328

1	1 CHILD	895
2	2 CHILDREN	533
3-95	3 OR MORE CHILDREN	394
Total		5554

Universe : Applicable if R has ever had a live birth (PARITY > 0)

CEBOWC(3632-3632)

Variable Type : recode

Description : Number of children born in cohabiting unions (RECODE)

value	label	Total
.	INAPPLICABLE	2404
0	NONE	2064
1	1 CHILD	652
2	2 CHILDREN	305
3-95	3 OR MORE CHILDREN	129
Total		5554

Universe : Applicable if R has ever had a live birth (PARITY > 0)

DATBABY1(3633-3636)

Variable Type : recode

Description : Year of 1st live birth (RECODE)

value	label	Total
.	INAPPLICABLE	2404
1931-2017	1931-2017	3150
Total		5554

Universe : Applicable if R has ever had a live birth (PARITY > 0)

Notes : The year of this event is available for public use, and the original century-month variable is accessible by application to the NCHS Research Data Center. See Appendix 7 of the User's Guide for further information.

AGEBABY1(3637-3638)

Variable Type : recode

Description : Age at 1st live birth (RECODE)

value	label	Total
.	INAPPLICABLE	2404
0-19	Under 20 years	1011
20-24	20-24 years	1025
25-29	25-29 years	627
30-34	30-34 years	353
35-39	35-39 years	116
40-49	40-49 years	18
Total		5554

Universe : Applicable if R has ever had a live birth (PARITY > 0)

lastpreg(3639-3639)

Variable Type : computed

Description : How recent was R's last pregnancy (computed in post-processing)

value	label	Total
.	INAPPLICABLE	2043
1	Less than 1 year	665
2	1 to 5 years ago	1062
3	5 years or longer ago	1784
	Total	5554

Universe : Applicable if R has ever been pregnant (PREGNUM > 0)

Notes : This variable has been created for public use, with specifications provided in Part 2 of the User's Guide. The source century-month variable on which this variable is based is accessible by application to the NCHS Research Data Center. See Appendix 7 of the User's Guide for further information.

preg_int1(3640-3640)

Variable Type : computed

Description : Inter-pregnancy interval (in months) between 1st live birth and 2nd pregnancy conception, regardless of outcome (computed in post-processing)

value	label	Total
.	INAPPLICABLE	3213
1	0-5 months	163
2	6-11 months	330
3	12-17 months	360
4	18-23 months	279
5	24-59 months	815
6	60 months or longer	382
7	Could not be defined	12
	Total	5554

Universe : Applicable if R has had at least two pregnancies (PREGNUM GE 2) with at least one live birth (PARITY GE 1) and a conception after her first live birth

Notes : This variable has been created for public use, with specifications provided in Part 2 of the User's Guide. The source century-month variables on which this variable is based are accessible by application to the NCHS Research Data Center. See Appendix 7 of the User's Guide for further information.

preg_int2(3641-3641)

Variable Type : computed

Description : Inter-pregnancy interval (in months) between 2nd live birth and 3rd pregnancy conception, regardless of outcome (computed in post-processing)

value	label	Total
.	INAPPLICABLE	4449
1	0-5 months	112
2	6-11 months	138
3	12-17 months	151
4	18-23 months	132
5	24-59 months	385
6	60 months or longer	183
7	Could not be defined	4
	Total	5554

Universe : Applicable if R has had at least three pregnancies (PREGNUM GE 3) with at least two live births (PARITY GE 2) and a conception after her second live birth

Notes : This variable has been created for public use, with specifications provided in Part 2 of the User's Guide. The source century-month variables on which this variable is based are accessible by application to the NCHS Research Data Center. See Appendix 7 of the User's Guide for further information.

preg_int3(3642-3642)

Variable Type : computed

Description : Inter-pregnancy interval (in months) between most recent pregnancy conception and prior live birth (computed in post-processing)

value	label	Total
.	INAPPLICABLE	3628
1	0-5 months	118
2	6-11 months	218
3	12-17 months	279
4	18-23 months	215
5	24-59 months	701
6	60 months or longer	385
7	Could not be defined	10
Total		5554

Universe : Applicable if R has had at least two pregnancies (PREGNUM GE 2) and the pregnancy immediately preceding the most recent pregnancy ended in a live birth

Notes : This variable has been created for public use, with specifications provided in Part 2 of the User's Guide. The source century-month variables on which this variable is based are accessible by application to the NCHS Research Data Center. See Appendix 7 of the User's Guide for further information.

preg_int4(3643-3643)

Variable Type : computed

Description : Inter-pregnancy interval (in months) between most recent pregnancy conception and prior pregnancy end date, regardless of outcome (computed in post-processing)

value	label	Total
.	INAPPLICABLE	2865
1	0-5 months	281
2	6-11 months	355
3	12-17 months	353
4	18-23 months	281
5	24-59 months	871
6	60 months or longer	521
7	Could not be defined	27
Total		5554

Universe : Applicable if R has had at least two pregnancies (PREGNUM GE 2)

Notes : This variable has been created for public use, with specifications provided in Part 2 of the User's Guide. The source century-month variables on which this variable is based are accessible by application to the NCHS Research Data Center. See Appendix 7 of the User's Guide for further information.

LIVCHILD01(3644-3644)

Variable Type : recode

Description : Living arrangements of 1st liveborn child from 1st pregnancy (RECODE)

value	label	Total
.	INAPPLICABLE	3116
1	Child lives with R	2309
2	Child is dead	14
3	Child lives with adoptive parents/family	10
4	Child lives with biological father	33
5	Child lives with other relatives	50
6	Child's living arrangements are other or unknown	22
Total		5554

Universe : Applicable if R's 1st pregnancy resulted in live birth (OUTCOM01 = 1)

LIVCHILD02(3645-3645)

Variable Type : recode

Description : Living arrangements of 1st liveborn child from 2nd pregnancy (RECODE)

value	label	Total
.	INAPPLICABLE	3587
1	Child lives with R	1861
2	Child is dead	11
3	Child lives with adoptive parents/family	11
4	Child lives with biological father	29
5	Child lives with other relatives	38
6	Child's living arrangements are other or unknown	17
	Total	5554

Universe : Applicable if R's 2nd pregnancy resulted in live birth (OUTCOM02 = 1)

LIVCHILD03(3646-3646)

Variable Type : recode

Description : Living arrangements of 1st liveborn child from 3rd pregnancy (RECODE)

value	label	Total
.	INAPPLICABLE	4344
1	Child lives with R	1140
2	Child is dead	6
3	Child lives with adoptive parents/family	3
4	Child lives with biological father	26
5	Child lives with other relatives	23
6	Child's living arrangements are other or unknown	12
	Total	5554

Universe : Applicable if R's 3rd pregnancy resulted in live birth (OUTCOM03 = 1)

LIVCHILD04(3647-3647)

Variable Type : recode

Description : Living arrangements of 1st liveborn child from 4th pregnancy (RECODE)

value	label	Total
.	INAPPLICABLE	4972
1	Child lives with R	534
2	Child is dead	7
3	Child lives with adoptive parents/family	2
4	Child lives with biological father	17
5	Child lives with other relatives	14
6	Child's living arrangements are other or unknown	8
	Total	5554

Universe : Applicable if R's 4th pregnancy resulted in live birth (OUTCOM04 = 1)

LIVCHILD05(3648-3648)

Variable Type : recode

Description : Living arrangements of 1st liveborn child from 5th pregnancy (RECODE)

value	label	Total
.	INAPPLICABLE	5287
1	Child lives with R	242
2	Child is dead	4
3	Child lives with adoptive parents/family	2
4	Child lives with biological father	10
5	Child lives with other relatives	7
6	Child's living arrangements are other or unknown	2
	Total	5554

Universe : Applicable if R's 5th pregnancy resulted in live birth (OUTCOM05 = 1)

LIVCHILD06(3649-3649)

Variable Type : recode

Description : Living arrangements of 1st liveborn child from 6th pregnancy (RECODE)

value	label	Total
.	INAPPLICABLE	5436
1	Child lives with R	105
3	Child lives with adoptive parents/family	1
4	Child lives with biological father	3
5	Child lives with other relatives	3
6	Child's living arrangements are other or unknown	6
	Total	5554

Universe : Applicable if R's 6th pregnancy resulted in live birth (OUTCOM06 = 1)

LIVCHILD07(3650-3650)

Variable Type : recode

Description : Living arrangements of 1st liveborn child from 7th pregnancy (RECODE)

value	label	Total
.	INAPPLICABLE	5492
1	Child lives with R	55
2	Child is dead	1
3	Child lives with adoptive parents/family	1
4	Child lives with biological father	1
5	Child lives with other relatives	1
6	Child's living arrangements are other or unknown	3
	Total	5554

Universe : Applicable if R's 7th pregnancy resulted in live birth (OUTCOM07 = 1)

LIVCHILD08(3651-3651)

Variable Type : recode

Description : Living arrangements of 1st liveborn child from 8th pregnancy (RECODE)

value	label	Total
.	INAPPLICABLE	5528
1	Child lives with R	22
3	Child lives with adoptive parents/family	1
5	Child lives with other relatives	2
6	Child's living arrangements are other or unknown	1
	Total	5554

Universe : Applicable if R's 8th pregnancy resulted in live birth (OUTCOM08 = 1)

LIVCHILD09(3652-3652)

Variable Type : recode

Description : Living arrangements of 1st liveborn child from 9th pregnancy (RECODE)

value	label	Total
.	INAPPLICABLE	5547
1	Child lives with R	7
Total		5554

Universe : Applicable if R's 9th pregnancy resulted in live birth (OUTCOM09 = 1)

LIVCHILD10(3653-3653)

Variable Type : recode

Description : Living arrangements of 1st liveborn child from 10th pregnancy (RECODE)

value	label	Total
.	INAPPLICABLE	5547
1	Child lives with R	6
5	Child lives with other relatives	1
Total		5554

Universe : Applicable if R's 10th pregnancy resulted in live birth (OUTCOM10 = 1)

LIVCHILD11(3654-3654)

Variable Type : recode

Description : Living arrangements of 1st liveborn child from 11th pregnancy (RECODE)

value	label	Total
.	INAPPLICABLE	5551
1	Child lives with R	3
Total		5554

Universe : Applicable if R's 11th pregnancy resulted in live birth (OUTCOM11 = 1)

LIVCHILD12(3655-3655)

Variable Type : recode

Description : Living arrangements of 1st liveborn child from 12th pregnancy (RECODE)

value	label	Total
.	INAPPLICABLE	5552
1	Child lives with R	2
Total		5554

Universe : Applicable if R's 12th pregnancy resulted in live birth (OUTCOM12 = 1)

LIVCHILD13(3656-3656)

Variable Type : recode

Description : Living arrangements of 1st liveborn child from 13th pregnancy (RECODE)

value	label	Total
.	INAPPLICABLE	5552
1	Child lives with R	2
Total		5554

Universe : Applicable if R's 13th pregnancy resulted in live birth (OUTCOM13 = 1)

LIVCHILD14(3657-3657)

Variable Type : recode

Description : Living arrangements of 1st liveborn child from 14th pregnancy (RECODE)

value	label	Total
.	INAPPLICABLE	5552
1	Child lives with R	1
6	Child's living arrangements are other or unknown	1
Total		5554

Universe : Applicable if R's 14th pregnancy resulted in live birth (OUTCOM14 = 1)

LIVCHILD15(3658-3658)

Variable Type : recode

Description : Living arrangements of 1st liveborn child from 15th pregnancy (RECODE)

value	label	Total
.	INAPPLICABLE	5554
Total		5554

Universe : Applicable if R's 15th pregnancy resulted in live birth (OUTCOM15 = 1)

LIVCHILD16(3659-3659)

Variable Type : recode

Description : Living arrangements of 1st liveborn child from 16th pregnancy (RECODE)

value	label	Total
.	INAPPLICABLE	5554
Total		5554

Universe : Applicable if R's 16th pregnancy resulted in live birth (OUTCOM16 = 1)

LIVCHILD17(3660-3660)

Variable Type : recode

Description : Living arrangements of 1st liveborn child from 17th pregnancy (RECODE)

value	label	Total
.	INAPPLICABLE	5554
Total		5554

Universe : Applicable if R's 17th pregnancy resulted in live birth (OUTCOM17 = 1)

LIVCHILD18(3661-3661)

Variable Type : recode

Description : Living arrangements of 1st liveborn child from 18th pregnancy (RECODE)

value	label	Total
.	INAPPLICABLE	5554
Total		5554

Universe : Applicable if R's 18th pregnancy resulted in live birth (OUTCOM18 = 1)

LIVCHILD19(3662-3662)

Variable Type : recode

Description : Living arrangements of 1st liveborn child from 19th pregnancy (RECODE)

value	label	Total
.	INAPPLICABLE	5554
Total		5554

Universe : Applicable if R's 19th pregnancy resulted in live birth (OUTCOM19 = 1)

LIVCHILD20(3663-3663)

Variable Type : recode

Description : Living arrangements of 1st liveborn child from 20th pregnancy (RECODE)

value	label	Total
.	INAPPLICABLE	5554
Total		5554

Universe : Applicable if R's 20th pregnancy resulted in live birth (OUTCOM20 = 1)

RCURPREG_I(3664-3664)

Variable Type : imputation flag

Description : RCURPREG Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5552
2	LOGICAL IMPUTATION	2
Total		5554

Universe : Applicable for all respondents

PREGNUM_I(3665-3665)

Variable Type : imputation flag

Description : PREGNUM Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5544
2	LOGICAL IMPUTATION	10
Total		5554

Universe : Applicable for all respondents

COMPREG_I(3666-3666)

Variable Type : imputation flag

Description : COMPREG Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5553
2	LOGICAL IMPUTATION	1
Total		5554

Universe : Applicable for all respondents

LOSSNUM_I(3667-3667)

Variable Type : imputation flag

Description : LOSSNUM Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5545
2	LOGICAL IMPUTATION	9
Total		5554

Universe : Applicable for all respondents

ABORTION_I(3668-3668)

Variable Type : imputation flag

Description : ABORTION Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5544
2	LOGICAL IMPUTATION	10
Total		5554

Universe : Applicable for all respondents

LBPREGS_I(3669-3669)

Variable Type : imputation flag

Description : LBPREGS Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5554
Total		5554

Universe : Applicable for all respondents

PARITY_I(3670-3670)

Variable Type : imputation flag

Description : PARITY Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5552
2	LOGICAL IMPUTATION	2
Total		5554

Universe : Applicable for all respondents

BIRTHS5_I(3671-3671)

Variable Type : imputation flag

Description : BIRTHS5 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5554
Total		5554

Universe : Applicable for all respondents

OUTCOM01_I(3672-3672)

Variable Type : imputation flag

Description : OUTCOM01 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5550
1	MULTIPLE REGRESSION IMPUTATION	3
2	LOGICAL IMPUTATION	1
Total		5554

Universe : Applicable for all respondents

OUTCOM02_I(3673-3673)

Variable Type : imputation flag

Description : OUTCOM02 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5548
1	MULTIPLE REGRESSION IMPUTATION	2
2	LOGICAL IMPUTATION	4
Total		5554

Universe : Applicable for all respondents

OUTCOM03_I(3674-3674)

Variable Type : imputation flag

Description : OUTCOM03 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5552
1	MULTIPLE REGRESSION IMPUTATION	2
Total		5554

Universe : Applicable for all respondents

OUTCOM04_I(3675-3675)

Variable Type : imputation flag

Description : OUTCOM04 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5550
1	MULTIPLE REGRESSION IMPUTATION	1
2	LOGICAL IMPUTATION	3
Total		5554

Universe : Applicable for all respondents

OUTCOM05_I(3676-3676)

Variable Type : imputation flag

Description : OUTCOM05 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5548
1	MULTIPLE REGRESSION IMPUTATION	3
2	LOGICAL IMPUTATION	3
Total		5554

Universe : Applicable for all respondents

OUTCOM06_I(3677-3677)

Variable Type : imputation flag

Description : OUTCOM06 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5553
1	MULTIPLE REGRESSION IMPUTATION	1
Total		5554

Universe : Applicable for all respondents

OUTCOM07_I(3678-3678)

Variable Type : imputation flag

Description : OUTCOM07 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5551
1	MULTIPLE REGRESSION IMPUTATION	1
2	LOGICAL IMPUTATION	2
Total		5554

Universe : Applicable for all respondents

OUTCOM08_I(3679-3679)

Variable Type : imputation flag

Description : OUTCOM08 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5553
1	MULTIPLE REGRESSION IMPUTATION	1
Total		5554

Universe : Applicable for all respondents

OUTCOM09_I(3680-3680)

Variable Type : imputation flag

Description : OUTCOM09 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5553
1	MULTIPLE REGRESSION IMPUTATION	1
Total		5554

Universe : Applicable for all respondents

OUTCOM10_I(3681-3681)

Variable Type : imputation flag

Description : OUTCOM10 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5554
Total		5554

Universe : Applicable for all respondents

OUTCOM11_I(3682-3682)

Variable Type : imputation flag

Description : OUTCOM11 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5554
Total		5554

Universe : Applicable for all respondents

OUTCOM12_I(3683-3683)

Variable Type : imputation flag

Description : OUTCOM12 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5554
Total		5554

Universe : Applicable for all respondents

OUTCOM13_I(3684-3684)

Variable Type : imputation flag

Description : OUTCOM13 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5554
Total		5554

Universe : Applicable for all respondents

OUTCOM14_I(3685-3685)

Variable Type : imputation flag

Description : OUTCOM14 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5554
Total		5554

Universe : Applicable for all respondents

OUTCOM15_I(3686-3686)

Variable Type : imputation flag

Description : OUTCOM15 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5554
Total		5554

Universe : Applicable for all respondents

OUTCOM16_I(3687-3687)

Variable Type : imputation flag

Description : OUTCOM16 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5554
	Total	5554

Universe : Applicable for all respondents

OUTCOM17_I(3688-3688)

Variable Type : imputation flag

Description : OUTCOM17 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5554
	Total	5554

Universe : Applicable for all respondents

OUTCOM18_I(3689-3689)

Variable Type : imputation flag

Description : OUTCOM18 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5554
	Total	5554

Universe : Applicable for all respondents

OUTCOM19_I(3690-3690)

Variable Type : imputation flag

Description : OUTCOM19 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5554
	Total	5554

Universe : Applicable for all respondents

OUTCOM20_I(3691-3691)

Variable Type : imputation flag

Description : OUTCOM20 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5554
	Total	5554

Universe : Applicable for all respondents

DATEND01_I(3692-3692)

Variable Type : imputation flag

Description : DATEND01 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5528
1	MULTIPLE REGRESSION IMPUTATION	17
2	LOGICAL IMPUTATION	9

Total **5554**

Universe : Applicable for all respondents

DATEND02_I(3693-3693)

Variable Type : imputation flag

Description : DATEND02 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5540
1	MULTIPLE REGRESSION IMPUTATION	14
Total		5554

Universe : Applicable for all respondents

DATEND03_I(3694-3694)

Variable Type : imputation flag

Description : DATEND03 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5546
1	MULTIPLE REGRESSION IMPUTATION	7
2	LOGICAL IMPUTATION	1
Total		5554

Universe : Applicable for all respondents

DATEND04_I(3695-3695)

Variable Type : imputation flag

Description : DATEND04 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5544
1	MULTIPLE REGRESSION IMPUTATION	9
2	LOGICAL IMPUTATION	1
Total		5554

Universe : Applicable for all respondents

DATEND05_I(3696-3696)

Variable Type : imputation flag

Description : DATEND05 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5546
1	MULTIPLE REGRESSION IMPUTATION	7
2	LOGICAL IMPUTATION	1
Total		5554

Universe : Applicable for all respondents

DATEND06_I(3697-3697)

Variable Type : imputation flag

Description : DATEND06 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5548
1	MULTIPLE REGRESSION IMPUTATION	4
2	LOGICAL IMPUTATION	2
Total		5554

Universe : Applicable for all respondents

DATEND07_I(3698-3698)

Variable Type : imputation flag

Description : DATEND07 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5548
1	MULTIPLE REGRESSION IMPUTATION	4
2	LOGICAL IMPUTATION	2
Total		5554

Universe : Applicable for all respondents

DATEND08_I(3699-3699)

Variable Type : imputation flag

Description : DATEND08 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5549
1	MULTIPLE REGRESSION IMPUTATION	3
2	LOGICAL IMPUTATION	2
Total		5554

Universe : Applicable for all respondents

DATEND09_I(3700-3700)

Variable Type : imputation flag

Description : DATEND09 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5550
1	MULTIPLE REGRESSION IMPUTATION	2
2	LOGICAL IMPUTATION	2
Total		5554

Universe : Applicable for all respondents

DATEND10_I(3701-3701)

Variable Type : imputation flag

Description : DATEND10 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5552
2	LOGICAL IMPUTATION	2
Total		5554

Universe : Applicable for all respondents

DATEND11_I(3702-3702)

Variable Type : imputation flag

Description : DATEND11 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5553
2	LOGICAL IMPUTATION	1
Total		5554

Universe : Applicable for all respondents

DATEND12_I(3703-3703)

Variable Type : imputation flag

Description : DATEND12 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5553
2	LOGICAL IMPUTATION	1
Total		5554

Universe : Applicable for all respondents

DATEND13_I(3704-3704)

Variable Type : imputation flag

Description : DATEND13 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5553
2	LOGICAL IMPUTATION	1
Total		5554

Universe : Applicable for all respondents

DATEND14_I(3705-3705)

Variable Type : imputation flag

Description : DATEND14 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5553
2	LOGICAL IMPUTATION	1
Total		5554

Universe : Applicable for all respondents

DATEND15_I(3706-3706)

Variable Type : imputation flag

Description : DATEND15 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5554
Total		5554

Universe : Applicable for all respondents

DATEND16_I(3707-3707)

Variable Type : imputation flag

Description : DATEND16 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5554
Total		5554

Universe : Applicable for all respondents

DATEND17_I(3708-3708)

Variable Type : imputation flag

Description : DATEND17 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5554
Total		5554

Universe : Applicable for all respondents

DATEND18_I(3709-3709)

Variable Type : imputation flag

Description : DATEND18 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5554
Total		5554

Universe : Applicable for all respondents

DATEND19_I(3710-3710)

Variable Type : imputation flag

Description : DATEND19 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5554
Total		5554

Universe : Applicable for all respondents

DATEND20_I(3711-3711)

Variable Type : imputation flag

Description : DATEND20 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5554
Total		5554

Universe : Applicable for all respondents

AGEPRG01_I(3712-3712)

Variable Type : imputation flag

Description : AGEPRG01 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5537
1	MULTIPLE REGRESSION IMPUTATION	17
Total		5554

Universe : Applicable for all respondents

AGEPRG02_I(3713-3713)

Variable Type : imputation flag

Description : AGEPRG02 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5540
1	MULTIPLE REGRESSION IMPUTATION	14
Total		5554

Universe : Applicable for all respondents

AGEPRG03_I(3714-3714)

Variable Type : imputation flag

Description : AGEPRG03 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5546
1	MULTIPLE REGRESSION IMPUTATION	7
2	LOGICAL IMPUTATION	1
Total		5554

Universe : Applicable for all respondents

AGEPRG04_I(3715-3715)

Variable Type : imputation flag

Description : AGEPRG04 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5544
1	MULTIPLE REGRESSION IMPUTATION	9
2	LOGICAL IMPUTATION	1
Total		5554

Universe : Applicable for all respondents

AGEPRG05_I(3716-3716)

Variable Type : imputation flag

Description : AGEPRG05 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5546
1	MULTIPLE REGRESSION IMPUTATION	7
2	LOGICAL IMPUTATION	1
Total		5554

Universe : Applicable for all respondents

AGEPRG06_I(3717-3717)

Variable Type : imputation flag

Description : AGEPRG06 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5548
1	MULTIPLE REGRESSION IMPUTATION	4
2	LOGICAL IMPUTATION	2
Total		5554

Universe : Applicable for all respondents

AGEPRG07_I(3718-3718)

Variable Type : imputation flag

Description : AGEPRG07 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5548
1	MULTIPLE REGRESSION IMPUTATION	4
2	LOGICAL IMPUTATION	2
Total		5554

Universe : Applicable for all respondents

AGEPRG08_I(3719-3719)

Variable Type : imputation flag

Description : AGEPRG08 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5549
1	MULTIPLE REGRESSION IMPUTATION	3
2	LOGICAL IMPUTATION	2
Total		5554

Universe : Applicable for all respondents

AGEPRG09_I(3720-3720)

Variable Type : imputation flag

Description : AGEPRG09 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5550
1	MULTIPLE REGRESSION IMPUTATION	2
2	LOGICAL IMPUTATION	2
Total		5554

Universe : Applicable for all respondents

AGEPRG10_I(3721-3721)

Variable Type : imputation flag

Description : AGEPRG10 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5552
2	LOGICAL IMPUTATION	2
Total		5554

Universe : Applicable for all respondents

AGEPRG11_I(3722-3722)

Variable Type : imputation flag

Description : AGEPRG11 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5553
2	LOGICAL IMPUTATION	1
Total		5554

Universe : Applicable for all respondents

AGEPRG12_I(3723-3723)

Variable Type : imputation flag

Description : AGEPRG12 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5553
2	LOGICAL IMPUTATION	1
Total		5554

Universe : Applicable for all respondents

AGEPRG13_I(3724-3724)

Variable Type : imputation flag

Description : AGEPRG13 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5553
2	LOGICAL IMPUTATION	1
Total		5554

Universe : Applicable for all respondents

AGEPRG14_I(3725-3725)

Variable Type : imputation flag

Description : AGEPRG14 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5553
2	LOGICAL IMPUTATION	1
Total		5554

Universe : Applicable for all respondents

AGEPRG15_I(3726-3726)

Variable Type : imputation flag

Description : AGEPRG15 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5554
Total		5554

Universe : Applicable for all respondents

AGEPRG16_I(3727-3727)

Variable Type : imputation flag

Description : AGEPRG16 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5554
	Total	5554

Universe : Applicable for all respondents

AGEPRG17_I(3728-3728)

Variable Type : imputation flag

Description : AGEPRG17 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5554
	Total	5554

Universe : Applicable for all respondents

AGEPRG18_I(3729-3729)

Variable Type : imputation flag

Description : AGEPRG18 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5554
	Total	5554

Universe : Applicable for all respondents

AGEPRG19_I(3730-3730)

Variable Type : imputation flag

Description : AGEPRG19 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5554
	Total	5554

Universe : Applicable for all respondents

AGEPRG20_I(3731-3731)

Variable Type : imputation flag

Description : AGEPRG20 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5554
	Total	5554

Universe : Applicable for all respondents

DATCON01_I(3732-3732)

Variable Type : imputation flag

Description : DATCON01 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5531
1	MULTIPLE REGRESSION IMPUTATION	17
2	LOGICAL IMPUTATION	6
Total		5554

Universe : Applicable for all respondents

DATCON02_I(3733-3733)

Variable Type : imputation flag

Description : DATCON02 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5537
1	MULTIPLE REGRESSION IMPUTATION	16
2	LOGICAL IMPUTATION	1
Total		5554

Universe : Applicable for all respondents

DATCON03_I(3734-3734)

Variable Type : imputation flag

Description : DATCON03 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5545
1	MULTIPLE REGRESSION IMPUTATION	7
2	LOGICAL IMPUTATION	2
Total		5554

Universe : Applicable for all respondents

DATCON04_I(3735-3735)

Variable Type : imputation flag

Description : DATCON04 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5544
1	MULTIPLE REGRESSION IMPUTATION	7
2	LOGICAL IMPUTATION	3
Total		5554

Universe : Applicable for all respondents

DATCON05_I(3736-3736)

Variable Type : imputation flag

Description : DATCON05 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5546
1	MULTIPLE REGRESSION IMPUTATION	5
2	LOGICAL IMPUTATION	3
Total		5554

Universe : Applicable for all respondents

DATCON06_I(3737-3737)

Variable Type : imputation flag

Description : DATCON06 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5547
1	MULTIPLE REGRESSION IMPUTATION	4
2	LOGICAL IMPUTATION	3
	Total	5554

Universe : Applicable for all respondents

DATCON07_I(3738-3738)

Variable Type : imputation flag

Description : DATCON07 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5548
1	MULTIPLE REGRESSION IMPUTATION	3
2	LOGICAL IMPUTATION	3
	Total	5554

Universe : Applicable for all respondents

DATCON08_I(3739-3739)

Variable Type : imputation flag

Description : DATCON08 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5548
1	MULTIPLE REGRESSION IMPUTATION	4
2	LOGICAL IMPUTATION	2
	Total	5554

Universe : Applicable for all respondents

DATCON09_I(3740-3740)

Variable Type : imputation flag

Description : DATCON09 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5550
1	MULTIPLE REGRESSION IMPUTATION	2
2	LOGICAL IMPUTATION	2
	Total	5554

Universe : Applicable for all respondents

DATCON10_I(3741-3741)

Variable Type : imputation flag

Description : DATCON10 Imputation Flag

value	label	Total
-------	-------	-------

0	QUESTIONNAIRE DATA (NOT IMPUTED)	5552
2	LOGICAL IMPUTATION	2
Total		5554

Universe : Applicable for all respondents

DATCON11_I(3742-3742)

Variable Type : imputation flag

Description : DATCON11 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5553
2	LOGICAL IMPUTATION	1
Total		5554

Universe : Applicable for all respondents

DATCON12_I(3743-3743)

Variable Type : imputation flag

Description : DATCON12 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5553
2	LOGICAL IMPUTATION	1
Total		5554

Universe : Applicable for all respondents

DATCON13_I(3744-3744)

Variable Type : imputation flag

Description : DATCON13 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5553
2	LOGICAL IMPUTATION	1
Total		5554

Universe : Applicable for all respondents

DATCON14_I(3745-3745)

Variable Type : imputation flag

Description : DATCON14 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5553
2	LOGICAL IMPUTATION	1
Total		5554

Universe : Applicable for all respondents

DATCON15_I(3746-3746)

Variable Type : imputation flag

Description : DATCON15 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5554
	Total	5554

Universe : Applicable for all respondents

DATCON16_I(3747-3747)

Variable Type : imputation flag

Description : DATCON16 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5554
	Total	5554

Universe : Applicable for all respondents

DATCON17_I(3748-3748)

Variable Type : imputation flag

Description : DATCON17 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5554
	Total	5554

Universe : Applicable for all respondents

DATCON18_I(3749-3749)

Variable Type : imputation flag

Description : DATCON18 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5554
	Total	5554

Universe : Applicable for all respondents

DATCON19_I(3750-3750)

Variable Type : imputation flag

Description : DATCON19 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5554
	Total	5554

Universe : Applicable for all respondents

DATCON20_I(3751-3751)

Variable Type : imputation flag

Description : DATCON20 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5554
	Total	5554

Universe : Applicable for all respondents

AGECON01_I(3752-3752)

Variable Type : imputation flag

Description : AGECON01 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5534
1	MULTIPLE REGRESSION IMPUTATION	17
2	LOGICAL IMPUTATION	3
	Total	5554

Universe : Applicable for all respondents

AGECON02_I(3753-3753)

Variable Type : imputation flag

Description : AGECON02 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5538
1	MULTIPLE REGRESSION IMPUTATION	16
	Total	5554

Universe : Applicable for all respondents

AGECON03_I(3754-3754)

Variable Type : imputation flag

Description : AGECON03 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5546
1	MULTIPLE REGRESSION IMPUTATION	7
2	LOGICAL IMPUTATION	1
	Total	5554

Universe : Applicable for all respondents

AGECON04_I(3755-3755)

Variable Type : imputation flag

Description : AGECON04 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5544
1	MULTIPLE REGRESSION IMPUTATION	7
2	LOGICAL IMPUTATION	3
	Total	5554

Universe : Applicable for all respondents

AGECON05_I(3756-3756)

Variable Type : imputation flag

Description : AGECON05 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5546

1	MULTIPLE REGRESSION IMPUTATION	5
2	LOGICAL IMPUTATION	3
	Total	5554

Universe : Applicable for all respondents

AGECON06_I(3757-3757)

Variable Type : imputation flag

Description : AGECON06 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5548
1	MULTIPLE REGRESSION IMPUTATION	4
2	LOGICAL IMPUTATION	2
	Total	5554

Universe : Applicable for all respondents

AGECON07_I(3758-3758)

Variable Type : imputation flag

Description : AGECON07 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5548
1	MULTIPLE REGRESSION IMPUTATION	3
2	LOGICAL IMPUTATION	3
	Total	5554

Universe : Applicable for all respondents

AGECON08_I(3759-3759)

Variable Type : imputation flag

Description : AGECON08 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5548
1	MULTIPLE REGRESSION IMPUTATION	4
2	LOGICAL IMPUTATION	2
	Total	5554

Universe : Applicable for all respondents

AGECON09_I(3760-3760)

Variable Type : imputation flag

Description : AGECON09 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5550
1	MULTIPLE REGRESSION IMPUTATION	2
2	LOGICAL IMPUTATION	2
	Total	5554

Universe : Applicable for all respondents

AGECON10_I(3761-3761)

Variable Type : imputation flag

Description : AGECON10 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5552
2	LOGICAL IMPUTATION	2
Total		5554

Universe : Applicable for all respondents

AGECON11_I(3762-3762)

Variable Type : imputation flag

Description : AGECON11 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5553
2	LOGICAL IMPUTATION	1
Total		5554

Universe : Applicable for all respondents

AGECON12_I(3763-3763)

Variable Type : imputation flag

Description : AGECON12 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5553
2	LOGICAL IMPUTATION	1
Total		5554

Universe : Applicable for all respondents

AGECON13_I(3764-3764)

Variable Type : imputation flag

Description : AGECON13 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5553
2	LOGICAL IMPUTATION	1
Total		5554

Universe : Applicable for all respondents

AGECON14_I(3765-3765)

Variable Type : imputation flag

Description : AGECON14 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5553
2	LOGICAL IMPUTATION	1
Total		5554

Universe : Applicable for all respondents

AGECON15_I(3766-3766)

Variable Type : imputation flag

Description : AGECON15 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5554
Total		5554

Universe : Applicable for all respondents

AGECON16_I(3767-3767)

Variable Type : imputation flag

Description : AGECON16 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5554
Total		5554

Universe : Applicable for all respondents

AGECON17_I(3768-3768)

Variable Type : imputation flag

Description : AGECON17 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5554
Total		5554

Universe : Applicable for all respondents

AGECON18_I(3769-3769)

Variable Type : imputation flag

Description : AGECON18 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5554
Total		5554

Universe : Applicable for all respondents

AGECON19_I(3770-3770)

Variable Type : imputation flag

Description : AGECON19 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5554
Total		5554

Universe : Applicable for all respondents

AGECON20_I(3771-3771)

Variable Type : imputation flag

Description : AGECON20 Imputation Flag

value	label	Total
-------	-------	-------

0	QUESTIONNAIRE DATA (NOT IMPUTED)	5554
Total		5554

Universe : Applicable for all respondents

MAROUT01_I(3772-3772)

Variable Type : imputation flag

Description : MAROUT01 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5528
1	MULTIPLE REGRESSION IMPUTATION	26
Total		5554

Universe : Applicable for all respondents

MAROUT02_I(3773-3773)

Variable Type : imputation flag

Description : MAROUT02 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5530
1	MULTIPLE REGRESSION IMPUTATION	24
Total		5554

Universe : Applicable for all respondents

MAROUT03_I(3774-3774)

Variable Type : imputation flag

Description : MAROUT03 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5533
1	MULTIPLE REGRESSION IMPUTATION	21
Total		5554

Universe : Applicable for all respondents

MAROUT04_I(3775-3775)

Variable Type : imputation flag

Description : MAROUT04 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5537
1	MULTIPLE REGRESSION IMPUTATION	17
Total		5554

Universe : Applicable for all respondents

MAROUT05_I(3776-3776)

Variable Type : imputation flag

Description : MAROUT05 Imputation Flag

value	label	Total
-------	-------	-------

0	QUESTIONNAIRE DATA (NOT IMPUTED)	5541
1	MULTIPLE REGRESSION IMPUTATION	13
Total		5554

Universe : Applicable for all respondents

MAROUT06_I(3777-3777)

Variable Type : imputation flag

Description : MAROUT06 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5549
1	MULTIPLE REGRESSION IMPUTATION	4
2	LOGICAL IMPUTATION	1
Total		5554

Universe : Applicable for all respondents

MAROUT07_I(3778-3778)

Variable Type : imputation flag

Description : MAROUT07 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5550
1	MULTIPLE REGRESSION IMPUTATION	3
2	LOGICAL IMPUTATION	1
Total		5554

Universe : Applicable for all respondents

MAROUT08_I(3779-3779)

Variable Type : imputation flag

Description : MAROUT08 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5552
1	MULTIPLE REGRESSION IMPUTATION	1
2	LOGICAL IMPUTATION	1
Total		5554

Universe : Applicable for all respondents

MAROUT09_I(3780-3780)

Variable Type : imputation flag

Description : MAROUT09 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5551
1	MULTIPLE REGRESSION IMPUTATION	2
2	LOGICAL IMPUTATION	1
Total		5554

Universe : Applicable for all respondents

MAROUT10_I(3781-3781)

Variable Type : imputation flag

Description : MAROUT10 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5552
2	LOGICAL IMPUTATION	2
Total		5554

Universe : Applicable for all respondents

MAROUT11_I(3782-3782)

Variable Type : imputation flag

Description : MAROUT11 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5553
2	LOGICAL IMPUTATION	1
Total		5554

Universe : Applicable for all respondents

MAROUT12_I(3783-3783)

Variable Type : imputation flag

Description : MAROUT12 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5553
2	LOGICAL IMPUTATION	1
Total		5554

Universe : Applicable for all respondents

MAROUT13_I(3784-3784)

Variable Type : imputation flag

Description : MAROUT13 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5553
2	LOGICAL IMPUTATION	1
Total		5554

Universe : Applicable for all respondents

MAROUT14_I(3785-3785)

Variable Type : imputation flag

Description : MAROUT14 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5553
2	LOGICAL IMPUTATION	1
Total		5554

Universe : Applicable for all respondents

MAROUT15_I(3786-3786)

Variable Type : imputation flag

Description : MAROUT15 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5554
Total		5554

Universe : Applicable for all respondents

MAROUT16_I(3787-3787)

Variable Type : imputation flag

Description : MAROUT16 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5554
Total		5554

Universe : Applicable for all respondents

MAROUT17_I(3788-3788)

Variable Type : imputation flag

Description : MAROUT17 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5554
Total		5554

Universe : Applicable for all respondents

MAROUT18_I(3789-3789)

Variable Type : imputation flag

Description : MAROUT18 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5554
Total		5554

Universe : Applicable for all respondents

MAROUT19_I(3790-3790)

Variable Type : imputation flag

Description : MAROUT19 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5554
Total		5554

Universe : Applicable for all respondents

MAROUT20_I(3791-3791)

Variable Type : imputation flag

Description : MAROUT20 Imputation Flag

value	label	Total
-------	-------	-------

0	QUESTIONNAIRE DATA (NOT IMPUTED)	5554
Total		5554

Universe : Applicable for all respondents

RMAROUT01_I(3792-3792)

Variable Type : imputation flag

Description : RMAROUT01 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5530
1	MULTIPLE REGRESSION IMPUTATION	24
Total		5554

Universe : Applicable for all respondents

RMAROUT02_I(3793-3793)

Variable Type : imputation flag

Description : RMAROUT02 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5531
1	MULTIPLE REGRESSION IMPUTATION	23
Total		5554

Universe : Applicable for all respondents

RMAROUT03_I(3794-3794)

Variable Type : imputation flag

Description : RMAROUT03 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5533
1	MULTIPLE REGRESSION IMPUTATION	20
2	LOGICAL IMPUTATION	1
Total		5554

Universe : Applicable for all respondents

RMAROUT04_I(3795-3795)

Variable Type : imputation flag

Description : RMAROUT04 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5537
1	MULTIPLE REGRESSION IMPUTATION	16
2	LOGICAL IMPUTATION	1
Total		5554

Universe : Applicable for all respondents

RMAROUT05_I(3796-3796)

Variable Type : imputation flag

Description : RMAROUT05 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5543
1	MULTIPLE REGRESSION IMPUTATION	11
Total		5554

Universe : Applicable for all respondents

RMAROUT06_I(3797-3797)

Variable Type : imputation flag

Description : RMAROUT06 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5549
1	MULTIPLE REGRESSION IMPUTATION	4
2	LOGICAL IMPUTATION	1
Total		5554

Universe : Applicable for all respondents

RMAROUT07_I(3798-3798)

Variable Type : imputation flag

Description : RMAROUT07 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5550
1	MULTIPLE REGRESSION IMPUTATION	3
2	LOGICAL IMPUTATION	1
Total		5554

Universe : Applicable for all respondents

RMAROUT08_I(3799-3799)

Variable Type : imputation flag

Description : RMAROUT08 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5552
1	MULTIPLE REGRESSION IMPUTATION	1
2	LOGICAL IMPUTATION	1
Total		5554

Universe : Applicable for all respondents

RMAROUT09_I(3800-3800)

Variable Type : imputation flag

Description : RMAROUT09 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5551
1	MULTIPLE REGRESSION IMPUTATION	2
2	LOGICAL IMPUTATION	1
Total		5554

Universe : Applicable for all respondents

RMAROUT10_I(3801-3801)

Variable Type : imputation flag

Description : RMAROUT10 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5552
2	LOGICAL IMPUTATION	2
Total		5554

Universe : Applicable for all respondents

RMAROUT11_I(3802-3802)

Variable Type : imputation flag

Description : RMAROUT11 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5553
2	LOGICAL IMPUTATION	1
Total		5554

Universe : Applicable for all respondents

RMAROUT12_I(3803-3803)

Variable Type : imputation flag

Description : RMAROUT12 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5553
2	LOGICAL IMPUTATION	1
Total		5554

Universe : Applicable for all respondents

RMAROUT13_I(3804-3804)

Variable Type : imputation flag

Description : RMAROUT13 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5553
2	LOGICAL IMPUTATION	1
Total		5554

Universe : Applicable for all respondents

RMAROUT14_I(3805-3805)

Variable Type : imputation flag

Description : RMAROUT14 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5553
2	LOGICAL IMPUTATION	1
Total		5554

Universe : Applicable for all respondents

RMAROUT15_I(3806-3806)

Variable Type : imputation flag

Description : RMAROUT15 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5554
Total		5554

Universe : Applicable for all respondents

RMAROUT16_I(3807-3807)

Variable Type : imputation flag

Description : RMAROUT16 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5554
Total		5554

Universe : Applicable for all respondents

RMAROUT17_I(3808-3808)

Variable Type : imputation flag

Description : RMAROUT17 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5554
Total		5554

Universe : Applicable for all respondents

RMAROUT18_I(3809-3809)

Variable Type : imputation flag

Description : RMAROUT18 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5554
Total		5554

Universe : Applicable for all respondents

RMAROUT19_I(3810-3810)

Variable Type : imputation flag

Description : RMAROUT19 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5554
Total		5554

Universe : Applicable for all respondents

RMAROUT20_I(3811-3811)

Variable Type : imputation flag

Description : RMAROUT20 Imputation Flag

value	label	Total
-------	-------	-------

0	QUESTIONNAIRE DATA (NOT IMPUTED)	5554
Total		5554

Universe : Applicable for all respondents

MARCON01_I(3812-3812)

Variable Type : imputation flag

Description : MARCON01 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5526
1	MULTIPLE REGRESSION IMPUTATION	26
2	LOGICAL IMPUTATION	2
Total		5554

Universe : Applicable for all respondents

MARCON02_I(3813-3813)

Variable Type : imputation flag

Description : MARCON02 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5528
1	MULTIPLE REGRESSION IMPUTATION	26
Total		5554

Universe : Applicable for all respondents

MARCON03_I(3814-3814)

Variable Type : imputation flag

Description : MARCON03 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5534
1	MULTIPLE REGRESSION IMPUTATION	20
Total		5554

Universe : Applicable for all respondents

MARCON04_I(3815-3815)

Variable Type : imputation flag

Description : MARCON04 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5537
1	MULTIPLE REGRESSION IMPUTATION	17
Total		5554

Universe : Applicable for all respondents

MARCON05_I(3816-3816)

Variable Type : imputation flag

Description : MARCON05 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5541
1	MULTIPLE REGRESSION IMPUTATION	13
Total		5554

Universe : Applicable for all respondents

MARCON06_I(3817-3817)

Variable Type : imputation flag

Description : MARCON06 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5549
1	MULTIPLE REGRESSION IMPUTATION	4
2	LOGICAL IMPUTATION	1
Total		5554

Universe : Applicable for all respondents

MARCON07_I(3818-3818)

Variable Type : imputation flag

Description : MARCON07 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5550
1	MULTIPLE REGRESSION IMPUTATION	3
2	LOGICAL IMPUTATION	1
Total		5554

Universe : Applicable for all respondents

MARCON08_I(3819-3819)

Variable Type : imputation flag

Description : MARCON08 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5552
1	MULTIPLE REGRESSION IMPUTATION	1
2	LOGICAL IMPUTATION	1
Total		5554

Universe : Applicable for all respondents

MARCON09_I(3820-3820)

Variable Type : imputation flag

Description : MARCON09 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5551
1	MULTIPLE REGRESSION IMPUTATION	2
2	LOGICAL IMPUTATION	1
Total		5554

Universe : Applicable for all respondents

MARCON10_I(3821-3821)

Variable Type : imputation flag

Description : MARCON10 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5552
2	LOGICAL IMPUTATION	2
Total		5554

Universe : Applicable for all respondents

MARCON11_I(3822-3822)

Variable Type : imputation flag

Description : MARCON11 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5553
2	LOGICAL IMPUTATION	1
Total		5554

Universe : Applicable for all respondents

MARCON12_I(3823-3823)

Variable Type : imputation flag

Description : MARCON12 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5553
2	LOGICAL IMPUTATION	1
Total		5554

Universe : Applicable for all respondents

MARCON13_I(3824-3824)

Variable Type : imputation flag

Description : MARCON13 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5553
2	LOGICAL IMPUTATION	1
Total		5554

Universe : Applicable for all respondents

MARCON14_I(3825-3825)

Variable Type : imputation flag

Description : MARCON14 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5553
2	LOGICAL IMPUTATION	1
Total		5554

Universe : Applicable for all respondents

MARCON15_I(3826-3826)

Variable Type : imputation flag

Description : MARCON15 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5554
Total		5554

Universe : Applicable for all respondents

MARCON16_I(3827-3827)

Variable Type : imputation flag

Description : MARCON16 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5554
Total		5554

Universe : Applicable for all respondents

MARCON17_I(3828-3828)

Variable Type : imputation flag

Description : MARCON17 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5554
Total		5554

Universe : Applicable for all respondents

MARCON18_I(3829-3829)

Variable Type : imputation flag

Description : MARCON18 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5554
Total		5554

Universe : Applicable for all respondents

MARCON19_I(3830-3830)

Variable Type : imputation flag

Description : MARCON19 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5554
Total		5554

Universe : Applicable for all respondents

MARCON20_I(3831-3831)

Variable Type : imputation flag

Description : MARCON20 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5554
Total		5554

Universe : Applicable for all respondents

RMARCON01_I(3832-3832)

Variable Type : imputation flag

Description : RMARCON01 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5528
1	MULTIPLE REGRESSION IMPUTATION	24
2	LOGICAL IMPUTATION	2
Total		5554

Universe : Applicable for all respondents

RMARCON02_I(3833-3833)

Variable Type : imputation flag

Description : RMARCON02 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5528
1	MULTIPLE REGRESSION IMPUTATION	26
Total		5554

Universe : Applicable for all respondents

RMARCON03_I(3834-3834)

Variable Type : imputation flag

Description : RMARCON03 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5534
1	MULTIPLE REGRESSION IMPUTATION	19
2	LOGICAL IMPUTATION	1
Total		5554

Universe : Applicable for all respondents

RMARCON04_I(3835-3835)

Variable Type : imputation flag

Description : RMARCON04 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5537
1	MULTIPLE REGRESSION IMPUTATION	16
2	LOGICAL IMPUTATION	1
Total		5554

Universe : Applicable for all respondents

RMARCON05_I(3836-3836)

Variable Type : imputation flag

Description : RMARCON05 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5542
1	MULTIPLE REGRESSION IMPUTATION	12
Total		5554

Universe : Applicable for all respondents

RMARCON06_I(3837-3837)

Variable Type : imputation flag

Description : RMARCON06 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5549
1	MULTIPLE REGRESSION IMPUTATION	4
2	LOGICAL IMPUTATION	1
Total		5554

Universe : Applicable for all respondents

RMARCON07_I(3838-3838)

Variable Type : imputation flag

Description : RMARCON07 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5550
1	MULTIPLE REGRESSION IMPUTATION	3
2	LOGICAL IMPUTATION	1
Total		5554

Universe : Applicable for all respondents

RMARCON08_I(3839-3839)

Variable Type : imputation flag

Description : RMARCON08 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5552
1	MULTIPLE REGRESSION IMPUTATION	1
2	LOGICAL IMPUTATION	1
Total		5554

Universe : Applicable for all respondents

RMARCON09_I(3840-3840)

Variable Type : imputation flag

Description : RMARCON09 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5551
1	MULTIPLE REGRESSION IMPUTATION	2
2	LOGICAL IMPUTATION	1
Total		5554

Universe : Applicable for all respondents

RMARCON10_I(3841-3841)

Variable Type : imputation flag

Description : RMARCON10 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5552
2	LOGICAL IMPUTATION	2
Total		5554

Universe : Applicable for all respondents

RMARCON11_I(3842-3842)

Variable Type : imputation flag

Description : RMARCON11 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5553
2	LOGICAL IMPUTATION	1
Total		5554

Universe : Applicable for all respondents

RMARCON12_I(3843-3843)

Variable Type : imputation flag

Description : RMARCON12 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5553
2	LOGICAL IMPUTATION	1
Total		5554

Universe : Applicable for all respondents

RMARCON13_I(3844-3844)

Variable Type : imputation flag

Description : RMARCON13 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5553
2	LOGICAL IMPUTATION	1
Total		5554

Universe : Applicable for all respondents

RMARCON14_I(3845-3845)

Variable Type : imputation flag

Description : RMARCON14 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5553
2	LOGICAL IMPUTATION	1
Total		5554

Universe : Applicable for all respondents

RMARCON15_I(3846-3846)

Variable Type : imputation flag

Description : RMARCON15 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5554
Total		5554

Universe : Applicable for all respondents

RMARCON16_I(3847-3847)

Variable Type : imputation flag

Description : RMARCON16 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5554
Total		5554

Universe : Applicable for all respondents

RMARCON17_I(3848-3848)

Variable Type : imputation flag

Description : RMARCON17 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5554
Total		5554

Universe : Applicable for all respondents

RMARCON18_I(3849-3849)

Variable Type : imputation flag

Description : RMARCON18 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5554
Total		5554

Universe : Applicable for all respondents

RMARCON19_I(3850-3850)

Variable Type : imputation flag

Description : RMARCON19 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5554
Total		5554

Universe : Applicable for all respondents

RMARCON20_I(3851-3851)

Variable Type : imputation flag

Description : RMARCON20 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5554
Total		5554

Universe : Applicable for all respondents

CEBOW_I(3852-3852)

Variable Type : imputation flag

Description : CEBOW Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5551
1	MULTIPLE REGRESSION IMPUTATION	1
2	LOGICAL IMPUTATION	2
Total		5554

Universe : Applicable for all respondents

CEBOWC_I(3853-3853)

Variable Type : imputation flag

Description : CEBOWC Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5552
1	MULTIPLE REGRESSION IMPUTATION	1
2	LOGICAL IMPUTATION	1
Total		5554

Universe : Applicable for all respondents

DATBABY1_I(3854-3854)

Variable Type : imputation flag

Description : DATBABY1 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5550
1	MULTIPLE REGRESSION IMPUTATION	4
Total		5554

Universe : Applicable for all respondents

AGEBABY1_I(3855-3855)

Variable Type : imputation flag

Description : AGEBABY1 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5550
1	MULTIPLE REGRESSION IMPUTATION	4
Total		5554

Universe : Applicable for all respondents

LIVCHILD01_I(3856-3856)

Variable Type : imputation flag

Description : LIVCHILD01 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5550
2	LOGICAL IMPUTATION	4
Total		5554

Universe : Applicable for all respondents

LIVCHILD02_I(3857-3857)

Variable Type : imputation flag

Description : LIVCHILD02 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5551
2	LOGICAL IMPUTATION	3
Total		5554

Universe : Applicable for all respondents

LIVCHILD03_I(3858-3858)

Variable Type : imputation flag

Description : LIVCHILD03 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5552
2	LOGICAL IMPUTATION	2
Total		5554

Universe : Applicable for all respondents

LIVCHILD04_I(3859-3859)

Variable Type : imputation flag

Description : LIVCHILD04 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5551
2	LOGICAL IMPUTATION	3
Total		5554

Universe : Applicable for all respondents

LIVCHILD05_I(3860-3860)

Variable Type : imputation flag

Description : LIVCHILD05 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5550
2	LOGICAL IMPUTATION	4
Total		5554

Universe : Applicable for all respondents

LIVCHILD06_I(3861-3861)

Variable Type : imputation flag

Description : LIVCHILD06 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5552
2	LOGICAL IMPUTATION	2
Total		5554

Universe : Applicable for all respondents

LIVCHILD07_I(3862-3862)

Variable Type : imputation flag

Description : LIVCHILD07 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5550
2	LOGICAL IMPUTATION	4
Total		5554

Universe : Applicable for all respondents

LIVCHILD08_I(3863-3863)

Variable Type : imputation flag

Description : LIVCHILD08 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5552
2	LOGICAL IMPUTATION	2
Total		5554

Universe : Applicable for all respondents

LIVCHILD09_I(3864-3864)

Variable Type : imputation flag

Description : LIVCHILD09 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5552
2	LOGICAL IMPUTATION	2
Total		5554

Universe : Applicable for all respondents

LIVCHILD10_I(3865-3865)

Variable Type : imputation flag

Description : LIVCHILD10 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5554
Total		5554

Universe : Applicable for all respondents

LIVCHILD11_I(3866-3866)

Variable Type : imputation flag

Description : LIVCHILD11 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5554
	Total	5554

Universe : Applicable for all respondents

LIVCHILD12_I(3867-3867)

Variable Type : imputation flag

Description : LIVCHILD12 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5554
	Total	5554

Universe : Applicable for all respondents

LIVCHILD13_I(3868-3868)

Variable Type : imputation flag

Description : LIVCHILD13 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5554
	Total	5554

Universe : Applicable for all respondents

LIVCHILD14_I(3869-3869)

Variable Type : imputation flag

Description : LIVCHILD14 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5554
	Total	5554

Universe : Applicable for all respondents

LIVCHILD15_I(3870-3870)

Variable Type : imputation flag

Description : LIVCHILD15 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5554
	Total	5554

Universe : Applicable for all respondents

LIVCHILD16_I(3871-3871)

Variable Type : imputation flag

Description : LIVCHILD16 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5554
	Total	5554

Universe : Applicable for all respondents

LIVCHILD17_I(3872-3872)

Variable Type : imputation flag

Description : LIVCHILD17 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5554
Total		5554

Universe : Applicable for all respondents

LIVCHILD18_I(3873-3873)

Variable Type : imputation flag

Description : LIVCHILD18 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5554
Total		5554

Universe : Applicable for all respondents

LIVCHILD19_I(3874-3874)

Variable Type : imputation flag

Description : LIVCHILD19 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5554
Total		5554

Universe : Applicable for all respondents

LIVCHILD20_I(3875-3875)

Variable Type : imputation flag

Description : LIVCHILD20 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5554
Total		5554

Universe : Applicable for all respondents

Female Respondent File Codebook :: SECTION R: Recode Variables and Imputation Flags :: Section C Recodes

FMARNO(3876-3876)

Variable Type : recode

Description : Number of times R has been married (RECODE)

value	label	Total
0	NEVER BEEN MARRIED	2972
1	1 TIME	2156
2	2 TIMES	357
3	3 TIMES	55

4-95 4 OR MORE TIMES 14
Total 5554

Universe : Applicable for all respondents

CSPBIOKD(3877-3877)

Variable Type : recode

Description : Total number of biological children R has had with current spouse or cohabiting partner (RECODE)

value	label	Total
.	INAPPLICABLE	3095
0-15	Number of biological children R has had with her current husband or cohabiting partner	2459
Total		5554

Universe : Applicable if R is currently married or cohabiting (RMARITAL = 1 or 2)

MARDAT01(3878-3881)

Variable Type : recode

Description : Year of R's 1st marriage (RECODE)

value	label	Total
.	INAPPLICABLE	2972
1931-2017	1931-2017	2582
Total		5554

Universe : Applicable if R has been married at least once (FMARNO > 0)

Notes : The year of this event is available for public use, and the original century-month variable is accessible by application to the NCHS Research Data Center. See Appendix 7 of the User's Guide for further information.

MARDAT02(3882-3885)

Variable Type : recode

Description : Year of R's 2nd marriage (RECODE)

value	label	Total
.	INAPPLICABLE	5128
1931-2017	1931-2017	426
Total		5554

Universe : Applicable if R has been married at least 2 times (FMARNO > 1)

Notes : The year of this event is available for public use, and the original century-month variable is accessible by application to the NCHS Research Data Center. See Appendix 7 of the User's Guide for further information.

MARDAT03(3886-3889)

Variable Type : recode

Description : Year of R's 3rd marriage (RECODE)

value	label	Total
.	INAPPLICABLE	5485
1931-2017	1931-2017	69
Total		5554

Universe : Applicable if R has been married at least 3 times (FMARNO > 2)

Notes : The year of this event is available for public use, and the original century-month variable is accessible by application to the NCHS Research Data Center. See Appendix 7 of the User's Guide for further information.

MARDAT04(3890-3893)

Variable Type : recode

Description : Year of R's 4th marriage (RECODE)

value	label	Total
.	INAPPLICABLE	5540
1931-2017	1931-2017	14
	Total	5554

Universe : Applicable if R has been married at least 4 times (FMARNO > 3)

Notes : The year of this event is available for public use, and the original century-month variable is accessible by application to the NCHS Research Data Center. See Appendix 7 of the User's Guide for further information.

MARDAT05(3894-3897)

Variable Type : recode

Description : Year of R's 5th marriage (RECODE)

value	label	Total
.	INAPPLICABLE	5550
1931-2017	1931-2017	4
	Total	5554

Universe : Applicable if R has been married at least 5 times (FMARNO > 4)

Notes : The year of this event is available for public use, and the original century-month variable is accessible by application to the NCHS Research Data Center. See Appendix 7 of the User's Guide for further information.

MARDAT06(3898-3901)

Variable Type : recode

Description : Year of R's 6th marriage (RECODE)

value	label	Total
.	INAPPLICABLE	5552
1931-2017	1931-2017	2
	Total	5554

Universe : Applicable if R has been married at least 6 times (FMARNO > 5)

Notes : The year of this event is available for public use, and the original century-month variable is accessible by application to the NCHS Research Data Center. See Appendix 7 of the User's Guide for further information.

MARDIS01(3902-3905)

Variable Type : recode

Description : Year when R's 1st marriage ended (RECODE)

value	label	Total
.	INAPPLICABLE	4515
1931-2017	1931-2017	1039
	Total	5554

Universe : Applicable if R has been married more than once (FMARNO > 1) or R's 1st marriage is not intact (FMARNO = 1 and FMARITAL NE 1)

Notes : The year of this event is available for public use, and the original century-month variable is accessible by application to the NCHS Research Data Center. See Appendix 7 of the User's Guide for further information.

MARDIS02(3906-3909)

Variable Type : recode

Description : Year when R's 2nd marriage ended (RECODE)

value	label	Total
.	INAPPLICABLE	5379
1931-2017	1931-2017	175
	Total	5554

Universe : Applicable if R has been married more than 2 times (FMARNO > 2) or R's 2nd marriage is not intact (FMARNO = 2 and FMARITAL NE 1)

Notes : The year of this event is available for public use, and the original century-month variable is accessible by application to the NCHS Research Data Center. See Appendix 7 of the User's Guide for further information.

MARDIS03(3910-3913)

Variable Type : recode

Description : Year when R's 3rd marriage ended (RECODE)

value	label	Total
.	INAPPLICABLE	5510
1931-2017	1931-2017	44
	Total	5554

Universe : Applicable if R has been married more than 3 times (FMARNO > 3) or R's 3rd marriage is not intact (FMARNO =3 and FMARITAL NE 1)

Notes : The year of this event is available for public use, and the original century-month variable is accessible by application to the NCHS Research Data Center. See Appendix 7 of the User's Guide for further information.

MARDIS04(3914-3917)

Variable Type : recode

Description : Year when R's 4th marriage ended (RECODE)

value	label	Total
.	INAPPLICABLE	5546
1931-2017	1931-2017	8
	Total	5554

Universe : Applicable if R has been married more than 4 times (FMARNO > 4) or R's 4th marriage is not intact (FMARNO = 4 and FMARITAL NE 1)

Notes : The year of this event is available for public use, and the original century-month variable is accessible by application to the NCHS Research Data Center. See Appendix 7 of the User's Guide for further information.

MARDIS05(3918-3921)

Variable Type : recode

Description : Year when R's 5th marriage ended (RECODE)

value	label	Total
.	INAPPLICABLE	5552
1931-2017	1931-2017	2
	Total	5554

Universe : Applicable if R has been married more than 5 times (FMARNO > 5) or R's 5th marriage is not intact (FMARNO = 5 and FMARITAL NE 1)

Notes : The year of this event is available for public use, and the original century-month variable is accessible by application to the NCHS Research Data Center. See Appendix 7 of the User's Guide for further information.

MARDIS06(3922-3925)

Variable Type : recode

Description : Year when R's 6th marriage ended (RECODE)

value	label	Total
.	INAPPLICABLE	5553
1931-2017	1931-2017	1
Total		5554

Universe : Applicable if R has been married more than 6 times (FMARNO > 6) or R's 6th marriage is not intact (FMARNO = 6 and FMARITAL NE 1)

Notes : The year of this event is available for public use, and the original century-month variable is accessible by application to the NCHS Research Data Center. See Appendix 7 of the User's Guide for further information.

MAREND01(3926-3926)

Variable Type : recode

Description : How R's 1st marriage ended (RECODE)

value	label	Total
.	INAPPLICABLE	4515
1	DIVORCED OR ANNULLED	818
2	SEPARATED	166
3	WIDOWED	55
Total		5554

Universe : Applicable if R has been married more than once (FMARNO > 1) or R's 1st marriage is not intact (FMARNO = 1 and FMARITAL NE 1)

MAREND02(3927-3927)

Variable Type : recode

Description : How R's 2nd marriage ended (RECODE)

value	label	Total
.	INAPPLICABLE	5379
1	DIVORCED OR ANNULLED	144
2	SEPARATED	24
3	WIDOWED	7
Total		5554

Universe : Applicable if R has been married more than 2 times (FMARNO > 2) or R's 2nd marriage is not intact (FMARNO = 2 and FMARITAL NE 1)

MAREND03(3928-3928)

Variable Type : recode

Description : How R's 3rd marriage ended (RECODE)

value	label	Total
.	INAPPLICABLE	5510
1	DIVORCED OR ANNULLED	33
2	SEPARATED	8

3	WIDOWED	3
	Total	5554

Universe : Applicable if R has been married more than 3 times (FMARNO >3) or R's 3rd marriage is not intact (FMARNO = 3 and FMARITAL NE 1)

MAREND04(3929-3929)

Variable Type : recode

Description : How R's 4th marriage ended (RECODE)

value	label	Total
.	INAPPLICABLE	5546
1	DIVORCED OR ANNULLED	6
2	SEPARATED	2
	Total	5554

Universe : Applicable if R has been married more than 4 times (FMARNO > 4) or R's 4th marriage is not intact (FMARNO = 4 and FMARITAL NE 1)

MAREND05(3930-3930)

Variable Type : recode

Description : How R's 5th marriage ended (RECODE)

value	label	Total
.	INAPPLICABLE	5552
1	DIVORCED OR ANNULLED	2
	Total	5554

Universe : Applicable if R has been married more than 5 times (FMARNO > 5) or R's 5th marriage is not intact (FMARNO = 5 and FMARITAL NE 1)

MAREND06(3931-3931)

Variable Type : recode

Description : How R's 6th marriage ended (RECODE)

value	label	Total
.	INAPPLICABLE	5553
2	SEPARATED	1
	Total	5554

Universe : Applicable if R has been married more than 6 times (FMARNO > 6) and R's 6th marriage is not intact (FMARNO = 6 and FMARITAL NE 1)

FMAR1AGE(3932-3933)

Variable Type : recode

Description : Age at first marriage (RECODE)

value	label	Total
.	INAPPLICABLE	2972
0-19	UNDER 20 YEARS	488
20-24	20-24 YEARS	1053
25-29	25-29 YEARS	660
30-34	30-34 YEARS	257
35-49	35-49 YEARS	124
	Total	5554

Universe : Applicable if R has ever been married (FMARITAL NE 5)

AGEDISS1(3934-3935)

Variable Type : recode

Description : Age at dissolution of first marriage (RECODE)

value	label	Total
.	INAPPLICABLE	4515
0-19	UNDER 20 YEARS	66
20-24	20-24 YEARS	258
25-29	25-29 YEARS	279
30-34	30-34 YEARS	213
35-49	35-49 YEARS	223
	Total	5554

Universe : Applicable if R's first marriage dissolved (FMARNO > 1 or (FMARNO = 1 and MARDIS01 NE blank))

AGEDD1(3936-3937)

Variable Type : recode

Description : Age at divorce or death: 1st marriage (RECODE)

value	label	Total
.	INAPPLICABLE	4681
0-19	UNDER 20 YEARS	33
20-24	20-24 YEARS	195
25-29	25-29 YEARS	234
30-34	30-34 YEARS	206
35-49	35-49 YEARS	205
	Total	5554

Universe : Applicable if R's first marriage dissolved (FMARNO > 1 or (FMARNO = 1 and MARDIS01 NE inapp), but only in divorce or death and not in separation (MAREND01 = 1 or 3))

MAR1DISS(3938-3938)

Variable Type : recode

Description : Months btw/1st marriage & dissolution (or interview) (RECODE)

value	label	Total
.	INAPPLICABLE	2972
1	0-12 months	266
2	13-24 months	232
3	25-36 months	168
4	37-48 months	177
5	More than 4 years	1739
	Total	5554

Universe : Applicable if R has ever been married (FMARITAL NE 5)

Notes : This variable has been modified for public use, and the original variable is accessible by application to the NCHS Research Data Center. See Appendix 7 of the User's Guide for further information.

DD1REMAR(3939-3939)

Variable Type : recode

Description : Months btw/divorce or death (1st marriage) and remarriage (or interview) (RECODE)

value	label	Total
-------	-------	-------

.	INAPPLICABLE	4681
1	0-12 months	146
2	13-24 months	120
3	25-36 months	102
4	37-48 months	85
5	More than 4 years	420
	Total	5554

Universe : Applicable if R's first marriage dissolved (FMARNO > 1 or (FMARNO = 1 and MARDIS01 NE inapp), but only in divorce or death and not in separation (MAREND01 = 1 or 3))

Notes : This variable has been modified for public use, and the original variable is accessible by application to the NCHS Research Data Center. See Appendix 7 of the User's Guide for further information.

MAR1BIR1(3940-3942)

Variable Type : recode

Description : Months btw/1st marriage & 1st birth (or interview) (RECODE)

value	label	Total
.	INAPPLICABLE	1940
1	0-12 months	501
2	13-24 months	389
3	25-36 months	249
4	More than 3 years	798
888	First birth occurred before first marriage	1677
	Total	5554

Universe : Applicable if R has ever been married (FMARITAL NE 5) or ever had a live birth (PARITY > 0)

Notes : This variable has been modified for public use, and the original variable is accessible by application to the NCHS Research Data Center. See Appendix 7 of the User's Guide for further information.

MAR1CON1(3943-3945)

Variable Type : recode

Description : Months btw/1st marriage & 1st conception (or interview) (RECODE)

value	label	Total
.	INAPPLICABLE	1730
1	0-12 months	477
2	13-24 months	269
3	25-36 months	173
4	More than 3 years	546
995	First conception before marriage	1117
996	Has been pregnant, but has never been married	1242
	Total	5554

Universe : Applicable if R has ever been pregnant (PREGNUM > 0) or ever been married (FMARITAL NE 5)

Notes : This variable has been modified for public use, and the original variable is accessible by application to the NCHS Research Data Center. See Appendix 7 of the User's Guide for further information.

CON1MAR1(3946-3948)

Variable Type : recode

Description : Months btw/1st conception & 1st marriage (or interview) (RECODE)

value	label	Total
.	INAPPLICABLE	1730

1	0-12 months	1522
2	13-24 months	205
3	25-36 months	164
4	More than 3 years	1620
996	Has been married but has never been pregnant	313
	Total	5554

Universe : Applicable if R has ever been pregnant (PREGNUM > 0) or ever been married (FMARITAL NE 5)

Notes : This variable has been modified for public use, and the original variable is accessible by application to the NCHS Research Data Center. See Appendix 7 of the User's Guide for further information.

B1PREMAR(3949-3949)

Variable Type : recode

Description : Whether R's first birth was premarital (RECODE)

value	label	Total
.	INAPPLICABLE	2404
1	YES	1677
2	NO	1473
	Total	5554

Universe : Applicable if R has ever had a live birth (PARITY > 0)

COHEVER(3950-3950)

Variable Type : recode

Description : Whether R ever cohabited outside of marriage (RECODE)

value	label	Total
1	YES, EVER COHABITED (LIVED WITH A MAN OUTSIDE OF MARRIAGE)	3018
2	NO, NEVER COHABITED (LIVED WITH A MAN OUTSIDE OF MARRIAGE)	2536
	Total	5554

Universe : Applicable for all respondents

EVMARCOH(3951-3951)

Variable Type : recode

Description : Whether R ever married or cohabited (RECODE)

value	label	Total
1	YES, EVER MARRIED OR COHABITED	3849
2	NO, NEVER MARRIED OR COHABITED	1705
	Total	5554

Universe : Applicable for all respondents

PMARRNO(3952-3953)

Variable Type : recode

Description : Number of premarital cohabitations (RECODE)

value	label	Total
0	None	3942
1	One	1401
2	Two	188
3-HIGH	Three or more	23
	Total	5554

Universe : Applicable for all respondents

NONMARR(3954-3955)

Variable Type : recode

Description : Number of nonmarital cohabitations (RECODE)

value	label	Total
0	None	3691
1	One	1283
2	Two	417
3-HIGH	Three or more	163
Total		5554

Universe : Applicable for all respondents

TIMESCOH(3956-3957)

Variable Type : recode

Description : Total number of cohabitations (RECODE)

value	label	Total
0	None	2536
1	One	1955
2	Two	764
3-HIGH	Three or more	299
Total		5554

Universe : Applicable for all respondents

COHAB1(3958-3961)

Variable Type : recode

Description : Year of 1st cohabitation (incl. premarital cohabitation) (RECODE)

value	label	Total
.	INAPPLICABLE	2536
1931-2017	1931-2017	3018
Total		5554

Universe : Applicable if R ever cohabited outside of marriage (COHEVER = 1)

Notes : The year of this event is available for public use, and the original century-month variable is accessible by application to the NCHS Research Data Center. See Appendix 7 of the User's Guide for further information.

COHSTAT(3962-3962)

Variable Type : recode

Description : Cohabitation experience relative to 1st marriage (RECODE)

value	label	Total
1	NEVER COHABITED OUTSIDE OF MARRIAGE	2536
2	FIRST COHABITED BEFORE FIRST MARRIAGE	2821
3	FIRST COHABITED AFTER FIRST MARRIAGE	197
Total		5554

Universe : Applicable for all respondents

COHOUT(3963-3963)

Variable Type : recode

Description : Outcome of 1st cohabitation (RECODE)

value	label	Total
.	INAPPLICABLE	2536
1	INTACT COHABITATION	364
2	INTACT MARRIAGE	760
3	DISSOLVED MARRIAGE	578
4	DISSOLVED COHABITATION	1316
Total		5554

Universe : Applicable if R ever cohabited outside of marriage (COHEVER = 1)

COH1DUR(3964-3964)

Variable Type : recode

Description : Duration (in months) of R's first cohabitation (RECODE)

value	label	Total
.	INAPPLICABLE	2536
1	0-12 months	939
2	13-24 months	605
3	25-36 months	423
4	37-48 months	286
5	More than 4 years	765
Total		5554

Universe : Applicable if R ever cohabited outside of marriage (COHEVER = 1)

Notes : This variable has been modified for public use, and the original variable is accessible by application to the NCHS Research Data Center. See Appendix 7 of the User's Guide for further information.

HADSEX(3965-3965)

Variable Type : recode

Description : Whether R has ever had sexual intercourse with a male (RECODE)

value	label	Total
1	YES, R EVER HAD INTERCOURSE	4810
2	NO, R NEVER HAD INTERCOURSE	744
Total		5554

Universe : Applicable for all respondents

SEXONCE(3966-3966)

Variable Type : recode

Description : Whether R has had sex only once (RECODE)

value	label	Total
.	INAPPLICABLE	744
1	YES (R HAS HAD SEX ONLY ONCE)	69
2	NO (R HAS HAD SEX MORE THAN ONCE)	4741
Total		5554

Universe : Applicable if R has ever had sexual intercourse with a male (HADSEX = 1)

SEXEVER(3967-3967)

Variable Type : recode

Description : Whether R has ever had sexual intercourse with a male since menarche (RECODE)

value	label	Total
1	YES (R HAS HAD SEX AFTER 1ST PERIOD)	4808
2	NO (NO PERIOD, NO SEX AT ALL, OR NO SEX SINCE 1ST PERIOD)	746
Total		5554

Universe : Applicable for all respondents

VR1STAG(3968-3969)

Variable Type : recode

Description : Age at first intercourse (even if before menarche) (RECODE)

value	label	Total
.	INAPPLICABLE	744
0-14	UNDER 15 YEARS	777
15-17	15-17 YEARS	2247
18-19	18-19 YEARS	963
20-49	20 YEARS OR OLDER	823
Total		5554

Universe : Applicable if R has ever had sexual intercourse with a male (HADSEX = 1)

SEX1AGE(3970-3971)

Variable Type : recode

Description : Age at first intercourse since menarche (RECODE)

value	label	Total
.	INAPPLICABLE	746
0-14	UNDER 15 YEARS	736
15-17	15-17 YEARS	2268
18-19	18-19 YEARS	977
20-49	20 YEARS OR OLDER	827
Total		5554

Universe : Applicable if R has ever had sexual intercourse with a male since menarche (SEXEVER = 1)

VR1STSX(3972-3975)

Variable Type : recode

Description : CM date of first intercourse (even if before menarche) (RECODE)

value	label	Total
.	INAPPLICABLE	740
378-1340	Before Sept 2011	4130
1341-1352	Sept 2011-Aug 2012	137
1353-1364	Sept 2012-Aug 2013	137
1365-1376	Sept 2013-Aug 2014	126
1377-1388	Sept 2014-Aug 2015	157
1389-1400	Sept 2015-Aug 2016	91
1401-1413	Sept 2016-Sept 2017	32
9996	RESPONDED SHE NEVER HAD INTERCOURSE	4
Total		5554

Universe : Applicable if R has ever had sexual intercourse with a male (HADSEX = 1)

DATESEX1(3976-3979)

Variable Type : recode

Description : CM date of first intercourse since menarche (RECODE)

value	label	Total
.	INAPPLICABLE	746
378-1340	Before Sept 2011	4122
1341-1352	Sept 2011-Aug 2012	137
1353-1364	Sept 2012-Aug 2013	139
1365-1376	Sept 2013-Aug 2014	128
1377-1388	Sept 2014-Aug 2015	156
1389-1400	Sept 2015-Aug 2016	93
1401-1413	Sept 2016-Sept 2017	33
	Total	5554

Universe : Applicable if R has ever had sexual intercourse with a male since menarche (SEXEVER = 1)

SEXMAR(3980-3980)

Variable Type : recode

Description : Mos btw/1st intercourse (even if before menarche) & 1st marriage (or interview) (RECODE)

value	label	Total
.	INAPPLICABLE	744
1	0-12 months	593
2	13-24 months	280
3	25-36 months	287
4	More than 3 years	3620
5	First intercourse after first marriage	30
	Total	5554

Universe : Applicable if R has ever had sexual intercourse with a male (HADSEX = 1)

Notes : This variable has been modified for public use, and the original variable is accessible by application to the NCHS Research Data Center. See Appendix 7 of the User's Guide for further information.

SEX1FOR(3981-3981)

Variable Type : recode

Description : Mos btw/1st intercourse since menarche & 1st marriage (or interview) (RECODE)

value	label	Total
.	INAPPLICABLE	746
1	0-12 months	596
2	13-24 months	284
3	25-36 months	289
4	More than 3 years	3608
5	First intercourse after menarche after first marriage	31
	Total	5554

Universe : Applicable if R has ever had sexual intercourse with a male since menarche (SEXEVER = 1)

Notes : This variable has been modified for public use, and the original variable is accessible by application to the NCHS Research Data Center. See Appendix 7 of the User's Guide for further information.

SEXUNION(3982-3982)

Variable Type : recode

Description : Months between 1st intercourse and 1st coresidential union (marriage or cohabitation) (RECODE)

value	label	Total
.	INAPPLICABLE	744
1	0-12 months	886
2	13-24 months	509
3	25-36 months	506
4	More than 3 years	2775
5	First intercourse after first marriage or cohabitation	134
Total		5554

Universe : Applicable if R has ever had sexual intercourse with a male (HADSEX = 1)

Notes : This variable has been modified for public use, and the original variable is accessible by application to the NCHS Research Data Center. See Appendix 7 of the User's Guide for further information.

SEXOUT(3983-3983)

Variable Type : recode

Description : Outcome of 1st sexual intercourse (RECODE)

value	label	Total
.	INAPPLICABLE	744
1	Intact cohabitation	70
2	Intact marriage	607
3	Dissolved marriage	299
4	Dissolved cohabitation	286
5	Never married or cohabited with 1st sexual partner	3548
Total		5554

Universe : Applicable if R has ever had sexual intercourse with a male (HADSEX = 1)

FPDUR(3984-3986)

Variable Type : recode

Description : Months between 1st and last/most recent intercourse with 1st partner ever (RECODE)

value	label	Total
.	INAPPLICABLE	744
0-995	Number of months between first and most recent sex with 1st partner	4386
997	Only had sex once with first partner	424
Total		5554

Universe : Applicable if R has ever had sexual intercourse with a male (HADSEX = 1)

PARTS1YR(3987-3987)

Variable Type : recode

Description : Number of opposite-sex partners in last 12 mos (RECODE)

value	label	Total
.	INAPPLICABLE	744
0	NONE	597
1	1 PARTNER	3577
2	2 PARTNERS	416
3	3 PARTNERS	99
4	4 PARTNERS	53
5	5 PARTNERS	28
6	6 PARTNERS	11

7	7 OR MORE PARTNERS	29
Total		5554

Universe : Applicable if R has ever had sexual intercourse with a male (HADSEX = 1)

Notes : This variable has been modified for public use, and the original variable is accessible by application to the NCHS Research Data Center. See Appendix 7 of the User's Guide for further information.

LSEXDATE(3988-3991)

Variable Type : recode

Description : CM date of last or most recent sexual intercourse (RECODE)

value	label	Total
.	INAPPLICABLE	744
378-1340	Before Sept 2011	207
1341-1352	Sept 2011-Aug 2012	36
1353-1364	Sept 2012-Aug 2013	55
1365-1376	Sept 2013-Aug 2014	96
1377-1388	Sept 2014-Aug 2015	270
1389-1400	Sept 2015-Aug 2016	2178
1401-1413	Sept 2016-Sept 2017	1968
Total		5554

Universe : Applicable if R has ever had sexual intercourse with a male (HADSEX = 1)

lsexpreg(3992-3992)

Variable Type : computed

Description : Whether R was pregnant in month of last sexual intercourse in the past 12 months (computed in post-processing)

value	label	Total
.	INAPPLICABLE	1341
1	YES	255
2	NO	3958
Total		5554

Universe : Applicable if R had at least 1 sexual partner in the past 12 months (PARTS1YR > 0)

Notes : This variable has been created for public use, with specifications provided in Part 2 of the User's Guide. The source century-month variables on which this variable is based are accessible by application to the NCHS Research Data Center. See Appendix 7 of the User's Guide for further information.

SEX3MO(3993-3993)

Variable Type : recode

Description : Whether R had sex in past 3 months (from sexual partner dates) (RECODE)

value	label	Total
.	INAPPLICABLE	744
1	YES	3710
2	NO	1100
Total		5554

Universe : Applicable if R has ever had sexual intercourse with a male (HADSEX = 1)

NUMP3MOS(3994-3994)

Variable Type : recode

Description : Number of male partners in last 3 mos (RECODE)

value	label	Total
.	INAPPLICABLE	744
0	NONE	1107
1	1 PARTNER	3517
2-95	2 OR MORE PARTNERS	186
Total		5554

Universe : Applicable if R has ever had sexual intercourse with a male (HADSEX = 1)

LSEXRAGE(3995-3996)

Variable Type : recode

Description : R's age at last or most recent sexual intercourse (RECODE)

value	label	Total
.	INAPPLICABLE	744
0-17	UNDER 18 YEARS	184
18-19	18-19 YEARS	233
20-24	20-24 YEARS	714
25-34	25-34 YEARS	1778
35-50	35-49 YEARS	1901
Total		5554

Universe : Applicable if R has ever had sexual intercourse with a male (HADSEX = 1)

Notes : Respondents aged 50 were 49 at time of household screener

PARTDUR1(3997-3999)

Variable Type : recode

Description : Months between 1st and most recent intercourse with last/most recent partner (RECODE)

value	label	Total
.	INAPPLICABLE	744
0-995	Number of months between first and most recent sex with this partner	4751
997	Only had sex once with partner	59
Total		5554

Universe : Applicable if R has ever had sexual intercourse with a male (HADSEX = 1)

PARTDUR2(4000-4002)

Variable Type : recode

Description : Months between 1st and most recent intercourse with 2nd-to-last partner within past 12 mos (RECODE)

value	label	Total
.	INAPPLICABLE	4918
0-995	Number of months between first and most recent sex with this partner	609
997	Only had sex once with partner	27
Total		5554

Universe : Applicable if R has ever had sexual intercourse with a male (HADSEX = 1)

PARTDUR3(4003-4005)

Variable Type : recode

Description : Months between 1st and most recent intercourse with 3rd-to-last partner within past 12 mos (RECODE)

value	label	Total
.	INAPPLICABLE	5334
0-995	Number of months between first and most recent sex with this partner	210
997	Only had sex once with partner	10
Total		5554

Universe : Applicable if R has ever had sexual intercourse with a male (HADSEX = 1)

RELATP1(4006-4006)

Variable Type : recode

Description : Relationship at time of 1st sex with last/most recent partner (RECODE)

value	label	Total
.	INAPPLICABLE	1341
1	Married to him	324
2	Engaged to him	149
3	Living together in a sexual relationship, but not engaged	148
4	Going out with him or going steady	2357
5	Going out with him once in a while	471
6	Just friends	563
7	Had just met him	149
8	Something else	52
Total		5554

Universe : Applicable if R has ever had sexual intercourse with a male (HADSEX = 1)

RELATP2(4007-4007)

Variable Type : recode

Description : Relationship at time of 1st sex with 2nd-to-last partner within past 12 mos (RECODE)

value	label	Total
.	INAPPLICABLE	4918
1	Married to him	1
2	Engaged to him	3
3	Living together in a sexual relationship, but not engaged	13
4	Going out with him or going steady	211
5	Going out with him once in a while	106
6	Just friends	222
7	Had just met him	59
8	Something else	21
Total		5554

Universe : Applicable if R has ever had sexual intercourse with a male (HADSEX = 1)

RELATP3(4008-4008)

Variable Type : recode

Description : Relationship at time of 1st sex with 3rd-to-last partner within past 12 mos (RECODE)

value	label	Total
.	INAPPLICABLE	5334
1	Married to him	1
3	Living together in a sexual relationship, but not engaged	3
4	Going out with him or going steady	52
5	Going out with him once in a while	36

6	Just friends	81
7	Had just met him	36
8	Something else	11
	Total	5554

Universe : Applicable if R has ever had sexual intercourse with a male (HADSEX = 1)

LIFPRTNR(4009-4010)

Variable Type : recode

Description : Number of opposite-sex partners in lifetime (RECODE)

value	label	Total
0	NONE	744
1	1 PARTNER	923
2	2 PARTNERS	527
3	3 PARTNERS	496
4	4 PARTNERS	460
5	5 PARTNERS	494
6	6 PARTNERS	301
7	7 PARTNERS	248
8	8 PARTNERS	194
9	9 PARTNERS	108
10-19	10-19 PARTNERS	677
20-49	20-49 PARTNERS	315
50	50 OR MORE PARTNERS	67
	Total	5554

Universe : Applicable for all respondents

Notes : This variable has been modified for public use, and the original variable is accessible by application to the NCHS Research Data Center. See Appendix 7 of the User's Guide for further information.

FMARNO_I(4011-4011)

Variable Type : imputation flag

Description : FMARNO Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5552
2	LOGICAL IMPUTATION	2
	Total	5554

Universe : Applicable for all respondents

CSPBIOKD_I(4012-4012)

Variable Type : imputation flag

Description : CSPBIOKD Impuation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5553
1	MULTIPLE REGRESSION IMPUTATION	1
	Total	5554

Universe : Applicable for all respondents

MARDAT01_I(4013-4013)

Variable Type : imputation flag

Description : MARDAT01 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5539
1	MULTIPLE REGRESSION IMPUTATION	15
Total		5554

Universe : Applicable for all respondents

MARDAT02_I(4014-4014)

Variable Type : imputation flag

Description : MARDAT02 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5548
1	MULTIPLE REGRESSION IMPUTATION	2
2	LOGICAL IMPUTATION	4
Total		5554

Universe : Applicable for all respondents

MARDAT03_I(4015-4015)

Variable Type : imputation flag

Description : MARDAT03 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5552
2	LOGICAL IMPUTATION	2
Total		5554

Universe : Applicable for all respondents

MARDAT04_I(4016-4016)

Variable Type : imputation flag

Description : MARDAT04 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5553
2	LOGICAL IMPUTATION	1
Total		5554

Universe : Applicable for all respondents

MARDAT05_I(4017-4017)

Variable Type : imputation flag

Description : MARDAT05 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5554
Total		5554

Universe : Applicable for all respondents

MARDAT06_I(4018-4018)

Variable Type : imputation flag

Description : MARDAT06 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5553
2	LOGICAL IMPUTATION	1
Total		5554

Universe : Applicable for all respondents

MARDIS01_I(4019-4019)

Variable Type : imputation flag

Description : MARDIS01 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5530
1	MULTIPLE REGRESSION IMPUTATION	19
2	LOGICAL IMPUTATION	5
Total		5554

Universe : Applicable for all respondents

MARDIS02_I(4020-4020)

Variable Type : imputation flag

Description : MARDIS02 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5545
1	MULTIPLE REGRESSION IMPUTATION	7
2	LOGICAL IMPUTATION	2
Total		5554

Universe : Applicable for all respondents

MARDIS03_I(4021-4021)

Variable Type : imputation flag

Description : MARDIS03 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5551
1	MULTIPLE REGRESSION IMPUTATION	1
2	LOGICAL IMPUTATION	2
Total		5554

Universe : Applicable for all respondents

MARDIS04_I(4022-4022)

Variable Type : imputation flag

Description : MARDIS04 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5553
1	MULTIPLE REGRESSION IMPUTATION	1
Total		5554

Universe : Applicable for all respondents

MARDIS05_I(4023-4023)

Variable Type : imputation flag

Description : MARDIS05 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5554
Total		5554

Universe : Applicable for all respondents

MARDIS06_I(4024-4024)

Variable Type : imputation flag

Description : MARDIS06 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5554
Total		5554

Universe : Applicable for all respondents

MAREND01_I(4025-4025)

Variable Type : imputation flag

Description : MAREND1 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5553
1	MULTIPLE REGRESSION IMPUTATION	1
Total		5554

Universe : Applicable for all respondents

MAREND02_I(4026-4026)

Variable Type : imputation flag

Description : MAREND2 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5554
Total		5554

Universe : Applicable for all respondents

MAREND03_I(4027-4027)

Variable Type : imputation flag

Description : MAREND3 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5554
Total		5554

Universe : Applicable for all respondents

MAREND04_I(4028-4028)

Variable Type : imputation flag

Description : MAREND4 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5554
Total		5554

Universe : Applicable for all respondents

MAREND05_I(4029-4029)

Variable Type : imputation flag

Description : MAREND5 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5553
1	MULTIPLE REGRESSION IMPUTATION	1
Total		5554

Universe : Applicable for all respondents

MAREND06_I(4030-4030)

Variable Type : imputation flag

Description : MAREND6 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5554
Total		5554

Universe : Applicable for all respondents

FMAR1AGE_I(4031-4031)

Variable Type : imputation flag

Description : FMAR1AGE Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5539
1	MULTIPLE REGRESSION IMPUTATION	15
Total		5554

Universe : Applicable for all respondents

AGEDISS1_I(4032-4032)

Variable Type : imputation flag

Description : AGEDISS1 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5535
1	MULTIPLE REGRESSION IMPUTATION	19
Total		5554

Universe : Applicable for all respondents

AGEDD1_I(4033-4033)

Variable Type : imputation flag

Description : AGEDD1 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5514
1	MULTIPLE REGRESSION IMPUTATION	40
Total		5554

Universe : Applicable for all respondents

MAR1DISS_I(4034-4034)

Variable Type : imputation flag

Description : MAR1DISS Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5526
1	MULTIPLE REGRESSION IMPUTATION	28
Total		5554

Universe : Applicable for all respondents

DD1REMAR_I(4035-4035)

Variable Type : imputation flag

Description : DD1REMAR Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5519
1	MULTIPLE REGRESSION IMPUTATION	35
Total		5554

Universe : Applicable for all respondents

MAR1BIR1_I(4036-4036)

Variable Type : imputation flag

Description : MAR1BIR1 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5535
1	MULTIPLE REGRESSION IMPUTATION	18
2	LOGICAL IMPUTATION	1
Total		5554

Universe : Applicable for all respondents

MAR1CON1_I(4037-4037)

Variable Type : imputation flag

Description : MAR1CON1 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5529
1	MULTIPLE REGRESSION IMPUTATION	22
2	LOGICAL IMPUTATION	3
Total		5554

Universe : Applicable for all respondents

CON1MAR1_I(4038-4038)

Variable Type : imputation flag

Description : CON1MAR1 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5520
1	MULTIPLE REGRESSION IMPUTATION	32
2	LOGICAL IMPUTATION	2
Total		5554

Universe : Applicable for all respondents

B1PREMAR_I(4039-4039)

Variable Type : imputation flag

Description : B1PREMAR Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5536
1	MULTIPLE REGRESSION IMPUTATION	17
2	LOGICAL IMPUTATION	1
Total		5554

Universe : Applicable for all respondents

COHEVER_I(4040-4040)

Variable Type : imputation flag

Description : COHEVER Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5554
Total		5554

Universe : Applicable for all respondents

EVMARCOH_I(4041-4041)

Variable Type : imputation flag

Description : EVMARCOH Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5554
Total		5554

Universe : Applicable for all respondents

PMARRNO_I(4042-4042)

Variable Type : imputation flag

Description : PMARRNO Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5551
1	MULTIPLE REGRESSION IMPUTATION	3
Total		5554

Universe : Applicable for all respondents

NONMARR_I(4043-4043)

Variable Type : imputation flag

Description : NONMARR Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5550
1	MULTIPLE REGRESSION IMPUTATION	4
Total		5554

Universe : Applicable for all respondents

TIMESCOH_I(4044-4044)

Variable Type : imputation flag

Description : TIMESCOH Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5547
1	MULTIPLE REGRESSION IMPUTATION	7
Total		5554

Universe : Applicable for all respondents

COHAB1_I(4045-4045)

Variable Type : imputation flag

Description : COHAB1 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5543
1	MULTIPLE REGRESSION IMPUTATION	8
2	LOGICAL IMPUTATION	3
Total		5554

Universe : Applicable for all respondents

COHSTAT_I(4046-4046)

Variable Type : imputation flag

Description : COHSTAT Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5537
1	MULTIPLE REGRESSION IMPUTATION	14
2	LOGICAL IMPUTATION	3
Total		5554

Universe : Applicable for all respondents

COHOUT_I(4047-4047)

Variable Type : imputation flag

Description : COHOUT Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5546
1	MULTIPLE REGRESSION IMPUTATION	8
Total		5554

Universe : Applicable for all respondents

COH1DUR_I(4048-4048)

Variable Type : imputation flag

Description : COH1DUR Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5515
1	MULTIPLE REGRESSION IMPUTATION	36
2	LOGICAL IMPUTATION	3
Total		5554

Universe : Applicable for all respondents

HADSEX_I(4049-4049)

Variable Type : imputation flag

Description : HADSEX Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5554
Total		5554

Universe : Applicable for all respondents

SEXEVER_I(4050-4050)

Variable Type : imputation flag

Description : SEXEVER Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5539
1	MULTIPLE REGRESSION IMPUTATION	11
2	LOGICAL IMPUTATION	4
Total		5554

Universe : Applicable for all respondents

VRY1STAG_I(4051-4051)

Variable Type : imputation flag

Description : VRY1STAG Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5533
1	MULTIPLE REGRESSION IMPUTATION	15
2	LOGICAL IMPUTATION	6
Total		5554

Universe : Applicable for all respondents

SEX1AGE_I(4052-4052)

Variable Type : imputation flag

Description : SEX1AGE Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5519
1	MULTIPLE REGRESSION IMPUTATION	29
2	LOGICAL IMPUTATION	6
Total		5554

Universe : Applicable for all respondents

VRY1STSX_I(4053-4053)

Variable Type : imputation flag

Description : VRY1STSX Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5493
1	MULTIPLE REGRESSION IMPUTATION	49
2	LOGICAL IMPUTATION	12
Total		5554

Universe : Applicable for all respondents

DATESEX1_I(4054-4054)

Variable Type : imputation flag

Description : DATESEX1 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5470
1	MULTIPLE REGRESSION IMPUTATION	72
2	LOGICAL IMPUTATION	12
Total		5554

Universe : Applicable for all respondents

SEXONCE_I(4055-4055)

Variable Type : imputation flag

Description : SEXONCE Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5554
Total		5554

Universe : Applicable for all respondents

SEXMAR_I(4056-4056)

Variable Type : imputation flag

Description : SEXMAR Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5492
1	MULTIPLE REGRESSION IMPUTATION	62
Total		5554

Universe : Applicable for all respondents

SEX1FOR_I(4057-4057)

Variable Type : imputation flag

Description : SEX1FOR Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5479
1	MULTIPLE REGRESSION IMPUTATION	75
Total		5554

Universe : Applicable for all respondents

SEXUNION_I(4058-4058)

Variable Type : imputation flag

Description : SEXUNION Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5487
1	MULTIPLE REGRESSION IMPUTATION	66
2	LOGICAL IMPUTATION	1
Total		5554

Universe : Applicable for all respondents

SEXOUT_I(4059-4059)

Variable Type : imputation flag

Description : SEXOUT Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5553
1	MULTIPLE REGRESSION IMPUTATION	1
Total		5554

Universe : Applicable for all respondents

FPDUR_I(4060-4060)

Variable Type : imputation flag

Description : FPDUR Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5442
1	MULTIPLE REGRESSION IMPUTATION	112
Total		5554

Universe : Applicable for all respondents

PARTS1YR_I(4061-4061)

Variable Type : imputation flag

Description : PARTS1YR Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5550
1	MULTIPLE REGRESSION IMPUTATION	4
Total		5554

Universe : Applicable for all respondents

LSEXDATE_I(4062-4062)

Variable Type : imputation flag

Description : LSEXDATE Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5527

1	MULTIPLE REGRESSION IMPUTATION	27
	Total	5554

Universe : Applicable for all respondents

SEXP3MO_I(4063-4063)

Variable Type : imputation flag

Description : SEXP3MO Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5542
1	MULTIPLE REGRESSION IMPUTATION	12
	Total	5554

Universe : Applicable for all respondents

NUMP3MOS_I(4064-4064)

Variable Type : imputation flag

Description : NUMP3MOS Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5536
1	MULTIPLE REGRESSION IMPUTATION	18
	Total	5554

Universe : Applicable for all respondents

LSEXRAGE_I(4065-4065)

Variable Type : imputation flag

Description : LSEXRAGE Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5527
1	MULTIPLE REGRESSION IMPUTATION	27
	Total	5554

Universe : Applicable for all respondents

PARTDUR1_I(4066-4066)

Variable Type : imputation flag

Description : PARTDUR1 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5445
1	MULTIPLE REGRESSION IMPUTATION	109
	Total	5554

Universe : Applicable for all respondents

PARTDUR2_I(4067-4067)

Variable Type : imputation flag

Description : PARTDUR2 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5533

1	MULTIPLE REGRESSION IMPUTATION	21
	Total	5554

Universe : Applicable for all respondents

PARTDUR3_I(4068-4068)

Variable Type : imputation flag

Description : PARTDUR3 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5539
1	MULTIPLE REGRESSION IMPUTATION	15
	Total	5554

Universe : Applicable for all respondents

RELATP1_I(4069-4069)

Variable Type : imputation flag

Description : RELATP1 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5546
1	MULTIPLE REGRESSION IMPUTATION	8
	Total	5554

Universe : Applicable for all respondents

RELATP2_I(4070-4070)

Variable Type : imputation flag

Description : RELATP2 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5546
1	MULTIPLE REGRESSION IMPUTATION	8
	Total	5554

Universe : Applicable for all respondents

RELATP3_I(4071-4071)

Variable Type : imputation flag

Description : RELATP3 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5544
1	MULTIPLE REGRESSION IMPUTATION	10
	Total	5554

Universe : Applicable for all respondents

LIFPRTNR_I(4072-4072)

Variable Type : imputation flag

Description : LIFPRTNR Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5512

1	MULTIPLE REGRESSION IMPUTATION	42
	Total	5554

Universe : Applicable for all respondents

Female Respondent File Codebook :: SECTION R: Recode Variables and Imputation Flags :: Sections D and E Recodes

STRLOPER(4073-4073)

Variable Type : recode

Description : Type of sterilization operation "in effect" (RECODE)

value	label	Total
1	TUBAL LIGATION OR STERILIZATION	748
2	HYSTERECTOMY	169
3	VASECTOMY	186
4	OTHER OPERATION OR TYPE UNKNOWN	26
5	NOT SURGICALLY STERILE	4425
	Total	5554

Universe : Applicable for all respondents

FECUND(4074-4074)

Variable Type : recode

Description : Fecundity status (RECODE)

value	label	Total
1	SURGICALLY STERILE, CONTRACEPTIVE	1023
2	SURGICALLY STERILE, NONCONTRACEPTIVE	106
3	STERILE, NONSURGICAL	161
4	SUBFECUND	546
5	LONG INTERVAL (INFERTILE FOR 36+ MONTHS)	50
6	FECUND	3668
	Total	5554

Universe : Applicable for all respondents

ANYBC36(4075-4075)

Variable Type : intermediate

Description : Any method use in 36 months before interview

value	label	Total
1	yes, at least one month of method use	4374
2	no, no months of method use	1180
	Total	5554

Universe : Applicable for all respondents

Notes : see recode FECUND for definition of this variable

NOSEX36(4076-4076)

Variable Type : intermediate

Description : Any months of NONintercourse in 36 months before interview

value	label	Total
1	No, no months of non-intercourse -- intercourse in all months	1911

2	Yes, one or more months of non-intercourse	3643
Total		5554

Universe : Applicable for all respondents

Notes : see recode FECUND for definition of this variable

INFERT(4077-4077)

Variable Type : recode

Description : Infertility status (RECODE)

value	label	Total
.	INAPPLICABLE	3095
1	SURGICALLY STERILE	733
2	INFERTILE	200
3	FECUND	1526
Total		5554

Universe : Applicable if R is currently married or cohabiting (RMARITAL = 1 or 2)

ANYBC12(4078-4078)

Variable Type : intermediate

Description : Any method use in 12 months before interview

value	label	Total
1	yes, at least one month of method use	4063
2	no, no months of method use	1491
Total		5554

Universe : Applicable for all respondents

Notes : see recode INFERT for definition of this variable

ANYMTHD(4079-4079)

Variable Type : recode

Description : Ever used any method for any reason (RECODE)

value	label	Total
1	YES	4904
2	NO	650
Total		5554

Universe : Applicable for all respondents

NOSEX12(4080-4081)

Variable Type : recode

Description : Number of months of nonintercourse in the 12 months prior to interview (RECODE)

value	label	Total
0	NONE	2558
1	1 MONTH	275
2	2 MONTHS	194
3	3 MONTHS	193
4	4 MONTHS	158
5	5 MONTHS	146
6	6 MONTHS	161

7	7 MONTHS	125
8	8 MONTHS	123
9	9 MONTHS	119
10	10 MONTHS	121
11	11 MONTHS	122
12	12 MONTHS	515
95	NEVER HAD INTERCOURSE	744
	Total	5554

Universe : Applicable for all respondents

SEXP3MO(4082-4082)

Variable Type : recode

Description : Whether R had sex in past 3 months (from months of nonintercourse series) (RECODE)

value	label	Total
.	INAPPLICABLE	744
1	YES	3860
2	NO	950
	Total	5554

Universe : Applicable if R has ever had sexual intercourse with a male (HADSEX = 1)

CONSTAT1(4083-4084)

Variable Type : recode

Description : Current contraceptive status (1st priority code) (RECODE)

value	label	Total
1	Female sterilization	933
2	Male sterilization	209
3	Norplant or Implanon implant	138
5	Depo-Provera (injectable)	172
6	Pill	672
7	Contraceptive Patch	7
8	Contraceptive Ring	61
9	Emergency contraception	8
10	IUD	429
12	(Male) Condom	478
18	Jelly or cream (not with diaphragm)	2
19	Periodic abstinence: NFP, cervical mucus test or temperature rhythm	5
20	Periodic abstinence: calendar rhythm	47
21	Withdrawal	203
22	Other method	3
30	Pregnant	201
31	Seeking Pregnancy	229
32	Postpartum	38
33	Sterile--nonsurgical--female	140
34	Sterile--nonsurgical--male	18
35	Sterile--surgical--female (noncontraceptive)	11
38	Sterile--unknown reasons--male	2
40	Other nonuser--never had intercourse since first period	646
41	Other nonuser--has had intercourse, but not in the 3 months prior to interview	462
42	Other nonuser--had intercourse in the 3 months prior to interview	440
	Total	5554

Universe : Applicable for all respondents

CONSTAT2(4085-4086)

Variable Type : recode

Description : 2nd priority code for current contraceptive status (RECODE)

value	label	Total
1	Female sterilization	1
2	Male sterilization	25
3	Norplant or Implanon implant	1
5	Depo-Provera (injectable)	12
6	Pill	28
7	Contraceptive Patch	2
8	Contraceptive Ring	2
9	Emergency contraception	1
10	IUD	29
12	(Male) Condom	194
13	Female condom/vaginal pouch	1
14	Foam	1
17	Suppository or insert	2
19	Periodic abstinence: NFP, cervical mucus test or temperature rhythm	5
20	Periodic abstinence: calendar rhythm	53
21	Withdrawal	180
22	Other method	2
33	Sterile--nonsurgical--female	13
34	Sterile--nonsurgical--male	3
38	Sterile--unknown reasons--male	1
88	Inapplicable (no 2nd, 3rd, or 4th method reported)	4998
	Total	5554

Universe : Applicable for all respondents

CONSTAT3(4087-4088)

Variable Type : recode

Description : 3rd priority code for current contraceptive status (RECODE)

value	label	Total
3	Norplant or Implanon implant	1
6	Pill	2
12	(Male) Condom	5
13	Female condom/vaginal pouch	1
14	Foam	1
17	Suppository or insert	2
18	Jelly or cream (not with diaphragm)	1
20	Periodic abstinence: calendar rhythm	4
21	Withdrawal	39
88	Inapplicable (no 2nd, 3rd, or 4th method reported)	5498
	Total	5554

Universe : Applicable for all respondents

CONSTAT4(4089-4090)

Variable Type : recode

Description : 4th priority code for current contraceptive status (RECODE)

value	label	Total
21	Withdrawal	1
88	Inapplicable (no 2nd, 3rd, or 4th method reported)	5553
	Total	5554

Universe : Applicable for all respondents

PILLR(4091-4091)

Variable Type : recode

Description : Ever used the pill for any reason (RECODE)

value	label	Total
1	YES	3808
2	NO	1746
Total		5554

Universe : Applicable for all respondents

CONDOMR(4092-4092)

Variable Type : recode

Description : Ever used condom (RECODE)

value	label	Total
.	INAPPLICABLE	744
1	YES	4511
2	NO	299
Total		5554

Universe : Applicable if R has ever had sexual intercourse with a male (HADSEX = 1)

SEX1MTHD1(4093-4094)

Variable Type : recode

Description : Contraceptive method used at first sex, if any: 1st mentioned (RECODE)

value	label	Total
.	INAPPLICABLE	744
1	Pill	1039
2	Condom	2058
4	Female sterilizing operation/tubal ligation	2
5	Withdrawal	166
6	Depo-Provera, injectables	57
7	Implant (Norplant, Implanon, or Nexplanon)	8
8	Calendar rhythm, Standard Days, or Cycle Beads method	12
9	Safe period by temperature or cervical mucus test (Two Day, Billing Ovulation, or Sympto-thermal Method)	1
12	Foam	1
15	Suppository, insert	2
16	Today sponge	3
17	IUD, coil, loop	8
18	Emergency contraception	10
19	Other method	2
23	Contraceptive patch	13
24	Contraceptive ring	12
95	Never used a method	52
96	Did not use a method at 1st intercourse	1364
Total		5554

Universe : Applicable if R has ever had sexual intercourse with a male (HADSEX = 1)

SEX1MTHD2(4095-4096)

Variable Type : recode

Description : Contraceptive method used at first sex, if any: 2nd mentioned (RECODE)

value	label	Total
.	INAPPLICABLE	3429
1	Pill	44
2	Condom	570
5	Withdrawal	56
6	Depo-Provera, injectables	19
7	Implant (Norplant, Implanon, or Nexplanon)	1
8	Calendar rhythm, Standard Days, or Cycle Beads method	1
10	Diaphragm	1
12	Foam	2
13	Jelly or cream	5
15	Suppository, insert	3
17	IUD, coil, loop	1
18	Emergency contraception	1
23	Contraceptive patch	1
24	Contraceptive ring	5
95	Never used a method	52
96	Did not use a method at 1st intercourse	1363
	Total	5554

Universe : Applicable if R has ever had sexual intercourse with a male (HADSEX = 1) and R used a second method at first sex (mthfstx2 not blank)

SEX1MTHD3(4097-4098)

Variable Type : recode

Description : Contraceptive method used at first sex, if any: 3rd mentioned (RECODE)

value	label	Total
.	INAPPLICABLE	4101
1	Pill	2
3	Partner's vasectomy	1
5	Withdrawal	21
6	Depo-Provera, injectables	5
8	Calendar rhythm, Standard Days, or Cycle Beads method	1
12	Foam	1
13	Jelly or cream	1
17	IUD, coil, loop	2
18	Emergency contraception	4
95	Never used a method	52
96	Did not use a method at 1st intercourse	1363
	Total	5554

Universe : Applicable if R has ever had sexual intercourse with a male (HADSEX = 1) and R used a third method at first sex (mthfstx3 not blank)

SEX1MTHD4(4099-4100)

Variable Type : recode

Description : Contraceptive method used at first sex, if any: 4th mentioned (RECODE)

value	label	Total
.	INAPPLICABLE	4133
2	Condom	1
4	Female sterilizing operation/tubal ligation	1
8	Calendar rhythm, Standard Days, or Cycle Beads method	2
13	Jelly or cream	1
24	Contraceptive ring	1
95	Never used a method	52
96	Did not use a method at 1st intercourse	1363

Total**5554**

Universe : Applicable if R has ever had sexual intercourse with a male (HADSEX = 1) and R used a fourth method at first sex (mthfstx4 not blank)

MTHUSE12(4101-4102)

Variable Type : recode

Description : Whether used any contraceptive method at last sex in past 12 months (RECODE)

value	label	Total
.	INAPPLICABLE	1341
1	USED A METHOD	3327
2	DID NOT USE A METHOD	853
95	NEVER USED A METHOD	33
Total		5554

Universe : Applicable if R has had sexual intercourse with an opposite-sex partner in the last 12 months (PARTS1YR > 0)

METH12M1(4103-4104)

Variable Type : recode

Description : Contraceptive method used at last sex past 12 mos: 1st mentioned (RECODE)

value	label	Total
.	INAPPLICABLE	2227
1	Pill	583
2	Condom	778
3	Partner's vasectomy	227
4	Female sterilizing operation/tubal ligation	661
5	Withdrawal	352
6	Depo-Provera injectable	127
7	Implant (Norplant, Implanon, or Nexplanon)	106
8	Calendar rhythm, Standard Days, or Cycle Beads method	42
9	Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, or Sympto-thermal Method)	3
13	Jelly or cream	4
15	Suppository, insert	1
17	IUD, coil, loop	368
18	Emergency contraception	5
19	Other method	3
20	Respondent sterile (aside from sterilizing operation above)	11
21	Respondent's partner sterile (aside from vasectomy above)	1
23	Contraceptive patch	5
24	Contraceptive ring	50
Total		5554

Universe : Applicable if R has had sexual intercourse with an opposite-sex partner in the last 12 mons (PARTS1YR > 0) and used a method at last sex in the past 12 mons (MTHUSE12 = 1)

METH12M2(4105-4106)

Variable Type : recode

Description : Contraceptive method used at last sex past 12 mos: 2nd mentioned (RECODE)

value	label	Total
.	INAPPLICABLE	5035
1	Pill	15
2	Condom	157
3	Partner's vasectomy	13

4	Female sterilizing operation/tubal ligation	54
5	Withdrawal	134
6	Depo-Provera injectable	16
7	Implant (Norplant, Implanon, or Nexplanon)	14
8	Calendar rhythm, Standard Days, or Cycle Beads method	41
9	Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, or Sympto-thermal Method)	4
11	Female condom, vaginal pouch	2
12	Foam	2
13	Jelly or cream	2
15	Suppository, insert	2
17	IUD, coil, loop	47
18	Emergency contraception	6
19	Other method	2
20	Respondent sterile (aside from sterilizing operation above)	1
21	Respondent's partner sterile (aside from vasectomy above)	1
23	Contraceptive patch	1
24	Contraceptive ring	5
	Total	5554

Universe : Applicable if R has had sexual intercourse with an opposite-sex partner in the last 12 mons (PARTS1YR > 0) and used more than one method at last sex in the past 12 mons (mthfstsx2 not blank or EF-2 LSTMTHP2 not blank)

METH12M3(4107-4108)

Variable Type : recode

Description : Contraceptive method used at last sex past 12 mos: 3rd mentioned (RECODE)

value	label	Total
.	INAPPLICABLE	5514
1	Pill	1
2	Condom	1
3	Partner's vasectomy	1
4	Female sterilizing operation/tubal ligation	2
5	Withdrawal	12
6	Depo-Provera injectable	3
7	Implant (Norplant, Implanon, or Nexplanon)	2
8	Calendar rhythm, Standard Days, or Cycle Beads method	11
9	Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, or Sympto-thermal Method)	2
15	Suppository, insert	1
17	IUD, coil, loop	3
18	Emergency contraception	1
	Total	5554

Universe : Applicable if R has had sexual intercourse with an opposite-sex partner in the last 12 mons (PARTS1YR > 0) and used more than two methods at last sex in the past 12 mons (mthfstsx3 not blank or EF-2 LSTMTHP3 not blank)

METH12M4(4109-4110)

Variable Type : recode

Description : Contraceptive method used at last sex past 12 mos: 4th mentioned (RECODE)

value	label	Total
.	INAPPLICABLE	5552
8	Calendar rhythm, Standard Days, or Cycle Beads method	1
18	Emergency contraception	1
	Total	5554

Universe : Applicable if R has had sexual intercourse with an opposite-sex partner in the last 12 mons (PARTS1YR > 0) and used more than three methods at last sex in the past 12 mons (mthfstsx4 not blank or EF-2 LSTMTHP4 not blank)

MTHUSE3(4111-4112)

Variable Type : recode

Description : Whether used any contraceptive method at last sex in past 3 mos (RECODE)

value	label	Total
.	INAPPLICABLE	1837
1	USED A METHOD AT LAST INTERCOURSE IN PAST 3 MONTHS	2935
2	DID NOT USE A METHOD AT LAST INTERCOURSE IN PAST 3 MONTHS	754
95	NEVER USED A METHOD	28
Total		5554

Universe : Applicable if R has had sexual intercourse with an opposite-sex partner in the last 3 months (SEX3MO = 1)

METH3M1(4113-4114)

Variable Type : recode

Description : Contraceptive method used last sex past 3 mos: 1st mentioned (RECODE)

value	label	Total
.	INAPPLICABLE	2622
1	Pill	518
2	Condom	638
3	Partner's vasectomy	213
4	Female sterilizing operation/tubal ligation	603
5	Withdrawal	310
6	Depo-Provera, injectables	106
7	Implant (Norplant, Implanon, or Nexplanon)	92
8	Calendar rhythm, Standard Days, or Cycle Beads method	40
9	Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, or Sympto-thermal Method)	3
13	Jelly or cream	2
15	Suppository, insert	1
17	IUD, coil, loop	338
18	Emergency contraception	4
19	Other method	3
20	Respondent sterile (aside from sterilizing operation above)	9
21	Respondent's partner sterile (aside from vasectomy above)	1
23	Contraceptive patch	5
24	Contraceptive ring	46
Total		5554

Universe : Applicable if R has had sexual intercourse with an opposite-sex partner in the last 3 mons (SEX3MO = 1) and used a method at last sex in the past 3 mons (MTHUSE3 = 1)

METH3M2(4115-4116)

Variable Type : recode

Description : Contraceptive method used last sex past 3 mos: 2nd mentioned (RECODE)

value	label	Total
.	INAPPLICABLE	5110
1	Pill	12
2	Condom	129
3	Partner's vasectomy	12
4	Female sterilizing operation/tubal ligation	47

5	Withdrawal	113
6	Depo-Provera, injectables	15
7	Implant (Norplant, Implanon, or Nexplanon)	12
8	Calendar rhythm, Standard Days, or Cycle Beads method	39
9	Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, or Sympto-thermal Method)	4
11	Female condom, vaginal pouch	1
12	Foam	2
13	Jelly or cream	2
15	Suppository, insert	2
17	IUD, coil, loop	41
18	Emergency contraception	3
19	Other method	2
20	Respondent sterile (aside from sterilizing operation above)	1
21	Respondent's partner sterile (aside from vasectomy above)	1
23	Contraceptive patch	1
24	Contraceptive ring	5
	Total	5554

Universe : Applicable if R has had sexual intercourse with an opposite-sex partner in the last 3 mons (SEX3MO = 1) and used a second method at last sex in the past 3 mons (mthfstx2 not blank or EF-2 LSTMTHP2 not blank)

METH3M3(4117-4118)

Variable Type : recode

Description : Contraceptive method used last sex past 3 mos: 3rd mentioned (RECODE)

value	label	Total
.	INAPPLICABLE	5519
1	Pill	1
2	Condom	1
3	Partner's vasectomy	1
4	Female sterilizing operation/tubal ligation	2
5	Withdrawal	9
6	Depo-Provera, injectables	3
7	Implant (Norplant, Implanon, or Nexplanon)	2
8	Calendar rhythm, Standard Days, or Cycle Beads method	10
9	Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, or Sympto-thermal Method)	2
15	Suppository, insert	1
17	IUD, coil, loop	2
18	Emergency contraception	1
	Total	5554

Universe : Applicable if R has had sexual intercourse with an opposite-sex partner in the last 3 mons (SEX3MO = 1) and used a third method at last sex in the past 3 mons (mthfstx3 not blank or EF-2 LSTMTHP3 not blank)

METH3M4(4119-4119)

Variable Type : recode

Description : Contraceptive method used last sex past 3 mos: 4th mentioned (RECODE)

value	label	Total
.	INAPPLICABLE	5554
	Total	5554

Universe : Applicable if R has had sexual intercourse with an opposite-sex partner in the last 3 mons (SEX3MO = 1) and used a fourth method at last sex in the past 3 mons (mthfstx4 not blank or EF-2 LSTMTHP4 not blank)

FMETHOD1(4120-4121)

Variable Type : recode

Description : First method ever used: 1st mentioned (RECODE)

value	label	Total
.	INAPPLICABLE	650
1	Pill	2010
2	Condom	2239
3	Partner's vasectomy	1
4	Female sterilizing operation/tubal ligation	16
5	Withdrawal	199
6	Depo-Provera, injectables	249
7	Hormonal implant (Norplant, Implanon, or Nexplanon)	31
8	Calendar rhythm, Standard Days, or Cycle Beads method	19
9	Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, or Sympto-thermal Method)	2
10	Diaphragm	2
11	Female condom, vaginal pouch	1
12	Foam	4
15	Suppository, insert	2
16	Todaytm sponge	9
17	IUD, coil, loop	40
18	Emergency contraception	19
19	Other method	7
20	Respondent sterile (aside from sterilizing operation above)	2
21	Respondent's partner sterile (aside from vasectomy above)	1
23	Contraceptive patch	28
24	Contraceptive ring	23
	Total	5554

Universe : Applicable if R has ever used a contraceptive method (ANYMTHD = 1)

FMETHOD2(4122-4123)

Variable Type : recode

Description : First method ever used: 2nd mentioned (RECODE)

value	label	Total
.	INAPPLICABLE	5250
1	Pill	30
2	Condom	185
5	Withdrawal	53
6	Depo-Provera, injectables	9
8	Calendar rhythm, Standard Days, or Cycle Beads method	5
9	Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, or Sympto-thermal Method)	1
10	Diaphragm	1
12	Foam	4
13	Jelly or cream	3
15	Suppository, insert	3
17	IUD, coil, loop	3
18	Emergency contraception	2
19	Other method	1
23	Contraceptive patch	3
24	Contraceptive ring	1
	Total	5554

Universe : Applicable if R has ever used a contraceptive method (ANYMTHD = 1) and used a 2nd method the first time (EB-1 FIRSMETH2 not blank)

FMETHOD3(4124-4125)

Variable Type : recode

Description : First method ever used: 3rd mentioned (RECODE)

value	label	Total
.	INAPPLICABLE	5511
1	Pill	1
3	Partner's vasectomy	2
4	Female sterilizing operation/tubal ligation	1
5	Withdrawal	20
6	Depo-Provera, injectables	4
8	Calendar rhythm, Standard Days, or Cycle Beads method	2
9	Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, or Sympto-thermal Method)	1
12	Foam	1
13	Jelly or cream	1
16	Todaytm sponge	1
17	IUD, coil, loop	4
18	Emergency contraception	4
24	Contraceptive ring	1
	Total	5554

Universe : Applicable if R has ever used a contraceptive method (ANYMTHD = 1) and used a 3rd method the first time (EB-1 FIRSMETH3 not blank)

FMETHOD4(4126-4127)

Variable Type : recode

Description : First method ever used: 4th mentioned (RECODE)

value	label	Total
.	INAPPLICABLE	5545
2	Condom	1
4	Female sterilizing operation/tubal ligation	1
5	Withdrawal	1
8	Calendar rhythm, Standard Days, or Cycle Beads method	2
13	Jelly or cream	1
18	Emergency contraception	1
23	Contraceptive patch	1
24	Contraceptive ring	1
	Total	5554

Universe : Applicable if R has ever used a contraceptive method (ANYMTHD = 1) and used a 4th method the first time (EB-1 FIRSMETH4 not blank)

DATEUSE1(4128-4132)

Variable Type : recode

Description : Date R used first method for the first time (RECODE)

value	label	Total
.	INAPPLICABLE	796
378-1340	Before Sept 2011	4019
1341-1352	Sept 2011-Aug 2012	137
1353-1364	Sept 2012-Aug 2013	140
1365-1376	Sept 2013-Aug 2014	120
1377-1388	Sept 2014-Aug 2015	160
1389-1400	Sept 2015-Aug 2016	93
1401-1413	Sept 2016-Sept 2017	30
90000-99999	Date estimated	59
	Total	5554

Universe : Applicable if R has ever had sexual intercourse with a male (HADSEX = 1) and has ever used a contraceptive method (ANYMTHD = 1)

OLDWP01(4133-4133)

Variable Type : recode

Description : Wantedness of 1st pregnancy--R's partner--cycle 4 version (RECODE)

value	label	Total
.	INAPPLICABLE	2043
1	LATER, OVERDUE	221
2	RIGHT TIME	1513
3	TOO SOON, MISTIMED	755
4	DIDN'T CARE, INDIFFERENT	51
5	UNWANTED	686
6	DON'T KNOW, NOT SURE	285
	Total	5554

Universe : Applicable if R has ever been pregnant (PREGNUM > 0)

OLDWP02(4134-4134)

Variable Type : recode

Description : Wantedness of 2nd pregnancy--R's partner--cycle 4 version (RECODE)

value	label	Total
.	INAPPLICABLE	2865
1	LATER, OVERDUE	142
2	RIGHT TIME	1517
3	TOO SOON, MISTIMED	397
4	DIDN'T CARE, INDIFFERENT	39
5	UNWANTED	450
6	DON'T KNOW, NOT SURE	144
	Total	5554

Universe : Applicable if R has been pregnant at least 2 times (PREGNUM > 1)

OLDWP03(4135-4135)

Variable Type : recode

Description : Wantedness of 3rd pregnancy--R's partner--cycle 4 version (RECODE)

value	label	Total
.	INAPPLICABLE	3881
1	LATER, OVERDUE	91
2	RIGHT TIME	919
3	TOO SOON, MISTIMED	213
4	DIDN'T CARE, INDIFFERENT	22
5	UNWANTED	352
6	DON'T KNOW, NOT SURE	76
	Total	5554

Universe : Applicable if R has been pregnant at least 3 times (PREGNUM > 2)

OLDWP04(4136-4136)

Variable Type : recode

Description : Wantedness of 4th pregnancy--R's partner--cycle 4 version (RECODE)

value	label	Total
-------	-------	-------

.	INAPPLICABLE	4679
1	LATER, OVERDUE	36
2	RIGHT TIME	470
3	TOO SOON, MISTIMED	113
4	DIDN'T CARE, INDIFFERENT	11
5	UNWANTED	193
6	DON'T KNOW, NOT SURE	52
	Total	5554

Universe : Applicable if R has been pregnant at least 4 times (PREGNUM > 3)

OLDWP05(4137-4137)

Variable Type : recode

Description : Wantedness of 5th pregnancy--R's partner--cycle 4 version (RECODE)

value	label	Total
.	INAPPLICABLE	5144
1	LATER, OVERDUE	15
2	RIGHT TIME	210
3	TOO SOON, MISTIMED	53
4	DIDN'T CARE, INDIFFERENT	8
5	UNWANTED	105
6	DON'T KNOW, NOT SURE	19
	Total	5554

Universe : Applicable if R has been pregnant at least 5 times (PREGNUM > 4)

OLDWP06(4138-4138)

Variable Type : recode

Description : Wantedness of 6th pregnancy--R's partner--cycle 4 version (RECODE)

value	label	Total
.	INAPPLICABLE	5362
1	LATER, OVERDUE	14
2	RIGHT TIME	102
3	TOO SOON, MISTIMED	16
4	DIDN'T CARE, INDIFFERENT	6
5	UNWANTED	42
6	DON'T KNOW, NOT SURE	12
	Total	5554

Universe : Applicable if R has been pregnant at least 6 times (PREGNUM > 5)

OLDWP07(4139-4139)

Variable Type : recode

Description : Wantedness of 7th pregnancy--R's partner--cycle 4 version (RECODE)

value	label	Total
.	INAPPLICABLE	5457
1	LATER, OVERDUE	2
2	RIGHT TIME	51
3	TOO SOON, MISTIMED	6
4	DIDN'T CARE, INDIFFERENT	1
5	UNWANTED	27
6	DON'T KNOW, NOT SURE	10
	Total	5554

Universe : Applicable if R has been pregnant at least 7 times (PREGNUM > 6)

OLDWP08(4140-4140)

Variable Type : recode

Description : Wantedness of 8th pregnancy--R's partner--cycle 4 version (RECODE)

value	label	Total
.	INAPPLICABLE	5506
1	LATER, OVERDUE	1
2	RIGHT TIME	18
3	TOO SOON, MISTIMED	1
5	UNWANTED	21
6	DON'T KNOW, NOT SURE	7
Total		5554

Universe : Applicable if R has been pregnant at least 8 times (PREGNUM > 7)

OLDWP09(4141-4141)

Variable Type : recode

Description : Wantedness of 9th pregnancy--R's partner--cycle 4 version (RECODE)

value	label	Total
.	INAPPLICABLE	5536
2	RIGHT TIME	11
5	UNWANTED	4
6	DON'T KNOW, NOT SURE	3
Total		5554

Universe : Applicable if R has been pregnant at least 9 times (PREGNUM > 8)

OLDWP10(4142-4142)

Variable Type : recode

Description : Wantedness of 10th pregnancy--R's partner--cycle 4 version (RECODE)

value	label	Total
.	INAPPLICABLE	5542
2	RIGHT TIME	7
5	UNWANTED	3
6	DON'T KNOW, NOT SURE	2
Total		5554

Universe : Applicable if R has been pregnant at least 10 times (PREGNUM > 9)

OLDWP11(4143-4143)

Variable Type : recode

Description : Wantedness of 11th pregnancy--R's partner--cycle 4 version (RECODE)

value	label	Total
.	INAPPLICABLE	5546
2	RIGHT TIME	4
4	DIDN'T CARE, INDIFFERENT	1
5	UNWANTED	2
6	DON'T KNOW, NOT SURE	1
Total		5554

Universe : Applicable if R has been pregnant at least 11 times (PREGNUM > 10)

OLDWP12(4144-4144)

Variable Type : recode

Description : Wantedness of 12th pregnancy--R's partner--cycle 4 version (RECODE)

value	label	Total
.	INAPPLICABLE	5549
2	RIGHT TIME	3
3	TOO SOON, MISTIMED	1
6	DON'T KNOW, NOT SURE	1
Total		5554

Universe : Applicable if R has been pregnant at least 12 times (PREGNUM > 11)

OLDWP13(4145-4145)

Variable Type : recode

Description : Wantedness of 13th pregnancy--R's partner--cycle 4 version (RECODE)

value	label	Total
.	INAPPLICABLE	5549
2	RIGHT TIME	4
6	DON'T KNOW, NOT SURE	1
Total		5554

Universe : Applicable if R has been pregnant at least 13 times (PREGNUM > 12)

OLDWP14(4146-4146)

Variable Type : recode

Description : Wantedness of 14th pregnancy--R's partner--cycle 4 version (RECODE)

value	label	Total
.	INAPPLICABLE	5550
2	RIGHT TIME	2
5	UNWANTED	1
6	DON'T KNOW, NOT SURE	1
Total		5554

Universe : Applicable if R has been pregnant at least 14 times (PREGNUM > 13)

OLDWP15(4147-4147)

Variable Type : recode

Description : Wantedness of 15th pregnancy--R's partner--cycle 4 version (RECODE)

value	label	Total
.	INAPPLICABLE	5553
2	RIGHT TIME	1
Total		5554

Universe : Applicable if R has been pregnant at least 15 times (PREGNUM > 14)

OLDWP16(4148-4148)

Variable Type : recode

Description : Wantedness of 16th pregnancy--R's partner--cycle 4 version (RECODE)

value	label	Total
-------	-------	-------

.	INAPPLICABLE	5553
2	RIGHT TIME	1
Total		5554

Universe : Applicable if R has been pregnant at least 16 times (PREGNUM > 15)

OLDWP17(4149-4149)

Variable Type : recode

Description : Wantedness of 17th pregnancy--R's partner--cycle 4 version (RECODE)

value	label	Total
.	INAPPLICABLE	5553
2	RIGHT TIME	1
Total		5554

Universe : Applicable if R has been pregnant at least 17 times (PREGNUM > 16)

OLDWP18(4150-4150)

Variable Type : recode

Description : Wantedness of 18th pregnancy--R's partner--cycle 4 version (RECODE)

value	label	Total
.	INAPPLICABLE	5553
2	RIGHT TIME	1
Total		5554

Universe : Applicable if R has been pregnant at least 18 times (PREGNUM > 17)

OLDWP19(4151-4151)

Variable Type : recode

Description : Wantedness of 19th pregnancy--R's partner--cycle 4 version (RECODE)

value	label	Total
.	INAPPLICABLE	5553
2	RIGHT TIME	1
Total		5554

Universe : Applicable if R has been pregnant at least 19 times (PREGNUM > 18)

OLDWP20(4152-4152)

Variable Type : recode

Description : Wantedness of 20th pregnancy--R's partner--cycle 4 version (RECODE)

value	label	Total
.	INAPPLICABLE	5553
2	RIGHT TIME	1
Total		5554

Universe : Applicable if R has been pregnant at least 20 times (PREGNUM > 19)

OLDWR01(4153-4153)

Variable Type : recode

Description : Wantedness of 1st pregnancy--Respondent--cycle 4 version (RECODE)

<u>value</u>	<u>label</u>	<u>Total</u>
--------------	--------------	--------------

.	INAPPLICABLE	2043
1	LATER, OVERDUE	263
2	RIGHT TIME	1266
3	TOO SOON, MISTIMED	1369
4	DIDN'T CARE, INDIFFERENT	34
5	UNWANTED	560
6	DON'T KNOW, NOT SURE	19
	Total	5554

Universe : Applicable if R has ever been pregnant (PREGNUM > 0)

OLDWR02(4154-4154)

Variable Type : recode

Description : Wantedness of 2nd pregnancy--Respondent--cycle 4 version (RECODE)

value	label	Total
.	INAPPLICABLE	2865
1	LATER, OVERDUE	174
2	RIGHT TIME	1387
3	TOO SOON, MISTIMED	615
4	DIDN'T CARE, INDIFFERENT	23
5	UNWANTED	476
6	DON'T KNOW, NOT SURE	14
	Total	5554

Universe : Applicable if R has been pregnant at least 2 times (PREGNUM > 1)

OLDWR03(4155-4155)

Variable Type : recode

Description : Wantedness of 3rd pregnancy--Respondent--cycle 4 version (RECODE)

value	label	Total
.	INAPPLICABLE	3881
1	LATER, OVERDUE	107
2	RIGHT TIME	848
3	TOO SOON, MISTIMED	325
4	DIDN'T CARE, INDIFFERENT	13
5	UNWANTED	370
6	DON'T KNOW, NOT SURE	10
	Total	5554

Universe : Applicable if R has been pregnant at least 3 times (PREGNUM > 2)

OLDWR04(4156-4156)

Variable Type : recode

Description : Wantedness of 4th pregnancy--Respondent--cycle 4 version (RECODE)

value	label	Total
.	INAPPLICABLE	4679
1	LATER, OVERDUE	52
2	RIGHT TIME	413
3	TOO SOON, MISTIMED	156
4	DIDN'T CARE, INDIFFERENT	9
5	UNWANTED	239
6	DON'T KNOW, NOT SURE	6
	Total	5554

Universe : Applicable if R has been pregnant at least 4 times (PREGNUM > 3)

OLDWR05(4157-4157)

Variable Type : recode

Description : Wantedness of 5th pregnancy--Respondent--cycle 4 version (RECODE)

value	label	Total
.	INAPPLICABLE	5144
1	LATER, OVERDUE	11
2	RIGHT TIME	186
3	TOO SOON, MISTIMED	68
4	DIDN'T CARE, INDIFFERENT	5
5	UNWANTED	138
6	DON'T KNOW, NOT SURE	2
Total		5554

Universe : Applicable if R has been pregnant at least 5 times (PREGNUM > 4)

OLDWR06(4158-4158)

Variable Type : recode

Description : Wantedness of 6th pregnancy--Respondent--cycle 4 version (RECODE)

value	label	Total
.	INAPPLICABLE	5362
1	LATER, OVERDUE	16
2	RIGHT TIME	75
3	TOO SOON, MISTIMED	27
4	DIDN'T CARE, INDIFFERENT	2
5	UNWANTED	70
6	DON'T KNOW, NOT SURE	2
Total		5554

Universe : Applicable if R has been pregnant at least 6 times (PREGNUM > 5)

OLDWR07(4159-4159)

Variable Type : recode

Description : Wantedness of 7th pregnancy--Respondent--cycle 4 version (RECODE)

value	label	Total
.	INAPPLICABLE	5457
1	LATER, OVERDUE	3
2	RIGHT TIME	40
3	TOO SOON, MISTIMED	10
4	DIDN'T CARE, INDIFFERENT	2
5	UNWANTED	38
6	DON'T KNOW, NOT SURE	4
Total		5554

Universe : Applicable if R has been pregnant at least 7 times (PREGNUM > 6)

OLDWR08(4160-4160)

Variable Type : recode

Description : Wantedness of 8th pregnancy--Respondent--cycle 4 version (RECODE)

value	label	Total
.	INAPPLICABLE	5506

1	LATER, OVERDUE	2
2	RIGHT TIME	14
3	TOO SOON, MISTIMED	5
4	DIDN'T CARE, INDIFFERENT	1
5	UNWANTED	25
6	DON'T KNOW, NOT SURE	1
Total		5554

Universe : Applicable if R has been pregnant at least 8 times (PREGNUM > 7)

OLDWR09(4161-4161)

Variable Type : recode

Description : Wantedness of 9th pregnancy--Respondent--cycle 4 version (RECODE)

value	label	Total
.	INAPPLICABLE	5536
1	LATER, OVERDUE	2
2	RIGHT TIME	6
3	TOO SOON, MISTIMED	2
5	UNWANTED	7
6	DON'T KNOW, NOT SURE	1
Total		5554

Universe : Applicable if R has been pregnant at least 9 times (PREGNUM > 8)

OLDWR10(4162-4162)

Variable Type : recode

Description : Wantedness of 10th pregnancy--Respondent--cycle 4 version (RECODE)

value	label	Total
.	INAPPLICABLE	5542
2	RIGHT TIME	5
3	TOO SOON, MISTIMED	1
5	UNWANTED	6
Total		5554

Universe : Applicable if R has been pregnant at least 10 times (PREGNUM > 9)

OLDWR11(4163-4163)

Variable Type : recode

Description : Wantedness of 11th pregnancy--Respondent--cycle 4 version (RECODE)

value	label	Total
.	INAPPLICABLE	5546
2	RIGHT TIME	3
3	TOO SOON, MISTIMED	1
5	UNWANTED	4
Total		5554

Universe : Applicable if R has been pregnant at least 11 times (PREGNUM > 10)

OLDWR12(4164-4164)

Variable Type : recode

Description : Wantedness of 12th pregnancy--Respondent--cycle 4 version (RECODE)

value	label	Total
.	INAPPLICABLE	5549
2	RIGHT TIME	2
5	UNWANTED	3
Total		5554

Universe : Applicable if R has been pregnant at least 12 times (PREGNUM > 11)

OLDWR13(4165-4165)

Variable Type : recode

Description : Wantedness of 13th pregnancy--Respondent--cycle 4 version (RECODE)

value	label	Total
.	INAPPLICABLE	5549
2	RIGHT TIME	3
5	UNWANTED	2
Total		5554

Universe : Applicable if R has been pregnant at least 13 times (PREGNUM > 12)

OLDWR14(4166-4166)

Variable Type : recode

Description : Wantedness of 14th pregnancy--Respondent--cycle 4 version (RECODE)

value	label	Total
.	INAPPLICABLE	5550
2	RIGHT TIME	1
5	UNWANTED	3
Total		5554

Universe : Applicable if R has been pregnant at least 14 times (PREGNUM > 13)

OLDWR15(4167-4167)

Variable Type : recode

Description : Wantedness of 15th pregnancy--Respondent--cycle 4 version (RECODE)

value	label	Total
.	INAPPLICABLE	5553
2	RIGHT TIME	1
Total		5554

Universe : Applicable if R has been pregnant at least 15 times (PREGNUM > 14)

OLDWR16(4168-4168)

Variable Type : recode

Description : Wantedness of 16th pregnancy--Respondent--cycle 4 version (RECODE)

value	label	Total
.	INAPPLICABLE	5553
2	RIGHT TIME	1
Total		5554

Universe : Applicable if R has been pregnant at least 16 times (PREGNUM > 15)

OLDWR17(4169-4169)

Variable Type : recode

Description : Wantedness of 17th pregnancy--Respondent--cycle 4 version (RECODE)

value	label	Total
.	INAPPLICABLE	5553
2	RIGHT TIME	1
Total		5554

Universe : Applicable if R has been pregnant at least 17 times (PREGNUM > 16)

OLDWR18(4170-4170)

Variable Type : recode

Description : Wantedness of 18th pregnancy--Respondent--cycle 4 version (RECODE)

value	label	Total
.	INAPPLICABLE	5553
2	RIGHT TIME	1
Total		5554

Universe : Applicable if R has been pregnant at least 18 times (PREGNUM > 17)

OLDWR19(4171-4171)

Variable Type : recode

Description : Wantedness of 19th pregnancy--Respondent--cycle 4 version (RECODE)

value	label	Total
.	INAPPLICABLE	5553
2	RIGHT TIME	1
Total		5554

Universe : Applicable if R has been pregnant at least 19 times (PREGNUM > 18)

OLDWR20(4172-4172)

Variable Type : recode

Description : Wantedness of 20th pregnancy--Respondent--cycle 4 version (RECODE)

value	label	Total
.	INAPPLICABLE	5553
2	RIGHT TIME	1
Total		5554

Universe : Applicable if R has been pregnant at least 20 times (PREGNUM > 19)

WANTRP01(4173-4173)

Variable Type : recode

Description : Wantedness of 1st pregnancy--Respondent (RECODE)

value	label	Total
.	INAPPLICABLE	2043
1	LATER, OVERDUE	263
2	RIGHT TIME	1266
3	TOO SOON, MISTIMED	1370
4	DIDN'T CARE, INDIFFERENT	34
5	UNWANTED	559
6	DON'T KNOW, NOT SURE	19

Total **5554**

Universe : Applicable if R has ever been pregnant (PREGNUM > 0)

WANTRP02(4174-4174)

Variable Type : recode

Description : Wantedness of 2nd pregnancy--Respondent (RECODE)

value	label	Total
.	INAPPLICABLE	2865
1	LATER, OVERDUE	174
2	RIGHT TIME	1387
3	TOO SOON, MISTIMED	615
4	DIDN'T CARE, INDIFFERENT	23
5	UNWANTED	476
6	DON'T KNOW, NOT SURE	14
	Total	5554

Universe : Applicable if R has been pregnant at least 2 times (PREGNUM > 1)

WANTRP03(4175-4175)

Variable Type : recode

Description : Wantedness of 3rd pregnancy--Respondent (RECODE)

value	label	Total
.	INAPPLICABLE	3881
1	LATER, OVERDUE	107
2	RIGHT TIME	848
3	TOO SOON, MISTIMED	325
4	DIDN'T CARE, INDIFFERENT	13
5	UNWANTED	370
6	DON'T KNOW, NOT SURE	10
	Total	5554

Universe : Applicable if R has been pregnant at least 3 times (PREGNUM > 2)

WANTRP04(4176-4176)

Variable Type : recode

Description : Wantedness of 4th pregnancy--Respondent (RECODE)

value	label	Total
.	INAPPLICABLE	4679
1	LATER, OVERDUE	52
2	RIGHT TIME	413
3	TOO SOON, MISTIMED	156
4	DIDN'T CARE, INDIFFERENT	9
5	UNWANTED	239
6	DON'T KNOW, NOT SURE	6
	Total	5554

Universe : Applicable if R has been pregnant at least 4 times (PREGNUM > 3)

WANTRP05(4177-4177)

Variable Type : recode

Description : Wantedness of 5th pregnancy--Respondent (RECODE)

value	label	Total
.	INAPPLICABLE	5144
1	LATER, OVERDUE	11
2	RIGHT TIME	186
3	TOO SOON, MISTIMED	68
4	DIDN'T CARE, INDIFFERENT	5
5	UNWANTED	138
6	DON'T KNOW, NOT SURE	2
	Total	5554

Universe : Applicable if R has been pregnant at least 5 times (PREGNUM > 4)

WANTRP06(4178-4178)

Variable Type : recode

Description : Wantedness of 6th pregnancy--Respondent (RECODE)

value	label	Total
.	INAPPLICABLE	5362
1	LATER, OVERDUE	16
2	RIGHT TIME	75
3	TOO SOON, MISTIMED	27
4	DIDN'T CARE, INDIFFERENT	2
5	UNWANTED	70
6	DON'T KNOW, NOT SURE	2
	Total	5554

Universe : Applicable if R has been pregnant at least 6 times (PREGNUM > 5)

WANTRP07(4179-4179)

Variable Type : recode

Description : Wantedness of 7th pregnancy--Respondent (RECODE)

value	label	Total
.	INAPPLICABLE	5457
1	LATER, OVERDUE	3
2	RIGHT TIME	40
3	TOO SOON, MISTIMED	10
4	DIDN'T CARE, INDIFFERENT	2
5	UNWANTED	38
6	DON'T KNOW, NOT SURE	4
	Total	5554

Universe : Applicable if R has been pregnant at least 7 times (PREGNUM > 6)

WANTRP08(4180-4180)

Variable Type : recode

Description : Wantedness of 8th pregnancy--Respondent (RECODE)

value	label	Total
.	INAPPLICABLE	5506
1	LATER, OVERDUE	2
2	RIGHT TIME	14
3	TOO SOON, MISTIMED	5
4	DIDN'T CARE, INDIFFERENT	1
5	UNWANTED	25
6	DON'T KNOW, NOT SURE	1

Total **5554**

Universe : Applicable if R has been pregnant at least 8 times (PREGNUM > 7)

WANTRP09(4181-4181)

Variable Type : recode

Description : Wantedness of 9th pregnancy--Respondent (RECODE)

value	label	Total
.	INAPPLICABLE	5536
1	LATER, OVERDUE	2
2	RIGHT TIME	6
3	TOO SOON, MISTIMED	2
5	UNWANTED	7
6	DON'T KNOW, NOT SURE	1
	Total	5554

Universe : Applicable if R has been pregnant at least 9 times (PREGNUM > 8)

WANTRP10(4182-4182)

Variable Type : recode

Description : Wantedness of 10th pregnancy--Respondent (RECODE)

value	label	Total
.	INAPPLICABLE	5542
2	RIGHT TIME	5
3	TOO SOON, MISTIMED	1
5	UNWANTED	6
	Total	5554

Universe : Applicable if R has been pregnant at least 10 times (PREGNUM > 9)

WANTRP11(4183-4183)

Variable Type : recode

Description : Wantedness of 11th pregnancy--Respondent (RECODE)

value	label	Total
.	INAPPLICABLE	5546
2	RIGHT TIME	3
3	TOO SOON, MISTIMED	1
5	UNWANTED	4
	Total	5554

Universe : Applicable if R has been pregnant at least 11 times (PREGNUM > 10)

WANTRP12(4184-4184)

Variable Type : recode

Description : Wantedness of 12th pregnancy--Respondent (RECODE)

value	label	Total
.	INAPPLICABLE	5549
2	RIGHT TIME	2
5	UNWANTED	3
	Total	5554

Universe : Applicable if R has been pregnant at least 12 times (PREGNUM > 11)

WANTRP13(4185-4185)

Variable Type : recode

Description : Wantedness of 13th pregnancy--Respondent (RECODE)

value	label	Total
.	INAPPLICABLE	5549
2	RIGHT TIME	3
5	UNWANTED	2
Total		5554

Universe : Applicable if R has been pregnant at least 13 times (PREGNUM > 12)

WANTRP14(4186-4186)

Variable Type : recode

Description : Wantedness of 14th pregnancy--Respondent (RECODE)

value	label	Total
.	INAPPLICABLE	5550
2	RIGHT TIME	1
5	UNWANTED	3
Total		5554

Universe : Applicable if R has been pregnant at least 14 times (PREGNUM > 13)

WANTRP15(4187-4187)

Variable Type : recode

Description : Wantedness of 15th pregnancy--Respondent (RECODE)

value	label	Total
.	INAPPLICABLE	5553
2	RIGHT TIME	1
Total		5554

Universe : Applicable if R has been pregnant at least 15 times (PREGNUM > 14)

WANTRP16(4188-4188)

Variable Type : recode

Description : Wantedness of 16th pregnancy--Respondent (RECODE)

value	label	Total
.	INAPPLICABLE	5553
2	RIGHT TIME	1
Total		5554

Universe : Applicable if R has been pregnant at least 16 times (PREGNUM > 15)

WANTRP17(4189-4189)

Variable Type : recode

Description : Wantedness of 17th pregnancy--Respondent (RECODE)

value	label	Total
.	INAPPLICABLE	5553
2	RIGHT TIME	1
Total		5554

Universe : Applicable if R has been pregnant at least 17 times (PREGNUM > 16)

WANTRP18(4190-4190)

Variable Type : recode

Description : Wantedness of 18th pregnancy--Respondent (RECODE)

value	label	Total
.	INAPPLICABLE	5553
2	RIGHT TIME	1
Total		5554

Universe : Applicable if R has been pregnant at least 18 times (PREGNUM > 17)

WANTRP19(4191-4191)

Variable Type : recode

Description : Wantedness of 19th pregnancy--Respondent (RECODE)

value	label	Total
.	INAPPLICABLE	5553
2	RIGHT TIME	1
Total		5554

Universe : Applicable if R has been pregnant at least 19 times (PREGNUM > 18)

WANTRP20(4192-4192)

Variable Type : recode

Description : Wantedness of 20th pregnancy--Respondent (RECODE)

value	label	Total
.	INAPPLICABLE	5553
2	RIGHT TIME	1
Total		5554

Universe : Applicable if R has been pregnant at least 20 times (PREGNUM > 19)

WANTP01(4193-4193)

Variable Type : recode

Description : Wantedness of 1st pregnancy--R's partner (RECODE)

value	label	Total
.	INAPPLICABLE	2043
1	LATER, OVERDUE	222
2	RIGHT TIME	1513
3	TOO SOON, MISTIMED	757
4	DIDN'T CARE, INDIFFERENT	53
5	UNWANTED	687
6	DON'T KNOW, NOT SURE	279
Total		5554

Universe : Applicable if R has ever been pregnant (PREGNUM > 0)

WANTP02(4194-4194)

Variable Type : recode

Description : Wantedness of 2nd pregnancy--R's partner (RECODE)

value	label	Total
.	INAPPLICABLE	2865
1	LATER, OVERDUE	142
2	RIGHT TIME	1517
3	TOO SOON, MISTIMED	398
4	DIDN'T CARE, INDIFFERENT	40
5	UNWANTED	450
6	DON'T KNOW, NOT SURE	142
	Total	5554

Universe : Applicable if R has been pregnant at least 2 times (PREGNUM > 1)

WANTP03(4195-4195)

Variable Type : recode

Description : Wantedness of 3rd pregnancy--R's partner (RECODE)

value	label	Total
.	INAPPLICABLE	3881
1	LATER, OVERDUE	91
2	RIGHT TIME	919
3	TOO SOON, MISTIMED	215
4	DIDN'T CARE, INDIFFERENT	23
5	UNWANTED	352
6	DON'T KNOW, NOT SURE	73
	Total	5554

Universe : Applicable if R has been pregnant at least 3 times (PREGNUM > 2)

WANTP04(4196-4196)

Variable Type : recode

Description : Wantedness of 4th pregnancy--R's partner (RECODE)

value	label	Total
.	INAPPLICABLE	4679
1	LATER, OVERDUE	37
2	RIGHT TIME	470
3	TOO SOON, MISTIMED	113
4	DIDN'T CARE, INDIFFERENT	11
5	UNWANTED	193
6	DON'T KNOW, NOT SURE	51
	Total	5554

Universe : Applicable if R has been pregnant at least 4 times (PREGNUM > 3)

WANTP05(4197-4197)

Variable Type : recode

Description : Wantedness of 5th pregnancy--R's partner (RECODE)

value	label	Total
.	INAPPLICABLE	5144
1	LATER, OVERDUE	15
2	RIGHT TIME	210
3	TOO SOON, MISTIMED	53
4	DIDN'T CARE, INDIFFERENT	8
5	UNWANTED	105
6	DON'T KNOW, NOT SURE	19

Total **5554**

Universe : Applicable if R has been pregnant at least 5 times (PREGNUM > 4)

WANTP06(4198-4198)

Variable Type : recode

Description : Wantedness of 6th pregnancy--R's partner (RECODE)

value	label	Total
.	INAPPLICABLE	5362
1	LATER, OVERDUE	14
2	RIGHT TIME	102
3	TOO SOON, MISTIMED	16
4	DIDN'T CARE, INDIFFERENT	7
5	UNWANTED	42
6	DON'T KNOW, NOT SURE	11
	Total	5554

Universe : Applicable if R has been pregnant at least 6 times (PREGNUM > 5)

WANTP07(4199-4199)

Variable Type : recode

Description : Wantedness of 7th pregnancy--R's partner (RECODE)

value	label	Total
.	INAPPLICABLE	5457
1	LATER, OVERDUE	2
2	RIGHT TIME	51
3	TOO SOON, MISTIMED	7
4	DIDN'T CARE, INDIFFERENT	2
5	UNWANTED	27
6	DON'T KNOW, NOT SURE	8
	Total	5554

Universe : Applicable if R has been pregnant at least 7 times (PREGNUM > 6)

WANTP08(4200-4200)

Variable Type : recode

Description : Wantedness of 8th pregnancy--R's partner (RECODE)

value	label	Total
.	INAPPLICABLE	5506
1	LATER, OVERDUE	1
2	RIGHT TIME	18
3	TOO SOON, MISTIMED	1
5	UNWANTED	21
6	DON'T KNOW, NOT SURE	7
	Total	5554

Universe : Applicable if R has been pregnant at least 8 times (PREGNUM > 7)

WANTP09(4201-4201)

Variable Type : recode

Description : Wantedness of 9th pregnancy--R's partner (RECODE)

value	label	Total
--------------	--------------	--------------

.	INAPPLICABLE	5536
2	RIGHT TIME	11
3	TOO SOON, MISTIMED	1
5	UNWANTED	4
6	DON'T KNOW, NOT SURE	2
	Total	5554

Universe : Applicable if R has been pregnant at least 9 times (PREGNUM > 8)

WANTP10(4202-4202)

Variable Type : recode

Description : Wantedness of 10th pregnancy--R's partner (RECODE)

value	label	Total
.	INAPPLICABLE	5542
2	RIGHT TIME	7
5	UNWANTED	3
6	DON'T KNOW, NOT SURE	2
	Total	5554

Universe : Applicable if R has been pregnant at least 10 times (PREGNUM > 9)

WANTP11(4203-4203)

Variable Type : recode

Description : Wantedness of 11th pregnancy--R's partner (RECODE)

value	label	Total
.	INAPPLICABLE	5546
2	RIGHT TIME	4
4	DIDN'T CARE, INDIFFERENT	1
5	UNWANTED	2
6	DON'T KNOW, NOT SURE	1
	Total	5554

Universe : Applicable if R has been pregnant at least 11 times (PREGNUM > 10)

WANTP12(4204-4204)

Variable Type : recode

Description : Wantedness of 12th pregnancy--R's partner (RECODE)

value	label	Total
.	INAPPLICABLE	5549
2	RIGHT TIME	3
3	TOO SOON, MISTIMED	1
6	DON'T KNOW, NOT SURE	1
	Total	5554

Universe : Applicable if R has been pregnant at least 12 times (PREGNUM > 11)

WANTP13(4205-4205)

Variable Type : recode

Description : Wantedness of 13th pregnancy--R's partner (RECODE)

value	label	Total
.	INAPPLICABLE	5549

2	RIGHT TIME	4
6	DON'T KNOW, NOT SURE	1
	Total	5554

Universe : Applicable if R has been pregnant at least 13 times (PREGNUM > 12)

WANTP14(4206-4206)

Variable Type : recode

Description : Wantedness of 14th pregnancy--R's partner (RECODE)

value	label	Total
.	INAPPLICABLE	5550
2	RIGHT TIME	2
5	UNWANTED	1
6	DON'T KNOW, NOT SURE	1
	Total	5554

Universe : Applicable if R has been pregnant at least 14 times (PREGNUM > 13)

WANTP15(4207-4207)

Variable Type : recode

Description : Wantedness of 15th pregnancy--R's partner (RECODE)

value	label	Total
.	INAPPLICABLE	5553
2	RIGHT TIME	1
	Total	5554

Universe : Applicable if R has been pregnant at least 15 times (PREGNUM > 14)

WANTP16(4208-4208)

Variable Type : recode

Description : Wantedness of 16th pregnancy--R's partner (RECODE)

value	label	Total
.	INAPPLICABLE	5553
2	RIGHT TIME	1
	Total	5554

Universe : Applicable if R has been pregnant at least 16 times (PREGNUM > 15)

WANTP17(4209-4209)

Variable Type : recode

Description : Wantedness of 17th pregnancy--R's partner (RECODE)

value	label	Total
.	INAPPLICABLE	5553
2	RIGHT TIME	1
	Total	5554

Universe : Applicable if R has been pregnant at least 17 times (PREGNUM > 16)

WANTP18(4210-4210)

Variable Type : recode

Description : Wantedness of 18th pregnancy--R's partner (RECODE)

value	label	Total
.	INAPPLICABLE	5553
2	RIGHT TIME	1
Total		5554

Universe : Applicable if R has been pregnant at least 18 times (PREGNUM > 17)

WANTP19(4211-4211)

Variable Type : recode

Description : Wantedness of 19th pregnancy--R's partner (RECODE)

value	label	Total
.	INAPPLICABLE	5553
2	RIGHT TIME	1
Total		5554

Universe : Applicable if R has been pregnant at least 19 times (PREGNUM > 18)

WANTP20(4212-4212)

Variable Type : recode

Description : Wantedness of 20th pregnancy--R's partner (RECODE)

value	label	Total
.	INAPPLICABLE	5553
2	RIGHT TIME	1
Total		5554

Universe : Applicable if R has been pregnant at least 20 times (PREGNUM > 19)

NWWANTRP01(4213-4213)

Variable Type : recode

Description : Detailed wantedness of 1st pregnancy--Respondent (RECODE)

value	label	Total
.	INAPPLICABLE	2043
1	Later, overdue	263
2	Right time	1266
3	Too soon: by less than 2 years	216
4	Too soon: by 2 years or more	1154
5	Didn't care, indifferent	34
6	Unwanted	559
7	Don't know, not sure	19
Total		5554

Universe : Applicable if R has ever been pregnant (PREGNUM > 0)

NWWANTRP02(4214-4214)

Variable Type : recode

Description : Detailed wantedness of 2nd pregnancy--Respondent (RECODE)

value	label	Total
.	INAPPLICABLE	2865
1	Later, overdue	174
2	Right time	1387

3	Too soon: by less than 2 years	194
4	Too soon: by 2 years or more	421
5	Didn't care, indifferent	23
6	Unwanted	476
7	Don't know, not sure	14
	Total	5554

Universe : Applicable if R has been pregnant at least 2 times (PREGNUM > 1)

NWWANTRP03(4215-4215)

Variable Type : recode

Description : Detailed wantedness of 3rd pregnancy--Respondent (RECODE)

value	label	Total
.	INAPPLICABLE	3881
1	Later, overdue	107
2	Right time	848
3	Too soon: by less than 2 years	146
4	Too soon: by 2 years or more	179
5	Didn't care, indifferent	13
6	Unwanted	370
7	Don't know, not sure	10
	Total	5554

Universe : Applicable if R has been pregnant at least 3 times (PREGNUM > 2)

NWWANTRP04(4216-4216)

Variable Type : recode

Description : Detailed wantedness of 4th pregnancy--Respondent (RECODE)

value	label	Total
.	INAPPLICABLE	4679
1	Later, overdue	52
2	Right time	413
3	Too soon: by less than 2 years	64
4	Too soon: by 2 years or more	92
5	Didn't care, indifferent	9
6	Unwanted	239
7	Don't know, not sure	6
	Total	5554

Universe : Applicable if R has been pregnant at least 4 times (PREGNUM > 3)

NWWANTRP05(4217-4217)

Variable Type : recode

Description : Detailed wantedness of 5th pregnancy--Respondent (RECODE)

value	label	Total
.	INAPPLICABLE	5144
1	Later, overdue	11
2	Right time	186
3	Too soon: by less than 2 years	35
4	Too soon: by 2 years or more	33
5	Didn't care, indifferent	5
6	Unwanted	138
7	Don't know, not sure	2

Total **5554**

Universe : Applicable if R has been pregnant at least 5 times (PREGNUM > 4)

NWWANTRP06(4218-4218)

Variable Type : recode

Description : Detailed wantedness of 6th pregnancy--Respondent (RECODE)

value	label	Total
.	INAPPLICABLE	5362
1	Later, overdue	16
2	Right time	75
3	Too soon: by less than 2 years	9
4	Too soon: by 2 years or more	18
5	Didn't care, indifferent	2
6	Unwanted	70
7	Don't know, not sure	2
	Total	5554

Universe : Applicable if R has been pregnant at least 6 times (PREGNUM > 5)

NWWANTRP07(4219-4219)

Variable Type : recode

Description : Detailed wantedness of 7th pregnancy--Respondent (RECODE)

value	label	Total
.	INAPPLICABLE	5457
1	Later, overdue	3
2	Right time	40
3	Too soon: by less than 2 years	3
4	Too soon: by 2 years or more	7
5	Didn't care, indifferent	2
6	Unwanted	38
7	Don't know, not sure	4
	Total	5554

Universe : Applicable if R has been pregnant at least 7 times (PREGNUM > 6)

NWWANTRP08(4220-4220)

Variable Type : recode

Description : Detailed wantedness of 8th pregnancy--Respondent (RECODE)

value	label	Total
.	INAPPLICABLE	5506
1	Later, overdue	2
2	Right time	14
3	Too soon: by less than 2 years	3
4	Too soon: by 2 years or more	2
5	Didn't care, indifferent	1
6	Unwanted	25
7	Don't know, not sure	1
	Total	5554

Universe : Applicable if R has been pregnant at least 8 times (PREGNUM > 7)

NWWANTRP09(4221-4221)

Variable Type : recode

Description : Detailed wantedness of 9th pregnancy--Respondent (RECODE)

value	label	Total
.	INAPPLICABLE	5536
1	Later, overdue	2
2	Right time	6
3	Too soon: by less than 2 years	1
4	Too soon: by 2 years or more	1
6	Unwanted	7
7	Don't know, not sure	1
Total		5554

Universe : Applicable if R has been pregnant at least 9 times (PREGNUM > 8)

NWWANTRP10(4222-4222)

Variable Type : recode

Description : Detailed wantedness of 10th pregnancy--Respondent (RECODE)

value	label	Total
.	INAPPLICABLE	5542
2	Right time	5
3	Too soon: by less than 2 years	1
6	Unwanted	6
Total		5554

Universe : Applicable if R has been pregnant at least 10 times (PREGNUM > 9)

NWWANTRP11(4223-4223)

Variable Type : recode

Description : Detailed wantedness of 11th pregnancy--Respondent (RECODE)

value	label	Total
.	INAPPLICABLE	5546
2	Right time	3
4	Too soon: by 2 years or more	1
6	Unwanted	4
Total		5554

Universe : Applicable if R has been pregnant at least 11 times (PREGNUM > 10)

NWWANTRP12(4224-4224)

Variable Type : recode

Description : Detailed wantedness of 12th pregnancy--Respondent (RECODE)

value	label	Total
.	INAPPLICABLE	5549
2	Right time	2
6	Unwanted	3
Total		5554

Universe : Applicable if R has been pregnant at least 12 times (PREGNUM > 11)

NWWANTRP13(4225-4225)

Variable Type : recode

Description : Detailed wantedness of 13th pregnancy--Respondent (RECODE)

value	label	Total
.	INAPPLICABLE	5549
2	Right time	3
6	Unwanted	2
Total		5554

Universe : Applicable if R has been pregnant at least 13 times (PREGNUM > 12)

NWWANTRP14(4226-4226)

Variable Type : recode

Description : Detailed wantedness of 14th pregnancy--Respondent (RECODE)

value	label	Total
.	INAPPLICABLE	5550
2	Right time	1
6	Unwanted	3
Total		5554

Universe : Applicable if R has been pregnant at least 14 times (PREGNUM > 13)

NWWANTRP15(4227-4227)

Variable Type : recode

Description : Detailed wantedness of 15th pregnancy--Respondent (RECODE)

value	label	Total
.	INAPPLICABLE	5553
2	Right time	1
Total		5554

Universe : Applicable if R has been pregnant at least 15 times (PREGNUM > 14)

NWWANTRP16(4228-4228)

Variable Type : recode

Description : Detailed wantedness of 16th pregnancy--Respondent (RECODE)

value	label	Total
.	INAPPLICABLE	5553
2	Right time	1
Total		5554

Universe : Applicable if R has been pregnant at least 16 times (PREGNUM > 15)

NWWANTRP17(4229-4229)

Variable Type : recode

Description : Detailed wantedness of 17th pregnancy--Respondent (RECODE)

value	label	Total
.	INAPPLICABLE	5553
2	Right time	1
Total		5554

Universe : Applicable if R has been pregnant at least 17 times (PREGNUM > 16)

NWWANTRP18(4230-4230)

Variable Type : recode

Description : Detailed wantedness of 18th pregnancy--Respondent (RECODE)

value	label	Total
.	INAPPLICABLE	5553
2	Right time	1
Total		5554

Universe : Applicable if R has been pregnant at least 18 times (PREGNUM > 17)

NWWANTRP19(4231-4231)

Variable Type : recode

Description : Detailed wantedness of 19th pregnancy--Respondent (RECODE)

value	label	Total
.	INAPPLICABLE	5553
2	Right time	1
Total		5554

Universe : Applicable if R has been pregnant at least 19 times (PREGNUM > 18)

NWWANTRP20(4232-4232)

Variable Type : recode

Description : Detailed wantedness of 20th pregnancy--Respondent (RECODE)

value	label	Total
.	INAPPLICABLE	5553
2	Right time	1
Total		5554

Universe : Applicable if R has been pregnant at least 20 times (PREGNUM > 19)

WANTP5(4233-4233)

Variable Type : recode

Description : Number of wanted pregnancies in the last 5 years (RECODE)

value	label	Total
.	INAPPLICABLE	3811
0	No wanted pregnancies in last 5 years	257
1-20	1-20 wanted pregnancies in last 5 years	1486
Total		5554

Universe : Applicable if R is currently pregnant (RCURPREG recode = 1) or she has had at least 1 pregnancy within the past 5 years (DATENDnn for R's last completed pregnancy is within 60 months of cmintvw)

STRLOPER_I(4234-4234)

Variable Type : imputation flag

Description : STRLOPER Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5545
2	LOGICAL IMPUTATION	9
Total		5554

Universe : Applicable for all respondents

FECUND_I(4235-4235)

Variable Type : imputation flag

Description : FECUND Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5549
2	LOGICAL IMPUTATION	5
Total		5554

Universe : Applicable for all respondents

INFERT_I(4236-4236)

Variable Type : imputation flag

Description : INFERT Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5544
2	LOGICAL IMPUTATION	10
Total		5554

Universe : Applicable for all respondents

ANYMTHD_I(4237-4237)

Variable Type : imputation flag

Description : ANYMTHD Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5553
1	MULTIPLE REGRESSION IMPUTATION	1
Total		5554

Universe : Applicable for all respondents

NOSEX12_I(4238-4238)

Variable Type : imputation flag

Description : NOSEX12 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5534
1	MULTIPLE REGRESSION IMPUTATION	19
2	LOGICAL IMPUTATION	1
Total		5554

Universe : Applicable for all respondents

SEX3MO_I(4239-4239)

Variable Type : imputation flag

Description : SEX3MO Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5527
1	MULTIPLE REGRESSION IMPUTATION	27
Total		5554

Universe : Applicable for all respondents

CONSTAT1_I(4240-4240)

Variable Type : imputation flag

Description : CONSTAT1 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5545
2	LOGICAL IMPUTATION	9
Total		5554

Universe : Applicable for all respondents

CONSTAT2_I(4241-4241)

Variable Type : imputation flag

Description : CONSTAT2 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5544
1	MULTIPLE REGRESSION IMPUTATION	5
2	LOGICAL IMPUTATION	5
Total		5554

Universe : Applicable for all respondents

CONSTAT3_I(4242-4242)

Variable Type : imputation flag

Description : CONSTAT3 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5549
1	MULTIPLE REGRESSION IMPUTATION	5
Total		5554

Universe : Applicable for all respondents

CONSTAT4_I(4243-4243)

Variable Type : imputation flag

Description : CONSTAT4 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5549
1	MULTIPLE REGRESSION IMPUTATION	5
Total		5554

Universe : Applicable for all respondents

PILLR_I(4244-4244)

Variable Type : imputation flag

Description : PILLR Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5552
1	MULTIPLE REGRESSION IMPUTATION	2
Total		5554

Universe : Applicable for all respondents

CONDOMR_I(4245-4245)

Variable Type : imputation flag

Description : CONDOMR Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5553
1	MULTIPLE REGRESSION IMPUTATION	1
Total		5554

Universe : Applicable for all respondents

SEX1MTHD1_I(4246-4246)

Variable Type : imputation flag

Description : SEX1MTHD1 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5537
1	MULTIPLE REGRESSION IMPUTATION	14
2	LOGICAL IMPUTATION	3
Total		5554

Universe : Applicable for all respondents

SEX1MTHD2_I(4247-4247)

Variable Type : imputation flag

Description : SEX1MTHD2 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5537
1	MULTIPLE REGRESSION IMPUTATION	17
Total		5554

Universe : Applicable for all respondents

SEX1MTHD3_I(4248-4248)

Variable Type : imputation flag

Description : SEX1MTHD3 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5537
1	MULTIPLE REGRESSION IMPUTATION	17
Total		5554

Universe : Applicable for all respondents

SEX1MTHD4_I(4249-4249)

Variable Type : imputation flag

Description : SEX1MTHD4 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5537
1	MULTIPLE REGRESSION IMPUTATION	17
Total		5554

Universe : Applicable for all respondents

MTHUSE12_I(4250-4250)

Variable Type : imputation flag

Description : MTHUSE12 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5550
1	MULTIPLE REGRESSION IMPUTATION	3
2	LOGICAL IMPUTATION	1
Total		5554

Universe : Applicable for all respondents

METH12M1_I(4251-4251)

Variable Type : imputation flag

Description : METH12M1 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5547
1	MULTIPLE REGRESSION IMPUTATION	4
2	LOGICAL IMPUTATION	3
Total		5554

Universe : Applicable for all respondents

METH12M2_I(4252-4252)

Variable Type : imputation flag

Description : METH12M2 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5547
1	MULTIPLE REGRESSION IMPUTATION	6
2	LOGICAL IMPUTATION	1
Total		5554

Universe : Applicable for all respondents

METH12M3_I(4253-4253)

Variable Type : imputation flag

Description : METH12M3 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5547
1	MULTIPLE REGRESSION IMPUTATION	7
Total		5554

Universe : Applicable for all respondents

METH12M4_I(4254-4254)

Variable Type : imputation flag

Description : METH12M4 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5547
1	MULTIPLE REGRESSION IMPUTATION	7
	Total	5554

Universe : Applicable for all respondents

MTHUSE3_I(4255-4255)

Variable Type : imputation flag

Description : MTHUSE3 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5548
1	MULTIPLE REGRESSION IMPUTATION	2
2	LOGICAL IMPUTATION	4
	Total	5554

Universe : Applicable for all respondents

METH3M1_I(4256-4256)

Variable Type : imputation flag

Description : METH3M1 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5548
1	MULTIPLE REGRESSION IMPUTATION	6
	Total	5554

Universe : Applicable for all respondents

METH3M2_I(4257-4257)

Variable Type : imputation flag

Description : METH3M2 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5548
1	MULTIPLE REGRESSION IMPUTATION	6
	Total	5554

Universe : Applicable for all respondents

METH3M3_I(4258-4258)

Variable Type : imputation flag

Description : METH3M3 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5548
1	MULTIPLE REGRESSION IMPUTATION	6
	Total	5554

Universe : Applicable for all respondents

METH3M4_I(4259-4259)

Variable Type : imputation flag

Description : METH3M4 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5548
1	MULTIPLE REGRESSION IMPUTATION	6
Total		5554

Universe : Applicable for all respondents

FMETHOD1_I(4260-4260)

Variable Type : imputation flag

Description : FMETHOD1 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5547
1	MULTIPLE REGRESSION IMPUTATION	3
2	LOGICAL IMPUTATION	4
Total		5554

Universe : Applicable for all respondents

FMETHOD2_I(4261-4261)

Variable Type : imputation flag

Description : FMETHOD2 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5547
1	MULTIPLE REGRESSION IMPUTATION	7
Total		5554

Universe : Applicable for all respondents

FMETHOD3_I(4262-4262)

Variable Type : imputation flag

Description : FMETHOD3 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5547
1	MULTIPLE REGRESSION IMPUTATION	7
Total		5554

Universe : Applicable for all respondents

FMETHOD4_I(4263-4263)

Variable Type : imputation flag

Description : FMETHOD4 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5547
1	MULTIPLE REGRESSION IMPUTATION	7
Total		5554

Universe : Applicable for all respondents

DATEUSE1_I(4264-4264)

Variable Type : imputation flag

Description : DATEUSE1 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5490
1	MULTIPLE REGRESSION IMPUTATION	57
2	LOGICAL IMPUTATION	7
Total		5554

Universe : Applicable for all respondents

OLDWP01_I(4265-4265)

Variable Type : imputation flag

Description : OLDWP01 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5544
1	MULTIPLE REGRESSION IMPUTATION	10
Total		5554

Universe : Applicable for all respondents

OLDWP02_I(4266-4266)

Variable Type : imputation flag

Description : OLDWP02 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5549
1	MULTIPLE REGRESSION IMPUTATION	5
Total		5554

Universe : Applicable for all respondents

OLDWP03_I(4267-4267)

Variable Type : imputation flag

Description : OLDWP03 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5549
1	MULTIPLE REGRESSION IMPUTATION	5
Total		5554

Universe : Applicable for all respondents

OLDWP04_I(4268-4268)

Variable Type : imputation flag

Description : OLDWP04 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5551
1	MULTIPLE REGRESSION IMPUTATION	3
Total		5554

Universe : Applicable for all respondents

OLDWP05_I(4269-4269)

Variable Type : imputation flag

Description : OLDWP05 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5551
1	MULTIPLE REGRESSION IMPUTATION	3
Total		5554

Universe : Applicable for all respondents

OLDWP06_I(4270-4270)

Variable Type : imputation flag

Description : OLDWP06 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5553
1	MULTIPLE REGRESSION IMPUTATION	1
Total		5554

Universe : Applicable for all respondents

OLDWP07_I(4271-4271)

Variable Type : imputation flag

Description : OLDWP07 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5554
Total		5554

Universe : Applicable for all respondents

OLDWP08_I(4272-4272)

Variable Type : imputation flag

Description : OLDWP08 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5554
Total		5554

Universe : Applicable for all respondents

OLDWP09_I(4273-4273)

Variable Type : imputation flag

Description : OLDWP09 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5554
Total		5554

Universe : Applicable for all respondents

OLDWP10_I(4274-4274)

Variable Type : imputation flag

Description : OLDWP10 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5554
Total		5554

Universe : Applicable for all respondents

OLDWP11_I(4275-4275)

Variable Type : imputation flag

Description : OLDWP11 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5554
Total		5554

Universe : Applicable for all respondents

OLDWP12_I(4276-4276)

Variable Type : imputation flag

Description : OLDWP12 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5554
Total		5554

Universe : Applicable for all respondents

OLDWP13_I(4277-4277)

Variable Type : imputation flag

Description : OLDWP13 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5554
Total		5554

Universe : Applicable for all respondents

OLDWP14_I(4278-4278)

Variable Type : imputation flag

Description : OLDWP14 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5554
Total		5554

Universe : Applicable for all respondents

OLDWP15_I(4279-4279)

Variable Type : imputation flag

Description : OLDWP15 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5554
Total		5554

Universe : Applicable for all respondents

OLDWP16_I(4280-4280)

Variable Type : imputation flag

Description : OLDWP16 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5554
	Total	5554

Universe : Applicable for all respondents

OLDWP17_I(4281-4281)

Variable Type : imputation flag

Description : OLDWP17 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5554
	Total	5554

Universe : Applicable for all respondents

OLDWP18_I(4282-4282)

Variable Type : imputation flag

Description : OLDWP18 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5554
	Total	5554

Universe : Applicable for all respondents

OLDWP19_I(4283-4283)

Variable Type : imputation flag

Description : OLDWP19 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5554
	Total	5554

Universe : Applicable for all respondents

OLDWP20_I(4284-4284)

Variable Type : imputation flag

Description : OLDWP20 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5554
	Total	5554

Universe : Applicable for all respondents

OLDWR01_I(4285-4285)

Variable Type : imputation flag

Description : OLDWR01 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5548
1	MULTIPLE REGRESSION IMPUTATION	6
Total		5554

Universe : Applicable for all respondents

OLDWR02_I(4286-4286)

Variable Type : imputation flag

Description : OLDWR02 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5550
1	MULTIPLE REGRESSION IMPUTATION	4
Total		5554

Universe : Applicable for all respondents

OLDWR03_I(4287-4287)

Variable Type : imputation flag

Description : OLDWR03 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5552
1	MULTIPLE REGRESSION IMPUTATION	2
Total		5554

Universe : Applicable for all respondents

OLDWR04_I(4288-4288)

Variable Type : imputation flag

Description : OLDWR04 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5552
1	MULTIPLE REGRESSION IMPUTATION	2
Total		5554

Universe : Applicable for all respondents

OLDWR05_I(4289-4289)

Variable Type : imputation flag

Description : OLDWR05 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5552
1	MULTIPLE REGRESSION IMPUTATION	2
Total		5554

Universe : Applicable for all respondents

OLDWR06_I(4290-4290)

Variable Type : imputation flag

Description : OLDWR06 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5554
Total		5554

Universe : Applicable for all respondents

OLDWR07_I(4291-4291)

Variable Type : imputation flag

Description : OLDWR07 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5554
Total		5554

Universe : Applicable for all respondents

OLDWR08_I(4292-4292)

Variable Type : imputation flag

Description : OLDWR08 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5554
Total		5554

Universe : Applicable for all respondents

OLDWR09_I(4293-4293)

Variable Type : imputation flag

Description : OLDWR09 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5554
Total		5554

Universe : Applicable for all respondents

OLDWR10_I(4294-4294)

Variable Type : imputation flag

Description : OLDWR10 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5554
Total		5554

Universe : Applicable for all respondents

OLDWR11_I(4295-4295)

Variable Type : imputation flag

Description : OLDWR11 Imputation Flag

value	label	Total
-------	-------	-------

0	QUESTIONNAIRE DATA (NOT IMPUTED)	5554
Total		5554

Universe : Applicable for all respondents

OLDWR12_I(4296-4296)

Variable Type : imputation flag

Description : OLDWR12 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5554
Total		5554

Universe : Applicable for all respondents

OLDWR13_I(4297-4297)

Variable Type : imputation flag

Description : OLDWR13 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5554
Total		5554

Universe : Applicable for all respondents

OLDWR14_I(4298-4298)

Variable Type : imputation flag

Description : OLDWR14 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5554
Total		5554

Universe : Applicable for all respondents

OLDWR15_I(4299-4299)

Variable Type : imputation flag

Description : OLDWR15 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5554
Total		5554

Universe : Applicable for all respondents

OLDWR16_I(4300-4300)

Variable Type : imputation flag

Description : OLDWR16 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5554
Total		5554

Universe : Applicable for all respondents

OLDWR17_I(4301-4301)

Variable Type : imputation flag

Description : OLDWR17 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5554
Total		5554

Universe : Applicable for all respondents

OLDWR18_I(4302-4302)

Variable Type : imputation flag

Description : OLDWR18 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5554
Total		5554

Universe : Applicable for all respondents

OLDWR19_I(4303-4303)

Variable Type : imputation flag

Description : OLDWR19 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5554
Total		5554

Universe : Applicable for all respondents

OLDWR20_I(4304-4304)

Variable Type : imputation flag

Description : OLDWR20 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5554
Total		5554

Universe : Applicable for all respondents

WANTRP01_I(4305-4305)

Variable Type : imputation flag

Description : WANTRP01 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5548
1	MULTIPLE REGRESSION IMPUTATION	6
Total		5554

Universe : Applicable for all respondents

WANTRP02_I(4306-4306)

Variable Type : imputation flag

Description : WANTRP02 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5550
1	MULTIPLE REGRESSION IMPUTATION	4
Total		5554

Universe : Applicable for all respondents

WANTRP03_I(4307-4307)

Variable Type : imputation flag

Description : WANTRP03 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5552
1	MULTIPLE REGRESSION IMPUTATION	2
Total		5554

Universe : Applicable for all respondents

WANTRP04_I(4308-4308)

Variable Type : imputation flag

Description : WANTRP04 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5552
1	MULTIPLE REGRESSION IMPUTATION	2
Total		5554

Universe : Applicable for all respondents

WANTRP05_I(4309-4309)

Variable Type : imputation flag

Description : WANTRP05 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5552
1	MULTIPLE REGRESSION IMPUTATION	2
Total		5554

Universe : Applicable for all respondents

WANTRP06_I(4310-4310)

Variable Type : imputation flag

Description : WANTRP06 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5554
Total		5554

Universe : Applicable for all respondents

WANTRP07_I(4311-4311)

Variable Type : imputation flag

Description : WANTRP07 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5554
	Total	5554

Universe : Applicable for all respondents

WANTRP08_I(4312-4312)

Variable Type : imputation flag

Description : WANTRP08 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5554
	Total	5554

Universe : Applicable for all respondents

WANTRP09_I(4313-4313)

Variable Type : imputation flag

Description : WANTRP09Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5554
	Total	5554

Universe : Applicable for all respondents

WANTRP10_I(4314-4314)

Variable Type : imputation flag

Description : WANTRP10 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5554
	Total	5554

Universe : Applicable for all respondents

WANTRP11_I(4315-4315)

Variable Type : imputation flag

Description : WANTRP11 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5554
	Total	5554

Universe : Applicable for all respondents

WANTRP12_I(4316-4316)

Variable Type : imputation flag

Description : WANTRP12 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5554
	Total	5554

Universe : Applicable for all respondents

WANTRP13_I(4317-4317)

Variable Type : imputation flag

Description : WANTRP13 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5554
	Total	5554

Universe : Applicable for all respondents

WANTRP14_I(4318-4318)

Variable Type : imputation flag

Description : WANTRP14 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5554
	Total	5554

Universe : Applicable for all respondents

WANTRP15_I(4319-4319)

Variable Type : imputation flag

Description : WANTRP15 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5554
	Total	5554

Universe : Applicable for all respondents

WANTRP16_I(4320-4320)

Variable Type : imputation flag

Description : WANTRP16 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5554
	Total	5554

Universe : Applicable for all respondents

WANTRP17_I(4321-4321)

Variable Type : imputation flag

Description : WANTRP17 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5554
	Total	5554

Universe : Applicable for all respondents

WANTRP18_I(4322-4322)

Variable Type : imputation flag

Description : WANTRP18 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5554
Total		5554

Universe : Applicable for all respondents

WANTRP19_I(4323-4323)

Variable Type : imputation flag

Description : WANTRP19 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5554
Total		5554

Universe : Applicable for all respondents

WANTRP20_I(4324-4324)

Variable Type : imputation flag

Description : WANTRP20 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5554
Total		5554

Universe : Applicable for all respondents

WANTP01_I(4325-4325)

Variable Type : imputation flag

Description : WANTP01 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5538
1	MULTIPLE REGRESSION IMPUTATION	16
Total		5554

Universe : Applicable for all respondents

WANTP02_I(4326-4326)

Variable Type : imputation flag

Description : WANTP02 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5547
1	MULTIPLE REGRESSION IMPUTATION	7
Total		5554

Universe : Applicable for all respondents

WANTP03_I(4327-4327)

Variable Type : imputation flag

Description : WANTP03 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5546
1	MULTIPLE REGRESSION IMPUTATION	8
Total		5554

Universe : Applicable for all respondents

WANTP04_I(4328-4328)

Variable Type : imputation flag

Description : WANTP04 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5550
1	MULTIPLE REGRESSION IMPUTATION	4
Total		5554

Universe : Applicable for all respondents

WANTP05_I(4329-4329)

Variable Type : imputation flag

Description : WANTP05 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5551
1	MULTIPLE REGRESSION IMPUTATION	3
Total		5554

Universe : Applicable for all respondents

WANTP06_I(4330-4330)

Variable Type : imputation flag

Description : WANTP06 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5552
1	MULTIPLE REGRESSION IMPUTATION	2
Total		5554

Universe : Applicable for all respondents

WANTP07_I(4331-4331)

Variable Type : imputation flag

Description : WANTP07 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5552
1	MULTIPLE REGRESSION IMPUTATION	2
Total		5554

Universe : Applicable for all respondents

WANTP08_I(4332-4332)

Variable Type : imputation flag

Description : WANTP08 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5554
Total		5554

Universe : Applicable for all respondents

WANTP09_I(4333-4333)

Variable Type : imputation flag

Description : WANTP09 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5553
1	MULTIPLE REGRESSION IMPUTATION	1
Total		5554

Universe : Applicable for all respondents

WANTP10_I(4334-4334)

Variable Type : imputation flag

Description : WANTP10 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5554
Total		5554

Universe : Applicable for all respondents

WANTP11_I(4335-4335)

Variable Type : imputation flag

Description : WANTP11 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5554
Total		5554

Universe : Applicable for all respondents

WANTP12_I(4336-4336)

Variable Type : imputation flag

Description : WANTP12 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5554
Total		5554

Universe : Applicable for all respondents

WANTP13_I(4337-4337)

Variable Type : imputation flag

Description : WANTP13 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5554
Total		5554

Universe : Applicable for all respondents

WANTP14_I(4338-4338)

Variable Type : imputation flag

Description : WANTP14 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5554
	Total	5554

Universe : Applicable for all respondents

WANTP15_I(4339-4339)

Variable Type : imputation flag

Description : WANTP15 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5554
	Total	5554

Universe : Applicable for all respondents

WANTP16_I(4340-4340)

Variable Type : imputation flag

Description : WANTP16 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5554
	Total	5554

Universe : Applicable for all respondents

WANTP17_I(4341-4341)

Variable Type : imputation flag

Description : WANTP17 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5554
	Total	5554

Universe : Applicable for all respondents

WANTP18_I(4342-4342)

Variable Type : imputation flag

Description : WANTP18 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5554
	Total	5554

Universe : Applicable for all respondents

WANTP19_I(4343-4343)

Variable Type : imputation flag

Description : WANTP19 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5554
Total		5554

Universe : Applicable for all respondents

WANTP20_I(4344-4344)

Variable Type : imputation flag

Description : WANTP20 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5554
Total		5554

Universe : Applicable for all respondents

NWWANTRP01_I(4345-4345)

Variable Type : imputation flag

Description : NWWANTRP01 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5525
1	MULTIPLE REGRESSION IMPUTATION	29
Total		5554

Universe : Applicable for all respondents

NWWANTRP02_I(4346-4346)

Variable Type : imputation flag

Description : NWWANTRP02 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5536
1	MULTIPLE REGRESSION IMPUTATION	18
Total		5554

Universe : Applicable for all respondents

NWWANTRP03_I(4347-4347)

Variable Type : imputation flag

Description : NWWANTRP03 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5542
1	MULTIPLE REGRESSION IMPUTATION	12
Total		5554

Universe : Applicable for all respondents

NWWANTRP04_I(4348-4348)

Variable Type : imputation flag

Description : NWWANTRP04 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5551
1	MULTIPLE REGRESSION IMPUTATION	3
Total		5554

Universe : Applicable for all respondents

NWWANTRP05_I(4349-4349)

Variable Type : imputation flag

Description : NWWANTRP05 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5547
1	MULTIPLE REGRESSION IMPUTATION	7
Total		5554

Universe : Applicable for all respondents

NWWANTRP06_I(4350-4350)

Variable Type : imputation flag

Description : NWWANTRP06 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5553
1	MULTIPLE REGRESSION IMPUTATION	1
Total		5554

Universe : Applicable for all respondents

NWWANTRP07_I(4351-4351)

Variable Type : imputation flag

Description : NWWANTRP07 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5554
Total		5554

Universe : Applicable for all respondents

NWWANTRP08_I(4352-4352)

Variable Type : imputation flag

Description : NWWANTRP08 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5553
1	MULTIPLE REGRESSION IMPUTATION	1
Total		5554

Universe : Applicable for all respondents

NWWANTRP09_I(4353-4353)

Variable Type : imputation flag

Description : NWWANTRP09 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5554
	Total	5554

Universe : Applicable for all respondents

NWWANTRP10_I(4354-4354)

Variable Type : imputation flag

Description : NWWANTRP10 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5554
	Total	5554

Universe : Applicable for all respondents

NWWANTRP11_I(4355-4355)

Variable Type : imputation flag

Description : NWWANTRP11 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5554
	Total	5554

Universe : Applicable for all respondents

NWWANTRP12_I(4356-4356)

Variable Type : imputation flag

Description : NWWANTRP12 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5554
	Total	5554

Universe : Applicable for all respondents

NWWANTRP13_I(4357-4357)

Variable Type : imputation flag

Description : NWWANTRP13 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5554
	Total	5554

Universe : Applicable for all respondents

NWWANTRP14_I(4358-4358)

Variable Type : imputation flag

Description : NWWANTRP14 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5554
	Total	5554

Universe : Applicable for all respondents

NWWANTRP15_I(4359-4359)

Variable Type : imputation flag

Description : NWWANTRP15 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5554
	Total	5554

Universe : Applicable for all respondents

NWWANTRP16_I(4360-4360)

Variable Type : imputation flag

Description : NWWANTRP16 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5554
	Total	5554

Universe : Applicable for all respondents

NWWANTRP17_I(4361-4361)

Variable Type : imputation flag

Description : NWWANTRP17 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5554
	Total	5554

Universe : Applicable for all respondents

NWWANTRP18_I(4362-4362)

Variable Type : imputation flag

Description : NWWANTRP18 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5554
	Total	5554

Universe : Applicable for all respondents

NWWANTRP19_I(4363-4363)

Variable Type : imputation flag

Description : NWWANTRP19 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5554
	Total	5554

Universe : Applicable for all respondents

NWWANTRP20_I(4364-4364)

Variable Type : imputation flag

Description : NWWANTRP20 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5554
	Total	5554

Universe : Applicable for all respondents

WANTP5_I(4365-4365)

Variable Type : imputation flag

Description : WANTP5 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5508
1	MULTIPLE REGRESSION IMPUTATION	46
	Total	5554

Universe : Applicable for all respondents

Female Respondent File Codebook :: SECTION R: Recode Variables and Imputation Flags :: Section F Recodes

FPTIT12(4366-4366)

Variable Type : recode

Description : Type of clinic used for fp services in last 12 months (RECODE)

value	label	Total
.	INAPPLICABLE	4980
1	TITLE X CLINIC	242
2	NON-TITLE X CLINIC	332
	Total	5554

Universe : Applicable if R received any family planning service from a medical care provider in the last 12 months at a clinic (FA-BC12PLCX2-BC12PLCX8=3,4,6,7)

FPTITMED(4367-4367)

Variable Type : recode

Description : Type of clinic used for medical services in last 12 months (RECODE)

value	label	Total
.	INAPPLICABLE	4670
1	TITLE X CLINIC	375
2	NON-TITLE X CLINIC	509
	Total	5554

Universe : Applicable if R received any family planning service from a medical care provider in the last 12 months at a clinic (FA-BC12PLCX9-BC12PLCX15=3,4,6,7)

FPTITSTE(4368-4369)

Variable Type : recode

Description : Source of services in last 12 months: Sterlization operation (RECODE)

value	label	Total
.	INAPPLICABLE	5481
1	CLINIC: TITLE X=YES HEALTH DEPT=YES	2
2	CLINIC: TITLE X=YES HEALTH DEPT=NO	1

3	CLINIC: TITLE X=NO HEALTH DEPT=YES	1
4	CLINIC: TITLE X=NO HEALTH DEPT=NO	8
8	PRIVATE DOCTOR'S OFFICE OR HMO	23
9	HOSPITAL EMERGENCY REGULAR ROOM/REGULAR ROOM/URGENT CARE	36
10	SOME OTHER PLACE	2
	Total	5554

Universe : Applicable if R received a sterilizing operation from a medical care provider in the last 12 months (FA-1e STEROP12 = 1)

FPTITBC(4370-4371)

Variable Type : recode

Description : Source of services last 12 mos: Method of BC or prescription (RECODE)

value	label	Total
.	INAPPLICABLE	3865
1	CLINIC: TITLE X=YES HEALTH DEPT=YES	94
2	CLINIC: TITLE X=YES HEALTH DEPT=NO	96
3	CLINIC: TITLE X=NO HEALTH DEPT=YES	15
4	CLINIC: TITLE X=NO HEALTH DEPT=NO	168
7	EMPLOYER OR COMPANY CLINIC	5
8	PRIVATE DOCTOR'S OFFICE OR HMO	1256
9	HOSPITAL EMERGENCY REGULAR ROOM/REGULAR ROOM/URGENT CARE	23
10	SOME OTHER PLACE	32
	Total	5554

Universe : Applicable if R received a method of birth control or a prescription for birth control from a medical care provider in the last 12 months (FA-1b BTHCON12 = 1)

FPTITCHK(4372-4373)

Variable Type : recode

Description : Source of services in last 12 mos: Check-up or test re: BC (RECODE)

value	label	Total
.	INAPPLICABLE	4250
1	CLINIC: TITLE X=YES HEALTH DEPT=YES	78
2	CLINIC: TITLE X=YES HEALTH DEPT=NO	71
3	CLINIC: TITLE X=NO HEALTH DEPT=YES	9
4	CLINIC: TITLE X=NO HEALTH DEPT=NO	123
7	EMPLOYER OR COMPANY CLINIC	5
8	PRIVATE DOCTOR'S OFFICE OR HMO	990
9	HOSPITAL EMERGENCY REGULAR ROOM/REGULAR ROOM/URGENT CARE	15
10	SOME OTHER PLACE	13
	Total	5554

Universe : Applicable if R received a check-up or medical test related to using birth control from a medical care provider in the last 12 months (FA-1c MEDTST12 = 1)

FPTITCBC(4374-4375)

Variable Type : recode

Description : Source of services in last 12 mos: Counseling re BC (RECODE)

value	label	Total
.	INAPPLICABLE	4488
1	CLINIC: TITLE X=YES HEALTH DEPT=YES	69
2	CLINIC: TITLE X=YES HEALTH DEPT=NO	71
3	CLINIC: TITLE X=NO HEALTH DEPT=YES	8

4	CLINIC: TITLE X=NO HEALTH DEPT=NO	117
7	EMPLOYER OR COMPANY CLINIC	4
8	PRIVATE DOCTOR'S OFFICE OR HMO	761
9	HOSPITAL EMERGENCY REGULAR ROOM/REGULAR ROOM/URGENT CARE	15
10	SOME OTHER PLACE	21
	Total	5554

Universe : Applicable if R received counseling about birth control from a medical care provider in the last 12 months (Fa-1d BCCNS12 = 1)

FPTITCST(4376-4377)

Variable Type : recode

Description : Source of services in last 12 mos: Counseling re sterilization (RECODE)

value	label	Total
.	INAPPLICABLE	5403
1	CLINIC: TITLE X=YES HEALTH DEPT=YES	4
2	CLINIC: TITLE X=YES HEALTH DEPT=NO	5
3	CLINIC: TITLE X=NO HEALTH DEPT=YES	2
4	CLINIC: TITLE X=NO HEALTH DEPT=NO	24
8	PRIVATE DOCTOR'S OFFICE OR HMO	107
9	HOSPITAL EMERGENCY REGULAR ROOM/REGULAR ROOM/URGENT CARE	8
10	SOME OTHER PLACE	1
	Total	5554

Universe : Applicable if R received counseling about getting sterilized from a medical care provider in the last 12 months (FA-1f STCNS12 = 1)

FPTITEC(4378-4379)

Variable Type : recode

Description : Source of service in last 12 months: EC or prescription (RECODE)

value	label	Total
.	INAPPLICABLE	5395
1	CLINIC: TITLE X=YES HEALTH DEPT=YES	9
2	CLINIC: TITLE X=YES HEALTH DEPT=NO	16
3	CLINIC: TITLE X=NO HEALTH DEPT=YES	2
4	CLINIC: TITLE X=NO HEALTH DEPT=NO	17
7	EMPLOYER OR COMPANY CLINIC	1
8	PRIVATE DOCTOR'S OFFICE OR HMO	58
9	HOSPITAL EMERGENCY REGULAR ROOM/REGULAR ROOM/URGENT CARE	4
10	SOME OTHER PLACE	52
	Total	5554

Universe : Applicable if R received emergency contraception from a medical care provider in the last 12 months (FA-1g EMCON12 = 1)

FPTITCEC(4380-4381)

Variable Type : recode

Description : Source of service in last 12 mos: Counseling or info on EC (RECODE)

value	label	Total
.	INAPPLICABLE	5412
1	CLINIC: TITLE X=YES HEALTH DEPT=YES	16
2	CLINIC: TITLE X=YES HEALTH DEPT=NO	22
3	CLINIC: TITLE X=NO HEALTH DEPT=YES	4

4	CLINIC: TITLE X=NO HEALTH DEPT=NO	28
8	PRIVATE DOCTOR'S OFFICE OR HMO	60
9	HOSPITAL EMERGENCY REGULAR ROOM/REGULAR ROOM/URGENT CARE	4
10	SOME OTHER PLACE	8
	Total	5554

Universe : Applicable if R received counseling about emergency contraception from a medical care provider in the last 12 months (FA-1h ECCNS12 = 1)

FPTITPRE(4382-4383)

Variable Type : recode

Description : Source of service in last 12 mos: Pregnancy test (RECODE)

value	label	Total
.	INAPPLICABLE	4347
1	CLINIC: TITLE X=YES HEALTH DEPT=YES	74
2	CLINIC: TITLE X=YES HEALTH DEPT=NO	69
3	CLINIC: TITLE X=NO HEALTH DEPT=YES	9
4	CLINIC: TITLE X=NO HEALTH DEPT=NO	160
7	EMPLOYER OR COMPANY CLINIC	3
8	PRIVATE DOCTOR'S OFFICE OR HMO	755
9	HOSPITAL EMERGENCY REGULAR ROOM/REGULAR ROOM/URGENT CARE	74
10	SOME OTHER PLACE	63
	Total	5554

Universe : Applicable if R received a pregnancy test from a medical provider in the last 12 months (FA-3a PRGTST12 = 1)

FPTITABO(4384-4385)

Variable Type : recode

Description : Source of service in last 12 mos: Abortion (RECODE)

value	label	Total
.	INAPPLICABLE	5515
1	CLINIC: TITLE X=YES HEALTH DEPT=YES	2
2	CLINIC: TITLE X=YES HEALTH DEPT=NO	7
3	CLINIC: TITLE X=NO HEALTH DEPT=YES	2
4	CLINIC: TITLE X=NO HEALTH DEPT=NO	17
8	PRIVATE DOCTOR'S OFFICE OR HMO	8
9	HOSPITAL EMERGENCY REGULAR ROOM/REGULAR ROOM/URGENT CARE	2
10	SOME OTHER PLACE	1
	Total	5554

Universe : Applicable if R received an abortion from a medical care provider in the last 12 months (FA-3b ABORT12 = 1)

FPTITPAP(4386-4387)

Variable Type : recode

Description : Source of service in last 12 mos: Pap smear (RECODE)

value	label	Total
.	INAPPLICABLE	2672
1	CLINIC: TITLE X=YES HEALTH DEPT=YES	146
2	CLINIC: TITLE X=YES HEALTH DEPT=NO	122
3	CLINIC: TITLE X=NO HEALTH DEPT=YES	28
4	CLINIC: TITLE X=NO HEALTH DEPT=NO	240
7	EMPLOYER OR COMPANY CLINIC	10

8	PRIVATE DOCTOR'S OFFICE OR HMO	2240
9	HOSPITAL EMERGENCY REGULAR ROOM/REGULAR ROOM/URGENT CARE	58
10	SOME OTHER PLACE	38
	Total	5554

Universe : Applicable if R received a pap smear from a medical care provider in the last 12 months (FA-3c PAP12 = 1)

FPTITPEL(4388-4389)

Variable Type : recode

Description : Source of service in last 12 mos: Pelvic exam (RECODE)

value	label	Total
.	INAPPLICABLE	2654
1	CLINIC: TITLE X=YES HEALTH DEPT=YES	144
2	CLINIC: TITLE X=YES HEALTH DEPT=NO	117
3	CLINIC: TITLE X=NO HEALTH DEPT=YES	18
4	CLINIC: TITLE X=NO HEALTH DEPT=NO	226
7	EMPLOYER OR COMPANY CLINIC	7
8	PRIVATE DOCTOR'S OFFICE OR HMO	2278
9	HOSPITAL EMERGENCY REGULAR ROOM/REGULAR ROOM/URGENT CARE	72
10	SOME OTHER PLACE	38
	Total	5554

Universe : Applicable if R received a pelvic exam from a medical care provider in the last 12 months (FA-3d PELVIC12 = 1)

FPTITPRN(4390-4391)

Variable Type : recode

Description : Source of service in last 12 mos: Prenatal care (RECODE)

value	label	Total
.	INAPPLICABLE	5177
1	CLINIC: TITLE X=YES HEALTH DEPT=YES	18
2	CLINIC: TITLE X=YES HEALTH DEPT=NO	13
3	CLINIC: TITLE X=NO HEALTH DEPT=YES	3
4	CLINIC: TITLE X=NO HEALTH DEPT=NO	39
8	PRIVATE DOCTOR'S OFFICE OR HMO	282
9	HOSPITAL EMERGENCY REGULAR ROOM/REGULAR ROOM/URGENT CARE	9
10	SOME OTHER PLACE	13
	Total	5554

Universe : Applicable if R received prenatal care from a medical care provider in the last 12 months (FA-3e PRENAT12 = 1)

FPTITPPR(4392-4393)

Variable Type : recode

Description : Source of service in last 12 mos: Post-pregnancy care (RECODE)

value	label	Total
.	INAPPLICABLE	5216
1	CLINIC: TITLE X=YES HEALTH DEPT=YES	16
2	CLINIC: TITLE X=YES HEALTH DEPT=NO	11
3	CLINIC: TITLE X=NO HEALTH DEPT=YES	3
4	CLINIC: TITLE X=NO HEALTH DEPT=NO	28
8	PRIVATE DOCTOR'S OFFICE OR HMO	260

9	HOSPITAL EMERGENCY REGULAR ROOM/REGULAR ROOM/URGENT CARE	12
10	SOME OTHER PLACE	8
	Total	5554

Universe : Applicable if R received post-pregnancy care from a medical care provider in the last 12 months (FA-3f PARTUM12 = 1)

FPTITSTD(4394-4395)

Variable Type : recode

Description : Source of service in last 12 mos: Testing for STD (RECODE)

value	label	Total
.	INAPPLICABLE	3578
1	CLINIC: TITLE X=YES HEALTH DEPT=YES	147
2	CLINIC: TITLE X=YES HEALTH DEPT=NO	124
3	CLINIC: TITLE X=NO HEALTH DEPT=YES	17
4	CLINIC: TITLE X=NO HEALTH DEPT=NO	235
5	CLINIC: TITLE X=YES AGENCY UNKNOWN	1
7	EMPLOYER OR COMPANY CLINIC	15
8	PRIVATE DOCTOR'S OFFICE OR HMO	1330
9	HOSPITAL EMERGENCY REGULAR ROOM/REGULAR ROOM/URGENT CARE	77
10	SOME OTHER PLACE	30
	Total	5554

Universe : Applicable if R received testing for a sexually transmitted disease by a medical care provider in the last 12 months (FA-3g STDSVC12 = 1)

FPREGFP(4396-4396)

Variable Type : recode

Description : Title X clinic used for FP svcs: Regular place for care (RECODE)

value	label	Total
.	INAPPLICABLE	5312
1	YES	166
2	NO	76
	Total	5554

Universe : Applicable if R received any family planning service at a Title X clinic in the last 12 months (FPTITBC = 1,2,5 or FPTITCHK = 1,2,5 or FPTITCBC = 1,2,5 or FPTITSTE = 1,2,5 or FPTITCST = 1, 2,5 or FPTITEC = 1,2,5 or FPTITCEC = 1, 2,5).

FPREGMED(4397-4397)

Variable Type : recode

Description : Title X clinic used for med svcs: Regular place for care (RECODE)

value	label	Total
.	INAPPLICABLE	5179
1	YES	266
2	NO	109
	Total	5554

Universe : Applicable if R received any medical service at a Title X clinic in the last 12 months (FPTITPRE = 1,2,5 or FPTITABO = 1,2,5 or FPTITPAP = 1, 2,5 or FPTITPEL = 1, 2,5 or FPTITPRN = 1,2,5 or FPTITPPR = 1, 2,5 or FPTITSTD = 1,2,5).

FPTIT12_I(4398-4398)

Variable Type : imputation flag

Description : FPTIT12 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5554
Total		5554

Universe : Applicable for all respondents

FPTITMED_I(4399-4399)

Variable Type : imputation flag

Description : FPTITMED Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5554
Total		5554

Universe : Applicable for all respondents

FPTITSTE_I(4400-4400)

Variable Type : imputation flag

Description : FPTITSTE Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5543
1	MULTIPLE REGRESSION IMPUTATION	1
2	LOGICAL IMPUTATION	10
Total		5554

Universe : Applicable for all respondents

FPTITBC_I(4401-4401)

Variable Type : imputation flag

Description : FPTITBC Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5488
1	MULTIPLE REGRESSION IMPUTATION	13
2	LOGICAL IMPUTATION	53
Total		5554

Universe : Applicable for all respondents

FPTITCHK_I(4402-4402)

Variable Type : imputation flag

Description : FPTITCHK Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5496
1	MULTIPLE REGRESSION IMPUTATION	1
2	LOGICAL IMPUTATION	57
Total		5554

Universe : Applicable for all respondents

FPTITCBC_I(4403-4403)

Variable Type : imputation flag

Description : FPTITCBC Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5505
1	MULTIPLE REGRESSION IMPUTATION	7
2	LOGICAL IMPUTATION	42
	Total	5554

Universe : Applicable for all respondents

FPTITCST_I(4404-4404)

Variable Type : imputation flag

Description : FPTITCST Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5544
1	MULTIPLE REGRESSION IMPUTATION	1
2	LOGICAL IMPUTATION	9
	Total	5554

Universe : Applicable for all respondents

FPTITEC_I(4405-4405)

Variable Type : imputation flag

Description : FPTITEC Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5550
1	MULTIPLE REGRESSION IMPUTATION	2
2	LOGICAL IMPUTATION	2
	Total	5554

Universe : Applicable for all respondents

FPTITCEC_I(4406-4406)

Variable Type : imputation flag

Description : FPTITCEC Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5547
1	MULTIPLE REGRESSION IMPUTATION	3
2	LOGICAL IMPUTATION	4
	Total	5554

Universe : Applicable for all respondents

FPTITPRE_I(4407-4407)

Variable Type : imputation flag

Description : FPTITPRE Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5485

1	MULTIPLE REGRESSION IMPUTATION	17
2	LOGICAL IMPUTATION	52
Total		5554

Universe : Applicable for all respondents

FPTITABO_I(4408-4408)

Variable Type : imputation flag

Description : FPTITABO Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5553
2	LOGICAL IMPUTATION	1
Total		5554

Universe : Applicable for all respondents

FPTITPAP_I(4409-4409)

Variable Type : imputation flag

Description : FPTITPAP Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5448
1	MULTIPLE REGRESSION IMPUTATION	18
2	LOGICAL IMPUTATION	88
Total		5554

Universe : Applicable for all respondents

FPTITPEL_I(4410-4410)

Variable Type : imputation flag

Description : FPTITPEL Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5462
1	MULTIPLE REGRESSION IMPUTATION	13
2	LOGICAL IMPUTATION	79
Total		5554

Universe : Applicable for all respondents

FPTITPRN_I(4411-4411)

Variable Type : imputation flag

Description : FPTITPRN Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5532
1	MULTIPLE REGRESSION IMPUTATION	2
2	LOGICAL IMPUTATION	20
Total		5554

Universe : Applicable for all respondents

FPTITPPR_I(4412-4412)

Variable Type : imputation flag

Description : FPTITPPR Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5537
2	LOGICAL IMPUTATION	17
Total		5554

Universe : Applicable for all respondents

FPTITSTD_I(4413-4413)

Variable Type : imputation flag

Description : FPTITSTD Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5464
1	MULTIPLE REGRESSION IMPUTATION	11
2	LOGICAL IMPUTATION	79
Total		5554

Universe : Applicable for all respondents

FPREGFP_I(4414-4414)

Variable Type : imputation flag

Description : FPREGFP Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5554
Total		5554

Universe : Applicable for all respondents

FPREGMED_I(4415-4415)

Variable Type : imputation flag

Description : FPREGMED Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5554
Total		5554

Universe : Applicable for all respondents

Female Respondent File Codebook :: SECTION R: Recode Variables and Imputation Flags :: Section G Recodes

INTENT(4416-4416)

Variable Type : recode

Description : Intentions for additional births (RECODE)

value	label	Total
1	R INTENDS TO HAVE (MORE) CHILDREN	2514
2	R DOES NOT INTEND TO HAVE (MORE) CHILDREN	2966
3	R DOES NOT KNOW HER INTENT	74
Total		5554

Universe : Applicable for all respondents

ADDEXP(4417-4419)

Variable Type : recode

Description : Central number of additional births expected (RECODE)

value	label	Total
0	NO ADDITIONAL BIRTHS	2865
5	.5 ADDITIONAL BIRTHS	23
10	1 ADDITIONAL BIRTH	1003
15	1.5 ADDITIONAL BIRTHS	18
20	2 ADDITIONAL BIRTHS	1060
25	2.5 ADDITIONAL BIRTHS	4
30	3 ADDITIONAL BIRTHS	381
40	4 ADDITIONAL BIRTHS	136
50	5 ADDITIONAL BIRTHS	40
60	6 ADDITIONAL BIRTHS	13
70	7 ADDITIONAL BIRTHS	3
80	8 ADDITIONAL BIRTHS	1
90	9 ADDITIONAL BIRTHS	2
100-995	10 OR MORE ADDITIONAL BIRTHS	5
Total		5554

Universe : Applicable for all respondents

INTENT_I(4420-4420)

Variable Type : imputation flag

Description : INTENT Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5554
Total		5554

Universe : Applicable for all respondents

ADDEXP_I(4421-4421)

Variable Type : imputation flag

Description : ADDEXP Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5550
1	MULTIPLE REGRESSION IMPUTATION	4
Total		5554

Universe : Applicable for all respondents

Female Respondent File Codebook :: SECTION R: Recode Variables and Imputation Flags :: Section H Recodes

ANYPRGHP(4422-4422)

Variable Type : recode

Description : Any medical help to become pregnant (RECODE)

value	label	Total
.	INAPPLICABLE	406
1	YES	423
2	NO	4725
Total		5554

Universe : Applicable if R has ever had sexual intercourse with a male (rhadsex = 1) or is 18 years or older (age_r GT 18)

ANYMSCHP(4423-4423)

Variable Type : recode

Description : Any medical help to prevent miscarriage (RECODE)

value	label	Total
.	INAPPLICABLE	406
1	YES	267
2	NO	4881
Total		5554

Universe : Applicable if R has ever had sexual intercourse with a male (rhadsex = 1) or is 18 years or older (age_r GT 18)

INFEVER(4424-4424)

Variable Type : recode

Description : Ever used infertility services of any kind (RECODE)

value	label	Total
.	INAPPLICABLE	406
1	YES	613
2	NO	4535
Total		5554

Universe : Applicable if R has ever had sexual intercourse with a male (rhadsex = 1) or is 18 years or older (age_r GT 18)

OVULATE(4425-4425)

Variable Type : recode

Description : Infertility services: drugs to improve ovulation (RECODE)

value	label	Total
.	INAPPLICABLE	5131
1	REPORTED	197
2	NOT REPORTED	226
Total		5554

Universe : Applicable if R reported seeking any medical help to become pregnant (HA-1 HLPPRG = 1)

TUBES(4426-4426)

Variable Type : recode

Description : Infertility services: surgery to correct blocked tubes (RECODE)

value	label	Total
.	INAPPLICABLE	5131
1	REPORTED	34
2	NOT REPORTED	389
Total		5554

Universe : Applicable if R reported seeking any medical help to become pregnant (HA-1 HLPPRG = 1)

INFERTR(4427-4427)

Variable Type : recode

Description : Infertility services: Infertility testing on R (RECODE)

value	label	Total
.	INAPPLICABLE	5131
1	REPORTED	233
2	NOT REPORTED	190
Total		5554

Universe : Applicable if R reported seeking any medical help to become pregnant (HA-1 HLPPRG = 1)

INFERTH(4428-4428)

Variable Type : recode

Description : Infertility services: Infertility testing on H/P (RECODE)

value	label	Total
.	INAPPLICABLE	5131
1	REPORTED	172
2	NOT REPORTED	251
Total		5554

Universe : Applicable if R reported seeking any medical help to become pregnant (HA-1 HLPPRG = 1)

ADVICE(4429-4429)

Variable Type : recode

Description : Infertility services: Advice (RECODE)

value	label	Total
.	INAPPLICABLE	5131
1	REPORTED	322
2	NOT REPORTED	101
Total		5554

Universe : Applicable if R reported seeking any medical help to become pregnant (HA-1 HLPPRG = 1)

INSEM(4430-4430)

Variable Type : recode

Description : Infertility services: Artificial insemination (RECODE)

value	label	Total
.	INAPPLICABLE	5131
1	REPORTED	83
2	NOT REPORTED	340
Total		5554

Universe : Applicable if R reported seeking any medical help to become pregnant (HA-1 HLPPRG = 1)

INVITRO(4431-4431)

Variable Type : recode

Description : Infertility services: In vitro fertilization or other assisted reproduction (RECODE)

value	label	Total
.	INAPPLICABLE	5131
1	REPORTED	26
2	NOT REPORTED	397

Total **5554**

Universe : Applicable if R reported seeking any medical help to become pregnant (HA-1 HLPPRG = 1)

ENDOMET(4432-4432)

Variable Type : recode

Description : Infertility services: Surgery or drug treatment for endometriosis (RECODE)

value	label	Total
.	INAPPLICABLE	5131
1	REPORTED	14
2	NOT REPORTED	409
Total		5554

Universe : Applicable if R reported seeking any medical help to become pregnant (HA-1 HLPPRG = 1)

FIBROIDS(4433-4433)

Variable Type : recode

Description : Infertility services: Surgery for uterine fibroids (RECODE)

value	label	Total
.	INAPPLICABLE	5131
1	REPORTED	5
2	NOT REPORTED	418
Total		5554

Universe : Applicable if R reported seeking any medical help to become pregnant (HA-1 HLPPRG = 1)

PIDTREAT(4434-4434)

Variable Type : recode

Description : Ever been treated for PID (RECODE)

value	label	Total
1	YES	232
2	NO	5322
Total		5554

Universe : Applicable for all respondents

EVHIVTST(4435-4435)

Variable Type : recode

Description : Ever had an HIV test

value	label	Total
0	NO HIV TEST REPORTED	1375
1	YES, ONLY AS PART OF BLOOD DONATION	667
2	YES, ONLY OUTSIDE OF BLOOD DONATION	2065
3	YES, IN BOTH CONTEXTS	1447
Total		5554

Universe : Applicable for all respondents

FPTITHIV(4436-4437)

Variable Type : recode

Description : Source of service in the last 12 mos: HIV test (RECODE)

value	label	Total
.	INAPPLICABLE	4164
1	Clinic: Title X=yes; health department=yes	120
2	Clinic: Title X=yes; health department=no	91
3	Clinic: Title X=no; health department=yes	12
4	Clinic: Title X=no; health department=no	166
7	Employer or company clinic/worksite	18
8	Private Doctor's office or HMO	775
9	Hospital emergency room/regular room/urgent care	105
10	Home	9
11	Military site	21
12	Lab or blood bank	34
13	Some other place	39
	Total	5554

Universe : Applicable if R received an HIV test (outside of blood donation) in the last 12 months (HE-2 HIVTEST = 1 and cmhivtst GT CMLSTYR)

ANYPRGHP_I(4438-4438)

Variable Type : imputation flag

Description : ANYPRGHP Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5554
	Total	5554

Universe : Applicable for all respondents

ANYMSCHP_I(4439-4439)

Variable Type : imputation flag

Description : ANYMSCHP Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5554
	Total	5554

Universe : Applicable for all respondents

INFEVER_I(4440-4440)

Variable Type : imputation flag

Description : INFEVER Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5554
	Total	5554

Universe : Applicable for all respondents

OVULATE_I(4441-4441)

Variable Type : imputation flag

Description : OVULATE Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5554
	Total	5554

Universe : Applicable for all respondents

TUBES_I(4442-4442)

Variable Type : imputation flag

Description : TUBES Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5554
	Total	5554

Universe : Applicable for all respondents

INFERTR_I(4443-4443)

Variable Type : imputation flag

Description : INFERTR Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5554
	Total	5554

Universe : Applicable for all respondents

INFERTH_I(4444-4444)

Variable Type : imputation flag

Description : INFERTH Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5554
	Total	5554

Universe : Applicable for all respondents

ADVICE_I(4445-4445)

Variable Type : imputation flag

Description : ADVICE Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5554
	Total	5554

Universe : Applicable for all respondents

INSEM_I(4446-4446)

Variable Type : imputation flag

Description : INSEM Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5554
	Total	5554

Universe : Applicable for all respondents

INVITRO_I(4447-4447)

Variable Type : imputation flag

Description : INVITRO Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5554
Total		5554

Universe : Applicable for all respondents

ENDOMET_I(4448-4448)

Variable Type : imputation flag

Description : ENDOMET Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5554
Total		5554

Universe : Applicable for all respondents

FIBROIDS_I(4449-4449)

Variable Type : imputation flag

Description : FIBROIDS Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5554
Total		5554

Universe : Applicable for all respondents

PIDTREAT_I(4450-4450)

Variable Type : imputation flag

Description : PIDTREAT Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5550
1	MULTIPLE REGRESSION IMPUTATION	4
Total		5554

Universe : Applicable for all respondents

EVHIVTST_I(4451-4451)

Variable Type : imputation flag

Description : EVHIVTST Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5486
1	MULTIPLE REGRESSION IMPUTATION	68
Total		5554

Universe : Applicable for all respondents

FPTITHIV_I(4452-4452)

Variable Type : imputation flag

Description : FPTITHIV Imputation Flag

value	label	Total
-------	-------	-------

0	QUESTIONNAIRE DATA (NOT IMPUTED)	5487
1	MULTIPLE REGRESSION IMPUTATION	11
2	LOGICAL IMPUTATION	56
Total		5554

Universe : Applicable for all respondents

Female Respondent File Codebook :: SECTION R: Recode Variables and Imputation Flags :: Section I Recodes

CURR_INS(4453-4453)

Variable Type : recode

Description : Current health insurance status

value	label	Total
1	Currently covered by private health insurance or Medi-Gap	3128
2	Currently covered by Medicaid, CHIP, or a state-sponsored health plan	1406
3	Currently covered by Medicare, military health care, or other government health care	305
4	Currently covered only by a single-service plan, only by the Indian Health Service, or currently not covered by health insurance	715
Total		5554

Universe : Applicable for all respondents

METRO(4454-4454)

Variable Type : recode

Description : Place of residence (metropolitan-non-metropolitan) (RECODE)

value	label	Total
1	PRINCIPAL CITY OF MSA	2197
2	OTHER MSA	2554
3	NOT MSA	803
Total		5554

Universe : Applicable for all respondents

RELIGION(4455-4455)

Variable Type : recode

Description : Current religious affiliation (RECODE)

value	label	Total
1	NO RELIGION	1260
2	CATHOLIC	1106
3	PROTESTANT	2727
4	OTHER RELIGIONS	461
Total		5554

Universe : Applicable for all respondents

Notes : Please refer to the [2011-2013 user's guide](#) for more information on religion data in the NSFG

LABORFOR(4456-4456)

Variable Type : recode

Description : Labor force status (RECODE)

value	label	Total
1	Working full-time	2317
2	Working part-time	1112

3	Working, but on vacation, strike, or had temporary illness	207
4	Working - maternity or family leave	32
5	Not working but looking for work	257
6	In school	597
7	Keeping house	784
8	Caring for family	57
9	Other	191
	Total	5554

Universe : Applicable for all respondents

Notes : This variable has been modified for public use, and the original variable is accessible by application to the NCHS Research Data Center. See Appendix 7 of the User's Guide for further information.

CURR_INS_I(4457-4457)

Variable Type : imputation flag

Description : CURR_INS Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5470
1	MULTIPLE REGRESSION IMPUTATION	84
	Total	5554

Universe : Applicable for all respondents

METRO_I(4458-4458)

Variable Type : imputation flag

Description : METRO Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5554
	Total	5554

Universe : Applicable for all respondents

RELIGION_I(4459-4459)

Variable Type : imputation flag

Description : RELIGION Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5535
1	MULTIPLE REGRESSION IMPUTATION	19
	Total	5554

Universe : Applicable for all respondents

LABORFOR_I(4460-4460)

Variable Type : imputation flag

Description : LABORFOR Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5553
1	MULTIPLE REGRESSION IMPUTATION	1
	Total	5554

Universe : Applicable for all respondents

Female Respondent File Codebook :: SECTION R: Recode Variables and Imputation Flags :: Section J Recodes

POVERTY(4461-4463)

Variable Type : recode

Description : Poverty level income (RECODE)

value	label	Total
0-99	0-99 percent of poverty level	1604
100-199	100-199 percent of poverty level	1320
200-299	200-299 percent of poverty level	851
300-399	300-399 percent of poverty level	542
400-499	400-499 percent of poverty level	375
500	500 percent of poverty level or greater	862
Total		5554

Universe : Applicable for all respondents

Notes : This variable has been modified for public use, and the original variable is accessible by application to the NCHS Research Data Center. See Appendix 7 of the User's Guide for further information.

TOTINCR(4464-4465)

Variable Type : recode

Description : Total income of R's family (RECODE)

value	label	Total
1	Under \$5000	305
2	\$5000-\$7499	182
3	\$7500-\$9999	216
4	\$10,000-\$12,499	280
5	\$12,500-\$14,999	243
6	\$15,000-\$19,999	314
7	\$20,000-\$24,999	364
8	\$25,000-\$29,999	394
9	\$30,000-\$34,999	337
10	\$35,000-\$39,999	299
11	\$40,000-\$49,999	412
12	\$50,000-\$59,999	437
13	\$60,000-\$74,999	467
14	\$75,000-\$99,999	461
15	\$100,000 or more	843
Total		5554

Universe : Applicable for all respondents

PUBASSIS(4466-4466)

Variable Type : recode

Description : Whether R or any members of her family received public assistance in the calendar year before the interview (RECODE)

value	label	Total
1	Yes (received public assistance in [INTERVIEW YEAR-1])	2071
2	No (did not receive public assistance in [INTERVIEW YEAR-1])	3483
Total		5554

Universe : Applicable for all respondents

POVERTY_I(4467-4467)

Variable Type : imputation flag

Description : POVERTY Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5059
1	MULTIPLE REGRESSION IMPUTATION	493
2	LOGICAL IMPUTATION	2
Total		5554

Universe : Applicable for all respondents

TOTINCR_I(4468-4468)

Variable Type : imputation flag

Description : TOTINCR Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5059
1	MULTIPLE REGRESSION IMPUTATION	493
2	LOGICAL IMPUTATION	2
Total		5554

Universe : Applicable for all respondents

PUBASSIS_I(4469-4469)

Variable Type : imputation flag

Description : PUBASSIS Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	5399
1	MULTIPLE REGRESSION IMPUTATION	155
Total		5554

Universe : Applicable for all respondents