



NATIONAL CENTER FOR HEALTH STATISTICS

Public-use Codebook

Round 2: Data collected October-November, 2023



Last revised April 4, 2024

Persons with disabilities experiencing problems accessing PDF files should contact nchsed@cdc.gov or call 301-458-4688



| HIS_GENERAL | |
|--------------------|--|
| LABEL | Self-reported health status |
| QUESTION TEXT | Would you say your health in general is... |
| UNIVERSE | ALL |
| NOTES TEXT | This variable was included in the questionnaire for benchmarking purposes as gold standard sources of this measure exist elsewhere. Caution using this variable as an outcome of interest. |
| TYPE | Numeric |

| HIS_GENERAL: Distribution | Value | Unweighted | | Weighted | |
|---|--------------|-------------------|--------------|-----------------|--------------|
| | | n | % | n | % |
| Excellent | 1 | 602 | 8.5 | 25880214 | 10.0 |
| Very good | 2 | 2533 | 35.9 | 94936299 | 36.8 |
| Good | 3 | 2736 | 38.8 | 97909547 | 38.0 |
| Fair | 4 | 982 | 13.9 | 33081064 | 12.8 |
| Poor | 5 | 186 | 2.6 | 5873690 | 2.3 |
| Edited response due to invalid logic, out of range responses, or identified outlier | -5 | 0 | . | 0.0 | . |
| Skipped/Implied refusal | -6 | 7 | 0.1 | 246128.8 | 0.1 |
| Explicit refusal/REF | -7 | 0 | . | 0.0 | . |
| Question not asked | -8 | 0 | . | 0.0 | . |
| Don't know | -9 | 0 | . | 0.0 | . |
| | | 7046 | 100.0 | 2.5793E8 | 100.0 |

| | |
|------------------|---|
| CHR_HYPEV | |
| LABEL | Ever been told you had hypertension |
| QUESTION TEXT | Have you ever been told by a doctor or other health professional that you had hypertension, also called high blood pressure? If you take medication to control your high blood pressure, please answer yes. |
| UNIVERSE | ALL |
| NOTES TEXT | This variable was included in the questionnaire for benchmarking purposes as gold standard sources of this measure exist elsewhere. Caution using this variable as an outcome of interest. |
| TYPE | Numeric |

| CHR_HYPEV: Distribution | Value | Unweighted | | Weighted | |
|---|-------|------------|-------|----------|-------|
| | | n | % | n | % |
| No | 0 | 4292 | 60.9 | 1.724E8 | 66.8 |
| Yes | 1 | 2725 | 38.7 | 84351642 | 32.7 |
| Edited response due to invalid logic, out of range responses, or identified outlier | -5 | 0 | . | 0.0 | . |
| Skipped/Implied refusal | -6 | 29 | 0.4 | 1172608 | 0.5 |
| Explicit refusal/REF | -7 | 0 | . | 0.0 | . |
| Question not asked | -8 | 0 | . | 0.0 | . |
| Don't know | -9 | 0 | . | 0.0 | . |
| | | 7046 | 100.0 | 2.5793E8 | 100.0 |

| | |
|------------------|---|
| CHR_CHLEV | |
| LABEL | Ever told you had high cholesterol |
| QUESTION TEXT | Have you ever been told by a doctor or other health professional that you had high cholesterol? If you take medication to control your high cholesterol, please answer yes. |
| UNIVERSE | ALL |
| TYPE | Numeric |

| CHR_CHLEV: Distribution | Value | Unweighted | | Weighted | |
|---|-------|------------|-------|----------|-------|
| | | n | % | n | % |
| No | 0 | 4248 | 60.3 | 1.8329E8 | 71.1 |
| Yes | 1 | 2700 | 38.3 | 70428607 | 27.3 |
| Edited response due to invalid logic, out of range responses, or identified outlier | -5 | 0 | . | 0.0 | . |
| Skipped/Implied refusal | -6 | 96 | 1.4 | 4149852 | 1.6 |
| Explicit refusal/REF | -7 | 0 | . | 0.0 | . |
| Question not asked | -8 | 0 | . | 0.0 | . |
| Don't know | -9 | 2 | 0.0 | 58052.9 | 0.0 |
| | | 7046 | 100.0 | 2.5793E8 | 100.0 |

| | |
|--------------------|---|
| CHR_CHLEV_R | |
| LABEL | RECODE: Ever diagnosed high cholesterol |
| NOTES TEXT | This variable was included in the questionnaire for calibration weighting purposes. The population total for this variable was derived from the National Health Interview Survey. |
| TYPE | Numeric |

| CHR_CHLEV_R: Distribution | Value | Unweighted | | Weighted | |
|---------------------------|-------|------------|-------|----------|-------|
| | | n | % | n | % |
| No | 0 | 4248 | 60.3 | 1.8329E8 | 71.1 |
| Yes | 1 | 2700 | 38.3 | 70428607 | 27.3 |
| Unknown | -8 | 98 | 1.4 | 4207905 | 1.6 |
| | | 7046 | 100.0 | 2.5793E8 | 100.0 |

| CHR_ASEV | |
|-----------------|--|
| LABEL | Ever been told you had asthma |
| QUESTION TEXT | Have you ever been told by a doctor or other health professional that you had asthma? |
| UNIVERSE | ALL |
| NOTES TEXT | This variable was included in the questionnaire for benchmarking purposes as gold standard sources of this measure exist elsewhere. Caution using this variable as an outcome of interest. |
| TYPE | Numeric |

| CHR_ASEV: Distribution | Value | Unweighted | | Weighted | |
|---|--------------|-------------------|--------------|-----------------|--------------|
| | | n | % | n | % |
| No | 0 | 5799 | 82.3 | 2.1438E8 | 83.1 |
| Yes | 1 | 1196 | 17.0 | 41334133 | 16.0 |
| Edited response due to invalid logic, out of range responses, or identified outlier | -5 | 0 | . | 0.0 | . |
| Skipped/Implied refusal | -6 | 51 | 0.7 | 2215970 | 0.9 |
| Explicit refusal/REF | -7 | 0 | . | 0.0 | . |
| Question not asked | -8 | 0 | . | 0.0 | . |
| Don't know | -9 | 0 | . | 0.0 | . |
| | | 7046 | 100.0 | 2.5793E8 | 100.0 |

| | |
|------------------|--|
| CHR_CANEV | |
| LABEL | Ever been told you had cancer |
| QUESTION TEXT | Have you ever been told by a doctor or other health professional that you had cancer or a malignancy of any kind? |
| UNIVERSE | ALL |
| NOTES TEXT | This variable was included in the questionnaire for benchmarking purposes as gold standard sources of this measure exist elsewhere. Caution using this variable as an outcome of interest. |
| TYPE | Numeric |

| CHR_CANEV: Distribution | Value | Unweighted | | Weighted | |
|---|-------|------------|-------|----------|-------|
| | | n | % | n | % |
| No | 0 | 5947 | 84.4 | 2.2508E8 | 87.3 |
| Yes | 1 | 989 | 14.0 | 28894488 | 11.2 |
| Edited response due to invalid logic, out of range responses, or identified outlier | -5 | 0 | . | 0.0 | . |
| Skipped/Implied refusal | -6 | 108 | 1.5 | 3923194 | 1.5 |
| Explicit refusal/REF | -7 | 0 | . | 0.0 | . |
| Question not asked | -8 | 0 | . | 0.0 | . |
| Don't know | -9 | 2 | 0.0 | 26469.6 | 0.0 |
| | | 7046 | 100.0 | 2.5793E8 | 100.0 |

| | |
|------------------|---|
| ADHD_EVER | |
| LABEL | Ever been diagnosed with ADHD |
| QUESTION TEXT | Have you ever been diagnosed with attention-deficit/hyperactivity disorder, or ADHD, by a doctor or other health professional? Health professionals can include psychologists and nurses. |
| UNIVERSE | ALL |
| TYPE | Numeric |

| ADHD_EVER: Distribution | Value | Unweighted | | Weighted | |
|---|-------|------------|-------|----------|-------|
| | | n | % | n | % |
| No | 0 | 6441 | 91.4 | 2.3712E8 | 91.9 |
| Yes | 1 | 573 | 8.1 | 20055012 | 7.8 |
| Edited response due to invalid logic, out of range responses, or identified outlier | -5 | 0 | . | 0.0 | . |
| Skipped/Implied refusal | -6 | 32 | 0.5 | 756775.7 | 0.3 |
| Explicit refusal/REF | -7 | 0 | . | 0.0 | . |
| Question not asked | -8 | 0 | . | 0.0 | . |
| Don't know | -9 | 0 | . | 0.0 | . |
| | | 7046 | 100.0 | 2.5793E8 | 100.0 |

| ADHD_AGE | |
|-----------------|--|
| LABEL | How old when first diagnosed with ADHD |
| QUESTION TEXT | How old were you when a doctor or other health professional first diagnosed you with ADHD? |
| UNIVERSE | ADHD_EVER = 1 |
| TYPE | Numeric |

| | | Unweighted | | Weighted | |
|---|-------|-------------|--------------|-----------------|--------------|
| ADHD_AGE: Distribution | Value | n | % | n | % |
| 11 years old or younger | 1 | 163 | 2.3 | 7064531 | 2.7 |
| 12-17 years old | 2 | 76 | 1.1 | 2755886 | 1.1 |
| 18-24 years old | 3 | 91 | 1.3 | 2951907 | 1.1 |
| 25-44 years old | 4 | 169 | 2.4 | 4973136 | 1.9 |
| 45 years old or older | 5 | 58 | 0.8 | 1783620 | 0.7 |
| Edited response due to invalid logic, out of range responses, or identified outlier | -5 | 0 | . | 0.0 | . |
| Skipped/Implied refusal | -6 | 15 | 0.2 | 523932.6 | 0.2 |
| Explicit refusal/REF | -7 | 0 | . | 0.0 | . |
| Question not asked | -8 | 6473 | 91.9 | 2.3787E8 | 92.2 |
| Don't know | -9 | 1 | 0.0 | 2001.2 | 0.0 |
| | | 7046 | 100.0 | 2.5793E8 | 100.0 |

| ADHD_NOW | |
|-----------------|-----------------------------|
| LABEL | Currently have ADHD |
| QUESTION TEXT | Do you currently have ADHD? |
| UNIVERSE | ADHD_EVER = 1 |
| TYPE | Numeric |

| ADHD_NOW: Distribution | Value | Unweighted | | Weighted | |
|---|--------------|-------------------|--------------|-----------------|--------------|
| | | n | % | n | % |
| No | 0 | 124 | 1.8 | 4330226 | 1.7 |
| Yes | 1 | 444 | 6.3 | 15480708 | 6.0 |
| Edited response due to invalid logic, out of range responses, or identified outlier | -5 | 0 | . | 0.0 | . |
| Skipped/Implied refusal | -6 | 5 | 0.1 | 244078.3 | 0.1 |
| Explicit refusal/REF | -7 | 0 | . | 0.0 | . |
| Question not asked | -8 | 6473 | 91.9 | 2.3787E8 | 92.2 |
| Don't know | -9 | 0 | . | 0.0 | . |
| | | 7046 | 100.0 | 2.5793E8 | 100.0 |

| | |
|-------------------|--|
| ADHD_TREAT | |
| LABEL | Past 12 months, had counseling/therapy to treat ADHD |
| QUESTION TEXT | During the past 12 months, did you receive counseling or therapy from a mental health professional to help you with your ADHD? Mental health professionals can include psychiatrists, psychologists, psychiatric nurses, or clinical social workers. |
| UNIVERSE | ADHD_NOW = 1 |
| TYPE | Numeric |

| ADHD_TREAT: Distribution | Value | Unweighted | | Weighted | |
|---|-------|------------|-------|----------|-------|
| | | n | % | n | % |
| No | 0 | 228 | 3.2 | 8018321 | 3.1 |
| Yes | 1 | 216 | 3.1 | 7462387 | 2.9 |
| Edited response due to invalid logic, out of range responses, or identified outlier | -5 | 0 | . | 0.0 | . |
| Skipped/Implied refusal | -6 | 0 | . | 0.0 | . |
| Explicit refusal/REF | -7 | 0 | . | 0.0 | . |
| Question not asked | -8 | 6602 | 93.7 | 2.4245E8 | 94.0 |
| Don't know | -9 | 0 | . | 0.0 | . |
| | | 7046 | 100.0 | 2.5793E8 | 100.0 |

| ADHD_MEDS | |
|---------------|---|
| LABEL | Past 12 months, had prescribed medication to treat ADHD |
| QUESTION TEXT | During the past 12 months, were you prescribed medication to help you with your ADHD? |
| UNIVERSE | ADHD_NOW = 1 |
| TYPE | Numeric |

| ADHD_MEDS: Distribution | Value | Unweighted | | Weighted | |
|---|-------|------------|-------|----------|-------|
| | | n | % | n | % |
| No | 0 | 210 | 3.0 | 7605359 | 2.9 |
| Yes | 1 | 232 | 3.3 | 7736659 | 3.0 |
| Edited response due to invalid logic, out of range responses, or identified outlier | -5 | 0 | . | 0.0 | . |
| Skipped/Implied refusal | -6 | 2 | 0.0 | 138689.5 | 0.1 |
| Explicit refusal/REF | -7 | 0 | . | 0.0 | . |
| Question not asked | -8 | 6602 | 93.7 | 2.4245E8 | 94.0 |
| Don't know | -9 | 0 | . | 0.0 | . |
| | | 7046 | 100.0 | 2.5793E8 | 100.0 |

| ADHD_MEDDIFF | |
|---------------|--|
| LABEL | Past 12 months, had difficulty getting ADHD prescription (not available) |
| QUESTION TEXT | During the past 12 months, did you have any difficulty getting your ADHD prescription filled because your ADHD medication was not available? |
| UNIVERSE | ADHD_MEDS = 1 |
| TYPE | Numeric |

| ADHD_MEDDIFF: Distribution | Value | Unweighted | | Weighted | |
|---|-------|------------|-------|----------|-------|
| | | n | % | n | % |
| No | 0 | 91 | 1.3 | 2956949 | 1.1 |
| Yes | 1 | 141 | 2.0 | 4779711 | 1.9 |
| Edited response due to invalid logic, out of range responses, or identified outlier | -5 | 0 | . | 0.0 | . |
| Skipped/Implied refusal | -6 | 0 | . | 0.0 | . |
| Explicit refusal/REF | -7 | 0 | . | 0.0 | . |
| Question not asked | -8 | 6814 | 96.7 | 2.5019E8 | 97.0 |
| Don't know | -9 | 0 | . | 0.0 | . |
| | | 7046 | 100.0 | 2.5793E8 | 100.0 |

| | |
|----------------------|---|
| ADHD_MED_NSTM | |
| LABEL | ADHD medication type: Non Stimulant |
| QUESTION TEXT | NA - Recode |
| NOTES TEXT | This variable is a recode based on ADHD_RXMED_C1 - ADHD_RXMED_C4. |
| TYPE | Numeric |

| ADHD_MED_NSTM: Distribution | Value | Unweighted | | Weighted | |
|---|-------|------------|-------|----------|-------|
| | | n | % | n | % |
| No | 0 | 175 | 2.5 | 5869885 | 2.3 |
| Yes | 1 | 27 | 0.4 | 916227.0 | 0.4 |
| Edited response due to invalid logic, out of range responses, or identified outlier | -5 | 0 | . | 0.0 | . |
| Skipped/Implied refusal | -6 | 30 | 0.4 | 950547.0 | 0.4 |
| Explicit refusal/REF | -7 | 0 | . | 0.0 | . |
| Question not asked | -8 | 6814 | 96.7 | 2.5019E8 | 97.0 |
| Don't know | -9 | 0 | . | 0.0 | . |
| | | 7046 | 100.0 | 2.5793E8 | 100.0 |

| ADHD_MED_STM | |
|---------------|--|
| LABEL | ADHD medication type: Stimulant |
| QUESTION TEXT | NA - Recode |
| NOTES TEXT | This variable is a recode based on ADHD_RXMED_C5 - ADHD_RXMED_C10. |
| TYPE | Numeric |

| ADHD_MED_STM: Distribution | Value | Unweighted | | Weighted | |
|---|-------|------------|-------|----------|-------|
| | | n | % | n | % |
| No | 0 | 50 | 0.7 | 1614425 | 0.6 |
| Yes | 1 | 152 | 2.2 | 5171687 | 2.0 |
| Edited response due to invalid logic, out of range responses, or identified outlier | -5 | 0 | . | 0.0 | . |
| Skipped/Implied refusal | -6 | 30 | 0.4 | 950547.0 | 0.4 |
| Explicit refusal/REF | -7 | 0 | . | 0.0 | . |
| Question not asked | -8 | 6814 | 96.7 | 2.5019E8 | 97.0 |
| Don't know | -9 | 0 | . | 0.0 | . |
| | | 7046 | 100.0 | 2.5793E8 | 100.0 |

| ADHD_MED_OLD | |
|---------------|---|
| LABEL | ADHD medication type: Off label |
| QUESTION TEXT | NA - Recode |
| NOTES TEXT | This variable is a recode based on ADHD_OLD_C1 - ADHD_OLD_C4. |
| TYPE | Numeric |

| ADHD_MED_OLD: Distribution | Value | Unweighted | | Weighted | |
|---|-------|------------|-------|----------|-------|
| | | n | % | n | % |
| No | 0 | 187 | 2.7 | 6297846 | 2.4 |
| Yes | 1 | 15 | 0.2 | 488265.6 | 0.2 |
| Edited response due to invalid logic, out of range responses, or identified outlier | -5 | 0 | . | 0.0 | . |
| Skipped/Implied refusal | -6 | 30 | 0.4 | 950547.0 | 0.4 |
| Explicit refusal/REF | -7 | 0 | . | 0.0 | . |
| Question not asked | -8 | 6814 | 96.7 | 2.5019E8 | 97.0 |
| Don't know | -9 | 0 | . | 0.0 | . |
| | | 7046 | 100.0 | 2.5793E8 | 100.0 |

| ADHD_MED_OTH | |
|---------------|---|
| LABEL | ADHD medication type: Other medication not used for the treatment of ADHD |
| QUESTION TEXT | NA - Recode |
| NOTES TEXT | This variable is a recode based on ADHD_WHCHMED. |
| TYPE | Numeric |

| ADHD_MED_OTH: Distribution | Value | Unweighted | | Weighted | |
|---|-------|------------|-------|----------|-------|
| | | n | % | n | % |
| No | 0 | 7038 | 99.9 | 2.5771E8 | 99.9 |
| Yes | 1 | 8 | 0.1 | 221919.3 | 0.1 |
| Edited response due to invalid logic, out of range responses, or identified outlier | -5 | 0 | . | 0.0 | . |
| Skipped/Implied refusal | -6 | 0 | . | 0.0 | . |
| Explicit refusal/REF | -7 | 0 | . | 0.0 | . |
| Question not asked | -8 | 0 | . | 0.0 | . |
| Don't know | -9 | 0 | . | 0.0 | . |
| | | 7046 | 100.0 | 2.5793E8 | 100.0 |

| ADHD_RXMED_C1 | |
|---------------|--|
| LABEL | Past 12 months, prescription medications taken for ADHD: Atoxometine |
| QUESTION TEXT | NA - Recode |
| NOTES TEXT | This variable is a recode based on ADHD_WHCHMED. |
| TYPE | Numeric |

| ADHD_RXMED_C1: Distribution | Value | Unweighted | | Weighted | |
|---|-------|------------|-------|----------|-------|
| | | n | % | n | % |
| No | 0 | 186 | 2.6 | 6354719 | 2.5 |
| Yes | 1 | 16 | 0.2 | 431392.6 | 0.2 |
| Edited response due to invalid logic, out of range responses, or identified outlier | -5 | 0 | . | 0.0 | . |
| Skipped/Implied refusal | -6 | 30 | 0.4 | 950547.0 | 0.4 |
| Explicit refusal/REF | -7 | 0 | . | 0.0 | . |
| Question not asked | -8 | 6814 | 96.7 | 2.5019E8 | 97.0 |
| Don't know | -9 | 0 | . | 0.0 | . |
| | | 7046 | 100.0 | 2.5793E8 | 100.0 |

| ADHD_RXMED_C2 | |
|----------------------|--|
| LABEL | Past 12 months, prescription medications taken for ADHD: Clonidine |
| QUESTION TEXT | NA - Recode |
| NOTES TEXT | This variable is a recode based on ADHD_WHCHMED. |
| TYPE | Numeric |

| ADHD_RXMED_C2: Distribution | Value | Unweighted | | Weighted | |
|---|--------------|-------------------|--------------|-----------------|--------------|
| | | n | % | n | % |
| No | 0 | 201 | 2.9 | 6763563 | 2.6 |
| Yes | 1 | 1 | 0.0 | 22548.9 | 0.0 |
| Edited response due to invalid logic, out of range responses, or identified outlier | -5 | 0 | . | 0.0 | . |
| Skipped/Implied refusal | -6 | 30 | 0.4 | 950547.0 | 0.4 |
| Explicit refusal/REF | -7 | 0 | . | 0.0 | . |
| Question not asked | -8 | 6814 | 96.7 | 2.5019E8 | 97.0 |
| Don't know | -9 | 0 | . | 0.0 | . |
| | | 7046 | 100.0 | 2.5793E8 | 100.0 |

| ADHD_RXMED_C3 | |
|---------------|---|
| LABEL | Past 12 months, prescription medications taken for ADHD: Guanfacine |
| QUESTION TEXT | NA - Recode |
| NOTES TEXT | This variable is a recode based on ADHD_WHCHMED. |
| TYPE | Numeric |

| ADHD_RXMED_C3: Distribution | Value | Unweighted | | Weighted | |
|---|-------|------------|-------|----------|-------|
| | | n | % | n | % |
| No | 0 | 194 | 2.8 | 6428654 | 2.5 |
| Yes | 1 | 8 | 0.1 | 357457.8 | 0.1 |
| Edited response due to invalid logic, out of range responses, or identified outlier | -5 | 0 | . | 0.0 | . |
| Skipped/Implied refusal | -6 | 30 | 0.4 | 950547.0 | 0.4 |
| Explicit refusal/REF | -7 | 0 | . | 0.0 | . |
| Question not asked | -8 | 6814 | 96.7 | 2.5019E8 | 97.0 |
| Don't know | -9 | 0 | . | 0.0 | . |
| | | 7046 | 100.0 | 2.5793E8 | 100.0 |

| ADHD_RXMED_C4 | |
|----------------------|---|
| LABEL | Past 12 months, prescription medications taken for ADHD: Viloxazine |
| QUESTION TEXT | NA - Recode |
| NOTES TEXT | This variable is a recode based on ADHD_WHCHMED. |
| TYPE | Numeric |

| ADHD_RXMED_C4: Distribution | Value | Unweighted | | Weighted | |
|---|--------------|-------------------|--------------|-----------------|--------------|
| | | n | % | n | % |
| No | 0 | 199 | 2.8 | 6642828 | 2.6 |
| Yes | 1 | 3 | 0.0 | 143283.7 | 0.1 |
| Edited response due to invalid logic, out of range responses, or identified outlier | -5 | 0 | . | 0.0 | . |
| Skipped/Implied refusal | -6 | 30 | 0.4 | 950547.0 | 0.4 |
| Explicit refusal/REF | -7 | 0 | . | 0.0 | . |
| Question not asked | -8 | 6814 | 96.7 | 2.5019E8 | 97.0 |
| Don't know | -9 | 0 | . | 0.0 | . |
| | | 7046 | 100.0 | 2.5793E8 | 100.0 |

| ADHD_RXMED_C5 | |
|----------------------|--|
| LABEL | Past 12 months, prescription medications taken for ADHD: Dextroamphetamine |
| QUESTION TEXT | NA - Recode |
| NOTES TEXT | This variable is a recode based on ADHD_WHCHMED. |
| TYPE | Numeric |

| ADHD_RXMED_C5: Distribution | Value | Unweighted | | Weighted | |
|---|--------------|-------------------|--------------|-----------------|--------------|
| | | n | % | n | % |
| No | 0 | 196 | 2.8 | 6623614 | 2.6 |
| Yes | 1 | 6 | 0.1 | 162497.7 | 0.1 |
| Edited response due to invalid logic, out of range responses, or identified outlier | -5 | 0 | . | 0.0 | . |
| Skipped/Implied refusal | -6 | 30 | 0.4 | 950547.0 | 0.4 |
| Explicit refusal/REF | -7 | 0 | . | 0.0 | . |
| Question not asked | -8 | 6814 | 96.7 | 2.5019E8 | 97.0 |
| Don't know | -9 | 0 | . | 0.0 | . |
| | | 7046 | 100.0 | 2.5793E8 | 100.0 |

| ADHD_RXMED_C6 | |
|---------------|---|
| LABEL | Past 12 months, prescription medications taken for ADHD: Dexmethylphenidate |
| QUESTION TEXT | NA - Recode |
| NOTES TEXT | This variable is a recode based on ADHD_WHCHMED. |
| TYPE | Numeric |

| ADHD_RXMED_C6: Distribution | Value | Unweighted | | Weighted | |
|---|-------|------------|-------|----------|-------|
| | | n | % | n | % |
| No | 0 | 196 | 2.8 | 6346350 | 2.5 |
| Yes | 1 | 6 | 0.1 | 439762.4 | 0.2 |
| Edited response due to invalid logic, out of range responses, or identified outlier | -5 | 0 | . | 0.0 | . |
| Skipped/Implied refusal | -6 | 30 | 0.4 | 950547.0 | 0.4 |
| Explicit refusal/REF | -7 | 0 | . | 0.0 | . |
| Question not asked | -8 | 6814 | 96.7 | 2.5019E8 | 97.0 |
| Don't know | -9 | 0 | . | 0.0 | . |
| | | 7046 | 100.0 | 2.5793E8 | 100.0 |

| ADHD_RXMED_C7 | |
|----------------------|---|
| LABEL | Past 12 months, prescription medications taken for ADHD: Lisdexamfetamine |
| QUESTION TEXT | NA - Recode |
| NOTES TEXT | This variable is a recode based on ADHD_WHCHMED. |
| TYPE | Numeric |

| ADHD_RXMED_C7: Distribution | Value | Unweighted | | Weighted | |
|---|--------------|-------------------|--------------|-----------------|--------------|
| | | n | % | n | % |
| No | 0 | 166 | 2.4 | 5509176 | 2.1 |
| Yes | 1 | 36 | 0.5 | 1276936 | 0.5 |
| Edited response due to invalid logic, out of range responses, or identified outlier | -5 | 0 | . | 0.0 | . |
| Skipped/Implied refusal | -6 | 30 | 0.4 | 950547.0 | 0.4 |
| Explicit refusal/REF | -7 | 0 | . | 0.0 | . |
| Question not asked | -8 | 6814 | 96.7 | 2.5019E8 | 97.0 |
| Don't know | -9 | 0 | . | 0.0 | . |
| | | 7046 | 100.0 | 2.5793E8 | 100.0 |

| ADHD_RXMED_C8 | |
|---------------|--|
| LABEL | Past 12 months, prescription medications taken for ADHD: Methylphenidate |
| QUESTION TEXT | NA - Recode |
| NOTES TEXT | This variable is a recode based on ADHD_WHCHMED. |
| TYPE | Numeric |

| ADHD_RXMED_C8: Distribution | Value | Unweighted | | Weighted | |
|---|-------|------------|-------|----------|-------|
| | | n | % | n | % |
| No | 0 | 170 | 2.4 | 5838679 | 2.3 |
| Yes | 1 | 32 | 0.5 | 947432.6 | 0.4 |
| Edited response due to invalid logic, out of range responses, or identified outlier | -5 | 0 | . | 0.0 | . |
| Skipped/Implied refusal | -6 | 30 | 0.4 | 950547.0 | 0.4 |
| Explicit refusal/REF | -7 | 0 | . | 0.0 | . |
| Question not asked | -8 | 6814 | 96.7 | 2.5019E8 | 97.0 |
| Don't know | -9 | 0 | . | 0.0 | . |
| | | 7046 | 100.0 | 2.5793E8 | 100.0 |

| ADHD_RXMED_C9 | |
|---------------|--|
| LABEL | Past 12 months, prescription medications taken for ADHD: Methamphetamine |
| QUESTION TEXT | NA - Recode |
| NOTES TEXT | This variable is a recode based on ADHD_WHCHMED. |
| TYPE | Numeric |

| ADHD_RXMED_C9: Distribution | Value | Unweighted | | Weighted | |
|---|-------|------------|-------|----------|-------|
| | | n | % | n | % |
| No | 0 | 201 | 2.9 | 6765831 | 2.6 |
| Yes | 1 | 1 | 0.0 | 20281.5 | 0.0 |
| Edited response due to invalid logic, out of range responses, or identified outlier | -5 | 0 | . | 0.0 | . |
| Skipped/Implied refusal | -6 | 30 | 0.4 | 950547.0 | 0.4 |
| Explicit refusal/REF | -7 | 0 | . | 0.0 | . |
| Question not asked | -8 | 6814 | 96.7 | 2.5019E8 | 97.0 |
| Don't know | -9 | 0 | . | 0.0 | . |
| | | 7046 | 100.0 | 2.5793E8 | 100.0 |

| ADHD_RXMED_C10 | |
|-----------------------|--|
| LABEL | Past 12 months, prescription medications taken for ADHD: Mixed amphetamine salts/amphetamine |
| QUESTION TEXT | NA - Recode |
| NOTES TEXT | This variable is a recode based on ADHD_WHCHMED. |
| TYPE | Numeric |

| ADHD_RXMED_C10: Distribution | Value | Unweighted | | Weighted | |
|---|--------------|-------------------|--------------|-----------------|--------------|
| | | n | % | n | % |
| No | 0 | 107 | 1.5 | 3603956 | 1.4 |
| Yes | 1 | 95 | 1.3 | 3182156 | 1.2 |
| Edited response due to invalid logic, out of range responses, or identified outlier | -5 | 0 | . | 0.0 | . |
| Skipped/Implied refusal | -6 | 30 | 0.4 | 950547.0 | 0.4 |
| Explicit refusal/REF | -7 | 0 | . | 0.0 | . |
| Question not asked | -8 | 6814 | 96.7 | 2.5019E8 | 97.0 |
| Don't know | -9 | 0 | . | 0.0 | . |
| | | 7046 | 100.0 | 2.5793E8 | 100.0 |

| ADHD_OLD_C1 | |
|---------------|--|
| LABEL | Past 12 months, prescription medications taken for ADHD: Armodafinil |
| QUESTION TEXT | NA - Recode |
| NOTES TEXT | This variable is a recode based on ADHD_WHCHMED. |
| TYPE | Numeric |

| ADHD_OLD_C1: Distribution | Value | Unweighted | | Weighted | |
|---|-------|------------|-------|----------|-------|
| | | n | % | n | % |
| No | 0 | 201 | 2.9 | 6784111 | 2.6 |
| Yes | 1 | 1 | 0.0 | 2000.8 | 0.0 |
| Edited response due to invalid logic, out of range responses, or identified outlier | -5 | 0 | . | 0.0 | . |
| Skipped/Implied refusal | -6 | 30 | 0.4 | 950547.0 | 0.4 |
| Explicit refusal/REF | -7 | 0 | . | 0.0 | . |
| Question not asked | -8 | 6814 | 96.7 | 2.5019E8 | 97.0 |
| Don't know | -9 | 0 | . | 0.0 | . |
| | | 7046 | 100.0 | 2.5793E8 | 100.0 |

| ADHD_OLD_C2 | |
|---------------|--|
| LABEL | Past 12 months, prescription medications taken for ADHD: Bupropion |
| QUESTION TEXT | NA - Recode |
| NOTES TEXT | This variable is a recode based on ADHD_WHCHMED. |
| TYPE | Numeric |

| ADHD_OLD_C2: Distribution | Value | Unweighted | | Weighted | |
|---|-------|------------|-------|----------|-------|
| | | n | % | n | % |
| No | 0 | 192 | 2.7 | 6435510 | 2.5 |
| Yes | 1 | 10 | 0.1 | 350602.2 | 0.1 |
| Edited response due to invalid logic, out of range responses, or identified outlier | -5 | 0 | . | 0.0 | . |
| Skipped/Implied refusal | -6 | 30 | 0.4 | 950547.0 | 0.4 |
| Explicit refusal/REF | -7 | 0 | . | 0.0 | . |
| Question not asked | -8 | 6814 | 96.7 | 2.5019E8 | 97.0 |
| Don't know | -9 | 0 | . | 0.0 | . |
| | | 7046 | 100.0 | 2.5793E8 | 100.0 |

| ADHD_OLD_C3 | |
|--------------------|--|
| LABEL | Past 12 months, prescription medications taken for ADHD: Modafinil |
| QUESTION TEXT | NA - Recode |
| NOTES TEXT | This variable is a recode based on ADHD_WHCHMED. |
| TYPE | Numeric |

| ADHD_OLD_C3: Distribution | Value | Unweighted | | Weighted | |
|---|--------------|-------------------|--------------|-----------------|--------------|
| | | n | % | n | % |
| No | 0 | 200 | 2.8 | 6753252 | 2.6 |
| Yes | 1 | 2 | 0.0 | 32859.8 | 0.0 |
| Edited response due to invalid logic, out of range responses, or identified outlier | -5 | 0 | . | 0.0 | . |
| Skipped/Implied refusal | -6 | 30 | 0.4 | 950547.0 | 0.4 |
| Explicit refusal/REF | -7 | 0 | . | 0.0 | . |
| Question not asked | -8 | 6814 | 96.7 | 2.5019E8 | 97.0 |
| Don't know | -9 | 0 | . | 0.0 | . |
| | | 7046 | 100.0 | 2.5793E8 | 100.0 |

| ADHD_OLD_C4 | |
|---------------|--|
| LABEL | Past 12 months, prescription medications taken for ADHD: Venlafaxine |
| QUESTION TEXT | NA - Recode |
| NOTES TEXT | This variable is a recode based on ADHD_WHCHMED. |
| TYPE | Numeric |

| ADHD_OLD_C4: Distribution | Value | Unweighted | | Weighted | |
|---|-------|------------|-------|----------|-------|
| | | n | % | n | % |
| No | 0 | 200 | 2.8 | 6683309 | 2.6 |
| Yes | 1 | 2 | 0.0 | 102802.8 | 0.0 |
| Edited response due to invalid logic, out of range responses, or identified outlier | -5 | 0 | . | 0.0 | . |
| Skipped/Implied refusal | -6 | 30 | 0.4 | 950547.0 | 0.4 |
| Explicit refusal/REF | -7 | 0 | . | 0.0 | . |
| Question not asked | -8 | 6814 | 96.7 | 2.5019E8 | 97.0 |
| Don't know | -9 | 0 | . | 0.0 | . |
| | | 7046 | 100.0 | 2.5793E8 | 100.0 |

| ADHD_WM_NA | |
|---------------|--------------------------------|
| LABEL | Did take prescription for ADHD |
| QUESTION TEXT | NA - Recode |
| UNIVERSE | ADHD_MEDS = 1 |
| TYPE | Numeric |

| ADHD_WM_NA: Distribution | Value | Unweighted | | Weighted | |
|---|-------|------------|-------|----------|-------|
| | | n | % | n | % |
| No | 0 | 30 | 0.4 | 950547.0 | 0.4 |
| Yes | 1 | 202 | 2.9 | 6786112 | 2.6 |
| Edited response due to invalid logic, out of range responses, or identified outlier | -5 | 0 | . | 0.0 | . |
| Skipped/Implied refusal | -6 | 0 | . | 0.0 | . |
| Explicit refusal/REF | -7 | 0 | . | 0.0 | . |
| Question not asked | -8 | 6814 | 96.7 | 2.5019E8 | 97.0 |
| Don't know | -9 | 0 | . | 0.0 | . |
| | | 7046 | 100.0 | 2.5793E8 | 100.0 |

| ADHD_INS | |
|-----------------|--|
| LABEL | Past 12 months, insurance paid any diagnostic or treatment costs for ADHD |
| QUESTION TEXT | During the past 12 months, did health insurance pay for any of the health care costs for diagnosing or treating your ADHD? Include any costs for counseling or therapy, prescription medications, or diagnostic evaluations. |
| UNIVERSE | ADHD_NOW = 1 |
| TYPE | Numeric |

| ADHD_INS: Distribution | Value | Unweighted | | Weighted | |
|---|--------------|-------------------|--------------|-----------------|--------------|
| | | n | % | n | % |
| No | 0 | 169 | 2.4 | 6263419 | 2.4 |
| Yes | 1 | 267 | 3.8 | 8847775 | 3.4 |
| Edited response due to invalid logic, out of range responses, or identified outlier | -5 | 0 | . | 0.0 | . |
| Skipped/Implied refusal | -6 | 7 | 0.1 | 228441.5 | 0.1 |
| Explicit refusal/REF | -7 | 0 | . | 0.0 | . |
| Question not asked | -8 | 6602 | 93.7 | 2.4245E8 | 94.0 |
| Don't know | -9 | 1 | 0.0 | 141072.3 | 0.1 |
| | | 7046 | 100.0 | 2.5793E8 | 100.0 |

| | |
|------------------|---|
| ADHD_TELE | |
| LABEL | Ever received telehealth services for ADHD |
| QUESTION TEXT | Have you ever received any telehealth services for ADHD? That is, have you ever talked about your ADHD with a doctor, nurse, or other health professional by video or by phone? |
| UNIVERSE | ADHD_NOW = 1 |
| TYPE | Numeric |

| ADHD_TELE: Distribution | Value | Unweighted | | Weighted | |
|---|-------|------------|-------|----------|-------|
| | | n | % | n | % |
| No | 0 | 240 | 3.4 | 8310841 | 3.2 |
| Yes | 1 | 201 | 2.9 | 7092341 | 2.7 |
| Edited response due to invalid logic, out of range responses, or identified outlier | -5 | 0 | . | 0.0 | . |
| Skipped/Implied refusal | -6 | 3 | 0.0 | 77525.4 | 0.0 |
| Explicit refusal/REF | -7 | 0 | . | 0.0 | . |
| Question not asked | -8 | 6602 | 93.7 | 2.4245E8 | 94.0 |
| Don't know | -9 | 0 | . | 0.0 | . |
| | | 7046 | 100.0 | 2.5793E8 | 100.0 |

| ADHD_DIAG | |
|------------------|--|
| LABEL | Diagnosed ADHD during telehealth, in-person, or both |
| QUESTION TEXT | Were you diagnosed with ADHD during telehealth visits, in-person visits, or a combination of both? |
| UNIVERSE | ADHD_TELE=1 |
| TYPE | Numeric |

| ADHD_DIAG: Distribution | Value | Unweighted | | Weighted | |
|---|--------------|-------------------|--------------|-----------------|--------------|
| | | n | % | n | % |
| Telehealth visits | 1 | 46 | 0.7 | 1359117 | 0.5 |
| In-person visits | 2 | 117 | 1.7 | 4225096 | 1.6 |
| Both telehealth and in-person visits | 3 | 36 | 0.5 | 1453040 | 0.6 |
| Edited response due to invalid logic, out of range responses, or identified outlier | -5 | 0 | . | 0.0 | . |
| Skipped/Implied refusal | -6 | 2 | 0.0 | 55088.0 | 0.0 |
| Explicit refusal/REF | -7 | 0 | . | 0.0 | . |
| Question not asked | -8 | 6845 | 97.1 | 2.5083E8 | 97.3 |
| Don't know | -9 | 0 | . | 0.0 | . |
| | | 7046 | 100.0 | 2.5793E8 | 100.0 |

| ADHD_FIRST | |
|-------------------|--|
| LABEL | Since March 2020, used telehealth for first-time visit for ADHD |
| QUESTION TEXT | To have a first-time visit with a doctor, nurse, or other health professional for your ADHD? |
| UNIVERSE | ADHD_TELE=1 |
| TYPE | Numeric |

| ADHD_FIRST: Distribution | Value | Unweighted | | Weighted | |
|---|--------------|-------------------|--------------|-----------------|--------------|
| | | n | % | n | % |
| No | 0 | 99 | 1.4 | 3639208 | 1.4 |
| Yes | 1 | 101 | 1.4 | 3416729 | 1.3 |
| Edited response due to invalid logic, out of range responses, or identified outlier | -5 | 0 | . | 0.0 | . |
| Skipped/Implied refusal | -6 | 1 | 0.0 | 36403.9 | 0.0 |
| Explicit refusal/REF | -7 | 0 | . | 0.0 | . |
| Question not asked | -8 | 6845 | 97.1 | 2.5083E8 | 97.3 |
| Don't know | -9 | 0 | . | 0.0 | . |
| | | 7046 | 100.0 | 2.5793E8 | 100.0 |

| ADHD_TELERX | |
|--------------------|--|
| LABEL | Since March 2020, used telehealth for ADHD prescription |
| QUESTION TEXT | To have a visit with a doctor, nurse, or other health professional to get a prescription for ADHD medications? |
| UNIVERSE | ADHD_TELE=1 |
| TYPE | Numeric |

| ADHD_TELERX: Distribution | Value | Unweighted | | Weighted | |
|---|--------------|-------------------|--------------|-----------------|--------------|
| | | n | % | n | % |
| No | 0 | 63 | 0.9 | 2265422 | 0.9 |
| Yes | 1 | 136 | 1.9 | 4649443 | 1.8 |
| Edited response due to invalid logic, out of range responses, or identified outlier | -5 | 0 | . | 0.0 | . |
| Skipped/Implied refusal | -6 | 1 | 0.0 | 36403.9 | 0.0 |
| Explicit refusal/REF | -7 | 0 | . | 0.0 | . |
| Question not asked | -8 | 6845 | 97.1 | 2.5083E8 | 97.3 |
| Don't know | -9 | 1 | 0.0 | 141072.3 | 0.1 |
| | | 7046 | 100.0 | 2.5793E8 | 100.0 |

| ADHD_COUNSEL | |
|---------------|--|
| LABEL | Since March 2020, used telehealth for visit for counseling or therapy for ADHD |
| QUESTION TEXT | To receive counseling or therapy to help you with your ADHD? |
| UNIVERSE | ADHD_TELE=1 |
| TYPE | Numeric |

| ADHD_COUNSEL: Distribution | Value | Unweighted | | Weighted | |
|---|-------|------------|-------|----------|-------|
| | | n | % | n | % |
| No | 0 | 59 | 0.8 | 2322352 | 0.9 |
| Yes | 1 | 141 | 2.0 | 4733586 | 1.8 |
| Edited response due to invalid logic, out of range responses, or identified outlier | -5 | 0 | . | 0.0 | . |
| Skipped/Implied refusal | -6 | 1 | 0.0 | 36403.9 | 0.0 |
| Explicit refusal/REF | -7 | 0 | . | 0.0 | . |
| Question not asked | -8 | 6845 | 97.1 | 2.5083E8 | 97.3 |
| Don't know | -9 | 0 | . | 0.0 | . |
| | | 7046 | 100.0 | 2.5793E8 | 100.0 |

| ADHD_INSPAY | |
|--------------------|--|
| LABEL | Any time since March 2020, insurance paid any costs for telehealth ADHD visits |
| QUESTION TEXT | At any time since March 2020, did health insurance pay for any of the costs for telehealth visits for ADHD? Do not include costs for any medications prescribed during a telehealth visit. |
| UNIVERSE | ADHD_FIRST=1 OR ADHD_TELERX=1 OR ADHD_COUNSEL=1 |
| TYPE | Numeric |

| ADHD_INSPAY: Distribution | Value | Unweighted | | Weighted | |
|---|-------|------------|-------|----------|-------|
| | | n | % | n | % |
| No | 0 | 32 | 0.5 | 1271437 | 0.5 |
| Yes | 1 | 149 | 2.1 | 4908377 | 1.9 |
| Edited response due to invalid logic, out of range responses, or identified outlier | -5 | 0 | . | 0.0 | . |
| Skipped/Implied refusal | -6 | 1 | 0.0 | 103241.8 | 0.0 |
| Explicit refusal/REF | -7 | 0 | . | 0.0 | . |
| Question not asked | -8 | 6864 | 97.4 | 2.5164E8 | 97.6 |
| Don't know | -9 | 0 | . | 0.0 | . |
| | | 7046 | 100.0 | 2.5793E8 | 100.0 |

| | |
|------------------|--|
| ADHD_RX3M | |
| LABEL | In next 3 months, plan another telehealth visit for ADHD prescription |
| QUESTION TEXT | Within the next three months, do you plan to have another telehealth visit, to get a prescription for your ADHD medications? |
| UNIVERSE | ADHD_TELERX = 1 |
| TYPE | Numeric |

| ADHD_RX3M: Distribution | Value | Unweighted | | Weighted | |
|---|-------|-------------|--------------|-----------------|--------------|
| | | n | % | n | % |
| No | 0 | 38 | 0.5 | 1284155 | 0.5 |
| Yes | 1 | 78 | 1.1 | 2496771 | 1.0 |
| Edited response due to invalid logic, out of range responses, or identified outlier | -5 | 0 | . | 0.0 | . |
| Skipped/Implied refusal | -6 | 2 | 0.0 | 145635.5 | 0.1 |
| Explicit refusal/REF | -7 | 0 | . | 0.0 | . |
| Question not asked | -8 | 6910 | 98.1 | 2.5328E8 | 98.2 |
| Don't know | -9 | 18 | 0.3 | 722882.1 | 0.3 |
| | | 7046 | 100.0 | 2.5793E8 | 100.0 |

| | |
|---------------------|---|
| ADHD_CNSEL3M | |
| LABEL | In next 3 months, plan another telehealth visit for ADHD counseling/therapy |
| QUESTION TEXT | Within the next three months, do you plan to have another telehealth visit, to receive counseling or therapy for your ADHD? |
| UNIVERSE | ADHD_COUNSEL = 1 |
| TYPE | Numeric |

| ADHD_CNSEL3M: Distribution | Value | Unweighted | | Weighted | |
|---|-------|-------------|--------------|-----------------|--------------|
| | | n | % | n | % |
| No | 0 | 29 | 0.4 | 818263.7 | 0.3 |
| Yes | 1 | 88 | 1.2 | 3057937 | 1.2 |
| Edited response due to invalid logic, out of range responses, or identified outlier | -5 | 0 | . | 0.0 | . |
| Skipped/Implied refusal | -6 | 3 | 0.0 | 193351.4 | 0.1 |
| Explicit refusal/REF | -7 | 0 | . | 0.0 | . |
| Question not asked | -8 | 6905 | 98.0 | 2.5319E8 | 98.2 |
| Don't know | -9 | 21 | 0.3 | 664033.6 | 0.3 |
| | | 7046 | 100.0 | 2.5793E8 | 100.0 |

| SOC_ERRANDS | |
|--------------------|--|
| LABEL | Difficulty doing errands alone |
| QUESTION TEXT | Because of a physical, mental, or emotional condition, do you have difficulty doing errands alone, such as visiting a doctor's office or shopping? |
| UNIVERSE | ALL |
| TYPE | Numeric |

| SOC_ERRANDS: Distribution | Value | Unweighted | | Weighted | |
|---|--------------|-------------------|--------------|-----------------|--------------|
| | | n | % | n | % |
| No difficulty | 1 | 5661 | 80.3 | 2.1415E8 | 83.0 |
| Some difficulty | 2 | 1014 | 14.4 | 33555115 | 13.0 |
| A lot of difficulty | 3 | 266 | 3.8 | 6899597 | 2.7 |
| Cannot do this at all | 4 | 70 | 1.0 | 1956427 | 0.8 |
| Edited response due to invalid logic, out of range responses, or identified outlier | -5 | 0 | . | 0.0 | . |
| Skipped/Implied refusal | -6 | 35 | 0.5 | 1361770 | 0.5 |
| Explicit refusal/REF | -7 | 0 | . | 0.0 | . |
| Question not asked | -8 | 0 | . | 0.0 | . |
| Don't know | -9 | 0 | . | 0.0 | . |
| | | 7046 | 100.0 | 2.5793E8 | 100.0 |

| | |
|---------------------|--|
| SOC_PARACTIV | |
| LABEL | Difficulty participating in social activities |
| QUESTION TEXT | Because of a physical, mental, or emotional condition, do you have difficulty participating in social activities, such as visiting friends, attending clubs and meetings, or going to parties? |
| UNIVERSE | ALL |
| TYPE | Numeric |

| SOC_PARACTIV: Distribution | Value | Unweighted | | Weighted | |
|---|-------|------------|-------|----------|-------|
| | | n | % | n | % |
| No difficulty | 1 | 5119 | 72.7 | 1.9509E8 | 75.6 |
| Some difficulty | 2 | 1340 | 19.0 | 48128778 | 18.7 |
| A lot of difficulty | 3 | 439 | 6.2 | 9945612 | 3.9 |
| Cannot do this at all | 4 | 81 | 1.1 | 2054315 | 0.8 |
| Edited response due to invalid logic, out of range responses, or identified outlier | -5 | 0 | . | 0.0 | . |
| Skipped/Implied refusal | -6 | 65 | 0.9 | 2676528 | 1.0 |
| Explicit refusal/REF | -7 | 0 | . | 0.0 | . |
| Question not asked | -8 | 0 | . | 0.0 | . |
| Don't know | -9 | 2 | 0.0 | 27347.1 | 0.0 |
| | | 7046 | 100.0 | 2.5793E8 | 100.0 |

| SOC_PRACTIV_R | |
|---------------|---|
| LABEL | RECODE: Difficulty participating in social activities due to physical, mental, or emotional condition |
| NOTES TEXT | This variable was included in the questionnaire for calibration weighting purposes. The population total for this variable was derived from the National Health Interview Survey. |
| TYPE | Numeric |

| SOC_PRACTIV_R: Distribution | Value | Unweighted | | Weighted | |
|---|-------|------------|-------|----------|-------|
| | | n | % | n | % |
| No difficulty/some difficulty | 1 | 6459 | 91.7 | 2.4322E8 | 94.3 |
| A lot of difficulty/cannot do this at all | 2 | 520 | 7.4 | 11999927 | 4.7 |
| Unknown | -8 | 67 | 1.0 | 2703875 | 1.0 |
| | | 7046 | 100.0 | 2.5793E8 | 100.0 |

| | |
|---------------------|---|
| SOC_SCWRKLIM | |
| LABEL | Work limited due to health problem |
| QUESTION TEXT | Are you limited in the kind or amount of work you can do because of a physical, mental, or emotional problem? Work includes paid work, volunteer work, school work, and homework. |
| UNIVERSE | ALL |
| TYPE | Numeric |

| | | Unweighted | | Weighted | |
|---|-------|------------|-------|----------|-------|
| SOC_SCWRKLIM: Distribution | Value | n | % | n | % |
| No | 0 | 5471 | 77.6 | 2.0957E8 | 81.3 |
| Yes | 1 | 1537 | 21.8 | 46633937 | 18.1 |
| Edited response due to invalid logic, out of range responses, or identified outlier | -5 | 0 | . | 0.0 | . |
| Skipped/Implied refusal | -6 | 38 | 0.5 | 1719867 | 0.7 |
| Explicit refusal/REF | -7 | 0 | . | 0.0 | . |
| Question not asked | -8 | 0 | . | 0.0 | . |
| Don't know | -9 | 0 | . | 0.0 | . |
| | | 7046 | 100.0 | 2.5793E8 | 100.0 |

| SOCWRKLMT | |
|------------------|--|
| LABEL | Any social/work limitation |
| QUESTION TEXT | NA - Recode |
| NOTES TEXT | This variable is a recode based on SOC_ERRANDS, SOC_PARACTIV, or SOC_SCWRKLIM. |
| TYPE | Numeric |

| SOCWRKLMT: Distribution | Value | Unweighted | | Weighted | |
|---|--------------|-------------------|--------------|-----------------|--------------|
| | | n | % | n | % |
| No | 0 | 4456 | 63.2 | 1.7229E8 | 66.8 |
| Yes | 1 | 2505 | 35.6 | 82169589 | 31.9 |
| Edited response due to invalid logic, out of range responses, or identified outlier | -5 | 0 | . | 0.0 | . |
| Skipped/Implied refusal | -6 | 0 | . | 0.0 | . |
| Explicit refusal/REF | -7 | 0 | . | 0.0 | . |
| Question not asked | -8 | 85 | 1.2 | 3469594 | 1.3 |
| Don't know | -9 | 0 | . | 0.0 | . |
| | | 7046 | 100.0 | 2.5793E8 | 100.0 |

| | |
|--------------------|--|
| PAY_BILL12M | |
| LABEL | Past 12 months, you or family have problems paying medical bills |
| QUESTION TEXT | In the past 12 months, did you or anyone in your family have problems paying or were unable to pay medical bills? Include bills from doctors, dentists, hospitals, therapists, medication, equipment, nursing home or home care. |
| UNIVERSE | ALL |
| NOTES TEXT | This variable was included in the questionnaire for benchmarking purposes as gold standard sources of this measure exist elsewhere. Caution using this variable as an outcome of interest. |
| TYPE | Numeric |

| PAY_BILL12M: Distribution | Value | Unweighted | | Weighted | |
|---|-------|------------|-------|----------|-------|
| | | n | % | n | % |
| No | 0 | 5896 | 83.7 | 2.1785E8 | 84.5 |
| Yes | 1 | 1093 | 15.5 | 37850880 | 14.7 |
| Edited response due to invalid logic, out of range responses, or identified outlier | -5 | 0 | . | 0.0 | . |
| Skipped/Implied refusal | -6 | 57 | 0.8 | 2225327 | 0.9 |
| Explicit refusal/REF | -7 | 0 | . | 0.0 | . |
| Question not asked | -8 | 0 | . | 0.0 | . |
| Don't know | -9 | 0 | . | 0.0 | . |
| | | 7046 | 100.0 | 2.5793E8 | 100.0 |

| PAY_PAYWORRY | |
|---------------------|--|
| LABEL | Get sick or have accident, how worried about ability to pay bills |
| QUESTION TEXT | If you get sick or have an accident, how worried are you that you will be able to pay your medical bills? |
| UNIVERSE | ALL |
| NOTES TEXT | This variable was included in the questionnaire for benchmarking purposes as gold standard sources of this measure exist elsewhere. Caution using this variable as an outcome of interest. |
| TYPE | Numeric |

| PAY_PAYWORRY: Distribution | Value | Unweighted | | Weighted | |
|---|--------------|-------------------|--------------|-----------------|--------------|
| | | n | % | n | % |
| Very worried | 1 | 970 | 13.8 | 35732798 | 13.9 |
| Somewhat worried | 2 | 2736 | 38.8 | 1.0004E8 | 38.8 |
| Not at all worried | 3 | 3313 | 47.0 | 1.2107E8 | 46.9 |
| Edited response due to invalid logic, out of range responses, or identified outlier | -5 | 0 | . | 0.0 | . |
| Skipped/Implied refusal | -6 | 27 | 0.4 | 1082904 | 0.4 |
| Explicit refusal/REF | -7 | 0 | . | 0.0 | . |
| Question not asked | -8 | 0 | . | 0.0 | . |
| Don't know | -9 | 0 | . | 0.0 | . |
| | | 7046 | 100.0 | 2.5793E8 | 100.0 |

| THC_TRANSPOR | |
|---------------|--|
| LABEL | Past 12 months, lack of reliable transportation |
| QUESTION TEXT | In the past 12 months, has a lack of reliable transportation kept you from medical appointments, meetings, work, or from getting things you needed for daily living? |
| UNIVERSE | ALL |
| NOTES TEXT | This variable was included in the questionnaire for benchmarking purposes as gold standard sources of this measure exist elsewhere. Caution using this variable as an outcome of interest. |
| TYPE | Numeric |

| THC_TRANSPOR: Distribution | Value | Unweighted | | Weighted | |
|---|-------|------------|-------|----------|-------|
| | | n | % | n | % |
| No | 0 | 6393 | 90.7 | 2.3597E8 | 91.5 |
| Yes | 1 | 603 | 8.6 | 19995119 | 7.8 |
| Edited response due to invalid logic, out of range responses, or identified outlier | -5 | 0 | . | 0.0 | . |
| Skipped/Implied refusal | -6 | 50 | 0.7 | 1961210 | 0.8 |
| Explicit refusal/REF | -7 | 0 | . | 0.0 | . |
| Question not asked | -8 | 0 | . | 0.0 | . |
| Don't know | -9 | 0 | . | 0.0 | . |
| | | 7046 | 100.0 | 2.5793E8 | 100.0 |

| | |
|---------------------|--|
| THC_HOUSCOST | |
| LABEL | Past 12 months, unable to pay mortgage/rent/bills |
| QUESTION TEXT | During the past 12 months, was there a time when you were not able to pay your mortgage, rent, or utility bills? |
| UNIVERSE | ALL |
| NOTES TEXT | This variable was included in the questionnaire for benchmarking purposes as gold standard sources of this measure exist elsewhere. Caution using this variable as an outcome of interest. |
| TYPE | Numeric |

| THC_HOUSCOST: Distribution | Value | Unweighted | | Weighted | |
|---|-------|------------|-------|----------|-------|
| | | n | % | n | % |
| No | 0 | 6107 | 86.7 | 2.2383E8 | 86.8 |
| Yes | 1 | 880 | 12.5 | 31741078 | 12.3 |
| Edited response due to invalid logic, out of range responses, or identified outlier | -5 | 0 | . | 0.0 | . |
| Skipped/Implied refusal | -6 | 59 | 0.8 | 2353372 | 0.9 |
| Explicit refusal/REF | -7 | 0 | . | 0.0 | . |
| Question not asked | -8 | 0 | . | 0.0 | . |
| Don't know | -9 | 0 | . | 0.0 | . |
| | | 7046 | 100.0 | 2.5793E8 | 100.0 |

| INT_ACCESS | |
|-------------------|-------------------------------------|
| LABEL | Access to internet |
| QUESTION TEXT | Do you have access to the Internet? |
| UNIVERSE | P_MODE IN (1, 2) |
| TYPE | Numeric |

| INT_ACCESS: Distribution | Value | Unweighted | | Weighted | |
|---|--------------|-------------------|--------------|-----------------|--------------|
| | | n | % | n | % |
| No | 0 | 70 | 1.0 | 1249386 | 0.5 |
| Yes | 1 | 6976 | 99.0 | 2.5668E8 | 99.5 |
| Edited response due to invalid logic, out of range responses, or identified outlier | -5 | 0 | . | 0.0 | . |
| Skipped/Implied refusal | -6 | 0 | . | 0.0 | . |
| Explicit refusal/REF | -7 | 0 | . | 0.0 | . |
| Question not asked | -8 | 0 | . | 0.0 | . |
| Don't know | -9 | 0 | . | 0.0 | . |
| | | 7046 | 100.0 | 2.5793E8 | 100.0 |

| INT_HOMEACC | |
|--------------------|--|
| LABEL | Access to internet from home |
| QUESTION TEXT | Do you have access to the Internet from your home? Include Internet and data use through a computer, tablet, smartphone, or other electronic device. |
| UNIVERSE | INT_ACCESS = 1 |
| TYPE | Numeric |

| | | Unweighted | | Weighted | |
|---|--------------|-------------|--------------|-----------------|--------------|
| INT_HOMEACC: Distribution | Value | n | % | n | % |
| No | 0 | 121 | 1.7 | 5506205 | 2.1 |
| Yes | 1 | 6845 | 97.1 | 2.5074E8 | 97.2 |
| Edited response due to invalid logic, out of range responses, or identified outlier | -5 | 0 | . | 0.0 | . |
| Skipped/Implied refusal | -6 | 10 | 0.1 | 427312.9 | 0.2 |
| Explicit refusal/REF | -7 | 0 | . | 0.0 | . |
| Question not asked | -8 | 70 | 1.0 | 1249386 | 0.5 |
| Don't know | -9 | 0 | . | 0.0 | . |
| | | 7046 | 100.0 | 2.5793E8 | 100.0 |

| INT_USEMED | |
|-------------------|--|
| LABEL | Past 12 months, use internet to look for health or medical information |
| QUESTION TEXT | To look for health or medical information. |
| UNIVERSE | INT_ACCESS = 1 |
| TYPE | Numeric |

| INT_USEMED: Distribution | Value | Unweighted | | Weighted | |
|---|--------------|-------------------|--------------|-----------------|--------------|
| | | n | % | n | % |
| No | 0 | 1470 | 20.9 | 64168701 | 24.9 |
| Yes | 1 | 5492 | 77.9 | 1.921E8 | 74.5 |
| Edited response due to invalid logic, out of range responses, or identified outlier | -5 | 0 | . | 0.0 | . |
| Skipped/Implied refusal | -6 | 14 | 0.2 | 412233.9 | 0.2 |
| Explicit refusal/REF | -7 | 0 | . | 0.0 | . |
| Question not asked | -8 | 70 | 1.0 | 1249386 | 0.5 |
| Don't know | -9 | 0 | . | 0.0 | . |
| | | 7046 | 100.0 | 2.5793E8 | 100.0 |

| INT_USEDOC | |
|-------------------|---|
| LABEL | Past 12 months, use internet to communicate with doctor/doctor's office |
| QUESTION TEXT | To communicate with a doctor or doctor's office. |
| UNIVERSE | INT_ACCESS = 1 |
| TYPE | Numeric |

| INT_USEDOC: Distribution | Value | Unweighted | | Weighted | |
|---|--------------|-------------------|--------------|-----------------|--------------|
| | | n | % | n | % |
| No | 0 | 2434 | 34.5 | 1.0152E8 | 39.4 |
| Yes | 1 | 4519 | 64.1 | 1.5421E8 | 59.8 |
| Edited response due to invalid logic, out of range responses, or identified outlier | -5 | 0 | . | 0.0 | . |
| Skipped/Implied refusal | -6 | 23 | 0.3 | 953197.9 | 0.4 |
| Explicit refusal/REF | -7 | 0 | . | 0.0 | . |
| Question not asked | -8 | 70 | 1.0 | 1249386 | 0.5 |
| Don't know | -9 | 0 | . | 0.0 | . |
| | | 7046 | 100.0 | 2.5793E8 | 100.0 |

| INT_USETEST | |
|--------------------|--|
| LABEL | Past 12 months, use internet to look up medical test results |
| QUESTION TEXT | To look up medical test results. |
| UNIVERSE | INT_ACCESS = 1 |
| TYPE | Numeric |

| INT_USETEST: Distribution | Value | Unweighted | | Weighted | |
|---|--------------|-------------------|--------------|-----------------|--------------|
| | | n | % | n | % |
| No | 0 | 2292 | 32.5 | 97750449 | 37.9 |
| Yes | 1 | 4666 | 66.2 | 1.5831E8 | 61.4 |
| Edited response due to invalid logic, out of range responses, or identified outlier | -5 | 0 | . | 0.0 | . |
| Skipped/Implied refusal | -6 | 18 | 0.3 | 614935.2 | 0.2 |
| Explicit refusal/REF | -7 | 0 | . | 0.0 | . |
| Question not asked | -8 | 70 | 1.0 | 1249386 | 0.5 |
| Don't know | -9 | 0 | . | 0.0 | . |
| | | 7046 | 100.0 | 2.5793E8 | 100.0 |

| ONL_SOCMED | |
|-------------------|------------------------------------|
| LABEL | How often use social media |
| QUESTION TEXT | How often do you use social media? |
| UNIVERSE | ALL |
| TYPE | Numeric |

| ONL_SOCMED: Distribution | Value | Unweighted | | Weighted | |
|---|--------------|-------------------|--------------|-----------------|--------------|
| | | n | % | n | % |
| Never | 0 | 1117 | 15.9 | 39432456 | 15.3 |
| Daily | 1 | 4264 | 60.5 | 1.5779E8 | 61.2 |
| Weekly | 2 | 1128 | 16.0 | 42135846 | 16.3 |
| Monthly | 3 | 520 | 7.4 | 18149716 | 7.0 |
| Edited response due to invalid logic, out of range responses, or identified outlier | -5 | 0 | . | 0.0 | . |
| Skipped/Implied refusal | -6 | 16 | 0.2 | 410343.8 | 0.2 |
| Explicit refusal/REF | -7 | 0 | . | 0.0 | . |
| Question not asked | -8 | 0 | . | 0.0 | . |
| Don't know | -9 | 1 | 0.0 | 4550.4 | 0.0 |
| | | 7046 | 100.0 | 2.5793E8 | 100.0 |

| ONL_GAMES | |
|------------------|-------------------------------------|
| LABEL | How often play online games |
| QUESTION TEXT | How often do you play online games? |
| UNIVERSE | ALL |
| TYPE | Numeric |

| ONL_GAMES: Distribution | Value | Unweighted | | Weighted | |
|---|--------------|-------------------|--------------|-----------------|--------------|
| | | n | % | n | % |
| Never | 0 | 2904 | 41.2 | 1.0331E8 | 40.1 |
| Daily | 1 | 2247 | 31.9 | 80690971 | 31.3 |
| Weekly | 2 | 1034 | 14.7 | 40317956 | 15.6 |
| Monthly | 3 | 742 | 10.5 | 28601633 | 11.1 |
| Edited response due to invalid logic, out of range responses, or identified outlier | -5 | 0 | . | 0.0 | . |
| Skipped/Implied refusal | -6 | 119 | 1.7 | 5002499 | 1.9 |
| Explicit refusal/REF | -7 | 0 | . | 0.0 | . |
| Question not asked | -8 | 0 | . | 0.0 | . |
| Don't know | -9 | 0 | . | 0.0 | . |
| | | 7046 | 100.0 | 2.5793E8 | 100.0 |

| ONL_MSGBOARD | |
|---------------------|---|
| LABEL | How often use forums and message boards |
| QUESTION TEXT | How often do you visit forums and message boards? |
| UNIVERSE | ALL |
| TYPE | Numeric |

| ONL_MSGBOARD: Distribution | Value | Unweighted | | Weighted | |
|---|--------------|-------------------|--------------|-----------------|--------------|
| | | n | % | n | % |
| Never | 0 | 3621 | 51.4 | 1.2958E8 | 50.2 |
| Daily | 1 | 931 | 13.2 | 36453569 | 14.1 |
| Weekly | 2 | 1098 | 15.6 | 41604611 | 16.1 |
| Monthly | 3 | 1345 | 19.1 | 48328975 | 18.7 |
| Edited response due to invalid logic, out of range responses, or identified outlier | -5 | 0 | . | 0.0 | . |
| Skipped/Implied refusal | -6 | 45 | 0.6 | 1835959 | 0.7 |
| Explicit refusal/REF | -7 | 0 | . | 0.0 | . |
| Question not asked | -8 | 0 | . | 0.0 | . |
| Don't know | -9 | 6 | 0.1 | 121500.2 | 0.0 |
| | | 7046 | 100.0 | 2.5793E8 | 100.0 |

| | |
|-------------------|---|
| ONL_SOCISO | |
| LABEL | Agree/disagree: feel socially isolated when use social media |
| QUESTION TEXT | How much do you agree or disagree with the following statement? When I use social media, I feel socially isolated from others. |
| UNIVERSE | ONL_SOCMED IN (1, 2, 3) |
| TYPE | Numeric |

| ONL_SOCISO: Distribution | Value | Unweighted | | Weighted | |
|---|-------|------------|-------|----------|-------|
| | | n | % | n | % |
| Strongly agree | 1 | 212 | 3.0 | 7556503 | 2.9 |
| Somewhat agree | 2 | 1116 | 15.8 | 40517201 | 15.7 |
| Somewhat disagree | 3 | 2187 | 31.0 | 83262895 | 32.3 |
| Strongly disagree | 4 | 2359 | 33.5 | 85412474 | 33.1 |
| Edited response due to invalid logic, out of range responses, or identified outlier | -5 | 0 | . | 0.0 | . |
| Skipped/Implied refusal | -6 | 34 | 0.5 | 1266019 | 0.5 |
| Explicit refusal/REF | -7 | 0 | . | 0.0 | . |
| Question not asked | -8 | 1134 | 16.1 | 39847351 | 15.4 |
| Don't know | -9 | 4 | 0.1 | 64501.1 | 0.0 |
| | | 7046 | 100.0 | 2.5793E8 | 100.0 |

| | |
|-------------------|---|
| ONL_SOCCOM | |
| LABEL | Agree/disagree: feel member of community when use social media |
| QUESTION TEXT | How much do you agree or disagree with the following statement? When I use social media, I feel like I'm a member of a community. |
| UNIVERSE | ONL_SOCMED IN (1, 2, 3) |
| TYPE | Numeric |

| ONL_SOCCOM: Distribution | Value | Unweighted | | Weighted | |
|---|-------|-------------|--------------|-----------------|--------------|
| | | n | % | n | % |
| Strongly agree | 1 | 367 | 5.2 | 14300253 | 5.5 |
| Somewhat agree | 2 | 2641 | 37.5 | 96739916 | 37.5 |
| Somewhat disagree | 3 | 1577 | 22.4 | 60374853 | 23.4 |
| Strongly disagree | 4 | 906 | 12.9 | 34369866 | 13.3 |
| Lost or corrupted data | -4 | 327 | 4.6 | 7975044 | 3.1 |
| Edited response due to invalid logic, out of range responses, or identified outlier | -5 | 0 | . | 0.0 | . |
| Skipped/Implied refusal | -6 | 92 | 1.3 | 4270009 | 1.7 |
| Explicit refusal/REF | -7 | 0 | . | 0.0 | . |
| Question not asked | -8 | 1134 | 16.1 | 39847351 | 15.4 |
| Don't know | -9 | 2 | 0.0 | 49653.0 | 0.0 |
| | | 7046 | 100.0 | 2.5793E8 | 100.0 |

| | |
|---------------------|---|
| ONL_GAMESISO | |
| LABEL | Agree/disagree: feel socially isolated when play online games |
| QUESTION TEXT | How much do you agree or disagree with the following statement? When I play online games, I feel socially isolated from others. |
| UNIVERSE | ONL_GAMES IN (1, 2, 3) |
| TYPE | Numeric |

| ONL_GAMESISO: Distribution | Value | Unweighted | | Weighted | |
|---|-------|------------|-------|----------|-------|
| | | n | % | n | % |
| Strongly agree | 1 | 117 | 1.7 | 4577314 | 1.8 |
| Somewhat agree | 2 | 596 | 8.5 | 21120611 | 8.2 |
| Somewhat disagree | 3 | 1406 | 20.0 | 53137631 | 20.6 |
| Strongly disagree | 4 | 1850 | 26.3 | 68609173 | 26.6 |
| Edited response due to invalid logic, out of range responses, or identified outlier | -5 | 0 | . | 0.0 | . |
| Skipped/Implied refusal | -6 | 53 | 0.8 | 2146757 | 0.8 |
| Explicit refusal/REF | -7 | 0 | . | 0.0 | . |
| Question not asked | -8 | 3023 | 42.9 | 1.0832E8 | 42.0 |
| Don't know | -9 | 1 | 0.0 | 19074.7 | 0.0 |
| | | 7046 | 100.0 | 2.5793E8 | 100.0 |

| | |
|---------------------|--|
| ONL_GAMESCOM | |
| LABEL | Agree/disagree: feel member of community when play online games |
| QUESTION TEXT | How much do you agree or disagree with the following statement? When I play online games, I feel like I'm a member of a community. |
| UNIVERSE | ONL_GAMES IN (1, 2, 3) |
| TYPE | Numeric |

| ONL_GAMESCOM: Distribution | Value | Unweighted | | Weighted | |
|---|-------|------------|-------|----------|-------|
| | | n | % | n | % |
| Strongly agree | 1 | 282 | 4.0 | 12649581 | 4.9 |
| Somewhat agree | 2 | 1397 | 19.8 | 54259872 | 21.0 |
| Somewhat disagree | 3 | 1270 | 18.0 | 45342249 | 17.6 |
| Strongly disagree | 4 | 1015 | 14.4 | 34891956 | 13.5 |
| Edited response due to invalid logic, out of range responses, or identified outlier | -5 | 0 | . | 0.0 | . |
| Skipped/Implied refusal | -6 | 57 | 0.8 | 2432843 | 0.9 |
| Explicit refusal/REF | -7 | 0 | . | 0.0 | . |
| Question not asked | -8 | 3023 | 42.9 | 1.0832E8 | 42.0 |
| Don't know | -9 | 2 | 0.0 | 34059.1 | 0.0 |
| | | 7046 | 100.0 | 2.5793E8 | 100.0 |

| | |
|-------------------|---|
| ONL_MSGISO | |
| LABEL | Agree/disagree: feel socially isolated when use online message boards |
| QUESTION TEXT | How much do you agree or disagree with the following statement? When I visit forums and message boards, I feel socially isolated from others. |
| UNIVERSE | ONL_MSGBOARD IN (1, 2, 3) |
| TYPE | Numeric |

| ONL_MSGISO: Distribution | Value | Unweighted | | Weighted | |
|---|-------|------------|-------|----------|-------|
| | | n | % | n | % |
| Strongly agree | 1 | 74 | 1.1 | 2938340 | 1.1 |
| Somewhat agree | 2 | 490 | 7.0 | 17293912 | 6.7 |
| Somewhat disagree | 3 | 1495 | 21.2 | 56696239 | 22.0 |
| Strongly disagree | 4 | 1273 | 18.1 | 47970276 | 18.6 |
| Edited response due to invalid logic, out of range responses, or identified outlier | -5 | 0 | . | 0.0 | . |
| Skipped/Implied refusal | -6 | 40 | 0.6 | 1448042 | 0.6 |
| Explicit refusal/REF | -7 | 1 | 0.0 | 2299.0 | 0.0 |
| Question not asked | -8 | 3672 | 52.1 | 1.3154E8 | 51.0 |
| Don't know | -9 | 1 | 0.0 | 38046.1 | 0.0 |
| | | 7046 | 100.0 | 2.5793E8 | 100.0 |

| | |
|-------------------|--|
| ONL_MSGCOM | |
| LABEL | Agree/disagree: feel member of community when use online message boards |
| QUESTION TEXT | How much do you agree or disagree with the following statement? When I visit forums and message boards, I feel like I'm a member of a community. |
| UNIVERSE | ONL_MSGBOARD IN (1, 2, 3) |
| TYPE | Numeric |

| ONL_MSGCOM: Distribution | Value | Unweighted | | Weighted | |
|---|-------|------------|-------|----------|-------|
| | | n | % | n | % |
| Strongly agree | 1 | 263 | 3.7 | 11508088 | 4.5 |
| Somewhat agree | 2 | 1697 | 24.1 | 61601975 | 23.9 |
| Somewhat disagree | 3 | 916 | 13.0 | 33793002 | 13.1 |
| Strongly disagree | 4 | 429 | 6.1 | 16684974 | 6.5 |
| Edited response due to invalid logic, out of range responses, or identified outlier | -5 | 0 | . | 0.0 | . |
| Skipped/Implied refusal | -6 | 67 | 1.0 | 2757784 | 1.1 |
| Explicit refusal/REF | -7 | 0 | . | 0.0 | . |
| Question not asked | -8 | 3672 | 52.1 | 1.3154E8 | 51.0 |
| Don't know | -9 | 2 | 0.0 | 41332.7 | 0.0 |
| | | 7046 | 100.0 | 2.5793E8 | 100.0 |

| ACC_HTHLAST | |
|--------------------|--|
| LABEL | Time since last saw doctor about your health |
| QUESTION TEXT | About how long has it been since you last saw a doctor or other health professional about your health? Include doctors seen while a patient in a hospital. Do not include dental care. |
| NOTES TEXT | This variable was included in the questionnaire for benchmarking purposes as gold standard sources of this measure exist elsewhere. Caution using this variable as an outcome of interest. |
| TYPE | Numeric |

| ACC_HTHLAST: Distribution | Value | Unweighted | | Weighted | |
|---|-------|-------------|--------------|-----------------|--------------|
| | | n | % | n | % |
| Never | 0 | 60 | 0.9 | 3302273 | 1.3 |
| Less than 12 months ago | 1 | 5859 | 83.2 | 2.0593E8 | 79.8 |
| More than 1 year but less than 2 years ago | 2 | 534 | 7.6 | 23283030 | 9.0 |
| More than 2 years but less than 3 years ago | 3 | 209 | 3.0 | 8812964 | 3.4 |
| More than 3 years but less than 5 years ago | 4 | 153 | 2.2 | 5812587 | 2.3 |
| More than 5 years but less than 10 years ago | 5 | 135 | 1.9 | 5957839 | 2.3 |
| 10 years ago or more | 6 | 80 | 1.1 | 4192717 | 1.6 |
| Edited response due to invalid logic, out of range responses, or identified outlier | -5 | 0 | . | 0.0 | . |
| Skipped/Implied refusal | -6 | 15 | 0.2 | 571585.3 | 0.2 |
| Explicit refusal/REF | -7 | 1 | 0.0 | 60003.9 | 0.0 |
| Question not asked | -8 | 0 | . | 0.0 | . |
| Don't know | -9 | 0 | . | 0.0 | . |
| | | <i>7046</i> | <i>100.0</i> | <i>2.5793E8</i> | <i>100.0</i> |

| ACC_HTHUSUAL | |
|---------------------|--|
| LABEL | Have a usual place to go for care |
| QUESTION TEXT | Is there a place that you usually go to if you are sick and need health care? |
| NOTES TEXT | This variable was included in the questionnaire for benchmarking purposes as gold standard sources of this measure exist elsewhere. Caution using this variable as an outcome of interest. |
| TYPE | Numeric |

| ACC_HTHUSUAL: Distribution | Value | Unweighted | | Weighted | |
|---|--------------|-------------------|--------------|-----------------|--------------|
| | | n | % | n | % |
| Yes, there is a single place | 1 | 4119 | 58.5 | 1.4787E8 | 57.3 |
| No, there is no place | 2 | 582 | 8.3 | 26479814 | 10.3 |
| Yes, there is more than one place | 3 | 2319 | 32.9 | 82696896 | 32.1 |
| Edited response due to invalid logic, out of range responses, or identified outlier | -5 | 0 | . | 0.0 | . |
| Skipped/Implied refusal | -6 | 25 | 0.4 | 877328.8 | 0.3 |
| Explicit refusal/REF | -7 | 0 | . | 0.0 | . |
| Question not asked | -8 | 0 | . | 0.0 | . |
| Don't know | -9 | 1 | 0.0 | 3429.9 | 0.0 |
| | | 7046 | 100.0 | 2.5793E8 | 100.0 |

| ACC_HTHTYPE | |
|---------------|---|
| LABEL | Type of place for usual care |
| QUESTION TEXT | What kind of place is it/do you go most often? A doctor's office or health center is a place where you see the same doctor or the same group of doctors every visit, where you usually need to make an appointment ahead of time, and where your medical records are on file. Urgent care centers and clinics in a drug store or grocery store are places where you do not need to make an appointment ahead of time, and usually do not see the same health care provider at each visit. |
| UNIVERSE | ACC_HTHUSUAL IN (1, 3) |
| NOTES TEXT | This variable was included in the questionnaire for benchmarking purposes as gold standard sources of this measure exist elsewhere. Caution using this variable as an outcome of interest. |
| TYPE | Numeric |

| ACC_HTHTYPE: Distribution | Value | Unweighted | | Weighted | |
|---|-------|------------|-------|----------|-------|
| | | n | % | n | % |
| I do not go to one place most often | 0 | 89 | 1.3 | 3940373 | 1.5 |
| A doctor's office or health center | 1 | 5333 | 75.7 | 1.8753E8 | 72.7 |
| Urgent care center or clinic in a drug store or grocery store | 2 | 637 | 9.0 | 25179921 | 9.8 |
| Hospital emergency room | 3 | 169 | 2.4 | 7302529 | 2.8 |
| A VA medical center or VA outpatient clinic | 4 | 145 | 2.1 | 4189540 | 1.6 |
| Some other place | 5 | 55 | 0.8 | 2168854 | 0.8 |
| Edited response due to invalid logic, out of range responses, or identified outlier | -5 | 0 | . | 0.0 | . |
| Skipped/Implied refusal | -6 | 9 | 0.1 | 246867.0 | 0.1 |
| Explicit refusal/REF | -7 | 0 | . | 0.0 | . |
| Question not asked | -8 | 608 | 8.6 | 27360573 | 10.6 |
| Don't know | -9 | 1 | 0.0 | 12512.7 | 0.0 |
| | | 7046 | 100.0 | 2.5793E8 | 100.0 |

| | |
|--------------------|--|
| ACC_HOSP12M | |
| LABEL | Past 12 months, hospitalized overnight |
| QUESTION TEXT | During the past 12 months, have you been hospitalized overnight? Do not include an overnight stay in the emergency room. |
| UNIVERSE | ALL |
| NOTES TEXT | This variable was included in the questionnaire for benchmarking purposes as gold standard sources of this measure exist elsewhere. Caution using this variable as an outcome of interest. |
| TYPE | Numeric |

| ACC_HOSP12M: Distribution | Value | Unweighted | | Weighted | |
|---|-------|-------------|--------------|-----------------|--------------|
| | | n | % | n | % |
| No | 0 | 6400 | 90.8 | 2.358E8 | 91.4 |
| Yes | 1 | 626 | 8.9 | 21261925 | 8.2 |
| Edited response due to invalid logic, out of range responses, or identified outlier | -5 | 0 | . | 0.0 | . |
| Skipped/Implied refusal | -6 | 20 | 0.3 | 862795.2 | 0.3 |
| Explicit refusal/REF | -7 | 0 | . | 0.0 | . |
| Question not asked | -8 | 0 | . | 0.0 | . |
| Don't know | -9 | 0 | . | 0.0 | . |
| | | 7046 | 100.0 | 2.5793E8 | 100.0 |

| | |
|-------------------|--|
| MED_RX12MA | |
| LABEL | Past 12 months, took prescription medicine |
| QUESTION TEXT | At any time in the past 12 months, did you take prescription medication? |
| UNIVERSE | ALL |
| NOTES TEXT | This variable was included in the questionnaire for benchmarking purposes as gold standard sources of this measure exist elsewhere. Caution using this variable as an outcome of interest. |
| TYPE | Numeric |

| MED_RX12MA: Distribution | Value | Unweighted | | Weighted | |
|---|-------|------------|-------|----------|-------|
| | | n | % | n | % |
| No | 0 | 1626 | 23.1 | 71495520 | 27.7 |
| Yes | 1 | 5391 | 76.5 | 1.8541E8 | 71.9 |
| Edited response due to invalid logic, out of range responses, or identified outlier | -5 | 0 | . | 0.0 | . |
| Skipped/Implied refusal | -6 | 29 | 0.4 | 1017708 | 0.4 |
| Explicit refusal/REF | -7 | 0 | . | 0.0 | . |
| Question not asked | -8 | 0 | . | 0.0 | . |
| Don't know | -9 | 0 | . | 0.0 | . |
| | | 7046 | 100.0 | 2.5793E8 | 100.0 |

| | |
|---------------------|--|
| MED_RXSK12MA | |
| LABEL | Past 12 months, skipped medication doses to save money |
| QUESTION TEXT | You skipped medication doses to save money. |
| UNIVERSE | MED_RX12MA = 1 |
| NOTES TEXT | This variable was included in the questionnaire for benchmarking purposes as gold standard sources of this measure exist elsewhere. Caution using this variable as an outcome of interest. |
| TYPE | Numeric |

| MED_RXSK12MA: Distribution | Value | Unweighted | | Weighted | |
|---|-------|------------|-------|----------|-------|
| | | n | % | n | % |
| No | 0 | 4940 | 70.1 | 1.7033E8 | 66.0 |
| Yes | 1 | 438 | 6.2 | 14661951 | 5.7 |
| Edited response due to invalid logic, out of range responses, or identified outlier | -5 | 0 | . | 0.0 | . |
| Skipped/Implied refusal | -6 | 13 | 0.2 | 423269.4 | 0.2 |
| Explicit refusal/REF | -7 | 0 | . | 0.0 | . |
| Question not asked | -8 | 1655 | 23.5 | 72513228 | 28.1 |
| Don't know | -9 | 0 | . | 0.0 | . |
| | | 7046 | 100.0 | 2.5793E8 | 100.0 |

| MED_RXLS12MA | |
|---------------------|--|
| LABEL | Past 12 months, took less medication to save money |
| QUESTION TEXT | You took less medication to save money. |
| UNIVERSE | MED_RX12MA = 1 |
| NOTES TEXT | This variable was included in the questionnaire for benchmarking purposes as gold standard sources of this measure exist elsewhere. Caution using this variable as an outcome of interest. |
| TYPE | Numeric |

| MED_RXLS12MA: Distribution | Value | Unweighted | | Weighted | |
|---|--------------|-------------------|--------------|-----------------|--------------|
| | | n | % | n | % |
| No | 0 | 4861 | 69.0 | 1.6781E8 | 65.1 |
| Yes | 1 | 513 | 7.3 | 17032678 | 6.6 |
| Edited response due to invalid logic, out of range responses, or identified outlier | -5 | 0 | . | 0.0 | . |
| Skipped/Implied refusal | -6 | 16 | 0.2 | 563491.2 | 0.2 |
| Explicit refusal/REF | -7 | 0 | . | 0.0 | . |
| Question not asked | -8 | 1655 | 23.5 | 72513228 | 28.1 |
| Don't know | -9 | 1 | 0.0 | 10188.2 | 0.0 |
| | | 7046 | 100.0 | 2.5793E8 | 100.0 |

| | |
|---------------------|--|
| MED_RXDL12MA | |
| LABEL | Past 12 months, delayed filling prescription to save money |
| QUESTION TEXT | You delayed filling a prescription to save money. |
| UNIVERSE | MED_RX12MA = 1 |
| NOTES TEXT | This variable was included in the questionnaire for benchmarking purposes as gold standard sources of this measure exist elsewhere. Caution using this variable as an outcome of interest. |
| TYPE | Numeric |

| MED_RXDL12MA: Distribution | Value | Unweighted | | Weighted | |
|---|-------|------------|-------|----------|-------|
| | | n | % | n | % |
| No | 0 | 4716 | 66.9 | 1.627E8 | 63.1 |
| Yes | 1 | 660 | 9.4 | 22214700 | 8.6 |
| Edited response due to invalid logic, out of range responses, or identified outlier | -5 | 0 | . | 0.0 | . |
| Skipped/Implied refusal | -6 | 15 | 0.2 | 494837.8 | 0.2 |
| Explicit refusal/REF | -7 | 0 | . | 0.0 | . |
| Question not asked | -8 | 1655 | 23.5 | 72513228 | 28.1 |
| Don't know | -9 | 0 | . | 0.0 | . |
| | | 7046 | 100.0 | 2.5793E8 | 100.0 |

| | |
|---------------------|--|
| MED_RXDG12MA | |
| LABEL | Past 12 months, didn't get prescription due to cost |
| QUESTION TEXT | During the past 12 months, was there any time when you needed prescription medication, but did not get it because of cost? |
| UNIVERSE | ALL |
| NOTES TEXT | This variable was included in the questionnaire for benchmarking purposes as gold standard sources of this measure exist elsewhere. Caution using this variable as an outcome of interest. |
| TYPE | Numeric |

| MED_RXDG12MA: Distribution | Value | Unweighted | | Weighted | |
|---|-------|------------|-------|----------|-------|
| | | n | % | n | % |
| No | 0 | 6168 | 87.5 | 2.279E8 | 88.4 |
| Yes | 1 | 853 | 12.1 | 29010227 | 11.2 |
| Edited response due to invalid logic, out of range responses, or identified outlier | -5 | 0 | . | 0.0 | . |
| Skipped/Implied refusal | -6 | 25 | 0.4 | 1021674 | 0.4 |
| Explicit refusal/REF | -7 | 0 | . | 0.0 | . |
| Question not asked | -8 | 0 | . | 0.0 | . |
| Don't know | -9 | 0 | . | 0.0 | . |
| | | 7046 | 100.0 | 2.5793E8 | 100.0 |

| CON_SEX12M | |
|-------------------|---|
| LABEL | Past 12 months, sexual intercourse male partner |
| QUESTION TEXT | At any time in the past 12 months, have you had sexual intercourse with a male partner? |
| UNIVERSE | P_GENDER=2 AND P_AGE_C_R= 18-49 |
| TYPE | Numeric |

| CON_SEX12M: Distribution | Value | Unweighted | | Weighted | |
|---|--------------|-------------------|--------------|-----------------|--------------|
| | | n | % | n | % |
| No | 0 | 441 | 6.3 | 19799474 | 7.7 |
| Yes | 1 | 1247 | 17.7 | 48279135 | 18.7 |
| Edited response due to invalid logic, out of range responses, or identified outlier | -5 | 0 | . | 0.0 | . |
| Skipped/Implied refusal | -6 | 12 | 0.2 | 652387.8 | 0.3 |
| Explicit refusal/REF | -7 | 0 | . | 0.0 | . |
| Question not asked | -8 | 5346 | 75.9 | 1.892E8 | 73.4 |
| Don't know | -9 | 0 | . | 0.0 | . |
| | | 7046 | 100.0 | 2.5793E8 | 100.0 |

| CON_BCIUD | |
|------------------|--|
| LABEL | Past 12 months, you/male partner used: IUD or implant |
| QUESTION TEXT | An IUD or implant, such as Mirena, Liletta, ParaGard, or Nexplanon |
| UNIVERSE | CON_SEX12M=1 |
| TYPE | Numeric |

| CON_BCIUD: Distribution | Value | Unweighted | | Weighted | |
|---|--------------|-------------------|--------------|-----------------|--------------|
| | | n | % | n | % |
| No | 0 | 1000 | 14.2 | 39201429 | 15.2 |
| Yes | 1 | 229 | 3.3 | 8300790 | 3.2 |
| Edited response due to invalid logic, out of range responses, or identified outlier | -5 | 0 | . | 0.0 | . |
| Skipped/Implied refusal | -6 | 17 | 0.2 | 770601.7 | 0.3 |
| Explicit refusal/REF | -7 | 0 | . | 0.0 | . |
| Question not asked | -8 | 5799 | 82.3 | 2.0965E8 | 81.3 |
| Don't know | -9 | 1 | 0.0 | 6315.2 | 0.0 |
| | | 7046 | 100.0 | 2.5793E8 | 100.0 |

| CON_BCSHOT | |
|-------------------|---|
| LABEL | Past 12 months, you/male partner used: Birth control shot |
| QUESTION TEXT | Birth control shots, such as Depo-Provera |
| UNIVERSE | CON_SEX12M=1 |
| TYPE | Numeric |

| CON_BCSHOT: Distribution | Value | Unweighted | | Weighted | |
|---|--------------|-------------------|--------------|-----------------|--------------|
| | | n | % | n | % |
| No | 0 | 1184 | 16.8 | 45666689 | 17.7 |
| Yes | 1 | 45 | 0.6 | 1835530 | 0.7 |
| Edited response due to invalid logic, out of range responses, or identified outlier | -5 | 0 | . | 0.0 | . |
| Skipped/Implied refusal | -6 | 17 | 0.2 | 770601.7 | 0.3 |
| Explicit refusal/REF | -7 | 0 | . | 0.0 | . |
| Question not asked | -8 | 5799 | 82.3 | 2.0965E8 | 81.3 |
| Don't know | -9 | 1 | 0.0 | 6315.2 | 0.0 |
| | | 7046 | 100.0 | 2.5793E8 | 100.0 |

| CON_BCPILL | |
|-------------------|---|
| LABEL | Past 12 months, you/male partner used: Birth control pill |
| QUESTION TEXT | Birth control pills, vaginal ring such as NuvaRing, or patch such as Xulane |
| UNIVERSE | CON_SEX12M=1 |
| TYPE | Numeric |

| CON_BCPILL: Distribution | Value | Unweighted | | Weighted | |
|---|--------------|-------------------|--------------|-----------------|--------------|
| | | n | % | n | % |
| No | 0 | 993 | 14.1 | 37030908 | 14.4 |
| Yes | 1 | 236 | 3.3 | 10471310 | 4.1 |
| Edited response due to invalid logic, out of range responses, or identified outlier | -5 | 0 | . | 0.0 | . |
| Skipped/Implied refusal | -6 | 17 | 0.2 | 770601.7 | 0.3 |
| Explicit refusal/REF | -7 | 0 | . | 0.0 | . |
| Question not asked | -8 | 5799 | 82.3 | 2.0965E8 | 81.3 |
| Don't know | -9 | 1 | 0.0 | 6315.2 | 0.0 |
| | | 7046 | 100.0 | 2.5793E8 | 100.0 |

| CON_BCEC | |
|-----------------|---|
| LABEL | Past 12 months, you/male partner used: Emergency contraception |
| QUESTION TEXT | Emergency contraception or the morning after pill, such as Plan B or Ella |
| UNIVERSE | CON_SEX12M=1 |
| TYPE | Numeric |

| CON_BCEC: Distribution | Value | Unweighted | | Weighted | |
|---|--------------|-------------------|--------------|-----------------|--------------|
| | | n | % | n | % |
| No | 0 | 1188 | 16.9 | 45678602 | 17.7 |
| Yes | 1 | 41 | 0.6 | 1823616 | 0.7 |
| Edited response due to invalid logic, out of range responses, or identified outlier | -5 | 0 | . | 0.0 | . |
| Skipped/Implied refusal | -6 | 17 | 0.2 | 770601.7 | 0.3 |
| Explicit refusal/REF | -7 | 0 | . | 0.0 | . |
| Question not asked | -8 | 5799 | 82.3 | 2.0965E8 | 81.3 |
| Don't know | -9 | 1 | 0.0 | 6315.2 | 0.0 |
| | | 7046 | 100.0 | 2.5793E8 | 100.0 |

| | |
|---------------------|--|
| CON_BCSTERIL | |
| LABEL | Past 12 months, you/male partner used: Sterilization |
| QUESTION TEXT | A sterilization method such as tubal ligation or Essure, or a vasectomy for a male partner |
| UNIVERSE | CON_SEX12M=1 |
| TYPE | Numeric |

| CON_BCSTERIL: Distribution | Value | Unweighted | | Weighted | |
|---|-------|------------|-------|----------|-------|
| | | n | % | n | % |
| No | 0 | 973 | 13.8 | 38902545 | 15.1 |
| Yes | 1 | 256 | 3.6 | 8599673 | 3.3 |
| Edited response due to invalid logic, out of range responses, or identified outlier | -5 | 0 | . | 0.0 | . |
| Skipped/Implied refusal | -6 | 17 | 0.2 | 770601.7 | 0.3 |
| Explicit refusal/REF | -7 | 0 | . | 0.0 | . |
| Question not asked | -8 | 5799 | 82.3 | 2.0965E8 | 81.3 |
| Don't know | -9 | 1 | 0.0 | 6315.2 | 0.0 |
| | | 7046 | 100.0 | 2.5793E8 | 100.0 |

| CON_BCOTHER | |
|--------------------|--|
| LABEL | Past 12 months, you/male partner used: Other methods |
| QUESTION TEXT | My partner and I used other methods to prevent pregnancy |
| UNIVERSE | CON_SEX12M=1 |
| TYPE | Numeric |

| CON_BCOTHER: Distribution | Value | Unweighted | | Weighted | |
|---|--------------|-------------------|--------------|-----------------|--------------|
| | | n | % | n | % |
| No | 0 | 944 | 13.4 | 37043572 | 14.4 |
| Yes | 1 | 285 | 4.0 | 10458646 | 4.1 |
| Edited response due to invalid logic, out of range responses, or identified outlier | -5 | 0 | . | 0.0 | . |
| Skipped/Implied refusal | -6 | 17 | 0.2 | 770601.7 | 0.3 |
| Explicit refusal/REF | -7 | 0 | . | 0.0 | . |
| Question not asked | -8 | 5799 | 82.3 | 2.0965E8 | 81.3 |
| Don't know | -9 | 1 | 0.0 | 6315.2 | 0.0 |
| | | 7046 | 100.0 | 2.5793E8 | 100.0 |

| | |
|-------------------|---|
| CON_BCNONE | |
| LABEL | Past 12 months, you/male partner used: No birth control methods |
| QUESTION TEXT | My partner and I did not do anything to prevent pregnancy |
| UNIVERSE | CON_SEX12M=1 |
| TYPE | Numeric |

| CON_BCNONE: Distribution | Value | Unweighted | | Weighted | |
|---|-------|------------|-------|----------|-------|
| | | n | % | n | % |
| No | 0 | 948 | 13.5 | 36137570 | 14.0 |
| Yes | 1 | 281 | 4.0 | 11364648 | 4.4 |
| Edited response due to invalid logic, out of range responses, or identified outlier | -5 | 0 | . | 0.0 | . |
| Skipped/Implied refusal | -6 | 17 | 0.2 | 770601.7 | 0.3 |
| Explicit refusal/REF | -7 | 0 | . | 0.0 | . |
| Question not asked | -8 | 5799 | 82.3 | 2.0965E8 | 81.3 |
| Don't know | -9 | 1 | 0.0 | 6315.2 | 0.0 |
| | | 7046 | 100.0 | 2.5793E8 | 100.0 |

| CON_BCCHANGE | |
|---------------------|--|
| LABEL | Past 12 months, changed or stopped birth control method |
| QUESTION TEXT | Over the past 12 months, have you changed or stopped a method you used to prevent pregnancy? |
| UNIVERSE | CON_BCIUD = 1 OR CON_BCSHOT = 1 OR CON_BCPILL = 1 OR CON_BCEC = 1 OR CON_BCOTHER = 1 |
| TYPE | Numeric |

| CON_BCCHANGE: Distribution | Value | Unweighted | | Weighted | |
|---|--------------|-------------------|--------------|-----------------|--------------|
| | | n | % | n | % |
| No | 0 | 597 | 8.5 | 23275855 | 9.0 |
| Yes | 1 | 131 | 1.9 | 5153707 | 2.0 |
| Edited response due to invalid logic, out of range responses, or identified outlier | -5 | 0 | . | 0.0 | . |
| Skipped/Implied refusal | -6 | 2 | 0.0 | 54738.3 | 0.0 |
| Explicit refusal/REF | -7 | 0 | . | 0.0 | . |
| Question not asked | -8 | 6316 | 89.6 | 2.2944E8 | 89.0 |
| Don't know | -9 | 0 | . | 0.0 | . |
| | | 7046 | 100.0 | 2.5793E8 | 100.0 |

| CON_CHNGEWHYA | |
|----------------------|--|
| LABEL | Past 12 months, why changed or stopped: Wanted more effective method |
| QUESTION TEXT | I wanted to use a more effective birth control method |
| UNIVERSE | CON_BCCHANGE = 1 |
| TYPE | Numeric |

| CON_CHNGEWHYA: Distribution | Value | Unweighted | | Weighted | |
|---|--------------|-------------------|--------------|-----------------|--------------|
| | | n | % | n | % |
| No | 0 | 87 | 1.2 | 3364464 | 1.3 |
| Yes | 1 | 42 | 0.6 | 1752177 | 0.7 |
| Edited response due to invalid logic, out of range responses, or identified outlier | -5 | 0 | . | 0.0 | . |
| Skipped/Implied refusal | -6 | 2 | 0.0 | 37066.6 | 0.0 |
| Explicit refusal/REF | -7 | 0 | . | 0.0 | . |
| Question not asked | -8 | 6915 | 98.1 | 2.5277E8 | 98.0 |
| Don't know | -9 | 0 | . | 0.0 | . |
| | | 7046 | 100.0 | 2.5793E8 | 100.0 |

| CON_CHNGEWHYA_O | |
|-----------------|---|
| LABEL | Order of questionnaire appearance: CON_CHNGEWHYA_O |
| QUESTION TEXT | NA - Paradata |
| NOTES TEXT | This information is paradata that was collected from Rapid Surveys System survey. |
| TYPE | Numeric |

| CON_CHNGEWHYA_O: Distribution | Value | Unweighted | | Weighted | |
|-------------------------------|-------|------------|-------|----------|-------|
| | | n | % | n | % |
| Displayed 1st | 1 | 13 | 0.2 | 559102.5 | 0.2 |
| Displayed 2nd | 2 | 26 | 0.4 | 1053631 | 0.4 |
| Displayed 3rd | 3 | 18 | 0.3 | 596411.3 | 0.2 |
| Displayed 4th | 4 | 19 | 0.3 | 759069.6 | 0.3 |
| Displayed 5th | 5 | 16 | 0.2 | 759439.7 | 0.3 |
| Displayed 6th | 6 | 20 | 0.3 | 828034.8 | 0.3 |
| Displayed 7th | 7 | 19 | 0.3 | 598018.0 | 0.2 |
| Displayed 8th | 8 | 0 | . | 0.0 | . |
| Skipped on web | -6 | 0 | . | 0.0 | . |
| Refused | -7 | 0 | . | 0.0 | . |
| Legitimate Skip | -8 | 6915 | 98.1 | 2.5277E8 | 98.0 |
| Don't know | -9 | 0 | . | 0.0 | . |
| | | 7046 | 100.0 | 2.5793E8 | 100.0 |

| CON_CHNGEWHYB | |
|----------------------|--|
| LABEL | Past 12 months, why changed or stopped: Wanted less expensive method |
| QUESTION TEXT | I wanted to use a less expensive birth control method |
| UNIVERSE | CON_BCCHANGE = 1 |
| TYPE | Numeric |

| CON_CHNGEWHYB: Distribution | Value | Unweighted | | Weighted | |
|---|--------------|-------------------|--------------|-----------------|--------------|
| | | n | % | n | % |
| No | 0 | 103 | 1.5 | 4355947 | 1.7 |
| Yes | 1 | 27 | 0.4 | 768105.4 | 0.3 |
| Edited response due to invalid logic, out of range responses, or identified outlier | -5 | 0 | . | 0.0 | . |
| Skipped/Implied refusal | -6 | 1 | 0.0 | 29654.5 | 0.0 |
| Explicit refusal/REF | -7 | 0 | . | 0.0 | . |
| Question not asked | -8 | 6915 | 98.1 | 2.5277E8 | 98.0 |
| Don't know | -9 | 0 | . | 0.0 | . |
| | | 7046 | 100.0 | 2.5793E8 | 100.0 |

| CON_CHNGEWHYB_O | |
|-----------------|---|
| LABEL | Order of questionnaire appearance: CON_CHNGEWHYB_O |
| QUESTION TEXT | NA - Paradata |
| NOTES TEXT | This information is paradata that was collected from Rapid Surveys System survey. |
| TYPE | Numeric |

| CON_CHNGEWHYB_O: Distribution | Value | Unweighted | | Weighted | |
|-------------------------------|-------|------------|-------|----------|-------|
| | | n | % | n | % |
| Displayed 1st | 1 | 13 | 0.2 | 433502.7 | 0.2 |
| Displayed 2nd | 2 | 19 | 0.3 | 849757.4 | 0.3 |
| Displayed 3rd | 3 | 18 | 0.3 | 529944.9 | 0.2 |
| Displayed 4th | 4 | 26 | 0.4 | 1190476 | 0.5 |
| Displayed 5th | 5 | 16 | 0.2 | 854036.2 | 0.3 |
| Displayed 6th | 6 | 22 | 0.3 | 809741.5 | 0.3 |
| Displayed 7th | 7 | 17 | 0.2 | 486248.7 | 0.2 |
| Displayed 8th | 8 | 0 | . | 0.0 | . |
| Skipped on web | -6 | 0 | . | 0.0 | . |
| Refused | -7 | 0 | . | 0.0 | . |
| Legitimate Skip | -8 | 6915 | 98.1 | 2.5277E8 | 98.0 |
| Don't know | -9 | 0 | . | 0.0 | . |
| | | 7046 | 100.0 | 2.5793E8 | 100.0 |

| CON_CHNGEWHYC | |
|----------------------|---|
| LABEL | Past 12 months, why changed or stopped: Did not like method |
| QUESTION TEXT | I did not like a birth control method I was using |
| UNIVERSE | CON_BCCHANGE = 1 |
| TYPE | Numeric |

| CON_CHNGEWHYC: Distribution | Value | Unweighted | | Weighted | |
|---|--------------|-------------------|--------------|-----------------|--------------|
| | | n | % | n | % |
| No | 0 | 71 | 1.0 | 2927430 | 1.1 |
| Yes | 1 | 58 | 0.8 | 2189211 | 0.8 |
| Edited response due to invalid logic, out of range responses, or identified outlier | -5 | 0 | . | 0.0 | . |
| Skipped/Implied refusal | -6 | 2 | 0.0 | 37066.6 | 0.0 |
| Explicit refusal/REF | -7 | 0 | . | 0.0 | . |
| Question not asked | -8 | 6915 | 98.1 | 2.5277E8 | 98.0 |
| Don't know | -9 | 0 | . | 0.0 | . |
| | | 7046 | 100.0 | 2.5793E8 | 100.0 |

| CON_CHNGEWHYC_O | |
|------------------------|---|
| LABEL | Order of questionnaire appearance: CON_CHNGEWHYC_O |
| QUESTION TEXT | NA - Paradata |
| NOTES TEXT | This information is paradata that was collected from Rapid Surveys System survey. |
| TYPE | Numeric |

| CON_CHNGEWHYC_O: Distribution | Value | Unweighted | | Weighted | |
|--------------------------------------|--------------|-------------------|--------------|-----------------|--------------|
| | | n | % | n | % |
| Displayed 1st | 1 | 17 | 0.2 | 714864.1 | 0.3 |
| Displayed 2nd | 2 | 15 | 0.2 | 570001.4 | 0.2 |
| Displayed 3rd | 3 | 17 | 0.2 | 703648.2 | 0.3 |
| Displayed 4th | 4 | 18 | 0.3 | 617430.1 | 0.2 |
| Displayed 5th | 5 | 25 | 0.4 | 1170155 | 0.5 |
| Displayed 6th | 6 | 18 | 0.3 | 572550.3 | 0.2 |
| Displayed 7th | 7 | 21 | 0.3 | 805058.2 | 0.3 |
| Displayed 8th | 8 | 0 | . | 0.0 | . |
| Skipped on web | -6 | 0 | . | 0.0 | . |
| Refused | -7 | 0 | . | 0.0 | . |
| Legitimate Skip | -8 | 6915 | 98.1 | 2.5277E8 | 98.0 |
| Don't know | -9 | 0 | . | 0.0 | . |
| | | 7046 | 100.0 | 2.5793E8 | 100.0 |

| CON_CHNGEWHYD | |
|----------------------|---|
| LABEL | Past 12 months, why changed or stopped: Changes in access to method |
| QUESTION TEXT | There were changes in my ability to access the method I was using |
| UNIVERSE | CON_BCCHANGE = 1 |
| TYPE | Numeric |

| CON_CHNGEWHYD: Distribution | Value | Unweighted | | Weighted | |
|---|--------------|-------------------|--------------|-----------------|--------------|
| | | n | % | n | % |
| No | 0 | 106 | 1.5 | 4290898 | 1.7 |
| Yes | 1 | 23 | 0.3 | 825742.6 | 0.3 |
| Edited response due to invalid logic, out of range responses, or identified outlier | -5 | 0 | . | 0.0 | . |
| Skipped/Implied refusal | -6 | 2 | 0.0 | 37066.6 | 0.0 |
| Explicit refusal/REF | -7 | 0 | . | 0.0 | . |
| Question not asked | -8 | 6915 | 98.1 | 2.5277E8 | 98.0 |
| Don't know | -9 | 0 | . | 0.0 | . |
| | | 7046 | 100.0 | 2.5793E8 | 100.0 |

| CON_CHNGEWHYD_O | |
|------------------------|---|
| LABEL | Order of questionnaire appearance: CON_CHNGEWHYD_O |
| QUESTION TEXT | NA - Paradata |
| NOTES TEXT | This information is paradata that was collected from Rapid Surveys System survey. |
| TYPE | Numeric |

| CON_CHNGEWHYD_O: Distribution | Value | Unweighted | | Weighted | |
|--------------------------------------|--------------|-------------------|--------------|-----------------|--------------|
| | | n | % | n | % |
| Displayed 1st | 1 | 20 | 0.3 | 775123.9 | 0.3 |
| Displayed 2nd | 2 | 15 | 0.2 | 676600.6 | 0.3 |
| Displayed 3rd | 3 | 30 | 0.4 | 1246848 | 0.5 |
| Displayed 4th | 4 | 18 | 0.3 | 788663.3 | 0.3 |
| Displayed 5th | 5 | 18 | 0.3 | 569298.6 | 0.2 |
| Displayed 6th | 6 | 15 | 0.2 | 574546.3 | 0.2 |
| Displayed 7th | 7 | 15 | 0.2 | 522626.2 | 0.2 |
| Displayed 8th | 8 | 0 | . | 0.0 | . |
| Skipped on web | -6 | 0 | . | 0.0 | . |
| Refused | -7 | 0 | . | 0.0 | . |
| Legitimate Skip | -8 | 6915 | 98.1 | 2.5277E8 | 98.0 |
| Don't know | -9 | 0 | . | 0.0 | . |
| | | 7046 | 100.0 | 2.5793E8 | 100.0 |

| CON_CHNGEWHYE | |
|----------------------|--|
| LABEL | Past 12 months, why changed or stopped: Concerns about access to method |
| QUESTION TEXT | I had concerns about possible changes in my ability to access the method I was using |
| UNIVERSE | CON_BCCHANGE = 1 |
| TYPE | Numeric |

| CON_CHNGEWHYE: Distribution | Value | Unweighted | | Weighted | |
|---|--------------|-------------------|--------------|-----------------|--------------|
| | | n | % | n | % |
| No | 0 | 106 | 1.5 | 4120780 | 1.6 |
| Yes | 1 | 23 | 0.3 | 995860.6 | 0.4 |
| Edited response due to invalid logic, out of range responses, or identified outlier | -5 | 0 | . | 0.0 | . |
| Skipped/Implied refusal | -6 | 2 | 0.0 | 37066.6 | 0.0 |
| Explicit refusal/REF | -7 | 0 | . | 0.0 | . |
| Question not asked | -8 | 6915 | 98.1 | 2.5277E8 | 98.0 |
| Don't know | -9 | 0 | . | 0.0 | . |
| | | 7046 | 100.0 | 2.5793E8 | 100.0 |

| CON_CHNGEWHYE_O | |
|------------------------|---|
| LABEL | Order of questionnaire appearance: CON_CHNGEWHYE_O |
| QUESTION TEXT | NA - Paradata |
| NOTES TEXT | This information is paradata that was collected from Rapid Surveys System survey. |
| TYPE | Numeric |

| CON_CHNGEWHYE_O: Distribution | Value | Unweighted | | Weighted | |
|--------------------------------------|--------------|-------------------|--------------|-----------------|--------------|
| | | n | % | n | % |
| Displayed 1st | 1 | 25 | 0.4 | 996986.5 | 0.4 |
| Displayed 2nd | 2 | 16 | 0.2 | 586719.0 | 0.2 |
| Displayed 3rd | 3 | 18 | 0.3 | 633409.9 | 0.2 |
| Displayed 4th | 4 | 23 | 0.3 | 840041.0 | 0.3 |
| Displayed 5th | 5 | 24 | 0.3 | 658235.5 | 0.3 |
| Displayed 6th | 6 | 10 | 0.1 | 695689.4 | 0.3 |
| Displayed 7th | 7 | 15 | 0.2 | 742625.8 | 0.3 |
| Displayed 8th | 8 | 0 | . | 0.0 | . |
| Skipped on web | -6 | 0 | . | 0.0 | . |
| Refused | -7 | 0 | . | 0.0 | . |
| Legitimate Skip | -8 | 6915 | 98.1 | 2.5277E8 | 98.0 |
| Don't know | -9 | 0 | . | 0.0 | . |
| | | 7046 | 100.0 | 2.5793E8 | 100.0 |

| CON_CHNGEWHYF | |
|----------------------|--|
| LABEL | Past 12 months, why changed or stopped: Concerns about privacy |
| QUESTION TEXT | I had concerns about privacy or confidentiality |
| UNIVERSE | CON_BCCHANGE = 1 |
| TYPE | Numeric |

| CON_CHNGEWHYF: Distribution | Value | Unweighted | | Weighted | |
|---|--------------|-------------------|--------------|-----------------|--------------|
| | | n | % | n | % |
| No | 0 | 112 | 1.6 | 4577051 | 1.8 |
| Yes | 1 | 16 | 0.2 | 529716.7 | 0.2 |
| Edited response due to invalid logic, out of range responses, or identified outlier | -5 | 0 | . | 0.0 | . |
| Skipped/Implied refusal | -6 | 3 | 0.0 | 46939.6 | 0.0 |
| Explicit refusal/REF | -7 | 0 | . | 0.0 | . |
| Question not asked | -8 | 6915 | 98.1 | 2.5277E8 | 98.0 |
| Don't know | -9 | 0 | . | 0.0 | . |
| | | 7046 | 100.0 | 2.5793E8 | 100.0 |

| CON_CHNGEWHYF_O | |
|------------------------|---|
| LABEL | Order of questionnaire appearance: CON_CHNGEWHYF_O |
| QUESTION TEXT | NA - Paradata |
| NOTES TEXT | This information is paradata that was collected from Rapid Surveys System survey. |
| TYPE | Numeric |

| CON_CHNGEWHYF_O: Distribution | Value | Unweighted | | Weighted | |
|--------------------------------------|--------------|-------------------|--------------|-----------------|--------------|
| | | n | % | n | % |
| Displayed 1st | 1 | 20 | 0.3 | 784759.8 | 0.3 |
| Displayed 2nd | 2 | 20 | 0.3 | 685124.5 | 0.3 |
| Displayed 3rd | 3 | 21 | 0.3 | 970926.3 | 0.4 |
| Displayed 4th | 4 | 12 | 0.2 | 504933.4 | 0.2 |
| Displayed 5th | 5 | 20 | 0.3 | 722555.8 | 0.3 |
| Displayed 6th | 6 | 24 | 0.3 | 908079.3 | 0.4 |
| Displayed 7th | 7 | 14 | 0.2 | 577328.0 | 0.2 |
| Displayed 8th | 8 | 0 | . | 0.0 | . |
| Skipped on web | -6 | 0 | . | 0.0 | . |
| Refused | -7 | 0 | . | 0.0 | . |
| Legitimate Skip | -8 | 6915 | 98.1 | 2.5277E8 | 98.0 |
| Don't know | -9 | 0 | . | 0.0 | . |
| | | 7046 | 100.0 | 2.5793E8 | 100.0 |

| CON_CHNGEWHYG | |
|----------------------|---|
| LABEL | Past 12 months, why changed or stopped: Wanted to become pregnant |
| QUESTION TEXT | I wanted to become pregnant |
| UNIVERSE | CON_BCCHANGE = 1 |
| TYPE | Numeric |

| CON_CHNGEWHYG: Distribution | Value | Unweighted | | Weighted | |
|---|--------------|-------------------|--------------|-----------------|--------------|
| | | n | % | n | % |
| No | 0 | 89 | 1.3 | 3512252 | 1.4 |
| Yes | 1 | 39 | 0.6 | 1602258 | 0.6 |
| Edited response due to invalid logic, out of range responses, or identified outlier | -5 | 0 | . | 0.0 | . |
| Skipped/Implied refusal | -6 | 3 | 0.0 | 39197.3 | 0.0 |
| Explicit refusal/REF | -7 | 0 | . | 0.0 | . |
| Question not asked | -8 | 6915 | 98.1 | 2.5277E8 | 98.0 |
| Don't know | -9 | 0 | . | 0.0 | . |
| | | 7046 | 100.0 | 2.5793E8 | 100.0 |

| CON_CHNGEWHYG_O | |
|------------------------|---|
| LABEL | Order of questionnaire appearance: CON_CHNGEWHYG_O |
| QUESTION TEXT | NA - Paradata |
| NOTES TEXT | This information is paradata that was collected from Rapid Surveys System survey. |
| TYPE | Numeric |

| CON_CHNGEWHYG_O: Distribution | Value | Unweighted | | Weighted | |
|--------------------------------------|--------------|-------------------|--------------|-----------------|--------------|
| | | n | % | n | % |
| Displayed 1st | 1 | 23 | 0.3 | 889367.5 | 0.3 |
| Displayed 2nd | 2 | 20 | 0.3 | 731872.9 | 0.3 |
| Displayed 3rd | 3 | 9 | 0.1 | 472518.2 | 0.2 |
| Displayed 4th | 4 | 15 | 0.2 | 453094.1 | 0.2 |
| Displayed 5th | 5 | 12 | 0.2 | 419986.6 | 0.2 |
| Displayed 6th | 6 | 22 | 0.3 | 765065.5 | 0.3 |
| Displayed 7th | 7 | 30 | 0.4 | 1421802 | 0.6 |
| Displayed 8th | 8 | 0 | . | 0.0 | . |
| Skipped on web | -6 | 0 | . | 0.0 | . |
| Refused | -7 | 0 | . | 0.0 | . |
| Legitimate Skip | -8 | 6915 | 98.1 | 2.5277E8 | 98.0 |
| Don't know | -9 | 0 | . | 0.0 | . |
| | | 7046 | 100.0 | 2.5793E8 | 100.0 |

| CON_CHNGEWHYH | |
|---------------|--|
| LABEL | Past 12 months, why changed or stopped: For another reason |
| QUESTION TEXT | For another reason |
| UNIVERSE | CON_BCCHANGE = 1 |
| TYPE | Numeric |

| CON_CHNGEWHYH: Distribution | Value | Unweighted | | Weighted | |
|---|-------|------------|-------|----------|-------|
| | | n | % | n | % |
| No | 0 | 50 | 0.7 | 1977770 | 0.8 |
| Yes | 1 | 79 | 1.1 | 3086416 | 1.2 |
| Edited response due to invalid logic, out of range responses, or identified outlier | -5 | 0 | . | 0.0 | . |
| Skipped/Implied refusal | -6 | 2 | 0.0 | 89521.7 | 0.0 |
| Explicit refusal/REF | -7 | 0 | . | 0.0 | . |
| Question not asked | -8 | 6915 | 98.1 | 2.5277E8 | 98.0 |
| Don't know | -9 | 0 | . | 0.0 | . |
| | | 7046 | 100.0 | 2.5793E8 | 100.0 |

| CON_CHNGEWHYH_O | |
|------------------------|---|
| LABEL | Order of questionnaire appearance: CON_CHNGEWHYH_O |
| QUESTION TEXT | NA - Paradata |
| NOTES TEXT | This information is paradata that was collected from Rapid Surveys System survey. |
| TYPE | Numeric |

| CON_CHNGEWHYH_O: Distribution | Value | Unweighted | | Weighted | |
|--------------------------------------|--------------|-------------------|--------------|-----------------|--------------|
| | | n | % | n | % |
| Displayed 1st | 1 | 0 | . | 0.0 | . |
| Displayed 2nd | 2 | 0 | . | 0.0 | . |
| Displayed 3rd | 3 | 0 | . | 0.0 | . |
| Displayed 4th | 4 | 0 | . | 0.0 | . |
| Displayed 5th | 5 | 0 | . | 0.0 | . |
| Displayed 6th | 6 | 0 | . | 0.0 | . |
| Displayed 7th | 7 | 0 | . | 0.0 | . |
| Displayed 8th | 8 | 131 | 1.9 | 5153707 | 2.0 |
| Skipped on web | -6 | 0 | . | 0.0 | . |
| Refused | -7 | 0 | . | 0.0 | . |
| Legitimate Skip | -8 | 6915 | 98.1 | 2.5277E8 | 98.0 |
| Don't know | -9 | 0 | . | 0.0 | . |
| | | 7046 | 100.0 | 2.5793E8 | 100.0 |

| | |
|-------------------|---|
| CON_IUD12M | |
| LABEL | Past 12 months, how difficult to obtain IUD |
| QUESTION TEXT | In the past 12 months, has obtaining an IUD or implant become more difficult, less difficult, or stayed the same? |
| UNIVERSE | CON_BCIUD = 1 |
| TYPE | Numeric |

| CON_IUD12M: Distribution | Value | Unweighted | | Weighted | |
|---|-------|------------|-------|----------|-------|
| | | n | % | n | % |
| Did not try to obtain an IUD or implant in the last 12 months | 0 | 99 | 1.4 | 3375945 | 1.3 |
| More difficult | 1 | 20 | 0.3 | 844788.4 | 0.3 |
| Less difficult | 2 | 7 | 0.1 | 218959.3 | 0.1 |
| Stayed the same | 3 | 102 | 1.4 | 3823651 | 1.5 |
| Edited response due to invalid logic, out of range responses, or identified outlier | -5 | 0 | . | 0.0 | . |
| Skipped/Implied refusal | -6 | 1 | 0.0 | 37446.2 | 0.0 |
| Explicit refusal/REF | -7 | 0 | . | 0.0 | . |
| Question not asked | -8 | 6817 | 96.7 | 2.4963E8 | 96.8 |
| Don't know | -9 | 0 | . | 0.0 | . |
| | | 7046 | 100.0 | 2.5793E8 | 100.0 |

| CON_SHOTS12M | |
|---------------------|---|
| LABEL | Past 12 months, how difficult to obtain birth control shots |
| QUESTION TEXT | In the past 12 months, has obtaining birth control shots become more difficult, less difficult, or stayed the same? |
| UNIVERSE | CON_BCSHOT = 1 |
| TYPE | Numeric |

| CON_SHOTS12M: Distribution | Value | Unweighted | | Weighted | |
|---|--------------|-------------------|--------------|-----------------|--------------|
| | | n | % | n | % |
| Did not try to obtain birth control shots in the last 12 months | 0 | 4 | 0.1 | 332351.4 | 0.1 |
| More difficult | 1 | 6 | 0.1 | 238260.5 | 0.1 |
| Less difficult | 2 | 5 | 0.1 | 64749.2 | 0.0 |
| Stayed the same | 3 | 30 | 0.4 | 1200169 | 0.5 |
| Edited response due to invalid logic, out of range responses, or identified outlier | -5 | 0 | . | 0.0 | . |
| Skipped/Implied refusal | -6 | 0 | . | 0.0 | . |
| Explicit refusal/REF | -7 | 0 | . | 0.0 | . |
| Question not asked | -8 | 7001 | 99.4 | 2.5609E8 | 99.3 |
| Don't know | -9 | 0 | . | 0.0 | . |
| | | 7046 | 100.0 | 2.5793E8 | 100.0 |

| | |
|-----------------------|--|
| CON_BCPILLS12M | |
| LABEL | Past 12 months, how difficult to obtain birth control pills |
| QUESTION TEXT | In the past 12 months, has obtaining birth control pills, vaginal rings, or patches become more difficult, less difficult, or stayed the same? |
| UNIVERSE | CON_BCPILL = 1 |
| TYPE | Numeric |

| CON_BCPILLS12M: Distribution | Value | Unweighted | | Weighted | |
|---|-------|------------|-------|----------|-------|
| | | n | % | n | % |
| Did not try to obtain birth control pills in the last 12 months | 0 | 2 | 0.0 | 117192.3 | 0.0 |
| More difficult | 1 | 21 | 0.3 | 1057802 | 0.4 |
| Less difficult | 2 | 10 | 0.1 | 292465.4 | 0.1 |
| Stayed the same | 3 | 202 | 2.9 | 8972078 | 3.5 |
| Edited response due to invalid logic, out of range responses, or identified outlier | -5 | 0 | . | 0.0 | . |
| Skipped/Implied refusal | -6 | 1 | 0.0 | 31772.5 | 0.0 |
| Explicit refusal/REF | -7 | 0 | . | 0.0 | . |
| Question not asked | -8 | 6810 | 96.7 | 2.4746E8 | 95.9 |
| Don't know | -9 | 0 | . | 0.0 | . |
| | | 7046 | 100.0 | 2.5793E8 | 100.0 |

| | |
|---------------------|---|
| CON_EMERG12M | |
| LABEL | Past 12 months, how difficult to obtain emergency contraception |
| QUESTION TEXT | In the past 12 months, has obtaining emergency contraception become more difficult, less difficult, or stayed the same? |
| UNIVERSE | CON_BCEC = 1 |
| TYPE | Numeric |

| CON_EMERG12M: Distribution | Value | Unweighted | | Weighted | |
|---|-------|------------|-------|----------|-------|
| | | n | % | n | % |
| Did not try to obtain emergency contraception in the last 12 months | 0 | 2 | 0.0 | 63225.9 | 0.0 |
| More difficult | 1 | 7 | 0.1 | 196604.1 | 0.1 |
| Less difficult | 2 | 2 | 0.0 | 152183.6 | 0.1 |
| Stayed the same | 3 | 30 | 0.4 | 1411602 | 0.5 |
| Edited response due to invalid logic, out of range responses, or identified outlier | -5 | 0 | . | 0.0 | . |
| Skipped/Implied refusal | -6 | 0 | . | 0.0 | . |
| Explicit refusal/REF | -7 | 0 | . | 0.0 | . |
| Question not asked | -8 | 7005 | 99.4 | 2.561E8 | 99.3 |
| Don't know | -9 | 0 | . | 0.0 | . |
| | | 7046 | 100.0 | 2.5793E8 | 100.0 |

| | |
|-------------------|--|
| PAI_FREQ3M | |
| LABEL | Past 3 months, how often pain |
| QUESTION TEXT | In the past three months, how often did you have pain? Please answer based on your usual use of medication. |
| UNIVERSE | ALL |
| NOTES TEXT | This variable was included in the questionnaire for benchmarking purposes as gold standard sources of this measure exist elsewhere. Caution using this variable as an outcome of interest. |
| TYPE | Numeric |

| PAI_FREQ3M: Distribution | Value | Unweighted | | Weighted | |
|---|-------|-------------|--------------|-----------------|--------------|
| | | n | % | n | % |
| Never | 0 | 1469 | 20.8 | 63881641 | 24.8 |
| Some days | 1 | 3499 | 49.7 | 1.2761E8 | 49.5 |
| Most days | 2 | 1067 | 15.1 | 35978411 | 13.9 |
| Every day | 3 | 985 | 14.0 | 29353220 | 11.4 |
| Edited response due to invalid logic, out of range responses, or identified outlier | -5 | 0 | . | 0.0 | . |
| Skipped/Implied refusal | -6 | 25 | 0.4 | 1061097 | 0.4 |
| Explicit refusal/REF | -7 | 0 | . | 0.0 | . |
| Question not asked | -8 | 0 | . | 0.0 | . |
| Don't know | -9 | 1 | 0.0 | 43530.7 | 0.0 |
| | | 7046 | 100.0 | 2.5793E8 | 100.0 |

| PAI_AMNT | |
|---------------|--|
| LABEL | Last time, how much pain |
| QUESTION TEXT | Thinking about the last time you had pain, how much pain did you have? |
| UNIVERSE | PAI_FREQ3M IN (1, 2, 3) |
| NOTES TEXT | This variable was included in the questionnaire for benchmarking purposes as gold standard sources of this measure exist elsewhere. Caution using this variable as an outcome of interest. |
| TYPE | Numeric |

| PAI_AMNT: Distribution | Value | Unweighted | | Weighted | |
|---|-------|------------|-------|----------|-------|
| | | n | % | n | % |
| A little | 1 | 2615 | 37.1 | 95635829 | 37.1 |
| A lot | 2 | 1017 | 14.4 | 33493274 | 13.0 |
| Somewhere in between a little and a lot | 3 | 1902 | 27.0 | 63222818 | 24.5 |
| Edited response due to invalid logic, out of range responses, or identified outlier | -5 | 0 | . | 0.0 | . |
| Skipped/Implied refusal | -6 | 17 | 0.2 | 588754.0 | 0.2 |
| Explicit refusal/REF | -7 | 0 | . | 0.0 | . |
| Question not asked | -8 | 1495 | 21.2 | 64986269 | 25.2 |
| Don't know | -9 | 0 | . | 0.0 | . |
| | | 7046 | 100.0 | 2.5793E8 | 100.0 |

| | |
|-------------------|--|
| PAI_WKLM3M | |
| LABEL | Past 3 months, pain limit activities |
| QUESTION TEXT | Over the past three months, how often did your pain limit your life or work activities? |
| UNIVERSE | PAI_FREQ3M IN (1, 2, 3) |
| NOTES TEXT | This variable was included in the questionnaire for benchmarking purposes as gold standard sources of this measure exist elsewhere. Caution using this variable as an outcome of interest. Values of -4 are associated with a data collection system error that resulted in lost data. |
| TYPE | Numeric |

| PAI_WKLM3M: Distribution | Value | Unweighted | | Weighted | |
|---|-------|-------------|--------------|-----------------|--------------|
| | | n | % | n | % |
| Never | 0 | 2132 | 30.3 | 79944525 | 31.0 |
| Some days | 1 | 2383 | 33.8 | 81826158 | 31.7 |
| Most days | 2 | 425 | 6.0 | 13784372 | 5.3 |
| Every day | 3 | 281 | 4.0 | 9423526 | 3.7 |
| Lost or corrupted data | -4 | 318 | 4.5 | 7312079 | 2.8 |
| Edited response due to invalid logic, out of range responses, or identified outlier | -5 | 0 | . | 0.0 | . |
| Skipped/Implied refusal | -6 | 12 | 0.2 | 650015.1 | 0.3 |
| Explicit refusal/REF | -7 | 0 | . | 0.0 | . |
| Question not asked | -8 | 1495 | 21.2 | 64986269 | 25.2 |
| Don't know | -9 | 0 | . | 0.0 | . |
| | | 7046 | 100.0 | 2.5793E8 | 100.0 |

| CPN_MEDCARE | |
|--------------------|---|
| LABEL | Receiving care for chronic pain |
| QUESTION TEXT | Are you currently receiving medical care from a health care provider for your chronic pain? |
| UNIVERSE | PAI_FREQ3M IN (2,3) |
| TYPE | Numeric |

| CPN_MEDCARE: Distribution | Value | Unweighted | | Weighted | |
|---|--------------|-------------------|--------------|-----------------|--------------|
| | | n | % | n | % |
| No | 0 | 1000 | 14.2 | 32962382 | 12.8 |
| Yes | 1 | 924 | 13.1 | 29108625 | 11.3 |
| Lost or corrupted data | -4 | 120 | 1.7 | 3044214 | 1.2 |
| Edited response due to invalid logic, out of range responses, or identified outlier | -5 | 0 | . | 0.0 | . |
| Skipped/Implied refusal | -6 | 7 | 0.1 | 171890.6 | 0.1 |
| Explicit refusal/REF | -7 | 0 | . | 0.0 | . |
| Question not asked | -8 | 4994 | 70.9 | 1.926E8 | 74.7 |
| Don't know | -9 | 1 | 0.0 | 44520.2 | 0.0 |
| | | 7046 | 100.0 | 2.5793E8 | 100.0 |

| CPN_TRTDEC | |
|-------------------|--|
| LABEL | Past 12 months, provider made treatment decisions for chronic pain |
| QUESTION TEXT | During the past 12 months, did you or your health care provider have to make any decisions regarding treatment for your pain, such as getting prescriptions, referrals for care, and procedures? |
| UNIVERSE | CPN_MEDCARE = 1 |
| TYPE | Numeric |

| CPN_TRTDEC: Distribution | Value | Unweighted | | Weighted | |
|---|--------------|-------------------|--------------|-----------------|--------------|
| | | n | % | n | % |
| No | 0 | 178 | 2.5 | 5291483 | 2.1 |
| Yes | 1 | 743 | 10.5 | 23750716 | 9.2 |
| Edited response due to invalid logic, out of range responses, or identified outlier | -5 | 0 | . | 0.0 | . |
| Skipped/Implied refusal | -6 | 3 | 0.0 | 66425.4 | 0.0 |
| Explicit refusal/REF | -7 | 0 | . | 0.0 | . |
| Question not asked | -8 | 6122 | 86.9 | 2.2882E8 | 88.7 |
| Don't know | -9 | 0 | . | 0.0 | . |
| | | 7046 | 100.0 | 2.5793E8 | 100.0 |

| | |
|--------------------|--|
| CPN_RESPECT | |
| LABEL | Past 12 months, provider treated with respect |
| QUESTION TEXT | During the past 12 months, how often did your health care provider treat you with respect when seeking medical care for your pain? |
| UNIVERSE | CPN_TRTDEC = 1 |
| TYPE | Numeric |

| CPN_RESPECT: Distribution | Value | Unweighted | | Weighted | |
|---|-------|------------|-------|----------|-------|
| | | n | % | n | % |
| Never | 0 | 8 | 0.1 | 287261.9 | 0.1 |
| Sometimes | 1 | 64 | 0.9 | 2158988 | 0.8 |
| Usually | 2 | 133 | 1.9 | 4544510 | 1.8 |
| Always | 3 | 530 | 7.5 | 16474831 | 6.4 |
| Edited response due to invalid logic, out of range responses, or identified outlier | -5 | 0 | . | 0.0 | . |
| Skipped/Implied refusal | -6 | 7 | 0.1 | 270603.8 | 0.1 |
| Explicit refusal/REF | -7 | 0 | . | 0.0 | . |
| Question not asked | -8 | 6303 | 89.5 | 2.3418E8 | 90.8 |
| Don't know | -9 | 1 | 0.0 | 14522.2 | 0.0 |
| | | 7046 | 100.0 | 2.5793E8 | 100.0 |

| | |
|-------------------|---|
| CPN_LISTEN | |
| LABEL | Past 12 months, provider listened |
| QUESTION TEXT | During the past 12 months, how often did your health care provider listen carefully to you when you were seeking care for pain? |
| UNIVERSE | CPN_TRTDEC = 1 |
| TYPE | Numeric |

| CPN_LISTEN: Distribution | Value | Unweighted | | Weighted | |
|---|-------|------------|-------|----------|-------|
| | | n | % | n | % |
| Never | 0 | 8 | 0.1 | 352194.7 | 0.1 |
| Sometimes | 1 | 61 | 0.9 | 2092124 | 0.8 |
| Usually | 2 | 155 | 2.2 | 4966533 | 1.9 |
| Always | 3 | 508 | 7.2 | 15801413 | 6.1 |
| Edited response due to invalid logic, out of range responses, or identified outlier | -5 | 0 | . | 0.0 | . |
| Skipped/Implied refusal | -6 | 10 | 0.1 | 502043.8 | 0.2 |
| Explicit refusal/REF | -7 | 0 | . | 0.0 | . |
| Question not asked | -8 | 6303 | 89.5 | 2.3418E8 | 90.8 |
| Don't know | -9 | 1 | 0.0 | 36408.0 | 0.0 |
| | | 7046 | 100.0 | 2.5793E8 | 100.0 |

| CPN_OPINION | |
|--------------------|---|
| LABEL | Past 12 months, provider asked your opinion |
| QUESTION TEXT | During the past 12 months, how often did your health care provider ask for your opinions or beliefs about your medical care or treatment for your pain? |
| UNIVERSE | CPN_TRTDEC = 1 |
| TYPE | Numeric |

| CPN_OPINION: Distribution | Value | Unweighted | | Weighted | |
|---|--------------|-------------------|--------------|-----------------|--------------|
| | | n | % | n | % |
| Never | 0 | 86 | 1.2 | 2653860 | 1.0 |
| Sometimes | 1 | 129 | 1.8 | 4468033 | 1.7 |
| Usually | 2 | 190 | 2.7 | 5588409 | 2.2 |
| Always | 3 | 328 | 4.7 | 10641870 | 4.1 |
| Edited response due to invalid logic, out of range responses, or identified outlier | -5 | 0 | . | 0.0 | . |
| Skipped/Implied refusal | -6 | 9 | 0.1 | 384021.9 | 0.1 |
| Explicit refusal/REF | -7 | 0 | . | 0.0 | . |
| Question not asked | -8 | 6303 | 89.5 | 2.3418E8 | 90.8 |
| Don't know | -9 | 1 | 0.0 | 14522.2 | 0.0 |
| | | 7046 | 100.0 | 2.5793E8 | 100.0 |

| HRD_ONLPILLS | |
|---------------|---|
| LABEL | Ever ordered prescription medications online without prescription |
| QUESTION TEXT | Have you ever ordered prescription pills or prescription medications online without a prescription? |
| UNIVERSE | ALL |
| TYPE | Numeric |

| HRD_ONLPILLS: Distribution | Value | Unweighted | | Weighted | |
|---|-------|------------|-------|----------|-------|
| | | n | % | n | % |
| No | 0 | 6723 | 95.4 | 2.469E8 | 95.7 |
| Yes | 1 | 286 | 4.1 | 9509104 | 3.7 |
| Edited response due to invalid logic, out of range responses, or identified outlier | -5 | 0 | . | 0.0 | . |
| Skipped/Implied refusal | -6 | 36 | 0.5 | 1480968 | 0.6 |
| Explicit refusal/REF | -7 | 0 | . | 0.0 | . |
| Question not asked | -8 | 0 | . | 0.0 | . |
| Don't know | -9 | 1 | 0.0 | 36408.0 | 0.0 |
| | | 7046 | 100.0 | 2.5793E8 | 100.0 |

| | |
|---------------------|--|
| HRD_CONCERNA | |
| LABEL | Online prescriptions, concerned about ingredients |
| QUESTION TEXT | How concerned were you about the ingredients in prescription pills or prescription medications that you ordered online that you did not have a prescription for? |
| UNIVERSE | HRD_ONLPILLS = 1 |
| TYPE | Numeric |

| HRD_CONCERNA: Distribution | Value | Unweighted | | Weighted | |
|---|-------|------------|-------|----------|-------|
| | | n | % | n | % |
| Not at all concerned | 1 | 117 | 1.7 | 3595687 | 1.4 |
| A little concerned | 2 | 101 | 1.4 | 3721676 | 1.4 |
| Somewhat concerned | 3 | 50 | 0.7 | 1468925 | 0.6 |
| Very concerned | 4 | 17 | 0.2 | 695070.0 | 0.3 |
| Edited response due to invalid logic, out of range responses, or identified outlier | -5 | 0 | . | 0.0 | . |
| Skipped/Implied refusal | -6 | 1 | 0.0 | 27745.9 | 0.0 |
| Explicit refusal/REF | -7 | 0 | . | 0.0 | . |
| Question not asked | -8 | 6760 | 95.9 | 2.4842E8 | 96.3 |
| Don't know | -9 | 0 | . | 0.0 | . |
| | | 7046 | 100.0 | 2.5793E8 | 100.0 |

| | |
|---------------------|--|
| HRD_CONCERNB | |
| LABEL | Online prescriptions, would be concerned about ingredients |
| QUESTION TEXT | If you were to order prescription pills or prescription medications online that you did not have a prescription for, how concerned would you be about the ingredients? |
| UNIVERSE | HRD_ONLPILLS = 0 |
| TYPE | Numeric |

| HRD_CONCERNB: Distribution | Value | Unweighted | | Weighted | |
|---|-------|------------|-------|----------|-------|
| | | n | % | n | % |
| Not at all concerned | 1 | 514 | 7.3 | 23884780 | 9.3 |
| A little concerned | 2 | 861 | 12.2 | 36031498 | 14.0 |
| Somewhat concerned | 3 | 1359 | 19.3 | 50962481 | 19.8 |
| Very concerned | 4 | 3940 | 55.9 | 1.3418E8 | 52.0 |
| Edited response due to invalid logic, out of range responses, or identified outlier | -5 | 0 | . | 0.0 | . |
| Skipped/Implied refusal | -6 | 40 | 0.6 | 1719771 | 0.7 |
| Explicit refusal/REF | -7 | 4 | 0.1 | 38605.6 | 0.0 |
| Question not asked | -8 | 323 | 4.6 | 11026480 | 4.3 |
| Don't know | -9 | 5 | 0.1 | 82382.5 | 0.0 |
| | | 7046 | 100.0 | 2.5793E8 | 100.0 |

| HRD_NALOXONE | |
|---------------|--|
| LABEL | Heard of Narcan |
| QUESTION TEXT | Have you ever heard of the medication naloxone, also known as Narcan, which can be used to reverse an opioid overdose? |
| UNIVERSE | ALL |
| TYPE | Numeric |

| HRD_NALOXONE: Distribution | Value | Unweighted | | Weighted | |
|---|-------|------------|-------|----------|-------|
| | | n | % | n | % |
| No | 0 | 1744 | 24.8 | 74303476 | 28.8 |
| Yes | 1 | 5272 | 74.8 | 1.8221E8 | 70.6 |
| Edited response due to invalid logic, out of range responses, or identified outlier | -5 | 0 | . | 0.0 | . |
| Skipped/Implied refusal | -6 | 28 | 0.4 | 1393040 | 0.5 |
| Explicit refusal/REF | -7 | 0 | . | 0.0 | . |
| Question not asked | -8 | 0 | . | 0.0 | . |
| Don't know | -9 | 2 | 0.0 | 19410.2 | 0.0 |
| | | 7046 | 100.0 | 2.5793E8 | 100.0 |

| | |
|-------------------|---|
| HRD_NALOTC | |
| LABEL | Know Narcan now OTC |
| QUESTION TEXT | Do you know that naloxone, or Narcan, is now available over the counter without a prescription? |
| UNIVERSE | HRD_NALOXONE = 1 |
| TYPE | Numeric |

| HRD_NALOTC: Distribution | Value | Unweighted | | Weighted | |
|---|-------|------------|-------|----------|-------|
| | | n | % | n | % |
| No | 0 | 2456 | 34.9 | 86320443 | 33.5 |
| Yes | 1 | 2790 | 39.6 | 94916577 | 36.8 |
| Edited response due to invalid logic, out of range responses, or identified outlier | -5 | 0 | . | 0.0 | . |
| Skipped/Implied refusal | -6 | 26 | 0.4 | 973997.6 | 0.4 |
| Explicit refusal/REF | -7 | 0 | . | 0.0 | . |
| Question not asked | -8 | 1774 | 25.2 | 75715926 | 29.4 |
| Don't know | -9 | 0 | . | 0.0 | . |
| | | 7046 | 100.0 | 2.5793E8 | 100.0 |

| | |
|---------------------|--|
| HRD_GETNACOM | |
| LABEL | Know Narcan at community harm reduction organization |
| QUESTION TEXT | Community harm reduction organization? |
| UNIVERSE | HRD_NALOXONE = 1 |
| TYPE | Numeric |

| HRD_GETNACOM: Distribution | Value | Unweighted | | Weighted | |
|---|-------|------------|-------|----------|-------|
| | | n | % | n | % |
| No | 0 | 3604 | 51.1 | 1.2392E8 | 48.0 |
| Yes | 1 | 1639 | 23.3 | 57385956 | 22.2 |
| Edited response due to invalid logic, out of range responses, or identified outlier | -5 | 0 | . | 0.0 | . |
| Skipped/Implied refusal | -6 | 26 | 0.4 | 816961.2 | 0.3 |
| Explicit refusal/REF | -7 | 0 | . | 0.0 | . |
| Question not asked | -8 | 1774 | 25.2 | 75715926 | 29.4 |
| Don't know | -9 | 3 | 0.0 | 88836.1 | 0.0 |
| | | 7046 | 100.0 | 2.5793E8 | 100.0 |

| | |
|--------------------|--------------------------------|
| HRD_GETNADR | |
| LABEL | Know Narcan at doctor's office |
| QUESTION TEXT | Doctor's office? |
| UNIVERSE | HRD_NALOXONE = 1 |
| TYPE | Numeric |

| HRD_GETNADR: Distribution | Value | Unweighted | | Weighted | |
|---|-------|-------------|--------------|-----------------|--------------|
| | | n | % | n | % |
| No | 0 | 2790 | 39.6 | 96096939 | 37.3 |
| Yes | 1 | 2442 | 34.7 | 85085487 | 33.0 |
| Edited response due to invalid logic, out of range responses, or identified outlier | -5 | 0 | . | 0.0 | . |
| Skipped/Implied refusal | -6 | 29 | 0.4 | 883291.1 | 0.3 |
| Explicit refusal/REF | -7 | 0 | . | 0.0 | . |
| Question not asked | -8 | 1774 | 25.2 | 75715926 | 29.4 |
| Don't know | -9 | 11 | 0.2 | 145299.8 | 0.1 |
| | | 7046 | 100.0 | 2.5793E8 | 100.0 |

| | |
|--------------------|----------------------------------|
| HRD_GETNAHD | |
| LABEL | Know Narcan at health department |
| QUESTION TEXT | Health department? |
| UNIVERSE | HRD_NALOXONE = 1 |
| TYPE | Numeric |

| HRD_GETNAHD: Distribution | Value | Unweighted | | Weighted | |
|---|-------|------------|-------|----------|-------|
| | | n | % | n | % |
| No | 0 | 2968 | 42.1 | 1.032E8 | 40.0 |
| Yes | 1 | 2259 | 32.1 | 77753063 | 30.1 |
| Edited response due to invalid logic, out of range responses, or identified outlier | -5 | 0 | . | 0.0 | . |
| Skipped/Implied refusal | -6 | 29 | 0.4 | 860167.0 | 0.3 |
| Explicit refusal/REF | -7 | 0 | . | 0.0 | . |
| Question not asked | -8 | 1774 | 25.2 | 75715926 | 29.4 |
| Don't know | -9 | 16 | 0.2 | 397534.9 | 0.2 |
| | | 7046 | 100.0 | 2.5793E8 | 100.0 |

| | |
|--------------------|-------------------------|
| HRD_GETNARX | |
| LABEL | Know Narcan at pharmacy |
| QUESTION TEXT | Pharmacy? |
| UNIVERSE | HRD_NALOXONE = 1 |
| TYPE | Numeric |

| HRD_GETNARX: Distribution | Value | Unweighted | | Weighted | |
|---|-------|-------------|--------------|-----------------|--------------|
| | | n | % | n | % |
| No | 0 | 1858 | 26.4 | 65646052 | 25.5 |
| Yes | 1 | 3387 | 48.1 | 1.159E8 | 44.9 |
| Edited response due to invalid logic, out of range responses, or identified outlier | -5 | 0 | . | 0.0 | . |
| Skipped/Implied refusal | -6 | 19 | 0.3 | 494206.1 | 0.2 |
| Explicit refusal/REF | -7 | 0 | . | 0.0 | . |
| Question not asked | -8 | 1774 | 25.2 | 75715926 | 29.4 |
| Don't know | -9 | 8 | 0.1 | 170068.0 | 0.1 |
| | | 7046 | 100.0 | 2.5793E8 | 100.0 |

| HRD_CARRYNAL | |
|---------------|--|
| LABEL | Carries Narcan |
| QUESTION TEXT | Do you currently carry naloxone or Narcan? |
| UNIVERSE | HRD_NALOXONE = 1 |
| TYPE | Numeric |

| HRD_CARRYNAL: Distribution | Value | Unweighted | | Weighted | |
|---|-------|------------|-------|----------|-------|
| | | n | % | n | % |
| No | 0 | 4979 | 70.7 | 1.7163E8 | 66.5 |
| Yes | 1 | 279 | 4.0 | 10086043 | 3.9 |
| Edited response due to invalid logic, out of range responses, or identified outlier | -5 | 0 | . | 0.0 | . |
| Skipped/Implied refusal | -6 | 14 | 0.2 | 499639.8 | 0.2 |
| Explicit refusal/REF | -7 | 0 | . | 0.0 | . |
| Question not asked | -8 | 1774 | 25.2 | 75715926 | 29.4 |
| Don't know | -9 | 0 | . | 0.0 | . |
| | | 7046 | 100.0 | 2.5793E8 | 100.0 |

| | |
|------------------|--|
| HRD_DKWRK | |
| LABEL | Why think people don't carry Narcan: Do not think Narcan works |
| QUESTION TEXT | They do not think it works. |
| UNIVERSE | HRD_CARRYNAL = 0 |
| TYPE | Numeric |

| HRD_DKWRK: Distribution | Value | Unweighted | | Weighted | |
|---|-------|------------|-------|----------|-------|
| | | n | % | n | % |
| No | 0 | 4336 | 61.5 | 1.504E8 | 58.3 |
| Yes | 1 | 442 | 6.3 | 15219510 | 5.9 |
| Edited response due to invalid logic, out of range responses, or identified outlier | -5 | 0 | . | 0.0 | . |
| Skipped/Implied refusal | -6 | 150 | 2.1 | 4882024 | 1.9 |
| Explicit refusal/REF | -7 | 1 | 0.0 | 2534.2 | 0.0 |
| Question not asked | -8 | 2067 | 29.3 | 86301609 | 33.5 |
| Don't know | -9 | 50 | 0.7 | 1124620 | 0.4 |
| | | 7046 | 100.0 | 2.5793E8 | 100.0 |

| HRD_DKUSE | |
|---------------|--|
| LABEL | Why think people don't carry Narcan: Do not know how to use Narcan |
| QUESTION TEXT | They do not know how to use it. |
| UNIVERSE | HRD_CARRYNAL = 0 |
| TYPE | Numeric |

| HRD_DKUSE: Distribution | Value | Unweighted | | Weighted | |
|---|-------|------------|-------|----------|-------|
| | | n | % | n | % |
| No | 0 | 1934 | 27.4 | 66550590 | 25.8 |
| Yes | 1 | 2887 | 41.0 | 1.0035E8 | 38.9 |
| Edited response due to invalid logic, out of range responses, or identified outlier | -5 | 0 | . | 0.0 | . |
| Skipped/Implied refusal | -6 | 120 | 1.7 | 3868464 | 1.5 |
| Explicit refusal/REF | -7 | 0 | . | 0.0 | . |
| Question not asked | -8 | 2067 | 29.3 | 86301609 | 33.5 |
| Don't know | -9 | 38 | 0.5 | 854424.6 | 0.3 |
| | | 7046 | 100.0 | 2.5793E8 | 100.0 |

| HRD_DKWHERE | |
|---------------|--|
| LABEL | Why think people don't carry Narcan: Do not know where to get Narcan |
| QUESTION TEXT | They do not know where to get it. |
| UNIVERSE | HRD_CARRYNAL = 0 |
| TYPE | Numeric |

| HRD_DKWHERE: Distribution | Value | Unweighted | | Weighted | |
|---|-------|------------|-------|----------|-------|
| | | n | % | n | % |
| No | 0 | 1572 | 22.3 | 54676229 | 21.2 |
| Yes | 1 | 3262 | 46.3 | 1.1245E8 | 43.6 |
| Edited response due to invalid logic, out of range responses, or identified outlier | -5 | 0 | . | 0.0 | . |
| Skipped/Implied refusal | -6 | 114 | 1.6 | 3700385 | 1.4 |
| Explicit refusal/REF | -7 | 1 | 0.0 | 2534.2 | 0.0 |
| Question not asked | -8 | 2067 | 29.3 | 86301609 | 33.5 |
| Don't know | -9 | 30 | 0.4 | 801164.8 | 0.3 |
| | | 7046 | 100.0 | 2.5793E8 | 100.0 |

| HRD_NABUS | |
|---------------|--|
| LABEL | Narcan should be available at businesses |
| QUESTION TEXT | Businesses? |
| UNIVERSE | HRD_NALOXONE = 1 |
| TYPE | Numeric |

| HRD_NABUS: Distribution | Value | Unweighted | | Weighted | |
|---|-------|------------|-------|----------|-------|
| | | n | % | n | % |
| No | 0 | 2296 | 32.6 | 79777107 | 30.9 |
| Yes | 1 | 2875 | 40.8 | 99398843 | 38.5 |
| Edited response due to invalid logic, out of range responses, or identified outlier | -5 | 0 | . | 0.0 | . |
| Skipped/Implied refusal | -6 | 81 | 1.1 | 2690954 | 1.0 |
| Explicit refusal/REF | -7 | 1 | 0.0 | 8062.1 | 0.0 |
| Question not asked | -8 | 1774 | 25.2 | 75715926 | 29.4 |
| Don't know | -9 | 19 | 0.3 | 336051.7 | 0.1 |
| | | 7046 | 100.0 | 2.5793E8 | 100.0 |

| | |
|------------------|--|
| HRD_NACOL | |
| LABEL | Narcan should be available at college or university campuses |
| QUESTION TEXT | College or university campuses? |
| UNIVERSE | HRD_NALOXONE = 1 |
| TYPE | Numeric |

| HRD_NACOL: Distribution | Value | Unweighted | | Weighted | |
|---|-------|-------------|--------------|-----------------|--------------|
| | | n | % | n | % |
| No | 0 | 799 | 11.3 | 29338955 | 11.4 |
| Yes | 1 | 4400 | 62.4 | 1.5048E8 | 58.3 |
| Edited response due to invalid logic, out of range responses, or identified outlier | -5 | 0 | . | 0.0 | . |
| Skipped/Implied refusal | -6 | 65 | 0.9 | 2275581 | 0.9 |
| Explicit refusal/REF | -7 | 1 | 0.0 | 2299.0 | 0.0 |
| Question not asked | -8 | 1774 | 25.2 | 75715926 | 29.4 |
| Don't know | -9 | 7 | 0.1 | 116373.0 | 0.0 |
| | | 7046 | 100.0 | 2.5793E8 | 100.0 |

| | |
|--------------------|---|
| HRD_NAELMMD | |
| LABEL | Narcan should be available at elementary and middle schools |
| QUESTION TEXT | Elementary and Middle Schools? |
| UNIVERSE | HRD_NALOXONE = 1 |
| TYPE | Numeric |

| HRD_NAELMMD: Distribution | Value | Unweighted | | Weighted | |
|---|-------|-------------|--------------|-----------------|--------------|
| | | n | % | n | % |
| No | 0 | 2192 | 31.1 | 77970177 | 30.2 |
| Yes | 1 | 2980 | 42.3 | 1.0116E8 | 39.2 |
| Edited response due to invalid logic, out of range responses, or identified outlier | -5 | 0 | . | 0.0 | . |
| Skipped/Implied refusal | -6 | 91 | 1.3 | 2935959 | 1.1 |
| Explicit refusal/REF | -7 | 2 | 0.0 | 10361.1 | 0.0 |
| Question not asked | -8 | 1774 | 25.2 | 75715926 | 29.4 |
| Don't know | -9 | 7 | 0.1 | 131351.2 | 0.1 |
| | | 7046 | 100.0 | 2.5793E8 | 100.0 |

| HRD_NAHS | |
|---------------|--|
| LABEL | Narcan should be available at high schools |
| QUESTION TEXT | High Schools? |
| UNIVERSE | HRD_NALOXONE = 1 |
| TYPE | Numeric |

| HRD_NAHS: Distribution | Value | Unweighted | | Weighted | |
|---|-------|------------|-------|----------|-------|
| | | n | % | n | % |
| No | 0 | 1079 | 15.3 | 39297998 | 15.2 |
| Yes | 1 | 4104 | 58.2 | 1.4017E8 | 54.3 |
| Edited response due to invalid logic, out of range responses, or identified outlier | -5 | 0 | . | 0.0 | . |
| Skipped/Implied refusal | -6 | 82 | 1.2 | 2625438 | 1.0 |
| Explicit refusal/REF | -7 | 2 | 0.0 | 10361.1 | 0.0 |
| Question not asked | -8 | 1774 | 25.2 | 75715926 | 29.4 |
| Don't know | -9 | 5 | 0.1 | 105653.4 | 0.0 |
| | | 7046 | 100.0 | 2.5793E8 | 100.0 |

| | |
|--------------------|---|
| HRD_NAWRSHP | |
| LABEL | Narcan should be available at places of worship |
| QUESTION TEXT | Places of worship? |
| UNIVERSE | HRD_NALOXONE = 1 |
| TYPE | Numeric |

| HRD_NAWRSHP: Distribution | Value | Unweighted | | Weighted | |
|---|-------|------------|-------|----------|-------|
| | | n | % | n | % |
| No | 0 | 2324 | 33.0 | 82130930 | 31.8 |
| Yes | 1 | 2844 | 40.4 | 96482798 | 37.4 |
| Edited response due to invalid logic, out of range responses, or identified outlier | -5 | 0 | . | 0.0 | . |
| Skipped/Implied refusal | -6 | 92 | 1.3 | 3285071 | 1.3 |
| Explicit refusal/REF | -7 | 1 | 0.0 | 2299.0 | 0.0 |
| Question not asked | -8 | 1774 | 25.2 | 75715926 | 29.4 |
| Don't know | -9 | 11 | 0.2 | 309919.7 | 0.1 |
| | | 7046 | 100.0 | 2.5793E8 | 100.0 |

| HRD_NALIB | |
|---------------|--|
| LABEL | Narcan should be available at public libraries |
| QUESTION TEXT | Public libraries? |
| UNIVERSE | HRD_NALOXONE = 1 |
| TYPE | Numeric |

| HRD_NALIB: Distribution | Value | Unweighted | | Weighted | |
|---|-------|------------|-------|----------|-------|
| | | n | % | n | % |
| No | 0 | 2091 | 29.7 | 73082917 | 28.3 |
| Yes | 1 | 3080 | 43.7 | 1.0581E8 | 41.0 |
| Edited response due to invalid logic, out of range responses, or identified outlier | -5 | 0 | . | 0.0 | . |
| Skipped/Implied refusal | -6 | 87 | 1.2 | 3088707 | 1.2 |
| Explicit refusal/REF | -7 | 2 | 0.0 | 10361.1 | 0.0 |
| Question not asked | -8 | 1774 | 25.2 | 75715926 | 29.4 |
| Don't know | -9 | 12 | 0.2 | 222711.9 | 0.1 |
| | | 7046 | 100.0 | 2.5793E8 | 100.0 |

| HRD_RELDLDRUG | |
|---------------|---|
| LABEL | Agree/disagree: would be comfortable in committed relationship with prescription misuse or illegal drug use |
| QUESTION TEXT | How much do you agree or disagree with the following statement? I would be comfortable being in a committed relationship with someone who misuses prescription opioids or uses illegal drugs, such as cocaine or heroin. |
| UNIVERSE | ALL |
| TYPE | Numeric |

| HRD_RELDLDRUG: Distribution | Value | Unweighted | | Weighted | |
|---|-------|------------|-------|----------|-------|
| | | n | % | n | % |
| Strongly agree | 1 | 152 | 2.2 | 5386878 | 2.1 |
| Somewhat agree | 2 | 300 | 4.3 | 11692662 | 4.5 |
| Somewhat disagree | 3 | 675 | 9.6 | 25024709 | 9.7 |
| Strongly disagree | 4 | 5860 | 83.2 | 2.1332E8 | 82.7 |
| Edited response due to invalid logic, out of range responses, or identified outlier | -5 | 0 | . | 0.0 | . |
| Skipped/Implied refusal | -6 | 54 | 0.8 | 2447315 | 0.9 |
| Explicit refusal/REF | -7 | 2 | 0.0 | 16000.0 | 0.0 |
| Question not asked | -8 | 0 | . | 0.0 | . |
| Don't know | -9 | 3 | 0.0 | 43140.2 | 0.0 |
| | | 7046 | 100.0 | 2.5793E8 | 100.0 |

| | |
|------------------|--|
| HRD_BLAME | |
| LABEL | Agree/disagree: person who misuses prescriptions or uses illegal drugs to blame |
| QUESTION TEXT | How much do you agree or disagree with the following statement? I think that a person who misuses prescription opioids or uses illegal drugs, such as cocaine or heroin, is to blame for his or her drug use. |
| UNIVERSE | ALL |
| TYPE | Numeric |

| HRD_BLAME: Distribution | Value | Unweighted | | Weighted | |
|---|-------|------------|-------|----------|-------|
| | | n | % | n | % |
| Strongly agree | 1 | 1848 | 26.2 | 69645823 | 27.0 |
| Somewhat agree | 2 | 2815 | 40.0 | 1.0247E8 | 39.7 |
| Somewhat disagree | 3 | 1562 | 22.2 | 54390776 | 21.1 |
| Strongly disagree | 4 | 702 | 10.0 | 26620196 | 10.3 |
| Edited response due to invalid logic, out of range responses, or identified outlier | -5 | 0 | . | 0.0 | . |
| Skipped/Implied refusal | -6 | 106 | 1.5 | 4609736 | 1.8 |
| Explicit refusal/REF | -7 | 1 | 0.0 | 2299.0 | 0.0 |
| Question not asked | -8 | 0 | . | 0.0 | . |
| Don't know | -9 | 12 | 0.2 | 187929.0 | 0.1 |
| | | 7046 | 100.0 | 2.5793E8 | 100.0 |

| HRD_JOBDRUG | |
|---------------|--|
| LABEL | Agree/disagree: would work closely with person who misuses prescriptions or uses illegal drugs |
| QUESTION TEXT | How much do you agree or disagree with the following statement? I would work closely on a job with someone who misuses prescription opioids or uses illegal drugs, such as cocaine or heroin. |
| UNIVERSE | ALL |
| TYPE | Numeric |

| HRD_JOBDRUG: Distribution | Value | Unweighted | | Weighted | |
|---|-------|------------|-------|----------|-------|
| | | n | % | n | % |
| Strongly agree | 1 | 189 | 2.7 | 6444191 | 2.5 |
| Somewhat agree | 2 | 849 | 12.0 | 30969417 | 12.0 |
| Somewhat disagree | 3 | 2001 | 28.4 | 71807449 | 27.8 |
| Strongly disagree | 4 | 3848 | 54.6 | 1.4222E8 | 55.1 |
| Edited response due to invalid logic, out of range responses, or identified outlier | -5 | 0 | . | 0.0 | . |
| Skipped/Implied refusal | -6 | 151 | 2.1 | 6327656 | 2.5 |
| Explicit refusal/REF | -7 | 2 | 0.0 | 25595.9 | 0.0 |
| Question not asked | -8 | 0 | . | 0.0 | . |
| Don't know | -9 | 6 | 0.1 | 132912.7 | 0.1 |
| | | 7046 | 100.0 | 2.5793E8 | 100.0 |

| | |
|---------------------|--|
| IMM_SHTPNUEV | |
| LABEL | Ever had pneumonia shot |
| QUESTION TEXT | A pneumonia shot is also known as a pneumococcal vaccine. Have you ever had a pneumonia shot? |
| UNIVERSE | ALL |
| NOTES TEXT | This variable was included in the questionnaire for benchmarking purposes as gold standard sources of this measure exist elsewhere. Caution using this variable as an outcome of interest. |
| TYPE | Numeric |

| IMM_SHTPNUEV: Distribution | Value | Unweighted | | Weighted | |
|---|-------|------------|-------|----------|-------|
| | | n | % | n | % |
| No | 0 | 4026 | 57.1 | 1.5968E8 | 61.9 |
| Yes | 1 | 2953 | 41.9 | 95421330 | 37.0 |
| Edited response due to invalid logic, out of range responses, or identified outlier | -5 | 0 | . | 0.0 | . |
| Skipped/Implied refusal | -6 | 64 | 0.9 | 2746230 | 1.1 |
| Explicit refusal/REF | -7 | 0 | . | 0.0 | . |
| Question not asked | -8 | 0 | . | 0.0 | . |
| Don't know | -9 | 3 | 0.0 | 78545.1 | 0.0 |
| | | 7046 | 100.0 | 2.5793E8 | 100.0 |

| | |
|---------------------|--|
| IMM_SHTFLU12 | |
| LABEL | Past 12 months, had flu vaccine |
| QUESTION TEXT | There are two types of flu vaccinations. One is a shot, and the other is a spray, mist, or drop in the nose. During the past 12 months, have you had a flu vaccination? |
| UNIVERSE | ALL |
| NOTES TEXT | This variable was included in the questionnaire for benchmarking purposes as gold standard sources of this measure exist elsewhere. Caution using this variable as an outcome of interest. |
| TYPE | Numeric |

| IMM_SHTFLU12: Distribution | Value | Unweighted | | Weighted | |
|---|-------|------------|-------|----------|-------|
| | | n | % | n | % |
| No | 0 | 3271 | 46.4 | 1.3078E8 | 50.7 |
| Yes | 1 | 3720 | 52.8 | 1.2498E8 | 48.5 |
| Edited response due to invalid logic, out of range responses, or identified outlier | -5 | 0 | . | 0.0 | . |
| Skipped/Implied refusal | -6 | 54 | 0.8 | 2155490 | 0.8 |
| Explicit refusal/REF | -7 | 0 | . | 0.0 | . |
| Question not asked | -8 | 0 | . | 0.0 | . |
| Don't know | -9 | 1 | 0.0 | 14522.2 | 0.0 |
| | | 7046 | 100.0 | 2.5793E8 | 100.0 |

| | |
|------------------|--|
| MTL_MHRXA | |
| LABEL | Past 12 months, took prescription medication for mental health |
| QUESTION TEXT | During the past 12 months, did you take any prescription medication to help with your emotions, concentration, behavior, or mental health? |
| UNIVERSE | ALL |
| NOTES TEXT | This variable was included in the questionnaire for benchmarking purposes as gold standard sources of this measure exist elsewhere. Caution using this variable as an outcome of interest. |
| TYPE | Numeric |

| MTL_MHRXA: Distribution | Value | Unweighted | | Weighted | |
|---|-------|------------|-------|----------|-------|
| | | n | % | n | % |
| No | 0 | 5490 | 77.9 | 2.0736E8 | 80.4 |
| Yes | 1 | 1477 | 21.0 | 47480531 | 18.4 |
| Edited response due to invalid logic, out of range responses, or identified outlier | -5 | 0 | . | 0.0 | . |
| Skipped/Implied refusal | -6 | 78 | 1.1 | 3086629 | 1.2 |
| Explicit refusal/REF | -7 | 0 | . | 0.0 | . |
| Question not asked | -8 | 0 | . | 0.0 | . |
| Don't know | -9 | 1 | 0.0 | 2534.2 | 0.0 |
| | | 7046 | 100.0 | 2.5793E8 | 100.0 |

| | |
|-------------------|--|
| MTL_MHTRPY | |
| LABEL | Past 12 months, received counseling/therapy from mental health professional |
| QUESTION TEXT | During the past 12 months, did you receive counseling or therapy from a mental health professional, such as a psychiatrist, psychologist, psychiatric nurse, or clinical social worker? |
| UNIVERSE | ALL |
| NOTES TEXT | This variable was included in the questionnaire for benchmarking purposes as gold standard sources of this measure exist elsewhere. Caution using this variable as an outcome of interest. |
| TYPE | Numeric |

| MTL_MHTRPY: Distribution | Value | Unweighted | | Weighted | |
|---|-------|-------------|--------------|-----------------|--------------|
| | | n | % | n | % |
| No | 0 | 5941 | 84.3 | 2.204E8 | 85.5 |
| Yes | 1 | 1037 | 14.7 | 35076438 | 13.6 |
| Edited response due to invalid logic, out of range responses, or identified outlier | -5 | 0 | . | 0.0 | . |
| Skipped/Implied refusal | -6 | 68 | 1.0 | 2449533 | 0.9 |
| Explicit refusal/REF | -7 | 0 | . | 0.0 | . |
| Question not asked | -8 | 0 | . | 0.0 | . |
| Don't know | -9 | 0 | . | 0.0 | . |
| | | 7046 | 100.0 | 2.5793E8 | 100.0 |

| MTL_MHTPYNOW | |
|---------------------|--|
| LABEL | Currently receiving counseling/therapy from mental health professional |
| QUESTION TEXT | Are you currently receiving counseling or therapy from a mental health professional? |
| UNIVERSE | MTL_MHTRPY = 1 |
| NOTES TEXT | This variable was included in the questionnaire for benchmarking purposes as gold standard sources of this measure exist elsewhere. Caution using this variable as an outcome of interest. |
| TYPE | Numeric |

| MTL_MHTPYNOW: Distribution | Value | Unweighted | | Weighted | |
|---|--------------|-------------------|--------------|-----------------|--------------|
| | | n | % | n | % |
| No | 0 | 372 | 5.3 | 12787354 | 5.0 |
| Yes | 1 | 661 | 9.4 | 22151305 | 8.6 |
| Edited response due to invalid logic, out of range responses, or identified outlier | -5 | 0 | . | 0.0 | . |
| Skipped/Implied refusal | -6 | 4 | 0.1 | 137778.6 | 0.1 |
| Explicit refusal/REF | -7 | 0 | . | 0.0 | . |
| Question not asked | -8 | 6009 | 85.3 | 2.2285E8 | 86.4 |
| Don't know | -9 | 0 | . | 0.0 | . |
| | | 7046 | 100.0 | 2.5793E8 | 100.0 |

| | |
|--------------------|--|
| HCA_MHTHDLY | |
| LABEL | Past 12 months, delayed getting counseling/therapy due to cost |
| QUESTION TEXT | During the past 12 months, have you delayed getting counseling or therapy from a mental health professional because of the cost? |
| UNIVERSE | ALL |
| NOTES TEXT | This variable was included in the questionnaire for benchmarking purposes as gold standard sources of this measure exist elsewhere. Caution using this variable as an outcome of interest. |
| TYPE | Numeric |

| HCA_MHTHDLY: Distribution | Value | Unweighted | | Weighted | |
|---|-------|------------|-------|----------|-------|
| | | n | % | n | % |
| No | 0 | 6261 | 88.9 | 2.3245E8 | 90.1 |
| Yes | 1 | 717 | 10.2 | 23061727 | 8.9 |
| Edited response due to invalid logic, out of range responses, or identified outlier | -5 | 0 | . | 0.0 | . |
| Skipped/Implied refusal | -6 | 68 | 1.0 | 2414871 | 0.9 |
| Explicit refusal/REF | -7 | 0 | . | 0.0 | . |
| Question not asked | -8 | 0 | . | 0.0 | . |
| Don't know | -9 | 0 | . | 0.0 | . |
| | | 7046 | 100.0 | 2.5793E8 | 100.0 |

| | |
|------------------|--|
| HCA_MHTND | |
| LABEL | Past 12 months, did not get counseling/therapy due to cost |
| QUESTION TEXT | During the past 12 months, was there any time when you needed counseling or therapy from a mental health professional but did not get it because of the cost? |
| UNIVERSE | ALL |
| NOTES TEXT | This variable was included in the questionnaire for benchmarking purposes as gold standard sources of this measure exist elsewhere. Caution using this variable as an outcome of interest. |
| TYPE | Numeric |

| HCA_MHTND: Distribution | Value | Unweighted | | Weighted | |
|---|-------|------------|-------|----------|-------|
| | | n | % | n | % |
| No | 0 | 6229 | 88.4 | 2.3058E8 | 89.4 |
| Yes | 1 | 737 | 10.5 | 24144267 | 9.4 |
| Edited response due to invalid logic, out of range responses, or identified outlier | -5 | 0 | . | 0.0 | . |
| Skipped/Implied refusal | -6 | 80 | 1.1 | 3198136 | 1.2 |
| Explicit refusal/REF | -7 | 0 | . | 0.0 | . |
| Question not asked | -8 | 0 | . | 0.0 | . |
| Don't know | -9 | 0 | . | 0.0 | . |
| | | 7046 | 100.0 | 2.5793E8 | 100.0 |

| | |
|------------------|--|
| MTH_PHQ41 | |
| LABEL | Past 2 weeks, little interest or pleasure |
| QUESTION TEXT | Over the last two weeks, how often have you been bothered by... little interest or pleasure in doing things? |
| UNIVERSE | ALL |
| NOTES TEXT | This variable was included in the questionnaire for benchmarking purposes as gold standard sources of this measure exist elsewhere. Caution using this variable as an outcome of interest. |
| TYPE | Numeric |

| MTH_PHQ41: Distribution | Value | Unweighted | | Weighted | |
|---|-------|-------------|--------------|-----------------|--------------|
| | | n | % | n | % |
| Not at all | 0 | 4499 | 63.9 | 1.6871E8 | 65.4 |
| Several days | 1 | 1776 | 25.2 | 62747614 | 24.3 |
| More than half the days | 2 | 441 | 6.3 | 15181087 | 5.9 |
| Nearly every day | 3 | 285 | 4.0 | 9828466 | 3.8 |
| Edited response due to invalid logic, out of range responses, or identified outlier | -5 | 0 | . | 0.0 | . |
| Skipped/Implied refusal | -6 | 44 | 0.6 | 1454564 | 0.6 |
| Explicit refusal/REF | -7 | 0 | . | 0.0 | . |
| Question not asked | -8 | 0 | . | 0.0 | . |
| Don't know | -9 | 1 | 0.0 | 3172.2 | 0.0 |
| | | 7046 | 100.0 | 2.5793E8 | 100.0 |

| | |
|------------------|--|
| MTH_PHQ42 | |
| LABEL | Past 2 weeks, down, depressed, or hopeless |
| QUESTION TEXT | Over the last two weeks, how often have you been bothered by... feeling down, depressed, or hopeless? |
| UNIVERSE | ALL |
| NOTES TEXT | This variable was included in the questionnaire for benchmarking purposes as gold standard sources of this measure exist elsewhere. Caution using this variable as an outcome of interest. |
| TYPE | Numeric |

| MTH_PHQ42: Distribution | Value | Unweighted | | Weighted | |
|---|-------|-------------|--------------|-----------------|--------------|
| | | n | % | n | % |
| Not at all | 0 | 4571 | 64.9 | 1.7169E8 | 66.6 |
| Several days | 1 | 1780 | 25.3 | 62492649 | 24.2 |
| More than half the days | 2 | 371 | 5.3 | 12872493 | 5.0 |
| Nearly every day | 3 | 269 | 3.8 | 8988834 | 3.5 |
| Edited response due to invalid logic, out of range responses, or identified outlier | -5 | 0 | . | 0.0 | . |
| Skipped/Implied refusal | -6 | 53 | 0.8 | 1880974 | 0.7 |
| Explicit refusal/REF | -7 | 0 | . | 0.0 | . |
| Question not asked | -8 | 0 | . | 0.0 | . |
| Don't know | -9 | 2 | 0.0 | 4246.6 | 0.0 |
| | | 7046 | 100.0 | 2.5793E8 | 100.0 |

| | |
|------------------|--|
| MTH_PHQ43 | |
| LABEL | Past 2 weeks, nervous, anxious, or on edge |
| QUESTION TEXT | Over the last two weeks, how often have you been bothered by... feeling nervous, anxious, or on edge? |
| UNIVERSE | ALL |
| NOTES TEXT | This variable was included in the questionnaire for benchmarking purposes as gold standard sources of this measure exist elsewhere. Caution using this variable as an outcome of interest. |
| TYPE | Numeric |

| MTH_PHQ43: Distribution | Value | Unweighted | | Weighted | |
|---|-------|-------------|--------------|-----------------|--------------|
| | | n | % | n | % |
| Not at all | 0 | 3908 | 55.5 | 1.4651E8 | 56.8 |
| Several days | 1 | 2209 | 31.4 | 80259188 | 31.1 |
| More than half the days | 2 | 497 | 7.1 | 16045222 | 6.2 |
| Nearly every day | 3 | 386 | 5.5 | 13525498 | 5.2 |
| Edited response due to invalid logic, out of range responses, or identified outlier | -5 | 0 | . | 0.0 | . |
| Skipped/Implied refusal | -6 | 45 | 0.6 | 1572481 | 0.6 |
| Explicit refusal/REF | -7 | 0 | . | 0.0 | . |
| Question not asked | -8 | 0 | . | 0.0 | . |
| Don't know | -9 | 1 | 0.0 | 11972.5 | 0.0 |
| | | 7046 | 100.0 | 2.5793E8 | 100.0 |

| | |
|------------------|--|
| MTH_PHQ44 | |
| LABEL | Past 2 weeks, unable to stop/control worrying |
| QUESTION TEXT | Over the last two weeks, how often have you been bothered by... not being able to stop or control worrying? |
| UNIVERSE | ALL |
| NOTES TEXT | This variable was included in the questionnaire for benchmarking purposes as gold standard sources of this measure exist elsewhere. Caution using this variable as an outcome of interest. |
| TYPE | Numeric |

| MTH_PHQ44: Distribution | Value | Unweighted | | Weighted | |
|---|-------|-------------|--------------|-----------------|--------------|
| | | n | % | n | % |
| Not at all | 0 | 4525 | 64.2 | 1.6933E8 | 65.7 |
| Several days | 1 | 1673 | 23.7 | 59958250 | 23.2 |
| More than half the days | 2 | 406 | 5.8 | 14027291 | 5.4 |
| Nearly every day | 3 | 392 | 5.6 | 12899441 | 5.0 |
| Edited response due to invalid logic, out of range responses, or identified outlier | -5 | 0 | . | 0.0 | . |
| Skipped/Implied refusal | -6 | 49 | 0.7 | 1694188 | 0.7 |
| Explicit refusal/REF | -7 | 0 | . | 0.0 | . |
| Question not asked | -8 | 0 | . | 0.0 | . |
| Don't know | -9 | 1 | 0.0 | 14727.0 | 0.0 |
| | | 7046 | 100.0 | 2.5793E8 | 100.0 |

| GAD2SCREEN | |
|-------------------|---|
| LABEL | GAD-2 screener result |
| QUESTION TEXT | NA - Recode |
| NOTES TEXT | This variable is a recode of MTH_PHQ43 and MTH_PHQ44, which are derived from responses to the first two questions of the seven-item Generalized Anxiety Disorder (GAD-2) scale. |
| TYPE | Numeric |

| | | Unweighted | | Weighted | |
|---------------------------------|--------------|-------------------|--------------|-----------------|--------------|
| GAD2SCREEN: Distribution | Value | n | % | n | % |
| Positive | 1 | 1014 | 14.4 | 34227893 | 13.3 |
| Negative | 2 | 5972 | 84.8 | 2.2176E8 | 86.0 |
| Question not asked | -8 | 60 | 0.9 | 1939447 | 0.8 |
| | | 7046 | 100.0 | 2.5793E8 | 100.0 |

| PHQ2SCREEN | |
|---------------|---|
| LABEL | PHQ-2 screener result |
| QUESTION TEXT | NA - Recode |
| NOTES TEXT | This variable is a recode of MTH_PHQ41 and MTH_PHQ42, which are derived from responses to the first two questions of the eight-item Patient Health Questionnaire (PHQ-2) scale. |
| TYPE | Numeric |

| | | Unweighted | | Weighted | |
|--------------------------|-------|------------|-------|----------|-------|
| PHQ2SCREEN: Distribution | Value | n | % | n | % |
| Positive | 1 | 816 | 11.6 | 28361381 | 11.0 |
| Negative | 2 | 6162 | 87.5 | 2.2738E8 | 88.2 |
| Question not asked | -8 | 68 | 1.0 | 2184848 | 0.8 |
| | | 7046 | 100.0 | 2.5793E8 | 100.0 |

| CIG_SMKEV | |
|------------------|--|
| LABEL | Ever smoked 100 cigarettes in entire life |
| QUESTION TEXT | Have you smoked at least 100 cigarettes in your entire life? |
| UNIVERSE | ALL |
| NOTES TEXT | This variable was included in the questionnaire for benchmarking purposes as gold standard sources of this measure exist elsewhere. Caution using this variable as an outcome of interest. |
| TYPE | Numeric |

| CIG_SMKEV: Distribution | Value | Unweighted | | Weighted | |
|---|--------------|-------------------|--------------|-----------------|--------------|
| | | n | % | n | % |
| No | 0 | 4376 | 62.1 | 1.6912E8 | 65.6 |
| Yes | 1 | 2639 | 37.5 | 87772974 | 34.0 |
| Edited response due to invalid logic, out of range responses, or identified outlier | -5 | 0 | . | 0.0 | . |
| Skipped/Implied refusal | -6 | 31 | 0.4 | 1033622 | 0.4 |
| Explicit refusal/REF | -7 | 0 | . | 0.0 | . |
| Question not asked | -8 | 0 | . | 0.0 | . |
| Don't know | -9 | 0 | . | 0.0 | . |
| | | 7046 | 100.0 | 2.5793E8 | 100.0 |

| CIG_SMKNOW | |
|-------------------|--|
| LABEL | How often now smoke cigarettes |
| QUESTION TEXT | Do you now smoke cigarettes every day, some days, or not at all? |
| UNIVERSE | CIG_SMKEV = 1 |
| NOTES TEXT | This variable was included in the questionnaire for benchmarking purposes as gold standard sources of this measure exist elsewhere. Caution using this variable as an outcome of interest. |
| TYPE | Numeric |

| CIG_SMKNOW: Distribution | Value | Unweighted | | Weighted | |
|---|--------------|-------------------|--------------|-----------------|--------------|
| | | n | % | n | % |
| Every day | 1 | 520 | 7.4 | 18414642 | 7.1 |
| Some days | 2 | 213 | 3.0 | 8007873 | 3.1 |
| Not at all | 3 | 1899 | 27.0 | 61090472 | 23.7 |
| Edited response due to invalid logic, out of range responses, or identified outlier | -5 | 0 | . | 0.0 | . |
| Skipped/Implied refusal | -6 | 7 | 0.1 | 259987.0 | 0.1 |
| Explicit refusal/REF | -7 | 0 | . | 0.0 | . |
| Question not asked | -8 | 4407 | 62.5 | 1.7015E8 | 66.0 |
| Don't know | -9 | 0 | . | 0.0 | . |
| | | 7046 | 100.0 | 2.5793E8 | 100.0 |

| SWM_SKILLVL | |
|---------------|---|
| LABEL | Swimming skill level |
| QUESTION TEXT | How would you rate your swimming skill level? |
| UNIVERSE | ALL |
| TYPE | Numeric |

| SWM_SKILLVL: Distribution | Value | Unweighted | | Weighted | |
|---|-------|------------|-------|----------|-------|
| | | n | % | n | % |
| I do not know how to swim | 1 | 939 | 13.3 | 39526809 | 15.3 |
| I am comfortable in water where I can stand up | 2 | 1167 | 16.6 | 43547289 | 16.9 |
| I can swim in water over my head | 3 | 2263 | 32.1 | 81655862 | 31.7 |
| I can swim multiple strokes efficiently | 4 | 2641 | 37.5 | 91991337 | 35.7 |
| Edited response due to invalid logic, out of range responses, or identified outlier | -5 | 0 | . | 0.0 | . |
| Skipped/Implied refusal | -6 | 32 | 0.5 | 1128895 | 0.4 |
| Explicit refusal/REF | -7 | 0 | . | 0.0 | . |
| Question not asked | -8 | 0 | . | 0.0 | . |
| Don't know | -9 | 4 | 0.1 | 76752.3 | 0.0 |
| | | 7046 | 100.0 | 2.5793E8 | 100.0 |

| SWM_PRVLESS | |
|--------------------|--|
| LABEL | Ever taken private swim lessons from professional instructor |
| QUESTION TEXT | Have you taken private swim lessons from a professional or certified instructor? |
| UNIVERSE | ALL |
| TYPE | Numeric |

| SWM_PRVLESS: Distribution | Value | Unweighted | | Weighted | |
|---|--------------|-------------------|--------------|-----------------|--------------|
| | | n | % | n | % |
| No | 0 | 5938 | 84.3 | 2.2004E8 | 85.3 |
| Yes | 1 | 1069 | 15.2 | 36320146 | 14.1 |
| Edited response due to invalid logic, out of range responses, or identified outlier | -5 | 0 | . | 0.0 | . |
| Skipped/Implied refusal | -6 | 39 | 0.6 | 1566172 | 0.6 |
| Explicit refusal/REF | -7 | 0 | . | 0.0 | . |
| Question not asked | -8 | 0 | . | 0.0 | . |
| Don't know | -9 | 0 | . | 0.0 | . |
| | | 7046 | 100.0 | 2.5793E8 | 100.0 |

| SWM_GRPLESS | |
|--------------------|--|
| LABEL | Ever taken group swim lessons from professional instructor |
| QUESTION TEXT | Have you taken group swim lessons from a professional or certified instructor? |
| UNIVERSE | ALL |
| TYPE | Numeric |

| SWM_GRPLESS: Distribution | Value | Unweighted | | Weighted | |
|---|--------------|-------------------|--------------|-----------------|--------------|
| | | n | % | n | % |
| No | 0 | 4440 | 63.0 | 1.6978E8 | 65.8 |
| Yes | 1 | 2570 | 36.5 | 87007717 | 33.7 |
| Edited response due to invalid logic, out of range responses, or identified outlier | -5 | 0 | . | 0.0 | . |
| Skipped/Implied refusal | -6 | 35 | 0.5 | 1134622 | 0.4 |
| Explicit refusal/REF | -7 | 0 | . | 0.0 | . |
| Question not asked | -8 | 0 | . | 0.0 | . |
| Don't know | -9 | 1 | 0.0 | 5261.4 | 0.0 |
| | | 7046 | 100.0 | 2.5793E8 | 100.0 |

| | |
|------------------|--|
| SWM_FRREL | |
| LABEL | Learned to swim friend or relative |
| QUESTION TEXT | Did you learn to swim from a friend or relative? |
| UNIVERSE | SWM_SKILLVL IN (2, 3, 4, -6, -7, -9) |
| TYPE | Numeric |

| SWM_FRREL: Distribution | Value | Unweighted | | Weighted | |
|---|-------|-------------|--------------|-----------------|--------------|
| | | n | % | n | % |
| No | 0 | 3318 | 47.1 | 1.1761E8 | 45.6 |
| Yes | 1 | 2748 | 39.0 | 99404297 | 38.5 |
| Edited response due to invalid logic, out of range responses, or identified outlier | -5 | 0 | . | 0.0 | . |
| Skipped/Implied refusal | -6 | 39 | 0.6 | 1291666 | 0.5 |
| Explicit refusal/REF | -7 | 0 | . | 0.0 | . |
| Question not asked | -8 | 939 | 13.3 | 39526809 | 15.3 |
| Don't know | -9 | 2 | 0.0 | 93690.7 | 0.0 |
| | | 7046 | 100.0 | 2.5793E8 | 100.0 |

| SWM_TCHSELF | |
|--------------------|--------------------------------------|
| LABEL | Taught self to swim |
| QUESTION TEXT | Did you teach yourself to swim? |
| UNIVERSE | SWM_SKILLVL IN (2, 3, 4, -6, -7, -9) |
| TYPE | Numeric |

| SWM_TCHSELF: Distribution | Value | Unweighted | | Weighted | |
|---|--------------|-------------------|--------------|-----------------|--------------|
| | | n | % | n | % |
| No | 0 | 3589 | 50.9 | 1.2659E8 | 49.1 |
| Yes | 1 | 2476 | 35.1 | 90430550 | 35.1 |
| Edited response due to invalid logic, out of range responses, or identified outlier | -5 | 0 | . | 0.0 | . |
| Skipped/Implied refusal | -6 | 40 | 0.6 | 1328449 | 0.5 |
| Explicit refusal/REF | -7 | 0 | . | 0.0 | . |
| Question not asked | -8 | 939 | 13.3 | 39526809 | 15.3 |
| Don't know | -9 | 2 | 0.0 | 50899.7 | 0.0 |
| | | 7046 | 100.0 | 2.5793E8 | 100.0 |

| SWM_EVERLESS | |
|---------------------|---|
| LABEL | Ever taken swim lesson |
| QUESTION TEXT | Have you ever taken a swim lesson? |
| UNIVERSE | SWM_GRPLESS IN (0, -6, -7, -9) AND SWM_PRVLESS IN (0, -6, -7, -9) |
| TYPE | Numeric |

| SWM_EVERLESS: Distribution | Value | Unweighted | | Weighted | |
|---|--------------|-------------------|--------------|-----------------|--------------|
| | | n | % | n | % |
| No | 0 | 3604 | 51.1 | 1.4057E8 | 54.5 |
| Yes | 1 | 586 | 8.3 | 19799057 | 7.7 |
| Edited response due to invalid logic, out of range responses, or identified outlier | -5 | 0 | . | 0.0 | . |
| Skipped/Implied refusal | -6 | 36 | 0.5 | 1331275 | 0.5 |
| Explicit refusal/REF | -7 | 0 | . | 0.0 | . |
| Question not asked | -8 | 2818 | 40.0 | 96196924 | 37.3 |
| Don't know | -9 | 2 | 0.0 | 28711.9 | 0.0 |
| | | 7046 | 100.0 | 2.5793E8 | 100.0 |

| SWM_DAYSPOOL | |
|---------------------|--|
| LABEL | Past 6 months, days spent in or around swimming pool |
| QUESTION TEXT | In the past 6 months, on how many days in total did you spend time in or around a swimming pool? |
| UNIVERSE | ALL |
| TYPE | Numeric |

| SWM_DAYSPOOL: Distribution | Value | Unweighted | | Weighted | |
|---|--------------|-------------------|--------------|-----------------|--------------|
| | | n | % | n | % |
| Never | 0 | 3445 | 48.9 | 1.2535E8 | 48.6 |
| 1-6 days | 1 | 1938 | 27.5 | 72253290 | 28.0 |
| 7-12 days | 2 | 608 | 8.6 | 22535179 | 8.7 |
| 13 or more days | 3 | 1025 | 14.5 | 36515223 | 14.2 |
| Edited response due to invalid logic, out of range responses, or identified outlier | -5 | 0 | . | 0.0 | . |
| Skipped/Implied refusal | -6 | 30 | 0.4 | 1270908 | 0.5 |
| Explicit refusal/REF | -7 | 0 | . | 0.0 | . |
| Question not asked | -8 | 0 | . | 0.0 | . |
| Don't know | -9 | 0 | . | 0.0 | . |
| | | 7046 | 100.0 | 2.5793E8 | 100.0 |

| | |
|---------------------|---|
| SWM_ALCPPOOL | |
| LABEL | For days at pool, how many drank alcohol |
| QUESTION TEXT | Of those times that you spent time in or around a swimming pool, about how often did you drink alcoholic beverages? |
| UNIVERSE | SWM_DAYSPOOL IN (1, 2, 3) |
| TYPE | Numeric |

| | | Unweighted | | Weighted | |
|---|--------------|-------------|--------------|-----------------|--------------|
| SWM_ALCPPOOL: Distribution | Value | n | % | n | % |
| Never | 0 | 2095 | 29.7 | 77576171 | 30.1 |
| Every time | 1 | 181 | 2.6 | 6457190 | 2.5 |
| More than half the time | 2 | 414 | 5.9 | 15073962 | 5.8 |
| Less than half the time | 3 | 855 | 12.1 | 31013552 | 12.0 |
| Edited response due to invalid logic, out of range responses, or identified outlier | -5 | 0 | . | 0.0 | . |
| Skipped/Implied refusal | -6 | 26 | 0.4 | 1182816 | 0.5 |
| Explicit refusal/REF | -7 | 0 | . | 0.0 | . |
| Question not asked | -8 | 3475 | 49.3 | 1.2662E8 | 49.1 |
| Don't know | -9 | 0 | . | 0.0 | . |
| | | 7046 | 100.0 | 2.5793E8 | 100.0 |

| SWM_DAYSBOAT | |
|---------------------|--|
| LABEL | Past 6 months, days on boat or water (not pool) |
| QUESTION TEXT | In the last 6 months, on how many days in total did you go swimming, boating, fishing, or participate in water sports in another body of water such as an ocean, lake, river, or stream? |
| UNIVERSE | ALL |
| TYPE | Numeric |

| SWM_DAYSBOAT: Distribution | Value | Unweighted | | Weighted | |
|---|--------------|-------------------|--------------|-----------------|--------------|
| | | n | % | n | % |
| Never | 0 | 3813 | 54.1 | 1.4187E8 | 55.0 |
| 1-6 days | 1 | 1940 | 27.5 | 70489002 | 27.3 |
| 7-12 days | 2 | 582 | 8.3 | 20634539 | 8.0 |
| 13 or more days | 3 | 654 | 9.3 | 22884481 | 8.9 |
| Edited response due to invalid logic, out of range responses, or identified outlier | -5 | 0 | . | 0.0 | . |
| Skipped/Implied refusal | -6 | 56 | 0.8 | 2014001 | 0.8 |
| Explicit refusal/REF | -7 | 1 | 0.0 | 39722.9 | 0.0 |
| Question not asked | -8 | 0 | . | 0.0 | . |
| Don't know | -9 | 0 | . | 0.0 | . |
| | | 7046 | 100.0 | 2.5793E8 | 100.0 |

| SWM_ALCBOAT | |
|--------------------|--|
| LABEL | For days on boat or water, how many drank alcohol |
| QUESTION TEXT | Of those times that you spent swimming, boating, fishing, or participating in water sports, about how often did you drink alcoholic beverages? |
| UNIVERSE | SWM_DAYSBOAT IN (1, 2, 3) |
| TYPE | Numeric |

| SWM_ALCBOAT: Distribution | Value | Unweighted | | Weighted | |
|---|--------------|-------------------|--------------|-----------------|--------------|
| | | n | % | n | % |
| Never | 0 | 1806 | 25.6 | 65540858 | 25.4 |
| Every time | 1 | 165 | 2.3 | 5522574 | 2.1 |
| More than half the time | 2 | 404 | 5.7 | 14897537 | 5.8 |
| Less than half the time | 3 | 786 | 11.2 | 27393687 | 10.6 |
| Edited response due to invalid logic, out of range responses, or identified outlier | -5 | 0 | . | 0.0 | . |
| Skipped/Implied refusal | -6 | 15 | 0.2 | 653365.7 | 0.3 |
| Explicit refusal/REF | -7 | 0 | . | 0.0 | . |
| Question not asked | -8 | 3870 | 54.9 | 1.4392E8 | 55.8 |
| Don't know | -9 | 0 | . | 0.0 | . |
| | | 7046 | 100.0 | 2.5793E8 | 100.0 |

| SWM_CPR | |
|---------------|-------------------------|
| LABEL | Trained in CPR |
| QUESTION TEXT | Are you trained in CPR? |
| UNIVERSE | ALL |
| TYPE | Numeric |

| SWM_CPR: Distribution | Value | Unweighted | | Weighted | |
|---|-------|------------|-------|----------|-------|
| | | n | % | n | % |
| No | 0 | 4031 | 57.2 | 1.561E8 | 60.5 |
| Yes | 1 | 2976 | 42.2 | 1.0027E8 | 38.9 |
| Edited response due to invalid logic, out of range responses, or identified outlier | -5 | 0 | . | 0.0 | . |
| Skipped/Implied refusal | -6 | 39 | 0.6 | 1558183 | 0.6 |
| Explicit refusal/REF | -7 | 0 | . | 0.0 | . |
| Question not asked | -8 | 0 | . | 0.0 | . |
| Don't know | -9 | 0 | . | 0.0 | . |
| | | 7046 | 100.0 | 2.5793E8 | 100.0 |

| SWM_CPR2Y | |
|---------------|--|
| LABEL | Past 2 years, CPR training |
| QUESTION TEXT | Have you taken CPR training in the past two years? |
| UNIVERSE | SWM_CPR = 1 |
| TYPE | Numeric |

| SWM_CPR2Y: Distribution | Value | Unweighted | | Weighted | |
|---|-------|------------|-------|----------|-------|
| | | n | % | n | % |
| No | 0 | 1820 | 25.8 | 58491816 | 22.7 |
| Yes | 1 | 1129 | 16.0 | 40549913 | 15.7 |
| Edited response due to invalid logic, out of range responses, or identified outlier | -5 | 0 | . | 0.0 | . |
| Skipped/Implied refusal | -6 | 3 | 0.0 | 129355.3 | 0.1 |
| Explicit refusal/REF | -7 | 0 | . | 0.0 | . |
| Question not asked | -8 | 4070 | 57.8 | 1.5765E8 | 61.1 |
| Don't know | -9 | 24 | 0.3 | 1101158 | 0.4 |
| | | 7046 | 100.0 | 2.5793E8 | 100.0 |

| SWM_HELPDRWN | |
|---------------------|---|
| LABEL | Ever trained to save drowning person |
| QUESTION TEXT | Have you ever been trained on how to help a drowning person without putting yourself in danger? |
| UNIVERSE | ALL |
| TYPE | Numeric |

| SWM_HELPDRWN: Distribution | Value | Unweighted | | Weighted | |
|---|--------------|-------------------|--------------|-----------------|--------------|
| | | n | % | n | % |
| No | 0 | 4478 | 63.6 | 1.7235E8 | 66.8 |
| Yes | 1 | 2104 | 29.9 | 67984942 | 26.4 |
| Edited response due to invalid logic, out of range responses, or identified outlier | -5 | 0 | . | 0.0 | . |
| Skipped/Implied refusal | -6 | 44 | 0.6 | 1782190 | 0.7 |
| Explicit refusal/REF | -7 | 0 | . | 0.0 | . |
| Question not asked | -8 | 0 | . | 0.0 | . |
| Don't know | -9 | 420 | 6.0 | 15807069 | 6.1 |
| | | 7046 | 100.0 | 2.5793E8 | 100.0 |

| | |
|---------------------|---|
| SUI_THKSUI12 | |
| LABEL | Past 12 months, seriously thought about suicide |
| QUESTION TEXT | At any time in the past 12 months, did you seriously think about trying to kill yourself? |
| UNIVERSE | ALL |
| TYPE | Numeric |

| SUI_THKSUI12: Distribution | Value | Unweighted | | Weighted | |
|---|-------|-------------|--------------|-----------------|--------------|
| | | n | % | n | % |
| No | 0 | 6595 | 93.6 | 2.4274E8 | 94.1 |
| Yes | 1 | 415 | 5.9 | 13549540 | 5.3 |
| Edited response due to invalid logic, out of range responses, or identified outlier | -5 | 0 | . | 0.0 | . |
| Skipped/Implied refusal | -6 | 35 | 0.5 | 1634388 | 0.6 |
| Explicit refusal/REF | -7 | 1 | 0.0 | 6829.5 | 0.0 |
| Question not asked | -8 | 0 | . | 0.0 | . |
| Don't know | -9 | 0 | . | 0.0 | . |
| | | 7046 | 100.0 | 2.5793E8 | 100.0 |

| SUI_KNOWSUI | |
|--------------------|--|
| LABEL | Know someone that died by suicide |
| QUESTION TEXT | Do you personally know anyone who has died by suicide? |
| UNIVERSE | ALL |
| TYPE | Numeric |

| SUI_KNOWSUI: Distribution | Value | Unweighted | | Weighted | |
|---|--------------|-------------------|--------------|-----------------|--------------|
| | | n | % | n | % |
| No | 0 | 3688 | 52.3 | 1.4696E8 | 57.0 |
| Yes | 1 | 3296 | 46.8 | 1.0824E8 | 42.0 |
| Edited response due to invalid logic, out of range responses, or identified outlier | -5 | 0 | . | 0.0 | . |
| Skipped/Implied refusal | -6 | 59 | 0.8 | 2700052 | 1.0 |
| Explicit refusal/REF | -7 | 1 | 0.0 | 6829.5 | 0.0 |
| Question not asked | -8 | 0 | . | 0.0 | . |
| Don't know | -9 | 2 | 0.0 | 14367.7 | 0.0 |
| | | 7046 | 100.0 | 2.5793E8 | 100.0 |

| | |
|--------------------|--|
| TSV_PHOTOEV | |
| LABEL | Someone has shared sexual content of me without consent |
| QUESTION TEXT | To your knowledge, has anyone ever emailed, texted, or electronically posted a revealing or sexual photo or video of you without your consent? |
| UNIVERSE | ALL |
| TYPE | Numeric |

| TSV_PHOTOEV: Distribution | Value | Unweighted | | Weighted | |
|---|-------|-------------|--------------|-----------------|--------------|
| | | n | % | n | % |
| No | 0 | 6698 | 95.1 | 2.4518E8 | 95.1 |
| Yes | 1 | 308 | 4.4 | 11205257 | 4.3 |
| Edited response due to invalid logic, out of range responses, or identified outlier | -5 | 0 | . | 0.0 | . |
| Skipped/Implied refusal | -6 | 38 | 0.5 | 1521504 | 0.6 |
| Explicit refusal/REF | -7 | 1 | 0.0 | 6829.5 | 0.0 |
| Question not asked | -8 | 0 | . | 0.0 | . |
| Don't know | -9 | 1 | 0.0 | 11833.5 | 0.0 |
| | | 7046 | 100.0 | 2.5793E8 | 100.0 |

| | |
|---------------------|--|
| TSV_THREATEV | |
| LABEL | Someone has threatened to share sexual content of me without consent |
| QUESTION TEXT | Has anyone ever threatened to share a revealing or sexual picture or video of you, through the internet, social media, email, or text message to get you to do something – like take or send other sexual pictures of yourself, have a sexual relationship with them, pay them money, or something else? |
| UNIVERSE | ALL |
| TYPE | Numeric |

| TSV_THREATEV: Distribution | Value | Unweighted | | Weighted | |
|---|-------|------------|-------|----------|-------|
| | | n | % | n | % |
| No | 0 | 6681 | 94.8 | 2.4376E8 | 94.5 |
| Yes | 1 | 321 | 4.6 | 12454111 | 4.8 |
| Edited response due to invalid logic, out of range responses, or identified outlier | -5 | 0 | . | 0.0 | . |
| Skipped/Implied refusal | -6 | 43 | 0.6 | 1704084 | 0.7 |
| Explicit refusal/REF | -7 | 1 | 0.0 | 6829.5 | 0.0 |
| Question not asked | -8 | 0 | . | 0.0 | . |
| Don't know | -9 | 0 | . | 0.0 | . |
| | | 7046 | 100.0 | 2.5793E8 | 100.0 |

| | |
|--------------------|---|
| TSV_THRTPIC | |
| LABEL | Nature of threat, take or send sexual content of self |
| QUESTION TEXT | Take or send additional revealing or sexual pictures or videos? |
| UNIVERSE | TSV_THREATEV = 1 |
| TYPE | Numeric |

| TSV_THRTPIC: Distribution | Value | Unweighted | | Weighted | |
|---|-------|------------|-------|----------|-------|
| | | n | % | n | % |
| No | 0 | 205 | 2.9 | 8228446 | 3.2 |
| Yes | 1 | 114 | 1.6 | 4188265 | 1.6 |
| Edited response due to invalid logic, out of range responses, or identified outlier | -5 | 0 | . | 0.0 | . |
| Skipped/Implied refusal | -6 | 2 | 0.0 | 37400.9 | 0.0 |
| Explicit refusal/REF | -7 | 0 | . | 0.0 | . |
| Question not asked | -8 | 6725 | 95.4 | 2.4547E8 | 95.2 |
| Don't know | -9 | 0 | . | 0.0 | . |
| | | 7046 | 100.0 | 2.5793E8 | 100.0 |

| TSV_THRTSEX | |
|---------------|--|
| LABEL | Nature of threat, have sexual relationship |
| QUESTION TEXT | Have a sexual relationship with them? |
| UNIVERSE | TSV_THREATEV = 1 |
| TYPE | Numeric |

| TSV_THRTSEX: Distribution | Value | Unweighted | | Weighted | |
|---|-------|------------|-------|----------|-------|
| | | n | % | n | % |
| No | 0 | 205 | 2.9 | 8024413 | 3.1 |
| Yes | 1 | 112 | 1.6 | 4302759 | 1.7 |
| Edited response due to invalid logic, out of range responses, or identified outlier | -5 | 0 | . | 0.0 | . |
| Skipped/Implied refusal | -6 | 4 | 0.1 | 126939.2 | 0.0 |
| Explicit refusal/REF | -7 | 0 | . | 0.0 | . |
| Question not asked | -8 | 6725 | 95.4 | 2.4547E8 | 95.2 |
| Don't know | -9 | 0 | . | 0.0 | . |
| | | 7046 | 100.0 | 2.5793E8 | 100.0 |

| TSV_THRTPAY | |
|---------------|-----------------------------|
| LABEL | Nature of threat, pay money |
| QUESTION TEXT | Pay them money? |
| UNIVERSE | TSV_THREATEV = 1 |
| TYPE | Numeric |

| TSV_THRTPAY: Distribution | Value | Unweighted | | Weighted | |
|---|-------|------------|-------|----------|-------|
| | | n | % | n | % |
| No | 0 | 163 | 2.3 | 6705451 | 2.6 |
| Yes | 1 | 154 | 2.2 | 5619375 | 2.2 |
| Edited response due to invalid logic, out of range responses, or identified outlier | -5 | 0 | . | 0.0 | . |
| Skipped/Implied refusal | -6 | 4 | 0.1 | 129285.4 | 0.1 |
| Explicit refusal/REF | -7 | 0 | . | 0.0 | . |
| Question not asked | -8 | 6725 | 95.4 | 2.4547E8 | 95.2 |
| Don't know | -9 | 0 | . | 0.0 | . |
| | | 7046 | 100.0 | 2.5793E8 | 100.0 |

| TSV_THRTREL | |
|---------------|---|
| LABEL | Nature of threat, stay in relationship |
| QUESTION TEXT | Stay in or maintain a relationship with them? |
| UNIVERSE | TSV_THREATEV = 1 |
| TYPE | Numeric |

| TSV_THRTREL: Distribution | Value | Unweighted | | Weighted | |
|---|-------|------------|-------|----------|-------|
| | | n | % | n | % |
| No | 0 | 197 | 2.8 | 7946884 | 3.1 |
| Yes | 1 | 120 | 1.7 | 4389875 | 1.7 |
| Edited response due to invalid logic, out of range responses, or identified outlier | -5 | 0 | . | 0.0 | . |
| Skipped/Implied refusal | -6 | 3 | 0.0 | 92777.9 | 0.0 |
| Explicit refusal/REF | -7 | 0 | . | 0.0 | . |
| Question not asked | -8 | 6725 | 95.4 | 2.4547E8 | 95.2 |
| Don't know | -9 | 1 | 0.0 | 24574.8 | 0.0 |
| | | 7046 | 100.0 | 2.5793E8 | 100.0 |

| TSV_THRTOTH | |
|---------------|-------------------------|
| LABEL | Nature of threat, other |
| QUESTION TEXT | Something else? |
| UNIVERSE | TSV_THREATEV = 1 |
| TYPE | Numeric |

| TSV_THRTOTH: Distribution | Value | Unweighted | | Weighted | |
|---|-------|------------|-------|----------|-------|
| | | n | % | n | % |
| No | 0 | 217 | 3.1 | 8811794 | 3.4 |
| Yes | 1 | 98 | 1.4 | 3472993 | 1.3 |
| Edited response due to invalid logic, out of range responses, or identified outlier | -5 | 0 | . | 0.0 | . |
| Skipped/Implied refusal | -6 | 6 | 0.1 | 169324.1 | 0.1 |
| Explicit refusal/REF | -7 | 0 | . | 0.0 | . |
| Question not asked | -8 | 6725 | 95.4 | 2.4547E8 | 95.2 |
| Don't know | -9 | 0 | . | 0.0 | . |
| | | 7046 | 100.0 | 2.5793E8 | 100.0 |

| | |
|---------------------|---|
| TSV_FAKEPORN | |
| LABEL | Anyone ever used technology for fake porn of you without consent |
| QUESTION TEXT | To your knowledge, has anyone ever used technology to create and share fake pornographic photos or videos of you online without your consent? |
| UNIVERSE | ALL |
| TYPE | Numeric |

| TSV_FAKEPORN: Distribution | Value | Unweighted | | Weighted | |
|---|-------|-------------|--------------|-----------------|--------------|
| | | n | % | n | % |
| No | 0 | 6906 | 98.0 | 2.5294E8 | 98.1 |
| Yes | 1 | 93 | 1.3 | 3285856 | 1.3 |
| Edited response due to invalid logic, out of range responses, or identified outlier | -5 | 0 | . | 0.0 | . |
| Skipped/Implied refusal | -6 | 45 | 0.6 | 1688035 | 0.7 |
| Explicit refusal/REF | -7 | 1 | 0.0 | 6829.5 | 0.0 |
| Question not asked | -8 | 0 | . | 0.0 | . |
| Don't know | -9 | 1 | 0.0 | 10806.3 | 0.0 |
| | | 7046 | 100.0 | 2.5793E8 | 100.0 |

| EMP_EMPLOY | |
|-------------------|--|
| LABEL | Last week worked for pay at job or business |
| QUESTION TEXT | Last week, did you work for pay at a job or business? If you work at a family business, but not for pay, select yes. |
| UNIVERSE | ALL |
| TYPE | Numeric |

| EMP_EMPLOY: Distribution | Value | Unweighted | | Weighted | |
|---|--------------|-------------------|--------------|-----------------|--------------|
| | | n | % | n | % |
| No | 0 | 3345 | 47.5 | 1.1905E8 | 46.2 |
| Yes | 1 | 3646 | 51.7 | 1.3682E8 | 53.0 |
| Edited response due to invalid logic, out of range responses, or identified outlier | -5 | 0 | . | 0.0 | . |
| Skipped/Implied refusal | -6 | 55 | 0.8 | 2057200 | 0.8 |
| Explicit refusal/REF | -7 | 0 | . | 0.0 | . |
| Question not asked | -8 | 0 | . | 0.0 | . |
| Don't know | -9 | 0 | . | 0.0 | . |
| | | 7046 | 100.0 | 2.5793E8 | 100.0 |

| | |
|---------------------|--|
| EMP_ABSENTWK | |
| LABEL | Had a job/business last week but temporarily absent |
| QUESTION TEXT | Did you have a job or business last week, but were temporarily absent due to illness, vacation, family or maternity leave, or some other reason? |
| UNIVERSE | EMP_EMPLOY = 0 |
| TYPE | Numeric |

| EMP_ABSENTWK: Distribution | Value | Unweighted | | Weighted | |
|---|-------|------------|-------|----------|-------|
| | | n | % | n | % |
| No | 0 | 3199 | 45.4 | 1.1354E8 | 44.0 |
| Yes | 1 | 113 | 1.6 | 4000605 | 1.6 |
| Edited response due to invalid logic, out of range responses, or identified outlier | -5 | 0 | . | 0.0 | . |
| Skipped/Implied refusal | -6 | 33 | 0.5 | 1516071 | 0.6 |
| Explicit refusal/REF | -7 | 0 | . | 0.0 | . |
| Question not asked | -8 | 3701 | 52.5 | 1.3887E8 | 53.8 |
| Don't know | -9 | 0 | . | 0.0 | . |
| | | 7046 | 100.0 | 2.5793E8 | 100.0 |

| EMP_DAYMISS_R | |
|----------------------|---|
| LABEL | Past 12 months, number days missed health - topcoded |
| NOTES TEXT | This variable was included in the questionnaire for benchmarking purposes as gold standard sources of this measure exist elsewhere. Caution using this variable as an outcome of interest. Top coded to 90+ from EMP_DAYMISS. |
| TYPE | Numeric |

| EMP_DAYMISS_R: Distribution | Value | Unweighted | | Weighted | |
|--------------------------------------|-------------------|-------------------|--------------|-----------------|--------------|
| | | n | % | n | % |
| Values 0-90. Distribution suppressed | [Range of Values] | 3667 | 52.0 | 1.3663E8 | 53.0 |
| Skipped/Implied refusal | -6 | 23 | 0.3 | 583960.0 | 0.2 |
| Explicit refusal/REF | -7 | 68 | 1.0 | 3602108 | 1.4 |
| Question not asked | -8 | 3287 | 46.7 | 1.1711E8 | 45.4 |
| Don't know | -9 | 1 | 0.0 | 4336.3 | 0.0 |
| | | 7046 | 100.0 | 2.5793E8 | 100.0 |

| EMP_WHYNOWRK | |
|---------------|--|
| LABEL | Main reason not working for pay last week |
| QUESTION TEXT | What is the main reason you were not working for pay at a job or business last week? |
| UNIVERSE | EMP_EMPLOY = 0 AND EMP_ABSENTWK = 0 |
| TYPE | Numeric |

| EMP_WHYNOWRK: Distribution | Value | Unweighted | | Weighted | |
|---|-------|------------|-------|----------|-------|
| | | n | % | n | % |
| Unemployed, laid off, looking for work | 0 | 242 | 3.4 | 11067064 | 4.3 |
| Seasonal/contract work | 1 | 55 | 0.8 | 2066316 | 0.8 |
| Retired | 2 | 1779 | 25.2 | 52754801 | 20.5 |
| Unable to work for health reasons/disabled | 3 | 401 | 5.7 | 13217857 | 5.1 |
| Taking care of house or family | 4 | 294 | 4.2 | 12002254 | 4.7 |
| Going to school | 5 | 122 | 1.7 | 7410058 | 2.9 |
| Working at a family-owned job or business, but not for pay | 6 | 24 | 0.3 | 1157125 | 0.4 |
| Other | 7 | 250 | 3.5 | 12059928 | 4.7 |
| Edited response due to invalid logic, out of range responses, or identified outlier | -5 | 0 | . | 0.0 | . |
| Skipped/Implied refusal | -6 | 32 | 0.5 | 1800108 | 0.7 |
| Explicit refusal/REF | -7 | 0 | . | 0.0 | . |
| Question not asked | -8 | 3847 | 54.6 | 1.4439E8 | 56.0 |
| Don't know | -9 | 0 | . | 0.0 | . |
| | | 7046 | 100.0 | 2.5793E8 | 100.0 |

| EMP_WHENWRK | |
|--------------------|--|
| LABEL | Last time worked |
| QUESTION TEXT | When was the last time you worked for pay at a job or business, even if only for a few days? |
| UNIVERSE | (EMP_EMPLOY = 0 AND EMP_ABSENTWK = 0) OR EMP_EMPLOY = 1 OR EMP_ABSENTWK = 1 |
| TYPE | Numeric |

| EMP_WHENWRK: Distribution | Value | Unweighted | | Weighted | |
|---|--------------|-------------------|--------------|-----------------|--------------|
| | | n | % | n | % |
| Within the past 12 months | 1 | 4437 | 63.0 | 1.7E8 | 65.9 |
| 1-5 years ago | 2 | 736 | 10.4 | 25236468 | 9.8 |
| Over 5 years ago | 3 | 1601 | 22.7 | 49102010 | 19.0 |
| Never worked | 4 | 161 | 2.3 | 8867610 | 3.4 |
| Edited response due to invalid logic, out of range responses, or identified outlier | -5 | 0 | . | 0.0 | . |
| Skipped/Implied refusal | -6 | 23 | 0.3 | 1149267 | 0.4 |
| Explicit refusal/REF | -7 | 0 | . | 0.0 | . |
| Question not asked | -8 | 88 | 1.2 | 3573270 | 1.4 |
| Don't know | -9 | 0 | . | 0.0 | . |
| | | 7046 | 100.0 | 2.5793E8 | 100.0 |

| EMPWRKLSWK | |
|-------------------|--|
| LABEL | DERIVED: Worked last week |
| QUESTION TEXT | NA - Recode |
| NOTES TEXT | This variable is a recode based on EMP_EMPLOY, EMP_ABSENTWK, and EMP_WHYNOWRK. Recoding based on NHIS: EMPWRKLSW1_A. |
| TYPE | Numeric |

| | | Unweighted | | Weighted | |
|--|--------------|-------------|--------------|-----------------|--------------|
| EMPWRKLSWK: Distribution | Value | n | % | n | % |
| Did not work | 0 | 3120 | 44.3 | 1.1031E8 | 42.8 |
| Worked, Temp Absent, Seasonal, Family Job-no pay | 1 | 3838 | 54.5 | 1.4404E8 | 55.8 |
| Unknown | -8 | 88 | 1.2 | 3573270 | 1.4 |
| | | 7046 | 100.0 | 2.5793E8 | 100.0 |

| | |
|--------------------|--|
| HPF_EVERUSE | |
| LABEL | Ever used hearing protection for loud noise at work |
| QUESTION TEXT | The next few questions are about the use of hearing protectors, such as earplugs or earmuffs, to protect from loud noise at work. Loud means so loud that you must speak in a raised voice to be heard. Have you ever used hearing protectors when exposed to loud noises at work? |
| UNIVERSE | ALL |
| TYPE | Numeric |

| HPF_EVERUSE: Distribution | Value | Unweighted | | Weighted | |
|---|-------|------------|-------|----------|-------|
| | | n | % | n | % |
| No | 0 | 2979 | 42.3 | 1.1142E8 | 43.2 |
| Yes | 1 | 2188 | 31.1 | 78343260 | 30.4 |
| I have never worked around loud noises | 2 | 1839 | 26.1 | 66528676 | 25.8 |
| Edited response due to invalid logic, out of range responses, or identified outlier | -5 | 0 | . | 0.0 | . |
| Skipped/Implied refusal | -6 | 40 | 0.6 | 1633511 | 0.6 |
| Explicit refusal/REF | -7 | 0 | . | 0.0 | . |
| Question not asked | -8 | 0 | . | 0.0 | . |
| Don't know | -9 | 0 | . | 0.0 | . |
| | | 7046 | 100.0 | 2.5793E8 | 100.0 |

| | |
|--------------------|--|
| HPF_KNOWFIT | |
| LABEL | Knew about fit-testing for hearing protection |
| QUESTION TEXT | Hearing protector fit-testing is a way to measure the amount of noise reduction a person gets from a specific hearing protector, such as earplugs or earmuffs, to reduce exposure to loud noises. Prior to taking this survey, did you know that hearing protectors can be fit-tested to ensure you are getting the right amount of noise reduction? |
| UNIVERSE | ALL |
| TYPE | Numeric |

| HPF_KNOWFIT: Distribution | Value | Unweighted | | Weighted | |
|---|-------|------------|-------|----------|-------|
| | | n | % | n | % |
| No | 0 | 4316 | 61.3 | 1.5986E8 | 62.0 |
| Yes | 1 | 2657 | 37.7 | 95505496 | 37.0 |
| Edited response due to invalid logic, out of range responses, or identified outlier | -5 | 0 | . | 0.0 | . |
| Skipped/Implied refusal | -6 | 70 | 1.0 | 2542513 | 1.0 |
| Explicit refusal/REF | -7 | 0 | . | 0.0 | . |
| Question not asked | -8 | 0 | . | 0.0 | . |
| Don't know | -9 | 3 | 0.0 | 13935.3 | 0.0 |
| | | 7046 | 100.0 | 2.5793E8 | 100.0 |

| | |
|--------------------|--|
| HPF_EVERFIT | |
| LABEL | Ever had fit-testing for hearing protection |
| QUESTION TEXT | Have you ever had your hearing protection devices fit-tested to see how much noise they block? |
| UNIVERSE | HPF_EVERUSE = 1 AND HPF_KNOWFIT = 1 |
| TYPE | Numeric |

| HPF_EVERFIT: Distribution | Value | Unweighted | | Weighted | |
|---|-------|------------|-------|----------|-------|
| | | n | % | n | % |
| No | 0 | 947 | 13.4 | 33076839 | 12.8 |
| Yes | 1 | 303 | 4.3 | 11075765 | 4.3 |
| Edited response due to invalid logic, out of range responses, or identified outlier | -5 | 0 | . | 0.0 | . |
| Skipped/Implied refusal | -6 | 6 | 0.1 | 290856.1 | 0.1 |
| Explicit refusal/REF | -7 | 0 | . | 0.0 | . |
| Question not asked | -8 | 5790 | 82.2 | 2.1348E8 | 82.8 |
| Don't know | -9 | 0 | . | 0.0 | . |
| | | 7046 | 100.0 | 2.5793E8 | 100.0 |

| HPF_IMPORT | |
|---------------|---|
| LABEL | How important having hearing protection fit-tested: ever heard of before |
| QUESTION TEXT | How important do you think it is to have hearing protectors fit-tested to protect your hearing? |
| UNIVERSE | HPF_KNOWFIT = 1 |
| TYPE | Numeric |

| HPF_IMPORT: Distribution | Value | Unweighted | | Weighted | |
|---|-------|------------|-------|----------|-------|
| | | n | % | n | % |
| Not at all important | 1 | 98 | 1.4 | 3509383 | 1.4 |
| Somewhat important | 2 | 1083 | 15.4 | 38411892 | 14.9 |
| Very important | 3 | 1467 | 20.8 | 53265872 | 20.7 |
| Edited response due to invalid logic, out of range responses, or identified outlier | -5 | 0 | . | 0.0 | . |
| Skipped/Implied refusal | -6 | 8 | 0.1 | 306915.6 | 0.1 |
| Explicit refusal/REF | -7 | 0 | . | 0.0 | . |
| Question not asked | -8 | 4389 | 62.3 | 1.6242E8 | 63.0 |
| Don't know | -9 | 1 | 0.0 | 11433.1 | 0.0 |
| | | 7046 | 100.0 | 2.5793E8 | 100.0 |

| | |
|---------------------|--|
| HPF_IMPORTDK | |
| LABEL | How important having hearing protection fit-tested: not heard of before |
| QUESTION TEXT | How important do you think it is to have hearing protectors fit-tested to protect someone's hearing? |
| UNIVERSE | HPF_KNOWFIT IN (0, -6, -7, -9) |
| TYPE | Numeric |

| HPF_IMPORTDK: Distribution | Value | Unweighted | | Weighted | |
|---|-------|------------|-------|----------|-------|
| | | n | % | n | % |
| Not at all important | 1 | 147 | 2.1 | 6946447 | 2.7 |
| Somewhat important | 2 | 1691 | 24.0 | 63706802 | 24.7 |
| Very important | 3 | 2506 | 35.6 | 89985194 | 34.9 |
| Edited response due to invalid logic, out of range responses, or identified outlier | -5 | 0 | . | 0.0 | . |
| Skipped/Implied refusal | -6 | 43 | 0.6 | 1725627 | 0.7 |
| Explicit refusal/REF | -7 | 0 | . | 0.0 | . |
| Question not asked | -8 | 2657 | 37.7 | 95505496 | 37.0 |
| Don't know | -9 | 2 | 0.0 | 57378.9 | 0.0 |
| | | 7046 | 100.0 | 2.5793E8 | 100.0 |

| MAR_MARITAL | |
|--------------------|--|
| LABEL | Now married, living with a partner, or neither |
| QUESTION TEXT | Are you now: |
| UNIVERSE | ALL |
| TYPE | Numeric |

| MAR_MARITAL: Distribution | Value | Unweighted | | Weighted | |
|---|--------------|-------------------|--------------|-----------------|--------------|
| | | n | % | n | % |
| Married | 1 | 3804 | 54.0 | 1.3274E8 | 51.5 |
| Living with a partner together as an unmarried couple | 2 | 759 | 10.8 | 30658102 | 11.9 |
| Neither | 3 | 2455 | 34.8 | 93508409 | 36.3 |
| Edited response due to invalid logic, out of range responses, or identified outlier | -5 | 0 | . | 0.0 | . |
| Skipped/Implied refusal | -6 | 28 | 0.4 | 1021656 | 0.4 |
| Explicit refusal/REF | -7 | 0 | . | 0.0 | . |
| Question not asked | -8 | 0 | . | 0.0 | . |
| Don't know | -9 | 0 | . | 0.0 | . |
| | | 7046 | 100.0 | 2.5793E8 | 100.0 |

| MAR_EVMARRY | |
|--------------------|-----------------------------------|
| LABEL | Ever been married |
| QUESTION TEXT | Have you ever been married? |
| UNIVERSE | MAR_MARITAL IN (2, 3, -6, -7, -9) |
| TYPE | Numeric |

| MAR_EVMARRY: Distribution | Value | Unweighted | | Weighted | |
|---|--------------|-------------------|--------------|-----------------|--------------|
| | | n | % | n | % |
| No | 0 | 1794 | 25.5 | 81454933 | 31.6 |
| Yes | 1 | 1411 | 20.0 | 42088290 | 16.3 |
| Edited response due to invalid logic, out of range responses, or identified outlier | -5 | 0 | . | 0.0 | . |
| Skipped/Implied refusal | -6 | 37 | 0.5 | 1644943 | 0.6 |
| Explicit refusal/REF | -7 | 0 | . | 0.0 | . |
| Question not asked | -8 | 3804 | 54.0 | 1.3274E8 | 51.5 |
| Don't know | -9 | 0 | . | 0.0 | . |
| | | 7046 | 100.0 | 2.5793E8 | 100.0 |

| MAR_LEGAL | |
|------------------|--|
| LABEL | Current legal marital status |
| QUESTION TEXT | What is your current legal marital status? |
| UNIVERSE | MAR_MARITAL = 2 AND MAR_EVMARRY = 1 |
| TYPE | Numeric |

| MAR_LEGAL: Distribution | Value | Unweighted | | Weighted | |
|---|--------------|-------------------|--------------|-----------------|--------------|
| | | n | % | n | % |
| Married | 1 | 13 | 0.2 | 547461.8 | 0.2 |
| Widowed | 2 | 46 | 0.7 | 1565979 | 0.6 |
| Divorced | 3 | 195 | 2.8 | 6623908 | 2.6 |
| Separated | 4 | 22 | 0.3 | 711630.1 | 0.3 |
| Edited response due to invalid logic, out of range responses, or identified outlier | -5 | 0 | . | 0.0 | . |
| Skipped/Implied refusal | -6 | 0 | . | 0.0 | . |
| Explicit refusal/REF | -7 | 0 | . | 0.0 | . |
| Question not asked | -8 | 6770 | 96.1 | 2.4848E8 | 96.3 |
| Don't know | -9 | 0 | . | 0.0 | . |
| | | 7046 | 100.0 | 2.5793E8 | 100.0 |

| | |
|---------------------|-------------------------------------|
| MAR_WIDIVSEP | |
| LABEL | Widowed, divorced or separated |
| QUESTION TEXT | Are you... |
| UNIVERSE | MAR_MARITAL = 3 AND MAR_EVMARRY = 1 |
| TYPE | Numeric |

| MAR_WIDIVSEP: Distribution | Value | Unweighted | | Weighted | |
|---|-------|------------|-------|----------|-------|
| | | n | % | n | % |
| Widowed | 1 | 388 | 5.5 | 10590808 | 4.1 |
| Divorced | 2 | 682 | 9.7 | 19890464 | 7.7 |
| Separated | 3 | 52 | 0.7 | 1716013 | 0.7 |
| Edited response due to invalid logic, out of range responses, or identified outlier | -5 | 0 | . | 0.0 | . |
| Skipped/Implied refusal | -6 | 3 | 0.0 | 85891.6 | 0.0 |
| Explicit refusal/REF | -7 | 0 | . | 0.0 | . |
| Question not asked | -8 | 5919 | 84.0 | 2.2563E8 | 87.5 |
| Don't know | -9 | 2 | 0.0 | 17767.0 | 0.0 |
| | | 7046 | 100.0 | 2.5793E8 | 100.0 |

| | |
|----------------|---|
| MARSTAT | |
| LABEL | DERIVED: Current marital status |
| QUESTION TEXT | NA - Paradata |
| NOTES TEXT | Recode is based MAR_MARITAL, MAR_WIDIVSEP, and MAR_EVMARRY This is based on the NHIS variable: MARSTAT_A. |
| TYPE | Numeric |

| | | Unweighted | | Weighted | |
|-----------------------|-------|------------|-------|----------|-------|
| MARSTAT: Distribution | Value | n | % | n | % |
| Married | 1 | 3804 | 54.0 | 1.3274E8 | 51.5 |
| Widowed | 2 | 388 | 5.5 | 10590808 | 4.1 |
| Divorced | 3 | 682 | 9.7 | 19890464 | 7.7 |
| Separated | 4 | 52 | 0.7 | 1716013 | 0.7 |
| Never Married | 5 | 1315 | 18.7 | 60541325 | 23.5 |
| Living with partner | 6 | 759 | 10.8 | 30658102 | 11.9 |
| Unknown | -8 | 46 | 0.7 | 1791455 | 0.7 |
| | | 7046 | 100.0 | 2.5793E8 | 100.0 |

| LEGMSTAT | |
|-----------------|---|
| LABEL | DERIVED: Legal marital status |
| QUESTION TEXT | NA - Recode |
| NOTES TEXT | Recode is based MAR_MARITAL, MAR_WIDIVSEP, MAR_EVMARRY, and MAR_LEGAL. This is based on the NHIS variable: LEGMSTAT_A. |
| TYPE | Numeric |

| LEGMSTAT: Distribution | Value | Unweighted | | Weighted | |
|-------------------------------|--------------|-------------------|--------------|-----------------|--------------|
| | | n | % | n | % |
| Separated | 1 | 74 | 1.1 | 2427643 | 0.9 |
| Divorced | 2 | 877 | 12.4 | 26514371 | 10.3 |
| Married | 3 | 3817 | 54.2 | 1.3329E8 | 51.7 |
| Single/Never Married | 4 | 1798 | 25.5 | 81750449 | 31.7 |
| Widowed | 5 | 434 | 6.2 | 12156787 | 4.7 |
| Unknown | -8 | 46 | 0.7 | 1791455 | 0.7 |
| | | 7046 | 100.0 | 2.5793E8 | 100.0 |

| | |
|----------------|--|
| MARITAL | |
| LABEL | RECODE: Current Marriage Status - 2 levels |
| NOTES TEXT | This variable was included in the questionnaire for calibration weighting purposes. The population total for this variable was derived from the National Health Interview Survey. Based on MAR_MARITAL, MAR_EVMARRY, and MAR_WIDIVSEP. |
| TYPE | Numeric |

| MARITAL: Distribution | Value | Unweighted | | Weighted | |
|-----------------------|-------|------------|-------|----------|-------|
| | | n | % | n | % |
| Married | 1 | 3804 | 54.0 | 1.3274E8 | 51.5 |
| Not married | 2 | 3196 | 45.4 | 1.234E8 | 47.8 |
| Unknown | -8 | 46 | 0.7 | 1791455 | 0.7 |
| | | 7046 | 100.0 | 2.5793E8 | 100.0 |

| | |
|-------------------|---|
| CIV_VOL12M | |
| LABEL | Past 12 months, volunteer activities |
| QUESTION TEXT | During the past 12 months, did you spend any time volunteering for any organization or association? |
| UNIVERSE | ALL |
| TYPE | Numeric |

| CIV_VOL12M: Distribution | Value | Unweighted | | Weighted | |
|---|-------|------------|-------|----------|-------|
| | | n | % | n | % |
| No | 0 | 4787 | 67.9 | 1.8733E8 | 72.6 |
| Yes | 1 | 2199 | 31.2 | 68506848 | 26.6 |
| Edited response due to invalid logic, out of range responses, or identified outlier | -5 | 0 | . | 0.0 | . |
| Skipped/Implied refusal | -6 | 60 | 0.9 | 2087038 | 0.8 |
| Explicit refusal/REF | -7 | 0 | . | 0.0 | . |
| Question not asked | -8 | 0 | . | 0.0 | . |
| Don't know | -9 | 0 | . | 0.0 | . |
| | | 7046 | 100.0 | 2.5793E8 | 100.0 |

| | |
|-------------------|---|
| CIV_VOLOTH | |
| LABEL | Past 12 months, activities at schools or youth organizations |
| QUESTION TEXT | Some people don't think of activities they do infrequently or for children's schools or youth organizations as volunteer activities. During the past 12 months, have you done any of these types of activities? |
| UNIVERSE | CIV_VOL12M = 0 |
| TYPE | Numeric |

| CIV_VOLOTH: Distribution | Value | Unweighted | | Weighted | |
|---|-------|------------|-------|----------|-------|
| | | n | % | n | % |
| No | 0 | 4394 | 62.4 | 1.7381E8 | 67.4 |
| Yes | 1 | 359 | 5.1 | 12038515 | 4.7 |
| Edited response due to invalid logic, out of range responses, or identified outlier | -5 | 0 | . | 0.0 | . |
| Skipped/Implied refusal | -6 | 32 | 0.5 | 1448657 | 0.6 |
| Explicit refusal/REF | -7 | 0 | . | 0.0 | . |
| Question not asked | -8 | 2259 | 32.1 | 70593887 | 27.4 |
| Don't know | -9 | 2 | 0.0 | 31640.4 | 0.0 |
| | | 7046 | 100.0 | 2.5793E8 | 100.0 |

| | |
|-----------------|---|
| CIV_MEET | |
| LABEL | Past 12 months, attend local public meeting |
| QUESTION TEXT | During the past 12 months, did you attend a public meeting, such as a zoning or school board meeting, that discussed a local issue? |
| UNIVERSE | ALL |
| TYPE | Numeric |

| CIV_MEET: Distribution | Value | Unweighted | | Weighted | |
|---|-------|------------|-------|----------|-------|
| | | n | % | n | % |
| No | 0 | 6053 | 85.9 | 2.26E8 | 87.6 |
| Yes | 1 | 923 | 13.1 | 29155538 | 11.3 |
| Edited response due to invalid logic, out of range responses, or identified outlier | -5 | 0 | . | 0.0 | . |
| Skipped/Implied refusal | -6 | 70 | 1.0 | 2767213 | 1.1 |
| Explicit refusal/REF | -7 | 0 | . | 0.0 | . |
| Question not asked | -8 | 0 | . | 0.0 | . |
| Don't know | -9 | 0 | . | 0.0 | . |
| | | 7046 | 100.0 | 2.5793E8 | 100.0 |

| CIV_VOTELOCL | |
|---------------------|---|
| LABEL | Vote in last local elections |
| QUESTION TEXT | Did you vote in the last local elections, such as for mayor, councilmembers, or school board? |
| UNIVERSE | ALL |
| TYPE | Numeric |

| CIV_VOTELOCL: Distribution | Value | Unweighted | | Weighted | |
|---|--------------|-------------------|--------------|-----------------|--------------|
| | | n | % | n | % |
| No | 0 | 2590 | 36.8 | 1.1964E8 | 46.4 |
| Yes | 1 | 4380 | 62.2 | 1.3515E8 | 52.4 |
| Edited response due to invalid logic, out of range responses, or identified outlier | -5 | 0 | . | 0.0 | . |
| Skipped/Implied refusal | -6 | 75 | 1.1 | 3134492 | 1.2 |
| Explicit refusal/REF | -7 | 0 | . | 0.0 | . |
| Question not asked | -8 | 0 | . | 0.0 | . |
| Don't know | -9 | 1 | 0.0 | 2875.6 | 0.0 |
| | | 7046 | 100.0 | 2.5793E8 | 100.0 |

| CIVIC_ENGAGE | |
|---------------------|---|
| LABEL | RECODE: Civic engagement including volunteering |
| NOTES TEXT | This variable was included in the questionnaire for calibration weighting purposes. The population total for this variable was derived from the National Health Interview Survey. Based on CIV_VOL12M, CIV_VOLOTH, CIV_MEET, and CIV_VOTELOC. |
| TYPE | Numeric |

| CIVIC_ENGAGE: Distribution | Value | Unweighted | | Weighted | |
|-----------------------------------|--------------|-------------------|--------------|-----------------|--------------|
| | | n | % | n | % |
| Yes | 1 | 5039 | 71.5 | 1.5828E8 | 61.4 |
| No | 2 | 1895 | 26.9 | 94723961 | 36.7 |
| Unknown | -8 | 112 | 1.6 | 4919090 | 1.9 |
| | | 7046 | 100.0 | 2.5793E8 | 100.0 |

| LAN_OTHERLAN | |
|---------------|---|
| LABEL | Speak language other than English at home |
| QUESTION TEXT | Do you speak a language other than English at home? |
| UNIVERSE | QUEX_LANG = 1 OR QUEX_LANG=2 |
| TYPE | Numeric |

| LAN_OTHERLAN: Distribution | Value | Unweighted | | Weighted | |
|---|-------|------------|-------|----------|-------|
| | | n | % | n | % |
| No | 0 | 5775 | 82.0 | 2.0196E8 | 78.3 |
| Yes | 1 | 1206 | 17.1 | 53490246 | 20.7 |
| Edited response due to invalid logic, out of range responses, or identified outlier | -5 | 0 | . | 0.0 | . |
| Skipped/Implied refusal | -6 | 65 | 0.9 | 2480189 | 1.0 |
| Explicit refusal/REF | -7 | 0 | . | 0.0 | . |
| Question not asked | -8 | 0 | . | 0.0 | . |
| Don't know | -9 | 0 | . | 0.0 | . |
| | | 7046 | 100.0 | 2.5793E8 | 100.0 |

| LAN_MEDIA | |
|---------------|--|
| LABEL | What language use most often when watching television, read news, listen to radio |
| QUESTION TEXT | When you watch television, read news online or in print, or listen to the radio, which language do you use most often? |
| UNIVERSE | LAN_OTHERLAN = 1 |
| TYPE | Numeric |

| LAN_MEDIA: Distribution | Value | Unweighted | | Weighted | |
|---|-------|------------|-------|----------|-------|
| | | n | % | n | % |
| English | 1 | 767 | 10.9 | 31368335 | 12.2 |
| Spanish | 2 | 342 | 4.9 | 17836713 | 6.9 |
| Another language | 3 | 90 | 1.3 | 3986402 | 1.5 |
| Edited response due to invalid logic, out of range responses, or identified outlier | -5 | 0 | . | 0.0 | . |
| Skipped/Implied refusal | -6 | 7 | 0.1 | 298795.8 | 0.1 |
| Explicit refusal/REF | -7 | 0 | . | 0.0 | . |
| Question not asked | -8 | 5840 | 82.9 | 2.0444E8 | 79.3 |
| Don't know | -9 | 0 | . | 0.0 | . |
| | | 7046 | 100.0 | 2.5793E8 | 100.0 |

| LAN_DOCTOR | |
|---------------|--|
| LABEL | What language use most often when seeing a doctor |
| QUESTION TEXT | When you see a doctor or other health care professional, which language do you use most often? |
| UNIVERSE | LAN_OTHERLAN = 1 |
| TYPE | Numeric |

| LAN_DOCTOR: Distribution | Value | Unweighted | | Weighted | |
|---|-------|------------|-------|----------|-------|
| | | n | % | n | % |
| English | 1 | 969 | 13.8 | 40926220 | 15.9 |
| Spanish | 2 | 199 | 2.8 | 10983156 | 4.3 |
| Another language | 3 | 23 | 0.3 | 926311.4 | 0.4 |
| Edited response due to invalid logic, out of range responses, or identified outlier | -5 | 0 | . | 0.0 | . |
| Skipped/Implied refusal | -6 | 14 | 0.2 | 643125.0 | 0.2 |
| Explicit refusal/REF | -7 | 0 | . | 0.0 | . |
| Question not asked | -8 | 5840 | 82.9 | 2.0444E8 | 79.3 |
| Don't know | -9 | 1 | 0.0 | 11433.1 | 0.0 |
| | | 7046 | 100.0 | 2.5793E8 | 100.0 |

| | |
|-------------------|---|
| LAN_SOCIAL | |
| LABEL | What language use most often when participate in social activities |
| QUESTION TEXT | When you participate in social activities, such as visiting friends, attending clubs and meetings, or going to parties, which language do you use most often? |
| UNIVERSE | LAN_OTHERLAN = 1 |
| TYPE | Numeric |

| LAN_SOCIAL: Distribution | Value | Unweighted | | Weighted | |
|---|-------|------------|-------|----------|-------|
| | | n | % | n | % |
| English | 1 | 874 | 12.4 | 35893149 | 13.9 |
| Spanish | 2 | 279 | 4.0 | 15274492 | 5.9 |
| Another language | 3 | 44 | 0.6 | 1887793 | 0.7 |
| Edited response due to invalid logic, out of range responses, or identified outlier | -5 | 0 | . | 0.0 | . |
| Skipped/Implied refusal | -6 | 8 | 0.1 | 431525.0 | 0.2 |
| Explicit refusal/REF | -7 | 0 | . | 0.0 | . |
| Question not asked | -8 | 5840 | 82.9 | 2.0444E8 | 79.3 |
| Don't know | -9 | 1 | 0.0 | 3286.5 | 0.0 |
| | | 7046 | 100.0 | 2.5793E8 | 100.0 |

| | |
|--------------------|---|
| TEL_NONCELL | |
| LABEL | At least one telephone inside home, not cell phone |
| QUESTION TEXT | Is there at least one telephone inside your home that is currently working and is not a cell phone? |
| UNIVERSE | ALL |
| TYPE | Numeric |

| TEL_NONCELL: Distribution | Value | Unweighted | | Weighted | |
|---|-------|------------|-------|----------|-------|
| | | n | % | n | % |
| No | 0 | 4751 | 67.4 | 1.7708E8 | 68.7 |
| Yes | 1 | 2233 | 31.7 | 78534524 | 30.4 |
| Edited response due to invalid logic, out of range responses, or identified outlier | -5 | 0 | . | 0.0 | . |
| Skipped/Implied refusal | -6 | 62 | 0.9 | 2308078 | 0.9 |
| Explicit refusal/REF | -7 | 0 | . | 0.0 | . |
| Question not asked | -8 | 0 | . | 0.0 | . |
| Don't know | -9 | 0 | . | 0.0 | . |
| | | 7046 | 100.0 | 2.5793E8 | 100.0 |

| TEL_CELL | |
|---------------|-----------------------------------|
| LABEL | Have a working cell phone |
| QUESTION TEXT | Do you have a working cell phone? |
| UNIVERSE | ALL |
| TYPE | Numeric |

| TEL_CELL: Distribution | Value | Unweighted | | Weighted | |
|---|-------|------------|-------|----------|-------|
| | | n | % | n | % |
| No | 0 | 267 | 3.8 | 9934178 | 3.9 |
| Yes | 1 | 6734 | 95.6 | 2.4633E8 | 95.5 |
| Edited response due to invalid logic, out of range responses, or identified outlier | -5 | 0 | . | 0.0 | . |
| Skipped/Implied refusal | -6 | 45 | 0.6 | 1664432 | 0.6 |
| Explicit refusal/REF | -7 | 0 | . | 0.0 | . |
| Question not asked | -8 | 0 | . | 0.0 | . |
| Don't know | -9 | 0 | . | 0.0 | . |
| | | 7046 | 100.0 | 2.5793E8 | 100.0 |

| | |
|-------------------|--|
| TEL_HHCELL | |
| LABEL | Live with anyone with a working cell phone |
| QUESTION TEXT | Do you live with anyone at your home who has a working cell phone? |
| UNIVERSE | TEL_CELL = 0 AND HHSIZE GE 2 |
| TYPE | Numeric |

| TEL_HHCELL: Distribution | Value | Unweighted | | Weighted | |
|---|-------|------------|-------|----------|-------|
| | | n | % | n | % |
| No | 0 | 99 | 1.4 | 4010631 | 1.6 |
| Yes | 1 | 106 | 1.5 | 3939696 | 1.5 |
| Edited response due to invalid logic, out of range responses, or identified outlier | -5 | 0 | . | 0.0 | . |
| Skipped/Implied refusal | -6 | 4 | 0.1 | 148155.9 | 0.1 |
| Explicit refusal/REF | -7 | 0 | . | 0.0 | . |
| Question not asked | -8 | 6837 | 97.0 | 2.4983E8 | 96.9 |
| Don't know | -9 | 0 | . | 0.0 | . |
| | | 7046 | 100.0 | 2.5793E8 | 100.0 |

| START_DATE_R | |
|---------------------|---|
| LABEL | Date the survey started |
| NOTES TEXT | This information is paradata that was collected from Rapid Surveys System survey. The values are stored as MONYY character strings. |
| TYPE | Character |
| LENGTH | 5 |

| | | Unweighted | | Weighted | |
|-----------------------------------|--------------|-------------------|--------------|-----------------|--------------|
| START_DATE_R: Distribution | Value | n | % | n | % |
| NOV23 | NOV23 | 688 | 9.8 | 23398728 | 9.1 |
| OCT23 | OCT23 | 6358 | 90.2 | 2.3453E8 | 90.9 |
| | | <i>7046</i> | <i>100.0</i> | <i>2.5793E8</i> | <i>100.0</i> |

| END_DATE_R | |
|-------------------|---|
| LABEL | Date the survey was completed |
| NOTES TEXT | This information is paradata that was collected from Rapid Surveys System survey. The values are stored as MONYY character strings. |
| TYPE | Character |
| LENGTH | 5 |

| | | Unweighted | | Weighted | |
|---------------------------------|--------------|-------------------|--------------|-----------------|--------------|
| END_DATE_R: Distribution | Value | n | % | n | % |
| NOV23 | NOV23 | 855 | 12.1 | 29975404 | 11.6 |
| OCT23 | OCT23 | 6191 | 87.9 | 2.2795E8 | 88.4 |
| | | <i>7046</i> | <i>100.0</i> | <i>2.5793E8</i> | <i>100.0</i> |

| | |
|-------------|---|
| ID_R | |
| LABEL | Survey ID |
| NOTES TEXT | This information is paradata that was collected from Rapid Surveys System survey. |
| TYPE | Numeric |

| ID_R: Distribution | Value | Unweighted | | Weighted | |
|---|-------------------|------------|-------|----------|-------|
| | | n | % | n | % |
| Values 100000-118307. Distribution suppressed | [Range of Values] | 7046 | 100.0 | 2.5793E8 | 100.0 |
| | | 7046 | 100.0 | 2.5793E8 | 100.0 |

| SOURCE | |
|---------------|---|
| LABEL | Paradata: Panel Provider |
| QUESTION TEXT | NA - Paradata |
| NOTES TEXT | Variables with the prefix "P1_" indicate variables unique to panel provider 1 and the prefix "P2_" indicate variables unique to panel provider 2. Variables with the prefix "P_" are shared across panel providers. |
| TYPE | Numeric |

| SOURCE: Distribution | Value | Unweighted | | Weighted | |
|----------------------|-------|------------|-------|----------|-------|
| | | n | % | n | % |
| Panel Provider 1 | 1 | 2849 | 40.4 | 67310526 | 26.1 |
| Panel Provider 2 | 2 | 4197 | 59.6 | 1.9062E8 | 73.9 |
| | | 7046 | 100.0 | 2.5793E8 | 100.0 |

| QUEX_LANG | |
|------------------|---|
| LABEL | Paradata: Language of interview |
| QUESTION TEXT | NA - Paradata |
| UNIVERSE | ALL |
| NOTES TEXT | Based on language selected in instrument. |
| TYPE | Numeric |

| QUEX_LANG: Distribution | Value | Unweighted | | Weighted | |
|--------------------------------|--------------|-------------------|--------------|-----------------|--------------|
| | | n | % | n | % |
| English | 1 | 6810 | 96.7 | 2.4483E8 | 94.9 |
| Spanish | 2 | 236 | 3.3 | 13093125 | 5.1 |
| | | <i>7046</i> | <i>100.0</i> | <i>2.5793E8</i> | <i>100.0</i> |

| P_OUTCOME | |
|------------------|---|
| LABEL | Paradata: Outcome code |
| QUESTION TEXT | NA - Paradata |
| NOTES TEXT | This information is paradata that was collected from Rapid Surveys System survey. |
| TYPE | Numeric |

| P_OUTCOME: Distribution | Value | Unweighted | | Weighted | |
|---|--------------|-------------------|--------------|-----------------|--------------|
| | | n | % | n | % |
| Never accessed the instrument | 1 | 0 | . | 0.0 | . |
| Accessed instrument but dropped off (did not reach last question of the survey) | 2 | 0 | . | 0.0 | . |
| Complete (reached last question) | 3 | 7046 | 100.0 | 2.5793E8 | 100.0 |
| Completed interview but case dropped due to quality concerns (e.g., speeding, excessive item nonresponse) | 4 | 0 | . | 0.0 | . |
| | | 7046 | 100.0 | 2.5793E8 | 100.0 |

| | |
|------------------|---|
| P_AGE_C_R | |
| LABEL | Panel Profile: Respondent age - topcoded |
| NOTES TEXT | This information was not collected as a part of the Rapid Surveys System survey, but from the panel's profile data. |
| TYPE | Numeric |

| P_AGE_C_R: Distribution | Value | Unweighted | | Weighted | |
|---------------------------------------|-------------------|------------|-------|----------|-------|
| | | n | % | n | % |
| Values 18-70. Distribution suppressed | [Range of Values] | 7046 | 100.0 | 2.5793E8 | 100.0 |
| | | 7046 | 100.0 | 2.5793E8 | 100.0 |

| | |
|-------------------|--|
| P_HHSIZE_R | |
| LABEL | Panel Profile: Numeric household size, capped at 6+ |
| QUESTION TEXT | NA - Panel variable |
| NOTES TEXT | This information was not collected as a part of the Rapid Surveys System survey, but from the panel's profile data. Top coded to 6+ from P_HHSIZE. |
| TYPE | Numeric |

| P_HHSIZE_R: Distribution | Value | Unweighted | | Weighted | |
|--------------------------|-------|-------------|--------------|-----------------|--------------|
| | | n | % | n | % |
| 1 | 1 | 1435 | 20.4 | 46076486 | 17.9 |
| 2 | 2 | 2661 | 37.8 | 91548624 | 35.5 |
| 3 | 3 | 1155 | 16.4 | 44826808 | 17.4 |
| 4 | 4 | 913 | 13.0 | 38974379 | 15.1 |
| 5 | 5 | 478 | 6.8 | 19767649 | 7.7 |
| 6+ | 6 | 404 | 5.7 | 16732997 | 6.5 |
| Skipped/Implied refusal | -6 | 0 | . | 0.0 | . |
| Explicit refusal/REF | -7 | 0 | . | 0.0 | . |
| Question not asked | -8 | 0 | . | 0.0 | . |
| Don't know | -9 | 0 | . | 0.0 | . |
| | | 7046 | 100.0 | 2.5793E8 | 100.0 |

| P_GENDER | |
|-----------------|---|
| LABEL | Panel Profile: Respondent gender |
| QUESTION TEXT | NA - Panel variable |
| NOTES TEXT | This information was not collected as a part of the Rapid Surveys System survey, but from the panel's profile data. |
| TYPE | Numeric |

| | | Unweighted | | Weighted | |
|-------------------------------|--------------|-------------------|--------------|-----------------|--------------|
| P_GENDER: Distribution | Value | n | % | n | % |
| Male | 1 | 3250 | 46.1 | 1.2588E8 | 48.8 |
| Female | 2 | 3796 | 53.9 | 1.3205E8 | 51.2 |
| | | <i>7046</i> | <i>100.0</i> | <i>2.5793E8</i> | <i>100.0</i> |

| P_EDUCATION_I_R | |
|------------------------|---|
| LABEL | Panel Profile: Education - 3 levels |
| NOTES TEXT | This variable is a recode of P_EDUCATION to 3 levels: High school graduate or less, some college, and bachelor's degree or above. |
| TYPE | Numeric |

| P_EDUCATION_I_R: Distribution | Value | Unweighted | | Weighted | |
|--------------------------------------|--------------|-------------------|--------------|-----------------|--------------|
| | | n | % | n | % |
| High school graduate or less | 1 | 2011 | 28.5 | 98117408 | 38.0 |
| Some college | 2 | 2257 | 32.0 | 70315052 | 27.3 |
| Bachelor's degree or above | 3 | 2778 | 39.4 | 89494484 | 34.7 |
| Skipped/Implied refusal | -6 | 0 | . | 0.0 | . |
| Explicit refusal/REF | -7 | 0 | . | 0.0 | . |
| Question not asked | -8 | 0 | . | 0.0 | . |
| Don't know | -9 | 0 | . | 0.0 | . |
| | | 7046 | 100.0 | 2.5793E8 | 100.0 |

| P_EDUCATION_I_IFLG | |
|---------------------------|---|
| LABEL | Imputation flag for panel profile variable: <P_EDUCATION_I> |
| QUESTION TEXT | NA - Panel variable |
| TYPE | Numeric |

| P_EDUCATION_I_IFLG: Distribution | Value | Unweighted | | Weighted | |
|---|--------------|-------------------|--------------|-----------------|--------------|
| | | n | % | n | % |
| No imputation | 0 | 7032 | 99.8 | 2.5719E8 | 99.7 |
| Logical assignment | 1 | 0 | . | 0.0 | . |
| Statistical imputation | 2 | 14 | 0.2 | 741227.9 | 0.3 |
| | | 7046 | 100.0 | 2.5793E8 | 100.0 |

| P_INCOME_I_R | |
|---------------------|--|
| LABEL | Panel Profile: Household income - topcoded |
| NOTES TEXT | This information was not collected as a part of the Rapid Surveys System survey, but from the panel's profile data. This variable contains imputed values. The variable P_INCOME_I_IFLG reports which values were imputed. |
| TYPE | Numeric |

| P_INCOME_I_R: Distribution | Value | Unweighted | | Weighted | |
|-----------------------------------|--------------|-------------------|--------------|-----------------|--------------|
| | | n | % | n | % |
| Less than \$5,000 | 1 | 165 | 2.3 | 7708389 | 3.0 |
| \$5,000 to \$9,999 | 2 | 117 | 1.7 | 3956653 | 1.5 |
| \$10,000 to \$14,999 | 3 | 226 | 3.2 | 8059543 | 3.1 |
| \$15,000 to \$19,999 | 4 | 186 | 2.6 | 6319200 | 2.4 |
| \$20,000 to \$24,999 | 5 | 263 | 3.7 | 8266824 | 3.2 |
| \$25,000 to \$29,999 | 6 | 239 | 3.4 | 8582933 | 3.3 |
| \$30,000 to \$34,999 | 7 | 298 | 4.2 | 11712379 | 4.5 |
| \$35,000 to \$39,999 | 8 | 277 | 3.9 | 11081788 | 4.3 |
| \$40,000 to \$49,999 | 9 | 464 | 6.6 | 15744597 | 6.1 |
| \$50,000 to \$59,999 | 10 | 542 | 7.7 | 18835227 | 7.3 |
| \$60,000 to \$74,999 | 11 | 681 | 9.7 | 23030871 | 8.9 |
| \$75,000 to \$84,999 | 12 | 450 | 6.4 | 16844473 | 6.5 |
| \$85,000 to \$99,999 | 13 | 529 | 7.5 | 17213799 | 6.7 |
| \$100,000 to \$124,999 | 14 | 749 | 10.6 | 27608934 | 10.7 |
| \$125,000 to \$149,999 | 15 | 485 | 6.9 | 17824009 | 6.9 |
| \$150,000 or more | 16 | 1375 | 19.5 | 55137325 | 21.4 |
| Skipped/Implied refusal | -6 | 0 | . | 0.0 | . |
| Explicit refusal/REF | -7 | 0 | . | 0.0 | . |
| Question not asked | -8 | 0 | . | 0.0 | . |
| Don't know | -9 | 0 | . | 0.0 | . |
| | | 7046 | 100.0 | 2.5793E8 | 100.0 |

| P_INCOME_I_R_IFLG | |
|--------------------------|--|
| LABEL | Imputation flag for panel profile variable: <P_INCOME_I_R> |
| TYPE | Numeric |

| P_INCOME_I_R_IFLG: Distribution | Value | Unweighted | | Weighted | |
|--|--------------|-------------------|--------------|-----------------|--------------|
| | | n | % | n | % |
| No imputation | 0 | 6825 | 96.9 | 2.489E8 | 96.5 |
| Logical assignment | 1 | 0 | . | 0.0 | . |
| Statistical imputation | 2 | 221 | 3.1 | 9027189 | 3.5 |
| | | 7046 | 100.0 | 2.5793E8 | 100.0 |

| P_ONEVISIT | |
|-------------------|---|
| LABEL | Paradata: Whether the survey was completed in a single session |
| QUESTION TEXT | NA - Paradata |
| NOTES TEXT | This information is paradata that was collected from Rapid Surveys System survey. |
| TYPE | Numeric |

| P_ONEVISIT: Distribution | Value | Unweighted | | Weighted | |
|--------------------------------------|--------------|-------------------|--------------|-----------------|--------------|
| | | n | % | n | % |
| Multiple session or did not complete | 0 | 1102 | 15.6 | 40880558 | 15.8 |
| Completed survey in single session | 1 | 5944 | 84.4 | 2.1705E8 | 84.2 |
| | | 7046 | 100.0 | 2.5793E8 | 100.0 |

| P_RACE_R | |
|-----------------|---|
| LABEL | Panel Profile: Single and multiple race/ethnicity groups (all adults) |
| NOTES TEXT | This information was not collected as a part of the Rapid Surveys System survey, but from the panel's profile data. This variable includes Hispanic origin. Other, non-Hispanic is the only group including multiple races; the other groups only contain single races. |
| TYPE | Numeric |

| P_RACE_R: Distribution | Value | Unweighted | | Weighted | |
|-------------------------------|--------------|-------------------|--------------|-----------------|--------------|
| | | n | % | n | % |
| White, non-Hispanic | 1 | 4702 | 67.3 | 1.5829E8 | 62.0 |
| Black, non-Hispanic | 2 | 728 | 10.4 | 32227442 | 12.6 |
| Other, non-Hispanic | 3 | 595 | 8.5 | 20333728 | 8.0 |
| Hispanic | 4 | 966 | 13.8 | 44575194 | 17.5 |
| Skipped/Implied refusal | -6 | 0 | . | 0.0 | . |
| Explicit refusal/REF | -7 | 0 | . | 0.0 | . |
| Question not asked | -8 | 0 | . | 0.0 | . |
| Don't know | -9 | 0 | . | 0.0 | . |
| . | . | 55 | . | 2497986 | . |
| | | 7046 | 100.0 | 2.5793E8 | 100.0 |

| | |
|-----------------|---|
| P_REMIND | |
| LABEL | Paradata: Number of reminders sent |
| QUESTION TEXT | NA - Paradata |
| NOTES TEXT | This information is paradata that was collected from Rapid Surveys System survey. |
| TYPE | Numeric |

| P_REMIND: Distribution | Value | Unweighted | | Weighted | |
|------------------------|-------|-------------|--------------|-----------------|--------------|
| | | n | % | n | % |
| 0 | 0 | 4234 | 60.1 | 1.5308E8 | 59.4 |
| 1 | 1 | 1199 | 17.0 | 44618472 | 17.3 |
| 2 | 2 | 906 | 12.9 | 31362916 | 12.2 |
| 3 | 3 | 349 | 5.0 | 12641345 | 4.9 |
| 4 | 4 | 194 | 2.8 | 7574478 | 2.9 |
| 5 | 5 | 75 | 1.1 | 4161657 | 1.6 |
| 6 | 6 | 85 | 1.2 | 4256671 | 1.7 |
| 7 | 7 | 4 | 0.1 | 226672.2 | 0.1 |
| | | 7046 | 100.0 | 2.5793E8 | 100.0 |

| | |
|------------------|---|
| P_CATIATT | |
| LABEL | Paradata: Number of contact attempts (phone) |
| QUESTION TEXT | NA - Paradata |
| NOTES TEXT | This information is paradata that was collected from Rapid Surveys System survey. |
| TYPE | Numeric |

| P_CATIATT: Distribution | Value | Unweighted | | Weighted | |
|-------------------------|-------|------------|-------|----------|-------|
| | | n | % | n | % |
| 1 | 1 | 114 | 43.0 | 2234613 | 42.9 |
| 2 | 2 | 81 | 30.6 | 1692988 | 32.5 |
| 3 | 3 | 39 | 14.7 | 722058.2 | 13.9 |
| 4 | 4 | 23 | 8.7 | 475025.9 | 9.1 |
| 5 | 5 | 4 | 1.5 | 57163.6 | 1.1 |
| 6 | 6 | 3 | 1.1 | 26510.5 | 0.5 |
| 7 | 7 | 1 | 0.4 | 3753.4 | 0.1 |
| . | . | 6781 | . | 2.5271E8 | . |
| | | 7046 | 100.0 | 2.5793E8 | 100.0 |

| P_DEVICE | |
|-----------------|---|
| LABEL | Paradata: Device used to complete survey (web only) |
| QUESTION TEXT | NA - Paradata |
| NOTES TEXT | This information is paradata that was collected from Rapid Surveys System survey. |
| TYPE | Numeric |

| P_DEVICE: Distribution | Value | Unweighted | | Weighted | |
|--|--------------|-------------------|--------------|-----------------|--------------|
| | | n | % | n | % |
| Desktop/Laptop/netbook | 1 | 2871 | 40.7 | 1.0085E8 | 39.1 |
| Smartphone | 2 | 3683 | 52.3 | 1.4169E8 | 54.9 |
| Tablet | 3 | 228 | 3.2 | 10179373 | 3.9 |
| Other device (book reader, game console, etc.) | 4 | 1 | 0.0 | 74581.6 | 0.0 |
| Phone interview (not online) | 5 | 263 | 3.7 | 5137289 | 2.0 |
| | | 7046 | 100.0 | 2.5793E8 | 100.0 |

| P_MODE | |
|---------------|---|
| LABEL | Paradata: Mode of interview |
| QUESTION TEXT | NA - Paradata |
| NOTES TEXT | This information is paradata that was collected from Rapid Surveys System survey. |
| TYPE | Numeric |

| P_MODE: Distribution | Value | Unweighted | | Weighted | |
|----------------------|-------|------------|-------|----------|-------|
| | | n | % | n | % |
| Web | 1 | 6783 | 96.3 | 2.5279E8 | 98.0 |
| CATI | 2 | 263 | 3.7 | 5137289 | 2.0 |
| | | 7046 | 100.0 | 2.5793E8 | 100.0 |

| | |
|----------------|---|
| P_VISIT | |
| LABEL | Paradata: Number of times the questionnaire was accessed/login attempts (web) |
| QUESTION TEXT | NA - Paradata |
| NOTES TEXT | This information is paradata that was collected from Rapid Surveys System survey. |
| TYPE | Numeric |

| P_VISIT: Distribution | Value | Unweighted | | Weighted | |
|-----------------------|-------|------------|-------|----------|-------|
| | | n | % | n | % |
| 1 | 1 | 5944 | 84.4 | 2.1705E8 | 84.2 |
| 2 | 2 | 752 | 10.7 | 27037697 | 10.5 |
| 3 | 3 | 216 | 3.1 | 8445516 | 3.3 |
| 4 | 4 | 64 | 0.9 | 2521378 | 1.0 |
| 5 | 5 | 24 | 0.3 | 891158.4 | 0.3 |
| 6 | 6 | 13 | 0.2 | 488649.4 | 0.2 |
| 7 | 7 | 14 | 0.2 | 658923.5 | 0.3 |
| 8 | 8 | 7 | 0.1 | 333146.6 | 0.1 |
| 9 | 9 | 1 | 0.0 | 37855.6 | 0.0 |
| 10 | 10 | 4 | 0.1 | 107408.1 | 0.0 |
| 11 | 11 | 3 | 0.0 | 155011.1 | 0.1 |
| 12 | 12 | 2 | 0.0 | 108670.4 | 0.0 |
| 14 | 14 | 1 | 0.0 | 46537.0 | 0.0 |
| 15 | 15 | 1 | 0.0 | 48606.3 | 0.0 |
| | | 7046 | 100.0 | 2.5793E8 | 100.0 |

| P_POVERTY | |
|------------------|---|
| LABEL | Panel Profile: Poverty Status |
| QUESTION TEXT | NA - Panel variable |
| NOTES TEXT | This information was not collected as a part of the Rapid Surveys System survey, but from the panel's profile data. |
| TYPE | Numeric |

| P_POVERTY: Distribution | Value | Unweighted | | Weighted | |
|--------------------------------|--------------|-------------------|--------------|-----------------|--------------|
| | | n | % | n | % |
| < 0.50 | 1 | 331 | 4.7 | 14666628 | 5.7 |
| 0.50 - < 1.00 | 2 | 507 | 7.2 | 18920712 | 7.3 |
| 1.00 - < 1.50 | 3 | 480 | 6.8 | 17499074 | 6.8 |
| 1.50 - < 2.00 | 4 | 750 | 10.6 | 27782783 | 10.8 |
| 2.00 - < 2.50 | 5 | 474 | 6.7 | 15313723 | 5.9 |
| 2.50 - < 3.00 | 6 | 493 | 7.0 | 18524782 | 7.2 |
| 3.00 - < 3.50 | 7 | 662 | 9.4 | 23200183 | 9.0 |
| 3.50 - < 4.00 | 8 | 329 | 4.7 | 11075721 | 4.3 |
| 4.00 + | 9 | 3020 | 42.9 | 1.1094E8 | 43.0 |
| Skipped/Implied refusal | -6 | 0 | . | 0.0 | . |
| Explicit refusal/REF | -7 | 0 | . | 0.0 | . |
| Question not asked | -8 | 0 | . | 0.0 | . |
| Don't know | -9 | 0 | . | 0.0 | . |
| | | 7046 | 100.0 | 2.5793E8 | 100.0 |

| P_EMPLOY | |
|-----------------|---|
| LABEL | Panel Profile: Current Employment Status |
| QUESTION TEXT | NA - Panel variable |
| NOTES TEXT | This information was not collected as a part of the Rapid Surveys System survey, but from the panel's profile data. |
| TYPE | Numeric |

| P_EMPLOY: Distribution | Value | Unweighted | | Weighted | |
|---|--------------|-------------------|--------------|-----------------|--------------|
| | | n | % | n | % |
| Working | 1 | 4241 | 60.2 | 1.6231E8 | 62.9 |
| Not working--unable to work for health reasons/disabled | 2 | 453 | 6.4 | 15263996 | 5.9 |
| Not working--retired | 3 | 1631 | 23.1 | 46729545 | 18.1 |
| Not working--other | 4 | 721 | 10.2 | 33622574 | 13.0 |
| | | 7046 | 100.0 | 2.5793E8 | 100.0 |

| P_MARITAL | |
|------------------|---|
| LABEL | Panel Profile: Marital status |
| QUESTION TEXT | NA - Panel variable |
| NOTES TEXT | This information was not collected as a part of the Rapid Surveys System survey, but from the panel's profile data. |
| TYPE | Numeric |

| P_MARITAL: Distribution | Value | Unweighted | | Weighted | |
|--------------------------------|--------------|-------------------|--------------|-----------------|--------------|
| | | n | % | n | % |
| Married | 1 | 3784 | 53.7 | 1.3222E8 | 51.3 |
| Divorced/Seperated | 2 | 1038 | 14.7 | 31294682 | 12.1 |
| Widowed | 3 | 375 | 5.3 | 11075515 | 4.3 |
| Never married | 4 | 1849 | 26.2 | 83334891 | 32.3 |
| | | 7046 | 100.0 | 2.5793E8 | 100.0 |

| P_REGION | |
|-----------------|---|
| LABEL | Panel Profile: 4-level region |
| QUESTION TEXT | NA - Panel variable |
| NOTES TEXT | This information was not collected as a part of the Rapid Surveys System survey, but from the panel's profile data. |
| TYPE | Numeric |

| | | Unweighted | | Weighted | |
|-------------------------------|--------------|-------------------|--------------|-----------------|--------------|
| P_REGION: Distribution | Value | n | % | n | % |
| Northeast | 1 | 1081 | 15.3 | 45354542 | 17.6 |
| Midwest | 2 | 1672 | 23.7 | 53307211 | 20.7 |
| South | 3 | 2516 | 35.7 | 98309524 | 38.1 |
| West | 4 | 1777 | 25.2 | 60955667 | 23.6 |
| | | 7046 | 100.0 | 2.5793E8 | 100.0 |

| P_HOMEOWN | |
|------------------|---|
| LABEL | Home ownership - 3 level |
| QUESTION TEXT | NA - Panel variable |
| NOTES TEXT | This information was not collected as a part of the Rapid Surveys System survey, but from the panel's profile data. |
| TYPE | Numeric |

| P_HOMEOWN: Distribution | Value | Unweighted | | Weighted | |
|--|--------------|-------------------|--------------|-----------------|--------------|
| | | n | % | n | % |
| Owned or being bought by someone in your household | 1 | 4988 | 70.8 | 1.7877E8 | 69.3 |
| Rented | 2 | 1922 | 27.3 | 74896179 | 29.0 |
| Occupied without payment of cash rent | 3 | 136 | 1.9 | 4257716 | 1.7 |
| Skipped/Implied refusal | -6 | 0 | . | 0.0 | . |
| Explicit refusal/REF | -7 | 0 | . | 0.0 | . |
| Question not asked | -8 | 0 | . | 0.0 | . |
| Don't know | -9 | 0 | . | 0.0 | . |
| | | 7046 | 100.0 | 2.5793E8 | 100.0 |

| P_CITIZEN | |
|------------------|--|
| LABEL | Panel Profile: Are you a US citizen? |
| QUESTION TEXT | NA - Panel variable |
| NOTES TEXT | This information was not collected as a part of the Rapid Surveys System survey, but from the panel's profile data. This item had higher than typical missingness from one of the panel providers. |
| TYPE | Numeric |

| P_CITIZEN: Distribution | Value | Unweighted | | Weighted | |
|--------------------------------|--------------|-------------------|--------------|-----------------|--------------|
| | | n | % | n | % |
| Not a U.S. citizen | 0 | 184 | 3.3 | 10814441 | 5.0 |
| U.S. citizen | 1 | 5374 | 96.7 | 2.067E8 | 95.0 |
| . | . | 1488 | . | 40408321 | . |
| | | 7046 | 100.0 | 2.5793E8 | 100.0 |

| P_VETERAN | |
|------------------|---|
| LABEL | Panel Profile: Have you ever served on active duty in the U.S. Armed Forces, military Reserves, or National Guard? |
| QUESTION TEXT | NA - Panel variable |
| NOTES TEXT | This information was not collected as a part of the Rapid Surveys System survey, but from the panel's profile data. |
| TYPE | Numeric |

| | | Unweighted | | Weighted | |
|--------------------------------|--------------|-------------------|--------------|-----------------|--------------|
| P_VETERAN: Distribution | Value | n | % | n | % |
| Not a veteran | 0 | 5968 | 90.0 | 2.1897E8 | 91.3 |
| Veteran | 1 | 660 | 10.0 | 20814223 | 8.7 |
| . | . | 418 | . | 18142462 | . |
| | | 7046 | 100.0 | 2.5793E8 | 100.0 |

| P_INSUR | |
|----------------|--|
| LABEL | Panel Profile: Covered by any form of health insurance or health plan? |
| QUESTION TEXT | NA - Panel variable |
| NOTES TEXT | This information was not collected as a part of the Rapid Surveys System survey, but from the panel's profile data. This item had higher than typical missingness from one of the panel providers. |
| TYPE | Numeric |

| P_INSUR: Distribution | Value | Unweighted | | Weighted | |
|--------------------------------|--------------|-------------------|--------------|-----------------|--------------|
| | | n | % | n | % |
| Does not have health insurance | 0 | 360 | 6.7 | 17703015 | 8.8 |
| Has health insurance | 1 | 5033 | 93.3 | 1.8459E8 | 91.2 |
| . | . | 1653 | . | 55633377 | . |
| | | 7046 | 100.0 | 2.5793E8 | 100.0 |

| | |
|-----------------|--|
| P_USBORN | |
| LABEL | Panel Profile: Is respondent US born? |
| QUESTION TEXT | NA - Panel variable |
| NOTES TEXT | This information was not collected as a part of the Rapid Surveys System survey, but from the panel's profile data. This item had higher than typical missingness from one of the panel providers. |
| TYPE | Numeric |

| | | Unweighted | | Weighted | |
|------------------------|-------|-------------|--------------|-----------------|--------------|
| P_USBORN: Distribution | Value | n | % | n | % |
| No | 0 | 460 | 8.1 | 19305728 | 9.2 |
| Yes | 1 | 5219 | 91.9 | 1.9041E8 | 90.8 |
| . | . | 1367 | . | 48215264 | . |
| | | 7046 | 100.0 | 2.5793E8 | 100.0 |

| P_GENDERID | |
|-------------------|---|
| LABEL | Panel Profile: Gender identity 4 Levels |
| QUESTION TEXT | NA - Panel variable |
| NOTES TEXT | This information was not collected as a part of the Rapid Surveys System survey, but from the panel's profile data. |
| TYPE | Numeric |

| P_GENDERID: Distribution | Value | Unweighted | | Weighted | |
|---------------------------------|--------------|-------------------|--------------|-----------------|--------------|
| | | n | % | n | % |
| Cis-gender Male | 1 | 3031 | 45.3 | 1.1662E8 | 47.9 |
| Cis-gender Female | 2 | 3549 | 53.1 | 1.2224E8 | 50.2 |
| Transgender | 3 | 49 | 0.7 | 1980246 | 0.8 |
| None of these | 4 | 58 | 0.9 | 2442764 | 1.0 |
| . | . | 359 | . | 14643544 | . |
| | | 7046 | 100.0 | 2.5793E8 | 100.0 |

| P_ORIENT | |
|-----------------|---|
| LABEL | Panel Profile: Sexual Orientation |
| QUESTION TEXT | NA - Panel variable |
| NOTES TEXT | This information was not collected as a part of the Rapid Surveys System survey, but from the panel's profile data. |
| TYPE | Numeric |

| P_ORIENT: Distribution | Value | Unweighted | | Weighted | |
|-----------------------------------|--------------|-------------------|--------------|-----------------|--------------|
| | | n | % | n | % |
| Gay or lesbian | 1 | 205 | 3.1 | 6848337 | 2.8 |
| Straight, that is not lesbian/gay | 2 | 6047 | 90.9 | 2.1914E8 | 90.7 |
| Bisexual | 3 | 288 | 4.3 | 10808169 | 4.5 |
| Something else | 4 | 116 | 1.7 | 4908679 | 2.0 |
| . | . | 390 | . | 16220214 | . |
| | | 7046 | 100.0 | 2.5793E8 | 100.0 |

| P_METRO_R | |
|------------------|--|
| LABEL | NCHS 2013 Urban/Rural code |
| NOTES TEXT | This variable was used in calibration. Contains imputed values if missing values were present. Coding is based on P_URB2013 which is a 6-level NCHS urbanization scheme using FIPS codes. The variable P_METRO_R_IFLG reports which values were imputed. |
| TYPE | Numeric |

| P_METRO_R: Distribution | Value | Unweighted | | Weighted | |
|--------------------------------|--------------|-------------------|--------------|-----------------|--------------|
| | | n | % | n | % |
| Metropolitan | 1 | 6041 | 85.7 | 2.2222E8 | 86.2 |
| Non-Metropolitan | 2 | 1005 | 14.3 | 35702480 | 13.8 |
| | | <i>7046</i> | <i>100.0</i> | <i>2.5793E8</i> | <i>100.0</i> |

| P_METRO_R_IFLG | |
|-----------------------|---|
| LABEL | Imputation flag for profile variable: <P_METRO_R> |
| TYPE | Numeric |

| P_METRO_R_IFLG: Distribution | Value | Unweighted | | Weighted | |
|-------------------------------------|--------------|-------------------|--------------|-----------------|--------------|
| | | n | % | n | % |
| No imputation | 0 | 7040 | 99.9 | 2.5762E8 | 99.9 |
| Logical assignment | 1 | 0 | . | 0.0 | . |
| Statistical imputation | 2 | 6 | 0.1 | 302433.4 | 0.1 |
| | | 7046 | 100.0 | 2.5793E8 | 100.0 |

| P1_CALWT_M1 | |
|--------------------|---|
| LABEL | Panel provider 1 weight for data collection methodology 1 calibrated to NHIS control totals |
| QUESTION TEXT | NA - Panel variable |
| NOTES TEXT | Use this weight when analyzing data from panel provider 1 only. |
| TYPE | Numeric |

| P1_CALWT_M1: Statistics | Unweighted | Weighted |
|--------------------------------|-------------------|-----------------|
| MAX | 1328458.3 | 1328458.3 |
| MEAN | 90532.4 | 215110.1 |
| MIN | 775.6 | 775.6 |
| N | 2849.0 | 2849.0 |
| STD | 106218.1 | 32738871.4 |
| SUMWGT | . | 67310526.2 |

| P2_CALWT_M1 | |
|--------------------|---|
| LABEL | Panel provider 2 weight for data collection methodology 1 calibrated to NHIS control totals |
| QUESTION TEXT | NA - Panel variable |
| NOTES TEXT | Use this weight when analyzing data from panel provider 2 only. |
| TYPE | Numeric |

| P2_CALWT_M1: Statistics | Unweighted | Weighted |
|--------------------------------|-------------------|-----------------|
| MAX | 259026.3 | 259026.3 |
| MEAN | 61455.1 | 75959.7 |
| MIN | 5335.3 | 5335.3 |
| N | 4197.0 | 4197.0 |
| STD | 29859.6 | 7996141.0 |
| SUMWGT | . | 190616417.8 |

| WEIGHT_M1 | |
|------------------|---|
| LABEL | Final combined weight for data collection methodology 1 calibrated to NHIS control totals |
| QUESTION TEXT | NA - Panel variable |
| NOTES TEXT | Analysis weight |
| TYPE | Numeric |

| WEIGHT_M1: Statistics | Unweighted | Weighted |
|------------------------------|-------------------|-----------------|
| MAX | 346684.3 | 346684.3 |
| MEAN | 36606.2 | 56136.7 |
| MIN | 202.4 | 202.4 |
| N | 7046.0 | 7046.0 |
| STD | 26740.2 | 7092834.9 |
| SUMWGT | . | 257926944.0 |

| P_STRATA_R | |
|---------------|---------------------------------|
| LABEL | Panel Sample Strata |
| QUESTION TEXT | NA - Panel variable |
| NOTES TEXT | Strata for variance estimation. |
| TYPE | Numeric |

| P_PSU_R | |
|---------------|------------------------------|
| LABEL | Panel PSU |
| QUESTION TEXT | NA - Panel variable |
| NOTES TEXT | PSU for variance estimation. |
| TYPE | Numeric |